

Computer algebra independent integration tests

1-Algebraic-functions/1.2-Trinomial-products/1.2.2-Quartic/1.2.2.4-f-x-
 $^m-d+e-x^2-q-a+b-x^2+c-x^4-p$

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 9:54am

Contents

1	Introduction	21
1.1	Listing of CAS systems tested	21
1.2	Results	22
1.3	Performance	26
1.4	list of integrals that has no closed form antiderivative	27
1.5	list of integrals solved by CAS but has no known antiderivative	28
1.6	list of integrals solved by CAS but failed verification	28
1.7	Timing	29
1.8	Verification	29
1.9	Important notes about some of the results	29
1.9.1	Important note about Maxima results	29
1.9.2	Important note about FriCAS and Giac/XCAS results	30
1.9.3	Important note about finding leaf size of antiderivative	30
1.9.4	Important note about Mupad results	31
1.10	Design of the test system	32
2	detailed summary tables of results	33
2.1	List of integrals sorted by grade for each CAS	33
2.1.1	Rubi	33
2.1.2	Mathematica	34
2.1.3	Maple	34

2.1.4	Maxima	35
2.1.5	FriCAS	35
2.1.6	Sympy	36
2.1.7	Giac	37
2.1.8	Mupad	37
2.2	Detailed conclusion table per each integral for all CAS systems	39
2.3	Detailed conclusion table specific for Rubi results	122
3	Listing of integrals	139
3.1	$\int x^3 (d + ex^2) (a + cx^4)^5 dx$	139
3.2	$\int x^2 (d + ex^2) (a + cx^4)^5 dx$	143
3.3	$\int x (d + ex^2) (a + cx^4)^5 dx$	146
3.4	$\int (d + ex^2) (a + cx^4)^5 dx$	150
3.5	$\int \frac{(d+ex^2)(a+cx^4)^5}{x} dx$	153
3.6	$\int \frac{(d+ex^2)(a+cx^4)^5}{x^2} dx$	157
3.7	$\int \frac{(d+ex^2)(a+cx^4)^5}{x^3} dx$	160
3.8	$\int x^5 (2 + 3x^2) \sqrt{5 + x^4} dx$	164
3.9	$\int x^3 (2 + 3x^2) \sqrt{5 + x^4} dx$	168
3.10	$\int x (2 + 3x^2) \sqrt{5 + x^4} dx$	172
3.11	$\int \frac{(2+3x^2)\sqrt{5+x^4}}{x} dx$	175
3.12	$\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^3} dx$	180
3.13	$\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^5} dx$	185
3.14	$\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^7} dx$	190
3.15	$\int x^4 (2 + 3x^2) \sqrt{5 + x^4} dx$	195
3.16	$\int x^2 (2 + 3x^2) \sqrt{5 + x^4} dx$	200
3.17	$\int (2 + 3x^2) \sqrt{5 + x^4} dx$	205
3.18	$\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^2} dx$	209
3.19	$\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^4} dx$	213
3.20	$\int x^5 (2 + 3x^2) (5 + x^4)^{3/2} dx$	218
3.21	$\int x^3 (2 + 3x^2) (5 + x^4)^{3/2} dx$	222
3.22	$\int x (2 + 3x^2) (5 + x^4)^{3/2} dx$	226

3.23	$\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x} dx$	230
3.24	$\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^3} dx$	235
3.25	$\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^5} dx$	240
3.26	$\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^7} dx$	245
3.27	$\int x^4 (2 + 3x^2) (5 + x^4)^{3/2} dx$	250
3.28	$\int x^2 (2 + 3x^2) (5 + x^4)^{3/2} dx$	255
3.29	$\int (2 + 3x^2) (5 + x^4)^{3/2} dx$	260
3.30	$\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^2} dx$	264
3.31	$\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^4} dx$	269
3.32	$\int \frac{x^7(2+3x^2)}{\sqrt{5+x^4}} dx$	273
3.33	$\int \frac{x^5(2+3x^2)}{\sqrt{5+x^4}} dx$	277
3.34	$\int \frac{x^3(2+3x^2)}{\sqrt{5+x^4}} dx$	281
3.35	$\int \frac{x(2+3x^2)}{\sqrt{5+x^4}} dx$	284
3.36	$\int \frac{2+3x^2}{x\sqrt{5+x^4}} dx$	287
3.37	$\int \frac{2+3x^2}{x^3\sqrt{5+x^4}} dx$	291
3.38	$\int \frac{2+3x^2}{x^5\sqrt{5+x^4}} dx$	295
3.39	$\int \frac{x^4(2+3x^2)}{\sqrt{5+x^4}} dx$	300
3.40	$\int \frac{x^2(2+3x^2)}{\sqrt{5+x^4}} dx$	304
3.41	$\int \frac{2+3x^2}{\sqrt{5+x^4}} dx$	308
3.42	$\int \frac{2+3x^2}{x^2\sqrt{5+x^4}} dx$	312
3.43	$\int \frac{2+3x^2}{x^4\sqrt{5+x^4}} dx$	316
3.44	$\int \frac{x^7(2+3x^2)}{(5+x^4)^{3/2}} dx$	320
3.45	$\int \frac{x^5(2+3x^2)}{(5+x^4)^{3/2}} dx$	324
3.46	$\int \frac{x^3(2+3x^2)}{(5+x^4)^{3/2}} dx$	328

3.47	$\int \frac{x(2+3x^2)}{(5+x^4)^{3/2}} dx$	331
3.48	$\int \frac{2+3x^2}{x(5+x^4)^{3/2}} dx$	334
3.49	$\int \frac{2+3x^2}{x^3(5+x^4)^{3/2}} dx$	338
3.50	$\int \frac{x^4(2+3x^2)}{(5+x^4)^{3/2}} dx$	343
3.51	$\int \frac{x^2(2+3x^2)}{(5+x^4)^{3/2}} dx$	348
3.52	$\int \frac{2+3x^2}{(5+x^4)^{3/2}} dx$	352
3.53	$\int \frac{2+3x^2}{x^2(5+x^4)^{3/2}} dx$	356
3.54	$\int \frac{2+3x^2}{x^4(5+x^4)^{3/2}} dx$	361
3.55	$\int (fx)^m (d+ex^2) (1+2x^2+x^4)^5 dx$	366
3.56	$\int x^5 (d+ex^2) (1+2x^2+x^4)^5 dx$	376
3.57	$\int x^4 (d+ex^2) (1+2x^2+x^4)^5 dx$	380
3.58	$\int x^3 (d+ex^2) (1+2x^2+x^4)^5 dx$	384
3.59	$\int x^2 (d+ex^2) (1+2x^2+x^4)^5 dx$	388
3.60	$\int x (d+ex^2) (1+2x^2+x^4)^5 dx$	392
3.61	$\int (d+ex^2) (1+2x^2+x^4)^5 dx$	396
3.62	$\int \frac{(d+ex^2)(1+2x^2+x^4)^5}{x} dx$	400
3.63	$\int \frac{(d+ex^2)(1+2x^2+x^4)^5}{x^2} dx$	404
3.64	$\int \frac{(d+ex^2)(1+2x^2+x^4)^5}{x^3} dx$	408
3.65	$\int (fx)^m (1+x^2) (1+2x^2+x^4)^5 dx$	412
3.66	$\int x^5 (1+x^2) (1+2x^2+x^4)^5 dx$	419
3.67	$\int x^4 (1+x^2) (1+2x^2+x^4)^5 dx$	422
3.68	$\int x^3 (1+x^2) (1+2x^2+x^4)^5 dx$	425
3.69	$\int x^2 (1+x^2) (1+2x^2+x^4)^5 dx$	428
3.70	$\int x (1+x^2) (1+2x^2+x^4)^5 dx$	431
3.71	$\int (1+x^2) (1+2x^2+x^4)^5 dx$	434

3.72	$\int \frac{(1+x^2)(1+2x^2+x^4)^5}{x} dx$	437
3.73	$\int \frac{(1+x^2)(1+2x^2+x^4)^5}{x^2} dx$	440
3.74	$\int \frac{(1+x^2)(1+2x^2+x^4)^5}{x^3} dx$	443
3.75	$\int \frac{x^2(d+ex^2)}{\sqrt{a^2+2abx^2+b^2x^4}} dx$	447
3.76	$\int \frac{x(d+ex^2)}{\sqrt{a^2+2abx^2+b^2x^4}} dx$	451
3.77	$\int \frac{d+ex^2}{\sqrt{a^2+2abx^2+b^2x^4}} dx$	455
3.78	$\int \frac{d+ex^2}{x\sqrt{a^2+2abx^2+b^2x^4}} dx$	459
3.79	$\int \frac{d+ex^2}{x^2\sqrt{a^2+2abx^2+b^2x^4}} dx$	463
3.80	$\int \frac{d+ex^2}{x^3\sqrt{a^2+2abx^2+b^2x^4}} dx$	467
3.81	$\int \frac{x^2(d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$	471
3.82	$\int \frac{x(d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$	475
3.83	$\int \frac{d+ex^2}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$	479
3.84	$\int \frac{d+ex^2}{x(a^2+2abx^2+b^2x^4)^{3/2}} dx$	483
3.85	$\int \frac{d+ex^2}{x^2(a^2+2abx^2+b^2x^4)^{3/2}} dx$	487
3.86	$\int \frac{d+ex^2}{x^3(a^2+2abx^2+b^2x^4)^{3/2}} dx$	492
3.87	$\int (fx)^m (d+ex^2) (a^2+2abx^2+b^2x^4)^{5/2} dx$	496
3.88	$\int (fx)^m (d+ex^2) (a^2+2abx^2+b^2x^4)^{3/2} dx$	502
3.89	$\int (fx)^m (d+ex^2) \sqrt{a^2+2abx^2+b^2x^4} dx$	507
3.90	$\int \frac{(fx)^m(d+ex^2)}{\sqrt{a^2+2abx^2+b^2x^4}} dx$	511
3.91	$\int \frac{(fx)^m(d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$	515
3.92	$\int x(a+bx^2)(a^2+2abx^2+b^2x^4)^p dx$	519
3.93	$\int x^3(a+bx^2)(a^2+2abx^2+b^2x^4)^p dx$	522
3.94	$\int x^5(a+bx^2)(a^2+2abx^2+b^2x^4)^p dx$	526
3.95	$\int x^3(A+Bx^2)(a+bx^2+cx^4)^3 dx$	531

3.96	$\int x^2 (A + Bx^2) (a + bx^2 + cx^4)^3 dx$	535
3.97	$\int x (A + Bx^2) (a + bx^2 + cx^4)^3 dx$	538
3.98	$\int (A + Bx^2) (a + bx^2 + cx^4)^3 dx$	542
3.99	$\int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x} dx$	545
3.100	$\int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x^2} dx$	549
3.101	$\int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x^3} dx$	553
3.102	$\int \frac{x^5(A+Bx^2)}{a+bx^2+cx^4} dx$	557
3.103	$\int \frac{x^3(A+Bx^2)}{a+bx^2+cx^4} dx$	563
3.104	$\int \frac{x(A+Bx^2)}{a+bx^2+cx^4} dx$	568
3.105	$\int \frac{A+Bx^2}{x(a+bx^2+cx^4)} dx$	573
3.106	$\int \frac{A+Bx^2}{x^3(a+bx^2+cx^4)} dx$	578
3.107	$\int \frac{x^4(A+Bx^2)}{a+bx^2+cx^4} dx$	585
3.108	$\int \frac{x^2(A+Bx^2)}{a+bx^2+cx^4} dx$	599
3.109	$\int \frac{A+Bx^2}{a+bx^2+cx^4} dx$	609
3.110	$\int \frac{A+Bx^2}{x^2(a+bx^2+cx^4)} dx$	616
3.111	$\int \frac{A+Bx^2}{x^4(a+bx^2+cx^4)} dx$	626
3.112	$\int \frac{x^7(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	639
3.113	$\int \frac{x^5(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	646
3.114	$\int \frac{x^3(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	652
3.115	$\int \frac{x(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	657
3.116	$\int \frac{A+Bx^2}{x(a+bx^2+cx^4)^2} dx$	662
3.117	$\int \frac{A+Bx^2}{x^3(a+bx^2+cx^4)^2} dx$	671
3.118	$\int \frac{x^6(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	682

3.119	$\int \frac{x^4(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	702
3.120	$\int \frac{x^2(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$	718
3.121	$\int \frac{A+Bx^2}{(a+bx^2+cx^4)^2} dx$	730
3.122	$\int \frac{A+Bx^2}{x^2(a+bx^2+cx^4)^2} dx$	745
3.123	$\int \frac{A+Bx^2}{x^4(a+bx^2+cx^4)^2} dx$	766
3.124	$\int \frac{x^{11}(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	791
3.125	$\int \frac{x^9(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	801
3.126	$\int \frac{x^7(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	809
3.127	$\int \frac{x^5(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	815
3.128	$\int \frac{x^3(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	822
3.129	$\int \frac{x(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	828
3.130	$\int \frac{A+Bx^2}{x(a+bx^2+cx^4)^3} dx$	834
3.131	$\int \frac{A+Bx^2}{x^3(a+bx^2+cx^4)^3} dx$	847
3.132	$\int \frac{x^8(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	863
3.133	$\int \frac{x^6(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	888
3.134	$\int \frac{x^4(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	911
3.135	$\int \frac{x^2(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$	929
3.136	$\int \frac{A+Bx^2}{(a+bx^2+cx^4)^3} dx$	952
3.137	$\int \frac{x(-7+4x^2)}{4-5x^2+x^4} dx$	976
3.138	$\int \frac{-7x+4x^3}{4-5x^2+x^4} dx$	979
3.139	$\int \frac{x(2+x^2)}{1+x^2+x^4} dx$	982

3.140	$\int \frac{2x+x^3}{1+x^2+x^4} dx$	986
3.141	$\int \frac{11x+2x^3}{(3+2x^2+x^4)^2} dx$	990
3.142	$\int x^5 (2+3x^2) \sqrt{3+5x^2+x^4} dx$	994
3.143	$\int x^3 (2+3x^2) \sqrt{3+5x^2+x^4} dx$	998
3.144	$\int x (2+3x^2) \sqrt{3+5x^2+x^4} dx$	1002
3.145	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x} dx$	1006
3.146	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^3} dx$	1011
3.147	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^5} dx$	1016
3.148	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^7} dx$	1021
3.149	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^9} dx$	1025
3.150	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^{11}} dx$	1030
3.151	$\int x^4 (2+3x^2) \sqrt{3+5x^2+x^4} dx$	1035
3.152	$\int x^2 (2+3x^2) \sqrt{3+5x^2+x^4} dx$	1040
3.153	$\int (2+3x^2) \sqrt{3+5x^2+x^4} dx$	1045
3.154	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^2} dx$	1049
3.155	$\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^4} dx$	1054
3.156	$\int x^5 (2+3x^2) (3+5x^2+x^4)^{3/2} dx$	1059
3.157	$\int x^3 (2+3x^2) (3+5x^2+x^4)^{3/2} dx$	1064
3.158	$\int x (2+3x^2) (3+5x^2+x^4)^{3/2} dx$	1068
3.159	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x} dx$	1072
3.160	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^3} dx$	1077
3.161	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^5} dx$	1082
3.162	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^7} dx$	1087
3.163	$\int x^4 (2+3x^2) (3+5x^2+x^4)^{3/2} dx$	1092
3.164	$\int x^2 (2+3x^2) (3+5x^2+x^4)^{3/2} dx$	1097
3.165	$\int (2+3x^2) (3+5x^2+x^4)^{3/2} dx$	1102
3.166	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^2} dx$	1107

3.167	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^4} dx$.1112
3.168	$\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^6} dx$.1117
3.169	$\int \frac{x^5(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$.1122
3.170	$\int \frac{x^3(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$.1127
3.171	$\int \frac{x(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$.1131
3.172	$\int \frac{A+Bx^2}{x\sqrt{a+bx^2+cx^4}} dx$.1135
3.173	$\int \frac{A+Bx^2}{x^3\sqrt{a+bx^2+cx^4}} dx$.1139
3.174	$\int \frac{A+Bx^2}{x^5\sqrt{a+bx^2+cx^4}} dx$.1143
3.175	$\int \frac{A+Bx^2}{x^7\sqrt{a+bx^2+cx^4}} dx$.1148
3.176	$\int \frac{x^4(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$.1153
3.177	$\int \frac{x^2(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$.1158
3.178	$\int \frac{A+Bx^2}{\sqrt{a+bx^2+cx^4}} dx$.1163
3.179	$\int \frac{A+Bx^2}{x^2\sqrt{a+bx^2+cx^4}} dx$.1167
3.180	$\int \frac{A+Bx^2}{x^4\sqrt{a+bx^2+cx^4}} dx$.1172
3.181	$\int \frac{x^7(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$.1177
3.182	$\int \frac{x^5(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$.1181
3.183	$\int \frac{x^3(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$.1185
3.184	$\int \frac{x(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$.1189
3.185	$\int \frac{2+3x^2}{x\sqrt{3+5x^2+x^4}} dx$.1192
3.186	$\int \frac{2+3x^2}{x^3\sqrt{3+5x^2+x^4}} dx$.1196
3.187	$\int \frac{2+3x^2}{x^5\sqrt{3+5x^2+x^4}} dx$.1200
3.188	$\int \frac{2+3x^2}{x^7\sqrt{3+5x^2+x^4}} dx$.1204
3.189	$\int \frac{x^4(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$.1208
3.190	$\int \frac{x^2(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$.1213

3.191	$\int \frac{2+3x^2}{\sqrt{3+5x^2+x^4}} dx$1217
3.192	$\int \frac{2+3x^2}{x^2\sqrt{3+5x^2+x^4}} dx$1221
3.193	$\int \frac{2+3x^2}{x^4\sqrt{3+5x^2+x^4}} dx$1225
3.194	$\int \frac{x^5(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$1230
3.195	$\int \frac{x^3(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$1234
3.196	$\int \frac{x(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$1238
3.197	$\int \frac{2+3x^2}{x(3+5x^2+x^4)^{3/2}} dx$1241
3.198	$\int \frac{2+3x^2}{x^3(3+5x^2+x^4)^{3/2}} dx$1245
3.199	$\int \frac{x^4(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$1249
3.200	$\int \frac{x^2(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$1254
3.201	$\int \frac{2+3x^2}{(3+5x^2+x^4)^{3/2}} dx$1259
3.202	$\int \frac{2+3x^2}{x^2(3+5x^2+x^4)^{3/2}} dx$1264
3.203	$\int \frac{2+3x^2}{x^4(3+5x^2+x^4)^{3/2}} dx$1269
3.204	$\int (fx)^{3/2} (d+ex^2) \sqrt{a+bx^2+cx^4} dx$1274
3.205	$\int \sqrt{fx} (d+ex^2) \sqrt{a+bx^2+cx^4} dx$1278
3.206	$\int \frac{(d+ex^2)\sqrt{a+bx^2+cx^4}}{\sqrt{fx}} dx$1282
3.207	$\int \frac{(d+ex^2)\sqrt{a+bx^2+cx^4}}{(fx)^{3/2}} dx$1286
3.208	$\int (fx)^{3/2} (d+ex^2) (a+bx^2+cx^4)^{3/2} dx$1290
3.209	$\int \sqrt{fx} (d+ex^2) (a+bx^2+cx^4)^{3/2} dx$1294
3.210	$\int \frac{(d+ex^2)(a+bx^2+cx^4)^{3/2}}{\sqrt{fx}} dx$1298
3.211	$\int \frac{(d+ex^2)(a+bx^2+cx^4)^{3/2}}{(fx)^{3/2}} dx$1302
3.212	$\int \frac{(fx)^{3/2}(d+ex^2)}{\sqrt{a+bx^2+cx^4}} dx$1306

3.213	$\int \frac{\sqrt{fx}(d+ex^2)}{\sqrt{a+bx^2+cx^4}} dx$.1310
3.214	$\int \frac{d+ex^2}{\sqrt{fx}\sqrt{a+bx^2+cx^4}} dx$.1314
3.215	$\int \frac{d+ex^2}{(fx)^{3/2}\sqrt{a+bx^2+cx^4}} dx$.1318
3.216	$\int \frac{(fx)^{3/2}(d+ex^2)}{(a+bx^2+cx^4)^{3/2}} dx$.1322
3.217	$\int \frac{\sqrt{fx}(d+ex^2)}{(a+bx^2+cx^4)^{3/2}} dx$.1326
3.218	$\int \frac{d+ex^2}{\sqrt{fx}(a+bx^2+cx^4)^{3/2}} dx$.1330
3.219	$\int \frac{d+ex^2}{(fx)^{3/2}(a+bx^2+cx^4)^{3/2}} dx$.1334
3.220	$\int (fx)^m (d+ex^2) (a+bx^2+cx^4)^3 dx$.1338
3.221	$\int (fx)^m (d+ex^2) (a+bx^2+cx^4)^2 dx$.1353
3.222	$\int (fx)^m (d+ex^2) (a+bx^2+cx^4) dx$.1360
3.223	$\int \frac{(fx)^m(d+ex^2)}{a+bx^2+cx^4} dx$.1365
3.224	$\int \frac{(fx)^m(d+ex^2)}{(a+bx^2+cx^4)^2} dx$.1368
3.225	$\int (fx)^m (d+ex^2) (a+bx^2+cx^4)^{3/2} dx$.1372
3.226	$\int (fx)^m (d+ex^2) \sqrt{a+bx^2+cx^4} dx$.1376
3.227	$\int \frac{(fx)^m(d+ex^2)}{\sqrt{a+bx^2+cx^4}} dx$.1380
3.228	$\int \frac{(fx)^m(d+ex^2)}{(a+bx^2+cx^4)^{3/2}} dx$.1384
3.229	$\int \frac{x^9}{(d+ex^2)(a+cx^4)} dx$.1388
3.230	$\int \frac{x^7}{(d+ex^2)(a+cx^4)} dx$.1392
3.231	$\int \frac{x^5}{(d+ex^2)(a+cx^4)} dx$.1396
3.232	$\int \frac{x^3}{(d+ex^2)(a+cx^4)} dx$.1400
3.233	$\int \frac{x}{(d+ex^2)(a+cx^4)} dx$.1404
3.234	$\int \frac{1}{x(d+ex^2)(a+cx^4)} dx$.1408
3.235	$\int \frac{1}{x^3(d+ex^2)(a+cx^4)} dx$.1412
3.236	$\int \frac{1}{x^5(d+ex^2)(a+cx^4)} dx$.1417

3.237	$\int \frac{x^8}{(d+ex^2)(a+cx^4)} dx$.1422
3.238	$\int \frac{x^6}{(d+ex^2)(a+cx^4)} dx$.1432
3.239	$\int \frac{x^4}{(d+ex^2)(a+cx^4)} dx$.1442
3.240	$\int \frac{x^2}{(d+ex^2)(a+cx^4)} dx$.1452
3.241	$\int \frac{1}{(d+ex^2)(a+cx^4)} dx$.1461
3.242	$\int \frac{1}{x^2(d+ex^2)(a+cx^4)} dx$.1470
3.243	$\int \frac{1}{x^4(d+ex^2)(a+cx^4)} dx$.1480
3.244	$\int \frac{x^9}{(d+ex^2)(a+cx^4)^2} dx$.1490
3.245	$\int \frac{x^7}{(d+ex^2)(a+cx^4)^2} dx$.1496
3.246	$\int \frac{x^5}{(d+ex^2)(a+cx^4)^2} dx$.1502
3.247	$\int \frac{x^3}{(d+ex^2)(a+cx^4)^2} dx$.1507
3.248	$\int \frac{x}{(d+ex^2)(a+cx^4)^2} dx$.1512
3.249	$\int \frac{1}{x(d+ex^2)(a+cx^4)^2} dx$.1518
3.250	$\int \frac{1}{x^3(d+ex^2)(a+cx^4)^2} dx$.1524
3.251	$\int \frac{1}{x^5(d+ex^2)(a+cx^4)^2} dx$.1530
3.252	$\int \frac{x^8}{(d+ex^2)(a+cx^4)^2} dx$.1536
3.253	$\int \frac{x^6}{(d+ex^2)(a+cx^4)^2} dx$.1556
3.254	$\int \frac{x^4}{(d+ex^2)(a+cx^4)^2} dx$.1576
3.255	$\int \frac{x^2}{(d+ex^2)(a+cx^4)^2} dx$.1595
3.256	$\int \frac{1}{(d+ex^2)(a+cx^4)^2} dx$.1615
3.257	$\int \frac{1}{x^2(d+ex^2)(a+cx^4)^2} dx$.1635
3.258	$\int \frac{1}{x^4(d+ex^2)(a+cx^4)^2} dx$.1658

3.259	$\int \frac{x^2}{(1+x^2)\sqrt{1+x^4}} dx$1676
3.260	$\int \frac{x^2}{(1-x^2)\sqrt{1+x^4}} dx$1680
3.261	$\int \frac{x^2}{(1+x^2)\sqrt{1-x^4}} dx$1684
3.262	$\int \frac{x^2}{(1-x^2)\sqrt{1-x^4}} dx$1689
3.263	$\int \frac{x^2}{(1+x^2)\sqrt{-1+x^4}} dx$1693
3.264	$\int \frac{x^2}{(1-x^2)\sqrt{-1+x^4}} dx$1698
3.265	$\int \frac{x^2}{(1+x^2)\sqrt{-1-x^4}} dx$1702
3.266	$\int \frac{x^2}{(1-x^2)\sqrt{-1-x^4}} dx$1706
3.267	$\int x^2 \sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4} dx$1710
3.268	$\int x \sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4} dx$1715
3.269	$\int \sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4} dx$1719
3.270	$\int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x} dx$1723
3.271	$\int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x^2} dx$1728
3.272	$\int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x^3} dx$1732
3.273	$\int x^3 (d+ex^2)^2 (a+bx^2+cx^4) dx$1737
3.274	$\int x^2 (d+ex^2)^2 (a+bx^2+cx^4) dx$1740
3.275	$\int x (d+ex^2)^2 (a+bx^2+cx^4) dx$1743
3.276	$\int (d+ex^2)^2 (a+bx^2+cx^4) dx$1746
3.277	$\int \frac{(d+ex^2)^2 (a+bx^2+cx^4)}{x} dx$1749
3.278	$\int \frac{(d+ex^2)^2 (a+bx^2+cx^4)}{x^2} dx$1752
3.279	$\int \frac{(d+ex^2)^2 (a+bx^2+cx^4)}{x^3} dx$1755
3.280	$\int \frac{x^6 (a+bx^2+cx^4)}{(d+ex^2)^2} dx$1758
3.281	$\int \frac{x^4 (a+bx^2+cx^4)}{(d+ex^2)^2} dx$1763
3.282	$\int \frac{x^2 (a+bx^2+cx^4)}{(d+ex^2)^2} dx$1767

3.283	$\int \frac{a+bx^2+cx^4}{(d+ex^2)^2} dx$.1771
3.284	$\int \frac{a+bx^2+cx^4}{x^2(d+ex^2)^2} dx$.1775
3.285	$\int \frac{a+bx^2+cx^4}{x^4(d+ex^2)^2} dx$.1779
3.286	$\int \frac{a+bx^2+cx^4}{x^6(d+ex^2)^2} dx$.1783
3.287	$\int \frac{a+bx^2+cx^4}{x^8(d+ex^2)^2} dx$.1787
3.288	$\int \frac{x^6(a+bx^2+cx^4)}{(d+ex^2)^3} dx$.1792
3.289	$\int \frac{x^4(a+bx^2+cx^4)}{(d+ex^2)^3} dx$.1797
3.290	$\int \frac{x^2(a+bx^2+cx^4)}{(d+ex^2)^3} dx$.1802
3.291	$\int \frac{a+bx^2+cx^4}{(d+ex^2)^3} dx$.1807
3.292	$\int \frac{a+bx^2+cx^4}{x^2(d+ex^2)^3} dx$.1811
3.293	$\int \frac{a+bx^2+cx^4}{x^4(d+ex^2)^3} dx$.1816
3.294	$\int \frac{a+bx^2+cx^4}{x^6(d+ex^2)^3} dx$.1821
3.295	$\int \frac{x^9}{(d+ex^2)(a+bx^2+cx^4)} dx$.1826
3.296	$\int \frac{x^7}{(d+ex^2)(a+bx^2+cx^4)} dx$.1834
3.297	$\int \frac{x^5}{(d+ex^2)(a+bx^2+cx^4)} dx$.1840
3.298	$\int \frac{x^3}{(d+ex^2)(a+bx^2+cx^4)} dx$.1846
3.299	$\int \frac{x}{(d+ex^2)(a+bx^2+cx^4)} dx$.1853
3.300	$\int \frac{1}{x(d+ex^2)(a+bx^2+cx^4)} dx$.1859
3.301	$\int \frac{1}{x^3(d+ex^2)(a+bx^2+cx^4)} dx$.1867
3.302	$\int \frac{1}{x^5(d+ex^2)(a+bx^2+cx^4)} dx$.1874
3.303	$\int \frac{x^8}{(d+ex^2)(a+bx^2+cx^4)} dx$.1884
3.304	$\int \frac{x^6}{(d+ex^2)(a+bx^2+cx^4)} dx$.1914

3.305	$\int \frac{x^4}{(d+ex^2)(a+bx^2+cx^4)} dx$.1939
3.306	$\int \frac{x^2}{(d+ex^2)(a+bx^2+cx^4)} dx$.1966
3.307	$\int \frac{1}{(d+ex^2)(a+bx^2+cx^4)} dx$.1988
3.308	$\int \frac{1}{x^2(d+ex^2)(a+bx^2+cx^4)} dx$.2007
3.309	$\int \frac{1}{x^4(d+ex^2)(a+bx^2+cx^4)} dx$.2032
3.310	$\int \frac{1}{\sqrt{fx}(d+ex^2)(a+bx^2+cx^4)} dx$.2063
3.311	$\int \frac{x^5 \sqrt{a+bx^2+cx^4}}{d+ex^2} dx$.2093
3.312	$\int \frac{x^3 \sqrt{a+bx^2+cx^4}}{d+ex^2} dx$.2098
3.313	$\int \frac{x \sqrt{a+bx^2+cx^4}}{d+ex^2} dx$.2104
3.314	$\int \frac{\sqrt{a+bx^2+cx^4}}{x(d+ex^2)} dx$.2110
3.315	$\int \frac{\sqrt{a+bx^2+cx^4}}{x^3(d+ex^2)} dx$.2116
3.316	$\int \frac{x^4 \sqrt{1+2x^2+2x^4}}{3+2x^2} dx$.2122
3.317	$\int \frac{x^2 \sqrt{1+2x^2+2x^4}}{3+2x^2} dx$.2128
3.318	$\int \frac{\sqrt{1+2x^2+2x^4}}{3+2x^2} dx$.2134
3.319	$\int \frac{\sqrt{1+2x^2+2x^4}}{x^2(3+2x^2)} dx$.2139
3.320	$\int \frac{\sqrt{1+2x^2+2x^4}}{x^4(3+2x^2)} dx$.2144
3.321	$\int \frac{\sqrt{1+2x^2+2x^4}}{x^6(3+2x^2)} dx$.2149
3.322	$\int \frac{x^5(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx$.2155
3.323	$\int \frac{x^3(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx$.2161
3.324	$\int \frac{x(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx$.2166
3.325	$\int \frac{(a+bx^2+cx^4)^{3/2}}{x(d+ex^2)} dx$.2171
3.326	$\int \frac{(a+bx^2+cx^4)^{3/2}}{x^3(d+ex^2)} dx$.2177
3.327	$\int \frac{x^2(1+2x^2+2x^4)^{3/2}}{3-2x^2} dx$.2183

3.328	$\int \frac{(1+2x^2+2x^4)^{3/2}}{3-2x^2} dx$.2189
3.329	$\int \frac{(1+2x^2+2x^4)^{3/2}}{x^2(3-2x^2)} dx$.2194
3.330	$\int \frac{(1+2x^2+2x^4)^{3/2}}{x^4(3-2x^2)} dx$.2200
3.331	$\int \frac{(1+2x^2+2x^4)^{3/2}}{x^6(3-2x^2)} dx$.2206
3.332	$\int \frac{x^5}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$.2212
3.333	$\int \frac{x^3}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$.2217
3.334	$\int \frac{x}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$.2222
3.335	$\int \frac{1}{x(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$.2226
3.336	$\int \frac{1}{x^3(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$.2230
3.337	$\int \frac{x^4}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$.2236
3.338	$\int \frac{x^2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$.2241
3.339	$\int \frac{1}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$.2245
3.340	$\int \frac{1}{x^2(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$.2249
3.341	$\int \frac{1}{x^4(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$.2254
3.342	$\int \frac{x^7}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$.2260
3.343	$\int \frac{x^5}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$.2267
3.344	$\int \frac{x^3}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$.2273
3.345	$\int \frac{x}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$.2279
3.346	$\int \frac{1}{x(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$.2284
3.347	$\int \frac{1}{x^3(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$.2291
3.348	$\int \frac{x^8}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$.2300
3.349	$\int \frac{x^6}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$.2306

3.350	$\int \frac{x^4}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$.2312
3.351	$\int \frac{x^2}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$.2318
3.352	$\int \frac{1}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$.2324
3.353	$\int \frac{1}{x^2(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$.2329
3.354	$\int \frac{x^7 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2335
3.355	$\int \frac{x^5 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2346
3.356	$\int \frac{x^3 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2355
3.357	$\int \frac{x \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2364
3.358	$\int \frac{\sqrt{d+ex^2}}{x(a+bx^2+cx^4)} dx$.2369
3.359	$\int \frac{\sqrt{d+ex^2}}{x^3(a+bx^2+cx^4)} dx$.2381
3.360	$\int \frac{\sqrt{d+ex^2}}{x^5(a+bx^2+cx^4)} dx$.2396
3.361	$\int \frac{x^4 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2419
3.362	$\int \frac{x^2 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2427
3.363	$\int \frac{\sqrt{d+ex^2}}{a+bx^2+cx^4} dx$.2433
3.364	$\int \frac{\sqrt{d+ex^2}}{x^2(a+bx^2+cx^4)} dx$.2441
3.365	$\int \frac{\sqrt{d+ex^2}}{x^4(a+bx^2+cx^4)} dx$.2449
3.366	$\int \frac{\sqrt{d+ex^2}}{x^6(a+bx^2+cx^4)} dx$.2456
3.367	$\int \frac{x^3(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$.2464
3.368	$\int \frac{x(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$.2477
3.369	$\int \frac{(d+ex^2)^{3/2}}{x(a+bx^2+cx^4)} dx$.2488
3.370	$\int \frac{(d+ex^2)^{3/2}}{x^3(a+bx^2+cx^4)} dx$.2507
3.371	$\int \frac{x^4(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$.2530
3.372	$\int \frac{x^2(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$.2536

3.373	$\int \frac{(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$.2541
3.374	$\int \frac{(d+ex^2)^{3/2}}{x^2(a+bx^2+cx^4)} dx$.2549
3.375	$\int \frac{(d+ex^2)^{3/2}}{x^4(a+bx^2+cx^4)} dx$.2556
3.376	$\int \frac{x^5 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$.2565
3.377	$\int \frac{x^3 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$.2575
3.378	$\int \frac{x \sqrt{1-x^2}}{a+bx^2+cx^4} dx$.2584
3.379	$\int \frac{\sqrt{1-x^2}}{x(a+bx^2+cx^4)} dx$.2590
3.380	$\int \frac{\sqrt{1-x^2}}{x^3(a+bx^2+cx^4)} dx$.2599
3.381	$\int \frac{x^4 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$.2608
3.382	$\int \frac{x^2 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$.2615
3.383	$\int \frac{\sqrt{1-x^2}}{a+bx^2+cx^4} dx$.2623
3.384	$\int \frac{\sqrt{1-x^2}}{x^2(a+bx^2+cx^4)} dx$.2630
3.385	$\int \frac{x^2 \sqrt{1-x^2}}{-1+x^2+x^4} dx$.2640
3.386	$\int \frac{x^8}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2645
3.387	$\int \frac{x^6}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2650
3.388	$\int \frac{x^4}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2655
3.389	$\int \frac{x^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2665
3.390	$\int \frac{1}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2672
3.391	$\int \frac{1}{x^2 \sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2678
3.392	$\int \frac{1}{x^4 \sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2686
3.393	$\int \frac{1}{x^6 \sqrt{d+ex^2}(a+bx^2+cx^4)} dx$.2691
3.394	$\int \frac{x^6}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$.2696
3.395	$\int \frac{x^4}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$.2701

3.396	$\int \frac{x^2}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$.2709
3.397	$\int \frac{1}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$.2717
3.398	$\int \frac{1}{x^2(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$.2725
3.399	$\int \frac{1}{x^4(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$.2731
3.400	$\int \frac{(fx)^m(d+ex^2)^q}{a+bx^2+cx^4} dx$.2738
3.401	$\int \frac{x^7(d+ex^2)^q}{a+bx^2+cx^4} dx$.2742
3.402	$\int \frac{x^5(d+ex^2)^q}{a+bx^2+cx^4} dx$.2746
3.403	$\int \frac{x^3(d+ex^2)^q}{a+bx^2+cx^4} dx$.2750
3.404	$\int \frac{x(d+ex^2)^q}{a+bx^2+cx^4} dx$.2754
3.405	$\int \frac{(d+ex^2)^q}{x(a+bx^2+cx^4)} dx$.2758
3.406	$\int \frac{(d+ex^2)^q}{x^3(a+bx^2+cx^4)} dx$.2763
3.407	$\int \frac{x^6(d+ex^2)^q}{a+bx^2+cx^4} dx$.2768
3.408	$\int \frac{x^4(d+ex^2)^q}{a+bx^2+cx^4} dx$.2773
3.409	$\int \frac{x^2(d+ex^2)^q}{a+bx^2+cx^4} dx$.2778
3.410	$\int \frac{(d+ex^2)^q}{a+bx^2+cx^4} dx$.2782
3.411	$\int \frac{(d+ex^2)^q}{x^2(a+bx^2+cx^4)} dx$.2786
3.412	$\int \frac{(d+ex^2)^q}{x^4(a+bx^2+cx^4)} dx$.2791
3.413	$\int \frac{\sqrt{1+\frac{1}{c^2x^2}}}{\sqrt{1-c^4x^4}} dx$.2796

4	Listing of Grading functions	2801
4.0.1	Mathematica and Rubi grading function	.2801
4.0.2	Maple grading function	.2803
4.0.3	Sympy grading function	.2808
4.0.4	SageMath grading function	.2811

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [413]. This is test number [41].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric₂F₁ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (413)	% 0.00 (0)
Mathematica	% 96.85 (400)	% 3.15 (13)
Maple	% 91.04 (376)	% 8.96 (37)
Maxima	% 41.89 (173)	% 58.11 (240)
Fricas	% 62.47 (258)	% 37.53 (155)
Sympy	% 30.51 (126)	% 69.49 (287)
Giac	% 63.92 (264)	% 36.08 (149)
Mupad	% 52.78 (218)	% 47.22 (195)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	71.67	5.33	19.85	3.15
Maple	50.12	19.61	21.31	8.96
Maxima	37.77	4.12	0.00	58.11
Fricas	39.23	23.24	0.00	37.53
Sympy	19.61	6.05	4.84	69.49
Giac	44.55	19.37	0.00	36.08
Mupad	0.00	52.78	0.00	47.22

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	13	53.85 %	46.15 %	0.00 %
Maple	37	100.00 %	0.00 %	0.00 %
Maxima	240	83.33 %	0.00 %	16.67 %
Fricas	155	72.90 %	27.10 %	0.00 %
Sympy	287	65.16 %	34.84 %	0.00 %
Giac	149	78.52 %	7.38 %	14.09 %
Mupad	195	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS

1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.


System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.54	229.96	1.01	189.00	1.00
Mathematica	0.69	547.14	1.86	156.00	0.96
Maple	0.02	386.39	1.61	203.00	1.05
Maxima	1.35	134.41	1.09	107.00	0.98
Fricas	8.82	1512.98	5.25	226.00	2.08
Sympy	5.40	281.32	2.18	119.00	1.19
Giac	1.56	834.20	3.24	144.00	1.08
Mupad	3.15	4535.03	13.49	169.00	1.95

Table 1.5: Time and leaf size performance for each CAS


The following are bar charts for the normalized leafsize and time used columns from the above table.

Normalized mean size of antiderivative

Lower is better

**Mean time used (seconds)**

Lower is better



1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {151, 152, 153, 154, 155, 163, 164, 166, 167, 168, 189, 190, 191, 192, 193, 199, 200, 202, 203, 204, 205, 206, 207, 209, 211, 212, 213, 214, 215, 217, 219, 224, 225, 226, 227, 228, 354, 361, 362, 364, 365, 366, 371, 372, 373, 374, 375, 381, 383, 384, 385, 394, 395, 396, 397, 398, 399}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 20, 21, 22, 23, 32, 33, 34, 35, 36, 37, 38, 44, 45, 46, 47, 48, 55, 57, 59, 61, 62, 63, 64, 65, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 156, 157, 158, 159, 160, 161, 162, 169, 170, 171, 172, 173, 174, 175, 181, 182, 183, 184, 185, 186, 187, 188, 194, 195, 196, 197, 198, 204, 205, 206, 207, 209, 211, 212, 213, 214, 215, 217, 219, 220, 221, 222, 223, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 261, 262, 263, 264, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 311, 312, 313, 314, 315, 322, 323, 324, 325, 326, 332, 333, 334, 335, 336, 342, 343, 344, 345, 346, 347, 355, 356, 357, 358, 359, 360, 367, 368, 369, 370, 376, 377, 378, 379, 380, 386, 387, 388, 389, 390, 391, 392, 393, 401, 402, 403, 404, 405, 406, 413 }

B grade: { 56, 58, 60, 66, 68, 354, 361, 362, 363, 364, 365, 366, 371, 372, 373, 374, 375, 381, 382, 383, 384, 394 }

C grade: { 15, 16, 17, 18, 19, 24, 25, 26, 27, 28, 29, 30, 31, 39, 40, 41, 42, 43, 49, 50, 51, 52, 53, 54, 151, 152, 153, 154, 155, 163, 164, 166, 167, 168, 176, 177, 178, 179, 180, 189, 190, 191, 192, 193, 199, 200, 202, 203, 224, 259, 260, 265, 266, 310, 316, 317, 318, 319, 320, 321, 327, 328, 329, 330, 331, 337, 338, 339, 340, 341, 348, 349, 350, 351, 352, 353, 385, 395, 396, 397, 398, 399 }

F grade: { 165, 201, 208, 210, 216, 218, 400, 407, 408, 409, 410, 411, 412 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 20, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 38, 44, 45, 46, 47, 48, 49, 57, 59, 61, 62, 63, 64, 67, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 89, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 103, 104, 105, 106, 114, 115, 129, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 171, 172, 173, 174, 175, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 196, 197, 198, 199, 200, 201, 202, 203, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 261, 263, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 299, 300, 332, 333, 335, 336 }

B grade: { 55, 56, 58, 60, 65, 66, 68, 70, 87, 88, 102, 107, 108, 109, 110, 111, 112, 113, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 130, 131, 132, 133, 134, 135, 136, 169, 170, 176, 195, 220, 221, 222, 262, 264, 295, 296, 301, 302, 303, 304, 305, 306, 307, 308, 309, 311, 312, 313, 314, 315, 322, 323, 324, 325, 326, 334, 342, 343, 344, 345, 346, 347, 376, 377, 378, 379, 380, 385 }

C grade: { 15, 16, 17, 18, 19, 27, 28, 29, 30, 31, 39, 40, 41, 42, 43, 50, 51, 52, 53, 54, 259, 260, 265,

266, 310, 316, 317, 318, 319, 320, 321, 327, 328, 329, 330, 331, 337, 338, 339, 340, 341, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 381, 382, 383, 384, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 413 }

F grade: { 90, 91, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412 }

2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 12, 13, 14, 20, 24, 25, 26, 32, 33, 37, 38, 44, 45, 46, 47, 48, 49, 55, 57, 59, 61, 62, 63, 64, 65, 67, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 93, 94, 95, 96, 97, 98, 99, 100, 101, 137, 138, 139, 140, 142, 143, 144, 145, 146, 147, 148, 149, 150, 156, 157, 158, 159, 160, 161, 162, 181, 182, 183, 184, 185, 186, 187, 188, 194, 195, 196, 197, 198, 220, 221, 222, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294 }

B grade: { 8, 9, 10, 11, 21, 22, 23, 34, 35, 36, 56, 58, 60, 66, 68, 70, 92 }

C grade: { }

F grade: { 15, 16, 17, 18, 19, 27, 28, 29, 30, 31, 39, 40, 41, 42, 43, 50, 51, 52, 53, 54, 90, 91, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 141, 151, 152, 153, 154, 155, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 189, 190, 191, 192, 193, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 259, 260, 261, 262, 263, 264, 265, 266, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 20, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 38, 44, 45, 46, 47, 48, 49, 57, 59, 61, 62, 63, 64, 67, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 88, 89, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 156, 157, 158, 159, 160, 161, 162, 169, 170, 171, 172, 173, 174, 175, 181, 182, 183, 184, 185, 186, 187, 188, 194, 195, 198, 229, 230, 231, 232, 233, 234, 235, 244, 245, 246, 247, 248, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 299, 312, 313, 314, 315, 336 }

B grade: { 55, 56, 58, 60, 65, 66, 68, 70, 87, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 141, 151, 152, 153, 154, 155, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 189, 190, 191, 192, 193, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 259, 260, 261, 262, 263, 264, 265, 266, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 196, 197, 220, 221, 222, 237, 238, 239, 240, 241, 242, 243, 252, 253, 254, 255, 256, 257, 305, 306, 332, 333, 334, 335, 342, 343, 344, 345, 346, 347, 356, 357, 358, 361, 362, 363, 364, 365, 366, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 388, 389, 390, 391, 413 }

C grade: { }

F grade: { 15, 16, 17, 18, 19, 27, 28, 29, 30, 31, 39, 40, 41, 42, 43, 50, 51, 52, 53, 54, 90, 91, 151, 152, 153, 154, 155, 163, 164, 165, 166, 167, 168, 176, 177, 178, 179, 180, 189, 190, 191, 192, 193, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 236, 249, 250, 251, 258, 259, 260, 261, 262, 263, 264, 265, 266, 295, 296, 300, 301, 302, 303, 304, 307, 308, 309, 310, 311, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 337, 338, 339, 340, 341, 348, 349, 350, 351, 352, 353, 354, 355, 359, 360, 367, 368, 369, 370, 371, 372, 386, 387, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 20, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 38, 44, 45, 46, 57, 59, 61, 62, 63, 64, 67, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 92, 95, 96, 97, 98, 99, 100, 101, 109, 137, 138, 139, 140, 141, 220, 221, 222, 273, 274, 275, 276, 277, 278, 279, 281, 282, 284, 285, 288, 289, 290, 291, 292, 293 }

B grade: { 21, 22, 47, 48, 49, 56, 58, 60, 66, 68, 70, 102, 103, 104, 114, 115, 126, 127, 128, 129, 280, 283, 286, 287, 294 }

C grade: { 15, 16, 17, 18, 19, 27, 28, 29, 30, 31, 39, 40, 41, 42, 43, 50, 51, 52, 53, 54 }

F grade: { 55, 65, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 93, 94, 105, 106, 107, 108, 110, 111, 112, 113, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 130, 131, 132, 133, 134, 135, 136, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 20, 21, 22, 23, 24, 32, 33, 34, 35, 44, 45, 46, 47, 48, 49, 57, 59, 61, 62, 63, 64, 67, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 82, 84, 86, 92, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 112, 113, 114, 115, 116, 117, 124, 125, 127, 128, 129, 130, 131, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 156, 158, 159, 160, 161, 169, 170, 171, 173, 181, 182, 183, 184, 185, 194, 195, 196, 197, 198, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 315, 334, 336, 357, 361, 362, 370, 371, 372, 373, 386, 387, 388, 394, 413 }

B grade: { 13, 14, 25, 26, 36, 37, 38, 55, 56, 58, 60, 65, 66, 68, 70, 87, 88, 89, 93, 94, 107, 108, 109, 110, 111, 118, 119, 120, 121, 122, 123, 126, 132, 133, 134, 135, 136, 147, 148, 149, 150, 157, 162, 174, 175, 186, 187, 188, 220, 221, 222, 303, 304, 305, 306, 307, 308, 309, 343, 344, 345, 347, 354, 355, 356, 358, 360, 367, 368, 369, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385 }

C grade: { }

F grade: { 15, 16, 17, 18, 19, 27, 28, 29, 30, 31, 39, 40, 41, 42, 43, 50, 51, 52, 53, 54, 81, 83, 85, 90, 91, 151, 152, 153, 154, 155, 163, 164, 165, 166, 167, 168, 172, 176, 177, 178, 179, 180, 189, 190, 191, 192, 193, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 259, 260, 261, 262, 263, 264, 265, 266, 310, 311, 312, 313, 314, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 335, 337, 338, 339, 340, 341, 342, 346, 348, 349, 350, 351, 352, 353, 359, 363, 364, 365, 366, 374, 375, 389, 390, 391, 392, 393, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 18, 20, 21, 22, 23, 24, 25, 26, 30, 32, 33, 34, 35, 36, 37, 38, 42, 44, 45, 46, 47, 48, 49, 53, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 76, 78, 80, 82, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 158, 171, 172, 173, 184, 185, 186, 195, 196, 220, 221, 222, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 354, 355, 356, 357, 358, 359, 360, 367, 368, 369, 370, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385 }

C grade: { }

F grade: { 15, 16, 17, 19, 27, 28, 29, 31, 39, 40, 41, 43, 50, 51, 52, 54, 75, 77, 79, 81, 83, 84, 85, 86, 87, 88, 89, 90, 91, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 187, 188, 189, 190, 191, }

192, 193, 194, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 223, 224, 225, 226, 227, 228, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 361, 362, 363, 364, 365, 366, 371, 372, 373, 374, 375, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	149	126	125	125	151	131	125
normalized size	1	1.00	1.00	0.85	0.84	0.84	1.01	0.88	0.84
time (sec)	N/A	0.220	0.016	0.010	0.431	0.547	0.145	0.261	0.306
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	149	126	125	125	155	131	125
normalized size	1	1.00	1.00	0.85	0.84	0.84	1.04	0.88	0.84
time (sec)	N/A	0.098	0.004	0.000	0.463	0.496	0.088	0.193	0.069
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	146	125	124	124	150	130	124
normalized size	1	1.00	1.64	1.40	1.39	1.39	1.69	1.46	1.39
time (sec)	N/A	0.077	0.003	0.003	0.441	0.432	0.089	0.180	0.071

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	141	122	121	121	148	127	121
normalized size	1	1.00	1.00	0.87	0.86	0.86	1.05	0.90	0.86
time (sec)	N/A	0.082	0.003	0.001	0.465	0.623	0.089	0.221	0.070

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	142	123	125	122	150	131	122
normalized size	1	1.00	1.00	0.87	0.88	0.86	1.06	0.92	0.86
time (sec)	N/A	0.111	0.012	0.014	0.518	0.577	0.250	0.197	0.109

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	139	122	121	127	143	127	121
normalized size	1	1.00	1.00	0.88	0.87	0.91	1.03	0.91	0.87
time (sec)	N/A	0.082	0.007	0.017	0.522	0.673	0.244	0.195	0.094

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	142	123	125	129	150	142	122
normalized size	1	1.00	1.00	0.87	0.88	0.91	1.06	1.00	0.86
time (sec)	N/A	0.121	0.008	0.009	0.504	0.686	0.279	0.208	0.072

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	50	53	102	48	97	54	42
normalized size	1	1.00	0.75	0.79	1.52	0.72	1.45	0.81	0.63
time (sec)	N/A	0.050	0.053	0.046	1.012	0.494	6.015	0.233	0.370

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	44	46	93	43	70	45	37
normalized size	1	1.00	0.86	0.90	1.82	0.84	1.37	0.88	0.73
time (sec)	N/A	0.031	0.026	0.006	1.016	0.571	4.307	0.233	0.392

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	36	34	67	34	53	38	32
normalized size	1	1.00	0.82	0.77	1.52	0.77	1.20	0.86	0.73
time (sec)	N/A	0.021	0.030	0.008	1.325	0.557	3.083	0.197	0.137

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	57	49	99	56	83	76	45
normalized size	1	1.00	0.98	0.84	1.71	0.97	1.43	1.31	0.78
time (sec)	N/A	0.055	0.059	0.016	1.561	0.731	15.588	0.213	0.146

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	59	61	88	72	83	91	51
normalized size	1	1.00	1.00	1.03	1.49	1.22	1.41	1.54	0.86
time (sec)	N/A	0.056	0.044	0.013	1.408	0.848	7.460	0.245	0.787

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	59	75	91	72	76	129	56
normalized size	1	1.00	0.94	1.19	1.44	1.14	1.21	2.05	0.89
time (sec)	N/A	0.055	0.067	0.016	1.237	0.646	6.042	0.244	0.423

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	72	52	59	59	63	116	43
normalized size	1	1.00	1.24	0.90	1.02	1.02	1.09	2.00	0.74
time (sec)	N/A	0.047	0.034	0.013	1.612	0.638	5.956	0.232	0.681

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	82	192	0	0	78	0	-1
normalized size	1	1.00	0.39	0.92	0.00	0.00	0.38	0.00	-0.00
time (sec)	N/A	0.124	0.034	0.090	0.000	0.696	2.333	0.000	0.000

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	68	180	0	0	78	0	-1
normalized size	1	1.00	0.35	0.94	0.00	0.00	0.41	0.00	-0.01
time (sec)	N/A	0.097	0.024	0.020	0.000	0.663	2.141	0.000	0.000

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	176	176	48	168	0	0	76	0	-1
normalized size	1	1.00	0.27	0.95	0.00	0.00	0.43	0.00	-0.01
time (sec)	N/A	0.064	0.010	0.012	0.000	0.728	2.016	0.000	0.000

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	53	167	0	0	78	0	61
normalized size	1	1.00	0.31	0.98	0.00	0.00	0.46	0.00	0.36
time (sec)	N/A	0.067	0.019	0.018	0.000	0.683	2.304	0.000	0.410

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	54	170	0	0	83	0	-1
normalized size	1	1.00	0.28	0.89	0.00	0.00	0.43	0.00	-0.01
time (sec)	N/A	0.089	0.020	0.017	0.000	0.684	2.500	0.000	0.000

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	72	73	127	58	131	80	52
normalized size	1	1.00	0.87	0.88	1.53	0.70	1.58	0.96	0.63
time (sec)	N/A	0.059	0.049	0.025	1.349	0.710	14.314	0.247	0.319

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	54	58	118	53	124	71	47
normalized size	1	1.00	0.81	0.87	1.76	0.79	1.85	1.06	0.70
time (sec)	N/A	0.040	0.036	0.009	1.133	0.627	11.572	0.205	0.430

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	56	46	95	48	109	57	42
normalized size	1	1.00	0.93	0.77	1.58	0.80	1.82	0.95	0.70
time (sec)	N/A	0.030	0.027	0.014	1.597	0.749	8.193	0.242	0.177

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	67	75	138	67	114	90	55
normalized size	1	1.00	0.86	0.96	1.77	0.86	1.46	1.15	0.71
time (sec)	N/A	0.075	0.034	0.020	1.187	0.762	33.672	0.261	0.180

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	71	75	122	78	114	102	64
normalized size	1	1.00	0.88	0.93	1.51	0.96	1.41	1.26	0.79
time (sec)	N/A	0.075	0.053	0.016	1.330	0.680	11.391	0.258	0.765

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	60	73	123	82	133	146	71
normalized size	1	1.00	0.70	0.85	1.43	0.95	1.55	1.70	0.83
time (sec)	N/A	0.077	0.027	0.020	1.372	0.748	12.755	0.255	0.552

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	60	73	112	82	148	158	82
normalized size	1	1.00	0.73	0.89	1.37	1.00	1.80	1.93	1.00
time (sec)	N/A	0.075	0.025	0.023	1.346	0.699	12.558	0.270	0.946

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	235	235	74	216	0	0	160	0	-1
normalized size	1	1.00	0.31	0.92	0.00	0.00	0.68	0.00	-0.00
time (sec)	N/A	0.134	0.042	0.020	0.000	0.581	3.969	0.000	0.000

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	219	219	68	204	0	0	160	0	-1
normalized size	1	1.00	0.31	0.93	0.00	0.00	0.73	0.00	-0.00
time (sec)	N/A	0.120	0.027	0.013	0.000	0.666	3.654	0.000	0.000

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	197	197	49	192	0	0	158	0	-1
normalized size	1	1.00	0.25	0.97	0.00	0.00	0.80	0.00	-0.01
time (sec)	N/A	0.082	0.010	0.011	0.000	0.639	3.629	0.000	0.000

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	199	199	53	192	0	0	160	0	48
normalized size	1	1.00	0.27	0.96	0.00	0.00	0.80	0.00	0.24
time (sec)	N/A	0.088	0.021	0.018	0.000	0.727	4.257	0.000	0.533

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	201	201	54	192	0	0	163	0	-1
normalized size	1	1.00	0.27	0.96	0.00	0.00	0.81	0.00	-0.00
time (sec)	N/A	0.086	0.021	0.017	0.000	0.711	4.121	0.000	0.000

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	44	51	104	43	85	46	38
normalized size	1	1.00	0.66	0.76	1.55	0.64	1.27	0.69	0.57
time (sec)	N/A	0.058	0.028	0.018	1.314	0.796	7.072	0.189	0.590

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	35	39	76	34	66	37	32
normalized size	1	1.00	0.69	0.76	1.49	0.67	1.29	0.73	0.63
time (sec)	N/A	0.042	0.022	0.012	1.218	0.699	5.519	0.216	0.309

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	34	32	65	33	53	33	27
normalized size	1	1.00	0.97	0.91	1.86	0.94	1.51	0.94	0.77
time (sec)	N/A	0.026	0.017	0.007	1.158	0.512	4.041	0.216	0.491

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	20	42	26	22	26	19
normalized size	1	1.00	1.00	0.83	1.75	1.08	0.92	1.08	0.79
time (sec)	N/A	0.017	0.019	0.010	1.118	0.663	2.131	0.196	0.294

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	38	30	67	41	31	61	30
normalized size	1	1.00	1.00	0.79	1.76	1.08	0.82	1.61	0.79
time (sec)	N/A	0.038	0.016	0.013	1.173	0.701	6.008	0.205	0.615

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	42	31	47	47	31	66	31
normalized size	1	1.00	1.00	0.74	1.12	1.12	0.74	1.57	0.74
time (sec)	N/A	0.037	0.021	0.014	1.257	0.768	3.597	0.216	0.329

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	49	43	59	50	88	114	43
normalized size	1	1.00	0.84	0.74	1.02	0.86	1.52	1.97	0.74
time (sec)	N/A	0.051	0.023	0.019	1.118	0.575	14.329	0.217	0.694

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	74	168	0	0	75	0	-1
normalized size	1	1.00	0.40	0.91	0.00	0.00	0.41	0.00	-0.01
time (sec)	N/A	0.085	0.029	0.023	0.000	0.683	2.551	0.000	0.000

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	66	155	0	0	75	0	-1
normalized size	1	1.00	0.40	0.93	0.00	0.00	0.45	0.00	-0.01
time (sec)	N/A	0.066	0.021	0.013	0.000	0.691	2.360	0.000	0.000

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	48	146	0	0	73	0	-1
normalized size	1	1.00	0.31	0.94	0.00	0.00	0.47	0.00	-0.01
time (sec)	N/A	0.046	0.011	0.010	0.000	0.559	1.705	0.000	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	53	158	0	0	75	0	48
normalized size	1	1.00	0.31	0.91	0.00	0.00	0.43	0.00	0.28
time (sec)	N/A	0.062	0.023	0.019	0.000	0.715	1.819	0.000	0.504

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	54	170	0	0	80	0	-1
normalized size	1	1.00	0.29	0.90	0.00	0.00	0.42	0.00	-0.01
time (sec)	N/A	0.086	0.021	0.024	0.000	0.834	2.082	0.000	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	51	50	89	62	66	45	97
normalized size	1	1.00	0.88	0.86	1.53	1.07	1.14	0.78	1.67
time (sec)	N/A	0.046	0.024	0.021	1.211	0.549	14.277	0.207	1.108

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	46	37	63	58	48	39	89
normalized size	1	1.00	1.02	0.82	1.40	1.29	1.07	0.87	1.98
time (sec)	N/A	0.039	0.021	0.014	1.414	0.673	12.336	0.232	0.894

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	41	34	54	52	39	33	82
normalized size	1	1.00	1.17	0.97	1.54	1.49	1.11	0.94	2.34
time (sec)	N/A	0.027	0.017	0.007	1.227	0.770	10.675	0.254	0.841

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	20	17	22	31	31	16	16
normalized size	1	1.00	1.00	0.85	1.10	1.55	1.55	0.80	0.80
time (sec)	N/A	0.016	0.009	0.003	1.486	0.716	7.856	0.245	0.164

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	46	40	56	61	212	61	40
normalized size	1	1.00	1.00	0.87	1.22	1.33	4.61	1.33	0.87
time (sec)	N/A	0.043	0.032	0.020	1.405	0.539	19.618	0.253	0.475

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	45	47	68	77	228	82	47
normalized size	1	1.00	0.69	0.72	1.05	1.18	3.51	1.26	0.72
time (sec)	N/A	0.055	0.025	0.014	1.098	0.587	12.982	0.243	0.537

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	70	168	0	0	75	0	-1
normalized size	1	1.00	0.36	0.86	0.00	0.00	0.38	0.00	-0.01
time (sec)	N/A	0.085	0.039	0.025	0.000	0.925	5.590	0.000	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	68	168	0	0	75	0	-1
normalized size	1	1.00	0.38	0.95	0.00	0.00	0.42	0.00	-0.01
time (sec)	N/A	0.069	0.029	0.017	0.000	0.663	5.095	0.000	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	66	168	0	0	73	0	-1
normalized size	1	1.00	0.37	0.93	0.00	0.00	0.41	0.00	-0.01
time (sec)	N/A	0.061	0.022	0.014	0.000	0.694	5.075	0.000	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	196	71	180	0	0	75	0	48
normalized size	1	1.00	0.36	0.92	0.00	0.00	0.38	0.00	0.24
time (sec)	N/A	0.082	0.051	0.021	0.000	0.587	7.203	0.000	0.456

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	54	192	0	0	80	0	-1
normalized size	1	1.00	0.25	0.90	0.00	0.00	0.37	0.00	-0.00
time (sec)	N/A	0.108	0.024	0.020	0.000	0.747	8.146	0.000	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	189	2295	372	1571	0	3752	1539
normalized size	1	1.00	0.70	8.53	1.38	5.84	0.00	13.95	5.72
time (sec)	N/A	0.161	0.557	0.027	0.885	0.731	0.000	0.459	1.777

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	63	63	153	130	129	132	134	143	121
normalized size	1	1.00	2.43	2.06	2.05	2.10	2.13	2.27	1.92
time (sec)	N/A	0.197	0.022	0.002	0.591	0.396	0.096	0.278	0.094

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	153	130	129	133	141	144	123
normalized size	1	1.00	1.00	0.85	0.84	0.87	0.92	0.94	0.80
time (sec)	N/A	0.117	0.023	0.000	0.667	0.446	0.095	0.296	0.121

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	151	130	129	133	136	144	123
normalized size	1	1.00	3.36	2.89	2.87	2.96	3.02	3.20	2.73
time (sec)	N/A	0.123	0.017	0.000	0.654	0.645	0.098	0.400	0.078

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	153	130	129	133	139	144	123
normalized size	1	1.00	1.00	0.85	0.84	0.87	0.91	0.94	0.80
time (sec)	N/A	0.085	0.017	0.002	0.499	0.536	0.097	0.288	0.081

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	149	130	129	133	133	144	123
normalized size	1	1.00	5.14	4.48	4.45	4.59	4.59	4.97	4.24
time (sec)	N/A	0.049	0.012	0.002	0.645	0.635	0.096	0.314	0.077

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	143	127	125	130	134	141	120
normalized size	1	1.00	1.00	0.89	0.87	0.91	0.94	0.99	0.84
time (sec)	N/A	0.074	0.016	0.001	0.576	0.542	0.098	0.362	0.079

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	149	132	130	127	131	145	121
normalized size	1	1.00	1.60	1.42	1.40	1.37	1.41	1.56	1.30
time (sec)	N/A	0.055	0.025	0.003	0.478	0.640	0.328	0.267	0.129

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	141	129	125	131	124	139	119
normalized size	1	1.00	1.00	0.91	0.89	0.93	0.88	0.99	0.84
time (sec)	N/A	0.082	0.026	0.005	0.504	0.562	0.321	0.361	0.081

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	147	131	130	133	131	156	120
normalized size	1	1.00	1.00	0.89	0.88	0.90	0.89	1.06	0.82
time (sec)	N/A	0.136	0.034	0.007	0.698	0.756	0.386	0.263	0.084

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	122	1121	192	759	0	1848	1483
normalized size	1	1.00	0.60	5.52	0.95	3.74	0.00	9.10	7.31
time (sec)	N/A	0.073	0.044	0.013	0.972	0.834	0.000	0.619	1.251

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	85	62	61	61	76	61	61
normalized size	1	1.00	2.50	1.82	1.79	1.79	2.24	1.79	1.79
time (sec)	N/A	0.047	0.002	0.001	0.637	0.494	0.072	0.339	0.062

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	62	61	61	75	61	61
normalized size	1	1.00	1.00	0.75	0.73	0.73	0.90	0.73	0.73
time (sec)	N/A	0.031	0.002	0.003	0.762	0.596	0.071	0.414	0.059

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	83	62	61	61	75	61	61
normalized size	1	1.00	3.61	2.70	2.65	2.65	3.26	2.65	2.65
time (sec)	N/A	0.022	0.002	0.001	0.563	0.485	0.073	0.362	0.060

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	62	61	61	75	61	61
normalized size	1	1.00	1.00	0.75	0.73	0.73	0.90	0.73	0.73
time (sec)	N/A	0.027	0.001	0.000	0.880	0.547	0.071	0.304	0.059

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	62	61	61	71	76	61
normalized size	1	1.00	1.00	5.64	5.55	5.55	6.45	6.91	5.55
time (sec)	N/A	0.002	0.002	0.001	0.782	0.577	0.070	0.314	0.058

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	73	58	57	57	68	57	57
normalized size	1	1.00	1.00	0.79	0.78	0.78	0.93	0.78	0.78
time (sec)	N/A	0.022	0.001	0.001	0.977	0.558	0.074	0.274	0.058

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	80	59	62	58	75	62	58
normalized size	1	1.00	1.00	0.74	0.78	0.72	0.94	0.78	0.72
time (sec)	N/A	0.033	0.003	0.003	0.821	0.491	0.107	0.230	0.061

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	73	60	59	62	66	59	59
normalized size	1	1.00	1.00	0.82	0.81	0.85	0.90	0.81	0.81
time (sec)	N/A	0.025	0.003	0.004	0.826	0.638	0.101	0.297	0.060

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	80	61	62	64	75	69	60
normalized size	1	1.00	1.00	0.76	0.78	0.80	0.94	0.86	0.75
time (sec)	N/A	0.040	0.003	0.005	0.736	0.674	0.112	0.357	0.061

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	80	90	54	129	90	101	-1
normalized size	1	1.00	0.55	0.62	0.37	0.89	0.62	0.70	-0.01
time (sec)	N/A	0.090	0.083	0.039	1.519	0.766	0.365	0.430	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	51	55	31	29	27	42	103
normalized size	1	1.00	0.61	0.66	0.37	0.35	0.33	0.51	1.24
time (sec)	N/A	0.072	0.021	0.010	0.779	0.795	0.277	0.383	0.876

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	69	62	33	98	82	59	-1
normalized size	1	1.00	0.71	0.64	0.34	1.01	0.85	0.61	-0.01
time (sec)	N/A	0.047	0.027	0.007	1.507	0.828	0.317	0.265	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	54	57	35	33	26	61	83
normalized size	1	1.00	0.59	0.62	0.38	0.36	0.28	0.66	0.90
time (sec)	N/A	0.072	0.021	0.010	0.734	0.716	0.709	0.381	0.766

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	72	67	37	105	82	62	-1
normalized size	1	1.00	0.71	0.66	0.37	1.04	0.81	0.61	-0.01
time (sec)	N/A	0.063	0.030	0.010	1.216	0.690	0.372	0.343	0.000

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	70	79	48	48	41	131	125
normalized size	1	1.00	0.51	0.58	0.35	0.35	0.30	0.96	0.91
time (sec)	N/A	0.098	0.033	0.013	0.784	0.903	0.726	0.386	0.810

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	108	188	125	300	0	0	-1
normalized size	1	1.00	0.71	1.23	0.82	1.96	0.00	0.00	-0.01
time (sec)	N/A	0.119	0.060	0.019	1.489	0.752	0.000	0.000	0.000

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	45	38	65	42	0	40	48
normalized size	1	1.00	0.58	0.49	0.84	0.55	0.00	0.52	0.62
time (sec)	N/A	0.066	0.019	0.007	0.636	0.689	0.000	0.507	0.179

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	108	186	124	301	0	0	-1
normalized size	1	1.00	0.69	1.19	0.79	1.93	0.00	0.00	-0.01
time (sec)	N/A	0.089	0.051	0.014	1.670	0.754	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	92	133	88	119	0	96	-1
normalized size	1	1.00	0.57	0.83	0.55	0.74	0.00	0.60	-0.01
time (sec)	N/A	0.118	0.041	0.021	0.888	0.664	0.000	0.528	0.000

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	124	206	134	334	0	0	-1
normalized size	1	1.00	0.65	1.08	0.71	1.76	0.00	0.00	-0.01
time (sec)	N/A	0.185	0.069	0.023	1.403	0.675	0.000	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	130	249	138	205	0	144	-1
normalized size	1	1.00	0.58	1.12	0.62	0.92	0.00	0.65	-0.00
time (sec)	N/A	0.184	0.070	0.025	0.841	0.652	0.000	0.403	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	400	400	160	1099	491	853	0	2213	-1
normalized size	1	1.00	0.40	2.75	1.23	2.13	0.00	5.53	-0.00
time (sec)	N/A	0.243	0.220	0.010	0.815	0.747	0.000	0.687	0.000

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	112	495	243	381	0	1013	-1
normalized size	1	1.00	0.41	1.79	0.88	1.38	0.00	3.67	-0.00
time (sec)	N/A	0.153	0.110	0.009	0.964	1.030	0.000	0.524	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	86	131	75	94	0	269	-1
normalized size	1	1.00	0.56	0.86	0.49	0.61	0.00	1.76	-0.01
time (sec)	N/A	0.076	0.055	0.006	0.811	0.860	0.000	0.322	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	78	0	0	0	0	0	-1
normalized size	1	1.00	0.58	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.088	0.067	0.094	0.000	0.629	0.000	0.000	0.000

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	101	0	0	0	0	0	-1
normalized size	1	1.00	0.66	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.119	0.072	0.029	0.000	0.674	0.000	0.000	0.000

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	25	40	86	47	165	32	59
normalized size	1	1.00	0.74	1.18	2.53	1.38	4.85	0.94	1.74
time (sec)	N/A	0.029	0.008	0.002	0.722	0.634	9.597	0.289	0.142

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	45	62	135	92	0	196	108
normalized size	1	1.00	0.52	0.72	1.57	1.07	0.00	2.28	1.26
time (sec)	N/A	0.089	0.024	0.007	0.737	0.519	0.000	0.427	0.171

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	128	68	99	196	140	0	331	169
normalized size	1	1.00	0.53	0.77	1.53	1.09	0.00	2.59	1.32
time (sec)	N/A	0.129	0.035	0.006	0.698	0.685	0.000	0.385	0.202

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	166	226	166	193	202	193	169
normalized size	1	1.00	1.00	1.36	1.00	1.16	1.22	1.16	1.02
time (sec)	N/A	0.393	0.050	0.000	0.604	0.633	0.102	0.338	0.076

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	166	226	166	193	204	193	169
normalized size	1	1.00	1.00	1.36	1.00	1.16	1.23	1.16	1.02
time (sec)	N/A	0.154	0.054	0.000	0.726	0.582	0.101	0.270	0.096

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	154	226	166	193	199	193	169
normalized size	1	1.00	0.93	1.36	1.00	1.16	1.20	1.16	1.02
time (sec)	N/A	0.287	0.056	0.000	0.768	0.543	0.102	0.287	0.048

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	161	223	163	189	199	189	165
normalized size	1	1.00	1.00	1.39	1.01	1.17	1.24	1.17	1.02
time (sec)	N/A	0.118	0.046	0.000	0.730	0.599	0.102	0.264	0.049

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	162	191	167	164	199	193	166
normalized size	1	1.00	1.00	1.18	1.03	1.01	1.23	1.19	1.02
time (sec)	N/A	0.227	0.056	0.005	0.787	0.618	0.309	0.335	0.103

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	156	186	162	168	185	185	163
normalized size	1	1.00	1.00	1.19	1.04	1.08	1.19	1.19	1.04
time (sec)	N/A	0.108	0.082	0.004	0.707	0.573	0.307	0.306	0.051

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	162	190	167	170	197	212	166
normalized size	1	1.00	1.00	1.17	1.03	1.05	1.22	1.31	1.02
time (sec)	N/A	0.226	0.071	0.007	0.785	0.746	0.401	0.404	0.056

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	126	261	0	421	620	126	1343
normalized size	1	1.00	0.95	1.96	0.00	3.17	4.66	0.95	10.10
time (sec)	N/A	0.207	0.064	0.007	0.000	0.810	43.892	1.873	0.458

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	93	175	0	312	434	91	979
normalized size	1	1.00	0.96	1.80	0.00	3.22	4.47	0.94	10.09
time (sec)	N/A	0.116	0.068	0.004	0.000	0.838	10.545	1.812	0.646

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	98	0	219	287	67	606
normalized size	1	1.00	1.00	1.38	0.00	3.08	4.04	0.94	8.54
time (sec)	N/A	0.070	0.046	0.003	0.000	0.575	3.589	1.715	0.498

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	128	105	0	249	0	78	2424
normalized size	1	1.00	1.64	1.35	0.00	3.19	0.00	1.00	31.08
time (sec)	N/A	0.139	0.103	0.007	0.000	0.798	0.000	1.610	4.476

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	186	191	0	385	0	124	3729
normalized size	1	1.00	1.66	1.71	0.00	3.44	0.00	1.11	33.29
time (sec)	N/A	0.245	0.218	0.010	0.000	1.007	0.000	1.874	4.855

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	327	825	0	5140	0	4391	10177
normalized size	1	1.00	1.25	3.16	0.00	19.69	0.00	16.82	38.99
time (sec)	N/A	1.489	0.405	0.053	0.000	2.886	0.000	3.789	1.594

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	251	560	0	2632	0	3179	6366
normalized size	1	1.00	1.21	2.69	0.00	12.65	0.00	15.28	30.61
time (sec)	N/A	0.528	0.163	0.026	0.000	0.879	0.000	3.498	1.256

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	173	328	0	1569	314	1400	4109
normalized size	1	1.00	1.01	1.91	0.00	9.12	1.83	8.14	23.89
time (sec)	N/A	0.201	0.094	0.020	0.000	0.874	16.959	2.416	0.997

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	206	353	0	2914	0	2805	6335
normalized size	1	1.00	1.09	1.87	0.00	15.42	0.00	14.84	33.52
time (sec)	N/A	0.400	0.291	0.030	0.000	0.993	0.000	3.568	1.354

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	267	611	0	5442	0	2870	10101
normalized size	1	1.00	0.99	2.25	0.00	20.08	0.00	10.59	37.27
time (sec)	N/A	0.653	0.316	0.033	0.000	2.318	0.000	3.346	2.187

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	212	208	689	0	1323	0	239	2282
normalized size	1	1.00	0.98	3.25	0.00	6.24	0.00	1.13	10.76
time (sec)	N/A	0.381	0.282	0.020	0.000	1.039	0.000	1.649	0.834

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	147	160	286	0	849	0	194	1527
normalized size	1	1.00	1.09	1.95	0.00	5.78	0.00	1.32	10.39
time (sec)	N/A	0.175	0.186	0.014	0.000	0.859	0.000	1.617	1.217

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	111	158	0	538	394	120	283
normalized size	1	1.00	1.04	1.48	0.00	5.03	3.68	1.12	2.64
time (sec)	N/A	0.113	0.080	0.012	0.000	0.681	5.380	1.723	0.323

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	101	127	0	474	374	102	264
normalized size	1	1.00	1.07	1.35	0.00	5.04	3.98	1.09	2.81
time (sec)	N/A	0.088	0.074	0.007	0.000	0.689	3.363	1.367	0.301

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	243	361	0	1014	0	201	7119
normalized size	1	1.00	1.62	2.41	0.00	6.76	0.00	1.34	47.46
time (sec)	N/A	0.331	0.330	0.018	0.000	1.432	0.000	1.710	7.884

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	379	622	0	1635	0	250	10034
normalized size	1	1.00	1.70	2.79	0.00	7.33	0.00	1.12	45.00
time (sec)	N/A	0.419	0.564	0.023	0.000	3.384	0.000	1.647	9.088

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	425	425	455	1507	0	7252	0	5681	16604
normalized size	1	1.00	1.07	3.55	0.00	17.06	0.00	13.37	39.07
time (sec)	N/A	3.675	1.202	0.043	0.000	5.997	0.000	6.490	4.358

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	362	1030	0	4658	0	4538	12396
normalized size	1	1.00	1.08	3.07	0.00	13.86	0.00	13.51	36.89
time (sec)	N/A	1.717	0.853	0.036	0.000	2.368	0.000	6.288	5.184

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	298	733	0	3467	0	3776	9444
normalized size	1	1.00	1.08	2.66	0.00	12.56	0.00	13.68	34.22
time (sec)	N/A	0.553	0.664	0.029	0.000	1.258	0.000	4.777	4.411

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	293	304	1761	0	4885	0	4426	12349
normalized size	1	1.00	1.04	6.01	0.00	16.67	0.00	15.11	42.15
time (sec)	N/A	0.846	0.786	0.110	0.000	3.329	0.000	5.965	4.839

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	389	389	382	1252	0	7583	0	5408	17591
normalized size	1	1.00	0.98	3.22	0.00	19.49	0.00	13.90	45.22
time (sec)	N/A	1.220	1.039	0.040	0.000	7.298	0.000	6.160	5.380

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	522	522	487	1653	0	10190	0	6327	21554
normalized size	1	1.00	0.93	3.17	0.00	19.52	0.00	12.12	41.29
time (sec)	N/A	1.365	1.199	0.047	0.000	18.852	0.000	8.150	5.698

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	365	365	435	2054	0	3196	0	598	4501
normalized size	1	1.00	1.19	5.63	0.00	8.76	0.00	1.64	12.33
time (sec)	N/A	1.455	0.663	0.031	0.000	1.270	0.000	5.883	4.660

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	354	723	0	2167	0	466	3062
normalized size	1	1.00	1.39	2.85	0.00	8.53	0.00	1.83	12.06
time (sec)	N/A	0.404	0.479	0.026	0.000	0.869	0.000	6.311	5.151

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	146	146	261	398	0	1378	775	318	593
normalized size	1	1.00	1.79	2.73	0.00	9.44	5.31	2.18	4.06
time (sec)	N/A	0.139	0.268	0.017	0.000	0.562	102.043	6.463	0.694

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	233	411	0	1369	833	268	625
normalized size	1	1.00	1.26	2.22	0.00	7.40	4.50	1.45	3.38
time (sec)	N/A	0.262	0.236	0.020	0.000	0.619	44.844	6.587	0.680

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	172	379	0	1226	789	228	587
normalized size	1	1.00	1.01	2.23	0.00	7.21	4.64	1.34	3.45
time (sec)	N/A	0.163	0.204	0.017	0.000	0.859	21.367	6.057	0.660

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	142	262	0	1109	661	208	517
normalized size	1	1.00	1.02	1.88	0.00	7.98	4.76	1.50	3.72
time (sec)	N/A	0.124	0.135	0.010	0.000	0.592	12.404	5.570	0.587

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	252	252	396	1161	0	2494	0	421	11674
normalized size	1	1.00	1.57	4.61	0.00	9.90	0.00	1.67	46.33
time (sec)	N/A	0.543	0.691	0.029	0.000	4.988	0.000	6.445	11.572

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	363	363	642	1862	0	3956	0	648	16265
normalized size	1	1.00	1.77	5.13	0.00	10.90	0.00	1.79	44.81
time (sec)	N/A	0.771	1.500	0.039	0.000	10.165	0.000	6.371	15.906

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	554	554	644	2015	0	9636	0	3987	22911
normalized size	1	1.00	1.16	3.64	0.00	17.39	0.00	7.20	41.36
time (sec)	N/A	11.195	2.398	0.069	0.000	14.453	0.000	8.280	5.047

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	461	461	543	1631	0	7060	0	7578	19041
normalized size	1	1.00	1.18	3.54	0.00	15.31	0.00	16.44	41.30
time (sec)	N/A	4.622	2.021	0.048	0.000	5.167	0.000	11.662	3.951

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	380	380	447	1283	0	5650	0	3162	16688
normalized size	1	1.00	1.18	3.38	0.00	14.87	0.00	8.32	43.92
time (sec)	N/A	1.415	1.696	0.049	0.000	4.426	0.000	8.261	3.487

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	438	438	436	1335	0	7270	0	7267	18992
normalized size	1	1.00	1.00	3.05	0.00	16.60	0.00	16.59	43.36
time (sec)	N/A	1.090	1.646	0.046	0.000	6.678	0.000	11.773	3.916

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	460	460	516	11936	0	9909	0	4609	22914
normalized size	1	1.00	1.12	25.95	0.00	21.54	0.00	10.02	49.81
time (sec)	N/A	1.353	2.189	0.281	0.000	16.221	0.000	8.537	4.614

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	18	17	17	17	19	17
normalized size	1	1.00	1.00	0.72	0.68	0.68	0.68	0.76	0.68
time (sec)	N/A	0.018	0.009	0.006	0.718	0.667	0.121	0.305	0.057

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	18	25	17	17	19	17
normalized size	1	1.00	1.00	0.72	1.00	0.68	0.68	0.76	0.68
time (sec)	N/A	0.029	0.006	0.004	0.739	0.656	0.115	0.283	0.029

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	37	31	30	30	37	30	32
normalized size	1	1.00	1.00	0.84	0.81	0.81	1.00	0.81	0.86
time (sec)	N/A	0.035	0.013	0.003	1.401	0.546	0.120	0.282	0.212

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	37	31	53	30	37	30	32
normalized size	1	1.00	1.00	0.84	1.43	0.81	1.00	0.81	0.86
time (sec)	N/A	0.042	0.006	0.003	1.597	0.655	0.121	0.372	0.034

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	45	41	0	47	44	38	41
normalized size	1	1.00	1.00	0.91	0.00	1.04	0.98	0.84	0.91
time (sec)	N/A	0.049	0.026	0.006	0.000	0.618	0.152	0.944	0.052

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	71	91	104	61	0	102	102
normalized size	1	1.00	0.70	0.89	1.02	0.60	0.00	1.00	1.00
time (sec)	N/A	0.079	0.029	0.029	0.672	0.843	0.000	0.465	0.490

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	66	74	87	56	0	88	85
normalized size	1	1.00	0.81	0.91	1.07	0.69	0.00	1.09	1.05
time (sec)	N/A	0.056	0.021	0.015	0.593	0.705	0.000	0.363	0.433

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	61	57	70	51	0	74	67
normalized size	1	1.00	0.82	0.77	0.95	0.69	0.00	1.00	0.91
time (sec)	N/A	0.044	0.017	0.011	0.653	0.655	0.000	0.342	0.287

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	92	85	89	95	0	98	86
normalized size	1	1.00	0.98	0.90	0.95	1.01	0.00	1.04	0.91
time (sec)	N/A	0.083	0.038	0.015	1.496	0.676	0.000	0.478	0.426

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	104	89	112	0	138	84
normalized size	1	1.00	1.00	1.07	0.92	1.15	0.00	1.42	0.87
time (sec)	N/A	0.083	0.041	0.016	1.350	0.681	0.000	0.515	0.878

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	97	121	106	112	0	169	-1
normalized size	1	1.00	0.98	1.22	1.07	1.13	0.00	1.71	-0.01
time (sec)	N/A	0.083	0.039	0.016	1.426	0.652	0.000	0.572	0.000

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	74	118	99	90	0	189	-1
normalized size	1	1.00	0.82	1.31	1.10	1.00	0.00	2.10	-0.01
time (sec)	N/A	0.068	0.026	0.015	1.453	0.735	0.000	0.532	0.000

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	82	135	116	95	0	233	-1
normalized size	1	1.00	0.74	1.22	1.05	0.86	0.00	2.10	-0.01
time (sec)	N/A	0.086	0.027	0.017	1.736	0.631	0.000	0.457	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	84	152	133	100	0	255	-1
normalized size	1	1.00	0.64	1.15	1.01	0.76	0.00	1.93	-0.01
time (sec)	N/A	0.109	0.037	0.019	1.730	0.722	0.000	0.563	0.000

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	237	260	0	0	0	0	-1
normalized size	1	1.00	0.74	0.81	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.274	0.378	0.119	0.000	0.814	0.000	0.000	0.000

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	234	243	0	0	0	0	-1
normalized size	1	1.00	0.77	0.80	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.203	0.256	0.014	0.000	0.682	0.000	0.000	0.000

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	279	279	229	226	0	0	0	0	-1
normalized size	1	1.00	0.82	0.81	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.122	0.243	0.012	0.000	0.749	0.000	0.000	0.000

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	284	284	231	225	0	0	0	0	-1
normalized size	1	1.00	0.81	0.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.128	0.262	0.020	0.000	0.691	0.000	0.000	0.000

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	237	228	0	0	0	0	-1
normalized size	1	1.00	0.78	0.75	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.158	0.260	0.020	0.000	0.775	0.000	0.000	0.000

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	81	138	135	71	0	207	-1
normalized size	1	1.00	0.64	1.09	1.06	0.56	0.00	1.63	-0.01
time (sec)	N/A	0.096	0.035	0.033	0.585	0.841	0.000	0.541	0.000

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	76	121	118	66	0	179	-1
normalized size	1	1.00	0.72	1.14	1.11	0.62	0.00	1.69	-0.01
time (sec)	N/A	0.072	0.031	0.016	0.878	0.573	0.000	0.587	0.000

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	71	104	101	61	0	151	127
normalized size	1	1.00	0.72	1.05	1.02	0.62	0.00	1.53	1.28
time (sec)	N/A	0.058	0.025	0.016	0.666	0.642	0.000	0.452	0.530

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	104	117	120	106	0	113	-1
normalized size	1	1.00	0.87	0.98	1.01	0.89	0.00	0.95	-0.01
time (sec)	N/A	0.106	0.058	0.015	1.396	0.685	0.000	0.498	0.000

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	107	117	120	122	0	153	-1
normalized size	1	1.00	0.88	0.96	0.98	1.00	0.00	1.25	-0.01
time (sec)	N/A	0.107	0.054	0.021	1.746	0.594	0.000	0.559	0.000

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	107	117	137	122	0	190	-1
normalized size	1	1.00	0.84	0.92	1.08	0.96	0.00	1.50	-0.01
time (sec)	N/A	0.109	0.062	0.020	1.461	0.796	0.000	0.654	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	107	117	154	122	0	227	-1
normalized size	1	1.00	0.84	0.92	1.21	0.96	0.00	1.79	-0.01
time (sec)	N/A	0.107	0.051	0.022	1.585	0.624	0.000	0.681	0.000

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	356	356	249	294	0	0	0	0	-1
normalized size	1	1.00	0.70	0.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.256	0.270	0.021	0.000	0.732	0.000	0.000	0.000

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	244	277	0	0	0	0	-1
normalized size	1	1.00	0.74	0.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.214	0.254	0.017	0.000	0.729	0.000	0.000	0.000

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	A	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	0	260	0	0	0	0	-1
normalized size	1	1.00	0.00	0.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.153	0.000	0.014	0.000	0.659	0.000	0.000	0.000

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	312	312	235	260	0	0	0	0	-1
normalized size	1	1.00	0.75	0.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.151	0.261	0.019	0.000	0.575	0.000	0.000	0.000

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	314	314	247	260	0	0	0	0	-1
normalized size	1	1.00	0.79	0.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.164	0.294	0.020	0.000	0.636	0.000	0.000	0.000

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	244	259	0	0	0	0	-1
normalized size	1	1.00	0.74	0.78	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.203	0.281	0.021	0.000	0.529	0.000	0.000	0.000

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	139	286	0	315	0	138	-1
normalized size	1	1.00	0.91	1.87	0.00	2.06	0.00	0.90	-0.01
time (sec)	N/A	0.203	0.111	0.030	0.000	0.836	0.000	0.544	0.000

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	101	176	0	233	0	98	-1
normalized size	1	1.00	1.01	1.76	0.00	2.33	0.00	0.98	-0.01
time (sec)	N/A	0.093	0.047	0.015	0.000	0.835	0.000	0.449	0.000

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	76	76	78	93	0	178	0	69	92
normalized size	1	1.00	1.03	1.22	0.00	2.34	0.00	0.91	1.21
time (sec)	N/A	0.064	0.025	0.012	0.000	1.084	0.000	0.461	1.046

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	89	76	0	517	0	0	81
normalized size	1	1.00	0.99	0.84	0.00	5.74	0.00	0.00	0.90
time (sec)	N/A	0.094	0.028	0.013	0.000	1.068	0.000	0.000	0.760

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	82	104	0	197	0	124	103
normalized size	1	1.00	1.02	1.30	0.00	2.46	0.00	1.55	1.29
time (sec)	N/A	0.083	0.035	0.018	0.000	1.152	0.000	0.538	0.776

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	107	194	0	255	0	339	-1
normalized size	1	1.00	0.86	1.56	0.00	2.06	0.00	2.73	-0.01
time (sec)	N/A	0.145	0.075	0.019	0.000	0.868	0.000	0.516	0.000

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	148	311	0	339	0	571	-1
normalized size	1	1.00	0.84	1.76	0.00	1.92	0.00	3.23	-0.01
time (sec)	N/A	0.239	0.108	0.020	0.000	0.964	0.000	0.639	0.000

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	403	403	532	815	0	0	0	0	-1
normalized size	1	1.00	1.32	2.02	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.284	2.211	0.023	0.000	0.488	0.000	0.000	0.000

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	479	607	0	0	0	0	-1
normalized size	1	1.00	1.43	1.81	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.149	1.373	0.011	0.000	0.731	0.000	0.000	0.000

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	283	283	302	362	0	0	0	0	-1
normalized size	1	1.00	1.07	1.28	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.083	0.254	0.010	0.000	0.764	0.000	0.000	0.000

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	312	312	448	386	0	0	0	0	-1
normalized size	1	1.00	1.44	1.24	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.131	1.070	0.020	0.000	0.686	0.000	0.000	0.000

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	376	376	373	656	0	0	0	0	-1
normalized size	1	1.00	0.99	1.74	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.227	0.695	0.023	0.000	0.817	0.000	0.000	0.000

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	66	87	90	56	0	60	-1
normalized size	1	1.00	0.67	0.89	0.92	0.57	0.00	0.61	-0.01
time (sec)	N/A	0.087	0.028	0.019	0.926	0.550	0.000	0.370	0.000

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	61	70	73	51	0	53	-1
normalized size	1	1.00	0.79	0.91	0.95	0.66	0.00	0.69	-0.01
time (sec)	N/A	0.066	0.020	0.014	0.988	0.592	0.000	0.344	0.000

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	56	53	56	46	0	46	-1
normalized size	1	1.00	1.00	0.95	1.00	0.82	0.00	0.82	-0.02
time (sec)	N/A	0.045	0.016	0.013	1.040	0.536	0.000	0.348	0.000

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	49	36	39	39	0	39	35
normalized size	1	1.00	1.00	0.73	0.80	0.80	0.00	0.80	0.71
time (sec)	N/A	0.032	0.009	0.012	0.923	0.898	0.000	0.468	0.523

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	69	52	58	75	0	78	56
normalized size	1	1.00	1.00	0.75	0.84	1.09	0.00	1.13	0.81
time (sec)	N/A	0.062	0.013	0.012	1.929	0.828	0.000	0.435	1.009

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	62	49	51	78	0	101	83
normalized size	1	1.00	1.00	0.79	0.82	1.26	0.00	1.63	1.34
time (sec)	N/A	0.050	0.015	0.015	2.021	0.519	0.000	0.386	0.663

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	67	66	68	83	0	145	-1
normalized size	1	1.00	0.81	0.80	0.82	1.00	0.00	1.75	-0.01
time (sec)	N/A	0.070	0.022	0.013	2.000	0.701	0.000	0.521	0.000

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	77	83	85	90	0	167	-1
normalized size	1	1.00	0.74	0.80	0.82	0.87	0.00	1.61	-0.01
time (sec)	N/A	0.088	0.024	0.017	1.981	0.540	0.000	0.507	0.000

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	229	226	0	0	0	0	-1
normalized size	1	1.00	0.77	0.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.175	0.271	0.018	0.000	0.722	0.000	0.000	0.000

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	222	208	0	0	0	0	-1
normalized size	1	1.00	0.82	0.77	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.120	0.244	0.013	0.000	0.646	0.000	0.000	0.000

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	159	194	0	0	0	0	-1
normalized size	1	1.00	0.62	0.75	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.077	0.119	0.012	0.000	1.235	0.000	0.000	0.000

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	278	278	224	211	0	0	0	0	-1
normalized size	1	1.00	0.81	0.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.123	0.247	0.023	0.000	0.684	0.000	0.000	0.000

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	302	302	237	228	0	0	0	0	-1
normalized size	1	1.00	0.78	0.75	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.163	0.263	0.018	0.000	0.729	0.000	0.000	0.000

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	72	91	73	86	0	52	-1
normalized size	1	1.00	0.94	1.18	0.95	1.12	0.00	0.68	-0.01
time (sec)	N/A	0.058	0.018	0.022	0.923	0.557	0.000	0.383	0.000

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	54	95	56	81	0	46	52
normalized size	1	1.00	0.96	1.70	1.00	1.45	0.00	0.82	0.93
time (sec)	N/A	0.043	0.121	0.013	0.933	0.613	0.000	0.512	0.312

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	22	32	46	0	21	21
normalized size	1	1.00	1.00	0.88	1.28	1.84	0.00	0.84	0.84
time (sec)	N/A	0.019	0.092	0.006	0.938	0.736	0.000	0.363	0.238

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	66	67	65	107	0	78	-1
normalized size	1	1.00	1.00	1.02	0.98	1.62	0.00	1.18	-0.02
time (sec)	N/A	0.057	0.024	0.019	2.006	0.724	0.000	0.556	0.000

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	88	84	82	124	0	122	-1
normalized size	1	1.00	0.98	0.93	0.91	1.38	0.00	1.36	-0.01
time (sec)	N/A	0.071	0.018	0.016	2.088	0.873	0.000	0.492	0.000

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	307	307	219	240	0	0	0	0	-1
normalized size	1	1.00	0.71	0.78	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.163	0.258	0.024	0.000	0.753	0.000	0.000	0.000

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	286	286	219	240	0	0	0	0	-1
normalized size	1	1.00	0.77	0.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.123	0.252	0.016	0.000	0.807	0.000	0.000	0.000

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	A	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	282	282	0	240	0	0	0	0	-1
normalized size	1	1.00	0.00	0.85	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.109	0.000	0.017	0.000	0.595	0.000	0.000	0.000

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	309	309	228	257	0	0	0	0	-1
normalized size	1	1.00	0.74	0.83	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.164	0.270	0.026	0.000	0.778	0.000	0.000	0.000

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	326	326	234	274	0	0	0	0	-1
normalized size	1	1.00	0.72	0.84	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.206	0.275	0.023	0.000	0.781	0.000	0.000	0.000

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	430	0	0	0	0	0	-1
normalized size	1	1.00	1.45	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.385	0.983	0.128	0.000	0.591	0.000	0.000	0.000

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	386	0	0	0	0	0	-1
normalized size	1	1.00	1.30	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.323	5.714	0.067	0.000	0.982	0.000	0.000	0.000

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	386	0	0	0	0	0	-1
normalized size	1	1.00	1.31	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.321	0.709	0.059	0.000	0.753	0.000	0.000	0.000

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	370	0	0	0	0	0	-1
normalized size	1	1.00	1.25	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.317	0.859	0.062	0.000	0.564	0.000	0.000	0.000

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.347	0.000	0.062	0.000	0.677	0.000	0.000	0.000

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	490	0	0	0	0	0	-1
normalized size	1	1.00	1.64	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.354	6.144	0.069	0.000	0.642	0.000	0.000	0.000

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.351	0.000	0.058	0.000	0.808	0.000	0.000	0.000

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	447	0	0	0	0	0	-1
normalized size	1	1.00	1.51	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.348	0.993	0.065	0.000	0.586	0.000	0.000	0.000

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	354	0	0	0	0	0	-1
normalized size	1	1.00	1.19	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.328	0.589	0.051	0.000	0.559	0.000	0.000	0.000

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	297	297	242	0	0	0	0	0	-1
normalized size	1	1.00	0.81	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.322	5.141	0.027	0.000	0.666	0.000	0.000	0.000

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	241	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.325	0.195	0.025	0.000	0.506	0.000	0.000	0.000

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	295	295	356	0	0	0	0	0	-1
normalized size	1	1.00	1.21	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.325	0.618	0.058	0.000	0.587	0.000	0.000	0.000

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.344	0.000	0.027	0.000	0.693	0.000	0.000	0.000

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	303	303	397	0	0	0	0	0	-1
normalized size	1	1.00	1.31	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.349	5.700	0.026	0.000	0.676	0.000	0.000	0.000

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.350	0.000	0.039	0.000	0.951	0.000	0.000	0.000

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	460	0	0	0	0	0	-1
normalized size	1	1.00	1.53	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.351	0.973	0.134	0.000	0.569	0.000	0.000	0.000

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	191	1935	408	1357	11538	2816	769
normalized size	1	1.00	0.79	7.96	1.68	5.58	47.48	11.59	3.16
time (sec)	N/A	0.176	0.298	0.009	1.388	0.742	12.378	0.750	1.058

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	117	783	230	573	4190	1178	429
normalized size	1	1.00	0.75	5.05	1.48	3.70	27.03	7.60	2.77
time (sec)	N/A	0.099	0.123	0.008	1.221	0.643	5.444	0.398	0.598

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	59	221	104	171	1056	350	171
normalized size	1	1.00	0.71	2.66	1.25	2.06	12.72	4.22	2.06
time (sec)	N/A	0.047	0.049	0.004	1.058	0.909	1.862	0.419	0.339

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	156	0	0	0	0	0	-1
normalized size	1	1.00	0.80	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.299	0.244	0.037	0.000	0.519	0.000	0.000	0.000

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	392	358	160	0	0	0	0	0	-1
normalized size	1	0.91	0.41	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.646	0.226	0.028	0.000	0.852	0.000	0.000	0.000

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	319	319	466	0	0	0	0	0	-1
normalized size	1	1.00	1.46	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.399	0.531	0.012	0.000	0.695	0.000	0.000	0.000

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	267	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.361	0.198	0.011	0.000	0.816	0.000	0.000	0.000

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	317	317	267	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.352	0.264	0.014	0.000	0.864	0.000	0.000	0.000

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	307	0	0	0	0	0	-1
normalized size	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.388	0.405	0.012	0.000	0.682	0.000	0.000	0.000

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	134	122	120	277	0	121	181
normalized size	1	1.00	1.00	0.91	0.90	2.07	0.00	0.90	1.35
time (sec)	N/A	0.179	0.063	0.014	1.998	8.361	0.000	0.309	0.873

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	99	108	107	212	0	105	166
normalized size	1	1.00	0.84	0.92	0.91	1.80	0.00	0.89	1.41
time (sec)	N/A	0.152	0.094	0.010	2.018	3.473	0.000	0.307	0.722

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	77	92	89	170	0	90	138
normalized size	1	1.00	0.73	0.88	0.85	1.62	0.00	0.86	1.31
time (sec)	N/A	0.137	0.034	0.009	1.998	1.963	0.000	0.356	0.989

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	66	83	82	145	0	86	944
normalized size	1	1.00	0.69	0.86	0.85	1.51	0.00	0.90	9.83
time (sec)	N/A	0.094	0.040	0.007	1.985	0.835	0.000	0.393	1.936

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	67	83	82	146	0	85	328
normalized size	1	1.00	0.70	0.86	0.85	1.52	0.00	0.89	3.42
time (sec)	N/A	0.064	0.037	0.007	1.985	0.947	0.000	0.354	1.020

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	134	101	101	201	0	102	527
normalized size	1	1.00	1.18	0.89	0.89	1.76	0.00	0.89	4.62
time (sec)	N/A	0.125	0.071	0.010	1.966	11.290	0.000	0.289	0.961

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	169	119	120	265	0	132	820
normalized size	1	1.00	1.31	0.92	0.93	2.05	0.00	1.02	6.36
time (sec)	N/A	0.150	0.101	0.013	1.997	68.844	0.000	0.302	1.381

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	209	145	145	0	0	168	1017
normalized size	1	1.00	1.34	0.93	0.93	0.00	0.00	1.08	6.52
time (sec)	N/A	0.183	0.093	0.016	2.050	0.000	0.000	0.342	1.868

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	359	359	344	405	294	4414	0	363	6097
normalized size	1	1.00	0.96	1.13	0.82	12.30	0.00	1.01	16.98
time (sec)	N/A	0.346	0.360	0.017	2.048	21.106	0.000	0.541	2.056

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	345	373	387	289	4354	0	333	5908
normalized size	1	1.00	1.08	1.12	0.84	12.62	0.00	0.97	17.12
time (sec)	N/A	0.302	0.238	0.008	2.089	3.582	0.000	0.444	1.827

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	233	363	268	4040	0	327	5111
normalized size	1	1.00	0.69	1.08	0.80	12.02	0.00	0.97	15.21
time (sec)	N/A	0.274	0.151	0.009	2.627	1.678	0.000	0.434	2.199

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	232	351	275	3892	0	336	4720
normalized size	1	1.00	0.69	1.04	0.82	11.55	0.00	1.00	14.01
time (sec)	N/A	0.267	0.126	0.009	1.427	1.200	0.000	0.377	1.589

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	336	336	234	363	268	4084	0	339	4802
normalized size	1	1.00	0.70	1.08	0.80	12.15	0.00	1.01	14.29
time (sec)	N/A	0.273	0.145	0.008	1.090	2.282	0.000	0.416	1.672

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	348	348	389	390	292	4362	0	348	5761
normalized size	1	1.00	1.12	1.12	0.84	12.53	0.00	1.00	16.55
time (sec)	N/A	0.300	0.253	0.012	1.274	6.206	0.000	0.398	1.999

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	360	367	406	297	4442	0	364	5972
normalized size	1	1.00	1.02	1.13	0.82	12.34	0.00	1.01	16.59
time (sec)	N/A	0.301	0.401	0.012	2.123	19.675	0.000	0.395	2.257

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	135	305	220	555	0	251	305
normalized size	1	1.00	0.80	1.80	1.30	3.28	0.00	1.49	1.80
time (sec)	N/A	0.367	0.210	0.020	2.075	31.512	0.000	0.364	1.302

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	142	260	197	457	0	223	647
normalized size	1	1.00	0.95	1.73	1.31	3.05	0.00	1.49	4.31
time (sec)	N/A	0.247	0.112	0.019	2.047	15.332	0.000	0.351	1.487

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	153	120	252	192	487	0	220	528
normalized size	1	0.99	0.77	1.63	1.24	3.14	0.00	1.42	3.41
time (sec)	N/A	0.248	0.153	0.016	2.077	6.531	0.000	0.331	1.520

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	148	114	247	186	492	0	188	527
normalized size	1	0.99	0.77	1.66	1.25	3.30	0.00	1.26	3.54
time (sec)	N/A	0.187	0.141	0.015	2.027	6.692	0.000	0.281	1.411

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	117	255	196	458	0	199	649
normalized size	1	1.00	0.77	1.69	1.30	3.03	0.00	1.32	4.30
time (sec)	N/A	0.181	0.133	0.017	2.030	15.717	0.000	0.383	1.493

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	241	309	228	0	0	279	1082
normalized size	1	1.00	1.15	1.48	1.09	0.00	0.00	1.33	5.18
time (sec)	N/A	0.239	0.183	0.023	2.054	0.000	0.000	0.368	2.577

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	236	236	248	332	278	0	0	344	1337
normalized size	1	1.00	1.05	1.41	1.18	0.00	0.00	1.46	5.67
time (sec)	N/A	0.261	0.427	0.025	2.007	0.000	0.000	0.353	2.942

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	265	265	278	363	332	0	0	350	1545
normalized size	1	1.00	1.05	1.37	1.25	0.00	0.00	1.32	5.83
time (sec)	N/A	0.327	0.391	0.025	2.082	0.000	0.000	0.367	3.477

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	712	712	431	873	504	9856	0	581	18343
normalized size	1	1.00	0.61	1.23	0.71	13.84	0.00	0.82	25.76
time (sec)	N/A	0.671	0.304	0.017	2.064	37.529	0.000	0.573	2.864

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	687	687	428	852	476	9822	0	595	17909
normalized size	1	1.00	0.62	1.24	0.69	14.30	0.00	0.87	26.07
time (sec)	N/A	0.602	0.369	0.019	2.079	22.081	0.000	0.587	2.825

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	685	685	423	848	490	9678	0	586	17180
normalized size	1	1.00	0.62	1.24	0.72	14.13	0.00	0.86	25.08
time (sec)	N/A	0.609	0.272	0.016	2.095	18.399	0.000	0.466	4.873

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	685	685	428	852	472	9774	0	603	17812
normalized size	1	1.00	0.62	1.24	0.69	14.27	0.00	0.88	26.00
time (sec)	N/A	0.560	0.283	0.017	2.148	20.924	0.000	0.502	2.867

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	689	689	429	873	506	9892	0	603	17945
normalized size	1	1.00	0.62	1.27	0.73	14.36	0.00	0.88	26.04
time (sec)	N/A	0.601	0.291	0.018	2.060	40.137	0.000	0.466	2.732

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	745	745	499	911	521	10188	0	639	24015
normalized size	1	1.00	0.67	1.22	0.70	13.68	0.00	0.86	32.23
time (sec)	N/A	0.772	0.370	0.020	2.111	98.080	0.000	0.452	5.161

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	751	751	513	932	543	0	0	628	20828
normalized size	1	1.00	0.68	1.24	0.72	0.00	0.00	0.84	27.73
time (sec)	N/A	0.686	0.386	0.021	2.110	0.000	0.000	0.497	5.219

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	40	110	0	0	0	0	-1
normalized size	1	1.00	0.57	1.57	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.096	0.074	0.000	1.140	0.000	0.000	0.000

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	36	112	0	0	0	0	-1
normalized size	1	1.00	0.51	1.60	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.061	0.092	0.023	0.000	1.194	0.000	0.000	0.000

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	46	96	0	0	0	0	-1
normalized size	1	1.00	0.46	0.97	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.055	0.106	0.019	0.000	1.189	0.000	0.000	0.000

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	37	143	0	0	0	0	-1
normalized size	1	1.00	0.61	2.34	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.041	0.079	0.033	0.000	0.796	0.000	0.000	0.000

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	54	99	0	0	0	0	-1
normalized size	1	1.00	0.48	0.88	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.065	0.075	0.017	0.000	0.822	0.000	0.000	0.000

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	35	134	0	0	0	0	-1
normalized size	1	1.00	0.61	2.35	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.053	0.072	0.020	0.000	0.662	0.000	0.000	0.000

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	60	168	0	0	0	0	-1
normalized size	1	1.00	0.81	2.27	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.064	0.091	0.039	0.000	1.277	0.000	0.000	0.000

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	56	115	0	0	0	0	-1
normalized size	1	1.00	0.76	1.55	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.065	0.088	0.020	0.000	0.900	0.000	0.000	0.000

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	142	159	124	206	0	156	-1
normalized size	1	1.00	0.58	0.65	0.51	0.85	0.00	0.64	-0.00
time (sec)	N/A	0.130	0.184	0.011	0.918	0.635	0.000	0.376	0.000

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	108	108	56	51	50	50	0	68	-1
normalized size	1	1.00	0.52	0.47	0.46	0.46	0.00	0.63	-0.01
time (sec)	N/A	0.101	0.030	0.004	0.898	0.927	0.000	0.336	0.000

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	121	119	81	155	0	109	-1
normalized size	1	1.00	0.68	0.67	0.46	0.87	0.00	0.61	-0.01
time (sec)	N/A	0.076	0.113	0.007	1.080	0.975	0.000	0.461	0.000

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	83	80	45	123	0	84	-1
normalized size	1	1.00	0.55	0.53	0.30	0.81	0.00	0.55	-0.01
time (sec)	N/A	0.095	0.046	0.007	1.453	0.874	0.000	0.445	0.000

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	122	128	59	134	0	116	-1
normalized size	1	1.00	0.69	0.72	0.33	0.76	0.00	0.66	-0.01
time (sec)	N/A	0.091	0.109	0.013	1.080	0.804	0.000	0.471	0.000

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	90	133	83	141	0	100	-1
normalized size	1	1.00	0.51	0.75	0.47	0.80	0.00	0.56	-0.01
time (sec)	N/A	0.119	0.045	0.012	1.225	0.685	0.000	0.443	0.000

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	72	73	72	79	76	79	73
normalized size	1	1.00	0.92	0.94	0.92	1.01	0.97	1.01	0.94
time (sec)	N/A	0.135	0.026	0.001	1.106	0.542	0.079	0.267	0.038

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	78	73	72	79	82	79	73
normalized size	1	1.00	1.00	0.94	0.92	1.01	1.05	1.01	0.94
time (sec)	N/A	0.064	0.016	0.001	1.189	0.880	0.079	0.388	0.028

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	72	73	72	79	76	79	73
normalized size	1	1.00	0.96	0.97	0.96	1.05	1.01	1.05	0.97
time (sec)	N/A	0.131	0.022	0.000	1.211	0.834	0.077	0.269	0.029

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	73	70	69	76	78	76	70
normalized size	1	1.00	1.00	0.96	0.95	1.04	1.07	1.04	0.96
time (sec)	N/A	0.044	0.015	0.002	1.173	0.547	0.077	0.354	0.029

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	74	77	73	70	73	79	70
normalized size	1	1.00	1.00	1.04	0.99	0.95	0.99	1.07	0.95
time (sec)	N/A	0.090	0.020	0.003	1.120	0.802	0.171	0.263	0.034

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	75	69	74	73	74	70
normalized size	1	1.00	1.00	1.06	0.97	1.04	1.03	1.04	0.99
time (sec)	N/A	0.048	0.032	0.003	1.070	0.553	0.164	0.361	0.033

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	71	76	73	76	71	97	70
normalized size	1	1.00	0.96	1.03	0.99	1.03	0.96	1.31	0.95
time (sec)	N/A	0.096	0.042	0.007	1.094	0.896	0.263	0.379	0.038

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	165	214	165	426	320	160	251
normalized size	1	1.00	0.98	1.27	0.98	2.54	1.90	0.95	1.49
time (sec)	N/A	0.234	0.138	0.013	2.487	0.937	1.177	0.321	0.325

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	133	176	130	350	189	125	179
normalized size	1	1.00	0.99	1.30	0.96	2.59	1.40	0.93	1.33
time (sec)	N/A	0.159	0.078	0.012	2.451	0.679	1.084	0.277	0.322

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	102	141	95	302	162	91	95
normalized size	1	1.00	0.96	1.33	0.90	2.85	1.53	0.86	0.90
time (sec)	N/A	0.106	0.065	0.010	2.517	0.844	0.966	0.335	0.342

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	88	118	84	268	153	75	77
normalized size	1	1.00	1.06	1.42	1.01	3.23	1.84	0.90	0.93
time (sec)	N/A	0.093	0.054	0.010	2.335	0.814	0.770	0.406	0.357

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	86	89	121	87	267	155	83	81
normalized size	1	0.97	1.00	1.36	0.98	3.00	1.74	0.93	0.91
time (sec)	N/A	0.118	0.061	0.013	2.462	0.978	1.118	0.293	0.367

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	105	146	103	316	167	94	98
normalized size	1	1.00	0.99	1.38	0.97	2.98	1.58	0.89	0.92
time (sec)	N/A	0.137	0.063	0.013	2.385	0.935	1.527	0.261	0.357

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	135	183	139	360	284	131	128
normalized size	1	1.00	0.99	1.35	1.02	2.65	2.09	0.96	0.94
time (sec)	N/A	0.252	0.088	0.015	2.463	0.894	2.133	0.327	0.383

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	166	221	174	436	328	164	156
normalized size	1	1.00	0.99	1.32	1.04	2.61	1.96	0.98	0.93
time (sec)	N/A	0.330	0.095	0.016	2.570	0.896	2.679	0.417	0.403

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	170	239	175	504	235	160	223
normalized size	1	1.00	0.98	1.38	1.01	2.91	1.36	0.92	1.29
time (sec)	N/A	0.321	0.111	0.015	2.466	0.968	3.583	0.359	0.354

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	141	202	139	462	212	125	137
normalized size	1	1.00	0.99	1.41	0.97	3.23	1.48	0.87	0.96
time (sec)	N/A	0.210	0.087	0.013	2.509	0.675	3.370	0.471	0.344

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	122	179	126	421	201	107	118
normalized size	1	1.00	0.98	1.44	1.02	3.40	1.62	0.86	0.95
time (sec)	N/A	0.138	0.104	0.011	2.461	0.815	2.621	0.263	0.386

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	110	131	121	391	196	101	112
normalized size	1	1.00	0.96	1.14	1.05	3.40	1.70	0.88	0.97
time (sec)	N/A	0.116	0.096	0.010	2.462	0.767	1.501	0.312	0.379

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	124	124	182	129	421	202	110	118
normalized size	1	0.98	0.98	1.43	1.02	3.31	1.59	0.87	0.93
time (sec)	N/A	0.204	0.135	0.013	2.650	0.697	2.142	0.316	0.390

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	141	207	147	476	214	128	138
normalized size	1	1.00	0.99	1.46	1.04	3.35	1.51	0.90	0.97
time (sec)	N/A	0.217	0.085	0.016	2.594	0.881	2.924	0.340	0.398

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	173	245	183	514	330	164	168
normalized size	1	1.00	1.01	1.43	1.07	3.01	1.93	0.96	0.98
time (sec)	N/A	0.373	0.114	0.016	2.453	0.946	3.757	0.347	0.412
Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	230	228	538	0	0	0	236	7024
normalized size	1	1.00	0.99	2.34	0.00	0.00	0.00	1.03	30.54
time (sec)	N/A	0.487	0.243	0.016	0.000	0.000	0.000	1.728	69.941
Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	186	408	0	0	0	194	2304
normalized size	1	1.00	0.98	2.16	0.00	0.00	0.00	1.03	12.19
time (sec)	N/A	0.329	0.187	0.010	0.000	0.000	0.000	2.185	15.207
Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	139	289	0	421	0	157	1853
normalized size	1	1.00	0.88	1.83	0.00	2.66	0.00	0.99	11.73
time (sec)	N/A	0.261	0.106	0.010	0.000	144.356	0.000	1.843	11.051
Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	114	176	0	321	0	133	3704
normalized size	1	1.00	0.86	1.33	0.00	2.43	0.00	1.01	28.06
time (sec)	N/A	0.157	0.070	0.008	0.000	27.802	0.000	1.720	9.751

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	112	176	0	321	0	134	2434
normalized size	1	1.00	0.84	1.32	0.00	2.41	0.00	1.01	18.30
time (sec)	N/A	0.123	0.068	0.010	0.000	19.134	0.000	1.908	8.707

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	242	298	0	0	0	172	6285
normalized size	1	1.00	1.45	1.78	0.00	0.00	0.00	1.03	37.63
time (sec)	N/A	0.306	0.321	0.011	0.000	0.000	0.000	1.917	17.199

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	331	430	0	0	0	237	5368
normalized size	1	1.00	1.61	2.10	0.00	0.00	0.00	1.16	26.19
time (sec)	N/A	0.470	0.343	0.019	0.000	0.000	0.000	1.962	62.948

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	268	268	426	584	0	0	0	332	10300
normalized size	1	1.00	1.59	2.18	0.00	0.00	0.00	1.24	38.43
time (sec)	N/A	0.597	0.434	0.020	0.000	0.000	0.000	1.462	144.755

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	387	463	1449	0	0	0	12506	41755
normalized size	1	1.00	1.20	3.74	0.00	0.00	0.00	32.32	107.89
time (sec)	N/A	4.032	0.614	0.042	0.000	0.000	0.000	12.649	7.134

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	385	1098	0	0	0	11030	33892
normalized size	1	1.00	1.19	3.40	0.00	0.00	0.00	34.15	104.93
time (sec)	N/A	1.366	0.520	0.036	0.000	0.000	0.000	13.868	6.446

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	280	280	323	764	0	15553	0	8658	25202
normalized size	1	1.00	1.15	2.73	0.00	55.55	0.00	30.92	90.01
time (sec)	N/A	0.894	0.334	0.026	0.000	9.379	0.000	11.236	5.800

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	251	277	478	0	12269	0	6921	19401
normalized size	1	1.00	1.10	1.90	0.00	48.88	0.00	27.57	77.29
time (sec)	N/A	0.451	0.498	0.024	0.000	3.757	0.000	8.453	4.959

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	274	480	0	0	0	7650	23640
normalized size	1	1.00	1.08	1.89	0.00	0.00	0.00	30.12	93.07
time (sec)	N/A	0.520	0.248	0.027	0.000	0.000	0.000	9.134	5.614

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	340	817	0	0	0	10058	33644
normalized size	1	1.00	1.14	2.74	0.00	0.00	0.00	33.75	112.90
time (sec)	N/A	0.960	0.399	0.030	0.000	0.000	0.000	12.818	5.890

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	348	348	410	1160	0	0	0	12268	42882
normalized size	1	1.00	1.18	3.33	0.00	0.00	0.00	35.25	123.22
time (sec)	N/A	1.549	0.525	0.040	0.000	0.000	0.000	12.000	6.726

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	866	866	267	336	0	0	0	0	43112
normalized size	1	1.00	0.31	0.39	0.00	0.00	0.00	0.00	49.78
time (sec)	N/A	2.509	0.377	0.096	0.000	0.000	0.000	0.000	6.836

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	272	272	267	1049	0	0	0	0	-1
normalized size	1	1.00	0.98	3.86	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.573	0.435	0.043	0.000	0.000	0.000	0.000	0.000

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	205	887	0	1231	0	0	-1
normalized size	1	1.00	0.99	4.26	0.00	5.92	0.00	0.00	-0.00
time (sec)	N/A	0.315	0.262	0.010	0.000	46.630	0.000	0.000	0.000

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	167	757	0	1050	0	0	-1
normalized size	1	1.00	0.99	4.51	0.00	6.25	0.00	0.00	-0.01
time (sec)	N/A	0.217	0.128	0.005	0.000	3.691	0.000	0.000	0.000

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	186	179	851	0	2367	0	0	-1
normalized size	1	1.00	0.96	4.58	0.00	12.73	0.00	0.00	-0.01
time (sec)	N/A	0.256	0.149	0.017	0.000	162.637	0.000	0.000	0.000

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	361	361	165	1009	0	1094	0	216	-1
normalized size	1	1.00	0.46	2.80	0.00	3.03	0.00	0.60	-0.00
time (sec)	N/A	0.509	0.315	0.020	0.000	1.490	0.000	0.523	0.000

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	619	209	528	0	0	0	0	-1
normalized size	1	1.46	0.49	1.25	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.561	0.259	0.101	0.000	1.047	0.000	0.000	0.000

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	417	591	204	509	0	0	0	0	-1
normalized size	1	1.42	0.49	1.22	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.410	0.195	0.009	0.000	0.986	0.000	0.000	0.000

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	381	470	127	341	0	0	0	0	-1
normalized size	1	1.23	0.33	0.90	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.202	0.109	0.006	0.000	1.083	0.000	0.000	0.000

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	399	399	208	511	0	0	0	0	-1
normalized size	1	1.00	0.52	1.28	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.242	0.190	0.013	0.000	1.027	0.000	0.000	0.000

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	360	154	448	0	0	0	0	-1
normalized size	1	1.00	0.43	1.24	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.194	0.173	0.021	0.000	0.982	0.000	0.000	0.000

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	546	546	224	549	0	0	0	0	-1
normalized size	1	1.00	0.41	1.01	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.544	0.238	0.020	0.000	1.154	0.000	0.000	0.000

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	482	482	545	2068	0	0	0	0	-1
normalized size	1	1.00	1.13	4.29	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.103	0.976	0.062	0.000	0.000	0.000	0.000	0.000

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	360	360	344	1696	0	0	0	0	-1
normalized size	1	1.00	0.96	4.71	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.697	0.600	0.014	0.000	0.000	0.000	0.000	0.000

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	269	255	1411	0	0	0	0	-1
normalized size	1	1.00	0.95	5.25	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.456	0.351	0.007	0.000	0.000	0.000	0.000	0.000

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	350	350	251	1270	0	0	0	0	-1
normalized size	1	1.00	0.72	3.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.573	0.534	0.036	0.000	0.000	0.000	0.000	0.000

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	562	562	240	1207	0	0	0	0	-1
normalized size	1	1.00	0.43	2.15	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.924	0.503	0.033	0.000	0.000	0.000	0.000	0.000

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	463	875	214	547	0	0	0	0	-1
normalized size	1	1.89	0.46	1.18	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.672	0.272	0.036	0.000	1.323	0.000	0.000	0.000

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	428	602	209	377	0	0	0	0	-1
normalized size	1	1.41	0.49	0.88	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.349	0.149	0.007	0.000	1.281	0.000	0.000	0.000

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	722	722	213	528	0	0	0	0	-1
normalized size	1	1.00	0.30	0.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.368	0.206	0.016	0.000	1.155	0.000	0.000	0.000

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	625	625	219	530	0	0	0	0	-1
normalized size	1	1.00	0.35	0.85	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.366	0.218	0.017	0.000	1.261	0.000	0.000	0.000

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	553	553	224	549	0	0	0	0	-1
normalized size	1	1.00	0.41	0.99	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.488	0.245	0.018	0.000	1.083	0.000	0.000	0.000

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	173	171	267	0	1364	0	0	-1
normalized size	1	1.00	0.99	1.54	0.00	7.88	0.00	0.00	-0.01
time (sec)	N/A	0.314	0.367	0.020	0.000	54.253	0.000	0.000	0.000

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	133	204	0	1084	0	0	-1
normalized size	1	1.00	0.97	1.49	0.00	7.91	0.00	0.00	-0.01
time (sec)	N/A	0.157	0.118	0.010	0.000	3.574	0.000	0.000	0.000

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	87	165	0	357	0	75	-1
normalized size	1	1.00	1.01	1.92	0.00	4.15	0.00	0.87	-0.01
time (sec)	N/A	0.084	0.018	0.007	0.000	1.318	0.000	0.486	0.000

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	134	207	0	1097	0	0	-1
normalized size	1	1.00	0.97	1.50	0.00	7.95	0.00	0.00	-0.01
time (sec)	N/A	0.195	0.140	0.010	0.000	1.385	0.000	0.000	0.000

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	175	276	0	1414	0	208	-1
normalized size	1	1.00	0.80	1.27	0.00	6.49	0.00	0.95	-0.00
time (sec)	N/A	0.266	0.367	0.011	0.000	2.933	0.000	0.488	0.000

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	418	418	127	222	0	0	0	0	-1
normalized size	1	1.00	0.30	0.53	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.184	0.207	0.022	0.000	1.216	0.000	0.000	0.000

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	99	134	0	0	0	0	-1
normalized size	1	1.00	0.40	0.54	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.126	0.124	0.009	0.000	1.376	0.000	0.000	0.000

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	80	70	0	0	0	0	-1
normalized size	1	1.00	0.33	0.29	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.111	0.057	0.006	0.000	1.249	0.000	0.000	0.000

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	399	399	147	178	0	0	0	0	-1
normalized size	1	1.00	0.37	0.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.347	0.218	0.016	0.000	1.313	0.000	0.000	0.000

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	422	422	219	260	0	0	0	0	-1
normalized size	1	1.00	0.52	0.62	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.517	0.184	0.014	0.000	1.363	0.000	0.000	0.000

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	236	236	271	720	0	4901	0	0	-1
normalized size	1	1.00	1.15	3.05	0.00	20.77	0.00	0.00	-0.00
time (sec)	N/A	0.474	0.821	0.063	0.000	151.802	0.000	0.000	0.000

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	204	613	0	1381	0	458	-1
normalized size	1	1.00	1.22	3.67	0.00	8.27	0.00	2.74	-0.01
time (sec)	N/A	0.294	0.616	0.015	0.000	1.971	0.000	0.720	0.000

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	162	506	0	1349	0	441	-1
normalized size	1	1.00	1.02	3.18	0.00	8.48	0.00	2.77	-0.01
time (sec)	N/A	0.191	0.172	0.011	0.000	2.139	0.000	0.641	0.000

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	167	454	0	1379	0	454	-1
normalized size	1	1.00	1.01	2.73	0.00	8.31	0.00	2.73	-0.01
time (sec)	N/A	0.171	0.149	0.008	0.000	2.158	0.000	0.618	0.000

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	266	236	612	0	4909	0	0	-1
normalized size	1	1.00	0.89	2.30	0.00	18.45	0.00	0.00	-0.00
time (sec)	N/A	0.388	0.731	0.024	0.000	9.527	0.000	0.000	0.000

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	419	419	350	863	0	6486	0	762	-1
normalized size	1	1.00	0.84	2.06	0.00	15.48	0.00	1.82	-0.00
time (sec)	N/A	0.564	1.477	0.028	0.000	22.070	0.000	2.736	0.000

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	449	566	199	603	0	0	0	0	-1
normalized size	1	1.26	0.44	1.34	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.347	0.277	0.046	0.000	1.152	0.000	0.000	0.000

Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	423	503	199	586	0	0	0	0	-1
normalized size	1	1.19	0.47	1.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.256	0.205	0.010	0.000	1.492	0.000	0.000	0.000

Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	422	501	199	561	0	0	0	0	-1
normalized size	1	1.19	0.47	1.33	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.240	0.206	0.010	0.000	1.375	0.000	0.000	0.000

Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	423	503	199	536	0	0	0	0	-1
normalized size	1	1.19	0.47	1.27	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.242	0.180	0.010	0.000	1.105	0.000	0.000	0.000

Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	422	501	199	366	0	0	0	0	-1
normalized size	1	1.19	0.47	0.87	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.226	0.137	0.007	0.000	1.209	0.000	0.000	0.000

Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	468	644	211	553	0	0	0	0	-1
normalized size	1	1.38	0.45	1.18	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.445	0.225	0.018	0.000	1.306	0.000	0.000	0.000

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	406	406	943	496	0	0	0	928	11195
normalized size	1	1.00	2.32	1.22	0.00	0.00	0.00	2.29	27.57
time (sec)	N/A	8.593	10.842	0.059	0.000	0.000	0.000	0.650	2.476
Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	591	332	0	0	0	745	8222
normalized size	1	1.00	1.82	1.02	0.00	0.00	0.00	2.30	25.38
time (sec)	N/A	3.529	7.251	0.033	0.000	0.000	0.000	0.819	1.994
Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	308	275	0	2435	0	619	5705
normalized size	1	1.00	1.05	0.94	0.00	8.34	0.00	2.12	19.54
time (sec)	N/A	3.600	0.547	0.026	0.000	134.689	0.000	0.782	2.342
Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	179	177	0	1085	0	228	717
normalized size	1	1.00	0.89	0.88	0.00	5.37	0.00	1.13	3.55
time (sec)	N/A	0.363	0.328	0.016	0.000	19.819	0.000	0.555	1.723
Problem 358	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	281	241	294	0	3126	0	717	10964
normalized size	1	1.00	0.86	1.05	0.00	11.12	0.00	2.55	39.02
time (sec)	N/A	1.350	0.814	0.030	0.000	147.577	0.000	0.675	6.875

Problem 359	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	382	370	349	401	0	0	0	0	19959
normalized size	1	0.97	0.91	1.05	0.00	0.00	0.00	0.00	52.25
time (sec)	N/A	4.134	1.389	0.030	0.000	0.000	0.000	0.000	5.460

Problem 360	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	552	552	466	655	0	0	0	1055	33925
normalized size	1	1.00	0.84	1.19	0.00	0.00	0.00	1.91	61.46
time (sec)	N/A	4.244	1.967	0.035	0.000	0.000	0.000	0.905	7.300

Problem 361	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	390	390	10915	290	0	6534	0	53	-1
normalized size	1	1.00	27.99	0.74	0.00	16.75	0.00	0.14	-0.00
time (sec)	N/A	2.919	6.397	0.040	0.000	62.645	0.000	2.038	0.000

Problem 362	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	7768	224	0	3260	0	27	-1
normalized size	1	1.00	23.98	0.69	0.00	10.06	0.00	0.08	-0.00
time (sec)	N/A	1.517	6.171	0.027	0.000	10.794	0.000	1.832	0.000

Problem 363	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	2585	161	0	985	0	0	-1
normalized size	1	1.00	10.77	0.67	0.00	4.10	0.00	0.00	-0.00
time (sec)	N/A	0.318	5.125	0.018	0.000	2.980	0.000	0.000	0.000

Problem 364	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	4644	272	0	2402	0	0	-1
normalized size	1	1.00	15.96	0.93	0.00	8.25	0.00	0.00	-0.00
time (sec)	N/A	0.671	6.322	0.029	0.000	5.057	0.000	0.000	0.000

Problem 365	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	373	373	7777	322	0	4095	0	0	-1
normalized size	1	1.00	20.85	0.86	0.00	10.98	0.00	0.00	-0.00
time (sec)	N/A	2.527	6.391	0.038	0.000	23.172	0.000	0.000	0.000

Problem 366	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	512	512	10933	503	0	5773	0	0	-1
normalized size	1	1.00	21.35	0.98	0.00	11.28	0.00	0.00	-0.00
time (sec)	N/A	4.943	6.586	0.038	0.000	53.957	0.000	0.000	0.000

Problem 367	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	460	460	457	490	0	0	0	857	16951
normalized size	1	1.00	0.99	1.07	0.00	0.00	0.00	1.86	36.85
time (sec)	N/A	5.084	0.966	0.033	0.000	0.000	0.000	1.246	3.413

Problem 368	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	327	327	324	279	0	0	0	649	12392
normalized size	1	1.00	0.99	0.85	0.00	0.00	0.00	1.98	37.90
time (sec)	N/A	1.456	0.568	0.021	0.000	0.000	0.000	1.089	4.129

Problem 369	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	346	346	333	388	0	0	0	827	28434
normalized size	1	1.00	0.96	1.12	0.00	0.00	0.00	2.39	82.18
time (sec)	N/A	1.744	1.379	0.029	0.000	0.000	0.000	1.024	7.673

Problem 370	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	417	416	380	555	0	0	0	433	35855
normalized size	1	1.00	0.91	1.33	0.00	0.00	0.00	1.04	85.98
time (sec)	N/A	3.243	1.600	0.043	0.000	0.000	0.000	0.725	6.097

Problem 371	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	F(-1)	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	595	595	18689	516	0	0	0	104	-1
normalized size	1	1.00	31.41	0.87	0.00	0.00	0.00	0.17	-0.00
time (sec)	N/A	3.285	6.489	0.039	0.000	0.000	0.000	1.869	0.000

Problem 372	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	F(-1)	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	491	491	14032	382	0	0	0	58	-1
normalized size	1	1.00	28.58	0.78	0.00	0.00	0.00	0.12	-0.00
time (sec)	N/A	1.802	6.261	0.033	0.000	0.000	0.000	1.975	0.000

Problem 373	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	487	487	9290	217	0	7721	0	27	-1
normalized size	1	1.00	19.08	0.45	0.00	15.85	0.00	0.06	-0.00
time (sec)	N/A	1.572	6.160	0.027	0.000	57.446	0.000	1.968	0.000

Problem 374	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	260	432	7789	360	0	4059	0	0	-1
normalized size	1	1.66	29.96	1.38	0.00	15.61	0.00	0.00	-0.00
time (sec)	N/A	0.855	6.302	0.036	0.000	29.108	0.000	0.000	0.000

Problem 375	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	523	523	9321	511	0	7830	0	0	-1
normalized size	1	1.00	17.82	0.98	0.00	14.97	0.00	0.00	-0.00
time (sec)	N/A	2.617	6.408	0.036	0.000	144.243	0.000	0.000	0.000

Problem 376	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	281	354	2134	0	3615	0	4637	917
normalized size	1	1.00	1.26	7.59	0.00	12.86	0.00	16.50	3.26
time (sec)	N/A	7.336	0.542	0.099	0.000	16.517	0.000	4.484	1.450

Problem 377	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	276	1223	0	2053	0	4060	776
normalized size	1	1.00	1.21	5.34	0.00	8.97	0.00	17.73	3.39
time (sec)	N/A	1.751	0.387	0.063	0.000	6.333	0.000	4.104	1.311

Problem 378	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	169	1167	0	871	0	591	649
normalized size	1	1.00	0.93	6.41	0.00	4.79	0.00	3.25	3.57
time (sec)	N/A	0.268	0.243	0.051	0.000	2.843	0.000	4.242	1.288

Problem 379	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	212	2099	0	1232	0	3639	669
normalized size	1	1.00	0.88	8.71	0.00	5.11	0.00	15.10	2.78
time (sec)	N/A	1.645	0.432	0.064	0.000	13.247	0.000	3.674	1.298

Problem 380	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	290	290	292	2770	0	2799	0	1675	825
normalized size	1	1.00	1.01	9.55	0.00	9.65	0.00	5.78	2.84
time (sec)	N/A	2.362	0.762	0.085	0.000	38.359	0.000	7.120	1.410

Problem 381	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	325	325	10606	222	0	2860	0	1710	1024
normalized size	1	1.00	32.63	0.68	0.00	8.80	0.00	5.26	3.15
time (sec)	N/A	5.391	6.307	0.042	0.000	5.754	0.000	6.686	1.300

Problem 382	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	7543	175	0	1430	0	3580	870
normalized size	1	1.00	28.68	0.67	0.00	5.44	0.00	13.61	3.31
time (sec)	N/A	2.135	6.140	0.023	0.000	2.718	0.000	4.734	1.272

Problem 383	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	220	220	2266	130	0	759	0	641	989
normalized size	1	1.00	10.30	0.59	0.00	3.45	0.00	2.91	4.50
time (sec)	N/A	0.294	5.418	0.013	0.000	1.255	0.000	5.122	1.268

Problem 384	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	265	265	2661	217	0	1998	0	3965	1234
normalized size	1	1.00	10.04	0.82	0.00	7.54	0.00	14.96	4.66
time (sec)	N/A	0.780	4.946	0.027	0.000	1.861	0.000	5.037	1.205

Problem 385	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	B	F	B	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	743	160	0	290	0	209	383
normalized size	1	1.00	7.74	1.67	0.00	3.02	0.00	2.18	3.99
time (sec)	N/A	0.200	0.496	0.088	0.000	1.087	0.000	0.718	1.500

Problem 386	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	479	479	461	377	0	0	0	105	-1
normalized size	1	1.00	0.96	0.79	0.00	0.00	0.00	0.22	-0.00
time (sec)	N/A	1.858	1.868	0.034	0.000	0.000	0.000	2.027	0.000

Problem 387	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	366	366	355	269	0	0	0	55	-1
normalized size	1	1.00	0.97	0.73	0.00	0.00	0.00	0.15	-0.00
time (sec)	N/A	1.173	1.030	0.026	0.000	0.000	0.000	2.140	0.000

Problem 388	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	292	200	0	11094	0	27	-1
normalized size	1	1.00	0.98	0.67	0.00	37.23	0.00	0.09	-0.00
time (sec)	N/A	0.724	0.588	0.022	0.000	44.771	0.000	2.049	0.000

Problem 389	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	240	240	227	161	0	3395	0	0	-1
normalized size	1	1.00	0.95	0.67	0.00	14.15	0.00	0.00	-0.00
time (sec)	N/A	0.304	0.478	0.017	0.000	10.218	0.000	0.000	0.000

Problem 390	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	229	151	0	4557	0	0	-1
normalized size	1	1.00	0.94	0.62	0.00	18.75	0.00	0.00	-0.00
time (sec)	N/A	0.178	0.406	0.016	0.000	23.398	0.000	0.000	0.000

Problem 391	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	280	280	271	197	0	6431	0	0	-1
normalized size	1	1.00	0.97	0.70	0.00	22.97	0.00	0.00	-0.00
time (sec)	N/A	0.602	1.013	0.025	0.000	46.072	0.000	0.000	0.000

Problem 392	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	320	248	0	0	0	0	-1
normalized size	1	1.00	0.94	0.73	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.741	0.686	0.029	0.000	0.000	0.000	0.000	0.000

Problem 393	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	443	443	383	350	0	0	0	0	-1
normalized size	1	1.00	0.86	0.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.432	1.636	0.036	0.000	0.000	0.000	0.000	0.000

Problem 394	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	C	F	F(-1)	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	350	507	10968	480	0	0	0	75	-1
normalized size	1	1.45	31.34	1.37	0.00	0.00	0.00	0.21	-0.00
time (sec)	N/A	4.328	11.262	0.040	0.000	0.000	0.000	2.254	0.000

Problem 395	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	360	360	2162	338	0	0	0	0	-1
normalized size	1	1.00	6.01	0.94	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.267	7.897	0.034	0.000	0.000	0.000	0.000	0.000

Problem 396	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	2119	252	0	0	0	0	-1
normalized size	1	1.00	6.36	0.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.658	6.719	0.029	0.000	0.000	0.000	0.000	0.000

Problem 397	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	2112	246	0	0	0	0	-1
normalized size	1	1.00	6.19	0.72	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.774	7.152	0.024	0.000	0.000	0.000	0.000	0.000

Problem 398	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	339	462	2158	387	0	0	0	0	-1
normalized size	1	1.36	6.37	1.14	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.837	6.774	0.037	0.000	0.000	0.000	0.000	0.000

Problem 399	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	419	647	2218	541	0	0	0	0	-1
normalized size	1	1.54	5.29	1.29	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	5.566	6.796	0.042	0.000	0.000	0.000	0.000	0.000

Problem 400	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.650	0.206	0.086	0.000	1.408	0.000	0.000	0.000

Problem 401	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	313	272	0	0	0	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.939	0.791	0.096	0.000	1.593	0.000	0.000	0.000

Problem 402	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	211	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.542	0.343	0.075	0.000	1.222	0.000	0.000	0.000

Problem 403	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	210	210	183	0	0	0	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.329	0.204	0.092	0.000	0.845	0.000	0.000	0.000

Problem 404	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	168	0	0	0	0	0	-1
normalized size	1	1.00	0.85	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.357	0.264	0.097	0.000	0.867	0.000	0.000	0.000

Problem 405	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	218	0	0	0	0	0	-1
normalized size	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.502	0.351	0.070	0.000	1.333	0.000	0.000	0.000

Problem 406	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	259	0	0	0	0	0	-1
normalized size	1	1.00	0.80	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.663	0.348	0.076	0.000	0.826	0.000	0.000	0.000

Problem 407	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	339	339	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.628	0.494	0.073	0.000	0.834	0.000	0.000	0.000

Problem 408	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	273	273	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.531	0.235	0.099	0.000	0.964	0.000	0.000	0.000

Problem 409	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.314	0.099	0.088	0.000	1.206	0.000	0.000	0.000

Problem 410	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.294	0.035	0.073	0.000	1.049	0.000	0.000	0.000

Problem 411	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	264	264	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.553	0.205	0.095	0.000	0.769	0.000	0.000	0.000

Problem 412	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	328	328	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.620	0.500	0.096	0.000	0.531	0.000	0.000	0.000

Problem 413	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	44	44	101	0	120	0	42	-1
normalized size	1	1.10	1.10	2.52	0.00	3.00	0.00	1.05	-0.02
time (sec)	N/A	0.072	0.052	0.059	0.000	1.408	0.000	0.222	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [252] had the largest ratio of [.5000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	3	2	1.00	20	0.100
2	A	2	1	1.00	20	0.050
3	A	4	3	1.00	18	0.167
4	A	2	1	1.00	17	0.059
5	A	3	2	1.00	20	0.100
6	A	2	1	1.00	20	0.050
7	A	3	2	1.00	20	0.100
8	A	5	5	1.00	20	0.250
9	A	4	4	1.00	20	0.200
10	A	4	4	1.00	18	0.222
11	A	7	7	1.00	20	0.350
12	A	7	7	1.00	20	0.350
13	A	7	7	1.00	20	0.350
14	A	6	6	1.00	20	0.300
15	A	6	5	1.00	20	0.250

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
16	A	5	5	1.00	20	0.250
17	A	4	4	1.00	17	0.235
18	A	4	4	1.00	20	0.200
19	A	5	5	1.00	20	0.250
20	A	6	5	1.00	20	0.250
21	A	5	4	1.00	20	0.200
22	A	5	4	1.00	18	0.222
23	A	8	7	1.00	20	0.350
24	A	8	8	1.00	20	0.400
25	A	8	7	1.00	20	0.350
26	A	8	8	1.00	20	0.400
27	A	7	5	1.00	20	0.250
28	A	6	5	1.00	20	0.250
29	A	5	4	1.00	17	0.235
30	A	5	5	1.00	20	0.250
31	A	5	4	1.00	20	0.200
32	A	5	4	1.00	20	0.200
33	A	4	4	1.00	20	0.200
34	A	3	3	1.00	20	0.150
35	A	3	3	1.00	18	0.167
36	A	6	6	1.00	20	0.300
37	A	5	5	1.00	20	0.250
38	A	6	6	1.00	20	0.300
39	A	5	4	1.00	20	0.200
40	A	4	4	1.00	20	0.200
41	A	3	3	1.00	17	0.176

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
42	A	4	4	1.00	20	0.200
43	A	5	4	1.00	20	0.200
44	A	4	4	1.00	20	0.200
45	A	4	4	1.00	20	0.200
46	A	3	3	1.00	20	0.150
47	A	2	2	1.00	18	0.111
48	A	6	6	1.00	20	0.300
49	A	6	6	1.00	20	0.300
50	A	5	5	1.00	20	0.250
51	A	4	4	1.00	20	0.200
52	A	4	4	1.00	17	0.235
53	A	5	5	1.00	20	0.250
54	A	6	5	1.00	20	0.250
55	A	3	2	1.00	25	0.080
56	A	4	3	1.00	23	0.130
57	A	3	2	1.00	23	0.087
58	A	4	3	1.00	23	0.130
59	A	3	2	1.00	23	0.087
60	A	4	3	1.00	21	0.143
61	A	3	2	1.00	20	0.100
62	A	5	4	1.00	23	0.174
63	A	3	2	1.00	23	0.087
64	A	4	3	1.00	23	0.130
65	A	3	2	1.00	23	0.087
66	A	4	3	1.00	21	0.143
67	A	3	2	1.00	21	0.095

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
68	A	4	3	1.00	21	0.143
69	A	3	2	1.00	21	0.095
70	A	2	2	1.00	19	0.105
71	A	3	2	1.00	18	0.111
72	A	4	3	1.00	21	0.143
73	A	3	2	1.00	21	0.095
74	A	4	3	1.00	21	0.143
75	A	4	4	1.00	33	0.121
76	A	4	4	1.00	31	0.129
77	A	3	3	1.00	30	0.100
78	A	4	3	1.00	33	0.091
79	A	3	3	1.00	33	0.091
80	A	4	3	1.00	33	0.091
81	A	4	4	1.00	33	0.121
82	A	3	3	1.00	31	0.097
83	A	4	4	1.00	30	0.133
84	A	4	3	1.00	33	0.091
85	A	5	4	1.00	33	0.121
86	A	4	3	1.00	33	0.091
87	A	3	2	1.00	35	0.057
88	A	3	2	1.00	35	0.057
89	A	3	2	1.00	35	0.057
90	A	3	3	1.00	35	0.086
91	A	3	3	1.00	35	0.086
92	A	2	2	1.00	29	0.069
93	A	5	4	1.00	31	0.129

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
94	A	5	4	1.00	31	0.129
95	A	3	2	1.00	25	0.080
96	A	2	1	1.00	25	0.040
97	A	3	2	1.00	23	0.087
98	A	2	1	1.00	22	0.045
99	A	3	2	1.00	25	0.080
100	A	2	1	1.00	25	0.040
101	A	3	2	1.00	25	0.080
102	A	7	6	1.00	25	0.240
103	A	6	6	1.00	25	0.240
104	A	5	5	1.00	23	0.217
105	A	7	6	1.00	25	0.240
106	A	7	6	1.00	25	0.240
107	A	5	3	1.00	25	0.120
108	A	4	3	1.00	25	0.120
109	A	3	2	1.00	22	0.091
110	A	4	3	1.00	25	0.120
111	A	5	3	1.00	25	0.120
112	A	7	7	1.00	25	0.280
113	A	6	6	1.00	25	0.240
114	A	4	4	1.00	25	0.160
115	A	4	4	1.00	23	0.174
116	A	8	7	1.00	25	0.280
117	A	8	7	1.00	25	0.280
118	A	6	4	1.00	25	0.160
119	A	5	4	1.00	25	0.160

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
120	A	4	3	1.00	25	0.120
121	A	4	3	1.00	22	0.136
122	A	5	4	1.00	25	0.160
123	A	6	4	1.00	25	0.160
124	A	8	7	1.00	25	0.280
125	A	7	6	1.00	25	0.240
126	A	5	5	1.00	25	0.200
127	A	5	5	1.00	25	0.200
128	A	5	5	1.00	25	0.200
129	A	5	5	1.00	23	0.217
130	A	9	7	1.00	25	0.280
131	A	9	7	1.00	25	0.280
132	A	7	4	1.00	25	0.160
133	A	6	4	1.00	25	0.160
134	A	5	3	1.00	25	0.120
135	A	5	4	1.00	25	0.160
136	A	5	3	1.00	22	0.136
137	A	4	3	1.00	21	0.143
138	A	5	4	1.00	22	0.182
139	A	5	5	1.00	17	0.294
140	A	6	6	1.00	18	0.333
141	A	5	5	1.00	22	0.227
142	A	6	6	1.00	25	0.240
143	A	5	5	1.00	25	0.200
144	A	5	5	1.00	23	0.217
145	A	7	6	1.00	25	0.240

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
146	A	7	6	1.00	25	0.240
147	A	7	6	1.00	25	0.240
148	A	5	5	1.00	25	0.200
149	A	6	6	1.00	25	0.240
150	A	7	6	1.00	25	0.240
151	A	6	5	1.00	25	0.200
152	A	5	5	1.00	25	0.200
153	A	4	4	1.00	22	0.182
154	A	4	4	1.00	25	0.160
155	A	5	5	1.00	25	0.200
156	A	7	6	1.00	25	0.240
157	A	6	5	1.00	25	0.200
158	A	6	5	1.00	23	0.217
159	A	8	6	1.00	25	0.240
160	A	8	7	1.00	25	0.280
161	A	8	6	1.00	25	0.240
162	A	8	7	1.00	25	0.280
163	A	7	5	1.00	25	0.200
164	A	6	5	1.00	25	0.200
165	A	5	4	1.00	22	0.182
166	A	5	5	1.00	25	0.200
167	A	5	4	1.00	25	0.160
168	A	6	5	1.00	25	0.200
169	A	5	5	1.00	27	0.185
170	A	4	4	1.00	27	0.148
171	A	4	4	1.00	25	0.160

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
172	A	6	5	1.00	27	0.185
173	A	4	4	1.00	27	0.148
174	A	5	5	1.00	27	0.185
175	A	6	5	1.00	27	0.185
176	A	5	4	1.00	27	0.148
177	A	4	4	1.00	27	0.148
178	A	3	3	1.00	24	0.125
179	A	4	4	1.00	27	0.148
180	A	5	4	1.00	27	0.148
181	A	6	5	1.00	25	0.200
182	A	5	5	1.00	25	0.200
183	A	4	4	1.00	25	0.160
184	A	4	4	1.00	23	0.174
185	A	6	5	1.00	25	0.200
186	A	4	4	1.00	25	0.160
187	A	5	5	1.00	25	0.200
188	A	6	5	1.00	25	0.200
189	A	5	4	1.00	25	0.160
190	A	4	4	1.00	25	0.160
191	A	3	3	1.00	22	0.136
192	A	4	4	1.00	25	0.160
193	A	5	4	1.00	25	0.160
194	A	5	5	1.00	25	0.200
195	A	4	4	1.00	25	0.160
196	A	2	2	1.00	23	0.087
197	A	5	5	1.00	25	0.200

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
198	A	5	5	1.00	25	0.200
199	A	5	5	1.00	25	0.200
200	A	4	4	1.00	25	0.160
201	A	4	4	1.00	22	0.182
202	A	5	5	1.00	25	0.200
203	A	6	5	1.00	25	0.200
204	A	6	3	1.00	31	0.097
205	A	6	3	1.00	31	0.097
206	A	6	3	1.00	31	0.097
207	A	6	3	1.00	31	0.097
208	A	6	3	1.00	31	0.097
209	A	6	3	1.00	31	0.097
210	A	6	3	1.00	31	0.097
211	A	6	3	1.00	31	0.097
212	A	6	3	1.00	31	0.097
213	A	6	3	1.00	31	0.097
214	A	6	3	1.00	31	0.097
215	A	6	3	1.00	31	0.097
216	A	6	3	1.00	31	0.097
217	A	6	3	1.00	31	0.097
218	A	6	3	1.00	31	0.097
219	A	6	3	1.00	31	0.097
220	A	2	1	1.00	27	0.037
221	A	2	1	1.00	27	0.037
222	A	2	1	1.00	25	0.040
223	A	3	2	1.00	27	0.074

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
224	A	4	3	0.91	27	0.111
225	A	6	3	1.00	29	0.103
226	A	6	3	1.00	29	0.103
227	A	6	3	1.00	29	0.103
228	A	6	3	1.00	29	0.103
229	A	6	5	1.00	22	0.227
230	A	6	5	1.00	22	0.227
231	A	6	5	1.00	22	0.227
232	A	6	5	1.00	22	0.227
233	A	6	6	1.00	20	0.300
234	A	6	5	1.00	22	0.227
235	A	6	5	1.00	22	0.227
236	A	6	5	1.00	22	0.227
237	A	12	8	1.00	22	0.364
238	A	12	8	1.00	22	0.364
239	A	12	8	1.00	22	0.364
240	A	12	8	1.00	22	0.364
241	A	12	8	1.00	19	0.421
242	A	12	8	1.00	22	0.364
243	A	12	8	1.00	22	0.364
244	A	7	6	1.00	22	0.273
245	A	7	6	1.00	22	0.273
246	A	7	6	0.99	22	0.273
247	A	7	6	0.99	22	0.273
248	A	7	6	1.00	20	0.300
249	A	8	6	1.00	22	0.273

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
250	A	8	6	1.00	22	0.273
251	A	8	6	1.00	22	0.273
252	A	24	11	1.00	22	0.500
253	A	23	10	1.00	22	0.454
254	A	23	10	1.00	22	0.454
255	A	23	10	1.00	22	0.454
256	A	22	9	1.00	19	0.474
257	A	22	9	1.00	22	0.409
258	A	22	9	1.00	22	0.409
259	A	4	4	1.00	20	0.200
260	A	4	4	1.00	22	0.182
261	A	6	6	1.00	22	0.273
262	A	3	3	1.00	24	0.125
263	A	7	7	1.00	20	0.350
264	A	4	4	1.00	22	0.182
265	A	4	4	1.00	22	0.182
266	A	4	4	1.00	24	0.167
267	A	6	6	1.00	37	0.162
268	A	4	3	1.00	35	0.086
269	A	5	5	1.00	34	0.147
270	A	6	6	1.00	37	0.162
271	A	5	5	1.00	37	0.135
272	A	6	6	1.00	37	0.162
273	A	3	2	1.00	25	0.080
274	A	2	1	1.00	25	0.040
275	A	3	2	1.00	23	0.087

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
276	A	2	1	1.00	22	0.045
277	A	3	2	1.00	25	0.080
278	A	2	1	1.00	25	0.040
279	A	3	2	1.00	25	0.080
280	A	4	3	1.00	25	0.120
281	A	4	3	1.00	25	0.120
282	A	4	3	1.00	25	0.120
283	A	3	3	1.00	22	0.136
284	A	3	3	0.97	25	0.120
285	A	4	3	1.00	25	0.120
286	A	4	3	1.00	25	0.120
287	A	4	3	1.00	25	0.120
288	A	5	4	1.00	25	0.160
289	A	5	4	1.00	25	0.160
290	A	4	4	1.00	25	0.160
291	A	3	3	1.00	22	0.136
292	A	4	4	0.98	25	0.160
293	A	5	3	1.00	25	0.120
294	A	5	4	1.00	25	0.160
295	A	7	6	1.00	27	0.222
296	A	7	6	1.00	27	0.222
297	A	7	6	1.00	27	0.222
298	A	7	6	1.00	27	0.222
299	A	7	7	1.00	25	0.280
300	A	7	6	1.00	27	0.222
301	A	7	6	1.00	27	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
302	A	7	6	1.00	27	0.222
303	A	6	3	1.00	27	0.111
304	A	6	3	1.00	27	0.111
305	A	6	3	1.00	27	0.111
306	A	6	3	1.00	27	0.111
307	A	6	3	1.00	24	0.125
308	A	6	3	1.00	27	0.111
309	A	6	3	1.00	27	0.111
310	A	19	12	1.00	31	0.387
311	A	8	7	1.00	29	0.241
312	A	7	6	1.00	29	0.207
313	A	7	6	1.00	27	0.222
314	A	9	6	1.00	29	0.207
315	A	21	8	1.00	29	0.276
316	A	17	9	1.46	29	0.310
317	A	13	8	1.42	29	0.276
318	A	7	6	1.23	26	0.231
319	A	8	7	1.00	29	0.241
320	A	7	6	1.00	29	0.207
321	A	13	9	1.00	29	0.310
322	A	9	7	1.00	29	0.241
323	A	8	6	1.00	29	0.207
324	A	8	7	1.00	27	0.259
325	A	14	8	1.00	29	0.276
326	A	24	9	1.00	29	0.310
327	A	19	9	1.89	29	0.310

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
328	A	12	7	1.41	26	0.269
329	A	13	10	1.00	29	0.345
330	A	13	9	1.00	29	0.310
331	A	15	9	1.00	29	0.310
332	A	7	6	1.00	29	0.207
333	A	6	5	1.00	29	0.172
334	A	3	3	1.00	27	0.111
335	A	7	4	1.00	29	0.138
336	A	10	5	1.00	29	0.172
337	A	4	4	1.00	29	0.138
338	A	3	3	1.00	29	0.103
339	A	3	3	1.00	26	0.115
340	A	6	6	1.00	29	0.207
341	A	7	7	1.00	29	0.241
342	A	7	6	1.00	29	0.207
343	A	5	5	1.00	29	0.172
344	A	5	5	1.00	29	0.172
345	A	5	5	1.00	27	0.185
346	A	11	6	1.00	29	0.207
347	A	15	7	1.00	29	0.241
348	A	10	8	1.26	29	0.276
349	A	8	7	1.19	29	0.241
350	A	8	7	1.19	29	0.241
351	A	8	7	1.19	29	0.241
352	A	8	7	1.19	26	0.269
353	A	15	10	1.38	29	0.345

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
354	A	7	5	1.00	29	0.172
355	A	7	5	1.00	29	0.172
356	A	6	5	1.00	29	0.172
357	A	5	4	1.00	27	0.148
358	A	8	6	1.00	29	0.207
359	A	10	7	0.97	29	0.241
360	A	13	7	1.00	29	0.241
361	A	10	7	1.00	29	0.241
362	A	9	6	1.00	29	0.207
363	A	11	6	1.00	26	0.231
364	A	8	5	1.00	29	0.172
365	A	12	7	1.00	29	0.241
366	A	15	7	1.00	29	0.241
367	A	7	5	1.00	29	0.172
368	A	6	5	1.00	27	0.185
369	A	8	6	1.00	29	0.207
370	A	10	7	1.00	29	0.241
371	A	17	9	1.00	29	0.310
372	A	16	8	1.00	29	0.276
373	A	13	7	1.00	26	0.269
374	A	16	8	1.66	29	0.276
375	A	19	10	1.00	29	0.345
376	A	7	5	1.00	29	0.172
377	A	6	5	1.00	29	0.172
378	A	5	4	1.00	27	0.148
379	A	8	6	1.00	29	0.207

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
380	A	8	6	1.00	29	0.207
381	A	9	6	1.00	29	0.207
382	A	8	5	1.00	29	0.172
383	A	9	5	1.00	26	0.192
384	A	8	5	1.00	29	0.172
385	A	8	6	1.00	25	0.240
386	A	17	7	1.00	29	0.241
387	A	13	7	1.00	29	0.241
388	A	10	6	1.00	29	0.207
389	A	6	3	1.00	29	0.103
390	A	5	3	1.00	26	0.115
391	A	9	5	1.00	29	0.172
392	A	11	6	1.00	29	0.207
393	A	14	6	1.00	29	0.207
394	A	14	7	1.45	29	0.241
395	A	8	5	1.00	29	0.172
396	A	8	5	1.00	29	0.172
397	A	8	5	1.00	26	0.192
398	A	12	8	1.36	29	0.276
399	A	15	8	1.54	29	0.276
400	A	6	3	1.00	29	0.103
401	A	5	3	1.00	27	0.111
402	A	5	3	1.00	27	0.111
403	A	5	3	1.00	27	0.111
404	A	5	3	1.00	25	0.120
405	A	8	5	1.00	27	0.185

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
406	A	9	5	1.00	27	0.185
407	A	12	8	1.00	27	0.296
408	A	10	6	1.00	27	0.222
409	A	6	3	1.00	27	0.111
410	A	5	3	1.00	24	0.125
411	A	10	6	1.00	27	0.222
412	A	12	6	1.00	27	0.222
413	A	5	5	1.10	28	0.179

Chapter 3

Listing of integrals

3.1 $\int x^3 (d + ex^2) (a + cx^4)^5 dx$

Optimal. Leaf size=149

$$\frac{1}{4}a^5dx^4 + \frac{1}{6}a^5ex^6 + \frac{5}{8}a^4cdx^8 + \frac{1}{2}a^4cex^{10} + \frac{5}{6}a^3c^2dx^{12} + \frac{5}{7}a^3c^2ex^{14} + \frac{5}{8}a^2c^3dx^{16} + \frac{5}{9}a^2c^3ex^{18} + \frac{1}{4}ac^4dx^{20} + \frac{5}{22}ac^4ex^{22} + \frac{1}{2}c^5dx^{24} + \frac{1}{26}c^5ex^{26}$$

[Out] $1/4*a^5*d*x^4 + 1/6*a^5*e*x^6 + 5/8*a^4*c*d*x^8 + 1/2*a^4*c*e*x^{10} + 5/6*a^3*c^2*d*x^{12} + 5/7*a^3*c^2*e*x^{14} + 5/8*a^2*c^3*d*x^{16} + 5/9*a^2*c^3*e*x^{18} + 1/4*a*c^4*d*x^{20} + 5/22*a*c^4*e*x^{22} + 1/24*c^5*d*x^{24} + 1/26*c^5*e*x^{26}$

Rubi [A] time = 0.22, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1252, 766}

$$\frac{5}{8}a^2c^3dx^{16} + \frac{5}{6}a^3c^2dx^{12} + \frac{5}{9}a^2c^3ex^{18} + \frac{5}{7}a^3c^2ex^{14} + \frac{5}{8}a^4cdx^8 + \frac{1}{2}a^4cex^{10} + \frac{1}{4}a^5dx^4 + \frac{1}{6}a^5ex^6 + \frac{1}{4}ac^4dx^{20} + \frac{5}{22}ac^4ex^{22} + \frac{1}{2}c^5dx^{24} + \frac{1}{26}c^5ex^{26}$$

Antiderivative was successfully verified.

[In] Int[x^3*(d + e*x^2)*(a + c*x^4)^5,x]

[Out] $(a^5*d*x^4)/4 + (a^5*e*x^6)/6 + (5*a^4*c*d*x^8)/8 + (a^4*c*e*x^{10})/2 + (5*a^3*c^2*d*x^{12})/6 + (5*a^3*c^2*e*x^{14})/7 + (5*a^2*c^3*d*x^{16})/8 + (5*a^2*c^3*e*x^{18})/9 + (a*c^4*d*x^{20})/4 + (5*a*c^4*e*x^{22})/22 + (c^5*d*x^{24})/24 + (c^5*e*x^{26})/26$

Rule 766

Int[((e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_ Symbol] :> Int[ExpandIntegrand[(e*x)^m*(f + g*x)*(a + c*x^2)^p, x], x] /; F

reeQ[{a, c, e, f, g, m}, x] && IGtQ[p, 0]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned} \int x^3 (d + ex^2) (a + cx^2)^5 dx &= \frac{1}{2} \text{Subst} \left(\int x(d + ex) (a + cx^2)^5 dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int (a^5 dx + a^5 ex^2 + 5a^4 c dx^3 + 5a^4 c ex^4 + 10a^3 c^2 dx^5 + 10a^3 c^2 ex^6 + 10a^2 c^3 dx^8 + 10a^2 c^3 ex^9 + 5a^2 c^3 dx^{11} + 5a^2 c^3 ex^{12} + 5a^2 c^3 dx^{14} + 5a^2 c^3 ex^{15} + 5a^2 c^3 dx^{17} + 5a^2 c^3 ex^{18} + 5a^2 c^3 dx^{20} + 5a^2 c^3 ex^{21} + 5a^2 c^3 dx^{23} + 5a^2 c^3 ex^{24} + 5a^2 c^3 dx^{26} + 5a^2 c^3 ex^{27}) dx, x, x^2 \right) \\ &= \frac{1}{4} a^5 dx^4 + \frac{1}{6} a^5 ex^6 + \frac{5}{8} a^4 c dx^8 + \frac{1}{2} a^4 c ex^{10} + \frac{5}{6} a^3 c^2 dx^{12} + \frac{5}{7} a^3 c^2 ex^{14} + \frac{5}{8} a^2 c^3 dx^{16} + \frac{5}{9} a^2 c^3 ex^{18} + \frac{1}{4} a^2 c^3 dx^{20} + \frac{5}{22} a^2 c^3 ex^{22} + \frac{1}{24} a^2 c^3 dx^{24} + \frac{5}{24} a^2 c^3 ex^{26} + \frac{1}{24} a^2 c^3 dx^{28} + \frac{5}{24} a^2 c^3 ex^{30} + \frac{1}{24} a^2 c^3 dx^{32} + \frac{5}{24} a^2 c^3 ex^{34} + \frac{1}{24} a^2 c^3 dx^{36} + \frac{5}{24} a^2 c^3 ex^{38} + \frac{1}{24} a^2 c^3 dx^{40} + \frac{5}{24} a^2 c^3 ex^{42} + \frac{1}{24} a^2 c^3 dx^{44} + \frac{5}{24} a^2 c^3 ex^{46} + \frac{1}{24} a^2 c^3 dx^{48} + \frac{5}{24} a^2 c^3 ex^{50} + \frac{1}{24} a^2 c^3 dx^{52} + \frac{5}{24} a^2 c^3 ex^{54} + \frac{1}{24} a^2 c^3 dx^{56} + \frac{5}{24} a^2 c^3 ex^{58} + \frac{1}{24} a^2 c^3 dx^{60} + \frac{5}{24} a^2 c^3 ex^{62} + \frac{1}{24} a^2 c^3 dx^{64} + \frac{5}{24} a^2 c^3 ex^{66} + \frac{1}{24} a^2 c^3 dx^{68} + \frac{5}{24} a^2 c^3 ex^{70} + \frac{1}{24} a^2 c^3 dx^{72} + \frac{5}{24} a^2 c^3 ex^{74} + \frac{1}{24} a^2 c^3 dx^{76} + \frac{5}{24} a^2 c^3 ex^{78} + \frac{1}{24} a^2 c^3 dx^{80} + \frac{5}{24} a^2 c^3 ex^{82} + \frac{1}{24} a^2 c^3 dx^{84} + \frac{5}{24} a^2 c^3 ex^{86} + \frac{1}{24} a^2 c^3 dx^{88} + \frac{5}{24} a^2 c^3 ex^{90} + \frac{1}{24} a^2 c^3 dx^{92} + \frac{5}{24} a^2 c^3 ex^{94} + \frac{1}{24} a^2 c^3 dx^{96} + \frac{5}{24} a^2 c^3 ex^{98} + \frac{1}{24} a^2 c^3 dx^{100} \end{aligned}$$

Mathematica [A] time = 0.02, size = 149, normalized size = 1.00

$$\frac{1}{4} a^5 dx^4 + \frac{1}{6} a^5 ex^6 + \frac{5}{8} a^4 c dx^8 + \frac{1}{2} a^4 c ex^{10} + \frac{5}{6} a^3 c^2 dx^{12} + \frac{5}{7} a^3 c^2 ex^{14} + \frac{5}{8} a^2 c^3 dx^{16} + \frac{5}{9} a^2 c^3 ex^{18} + \frac{1}{4} a^2 c^3 dx^{20} + \frac{5}{22} a^2 c^3 ex^{22} + \frac{1}{24} a^2 c^3 dx^{24} + \frac{5}{24} a^2 c^3 ex^{26} + \frac{1}{24} a^2 c^3 dx^{28} + \frac{5}{24} a^2 c^3 ex^{30} + \frac{1}{24} a^2 c^3 dx^{32} + \frac{5}{24} a^2 c^3 ex^{34} + \frac{1}{24} a^2 c^3 dx^{36} + \frac{5}{24} a^2 c^3 ex^{38} + \frac{1}{24} a^2 c^3 dx^{40} + \frac{5}{24} a^2 c^3 ex^{42} + \frac{1}{24} a^2 c^3 dx^{44} + \frac{5}{24} a^2 c^3 ex^{46} + \frac{1}{24} a^2 c^3 dx^{48} + \frac{5}{24} a^2 c^3 ex^{50} + \frac{1}{24} a^2 c^3 dx^{52} + \frac{5}{24} a^2 c^3 ex^{54} + \frac{1}{24} a^2 c^3 dx^{56} + \frac{5}{24} a^2 c^3 ex^{58} + \frac{1}{24} a^2 c^3 dx^{60} + \frac{5}{24} a^2 c^3 ex^{62} + \frac{1}{24} a^2 c^3 dx^{64} + \frac{5}{24} a^2 c^3 ex^{66} + \frac{1}{24} a^2 c^3 dx^{68} + \frac{5}{24} a^2 c^3 ex^{70} + \frac{1}{24} a^2 c^3 dx^{72} + \frac{5}{24} a^2 c^3 ex^{74} + \frac{1}{24} a^2 c^3 dx^{76} + \frac{5}{24} a^2 c^3 ex^{78} + \frac{1}{24} a^2 c^3 dx^{80} + \frac{5}{24} a^2 c^3 ex^{82} + \frac{1}{24} a^2 c^3 dx^{84} + \frac{5}{24} a^2 c^3 ex^{86} + \frac{1}{24} a^2 c^3 dx^{88} + \frac{5}{24} a^2 c^3 ex^{90} + \frac{1}{24} a^2 c^3 dx^{92} + \frac{5}{24} a^2 c^3 ex^{94} + \frac{1}{24} a^2 c^3 dx^{96} + \frac{5}{24} a^2 c^3 ex^{98} + \frac{1}{24} a^2 c^3 dx^{100}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)*(a + c*x^4)^5,x]

[Out] (a^5*d*x^4)/4 + (a^5*e*x^6)/6 + (5*a^4*c*d*x^8)/8 + (a^4*c*e*x^10)/2 + (5*a^3*c^2*d*x^12)/6 + (5*a^3*c^2*e*x^14)/7 + (5*a^2*c^3*d*x^16)/8 + (5*a^2*c^3*e*x^18)/9 + (a*c^4*d*x^20)/4 + (5*a*c^4*e*x^22)/22 + (c^5*d*x^24)/24 + (c^5*e*x^26)/26

fricas [A] time = 0.55, size = 125, normalized size = 0.84

$$\frac{1}{26} x^{26} ec^5 + \frac{1}{24} x^{24} dc^5 + \frac{5}{22} x^{22} ec^4 a + \frac{1}{4} x^{20} dc^4 a + \frac{5}{9} x^{18} ec^3 a^2 + \frac{5}{8} x^{16} dc^3 a^2 + \frac{5}{7} x^{14} ec^2 a^3 + \frac{5}{6} x^{12} dc^2 a^3 + \frac{1}{2} x^{10} eca^4 + \frac{5}{8} x^8 dca^4 + \frac{1}{24} x^6 eca^5 + \frac{1}{24} x^4 dca^5 + \frac{1}{24} x^2 eca^6 + \frac{1}{24} x^0 dca^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="fricas")

[Out] 1/26*x^26*e*c^5 + 1/24*x^24*d*c^5 + 5/22*x^22*e*c^4*a + 1/4*x^20*d*c^4*a + 5/9*x^18*e*c^3*a^2 + 5/8*x^16*d*c^3*a^2 + 5/7*x^14*e*c^2*a^3 + 5/6*x^12*d*c^2*a^3 + 1/2*x^10*e*c*a^4 + 5/8*x^8*d*c*a^4 + 1/6*x^6*e*a^5 + 1/4*x^4*d*a^5 + 1/24*x^2*e*a^6 + 1/24*x^0*d*a^6

giac [A] time = 0.26, size = 131, normalized size = 0.88

$$\frac{1}{26} c^5 x^{26} e + \frac{1}{24} c^5 d x^{24} + \frac{5}{22} a c^4 x^{22} e + \frac{1}{4} a c^4 d x^{20} + \frac{5}{9} a^2 c^3 x^{18} e + \frac{5}{8} a^2 c^3 d x^{16} + \frac{5}{7} a^3 c^2 x^{14} e + \frac{5}{6} a^3 c^2 d x^{12} + \frac{1}{2} a^4 c x^{10} e + \frac{5}{8} a^4 d x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="giac")

$$[Out] \frac{1}{26} c^5 x^{26} e + \frac{1}{24} c^5 d x^{24} + \frac{5}{22} a c^4 x^{22} e + \frac{1}{4} a c^4 d x^{20} + \frac{5}{9} a^2 c^3 x^{18} e + \frac{5}{8} a^2 c^3 d x^{16} + \frac{5}{7} a^3 c^2 x^{14} e + \frac{5}{6} a^3 c^2 d x^{12} + \frac{1}{2} a^4 c x^{10} e + \frac{5}{8} a^4 d x^8$$

maple [A] time = 0.01, size = 126, normalized size = 0.85

$$\frac{1}{26} c^5 e x^{26} + \frac{1}{24} c^5 d x^{24} + \frac{5}{22} a c^4 e x^{22} + \frac{1}{4} a c^4 d x^{20} + \frac{5}{9} a^2 c^3 e x^{18} + \frac{5}{8} a^2 c^3 d x^{16} + \frac{5}{7} a^3 c^2 e x^{14} + \frac{5}{6} a^3 c^2 d x^{12} + \frac{1}{2} a^4 c e x^{10} + \frac{5}{8} a^4 d x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)*(c*x^4+a)^5,x)

$$[Out] \frac{1}{4} a^5 d x^4 + \frac{1}{6} a^5 e x^6 + \frac{5}{8} a^4 c d x^8 + \frac{1}{2} a^4 c e x^{10} + \frac{5}{6} a^3 c^2 d x^{12} + \frac{5}{7} a^3 c^2 e x^{14} + \frac{5}{8} a^2 c^3 d x^{16} + \frac{5}{9} a^2 c^3 e x^{18} + \frac{1}{4} a c^4 d x^{20} + \frac{5}{22} a c^4 e x^{22} + \frac{1}{24} c^5 d x^{24} + \frac{1}{26} c^5 e x^{26}$$

maxima [A] time = 0.43, size = 125, normalized size = 0.84

$$\frac{1}{26} c^5 e x^{26} + \frac{1}{24} c^5 d x^{24} + \frac{5}{22} a c^4 e x^{22} + \frac{1}{4} a c^4 d x^{20} + \frac{5}{9} a^2 c^3 e x^{18} + \frac{5}{8} a^2 c^3 d x^{16} + \frac{5}{7} a^3 c^2 e x^{14} + \frac{5}{6} a^3 c^2 d x^{12} + \frac{1}{2} a^4 c e x^{10} + \frac{5}{8} a^4 d x^8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="maxima")

$$[Out] \frac{1}{26} c^5 e x^{26} + \frac{1}{24} c^5 d x^{24} + \frac{5}{22} a c^4 e x^{22} + \frac{1}{4} a c^4 d x^{20} + \frac{5}{9} a^2 c^3 e x^{18} + \frac{5}{8} a^2 c^3 d x^{16} + \frac{5}{7} a^3 c^2 e x^{14} + \frac{5}{6} a^3 c^2 d x^{12} + \frac{1}{2} a^4 c e x^{10} + \frac{5}{8} a^4 d x^8$$

mupad [B] time = 0.31, size = 125, normalized size = 0.84

$$\frac{e a^5 x^6}{6} + \frac{d a^5 x^4}{4} + \frac{e a^4 c x^{10}}{2} + \frac{5 d a^4 c x^8}{8} + \frac{5 e a^3 c^2 x^{14}}{7} + \frac{5 d a^3 c^2 x^{12}}{6} + \frac{5 e a^2 c^3 x^{18}}{9} + \frac{5 d a^2 c^3 x^{16}}{8} + \frac{5 e a c^4 x^{22}}{22} + \frac{5 d a c^4 x^{20}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + c*x^4)^5*(d + e*x^2),x)

[Out] $(a^5 d x^4)/4 + (a^5 e x^6)/6 + (c^5 d x^{24})/24 + (c^5 e x^{26})/26 + (5 a^3 c^2 d x^{12})/6 + (5 a^2 c^3 d x^{16})/8 + (5 a^3 c^2 e x^{14})/7 + (5 a^2 c^3 e x^{18})/9 + (5 a^4 c d x^8)/8 + (a c^4 d x^{20})/4 + (a^4 c e x^{10})/2 + (5 a c^4 e x^{22})/22$

sympy [A] time = 0.15, size = 151, normalized size = 1.01

$$\frac{a^5 dx^4}{4} + \frac{a^5 ex^6}{6} + \frac{5a^4 c dx^8}{8} + \frac{a^4 c ex^{10}}{2} + \frac{5a^3 c^2 dx^{12}}{6} + \frac{5a^3 c^2 ex^{14}}{7} + \frac{5a^2 c^3 dx^{16}}{8} + \frac{5a^2 c^3 ex^{18}}{9} + \frac{ac^4 dx^{20}}{4} + \frac{5ac^4 ex^{22}}{22} + \frac{c^5 dx^{24}}{24} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)*(c*x**4+a)**5,x)`

[Out] $a**5*d*x**4/4 + a**5*e*x**6/6 + 5*a**4*c*d*x**8/8 + a**4*c*e*x**10/2 + 5*a**3*c**2*d*x**12/6 + 5*a**3*c**2*e*x**14/7 + 5*a**2*c**3*d*x**16/8 + 5*a**2*c**3*e*x**18/9 + a*c**4*d*x**20/4 + 5*a*c**4*e*x**22/22 + c**5*d*x**24/24 + c**5*e*x**26/26$

3.2 $\int x^2 (d + ex^2) (a + cx^4)^5 dx$

Optimal. Leaf size=149

$$\frac{1}{3}a^5dx^3 + \frac{1}{5}a^5ex^5 + \frac{5}{7}a^4cdx^7 + \frac{5}{9}a^4cex^9 + \frac{10}{11}a^3c^2dx^{11} + \frac{10}{13}a^3c^2ex^{13} + \frac{2}{3}a^2c^3dx^{15} + \frac{10}{17}a^2c^3ex^{17} + \frac{5}{19}ac^4dx^{19} + \frac{5}{21}ac^4ex^{21}$$

[Out] $1/3*a^5*d*x^3+1/5*a^5*e*x^5+5/7*a^4*c*d*x^7+5/9*a^4*c*e*x^9+10/11*a^3*c^2*d*x^{11}+10/13*a^3*c^2*e*x^{13}+2/3*a^2*c^3*d*x^{15}+10/17*a^2*c^3*e*x^{17}+5/19*a*c^4*d*x^{19}+5/21*a*c^4*e*x^{21}+1/23*c^5*d*x^{23}+1/25*c^5*e*x^{25}$

Rubi [A] time = 0.10, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1262}

$$\frac{2}{3}a^2c^3dx^{15} + \frac{10}{11}a^3c^2dx^{11} + \frac{10}{17}a^2c^3ex^{17} + \frac{10}{13}a^3c^2ex^{13} + \frac{5}{7}a^4cdx^7 + \frac{5}{9}a^4cex^9 + \frac{1}{3}a^5dx^3 + \frac{1}{5}a^5ex^5 + \frac{5}{19}ac^4dx^{19} + \frac{5}{21}ac^4ex^{21}$$

Antiderivative was successfully verified.

[In] Int[x^2*(d + e*x^2)*(a + c*x^4)^5,x]

[Out] $(a^5*d*x^3)/3 + (a^5*e*x^5)/5 + (5*a^4*c*d*x^7)/7 + (5*a^4*c*e*x^9)/9 + (10*a^3*c^2*d*x^{11})/11 + (10*a^3*c^2*e*x^{13})/13 + (2*a^2*c^3*d*x^{15})/3 + (10*a^2*c^3*e*x^{17})/17 + (5*a*c^4*d*x^{19})/19 + (5*a*c^4*e*x^{21})/21 + (c^5*d*x^{23})/23 + (c^5*e*x^{25})/25$

Rule 1262

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e, f, m, q}, x] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\int x^2 (d + ex^2) (a + cx^4)^5 dx = \int (a^5 dx^2 + a^5 ex^4 + 5a^4 cdx^6 + 5a^4 cex^8 + 10a^3 c^2 dx^{10} + 10a^3 c^2 ex^{12} + 10a^2 c^3 dx^{14} + 10a^2 c^3 ex^{16} + 5a^2 c^3 dx^{18} + 5a^2 c^3 ex^{20} + a^3 c^2 dx^{22} + a^3 c^2 ex^{24} + 2a^2 c^3 dx^{26} + 2a^2 c^3 ex^{28} + a^2 c^3 dx^{30} + a^2 c^3 ex^{32} + 5a^2 c^3 dx^{34} + 5a^2 c^3 ex^{36} + a^2 c^3 dx^{40} + a^2 c^3 ex^{42} + 5a^2 c^3 dx^{46} + 5a^2 c^3 ex^{48} + a^2 c^3 dx^{52} + a^2 c^3 ex^{54} + 5a^2 c^3 dx^{58} + 5a^2 c^3 ex^{60} + a^2 c^3 dx^{64} + a^2 c^3 ex^{66} + 5a^2 c^3 dx^{70} + 5a^2 c^3 ex^{72} + a^2 c^3 dx^{76} + a^2 c^3 ex^{78} + 5a^2 c^3 dx^{84} + 5a^2 c^3 ex^{86} + a^2 c^3 dx^{90} + a^2 c^3 ex^{92} + 5a^2 c^3 dx^{96} + 5a^2 c^3 ex^{98} + a^2 c^3 dx^{102} + a^2 c^3 ex^{104}) dx$$

$$= \frac{1}{3}a^5dx^3 + \frac{1}{5}a^5ex^5 + \frac{5}{7}a^4cdx^7 + \frac{5}{9}a^4cex^9 + \frac{10}{11}a^3c^2dx^{11} + \frac{10}{13}a^3c^2ex^{13} + \frac{2}{3}a^2c^3dx^{15} + \frac{10}{17}a^2c^3ex^{17} + \frac{5}{19}ac^4dx^{19} + \frac{5}{21}ac^4ex^{21}$$

Mathematica [A] time = 0.00, size = 149, normalized size = 1.00

$$\frac{1}{3}a^5dx^3 + \frac{1}{5}a^5ex^5 + \frac{5}{7}a^4cdx^7 + \frac{5}{9}a^4cex^9 + \frac{10}{11}a^3c^2dx^{11} + \frac{10}{13}a^3c^2ex^{13} + \frac{2}{3}a^2c^3dx^{15} + \frac{10}{17}a^2c^3ex^{17} + \frac{5}{19}ac^4dx^{19} + \frac{5}{21}ac^4ex^{21}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)*(a + c*x^4)^5,x]

[Out] (a^5*d*x^3)/3 + (a^5*e*x^5)/5 + (5*a^4*c*d*x^7)/7 + (5*a^4*c*e*x^9)/9 + (10*a^3*c^2*d*x^11)/11 + (10*a^3*c^2*e*x^13)/13 + (2*a^2*c^3*d*x^15)/3 + (10*a^2*c^3*e*x^17)/17 + (5*a*c^4*d*x^19)/19 + (5*a*c^4*e*x^21)/21 + (c^5*d*x^23)/23 + (c^5*e*x^25)/25

fricas [A] time = 0.50, size = 125, normalized size = 0.84

$$\frac{1}{25}x^{25}ec^5 + \frac{1}{23}x^{23}dc^5 + \frac{5}{21}x^{21}ec^4a + \frac{5}{19}x^{19}dc^4a + \frac{10}{17}x^{17}ec^3a^2 + \frac{2}{3}x^{15}dc^3a^2 + \frac{10}{13}x^{13}ec^2a^3 + \frac{10}{11}x^{11}dc^2a^3 + \frac{5}{9}x^9eca^4 + \frac{5}{7}x^7dca^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="fricas")

[Out] 1/25*x^25*e*c^5 + 1/23*x^23*d*c^5 + 5/21*x^21*e*c^4*a + 5/19*x^19*d*c^4*a + 10/17*x^17*e*c^3*a^2 + 2/3*x^15*d*c^3*a^2 + 10/13*x^13*e*c^2*a^3 + 10/11*x^11*d*c^2*a^3 + 5/9*x^9*e*c*a^4 + 5/7*x^7*d*c*a^4 + 1/5*x^5*e*a^5 + 1/3*x^3*d*a^5

giac [A] time = 0.19, size = 131, normalized size = 0.88

$$\frac{1}{25}c^5x^{25}e + \frac{1}{23}c^5dx^{23} + \frac{5}{21}ac^4x^{21}e + \frac{5}{19}ac^4dx^{19} + \frac{10}{17}a^2c^3x^{17}e + \frac{2}{3}a^2c^3dx^{15} + \frac{10}{13}a^3c^2x^{13}e + \frac{10}{11}a^3c^2dx^{11} + \frac{5}{9}a^4cx^9e + \frac{5}{7}a^4dx^7e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="giac")

[Out] 1/25*c^5*x^25*e + 1/23*c^5*d*x^23 + 5/21*a*c^4*x^21*e + 5/19*a*c^4*d*x^19 + 10/17*a^2*c^3*x^17*e + 2/3*a^2*c^3*d*x^15 + 10/13*a^3*c^2*x^13*e + 10/11*a^3*c^2*d*x^11 + 5/9*a^4*c*x^9*e + 5/7*a^4*c*d*x^7 + 1/5*a^5*x^5*e + 1/3*a^5*d*x^3

maple [A] time = 0.00, size = 126, normalized size = 0.85

$$\frac{1}{25}c^5ex^{25} + \frac{1}{23}c^5dx^{23} + \frac{5}{21}ac^4ex^{21} + \frac{5}{19}ac^4dx^{19} + \frac{10}{17}a^2c^3ex^{17} + \frac{2}{3}a^2c^3dx^{15} + \frac{10}{13}a^3c^2ex^{13} + \frac{10}{11}a^3c^2dx^{11} + \frac{5}{9}a^4cex^9 + \frac{5}{7}a^4dex^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)*(c*x^4+a)^5,x)

[Out] 1/3*a^5*d*x^3+1/5*a^5*e*x^5+5/7*a^4*c*d*x^7+5/9*a^4*c*e*x^9+10/11*a^3*c^2*d*x^11+10/13*a^3*c^2*e*x^13+2/3*a^2*c^3*d*x^15+10/17*a^2*c^3*e*x^17+5/19*a^2*c^3*d*x^19+5/21*a*c^4*e*x^21+1/23*c^5*d*x^23+1/25*c^5*e*x^25

maxima [A] time = 0.46, size = 125, normalized size = 0.84

$$\frac{1}{25} c^5 e x^{25} + \frac{1}{23} c^5 d x^{23} + \frac{5}{21} a c^4 e x^{21} + \frac{5}{19} a c^4 d x^{19} + \frac{10}{17} a^2 c^3 e x^{17} + \frac{2}{3} a^2 c^3 d x^{15} + \frac{10}{13} a^3 c^2 e x^{13} + \frac{10}{11} a^3 c^2 d x^{11} + \frac{5}{9} a^4 c e x^9 + \frac{5}{7} a^4 c d x^7 + \frac{1}{5} a^5 e x^5 + \frac{1}{3} a^5 d x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="maxima")

[Out] 1/25*c^5*e*x^25 + 1/23*c^5*d*x^23 + 5/21*a*c^4*e*x^21 + 5/19*a*c^4*d*x^19 + 10/17*a^2*c^3*e*x^17 + 2/3*a^2*c^3*d*x^15 + 10/13*a^3*c^2*e*x^13 + 10/11*a^3*c^2*d*x^11 + 5/9*a^4*c*e*x^9 + 5/7*a^4*c*d*x^7 + 1/5*a^5*e*x^5 + 1/3*a^5*d*x^3

mupad [B] time = 0.07, size = 125, normalized size = 0.84

$$\frac{e a^5 x^5}{5} + \frac{d a^5 x^3}{3} + \frac{5 e a^4 c x^9}{9} + \frac{5 d a^4 c x^7}{7} + \frac{10 e a^3 c^2 x^{13}}{13} + \frac{10 d a^3 c^2 x^{11}}{11} + \frac{10 e a^2 c^3 x^{17}}{17} + \frac{2 d a^2 c^3 x^{15}}{3} + \frac{5 e a c^4 x^{21}}{21} + \frac{5 d a c^4 x^{19}}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + c*x^4)^5*(d + e*x^2),x)

[Out] (a^5*d*x^3)/3 + (a^5*e*x^5)/5 + (c^5*d*x^23)/23 + (c^5*e*x^25)/25 + (10*a^3*c^2*d*x^11)/11 + (2*a^2*c^3*d*x^15)/3 + (10*a^3*c^2*e*x^13)/13 + (10*a^2*c^3*e*x^17)/17 + (5*a^4*c*d*x^7)/7 + (5*a*c^4*d*x^19)/19 + (5*a^4*c*e*x^9)/9 + (5*a*c^4*e*x^21)/21

sympy [A] time = 0.09, size = 155, normalized size = 1.04

$$\frac{a^5 d x^3}{3} + \frac{a^5 e x^5}{5} + \frac{5 a^4 c d x^7}{7} + \frac{5 a^4 c e x^9}{9} + \frac{10 a^3 c^2 d x^{11}}{11} + \frac{10 a^3 c^2 e x^{13}}{13} + \frac{2 a^2 c^3 d x^{15}}{3} + \frac{10 a^2 c^3 e x^{17}}{17} + \frac{5 a c^4 d x^{19}}{19} + \frac{5 a c^4 e x^{21}}{21} + \frac{c^5 d x^{23}}{23} + \frac{c^5 e x^{25}}{25}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)*(c*x**4+a)**5,x)

[Out] a**5*d*x**3/3 + a**5*e*x**5/5 + 5*a**4*c*d*x**7/7 + 5*a**4*c*e*x**9/9 + 10*a**3*c**2*d*x**11/11 + 10*a**3*c**2*e*x**13/13 + 2*a**2*c**3*d*x**15/3 + 10*a**2*c**3*e*x**17/17 + 5*a*c**4*d*x**19/19 + 5*a*c**4*e*x**21/21 + c**5*d*x**23/23 + c**5*e*x**25/25

3.3 $\int x(d + ex^2)(a + cx^4)^5 dx$

Optimal. Leaf size=89

$$\frac{1}{2}a^5dx^2 + \frac{5}{6}a^4cdx^6 + a^3c^2dx^{10} + \frac{5}{7}a^2c^3dx^{14} + \frac{5}{18}ac^4dx^{18} + \frac{e(a + cx^4)^6}{24c} + \frac{1}{22}c^5dx^{22}$$

[Out] $1/2*a^5*d*x^2+5/6*a^4*c*d*x^6+a^3*c^2*d*x^{10}+5/7*a^2*c^3*d*x^{14}+5/18*a*c^4*d*x^{18}+1/22*c^5*d*x^{22}+1/24*e*(c*x^4+a)^6/c$

Rubi [A] time = 0.08, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1248, 641, 194}

$$\frac{5}{7}a^2c^3dx^{14} + a^3c^2dx^{10} + \frac{5}{6}a^4cdx^6 + \frac{1}{2}a^5dx^2 + \frac{5}{18}ac^4dx^{18} + \frac{e(a + cx^4)^6}{24c} + \frac{1}{22}c^5dx^{22}$$

Antiderivative was successfully verified.

[In] Int[x*(d + e*x^2)*(a + c*x^4)^5,x]

[Out] $(a^5*d*x^2)/2 + (5*a^4*c*d*x^6)/6 + a^3*c^2*d*x^{10} + (5*a^2*c^3*d*x^{14})/7 + (5*a*c^4*d*x^{18})/18 + (c^5*d*x^{22})/22 + (e*(a + c*x^4)^6)/(24*c)$

Rule 194

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rubi steps

[In] integrate(x*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="giac")

[Out] $\frac{1}{24}c^5x^{24}e + \frac{1}{22}c^5d*x^{22} + \frac{1}{4}a*c^4*x^{20}e + \frac{5}{18}a*c^4*d*x^{18} + \frac{5}{8}a^2*c^3*x^{16}e + \frac{5}{7}a^2*c^3*d*x^{14} + \frac{5}{6}a^3*c^2*x^{12}e + a^3*c^2*d*x^{10} + \frac{5}{8}a^4*c*x^8e + \frac{5}{6}a^4*c*d*x^6 + \frac{1}{4}a^5*x^4e + \frac{1}{2}a^5*d*x^2$

maple [A] time = 0.00, size = 125, normalized size = 1.40

$$\frac{1}{24}c^5ex^{24} + \frac{1}{22}c^5dx^{22} + \frac{1}{4}ac^4ex^{20} + \frac{5}{18}ac^4dx^{18} + \frac{5}{8}a^2c^3ex^{16} + \frac{5}{7}a^2c^3dx^{14} + \frac{5}{6}a^3c^2ex^{12} + a^3c^2dx^{10} + \frac{5}{8}a^4cex^8 + \frac{5}{6}a^4cdx^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)*(c*x^4+a)^5,x)

[Out] $\frac{1}{24}c^5e*x^{24} + \frac{1}{22}c^5d*x^{22} + \frac{1}{4}a*c^4*e*x^{20} + \frac{5}{18}a*c^4*d*x^{18} + \frac{5}{8}a^2*c^3*e*x^{16} + \frac{5}{7}a^2*c^3*d*x^{14} + \frac{5}{6}a^3*c^2*e*x^{12} + a^3*c^2*d*x^{10} + \frac{5}{8}a^4*c*e*x^8 + \frac{5}{6}a^4*c*d*x^6 + \frac{1}{4}a^5*e*x^4 + \frac{1}{2}a^5*d*x^2$

maxima [A] time = 0.44, size = 124, normalized size = 1.39

$$\frac{1}{24}c^5ex^{24} + \frac{1}{22}c^5dx^{22} + \frac{1}{4}ac^4ex^{20} + \frac{5}{18}ac^4dx^{18} + \frac{5}{8}a^2c^3ex^{16} + \frac{5}{7}a^2c^3dx^{14} + \frac{5}{6}a^3c^2ex^{12} + a^3c^2dx^{10} + \frac{5}{8}a^4cex^8 + \frac{5}{6}a^4cdx^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(c*x^4+a)^5,x, algorithm="maxima")

[Out] $\frac{1}{24}c^5e*x^{24} + \frac{1}{22}c^5d*x^{22} + \frac{1}{4}a*c^4*e*x^{20} + \frac{5}{18}a*c^4*d*x^{18} + \frac{5}{8}a^2*c^3*e*x^{16} + \frac{5}{7}a^2*c^3*d*x^{14} + \frac{5}{6}a^3*c^2*e*x^{12} + a^3*c^2*d*x^{10} + \frac{5}{8}a^4*c*e*x^8 + \frac{5}{6}a^4*c*d*x^6 + \frac{1}{4}a^5*e*x^4 + \frac{1}{2}a^5*d*x^2$

mupad [B] time = 0.07, size = 124, normalized size = 1.39

$$\frac{ea^5x^4}{4} + \frac{da^5x^2}{2} + \frac{5ea^4cx^8}{8} + \frac{5da^4cx^6}{6} + \frac{5ea^3c^2x^{12}}{6} + da^3c^2x^{10} + \frac{5ea^2c^3x^{16}}{8} + \frac{5da^2c^3x^{14}}{7} + \frac{ea^4x^{20}}{4} + \frac{5da^4x^{18}}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + c*x^4)^5*(d + e*x^2),x)

[Out] $(a^5d*x^2)/2 + (a^5e*x^4)/4 + (c^5d*x^{22})/22 + (c^5e*x^{24})/24 + a^3c^2*d*x^{10} + (5a^2c^3*d*x^{14})/7 + (5a^3c^2*e*x^{12})/6 + (5a^2c^3*e*x^{16})/8 + (5a^4c*d*x^6)/6 + (5a*c^4*d*x^{18})/18 + (5a^4c*e*x^8)/8 + (a*c^4*e*x^{20})/4$

sympy [A] time = 0.09, size = 150, normalized size = 1.69

$$\frac{a^5dx^2}{2} + \frac{a^5ex^4}{4} + \frac{5a^4cdx^6}{6} + \frac{5a^4cex^8}{8} + a^3c^2dx^{10} + \frac{5a^3c^2ex^{12}}{6} + \frac{5a^2c^3dx^{14}}{7} + \frac{5a^2c^3ex^{16}}{8} + \frac{5ac^4dx^{18}}{18} + \frac{ac^4ex^{20}}{4} + \frac{c^5dx^{22}}{22} + \frac{c^5e*x^{24}}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d)*(c*x**4+a)**5,x)
```

```
[Out] a**5*d*x**2/2 + a**5*e*x**4/4 + 5*a**4*c*d*x**6/6 + 5*a**4*c*e*x**8/8 + a**  
3*c**2*d*x**10 + 5*a**3*c**2*e*x**12/6 + 5*a**2*c**3*d*x**14/7 + 5*a**2*c**  
3*e*x**16/8 + 5*a*c**4*d*x**18/18 + a*c**4*e*x**20/4 + c**5*d*x**22/22 + c*  
*5*e*x**24/24
```

3.4 $\int (d + ex^2)(a + cx^4)^5 dx$

Optimal. Leaf size=141

$$a^5 dx + \frac{1}{3}a^5 ex^3 + a^4 c dx^5 + \frac{5}{7}a^4 cex^7 + \frac{10}{9}a^3 c^2 dx^9 + \frac{10}{11}a^3 c^2 ex^{11} + \frac{10}{13}a^2 c^3 dx^{13} + \frac{2}{3}a^2 c^3 ex^{15} + \frac{5}{17}ac^4 dx^{17} + \frac{5}{19}ac^4 ex^{19} + \frac{1}{21}c^5 dx^{21} + \frac{1}{23}c^5 ex^{23}$$

[Out] $a^5 d x + 1/3 a^5 e x^3 + a^4 c d x^5 + 5/7 a^4 c e x^7 + 10/9 a^3 c^2 d x^9 + 10/11 a^3 c^2 e x^{11} + 10/13 a^2 c^3 d x^{13} + 2/3 a^2 c^3 e x^{15} + 5/17 a c^4 d x^{17} + 5/19 a c^4 e x^{19} + 1/21 c^5 d x^{21} + 1/23 c^5 e x^{23}$

Rubi [A] time = 0.08, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {1154}

$$\frac{10}{13}a^2 c^3 dx^{13} + \frac{10}{9}a^3 c^2 dx^9 + \frac{2}{3}a^2 c^3 ex^{15} + \frac{10}{11}a^3 c^2 ex^{11} + a^4 c dx^5 + \frac{5}{7}a^4 cex^7 + a^5 dx + \frac{1}{3}a^5 ex^3 + \frac{5}{17}ac^4 dx^{17} + \frac{5}{19}ac^4 ex^{19} + \frac{1}{21}c^5 dx^{21} + \frac{1}{23}c^5 ex^{23}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(a + c*x^4)^5, x]

[Out] $a^5 d x + (a^5 e x^3)/3 + a^4 c d x^5 + (5 a^4 c e x^7)/7 + (10 a^3 c^2 d x^9)/9 + (10 a^3 c^2 e x^{11})/11 + (10 a^2 c^3 d x^{13})/13 + (2 a^2 c^3 e x^{15})/3 + (5 a c^4 d x^{17})/17 + (5 a c^4 e x^{19})/19 + (c^5 d x^{21})/21 + (c^5 e x^{23})/23$

Rule 1154

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)(a + cx^4)^5 dx &= \int (a^5 d + a^5 ex^2 + 5a^4 c dx^4 + 5a^4 cex^6 + 10a^3 c^2 dx^8 + 10a^3 c^2 ex^{10} + 10a^2 c^3 dx^{12} + 10a^2 c^3 ex^{14} + 5a c^4 dx^{16} + 5a c^4 ex^{18} + c^5 dx^{20} + c^5 ex^{22}) dx \\ &= a^5 dx + \frac{1}{3}a^5 ex^3 + a^4 c dx^5 + \frac{5}{7}a^4 cex^7 + \frac{10}{9}a^3 c^2 dx^9 + \frac{10}{11}a^3 c^2 ex^{11} + \frac{10}{13}a^2 c^3 dx^{13} + \frac{2}{3}a^2 c^3 ex^{15} + \frac{5}{17}ac^4 dx^{17} + \frac{5}{19}ac^4 ex^{19} + \frac{1}{21}c^5 dx^{21} + \frac{1}{23}c^5 ex^{23} \end{aligned}$$

Mathematica [A] time = 0.00, size = 141, normalized size = 1.00

$$a^5 dx + \frac{1}{3}a^5 ex^3 + a^4 c dx^5 + \frac{5}{7}a^4 cex^7 + \frac{10}{9}a^3 c^2 dx^9 + \frac{10}{11}a^3 c^2 ex^{11} + \frac{10}{13}a^2 c^3 dx^{13} + \frac{2}{3}a^2 c^3 ex^{15} + \frac{5}{17}ac^4 dx^{17} + \frac{5}{19}ac^4 ex^{19} + \frac{1}{21}c^5 dx^{21} + \frac{1}{23}c^5 ex^{23}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(a + c*x^4)^5,x]

[Out] $a^5*d*x + (a^5*e*x^3)/3 + a^4*c*d*x^5 + (5*a^4*c*e*x^7)/7 + (10*a^3*c^2*d*x^9)/9 + (10*a^3*c^2*e*x^11)/11 + (10*a^2*c^3*d*x^13)/13 + (2*a^2*c^3*e*x^15)/3 + (5*a*c^4*d*x^17)/17 + (5*a*c^4*e*x^19)/19 + (c^5*d*x^21)/21 + (c^5*e*x^23)/23$

fricas [A] time = 0.62, size = 121, normalized size = 0.86

$$\frac{1}{23}x^{23}ec^5 + \frac{1}{21}x^{21}dc^5 + \frac{5}{19}x^{19}ec^4a + \frac{5}{17}x^{17}dc^4a + \frac{2}{3}x^{15}ec^3a^2 + \frac{10}{13}x^{13}dc^3a^2 + \frac{10}{11}x^{11}ec^2a^3 + \frac{10}{9}x^9dc^2a^3 + \frac{5}{7}x^7eca^4 + x^5dca^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5,x, algorithm="fricas")

[Out] $1/23*x^{23}*e*c^5 + 1/21*x^{21}*d*c^5 + 5/19*x^{19}*e*c^4*a + 5/17*x^{17}*d*c^4*a + 2/3*x^{15}*e*c^3*a^2 + 10/13*x^{13}*d*c^3*a^2 + 10/11*x^{11}*e*c^2*a^3 + 10/9*x^9*d*c^2*a^3 + 5/7*x^7*e*c*a^4 + x^5*d*c*a^4 + 1/3*x^3*e*a^5 + x*d*a^5$

giac [A] time = 0.22, size = 127, normalized size = 0.90

$$\frac{1}{23}c^5x^{23}e + \frac{1}{21}c^5dx^{21} + \frac{5}{19}ac^4x^{19}e + \frac{5}{17}ac^4dx^{17} + \frac{2}{3}a^2c^3x^{15}e + \frac{10}{13}a^2c^3dx^{13} + \frac{10}{11}a^3c^2x^{11}e + \frac{10}{9}a^3c^2dx^9 + \frac{5}{7}a^4cx^7e + a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5,x, algorithm="giac")

[Out] $1/23*c^5*x^{23}*e + 1/21*c^5*d*x^{21} + 5/19*a*c^4*x^{19}*e + 5/17*a*c^4*d*x^{17} + 2/3*a^2*c^3*x^{15}*e + 10/13*a^2*c^3*d*x^{13} + 10/11*a^3*c^2*x^{11}*e + 10/9*a^3*c^2*d*x^9 + 5/7*a^4*c*x^7*e + a^4*c*d*x^5 + 1/3*a^5*x^3*e + a^5*d*x$

maple [A] time = 0.00, size = 122, normalized size = 0.87

$$\frac{1}{23}c^5ex^{23} + \frac{1}{21}c^5dx^{21} + \frac{5}{19}ac^4ex^{19} + \frac{5}{17}ac^4dx^{17} + \frac{2}{3}a^2c^3ex^{15} + \frac{10}{13}a^2c^3dx^{13} + \frac{10}{11}a^3c^2ex^{11} + \frac{10}{9}a^3c^2dx^9 + \frac{5}{7}a^4cex^7 + a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(c*x^4+a)^5,x)

[Out] $a^5*d*x + 1/3*a^5*e*x^3 + a^4*c*d*x^5 + 5/7*a^4*c*e*x^7 + 10/9*a^3*c^2*d*x^9 + 10/11*a^3*c^2*e*x^11 + 10/13*a^2*c^3*d*x^13 + 2/3*a^2*c^3*e*x^15 + 5/17*a*c^4*d*x^17 + 5/19*a*c^4*e*x^19 + 1/21*c^5*d*x^21 + 1/23*c^5*e*x^23$

maxima [A] time = 0.46, size = 121, normalized size = 0.86

$$\frac{1}{23}c^5ex^{23} + \frac{1}{21}c^5dx^{21} + \frac{5}{19}ac^4ex^{19} + \frac{5}{17}ac^4dx^{17} + \frac{2}{3}a^2c^3ex^{15} + \frac{10}{13}a^2c^3dx^{13} + \frac{10}{11}a^3c^2ex^{11} + \frac{10}{9}a^3c^2dx^9 + \frac{5}{7}a^4cex^7 + a^4c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5,x, algorithm="maxima")

[Out] 1/23*c^5*e*x^23 + 1/21*c^5*d*x^21 + 5/19*a*c^4*e*x^19 + 5/17*a*c^4*d*x^17 + 2/3*a^2*c^3*e*x^15 + 10/13*a^2*c^3*d*x^13 + 10/11*a^3*c^2*e*x^11 + 10/9*a^3*c^2*d*x^9 + 5/7*a^4*c*e*x^7 + a^4*c*d*x^5 + 1/3*a^5*e*x^3 + a^5*d*x

mupad [B] time = 0.07, size = 121, normalized size = 0.86

$$\frac{ea^5x^3}{3} + da^5x + \frac{5ea^4cx^7}{7} + da^4cx^5 + \frac{10ea^3c^2x^{11}}{11} + \frac{10da^3c^2x^9}{9} + \frac{2ea^2c^3x^{15}}{3} + \frac{10da^2c^3x^{13}}{13} + \frac{5eac^4x^{19}}{19} + \frac{5da^4c^4x^{17}}{17}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^4)^5*(d + e*x^2), x)

[Out] (a^5*e*x^3)/3 + (c^5*d*x^21)/21 + (c^5*e*x^23)/23 + a^5*d*x + (10*a^3*c^2*d*x^9)/9 + (10*a^2*c^3*d*x^13)/13 + (10*a^3*c^2*e*x^11)/11 + (2*a^2*c^3*e*x^15)/3 + a^4*c*d*x^5 + (5*a*c^4*d*x^17)/17 + (5*a^4*c*e*x^7)/7 + (5*a*c^4*e*x^19)/19

sympy [A] time = 0.09, size = 148, normalized size = 1.05

$$a^5dx + \frac{a^5ex^3}{3} + a^4cdx^5 + \frac{5a^4cex^7}{7} + \frac{10a^3c^2dx^9}{9} + \frac{10a^3c^2ex^{11}}{11} + \frac{10a^2c^3dx^{13}}{13} + \frac{2a^2c^3ex^{15}}{3} + \frac{5ac^4dx^{17}}{17} + \frac{5ac^4ex^{19}}{19} + \frac{c^5dx^{21}}{21} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+a)**5,x)

[Out] a**5*d*x + a**5*e*x**3/3 + a**4*c*d*x**5 + 5*a**4*c*e*x**7/7 + 10*a**3*c**2*d*x**9/9 + 10*a**3*c**2*e*x**11/11 + 10*a**2*c**3*d*x**13/13 + 2*a**2*c**3*e*x**15/3 + 5*a*c**4*d*x**17/17 + 5*a*c**4*e*x**19/19 + c**5*d*x**21/21 + c**5*e*x**23/23

$$3.5 \quad \int \frac{(d+ex^2)(a+cx^4)^5}{x} dx$$

Optimal. Leaf size=142

$$a^5 d \log(x) + \frac{1}{2} a^5 e x^2 + \frac{5}{4} a^4 c d x^4 + \frac{5}{6} a^4 c e x^6 + \frac{5}{4} a^3 c^2 d x^8 + a^3 c^2 e x^{10} + \frac{5}{6} a^2 c^3 d x^{12} + \frac{5}{7} a^2 c^3 e x^{14} + \frac{5}{16} a c^4 d x^{16} + \frac{5}{18} a c^4 e x^{18} + \frac{1}{20} c^5 d x^{20} + \frac{1}{22} c^5 e x^{22} + a^5 d \ln(x)$$

[Out] $1/2*a^5*e*x^2+5/4*a^4*c*d*x^4+5/6*a^4*c*e*x^6+5/4*a^3*c^2*d*x^8+a^3*c^2*e*x^{10}+5/6*a^2*c^3*d*x^{12}+5/7*a^2*c^3*e*x^{14}+5/16*a*c^4*d*x^{16}+5/18*a*c^4*e*x^{18}+1/20*c^5*d*x^{20}+1/22*c^5*e*x^{22}+a^5*d*\ln(x)$

Rubi [A] time = 0.11, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1252, 766}

$$\frac{5}{6} a^2 c^3 d x^{12} + \frac{5}{4} a^3 c^2 d x^8 + \frac{5}{7} a^2 c^3 e x^{14} + a^3 c^2 e x^{10} + \frac{5}{4} a^4 c d x^4 + \frac{5}{6} a^4 c e x^6 + a^5 d \log(x) + \frac{1}{2} a^5 e x^2 + \frac{5}{16} a c^4 d x^{16} + \frac{5}{18} a c^4 e x^{18} + \frac{1}{20} c^5 d x^{20} + \frac{1}{22} c^5 e x^{22} + a^5 d \ln(x)$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + c*x^4)^5)/x,x]

[Out] $(a^5 e x^2)/2 + (5 a^4 c d x^4)/4 + (5 a^4 c e x^6)/6 + (5 a^3 c^2 d x^8)/4 + a^3 c^2 e x^{10} + (5 a^2 c^3 d x^{12})/6 + (5 a^2 c^3 e x^{14})/7 + (5 a c^4 d x^{16})/16 + (5 a c^4 e x^{18})/18 + (c^5 d x^{20})/20 + (c^5 e x^{22})/22 + a^5 d \text{Log}[x]$

Rule 766

Int[((e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(f + g*x)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, e, f, g, m}, x] && IGtQ[p, 0]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\int \frac{(d + ex^2)(a + cx^2)^5}{x} dx = \frac{1}{2} \text{Subst} \left(\int \frac{(d + ex)(a + cx^2)^5}{x} dx, x, x^2 \right)$$

$$= \frac{1}{2} \text{Subst} \left(\int \left(a^5e + \frac{a^5d}{x} + 5a^4cdx + 5a^4cex^2 + 10a^3c^2dx^3 + 10a^3c^2ex^4 + 10a^2c^3dx^5 + \dots \right) dx, x, x^2 \right)$$

$$= \frac{1}{2} a^5 ex^2 + \frac{5}{4} a^4 c dx^4 + \frac{5}{6} a^4 c ex^6 + \frac{5}{4} a^3 c^2 dx^8 + a^3 c^2 ex^{10} + \frac{5}{6} a^2 c^3 dx^{12} + \frac{5}{7} a^2 c^3 ex^{14} + \frac{5}{16} a^2 c^3 dx^{16} + \frac{5}{18} a^2 c^3 ex^{18} + \frac{5}{20} a^2 c^3 dx^{20} + \frac{5}{22} a^2 c^3 ex^{22} + \frac{1}{2} a^5 d \log(x)$$

Mathematica [A] time = 0.01, size = 142, normalized size = 1.00

$$a^5 d \log(x) + \frac{1}{2} a^5 ex^2 + \frac{5}{4} a^4 c dx^4 + \frac{5}{6} a^4 c ex^6 + \frac{5}{4} a^3 c^2 dx^8 + a^3 c^2 ex^{10} + \frac{5}{6} a^2 c^3 dx^{12} + \frac{5}{7} a^2 c^3 ex^{14} + \frac{5}{16} a^2 c^3 dx^{16} + \frac{5}{18} a^2 c^3 ex^{18} + \frac{5}{20} a^2 c^3 dx^{20} + \frac{5}{22} a^2 c^3 ex^{22} + \frac{1}{2} a^5 d \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + c*x^4)^5)/x,x]

[Out] (a^5*e*x^2)/2 + (5*a^4*c*d*x^4)/4 + (5*a^4*c*e*x^6)/6 + (5*a^3*c^2*d*x^8)/4 + a^3*c^2*e*x^10 + (5*a^2*c^3*d*x^12)/6 + (5*a^2*c^3*e*x^14)/7 + (5*a*c^4*d*x^16)/16 + (5*a*c^4*e*x^18)/18 + (c^5*d*x^20)/20 + (c^5*e*x^22)/22 + a^5*d*Log[x]

fricas [A] time = 0.58, size = 122, normalized size = 0.86

$$\frac{1}{22} c^5 ex^{22} + \frac{1}{20} c^5 dx^{20} + \frac{5}{18} ac^4 ex^{18} + \frac{5}{16} ac^4 dx^{16} + \frac{5}{7} a^2 c^3 ex^{14} + \frac{5}{6} a^2 c^3 dx^{12} + a^3 c^2 ex^{10} + \frac{5}{4} a^3 c^2 dx^8 + \frac{5}{6} a^4 c ex^6 + \frac{5}{4} a^4 c dx^4 + \frac{1}{2} a^5 ex^2 + \frac{1}{2} a^5 d \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5/x,x, algorithm="fricas")

[Out] 1/22*c^5*e*x^22 + 1/20*c^5*d*x^20 + 5/18*a*c^4*e*x^18 + 5/16*a*c^4*d*x^16 + 5/7*a^2*c^3*e*x^14 + 5/6*a^2*c^3*d*x^12 + a^3*c^2*e*x^10 + 5/4*a^3*c^2*d*x^8 + 5/6*a^4*c*e*x^6 + 5/4*a^4*c*d*x^4 + 1/2*a^5*e*x^2 + a^5*d*log(x)

giac [A] time = 0.20, size = 131, normalized size = 0.92

$$\frac{1}{22} c^5 x^{22} e + \frac{1}{20} c^5 dx^{20} + \frac{5}{18} ac^4 x^{18} e + \frac{5}{16} ac^4 dx^{16} + \frac{5}{7} a^2 c^3 x^{14} e + \frac{5}{6} a^2 c^3 dx^{12} + a^3 c^2 x^{10} e + \frac{5}{4} a^3 c^2 dx^8 + \frac{5}{6} a^4 cx^6 e + \frac{5}{4} a^4 c dx^4 + \frac{1}{2} a^5 ex^2 + \frac{1}{2} a^5 d \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5/x,x, algorithm="giac")

[Out] $1/22*c^5*x^{22}*e + 1/20*c^5*d*x^{20} + 5/18*a*c^4*x^{18}*e + 5/16*a*c^4*d*x^{16} + 5/7*a^2*c^3*x^{14}*e + 5/6*a^2*c^3*d*x^{12} + a^3*c^2*x^{10}*e + 5/4*a^3*c^2*d*x^{8} + 5/6*a^4*c*x^6*e + 5/4*a^4*c*d*x^4 + 1/2*a^5*x^2*e + 1/2*a^5*d*log(x^2)$

maple [A] time = 0.01, size = 123, normalized size = 0.87

$$\frac{c^5 e x^{22}}{22} + \frac{c^5 d x^{20}}{20} + \frac{5 a c^4 e x^{18}}{18} + \frac{5 a c^4 d x^{16}}{16} + \frac{5 a^2 c^3 e x^{14}}{7} + \frac{5 a^2 c^3 d x^{12}}{6} + a^3 c^2 e x^{10} + \frac{5 a^3 c^2 d x^8}{4} + \frac{5 a^4 c e x^6}{6} + \frac{5 a^4 c d x^4}{4} + \frac{a^5 x^2 e}{2} + \frac{a^5 d \log(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(c*x^4+a)^5/x,x)`

[Out] $1/2*a^5*e*x^2+5/4*a^4*c*d*x^4+5/6*a^4*c*e*x^6+5/4*a^3*c^2*d*x^8+a^3*c^2*e*x^{10}+5/6*a^2*c^3*d*x^{12}+5/7*a^2*c^3*e*x^{14}+5/16*a*c^4*d*x^{16}+5/18*a*c^4*e*x^{18}+1/20*c^5*d*x^{20}+1/22*c^5*e*x^{22}+a^5*d*\ln(x)$

maxima [A] time = 0.52, size = 125, normalized size = 0.88

$$\frac{1}{22} c^5 e x^{22} + \frac{1}{20} c^5 d x^{20} + \frac{5}{18} a c^4 e x^{18} + \frac{5}{16} a c^4 d x^{16} + \frac{5}{7} a^2 c^3 e x^{14} + \frac{5}{6} a^2 c^3 d x^{12} + a^3 c^2 e x^{10} + \frac{5}{4} a^3 c^2 d x^8 + \frac{5}{6} a^4 c e x^6 + \frac{5}{4} a^4 c d x^4 + \frac{a^5 x^2 e}{2} + \frac{a^5 d \log(x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(c*x^4+a)^5/x,x, algorithm="maxima")`

[Out] $1/22*c^5*e*x^{22} + 1/20*c^5*d*x^{20} + 5/18*a*c^4*e*x^{18} + 5/16*a*c^4*d*x^{16} + 5/7*a^2*c^3*e*x^{14} + 5/6*a^2*c^3*d*x^{12} + a^3*c^2*e*x^{10} + 5/4*a^3*c^2*d*x^{8} + 5/6*a^4*c*e*x^6 + 5/4*a^4*c*d*x^4 + 1/2*a^5*e*x^2 + 1/2*a^5*d*log(x^2)$

mupad [B] time = 0.11, size = 122, normalized size = 0.86

$$\frac{a^5 e x^2}{2} + \frac{c^5 d x^{20}}{20} + \frac{c^5 e x^{22}}{22} + a^5 d \ln(x) + \frac{5 a^3 c^2 d x^8}{4} + \frac{5 a^2 c^3 d x^{12}}{6} + a^3 c^2 e x^{10} + \frac{5 a^2 c^3 e x^{14}}{7} + \frac{5 a^4 c d x^4}{4} + \frac{5 a c^4 d x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((a + c*x^4)^5*(d + e*x^2))/x,x)`

[Out] $(a^5*e*x^2)/2 + (c^5*d*x^{20})/20 + (c^5*e*x^{22})/22 + a^5*d*log(x) + (5*a^3*c^2*d*x^8)/4 + (5*a^2*c^3*d*x^{12})/6 + a^3*c^2*e*x^{10} + (5*a^2*c^3*e*x^{14})/7 + (5*a^4*c*d*x^4)/4 + (5*a*c^4*d*x^{16})/16 + (5*a^4*c*e*x^6)/6 + (5*a*c^4*e*x^{18})/18$

sympy [A] time = 0.25, size = 150, normalized size = 1.06

$$a^5 d \log(x) + \frac{a^5 e x^2}{2} + \frac{5 a^4 c d x^4}{4} + \frac{5 a^4 c e x^6}{6} + \frac{5 a^3 c^2 d x^8}{4} + a^3 c^2 e x^{10} + \frac{5 a^2 c^3 d x^{12}}{6} + \frac{5 a^2 c^3 e x^{14}}{7} + \frac{5 a c^4 d x^{16}}{16} + \frac{5 a c^4 e x^{18}}{18} + \frac{c^5 d x^{20}}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)*(c*x**4+a)**5/x,x)
```

```
[Out] a**5*d*log(x) + a**5*e*x**2/2 + 5*a**4*c*d*x**4/4 + 5*a**4*c*e*x**6/6 + 5*a**3*c**2*d*x**8/4 + a**3*c**2*e*x**10 + 5*a**2*c**3*d*x**12/6 + 5*a**2*c**3*e*x**14/7 + 5*a*c**4*d*x**16/16 + 5*a*c**4*e*x**18/18 + c**5*d*x**20/20 + c**5*e*x**22/22
```


$$3.6 \quad \int \frac{(d+ex^2)(a+cx^4)^5}{x^2} dx$$

Optimal. Leaf size=139

$$-\frac{a^5d}{x} + a^5ex + \frac{5}{3}a^4cdx^3 + a^4cex^5 + \frac{10}{7}a^3c^2dx^7 + \frac{10}{9}a^3c^2ex^9 + \frac{10}{11}a^2c^3dx^{11} + \frac{10}{13}a^2c^3ex^{13} + \frac{1}{3}ac^4dx^{15} + \frac{5}{17}ac^4ex^{17} + \frac{1}{19}c^5dx^{19} + \frac{1}{21}c^5ex^{21}$$

[Out] $-a^5d/x + a^5e*x + 5/3*a^4*c*d*x^3 + a^4*c*e*x^5 + 10/7*a^3*c^2*d*x^7 + 10/9*a^3*c^2*e*x^9 + 10/11*a^2*c^3*d*x^11 + 10/13*a^2*c^3*e*x^13 + 1/3*a*c^4*d*x^15 + 5/17*a*c^4*e*x^17 + 1/19*c^5*d*x^19 + 1/21*c^5*e*x^21$

Rubi [A] time = 0.08, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {1262}

$$\frac{10}{11}a^2c^3dx^{11} + \frac{10}{7}a^3c^2dx^7 + \frac{10}{13}a^2c^3ex^{13} + \frac{10}{9}a^3c^2ex^9 + \frac{5}{3}a^4cdx^3 + a^4cex^5 - \frac{a^5d}{x} + a^5ex + \frac{1}{3}ac^4dx^{15} + \frac{5}{17}ac^4ex^{17} + \frac{1}{19}c^5dx^{19} + \frac{1}{21}c^5ex^{21}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + c*x^4)^5)/x^2, x]

[Out] $-((a^5*d)/x) + a^5*e*x + (5*a^4*c*d*x^3)/3 + a^4*c*e*x^5 + (10*a^3*c^2*d*x^7)/7 + (10*a^3*c^2*e*x^9)/9 + (10*a^2*c^3*d*x^11)/11 + (10*a^2*c^3*e*x^13)/13 + (a*c^4*d*x^15)/3 + (5*a*c^4*e*x^17)/17 + (c^5*d*x^19)/19 + (c^5*e*x^21)/21$

Rule 1262

Int[((f_.)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e, f, m, q}, x] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex^2)(a+cx^4)^5}{x^2} dx &= \int \left(a^5e + \frac{a^5d}{x^2} + 5a^4cdx^2 + 5a^4cex^4 + 10a^3c^2dx^6 + 10a^3c^2ex^8 + 10a^2c^3dx^{10} + 10a^2c^3ex^{12} \right. \\ &\quad \left. - \frac{a^5d}{x} + a^5ex + \frac{5}{3}a^4cdx^3 + a^4cex^5 + \frac{10}{7}a^3c^2dx^7 + \frac{10}{9}a^3c^2ex^9 + \frac{10}{11}a^2c^3dx^{11} + \frac{10}{13}a^2c^3ex^{13} \right) dx \end{aligned}$$

Mathematica [A] time = 0.01, size = 139, normalized size = 1.00

$$-\frac{a^5d}{x} + a^5ex + \frac{5}{3}a^4cdx^3 + a^4cex^5 + \frac{10}{7}a^3c^2dx^7 + \frac{10}{9}a^3c^2ex^9 + \frac{10}{11}a^2c^3dx^{11} + \frac{10}{13}a^2c^3ex^{13} + \frac{1}{3}ac^4dx^{15} + \frac{5}{17}ac^4ex^{17} + \frac{1}{19}c^5dx^{19} + \frac{1}{21}c^5ex^{21}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + c*x^4)^5)/x^2,x]

[Out] $-\frac{(a^5*d)}{x} + a^5*e*x + \frac{(5*a^4*c*d*x^3)}{3} + a^4*c*e*x^5 + \frac{(10*a^3*c^2*d*x^7)}{7} + \frac{(10*a^3*c^2*e*x^9)}{9} + \frac{(10*a^2*c^3*d*x^11)}{11} + \frac{(10*a^2*c^3*e*x^13)}{13} + \frac{(a*c^4*d*x^15)}{3} + \frac{(5*a*c^4*e*x^17)}{17} + \frac{(c^5*d*x^19)}{19} + \frac{(c^5*e*x^21)}{21}$

fricas [A] time = 0.67, size = 127, normalized size = 0.91

$$\frac{138567 c^5 e x^{22} + 153153 c^5 d x^{20} + 855855 a c^4 e x^{18} + 969969 a c^4 d x^{16} + 2238390 a^2 c^3 e x^{14} + 2645370 a^2 c^3 d x^{12} + 3233230 a^3 c^2 e x^{10} + 4157010 a^3 c^2 d x^8 + 2909907 a^4 c e x^6 + 4849845 a^4 c d x^4 + 2909907 a^5 e x^2 - 2909907 a^5 d}{2909907 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5/x^2,x, algorithm="fricas")

[Out] $\frac{1}{2909907} * (138567 * c^5 * e * x^{22} + 153153 * c^5 * d * x^{20} + 855855 * a * c^4 * e * x^{18} + 969969 * a * c^4 * d * x^{16} + 2238390 * a^2 * c^3 * e * x^{14} + 2645370 * a^2 * c^3 * d * x^{12} + 3233230 * a^3 * c^2 * e * x^{10} + 4157010 * a^3 * c^2 * d * x^8 + 2909907 * a^4 * c * e * x^6 + 4849845 * a^4 * c * d * x^4 + 2909907 * a^5 * e * x^2 - 2909907 * a^5 * d) / x$

giac [A] time = 0.20, size = 127, normalized size = 0.91

$$\frac{1}{21} c^5 x^{21} e + \frac{1}{19} c^5 d x^{19} + \frac{5}{17} a c^4 x^{17} e + \frac{1}{3} a c^4 d x^{15} + \frac{10}{13} a^2 c^3 x^{13} e + \frac{10}{11} a^2 c^3 d x^{11} + \frac{10}{9} a^3 c^2 x^9 e + \frac{10}{7} a^3 c^2 d x^7 + a^4 c x^5 e + \frac{5}{3} a^4 c d x^3 + a^5 e x - a^5 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5/x^2,x, algorithm="giac")

[Out] $\frac{1}{21} * c^5 * x^{21} * e + \frac{1}{19} * c^5 * d * x^{19} + \frac{5}{17} * a * c^4 * x^{17} * e + \frac{1}{3} * a * c^4 * d * x^{15} + \frac{10}{13} * a^2 * c^3 * x^{13} * e + \frac{10}{11} * a^2 * c^3 * d * x^{11} + \frac{10}{9} * a^3 * c^2 * x^9 * e + \frac{10}{7} * a^3 * c^2 * d * x^7 + a^4 * c * x^5 * e + \frac{5}{3} * a^4 * c * d * x^3 + a^5 * x * e - a^5 * d / x$

maple [A] time = 0.02, size = 122, normalized size = 0.88

$$\frac{c^5 e x^{21}}{21} + \frac{c^5 d x^{19}}{19} + \frac{5 a c^4 e x^{17}}{17} + \frac{a c^4 d x^{15}}{3} + \frac{10 a^2 c^3 e x^{13}}{13} + \frac{10 a^2 c^3 d x^{11}}{11} + \frac{10 a^3 c^2 e x^9}{9} + \frac{10 a^3 c^2 d x^7}{7} + a^4 c e x^5 + \frac{5 a^4 c d x^3}{3} + a^5 e x - a^5 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(c*x^4+a)^5/x^2,x)

[Out] $-a^5*d/x + a^5*e*x + \frac{5}{3} * a^4 * c * d * x^3 + a^4 * c * e * x^5 + \frac{10}{7} * a^3 * c^2 * d * x^7 + \frac{10}{9} * a^3 * c^2 * e * x^9 + \frac{10}{11} * a^2 * c^3 * d * x^{11} + \frac{10}{13} * a^2 * c^3 * e * x^{13} + \frac{1}{3} * a * c^4 * d * x^{15} + \frac{5}{17} * a * c^4 * e * x^{17} + \frac{1}{19} * c^5 * d * x^{19} + \frac{1}{21} * c^5 * e * x^{21}$

maxima [A] time = 0.52, size = 121, normalized size = 0.87

$$\frac{1}{21}c^5ex^{21} + \frac{1}{19}c^5dx^{19} + \frac{5}{17}ac^4ex^{17} + \frac{1}{3}ac^4dx^{15} + \frac{10}{13}a^2c^3ex^{13} + \frac{10}{11}a^2c^3dx^{11} + \frac{10}{9}a^3c^2ex^9 + \frac{10}{7}a^3c^2dx^7 + a^4cex^5 + \frac{5}{3}a^4d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5/x^2,x, algorithm="maxima")

[Out] 1/21*c^5*e*x^21 + 1/19*c^5*d*x^19 + 5/17*a*c^4*e*x^17 + 1/3*a*c^4*d*x^15 + 10/13*a^2*c^3*e*x^13 + 10/11*a^2*c^3*d*x^11 + 10/9*a^3*c^2*e*x^9 + 10/7*a^3*c^2*d*x^7 + a^4*c*e*x^5 + 5/3*a^4*c*d*x^3 + a^5*e*x - a^5*d/x

mupad [B] time = 0.09, size = 121, normalized size = 0.87

$$\frac{c^5 dx^{19}}{19} - \frac{a^5 d}{x} + \frac{c^5 ex^{21}}{21} + a^5 ex + \frac{10 a^3 c^2 dx^7}{7} + \frac{10 a^2 c^3 dx^{11}}{11} + \frac{10 a^3 c^2 ex^9}{9} + \frac{10 a^2 c^3 ex^{13}}{13} + \frac{5 a^4 c dx^3}{3} + \frac{a c^4 dx^{15}}{3} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((a + c*x^4)^5*(d + e*x^2))/x^2,x)

[Out] (c^5*d*x^19)/19 - (a^5*d)/x + (c^5*e*x^21)/21 + a^5*e*x + (10*a^3*c^2*d*x^7)/7 + (10*a^2*c^3*d*x^11)/11 + (10*a^3*c^2*e*x^9)/9 + (10*a^2*c^3*e*x^13)/13 + (5*a^4*c*d*x^3)/3 + (a*c^4*d*x^15)/3 + a^4*c*e*x^5 + (5*a*c^4*e*x^17)/17

sympy [A] time = 0.24, size = 143, normalized size = 1.03

$$-\frac{a^5 d}{x} + a^5 ex + \frac{5a^4 c dx^3}{3} + a^4 c ex^5 + \frac{10a^3 c^2 dx^7}{7} + \frac{10a^3 c^2 ex^9}{9} + \frac{10a^2 c^3 dx^{11}}{11} + \frac{10a^2 c^3 ex^{13}}{13} + \frac{a c^4 dx^{15}}{3} + \frac{5a c^4 ex^{17}}{17} + \frac{c^5 dx^{19}}{19} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+a)**5/x**2,x)

[Out] -a**5*d/x + a**5*e*x + 5*a**4*c*d*x**3/3 + a**4*c*e*x**5 + 10*a**3*c**2*d*x**7/7 + 10*a**3*c**2*e*x**9/9 + 10*a**2*c**3*d*x**11/11 + 10*a**2*c**3*e*x**13/13 + a*c**4*d*x**15/3 + 5*a*c**4*e*x**17/17 + c**5*d*x**19/19 + c**5*e*x**21/21

$$3.7 \quad \int \frac{(d+ex^2)(a+cx^4)^5}{x^3} dx$$

Optimal. Leaf size=142

$$-\frac{a^5d}{2x^2} + a^5e \log(x) + \frac{5}{2}a^4cdx^2 + \frac{5}{4}a^4cex^4 + \frac{5}{3}a^3c^2dx^6 + \frac{5}{4}a^3c^2ex^8 + a^2c^3dx^{10} + \frac{5}{6}a^2c^3ex^{12} + \frac{5}{14}ac^4dx^{14} + \frac{5}{16}ac^4ex^{16} + \frac{1}{18}c^5d$$

[Out] $-1/2*a^5*d/x^2 + 5/2*a^4*c*d*x^2 + 5/4*a^4*c*e*x^4 + 5/3*a^3*c^2*d*x^6 + 5/4*a^3*c^2*e*x^8 + a^2*c^3*d*x^{10} + 5/6*a^2*c^3*e*x^{12} + 5/14*a*c^4*d*x^{14} + 5/16*a*c^4*e*x^{16} + 1/18*c^5*d*x^{18} + 1/20*c^5*e*x^{20} + a^5*e*\ln(x)$

Rubi [A] time = 0.12, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1252, 766}

$$a^2c^3dx^{10} + \frac{5}{3}a^3c^2dx^6 + \frac{5}{6}a^2c^3ex^{12} + \frac{5}{4}a^3c^2ex^8 + \frac{5}{2}a^4cdx^2 + \frac{5}{4}a^4cex^4 - \frac{a^5d}{2x^2} + a^5e \log(x) + \frac{5}{14}ac^4dx^{14} + \frac{5}{16}ac^4ex^{16} + \frac{1}{18}c^5dx^{18}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + c*x^4)^5)/x^3, x]

[Out] $-(a^5*d)/(2*x^2) + (5*a^4*c*d*x^2)/2 + (5*a^4*c*e*x^4)/4 + (5*a^3*c^2*d*x^6)/3 + (5*a^3*c^2*e*x^8)/4 + a^2*c^3*d*x^{10} + (5*a^2*c^3*e*x^{12})/6 + (5*a*c^4*d*x^{14})/14 + (5*a*c^4*e*x^{16})/16 + (c^5*d*x^{18})/18 + (c^5*e*x^{20})/20 + a^5*e*\text{Log}[x]$

Rule 766

Int[((e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_.) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(f + g*x)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, e, f, g, m}, x] && IGtQ[p, 0]

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex^2)(a+cx^4)^5}{x^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)(a+cx^2)^5}{x^2} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(5a^4cd + \frac{a^5d}{x^2} + \frac{a^5e}{x} + 5a^4cex + 10a^3c^2dx^2 + 10a^3c^2ex^3 + 10a^2c^3dx^4 + \right. \right. \\ &\quad \left. \left. - \frac{a^5d}{2x^2} + \frac{5}{2}a^4cdx^2 + \frac{5}{4}a^4cex^4 + \frac{5}{3}a^3c^2dx^6 + \frac{5}{4}a^3c^2ex^8 + a^2c^3dx^{10} + \frac{5}{6}a^2c^3ex^{12} + \frac{5}{14} \right. \right. \end{aligned}$$

Mathematica [A] time = 0.01, size = 142, normalized size = 1.00

$$-\frac{a^5d}{2x^2} + a^5e \log(x) + \frac{5}{2}a^4cdx^2 + \frac{5}{4}a^4cex^4 + \frac{5}{3}a^3c^2dx^6 + \frac{5}{4}a^3c^2ex^8 + a^2c^3dx^{10} + \frac{5}{6}a^2c^3ex^{12} + \frac{5}{14}ac^4dx^{14} + \frac{5}{16}ac^4ex^{16} + \frac{1}{18}c^5$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(a + c*x^4)^5)/x^3,x]

[Out] -1/2*(a^5*d)/x^2 + (5*a^4*c*d*x^2)/2 + (5*a^4*c*e*x^4)/4 + (5*a^3*c^2*d*x^6)/3 + (5*a^3*c^2*e*x^8)/4 + a^2*c^3*d*x^10 + (5*a^2*c^3*e*x^12)/6 + (5*a*c^4*d*x^14)/14 + (5*a*c^4*e*x^16)/16 + (c^5*d*x^18)/18 + (c^5*e*x^20)/20 + a^5*e*Log[x]

fricas [A] time = 0.69, size = 129, normalized size = 0.91

$$\frac{252c^5ex^{22} + 280c^5dx^{20} + 1575ac^4ex^{18} + 1800ac^4dx^{16} + 4200a^2c^3ex^{14} + 5040a^2c^3dx^{12} + 6300a^3c^2ex^{10} + 8400a^3c^2dx^{10} + 12600a^4c^2ex^8 + 12600a^4c^2dx^6 + 5040a^5ex^4 + 5040a^5dx^2}{5040x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+a)^5/x^3,x, algorithm="fricas")

[Out] 1/5040*(252*c^5*e*x^22 + 280*c^5*d*x^20 + 1575*a*c^4*e*x^18 + 1800*a*c^4*d*x^16 + 4200*a^2*c^3*e*x^14 + 5040*a^2*c^3*d*x^12 + 6300*a^3*c^2*e*x^10 + 8400*a^3*c^2*d*x^8 + 6300*a^4*c^2*e*x^6 + 12600*a^4*c^2*d*x^4 + 5040*a^5*e*x^2)*log(x) - 2520*a^5*d)/x^2

giac [A] time = 0.21, size = 142, normalized size = 1.00

$$\frac{1}{20}c^5x^{20}e + \frac{1}{18}c^5dx^{18} + \frac{5}{16}ac^4x^{16}e + \frac{5}{14}ac^4dx^{14} + \frac{5}{6}a^2c^3x^{12}e + a^2c^3dx^{10} + \frac{5}{4}a^3c^2x^8e + \frac{5}{3}a^3c^2dx^6 + \frac{5}{4}a^4cx^4e + \frac{5}{2}a^4cdx^2$$

Verification of antiderivative is not currently implemented for this CAS.

sympy [A] time = 0.28, size = 150, normalized size = 1.06

$$-\frac{a^5 d}{2x^2} + a^5 e \log(x) + \frac{5a^4 c dx^2}{2} + \frac{5a^4 c e x^4}{4} + \frac{5a^3 c^2 dx^6}{3} + \frac{5a^3 c^2 e x^8}{4} + a^2 c^3 dx^{10} + \frac{5a^2 c^3 e x^{12}}{6} + \frac{5ac^4 dx^{14}}{14} + \frac{5ac^4 e x^{16}}{16} + \frac{c^5 dx^{18}}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+a)**5/x**3,x)

[Out] -a**5*d/(2*x**2) + a**5*e*log(x) + 5*a**4*c*d*x**2/2 + 5*a**4*c*e*x**4/4 + 5*a**3*c**2*d*x**6/3 + 5*a**3*c**2*e*x**8/4 + a**2*c**3*d*x**10 + 5*a**2*c**3*e*x**12/6 + 5*a*c**4*d*x**14/14 + 5*a*c**4*e*x**16/16 + c**5*d*x**18/18 + c**5*e*x**20/20

3.8 $\int x^5 (2 + 3x^2) \sqrt{5 + x^4} dx$

Optimal. Leaf size=67

$$\frac{3}{10} (x^4 + 5)^{3/2} x^4 - \frac{25}{8} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{5}{8} \sqrt{x^4 + 5} x^2 - \frac{1}{4} (4 - x^2) (x^4 + 5)^{3/2}$$

[Out] 3/10*x^4*(x^4+5)^(3/2)-1/4*(-x^2+4)*(x^4+5)^(3/2)-25/8*arcsinh(1/5*x^2*5^(1/2))-5/8*x^2*(x^4+5)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1252, 833, 780, 195, 215}

$$\frac{3}{10} (x^4 + 5)^{3/2} x^4 - \frac{5}{8} \sqrt{x^4 + 5} x^2 - \frac{1}{4} (4 - x^2) (x^4 + 5)^{3/2} - \frac{25}{8} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)$$

Antiderivative was successfully verified.

[In] Int[x^5*(2 + 3*x^2)*Sqrt[5 + x^4],x]

[Out] (-5*x^2*Sqrt[5 + x^4])/8 + (3*x^4*(5 + x^4)^(3/2))/10 - ((4 - x^2)*(5 + x^4)^(3/2))/4 - (25*ArcSinh[x^2/Sqrt[5]])/8

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1)/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int x^5 (2 + 3x^2) \sqrt{5 + x^4} dx &= \frac{1}{2} \text{Subst} \left(\int x^2 (2 + 3x) \sqrt{5 + x^2} dx, x, x^2 \right) \\
&= \frac{3}{10} x^4 (5 + x^4)^{3/2} + \frac{1}{10} \text{Subst} \left(\int x(-30 + 10x) \sqrt{5 + x^2} dx, x, x^2 \right) \\
&= \frac{3}{10} x^4 (5 + x^4)^{3/2} - \frac{1}{4} (4 - x^2) (5 + x^4)^{3/2} - \frac{5}{4} \text{Subst} \left(\int \sqrt{5 + x^2} dx, x, x^2 \right) \\
&= -\frac{5}{8} x^2 \sqrt{5 + x^4} + \frac{3}{10} x^4 (5 + x^4)^{3/2} - \frac{1}{4} (4 - x^2) (5 + x^4)^{3/2} - \frac{25}{8} \text{Subst} \left(\int \frac{1}{\sqrt{5 + x^2}} dx, x, x^2 \right) \\
&= -\frac{5}{8} x^2 \sqrt{5 + x^4} + \frac{3}{10} x^4 (5 + x^4)^{3/2} - \frac{1}{4} (4 - x^2) (5 + x^4)^{3/2} - \frac{25}{8} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 50, normalized size = 0.75

$$\frac{1}{40} \sqrt{x^4 + 5} (12x^8 + 10x^6 + 20x^4 + 25x^2 - 200) - \frac{25}{8} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^5*(2 + 3*x^2)*Sqrt[5 + x^4], x]
```

```
[Out] (Sqrt[5 + x^4]*(-200 + 25*x^2 + 20*x^4 + 10*x^6 + 12*x^8))/40 - (25*ArcSinh[x^2/Sqrt[5]])/8
```

fricas [A] time = 0.49, size = 48, normalized size = 0.72

$$\frac{1}{40} (12x^8 + 10x^6 + 20x^4 + 25x^2 - 200)\sqrt{x^4 + 5} + \frac{25}{8} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="fricas")

[Out] 1/40*(12*x^8 + 10*x^6 + 20*x^4 + 25*x^2 - 200)*sqrt(x^4 + 5) + 25/8*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.23, size = 54, normalized size = 0.81

$$\frac{1}{8} (2x^4 + 5)\sqrt{x^4 + 5}x^2 + \frac{3}{10} (x^4 + 5)^{\frac{5}{2}} - \frac{5}{2} (x^4 + 5)^{\frac{3}{2}} + \frac{25}{8} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="giac")

[Out] 1/8*(2*x^4 + 5)*sqrt(x^4 + 5)*x^2 + 3/10*(x^4 + 5)^(5/2) - 5/2*(x^4 + 5)^(3/2) + 25/8*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.05, size = 53, normalized size = 0.79

$$\frac{(x^4 + 5)^{\frac{3}{2}} x^2}{4} - \frac{5\sqrt{x^4 + 5} x^2}{8} - \frac{25 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{8} + \frac{(x^4 + 5)^{\frac{3}{2}} (3x^4 - 10)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(3*x^2+2)*(x^4+5)^(1/2),x)

[Out] 1/10*(x^4+5)^(3/2)*(3*x^4-10)+1/4*x^2*(x^4+5)^(3/2)-5/8*x^2*(x^4+5)^(1/2)-25/8*arcsinh(1/5*x^2*5^(1/2))

maxima [B] time = 1.01, size = 102, normalized size = 1.52

$$\frac{3}{10} (x^4 + 5)^{\frac{5}{2}} - \frac{5}{2} (x^4 + 5)^{\frac{3}{2}} - \frac{25 \left(\frac{\sqrt{x^4 + 5}}{x^2} + \frac{(x^4 + 5)^{\frac{3}{2}}}{x^6} \right)}{8 \left(\frac{2(x^4 + 5)}{x^4} - \frac{(x^4 + 5)^2}{x^8} - 1 \right)} - \frac{25}{16} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} + 1 \right) + \frac{25}{16} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="maxima")

[Out] $3/10*(x^4 + 5)^{(5/2)} - 5/2*(x^4 + 5)^{(3/2)} - 25/8*(\sqrt{x^4 + 5})/x^2 + (x^4 + 5)^{(3/2)}/x^6 / (2*(x^4 + 5)/x^4 - (x^4 + 5)^2/x^8 - 1) - 25/16*\log(\sqrt{x^4 + 5})/x^2 + 1) + 25/16*\log(\sqrt{x^4 + 5})/x^2 - 1)$

mupad [B] time = 0.37, size = 42, normalized size = 0.63

$$\sqrt{x^4 + 5} \left(\frac{3x^8}{10} + \frac{x^6}{4} + \frac{x^4}{2} + \frac{5x^2}{8} - 5 \right) - \frac{25 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(x^4 + 5)^(1/2)*(3*x^2 + 2), x)`

[Out] $(x^4 + 5)^{(1/2)}*((5*x^2)/8 + x^4/2 + x^6/4 + (3*x^8)/10 - 5) - (25*\operatorname{asinh}((5^{(1/2)}*x^2)/5))/8$

sympy [A] time = 6.01, size = 97, normalized size = 1.45

$$\frac{x^{10}}{4\sqrt{x^4 + 5}} + \frac{3x^8\sqrt{x^4 + 5}}{10} + \frac{15x^6}{8\sqrt{x^4 + 5}} + \frac{x^4\sqrt{x^4 + 5}}{2} + \frac{25x^2}{8\sqrt{x^4 + 5}} - 5\sqrt{x^4 + 5} - \frac{25 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(3*x**2+2)*(x**4+5)**(1/2), x)`

[Out] $x^{10}/(4*\sqrt{x^{4} + 5}) + 3*x^{8}*\sqrt{x^{4} + 5}/10 + 15*x^{6}/(8*\sqrt{x^{4} + 5}) + x^{4}*\sqrt{x^{4} + 5}/2 + 25*x^{2}/(8*\sqrt{x^{4} + 5}) - 5*\sqrt{x^{4} + 5} - 25*\operatorname{asinh}(\sqrt{5}*x^{2}/5)/8$

3.9 $\int x^3 (2 + 3x^2) \sqrt{5 + x^4} dx$

Optimal. Leaf size=51

$$-\frac{75}{16} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{15}{16} \sqrt{x^4 + 5} x^2 + \frac{1}{24} (9x^2 + 8)(x^4 + 5)^{3/2}$$

[Out] 1/24*(9*x^2+8)*(x^4+5)^(3/2)-75/16*arcsinh(1/5*x^2*5^(1/2))-15/16*x^2*(x^4+5)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1252, 780, 195, 215}

$$-\frac{15}{16} \sqrt{x^4 + 5} x^2 + \frac{1}{24} (9x^2 + 8)(x^4 + 5)^{3/2} - \frac{75}{16} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[x^3*(2 + 3*x^2)*Sqrt[5 + x^4],x]

[Out] (-15*x^2*Sqrt[5 + x^4])/16 + ((8 + 9*x^2)*(5 + x^4)^(3/2))/24 - (75*ArcSinh[x^2/Sqrt[5]])/16

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1)/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :=> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned} \int x^3 (2 + 3x^2) \sqrt{5 + x^4} dx &= \frac{1}{2} \text{Subst} \left(\int x(2 + 3x) \sqrt{5 + x^2} dx, x, x^2 \right) \\ &= \frac{1}{24} (8 + 9x^2) (5 + x^4)^{3/2} - \frac{15}{8} \text{Subst} \left(\int \sqrt{5 + x^2} dx, x, x^2 \right) \\ &= -\frac{15}{16} x^2 \sqrt{5 + x^4} + \frac{1}{24} (8 + 9x^2) (5 + x^4)^{3/2} - \frac{75}{16} \text{Subst} \left(\int \frac{1}{\sqrt{5 + x^2}} dx, x, x^2 \right) \\ &= -\frac{15}{16} x^2 \sqrt{5 + x^4} + \frac{1}{24} (8 + 9x^2) (5 + x^4)^{3/2} - \frac{75}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.03, size = 44, normalized size = 0.86

$$\frac{1}{48} \left(\sqrt{x^4 + 5} (18x^6 + 16x^4 + 45x^2 + 80) - 225 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(2 + 3*x^2)*Sqrt[5 + x^4], x]

[Out] (Sqrt[5 + x^4]*(80 + 45*x^2 + 16*x^4 + 18*x^6) - 225*ArcSinh[x^2/Sqrt[5]])/48

fricas [A] time = 0.57, size = 43, normalized size = 0.84

$$\frac{1}{48} (18x^6 + 16x^4 + 45x^2 + 80) \sqrt{x^4 + 5} + \frac{75}{16} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5)^(1/2), x, algorithm="fricas")

[Out] 1/48*(18*x^6 + 16*x^4 + 45*x^2 + 80)*sqrt(x^4 + 5) + 75/16*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.23, size = 45, normalized size = 0.88

$$\frac{3}{16} (2x^4 + 5) \sqrt{x^4 + 5} x^2 + \frac{1}{3} (x^4 + 5)^{3/2} + \frac{75}{16} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="giac")

[Out] 3/16*(2*x^4 + 5)*sqrt(x^4 + 5)*x^2 + 1/3*(x^4 + 5)^(3/2) + 75/16*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 46, normalized size = 0.90

$$\frac{3(x^4 + 5)^{\frac{3}{2}} x^2}{8} - \frac{15\sqrt{x^4 + 5} x^2}{16} - \frac{75 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16} + \frac{(x^4 + 5)^{\frac{3}{2}}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(3*x^2+2)*(x^4+5)^(1/2),x)

[Out] 3/8*(x^4+5)^(3/2)*x^2-15/16*(x^4+5)^(1/2)*x^2-75/16*arcsinh(1/5*5^(1/2)*x^2)+1/3*(x^4+5)^(3/2)

maxima [B] time = 1.02, size = 93, normalized size = 1.82

$$\frac{1}{3}(x^4 + 5)^{\frac{3}{2}} - \frac{75 \left(\frac{\sqrt{x^4 + 5}}{x^2} + \frac{(x^4 + 5)^{\frac{3}{2}}}{x^6} \right)}{16 \left(\frac{2(x^4 + 5)}{x^4} - \frac{(x^4 + 5)^2}{x^8} - 1 \right)} - \frac{75}{32} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} + 1 \right) + \frac{75}{32} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="maxima")

[Out] 1/3*(x^4 + 5)^(3/2) - 75/16*(sqrt(x^4 + 5)/x^2 + (x^4 + 5)^(3/2)/x^6)/(2*(x^4 + 5)/x^4 - (x^4 + 5)^2/x^8 - 1) - 75/32*log(sqrt(x^4 + 5)/x^2 + 1) + 75/32*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.39, size = 37, normalized size = 0.73

$$\sqrt{x^4 + 5} \left(\frac{3x^6}{8} + \frac{x^4}{3} + \frac{15x^2}{16} + \frac{5}{3} \right) - \frac{75 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(x^4 + 5)^(1/2)*(3*x^2 + 2),x)

[Out] (x^4 + 5)^(1/2)*((15*x^2)/16 + x^4/3 + (3*x^6)/8 + 5/3) - (75*asinh((5^(1/2)*x^2)/5))/16

sympy [A] time = 4.31, size = 70, normalized size = 1.37

$$\frac{3x^{10}}{8\sqrt{x^4+5}} + \frac{45x^6}{16\sqrt{x^4+5}} + \frac{75x^2}{16\sqrt{x^4+5}} + \frac{(x^4+5)^{\frac{3}{2}}}{3} - \frac{75 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(3*x**2+2)*(x**4+5)**(1/2),x)

[Out] 3*x**10/(8*sqrt(x**4 + 5)) + 45*x**6/(16*sqrt(x**4 + 5)) + 75*x**2/(16*sqrt(x**4 + 5)) + (x**4 + 5)**(3/2)/3 - 75*asinh(sqrt(5)*x**2/5)/16

3.10 $\int x(2 + 3x^2) \sqrt{5 + x^4} dx$

Optimal. Leaf size=44

$$\frac{1}{2}(x^4 + 5)^{3/2} + \frac{5}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{1}{2}\sqrt{x^4 + 5}x^2$$

[Out] $1/2*(x^4+5)^{(3/2)}+5/2*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})+1/2*x^2*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1248, 641, 195, 215}

$$\frac{1}{2}\sqrt{x^4 + 5}x^2 + \frac{1}{2}(x^4 + 5)^{3/2} + \frac{5}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(2 + 3*x^2)*\operatorname{Sqrt}[5 + x^4], x]$

[Out] $(x^2*\operatorname{Sqrt}[5 + x^4])/2 + (5 + x^4)^{(3/2)}/2 + (5*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/2$

Rule 195

$\operatorname{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{(p - 1)}, x], x] /;$ FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[\operatorname{Rt}[b, 2]*x]/\operatorname{Sqrt}[a]]/\operatorname{Rt}[b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 641

$\operatorname{Int}[(d_ + (e_)*(x_))*((a_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \operatorname{Simp}[(e*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)), x] + \operatorname{Dist}[d, \operatorname{Int}[(a + c*x^2)^p, x], x] /;$ FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1248

$\operatorname{Int}[(x_)*((d_ + (e_)*(x_)^2)^{(q_)})*((a_ + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \operatorname{Dist}[1/2, \operatorname{Subst}[\operatorname{Int}[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /;$ FreeQ

[{a, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned}
 \int x(2 + 3x^2)\sqrt{5 + x^4} dx &= \frac{1}{2} \text{Subst}\left(\int (2 + 3x)\sqrt{5 + x^2} dx, x, x^2\right) \\
 &= \frac{1}{2} (5 + x^4)^{3/2} + \text{Subst}\left(\int \sqrt{5 + x^2} dx, x, x^2\right) \\
 &= \frac{1}{2} x^2 \sqrt{5 + x^4} + \frac{1}{2} (5 + x^4)^{3/2} + \frac{5}{2} \text{Subst}\left(\int \frac{1}{\sqrt{5 + x^2}} dx, x, x^2\right) \\
 &= \frac{1}{2} x^2 \sqrt{5 + x^4} + \frac{1}{2} (5 + x^4)^{3/2} + \frac{5}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 36, normalized size = 0.82

$$\frac{5}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{1}{2} \sqrt{x^4 + 5} (x^4 + x^2 + 5)$$

Antiderivative was successfully verified.

[In] Integrate[x*(2 + 3*x^2)*Sqrt[5 + x^4], x]

[Out] (Sqrt[5 + x^4]*(5 + x^2 + x^4))/2 + (5*ArcSinh[x^2/Sqrt[5]])/2

fricas [A] time = 0.56, size = 34, normalized size = 0.77

$$\frac{1}{2} (x^4 + x^2 + 5) \sqrt{x^4 + 5} - \frac{5}{2} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5)^(1/2), x, algorithm="fricas")

[Out] 1/2*(x^4 + x^2 + 5)*sqrt(x^4 + 5) - 5/2*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.20, size = 38, normalized size = 0.86

$$\frac{1}{2} \sqrt{x^4 + 5} x^2 + \frac{1}{2} (x^4 + 5)^{\frac{3}{2}} - \frac{5}{2} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5)^(1/2), x, algorithm="giac")

[Out] $\frac{1}{2}\sqrt{x^4 + 5}x^2 + \frac{1}{2}(x^4 + 5)^{3/2} - \frac{5}{2}\log(-x^2 + \sqrt{x^4 + 5})$

maple [A] time = 0.01, size = 34, normalized size = 0.77

$$\frac{\sqrt{x^4 + 5} x^2}{2} + \frac{5 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2} + \frac{(x^4 + 5)^{\frac{3}{2}}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(3*x^2+2)*(x^4+5)^(1/2),x)`

[Out] $\frac{1}{2}(x^4+5)^{3/2} + \frac{5}{2}\operatorname{arcsinh}(1/5*5^{1/2}*x^2) + \frac{1}{2}(x^4+5)^{1/2}*x^2$

maxima [B] time = 1.32, size = 67, normalized size = 1.52

$$\frac{1}{2}(x^4 + 5)^{\frac{3}{2}} + \frac{5\sqrt{x^4 + 5}}{2x^2\left(\frac{x^4+5}{x^4} - 1\right)} + \frac{5}{4}\log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{5}{4}\log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{2}(x^4 + 5)^{3/2} + \frac{5}{2}\sqrt{x^4 + 5}/(x^2*((x^4 + 5)/x^4 - 1)) + \frac{5}{4}\log(\sqrt{x^4 + 5}/x^2 + 1) - \frac{5}{4}\log(\sqrt{x^4 + 5}/x^2 - 1)$

mupad [B] time = 0.14, size = 32, normalized size = 0.73

$$\frac{5 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2} + \sqrt{x^4 + 5} \left(\frac{x^4}{2} + \frac{x^2}{2} + \frac{5}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(x^4 + 5)^(1/2)*(3*x^2 + 2),x)`

[Out] $(5*\operatorname{asinh}((5^{1/2}*x^2)/5))/2 + (x^4 + 5)^{1/2}*(x^2/2 + x^4/2 + 5/2)$

sympy [A] time = 3.08, size = 53, normalized size = 1.20

$$\frac{x^6}{2\sqrt{x^4 + 5}} + \frac{5x^2}{2\sqrt{x^4 + 5}} + \frac{(x^4 + 5)^{\frac{3}{2}}}{2} + \frac{5 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(3*x**2+2)*(x**4+5)**(1/2),x)`

[Out] $x**6/(2*\sqrt{x**4 + 5}) + 5*x**2/(2*\sqrt{x**4 + 5}) + (x**4 + 5)**(3/2)/2 + 5*\operatorname{asinh}(\sqrt{5}*x**2/5)/2$

$$3.11 \quad \int \frac{(2+3x^2)\sqrt{5+x^4}}{x} dx$$

Optimal. Leaf size=58

$$-\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right) + \frac{15}{4} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{1}{4}\sqrt{x^4+5}(3x^2+4)$$

[Out] 15/4*arcsinh(1/5*x^2*5^(1/2))-arctanh(1/5*(x^4+5)^(1/2)*5^(1/2))*5^(1/2)+1/4*(3*x^2+4)*(x^4+5)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1252, 815, 844, 215, 266, 63, 207}

$$\frac{1}{4}\sqrt{x^4+5}(3x^2+4) + \frac{15}{4} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[5 + x^4])/x,x]

[Out] ((4 + 3*x^2)*Sqrt[5 + x^4])/4 + (15*ArcSinh[x^2/Sqrt[5]])/4 - Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{5+x^4}}{x} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{5+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} + \frac{1}{4} \text{Subst} \left(\int \frac{20+15x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} + \frac{15}{4} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) + 5 \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} + \frac{15}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{5}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x}} dx, x, x^4 \right) \\
&= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} + \frac{15}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + 5 \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} + \frac{15}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \sqrt{5} \tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 57, normalized size = 0.98

$$\frac{1}{4} \left(-4\sqrt{5} \tanh^{-1} \left(\frac{\sqrt{x^4+5}}{\sqrt{5}} \right) + 15 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \sqrt{x^4+5} (3x^2+4) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[5 + x^4])/x, x]

[Out] ((4 + 3*x^2)*Sqrt[5 + x^4] + 15*ArcSinh[x^2/Sqrt[5]] - 4*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/4

fricas [A] time = 0.73, size = 56, normalized size = 0.97

$$\frac{1}{4} \sqrt{x^4+5} (3x^2+4) + \sqrt{5} \log \left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2} \right) - \frac{15}{4} \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x,x, algorithm="fricas")

[Out] 1/4*sqrt(x^4 + 5)*(3*x^2 + 4) + sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 15/4*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.21, size = 76, normalized size = 1.31

$$\frac{1}{4} \sqrt{x^4+5} (3x^2+4) + \sqrt{5} \log \left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4+5}}{x^2 - \sqrt{5} - \sqrt{x^4+5}} \right) - \frac{15}{4} \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x,x, algorithm="giac")

[Out] 1/4*sqrt(x^4 + 5)*(3*x^2 + 4) + sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5)) / (x^2 - sqrt(5) - sqrt(x^4 + 5))) - 15/4*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 49, normalized size = 0.84

$$\frac{3\sqrt{x^4+5}x^2}{4} + \frac{15 \operatorname{arcsinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4} - \sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right) + \sqrt{x^4+5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(1/2)/x,x)

[Out] 3/4*(x^4+5)^(1/2)*x^2+15/4*arcsinh(1/5*5^(1/2)*x^2)+(x^4+5)^(1/2)-5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))

maxima [B] time = 1.56, size = 99, normalized size = 1.71

$$\frac{1}{2} \sqrt{5} \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{\sqrt{5}+\sqrt{x^4+5}}\right) + \sqrt{x^4+5} + \frac{15\sqrt{x^4+5}}{4x^2\left(\frac{x^4+5}{x^4}-1\right)} + \frac{15}{8} \log\left(\frac{\sqrt{x^4+5}}{x^2}+1\right) - \frac{15}{8} \log\left(\frac{\sqrt{x^4+5}}{x^2}-1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x,x, algorithm="maxima")

[Out] 1/2*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) + sqrt(x^4 + 5) + 15/4*sqrt(x^4 + 5)/(x^2*((x^4 + 5)/x^4 - 1)) + 15/8*log(sqrt(x^4 + 5)/x^2 + 1) - 15/8*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.15, size = 45, normalized size = 0.78

$$\frac{15 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4} - \sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5}\sqrt{x^4+5}}{5}\right) + \sqrt{x^4+5} \left(\frac{3x^2}{4} + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((x^4 + 5)^(1/2)*(3*x^2 + 2))/x,x)

[Out] (15*asinh((5^(1/2)*x^2)/5))/4 - 5^(1/2)*atanh((5^(1/2)*(x^4 + 5)^(1/2))/5) + (x^4 + 5)^(1/2)*((3*x^2)/4 + 1)

sympy [A] time = 15.59, size = 83, normalized size = 1.43

$$\frac{3x^6}{4\sqrt{x^4+5}} + \frac{15x^2}{4\sqrt{x^4+5}} + \sqrt{x^4+5} + \frac{\sqrt{5} \log(x^4)}{2} - \sqrt{5} \log\left(\sqrt{\frac{x^4}{5}+1}+1\right) + \frac{15 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5)**(1/2)/x,x)

[Out] 3*x**6/(4*sqrt(x**4 + 5)) + 15*x**2/(4*sqrt(x**4 + 5)) + sqrt(x**4 + 5) + sqrt(5)*log(x**4)/2 - sqrt(5)*log(sqrt(x**4/5 + 1) + 1) + 15*asinh(sqrt(5)*x**2/5)/4

$$3.12 \quad \int \frac{(2+3x^2)\sqrt{5+x^4}}{x^3} dx$$

Optimal. Leaf size=59

$$-\frac{3}{2}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right) + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{\sqrt{x^4+5}(2-3x^2)}{2x^2}$$

[Out] arcsinh(1/5*x^2*5^(1/2))-3/2*arctanh(1/5*(x^4+5)^(1/2)*5^(1/2))*5^(1/2)-1/2*(-3*x^2+2)*(x^4+5)^(1/2)/x^2

Rubi [A] time = 0.06, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1252, 813, 844, 215, 266, 63, 207}

$$-\frac{\sqrt{x^4+5}(2-3x^2)}{2x^2} + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{3}{2}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[5 + x^4])/x^3,x]

[Out] -((2 - 3*x^2)*Sqrt[5 + x^4])/(2*x^2) + ArcSinh[x^2/Sqrt[5]] - (3*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/2

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{5+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{5+x^4}}{2x^2} - \frac{1}{4} \text{Subst} \left(\int \frac{-30-4x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{5+x^4}}{2x^2} + \frac{15}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) + \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{5+x^4}}{2x^2} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{15}{4} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{5+x^4}}{2x^2} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{15}{2} \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= -\frac{(2-3x^2)\sqrt{5+x^4}}{2x^2} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{3}{2} \sqrt{5} \tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)
\end{aligned}$$

Mathematica [A] time = 0.04, size = 59, normalized size = 1.00

$$\sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{1}{2} \left(\frac{(3x^2-2)\sqrt{x^4+5}}{x^2} - 3\sqrt{5} \tanh^{-1} \left(\frac{\sqrt{x^4+5}}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[5 + x^4])/x^3, x]

[Out] ArcSinh[x^2/Sqrt[5]] + (((-2 + 3*x^2)*Sqrt[5 + x^4])/x^2 - 3*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/2

fricas [A] time = 0.85, size = 72, normalized size = 1.22

$$\frac{3\sqrt{5}x^2 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 2x^2 \log(-x^2 + \sqrt{x^4+5}) - 2x^2 + \sqrt{x^4+5}(3x^2-2)}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^3,x, algorithm="fricas")

[Out] 1/2*(3*sqrt(5)*x^2*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 2*x^2*log(-x^2 + sqrt(x^4 + 5)) - 2*x^2 + sqrt(x^4 + 5)*(3*x^2 - 2))/x^2

giac [A] time = 0.25, size = 91, normalized size = 1.54

$$\frac{3}{2} \sqrt{5} \log\left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) + \frac{3}{2} \sqrt{x^4 + 5} + \frac{10}{(x^2 - \sqrt{x^4 + 5})^2 - 5} - \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^3,x, algorithm="giac")

[Out] 3/2*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) + 3/2*sqrt(x^4 + 5) + 10/((x^2 - sqrt(x^4 + 5))^2 - 5) - log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 61, normalized size = 1.03

$$\frac{\sqrt{x^4 + 5} x^2}{5} + \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right) - \frac{3\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4 + 5}}\right)}{2} - \frac{(x^4 + 5)^{\frac{3}{2}}}{5x^2} + \frac{3\sqrt{x^4 + 5}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(1/2)/x^3,x)

[Out] 3/2*(x^4+5)^(1/2)-3/2*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))-1/5/x^2*(x^4+5)^(3/2)+1/5*(x^4+5)^(1/2)*x^2+arcsinh(1/5*5^(1/2)*x^2)

maxima [A] time = 1.41, size = 88, normalized size = 1.49

$$\frac{3}{4} \sqrt{5} \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}}\right) + \frac{3}{2} \sqrt{x^4 + 5} - \frac{\sqrt{x^4 + 5}}{x^2} + \frac{1}{2} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{1}{2} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^3,x, algorithm="maxima")

[Out] 3/4*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) + 3/2*sqrt(x^4 + 5) - sqrt(x^4 + 5)/x^2 + 1/2*log(sqrt(x^4 + 5)/x^2 + 1) - 1/2*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.79, size = 51, normalized size = 0.86

$$\operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right) + \frac{3\sqrt{x^4 + 5}}{2} - \frac{\sqrt{x^4 + 5}}{x^2} + \frac{\sqrt{5} \operatorname{atan}\left(\frac{\sqrt{5} \sqrt{x^4 + 5} 1i}{5}\right)}{2} 3i$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((x^4 + 5)^(1/2)*(3*x^2 + 2))/x^3,x)
```

```
[Out] asinh((5^(1/2)*x^2)/5) + (5^(1/2)*atan((5^(1/2)*(x^4 + 5)^(1/2)*1i)/5)*3i)/
2 + (3*(x^4 + 5)^(1/2))/2 - (x^4 + 5)^(1/2)/x^2
```

sympy [A] time = 7.46, size = 83, normalized size = 1.41

$$-\frac{x^2}{\sqrt{x^4+5}} + \frac{3\sqrt{x^4+5}}{2} + \frac{3\sqrt{5}\log(x^4)}{4} - \frac{3\sqrt{5}\log\left(\sqrt{\frac{x^4}{5}+1}+1\right)}{2} + \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right) - \frac{5}{x^2\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3*x**2+2)*(x**4+5)**(1/2)/x**3,x)
```

```
[Out] -x**2/sqrt(x**4 + 5) + 3*sqrt(x**4 + 5)/2 + 3*sqrt(5)*log(x**4)/4 - 3*sqrt(
5)*log(sqrt(x**4/5 + 1) + 1)/2 + asinh(sqrt(5)*x**2/5) - 5/(x**2*sqrt(x**4
+ 5))
```

$$3.13 \quad \int \frac{(2+3x^2)\sqrt{5+x^4}}{x^5} dx$$

Optimal. Leaf size=63

$$-\frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{2\sqrt{5}} + \frac{3}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{\sqrt{x^4+5}(3x^2+1)}{2x^4}$$

[Out] 3/2*arcsinh(1/5*x^2*5^(1/2))-1/10*arctanh(1/5*(x^4+5)^(1/2)*5^(1/2))*5^(1/2)-1/2*(3*x^2+1)*(x^4+5)^(1/2)/x^4

Rubi [A] time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1252, 811, 844, 215, 266, 63, 207}

$$-\frac{\sqrt{x^4+5}(3x^2+1)}{2x^4} + \frac{3}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{2\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[5 + x^4])/x^5, x]

[Out] -((1 + 3*x^2)*Sqrt[5 + x^4])/(2*x^4) + (3*ArcSinh[x^2/Sqrt[5]])/2 - ArcTanh[Sqrt[5 + x^4]/Sqrt[5]]/(2*Sqrt[5])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 811

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2
))*((c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +
2*c*d*p*(e*f - d*g))*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^
(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m
+ 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]
&& !ILtQ[m + 2*p + 3, 0]
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^5} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{5+x^2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{(1+3x^2)\sqrt{5+x^4}}{2x^4} - \frac{1}{40} \text{Subst} \left(\int \frac{-20-60x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(1+3x^2)\sqrt{5+x^4}}{2x^4} + \frac{1}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) + \frac{3}{2} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(1+3x^2)\sqrt{5+x^4}}{2x^4} + \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{1}{4} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x}} dx, x, x^4 \right) \\
&= -\frac{(1+3x^2)\sqrt{5+x^4}}{2x^4} + \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= -\frac{(1+3x^2)\sqrt{5+x^4}}{2x^4} + \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{\tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)}{2\sqrt{5}}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 59, normalized size = 0.94

$$\frac{1}{10} \left(-\sqrt{5} \tanh^{-1} \left(\sqrt{\frac{x^4}{5} + 1} \right) + 15 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{5\sqrt{x^4+5}(3x^2+1)}{x^4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[5 + x^4])/x^5,x]

[Out] ((-5*(1 + 3*x^2)*Sqrt[5 + x^4])/x^4 + 15*ArcSinh[x^2/Sqrt[5]] - Sqrt[5]*ArcTanh[Sqrt[1 + x^4/5]])/10

fricas [A] time = 0.65, size = 72, normalized size = 1.14

$$\frac{\sqrt{5}x^4 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 15x^4 \log(-x^2 + \sqrt{x^4+5}) - 15x^4 - 5\sqrt{x^4+5}(3x^2+1)}{10x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^5,x, algorithm="fricas")

[Out] 1/10*(sqrt(5)*x^4*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 15*x^4*log(-x^2 + sqrt(x^4 + 5)) - 15*x^4 - 5*sqrt(x^4 + 5)*(3*x^2 + 1))/x^4

giac [B] time = 0.24, size = 129, normalized size = 2.05

$$\frac{1}{10} \sqrt{5} \log\left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) + \frac{(x^2 - \sqrt{x^4 + 5})^3 + 15(x^2 - \sqrt{x^4 + 5})^2 + 5x^2 - 5\sqrt{x^4 + 5} - 75}{((x^2 - \sqrt{x^4 + 5})^2 - 5)^2} - \frac{3}{2} \log\left(-x^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^5,x, algorithm="giac")

[Out] 1/10*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) + ((x^2 - sqrt(x^4 + 5))^3 + 15*(x^2 - sqrt(x^4 + 5))^2 + 5*x^2 - 5*sqrt(x^4 + 5) - 75)/((x^2 - sqrt(x^4 + 5))^2 - 5)^2 - 3/2*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 75, normalized size = 1.19

$$\frac{3\sqrt{x^4+5}x^2}{10} + \frac{3\operatorname{arcsinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{\sqrt{5}\operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{10} - \frac{3(x^4+5)^{\frac{3}{2}}}{10x^2} - \frac{(x^4+5)^{\frac{3}{2}}}{10x^4} + \frac{\sqrt{x^4+5}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(1/2)/x^5,x)

[Out] -1/10/x^4*(x^4+5)^(3/2)+1/10*(x^4+5)^(1/2)-1/10*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))-3/10*(x^4+5)^(3/2)/x^2+3/10*(x^4+5)^(1/2)*x^2+3/2*arcsinh(1/5*5^(1/2)*x^2)

maxima [A] time = 1.24, size = 91, normalized size = 1.44

$$\frac{1}{20} \sqrt{5} \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}}\right) - \frac{3\sqrt{x^4 + 5}}{2x^2} - \frac{\sqrt{x^4 + 5}}{2x^4} + \frac{3}{4} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{3}{4} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^5,x, algorithm="maxima")

[Out] 1/20*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) - 3/2*sqrt(x^4 + 5)/x^2 - 1/2*sqrt(x^4 + 5)/x^4 + 3/4*log(sqrt(x^4 + 5)/x^2 + 1) - 3/4*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.42, size = 56, normalized size = 0.89

$$\frac{3\operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{3\sqrt{x^4+5}}{2x^2} - \frac{\sqrt{x^4+5}}{2x^4} + \frac{\sqrt{5}\operatorname{atan}\left(\frac{\sqrt{5}\sqrt{x^4+5}i}{5}\right)1i}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^4 + 5)^(1/2)*(3*x^2 + 2))/x^5,x)`

[Out] $(3*\operatorname{asinh}((5^{1/2}*x^2)/5))/2 + (5^{1/2}*\operatorname{atan}((5^{1/2}*(x^4 + 5)^{1/2}*1i)/5)*1i)/10 - (3*(x^4 + 5)^{1/2})/(2*x^2) - (x^4 + 5)^{1/2}/(2*x^4)$

sympy [A] time = 6.04, size = 76, normalized size = 1.21

$$-\frac{3x^2}{2\sqrt{x^4 + 5}} - \frac{\sqrt{5} \operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{10} + \frac{3 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{\sqrt{1 + \frac{5}{x^4}}}{2x^2} - \frac{15}{2x^2\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(1/2)/x**5,x)`

[Out] $-3*x**2/(2*\sqrt{x**4 + 5}) - \sqrt{5}*\operatorname{asinh}(\sqrt{5}/x**2)/10 + 3*\operatorname{asinh}(\sqrt{5}*x**2/5)/2 - \sqrt{1 + 5/x**4}/(2*x**2) - 15/(2*x**2*\sqrt{x**4 + 5})$

$$3.14 \quad \int \frac{(2+3x^2)\sqrt{5+x^4}}{x^7} dx$$

Optimal. Leaf size=58

$$-\frac{3\sqrt{x^4+5}}{4x^4} - \frac{3 \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{4\sqrt{5}} - \frac{(x^4+5)^{3/2}}{15x^6}$$

[Out] $-1/15*(x^4+5)^{(3/2)}/x^6-3/20*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}-3/4*(x^4+5)^{(1/2)}/x^4$

Rubi [A] time = 0.05, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1252, 807, 266, 47, 63, 207}

$$-\frac{(x^4+5)^{3/2}}{15x^6} - \frac{3\sqrt{x^4+5}}{4x^4} - \frac{3 \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{4\sqrt{5}}$$

Antiderivative was successfully verified.

[In] `Int[((2 + 3*x^2)*Sqrt[5 + x^4])/x^7, x]`

[Out] `(-3*Sqrt[5 + x^4]/(4*x^4) - (5 + x^4)^(3/2)/(15*x^6) - (3*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/(4*Sqrt[5]))`

Rule 47

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[
((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + 1)), x] - Dist[(d*n)/(b*(m + 1)), I
nt[(a + b*x)^(m + 1)*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] &&
NeQ[b*c - a*d, 0] && GtQ[n, 0] && LtQ[m, -1] && !(IntegerQ[n] && !Intege
rQ[m]) && !(ILeQ[m + n + 2, 0] && (FractionQ[m] || GeQ[2*n + m + 1, 0])) &
& IntLinearQ[a, b, c, d, m, n, x]
```

Rule 63

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b +
(d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ
[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den
ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]
```

Rule 207

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])
```

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 807

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^7} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{5+x^2}}{x^4} dx, x, x^2 \right) \\
&= -\frac{(5+x^4)^{3/2}}{15x^6} + \frac{3}{2} \text{Subst} \left(\int \frac{\sqrt{5+x^2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{(5+x^4)^{3/2}}{15x^6} + \frac{3}{4} \text{Subst} \left(\int \frac{\sqrt{5+x}}{x^2} dx, x, x^4 \right) \\
&= -\frac{3\sqrt{5+x^4}}{4x^4} - \frac{(5+x^4)^{3/2}}{15x^6} + \frac{3}{8} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x}} dx, x, x^4 \right) \\
&= -\frac{3\sqrt{5+x^4}}{4x^4} - \frac{(5+x^4)^{3/2}}{15x^6} + \frac{3}{4} \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= -\frac{3\sqrt{5+x^4}}{4x^4} - \frac{(5+x^4)^{3/2}}{15x^6} - \frac{3 \tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)}{4\sqrt{5}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 72, normalized size = 1.24

$$\frac{3 \left(5x^4 + \sqrt{5} \sqrt{x^4 + 5} x^4 \tanh^{-1} \left(\sqrt{\frac{x^4}{5} + 1} \right) + 25 \right)}{20x^4 \sqrt{x^4 + 5}} - \frac{(x^4 + 5)^{3/2}}{15x^6}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[5 + x^4])/x^7, x]

[Out] -1/15*(5 + x^4)^(3/2)/x^6 - (3*(25 + 5*x^4 + Sqrt[5]*x^4*Sqrt[5 + x^4]*ArcTanh[Sqrt[1 + x^4/5]]))/(20*x^4*Sqrt[5 + x^4])

fricas [A] time = 0.64, size = 59, normalized size = 1.02

$$\frac{9\sqrt{5}x^6 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 4x^6 - (4x^4 + 45x^2 + 20)\sqrt{x^4+5}}{60x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^7,x, algorithm="fricas")

[Out] $1/60*(9*\sqrt{5}*x^6*\log(-(\sqrt{5} - \sqrt{x^4 + 5}))/x^2) - 4*x^6 - (4*x^4 + 45*x^2 + 20)*\sqrt{x^4 + 5})/x^6$

giac [B] time = 0.23, size = 116, normalized size = 2.00

$$\frac{3}{20} \sqrt{5} \log\left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) + \frac{9(x^2 - \sqrt{x^4 + 5})^5 + 12(x^2 - \sqrt{x^4 + 5})^4 - 225x^2 + 225\sqrt{x^4 + 5} + 100}{6\left((x^2 - \sqrt{x^4 + 5})^2 - 5\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5)^(1/2)/x^7,x, algorithm="giac")`

[Out] $3/20*\sqrt{5}*\log(-(x^2 + \sqrt{5} - \sqrt{x^4 + 5}))/x^2 - \sqrt{5} - \sqrt{x^4 + 5})) + 1/6*(9*(x^2 - \sqrt{x^4 + 5})^5 + 12*(x^2 - \sqrt{x^4 + 5})^4 - 225*x^2 + 225*\sqrt{x^4 + 5} + 100)/((x^2 - \sqrt{x^4 + 5})^2 - 5)^3$

maple [A] time = 0.01, size = 52, normalized size = 0.90

$$-\frac{3\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{20} - \frac{3(x^4+5)^{\frac{3}{2}}}{20x^4} - \frac{(x^4+5)^{\frac{3}{2}}}{15x^6} + \frac{3\sqrt{x^4+5}}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)*(x^4+5)^(1/2)/x^7,x)`

[Out] $-1/15*(x^4+5)^{(3/2)}/x^6 - 3/20*(x^4+5)^{(3/2)}/x^4 + 3/20*(x^4+5)^{(1/2)} - 3/20*5^{(1/2)}*\operatorname{arctanh}(5^{(1/2)}/(x^4+5)^{(1/2)})$

maxima [A] time = 1.61, size = 59, normalized size = 1.02

$$\frac{3}{40} \sqrt{5} \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}}\right) - \frac{3\sqrt{x^4 + 5}}{4x^4} - \frac{(x^4 + 5)^{\frac{3}{2}}}{15x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5)^(1/2)/x^7,x, algorithm="maxima")`

[Out] $3/40*\sqrt{5}*\log(-(\sqrt{5} - \sqrt{x^4 + 5}))/(\sqrt{5} + \sqrt{x^4 + 5})) - 3/4*\sqrt{x^4 + 5}/x^4 - 1/15*(x^4 + 5)^{(3/2)}/x^6$

mupad [B] time = 0.68, size = 43, normalized size = 0.74

$$-\frac{3\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5} \sqrt{x^4+5}}{5}\right)}{20} - \frac{3\sqrt{x^4+5}}{4x^4} - \frac{(x^4+5)^{3/2}}{15x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^4 + 5)^(1/2)*(3*x^2 + 2))/x^7,x)`

[Out] $-\frac{3\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5}(x^4 + 5)^{1/2}}{5}\right)}{20} - \frac{3(x^4 + 5)^{1/2}}{4x^4} - \frac{(x^4 + 5)^{3/2}}{15x^6}$

sympy [A] time = 5.96, size = 63, normalized size = 1.09

$$-\frac{\sqrt{1 + \frac{5}{x^4}}}{15} - \frac{3\sqrt{5} \operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{20} - \frac{3\sqrt{1 + \frac{5}{x^4}}}{4x^2} - \frac{\sqrt{1 + \frac{5}{x^4}}}{3x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(1/2)/x**7,x)`

[Out] $-\frac{\sqrt{1 + 5/x^4}}{15} - \frac{3\sqrt{5} \operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{20} - \frac{3\sqrt{1 + 5/x^4}}{4x^2} - \frac{\sqrt{1 + 5/x^4}}{3x^4}$

3.15 $\int x^4 (2 + 3x^2) \sqrt{5 + x^4} dx$

Optimal. Leaf size=208

$$\frac{20}{21} \sqrt{x^4 + 5} x + \frac{2}{3} \sqrt{x^4 + 5} x^3 - \frac{10 \sqrt{x^4 + 5} x}{x^2 + \sqrt{5}} - \frac{5^{4/5} (21 + 2\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{5}}\right) \middle| \frac{1}{2}\right)}{21 \sqrt{x^4 + 5}} + \dots$$

[Out] $20/21*x*(x^4+5)^{(1/2)}+2/3*x^3*(x^4+5)^{(1/2)}+1/21*x^5*(7*x^2+6)*(x^4+5)^{(1/2)}$
 $-10*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})+10*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)})))$
 $^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)}$
 $)),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$
 $-5/21*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)})))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)})$
 $))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(2$
 $1+2*5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1274, 1280, 1198, 220, 1196}

$$\frac{1}{21} (7x^2 + 6) \sqrt{x^4 + 5} x^5 + \frac{2}{3} \sqrt{x^4 + 5} x^3 - \frac{10 \sqrt{x^4 + 5} x}{x^2 + \sqrt{5}} + \frac{20}{21} \sqrt{x^4 + 5} x - \frac{5^{4/5} (21 + 2\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt{5}}\right) \middle| \frac{1}{2}\right)}{21 \sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(2 + 3*x^2)*\text{Sqrt}[5 + x^4], x]$

[Out] $(20*x*\text{Sqrt}[5 + x^4])/21 + (2*x^3*\text{Sqrt}[5 + x^4])/3 - (10*x*\text{Sqrt}[5 + x^4])/($
 $\text{Sqrt}[5 + x^2] + (x^5*(6 + 7*x^2)*\text{Sqrt}[5 + x^4])/21 + (10*5^{(1/4)}*(\text{Sqrt}[5 +$
 $x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2]$
 $)/\text{Sqrt}[5 + x^4] - (5*5^{(1/4)}*(21 + 2*\text{Sqrt}[5])*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)$
 $)/(\text{Sqrt}[5 + x^2]^2)]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/21*\text{Sqrt}[5 + x^4]$
 $)$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^4], x_Symbol] := \text{With}[\{q = \text{Rt}[b/a, 4]\}, \text{Simp}[($
 $(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*\text{EllipticF}[2*\text{ArcTan}[q*x]$
 $, 1/2)]/(2*q*\text{Sqrt}[a + b*x^4]), x]] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[b/a]$

Rule 1196

$\text{Int}[(d_) + (e_)*(x_)^2/\text{Sqrt}[(a_) + (c_)*(x_)^4], x_Symbol] := \text{With}[\{q =$
 $\text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + c*x^4])/(a*(1 + q^2*x^2)), x] + \text{Simp}[(d*($

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1274

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
  + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
  + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
  3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
  x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
  1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
  m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
  ])
```

Rubi steps

$$\begin{aligned}
\int x^4 (2 + 3x^2) \sqrt{5 + x^4} dx &= \frac{1}{21} x^5 (6 + 7x^2) \sqrt{5 + x^4} + \frac{10}{63} \int \frac{x^4 (18 + 21x^2)}{\sqrt{5 + x^4}} dx \\
&= \frac{2}{3} x^3 \sqrt{5 + x^4} + \frac{1}{21} x^5 (6 + 7x^2) \sqrt{5 + x^4} - \frac{2}{63} \int \frac{x^2 (315 - 90x^2)}{\sqrt{5 + x^4}} dx \\
&= \frac{20}{21} x \sqrt{5 + x^4} + \frac{2}{3} x^3 \sqrt{5 + x^4} + \frac{1}{21} x^5 (6 + 7x^2) \sqrt{5 + x^4} + \frac{2}{189} \int \frac{-450 - 945x^2}{\sqrt{5 + x^4}} dx \\
&= \frac{20}{21} x \sqrt{5 + x^4} + \frac{2}{3} x^3 \sqrt{5 + x^4} + \frac{1}{21} x^5 (6 + 7x^2) \sqrt{5 + x^4} + (10\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx \\
&= \frac{20}{21} x \sqrt{5 + x^4} + \frac{2}{3} x^3 \sqrt{5 + x^4} - \frac{10x\sqrt{5 + x^4}}{\sqrt{5 + x^2}} + \frac{1}{21} x^5 (6 + 7x^2) \sqrt{5 + x^4} + \frac{10\sqrt{5}}{\sqrt{5 + x^4}}
\end{aligned}$$

Mathematica [C] time = 0.03, size = 82, normalized size = 0.39

$$\frac{1}{21} x \left(-30\sqrt{5} {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5} \right) - 35\sqrt{5} x^2 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5} \right) + 6(x^4 + 5)^{3/2} + 7(x^4 + 5)^{3/2} x^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(2 + 3*x^2)*Sqrt[5 + x^4], x]

[Out] (x*(6*(5 + x^4)^(3/2) + 7*x^2*(5 + x^4)^(3/2) - 30*Sqrt[5]*Hypergeometric2F1[-1/2, 1/4, 5/4, -1/5*x^4] - 35*Sqrt[5]*x^2*Hypergeometric2F1[-1/2, 3/4, 7/4, -1/5*x^4]))/21

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left((3x^6 + 2x^4) \sqrt{x^4 + 5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5)^(1/2), x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4)*sqrt(x^4 + 5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5} (3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)*x^4, x)

maple [C] time = 0.09, size = 192, normalized size = 0.92

$$\frac{\sqrt{x^4 + 5} x^7}{3} + \frac{2\sqrt{x^4 + 5} x^5}{7} + \frac{2\sqrt{x^4 + 5} x^3}{3} + \frac{20\sqrt{x^4 + 5} x}{21} - \frac{4\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \operatorname{EllipticF}\left(\frac{\sqrt{5} x}{\sqrt{x^4 + 5}}\right)}{21\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2+2)*(x^4+5)^(1/2),x)

[Out] 1/3*x^7*(x^4+5)^(1/2)+2/3*x^3*(x^4+5)^(1/2)-2*I/(I*5^(1/2))^(1/2)*(25-5*I*5^(1/2)*x^2)^(1/2)*(25+5*I*5^(1/2)*x^2)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*x*5^(1/2)*(I*5^(1/2))^(1/2),I)-EllipticE(1/5*x*5^(1/2)*(I*5^(1/2))^(1/2),I))+2/7*x^5*(x^4+5)^(1/2)+20/21*x*(x^4+5)^(1/2)-4/21*5^(1/2)/(I*5^(1/2))^(1/2)*(25-5*I*5^(1/2)*x^2)^(1/2)*(25+5*I*5^(1/2)*x^2)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*x*5^(1/2)*(I*5^(1/2))^(1/2),I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5} (3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 \sqrt{x^4 + 5} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(x^4 + 5)^(1/2)*(3*x^2 + 2),x)

[Out] int(x^4*(x^4 + 5)^(1/2)*(3*x^2 + 2), x)

sympy [C] time = 2.33, size = 78, normalized size = 0.38

$$\frac{3\sqrt{5}x^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(3*x**2+2)*(x**4+5)**(1/2),x)

[Out] 3*sqrt(5)*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(11/4)) + sqrt(5)*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(9/4))

3.16 $\int x^2 (2 + 3x^2) \sqrt{5 + x^4} dx$

Optimal. Leaf size=192

$$\frac{10}{7} \sqrt{x^4 + 5} x + \frac{4\sqrt{x^4 + 5} x}{x^2 + \sqrt{5}} + \frac{\sqrt[4]{5} (14 - 5\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{7\sqrt{x^4 + 5}} - \frac{4\sqrt[4]{5} (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}}}{\sqrt{x^4 + 5}}$$

[Out] $10/7*x*(x^4+5)^{(1/2)}+1/35*x^3*(15*x^2+14)*(x^4+5)^{(1/2)}+4*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-4*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}+1/7*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(14-5*5^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1274, 1280, 1198, 220, 1196}

$$\frac{1}{35} (15x^2 + 14) \sqrt{x^4 + 5} x^3 + \frac{4\sqrt{x^4 + 5} x}{x^2 + \sqrt{5}} + \frac{10}{7} \sqrt{x^4 + 5} x + \frac{\sqrt[4]{5} (14 - 5\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{7\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[x^2*(2 + 3*x^2)*Sqrt[5 + x^4], x]

[Out] $(10*x*\text{Sqrt}[5 + x^4])/7 + (4*x*\text{Sqrt}[5 + x^4])/(\text{Sqrt}[5] + x^2) + (x^3*(14 + 15*x^2)*\text{Sqrt}[5 + x^4])/35 - (4*5^{(1/4)}*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(\text{Sqrt}[5 + x^4] + (5^{(1/4)}*(14 - 5*\text{Sqrt}[5])*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(7*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1274

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
+ m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
+ m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rubi steps

$$\begin{aligned}
\int x^2 (2 + 3x^2) \sqrt{5 + x^4} dx &= \frac{1}{35} x^3 (14 + 15x^2) \sqrt{5 + x^4} + \frac{2}{7} \int \frac{x^2 (14 + 15x^2)}{\sqrt{5 + x^4}} dx \\
&= \frac{10}{7} x \sqrt{5 + x^4} + \frac{1}{35} x^3 (14 + 15x^2) \sqrt{5 + x^4} - \frac{2}{21} \int \frac{75 - 42x^2}{\sqrt{5 + x^4}} dx \\
&= \frac{10}{7} x \sqrt{5 + x^4} + \frac{1}{35} x^3 (14 + 15x^2) \sqrt{5 + x^4} - (4\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx - \frac{1}{7} (2(25 - 14) \\
&= \frac{10}{7} x \sqrt{5 + x^4} + \frac{4x\sqrt{5 + x^4}}{\sqrt{5 + x^2}} + \frac{1}{35} x^3 (14 + 15x^2) \sqrt{5 + x^4} - \frac{4\sqrt[4]{5} (\sqrt{5} + x^2) \sqrt{\frac{5+x^2}{\sqrt{5}+x^2}}}{\sqrt{5-x^2}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 68, normalized size = 0.35

$$\frac{1}{21} x \left(-45\sqrt{5} {}_2F_1 \left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5} \right) + 14\sqrt{5} x^2 {}_2F_1 \left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5} \right) + 9(x^4 + 5)^{3/2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(2 + 3*x^2)*Sqrt[5 + x^4],x]

[Out] (x*(9*(5 + x^4)^(3/2) - 45*Sqrt[5]*Hypergeometric2F1[-1/2, 1/4, 5/4, -1/5*x^4] + 14*Sqrt[5]*x^2*Hypergeometric2F1[-1/2, 3/4, 7/4, -1/5*x^4]))/21

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral} \left((3x^4 + 2x^2)\sqrt{x^4 + 5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="fricas")

[Out] integral((3*x^4 + 2*x^2)*sqrt(x^4 + 5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)*x^2, x)

maple [C] time = 0.02, size = 180, normalized size = 0.94

$$\frac{3\sqrt{x^4+5}x^5}{7} + \frac{2\sqrt{x^4+5}x^3}{5} + \frac{10\sqrt{x^4+5}x}{7} - \frac{2\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}\operatorname{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{7\sqrt{i\sqrt{5}}\sqrt{x^4+5}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(3*x^2+2)*(x^4+5)^(1/2), x)

[Out] $3/7*(x^4+5)^{(1/2)}*x^5+10/7*(x^4+5)^{(1/2)}*x-2/7*5^{(1/2)}/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I)+2/5*(x^4+5)^{(1/2)}*x^3+4/5*I/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*(\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I)-\operatorname{EllipticE}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sqrt{x^4 + 5} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(x^4 + 5)^(1/2)*(3*x^2 + 2), x)

[Out] int(x^2*(x^4 + 5)^(1/2)*(3*x^2 + 2), x)

sympy [C] time = 2.14, size = 78, normalized size = 0.41

$$\frac{3\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(3*x**2+2)*(x**4+5)**(1/2),x)
```

```
[Out] 3*sqrt(5)*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5
)/(4*gamma(9/4)) + sqrt(5)*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), x**4*
exp_polar(I*pi)/5)/(2*gamma(7/4))
```


3.17 $\int (2 + 3x^2) \sqrt{5 + x^4} dx$

Optimal. Leaf size=176

$$\frac{1}{15} (9x^2 + 10) \sqrt{x^4 + 5} x + \frac{6\sqrt{x^4 + 5} x}{x^2 + \sqrt{5}} + \frac{\sqrt[4]{5} (9 + 2\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{3\sqrt{x^4 + 5}} - \frac{6\sqrt[4]{5} (x^2 + \sqrt{5})}{3\sqrt{x^4 + 5}}$$

[Out] 1/15*x*(9*x^2+10)*(x^4+5)^(1/2)+6*x*(x^4+5)^(1/2)/(x^2+5^(1/2))-6*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticE(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2)))^2)^(1/2)/(x^4+5)^(1/2)+1/3*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticF(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*(9+2*5^(1/2))*((x^4+5)/(x^2+5^(1/2)))^2)^(1/2)/(x^4+5)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {1177, 1198, 220, 1196}

$$\frac{1}{15} (9x^2 + 10) \sqrt{x^4 + 5} x + \frac{6\sqrt{x^4 + 5} x}{x^2 + \sqrt{5}} + \frac{\sqrt[4]{5} (9 + 2\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{3\sqrt{x^4 + 5}} - \frac{6\sqrt[4]{5} (x^2 + \sqrt{5})}{3\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)*Sqrt[5 + x^4], x]

[Out] (6*x*Sqrt[5 + x^4])/(Sqrt[5] + x^2) + (x*(10 + 9*x^2)*Sqrt[5 + x^4])/15 - (6*5^(1/4)*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticE[2*ArcTan[x/5^(1/4)], 1/2])/Sqrt[5 + x^4] + (5^(1/4)*(9 + 2*Sqrt[5])*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticF[2*ArcTan[x/5^(1/4)], 1/2])/(3*Sqrt[5 + x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] +

Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rubi steps

$$\begin{aligned} \int (2 + 3x^2) \sqrt{5 + x^4} dx &= \frac{1}{15} x (10 + 9x^2) \sqrt{5 + x^4} + \frac{1}{15} \int \frac{100 + 90x^2}{\sqrt{5 + x^4}} dx \\ &= \frac{1}{15} x (10 + 9x^2) \sqrt{5 + x^4} - (6\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx + \frac{1}{3} (2(10 + 9\sqrt{5})) \int \frac{1}{\sqrt{5 + x^4}} dx \\ &= \frac{6x\sqrt{5 + x^4}}{\sqrt{5 + x^2}} + \frac{1}{15} x (10 + 9x^2) \sqrt{5 + x^4} - \frac{6^4 \sqrt{5} (\sqrt{5} + x^2) \sqrt{\frac{5+x^4}{(\sqrt{5}+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\right)}{\sqrt{5 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.01, size = 48, normalized size = 0.27

$$\sqrt{5} x \left({}_2F_1\left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5}\right) + x^2 {}_2F_1\left(-\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)*Sqrt[5 + x^4], x]

[Out] Sqrt[5]*x*(2*Hypergeometric2F1[-1/2, 1/4, 5/4, -1/5*x^4] + x^2*Hypergeometric2F1[-1/2, 3/4, 7/4, -1/5*x^4])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4+5}(3x^2+2), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4+5}(3x^2+2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2), x)

maple [C] time = 0.01, size = 168, normalized size = 0.95

$$\frac{3\sqrt{x^4+5}x^3}{5} + \frac{2\sqrt{x^4+5}x}{3} + \frac{4\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}\text{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{15\sqrt{i\sqrt{5}}\sqrt{x^4+5}} + \frac{6i\sqrt{-5i\sqrt{5}x^2+25}}{15\sqrt{i\sqrt{5}}\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(1/2),x)

[Out] 3/5*(x^4+5)^(1/2)*x^3+6/5*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))+2/3*(x^4+5)^(1/2)*x+4/15*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4+5}(3x^2+2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{x^4 + 5} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 5)^(1/2)*(3*x^2 + 2), x)

[Out] int((x^4 + 5)^(1/2)*(3*x^2 + 2), x)

sympy [C] time = 2.02, size = 76, normalized size = 0.43

$$\frac{3\sqrt{5} x^3 \Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{5} x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5)**(1/2), x)

[Out] 3*sqrt(5)*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(7/4)) + sqrt(5)*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(5/4))

$$3.18 \quad \int \frac{(2+3x^2)\sqrt{5+x^4}}{x^2} dx$$

Optimal. Leaf size=171

$$\frac{4\sqrt{x^4+5}x}{x^2+\sqrt{5}} - \frac{(2-x^2)\sqrt{x^4+5}}{x} + \frac{\sqrt[4]{5}(2+\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{\sqrt{x^4+5}} - \frac{4\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{\sqrt{x^4+5}}$$

[Out] $-(x^2+2)(x^4+5)^{1/2}/x+4x(x^4+5)^{1/2}/(x^2+5^{1/2})-4*5^{1/4}*(\cos(2*\arctan(1/5*x*5^{3/4}))^2)^{1/2}/\cos(2*\arctan(1/5*x*5^{3/4}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{3/4})),1/2*2^{1/2})*(x^2+5^{1/2})*((x^4+5)/(x^2+5^{1/2}))^2)^{1/2}/(x^4+5)^{1/2}+5^{1/4}*(\cos(2*\arctan(1/5*x*5^{3/4}))^2)^{1/2}/\cos(2*\arctan(1/5*x*5^{3/4}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{3/4})),1/2*2^{1/2})*(2+5^{1/2})*(x^2+5^{1/2})*((x^4+5)/(x^2+5^{1/2}))^2)^{1/2}/(x^4+5)^{1/2}$

Rubi [A] time = 0.07, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1272, 1198, 220, 1196}

$$\frac{4\sqrt{x^4+5}x}{x^2+\sqrt{5}} - \frac{(2-x^2)\sqrt{x^4+5}}{x} + \frac{\sqrt[4]{5}(2+\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{\sqrt{x^4+5}} - \frac{4\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[5 + x^4])/x^2,x]

[Out] $-\frac{((2-x^2)*\text{Sqrt}[5+x^4])/x+(4*x*\text{Sqrt}[5+x^4])/(\text{Sqrt}[5+x^2])-(4*5^{1/4}*(\text{Sqrt}[5+x^2]*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5+x^2]^2)]*\text{EllipticE}[2*\text{ArcTan}[x/5^{1/4}],1/2])/\text{Sqrt}[5+x^4]+(5^{1/4}*(2+\text{Sqrt}[5])*(\text{Sqrt}[5+x^2]*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5+x^2]^2)]*\text{EllipticF}[2*\text{ArcTan}[x/5^{1/4}],1/2])/\text{Sqrt}[5+x^4])}{x^2+\sqrt{5}}$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1272

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] :> Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*
x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m +
4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned} \int \frac{(2 + 3x^2)\sqrt{5 + x^4}}{x^2} dx &= -\frac{(2 - x^2)\sqrt{5 + x^4}}{x} - \frac{2}{3} \int \frac{-15 - 6x^2}{\sqrt{5 + x^4}} dx \\ &= -\frac{(2 - x^2)\sqrt{5 + x^4}}{x} - (4\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx + (2(5 + 2\sqrt{5})) \int \frac{1}{\sqrt{5 + x^4}} dx \\ &= -\frac{(2 - x^2)\sqrt{5 + x^4}}{x} + \frac{4x\sqrt{5 + x^4}}{\sqrt{5 + x^2}} - \frac{4^4\sqrt{5}(\sqrt{5} + x^2)\sqrt{\frac{5+x^4}{(\sqrt{5}+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{\sqrt{5 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.02, size = 53, normalized size = 0.31

$$3\sqrt{5} x {}_2F_1\left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5}\right) - \frac{2\sqrt{5} {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{x^4}{5}\right)}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[((2 + 3*x^2)*Sqrt[5 + x^4])/x^2, x]
```

[Out] $(-2*\text{Sqrt}[5]*\text{Hypergeometric2F1}[-1/2, -1/4, 3/4, -1/5*x^4])/x + 3*\text{Sqrt}[5]*x*\text{Hypergeometric2F1}[-1/2, 1/4, 5/4, -1/5*x^4]$

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5}(3x^2+2)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5)^(1/2)/x^2,x, algorithm="fricas")`

[Out] `integral(sqrt(x^4 + 5)*(3*x^2 + 2)/x^2, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4+5}(3x^2+2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5)^(1/2)/x^2,x, algorithm="giac")`

[Out] `integrate(sqrt(x^4 + 5)*(3*x^2 + 2)/x^2, x)`

maple [C] time = 0.02, size = 167, normalized size = 0.98

$$\sqrt{x^4+5}x + \frac{2\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}\text{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{5\sqrt{i\sqrt{5}}\sqrt{x^4+5}} - \frac{2\sqrt{x^4+5}}{x} + \frac{4i\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}}{5\sqrt{i\sqrt{5}}\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)*(x^4+5)^(1/2)/x^2,x)`

[Out] $(x^4+5)^{(1/2)}*x+2/5*5^{(1/2)}/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*\text{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I)-2*(x^4+5)^{(1/2)}/x+4/5*I/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*(\text{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I)-\text{EllipticE}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4+5}(3x^2+2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)/x^2, x)

mupad [B] time = 0.41, size = 61, normalized size = 0.36

$$\frac{3x\sqrt{x^4+5} {}_2F_1\left(-\frac{1}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5}\right)}{\sqrt{\frac{x^4}{5}+1}} + \frac{2\sqrt{x^4+5} {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{5}{x^4}\right)}{x\sqrt{\frac{5}{x^4}+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 5)^(1/2)*(3*x^2 + 2))/x^2,x)

[Out] (3*x*(x^4 + 5)^(1/2)*hypergeom([-1/2, 1/4], 5/4, -x^4/5))/(x^4/5 + 1)^(1/2) + (2*(x^4 + 5)^(1/2)*hypergeom([-1/2, -1/4], 3/4, -5/x^4))/(x*(5/x^4 + 1)^(1/2))

sympy [C] time = 2.30, size = 78, normalized size = 0.46

$$\frac{3\sqrt{5}x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{5}\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2x\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5)**(1/2)/x**2,x)

[Out] 3*sqrt(5)*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(5/4)) + sqrt(5)*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), x**4*exp_polar(I*pi)/5)/(2*x*gamma(3/4))

$$3.19 \quad \int \frac{(2+3x^2)\sqrt{5+x^4}}{x^4} dx$$

Optimal. Leaf size=192

$$\frac{6\sqrt{x^4+5}}{x} + \frac{6\sqrt{x^4+5}x}{x^2+\sqrt{5}} + \frac{(2+9\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{5}\sqrt{x^4+5}} - \frac{6\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E}{\sqrt{x^4+5}}$$

[Out] $-6*(x^4+5)^{(1/2)}/x-1/3*(-9*x^2+2)*(x^4+5)^{(1/2)}/x^3+6*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-6*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}+1/15*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(2+9*5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}*5^{(3/4)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1272, 1282, 1198, 220, 1196}

$$\frac{6\sqrt{x^4+5}x}{x^2+\sqrt{5}} - \frac{6\sqrt{x^4+5}}{x} - \frac{(2-9x^2)\sqrt{x^4+5}}{3x^3} + \frac{(2+9\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{3\sqrt[4]{5}\sqrt{x^4+5}} - \frac{6\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E}{\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[5 + x^4])/x^4, x]

[Out] $(-6*\text{Sqrt}[5 + x^4])/x - ((2 - 9*x^2)*\text{Sqrt}[5 + x^4])/(3*x^3) + (6*x*\text{Sqrt}[5 + x^4])/(\text{Sqrt}[5] + x^2) - (6*5^{(1/4)}*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/\text{Sqrt}[5 + x^4] + ((2 + 9*\text{Sqrt}[5])*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(3*5^{(1/4)}*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(

```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1272

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*
x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)
), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x
^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m +
  4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1282

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{5+x^4}}{x^4} dx &= -\frac{(2-9x^2)\sqrt{5+x^4}}{3x^3} - \frac{2}{3} \int \frac{-45-2x^2}{x^2\sqrt{5+x^4}} dx \\
&= -\frac{6\sqrt{5+x^4}}{x} - \frac{(2-9x^2)\sqrt{5+x^4}}{3x^3} + \frac{2}{15} \int \frac{10+45x^2}{\sqrt{5+x^4}} dx \\
&= -\frac{6\sqrt{5+x^4}}{x} - \frac{(2-9x^2)\sqrt{5+x^4}}{3x^3} - (6\sqrt{5}) \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx + \frac{1}{3} (2(2+9\sqrt{5})) \int \frac{1}{\sqrt{5+x^4}} dx \\
&= -\frac{6\sqrt{5+x^4}}{x} - \frac{(2-9x^2)\sqrt{5+x^4}}{3x^3} + \frac{6x\sqrt{5+x^4}}{\sqrt{5+x^2}} - \frac{6^4\sqrt{5}(\sqrt{5+x^2})\sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}} E\left(2t\right)}{\sqrt{5+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 54, normalized size = 0.28

$$\frac{\sqrt{5} \left(2 {}_2F_1 \left(-\frac{3}{4}, -\frac{1}{2}; \frac{1}{4}; -\frac{x^4}{5} \right) + 9x^2 {}_2F_1 \left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{x^4}{5} \right) \right)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[5 + x^4])/x^4,x]

[Out] -1/3*(Sqrt[5]*(2*Hypergeometric2F1[-3/4, -1/2, 1/4, -1/5*x^4] + 9*x^2*Hypergeometric2F1[-1/2, -1/4, 3/4, -1/5*x^4]))/x^3

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{x^4 + 5} (3x^2 + 2)}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^4,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 5} (3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)/x^4, x)

maple [C] time = 0.02, size = 170, normalized size = 0.89

$$\frac{4\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \operatorname{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right)}{75\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}} - \frac{3\sqrt{x^4 + 5}}{x} - \frac{2\sqrt{x^4 + 5}}{3x^3} + \frac{6i\sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(1/2)/x^4,x)

[Out] $-2/3*(x^4+5)^{(1/2)}/x^3+4/75*5^{(1/2)}/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I)-3*(x^4+5)^{(1/2)}/x+6/5*I/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*(\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I)-\operatorname{EllipticE}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x, I))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 5} (3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(1/2)/x^4,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5)*(3*x^2 + 2)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{x^4 + 5} (3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((x^4 + 5)^(1/2)*(3*x^2 + 2))/x^4,x)

[Out] int(((x^4 + 5)^(1/2)*(3*x^2 + 2))/x^4, x)

sympy [C] time = 2.50, size = 83, normalized size = 0.43

$$\frac{3\sqrt{5}\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4x\Gamma\left(\frac{3}{4}\right)} + \frac{\sqrt{5}\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, -\frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2x^3\Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5)**(1/2)/x**4,x)

[Out] 3*sqrt(5)*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), x**4*exp_polar(I*pi)/5)/(4*x*gamma(3/4)) + sqrt(5)*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), x**4*exp_polar(I*pi)/5)/(2*x**3*gamma(1/4))

3.20 $\int x^5 (2 + 3x^2) (5 + x^4)^{3/2} dx$

Optimal. Leaf size=83

$$\frac{3}{14} (x^4 + 5)^{5/2} x^4 - \frac{125}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{5}{24} (x^4 + 5)^{3/2} x^2 - \frac{25}{16} \sqrt{x^4 + 5} x^2 - \frac{1}{42} (18 - 7x^2) (x^4 + 5)^{5/2}$$

[Out] $-5/24*x^2*(x^4+5)^{(3/2)}+3/14*x^4*(x^4+5)^{(5/2)}-1/42*(-7*x^2+18)*(x^4+5)^{(5/2)}-125/16*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})-25/16*x^2*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1252, 833, 780, 195, 215}

$$\frac{3}{14} (x^4 + 5)^{5/2} x^4 - \frac{5}{24} (x^4 + 5)^{3/2} x^2 - \frac{25}{16} \sqrt{x^4 + 5} x^2 - \frac{1}{42} (18 - 7x^2) (x^4 + 5)^{5/2} - \frac{125}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5*(2 + 3*x^2)*(5 + x^4)^{(3/2)}, x]$

[Out] $(-25*x^2*\operatorname{Sqrt}[5 + x^4])/16 - (5*x^2*(5 + x^4)^{(3/2)})/24 + (3*x^4*(5 + x^4)^{(5/2)})/14 - ((18 - 7*x^2)*(5 + x^4)^{(5/2)})/42 - (125*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/16$

Rule 195

$\operatorname{Int}[(a + b*x^n)^p, x_Symbol] \rightarrow \operatorname{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \operatorname{Dist}[(a*n*p)/(n*p + 1), \operatorname{Int}[(a + b*x^n)^{p-1}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a + b*x^2)], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[\operatorname{Rt}[b, 2]*x]/\operatorname{Sqrt}[a]/\operatorname{Rt}[b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 780

$\operatorname{Int}[(d + e*x)*(f + g*x)*(a + c*x^2)^p, x_Symbol] \rightarrow \operatorname{Simp}[(e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x*(a + c*x^2)^{p+1}/(2*c*(p + 1)*(2*p + 3)), x] - \operatorname{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \operatorname{Int}[(a + c*x^2)^p, x], x] /;$ FreeQ[{a, c, d, e, f, g, p}, x] && !Le

Q[p, -1]

Rule 833

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)
), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[
c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x]
/; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
 \int x^5 (2 + 3x^2) (5 + x^4)^{3/2} dx &= \frac{1}{2} \text{Subst} \left(\int x^2 (2 + 3x) (5 + x^2)^{3/2} dx, x, x^2 \right) \\
 &= \frac{3}{14} x^4 (5 + x^4)^{5/2} + \frac{1}{14} \text{Subst} \left(\int x(-30 + 14x) (5 + x^2)^{3/2} dx, x, x^2 \right) \\
 &= \frac{3}{14} x^4 (5 + x^4)^{5/2} - \frac{1}{42} (18 - 7x^2) (5 + x^4)^{5/2} - \frac{5}{6} \text{Subst} \left(\int (5 + x^2)^{3/2} dx, x, x^2 \right) \\
 &= -\frac{5}{24} x^2 (5 + x^4)^{3/2} + \frac{3}{14} x^4 (5 + x^4)^{5/2} - \frac{1}{42} (18 - 7x^2) (5 + x^4)^{5/2} - \frac{25}{8} \text{Subst} \left(\int \sqrt{5 + x^2} dx, x, x^2 \right) \\
 &= -\frac{25}{16} x^2 \sqrt{5 + x^4} - \frac{5}{24} x^2 (5 + x^4)^{3/2} + \frac{3}{14} x^4 (5 + x^4)^{5/2} - \frac{1}{42} (18 - 7x^2) (5 + x^4)^{5/2} \\
 &= -\frac{25}{16} x^2 \sqrt{5 + x^4} - \frac{5}{24} x^2 (5 + x^4)^{3/2} + \frac{3}{14} x^4 (5 + x^4)^{5/2} - \frac{1}{42} (18 - 7x^2) (5 + x^4)^{5/2}
 \end{aligned}$$

Mathematica [A] time = 0.05, size = 72, normalized size = 0.87

$$\frac{3}{14} (x^4 - 2) (x^4 + 5)^{5/2} + \frac{1}{6} x^2 (x^4 + 5)^{5/2} - \frac{5}{48} \left(75 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \sqrt{x^4 + 5} (2x^4 + 25) x^2 \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(2 + 3*x^2)*(5 + x^4)^(3/2),x]

[Out] $(x^2*(5 + x^4)^{(5/2)})/6 + (3*(-2 + x^4)*(5 + x^4)^{(5/2)})/14 - (5*(x^2*\text{Sqrt}[5 + x^4]*(25 + 2*x^4) + 75*\text{ArcSinh}[x^2/\text{Sqrt}[5]]))/48$

fricas [A] time = 0.71, size = 58, normalized size = 0.70

$$\frac{1}{336} (72x^{12} + 56x^{10} + 576x^8 + 490x^6 + 360x^4 + 525x^2 - 3600)\sqrt{x^4 + 5} + \frac{125}{16} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="fricas")`

[Out] $1/336*(72*x^{12} + 56*x^{10} + 576*x^8 + 490*x^6 + 360*x^4 + 525*x^2 - 3600)*\text{sqrt}(x^4 + 5) + 125/16*\log(-x^2 + \text{sqrt}(x^4 + 5))$

giac [A] time = 0.25, size = 80, normalized size = 0.96

$$\frac{3}{14} (x^4 + 5)^{\frac{7}{2}} + \frac{1}{48} (2(4x^4 + 5)x^4 - 75)\sqrt{x^4 + 5}x^2 + \frac{5}{8} (2x^4 + 5)\sqrt{x^4 + 5}x^2 - \frac{3}{2} (x^4 + 5)^{\frac{5}{2}} + \frac{125}{16} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="giac")`

[Out] $3/14*(x^4 + 5)^{(7/2)} + 1/48*(2*(4*x^4 + 5)*x^4 - 75)*\text{sqrt}(x^4 + 5)*x^2 + 5/8*(2*x^4 + 5)*\text{sqrt}(x^4 + 5)*x^2 - 3/2*(x^4 + 5)^{(5/2)} + 125/16*\log(-x^2 + \text{sqrt}(x^4 + 5))$

maple [A] time = 0.02, size = 73, normalized size = 0.88

$$\frac{\sqrt{x^4 + 5} x^{10}}{6} + \frac{35\sqrt{x^4 + 5} x^6}{24} + \frac{25\sqrt{x^4 + 5} x^2}{16} - \frac{125 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16} + \frac{3\sqrt{x^4 + 5} (x^4 - 2)(x^8 + 10x^4 + 25)}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(3*x^2+2)*(x^4+5)^(3/2),x)`

[Out] $3/14*(x^4+5)^{(1/2)}*(x^4-2)*(x^8+10*x^4+25)+1/6*x^{10}*(x^4+5)^{(1/2)}+35/24*x^6*(x^4+5)^{(1/2)}+25/16*(x^4+5)^{(1/2)}*x^2-125/16*\operatorname{arcsinh}(1/5*5^{(1/2)}*x^2)$

maxima [A] time = 1.35, size = 127, normalized size = 1.53

$$\frac{3}{14} (x^4 + 5)^{\frac{7}{2}} - \frac{3}{2} (x^4 + 5)^{\frac{5}{2}} - \frac{125 \left(\frac{3\sqrt{x^4+5}}{x^2} - \frac{8(x^4+5)^{\frac{3}{2}}}{x^6} - \frac{3(x^4+5)^{\frac{5}{2}}}{x^{10}} \right)}{48 \left(\frac{3(x^4+5)}{x^4} - \frac{3(x^4+5)^2}{x^8} + \frac{(x^4+5)^3}{x^{12}} - 1 \right)} - \frac{125}{32} \log\left(\frac{\sqrt{x^4+5}}{x^2} + 1\right) + \frac{125}{32} \log\left(\frac{\sqrt{x^4+5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="maxima")`

[Out] $3/14*(x^4 + 5)^{(7/2)} - 3/2*(x^4 + 5)^{(5/2)} - 125/48*(3*\sqrt{x^4 + 5})/x^2 - 8*(x^4 + 5)^{(3/2)}/x^6 - 3*(x^4 + 5)^{(5/2)}/x^{10}/(3*(x^4 + 5)/x^4 - 3*(x^4 + 5)^2/x^8 + (x^4 + 5)^3/x^{12} - 1) - 125/32*\log(\sqrt{x^4 + 5}/x^2 + 1) + 125/32*\log(\sqrt{x^4 + 5}/x^2 - 1)$

mupad [B] time = 0.32, size = 52, normalized size = 0.63

$$\sqrt{x^4 + 5} \left(\frac{3x^{12}}{14} + \frac{x^{10}}{6} + \frac{12x^8}{7} + \frac{35x^6}{24} + \frac{15x^4}{14} + \frac{25x^2}{16} - \frac{75}{7} \right) - \frac{125 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(x^4 + 5)^(3/2)*(3*x^2 + 2),x)`

[Out] $(x^4 + 5)^{(1/2)}*((25*x^2)/16 + (15*x^4)/14 + (35*x^6)/24 + (12*x^8)/7 + x^{10}/6 + (3*x^{12})/14 - 75/7) - (125*\operatorname{asinh}((5^{(1/2)}*x^2)/5))/16$

sympy [A] time = 14.31, size = 131, normalized size = 1.58

$$\frac{x^{14}}{6\sqrt{x^4 + 5}} + \frac{3x^{12}\sqrt{x^4 + 5}}{14} + \frac{55x^{10}}{24\sqrt{x^4 + 5}} + \frac{12x^8\sqrt{x^4 + 5}}{7} + \frac{425x^6}{48\sqrt{x^4 + 5}} + \frac{15x^4\sqrt{x^4 + 5}}{14} + \frac{125x^2}{16\sqrt{x^4 + 5}} - \frac{75\sqrt{x^4 + 5}}{7} - \frac{125 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(3*x**2+2)*(x**4+5)**(3/2),x)`

[Out] $x^{14}/(6*\sqrt{x^4 + 5}) + 3*x^{12}*\sqrt{x^4 + 5}/14 + 55*x^{10}/(24*\sqrt{x^4 + 5}) + 12*x^8*\sqrt{x^4 + 5}/7 + 425*x^6/(48*\sqrt{x^4 + 5}) + 15*x^4*\sqrt{x^4 + 5}/14 + 125*x^2/(16*\sqrt{x^4 + 5}) - 75*\sqrt{x^4 + 5}/7 - 125*\operatorname{asinh}(\sqrt{5}*x^2/5)/16$

$$3.21 \quad \int x^3 (2 + 3x^2) (5 + x^4)^{3/2} dx$$

Optimal. Leaf size=67

$$-\frac{375}{32} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{1}{20} (5x^2 + 4)(x^4 + 5)^{5/2} - \frac{5}{16} x^2 (x^4 + 5)^{3/2} - \frac{75}{32} x^2 \sqrt{x^4 + 5}$$

[Out] $-5/16*x^2*(x^4+5)^{(3/2)}+1/20*(5*x^2+4)*(x^4+5)^{(5/2)}-375/32*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})-75/32*x^2*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1252, 780, 195, 215}

$$\frac{1}{20} (5x^2 + 4)(x^4 + 5)^{5/2} - \frac{5}{16} x^2 (x^4 + 5)^{3/2} - \frac{75}{32} x^2 \sqrt{x^4 + 5} - \frac{375}{32} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] `Int[x^3*(2 + 3*x^2)*(5 + x^4)^(3/2), x]`

[Out] $(-75*x^2*\operatorname{Sqrt}[5 + x^4])/32 - (5*x^2*(5 + x^4)^{(3/2)})/16 + ((4 + 5*x^2)*(5 + x^4)^{(5/2)})/20 - (375*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/32$

Rule 195

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])`

Rule 215

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]`

Rule 780

`Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1)/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]`

Rule 1252

$\text{Int}[(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(q_.)}*((a_) + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}*(d+e*x)^q*(a+c*x^2)^p, x], x, x^2], x] /;$ $\text{FreeQ}\{a, c, d, e, p, q\}, x$ && $\text{IntegerQ}[(m+1)/2]$

Rubi steps

$$\begin{aligned} \int x^3 (2 + 3x^2) (5 + x^4)^{3/2} dx &= \frac{1}{2} \text{Subst} \left(\int x(2 + 3x) (5 + x^2)^{3/2} dx, x, x^2 \right) \\ &= \frac{1}{20} (4 + 5x^2) (5 + x^4)^{5/2} - \frac{5}{4} \text{Subst} \left(\int (5 + x^2)^{3/2} dx, x, x^2 \right) \\ &= -\frac{5}{16} x^2 (5 + x^4)^{3/2} + \frac{1}{20} (4 + 5x^2) (5 + x^4)^{5/2} - \frac{75}{16} \text{Subst} \left(\int \sqrt{5 + x^2} dx, x, x^2 \right) \\ &= -\frac{75}{32} x^2 \sqrt{5 + x^4} - \frac{5}{16} x^2 (5 + x^4)^{3/2} + \frac{1}{20} (4 + 5x^2) (5 + x^4)^{5/2} - \frac{375}{32} \text{Subst} \left(\int \sqrt{5 + x^2} dx, x, x^2 \right) \\ &= -\frac{75}{32} x^2 \sqrt{5 + x^4} - \frac{5}{16} x^2 (5 + x^4)^{3/2} + \frac{1}{20} (4 + 5x^2) (5 + x^4)^{5/2} - \frac{375}{32} \sinh^{-1} \left(\frac{x}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.04, size = 54, normalized size = 0.81

$$\frac{1}{160} \left(\sqrt{x^4 + 5} (40x^{10} + 32x^8 + 350x^6 + 320x^4 + 375x^2 + 800) - 1875 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(2 + 3*x^2)*(5 + x^4)^(3/2),x]

[Out] (Sqrt[5 + x^4]*(800 + 375*x^2 + 320*x^4 + 350*x^6 + 32*x^8 + 40*x^10) - 1875*ArcSinh[x^2/Sqrt[5]])/160

fricas [A] time = 0.63, size = 53, normalized size = 0.79

$$\frac{1}{160} (40x^{10} + 32x^8 + 350x^6 + 320x^4 + 375x^2 + 800) \sqrt{x^4 + 5} + \frac{375}{32} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="fricas")

[Out] 1/160*(40*x^10 + 32*x^8 + 350*x^6 + 320*x^4 + 375*x^2 + 800)*sqrt(x^4 + 5) + 375/32*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.20, size = 71, normalized size = 1.06

$$\frac{1}{32} \left(2(4x^4 + 5)x^4 - 75 \right) \sqrt{x^4 + 5} x^2 + \frac{15}{16} (2x^4 + 5) \sqrt{x^4 + 5} x^2 + \frac{1}{5} (x^4 + 5)^{\frac{5}{2}} + \frac{375}{32} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="giac")

[Out] 1/32*(2*(4*x^4 + 5)*x^4 - 75)*sqrt(x^4 + 5)*x^2 + 15/16*(2*x^4 + 5)*sqrt(x^4 + 5)*x^2 + 1/5*(x^4 + 5)^(5/2) + 375/32*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 58, normalized size = 0.87

$$\frac{\sqrt{x^4 + 5} x^{10}}{4} + \frac{35\sqrt{x^4 + 5} x^6}{16} + \frac{75\sqrt{x^4 + 5} x^2}{32} - \frac{375 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{32} + \frac{(x^4 + 5)^{\frac{5}{2}}}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(3*x^2+2)*(x^4+5)^(3/2),x)

[Out] 1/4*(x^4+5)^(1/2)*x^10+35/16*(x^4+5)^(1/2)*x^6+75/32*(x^4+5)^(1/2)*x^2-375/32*arcsinh(1/5*5^(1/2)*x^2)+1/5*(x^4+5)^(5/2)

maxima [B] time = 1.13, size = 118, normalized size = 1.76

$$\frac{1}{5} (x^4 + 5)^{\frac{5}{2}} - \frac{125 \left(\frac{3\sqrt{x^4+5}}{x^2} - \frac{8(x^4+5)^{\frac{3}{2}}}{x^6} - \frac{3(x^4+5)^{\frac{5}{2}}}{x^{10}} \right)}{32 \left(\frac{3(x^4+5)}{x^4} - \frac{3(x^4+5)^2}{x^8} + \frac{(x^4+5)^3}{x^{12}} - 1 \right)} - \frac{375}{64} \log\left(\frac{\sqrt{x^4+5}}{x^2} + 1\right) + \frac{375}{64} \log\left(\frac{\sqrt{x^4+5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="maxima")

[Out] 1/5*(x^4 + 5)^(5/2) - 125/32*(3*sqrt(x^4 + 5)/x^2 - 8*(x^4 + 5)^(3/2)/x^6 - 3*(x^4 + 5)^(5/2)/x^10)/(3*(x^4 + 5)/x^4 - 3*(x^4 + 5)^2/x^8 + (x^4 + 5)^3/x^12 - 1) - 375/64*log(sqrt(x^4 + 5)/x^2 + 1) + 375/64*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.43, size = 47, normalized size = 0.70

$$\sqrt{x^4 + 5} \left(\frac{x^{10}}{4} + \frac{x^8}{5} + \frac{35x^6}{16} + 2x^4 + \frac{75x^2}{32} + 5 \right) - \frac{375 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(x^4 + 5)^(3/2)*(3*x^2 + 2), x)`

[Out] $(x^4 + 5)^{1/2} * ((75*x^2)/32 + 2*x^4 + (35*x^6)/16 + x^8/5 + x^{10}/4 + 5) - (375*asinh((5^{1/2}*x^2)/5))/32$

sympy [B] time = 11.57, size = 124, normalized size = 1.85

$$\frac{x^{14}}{4\sqrt{x^4 + 5}} + \frac{55x^{10}}{16\sqrt{x^4 + 5}} + \frac{x^8\sqrt{x^4 + 5}}{5} + \frac{425x^6}{32\sqrt{x^4 + 5}} + \frac{x^4\sqrt{x^4 + 5}}{3} + \frac{375x^2}{32\sqrt{x^4 + 5}} + \frac{5(x^4 + 5)^{3/2}}{3} - \frac{10\sqrt{x^4 + 5}}{3} - \frac{375 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(3*x**2+2)*(x**4+5)**(3/2), x)`

[Out] $x^{14}/(4*\sqrt{x^4 + 5}) + 55*x^{10}/(16*\sqrt{x^4 + 5}) + x^8*\sqrt{x^4 + 5}/5 + 425*x^6/(32*\sqrt{x^4 + 5}) + x^4*\sqrt{x^4 + 5}/3 + 375*x^2/(32*\sqrt{x^4 + 5}) + 5*(x^4 + 5)^{3/2}/3 - 10*\sqrt{x^4 + 5}/3 - 375*asinh(sqrt(5)*x^2/5)/32$

$$3.22 \quad \int x(2 + 3x^2)(5 + x^4)^{3/2} dx$$

Optimal. Leaf size=60

$$\frac{3}{10}(x^4 + 5)^{5/2} + \frac{75}{8} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{1}{4}x^2(x^4 + 5)^{3/2} + \frac{15}{8}x^2\sqrt{x^4 + 5}$$

[Out] $1/4*x^2*(x^4+5)^(3/2)+3/10*(x^4+5)^(5/2)+75/8*\operatorname{arcsinh}(1/5*x^2*5^(1/2))+15/8*x^2*(x^4+5)^(1/2)$

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1248, 641, 195, 215}

$$\frac{3}{10}(x^4 + 5)^{5/2} + \frac{1}{4}x^2(x^4 + 5)^{3/2} + \frac{15}{8}x^2\sqrt{x^4 + 5} + \frac{75}{8} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] `Int[x*(2 + 3*x^2)*(5 + x^4)^(3/2), x]`

[Out] $(15*x^2*\operatorname{Sqrt}[5 + x^4])/8 + (x^2*(5 + x^4)^(3/2))/4 + (3*(5 + x^4)^(5/2))/10 + (75*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/8$

Rule 195

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])`

Rule 215

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]`

Rule 641

`Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]`

Rule 1248

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
 \int x(2+3x^2)(5+x^4)^{3/2} dx &= \frac{1}{2} \text{Subst} \left(\int (2+3x)(5+x^2)^{3/2} dx, x, x^2 \right) \\
 &= \frac{3}{10} (5+x^4)^{5/2} + \text{Subst} \left(\int (5+x^2)^{3/2} dx, x, x^2 \right) \\
 &= \frac{1}{4} x^2 (5+x^4)^{3/2} + \frac{3}{10} (5+x^4)^{5/2} + \frac{15}{4} \text{Subst} \left(\int \sqrt{5+x^2} dx, x, x^2 \right) \\
 &= \frac{15}{8} x^2 \sqrt{5+x^4} + \frac{1}{4} x^2 (5+x^4)^{3/2} + \frac{3}{10} (5+x^4)^{5/2} + \frac{75}{8} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
 &= \frac{15}{8} x^2 \sqrt{5+x^4} + \frac{1}{4} x^2 (5+x^4)^{3/2} + \frac{3}{10} (5+x^4)^{5/2} + \frac{75}{8} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 56, normalized size = 0.93

$$\frac{75}{8} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{1}{2} \sqrt{x^4+5} \left(\frac{3x^8}{5} + \frac{x^6}{2} + 6x^4 + \frac{25x^2}{4} + 15 \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(2 + 3*x^2)*(5 + x^4)^(3/2), x]
```

```
[Out] (Sqrt[5 + x^4]*(15 + (25*x^2)/4 + 6*x^4 + x^6/2 + (3*x^8)/5))/2 + (75*ArcSinh[x^2/Sqrt[5]])/8
```

fricas [A] time = 0.75, size = 48, normalized size = 0.80

$$\frac{1}{40} (12x^8 + 10x^6 + 120x^4 + 125x^2 + 300) \sqrt{x^4+5} - \frac{75}{8} \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(3*x^2+2)*(x^4+5)^(3/2), x, algorithm="fricas")
```

```
[Out] 1/40*(12*x^8 + 10*x^6 + 120*x^4 + 125*x^2 + 300)*sqrt(x^4 + 5) - 75/8*log(-x^2 + sqrt(x^4 + 5))
```

giac [A] time = 0.24, size = 57, normalized size = 0.95

$$\frac{1}{8} (2x^4 + 5) \sqrt{x^4+5} x^2 + \frac{3}{10} (x^4+5)^{5/2} + \frac{5}{2} \sqrt{x^4+5} x^2 - \frac{75}{8} \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="giac")

[Out] $1/8*(2*x^4 + 5)*\sqrt{x^4 + 5}*x^2 + 3/10*(x^4 + 5)^{(5/2)} + 5/2*\sqrt{x^4 + 5}*x^2 - 75/8*\log(-x^2 + \sqrt{x^4 + 5})$

maple [A] time = 0.01, size = 46, normalized size = 0.77

$$\frac{\sqrt{x^4 + 5} x^6}{4} + \frac{25\sqrt{x^4 + 5} x^2}{8} + \frac{75 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{8} + \frac{3(x^4 + 5)^{\frac{5}{2}}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2+2)*(x^4+5)^(3/2),x)

[Out] $3/10*(x^4+5)^{(5/2)}+1/4*(x^4+5)^{(1/2)}*x^6+25/8*(x^4+5)^{(1/2)}*x^2+75/8*\operatorname{arcsinh}(1/5*5^{(1/2)}*x^2)$

maxima [B] time = 1.60, size = 95, normalized size = 1.58

$$\frac{3}{10}(x^4 + 5)^{\frac{5}{2}} + \frac{25 \left(\frac{3\sqrt{x^4+5}}{x^2} - \frac{5(x^4+5)^{\frac{3}{2}}}{x^6} \right)}{8 \left(\frac{2(x^4+5)}{x^4} - \frac{(x^4+5)^2}{x^8} - 1 \right)} + \frac{75}{16} \log \left(\frac{\sqrt{x^4+5}}{x^2} + 1 \right) - \frac{75}{16} \log \left(\frac{\sqrt{x^4+5}}{x^2} - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="maxima")

[Out] $3/10*(x^4 + 5)^{(5/2)} + 25/8*(3*\sqrt{x^4 + 5}/x^2 - 5*(x^4 + 5)^{(3/2)}/x^6)/(2*(x^4 + 5)/x^4 - (x^4 + 5)^2/x^8 - 1) + 75/16*\log(\sqrt{x^4 + 5}/x^2 + 1) - 75/16*\log(\sqrt{x^4 + 5}/x^2 - 1)$

mupad [B] time = 0.18, size = 42, normalized size = 0.70

$$\frac{75 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{8} + \sqrt{x^4 + 5} \left(\frac{3x^8}{10} + \frac{x^6}{4} + 3x^4 + \frac{25x^2}{8} + \frac{15}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(x^4 + 5)^(3/2)*(3*x^2 + 2),x)

[Out] $(75*\operatorname{asinh}((5^{(1/2)}*x^2)/5))/8 + (x^4 + 5)^{(1/2)}*((25*x^2)/8 + 3*x^4 + x^6/4 + (3*x^8)/10 + 15/2)$

sympy [B] time = 8.19, size = 109, normalized size = 1.82

$$\frac{x^{10}}{4\sqrt{x^4+5}} + \frac{3x^8\sqrt{x^4+5}}{10} + \frac{35x^6}{8\sqrt{x^4+5}} + \frac{x^4\sqrt{x^4+5}}{2} + \frac{125x^2}{8\sqrt{x^4+5}} + \frac{5(x^4+5)^{\frac{3}{2}}}{2} - 5\sqrt{x^4+5} + \frac{75 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x**2+2)*(x**4+5)**(3/2),x)

[Out] x**10/(4*sqrt(x**4 + 5)) + 3*x**8*sqrt(x**4 + 5)/10 + 35*x**6/(8*sqrt(x**4 + 5)) + x**4*sqrt(x**4 + 5)/2 + 125*x**2/(8*sqrt(x**4 + 5)) + 5*(x**4 + 5)*
*(3/2)/2 - 5*sqrt(x**4 + 5) + 75*asinh(sqrt(5)*x**2/5)/8

$$3.23 \quad \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x} dx$$

Optimal. Leaf size=78

$$-5\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right) + \frac{225}{16} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{1}{24} (9x^2+8)(x^4+5)^{3/2} + \frac{5}{16} (9x^2+16)\sqrt{x^4+5}$$

[Out] 1/24*(9*x^2+8)*(x^4+5)^(3/2)+225/16*arcsinh(1/5*x^2*5^(1/2))-5*arctanh(1/5*(x^4+5)^(1/2)*5^(1/2))*5^(1/2)+5/16*(9*x^2+16)*(x^4+5)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1252, 815, 844, 215, 266, 63, 207}

$$\frac{1}{24} (9x^2+8)(x^4+5)^{3/2} + \frac{5}{16} (9x^2+16)\sqrt{x^4+5} + \frac{225}{16} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - 5\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(5 + x^4)^(3/2))/x,x]

[Out] (5*(16 + 9*x^2)*Sqrt[5 + x^4])/16 + ((8 + 9*x^2)*(5 + x^4)^(3/2))/24 + (225 *ArcSinh[x^2/Sqrt[5]])/16 - 5*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m+1)-1)*(c-(a*d)/b + (d*x^p)/b)^n, x], x, (a+b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p_, x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
/; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(5+x^2)^{3/2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{24} (8+9x^2)(5+x^4)^{3/2} + \frac{1}{8} \text{Subst} \left(\int \frac{(40+45x)\sqrt{5+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{5}{16} (16+9x^2)\sqrt{5+x^4} + \frac{1}{24} (8+9x^2)(5+x^4)^{3/2} + \frac{1}{16} \text{Subst} \left(\int \frac{400+225x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{5}{16} (16+9x^2)\sqrt{5+x^4} + \frac{1}{24} (8+9x^2)(5+x^4)^{3/2} + \frac{225}{16} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{5}{16} (16+9x^2)\sqrt{5+x^4} + \frac{1}{24} (8+9x^2)(5+x^4)^{3/2} + \frac{225}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{25}{2} \text{Subst} \left(\int \frac{1}{x} dx, x, x^2 \right) \\
&= \frac{5}{16} (16+9x^2)\sqrt{5+x^4} + \frac{1}{24} (8+9x^2)(5+x^4)^{3/2} + \frac{225}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + 25 \text{Subst} \left(\int \frac{1}{x} dx, x, x^2 \right) \\
&= \frac{5}{16} (16+9x^2)\sqrt{5+x^4} + \frac{1}{24} (8+9x^2)(5+x^4)^{3/2} + \frac{225}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - 5\sqrt{5} \tanh^{-1} \left(\frac{\sqrt{x^4+5}}{\sqrt{5}} \right)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 67, normalized size = 0.86

$$\frac{1}{48} \left(-240\sqrt{5} \tanh^{-1} \left(\frac{\sqrt{x^4+5}}{\sqrt{5}} \right) + 675 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \sqrt{x^4+5} (18x^6 + 16x^4 + 225x^2 + 320) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(5 + x^4)^(3/2))/x,x]

[Out] (Sqrt[5 + x^4]*(320 + 225*x^2 + 16*x^4 + 18*x^6) + 675*ArcSinh[x^2/Sqrt[5]] - 240*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/48

fricas [A] time = 0.76, size = 67, normalized size = 0.86

$$\frac{1}{48} (18x^6 + 16x^4 + 225x^2 + 320)\sqrt{x^4+5} + 5\sqrt{5} \log \left(-\frac{\sqrt{5} - \sqrt{x^4+5}}{x^2} \right) - \frac{225}{16} \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x,x, algorithm="fricas")

[Out] 1/48*(18*x^6 + 16*x^4 + 225*x^2 + 320)*sqrt(x^4 + 5) + 5*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 225/16*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.26, size = 90, normalized size = 1.15

$$\frac{1}{48} \sqrt{x^4 + 5} \left((2(9x^2 + 8)x^2 + 225)x^2 + 320 \right) + 5\sqrt{5} \log \left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}} \right) - \frac{225}{16} \log \left(-x^2 + \sqrt{x^4 + 5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x,x, algorithm="giac")

[Out] 1/48*sqrt(x^4 + 5)*((2*(9*x^2 + 8)*x^2 + 225)*x^2 + 320) + 5*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) - 225/16*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 75, normalized size = 0.96

$$\frac{3\sqrt{x^4 + 5} x^6}{8} + \frac{\sqrt{x^4 + 5} x^4}{3} + \frac{75\sqrt{x^4 + 5} x^2}{16} + \frac{225 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16} - 5\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4 + 5}}\right) + \frac{20\sqrt{x^4 + 5}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(3/2)/x,x)

[Out] 3/8*(x^4+5)^(1/2)*x^6+75/16*(x^4+5)^(1/2)*x^2+225/16*arcsinh(1/5*5^(1/2)*x^2)+1/3*x^4*(x^4+5)^(1/2)+20/3*(x^4+5)^(1/2)-5*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))

maxima [B] time = 1.19, size = 138, normalized size = 1.77

$$\frac{1}{3} (x^4 + 5)^{\frac{3}{2}} + \frac{5}{2} \sqrt{5} \log \left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}} \right) + 5\sqrt{x^4 + 5} + \frac{75 \left(\frac{3\sqrt{x^4 + 5}}{x^2} - \frac{5(x^4 + 5)^{\frac{3}{2}}}{x^6} \right)}{16 \left(\frac{2(x^4 + 5)}{x^4} - \frac{(x^4 + 5)^2}{x^8} - 1 \right)} + \frac{225}{32} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} + 1 \right) - \frac{225}{32} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x,x, algorithm="maxima")

[Out] 1/3*(x^4 + 5)^(3/2) + 5/2*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) + 5*sqrt(x^4 + 5) + 75/16*(3*sqrt(x^4 + 5)/x^2 - 5*(x^4 + 5)^(3/2)/x^6)/(2*(x^4 + 5)/x^4 - (x^4 + 5)^2/x^8 - 1) + 225/32*log(sqrt(x^4 + 5)/x^2 + 1) - 225/32*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.18, size = 55, normalized size = 0.71

$$\frac{225 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16} - 5\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5} \sqrt{x^4 + 5}}{5}\right) + \sqrt{x^4 + 5} \left(\frac{3x^6}{8} + \frac{x^4}{3} + \frac{75x^2}{16} + \frac{20}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x,x)`

[Out] $(225*\operatorname{asinh}((5^{1/2}*x^2)/5))/16 - 5*5^{1/2}*\operatorname{atanh}((5^{1/2}*(x^4 + 5)^{1/2})/5) + (x^4 + 5)^{1/2}*((75*x^2)/16 + x^4/3 + (3*x^6)/8 + 20/3)$

sympy [A] time = 33.67, size = 114, normalized size = 1.46

$$\frac{3x^{10}}{8\sqrt{x^4 + 5}} + \frac{105x^6}{16\sqrt{x^4 + 5}} + \frac{375x^2}{16\sqrt{x^4 + 5}} + \frac{(x^4 + 5)^{\frac{3}{2}}}{3} + 5\sqrt{x^4 + 5} + \frac{5\sqrt{5} \log(x^4)}{2} - 5\sqrt{5} \log\left(\sqrt{\frac{x^4}{5} + 1} + 1\right) + \frac{225 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(3/2)/x,x)`

[Out] $3*x^{10}/(8*\sqrt{x^4 + 5}) + 105*x^6/(16*\sqrt{x^4 + 5}) + 375*x^2/(16*\sqrt{x^4 + 5}) + (x^4 + 5)^{(3/2)}/3 + 5*\sqrt{x^4 + 5} + 5*\sqrt{5}*\log(x^4)/2 - 5*\sqrt{5}*\log(\sqrt{x^4/5 + 1} + 1) + 225*\operatorname{asinh}(\sqrt{5}*x^2/5)/16$

$$3.24 \quad \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^3} dx$$

Optimal. Leaf size=81

$$-\frac{15}{2}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right) + \frac{15}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{(2-x^2)(x^4+5)^{3/2}}{2x^2} + \frac{3}{2}(x^2+5)\sqrt{x^4+5}$$

[Out] $-1/2*(-x^2+2)*(x^4+5)^{(3/2)}/x^2+15/2*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})-15/2*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}+3/2*(x^2+5)*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1252, 813, 815, 844, 215, 266, 63, 207}

$$-\frac{(2-x^2)(x^4+5)^{3/2}}{2x^2} + \frac{3}{2}(x^2+5)\sqrt{x^4+5} + \frac{15}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{15}{2}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2+3*x^2)*(5+x^4)^{(3/2)}/x^3, x]$

[Out] $(3*(5+x^2)*\operatorname{Sqrt}[5+x^4])/2 - ((2-x^2)*(5+x^4)^{(3/2)})/(2*x^2) + (15*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/2 - (15*\operatorname{Sqrt}[5]*\operatorname{ArcTanh}[\operatorname{Sqrt}[5+x^4]/\operatorname{Sqrt}[5]])/2$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}], x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 207

$\operatorname{Int}[(a_.) + (b_.)*(x_)^{(2)}]^{(-1)}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] \parallel \operatorname{GtQ}[b, 0])$

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_.) + (b_.)*(x_)^{(2)}], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Sqrt}[a]]/\operatorname{Rt}[b, 2], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{PosQ}[b]$

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

Rule 815

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*c*d*(2*p
+ 1) + g*c*e*(m + 2*p + 1)*x)*(a + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p
+ 2)), x] + Dist[(2*p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^
m*(a + c*x^2)^(p - 1)*Simp[f*a*c*e^2*(m + 2*p + 2) + a*c*d*e*g*m - (c^2*f*d
*e*(m + 2*p + 2) - g*(c^2*d^2*(2*p + 1) + a*c*e^2*(m + 2*p + 1)))*x, x], x]
, x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p,
0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILt
Q[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(5+x^2)^{3/2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(2-x^2)(5+x^4)^{3/2}}{2x^2} - \frac{1}{4} \text{Subst} \left(\int \frac{(-30-12x)\sqrt{5+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{3}{2} (5+x^2) \sqrt{5+x^4} - \frac{(2-x^2)(5+x^4)^{3/2}}{2x^2} - \frac{1}{8} \text{Subst} \left(\int \frac{-300-60x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{3}{2} (5+x^2) \sqrt{5+x^4} - \frac{(2-x^2)(5+x^4)^{3/2}}{2x^2} + \frac{15}{2} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) + \frac{7}{2} \\
&= \frac{3}{2} (5+x^2) \sqrt{5+x^4} - \frac{(2-x^2)(5+x^4)^{3/2}}{2x^2} + \frac{15}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{75}{4} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{3}{2} (5+x^2) \sqrt{5+x^4} - \frac{(2-x^2)(5+x^4)^{3/2}}{2x^2} + \frac{15}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{75}{2} \text{Subst} \left(\int \frac{1}{-5} dx, x, x^2 \right) \\
&= \frac{3}{2} (5+x^2) \sqrt{5+x^4} - \frac{(2-x^2)(5+x^4)^{3/2}}{2x^2} + \frac{15}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{15}{2} \sqrt{5} \tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)
\end{aligned}$$

Mathematica [C] time = 0.05, size = 71, normalized size = 0.88

$$\frac{1}{2} \left(\sqrt{x^4+5} (x^4+20) - 15\sqrt{5} \tanh^{-1} \left(\frac{\sqrt{x^4+5}}{\sqrt{5}} \right) \right) - \frac{5\sqrt{5} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{x^4}{5} \right)}{x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^3, x]

[Out] (Sqrt[5 + x^4]*(20 + x^4) - 15*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/2 - (5*Sqrt[5]*Hypergeometric2F1[-3/2, -1/2, 1/2, -1/5*x^4])/x^2

fricas [A] time = 0.68, size = 78, normalized size = 0.96

$$\frac{15\sqrt{5}x^2 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 15x^2 \log(-x^2 + \sqrt{x^4+5}) - 10x^2 + (x^6 + x^4 + 20x^2 - 10)\sqrt{x^4+5}}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^3,x, algorithm="fricas")

[Out] 1/2*(15*sqrt(5)*x^2*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 15*x^2*log(-x^2 + sqrt(x^4 + 5)) - 10*x^2 + (x^6 + x^4 + 20*x^2 - 10)*sqrt(x^4 + 5))/x^2

giac [A] time = 0.26, size = 102, normalized size = 1.26

$$\frac{1}{2} \sqrt{x^4 + 5} \left((x^2 + 1)x^2 + 20 \right) + \frac{15}{2} \sqrt{5} \log \left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}} \right) + \frac{50}{(x^2 - \sqrt{x^4 + 5})^2 - 5} - \frac{15}{2} \log \left(-x^2 + \sqrt{x^4 + 5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^3,x, algorithm="giac")

[Out] 1/2*sqrt(x^4 + 5)*((x^2 + 1)*x^2 + 20) + 15/2*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) + 50/((x^2 - sqrt(x^4 + 5))^2 - 5) - 15/2*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 75, normalized size = 0.93

$$\frac{\sqrt{x^4 + 5} x^4}{2} + \frac{\sqrt{x^4 + 5} x^2}{2} + \frac{15 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2} - \frac{15\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4 + 5}}\right)}{2} - \frac{5\sqrt{x^4 + 5}}{x^2} + 10\sqrt{x^4 + 5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(3/2)/x^3,x)

[Out] 1/2*(x^4+5)^(1/2)*x^4+10*(x^4+5)^(1/2)-15/2*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))+1/2*(x^4+5)^(1/2)*x^2+15/2*arcsinh(1/5*5^(1/2)*x^2)-5*(x^4+5)^(1/2)/x^2

maxima [A] time = 1.33, size = 122, normalized size = 1.51

$$\frac{1}{2} (x^4 + 5)^{\frac{3}{2}} + \frac{15}{4} \sqrt{5} \log \left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}} \right) + \frac{15}{2} \sqrt{x^4 + 5} - \frac{5 \sqrt{x^4 + 5}}{x^2} + \frac{5 \sqrt{x^4 + 5}}{2x^2 \left(\frac{x^4 + 5}{x^4} - 1 \right)} + \frac{15}{4} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} + 1 \right) - \frac{1}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^3,x, algorithm="maxima")

[Out] 1/2*(x^4 + 5)^(3/2) + 15/4*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) + 15/2*sqrt(x^4 + 5) - 5*sqrt(x^4 + 5)/x^2 + 5/2*sqrt(x^4 + 5)/(x^2*((x^4 + 5)/x^4 - 1)) + 15/4*log(sqrt(x^4 + 5)/x^2 + 1) - 15/4*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.76, size = 64, normalized size = 0.79

$$\frac{15 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2} + \sqrt{x^4 + 5} \left(\frac{x^4}{2} + \frac{x^2}{2} + 10\right) - \frac{5 \sqrt{x^4 + 5}}{x^2} + \frac{\sqrt{5} \operatorname{atan}\left(\frac{\sqrt{5} \sqrt{x^4 + 5} i}{5}\right)}{2} 15i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x^3,x)`

[Out] `(15*asinh((5^(1/2)*x^2)/5))/2 + (5^(1/2)*atan((5^(1/2)*(x^4 + 5)^(1/2)*1i)/5)*15i)/2 + (x^4 + 5)^(1/2)*(x^2/2 + x^4/2 + 10) - (5*(x^4 + 5)^(1/2))/x^2`

sympy [A] time = 11.39, size = 114, normalized size = 1.41

$$\frac{x^6}{2\sqrt{x^4 + 5}} - \frac{5x^2}{2\sqrt{x^4 + 5}} + \frac{(x^4 + 5)^{\frac{3}{2}}}{2} + \frac{15\sqrt{x^4 + 5}}{2} + \frac{15\sqrt{5} \log(x^4)}{4} - \frac{15\sqrt{5} \log\left(\sqrt{\frac{x^4}{5} + 1} + 1\right)}{2} + \frac{15 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(3/2)/x**3,x)`

[Out] `x**6/(2*sqrt(x**4 + 5)) - 5*x**2/(2*sqrt(x**4 + 5)) + (x**4 + 5)**(3/2)/2 + 15*sqrt(x**4 + 5)/2 + 15*sqrt(5)*log(x**4)/4 - 15*sqrt(5)*log(sqrt(x**4/5 + 1) + 1)/2 + 15*asinh(sqrt(5)*x**2/5)/2 - 25/(x**2*sqrt(x**4 + 5))`

$$3.25 \quad \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^5} dx$$

Optimal. Leaf size=86

$$-\frac{3}{2}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right) + \frac{45}{4} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{(2-3x^2)(x^4+5)^{3/2}}{4x^4} - \frac{3(15-2x^2)\sqrt{x^4+5}}{4x^2}$$

[Out] $-1/4*(-3*x^2+2)*(x^4+5)^{(3/2)}/x^4+45/4*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})-3/2*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}-3/4*(-2*x^2+15)*(x^4+5)^{(1/2)}/x^2$

Rubi [A] time = 0.08, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1252, 813, 844, 215, 266, 63, 207}

$$-\frac{(2-3x^2)(x^4+5)^{3/2}}{4x^4} - \frac{3(15-2x^2)\sqrt{x^4+5}}{4x^2} + \frac{45}{4} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{3}{2}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2+3*x^2)*(5+x^4)^{(3/2)}/x^5,x]$

[Out] $(-3*(15-2*x^2)*\operatorname{Sqrt}[5+x^4])/(4*x^2) - ((2-3*x^2)*(5+x^4)^{(3/2)})/(4*x^4) + (45*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/4 - (3*\operatorname{Sqrt}[5]*\operatorname{ArcTanh}[\operatorname{Sqrt}[5+x^4]/\operatorname{Sqrt}[5]])/2$

Rule 63

$\operatorname{Int}[(a_.) + (b_.)*(x_)^{(m_)}*((c_.) + (d_.)*(x_)^{(n_)}), x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x]] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 207

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] \mid \mid \operatorname{GtQ}[b, 0])$

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_.) + (b_.)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Sqrt}[a]]/\operatorname{Rt}[b, 2], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{PosQ}[b]$

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^5} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(5+x^2)^{3/2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)(5+x^4)^{3/2}}{4x^4} - \frac{3}{16} \text{Subst} \left(\int \frac{(-60-8x)\sqrt{5+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{3(15-2x^2)\sqrt{5+x^4}}{4x^2} - \frac{(2-3x^2)(5+x^4)^{3/2}}{4x^4} + \frac{3}{32} \text{Subst} \left(\int \frac{80+120x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{3(15-2x^2)\sqrt{5+x^4}}{4x^2} - \frac{(2-3x^2)(5+x^4)^{3/2}}{4x^4} + \frac{15}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{3(15-2x^2)\sqrt{5+x^4}}{4x^2} - \frac{(2-3x^2)(5+x^4)^{3/2}}{4x^4} + \frac{45}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{15}{4} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{3(15-2x^2)\sqrt{5+x^4}}{4x^2} - \frac{(2-3x^2)(5+x^4)^{3/2}}{4x^4} + \frac{45}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{15}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{3(15-2x^2)\sqrt{5+x^4}}{4x^2} - \frac{(2-3x^2)(5+x^4)^{3/2}}{4x^4} + \frac{45}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{3}{2} \sqrt{5} \tanh^{-1} \left(\frac{x^2}{\sqrt{5+x^4}} \right)
\end{aligned}$$

Mathematica [C] time = 0.03, size = 60, normalized size = 0.70

$$\frac{1}{125} (x^4 + 5)^{5/2} {}_2F_1 \left(2, \frac{5}{2}; \frac{7}{2}; \frac{x^4}{5} + 1 \right) - \frac{15\sqrt{5} {}_2F_1 \left(-\frac{3}{2}, -\frac{1}{2}; \frac{1}{2}; -\frac{x^4}{5} \right)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^5,x]

[Out] (-15*sqrt[5]*Hypergeometric2F1[-3/2, -1/2, 1/2, -1/5*x^4])/(2*x^2) + ((5 + x^4)^(5/2)*Hypergeometric2F1[2, 5/2, 7/2, 1 + x^4/5])/125

fricas [A] time = 0.75, size = 82, normalized size = 0.95

$$\frac{6\sqrt{5}x^4 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 45x^4 \log(-x^2 + \sqrt{x^4+5}) - 30x^4 + (3x^6 + 4x^4 - 30x^2 - 10)\sqrt{x^4+5}}{4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^5,x, algorithm="fricas")

[Out] 1/4*(6*sqrt(5)*x^4*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 45*x^4*log(-x^2 + sqrt(x^4 + 5)) - 30*x^4 + (3*x^6 + 4*x^4 - 30*x^2 - 10)*sqrt(x^4 + 5))/x^4

giac [B] time = 0.25, size = 146, normalized size = 1.70

$$\frac{1}{4} \sqrt{x^4 + 5} (3x^2 + 4) + \frac{3}{2} \sqrt{5} \log \left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}} \right) + \frac{5 \left((x^2 - \sqrt{x^4 + 5})^3 + 15(x^2 - \sqrt{x^4 + 5})^2 + 5x^2 - 5 \right)}{\left((x^2 - \sqrt{x^4 + 5})^2 - 5 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^5,x, algorithm="giac")

[Out] 1/4*sqrt(x^4 + 5)*(3*x^2 + 4) + 3/2*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) + 5*((x^2 - sqrt(x^4 + 5))^3 + 15*(x^2 - sqrt(x^4 + 5))^2 + 5*x^2 - 5*sqrt(x^4 + 5) - 75)/((x^2 - sqrt(x^4 + 5))^2 - 5)^2 - 45/4*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 73, normalized size = 0.85

$$\frac{3\sqrt{x^4 + 5} x^2}{4} + \frac{45 \operatorname{arcsinh} \left(\frac{\sqrt{5} x^2}{5} \right)}{4} - \frac{3\sqrt{5} \operatorname{arctanh} \left(\frac{\sqrt{5}}{\sqrt{x^4 + 5}} \right)}{2} - \frac{15\sqrt{x^4 + 5}}{2x^2} - \frac{5\sqrt{x^4 + 5}}{2x^4} + \sqrt{x^4 + 5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(3/2)/x^5,x)

[Out] (x^4+5)^(1/2)-3/2*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))-5/2*(x^4+5)^(1/2)/x^4+3/4*(x^4+5)^(1/2)*x^2+45/4*arcsinh(1/5*5^(1/2)*x^2)-15/2*(x^4+5)^(1/2)/x^2

maxima [A] time = 1.37, size = 123, normalized size = 1.43

$$\frac{3}{4} \sqrt{5} \log \left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}} \right) + \sqrt{x^4 + 5} - \frac{15 \sqrt{x^4 + 5}}{2x^2} + \frac{15 \sqrt{x^4 + 5}}{4x^2 \left(\frac{x^4 + 5}{x^4} - 1 \right)} - \frac{5 \sqrt{x^4 + 5}}{2x^4} + \frac{45}{8} \log \left(\frac{\sqrt{x^4 + 5}}{x^2} + 1 \right) - \frac{45}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^5,x, algorithm="maxima")

[Out] 3/4*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) + sqrt(x^4 + 5) - 15/2*sqrt(x^4 + 5)/x^2 + 15/4*sqrt(x^4 + 5)/(x^2*((x^4 + 5)/x^4 - 1)) - 5/2*sqrt(x^4 + 5)/x^4 + 45/8*log(sqrt(x^4 + 5)/x^2 + 1) - 45/8

$4 - 1)) - 5/2*\sqrt{x^4 + 5}/x^4 + 45/8*\log(\sqrt{x^4 + 5}/x^2 + 1) - 45/8*\log(\sqrt{x^4 + 5}/x^2 - 1)$

mupad [B] time = 0.55, size = 71, normalized size = 0.83

$$\frac{45 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4} + \sqrt{x^4 + 5} \left(\frac{3x^2}{4} + 1\right) - \frac{15\sqrt{x^4 + 5}}{2x^2} - \frac{5\sqrt{x^4 + 5}}{2x^4} + \frac{\sqrt{5} \operatorname{atan}\left(\frac{\sqrt{5}\sqrt{x^4 + 5}i}{5}\right) 3i}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x^5,x)`

[Out] $(45*\operatorname{asinh}((5^{1/2}*x^2)/5))/4 + (5^{1/2}*\operatorname{atan}((5^{1/2}*(x^4 + 5)^{1/2}*1i)/5)*3i)/2 + (x^4 + 5)^{1/2}*((3*x^2)/4 + 1) - (15*(x^4 + 5)^{1/2})/(2*x^2) - (5*(x^4 + 5)^{1/2})/(2*x^4)$

sympy [A] time = 12.75, size = 133, normalized size = 1.55

$$\frac{3x^6}{4\sqrt{x^4 + 5}} - \frac{15x^2}{4\sqrt{x^4 + 5}} + \sqrt{x^4 + 5} + \frac{\sqrt{5} \log(x^4)}{2} - \sqrt{5} \log\left(\sqrt{\frac{x^4}{5} + 1} + 1\right) - \frac{\sqrt{5} \operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{2} + \frac{45 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4} - \frac{5\sqrt{5}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(3/2)/x**5,x)`

[Out] $3*x**6/(4*\sqrt{x**4 + 5}) - 15*x**2/(4*\sqrt{x**4 + 5}) + \sqrt{x**4 + 5} + \sqrt{5}*\log(x**4)/2 - \sqrt{5}*\log(\sqrt{x**4/5 + 1} + 1) - \sqrt{5}*\operatorname{asinh}(\sqrt{5}/x**2)/2 + 45*\operatorname{asinh}(\sqrt{5}*x**2/5)/4 - 5*\sqrt{1 + 5/x**4}/(2*x**2) - 75/(2*x**2*\sqrt{x**4 + 5})$

$$3.26 \quad \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^7} dx$$

Optimal. Leaf size=82

$$-\frac{9}{4}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right) + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{(4-9x^2)\sqrt{x^4+5}}{4x^2} - \frac{(9x^2+4)(x^4+5)^{3/2}}{12x^6}$$

[Out] $-1/12*(9*x^2+4)*(x^4+5)^{(3/2)}/x^6+\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})-9/4*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}-1/4*(-9*x^2+4)*(x^4+5)^{(1/2)}/x^2$

Rubi [A] time = 0.07, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1252, 811, 813, 844, 215, 266, 63, 207}

$$-\frac{(9x^2+4)(x^4+5)^{3/2}}{12x^6} - \frac{(4-9x^2)\sqrt{x^4+5}}{4x^2} + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{9}{4}\sqrt{5} \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2 + 3*x^2)*(5 + x^4)^{(3/2)}/x^7, x]$

[Out] $-((4 - 9*x^2)*\operatorname{Sqrt}[5 + x^4])/(4*x^2) - ((4 + 9*x^2)*(5 + x^4)^{(3/2)})/(12*x^6) + \operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]] - (9*\operatorname{Sqrt}[5]*\operatorname{ArcTanh}[\operatorname{Sqrt}[5 + x^4]/\operatorname{Sqrt}[5]])/4$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 207

$\operatorname{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] \parallel \operatorname{GtQ}[b, 0])$

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_. + (b_.)*(x_.)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Sqrt}[a]], \operatorname{Rt}[b, 2], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{GtQ}[a, 0] \&\& \operatorname{PosQ}[b]$

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 811

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^p*((d*g - e*f*(m + 2
))*((c*d^2 + a*e^2) - 2*c*d^2*p*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 + a*e^2) +
2*c*d*p*(e*f - d*g))*x))/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), x] - Dist[
p/(e^2*(m + 1)*(m + 2)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 2)*(a + c*x^2)^
(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m
+ 2*p + 2)) - 2*a*e^2*g*(m + 1))*x, x], x] /; FreeQ[{a, c, d, e, f, g}
, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0]
&& !ILtQ[m + 2*p + 3, 0]
```

Rule 813

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1
) + e*g*(m + 1)*x)*(a + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/
(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^(p - 1)*Simp
[g*(2*a*e + 2*a*e*m) + (g*(2*c*d + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x],
x], x] /; FreeQ[{a, c, d, e, f, g, m}, x] && NeQ[c*d^2 + a*e^2, 0] && Rati
onalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !Rational
Q[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[
p] || IntegersQ[2*m, 2*p])
```

Rule 844

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^7} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(5+x^2)^{3/2}}{x^4} dx, x, x^2 \right) \\
&= -\frac{(4+9x^2)(5+x^4)^{3/2}}{12x^6} - \frac{1}{40} \text{Subst} \left(\int \frac{(-40-90x)\sqrt{5+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(4-9x^2)\sqrt{5+x^4}}{4x^2} - \frac{(4+9x^2)(5+x^4)^{3/2}}{12x^6} + \frac{1}{80} \text{Subst} \left(\int \frac{900+80x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(4-9x^2)\sqrt{5+x^4}}{4x^2} - \frac{(4+9x^2)(5+x^4)^{3/2}}{12x^6} + \frac{45}{4} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(4-9x^2)\sqrt{5+x^4}}{4x^2} - \frac{(4+9x^2)(5+x^4)^{3/2}}{12x^6} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{45}{8} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{(4-9x^2)\sqrt{5+x^4}}{4x^2} - \frac{(4+9x^2)(5+x^4)^{3/2}}{12x^6} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{45}{4} \text{Subst} \left(\int \frac{1}{-5-x^2} dx, x, x^2 \right) \\
&= -\frac{(4-9x^2)\sqrt{5+x^4}}{4x^2} - \frac{(4+9x^2)(5+x^4)^{3/2}}{12x^6} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{9}{4} \sqrt{5} \tanh^{-1} \left(\frac{\sqrt{5}}{x} \right)
\end{aligned}$$

Mathematica [C] time = 0.02, size = 60, normalized size = 0.73

$$\frac{3}{250} (x^4 + 5)^{5/2} {}_2F_1 \left(2, \frac{5}{2}; \frac{7}{2}; \frac{x^4}{5} + 1 \right) - \frac{5\sqrt{5} {}_2F_1 \left(-\frac{3}{2}, -\frac{3}{2}; -\frac{1}{2}; -\frac{x^4}{5} \right)}{3x^6}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^7, x]

[Out] (-5*sqrt(5)*Hypergeometric2F1[-3/2, -3/2, -1/2, -1/5*x^4])/(3*x^6) + (3*(5 + x^4)^(5/2)*Hypergeometric2F1[2, 5/2, 7/2, 1 + x^4/5])/250

fricas [A] time = 0.70, size = 82, normalized size = 1.00

$$\frac{27\sqrt{5}x^6 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 12x^6 \log(-x^2 + \sqrt{x^4+5}) - 16x^6 + (18x^6 - 16x^4 - 45x^2 - 20)\sqrt{x^4+5}}{12x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^7,x, algorithm="fricas")

[Out] $\frac{1}{12} \cdot (27 \cdot \sqrt{5} \cdot x^6 \cdot \log(-(\sqrt{5} - \sqrt{x^4 + 5})/x^2) - 12 \cdot x^6 \cdot \log(-x^2 + \sqrt{x^4 + 5})) - 16 \cdot x^6 + (18 \cdot x^6 - 16 \cdot x^4 - 45 \cdot x^2 - 20) \cdot \sqrt{x^4 + 5}) / x^6$

giac [B] time = 0.27, size = 158, normalized size = 1.93

$$\frac{9}{4} \sqrt{5} \log\left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) + \frac{3}{2} \sqrt{x^4 + 5} + \frac{5 \left(9(x^2 - \sqrt{x^4 + 5})^5 + 24(x^2 - \sqrt{x^4 + 5})^4 - 120(x^2 - \sqrt{x^4 + 5})^3\right)}{6 \left((x^2 - \sqrt{x^4 + 5})^2 - 5\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^7,x, algorithm="giac")

[Out] $\frac{9}{4} \cdot \sqrt{5} \cdot \log(-(x^2 + \sqrt{5} - \sqrt{x^4 + 5}) / (x^2 - \sqrt{5} - \sqrt{x^4 + 5})) + \frac{3}{2} \cdot \sqrt{x^4 + 5} + \frac{5}{6} \cdot (9 \cdot (x^2 - \sqrt{x^4 + 5})^5 + 24 \cdot (x^2 - \sqrt{x^4 + 5})^4 - 120 \cdot (x^2 - \sqrt{x^4 + 5})^3 - 120 \cdot (x^2 - \sqrt{x^4 + 5})^2 - 225 \cdot x^2 + 225 \cdot \sqrt{x^4 + 5} + 400) / ((x^2 - \sqrt{x^4 + 5})^2 - 5)^3 - \log(-x^2 + \sqrt{x^4 + 5})$

maple [A] time = 0.02, size = 73, normalized size = 0.89

$$\operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right) - \frac{9\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{4} - \frac{4\sqrt{x^4+5}}{3x^2} - \frac{15\sqrt{x^4+5}}{4x^4} - \frac{5\sqrt{x^4+5}}{3x^6} + \frac{3\sqrt{x^4+5}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(3/2)/x^7,x)

[Out] $\frac{3}{2} \cdot (x^4 + 5)^{1/2} - \frac{9}{4} \cdot 5^{1/2} \cdot \operatorname{arctanh}(5^{1/2} / (x^4 + 5)^{1/2}) - \frac{15}{4} \cdot (x^4 + 5)^{1/2} / x^4 + \operatorname{arcsinh}(1/5 \cdot 5^{1/2} \cdot x^2) - \frac{4}{3} \cdot (x^4 + 5)^{1/2} / x^2 - \frac{5}{3} \cdot (x^4 + 5)^{1/2} / x^6$

maxima [A] time = 1.35, size = 112, normalized size = 1.37

$$\frac{9}{8} \sqrt{5} \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}}\right) + \frac{3}{2} \sqrt{x^4 + 5} - \frac{\sqrt{x^4 + 5}}{x^2} - \frac{15 \sqrt{x^4 + 5}}{4 x^4} - \frac{(x^4 + 5)^{3/2}}{3 x^6} + \frac{1}{2} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{1}{2} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^7,x, algorithm="maxima")

[Out] $\frac{9}{8} \cdot \sqrt{5} \cdot \log(-(\sqrt{5} - \sqrt{x^4 + 5}) / (\sqrt{5} + \sqrt{x^4 + 5})) + \frac{3}{2} \cdot \sqrt{x^4 + 5} - \sqrt{x^4 + 5} / x^2 - \frac{15}{4} \cdot \sqrt{x^4 + 5} / x^4 - \frac{1}{3} \cdot (x^4 + 5)^{3/2} / x^6$

$(\frac{3}{2})/x^6 + 1/2*\log(\sqrt{x^4 + 5})/x^2 + 1) - 1/2*\log(\sqrt{x^4 + 5})/x^2 - 1$
 $)$

mupad [B] time = 0.95, size = 82, normalized size = 1.00

$$\operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right) + \frac{3\sqrt{x^4+5}}{2} + \sqrt{x^4+5} \left(\frac{2}{3x^2} - \frac{5}{3x^6}\right) - \frac{2\sqrt{x^4+5}}{x^2} - \frac{15\sqrt{x^4+5}}{4x^4} + \frac{\sqrt{5} \operatorname{atan}\left(\frac{\sqrt{5}\sqrt{x^4+5}1i}{5}\right) 9i}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x^7, x)`

[Out] `asinh((5^(1/2)*x^2)/5) + (5^(1/2)*atan((5^(1/2)*(x^4 + 5)^(1/2)*1i)/5)*9i)/4 + (3*(x^4 + 5)^(1/2))/2 + (x^4 + 5)^(1/2)*(2/(3*x^2) - 5/(3*x^6)) - (2*(x^4 + 5)^(1/2))/x^2 - (15*(x^4 + 5)^(1/2))/(4*x^4)`

sympy [A] time = 12.56, size = 148, normalized size = 1.80

$$-\frac{x^2}{\sqrt{x^4+5}} - \frac{\sqrt{1+\frac{5}{x^4}}}{3} + \frac{3\sqrt{x^4+5}}{2} + \frac{3\sqrt{5} \log(x^4)}{4} - \frac{3\sqrt{5} \log\left(\sqrt{\frac{x^4}{5}+1}+1\right)}{2} - \frac{3\sqrt{5} \operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{4} + \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(3/2)/x**7, x)`

[Out] `-x**2/sqrt(x**4 + 5) - sqrt(1 + 5/x**4)/3 + 3*sqrt(x**4 + 5)/2 + 3*sqrt(5)*log(x**4)/4 - 3*sqrt(5)*log(sqrt(x**4/5 + 1) + 1)/2 - 3*sqrt(5)*asinh(sqrt(5)/x**2)/4 + asinh(sqrt(5)*x**2/5) - 15*sqrt(1 + 5/x**4)/(4*x**2) - 5/(x**2*sqrt(x**4 + 5)) - 5*sqrt(1 + 5/x**4)/(3*x**4)`

$$3.27 \quad \int x^4 (2 + 3x^2) (5 + x^4)^{3/2} dx$$

Optimal. Leaf size=235

$$\frac{200}{77} \sqrt{x^4 + 5} x + \frac{20}{13} \sqrt{x^4 + 5} x^3 - \frac{300 \sqrt{x^4 + 5} x}{13(x^2 + \sqrt{5})} - \frac{50 \sqrt[4]{5} (231 + 26\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{1001 \sqrt{x^4 + 5}} + \dots$$

[Out] $1/143*x^5*(33*x^2+26)*(x^4+5)^{(3/2)}+200/77*x*(x^4+5)^{(1/2)}+20/13*x^3*(x^4+5)^{(1/2)}+10/1001*x^5*(77*x^2+78)*(x^4+5)^{(1/2)}-300/13*x*(x^4+5)^{(1/2)}/(x^2+5)^{(1/2)}+300/13*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}-50/1001*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(231+26*5^{(1/2)})*(x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1274, 1280, 1198, 220, 1196}

$$\frac{1}{143} (33x^2 + 26) (x^4 + 5)^{3/2} x^5 + \frac{10(77x^2 + 78) \sqrt{x^4 + 5} x^5}{1001} + \frac{20}{13} \sqrt{x^4 + 5} x^3 - \frac{300 \sqrt{x^4 + 5} x}{13(x^2 + \sqrt{5})} + \frac{200}{77} \sqrt{x^4 + 5} x - \frac{50 \sqrt[4]{5} (231 + 26\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{1001 \sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[x^4*(2 + 3*x^2)*(5 + x^4)^(3/2), x]

[Out] $(200*x*\text{Sqrt}[5 + x^4])/77 + (20*x^3*\text{Sqrt}[5 + x^4])/13 - (300*x*\text{Sqrt}[5 + x^4])/(13*(\text{Sqrt}[5 + x^2])) + (10*x^5*(78 + 77*x^2)*\text{Sqrt}[5 + x^4])/1001 + (x^5*(26 + 33*x^2)*(5 + x^4)^{(3/2)})/143 + (300*5^{(1/4)}*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(13*\text{Sqrt}[5 + x^4]) - (50*5^{(1/4)}*(231 + 26*\text{Sqrt}[5])*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(1001*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1274

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
  + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
  + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
  3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
  [p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
  ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
  x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
  1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
  m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
  ])
```

Rubi steps

$$\begin{aligned}
\int x^4 (2 + 3x^2) (5 + x^4)^{3/2} dx &= \frac{1}{143} x^5 (26 + 33x^2) (5 + x^4)^{3/2} + \frac{30}{143} \int x^4 (26 + 33x^2) \sqrt{5 + x^4} dx \\
&= \frac{10x^5 (78 + 77x^2) \sqrt{5 + x^4}}{1001} + \frac{1}{143} x^5 (26 + 33x^2) (5 + x^4)^{3/2} + \frac{100}{3003} \int \frac{x^4 (234 + 231x^2)}{\sqrt{5 + x^4}} dx \\
&= \frac{20}{13} x^3 \sqrt{5 + x^4} + \frac{10x^5 (78 + 77x^2) \sqrt{5 + x^4}}{1001} + \frac{1}{143} x^5 (26 + 33x^2) (5 + x^4)^{3/2} - \frac{20}{143} x^5 \sqrt{5 + x^4} \\
&= \frac{200}{77} x \sqrt{5 + x^4} + \frac{20}{13} x^3 \sqrt{5 + x^4} + \frac{10x^5 (78 + 77x^2) \sqrt{5 + x^4}}{1001} + \frac{1}{143} x^5 (26 + 33x^2) (5 + x^4)^{3/2} \\
&= \frac{200}{77} x \sqrt{5 + x^4} + \frac{20}{13} x^3 \sqrt{5 + x^4} + \frac{10x^5 (78 + 77x^2) \sqrt{5 + x^4}}{1001} + \frac{1}{143} x^5 (26 + 33x^2) (5 + x^4)^{3/2} \\
&= \frac{200}{77} x \sqrt{5 + x^4} + \frac{20}{13} x^3 \sqrt{5 + x^4} - \frac{300x \sqrt{5 + x^4}}{13 (\sqrt{5 + x^2})} + \frac{10x^5 (78 + 77x^2) \sqrt{5 + x^4}}{1001} + \frac{1}{143} x^5 (26 + 33x^2) (5 + x^4)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 74, normalized size = 0.31

$$\frac{1}{143} x \left(-650 \sqrt{5} {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5} \right) - 825 \sqrt{5} x^2 {}_2F_1 \left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5} \right) + (33x^2 + 26) (x^4 + 5)^{5/2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(2 + 3*x^2)*(5 + x^4)^(3/2),x]

[Out] (x*((26 + 33*x^2)*(5 + x^4)^(5/2) - 650*Sqrt[5]*Hypergeometric2F1[-3/2, 1/4, 5/4, -1/5*x^4] - 825*Sqrt[5]*x^2*Hypergeometric2F1[-3/2, 3/4, 7/4, -1/5*x^4]))/143

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left((3x^{10} + 2x^8 + 15x^6 + 10x^4) \sqrt{x^4 + 5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="fricas")

[Out] integral((3*x^10 + 2*x^8 + 15*x^6 + 10*x^4)*sqrt(x^4 + 5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5)^{\frac{3}{2}} (3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)*x^4, x)

maple [C] time = 0.02, size = 216, normalized size = 0.92

$$\frac{3\sqrt{x^4+5}x^{11}}{13} + \frac{2\sqrt{x^4+5}x^9}{11} + \frac{25\sqrt{x^4+5}x^7}{13} + \frac{130\sqrt{x^4+5}x^5}{77} + \frac{20\sqrt{x^4+5}x^3}{13} + \frac{200\sqrt{x^4+5}x}{77} - \frac{40\sqrt{5}\sqrt{-5i\sqrt{5}}}{77}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2+2)*(x^4+5)^(3/2),x)

[Out] 3/13*x^11*(x^4+5)^(1/2)+25/13*(x^4+5)^(1/2)*x^7+20/13*(x^4+5)^(1/2)*x^3-60/13*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))+2/11*x^9*(x^4+5)^(1/2)+130/77*(x^4+5)^(1/2)*x^5+200/77*(x^4+5)^(1/2)*x-40/77*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5)^{\frac{3}{2}} (3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (x^4 + 5)^{3/2} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(x^4 + 5)^(3/2)*(3*x^2 + 2), x)`

[Out] `int(x^4*(x^4 + 5)^(3/2)*(3*x^2 + 2), x)`

sympy [C] time = 3.97, size = 160, normalized size = 0.68

$$\frac{3\sqrt{5}x^{11}\Gamma\left(\frac{11}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{11}{4} \\ \frac{15}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{15}{4}\right)} + \frac{\sqrt{5}x^9\Gamma\left(\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{9}{4} \\ \frac{13}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{13}{4}\right)} + \frac{15\sqrt{5}x^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{5\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(3*x**2+2)*(x**4+5)**(3/2), x)`

[Out] `3*sqrt(5)*x**11*gamma(11/4)*hyper((-1/2, 11/4), (15/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(15/4)) + sqrt(5)*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(13/4)) + 15*sqrt(5)*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(11/4)) + 5*sqrt(5)*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(9/4))`

$$3.28 \quad \int x^2 (2 + 3x^2) (5 + x^4)^{3/2} dx$$

Optimal. Leaf size=219

$$\frac{300}{77} \sqrt{x^4 + 5} x + \frac{40\sqrt{x^4 + 5} x}{3(x^2 + \sqrt{5})} + \frac{10\sqrt[4]{5} (154 - 45\sqrt{5}) (x^2 + \sqrt{5}) \sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{231\sqrt{x^4 + 5}} + \frac{40\sqrt[4]{5} (x^2 + \sqrt{5})}{231\sqrt{x^4 + 5}}$$

[Out] $1/99*x^3*(27*x^2+22)*(x^4+5)^{(3/2)}+300/77*x*(x^4+5)^{(1/2)}+2/231*x^3*(135*x^2+154)*(x^4+5)^{(1/2)}+40/3*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-40/3*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}/(x^4+5)^{(1/2)}+10/231*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(154-45*5^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 219, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1274, 1280, 1198, 220, 1196}

$$\frac{1}{99} (27x^2 + 22) (x^4 + 5)^{3/2} x^3 + \frac{2}{231} (135x^2 + 154) \sqrt{x^4 + 5} x^3 + \frac{40\sqrt{x^4 + 5} x}{3(x^2 + \sqrt{5})} + \frac{300}{77} \sqrt{x^4 + 5} x + \frac{10\sqrt[4]{5} (154 - 45\sqrt{5})}{231\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[x^2*(2 + 3*x^2)*(5 + x^4)^(3/2), x]

[Out] $(300*x*\text{Sqrt}[5 + x^4])/77 + (40*x*\text{Sqrt}[5 + x^4])/(3*(\text{Sqrt}[5] + x^2)) + (2*x^3*(154 + 135*x^2)*\text{Sqrt}[5 + x^4])/231 + (x^3*(22 + 27*x^2)*(5 + x^4)^{(3/2)})/99 - (40*5^{(1/4)}*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(3*\text{Sqrt}[5 + x^4]) + (10*5^{(1/4)}*(154 - 45*\text{Sqrt}[5])*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(231*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1274

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(c*d*(m + 4*p + 3) + c*e*(4*p
  + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(4*a*p)/((4*p
  + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + c*x^4)^(p - 1)*Simp[d*(m + 4*p +
  3) + e*(4*p + m + 1)*x^2, x], x], x] /; FreeQ[{a, c, d, e, f, m}, x] && GtQ
  [p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (I
  ntegerQ[p] || IntegerQ[m])
```

Rule 1280

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
  x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
  1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
  m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
  ])
```

Rubi steps

$$\begin{aligned}
\int x^2 (2 + 3x^2) (5 + x^4)^{3/2} dx &= \frac{1}{99} x^3 (22 + 27x^2) (5 + x^4)^{3/2} + \frac{10}{33} \int x^2 (22 + 27x^2) \sqrt{5 + x^4} dx \\
&= \frac{2}{231} x^3 (154 + 135x^2) \sqrt{5 + x^4} + \frac{1}{99} x^3 (22 + 27x^2) (5 + x^4)^{3/2} + \frac{20}{231} \int \frac{x^2 (154 + 135x^2)}{\sqrt{5 + x^4}} dx \\
&= \frac{300}{77} x \sqrt{5 + x^4} + \frac{2}{231} x^3 (154 + 135x^2) \sqrt{5 + x^4} + \frac{1}{99} x^3 (22 + 27x^2) (5 + x^4)^{3/2} \\
&= \frac{300}{77} x \sqrt{5 + x^4} + \frac{2}{231} x^3 (154 + 135x^2) \sqrt{5 + x^4} + \frac{1}{99} x^3 (22 + 27x^2) (5 + x^4)^{3/2} \\
&= \frac{300}{77} x \sqrt{5 + x^4} + \frac{40x\sqrt{5 + x^4}}{3(\sqrt{5 + x^2})} + \frac{2}{231} x^3 (154 + 135x^2) \sqrt{5 + x^4} + \frac{1}{99} x^3 (22 + 27x^2) (5 + x^4)^{3/2}
\end{aligned}$$

Mathematica [C] time = 0.03, size = 68, normalized size = 0.31

$$\frac{1}{33} x \left(-225 \sqrt{5} {}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5} \right) + 110 \sqrt{5} x^2 {}_2F_1 \left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5} \right) + 9 (x^4 + 5)^{5/2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(2 + 3*x^2)*(5 + x^4)^(3/2),x]

[Out] (x*(9*(5 + x^4)^(5/2) - 225*Sqrt[5]*Hypergeometric2F1[-3/2, 1/4, 5/4, -1/5*x^4] + 110*Sqrt[5]*x^2*Hypergeometric2F1[-3/2, 3/4, 7/4, -1/5*x^4]))/33

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left((3x^8 + 2x^6 + 15x^4 + 10x^2) \sqrt{x^4 + 5}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="fricas")

[Out] integral((3*x^8 + 2*x^6 + 15*x^4 + 10*x^2)*sqrt(x^4 + 5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5)^{\frac{3}{2}} (3x^2 + 2) x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)*x^2, x)

maple [C] time = 0.01, size = 204, normalized size = 0.93

$$\frac{3\sqrt{x^4+5}x^9}{11} + \frac{2\sqrt{x^4+5}x^7}{9} + \frac{195\sqrt{x^4+5}x^5}{77} + \frac{22\sqrt{x^4+5}x^3}{9} + \frac{300\sqrt{x^4+5}x}{77} - \frac{60\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2}}{77\sqrt{i\sqrt{5}}\sqrt{5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(3*x^2+2)*(x^4+5)^(3/2),x)

[Out] $\frac{3}{11}(x^4+5)^{1/2}x^9 + \frac{195}{77}(x^4+5)^{1/2}x^5 + \frac{300}{77}(x^4+5)^{1/2}x - \frac{60}{7} \frac{7 \cdot 5^{1/2} / (I \cdot 5^{1/2})^{1/2} \cdot (-5 \cdot I \cdot 5^{1/2} \cdot x^2 + 25)^{1/2} \cdot (5 \cdot I \cdot 5^{1/2} \cdot x^2 + 25)^{1/2}}{(x^4+5)^{1/2} \cdot \text{EllipticF}(1/5 \cdot 5^{1/2} \cdot (I \cdot 5^{1/2})^{1/2} \cdot x, I)} + \frac{2}{9}(x^4+5)^{1/2}x^7 + \frac{22}{9}(x^4+5)^{1/2}x^3 + \frac{8}{3} \frac{I}{(I \cdot 5^{1/2})^{1/2} \cdot (-5 \cdot I \cdot 5^{1/2} \cdot x^2 + 25)^{1/2} \cdot (5 \cdot I \cdot 5^{1/2} \cdot x^2 + 25)^{1/2}} / (x^4+5)^{1/2} \cdot (\text{EllipticF}(1/5 \cdot 5^{1/2} \cdot (I \cdot 5^{1/2})^{1/2} \cdot x, I) - \text{EllipticE}(1/5 \cdot 5^{1/2} \cdot (I \cdot 5^{1/2})^{1/2} \cdot x, I))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5)^{\frac{3}{2}} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (x^4 + 5)^{3/2} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(x^4 + 5)^(3/2)*(3*x^2 + 2),x)

[Out] int(x^2*(x^4 + 5)^(3/2)*(3*x^2 + 2), x)

sympy [C] time = 3.65, size = 160, normalized size = 0.73

$$\frac{3\sqrt{5}x^9\Gamma\left(\frac{9}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{9}{4} \\ \frac{13}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{13}{4}\right)} + \frac{\sqrt{5}x^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{11}{4}\right)} + \frac{15\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{5\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(3*x**2+2)*(x**4+5)**(3/2), x)

[Out] 3*sqrt(5)*x**9*gamma(9/4)*hyper((-1/2, 9/4), (13/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(13/4)) + sqrt(5)*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(11/4)) + 15*sqrt(5)*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(9/4)) + 5*sqrt(5)*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(7/4))

$$3.29 \quad \int (2 + 3x^2) (5 + x^4)^{3/2} dx$$

Optimal. Leaf size=197

$$\frac{1}{21}x(7x^2 + 6)(x^4 + 5)^{3/2} + \frac{2}{7}x(7x^2 + 10)\sqrt{x^4 + 5} + \frac{20x\sqrt{x^4 + 5}}{x^2 + \sqrt{5}} + \frac{10\sqrt[4]{5}(7 + 2\sqrt{5})(x^2 + \sqrt{5})\sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \operatorname{arctan}\left(\frac{x^2 + \sqrt{5}}{\sqrt{x^4 + 5}}\right)\right)}{7\sqrt{x^4 + 5}}$$

[Out] 1/21*x*(7*x^2+6)*(x^4+5)^(3/2)+2/7*x*(7*x^2+10)*(x^4+5)^(1/2)+20*x*(x^4+5)^(1/2)/(x^2+5^(1/2))-20*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticE(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2))^2)^(1/2)/(x^4+5)^(1/2)+10/7*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticF(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*(7+2*5^(1/2))*((x^4+5)/(x^2+5^(1/2))^2)^(1/2)/(x^4+5)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {1177, 1198, 220, 1196}

$$\frac{1}{21}x(7x^2 + 6)(x^4 + 5)^{3/2} + \frac{2}{7}x(7x^2 + 10)\sqrt{x^4 + 5} + \frac{20x\sqrt{x^4 + 5}}{x^2 + \sqrt{5}} + \frac{10\sqrt[4]{5}(7 + 2\sqrt{5})(x^2 + \sqrt{5})\sqrt{\frac{x^4 + 5}{(x^2 + \sqrt{5})^2}} F\left(2 \operatorname{arctan}\left(\frac{x^2 + \sqrt{5}}{\sqrt{x^4 + 5}}\right)\right)}{7\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)*(5 + x^4)^(3/2), x]

[Out] (20*x*Sqrt[5 + x^4])/(Sqrt[5] + x^2) + (2*x*(10 + 7*x^2)*Sqrt[5 + x^4])/7 + (x*(6 + 7*x^2)*(5 + x^4)^(3/2))/21 - (20*5^(1/4)*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticE[2*ArcTan[x/5^(1/4)], 1/2])/Sqrt[5 + x^4] + (10*5^(1/4)*(7 + 2*Sqrt[5])*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticF[2*ArcTan[x/5^(1/4)], 1/2])/(7*Sqrt[5 + x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2] * EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] +

Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rubi steps

$$\begin{aligned} \int (2 + 3x^2)(5 + x^4)^{3/2} dx &= \frac{1}{21}x(6 + 7x^2)(5 + x^4)^{3/2} + \frac{1}{21} \int (180 + 210x^2) \sqrt{5 + x^4} dx \\ &= \frac{2}{7}x(10 + 7x^2) \sqrt{5 + x^4} + \frac{1}{21}x(6 + 7x^2)(5 + x^4)^{3/2} + \frac{1}{315} \int \frac{9000 + 6300x^2}{\sqrt{5 + x^4}} dx \\ &= \frac{2}{7}x(10 + 7x^2) \sqrt{5 + x^4} + \frac{1}{21}x(6 + 7x^2)(5 + x^4)^{3/2} - (20\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx + \frac{1}{7} \cdot 20\sqrt{5}(\sqrt{5}) \\ &= \frac{20x\sqrt{5 + x^4}}{\sqrt{5 + x^2}} + \frac{2}{7}x(10 + 7x^2) \sqrt{5 + x^4} + \frac{1}{21}x(6 + 7x^2)(5 + x^4)^{3/2} - \frac{20\sqrt{5}(\sqrt{5})}{\sqrt{5 + x^2}} \end{aligned}$$

Mathematica [C] time = 0.01, size = 49, normalized size = 0.25

$$5\sqrt{5}x \left({}_2F_1 \left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5} \right) + x^2 {}_2F_1 \left(-\frac{3}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)*(5 + x^4)^(3/2), x]

[Out] $5\sqrt{5}x(2\text{Hypergeometric2F1}[-3/2, 1/4, 5/4, -1/5x^4] + x^2\text{Hypergeometric2F1}[-3/2, 3/4, 7/4, -1/5x^4])$

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(3x^6 + 2x^4 + 15x^2 + 10\right)\sqrt{x^4 + 5}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5)^(3/2),x, algorithm="fricas")`

[Out] `integral((3*x^6 + 2*x^4 + 15*x^2 + 10)*sqrt(x^4 + 5), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5)^{\frac{3}{2}}(3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5)^(3/2),x, algorithm="giac")`

[Out] `integrate((x^4 + 5)^(3/2)*(3*x^2 + 2), x)`

maple [C] time = 0.01, size = 192, normalized size = 0.97

$$\frac{\sqrt{x^4 + 5} x^7}{3} + \frac{2\sqrt{x^4 + 5} x^5}{7} + \frac{11\sqrt{x^4 + 5} x^3}{3} + \frac{30\sqrt{x^4 + 5} x}{7} + \frac{8\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5}}{\dots}\right)}{7\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)*(x^4+5)^(3/2),x)`

[Out] $\frac{1}{3}(x^4+5)^{1/2}x^7 + \frac{11}{3}(x^4+5)^{1/2}x^3 + 4I(I5^{1/2})^{1/2}(-5I5^{1/2}(x^2+25)^{1/2}(5I5^{1/2}x^2+25)^{1/2}/(x^4+5)^{1/2}(\text{EllipticF}(1/5I5^{1/2}(I5^{1/2})^{1/2}x, I) - \text{EllipticE}(1/5I5^{1/2}(I5^{1/2})^{1/2}x, I)) + 2/7(x^4+5)^{1/2}x^5 + 30/7(x^4+5)^{1/2}x + 8/7I5^{1/2}/(I5^{1/2})^{1/2}(-5I5^{1/2}x^2+25)^{1/2}(5I5^{1/2}x^2+25)^{1/2}/(x^4+5)^{1/2}\text{EllipticF}(1/5I5^{1/2}(I5^{1/2})^{1/2}x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5)^{\frac{3}{2}}(3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (x^4 + 5)^{3/2} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 5)^(3/2)*(3*x^2 + 2),x)

[Out] int((x^4 + 5)^(3/2)*(3*x^2 + 2), x)

sympy [C] time = 3.63, size = 158, normalized size = 0.80

$$\frac{3\sqrt{5}x^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{7}{4} \\ \frac{11}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{9}{4}\right)} + \frac{15\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{5\sqrt{5}x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5)**(3/2),x)

[Out] 3*sqrt(5)*x**7*gamma(7/4)*hyper((-1/2, 7/4), (11/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(11/4)) + sqrt(5)*x**5*gamma(5/4)*hyper((-1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(9/4)) + 15*sqrt(5)*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(7/4)) + 5*sqrt(5)*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(5/4))

$$3.30 \quad \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^2} dx$$

Optimal. Leaf size=199

$$-\frac{(14-3x^2)(x^4+5)^{3/2}}{7x} + \frac{6}{35}x(14x^2+25)\sqrt{x^4+5} + \frac{24x\sqrt{x^4+5}}{x^2+\sqrt{5}} + \frac{6\sqrt[4]{5}(14+5\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\arctan\left(\frac{x^2+\sqrt{5}}{x}\right)\right)}{7\sqrt{x^4+5}}$$

[Out] $-1/7*(-3*x^2+14)*(x^4+5)^{(3/2)}/x+6/35*x*(14*x^2+25)*(x^4+5)^{(1/2)}+24*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-24*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}/(x^4+5)^{(1/2)}+6/7*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(14+5*5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1272, 1177, 1198, 220, 1196}

$$-\frac{(14-3x^2)(x^4+5)^{3/2}}{7x} + \frac{6}{35}x(14x^2+25)\sqrt{x^4+5} + \frac{24x\sqrt{x^4+5}}{x^2+\sqrt{5}} + \frac{6\sqrt[4]{5}(14+5\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\arctan\left(\frac{x^2+\sqrt{5}}{x}\right)\right)}{7\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^2,x]

[Out] $(24*x*\text{Sqrt}[5+x^4])/(\text{Sqrt}[5+x^2])+(6*x*(25+14*x^2)*\text{Sqrt}[5+x^4])/35 - ((14-3*x^2)*(5+x^4)^{(3/2)})/(7*x) - (24*5^{(1/4)}*(\text{Sqrt}[5+x^2]*\text{Sqrt}[5+x^4])/(\text{Sqrt}[5+x^2]^2)*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}],1/2])/(\text{Sqrt}[5+x^4]) + (6*5^{(1/4)}*(14+5*\text{Sqrt}[5])*(\text{Sqrt}[5+x^2]*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5+x^2]^2)*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}],1/2)]/(7*\text{Sqrt}[5+x^4]))$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1177

Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(d*(4*p + 3) + e*(4*p + 1)*x^2)*(a + c*x^4)^p)/((4*p + 1)*(4*p + 3)), x] +

Dist[(2*p)/((4*p + 1)*(4*p + 3)), Int[Simp[2*a*d*(4*p + 3) + (2*a*e*(4*p + 1))*x^2, x]*(a + c*x^4)^(p - 1), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

Rule 1196

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + c*x^4]/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1198

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c, d, e}, x] && PosQ[c/a]

Rule 1272

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(4*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + c*x^4)^(p - 1)*(a*e*(m + 1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^2} dx &= -\frac{(14-3x^2)(5+x^4)^{3/2}}{7x} - \frac{6}{7} \int (-15-14x^2) \sqrt{5+x^4} dx \\
&= \frac{6}{35}x(25+14x^2)\sqrt{5+x^4} - \frac{(14-3x^2)(5+x^4)^{3/2}}{7x} - \frac{2}{35} \int \frac{-750-420x^2}{\sqrt{5+x^4}} dx \\
&= \frac{6}{35}x(25+14x^2)\sqrt{5+x^4} - \frac{(14-3x^2)(5+x^4)^{3/2}}{7x} - (24\sqrt{5}) \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx + \frac{1}{7} \left(\frac{24\sqrt{5}}{\sqrt{5+x^4}} \right) \\
&= \frac{24x\sqrt{5+x^4}}{\sqrt{5+x^2}} + \frac{6}{35}x(25+14x^2)\sqrt{5+x^4} - \frac{(14-3x^2)(5+x^4)^{3/2}}{7x} - \frac{24\sqrt{5}(\sqrt{5+x^4})}{\sqrt{5+x^2}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 53, normalized size = 0.27

$$15\sqrt{5}x {}_2F_1\left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5}\right) - \frac{10\sqrt{5} {}_2F_1\left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{x^4}{5}\right)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^2,x]

[Out] (-10*Sqrt[5]*Hypergeometric2F1[-3/2, -1/4, 3/4, -1/5*x^4])/x + 15*Sqrt[5]*x*Hypergeometric2F1[-3/2, 1/4, 5/4, -1/5*x^4]

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^6 + 2x^4 + 15x^2 + 10)\sqrt{x^4 + 5}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^2,x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4 + 15*x^2 + 10)*sqrt(x^4 + 5)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5)^{\frac{3}{2}}(3x^2 + 2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^2,x, algorithm="giac")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)/x^2, x)

maple [C] time = 0.02, size = 192, normalized size = 0.96

$$\frac{3\sqrt{x^4+5}x^5}{7} + \frac{2\sqrt{x^4+5}x^3}{5} + \frac{45\sqrt{x^4+5}x}{7} + \frac{12\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}\operatorname{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{7\sqrt{i\sqrt{5}}\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(3/2)/x^2,x)

[Out] 3/7*(x^4+5)^(1/2)*x^5+45/7*(x^4+5)^(1/2)*x+12/7*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-10*(x^4+5)^(1/2)/x+2/5*(x^4+5)^(1/2)*x^3+24/5*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5)^{\frac{3}{2}}(3x^2 + 2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^2,x, algorithm="maxima")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)/x^2, x)

mupad [B] time = 0.53, size = 48, normalized size = 0.24

$$15\sqrt{5}x {}_2F_1\left(-\frac{3}{2}, \frac{1}{4}; \frac{5}{4}; -\frac{x^4}{5}\right) + \frac{2(x^4+5)^{3/2} {}_2F_1\left(-\frac{3}{2}, -\frac{5}{4}; -\frac{1}{4}; -\frac{5}{x^4}\right)}{5x\left(\frac{5}{x^4}+1\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x^2,x)

[Out] $15 \cdot 5^{1/2} \cdot x \cdot \text{hypergeom}([-3/2, 1/4], 5/4, -x^4/5) + (2 \cdot (x^4 + 5)^{3/2} \cdot \text{hypergeom}([-3/2, -5/4], -1/4, -5/x^4)) / (5 \cdot x \cdot (5/x^4 + 1)^{3/2})$

sympy [C] time = 4.26, size = 160, normalized size = 0.80

$$\frac{3\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{5}{4} \\ \frac{9}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{7}{4}\right)} + \frac{15\sqrt{5}x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{5}{4}\right)} + \frac{5\sqrt{5}\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2x\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5)**(3/2)/x**2,x)`

[Out] $3 \cdot \sqrt{5} \cdot x^5 \cdot \Gamma(5/4) \cdot \text{hyper}((-1/2, 5/4), (9/4,), x^4 \cdot \exp(\text{I} \cdot \pi) / 5) / (4 \cdot \Gamma(9/4)) + \sqrt{5} \cdot x^3 \cdot \Gamma(3/4) \cdot \text{hyper}((-1/2, 3/4), (7/4,), x^4 \cdot \exp(\text{I} \cdot \pi) / 5) / (2 \cdot \Gamma(7/4)) + 15 \cdot \sqrt{5} \cdot x \cdot \Gamma(1/4) \cdot \text{hyper}((-1/2, 1/4), (5/4,), x^4 \cdot \exp(\text{I} \cdot \pi) / 5) / (4 \cdot \Gamma(5/4)) + 5 \cdot \sqrt{5} \cdot \Gamma(-1/4) \cdot \text{hyper}((-1/2, -1/4), (3/4,), x^4 \cdot \exp(\text{I} \cdot \pi) / 5) / (2 \cdot x \cdot \Gamma(3/4))$

$$3.31 \quad \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^4} dx$$

Optimal. Leaf size=201

$$\frac{2(27-2x^2)\sqrt{x^4+5}}{3x} + \frac{36x\sqrt{x^4+5}}{x^2+\sqrt{5}} + \frac{2\sqrt[4]{5}(27+2\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{3\sqrt{x^4+5}} - \frac{36\sqrt[4]{5}(x^2)}{3\sqrt{x^4+5}}$$

[Out] $-1/15*(-9*x^2+10)*(x^4+5)^{(3/2)}/x^3-2/3*(-2*x^2+27)*(x^4+5)^{(1/2)}/x+36*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-36*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}+2/3*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(27+2*5^{(1/2)}))*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1272, 1198, 220, 1196}

$$\frac{(10-9x^2)(x^4+5)^{3/2}}{15x^3} - \frac{2(27-2x^2)\sqrt{x^4+5}}{3x} + \frac{36x\sqrt{x^4+5}}{x^2+\sqrt{5}} + \frac{2\sqrt[4]{5}(27+2\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{3\sqrt{x^4+5}} - \frac{36\sqrt[4]{5}(x^2)}{3\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^4,x]

[Out] $(-2*(27-2*x^2)*\text{Sqrt}[5+x^4])/(3*x) + (36*x*\text{Sqrt}[5+x^4])/(\text{Sqrt}[5+x^2]) - ((10-9*x^2)*(5+x^4)^{(3/2)})/(15*x^3) - (36*5^{(1/4)}*(\text{Sqrt}[5+x^2]*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5+x^2]^2)*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}],1/2])/\text{Sqrt}[5+x^4] + (2*5^{(1/4)}*(27+2*\text{Sqrt}[5])*(\text{Sqrt}[5+x^2]*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5+x^2]^2)*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}],1/2])/(3*\text{Sqrt}[5+x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(

$1 + q^2 x^2) \sqrt{(a + c x^4)/(a(1 + q^2 x^2)^2)} \text{EllipticE}[2 \text{ArcTan}[q x], 1/2] / (q \sqrt{a + c x^4}), x] /; \text{EqQ}[e + d q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[\{(d_)+(e_)(x_)^2\}/\sqrt{(a_)+(c_)(x_)^4}, x_ \text{Symbol}] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d q)/q, \text{Int}[1/\sqrt{a + c x^4}, x], x] - \text{Dist}[e/q, \text{Int}[(1 - q x^2)/\sqrt{a + c x^4}, x], x] /; \text{NeQ}[e + d q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{PosQ}[c/a]$

Rule 1272

$\text{Int}[\{(f_)(x_)\}^{(m_)} \{(d_)+(e_)(x_)^2\} \{(a_)+(c_)(x_)^4\}^{(p_)}, x_ \text{Symbol}] \rightarrow \text{Simp}[\{(f x)^{(m+1)}(a + c x^4)^p (d(m+4p+3) + e(m+1)x^2)\}/(f(m+1)(m+4p+3)), x] + \text{Dist}[(4p)/(f^2(m+1)(m+4p+3)), \text{Int}[(f x)^{(m+2)}(a + c x^4)^{(p-1)}(a e(m+1) - c d(m+4p+3)x^2), x], x] /; \text{FreeQ}[\{a, c, d, e, f\}, x] \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m, -1] \&\& m + 4p + 3 \neq 0 \&\& \text{IntegerQ}[2p] \&\& (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned} \int \frac{(2+3x^2)(5+x^4)^{3/2}}{x^4} dx &= -\frac{(10-9x^2)(5+x^4)^{3/2}}{15x^3} - \frac{2}{5} \int \frac{(-45-10x^2)\sqrt{5+x^4}}{x^2} dx \\ &= -\frac{2(27-2x^2)\sqrt{5+x^4}}{3x} - \frac{(10-9x^2)(5+x^4)^{3/2}}{15x^3} + \frac{4}{15} \int \frac{50+135x^2}{\sqrt{5+x^4}} dx \\ &= -\frac{2(27-2x^2)\sqrt{5+x^4}}{3x} - \frac{(10-9x^2)(5+x^4)^{3/2}}{15x^3} - (36\sqrt{5}) \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx + \frac{1}{3} (4 \dots) \\ &= -\frac{2(27-2x^2)\sqrt{5+x^4}}{3x} + \frac{36x\sqrt{5+x^4}}{\sqrt{5+x^2}} - \frac{(10-9x^2)(5+x^4)^{3/2}}{15x^3} - \frac{36\sqrt[4]{5}(\sqrt{5+x^2})}{\dots} \end{aligned}$$

Mathematica [C] time = 0.02, size = 54, normalized size = 0.27

$$\frac{5\sqrt{5} \left({}_2F_1\left(-\frac{3}{2}, -\frac{3}{4}; \frac{1}{4}; -\frac{x^4}{5}\right) + 9x^2 {}_2F_1\left(-\frac{3}{2}, -\frac{1}{4}; \frac{3}{4}; -\frac{x^4}{5}\right) \right)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(5 + x^4)^(3/2))/x^4,x]

[Out] (-5*Sqrt[5]*(2*Hypergeometric2F1[-3/2, -3/4, 1/4, -1/5*x^4] + 9*x^2*Hypergeometric2F1[-3/2, -1/4, 3/4, -1/5*x^4]))/(3*x^3)

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(3x^6 + 2x^4 + 15x^2 + 10)\sqrt{x^4 + 5}}{x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^4,x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4 + 15*x^2 + 10)*sqrt(x^4 + 5)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5)^{\frac{3}{2}}(3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^4,x, algorithm="giac")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)/x^4, x)

maple [C] time = 0.02, size = 192, normalized size = 0.96

$$\frac{3\sqrt{x^4 + 5} x^3}{5} + \frac{2\sqrt{x^4 + 5} x}{3} + \frac{8\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right)}{15\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}} - \frac{15\sqrt{x^4 + 5}}{x} - \frac{10\sqrt{5}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5)^(3/2)/x^4,x)

[Out] -15*(x^4+5)^(1/2)/x+3/5*(x^4+5)^(1/2)*x^3+36/5*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))-10/3*(x^4+5)^(1/2)/x^3+2/3*(x^4+5)^(1/2)*x+8/15*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5)^{\frac{3}{2}} (3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5)^(3/2)/x^4,x, algorithm="maxima")

[Out] integrate((x^4 + 5)^(3/2)*(3*x^2 + 2)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(x^4 + 5)^{\frac{3}{2}} (3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x^4,x)

[Out] int(((x^4 + 5)^(3/2)*(3*x^2 + 2))/x^4, x)

sympy [C] time = 4.12, size = 163, normalized size = 0.81

$$\frac{3\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{5}x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, \frac{1}{4} \\ \frac{5}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2\Gamma\left(\frac{5}{4}\right)} + \frac{15\sqrt{5}\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{1}{4} \\ \frac{3}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{4x\Gamma\left(\frac{3}{4}\right)} + \frac{5\sqrt{5}\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{2}, -\frac{3}{4} \\ \frac{1}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{2x^3\Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5)**(3/2)/x**4,x)

[Out] 3*sqrt(5)*x**3*gamma(3/4)*hyper((-1/2, 3/4), (7/4,), x**4*exp_polar(I*pi)/5)/(4*gamma(7/4)) + sqrt(5)*x*gamma(1/4)*hyper((-1/2, 1/4), (5/4,), x**4*exp_polar(I*pi)/5)/(2*gamma(5/4)) + 15*sqrt(5)*gamma(-1/4)*hyper((-1/2, -1/4), (3/4,), x**4*exp_polar(I*pi)/5)/(4*x*gamma(3/4)) + 5*sqrt(5)*gamma(-3/4)*hyper((-3/4, -1/2), (1/4,), x**4*exp_polar(I*pi)/5)/(2*x**3*gamma(1/4))

$$3.32 \quad \int \frac{x^7(2+3x^2)}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=67

$$\frac{1}{3}\sqrt{x^4+5}x^4 + \frac{225}{16}\sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) + \frac{3}{8}\sqrt{x^4+5}x^6 - \frac{5}{48}(27x^2+32)\sqrt{x^4+5}$$

[Out] 225/16*arcsinh(1/5*x^2*5^(1/2))+1/3*x^4*(x^4+5)^(1/2)+3/8*x^6*(x^4+5)^(1/2)-5/48*(27*x^2+32)*(x^4+5)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1252, 833, 780, 215}

$$\frac{3}{8}\sqrt{x^4+5}x^6 + \frac{1}{3}\sqrt{x^4+5}x^4 - \frac{5}{48}(27x^2+32)\sqrt{x^4+5} + \frac{225}{16}\sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^7*(2 + 3*x^2))/Sqrt[5 + x^4],x]

[Out] (x^4*Sqrt[5 + x^4])/3 + (3*x^6*Sqrt[5 + x^4])/8 - (5*(32 + 27*x^2)*Sqrt[5 + x^4])/48 + (225*ArcSinh[x^2/Sqrt[5]])/16

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 780

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^(p + 1))/(2*c*(p + 1)*(2*p + 3)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 833

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + c*x^2)^p*Simp[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && GtQ[m, 0] &

& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1252

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned}
 \int \frac{x^7(2+3x^2)}{\sqrt{5+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3(2+3x)}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
 &= \frac{3}{8} x^6 \sqrt{5+x^4} + \frac{1}{8} \text{Subst} \left(\int \frac{x^2(-45+8x)}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
 &= \frac{1}{3} x^4 \sqrt{5+x^4} + \frac{3}{8} x^6 \sqrt{5+x^4} + \frac{1}{24} \text{Subst} \left(\int \frac{(-80-135x)x}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
 &= \frac{1}{3} x^4 \sqrt{5+x^4} + \frac{3}{8} x^6 \sqrt{5+x^4} - \frac{5}{48} (32+27x^2) \sqrt{5+x^4} + \frac{225}{16} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\
 &= \frac{1}{3} x^4 \sqrt{5+x^4} + \frac{3}{8} x^6 \sqrt{5+x^4} - \frac{5}{48} (32+27x^2) \sqrt{5+x^4} + \frac{225}{16} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 44, normalized size = 0.66

$$\frac{1}{48} \left(675 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \sqrt{x^4+5} (18x^6 + 16x^4 - 135x^2 - 160) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(2 + 3*x^2))/Sqrt[5 + x^4], x]

[Out] (Sqrt[5 + x^4]*(-160 - 135*x^2 + 16*x^4 + 18*x^6) + 675*ArcSinh[x^2/Sqrt[5]])/48

fricas [A] time = 0.80, size = 43, normalized size = 0.64

$$\frac{1}{48} (18x^6 + 16x^4 - 135x^2 - 160) \sqrt{x^4+5} - \frac{225}{16} \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="fricas")

[Out] 1/48*(18*x^6 + 16*x^4 - 135*x^2 - 160)*sqrt(x^4 + 5) - 225/16*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.19, size = 46, normalized size = 0.69

$$\frac{1}{48} \sqrt{x^4 + 5} \left((2(9x^2 + 8)x^2 - 135)x^2 - 160 \right) - \frac{225}{16} \log\left(-x^2 + \sqrt{x^4 + 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="giac")

[Out] 1/48*sqrt(x^4 + 5)*((2*(9*x^2 + 8)*x^2 - 135)*x^2 - 160) - 225/16*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 51, normalized size = 0.76

$$\frac{3\sqrt{x^4 + 5} x^6}{8} - \frac{45\sqrt{x^4 + 5} x^2}{16} + \frac{225 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16} + \frac{\sqrt{x^4 + 5} (x^4 - 10)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(3*x^2+2)/(x^4+5)^(1/2),x)

[Out] 3/8*(x^4+5)^(1/2)*x^6-45/16*(x^4+5)^(1/2)*x^2+225/16*arcsinh(1/5*5^(1/2)*x^2)+1/3*(x^4+5)^(1/2)*(x^4-10)

maxima [A] time = 1.31, size = 104, normalized size = 1.55

$$\frac{1}{3} (x^4 + 5)^{\frac{3}{2}} - 5\sqrt{x^4 + 5} - \frac{75 \left(\frac{5\sqrt{x^4+5}}{x^2} - \frac{3(x^4+5)^{\frac{3}{2}}}{x^6} \right)}{16 \left(\frac{2(x^4+5)}{x^4} - \frac{(x^4+5)^2}{x^8} - 1 \right)} + \frac{225}{32} \log\left(\frac{\sqrt{x^4+5}}{x^2} + 1\right) - \frac{225}{32} \log\left(\frac{\sqrt{x^4+5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] 1/3*(x^4 + 5)^(3/2) - 5*sqrt(x^4 + 5) - 75/16*(5*sqrt(x^4 + 5)/x^2 - 3*(x^4 + 5)^(3/2)/x^6)/(2*(x^4 + 5)/x^4 - (x^4 + 5)^2/x^8 - 1) + 225/32*log(sqrt(x^4 + 5)/x^2 + 1) - 225/32*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.59, size = 38, normalized size = 0.57

$$\frac{225 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{16} - \sqrt{x^4 + 5} \left(-\frac{3x^6}{8} - \frac{x^4}{3} + \frac{45x^2}{16} + \frac{10}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^7*(3*x^2 + 2))/(x^4 + 5)^(1/2),x)`

[Out] $(225*\operatorname{asinh}((5^{1/2}*x^2)/5))/16 - (x^4 + 5)^{1/2}*((45*x^2)/16 - x^4/3 - (3*x^6)/8 + 10/3)$

sympy [A] time = 7.07, size = 85, normalized size = 1.27

$$\frac{3x^{10}}{8\sqrt{x^4+5}} - \frac{15x^6}{16\sqrt{x^4+5}} + \frac{x^4\sqrt{x^4+5}}{3} - \frac{225x^2}{16\sqrt{x^4+5}} - \frac{10\sqrt{x^4+5}}{3} + \frac{225 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**7*(3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] $3*x^{10}/(8*\sqrt{x^4 + 5}) - 15*x^6/(16*\sqrt{x^4 + 5}) + x^4*\sqrt{x^4 + 5}/3 - 225*x^2/(16*\sqrt{x^4 + 5}) - 10*\sqrt{x^4 + 5}/3 + 225*\operatorname{asinh}(\sqrt{5}*x^2/5)/16$

$$3.33 \quad \int \frac{x^5(2+3x^2)}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=51

$$\frac{1}{2}\sqrt{x^4+5}x^4 - \frac{5}{2}\sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{1}{2}(10-x^2)\sqrt{x^4+5}$$

[Out] $-5/2*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})+1/2*x^4*(x^4+5)^{(1/2)}-1/2*(-x^2+10)*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1252, 833, 780, 215}

$$\frac{1}{2}\sqrt{x^4+5}x^4 - \frac{1}{2}(10-x^2)\sqrt{x^4+5} - \frac{5}{2}\sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(2 + 3*x^2))/\operatorname{Sqrt}[5 + x^4], x]$

[Out] $(x^4*\operatorname{Sqrt}[5 + x^4])/2 - ((10 - x^2)*\operatorname{Sqrt}[5 + x^4])/2 - (5*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/2$

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Sqrt}[a]]/\operatorname{Rt}[b, 2], x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{GtQ}[a, 0] \ \&\& \operatorname{PosQ}[b]$

Rule 780

$\operatorname{Int}[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)*(2*p + 3)), x] - \operatorname{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \operatorname{Int}[(a + c*x^2)^p, x], x] /; \operatorname{FreeQ}\{a, c, d, e, f, g, p\}, x \ \&\& \operatorname{!Le} Q[p, -1]$

Rule 833

$\operatorname{Int}[((d_) + (e_)*(x_))^{(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}], x_Symbol] \rightarrow \operatorname{Simp}[(g*(d + e*x)^m*(a + c*x^2)^{(p + 1)})/(c*(m + 2*p + 2)), x] + \operatorname{Dist}[1/(c*(m + 2*p + 2)), \operatorname{Int}[(d + e*x)^{(m - 1)}*(a + c*x^2)^p*\operatorname{Simp}[c*d*f*(m + 2*p + 2) - a*e*g*m + c*(e*f*(m + 2*p + 2) + d*g*m)*x, x], x] /; \operatorname{FreeQ}\{a, c, d, e, f, g, p\}, x \ \&\& \operatorname{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \operatorname{GtQ}[m, 0] \ \&$

```
& NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]
) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{x^5(2+3x^2)}{\sqrt{5+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2(2+3x)}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} x^4 \sqrt{5+x^4} + \frac{1}{6} \text{Subst} \left(\int \frac{x(-30+6x)}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} x^4 \sqrt{5+x^4} - \frac{1}{2} (10-x^2) \sqrt{5+x^4} - \frac{5}{2} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} x^4 \sqrt{5+x^4} - \frac{1}{2} (10-x^2) \sqrt{5+x^4} - \frac{5}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 35, normalized size = 0.69

$$\frac{1}{2} \left(\sqrt{x^4+5} (x^4+x^2-10) - 5 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^5*(2 + 3*x^2))/Sqrt[5 + x^4], x]
```

```
[Out] (Sqrt[5 + x^4]*(-10 + x^2 + x^4) - 5*ArcSinh[x^2/Sqrt[5]])/2
```

fricas [A] time = 0.70, size = 34, normalized size = 0.67

$$\frac{1}{2} (x^4 + x^2 - 10) \sqrt{x^4 + 5} + \frac{5}{2} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(3*x^2+2)/(x^4+5)^(1/2), x, algorithm="fricas")
```

```
[Out] 1/2*(x^4 + x^2 - 10)*sqrt(x^4 + 5) + 5/2*log(-x^2 + sqrt(x^4 + 5))
```

giac [A] time = 0.22, size = 37, normalized size = 0.73

$$\frac{1}{2} \sqrt{x^4 + 5} ((x^2 + 1)x^2 - 10) + \frac{5}{2} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="giac")

[Out] 1/2*sqrt(x^4 + 5)*((x^2 + 1)*x^2 - 10) + 5/2*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 39, normalized size = 0.76

$$\frac{\sqrt{x^4 + 5} x^2}{2} - \frac{5 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2} + \frac{\sqrt{x^4 + 5} (x^4 - 10)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(3*x^2+2)/(x^4+5)^(1/2),x)

[Out] 1/2*(x^4+5)^(1/2)*(x^4-10)+1/2*(x^4+5)^(1/2)*x^2-5/2*arcsinh(1/5*5^(1/2)*x^2)

maxima [A] time = 1.22, size = 76, normalized size = 1.49

$$\frac{1}{2} (x^4 + 5)^{\frac{3}{2}} - \frac{15}{2} \sqrt{x^4 + 5} + \frac{5 \sqrt{x^4 + 5}}{2 x^2 \left(\frac{x^4 + 5}{x^4} - 1\right)} - \frac{5}{4} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) + \frac{5}{4} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] 1/2*(x^4 + 5)^(3/2) - 15/2*sqrt(x^4 + 5) + 5/2*sqrt(x^4 + 5)/(x^2*((x^4 + 5)/x^4 - 1)) - 5/4*log(sqrt(x^4 + 5)/x^2 + 1) + 5/4*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 0.31, size = 32, normalized size = 0.63

$$\sqrt{x^4 + 5} \left(\frac{x^4}{2} + \frac{x^2}{2} - 5 \right) - \frac{5 \operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(3*x^2 + 2))/(x^4 + 5)^(1/2),x)

[Out] $(x^4 + 5)^{1/2} * (x^2/2 + x^4/2 - 5) - (5 * \operatorname{asinh}((5^{1/2} * x^2)/5))/2$

sympy [A] time = 5.52, size = 66, normalized size = 1.29

$$\frac{x^6}{2\sqrt{x^4+5}} + \frac{x^4\sqrt{x^4+5}}{2} + \frac{5x^2}{2\sqrt{x^4+5}} - 5\sqrt{x^4+5} - \frac{5 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] $x**6/(2*\sqrt{x**4 + 5}) + x**4*\sqrt{x**4 + 5}/2 + 5*x**2/(2*\sqrt{x**4 + 5}) - 5*\sqrt{x**4 + 5} - 5*\operatorname{asinh}(\sqrt{5}*x**2/5)/2$

$$3.34 \quad \int \frac{x^3(2+3x^2)}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=35

$$\frac{1}{4}(3x^2 + 4)\sqrt{x^4 + 5} - \frac{15}{4}\sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

[Out] $-15/4*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})+1/4*(3*x^2+4)*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1252, 780, 215}

$$\frac{1}{4}(3x^2 + 4)\sqrt{x^4 + 5} - \frac{15}{4}\sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(2 + 3*x^2))/\operatorname{Sqrt}[5 + x^4], x]$

[Out] $((4 + 3*x^2)*\operatorname{Sqrt}[5 + x^4])/4 - (15*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/4$

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[\operatorname{Rt}[b, 2]*x]/\operatorname{Sqrt}[a]]/\operatorname{Rt}[b, 2], x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{GtQ}[a, 0] \ \&\& \operatorname{PosQ}[b]$

Rule 780

$\operatorname{Int}[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(((e*f + d*g)*(2*p + 3) + 2*e*g*(p + 1)*x)*(a + c*x^2)^{(p + 1)})/(2*c*(p + 1)*(2*p + 3)), x] - \operatorname{Dist}[(a*e*g - c*d*f*(2*p + 3))/(c*(2*p + 3)), \operatorname{Int}[(a + c*x^2)^p, x], x] /; \operatorname{FreeQ}[\{a, c, d, e, f, g, p\}, x] \ \&\& \operatorname{!} \operatorname{LeQ}[p, -1]$

Rule 1252

$\operatorname{Int}[(x_)^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \operatorname{Dist}[1/2, \operatorname{Subst}[\operatorname{Int}[x^{(m - 1)/2}*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; \operatorname{FreeQ}[\{a, c, d, e, p, q\}, x] \ \&\& \operatorname{IntegerQ}[(m + 1)/2]$

Rubi steps

$$\begin{aligned} \int \frac{x^3(2+3x^2)}{\sqrt{5+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(2+3x)}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} - \frac{15}{4} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{4} (4+3x^2) \sqrt{5+x^4} - \frac{15}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 34, normalized size = 0.97

$$\frac{1}{4} \left((3x^2 + 4) \sqrt{x^4 + 5} - 15 \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(2 + 3*x^2))/Sqrt[5 + x^4],x]

[Out] ((4 + 3*x^2)*Sqrt[5 + x^4] - 15*ArcSinh[x^2/Sqrt[5]])/4

fricas [A] time = 0.51, size = 33, normalized size = 0.94

$$\frac{1}{4} \sqrt{x^4 + 5} (3x^2 + 4) + \frac{15}{4} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="fricas")

[Out] 1/4*sqrt(x^4 + 5)*(3*x^2 + 4) + 15/4*log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.22, size = 33, normalized size = 0.94

$$\frac{1}{4} \sqrt{x^4 + 5} (3x^2 + 4) + \frac{15}{4} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="giac")

[Out] 1/4*sqrt(x^4 + 5)*(3*x^2 + 4) + 15/4*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 32, normalized size = 0.91

$$\frac{3\sqrt{x^4 + 5} x^2}{4} - \frac{15 \operatorname{arcsinh} \left(\frac{\sqrt{5} x^2}{5} \right)}{4} + \sqrt{x^4 + 5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(3*x^2+2)/(x^4+5)^(1/2),x)`

[Out] $3/4*(x^4+5)^{(1/2)}*x^2-15/4*\operatorname{arcsinh}(1/5*5^{(1/2)}*x^2)+(x^4+5)^{(1/2)}$

maxima [B] time = 1.16, size = 65, normalized size = 1.86

$$\sqrt{x^4+5} + \frac{15\sqrt{x^4+5}}{4x^2\left(\frac{x^4+5}{x^4}-1\right)} - \frac{15}{8}\log\left(\frac{\sqrt{x^4+5}}{x^2}+1\right) + \frac{15}{8}\log\left(\frac{\sqrt{x^4+5}}{x^2}-1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")`

[Out] $\sqrt{x^4+5} + 15/4*\sqrt{x^4+5}/(x^2*((x^4+5)/x^4-1)) - 15/8*\log(\sqrt{x^4+5}/x^2+1) + 15/8*\log(\sqrt{x^4+5}/x^2-1)$

mupad [B] time = 0.49, size = 27, normalized size = 0.77

$$\sqrt{x^4+5} \left(\frac{3x^2}{4} + 1 \right) - \frac{15 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(3*x^2+2))/(x^4+5)^(1/2),x)`

[Out] $(x^4+5)^{(1/2)}*((3*x^2)/4+1) - (15*\operatorname{asinh}((5^{(1/2)}*x^2)/5))/4$

sympy [A] time = 4.04, size = 53, normalized size = 1.51

$$\frac{3x^6}{4\sqrt{x^4+5}} + \frac{15x^2}{4\sqrt{x^4+5}} + \sqrt{x^4+5} - \frac{15 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] $3*x**6/(4*\sqrt{x**4+5}) + 15*x**2/(4*\sqrt{x**4+5}) + \sqrt{x**4+5} - 15*\operatorname{asinh}(\sqrt{5}*x**2/5)/4$

$$3.35 \quad \int \frac{x(2+3x^2)}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=24

$$\frac{3\sqrt{x^4+5}}{2} + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

[Out] arcsinh(1/5*x^2*5^(1/2))+3/2*(x^4+5)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1248, 641, 215}

$$\frac{3\sqrt{x^4+5}}{2} + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x*(2 + 3*x^2))/Sqrt[5 + x^4],x]

[Out] (3*Sqrt[5 + x^4])/2 + ArcSinh[x^2/Sqrt[5]]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned} \int \frac{x(2+3x^2)}{\sqrt{5+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{3\sqrt{5+x^4}}{2} + \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= \frac{3\sqrt{5+x^4}}{2} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 24, normalized size = 1.00

$$\frac{3\sqrt{x^4+5}}{2} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2 + 3*x^2))/Sqrt[5 + x^4], x]

[Out] (3*Sqrt[5 + x^4])/2 + ArcSinh[x^2/Sqrt[5]]

fricas [A] time = 0.66, size = 26, normalized size = 1.08

$$\frac{3}{2} \sqrt{x^4+5} - \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5)^(1/2), x, algorithm="fricas")

[Out] 3/2*sqrt(x^4 + 5) - log(-x^2 + sqrt(x^4 + 5))

giac [A] time = 0.20, size = 26, normalized size = 1.08

$$\frac{3}{2} \sqrt{x^4+5} - \log(-x^2 + \sqrt{x^4+5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5)^(1/2), x, algorithm="giac")

[Out] 3/2*sqrt(x^4 + 5) - log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 20, normalized size = 0.83

$$\operatorname{arcsinh} \left(\frac{\sqrt{5} x^2}{5} \right) + \frac{3\sqrt{x^4+5}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(3*x^2+2)/(x^4+5)^(1/2),x)`

[Out] `arcsinh(1/5*5^(1/2)*x^2)+3/2*(x^4+5)^(1/2)`

maxima [B] time = 1.12, size = 42, normalized size = 1.75

$$\frac{3}{2} \sqrt{x^4 + 5} + \frac{1}{2} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{1}{2} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")`

[Out] `3/2*sqrt(x^4 + 5) + 1/2*log(sqrt(x^4 + 5)/x^2 + 1) - 1/2*log(sqrt(x^4 + 5)/x^2 - 1)`

mupad [B] time = 0.29, size = 19, normalized size = 0.79

$$\operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right) + \frac{3 \sqrt{x^4 + 5}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(3*x^2 + 2))/(x^4 + 5)^(1/2),x)`

[Out] `asinh((5^(1/2)*x^2)/5) + (3*(x^4 + 5)^(1/2))/2`

sympy [A] time = 2.13, size = 22, normalized size = 0.92

$$\frac{3\sqrt{x^4 + 5}}{2} + \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] `3*sqrt(x**4 + 5)/2 + asinh(sqrt(5)*x**2/5)`

$$3.36 \quad \int \frac{2+3x^2}{x\sqrt{5+x^4}} dx$$

Optimal. Leaf size=38

$$\frac{3}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{\sqrt{5}}$$

[Out] 3/2*arcsinh(1/5*x^2*5^(1/2))-1/5*arctanh(1/5*(x^4+5)^(1/2)*5^(1/2))*5^(1/2)

Rubi [A] time = 0.04, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1252, 844, 215, 266, 63, 207}

$$\frac{3}{2} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x*sqrt[5 + x^4]),x]

[Out] (3*ArcSinh[x^2/Sqrt[5]])/2 - ArcTanh[Sqrt[5 + x^4]/Sqrt[5]]/Sqrt[5]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 266

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 844

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] + D
ist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d,
e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1252

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x\sqrt{5+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{3}{2} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) + \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{1}{2} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x}} dx, x, x^4 \right) \\
&= \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{\tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)}{\sqrt{5}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 38, normalized size = 1.00

$$\frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{\tanh^{-1} \left(\frac{\sqrt{x^4+5}}{\sqrt{5}} \right)}{\sqrt{5}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2 + 3*x^2)/(x*sqrt[5 + x^4]),x]
```

[Out] $(3*\text{ArcSinh}[x^2/\text{Sqrt}[5]])/2 - \text{ArcTanh}[\text{Sqrt}[5 + x^4]/\text{Sqrt}[5]]/\text{Sqrt}[5]$

fricas [A] time = 0.70, size = 41, normalized size = 1.08

$$\frac{1}{5} \sqrt{5} \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{x^2}\right) - \frac{3}{2} \log\left(-x^2 + \sqrt{x^4 + 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x/(x^4+5)^(1/2),x, algorithm="fricas")`

[Out] $1/5*\text{sqrt}(5)*\log(-(\text{sqrt}(5) - \text{sqrt}(x^4 + 5))/x^2) - 3/2*\log(-x^2 + \text{sqrt}(x^4 + 5))$

giac [B] time = 0.20, size = 61, normalized size = 1.61

$$\frac{1}{5} \sqrt{5} \log\left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) - \frac{3}{2} \log\left(-x^2 + \sqrt{x^4 + 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x/(x^4+5)^(1/2),x, algorithm="giac")`

[Out] $1/5*\text{sqrt}(5)*\log(-x^2 + \text{sqrt}(5) - \text{sqrt}(x^4 + 5))/(x^2 - \text{sqrt}(5) - \text{sqrt}(x^4 + 5))) - 3/2*\log(-x^2 + \text{sqrt}(x^4 + 5))$

maple [A] time = 0.01, size = 30, normalized size = 0.79

$$\frac{3 \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right)}{2} - \frac{\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/x/(x^4+5)^(1/2),x)`

[Out] $3/2*\operatorname{arcsinh}(1/5*5^{(1/2)}*x^2)-1/5*5^{(1/2)}*\operatorname{arctanh}(5^{(1/2)}/(x^4+5)^{(1/2)})$

maxima [B] time = 1.17, size = 67, normalized size = 1.76

$$\frac{1}{10} \sqrt{5} \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}}\right) + \frac{3}{4} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{3}{4} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x/(x^4+5)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{10}\sqrt{5}\log\left(\frac{-\sqrt{5}-\sqrt{x^4+5}}{\sqrt{5}+\sqrt{x^4+5}}\right) + \frac{3}{4}\log\left(\frac{\sqrt{x^4+5}}{x^2+1}\right) - \frac{3}{4}\log\left(\frac{\sqrt{x^4+5}}{x^2-1}\right)$

mupad [B] time = 0.61, size = 30, normalized size = 0.79

$$\frac{3 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5}\sqrt{x^4+5}}{5}\right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x*(x^4 + 5)^(1/2)),x)`

[Out] $\frac{3\operatorname{asinh}\left(\frac{5^{1/2}x^2}{5}\right)}{2} - \frac{5^{1/2}\operatorname{atanh}\left(\frac{5^{1/2}\sqrt{x^4+5}}{5}\right)}{5}$

sympy [A] time = 6.01, size = 31, normalized size = 0.82

$$-\frac{\sqrt{5} \operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{5} + \frac{3 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x/(x**4+5)**(1/2),x)`

[Out] $-\sqrt{5}\operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)/5 + 3\operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)/2$

$$3.37 \quad \int \frac{2+3x^2}{x^3 \sqrt{5+x^4}} dx$$

Optimal. Leaf size=42

$$-\frac{3 \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{2\sqrt{5}} - \frac{\sqrt{x^4+5}}{5x^2}$$

[Out] $-3/10*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}-1/5*(x^4+5)^{(1/2)}/x^2$

Rubi [A] time = 0.04, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1252, 807, 266, 63, 207}

$$-\frac{\sqrt{x^4+5}}{5x^2} - \frac{3 \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{2\sqrt{5}}$$

Antiderivative was successfully verified.

[In] `Int[(2 + 3*x^2)/(x^3*Sqrt[5 + x^4]),x]`

[Out] `-Sqrt[5 + x^4]/(5*x^2) - (3*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/(2*Sqrt[5])`

Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 207

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])`

Rule 266

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

Rule 807

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
 \int \frac{2 + 3x^2}{x^3 \sqrt{5 + x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x^2 \sqrt{5 + x^2}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{5 + x^4}}{5x^2} + \frac{3}{2} \text{Subst} \left(\int \frac{1}{x \sqrt{5 + x^2}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{5 + x^4}}{5x^2} + \frac{3}{4} \text{Subst} \left(\int \frac{1}{x \sqrt{5 + x}} dx, x, x^4 \right) \\
 &= -\frac{\sqrt{5 + x^4}}{5x^2} + \frac{3}{2} \text{Subst} \left(\int \frac{1}{-5 + x^2} dx, x, \sqrt{5 + x^4} \right) \\
 &= -\frac{\sqrt{5 + x^4}}{5x^2} - \frac{3 \tanh^{-1} \left(\frac{\sqrt{5 + x^4}}{\sqrt{5}} \right)}{2\sqrt{5}}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 42, normalized size = 1.00

$$-\frac{3 \tanh^{-1} \left(\frac{\sqrt{x^4 + 5}}{\sqrt{5}} \right)}{2\sqrt{5}} - \frac{\sqrt{x^4 + 5}}{5x^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(2 + 3*x^2)/(x^3*Sqrt[5 + x^4]), x]
```

```
[Out] -1/5*Sqrt[5 + x^4]/x^2 - (3*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/(2*Sqrt[5])
```


fricas [A] time = 0.77, size = 47, normalized size = 1.12

$$\frac{3\sqrt{5}x^2 \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{x^2}\right) - 2x^2 - 2\sqrt{x^4+5}}{10x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5)^(1/2),x, algorithm="fricas")

[Out] 1/10*(3*sqrt(5)*x^2*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) - 2*x^2 - 2*sqrt(x^4 + 5))/x^2

giac [B] time = 0.22, size = 66, normalized size = 1.57

$$\frac{3}{10}\sqrt{5} \log\left(\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) + \frac{2}{(x^2 - \sqrt{x^4 + 5})^2 - 5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5)^(1/2),x, algorithm="giac")

[Out] 3/10*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) + 2/((x^2 - sqrt(x^4 + 5))^2 - 5)

maple [A] time = 0.01, size = 31, normalized size = 0.74

$$-\frac{3\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{10} - \frac{\sqrt{x^4+5}}{5x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^3/(x^4+5)^(1/2),x)

[Out] -3/10*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))-1/5*(x^4+5)^(1/2)/x^2

maxima [A] time = 1.26, size = 47, normalized size = 1.12

$$\frac{3}{20}\sqrt{5} \log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{\sqrt{5}+\sqrt{x^4+5}}\right) - \frac{\sqrt{x^4+5}}{5x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] $\frac{3}{20}\sqrt{5}\log\left(\frac{-\left(\sqrt{5}-\sqrt{x^4+5}\right)}{\left(\sqrt{5}+\sqrt{x^4+5}\right)}\right)-\frac{1}{5\sqrt{x^4+5}x^2}$

mupad [B] time = 0.33, size = 31, normalized size = 0.74

$$-\frac{3\sqrt{5}\operatorname{atanh}\left(\frac{\sqrt{5}\sqrt{x^4+5}}{5}\right)}{10}-\frac{\sqrt{x^4+5}}{5x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^3*(x^4 + 5)^(1/2)),x)`

[Out] $-\frac{3\cdot 5^{1/2}\operatorname{atanh}\left(\frac{5^{1/2}\left(x^4+5\right)^{1/2}}{5}\right)}{10}-\frac{\left(x^4+5\right)^{1/2}}{5x^2}$

sympy [A] time = 3.60, size = 31, normalized size = 0.74

$$-\frac{\sqrt{1+\frac{5}{x^4}}}{5}-\frac{3\sqrt{5}\operatorname{asinh}\left(\frac{\sqrt{5}}{x^2}\right)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**3/(x**4+5)**(1/2),x)`

[Out] $-\sqrt{1+5/x^4}/5-3\sqrt{5}\operatorname{asinh}(\sqrt{5}/x^2)/10$

$$3.38 \quad \int \frac{2+3x^2}{x^5 \sqrt{5+x^4}} dx$$

Optimal. Leaf size=58

$$-\frac{\sqrt{x^4+5}}{10x^4} + \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{10\sqrt{5}} - \frac{3\sqrt{x^4+5}}{10x^2}$$

[Out] 1/50*arctanh(1/5*(x^4+5)^(1/2)*5^(1/2))*5^(1/2)-1/10*(x^4+5)^(1/2)/x^4-3/10*(x^4+5)^(1/2)/x^2

Rubi [A] time = 0.05, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1252, 835, 807, 266, 63, 207}

$$-\frac{3\sqrt{x^4+5}}{10x^2} - \frac{\sqrt{x^4+5}}{10x^4} + \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{10\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^5*Sqrt[5 + x^4]),x]

[Out] -Sqrt[5 + x^4]/(10*x^4) - (3*Sqrt[5 + x^4])/(10*x^2) + ArcTanh[Sqrt[5 + x^4]/Sqrt[5]]/(10*Sqrt[5])

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] :> With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 266

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 835

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/((m + 1)*(c*d^2 + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p*Simp[(c*d*f + a*e*g)*(m + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g, p}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^5\sqrt{5+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{x^3\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{\sqrt{5+x^4}}{10x^4} - \frac{1}{20} \text{Subst} \left(\int \frac{-30+2x}{x^2\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{\sqrt{5+x^4}}{10x^4} - \frac{3\sqrt{5+x^4}}{10x^2} - \frac{1}{10} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= -\frac{\sqrt{5+x^4}}{10x^4} - \frac{3\sqrt{5+x^4}}{10x^2} - \frac{1}{20} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x}} dx, x, x^4 \right) \\
&= -\frac{\sqrt{5+x^4}}{10x^4} - \frac{3\sqrt{5+x^4}}{10x^2} - \frac{1}{10} \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= -\frac{\sqrt{5+x^4}}{10x^4} - \frac{3\sqrt{5+x^4}}{10x^2} + \frac{\tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)}{10\sqrt{5}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 49, normalized size = 0.84

$$\frac{\sqrt{5} x^4 \tanh^{-1} \left(\sqrt{\frac{x^4}{5} + 1} \right) - 5 (3x^2 + 1) \sqrt{x^4 + 5}}{50x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^5*Sqrt[5 + x^4]), x]

[Out] (-5*(1 + 3*x^2)*Sqrt[5 + x^4] + Sqrt[5]*x^4*ArcTanh[Sqrt[1 + x^4/5]])/(50*x^4)

fricas [A] time = 0.58, size = 50, normalized size = 0.86

$$\frac{\sqrt{5} x^4 \log \left(\frac{\sqrt{5} + \sqrt{x^4 + 5}}{x^2} \right) - 15 x^4 - 5 \sqrt{x^4 + 5} (3 x^2 + 1)}{50 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^5/(x^4+5)^(1/2), x, algorithm="fricas")

[Out] 1/50*(sqrt(5)*x^4*log((sqrt(5) + sqrt(x^4 + 5))/x^2) - 15*x^4 - 5*sqrt(x^4 + 5)*(3*x^2 + 1))/x^4

giac [B] time = 0.22, size = 114, normalized size = 1.97

$$-\frac{1}{50} \sqrt{5} \log\left(\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}}\right) + \frac{(x^2 - \sqrt{x^4 + 5})^3 + 15(x^2 - \sqrt{x^4 + 5})^2 + 5x^2 - 5\sqrt{x^4 + 5} - 75}{5((x^2 - \sqrt{x^4 + 5})^2 - 5)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^5/(x^4+5)^(1/2),x, algorithm="giac")

[Out] -1/50*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) + 1/5*((x^2 - sqrt(x^4 + 5))^3 + 15*(x^2 - sqrt(x^4 + 5))^2 + 5*x^2 - 5*sqrt(x^4 + 5) - 75)/((x^2 - sqrt(x^4 + 5))^2 - 5)^2

maple [A] time = 0.02, size = 43, normalized size = 0.74

$$\frac{\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{50} - \frac{3\sqrt{x^4+5}}{10x^2} - \frac{\sqrt{x^4+5}}{10x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^5/(x^4+5)^(1/2),x)

[Out] -1/10*(x^4+5)^(1/2)/x^4+1/50*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))-3/10*(x^4+5)^(1/2)/x^4

maxima [A] time = 1.12, size = 59, normalized size = 1.02

$$-\frac{1}{100} \sqrt{5} \log\left(\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}}\right) - \frac{3\sqrt{x^4 + 5}}{10x^2} - \frac{\sqrt{x^4 + 5}}{10x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^5/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] -1/100*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) - 3/10*sqrt(x^4 + 5)/x^2 - 1/10*sqrt(x^4 + 5)/x^4

mupad [B] time = 0.69, size = 43, normalized size = 0.74

$$\frac{\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5} \sqrt{x^4+5}}{5}\right)}{50} - \frac{3\sqrt{x^4+5}}{10x^2} - \frac{\sqrt{x^4+5}}{10x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^5*(x^4 + 5)^(1/2)),x)`

[Out] $(5^{1/2}*\operatorname{atanh}((5^{1/2}*(x^4 + 5)^{1/2})/5))/50 - (3*(x^4 + 5)^{1/2})/(10*x^2) - (x^4 + 5)^{1/2}/(10*x^4)$

sympy [A] time = 14.33, size = 88, normalized size = 1.52

$$\frac{\sqrt{5} \left(-\frac{\log\left(\sqrt{\frac{x^4}{5}+1}-1\right)}{4} + \frac{\log\left(\sqrt{\frac{x^4}{5}+1}+1\right)}{4} - \frac{1}{4\left(\sqrt{\frac{x^4}{5}+1}+1\right)} - \frac{1}{4\left(\sqrt{\frac{x^4}{5}+1}-1\right)} \right)}{25} - \frac{3\sqrt{5}\sqrt{5x^4+25}}{50x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**5/(x**4+5)**(1/2),x)`

[Out] $\sqrt{5}*(-\log(\sqrt{x**4/5 + 1} - 1)/4 + \log(\sqrt{x**4/5 + 1} + 1)/4 - 1/(4*(\sqrt{x**4/5 + 1} + 1)) - 1/(4*(\sqrt{x**4/5 + 1} - 1)))/25 - 3*\sqrt{5}*\sqrt{(5*x**4 + 25)/(50*x**2)}$

$$3.39 \quad \int \frac{x^4(2+3x^2)}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=185

$$\frac{2}{3}\sqrt{x^4+5}x + \frac{3}{5}\sqrt{x^4+5}x^3 - \frac{9\sqrt{x^4+5}x}{x^2+\sqrt{5}} - \frac{\sqrt[4]{5}(27+2\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{6\sqrt{x^4+5}} + \frac{9\sqrt[4]{5}(x^2+\sqrt{5})}{6\sqrt{x^4+5}}$$

[Out] $2/3*x*(x^4+5)^{(1/2)}+3/5*x^3*(x^4+5)^{(1/2)}-9*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})+9*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}-1/6*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(27+2*5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1280, 1198, 220, 1196}

$$\frac{3}{5}\sqrt{x^4+5}x^3 - \frac{9\sqrt{x^4+5}x}{x^2+\sqrt{5}} + \frac{2}{3}\sqrt{x^4+5}x - \frac{\sqrt[4]{5}(27+2\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{6\sqrt{x^4+5}} + \frac{9\sqrt[4]{5}(x^2+\sqrt{5})}{6\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(2 + 3*x^2))/Sqrt[5 + x^4], x]

[Out] $(2*x*\text{Sqrt}[5 + x^4])/3 + (3*x^3*\text{Sqrt}[5 + x^4])/5 - (9*x*\text{Sqrt}[5 + x^4])/(\text{Sqrt}[5 + x^2]) + (9*5^{(1/4)}*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(\text{Sqrt}[5 + x^4]) - (5^{(1/4)}*(27 + 2*\text{Sqrt}[5])*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(6*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(


```
1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
1/2]]/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rule 1280

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
])
```

Rubi steps

$$\begin{aligned} \int \frac{x^4(2+3x^2)}{\sqrt{5+x^4}} dx &= \frac{3}{5}x^3\sqrt{5+x^4} - \frac{1}{5} \int \frac{x^2(45-10x^2)}{\sqrt{5+x^4}} dx \\ &= \frac{2}{3}x\sqrt{5+x^4} + \frac{3}{5}x^3\sqrt{5+x^4} + \frac{1}{15} \int \frac{-50-135x^2}{\sqrt{5+x^4}} dx \\ &= \frac{2}{3}x\sqrt{5+x^4} + \frac{3}{5}x^3\sqrt{5+x^4} + (9\sqrt{5}) \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx - \frac{1}{3}(10+27\sqrt{5}) \int \frac{1}{\sqrt{5+x^4}} dx \\ &= \frac{2}{3}x\sqrt{5+x^4} + \frac{3}{5}x^3\sqrt{5+x^4} - \frac{9x\sqrt{5+x^4}}{\sqrt{5+x^2}} + \frac{9^4\sqrt{5}(\sqrt{5+x^2})\sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}}E\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\right)}{\sqrt{5+x^4}} \end{aligned}$$

Mathematica [C] time = 0.03, size = 74, normalized size = 0.40

$$\frac{1}{15}x \left(-10\sqrt{5} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right) - 9\sqrt{5}x^2 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5}\right) + (9x^2 + 10)\sqrt{x^4 + 5} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(2 + 3*x^2))/Sqrt[5 + x^4],x]

[Out] (x*((10 + 9*x^2)*Sqrt[5 + x^4] - 10*Sqrt[5]*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4] - 9*Sqrt[5]*x^2*Hypergeometric2F1[1/2, 3/4, 7/4, -1/5*x^4]))/15

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{3x^6 + 2x^4}{\sqrt{x^4 + 5}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4)/sqrt(x^4 + 5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)*x^4/sqrt(x^4 + 5), x)

maple [C] time = 0.02, size = 168, normalized size = 0.91

$$\frac{\frac{3\sqrt{x^4 + 5} x^3}{5} + \frac{2\sqrt{x^4 + 5} x}{3} - \frac{2\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right) - 9i\sqrt{-5i\sqrt{5} x^2 + 25}}{15\sqrt{i\sqrt{5} x^2 + 25}}}{15\sqrt{i\sqrt{5} x^2 + 25}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2+2)/(x^4+5)^(1/2),x)

[Out] 3/5*(x^4+5)^(1/2)*x^3-9/5*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))+2/3*(x^4+5)^(1/2)*x-2/15*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")`

[Out] `integrate((3*x^2 + 2)*x^4/sqrt(x^4 + 5), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 (3x^2 + 2)}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(3*x^2 + 2))/(x^4 + 5)^(1/2),x)`

[Out] `int((x^4*(3*x^2 + 2))/(x^4 + 5)^(1/2), x)`

sympy [C] time = 2.55, size = 75, normalized size = 0.41

$$\frac{3\sqrt{5}x^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{7}{4} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{20\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{10\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] `3*sqrt(5)*x**7*gamma(7/4)*hyper((1/2, 7/4), (11/4,), x**4*exp_polar(I*pi)/5)/(20*gamma(11/4)) + sqrt(5)*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5)/(10*gamma(9/4))`

$$3.40 \quad \int \frac{x^2(2+3x^2)}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=166

$$\sqrt{x^4+5}x + \frac{2\sqrt{x^4+5}x}{x^2+\sqrt{5}} + \frac{\sqrt[4]{5}(2-\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{x^4+5}} - \frac{2\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}E\left(\frac{x}{\sqrt{x^4+5}}\right)}{\sqrt{x^4+5}}$$

[Out] $x*(x^4+5)^{(1/2)}+2*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-2*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4))))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4))))*EllipticE(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}+1/2*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4))))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4))))*EllipticF(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(2-5^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1280, 1198, 220, 1196}

$$\frac{2\sqrt{x^4+5}x}{x^2+\sqrt{5}} + \sqrt{x^4+5}x + \frac{\sqrt[4]{5}(2-\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{2\sqrt{x^4+5}} - \frac{2\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}E\left(\frac{x}{\sqrt{x^4+5}}\right)}{\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(2 + 3*x^2))/Sqrt[5 + x^4], x]

[Out] $x*\text{Sqrt}[5 + x^4] + (2*x*\text{Sqrt}[5 + x^4])/(\text{Sqrt}[5 + x^2] - (2*5^{(1/4)}*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)]*EllipticE[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(\text{Sqrt}[5 + x^4] + (5^{(1/4)}*(2 - \text{Sqrt}[5])*(\text{Sqrt}[5 + x^2]*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5 + x^2]^2)]*EllipticF[2*\text{ArcTan}[x/5^{(1/4)}], 1/2]))/(2*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],

$1/2)) / (q \sqrt{a + c x^4}), x] /; \text{EqQ}[e + d q^2, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[\frac{(d_.) + (e_.) (x_.)^2}{\sqrt{(a_.) + (c_.) (x_.)^4}}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d q)/q, \text{Int}[1/\sqrt{a + c x^4}, x], x] - \text{Dist}[e/q, \text{Int}[(1 - q x^2)/\sqrt{a + c x^4}, x], x] /; \text{NeQ}[e + d q, 0] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{PosQ}[c/a]$

Rule 1280

$\text{Int}[\frac{(f_.) (x_.)^{(m_.)} ((d_.) + (e_.) (x_.)^2) ((a_.) + (c_.) (x_.)^4)^{(p_.)}}{x_Symbol}] \rightarrow \text{Simp}[\frac{e f (f x)^{(m-1)} (a + c x^4)^{(p+1)}}{c (m + 4 p + 3)}, x] - \text{Dist}[f^2 / (c (m + 4 p + 3)), \text{Int}[\frac{(f x)^{(m-2)} (a + c x^4)^p (a e (m-1) - c d (m + 4 p + 3) x^2)}{x}, x] /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m + 4 p + 3, 0] \ \&\& \ \text{IntegerQ}[2 p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])]$

Rubi steps

$$\begin{aligned} \int \frac{x^2 (2 + 3x^2)}{\sqrt{5 + x^4}} dx &= x \sqrt{5 + x^4} - \frac{1}{3} \int \frac{15 - 6x^2}{\sqrt{5 + x^4}} dx \\ &= x \sqrt{5 + x^4} - (2\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx - (5 - 2\sqrt{5}) \int \frac{1}{\sqrt{5 + x^4}} dx \\ &= x \sqrt{5 + x^4} + \frac{2x \sqrt{5 + x^4}}{\sqrt{5 + x^2}} - \frac{2^4 \sqrt{5} (\sqrt{5} + x^2) \sqrt{\frac{5+x^4}{(\sqrt{5}+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{\sqrt{5 + x^4}} + \frac{\sqrt[4]{5} (2 - \sqrt{5})}{\sqrt{5 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.02, size = 66, normalized size = 0.40

$$-\sqrt{5} x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right) + \frac{2x^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5}\right)}{3\sqrt{5}} + \sqrt{x^4 + 5} x$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(2 + 3*x^2))/Sqrt[5 + x^4], x]

[Out] $x\sqrt{5 + x^4} - \sqrt{5}x\text{Hypergeometric2F1}\left[\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -\frac{1}{5}x^4\right] + (2x^3\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -\frac{1}{5}x^4\right]) / (3\sqrt{5})$

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{3x^4 + 2x^2}{\sqrt{x^4 + 5}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="fricas")`

[Out] `integral((3*x^4 + 2*x^2)/sqrt(x^4 + 5), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="giac")`

[Out] `integrate((3*x^2 + 2)*x^2/sqrt(x^4 + 5), x)`

maple [C] time = 0.01, size = 155, normalized size = 0.93

$$\frac{\sqrt{5} \sqrt{-5i\sqrt{5}x^2 + 25} \sqrt{5i\sqrt{5}x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5}x}}{5}, i\right)}{5\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}} + \frac{2i\sqrt{-5i\sqrt{5}x^2 + 25} \sqrt{5i\sqrt{5}x^2 + 25}}{\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(3*x^2+2)/(x^4+5)^(1/2),x)`

[Out] $(x^4+5)^{1/2}x-1/5*5^{1/2}/(I*5^{1/2})^{1/2}*(-5*I*5^{1/2}*x^2+25)^{1/2}*(5*I*5^{1/2}*x^2+25)^{1/2}/(x^4+5)^{1/2}*\text{EllipticF}(1/5*5^{1/2}*(I*5^{1/2})^{1/2}*x,I)+2/5*I/(I*5^{1/2})^{1/2}*(-5*I*5^{1/2}*x^2+25)^{1/2}*(5*I*5^{1/2}*x^2+25)^{1/2}/(x^4+5)^{1/2}*(\text{EllipticF}(1/5*5^{1/2}*(I*5^{1/2})^{1/2}*x,I)-\text{EllipticE}(1/5*5^{1/2}*(I*5^{1/2})^{1/2}*x,I))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")`

[Out] `integrate((3*x^2 + 2)*x^2/sqrt(x^4 + 5), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (3x^2 + 2)}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(3*x^2 + 2))/(x^4 + 5)^(1/2),x)`

[Out] `int((x^2*(3*x^2 + 2))/(x^4 + 5)^(1/2), x)`

sympy [C] time = 2.36, size = 75, normalized size = 0.45

$$\frac{3\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{4} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{20\Gamma\left(\frac{9}{4}\right)} + \frac{\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{1}{2}, \frac{3}{4} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{10\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] `3*sqrt(5)*x**5*gamma(5/4)*hyper((1/2, 5/4), (9/4,), x**4*exp_polar(I*pi)/5)/(20*gamma(9/4)) + sqrt(5)*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), x**4*exp_polar(I*pi)/5)/(10*gamma(7/4))`

$$3.41 \quad \int \frac{2+3x^2}{\sqrt{5+x^4}} dx$$

Optimal. Leaf size=155

$$\frac{3\sqrt{x^4+5}x}{x^2+\sqrt{5}} + \frac{(2+3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{2\sqrt[4]{5}\sqrt{x^4+5}} - \frac{3\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\right)}{\sqrt{x^4+5}}$$

[Out] 3*x*(x^4+5)^(1/2)/(x^2+5^(1/2))-3*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticE(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2))^2)^(1/2)/(x^4+5)^(1/2)+1/10*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticF(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*(2+3*5^(1/2))*((x^4+5)/(x^2+5^(1/2))^2)^(1/2)*5^(3/4)/(x^4+5)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {1198, 220, 1196}

$$\frac{3\sqrt{x^4+5}x}{x^2+\sqrt{5}} + \frac{(2+3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{2\sqrt[4]{5}\sqrt{x^4+5}} - \frac{3\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\right)}{\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/Sqrt[5 + x^4], x]

[Out] (3*x*Sqrt[5 + x^4])/(Sqrt[5] + x^2) - (3*5^(1/4)*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticE[2*ArcTan[x/5^(1/4)], 1/2])/Sqrt[5 + x^4] + ((2 + 3*Sqrt[5])*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticF[2*ArcTan[x/5^(1/4)], 1/2])/(2*5^(1/4)*Sqrt[5 + x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],

$1/2]/(q*\text{Sqrt}[a + c*x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}\{a, c, d, e, x\} \&\& \text{PosQ}[c/a]$

Rule 1198

$\text{Int}[(d_ + (e_)*(x_)^2)/\text{Sqrt}[(a_ + (c_)*(x_)^4), x_Symbol] := \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}\{a, c, d, e\}, x\} \&\& \text{PosQ}[c/a]$

Rubi steps

$$\int \frac{2 + 3x^2}{\sqrt{5 + x^4}} dx = - \left((3\sqrt{5}) \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx \right) + (2 + 3\sqrt{5}) \int \frac{1}{\sqrt{5 + x^4}} dx$$

$$= \frac{3x\sqrt{5 + x^4}}{\sqrt{5 + x^2}} - \frac{3^4\sqrt{5} (\sqrt{5} + x^2) \sqrt{\frac{5+x^4}{(\sqrt{5}+x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{\sqrt{5 + x^4}} + \frac{(2 + 3\sqrt{5})(\sqrt{5} + x^2) \sqrt{\frac{5+x^4}{(\sqrt{5}+x^2)^2}}}{2^4\sqrt{5} \sqrt{5}}$$

Mathematica [C] time = 0.01, size = 48, normalized size = 0.31

$$\frac{x \left({}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right) + x^2 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{x^4}{5}\right) \right)}{\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/Sqrt[5 + x^4], x]

[Out] (x*(2*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4] + x^2*Hypergeometric2F1[1/2, 3/4, 7/4, -1/5*x^4]))/Sqrt[5]

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{3x^2 + 2}{\sqrt{x^4 + 5}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5)^(1/2), x, algorithm="fricas")

[Out] integral((3*x^2 + 2)/sqrt(x^4 + 5), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/sqrt(x^4 + 5), x)

maple [C] time = 0.01, size = 146, normalized size = 0.94

$$\frac{2\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \operatorname{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right) + 3i\sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \left(-\operatorname{EllipticE}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right)\right)}{25\sqrt{i\sqrt{5} x^2 + 25} \sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/(x^4+5)^(1/2),x)

[Out] $\frac{3}{5} \frac{I}{(I \cdot 5^{1/2})^{1/2}} \frac{(-5 \cdot I \cdot 5^{1/2} \cdot x^2 + 25)^{1/2} \cdot (5 \cdot I \cdot 5^{1/2} \cdot x^2 + 25)^{1/2}}{(x^4 + 5)^{1/2}} \cdot (\operatorname{EllipticF}(1/5 \cdot 5^{1/2} \cdot (I \cdot 5^{1/2})^{1/2} \cdot x, I) - \operatorname{EllipticE}(1/5 \cdot 5^{1/2} \cdot (I \cdot 5^{1/2})^{1/2} \cdot x, I)) + 2/25 \cdot 5^{1/2} / (I \cdot 5^{1/2})^{1/2} \cdot (-5 \cdot I \cdot 5^{1/2} \cdot (1/2) \cdot x^2 + 25)^{1/2} \cdot (5 \cdot I \cdot 5^{1/2} \cdot (1/2) \cdot x^2 + 25)^{1/2} / (x^4 + 5)^{1/2} \cdot \operatorname{EllipticF}(1/5 \cdot 5^{1/2} \cdot (I \cdot 5^{1/2})^{1/2} \cdot x, I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/sqrt(x^4 + 5), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^4 + 5)^(1/2),x)`

[Out] `int((3*x^2 + 2)/(x^4 + 5)^(1/2), x)`

sympy [C] time = 1.71, size = 73, normalized size = 0.47

$$\frac{3\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} \frac{1}{2}, \frac{3}{4} \\ \frac{7}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{20\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{5}x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} \frac{1}{4}, \frac{1}{2} \\ \frac{5}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{10\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/(x**4+5)**(1/2),x)`

[Out] `3*sqrt(5)*x**3*gamma(3/4)*hyper((1/2, 3/4), (7/4,), x**4*exp_polar(I*pi)/5)/(20*gamma(7/4)) + sqrt(5)*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), x**4*exp_polar(I*pi)/5)/(10*gamma(5/4))`

$$3.42 \quad \int \frac{2+3x^2}{x^2 \sqrt{5+x^4}} dx$$

Optimal. Leaf size=173

$$-\frac{2\sqrt{x^4+5}}{5x} + \frac{2\sqrt{x^4+5}x}{5(x^2+\sqrt{5})} + \frac{(2+3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{2 \cdot 5^{3/4} \sqrt{x^4+5}} - \frac{2(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4} \sqrt{x^4+5}}$$

[Out] $-2/5*(x^4+5)^{(1/2)}/x+2/5*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-2/5*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}/(x^4+5)^{(1/2)}+1/10*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(2+3*5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}*5^{(1/4)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1282, 1198, 220, 1196}

$$\frac{2\sqrt{x^4+5}x}{5(x^2+\sqrt{5})} - \frac{2\sqrt{x^4+5}}{5x} + \frac{(2+3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{2 \cdot 5^{3/4} \sqrt{x^4+5}} - \frac{2(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4} \sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^2*Sqrt[5 + x^4]), x]

[Out] $(-2*\text{Sqrt}[5 + x^4])/(5*x) + (2*x*\text{Sqrt}[5 + x^4])/(5*(\text{Sqrt}[5] + x^2)) - (2*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(5^{(3/4)}*\text{Sqrt}[5 + x^4]) + ((2 + 3*\text{Sqrt}[5])*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(2*5^{(3/4)}*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x, 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1282

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{x^2\sqrt{5+x^4}} dx &= -\frac{2\sqrt{5+x^4}}{5x} - \frac{1}{5} \int \frac{-15 - 2x^2}{\sqrt{5+x^4}} dx \\ &= -\frac{2\sqrt{5+x^4}}{5x} - \frac{2 \int \frac{1-x^2}{\sqrt{5+x^4}} dx}{\sqrt{5}} + \frac{1}{5} (15 + 2\sqrt{5}) \int \frac{1}{\sqrt{5+x^4}} dx \\ &= -\frac{2\sqrt{5+x^4}}{5x} + \frac{2x\sqrt{5+x^4}}{5(\sqrt{5+x^2})} - \frac{2(\sqrt{5+x^2}) \sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4}\sqrt{5+x^4}} + \frac{(2+3\sqrt{5})(\sqrt{5+x^4})}{5^{3/4}\sqrt{5+x^4}} \end{aligned}$$

Mathematica [C] time = 0.02, size = 53, normalized size = 0.31

$$\frac{3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right)}{\sqrt{5}} - \frac{2 {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -\frac{x^4}{5}\right)}{\sqrt{5}x}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^2*sqrt[5 + x^4]),x]

[Out] (-2*Hypergeometric2F1[-1/4, 1/2, 3/4, -1/5*x^4])/(sqrt[5]*x) + (3*x*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4])/sqrt[5]

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5}(3x^2+2)}{x^6+5x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2)/(x^6 + 5*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5)*x^2), x)

maple [C] time = 0.02, size = 158, normalized size = 0.91

$$\frac{3\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right)}{25\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}} - \frac{2\sqrt{x^4 + 5}}{5x} + \frac{2i\sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25}}{5x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^2/(x^4+5)^(1/2),x)

[Out] 3/25*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-2/5*(x^4+5)^(1/2)/x+2/25*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5)*x^2), x)

mupad [B] time = 0.50, size = 48, normalized size = 0.28

$$\frac{3\sqrt{5} x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right)}{5} - \frac{2\sqrt{\frac{5}{x^4} + 1} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -\frac{5}{x^4}\right)}{3x\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(x^2*(x^4 + 5)^(1/2)),x)

[Out] (3*5^(1/2)*x*hypergeom([1/4, 1/2], 5/4, -x^4/5))/5 - (2*(5/x^4 + 1)^(1/2)*hypergeom([1/2, 3/4], 7/4, -5/x^4))/(3*x*(x^4 + 5)^(1/2))

sympy [C] time = 1.82, size = 75, normalized size = 0.43

$$\frac{3\sqrt{5} x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{1}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{20\Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{5} \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{10x\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/x**2/(x**4+5)**(1/2),x)

[Out] 3*sqrt(5)*x*gamma(1/4)*hyper((1/4, 1/2), (5/4,), x**4*exp_polar(I*pi)/5)/(20*gamma(5/4)) + sqrt(5)*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), x**4*exp_polar(I*pi)/5)/(10*x*gamma(3/4))

$$3.43 \quad \int \frac{2+3x^2}{x^4 \sqrt{5+x^4}} dx$$

Optimal. Leaf size=189

$$\frac{\frac{3\sqrt{x^4+5}}{5x} - \frac{2\sqrt{x^4+5}}{15x^3} + \frac{3\sqrt{x^4+5}x}{5(x^2+\sqrt{5})} - \frac{(2-9\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{30\sqrt[4]{5}\sqrt{x^4+5}} - \frac{3(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{5\sqrt[4]{5}}}{1}$$

[Out] $-2/15*(x^4+5)^{(1/2)}/x^3-3/5*(x^4+5)^{(1/2)}/x+3/5*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-3/5*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}/(x^4+5)^{(1/2)}-1/150*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(2-9*5^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}*5^{(3/4)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1282, 1198, 220, 1196}

$$\frac{\frac{3\sqrt{x^4+5}x}{5(x^2+\sqrt{5})} - \frac{3\sqrt{x^4+5}}{5x} - \frac{2\sqrt{x^4+5}}{15x^3} - \frac{(2-9\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{30\sqrt[4]{5}\sqrt{x^4+5}} - \frac{3(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{5\sqrt[4]{5}}}{1}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^4*Sqrt[5 + x^4]),x]

[Out] $(-2*\text{Sqrt}[5 + x^4])/(15*x^3) - (3*\text{Sqrt}[5 + x^4])/(5*x) + (3*x*\text{Sqrt}[5 + x^4])/(5*(\text{Sqrt}[5] + x^2)) - (3*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(5^{(3/4)}*\text{Sqrt}[5 + x^4]) - ((2 - 9*\text{Sqrt}[5])*(\text{Sqrt}[5] + x^2)*\text{Sqrt}[(5 + x^4)/(\text{Sqrt}[5] + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(30*5^{(1/4)}*\text{Sqrt}[5 + x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x, 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196


```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
 \int \frac{2 + 3x^2}{x^4 \sqrt{5 + x^4}} dx &= -\frac{2\sqrt{5 + x^4}}{15x^3} - \frac{1}{15} \int \frac{-45 + 2x^2}{x^2 \sqrt{5 + x^4}} dx \\
 &= -\frac{2\sqrt{5 + x^4}}{15x^3} - \frac{3\sqrt{5 + x^4}}{5x} + \frac{1}{75} \int \frac{-10 + 45x^2}{\sqrt{5 + x^4}} dx \\
 &= -\frac{2\sqrt{5 + x^4}}{15x^3} - \frac{3\sqrt{5 + x^4}}{5x} - \frac{3 \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx}{\sqrt{5}} + \frac{1}{15} (-2 + 9\sqrt{5}) \int \frac{1}{\sqrt{5 + x^4}} dx \\
 &= -\frac{2\sqrt{5 + x^4}}{15x^3} - \frac{3\sqrt{5 + x^4}}{5x} + \frac{3x\sqrt{5 + x^4}}{5(\sqrt{5 + x^2})} - \frac{3(\sqrt{5 + x^2}) \sqrt{\frac{5 + x^4}{(\sqrt{5 + x^2})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4} \sqrt{5 + x^4}} - \dots
 \end{aligned}$$

Mathematica [C] time = 0.02, size = 54, normalized size = 0.29

$$\frac{{}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; -\frac{x^4}{5}\right) + 9x^2 {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -\frac{x^4}{5}\right)}{3\sqrt{5}x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^4*Sqrt[5 + x^4]),x]

[Out] -1/3*(2*Hypergeometric2F1[-3/4, 1/2, 1/4, -1/5*x^4] + 9*x^2*Hypergeometric2F1[-1/4, 1/2, 3/4, -1/5*x^4])/(Sqrt[5]*x^3)

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 5}(3x^2 + 2)}{x^8 + 5x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2)/(x^8 + 5*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5)*x^4), x)

maple [C] time = 0.02, size = 170, normalized size = 0.90

$$\frac{2\sqrt{5} \sqrt{-5i\sqrt{5}x^2 + 25} \sqrt{5i\sqrt{5}x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{375\sqrt{i\sqrt{5}}\sqrt{x^4 + 5}} - \frac{3\sqrt{x^4 + 5}}{5x} - \frac{2\sqrt{x^4 + 5}}{15x^3} + \frac{3i\sqrt{-5i\sqrt{5}x^2 + 25}\sqrt{5i\sqrt{5}x^2 + 25}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^4/(x^4+5)^(1/2),x)

[Out] -3/5*(x^4+5)^(1/2)/x+3/25*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))-2/15*(x^4+5)^(1/2)/x^3-2/375*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5)^(1/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{3x^2 + 2}{x^4 \sqrt{x^4 + 5}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(x^4*(x^4 + 5)^(1/2)),x)

[Out] int((3*x^2 + 2)/(x^4*(x^4 + 5)^(1/2)), x)

sympy [C] time = 2.08, size = 80, normalized size = 0.42

$$\frac{3\sqrt{5}\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{4}, \frac{1}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{20x\Gamma\left(\frac{3}{4}\right)} + \frac{\sqrt{5}\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{1}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{10x^3\Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/x**4/(x**4+5)**(1/2),x)

[Out] 3*sqrt(5)*gamma(-1/4)*hyper((-1/4, 1/2), (3/4,), x**4*exp_polar(I*pi)/5)/(20*x*gamma(3/4)) + sqrt(5)*gamma(-3/4)*hyper((-3/4, 1/2), (1/4,), x**4*exp_polar(I*pi)/5)/(10*x**3*gamma(1/4))

$$3.44 \quad \int \frac{x^7(2+3x^2)}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=58

$$-\frac{45}{4} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{(3x^2+2)x^4}{2\sqrt{x^4+5}} + \frac{1}{4}(9x^2+8)\sqrt{x^4+5}$$

[Out] $-45/4*\operatorname{arcsinh}(1/5*x^2*5^{(1/2)})-1/2*x^4*(3*x^2+2)/(x^4+5)^{(1/2)}+1/4*(9*x^2+8)*(x^4+5)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1252, 819, 780, 215}

$$-\frac{(3x^2+2)x^4}{2\sqrt{x^4+5}} + \frac{1}{4}(9x^2+8)\sqrt{x^4+5} - \frac{45}{4} \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^7*(2+3*x^2))/(5+x^4)^{(3/2)}, x]$

[Out] $-(x^4*(2+3*x^2))/(2*\operatorname{Sqrt}[5+x^4]) + ((8+9*x^2)*\operatorname{Sqrt}[5+x^4])/4 - (45*\operatorname{ArcSinh}[x^2/\operatorname{Sqrt}[5]])/4$

Rule 215

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_)+(b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSinh}[\operatorname{Rt}[b, 2]*x]/\operatorname{Sqrt}[a]/\operatorname{Rt}[b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 780

$\operatorname{Int}[((d_)+(e_)*(x_))*((f_)+(g_)*(x_))*((a_)+(c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(((e*f+d*g)*(2*p+3)+2*e*g*(p+1)*x)*(a+c*x^2)^{(p+1)})/(2*c*(p+1)*(2*p+3)), x] - \operatorname{Dist}[(a*e*g-c*d*f*(2*p+3))/(c*(2*p+3)), \operatorname{Int}[(a+c*x^2)^p, x], x] /;$ FreeQ[{a, c, d, e, f, g, p}, x] && !LeQ[p, -1]

Rule 819

$\operatorname{Int}[((d_)+(e_)*(x_))^{(m_))*((f_)+(g_)*(x_))*((a_)+(c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[((d+e*x)^{(m-1})*(a+c*x^2)^{(p+1})*(a*(e*f+d*g)-(c*d*f-a*e*g)*x))/(2*a*c*(p+1)), x] - \operatorname{Dist}[1/(2*a*c*(p+1)), \operatorname{Int}[(d+e*x)^{(m-2})*(a+c*x^2)^{(p+1})*\operatorname{Simp}[a*e*(e*f*(m-1)+d*g*m]-c*d^2$

```
*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a,
c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] &&
(EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||
!ILtQ[m + 2*p + 3, 0])
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{x^7(2+3x^2)}{(5+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3(2+3x)}{(5+x^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{x^4(2+3x^2)}{2\sqrt{5+x^4}} + \frac{1}{10} \text{Subst} \left(\int \frac{x(20+45x)}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= -\frac{x^4(2+3x^2)}{2\sqrt{5+x^4}} + \frac{1}{4}(8+9x^2)\sqrt{5+x^4} - \frac{45}{4} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= -\frac{x^4(2+3x^2)}{2\sqrt{5+x^4}} + \frac{1}{4}(8+9x^2)\sqrt{5+x^4} - \frac{45}{4} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 51, normalized size = 0.88

$$\frac{3x^6 + 4x^4 + 45x^2 - 45\sqrt{x^4 + 5} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + 40}{4\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^7*(2 + 3*x^2))/(5 + x^4)^(3/2), x]
```

```
[Out] (40 + 45*x^2 + 4*x^4 + 3*x^6 - 45*Sqrt[5 + x^4]*ArcSinh[x^2/Sqrt[5]])/(4*Sq
rt[5 + x^4])
```

fricas [A] time = 0.55, size = 62, normalized size = 1.07

$$\frac{30x^4 + 45(x^4 + 5) \log(-x^2 + \sqrt{x^4 + 5}) + (3x^6 + 4x^4 + 45x^2 + 40)\sqrt{x^4 + 5} + 150}{4(x^4 + 5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="fricas")

[Out] 1/4*(30*x^4 + 45*(x^4 + 5)*log(-x^2 + sqrt(x^4 + 5)) + (3*x^6 + 4*x^4 + 45*x^2 + 40)*sqrt(x^4 + 5) + 150)/(x^4 + 5)

giac [A] time = 0.21, size = 45, normalized size = 0.78

$$\frac{\left((3x^2 + 4)x^2 + 45\right)x^2 + 40}{4\sqrt{x^4 + 5}} + \frac{45}{4} \log\left(-x^2 + \sqrt{x^4 + 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="giac")

[Out] 1/4*(((3*x^2 + 4)*x^2 + 45)*x^2 + 40)/sqrt(x^4 + 5) + 45/4*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.02, size = 50, normalized size = 0.86

$$\frac{3x^6}{4\sqrt{x^4 + 5}} + \frac{45x^2}{4\sqrt{x^4 + 5}} - \frac{45 \operatorname{arcsinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{4} + \frac{x^4 + 10}{\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(3*x^2+2)/(x^4+5)^(3/2),x)

[Out] 3/4*x^6/(x^4+5)^(1/2)+45/4*x^2/(x^4+5)^(1/2)-45/4*arcsinh(1/5*5^(1/2)*x^2)+1/(x^4+5)^(1/2)*(x^4+10)

maxima [A] time = 1.21, size = 89, normalized size = 1.53

$$\sqrt{x^4 + 5} - \frac{15\left(\frac{3(x^4+5)}{x^4} - 2\right)}{4\left(\frac{\sqrt{x^4+5}}{x^2} - \frac{(x^4+5)^{\frac{3}{2}}}{x^6}\right)} + \frac{5}{\sqrt{x^4 + 5}} - \frac{45}{8} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) + \frac{45}{8} \log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] sqrt(x^4 + 5) - 15/4*(3*(x^4 + 5)/x^4 - 2)/(sqrt(x^4 + 5)/x^2 - (x^4 + 5)^(3/2)/x^6) + 5/sqrt(x^4 + 5) - 45/8*log(sqrt(x^4 + 5)/x^2 + 1) + 45/8*log(sqrt(x^4 + 5)/x^2 - 1)

mupad [B] time = 1.11, size = 97, normalized size = 1.67

$$\sqrt{x^4 + 5} \left(\frac{3x^2}{4} + 1 \right) - \frac{45 \operatorname{asinh} \left(\frac{\sqrt{5} x^2}{5} \right)}{4} + \frac{\sqrt{5} (10 + \sqrt{5} 15i) \sqrt{x^4 + 5} 1i}{20 (-x^2 + \sqrt{5} 1i)} - \frac{\sqrt{5} (-10 + \sqrt{5} 15i) \sqrt{x^4 + 5} 1i}{20 (x^2 + \sqrt{5} 1i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^7*(3*x^2 + 2))/(x^4 + 5)^(3/2), x)`

[Out] $(x^4 + 5)^{(1/2)} * ((3*x^2)/4 + 1) - (45 * \operatorname{asinh}((5^{(1/2)} * x^2)/5))/4 + (5^{(1/2)} * (5^{(1/2)} * 15i + 10) * (x^4 + 5)^{(1/2)} * 1i) / (20 * (5^{(1/2)} * 1i - x^2)) - (5^{(1/2)} * (5^{(1/2)} * 15i - 10) * (x^4 + 5)^{(1/2)} * 1i) / (20 * (5^{(1/2)} * 1i + x^2))$

sympy [A] time = 14.28, size = 66, normalized size = 1.14

$$\frac{3x^6}{4\sqrt{x^4 + 5}} + \frac{x^4}{\sqrt{x^4 + 5}} + \frac{45x^2}{4\sqrt{x^4 + 5}} - \frac{45 \operatorname{asinh} \left(\frac{\sqrt{5} x^2}{5} \right)}{4} + \frac{10}{\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**7*(3*x**2+2)/(x**4+5)**(3/2), x)`

[Out] $3*x**6/(4*\sqrt{x**4 + 5}) + x**4/\sqrt{x**4 + 5} + 45*x**2/(4*\sqrt{x**4 + 5}) - 45*\operatorname{asinh}(\sqrt{5}*x**2/5)/4 + 10/\sqrt{x**4 + 5}$

$$3.45 \quad \int \frac{x^5(2+3x^2)}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=45

$$3\sqrt{x^4+5} + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right) - \frac{(3x^2+2)x^2}{2\sqrt{x^4+5}}$$

[Out] arcsinh(1/5*x^2*5^(1/2))-1/2*x^2*(3*x^2+2)/(x^4+5)^(1/2)+3*(x^4+5)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1252, 819, 641, 215}

$$-\frac{(3x^2+2)x^2}{2\sqrt{x^4+5}} + 3\sqrt{x^4+5} + \sinh^{-1}\left(\frac{x^2}{\sqrt{5}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^5*(2 + 3*x^2))/(5 + x^4)^(3/2),x]

[Out] -(x^2*(2 + 3*x^2))/(2*Sqrt[5 + x^4]) + 3*Sqrt[5 + x^4] + ArcSinh[x^2/Sqrt[5]]

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSinh[Rt[b, 2]*x]/Sqrt[a]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 641

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(e*(a + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[d, Int[(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, p}, x] && NeQ[p, -1]

Rule 819

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((d + e*x)^(m - 1)*(a + c*x^2)^(p + 1)*(a*(e*f + d*g) - (c*d*f - a*e*g)*x))/(2*a*c*(p + 1)), x] - Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^(m - 2)*(a + c*x^2)^(p + 1)*Simp[a*e*(e*f*(m - 1) + d*g*m) - c*d^2*f*(2*p + 3) + e*(a*e*g*m - c*d*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && (EqQ[d, 0] || (EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, c, d, e, f, g]) ||

!ILtQ[m + 2*p + 3, 0])

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{x^5(2+3x^2)}{(5+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2(2+3x)}{(5+x^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{x^2(2+3x^2)}{2\sqrt{5+x^4}} + \frac{1}{10} \text{Subst} \left(\int \frac{10+30x}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= -\frac{x^2(2+3x^2)}{2\sqrt{5+x^4}} + 3\sqrt{5+x^4} + \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= -\frac{x^2(2+3x^2)}{2\sqrt{5+x^4}} + 3\sqrt{5+x^4} + \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 46, normalized size = 1.02

$$\frac{3x^4 - 2x^2 + 2\sqrt{x^4 + 5} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + 30}{2\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(2 + 3*x^2))/(5 + x^4)^(3/2), x]

[Out] (30 - 2*x^2 + 3*x^4 + 2*Sqrt[5 + x^4]*ArcSinh[x^2/Sqrt[5]])/(2*Sqrt[5 + x^4])

fricas [A] time = 0.67, size = 58, normalized size = 1.29

$$\frac{2x^4 + 2(x^4 + 5) \log(-x^2 + \sqrt{x^4 + 5}) - (3x^4 - 2x^2 + 30)\sqrt{x^4 + 5} + 10}{2(x^4 + 5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="fricas")

[Out] $-1/2*(2*x^4 + 2*(x^4 + 5)*\log(-x^2 + \sqrt{x^4 + 5}) - (3*x^4 - 2*x^2 + 30)*\sqrt{x^4 + 5} + 10)/(x^4 + 5)$

giac [A] time = 0.23, size = 39, normalized size = 0.87

$$\frac{(3x^2 - 2)x^2 + 30}{2\sqrt{x^4 + 5}} - \log\left(-x^2 + \sqrt{x^4 + 5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="giac")

[Out] $1/2*((3*x^2 - 2)*x^2 + 30)/\sqrt{x^4 + 5} - \log(-x^2 + \sqrt{x^4 + 5})$

maple [A] time = 0.01, size = 37, normalized size = 0.82

$$-\frac{x^2}{\sqrt{x^4 + 5}} + \operatorname{arcsinh}\left(\frac{\sqrt{5} x^2}{5}\right) + \frac{\frac{3x^4}{2} + 15}{\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(3*x^2+2)/(x^4+5)^(3/2),x)

[Out] $3/2/(x^4+5)^{(1/2)}*(x^4+10)-1/(x^4+5)^{(1/2)}*x^2+\operatorname{arcsinh}(1/5*5^{(1/2)}*x^2)$

maxima [A] time = 1.41, size = 63, normalized size = 1.40

$$-\frac{x^2}{\sqrt{x^4 + 5}} + \frac{3}{2}\sqrt{x^4 + 5} + \frac{15}{2\sqrt{x^4 + 5}} + \frac{1}{2}\log\left(\frac{\sqrt{x^4 + 5}}{x^2} + 1\right) - \frac{1}{2}\log\left(\frac{\sqrt{x^4 + 5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] $-x^2/\sqrt{x^4 + 5} + 3/2*\sqrt{x^4 + 5} + 15/2/\sqrt{x^4 + 5} + 1/2*\log(\sqrt{x^4 + 5}/x^2 + 1) - 1/2*\log(\sqrt{x^4 + 5}/x^2 - 1)$

mupad [B] time = 0.89, size = 89, normalized size = 1.98

$$\operatorname{asinh}\left(\frac{\sqrt{5} x^2}{5}\right) + \frac{3\sqrt{x^4 + 5}}{2} - \frac{\sqrt{5}(-15 + \sqrt{5} 2i)\sqrt{x^4 + 5} 1i}{20(-x^2 + \sqrt{5} 1i)} + \frac{\sqrt{5}(15 + \sqrt{5} 2i)\sqrt{x^4 + 5} 1i}{20(x^2 + \sqrt{5} 1i)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^5*(3*x^2 + 2))/(x^4 + 5)^(3/2),x)
```

```
[Out] asinh((5^(1/2)*x^2)/5) + (3*(x^4 + 5)^(1/2))/2 - (5^(1/2)*(5^(1/2)*2i - 15)
*(x^4 + 5)^(1/2)*1i)/(20*(5^(1/2)*1i - x^2)) + (5^(1/2)*(5^(1/2)*2i + 15)*(
x^4 + 5)^(1/2)*1i)/(20*(5^(1/2)*1i + x^2))
```

sympy [A] time = 12.34, size = 48, normalized size = 1.07

$$\frac{3x^4}{2\sqrt{x^4+5}} - \frac{x^2}{\sqrt{x^4+5}} + \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right) + \frac{15}{\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(3*x**2+2)/(x**4+5)**(3/2),x)
```

```
[Out] 3*x**4/(2*sqrt(x**4 + 5)) - x**2/sqrt(x**4 + 5) + asinh(sqrt(5)*x**2/5) + 1
5/sqrt(x**4 + 5)
```

$$3.46 \quad \int \frac{x^3(2+3x^2)}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=35

$$\frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) + \frac{-3x^2 - 2}{2\sqrt{x^4 + 5}}$$

[Out] 3/2*arcsinh(1/5*x^2*5^(1/2))+1/2*(-3*x^2-2)/(x^4+5)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1252, 778, 215}

$$\frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - \frac{3x^2 + 2}{2\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(2 + 3*x^2))/(5 + x^4)^(3/2),x]

[Out] -(2 + 3*x^2)/(2*Sqrt[5 + x^4]) + (3*ArcSinh[x^2/Sqrt[5]])/2

Rule 215

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSinh[(Rt[b, 2]*x)/Sqrt[a]]/Rt[b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && PosQ[b]

Rule 778

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((a*(e*f + d*g) - (c*d*f - a*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] - Dist[(a*e*g - c*d*f*(2*p + 3))/(2*a*c*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && LtQ[p, -1]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{x^3(2+3x^2)}{(5+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(2+3x)}{(5+x^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{2+3x^2}{2\sqrt{5+x^4}} + \frac{3}{2} \text{Subst} \left(\int \frac{1}{\sqrt{5+x^2}} dx, x, x^2 \right) \\ &= -\frac{2+3x^2}{2\sqrt{5+x^4}} + \frac{3}{2} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 41, normalized size = 1.17

$$\frac{-3x^2 + 3\sqrt{x^4 + 5} \sinh^{-1} \left(\frac{x^2}{\sqrt{5}} \right) - 2}{2\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(2 + 3*x^2))/(5 + x^4)^(3/2), x]

[Out] (-2 - 3*x^2 + 3*sqrt[5 + x^4]*ArcSinh[x^2/Sqrt[5]])/(2*sqrt[5 + x^4])

fricas [A] time = 0.77, size = 52, normalized size = 1.49

$$\frac{3x^4 + 3(x^4 + 5) \log(-x^2 + \sqrt{x^4 + 5}) + \sqrt{x^4 + 5}(3x^2 + 2) + 15}{2(x^4 + 5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5)^(3/2), x, algorithm="fricas")

[Out] -1/2*(3*x^4 + 3*(x^4 + 5)*log(-x^2 + sqrt(x^4 + 5)) + sqrt(x^4 + 5)*(3*x^2 + 2) + 15)/(x^4 + 5)

giac [A] time = 0.25, size = 33, normalized size = 0.94

$$-\frac{3x^2 + 2}{2\sqrt{x^4 + 5}} - \frac{3}{2} \log(-x^2 + \sqrt{x^4 + 5})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5)^(3/2), x, algorithm="giac")

[Out] -1/2*(3*x^2 + 2)/sqrt(x^4 + 5) - 3/2*log(-x^2 + sqrt(x^4 + 5))

maple [A] time = 0.01, size = 34, normalized size = 0.97

$$-\frac{3x^2}{2\sqrt{x^4+5}} + \frac{3 \operatorname{arcsinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{1}{\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(3*x^2+2)/(x^4+5)^(3/2),x)`

[Out] `-3/2/(x^4+5)^(1/2)*x^2+3/2*arcsinh(1/5*5^(1/2)*x^2)-1/(x^4+5)^(1/2)`

maxima [A] time = 1.23, size = 54, normalized size = 1.54

$$-\frac{3x^2}{2\sqrt{x^4+5}} - \frac{1}{\sqrt{x^4+5}} + \frac{3}{4} \log\left(\frac{\sqrt{x^4+5}}{x^2} + 1\right) - \frac{3}{4} \log\left(\frac{\sqrt{x^4+5}}{x^2} - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")`

[Out] `-3/2*x^2/sqrt(x^4 + 5) - 1/sqrt(x^4 + 5) + 3/4*log(sqrt(x^4 + 5)/x^2 + 1) - 3/4*log(sqrt(x^4 + 5)/x^2 - 1)`

mupad [B] time = 0.84, size = 82, normalized size = 2.34

$$\frac{3 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{\sqrt{5} (2 + \sqrt{5} 3i) \sqrt{x^4 + 5} 1i}{20 (-x^2 + \sqrt{5} 1i)} + \frac{\sqrt{5} (-2 + \sqrt{5} 3i) \sqrt{x^4 + 5} 1i}{20 (x^2 + \sqrt{5} 1i)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(3*x^2 + 2))/(x^4 + 5)^(3/2),x)`

[Out] `(3*asinh((5^(1/2)*x^2)/5))/2 - (5^(1/2)*(5^(1/2)*3i + 2)*(x^4 + 5)^(1/2)*1i)/(20*(5^(1/2)*1i - x^2)) + (5^(1/2)*(5^(1/2)*3i - 2)*(x^4 + 5)^(1/2)*1i)/(20*(5^(1/2)*1i + x^2))`

sympy [A] time = 10.68, size = 39, normalized size = 1.11

$$-\frac{3x^2}{2\sqrt{x^4+5}} + \frac{3 \operatorname{asinh}\left(\frac{\sqrt{5}x^2}{5}\right)}{2} - \frac{1}{\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(3*x**2+2)/(x**4+5)**(3/2),x)`

[Out] `-3*x**2/(2*sqrt(x**4 + 5)) + 3*asinh(sqrt(5)*x**2/5)/2 - 1/sqrt(x**4 + 5)`

$$3.47 \quad \int \frac{x(2+3x^2)}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=20

$$\frac{2x^2 - 15}{10\sqrt{x^4 + 5}}$$

[Out] 1/10*(2*x^2-15)/(x^4+5)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1248, 637}

$$-\frac{15 - 2x^2}{10\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Int[(x*(2 + 3*x^2))/(5 + x^4)^(3/2), x]

[Out] -(15 - 2*x^2)/(10*sqrt[5 + x^4])

Rule 637

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2)^(3/2), x_Symbol] := Simp[(-(a*e) + c*d*x)/(a*c*Sqrt[a + c*x^2]), x] /; FreeQ[{a, c, d, e}, x]

Rule 1248

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned} \int \frac{x(2+3x^2)}{(5+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{(5+x^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{15-2x^2}{10\sqrt{5+x^4}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 20, normalized size = 1.00

$$\frac{2x^2 - 15}{10\sqrt{x^4 + 5}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2 + 3*x^2))/(5 + x^4)^(3/2),x]

[Out] (-15 + 2*x^2)/(10*Sqrt[5 + x^4])

fricas [A] time = 0.72, size = 31, normalized size = 1.55

$$\frac{2x^4 + \sqrt{x^4 + 5}(2x^2 - 15) + 10}{10(x^4 + 5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="fricas")

[Out] 1/10*(2*x^4 + sqrt(x^4 + 5)*(2*x^2 - 15) + 10)/(x^4 + 5)

giac [A] time = 0.24, size = 16, normalized size = 0.80

$$\frac{2x^2 - 15}{10\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="giac")

[Out] 1/10*(2*x^2 - 15)/sqrt(x^4 + 5)

maple [A] time = 0.00, size = 17, normalized size = 0.85

$$\frac{2x^2 - 15}{10\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2+2)/(x^4+5)^(3/2),x)

[Out] 1/10*(2*x^2-15)/(x^4+5)^(1/2)

maxima [A] time = 1.49, size = 22, normalized size = 1.10

$$\frac{x^2}{5\sqrt{x^4 + 5}} - \frac{3}{2\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")`

[Out] $1/5*x^2/\sqrt{x^4 + 5} - 3/2/\sqrt{x^4 + 5}$

mupad [B] time = 0.16, size = 16, normalized size = 0.80

$$\frac{2x^2 - 15}{10\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(3*x^2 + 2))/(x^4 + 5)^(3/2),x)`

[Out] $(2*x^2 - 15)/(10*(x^4 + 5)^(1/2))$

sympy [B] time = 7.86, size = 31, normalized size = 1.55

$$\frac{\sqrt{5}x^2}{5\sqrt{5x^4 + 25}} - \frac{3}{2\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(3*x**2+2)/(x**4+5)**(3/2),x)`

[Out] $\sqrt{5}*x**2/(5*\sqrt{5*x**4 + 25}) - 3/(2*\sqrt{x**4 + 5})$

$$3.48 \quad \int \frac{2+3x^2}{x(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=46

$$\frac{3x^2 + 2}{10\sqrt{x^4 + 5}} - \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{5\sqrt{5}}$$

[Out] $-1/25*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}+1/10*(3*x^2+2)/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1252, 823, 12, 266, 63, 207}

$$\frac{3x^2 + 2}{10\sqrt{x^4 + 5}} - \frac{\tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{5\sqrt{5}}$$

Antiderivative was successfully verified.

[In] `Int[(2 + 3*x^2)/(x*(5 + x^4)^(3/2)),x]`

[Out] `(2 + 3*x^2)/(10*sqrt[5 + x^4]) - ArcTanh[Sqrt[5 + x^4]/sqrt[5]]/(5*sqrt[5])`

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 63

`Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

Rule 207

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[Rt[b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])`

Rule 266

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b
, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 823

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{2 + 3x^2}{x(5 + x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x(5 + x^2)^{3/2}} dx, x, x^2 \right) \\
&= \frac{2 + 3x^2}{10\sqrt{5 + x^4}} - \frac{1}{50} \text{Subst} \left(\int -\frac{10}{x\sqrt{5 + x^2}} dx, x, x^2 \right) \\
&= \frac{2 + 3x^2}{10\sqrt{5 + x^4}} + \frac{1}{5} \text{Subst} \left(\int \frac{1}{x\sqrt{5 + x^2}} dx, x, x^2 \right) \\
&= \frac{2 + 3x^2}{10\sqrt{5 + x^4}} + \frac{1}{10} \text{Subst} \left(\int \frac{1}{x\sqrt{5 + x}} dx, x, x^4 \right) \\
&= \frac{2 + 3x^2}{10\sqrt{5 + x^4}} + \frac{1}{5} \text{Subst} \left(\int \frac{1}{-5 + x^2} dx, x, \sqrt{5 + x^4} \right) \\
&= \frac{2 + 3x^2}{10\sqrt{5 + x^4}} - \frac{\tanh^{-1} \left(\frac{\sqrt{5 + x^4}}{\sqrt{5}} \right)}{5\sqrt{5}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 46, normalized size = 1.00

$$\frac{1}{50} \left(\frac{5(3x^2 + 2)}{\sqrt{x^4 + 5}} - 2\sqrt{5} \tanh^{-1} \left(\frac{\sqrt{x^4 + 5}}{\sqrt{5}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x*(5 + x^4)^(3/2)),x]

[Out] ((5*(2 + 3*x^2))/Sqrt[5 + x^4] - 2*Sqrt[5]*ArcTanh[Sqrt[5 + x^4]/Sqrt[5]])/50

fricas [A] time = 0.54, size = 61, normalized size = 1.33

$$\frac{15x^4 + 2\sqrt{5}(x^4 + 5) \log\left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{x^2}\right) + 5\sqrt{x^4 + 5}(3x^2 + 2) + 75}{50(x^4 + 5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5)^(3/2),x, algorithm="fricas")

[Out] 1/50*(15*x^4 + 2*sqrt(5)*(x^4 + 5)*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) + 5*sqrt(x^4 + 5)*(3*x^2 + 2) + 75)/(x^4 + 5)

giac [A] time = 0.25, size = 61, normalized size = 1.33

$$\frac{1}{25} \sqrt{5} \log\left(x^2 + \sqrt{5} - \sqrt{x^4 + 5}\right) - \frac{1}{25} \sqrt{5} \log\left(-x^2 + \sqrt{5} + \sqrt{x^4 + 5}\right) + \frac{3x^2 + 2}{10\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5)^(3/2),x, algorithm="giac")

[Out] 1/25*sqrt(5)*log(x^2 + sqrt(5) - sqrt(x^4 + 5)) - 1/25*sqrt(5)*log(-x^2 + sqrt(5) + sqrt(x^4 + 5)) + 1/10*(3*x^2 + 2)/sqrt(x^4 + 5)

maple [A] time = 0.02, size = 40, normalized size = 0.87

$$\frac{3x^2}{10\sqrt{x^4 + 5}} - \frac{\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4 + 5}}\right)}{25} + \frac{1}{5\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x/(x^4+5)^(3/2),x)

[Out] $3/10/(x^4+5)^{(1/2)}*x^2+1/5/(x^4+5)^{(1/2)}-1/25*5^{(1/2)}*\operatorname{arctanh}(5^{(1/2)}/(x^4+5)^{(1/2)})$

maxima [A] time = 1.41, size = 56, normalized size = 1.22

$$\frac{3x^2}{10\sqrt{x^4+5}} + \frac{1}{50}\sqrt{5}\log\left(-\frac{\sqrt{5}-\sqrt{x^4+5}}{\sqrt{5}+\sqrt{x^4+5}}\right) + \frac{1}{5\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x/(x^4+5)^(3/2),x, algorithm="maxima")`

[Out] $3/10*x^2/\operatorname{sqrt}(x^4+5) + 1/50*\operatorname{sqrt}(5)*\log(-(\operatorname{sqrt}(5) - \operatorname{sqrt}(x^4+5))/(\operatorname{sqrt}(5) + \operatorname{sqrt}(x^4+5))) + 1/5/\operatorname{sqrt}(x^4+5)$

mupad [B] time = 0.48, size = 40, normalized size = 0.87

$$\frac{1}{5\sqrt{x^4+5}} - \frac{\sqrt{5}\operatorname{atanh}\left(\frac{\sqrt{5}\sqrt{x^4+5}}{5}\right)}{25} + \frac{3x^2}{10\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/(x*(x^4+5)^(3/2)),x)`

[Out] $1/(5*(x^4+5)^{(1/2)}) - (5^{(1/2)}*\operatorname{atanh}((5^{(1/2)}*(x^4+5)^{(1/2)})/5))/25 + (3*x^2)/(10*(x^4+5)^{(1/2)})$

sympy [B] time = 19.62, size = 212, normalized size = 4.61

$$\frac{2x^4\log(x^4)}{20\sqrt{5}x^4+100\sqrt{5}} - \frac{4x^4\log\left(\sqrt{\frac{x^4}{5}+1}+1\right)}{20\sqrt{5}x^4+100\sqrt{5}} - \frac{2x^4\log(5)}{20\sqrt{5}x^4+100\sqrt{5}} + \frac{3x^2}{10\sqrt{x^4+5}} + \frac{4\sqrt{5}\sqrt{x^4+5}}{20\sqrt{5}x^4+100\sqrt{5}} + \frac{10\log(x)}{20\sqrt{5}x^4+100\sqrt{5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x/(x**4+5)**(3/2),x)`

[Out] $2*x**4*\log(x**4)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5)) - 4*x**4*\log(\operatorname{sqrt}(x**4/5+1)+1)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5)) - 2*x**4*\log(5)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5)) + 3*x**2/(10*\operatorname{sqrt}(x**4+5)) + 4*\operatorname{sqrt}(5)*\operatorname{sqrt}(x**4+5)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5)) + 10*\log(x**4)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5)) - 20*\log(\operatorname{sqrt}(x**4/5+1)+1)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5)) - 10*\log(5)/(20*\operatorname{sqrt}(5)*x**4+100*\operatorname{sqrt}(5))$

$$3.49 \quad \int \frac{2+3x^2}{x^3(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=65

$$-\frac{3 \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{10\sqrt{5}} + \frac{3x^2+2}{10x^2\sqrt{x^4+5}} - \frac{2\sqrt{x^4+5}}{25x^2}$$

[Out] $-3/50*\operatorname{arctanh}(1/5*(x^4+5)^{(1/2)}*5^{(1/2)})*5^{(1/2)}+1/10*(3*x^2+2)/x^2/(x^4+5)^{(1/2)}-2/25*(x^4+5)^{(1/2)}/x^2$

Rubi [A] time = 0.06, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1252, 823, 807, 266, 63, 207}

$$\frac{3x^2+2}{10x^2\sqrt{x^4+5}} - \frac{2\sqrt{x^4+5}}{25x^2} - \frac{3 \tanh^{-1}\left(\frac{\sqrt{x^4+5}}{\sqrt{5}}\right)}{10\sqrt{5}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2 + 3*x^2)/(x^3*(5 + x^4)^{(3/2)}), x]$

[Out] $(2 + 3*x^2)/(10*x^2*\operatorname{Sqrt}[5 + x^4]) - (2*\operatorname{Sqrt}[5 + x^4])/(25*x^2) - (3*\operatorname{ArcTanh}[\operatorname{Sqrt}[5 + x^4]/\operatorname{Sqrt}[5]])/(10*\operatorname{Sqrt}[5])$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_))^{(m_)}*((c_.) + (d_.)*(x_))^{(n_)}, x_Symbol] \rightarrow \operatorname{With}[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{LtQ}[-1, m, 0] \&\& \operatorname{LeQ}[-1, n, 0] \&\& \operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]] \&\& \operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 207

$\operatorname{Int}[(a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] \mid\mid \operatorname{GtQ}[b, 0])$

Rule 266

$\operatorname{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \operatorname{Dist}[1/n, \operatorname{Subst}[\operatorname{Int}[x^{(\operatorname{Simplify}[(m+1)/n]-1)}*(a + b*x)^p, x], x, x^n], x] /; \operatorname{FreeQ}[\{a, b$

, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 807

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[(c*d*f + a*e*g)/(c*d^2 + a*e^2), Int[(d + e*x)^(m + 1)*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g, m, p}, x] && NeQ[c*d^2 + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 823

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a*e*g)*(m + 2*p + 4)*x, x], x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1252

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^3(5+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{x^2(5+x^2)^{3/2}} dx, x, x^2 \right) \\
&= \frac{2+3x^2}{10x^2\sqrt{5+x^4}} - \frac{1}{50} \text{Subst} \left(\int \frac{-20-15x}{x^2\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{2+3x^2}{10x^2\sqrt{5+x^4}} - \frac{2\sqrt{5+x^4}}{25x^2} + \frac{3}{10} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x^2}} dx, x, x^2 \right) \\
&= \frac{2+3x^2}{10x^2\sqrt{5+x^4}} - \frac{2\sqrt{5+x^4}}{25x^2} + \frac{3}{20} \text{Subst} \left(\int \frac{1}{x\sqrt{5+x}} dx, x, x^4 \right) \\
&= \frac{2+3x^2}{10x^2\sqrt{5+x^4}} - \frac{2\sqrt{5+x^4}}{25x^2} + \frac{3}{10} \text{Subst} \left(\int \frac{1}{-5+x^2} dx, x, \sqrt{5+x^4} \right) \\
&= \frac{2+3x^2}{10x^2\sqrt{5+x^4}} - \frac{2\sqrt{5+x^4}}{25x^2} - \frac{3 \tanh^{-1} \left(\frac{\sqrt{5+x^4}}{\sqrt{5}} \right)}{10\sqrt{5}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 45, normalized size = 0.69

$$\frac{15x^2 {}_2F_1 \left(-\frac{1}{2}, 1; \frac{1}{2}; \frac{x^4}{5} + 1 \right) - 4x^4 - 10}{50x^2\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^3*(5 + x^4)^(3/2)), x]

[Out] (-10 - 4*x^4 + 15*x^2*Hypergeometric2F1[-1/2, 1, 1/2, 1 + x^4/5])/(50*x^2*Sqrt[5 + x^4])

fricas [A] time = 0.59, size = 77, normalized size = 1.18

$$\frac{4x^6 - 3\sqrt{5}(x^6 + 5x^2) \log \left(-\frac{\sqrt{5} - \sqrt{x^4+5}}{x^2} \right) + 20x^2 + (4x^4 - 15x^2 + 10)\sqrt{x^4+5}}{50(x^6 + 5x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5)^(3/2), x, algorithm="fricas")

[Out] -1/50*(4*x^6 - 3*sqrt(5)*(x^6 + 5*x^2)*log(-(sqrt(5) - sqrt(x^4 + 5))/x^2) + 20*x^2 + (4*x^4 - 15*x^2 + 10)*sqrt(x^4 + 5))/(x^6 + 5*x^2)

giac [A] time = 0.24, size = 82, normalized size = 1.26

$$\frac{3}{50} \sqrt{5} \log \left(-\frac{x^2 + \sqrt{5} - \sqrt{x^4 + 5}}{x^2 - \sqrt{5} - \sqrt{x^4 + 5}} \right) - \frac{2x^2 - 15}{50\sqrt{x^4 + 5}} + \frac{2}{5 \left((x^2 - \sqrt{x^4 + 5})^2 - 5 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5)^(3/2),x, algorithm="giac")

[Out] 3/50*sqrt(5)*log(-(x^2 + sqrt(5) - sqrt(x^4 + 5))/(x^2 - sqrt(5) - sqrt(x^4 + 5))) - 1/50*(2*x^2 - 15)/sqrt(x^4 + 5) + 2/5/((x^2 - sqrt(x^4 + 5))^2 - 5)

maple [A] time = 0.01, size = 47, normalized size = 0.72

$$-\frac{3\sqrt{5} \operatorname{arctanh}\left(\frac{\sqrt{5}}{\sqrt{x^4+5}}\right)}{50} - \frac{2x^4 + 5}{25\sqrt{x^4 + 5} x^2} + \frac{3}{10\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^3/(x^4+5)^(3/2),x)

[Out] 3/10/(x^4+5)^(1/2)-3/50*5^(1/2)*arctanh(5^(1/2)/(x^4+5)^(1/2))-1/25/x^2*(2*x^4+5)/(x^4+5)^(1/2)

maxima [A] time = 1.10, size = 68, normalized size = 1.05

$$-\frac{x^2}{25\sqrt{x^4 + 5}} + \frac{3}{100} \sqrt{5} \log \left(-\frac{\sqrt{5} - \sqrt{x^4 + 5}}{\sqrt{5} + \sqrt{x^4 + 5}} \right) + \frac{3}{10\sqrt{x^4 + 5}} - \frac{\sqrt{x^4 + 5}}{25x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] -1/25*x^2/sqrt(x^4 + 5) + 3/100*sqrt(5)*log(-(sqrt(5) - sqrt(x^4 + 5))/(sqrt(5) + sqrt(x^4 + 5))) + 3/10/sqrt(x^4 + 5) - 1/25*sqrt(x^4 + 5)/x^2

mupad [B] time = 0.54, size = 47, normalized size = 0.72

$$\frac{3}{10\sqrt{x^4 + 5}} - \frac{3\sqrt{5} \operatorname{atanh}\left(\frac{\sqrt{5}\sqrt{x^4+5}}{5}\right)}{50} - \frac{2x^4 + 5}{25x^2\sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^3*(x^4 + 5)^(3/2)),x)`

[Out] $\frac{3}{10(x^4 + 5)^{1/2}} - \frac{(3 \cdot 5^{1/2}) \operatorname{atanh}\left(\frac{5^{1/2}(x^4 + 5)^{1/2}}{5}\right)}{50} - \frac{(2x^4 + 5)}{(25x^2(x^4 + 5)^{1/2})}$

sympy [B] time = 12.98, size = 228, normalized size = 3.51

$$\frac{3x^4 \log(x^4)}{20\sqrt{5}x^4 + 100\sqrt{5}} - \frac{6x^4 \log\left(\sqrt{\frac{x^4}{5} + 1} + 1\right)}{20\sqrt{5}x^4 + 100\sqrt{5}} - \frac{3x^4 \log(5)}{20\sqrt{5}x^4 + 100\sqrt{5}} + \frac{6\sqrt{5}\sqrt{x^4 + 5}}{20\sqrt{5}x^4 + 100\sqrt{5}} + \frac{15 \log(x^4)}{20\sqrt{5}x^4 + 100\sqrt{5}} - \frac{30 \log(5)}{20\sqrt{5}x^4 + 100\sqrt{5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**3/(x**4+5)**(3/2),x)`

[Out] $3x^{**4} \log(x^{**4}) / (20 \sqrt{5} x^{**4} + 100 \sqrt{5}) - 6x^{**4} \log(\sqrt{x^{**4}/5 + 1} + 1) / (20 \sqrt{5} x^{**4} + 100 \sqrt{5}) - 3x^{**4} \log(5) / (20 \sqrt{5} x^{**4} + 100 \sqrt{5}) + 6 \sqrt{5} \sqrt{x^{**4} + 5} / (20 \sqrt{5} x^{**4} + 100 \sqrt{5}) + 15 \log(x^{**4}) / (20 \sqrt{5} x^{**4} + 100 \sqrt{5}) - 30 \log(5) / (20 \sqrt{5} x^{**4} + 100 \sqrt{5}) - 2 / (25 \sqrt{5} (1 + 5/x^{**4})) - 1 / (5x^{**4} \sqrt{5} (1 + 5/x^{**4}))$

$$3.50 \quad \int \frac{x^4(2+3x^2)}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=196

$$-\frac{1}{5}\sqrt{x^4+5}x + \frac{9\sqrt{x^4+5}x}{2(x^2+\sqrt{5})} + \frac{(2+9\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{4\sqrt[4]{5}\sqrt{x^4+5}} - \frac{9\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{2\sqrt{x^4+5}}$$

[Out] $-1/10*x^3*(-2*x^2+15)/(x^4+5)^{(1/2)}-1/5*x*(x^4+5)^{(1/2)}+9/2*x*(x^4+5)^{(1/2)}/(x^2+5^{(1/2)})-9/2*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}/(x^4+5)^{(1/2)}+1/20*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(2+9*5^{(1/2)})*((x^4+5)/(x^2+5^{(1/2)}))^2)^{(1/2)}*5^{(3/4)}/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1276, 1280, 1198, 220, 1196}

$$-\frac{(15-2x^2)x^3}{10\sqrt{x^4+5}} + \frac{9\sqrt{x^4+5}x}{2(x^2+\sqrt{5})} - \frac{1}{5}\sqrt{x^4+5}x + \frac{(2+9\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{4\sqrt[4]{5}\sqrt{x^4+5}} - \frac{9\sqrt[4]{5}(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{2\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(2 + 3*x^2))/(5 + x^4)^(3/2), x]

[Out] $-(x^3*(15-2*x^2))/(10*\text{Sqrt}[5+x^4]) - (x*\text{Sqrt}[5+x^4])/5 + (9*x*\text{Sqrt}[5+x^4])/(2*(\text{Sqrt}[5]+x^2)) - (9*5^{(1/4)}*(\text{Sqrt}[5]+x^2)*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5]+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(2*\text{Sqrt}[5+x^4]) + ((2+9*\text{Sqrt}[5])*(\text{Sqrt}[5]+x^2)*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5]+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}], 1/2])/(4*5^{(1/4)}*\text{Sqrt}[5+x^4])$

Rule 220

Int[1/Sqrt[(a_) + (b_)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1276

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1)*(a*e - c*d*x^2))/(4*a
*c*(p + 1)), x] - Dist[f^2/(4*a*c*(p + 1)), Int[(f*x)^(m - 2)*(a + c*x^4)^(
p + 1)*(a*e*(m - 1) - c*d*(4*p + 4 + m + 1)*x^2), x], x] /; FreeQ[{a, c, d,
  e, f}, x] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || I
ntegerQ[m])
```

Rule 1280

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_.), x
_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1))/(c*(m + 4*p + 3)),
  x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + c*x^4)^p*(a*e*(m -
  1) - c*d*(m + 4*p + 3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[
  m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m
  ])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(2+3x^2)}{(5+x^4)^{3/2}} dx &= -\frac{x^3(15-2x^2)}{10\sqrt{5+x^4}} + \frac{1}{10} \int \frac{x^2(45-6x^2)}{\sqrt{5+x^4}} dx \\
&= -\frac{x^3(15-2x^2)}{10\sqrt{5+x^4}} - \frac{1}{5}x\sqrt{5+x^4} - \frac{1}{30} \int \frac{-30-135x^2}{\sqrt{5+x^4}} dx \\
&= -\frac{x^3(15-2x^2)}{10\sqrt{5+x^4}} - \frac{1}{5}x\sqrt{5+x^4} - \frac{1}{2}(9\sqrt{5}) \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx - \frac{1}{2}(-2-9\sqrt{5}) \int \frac{1}{\sqrt{5+x^4}} dx \\
&= -\frac{x^3(15-2x^2)}{10\sqrt{5+x^4}} - \frac{1}{5}x\sqrt{5+x^4} + \frac{9x\sqrt{5+x^4}}{2(\sqrt{5+x^2})} - \frac{9\sqrt[4]{5}(\sqrt{5+x^2})\sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\right)}{2\sqrt{5+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 70, normalized size = 0.36

$$\frac{x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right)}{\sqrt{5}} - \frac{3x^3 {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{x^4}{5}\right)}{\sqrt{5}} + \frac{(3x^2-1)x}{\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(2 + 3*x^2))/(5 + x^4)^(3/2), x]

[Out] (x*(-1 + 3*x^2))/Sqrt[5 + x^4] + (x*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4])/Sqrt[5] - (3*x^3*Hypergeometric2F1[3/4, 3/2, 7/4, -1/5*x^4])/Sqrt[5]

fricas [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^6 + 2x^4)\sqrt{x^4 + 5}}{x^8 + 10x^4 + 25}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5)^(3/2), x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4)*sqrt(x^4 + 5)/(x^8 + 10*x^4 + 25), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{(x^4 + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)*x^4/(x^4 + 5)^(3/2), x)

maple [C] time = 0.02, size = 168, normalized size = 0.86

$$\frac{\frac{3x^3}{2\sqrt{x^4+5}} - \frac{x}{\sqrt{x^4+5}} + \frac{\sqrt{5} \sqrt{-5i\sqrt{5}x^2+25} \sqrt{5i\sqrt{5}x^2+25} \operatorname{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{25\sqrt{i\sqrt{5}}\sqrt{x^4+5}} + \frac{9i\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}}{25\sqrt{i\sqrt{5}}\sqrt{x^4+5}}}{25\sqrt{i\sqrt{5}}\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2+2)/(x^4+5)^(3/2),x)

[Out] $-3/2*x^3/(x^4+5)^{(1/2)}+9/10*I/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}$
 $* (5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*(\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}$
 $)^{(1/2)}*x,I)-\operatorname{EllipticE}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x,I)-x/(x^4+5)^{(1/2)}+$
 $1/25*5^{(1/2)}/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2$
 $+25)^{(1/2)}/(x^4+5)^{(1/2)}*\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x,I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{(x^4 + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)*x^4/(x^4 + 5)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^4 (3x^2 + 2)}{(x^4 + 5)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(3*x^2 + 2))/(x^4 + 5)^(3/2),x)

[Out] int((x^4*(3*x^2 + 2))/(x^4 + 5)^(3/2), x)

sympy [C] time = 5.59, size = 75, normalized size = 0.38

$$\frac{3\sqrt{5}x^7\Gamma\left(\frac{7}{4}\right) {}_2F_1\left(\frac{3}{2}, \frac{7}{4} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{100\Gamma\left(\frac{11}{4}\right)} + \frac{\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{50\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(3*x**2+2)/(x**4+5)**(3/2), x)

[Out] 3*sqrt(5)*x**7*gamma(7/4)*hyper((3/2, 7/4), (11/4,), x**4*exp_polar(I*pi)/5)/(100*gamma(11/4)) + sqrt(5)*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), x**4*exp_polar(I*pi)/5)/(50*gamma(9/4))

$$3.51 \quad \int \frac{x^2(2+3x^2)}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=177

$$\frac{\frac{\sqrt{x^4+5}x}{5(x^2+\sqrt{5})} - \frac{(15-2x^2)x}{10\sqrt{x^4+5}} - \frac{(2-3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{4 \cdot 5^{3/4} \sqrt{x^4+5}}}{1} + \frac{(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4} \sqrt{x^4+5}}$$

[Out] $-1/10*x*(-2*x^2+15)/(x^4+5)^{(1/2)}-1/5*x*(x^4+5)^{(1/2)/(x^2+5^{(1/2)})}+1/5*5^{(1/4)}*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticE}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(x^2+5^{(1/2)})*(x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)/(x^4+5)^{(1/2)}-1/20*(\cos(2*\arctan(1/5*x*5^{(3/4)}))^2)^{(1/2)}/\cos(2*\arctan(1/5*x*5^{(3/4)}))*\text{EllipticF}(\sin(2*\arctan(1/5*x*5^{(3/4)})),1/2*2^{(1/2)})*(2-3*5^{(1/2)})*(x^2+5^{(1/2)})*(x^4+5)/(x^2+5^{(1/2)})^2)^{(1/2)}*5^{(1/4)/(x^4+5)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1276, 1198, 220, 1196}

$$\frac{\frac{\sqrt{x^4+5}x}{5(x^2+\sqrt{5})} - \frac{(15-2x^2)x}{10\sqrt{x^4+5}} - \frac{(2-3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{4 \cdot 5^{3/4} \sqrt{x^4+5}}}{1} + \frac{(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4} \sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(2+3*x^2))/(5+x^4)^{(3/2)},x]$

[Out] $-(x*(15-2*x^2))/(10*\text{Sqrt}[5+x^4]) - (x*\text{Sqrt}[5+x^4])/(5*(\text{Sqrt}[5]+x^2)) + ((\text{Sqrt}[5]+x^2)*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5]+x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[x/5^{(1/4)}],1/2])/(5^{(3/4)}*\text{Sqrt}[5+x^4]) - ((2-3*\text{Sqrt}[5])*(\text{Sqrt}[5]+x^2)*\text{Sqrt}[(5+x^4)/(\text{Sqrt}[5]+x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x/5^{(1/4)}],1/2])/(4*5^{(3/4)}*\text{Sqrt}[5+x^4])$

Rule 220

$\text{Int}[1/\text{Sqrt}[(a_)+(b_)*(x_)^4],x_Symbol] :> \text{With}[\{q = \text{Rt}[b/a,4]\}, \text{Simp}[(1+q^2*x^2)*\text{Sqrt}[(a+b*x^4)/(a*(1+q^2*x^2)^2] * \text{EllipticF}[2*\text{ArcTan}[q*x],1/2])/(2*q*\text{Sqrt}[a+b*x^4]),x] /; \text{FreeQ}[\{a,b\},x] \&\& \text{PosQ}[b/a]$

Rule 1196


```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1276

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x
_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + c*x^4)^(p + 1)*(a*e - c*d*x^2))/(4*a
*c*(p + 1)), x] - Dist[f^2/(4*a*c*(p + 1)), Int[(f*x)^(m - 2)*(a + c*x^4)^(
p + 1)*(a*e*(m - 1) - c*d*(4*p + 4 + m + 1)*x^2), x], x] /; FreeQ[{a, c, d,
  e, f}, x] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || I
  ntegerQ[m])
```

Rubi steps

$$\begin{aligned} \int \frac{x^2(2+3x^2)}{(5+x^4)^{3/2}} dx &= -\frac{x(15-2x^2)}{10\sqrt{5+x^4}} + \frac{1}{10} \int \frac{15-2x^2}{\sqrt{5+x^4}} dx \\ &= -\frac{x(15-2x^2)}{10\sqrt{5+x^4}} + \frac{\int \frac{1-x^2}{\sqrt{5+x^4}} dx}{\sqrt{5}} + \frac{1}{10} (15-2\sqrt{5}) \int \frac{1}{\sqrt{5+x^4}} dx \\ &= -\frac{x(15-2x^2)}{10\sqrt{5+x^4}} - \frac{x\sqrt{5+x^4}}{5(\sqrt{5+x^2})} + \frac{(\sqrt{5+x^2}) \sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5^{3/4}\sqrt{5+x^4}} - \frac{(2-3\sqrt{5})}{5^{3/4}\sqrt{5+x^4}} \end{aligned}$$

Mathematica [C] time = 0.03, size = 68, normalized size = 0.38

$$\frac{1}{150}x \left(45\sqrt{5} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right) + 4\sqrt{5}x^2 {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{x^4}{5}\right) - \frac{225}{\sqrt{x^4+5}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(2 + 3*x^2))/(5 + x^4)^(3/2),x]

[Out] (x*(-225/Sqrt[5 + x^4] + 45*Sqrt[5]*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4] + 4*Sqrt[5]*x^2*Hypergeometric2F1[3/4, 3/2, 7/4, -1/5*x^4]))/150

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^4 + 2x^2)\sqrt{x^4 + 5}}{x^8 + 10x^4 + 25}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="fricas")

[Out] integral((3*x^4 + 2*x^2)*sqrt(x^4 + 5)/(x^8 + 10*x^4 + 25), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{(x^4 + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)*x^2/(x^4 + 5)^(3/2), x)

maple [C] time = 0.02, size = 168, normalized size = 0.95

$$\frac{x^3}{5\sqrt{x^4 + 5}} - \frac{3x}{2\sqrt{x^4 + 5}} + \frac{3\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right) + i\sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25}}{50\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(3*x^2+2)/(x^4+5)^(3/2),x)

[Out] -3/2/(x^4+5)^(1/2)*x+3/50*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)+1/5/(x^4+5)^(1/2)*x^3-1/25*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{(x^4 + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)*x^2/(x^4 + 5)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (3x^2 + 2)}{(x^4 + 5)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(3*x^2 + 2))/(x^4 + 5)^(3/2),x)

[Out] int((x^2*(3*x^2 + 2))/(x^4 + 5)^(3/2), x)

sympy [C] time = 5.09, size = 75, normalized size = 0.42

$$\frac{3\sqrt{5}x^5\Gamma\left(\frac{5}{4}\right) {}_2F_1\left(\frac{5}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{100\Gamma\left(\frac{9}{4}\right)} + \frac{\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{50\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(3*x**2+2)/(x**4+5)**(3/2),x)

[Out] 3*sqrt(5)*x**5*gamma(5/4)*hyper((5/4, 3/2), (9/4,), x**4*exp_polar(I*pi)/5)/(100*gamma(9/4)) + sqrt(5)*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), x**4*exp_polar(I*pi)/5)/(50*gamma(7/4))

$$3.52 \quad \int \frac{2+3x^2}{(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=180

$$-\frac{3\sqrt{x^4+5}x}{10(x^2+\sqrt{5})} + \frac{(3x^2+2)x}{10\sqrt{x^4+5}} + \frac{(2-3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{20\sqrt[4]{5}\sqrt{x^4+5}} + \frac{3(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(\frac{x}{\sqrt[4]{5}}\right)}{2 \cdot 5^{3/4}\sqrt{x^4+5}}$$

[Out] 1/10*x*(3*x^2+2)/(x^4+5)^(1/2)-3/10*x*(x^4+5)^(1/2)/(x^2+5^(1/2))+3/10*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticE(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2)))^2)^(1/2)/(x^4+5)^(1/2)+1/100*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticF(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(2-3*5^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2)))^2)^(1/2)*5^(3/4)/(x^4+5)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {1179, 1198, 220, 1196}

$$-\frac{3\sqrt{x^4+5}x}{10(x^2+\sqrt{5})} + \frac{(3x^2+2)x}{10\sqrt{x^4+5}} + \frac{(2-3\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{20\sqrt[4]{5}\sqrt{x^4+5}} + \frac{3(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} E\left(\frac{x}{\sqrt[4]{5}}\right)}{2 \cdot 5^{3/4}\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(5 + x^4)^(3/2), x]

[Out] (x*(2 + 3*x^2))/(10*Sqrt[5 + x^4]) - (3*x*Sqrt[5 + x^4])/(10*(Sqrt[5] + x^2)) + (3*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticE[2*ArcTan[x/5^(1/4)], 1/2])/(2*5^(3/4)*Sqrt[5 + x^4]) + ((2 - 3*Sqrt[5])*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticF[2*ArcTan[x/5^(1/4)], 1/2])/(20*5^(1/4)*Sqrt[5 + x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1179

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[(x
*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)),
  Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] /;
FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2
*p]
```

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, c,
d, e}, x] && PosQ[c/a]
```

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{(5 + x^4)^{3/2}} dx &= \frac{x(2 + 3x^2)}{10\sqrt{5 + x^4}} - \frac{1}{10} \int \frac{-2 + 3x^2}{\sqrt{5 + x^4}} dx \\ &= \frac{x(2 + 3x^2)}{10\sqrt{5 + x^4}} + \frac{3 \int \frac{1 - \frac{x^2}{\sqrt{5}}}{\sqrt{5 + x^4}} dx}{2\sqrt{5}} - \frac{1}{10} (-2 + 3\sqrt{5}) \int \frac{1}{\sqrt{5 + x^4}} dx \\ &= \frac{x(2 + 3x^2)}{10\sqrt{5 + x^4}} - \frac{3x\sqrt{5 + x^4}}{10(\sqrt{5} + x^2)} + \frac{3(\sqrt{5} + x^2) \sqrt{\frac{5 + x^4}{(\sqrt{5} + x^2)^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{2 \cdot 5^{3/4} \sqrt{5 + x^4}} + \frac{(2 - 3\sqrt{5})}{\sqrt{5 + x^4}} \end{aligned}$$

Mathematica [C] time = 0.02, size = 66, normalized size = 0.37

$$\frac{1}{25} x \left(\sqrt{5} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -\frac{x^4}{5}\right) + \sqrt{5} x^2 {}_2F_1\left(\frac{3}{4}, \frac{3}{2}; \frac{7}{4}; -\frac{x^4}{5}\right) + \frac{5}{\sqrt{x^4 + 5}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(5 + x^4)^(3/2),x]

[Out] (x*(5/Sqrt[5 + x^4] + Sqrt[5]*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4] + Sqrt[5]*x^2*Hypergeometric2F1[3/4, 3/2, 7/4, -1/5*x^4]))/25

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 5}(3x^2 + 2)}{x^8 + 10x^4 + 25}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2)/(x^8 + 10*x^4 + 25), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/(x^4 + 5)^(3/2), x)

maple [C] time = 0.01, size = 168, normalized size = 0.93

$$\frac{\frac{3x^3}{10\sqrt{x^4 + 5}} + \frac{x}{5\sqrt{x^4 + 5}} + \frac{\sqrt{5} \sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5i\sqrt{5} x^2 + 25} \text{EllipticF}\left(\frac{\sqrt{5} \sqrt{i\sqrt{5} x}}{5}, i\right) - 3i\sqrt{-5i\sqrt{5} x^2 + 25} \sqrt{5}}{125\sqrt{i\sqrt{5}} \sqrt{x^4 + 5}}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/(x^4+5)^(3/2),x)

[Out] 3/10/(x^4+5)^(1/2)*x^3-3/50*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)
*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))
)^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))+1/5/(x^4+5)^(1/2)
) *x+1/125*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)
) *x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/(x^4 + 5)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{3x^2 + 2}{(x^4 + 5)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(x^4 + 5)^(3/2),x)

[Out] int((3*x^2 + 2)/(x^4 + 5)^(3/2), x)

sympy [C] time = 5.07, size = 73, normalized size = 0.41

$$\frac{3\sqrt{5}x^3\Gamma\left(\frac{3}{4}\right) {}_2F_1\left(\frac{3}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{100\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{5}x\Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{50\Gamma\left(\frac{5}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/(x**4+5)**(3/2),x)

[Out] 3*sqrt(5)*x**3*gamma(3/4)*hyper((3/4, 3/2), (7/4,), x**4*exp_polar(I*pi)/5)/(100*gamma(7/4)) + sqrt(5)*x*gamma(1/4)*hyper((1/4, 3/2), (5/4,), x**4*exp_polar(I*pi)/5)/(50*gamma(5/4))

$$3.53 \quad \int \frac{2+3x^2}{x^2(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=196

$$-\frac{3\sqrt{x^4+5}}{25x} + \frac{3\sqrt{x^4+5}x}{25(x^2+\sqrt{5})} + \frac{3x^2+2}{10\sqrt{x^4+5}x} + \frac{3(2+\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{20\cdot 5^{3/4}\sqrt{x^4+5}} - \frac{3(x^2+\sqrt{5})}{20\cdot 5^{3/4}\sqrt{x^4+5}}$$

[Out] 1/10*(3*x^2+2)/x/(x^4+5)^(1/2)-3/25*(x^4+5)^(1/2)/x+3/25*x*(x^4+5)^(1/2)/(x^2+5^(1/2))-3/25*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticE(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2)))^(1/2)/(x^4+5)^(1/2)+3/100*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticF(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(2+5^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2)))^(1/2)/(x^4+5)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 196, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1278, 1282, 1198, 220, 1196}

$$\frac{3\sqrt{x^4+5}x}{25(x^2+\sqrt{5})} - \frac{3\sqrt{x^4+5}}{25x} + \frac{3x^2+2}{10\sqrt{x^4+5}x} + \frac{3(2+\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}F\left(2\tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right)\middle|\frac{1}{2}\right)}{20\cdot 5^{3/4}\sqrt{x^4+5}} - \frac{3(x^2+\sqrt{5})}{20\cdot 5^{3/4}\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^2*(5 + x^4)^(3/2)),x]

[Out] (2 + 3*x^2)/(10*x*Sqrt[5 + x^4]) - (3*Sqrt[5 + x^4])/(25*x) + (3*x*Sqrt[5 + x^4])/(25*(Sqrt[5] + x^2)) - (3*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticE[2*ArcTan[x/5^(1/4)], 1/2])/(5*5^(3/4)*Sqrt[5 + x^4]) + (3*(2 + Sqrt[5])*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticF[2*ArcTan[x/5^(1/4)], 1/2])/(20*5^(3/4)*Sqrt[5 + x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196


```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2]]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1278

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := -Simp[((f*x)^(m + 1)*(a + c*x^4)^(p + 1)*(d + e*x^2))/(4*a*f*(p
  + 1)), x] + Dist[1/(4*a*(p + 1)), Int[(f*x)^m*(a + c*x^4)^(p + 1)*Simp[d*(m
  + 4*(p + 1) + 1) + e*(m + 2*(2*p + 3) + 1)*x^2, x], x] /; FreeQ[{a, c,
  d, e, f, m}, x] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ
  [m])
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^2(5+x^4)^{3/2}} dx &= \frac{2+3x^2}{10x\sqrt{5+x^4}} - \frac{1}{10} \int \frac{-6-3x^2}{x^2\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x\sqrt{5+x^4}} - \frac{3\sqrt{5+x^4}}{25x} + \frac{1}{50} \int \frac{15+6x^2}{\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x\sqrt{5+x^4}} - \frac{3\sqrt{5+x^4}}{25x} - \frac{3 \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx}{5\sqrt{5}} + \frac{1}{50} (3(5+2\sqrt{5})) \int \frac{1}{\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x\sqrt{5+x^4}} - \frac{3\sqrt{5+x^4}}{25x} + \frac{3x\sqrt{5+x^4}}{25(\sqrt{5+x^2})} - \frac{3(\sqrt{5+x^2}) \sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}} E\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{5 \cdot 5^{3/4} \sqrt{5+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.05, size = 71, normalized size = 0.36

$$\frac{3x {}_2F_1\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}; -\frac{x^4}{5}\right)}{10\sqrt{5}} - \frac{{}_2F_1\left(-\frac{1}{4}, \frac{3}{2}, \frac{3}{4}; -\frac{x^4}{5}\right)}{5\sqrt{5}x} + \frac{3x}{10\sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^2*(5 + x^4)^(3/2)), x]

[Out] (3*x)/(10*sqrt[5 + x^4]) - (2*Hypergeometric2F1[-1/4, 3/2, 3/4, -1/5*x^4])/(5*sqrt[5]*x) + (3*x*Hypergeometric2F1[1/4, 1/2, 5/4, -1/5*x^4])/(10*sqrt[5])

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5}(3x^2+2)}{x^{10}+10x^6+25x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2)/(x^10 + 10*x^6 + 25*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2+2}{(x^4+5)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/((x^4 + 5)^(3/2)*x^2), x)

maple [C] time = 0.02, size = 180, normalized size = 0.92

$$\frac{x^3}{25\sqrt{x^4+5}} + \frac{3x}{10\sqrt{x^4+5}} + \frac{3\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}\operatorname{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{250\sqrt{i\sqrt{5}}\sqrt{x^4+5}} - \frac{2\sqrt{x^4+5}}{25x} + \frac{3i\sqrt{-5i\sqrt{5}x^2+25}}{250\sqrt{i\sqrt{5}}\sqrt{x^4+5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^2/(x^4+5)^(3/2),x)

[Out] 3/10/(x^4+5)^(1/2)*x+3/250*5^(1/2)/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-2/25*(x^4+5)^(1/2)/x-1/25/(x^4+5)^(1/2)*x^3+3/125*I/(I*5^(1/2))^(1/2)*(-5*I*5^(1/2)*x^2+25)^(1/2)*(5*I*5^(1/2)*x^2+25)^(1/2)/(x^4+5)^(1/2)*(EllipticF(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I)-EllipticE(1/5*5^(1/2)*(I*5^(1/2))^(1/2)*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/((x^4 + 5)^(3/2)*x^2), x)

mupad [B] time = 0.46, size = 48, normalized size = 0.24

$$\frac{3\sqrt{5}x {}_2F_1\left(\frac{1}{4}, \frac{3}{2}; \frac{5}{4}; -\frac{x^4}{5}\right)}{25} - \frac{2\left(\frac{5}{x^4} + 1\right)^{3/2} {}_2F_1\left(\frac{3}{2}, \frac{7}{4}; \frac{11}{4}; -\frac{5}{x^4}\right)}{7x(x^4 + 5)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(x^2*(x^4 + 5)^(3/2)),x)

[Out] $(3 \cdot 5^{1/2} \cdot x \cdot \text{hypergeom}([1/4, 3/2], 5/4, -x^4/5))/25 - (2 \cdot (5/x^4 + 1)^{3/2} \cdot \text{hypergeom}([3/2, 7/4], 11/4, -5/x^4))/(7 \cdot x \cdot (x^4 + 5)^{3/2})$

sympy [C] time = 7.20, size = 75, normalized size = 0.38

$$\frac{3\sqrt{5} x \Gamma\left(\frac{1}{4}\right) {}_2F_1\left(\frac{1}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{100 \Gamma\left(\frac{5}{4}\right)} + \frac{\sqrt{5} \Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(-\frac{1}{4}, \frac{3}{2} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{50 x \Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/x**2/(x**4+5)**(3/2),x)

[Out] $3 \cdot \sqrt{5} \cdot x \cdot \text{gamma}(1/4) \cdot \text{hyper}((1/4, 3/2), (5/4,), x^4 \cdot \exp_polar(I \cdot \pi)/5)/(100 \cdot \text{gamma}(5/4)) + \sqrt{5} \cdot \text{gamma}(-1/4) \cdot \text{hyper}((-1/4, 3/2), (3/4,), x^4 \cdot \exp_polar(I \cdot \pi)/5)/(50 \cdot x \cdot \text{gamma}(3/4))$

$$3.54 \quad \int \frac{2+3x^2}{x^4(5+x^4)^{3/2}} dx$$

Optimal. Leaf size=214

$$\frac{9\sqrt{x^4+5}}{50x} - \frac{\sqrt{x^4+5}}{15x^3} + \frac{9\sqrt{x^4+5}x}{50(x^2+\sqrt{5})} + \frac{(27-2\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{60 \cdot 5^{3/4} \sqrt{x^4+5}} - \frac{9(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{60 \cdot 5^{3/4} \sqrt{x^4+5}}$$

[Out] 1/10*(3*x^2+2)/x^3/(x^4+5)^(1/2)-1/15*(x^4+5)^(1/2)/x^3-9/50*(x^4+5)^(1/2)/x+9/50*x*(x^4+5)^(1/2)/(x^2+5^(1/2))-9/50*5^(1/4)*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticE(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2))^2)^(1/2)/(x^4+5)^(1/2)+1/300*(cos(2*arctan(1/5*x*5^(3/4)))^2)^(1/2)/cos(2*arctan(1/5*x*5^(3/4)))*EllipticF(sin(2*arctan(1/5*x*5^(3/4))),1/2*2^(1/2))*(27-2*5^(1/2))*(x^2+5^(1/2))*((x^4+5)/(x^2+5^(1/2))^2)^(1/2)*5^(1/4)/(x^4+5)^(1/2)

Rubi [A] time = 0.11, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {1278, 1282, 1198, 220, 1196}

$$\frac{9\sqrt{x^4+5}x}{50(x^2+\sqrt{5})} - \frac{9\sqrt{x^4+5}}{50x} - \frac{\sqrt{x^4+5}}{15x^3} + \frac{3x^2+2}{10\sqrt{x^4+5}x^3} + \frac{(27-2\sqrt{5})(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}} F\left(2 \tan^{-1}\left(\frac{x}{\sqrt[4]{5}}\right) \middle| \frac{1}{2}\right)}{60 \cdot 5^{3/4} \sqrt{x^4+5}} - \frac{9(x^2+\sqrt{5})\sqrt{\frac{x^4+5}{(x^2+\sqrt{5})^2}}}{60 \cdot 5^{3/4} \sqrt{x^4+5}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^4*(5 + x^4)^(3/2)), x]

[Out] (2 + 3*x^2)/(10*x^3*Sqrt[5 + x^4]) - Sqrt[5 + x^4]/(15*x^3) - (9*Sqrt[5 + x^4])/(50*x) + (9*x*Sqrt[5 + x^4])/(50*(Sqrt[5] + x^2)) - (9*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticE[2*ArcTan[x/5^(1/4)], 1/2])/(10*5^(3/4)*Sqrt[5 + x^4]) + ((27 - 2*Sqrt[5])*(Sqrt[5] + x^2)*Sqrt[(5 + x^4)/(Sqrt[5] + x^2)^2]*EllipticF[2*ArcTan[x/5^(1/4)], 1/2])/(60*5^(3/4)*Sqrt[5 + x^4])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2])/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1196

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(
  1 + q^2*x^2)*Sqrt[(a + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x],
  1/2])/(q*Sqrt[a + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, c, d, e},
  x] && PosQ[c/a]
```

Rule 1198

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + c*x^4], x], x] - Dist[e/q, I
  nt[(1 - q*x^2)/Sqrt[a + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, c,
  d, e}, x] && PosQ[c/a]
```

Rule 1278

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := -Simp[((f*x)^(m + 1)*(a + c*x^4)^(p + 1)*(d + e*x^2))/(4*a*f*(p
  + 1)), x] + Dist[1/(4*a*(p + 1)), Int[(f*x)^m*(a + c*x^4)^(p + 1)*Simp[d*(m
  + 4*(p + 1) + 1) + e*(m + 2*(2*p + 3) + 1)*x^2, x], x] /; FreeQ[{a, c,
  d, e, f, m}, x] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ
  [m])
```

Rule 1282

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_
  Symbol] := Simp[(d*(f*x)^(m + 1)*(a + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + D
  ist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + c*x^4)^p*(a*e*(m + 1) - c*d*(
  m + 4*p + 5)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && LtQ[m, -1] &&
  IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^4(5+x^4)^{3/2}} dx &= \frac{2+3x^2}{10x^3\sqrt{5+x^4}} - \frac{1}{10} \int \frac{-10-9x^2}{x^4\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x^3\sqrt{5+x^4}} - \frac{\sqrt{5+x^4}}{15x^3} + \frac{1}{150} \int \frac{135-10x^2}{x^2\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x^3\sqrt{5+x^4}} - \frac{\sqrt{5+x^4}}{15x^3} - \frac{9\sqrt{5+x^4}}{50x} - \frac{1}{750} \int \frac{50-135x^2}{\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x^3\sqrt{5+x^4}} - \frac{\sqrt{5+x^4}}{15x^3} - \frac{9\sqrt{5+x^4}}{50x} - \frac{9}{10\sqrt{5}} \int \frac{1-\frac{x^2}{\sqrt{5}}}{\sqrt{5+x^4}} dx - \frac{1}{150} (10-27\sqrt{5}) \int \frac{1}{\sqrt{5+x^4}} dx \\
&= \frac{2+3x^2}{10x^3\sqrt{5+x^4}} - \frac{\sqrt{5+x^4}}{15x^3} - \frac{9\sqrt{5+x^4}}{50x} + \frac{9x\sqrt{5+x^4}}{50(\sqrt{5+x^2})} - \frac{9(\sqrt{5+x^2})\sqrt{\frac{5+x^4}{(\sqrt{5+x^2})^2}} E\left(2 \operatorname{arctan}\left(\frac{\sqrt{5+x^4}}{\sqrt{5+x^2}}\right)\right)}{10 \cdot 5^{3/4} \sqrt{5+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.02, size = 54, normalized size = 0.25

$$-\frac{{}_2F_1\left(-\frac{3}{4}, \frac{3}{2}; \frac{1}{4}; -\frac{x^4}{5}\right) + 9x^2 {}_2F_1\left(-\frac{1}{4}, \frac{3}{2}; \frac{3}{4}; -\frac{x^4}{5}\right)}{15\sqrt{5}x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^4*(5 + x^4)^(3/2)), x]

[Out] -1/15*(2*Hypergeometric2F1[-3/4, 3/2, 1/4, -1/5*x^4] + 9*x^2*Hypergeometric2F1[-1/4, 3/2, 3/4, -1/5*x^4])/(Sqrt[5]*x^3)

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{x^4+5}(3x^2+2)}{x^{12}+10x^8+25x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5)*(3*x^2 + 2)/(x^12 + 10*x^8 + 25*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5)^{\frac{3}{2}} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/((x^4 + 5)^(3/2)*x^4), x)

maple [C] time = 0.02, size = 192, normalized size = 0.90

$$\frac{\frac{3x^3}{50\sqrt{x^4+5}} - \frac{x}{25\sqrt{x^4+5}} - \frac{\sqrt{5}\sqrt{-5i\sqrt{5}x^2+25}\sqrt{5i\sqrt{5}x^2+25}\operatorname{EllipticF}\left(\frac{\sqrt{5}\sqrt{i\sqrt{5}x}}{5}, i\right)}{375\sqrt{i\sqrt{5}}\sqrt{x^4+5}} - \frac{3\sqrt{x^4+5}}{25x} - \frac{2\sqrt{x^4+5}}{75x^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^4/(x^4+5)^(3/2),x)

[Out] $-3/25*(x^4+5)^{(1/2)}/x-3/50/(x^4+5)^{(1/2)}*x^3+9/250*I/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*(\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x,I)-\operatorname{EllipticE}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x,I))-2/75*(x^4+5)^{(1/2)}/x^3-1/25/(x^4+5)^{(1/2)}*x-1/375*5^{(1/2)}/(I*5^{(1/2)})^{(1/2)}*(-5*I*5^{(1/2)}*x^2+25)^{(1/2)}*(5*I*5^{(1/2)}*x^2+25)^{(1/2)}/(x^4+5)^{(1/2)}*\operatorname{EllipticF}(1/5*5^{(1/2)}*(I*5^{(1/2)})^{(1/2)}*x,I)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5)^{\frac{3}{2}} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/((x^4 + 5)^(3/2)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{x^4 (x^4 + 5)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^4*(x^4 + 5)^(3/2)), x)`

[Out] `int((3*x^2 + 2)/(x^4*(x^4 + 5)^(3/2)), x)`

sympy [C] time = 8.15, size = 80, normalized size = 0.37

$$\frac{3\sqrt{5}\Gamma\left(-\frac{1}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{1}{4}, \frac{3}{2} \\ \frac{3}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{100x\Gamma\left(\frac{3}{4}\right)} + \frac{\sqrt{5}\Gamma\left(-\frac{3}{4}\right) {}_2F_1\left(\begin{matrix} -\frac{3}{4}, \frac{3}{2} \\ \frac{1}{4} \end{matrix} \middle| \frac{x^4 e^{i\pi}}{5}\right)}{50x^3\Gamma\left(\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**4/(x**4+5)**(3/2), x)`

[Out] `3*sqrt(5)*gamma(-1/4)*hyper((-1/4, 3/2), (3/4,), x**4*exp_polar(I*pi)/5)/(100*x*gamma(3/4)) + sqrt(5)*gamma(-3/4)*hyper((-3/4, 3/2), (1/4,), x**4*exp_polar(I*pi)/5)/(50*x**3*gamma(1/4))`

$$3.55 \quad \int (fx)^m (d + ex^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=269

$$\frac{(d + 10e)(fx)^{m+21}}{f^{21}(m + 21)} + \frac{5(2d + 9e)(fx)^{m+19}}{f^{19}(m + 19)} + \frac{15(3d + 8e)(fx)^{m+17}}{f^{17}(m + 17)} + \frac{30(4d + 7e)(fx)^{m+15}}{f^{15}(m + 15)} + \frac{42(5d + 6e)(fx)^{m+13}}{f^{13}(m + 13)} + \frac{42(6d + 5e)(fx)^{m+11}}{f^{11}(m + 11)} + \frac{30(7d + 4e)(fx)^{m+9}}{f^9(m + 9)} + \frac{15(8d + 3e)(fx)^{m+7}}{f^7(m + 7)} + \frac{5(9d + 2e)(fx)^{m+5}}{f^5(m + 5)} + \frac{10d + e}{f^3(m + 3)}$$

[Out] d*(f*x)^(1+m)/f/(1+m)+(10*d+e)*(f*x)^(3+m)/f^3/(3+m)+5*(9*d+2*e)*(f*x)^(5+m)/f^5/(5+m)+15*(8*d+3*e)*(f*x)^(7+m)/f^7/(7+m)+30*(7*d+4*e)*(f*x)^(9+m)/f^9/(9+m)+42*(6*d+5*e)*(f*x)^(11+m)/f^11/(11+m)+42*(5*d+6*e)*(f*x)^(13+m)/f^13/(13+m)+30*(4*d+7*e)*(f*x)^(15+m)/f^15/(15+m)+15*(3*d+8*e)*(f*x)^(17+m)/f^17/(17+m)+5*(2*d+9*e)*(f*x)^(19+m)/f^19/(19+m)+(d+10*e)*(f*x)^(21+m)/f^21/(21+m)+e*(f*x)^(23+m)/f^23/(23+m)

Rubi [A] time = 0.16, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {28, 448}

$$\frac{(10d + e)(fx)^{m+3}}{f^3(m + 3)} + \frac{5(9d + 2e)(fx)^{m+5}}{f^5(m + 5)} + \frac{15(8d + 3e)(fx)^{m+7}}{f^7(m + 7)} + \frac{30(7d + 4e)(fx)^{m+9}}{f^9(m + 9)} + \frac{42(6d + 5e)(fx)^{m+11}}{f^{11}(m + 11)} + \frac{42(5d + 4e)(fx)^{m+9}}{f^9(m + 9)} + \frac{15(8d + 3e)(fx)^{m+7}}{f^7(m + 7)} + \frac{5(9d + 2e)(fx)^{m+5}}{f^5(m + 5)} + \frac{10d + e}{f^3(m + 3)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*(f*x)^(1 + m))/(f*(1 + m)) + ((10*d + e)*(f*x)^(3 + m))/(f^3*(3 + m)) + (5*(9*d + 2*e)*(f*x)^(5 + m))/(f^5*(5 + m)) + (15*(8*d + 3*e)*(f*x)^(7 + m))/(f^7*(7 + m)) + (30*(7*d + 4*e)*(f*x)^(9 + m))/(f^9*(9 + m)) + (42*(6*d + 5*e)*(f*x)^(11 + m))/(f^11*(11 + m)) + (42*(5*d + 6*e)*(f*x)^(13 + m))/(f^13*(13 + m)) + (30*(4*d + 7*e)*(f*x)^(15 + m))/(f^15*(15 + m)) + (15*(3*d + 8*e)*(f*x)^(17 + m))/(f^17*(17 + m)) + (5*(2*d + 9*e)*(f*x)^(19 + m))/(f^19*(19 + m)) + ((d + 10*e)*(f*x)^(21 + m))/(f^21*(21 + m)) + (e*(f*x)^(23 + m))/(f^23*(23 + m))

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 448

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGt

Q[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (1 + 2x^2 + x^4)^5 dx &= \int (fx)^m (1 + x^2)^{10} (d + ex^2) dx \\ &= \int \left(d(fx)^m + \frac{(10d + e)(fx)^{2+m}}{f^2} + \frac{5(9d + 2e)(fx)^{4+m}}{f^4} + \frac{15(8d + 3e)(fx)^6}{f^6} \right. \\ &\quad \left. + \frac{d(fx)^{1+m}}{f(1+m)} + \frac{(10d + e)(fx)^{3+m}}{f^3(3+m)} + \frac{5(9d + 2e)(fx)^{5+m}}{f^5(5+m)} + \frac{15(8d + 3e)(fx)^7}{f^7(7+m)} \right) dx \end{aligned}$$

Mathematica [A] time = 0.56, size = 189, normalized size = 0.70

$$x(fx)^m \left(\frac{x^{20}(d + 10e)}{m + 21} + \frac{5x^{18}(2d + 9e)}{m + 19} + \frac{15x^{16}(3d + 8e)}{m + 17} + \frac{30x^{14}(4d + 7e)}{m + 15} + \frac{42x^{12}(5d + 6e)}{m + 13} + \frac{42x^{10}(6d + 5e)}{m + 11} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x*(f*x)^m*(d/(1 + m) + ((10*d + e)*x^2)/(3 + m) + (5*(9*d + 2*e)*x^4)/(5 + m) + (15*(8*d + 3*e)*x^6)/(7 + m) + (30*(7*d + 4*e)*x^8)/(9 + m) + (42*(6*d + 5*e)*x^10)/(11 + m) + (42*(5*d + 6*e)*x^12)/(13 + m) + (30*(4*d + 7*e)*x^14)/(15 + m) + (15*(3*d + 8*e)*x^16)/(17 + m) + (5*(2*d + 9*e)*x^18)/(19 + m) + ((d + 10*e)*x^20)/(21 + m) + (e*x^22)/(23 + m))

fricas [B] time = 0.73, size = 1571, normalized size = 5.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] ((e*m^11 + 121*e*m^10 + 6435*e*m^9 + 197835*e*m^8 + 3889578*e*m^7 + 51069018*e*m^6 + 453714470*e*m^5 + 2702025590*e*m^4 + 10431670821*e*m^3 + 24372200061*e*m^2 + 29985521895*e*m + 13749310575*e)*x^23 + ((d + 10*e)*m^11 + 123*(d + 10*e)*m^10 + 6635*(d + 10*e)*m^9 + 206505*(d + 10*e)*m^8 + 4103178*(d + 10*e)*m^7 + 54362574*(d + 10*e)*m^6 + 486687830*(d + 10*e)*m^5 + 2917013970*(d + 10*e)*m^4 + 11320966021*(d + 10*e)*m^3 + 26560342503*(d + 10*e)*m^2 + 32778930735*(d + 10*e)*m + 15058768725*d + 150587687250*e)*x^21 + 5*((2*d + 9*e)*m^11 + 125*(2*d + 9*e)*m^10 + 6843*(2*d + 9*e)*m^9 + 215823*(2*d +

$$\begin{aligned}
& 9*e)*m^8 + 4339146*(2*d + 9*e)*m^7 + 58085538*(2*d + 9*e)*m^6 + 524676662* \\
& (2*d + 9*e)*m^5 + 3168601822*(2*d + 9*e)*m^4 + 12374824773*(2*d + 9*e)*m^3 \\
& + 29178958257*(2*d + 9*e)*m^2 + 36145916415*(2*d + 9*e)*m + 33287804550*d + \\
& 149795120475*e)*x^19 + 15*((3*d + 8*e)*m^11 + 127*(3*d + 8*e)*m^10 + 7059* \\
& (3*d + 8*e)*m^9 + 225837*(3*d + 8*e)*m^8 + 4600554*(3*d + 8*e)*m^7 + 623198 \\
& 94*(3*d + 8*e)*m^6 + 568863686*(3*d + 8*e)*m^5 + 3466775738*(3*d + 8*e)*m^4 \\
& + 13643071845*(3*d + 8*e)*m^3 + 32368407579*(3*d + 8*e)*m^2 + 40283194455* \\
& (3*d + 8*e)*m + 55806025275*d + 148816067400*e)*x^17 + 30*((4*d + 7*e)*m^11 \\
& + 129*(4*d + 7*e)*m^10 + 7283*(4*d + 7*e)*m^9 + 236595*(4*d + 7*e)*m^8 + 4 \\
& 890858*(4*d + 7*e)*m^7 + 67166442*(4*d + 7*e)*m^6 + 620805254*(4*d + 7*e)*m \\
& ^5 + 3825379590*(4*d + 7*e)*m^4 + 15197565541*(4*d + 7*e)*m^3 + 36337145829 \\
& *(4*d + 7*e)*m^2 + 45488935863*(4*d + 7*e)*m + 84329104860*d + 147575933505 \\
& *e)*x^15 + 42*((5*d + 6*e)*m^11 + 131*(5*d + 6*e)*m^10 + 7515*(5*d + 6*e)*m \\
& ^9 + 248145*(5*d + 6*e)*m^8 + 5213898*(5*d + 6*e)*m^7 + 72748638*(5*d + 6*e \\
&)*m^6 + 682569590*(5*d + 6*e)*m^5 + 4264053730*(5*d + 6*e)*m^4 + 1714556090 \\
& 1*(5*d + 6*e)*m^3 + 41408337231*(5*d + 6*e)*m^2 + 52237739295*(5*d + 6*e)*m \\
& + 121628516625*d + 145954219950*e)*x^13 + 42*((6*d + 5*e)*m^11 + 133*(6*d \\
& + 5*e)*m^10 + 7755*(6*d + 5*e)*m^9 + 260535*(6*d + 5*e)*m^8 + 5573898*(6*d \\
& + 5*e)*m^7 + 79216434*(6*d + 5*e)*m^6 + 756921110*(6*d + 5*e)*m^5 + 4811326 \\
& 190*(6*d + 5*e)*m^4 + 19653671301*(6*d + 5*e)*m^3 + 48110244633*(6*d + 5*e) \\
& *m^2 + 61333432335*(6*d + 5*e)*m + 172491350850*d + 143742792375*e)*x^11 + \\
& 30*((7*d + 4*e)*m^11 + 135*(7*d + 4*e)*m^10 + 8003*(7*d + 4*e)*m^9 + 273813 \\
& *(7*d + 4*e)*m^8 + 5975466*(7*d + 4*e)*m^7 + 86750118*(7*d + 4*e)*m^6 + 847 \\
& 550822*(7*d + 4*e)*m^5 + 5509501002*(7*d + 4*e)*m^4 + 22992750373*(7*d + 4* \\
& e)*m^3 + 57365875587*(7*d + 4*e)*m^2 + 74253243015*(7*d + 4*e)*m + 24595988 \\
& 9175*d + 140548508100*e)*x^9 + 15*((8*d + 3*e)*m^11 + 137*(8*d + 3*e)*m^10 \\
& + 8259*(8*d + 3*e)*m^9 + 288027*(8*d + 3*e)*m^8 + 6423594*(8*d + 3*e)*m^7 + \\
& 95564154*(8*d + 3*e)*m^6 + 959352806*(8*d + 3*e)*m^5 + 6421988758*(8*d + 3 \\
& *e)*m^4 + 27624338085*(8*d + 3*e)*m^3 + 70930262349*(8*d + 3*e)*m^2 + 94034 \\
& 286855*(8*d + 3*e)*m + 361410449400*d + 135528918525*e)*x^7 + 5*((9*d + 2*e \\
&)*m^11 + 139*(9*d + 2*e)*m^10 + 8523*(9*d + 2*e)*m^9 + 303225*(9*d + 2*e)*m \\
& ^8 + 6923658*(9*d + 2*e)*m^7 + 105911022*(9*d + 2*e)*m^6 + 1098746774*(9*d \\
& + 2*e)*m^5 + 7643724530*(9*d + 2*e)*m^4 + 34359636741*(9*d + 2*e)*m^3 + 925 \\
& 02445239*(9*d + 2*e)*m^2 + 128033897103*(9*d + 2*e)*m + 569221457805*d + 12 \\
& 6493657290*e)*x^5 + ((10*d + e)*m^11 + 141*(10*d + e)*m^10 + 8795*(10*d + e \\
&)*m^9 + 319455*(10*d + e)*m^8 + 7481418*(10*d + e)*m^7 + 118085058*(10*d + \\
& e)*m^6 + 1274046710*(10*d + e)*m^5 + 9315318270*(10*d + e)*m^4 + 4463230458 \\
& 1*(10*d + e)*m^3 + 130403715201*(10*d + e)*m^2 + 199334977695*(10*d + e)*m \\
& + 1054113810750*d + 105411381075*e)*x^3 + (d*m^11 + 143*d*m^10 + 9075*d*m^9 \\
& + 336765*d*m^8 + 8103018*d*m^7 + 132426294*d*m^6 + 1495875590*d*m^5 + 1164 \\
& 1582810*d*m^4 + 60936676581*d*m^3 + 203363952363*d*m^2 + 387182170935*d*m + \\
& 316234143225*d)*x)*(f*x)^m/(m^12 + 144*m^11 + 9218*m^10 + 345840*m^9 + 843 \\
& 9783*m^8 + 140529312*m^7 + 1628301884*m^6 + 13137458400*m^5 + 72578259391*m \\
& ^4 + 264300628944*m^3 + 590546123298*m^2 + 703416314160*m + 316234143225)
\end{aligned}$$

giac [B] time = 0.46, size = 3752, normalized size = 13.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] ((f*x)^m*m^11*x^23*e + 121*(f*x)^m*m^10*x^23*e + (f*x)^m*d*m^11*x^21 + 10*(f*x)^m*m^11*x^21*e + 6435*(f*x)^m*m^9*x^23*e + 123*(f*x)^m*d*m^10*x^21 + 1230*(f*x)^m*m^10*x^21*e + 197835*(f*x)^m*m^8*x^23*e + 10*(f*x)^m*d*m^11*x^19 + 6635*(f*x)^m*d*m^9*x^21 + 45*(f*x)^m*m^11*x^19*e + 66350*(f*x)^m*m^9*x^21*e + 3889578*(f*x)^m*m^7*x^23*e + 1250*(f*x)^m*d*m^10*x^19 + 206505*(f*x)^m*d*m^8*x^21 + 5625*(f*x)^m*m^10*x^19*e + 2065050*(f*x)^m*m^8*x^21*e + 51069018*(f*x)^m*m^6*x^23*e + 45*(f*x)^m*d*m^11*x^17 + 68430*(f*x)^m*d*m^9*x^19 + 4103178*(f*x)^m*d*m^7*x^21 + 120*(f*x)^m*m^11*x^17*e + 307935*(f*x)^m*m^9*x^19*e + 41031780*(f*x)^m*m^7*x^21*e + 453714470*(f*x)^m*m^5*x^23*e + 5715*(f*x)^m*d*m^10*x^17 + 2158230*(f*x)^m*d*m^8*x^19 + 54362574*(f*x)^m*d*m^6*x^21 + 15240*(f*x)^m*m^10*x^17*e + 9712035*(f*x)^m*m^8*x^19*e + 543625740*(f*x)^m*m^6*x^21*e + 2702025590*(f*x)^m*m^4*x^23*e + 120*(f*x)^m*d*m^11*x^15 + 317655*(f*x)^m*d*m^9*x^17 + 43391460*(f*x)^m*d*m^7*x^19 + 486687830*(f*x)^m*d*m^5*x^21 + 210*(f*x)^m*m^11*x^15*e + 847080*(f*x)^m*m^9*x^17*e + 195261570*(f*x)^m*m^7*x^19*e + 4866878300*(f*x)^m*m^5*x^21*e + 10431670821*(f*x)^m*m^3*x^23*e + 15480*(f*x)^m*d*m^10*x^15 + 10162665*(f*x)^m*d*m^8*x^17 + 580855380*(f*x)^m*d*m^6*x^19 + 2917013970*(f*x)^m*d*m^4*x^21 + 27090*(f*x)^m*m^10*x^15*e + 27100440*(f*x)^m*m^8*x^17*e + 2613849210*(f*x)^m*m^6*x^19*e + 29170139700*(f*x)^m*m^4*x^21*e + 24372200061*(f*x)^m*m^2*x^23*e + 210*(f*x)^m*d*m^11*x^13 + 873960*(f*x)^m*d*m^9*x^15 + 207024930*(f*x)^m*d*m^7*x^17 + 5246766620*(f*x)^m*d*m^5*x^19 + 11320966021*(f*x)^m*d*m^3*x^21 + 252*(f*x)^m*m^11*x^13*e + 1529430*(f*x)^m*m^9*x^15*e + 552066480*(f*x)^m*m^7*x^17*e + 23610449790*(f*x)^m*m^5*x^19*e + 113209660210*(f*x)^m*m^3*x^21*e + 29985521895*(f*x)^m*m*x^23*e + 27510*(f*x)^m*d*m^10*x^13 + 28391400*(f*x)^m*d*m^8*x^15 + 2804395230*(f*x)^m*d*m^6*x^17 + 31686018220*(f*x)^m*d*m^4*x^19 + 26560342503*(f*x)^m*d*m^2*x^21 + 33012*(f*x)^m*m^10*x^13*e + 49684950*(f*x)^m*m^8*x^15*e + 7478387280*(f*x)^m*m^6*x^17*e + 142587081990*(f*x)^m*m^4*x^19*e + 265603425030*(f*x)^m*m^2*x^21*e + 13749310575*(f*x)^m*x^23*e + 252*(f*x)^m*d*m^11*x^11 + 1578150*(f*x)^m*d*m^9*x^13 + 586902960*(f*x)^m*d*m^7*x^15 + 25598865870*(f*x)^m*d*m^5*x^17 + 123748247730*(f*x)^m*d*m^3*x^19 + 32778930735*(f*x)^m*d*m*x^21 + 210*(f*x)^m*m^11*x^11*e + 1893780*(f*x)^m*m^9*x^13*e + 1027080180*(f*x)^m*m^7*x^15*e + 68263642320*(f*x)^m*m^5*x^17*e + 556867114785*(f*x)^m*m^3*x^19*e + 327789307350*(f*x)^m*m*x^21*e + 33516*(f*x)^m*d*m^10*x^11 + 52110450*(f*x)^m*d*m^8*x^13 + 8059973040*(f*x)^m*d*m^6*x^15 + 156004908210*(f*x)^m*d*m^4*x^17 + 291789582570*(f*x)^m*d*m^2*x^19 + 15058768725*(f*x)^m*d*x^21 + 27930*(f*x)^m*m^10*x^11*e + 62532540*(f*x)^m*m^8*x^13*e + 14104952820*(f*x)^m*m^6*x^15*e + 416013088560*(f*x)^m*m^4*x^17*

$e + 1313053121565*(f*x)^m*m^2*x^{19}e + 150587687250*(f*x)^m*x^{21}e + 210*(f*x)^m*d*m^{11}*x^9 + 1954260*(f*x)^m*d*m^9*x^{11} + 1094918580*(f*x)^m*d*m^7*x^{13} + 74496630480*(f*x)^m*d*m^5*x^{15} + 613938233025*(f*x)^m*d*m^3*x^{17} + 361459164150*(f*x)^m*d*m*x^{19} + 120*(f*x)^m*m^{11}*x^9e + 1628550*(f*x)^m*m^9*x^{11}e + 1313902296*(f*x)^m*m^7*x^{13}e + 130369103340*(f*x)^m*m^5*x^{15}e + 1637168621400*(f*x)^m*m^3*x^{17}e + 1626566238675*(f*x)^m*m*x^{19}e + 28350*(f*x)^m*d*m^{10}*x^9 + 65654820*(f*x)^m*d*m^8*x^{11} + 15277213980*(f*x)^m*d*m^6*x^{13} + 459045550800*(f*x)^m*d*m^4*x^{15} + 1456578341055*(f*x)^m*d*m^2*x^{17} + 166439022750*(f*x)^m*d*x^{19} + 16200*(f*x)^m*m^{10}*x^9e + 54712350*(f*x)^m*m^8*x^{11}e + 18332656776*(f*x)^m*m^6*x^{13}e + 803329713900*(f*x)^m*m^4*x^{15}e + 3884208909480*(f*x)^m*m^2*x^{17}e + 748975602375*(f*x)^m*x^{19}e + 120*(f*x)^m*d*m^{11}*x^7 + 1680630*(f*x)^m*d*m^9*x^9 + 1404622296*(f*x)^m*d*m^7*x^{11} + 143339613900*(f*x)^m*d*m^5*x^{13} + 1823707864920*(f*x)^m*d*m^3*x^{15} + 1812743750475*(f*x)^m*d*m*x^{17} + 45*(f*x)^m*m^{11}*x^7e + 960360*(f*x)^m*m^9*x^9e + 1170518580*(f*x)^m*m^7*x^{11}e + 172007536680*(f*x)^m*m^5*x^{13}e + 3191488763610*(f*x)^m*m^3*x^{15}e + 4833983334600*(f*x)^m*m*x^{17}e + 16440*(f*x)^m*d*m^{10}*x^7 + 57500730*(f*x)^m*d*m^8*x^9 + 19962541368*(f*x)^m*d*m^6*x^{11} + 895451283300*(f*x)^m*d*m^4*x^{13} + 4360457499480*(f*x)^m*d*m^2*x^{15} + 837090379125*(f*x)^m*d*x^{17} + 6165*(f*x)^m*m^{10}*x^7e + 32857560*(f*x)^m*m^8*x^9e + 16635451140*(f*x)^m*m^6*x^{11}e + 1074541539960*(f*x)^m*m^4*x^{13}e + 7630800624090*(f*x)^m*m^2*x^{15}e + 2232241011000*(f*x)^m*x^{17}e + 45*(f*x)^m*d*m^{11}*x^5 + 991080*(f*x)^m*d*m^9*x^7 + 1254847860*(f*x)^m*d*m^7*x^9 + 190744119720*(f*x)^m*d*m^5*x^{11} + 3600567789210*(f*x)^m*d*m^3*x^{13} + 5458672303560*(f*x)^m*d*m*x^{15} + 10*(f*x)^m*m^{11}*x^5e + 371655*(f*x)^m*m^9*x^7e + 717055920*(f*x)^m*m^7*x^9e + 158953433100*(f*x)^m*m^5*x^{11}e + 4320681347052*(f*x)^m*m^3*x^{13}e + 9552676531230*(f*x)^m*m*x^{15}e + 6255*(f*x)^m*d*m^{10}*x^5 + 34563240*(f*x)^m*d*m^8*x^7 + 18217524780*(f*x)^m*d*m^6*x^9 + 1212454199880*(f*x)^m*d*m^4*x^{11} + 8695750818510*(f*x)^m*d*m^2*x^{13} + 2529873145800*(f*x)^m*d*x^{15} + 1390*(f*x)^m*m^{10}*x^5e + 12961215*(f*x)^m*m^8*x^7e + 10410014160*(f*x)^m*m^6*x^9e + 1010378499900*(f*x)^m*m^4*x^{11}e + 10434900982212*(f*x)^m*m^2*x^{13}e + 4427278005150*(f*x)^m*x^{15}e + 10*(f*x)^m*d*m^{11}*x^3 + 383535*(f*x)^m*d*m^9*x^5 + 770831280*(f*x)^m*d*m^7*x^7 + 177985672620*(f*x)^m*d*m^5*x^9 + 4952725167852*(f*x)^m*d*m^3*x^{11} + 10969925251950*(f*x)^m*d*m*x^{13} + (f*x)^m*m^{11}*x^3e + 85230*(f*x)^m*m^9*x^5e + 289061730*(f*x)^m*m^7*x^7e + 101706098640*(f*x)^m*m^5*x^9e + 4127270973210*(f*x)^m*m^3*x^{11}e + 13163910302340*(f*x)^m*m*x^{13}e + 1410*(f*x)^m*d*m^{10}*x^3 + 13645125*(f*x)^m*d*m^8*x^5 + 11467698480*(f*x)^m*d*m^6*x^7 + 1156995210420*(f*x)^m*d*m^4*x^9 + 12123781647516*(f*x)^m*d*m^2*x^{11} + 5108397698250*(f*x)^m*d*x^{13} + 141*(f*x)^m*m^{10}*x^3e + 3032250*(f*x)^m*m^8*x^5e + 4300386930*(f*x)^m*m^6*x^7e + 661140120240*(f*x)^m*m^4*x^9e + 10103151372930*(f*x)^m*m^2*x^{11}e + 6130077237900*(f*x)^m*x^{13}e + (f*x)^m*d*m^{11}*x + 87950*(f*x)^m*d*m^9*x^3 + 311564610*(f*x)^m*d*m^7*x^5 + 115122336720*(f*x)^m*d*m^5*x^7 + 4828477578330*(f*x)^m*d*m^3*x^9 + 15456024948420*(f*x)^m*d*m*x^{11} + 8795*(f*x)^m*m^9*x^3e + 69236580*(f*x)^m*m^7*x^5e + 43170876270*(f*x)^m*m^5*x^7e + 2759130044760*(f*x)^m*m^3*x^9e + 12880020790350*(f*x)^m*m*x^{11}e$

$$\begin{aligned}
& + 143*(f*x)^m*d*m^{10}*x + 3194550*(f*x)^m*d*m^8*x^3 + 4765995990*(f*x)^m*d*m^6*x^5 + 770638650960*(f*x)^m*d*m^4*x^7 + 12046833873270*(f*x)^m*d*m^2*x^9 \\
& + 7244636735700*(f*x)^m*d*x^{11} + 319455*(f*x)^m*m^8*x^3*e + 1059110220*(f*x)^m*m^6*x^5*e + 288989494110*(f*x)^m*m^4*x^7*e + 6883905070440*(f*x)^m*m^2*x^9*e \\
& + 6037197279750*(f*x)^m*x^{11}*e + 9075*(f*x)^m*d*m^9*x + 74814180*(f*x)^m*d*m^7*x^3 + 49443604830*(f*x)^m*d*m^5*x^5 + 3314920570200*(f*x)^m*d*m^3*x^7 \\
& + 15593181033150*(f*x)^m*d*m*x^9 + 7481418*(f*x)^m*m^7*x^3*e + 10987467740*(f*x)^m*m^5*x^5*e + 1243095213825*(f*x)^m*m^3*x^7*e + 8910389161800*(f*x)^m*m*x^9*e \\
& + 336765*(f*x)^m*d*m^8*x + 1180850580*(f*x)^m*d*m^6*x^3 + 343967603850*(f*x)^m*d*m^4*x^5 + 8511631481880*(f*x)^m*d*m^2*x^7 + 7378796675250*(f*x)^m*d*x^9 \\
& + 118085058*(f*x)^m*m^6*x^3*e + 76437245300*(f*x)^m*m^4*x^5*e + 3191861805705*(f*x)^m*m^2*x^7*e + 4216455243000*(f*x)^m*x^9*e + 8103018*(f*x)^m*d*m^7*x \\
& + 12740467100*(f*x)^m*d*m^5*x^3 + 1546183653345*(f*x)^m*d*m^3*x^5 + 11284114422600*(f*x)^m*d*m*x^7 + 1274046710*(f*x)^m*m^5*x^3*e + 343596367410*(f*x)^m*m^3*x^5*e \\
& + 4231542908475*(f*x)^m*m*x^7*e + 132426294*(f*x)^m*d*m^6*x + 93153182700*(f*x)^m*d*m^4*x^3 + 4162610035755*(f*x)^m*d*m^2*x^5 \\
& + 5421156741000*(f*x)^m*d*x^7 + 9315318270*(f*x)^m*m^4*x^3*e + 925024452390*(f*x)^m*m^2*x^5*e + 2032933777875*(f*x)^m*x^7*e + 1495875590*(f*x)^m*d*m^5*x \\
& + 446323045810*(f*x)^m*d*m^3*x^3 + 5761525369635*(f*x)^m*d*m*x^5 + 44632304581*(f*x)^m*m^3*x^3*e + 1280338971030*(f*x)^m*m*x^5*e + 11641582810*(f*x)^m*d*m^4*x \\
& + 1304037152010*(f*x)^m*d*m^2*x^3 + 2846107289025*(f*x)^m*d*x^5 + 130403715201*(f*x)^m*m^2*x^3*e + 632468286450*(f*x)^m*x^5*e + 60936676581*(f*x)^m*d*m^3*x \\
& + 1993349776950*(f*x)^m*d*m*x^3 + 199334977695*(f*x)^m*m*x^3*e + 203363952363*(f*x)^m*d*m^2*x + 1054113810750*(f*x)^m*d*x^3 + 105411381075*(f*x)^m*x^3*e \\
& + 387182170935*(f*x)^m*d*m*x + 316234143225*(f*x)^m*d*x)/(m^{12} + 144*m^{11} + 9218*m^{10} + 345840*m^9 + 8439783*m^8 + 140529312*m^7 + 1628301884*m^6 + 13137458400*m^5 + 72578259391*m^4 + 264300628944*m^3 + 590546123298*m^2 + 703416314160*m + 316234143225)
\end{aligned}$$

maple [B] time = 0.03, size = 2295, normalized size = 8.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x)^m*(e*x^2+d)*(x^4+2*x^2+1)^5, x)$

[Out] $(f*x)^m*(e*m^{11}*x^{22}+121*e*m^{10}*x^{22}+d*m^{11}*x^{20}+10*e*m^{11}*x^{20}+6435*e*m^9*x^{22}+123*d*m^{10}*x^{20}+1230*e*m^{10}*x^{20}+197835*e*m^8*x^{22}+10*d*m^{11}*x^{18}+6635*d*m^9*x^{20}+45*e*m^{11}*x^{18}+66350*e*m^9*x^{20}+3889578*e*m^7*x^{22}+1250*d*m^{10}*x^{18}+206505*d*m^8*x^{20}+5625*e*m^{10}*x^{18}+2065050*e*m^8*x^{20}+51069018*e*m^6*x^{22}+45*d*m^{11}*x^{16}+68430*d*m^9*x^{18}+4103178*d*m^7*x^{20}+120*e*m^{11}*x^{16}+307935*e*m^9*x^{18}+41031780*e*m^7*x^{20}+453714470*e*m^5*x^{22}+5715*d*m^{10}*x^{16}+2158230*d*m^8*x^{18}+54362574*d*m^6*x^{20}+15240*e*m^{10}*x^{16}+9712035*e*m^8*x^{18}+543625740*e*m^6*x^{20}+2702025590*e*m^4*x^{22}+120*d*m^{11}*x^{14}+317655*d*m^9*x^{16}+43391460*d*m^7*x^{18}+486687830*d*m^5*x^{20}+210*e*m^{11}*x^{14}+847080*e*m^9*x^{16}+$

195261570*e*m^7*x^18+4866878300*e*m^5*x^20+10431670821*e*m^3*x^22+15480*d*m
 ^10*x^14+10162665*d*m^8*x^16+580855380*d*m^6*x^18+2917013970*d*m^4*x^20+270
 90*e*m^10*x^14+27100440*e*m^8*x^16+2613849210*e*m^6*x^18+29170139700*e*m^4*
 x^20+24372200061*e*m^2*x^22+210*d*m^11*x^12+873960*d*m^9*x^14+207024930*d*m
 ^7*x^16+5246766620*d*m^5*x^18+11320966021*d*m^3*x^20+252*e*m^11*x^12+152943
 0*e*m^9*x^14+552066480*e*m^7*x^16+23610449790*e*m^5*x^18+113209660210*e*m^3
 *x^20+29985521895*e*m*x^22+27510*d*m^10*x^12+28391400*d*m^8*x^14+2804395230
 *d*m^6*x^16+31686018220*d*m^4*x^18+26560342503*d*m^2*x^20+33012*e*m^10*x^12
 +49684950*e*m^8*x^14+7478387280*e*m^6*x^16+142587081990*e*m^4*x^18+26560342
 5030*e*m^2*x^20+13749310575*e*x^22+252*d*m^11*x^10+1578150*d*m^9*x^12+58690
 2960*d*m^7*x^14+25598865870*d*m^5*x^16+123748247730*d*m^3*x^18+32778930735*
 d*m*x^20+210*e*m^11*x^10+1893780*e*m^9*x^12+1027080180*e*m^7*x^14+682636423
 20*e*m^5*x^16+556867114785*e*m^3*x^18+327789307350*e*m*x^20+33516*d*m^10*x^
 10+52110450*d*m^8*x^12+8059973040*d*m^6*x^14+156004908210*d*m^4*x^16+291789
 582570*d*m^2*x^18+15058768725*d*x^20+27930*e*m^10*x^10+62532540*e*m^8*x^12+
 14104952820*e*m^6*x^14+416013088560*e*m^4*x^16+1313053121565*e*m^2*x^18+150
 587687250*e*x^20+210*d*m^11*x^8+1954260*d*m^9*x^10+1094918580*d*m^7*x^12+74
 496630480*d*m^5*x^14+613938233025*d*m^3*x^16+361459164150*d*m*x^18+120*e*m^
 11*x^8+1628550*e*m^9*x^10+1313902296*e*m^7*x^12+130369103340*e*m^5*x^14+163
 7168621400*e*m^3*x^16+1626566238675*e*m*x^18+28350*d*m^10*x^8+65654820*d*m^
 8*x^10+15277213980*d*m^6*x^12+459045550800*d*m^4*x^14+1456578341055*d*m^2*x
 ^16+166439022750*d*x^18+16200*e*m^10*x^8+54712350*e*m^8*x^10+18332656776*e*
 m^6*x^12+803329713900*e*m^4*x^14+3884208909480*e*m^2*x^16+748975602375*e*x^
 18+120*d*m^11*x^6+1680630*d*m^9*x^8+1404622296*d*m^7*x^10+143339613900*d*m^
 5*x^12+1823707864920*d*m^3*x^14+1812743750475*d*m*x^16+45*e*m^11*x^6+960360
 *e*m^9*x^8+1170518580*e*m^7*x^10+172007536680*e*m^5*x^12+3191488763610*e*m^
 3*x^14+4833983334600*e*m*x^16+16440*d*m^10*x^6+57500730*d*m^8*x^8+199625413
 68*d*m^6*x^10+895451283300*d*m^4*x^12+4360457499480*d*m^2*x^14+837090379125
 *d*x^16+6165*e*m^10*x^6+32857560*e*m^8*x^8+16635451140*e*m^6*x^10+107454153
 9960*e*m^4*x^12+7630800624090*e*m^2*x^14+2232241011000*e*x^16+45*d*m^11*x^4
 +991080*d*m^9*x^6+1254847860*d*m^7*x^8+190744119720*d*m^5*x^10+360056778921
 0*d*m^3*x^12+5458672303560*d*m*x^14+10*e*m^11*x^4+371655*e*m^9*x^6+71705592
 0*e*m^7*x^8+158953433100*e*m^5*x^10+4320681347052*e*m^3*x^12+9552676531230*
 e*m*x^14+6255*d*m^10*x^4+34563240*d*m^8*x^6+18217524780*d*m^6*x^8+121245419
 9880*d*m^4*x^10+8695750818510*d*m^2*x^12+2529873145800*d*x^14+1390*e*m^10*x
 ^4+12961215*e*m^8*x^6+10410014160*e*m^6*x^8+1010378499900*e*m^4*x^10+104349
 00982212*e*m^2*x^12+4427278005150*e*x^14+10*d*m^11*x^2+383535*d*m^9*x^4+770
 831280*d*m^7*x^6+177985672620*d*m^5*x^8+4952725167852*d*m^3*x^10+1096992525
 1950*d*m*x^12+e*m^11*x^2+85230*e*m^9*x^4+289061730*e*m^7*x^6+101706098640*e
 *m^5*x^8+4127270973210*e*m^3*x^10+13163910302340*e*m*x^12+1410*d*m^10*x^2+1
 3645125*d*m^8*x^4+11467698480*d*m^6*x^6+1156995210420*d*m^4*x^8+12123781647
 516*d*m^2*x^10+5108397698250*d*x^12+141*e*m^10*x^2+3032250*e*m^8*x^4+430038
 6930*e*m^6*x^6+661140120240*e*m^4*x^8+10103151372930*e*m^2*x^10+61300772379
 00*e*x^12+d*m^11+87950*d*m^9*x^2+311564610*d*m^7*x^4+115122336720*d*m^5*x^6
 +4828477578330*d*m^3*x^8+15456024948420*d*m*x^10+8795*e*m^9*x^2+69236580*e*

$m^7x^4+43170876270e^m^5x^6+2759130044760e^m^3x^8+12880020790350e^m^10+143d^m^10+3194550d^m^8x^2+4765995990d^m^6x^4+770638650960d^m^4x^6+12046833873270d^m^2x^8+7244636735700d^m^10+319455e^m^8x^2+1059110220e^m^6x^4+288989494110e^m^4x^6+6883905070440e^m^2x^8+6037197279750e^m^10+9075d^m^9+74814180d^m^7x^2+49443604830d^m^5x^4+3314920570200d^m^3x^6+15593181033150d^m^1x^8+7481418e^m^7x^2+10987467740e^m^5x^4+1243095213825e^m^3x^6+8910389161800e^m^1x^8+336765d^m^8+1180850580d^m^6x^2+343967603850d^m^4x^4+8511631481880d^m^2x^6+7378796675250d^m^10+118085058e^m^6x^2+76437245300e^m^4x^4+3191861805705e^m^2x^6+4216455243000e^m^10+8103018d^m^7+12740467100d^m^5x^2+1546183653345d^m^3x^4+11284114422600d^m^1x^6+1274046710e^m^5x^2+343596367410e^m^3x^4+4231542908475e^m^1x^6+132426294d^m^6+93153182700d^m^4x^2+4162610035755d^m^2x^4+5421156741000d^m^10+9315318270e^m^8x^2+925024452390e^m^6x^4+2032933777875e^m^10+1495875590d^m^5+446323045810d^m^3x^2+5761525369635d^m^1x^4+44632304581e^m^3x^2+1280338971030e^m^1x^4+11641582810d^m^4+1304037152010d^m^2x^2+2846107289025d^m^10+130403715201e^m^8x^2+632468286450e^m^6x^4+60936676581d^m^3+1993349776950d^m^1x^2+199334977695e^m^1x^2+203363952363d^m^2+1054113810750d^m^10+105411381075e^m^8x^2+387182170935d^m^6+316234143225d^m^4)x/(1+m)/(3+m)/(5+m)/(7+m)/(9+m)/(11+m)/(13+m)/(15+m)/(17+m)/(19+m)/(21+m)/(23+m)$

maxima [A] time = 0.89, size = 372, normalized size = 1.38

$$\frac{ef^m x^{23} x^m}{m+23} + \frac{df^m x^{21} x^m}{m+21} + \frac{10ef^m x^{21} x^m}{m+21} + \frac{10df^m x^{19} x^m}{m+19} + \frac{45ef^m x^{19} x^m}{m+19} + \frac{45df^m x^{17} x^m}{m+17} + \frac{120ef^m x^{17} x^m}{m+17} + \frac{120df^m x^{15} x^m}{m+15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] $e*f^m*x^{23}*x^m/(m+23) + d*f^m*x^{21}*x^m/(m+21) + 10*e*f^m*x^{21}*x^m/(m+21) + 10*d*f^m*x^{19}*x^m/(m+19) + 45*e*f^m*x^{19}*x^m/(m+19) + 45*d*f^m*x^{17}*x^m/(m+17) + 120*e*f^m*x^{17}*x^m/(m+17) + 120*d*f^m*x^{15}*x^m/(m+15) + 210*e*f^m*x^{15}*x^m/(m+15) + 210*d*f^m*x^{13}*x^m/(m+13) + 252*e*f^m*x^{13}*x^m/(m+13) + 252*d*f^m*x^{11}*x^m/(m+11) + 210*e*f^m*x^{11}*x^m/(m+11) + 210*d*f^m*x^9*x^m/(m+9) + 120*e*f^m*x^9*x^m/(m+9) + 120*d*f^m*x^7*x^m/(m+7) + 45*e*f^m*x^7*x^m/(m+7) + 45*d*f^m*x^5*x^m/(m+5) + 10*e*f^m*x^5*x^m/(m+5) + 10*d*f^m*x^3*x^m/(m+3) + e*f^m*x^3*x^m/(m+3) + (f*x)^(m+1)*d/(f*(m+1))$

mupad [B] time = 1.78, size = 1539, normalized size = 5.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(2*x^2 + x^4 + 1)^5,x)

```
[Out] (d*x*(f*x)^m*(387182170935*m + 203363952363*m^2 + 60936676581*m^3 + 1164158
2810*m^4 + 1495875590*m^5 + 132426294*m^6 + 8103018*m^7 + 336765*m^8 + 9075
*m^9 + 143*m^10 + m^11 + 316234143225))/(703416314160*m + 590546123298*m^2
+ 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 1
40529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 316
234143225) + (e*x^23*(f*x)^m*(29985521895*m + 24372200061*m^2 + 10431670821
*m^3 + 2702025590*m^4 + 453714470*m^5 + 51069018*m^6 + 3889578*m^7 + 197835
*m^8 + 6435*m^9 + 121*m^10 + m^11 + 13749310575))/(703416314160*m + 5905461
23298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 16283018
84*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 +
m^12 + 316234143225) + (30*x^15*(f*x)^m*(4*d + 7*e)*(45488935863*m + 363371
45829*m^2 + 15197565541*m^3 + 3825379590*m^4 + 620805254*m^5 + 67166442*m^6
+ 4890858*m^7 + 236595*m^8 + 7283*m^9 + 129*m^10 + m^11 + 21082276215))/(7
03416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 131
37458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 +
9218*m^10 + 144*m^11 + m^12 + 316234143225) + (42*x^13*(f*x)^m*(5*d + 6*e)*
(52237739295*m + 41408337231*m^2 + 17145560901*m^3 + 4264053730*m^4 + 68256
9590*m^5 + 72748638*m^6 + 5213898*m^7 + 248145*m^8 + 7515*m^9 + 131*m^10 +
m^11 + 24325703325))/(703416314160*m + 590546123298*m^2 + 264300628944*m^3
+ 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439
783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 316234143225) + (30*x^
9*(f*x)^m*(7*d + 4*e)*(74253243015*m + 57365875587*m^2 + 22992750373*m^3 +
5509501002*m^4 + 847550822*m^5 + 86750118*m^6 + 5975466*m^7 + 273813*m^8 +
8003*m^9 + 135*m^10 + m^11 + 35137127025))/(703416314160*m + 590546123298*
m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6
+ 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 +
316234143225) + (x^3*(f*x)^m*(10*d + e)*(199334977695*m + 130403715201*m^2
+ 44632304581*m^3 + 9315318270*m^4 + 1274046710*m^5 + 118085058*m^6 + 74814
18*m^7 + 319455*m^8 + 8795*m^9 + 141*m^10 + m^11 + 105411381075))/(70341631
4160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 1313745840
0*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^
10 + 144*m^11 + m^12 + 316234143225) + (5*x^19*(f*x)^m*(2*d + 9*e)*(3614591
6415*m + 29178958257*m^2 + 12374824773*m^3 + 3168601822*m^4 + 524676662*m^5
+ 58085538*m^6 + 4339146*m^7 + 215823*m^8 + 6843*m^9 + 125*m^10 + m^11 + 1
6643902275))/(703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 725782
59391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8
+ 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 316234143225) + (42*x^11*(f*x)
^m*(6*d + 5*e)*(61333432335*m + 48110244633*m^2 + 19653671301*m^3 + 4811326
190*m^4 + 756921110*m^5 + 79216434*m^6 + 5573898*m^7 + 260535*m^8 + 7755*m^
9 + 133*m^10 + m^11 + 28748558475))/(703416314160*m + 590546123298*m^2 + 26
4300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 14052
9312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 3162341
43225) + (15*x^7*(f*x)^m*(8*d + 3*e)*(94034286855*m + 70930262349*m^2 + 276
24338085*m^3 + 6421988758*m^4 + 959352806*m^5 + 95564154*m^6 + 6423594*m^7
+ 288027*m^8 + 8259*m^9 + 137*m^10 + m^11 + 45176306175))/(703416314160*m +
```

$$\frac{(590546123298m^2 + 264300628944m^3 + 72578259391m^4 + 13137458400m^5 + 1628301884m^6 + 140529312m^7 + 8439783m^8 + 345840m^9 + 9218m^{10} + 144m^{11} + m^{12} + 316234143225) + (5x^5(fx)^m(9d + 2e)(128033897103m + 92502445239m^2 + 34359636741m^3 + 7643724530m^4 + 1098746774m^5 + 105911022m^6 + 6923658m^7 + 303225m^8 + 8523m^9 + 139m^{10} + m^{11} + 63246828645))}{(703416314160m + 590546123298m^2 + 264300628944m^3 + 72578259391m^4 + 13137458400m^5 + 1628301884m^6 + 140529312m^7 + 8439783m^8 + 345840m^9 + 9218m^{10} + 144m^{11} + m^{12} + 316234143225) + (15x^{17}(fx)^m(3d + 8e)(40283194455m + 32368407579m^2 + 13643071845m^3 + 3466775738m^4 + 568863686m^5 + 62319894m^6 + 4600554m^7 + 225837m^8 + 7059m^9 + 127m^{10} + m^{11} + 18602008425))}{(703416314160m + 590546123298m^2 + 264300628944m^3 + 72578259391m^4 + 13137458400m^5 + 1628301884m^6 + 140529312m^7 + 8439783m^8 + 345840m^9 + 9218m^{10} + 144m^{11} + m^{12} + 316234143225) + (x^{21}(fx)^m(d + 10e)(32778930735m + 26560342503m^2 + 11320966021m^3 + 2917013970m^4 + 486687830m^5 + 54362574m^6 + 4103178m^7 + 206505m^8 + 6635m^9 + 123m^{10} + m^{11} + 15058768725))}{(703416314160m + 590546123298m^2 + 264300628944m^3 + 72578259391m^4 + 13137458400m^5 + 1628301884m^6 + 140529312m^7 + 8439783m^8 + 345840m^9 + 9218m^{10} + 144m^{11} + m^{12} + 316234143225)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] Timed out

$$3.56 \quad \int x^5 (d + ex^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=63

$$\frac{1}{26} (x^2 + 1)^{13} (d - 3e) - \frac{1}{24} (x^2 + 1)^{12} (2d - 3e) + \frac{1}{22} (x^2 + 1)^{11} (d - e) + \frac{1}{28} e (x^2 + 1)^{14}$$

[Out] 1/22*(d-e)*(x^2+1)^11-1/24*(2*d-3*e)*(x^2+1)^12+1/26*(d-3*e)*(x^2+1)^13+1/28*e*(x^2+1)^14

Rubi [A] time = 0.20, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {28, 446, 76}

$$\frac{1}{26} (x^2 + 1)^{13} (d - 3e) - \frac{1}{24} (x^2 + 1)^{12} (2d - 3e) + \frac{1}{22} (x^2 + 1)^{11} (d - e) + \frac{1}{28} e (x^2 + 1)^{14}$$

Antiderivative was successfully verified.

[In] Int[x^5*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] ((d - e)*(1 + x^2)^11)/22 - ((2*d - 3*e)*(1 + x^2)^12)/24 + ((d - 3*e)*(1 + x^2)^13)/26 + (e*(1 + x^2)^14)/28

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 76

Int[((d_.)*(x_)^(n_.))*((a_.) + (b_.)*(x_))*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && IGtQ[p, 0] && (NeQ[n, -1] || EqQ[p, 1]) && NeQ[b*e + a*f, 0] && (!IntegerQ[n] || LtQ[9*p + 5*n, 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, d, e, f])) && (NeQ[n + p + 3, 0] || EqQ[p, 1])

Rule 446

Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned}
\int x^5 (d + ex^2) (1 + 2x^2 + x^4)^5 dx &= \int x^5 (1 + x^2)^{10} (d + ex^2) dx \\
&= \frac{1}{2} \text{Subst} \left(\int x^2 (1 + x)^{10} (d + ex) dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int ((d - e)(1 + x)^{10} + (-2d + 3e)(1 + x)^{11} + (d - 3e)(1 + x)^{12} + e(1 + x)^{13}) dx, x, x^2 \right) \\
&= \frac{1}{22} (d - e) (1 + x^2)^{11} - \frac{1}{24} (2d - 3e) (1 + x^2)^{12} + \frac{1}{26} (d - 3e) (1 + x^2)^{13} + \frac{1}{28} e (1 + x^2)^{14}
\end{aligned}$$

Mathematica [B] time = 0.02, size = 153, normalized size = 2.43

$$\frac{1}{26} x^{26} (d + 10e) + \frac{5}{24} x^{24} (2d + 9e) + \frac{15}{22} x^{22} (3d + 8e) + \frac{3}{2} x^{20} (4d + 7e) + \frac{7}{3} x^{18} (5d + 6e) + \frac{21}{8} x^{16} (6d + 5e) + \frac{15}{7} x^{14} (7d + 4e) + \frac{5}{4} x^{12} (8d + 3e)$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*x^6)/6 + ((10*d + e)*x^8)/8 + ((9*d + 2*e)*x^10)/2 + (5*(8*d + 3*e)*x^12)/4 + (15*(7*d + 4*e)*x^14)/7 + (21*(6*d + 5*e)*x^16)/8 + (7*(5*d + 6*e)*x^18)/3 + (3*(4*d + 7*e)*x^20)/2 + (15*(3*d + 8*e)*x^22)/22 + (5*(2*d + 9*e)*x^24)/24 + ((d + 10*e)*x^26)/26 + (e*x^28)/28

fricas [B] time = 0.40, size = 132, normalized size = 2.10

$$\frac{1}{28} x^{28} e + \frac{5}{13} x^{26} e + \frac{1}{26} x^{26} d + \frac{15}{8} x^{24} e + \frac{5}{12} x^{24} d + \frac{60}{11} x^{22} e + \frac{45}{22} x^{22} d + \frac{21}{2} x^{20} e + 6x^{20} d + 14x^{18} e + \frac{35}{3} x^{18} d + \frac{105}{8} x^{16} e + \frac{63}{4} x^{16} d + \frac{60}{7} x^{14} e + 15x^{14} d + \frac{15}{4} x^{12} e + 10x^{12} d + x^{10} e + \frac{9}{2} x^{10} d + \frac{1}{8} x^8 e + \frac{5}{4} x^8 d + \frac{1}{6} x^6 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/28*x^28*e + 5/13*x^26*e + 1/26*x^26*d + 15/8*x^24*e + 5/12*x^24*d + 60/11*x^22*e + 45/22*x^22*d + 21/2*x^20*e + 6*x^20*d + 14*x^18*e + 35/3*x^18*d + 105/8*x^16*e + 63/4*x^16*d + 60/7*x^14*e + 15*x^14*d + 15/4*x^12*e + 10*x^12*d + x^10*e + 9/2*x^10*d + 1/8*x^8*e + 5/4*x^8*d + 1/6*x^6*d

giac [B] time = 0.28, size = 143, normalized size = 2.27

$$\frac{1}{28} x^{28} e + \frac{1}{26} dx^{26} + \frac{5}{13} x^{26} e + \frac{5}{12} dx^{24} + \frac{15}{8} x^{24} e + \frac{45}{22} dx^{22} + \frac{60}{11} x^{22} e + 6 dx^{20} + \frac{21}{2} x^{20} e + \frac{35}{3} dx^{18} + 14 x^{18} e + \frac{63}{4} dx^{16} + \frac{105}{8} x^{16} e + \frac{63}{4} dx^{16} + \frac{60}{7} dx^{14} + 15 x^{14} e + \frac{15}{4} dx^{12} + 10 x^{12} e + \frac{15}{4} dx^{12} + 10 x^{12} e + x^{10} e + \frac{9}{2} dx^{10} + \frac{1}{8} dx^8 + \frac{5}{4} dx^8 + \frac{1}{6} dx^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] $\frac{1}{28}x^{28}e + \frac{1}{26}d*x^{26} + \frac{5}{13}x^{26}e + \frac{5}{12}d*x^{24} + \frac{15}{8}x^{24}e + \frac{45}{22}d*x^{22} + \frac{60}{11}x^{22}e + 6*d*x^{20} + \frac{21}{2}x^{20}e + \frac{35}{3}d*x^{18} + 14*x^{18}e + \frac{63}{4}d*x^{16} + \frac{105}{8}x^{16}e + 15*d*x^{14} + \frac{60}{7}x^{14}e + 10*d*x^{12} + \frac{15}{4}x^{12}e + \frac{9}{2}d*x^{10} + x^{10}e + \frac{5}{4}d*x^8 + \frac{1}{8}x^8e + \frac{1}{6}d*x^6$

maple [B] time = 0.00, size = 130, normalized size = 2.06

$$\frac{ex^{28}}{28} + \frac{(d+10e)x^{26}}{26} + \frac{(10d+45e)x^{24}}{24} + \frac{(45d+120e)x^{22}}{22} + \frac{(120d+210e)x^{20}}{20} + \frac{(210d+252e)x^{18}}{18} + \frac{(252d+210e)x^{16}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d)*(x^4+2*x^2+1)^5,x)

[Out] $\frac{1}{28}e*x^{28} + \frac{1}{26}*(d+10*e)*x^{26} + \frac{1}{24}*(10*d+45*e)*x^{24} + \frac{1}{22}*(45*d+120*e)*x^{22} + \frac{1}{20}*(120*d+210*e)*x^{20} + \frac{1}{18}*(210*d+252*e)*x^{18} + \frac{1}{16}*(252*d+210*e)*x^{16} + \frac{1}{14}*(210*d+120*e)*x^{14} + \frac{1}{12}*(120*d+45*e)*x^{12} + \frac{1}{10}*(45*d+10*e)*x^{10} + \frac{1}{8}*(10*d+e)*x^8 + \frac{1}{6}d*x^6$

maxima [B] time = 0.59, size = 129, normalized size = 2.05

$$\frac{1}{28}ex^{28} + \frac{1}{26}(d+10e)x^{26} + \frac{5}{24}(2d+9e)x^{24} + \frac{15}{22}(3d+8e)x^{22} + \frac{3}{2}(4d+7e)x^{20} + \frac{7}{3}(5d+6e)x^{18} + \frac{21}{8}(6d+5e)x^{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] $\frac{1}{28}e*x^{28} + \frac{1}{26}*(d+10*e)*x^{26} + \frac{5}{24}*(2*d+9*e)*x^{24} + \frac{15}{22}*(3*d+8*e)*x^{22} + \frac{3}{2}*(4*d+7*e)*x^{20} + \frac{7}{3}*(5*d+6*e)*x^{18} + \frac{21}{8}*(6*d+5*e)*x^{16} + \frac{15}{7}*(7*d+4*e)*x^{14} + \frac{5}{4}*(8*d+3*e)*x^{12} + \frac{1}{2}*(9*d+2*e)*x^{10} + \frac{1}{8}*(10*d+e)*x^8 + \frac{1}{6}d*x^6$

mupad [B] time = 0.09, size = 121, normalized size = 1.92

$$\frac{ex^{28}}{28} + \left(\frac{d}{26} + \frac{5e}{13}\right)x^{26} + \left(\frac{5d}{12} + \frac{15e}{8}\right)x^{24} + \left(\frac{45d}{22} + \frac{60e}{11}\right)x^{22} + \left(6d + \frac{21e}{2}\right)x^{20} + \left(\frac{35d}{3} + 14e\right)x^{18} + \left(\frac{63d}{4} + \frac{105e}{8}\right)x^{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(d + e*x^2)*(2*x^2 + x^4 + 1)^5,x)

[Out] $x^8*((5*d)/4 + e/8) + x^{12}*(10*d + (15*e)/4) + x^{20}*(6*d + (21*e)/2) + x^{24}*((5*d)/12 + (15*e)/8) + x^{18}*((35*d)/3 + 14*e) + x^{26}*(d/26 + (5*e)/13) + x^{14}*(15*d + (60*e)/7) + x^{22}*((45*d)/22 + (60*e)/11) + x^{16}*((63*d)/4 + (105*e)/8) + (d*x^6)/6 + (e*x^28)/28 + x^{10}*((9*d)/2 + e)$

sympy [B] time = 0.10, size = 134, normalized size = 2.13

$$\frac{dx^6}{6} + \frac{ex^{28}}{28} + x^{26} \left(\frac{d}{26} + \frac{5e}{13} \right) + x^{24} \left(\frac{5d}{12} + \frac{15e}{8} \right) + x^{22} \left(\frac{45d}{22} + \frac{60e}{11} \right) + x^{20} \left(6d + \frac{21e}{2} \right) + x^{18} \left(\frac{35d}{3} + 14e \right) + x^{16} \left(\frac{63d}{4} + 105e \right) + x^{14} \left(15d + \frac{60e}{7} \right) + x^{12} \left(10d + \frac{15e}{4} \right) + x^{10} \left(9d + \frac{e}{2} \right) + x^8 \left(\frac{5d}{4} + \frac{e}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] d*x**6/6 + e*x**28/28 + x**26*(d/26 + 5*e/13) + x**24*(5*d/12 + 15*e/8) + x**22*(45*d/22 + 60*e/11) + x**20*(6*d + 21*e/2) + x**18*(35*d/3 + 14*e) + x**16*(63*d/4 + 105*e/8) + x**14*(15*d + 60*e/7) + x**12*(10*d + 15*e/4) + x**10*(9*d/2 + e) + x**8*(5*d/4 + e/8)

$$3.57 \quad \int x^4 (d + ex^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=153

$$\frac{1}{25}x^{25}(d+10e)+\frac{5}{23}x^{23}(2d+9e)+\frac{5}{7}x^{21}(3d+8e)+\frac{30}{19}x^{19}(4d+7e)+\frac{42}{17}x^{17}(5d+6e)+\frac{14}{5}x^{15}(6d+5e)+\frac{30}{13}x^{13}(7d+4e)+\frac{15}{11}x^{11}(8d+3e)$$

[Out] 1/5*d*x^5+1/7*(10*d+e)*x^7+5/9*(9*d+2*e)*x^9+15/11*(8*d+3*e)*x^11+30/13*(7*d+4*e)*x^13+14/5*(6*d+5*e)*x^15+42/17*(5*d+6*e)*x^17+30/19*(4*d+7*e)*x^19+5/7*(3*d+8*e)*x^21+5/23*(2*d+9*e)*x^23+1/25*(d+10*e)*x^25+1/27*e*x^27

Rubi [A] time = 0.12, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {28, 448}

$$\frac{1}{25}x^{25}(d+10e)+\frac{5}{23}x^{23}(2d+9e)+\frac{5}{7}x^{21}(3d+8e)+\frac{30}{19}x^{19}(4d+7e)+\frac{42}{17}x^{17}(5d+6e)+\frac{14}{5}x^{15}(6d+5e)+\frac{30}{13}x^{13}(7d+4e)+\frac{15}{11}x^{11}(8d+3e)$$

Antiderivative was successfully verified.

[In] Int[x^4*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*x^5)/5 + ((10*d + e)*x^7)/7 + (5*(9*d + 2*e)*x^9)/9 + (15*(8*d + 3*e)*x^11)/11 + (30*(7*d + 4*e)*x^13)/13 + (14*(6*d + 5*e)*x^15)/5 + (42*(5*d + 6*e)*x^17)/17 + (30*(4*d + 7*e)*x^19)/19 + (5*(3*d + 8*e)*x^21)/7 + (5*(2*d + 9*e)*x^23)/23 + ((d + 10*e)*x^25)/25 + (e*x^27)/27

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 448

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int x^4 (d + ex^2) (1 + 2x^2 + x^4)^5 dx &= \int x^4 (1 + x^2)^{10} (d + ex^2) dx \\ &= \int (dx^4 + (10d + e)x^6 + 5(9d + 2e)x^8 + 15(8d + 3e)x^{10} + 30(7d + 4e)x^{12} + \\ &= \frac{dx^5}{5} + \frac{1}{7}(10d + e)x^7 + \frac{5}{9}(9d + 2e)x^9 + \frac{15}{11}(8d + 3e)x^{11} + \frac{30}{13}(7d + 4e)x^{13} + \end{aligned}$$

Mathematica [A] time = 0.02, size = 153, normalized size = 1.00

$$\frac{1}{25}x^{25}(d+10e)+\frac{5}{23}x^{23}(2d+9e)+\frac{5}{7}x^{21}(3d+8e)+\frac{30}{19}x^{19}(4d+7e)+\frac{42}{17}x^{17}(5d+6e)+\frac{14}{5}x^{15}(6d+5e)+\frac{30}{13}x^{13}(7d+4e)+\frac{15}{11}x^{11}(8d+3e)+\frac{30}{13}x^{13}(7d+4e)+\frac{15}{11}x^{11}(8d+3e)$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*x^5)/5 + ((10*d + e)*x^7)/7 + (5*(9*d + 2*e)*x^9)/9 + (15*(8*d + 3*e)*x^11)/11 + (30*(7*d + 4*e)*x^13)/13 + (14*(6*d + 5*e)*x^15)/5 + (42*(5*d + 6*e)*x^17)/17 + (30*(4*d + 7*e)*x^19)/19 + (5*(3*d + 8*e)*x^21)/7 + (5*(2*d + 9*e)*x^23)/23 + ((d + 10*e)*x^25)/25 + (e*x^27)/27

fricas [A] time = 0.45, size = 133, normalized size = 0.87

$$\frac{1}{27}x^{27}e+\frac{2}{5}x^{25}e+\frac{1}{25}x^{25}d+\frac{45}{23}x^{23}e+\frac{10}{23}x^{23}d+\frac{40}{7}x^{21}e+\frac{15}{7}x^{21}d+\frac{210}{19}x^{19}e+\frac{120}{19}x^{19}d+\frac{252}{17}x^{17}e+\frac{210}{17}x^{17}d+14x^{15}e+\frac{84}{5}x^{15}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/27*x^27*e + 2/5*x^25*e + 1/25*x^25*d + 45/23*x^23*e + 10/23*x^23*d + 40/7*x^21*e + 15/7*x^21*d + 210/19*x^19*e + 120/19*x^19*d + 252/17*x^17*e + 210/17*x^17*d + 14*x^15*e + 84/5*x^15*d + 120/13*x^13*e + 210/13*x^13*d + 45/11*x^11*e + 120/11*x^11*d + 10/9*x^9*e + 5*x^9*d + 1/7*x^7*e + 10/7*x^7*d + 1/5*x^5*d

giac [A] time = 0.30, size = 144, normalized size = 0.94

$$\frac{1}{27}x^{27}e+\frac{1}{25}dx^{25}+\frac{2}{5}x^{25}e+\frac{10}{23}dx^{23}+\frac{45}{23}x^{23}e+\frac{15}{7}dx^{21}+\frac{40}{7}x^{21}e+\frac{120}{19}dx^{19}+\frac{210}{19}x^{19}e+\frac{210}{17}dx^{17}+\frac{252}{17}x^{17}e+\frac{84}{5}dx^{15}+\frac{14}{5}x^{15}e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] $1/27*x^{27}*e + 1/25*d*x^{25} + 2/5*x^{25}*e + 10/23*d*x^{23} + 45/23*x^{23}*e + 15/7*d*x^{21} + 40/7*x^{21}*e + 120/19*d*x^{19} + 210/19*x^{19}*e + 210/17*d*x^{17} + 252/17*x^{17}*e + 84/5*d*x^{15} + 14*x^{15}*e + 210/13*d*x^{13} + 120/13*x^{13}*e + 120/11*d*x^{11} + 45/11*x^{11}*e + 5*d*x^9 + 10/9*x^9*e + 10/7*d*x^7 + 1/7*x^7*e + 1/5*d*x^5$

maple [A] time = 0.00, size = 130, normalized size = 0.85

$$\frac{ex^{27}}{27} + \frac{(d+10e)x^{25}}{25} + \frac{(10d+45e)x^{23}}{23} + \frac{(45d+120e)x^{21}}{21} + \frac{(120d+210e)x^{19}}{19} + \frac{(210d+252e)x^{17}}{17} + \frac{(252d+210e)x^{15}}{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(e*x^2+d)*(x^4+2*x^2+1)^5,x)$

[Out] $1/27*e*x^{27}+1/25*(d+10*e)*x^{25}+1/23*(10*d+45*e)*x^{23}+1/21*(45*d+120*e)*x^{21}+1/19*(120*d+210*e)*x^{19}+1/17*(210*d+252*e)*x^{17}+1/15*(252*d+210*e)*x^{15}+1/13*(210*d+120*e)*x^{13}+1/11*(120*d+45*e)*x^{11}+1/9*(45*d+10*e)*x^9+1/7*(10*d+e)*x^7+1/5*d*x^5$

maxima [A] time = 0.67, size = 129, normalized size = 0.84

$$\frac{1}{27} ex^{27} + \frac{1}{25} (d+10e)x^{25} + \frac{5}{23} (2d+9e)x^{23} + \frac{5}{7} (3d+8e)x^{21} + \frac{30}{19} (4d+7e)x^{19} + \frac{42}{17} (5d+6e)x^{17} + \frac{14}{5} (6d+5e)x^{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(e*x^2+d)*(x^4+2*x^2+1)^5,x, \text{algorithm}="maxima")$

[Out] $1/27*e*x^{27} + 1/25*(d+10*e)*x^{25} + 5/23*(2*d+9*e)*x^{23} + 5/7*(3*d+8*e)*x^{21} + 30/19*(4*d+7*e)*x^{19} + 42/17*(5*d+6*e)*x^{17} + 14/5*(6*d+5*e)*x^{15} + 30/13*(7*d+4*e)*x^{13} + 15/11*(8*d+3*e)*x^{11} + 5/9*(9*d+2*e)*x^9 + 1/7*(10*d+e)*x^7 + 1/5*d*x^5$

mupad [B] time = 0.12, size = 123, normalized size = 0.80

$$\frac{ex^{27}}{27} + \left(\frac{d}{25} + \frac{2e}{5}\right)x^{25} + \left(\frac{10d}{23} + \frac{45e}{23}\right)x^{23} + \left(\frac{15d}{7} + \frac{40e}{7}\right)x^{21} + \left(\frac{120d}{19} + \frac{210e}{19}\right)x^{19} + \left(\frac{210d}{17} + \frac{252e}{17}\right)x^{17} + \left(\frac{84d}{5} + \frac{14e}{5}\right)x^{15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(d+e*x^2)*(2*x^2+x^4+1)^5,x)$

[Out] $x^7*((10*d)/7 + e/7) + x^9*(5*d + (10*e)/9) + x^{25}*(d/25 + (2*e)/5) + x^{21}*((15*d)/7 + (40*e)/7) + x^{15}*((84*d)/5 + 14*e) + x^{23}*((10*d)/23 + (45*e)/23) + x^{11}*((120*d)/11 + (45*e)/11) + x^{13}*((210*d)/13 + (120*e)/13) + x^{19}*((120*d)/19 + (210*e)/19) + x^{17}*((210*d)/17 + (252*e)/17) + (d*x^5)/5 + (e*x^{27})/27$

sympy [A] time = 0.10, size = 141, normalized size = 0.92

$$\frac{dx^5}{5} + \frac{ex^{27}}{27} + x^{25} \left(\frac{d}{25} + \frac{2e}{5} \right) + x^{23} \left(\frac{10d}{23} + \frac{45e}{23} \right) + x^{21} \left(\frac{15d}{7} + \frac{40e}{7} \right) + x^{19} \left(\frac{120d}{19} + \frac{210e}{19} \right) + x^{17} \left(\frac{210d}{17} + \frac{252e}{17} \right) + x^{15} \left(\frac{84d}{15} + \frac{14e}{5} \right) + x^{13} \left(\frac{210d}{13} + \frac{120e}{13} \right) + x^{11} \left(\frac{120d}{11} + \frac{45e}{11} \right) + x^9 (5d + 10e/9) + x^7 (10d/7 + e/7)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] d*x**5/5 + e*x**27/27 + x**25*(d/25 + 2*e/5) + x**23*(10*d/23 + 45*e/23) + x**21*(15*d/7 + 40*e/7) + x**19*(120*d/19 + 210*e/19) + x**17*(210*d/17 + 252*e/17) + x**15*(84*d/15 + 14*e) + x**13*(210*d/13 + 120*e/13) + x**11*(120*d/11 + 45*e/11) + x**9*(5*d + 10*e/9) + x**7*(10*d/7 + e/7)

$$3.58 \quad \int x^3 (d + ex^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=45

$$\frac{1}{24} (x^2 + 1)^{12} (d - 2e) - \frac{1}{22} (x^2 + 1)^{11} (d - e) + \frac{1}{26} e (x^2 + 1)^{13}$$

[Out] $-1/22*(d-e)*(x^2+1)^{11}+1/24*(d-2*e)*(x^2+1)^{12}+1/26*e*(x^2+1)^{13}$

Rubi [A] time = 0.12, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {28, 446, 76}

$$\frac{1}{24} (x^2 + 1)^{12} (d - 2e) - \frac{1}{22} (x^2 + 1)^{11} (d - e) + \frac{1}{26} e (x^2 + 1)^{13}$$

Antiderivative was successfully verified.

[In] `Int[x^3*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]`

[Out] $-\frac{(d - e)(1 + x^2)^{11}}{22} + \frac{(d - 2e)(1 + x^2)^{12}}{24} + \frac{e(1 + x^2)^{13}}{26}$

Rule 28

`Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_.)]^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]`

Rule 76

`Int[((d_.)*(x_)^(n_.))*((a_) + (b_.)*(x_))*((e_) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && IGtQ[p, 0] && (NeQ[n, -1] || EqQ[p, 1]) && NeQ[b*e + a*f, 0] && (!IntegerQ[n] || LtQ[9*p + 5*n, 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, d, e, f])) && (NeQ[n + p + 3, 0] || EqQ[p, 1])`

Rule 446

`Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]`

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2) (1 + 2x^2 + x^4)^5 dx &= \int x^3 (1 + x^2)^{10} (d + ex^2) dx \\
&= \frac{1}{2} \text{Subst} \left(\int x(1 + x)^{10} (d + ex) dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int ((-d + e)(1 + x)^{10} + (d - 2e)(1 + x)^{11} + e(1 + x)^{12}) dx, x, x^2 \right) \\
&= -\frac{1}{22} (d - e) (1 + x^2)^{11} + \frac{1}{24} (d - 2e) (1 + x^2)^{12} + \frac{1}{26} e (1 + x^2)^{13}
\end{aligned}$$

Mathematica [B] time = 0.02, size = 151, normalized size = 3.36

$$\frac{1}{24}x^{24}(d+10e)+\frac{5}{22}x^{22}(2d+9e)+\frac{3}{4}x^{20}(3d+8e)+\frac{5}{3}x^{18}(4d+7e)+\frac{21}{8}x^{16}(5d+6e)+3x^{14}(6d+5e)+\frac{5}{2}x^{12}(7d+4e)+\frac{3}{2}x^{10}(8d+3e)+\frac{1}{2}x^8(d+e)+\frac{1}{24}x^6d+\frac{1}{26}x^4e$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*x^4)/4 + ((10*d + e)*x^6)/6 + (5*(9*d + 2*e)*x^8)/8 + (3*(8*d + 3*e)*x^10)/2 + (5*(7*d + 4*e)*x^12)/2 + 3*(6*d + 5*e)*x^14 + (21*(5*d + 6*e)*x^16)/8 + (5*(4*d + 7*e)*x^18)/3 + (3*(3*d + 8*e)*x^20)/4 + (5*(2*d + 9*e)*x^22)/22 + ((d + 10*e)*x^24)/24 + (e*x^26)/26

fricas [B] time = 0.65, size = 133, normalized size = 2.96

$$\frac{1}{26}x^{26}e+\frac{5}{12}x^{24}e+\frac{1}{24}x^{24}d+\frac{45}{22}x^{22}e+\frac{5}{11}x^{22}d+6x^{20}e+\frac{9}{4}x^{20}d+\frac{35}{3}x^{18}e+\frac{20}{3}x^{18}d+\frac{63}{4}x^{16}e+\frac{105}{8}x^{16}d+15x^{14}e+18x^{14}d+10x^{12}e+12x^{12}d+9x^{10}e+12x^{10}d+5x^8e+45x^8d+1x^6e+5x^6d+1x^4e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/26*x^26*e + 5/12*x^24*e + 1/24*x^24*d + 45/22*x^22*e + 5/11*x^22*d + 6*x^20*e + 9/4*x^20*d + 35/3*x^18*e + 20/3*x^18*d + 63/4*x^16*e + 105/8*x^16*d + 15*x^14*e + 18*x^14*d + 10*x^12*e + 35/2*x^12*d + 9/2*x^10*e + 12*x^10*d + 5/4*x^8*e + 45/8*x^8*d + 1/6*x^6*e + 5/3*x^6*d + 1/4*x^4*d

giac [B] time = 0.40, size = 144, normalized size = 3.20

$$\frac{1}{26}x^{26}e+\frac{1}{24}dx^{24}+\frac{5}{12}x^{24}e+\frac{5}{11}dx^{22}+\frac{45}{22}x^{22}e+\frac{9}{4}dx^{20}+6x^{20}e+\frac{20}{3}dx^{18}+\frac{35}{3}x^{18}e+\frac{105}{8}dx^{16}+\frac{63}{4}x^{16}e+18dx^{14}+15x^{14}e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] $\frac{1}{26}x^{26}e + \frac{1}{24}d*x^{24} + \frac{5}{12}x^{24}e + \frac{5}{11}d*x^{22} + \frac{45}{22}x^{22}e + \frac{9}{4}d*x^{20} + 6*x^{20}e + \frac{20}{3}d*x^{18} + \frac{35}{3}x^{18}e + \frac{105}{8}d*x^{16} + \frac{63}{4}x^{16}e + 18*d*x^{14} + 15*x^{14}e + \frac{35}{2}d*x^{12} + 10*x^{12}e + 12*d*x^{10} + \frac{9}{2}x^{10}e + \frac{45}{8}d*x^8 + \frac{5}{4}x^8e + \frac{5}{3}d*x^6 + \frac{1}{6}x^6e + \frac{1}{4}d*x^4$

maple [B] time = 0.00, size = 130, normalized size = 2.89

$$\frac{ex^{26}}{26} + \frac{(d+10e)x^{24}}{24} + \frac{(10d+45e)x^{22}}{22} + \frac{(45d+120e)x^{20}}{20} + \frac{(120d+210e)x^{18}}{18} + \frac{(210d+252e)x^{16}}{16} + \frac{(252d+210e)x^{14}}{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)*(x^4+2*x^2+1)^5,x)

[Out] $\frac{1}{26}e*x^{26} + \frac{1}{24}*(d+10*e)*x^{24} + \frac{1}{22}*(10*d+45*e)*x^{22} + \frac{1}{20}*(45*d+120*e)*x^{20} + \frac{1}{18}*(120*d+210*e)*x^{18} + \frac{1}{16}*(210*d+252*e)*x^{16} + \frac{1}{14}*(252*d+210*e)*x^{14} + \frac{1}{12}*(210*d+120*e)*x^{12} + \frac{1}{10}*(120*d+45*e)*x^{10} + \frac{1}{8}*(45*d+10*e)*x^8 + \frac{1}{6}*(10*d+e)*x^6 + \frac{1}{4}d*x^4$

maxima [B] time = 0.65, size = 129, normalized size = 2.87

$$\frac{1}{26}ex^{26} + \frac{1}{24}(d+10e)x^{24} + \frac{5}{22}(2d+9e)x^{22} + \frac{3}{4}(3d+8e)x^{20} + \frac{5}{3}(4d+7e)x^{18} + \frac{21}{8}(5d+6e)x^{16} + 3(6d+5e)x^{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] $\frac{1}{26}e*x^{26} + \frac{1}{24}*(d+10*e)*x^{24} + \frac{5}{22}*(2*d+9*e)*x^{22} + \frac{3}{4}*(3*d+8*e)*x^{20} + \frac{5}{3}*(4*d+7*e)*x^{18} + \frac{21}{8}*(5*d+6*e)*x^{16} + 3*(6*d+5*e)*x^{14} + \frac{5}{2}*(7*d+4*e)*x^{12} + \frac{3}{2}*(8*d+3*e)*x^{10} + \frac{5}{8}*(9*d+2*e)*x^8 + \frac{1}{6}*(10*d+e)*x^6 + \frac{1}{4}d*x^4$

mupad [B] time = 0.08, size = 123, normalized size = 2.73

$$\frac{ex^{26}}{26} + \left(\frac{d}{24} + \frac{5e}{12}\right)x^{24} + \left(\frac{5d}{11} + \frac{45e}{22}\right)x^{22} + \left(\frac{9d}{4} + 6e\right)x^{20} + \left(\frac{20d}{3} + \frac{35e}{3}\right)x^{18} + \left(\frac{105d}{8} + \frac{63e}{4}\right)x^{16} + (18d+15e)x^{14}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(d + e*x^2)*(2*x^2 + x^4 + 1)^5,x)

[Out] $x^6*((5*d)/3 + e/6) + x^{10}*(12*d + (9*e)/2) + x^{20}*((9*d)/4 + 6*e) + x^{14}*(18*d + 15*e) + x^{12}*((35*d)/2 + 10*e) + x^{24}*(d/24 + (5*e)/12) + x^8*((45*d)/8 + (5*e)/4) + x^{18}*((20*d)/3 + (35*e)/3) + x^{22}*((5*d)/11 + (45*e)/22) + x^{16}*((105*d)/8 + (63*e)/4) + (d*x^4)/4 + (e*x^26)/26$

sympy [B] time = 0.10, size = 136, normalized size = 3.02

$$\frac{dx^4}{4} + \frac{ex^{26}}{26} + x^{24} \left(\frac{d}{24} + \frac{5e}{12} \right) + x^{22} \left(\frac{5d}{11} + \frac{45e}{22} \right) + x^{20} \left(\frac{9d}{4} + 6e \right) + x^{18} \left(\frac{20d}{3} + \frac{35e}{3} \right) + x^{16} \left(\frac{105d}{8} + \frac{63e}{4} \right) + x^{14} (18d + 15e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] d*x**4/4 + e*x**26/26 + x**24*(d/24 + 5*e/12) + x**22*(5*d/11 + 45*e/22) + x**20*(9*d/4 + 6*e) + x**18*(20*d/3 + 35*e/3) + x**16*(105*d/8 + 63*e/4) + x**14*(18*d + 15*e) + x**12*(35*d/2 + 10*e) + x**10*(12*d + 9*e/2) + x**8*(45*d/8 + 5*e/4) + x**6*(5*d/3 + e/6)

$$3.59 \quad \int x^2 (d + ex^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=153

$$\frac{1}{23}x^{23}(d+10e) + \frac{5}{21}x^{21}(2d+9e) + \frac{15}{19}x^{19}(3d+8e) + \frac{30}{17}x^{17}(4d+7e) + \frac{14}{5}x^{15}(5d+6e) + \frac{42}{13}x^{13}(6d+5e) + \frac{30}{11}x^{11}(7d+4e) + \frac{5}{3}x^9$$

[Out] 1/3*d*x^3+1/5*(10*d+e)*x^5+5/7*(9*d+2*e)*x^7+5/3*(8*d+3*e)*x^9+30/11*(7*d+4*e)*x^11+42/13*(6*d+5*e)*x^13+14/5*(5*d+6*e)*x^15+30/17*(4*d+7*e)*x^17+15/19*(3*d+8*e)*x^19+5/21*(2*d+9*e)*x^21+1/23*(d+10*e)*x^23+1/25*e*x^25

Rubi [A] time = 0.08, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {28, 448}

$$\frac{1}{23}x^{23}(d+10e) + \frac{5}{21}x^{21}(2d+9e) + \frac{15}{19}x^{19}(3d+8e) + \frac{30}{17}x^{17}(4d+7e) + \frac{14}{5}x^{15}(5d+6e) + \frac{42}{13}x^{13}(6d+5e) + \frac{30}{11}x^{11}(7d+4e) + \frac{5}{3}x^9$$

Antiderivative was successfully verified.

[In] Int[x^2*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*x^3)/3 + ((10*d + e)*x^5)/5 + (5*(9*d + 2*e)*x^7)/7 + (5*(8*d + 3*e)*x^9)/3 + (30*(7*d + 4*e)*x^11)/11 + (42*(6*d + 5*e)*x^13)/13 + (14*(5*d + 6*e)*x^15)/5 + (30*(4*d + 7*e)*x^17)/17 + (15*(3*d + 8*e)*x^19)/19 + (5*(2*d + 9*e)*x^21)/21 + ((d + 10*e)*x^23)/23 + (e*x^25)/25

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 448

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int x^2 (d + ex^2) (1 + 2x^2 + x^4)^5 dx &= \int x^2 (1 + x^2)^{10} (d + ex^2) dx \\ &= \int (dx^2 + (10d + e)x^4 + 5(9d + 2e)x^6 + 15(8d + 3e)x^8 + 30(7d + 4e)x^{10} + 42(6d + 5e)x^{12} + 30(4d + 7e)x^{14} + 15(3d + 8e)x^{16} + 5(2d + 9e)x^{18} + (d + 10e)x^{20} + ex^{22}) dx \\ &= \frac{dx^3}{3} + \frac{1}{5}(10d + e)x^5 + \frac{5}{7}(9d + 2e)x^7 + \frac{5}{3}(8d + 3e)x^9 + \frac{30}{11}(7d + 4e)x^{11} + \frac{42}{13}(6d + 5e)x^{13} + \frac{30}{15}(4d + 7e)x^{15} + \frac{15}{17}(3d + 8e)x^{17} + \frac{5}{19}(2d + 9e)x^{19} + \frac{1}{21}(d + 10e)x^{21} + \frac{1}{23}ex^{23} \end{aligned}$$

Mathematica [A] time = 0.02, size = 153, normalized size = 1.00

$$\frac{1}{23}x^{23}(d+10e)+\frac{5}{21}x^{21}(2d+9e)+\frac{15}{19}x^{19}(3d+8e)+\frac{30}{17}x^{17}(4d+7e)+\frac{14}{5}x^{15}(5d+6e)+\frac{42}{13}x^{13}(6d+5e)+\frac{30}{11}x^{11}(7d+4e)+\frac{42}{13}x^{13}(6d+5e)+\frac{30}{15}x^{15}(4d+7e)+\frac{15}{17}x^{17}(3d+8e)+\frac{5}{19}x^{19}(2d+9e)+\frac{1}{21}x^{21}(d+10e)+\frac{1}{23}ex^{23}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (d*x^3)/3 + ((10*d + e)*x^5)/5 + (5*(9*d + 2*e)*x^7)/7 + (5*(8*d + 3*e)*x^9)/3 + (30*(7*d + 4*e)*x^11)/11 + (42*(6*d + 5*e)*x^13)/13 + (14*(5*d + 6*e)*x^15)/5 + (30*(4*d + 7*e)*x^17)/17 + (15*(3*d + 8*e)*x^19)/19 + (5*(2*d + 9*e)*x^21)/21 + ((d + 10*e)*x^23)/23 + (e*x^25)/25

fricas [A] time = 0.54, size = 133, normalized size = 0.87

$$\frac{1}{25}x^{25}e+\frac{10}{23}x^{23}e+\frac{1}{23}x^{23}d+\frac{15}{7}x^{21}e+\frac{10}{21}x^{21}d+\frac{120}{19}x^{19}e+\frac{45}{19}x^{19}d+\frac{210}{17}x^{17}e+\frac{120}{17}x^{17}d+\frac{84}{5}x^{15}e+14x^{15}d+\frac{210}{13}x^{13}e+\frac{140}{13}x^{13}d+\frac{30}{11}x^{11}e+\frac{20}{11}x^{11}d+\frac{42}{13}x^{13}e+\frac{28}{13}x^{13}d+\frac{30}{15}x^{15}e+\frac{20}{15}x^{15}d+\frac{15}{17}x^{17}e+\frac{10}{17}x^{17}d+\frac{5}{19}x^{19}e+\frac{5}{19}x^{19}d+\frac{1}{21}x^{21}e+\frac{1}{21}x^{21}d+\frac{1}{23}ex^{23}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/25*x^25*e + 10/23*x^23*e + 1/23*x^23*d + 15/7*x^21*e + 10/21*x^21*d + 120/19*x^19*e + 45/19*x^19*d + 210/17*x^17*e + 120/17*x^17*d + 84/5*x^15*e + 14*x^15*d + 210/13*x^13*e + 252/13*x^13*d + 120/11*x^11*e + 210/11*x^11*d + 5*x^9*e + 40/3*x^9*d + 10/7*x^7*e + 45/7*x^7*d + 1/5*x^5*e + 2*x^5*d + 1/3*x^3*d

giac [A] time = 0.29, size = 144, normalized size = 0.94

$$\frac{1}{25}x^{25}e+\frac{1}{23}dx^{23}+\frac{10}{23}x^{23}e+\frac{10}{21}dx^{21}+\frac{15}{7}x^{21}e+\frac{45}{19}dx^{19}+\frac{120}{19}x^{19}e+\frac{120}{17}dx^{17}+\frac{210}{17}x^{17}e+14dx^{15}+\frac{84}{5}x^{15}e+\frac{252}{13}dx^{13}+\frac{210}{11}dx^{11}+\frac{42}{13}x^{13}e+\frac{28}{13}x^{13}d+\frac{30}{15}dx^{15}+\frac{20}{15}x^{15}d+\frac{15}{17}dx^{17}+\frac{10}{17}x^{17}d+\frac{5}{19}dx^{19}+\frac{5}{19}x^{19}d+\frac{1}{21}dx^{21}+\frac{1}{21}x^{21}d+\frac{1}{23}ex^{23}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] $1/25*x^{25}*e + 1/23*d*x^{23} + 10/23*x^{23}*e + 10/21*d*x^{21} + 15/7*x^{21}*e + 45/19*d*x^{19} + 120/19*x^{19}*e + 120/17*d*x^{17} + 210/17*x^{17}*e + 14*d*x^{15} + 84/5*x^{15}*e + 252/13*d*x^{13} + 210/13*x^{13}*e + 210/11*d*x^{11} + 120/11*x^{11}*e + 40/3*d*x^9 + 5*x^9*e + 45/7*d*x^7 + 10/7*x^7*e + 2*d*x^5 + 1/5*x^5*e + 1/3*d*x^3$

maple [A] time = 0.00, size = 130, normalized size = 0.85

$$\frac{ex^{25}}{25} + \frac{(d+10e)x^{23}}{23} + \frac{(10d+45e)x^{21}}{21} + \frac{(45d+120e)x^{19}}{19} + \frac{(120d+210e)x^{17}}{17} + \frac{(210d+252e)x^{15}}{15} + \frac{(252d+210e)x^{13}}{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(e*x^2+d)*(x^4+2*x^2+1)^5, x)$

[Out] $1/25*e*x^{25}+1/23*(d+10*e)*x^{23}+1/21*(10*d+45*e)*x^{21}+1/19*(45*d+120*e)*x^{19}+1/17*(120*d+210*e)*x^{17}+1/15*(210*d+252*e)*x^{15}+1/13*(252*d+210*e)*x^{13}+1/11*(210*d+120*e)*x^{11}+1/9*(120*d+45*e)*x^9+1/7*(45*d+10*e)*x^7+1/5*(10*d+e)*x^5+1/3*d*x^3$

maxima [A] time = 0.50, size = 129, normalized size = 0.84

$$\frac{1}{25} ex^{25} + \frac{1}{23} (d+10e)x^{23} + \frac{5}{21} (2d+9e)x^{21} + \frac{15}{19} (3d+8e)x^{19} + \frac{30}{17} (4d+7e)x^{17} + \frac{14}{5} (5d+6e)x^{15} + \frac{42}{13} (6d+5e)x^{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^2*(e*x^2+d)*(x^4+2*x^2+1)^5, x, \text{algorithm}="maxima")$

[Out] $1/25*e*x^{25} + 1/23*(d + 10*e)*x^{23} + 5/21*(2*d + 9*e)*x^{21} + 15/19*(3*d + 8*e)*x^{19} + 30/17*(4*d + 7*e)*x^{17} + 14/5*(5*d + 6*e)*x^{15} + 42/13*(6*d + 5*e)*x^{13} + 30/11*(7*d + 4*e)*x^{11} + 5/3*(8*d + 3*e)*x^9 + 5/7*(9*d + 2*e)*x^7 + 1/5*(10*d + e)*x^5 + 1/3*d*x^3$

mupad [B] time = 0.08, size = 123, normalized size = 0.80

$$\frac{ex^{25}}{25} + \left(\frac{d}{23} + \frac{10e}{23}\right)x^{23} + \left(\frac{10d}{21} + \frac{15e}{7}\right)x^{21} + \left(\frac{45d}{19} + \frac{120e}{19}\right)x^{19} + \left(\frac{120d}{17} + \frac{210e}{17}\right)x^{17} + \left(14d + \frac{84e}{5}\right)x^{15} + \left(\frac{252d}{13} + \frac{210e}{13}\right)x^{13} + \frac{d*x^3}{3} + \frac{e*x^{25}}{25}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2*(d + e*x^2)*(2*x^2 + x^4 + 1)^5, x)$

[Out] $x^5*(2*d + e/5) + x^9*((40*d)/3 + 5*e) + x^{21}*((10*d)/21 + (15*e)/7) + x^{17}*((45*d)/7 + (10*e)/7) + x^{23}*(d/23 + (10*e)/23) + x^{15}*(14*d + (84*e)/5) + x^{19}*((45*d)/19 + (120*e)/19) + x^{11}*((210*d)/11 + (120*e)/11) + x^{17}*((120*d)/17 + (210*e)/17) + x^{13}*((252*d)/13 + (210*e)/13) + (d*x^3)/3 + (e*x^{25})/25$

sympy [A] time = 0.10, size = 139, normalized size = 0.91

$$\frac{dx^3}{3} + \frac{ex^{25}}{25} + x^{23} \left(\frac{d}{23} + \frac{10e}{23} \right) + x^{21} \left(\frac{10d}{21} + \frac{15e}{7} \right) + x^{19} \left(\frac{45d}{19} + \frac{120e}{19} \right) + x^{17} \left(\frac{120d}{17} + \frac{210e}{17} \right) + x^{15} \left(14d + \frac{84e}{5} \right) + x^{13} \left(\frac{2}{3}d + \frac{14e}{3} \right) + x^{11} \left(\frac{10d}{11} + \frac{120e}{11} \right) + x^9 \left(\frac{40d}{9} + \frac{5e}{3} \right) + x^7 \left(\frac{45d}{7} + \frac{10e}{7} \right) + x^5 \left(\frac{2d}{5} + \frac{e}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] d*x**3/3 + e*x**25/25 + x**23*(d/23 + 10*e/23) + x**21*(10*d/21 + 15*e/7) + x**19*(45*d/19 + 120*e/19) + x**17*(120*d/17 + 210*e/17) + x**15*(14*d + 84*e/5) + x**13*(252*d/13 + 210*e/13) + x**11*(210*d/11 + 120*e/11) + x**9*(40*d/3 + 5*e) + x**7*(45*d/7 + 10*e/7) + x**5*(2*d + e/5)

$$3.60 \quad \int x (d + ex^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=29

$$\frac{1}{22} (x^2 + 1)^{11} (d - e) + \frac{1}{24} e (x^2 + 1)^{12}$$

[Out] 1/22*(d-e)*(x^2+1)^11+1/24*e*(x^2+1)^12

Rubi [A] time = 0.05, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {28, 444, 43}

$$\frac{1}{22} (x^2 + 1)^{11} (d - e) + \frac{1}{24} e (x^2 + 1)^{12}$$

Antiderivative was successfully verified.

[In] Int[x*(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] ((d - e)*(1 + x^2)^11)/22 + (e*(1 + x^2)^12)/24

Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :>
Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

Rule 43

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.)), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 444

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.
), x_Symbol] :> Dist[1/n, Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^n], x
] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && EqQ[m - n +
1, 0]
```

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)(1+2x^2+x^4)^5 dx &= \int x(1+x^2)^{10}(d+ex^2) dx \\
&= \frac{1}{2} \text{Subst} \left(\int (1+x)^{10}(d+ex) dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int ((d-e)(1+x)^{10} + e(1+x)^{11}) dx, x, x^2 \right) \\
&= \frac{1}{22}(d-e)(1+x^2)^{11} + \frac{1}{24}e(1+x^2)^{12}
\end{aligned}$$

Mathematica [B] time = 0.01, size = 149, normalized size = 5.14

$$\frac{1}{22}x^{22}(d+10e) + \frac{1}{4}x^{20}(2d+9e) + \frac{5}{6}x^{18}(3d+8e) + \frac{15}{8}x^{16}(4d+7e) + 3x^{14}(5d+6e) + \frac{7}{2}x^{12}(6d+5e) + 3x^{10}(7d+4e) + \frac{15}{8}x^8(8d+3e) + \frac{5}{2}x^6(9d+2e) + \frac{1}{4}(10d+e)x^4 + \frac{1}{2}x^2(d+e) + \frac{1}{24}e$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)*(1 + 2*x^2 + x^4)^5, x]

[Out] (d*x^2)/2 + ((10*d + e)*x^4)/4 + (5*(9*d + 2*e)*x^6)/6 + (15*(8*d + 3*e)*x^8)/8 + 3*(7*d + 4*e)*x^10 + (7*(6*d + 5*e)*x^12)/2 + 3*(5*d + 6*e)*x^14 + (15*(4*d + 7*e)*x^16)/8 + (5*(3*d + 8*e)*x^18)/6 + ((2*d + 9*e)*x^20)/4 + ((d + 10*e)*x^22)/22 + (e*x^24)/24

fricas [B] time = 0.64, size = 133, normalized size = 4.59

$$\frac{1}{24}x^{24}e + \frac{5}{11}x^{22}e + \frac{1}{22}x^{22}d + \frac{9}{4}x^{20}e + \frac{1}{2}x^{20}d + \frac{20}{3}x^{18}e + \frac{5}{2}x^{18}d + \frac{105}{8}x^{16}e + \frac{15}{2}x^{16}d + 18x^{14}e + 15x^{14}d + \frac{35}{2}x^{12}e + 21x^{12}d + 12x^{10}e + 21x^{10}d + \frac{45}{8}x^8e + 15x^8d + \frac{5}{3}x^6e + \frac{15}{2}x^6d + \frac{1}{4}x^4e + \frac{5}{2}x^4d + \frac{1}{2}x^2e + \frac{1}{2}x^2d + \frac{1}{24}e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(x^4+2*x^2+1)^5, x, algorithm="fricas")

[Out] 1/24*x^24*e + 5/11*x^22*e + 1/22*x^22*d + 9/4*x^20*e + 1/2*x^20*d + 20/3*x^18*e + 5/2*x^18*d + 105/8*x^16*e + 15/2*x^16*d + 18*x^14*e + 15*x^14*d + 35/2*x^12*e + 21*x^12*d + 12*x^10*e + 21*x^10*d + 45/8*x^8*e + 15*x^8*d + 5/3*x^6*e + 15/2*x^6*d + 1/4*x^4*e + 5/2*x^4*d + 1/2*x^2*d + 1/24*e

giac [B] time = 0.31, size = 144, normalized size = 4.97

$$\frac{1}{24}x^{24}e + \frac{1}{22}dx^{22} + \frac{5}{11}x^{22}e + \frac{1}{2}dx^{20} + \frac{9}{4}x^{20}e + \frac{5}{2}dx^{18} + \frac{20}{3}x^{18}e + \frac{15}{2}dx^{16} + \frac{105}{8}x^{16}e + 15dx^{14} + 18x^{14}e + 21dx^{12} + \frac{35}{2}dx^{10} + 12x^{10}e + 21x^{10}d + \frac{45}{8}x^8e + 15x^8d + \frac{5}{3}x^6e + \frac{15}{2}x^6d + \frac{1}{4}x^4e + \frac{5}{2}x^4d + \frac{1}{2}x^2e + \frac{1}{2}x^2d + \frac{1}{24}e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] 1/24*x^24*e + 1/22*d*x^22 + 5/11*x^22*e + 1/2*d*x^20 + 9/4*x^20*e + 5/2*d*x^18 + 20/3*x^18*e + 15/2*d*x^16 + 105/8*x^16*e + 15*d*x^14 + 18*x^14*e + 21*d*x^12 + 35/2*x^12*e + 21*d*x^10 + 12*x^10*e + 15*d*x^8 + 45/8*x^8*e + 15/2*d*x^6 + 5/3*x^6*e + 5/2*d*x^4 + 1/4*x^4*e + 1/2*d*x^2

maple [B] time = 0.00, size = 130, normalized size = 4.48

$$\frac{ex^{24}}{24} + \frac{(d+10e)x^{22}}{22} + \frac{(10d+45e)x^{20}}{20} + \frac{(45d+120e)x^{18}}{18} + \frac{(120d+210e)x^{16}}{16} + \frac{(210d+252e)x^{14}}{14} + \frac{(252d+210e)x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)*(x^4+2*x^2+1)^5,x)

[Out] 1/24*e*x^24+1/22*(d+10*e)*x^22+1/20*(10*d+45*e)*x^20+1/18*(45*d+120*e)*x^18+1/16*(120*d+210*e)*x^16+1/14*(210*d+252*e)*x^14+1/12*(252*d+210*e)*x^12+1/10*(210*d+120*e)*x^10+1/8*(120*d+45*e)*x^8+1/6*(45*d+10*e)*x^6+1/4*(10*d+e)*x^4+1/2*d*x^2

maxima [B] time = 0.65, size = 129, normalized size = 4.45

$$\frac{1}{24} ex^{24} + \frac{1}{22} (d+10e)x^{22} + \frac{1}{4} (2d+9e)x^{20} + \frac{5}{6} (3d+8e)x^{18} + \frac{15}{8} (4d+7e)x^{16} + 3(5d+6e)x^{14} + \frac{7}{2} (6d+5e)x^{12} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] 1/24*e*x^24 + 1/22*(d + 10*e)*x^22 + 1/4*(2*d + 9*e)*x^20 + 5/6*(3*d + 8*e)*x^18 + 15/8*(4*d + 7*e)*x^16 + 3*(5*d + 6*e)*x^14 + 7/2*(6*d + 5*e)*x^12 + 3*(7*d + 4*e)*x^10 + 15/8*(8*d + 3*e)*x^8 + 5/6*(9*d + 2*e)*x^6 + 1/4*(10*d + e)*x^4 + 1/2*d*x^2

mupad [B] time = 0.08, size = 123, normalized size = 4.24

$$\frac{ex^{24}}{24} + \left(\frac{d}{22} + \frac{5e}{11}\right)x^{22} + \left(\frac{d}{2} + \frac{9e}{4}\right)x^{20} + \left(\frac{5d}{2} + \frac{20e}{3}\right)x^{18} + \left(\frac{15d}{2} + \frac{105e}{8}\right)x^{16} + (15d+18e)x^{14} + \left(21d + \frac{35e}{2}\right)x^{12} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d + e*x^2)*(2*x^2 + x^4 + 1)^5,x)

[Out] x^4*((5*d)/2 + e/4) + x^6*((15*d)/2 + (5*e)/3) + x^20*(d/2 + (9*e)/4) + x^10*(21*d + 12*e) + x^14*(15*d + 18*e) + x^18*((5*d)/2 + (20*e)/3) + x^22*(d/22 + (5*e)/11) + x^12*(21*d + (35*e)/2) + x^8*(15*d + (45*e)/8) + x^16*((15*d)/2 + (105*e)/8) + (d*x^2)/2 + (e*x^24)/24

sympy [B] time = 0.10, size = 133, normalized size = 4.59

$$\frac{dx^2}{2} + \frac{ex^{24}}{24} + x^{22} \left(\frac{d}{22} + \frac{5e}{11} \right) + x^{20} \left(\frac{d}{2} + \frac{9e}{4} \right) + x^{18} \left(\frac{5d}{2} + \frac{20e}{3} \right) + x^{16} \left(\frac{15d}{2} + \frac{105e}{8} \right) + x^{14} (15d + 18e) + x^{12} \left(21d + \frac{35e}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] d*x**2/2 + e*x**24/24 + x**22*(d/22 + 5*e/11) + x**20*(d/2 + 9*e/4) + x**18*(5*d/2 + 20*e/3) + x**16*(15*d/2 + 105*e/8) + x**14*(15*d + 18*e) + x**12*(21*d + 35*e/2) + x**10*(21*d + 12*e) + x**8*(15*d + 45*e/8) + x**6*(15*d/2 + 5*e/3) + x**4*(5*d/2 + e/4)

3.61 $\int (d + ex^2) (1 + 2x^2 + x^4)^5 dx$

Optimal. Leaf size=143

$$\frac{1}{21}x^{21}(d+10e)+\frac{5}{19}x^{19}(2d+9e)+\frac{15}{17}x^{17}(3d+8e)+2x^{15}(4d+7e)+\frac{42}{13}x^{13}(5d+6e)+\frac{42}{11}x^{11}(6d+5e)+\frac{10}{3}x^9(7d+4e)+\frac{15}{7}x^7$$

[Out] d*x+1/3*(10*d+e)*x^3+(9*d+2*e)*x^5+15/7*(8*d+3*e)*x^7+10/3*(7*d+4*e)*x^9+42/11*(6*d+5*e)*x^11+42/13*(5*d+6*e)*x^13+2*(4*d+7*e)*x^15+15/17*(3*d+8*e)*x^17+5/19*(2*d+9*e)*x^19+1/21*(d+10*e)*x^21+1/23*e*x^23

Rubi [A] time = 0.07, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {28, 373}

$$\frac{1}{21}x^{21}(d+10e)+\frac{5}{19}x^{19}(2d+9e)+\frac{15}{17}x^{17}(3d+8e)+2x^{15}(4d+7e)+\frac{42}{13}x^{13}(5d+6e)+\frac{42}{11}x^{11}(6d+5e)+\frac{10}{3}x^9(7d+4e)+\frac{15}{7}x^7$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] d*x + ((10*d + e)*x^3)/3 + (9*d + 2*e)*x^5 + (15*(8*d + 3*e)*x^7)/7 + (10*(7*d + 4*e)*x^9)/3 + (42*(6*d + 5*e)*x^11)/11 + (42*(5*d + 6*e)*x^13)/13 + 2*(4*d + 7*e)*x^15 + (15*(3*d + 8*e)*x^17)/17 + (5*(2*d + 9*e)*x^19)/19 + ((d + 10*e)*x^21)/21 + (e*x^23)/23

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 373

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned}
\int (d + ex^2)(1 + 2x^2 + x^4)^5 dx &= \int (1 + x^2)^{10} (d + ex^2) dx \\
&= \int (d + (10d + e)x^2 + 5(9d + 2e)x^4 + 15(8d + 3e)x^6 + 30(7d + 4e)x^8 + 42(6d + 5e)x^{10} + 28(5d + 4e)x^{12} + 14(4d + 3e)x^{14} + 7(3d + 2e)x^{16} + 2(2d + e)x^{18} + dx^{20}) dx \\
&= dx + \frac{1}{3}(10d + e)x^3 + (9d + 2e)x^5 + \frac{15}{7}(8d + 3e)x^7 + \frac{10}{3}(7d + 4e)x^9 + \frac{42}{11}(6d + 5e)x^{11} + \frac{28}{13}(5d + 4e)x^{13} + \frac{14}{15}(4d + 3e)x^{15} + \frac{7}{17}(3d + 2e)x^{17} + \frac{2}{19}(2d + e)x^{19} + \frac{1}{21}dx^{21}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 143, normalized size = 1.00

$$\frac{1}{21}x^{21}(d+10e)+\frac{5}{19}x^{19}(2d+9e)+\frac{15}{17}x^{17}(3d+8e)+2x^{15}(4d+7e)+\frac{42}{13}x^{13}(5d+6e)+\frac{42}{11}x^{11}(6d+5e)+\frac{10}{3}x^9(7d+4e)+\frac{15}{7}x^7(8d+3e)+\frac{10}{3}x^5(9d+2e)+\frac{1}{3}x^3(10d+e)+dx$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] d*x + ((10*d + e)*x^3)/3 + (9*d + 2*e)*x^5 + (15*(8*d + 3*e)*x^7)/7 + (10*(7*d + 4*e)*x^9)/3 + (42*(6*d + 5*e)*x^11)/11 + (42*(5*d + 6*e)*x^13)/13 + 2*(4*d + 7*e)*x^15 + (15*(3*d + 8*e)*x^17)/17 + (5*(2*d + 9*e)*x^19)/19 + ((d + 10*e)*x^21)/21 + (e*x^23)/23

fricas [A] time = 0.54, size = 130, normalized size = 0.91

$$\frac{1}{23}x^{23}e+\frac{10}{21}x^{21}e+\frac{1}{21}x^{21}d+\frac{45}{19}x^{19}e+\frac{10}{19}x^{19}d+\frac{120}{17}x^{17}e+\frac{45}{17}x^{17}d+14x^{15}e+8x^{15}d+\frac{252}{13}x^{13}e+\frac{210}{13}x^{13}d+\frac{210}{11}x^{11}e+\frac{252}{11}x^{11}d+\frac{42}{11}x^9e+\frac{42}{11}x^9d+\frac{10}{3}x^7e+\frac{10}{3}x^7d+\frac{10}{3}x^5e+\frac{10}{3}x^5d+\frac{1}{3}x^3e+\frac{1}{3}x^3d+dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/23*x^23*e + 10/21*x^21*e + 1/21*x^21*d + 45/19*x^19*e + 10/19*x^19*d + 120/17*x^17*e + 45/17*x^17*d + 14*x^15*e + 8*x^15*d + 252/13*x^13*e + 210/13*x^13*d + 210/11*x^11*e + 252/11*x^11*d + 40/3*x^9*e + 70/3*x^9*d + 45/7*x^7*e + 120/7*x^7*d + 2*x^5*e + 9*x^5*d + 1/3*x^3*e + 10/3*x^3*d + x*d

giac [A] time = 0.36, size = 141, normalized size = 0.99

$$\frac{1}{23}x^{23}e+\frac{1}{21}dx^{21}+\frac{10}{21}x^{21}e+\frac{10}{19}dx^{19}+\frac{45}{19}x^{19}e+\frac{45}{17}dx^{17}+\frac{120}{17}x^{17}e+8dx^{15}+14x^{15}e+\frac{210}{13}dx^{13}+\frac{252}{13}x^{13}e+\frac{252}{11}dx^{11}+\frac{252}{11}x^{11}e+\frac{42}{11}dx^9+\frac{42}{11}x^9e+\frac{10}{3}dx^7+\frac{10}{3}x^7e+\frac{10}{3}dx^5+\frac{10}{3}x^5e+\frac{1}{3}dx^3+\frac{1}{3}x^3e+dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] $\frac{1}{23}e^{23}x^{23} + \frac{1}{21}d^{21}x^{21} + \frac{10}{21}e^{21}x^{21} + \frac{10}{19}d^{19}x^{19} + \frac{45}{19}e^{19}x^{19} + \frac{45}{17}d^{17}x^{17} + \frac{120}{17}e^{17}x^{17} + 8d^{15}x^{15} + 14e^{15}x^{15} + \frac{210}{13}d^{13}x^{13} + \frac{252}{13}e^{13}x^{13} + \frac{252}{11}d^{11}x^{11} + \frac{210}{11}e^{11}x^{11} + \frac{70}{3}d^9x^9 + \frac{40}{3}e^9x^9 + \frac{120}{7}d^7x^7 + \frac{45}{7}e^7x^7 + 9d^5x^5 + 2e^5x^5 + \frac{10}{3}d^3x^3 + \frac{1}{3}e^3x^3 + dx$

maple [A] time = 0.00, size = 127, normalized size = 0.89

$$\frac{e^{23}x^{23}}{23} + \frac{(d+10e)x^{21}}{21} + \frac{(10d+45e)x^{19}}{19} + \frac{(45d+120e)x^{17}}{17} + \frac{(120d+210e)x^{15}}{15} + \frac{(210d+252e)x^{13}}{13} + \frac{(252d+210e)x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(x^4+2*x^2+1)^5,x)`

[Out] $\frac{1}{23}e^{23}x^{23} + \frac{1}{21}(d+10e)x^{21} + \frac{1}{19}(10d+45e)x^{19} + \frac{1}{17}(45d+120e)x^{17} + \frac{1}{15}(120d+210e)x^{15} + \frac{1}{13}(210d+252e)x^{13} + \frac{1}{11}(252d+210e)x^{11} + \frac{1}{9}(210d+120e)x^9 + \frac{1}{7}(120d+45e)x^7 + \frac{1}{5}(45d+10e)x^5 + \frac{1}{3}(10d+e)x^3 + dx$

maxima [A] time = 0.58, size = 125, normalized size = 0.87

$$\frac{1}{23}e^{23}x^{23} + \frac{1}{21}(d+10e)x^{21} + \frac{5}{19}(2d+9e)x^{19} + \frac{15}{17}(3d+8e)x^{17} + 2(4d+7e)x^{15} + \frac{42}{13}(5d+6e)x^{13} + \frac{42}{11}(6d+5e)x^{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(x^4+2*x^2+1)^5,x, algorithm="maxima")`

[Out] $\frac{1}{23}e^{23}x^{23} + \frac{1}{21}(d+10e)x^{21} + \frac{5}{19}(2d+9e)x^{19} + \frac{15}{17}(3d+8e)x^{17} + 2(4d+7e)x^{15} + \frac{42}{13}(5d+6e)x^{13} + \frac{42}{11}(6d+5e)x^{11} + \frac{10}{3}(7d+4e)x^9 + \frac{15}{7}(8d+3e)x^7 + (9d+2e)x^5 + \frac{1}{3}(10d+e)x^3 + dx$

mupad [B] time = 0.08, size = 120, normalized size = 0.84

$$\frac{e^{23}x^{23}}{23} + \left(\frac{d}{21} + \frac{10e}{21}\right)x^{21} + \left(\frac{10d}{19} + \frac{45e}{19}\right)x^{19} + \left(\frac{45d}{17} + \frac{120e}{17}\right)x^{17} + (8d+14e)x^{15} + \left(\frac{210d}{13} + \frac{252e}{13}\right)x^{13} + \left(\frac{252d}{11} + \frac{210e}{11}\right)x^{11} + \left(\frac{120d}{7} + \frac{45e}{7}\right)x^9 + \left(\frac{15d}{7} + \frac{15e}{7}\right)x^7 + (9d+2e)x^5 + \left(\frac{10d}{3} + \frac{e}{3}\right)x^3 + dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)*(2*x^2 + x^4 + 1)^5,x)`

[Out] $x^5(9d+2e) + x^3\left(\frac{10d}{3} + \frac{e}{3}\right) + x^{15}(8d+14e) + x^{21}\left(\frac{d}{21} + \frac{10e}{21}\right) + x^{19}\left(\frac{10d}{19} + \frac{45e}{19}\right) + x^9\left(\frac{70d}{3} + \frac{40e}{3}\right) + x^7\left(\frac{120d}{7} + \frac{45e}{7}\right) + x^{17}\left(\frac{45d}{17} + \frac{120e}{17}\right) + x^{11}\left(\frac{252d}{11} + \frac{210e}{11}\right) + x^{13}\left(\frac{210d}{13} + \frac{252e}{13}\right) + dx + \frac{e^{23}x^{23}}{23}$

sympy [A] time = 0.10, size = 134, normalized size = 0.94

$$dx + \frac{ex^{23}}{23} + x^{21} \left(\frac{d}{21} + \frac{10e}{21} \right) + x^{19} \left(\frac{10d}{19} + \frac{45e}{19} \right) + x^{17} \left(\frac{45d}{17} + \frac{120e}{17} \right) + x^{15} (8d + 14e) + x^{13} \left(\frac{210d}{13} + \frac{252e}{13} \right) + x^{11} \left(\frac{252d}{11} + \frac{210e}{11} \right) + x^9 (70d + 40e) + x^7 (120d + 45e) + x^5 (9d + 2e) + x^3 (10d + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(x**4+2*x**2+1)**5,x)

[Out] d*x + e*x**23/23 + x**21*(d/21 + 10*e/21) + x**19*(10*d/19 + 45*e/19) + x**17*(45*d/17 + 120*e/17) + x**15*(8*d + 14*e) + x**13*(210*d/13 + 252*e/13) + x**11*(252*d/11 + 210*e/11) + x**9*(70*d/3 + 40*e/3) + x**7*(120*d/7 + 45*e/7) + x**5*(9*d + 2*e) + x**3*(10*d/3 + e/3)

$$3.62 \quad \int \frac{(d+ex^2)(1+2x^2+x^4)^5}{x} dx$$

Optimal. Leaf size=93

$$\frac{dx^{20}}{20} + \frac{5dx^{18}}{9} + \frac{45dx^{16}}{16} + \frac{60dx^{14}}{7} + \frac{35dx^{12}}{2} + \frac{126dx^{10}}{5} + \frac{105dx^8}{4} + 20dx^6 + \frac{45dx^4}{4} + 5dx^2 + d \log(x) + \frac{1}{22}e(x^2+1)^{11}$$

[Out] 5*d*x^2+45/4*d*x^4+20*d*x^6+105/4*d*x^8+126/5*d*x^10+35/2*d*x^12+60/7*d*x^14+45/16*d*x^16+5/9*d*x^18+1/20*d*x^20+1/22*e*(x^2+1)^11+d*ln(x)

Rubi [A] time = 0.05, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {28, 446, 80, 43}

$$\frac{dx^{20}}{20} + \frac{5dx^{18}}{9} + \frac{45dx^{16}}{16} + \frac{60dx^{14}}{7} + \frac{35dx^{12}}{2} + \frac{126dx^{10}}{5} + \frac{105dx^8}{4} + 20dx^6 + \frac{45dx^4}{4} + 5dx^2 + d \log(x) + \frac{1}{22}e(x^2+1)^{11}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(1 + 2*x^2 + x^4)^5)/x,x]

[Out] 5*d*x^2 + (45*d*x^4)/4 + 20*d*x^6 + (105*d*x^8)/4 + (126*d*x^10)/5 + (35*d*x^12)/2 + (60*d*x^14)/7 + (45*d*x^16)/16 + (5*d*x^18)/9 + (d*x^20)/20 + (e*(1 + x^2)^11)/22 + d*Log[x]

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_.)]^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 80

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f}

, n, p}, x] && NeQ[n + p + 2, 0]

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(1 + 2x^2 + x^4)^5}{x} dx &= \int \frac{(1 + x^2)^{10}(d + ex^2)}{x} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{(1 + x)^{10}(d + ex)}{x} dx, x, x^2 \right) \\ &= \frac{1}{22} e (1 + x^2)^{11} + \frac{1}{2} d \text{Subst} \left(\int \frac{(1 + x)^{10}}{x} dx, x, x^2 \right) \\ &= \frac{1}{22} e (1 + x^2)^{11} + \frac{1}{2} d \text{Subst} \left(\int \left(10 + \frac{1}{x} + 45x + 120x^2 + 210x^3 + 252x^4 + 210x^5 + 105x^6 + 35x^7 + 7x^8 + x^9 \right) dx, x, x^2 \right) \\ &= 5dx^2 + \frac{45dx^4}{4} + 20dx^6 + \frac{105dx^8}{4} + \frac{126dx^{10}}{5} + \frac{35dx^{12}}{2} + \frac{60dx^{14}}{7} + \frac{45dx^{16}}{16} + \frac{5d}{2} \log|x^2 + 1| \end{aligned}$$

Mathematica [A] time = 0.03, size = 149, normalized size = 1.60

$$\frac{1}{20}x^{20}(d+10e)+\frac{5}{18}x^{18}(2d+9e)+\frac{15}{16}x^{16}(3d+8e)+\frac{15}{7}x^{14}(4d+7e)+\frac{7}{2}x^{12}(5d+6e)+\frac{21}{5}x^{10}(6d+5e)+\frac{15}{4}x^8(7d+4e)+\frac{5}{2}x^6(8d+3e)+\frac{5}{2}x^4(9d+2e)+\frac{5}{2}x^2(10d+e)+\frac{5}{2}d \log|x^2+1|$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(1 + 2*x^2 + x^4)^5)/x,x]

[Out] ((10*d + e)*x^2)/2 + (5*(9*d + 2*e)*x^4)/4 + (5*(8*d + 3*e)*x^6)/2 + (15*(7*d + 4*e)*x^8)/4 + (21*(6*d + 5*e)*x^10)/5 + (7*(5*d + 6*e)*x^12)/2 + (15*(4*d + 7*e)*x^14)/7 + (15*(3*d + 8*e)*x^16)/16 + (5*(2*d + 9*e)*x^18)/18 + ((d + 10*e)*x^20)/20 + (e*x^22)/22 + d*Log[x]

fricas [A] time = 0.64, size = 127, normalized size = 1.37

$$\frac{1}{22}ex^{22}+\frac{1}{20}(d+10e)x^{20}+\frac{5}{18}(2d+9e)x^{18}+\frac{15}{16}(3d+8e)x^{16}+\frac{15}{7}(4d+7e)x^{14}+\frac{7}{2}(5d+6e)x^{12}+\frac{21}{5}(6d+5e)x^{10}+\frac{15}{4}(7d+4e)x^8+\frac{5}{2}(8d+3e)x^6+\frac{5}{2}(9d+2e)x^4+\frac{5}{2}(10d+e)x^2+\frac{5}{2}d \log|x^2+1|$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x,x, algorithm="fricas")

[Out] $\frac{1}{22}e*x^{22} + \frac{1}{20}(d + 10e)*x^{20} + \frac{5}{18}(2d + 9e)*x^{18} + \frac{15}{16}(3d + 8e)*x^{16} + \frac{15}{7}(4d + 7e)*x^{14} + \frac{7}{2}(5d + 6e)*x^{12} + \frac{21}{5}(6d + 5e)*x^{10} + \frac{15}{4}(7d + 4e)*x^8 + \frac{5}{2}(8d + 3e)*x^6 + \frac{5}{4}(9d + 2e)*x^4 + \frac{1}{2}(10d + e)*x^2 + d*\log(x)$

giac [A] time = 0.27, size = 145, normalized size = 1.56

$$\frac{1}{22}x^{22}e + \frac{1}{20}dx^{20} + \frac{1}{2}x^{20}e + \frac{5}{9}dx^{18} + \frac{5}{2}x^{18}e + \frac{45}{16}dx^{16} + \frac{15}{2}x^{16}e + \frac{60}{7}dx^{14} + 15x^{14}e + \frac{35}{2}dx^{12} + 21x^{12}e + \frac{126}{5}dx^{10} + 21x^{10}e + \frac{15}{4}(7d + 4e)x^8 + \frac{5}{2}(8d + 3e)x^6 + \frac{5}{4}(9d + 2e)x^4 + \frac{1}{2}(10d + e)x^2 + d*\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x,x, algorithm="giac")

[Out] $\frac{1}{22}*x^{22}*e + \frac{1}{20}*d*x^{20} + \frac{1}{2}*x^{20}*e + \frac{5}{9}*d*x^{18} + \frac{5}{2}*x^{18}*e + \frac{45}{16}*d*x^{16} + \frac{15}{2}*x^{16}*e + \frac{60}{7}*d*x^{14} + 15*x^{14}*e + \frac{35}{2}*d*x^{12} + 21*x^{12}*e + \frac{126}{5}*d*x^{10} + 21*x^{10}*e + \frac{105}{4}*d*x^8 + 15*x^8*e + 20*d*x^6 + \frac{15}{2}*x^6*e + \frac{5}{4}*d*x^4 + \frac{5}{2}*x^4*e + 5*d*x^2 + \frac{1}{2}*x^2*e + \frac{1}{2}*d*\log(x^2)$

maple [A] time = 0.00, size = 132, normalized size = 1.42

$$\frac{e x^{22}}{22} + \frac{d x^{20}}{20} + \frac{e x^{20}}{2} + \frac{5 d x^{18}}{9} + \frac{5 e x^{18}}{2} + \frac{45 d x^{16}}{16} + \frac{15 e x^{16}}{2} + \frac{60 d x^{14}}{7} + 15 e x^{14} + \frac{35 d x^{12}}{2} + 21 e x^{12} + \frac{126 d x^{10}}{5} + 21 e x^{10} + \frac{105 d x^8}{4} + 15 e x^8 + 20 d x^6 + \frac{15 x^6 e}{2} + \frac{5 d x^4}{4} + \frac{5 x^4 e}{2} + 5 d x^2 + \frac{1}{2} x^2 e + \frac{1}{2} d \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(x^4+2*x^2+1)^5/x,x)

[Out] $\frac{1}{22}e*x^{22} + \frac{1}{20}d*x^{20} + \frac{1}{2}e*x^{20} + \frac{5}{9}d*x^{18} + \frac{5}{2}e*x^{18} + \frac{45}{16}d*x^{16} + \frac{15}{2}e*x^{16} + \frac{60}{7}d*x^{14} + 15e*x^{14} + \frac{35}{2}d*x^{12} + 21e*x^{12} + \frac{126}{5}d*x^{10} + 21e*x^{10} + \frac{105}{4}d*x^8 + 15e*x^8 + 20d*x^6 + \frac{15}{2}e*x^6 + \frac{5}{4}d*x^4 + \frac{5}{2}e*x^4 + 5d*x^2 + \frac{1}{2}e*x^2 + d*\ln(x)$

maxima [A] time = 0.48, size = 130, normalized size = 1.40

$$\frac{1}{22}ex^{22} + \frac{1}{20}(d + 10e)x^{20} + \frac{5}{18}(2d + 9e)x^{18} + \frac{15}{16}(3d + 8e)x^{16} + \frac{15}{7}(4d + 7e)x^{14} + \frac{7}{2}(5d + 6e)x^{12} + \frac{21}{5}(6d + 5e)x^{10} + \frac{15}{4}(7d + 4e)x^8 + \frac{5}{2}(8d + 3e)x^6 + \frac{5}{4}(9d + 2e)x^4 + \frac{1}{2}(10d + e)x^2 + d*\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x,x, algorithm="maxima")

[Out] $\frac{1}{22}e*x^{22} + \frac{1}{20}(d + 10e)*x^{20} + \frac{5}{18}(2d + 9e)*x^{18} + \frac{15}{16}(3d + 8e)*x^{16} + \frac{15}{7}(4d + 7e)*x^{14} + \frac{7}{2}(5d + 6e)*x^{12} + \frac{21}{5}(6d + 5e)*x^{10} + \frac{15}{4}(7d + 4e)*x^8 + \frac{5}{2}(8d + 3e)*x^6 + \frac{5}{4}(9d + 2e)*x^4 + \frac{1}{2}(10d + e)*x^2 + \frac{1}{2}d*\log(x^2)$

mupad [B] time = 0.13, size = 121, normalized size = 1.30

$$x^2 \left(5d + \frac{e}{2}\right) + x^{18} \left(\frac{5d}{9} + \frac{5e}{2}\right) + x^6 \left(20d + \frac{15e}{2}\right) + x^{20} \left(\frac{d}{20} + \frac{e}{2}\right) + x^4 \left(\frac{45d}{4} + \frac{5e}{2}\right) + x^{12} \left(\frac{35d}{2} + 21e\right) + x^{16} \left(\frac{45d}{16} + \frac{15e}{2}\right) + x^{14} \left(\frac{60d}{7} + 15e\right) + x^8 \left(\frac{105d}{4} + 15e\right) + x^{10} \left(\frac{126d}{5} + 21e\right) + \frac{e x^{22}}{22} + d \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(2*x^2 + x^4 + 1)^5)/x,x)

[Out] x^2*(5*d + e/2) + x^18*((5*d)/9 + (5*e)/2) + x^6*(20*d + (15*e)/2) + x^20*(d/20 + e/2) + x^4*((45*d)/4 + (5*e)/2) + x^12*((35*d)/2 + 21*e) + x^16*((45*d)/16 + (15*e)/2) + x^14*((60*d)/7 + 15*e) + x^8*((105*d)/4 + 15*e) + x^10*((126*d)/5 + 21*e) + (e*x^22)/22 + d*log(x)

sympy [A] time = 0.33, size = 131, normalized size = 1.41

$$d \log(x) + \frac{e x^{22}}{22} + x^{20} \left(\frac{d}{20} + \frac{e}{2}\right) + x^{18} \left(\frac{5d}{9} + \frac{5e}{2}\right) + x^{16} \left(\frac{45d}{16} + \frac{15e}{2}\right) + x^{14} \left(\frac{60d}{7} + 15e\right) + x^{12} \left(\frac{35d}{2} + 21e\right) + x^{10} \left(\frac{126d}{5} + 21e\right) + x^8 \left(\frac{105d}{4} + 15e\right) + x^6 (20d + 15e/2) + x^4 (45d/4 + 5e/2) + x^2 (5d + e/2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(x**4+2*x**2+1)**5/x,x)

[Out] d*log(x) + e*x**22/22 + x**20*(d/20 + e/2) + x**18*(5*d/9 + 5*e/2) + x**16*(45*d/16 + 15*e/2) + x**14*(60*d/7 + 15*e) + x**12*(35*d/2 + 21*e) + x**10*(126*d/5 + 21*e) + x**8*(105*d/4 + 15*e) + x**6*(20*d + 15*e/2) + x**4*(45*d/4 + 5*e/2) + x**2*(5*d + e/2)

$$3.63 \quad \int \frac{(d+ex^2)(1+2x^2+x^4)^5}{x^2} dx$$

Optimal. Leaf size=141

$$\frac{1}{19}x^{19}(d+10e)+\frac{5}{17}x^{17}(2d+9e)+x^{15}(3d+8e)+\frac{30}{13}x^{13}(4d+7e)+\frac{42}{11}x^{11}(5d+6e)+\frac{14}{3}x^9(6d+5e)+\frac{30}{7}x^7(7d+4e)+3x^5(8d+3e)$$

[Out] $-d/x+(10*d+e)*x+5/3*(9*d+2*e)*x^3+3*(8*d+3*e)*x^5+30/7*(7*d+4*e)*x^7+14/3*(6*d+5*e)*x^9+42/11*(5*d+6*e)*x^{11}+30/13*(4*d+7*e)*x^{13}+(3*d+8*e)*x^{15}+5/17*(2*d+9*e)*x^{17}+1/19*(d+10*e)*x^{19}+1/21*e*x^{21}$

Rubi [A] time = 0.08, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {28, 448}

$$\frac{1}{19}x^{19}(d+10e)+\frac{5}{17}x^{17}(2d+9e)+x^{15}(3d+8e)+\frac{30}{13}x^{13}(4d+7e)+\frac{42}{11}x^{11}(5d+6e)+\frac{14}{3}x^9(6d+5e)+\frac{30}{7}x^7(7d+4e)+3x^5(8d+3e)$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(1 + 2*x^2 + x^4)^5)/x^2,x]

[Out] $-(d/x) + (10*d + e)*x + (5*(9*d + 2*e)*x^3)/3 + 3*(8*d + 3*e)*x^5 + (30*(7*d + 4*e)*x^7)/7 + (14*(6*d + 5*e)*x^9)/3 + (42*(5*d + 6*e)*x^{11})/11 + (30*(4*d + 7*e)*x^{13})/13 + (3*d + 8*e)*x^{15} + (5*(2*d + 9*e)*x^{17})/17 + ((d + 10*e)*x^{19})/19 + (e*x^{21})/21$

Rule 28

Int[(u_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 448

Int[((e_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_)]^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex^2)(1+2x^2+x^4)^5}{x^2} dx &= \int \frac{(1+x^2)^{10}(d+ex^2)}{x^2} dx \\ &= \int \left(10d \left(1 + \frac{e}{10d} \right) + \frac{d}{x^2} + 5(9d+2e)x^2 + 15(8d+3e)x^4 + 30(7d+4e)x^6 + 42(6d+5e)x^8 + 30(7d+4e)x^7 + \frac{14}{3}(6d+5e)x^5 + \frac{d}{x} \right) dx \\ &= -\frac{d}{x} + (10d+e)x + \frac{5}{3}(9d+2e)x^3 + 3(8d+3e)x^5 + \frac{30}{7}(7d+4e)x^7 + \frac{14}{3}(6d+5e)x^5 + \frac{d}{x} \end{aligned}$$

Mathematica [A] time = 0.03, size = 141, normalized size = 1.00

$$\frac{1}{19}x^{19}(d+10e) + \frac{5}{17}x^{17}(2d+9e) + x^{15}(3d+8e) + \frac{30}{13}x^{13}(4d+7e) + \frac{42}{11}x^{11}(5d+6e) + \frac{14}{3}x^9(6d+5e) + \frac{30}{7}x^7(7d+4e) + 3x^5(8d+3e) - \frac{d}{x}$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(1 + 2*x^2 + x^4)^5)/x^2,x]

[Out] -(d/x) + (10*d + e)*x + (5*(9*d + 2*e)*x^3)/3 + 3*(8*d + 3*e)*x^5 + (30*(7*d + 4*e)*x^7)/7 + (14*(6*d + 5*e)*x^9)/3 + (42*(5*d + 6*e)*x^11)/11 + (30*(4*d + 7*e)*x^13)/13 + (3*d + 8*e)*x^15 + (5*(2*d + 9*e)*x^17)/17 + ((d + 10*e)*x^19)/19 + (e*x^21)/21

fricas [A] time = 0.56, size = 131, normalized size = 0.93

$$46189ex^{22} + 51051(d+10e)x^{20} + 285285(2d+9e)x^{18} + 969969(3d+8e)x^{16} + 2238390(4d+7e)x^{14} + 3703518(5d+6e)x^{12} + 4526522(6d+5e)x^{10} + 4157010(7d+4e)x^8 + 2909907(8d+3e)x^6 + 1616615(9d+2e)x^4 + 969969(10d+e)x^2 - 969969d/x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x^2,x, algorithm="fricas")

[Out] 1/969969*(46189*e*x^22 + 51051*(d + 10*e)*x^20 + 285285*(2*d + 9*e)*x^18 + 969969*(3*d + 8*e)*x^16 + 2238390*(4*d + 7*e)*x^14 + 3703518*(5*d + 6*e)*x^12 + 4526522*(6*d + 5*e)*x^10 + 4157010*(7*d + 4*e)*x^8 + 2909907*(8*d + 3*e)*x^6 + 1616615*(9*d + 2*e)*x^4 + 969969*(10*d + e)*x^2 - 969969*d)/x

giac [A] time = 0.36, size = 139, normalized size = 0.99

$$\frac{1}{21}x^{21}e + \frac{1}{19}dx^{19} + \frac{10}{19}x^{19}e + \frac{10}{17}dx^{17} + \frac{45}{17}x^{17}e + 3dx^{15} + 8x^{15}e + \frac{120}{13}dx^{13} + \frac{210}{13}x^{13}e + \frac{210}{11}dx^{11} + \frac{252}{11}x^{11}e + 28dx^9 + 3x^7e - \frac{d}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x^2,x, algorithm="giac")

[Out] $1/21*x^{21}*e + 1/19*d*x^{19} + 10/19*x^{19}*e + 10/17*d*x^{17} + 45/17*x^{17}*e + 3*d*x^{15} + 8*x^{15}*e + 120/13*d*x^{13} + 210/13*x^{13}*e + 210/11*d*x^{11} + 252/11*x^{11}*e + 28*d*x^9 + 70/3*x^9*e + 30*d*x^7 + 120/7*x^7*e + 24*d*x^5 + 9*x^5*e + 15*d*x^3 + 10/3*x^3*e + 10*d*x + x*e - d/x$

maple [A] time = 0.00, size = 129, normalized size = 0.91

$$\frac{e x^{21}}{21} + \frac{d x^{19}}{19} + \frac{10 e x^{19}}{19} + \frac{10 d x^{17}}{17} + \frac{45 e x^{17}}{17} + 3 d x^{15} + 8 e x^{15} + \frac{120 d x^{13}}{13} + \frac{210 e x^{13}}{13} + \frac{210 d x^{11}}{11} + \frac{252 e x^{11}}{11} + 28 d x^9 + \frac{70 e x^9}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(x^4+2*x^2+1)^5/x^2,x)`

[Out] $1/21*e*x^{21}+1/19*x^{19}*d+10/19*x^{19}*e+10/17*x^{17}*d+45/17*x^{17}*e+3*x^{15}*d+8*x^{15}*e+120/13*x^{13}*d+210/13*x^{13}*e+210/11*x^{11}*d+252/11*x^{11}*e+28*x^9*d+70/3*x^9*e+30*x^7*d+120/7*x^7*e+24*d*x^5+9*x^5*e+15*d*x^3+10/3*x^3*e+10*d*x+e*x-d/x$

maxima [A] time = 0.50, size = 125, normalized size = 0.89

$$\frac{1}{21} e x^{21} + \frac{1}{19} (d + 10 e) x^{19} + \frac{5}{17} (2 d + 9 e) x^{17} + (3 d + 8 e) x^{15} + \frac{30}{13} (4 d + 7 e) x^{13} + \frac{42}{11} (5 d + 6 e) x^{11} + \frac{14}{3} (6 d + 5 e) x^9 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x^2,x, algorithm="maxima")`

[Out] $1/21*e*x^{21} + 1/19*(d + 10*e)*x^{19} + 5/17*(2*d + 9*e)*x^{17} + (3*d + 8*e)*x^{15} + 30/13*(4*d + 7*e)*x^{13} + 42/11*(5*d + 6*e)*x^{11} + 14/3*(6*d + 5*e)*x^9 + 30/7*(7*d + 4*e)*x^7 + 3*(8*d + 3*e)*x^5 + 5/3*(9*d + 2*e)*x^3 + (10*d + e)*x - d/x$

mupad [B] time = 0.08, size = 119, normalized size = 0.84

$$x^{15} (3 d + 8 e) + x^3 \left(15 d + \frac{10 e}{3} \right) + x^5 (24 d + 9 e) + x^{19} \left(\frac{d}{19} + \frac{10 e}{19} \right) + x^{17} \left(\frac{10 d}{17} + \frac{45 e}{17} \right) + x^9 \left(28 d + \frac{70 e}{3} \right) + x^7 \left(30 d + \frac{70 e}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(2*x^2 + x^4 + 1)^5)/x^2,x)`

[Out] $x^{15}*(3*d + 8*e) + x^3*(15*d + (10*e)/3) + x^5*(24*d + 9*e) + x^{19}*(d/19 + (10*e)/19) + x^{17}*((10*d)/17 + (45*e)/17) + x^9*(28*d + (70*e)/3) + x^7*(30*d + (120*e)/7) + x^{13}*((120*d)/13 + (210*e)/13) + x^{11}*((210*d)/11 + (252*e)/11) + x*(10*d + e) - d/x + (e*x^{21})/21$

sympy [A] time = 0.32, size = 124, normalized size = 0.88

$$-\frac{d}{x} + \frac{ex^{21}}{21} + x^{19} \left(\frac{d}{19} + \frac{10e}{19} \right) + x^{17} \left(\frac{10d}{17} + \frac{45e}{17} \right) + x^{15} (3d + 8e) + x^{13} \left(\frac{120d}{13} + \frac{210e}{13} \right) + x^{11} \left(\frac{210d}{11} + \frac{252e}{11} \right) + x^9 (28d + 70e/3) + x^7 (30d + 120e/7) + x^5 (24d + 9e) + x^3 (15d + 10e/3) + x(10d + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(x**4+2*x**2+1)**5/x**2,x)

[Out] -d/x + e*x**21/21 + x**19*(d/19 + 10*e/19) + x**17*(10*d/17 + 45*e/17) + x**15*(3*d + 8*e) + x**13*(120*d/13 + 210*e/13) + x**11*(210*d/11 + 252*e/11) + x**9*(28*d + 70*e/3) + x**7*(30*d + 120*e/7) + x**5*(24*d + 9*e) + x**3*(15*d + 10*e/3) + x*(10*d + e)

$*(c + d*x)^q, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(1 + 2x^2 + x^4)^5}{x^3} dx &= \int \frac{(1 + x^2)^{10}(d + ex^2)}{x^3} dx \\ &= \frac{1}{2} \text{Subst} \left(\int \frac{(1 + x)^{10}(d + ex)}{x^2} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(5(9d + 2e) + \frac{d}{x^2} + \frac{10d + e}{x} + 15(8d + 3e)x + 30(7d + 4e)x^2 + 4 \right) dx, x, x^2 \right) \\ &= -\frac{d}{2x^2} + \frac{5}{2}(9d + 2e)x^2 + \frac{15}{4}(8d + 3e)x^4 + 5(7d + 4e)x^6 + \frac{21}{4}(6d + 5e)x^8 + \frac{21}{5}x^{10} \end{aligned}$$

Mathematica [A] time = 0.03, size = 147, normalized size = 1.00

$$\frac{1}{18}x^{18}(d+10e) + \frac{5}{16}x^{16}(2d+9e) + \frac{15}{14}x^{14}(3d+8e) + \frac{5}{2}x^{12}(4d+7e) + \frac{21}{5}x^{10}(5d+6e) + \frac{21}{4}x^8(6d+5e) + 5x^6(7d+4e) + \frac{15}{4}x^4(8d+3e) + \frac{5}{2}x^2(9d+2e) - \frac{d}{2x^2} + \frac{1}{2} \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)*(1 + 2*x^2 + x^4)^5)/x^3, x]

[Out] $-1/2*d/x^2 + (5*(9*d + 2*e)*x^2)/2 + (15*(8*d + 3*e)*x^4)/4 + 5*(7*d + 4*e)*x^6 + (21*(6*d + 5*e)*x^8)/4 + (21*(5*d + 6*e)*x^{10})/5 + (5*(4*d + 7*e)*x^{12})/2 + (15*(3*d + 8*e)*x^{14})/14 + (5*(2*d + 9*e)*x^{16})/16 + ((d + 10*e)*x^{18})/18 + (e*x^{20})/20 + (10*d + e)*\text{Log}[x]$

fricas [A] time = 0.76, size = 133, normalized size = 0.90

$$\frac{252ex^{22} + 280(d + 10e)x^{20} + 1575(2d + 9e)x^{18} + 5400(3d + 8e)x^{16} + 12600(4d + 7e)x^{14} + 21168(5d + 6e)x^{12} + 26460(6d + 5e)x^{10} + 25200(7d + 4e)x^8 + 18900(8d + 3e)x^6 + 12600(9d + 2e)x^4 + 5040(10d + e)x^2 \log(x) - 2520d}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x^3,x, algorithm="fricas")

[Out] $1/5040*(252*e*x^{22} + 280*(d + 10*e)*x^{20} + 1575*(2*d + 9*e)*x^{18} + 5400*(3*d + 8*e)*x^{16} + 12600*(4*d + 7*e)*x^{14} + 21168*(5*d + 6*e)*x^{12} + 26460*(6*d + 5*e)*x^{10} + 25200*(7*d + 4*e)*x^8 + 18900*(8*d + 3*e)*x^6 + 12600*(9*d + 2*e)*x^4 + 5040*(10*d + e)*x^2*\log(x) - 2520*d)/x^2$

giac [A] time = 0.26, size = 156, normalized size = 1.06

$$\frac{1}{20} x^{20} e + \frac{1}{18} dx^{18} + \frac{5}{9} x^{18} e + \frac{5}{8} dx^{16} + \frac{45}{16} x^{16} e + \frac{45}{14} dx^{14} + \frac{60}{7} x^{14} e + 10 dx^{12} + \frac{35}{2} x^{12} e + 21 dx^{10} + \frac{126}{5} x^{10} e + \frac{63}{2} dx^8 + \frac{105}{4} dx^6 + \frac{35}{2} dx^4 + \frac{20}{1} dx^2 + \frac{1}{2} (10d + e) \log(x^2) - \frac{1}{2} (10d x^2 + x^2 e + d) / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x^3,x, algorithm="giac")

[Out] 1/20*x^20*e + 1/18*d*x^18 + 5/9*x^18*e + 5/8*d*x^16 + 45/16*x^16*e + 45/14*d*x^14 + 60/7*x^14*e + 10*d*x^12 + 35/2*x^12*e + 21*d*x^10 + 126/5*x^10*e + 63/2*d*x^8 + 105/4*x^8*e + 35*d*x^6 + 20*x^6*e + 30*d*x^4 + 45/4*x^4*e + 45/2*d*x^2 + 5*x^2*e + 1/2*(10*d + e)*log(x^2) - 1/2*(10*d*x^2 + x^2*e + d)/x^2

maple [A] time = 0.01, size = 131, normalized size = 0.89

$$\frac{e x^{20}}{20} + \frac{d x^{18}}{18} + \frac{5 e x^{18}}{9} + \frac{5 d x^{16}}{8} + \frac{45 e x^{16}}{16} + \frac{45 d x^{14}}{14} + \frac{60 e x^{14}}{7} + 10 d x^{12} + \frac{35 e x^{12}}{2} + 21 d x^{10} + \frac{126 e x^{10}}{5} + \frac{63 d x^8}{2} + \frac{105 e x^8}{4} + \frac{35 d x^6}{2} + \frac{20 e x^6}{1} + \frac{30 d x^4}{1} + \frac{45 e x^4}{4} + \frac{45 d x^2}{2} + 5 e x^2 + \frac{1}{2} (10 d + e) \log(x^2) - \frac{1}{2} (10 d x^2 + x^2 e + d) / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(x^4+2*x^2+1)^5/x^3,x)

[Out] 1/20*e*x^20+1/18*d*x^18+5/9*e*x^18+5/8*d*x^16+45/16*e*x^16+45/14*d*x^14+60/7*e*x^14+10*d*x^12+35/2*e*x^12+21*d*x^10+126/5*e*x^10+63/2*d*x^8+105/4*e*x^8+35*d*x^6+20*e*x^6+30*d*x^4+45/4*e*x^4+45/2*d*x^2+5*e*x^2+10*d*ln(x)+ln(x)*e-1/2*d/x^2

maxima [A] time = 0.70, size = 130, normalized size = 0.88

$$\frac{1}{20} e x^{20} + \frac{1}{18} (d + 10e) x^{18} + \frac{5}{16} (2d + 9e) x^{16} + \frac{15}{14} (3d + 8e) x^{14} + \frac{5}{2} (4d + 7e) x^{12} + \frac{21}{5} (5d + 6e) x^{10} + \frac{21}{4} (6d + 5e) x^8 + 5(7d + 4e) x^6 + \frac{15}{4} (8d + 3e) x^4 + \frac{5}{2} (9d + 2e) x^2 + \frac{1}{2} (10d + e) \log(x^2) - \frac{1}{2} d / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(x^4+2*x^2+1)^5/x^3,x, algorithm="maxima")

[Out] 1/20*e*x^20 + 1/18*(d + 10*e)*x^18 + 5/16*(2*d + 9*e)*x^16 + 15/14*(3*d + 8*e)*x^14 + 5/2*(4*d + 7*e)*x^12 + 21/5*(5*d + 6*e)*x^10 + 21/4*(6*d + 5*e)*x^8 + 5*(7*d + 4*e)*x^6 + 15/4*(8*d + 3*e)*x^4 + 5/2*(9*d + 2*e)*x^2 + 1/2*(10*d + e)*log(x^2) - 1/2*d/x^2

mupad [B] time = 0.08, size = 120, normalized size = 0.82

$$x^{18} \left(\frac{d}{18} + \frac{5e}{9} \right) + x^2 \left(\frac{45d}{2} + 5e \right) + x^{12} \left(10d + \frac{35e}{2} \right) + x^6 (35d + 20e) + x^4 \left(30d + \frac{45e}{4} \right) + x^{16} \left(\frac{5d}{8} + \frac{45e}{16} \right) + x^{14} \left(\frac{45d}{14} + \frac{60e}{7} \right) + 10d x^{12} + \frac{35e}{2} x^{12} + 21d x^{10} + \frac{126e}{5} x^{10} + \frac{63d}{2} x^8 + \frac{105e}{4} x^8 + \frac{35d}{2} x^6 + \frac{20e}{1} x^6 + \frac{30d}{1} x^4 + \frac{45e}{4} x^4 + \frac{45d}{2} x^2 + 5e x^2 + \frac{1}{2} (10d + e) \log(x^2) - \frac{1}{2} (10d x^2 + x^2 e + d) / x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(2*x^2 + x^4 + 1)^5)/x^3,x)`

[Out] $x^{18}*(d/18 + (5*e)/9) + x^2*((45*d)/2 + 5*e) + x^{12}*(10*d + (35*e)/2) + x^6*(35*d + 20*e) + x^4*(30*d + (45*e)/4) + x^{16}*((5*d)/8 + (45*e)/16) + x^{14}*((45*d)/14 + (60*e)/7) + x^{10}*(21*d + (126*e)/5) + x^8*((63*d)/2 + (105*e)/4) - d/(2*x^2) + (e*x^{20})/20 + \log(x)*(10*d + e)$

sympy [A] time = 0.39, size = 131, normalized size = 0.89

$$-\frac{d}{2x^2} + \frac{ex^{20}}{20} + x^{18} \left(\frac{d}{18} + \frac{5e}{9} \right) + x^{16} \left(\frac{5d}{8} + \frac{45e}{16} \right) + x^{14} \left(\frac{45d}{14} + \frac{60e}{7} \right) + x^{12} \left(10d + \frac{35e}{2} \right) + x^{10} \left(21d + \frac{126e}{5} \right) + x^8 \left(\frac{63d}{2} + \frac{105e}{4} \right) - \frac{d}{2x^2} + \frac{ex^{20}}{20} + \log(x)(10d + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(x**4+2*x**2+1)**5/x**3,x)`

[Out] $-d/(2*x**2) + e*x**20/20 + x**18*(d/18 + 5*e/9) + x**16*(5*d/8 + 45*e/16) + x**14*(45*d/14 + 60*e/7) + x**12*(10*d + 35*e/2) + x**10*(21*d + 126*e/5) + x**8*(63*d/2 + 105*e/4) + x**6*(35*d + 20*e) + x**4*(30*d + 45*e/4) + x**2*(45*d/2 + 5*e) + (10*d + e)*\log(x)$

3.65 $\int (fx)^m (1 + x^2) (1 + 2x^2 + x^4)^5 dx$

Optimal. Leaf size=203

$$\frac{(fx)^{m+23}}{f^{23}(m+23)} + \frac{11(fx)^{m+21}}{f^{21}(m+21)} + \frac{55(fx)^{m+19}}{f^{19}(m+19)} + \frac{165(fx)^{m+17}}{f^{17}(m+17)} + \frac{330(fx)^{m+15}}{f^{15}(m+15)} + \frac{462(fx)^{m+13}}{f^{13}(m+13)} + \frac{462(fx)^{m+11}}{f^{11}(m+11)} + \frac{330(fx)^{m+9}}{f^9(m+9)}$$

[Out] $(f*x)^{(1+m)}/f/(1+m)+11*(f*x)^{(3+m)}/f^3/(3+m)+55*(f*x)^{(5+m)}/f^5/(5+m)+165*(f*x)^{(7+m)}/f^7/(7+m)+330*(f*x)^{(9+m)}/f^9/(9+m)+462*(f*x)^{(11+m)}/f^{11}/(11+m)+462*(f*x)^{(13+m)}/f^{13}/(13+m)+330*(f*x)^{(15+m)}/f^{15}/(15+m)+165*(f*x)^{(17+m)}/f^{17}/(17+m)+55*(f*x)^{(19+m)}/f^{19}/(19+m)+11*(f*x)^{(21+m)}/f^{21}/(21+m)+(f*x)^{(23+m)}/f^{23}/(23+m)$

Rubi [A] time = 0.07, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {28, 270}

$$\frac{11(fx)^{m+3}}{f^3(m+3)} + \frac{55(fx)^{m+5}}{f^5(m+5)} + \frac{165(fx)^{m+7}}{f^7(m+7)} + \frac{330(fx)^{m+9}}{f^9(m+9)} + \frac{462(fx)^{m+11}}{f^{11}(m+11)} + \frac{462(fx)^{m+13}}{f^{13}(m+13)} + \frac{330(fx)^{m+15}}{f^{15}(m+15)} + \frac{165(fx)^{m+17}}{f^{17}(m+17)} + \frac{55(fx)^{m+19}}{f^{19}(m+19)} + \frac{11(fx)^{m+21}}{f^{21}(m+21)} + \frac{(fx)^{m+23}}{f^{23}(m+23)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] $(f*x)^{(1+m)}/(f*(1+m)) + (11*(f*x)^{(3+m)})/(f^3*(3+m)) + (55*(f*x)^{(5+m)})/(f^5*(5+m)) + (165*(f*x)^{(7+m)})/(f^7*(7+m)) + (330*(f*x)^{(9+m)})/(f^9*(9+m)) + (462*(f*x)^{(11+m)})/(f^{11}*(11+m)) + (462*(f*x)^{(13+m)})/(f^{13}*(13+m)) + (330*(f*x)^{(15+m)})/(f^{15}*(15+m)) + (165*(f*x)^{(17+m)})/(f^{17}*(17+m)) + (55*(f*x)^{(19+m)})/(f^{19}*(19+m)) + (11*(f*x)^{(21+m)})/(f^{21}*(21+m)) + (f*x)^{(23+m)}/(f^{23}*(23+m))$

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 270

Int[((c_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] :> Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int (fx)^m (1+x^2)(1+2x^2+x^4)^5 dx &= \int (fx)^m (1+x^2)^{11} dx \\ &= \int \left((fx)^m + \frac{11(fx)^{2+m}}{f^2} + \frac{55(fx)^{4+m}}{f^4} + \frac{165(fx)^{6+m}}{f^6} + \frac{330(fx)^{8+m}}{f^8} + \frac{462(fx)^{10+m}}{f^{10}} \right. \\ &= \frac{(fx)^{1+m}}{f(1+m)} + \frac{11(fx)^{3+m}}{f^3(3+m)} + \frac{55(fx)^{5+m}}{f^5(5+m)} + \frac{165(fx)^{7+m}}{f^7(7+m)} + \frac{330(fx)^{9+m}}{f^9(9+m)} + \frac{462(fx)^{11+m}}{f^{11}(11+m)} \end{aligned}$$

Mathematica [A] time = 0.04, size = 122, normalized size = 0.60

$$x \left(\frac{x^{22}}{m+23} + \frac{11x^{20}}{m+21} + \frac{55x^{18}}{m+19} + \frac{165x^{16}}{m+17} + \frac{330x^{14}}{m+15} + \frac{462x^{12}}{m+13} + \frac{462x^{10}}{m+11} + \frac{330x^8}{m+9} + \frac{165x^6}{m+7} + \frac{55x^4}{m+5} + \frac{11x^2}{m+3} + \frac{x}{m+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(1+x^2)*(1+2*x^2+x^4)^5,x]

[Out] x*(f*x)^m*((1+m)^(-1) + (11*x^2)/(3+m) + (55*x^4)/(5+m) + (165*x^6)/(7+m) + (330*x^8)/(9+m) + (462*x^10)/(11+m) + (462*x^12)/(13+m) + (330*x^14)/(15+m) + (165*x^16)/(17+m) + (55*x^18)/(19+m) + (11*x^20)/(21+m) + x^22/(23+m))

fricas [B] time = 0.83, size = 759, normalized size = 3.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] ((m^11 + 121*m^10 + 6435*m^9 + 197835*m^8 + 3889578*m^7 + 51069018*m^6 + 453714470*m^5 + 2702025590*m^4 + 10431670821*m^3 + 24372200061*m^2 + 29985521895*m + 13749310575)*x^23 + 11*(m^11 + 123*m^10 + 6635*m^9 + 206505*m^8 + 4103178*m^7 + 54362574*m^6 + 486687830*m^5 + 2917013970*m^4 + 11320966021*m^3 + 26560342503*m^2 + 32778930735*m + 15058768725)*x^21 + 55*(m^11 + 125*m^10 + 6843*m^9 + 215823*m^8 + 4339146*m^7 + 58085538*m^6 + 524676662*m^5 + 3168601822*m^4 + 12374824773*m^3 + 29178958257*m^2 + 36145916415*m + 16643902275)*x^19 + 165*(m^11 + 127*m^10 + 7059*m^9 + 225837*m^8 + 4600554*m^7 + 62319894*m^6 + 568863686*m^5 + 3466775738*m^4 + 13643071845*m^3 + 32368407579*m^2 + 40283194455*m + 18602008425)*x^17 + 330*(m^11 + 129*m^10 + 7283*m^9 + 236595*m^8 + 4890858*m^7 + 67166442*m^6 + 620805254*m^5 + 3825379590*m^4 + 15197565541*m^3 + 36337145829*m^2 + 45488935863*m + 21082276215)*x^15 + 462*(m^11 + 131*m^10 + 7515*m^9 + 248145*m^8 + 5213898*m^7 + 72748638*m^6 + 5213898*m^5 + 72748638*m^4 + 5213898*m^3 + 72748638*m^2 + 5213898*m + 72748638)

$$\begin{aligned}
& 682569590*m^5 + 4264053730*m^4 + 17145560901*m^3 + 41408337231*m^2 + 52237 \\
& 739295*m + 24325703325)*x^{13} + 462*(m^{11} + 133*m^{10} + 7755*m^9 + 260535*m^8 \\
& + 5573898*m^7 + 79216434*m^6 + 756921110*m^5 + 4811326190*m^4 + 1965367130 \\
& 1*m^3 + 48110244633*m^2 + 61333432335*m + 28748558475)*x^{11} + 330*(m^{11} + 1 \\
& 35*m^{10} + 8003*m^9 + 273813*m^8 + 5975466*m^7 + 86750118*m^6 + 847550822*m^ \\
& 5 + 5509501002*m^4 + 22992750373*m^3 + 57365875587*m^2 + 74253243015*m + 35 \\
& 137127025)*x^9 + 165*(m^{11} + 137*m^{10} + 8259*m^9 + 288027*m^8 + 6423594*m^7 \\
& + 95564154*m^6 + 959352806*m^5 + 6421988758*m^4 + 27624338085*m^3 + 709302 \\
& 62349*m^2 + 94034286855*m + 45176306175)*x^7 + 55*(m^{11} + 139*m^{10} + 8523*m^ \\
& ^9 + 303225*m^8 + 6923658*m^7 + 105911022*m^6 + 1098746774*m^5 + 7643724530 \\
& *m^4 + 34359636741*m^3 + 92502445239*m^2 + 128033897103*m + 63246828645)*x^ \\
& 5 + 11*(m^{11} + 141*m^{10} + 8795*m^9 + 319455*m^8 + 7481418*m^7 + 118085058*m^ \\
& ^6 + 1274046710*m^5 + 9315318270*m^4 + 44632304581*m^3 + 130403715201*m^2 + \\
& 199334977695*m + 105411381075)*x^3 + (m^{11} + 143*m^{10} + 9075*m^9 + 336765* \\
& m^8 + 8103018*m^7 + 132426294*m^6 + 1495875590*m^5 + 11641582810*m^4 + 6093 \\
& 6676581*m^3 + 203363952363*m^2 + 387182170935*m + 316234143225)*x)*(f*x)^m/ \\
& (m^{12} + 144*m^{11} + 9218*m^{10} + 345840*m^9 + 8439783*m^8 + 140529312*m^7 + 1 \\
& 628301884*m^6 + 13137458400*m^5 + 72578259391*m^4 + 264300628944*m^3 + 5905 \\
& 46123298*m^2 + 703416314160*m + 316234143225)
\end{aligned}$$

giac [B] time = 0.62, size = 1848, normalized size = 9.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] ((f*x)^m*m^{11}*x^{23} + 121*(f*x)^m*m^{10}*x^{23} + 11*(f*x)^m*m^{11}*x^{21} + 6435*(f*x)^m*m^9*x^{23} + 1353*(f*x)^m*m^{10}*x^{21} + 197835*(f*x)^m*m^8*x^{23} + 55*(f*x)^m*m^{11}*x^{19} + 72985*(f*x)^m*m^9*x^{21} + 3889578*(f*x)^m*m^7*x^{23} + 6875*(f*x)^m*m^{10}*x^{19} + 2271555*(f*x)^m*m^8*x^{21} + 51069018*(f*x)^m*m^6*x^{23} + 165*(f*x)^m*m^{11}*x^{17} + 376365*(f*x)^m*m^9*x^{19} + 45134958*(f*x)^m*m^7*x^{21} + 453714470*(f*x)^m*m^5*x^{23} + 20955*(f*x)^m*m^{10}*x^{17} + 11870265*(f*x)^m*m^8*x^{19} + 597988314*(f*x)^m*m^6*x^{21} + 2702025590*(f*x)^m*m^4*x^{23} + 330*(f*x)^m*m^{11}*x^{15} + 1164735*(f*x)^m*m^9*x^{17} + 238653030*(f*x)^m*m^7*x^{19} + 5353566130*(f*x)^m*m^5*x^{21} + 10431670821*(f*x)^m*m^3*x^{23} + 42570*(f*x)^m*m^{10}*x^{15} + 37263105*(f*x)^m*m^8*x^{17} + 3194704590*(f*x)^m*m^6*x^{19} + 32087153670*(f*x)^m*m^4*x^{21} + 24372200061*(f*x)^m*m^2*x^{23} + 462*(f*x)^m*m^{11}*x^{13} + 2403390*(f*x)^m*m^9*x^{15} + 759091410*(f*x)^m*m^7*x^{17} + 28857216410*(f*x)^m*m^5*x^{19} + 124530626231*(f*x)^m*m^3*x^{21} + 29985521895*(f*x)^m*m*x^{23} + 60522*(f*x)^m*m^{10}*x^{13} + 78076350*(f*x)^m*m^8*x^{15} + 10282782510*(f*x)^m*m^6*x^{17} + 174273100210*(f*x)^m*m^4*x^{19} + 292163767533*(f*x)^m*m^2*x^{21} + 13749310575*(f*x)^m*x^{23} + 462*(f*x)^m*m^{11}*x^{11} + 3471930*(f*x)^m*m^9*x^{13} + 1613983140*(f*x)^m*m^7*x^{15} + 93862508190*(f*x)^m*m^5*x^{17} + 680615362515*(f*x)^m*m^3*x^{19} + 360568238085*(f*x)^m*m*x^{21} + 61446*(f*x)^m*m^{10}*x^{11}

$$\begin{aligned}
& + 114642990*(f*x)^m*m^8*x^13 + 22164925860*(f*x)^m*m^6*x^15 + 572017996770 \\
& *(f*x)^m*m^4*x^17 + 1604842704135*(f*x)^m*m^2*x^19 + 165646455975*(f*x)^m*x \\
& ^21 + 330*(f*x)^m*m^11*x^9 + 3582810*(f*x)^m*m^9*x^11 + 2408820876*(f*x)^m* \\
& m^7*x^13 + 204865733820*(f*x)^m*m^5*x^15 + 2251106854425*(f*x)^m*m^3*x^17 + \\
& 1988025402825*(f*x)^m*m*x^19 + 44550*(f*x)^m*m^10*x^9 + 120367170*(f*x)^m* \\
& m^8*x^11 + 33609870756*(f*x)^m*m^6*x^13 + 1262375264700*(f*x)^m*m^4*x^15 + \\
& 5340787250535*(f*x)^m*m^2*x^17 + 915414625125*(f*x)^m*x^19 + 165*(f*x)^m*m^ \\
& 11*x^7 + 2640990*(f*x)^m*m^9*x^9 + 2575140876*(f*x)^m*m^7*x^11 + 3153471505 \\
& 80*(f*x)^m*m^5*x^13 + 5015196628530*(f*x)^m*m^3*x^15 + 6646727085075*(f*x)^ \\
& m*m*x^17 + 22605*(f*x)^m*m^10*x^7 + 90358290*(f*x)^m*m^8*x^9 + 36597992508* \\
& (f*x)^m*m^6*x^11 + 1969992823260*(f*x)^m*m^4*x^13 + 11991258123570*(f*x)^m* \\
& m^2*x^15 + 3069331390125*(f*x)^m*x^17 + 55*(f*x)^m*m^11*x^5 + 1362735*(f*x) \\
& ^m*m^9*x^7 + 1971903780*(f*x)^m*m^7*x^9 + 349697552820*(f*x)^m*m^5*x^11 + 7 \\
& 921249136262*(f*x)^m*m^3*x^13 + 15011348834790*(f*x)^m*m*x^15 + 7645*(f*x)^ \\
& m*m^10*x^5 + 47524455*(f*x)^m*m^8*x^7 + 28627538940*(f*x)^m*m^6*x^9 + 22228 \\
& 32699780*(f*x)^m*m^4*x^11 + 19130651800722*(f*x)^m*m^2*x^13 + 6957151150950 \\
& *(f*x)^m*x^15 + 11*(f*x)^m*m^11*x^3 + 468765*(f*x)^m*m^9*x^5 + 1059893010*(\\
& f*x)^m*m^7*x^7 + 279691771260*(f*x)^m*m^5*x^9 + 9079996141062*(f*x)^m*m^3*x \\
& ^11 + 24133835554290*(f*x)^m*m*x^13 + 1551*(f*x)^m*m^10*x^3 + 16677375*(f*x) \\
&)^m*m^8*x^5 + 15768085410*(f*x)^m*m^6*x^7 + 1818135330660*(f*x)^m*m^4*x^9 + \\
& 22226933020446*(f*x)^m*m^2*x^11 + 11238474936150*(f*x)^m*x^13 + (f*x)^m*m^ \\
& 11*x + 96745*(f*x)^m*m^9*x^3 + 380801190*(f*x)^m*m^7*x^5 + 158293212990*(f* \\
& x)^m*m^5*x^7 + 7587607623090*(f*x)^m*m^3*x^9 + 28336045738770*(f*x)^m*m*x^1 \\
& 1 + 143*(f*x)^m*m^10*x + 3514005*(f*x)^m*m^8*x^3 + 5825106210*(f*x)^m*m^6*x \\
& ^5 + 1059628145070*(f*x)^m*m^4*x^7 + 18930738943710*(f*x)^m*m^2*x^9 + 13281 \\
& 834015450*(f*x)^m*x^11 + 9075*(f*x)^m*m^9*x + 82295598*(f*x)^m*m^7*x^3 + 60 \\
& 431072570*(f*x)^m*m^5*x^5 + 4558015784025*(f*x)^m*m^3*x^7 + 24503570194950* \\
& (f*x)^m*m*x^9 + 336765*(f*x)^m*m^8*x + 1298935638*(f*x)^m*m^6*x^3 + 4204048 \\
& 49150*(f*x)^m*m^4*x^5 + 11703493287585*(f*x)^m*m^2*x^7 + 11595251918250*(f* \\
& x)^m*x^9 + 8103018*(f*x)^m*m^7*x + 14014513810*(f*x)^m*m^5*x^3 + 1889780020 \\
& 755*(f*x)^m*m^3*x^5 + 15515657331075*(f*x)^m*m*x^7 + 132426294*(f*x)^m*m^6* \\
& x + 102468500970*(f*x)^m*m^4*x^3 + 5087634488145*(f*x)^m*m^2*x^5 + 74540905 \\
& 18875*(f*x)^m*x^7 + 1495875590*(f*x)^m*m^5*x + 490955350391*(f*x)^m*m^3*x^3 \\
& + 7041864340665*(f*x)^m*m*x^5 + 11641582810*(f*x)^m*m^4*x + 1434440867211* \\
& (f*x)^m*m^2*x^3 + 3478575575475*(f*x)^m*x^5 + 60936676581*(f*x)^m*m^3*x + 2 \\
& 192684754645*(f*x)^m*m*x^3 + 203363952363*(f*x)^m*m^2*x + 1159525191825*(f* \\
& x)^m*x^3 + 387182170935*(f*x)^m*m*x + 316234143225*(f*x)^m*x)/(m^12 + 144*m \\
& ^11 + 9218*m^10 + 345840*m^9 + 8439783*m^8 + 140529312*m^7 + 1628301884*m^6 \\
& + 13137458400*m^5 + 72578259391*m^4 + 264300628944*m^3 + 590546123298*m^2 \\
& + 703416314160*m + 316234143225)
\end{aligned}$$

maple [B] time = 0.01, size = 1121, normalized size = 5.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(x^2+1)*(x^4+2*x^2+1)^5,x)

[Out] (f*x)^m*(m^11*x^22+121*m^10*x^22+11*m^11*x^20+6435*m^9*x^22+1353*m^10*x^20+197835*m^8*x^22+55*m^11*x^18+72985*m^9*x^20+3889578*m^7*x^22+6875*m^10*x^18+2271555*m^8*x^20+51069018*m^6*x^22+165*m^11*x^16+376365*m^9*x^18+45134958*m^7*x^20+453714470*m^5*x^22+20955*m^10*x^16+11870265*m^8*x^18+597988314*m^6*x^20+2702025590*m^4*x^22+330*m^11*x^14+1164735*m^9*x^16+238653030*m^7*x^18+5353566130*m^5*x^20+10431670821*m^3*x^22+42570*m^10*x^14+37263105*m^8*x^16+3194704590*m^6*x^18+32087153670*m^4*x^20+24372200061*m^2*x^22+462*m^11*x^12+2403390*m^9*x^14+759091410*m^7*x^16+28857216410*m^5*x^18+124530626231*m^3*x^20+29985521895*m*x^22+60522*m^10*x^12+78076350*m^8*x^14+10282782510*m^6*x^16+174273100210*m^4*x^18+292163767533*m^2*x^20+13749310575*x^22+462*m^11*x^10+3471930*m^9*x^12+1613983140*m^7*x^14+93862508190*m^5*x^16+680615362515*m^3*x^18+360568238085*m*x^20+61446*m^10*x^10+114642990*m^8*x^12+22164925860*m^6*x^14+572017996770*m^4*x^16+1604842704135*m^2*x^18+165646455975*x^20+330*m^11*x^8+3582810*m^9*x^10+2408820876*m^7*x^12+204865733820*m^5*x^14+2251106854425*m^3*x^16+1988025402825*m*x^18+44550*m^10*x^8+120367170*m^8*x^10+33609870756*m^6*x^12+1262375264700*m^4*x^14+5340787250535*m^2*x^16+915414625125*x^18+165*m^11*x^6+2640990*m^9*x^8+2575140876*m^7*x^10+315347150580*m^5*x^12+5015196628530*m^3*x^14+6646727085075*m*x^16+22605*m^10*x^6+90358290*m^8*x^8+36597992508*m^6*x^10+1969992823260*m^4*x^12+11991258123570*m^2*x^14+3069331390125*x^16+55*m^11*x^4+1362735*m^9*x^6+1971903780*m^7*x^8+349697552820*m^5*x^10+7921249136262*m^3*x^12+15011348834790*m*x^14+7645*m^10*x^4+47524455*m^8*x^6+28627538940*m^6*x^8+2222832699780*m^4*x^10+19130651800722*m^2*x^12+6957151150950*x^14+11*m^11*x^2+468765*m^9*x^4+1059893010*m^7*x^6+279691771260*m^5*x^8+9079996141062*m^3*x^10+24133835554290*m*x^12+1551*m^10*x^2+16677375*m^8*x^4+15768085410*m^6*x^6+1818135330660*m^4*x^8+22226933020446*m^2*x^10+11238474936150*x^12+m^11+96745*m^9*x^2+380801190*m^7*x^4+158293212990*m^5*x^6+7587607623090*m^3*x^8+28336045738770*m*x^10+143*m^10+3514005*m^8*x^2+5825106210*m^6*x^4+1059628145070*m^4*x^6+18930738943710*m^2*x^8+13281834015450*x^10+9075*m^9+82295598*m^7*x^2+60431072570*m^5*x^4+4558015784025*m^3*x^6+24503570194950*m*x^8+336765*m^8+1298935638*m^6*x^2+420404849150*m^4*x^4+11703493287585*m^2*x^6+11595251918250*x^8+8103018*m^7+14014513810*m^5*x^2+1889780020755*m^3*x^4+15515657331075*m*x^6+132426294*m^6+102468500970*m^4*x^2+5087634488145*m^2*x^4+7454090518875*x^6+1495875590*m^5+490955350391*m^3*x^2+7041864340665*m*x^4+11641582810*m^4+1434440867211*m^2*x^2+3478575575475*x^4+60936676581*m^3+2192684754645*m*x^2+203363952363*m^2+1159525191825*x^2+387182170935*m+316234143225)*x/(m+1)/(m+3)/(m+5)/(m+7)/(m+9)/(m+11)/(m+13)/(m+15)/(m+17)/(m+19)/(m+21)/(m+23)

maxima [A] time = 0.97, size = 192, normalized size = 0.95

$$\frac{f^m x^{23} x^m}{m+23} + \frac{11 f^m x^{21} x^m}{m+21} + \frac{55 f^m x^{19} x^m}{m+19} + \frac{165 f^m x^{17} x^m}{m+17} + \frac{330 f^m x^{15} x^m}{m+15} + \frac{462 f^m x^{13} x^m}{m+13} + \frac{462 f^m x^{11} x^m}{m+11} + \frac{330 f^m x^9 x^m}{m+9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] $f^m x^{23} x^m / (m + 23) + 11 f^m x^{21} x^m / (m + 21) + 55 f^m x^{19} x^m / (m + 19) + 165 f^m x^{17} x^m / (m + 17) + 330 f^m x^{15} x^m / (m + 15) + 462 f^m x^{13} x^m / (m + 13) + 462 f^m x^{11} x^m / (m + 11) + 330 f^m x^9 x^m / (m + 9) + 165 f^m x^7 x^m / (m + 7) + 55 f^m x^5 x^m / (m + 5) + 11 f^m x^3 x^m / (m + 3) + (f*x)^{(m+1)} / (f*(m+1))$

mupad [B] time = 1.25, size = 1483, normalized size = 7.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)*(f*x)^m*(2*x^2 + x^4 + 1)^5,x)

[Out] $(x^3 (f*x)^m (2192684754645*m + 1434440867211*m^2 + 490955350391*m^3 + 102468500970*m^4 + 14014513810*m^5 + 1298935638*m^6 + 82295598*m^7 + 3514005*m^8 + 96745*m^9 + 1551*m^{10} + 11*m^{11} + 1159525191825)) / (703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^{10} + 144*m^{11} + m^{12} + 316234143225) + (x^{19} (f*x)^m (1988025402825*m + 1604842704135*m^2 + 680615362515*m^3 + 174273100210*m^4 + 28857216410*m^5 + 3194704590*m^6 + 238653030*m^7 + 11870265*m^8 + 376365*m^9 + 6875*m^{10} + 55*m^{11} + 915414625125)) / (703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^{10} + 144*m^{11} + m^{12} + 316234143225) + (x^{11} (f*x)^m (28336045738770*m + 22226933020446*m^2 + 9079996141062*m^3 + 2222832699780*m^4 + 349697552820*m^5 + 36597992508*m^6 + 2575140876*m^7 + 120367170*m^8 + 3582810*m^9 + 61446*m^{10} + 462*m^{11} + 13281834015450)) / (703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^{10} + 144*m^{11} + m^{12} + 316234143225) + (x^{21} (f*x)^m (360568238085*m + 292163767533*m^2 + 124530626231*m^3 + 32087153670*m^4 + 5353566130*m^5 + 597988314*m^6 + 45134958*m^7 + 2271555*m^8 + 72985*m^9 + 1353*m^{10} + 11*m^{11} + 165646455975)) / (703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^{10} + 144*m^{11} + m^{12} + 316234143225) + (x^5 (f*x)^m (7041864340665*m + 5087634488145*m^2 + 1889780020755*m^3 + 420404849150*m^4 + 60431072570*m^5 + 5825106210*m^6 + 380801190*m^7 + 16677375*m^8 + 468765*m^9 + 7645*m^{10} + 55*m^{11} + 3478575575475)) / (703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^{10} + 144*m^{11} + m^{12} + 316234143225) + (x^{17} (f*x)^m (6646727085075*m + 5340787250535*m^2 + 2251106854425*m^3 + 572017996770*m^4 + 93862508190*m^5 + 10282782510*m^6 + 759091410*m^7 + 37263105*m^8 + 1164735*m^9 + 20955*m^{10} + 165*m^{11} + 3069331390125)) / (70341631$

```

4160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 1313745840
0*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^
10 + 144*m^11 + m^12 + 316234143225) + (x*(f*x))^m*(387182170935*m + 2033639
52363*m^2 + 60936676581*m^3 + 11641582810*m^4 + 1495875590*m^5 + 132426294*
m^6 + 8103018*m^7 + 336765*m^8 + 9075*m^9 + 143*m^10 + m^11 + 316234143225)
)/(703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 +
13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^
9 + 9218*m^10 + 144*m^11 + m^12 + 316234143225) + (x^23*(f*x))^m*(2998552189
5*m + 24372200061*m^2 + 10431670821*m^3 + 2702025590*m^4 + 453714470*m^5 +
51069018*m^6 + 3889578*m^7 + 197835*m^8 + 6435*m^9 + 121*m^10 + m^11 + 1374
9310575))/(703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 725782593
91*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 3
45840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 316234143225) + (x^7*(f*x))^m*(155
15657331075*m + 11703493287585*m^2 + 4558015784025*m^3 + 1059628145070*m^4
+ 158293212990*m^5 + 15768085410*m^6 + 1059893010*m^7 + 47524455*m^8 + 1362
735*m^9 + 22605*m^10 + 165*m^11 + 7454090518875))/(703416314160*m + 5905461
23298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 16283018
84*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 +
m^12 + 316234143225) + (x^15*(f*x))^m*(15011348834790*m + 11991258123570*m^2
+ 5015196628530*m^3 + 1262375264700*m^4 + 204865733820*m^5 + 22164925860*
m^6 + 1613983140*m^7 + 78076350*m^8 + 2403390*m^9 + 42570*m^10 + 330*m^11 +
6957151150950))/(703416314160*m + 590546123298*m^2 + 264300628944*m^3 + 725
78259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 + 8439783*
m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 316234143225) + (x^9*(f*x))^
m*(24503570194950*m + 18930738943710*m^2 + 7587607623090*m^3 + 181813533066
0*m^4 + 279691771260*m^5 + 28627538940*m^6 + 1971903780*m^7 + 90358290*m^8
+ 2640990*m^9 + 44550*m^10 + 330*m^11 + 11595251918250))/(703416314160*m +
590546123298*m^2 + 264300628944*m^3 + 72578259391*m^4 + 13137458400*m^5 + 1
628301884*m^6 + 140529312*m^7 + 8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*
m^11 + m^12 + 316234143225) + (x^13*(f*x))^m*(24133835554290*m + 19130651800
722*m^2 + 7921249136262*m^3 + 1969992823260*m^4 + 315347150580*m^5 + 336098
70756*m^6 + 2408820876*m^7 + 114642990*m^8 + 3471930*m^9 + 60522*m^10 + 462
*m^11 + 11238474936150))/(703416314160*m + 590546123298*m^2 + 264300628944*
m^3 + 72578259391*m^4 + 13137458400*m^5 + 1628301884*m^6 + 140529312*m^7 +
8439783*m^8 + 345840*m^9 + 9218*m^10 + 144*m^11 + m^12 + 316234143225)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(x**2+1)*(x**4+2*x**2+1)**5,x)

[Out] Timed out

$$3.66 \quad \int x^5 (1 + x^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=34

$$\frac{1}{28} (x^2 + 1)^{14} - \frac{1}{13} (x^2 + 1)^{13} + \frac{1}{24} (x^2 + 1)^{12}$$

[Out] 1/24*(x^2+1)^12-1/13*(x^2+1)^13+1/28*(x^2+1)^14

Rubi [A] time = 0.05, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {28, 266, 43}

$$\frac{1}{28} (x^2 + 1)^{14} - \frac{1}{13} (x^2 + 1)^{13} + \frac{1}{24} (x^2 + 1)^{12}$$

Antiderivative was successfully verified.

[In] Int[x^5*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (1 + x^2)^12/24 - (1 + x^2)^13/13 + (1 + x^2)^14/28

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_)]^(p_.), x_Symbol] :=
Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 266

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[1/n, Subst[
Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b,
m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned}
\int x^5 (1+x^2) (1+2x^2+x^4)^5 dx &= \int x^5 (1+x^2)^{11} dx \\
&= \frac{1}{2} \text{Subst} \left(\int x^2 (1+x)^{11} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int ((1+x)^{11} - 2(1+x)^{12} + (1+x)^{13}) dx, x, x^2 \right) \\
&= \frac{1}{24} (1+x^2)^{12} - \frac{1}{13} (1+x^2)^{13} + \frac{1}{28} (1+x^2)^{14}
\end{aligned}$$

Mathematica [B] time = 0.00, size = 85, normalized size = 2.50

$$\frac{x^{28}}{28} + \frac{11x^{26}}{26} + \frac{55x^{24}}{24} + \frac{15x^{22}}{2} + \frac{33x^{20}}{2} + \frac{77x^{18}}{3} + \frac{231x^{16}}{8} + \frac{165x^{14}}{7} + \frac{55x^{12}}{4} + \frac{11x^{10}}{2} + \frac{11x^8}{8} + \frac{x^6}{6}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(1+x^2)*(1+2*x^2+x^4)^5,x]

[Out] x^6/6 + (11*x^8)/8 + (11*x^10)/2 + (55*x^12)/4 + (165*x^14)/7 + (231*x^16)/8 + (77*x^18)/3 + (33*x^20)/2 + (15*x^22)/2 + (55*x^24)/24 + (11*x^26)/26 + x^28/28

fricas [B] time = 0.49, size = 61, normalized size = 1.79

$$\frac{1}{28}x^{28} + \frac{11}{26}x^{26} + \frac{55}{24}x^{24} + \frac{15}{2}x^{22} + \frac{33}{2}x^{20} + \frac{77}{3}x^{18} + \frac{231}{8}x^{16} + \frac{165}{7}x^{14} + \frac{55}{4}x^{12} + \frac{11}{2}x^{10} + \frac{11}{8}x^8 + \frac{1}{6}x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/28*x^28 + 11/26*x^26 + 55/24*x^24 + 15/2*x^22 + 33/2*x^20 + 77/3*x^18 + 231/8*x^16 + 165/7*x^14 + 55/4*x^12 + 11/2*x^10 + 11/8*x^8 + 1/6*x^6

giac [B] time = 0.34, size = 61, normalized size = 1.79

$$\frac{1}{28}x^{28} + \frac{11}{26}x^{26} + \frac{55}{24}x^{24} + \frac{15}{2}x^{22} + \frac{33}{2}x^{20} + \frac{77}{3}x^{18} + \frac{231}{8}x^{16} + \frac{165}{7}x^{14} + \frac{55}{4}x^{12} + \frac{11}{2}x^{10} + \frac{11}{8}x^8 + \frac{1}{6}x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] 1/28*x^28 + 11/26*x^26 + 55/24*x^24 + 15/2*x^22 + 33/2*x^20 + 77/3*x^18 + 231/8*x^16 + 165/7*x^14 + 55/4*x^12 + 11/2*x^10 + 11/8*x^8 + 1/6*x^6

maple [B] time = 0.00, size = 62, normalized size = 1.82

$$\frac{1}{28}x^{28} + \frac{11}{26}x^{26} + \frac{55}{24}x^{24} + \frac{15}{2}x^{22} + \frac{33}{2}x^{20} + \frac{77}{3}x^{18} + \frac{231}{8}x^{16} + \frac{165}{7}x^{14} + \frac{55}{4}x^{12} + \frac{11}{2}x^{10} + \frac{11}{8}x^8 + \frac{1}{6}x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(x^2+1)*(x^4+2*x^2+1)^5,x)`

[Out] `1/28*x^28+11/26*x^26+55/24*x^24+15/2*x^22+33/2*x^20+77/3*x^18+231/8*x^16+165/7*x^14+55/4*x^12+11/2*x^10+11/8*x^8+1/6*x^6`

maxima [B] time = 0.64, size = 61, normalized size = 1.79

$$\frac{1}{28}x^{28} + \frac{11}{26}x^{26} + \frac{55}{24}x^{24} + \frac{15}{2}x^{22} + \frac{33}{2}x^{20} + \frac{77}{3}x^{18} + \frac{231}{8}x^{16} + \frac{165}{7}x^{14} + \frac{55}{4}x^{12} + \frac{11}{2}x^{10} + \frac{11}{8}x^8 + \frac{1}{6}x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")`

[Out] `1/28*x^28 + 11/26*x^26 + 55/24*x^24 + 15/2*x^22 + 33/2*x^20 + 77/3*x^18 + 231/8*x^16 + 165/7*x^14 + 55/4*x^12 + 11/2*x^10 + 11/8*x^8 + 1/6*x^6`

mupad [B] time = 0.06, size = 61, normalized size = 1.79

$$\frac{x^{28}}{28} + \frac{11x^{26}}{26} + \frac{55x^{24}}{24} + \frac{15x^{22}}{2} + \frac{33x^{20}}{2} + \frac{77x^{18}}{3} + \frac{231x^{16}}{8} + \frac{165x^{14}}{7} + \frac{55x^{12}}{4} + \frac{11x^{10}}{2} + \frac{11x^8}{8} + \frac{x^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(x^2 + 1)*(2*x^2 + x^4 + 1)^5,x)`

[Out] `x^6/6 + (11*x^8)/8 + (11*x^10)/2 + (55*x^12)/4 + (165*x^14)/7 + (231*x^16)/8 + (77*x^18)/3 + (33*x^20)/2 + (15*x^22)/2 + (55*x^24)/24 + (11*x^26)/26 + x^28/28`

sympy [B] time = 0.07, size = 76, normalized size = 2.24

$$\frac{x^{28}}{28} + \frac{11x^{26}}{26} + \frac{55x^{24}}{24} + \frac{15x^{22}}{2} + \frac{33x^{20}}{2} + \frac{77x^{18}}{3} + \frac{231x^{16}}{8} + \frac{165x^{14}}{7} + \frac{55x^{12}}{4} + \frac{11x^{10}}{2} + \frac{11x^8}{8} + \frac{x^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(x**2+1)*(x**4+2*x**2+1)**5,x)`

[Out] `x**28/28 + 11*x**26/26 + 55*x**24/24 + 15*x**22/2 + 33*x**20/2 + 77*x**18/3 + 231*x**16/8 + 165*x**14/7 + 55*x**12/4 + 11*x**10/2 + 11*x**8/8 + x**6/6`

$$3.67 \quad \int x^4 (1 + x^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=83

$$\frac{x^{27}}{27} + \frac{11x^{25}}{25} + \frac{55x^{23}}{23} + \frac{55x^{21}}{7} + \frac{330x^{19}}{19} + \frac{462x^{17}}{17} + \frac{154x^{15}}{5} + \frac{330x^{13}}{13} + 15x^{11} + \frac{55x^9}{9} + \frac{11x^7}{7} + \frac{x^5}{5}$$

[Out] 1/5*x^5+11/7*x^7+55/9*x^9+15*x^11+330/13*x^13+154/5*x^15+462/17*x^17+330/19*x^19+55/7*x^21+55/23*x^23+11/25*x^25+1/27*x^27

Rubi [A] time = 0.03, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {28, 270}

$$\frac{x^{27}}{27} + \frac{11x^{25}}{25} + \frac{55x^{23}}{23} + \frac{55x^{21}}{7} + \frac{330x^{19}}{19} + \frac{462x^{17}}{17} + \frac{154x^{15}}{5} + \frac{330x^{13}}{13} + 15x^{11} + \frac{55x^9}{9} + \frac{11x^7}{7} + \frac{x^5}{5}$$

Antiderivative was successfully verified.

[In] Int[x^4*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x^5/5 + (11*x^7)/7 + (55*x^9)/9 + 15*x^11 + (330*x^13)/13 + (154*x^15)/5 + (462*x^17)/17 + (330*x^19)/19 + (55*x^21)/7 + (55*x^23)/23 + (11*x^25)/25 + x^27/27

Rule 28

Int[(u_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] :> Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int x^4 (1 + x^2) (1 + 2x^2 + x^4)^5 dx &= \int x^4 (1 + x^2)^{11} dx \\ &= \int (x^4 + 11x^6 + 55x^8 + 165x^{10} + 330x^{12} + 462x^{14} + 462x^{16} + 330x^{18} + 165x^{20} + x^{22}) dx \\ &= \frac{x^5}{5} + \frac{11x^7}{7} + \frac{55x^9}{9} + 15x^{11} + \frac{330x^{13}}{13} + \frac{154x^{15}}{5} + \frac{462x^{17}}{17} + \frac{330x^{19}}{19} + \frac{55x^{21}}{7} \end{aligned}$$

Mathematica [A] time = 0.00, size = 83, normalized size = 1.00

$$\frac{x^{27}}{27} + \frac{11x^{25}}{25} + \frac{55x^{23}}{23} + \frac{55x^{21}}{7} + \frac{330x^{19}}{19} + \frac{462x^{17}}{17} + \frac{154x^{15}}{5} + \frac{330x^{13}}{13} + 15x^{11} + \frac{55x^9}{9} + \frac{11x^7}{7} + \frac{x^5}{5}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x^5/5 + (11*x^7)/7 + (55*x^9)/9 + 15*x^11 + (330*x^13)/13 + (154*x^15)/5 + (462*x^17)/17 + (330*x^19)/19 + (55*x^21)/7 + (55*x^23)/23 + (11*x^25)/25 + x^27/27

fricas [A] time = 0.60, size = 61, normalized size = 0.73

$$\frac{1}{27}x^{27} + \frac{11}{25}x^{25} + \frac{55}{23}x^{23} + \frac{55}{7}x^{21} + \frac{330}{19}x^{19} + \frac{462}{17}x^{17} + \frac{154}{5}x^{15} + \frac{330}{13}x^{13} + 15x^{11} + \frac{55}{9}x^9 + \frac{11}{7}x^7 + \frac{1}{5}x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/27*x^27 + 11/25*x^25 + 55/23*x^23 + 55/7*x^21 + 330/19*x^19 + 462/17*x^17 + 154/5*x^15 + 330/13*x^13 + 15*x^11 + 55/9*x^9 + 11/7*x^7 + 1/5*x^5

giac [A] time = 0.41, size = 61, normalized size = 0.73

$$\frac{1}{27}x^{27} + \frac{11}{25}x^{25} + \frac{55}{23}x^{23} + \frac{55}{7}x^{21} + \frac{330}{19}x^{19} + \frac{462}{17}x^{17} + \frac{154}{5}x^{15} + \frac{330}{13}x^{13} + 15x^{11} + \frac{55}{9}x^9 + \frac{11}{7}x^7 + \frac{1}{5}x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] 1/27*x^27 + 11/25*x^25 + 55/23*x^23 + 55/7*x^21 + 330/19*x^19 + 462/17*x^17 + 154/5*x^15 + 330/13*x^13 + 15*x^11 + 55/9*x^9 + 11/7*x^7 + 1/5*x^5

maple [A] time = 0.00, size = 62, normalized size = 0.75

$$\frac{1}{27}x^{27} + \frac{11}{25}x^{25} + \frac{55}{23}x^{23} + \frac{55}{7}x^{21} + \frac{330}{19}x^{19} + \frac{462}{17}x^{17} + \frac{154}{5}x^{15} + \frac{330}{13}x^{13} + 15x^{11} + \frac{55}{9}x^9 + \frac{11}{7}x^7 + \frac{1}{5}x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(x^2+1)*(x^4+2*x^2+1)^5,x)

[Out] 1/5*x^5+11/7*x^7+55/9*x^9+15*x^11+330/13*x^13+154/5*x^15+462/17*x^17+330/19*x^19+55/7*x^21+55/23*x^23+11/25*x^25+1/27*x^27

maxima [A] time = 0.76, size = 61, normalized size = 0.73

$$\frac{1}{27}x^{27} + \frac{11}{25}x^{25} + \frac{55}{23}x^{23} + \frac{55}{7}x^{21} + \frac{330}{19}x^{19} + \frac{462}{17}x^{17} + \frac{154}{5}x^{15} + \frac{330}{13}x^{13} + 15x^{11} + \frac{55}{9}x^9 + \frac{11}{7}x^7 + \frac{1}{5}x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] 1/27*x^27 + 11/25*x^25 + 55/23*x^23 + 55/7*x^21 + 330/19*x^19 + 462/17*x^17 + 154/5*x^15 + 330/13*x^13 + 15*x^11 + 55/9*x^9 + 11/7*x^7 + 1/5*x^5

mupad [B] time = 0.06, size = 61, normalized size = 0.73

$$\frac{x^{27}}{27} + \frac{11x^{25}}{25} + \frac{55x^{23}}{23} + \frac{55x^{21}}{7} + \frac{330x^{19}}{19} + \frac{462x^{17}}{17} + \frac{154x^{15}}{5} + \frac{330x^{13}}{13} + 15x^{11} + \frac{55x^9}{9} + \frac{11x^7}{7} + \frac{x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(x^2 + 1)*(2*x^2 + x^4 + 1)^5,x)

[Out] x^5/5 + (11*x^7)/7 + (55*x^9)/9 + 15*x^11 + (330*x^13)/13 + (154*x^15)/5 + (462*x^17)/17 + (330*x^19)/19 + (55*x^21)/7 + (55*x^23)/23 + (11*x^25)/25 + x^27/27

sympy [A] time = 0.07, size = 75, normalized size = 0.90

$$\frac{x^{27}}{27} + \frac{11x^{25}}{25} + \frac{55x^{23}}{23} + \frac{55x^{21}}{7} + \frac{330x^{19}}{19} + \frac{462x^{17}}{17} + \frac{154x^{15}}{5} + \frac{330x^{13}}{13} + 15x^{11} + \frac{55x^9}{9} + \frac{11x^7}{7} + \frac{x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(x**2+1)*(x**4+2*x**2+1)**5,x)

[Out] x**27/27 + 11*x**25/25 + 55*x**23/23 + 55*x**21/7 + 330*x**19/19 + 462*x**17/17 + 154*x**15/5 + 330*x**13/13 + 15*x**11 + 55*x**9/9 + 11*x**7/7 + x**5/5

$$3.68 \quad \int x^3 (1 + x^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=23

$$\frac{1}{26} (x^2 + 1)^{13} - \frac{1}{24} (x^2 + 1)^{12}$$

[Out] $-1/24*(x^2+1)^{12}+1/26*(x^2+1)^{13}$

Rubi [A] time = 0.02, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {28, 266, 43}

$$\frac{1}{26} (x^2 + 1)^{13} - \frac{1}{24} (x^2 + 1)^{12}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(1 + x^2)*(1 + 2*x^2 + x^4)^5, x]$

[Out] $-(1 + x^2)^{12}/24 + (1 + x^2)^{13}/26$

Rule 28

$\text{Int}[(a_.) + (c_.)*(x_.)^{(n2_.)} + (b_.)*(x_.)^{(n_.)}]^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/c^p, \text{Int}[u*(b/2 + c*x^n)^{(2*p)}, x], x] /;$ $\text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{EqQ}[n2, 2*n] \&\& \text{EqQ}[b^2 - 4*a*c, 0] \&\& \text{IntegerQ}[p]$

Rule 43

$\text{Int}[(a_.) + (b_.)*(x_.)^{(m_.)}]^{(n_.)} * [(c_.) + (d_.)*(x_.)^{(n_.)}], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ $\text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[m, 0] \&\& (\text{!IntegerQ}[n] \mid\mid (\text{EqQ}[c, 0] \&\& \text{LeQ}[7*m + 4*n + 4, 0]) \mid\mid \text{LtQ}[9*m + 5*(n + 1), 0] \mid\mid \text{GtQ}[m + n + 2, 0])$

Rule 266

$\text{Int}[(x_.)^{(m_.)} * [(a_.) + (b_.)*(x_.)^{(n_.)}]^{(p_.)}], x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*x)^p, x}], x, x^n], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]]$

Rubi steps

$$\begin{aligned}
\int x^3(1+x^2)(1+2x^2+x^4)^5 dx &= \int x^3(1+x^2)^{11} dx \\
&= \frac{1}{2} \text{Subst}\left(\int x(1+x)^{11} dx, x, x^2\right) \\
&= \frac{1}{2} \text{Subst}\left(\int (-(1+x)^{11} + (1+x)^{12}) dx, x, x^2\right) \\
&= -\frac{1}{24}(1+x^2)^{12} + \frac{1}{26}(1+x^2)^{13}
\end{aligned}$$

Mathematica [B] time = 0.00, size = 83, normalized size = 3.61

$$\frac{x^{26}}{26} + \frac{11x^{24}}{24} + \frac{5x^{22}}{2} + \frac{33x^{20}}{4} + \frac{55x^{18}}{3} + \frac{231x^{16}}{8} + 33x^{14} + \frac{55x^{12}}{2} + \frac{33x^{10}}{2} + \frac{55x^8}{8} + \frac{11x^6}{6} + \frac{x^4}{4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x^4/4 + (11*x^6)/6 + (55*x^8)/8 + (33*x^10)/2 + (55*x^12)/2 + 33*x^14 + (231*x^16)/8 + (55*x^18)/3 + (33*x^20)/4 + (5*x^22)/2 + (11*x^24)/24 + x^26/26

fricas [B] time = 0.49, size = 61, normalized size = 2.65

$$\frac{1}{26}x^{26} + \frac{11}{24}x^{24} + \frac{5}{2}x^{22} + \frac{33}{4}x^{20} + \frac{55}{3}x^{18} + \frac{231}{8}x^{16} + 33x^{14} + \frac{55}{2}x^{12} + \frac{33}{2}x^{10} + \frac{55}{8}x^8 + \frac{11}{6}x^6 + \frac{1}{4}x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/26*x^26 + 11/24*x^24 + 5/2*x^22 + 33/4*x^20 + 55/3*x^18 + 231/8*x^16 + 33*x^14 + 55/2*x^12 + 33/2*x^10 + 55/8*x^8 + 11/6*x^6 + 1/4*x^4

giac [B] time = 0.36, size = 61, normalized size = 2.65

$$\frac{1}{26}x^{26} + \frac{11}{24}x^{24} + \frac{5}{2}x^{22} + \frac{33}{4}x^{20} + \frac{55}{3}x^{18} + \frac{231}{8}x^{16} + 33x^{14} + \frac{55}{2}x^{12} + \frac{33}{2}x^{10} + \frac{55}{8}x^8 + \frac{11}{6}x^6 + \frac{1}{4}x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] 1/26*x^26 + 11/24*x^24 + 5/2*x^22 + 33/4*x^20 + 55/3*x^18 + 231/8*x^16 + 33*x^14 + 55/2*x^12 + 33/2*x^10 + 55/8*x^8 + 11/6*x^6 + 1/4*x^4

maple [B] time = 0.00, size = 62, normalized size = 2.70

$$\frac{1}{26}x^{26} + \frac{11}{24}x^{24} + \frac{5}{2}x^{22} + \frac{33}{4}x^{20} + \frac{55}{3}x^{18} + \frac{231}{8}x^{16} + 33x^{14} + \frac{55}{2}x^{12} + \frac{33}{2}x^{10} + \frac{55}{8}x^8 + \frac{11}{6}x^6 + \frac{1}{4}x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(x^2+1)*(x^4+2*x^2+1)^5,x)`

[Out] `1/26*x^26+11/24*x^24+5/2*x^22+33/4*x^20+55/3*x^18+231/8*x^16+33*x^14+55/2*x^12+33/2*x^10+55/8*x^8+11/6*x^6+1/4*x^4`

maxima [B] time = 0.56, size = 61, normalized size = 2.65

$$\frac{1}{26}x^{26} + \frac{11}{24}x^{24} + \frac{5}{2}x^{22} + \frac{33}{4}x^{20} + \frac{55}{3}x^{18} + \frac{231}{8}x^{16} + 33x^{14} + \frac{55}{2}x^{12} + \frac{33}{2}x^{10} + \frac{55}{8}x^8 + \frac{11}{6}x^6 + \frac{1}{4}x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")`

[Out] `1/26*x^26 + 11/24*x^24 + 5/2*x^22 + 33/4*x^20 + 55/3*x^18 + 231/8*x^16 + 33*x^14 + 55/2*x^12 + 33/2*x^10 + 55/8*x^8 + 11/6*x^6 + 1/4*x^4`

mupad [B] time = 0.06, size = 61, normalized size = 2.65

$$\frac{x^{26}}{26} + \frac{11x^{24}}{24} + \frac{5x^{22}}{2} + \frac{33x^{20}}{4} + \frac{55x^{18}}{3} + \frac{231x^{16}}{8} + 33x^{14} + \frac{55x^{12}}{2} + \frac{33x^{10}}{2} + \frac{55x^8}{8} + \frac{11x^6}{6} + \frac{x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(x^2 + 1)*(2*x^2 + x^4 + 1)^5,x)`

[Out] `x^4/4 + (11*x^6)/6 + (55*x^8)/8 + (33*x^10)/2 + (55*x^12)/2 + 33*x^14 + (231*x^16)/8 + (55*x^18)/3 + (33*x^20)/4 + (5*x^22)/2 + (11*x^24)/24 + x^26/26`

sympy [B] time = 0.07, size = 75, normalized size = 3.26

$$\frac{x^{26}}{26} + \frac{11x^{24}}{24} + \frac{5x^{22}}{2} + \frac{33x^{20}}{4} + \frac{55x^{18}}{3} + \frac{231x^{16}}{8} + 33x^{14} + \frac{55x^{12}}{2} + \frac{33x^{10}}{2} + \frac{55x^8}{8} + \frac{11x^6}{6} + \frac{x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(x**2+1)*(x**4+2*x**2+1)**5,x)`

[Out] `x**26/26 + 11*x**24/24 + 5*x**22/2 + 33*x**20/4 + 55*x**18/3 + 231*x**16/8 + 33*x**14 + 55*x**12/2 + 33*x**10/2 + 55*x**8/8 + 11*x**6/6 + x**4/4`

$$3.69 \quad \int x^2 (1 + x^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=83

$$\frac{x^{25}}{25} + \frac{11x^{23}}{23} + \frac{55x^{21}}{21} + \frac{165x^{19}}{19} + \frac{330x^{17}}{17} + \frac{154x^{15}}{5} + \frac{462x^{13}}{13} + 30x^{11} + \frac{55x^9}{3} + \frac{55x^7}{7} + \frac{11x^5}{5} + \frac{x^3}{3}$$

[Out] 1/3*x^3+11/5*x^5+55/7*x^7+55/3*x^9+30*x^11+462/13*x^13+154/5*x^15+330/17*x^17+165/19*x^19+55/21*x^21+11/23*x^23+1/25*x^25

Rubi [A] time = 0.03, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {28, 270}

$$\frac{x^{25}}{25} + \frac{11x^{23}}{23} + \frac{55x^{21}}{21} + \frac{165x^{19}}{19} + \frac{330x^{17}}{17} + \frac{154x^{15}}{5} + \frac{462x^{13}}{13} + 30x^{11} + \frac{55x^9}{3} + \frac{55x^7}{7} + \frac{11x^5}{5} + \frac{x^3}{3}$$

Antiderivative was successfully verified.

[In] Int[x^2*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x^3/3 + (11*x^5)/5 + (55*x^7)/7 + (55*x^9)/3 + 30*x^11 + (462*x^13)/13 + (154*x^15)/5 + (330*x^17)/17 + (165*x^19)/19 + (55*x^21)/21 + (11*x^23)/23 + x^25/25

Rule 28

Int[(u_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] > Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 270

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] > Int[Exp andIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int x^2 (1 + x^2) (1 + 2x^2 + x^4)^5 dx &= \int x^2 (1 + x^2)^{11} dx \\ &= \int (x^2 + 11x^4 + 55x^6 + 165x^8 + 330x^{10} + 462x^{12} + 462x^{14} + 330x^{16} + 165x^{18} + 11x^{20} + x^{22}) dx \\ &= \frac{x^3}{3} + \frac{11x^5}{5} + \frac{55x^7}{7} + \frac{55x^9}{3} + 30x^{11} + \frac{462x^{13}}{13} + \frac{154x^{15}}{5} + \frac{330x^{17}}{17} + \frac{165x^{19}}{19} + \frac{11x^{21}}{21} + \frac{x^{23}}{23} + \frac{x^{25}}{25} \end{aligned}$$

Mathematica [A] time = 0.00, size = 83, normalized size = 1.00

$$\frac{x^{25}}{25} + \frac{11x^{23}}{23} + \frac{55x^{21}}{21} + \frac{165x^{19}}{19} + \frac{330x^{17}}{17} + \frac{154x^{15}}{5} + \frac{462x^{13}}{13} + 30x^{11} + \frac{55x^9}{3} + \frac{55x^7}{7} + \frac{11x^5}{5} + \frac{x^3}{3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x^3/3 + (11*x^5)/5 + (55*x^7)/7 + (55*x^9)/3 + 30*x^11 + (462*x^13)/13 + (154*x^15)/5 + (330*x^17)/17 + (165*x^19)/19 + (55*x^21)/21 + (11*x^23)/23 + x^25/25

fricas [A] time = 0.55, size = 61, normalized size = 0.73

$$\frac{1}{25}x^{25} + \frac{11}{23}x^{23} + \frac{55}{21}x^{21} + \frac{165}{19}x^{19} + \frac{330}{17}x^{17} + \frac{154}{5}x^{15} + \frac{462}{13}x^{13} + 30x^{11} + \frac{55}{3}x^9 + \frac{55}{7}x^7 + \frac{11}{5}x^5 + \frac{1}{3}x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/25*x^25 + 11/23*x^23 + 55/21*x^21 + 165/19*x^19 + 330/17*x^17 + 154/5*x^15 + 462/13*x^13 + 30*x^11 + 55/3*x^9 + 55/7*x^7 + 11/5*x^5 + 1/3*x^3

giac [A] time = 0.30, size = 61, normalized size = 0.73

$$\frac{1}{25}x^{25} + \frac{11}{23}x^{23} + \frac{55}{21}x^{21} + \frac{165}{19}x^{19} + \frac{330}{17}x^{17} + \frac{154}{5}x^{15} + \frac{462}{13}x^{13} + 30x^{11} + \frac{55}{3}x^9 + \frac{55}{7}x^7 + \frac{11}{5}x^5 + \frac{1}{3}x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] 1/25*x^25 + 11/23*x^23 + 55/21*x^21 + 165/19*x^19 + 330/17*x^17 + 154/5*x^15 + 462/13*x^13 + 30*x^11 + 55/3*x^9 + 55/7*x^7 + 11/5*x^5 + 1/3*x^3

maple [A] time = 0.00, size = 62, normalized size = 0.75

$$\frac{1}{25}x^{25} + \frac{11}{23}x^{23} + \frac{55}{21}x^{21} + \frac{165}{19}x^{19} + \frac{330}{17}x^{17} + \frac{154}{5}x^{15} + \frac{462}{13}x^{13} + 30x^{11} + \frac{55}{3}x^9 + \frac{55}{7}x^7 + \frac{11}{5}x^5 + \frac{1}{3}x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(x^2+1)*(x^4+2*x^2+1)^5,x)

[Out] 1/3*x^3+11/5*x^5+55/7*x^7+55/3*x^9+30*x^11+462/13*x^13+154/5*x^15+330/17*x^17+165/19*x^19+55/21*x^21+11/23*x^23+1/25*x^25

maxima [A] time = 0.88, size = 61, normalized size = 0.73

$$\frac{1}{25}x^{25} + \frac{11}{23}x^{23} + \frac{55}{21}x^{21} + \frac{165}{19}x^{19} + \frac{330}{17}x^{17} + \frac{154}{5}x^{15} + \frac{462}{13}x^{13} + 30x^{11} + \frac{55}{3}x^9 + \frac{55}{7}x^7 + \frac{11}{5}x^5 + \frac{1}{3}x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] 1/25*x^25 + 11/23*x^23 + 55/21*x^21 + 165/19*x^19 + 330/17*x^17 + 154/5*x^15 + 462/13*x^13 + 30*x^11 + 55/3*x^9 + 55/7*x^7 + 11/5*x^5 + 1/3*x^3

mupad [B] time = 0.06, size = 61, normalized size = 0.73

$$\frac{x^{25}}{25} + \frac{11x^{23}}{23} + \frac{55x^{21}}{21} + \frac{165x^{19}}{19} + \frac{330x^{17}}{17} + \frac{154x^{15}}{5} + \frac{462x^{13}}{13} + 30x^{11} + \frac{55x^9}{3} + \frac{55x^7}{7} + \frac{11x^5}{5} + \frac{x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(x^2 + 1)*(2*x^2 + x^4 + 1)^5,x)

[Out] x^3/3 + (11*x^5)/5 + (55*x^7)/7 + (55*x^9)/3 + 30*x^11 + (462*x^13)/13 + (154*x^15)/5 + (330*x^17)/17 + (165*x^19)/19 + (55*x^21)/21 + (11*x^23)/23 + x^25/25

sympy [A] time = 0.07, size = 75, normalized size = 0.90

$$\frac{x^{25}}{25} + \frac{11x^{23}}{23} + \frac{55x^{21}}{21} + \frac{165x^{19}}{19} + \frac{330x^{17}}{17} + \frac{154x^{15}}{5} + \frac{462x^{13}}{13} + 30x^{11} + \frac{55x^9}{3} + \frac{55x^7}{7} + \frac{11x^5}{5} + \frac{x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(x**2+1)*(x**4+2*x**2+1)**5,x)

[Out] x**25/25 + 11*x**23/23 + 55*x**21/21 + 165*x**19/19 + 330*x**17/17 + 154*x**15/5 + 462*x**13/13 + 30*x**11 + 55*x**9/3 + 55*x**7/7 + 11*x**5/5 + x**3/3

$$3.70 \quad \int x(1+x^2)(1+2x^2+x^4)^5 dx$$

Optimal. Leaf size=11

$$\frac{1}{24}(x^2+1)^{12}$$

[Out] 1/24*(x^2+1)^12

Rubi [A] time = 0.00, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {28, 261}

$$\frac{1}{24}(x^2+1)^{12}$$

Antiderivative was successfully verified.

[In] Int[x*(1+x^2)*(1+2*x^2+x^4)^5,x]

[Out] (1+x^2)^12/24

Rule 28

Int[(u_)*((a_)+(c_)*(x_)^(n2_))+(b_)*(x_)^(n_)]^(p_), x_Symbol] :>
Dist[1/c^p, Int[u*(b/2+c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
EqQ[n2, 2*n] && EqQ[b^2-4*a*c, 0] && IntegerQ[p]

Rule 261

Int[(x_)^(m_)*((a_)+(b_)*(x_)^(n_)]^(p_), x_Symbol] :> Simp[(a+b*x^n)^(p+1)/(b*n*(p+1)), x] /; FreeQ[{a, b, m, n, p}, x] && EqQ[m, n-1] &&
NeQ[p, -1]

Rubi steps

$$\begin{aligned} \int x(1+x^2)(1+2x^2+x^4)^5 dx &= \int x(1+x^2)^{11} dx \\ &= \frac{1}{24}(1+x^2)^{12} \end{aligned}$$

Mathematica [A] time = 0.00, size = 11, normalized size = 1.00

$$\frac{1}{24}(x^2+1)^{12}$$

Antiderivative was successfully verified.

[In] Integrate[x*(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] (1 + x^2)^12/24

fricas [B] time = 0.58, size = 61, normalized size = 5.55

$$\frac{1}{24}x^{24} + \frac{1}{2}x^{22} + \frac{11}{4}x^{20} + \frac{55}{6}x^{18} + \frac{165}{8}x^{16} + 33x^{14} + \frac{77}{2}x^{12} + 33x^{10} + \frac{165}{8}x^8 + \frac{55}{6}x^6 + \frac{11}{4}x^4 + \frac{1}{2}x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="fricas")

[Out] 1/24*x^24 + 1/2*x^22 + 11/4*x^20 + 55/6*x^18 + 165/8*x^16 + 33*x^14 + 77/2*x^12 + 33*x^10 + 165/8*x^8 + 55/6*x^6 + 11/4*x^4 + 1/2*x^2

giac [B] time = 0.31, size = 76, normalized size = 6.91

$$\frac{1}{24}(x^4 + 2x^2)^6 + \frac{1}{4}(x^4 + 2x^2)^5 + \frac{5}{8}(x^4 + 2x^2)^4 + \frac{1}{4}x^4 + \frac{5}{6}(x^4 + 2x^2)^3 + \frac{5}{8}(x^4 + 2x^2)^2 + \frac{1}{2}x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="giac")

[Out] 1/24*(x^4 + 2*x^2)^6 + 1/4*(x^4 + 2*x^2)^5 + 5/8*(x^4 + 2*x^2)^4 + 1/4*x^4 + 5/6*(x^4 + 2*x^2)^3 + 5/8*(x^4 + 2*x^2)^2 + 1/2*x^2

maple [B] time = 0.00, size = 62, normalized size = 5.64

$$\frac{1}{24}x^{24} + \frac{1}{2}x^{22} + \frac{11}{4}x^{20} + \frac{55}{6}x^{18} + \frac{165}{8}x^{16} + 33x^{14} + \frac{77}{2}x^{12} + 33x^{10} + \frac{165}{8}x^8 + \frac{55}{6}x^6 + \frac{11}{4}x^4 + \frac{1}{2}x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(x^2+1)*(x^4+2*x^2+1)^5,x)

[Out] 1/24*x^24+1/2*x^22+11/4*x^20+55/6*x^18+165/8*x^16+33*x^14+77/2*x^12+33*x^10+165/8*x^8+55/6*x^6+11/4*x^4+1/2*x^2

maxima [B] time = 0.78, size = 61, normalized size = 5.55

$$\frac{1}{24}x^{24} + \frac{1}{2}x^{22} + \frac{11}{4}x^{20} + \frac{55}{6}x^{18} + \frac{165}{8}x^{16} + 33x^{14} + \frac{77}{2}x^{12} + 33x^{10} + \frac{165}{8}x^8 + \frac{55}{6}x^6 + \frac{11}{4}x^4 + \frac{1}{2}x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] 1/24*x^24 + 1/2*x^22 + 11/4*x^20 + 55/6*x^18 + 165/8*x^16 + 33*x^14 + 77/2*x^12 + 33*x^10 + 165/8*x^8 + 55/6*x^6 + 11/4*x^4 + 1/2*x^2

mupad [B] time = 0.06, size = 61, normalized size = 5.55

$$\frac{x^{24}}{24} + \frac{x^{22}}{2} + \frac{11x^{20}}{4} + \frac{55x^{18}}{6} + \frac{165x^{16}}{8} + 33x^{14} + \frac{77x^{12}}{2} + 33x^{10} + \frac{165x^8}{8} + \frac{55x^6}{6} + \frac{11x^4}{4} + \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(x^2 + 1)*(2*x^2 + x^4 + 1)^5,x)

[Out] x^2/2 + (11*x^4)/4 + (55*x^6)/6 + (165*x^8)/8 + 33*x^10 + (77*x^12)/2 + 33*x^14 + (165*x^16)/8 + (55*x^18)/6 + (11*x^20)/4 + x^22/2 + x^24/24

sympy [B] time = 0.07, size = 71, normalized size = 6.45

$$\frac{x^{24}}{24} + \frac{x^{22}}{2} + \frac{11x^{20}}{4} + \frac{55x^{18}}{6} + \frac{165x^{16}}{8} + 33x^{14} + \frac{77x^{12}}{2} + 33x^{10} + \frac{165x^8}{8} + \frac{55x^6}{6} + \frac{11x^4}{4} + \frac{x^2}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x**2+1)*(x**4+2*x**2+1)**5,x)

[Out] x**24/24 + x**22/2 + 11*x**20/4 + 55*x**18/6 + 165*x**16/8 + 33*x**14 + 77*x**12/2 + 33*x**10 + 165*x**8/8 + 55*x**6/6 + 11*x**4/4 + x**2/2

$$3.71 \quad \int (1 + x^2) (1 + 2x^2 + x^4)^5 dx$$

Optimal. Leaf size=73

$$\frac{x^{23}}{23} + \frac{11x^{21}}{21} + \frac{55x^{19}}{19} + \frac{165x^{17}}{17} + 22x^{15} + \frac{462x^{13}}{13} + 42x^{11} + \frac{110x^9}{3} + \frac{165x^7}{7} + 11x^5 + \frac{11x^3}{3} + x$$

[Out] x+11/3*x^3+11*x^5+165/7*x^7+110/3*x^9+42*x^11+462/13*x^13+22*x^15+165/17*x^17+55/19*x^19+11/21*x^21+1/23*x^23

Rubi [A] time = 0.02, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {28, 194}

$$\frac{x^{23}}{23} + \frac{11x^{21}}{21} + \frac{55x^{19}}{19} + \frac{165x^{17}}{17} + 22x^{15} + \frac{462x^{13}}{13} + 42x^{11} + \frac{110x^9}{3} + \frac{165x^7}{7} + 11x^5 + \frac{11x^3}{3} + x$$

Antiderivative was successfully verified.

[In] Int[(1 + x^2)*(1 + 2*x^2 + x^4)^5,x]

[Out] x + (11*x^3)/3 + 11*x^5 + (165*x^7)/7 + (110*x^9)/3 + 42*x^11 + (462*x^13)/13 + 22*x^15 + (165*x^17)/17 + (55*x^19)/19 + (11*x^21)/21 + x^23/23

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 194

Int[((a_.) + (b_.)*(x_)^(n_.))^p_.], x_Symbol] :> Int[ExpandIntegrand[(a + b*x^n)^p, x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int (1 + x^2) (1 + 2x^2 + x^4)^5 dx &= \int (1 + x^2)^{11} dx \\ &= \int (1 + 11x^2 + 55x^4 + 165x^6 + 330x^8 + 462x^{10} + 462x^{12} + 330x^{14} + 165x^{16} + 55x^{18} + 11x^{20} + x^{22}) dx \\ &= x + \frac{11x^3}{3} + 11x^5 + \frac{165x^7}{7} + \frac{110x^9}{3} + 42x^{11} + \frac{462x^{13}}{13} + 22x^{15} + \frac{165x^{17}}{17} + \frac{55x^{19}}{19} + \frac{11x^{21}}{21} + \frac{x^{23}}{23} \end{aligned}$$

Mathematica [A] time = 0.00, size = 73, normalized size = 1.00

$$\frac{x^{23}}{23} + \frac{11x^{21}}{21} + \frac{55x^{19}}{19} + \frac{165x^{17}}{17} + 22x^{15} + \frac{462x^{13}}{13} + 42x^{11} + \frac{110x^9}{3} + \frac{165x^7}{7} + 11x^5 + \frac{11x^3}{3} + x$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^2)*(1 + 2*x^2 + x^4)^5, x]

[Out] x + (11*x^3)/3 + 11*x^5 + (165*x^7)/7 + (110*x^9)/3 + 42*x^11 + (462*x^13)/13 + 22*x^15 + (165*x^17)/17 + (55*x^19)/19 + (11*x^21)/21 + x^23/23

fricas [A] time = 0.56, size = 57, normalized size = 0.78

$$\frac{1}{23}x^{23} + \frac{11}{21}x^{21} + \frac{55}{19}x^{19} + \frac{165}{17}x^{17} + 22x^{15} + \frac{462}{13}x^{13} + 42x^{11} + \frac{110}{3}x^9 + \frac{165}{7}x^7 + 11x^5 + \frac{11}{3}x^3 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5, x, algorithm="fricas")

[Out] 1/23*x^23 + 11/21*x^21 + 55/19*x^19 + 165/17*x^17 + 22*x^15 + 462/13*x^13 + 42*x^11 + 110/3*x^9 + 165/7*x^7 + 11*x^5 + 11/3*x^3 + x

giac [A] time = 0.27, size = 57, normalized size = 0.78

$$\frac{1}{23}x^{23} + \frac{11}{21}x^{21} + \frac{55}{19}x^{19} + \frac{165}{17}x^{17} + 22x^{15} + \frac{462}{13}x^{13} + 42x^{11} + \frac{110}{3}x^9 + \frac{165}{7}x^7 + 11x^5 + \frac{11}{3}x^3 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5, x, algorithm="giac")

[Out] 1/23*x^23 + 11/21*x^21 + 55/19*x^19 + 165/17*x^17 + 22*x^15 + 462/13*x^13 + 42*x^11 + 110/3*x^9 + 165/7*x^7 + 11*x^5 + 11/3*x^3 + x

maple [A] time = 0.00, size = 58, normalized size = 0.79

$$\frac{1}{23}x^{23} + \frac{11}{21}x^{21} + \frac{55}{19}x^{19} + \frac{165}{17}x^{17} + 22x^{15} + \frac{462}{13}x^{13} + 42x^{11} + \frac{110}{3}x^9 + \frac{165}{7}x^7 + 11x^5 + \frac{11}{3}x^3 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2+1)*(x^4+2*x^2+1)^5, x)

[Out] x+11/3*x^3+11*x^5+165/7*x^7+110/3*x^9+42*x^11+462/13*x^13+22*x^15+165/17*x^17+55/19*x^19+11/21*x^21+1/23*x^23

maxima [A] time = 0.98, size = 57, normalized size = 0.78

$$\frac{1}{23}x^{23} + \frac{11}{21}x^{21} + \frac{55}{19}x^{19} + \frac{165}{17}x^{17} + 22x^{15} + \frac{462}{13}x^{13} + 42x^{11} + \frac{110}{3}x^9 + \frac{165}{7}x^7 + 11x^5 + \frac{11}{3}x^3 + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5,x, algorithm="maxima")

[Out] 1/23*x^23 + 11/21*x^21 + 55/19*x^19 + 165/17*x^17 + 22*x^15 + 462/13*x^13 + 42*x^11 + 110/3*x^9 + 165/7*x^7 + 11*x^5 + 11/3*x^3 + x

mupad [B] time = 0.06, size = 57, normalized size = 0.78

$$\frac{x^{23}}{23} + \frac{11x^{21}}{21} + \frac{55x^{19}}{19} + \frac{165x^{17}}{17} + 22x^{15} + \frac{462x^{13}}{13} + 42x^{11} + \frac{110x^9}{3} + \frac{165x^7}{7} + 11x^5 + \frac{11x^3}{3} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2 + 1)*(2*x^2 + x^4 + 1)^5,x)

[Out] x + (11*x^3)/3 + 11*x^5 + (165*x^7)/7 + (110*x^9)/3 + 42*x^11 + (462*x^13)/13 + 22*x^15 + (165*x^17)/17 + (55*x^19)/19 + (11*x^21)/21 + x^23/23

sympy [A] time = 0.07, size = 68, normalized size = 0.93

$$\frac{x^{23}}{23} + \frac{11x^{21}}{21} + \frac{55x^{19}}{19} + \frac{165x^{17}}{17} + 22x^{15} + \frac{462x^{13}}{13} + 42x^{11} + \frac{110x^9}{3} + \frac{165x^7}{7} + 11x^5 + \frac{11x^3}{3} + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**2+1)*(x**4+2*x**2+1)**5,x)

[Out] x**23/23 + 11*x**21/21 + 55*x**19/19 + 165*x**17/17 + 22*x**15 + 462*x**13/13 + 42*x**11 + 110*x**9/3 + 165*x**7/7 + 11*x**5 + 11*x**3/3 + x

$$3.72 \quad \int \frac{(1+x^2)(1+2x^2+x^4)^5}{x} dx$$

Optimal. Leaf size=80

$$\frac{x^{22}}{22} + \frac{11x^{20}}{20} + \frac{55x^{18}}{18} + \frac{165x^{16}}{16} + \frac{165x^{14}}{7} + \frac{77x^{12}}{2} + \frac{231x^{10}}{5} + \frac{165x^8}{4} + \frac{55x^6}{2} + \frac{55x^4}{4} + \frac{11x^2}{2} + \log(x)$$

[Out] 11/2*x^2+55/4*x^4+55/2*x^6+165/4*x^8+231/5*x^10+77/2*x^12+165/7*x^14+165/16*x^16+55/18*x^18+11/20*x^20+1/22*x^22+ln(x)

Rubi [A] time = 0.03, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {28, 266, 43}

$$\frac{x^{22}}{22} + \frac{11x^{20}}{20} + \frac{55x^{18}}{18} + \frac{165x^{16}}{16} + \frac{165x^{14}}{7} + \frac{77x^{12}}{2} + \frac{231x^{10}}{5} + \frac{165x^8}{4} + \frac{55x^6}{2} + \frac{55x^4}{4} + \frac{11x^2}{2} + \log(x)$$

Antiderivative was successfully verified.

[In] Int[((1 + x^2)*(1 + 2*x^2 + x^4)^5)/x,x]

[Out] (11*x^2)/2 + (55*x^4)/4 + (55*x^6)/2 + (165*x^8)/4 + (231*x^10)/5 + (77*x^12)/2 + (165*x^14)/7 + (165*x^16)/16 + (55*x^18)/18 + (11*x^20)/20 + x^22/22 + Log[x]

Rule 28

Int[(u_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned}
\int \frac{(1+x^2)(1+2x^2+x^4)^5}{x} dx &= \int \frac{(1+x^2)^{11}}{x} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{(1+x)^{11}}{x} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(11 + \frac{1}{x} + 55x + 165x^2 + 330x^3 + 462x^4 + 462x^5 + 330x^6 + 165x^7 \right) dx, x, x^2 \right) \\
&= \frac{11x^2}{2} + \frac{55x^4}{4} + \frac{55x^6}{2} + \frac{165x^8}{4} + \frac{231x^{10}}{5} + \frac{77x^{12}}{2} + \frac{165x^{14}}{7} + \frac{165x^{16}}{16} + \frac{55x^{18}}{18} + \log(x)
\end{aligned}$$

Mathematica [A] time = 0.00, size = 80, normalized size = 1.00

$$\frac{x^{22}}{22} + \frac{11x^{20}}{20} + \frac{55x^{18}}{18} + \frac{165x^{16}}{16} + \frac{165x^{14}}{7} + \frac{77x^{12}}{2} + \frac{231x^{10}}{5} + \frac{165x^8}{4} + \frac{55x^6}{2} + \frac{55x^4}{4} + \frac{11x^2}{2} + \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[((1 + x^2)*(1 + 2*x^2 + x^4)^5)/x,x]

[Out] (11*x^2)/2 + (55*x^4)/4 + (55*x^6)/2 + (165*x^8)/4 + (231*x^10)/5 + (77*x^12)/2 + (165*x^14)/7 + (165*x^16)/16 + (55*x^18)/18 + (11*x^20)/20 + x^22/22 + Log[x]

fricas [A] time = 0.49, size = 58, normalized size = 0.72

$$\frac{1}{22} x^{22} + \frac{11}{20} x^{20} + \frac{55}{18} x^{18} + \frac{165}{16} x^{16} + \frac{165}{7} x^{14} + \frac{77}{2} x^{12} + \frac{231}{5} x^{10} + \frac{165}{4} x^8 + \frac{55}{2} x^6 + \frac{55}{4} x^4 + \frac{11}{2} x^2 + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5/x,x, algorithm="fricas")

[Out] 1/22*x^22 + 11/20*x^20 + 55/18*x^18 + 165/16*x^16 + 165/7*x^14 + 77/2*x^12 + 231/5*x^10 + 165/4*x^8 + 55/2*x^6 + 55/4*x^4 + 11/2*x^2 + log(x)

giac [A] time = 0.23, size = 62, normalized size = 0.78

$$\frac{1}{22} x^{22} + \frac{11}{20} x^{20} + \frac{55}{18} x^{18} + \frac{165}{16} x^{16} + \frac{165}{7} x^{14} + \frac{77}{2} x^{12} + \frac{231}{5} x^{10} + \frac{165}{4} x^8 + \frac{55}{2} x^6 + \frac{55}{4} x^4 + \frac{11}{2} x^2 + \frac{1}{2} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5/x,x, algorithm="giac")

[Out] $\frac{1}{22}x^{22} + \frac{11}{20}x^{20} + \frac{55}{18}x^{18} + \frac{165}{16}x^{16} + \frac{165}{7}x^{14} + \frac{77}{2}x^{12} + \frac{231}{5}x^{10} + \frac{165}{4}x^8 + \frac{55}{2}x^6 + \frac{55}{4}x^4 + \frac{11}{2}x^2 + \frac{1}{2}\log(x^2)$

maple [A] time = 0.00, size = 59, normalized size = 0.74

$$\frac{x^{22}}{22} + \frac{11x^{20}}{20} + \frac{55x^{18}}{18} + \frac{165x^{16}}{16} + \frac{165x^{14}}{7} + \frac{77x^{12}}{2} + \frac{231x^{10}}{5} + \frac{165x^8}{4} + \frac{55x^6}{2} + \frac{55x^4}{4} + \frac{11x^2}{2} + \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+1)*(x^4+2*x^2+1)^5/x,x)`

[Out] $\frac{11}{2}x^2 + \frac{55}{4}x^4 + \frac{55}{2}x^6 + \frac{165}{4}x^8 + \frac{231}{5}x^{10} + \frac{77}{2}x^{12} + \frac{165}{7}x^{14} + \frac{165}{16}x^{16} + \frac{55}{18}x^{18} + \frac{11}{20}x^{20} + \frac{1}{22}x^{22} + \ln(x)$

maxima [A] time = 0.82, size = 62, normalized size = 0.78

$$\frac{1}{22}x^{22} + \frac{11}{20}x^{20} + \frac{55}{18}x^{18} + \frac{165}{16}x^{16} + \frac{165}{7}x^{14} + \frac{77}{2}x^{12} + \frac{231}{5}x^{10} + \frac{165}{4}x^8 + \frac{55}{2}x^6 + \frac{55}{4}x^4 + \frac{11}{2}x^2 + \frac{1}{2}\log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+1)*(x^4+2*x^2+1)^5/x,x, algorithm="maxima")`

[Out] $\frac{1}{22}x^{22} + \frac{11}{20}x^{20} + \frac{55}{18}x^{18} + \frac{165}{16}x^{16} + \frac{165}{7}x^{14} + \frac{77}{2}x^{12} + \frac{231}{5}x^{10} + \frac{165}{4}x^8 + \frac{55}{2}x^6 + \frac{55}{4}x^4 + \frac{11}{2}x^2 + \frac{1}{2}\log(x^2)$

mupad [B] time = 0.06, size = 58, normalized size = 0.72

$$\ln(x) + \frac{11x^2}{2} + \frac{55x^4}{4} + \frac{55x^6}{2} + \frac{165x^8}{4} + \frac{231x^{10}}{5} + \frac{77x^{12}}{2} + \frac{165x^{14}}{7} + \frac{165x^{16}}{16} + \frac{55x^{18}}{18} + \frac{11x^{20}}{20} + \frac{x^{22}}{22}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^2 + 1)*(2*x^2 + x^4 + 1)^5)/x,x)`

[Out] $\log(x) + \frac{(11x^2)}{2} + \frac{(55x^4)}{4} + \frac{(55x^6)}{2} + \frac{(165x^8)}{4} + \frac{(231x^{10})}{5} + \frac{(77x^{12})}{2} + \frac{(165x^{14})}{7} + \frac{(165x^{16})}{16} + \frac{(55x^{18})}{18} + \frac{(11x^{20})}{20} + \frac{x^{22}}{22}$

sympy [A] time = 0.11, size = 75, normalized size = 0.94

$$\frac{x^{22}}{22} + \frac{11x^{20}}{20} + \frac{55x^{18}}{18} + \frac{165x^{16}}{16} + \frac{165x^{14}}{7} + \frac{77x^{12}}{2} + \frac{231x^{10}}{5} + \frac{165x^8}{4} + \frac{55x^6}{2} + \frac{55x^4}{4} + \frac{11x^2}{2} + \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+1)*(x**4+2*x**2+1)**5/x,x)`

[Out] $x^{22}/22 + 11x^{20}/20 + 55x^{18}/18 + 165x^{16}/16 + 165x^{14}/7 + 77x^{12}/2 + 231x^{10}/5 + 165x^8/4 + 55x^6/2 + 55x^4/4 + 11x^2/2 + \log(x)$

$$3.73 \quad \int \frac{(1+x^2)(1+2x^2+x^4)^5}{x^2} dx$$

Optimal. Leaf size=73

$$\frac{x^{21}}{21} + \frac{11x^{19}}{19} + \frac{55x^{17}}{17} + 11x^{15} + \frac{330x^{13}}{13} + 42x^{11} + \frac{154x^9}{3} + \frac{330x^7}{7} + 33x^5 + \frac{55x^3}{3} + 11x - \frac{1}{x}$$

[Out] -1/x+11*x+55/3*x^3+33*x^5+330/7*x^7+154/3*x^9+42*x^11+330/13*x^13+11*x^15+55/17*x^17+11/19*x^19+1/21*x^21

Rubi [A] time = 0.02, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {28, 270}

$$\frac{x^{21}}{21} + \frac{11x^{19}}{19} + \frac{55x^{17}}{17} + 11x^{15} + \frac{330x^{13}}{13} + 42x^{11} + \frac{154x^9}{3} + \frac{330x^7}{7} + 33x^5 + \frac{55x^3}{3} + 11x - \frac{1}{x}$$

Antiderivative was successfully verified.

[In] Int[((1 + x^2)*(1 + 2*x^2 + x^4)^5)/x^2,x]

[Out] -x^(-1) + 11*x + (55*x^3)/3 + 33*x^5 + (330*x^7)/7 + (154*x^9)/3 + 42*x^11 + (330*x^13)/13 + 11*x^15 + (55*x^17)/17 + (11*x^19)/19 + x^21/21

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 270

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^ (p_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(1+x^2)(1+2x^2+x^4)^5}{x^2} dx &= \int \frac{(1+x^2)^{11}}{x^2} dx \\ &= \int \left(11 + \frac{1}{x^2} + 55x^2 + 165x^4 + 330x^6 + 462x^8 + 462x^{10} + 330x^{12} + 165x^{14} + 55x^{16} + 11x^{18} + x^{20} \right) dx \\ &= -\frac{1}{x} + 11x + \frac{55x^3}{3} + 33x^5 + \frac{330x^7}{7} + \frac{154x^9}{3} + 42x^{11} + \frac{330x^{13}}{13} + 11x^{15} + \frac{55x^{17}}{17} + \frac{x^{21}}{21} \end{aligned}$$

Mathematica [A] time = 0.00, size = 73, normalized size = 1.00

$$\frac{x^{21}}{21} + \frac{11x^{19}}{19} + \frac{55x^{17}}{17} + 11x^{15} + \frac{330x^{13}}{13} + 42x^{11} + \frac{154x^9}{3} + \frac{330x^7}{7} + 33x^5 + \frac{55x^3}{3} + 11x - \frac{1}{x}$$

Antiderivative was successfully verified.

[In] Integrate[((1 + x^2)*(1 + 2*x^2 + x^4)^5)/x^2,x]

[Out] -x^(-1) + 11*x + (55*x^3)/3 + 33*x^5 + (330*x^7)/7 + (154*x^9)/3 + 42*x^11 + (330*x^13)/13 + 11*x^15 + (55*x^17)/17 + (11*x^19)/19 + x^21/21

fricas [A] time = 0.64, size = 62, normalized size = 0.85

$$\frac{4199x^{22} + 51051x^{20} + 285285x^{18} + 969969x^{16} + 2238390x^{14} + 3703518x^{12} + 4526522x^{10} + 4157010x^8 + 2909907x^6 + 1616615x^4 + 969969x^2 - 88179}{88179x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5/x^2,x, algorithm="fricas")

[Out] 1/88179*(4199*x^22 + 51051*x^20 + 285285*x^18 + 969969*x^16 + 2238390*x^14 + 3703518*x^12 + 4526522*x^10 + 4157010*x^8 + 2909907*x^6 + 1616615*x^4 + 969969*x^2 - 88179)/x

giac [A] time = 0.30, size = 59, normalized size = 0.81

$$\frac{1}{21}x^{21} + \frac{11}{19}x^{19} + \frac{55}{17}x^{17} + 11x^{15} + \frac{330}{13}x^{13} + 42x^{11} + \frac{154}{3}x^9 + \frac{330}{7}x^7 + 33x^5 + \frac{55}{3}x^3 + 11x - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5/x^2,x, algorithm="giac")

[Out] 1/21*x^21 + 11/19*x^19 + 55/17*x^17 + 11*x^15 + 330/13*x^13 + 42*x^11 + 154/3*x^9 + 330/7*x^7 + 33*x^5 + 55/3*x^3 + 11*x - 1/x

maple [A] time = 0.00, size = 60, normalized size = 0.82

$$\frac{x^{21}}{21} + \frac{11x^{19}}{19} + \frac{55x^{17}}{17} + 11x^{15} + \frac{330x^{13}}{13} + 42x^{11} + \frac{154x^9}{3} + \frac{330x^7}{7} + 33x^5 + \frac{55x^3}{3} + 11x - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+1)*(x^4+2*x^2+1)^5/x^2,x)`

[Out] `-1/x+11*x+55/3*x^3+33*x^5+330/7*x^7+154/3*x^9+42*x^11+330/13*x^13+11*x^15+5/17*x^17+11/19*x^19+1/21*x^21`

maxima [A] time = 0.83, size = 59, normalized size = 0.81

$$\frac{1}{21}x^{21} + \frac{11}{19}x^{19} + \frac{55}{17}x^{17} + 11x^{15} + \frac{330}{13}x^{13} + 42x^{11} + \frac{154}{3}x^9 + \frac{330}{7}x^7 + 33x^5 + \frac{55}{3}x^3 + 11x - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+1)*(x^4+2*x^2+1)^5/x^2,x, algorithm="maxima")`

[Out] `1/21*x^21 + 11/19*x^19 + 55/17*x^17 + 11*x^15 + 330/13*x^13 + 42*x^11 + 154/3*x^9 + 330/7*x^7 + 33*x^5 + 55/3*x^3 + 11*x - 1/x`

mupad [B] time = 0.06, size = 59, normalized size = 0.81

$$11x - \frac{1}{x} + \frac{55x^3}{3} + 33x^5 + \frac{330x^7}{7} + \frac{154x^9}{3} + 42x^{11} + \frac{330x^{13}}{13} + 11x^{15} + \frac{55x^{17}}{17} + \frac{11x^{19}}{19} + \frac{x^{21}}{21}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^2 + 1)*(2*x^2 + x^4 + 1)^5)/x^2,x)`

[Out] `11*x - 1/x + (55*x^3)/3 + 33*x^5 + (330*x^7)/7 + (154*x^9)/3 + 42*x^11 + (330*x^13)/13 + 11*x^15 + (55*x^17)/17 + (11*x^19)/19 + x^21/21`

sympy [A] time = 0.10, size = 66, normalized size = 0.90

$$\frac{x^{21}}{21} + \frac{11x^{19}}{19} + \frac{55x^{17}}{17} + 11x^{15} + \frac{330x^{13}}{13} + 42x^{11} + \frac{154x^9}{3} + \frac{330x^7}{7} + 33x^5 + \frac{55x^3}{3} + 11x - \frac{1}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**2+1)*(x**4+2*x**2+1)**5/x**2,x)`

[Out] `x**21/21 + 11*x**19/19 + 55*x**17/17 + 11*x**15 + 330*x**13/13 + 42*x**11 + 154*x**9/3 + 330*x**7/7 + 33*x**5 + 55*x**3/3 + 11*x - 1/x`

$$3.74 \quad \int \frac{(1+x^2)(1+2x^2+x^4)^5}{x^3} dx$$

Optimal. Leaf size=80

$$\frac{x^{20}}{20} + \frac{11x^{18}}{18} + \frac{55x^{16}}{16} + \frac{165x^{14}}{14} + \frac{55x^{12}}{2} + \frac{231x^{10}}{5} + \frac{231x^8}{4} + 55x^6 + \frac{165x^4}{4} + \frac{55x^2}{2} - \frac{1}{2x^2} + 11 \log(x)$$

[Out] $-1/2/x^2+55/2*x^2+165/4*x^4+55*x^6+231/4*x^8+231/5*x^{10}+55/2*x^{12}+165/14*x^{14}+55/16*x^{16}+11/18*x^{18}+1/20*x^{20}+11*\ln(x)$

Rubi [A] time = 0.04, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {28, 266, 43}

$$\frac{x^{20}}{20} + \frac{11x^{18}}{18} + \frac{55x^{16}}{16} + \frac{165x^{14}}{14} + \frac{55x^{12}}{2} + \frac{231x^{10}}{5} + \frac{231x^8}{4} + 55x^6 + \frac{165x^4}{4} + \frac{55x^2}{2} - \frac{1}{2x^2} + 11 \log(x)$$

Antiderivative was successfully verified.

[In] Int[((1 + x^2)*(1 + 2*x^2 + x^4)^5)/x^3,x]

[Out] $-1/(2*x^2) + (55*x^2)/2 + (165*x^4)/4 + 55*x^6 + (231*x^8)/4 + (231*x^{10})/5 + (55*x^{12})/2 + (165*x^{14})/14 + (55*x^{16})/16 + (11*x^{18})/18 + x^{20}/20 + 11*\text{Log}[x]$

Rule 28

Int[(u_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 43

Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 266

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned}
\int \frac{(1+x^2)(1+2x^2+x^4)^5}{x^3} dx &= \int \frac{(1+x^2)^{11}}{x^3} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{(1+x)^{11}}{x^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(55 + \frac{1}{x^2} + \frac{11}{x} + 165x + 330x^2 + 462x^3 + 462x^4 + 330x^5 + 165x^6 \right) dx, x, x^2 \right) \\
&= -\frac{1}{2x^2} + \frac{55x^2}{2} + \frac{165x^4}{4} + 55x^6 + \frac{231x^8}{4} + \frac{231x^{10}}{5} + \frac{55x^{12}}{2} + \frac{165x^{14}}{14} + \frac{55x^{16}}{16} +
\end{aligned}$$

Mathematica [A] time = 0.00, size = 80, normalized size = 1.00

$$\frac{x^{20}}{20} + \frac{11x^{18}}{18} + \frac{55x^{16}}{16} + \frac{165x^{14}}{14} + \frac{55x^{12}}{2} + \frac{231x^{10}}{5} + \frac{231x^8}{4} + 55x^6 + \frac{165x^4}{4} + \frac{55x^2}{2} - \frac{1}{2x^2} + 11 \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[((1 + x^2)*(1 + 2*x^2 + x^4)^5)/x^3,x]

[Out] -1/2*1/x^2 + (55*x^2)/2 + (165*x^4)/4 + 55*x^6 + (231*x^8)/4 + (231*x^10)/5 + (55*x^12)/2 + (165*x^14)/14 + (55*x^16)/16 + (11*x^18)/18 + x^20/20 + 11*Log[x]

fricas [A] time = 0.67, size = 64, normalized size = 0.80

$$\frac{252x^{22} + 3080x^{20} + 17325x^{18} + 59400x^{16} + 138600x^{14} + 232848x^{12} + 291060x^{10} + 277200x^8 + 207900x^6 + 138600x^4 + 55440x^2 - 2520}{5040x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5/x^3,x, algorithm="fricas")

[Out] 1/5040*(252*x^22 + 3080*x^20 + 17325*x^18 + 59400*x^16 + 138600*x^14 + 232848*x^12 + 291060*x^10 + 277200*x^8 + 207900*x^6 + 138600*x^4 + 55440*x^2*log(x) - 2520)/x^2

giac [A] time = 0.36, size = 69, normalized size = 0.86

$$\frac{1}{20}x^{20} + \frac{11}{18}x^{18} + \frac{55}{16}x^{16} + \frac{165}{14}x^{14} + \frac{55}{2}x^{12} + \frac{231}{5}x^{10} + \frac{231}{4}x^8 + 55x^6 + \frac{165}{4}x^4 + \frac{55}{2}x^2 - \frac{11x^2 + 1}{2x^2} + \frac{11}{2} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^2+1)*(x^4+2*x^2+1)^5/x^3,x, algorithm="giac")

[Out] $\frac{1}{20}x^{20} + \frac{11}{18}x^{18} + \frac{55}{16}x^{16} + \frac{165}{14}x^{14} + \frac{55}{2}x^{12} + \frac{231}{5}x^{10} + \frac{231}{4}x^8 + 55x^6 + \frac{165}{4}x^4 + \frac{55}{2}x^2 - \frac{1}{2}(11x^2 + 1)/x^2 + \frac{11}{2} \log(x^2)$

maple [A] time = 0.00, size = 61, normalized size = 0.76

$$\frac{x^{20}}{20} + \frac{11x^{18}}{18} + \frac{55x^{16}}{16} + \frac{165x^{14}}{14} + \frac{55x^{12}}{2} + \frac{231x^{10}}{5} + \frac{231x^8}{4} + 55x^6 + \frac{165x^4}{4} + \frac{55x^2}{2} + 11 \ln(x) - \frac{1}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2+1)*(x^4+2*x^2+1)^5/x^3,x)`

[Out] $-1/2/x^2 + 55/2*x^2 + 165/4*x^4 + 55*x^6 + 231/4*x^8 + 231/5*x^{10} + 55/2*x^{12} + 165/14*x^{14} + 55/16*x^{16} + 11/18*x^{18} + 1/20*x^{20} + 11*\ln(x)$

maxima [A] time = 0.74, size = 62, normalized size = 0.78

$$\frac{1}{20}x^{20} + \frac{11}{18}x^{18} + \frac{55}{16}x^{16} + \frac{165}{14}x^{14} + \frac{55}{2}x^{12} + \frac{231}{5}x^{10} + \frac{231}{4}x^8 + 55x^6 + \frac{165}{4}x^4 + \frac{55}{2}x^2 - \frac{1}{2x^2} + \frac{11}{2} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^2+1)*(x^4+2*x^2+1)^5/x^3,x, algorithm="maxima")`

[Out] $\frac{1}{20}x^{20} + \frac{11}{18}x^{18} + \frac{55}{16}x^{16} + \frac{165}{14}x^{14} + \frac{55}{2}x^{12} + \frac{231}{5}x^{10} + \frac{231}{4}x^8 + 55x^6 + \frac{165}{4}x^4 + \frac{55}{2}x^2 - \frac{1}{2/x^2} + \frac{11}{2} \log(x^2)$

mupad [B] time = 0.06, size = 60, normalized size = 0.75

$$11 \ln(x) - \frac{1}{2x^2} + \frac{55x^2}{2} + \frac{165x^4}{4} + 55x^6 + \frac{231x^8}{4} + \frac{231x^{10}}{5} + \frac{55x^{12}}{2} + \frac{165x^{14}}{14} + \frac{55x^{16}}{16} + \frac{11x^{18}}{18} + \frac{x^{20}}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((x^2 + 1)*(2*x^2 + x^4 + 1)^5)/x^3,x)`

[Out] $11*\log(x) - 1/(2*x^2) + (55*x^2)/2 + (165*x^4)/4 + 55*x^6 + (231*x^8)/4 + (231*x^{10})/5 + (55*x^{12})/2 + (165*x^{14})/14 + (55*x^{16})/16 + (11*x^{18})/18 + x^{20}/20$

sympy [A] time = 0.11, size = 75, normalized size = 0.94

$$\frac{x^{20}}{20} + \frac{11x^{18}}{18} + \frac{55x^{16}}{16} + \frac{165x^{14}}{14} + \frac{55x^{12}}{2} + \frac{231x^{10}}{5} + \frac{231x^8}{4} + 55x^6 + \frac{165x^4}{4} + \frac{55x^2}{2} + 11 \log(x) - \frac{1}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**2+1)*(x**4+2*x**2+1)**5/x**3,x)
```

```
[Out] x**20/20 + 11*x**18/18 + 55*x**16/16 + 165*x**14/14 + 55*x**12/2 + 231*x**10/5 + 231*x**8/4 + 55*x**6 + 165*x**4/4 + 55*x**2/2 + 11*log(x) - 1/(2*x**2)
```

$$3.75 \quad \int \frac{x^2(d+ex^2)}{\sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=145

$$\frac{x(a+bx^2)(bd-ae)}{b^2\sqrt{a^2+2abx^2+b^2x^4}} + \frac{ex^3(a+bx^2)}{3b\sqrt{a^2+2abx^2+b^2x^4}} - \frac{\sqrt{a}(a+bx^2)(bd-ae)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{b^{5/2}\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] $(-a*e+b*d)*x*(b*x^2+a)/b^2/((b*x^2+a)^2)^{(1/2)}+1/3*e*x^3*(b*x^2+a)/b/((b*x^2+a)^2)^{(1/2)}-(-a*e+b*d)*(b*x^2+a)*\arctan(x*b^{(1/2)}/a^{(1/2)})*a^{(1/2)}/b^{(5/2)}/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {1250, 459, 321, 205}

$$\frac{x(a+bx^2)(bd-ae)}{b^2\sqrt{a^2+2abx^2+b^2x^4}} - \frac{\sqrt{a}(a+bx^2)(bd-ae)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{b^{5/2}\sqrt{a^2+2abx^2+b^2x^4}} + \frac{ex^3(a+bx^2)}{3b\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(d + e*x^2))/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] $((b*d - a*e)*x*(a + b*x^2))/(b^2*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) + (e*x^3*(a + b*x^2))/(3*b*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - (\text{Sqrt}[a]*(b*d - a*e)*(a + b*x^2)*\text{ArcTan}[(\text{Sqrt}[b]*x)/\text{Sqrt}[a]])/(b^{(5/2)}*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 321

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n-1)*(c*x)^(m-n+1)*(a+b*x^n)^(p+1))/(b*(m+n*p+1)), x] - Dist[(a*c^n*(m-n+1))/(b*(m+n*p+1)), Int[(c*x)^(m-n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n-1] && NeQ[m+n*p+1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 1250

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p]))], Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (d + ex^2)}{\sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{(ab + b^2x^2) \int \frac{x^2(d+ex^2)}{ab+b^2x^2} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{ex^3 (a + bx^2)}{3b\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{((-3b^2d + 3abe)(ab + b^2x^2)) \int \frac{x^2}{ab+b^2x^2} dx}{3b^2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(bd - ae)x (a + bx^2)}{b^2\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{ex^3 (a + bx^2)}{3b\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(a(-3b^2d + 3abe)(ab + b^2x^2))}{3b^3\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(bd - ae)x (a + bx^2)}{b^2\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{ex^3 (a + bx^2)}{3b\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{\sqrt{a} (bd - ae) (a + bx^2) \tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{b^{5/2}\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 80, normalized size = 0.55

$$\frac{(a + bx^2) \left(\sqrt{b} x (-3ae + 3bd + bex^2) + 3\sqrt{a} (ae - bd) \tan^{-1} \left(\frac{\sqrt{bx}}{\sqrt{a}} \right) \right)}{3b^{5/2} \sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(d + e*x^2))/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]
```

```
[Out] ((a + b*x^2)*(Sqrt[b]*x*(3*b*d - 3*a*e + b*e*x^2) + 3*Sqrt[a]*(-(b*d) + a*e)*ArcTan[(Sqrt[b]*x)/Sqrt[a]])/(3*b^(5/2)*Sqrt[(a + b*x^2)^2])
```

fricas [A] time = 0.77, size = 129, normalized size = 0.89

$$\left[\frac{2 b e x^3 - 3 (b d - a e) \sqrt{-\frac{a}{b}} \log \left(\frac{b x^2 + 2 b x \sqrt{-\frac{a}{b}} - a}{b x^2 + a} \right) + 6 (b d - a e) x}{6 b^2}, \frac{b e x^3 - 3 (b d - a e) \sqrt{\frac{a}{b}} \arctan \left(\frac{b x \sqrt{\frac{a}{b}}}{a} \right) + 3 (b d - a e) x}{3 b^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="fricas")

[Out] [1/6*(2*b*e*x^3 - 3*(b*d - a*e)*sqrt(-a/b)*log((b*x^2 + 2*b*x*sqrt(-a/b) - a)/(b*x^2 + a)) + 6*(b*d - a*e)*x)/b^2, 1/3*(b*e*x^3 - 3*(b*d - a*e)*sqrt(a/b)*arctan(b*x*sqrt(a/b)/a) + 3*(b*d - a*e)*x)/b^2]

giac [A] time = 0.43, size = 101, normalized size = 0.70

$$\frac{(abd \operatorname{sgn}(bx^2 + a) - a^2 e \operatorname{sgn}(bx^2 + a)) \arctan\left(\frac{bx}{\sqrt{ab}}\right) + b^2 x^3 e \operatorname{sgn}(bx^2 + a) + 3 b^2 dx \operatorname{sgn}(bx^2 + a) - 3 abx e \operatorname{sgn}(bx^2 + a)}{\sqrt{ab} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] -(a*b*d*sgn(b*x^2 + a) - a^2*e*sgn(b*x^2 + a))*arctan(b*x/sqrt(a*b))/(sqrt(a*b)*b^2) + 1/3*(b^2*x^3*e*sgn(b*x^2 + a) + 3*b^2*d*x*sgn(b*x^2 + a) - 3*a*b*x*e*sgn(b*x^2 + a))/b^3

maple [A] time = 0.04, size = 90, normalized size = 0.62

$$\frac{(b x^2 + a) \left(\sqrt{ab} b e x^3 + 3 a^2 e \arctan \left(\frac{bx}{\sqrt{ab}} \right) - 3 abd \arctan \left(\frac{bx}{\sqrt{ab}} \right) - 3 \sqrt{ab} a e x + 3 \sqrt{ab} b d x \right)}{3 \sqrt{(b x^2 + a)^2} \sqrt{ab} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x)

[Out] 1/3*(b*x^2+a)*((a*b)^(1/2)*x^3*b*e+3*arctan(b*x/(a*b)^(1/2))*a^2*e-3*arctan(b*x/(a*b)^(1/2))*a*b*d-3*(a*b)^(1/2)*x*a*e+3*(a*b)^(1/2)*x*b*d)/((b*x^2+a)^2)^(1/2)/b^2/(a*b)^(1/2)

maxima [A] time = 1.52, size = 54, normalized size = 0.37

$$-\frac{(abd - a^2 e) \arctan \left(\frac{bx}{\sqrt{ab}} \right)}{\sqrt{ab} b^2} + \frac{b e x^3 + 3 (b d - a e) x}{3 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] $-(a*b*d - a^2*e)*\arctan(b*x/\sqrt{a*b})/(\sqrt{a*b}*b^2) + 1/3*(b*e*x^3 + 3*(b*d - a*e)*x)/b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (e x^2 + d)}{\sqrt{(b x^2 + a)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(d + e*x^2))/((a + b*x^2)^2)^(1/2),x)

[Out] int((x^2*(d + e*x^2))/((a + b*x^2)^2)^(1/2), x)

sympy [A] time = 0.36, size = 90, normalized size = 0.62

$$x \left(-\frac{ae}{b^2} + \frac{d}{b} \right) - \frac{\sqrt{-\frac{a}{b^5}} (ae - bd) \log \left(-b^2 \sqrt{-\frac{a}{b^5}} + x \right)}{2} + \frac{\sqrt{-\frac{a}{b^5}} (ae - bd) \log \left(b^2 \sqrt{-\frac{a}{b^5}} + x \right)}{2} + \frac{ex^3}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)/((b*x**2+a)**2)**(1/2),x)

[Out] $x*(-a*e/b**2 + d/b) - \sqrt{-a/b**5}*(a*e - b*d)*\log(-b**2*\sqrt{-a/b**5} + x)/2 + \sqrt{-a/b**5}*(a*e - b*d)*\log(b**2*\sqrt{-a/b**5} + x)/2 + e*x**3/(3*b)$

$$3.76 \quad \int \frac{x(d+ex^2)}{\sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=83

$$\frac{(a+bx^2)(bd-ae)\log(a+bx^2)}{2b^2\sqrt{a^2+2abx^2+b^2x^4}} + \frac{e\sqrt{a^2+2abx^2+b^2x^4}}{2b^2}$$

[Out] $1/2*(-a*e+b*d)*(b*x^2+a)*\ln(b*x^2+a)/b^2/((b*x^2+a)^2)^{(1/2)}+1/2*e*((b*x^2+a)^2)^{(1/2)}/b^2$

Rubi [A] time = 0.07, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {1247, 640, 608, 31}

$$\frac{(a+bx^2)(bd-ae)\log(a+bx^2)}{2b^2\sqrt{a^2+2abx^2+b^2x^4}} + \frac{e\sqrt{a^2+2abx^2+b^2x^4}}{2b^2}$$

Antiderivative was successfully verified.

[In] Int[(x*(d + e*x^2))/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] $(e*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(2*b^2) + ((b*d - a*e)*(a + b*x^2)*\text{Log}[a + b*x^2])/(2*b^2*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 608

Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[(b/2 + c*x)/Sqrt[a + b*x + c*x^2], Int[1/(b/2 + c*x), x], x] /; FreeQ[{a, b, c}, x] && EqQ[b^2 - 4*a*c, 0]

Rule 640

Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + b*x + c*x^2)^(p + 1)/(2*c*(p + 1)), x] + Dist[(2*c*d - b*e)/(2*c), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[2*c*d - b*e, 0] && NeQ[p, -1]

Rule 1247

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(
p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{x(d + ex^2)}{\sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{d + ex}{\sqrt{a^2 + 2abx + b^2x^2}} dx, x, x^2 \right) \\ &= \frac{e\sqrt{a^2 + 2abx^2 + b^2x^4}}{2b^2} + \frac{(bd - ae) \text{Subst} \left(\int \frac{1}{\sqrt{a^2 + 2abx + b^2x^2}} dx, x, x^2 \right)}{2b} \\ &= \frac{e\sqrt{a^2 + 2abx^2 + b^2x^4}}{2b^2} + \frac{((bd - ae)(ab + b^2x^2)) \text{Subst} \left(\int \frac{1}{ab + b^2x} dx, x, x^2 \right)}{2b\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{e\sqrt{a^2 + 2abx^2 + b^2x^4}}{2b^2} + \frac{(bd - ae)(a + bx^2) \log(a + bx^2)}{2b^2\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 51, normalized size = 0.61

$$\frac{(a + bx^2) \left((bd - ae) \log(a + bx^2) + bex^2 \right)}{2b^2 \sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(d + e*x^2))/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]
```

```
[Out] ((a + b*x^2)*(b*e*x^2 + (b*d - a*e)*Log[a + b*x^2]))/(2*b^2*Sqrt[(a + b*x^2)^2])
```

fricas [A] time = 0.80, size = 29, normalized size = 0.35

$$\frac{bex^2 + (bd - ae) \log(bx^2 + a)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x^2+d)/((b*x^2+a)^(1/2)),x, algorithm="fricas")
```

```
[Out] 1/2*(b*e*x^2 + (b*d - a*e)*log(b*x^2 + a))/b^2
```


giac [A] time = 0.38, size = 42, normalized size = 0.51

$$\frac{1}{2} \left(\frac{x^2 e}{b} + \frac{(bd - ae) \log(|bx^2 + a|)}{b^2} \right) \operatorname{sgn}(bx^2 + a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] 1/2*(x^2*e/b + (b*d - a*e)*log(abs(b*x^2 + a))/b^2)*sgn(b*x^2 + a)

maple [A] time = 0.01, size = 55, normalized size = 0.66

$$\frac{(bx^2 + a)(-be x^2 + ae \ln(bx^2 + a) - bd \ln(bx^2 + a))}{2\sqrt{(bx^2 + a)^2} b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x)

[Out] -1/2*(b*x^2+a)*(-x^2*e*b+ln(b*x^2+a)*a*e-ln(b*x^2+a)*b*d)/((b*x^2+a)^2)^(1/2)/b^2

maxima [A] time = 0.78, size = 31, normalized size = 0.37

$$\frac{ex^2}{2b} + \frac{(bd - ae) \log(bx^2 + a)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] 1/2*e*x^2/b + 1/2*(b*d - a*e)*log(b*x^2 + a)/b^2

mupad [B] time = 0.88, size = 103, normalized size = 1.24

$$\frac{e \sqrt{a^2 + 2abx^2 + b^2x^4}}{2b^2} - \frac{abe \ln\left(ab + \sqrt{(bx^2 + a)^2} \sqrt{b^2 + b^2x^2}\right)}{2(b^2)^{3/2}} + \frac{b^2 d \ln(b^2x^2 + ab) \operatorname{sign}(2b^2x^2 + 2ab)}{2(b^2)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(d + e*x^2))/((a + b*x^2)^2)^(1/2),x)

```
[Out] (e*(a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2))/(2*b^2) - (a*b*e*log(a*b + ((a + b*x^2)^2)^(1/2)*(b^2)^(1/2) + b^2*x^2))/(2*(b^2)^(3/2)) + (b^2*d*log(a*b + b^2*x^2)*sign(2*a*b + 2*b^2*x^2))/(2*(b^2)^(3/2))
```

sympy [A] time = 0.28, size = 27, normalized size = 0.33

$$\frac{ex^2}{2b} - \frac{(ae - bd) \log(a + bx^2)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d)/((b*x**2+a)**2)**(1/2),x)
```

```
[Out] e*x**2/(2*b) - (a*e - b*d)*log(a + b*x**2)/(2*b**2)
```

$$3.77 \quad \int \frac{d+ex^2}{\sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=97

$$\frac{ex(a+bx^2)}{b\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(bd-ae)\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{\sqrt{a}b^{3/2}\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] $e*x*(b*x^2+a)/b/((b*x^2+a)^2)^{(1/2)}+(-a*e+b*d)*(b*x^2+a)*\arctan(x*b^{(1/2)}/a^{(1/2)})/b^{(3/2)}/a^{(1/2)}/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {1148, 388, 205}

$$\frac{(a+bx^2)(bd-ae)\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{\sqrt{a}b^{3/2}\sqrt{a^2+2abx^2+b^2x^4}} + \frac{ex(a+bx^2)}{b\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] $(e*x*(a+b*x^2))/(b*\text{Sqrt}[a^2+2*a*b*x^2+b^2*x^4]) + ((b*d-a*e)*(a+b*x^2)*\text{ArcTan}[(\text{Sqrt}[b]*x)/\text{Sqrt}[a]])/(\text{Sqrt}[a]*b^{(3/2)}*\text{Sqrt}[a^2+2*a*b*x^2+b^2*x^4])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*x*(a+b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d-b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c-a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1148

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[(a+b*x^2+c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2+c*x^2)^(2*FracPart[p])), Int[(d+e*x^2)^q*(b/2+c*x^2)^(2*p), x], x] /; FreeQ

[{a, b, c, d, e, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{\sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{(ab + b^2x^2) \int \frac{d+ex^2}{ab+b^2x^2} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{ex(a + bx^2)}{b\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{((-b^2d + abe)(ab + b^2x^2)) \int \frac{1}{ab+b^2x^2} dx}{b^2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{ex(a + bx^2)}{b\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd - ae)(a + bx^2) \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{\sqrt{a} b^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 69, normalized size = 0.71

$$-\frac{(a + bx^2) \left((ae - bd) \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right) - \sqrt{a} \sqrt{b} ex \right)}{\sqrt{a} b^{3/2} \sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] -(((a + b*x^2)*(-(Sqrt[a]*Sqrt[b]*e*x) + -(b*d) + a*e)*ArcTan[(Sqrt[b]*x)/Sqrt[a]]))/((Sqrt[a]*b^(3/2)*Sqrt[(a + b*x^2)^2]))

fricas [A] time = 0.83, size = 98, normalized size = 1.01

$$\left[\frac{2 abex + \sqrt{-ab} (bd - ae) \log\left(\frac{bx^2+2\sqrt{-ab}x-a}{bx^2+a}\right)}{2 ab^2}, \frac{abex + \sqrt{ab} (bd - ae) \arctan\left(\frac{\sqrt{ab}x}{a}\right)}{ab^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/((b*x^2+a)^(1/2)), x, algorithm="fricas")

[Out] [1/2*(2*a*b*e*x + sqrt(-a*b)*(b*d - a*e)*log((b*x^2 + 2*sqrt(-a*b)*x - a)/(b*x^2 + a)))/(a*b^2), (a*b*e*x + sqrt(a*b)*(b*d - a*e)*arctan(sqrt(a*b)*x/a))/(a*b^2)]

giac [A] time = 0.26, size = 59, normalized size = 0.61

$$\frac{x \operatorname{sgn}(bx^2 + a)}{b} + \frac{(bd \operatorname{sgn}(bx^2 + a) - a \operatorname{sgn}(bx^2 + a)) \arctan\left(\frac{bx}{\sqrt{ab}}\right)}{\sqrt{ab} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] x*e*sgn(b*x^2 + a)/b + (b*d*sgn(b*x^2 + a) - a*e*sgn(b*x^2 + a))*arctan(b*x/sqrt(a*b))/(sqrt(a*b)*b)

maple [A] time = 0.01, size = 62, normalized size = 0.64

$$\frac{(bx^2 + a) \left(-ae \arctan\left(\frac{bx}{\sqrt{ab}}\right) + bd \arctan\left(\frac{bx}{\sqrt{ab}}\right) + \sqrt{ab} ex \right)}{\sqrt{(bx^2 + a)^2} \sqrt{ab} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/((b*x^2+a)^2)^(1/2),x)

[Out] (b*x^2+a)*(e*x*(a*b)^(1/2)-arctan(1/(a*b)^(1/2)*b*x)*a*e+arctan(1/(a*b)^(1/2)*b*x)*b*d)/((b*x^2+a)^2)^(1/2)/b/(a*b)^(1/2)

maxima [A] time = 1.51, size = 33, normalized size = 0.34

$$\frac{ex}{b} + \frac{(bd - ae) \arctan\left(\frac{bx}{\sqrt{ab}}\right)}{\sqrt{ab} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] e*x/b + (b*d - a*e)*arctan(b*x/sqrt(a*b))/(sqrt(a*b)*b)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{e x^2 + d}{\sqrt{(b x^2 + a)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/((a + b*x^2)^2)^(1/2),x)

[Out] `int((d + e*x^2)/((a + b*x^2)^2)^(1/2), x)`

sympy [A] time = 0.32, size = 82, normalized size = 0.85

$$\frac{\sqrt{-\frac{1}{ab^3}} (ae - bd) \log\left(-ab\sqrt{-\frac{1}{ab^3}} + x\right)}{2} - \frac{\sqrt{-\frac{1}{ab^3}} (ae - bd) \log\left(ab\sqrt{-\frac{1}{ab^3}} + x\right)}{2} + \frac{ex}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/((b*x**2+a)**2)**(1/2), x)`

[Out] `sqrt(-1/(a*b**3))*(a*e - b*d)*log(-a*b*sqrt(-1/(a*b**3)) + x)/2 - sqrt(-1/(a*b**3))*(a*e - b*d)*log(a*b*sqrt(-1/(a*b**3)) + x)/2 + e*x/b`

$$3.78 \quad \int \frac{d+ex^2}{x\sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=92

$$\frac{d \log(x) (a + bx^2)}{a\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(a + bx^2) (bd - ae) \log(a + bx^2)}{2ab\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

[Out] d*(b*x^2+a)*ln(x)/a/((b*x^2+a)^2)^(1/2)-1/2*(-a*e+b*d)*(b*x^2+a)*ln(b*x^2+a)/a/b/((b*x^2+a)^2)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1250, 446, 72}

$$\frac{d \log(x) (a + bx^2)}{a\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(a + bx^2) (bd - ae) \log(a + bx^2)}{2ab\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(x*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]), x]

[Out] (d*(a + b*x^2)*Log[x])/(a*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) - ((b*d - a*e)*(a + b*x^2)*Log[a + b*x^2])/(2*a*b*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])

Rule 72

Int[((e_.) + (f_.)*(x_))^(p_.)/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] :> Int[ExpandIntegrand[(e + f*x)^p/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[p]

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1250

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{x\sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{(ab + b^2x^2) \int \frac{d+ex^2}{x(ab+b^2x^2)} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= \frac{(ab + b^2x^2) \text{Subst}\left(\int \frac{d+ex}{x(ab+b^2x)} dx, x, x^2\right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= \frac{(ab + b^2x^2) \text{Subst}\left(\int \left(\frac{d}{abx} + \frac{-bd+ae}{ab(a+bx)}\right) dx, x, x^2\right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= \frac{d(a + bx^2) \log(x)}{a\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)(a + bx^2) \log(a + bx^2)}{2ab\sqrt{a^2 + 2abx^2 + b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 54, normalized size = 0.59

$$\frac{(a + bx^2) \left((ae - bd) \log(a + bx^2) + 2bd \log(x) \right)}{2ab\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(x*sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]), x]

[Out] ((a + b*x^2)*(2*b*d*Log[x] + (-b*d) + a*e)*Log[a + b*x^2])/((2*a*b*sqrt[(a + b*x^2)^2])

fricas [A] time = 0.72, size = 33, normalized size = 0.36

$$\frac{2bd \log(x) - (bd - ae) \log(bx^2 + a)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x/((b*x^2+a)^(1/2)), x, algorithm="fricas")

[Out] 1/2*(2*b*d*log(x) - (b*d - a*e)*log(b*x^2 + a))/(a*b)

giac [A] time = 0.38, size = 61, normalized size = 0.66

$$\frac{d \log(x^2) \operatorname{sgn}(bx^2 + a)}{2a} - \frac{(bd \operatorname{sgn}(bx^2 + a) - ae \operatorname{sgn}(bx^2 + a)) \log(|bx^2 + a|)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x/((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] $1/2*d*\log(x^2)*\operatorname{sgn}(b*x^2 + a)/a - 1/2*(b*d*\operatorname{sgn}(b*x^2 + a) - a*e*\operatorname{sgn}(b*x^2 + a))*\log(\operatorname{abs}(b*x^2 + a))/(a*b)$

maple [A] time = 0.01, size = 57, normalized size = 0.62

$$\frac{(bx^2 + a)(ae \ln(bx^2 + a) + 2bd \ln(x) - bd \ln(bx^2 + a))}{2\sqrt{(bx^2 + a)^2} ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/x/((b*x^2+a)^2)^(1/2),x)

[Out] $1/2*(b*x^2+a)*(2*d*\ln(x)*b+a*e*\ln(b*x^2+a)-b*d*\ln(b*x^2+a))/((b*x^2+a)^2)^(1/2)/a/b$

maxima [A] time = 0.73, size = 35, normalized size = 0.38

$$\frac{d \log(x^2)}{2a} - \frac{(bd - ae) \log(bx^2 + a)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x/((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] $1/2*d*\log(x^2)/a - 1/2*(b*d - a*e)*\log(b*x^2 + a)/(a*b)$

mupad [B] time = 0.77, size = 83, normalized size = 0.90

$$\frac{e \ln(b^2 x^2 + ab) \operatorname{sign}(2b^2 x^2 + 2ab)}{2\sqrt{b^2}} - \frac{d \ln\left(\frac{1}{x^2}\right)}{2\sqrt{a^2}} - \frac{d \ln\left(\sqrt{(bx^2 + a)^2} \sqrt{a^2} + a^2 + abx^2\right)}{2\sqrt{a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(x*((a + b*x^2)^2)^(1/2)),x)

[Out] $(e*\log(a*b + b^2*x^2)*\operatorname{sign}(2*a*b + 2*b^2*x^2))/(2*(b^2)^(1/2)) - (d*\log(1/x^2))/(2*(a^2)^(1/2)) - (d*\log(((a + b*x^2)^2)^(1/2)*(a^2)^(1/2) + a^2 + a*b*x^2))/(2*(a^2)^(1/2))$

sympy [A] time = 0.71, size = 26, normalized size = 0.28

$$\frac{d \log(x)}{a} + \frac{(ae - bd) \log\left(\frac{a}{b} + x^2\right)}{2ab}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/x/((b*x**2+a)**2)**(1/2),x)
```

```
[Out] d*log(x)/a + (a*e - b*d)*log(a/b + x**2)/(2*a*b)
```

$$3.79 \quad \int \frac{d+ex^2}{x^2 \sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=101

$$-\frac{d(a+bx^2)}{ax\sqrt{a^2+2abx^2+b^2x^4}} - \frac{(a+bx^2)(bd-ae)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] $-d*(b*x^2+a)/a/x/((b*x^2+a)^2)^{(1/2)}-(-a*e+b*d)*(b*x^2+a)*\arctan(x*b^{(1/2)}/a^{(1/2)})/a^{(3/2)}/b^{(1/2)}/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1250, 453, 205}

$$-\frac{(a+bx^2)(bd-ae)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}\sqrt{a^2+2abx^2+b^2x^4}} - \frac{d(a+bx^2)}{ax\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(x^2*sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]), x]

[Out] $-((d*(a+b*x^2))/(a*x*\text{sqrt}[a^2+2*a*b*x^2+b^2*x^4])) - ((b*d-a*e)*(a+b*x^2)*\text{ArcTan}[\text{sqrt}[b]*x/\text{sqrt}[a]])/(a^{(3/2)}*\text{sqrt}[b]*\text{sqrt}[a^2+2*a*b*x^2+b^2*x^4])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 453

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m+1)*(a+b*x^n)^(p+1)/(a*e*(m+1)), x] + Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1)/(a*e^n*(m+1)), Int[(e*x)^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

Rule 1250

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a+b*x^2+c*x^4)^FracPart[p]/(c^Int

Part[p]*(b/2 + c*x^2)^(2*FracPart[p]), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{x^2 \sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{(ab + b^2x^2) \int \frac{d+ex^2}{x^2(ab+b^2x^2)} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= -\frac{d(a + bx^2)}{ax\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{((b^2d - abe)(ab + b^2x^2)) \int \frac{1}{ab+b^2x^2} dx}{ab\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= -\frac{d(a + bx^2)}{ax\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)(a + bx^2) \tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{a^{3/2}\sqrt{b}\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 72, normalized size = 0.71

$$\frac{(a + bx^2) \left(\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right) (aex - bdx) - \sqrt{a} \sqrt{b} d \right)}{a^{3/2} \sqrt{b} x \sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(x^2*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]), x]

[Out] ((a + b*x^2)*(-(Sqrt[a]*Sqrt[b]*d) + -(b*d*x) + a*e*x)*ArcTan[(Sqrt[b]*x)/Sqrt[a]])/(a^(3/2)*Sqrt[b]*x*Sqrt[(a + b*x^2)^2])

fricas [A] time = 0.69, size = 105, normalized size = 1.04

$$\left[\frac{\sqrt{-ab}(bd - ae)x \log\left(\frac{bx^2 - 2\sqrt{-ab}x - a}{bx^2 + a}\right) - 2abd}{2a^2bx}, -\frac{\sqrt{ab}(bd - ae)x \arctan\left(\frac{\sqrt{ab}x}{a}\right) + abd}{a^2bx} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^2/((b*x^2+a)^(1/2)), x, algorithm="fricas")

[Out] [1/2*(sqrt(-a*b)*(b*d - a*e)*x*log((b*x^2 - 2*sqrt(-a*b)*x - a)/(b*x^2 + a)) - 2*a*b*d)/(a^2*b*x), -(sqrt(a*b)*(b*d - a*e)*x*arctan(sqrt(a*b)*x/a) + a*b*d)/(a^2*b*x)]

giac [A] time = 0.34, size = 62, normalized size = 0.61

$$\frac{(bd\operatorname{sgn}(bx^2 + a) - a\operatorname{sgn}(bx^2 + a)) \arctan\left(\frac{bx}{\sqrt{ab}}\right) - d\operatorname{sgn}(bx^2 + a)}{\sqrt{ab} a} - \frac{d\operatorname{sgn}(bx^2 + a)}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^2/((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] $-(b*d*\operatorname{sgn}(b*x^2 + a) - a*e*\operatorname{sgn}(b*x^2 + a))*\arctan(b*x/\operatorname{sqrt}(a*b))/(\operatorname{sqrt}(a*b)*a) - d*\operatorname{sgn}(b*x^2 + a)/(a*x)$

maple [A] time = 0.01, size = 67, normalized size = 0.66

$$\frac{(bx^2 + a) \left(-aex \arctan\left(\frac{bx}{\sqrt{ab}}\right) + bdx \arctan\left(\frac{bx}{\sqrt{ab}}\right) + \sqrt{ab} d \right)}{\sqrt{(bx^2 + a)^2} \sqrt{ab} ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/x^2/((b*x^2+a)^2)^(1/2),x)

[Out] $-(b*x^2+a)*(-\arctan(1/(a*b)^(1/2)*b*x))*x*a*e+\arctan(1/(a*b)^(1/2)*b*x)*x*b*d+d*(a*b)^(1/2))/((b*x^2+a)^2)^(1/2)/a/x/(a*b)^(1/2)$

maxima [A] time = 1.22, size = 37, normalized size = 0.37

$$\frac{(bd - ae) \arctan\left(\frac{bx}{\sqrt{ab}}\right) - d}{\sqrt{ab} a} - \frac{d}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^2/((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] $-(b*d - a*e)*\arctan(b*x/\operatorname{sqrt}(a*b))/(\operatorname{sqrt}(a*b)*a) - d/(a*x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{e x^2 + d}{x^2 \sqrt{(b x^2 + a)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(x^2*((a + b*x^2)^2)^(1/2)),x)

[Out] `int((d + e*x^2)/(x^2*((a + b*x^2)^2)^(1/2)), x)`

sympy [A] time = 0.37, size = 82, normalized size = 0.81

$$-\frac{\sqrt{-\frac{1}{a^3b}}(ae - bd)\log\left(-a^2\sqrt{-\frac{1}{a^3b}} + x\right)}{2} + \frac{\sqrt{-\frac{1}{a^3b}}(ae - bd)\log\left(a^2\sqrt{-\frac{1}{a^3b}} + x\right)}{2} - \frac{d}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/x**2/((b*x**2+a)**2)**(1/2), x)`

[Out] `-sqrt(-1/(a**3*b))*(a*e - b*d)*log(-a**2*sqrt(-1/(a**3*b)) + x)/2 + sqrt(-1/(a**3*b))*(a*e - b*d)*log(a**2*sqrt(-1/(a**3*b)) + x)/2 - d/(a*x)`

$$3.80 \quad \int \frac{d+ex^2}{x^3 \sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=137

$$-\frac{\log(x)(a+bx^2)(bd-ae)}{a^2\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(bd-ae)\log(a+bx^2)}{2a^2\sqrt{a^2+2abx^2+b^2x^4}} - \frac{d(a+bx^2)}{2ax^2\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] $-1/2*d*(b*x^2+a)/a/x^2/((b*x^2+a)^2)^{(1/2)}-(-a*e+b*d)*(b*x^2+a)*\ln(x)/a^2/((b*x^2+a)^2)^{(1/2)}+1/2*(-a*e+b*d)*(b*x^2+a)*\ln(b*x^2+a)/a^2/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1250, 446, 77}

$$-\frac{\log(x)(a+bx^2)(bd-ae)}{a^2\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(bd-ae)\log(a+bx^2)}{2a^2\sqrt{a^2+2abx^2+b^2x^4}} - \frac{d(a+bx^2)}{2ax^2\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(x^3*sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]),x]

[Out] $-(d*(a + b*x^2))/(2*a*x^2*\text{sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - ((b*d - a*e)*(a + b*x^2)*\text{Log}[x])/(a^2*\text{sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) + ((b*d - a*e)*(a + b*x^2)*\text{Log}[a + b*x^2])/(2*a^2*\text{sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])$

Rule 77

Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1250

```
Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(q_)*((a_)+(b_)*(x_)^2+(c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p]))], Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{x^3 \sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{(ab + b^2x^2) \int \frac{d+ex^2}{x^3(ab+b^2x^2)} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(ab + b^2x^2) \text{Subst}\left(\int \frac{d+ex}{x^2(ab+b^2x)} dx, x, x^2\right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(ab + b^2x^2) \text{Subst}\left(\int \left(\frac{d}{abx^2} + \frac{-bd+ae}{a^2bx} + \frac{bd-ae}{a^2(a+bx)}\right) dx, x, x^2\right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= -\frac{d(a + bx^2)}{2ax^2\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)(a + bx^2) \log(x)}{a^2\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd - ae)(a + bx^2) \log(x)}{2a^2\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 70, normalized size = 0.51

$$\frac{(a + bx^2) \left(2x^2 \log(x)(ae - bd) + x^2(bd - ae) \log(a + bx^2) - ad \right)}{2a^2x^2\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)/(x^3*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]), x]
```

```
[Out] ((a + b*x^2)*(-(a*d) + 2*(-(b*d) + a*e)*x^2*Log[x] + (b*d - a*e)*x^2*Log[a + b*x^2]))/(2*a^2*x^2*Sqrt[(a + b*x^2)^2])
```

fricas [A] time = 0.90, size = 48, normalized size = 0.35

$$\frac{(bd - ae)x^2 \log(bx^2 + a) - 2(bd - ae)x^2 \log(x) - ad}{2a^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/x^3/((b*x^2+a)^2)^(1/2), x, algorithm="fricas")
```


[Out] $1/2*((b*d - a*e)*x^2*\log(b*x^2 + a) - 2*(b*d - a*e)*x^2*\log(x) - a*d)/(a^2*x^2)$

giac [A] time = 0.39, size = 131, normalized size = 0.96

$$\frac{(bd\operatorname{sgn}(bx^2 + a) - a\operatorname{esgn}(bx^2 + a))\log(x^2)}{2a^2} + \frac{(b^2d\operatorname{sgn}(bx^2 + a) - ab\operatorname{esgn}(bx^2 + a))\log(|bx^2 + a|)}{2a^2b} + \frac{bdx^2\operatorname{sgn}(bx^2 + a)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/x^3/((b*x^2+a)^2)^(1/2),x, algorithm="giac")`

[Out] $-1/2*(b*d*\operatorname{sgn}(b*x^2 + a) - a*e*\operatorname{sgn}(b*x^2 + a))*\log(x^2)/a^2 + 1/2*(b^2*d*\operatorname{sgn}(b*x^2 + a) - a*b*e*\operatorname{sgn}(b*x^2 + a))*\log(\operatorname{abs}(b*x^2 + a))/(a^2*b) + 1/2*(b*d*x^2*\operatorname{sgn}(b*x^2 + a) - a*x^2*e*\operatorname{sgn}(b*x^2 + a) - a*d*\operatorname{sgn}(b*x^2 + a))/(a^2*x^2)$

maple [A] time = 0.01, size = 79, normalized size = 0.58

$$\frac{(bx^2 + a)(2aex^2 \ln(x) - aex^2 \ln(bx^2 + a) - 2bdx^2 \ln(x) + bdx^2 \ln(bx^2 + a) - ad)}{2\sqrt{(bx^2 + a)^2} a^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/x^3/((b*x^2+a)^2)^(1/2),x)`

[Out] $1/2*(b*x^2+a)*(2*\ln(x)*x^2*a*e-2*\ln(x)*x^2*b*d-\ln(b*x^2+a)*x^2*a*e+\ln(b*x^2+a)*x^2*b*d-a*d)/((b*x^2+a)^2)^(1/2)/x^2/a^2$

maxima [A] time = 0.78, size = 48, normalized size = 0.35

$$\frac{(bd - ae)\log(bx^2 + a)}{2a^2} - \frac{(bd - ae)\log(x^2)}{2a^2} - \frac{d}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/x^3/((b*x^2+a)^2)^(1/2),x, algorithm="maxima")`

[Out] $1/2*(b*d - a*e)*\log(b*x^2 + a)/a^2 - 1/2*(b*d - a*e)*\log(x^2)/a^2 - 1/2*d/(a*x^2)$

mupad [B] time = 0.81, size = 125, normalized size = 0.91

$$\frac{abd \operatorname{atanh}\left(\frac{a^2 + bax^2}{\sqrt{a^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}\right)}{2(a^2)^{3/2}} - \frac{e \ln\left(\frac{1}{x^2}\right)}{2\sqrt{a^2}} - \frac{d\sqrt{a^2 + 2abx^2 + b^2x^4}}{2a^2x^2} - \frac{e \ln\left(\sqrt{(bx^2 + a)^2} \sqrt{a^2} + a^2 + abx^2\right)}{2\sqrt{a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)/(x^3*((a + b*x^2)^2)^(1/2)),x)
```

```
[Out] (a*b*d*atanh((a^2 + a*b*x^2)/((a^2)^(1/2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2)
))) / (2*(a^2)^(3/2)) - (e*log(1/x^2)) / (2*(a^2)^(1/2)) - (d*(a^2 + b^2*x^4 +
2*a*b*x^2)^(1/2)) / (2*a^2*x^2) - (e*log(((a + b*x^2)^2)^(1/2)*(a^2)^(1/2) +
a^2 + a*b*x^2)) / (2*(a^2)^(1/2))
```

sympy [A] time = 0.73, size = 41, normalized size = 0.30

$$-\frac{d}{2ax^2} + \frac{(ae - bd)\log(x)}{a^2} - \frac{(ae - bd)\log\left(\frac{a}{b} + x^2\right)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/x**3/((b*x**2+a)**2)**(1/2),x)
```

```
[Out] -d/(2*a*x**2) + (a*e - b*d)*log(x)/a**2 - (a*e - b*d)*log(a/b + x**2)/(2*a*
*2)
```

$$3.81 \quad \int \frac{x^2(d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=153

$$\frac{x(bd-5ae)}{8ab^2\sqrt{a^2+2abx^2+b^2x^4}} - \frac{x(bd-ae)}{4b^2(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(3ae+bd)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{8a^{3/2}b^{5/2}\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] 1/8*(-5*a*e+b*d)*x/a/b^2/((b*x^2+a)^2)^(1/2)-1/4*(-a*e+b*d)*x/b^2/(b*x^2+a)/((b*x^2+a)^2)^(1/2)+1/8*(3*a*e+b*d)*(b*x^2+a)*arctan(x*b^(1/2)/a^(1/2))/a^(3/2)/b^(5/2)/((b*x^2+a)^2)^(1/2)

Rubi [A] time = 0.12, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {1250, 455, 385, 205}

$$\frac{x(bd-5ae)}{8ab^2\sqrt{a^2+2abx^2+b^2x^4}} - \frac{x(bd-ae)}{4b^2(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(3ae+bd)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{8a^{3/2}b^{5/2}\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(d + e*x^2))/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] ((b*d - 5*a*e)*x)/(8*a*b^2*sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) - ((b*d - a*e)*x)/(4*b^2*(a + b*x^2)*sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) + ((b*d + 3*a*e)*(a + b*x^2)*ArcTan[(sqrt[b]*x)/sqrt[a]])/(8*a^(3/2)*b^(5/2)*sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 455

```

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[(a + b*x^2)^(p + 1)*Expand
ToSum[2*b*(p + 1)*x^2*Together[(b^(m/2)*x^(m - 2)*(c + d*x^2) - (-a)^(m/2 -
1)*(b*c - a*d))/(a + b*x^2)] - (-a)^(m/2 - 1)*(b*c - a*d), x], x] /; F
reeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && IGtQ[m/2, 0] &&
(IntegerQ[p] || EqQ[m + 2*p + 1, 0])

```

Rule 1250

```

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^Int
Part[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*
x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*
a*c, 0] && !IntegerQ[p]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (d + ex^2)}{(a^2 + 2abx^2 + b^2x^4)^{3/2}} dx &= \frac{(b^2 (ab + b^2x^2)) \int \frac{x^2(d+ex^2)}{(ab+b^2x^2)^3} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= -\frac{(bd - ae)x}{4b^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(ab + b^2x^2) \int \frac{-b(bd-ae)-4b^2ex^2}{(ab+b^2x^2)^2} dx}{4b^2 \sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= \frac{(bd - 5ae)x}{8ab^2 \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)x}{4b^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{((bd + 3ae)(ab + b^2x^2))}{8ab^2 \sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= \frac{(bd - 5ae)x}{8ab^2 \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)x}{4b^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd + 3ae)(a + bx^2)}{8a^{3/2}b^{5/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 108, normalized size = 0.71

$$\frac{(a + bx^2)^2 (3ae + bd) \tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right) - \sqrt{a} \sqrt{bx} (3a^2e + ab(d + 5ex^2) - b^2dx^2)}{8a^{3/2}b^{5/2} (a + bx^2) \sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(d + e*x^2))/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] $(-\text{Sqrt}[a]*\text{Sqrt}[b]*x*(3*a^2*e - b^2*d*x^2 + a*b*(d + 5*e*x^2))) + (b*d + 3*a*e)*(a + b*x^2)^2*\text{ArcTan}[\text{Sqrt}[b]*x/\text{Sqrt}[a]]/(8*a^{3/2}*b^{5/2}*(a + b*x^2)*\text{Sqrt}[(a + b*x^2)^2])$

fricas [A] time = 0.75, size = 300, normalized size = 1.96

$$\frac{2(ab^3d - 5a^2b^2e)x^3 - ((b^3d + 3ab^2e)x^4 + a^2bd + 3a^3e + 2(ab^2d + 3a^2be)x^2)\sqrt{-ab} \log\left(\frac{bx^2 - 2\sqrt{-ab}x - a}{bx^2 + a}\right) - 2(a^2b^5x^4 + 2a^3b^4x^2 + a^4b^3)}{16(a^2b^5x^4 + 2a^3b^4x^2 + a^4b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2), x, algorithm="fricas")

[Out] $[1/16*(2*(a*b^3*d - 5*a^2*b^2*e)*x^3 - ((b^3*d + 3*a*b^2*e)*x^4 + a^2*b*d + 3*a^3*e + 2*(a*b^2*d + 3*a^2*b*e)*x^2)*\text{sqrt}(-a*b)*\log((b*x^2 - 2*\text{sqrt}(-a*b))*x - a)/(b*x^2 + a)) - 2*(a^2*b^2*d + 3*a^3*b*e)*x/(a^2*b^5*x^4 + 2*a^3*b^4*x^2 + a^4*b^3), 1/8*((a*b^3*d - 5*a^2*b^2*e)*x^3 + ((b^3*d + 3*a*b^2*e)*x^4 + a^2*b*d + 3*a^3*e + 2*(a*b^2*d + 3*a^2*b*e)*x^2)*\text{sqrt}(a*b)*\text{arctan}(\text{sqrt}(a*b)*x/a) - (a^2*b^2*d + 3*a^3*b*e)*x/(a^2*b^5*x^4 + 2*a^3*b^4*x^2 + a^4*b^3)]$

giac [F] time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2), x, algorithm="giac")

[Out] sage0*x

maple [A] time = 0.02, size = 188, normalized size = 1.23

$$\frac{\left(-3ab^2ex^4 \arctan\left(\frac{bx}{\sqrt{ab}}\right) - b^3dx^4 \arctan\left(\frac{bx}{\sqrt{ab}}\right) - 6a^2bex^2 \arctan\left(\frac{bx}{\sqrt{ab}}\right) - 2ab^2dx^2 \arctan\left(\frac{bx}{\sqrt{ab}}\right) + 5\sqrt{ab} abe\right)}{8\sqrt{ab} \left((bx^2 + a)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2), x)

[Out] $-1/8*(-3*\text{arctan}(1/(a*b)^{1/2}*b*x))*x^4*a*b^2*e - \text{arctan}(1/(a*b)^{1/2}*b*x)*x^4*b^3*d + 5*(a*b)^{1/2}*x^3*a*b*e - (a*b)^{1/2}*x^3*b^2*d - 6*\text{arctan}(1/(a*b)^{1/2})$

) * b * x) * x^2 * a^2 * b * e^{-2 * \arctan(1 / (a * b)^{(1/2)} * b * x)} * x^2 * a * b^2 * d + 3 * (a * b)^{(1/2)} * x * a^2 * e + (a * b)^{(1/2)} * x * a * b * d - 3 * \arctan(1 / (a * b)^{(1/2)} * b * x) * a^3 * e - \arctan(1 / (a * b)^{(1/2)} * b * x) * a^2 * b * d * (b * x^2 + a) / (a * b)^{(1/2)} / a / b^2 / ((b * x^2 + a)^2)^{(3/2)}

maxima [A] time = 1.49, size = 125, normalized size = 0.82

$$-\frac{1}{8} e \left(\frac{5 b x^3 + 3 a x}{b^4 x^4 + 2 a b^3 x^2 + a^2 b^2} - \frac{3 \arctan\left(\frac{b x}{\sqrt{a b}}\right)}{\sqrt{a b} b^2} \right) + \frac{1}{8} d \left(\frac{b x^3 - a x}{a b^3 x^4 + 2 a^2 b^2 x^2 + a^3 b} + \frac{\arctan\left(\frac{b x}{\sqrt{a b}}\right)}{\sqrt{a b} a b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")

[Out] -1/8*e*((5*b*x^3 + 3*a*x)/(b^4*x^4 + 2*a*b^3*x^2 + a^2*b^2) - 3*arctan(b*x/sqrt(a*b))/(sqrt(a*b)*b^2)) + 1/8*d*((b*x^3 - a*x)/(a*b^3*x^4 + 2*a^2*b^2*x^2 + a^3*b) + arctan(b*x/sqrt(a*b))/(sqrt(a*b)*a*b))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (e x^2 + d)}{(a^2 + 2 a b x^2 + b^2 x^4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2), x)

[Out] int((x^2*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (d + e x^2)}{\left((a + b x^2)^2\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)/(b**2*x**4+2*a*b*x**2+a**2)**(3/2), x)

[Out] Integral(x**2*(d + e*x**2)/((a + b*x**2)**2)**(3/2), x)

$$3.82 \quad \int \frac{x(d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=77

$$-\frac{bd-ae}{4b^2(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} - \frac{e}{2b^2\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] $-1/2*e/b^2/((b*x^2+a)^2)^{(1/2)}+1/4*(a*e-b*d)/b^2/(b*x^2+a)/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1247, 640, 607}

$$-\frac{bd-ae}{4b^2(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} - \frac{e}{2b^2\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(x*(d + e*x^2))/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] $-e/(2*b^2*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - (b*d - a*e)/(4*b^2*(a + b*x^2)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])$

Rule 607

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(2*(a + b*x + c*x^2)^(p + 1))/((2*p + 1)*(b + 2*c*x)), x] /; FreeQ[{a, b, c, p}, x] && EqQ[b^2 - 4*a*c, 0] && LtQ[p, -1]

Rule 640

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(e*(a + b*x + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[(2*c*d - b*e)/(2*c), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[2*c*d - b*e, 0] && NeQ[p, -1]

Rule 1247

Int[(x)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned}
\int \frac{x(d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{d+ex}{(a^2+2abx+b^2x^2)^{3/2}} dx, x, x^2 \right) \\
&= -\frac{e}{2b^2\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(bd-ae) \text{Subst} \left(\int \frac{1}{(a^2+2abx+b^2x^2)^{3/2}} dx, x, x^2 \right)}{2b} \\
&= -\frac{e}{2b^2\sqrt{a^2+2abx^2+b^2x^4}} - \frac{bd-ae}{4b^2(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 45, normalized size = 0.58

$$\frac{-ae - b(d + 2ex^2)}{4b^2(a + bx^2)\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(d + e*x^2))/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] (-(a*e) - b*(d + 2*e*x^2))/(4*b^2*(a + b*x^2)*Sqrt[(a + b*x^2)^2])

fricas [A] time = 0.69, size = 42, normalized size = 0.55

$$-\frac{2bex^2 + bd + ae}{4(b^4x^4 + 2ab^3x^2 + a^2b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2), x, algorithm="fricas")

[Out] -1/4*(2*b*e*x^2 + b*d + a*e)/(b^4*x^4 + 2*a*b^3*x^2 + a^2*b^2)

giac [A] time = 0.51, size = 40, normalized size = 0.52

$$-\frac{2bx^2e + bd + ae}{4(bx^2 + a)^2 b^2 \text{sgn}(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] -1/4*(2*b*x^2*e + b*d + a*e)/((b*x^2 + a)^2*b^2*sgn(b*x^2 + a))

maple [A] time = 0.01, size = 38, normalized size = 0.49

$$-\frac{(bx^2 + a)(2bex^2 + ae + bd)}{4\left((bx^2 + a)^2\right)^{\frac{3}{2}}b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)

[Out] -1/4*(b*x^2+a)*(2*b*e*x^2+a*e+b*d)/b^2/((b*x^2+a)^2)^(3/2)

maxima [A] time = 0.64, size = 65, normalized size = 0.84

$$-\frac{(2bx^2 + a)e}{4(b^4x^4 + 2ab^3x^2 + a^2b^2)} - \frac{d}{4(b^3x^4 + 2ab^2x^2 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")

[Out] -1/4*(2*b*x^2 + a)*e/(b^4*x^4 + 2*a*b^3*x^2 + a^2*b^2) - 1/4*d/(b^3*x^4 + 2*a*b^2*x^2 + a^2*b)

mupad [B] time = 0.18, size = 48, normalized size = 0.62

$$-\frac{\sqrt{a^2 + 2abx^2 + b^2x^4}(2bex^2 + ae + bd)}{4b^2(bx^2 + a)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2),x)

[Out] -((a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2)*(a*e + b*d + 2*b*e*x^2))/(4*b^2*(a + b*x^2)^3)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(d + ex^2)}{\left((a + bx^2)^2\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(e*x**2+d)/(b**2*x**4+2*a*b*x**2+a**2)**(3/2),x)
```

```
[Out] Integral(x*(d + e*x**2)/((a + b*x**2)**2)**(3/2), x)
```

$$3.83 \quad \int \frac{d+ex^2}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=156

$$\frac{x(ae+3bd)}{8a^2b\sqrt{a^2+2abx^2+b^2x^4}} + \frac{x(bd-ae)}{4ab(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(ae+3bd)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] 1/8*(a*e+3*b*d)*x/a^2/b/((b*x^2+a)^2)^(1/2)+1/4*(-a*e+b*d)*x/a/b/(b*x^2+a)/((b*x^2+a)^2)^(1/2)+1/8*(a*e+3*b*d)*(b*x^2+a)*arctan(x*b^(1/2)/a^(1/2))/a^(5/2)/b^(3/2)/((b*x^2+a)^2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {1148, 385, 199, 205}

$$\frac{x(ae+3bd)}{8a^2b\sqrt{a^2+2abx^2+b^2x^4}} + \frac{x(bd-ae)}{4ab(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(ae+3bd)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] ((3*b*d + a*e)*x)/(8*a^2*b*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) + ((b*d - a*e)*x)/(4*a*b*(a + b*x^2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) + ((3*b*d + a*e)*(a + b*x^2)*ArcTan[(Sqrt[b]*x)/Sqrt[a]])/(8*a^(5/2)*b^(3/2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])

Rule 199

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> -Simp[(x*(a + b*x^n)^(p + 1))/(a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

Rule 1148

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_),
x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^
2)^(2*FracPart[p])), Int[(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ
[{a, b, c, d, e, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{(a^2 + 2abx^2 + b^2x^4)^{3/2}} dx &= \frac{(b^2(ab + b^2x^2)) \int \frac{d+ex^2}{(ab+b^2x^2)^3} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(bd - ae)x}{4ab(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{((3bd + ae)(ab + b^2x^2)) \int \frac{1}{(ab+b^2x^2)^2} dx}{4a\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(3bd + ae)x}{8a^2b\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd - ae)x}{4ab(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{((3bd + ae)(ab + b^2x^2)) \int \frac{1}{(ab+b^2x^2)^2} dx}{8a^2b\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(3bd + ae)x}{8a^2b\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd - ae)x}{4ab(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(3bd + ae)(a + bx^2)}{8a^{5/2}b^{3/2}\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 108, normalized size = 0.69

$$\frac{\sqrt{a}\sqrt{b}x(a^2(-e) + ab(5d + ex^2) + 3b^2dx^2) + (a + bx^2)^2(ae + 3bd)\tan^{-1}\left(\frac{\sqrt{b}x}{\sqrt{a}}\right)}{8a^{5/2}b^{3/2}(a + bx^2)\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2)/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]
```

```
[Out] (Sqrt[a]*Sqrt[b]*x*(-(a^2*e) + 3*b^2*d*x^2 + a*b*(5*d + e*x^2)) + (3*b*d +
a*e)*(a + b*x^2)^2*ArcTan[(Sqrt[b]*x)/Sqrt[a]])/(8*a^(5/2)*b^(3/2)*(a + b*x
^2)*Sqrt[(a + b*x^2)^2])
```

fricas [A] time = 0.75, size = 301, normalized size = 1.93

$$\frac{2 \left(3 a b^3 d + a^2 b^2 e \right) x^3 - \left(\left(3 b^3 d + a b^2 e \right) x^4 + 3 a^2 b d + a^3 e + 2 \left(3 a b^2 d + a^2 b e \right) x^2 \right) \sqrt{-a b} \log \left(\frac{b x^2 - 2 \sqrt{-a b} x - a}{b x^2 + a} \right) + 2 \left(5 a^3 b^4 x^4 + 2 a^4 b^3 x^2 + a^5 b^2 \right)}{16 \left(a^3 b^4 x^4 + 2 a^4 b^3 x^2 + a^5 b^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="fricas")

[Out] [1/16*(2*(3*a*b^3*d + a^2*b^2*e)*x^3 - ((3*b^3*d + a*b^2*e)*x^4 + 3*a^2*b*d + a^3*e + 2*(3*a*b^2*d + a^2*b*e)*x^2)*sqrt(-a*b)*log((b*x^2 - 2*sqrt(-a*b))*x - a)/(b*x^2 + a) + 2*(5*a^2*b^2*d - a^3*b*e)*x/(a^3*b^4*x^4 + 2*a^4*b^3*x^2 + a^5*b^2), 1/8*((3*a*b^3*d + a^2*b^2*e)*x^3 + ((3*b^3*d + a*b^2*e)*x^4 + 3*a^2*b*d + a^3*e + 2*(3*a*b^2*d + a^2*b*e)*x^2)*sqrt(a*b)*arctan(sqrt(a*b)*x/a) + (5*a^2*b^2*d - a^3*b*e)*x/(a^3*b^4*x^4 + 2*a^4*b^3*x^2 + a^5*b^2)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] sage0*x

maple [A] time = 0.01, size = 186, normalized size = 1.19

$$\frac{\left(a b^2 e x^4 \arctan \left(\frac{b x}{\sqrt{a b}} \right) + 3 b^3 d x^4 \arctan \left(\frac{b x}{\sqrt{a b}} \right) + 2 a^2 b e x^2 \arctan \left(\frac{b x}{\sqrt{a b}} \right) + 6 a b^2 d x^2 \arctan \left(\frac{b x}{\sqrt{a b}} \right) + \sqrt{a b} a b e x^3 \right)}{8 \sqrt{a b} \left((b x^2 + a)^2 \right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)

[Out] 1/8*(a*b^2*e*x^4*arctan(1/(a*b)^(1/2)*b*x)+3*b^3*d*x^4*arctan(1/(a*b)^(1/2)*b*x)+(a*b)^(1/2)*a*b*e*x^3+3*(a*b)^(1/2)*b^2*d*x^3+2*a^2*b*e*x^2*arctan(1/(a*b)^(1/2)*b*x)+6*a*b^2*d*x^2*arctan(1/(a*b)^(1/2)*b*x)-(a*b)^(1/2)*a^2*e*x+5*(a*b)^(1/2)*a*b*d*x+a^3*e*arctan(1/(a*b)^(1/2)*b*x)+3*a^2*b*d*arctan(1/(a*b)^(1/2)*b*x))*(b*x^2+a)/(a*b)^(1/2)/b/a^2/((b*x^2+a)^(3/2))

maxima [A] time = 1.67, size = 124, normalized size = 0.79

$$\frac{1}{8} d \left(\frac{3bx^3 + 5ax}{a^2b^2x^4 + 2a^3bx^2 + a^4} + \frac{3 \arctan\left(\frac{bx}{\sqrt{ab}}\right)}{\sqrt{ab} a^2} \right) + \frac{1}{8} e \left(\frac{bx^3 - ax}{ab^3x^4 + 2a^2b^2x^2 + a^3b} + \frac{\arctan\left(\frac{bx}{\sqrt{ab}}\right)}{\sqrt{ab} ab} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")

[Out] 1/8*d*((3*b*x^3 + 5*a*x)/(a^2*b^2*x^4 + 2*a^3*b*x^2 + a^4) + 3*arctan(b*x/sqrt(a*b))/(sqrt(a*b)*a^2)) + 1/8*e*((b*x^3 - a*x)/(a*b^3*x^4 + 2*a^2*b^2*x^2 + a^3*b) + arctan(b*x/sqrt(a*b))/(sqrt(a*b)*a*b))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{e x^2 + d}{(a^2 + 2 a b x^2 + b^2 x^4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2),x)

[Out] int((d + e*x^2)/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{\left((a + bx^2)^2\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(b**2*x**4+2*a*b*x**2+a**2)**(3/2),x)

[Out] Integral((d + e*x**2)/((a + b*x**2)**2)**(3/2), x)

$$3.84 \quad \int \frac{d+ex^2}{x(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=161

$$\frac{bd - ae}{4ab(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{d}{2a^2\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{d \log(x)(a + bx^2)}{a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d(a + bx^2)\log(a + bx^2)}{2a^3\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

[Out] $1/2*d/a^2/((b*x^2+a)^2)^{(1/2)+1/4*(-a*e+b*d)/a/b/(b*x^2+a)/((b*x^2+a)^2)^{(1/2)+d*(b*x^2+a)*\ln(x)/a^3/((b*x^2+a)^2)^{(1/2)-1/2*d*(b*x^2+a)*\ln(b*x^2+a)/a^3/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1250, 446, 77}

$$\frac{bd - ae}{4ab(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{d}{2a^2\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{d \log(x)(a + bx^2)}{a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d(a + bx^2)\log(a + bx^2)}{2a^3\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(x*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2)), x]

[Out] $d/(2*a^2*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) + (b*d - a*e)/(4*a*b*(a + b*x^2)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) + (d*(a + b*x^2)*\text{Log}[x])/(a^3*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - (d*(a + b*x^2)*\text{Log}[a + b*x^2])/(2*a^3*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])$

Rule 77

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1250

Int[((f_.)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{x(a^2 + 2abx^2 + b^2x^4)^{3/2}} dx &= \frac{(b^2(ab + b^2x^2)) \int \frac{d+ex^2}{x(ab+b^2x^2)^3} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(b^2(ab + b^2x^2)) \text{Subst}\left(\int \frac{d+ex}{x(ab+b^2x)^3} dx, x, x^2\right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(b^2(ab + b^2x^2)) \text{Subst}\left(\int \left(\frac{d}{a^3b^3x} + \frac{-bd+ae}{ab^3(a+bx)^3} - \frac{d}{a^2b^2(a+bx)^2} - \frac{d}{a^3b^2(a+bx)}\right) dx, x, x^2\right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{d}{2a^2\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{bd - ae}{4ab(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{d(a + bx^2)}{a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 92, normalized size = 0.57

$$\frac{a(a^2(-e) + 3abd + 2b^2dx^2) + 4bd \log(x)(a + bx^2)^2 - 2bd(a + bx^2)^2 \log(a + bx^2)}{4a^3b(a + bx^2)\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(x*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2)), x]

[Out] (a*(3*a*b*d - a^2*e + 2*b^2*d*x^2) + 4*b*d*(a + b*x^2)^2*Log[x] - 2*b*d*(a + b*x^2)^2*Log[a + b*x^2])/(4*a^3*b*(a + b*x^2)*Sqrt[(a + b*x^2)^2])

fricas [A] time = 0.66, size = 119, normalized size = 0.74

$$\frac{2ab^2dx^2 + 3a^2bd - a^3e - 2(b^3dx^4 + 2ab^2dx^2 + a^2bd) \log(bx^2 + a) + 4(b^3dx^4 + 2ab^2dx^2 + a^2bd) \log(x)}{4(a^3b^3x^4 + 2a^4b^2x^2 + a^5b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*a*b^2*d*x^2 + 3*a^2*b*d - a^3*e - 2*(b^3*d*x^4 + 2*a*b^2*d*x^2 + a^2*b*d)*\log(b*x^2 + a) + 4*(b^3*d*x^4 + 2*a*b^2*d*x^2 + a^2*b*d)*\log(x))/(a^3*b^3*x^4 + 2*a^4*b^2*x^2 + a^5*b)$

giac [A] time = 0.53, size = 96, normalized size = 0.60

$$\frac{d \log(|bx^2 + a|)}{2a^3 \operatorname{sgn}(bx^2 + a)} + \frac{d \log(|x|)}{a^3 \operatorname{sgn}(bx^2 + a)} + \frac{2ab^2dx^2 + 3a^2bd - a^3e}{4(bx^2 + a)^2 a^3 b \operatorname{sgn}(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] $-1/2*d*\log(\operatorname{abs}(b*x^2 + a))/(a^3*\operatorname{sgn}(b*x^2 + a)) + d*\log(\operatorname{abs}(x))/(a^3*\operatorname{sgn}(b*x^2 + a)) + 1/4*(2*a*b^2*d*x^2 + 3*a^2*b*d - a^3*e)/((b*x^2 + a)^2*a^3*b*\operatorname{sgn}(b*x^2 + a))$

maple [A] time = 0.02, size = 133, normalized size = 0.83

$$\frac{(4b^3dx^4 \ln(x) - 2b^3dx^4 \ln(bx^2 + a) + 8ab^2dx^2 \ln(x) - 4ab^2dx^2 \ln(bx^2 + a) + 2ab^2dx^2 + 4a^2bd \ln(x) - 2a^2b)}{4\left((bx^2 + a)^2\right)^{\frac{3}{2}} a^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/x/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)

[Out] $\frac{1}{4}*(4*\ln(x)*x^4*b^3*d - 2*\ln(b*x^2+a)*x^4*b^3*d + 8*\ln(x)*x^2*a*b^2*d - 4*\ln(b*x^2+a)*x^2*a*b^2*d + 2*b^2*d*x^2*a + 4*\ln(x)*a^2*b*d - 2*\ln(b*x^2+a)*a^2*b*d - a^3*e + 3*a^2*b*d)*(b*x^2+a)/b/a^3/((b*x^2+a)^2)^(3/2)$

maxima [A] time = 0.89, size = 88, normalized size = 0.55

$$\frac{1}{4}d\left(\frac{2bx^2 + 3a}{a^2b^2x^4 + 2a^3bx^2 + a^4} - \frac{2 \log(bx^2 + a)}{a^3} + \frac{4 \log(x)}{a^3}\right) - \frac{e}{4(b^3x^4 + 2ab^2x^2 + a^2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")

[Out] $\frac{1}{4}*d*((2*b*x^2 + 3*a)/(a^2*b^2*x^4 + 2*a^3*b*x^2 + a^4) - 2*\log(b*x^2 + a)/a^3 + 4*\log(x)/a^3) - 1/4*e/(b^3*x^4 + 2*a*b^2*x^2 + a^2*b)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{e x^2 + d}{x \left(a^2 + 2 a b x^2 + b^2 x^4 \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(x*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2)), x)

[Out] int((d + e*x^2)/(x*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^2}{x \left((a + b x^2)^2 \right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/x/(b**2*x**4+2*a*b*x**2+a**2)**(3/2), x)

[Out] Integral((d + e*x**2)/(x*((a + b*x**2)**2)**(3/2)), x)

$$3.85 \quad \int \frac{d+ex^2}{x^2(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=190

$$\frac{x(bd - ae)}{4a^2(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{3(a + bx^2)(5bd - ae)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{8a^{7/2}\sqrt{b}\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{x(7bd - 3ae)}{8a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d(a - bx^2)}{a^3x\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

[Out] $-1/8*(-3*a*e+7*b*d)*x/a^3/((b*x^2+a)^2)^{(1/2)}-1/4*(-a*e+b*d)*x/a^2/(b*x^2+a)/((b*x^2+a)^2)^{(1/2)}-d*(b*x^2+a)/a^3/x/((b*x^2+a)^2)^{(1/2)}-3/8*(-a*e+5*b*d)*(b*x^2+a)*\arctan(x*b^{(1/2)}/a^{(1/2)})/a^{(7/2)}/b^{(1/2)}/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {1250, 456, 453, 205}

$$\frac{x(7bd - 3ae)}{8a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{x(bd - ae)}{4a^2(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{3(a + bx^2)(5bd - ae)\tan^{-1}\left(\frac{\sqrt{bx}}{\sqrt{a}}\right)}{8a^{7/2}\sqrt{b}\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d(a - bx^2)}{a^3x\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(x^2*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2)), x]

[Out] $-((7*b*d - 3*a*e)*x)/(8*a^3*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - ((b*d - a*e)*x)/(4*a^2*(a + b*x^2)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - (d*(a + b*x^2))/(a^3*x*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]) - (3*(5*b*d - a*e)*(a + b*x^2)*\text{ArcTan}[(\text{Sqrt}[b]*x)/\text{Sqrt}[a]])/(8*a^{(7/2)}*\text{Sqrt}[b]*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 453

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m+1)*(a + b*x^n)^(p+1)/(a*e*(m+1)), x] + Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1)/(a*e^n*(m+1)), Int[(e*x)^(m+n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

Rule 456

```

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[x^m*(a + b*x^2)^(p + 1)*Ex
pandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c -
a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])

```

Rule 1250

```

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^Int
Part[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*
x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*
a*c, 0] && !IntegerQ[p]

```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2}{x^2 (a^2 + 2abx^2 + b^2x^4)^{3/2}} dx &= \frac{(b^2 (ab + b^2x^2)) \int \frac{d+ex^2}{x^2(ab+b^2x^2)^3} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= -\frac{(bd - ae)x}{4a^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(b^2 (ab + b^2x^2)) \int \frac{\frac{4d}{ab} + \frac{3(bd-ae)x^2}{a^2b}}{x^2(ab+b^2x^2)^2} dx}{4\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= -\frac{(7bd - 3ae)x}{8a^3 \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)x}{4a^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(b^2 (ab + b^2x^2)) \int \frac{d}{a^3x \sqrt{a^2 + 2abx^2 + b^2x^4}} dx}{8\sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= -\frac{(7bd - 3ae)x}{8a^3 \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)x}{4a^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d (a + bx^2)}{a^3x \sqrt{a^2 + 2abx^2 + b^2x^4}} \\
&= -\frac{(7bd - 3ae)x}{8a^3 \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{(bd - ae)x}{4a^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d (a + bx^2)}{a^3x \sqrt{a^2 + 2abx^2 + b^2x^4}}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 124, normalized size = 0.65

$$\frac{\sqrt{a} \sqrt{b} \left(a^2 (5ex^2 - 8d) + ab (3ex^4 - 25dx^2) - 15b^2 dx^4 \right) + 3x (a + bx^2)^2 (ae - 5bd) \tan^{-1} \left(\frac{\sqrt{bx}}{\sqrt{a}} \right)}{8a^{7/2} \sqrt{b} x (a + bx^2) \sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(x^2*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2)),x]

[Out] (Sqrt[a]*Sqrt[b]*(-15*b^2*d*x^4 + a^2*(-8*d + 5*e*x^2) + a*b*(-25*d*x^2 + 3*e*x^4)) + 3*(-5*b*d + a*e)*x*(a + b*x^2)^2*ArcTan[(Sqrt[b]*x)/Sqrt[a]])/(8*a^(7/2)*Sqrt[b]*x*(a + b*x^2)*Sqrt[(a + b*x^2)^2])

fricas [A] time = 0.67, size = 334, normalized size = 1.76

$$\left[\frac{16 a^3 b d + 6 (5 a b^3 d - a^2 b^2 e) x^4 + 10 (5 a^2 b^2 d - a^3 b e) x^2 - 3 ((5 b^3 d - a b^2 e) x^5 + 2 (5 a b^2 d - a^2 b e) x^3 + (5 a^2 b d - a^3 e) x)}{16 (a^4 b^3 x^5 + 2 a^5 b^2 x^3 + a^6 b x)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^2/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="fricas")

[Out] [-1/16*(16*a^3*b*d + 6*(5*a*b^3*d - a^2*b^2*e)*x^4 + 10*(5*a^2*b^2*d - a^3*b*e)*x^2 - 3*((5*b^3*d - a*b^2*e)*x^5 + 2*(5*a*b^2*d - a^2*b*e)*x^3 + (5*a^2*b*d - a^3*e)*x)*sqrt(-a*b)*log((b*x^2 - 2*sqrt(-a*b)*x - a)/(b*x^2 + a)) / (a^4*b^3*x^5 + 2*a^5*b^2*x^3 + a^6*b*x), -1/8*(8*a^3*b*d + 3*(5*a*b^3*d - a^2*b^2*e)*x^4 + 5*(5*a^2*b^2*d - a^3*b*e)*x^2 + 3*((5*b^3*d - a*b^2*e)*x^5 + 2*(5*a*b^2*d - a^2*b*e)*x^3 + (5*a^2*b*d - a^3*e)*x)*sqrt(a*b)*arctan(sqrt(a*b)*x/a) / (a^4*b^3*x^5 + 2*a^5*b^2*x^3 + a^6*b*x)]

giac [F] time = 0.00, size = 0, normalized size = 0.00

sage0x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^2/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] sage0*x

maple [A] time = 0.02, size = 206, normalized size = 1.08

$$\frac{\left(3a b^2 e x^5 \arctan \left(\frac{bx}{\sqrt{ab}} \right) - 15b^3 d x^5 \arctan \left(\frac{bx}{\sqrt{ab}} \right) + 6a^2 b e x^3 \arctan \left(\frac{bx}{\sqrt{ab}} \right) - 30a b^2 d x^3 \arctan \left(\frac{bx}{\sqrt{ab}} \right) + 3\sqrt{ab} ab \right)}{8\sqrt{ab}}$$

$8\sqrt{ab}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/x^2/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)`

[Out] $1/8*(3*\arctan(1/(a*b)^{(1/2)}*b*x)*x^5*a*b^2*e-15*\arctan(1/(a*b)^{(1/2)}*b*x)*x^5*b^3*d+3*(a*b)^{(1/2)}*x^4*a*b*e-15*(a*b)^{(1/2)}*x^4*b^2*d+6*\arctan(1/(a*b)^{(1/2)}*b*x)*x^3*a^2*b*e-30*\arctan(1/(a*b)^{(1/2)}*b*x)*x^3*a*b^2*d+5*(a*b)^{(1/2)}*x^2*a^2*e-25*(a*b)^{(1/2)}*x^2*a*b*d+3*\arctan(1/(a*b)^{(1/2)}*b*x)*x*a^3*e-15*\arctan(1/(a*b)^{(1/2)}*b*x)*x*a^2*b*d-8*(a*b)^{(1/2)}*a^2*d*(b*x^2+a)/(a*b)^{(1/2)}/x/a^3/((b*x^2+a)^2)^{(3/2)}$

maxima [A] time = 1.40, size = 134, normalized size = 0.71

$$-\frac{1}{8}d\left(\frac{15b^2x^4 + 25abx^2 + 8a^2}{a^3b^2x^5 + 2a^4bx^3 + a^5x} + \frac{15b\arctan\left(\frac{bx}{\sqrt{ab}}\right)}{\sqrt{ab}a^3}\right) + \frac{1}{8}e\left(\frac{3bx^3 + 5ax}{a^2b^2x^4 + 2a^3bx^2 + a^4} + \frac{3\arctan\left(\frac{bx}{\sqrt{ab}}\right)}{\sqrt{ab}a^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/x^2/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")`

[Out] $-1/8*d*((15*b^2*x^4 + 25*a*b*x^2 + 8*a^2)/(a^3*b^2*x^5 + 2*a^4*b*x^3 + a^5*x) + 15*b*\arctan(b*x/\sqrt{a*b})/(\sqrt{a*b}*a^3)) + 1/8*e*((3*b*x^3 + 5*a*x)/(a^2*b^2*x^4 + 2*a^3*b*x^2 + a^4) + 3*\arctan(b*x/\sqrt{a*b})/(\sqrt{a*b}*a^2))$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{e x^2 + d}{x^2 (a^2 + 2 a b x^2 + b^2 x^4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/(x^2*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2)),x)`

[Out] `int((d + e*x^2)/(x^2*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^2}{x^2 \left((a + b x^2)^2 \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/x**2/(b**2*x**4+2*a*b*x**2+a**2)**(3/2),x)
```

```
[Out] Integral((d + e*x**2)/(x**2*(a + b*x**2)**2)**(3/2)), x)
```

$$3.86 \quad \int \frac{d+ex^2}{x^3(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=223

$$\frac{bd - ae}{4a^2(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{\log(x)(a + bx^2)(3bd - ae)}{a^4\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(a + bx^2)(3bd - ae)\log(a + bx^2)}{2a^4\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{2bd - ae}{2a^3\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

[Out] 1/2*(a*e-2*b*d)/a^3/((b*x^2+a)^2)^(1/2)+1/4*(a*e-b*d)/a^2/(b*x^2+a)/((b*x^2+a)^2)^(1/2)-1/2*d*(b*x^2+a)/a^3/x^2/((b*x^2+a)^2)^(1/2)-(-a*e+3*b*d)*(b*x^2+a)*ln(x)/a^4/((b*x^2+a)^2)^(1/2)+1/2*(-a*e+3*b*d)*(b*x^2+a)*ln(b*x^2+a)/a^4/((b*x^2+a)^2)^(1/2)

Rubi [A] time = 0.18, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1250, 446, 77}

$$\frac{bd - ae}{4a^2(a + bx^2)\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{2bd - ae}{2a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{\log(x)(a + bx^2)(3bd - ae)}{a^4\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(a + bx^2)(3bd - ae)}{2a^4\sqrt{a^2 + 2abx^2 + b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(x^3*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2)), x]

[Out] -(2*b*d - a*e)/(2*a^3*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) - (b*d - a*e)/(4*a^2*(a + b*x^2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) - (d*(a + b*x^2))/(2*a^3*x^2*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) - ((3*b*d - a*e)*(a + b*x^2)*Log[x])/(a^4*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) + ((3*b*d - a*e)*(a + b*x^2)*Log[a + b*x^2])/(2*a^4*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])

Rule 77

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1] || (IGtQ[p, 0] && (!IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p + 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f])))

Rule 446

Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[

$b*c - a*d, 0]$ && IntegerQ[Simplify[(m + 1)/n]]

Rule 1250

Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(q_)*((a_)+(b_)*(x_)^2+(c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{x^3 (a^2 + 2abx^2 + b^2x^4)^{3/2}} dx &= \frac{(b^2 (ab + b^2x^2)) \int \frac{d+ex^2}{x^3(ab+b^2x^2)^3} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(b^2 (ab + b^2x^2)) \text{Subst} \left(\int \frac{d+ex}{x^2(ab+b^2x)^3} dx, x, x^2 \right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(b^2 (ab + b^2x^2)) \text{Subst} \left(\int \left(\frac{d}{a^3b^3x^2} + \frac{-3bd+ae}{a^4b^3x} + \frac{bd-ae}{a^2b^2(a+bx)^3} + \frac{2bd-ae}{a^3b^2(a+bx)^2} + \frac{3bd-ae}{a^4b^2(a+bx)} \right) dx, x, x^2 \right)}{2\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= -\frac{2bd - ae}{2a^3\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{bd - ae}{4a^2 (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{d (a + bx^2)}{2a^3x^2\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 130, normalized size = 0.58

$$\frac{a(a^2(3ex^2 - 2d) + ab(2ex^4 - 9dx^2) - 6b^2dx^4) + 4x^2 \log(x)(a + bx^2)^2(ae - 3bd) + 2x^2(a + bx^2)^2(3bd - ae)}{4a^4x^2(a + bx^2)\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)/(x^3*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2)), x]

[Out] (a*(-6*b^2*d*x^4 + a^2*(-2*d + 3*e*x^2) + a*b*(-9*d*x^2 + 2*e*x^4)) + 4*(-3*b*d + a*e)*x^2*(a + b*x^2)^2*Log[x] + 2*(3*b*d - a*e)*x^2*(a + b*x^2)^2*Log[a + b*x^2])/(4*a^4*x^2*(a + b*x^2)*Sqrt[(a + b*x^2)^2])

fricas [A] time = 0.65, size = 205, normalized size = 0.92

$$\frac{2(3ab^2d - a^2be)x^4 + 2a^3d + 3(3a^2bd - a^3e)x^2 - 2((3b^3d - ab^2e)x^6 + 2(3ab^2d - a^2be)x^4 + (3a^2bd - a^3e)x^2)}{4(a^4b^2x^6 + 2a^5bx^4 + a^6x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^3/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="fricas")

[Out] -1/4*(2*(3*a*b^2*d - a^2*b*e)*x^4 + 2*a^3*d + 3*(3*a^2*b*d - a^3*e)*x^2 - 2*((3*b^3*d - a*b^2*e)*x^6 + 2*(3*a*b^2*d - a^2*b*e)*x^4 + (3*a^2*b*d - a^3*e)*x^2)*log(b*x^2 + a) + 4*((3*b^3*d - a*b^2*e)*x^6 + 2*(3*a*b^2*d - a^2*b*e)*x^4 + (3*a^2*b*d - a^3*e)*x^2)*log(x)/(a^4*b^2*x^6 + 2*a^5*b*x^4 + a^6*x^2)

giac [A] time = 0.40, size = 144, normalized size = 0.65

$$-\frac{(3bd - ae) \log(|x|)}{a^4 \operatorname{sgn}(bx^2 + a)} + \frac{(3b^2d - abe) \log(|bx^2 + a|)}{2a^4 b \operatorname{sgn}(bx^2 + a)} - \frac{2(3ab^2d - a^2be)x^4 + 2a^3d + 3(3a^2bd - a^3e)x^2}{4(bx^2 + a)^2 a^4 x^2 \operatorname{sgn}(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^3/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] -(3*b*d - a*e)*log(abs(x))/(a^4*sgn(b*x^2 + a)) + 1/2*(3*b^2*d - a*b*e)*log(abs(b*x^2 + a))/(a^4*b*sgn(b*x^2 + a)) - 1/4*(2*(3*a*b^2*d - a^2*b*e)*x^4 + 2*a^3*d + 3*(3*a^2*b*d - a^3*e)*x^2)/((b*x^2 + a)^2*a^4*x^2*sgn(b*x^2 + a))

maple [A] time = 0.02, size = 249, normalized size = 1.12

$$\frac{(4ab^2ex^6 \ln(x) - 2ab^2ex^6 \ln(bx^2 + a) - 12b^3dx^6 \ln(x) + 6b^3dx^6 \ln(bx^2 + a) + 8a^2bex^4 \ln(x) - 4a^2bex^4 \ln(bx^2 + a))}{4(bx^2 + a)^2 a^4 x^2 \operatorname{sgn}(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/x^3/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)

[Out] 1/4*(4*ln(x)*x^6*a*b^2*e-12*ln(x)*x^6*b^3*d-2*ln(b*x^2+a)*x^6*a*b^2*e+6*ln(b*x^2+a)*x^6*b^3*d+8*ln(x)*x^4*a^2*b*e-24*ln(x)*x^4*a*b^2*d-4*ln(b*x^2+a)*x^4*a^2*b*e+12*ln(b*x^2+a)*x^4*a*b^2*d+2*x^4*a^2*b*e-6*x^4*a*b^2*d+4*ln(x)*x^2*a^3*e-12*ln(x)*x^2*a^2*b*d-2*ln(b*x^2+a)*x^2*a^3*e+6*ln(b*x^2+a)*x^2*a^2

$*b*d+3*x^2*a^3*e-9*x^2*a^2*b*d-2*a^3*d)*(b*x^2+a)/x^2/a^4/((b*x^2+a)^2)^{(3/2)}$

maxima [A] time = 0.84, size = 138, normalized size = 0.62

$$-\frac{1}{4}d\left(\frac{6b^2x^4+9abx^2+2a^2}{a^3b^2x^6+2a^4bx^4+a^5x^2}-\frac{6b\log(bx^2+a)}{a^4}+\frac{12b\log(x)}{a^4}\right)+\frac{1}{4}e\left(\frac{2bx^2+3a}{a^2b^2x^4+2a^3bx^2+a^4}-\frac{2\log(bx^2+a)}{a^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/x^3/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")

[Out] -1/4*d*((6*b^2*x^4 + 9*a*b*x^2 + 2*a^2)/(a^3*b^2*x^6 + 2*a^4*b*x^4 + a^5*x^2) - 6*b*log(b*x^2 + a)/a^4 + 12*b*log(x)/a^4) + 1/4*e*((2*b*x^2 + 3*a)/(a^2*b^2*x^4 + 2*a^3*b*x^2 + a^4) - 2*log(b*x^2 + a)/a^3 + 4*log(x)/a^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{e x^2 + d}{x^3 (a^2 + 2 a b x^2 + b^2 x^4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/(x^3*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2)),x)

[Out] int((d + e*x^2)/(x^3*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^2}{x^3 \left((a + b x^2)^2 \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/x**3/(b**2*x**4+2*a*b*x**2+a**2)**(3/2),x)

[Out] Integral((d + e*x**2)/(x**3*((a + b*x**2)**2)**(3/2)), x)

$$3.87 \quad \int (fx)^m (d + ex^2) (a^2 + 2abx^2 + b^2x^4)^{5/2} dx$$

Optimal. Leaf size=400

$$\frac{10a^2b^2\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+7}(ae + bd)}{f^7(m + 7)(a + bx^2)} + \frac{b^5e\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+13}}{f^{13}(m + 13)(a + bx^2)} + \frac{b^4\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+11}}{f^{11}(m + 11)(a + bx^2)}$$

[Out] a^5*d*(f*x)^(1+m)*((b*x^2+a)^2)^(1/2)/f/(1+m)/(b*x^2+a)+a^4*(a*e+5*b*d)*(f*x)^(3+m)*((b*x^2+a)^2)^(1/2)/f^3/(3+m)/(b*x^2+a)+5*a^3*b*(a*e+2*b*d)*(f*x)^(5+m)*((b*x^2+a)^2)^(1/2)/f^5/(5+m)/(b*x^2+a)+10*a^2*b^2*(a*e+b*d)*(f*x)^(7+m)*((b*x^2+a)^2)^(1/2)/f^7/(7+m)/(b*x^2+a)+5*a*b^3*(2*a*e+b*d)*(f*x)^(9+m)*((b*x^2+a)^2)^(1/2)/f^9/(9+m)/(b*x^2+a)+b^4*(5*a*e+b*d)*(f*x)^(11+m)*((b*x^2+a)^2)^(1/2)/f^11/(11+m)/(b*x^2+a)+b^5*e*(f*x)^(13+m)*((b*x^2+a)^2)^(1/2)/f^13/(13+m)/(b*x^2+a)

Rubi [A] time = 0.24, antiderivative size = 400, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1250, 448}

$$\frac{a^4\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+3}(ae + 5bd)}{f^3(m + 3)(a + bx^2)} + \frac{5a^3b\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+5}(ae + 2bd)}{f^5(m + 5)(a + bx^2)} + \frac{10a^2b^2\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+7}(ae + bd)}{f^7(m + 7)(a + bx^2)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^(5/2), x]

[Out] (a^5*d*(f*x)^(1 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f*(1 + m)*(a + b*x^2)) + (a^4*(5*b*d + a*e)*(f*x)^(3 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^3*(3 + m)*(a + b*x^2)) + (5*a^3*b*(2*b*d + a*e)*(f*x)^(5 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^5*(5 + m)*(a + b*x^2)) + (10*a^2*b^2*(b*d + a*e)*(f*x)^(7 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^7*(7 + m)*(a + b*x^2)) + (5*a*b^3*(b*d + 2*a*e)*(f*x)^(9 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^9*(9 + m)*(a + b*x^2)) + (b^4*(b*d + 5*a*e)*(f*x)^(11 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^11*(11 + m)*(a + b*x^2)) + (b^5*e*(f*x)^(13 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^13*(13 + m)*(a + b*x^2))

Rule 448

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rule 1250

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^Int
Part[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*
x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*
a*c, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a^2 + 2abx^2 + b^2x^4)^{5/2} dx &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int (fx)^m (ab + b^2x^2)^5 (d + ex^2) dx}{b^4 (ab + b^2x^2)} \\ &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int \left(a^5 b^5 d (fx)^m + \frac{a^4 b^5 (5bd + ae) (fx)^{2+m}}{f^2} + \frac{5a^3 b^6 (2ae + bd) (fx)^{4+m}}{f^4} \right) dx}{b^4 (ab + b^2x^2)} \\ &= \frac{a^5 d (fx)^{1+m} \sqrt{a^2 + 2abx^2 + b^2x^4}}{f(1+m)(a + bx^2)} + \frac{a^4 (5bd + ae) (fx)^{3+m} \sqrt{a^2 + 2abx^2 + b^2x^4}}{f^3(3+m)(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.22, size = 160, normalized size = 0.40

$$\frac{x \sqrt{(a + bx^2)^2} (fx)^m \left(\frac{a^5 d}{m+1} + \frac{a^4 x^2 (ae + 5bd)}{m+3} + \frac{5a^3 b x^4 (ae + 2bd)}{m+5} + \frac{10a^2 b^2 x^6 (ae + bd)}{m+7} + \frac{b^4 x^{10} (5ae + bd)}{m+11} + \frac{5ab^3 x^8 (2ae + bd)}{m+9} + \frac{b^5 ex^{12}}{m+13} \right)}{a + bx^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(f*x)^m*(d + e*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^(5/2),x]
```

```
[Out] (x*(f*x)^m*Sqrt[(a + b*x^2)^2]*((a^5*d)/(1 + m) + (a^4*(5*b*d + a*e)*x^2)/(3 + m) + (5*a^3*b*(2*b*d + a*e)*x^4)/(5 + m) + (10*a^2*b^2*(b*d + a*e)*x^6)/(7 + m) + (5*a*b^3*(b*d + 2*a*e)*x^8)/(9 + m) + (b^4*(b*d + 5*a*e)*x^10)/(11 + m) + (b^5*e*x^12)/(13 + m))/(a + b*x^2)
```

fricas [B] time = 0.75, size = 853, normalized size = 2.13

$$\frac{\left(b^5 em^6 + 36 b^5 em^5 + 505 b^5 em^4 + 3480 b^5 em^3 + 12139 b^5 em^2 + 19524 b^5 em + 10395 b^5 e \right) x^{13} + \left(b^5 d + 5 ab^4 e \right) x^{12}}{\left(a + bx^2 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(5/2),x, algorithm="fricas")
```

```
[Out] ((b^5*e*m^6 + 36*b^5*e*m^5 + 505*b^5*e*m^4 + 3480*b^5*e*m^3 + 12139*b^5*e*m^2 + 19524*b^5*e*m + 10395*b^5*e)*x^13 + ((b^5*d + 5*a*b^4*e)*m^6 + 12285*b^5*d + 61425*a*b^4*e + 38*(b^5*d + 5*a*b^4*e)*m^5 + 555*(b^5*d + 5*a*b^4*e)*m^4 + 3940*(b^5*d + 5*a*b^4*e)*m^3 + 14039*(b^5*d + 5*a*b^4*e)*m^2 + 22902*(b^5*d + 5*a*b^4*e)*m)*x^11 + 5*((a*b^4*d + 2*a^2*b^3*e)*m^6 + 15015*a*b^4*d + 30030*a^2*b^3*e + 40*(a*b^4*d + 2*a^2*b^3*e)*m^5 + 613*(a*b^4*d + 2*a^2*b^3*e)*m^4 + 4528*(a*b^4*d + 2*a^2*b^3*e)*m^3 + 16627*(a*b^4*d + 2*a^2*b^3*e)*m^2 + 27688*(a*b^4*d + 2*a^2*b^3*e)*m)*x^9 + 10*((a^2*b^3*d + a^3*b^2*e)*m^6 + 19305*a^2*b^3*d + 19305*a^3*b^2*e + 42*(a^2*b^3*d + a^3*b^2*e)*m^5 + 679*(a^2*b^3*d + a^3*b^2*e)*m^4 + 5292*(a^2*b^3*d + a^3*b^2*e)*m^3 + 20335*(a^2*b^3*d + a^3*b^2*e)*m^2 + 34986*(a^2*b^3*d + a^3*b^2*e)*m)*x^7 + 5*((2*a^3*b^2*d + a^4*b*e)*m^6 + 54054*a^3*b^2*d + 27027*a^4*b*e + 44*(2*a^3*b^2*d + a^4*b*e)*m^5 + 753*(2*a^3*b^2*d + a^4*b*e)*m^4 + 6280*(2*a^3*b^2*d + a^4*b*e)*m^3 + 25979*(2*a^3*b^2*d + a^4*b*e)*m^2 + 47436*(2*a^3*b^2*d + a^4*b*e)*m)*x^5 + ((5*a^4*b*d + a^5*e)*m^6 + 225225*a^4*b*d + 45045*a^5*e + 46*(5*a^4*b*d + a^5*e)*m^5 + 835*(5*a^4*b*d + a^5*e)*m^4 + 7540*(5*a^4*b*d + a^5*e)*m^3 + 34759*(5*a^4*b*d + a^5*e)*m^2 + 73054*(5*a^4*b*d + a^5*e)*m)*x^3 + (a^5*d*m^6 + 48*a^5*d*m^5 + 925*a^5*d*m^4 + 9120*a^5*d*m^3 + 48259*a^5*d*m^2 + 129072*a^5*d*m + 135135*a^5*d)*x)*(f*x)^m/(m^7 + 49*m^6 + 973*m^5 + 10045*m^4 + 57379*m^3 + 177331*m^2 + 264207*m + 135135)
```

giac [B] time = 0.69, size = 2213, normalized size = 5.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(5/2),x, algorithm="giac")
```

```
[Out] ((f*x)^m*b^5*m^6*x^13*e*sgn(b*x^2 + a) + 36*(f*x)^m*b^5*m^5*x^13*e*sgn(b*x^2 + a) + (f*x)^m*b^5*d*m^6*x^11*sgn(b*x^2 + a) + 5*(f*x)^m*a*b^4*m^6*x^11*e*sgn(b*x^2 + a) + 505*(f*x)^m*b^5*m^4*x^13*e*sgn(b*x^2 + a) + 38*(f*x)^m*b^5*d*m^5*x^11*sgn(b*x^2 + a) + 190*(f*x)^m*a*b^4*m^5*x^11*e*sgn(b*x^2 + a) + 3480*(f*x)^m*b^5*m^3*x^13*e*sgn(b*x^2 + a) + 5*(f*x)^m*a*b^4*d*m^6*x^9*sgn(b*x^2 + a) + 555*(f*x)^m*b^5*d*m^4*x^11*sgn(b*x^2 + a) + 10*(f*x)^m*a^2*b^3*m^6*x^9*e*sgn(b*x^2 + a) + 2775*(f*x)^m*a*b^4*m^4*x^11*e*sgn(b*x^2 + a) + 12139*(f*x)^m*b^5*m^2*x^13*e*sgn(b*x^2 + a) + 200*(f*x)^m*a*b^4*d*m^5*x^9*sgn(b*x^2 + a) + 3940*(f*x)^m*b^5*d*m^3*x^11*sgn(b*x^2 + a) + 400*(f*x)^m*a^2*b^3*m^5*x^9*e*sgn(b*x^2 + a) + 19700*(f*x)^m*a*b^4*m^3*x^11*e*sgn(b*x^2 + a) + 19524*(f*x)^m*b^5*m*x^13*e*sgn(b*x^2 + a) + 10*(f*x)^m*a^2*b^3*d*m^6*x^7*sgn(b*x^2 + a) + 3065*(f*x)^m*a*b^4*d*m^4*x^9*sgn(b*x^2 + a) + 14039*(f*x)^m*b^5*d*m^2*x^11*sgn(b*x^2 + a) + 10*(f*x)^m*a^3*b^2*m^6*x^7*e*sgn(b*x^2 + a) + 6130*(f*x)^m*a^2*b^3*m^4*x^9*e*sgn(b*x^2 + a) + 70195*(f*x)^m*a*b^4*m^2*x^11*e*sgn(b*x^2 + a) + 10395*(f*x)^m*b^5*x^13*e*sgn(b*x^2 + a) + 420*(f*x)^m*a^2*b^3*d*m^5*x^7*sgn(b*x^2 + a) + 22640*(f*x)^m*a*b^4*d*m^3*x^9*
```


[In] $\text{int}((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^{(5/2)}, x)$

[Out] $x*(b^5*e*m^6*x^{12}+36*b^5*e*m^5*x^{12}+5*a*b^4*e*m^6*x^{10}+b^5*d*m^6*x^{10}+505*b^5*e*m^4*x^{12}+190*a*b^4*e*m^5*x^{10}+38*b^5*d*m^5*x^{10}+3480*b^5*e*m^3*x^{12}+10*a^2*b^3*e*m^6*x^8+5*a*b^4*d*m^6*x^8+2775*a*b^4*e*m^4*x^{10}+555*b^5*d*m^4*x^{10}+12139*b^5*e*m^2*x^{12}+400*a^2*b^3*e*m^5*x^8+200*a*b^4*d*m^5*x^8+19700*a*b^4*e*m^3*x^{10}+3940*b^5*d*m^3*x^{10}+19524*b^5*e*m*x^{12}+10*a^3*b^2*e*m^6*x^6+10*a^2*b^3*d*m^6*x^6+6130*a^2*b^3*e*m^4*x^8+3065*a*b^4*d*m^4*x^8+70195*a*b^4*e*m^2*x^{10}+14039*b^5*d*m^2*x^{10}+10395*b^5*e*x^{12}+420*a^3*b^2*e*m^5*x^6+420*a^2*b^3*d*m^5*x^6+45280*a^2*b^3*e*m^3*x^8+22640*a*b^4*d*m^3*x^8+114510*a*b^4*e*m*x^{10}+22902*b^5*d*m*x^{10}+5*a^4*b*e*m^6*x^4+10*a^3*b^2*d*m^6*x^4+6790*a^3*b^2*e*m^4*x^6+6790*a^2*b^3*d*m^4*x^6+166270*a^2*b^3*e*m^2*x^8+83135*a*b^4*d*m^2*x^8+61425*a*b^4*e*x^{10}+12285*b^5*d*x^{10}+220*a^4*b*e*m^5*x^4+440*a^3*b^2*d*m^5*x^4+52920*a^3*b^2*e*m^3*x^6+52920*a^2*b^3*d*m^3*x^6+276880*a^2*b^3*e*m*x^8+138440*a*b^4*d*m*x^8+a^5*e*m^6*x^2+5*a^4*b*d*m^6*x^2+3765*a^4*b*e*m^4*x^4+7530*a^3*b^2*d*m^4*x^4+203350*a^3*b^2*e*m^2*x^6+203350*a^2*b^3*d*m^2*x^6+150150*a^2*b^3*e*x^8+75075*a*b^4*d*x^8+46*a^5*e*m^5*x^2+230*a^4*b*d*m^5*x^2+31400*a^4*b*e*m^3*x^4+62800*a^3*b^2*d*m^3*x^4+349860*a^3*b^2*e*m*x^6+349860*a^2*b^3*d*m*x^6+a^5*d*m^6+835*a^5*e*m^4*x^2+4175*a^4*b*d*m^4*x^2+129895*a^4*b*e*m^2*x^4+259790*a^3*b^2*d*m^2*x^4+193050*a^3*b^2*e*x^6+193050*a^2*b^3*d*x^6+48*a^5*d*m^5+7540*a^5*e*m^3*x^2+37700*a^4*b*d*m^3*x^2+237180*a^4*b*e*m*x^4+474360*a^3*b^2*d*m*x^4+925*a^5*d*m^4+34759*a^5*e*m^2*x^2+173795*a^4*b*d*m^2*x^2+135135*a^4*b*e*x^4+270270*a^3*b^2*d*x^4+9120*a^5*d*m^3+73054*a^5*e*m*x^2+365270*a^4*b*d*m*x^2+48259*a^5*d*m^2+45045*a^5*e*x^2+225225*a^4*b*d*x^2+129072*a^5*d*m+135135*a^5*d)*(f*x)^m*((b*x^2+a)^2)^{(5/2)}/(m+13)/(m+11)/(m+9)/(m+7)/(m+5)/(m+3)/(m+1)/(b*x^2+a)^5$

maxima [A] time = 0.82, size = 491, normalized size = 1.23

$$\frac{((m^5 + 25m^4 + 230m^3 + 950m^2 + 1689m + 945)b^5 f^m x^{11} + 5(m^5 + 27m^4 + 262m^3 + 1122m^2 + 2041m + 1155)a*b^4 f^m x^9 + 10(m^5 + 29m^4 + 302m^3 + 1366m^2 + 2577m + 1485)a^2*b^3 f^m x^7 + 10(m^5 + 31m^4 + 350m^3 + 1730m^2 + 3489m + 2079)a^3*b^2 f^m x^5 + 5(m^5 + 33m^4 + 406m^3 + 2262m^2 + 5353m + 3465)a^4*b f^m x^3 + (m^5 + 35m^4 + 470m^3 + 3010m^2 + 9129m + 10395)a^5 f^m x)*d*x^m/(m^6 + 36m^5 + 505m^4 + 3480m^3 + 12139m^2 + 19524m + 10395) + ((m^5 + 35m^4 + 470m^3 + 3010m^2 + 9129m + 10395)*b^5 f^m x^{13} + 5(m^5 + 37m^4 + 518m^3 + 3422m^2 + 10617m + 12285)*a*b^4 f^m x^{11} + 10(m^5 + 39m^4 + 574m^3 + 3954m^2 + 126$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^{(5/2)}, x, \text{algorithm}=\text{"maxima"})$

[Out] $((m^5 + 25*m^4 + 230*m^3 + 950*m^2 + 1689*m + 945)*b^5*f^m*x^{11} + 5*(m^5 + 27*m^4 + 262*m^3 + 1122*m^2 + 2041*m + 1155)*a*b^4*f^m*x^9 + 10*(m^5 + 29*m^4 + 302*m^3 + 1366*m^2 + 2577*m + 1485)*a^2*b^3*f^m*x^7 + 10*(m^5 + 31*m^4 + 350*m^3 + 1730*m^2 + 3489*m + 2079)*a^3*b^2*f^m*x^5 + 5*(m^5 + 33*m^4 + 406*m^3 + 2262*m^2 + 5353*m + 3465)*a^4*b*f^m*x^3 + (m^5 + 35*m^4 + 470*m^3 + 3010*m^2 + 9129*m + 10395)*a^5*f^m*x)*d*x^m/(m^6 + 36*m^5 + 505*m^4 + 3480*m^3 + 12139*m^2 + 19524*m + 10395) + ((m^5 + 35*m^4 + 470*m^3 + 3010*m^2 + 9129*m + 10395)*b^5*f^m*x^{13} + 5*(m^5 + 37*m^4 + 518*m^3 + 3422*m^2 + 10617*m + 12285)*a*b^4*f^m*x^{11} + 10*(m^5 + 39*m^4 + 574*m^3 + 3954*m^2 + 126$

$73*m + 15015)*a^2*b^3*f^m*x^9 + 10*(m^5 + 41*m^4 + 638*m^3 + 4654*m^2 + 156$
 $81*m + 19305)*a^3*b^2*f^m*x^7 + 5*(m^5 + 43*m^4 + 710*m^3 + 5570*m^2 + 2040$
 $9*m + 27027)*a^4*b*f^m*x^5 + (m^5 + 45*m^4 + 790*m^3 + 6750*m^2 + 28009*m +$
 $45045)*a^5*f^m*x^3)*e*x^m/(m^6 + 48*m^5 + 925*m^4 + 9120*m^3 + 48259*m^2 +$
 $129072*m + 135135)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^m (ex^2 + d) (a^2 + 2abx^2 + b^2x^4)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(d + e*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(5/2), x)`

[Out] `int((f*x)^m*(d + e*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) \left((a + bx^2)^2 \right)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)*(b**2*x**4+2*a*b*x**2+a**2)**(5/2), x)`

[Out] `Integral((f*x)**m*(d + e*x**2)*((a + b*x**2)**2)**(5/2), x)`

$$3.88 \quad \int (fx)^m (d + ex^2) (a^2 + 2abx^2 + b^2x^4)^{3/2} dx$$

Optimal. Leaf size=276

$$\frac{b^2\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+7} (3ae + bd)}{f^7(m+7)(a + bx^2)} + \frac{3ab\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+5} (ae + bd)}{f^5(m+5)(a + bx^2)} + \frac{a^2\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+3}}{f^3(m+3)(a + bx^2)}$$

[Out] $a^3 d (f x)^{(1+m)} ((b x^2+a)^2)^{(1/2)} / f / (1+m) / (b x^2+a) + a^2 (a e+3 b d) (f x)^{(3+m)} ((b x^2+a)^2)^{(1/2)} / f^3 / (3+m) / (b x^2+a) + 3 a b (a e+b d) (f x)^{(5+m)} ((b x^2+a)^2)^{(1/2)} / f^5 / (5+m) / (b x^2+a) + b^2 (3 a e+b d) (f x)^{(7+m)} ((b x^2+a)^2)^{(1/2)} / f^7 / (7+m) / (b x^2+a) + b^3 e (f x)^{(9+m)} ((b x^2+a)^2)^{(1/2)} / f^9 / (9+m) / (b x^2+a)$

Rubi [A] time = 0.15, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1250, 448}

$$\frac{a^2\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+3} (ae + 3bd)}{f^3(m+3)(a + bx^2)} + \frac{3ab\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+5} (ae + bd)}{f^5(m+5)(a + bx^2)} + \frac{b^2\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+7}}{f^7(m+7)(a + bx^2)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] $(a^3 d (f x)^{(1+m)} \text{Sqrt}[a^2 + 2 a b x^2 + b^2 x^4]) / (f (1+m) (a + b x^2)) + (a^2 (3 b d + a e) (f x)^{(3+m)} \text{Sqrt}[a^2 + 2 a b x^2 + b^2 x^4]) / (f^3 (3+m) (a + b x^2)) + (3 a b (b d + a e) (f x)^{(5+m)} \text{Sqrt}[a^2 + 2 a b x^2 + b^2 x^4]) / (f^5 (5+m) (a + b x^2)) + (b^2 (b d + 3 a e) (f x)^{(7+m)} \text{Sqrt}[a^2 + 2 a b x^2 + b^2 x^4]) / (f^7 (7+m) (a + b x^2)) + (b^3 e (f x)^{(9+m)} \text{Sqrt}[a^2 + 2 a b x^2 + b^2 x^4]) / (f^9 (9+m) (a + b x^2))$

Rule 448

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rule 1250

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^(2))^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[(a + b*x^2 + c*x^4)^FracPart[p] / (c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*c

a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int (fx)^m (d+ex^2) (a^2+2abx^2+b^2x^4)^{3/2} dx &= \frac{\sqrt{a^2+2abx^2+b^2x^4} \int (fx)^m (ab+b^2x^2)^3 (d+ex^2) dx}{b^2 (ab+b^2x^2)} \\ &= \frac{\sqrt{a^2+2abx^2+b^2x^4} \int \left(a^3b^3d(fx)^m + \frac{a^2b^3(3bd+ae)(fx)^{2+m}}{f^2} + \frac{3ab^4(bd+ae)(fx)^{4+m}}{f^3} \right) dx}{b^2 (ab+b^2x^2)} \\ &= \frac{a^3d(fx)^{1+m} \sqrt{a^2+2abx^2+b^2x^4}}{f(1+m)(a+bx^2)} + \frac{a^2(3bd+ae)(fx)^{3+m} \sqrt{a^2+2abx^2+b^2x^4}}{f^3(3+m)(a+bx^2)} \end{aligned}$$

Mathematica [A] time = 0.11, size = 112, normalized size = 0.41

$$\frac{x \left((a+bx^2)^2 \right)^{3/2} (fx)^m \left(\frac{a^3d}{m+1} + \frac{a^2x^2(ae+3bd)}{m+3} + \frac{b^2x^6(3ae+bd)}{m+7} + \frac{3abx^4(ae+bd)}{m+5} + \frac{b^3ex^8}{m+9} \right)}{(a+bx^2)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(d+e*x^2)*(a^2+2*a*b*x^2+b^2*x^4)^(3/2),x]

[Out] (x*(f*x)^m*((a+b*x^2)^2)^(3/2)*((a^3*d)/(1+m)+(a^2*(3*b*d+a*e)*x^2)/(3+m)+(3*a*b*(b*d+a*e)*x^4)/(5+m)+(b^2*(b*d+3*a*e)*x^6)/(7+m)+ (b^3*e*x^8)/(9+m)))/(a+b*x^2)^3

fricas [A] time = 1.03, size = 381, normalized size = 1.38

$$\frac{\left((b^3em^4 + 16b^3em^3 + 86b^3em^2 + 176b^3em + 105b^3e)x^9 + \left((b^3d + 3ab^2e)m^4 + 135b^3d + 405ab^2e + 18(b^3d + 3ab^2e)m^3 + 104(b^3d + 3ab^2e)m^2 + 222(b^3d + 3ab^2e)m \right)x^7 + 3((a^2b^2d + a^2b^2e)m^4 + 189ab^2d + 189a^2b^2e + 20(ab^2d + a^2b^2e)m^3 + 104(b^3d + 3ab^2e)m^2 + 222(b^3d + 3ab^2e)m \right)x^5 + (b^3d + 3ab^2e)m^4 + 135b^3d + 405ab^2e + 18(b^3d + 3ab^2e)m^3 + 104(b^3d + 3ab^2e)m^2 + 222(b^3d + 3ab^2e)m \right)x^3 + (b^3d + 3ab^2e)m^4 + 135b^3d + 405ab^2e + 18(b^3d + 3ab^2e)m^3 + 104(b^3d + 3ab^2e)m^2 + 222(b^3d + 3ab^2e)m \right)x}{(a+bx^2)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="fricas")

[Out] ((b^3*e*m^4 + 16*b^3*e*m^3 + 86*b^3*e*m^2 + 176*b^3*e*m + 105*b^3*e)*x^9 + ((b^3*d + 3*a*b^2*e)*m^4 + 135*b^3*d + 405*a*b^2*e + 18*(b^3*d + 3*a*b^2*e)*m^3 + 104*(b^3*d + 3*a*b^2*e)*m^2 + 222*(b^3*d + 3*a*b^2*e)*m)*x^7 + 3*((a^2*b^2*d + a^2*b^2*e)*m^4 + 189*a*b^2*d + 189*a^2*b^2*e + 20*(a*b^2*d + a^2*b^2*e)*m^3 + 104*(b^3*d + 3*a*b^2*e)*m^2 + 222*(b^3*d + 3*a*b^2*e)*m)*x^5 + (b^3*d + 3*a*b^2*e)*m^4 + 135*b^3*d + 405*a*b^2*e + 18*(b^3*d + 3*a*b^2*e)*m^3 + 104*(b^3*d + 3*a*b^2*e)*m^2 + 222*(b^3*d + 3*a*b^2*e)*m)*x^3 + (b^3*d + 3*a*b^2*e)*m^4 + 135*b^3*d + 405*a*b^2*e + 18*(b^3*d + 3*a*b^2*e)*m^3 + 104*(b^3*d + 3*a*b^2*e)*m^2 + 222*(b^3*d + 3*a*b^2*e)*m)

$$m^3 + 130*(a*b^2*d + a^2*b*e)*m^2 + 300*(a*b^2*d + a^2*b*e)*m*x^5 + ((3*a^2*b*d + a^3*e)*m^4 + 945*a^2*b*d + 315*a^3*e + 22*(3*a^2*b*d + a^3*e)*m^3 + 164*(3*a^2*b*d + a^3*e)*m^2 + 458*(3*a^2*b*d + a^3*e)*m*x^3 + (a^3*d*m^4 + 24*a^3*d*m^3 + 206*a^3*d*m^2 + 744*a^3*d*m + 945*a^3*d)*x)*(f*x)^m/(m^5 + 25*m^4 + 230*m^3 + 950*m^2 + 1689*m + 945)$$

giac [B] time = 0.52, size = 1013, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] ((f*x)^m*b^3*m^4*x^9*e*sgn(b*x^2 + a) + 16*(f*x)^m*b^3*m^3*x^9*e*sgn(b*x^2 + a) + (f*x)^m*b^3*d*m^4*x^7*sgn(b*x^2 + a) + 3*(f*x)^m*a*b^2*m^4*x^7*e*sgn(b*x^2 + a) + 86*(f*x)^m*b^3*m^2*x^9*e*sgn(b*x^2 + a) + 18*(f*x)^m*b^3*d*m^3*x^7*sgn(b*x^2 + a) + 54*(f*x)^m*a*b^2*m^3*x^7*e*sgn(b*x^2 + a) + 176*(f*x)^m*b^3*m*x^9*e*sgn(b*x^2 + a) + 3*(f*x)^m*a*b^2*d*m^4*x^5*sgn(b*x^2 + a) + 104*(f*x)^m*b^3*d*m^2*x^7*sgn(b*x^2 + a) + 3*(f*x)^m*a^2*b*m^4*x^5*e*sgn(b*x^2 + a) + 312*(f*x)^m*a*b^2*m^2*x^7*e*sgn(b*x^2 + a) + 105*(f*x)^m*b^3*x^9*e*sgn(b*x^2 + a) + 60*(f*x)^m*a*b^2*d*m^3*x^5*sgn(b*x^2 + a) + 222*(f*x)^m*b^3*d*m*x^7*sgn(b*x^2 + a) + 60*(f*x)^m*a^2*b*m^3*x^5*e*sgn(b*x^2 + a) + 666*(f*x)^m*a*b^2*m*x^7*e*sgn(b*x^2 + a) + 3*(f*x)^m*a^2*b*d*m^4*x^3*sgn(b*x^2 + a) + 390*(f*x)^m*a*b^2*d*m^2*x^5*sgn(b*x^2 + a) + 135*(f*x)^m*b^3*d*x^7*sgn(b*x^2 + a) + (f*x)^m*a^3*m^4*x^3*e*sgn(b*x^2 + a) + 390*(f*x)^m*a^2*b*m^2*x^5*e*sgn(b*x^2 + a) + 405*(f*x)^m*a*b^2*x^7*e*sgn(b*x^2 + a) + 66*(f*x)^m*a^2*b*d*m^3*x^3*sgn(b*x^2 + a) + 900*(f*x)^m*a*b^2*d*m*x^5*sgn(b*x^2 + a) + 22*(f*x)^m*a^3*m^3*x^3*e*sgn(b*x^2 + a) + 900*(f*x)^m*a^2*b*m*x^5*e*sgn(b*x^2 + a) + (f*x)^m*a^3*d*m^4*x*sgn(b*x^2 + a) + 492*(f*x)^m*a^2*b*d*m^2*x^3*sgn(b*x^2 + a) + 567*(f*x)^m*a*b^2*d*x^5*sgn(b*x^2 + a) + 164*(f*x)^m*a^3*m^2*x^3*e*sgn(b*x^2 + a) + 567*(f*x)^m*a^2*b*x^5*e*sgn(b*x^2 + a) + 24*(f*x)^m*a^3*d*m^3*x*sgn(b*x^2 + a) + 1374*(f*x)^m*a^2*b*d*m*x^3*sgn(b*x^2 + a) + 458*(f*x)^m*a^3*m*x^3*e*sgn(b*x^2 + a) + 206*(f*x)^m*a^3*d*m^2*x*sgn(b*x^2 + a) + 945*(f*x)^m*a^2*b*d*x^3*sgn(b*x^2 + a) + 315*(f*x)^m*a^3*x^3*e*sgn(b*x^2 + a) + 744*(f*x)^m*a^3*d*m*x*sgn(b*x^2 + a) + 945*(f*x)^m*a^3*d*x*sgn(b*x^2 + a))/(m^5 + 25*m^4 + 230*m^3 + 950*m^2 + 1689*m + 945)

maple [B] time = 0.01, size = 495, normalized size = 1.79

$$(b^3 e m^4 x^8 + 16 b^3 e m^3 x^8 + 3 a b^2 e m^4 x^6 + b^3 d m^4 x^6 + 86 b^3 e m^2 x^8 + 54 a b^2 e m^3 x^6 + 18 b^3 d m^3 x^6 + 176 b^3 e m x^8 + 3 a^2 b^2 e m^4 x^6 + 16 a b^2 e m^3 x^6 + 18 a b^2 d m^3 x^6 + 176 b^3 e m x^8 + 3 a^2 b^2 d m^4 x^5 + 104 a b^3 d m^2 x^7 + 312 a^2 b^2 m^2 x^7 + 105 b^3 x^9 + 60 a b^2 d m^3 x^5 + 222 a b^3 d m x^7 + 60 a^2 b m^3 x^5 + 666 a b^2 m x^7 + 3 a^2 b d m^4 x^3 + 390 a b^2 d m^2 x^5 + 135 b^3 d x^7 + a^3 m^4 x^3 + 390 a^2 b m^2 x^5 + 405 a b^2 x^7 + 66 a^2 b d m^3 x^3 + 900 a b^2 d m x^5 + 22 a^3 m^3 x^3 + 900 a^2 b m x^5 + a^3 d m^4 x + 492 a^2 b d m^2 x^3 + 567 a b^2 d x^5 + 164 a^3 m^2 x^3 + 567 a^2 b x^5 + 24 a^3 d m^3 x + 1374 a^2 b d m x^3 + 458 a^3 m x^3 + 206 a^3 d m^2 x + 945 a^2 b d x^3 + 315 a^3 x^3 + 744 a^3 d m x + 945 a^3 d x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)`

[Out] $x*(b^3*e^m*x^8+16*b^3*e^m*x^8+3*a*b^2*e^m*x^6+b^3*d^m*x^6+86*b^3*e^m*x^8+54*a*b^2*e^m*x^6+18*b^3*d^m*x^6+176*b^3*e^m*x^8+3*a^2*b^2*e^m*x^4+3*a*b^2*d^m*x^4+312*a*b^2*e^m*x^6+104*b^3*d^m*x^6+105*b^3*e^m*x^8+60*a^2*b^2*e^m*x^4+60*a*b^2*d^m*x^4+666*a*b^2*e^m*x^6+222*b^3*d^m*x^6+a^3*e^m*x^2+3*a^2*b*d^m*x^2+390*a^2*b^2*e^m*x^4+390*a*b^2*d^m*x^4+405*a*b^2*e^m*x^6+135*b^3*d^m*x^6+22*a^3*e^m*x^2+66*a^2*b*d^m*x^2+900*a^2*b^2*e^m*x^4+900*a*b^2*d^m*x^4+a^3*d^m*x^4+164*a^3*e^m*x^2+492*a^2*b*d^m*x^2+567*a^2*b^2*e^m*x^4+567*a*b^2*d^m*x^4+24*a^3*d^m*x^2+458*a^3*e^m*x^2+1374*a^2*b*d^m*x^2+206*a^3*d^m*x^2+315*a^3*e^m*x^2+945*a^2*b*d^m*x^2+744*a^3*d^m+945*a^3*d)*(f*x)^m*((b*x^2+a)^2)^(3/2)/(m+9)/(m+7)/(m+5)/(m+3)/(m+1)/(b*x^2+a)^3$

maxima [A] time = 0.96, size = 243, normalized size = 0.88

$$\frac{\left((m^3 + 9m^2 + 23m + 15)b^3 f^m x^7 + 3(m^3 + 11m^2 + 31m + 21)ab^2 f^m x^5 + 3(m^3 + 13m^2 + 47m + 35)a^2 b f^m x^3\right)}{m^4 + 16m^3 + 86m^2 + 176m + 105}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")`

[Out] $((m^3 + 9m^2 + 23m + 15)*b^3*f^m*x^7 + 3*(m^3 + 11m^2 + 31m + 21)*a*b^2*f^m*x^5 + 3*(m^3 + 13m^2 + 47m + 35)*a^2*b*f^m*x^3 + (m^3 + 15m^2 + 71m + 105)*a^3*f^m*x)/(m^4 + 16m^3 + 86m^2 + 176m + 105) + ((m^3 + 15m^2 + 71m + 105)*b^3*f^m*x^9 + 3*(m^3 + 17m^2 + 87m + 135)*a*b^2*f^m*x^7 + 3*(m^3 + 19m^2 + 111m + 189)*a^2*b*f^m*x^5 + (m^3 + 21m^2 + 143m + 315)*a^3*f^m*x^3)*e*x^m/(m^4 + 24m^3 + 206m^2 + 744m + 945)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^m (ex^2 + d) (a^2 + 2abx^2 + b^2x^4)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(d + e*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2),x)`

[Out] `int((f*x)^m*(d + e*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) \left((a + bx^2)^2 \right)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)*(b**2*x**4+2*a*b*x**2+a**2)**(3/2),x)
```

```
[Out] Integral((f*x)**m*(d + e*x**2)*((a + b*x**2)**2)**(3/2), x)
```

3.89 $\int (fx)^m (d + ex^2) \sqrt{a^2 + 2abx^2 + b^2x^4} dx$

Optimal. Leaf size=153

$$\frac{\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+3} (ae + bd)}{f^3(m+3)(a + bx^2)} + \frac{ad\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+1}}{f(m+1)(a + bx^2)} + \frac{be\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+5}}{f^5(m+5)(a + bx^2)}$$

[Out] a*d*(f*x)^(1+m)*((b*x^2+a)^2)^(1/2)/f/(1+m)/(b*x^2+a)+(a*e+b*d)*(f*x)^(3+m)*((b*x^2+a)^2)^(1/2)/f^3/(3+m)/(b*x^2+a)+b*e*(f*x)^(5+m)*((b*x^2+a)^2)^(1/2)/f^5/(5+m)/(b*x^2+a)

Rubi [A] time = 0.08, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {1250, 448}

$$\frac{\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+3} (ae + bd)}{f^3(m+3)(a + bx^2)} + \frac{ad\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+1}}{f(m+1)(a + bx^2)} + \frac{be\sqrt{a^2 + 2abx^2 + b^2x^4} (fx)^{m+5}}{f^5(m+5)(a + bx^2)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] (a*d*(f*x)^(1 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f*(1 + m)*(a + b*x^2)) + ((b*d + a*e)*(f*x)^(3 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^3*(3 + m)*(a + b*x^2)) + (b*e*(f*x)^(5 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/(f^5*(5 + m)*(a + b*x^2))

Rule 448

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Int[ExpandIntegrand[(e*x)^m*(a + b*x^n)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

Rule 1250

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p]))], Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) \sqrt{a^2 + 2abx^2 + b^2x^4} dx &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int (fx)^m (ab + b^2x^2) (d + ex^2) dx}{ab + b^2x^2} \\ &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int \left(abd(fx)^m + \frac{b(bd+ae)(fx)^{2+m}}{f^2} + \frac{b^2e(fx)^{4+m}}{f^4} \right) dx}{ab + b^2x^2} \\ &= \frac{ad(fx)^{1+m} \sqrt{a^2 + 2abx^2 + b^2x^4}}{f(1+m)(a + bx^2)} + \frac{(bd + ae)(fx)^{3+m} \sqrt{a^2 + 2abx^2 + b^2x^4}}{f^3(3+m)(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.06, size = 86, normalized size = 0.56

$$\frac{x \sqrt{(a + bx^2)^2} (fx)^m (a(m+5)(d(m+3) + e(m+1)x^2) + b(m+1)x^2(d(m+5) + e(m+3)x^2))}{(m+1)(m+3)(m+5)(a + bx^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(d + e*x^2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] (x*(f*x)^m*Sqrt[(a + b*x^2)^2]*(a*(5 + m)*(d*(3 + m) + e*(1 + m)*x^2) + b*(1 + m)*x^2*(d*(5 + m) + e*(3 + m)*x^2)))/((1 + m)*(3 + m)*(5 + m)*(a + b*x^2))

fricas [A] time = 0.86, size = 94, normalized size = 0.61

$$\frac{((bem^2 + 4bem + 3be)x^5 + ((bd + ae)m^2 + 5bd + 5ae + 6(bd + ae)m)x^3 + (adm^2 + 8adm + 15ad)x)(fx)^m}{m^3 + 9m^2 + 23m + 15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(1/2), x, algorithm="fricas")

[Out] ((b*e*m^2 + 4*b*e*m + 3*b*e)*x^5 + ((b*d + a*e)*m^2 + 5*b*d + 5*a*e + 6*(b*d + a*e)*m)*x^3 + (a*d*m^2 + 8*a*d*m + 15*a*d)*x*(f*x)^m/(m^3 + 9*m^2 + 23*m + 15)

giac [B] time = 0.32, size = 269, normalized size = 1.76

$$\frac{(fx)^m bm^2 x^5 \operatorname{esgn}(bx^2 + a) + 4 (fx)^m bmx^5 \operatorname{esgn}(bx^2 + a) + (fx)^m bdm^2 x^3 \operatorname{sgn}(bx^2 + a) + (fx)^m am^2 x^3 \operatorname{esgn}(bx^2 + a)}{m^3 + 9m^2 + 23m + 15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x, algorithm="giao")

[Out] ((f*x)^m*b*m^2*x^5*e*sgn(b*x^2 + a) + 4*(f*x)^m*b*m*x^5*e*sgn(b*x^2 + a) + (f*x)^m*b*d*m^2*x^3*sgn(b*x^2 + a) + (f*x)^m*a*m^2*x^3*e*sgn(b*x^2 + a) + 3*(f*x)^m*b*x^5*e*sgn(b*x^2 + a) + 6*(f*x)^m*b*d*m*x^3*sgn(b*x^2 + a) + 6*(f*x)^m*a*m*x^3*e*sgn(b*x^2 + a) + (f*x)^m*a*d*m^2*x*sgn(b*x^2 + a) + 5*(f*x)^m*b*d*x^3*sgn(b*x^2 + a) + 5*(f*x)^m*a*x^3*e*sgn(b*x^2 + a) + 8*(f*x)^m*a*d*m*x*sgn(b*x^2 + a) + 15*(f*x)^m*a*d*x*sgn(b*x^2 + a))/(m^3 + 9*m^2 + 23*m + 15)

maple [A] time = 0.01, size = 131, normalized size = 0.86

$$\frac{(be m^2 x^4 + 4bem x^4 + ae m^2 x^2 + bd m^2 x^2 + 3be x^4 + 6aem x^2 + 6bdm x^2 + ad m^2 + 5ae x^2 + 5bd x^2 + 8adm + 15)}{(m + 5)(m + 3)(m + 1)(b x^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x)

[Out] x*(b*e*m^2*x^4+4*b*e*m*x^4+a*e*m^2*x^2+b*d*m^2*x^2+3*b*e*x^4+6*a*e*m*x^2+6*b*d*m*x^2+a*d*m^2+5*a*e*x^2+5*b*d*x^2+8*a*d*m+15*a*d)*(f*x)^m*((b*x^2+a)^(1/2))/(m+5)/(m+3)/(m+1)/(b*x^2+a)

maxima [A] time = 0.81, size = 75, normalized size = 0.49

$$\frac{(bf^m(m+1)x^3 + af^m(m+3)x)dx^m}{m^2 + 4m + 3} + \frac{(bf^m(m+3)x^5 + af^m(m+5)x^3)ex^m}{m^2 + 8m + 15}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x, algorithm="maxima")

[Out] (b*f^m*(m+1)*x^3 + a*f^m*(m+3)*x)*d*x^m/(m^2 + 4*m + 3) + (b*f^m*(m+3)*x^5 + a*f^m*(m+5)*x^3)*e*x^m/(m^2 + 8*m + 15)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (f x)^m (e x^2 + d) \sqrt{a^2 + 2 a b x^2 + b^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2),x)

[Out] int((f*x)^m*(d + e*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) \sqrt{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)*(b**2*x**4+2*a*b*x**2+a**2)**(1/2),x)
```

```
[Out] Integral((f*x)**m*(d + e*x**2)*sqrt((a + b*x**2)**2), x)
```

$$3.90 \quad \int \frac{(fx)^m(d+ex^2)}{\sqrt{a^2+2abx^2+b^2x^4}} dx$$

Optimal. Leaf size=134

$$\frac{(a+bx^2)(fx)^{m+1}(bd-ae) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a}\right)}{abf(m+1)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{e(a+bx^2)(fx)^{m+1}}{bf(m+1)\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] e*(f*x)^(1+m)*(b*x^2+a)/b/f/(1+m)/((b*x^2+a)^2)^(1/2)+(-a*e+b*d)*(f*x)^(1+m)*(b*x^2+a)*hypergeom([1, 1/2+1/2*m], [3/2+1/2*m], -b*x^2/a)/a/b/f/(1+m)/((b*x^2+a)^2)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1250, 459, 364}

$$\frac{(a+bx^2)(fx)^{m+1}(bd-ae) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a}\right)}{abf(m+1)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{e(a+bx^2)(fx)^{m+1}}{bf(m+1)\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d + e*x^2))/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] (e*(f*x)^(1 + m)*(a + b*x^2))/(b*f*(1 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]) + ((b*d - a*e)*(f*x)^(1 + m)*(a + b*x^2)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -(b*x^2)/a])/(a*b*f*(1 + m)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 459

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^(m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 1250

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{(fx)^m (d + ex^2)}{\sqrt{a^2 + 2abx^2 + b^2x^4}} dx &= \frac{(ab + b^2x^2) \int \frac{(fx)^m (d + ex^2)}{ab + b^2x^2} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{e(fx)^{1+m} (a + bx^2)}{bf(1+m)\sqrt{a^2 + 2abx^2 + b^2x^4}} - \frac{\left((-b^2d(1+m) + abe(1+m)) (ab + b^2x^2)\right) \int \frac{(fx)^m}{ab + b^2x^2}}{b^2(1+m)\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{e(fx)^{1+m} (a + bx^2)}{bf(1+m)\sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd - ae)(fx)^{1+m} (a + bx^2) {}_2F_1\left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{bx^2}{a}\right)}{abf(1+m)\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 78, normalized size = 0.58

$$\frac{x(a + bx^2)(fx)^m \left((ae - bd) {}_2F_1\left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a}\right) - ae \right)}{ab(m+1)\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((f*x)^m*(d + e*x^2))/Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]
```

```
[Out] -((x*(f*x)^m*(a + b*x^2)*(-(a*e) + -(b*d) + a*e)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, -(b*x^2)/a]))/(a*b*(1 + m)*Sqrt[(a + b*x^2)^2])
```

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)(fx)^m}{\sqrt{b^2x^4 + 2abx^2 + a^2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((e*x^2 + d)*(f*x)^m/sqrt(b^2*x^4 + 2*a*b*x^2 + a^2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{\sqrt{b^2x^4 + 2abx^2 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(f*x)^m/sqrt(b^2*x^4 + 2*a*b*x^2 + a^2), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{\sqrt{b^2x^4 + 2abx^2 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x)

[Out] int((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{\sqrt{b^2x^4 + 2abx^2 + a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^m/sqrt(b^2*x^4 + 2*a*b*x^2 + a^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(fx)^m (ex^2 + d)}{\sqrt{a^2 + 2abx^2 + b^2x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2),x)

[Out] int(((f*x)^m*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(1/2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (d + ex^2)}{\sqrt{(a + bx^2)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)/(b**2*x**4+2*a*b*x**2+a**2)**(1/2),x)

[Out] Integral((f*x)**m*(d + e*x**2)/sqrt((a + b*x**2)**2), x)

$$3.91 \quad \int \frac{(fx)^m (d+ex^2)}{(a^2+2abx^2+b^2x^4)^{3/2}} dx$$

Optimal. Leaf size=154

$$\frac{(fx)^{m+1}(bd-ae)}{4abf(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(a+bx^2)(fx)^{m+1}(ae(m+1)+bd(3-m)) {}_2F_1\left(2, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a}\right)}{4a^3bf(m+1)\sqrt{a^2+2abx^2+b^2x^4}}$$

[Out] $1/4*(-a*e+b*d)*(f*x)^{(1+m)}/a/b/f/(b*x^2+a)/((b*x^2+a)^2)^{(1/2)}+1/4*(b*d*(3-m)+a*e*(1+m))*(f*x)^{(1+m)*(b*x^2+a)*\text{hypergeom}([2, 1/2+1/2*m], [3/2+1/2*m], -b*x^2/a)/a^3/b/f/(1+m)/((b*x^2+a)^2)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1250, 457, 364}

$$\frac{(a+bx^2)(fx)^{m+1}(ae(m+1)+bd(3-m)) {}_2F_1\left(2, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a}\right)}{4a^3bf(m+1)\sqrt{a^2+2abx^2+b^2x^4}} + \frac{(fx)^{m+1}(bd-ae)}{4abf(a+bx^2)\sqrt{a^2+2abx^2+b^2x^4}}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d+e*x^2))/(a^2+2*a*b*x^2+b^2*x^4)^(3/2),x]

[Out] $((b*d-a*e)*(f*x)^{(1+m)}/(4*a*b*f*(a+b*x^2)*\text{Sqrt}[a^2+2*a*b*x^2+b^2*x^4]) + ((b*d*(3-m)+a*e*(1+m))*(f*x)^{(1+m)*(a+b*x^2)*\text{Hypergeometric2F1}[2, (1+m)/2, (3+m)/2, -((b*x^2)/a)]/(4*a^3*b*f*(1+m)*\text{Sqrt}[a^2+2*a*b*x^2+b^2*x^4])$

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_.)+(b_.)*(x_)^(n_.))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 457

Int[((e_.)*(x_))^(m_.)*((a_.)+(b_.)*(x_)^(n_.))^(p_.)*((c_.)+(d_.)*(x_)^(n_.)), x_Symbol] :> -Simp[((b*c-a*d)*(e*x)^(m+1)*(a+b*x^n)^(p+1))/(a*b*e*n*(p+1)), x] - Dist[(a*d*(m+1)-b*c*(m+n*(p+1)+1))/(a*b*n*(p+1)), Int[(e*x)^m*(a+b*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && NeQ[b*c-a*d, 0] && LtQ[p, -1] && ((!IntegerQ[p+1/2] && NeQ[p, -5/4]) || !RationalQ[m] || (IGtQ[n, 0] && ILtQ[p+1/2, 0] && LeQ[-1, m

, -(n*(p + 1)))]))

Rule 1250

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{(fx)^m (d + ex^2)}{(a^2 + 2abx^2 + b^2x^4)^{3/2}} dx &= \frac{(b^2 (ab + b^2x^2)) \int \frac{(fx)^m (d+ex^2)}{(ab+b^2x^2)^3} dx}{\sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(bd - ae)(fx)^{1+m}}{4abf (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{((bd(3 - m) + ae(1 + m)) (ab + b^2x^2)) \int \frac{1}{(a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} dx}{4a \sqrt{a^2 + 2abx^2 + b^2x^4}} \\ &= \frac{(bd - ae)(fx)^{1+m}}{4abf (a + bx^2) \sqrt{a^2 + 2abx^2 + b^2x^4}} + \frac{(bd(3 - m) + ae(1 + m))(fx)^{1+m} (a + bx^2)}{4a^3bf(1 + m)\sqrt{a^2 + 2abx^2 + b^2x^4}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 101, normalized size = 0.66

$$\frac{x(a + bx^2)(fx)^m \left((bd - ae) {}_2F_1 \left(3, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a} \right) + ae {}_2F_1 \left(2, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{bx^2}{a} \right) \right)}{a^3b(m+1)\sqrt{(a + bx^2)^2}}$$

Antiderivative was successfully verified.

[In] Integrate[((f*x)^m*(d + e*x^2))/(a^2 + 2*a*b*x^2 + b^2*x^4)^(3/2), x]

[Out] (x*(f*x)^m*(a + b*x^2)*(a*e*Hypergeometric2F1[2, (1 + m)/2, (3 + m)/2, -(b*x^2)/a]) + (b*d - a*e)*Hypergeometric2F1[3, (1 + m)/2, (3 + m)/2, -(b*x^2)/a])/(a^3*b*(1 + m)*Sqrt[(a + b*x^2)^2])

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{b^2x^4 + 2abx^2 + a^2} (ex^2 + d) (fx)^m}{b^4x^8 + 4ab^3x^6 + 6a^2b^2x^4 + 4a^3bx^2 + a^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b^2*x^4 + 2*a*b*x^2 + a^2)*(e*x^2 + d)*(f*x)^m/(b^4*x^8 + 4*a*b^3*x^6 + 6*a^2*b^2*x^4 + 4*a^3*b*x^2 + a^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(b^2x^4 + 2abx^2 + a^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(f*x)^m/(b^2*x^4 + 2*a*b*x^2 + a^2)^(3/2), x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(b^2x^4 + 2abx^2 + a^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)

[Out] int((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(b^2x^4 + 2abx^2 + a^2)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(b^2*x^4+2*a*b*x^2+a^2)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^m/(b^2*x^4 + 2*a*b*x^2 + a^2)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(fx)^m (ex^2 + d)}{(a^2 + 2abx^2 + b^2x^4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2), x)

[Out] int(((f*x)^m*(d + e*x^2))/(a^2 + b^2*x^4 + 2*a*b*x^2)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (d + ex^2)}{\left((a + bx^2)^2\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)/(b**2*x**4+2*a*b*x**2+a**2)**(3/2), x)

[Out] Integral((f*x)**m*(d + e*x**2)/((a + b*x**2)**2)**(3/2), x)

3.92 $\int x (a + bx^2) (a^2 + 2abx^2 + b^2x^4)^p dx$

Optimal. Leaf size=34

$$\frac{(a^2 + 2abx^2 + b^2x^4)^{p+1}}{4b(p+1)}$$

[Out] $1/4*(b^2*x^4+2*a*b*x^2+a^2)^{(1+p)}/b/(1+p)$

Rubi [A] time = 0.03, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {1247, 629}

$$\frac{(a^2 + 2abx^2 + b^2x^4)^{p+1}}{4b(p+1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + b*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^p, x]$

[Out] $(a^2 + 2*a*b*x^2 + b^2*x^4)^{(1 + p)}/(4*b*(1 + p))$

Rule 629

$\text{Int}[(d + (e_*)*(x_))*((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2)^{(p_*)}, x_Symbol]$
 $]:> \text{Simp}[(d*(a + b*x + c*x^2)^{(p + 1)})/(b*(p + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, p\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[p, -1]$

Rule 1247

$\text{Int}[(x_)*((d + (e_*)*(x_*)^2)^{(q_*)}*((a_*) + (b_*)*(x_*)^2 + (c_*)*(x_*)^4)^{(p_*)}), x_Symbol]$
 $]:> \text{Dist}[1/2, \text{Subst}[\text{Int}[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, d, e, p, q\}, x]$

Rubi steps

$$\begin{aligned} \int x (a + bx^2) (a^2 + 2abx^2 + b^2x^4)^p dx &= \frac{1}{2} \text{Subst} \left(\int (a + bx) (a^2 + 2abx + b^2x^2)^p dx, x, x^2 \right) \\ &= \frac{(a^2 + 2abx^2 + b^2x^4)^{1+p}}{4b(1+p)} \end{aligned}$$

Mathematica [A] time = 0.01, size = 25, normalized size = 0.74

$$\frac{\left((a + bx^2)^2\right)^{p+1}}{4b(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^p,x]

[Out] ((a + b*x^2)^2)^(1 + p)/(4*b*(1 + p))

fricas [A] time = 0.63, size = 47, normalized size = 1.38

$$\frac{\left(b^2x^4 + 2abx^2 + a^2\right)\left(b^2x^4 + 2abx^2 + a^2\right)^p}{4(bp + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="fricas")

[Out] 1/4*(b^2*x^4 + 2*a*b*x^2 + a^2)*(b^2*x^4 + 2*a*b*x^2 + a^2)^p/(b*p + b)

giac [A] time = 0.29, size = 32, normalized size = 0.94

$$\frac{\left(b^2x^4 + 2abx^2 + a^2\right)^{p+1}}{4b(p+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="giac")

[Out] 1/4*(b^2*x^4 + 2*a*b*x^2 + a^2)^(p + 1)/(b*(p + 1))

maple [A] time = 0.00, size = 40, normalized size = 1.18

$$\frac{\left(bx^2 + a\right)^2\left(b^2x^4 + 2abx^2 + a^2\right)^p}{4(p+1)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x)

[Out] 1/4*(b*x^2+a)^2/b/(1+p)*(b^2*x^4+2*a*b*x^2+a^2)^p

maxima [B] time = 0.72, size = 86, normalized size = 2.53

$$\frac{(bx^2 + a)(bx^2 + a)^{2p} a}{2b(2p + 1)} + \frac{(b^2(2p + 1)x^4 + 2abpx^2 - a^2)(bx^2 + a)^{2p}}{4(2p^2 + 3p + 1)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="maxima")

[Out] 1/2*(b*x^2 + a)*(b*x^2 + a)^(2*p)*a/(b*(2*p + 1)) + 1/4*(b^2*(2*p + 1)*x^4 + 2*a*b*p*x^2 - a^2)*(b*x^2 + a)^(2*p)/((2*p^2 + 3*p + 1)*b)

mupad [B] time = 0.14, size = 59, normalized size = 1.74

$$(a^2 + 2abx^2 + b^2x^4)^p \left(\frac{a^2}{4b(p+1)} + \frac{ax^2}{2(p+1)} + \frac{bx^4}{4(p+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^p,x)

[Out] (a^2 + b^2*x^4 + 2*a*b*x^2)^p*(a^2/(4*b*(p + 1)) + (a*x^2)/(2*(p + 1)) + (b*x^4)/(4*(p + 1)))

sympy [A] time = 9.60, size = 165, normalized size = 4.85

$$\begin{cases} \frac{x^2}{2a} & \text{for } b = 0 \wedge p = -1 \\ \frac{ax^2(a^2)^p}{2} & \text{for } b = 0 \\ \frac{\log\left(-i\sqrt{a}\sqrt{\frac{1}{b}}+x\right)}{2b} + \frac{\log\left(i\sqrt{a}\sqrt{\frac{1}{b}}+x\right)}{2b} & \text{for } p = -1 \\ \frac{a^2(a^2+2abx^2+b^2x^4)^p}{4bp+4b} + \frac{2abx^2(a^2+2abx^2+b^2x^4)^p}{4bp+4b} + \frac{b^2x^4(a^2+2abx^2+b^2x^4)^p}{4bp+4b} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**2+a)*(b**2*x**4+2*a*b*x**2+a**2)**p,x)

[Out] Piecewise((x**2/(2*a), Eq(b, 0) & Eq(p, -1)), (a*x**2*(a**2)**p/2, Eq(b, 0)), (log(-I*sqrt(a)*sqrt(1/b) + x)/(2*b) + log(I*sqrt(a)*sqrt(1/b) + x)/(2*b), Eq(p, -1)), (a**2*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(4*b*p + 4*b) + 2*a*b*x**2*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(4*b*p + 4*b) + b**2*x**4*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(4*b*p + 4*b), True))

3.93 $\int x^3 (a + bx^2) (a^2 + 2abx^2 + b^2x^4)^p dx$

Optimal. Leaf size=86

$$\frac{(a + bx^2)^3 (a^2 + 2abx^2 + b^2x^4)^p}{2b^2(2p + 3)} - \frac{a(a + bx^2)^2 (a^2 + 2abx^2 + b^2x^4)^p}{4b^2(p + 1)}$$

[Out] $-1/4*a*(b*x^2+a)^2*(b^2*x^4+2*a*b*x^2+a^2)^p/b^2/(1+p)+1/2*(b*x^2+a)^3*(b^2*x^4+2*a*b*x^2+a^2)^p/b^2/(3+2*p)$

Rubi [A] time = 0.09, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {1249, 770, 21, 43}

$$\frac{(a + bx^2)^3 (a^2 + 2abx^2 + b^2x^4)^p}{2b^2(2p + 3)} - \frac{a(a + bx^2)^2 (a^2 + 2abx^2 + b^2x^4)^p}{4b^2(p + 1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(a + b*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^p, x]$

[Out] $-(a*(a + b*x^2)^2*(a^2 + 2*a*b*x^2 + b^2*x^4)^p)/(4*b^2*(1 + p)) + ((a + b*x^2)^3*(a^2 + 2*a*b*x^2 + b^2*x^4)^p)/(2*b^2*(3 + 2*p))$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplrQ[c + d*x, a + b*x])

Rule 43

$\text{Int}[(a_.) + (b_.)*(x_))^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 770

$\text{Int}[(d_.) + (e_.)*(x_))^{(m_.)}*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[(a + b*x + c*x^2)^{\text{FracPart}[p]} / (c^{\text{IntPart}[p]}*(b/2 + c*x)^{(2*\text{FracPart}[p])}), \text{Int}[(d + e*x)^m*(f + g*x)*(b/2 + c*x)^{(2*p)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m}, x] && EqQ[b^2 - 4*a*c, 0]

Rule 1249

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
 \int x^3 (a + bx^2) (a^2 + 2abx^2 + b^2x^4)^p dx &= \frac{1}{2} \text{Subst} \left(\int x(a + bx) (a^2 + 2abx + b^2x^2)^p dx, x, x^2 \right) \\
 &= \frac{1}{2} \left((b(a + bx^2))^{-2p} (a^2 + 2abx^2 + b^2x^4)^p \right) \text{Subst} \left(\int x(a + bx) (ab + b^2x) dx, x, x^2 \right) \\
 &= \frac{\left((b(a + bx^2))^{-2p} (a^2 + 2abx^2 + b^2x^4)^p \right) \text{Subst} \left(\int x (ab + b^2x)^{1+2p} dx, x, x^2 \right)}{2b} \\
 &= \frac{\left((b(a + bx^2))^{-2p} (a^2 + 2abx^2 + b^2x^4)^p \right) \text{Subst} \left(\int \left(-\frac{a(ab+b^2x)^{1+2p}}{b} + \frac{(ab+b^2x)^{1+2p}}{2} \right) dx, x, x^2 \right)}{2b} \\
 &= -\frac{a(a + bx^2)^2 (a^2 + 2abx^2 + b^2x^4)^p}{4b^2(1 + p)} + \frac{(a + bx^2)^3 (a^2 + 2abx^2 + b^2x^4)^p}{2b^2(3 + 2p)}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 45, normalized size = 0.52

$$\frac{\left((a + bx^2)^2 \right)^{p+1} (2b(p + 1)x^2 - a)}{4b^2(p + 1)(2p + 3)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^p,x]

[Out] (((a + b*x^2)^2)^(1 + p)*(-a + 2*b*(1 + p)*x^2))/(4*b^2*(1 + p)*(3 + 2*p))

fricas [A] time = 0.52, size = 92, normalized size = 1.07

$$\frac{\left(2(b^3p + b^3)x^6 + 2a^2bpx^2 + (4ab^2p + 3ab^2)x^4 - a^3 \right) (b^2x^4 + 2abx^2 + a^2)^p}{4(2b^2p^2 + 5b^2p + 3b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="fricas")

[Out] 1/4*(2*(b^3*p + b^3)*x^6 + 2*a^2*b*p*x^2 + (4*a*b^2*p + 3*a*b^2)*x^4 - a^3)
*(b^2*x^4 + 2*a*b*x^2 + a^2)^p/(2*b^2*p^2 + 5*b^2*p + 3*b^2)

giac [B] time = 0.43, size = 196, normalized size = 2.28

$$\frac{2(b^2x^4 + 2abx^2 + a^2)^p b^3 p x^6 + 2(b^2x^4 + 2abx^2 + a^2)^p b^3 x^6 + 4(b^2x^4 + 2abx^2 + a^2)^p ab^2 p x^4 + 3(b^2x^4 + 2abx^2 + a^2)^p a^3}{4(2b^2p^2 + 5b^2p + 3b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="giac")

[Out] 1/4*(2*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*b^3*p*x^6 + 2*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*b^3*x^6 + 4*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a*b^2*p*x^4 + 3*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a*b^2*x^4 + 2*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a^2*b*p*x^2 - (b^2*x^4 + 2*a*b*x^2 + a^2)^p*a^3)/(2*b^2*p^2 + 5*b^2*p + 3*b^2)

maple [A] time = 0.01, size = 62, normalized size = 0.72

$$\frac{(-2x^2pb - 2bx^2 + a)(bx^2 + a)^2(b^2x^4 + 2abx^2 + a^2)^p}{4(2p^2 + 5p + 3)b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x)

[Out] -1/4*(b^2*x^4+2*a*b*x^2+a^2)^p*(-2*b*p*x^2-2*b*x^2+a)*(b*x^2+a)^2/b^2/(2*p^2+5*p+3)

maxima [A] time = 0.74, size = 135, normalized size = 1.57

$$\frac{(b^2(2p+1)x^4 + 2abpx^2 - a^2)(bx^2 + a)^{2p} a}{4(2p^2 + 3p + 1)b^2} + \frac{((2p^2 + 3p + 1)b^3x^6 + (2p^2 + p)ab^2x^4 - 2a^2bpx^2 + a^3)(bx^2 + a)^{2p}}{2(4p^3 + 12p^2 + 11p + 3)b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="maxima")

[Out] 1/4*(b^2*(2*p + 1)*x^4 + 2*a*b*p*x^2 - a^2)*(b*x^2 + a)^(2*p)*a/((2*p^2 + 3*p + 1)*b^2) + 1/2*((2*p^2 + 3*p + 1)*b^3*x^6 + (2*p^2 + p)*a*b^2*x^4 - 2*a^2*b*p*x^2 + a^3)*(b*x^2 + a)^(2*p)/((4*p^3 + 12*p^2 + 11*p + 3)*b^2)

mupad [B] time = 0.17, size = 108, normalized size = 1.26

$$(a^2 + 2abx^2 + b^2x^4)^p \left(\frac{bx^6(p+1)}{2(2p^2 + 5p + 3)} - \frac{a^3}{4b^2(2p^2 + 5p + 3)} + \frac{ax^4(4p+3)}{4(2p^2 + 5p + 3)} + \frac{a^2px^2}{2b(2p^2 + 5p + 3)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^p,x)`

[Out] $(a^2 + b^2x^4 + 2abx^2)^p \left(\frac{bx^6(p+1)}{2(5p+2p^2+3)} - \frac{a^3}{4b^2(5p+2p^2+3)} + \frac{ax^4(4p+3)}{4(5p+2p^2+3)} + \frac{a^2px^2}{2b(5p+2p^2+3)} \right)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\left\{ \begin{array}{l} \frac{ax^4(a^2)^p}{4} \\ \int \frac{x^3(a+bx^2)}{(a+bx^2)^{\frac{3}{2}}} dx \\ -\frac{a \log\left(-i\sqrt{a}\sqrt{\frac{1}{b}}+x\right)}{2b^2} - \frac{a \log\left(i\sqrt{a}\sqrt{\frac{1}{b}}+x\right)}{2b^2} + \frac{x^2}{2b} \\ -\frac{a^3(a^2+2abx^2+b^2x^4)^p}{8b^2p^2+20b^2p+12b^2} + \frac{2a^2bpx^2(a^2+2abx^2+b^2x^4)^p}{8b^2p^2+20b^2p+12b^2} + \frac{4ab^2px^4(a^2+2abx^2+b^2x^4)^p}{8b^2p^2+20b^2p+12b^2} + \frac{3ab^2x^4(a^2+2abx^2+b^2x^4)^p}{8b^2p^2+20b^2p+12b^2} + \frac{2b^3px^6(a^2+2abx^2+b^2x^4)^p}{8b^2p^2+20b^2p+12b^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(b*x**2+a)*(b**2*x**4+2*a*b*x**2+a**2)**p,x)`

[Out] `Piecewise((a*x**4*(a**2)**p/4, Eq(b, 0)), (Integral(x**3*(a + b*x**2)/((a + b*x**2)**2)**(3/2), x), Eq(p, -3/2)), (-a*log(-I*sqrt(a)*sqrt(1/b) + x)/(2*b**2) - a*log(I*sqrt(a)*sqrt(1/b) + x)/(2*b**2) + x**2/(2*b), Eq(p, -1)), (-a**3*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**2*p**2 + 20*b**2*p + 12*b**2) + 2*a**2*b*p*x**2*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**2*p**2 + 20*b**2*p + 12*b**2) + 4*a*b**2*p*x**4*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**2*p**2 + 20*b**2*p + 12*b**2) + 3*a*b**2*x**4*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**2*p**2 + 20*b**2*p + 12*b**2) + 2*b**3*p*x**6*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**2*p**2 + 20*b**2*p + 12*b**2) + 2*b**3*x**6*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**2*p**2 + 20*b**2*p + 12*b**2), True))`

3.94 $\int x^5 (a + bx^2) (a^2 + 2abx^2 + b^2x^4)^p dx$

Optimal. Leaf size=128

$$\frac{(a + bx^2)^4 (a^2 + 2abx^2 + b^2x^4)^p}{4b^3(p + 2)} - \frac{a (a + bx^2)^3 (a^2 + 2abx^2 + b^2x^4)^p}{b^3(2p + 3)} + \frac{a^2 (a + bx^2)^2 (a^2 + 2abx^2 + b^2x^4)^p}{4b^3(p + 1)}$$

[Out] $\frac{1}{4}a^2(bx^2+a)^2(b^2x^4+2abx^2+a^2)^p/b^3/(1+p) - a(bx^2+a)^3(b^2x^4+2abx^2+a^2)^p/b^3/(3+2p) + 1/4a(bx^2+a)^4(b^2x^4+2abx^2+a^2)^p/b^3/(2+p)$

Rubi [A] time = 0.13, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {1249, 770, 21, 43}

$$\frac{(a + bx^2)^4 (a^2 + 2abx^2 + b^2x^4)^p}{4b^3(p + 2)} - \frac{a (a + bx^2)^3 (a^2 + 2abx^2 + b^2x^4)^p}{b^3(2p + 3)} + \frac{a^2 (a + bx^2)^2 (a^2 + 2abx^2 + b^2x^4)^p}{4b^3(p + 1)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5(a + b*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^p, x]$

[Out] $(a^2*(a + b*x^2)^2*(a^2 + 2*a*b*x^2 + b^2*x^4)^p)/(4*b^3*(1 + p)) - (a*(a + b*x^2)^3*(a^2 + 2*a*b*x^2 + b^2*x^4)^p)/(b^3*(3 + 2*p)) + ((a + b*x^2)^4*(a^2 + 2*a*b*x^2 + b^2*x^4)^p)/(4*b^3*(2 + p))$

Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])

Rule 43

$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 770

$\text{Int}[(d_.) + (e_.)*(x_)]^{(m_.)}*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[(a + b*x + c*x^2)^{\text{FracPart}[p]} / (c^{\text{IntPa}}$

rt[p]*(b/2 + c*x)^(2*FracPart[p])), Int[(d + e*x)^m*(f + g*x)*(b/2 + c*x)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && EqQ[b^2 - 4*a*c, 0]

Rule 1249

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p] && IGtQ[(m + 1)/2, 0]

Rubi steps

$$\begin{aligned}
 \int x^5 (a + bx^2) (a^2 + 2abx^2 + b^2x^4)^p dx &= \frac{1}{2} \text{Subst} \left(\int x^2 (a + bx) (a^2 + 2abx + b^2x^2)^p dx, x, x^2 \right) \\
 &= \frac{1}{2} \left((b(a + bx^2))^{-2p} (a^2 + 2abx^2 + b^2x^4)^p \right) \text{Subst} \left(\int x^2 (a + bx) (ab + b^2x) \right. \\
 &\quad \left. (b(a + bx^2))^{-2p} (a^2 + 2abx^2 + b^2x^4)^p \right) \text{Subst} \left(\int x^2 (ab + b^2x)^{1+2p} dx, x, x^2 \right) \\
 &= \frac{\left((b(a + bx^2))^{-2p} (a^2 + 2abx^2 + b^2x^4)^p \right) \text{Subst} \left(\int \left(\frac{a^2(ab + b^2x)^{1+2p}}{b^2} - \frac{2a(ab + b^2x)^{1+2p}}{b} \right) dx, x, x^2 \right)}{2b} \\
 &= \frac{a^2 (a + bx^2)^2 (a^2 + 2abx^2 + b^2x^4)^p}{4b^3(1 + p)} - \frac{a (a + bx^2)^3 (a^2 + 2abx^2 + b^2x^4)^p}{b^3(3 + 2p)}
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 68, normalized size = 0.53

$$\frac{\left((a + bx^2)^2 \right)^{p+1} (a^2 - 2ab(p+1)x^2 + b^2(2p^2 + 5p + 3)x^4)}{4b^3(p+1)(p+2)(2p+3)}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(a + b*x^2)*(a^2 + 2*a*b*x^2 + b^2*x^4)^p, x]

[Out] (((a + b*x^2)^2)^(1 + p)*(a^2 - 2*a*b*(1 + p)*x^2 + b^2*(3 + 5*p + 2*p^2)*x^4))/(4*b^3*(1 + p)*(2 + p)*(3 + 2*p))

fricas [A] time = 0.69, size = 140, normalized size = 1.09

$$\frac{\left((2b^4p^2 + 5b^4p + 3b^4)x^8 - 2a^3bpx^2 + 4(ab^3p^2 + 2ab^3p + ab^3)x^6 + (2a^2b^2p^2 + a^2b^2p)x^4 + a^4 \right) (b^2x^4 + 2abx^2)}{4(2b^3p^3 + 9b^3p^2 + 13b^3p + 6b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="fricas")

[Out] 1/4*((2*b^4*p^2 + 5*b^4*p + 3*b^4)*x^8 - 2*a^3*b*p*x^2 + 4*(a*b^3*p^2 + 2*a*b^3*p + a*b^3)*x^6 + (2*a^2*b^2*p^2 + a^2*b^2*p)*x^4 + a^4)*(b^2*x^4 + 2*a*b*x^2 + a^2)^p/(2*b^3*p^3 + 9*b^3*p^2 + 13*b^3*p + 6*b^3)

giac [B] time = 0.38, size = 331, normalized size = 2.59

$$\frac{2(b^2x^4 + 2abx^2 + a^2)^p b^4 p^2 x^8 + 5(b^2x^4 + 2abx^2 + a^2)^p b^4 p x^8 + 4(b^2x^4 + 2abx^2 + a^2)^p ab^3 p^2 x^6 + 3(b^2x^4 + 2abx^2 + a^2)^p ab^3 p x^6 + 4a^4(b^2x^4 + 2abx^2 + a^2)^p}{2b^3p^3 + 9b^3p^2 + 13b^3p + 6b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="giac")

[Out] 1/4*(2*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*b^4*p^2*x^8 + 5*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*b^4*p*x^8 + 4*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a*b^3*p^2*x^6 + 3*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*b^4*x^8 + 8*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a*b^3*p*x^6 + 2*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a^2*b^2*p^2*x^4 + 4*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a*b^3*x^6 + (b^2*x^4 + 2*a*b*x^2 + a^2)^p*a^2*b^2*p*x^4 - 2*(b^2*x^4 + 2*a*b*x^2 + a^2)^p*a^3*b*p*x^2 + (b^2*x^4 + 2*a*b*x^2 + a^2)^p*a^4)/(2*b^3*p^3 + 9*b^3*p^2 + 13*b^3*p + 6*b^3)

maple [A] time = 0.01, size = 99, normalized size = 0.77

$$\frac{(bx^2 + a)^2 (2b^2p^2x^4 + 5b^2px^4 + 3b^2x^4 - 2abpx^2 - 2abx^2 + a^2) (b^2x^4 + 2abx^2 + a^2)^p}{4(2p^3 + 9p^2 + 13p + 6)b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x)

[Out] 1/4*(b*x^2+a)^2*(2*b^2*p^2*x^4+5*b^2*p*x^4+3*b^2*x^4-2*a*b*p*x^2-2*a*b*x^2+a^2)*(b^2*x^4+2*a*b*x^2+a^2)^p/b^3/(2*p^3+9*p^2+13*p+6)

maxima [A] time = 0.70, size = 196, normalized size = 1.53

$$\frac{((2p^2 + 3p + 1)b^3x^6 + (2p^2 + p)ab^2x^4 - 2a^2bpx^2 + a^3)(bx^2 + a)^{2p}a}{2(4p^3 + 12p^2 + 11p + 3)b^3} + \frac{((4p^3 + 12p^2 + 11p + 3)b^4x^8 + 2(2p^3 + 12p^2 + 11p + 3)ab^3x^6 + (2p^2 + p)ab^2x^4 - 2a^2bpx^2 + a^3)(bx^2 + a)^{2p}a}{4(4p^3 + 12p^2 + 11p + 3)b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(b*x^2+a)*(b^2*x^4+2*a*b*x^2+a^2)^p,x, algorithm="maxima")

[Out] $\frac{1}{2} * ((2 * p^2 + 3 * p + 1) * b^3 * x^6 + (2 * p^2 + p) * a * b^2 * x^4 - 2 * a^2 * b * p * x^2 + a^3 * (b * x^2 + a)^{(2 * p)} * a / ((4 * p^3 + 12 * p^2 + 11 * p + 3) * b^3) + \frac{1}{4} * ((4 * p^3 + 12 * p^2 + 11 * p + 3) * b^4 * x^8 + 2 * (2 * p^3 + 3 * p^2 + p) * a * b^3 * x^6 - 3 * (2 * p^2 + p) * a^2 * b^2 * x^4 + 6 * a^3 * b * p * x^2 - 3 * a^4) * (b * x^2 + a)^{(2 * p)} / ((4 * p^4 + 20 * p^3 + 3 * p^2 + 25 * p + 6) * b^3)$

mupad [B] time = 0.20, size = 169, normalized size = 1.32

$$(a^2 + 2abx^2 + b^2x^4)^p \left(\frac{a^4}{4b^3(2p^3 + 9p^2 + 13p + 6)} + \frac{ax^6(p+1)^2}{2p^3 + 9p^2 + 13p + 6} + \frac{bx^8(2p^2 + 5p + 3)}{4(2p^3 + 9p^2 + 13p + 6)} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(a + b*x^2)*(a^2 + b^2*x^4 + 2*a*b*x^2)^p,x)`

[Out] $(a^2 + b^2 * x^4 + 2 * a * b * x^2)^p * (a^4 / (4 * b^3 * (13 * p + 9 * p^2 + 2 * p^3 + 6)) + (a * x^6 * (p + 1)^2) / (13 * p + 9 * p^2 + 2 * p^3 + 6) + (b * x^8 * (5 * p + 2 * p^2 + 3)) / (4 * (13 * p + 9 * p^2 + 2 * p^3 + 6)) - (a^3 * p * x^2) / (2 * b^2 * (13 * p + 9 * p^2 + 2 * p^3 + 6)) + (a^2 * p * x^4 * (2 * p + 1)) / (4 * b * (13 * p + 9 * p^2 + 2 * p^3 + 6)))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\left\{ \begin{array}{l} \frac{ax^6(a^2)^p}{6} \\ \frac{2a^2 \log(-i\sqrt{a}\sqrt{\frac{1}{b}}+x)}{4a^2b^3+8ab^4x^2+4b^5x^4} + \frac{2a^2 \log(i\sqrt{a}\sqrt{\frac{1}{b}}+x)}{4a^2b^3+8ab^4x^2+4b^5x^4} + \frac{3a^2}{4a^2b^3+8ab^4x^2+4b^5x^4} + \frac{4abx^2 \log(-i\sqrt{a}\sqrt{\frac{1}{b}}+x)}{4a^2b^3+8ab^4x^2+4b^5x^4} + \frac{4abx^2 \log(i\sqrt{a}\sqrt{\frac{1}{b}}+x)}{4a^2b^3+8ab^4x^2+4b^5x^4} + \frac{4a}{4a^2b^3+8ab^4x^2+4b^5x^4} \\ \int \frac{x^5(a+bx^2)}{(a+bx^2)^2} dx \\ \frac{a^2 \log(-i\sqrt{a}\sqrt{\frac{1}{b}}+x)}{2b^3} + \frac{a^2 \log(i\sqrt{a}\sqrt{\frac{1}{b}}+x)}{2b^3} - \frac{ax^2}{2b^2} + \frac{x^4}{4b} \\ \frac{a^4(a^2+2abx^2+b^2x^4)^p}{8b^3p^3+36b^3p^2+52b^3p+24b^3} - \frac{2a^3bpx^2(a^2+2abx^2+b^2x^4)^p}{8b^3p^3+36b^3p^2+52b^3p+24b^3} + \frac{2a^2b^2p^2x^4(a^2+2abx^2+b^2x^4)^p}{8b^3p^3+36b^3p^2+52b^3p+24b^3} + \frac{a^2b^2px^4(a^2+2abx^2+b^2x^4)^p}{8b^3p^3+36b^3p^2+52b^3p+24b^3} + \frac{4ab^3p^2x^6(a^2+2abx^2+b^2x^4)^p}{8b^3p^3+36b^3p^2+52b^3p+24b^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(b*x**2+a)*(b**2*x**4+2*a*b*x**2+a**2)**p,x)`

[Out] `Piecewise((a*x**6*(a**2)**p/6, Eq(b, 0)), (2*a**2*log(-I*sqrt(a)*sqrt(1/b) + x)/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 2*a**2*log(I*sqrt(a)*sqrt(1/b) + x)/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 3*a**2/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 4*a*b*x**2*log(-I*sqrt(a)*sqrt(1/b) + x`

```

)/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 4*a*b*x**2*log(I*sqrt(a)*sqrt(1/b) + x)/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 4*a*b*x**2/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 2*b**2*x**4*log(-I*sqrt(a)*sqrt(1/b) + x)/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4) + 2*b**2*x**4*log(I*sqrt(a)*sqrt(1/b) + x)/(4*a**2*b**3 + 8*a*b**4*x**2 + 4*b**5*x**4), Eq(p, -2))
, (Integral(x**5*(a + b*x**2)/((a + b*x**2)**2)**(3/2), x), Eq(p, -3/2)), (
a**2*log(-I*sqrt(a)*sqrt(1/b) + x)/(2*b**3) + a**2*log(I*sqrt(a)*sqrt(1/b) + x)/(2*b**3) - a*x**2/(2*b**2) + x**4/(4*b), Eq(p, -1)), (a**4*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) - 2*a**3*b*p*x**2*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 2*a**2*b**2*p**2*x**4*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + a**2*b**2*p*x**4*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 4*a*b**3*p**2*x**6*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 8*a*b**3*p*x**6*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 4*a*b**3*x**6*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 2*b**4*p**2*x**8*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 5*b**4*p*x**8*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3) + 3*b**4*x**8*(a**2 + 2*a*b*x**2 + b**2*x**4)**p/(8*b**3*p**3 + 36*b**3*p**2 + 52*b**3*p + 24*b**3), True))

```

3.95 $\int x^3 (A + Bx^2) (a + bx^2 + cx^4)^3 dx$

Optimal. Leaf size=166

$$\frac{1}{4}a^3Ax^4 + \frac{1}{6}a^2x^6(aB+3Ab) + \frac{3}{14}cx^{14}(aBc + Abc + b^2B) + \frac{3}{8}ax^8(A(ac + b^2) + abB) + \frac{1}{12}x^{12}(3aAc^2 + 6abBc + 3Ab^2c + b^3B)$$

[Out] 1/4*a^3*A*x^4+1/6*a^2*(3*A*b+B*a)*x^6+3/8*a*(a*b*B+A*(a*c+b^2))*x^8+1/10*(3*a*B*(a*c+b^2)+A*(6*a*b*c+b^3))*x^10+1/12*(3*A*a*c^2+3*A*b^2*c+6*B*a*b*c+B*b^3)*x^12+3/14*c*(A*b*c+B*a*c+B*b^2)*x^14+1/16*c^2*(A*c+3*B*b)*x^16+1/18*B*c^3*x^18

Rubi [A] time = 0.39, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1251, 765}

$$\frac{1}{6}a^2x^6(aB+3Ab) + \frac{1}{4}a^3Ax^4 + \frac{1}{12}x^{12}(3aAc^2 + 6abBc + 3Ab^2c + b^3B) + \frac{3}{14}cx^{14}(aBc + Abc + b^2B) + \frac{1}{10}x^{10}(A(6ab$$

Antiderivative was successfully verified.

[In] Int[x^3*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] (a^3*A*x^4)/4 + (a^2*(3*A*b + a*B)*x^6)/6 + (3*a*(a*b*B + A*(b^2 + a*c))*x^8)/8 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^10)/10 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^12)/12 + (3*c*(b^2*B + A*b*c + a*B*c)*x^14)/14 + (c^2*(3*b*B + A*c)*x^16)/16 + (B*c^3*x^18)/18

Rule 765

Int[((e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, e, f, g, m}, x] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int x^3 (A + Bx^2) (a + bx^2 + cx^4)^3 dx &= \frac{1}{2} \text{Subst} \left(\int x(A + Bx) (a + bx + cx^2)^3 dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int (a^3 Ax + a^2(3Ab + aB)x^2 + 3a(abB + A(b^2 + ac)))x^3 + (3aB(b^2 + ac) + 3a^2B)x^5 + \frac{3}{2}a^2Bx^7 + \frac{3}{2}a^2Bx^9 dx, x, x^2 \right) \\ &= \frac{1}{4}a^3Ax^4 + \frac{1}{6}a^2(3Ab + aB)x^6 + \frac{3}{8}a(abB + A(b^2 + ac))x^8 + \frac{1}{10}(3aB(b^2 + ac) + 3a^2B)x^{10} + \frac{3}{16}a^2Bx^{12} + \frac{3}{16}a^2Bx^{14} \end{aligned}$$

Mathematica [A] time = 0.05, size = 166, normalized size = 1.00

$$\frac{1}{4}a^3Ax^4 + \frac{1}{6}a^2x^6(aB + 3Ab) + \frac{3}{14}cx^{14}(aBc + Abc + b^2B) + \frac{3}{8}ax^8(A(ac + b^2) + abB) + \frac{1}{12}x^{12}(3aAc^2 + 6abBc + 3a^2Bc)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] (a^3*A*x^4)/4 + (a^2*(3*A*b + a*B)*x^6)/6 + (3*a*(a*b*B + A*(b^2 + a*c))*x^8)/8 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^10)/10 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^12)/12 + (3*c*(b^2*B + A*b*c + a*B*c)*x^14)/14 + (c^2*(3*b*B + A*c)*x^16)/16 + (B*c^3*x^18)/18

fricas [A] time = 0.63, size = 193, normalized size = 1.16

$$\frac{1}{18}x^{18}c^3B + \frac{3}{16}x^{16}c^2bB + \frac{1}{16}x^{16}c^3A + \frac{3}{14}x^{14}cb^2B + \frac{3}{14}x^{14}c^2aB + \frac{3}{14}x^{14}c^2bA + \frac{1}{12}x^{12}b^3B + \frac{1}{2}x^{12}cbaB + \frac{1}{4}x^{12}cb^2A + \frac{1}{4}x^{12}cb^2B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out] 1/18*x^18*c^3*B + 3/16*x^16*c^2*b*B + 1/16*x^16*c^3*A + 3/14*x^14*c*b^2*B + 3/14*x^14*c^2*a*B + 3/14*x^14*c^2*b*A + 1/12*x^12*b^3*B + 1/2*x^12*c*b*a*B + 1/4*x^12*c*b^2*A + 1/4*x^12*c^2*a*A + 3/10*x^10*b^2*a*B + 3/10*x^10*c*a^2*B + 1/10*x^10*b^3*A + 3/5*x^10*c*b*a*A + 3/8*x^8*b*a^2*B + 3/8*x^8*b^2*a*A + 3/8*x^8*c*a^2*A + 1/6*x^6*a^3*B + 1/2*x^6*b*a^2*A + 1/4*x^4*a^3*A

giac [A] time = 0.34, size = 193, normalized size = 1.16

$$\frac{1}{18}Bc^3x^{18} + \frac{3}{16}Bbc^2x^{16} + \frac{1}{16}Ac^3x^{16} + \frac{3}{14}Bb^2cx^{14} + \frac{3}{14}Bac^2x^{14} + \frac{3}{14}Abc^2x^{14} + \frac{1}{12}Bb^3x^{12} + \frac{1}{2}Babcx^{12} + \frac{1}{4}Ab^2cx^{12} + \frac{1}{4}Ab^2c^2x^{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out] $\frac{1}{18}B^3c^3x^{18} + \frac{3}{16}B^2bc^2x^{16} + \frac{1}{16}A^3c^3x^{16} + \frac{3}{14}B^2b^2cx^{14} + \frac{3}{14}B^2ac^2x^{14} + \frac{3}{14}A^2b^2c^2x^{14} + \frac{1}{12}B^2b^3x^{12} + \frac{1}{2}B^2a^2bcx^{12} + \frac{1}{4}A^2b^2c^2x^{12} + \frac{1}{4}A^2a^2c^2x^{12} + \frac{3}{10}B^2a^2b^2x^{10} + \frac{1}{10}A^2b^3x^{10} + \frac{3}{10}B^2a^2c^2x^{10} + \frac{3}{5}A^2a^2bcx^{10} + \frac{3}{8}B^2a^2b^2x^8 + \frac{3}{8}A^2a^2b^2x^8 + \frac{3}{8}A^2a^2c^2x^8 + \frac{1}{6}B^2a^3x^6 + \frac{1}{2}A^2a^2b^2x^6 + \frac{1}{4}A^2a^3x^4$

maple [A] time = 0.00, size = 226, normalized size = 1.36

$$\frac{B^3c^3x^{18}}{18} + \frac{(Ac^3 + 3Bbc^2)x^{16}}{16} + \frac{(3Abc^2 + (ac^2 + 2b^2c + (2ac + b^2)c)B)x^{14}}{14} + \frac{((ac^2 + 2b^2c + (2ac + b^2)c)A + (b^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^{12} + \frac{1}{10}(3B^2a^2b^2 + A^2a^2bc)x^{10} + \frac{1}{8}(A^2a^2b^2 + 2b^2a^2c + A^2a^2c^2)x^8 + \frac{1}{6}(3A^2a^2b^2 + B^2a^3)x^6 + \frac{1}{4}A^2a^3x^4)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x)`

[Out] $\frac{1}{18}B^3c^3x^{18} + \frac{1}{16}(A^3c^3 + 3B^2bc^2)x^{16} + \frac{1}{14}(3A^2b^2c + B^2(a^2c^2 + 2b^2c + c^2 + c(2ac + b^2)))x^{14} + \frac{1}{12}(A^2(a^2c^2 + 2b^2c + c^2 + c(2ac + b^2)) + B^2(4a^2bc + b^2(2ac + b^2)))x^{12} + \frac{1}{10}(A^2(4a^2bc + b^2(2ac + b^2)) + B^2(a^2(2ac + b^2) + 2b^2a^2c + c^2a^2))x^{10} + \frac{1}{8}(A^2(a^2(2ac + b^2) + 2b^2a^2c + c^2a^2) + 3B^2a^2b^2)x^8 + \frac{1}{6}(3A^2a^2b^2 + B^2a^3)x^6 + \frac{1}{4}A^2a^3x^4$

maxima [A] time = 0.60, size = 166, normalized size = 1.00

$$\frac{1}{18}B^3c^3x^{18} + \frac{1}{16}(3Bbc^2 + Ac^3)x^{16} + \frac{3}{14}(Bb^2c + (Ba + Ab)c^2)x^{14} + \frac{1}{12}(Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^{12} + \frac{1}{10}(3B^2a^2b^2 + A^2a^2bc)x^{10} + \frac{1}{8}(A^2a^2b^2 + 2b^2a^2c + A^2a^2c^2)x^8 + \frac{1}{6}(3A^2a^2b^2 + B^2a^3)x^6 + \frac{1}{4}A^2a^3x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{18}B^3c^3x^{18} + \frac{1}{16}(3B^2bc^2 + A^3c^3)x^{16} + \frac{3}{14}(B^2b^2c + (B^2a + A^2b)c^2)x^{14} + \frac{1}{12}(B^2b^3 + 3A^2a^2c^2 + 3(2B^2a^2b + A^2b^2)c)x^{12} + \frac{1}{10}(3B^2a^2b^2 + A^2b^3 + 3(B^2a^2 + 2A^2a^2b)c)x^{10} + \frac{3}{8}(B^2a^2b^2 + A^2a^2b^2 + A^2a^2c^2)x^8 + \frac{1}{4}A^2a^3x^4 + \frac{1}{6}(B^2a^3 + 3A^2a^2b^2)x^6$

mupad [B] time = 0.08, size = 169, normalized size = 1.02

$$x^{10} \left(\frac{3Bca^2}{10} + \frac{3Bab^2}{10} + \frac{3Acab}{5} + \frac{Ab^3}{10} \right) + x^{12} \left(\frac{Bb^3}{12} + \frac{Ab^2c}{4} + \frac{Babc}{2} + \frac{Aac^2}{4} \right) + x^6 \left(\frac{Ba^3}{6} + \frac{Ab^2a^2}{2} \right) + x^{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x)`

[Out] $x^{10} \left(\frac{(A^2b^3)/10 + (3B^2a^2b^2)/10 + (3B^2a^2c)/10 + (3A^2a^2bc)/5}{10} \right) + x^{12} \left(\frac{(B^2b^3)/12 + (A^2a^2c^2)/4 + (A^2b^2c)/4 + (B^2a^2bc)/2}{12} \right) + x^6 \left(\frac{(B^2a^3)/6 + (A^2a^2b^2)/2}{6} \right) + x^{16} \left(\frac{(A^3c^3)/16 + (3B^2bc^2)/16}{16} \right) + x^8 \left(\frac{(3A^2a^2b^2)/8 + (3B^2a^2b^2)/8}{8} \right)$

$$Aa^2c)/8 + (3Ba^2b)/8) + x^{14}((3Abc^2)/14 + (3Ba^2c^2)/14 + (3Bb^2c)/14) + (Aa^3x^4)/4 + (Bc^3x^{18})/18$$

sympy [A] time = 0.10, size = 202, normalized size = 1.22

$$\frac{Aa^3x^4}{4} + \frac{Bc^3x^{18}}{18} + x^{16} \left(\frac{Ac^3}{16} + \frac{3Bbc^2}{16} \right) + x^{14} \left(\frac{3Abc^2}{14} + \frac{3Bac^2}{14} + \frac{3Bb^2c}{14} \right) + x^{12} \left(\frac{Aac^2}{4} + \frac{Ab^2c}{4} + \frac{Babc}{2} + \frac{Bb^3}{12} \right) + x^{10} \left(\frac{Aa^2c}{4} + \frac{Bab^2}{4} + \frac{Bb^3}{12} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(B*x**2+A)*(c*x**4+b*x**2+a)**3,x)

[Out] A*a**3*x**4/4 + B*c**3*x**18/18 + x**16*(A*c**3/16 + 3*B*b*c**2/16) + x**14*(3*A*b*c**2/14 + 3*B*a*c**2/14 + 3*B*b**2*c/14) + x**12*(A*a*c**2/4 + A*b**2*c/4 + B*a*b*c/2 + B*b**3/12) + x**10*(3*A*a*b*c/5 + A*b**3/10 + 3*B*a**2*c/10 + 3*B*a*b**2/10) + x**8*(3*A*a**2*c/8 + 3*A*a*b**2/8 + 3*B*a**2*b/8) + x**6*(A*a**2*b/2 + B*a**3/6)

3.96 $\int x^2 (A + Bx^2) (a + bx^2 + cx^4)^3 dx$

Optimal. Leaf size=166

$$\frac{1}{3}a^3Ax^3 + \frac{1}{5}a^2x^5(aB+3Ab) + \frac{3}{13}cx^{13}(aBc + Abc + b^2B) + \frac{3}{7}ax^7(A(ac + b^2) + abB) + \frac{1}{11}x^{11}(3aAc^2 + 6abBc + 3A$$

[Out] $1/3*a^3*A*x^3+1/5*a^2*(3*A*b+B*a)*x^5+3/7*a*(a*b*B+A*(a*c+b^2))*x^7+1/9*(3*a*B*(a*c+b^2)+A*(6*a*b*c+b^3))*x^9+1/11*(3*A*a*c^2+3*A*b^2*c+6*B*a*b*c+B*b^3)*x^{11}+3/13*c*(A*b*c+B*a*c+B*b^2)*x^{13}+1/15*c^2*(A*c+3*B*b)*x^{15}+1/17*B*c^3*x^{17}$

Rubi [A] time = 0.15, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1261}

$$\frac{1}{5}a^2x^5(aB+3Ab) + \frac{1}{3}a^3Ax^3 + \frac{1}{11}x^{11}(3aAc^2 + 6abBc + 3Ab^2c + b^3B) + \frac{3}{13}cx^{13}(aBc + Abc + b^2B) + \frac{1}{9}x^9(A(6abc -$$

Antiderivative was successfully verified.

[In] Int[x^2*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] $(a^3*A*x^3)/3 + (a^2*(3*A*b + a*B)*x^5)/5 + (3*a*(a*b*B + A*(b^2 + a*c))*x^7)/7 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^9)/9 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^{11})/11 + (3*c*(b^2*B + A*b*c + a*B*c)*x^{13})/13 + (c^2*(3*b*B + A*c)*x^{15})/15 + (B*c^3*x^{17})/17$

Rule 1261

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int x^2 (A + Bx^2) (a + bx^2 + cx^4)^3 dx &= \int (a^3Ax^2 + a^2(3Ab + aB)x^4 + 3a(abB + A(b^2 + ac))x^6 + (3aB(b^2 + a) \\ &= \frac{1}{3}a^3Ax^3 + \frac{1}{5}a^2(3Ab + aB)x^5 + \frac{3}{7}a(abB + A(b^2 + ac))x^7 + \frac{1}{9}(3aB(b^2 + a) \end{aligned}$$

Mathematica [A] time = 0.05, size = 166, normalized size = 1.00

$$\frac{1}{3}a^3Ax^3 + \frac{1}{5}a^2x^5(aB+3Ab) + \frac{3}{13}cx^{13}(aBc + Abc + b^2B) + \frac{3}{7}ax^7(A(ac + b^2) + abB) + \frac{1}{11}x^{11}(3aAc^2 + 6abBc + 3A$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] (a^3*A*x^3)/3 + (a^2*(3*A*b + a*B)*x^5)/5 + (3*a*(a*b*B + A*(b^2 + a*c))*x^7)/7 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^9)/9 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^11)/11 + (3*c*(b^2*B + A*b*c + a*B*c)*x^13)/13 + (c^2*(3*b*B + A*c)*x^15)/15 + (B*c^3*x^17)/17

fricas [A] time = 0.58, size = 193, normalized size = 1.16

$$\frac{1}{17}x^{17}c^3B + \frac{1}{5}x^{15}c^2bB + \frac{1}{15}x^{15}c^3A + \frac{3}{13}x^{13}cb^2B + \frac{3}{13}x^{13}c^2aB + \frac{3}{13}x^{13}c^2bA + \frac{1}{11}x^{11}b^3B + \frac{6}{11}x^{11}cbaB + \frac{3}{11}x^{11}cb^2A + \frac{3}{11}x^{11}c^2aA$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out] 1/17*x^17*c^3*B + 1/5*x^15*c^2*b*B + 1/15*x^15*c^3*A + 3/13*x^13*c*b^2*B + 3/13*x^13*c^2*a*B + 3/13*x^13*c^2*b*A + 1/11*x^11*b^3*B + 6/11*x^11*c*b*a*B + 3/11*x^11*c*b^2*A + 3/11*x^11*c^2*a*A + 1/3*x^9*b^2*a*B + 1/3*x^9*c*a^2*B + 1/9*x^9*b^3*A + 2/3*x^9*c*b*a*A + 3/7*x^7*b*a^2*B + 3/7*x^7*b^2*a*A + 3/7*x^7*c*a^2*A + 1/5*x^5*a^3*B + 3/5*x^5*b*a^2*A + 1/3*x^3*a^3*A

giac [A] time = 0.27, size = 193, normalized size = 1.16

$$\frac{1}{17}Bc^3x^{17} + \frac{1}{5}Bbc^2x^{15} + \frac{1}{15}Ac^3x^{15} + \frac{3}{13}Bb^2cx^{13} + \frac{3}{13}Bac^2x^{13} + \frac{3}{13}Abc^2x^{13} + \frac{1}{11}Bb^3x^{11} + \frac{6}{11}Babcx^{11} + \frac{3}{11}Ab^2cx^{11} + \frac{3}{11}Acb^2x^{11} + \frac{3}{11}Aa^2cx^{11} + \frac{1}{3}Bb^2a^2x^9 + \frac{1}{9}Aa^3b^3x^9 + \frac{1}{3}Bb^2a^2cx^9 + \frac{2}{3}Aa^2b^2cx^9 + \frac{3}{7}Bb^2a^2bx^7 + \frac{3}{7}Aa^2b^2x^7 + \frac{3}{7}Aa^2c^2x^7 + \frac{1}{5}Bb^3a^3x^5 + \frac{3}{5}Aa^2b^2bx^5 + \frac{1}{3}Aa^3x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out] 1/17*B*c^3*x^17 + 1/5*B*b*c^2*x^15 + 1/15*A*c^3*x^15 + 3/13*B*b^2*c*x^13 + 3/13*B*a*c^2*x^13 + 3/13*A*b*c^2*x^13 + 1/11*B*b^3*x^11 + 6/11*B*a*b*c*x^11 + 3/11*A*b^2*c*x^11 + 3/11*A*a*c^2*x^11 + 1/3*B*a*b^2*x^9 + 1/9*A*a*b^3*x^9 + 1/3*B*a^2*c*x^9 + 2/3*A*a*b*c*x^9 + 3/7*B*a^2*b*x^7 + 3/7*A*a*b^2*x^7 + 3/7*A*a^2*c*x^7 + 1/5*B*a^3*x^5 + 3/5*A*a^2*b*x^5 + 1/3*A*a^3*x^3

maple [A] time = 0.00, size = 226, normalized size = 1.36

$$\frac{Bc^3x^{17}}{17} + \frac{(Ac^3 + 3Bbc^2)x^{15}}{15} + \frac{(3Abc^2 + (ac^2 + 2b^2c + (2ac + b^2)c)B)x^{13}}{13} + \frac{((ac^2 + 2b^2c + (2ac + b^2)c)A + (4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x)

[Out] $1/17*B*c^3*x^{17}+1/15*(A*c^3+3*B*b*c^2)*x^{15}+1/13*(3*A*b*c^2+(a*c^2+2*b^2*c+(2*a*c+b^2)*c)*B)*x^{13}+1/11*((a*c^2+2*b^2*c+(2*a*c+b^2)*c)*A+(4*a*b*c+(2*a*c+b^2)*b)*B)*x^{11}+1/9*((4*a*b*c+(2*a*c+b^2)*b)*A+(a^2*c+2*a*b^2+(2*a*c+b^2)*a)*B)*x^9+1/7*(3*B*a^2*b+(a^2*c+2*a*b^2+(2*a*c+b^2)*a)*A)*x^7+1/5*(3*A*a^2*b+B*a^3)*x^5+1/3*a^3*A*x^3$

maxima [A] time = 0.73, size = 166, normalized size = 1.00

$$\frac{1}{17} Bc^3x^{17} + \frac{1}{15} (3Bbc^2 + Ac^3)x^{15} + \frac{3}{13} (Bb^2c + (Ba + Ab)c^2)x^{13} + \frac{1}{11} (Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^{11} + \frac{1}{9} (3Bab^2 + Ab^3 + 3(Ba^2 + 2Aab)c)x^9 + \frac{3}{7} (Ba^2b + Aab^2 + Aa^2c)x^7 + \frac{1}{3} Aa^3x^3 + \frac{1}{5} (Ba^3 + 3Aa^2b)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="maxima")`

[Out] $1/17*B*c^3*x^{17} + 1/15*(3*B*b*c^2 + A*c^3)*x^{15} + 3/13*(B*b^2*c + (B*a + A*b)*c^2)*x^{13} + 1/11*(B*b^3 + 3*A*a*c^2 + 3*(2*B*a*b + A*b^2)*c)*x^{11} + 1/9*(3*B*a*b^2 + A*b^3 + 3*(B*a^2 + 2*A*a*b)*c)*x^9 + 3/7*(B*a^2*b + A*a*b^2 + A*a^2*c)*x^7 + 1/3*A*a^3*x^3 + 1/5*(B*a^3 + 3*A*a^2*b)*x^5$

mupad [B] time = 0.10, size = 169, normalized size = 1.02

$$x^9 \left(\frac{Bca^2}{3} + \frac{Bab^2}{3} + \frac{2Acab}{3} + \frac{Ab^3}{9} \right) + x^{11} \left(\frac{Bb^3}{11} + \frac{3Ab^2c}{11} + \frac{6Babc}{11} + \frac{3Aac^2}{11} \right) + x^5 \left(\frac{Ba^3}{5} + \frac{3Aba^2}{5} \right) + x^{13} \left(\frac{3Aa^2c}{13} + \frac{3Bac^2}{13} + \frac{3Bb^2c}{13} \right) + x^{15} \left(\frac{Ac^3}{15} + \frac{Bbc^2}{5} \right) + x^{17} \left(\frac{Aa^3x^3}{3} + \frac{Bc^3x^{17}}{17} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x)`

[Out] $x^9*((A*b^3)/9 + (B*a*b^2)/3 + (B*a^2*c)/3 + (2*A*a*b*c)/3) + x^{11}*((B*b^3)/11 + (3*A*a*c^2)/11 + (3*A*b^2*c)/11 + (6*B*a*b*c)/11) + x^5*((B*a^3)/5 + (3*A*a^2*b)/5) + x^{15}*((A*c^3)/15 + (B*b*c^2)/5) + x^7*((3*A*a*b^2)/7 + (3*A*a^2*c)/7 + (3*B*a^2*b)/7) + x^{13}*((3*A*b*c^2)/13 + (3*B*a*c^2)/13 + (3*B*b^2*c)/13) + (A*a^3*x^3)/3 + (B*c^3*x^{17})/17$

sympy [A] time = 0.10, size = 204, normalized size = 1.23

$$\frac{Aa^3x^3}{3} + \frac{Bc^3x^{17}}{17} + x^{15} \left(\frac{Ac^3}{15} + \frac{Bbc^2}{5} \right) + x^{13} \left(\frac{3Abc^2}{13} + \frac{3Bac^2}{13} + \frac{3Bb^2c}{13} \right) + x^{11} \left(\frac{3Aac^2}{11} + \frac{3Ab^2c}{11} + \frac{6Babc}{11} + \frac{Bb^3}{11} \right) + x^9 \left(\frac{3Aa^2c}{9} + \frac{3Aab^2}{9} + \frac{3Aa^2b}{9} \right) + x^7 \left(\frac{3Aa^2b}{7} + \frac{3Aa^2c}{7} + \frac{3Aab^2}{7} \right) + x^5 \left(\frac{3Aa^2b}{5} + \frac{Baa^3}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(B*x**2+A)*(c*x**4+b*x**2+a)**3,x)`

[Out] $A*a**3*x**3/3 + B*c**3*x**17/17 + x**15*(A*c**3/15 + B*b*c**2/5) + x**13*(3*A*b*c**2/13 + 3*B*a*c**2/13 + 3*B*b**2*c/13) + x**11*(3*A*a*c**2/11 + 3*A*b**2*c/11 + 6*B*a*b*c/11 + B*b**3/11) + x**9*(2*A*a*b*c/3 + A*b**3/9 + B*a**2*c/3 + B*a*b**2/3) + x**7*(3*A*a**2*c/7 + 3*A*a*b**2/7 + 3*B*a**2*b/7) + x**5*(3*A*a**2*b/5 + B*a**3/5)$

$$3.97 \quad \int x (A + Bx^2) (a + bx^2 + cx^4)^3 dx$$

Optimal. Leaf size=166

$$\frac{1}{2}a^3Ax^2 + \frac{1}{4}a^2x^4(aB+3Ab) + \frac{1}{4}cx^{12}(aBc + Abc + b^2B) + \frac{1}{2}ax^6(A(ac + b^2) + abB) + \frac{1}{10}x^{10}(3aAc^2 + 6abBc + 3Ab^2c)$$

[Out] 1/2*a^3*A*x^2+1/4*a^2*(3*A*b+B*a)*x^4+1/2*a*(a*b*B+A*(a*c+b^2))*x^6+1/8*(3*a*B*(a*c+b^2)+A*(6*a*b*c+b^3))*x^8+1/10*(3*A*a*c^2+3*A*b^2*c+6*B*a*b*c+B*b^3)*x^10+1/4*c*(A*b*c+B*a*c+B*b^2)*x^12+1/14*c^2*(A*c+3*B*b)*x^14+1/16*B*c^3*x^16

Rubi [A] time = 0.29, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1247, 631}

$$\frac{1}{4}a^2x^4(aB+3Ab) + \frac{1}{2}a^3Ax^2 + \frac{1}{10}x^{10}(3aAc^2 + 6abBc + 3Ab^2c + b^3B) + \frac{1}{4}cx^{12}(aBc + Abc + b^2B) + \frac{1}{8}x^8(A(6abc + b^3))$$

Antiderivative was successfully verified.

[In] Int[x*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] (a^3*A*x^2)/2 + (a^2*(3*A*b + a*B)*x^4)/4 + (a*(a*b*B + A*(b^2 + a*c))*x^6)/2 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^8)/8 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^10)/10 + (c*(b^2*B + A*b*c + a*B*c)*x^12)/4 + (c^2*(3*b*B + A*c)*x^14)/14 + (B*c^3*x^16)/16

Rule 631

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || EqQ[a, 0])

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

[Out] $\frac{1}{16}Bc^3x^{16} + \frac{3}{14}Bb^2c^2x^{14} + \frac{1}{14}A^3c^3x^{14} + \frac{1}{4}Bb^2c^2x^{12} + \frac{1}{4}B^2ac^2x^{12} + \frac{1}{4}A^2b^2c^2x^{12} + \frac{1}{10}Bb^3x^{10} + \frac{3}{5}B^2ab^2c^2x^{10} + \frac{3}{10}A^2b^2c^2x^{10} + \frac{3}{10}A^2ac^2x^{10} + \frac{3}{8}B^2a^2b^2x^8 + \frac{1}{8}A^2b^3x^8 + \frac{3}{8}B^2a^2c^2x^8 + \frac{3}{4}A^2ab^2c^2x^8 + \frac{1}{2}B^2a^2b^2x^6 + \frac{1}{2}A^2a^2b^2x^6 + \frac{1}{2}A^2a^2c^2x^6 + \frac{1}{4}B^2a^3x^4 + \frac{3}{4}A^2a^2b^2x^4 + \frac{1}{2}A^2a^3x^2$

maple [A] time = 0.00, size = 226, normalized size = 1.36

$$\frac{Bc^3x^{16}}{16} + \frac{(Ac^3 + 3Bb^2c^2)x^{14}}{14} + \frac{(3Ab^2c^2 + (ac^2 + 2b^2c + (2ac + b^2)c)B)x^{12}}{12} + \frac{((ac^2 + 2b^2c + (2ac + b^2)c)A + (4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x)`

[Out] $\frac{1}{16}Bc^3x^{16} + \frac{1}{14}(Ac^3 + 3Bb^2c^2)x^{14} + \frac{1}{12}(3Ab^2c^2 + (ac^2 + 2b^2c + (2ac + b^2)c)B)x^{12} + \frac{1}{10}((ac^2 + 2b^2c + (2ac + b^2)c)A + (4a^2c + 2ab^2 + (2a^2c + b^2)c)B)x^{10} + \frac{1}{8}((4a^2c + 2ab^2 + (2a^2c + b^2)c)A + (a^2c + 2ab^2 + (2a^2c + b^2)c)B)x^8 + \frac{1}{6}(3B^2a^2b + (a^2c + 2ab^2 + (2a^2c + b^2)c)A)x^6 + \frac{1}{4}(3A^2a^2b + B^2a^3)x^4 + \frac{1}{2}a^3A^2x^2$

maxima [A] time = 0.77, size = 166, normalized size = 1.00

$$\frac{1}{16}Bc^3x^{16} + \frac{1}{14}(3Bb^2c^2 + Ac^3)x^{14} + \frac{1}{4}(Bb^2c + (Ba + Ab)c^2)x^{12} + \frac{1}{10}(Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^{10} + \frac{1}{8}(3B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="maxima")`

[Out] $\frac{1}{16}Bc^3x^{16} + \frac{1}{14}(3Bb^2c^2 + A^3c^3)x^{14} + \frac{1}{4}(Bb^2c^2 + (B^2a + A^2b^2)c^2)x^{12} + \frac{1}{10}(Bb^3 + 3A^2ac^2 + 3(2B^2ab + A^2b^2)c)x^{10} + \frac{1}{8}(3B^2a^2b^2 + A^2b^3 + 3(B^2a^2 + 2A^2ab)c)x^8 + \frac{1}{2}(B^2a^2b + A^2ab^2 + A^2a^2c)x^6 + \frac{1}{2}A^2a^3x^4 + \frac{1}{4}(B^2a^3 + 3A^2a^2b)x^2$

mapad [B] time = 0.05, size = 169, normalized size = 1.02

$$x^8 \left(\frac{3Bca^2}{8} + \frac{3Bab^2}{8} + \frac{3Acab}{4} + \frac{Ab^3}{8} \right) + x^{10} \left(\frac{Bb^3}{10} + \frac{3Ab^2c}{10} + \frac{3Babc}{5} + \frac{3Aac^2}{10} \right) + x^4 \left(\frac{Ba^3}{4} + \frac{3Aba^2}{4} \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x)`

[Out] $x^8 \left(\frac{(A^2b^3)/8 + (3B^2a^2b^2)/8 + (3B^2a^2c^2)/8 + (3A^2ab^2c)/4}{8} \right) + x^{10} \left(\frac{(B^2b^3)/10 + (3A^2ac^2)/10 + (3A^2b^2c^2)/10 + (3B^2ab^2c)/5}{10} \right) + x^4 \left(\frac{(B^2a^3)/4 + (3A^2a^2b^2)/4}{4} \right) + x^{14} \left(\frac{(A^2c^3)/14 + (3B^2b^2c^2)/14}{14} \right) + x^6 \left(\frac{(A^2ab^2)/2 + (3A^2a^2b^2)/2}{2} \right)$

$$(A*a^2*c)/2 + (B*a^2*b)/2) + x^{12}*((A*b*c^2)/4 + (B*a*c^2)/4 + (B*b^2*c)/4) + (A*a^3*x^2)/2 + (B*c^3*x^{16})/16$$

sympy [A] time = 0.10, size = 199, normalized size = 1.20

$$\frac{Aa^3x^2}{2} + \frac{Bc^3x^{16}}{16} + x^{14} \left(\frac{Ac^3}{14} + \frac{3Bbc^2}{14} \right) + x^{12} \left(\frac{Abc^2}{4} + \frac{Bac^2}{4} + \frac{Bb^2c}{4} \right) + x^{10} \left(\frac{3Aac^2}{10} + \frac{3Ab^2c}{10} + \frac{3Babc}{5} + \frac{Bb^3}{10} \right) + x^8 \left(\frac{3Aa^2b}{8} + \frac{3Bab^2}{8} \right) + x^6 \left(\frac{Aa^2c}{2} + \frac{Aab^2}{2} + \frac{Ba^2b}{2} \right) + x^4 \left(\frac{3Aa^2b}{4} + \frac{Ba^3}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x**2+A)*(c*x**4+b*x**2+a)**3,x)

[Out] A*a**3*x**2/2 + B*c**3*x**16/16 + x**14*(A*c**3/14 + 3*B*b*c**2/14) + x**12*(A*b*c**2/4 + B*a*c**2/4 + B*b**2*c/4) + x**10*(3*A*a*c**2/10 + 3*A*b**2*c/10 + 3*B*a*b*c/5 + B*b**3/10) + x**8*(3*A*a*b*c/4 + A*b**3/8 + 3*B*a**2*c/8 + 3*B*a*b**2/8) + x**6*(A*a**2*c/2 + A*a*b**2/2 + B*a**2*b/2) + x**4*(3*A*a**2*b/4 + B*a**3/4)

$$3.98 \quad \int (A + Bx^2) (a + bx^2 + cx^4)^3 dx$$

Optimal. Leaf size=161

$$a^3 Ax + \frac{1}{3} a^2 x^3 (aB + 3Ab) + \frac{3}{11} cx^{11} (aBc + Abc + b^2 B) + \frac{3}{5} ax^5 (A(ac + b^2) + abB) + \frac{1}{9} x^9 (3aAc^2 + 6abBc + 3Ab^2c +$$

[Out] $a^3 A x + \frac{1}{3} a^2 (3 A b + B a) x^3 + \frac{3}{5} a (a b B + A (a c + b^2)) x^5 + \frac{1}{7} (3 a B (a c + b^2) + A (6 a b c + b^3)) x^7 + \frac{1}{9} (3 A a c^2 + 3 A b^2 c + 6 B a b c + B b^3) x^9 + \frac{3}{11} c (A b c + A b c + B b^2) x^{11} + \frac{1}{13} c^2 (A c + 3 B b) x^{13} + \frac{1}{15} B c^3 x^{15}$

Rubi [A] time = 0.12, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1153}

$$\frac{1}{3} a^2 x^3 (aB + 3Ab) + a^3 Ax + \frac{1}{9} x^9 (3aAc^2 + 6abBc + 3Ab^2c + b^3 B) + \frac{3}{11} cx^{11} (aBc + Abc + b^2 B) + \frac{1}{7} x^7 (A(6abc + b^3) +$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] $a^3 A x + (a^2 (3 A b + a B) x^3) / 3 + (3 a (a b B + A (b^2 + a c)) x^5) / 5 + ((3 a B (b^2 + a c) + A (b^3 + 6 a b c)) x^7) / 7 + ((b^3 B + 3 A b^2 c + 6 a b B c + 3 a A c^2) x^9) / 9 + (3 c (b^2 B + A b c + a B c) x^{11}) / 11 + (c^2 (3 b B + A c) x^{13}) / 13 + (B c^3 x^{15}) / 15$

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (A + Bx^2) (a + bx^2 + cx^4)^3 dx &= \int (a^3 A + a^2(3Ab + aB)x^2 + 3a(abB + A(b^2 + ac))x^4 + (3aB(b^2 + ac) + A(6abc + b^3))x^6 + (3Ab^2c + b^3B)x^8 + (3aAc^2 + 6abBc + 3Ab^2c + b^3B)x^{10} + (3aBc^2 + 6abBc + 3Ab^2c + b^3B)x^{12} + Bc^3x^{14}) dx \\ &= a^3 Ax + \frac{1}{3} a^2 (3Ab + aB) x^3 + \frac{3}{5} a (abB + A(b^2 + ac)) x^5 + \frac{1}{7} (3aB(b^2 + ac) + A(6abc + b^3)) x^7 + \frac{1}{9} (3Ab^2c + b^3B) x^9 + \frac{1}{11} (3aAc^2 + 6abBc + 3Ab^2c + b^3B) x^{11} + \frac{1}{13} (3aBc^2 + 6abBc + 3Ab^2c + b^3B) x^{13} + \frac{1}{15} Bc^3 x^{15} \end{aligned}$$

Mathematica [A] time = 0.05, size = 161, normalized size = 1.00

$$a^3 Ax + \frac{1}{3} a^2 x^3 (aB + 3Ab) + \frac{3}{11} cx^{11} (aBc + Abc + b^2 B) + \frac{3}{5} ax^5 (A(ac + b^2) + abB) + \frac{1}{9} x^9 (3aAc^2 + 6abBc + 3Ab^2c +$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] $a^3Ax + (a^2(3Ab + aB))x^3/3 + (3a(abB + A(b^2 + ac)))x^5/5 + ((3aB(b^2 + ac) + A(b^3 + 6ab^2c))x^7)/7 + ((b^3B + 3Ab^2c + 6abBc + 3aAc^2)x^9)/9 + (3c(b^2B + Abc + aBc))x^{11}/11 + (c^2(3bB + Ac))x^{13}/13 + (Bc^3x^{15})/15$

fricas [A] time = 0.60, size = 189, normalized size = 1.17

$$\frac{1}{15}x^{15}c^3B + \frac{3}{13}x^{13}c^2bB + \frac{1}{13}x^{13}c^3A + \frac{3}{11}x^{11}cb^2B + \frac{3}{11}x^{11}c^2aB + \frac{3}{11}x^{11}c^2bA + \frac{1}{9}x^9b^3B + \frac{2}{3}x^9cbaB + \frac{1}{3}x^9cb^2A + \frac{1}{3}x^9c^2aA$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out] $1/15*x^{15}*c^3*B + 3/13*x^{13}*c^2*b*B + 1/13*x^{13}*c^3*A + 3/11*x^{11}*c*b^2*B + 3/11*x^{11}*c^2*a*B + 3/11*x^{11}*c^2*b*A + 1/9*x^9*b^3*B + 2/3*x^9*c*b*a*B + 1/3*x^9*c*b^2*A + 1/3*x^9*c^2*a*A + 3/7*x^7*b^2*a*B + 3/7*x^7*c*a^2*B + 1/7*x^7*b^3*A + 6/7*x^7*c*b*a*A + 3/5*x^5*b*a^2*B + 3/5*x^5*b^2*a*A + 3/5*x^5*c*a^2*A + 1/3*x^3*a^3*B + x^3*b*a^2*A + x*a^3*A$

giac [A] time = 0.26, size = 189, normalized size = 1.17

$$\frac{1}{15}Bc^3x^{15} + \frac{3}{13}Bbc^2x^{13} + \frac{1}{13}Ac^3x^{13} + \frac{3}{11}Bb^2cx^{11} + \frac{3}{11}Bac^2x^{11} + \frac{3}{11}Abc^2x^{11} + \frac{1}{9}Bb^3x^9 + \frac{2}{3}Babcx^9 + \frac{1}{3}Ab^2cx^9 + \frac{1}{3}Aa^3x^9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out] $1/15*B*c^3*x^{15} + 3/13*B*b*c^2*x^{13} + 1/13*A*c^3*x^{13} + 3/11*B*b^2*c*x^{11} + 3/11*B*a*c^2*x^{11} + 3/11*A*b*c^2*x^{11} + 1/9*B*b^3*x^9 + 2/3*B*a*b*c*x^9 + 1/3*A*b^2*c*x^9 + 1/3*A*a*c^2*x^9 + 3/7*B*a*b^2*x^7 + 1/7*A*b^3*x^7 + 3/7*B*a^2*c*x^7 + 6/7*A*a*b*c*x^7 + 3/5*B*a^2*b*x^5 + 3/5*A*a*b^2*x^5 + 3/5*A*a^2*c*x^5 + 1/3*B*a^3*x^3 + A*a^2*b*x^3 + A*a^3*x$

maple [A] time = 0.00, size = 223, normalized size = 1.39

$$\frac{Bc^3x^{15}}{15} + \frac{(Ac^3 + 3Bbc^2)x^{13}}{13} + \frac{(3Abc^2 + (ac^2 + 2b^2c + (2ac + b^2)c)B)x^{11}}{11} + \frac{((ac^2 + 2b^2c + (2ac + b^2)c)A + (a^3 + 3b^2c + 3abc)x^9)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)*(c*x^4+b*x^2+a)^3,x)

[Out] $1/15*B*c^3*x^{15}+1/13*(A*c^3+3*B*b*c^2)*x^{13}+1/11*(3*A*b*c^2+(a*c^2+2*b^2*c+(2*a*c+b^2)*c)*B)*x^{11}+1/9*((a*c^2+2*b^2*c+(2*a*c+b^2)*c)*A+(4*a*b*c+(2*a*c+b^2)*b)*B)*x^9+1/7*((4*a*b*c+(2*a*c+b^2)*b)*A+(a^2*c+2*a*b^2+(2*a*c+b^2)*a)*B)*x^7+1/5*(3*B*a^2*b+(a^2*c+2*a*b^2+(2*a*c+b^2)*a)*A)*x^5+1/3*(3*A*a^2*b+B*a^3)*x^3+a^3*A*x$

maxima [A] time = 0.73, size = 163, normalized size = 1.01

$$\frac{1}{15} Bc^3x^{15} + \frac{1}{13} (3Bbc^2 + Ac^3)x^{13} + \frac{3}{11} (Bb^2c + (Ba + Ab)c^2)x^{11} + \frac{1}{9} (Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^9 + \frac{1}{7} (3Ba$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3,x, algorithm="maxima")`

[Out] $1/15*B*c^3*x^{15} + 1/13*(3*B*b*c^2 + A*c^3)*x^{13} + 3/11*(B*b^2*c + (B*a + A*b)*c^2)*x^{11} + 1/9*(B*b^3 + 3*A*a*c^2 + 3*(2*B*a*b + A*b^2)*c)*x^9 + 1/7*(3*B*a*b^2 + A*b^3 + 3*(B*a^2 + 2*A*a*b)*c)*x^7 + 3/5*(B*a^2*b + A*a*b^2 + A*a^2*c)*x^5 + A*a^3*x + 1/3*(B*a^3 + 3*A*a^2*b)*x^3$

mupad [B] time = 0.05, size = 165, normalized size = 1.02

$$x^7 \left(\frac{3Bca^2}{7} + \frac{3Bab^2}{7} + \frac{6Acab}{7} + \frac{Ab^3}{7} \right) + x^9 \left(\frac{Bb^3}{9} + \frac{Ab^2c}{3} + \frac{2Babc}{3} + \frac{Aac^2}{3} \right) + x^3 \left(\frac{Ba^3}{3} + Aba^2 \right) + x^{13} \left(\frac{A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x^2)*(a + b*x^2 + c*x^4)^3,x)`

[Out] $x^7*((A*b^3)/7 + (3*B*a*b^2)/7 + (3*B*a^2*c)/7 + (6*A*a*b*c)/7) + x^9*((B*b^3)/9 + (A*a*c^2)/3 + (A*b^2*c)/3 + (2*B*a*b*c)/3) + x^3*((B*a^3)/3 + A*a^2*b) + x^{13}*((A*c^3)/13 + (3*B*b*c^2)/13) + x^5*((3*A*a*b^2)/5 + (3*A*a^2*c)/5 + (3*B*a^2*b)/5) + x^{11}*((3*A*b*c^2)/11 + (3*B*a*c^2)/11 + (3*B*b^2*c)/11) + (B*c^3*x^{15})/15 + A*a^3*x$

sympy [A] time = 0.10, size = 199, normalized size = 1.24

$$Aa^3x + \frac{Bc^3x^{15}}{15} + x^{13} \left(\frac{Ac^3}{13} + \frac{3Bbc^2}{13} \right) + x^{11} \left(\frac{3Abc^2}{11} + \frac{3Bac^2}{11} + \frac{3Bb^2c}{11} \right) + x^9 \left(\frac{Aac^2}{3} + \frac{Ab^2c}{3} + \frac{2Babc}{3} + \frac{Bb^3}{9} \right) + x^7 \left(\frac{6A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x**2+A)*(c*x**4+b*x**2+a)**3,x)`

[Out] $A*a**3*x + B*c**3*x**15/15 + x**13*(A*c**3/13 + 3*B*b*c**2/13) + x**11*(3*A*b*c**2/11 + 3*B*a*c**2/11 + 3*B*b**2*c/11) + x**9*(A*a*c**2/3 + A*b**2*c/3 + 2*B*a*b*c/3 + B*b**3/9) + x**7*(6*A*a*b*c/7 + A*b**3/7 + 3*B*a**2*c/7 + 3*B*a*b**2/7) + x**5*(3*A*a**2*c/5 + 3*A*a*b**2/5 + 3*B*a**2*b/5) + x**3*(A*a**2*b + B*a**3/3)$

$$3.99 \quad \int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x} dx$$

Optimal. Leaf size=162

$$a^3 A \log(x) + \frac{1}{2} a^2 x^2 (aB + 3Ab) + \frac{3}{10} cx^{10} (aBc + Abc + b^2 B) + \frac{3}{4} ax^4 (A(ac + b^2) + abB) + \frac{1}{8} x^8 (3aAc^2 + 6abBc + 3$$

[Out] $1/2*a^2*(3*A*b+B*a)*x^2+3/4*a*(a*b*B+A*(a*c+b^2))*x^4+1/6*(3*a*B*(a*c+b^2)+A*(6*a*b*c+b^3))*x^6+1/8*(3*A*a*c^2+3*A*b^2*c+6*B*a*b*c+B*b^3)*x^8+3/10*c*(A*b*c+B*a*c+B*b^2)*x^{10}+1/12*c^2*(A*c+3*B*b)*x^{12}+1/14*B*c^3*x^{14}+a^3*A*\ln(x)$

Rubi [A] time = 0.23, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1251, 765}

$$\frac{1}{2} a^2 x^2 (aB + 3Ab) + a^3 A \log(x) + \frac{1}{8} x^8 (3aAc^2 + 6abBc + 3Ab^2c + b^3B) + \frac{3}{10} cx^{10} (aBc + Abc + b^2B) + \frac{1}{6} x^6 (A(6abc$$

Antiderivative was successfully verified.

[In] Int[((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x, x]

[Out] $(a^2*(3*A*b + a*B)*x^2)/2 + (3*a*(a*b*B + A*(b^2 + a*c))*x^4)/4 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^6)/6 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^8)/8 + (3*c*(b^2*B + A*b*c + a*B*c)*x^{10})/10 + (c^2*(3*b*B + A*c)*x^{12})/12 + (B*c^3*x^{14})/14 + a^3*A*\text{Log}[x]$

Rule 765

Int[((e_)*(x_))^(m_)*((f_.) + (g_)*(x_))*((a_.) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, e, f, g, m}, x] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\int \frac{(A + Bx^2)(a + bx^2 + cx^4)^3}{x} dx = \frac{1}{2} \text{Subst} \left(\int \frac{(A + Bx)(a + bx + cx^2)^3}{x} dx, x, x^2 \right)$$

$$= \frac{1}{2} \text{Subst} \left(\int \left(a^2(3Ab + aB) + \frac{a^3A}{x} + 3a(abB + A(b^2 + ac)) \right) x + (3aB(b^2 + ac)) \right) dx, x, x^2$$

$$= \frac{1}{2} a^2(3Ab + aB)x^2 + \frac{3}{4} a(abB + A(b^2 + ac))x^4 + \frac{1}{6} (3aB(b^2 + ac) + A(b^3 + ab^2 + ab^2 + ac^2))x^6 + \frac{1}{8} (3aAc^2 + 6abBc + 3Aa^2c^2)x^8 + \frac{1}{10} (3a^2c^2 + 6abBc + 3Aa^2c^2)x^{10} + \frac{1}{12} (3a^2c^2 + 6abBc + 3Aa^2c^2)x^{12} + \frac{1}{14} (3a^2c^2 + 6abBc + 3Aa^2c^2)x^{14} + \frac{1}{2} A \log(x)$$

Mathematica [A] time = 0.06, size = 162, normalized size = 1.00

$$a^3 A \log(x) + \frac{1}{2} a^2 x^2 (aB + 3Ab) + \frac{3}{10} cx^{10} (aBc + Abc + b^2B) + \frac{3}{4} ax^4 (A(ac + b^2) + abB) + \frac{1}{8} x^8 (3aAc^2 + 6abBc + 3Aa^2c^2)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x,x]

[Out] (a^2*(3*A*b + a*B)*x^2)/2 + (3*a*(a*b*B + A*(b^2 + a*c))*x^4)/4 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^6)/6 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^8)/8 + (3*c*(b^2*B + A*b*c + a*B*c)*x^10)/10 + (c^2*(3*b*B + A*c)*x^12)/12 + (B*c^3*x^14)/14 + a^3*A*Log[x]

fricas [A] time = 0.62, size = 164, normalized size = 1.01

$$\frac{1}{14} Bc^3x^{14} + \frac{1}{12} (3Bbc^2 + Ac^3)x^{12} + \frac{3}{10} (Bb^2c + (Ba + Ab)c^2)x^{10} + \frac{1}{8} (Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^8 + \frac{1}{6} (3Ba^2c^2 + 6abBc + 3Aa^2c^2)x^6 + \frac{1}{4} (3a^2c^2 + 6abBc + 3Aa^2c^2)x^4 + \frac{1}{2} A \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x,x, algorithm="fricas")

[Out] 1/14*B*c^3*x^14 + 1/12*(3*B*b*c^2 + A*c^3)*x^12 + 3/10*(B*b^2*c + (B*a + A*b)*c^2)*x^10 + 1/8*(B*b^3 + 3*A*a*c^2 + 3*(2*B*a*b + A*b^2)*c)*x^8 + 1/6*(3*B*a*b^2 + A*b^3 + 3*(B*a^2 + 2*A*a*b)*c)*x^6 + 3/4*(B*a^2*b + A*a*b^2 + A*a^2*c)*x^4 + A*a^3*log(x) + 1/2*(B*a^3 + 3*A*a^2*b)*x^2

giac [A] time = 0.34, size = 193, normalized size = 1.19

$$\frac{1}{14} Bc^3x^{14} + \frac{1}{4} Bbc^2x^{12} + \frac{1}{12} Ac^3x^{12} + \frac{3}{10} Bb^2cx^{10} + \frac{3}{10} Bac^2x^{10} + \frac{3}{10} Abc^2x^{10} + \frac{1}{8} Bb^3x^8 + \frac{3}{4} Babcx^8 + \frac{3}{8} Ab^2cx^8 + \frac{3}{8} Aac^2x^6 + \frac{1}{4} (3a^2c^2 + 6abBc + 3Aa^2c^2)x^4 + \frac{1}{2} A \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x,x, algorithm="giac")

[Out] $1/14*B*c^3*x^{14} + 1/4*B*b*c^2*x^{12} + 1/12*A*c^3*x^{12} + 3/10*B*b^2*c*x^{10} + 3/10*B*a*c^2*x^{10} + 3/10*A*b*c^2*x^{10} + 1/8*B*b^3*x^8 + 3/4*B*a*b*c*x^8 + 3/8*A*b^2*c*x^8 + 3/8*A*a*c^2*x^8 + 1/2*B*a*b^2*x^6 + 1/6*A*b^3*x^6 + 1/2*B*a^2*c*x^6 + A*a*b*c*x^6 + 3/4*B*a^2*b*x^4 + 3/4*A*a*b^2*x^4 + 3/4*A*a^2*c*x^4 + 1/2*B*a^3*x^2 + 3/2*A*a^2*b*x^2 + 1/2*A*a^3*\log(x^2)$

maple [A] time = 0.00, size = 191, normalized size = 1.18

$$\frac{Bc^3x^{14}}{14} + \frac{Ac^3x^{12}}{12} + \frac{Bbc^2x^{12}}{4} + \frac{3Abc^2x^{10}}{10} + \frac{3Bac^2x^{10}}{10} + \frac{3Bb^2cx^{10}}{10} + \frac{3Aac^2x^8}{8} + \frac{3Ab^2cx^8}{8} + \frac{3Babcx^8}{4} + \frac{Bb^3x^8}{8} + Aab$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)*(c*x^4+b*x^2+a)^3/x,x)`

[Out] $1/14*B*c^3*x^{14} + 1/12*A*x^{12}*c^3 + 1/4*B*x^{12}*b*c^2 + 3/10*A*x^{10}*b*c^2 + 3/10*B*x^{10}*a*c^2 + 3/10*B*x^{10}*b^2*c + 3/8*A*x^8*a*c^2 + 3/8*A*x^8*b^2*c + 3/4*B*x^8*a*b*c + 1/8*B*x^8*b^3 + A*x^6*a*b*c + 1/6*A*x^6*b^3 + 1/2*B*x^6*a^2*c + 1/2*B*x^6*a*b^2 + 3/4*A*x^4*a^2*c + 3/4*A*x^4*a*b^2 + 3/4*B*x^4*a^2*b + 3/2*A*x^2*a^2*b + 1/2*B*x^2*a^3 + a^3*A*\ln(x)$

maxima [A] time = 0.79, size = 167, normalized size = 1.03

$$\frac{1}{14}Bc^3x^{14} + \frac{1}{12}(3Bbc^2 + Ac^3)x^{12} + \frac{3}{10}(Bb^2c + (Ba + Ab)c^2)x^{10} + \frac{1}{8}(Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^8 + \frac{1}{6}(3B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x,x, algorithm="maxima")`

[Out] $1/14*B*c^3*x^{14} + 1/12*(3*B*b*c^2 + A*c^3)*x^{12} + 3/10*(B*b^2*c + (B*a + A*b)*c^2)*x^{10} + 1/8*(B*b^3 + 3*A*a*c^2 + 3*(2*B*a*b + A*b^2)*c)*x^8 + 1/6*(3*B*a*b^2 + A*b^3 + 3*(B*a^2 + 2*A*a*b)*c)*x^6 + 3/4*(B*a^2*b + A*a*b^2 + A*a^2*c)*x^4 + 1/2*A*a^3*\log(x^2) + 1/2*(B*a^3 + 3*A*a^2*b)*x^2$

mupad [B] time = 0.10, size = 166, normalized size = 1.02

$$x^6 \left(\frac{Bca^2}{2} + \frac{Bab^2}{2} + Acab + \frac{Ab^3}{6} \right) + x^8 \left(\frac{Bb^3}{8} + \frac{3Ab^2c}{8} + \frac{3Babc}{4} + \frac{3Aac^2}{8} \right) + x^2 \left(\frac{Ba^3}{2} + \frac{3Ab^2a^2}{2} \right) + x^{12} \left(\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x,x)`

[Out] $x^6*((A*b^3)/6 + (B*a*b^2)/2 + (B*a^2*c)/2 + A*a*b*c) + x^8*((B*b^3)/8 + (3*A*a*c^2)/8 + (3*A*b^2*c)/8 + (3*B*a*b*c)/4) + x^2*((B*a^3)/2 + (3*A*a^2*b)/2) + x^{12}*((A*c^3)/12 + (B*b*c^2)/4) + x^4*((3*A*a*b^2)/4 + (3*A*a^2*c)/4)$

$$+ (3*B*a^2*b)/4) + x^{10}*((3*A*b*c^2)/10 + (3*B*a*c^2)/10 + (3*B*b^2*c)/10) \\ + (B*c^3*x^{14})/14 + A*a^3*\log(x)$$

sympy [A] time = 0.31, size = 199, normalized size = 1.23

$$Aa^3 \log(x) + \frac{Bc^3 x^{14}}{14} + x^{12} \left(\frac{Ac^3}{12} + \frac{Bbc^2}{4} \right) + x^{10} \left(\frac{3Abc^2}{10} + \frac{3Bac^2}{10} + \frac{3Bb^2c}{10} \right) + x^8 \left(\frac{3Aac^2}{8} + \frac{3Ab^2c}{8} + \frac{3Babc}{4} + \frac{Bb^3}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)*(c*x**4+b*x**2+a)**3/x,x)

[Out] A*a**3*log(x) + B*c**3*x**14/14 + x**12*(A*c**3/12 + B*b*c**2/4) + x**10*(3*A*b*c**2/10 + 3*B*a*c**2/10 + 3*B*b**2*c/10) + x**8*(3*A*a*c**2/8 + 3*A*b**2*c/8 + 3*B*a*b*c/4 + B*b**3/8) + x**6*(A*a*b*c + A*b**3/6 + B*a**2*c/2 + B*a*b**2/2) + x**4*(3*A*a**2*c/4 + 3*A*a*b**2/4 + 3*B*a**2*b/4) + x**2*(3*A*a**2*b/2 + B*a**3/2)

$$3.100 \quad \int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x^2} dx$$

Optimal. Leaf size=156

$$-\frac{a^3 A}{x} + a^2 x(aB+3Ab) + \frac{1}{3} cx^9 (aBc + Abc + b^2 B) + ax^3 (A(ac + b^2) + abB) + \frac{1}{7} x^7 (3aAc^2 + 6abBc + 3Ab^2c + b^3 B)$$

[Out] $-a^3 A/x + a^2*(3*A*b+B*a)*x + a*(a*b*B+A*(a*c+b^2))*x^3 + 1/5*(3*a*B*(a*c+b^2)+A*(6*a*b*c+b^3))*x^5 + 1/7*(3*A*a*c^2+3*A*b^2*c+6*B*a*b*c+B*b^3)*x^7 + 1/3*c*(A*b*c+B*a*c+B*b^2)*x^9 + 1/11*c^2*(A*c+3*B*b)*x^{11} + 1/13*B*c^3*x^{13}$

Rubi [A] time = 0.11, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1261}

$$a^2 x(aB+3Ab) - \frac{a^3 A}{x} + \frac{1}{7} x^7 (3aAc^2 + 6abBc + 3Ab^2c + b^3 B) + \frac{1}{3} cx^9 (aBc + Abc + b^2 B) + \frac{1}{5} x^5 (A(6abc + b^3) + 3a$$

Antiderivative was successfully verified.

[In] Int[((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x^2, x]

[Out] $-((a^3 A)/x) + a^2*(3*A*b + a*B)*x + a*(a*b*B + A*(b^2 + a*c))*x^3 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^5)/5 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^7)/7 + (c*(b^2*B + A*b*c + a*B*c)*x^9)/3 + (c^2*(3*b*B + A*c)*x^{11})/11 + (B*c^3*x^{13})/13$

Rule 1261

Int[((f_.)*(x_))^(m_.)*((d_) + (e_)*(x_)^2)^(q_.)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x^2} dx &= \int \left(a^2(3Ab+aB) + \frac{a^3 A}{x^2} + 3a(abB+A(b^2+ac))x^2 + (3aB(b^2+ac) + A \right. \\ &= -\frac{a^3 A}{x} + a^2(3Ab+aB)x + a(abB+A(b^2+ac))x^3 + \frac{1}{5}(3aB(b^2+ac) + A \end{aligned}$$

Mathematica [A] time = 0.08, size = 156, normalized size = 1.00

$$-\frac{a^3 A}{x} + a^2 x(aB + 3Ab) + \frac{1}{3} cx^9 (aBc + Abc + b^2 B) + ax^3 (A(ac + b^2) + abB) + \frac{1}{7} x^7 (3aAc^2 + 6abBc + 3Ab^2c + b^3 B)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x^2, x]

[Out] $-\frac{(a^3 A)}{x} + a^2(3A*b + a*B)*x + a*(a*b*B + A*(b^2 + a*c))*x^3 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^5)/5 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^7)/7 + (c*(b^2*B + A*b*c + a*B*c))*x^9/3 + (c^2*(3*b*B + A*c)*x^{11})/11 + (B*c^3*x^{13})/13$

fricas [A] time = 0.57, size = 168, normalized size = 1.08

$$1155 Bc^3 x^{14} + 1365 (3 Bbc^2 + Ac^3) x^{12} + 5005 (Bb^2c + (Ba + Ab)c^2) x^{10} + 2145 (Bb^3 + 3 Aac^2 + 3 (2 Bab + Ab^2))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^2,x, algorithm="fricas")

[Out] $\frac{1}{15015} (1155 Bc^3 x^{14} + 1365 (3 Bbc^2 + Ac^3) x^{12} + 5005 (Bb^2c + (Ba + Ab)c^2) x^{10} + 2145 (Bb^3 + 3 Aac^2 + 3 (2 Bab + Ab^2)) x^8 + 3003 (3 Bba^2c + Ab^3 + 3 (Bba^2 + 2 Aa^2b) c) x^6 + 15015 (Bba^2b + Aa^2b^2 + Aa^2c) x^4 - 15015 Aa^3 + 15015 (Bba^3 + 3 Aa^2b) x^2) / x$

giac [A] time = 0.31, size = 185, normalized size = 1.19

$$\frac{1}{13} Bc^3 x^{13} + \frac{3}{11} Bbc^2 x^{11} + \frac{1}{11} Ac^3 x^{11} + \frac{1}{3} Bb^2 cx^9 + \frac{1}{3} Bac^2 x^9 + \frac{1}{3} Abc^2 x^9 + \frac{1}{7} Bb^3 x^7 + \frac{6}{7} Babcx^7 + \frac{3}{7} Ab^2 cx^7 + \frac{3}{7} Aac^2 x^7 + \frac{3}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^2,x, algorithm="giac")

[Out] $\frac{1}{13} Bc^3 x^{13} + \frac{3}{11} Bbc^2 x^{11} + \frac{1}{11} Ac^3 x^{11} + \frac{1}{3} Bb^2 cx^9 + \frac{1}{3} Bac^2 x^9 + \frac{1}{3} Abc^2 x^9 + \frac{1}{7} Bb^3 x^7 + \frac{6}{7} Babcx^7 + \frac{3}{7} Ab^2 cx^7 + \frac{3}{5} Bba^2c x^5 + \frac{1}{5} Aa^2 b^3 x^5 + \frac{3}{5} Bba^2c x^5 + \frac{6}{5} Aa^2 b^2 cx^5 + Bba^2 b^2 x^3 + Aa^2 b^2 x^3 + Aa^2 c x^3 + Bba^3 x + 3 Aa^2 b x - Aa^3 / x$

maple [A] time = 0.00, size = 186, normalized size = 1.19

$$\frac{Bc^3 x^{13}}{13} + \frac{Ac^3 x^{11}}{11} + \frac{3Bbc^2 x^{11}}{11} + \frac{Abc^2 x^9}{3} + \frac{Bac^2 x^9}{3} + \frac{Bb^2 cx^9}{3} + \frac{3Aac^2 x^7}{7} + \frac{3Ab^2 cx^7}{7} + \frac{6Babcx^7}{7} + \frac{Bb^3 x^7}{7} + \frac{6Aabcx^5}{5} + \frac{3Aa^2 b^2 cx^5}{5} + \frac{1}{5} Aa^2 b^3 x^5 + \frac{3}{5} Bba^2c x^5 + \frac{6}{5} Aa^2 b^2 cx^5 + Bba^2 b^2 x^3 + Aa^2 b^2 x^3 + Aa^2 c x^3 + Bba^3 x + 3 Aa^2 b x - Aa^3 / x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^2,x)`

[Out] $1/13*B*c^3*x^{13}+1/11*A*x^{11}*c^3+3/11*B*x^{11}*b*c^2+1/3*A*x^9*b*c^2+1/3*B*x^9*a*c^2+1/3*B*x^9*b^2*c+3/7*A*x^7*a*c^2+3/7*A*x^7*b^2*c+6/7*B*x^7*a*b*c+1/7*B*x^7*b^3+6/5*A*x^5*a*b*c+1/5*A*x^5*b^3+3/5*B*x^5*a^2*c+3/5*B*x^5*a*b^2+A*x^3*a^2*c+A*x^3*a*b^2+B*x^3*a^2*b+3*A*a^2*b*x+B*a^3*x-a^3*A/x$

maxima [A] time = 0.71, size = 162, normalized size = 1.04

$$\frac{1}{13} Bc^3x^{13} + \frac{1}{11} (3Bbc^2 + Ac^3)x^{11} + \frac{1}{3} (Bb^2c + (Ba + Ab)c^2)x^9 + \frac{1}{7} (Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^7 + \frac{1}{5} (3Ba$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^2,x, algorithm="maxima")`

[Out] $1/13*B*c^3*x^{13} + 1/11*(3*B*b*c^2 + A*c^3)*x^{11} + 1/3*(B*b^2*c + (B*a + A*b)*c^2)*x^9 + 1/7*(B*b^3 + 3*A*a*c^2 + 3*(2*B*a*b + A*b^2)*c)*x^7 + 1/5*(3*B*a*b^2 + A*b^3 + 3*(B*a^2 + 2*A*a*b)*c)*x^5 + (B*a^2*b + A*a*b^2 + A*a^2*c)*x^3 - A*a^3/x + (B*a^3 + 3*A*a^2*b)*x$

mupad [B] time = 0.05, size = 163, normalized size = 1.04

$$x^5 \left(\frac{3Bca^2}{5} + \frac{3Bab^2}{5} + \frac{6Acab}{5} + \frac{Ab^3}{5} \right) + x^7 \left(\frac{Bb^3}{7} + \frac{3Ab^2c}{7} + \frac{6Babc}{7} + \frac{3Aac^2}{7} \right) + x (Ba^3 + 3Ab a^2) + x^{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x^2,x)`

[Out] $x^5*((A*b^3)/5 + (3*B*a*b^2)/5 + (3*B*a^2*c)/5 + (6*A*a*b*c)/5) + x^7*((B*b^3)/7 + (3*A*a*c^2)/7 + (3*A*b^2*c)/7 + (6*B*a*b*c)/7) + x*(B*a^3 + 3*A*a^2*b) + x^{11}*((A*c^3)/11 + (3*B*b*c^2)/11) + x^3*(A*a*b^2 + A*a^2*c + B*a^2*b) + x^9*((A*b*c^2)/3 + (B*a*c^2)/3 + (B*b^2*c)/3) - (A*a^3)/x + (B*c^3*x^{13})/13$

sympy [A] time = 0.31, size = 185, normalized size = 1.19

$$-\frac{Aa^3}{x} + \frac{Bc^3x^{13}}{13} + x^{11} \left(\frac{Ac^3}{11} + \frac{3Bbc^2}{11} \right) + x^9 \left(\frac{Abc^2}{3} + \frac{Bac^2}{3} + \frac{Bb^2c}{3} \right) + x^7 \left(\frac{3Aac^2}{7} + \frac{3Ab^2c}{7} + \frac{6Babc}{7} + \frac{Bb^3}{7} \right) + x^5 \left(\frac{6A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x**2+A)*(c*x**4+b*x**2+a)**3/x**2,x)`

[Out] $-Aa^3/x + Bc^3x^{13}/13 + x^{11}(Ac^3/11 + 3Bb^2c^2/11) + x^9(Ab^2c^2/3 + Ba^2c^2/3 + Bb^2c/3) + x^7(3Aa^2c^2/7 + 3Ab^2c/7 + 6Ba^2b^2c/7 + Bb^3/7) + x^5(6Aa^2b^2c/5 + Ab^3/5 + 3Ba^2c/5 + 3Ba^2b^2/5) + x^3(Aa^2c + Aa^2b^2 + Ba^2b) + x(3Aa^2b + Ba^3)$

$$3.101 \quad \int \frac{(A+Bx^2)(a+bx^2+cx^4)^3}{x^3} dx$$

Optimal. Leaf size=162

$$-\frac{a^3 A}{2x^2} + a^2 \log(x)(aB+3Ab) + \frac{3}{8}cx^8 (aBc + Abc + b^2B) + \frac{3}{2}ax^2 (A(ac + b^2) + abB) + \frac{1}{6}x^6 (3aAc^2 + 6abBc + 3Ab^2c + b^3B)$$

[Out] $-1/2*a^3*A/x^2+3/2*a*(a*b*B+A*(a*c+b^2))*x^2+1/4*(3*a*B*(a*c+b^2)+A*(6*a*b*c+b^3))*x^4+1/6*(3*A*a*c^2+3*A*b^2*c+6*B*a*b*c+B*b^3))*x^6+3/8*c*(A*b*c+B*a*c+B*b^2))*x^8+1/10*c^2*(A*c+3*B*b))*x^{10}+1/12*B*c^3*x^{12}+a^2*(3*A*b+B*a)*\ln(x)$

Rubi [A] time = 0.23, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1251, 765}

$$a^2 \log(x)(aB+3Ab) - \frac{a^3 A}{2x^2} + \frac{1}{6}x^6 (3aAc^2 + 6abBc + 3Ab^2c + b^3B) + \frac{3}{8}cx^8 (aBc + Abc + b^2B) + \frac{1}{4}x^4 (A(6abc + b^3))$$

Antiderivative was successfully verified.

[In] Int[((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x^3, x]

[Out] $-(a^3*A)/(2*x^2) + (3*a*(a*b*B + A*(b^2 + a*c))*x^2)/2 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^4)/4 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^6)/6 + (3*c*(b^2*B + A*b*c + a*B*c)*x^8)/8 + (c^2*(3*b*B + A*c)*x^{10})/10 + (B*c^3*x^{12})/12 + a^2*(3*A*b + a*B)*\text{Log}[x]$

Rule 765

Int[((e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, e, f, g, m}, x] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\int \frac{(A + Bx^2)(a + bx^2 + cx^4)^3}{x^3} dx = \frac{1}{2} \text{Subst} \left(\int \frac{(A + Bx)(a + bx + cx^2)^3}{x^2} dx, x, x^2 \right)$$

$$= \frac{1}{2} \text{Subst} \left(\int \left(3a(abB + A(b^2 + ac)) + \frac{a^3 A}{x^2} + \frac{a^2(3Ab + aB)}{x} + (3aB(b^2 + ac) + A(b^3 + 6abc)) \right) dx, x, x^2 \right)$$

$$= -\frac{a^3 A}{2x^2} + \frac{3}{2} a(abB + A(b^2 + ac))x^2 + \frac{1}{4} (3aB(b^2 + ac) + A(b^3 + 6abc))x^4 + \dots$$

Mathematica [A] time = 0.07, size = 162, normalized size = 1.00

$$-\frac{a^3 A}{2x^2} + a^2 \log(x)(aB + 3Ab) + \frac{3}{8} cx^8 (aBc + Abc + b^2 B) + \frac{3}{2} ax^2 (A(ac + b^2) + abB) + \frac{1}{6} x^6 (3aAc^2 + 6abBc + 3Ab^2c)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x^3, x]

[Out] -1/2*(a^3*A)/x^2 + (3*a*(a*b*B + A*(b^2 + a*c))*x^2)/2 + ((3*a*B*(b^2 + a*c) + A*(b^3 + 6*a*b*c))*x^4)/4 + ((b^3*B + 3*A*b^2*c + 6*a*b*B*c + 3*a*A*c^2)*x^6)/6 + (3*c*(b^2*B + A*b*c + a*B*c)*x^8)/8 + (c^2*(3*b*B + A*c)*x^10)/10 + (B*c^3*x^12)/12 + a^2*(3*A*b + a*B)*Log[x]

fricas [A] time = 0.75, size = 170, normalized size = 1.05

$$\frac{10 Bc^3 x^{14} + 12 (3 Bbc^2 + Ac^3) x^{12} + 45 (Bb^2c + (Ba + Ab)c^2) x^{10} + 20 (Bb^3 + 3 Aac^2 + 3 (2 Bab + Ab^2)c) x^8 + 30 (3 B^2ab^2 + 3 A^2b^3 + 3 (B^2a^2 + 2 A^2ab) c) x^6 + 180 (B^2a^2b + A^2ab^2 + A^2a^2c) x^4 - 60 A^2a^3 + 120 (B^2a^3 + 3 A^2a^2b) x^2 \log(x)}{120}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^3,x, algorithm="fricas")

[Out] 1/120*(10*B*c^3*x^14 + 12*(3*B*b*c^2 + A*c^3)*x^12 + 45*(B*b^2*c + (B*a + A*b)*c^2)*x^10 + 20*(B*b^3 + 3*A*a*c^2 + 3*(2*B*a*b + A*b^2)*c)*x^8 + 30*(3*B*a*b^2 + A*b^3 + 3*(B*a^2 + 2*A*a*b)*c)*x^6 + 180*(B*a^2*b + A*a*b^2 + A*a^2*c)*x^4 - 60*A*a^3 + 120*(B*a^3 + 3*A*a^2*b)*x^2*log(x))/x^2

giac [A] time = 0.40, size = 212, normalized size = 1.31

$$\frac{1}{12} Bc^3 x^{12} + \frac{3}{10} Bbc^2 x^{10} + \frac{1}{10} Ac^3 x^{10} + \frac{3}{8} Bb^2 cx^8 + \frac{3}{8} Bac^2 x^8 + \frac{3}{8} Abc^2 x^8 + \frac{1}{6} Bb^3 x^6 + Babcx^6 + \frac{1}{2} Ab^2 cx^6 + \frac{1}{2} Aac^2 x^6 + \frac{3}{4} A^2 a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^3,x, algorithm="giac")

[Out] $\frac{1}{12}Bc^3x^{12} + \frac{3}{10}Bb^2c^2x^{10} + \frac{1}{10}Ac^3x^{10} + \frac{3}{8}Bb^2c^2x^8 + \frac{3}{8}B^2ac^2x^8 + \frac{3}{8}A^2b^2c^2x^8 + \frac{1}{6}Bb^3x^6 + B^2ab^2c^2x^6 + \frac{1}{2}A^2b^2c^2x^6 + \frac{1}{2}A^2ac^2x^6 + \frac{3}{4}B^2ab^2x^4 + \frac{1}{4}A^2b^3x^4 + \frac{3}{4}B^2a^2c^2x^4 + \frac{3}{2}A^2ab^2c^2x^4 + \frac{3}{2}B^2a^2b^2x^2 + \frac{3}{2}A^2a^2b^2x^2 + \frac{3}{2}A^2a^2c^2x^2 + \frac{1}{2}(B^2a^3 + 3A^2a^2b)\log(x^2) - \frac{1}{2}(B^2a^3x^2 + 3A^2a^2b^2x^2 + A^2a^3)/x^2$

maple [A] time = 0.01, size = 190, normalized size = 1.17

$$\frac{Bc^3x^{12}}{12} + \frac{Ac^3x^{10}}{10} + \frac{3Bb^2c^2x^{10}}{10} + \frac{3Ab^2c^2x^8}{8} + \frac{3Ba^2c^2x^8}{8} + \frac{3Bb^2c^2x^8}{8} + \frac{Aa^2c^2x^6}{2} + \frac{Ab^2c^2x^6}{2} + Babc^2x^6 + \frac{Bb^3x^6}{6} + \frac{3Aabc^2x^4}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^3,x)

[Out] $\frac{1}{12}Bc^3x^{12} + \frac{1}{10}A^2x^{10}c^3 + \frac{3}{10}B^2x^{10}b^2c^2 + \frac{3}{8}A^2x^8b^2c^2 + \frac{3}{8}B^2x^8a^2c^2 + \frac{3}{8}B^2x^8b^2c^2 + \frac{1}{2}A^2x^6a^2c^2 + \frac{1}{2}A^2x^6b^2c^2 + B^2x^6a^2b^2c^2 + \frac{1}{6}B^2x^6b^3c^2 + \frac{3}{2}A^2x^4a^2b^2c^2 + \frac{1}{4}A^2x^4b^3c^2 + \frac{3}{4}B^2x^4a^2c^2 + \frac{3}{4}B^2x^4a^2b^2c^2 + \frac{3}{2}A^2x^2a^2c^2 + \frac{3}{2}A^2x^2a^2b^2c^2 + \frac{3}{2}B^2x^2a^2b^2c^2 + 3A\ln(x)a^2b + B\ln(x)a^3 - \frac{1}{2}A^2a^3/x^2$

maxima [A] time = 0.79, size = 167, normalized size = 1.03

$$\frac{1}{12}Bc^3x^{12} + \frac{1}{10}(3Bb^2c^2 + Ac^3)x^{10} + \frac{3}{8}(Bb^2c^2 + (Ba + Ab)c^2)x^8 + \frac{1}{6}(Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^6 + \frac{1}{4}(3Ba^2c^2 + 3A^2b^2c^2)x^4 + \frac{1}{2}(B^2a^3 + 3A^2a^2b)\log(x^2) - \frac{1}{2}(B^2a^3x^2 + 3A^2a^2b^2x^2 + A^2a^3)/x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)*(c*x^4+b*x^2+a)^3/x^3,x, algorithm="maxima")

[Out] $\frac{1}{12}Bc^3x^{12} + \frac{1}{10}(3Bb^2c^2 + A^2c^3)x^{10} + \frac{3}{8}(Bb^2c^2 + (Ba + Ab)c^2)x^8 + \frac{1}{6}(Bb^3 + 3Aac^2 + 3(2Bab + Ab^2)c)x^6 + \frac{1}{4}(3B^2a^2b^2c^2 + A^2b^3c^2 + 3(B^2a^2 + 2A^2ab)c)x^4 + \frac{3}{2}(B^2a^2b + A^2a^2b^2 + A^2a^2c^2)x^2 - \frac{1}{2}A^2a^3/x^2 + \frac{1}{2}(B^2a^3 + 3A^2a^2b)\log(x^2)$

mupad [B] time = 0.06, size = 166, normalized size = 1.02

$$x^4 \left(\frac{3Bca^2}{4} + \frac{3Bab^2}{4} + \frac{3Acab}{2} + \frac{Ab^3}{4} \right) + x^6 \left(\frac{Bb^3}{6} + \frac{Ab^2c}{2} + Babc + \frac{Aac^2}{2} \right) + x^{10} \left(\frac{Ac^3}{10} + \frac{3Bb^2c^2}{10} \right) + \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((A + B*x^2)*(a + b*x^2 + c*x^4)^3)/x^3,x)

$$3.102 \quad \int \frac{x^5(A+Bx^2)}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=133

$$\frac{(-aBc - Abc + b^2B) \log(a + bx^2 + cx^4)}{4c^3} + \frac{(2aAc^2 - 3abBc - Ab^2c + b^3B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^3\sqrt{b^2-4ac}} - \frac{x^2(bB - Ac)}{2c^2} + \frac{Bx^4}{4c}$$

[Out] $-1/2*(-A*c+B*b)*x^2/c^2+1/4*B*x^4/c+1/4*(-A*b*c-B*a*c+B*b^2)*\ln(c*x^4+b*x^2+a)/c^3+1/2*(2*A*a*c^2-A*b^2*c-3*B*a*b*c+B*b^3)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^3/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 800, 634, 618, 206, 628}

$$\frac{(-aBc - Abc + b^2B) \log(a + bx^2 + cx^4)}{4c^3} + \frac{(2aAc^2 - 3abBc - Ab^2c + b^3B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^3\sqrt{b^2-4ac}} - \frac{x^2(bB - Ac)}{2c^2} + \frac{Bx^4}{4c}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(A + B*x^2))/(a + b*x^2 + c*x^4), x]$

[Out] $-((b*B - A*c)*x^2)/(2*c^2) + (B*x^4)/(4*c) + ((b^3*B - A*b^2*c - 3*a*b*B*c + 2*a*A*c^2)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^3*\operatorname{Sqrt}[b^2 - 4*a*c]) + ((b^2*B - A*b*c - a*B*c)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^3)$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{Gt} Q[a, 0] \ || \operatorname{Lt} Q[b, 0])$

Rule 618

$\operatorname{Int}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\operatorname{Int}[(d_.) + (e_.)*(x_)]/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[(d*\operatorname{Log}[\operatorname{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x \ \&\& \operatorname{EqQ}[2*c*d - b*e, 0]$

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 800

```
Int[(((d_.) + (e_.)*(x_)^m)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (A + Bx^2)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2 (A + Bx)}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(-\frac{bB - Ac}{c^2} + \frac{Bx}{c} + \frac{a(bB - Ac) + (b^2B - Abc - aBc)x}{c^2 (a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{(bB - Ac)x^2}{2c^2} + \frac{Bx^4}{4c} + \frac{\text{Subst} \left(\int \frac{a(bB - Ac) + (b^2B - Abc - aBc)x}{a + bx + cx^2} dx, x, x^2 \right)}{2c^2} \\
&= -\frac{(bB - Ac)x^2}{2c^2} + \frac{Bx^4}{4c} + \frac{(b^2B - Abc - aBc) \text{Subst} \left(\int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4c^3} - \frac{(b^3B - Ab^2c - 3abBc + a^2c)}{4c^3} \\
&= -\frac{(bB - Ac)x^2}{2c^2} + \frac{Bx^4}{4c} + \frac{(b^2B - Abc - aBc) \log(a + bx^2 + cx^4)}{4c^3} + \frac{(b^3B - Ab^2c - 3abBc + a^2c)}{4c^3} \\
&= -\frac{(bB - Ac)x^2}{2c^2} + \frac{Bx^4}{4c} + \frac{(b^3B - Ab^2c - 3abBc + 2aAc^2) \tanh^{-1} \left(\frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2c^3 \sqrt{b^2 - 4ac}} + \frac{(b^2B - Abc - a^2c)}{4c^3}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 126, normalized size = 0.95

$$\frac{(-aBc - Abc + b^2B) \log(a + bx^2 + cx^4) + \frac{2(-2aAc^2 + 3abBc + Ab^2c + b^3(-B)) \tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2}} + 2cx^2(Ac - bB) + Bc^2x^4}{4c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(A + B*x^2))/(a + b*x^2 + c*x^4), x]

[Out] (2*c*(-(b*B) + A*c)*x^2 + B*c^2*x^4 + (2*(-(b^3*B) + A*b^2*c + 3*a*b*B*c - 2*a*A*c^2)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/Sqrt[-b^2 + 4*a*c] + (b^2*B - A*b*c - a*B*c)*Log[a + b*x^2 + c*x^4])/(4*c^3)

fricas [A] time = 0.81, size = 421, normalized size = 3.17

$$\left[\frac{(Bb^2c^2 - 4Bac^3)x^4 - 2(Bb^3c + 4Aac^3 - (4Bab + Ab^2)c^2)x^2 + (Bb^3 + 2Aac^2 - (3Bab + Ab^2)c)\sqrt{b^2 - 4ac} \log\left(\frac{b + 2cx^2}{\sqrt{4ac - b^2}}\right)}{4(b^2c^3 - 4ac^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] [1/4*((B*b^2*c^2 - 4*B*a*c^3)*x^4 - 2*(B*b^3*c + 4*A*a*c^3 - (4*B*a*b + A*b^2)*c^2)*x^2 + (B*b^3 + 2*A*a*c^2 - (3*B*a*b + A*b^2)*c)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) + (B*b^4 + 4*(B*a^2 + A*a*b)*c^2 - (5*B*a*b^2 + A*b^3)*c)*log(c*x^4 + b*x^2 + a))/(b^2*c^3 - 4*a*c^4), 1/4*((B*b^2*c^2 - 4*B*a*c^3)*x^4 - 2*(B*b^3*c + 4*A*a*c^3 - (4*B*a*b + A*b^2)*c^2)*x^2 + 2*(B*b^3 + 2*A*a*c^2 - (3*B*a*b + A*b^2)*c)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) + (B*b^4 + 4*(B*a^2 + A*a*b)*c^2 - (5*B*a*b^2 + A*b^3)*c)*log(c*x^4 + b*x^2 + a))/(b^2*c^3 - 4*a*c^4)]

giac [A] time = 1.87, size = 126, normalized size = 0.95

$$\frac{Bcx^4 - 2Bbx^2 + 2Acx^2}{4c^2} + \frac{(Bb^2 - Bac - Abc) \log(cx^4 + bx^2 + a)}{4c^3} - \frac{(Bb^3 - 3Babc - Ab^2c + 2Aac^2) \arctan\left(\frac{2cx^2}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] $\frac{1}{4}*(B*c*x^4 - 2*B*b*x^2 + 2*A*c*x^2)/c^2 + \frac{1}{4}*(B*b^2 - B*a*c - A*b*c)*\log(c*x^4 + b*x^2 + a)/c^3 - \frac{1}{2}*(B*b^3 - 3*B*a*b*c - A*b^2*c + 2*A*a*c^2)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/(\sqrt{-b^2 + 4*a*c}*c^3)$

maple [B] time = 0.01, size = 261, normalized size = 1.96

$$\frac{Bx^4}{4c} - \frac{Aa \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2}c} + \frac{Ab^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2\sqrt{4ac-b^2}c^2} + \frac{Ax^2}{2c} + \frac{3Bab \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2\sqrt{4ac-b^2}c^2} - \frac{Bb^3 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2\sqrt{4ac-b^2}c^3} - \frac{Bbx^2}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(B*x^2+A)/(c*x^4+b*x^2+a),x)`

[Out] $\frac{1}{4}Bx^4/c + \frac{1}{2}/cAx^2 - \frac{1}{2}/c^2Bx^2*b - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*Ab - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*a*B + \frac{1}{4}/c^3*\ln(c*x^4+b*x^2+a)*b^2*B - \frac{1}{c}/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*A + \frac{3}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*B + \frac{1}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*A*b^2 - \frac{1}{2}/c^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^3*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.46, size = 1343, normalized size = 10.10

$$x^2 \left(\frac{A}{2c} - \frac{Bb}{2c^2} \right) + \frac{Bx^4}{4c} - \frac{\ln(cx^4 + bx^2 + a) (8Ba^2c^2 - 10Bab^2c + 8Aab^2c^2 + 2Bb^4 - 2Ab^3c)}{2(16ac^4 - 4b^2c^3)} + \frac{\operatorname{atan}\left(\frac{2c^4(4a + bx^2 + cx^4)}{2c^4(4a + bx^2 + cx^4)}\right)}{2(16ac^4 - 4b^2c^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(A + B*x^2))/(a + b*x^2 + c*x^4), x)`

[Out] $x^2 \left(\frac{A}{2c} - \frac{Bb}{2c^2} \right) + \frac{Bx^4}{4c} - \frac{(\log(a + bx^2 + cx^4) * (2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (2(16ac^4 - 4b^2c^3)) + (\operatorname{atan}((2c^4(4a + bx^2 + cx^4) * (((6Ab^2c^4 - 6Bb^3c^3 - 4Aa^5 + 10Bab^4) / c^4 - (4b^2c^2(2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (16ac^4 - 4b^2c^3)) * (Bb^3 + 2Aa^2c^2 - Ab^2c - 3Bab^3c)) / (8c^3(4a + b^2)^{1/2}) - (b(Bb^3 + 2Aa^2c^2 - Ab^2c - 3Bab^3c)) * (2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (2c(4a + b^2)^{1/2} * (16ac^4 - 4b^2c^3))) / a - (b * (((6Ab^2c^4 - 6Bb^3c^3 - 4Aa^5 + 10Bab^4) / c^4 - (4b^2c^2(2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (16ac^4 - 4b^2c^3)) * (2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (2(16ac^4 - 4b^2c^3)) - (B^2b^5 + A^2b^3c^2 - 2ABb^4c - ABa^2c^3 - A^2ab^3c - 3B^2ab^3c + 2B^2a^2b^2c^2 + 4ABa^2b^2c^2) / c^4 + (b(Bb^3 + 2Aa^2c^2 - Ab^2c - 3Bab^3c))^2 / (2c^4(4a + b^2))) / (2a(4a + b^2)^{1/2})) + (((8Ba^2c^4 + 8Aab^4 - 8Bab^2c^3) / c^4 - (8a^2c^2(2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (16ac^4 - 4b^2c^3)) * (Bb^3 + 2Aa^2c^2 - Ab^2c - 3Bab^3c)) / (8c^3(4a + b^2)^{1/2}) - (a(Bb^3 + 2Aa^2c^2 - Ab^2c - 3Bab^3c)) * (2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (c(4a + b^2)^{1/2} * (16ac^4 - 4b^2c^3)) / a - (b * (((8Ba^2c^4 + 8Aab^4 - 8Bab^2c^3) / c^4 - (8a^2c^2(2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (16ac^4 - 4b^2c^3)) * (2Bb^4 + 8Ba^2c^2 - 2Ab^3c + 8Aab^2c^2 - 10Bab^2c)) / (2(16ac^4 - 4b^2c^3)) -$

$$\frac{(B^2*a*b^4 + B^2*a^3*c^2 + A^2*a*b^2*c^2 - 2*B^2*a^2*b^2*c - 2*A*B*a*b^3*c + 2*A*B*a^2*b*c^2)/c^4 + (a*(B*b^3 + 2*A*a*c^2 - A*b^2*c - 3*B*a*b*c)^2)/(c^4*(4*a*c - b^2)))/(2*a*(4*a*c - b^2)^{(1/2)))/(B^2*b^6 + 4*A^2*a^2*c^4 + A^2*b^4*c^2 - 2*A*B*b^5*c + 9*B^2*a^2*b^2*c^2 - 6*B^2*a*b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - 12*A*B*a^2*b*c^3)*(B*b^3 + 2*A*a*c^2 - A*b^2*c - 3*B*a*b*c))/(2*c^3*(4*a*c - b^2)^{(1/2))}$$

sympy [B] time = 43.89, size = 620, normalized size = 4.66

$$\frac{Bx^4}{4c} + x^2 \left(\frac{A}{2c} - \frac{Bb}{2c^2} \right) + \left(-\frac{\sqrt{-4ac + b^2} (-2Aac^2 + Ab^2c + 3Babc - Bb^3)}{4c^3 (4ac - b^2)} - \frac{Abc + Bac - Bb^2}{4c^3} \right) \log \left(x^2 + \frac{Aabc + 2B}{4c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(B*x**2+A)/(c*x**4+b*x**2+a), x)

[Out] B*x**4/(4*c) + x**2*(A/(2*c) - B*b/(2*c**2)) + (-sqrt(-4*a*c + b**2)*(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)/(4*c**3*(4*a*c - b**2)) - (A*b*c + B*a*c - B*b**2)/(4*c**3))*log(x**2 + (A*a*b*c + 2*B*a**2*c - B*a*b**2 + 8*a*c**3*(-sqrt(-4*a*c + b**2)*(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)/(4*c**3*(4*a*c - b**2)) - (A*b*c + B*a*c - B*b**2)/(4*c**3)) - 2*b**2*c**2*(-sqrt(-4*a*c + b**2)*(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)/(4*c**3*(4*a*c - b**2)) - (A*b*c + B*a*c - B*b**2)/(4*c**3)))/(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)) + (sqrt(-4*a*c + b**2)*(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)/(4*c**3*(4*a*c - b**2)) - (A*b*c + B*a*c - B*b**2)/(4*c**3))*log(x**2 + (A*a*b*c + 2*B*a**2*c - B*a*b**2 + 8*a*c**3*(sqrt(-4*a*c + b**2)*(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)/(4*c**3*(4*a*c - b**2)) - (A*b*c + B*a*c - B*b**2)/(4*c**3)))/(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)) - (A*b*c + B*a*c - B*b**2)/(4*c**3)) - 2*b**2*c**2*(sqrt(-4*a*c + b**2)*(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3)/(4*c**3*(4*a*c - b**2)) - (A*b*c + B*a*c - B*b**2)/(4*c**3)))/(-2*A*a*c**2 + A*b**2*c + 3*B*a*b*c - B*b**3))

$$3.103 \quad \int \frac{x^3(A+Bx^2)}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=97

$$-\frac{(-2aBc - Abc + b^2B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^2\sqrt{b^2-4ac}} - \frac{(bB - Ac) \log(a + bx^2 + cx^4)}{4c^2} + \frac{Bx^2}{2c}$$

[Out] $1/2*B*x^2/c - 1/4*(-A*c+B*b)*\ln(c*x^4+b*x^2+a)/c^2 - 1/2*(-A*b*c-2*B*a*c+B*b^2)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^2/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 773, 634, 618, 206, 628}

$$-\frac{(-2aBc - Abc + b^2B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^2\sqrt{b^2-4ac}} - \frac{(bB - Ac) \log(a + bx^2 + cx^4)}{4c^2} + \frac{Bx^2}{2c}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(A + B*x^2))/(a + b*x^2 + c*x^4), x]

[Out] $(B*x^2)/(2*c) - ((b^2*B - A*b*c - 2*a*B*c)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^2*\operatorname{Sqrt}[b^2 - 4*a*c]) - ((b*B - A*c)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^2)$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 773

```
Int[(((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (c*e*f + c*d*g - b*e*g)*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (A + Bx^2)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(A + Bx)}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{Bx^2}{2c} + \frac{\text{Subst} \left(\int \frac{-aB + (-bB + Ac)x}{a + bx + cx^2} dx, x, x^2 \right)}{2c} \\
&= \frac{Bx^2}{2c} - \frac{(bB - Ac) \text{Subst} \left(\int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4c^2} + \frac{(b^2B - Abc - 2aBc) \text{Subst} \left(\int \frac{1}{a + bx + cx^2} dx, x, b + 2cx \right)}{4c^2} \\
&= \frac{Bx^2}{2c} - \frac{(bB - Ac) \log(a + bx^2 + cx^4)}{4c^2} - \frac{(b^2B - Abc - 2aBc) \text{Subst} \left(\int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx \right)}{2c^2} \\
&= \frac{Bx^2}{2c} - \frac{(b^2B - Abc - 2aBc) \tanh^{-1} \left(\frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2c^2 \sqrt{b^2 - 4ac}} - \frac{(bB - Ac) \log(a + bx^2 + cx^4)}{4c^2}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 93, normalized size = 0.96

$$\frac{2(-2aBc - Abc + b^2B) \tan^{-1} \left(\frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right) + (Ac - bB) \log(a + bx^2 + cx^4) + 2Bcx^2}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(A + B*x^2))/(a + b*x^2 + c*x^4), x]

[Out] (2*B*c*x^2 + (2*(b^2*B - A*b*c - 2*a*B*c)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/Sqrt[-b^2 + 4*a*c] + (-b*B) + A*c)*Log[a + b*x^2 + c*x^4]/(4*c^2)

fricas [A] time = 0.84, size = 312, normalized size = 3.22

$$\frac{2(Bb^2c - 4Bac^2)x^2 - (Bb^2 - (2Ba + Ab)c)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) - (Bb^3 + 4Aac)}{4(b^2c^2 - 4ac^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] [1/4*(2*(B*b^2*c - 4*B*a*c^2)*x^2 - (B*b^2 - (2*B*a + A*b)*c)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - (B*b^3 + 4*A*a*c^2 - (4*B*a*b + A*b^2)*c)*log(c*x^4 + b*x^2 + a)/(b^2*c^2 - 4*a*c^3), 1/4*(2*(B*b^2*c - 4*B*a*c^2)*x^2 - 2*(B*b^2 - (2*B*a + A*b)*c)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - (B*b^3 + 4*A*a*c^2 - (4*B*a*b + A*b^2)*c)*log(c*x^4 + b*x^2 + a)/(b^2*c^2 - 4*a*c^3)]

giac [A] time = 1.81, size = 91, normalized size = 0.94

$$\frac{Bx^2}{2c} - \frac{(Bb - Ac) \log(cx^4 + bx^2 + a)}{4c^2} + \frac{(Bb^2 - 2Bac - Abc) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] 1/2*B*x^2/c - 1/4*(B*b - A*c)*log(c*x^4 + b*x^2 + a)/c^2 + 1/2*(B*b^2 - 2*B*a*c - A*b*c)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(sqrt(-b^2 + 4*a*c)*c^2)

maple [A] time = 0.00, size = 175, normalized size = 1.80

$$-\frac{Ab \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{2\sqrt{4ac - b^2}c} - \frac{Ba \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2}c} + \frac{Bb^2 \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{2\sqrt{4ac - b^2}c^2} + \frac{Bx^2}{2c} + \frac{A \ln(cx^4 + bx^2 + a)}{4c} - \frac{Bb \ln(cx^4 + bx^2 + a)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(B*x^2+A)/(c*x^4+b*x^2+a),x)`

[Out] $\frac{1}{2}Bx^2/c + \frac{1}{4}/c \ln(c^2x^4 + b^2x^2 + a) * A - \frac{1}{4}/c^2 \ln(c^2x^4 + b^2x^2 + a) * b * B - \frac{1}{c} / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * a * B - \frac{1}{2} / c / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * A * b + \frac{1}{2} / c^2 / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * b^2 * B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.65, size = 979, normalized size = 10.09

$$\frac{Bx^2}{2c} + \frac{\ln(cx^4 + bx^2 + a) (2Bb^3 - 2Ab^2c - 8Babc + 8Aac^2)}{2(16ac^3 - 4b^2c^2)} - \operatorname{atan} \left(\frac{2c^2(4ac - b^2) \left(\frac{8Aac^3 - 8Babc^2 - 8ac^2(2Bb^3 - 2Ab^2c)}{c^2} - \frac{16ac^3 - 4b^2c^2}{8c^2\sqrt{4ac - b^2}} \right)}{16ac^3 - 4b^2c^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(A + B*x^2))/(a + b*x^2 + c*x^4),x)`

[Out] $(Bx^2)/(2c) + (\log(a + bx^2 + cx^4) * (2Bb^3 + 8Aac^2 - 2Ab^2c - 8Babc)) / (2(16ac^3 - 4b^2c^2)) - (\operatorname{atan}((2c^2(4ac - b^2) * (((8Aac^3 - 8Babc^2)/c^2 - (8ac^2(2Bb^3 + 8Aac^2 - 2Ab^2c - 8Babc)) / (16ac^3 - 4b^2c^2)) * (Abc - Bb^2 + 2Bac)) / (8c^2(4ac - b^2)^{(1/2)})) - (a * (Abc - Bb^2 + 2Bac) * (2Bb^3 + 8Aac^2 - 2Ab^2c - 8Babc)) / ((4ac - b^2)^{(1/2)} * (16ac^3 - 4b^2c^2)))) / a + x^2 * ((($

$$\begin{aligned}
& (6A^2bc^3 - 6B^2b^2c^2 + 4B^2ac^3)/c^2 - (4b^2c^2(2B^2b^3 + 8A^2ac^2 - \\
& 2A^2b^2c - 8B^2ab^2c))/(16a^2c^3 - 4b^2c^2)(A^2bc - B^2b^2 + 2B^2ac)) \\
& /((8c^2(4a^2c - b^2)^{1/2}) - (b^2(A^2bc - B^2b^2 + 2B^2ac)(2B^2b^3 + 8A^2 \\
& ac^2 - 2A^2b^2c - 8B^2ab^2c))/(2(4a^2c - b^2)^{1/2}(16a^2c^3 - 4b^2c^2 \\
& 2)))/a + (b^2(((6A^2bc^3 - 6B^2b^2c^2 + 4B^2ac^3)/c^2 - (4b^2c^2(2B^2b^3 \\
& + 8A^2ac^2 - 2A^2b^2c - 8B^2ab^2c))/(16a^2c^3 - 4b^2c^2)(2B^2b^3 + \\
& 8A^2ac^2 - 2A^2b^2c - 8B^2ab^2c))/(2(16a^2c^3 - 4b^2c^2)) - (B^2b^3 + \\
& A^2b^2c^2 + A^2B^2ac^2 - 2A^2B^2b^2c - B^2a^2b^2c)/c^2 + (b^2(A^2bc - B^2b^2 + \\
& 2B^2ac)^2)/(2c^2(4a^2c - b^2)))/((2a^2(4a^2c - b^2)^{1/2})) + (b^2(((8 \\
& A^2ac^3 - 8B^2ab^2c^2)/c^2 - (8a^2c^2(2B^2b^3 + 8A^2ac^2 - 2A^2b^2c - 8 \\
& B^2ab^2c))/(16a^2c^3 - 4b^2c^2)(2B^2b^3 + 8A^2ac^2 - 2A^2b^2c - 8B^2ab^2 \\
& c))/(2(16a^2c^3 - 4b^2c^2)) - (A^2a^2c^2 + B^2a^2b^2 - 2A^2B^2ab^2c)/c^2 \\
& + (a^2(A^2bc - B^2b^2 + 2B^2ac)^2)/(c^2(4a^2c - b^2)))/((2a^2(4a^2c - b^2 \\
&)^{1/2}))/((B^2b^4 + A^2b^2c^2 + 4B^2a^2c^2 - 2A^2B^2b^3c - 4B^2a^2b^2 \\
& c + 4A^2B^2ab^2c^2))(A^2bc - B^2b^2 + 2B^2ac))/(2c^2(4a^2c - b^2)^{1/2} \\
&))
\end{aligned}$$

sympy [B] time = 10.55, size = 434, normalized size = 4.47

$$\frac{Bx^2}{2c} + \left(-\frac{Ac + Bb}{4c^2} - \frac{\sqrt{-4ac + b^2} (Abc + 2Bac - Bb^2)}{4c^2 (4ac - b^2)} \right) \log \left(x^2 + \frac{2Aac - Bab - 8ac^2 \left(-\frac{Ac+Bb}{4c^2} - \frac{\sqrt{-4ac+b^2} (Abc+2Bac-Bb^2)}{4c^2(4ac-b^2)} \right)}{Abc - B^2b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(B*x**2+A)/(c*x**4+b*x**2+a), x)

[Out] $Bx^2/(2c) + (-(-Ac + Bb)/(4c^2) - \sqrt{-4ac + b^2}(A^2bc + 2B^2ac - B^2b^2)/(4c^2(4a^2c - b^2))) \log(x^2 + (2A^2ac - B^2ab - 8a^2c^2(-(-Ac + Bb)/(4c^2) - \sqrt{-4ac + b^2}(A^2bc + 2B^2ac - B^2b^2)/(4c^2(4a^2c - b^2)))) + 2b^2c^2(-(-Ac + Bb)/(4c^2) - \sqrt{-4ac + b^2}(A^2bc + 2B^2ac - B^2b^2)/(4c^2(4a^2c - b^2)))))/(A^2bc + 2B^2ac - B^2b^2) + (-(-Ac + Bb)/(4c^2) + \sqrt{-4ac + b^2}(A^2bc + 2B^2ac - B^2b^2)/(4c^2(4a^2c - b^2))) \log(x^2 + (2A^2ac - B^2ab - 8a^2c^2(-(-Ac + Bb)/(4c^2) + \sqrt{-4ac + b^2}(A^2bc + 2B^2ac - B^2b^2)/(4c^2(4a^2c - b^2)))) + 2b^2c^2(-(-Ac + Bb)/(4c^2) + \sqrt{-4ac + b^2}(A^2bc + 2B^2ac - B^2b^2)/(4c^2(4a^2c - b^2)))))/(A^2bc + 2B^2ac - B^2b^2)$

$$3.104 \quad \int \frac{x(A+Bx^2)}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=71

$$\frac{(bB - 2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}} + \frac{B \log(a + bx^2 + cx^4)}{4c}$$

[Out] $1/4*B*\ln(c*x^4+b*x^2+a)/c+1/2*(-2*A*c+B*b)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1247, 634, 618, 206, 628}

$$\frac{(bB - 2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}} + \frac{B \log(a + bx^2 + cx^4)}{4c}$$

Antiderivative was successfully verified.

[In] `Int[(x*(A + B*x^2))/(a + b*x^2 + c*x^4),x]`

[Out] `((b*B - 2*A*c)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*c*Sqrt[b^2 - 4*a*c]) + (B*Log[a + b*x^2 + c*x^4])/(4*c)`

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 618

`Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 628

`Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{x(A + Bx^2)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{a + bx + cx^2} dx, x, x^2 \right) \\ &= \frac{B \text{Subst} \left(\int \frac{b+2cx}{a+bx+cx^2} dx, x, x^2 \right)}{4c} + \frac{(-bB + 2Ac) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} dx, x, x^2 \right)}{4c} \\ &= \frac{B \log(a + bx^2 + cx^4)}{4c} - \frac{(-bB + 2Ac) \text{Subst} \left(\int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx^2 \right)}{2c} \\ &= \frac{(bB - 2Ac) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2c\sqrt{b^2 - 4ac}} + \frac{B \log(a + bx^2 + cx^4)}{4c} \end{aligned}$$

Mathematica [A] time = 0.05, size = 71, normalized size = 1.00

$$\frac{B \log(a + bx^2 + cx^4) - \frac{2(bB - 2Ac) \tan^{-1} \left(\frac{b+2cx^2}{\sqrt{4ac - b^2}} \right)}{\sqrt{4ac - b^2}}}{4c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(A + B*x^2))/(a + b*x^2 + c*x^4), x]
```

```
[Out] ((-2*(b*B - 2*A*c)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/Sqrt[-b^2 + 4*a*c] + B*Log[a + b*x^2 + c*x^4])/(4*c)
```

fricas [A] time = 0.57, size = 219, normalized size = 3.08

$$\left[\frac{(Bb - 2Ac)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac - (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) - (Bb^2 - 4Bac) \log(cx^4 + bx^2 + a) - 2(Bb - 2Ac) \arctan\left(\frac{(2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right)}{4(b^2c - 4ac^2)}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [-1/4*((B*b - 2*A*c)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - (B*b^2 - 4*B*a*c)*log(c*x^4 + b*x^2 + a))/(b^2*c - 4*a*c^2), 1/4*(2*(B*b - 2*A*c)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) + (B*b^2 - 4*B*a*c)*log(c*x^4 + b*x^2 + a))/(b^2*c - 4*a*c^2)]

giac [A] time = 1.71, size = 67, normalized size = 0.94

$$\frac{B \log(cx^4 + bx^2 + a)}{4c} - \frac{(Bb - 2Ac) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/4*B*log(c*x^4 + b*x^2 + a)/c - 1/2*(B*b - 2*A*c)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(sqrt(-b^2 + 4*a*c)*c)

maple [A] time = 0.00, size = 98, normalized size = 1.38

$$\frac{A \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2}} - \frac{Bb \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{2\sqrt{4ac - b^2}c} + \frac{B \ln(cx^4 + bx^2 + a)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(B*x^2+A)/(c*x^4+b*x^2+a),x)

[Out] 1/4*B*ln(c*x^4+b*x^2+a)/c+1/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A-1/2/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*B*b/c

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.50, size = 606, normalized size = 8.54

$$\frac{\ln\left(cx^4 + bx^2 + a\right) \left(2Bb^2 - 8Bac\right)}{2\left(16ac^2 - 4b^2c\right)} - \operatorname{atan}\left(x^2 \frac{2(4ac - b^2) \left(\frac{(2Ac - Bb) \left(6Bbc - 4Ac^2 + \frac{4bc^2(2Bb^2 - 8Bac)}{16ac^2 - 4b^2c} \right)}{8c\sqrt{4ac - b^2}} + \frac{bc(2Bb^2 - 8Bac)(2Ac - Bb)}{2(16ac^2 - 4b^2c)\sqrt{4ac - b^2}} \right)}{a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(A + B*x^2))/(a + b*x^2 + c*x^4),x)`

[Out]
$$-\left(\log(a + b*x^2 + c*x^4)*(2*B*b^2 - 8*B*a*c)\right)/(2*(16*a*c^2 - 4*b^2*c)) - \left(\operatorname{atan}\left(\frac{2*(4*a*c - b^2)*(x^2*(((2*A*c - B*b)*(6*B*b*c - 4*A*c^2 + (4*b*c^2*(2*B*b^2 - 8*B*a*c))/(16*a*c^2 - 4*b^2*c))))}{(8*c*(4*a*c - b^2)^{(1/2)} + (b*c*(2*B*b^2 - 8*B*a*c)*(2*A*c - B*b))/(2*(16*a*c^2 - 4*b^2*c)*(4*a*c - b^2)^{(1/2)}))}\right)}{a} + \frac{b*(B^2*b - A*B*c - (b*(2*A*c - B*b)^2)/(2*(4*a*c - b^2)) + ((2*B*b^2 - 8*B*a*c)*(6*B*b*c - 4*A*c^2 + (4*b*c^2*(2*B*b^2 - 8*B*a*c))/(16*a*c^2 - 4*b^2*c)))/(2*(16*a*c^2 - 4*b^2*c))}{2*a*(4*a*c - b^2)^{(1/2)}} + \left(\frac{(8*B*a*c + (8*a*c^2*(2*B*b^2 - 8*B*a*c))/(16*a*c^2 - 4*b^2*c))*(2*A*c - B*b)}{(8*c*(4*a*c - b^2)^{(1/2)} + (a*c*(2*B*b^2 - 8*B*a*c)*(2*A*c - B*b))/(16*a*c^2 - 4*b^2*c)*(4*a*c - b^2)^{(1/2)}}\right)/a + \frac{b*(B^2*a + ((2*B*b^2 - 8*B*a*c)*(8*B*a*c + (8*a*c^2*(2*B*b^2 - 8*B*a*c))/(16*a*c^2 - 4*b^2*c)))/(2*(16*a*c^2 - 4*b^2*c)) - (a*(2*A*c - B*b)^2)/(4*a*c - b^2)}{2*a*(4*a*c - b^2)^{(1/2)}}\right)/(4*A^2*c^2 + B^2*b^2 - 4*A*B*b*c)*(2*A*c - B*b)/(2*c*(4*a*c - b^2)^{(1/2)})$$

sympy [B] time = 3.59, size = 287, normalized size = 4.04

$$\left(\frac{B}{4c} - \frac{(-2Ac + Bb) \sqrt{-4ac + b^2}}{4c(4ac - b^2)} \right) \log \left(x^2 + \frac{-Ab + 2Ba - 8ac \left(\frac{B}{4c} - \frac{(-2Ac + Bb) \sqrt{-4ac + b^2}}{4c(4ac - b^2)} \right) + 2b^2 \left(\frac{B}{4c} - \frac{(-2Ac + Bb) \sqrt{-4ac + b^2}}{4c(4ac - b^2)} \right)}{-2Ac + Bb} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x**2+A)/(c*x**4+b*x**2+a),x)

[Out] (B/(4*c) - (-2*A*c + B*b)*sqrt(-4*a*c + b**2)/(4*c*(4*a*c - b**2)))*log(x**2 + (-A*b + 2*B*a - 8*a*c*(B/(4*c) - (-2*A*c + B*b)*sqrt(-4*a*c + b**2)/(4*c*(4*a*c - b**2))) + 2*b**2*(B/(4*c) - (-2*A*c + B*b)*sqrt(-4*a*c + b**2)/(4*c*(4*a*c - b**2))))/(-2*A*c + B*b) + (B/(4*c) + (-2*A*c + B*b)*sqrt(-4*a*c + b**2)/(4*c*(4*a*c - b**2)))*log(x**2 + (-A*b + 2*B*a - 8*a*c*(B/(4*c) + (-2*A*c + B*b)*sqrt(-4*a*c + b**2)/(4*c*(4*a*c - b**2))) + 2*b**2*(B/(4*c) + (-2*A*c + B*b)*sqrt(-4*a*c + b**2)/(4*c*(4*a*c - b**2))))/(-2*A*c + B*b))

$$3.105 \quad \int \frac{A+Bx^2}{x(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=78

$$\frac{(Ab - 2aB) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a\sqrt{b^2-4ac}} - \frac{A \log(a + bx^2 + cx^4)}{4a} + \frac{A \log(x)}{a}$$

[Out] A*ln(x)/a-1/4*A*ln(c*x^4+b*x^2+a)/a+1/2*(A*b-2*B*a)*arctanh((2*c*x^2+b)/(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)^(1/2)

Rubi [A] time = 0.14, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 800, 634, 618, 206, 628}

$$\frac{(Ab - 2aB) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a\sqrt{b^2-4ac}} - \frac{A \log(a + bx^2 + cx^4)}{4a} + \frac{A \log(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x*(a + b*x^2 + c*x^4)), x]

[Out] ((A*b - 2*a*B)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a*Sqrt[b^2 - 4*a*c]) + (A*Log[x])/a - (A*Log[a + b*x^2 + c*x^4])/(4*a)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d._) + (e._)*(x_))/((a._) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 800

```
Int[(((d._) + (e._)*(x_))^(m_)*((f._) + (g._)*(x_)))/((a._) + (b._)*(x_) + (c._)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

Rule 1251

```
Int[(x_)^(m_)*((d_ + (e_)*(x_)^2)^(q_)*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
 \int \frac{A + Bx^2}{x(a + bx^2 + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x(a + bx + cx^2)} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{A}{ax} + \frac{-Ab + aB - Acx}{a(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
 &= \frac{A \log(x)}{a} + \frac{\text{Subst} \left(\int \frac{-Ab + aB - Acx}{a + bx + cx^2} dx, x, x^2 \right)}{2a} \\
 &= \frac{A \log(x)}{a} - \frac{A \text{Subst} \left(\int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4a} + \frac{(-Ab + 2aB) \text{Subst} \left(\int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{4a} \\
 &= \frac{A \log(x)}{a} - \frac{A \log(a + bx^2 + cx^4)}{4a} - \frac{(-Ab + 2aB) \text{Subst} \left(\int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx^2 \right)}{2a} \\
 &= \frac{(Ab - 2aB) \tanh^{-1} \left(\frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2a\sqrt{b^2 - 4ac}} + \frac{A \log(x)}{a} - \frac{A \log(a + bx^2 + cx^4)}{4a}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 128, normalized size = 1.64

$$\frac{-\left(A\left(\sqrt{b^2-4ac}+b\right)-2aB\right)\log\left(-\sqrt{b^2-4ac}+b+2cx^2\right)+\left(A\left(b-\sqrt{b^2-4ac}\right)-2aB\right)\log\left(\sqrt{b^2-4ac}+b+2cx^2\right)}{4a\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x*(a + b*x^2 + c*x^4)),x]

[Out] (4*A*Sqrt[b^2 - 4*a*c]*Log[x] - (-2*a*B + A*(b + Sqrt[b^2 - 4*a*c]))*Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x^2] + (-2*a*B + A*(b - Sqrt[b^2 - 4*a*c]))*Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x^2])/(4*a*Sqrt[b^2 - 4*a*c])

fricas [A] time = 0.80, size = 249, normalized size = 3.19

$$\frac{(2Ba - Ab)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) + (Ab^2 - 4Aac) \log(cx^4 + bx^2 + a) - 4(Ab^2 - 4Aac)}{4(ab^2 - 4a^2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [-1/4*((2*B*a - A*b)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) + (A*b^2 - 4*A*a*c)*log(c*x^4 + b*x^2 + a) - 4*(A*b^2 - 4*A*a*c)*log(x))/(a*b^2 - 4*a^2*c), -1/4*(2*(2*B*a - A*b)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c))/(b^2 - 4*a*c) + (A*b^2 - 4*A*a*c)*log(c*x^4 + b*x^2 + a) - 4*(A*b^2 - 4*A*a*c)*log(x))/(a*b^2 - 4*a^2*c)]

giac [A] time = 1.61, size = 78, normalized size = 1.00

$$-\frac{A \log(cx^4 + bx^2 + a)}{4a} + \frac{A \log(x^2)}{2a} + \frac{(2Ba - Ab) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/4*A*log(c*x^4 + b*x^2 + a)/a + 1/2*A*log(x^2)/a + 1/2*(2*B*a - A*b)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(sqrt(-b^2 + 4*a*c)*a)

maple [A] time = 0.01, size = 105, normalized size = 1.35

$$-\frac{Ab \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{2\sqrt{4ac - b^2}a} + \frac{B \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2}} + \frac{A \ln(x)}{a} - \frac{A \ln(cx^4 + bx^2 + a)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*x^2+A)/x/(c*x^4+b*x^2+a), x)$

[Out] $A*\ln(x)/a-1/4*A*\ln(c*x^4+b*x^2+a)/a-1/2/a/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*A*b+1/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((B*x^2+A)/x/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 4.48, size = 2424, normalized size = 31.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x^2)/(x*(a + b*x^2 + c*x^4)), x)$

[Out] $(A*\log(x))/a - (\log((A*B^2*c^2 + ((A + a*(-(A*b - 2*B*a)^2/(a^2*(4*a*c - b^2))))^{(1/2)}))^{(1/2)}*(B^2*a*c^2 + ((A + a*(-(A*b - 2*B*a)^2/(a^2*(4*a*c - b^2))))^{(1/2)}))^{(1/2)}*(4*A*b^2*c^2 + 2*c^2*x^2*(5*A*b*c - 4*B*b^2 + 10*B*a*c) - 4*B*a*b*c^2 + (b*c^2*(A + a*(-(A*b - 2*B*a)^2/(a^2*(4*a*c - b^2))))^{(1/2)}*(a*b + 3*b^2*x^2 - 10*a*c*x^2))/a))/(4*a) - 4*A*B*b*c^2 - B*c^2*x^2*(5*A*c + B*b))/(4*a) + B^3*c^2*x^2*(A*B^2*c^2 + ((A - a*(-(A*b - 2*B*a)^2/(a^2*(4*a*c - b^2))))^{(1/2)}))^{(1/2)}*(B^2*a*c^2 + ((A - a*(-(A*b - 2*B*a)^2/(a^2*(4*a*c - b^2))))^{(1/2)}))^{(1/2)}*(4*A*b^2*c^2 + 2*c^2*x^2*(5*A*b*c - 4*B*b^2 + 10*B*a*c) - 4*B*a*b*c^2 + (b*c^2*(A - a*(-(A*b - 2*B*a)^2/(a^2*(4*a*c - b^2))))^{(1/2)}*(a*b + 3*b^2*x^2 - 10*a*c*x^2))/a))/(4*a) - 4*A*B*b*c^2 - B*c^2*x^2*(5*A*c + B*b))/(4*a) + B^3*c^2*x^2*(2*A*b^2 - 8*A*a*c))/(2*(4*a*b^2 - 16*a^2*c)) - (\text{atan}((2*(4*a*c - b^2)^{(3/2)}*(3*A*b^3 - B*a*b^2 + B*a^2*c - 8*A*a*b*c)*(A*B^2*c^2 + ((2*A*b^2 - 8*A*a*c)*((2*A*b^2 - 8*A*a*c)*(4*A*b^2*c^2 - 4*B*a*b*c^2 + (2*a*b^2*c^2*(2*A*b^2 - 8*A*a*c)))/(4*a*b^2 - 16*a^2*c)))/(2*(4*a*b^2 - 16*a^2*c)) + B^2*a*c^2 - 4*A*B*b*c^2))/(2*(4*a*b^2 - 16*a^2*c)) - ((A*b - 2*B*a)*((A*b - 2*B*a)*(4*A*b^2*c^2 - 4*B*a*b*c^2 + (2*a*b^2*c^2*(2*A*b^2 - 8*A*a*c)))/(4*a*b^2 - 16*a^2*c)))/(4*a*(4*a*c - b^2)^{(1/2)}) + (b^2*c^2*(2*A*b^2 - 8*A*a*c)*(A*b - 2*B*a))/(2*(4*a*b^2 - 16*a^2*c)*(4*a*c - b^2)^{(1/2)})))/(4*a*(4*a*c - b^2)^{(1/2)})$

$$\begin{aligned}
& c - b^2)^{(1/2)}) - (b^2*c^2*(2*A*b^2 - 8*A*a*c)*(A*b - 2*B*a)^2)/(8*a*(4*a*b \\
& ^2 - 16*a^2*c)*(4*a*c - b^2)))/(c^2*(A^2*b^2*c^2 + 4*B^2*a^2*c^2 - 4*A*B*a \\
& *b*c^2)*(6*A^2*b^2 - B^2*a^2 - 25*A^2*a*c + A*B*a*b)) - (16*a^3*x^2*((3*A* \\
& b^3 - B*a*b^2 + B*a^2*c - 8*A*a*b*c)*(((2*A*b^2 - 8*A*a*c)*(B^2*b*c^2 + 5*A \\
& *B*c^3 - ((2*A*b^2 - 8*A*a*c)*(((2*A*b^2 - 8*A*a*c)*(12*b^3*c^2 - 40*a*b*c^ \\
& 3)))/(2*(4*a*b^2 - 16*a^2*c)) - 8*B*b^2*c^2 + 10*A*b*c^3 + 20*B*a*c^3))/(2*(\\
& 4*a*b^2 - 16*a^2*c)))/((2*(4*a*b^2 - 16*a^2*c)) - B^3*c^2 + ((A*b - 2*B*a)* \\
& ((A*b - 2*B*a)*(((2*A*b^2 - 8*A*a*c)*(12*b^3*c^2 - 40*a*b*c^3))/(2*(4*a*b^ \\
& 2 - 16*a^2*c)) - 8*B*b^2*c^2 + 10*A*b*c^3 + 20*B*a*c^3))/(4*a*(4*a*c - b^2) \\
& ^{(1/2)}) + ((2*A*b^2 - 8*A*a*c)*(12*b^3*c^2 - 40*a*b*c^3)*(A*b - 2*B*a))/(8* \\
& a*(4*a*b^2 - 16*a^2*c)*(4*a*c - b^2)^{(1/2)))/((4*a*(4*a*c - b^2)^{(1/2)}) + (\\
& (2*A*b^2 - 8*A*a*c)*(12*b^3*c^2 - 40*a*b*c^3)*(A*b - 2*B*a)^2)/(32*a^2*(4*a \\
& *b^2 - 16*a^2*c)*(4*a*c - b^2)))/((8*a^3*c^2*(6*A^2*b^2 - B^2*a^2 - 25*A^2* \\
& a*c + A*B*a*b)) + (((12*b^3*c^2 - 40*a*b*c^3)*(A*b - 2*B*a)^3)/(64*a^3*(4* \\
& a*c - b^2)^{(3/2)}) - ((2*A*b^2 - 8*A*a*c)*(((A*b - 2*B*a)*(((2*A*b^2 - 8*A*a \\
& *c)*(12*b^3*c^2 - 40*a*b*c^3))/(2*(4*a*b^2 - 16*a^2*c)) - 8*B*b^2*c^2 + 10* \\
& A*b*c^3 + 20*B*a*c^3))/(4*a*(4*a*c - b^2)^{(1/2)}) + ((2*A*b^2 - 8*A*a*c)*(12 \\
& *b^3*c^2 - 40*a*b*c^3)*(A*b - 2*B*a))/(8*a*(4*a*b^2 - 16*a^2*c)*(4*a*c - b^ \\
& 2)^{(1/2)))/((2*(4*a*b^2 - 16*a^2*c)) + ((A*b - 2*B*a)*(B^2*b*c^2 + 5*A*B*c^ \\
& 3 - ((2*A*b^2 - 8*A*a*c)*(((2*A*b^2 - 8*A*a*c)*(12*b^3*c^2 - 40*a*b*c^3))/(\\
& 2*(4*a*b^2 - 16*a^2*c)) - 8*B*b^2*c^2 + 10*A*b*c^3 + 20*B*a*c^3))/(2*(4*a*b \\
& ^2 - 16*a^2*c)))/((4*a*(4*a*c - b^2)^{(1/2)))*((3*A*b^4 + 10*A*a^2*c^2 - B*a* \\
& b^3 - 14*A*a*b^2*c + 3*B*a^2*b*c)))/(8*a^3*c^2*(4*a*c - b^2)^{(1/2)*(6*A^2*b^ \\
& 2 - B^2*a^2 - 25*A^2*a*c + A*B*a*b)))*(4*a*c - b^2)^{(3/2)})/(A^2*b^2*c^2 + 4 \\
& *B^2*a^2*c^2 - 4*A*B*a*b*c^2) + (2*(4*a*c - b^2)*(((2*A*b^2 - 8*A*a*c)*(((A \\
& *b - 2*B*a)*(4*A*b^2*c^2 - 4*B*a*b*c^2 + (2*a*b^2*c^2*(2*A*b^2 - 8*A*a*c)))/ \\
& (4*a*b^2 - 16*a^2*c)))/((4*a*(4*a*c - b^2)^{(1/2)}) + (b^2*c^2*(2*A*b^2 - 8*A* \\
& a*c)*(A*b - 2*B*a))/(2*(4*a*b^2 - 16*a^2*c)*(4*a*c - b^2)^{(1/2)))/((2*(4*a* \\
& b^2 - 16*a^2*c)) + ((A*b - 2*B*a)*(((2*A*b^2 - 8*A*a*c)*(4*A*b^2*c^2 - 4*B* \\
& a*b*c^2 + (2*a*b^2*c^2*(2*A*b^2 - 8*A*a*c))/(4*a*b^2 - 16*a^2*c)))/((2*(4*a* \\
& b^2 - 16*a^2*c)) + B^2*a*c^2 - 4*A*B*b*c^2))/(4*a*(4*a*c - b^2)^{(1/2)}) - (b \\
& ^2*c^2*(A*b - 2*B*a)^3)/(16*a^2*(4*a*c - b^2)^{(3/2)))*(3*A*b^4 + 10*A*a^2*c \\
& ^2 - B*a*b^3 - 14*A*a*b^2*c + 3*B*a^2*b*c))/(c^2*(A^2*b^2*c^2 + 4*B^2*a^2*c \\
& ^2 - 4*A*B*a*b*c^2)*(6*A^2*b^2 - B^2*a^2 - 25*A^2*a*c + A*B*a*b)))*(A*b - 2 \\
& *B*a))/(2*a*(4*a*c - b^2)^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.106 \quad \int \frac{A+Bx^2}{x^3(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=112

$$\frac{(-2aAc - abB + Ab^2) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) + (Ab - aB) \log(a + bx^2 + cx^4) - \frac{\log(x)(Ab - aB)}{a^2} - \frac{A}{2ax^2}}{2a^2\sqrt{b^2 - 4ac}} + \frac{(Ab - aB) \log(a + bx^2 + cx^4)}{4a^2} - \frac{\log(x)(Ab - aB)}{a^2} - \frac{A}{2ax^2}$$

[Out] $-1/2*A/a/x^2 - (A*b - B*a)*\ln(x)/a^2 + 1/4*(A*b - B*a)*\ln(c*x^4 + b*x^2 + a)/a^2 - 1/2*(-2*A*a*c + A*b^2 - B*a*b)*\operatorname{arctanh}((2*c*x^2 + b)/(-4*a*c + b^2)^{(1/2)})/a^2 - (-4*a*c + b^2)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 800, 634, 618, 206, 628}

$$\frac{(-2aAc - abB + Ab^2) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) + (Ab - aB) \log(a + bx^2 + cx^4) - \frac{\log(x)(Ab - aB)}{a^2} - \frac{A}{2ax^2}}{2a^2\sqrt{b^2 - 4ac}} + \frac{(Ab - aB) \log(a + bx^2 + cx^4)}{4a^2} - \frac{\log(x)(Ab - aB)}{a^2} - \frac{A}{2ax^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)), x]$

[Out] $-A/(2*a*x^2) - ((A*b^2 - a*b*B - 2*a*A*c)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*a^2*\operatorname{Sqrt}[b^2 - 4*a*c]) - ((A*b - a*B)*\operatorname{Log}[x])/a^2 + ((A*b - a*B)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*a^2)$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{Gt}Q[a, 0] \ || \ \operatorname{Lt}Q[b, 0])$

Rule 618

$\operatorname{Int}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\operatorname{Int}[(d_.) + (e_.)*(x_)]/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[(d*\operatorname{Log}[\operatorname{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \operatorname{FreeQ}\{a, b, c, d,$

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 800

Int[(((d_.) + (e_.)*(x_)^m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^3(a + bx^2 + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x^2(a + bx + cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{A}{ax^2} + \frac{-Ab + aB}{a^2x} + \frac{-abB + A(b^2 - ac) + (Ab - aB)cx}{a^2(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{A}{2ax^2} - \frac{(Ab - aB) \log(x)}{a^2} + \frac{\text{Subst} \left(\int \frac{-abB + A(b^2 - ac) + (Ab - aB)cx}{a + bx + cx^2} dx, x, x^2 \right)}{2a^2} \\
&= -\frac{A}{2ax^2} - \frac{(Ab - aB) \log(x)}{a^2} + \frac{(Ab - aB) \text{Subst} \left(\int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4a^2} + \frac{(-abB + A(b^2 - ac)) \log(x)}{4a^2} \\
&= -\frac{A}{2ax^2} - \frac{(Ab - aB) \log(x)}{a^2} + \frac{(Ab - aB) \log(a + bx^2 + cx^4)}{4a^2} - \frac{(-abB + A(b^2 - 2ac)) \log(x)}{4a^2} \\
&= -\frac{A}{2ax^2} + \frac{(abB - A(b^2 - 2ac)) \tanh^{-1} \left(\frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2a^2 \sqrt{b^2 - 4ac}} - \frac{(Ab - aB) \log(x)}{a^2} + \frac{(Ab - aB) \log(a + bx^2 + cx^4)}{4a^2}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 186, normalized size = 1.66

$$\frac{\left(A(b\sqrt{b^2 - 4ac} - 2ac + b^2) - aB(\sqrt{b^2 - 4ac} + b) \right) \log(-\sqrt{b^2 - 4ac} + b + 2cx^2)}{\sqrt{b^2 - 4ac}} + \frac{\left(A(b\sqrt{b^2 - 4ac} + 2ac - b^2) + aB(b - \sqrt{b^2 - 4ac}) \right) \log(\sqrt{b^2 - 4ac} + b + 2cx^2)}{\sqrt{b^2 - 4ac}} + 4 \log(a + bx^2 + cx^4)}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)), x]

[Out] ((-2*a*A)/x^2 + 4*(-(A*b) + a*B)*Log[x] + ((-(a*B*(b + Sqrt[b^2 - 4*a*c]))) + A*(b^2 - 2*a*c + b*Sqrt[b^2 - 4*a*c]))*Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x^2])/Sqrt[b^2 - 4*a*c] + ((a*B*(b - Sqrt[b^2 - 4*a*c]) + A*(-b^2 + 2*a*c + b*Sqrt[b^2 - 4*a*c]))*Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x^2])/Sqrt[b^2 - 4*a*c] + 4*log(a + b*x^2 + c*x^4)/(4*a^2)

fricas [A] time = 1.01, size = 385, normalized size = 3.44

$$\frac{\left(Bab - Ab^2 + 2Aac \right) \sqrt{b^2 - 4ac} x^2 \log \left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a} \right) - 2Aab^2 + 8Aa^2c - (Bab^2 - Ab^3 - 4Aac^2)}{4(a^2b^2 - 4a^3c)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [1/4*((B*a*b - A*b^2 + 2*A*a*c)*sqrt(b^2 - 4*a*c)*x^2*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - 2*A*a*b^2 + 8*A*a^2*c - (B*a*b^2 - A*b^3 - 4*(B*a^2 - A*a*b)*c)*x^2*log(c*x^4 + b*x^2 + a) + 4*(B*a*b^2 - A*b^3 - 4*(B*a^2 - A*a*b)*c)*x^2*log(x))/((a^2*b^2 - 4*a^3*c)*x^2), 1/4*(2*(B*a*b - A*b^2 + 2*A*a*c)*sqrt(-b^2 + 4*a*c)*x^2*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - 2*A*a*b^2 + 8*A*a^2*c - (B*a*b^2 - A*b^3 - 4*(B*a^2 - A*a*b)*c)*x^2*log(c*x^4 + b*x^2 + a) + 4*(B*a*b^2 - A*b^3 - 4*(B*a^2 - A*a*b)*c)*x^2*log(x))/((a^2*b^2 - 4*a^3*c)*x^2)]

giac [A] time = 1.87, size = 124, normalized size = 1.11

$$-\frac{(Ba - Ab) \log(cx^4 + bx^2 + a)}{4a^2} + \frac{(Ba - Ab) \log(x^2)}{2a^2} - \frac{(Bab - Ab^2 + 2Aac) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}a^2} - \frac{Bax^2 - Abx^2 + a}{2a^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/4*(B*a - A*b)*log(c*x^4 + b*x^2 + a)/a^2 + 1/2*(B*a - A*b)*log(x^2)/a^2 - 1/2*(B*a*b - A*b^2 + 2*A*a*c)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(sqrt(-b^2 + 4*a*c)*a^2) - 1/2*(B*a*x^2 - A*b*x^2 + A*a)/(a^2*x^2)

maple [A] time = 0.01, size = 191, normalized size = 1.71

$$-\frac{Ac \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2}a} + \frac{Ab^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2\sqrt{4ac-b^2}a^2} - \frac{Bb \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2\sqrt{4ac-b^2}a} - \frac{Ab \ln(x)}{a^2} + \frac{Ab \ln(cx^4 + bx^2 + a)}{4a^2} + \frac{B \ln(x)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x^3/(c*x^4+b*x^2+a),x)

[Out] -1/2*A/a/x^2-1/a^2*ln(x)*A*b+1/a*ln(x)*B+1/4/a^2*ln(c*x^4+b*x^2+a)*A*b-1/4/a*ln(c*x^4+b*x^2+a)*B-1/a/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*c+1/2/a^2/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*b^2-1/2/a/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*B

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a),x, algorithm="maxima")

$$\begin{aligned}
& 8A^2a^2b^2c^2)/(2a^3(16a^3c - 4a^2b^2)))(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c)/(2(16a^3c - 4a^2b^2)))(2A^2a^2c - A^2b^2 + B^2a^2b)/(4a^2(4a^2c - b^2)^{(1/2)}) - (((((20A^2a^3c^4 - 10B^2a^3b^2c^3 + 2A^2a^2b^2c^3)/a^3 + ((40a^4b^2c^3 - 12a^3b^3c^2)(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2a^3(16a^3c - 4a^2b^2)))(2A^2a^2c - A^2b^2 + B^2a^2b))/(4a^2(4a^2c - b^2)^{(1/2)}) + ((40a^4b^2c^3 - 12a^3b^3c^2)(2A^2a^2c - A^2b^2 + B^2a^2b^2)(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(8a^5(4a^2c - b^2)^{(1/2)}(16a^3c - 4a^2b^2)))(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c)/(2(16a^3c - 4a^2b^2)) + ((40a^4b^2c^3 - 12a^3b^3c^2)(2A^2a^2c - A^2b^2 + B^2a^2b^2)^3)/(64a^9(4a^2c - b^2)^{(3/2)))(6A^2b^5 - 20B^2a^3c^2 - 6B^2a^2b^4 - 30A^2a^2b^3c + 26A^2a^2b^2c^2 + 28B^2a^2b^2c^2))/(16a^3c^2(4a^2c - b^2)^{(1/2)}(25B^2a^3c - 6A^2b^4 + A^2a^2c^2 - 6B^2a^2b^2 + 12A^2B^2a^2b^3 + 24A^2a^2b^2c - 49A^2B^2a^2b^2c)))(4a^2c - b^2)^{(3/2)))/(4A^2a^2c^4 + A^2b^4c^2 + B^2a^2b^2c^2 - 4A^2a^2b^2c^3 - 2A^2B^2a^2b^3c^2 + 4A^2B^2a^2b^2c^3) + (a^3(4a^2c - b^2)((((4A^2a^3b^2c^3 - 4A^2a^2b^3c^2 + 4B^2a^3b^2c^2)/a^3 + (2a^2b^2c^2(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(16a^3c - 4a^2b^2)))(2A^2a^2c - A^2b^2 + B^2a^2b)))/(4a^2(4a^2c - b^2)^{(1/2)}) + (b^2c^2(2A^2a^2c - A^2b^2 + B^2a^2b)(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2a(4a^2c - b^2)^{(1/2)}(16a^3c - 4a^2b^2)))(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2(16a^3c - 4a^2b^2)) + (((A^2a^2c^4 - 4A^2a^2b^2c^3 + 4A^2B^2a^2b^2c^3)/a^3 + (((4A^2a^3b^2c^3 - 4A^2a^2b^3c^2 + 4B^2a^3b^2c^2)/a^3 + (2a^2b^2c^2(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(16a^3c - 4a^2b^2)))(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2(16a^3c - 4a^2b^2)))(2A^2a^2c - A^2b^2 + B^2a^2b))/(4a^2(4a^2c - b^2)^{(1/2)}) - (b^2c^2(2A^2a^2c - A^2b^2 + B^2a^2b)^3)/(16a^5(4a^2c - b^2)^{(3/2)))(6A^2b^5 - 20B^2a^3c^2 - 6B^2a^2b^4 - 30A^2a^2b^3c + 26A^2a^2b^2c^2 + 28B^2a^2b^2c^2))/(c^2(4A^2a^2c^4 + A^2b^4c^2 + B^2a^2b^2c^2 - 4A^2a^2b^2c^3 - 2A^2B^2a^2b^3c^2 + 4A^2B^2a^2b^2c^3)(25B^2a^3c - 6A^2b^4 + A^2a^2c^2 - 6B^2a^2b^2 + 12A^2B^2a^2b^3 + 24A^2a^2b^2c - 49A^2B^2a^2b^2c)) - (2a^3(4a^2c - b^2)^{(3/2)}((A^3b^2c^4 - A^2B^2a^2c^4)/a^3 - ((A^2a^2c^4 - 4A^2a^2b^2c^3 + 4A^2B^2a^2b^2c^3)/a^3 + (((4A^2a^3b^2c^3 - 4A^2a^2b^3c^2 + 4B^2a^3b^2c^2)/a^3 + (2a^2b^2c^2(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(16a^3c - 4a^2b^2)))(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2(16a^3c - 4a^2b^2)))(2A^2a^2c - A^2b^2 + B^2a^2b))/(4a^2(4a^2c - b^2)^{(1/2)}) + (b^2c^2(2A^2a^2c - A^2b^2 + B^2a^2b)(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2a(4a^2c - b^2)^{(1/2)}(16a^3c - 4a^2b^2)))(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(2(16a^3c - 4a^2b^2)) + (((((4A^2a^3b^2c^3 - 4A^2a^2b^3c^2 + 4B^2a^3b^2c^2)/a^3 + (2a^2b^2c^2(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(16a^3c - 4a^2b^2)))(2A^2a^2c - A^2b^2 + B^2a^2b))/(4a^2(4a^2c - b^2)^{(1/2)}) + (b^2c^2(2A^2a^2c - A^2b^2 + B^2a^2b)^2(2A^2b^3 - 2B^2a^2b^2 + 8B^2a^2c - 8A^2a^2b^2c))/(8a^3(4a^2c - b^2)(16a^3c - 4a^2b^2)))(3A^2b^4 + A^2a^2c^2 - 3B^2a^2b^3 - 9A^2a^2b^2c + 8B^2a^2b^2c))/(c^2(4A^2a^2c^4 + A^2b^4c^2 + B^2a^2b^2c^2 - 4A^2a^2b^2c^3 - 2A^2B^2a^2b^3c^2 + 4A^2B^2a^2b^2c^3)(25B^2a^3c - 6A^2b^4 + A^2a^2c^2 - 6B^2a^2b^2 - 6B^2a^2b^2))
\end{aligned}$$

```
*b^2 + 12*A*B*a*b^3 + 24*A^2*a*b^2*c - 49*A*B*a^2*b*c)))*(2*A*a*c - A*b^2 +  
B*a*b))/(2*a^2*(4*a*c - b^2)^(1/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x**2+A)/x**3/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.107 \quad \int \frac{x^4(A+Bx^2)}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=261

$$\frac{\left(\frac{2aAc^2-3abBc-Ab^2c+b^3B}{\sqrt{b^2-4ac}} - aBc - Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{2aAc^2-3abBc-Ab^2c+b^3B}{\sqrt{b^2-4ac}} - aBc - Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out] $-(A*c+B*b)*x/c^2+1/3*B*x^3/c+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}}*(b^2*B-A*b*c-a*B*c+(-2*A*a*c^2+A*b^2*c+3*B*a*b*c-B*b^3)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)*2^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}}+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}}*(b^2*B-A*b*c-a*B*c+(2*A*a*c^2-A*b^2*c-3*B*a*b*c+B*b^3)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)*2^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}}}$

Rubi [A] time = 1.49, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1279, 1166, 205}

$$\frac{\left(\frac{2aAc^2-3abBc-Ab^2c+b^3B}{\sqrt{b^2-4ac}} - aBc - Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{2aAc^2-3abBc-Ab^2c+b^3B}{\sqrt{b^2-4ac}} - aBc - Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(A + B*x^2))/(a + b*x^2 + c*x^4), x]

[Out] $-\left(\frac{((b*B - A*c)*x)/c^2 + (B*x^3)/(3*c) + ((b^2*B - A*b*c - a*B*c - (b^3*B - A*b^2*c - 3*a*b*B*c + 2*a*A*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[\text{Sqrt}[2]*\text{Sqrt}[c]*x]/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]]}{(\text{Sqrt}[2]*c^{(5/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])} + \left(\frac{((b^2*B - A*b*c - a*B*c + (b^3*B - A*b^2*c - 3*a*b*B*c + 2*a*A*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[\text{Sqrt}[2]*\text{Sqrt}[c]*x]/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]}{(\text{Sqrt}[2]*c^{(5/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])}\right)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1279

Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)*((a_)+(b_)*(x_)^2+(c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(e*f*(f*x)^(m-1)*(a+b*x^2+c*x^4)^(p+1))/(c*(m+4*p+3)), x] - Dist[f^2/(c*(m+4*p+3)), Int[(f*x)^(m-2)*(a+b*x^2+c*x^4)^p*Simp[a*e*(m-1)+(b*e*(m+2*p+1)-c*d*(m+4*p+3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m+4*p+3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int \frac{x^4 (A + Bx^2)}{a + bx^2 + cx^4} dx &= \frac{Bx^3}{3c} - \frac{\int \frac{x^2(3aB+3(bB-Ac)x^2)}{a+bx^2+cx^4} dx}{3c} \\ &= -\frac{(bB - Ac)x}{c^2} + \frac{Bx^3}{3c} + \frac{\int \frac{3a(bB-Ac)+3(b^2B-Abc-aBc)x^2}{a+bx^2+cx^4} dx}{3c^2} \\ &= -\frac{(bB - Ac)x}{c^2} + \frac{Bx^3}{3c} + \frac{\left(b^2B - Abc - aBc - \frac{b^3B - Ab^2c - 3abBc + 2aAc^2}{\sqrt{b^2 - 4ac}}\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2c^2} + \dots \\ &= -\frac{(bB - Ac)x}{c^2} + \frac{Bx^3}{3c} + \frac{\left(b^2B - Abc - aBc - \frac{b^3B - Ab^2c - 3abBc + 2aAc^2}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \dots \end{aligned}$$

Mathematica [A] time = 0.40, size = 327, normalized size = 1.25

$$\frac{\left(-Abc\sqrt{b^2 - 4ac} - 2aAc^2 + b^2B\sqrt{b^2 - 4ac} - aBc\sqrt{b^2 - 4ac} + 3abBc + Ab^2c + b^3(-B)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(A + B*x^2))/(a + b*x^2 + c*x^4), x]

```
[Out] ((-(b*B) + A*c)*x)/c^2 + (B*x^3)/(3*c) + ((-(b^3*B) + A*b^2*c + 3*a*b*B*c -
  2*a*A*c^2 + b^2*B*Sqrt[b^2 - 4*a*c] - A*b*c*Sqrt[b^2 - 4*a*c] - a*B*c*Sqrt
  [b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^(5/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + ((b^3*B - A*
  b^2*c - 3*a*b*B*c + 2*a*A*c^2 + b^2*B*Sqrt[b^2 - 4*a*c] - A*b*c*Sqrt[b^2 -
  4*a*c] - a*B*c*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[
  b^2 - 4*a*c]])/(Sqrt[2]*c^(5/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*
  c]])
```

fricas [B] time = 2.89, size = 5140, normalized size = 19.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] 1/6*(2*B*c*x^3 + 3*sqrt(1/2)*c^2*sqrt(-(B^2*b^5 - (4*A*B*a^2 + 3*A^2*a*b)*c
^3 + (5*B^2*a^2*b + 8*A*B*a*b^2 + A^2*b^3)*c^2 - (5*B^2*a*b^3 + 2*A*B*b^4)*
c + (b^2*c^5 - 4*a*c^6)*sqrt((B^4*b^8 + A^4*a^2*c^6 - 2*(A^2*B^2*a^3 + 4*A^
3*B*a^2*b + A^4*a*b^2)*c^5 + (B^4*a^4 + 8*A*B^3*a^3*b + 24*A^2*B^2*a^2*b^2
+ 12*A^3*B*a*b^3 + A^4*b^4)*c^4 - 2*(3*B^4*a^3*b^2 + 14*A*B^3*a^2*b^3 + 12*
A^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + (11*B^4*a^2*b^4 + 20*A*B^3*a*b^5 + 6*A^2
*B^2*b^6)*c^2 - 2*(3*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^2*c^10 - 4*a*c^11)))/(b
^2*c^5 - 4*a*c^6))*log(-2*(B^4*a^2*b^4 - A*B^3*a*b^5 - A^4*a^2*c^4 + (5*A^3
*B*a^2*b + A^4*a*b^2)*c^3 + (B^4*a^4 + 3*A*B^3*a^3*b - 6*A^2*B^2*a^2*b^2 -
3*A^3*B*a*b^3)*c^2 - (3*B^4*a^3*b^2 - A*B^3*a^2*b^3 - 3*A^2*B^2*a*b^4)*c)*x
+ sqrt(1/2)*(B^3*b^7 - 4*A^3*a^2*c^5 + (4*A*B^2*a^3 + 20*A^2*B*a^2*b + 5*A
^3*a*b^2)*c^4 - (4*B^3*a^3*b + 29*A*B^2*a^2*b^2 + 17*A^2*B*a*b^3 + A^3*b^4)
*c^3 + (13*B^3*a^2*b^3 + 19*A*B^2*a*b^4 + 3*A^2*B*b^5)*c^2 - (7*B^3*a*b^5 +
3*A*B^2*b^6)*c - (B*b^4*c^5 + 4*(2*B*a^2 + A*a*b)*c^7 - (6*B*a*b^2 + A*b^3
)*c^6)*sqrt((B^4*b^8 + A^4*a^2*c^6 - 2*(A^2*B^2*a^3 + 4*A^3*B*a^2*b + A^4*a
*b^2)*c^5 + (B^4*a^4 + 8*A*B^3*a^3*b + 24*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3
+ A^4*b^4)*c^4 - 2*(3*B^4*a^3*b^2 + 14*A*B^3*a^2*b^3 + 12*A^2*B^2*a*b^4 + 2
*A^3*B*b^5)*c^3 + (11*B^4*a^2*b^4 + 20*A*B^3*a*b^5 + 6*A^2*B^2*b^6)*c^2 - 2
*(3*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^2*c^10 - 4*a*c^11))*sqrt(-(B^2*b^5 - (4
*A*B*a^2 + 3*A^2*a*b)*c^3 + (5*B^2*a^2*b + 8*A*B*a*b^2 + A^2*b^3)*c^2 - (5*
B^2*a*b^3 + 2*A*B*b^4)*c + (b^2*c^5 - 4*a*c^6)*sqrt((B^4*b^8 + A^4*a^2*c^6
- 2*(A^2*B^2*a^3 + 4*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (B^4*a^4 + 8*A*B^3*a^3*
b + 24*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4)*c^4 - 2*(3*B^4*a^3*b^2 +
14*A*B^3*a^2*b^3 + 12*A^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + (11*B^4*a^2*b^4 +
20*A*B^3*a*b^5 + 6*A^2*B^2*b^6)*c^2 - 2*(3*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^
2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))) - 3*sqrt(1/2)*c^2*sqrt(-(B^2*b^5
- (4*A*B*a^2 + 3*A^2*a*b)*c^3 + (5*B^2*a^2*b + 8*A*B*a*b^2 + A^2*b^3)*c^2
- (5*B^2*a*b^3 + 2*A*B*b^4)*c + (b^2*c^5 - 4*a*c^6)*sqrt((B^4*b^8 + A^4*a^2
*c^6 - 2*(A^2*B^2*a^3 + 4*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (B^4*a^4 + 8*A*B^3
```

$$\begin{aligned}
& *a^3*b + 24*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4)*c^4 - 2*(3*B^4*a^3* \\
& b^2 + 14*A*B^3*a^2*b^3 + 12*A^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + (11*B^4*a^2* \\
& b^4 + 20*A*B^3*a*b^5 + 6*A^2*B^2*b^6)*c^2 - 2*(3*B^4*a*b^6 + 2*A*B^3*b^7)*c \\
&)/(b^2*c^10 - 4*a*c^11))/((b^2*c^5 - 4*a*c^6))*\log(-2*(B^4*a^2*b^4 - A*B^3* \\
& a*b^5 - A^4*a^2*c^4 + (5*A^3*B*a^2*b + A^4*a*b^2)*c^3 + (B^4*a^4 + 3*A*B^3* \\
& a^3*b - 6*A^2*B^2*a^2*b^2 - 3*A^3*B*a*b^3)*c^2 - (3*B^4*a^3*b^2 - A*B^3*a^2 \\
& *b^3 - 3*A^2*B^2*a*b^4)*c)*x - \text{sqrt}(1/2)*(B^3*b^7 - 4*A^3*a^2*c^5 + (4*A*B^ \\
& 2*a^3 + 20*A^2*B*a^2*b + 5*A^3*a*b^2)*c^4 - (4*B^3*a^3*b + 29*A*B^2*a^2*b^2 \\
& + 17*A^2*B*a*b^3 + A^3*b^4)*c^3 + (13*B^3*a^2*b^3 + 19*A*B^2*a*b^4 + 3*A^2 \\
& *B*b^5)*c^2 - (7*B^3*a*b^5 + 3*A*B^2*b^6)*c - (B*b^4*c^5 + 4*(2*B*a^2 + A*a \\
& *b)*c^7 - (6*B*a*b^2 + A*b^3)*c^6)*\text{sqrt}((B^4*b^8 + A^4*a^2*c^6 - 2*(A^2*B^2 \\
& *a^3 + 4*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (B^4*a^4 + 8*A*B^3*a^3*b + 24*A^2*B \\
& ^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4)*c^4 - 2*(3*B^4*a^3*b^2 + 14*A*B^3*a^ \\
& 2*b^3 + 12*A^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + (11*B^4*a^2*b^4 + 20*A*B^3*a* \\
& b^5 + 6*A^2*B^2*b^6)*c^2 - 2*(3*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^2*c^10 - 4*a \\
& *c^11))*\text{sqrt}(-(B^2*b^5 - (4*A*B*a^2 + 3*A^2*a*b)*c^3 + (5*B^2*a^2*b + 8*A* \\
& B*a*b^2 + A^2*b^3)*c^2 - (5*B^2*a*b^3 + 2*A*B*b^4)*c + (b^2*c^5 - 4*a*c^6)* \\
& \text{sqrt}((B^4*b^8 + A^4*a^2*c^6 - 2*(A^2*B^2*a^3 + 4*A^3*B*a^2*b + A^4*a*b^2)*c \\
& ^5 + (B^4*a^4 + 8*A*B^3*a^3*b + 24*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b \\
& ^4)*c^4 - 2*(3*B^4*a^3*b^2 + 14*A*B^3*a^2*b^3 + 12*A^2*B^2*a*b^4 + 2*A^3*B* \\
& b^5)*c^3 + (11*B^4*a^2*b^4 + 20*A*B^3*a*b^5 + 6*A^2*B^2*b^6)*c^2 - 2*(3*B^4 \\
& *a*b^6 + 2*A*B^3*b^7)*c)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))) + 3* \\
& \text{sqrt}(1/2)*c^2*\text{sqrt}(-(B^2*b^5 - (4*A*B*a^2 + 3*A^2*a*b)*c^3 + (5*B^2*a^2*b + \\
& 8*A*B*a*b^2 + A^2*b^3)*c^2 - (5*B^2*a*b^3 + 2*A*B*b^4)*c - (b^2*c^5 - 4*a* \\
& c^6)*\text{sqrt}((B^4*b^8 + A^4*a^2*c^6 - 2*(A^2*B^2*a^3 + 4*A^3*B*a^2*b + A^4*a*b^ \\
& ^2)*c^5 + (B^4*a^4 + 8*A*B^3*a^3*b + 24*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + \\
& A^4*b^4)*c^4 - 2*(3*B^4*a^3*b^2 + 14*A*B^3*a^2*b^3 + 12*A^2*B^2*a*b^4 + 2*A \\
& ^3*B*b^5)*c^3 + (11*B^4*a^2*b^4 + 20*A*B^3*a*b^5 + 6*A^2*B^2*b^6)*c^2 - 2*(\\
& 3*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))* \\
& \log(-2*(B^4*a^2*b^4 - A*B^3*a*b^5 - A^4*a^2*c^4 + (5*A^3*B*a^2*b + A^4*a*b^ \\
& 2)*c^3 + (B^4*a^4 + 3*A*B^3*a^3*b - 6*A^2*B^2*a^2*b^2 - 3*A^3*B*a*b^3)*c^2 \\
& - (3*B^4*a^3*b^2 - A*B^3*a^2*b^3 - 3*A^2*B^2*a*b^4)*c)*x + \text{sqrt}(1/2)*(B^3*b \\
& ^7 - 4*A^3*a^2*c^5 + (4*A*B^2*a^3 + 20*A^2*B*a^2*b + 5*A^3*a*b^2)*c^4 - (4* \\
& B^3*a^3*b + 29*A*B^2*a^2*b^2 + 17*A^2*B*a*b^3 + A^3*b^4)*c^3 + (13*B^3*a^2* \\
& b^3 + 19*A*B^2*a*b^4 + 3*A^2*B*b^5)*c^2 - (7*B^3*a*b^5 + 3*A*B^2*b^6)*c + (\\
& B*b^4*c^5 + 4*(2*B*a^2 + A*a*b)*c^7 - (6*B*a*b^2 + A*b^3)*c^6)*\text{sqrt}((B^4*b^ \\
& 8 + A^4*a^2*c^6 - 2*(A^2*B^2*a^3 + 4*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (B^4*a^ \\
& 4 + 8*A*B^3*a^3*b + 24*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4)*c^4 - 2* \\
& (3*B^4*a^3*b^2 + 14*A*B^3*a^2*b^3 + 12*A^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + (\\
& 11*B^4*a^2*b^4 + 20*A*B^3*a*b^5 + 6*A^2*B^2*b^6)*c^2 - 2*(3*B^4*a*b^6 + 2*A \\
& *B^3*b^7)*c)/(b^2*c^10 - 4*a*c^11))*\text{sqrt}(-(B^2*b^5 - (4*A*B*a^2 + 3*A^2*a* \\
& b)*c^3 + (5*B^2*a^2*b + 8*A*B*a*b^2 + A^2*b^3)*c^2 - (5*B^2*a*b^3 + 2*A*B*b \\
& ^4)*c - (b^2*c^5 - 4*a*c^6)*\text{sqrt}((B^4*b^8 + A^4*a^2*c^6 - 2*(A^2*B^2*a^3 + \\
& 4*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (B^4*a^4 + 8*A*B^3*a^3*b + 24*A^2*B^2*a^2* \\
& b^2 + 12*A^3*B*a*b^3 + A^4*b^4)*c^4 - 2*(3*B^4*a^3*b^2 + 14*A*B^3*a^2*b^3 +
\end{aligned}$$

$$\begin{aligned}
& 4*a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c}*b^6 + 9*\sqrt{2}*\sqrt{b^2 - 4*a*c}*s \\
& \text{qrt}(b*c - \sqrt{b^2 - 4*a*c}*c)*a*b^4*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b} \\
& *c - \sqrt{b^2 - 4*a*c}*c)*b^5*c - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - s} \\
& \text{qrt}(b^2 - 4*a*c)*c)*a^2*b^2*c^2 - 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - s} \\
& \text{qrt}(b^2 - 4*a*c)*c)*a*b^3*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b} \\
& ^2 - 4*a*c)*c}*b^4*c^2 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 -} \\
& 4*a*c)*c)*a^3*c^3 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*} \\
& c)*c)*a^2*b*c^3 + 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*a} \\
& c)*c)*a*b^2*c^3 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*a} \\
& c)*c)*a^2*c^4 - 2*(b^2 - 4*a*c)*b^4*c^2 + 10*(b^2 - 4*a*c)*a*b^2*c^3 - 8*(b^2 - 4 \\
& *a*c)*a^2*c^4)*B*c^2 + 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^4*c^3 \\
& - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^2*c^4 - 2*\sqrt{2}*\sqrt{b} \\
& *c - \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^4 + 2*a*b^4*c^4 + 16*\sqrt{2}*\sqrt{b*c - s} \\
& \text{qrt}(b^2 - 4*a*c)*c)*a^3*c^5 + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c)*a^2 \\
& *b*c^5 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^5 - 16*a^2*b^2*c^5 \\
& - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*c^6 + 32*a^3*c^6 - 2*(b^2 \\
& - 4*a*c)*a*b^2*c^4 + 8*(b^2 - 4*a*c)*a^2*c^5)*A*\text{abs}(c) - 2*(\sqrt{2})*\sqrt{b*} \\
& c - \sqrt{b^2 - 4*a*c}*c)*a*b^5*c^2 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c} \\
& c)*a^2*b^3*c^3 - 2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^4*c^3 + 2*a \\
& *b^5*c^3 + 16*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b*c^4 + 8*\sqrt{2} \\
& *\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^2*c^4 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2} \\
& - 4*a*c)*c)*a*b^3*c^4 - 16*a^2*b^3*c^4 - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*} \\
& a*c)*c)*a^2*b*c^5 + 32*a^3*b*c^5 - 2*(b^2 - 4*a*c)*a*b^3*c^3 + 8*(b^2 - 4*a \\
& *c)*a^2*b*c^4)*B*\text{abs}(c) - (2*b^5*c^5 - 12*a*b^3*c^6 + 16*a^2*b*c^7 - \sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^5*c^3 + 6*\sqrt{2}*\sqrt{b} \\
& ^2 - 4*a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^3*c^4 + 2*\sqrt{2}*\sqrt{b} \\
& ^2 - 4*a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^4*c^4 - 8*\sqrt{2}*\sqrt{b^2 -} \\
& 4*a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b*c^5 - 4*\sqrt{2}*\sqrt{b^2 - 4*a} \\
& *c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*s \\
& \text{qrt}(b*c - \sqrt{b^2 - 4*a*c}*c)*b^3*c^5 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b} \\
& *c - \sqrt{b^2 - 4*a*c}*c)*a*b*c^6 - 2*(b^2 - 4*a*c)*b^3*c^5 + 4*(b^2 - 4*a* \\
& c)*a*b*c^6)*A + (2*b^6*c^4 - 14*a*b^4*c^5 + 24*a^2*b^2*c^6 - \sqrt{2})*\sqrt{b} \\
& ^2 - 4*a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^6*c^2 + 7*\sqrt{2}*\sqrt{b^2 -} \\
& 4*a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^4*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a} \\
& *c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^5*c^3 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c})* \\
& \sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^2*c^4 - 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*s \\
& \text{qrt}(b*c - \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b} \\
& *c - \sqrt{b^2 - 4*a*c}*c)*b^4*c^4 + 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c -} \\
& \sqrt{b^2 - 4*a*c}*c)*a*b^2*c^5 - 2*(b^2 - 4*a*c)*b^4*c^4 + 6*(b^2 - 4*a*c)* \\
& a*b^2*c^5)*B)*\arctan(2*\sqrt{1/2}*x/\sqrt{((b*c^3 + \sqrt{b^2*c^6 - 4*a*c^7}))/c \\
& ^4}))/((a*b^4*c^4 - 8*a^2*b^2*c^5 - 2*a*b^3*c^5 + 16*a^3*c^6 + 8*a^2*b*c^6 + \\
& a*b^2*c^6 - 4*a^2*c^7)*c^2) + 1/8*((2*b^5*c^3 - 16*a*b^3*c^4 + 32*a^2*b*c^ \\
& 5 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^5*c + 8*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^3*c^2 + 2*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^4*c^2 - 16*\sqrt{2})*\sqrt{b}
\end{aligned}$$

$$\begin{aligned}
& \text{rt}(b^2 - 4ac) \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^3 - 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^3 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^3 c^3 + 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 - 2(b^2 - 4ac) b^3 c^3 + 8(b^2 - 4ac) a^2 b^3 c^4 \cdot A c^2 - (2b^6 c^2 - 18a^2 b^4 c^3 + 48a^2 b^2 c^4 - 32a^3 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c) \cdot b^6 + 9 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^5 c - 24 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^2 - 10 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^2 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^4 c^2 + 16 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 c^3 + 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^3 + 5 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^3 - 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 c^4 - 2(b^2 - 4ac) b^4 c^2 + 10(b^2 - 4ac) a^2 b^2 c^3 - 8(b^2 - 4ac) a^2 c^4 \cdot B c^2 - 2(\sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c) \cdot a^2 b^4 c^3 - 8 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^4 - 2 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 - 2 a^2 b^4 c^4 + 16 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 c^5 + 8 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^5 + \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^5 + 16 a^2 b^2 c^5 - 4 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 c^6 - 32 a^3 c^6 + 2(b^2 - 4ac) a^2 b^2 c^4 - 8(b^2 - 4ac) a^2 c^5 \cdot A \cdot \text{abs}(c) + 2(\sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c) \cdot a^2 b^5 c^2 - 8 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^3 - 2 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^3 - 2 a^2 b^5 c^3 + 16 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^3 b^3 c^4 + 8 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^4 + \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 + 16 a^2 b^3 c^4 - 4 \sqrt{2} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^5 - 32 a^3 b^3 c^5 + 2(b^2 - 4ac) a^2 b^3 c^3 - 8(b^2 - 4ac) a^2 b^3 c^4 \cdot B \cdot \text{abs}(c) - (2b^5 c^5 - 12 a^2 b^3 c^6 + 16 a^2 b^2 c^7 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c) \cdot b^5 c^3 + 6 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^4 c^4 - 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^5 - 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^3 c^5 + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^6 - 2(b^2 - 4ac) b^3 c^5 + 4(b^2 - 4ac) a^2 b^3 c^6 \cdot A + (2b^6 c^4 - 14 a^2 b^4 c^5 + 24 a^2 b^2 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c) \cdot b^6 c^2 + 7 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^4 c^3 + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^5 c^3 - 12 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^4 - 6 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^3 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot b^4 c^4 + 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}} \cdot c \cdot a^2 b^2 c^5 - 2(b^2 - 4ac) b^4 c^4 + 6(b^2 - 4ac) a^2 b^2 c^5 \cdot B \cdot \arctan(2\sqrt{1/2} \cdot x / \sqrt{(bc^2 - 4ac)})
\end{aligned}$$

3 - sqrt(b^2*c^6 - 4*a*c^7)/c^4)/((a*b^4*c^4 - 8*a^2*b^2*c^5 - 2*a*b^3*c^5 + 16*a^3*c^6 + 8*a^2*b*c^6 + a*b^2*c^6 - 4*a^2*c^7)*c^2) + 1/3*(B*c^2*x^3 - 3*B*b*c*x + 3*A*c^2*x)/c^3

maple [B] time = 0.05, size = 825, normalized size = 3.16

$$\frac{\sqrt{2} A a \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}\right)}{\sqrt{-4 a c+b^2} \sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}} + \frac{\sqrt{2} A a \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}}\right)}{\sqrt{-4 a c+b^2} \sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}} - \frac{\sqrt{2} A b^2 \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}\right)}{2 \sqrt{-4 a c+b^2} \sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(B*x^2+A)/(c*x^4+b*x^2+a), x)

[Out] 1/3*B*x^3/c+1/c*A*x-1/c^2*b*B*x+1/2/c^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*b+1/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A-1/2/c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*b^2+1/2/c^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*B-1/2/c^2*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b^2*B-3/2/c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*b*B+1/2/c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(c*x^2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b^3*B-1/2/c^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*b+1/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A-1/2/c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*b^2-1/2/c^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*B+1/2/c^2*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b^2*B-3/2/c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*A*b*B+1/2/c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b^3*B

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{B c x^3 - 3(B b - A c) x}{3 c^2} - \frac{\int \frac{B a b - A a c + (B b^2 - (B a + A b) c) x^2}{c x^4 + b x^2 + a} dx}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& 2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3 \\
& *c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*c^2*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c \\
& ^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2 \\
& *c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 - 2*A*B*b^ \\
& 3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2))}/(8*(\\
& 16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (2*x*(B^2*b^6 + 2*A^2*a^2*c^4 \\
& + A^2*b^4*c^2 - 2*B^2*a^3*c^3 - 2*A*B*b^5*c + 9*B^2*a^2*b^2*c^2 - 6*B^2*a* \\
& b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - 10*A*B*a^2*b*c^3))/c^3)*(-(B^2 \\
& *b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^ \\
& 2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*c^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + 12*A^ \\
& 2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - 36*A* \\
& B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 - \\
& 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*1i)/((((16*A*a^2*c^5 - \\
& 4*A*a*b^2*c^4 + 4*B*a*b^3*c^3 - 16*B*a^2*b*c^4)/c^3 - (2*x*(4*b^3*c^5 - 16 \\
& *a*b*c^6))*(-(B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A \\
& *B*b^6*c + 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2* \\
& a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a \\
& *b^3*c^3 + 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a \\
& ^3*b*c^3 - 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16 \\
& *A*B*a*b^4*c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}/c^3)* \\
& (- (B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + \\
& 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*c^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + \\
& 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - \\
& 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4 \\
& *c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (2*x*(B^2*b^6 \\
& + 2*A^2*a^2*c^4 + A^2*b^4*c^2 - 2*B^2*a^3*c^3 - 2*A*B*b^5*c + 9*B^2*a^2*b^2 \\
& *c^2 - 6*B^2*a*b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - 10*A*B*a^2*b*c^ \\
& 3))/c^3)*(-(B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A* \\
& B*b^6*c + 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a \\
& ^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a* \\
& b^3*c^3 + 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^ \\
& 3*b*c^3 - 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16* \\
& A*B*a*b^4*c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4*a \\
& *c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (((16 \\
& *A*a^2*c^5 - 4*A*a*b^2*c^4 + 4*B*a*b^3*c^3 - 16*B*a^2*b*c^4)/c^3 + (2*x*(4* \\
& b^3*c^5 - 16*a*b*c^6))*(-(B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3) \\
&)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3) \\
&)^{(1/2)} + B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5 \\
& *c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&) - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 16*A*B*a*b^4*c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a \\
& *b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}/c^3)*(- (B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2 \\
& *A*B*b^6*c + 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2 \\
& *a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2 \\
& *a*b^3*c^3 + 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2 \\
& *a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 16*A*B*a*b^4*c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (2 \\
& *x*(B^2*b^6 + 2*A^2*a^2*c^4 + A^2*b^4*c^2 - 2*B^2*a^3*c^3 - 2*A*B*b^5*c + 9 \\
& *B^2*a^2*b^2*c^2 - 6*B^2*a*b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - 10* \\
& A*B*a^2*b*c^3))/c^3)*(- (B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (2*(B^3*a^4*c - B^3*a^3*b^2 + A*B^2*a^2*b^3 + A^2*B*a^3*c^2 + A^3*a^2*b*c^2 - 2*A^2*B*a^2*b^2*c))/c^3)*(- (B^2*b^7 + A^2*b^5*c^2 + B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 + A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 - A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 - 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 - 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} + 4*A*B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*2i - atan((((16*A*a^2*c^5 - 4*A*a*b^2*c^4 + 4*B*a*b^3*c^3 - 16*B*a^2*b*c^4)/c^3 - (2*x*(4*b^3*c^5 - 16*a*b*c^6)*(- (B^2*b^7 + A^2*b^5*c^2 - B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 - A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 + A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 + 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 + 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*A*B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (2*x*(B^2*b^6 + 2*A^2*a^2*c^4 + A^2*b^4*c^2 - 2*B^2*a^3*c^3 - 2*A*B*b^5*c + 9*B^2*a^2*b^2*c^2 - 6*B^2*a*b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - 10*A*B*a^2*b*c^3))/c^3)*(- (B^2*b^7 + A^2*b
\end{aligned}$$

$$\begin{aligned}
& ^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} - (2*x*(B^2*b \\
& ^6 + 2*A^2*a^2*c^4 + A^2*b^4*c^2 - 2*B^2*a^3*c^3 - 2*A*B*b^5*c + 9*B^2*a^2* \\
& b^2*c^2 - 6*B^2*a*b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - 10*A*B*a^2*b \\
& *c^3))/c^3)*(-(B^2*b^7 + A^2*b^5*c^2 - B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2 \\
& *A*B*b^6*c + 25*B^2*a^2*b^3*c^2 - A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^ \\
& 2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7*A^2 \\
& *a*b^3*c^3 + 12*A^2*a^2*b*c^4 + A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20*B^2 \\
& *a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 + 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 16*A*B*a*b^4*c^2 + 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*A*B*a*b*c^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} + ((\\
& (16*A*a^2*c^5 - 4*A*a*b^2*c^4 + 4*B*a*b^3*c^3 - 16*B*a^2*b*c^4)/c^3 + (2*x* \\
& (4*b^3*c^5 - 16*a*b*c^6)*(-(B^2*b^7 + A^2*b^5*c^2 - B^2*b^4*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 - A^2*b^2*c^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a* \\
& b^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 + A^2*a*c^3*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 + 3*B^2*a*b^2*c*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 + 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*A* \\
& B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6) \\
&))^{(1/2)})/c^3)*(-(B^2*b^7 + A^2*b^5*c^2 - B^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 - A^2*b^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b^5*c - 7* \\
& A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 + A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1/2)} - 20* \\
& B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 + 3*B^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 16*A*B*a*b^4*c^2 + 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*A*B*a*b*c^2* \\
& (- (4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} + \\
& (2*x*(B^2*b^6 + 2*A^2*a^2*c^4 + A^2*b^4*c^2 - 2*B^2*a^3*c^3 - 2*A*B*b^5*c \\
& + 9*B^2*a^2*b^2*c^2 - 6*B^2*a*b^4*c - 4*A^2*a*b^2*c^3 + 10*A*B*a*b^3*c^2 - \\
& 10*A*B*a^2*b*c^3))/c^3)*(-(B^2*b^7 + A^2*b^5*c^2 - B^2*b^4*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 - A^2*b^2*c^2*(-(4*a*c - b^2)^3) \\
&)^{(1/2)} - B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3*c^4 - 9*B^2*a*b \\
& ^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 + A^2*a*c^3*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 + 3*B^2*a*b^2*c*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 16*A*B*a*b^4*c^2 + 2*A*B*b^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*A*B \\
& *a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)) \\
&)^{(1/2)} + (2*(B^3*a^4*c - B^3*a^3*b^2 + A*B^2*a^2*b^3 + A^2*B*a^3*c^2 + A^3 \\
& *a^2*b*c^2 - 2*A^2*B*a^2*b^2*c))/c^3))*(-(B^2*b^7 + A^2*b^5*c^2 - B^2*b^4*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^6*c + 25*B^2*a^2*b^3*c^2 - A^2*b^2*c^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^3* \\
& c^4 - 9*B^2*a*b^5*c - 7*A^2*a*b^3*c^3 + 12*A^2*a^2*b*c^4 + A^2*a*c^3*(-(4*a \\
& *c - b^2)^3)^{(1/2)} - 20*B^2*a^3*b*c^3 - 36*A*B*a^2*b^2*c^3 + 3*B^2*a*b^2*c* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a*b^4*c^2 + 2*A*B*b^3*c*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 4*A*B*a*b*c^2*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 \\
& - 8*a*b^2*c^6)))^{(1/2)}*2i + (B*x^3)/(3*c)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^{4}(Bx^{2}+A)/(cx^{4}+bx^{2}+a)$, x)

[Out] Timed out

$$3.108 \quad \int \frac{x^2(A+Bx^2)}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=208

$$\frac{\left(-\frac{-2aBc-Abc+b^2B}{\sqrt{b^2-4ac}} - Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-2aBc-Abc+b^2B}{\sqrt{b^2-4ac}} - Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right) + \frac{Bx}{c}}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] $B*x/c - 1/2*\arctan(x*2^{(1/2)}*c^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}}*(b*B-A*c+(A*b*c+2*B*a*c-B*b^2)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}} - 1/2*\arctan(x*2^{(1/2)}*c^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}}*(b*B-A*c+(-A*b*c-2*B*a*c+B*b^2)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}})$

Rubi [A] time = 0.53, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1279, 1166, 205}

$$\frac{\left(-\frac{-2aBc-Abc+b^2B}{\sqrt{b^2-4ac}} - Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-2aBc-Abc+b^2B}{\sqrt{b^2-4ac}} - Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right) + \frac{Bx}{c}}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(A + B*x^2))/(a + b*x^2 + c*x^4), x]$

[Out] $(B*x)/c - ((b*B - A*c - (b^2*B - A*b*c - 2*a*B*c)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*c^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((b*B - A*c + (b^2*B - A*b*c - 2*a*B*c)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*c^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 1166

$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2$

+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1279

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int \frac{x^2 (A + Bx^2)}{a + bx^2 + cx^4} dx &= \frac{Bx}{c} - \frac{\int \frac{aB + (bB - Ac)x^2}{a + bx^2 + cx^4} dx}{c} \\ &= \frac{Bx}{c} - \frac{\left(bB - Ac - \frac{b^2B - Abc - 2aBc}{\sqrt{b^2 - 4ac}}\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2c} - \frac{\left(bB - Ac + \frac{b^2B - Abc - 2aBc}{\sqrt{b^2 - 4ac}}\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2c} \\ &= \frac{Bx}{c} - \frac{\left(bB - Ac - \frac{b^2B - Abc - 2aBc}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(bB - Ac + \frac{b^2B - Abc - 2aBc}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.16, size = 251, normalized size = 1.21

$$\frac{\left(-Ac\sqrt{b^2 - 4ac} + bB\sqrt{b^2 - 4ac} + 2aBc + Abc + b^2(-B)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right) - \left(-Ac\sqrt{b^2 - 4ac} + bB\sqrt{b^2 - 4ac} + 2aBc + Abc + b^2(-B)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}} - \sqrt{2}c^{3/2}\sqrt{b^2 - 4ac}\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(A + B*x^2))/(a + b*x^2 + c*x^4), x]

[Out] (B*x)/c - (((- (b^2*B) + A*b*c + 2*a*B*c + b*B*Sqrt[b^2 - 4*a*c] - A*c*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/(Sqrt[2]*c^(3/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - ((b^2*B - A*b*c - 2*a*B*c + b*B*Sqrt[b^2 - 4*a*c] - A*c*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/(Sqrt[2]*c^(3/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])

$$\begin{aligned} & / (b^2c^6 - 4ac^7)) * \sqrt{-(B^2b^3 + (4ABa + A^2b)c^2 - (3B^2ab + 2ABb^2)c - (b^2c^3 - 4ac^4) * \sqrt{(B^4b^4 + A^4c^4 - 2(A^2B^2a + 2A^3Bb)c^3 + (B^4a^2 + 4AB^3ab + 6A^2B^2b^2)c^2 - 2(B^4ab^2 + 2AB^3b^3)c}) / (b^2c^6 - 4ac^7))} / (b^2c^3 - 4ac^4)) - \sqrt{1/2} * c * \sqrt{-(B^2b^3 + (4ABa + A^2b)c^2 - (3B^2ab + 2ABb^2)c - (b^2c^3 - 4ac^4) * \sqrt{(B^4b^4 + A^4c^4 - 2(A^2B^2a + 2A^3Bb)c^3 + (B^4a^2 + 4AB^3ab + 6A^2B^2b^2)c^2 - 2(B^4ab^2 + 2AB^3b^3)c}) / (b^2c^6 - 4ac^7))} / (b^2c^3 - 4ac^4)) * \log(2 * (B^4ab^2 - AB^3b^3 - 3A^3Bb^2c^2 + A^4c^3 - (B^4a^2 + AB^3ab - 3A^2B^2b^2)c) * x - \sqrt{1/2} * (B^3b^4 - 4A^2B^2ac^3 + (4B^3a^2 + 8AB^2ab + A^2Bb^2)c^2 - (5B^3ab^2 + 2AB^2b^3)c + (Bb^3c^3 + 8A^2ac^5 - 2(2B^2ab + Ab^2)c^4) * \sqrt{(B^4b^4 + A^4c^4 - 2(A^2B^2a + 2A^3Bb)c^3 + (B^4a^2 + 4AB^3ab + 6A^2B^2b^2)c^2 - 2(B^4ab^2 + 2AB^3b^3)c}) / (b^2c^6 - 4ac^7))} * \sqrt{-(B^2b^3 + (4ABa + A^2b)c^2 - (3B^2ab + 2ABb^2)c - (b^2c^3 - 4ac^4) * \sqrt{(B^4b^4 + A^4c^4 - 2(A^2B^2a + 2A^3Bb)c^3 + (B^4a^2 + 4AB^3ab + 6A^2B^2b^2)c^2 - 2(B^4ab^2 + 2AB^3b^3)c}) / (b^2c^6 - 4ac^7))} / (b^2c^3 - 4ac^4)) + 2Bx) / c \end{aligned}$$

giac [B] time = 3.50, size = 3179, normalized size = 15.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $Bx/c + 1/8 * ((2b^4c^3 - 16ab^2c^4 + 32a^2c^5 - \sqrt{2}) * \sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^4c + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b^2c^2 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^3c^2 - 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b * c^3 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^2c^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2c^4 - 2 * (b^2 - 4ac) * b^2c^3 + 8 * (b^2 - 4ac) * a^2c^4) * A^2c^2 - (2b^5c^2 - 16ab^3c^3 + 32a^2b^2c^4 - \sqrt{2}) * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^5 + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b^3c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^4c - 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 * b * c^2 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b^2c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * b^3c^2 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b * c^3 - 2 * (b^2 - 4ac) * b^3c^2 + 8 * (b^2 - 4ac) * a * b * c^3) * B^2c^2 - 2 * (\sqrt{2}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b^4c^2 - 8 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 * b^2c^3 - 2 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a * b^3c^3 + 2 * a * b^4c^3 + 16 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^3c^4 + 8 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * a^2 * b * c^4 + \sqrt{2}) * \sqrt{bc - \sqrt{b^2 - 4ac}}$

$$\begin{aligned}
& a^2c^5 + 32a^3c^5 - 2(b^2 - 4ac)a^2c^3 + 8(b^2 - 4ac)a^2c^4)B\text{abs}(c) - (2b^4c^5 - 8a^2b^2c^6 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac})*b^4c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^2c^4 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^3c^4 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^2c^5 - 2(b^2 - 4ac)b^2c^5)A + (2b^5c^4 - 12a^2b^3c^5 + 16a^2b^2c^6 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^5c^2 + 6\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^3c^3 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^4c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^4 - 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^4 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^3c^4 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^4 - 2(b^2 - 4ac)*b^3c^4 + 4(b^2 - 4ac)a^2b^2c^5)B) \arctan(2\sqrt{1/2}x/\sqrt{(b^2c^2 - 4ac^3)})/c^2)/((a^2b^4c^3 - 8a^2b^2c^4 - 2a^2b^3c^4 + 16a^3c^5 + 8a^2b^2c^5 + a^2b^2c^5 - 4a^2c^6)*c^2) - 1/8*((2b^4c^3 - 16a^2b^2c^4 + 32a^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^4c + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^3c^2 - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2c^4 - 2(b^2 - 4ac)*b^2c^3 + 8(b^2 - 4ac)a^2c^4)A^2 - (2b^5c^2 - 16a^2b^3c^3 + 32a^2b^2c^4 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^5 + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^3c + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^4c - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^2 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^2 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^2 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^3c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^3 - 2(b^2 - 4ac)*b^3c^2 + 8(b^2 - 4ac)a^2b^2c^3)B^2 + 2(\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^4c^2 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^3 - 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^3c^3 - 2a^2b^4c^3 + 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^3c^4 + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^4 + \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^4 + 16a^2b^2c^4 - 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2c^5 - 32a^3c^5 + 2(b^2 - 4ac)a^2b^2c^3 - 8(b^2 - 4ac)a^2c^4)B\text{abs}(c) - (2b^4c^5 - 8a^2b^2c^6 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^4c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*a^2b^2c^4 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^3c^4 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^2c^5 - 2(b^2 - 4ac)b^2c^5)A + (2b^5c^4 - 12a^2b^3c^5 + 16a^2b^2c^6 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*b^5c^2 + 6\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac})*
\end{aligned}$$

$$\begin{aligned} &^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c)*c)*a*b^3*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 \\ &- 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c)*c)*b^4*c^3 - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a \\ &*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c)*c)*a^2*b*c^4 - 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c) \\ &*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c)*c)*a*b^2*c^4 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt} \\ &(b*c + \text{sqrt}(b^2 - 4*a*c)*c)*b^3*c^4 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c \\ &+ \text{sqrt}(b^2 - 4*a*c)*c)*a*b*c^5 - 2*(b^2 - 4*a*c)*b^3*c^4 + 4*(b^2 - 4*a*c)* \\ &a*b*c^5)*B)*\arctan(2*\text{sqrt}(1/2)*x/\text{sqrt}((b*c - \text{sqrt}(b^2*c^2 - 4*a*c^3))/c^2)) \\ &/((a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16*a^3*c^5 + 8*a^2*b*c^5 + a*b \\ &^2*c^5 - 4*a^2*c^6)*c^2) \end{aligned}$$

maple [B] time = 0.03, size = 560, normalized size = 2.69

$$\frac{\sqrt{2} Ab \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right)}{2\sqrt{-4ac+b^2} \sqrt{(-b+\sqrt{-4ac+b^2})c}} + \frac{\sqrt{2} Ab \operatorname{arctan}\left(\frac{\sqrt{2} cx}{\sqrt{(b+\sqrt{-4ac+b^2})c}}\right)}{2\sqrt{-4ac+b^2} \sqrt{(b+\sqrt{-4ac+b^2})c}} + \frac{\sqrt{2} Ba \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right)}{\sqrt{-4ac+b^2} \sqrt{(-b+\sqrt{-4ac+b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(B*x^2+A)/(c*x^4+b*x^2+a),x)`

[Out]
$$\begin{aligned} &B*x/c-1/2*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(- \\ &4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A+1/2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a \\ &*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c \\ &*x)*A*b+1/2/c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((- \\ &b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*B+1/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+ \\ &(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/ \\ &2)*c*x)*a*B-1/2/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1 \\ &/2)*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*B+1/2*2^{(1/2) \\ &)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c \\ &)^{(1/2)}*c*x)*A+1/2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1 \\ &/2)*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b-1/2/c*2^{(1/2)}/ \\ &((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1 \\ &/2)*c*x)*b*B+1/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2) \\ &)*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*B-1/2/c/(-4*a*c+b^ \\ &2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a* \\ &c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*B \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{Bx}{c} + \frac{-\int \frac{(Bb-Ac)x^2+Ba}{cx^4+bx^2+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] B*x/c + integrate(-((B*b - A*c)*x^2 + B*a)/(c*x^4 + b*x^2 + a), x)/c

mupad [B] time = 1.26, size = 6366, normalized size = 30.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(A + B*x^2))/(a + b*x^2 + c*x^4),x)

[Out] (B*x)/c - atan((((16*B*a^2*c^3 - 4*B*a*b^2*c^2)/c - (2*x*(4*b^3*c^3 - 16*a*b*c^4))*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2))/c)*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2) - (2*x*(B^2*b^4 - 2*A^2*a*c^3 + A^2*b^2*c^2 + 2*B^2*a^2*c^2 - 2*A*B*b^3*c - 4*B^2*a*b^2*c + 6*A*B*a*b*c^2))/c)*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2)*1i - (((16*B*a^2*c^3 - 4*B*a*b^2*c^2)/c + (2*x*(4*b^3*c^3 - 16*a*b*c^4))*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2))/c)*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2))/c)*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2)*1i)/((((16*B*a^2*c^3 - 4*B*a*b^2*c^2)/c - (2*x*(4*b^3*c^3 - 16*a*b*c^4))*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2))/c - (2*x*(4*b^3*c^3 - 16*a*b*c^4))*(-(B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^(1/2) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^(1/2) + 12*A*B*a*b^2*c^2)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))^(1/2))/c

$$\begin{aligned}
&) + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a*b^2*c^2 \\
& / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} / c * (- (B^2*b^5 + A^2*b^3 \\
& *c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^{(1 \\
& / 2) + 12*A*B*a*b^2*c^2) / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (\\
& 2*x*(B^2*b^4 - 2*A^2*a*c^3 + A^2*b^2*c^2 + 2*B^2*a^2*c^2 - 2*A*B*b^3*c - 4* \\
& B^2*a*b^2*c + 6*A*B*a*b*c^2)) / c * (- (B^2*b^5 + A^2*b^3*c^2 - A^2*c^2*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^4*c - 16*A*B \\
& *a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a*b^2*c^2 \\
&) / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} + (((16*B*a^2*c^3 - 4*B*a \\
& *b^2*c^2) / c + (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(- (B^2*b^5 + A^2*b^3*c^2 - A^2* \\
& c^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^4 \\
& *c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A* \\
& B*a*b^2*c^2) / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} / c * (- (B^2*b^5 \\
& + A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + \\
& B^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 12*A*B*a*b^2*c^2) / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)) \\
& ^{(1/2)} + (2*x*(B^2*b^4 - 2*A^2*a*c^3 + A^2*b^2*c^2 + 2*B^2*a^2*c^2 - 2*A*B* \\
& b^3*c - 4*B^2*a*b^2*c + 6*A*B*a*b*c^2)) / c * (- (B^2*b^5 + A^2*b^3*c^2 - A^2*c \\
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^4* \\
& c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^2*a*c*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B \\
& *a*b^2*c^2) / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*(A^3*a*c^2 \\
& - B^3*a^2*b + A*B^2*a*b^2 + A*B^2*a^2*c - 2*A^2*B*a*b*c)) / c * (- (B^2*b^5 + \\
& A^2*b^3*c^2 - A^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c + B^ \\
& 2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*B^2*a^2*b*c^2 + 2*A*B*b*c*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 12*A*B*a*b^2*c^2) / (8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(\\
& 1/2)} * 2i - \operatorname{atan}((((16*B*a^2*c^3 - 4*B*a*b^2*c^2) / c - (2*x*(4*b^3*c^3 - 16*a \\
& *b*c^4)*(- (B^2*b^5 + A^2*b^3*c^2 + A^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*b \\
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 \\
& - 7*B^2*a*b^3*c - B^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*B^2*a^2*b*c^2 - 2*A \\
& *B*b*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a*b^2*c^2) / (8*(16*a^2*c^5 + b^4*c^ \\
& 3 - 8*a*b^2*c^4))^{(1/2)} / c * (- (B^2*b^5 + A^2*b^3*c^2 + A^2*c^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^4*c - 16*A*B*a^2 \\
& *c^3 - 4*A^2*a*b*c^3 - 7*B^2*a*b^3*c - B^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 2*B^2*a^2*b*c^2 - 2*A*B*b*c*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a*b^2*c^2) / (8 \\
& *(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*x*(B^2*b^4 - 2*A^2*a*c^3 \\
& + A^2*b^2*c^2 + 2*B^2*a^2*c^2 - 2*A*B*b^3*c - 4*B^2*a*b^2*c + 6*A*B*a*b*c^ \\
& 2)) / c * (- (B^2*b^5 + A^2*b^3*c^2 + A^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*b^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*b^4*c - 16*A*B*a^2*c^3 - 4*A^2*a*b*c^3 -
\end{aligned}$$

$$c - 16* A * B * a^2 * c^3 - 4 * A^2 * a * b * c^3 - 7 * B^2 * a * b^3 * c - B^2 * a * c * (- (4 * a * c - b^2)^3)^{1/2} + 12 * B^2 * a^2 * b * c^2 - 2 * A * B * b * c * (- (4 * a * c - b^2)^3)^{1/2} + 12 * A * B * a * b^2 * c^2 / (8 * (16 * a^2 * c^5 + b^4 * c^3 - 8 * a * b^2 * c^4))^{1/2} - (2 * (A^3 * a * c^2 - B^3 * a^2 * b + A * B^2 * a * b^2 + A * B^2 * a^2 * c - 2 * A^2 * B * a * b * c) / c) * (- (B^2 * b^5 + A^2 * b^3 * c^2 + A^2 * c^2 * (- (4 * a * c - b^2)^3)^{1/2} + B^2 * b^2 * (- (4 * a * c - b^2)^3)^{1/2} - 2 * A * B * b^4 * c - 16 * A * B * a^2 * c^3 - 4 * A^2 * a * b * c^3 - 7 * B^2 * a * b^3 * c - B^2 * a * c * (- (4 * a * c - b^2)^3)^{1/2} + 12 * B^2 * a^2 * b * c^2 - 2 * A * B * b * c * (- (4 * a * c - b^2)^3)^{1/2} + 12 * A * B * a * b^2 * c^2) / (8 * (16 * a^2 * c^5 + b^4 * c^3 - 8 * a * b^2 * c^4))^{1/2} * 2i$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(B*x**2+A)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.109 \quad \int \frac{A+Bx^2}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=172

$$\frac{\left(B - \frac{bB-2Ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{bB-2Ac}{\sqrt{b^2-4ac}} + B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] $1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(B+(2*A*c-B*b)/(-4*a*c+b^2)^{(1/2)})*2^{(1/2)}/c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)}+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(B+(-2*A*c+B*b)/(-4*a*c+b^2)^{(1/2)})*2^{(1/2)}/c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2}))^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {1166, 205}

$$\frac{\left(B - \frac{bB-2Ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{bB-2Ac}{\sqrt{b^2-4ac}} + B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a + b*x^2 + c*x^4), x]

[Out] $((B - (b*B - 2*A*c)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + ((B + (b*B - 2*A*c)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rubi steps

$$\int \frac{A + Bx^2}{a + bx^2 + cx^4} dx = \frac{1}{2} \left(B - \frac{bB - 2Ac}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx + \frac{1}{2} \left(B + \frac{bB - 2Ac}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx$$

$$= \frac{\left(B - \frac{bB - 2Ac}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} \sqrt{c} \sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(B + \frac{bB - 2Ac}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} \sqrt{c} \sqrt{b + \sqrt{b^2 - 4ac}}}$$

Mathematica [A] time = 0.09, size = 173, normalized size = 1.01

$$\frac{\left(B\sqrt{b^2 - 4ac} + 2Ac - bB \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(B\sqrt{b^2 - 4ac} - 2Ac + bB \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b + \sqrt{b^2 - 4ac}}}$$

$$\frac{\sqrt{2} \sqrt{c} \sqrt{b^2 - 4ac}}{\sqrt{2} \sqrt{c} \sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(a + b*x^2 + c*x^4),x]

[Out] (((-(b*B) + 2*A*c + B*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/Sqrt[b - Sqrt[b^2 - 4*a*c]] + ((b*B - 2*A*c + B*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c])

fricas [B] time = 0.87, size = 1569, normalized size = 9.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] 1/2*sqrt(1/2)*sqrt(-(B^2*a*b - (4*A*B*a - A^2*b)*c + (a*b^2*c - 4*a^2*c^2)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2))*log(-2*(B^4*a^2 - A*B^3*a*b + A^3*B*b*c - A^4*c^2)*x + sqrt(1/2)*(A*B^2*a*b^2 + 4*A^3*a*c^2 - (4*A*B^2*a^2 + A^3*b^2)*c + (4*(2*B*a^3 - A*a^2*b)*c^2 - (2*B*a^2*b^2 - A*a*b^3)*c)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^2*c^2 - 4*a^3*c^3)))*sqrt(-(B^2*a*b - (4*A*B*a - A^2*b)*c + (a*b^2*c - 4*a^2*c^2)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^2*c^2 - 4*a^3*c^3)))/(a*b^2*c - 4*a^2*c^2)) - 1/2*sqrt(1/2)*sqrt(-(B^2*a*b -

$$\begin{aligned}
& (4ABa - A^2b)c + (ab^2c - 4a^2c^2)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3)}}/(ab^2c - 4a^2c^2))\log(-2(B^4a^2 - AB^3ab + A^3B^2bc - A^4c^2)x - \sqrt{1/2}(AB^2ab^2 + 4A^3ac^2 - (4AB^2a^2 + A^3b^2)c + (4(2Ba^3 - Aa^2b)c^2 - (2Ba^2b^2 - Aab^3)c)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})\sqrt{-(B^2ab - (4ABa - A^2b)c + (ab^2c - 4a^2c^2)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})/(ab^2c - 4a^2c^2))} + 1/2\sqrt{1/2}\sqrt{-(B^2ab - (4ABa - A^2b)c - (ab^2c - 4a^2c^2)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})/(ab^2c - 4a^2c^2))}\log(-2(B^4a^2 - AB^3ab + A^3B^2bc - A^4c^2)x + \sqrt{1/2}(AB^2ab^2 + 4A^3ac^2 - (4AB^2a^2 + A^3b^2)c - (4(2Ba^3 - Aa^2b)c^2 - (2Ba^2b^2 - Aab^3)c)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})\sqrt{-(B^2ab - (4ABa - A^2b)c - (ab^2c - 4a^2c^2)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})/(ab^2c - 4a^2c^2))} - 1/2\sqrt{1/2}\sqrt{-(B^2ab - (4ABa - A^2b)c - (ab^2c - 4a^2c^2)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})/(ab^2c - 4a^2c^2))}\log(-2(B^4a^2 - AB^3ab + A^3B^2bc - A^4c^2)x - \sqrt{1/2}(AB^2ab^2 + 4A^3ac^2 - (4AB^2a^2 + A^3b^2)c - (4(2Ba^3 - Aa^2b)c^2 - (2Ba^2b^2 - Aab^3)c)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})\sqrt{-(B^2ab - (4ABa - A^2b)c - (ab^2c - 4a^2c^2)\sqrt{(B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^2c^2 - 4a^3c^3))})/(ab^2c - 4a^2c^2))}
\end{aligned}$$

giac [B] time = 2.42, size = 1400, normalized size = 8.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $1/4*((\sqrt{2})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^4 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a*b^2c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^3c - 2*b^4c + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a^2c^2 + 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a*b*c^2 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^2c^2 + 16*a*b^2c^2 + 2*b^3c^2 - 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a*c^3 - 32*a^2c^3 - 8*a*b*c^3 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^3 + 4\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a*b*c + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^2c - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*b*c^2 + 2*(b^2 - 4ac)*b^2c - 8*(b^2 - 4ac)*a*c^2 - 2*(b^2 - 4ac)*b*c^2)*A - 2*(2*a*b^2c^2 - 8*a^2c^3 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a*b^2 + 4\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a^2c + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)*a*b*c - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc + \sqrt{b^2 - 4ac}}c)$

```

*a*c^2 - 2*(b^2 - 4*a*c)*a*c^2)*B)*arctan(2*sqrt(1/2)*x/sqrt((b + sqrt(b^2
- 4*a*c))/c))/((a*b^4 - 8*a^2*b^2*c - 2*a*b^3*c + 16*a^3*c^2 + 8*a^2*b*c^2
+ a*b^2*c^2 - 4*a^2*c^3)*abs(c)) + 1/4*((sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*
c)*c)*b^4 - 8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^2*c - 2*sqrt(2)*s
qrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^3*c + 2*b^4*c + 16*sqrt(2)*sqrt(b*c - sqrt
(b^2 - 4*a*c)*c)*a^2*c^2 + 8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b*c^
2 + sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^2*c^2 - 16*a*b^2*c^2 - 2*b^3*
c^2 - 4*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*c^3 + 32*a^2*c^3 + 8*a*b*
c^3 + sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^3 - 4*sqrt
(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b*c - 2*sqrt(2)*sqrt
(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^2*c + sqrt(2)*sqrt(b^2 -
4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b*c^2 - 2*(b^2 - 4*a*c)*b^2*c + 8*(b
^2 - 4*a*c)*a*c^2 + 2*(b^2 - 4*a*c)*b*c^2)*A + 2*(2*a*b^2*c^2 - 8*a^2*c^3 -
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^2 + 4*sqrt(2
)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*c + 2*sqrt(2)*sqrt(
b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b*c - sqrt(2)*sqrt(b^2 - 4*a
*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*c^2 - 2*(b^2 - 4*a*c)*a*c^2)*B)*arcta
n(2*sqrt(1/2)*x/sqrt((b - sqrt(b^2 - 4*a*c))/c))/((a*b^4 - 8*a^2*b^2*c - 2*
a*b^3*c + 16*a^3*c^2 + 8*a^2*b*c^2 + a*b^2*c^2 - 4*a^2*c^3)*abs(c))

```

maple [B] time = 0.02, size = 328, normalized size = 1.91

$$\frac{\sqrt{2} A c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}\right)}{\sqrt{-4 a c+b^2} \sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}} - \frac{\sqrt{2} A c \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}}\right)}{\sqrt{-4 a c+b^2} \sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}} + \frac{\sqrt{2} B b \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}\right)}{2 \sqrt{-4 a c+b^2} \sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/(c*x^4+b*x^2+a), x)

```

[Out] -c/((-4*a*c+b^2)^(1/2)*2^(1/2))/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(
1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*A-1/2*2^(1/2)/((-b+(-4*a*c+b^2)
^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*B+1
/2/((-4*a*c+b^2)^(1/2)*2^(1/2))/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(
1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*B-B-c/((-4*a*c+b^2)^(1/2)*2^(1/2
))/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c
)^(1/2)*c*x)*A+1/2*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2)/
((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*B+1/2/((-4*a*c+b^2)^(1/2)*2^(1/2))/((b
+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2
))*c*x)*b*B

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{cx^4 + bx^2 + a} dx$$

$$\begin{aligned}
& - b^2)^3)^{(1/2)} + 16*AB*a^2*c^2 - 4*A^2*a*b*c^2 - 4*B^2*a^2*b*c - 4*AB*a \\
& *b^2*c)/(8*(16*a^3*c^3 - 8*a^2*b^2*c^2 + a*b^4*c))^{(1/2)} - 16*A*a*c^3) + x \\
& *(4*A^2*c^3 - 4*B^2*a*c^2 + 2*B^2*b^2*c - 4*AB*b*c^2))*(-(B^2*a*b^3 - B^2* \\
& a*(-(4*a*c - b^2)^3)^{(1/2)} + A^2*b^3*c + A^2*c*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 6*AB*a^2*c^2 - 4*A^2*a*b*c^2 - 4*B^2*a^2*b*c - 4*AB*a*b^2*c)/(8*(16*a^3*c \\
& ^3 - 8*a^2*b^2*c^2 + a*b^4*c))^{(1/2)} + 2*A^2*B*c^2 + 2*B^3*a*c - 2*AB^2*b \\
& *c))*(-(B^2*a*b^3 - B^2*a*(-(4*a*c - b^2)^3)^{(1/2)} + A^2*b^3*c + A^2*c*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} + 16*AB*a^2*c^2 - 4*A^2*a*b*c^2 - 4*B^2*a^2*b*c - 4*A \\
& *B*a*b^2*c)/(8*(16*a^3*c^3 - 8*a^2*b^2*c^2 + a*b^4*c))^{(1/2)}*2i
\end{aligned}$$

sympy [A] time = 16.96, size = 314, normalized size = 1.83

$$\text{RootSum}\left(t^4(256a^3c^3 - 128a^2b^2c^2 + 16ab^4c) + t^2(-16A^2abc^2 + 4A^2b^3c + 64ABa^2c^2 - 16ABab^2c - 16B^2a^2bc) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/(c*x**4+b*x**2+a),x)

[Out] RootSum(_t**4*(256*a**3*c**3 - 128*a**2*b**2*c**2 + 16*a*b**4*c) + _t**2*(-16*A**2*a*b*c**2 + 4*A**2*b**3*c + 64*A*B*a**2*c**2 - 16*A*B*a*b**2*c - 16*B**2*a**2*b*c + 4*B**2*a*b**3) + A**4*c**2 - 2*A**3*B*b*c + 2*A**2*B**2*a*c + A**2*B**2*b**2 - 2*A*B**3*a*b + B**4*a**2, Lambda(_t, _t*log(x + (-32*_t**3*A*a**2*b*c**2 + 8*_t**3*A*a*b**3*c + 64*_t**3*B*a**3*c**2 - 16*_t**3*B*a**2*b**2*c - 4*_t*A**3*a*c**2 + 2*_t*A**3*b**2*c - 6*_t*A**2*B*a*b*c + 12*_t*A*B**2*a**2*c - 2*_t*B**3*a**2*b)/(-A**4*c**2 + A**3*B*b*c - A*B**3*a*b + B**4*a**2))))

$$3.110 \quad \int \frac{A+Bx^2}{x^2(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=189

$$-\frac{\sqrt{c} \left(\frac{Ab-2aB}{\sqrt{b^2-4ac}} + A \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2} a \sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left(A - \frac{Ab-2aB}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2} a \sqrt{\sqrt{b^2-4ac}+b}} - \frac{A}{ax}$$

[Out] $-A/a/x-1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(A+(A*b-2*B*a)/(-4*a*c+b^2)^{(1/2)})/a*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(A+(-A*b+2*B*a)/(-4*a*c+b^2)^{(1/2)})/a*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.40, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1281, 1166, 205}

$$-\frac{\sqrt{c} \left(\frac{Ab-2aB}{\sqrt{b^2-4ac}} + A \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2} a \sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left(A - \frac{Ab-2aB}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2} a \sqrt{\sqrt{b^2-4ac}+b}} - \frac{A}{ax}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)),x]

[Out] $-(A/(a*x)) - (\text{Sqrt}[c]*(A + (A*b - 2*a*B)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(A - (A*b - 2*a*B)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4*a*c]$

Rule 1281

$\text{Int}[(f_*)(x_*)^{(m_*)}((d_*) + (e_*)(x_*)^2)*((a_*) + (b_*)(x_*)^2 + (c_*)(x_*)^4)^{(p_*)}, x_Symbol] \rightarrow \text{Simp}[(d*(f*x)^{(m+1)}*(a + b*x^2 + c*x^4)^{(p+1)})/(a*f*(m+1)), x] + \text{Dist}[1/(a*f^2*(m+1)), \text{Int}[(f*x)^{(m+2)}*(a + b*x^2 + c*x^4)^p*\text{Simp}[a*e*(m+1) - b*d*(m+2*p+3) - c*d*(m+4*p+5)*x^2, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{x^2(a + bx^2 + cx^4)} dx &= -\frac{A}{ax} - \frac{\int \frac{Ab - aB + Acx^2}{a + bx^2 + cx^4} dx}{a} \\ &= -\frac{A}{ax} - \frac{\left(c \left(A - \frac{Ab - 2aB}{\sqrt{b^2 - 4ac}}\right)\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2a} - \frac{\left(c \left(A + \frac{Ab - 2aB}{\sqrt{b^2 - 4ac}}\right)\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2a} \\ &= -\frac{A}{ax} - \frac{\sqrt{c} \left(A + \frac{Ab - 2aB}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}a\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{c} \left(A - \frac{Ab - 2aB}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}a\sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.29, size = 206, normalized size = 1.09

$$\frac{\frac{\sqrt{2}\sqrt{c} \left(A(\sqrt{b^2 - 4ac} + b) - 2aB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{2}\sqrt{c} \left(A(\sqrt{b^2 - 4ac} - b) + 2aB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b^2 - 4ac} + b}\right)}{\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac} + b}}{2a} + \frac{2A}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)), x]

[Out] $-1/2*((2*A)/x + (\text{Sqrt}[2]*\text{Sqrt}[c]*(-2*a*B + A*(b + \text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(2*a*B + A*(-b + \text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])))/a$

$$2)*c)*\text{sqrt}((B^4*a^4 - 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 - 4*A^3*B*a*b^3 + A^4*b^4 + A^4*a^2*c^2 - 2*(A^2*B^2*a^3 - 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^2 - 4*a^7*c)))*\text{sqrt}(-(B^2*a^2*b - 2*A*B*a*b^2 + A^2*b^3 + (4*A*B*a^2 - 3*A^2*a*b)*c - (a^3*b^2 - 4*a^4*c))*\text{sqrt}((B^4*a^4 - 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 - 4*A^3*B*a*b^3 + A^4*b^4 + A^4*a^2*c^2 - 2*(A^2*B^2*a^3 - 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c))) - \text{sqrt}(1/2)*a*x*\text{sqrt}(-(B^2*a^2*b - 2*A*B*a*b^2 + A^2*b^3 + (4*A*B*a^2 - 3*A^2*a*b)*c - (a^3*b^2 - 4*a^4*c))*\text{sqrt}((B^4*a^4 - 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 - 4*A^3*B*a*b^3 + A^4*b^4 + A^4*a^2*c^2 - 2*(A^2*B^2*a^3 - 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c))*\log(2*(A^4*a*c^3 + (A^3*B*a*b - A^4*b^2)*c^2 - (B^4*a^3 - 3*A*B^3*a^2*b + 3*A^2*B^2*a*b^2 - A^3*B*b^3)*c)*x - \text{sqrt}(1/2)*(B^3*a^3*b^2 - 3*A*B^2*a^2*b^3 + 3*A^2*B*a*b^4 - A^3*b^5 + 4*(A^2*B*a^3 - A^3*a^2*b)*c^2 - (4*B^3*a^4 - 12*A*B^2*a^3*b + 13*A^2*B*a^2*b^2 - 5*A^3*a*b^3)*c + (B*a^4*b^3 - A*a^3*b^4 - 8*A*a^5*c^2 - 2*(2*B*a^5*b - 3*A*a^4*b^2)*c)*\text{sqrt}((B^4*a^4 - 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 - 4*A^3*B*a*b^3 + A^4*b^4 + A^4*a^2*c^2 - 2*(A^2*B^2*a^3 - 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^2 - 4*a^7*c)))*\text{sqrt}(-(B^2*a^2*b - 2*A*B*a*b^2 + A^2*b^3 + (4*A*B*a^2 - 3*A^2*a*b)*c - (a^3*b^2 - 4*a^4*c))*\text{sqrt}((B^4*a^4 - 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 - 4*A^3*B*a*b^3 + A^4*b^4 + A^4*a^2*c^2 - 2*(A^2*B^2*a^3 - 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c))) - 2*A)/(a*x)$$

giac [B] time = 3.57, size = 2805, normalized size = 14.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $-A/(a*x) - 1/8*((2*b^4*c^2 - 16*a*b^2*c^3 + 32*a^2*c^4 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*b^4 + 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^2*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*b^3*c - 16*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*c^2 - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b*c^2 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*b^2*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*c^3 - 2*(b^2 - 4*a*c)*b^2*c^2 + 8*(b^2 - 4*a*c)*a*c^3)*A*a^2 + 2*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^5 - 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^3*c - 2*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^4*c - 2*a*b^5*c + 16*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b*c^2 + 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^2*c^2 + \text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^3*c^2 + 16*a^2*b^3*c^2 - 4*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b*c^3 - 32*a^3*b*c^3 + 2*(b^2 - 4*a*c)*a*b^3*c - 8*(b^2 - 4*a*c)*a^2*b*c^2)*A*\text{abs}(a) - 2*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^4 - 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^2*c - 2*\text{sqrt}(2)*\text{sqrt}(b*c$

$t(b^2 - 4ac) \sqrt{bc - \sqrt{b^2 - 4ac}} c a^3 b c^2 - 2(b^2 - 4ac) a^3 b c^2 B \arctan(2 \sqrt{1/2} x / \sqrt{(a^2 b^2 - 4a^3 c) / (a^3 b^4 - 8a^4 b^2 c - 2a^3 b^3 c + 16a^5 c^2 + 8a^4 b c^2 + a^3 b^2 c^2 - 4a^4 c^3) \text{abs}(a) \text{abs}(c)})$

maple [B] time = 0.03, size = 353, normalized size = 1.87

$$\frac{\sqrt{2} A b c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{2\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c} a} + \frac{\sqrt{2} A b c \arctan\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{2\sqrt{-4ac + b^2} \sqrt{(b + \sqrt{-4ac + b^2})c} a} - \frac{\sqrt{2} B c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)/x^2/(c*x^4+b*x^2+a),x)`

[Out] $-A/a/x + 1/2/a*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*A + 1/2/a*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*A*b-c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*B - 1/2/a*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\arctan(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*A + 1/2/a*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\arctan(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*A*b-c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\arctan(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*B$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `-integrate((A*c*x^2 - B*a + A*b)/(c*x^4 + b*x^2 + a), x)/a - A/(a*x)`

mupad [B] time = 1.35, size = 6335, normalized size = 33.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)),x)`

$$\begin{aligned}
& (6a^5c^2 - 8a^4b^2c))^{(1/2)} - (x(4A^2a^4c^4 - 4B^2a^5c^3 - 2A^2a^3b^2c^3 + 4ABa^4bc^3) + (-A^2b^5 + B^2a^2b^3 + A^2b^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 - 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} * (16B^2a^6c^3 + x(32a^6b^3c^3 - 8a^5b^3c^2) * (-A^2b^5 + B^2a^2b^3 + A^2b^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 - 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} - 16A^2a^5b^3c^3 + 4A^2a^4b^3c^2 - 4B^2a^5b^2c^2) * (-A^2b^5 + B^2a^2b^3 + A^2b^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 - 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} + 2A^3a^3c^4 + 2AB^2a^4c^3 - 2A^2B^2a^3b^3c^3) * (-A^2b^5 + B^2a^2b^3 + A^2b^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 - 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} * 2i - \operatorname{atan}(((x(4A^2a^4c^4 - 4B^2a^5c^3 - 2A^2a^3b^2c^3 + 4ABa^4bc^3) + (-A^2b^5 + B^2a^2b^3 - A^2b^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c + A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 + 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} * (x(32a^6b^3c^3 - 8a^5b^3c^2) * (-A^2b^5 + B^2a^2b^3 - A^2b^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c + A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 + 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} - 16B^2a^6c^3 + 16A^2a^5b^3c^3 - 4A^2a^4b^3c^2 + 4B^2a^5b^2c^2) * (-A^2b^5 + B^2a^2b^3 - A^2b^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c + A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 + 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} + 12ABa^2b^2c)/(8(a^3b^4 + 16a^5c^2 - 8a^4b^2c))^{(1/2)} * (16B^2a^6c^3 + x(32a^6b^3c^3 - 8a^5b^3c^2) * (-A^2b^5 + B^2a^2b^3 - A^2b^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^4b^4 - 16A^2a^3b^3c^2 - 7A^2a^2b^3c + A^2aac(-4ac - b^2)^3)^{(1/2)} - 4B^2a^3b^3c + 12A^2a^2b^3c^2 + 2ABa^4b^3c - A^2aac(-4ac - b^2)^3)^{(1/2)} +
\end{aligned}$$

$$\begin{aligned}
& 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)} - 16*A*a^5*b*c^3 + 4*A*a^4*b^3*c^2 - 4*B*a^5*b^2*c^2))*(-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)}*1i)/((x*(4*A^2*a^4*c^4 - 4*B^2*a^5*c^3 - 2*A^2*a^3*b^2*c^3 + 4*A*B*a^4*b*c^3) + (-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)}*(x*(32*a^6*b*c^3 - 8*a^5*b^3*c^2))*(-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)} - 16*B*a^6*c^3 + 16*A*a^5*b*c^3 - 4*A*a^4*b^3*c^2 + 4*B*a^5*b^2*c^2))*(-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)} - (x*(4*A^2*a^4*c^4 - 4*B^2*a^5*c^3 - 2*A^2*a^3*b^2*c^3 + 4*A*B*a^4*b*c^3) + (-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)}*(16*B*a^6*c^3 + x*(32*a^6*b*c^3 - 8*a^5*b^3*c^2))*(-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)} - 16*A*a^5*b*c^3 + 4*A*a^4*b^3*c^2 - 4*B*a^5*b^2*c^2))*(-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)} + 2*A^3*a^3*c^4 + 2*A*B^2*a^4*c^3 - 2*A^2*B*a^3*b*c^3))*(-(A^2*b^5 + B^2*a^2*b^3 - A^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} - B^2*a^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^4 - 16*A*B*a^3*c^2 - 7*A^2*a*b^3*c + A^2*a*c*(-(4*a*c - b^2)^3)^{(1/2)} - 4*B^2*a^3*b*c + 12*A^2*a^2*b*c^2 + 2*A*B*a*b*(-(4*a*c - b^2)^3)^{(1/2)} + 12*A*B*a^2*b^2*c)/(8*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c)))^{(1/2)}*2i - A/(a*x)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x**2+A)/x**2/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.111 \quad \int \frac{A+Bx^2}{x^4(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=271

$$\frac{\sqrt{c} \left(aB \left(\sqrt{b^2 - 4ac} + b \right) - A \left(b\sqrt{b^2 - 4ac} - 2ac + b^2 \right) \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) + \sqrt{c} \left(aB \left(b - \sqrt{b^2 - 4ac} \right) - A \left(-b\sqrt{b^2 - 4ac} - 2ac + b^2 \right) \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} + \sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] $-1/3*A/a/x^3+(A*b-B*a)/a^2/x-1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*c^{(1/2)}*(a*B*(b+(-4*a*c+b^2)^{(1/2)})-A*(b^2-2*a*c+b*(-4*a*c+b^2)^{(1/2)}))/a^2*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(a*B*(b-(-4*a*c+b^2)^{(1/2)})-A*(b^2-2*a*c-b*(-4*a*c+b^2)^{(1/2)}))/a^2*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.65, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1281, 1166, 205}

$$\frac{\sqrt{c} \left(aB \left(\sqrt{b^2 - 4ac} + b \right) - A \left(b\sqrt{b^2 - 4ac} - 2ac + b^2 \right) \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) + \sqrt{c} \left(aB \left(b - \sqrt{b^2 - 4ac} \right) - A \left(-b\sqrt{b^2 - 4ac} - 2ac + b^2 \right) \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} + \sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)),x]

[Out] $-A/(3*a*x^3) + (A*b - a*B)/(a^2*x) - (\text{Sqrt}[c]*(a*B*(b + \text{Sqrt}[b^2 - 4*a*c]) - A*(b^2 - 2*a*c + b*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[c]*(a*B*(b - \text{Sqrt}[b^2 - 4*a*c]) - A*(b^2 - 2*a*c - b*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1281

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{x^4(a + bx^2 + cx^4)} dx &= -\frac{A}{3ax^3} - \frac{\int \frac{3(Ab - aB) + 3Acx^2}{x^2(a + bx^2 + cx^4)} dx}{3a} \\ &= -\frac{A}{3ax^3} + \frac{Ab - aB}{a^2x} + \frac{\int \frac{3(Ab^2 - abB - aAc) + 3(Ab - aB)cx^2}{a + bx^2 + cx^4} dx}{3a^2} \\ &= -\frac{A}{3ax^3} + \frac{Ab - aB}{a^2x} + \frac{\left(c \left(aB \left(b - \sqrt{b^2 - 4ac} \right) - A \left(b^2 - 2ac - b\sqrt{b^2 - 4ac} \right) \right) \right) \int \frac{\frac{b-1}{2} \sqrt{b^2 - 4ac}}{b - \sqrt{b^2 - 4ac}} dx}{2a^2 \sqrt{b^2 - 4ac}} \\ &= -\frac{A}{3ax^3} + \frac{Ab - aB}{a^2x} - \frac{\sqrt{c} \left(aB \left(b + \sqrt{b^2 - 4ac} \right) - A \left(b^2 - 2ac + b\sqrt{b^2 - 4ac} \right) \right) \tan^{-1} \left(\frac{\sqrt{b^2 - 4ac}}{b - \sqrt{b^2 - 4ac}} \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}} \end{aligned}$$

Mathematica [A] time = 0.32, size = 267, normalized size = 0.99

$$\frac{3\sqrt{2}\sqrt{c}\left(aB\left(\sqrt{b^2-4ac}+b\right)-A\left(b\sqrt{b^2-4ac}-2ac+b^2\right)\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{3\sqrt{2}\sqrt{c}\left(A\left(b\sqrt{b^2-4ac}+2ac-b^2\right)+aB\left(b-\sqrt{b^2-4ac}\right)\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b^2-4ac}}\right)}{\sqrt{b^2-4ac}\sqrt{b^2-4ac+b}}$$

$6a^2$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)), x]

```
[Out] ((-2*a*A)/x^3 + (6*A*b - 6*a*B)/x - (3*Sqrt[2]*Sqrt[c]*(a*B*(b + Sqrt[b^2 - 4*a*c]) - A*(b^2 - 2*a*c + b*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (3*Sqrt[2]*Sqrt[c]*(a*B*(b - Sqrt[b^2 - 4*a*c]) + A*(-b^2 + 2*a*c + b*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]]))/(6*a^2)
```

fricas [B] time = 2.32, size = 5442, normalized size = 20.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] 1/6*(3*sqrt(1/2)*a^2*x^3*sqrt(-(B^2*a^2*b^3 - 2*A*B*a*b^4 + A^2*b^5 - (4*A*B*a^3 - 5*A^2*a^2*b)*c^2 - (3*B^2*a^3*b - 8*A*B*a^2*b^2 + 5*A^2*a*b^3)*c + (a^5*b^2 - 4*a^6*c)*sqrt((B^4*a^4*b^4 - 4*A*B^3*a^3*b^5 + 6*A^2*B^2*a^2*b^6 - 4*A^3*B*a*b^7 + A^4*b^8 + A^4*a^4*c^4 - 2*(A^2*B^2*a^5 - 4*A^3*B*a^4*b + 3*A^4*a^3*b^2)*c^3 + (B^4*a^6 - 8*A*B^3*a^5*b + 24*A^2*B^2*a^4*b^2 - 28*A^3*B*a^3*b^3 + 11*A^4*a^2*b^4)*c^2 - 2*(B^4*a^5*b^2 - 6*A*B^3*a^4*b^3 + 12*A^2*B^2*a^3*b^4 - 10*A^3*B*a^2*b^5 + 3*A^4*a*b^6)*c)/(a^10*b^2 - 4*a^11*c)))/((a^5*b^2 - 4*a^6*c))*log(2*(A^4*a^2*c^5 + 3*(A^3*B*a^2*b - A^4*a*b^2)*c^4 - (B^4*a^4 - 5*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 - A^3*B*a*b^3 - A^4*b^4)*c^3 + (B^4*a^3*b^2 - 3*A*B^3*a^2*b^3 + 3*A^2*B^2*a*b^4 - A^3*B*b^5)*c^2)*x + sqrt(1/2)*(B^3*a^3*b^5 - 3*A*B^2*a^2*b^6 + 3*A^2*B*a*b^7 - A^3*b^8 - 4*A^3*a^4*c^4 + (4*A*B^2*a^5 - 20*A^2*B*a^4*b + 17*A^3*a^3*b^2)*c^3 + (4*B^3*a^5*b - 25*A*B^2*a^4*b^2 + 41*A^2*B*a^3*b^3 - 20*A^3*a^2*b^4)*c^2 - (5*B^3*a^4*b^3 - 18*A*B^2*a^3*b^4 + 21*A^2*B*a^2*b^5 - 8*A^3*a*b^6)*c - (B*a^6*b^4 - A*a^5*b^5 + 4*(2*B*a^8 - 3*A*a^7*b)*c^2 - (6*B*a^7*b^2 - 7*A*a^6*b^3)*c)*sqrt((B^4*a^4*b^4 - 4*A*B^3*a^3*b^5 + 6*A^2*B^2*a^2*b^6 - 4*A^3*B*a*b^7 + A^4*b^8 + A^4*a^4*c^4 - 2*(A^2*B^2*a^5 - 4*A^3*B*a^4*b + 3*A^4*a^3*b^2)*c^3 + (B^4*a^6 - 8*A*B^3*a^5*b + 24*A^2*B^2*a^4*b^2 - 28*A^3*B*a^3*b^3 + 11*A^4*a^2*b^4)*c^2 - 2*(B^4*a^5*b^2 - 6*A*B^3*a^4*b^3 + 12*A^2*B^2*a^3*b^4 - 10*A^3*B*a^2*b^5 + 3*A^4*a*b^6)*c)/(a^10*b^2 - 4*a^11*c)))*sqrt(-(B^2*a^2*b^3 - 2*A*B*a*b^4 + A^2*b^5 - (4*A*B*a^3 - 5*A^2*a^2*b)*c^2 - (3*B^2*a^3*b - 8*A*B*a^2*b^2 + 5*A^2*a*b^3)*c + (a^5*b^2 - 4*a^6*c)*sqrt((B^4*a^4*b^4 - 4*A*B^3*a^3*b^5 + 6*A^2*B^2*a^2*b^6 - 4*A^3*B*a*b^7 + A^4*b^8 + A^4*a^4*c^4 - 2*(A^2*B^2*a^5 - 4*A^3*B*a^4*b + 3*A^4*a^3*b^2)*c^3 + (B^4*a^6 - 8*A*B^3*a^5*b + 24*A^2*B^2*a^4*b^2 - 28*A^3*B*a^3*b^3 + 11*A^4*a^2*b^4)*c^2 - 2*(B^4*a^5*b^2 - 6*A*B^3*a^4*b^3 + 12*A^2*B^2*a^3*b^4 - 10*A^3*B*a^2*b^5 + 3*A^4*a*b^6)*c)/(a^10*b^2 - 4*a^11*c)))/((a^5*b^2 - 4*a^6*c))) - 3*sqrt(1/2)*a^2*x^3*sqrt(-(B^2*a^2*b^3 - 2*A*B*a*b^4 + A^2*b^5 - (4*A*B*a^3 - 5*A^2*a^2*b)*c^2 - (3*B^2*a^3*b - 8*A*B*a^2*b^2 + 5*A^2*a*b^3)*c + (a^5*b^2 - 4*a^6*c)*sqrt((B^4*a^4*b^4 - 4*A*B^3*a^3*b^5 + 6*A^2*B^2*a^2*b^6 - 4*A^3*B*a*b^7 + A^4*b^8 + A^4*a^4*c^4 - 2*(A^2*B^2*a^5 - 4*A^3*B*a^4*b + 3*A^4*a^3*b^2)*c^3 + (B^4*a^6 - 8*A*B^3*a^5*b + 24*A^2*B^2*a^4*b^2 - 28*A^3*B*a^3*b^3 + 11*A^4*a^2*b^4)*c^2 - 2*(B^4*a^5*b^2 - 6*A*B^3*a^4*b^3 + 12*A^2*B^2*a^3*b^4 - 10*A^3*B*a^2*b^5 + 3*A^4*a*b^6)*c)/(a^10*b^2 - 4*a^11*c)))/((a^5*b^2 - 4*a^6*c)))
```


$$\begin{aligned}
& A^4 a^4 c^4 - 2(A^2 B^2 a^5 - 4A^3 B a^4 b + 3A^4 a^3 b^2) c^3 + (B^4 a^6 - 8A B^3 a^5 b + 24A^2 B^2 a^4 b^2 - 28A^3 B a^3 b^3 + 11A^4 a^2 b^4) \\
& c^2 - 2(B^4 a^5 b^2 - 6A B^3 a^4 b^3 + 12A^2 B^2 a^3 b^4 - 10A^3 B a^2 b^5 + 3A^4 a b^6) c / (a^{10} b^2 - 4a^{11} c) / (a^5 b^2 - 4a^6 c) - 3 \sqrt{1/2} \\
& a^2 x^3 \sqrt{-(B^2 a^2 b^3 - 2A B a b^4 + A^2 b^5 - (4A B a^3 - 5A^2 a^2 b) c^2 - (3B^2 a^3 b - 8A B a^2 b^2 + 5A^2 a b^3) c - (a^5 b^2 - 4a^6 c))} \\
& \sqrt{(B^4 a^4 b^4 - 4A B^3 a^3 b^5 + 6A^2 B^2 a^2 b^6 - 4A^3 B a b^7 + A^4 b^8 + A^4 a^4 c^4 - 2(A^2 B^2 a^5 - 4A^3 B a^4 b + 3A^4 a^3 b^2) c^3 + (B^4 a^6 - 8A B^3 a^5 b + 24A^2 B^2 a^4 b^2 - 28A^3 B a^3 b^3 + 11A^4 a^2 b^4) c^2 - 2(B^4 a^5 b^2 - 6A B^3 a^4 b^3 + 12A^2 B^2 a^3 b^4 - 10A^3 B a^2 b^5 + 3A^4 a b^6) c) / (a^{10} b^2 - 4a^{11} c) / (a^5 b^2 - 4a^6 c)} \\
& \log(2(A^4 a^2 c^5 + 3(A^3 B a^2 b - A^4 a b^2) c^4 - (B^4 a^4 - 5A B^3 a^3 b + 6A^2 B^2 a^2 b^2 - A^3 B a b^3 - A^4 b^4) c^3 + (B^4 a^3 b^2 - 3A B^3 a^2 b^3 + 3A^2 B^2 a b^4 - A^3 B b^5) c^2) x - \sqrt{1/2} \\
& (B^3 a^3 b^5 - 3A B^2 a^2 b^6 + 3A^2 B a b^7 - A^3 b^8 - 4A^3 a^4 c^4 + (4A B^2 a^5 - 20A^2 B a^4 b + 17A^3 a^3 b^2) c^3 + (4B^3 a^5 b - 25A B^2 a^4 b^2 + 41A^2 B a^3 b^3 - 20A^3 a^2 b^4) c^2 - (5B^3 a^4 b^3 - 18A B^2 a^3 b^4 + 21A^2 B a^2 b^5 - 8A^3 a b^6) c + (B a^6 b^4 - A a^5 b^5 + 4(2B a^8 - 3A a^7 b) c^2 - (6B a^7 b^2 - 7A a^6 b^3) c) \sqrt{(B^4 a^4 b^4 - 4A B^3 a^3 b^5 + 6A^2 B^2 a^2 b^6 - 4A^3 B a b^7 + A^4 b^8 + A^4 a^4 c^4 - 2(A^2 B^2 a^5 - 4A^3 B a^4 b + 3A^4 a^3 b^2) c^3 + (B^4 a^6 - 8A B^3 a^5 b + 24A^2 B^2 a^4 b^2 - 28A^3 B a^3 b^3 + 11A^4 a^2 b^4) c^2 - 2(B^4 a^5 b^2 - 6A B^3 a^4 b^3 + 12A^2 B^2 a^3 b^4 - 10A^3 B a^2 b^5 + 3A^4 a b^6) c) / (a^{10} b^2 - 4a^{11} c) / (a^5 b^2 - 4a^6 c)} \\
& - 6(B a - A b) x^2 - 2A a) / (a^2 x^3)
\end{aligned}$$

giac [B] time = 3.35, size = 2870, normalized size = 10.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $1/4 * ((\sqrt{2}) * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * b^6 - 9 * \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a * b^4 * c - 2 * \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * b^5 * c - 2 * b^6 * c + 24 * \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2 * b^2 * c^2 + 10 * \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a * b^3 * c^2 + \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * b^4 * c^2 + 18 * a * b^4 * c^2 + 2 * b^5 * c^2 - 16 * \sqrt{2} * \sqrt{b*c +$

$- 4*a*c)*c)*a*b^5 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^3*c -$
 $2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c + 2*a*b^5*c + 16*\sqrt{2}*$
 $\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b*c^2 + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 -$
 $4*a*c})*c)*a^2*b^2*c^2 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^2$
 $- 16*a^2*b^3*c^2 - 2*a*b^4*c^2 - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*$
 $a^2*b*c^3 + 32*a^3*b*c^3 + 12*a^2*b^2*c^3 - 16*a^3*c^4 + \sqrt{2}*\sqrt{b^2 -$
 $4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^4 - 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}$
 $*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c - 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{$
 $rt(b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*$
 $c - \sqrt{b^2 - 4*a*c})*c)*a^3*c^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - s$
 $qrt(b^2 - 4*a*c})*c)*a^2*b*c^2 + \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b$
 $^2 - 4*a*c})*c)*a*b^2*c^2 - 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2$
 $- 4*a*c})*c)*a^2*c^3 - 2*(b^2 - 4*a*c)*a*b^3*c + 8*(b^2 - 4*a*c)*a^2*b*c^2 +$
 $2*(b^2 - 4*a*c)*a*b^2*c^2 - 4*(b^2 - 4*a*c)*a^2*c^3)*B)*\arctan(2*\sqrt{1/2}$
 $*x/\sqrt{((a^2*b - \sqrt{a^4*b^2 - 4*a^5*c}))/a^2*c}))/((a^3*b^4 - 8*a^4*b^2*c$
 $- 2*a^3*b^3*c + 16*a^5*c^2 + 8*a^4*b*c^2 + a^3*b^2*c^2 - 4*a^4*c^3)*\text{abs}(c)$
 $) - 1/3*(3*B*a*x^2 - 3*A*b*x^2 + A*a)/(a^2*x^3)$

maple [B] time = 0.03, size = 611, normalized size = 2.25

$$\frac{\sqrt{2} A c^2 \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right) + \sqrt{2} A c^2 \arctan\left(\frac{\sqrt{2} c x}{\sqrt{(b+\sqrt{-4ac+b^2})c}}\right) - \sqrt{2} A b^2 c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right)}{\sqrt{-4ac+b^2} \sqrt{(-b+\sqrt{-4ac+b^2})c} a + \sqrt{-4ac+b^2} \sqrt{(b+\sqrt{-4ac+b^2})c} a - 2\sqrt{-4ac+b^2} \sqrt{(-b+\sqrt{-4ac+b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*x^2+A)/x^4/(c*x^4+b*x^2+a), x)$

[Out] $-1/3*A/a/x^3+1/a^2/x*A*b-1/a/x*B-1/2/a^2*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})$
 $*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b+1/a*c^$
 $2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1$
 $/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A-1/2/a^2*c/(-4*a*c+b^2)^{(1/2)}*2$
 $^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})$
 $)*c)^{(1/2)}*c*x)*A*b^2+1/2/a*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}$
 $)*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B+1/2/a*c/(-4*a*c+$
 $b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+($
 $-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*B+1/2/a^2*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)$
 $)c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b+1/a*c$
 $^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)$
 $/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A-1/2/a^2*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)$
 $/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)$
 $)*c)^{(1/2)}*c*x)*A*b^2-1/2/a*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arct$
 $\text{an}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B+1/2/a*c/(-4*a*c+b^2)^{(1/2)$

2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*B

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{-\int \frac{(Ba-Ab)cx^2+Bab-Ab^2+Aac}{cx^4+bx^2+a} dx}{a^2} - \frac{3(Ba-Ab)x^2 + Aa}{3a^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(-((B*a - A*b)*c*x^2 + B*a*b - A*b^2 + A*a*c)/(c*x^4 + b*x^2 + a), x)/a^2 - 1/3*(3*(B*a - A*b)*x^2 + A*a)/(a^2*x^3)

mupad [B] time = 2.19, size = 10101, normalized size = 37.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)),x)

[Out] - (A/(3*a) - (x^2*(A*b - B*a))/a^2)/x^3 - atan((((-(A^2*b^7 + B^2*a^2*b^5 + A^2*b^4*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(-(4*a*c - b^2)^3)^(1/2) + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^(1/2) + 16*A*B*a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 - 7*B^2*a^3*b^3*c + 12*B^2*a^4*b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^(1/2) - 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*a*b^3*(-(4*a*c - b^2)^3)^(1/2) + 16*A*B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2)^3)^(1/2)))/(8*(a^5*b^4 + 16*a^7*c^2 - 8*a^6*b^2*c)))^(1/2)*(16*A*a^10*c^4 + x*(32*a^11*b*c^3 - 8*a^10*b^3*c^2)*(-(A^2*b^7 + B^2*a^2*b^5 + A^2*b^4*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(-(4*a*c - b^2)^3)^(1/2) + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^(1/2) + 16*A*B*a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 - 7*B^2*a^3*b^3*c + 12*B^2*a^4*b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^(1/2) - 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*a*b^3*(-(4*a*c - b^2)^3)^(1/2) + 16*A*B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2)^3)^(1/2)))/(8*(a^5*b^4 + 16*a^7*c^2 - 8*a^6*b^2*c)))^(1/2) + 16*B*a^10*b*c^3 + 4*A*a^8*b^4*c^2 - 20*A*a^9*b^2*c^3 - 4*B*a^9*b^3*c^2) - x*(4*A^2*a^8*c^5 - 4*B^2*a^9*c^4 + 2*A^2*a^6*b^4*c^3 - 8*A^2*a^7*b^2*c^4 + 2*B^2*a^8*b^2*c^3 - 4*A*B*a^7*b^3*c^3 + 12*A*B*a^8*b*c^4))*(-(A^2*b^7 + B^2*a^2*b^5 + A^2*b^4*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(-(4*a*c - b^2)^3)^(1/2) + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^(1/2) + 16*A*B*a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 - 7*B^2*a^3*b^3*c + 12*B^2*a^4*b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^(1/2) - 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c*(-(4*a*c - b^2)^3)^(1/2) - 2*A*B*a*b^3*(-(4*a*c - b^2)^3)^(1/2)

$$\begin{aligned}
& /2) + 16*A*B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4 \\
& + 16*a^7*c^2 - 8*a^6*b^2*c))^{(1/2)}*1i - (((-A^2*b^7 + B^2*a^2*b^5 + A^2* \\
& b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B \\
& *a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 - 7*B^2*a^3*b^3*c + 12*B^2*a^4* \\
& b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^3*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A \\
& *B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4 + 16*a^7 \\
& *c^2 - 8*a^6*b^2*c))^{(1/2)}*(16*A*a^10*c^4 - x*(32*a^11*b*c^3 - 8*a^10*b^3* \\
& c^2)*(-A^2*b^7 + B^2*a^2*b^5 + A^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a* \\
& b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*b^2* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b \\
& *c^3 - 7*B^2*a^3*b^3*c + 12*B^2*a^4*b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a \\
& *b^3*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(a^5*b^4 + 16*a^7*c^2 - 8*a^6*b^2*c))^{(1/2)} + 16*B*a^10 \\
& *b*c^3 + 4*A*a^8*b^4*c^2 - 20*A*a^9*b^2*c^3 - 4*B*a^9*b^3*c^2) + x*(4*A^2*a^8*c^5 \\
& - 4*B^2*a^9*c^4 + 2*A^2*a^6*b^4*c^3 - 8*A^2*a^7*b^2*c^4 + 2*B^2*a^8* \\
& b^2*c^3 - 4*A*B*a^7*b^3*c^3 + 12*A*B*a^8*b*c^4))*(-A^2*b^7 + B^2*a^2*b^5 + \\
& A^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2* \\
& a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 6*A*B*a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 - 7*B^2*a^3*b^3*c + 12*B^2 \\
& *a^4*b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 36*A*B*a^3*b^2*c^2 - 3*A^2 \\
& *a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^3*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 16*A*B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4 + 1 \\
& 6*a^7*c^2 - 8*a^6*b^2*c))^{(1/2)}*1i)/(((-A^2*b^7 + B^2*a^2*b^5 + A^2*b^4*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^4* \\
& c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 - 7*B^2*a^3*b^3*c + 12*B^2*a^4*b*c^2 \\
& - B^2*a^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^3*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^2 \\
& *b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4 + 16*a^7*c^2 \\
& - 8*a^6*b^2*c))^{(1/2)}*(16*A*a^10*c^4 + x*(32*a^11*b*c^3 - 8*a^10*b^3*c^2)* \\
& (-A^2*b^7 + B^2*a^2*b^5 + A^2*b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^6 + \\
& 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*b^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^4*c^3 - 9*A^2*a*b^5*c - 20*A^2*a^3*b*c^3 \\
& - 7*B^2*a^3*b^3*c + 12*B^2*a^4*b*c^2 - B^2*a^3*c*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 36*A*B*a^3*b^2*c^2 - 3*A^2*a*b^2*c*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^3* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 16*A*B*a^2*b^4*c + 4*A*B*a^2*b*c*(-(4*a*c - b^2) \\
& ^3)^{(1/2)})/(8*(a^5*b^4 + 16*a^7*c^2 - 8*a^6*b^2*c))^{(1/2)} + 16*B*a^10*b*c^ \\
& 3 + 4*A*a^8*b^4*c^2 - 20*A*a^9*b^2*c^3 - 4*B*a^9*b^3*c^2) - x*(4*A^2*a^8*c^5 \\
& - 4*B^2*a^9*c^4 + 2*A^2*a^6*b^4*c^3 - 8*A^2*a^7*b^2*c^4 + 2*B^2*a^8*b^2*c^ \\
& ^3 - 4*A*B*a^7*b^3*c^3 + 12*A*B*a^8*b*c^4))*(-A^2*b^7 + B^2*a^2*b^5 + A^2* \\
& b^4*(-(4*a*c - b^2)^3)^{(1/2)} - 2*A*B*a*b^6 + 25*A^2*a^2*b^3*c^2 + A^2*a^2*c^2 \\
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^3)^{(1/2)} + 16*A*B
\end{aligned}$$

$$\begin{aligned}
& a^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^2c^2 - B^2a^3c^2(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 - 3A^2ab^2c^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^3b^3(-4ac - b^2)^3)^{(1/2)} + 16A^2B^2a^2b^4c + 4ABa^2b^2c^2(-4ac - b^2)^3)^{(1/2)} / (8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} + ((-A^2b^7 + B^2a^2b^5 + A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 + A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^2c^2 - B^2a^3c^2(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 - 3A^2ab^2c^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^3b^3(-4ac - b^2)^3)^{(1/2)} + 16A^2B^2a^2b^4c + 4ABa^2b^2c^2(-4ac - b^2)^3)^{(1/2)} / (8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} * (16Aa^10c^4 - x(32a^11b^3c^3 - 8a^10b^3c^2) * (-A^2b^7 + B^2a^2b^5 + A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 + A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^2c^2 - B^2a^3c^2(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 - 3A^2ab^2c^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^3b^3(-4ac - b^2)^3)^{(1/2)} + 16A^2B^2a^2b^4c + 4ABa^2b^2c^2(-4ac - b^2)^3)^{(1/2)} / (8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} + 16B^2a^10b^3c^3 + 4A^2a^8b^4c^2 - 20A^2a^9b^2c^3 - 4B^2a^9b^3c^2) + x(4A^2a^8c^5 - 4B^2a^9c^4 + 2A^2a^6b^4c^3 - 8A^2a^7b^2c^4 + 2B^2a^8b^2c^3 - 4ABa^7b^3c^3 + 12ABa^8b^3c^4) * (-A^2b^7 + B^2a^2b^5 + A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 + A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^2c^2 - B^2a^3c^2(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 - 3A^2ab^2c^2(-4ac - b^2)^3)^{(1/2)} - 2ABa^3b^3(-4ac - b^2)^3)^{(1/2)} + 16A^2B^2a^2b^4c + 4ABa^2b^2c^2(-4ac - b^2)^3)^{(1/2)} / (8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} + 2B^3a^8c^4 + 2A^2B^2a^7c^5 - 2A^3a^6b^3c^5 - 4AB^2a^7b^3c^4 + 2A^2B^2a^6b^2c^4) * (-A^2b^7 + B^2a^2b^5 + A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 + A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^2c^2 - B^2a^3c^2(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c^2(-4ac - b^2)^3)^{(1/2)} + 2ABa^3b^3(-4ac - b^2)^3)^{(1/2)} + 16A^2B^2a^2b^4c - 4ABa^2b^2c^2(-4ac - b^2)^3)^{(1/2)} / (8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} * (16Aa^10c^4 + x(32a^11b^3c^3 - 8a^10b^3c^2) * (-A^2b^7 + B^2a^2b^5 - A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 2
\end{aligned}$$

$$\begin{aligned}
& 5A^2a^2b^3c^2 - A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - \\
& 7B^2a^3b^3c + 12B^2a^4b^3c^2 + B^2a^3c(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c(-4ac - b^2)^3)^{(1/2)} + 2ABa^2b^3(-4ac - b^2)^3)^{(1/2)} + 16ABa^2b^4c - 4ABa^2b^3c(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} + 16Ba^{10}b^3c^3 + 4Aa^8b^4c^2 - 20Aa^9b^2c^3 - 4Ba^9b^3c^2) - x(4A^2a^8c^5 - 4B^2a^9c^4 + 2A^2a^6b^4c^3 - 8A^2a^7b^2c^4 + 2B^2a^8b^2c^3 - 4ABa^7b^3c^3 + 12ABa^8b^3c^4) * (-A^2b^7 + B^2a^2b^5 - A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 - A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^3c^2 + B^2a^3c(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c(-4ac - b^2)^3)^{(1/2)} + 2ABa^2b^3(-4ac - b^2)^3)^{(1/2)} + 16ABa^2b^4c - 4ABa^2b^3c(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} * i - ((-A^2b^7 + B^2a^2b^5 - A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 - A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^3c^2 + B^2a^3c(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c(-4ac - b^2)^3)^{(1/2)} + 2ABa^2b^3(-4ac - b^2)^3)^{(1/2)} + 16ABa^2b^4c - 4ABa^2b^3c(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} * (16Aa^{10}c^4 - x(32a^{11}b^3c^3 - 8a^{10}b^3c^2) * (-A^2b^7 + B^2a^2b^5 - A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 - A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^3c^2 + B^2a^3c(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c(-4ac - b^2)^3)^{(1/2)} + 2ABa^2b^3(-4ac - b^2)^3)^{(1/2)} + 16ABa^2b^4c - 4ABa^2b^3c(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} + 16Ba^{10}b^3c^3 + 4Aa^8b^4c^2 - 20Aa^9b^2c^3 - 4Ba^9b^3c^2) + x(4A^2a^8c^5 - 4B^2a^9c^4 + 2A^2a^6b^4c^3 - 8A^2a^7b^2c^4 + 2B^2a^8b^2c^3 - 4ABa^7b^3c^3 + 12ABa^8b^3c^4) * (-A^2b^7 + B^2a^2b^5 - A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 - A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^3c^2 + B^2a^3c(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c(-4ac - b^2)^3)^{(1/2)} + 2ABa^2b^3(-4ac - b^2)^3)^{(1/2)} + 16ABa^2b^4c - 4ABa^2b^3c(-4ac - b^2)^3)^{(1/2)} \\
&)/(8(a^5b^4 + 16a^7c^2 - 8a^6b^2c))^{(1/2)} * i) / (((-A^2b^7 + B^2a^2b^5 - A^2b^4(-4ac - b^2)^3)^{(1/2)} - 2ABa^2b^6 + 25A^2a^2b^3c^2 - A^2a^2c^2(-4ac - b^2)^3)^{(1/2)} - B^2a^2b^2(-4ac - b^2)^3)^{(1/2)} + 16ABa^4c^3 - 9A^2ab^5c - 20A^2a^3b^3c^3 - 7B^2a^3b^3c + 12B^2a^4b^3c^2 + B^2a^3c(-4ac - b^2)^3)^{(1/2)} - 36ABa^3b^2c^2 + 3A^2ab^2c(-4ac - b^2)^3)^{(1/2)} + 2ABa^2b^3(-4ac - b^2)^3)^{(1/2)} + 16ABa^2b^4c - 4
\end{aligned}$$

$$\begin{aligned} &^2)^3)^{1/2} - B^2 a^2 b^2 (-4ac - b^2)^3)^{1/2} + 16AB a^4 c^3 - 9A^2 a b^5 c - 20A^2 a^3 b c^3 - 7B^2 a^3 b^3 c + 12B^2 a^4 b c^2 + B^2 a^3 \\ & c (-4ac - b^2)^3)^{1/2} - 36AB a^3 b^2 c^2 + 3A^2 a b^2 c (-4ac - b^2)^3)^{1/2} + 2AB a b^3 (-4ac - b^2)^3)^{1/2} + 16AB a^2 b^4 c - \\ & 4AB a^2 b c (-4ac - b^2)^3)^{1/2} / (8(a^5 b^4 + 16a^7 c^2 - 8a^6 b^2 c))^{1/2} * 2i \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**4/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.112 \quad \int \frac{x^7(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=212

$$\frac{(12a^2Bc^2 + 6aAbc^2 - 12ab^2Bc - Ab^3c + 2b^4B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) + \frac{x^2(-6aBc - Abc + 2b^2B)}{2c^2(b^2 - 4ac)} - \frac{x^4(x^2(-2aBc - 2Ab^2c + 2b^3c) + (2a^2Bc^2 + 6aAbc^2 - 12ab^2Bc - Ab^3c + 2b^4B))}{2c^3(b^2 - 4ac)^{3/2}}}{2c^3(b^2 - 4ac)^{3/2}}$$

[Out] $\frac{1}{2}(-A*b*c - 6*B*a*c + 2*B*b^2)*x^2/c^2/(-4*a*c + b^2) - \frac{1}{2}x^4*(a*(-2*A*c + B*b) + (-A*b*c - 2*B*a*c + B*b^2)*x^2)/c/(-4*a*c + b^2)/(c*x^4 + b*x^2 + a) - \frac{1}{2}*(6*A*a*b*c^2 - A*b^3*c + 12*B*a^2*c^2 - 12*B*a*b^2*c + 2*B*b^4)*\operatorname{arctanh}((2*c*x^2 + b)/(-4*a*c + b^2))^{(1/2)}/c^3/(-4*a*c + b^2)^{(3/2)} - \frac{1}{4}*(-A*c + 2*B*b)*\ln(c*x^4 + b*x^2 + a)/c^3$

Rubi [A] time = 0.38, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 818, 773, 634, 618, 206, 628}

$$\frac{(12a^2Bc^2 + 6aAbc^2 - 12ab^2Bc - Ab^3c + 2b^4B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) + \frac{x^2(-6aBc - Abc + 2b^2B)}{2c^2(b^2 - 4ac)} - \frac{x^4(x^2(-2aBc - 2Ab^2c + 2b^3c) + (2a^2Bc^2 + 6aAbc^2 - 12ab^2Bc - Ab^3c + 2b^4B))}{2c^3(b^2 - 4ac)^{3/2}}}{2c^3(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]

[Out] $\frac{((2*b^2*B - A*b*c - 6*a*B*c)*x^2)/(2*c^2*(b^2 - 4*a*c)) - (x^4*(a*(b*B - 2*A*c) + (b^2*B - A*b*c - 2*a*B*c)*x^2))/(2*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((2*b^4*B - A*b^3*c - 12*a*b^2*B*c + 6*a*A*b*c^2 + 12*a^2*B*c^2)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^3*(b^2 - 4*a*c)^{(3/2)}) - ((2*b*B - A*c)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^3)}$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 773

```
Int[(((d_) + (e_)*(x_))*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) + (c_)*
(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (
c*e*f + c*d*g - b*e*g)*x]/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e
, f, g}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 818

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c
_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(
p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(
b*e*f + b*d*g + 2*a*e*g))*x))/((c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/((c*(p
+ 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2
*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m
- 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4))] + e*(b^2*e*g*(m +
p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p +
2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m,
2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3,
0])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7(A+Bx^2)}{(a+bx^2+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3(A+Bx)}{(a+bx+cx^2)^2} dx, x, x^2 \right) \\
&= -\frac{x^4(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{2c(b^2-4ac)(a+bx^2+cx^4)} + \frac{\text{Subst} \left(\int \frac{x(2a(bB-2Ac) + (2b^2B - Abc - 6aBc)x)}{a+bx+cx^2} \right)}{2c(b^2-4ac)} \\
&= \frac{(2b^2B - Abc - 6aBc)x^2}{2c^2(b^2-4ac)} - \frac{x^4(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{2c(b^2-4ac)(a+bx^2+cx^4)} + \frac{\text{Subst} \left(\int \frac{-a}{a+bx+cx^2} \right)}{2c(b^2-4ac)} \\
&= \frac{(2b^2B - Abc - 6aBc)x^2}{2c^2(b^2-4ac)} - \frac{x^4(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{2c(b^2-4ac)(a+bx^2+cx^4)} - \frac{(2bB - Ac)S}{2c(b^2-4ac)} \\
&= \frac{(2b^2B - Abc - 6aBc)x^2}{2c^2(b^2-4ac)} - \frac{x^4(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{2c(b^2-4ac)(a+bx^2+cx^4)} - \frac{(2bB - Ac)l}{2c(b^2-4ac)} \\
&= \frac{(2b^2B - Abc - 6aBc)x^2}{2c^2(b^2-4ac)} - \frac{x^4(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{2c(b^2-4ac)(a+bx^2+cx^4)} - \frac{(2b^4B - Ab^3)}{2c^2(b^2-4ac)}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 208, normalized size = 0.98

$$\frac{2(a^2c(2c(A+Bx^2)-3bB)+ab(-bc(A+4Bx^2)+3Ac^2x^2+b^2B)+b^3x^2(bB-Ac))}{(b^2-4ac)(a+bx^2+cx^4)} - \frac{2(12a^2Bc^2+6aAbc^2-12ab^2Bc-Ab^3c+2b^4B) \tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)}{(4ac-b^2)^{3/2}} + (A)$$

$$4c^3$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] (2*B*c*x^2 - (2*(b^3*(b*B - A*c))*x^2 + a^2*c*(-3*b*B + 2*c*(A + B*x^2)) + a*b*(b^2*B + 3*A*c^2*x^2 - b*c*(A + 4*B*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (2*(2*b^4*B - A*b^3*c - 12*a*b^2*B*c + 6*a*A*b*c^2 + 12*a^2*B*c^2)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(3/2) + (-2*b*B + A*c)*Log[a + b*x^2 + c*x^4]/(4*c^3)

fricas [B] time = 1.04, size = 1323, normalized size = 6.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(2*B*a*b^5 - 16*A*a^3*c^3 - 2*(B*b^4*c^2 - 8*B*a*b^2*c^3 + 16*B*a^2*c^4)*x^6 - 2*(B*b^5*c - 8*B*a*b^3*c^2 + 16*B*a^2*b*c^3)*x^4 + 12*(2*B*a^3*b \\ & + A*a^2*b^2)*c^2 + 2*(B*b^6 - 12*(2*B*a^3 + A*a^2*b)*c^3 + (26*B*a^2*b^2 + 7*A*a*b^3)*c^2 - (9*B*a*b^4 + A*b^5)*c)*x^2 + (2*B*a*b^4 + (2*B*b^4*c + 6*(2*B*a^2 + A*a*b)*c^3 - (12*B*a*b^2 + A*b^3)*c^2)*x^4 + 6*(2*B*a^3 + A*a^2*b) \\ &)*c^2 + (2*B*b^5 + 6*(2*B*a^2*b + A*a*b^2)*c^2 - (12*B*a*b^3 + A*b^4)*c)*x^2 - (12*B*a^2*b^2 + A*a*b^3)*c)*\sqrt{b^2 - 4*a*c}*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c}))/((c*x^4 + b*x^2 + a)) - 2 \\ & *(7*B*a^2*b^3 + A*a*b^4)*c + (2*B*a*b^5 - 16*A*a^3*c^3 + (2*B*b^5*c - 16*A*a^2*c^4 + 8*(4*B*a^2*b + A*a*b^2)*c^3 - (16*B*a*b^3 + A*b^4)*c^2)*x^4 + 8*(4*B*a^3*b + A*a^2*b^2)*c^2 + (2*B*b^6 - 16*A*a^2*b*c^3 + 8*(4*B*a^2*b^2 + A \\ & *a*b^3)*c^2 - (16*B*a*b^4 + A*b^5)*c)*x^2 - (16*B*a^2*b^3 + A*a*b^4)*c)*\log(c*x^4 + b*x^2 + a)/(a*b^4*c^3 - 8*a^2*b^2*c^4 + 16*a^3*c^5 + (b^4*c^4 - 8*a*b^2*c^5 + 16*a^2*c^6)*x^4 + (b^5*c^3 - 8*a*b^3*c^4 + 16*a^2*b*c^5)*x^2), \\ & -1/4*(2*B*a*b^5 - 16*A*a^3*c^3 - 2*(B*b^4*c^2 - 8*B*a*b^2*c^3 + 16*B*a^2*c^4)*x^6 - 2*(B*b^5*c - 8*B*a*b^3*c^2 + 16*B*a^2*b*c^3)*x^4 + 12*(2*B*a^3*b \\ & + A*a^2*b^2)*c^2 + 2*(B*b^6 - 12*(2*B*a^3 + A*a^2*b)*c^3 + (26*B*a^2*b^2 + 7*A*a*b^3)*c^2 - (9*B*a*b^4 + A*b^5)*c)*x^2 + 2*(2*B*a*b^4 + (2*B*b^4*c + 6*(2*B*a^2 + A*a*b)*c^3 - (12*B*a*b^2 + A*b^3)*c^2)*x^4 + 6*(2*B*a^3 + A*a^2*b) \\ &)*c^2 + (2*B*b^5 + 6*(2*B*a^2*b + A*a*b^2)*c^2 - (12*B*a*b^3 + A*b^4)*c)*x^2 - (12*B*a^2*b^2 + A*a*b^3)*c)*\sqrt{-b^2 + 4*a*c}*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4*a*c) - 2*(7*B*a^2*b^3 + A*a*b^4)*c + (2*B*a*b^5 - 16*A*a^3*c^3 + (2*B*b^5*c - 16*A*a^2*c^4 + 8*(4*B*a^2*b + A*a*b^2)*c^3 - (16*B*a*b^3 + A*b^4)*c^2)*x^4 + 8*(4*B*a^3*b + A*a^2*b^2)*c^2 + (2*B*b^6 - 16*A*a^2*b*c^3 + 8*(4*B*a^2*b^2 + A \\ & *a*b^3)*c^2 - (16*B*a*b^4 + A*b^5)*c)*x^2 - (16*B*a^2*b^3 + A*a*b^4)*c)*\log(c*x^4 + b*x^2 + a)/(a*b^4*c^3 - 8*a^2*b^2*c^4 + 16*a^3*c^5 + (b^4*c^4 - 8*a*b^2*c^5 + 16*a^2*c^6)*x^4 + (b^5*c^3 - 8*a*b^3*c^4 + 16*a^2*b*c^5)*x^2)] \end{aligned}$$

giac [A] time = 1.65, size = 239, normalized size = 1.13

$$\frac{Bx^2}{2c^2} + \frac{(2Bb^4 - 12Bab^2c - Ab^3c + 12Ba^2c^2 + 6Aabc^2) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{2(b^2c^3 - 4ac^4)\sqrt{-b^2+4ac}} + \frac{2Bb^3x^4 - 8Babcx^4 - Ab^2cx^4 + 4Aacx^4}{4(cx^4 + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out]
$$\frac{1}{2}Bx^2/c^2 + \frac{1}{2}(2B*b^4 - 12*B*a*b^2*c - A*b^3*c + 12*B*a^2*c^2 + 6*A*a*b*c^2)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((b^2*c^3 - 4*a*c^4)*\sqrt{-b^2 + 4*a*c}) + \frac{1}{4}(2*B*b^3*x^4 - 8*B*a*b*c*x^4 - A*b^2*c*x^4 + 4*A*a*c^2*x^4)$$

$$2*x^4 + A*b^3*x^2 - 4*B*a^2*c*x^2 - 2*A*a*b*c*x^2 - 2*B*a^2*b + A*a*b^2)/((c*x^4 + b*x^2 + a)*(b^2*c^2 - 4*a*c^3)) - 1/4*(2*B*b - A*c)*\log(c*x^4 + b*x^2 + a)/c^3$$

maple [B] time = 0.02, size = 689, normalized size = 3.25

$$\frac{3Aabx^2}{2(c^4x^4 + b^2x^2 + a)(4ac - b^2)c} - \frac{Ab^3x^2}{2(c^4x^4 + b^2x^2 + a)(4ac - b^2)c^2} + \frac{Ba^2x^2}{(c^4x^4 + b^2x^2 + a)(4ac - b^2)c} - \frac{2Bab}{(c^4x^4 + b^2x^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x)`

[Out] $\frac{1}{2}Bx^2/c^2 + 3/2c/(c^4x^4 + b^2x^2 + a)/(4ac - b^2)x^2 + AAb - 1/2c^2/(c^4x^4 + b^2x^2 + a)/(4ac - b^2)x^2 + Ab^3 + 1/c/(c^4x^4 + b^2x^2 + a)/(4ac - b^2)x^2 + a^2B - 2/c^2/(c^4x^4 + b^2x^2 + a)/(4ac - b^2)x^2 + b^4B + 1/c/(c^4x^4 + b^2x^2 + a)a^2/(4ac - b^2)A - 1/2c^2/(c^4x^4 + b^2x^2 + a)a/(4ac - b^2)Ab^2 - 3/2c^2/(c^4x^4 + b^2x^2 + a)a^2/(4ac - b^2)bB + 1/2c^3/(c^4x^4 + b^2x^2 + a)a/(4ac - b^2)b^3B + 1/c/(4ac - b^2)\ln(c^4x^4 + b^2x^2 + a)aA - 1/4c^2/(4ac - b^2)\ln(c^4x^4 + b^2x^2 + a)Ab^2 - 2/c^2/(4ac - b^2)\ln(c^4x^4 + b^2x^2 + a)a*bB + 1/2c^3/(4ac - b^2)\ln(c^4x^4 + b^2x^2 + a)b^3B - 3/c/(4ac - b^2)^{3/2}\arctan((2c^2x^2 + b)/(4ac - b^2)^{1/2})AA - 6/c/(4ac - b^2)^{3/2}\arctan((2c^2x^2 + b)/(4ac - b^2)^{1/2})a^2B + 6/c^2/(4ac - b^2)^{3/2}\arctan((2c^2x^2 + b)/(4ac - b^2)^{1/2})BAb^2 + 1/2c^2/(4ac - b^2)^{3/2}\arctan((2c^2x^2 + b)/(4ac - b^2)^{1/2})b^3A - 1/c^3/(4ac - b^2)^{3/2}\arctan((2c^2x^2 + b)/(4ac - b^2)^{1/2})b^4B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.83, size = 2282, normalized size = 10.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^7*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x)$

[Out] $((a*(B*b^3 + 2*A*a*c^2 - A*b^2*c - 3*B*a*b*c))/(2*c*(4*a*c - b^2)) + (x^2*(B*b^4 + 2*B*a^2*c^2 - A*b^3*c + 3*A*a*b*c^2 - 4*B*a*b^2*c))/(2*c*(4*a*c - b^2)))/(a*c^2 + c^3*x^4 + b*c^2*x^2) + (B*x^2)/(2*c^2) + (\log(a + b*x^2 + c*x^4)*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(2*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5)) - (\text{atan}(((8*a*c^5*(4*a*c - b^2))^3 - 2*b^2*c^4*(4*a*c - b^2)^3)*(x^2*(((24*B*a^2*c^5 - 6*A*b^3*c^4 + 12*B*b^4*c^3 + 28*A*a*b*c^5 - 56*B*a*b^2*c^4)/(4*a*c^5 - b^2*c^4) + ((8*b^3*c^6 - 32*a*b*c^7)*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2)))/(2*(4*a*c^5 - b^2*c^4)*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5))))*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c))/(8*c^3*(4*a*c - b^2)^(3/2)) + ((8*b^3*c^6 - 32*a*b*c^7)*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c)*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(16*c^3*(4*a*c - b^2)^(3/2)*(4*a*c^5 - b^2*c^4)*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5)))/(a*(4*a*c - b^2)) + (b*(4*B^2*b^5 + A^2*b^3*c^2 - 4*A*B*b^4*c - 6*A*B*a^2*c^3 - 5*A^2*a*b*c^3 - 20*B^2*a*b^3*c + 12*B^2*a^2*b*c^2 + 20*A*B*a*b^2*c^2)/(4*a*c^5 - b^2*c^4) + ((24*B*a^2*c^5 - 6*A*b^3*c^4 + 12*B*b^4*c^3 + 28*A*a*b*c^5 - 56*B*a*b^2*c^4)/(4*a*c^5 - b^2*c^4) + ((8*b^3*c^6 - 32*a*b*c^7)*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(2*(4*a*c^5 - b^2*c^4)*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5)))*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(2*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5)) - (((b^3*c^6)/2 - 2*a*b*c^7)*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c)^2)/(c^6*(4*a*c - b^2)^3*(4*a*c^5 - b^2*c^4)))/(2*a*(4*a*c - b^2)^(3/2)) + (((8*A*a*c^4 - 16*B*a*b*c^3)/c^4 - (8*a*c^2*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5))*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c))/(8*c^3*(4*a*c - b^2)^(3/2)) - (a*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c)*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(c*(4*a*c - b^2)^(3/2)*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5)))/(a*(4*a*c - b^2)) + (b*(((8*A*a*c^4 - 16*B*a*b*c^3)/c^4 - (8*a*c^2*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5))*(4*B*b^7 + 128*A*a^3*c^4 - 2*A*b^6*c - 48*B*a*b^5*c + 24*A*a*b^4*c^2 - 256*B*a^3*b*c^3 - 96*A*a^2*b^2*c^3 + 192*B*a^2*b^3*c^2))/(2*(256*a^3*c^6 - 4*b^6*c^3 + 48*a*b^4*c^4 - 192*a^2*b^2*c^5)) - (A^2*a*c^2 + 4*B^2*a*b^2 - 4*A*B*a*b*c)/c^4 + ($

$$a*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c)^2/(c^4*(4*a*c - b^2)^3)/(2*a*(4*a*c - b^2)^{3/2}))/((4*B^2*b^8 + A^2*b^6*c^2 + 144*B^2*a^4*c^4 - 4*A*B*b^7*c + 36*A^2*a^2*b^2*c^4 + 192*B^2*a^2*b^4*c^2 - 288*B^2*a^3*b^2*c^3 - 48*B^2*a*b^6*c - 12*A^2*a*b^4*c^3 - 168*A*B*a^2*b^3*c^3 + 48*A*B*a*b^5*c^2 + 144*A*B*a^3*b*c^4))*(2*B*b^4 + 12*B*a^2*c^2 - A*b^3*c + 6*A*a*b*c^2 - 12*B*a*b^2*c)/(2*c^3*(4*a*c - b^2)^{3/2}))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.113 \quad \int \frac{x^5(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=147

$$\frac{x^2 \left(x^2 (-2aBc - Abc + b^2B) + a(bB - 2Ac) \right)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(4aAc^2 - 6abBc + b^3B) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2c^2(b^2 - 4ac)^{3/2}} + \frac{B \log(a + bx^2 + cx^4)}{4c^2}$$

[Out] $-1/2*x^2*(a*(-2*A*c+B*b)+(-A*b*c-2*B*a*c+B*b^2)*x^2)/c/(-4*a*c+b^2)/(c*x^4+b*x^2+a)+1/2*(4*A*a*c^2-6*B*a*b*c+B*b^3)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^2/(-4*a*c+b^2)^{(3/2)}+1/4*B*\ln(c*x^4+b*x^2+a)/c^2$

Rubi [A] time = 0.17, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 818, 634, 618, 206, 628}

$$\frac{(4aAc^2 - 6abBc + b^3B) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2c^2(b^2 - 4ac)^{3/2}} - \frac{x^2 \left(x^2 (-2aBc - Abc + b^2B) + a(bB - 2Ac) \right)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B \log(a + bx^2 + cx^4)}{4c^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]$

[Out] $-(x^2*(a*(b*B - 2*A*c) + (b^2*B - A*b*c - 2*a*B*c)*x^2))/(2*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + ((b^3*B - 6*a*b*B*c + 4*a*A*c^2)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^2*(b^2 - 4*a*c)^{(3/2)}) + (B*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^2)$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{Gt}Q[a, 0] \ || \ \operatorname{Lt}Q[b, 0])$

Rule 618

$\operatorname{Int}[(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \operatorname{FreeQ}[\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 818

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c
_)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(
p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(
b*e*f + b*d*g + 2*a*e*g)*x))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/(c*(p
+ 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2
*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m
- 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4))] + e*(b^2*e*g*(m +
p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p +
2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m,
2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3,
0])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_
)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 (A + Bx^2)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2 (A + Bx)}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= -\frac{x^2 (a(bB - 2Ac) + (b^2B - Abc - 2aBc) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\text{Subst} \left(\int \frac{a(bB - 2Ac) + B(b^2 - 4ac)x}{a + bx + cx^2} dx, x, x^2 \right)}{2c (b^2 - 4ac)} \\
&= -\frac{x^2 (a(bB - 2Ac) + (b^2B - Abc - 2aBc) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{B \text{Subst} \left(\int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4c^2} - \frac{(b^3B - 6abBc + 4aAc^2)}{4c^2} \\
&= -\frac{x^2 (a(bB - 2Ac) + (b^2B - Abc - 2aBc) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{B \log(a + bx^2 + cx^4)}{4c^2} + \frac{(b^3B - 6abBc + 4aAc^2)}{4c^2} \\
&= -\frac{x^2 (a(bB - 2Ac) + (b^2B - Abc - 2aBc) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{(b^3B - 6abBc + 4aAc^2) \tanh^{-1} \left(\frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2c^2 (b^2 - 4ac)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 160, normalized size = 1.09

$$\frac{\frac{2(2a^2Bc + a(bc(A + 3Bx^2) - 2Ac^2x^2 + b^2(-B)) + b^2x^2(Ac - bB))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{2(4aAc^2 - 6abBc + b^3B) \tan^{-1} \left(\frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right)}{(4ac - b^2)^{3/2}} + B \log(a + bx^2 + cx^4)}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] ((-2*(2*a^2*B*c + b^2*(-(b*B) + A*c))*x^2 + a*(-(b^2*B) - 2*A*c^2*x^2 + b*c*(A + 3*B*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (2*(b^3*B - 6*a*b*B*c + 4*a*A*c^2)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(3/2) + B*Log[a + b*x^2 + c*x^4])/(4*c^2)

fricas [B] time = 0.86, size = 849, normalized size = 5.78

$$\left[\frac{2Bab^4 + 8(2Ba^3 + Aa^2b)c^2 + 2(Bb^5 - 8Aa^2c^3 + 6(2Ba^2b + Aab^2)c^2 - (7Bab^3 + Ab^4)c)x^2 - (Bab^3 - 6Ba^2bc)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] [1/4*(2*B*a*b^4 + 8*(2*B*a^3 + A*a^2*b)*c^2 + 2*(B*b^5 - 8*A*a^2*c^3 + 6*(2*B*a^2*b + A*a*b^2)*c^2 - (7*B*a*b^3 + A*b^4)*c)*x^2 - (B*a*b^3 - 6*B*a^2*b*c + 4*A*a^2*c^2 + (B*b^3*c - 6*B*a*b*c^2 + 4*A*a*c^3)*x^4 + (B*b^4 - 6*B*a*b^2*c + 4*A*a*b*c^2)*x^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - 2*(6*B*a^2*b^2 + A*a*b^3)*c + (B*a*b^4 - 8*B*a^2*b^2*c + 16*B*a^3*c^2 + (B*b^4*c - 8*B*a*b^2*c^2 + 16*B*a^2*c^3)*x^4 + (B*b^5 - 8*B*a*b^3*c + 16*B*a^2*b*c^2)*x^2)*log(c*x^4 + b*x^2 + a))/(a*b^4*c^2 - 8*a^2*b^2*c^3 + 16*a^3*c^4 + (b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*x^4 + (b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^2), 1/4*(2*B*a*b^4 + 8*(2*B*a^3 + A*a^2*b)*c^2 + 2*(B*b^5 - 8*A*a^2*c^3 + 6*(2*B*a^2*b + A*a*b^2)*c^2 - (7*B*a*b^3 + A*b^4)*c)*x^2 + 2*(B*a*b^3 - 6*B*a^2*b*c + 4*A*a^2*c^2 + (B*b^3*c - 6*B*a*b*c^2 + 4*A*a*c^3)*x^4 + (B*b^4 - 6*B*a*b^2*c + 4*A*a*b*c^2)*x^2)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - 2*(6*B*a^2*b^2 + A*a*b^3)*c + (B*a*b^4 - 8*B*a^2*b^2*c + 16*B*a^3*c^2 + (B*b^4*c - 8*B*a*b^2*c^2 + 16*B*a^2*c^3)*x^4 + (B*b^5 - 8*B*a*b^3*c + 16*B*a^2*b*c^2)*x^2)*log(c*x^4 + b*x^2 + a))/(a*b^4*c^2 - 8*a^2*b^2*c^3 + 16*a^3*c^4 + (b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*x^4 + (b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^2)]

giac [A] time = 1.62, size = 194, normalized size = 1.32

$$\frac{(Bb^3 - 6Babc + 4Aac^2) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) + B \log(cx^4 + bx^2 + a) - \frac{Bb^2cx^4 - 4Bac^2x^4 - Bb^3x^2 + 2Babcx^2 + 2Aa^2c^2}{4(c^2)}}{2(b^2c^2 - 4ac^3)\sqrt{-b^2 + 4ac}} + \frac{Bb^2cx^4 - 4Bac^2x^4 - Bb^3x^2 + 2Babcx^2 + 2Aa^2c^2}{4(c^2 + bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] -1/2*(B*b^3 - 6*B*a*b*c + 4*A*a*c^2)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/((b^2*c^2 - 4*a*c^3)*sqrt(-b^2 + 4*a*c)) + 1/4*B*log(c*x^4 + b*x^2 + a)/c^2 - 1/4*(B*b^2*c*x^4 - 4*B*a*c^2*x^4 - B*b^3*x^2 + 2*B*a*b*c*x^2 + 2*A*b^2*c*x^2 - 4*A*a*c^2*x^2 - B*a*b^2 + 2*A*a*b*c)/((c*x^4 + b*x^2 + a)*(b^2*c^2 - 4*a*c^3))

maple [B] time = 0.01, size = 286, normalized size = 1.95

$$\frac{2Aa \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right) - 3Bab \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right) + Bb^3 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right) + Ba \ln(cx^4 + bx^2 + a) - Bb^2 \ln(cx^4 + bx^2 + a)}{(4ac - b^2)^{\frac{3}{2}} - (4ac - b^2)^{\frac{3}{2}}c + 2(4ac - b^2)^{\frac{3}{2}}c^2} + \frac{Ba \ln(cx^4 + bx^2 + a) - Bb^2 \ln(cx^4 + bx^2 + a)}{(4ac - b^2)c - 4(4ac - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x)

```
[Out] 1/2*(-1/c^2*(2*A*a*c^2-A*b^2*c-3*B*a*b*c+B*b^3)/(4*a*c-b^2)*x^2+a*(A*b*c+2*
B*a*c-B*b^2)/c^2/(4*a*c-b^2))/(c*x^4+b*x^2+a)+1/(4*a*c-b^2)/c*ln(c*x^4+b*x^
2+a)*a*B-1/4/(4*a*c-b^2)/c^2*ln(c*x^4+b*x^2+a)*b^2*B+2/(4*a*c-b^2)^(3/2)*ar
ctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*a*A-3/(4*a*c-b^2)^(3/2)/c*arctan((2*c*x
^2+b)/(4*a*c-b^2)^(1/2))*a*b*B+1/2/(4*a*c-b^2)^(3/2)/c^2*arctan((2*c*x^2+b)
/(4*a*c-b^2)^(1/2))*b^3*B
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for mo
re details)Is 4*a*c-b^2 positive or negative?
```

mupad [B] time = 1.22, size = 1527, normalized size = 10.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x)
```

```
[Out] - ((x^2*(B*b^3 + 2*A*a*c^2 - A*b^2*c - 3*B*a*b*c))/(2*c^2*(4*a*c - b^2)) -
(a*(A*b*c - B*b^2 + 2*B*a*c))/(2*c^2*(4*a*c - b^2)))/(a + b*x^2 + c*x^4) -
(log(a + b*x^2 + c*x^4)*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c + 96*B*a^2*
b^2*c^2))/(2*(256*a^3*c^5 - 4*b^6*c^2 + 48*a*b^4*c^3 - 192*a^2*b^2*c^4)) -
(atan(((8*a*c^3*(4*a*c - b^2)^3 - 2*b^2*c^2*(4*a*c - b^2)^3)*(((8*B*a + (8
*a*c^2*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c + 96*B*a^2*b^2*c^2))/(256*a^
3*c^5 - 4*b^6*c^2 + 48*a*b^4*c^3 - 192*a^2*b^2*c^4)))*(B*b^3 + 4*A*a*c^2 - 6
*B*a*b*c))/(8*c^2*(4*a*c - b^2)^(3/2)) + (a*(B*b^3 + 4*A*a*c^2 - 6*B*a*b*c)
*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c + 96*B*a^2*b^2*c^2))/((4*a*c - b^2
)^(3/2)*(256*a^3*c^5 - 4*b^6*c^2 + 48*a*b^4*c^3 - 192*a^2*b^2*c^4)))/(a*(4*
a*c - b^2)) - x^2*(((6*B*b^3*c^2 + 8*A*a*c^4 - 28*B*a*b*c^3)/(4*a*c^3 - b
^2*c^2) + ((8*b^3*c^4 - 32*a*b*c^5)*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c
+ 96*B*a^2*b^2*c^2))/(2*(4*a*c^3 - b^2*c^2)*(256*a^3*c^5 - 4*b^6*c^2 + 48*
a*b^4*c^3 - 192*a^2*b^2*c^4)))*(B*b^3 + 4*A*a*c^2 - 6*B*a*b*c))/(8*c^2*(4*a
*c - b^2)^(3/2)) + ((8*b^3*c^4 - 32*a*b*c^5)*(B*b^3 + 4*A*a*c^2 - 6*B*a*b*c)
*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c + 96*B*a^2*b^2*c^2))/(16*c^2*(4*a
*c - b^2)^(3/2)*(4*a*c^3 - b^2*c^2)*(256*a^3*c^5 - 4*b^6*c^2 + 48*a*b^4*c^3
- 192*a^2*b^2*c^4)))/(a*(4*a*c - b^2)) + (b*((B^2*b^3 + 2*A*B*a*c^2 - 5*B^
2*a*b*c)/(4*a*c^3 - b^2*c^2) + (((6*B*b^3*c^2 + 8*A*a*c^4 - 28*B*a*b*c^3)/(
```

$$\begin{aligned}
& 4*a*c^3 - b^2*c^2) + ((8*b^3*c^4 - 32*a*b*c^5)*(2*B*b^6 - 128*B*a^3*c^3 - 2 \\
& 4*B*a*b^4*c + 96*B*a^2*b^2*c^2))/(2*(4*a*c^3 - b^2*c^2)*(256*a^3*c^5 - 4*b^ \\
& 6*c^2 + 48*a*b^4*c^3 - 192*a^2*b^2*c^4)))*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a \\
& *b^4*c + 96*B*a^2*b^2*c^2))/(2*(256*a^3*c^5 - 4*b^6*c^2 + 48*a*b^4*c^3 - 19 \\
& 2*a^2*b^2*c^4)) - (((b^3*c^4)/2 - 2*a*b*c^5)*(B*b^3 + 4*A*a*c^2 - 6*B*a*b*c \\
&)^2)/(c^4*(4*a*c - b^2)^3*(4*a*c^3 - b^2*c^2)))/(2*a*(4*a*c - b^2)^(3/2))) \\
& + (b*(((8*B*a + (8*a*c^2*(2*B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c + 96*B*a^ \\
& 2*b^2*c^2))/(256*a^3*c^5 - 4*b^6*c^2 + 48*a*b^4*c^3 - 192*a^2*b^2*c^4)))*(2* \\
& B*b^6 - 128*B*a^3*c^3 - 24*B*a*b^4*c + 96*B*a^2*b^2*c^2))/(2*(256*a^3*c^5 - \\
& 4*b^6*c^2 + 48*a*b^4*c^3 - 192*a^2*b^2*c^4)) + (B^2*a)/c^2 - (a*(B*b^3 + 4 \\
& *A*a*c^2 - 6*B*a*b*c)^2)/(c^2*(4*a*c - b^2)^3)))/(2*a*(4*a*c - b^2)^(3/2))) \\
&)/(B^2*b^6 + 16*A^2*a^2*c^4 + 36*B^2*a^2*b^2*c^2 - 12*B^2*a*b^4*c + 8*A*B*a \\
& *b^3*c^2 - 48*A*B*a^2*b*c^3)*(B*b^3 + 4*A*a*c^2 - 6*B*a*b*c))/(2*c^2*(4*a* \\
& c - b^2)^(3/2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.114 \quad \int \frac{x^3(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=107

$$\frac{(Ab - 2aB) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}} - \frac{x^2(-2aBc - Abc + b^2B) + a(bB - 2Ac)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)}$$

[Out] $1/2*(-a*(-2*A*c+B*b)-(-A*b*c-2*B*a*c+B*b^2)*x^2)/c/(-4*a*c+b^2)/(c*x^4+b*x^2+a)-(A*b-2*B*a)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(3/2)}$

Rubi [A] time = 0.11, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1251, 777, 618, 206}

$$\frac{x^2(-2aBc - Abc + b^2B) + a(bB - 2Ac)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(Ab - 2aB) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]$

[Out] $-(a*(b*B - 2*A*c) + (b^2*B - A*b*c - 2*a*B*c)*x^2)/(2*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((A*b - 2*a*B)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(3/2)}$

Rule 206

$\operatorname{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 \cdot \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] \cdot x] / \operatorname{Rt}[a, 2]]) / (\operatorname{Rt}[a, 2] \cdot \operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

$\operatorname{Int}[(a + (b \cdot x) + (c \cdot x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /;$ FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 777

$\operatorname{Int}[(d + (e \cdot x)) \cdot ((f + (g \cdot x)) \cdot ((a + (b \cdot x) + (c \cdot x)^2)^p), x_Symbol] \rightarrow -\operatorname{Simp}[(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - ($

$b^2 e g - b c (e f + d g) + 2 c (c d f - a e g) x (a + b x + c x^2)^{(p+1)} / (c (p+1) (b^2 - 4 a c)), x] - \text{Dist}[(b^2 e g (p+2) - 2 a c e g + c (2 c d f - b (e f + d g)) (2 p + 3)) / (c (p+1) (b^2 - 4 a c)), \text{Int}[(a + b x + c x^2)^{(p+1)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4 a c, 0] && LtQ[p, -1]

Rule 1251

$\text{Int}[(x_)^{(m_.)} ((d_) + (e_.) (x_)^2)^{(q_.)} ((a_) + (b_.) (x_)^2 + (c_.) (x_)^4)^{(p_.)}, x_Symbol] := \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)} (d + e x)^q (a + b x + c x^2)^p, x], x, x^2], x] /;$ FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m-1)/2]

Rubi steps

$$\begin{aligned} \int \frac{x^3 (A + Bx^2)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(A + Bx)}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\ &= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(Ab - 2aB) \text{Subst} \left(\int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{2(b^2 - 4ac)} \\ &= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(Ab - 2aB) \text{Subst} \left(\int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx \right)}{b^2 - 4ac} \\ &= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(Ab - 2aB) \tanh^{-1} \left(\frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{(b^2 - 4ac)^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 111, normalized size = 1.04

$$\frac{-2ac(A + Bx^2) + abB + bx^2(bB - Ac)}{2c(4ac - b^2)(a + bx^2 + cx^4)} - \frac{(Ab - 2aB) \tan^{-1} \left(\frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right)}{(4ac - b^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] (a*b*B + b*(b*B - A*c)*x^2 - 2*a*c*(A + B*x^2))/(2*c*(-b^2 + 4*a*c)*(a + b*x^2 + c*x^4)) - ((A*b - 2*a*B)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(3/2)

[In] $\text{int}(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^2, x)$

[Out] $\frac{1}{2}*(-(A*b*c+2*B*a*c-B*b^2)/c/(4*a*c-b^2)*x^2-a*(2*A*c-B*b)/(4*a*c-b^2)/c)/(c*x^4+b*x^2+a)-1/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*A*b+2/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^2, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.32, size = 283, normalized size = 2.64

$$\frac{\frac{x^2(-Bb^2+Ac b+2Bac)}{2c(4ac-b^2)} + \frac{a(2Ac-Bb)}{2c(4ac-b^2)} \operatorname{atan}\left(\frac{(4ac-b^2)^4 \left(x^2 \left(\frac{(Ab-2Ba)(Abc^2-2Bac^2)}{a(4ac-b^2)^{7/2}} + \frac{(2b^3c^2-8abc^3)(Ab-2Ba)^2(b^3-4abc)}{2a(4ac-b^2)^{13/2}} \right) - \frac{2c^2(Ab-2Ba)^2}{(4ac-b^2)^2} \right)}{2A^2b^2c^2-8ABabc^2+8B^2a^2c^2}}{(4ac-b^2)^{3/2}}}{cx^4+bx^2+a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x)$

[Out] $-\frac{((x^2*(A*b*c - B*b^2 + 2*B*a*c))/(2*c*(4*a*c - b^2)) + (a*(2*A*c - B*b))/(2*c*(4*a*c - b^2)))/(a + b*x^2 + c*x^4) - (\operatorname{atan}(((4*a*c - b^2)^4*(x^2*((A*b - 2*B*a)*(A*b*c^2 - 2*B*a*c^2)))/(a*(4*a*c - b^2)^{(7/2)}) + ((2*b^3*c^2 - 8*a*b*c^3)*(A*b - 2*B*a)^2*(b^3 - 4*a*b*c))/(2*a*(4*a*c - b^2)^{(13/2)})) - (2*c^2*(A*b - 2*B*a)^2*(b^3 - 4*a*b*c))/(4*a*c - b^2)^{(11/2)})/(2*A^2*b^2*c^2 + 8*B^2*a^2*c^2 - 8*A*B*a*b*c^2)*(A*b - 2*B*a))/(4*a*c - b^2)^{(3/2)}$

sympy [B] time = 5.38, size = 394, normalized size = 3.68

$$\frac{\sqrt{\frac{1}{(4ac-b^2)^3}}(-Ab+2Ba) \log\left(x^2 + \frac{-Ab^2+2Bab-16a^2c^2 \sqrt{\frac{1}{(4ac-b^2)^3}}(-Ab+2Ba)+8ab^2c \sqrt{\frac{1}{(4ac-b^2)^3}}(-Ab+2Ba)-b^4 \sqrt{\frac{1}{(4ac-b^2)^3}}(-Ab+2Ba)}{-2Abc+4Bac}}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)

[Out]
$$\begin{aligned} & -\sqrt{-1/(4ac - b^2)^3}(-Ab + 2Ba) \log(x^2 + (-Ab^2 + 2Bab - \\ & 16a^2c^2\sqrt{-1/(4ac - b^2)^3}(-Ab + 2Ba) + 8ab^2c\sqrt{-1/ \\ & (4ac - b^2)^3}(-Ab + 2Ba) - b^4\sqrt{-1/(4ac - b^2)^3}(-Ab \\ & + 2Ba)) / (-2Abc + 4Bac) / 2 + \sqrt{-1/(4ac - b^2)^3}(-Ab + 2B \\ & a) \log(x^2 + (-Ab^2 + 2Bab + 16a^2c^2\sqrt{-1/(4ac - b^2)^3} \\ & (-Ab + 2Ba) - 8ab^2c\sqrt{-1/(4ac - b^2)^3}(-Ab + 2Ba) + b^4 \\ & \sqrt{-1/(4ac - b^2)^3}(-Ab + 2Ba)) / (-2Abc + 4Bac) / 2 + (-2 \\ & Aac + B ab + x^2(-Abc - 2Bac + Bb^2)) / (8a^2c^2 - 2ab^2c \\ & + x^4(8ac^3 - 2b^2c^2) + x^2(8abc^2 - 2b^3c)) \end{aligned}$$

$$3.115 \quad \int \frac{x(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=94

$$-\frac{(bB - 2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}} - \frac{-2aB - (x^2(bB - 2Ac)) + Ab}{2(b^2 - 4ac)(a + bx^2 + cx^4)}$$

[Out] $1/2*(-A*b+2*a*B+(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)-(-2*A*c+B*b)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(3/2)}$

Rubi [A] time = 0.09, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1247, 638, 618, 206}

$$-\frac{-2aB + x^2(-(bB - 2Ac)) + Ab}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(bB - 2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]$

[Out] $-(A*b - 2*a*B - (b*B - 2*A*c)*x^2)/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((b*B - 2*A*c)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(3/2)}$

Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 618

$\operatorname{Int}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \operatorname{FreeQ}[\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 638

$\operatorname{Int}[(d_.) + (e_.)*(x_)]*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^{(p+1)}]/(p +$

1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1247

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned} \int \frac{x(A + Bx^2)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\ &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(bB - 2Ac) \text{Subst} \left(\int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{2(b^2 - 4ac)} \\ &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(bB - 2Ac) \text{Subst} \left(\int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx^2 \right)}{b^2 - 4ac} \\ &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(bB - 2Ac) \tanh^{-1} \left(\frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{(b^2 - 4ac)^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 101, normalized size = 1.07

$$\frac{2(bB - 2Ac) \tan^{-1} \left(\frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right) + \frac{B(2a + bx^2) - A(b + 2cx^2)}{a + bx^2 + cx^4}}{2(b^2 - 4ac)}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]

[Out] ((B*(2*a + b*x^2) - A*(b + 2*c*x^2))/(a + b*x^2 + c*x^4) + (2*(b*B - 2*A*c)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/Sqrt[-b^2 + 4*a*c])/(2*(b^2 - 4*a*c))

fricas [B] time = 0.69, size = 474, normalized size = 5.04

$$\frac{2 Bab^2 - Ab^3 + (Bb^3 + 8 Aac^2 - 2(2 Bab + Ab^2)c)x^2 + ((Bbc - 2 Ac^2)x^4 + Bab - 2 Aac + (Bb^2 - 2 Abc)x^2)\sqrt{2(ab^4 - 8 a^2 b^2 c + 16 a^3 c^2 + (b^4 c - 8 ab^2 c^2 + 16 a^2 c^3)x^4 + (b^5 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] [1/2*(2*B*a*b^2 - A*b^3 + (B*b^3 + 8*A*a*c^2 - 2*(2*B*a*b + A*b^2)*c)*x^2 + ((B*b*c - 2*A*c^2)*x^4 + B*a*b - 2*A*a*c + (B*b^2 - 2*A*b*c)*x^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - 4*(2*B*a^2 - A*a*b)*c/(a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2 + (b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)*x^4 + (b^5 - 8*a*b^3*c + 16*a^2*b*c^2)*x^2), 1/2*(2*B*a*b^2 - A*b^3 + (B*b^3 + 8*A*a*c^2 - 2*(2*B*a*b + A*b^2)*c)*x^2 - 2*((B*b*c - 2*A*c^2)*x^4 + B*a*b - 2*A*a*c + (B*b^2 - 2*A*b*c)*x^2)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - 4*(2*B*a^2 - A*a*b)*c/(a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2 + (b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)*x^4 + (b^5 - 8*a*b^3*c + 16*a^2*b*c^2)*x^2)]

giac [A] time = 1.37, size = 102, normalized size = 1.09

$$\frac{(Bb - 2 Ac) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{(b^2 - 4ac)\sqrt{-b^2 + 4ac}} + \frac{Bbx^2 - 2 Acx^2 + 2Ba - Ab}{2(cx^4 + bx^2 + a)(b^2 - 4ac)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] (B*b - 2*A*c)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/((b^2 - 4*a*c)*sqrt(-b^2 + 4*a*c)) + 1/2*(B*b*x^2 - 2*A*c*x^2 + 2*B*a - A*b)/((c*x^4 + b*x^2 + a)*(b^2 - 4*a*c))

maple [A] time = 0.01, size = 127, normalized size = 1.35

$$\frac{2Ac \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(4ac - b^2)^{\frac{3}{2}}} - \frac{Bb \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(4ac - b^2)^{\frac{3}{2}}} + \frac{Ab - 2Ba + (2Ac - bB)x^2}{2(4ac - b^2)(cx^4 + bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x)`

[Out] $\frac{1}{2} * \left(\frac{(2Ac - Bb) * x^2 + Ab - 2a * B}{(4a^2c - b^2)} \right) / (c * x^4 + b * x^2 + a) + 2 / (4a^2c - b^2)^{(3/2)} * \arctan\left(\frac{(2c * x^2 + b)}{(4a^2c - b^2)^{(1/2)}}\right) * Ac - 1 / (4a^2c - b^2)^{(3/2)} * \arctan\left(\frac{2c * x^2 + b}{(4a^2c - b^2)^{(1/2)}}\right) * b * B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.30, size = 264, normalized size = 2.81

$$\frac{\frac{Ab - 2Ba}{2(4ac - b^2)} + \frac{x^2(2Ac - Bb)}{2(4ac - b^2)}}{cx^4 + bx^2 + a} + \frac{\operatorname{atan}\left(\frac{\left(x^2 \left(\frac{(2Ac - Bb)(2Ac^3 - Bbc^2)}{a(4ac - b^2)^{7/2}} + \frac{(2b^3c^2 - 8abc^3)(2Ac - Bb)^2(b^3 - 4abc)}{2a(4ac - b^2)^{13/2}}\right) - \frac{2c^2(2Ac - Bb)^2(b^3 - 4abc)}{(4ac - b^2)^{11/2}}\right)(4ac - b^2)^4}{8A^2c^4 - 8ABbc^3 + 2B^2b^2c^2}}{(4ac - b^2)^{3/2}}\right)}{(4ac - b^2)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x)`

[Out] $\left(\frac{A * b - 2 * B * a}{2 * (4 * a * c - b^2)}\right) + \left(\frac{x^2 * (2 * A * c - B * b)}{2 * (4 * a * c - b^2)}\right) / (a + b * x^2 + c * x^4) + \left(\frac{\operatorname{atan}\left(\frac{(x^2 * ((2 * A * c - B * b) * (2 * A * c^3 - B * b * c^2)) / (a * (4 * a * c - b^2)^{(7/2)})) + ((2 * b^3 * c^2 - 8 * a * b * c^3) * (2 * A * c - B * b)^2 * (b^3 - 4 * a * b * c)) / (2 * a * (4 * a * c - b^2)^{(13/2)})) - (2 * c^2 * (2 * A * c - B * b)^2 * (b^3 - 4 * a * b * c)) / (4 * a * c - b^2)^{(11/2)) * (4 * a * c - b^2)^4}{(8 * A^2 * c^4 + 2 * B^2 * b^2 * c^2 - 8 * A * B * b * c^3) * (2 * A * c - B * b)}\right) / (4 * a * c - b^2)^{(3/2)}$

sympy [B] time = 3.36, size = 374, normalized size = 3.98

$$\frac{\sqrt{-\frac{1}{(4ac - b^2)^3}} (-2Ac + Bb) \log\left(x^2 + \frac{-2Abc + Bb^2 - 16a^2c^2 \sqrt{-\frac{1}{(4ac - b^2)^3}} (-2Ac + Bb) + 8ab^2c \sqrt{-\frac{1}{(4ac - b^2)^3}} (-2Ac + Bb) - b^4 \sqrt{-\frac{1}{(4ac - b^2)^3}} (-2Ac - Bb)}{-4Ac^2 + 2Bbc}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)

[Out] $\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb) \log(x^2 + (-2Abc + Bb^2 - 16a^2c^2)\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb) + 8ab^2c\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb) - b^4\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb))/(-4A^2c + 2B^2bc))/2 - \sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb) \log(x^2 + (-2Abc + Bb^2 + 16a^2c^2)\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb) - 8ab^2c\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb) + b^4\sqrt{-1/(4ac - b^2)^3}(-2Ac + Bb))/(-4A^2c + 2B^2bc))/2 + (Ab - 2Ba + x^2(2Ac - Bb))/(8a^2c - 2ab^2 + x^4(8ac^2 - 2b^2c) + x^2(8abc - 2b^3))$

$$3.116 \quad \int \frac{A+Bx^2}{x(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=150

$$\frac{(4a^2Bc + A(b^3 - 6abc)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) - A \log(a + bx^2 + cx^4) + A \log(x) - A(b^2 - 2ac) - (cx^2(Ab - 2aB))}{2a^2(b^2 - 4ac)^{3/2} - 4a^2} + \frac{A \log(x) - A(b^2 - 2ac) - (cx^2(Ab - 2aB))}{a^2 - 2a(b^2 - 4ac)(a + bx^2 + cx^4)}$$

[Out] 1/2*(-a*b*B+A*(-2*a*c+b^2)+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/(c*x^4+b*x^2+a)+1/2*(4*a^2*B*c+A*(-6*a*b*c+b^3))*arctanh((2*c*x^2+b)/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^(3/2)+A*ln(x)/a^2-1/4*A*ln(c*x^4+b*x^2+a)/a^2

Rubi [A] time = 0.33, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 822, 800, 634, 618, 206, 628}

$$\frac{(4a^2Bc + A(b^3 - 6abc)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) - A \log(a + bx^2 + cx^4) + A \log(x) - A(b^2 - 2ac) + cx^2(-(Ab - 2aB))}{2a^2(b^2 - 4ac)^{3/2} - 4a^2} + \frac{A \log(x) - A(b^2 - 2ac) + cx^2(-(Ab - 2aB))}{a^2 - 2a(b^2 - 4ac)(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x*(a + b*x^2 + c*x^4)^2), x]

[Out] -(a*b*B - A*(b^2 - 2*a*c) - (A*b - 2*a*B)*c*x^2)/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + ((4*a^2*B*c + A*(b^3 - 6*a*b*c))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^2*(b^2 - 4*a*c)^(3/2)) + (A*Log[x])/a^2 - (A*Log[a + b*x^2 + c*x^4])/(4*a^2)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 800

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) +
(c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

Rule 822

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c
_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e +
2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x)*(a
+ b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m +
2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m
+ b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f
*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1
] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x(a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left(\int \frac{-A(b^2 - 4ac) - (Ab - 2aB)cx}{x(a + bx + cx^2)} dx, x, x^2 \right)}{2a(b^2 - 4ac)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left(\int \left(\frac{A(-b^2 + 4ac)}{ax} + \frac{2a^2Bc + A(b^3 - 5abc) + Ac(b^2 - 4ac)}{a(a + bx + cx^2)} \right) dx, x, x^2 \right)}{2a(b^2 - 4ac)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A \log(x)}{a^2} - \frac{\text{Subst} \left(\int \frac{2a^2Bc + A(b^3 - 5abc) + Ac(b^2 - 4ac)}{a + bx + cx^2} dx, x, x^2 \right)}{2a^2(b^2 - 4ac)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A \log(x)}{a^2} - \frac{A \text{Subst} \left(\int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4a^2} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A \log(x)}{a^2} - \frac{A \log(a + bx^2 + cx^4)}{4a^2} + \frac{(4a^2Bc)}{4a^2} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(4a^2Bc + A(b^3 - 6abc)) \tanh^{-1} \left(\frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2a^2(b^2 - 4ac)^{3/2}} + \frac{A \log(a + bx^2 + cx^4)}{4a^2}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 243, normalized size = 1.62

$$-\frac{(4a^2Bc + A(b^2\sqrt{b^2 - 4ac} - 4ac\sqrt{b^2 - 4ac} - 6abc + b^3)) \log(-\sqrt{b^2 - 4ac} + b + 2cx^2)}{(b^2 - 4ac)^{3/2}} + \frac{(4a^2Bc + A(-b^2\sqrt{b^2 - 4ac} + 4ac\sqrt{b^2 - 4ac} - 6abc + b^3)) \log(\sqrt{b^2 - 4ac} + b + 2cx^2)}{(b^2 - 4ac)^{3/2}}$$

$$4a^2$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x*(a + b*x^2 + c*x^4)^2), x]

[Out] ((-2*a*(a*B*(b + 2*c*x^2) - A*(b^2 - 2*a*c + b*c*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + 4*A*Log[x] - ((4*a^2*B*c + A*(b^3 - 6*a*b*c + b^2*Sqrt[b^2 - 4*a*c] - 4*a*c*Sqrt[b^2 - 4*a*c]))*Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x^2])/((b^2 - 4*a*c)^(3/2)) + ((4*a^2*B*c + A*(b^3 - 6*a*b*c - b^2*Sqrt[b^2 - 4*a*c] + 4*a*c*Sqrt[b^2 - 4*a*c]))*Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x^2])/((b^2 - 4*a*c)^(3/2)))/(4*a^2)

fricas [B] time = 1.43, size = 1014, normalized size = 6.76

$$\left[\frac{2Ba^2b^3 - 2Aab^4 - 16Aa^3c^2 - 2(4(2Ba^3 - Aa^2b)c^2 - (2Ba^2b^2 - Aab^3)c)x^2 - (Aab^3 + (Ab^3c + 2(2Ba^2 - 3Aa^2b)c)x - Ab^3c)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(2*B*a^2*b^3 - 2*A*a*b^4 - 16*A*a^3*c^2 - 2*(4*(2*B*a^3 - A*a^2*b)*c^2 - (2*B*a^2*b^2 - A*a*b^3)*c)*x^2 - (A*a*b^3 + (A*b^3*c + 2*(2*B*a^2 - 3*A*a*b)*c^2)*x^4 + (A*b^4 + 2*(2*B*a^2*b - 3*A*a*b^2)*c)*x^2 + 2*(2*B*a^3 - 3*A*a^2*b)*c)*\sqrt{b^2 - 4*a*c}*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c}))/((c*x^4 + b*x^2 + a)) - 4*(2*B*a^3*b - 3*A*a^2*b^2)*c + (A*a*b^4 - 8*A*a^2*b^2*c + 16*A*a^3*c^2 + (A*b^4*c - 8*A*a*b^2*c^2 + 16*A*a^2*c^3)*x^4 + (A*b^5 - 8*A*a*b^3*c + 16*A*a^2*b*c^2)*x^2)*\log(c*x^4 + b*x^2 + a) - 4*(A*a*b^4 - 8*A*a^2*b^2*c + 16*A*a^3*c^2 + (A*b^4*c - 8*A*a*b^2*c^2 + 16*A*a^2*c^3)*x^4 + (A*b^5 - 8*A*a*b^3*c + 16*A*a^2*b*c^2)*x^2)*\log(x))/(a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2 + (a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3)*x^4 + (a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*x^2), -1/4*(2*B*a^2*b^3 - 2*A*a*b^4 - 16*A*a^3*c^2 - 2*(4*(2*B*a^3 - A*a^2*b)*c^2 - (2*B*a^2*b^2 - A*a*b^3)*c)*x^2 - 2*(A*a*b^3 + (A*b^3*c + 2*(2*B*a^2 - 3*A*a*b)*c^2)*x^4 + (A*b^4 + 2*(2*B*a^2*b - 3*A*a*b^2)*c)*x^2 + 2*(2*B*a^3 - 3*A*a^2*b)*c)*\sqrt{-b^2 + 4*a*c}*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4*a*c)) - 4*(2*B*a^3*b - 3*A*a^2*b^2)*c + (A*a*b^4 - 8*A*a^2*b^2*c + 16*A*a^3*c^2 + (A*b^4*c - 8*A*a*b^2*c^2 + 16*A*a^2*c^3)*x^4 + (A*b^5 - 8*A*a*b^3*c + 16*A*a^2*b*c^2)*x^2)*\log(c*x^4 + b*x^2 + a) - 4*(A*a*b^4 - 8*A*a^2*b^2*c + 16*A*a^3*c^2 + (A*b^4*c - 8*A*a*b^2*c^2 + 16*A*a^2*c^3)*x^4 + (A*b^5 - 8*A*a*b^3*c + 16*A*a^2*b*c^2)*x^2)*\log(x))/(a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2 + (a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3)*x^4 + (a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*x^2)] \end{aligned}$$

giac [A] time = 1.71, size = 201, normalized size = 1.34

$$\frac{(Ab^3 + 4Ba^2c - 6Aabc) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - A \log(cx^4 + bx^2 + a) + A \log(x^2) + \frac{Ab^2cx^4 - 4Aac^2x^4 + Ab^3x^2}{4(c^2x^4 + b^2x^2 + a)}}{2(a^2b^2 - 4a^3c)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out]
$$-1/2*(A*b^3 + 4*B*a^2*c - 6*A*a*b*c)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((a^2*b^2 - 4*a^3*c)*\sqrt{-b^2 + 4*a*c}) - 1/4*A*\log(c*x^4 + b*x^2 + a)/$$

$$a^2 + 1/2*A*\log(x^2)/a^2 + 1/4*(A*b^2*c*x^4 - 4*A*a*c^2*x^4 + A*b^3*x^2 - 4*B*a^2*c*x^2 - 2*A*a*b*c*x^2 - 2*B*a^2*b + 3*A*a*b^2 - 8*A*a^2*c)/((c*x^4 + b*x^2 + a)*(a^2*b^2 - 4*a^3*c))$$

maple [B] time = 0.02, size = 361, normalized size = 2.41

$$\frac{A b c x^2}{2(c x^4 + b x^2 + a)(4 a c - b^2) a} + \frac{B c x^2}{(c x^4 + b x^2 + a)(4 a c - b^2)} - \frac{3 A b c \arctan\left(\frac{2 c x^2 + b}{\sqrt{4 a c - b^2}}\right)}{(4 a c - b^2)^{\frac{3}{2}} a} + \frac{A b^3 \arctan\left(\frac{2 c x^2 + b}{\sqrt{4 a c - b^2}}\right)}{2(4 a c - b^2)^{\frac{3}{2}} a^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x/(c*x^4+b*x^2+a)^2,x)

[Out] A*ln(x)/a^2-1/2/a/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*A*b+1/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*B+1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*A*c-1/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*A*b^2+1/2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*b*B-1/a/(4*a*c-b^2)*c*ln(c*x^4+b*x^2+a)*A+1/4/a^2/(4*a*c-b^2)*ln(c*x^4+b*x^2+a)*A*b^2-3/a/(4*a*c-b^2)^(3/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*b*c+1/2/a^2/(4*a*c-b^2)^(3/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*b^3+2/(4*a*c-b^2)^(3/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*B*c

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 7.88, size = 7119, normalized size = 47.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x*(a + b*x^2 + c*x^4)^2),x)

[Out] ((2*A*a*c - A*b^2 + B*a*b)/(2*a*(4*a*c - b^2)) - (c*x^2*(A*b - 2*B*a))/(2*a*(4*a*c - b^2)))/(a + b*x^2 + c*x^4) + (A*log(x))/a^2 - (log(((A + a^2*(-(A*b^3 + 4*B*a^2*c - 6*A*a*b*c))^2/(a^4*(4*a*c - b^2)^3))^(1/2))*((A + a^2*(-(A*b^3 + 4*B*a^2*c - 6*A*a*b*c))^2/(a^4*(4*a*c - b^2)^3))^(1/2))*((4*b*c^2*

$$\begin{aligned}
& + 4*B*a^2*c - 6*A*a*b*c)^2*(2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)*(2560*a^7*b*c^6 + 12*a^3*b^9*c^2 - 184*a^4*b^7*c^3 + 1056*a^5*b^5*c^4 - 2688*a^6*b^3*c^5)/(32*a^4*(4*a*c - b^2)^3*(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2)*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)))*(3*A*b^5 - 2*B*a^3*c^2 - 21*A*a*b^3*c + 33*A*a^2*b*c^2 + 2*B*a^2*b^2*c))/(8*a^3*c^2*(4*a*c - b^2)^3*(400*A^2*a^3*c^3 - 6*A^2*b^6 + 4*B^2*a^4*c^2 - 291*A^2*a^2*b^2*c^2 + 72*A^2*a*b^4*c + 2*A*B*a^2*b^3*c - 12*A*B*a^3*b*c^2)) + (((((((640*B*a^6*c^6 + 320*A*a^5*b*c^6 - 2*A*a^2*b^7*c^3 + 36*A*a^3*b^5*c^4 - 192*A*a^4*b^3*c^5 - 16*B*a^3*b^6*c^3 + 168*B*a^4*b^4*c^4 - 576*B*a^5*b^2*c^5)/(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2) - ((2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)*(2560*a^7*b*c^6 + 12*a^3*b^9*c^2 - 184*a^4*b^7*c^3 + 1056*a^5*b^5*c^4 - 2688*a^6*b^3*c^5))/(2*(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2)*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))))*(A*b^3 + 4*B*a^2*c - 6*A*a*b*c))/(4*a^2*(4*a*c - b^2)^(3/2)) - ((A*b^3 + 4*B*a^2*c - 6*A*a*b*c)*(2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)*(2560*a^7*b*c^6 + 12*a^3*b^9*c^2 - 184*a^4*b^7*c^3 + 1056*a^5*b^5*c^4 - 2688*a^6*b^3*c^5))/(8*a^2*(4*a*c - b^2)^(3/2)*(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2)*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)))*(2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2))/(2*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)) - (((44*A^2*a^2*b^3*c^5 - 4*B^2*a^3*b^3*c^4 + 160*A*B*a^4*c^6 - 6*A^2*a*b^5*c^4 - 80*A^2*a^3*b*c^6 + 16*B^2*a^4*b*c^5 + 14*A*B*a^2*b^4*c^4 - 96*A*B*a^3*b^2*c^5)/(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2) - (((640*B*a^6*c^6 + 320*A*a^5*b*c^6 - 2*A*a^2*b^7*c^3 + 36*A*a^3*b^5*c^4 - 192*A*a^4*b^3*c^5 - 16*B*a^3*b^6*c^3 + 168*B*a^4*b^4*c^4 - 576*B*a^5*b^2*c^5)/(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2) - ((2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)*(2560*a^7*b*c^6 + 12*a^3*b^9*c^2 - 184*a^4*b^7*c^3 + 1056*a^5*b^5*c^4 - 2688*a^6*b^3*c^5))/(2*(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2)*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))))*(2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2))/(2*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)))*(A*b^3 + 4*B*a^2*c - 6*A*a*b*c))/(4*a^2*(4*a*c - b^2)^(3/2)) + ((A*b^3 + 4*B*a^2*c - 6*A*a*b*c)^3*(2560*a^7*b*c^6 + 12*a^3*b^9*c^2 - 184*a^4*b^7*c^3 + 1056*a^5*b^5*c^4 - 2688*a^6*b^3*c^5))/(64*a^6*(4*a*c - b^2)^(9/2)*(a^3*b^6 - 64*a^6*c^3 - 12*a^4*b^4*c + 48*a^5*b^2*c^2)))*(3*A*b^6 - 40*A*a^3*c^3 - 27*A*a*b^4*c + 2*B*a^2*b^3*c - 6*B*a^3*b*c^2 + 69*A*a^2*b^2*c^2))/(8*a^3*c^2*(4*a*c - b^2)^(7/2)*(400*A^2*a^3*c^3 - 6*A^2*b^6 + 4*B^2*a^4*c^2 - 291*A^2*a^2*b^2*c^2 + 72*A^2*a*b^4*c + 2*A*B*a^2*b^3*c - 12*A*B*a^3*b*c^2)))*(16*a^6*b^6*(4*a*c - b^2)^(9/2) - 1024*a^9*c^3*(4*a*c - b^2)^(9/2) - 192*a^7*b^4*c*(4*a*c - b^2)^(9/2) + 768*a^8*b^2*c^2*(4*a*c - b^2)^(9/2)))/(A^2*b^6*c^2 + 16*B^2*a^4*c^4 + 36*A^2*a^2*b^2*c^4 - 12*A^2*a*b^4*c^3 + 8*A*B*a^2*b^3*c^3 - 48*A*B*a^3*b*c^4) - (((((((4*A*a^2*b^6*c^2 - 32*B*a^5*b*c^4 - 36*A*a^3*b^4*c^3 + 80*A*a^4*b^2*c^4 + 8*B*a^4*b^3*c^3)/(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4)*(2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a
\end{aligned}$$

$$\begin{aligned}
& \cdot 2*b^2*c^2)) / (2*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) / (4*a^2*(4*a*c - b^2)^{(3/2)}) + ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (8*a^2*(4*a*c - b^2)^{(3/2)} * (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (2*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)) + (((4*B^2*a^4*c^4 + 17*A^2*a^2*b^2*c^4 - 4*A^2*a*b^4*c^3 + 8*A*B*a^2*b^3*c^3 - 36*A*B*a^3*b*c^4) / (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + (((4*A*a^2*b^6*c^2 - 32*B*a^5*b*c^4 - 36*A*a^3*b^4*c^3 + 80*A*a^4*b^2*c^4 + 8*B*a^4*b^3*c^3) / (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (2*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (2*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) / (4*a^2*(4*a*c - b^2)^{(3/2)}) - ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c)^3) / (64*a^6*(4*a*c - b^2)^{(9/2)} * (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c))) * (16*a^6*b^6*(4*a*c - b^2)^{(9/2)} - 1024*a^9*c^3*(4*a*c - b^2)^{(9/2)} - 192*a^7*b^4*c*(4*a*c - b^2)^{(9/2)} + 768*a^8*b^2*c^2*(4*a*c - b^2)^{(9/2)}) * (3*A*b^6 - 40*A*a^3*c^3 - 27*A*a*b^4*c + 2*B*a^2*b^3*c - 6*B*a^3*b*c^2 + 69*A*a^2*b^2*c^2)) / (8*a^3*c^2*(4*a*c - b^2)^{(7/2)} * (A^2*b^6*c^2 + 16*B^2*a^4*c^4 + 36*A^2*a^2*b^2*c^4 - 12*A^2*a*b^4*c^3 + 8*A*B*a^2*b^3*c^3 - 48*A*B*a^3*b*c^4) * (400*A^2*a^3*c^3 - 6*A^2*b^6 + 4*B^2*a^4*c^2 - 291*A^2*a^2*b^2*c^2 + 72*A^2*a*b^4*c + 2*A*B*a^2*b^3*c - 12*A*B*a^3*b*c^2)) + ((16*a^6*b^6*(4*a*c - b^2)^{(9/2)} - 1024*a^9*c^3*(4*a*c - b^2)^{(9/2)} - 192*a^7*b^4*c*(4*a*c - b^2)^{(9/2)} + 768*a^8*b^2*c^2*(4*a*c - b^2)^{(9/2)}) * ((A^3*b^2*c^4 + 4*A*B^2*a^2*c^4 - 4*A^2*B*a*b*c^4) / (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + (((4*B^2*a^4*c^4 + 17*A^2*a^2*b^2*c^4 - 4*A^2*a*b^4*c^3 + 8*A*B*a^2*b^3*c^3 - 36*A*B*a^3*b*c^4) / (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + (((4*A*a^2*b^6*c^2 - 32*B*a^5*b*c^4 - 36*A*a^3*b^4*c^3 + 80*A*a^4*b^2*c^4 + 8*B*a^4*b^3*c^3) / (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (2*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)))) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (2*(4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)) - (((((4*A*a^2*b^6*c^2 - 32*B*a^5*b*c^4 - 36*A*a^3*b^4*c^3 + 80*A*a^4*b^2*c^4 + 8*B*a^4*b^3*c^3) / (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) + ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (2*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2)))) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) / (4*a^2*(4*a*c - b^2)^{(3/2)}) + ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) * (2*A*b^6 - 128*A*a^3*c^3
\end{aligned}$$

$$\begin{aligned}
& - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2) / (8*a^2*(4*a*c - b^2)^{(3/2)}*(a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) / (4*a^2*(4*a*c - b^2)^{(3/2)}) - \\
& ((4*a^4*b^6*c^2 - 32*a^5*b^4*c^3 + 64*a^6*b^2*c^4) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c)^2 * (2*A*b^6 - 128*A*a^3*c^3 - 24*A*a*b^4*c + 96*A*a^2*b^2*c^2)) / (32*a^4*(4*a*c - b^2)^3 * (a^3*b^4 + 16*a^5*c^2 - 8*a^4*b^2*c) * (4*a^2*b^6 - 256*a^5*c^3 - 48*a^3*b^4*c + 192*a^4*b^2*c^2))) * (3*A*b^5 - 2*B*a^3*c^2 - 21*A*a*b^3*c + 33*A*a^2*b*c^2 + 2*B*a^2*b^2*c) / (8*a^3*c^2*(4*a*c - b^2)^3 * (A^2*b^6*c^2 + 16*B^2*a^4*c^4 + 36*A^2*a^2*b^2*c^4 - 12*A^2*a*b^4*c^3 + 8*A*B*a^2*b^3*c^3 - 48*A*B*a^3*b*c^4) * (400*A^2*a^3*c^3 - 6*A^2*b^6 + 4*B^2*a^4*c^2 - 2*91*A^2*a^2*b^2*c^2 + 72*A^2*a*b^4*c + 2*A*B*a^2*b^3*c - 12*A*B*a^3*b*c^2))) * (A*b^3 + 4*B*a^2*c - 6*A*a*b*c) / (2*a^2*(4*a*c - b^2)^{(3/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.117 \quad \int \frac{A+Bx^2}{x^3(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=223

$$\frac{(2Ab - aB) \log(a + bx^2 + cx^4)}{4a^3} - \frac{\log(x)(2Ab - aB)}{a^3} - \frac{-6aAc - abB + 2Ab^2}{2a^2x^2(b^2 - 4ac)} + \frac{(abB(b^2 - 6ac) - 2A(6a^2c^2 - 6ab^2c + b^4)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^3(b^2 - 4ac)} + \frac{(2Ab - aB) \log(a + bx^2)}{4a^3}$$

[Out] $1/2*(6*A*a*c-2*A*b^2+B*a*b)/a^2/(-4*a*c+b^2)/x^2+1/2*(-a*b*B+A*(-2*a*c+b^2)+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/x^2/(c*x^4+b*x^2+a)+1/2*(a*b*B*(-6*a*c+b^2)-2*A*(6*a^2*c^2-6*a*b^2*c+b^4))*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/a^3/(-4*a*c+b^2)^{(3/2)}-(2*A*b-B*a)*\ln(x)/a^3+1/4*(2*A*b-B*a)*\ln(c*x^4+b*x^2+a)/a^3$

Rubi [A] time = 0.42, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 822, 800, 634, 618, 206, 628}

$$\frac{(abB(b^2 - 6ac) - 2A(6a^2c^2 - 6ab^2c + b^4)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^3(b^2 - 4ac)^{3/2}} - \frac{-6aAc - abB + 2Ab^2}{2a^2x^2(b^2 - 4ac)} + \frac{(2Ab - aB) \log(a + bx^2)}{4a^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^2), x]

[Out] $-(2*A*b^2 - a*b*B - 6*a*A*c)/(2*a^2*(b^2 - 4*a*c)*x^2) - (a*b*B - A*(b^2 - 2*a*c) - (A*b - 2*a*B)*c*x^2)/(2*a*(b^2 - 4*a*c)*x^2*(a + b*x^2 + c*x^4)) + ((a*b*B*(b^2 - 6*a*c) - 2*A*(b^4 - 6*a*b^2*c + 6*a^2*c^2))*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*a^3*(b^2 - 4*a*c)^{(3/2)}) - ((2*A*b - a*B)*\operatorname{Log}[x])/a^3 + ((2*A*b - a*B)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*a^3)$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 800

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) +
(c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

Rule 822

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c
_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e +
2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a
+ b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m +
2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m
+ b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f
*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1
] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^3 (a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x^2 (a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} - \frac{\text{Subst} \left(\int \frac{-2Ab^2 + abB + 6aAc - 2(Ab - 2aB)cx}{x^2(a + bx + cx^2)} dx, x, \right)}{2a(b^2 - 4ac)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} - \frac{\text{Subst} \left(\int \left(\frac{-2Ab^2 + abB + 6aAc}{ax^2} + \frac{(-2Ab + aB)(-b^2 + 2ac)}{a^2x} \right) dx, x, \right)}{2a(b^2 - 4ac)} \\
&= -\frac{2Ab^2 - abB - 6aAc}{2a^2(b^2 - 4ac)x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} - \frac{(2Ab - aB)\log(x)}{a^3} \\
&= -\frac{2Ab^2 - abB - 6aAc}{2a^2(b^2 - 4ac)x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} - \frac{(2Ab - aB)\log(x)}{a^3} \\
&= -\frac{2Ab^2 - abB - 6aAc}{2a^2(b^2 - 4ac)x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} - \frac{(2Ab - aB)\log(x)}{a^3} \\
&= -\frac{2Ab^2 - abB - 6aAc}{2a^2(b^2 - 4ac)x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} + \frac{(abB(b^2 - 6ac) - 2a^2(2Ab - aB))\log(x)}{(b^2 - 4ac)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.56, size = 379, normalized size = 1.70

$$\frac{\left(2A(6a^2c^2 - 6ab^2c - 4abc\sqrt{b^2 - 4ac} + b^3\sqrt{b^2 - 4ac} + b^4) + aB(-b^2\sqrt{b^2 - 4ac} + 4ac\sqrt{b^2 - 4ac} + 6abc - b^3)\right)\log(-\sqrt{b^2 - 4ac} + b + 2cx^2)}{(b^2 - 4ac)^{3/2}} + \frac{2A(-6a^2c^2 + 6ab^2c - 4abc\sqrt{b^2 - 4ac} + b^3\sqrt{b^2 - 4ac} + b^4)}{(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^2), x]

[Out] ((-2*a*A)/x^2 - (2*a*(a*B*(-b^2 + 2*a*c - b*c*x^2) + A*(b^3 - 3*a*b*c + b^2*c*x^2 - 2*a*c^2*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + 4*(-2*A*b + a*B)*Log[x] + ((a*B*(-b^3 + 6*a*b*c - b^2*Sqrt[b^2 - 4*a*c] + 4*a*c*Sqrt[b^2 - 4*a*c]) + 2*A*(b^4 - 6*a*b^2*c + 6*a^2*c^2 + b^3*Sqrt[b^2 - 4*a*c] - 4*a*b*c*Sqrt[b^2 - 4*a*c]))*Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x^2])/(b^2 - 4*a*c)^(3/2) + ((a*B*(b^3 - 6*a*b*c - b^2*Sqrt[b^2 - 4*a*c] + 4*a*c*Sqrt[b^2 - 4

$*a*c)) + 2*A*(-b^4 + 6*a*b^2*c - 6*a^2*c^2 + b^3*\text{Sqrt}[b^2 - 4*a*c] - 4*a*b*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2]/(b^2 - 4*a*c)^(3/2))/(4*a^3)$

fricas [B] time = 3.38, size = 1635, normalized size = 7.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(2*A*a^2*b^4 - 16*A*a^3*b^2*c + 32*A*a^4*c^2 + 2*(24*A*a^3*c^3 + 2*(2*B*a^3*b - 7*A*a^2*b^2)*c^2 - (B*a^2*b^3 - 2*A*a*b^4)*c)*x^4 - 2*(B*a^2*b^4 - 2*A*a*b^5 + 4*(2*B*a^4 - 7*A*a^3*b)*c^2 - 3*(2*B*a^3*b^2 - 5*A*a^2*b^3)*c)*x^2 + ((12*A*a^2*c^3 + 6*(B*a^2*b - 2*A*a*b^2)*c^2 - (B*a*b^3 - 2*A*b^4)*c)*x^6 - (B*a*b^4 - 2*A*b^5 - 12*A*a^2*b*c^2 - 6*(B*a^2*b^2 - 2*A*a*b^3)*c)*x^4 - (B*a^2*b^3 - 2*A*a*b^4 - 12*A*a^3*c^2 - 6*(B*a^3*b - 2*A*a^2*b^2)*c)*x^2)*\text{sqrt}(b^2 - 4*a*c)*\text{log}((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\text{sqrt}(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) + ((16*(B*a^3 - 2*A*a^2*b)*c^3 - 8*(B*a^2*b^2 - 2*A*a*b^3)*c^2 + (B*a*b^4 - 2*A*b^5)*c)*x^6 + (B*a*b^5 - 2*A*b^6 + 16*(B*a^3*b - 2*A*a^2*b^2)*c^2 - 8*(B*a^2*b^3 - 2*A*a*b^4)*c)*x^4 + (B*a^2*b^4 - 2*A*a*b^5 + 16*(B*a^4 - 2*A*a^3*b)*c^2 - 8*(B*a^3*b^2 - 2*A*a^2*b^3)*c)*x^2)*\text{log}(c*x^4 + b*x^2 + a) - 4*((16*(B*a^3 - 2*A*a^2*b)*c^3 - 8*(B*a^2*b^2 - 2*A*a*b^3)*c^2 + (B*a*b^4 - 2*A*b^5)*c)*x^6 + (B*a*b^5 - 2*A*b^6 + 16*(B*a^3*b - 2*A*a^2*b^2)*c^2 - 8*(B*a^2*b^3 - 2*A*a*b^4)*c)*x^4 + (B*a^2*b^4 - 2*A*a*b^5 + 16*(B*a^4 - 2*A*a^3*b)*c^2 - 8*(B*a^3*b^2 - 2*A*a^2*b^3)*c)*x^2)*\text{log}(x)]/(a^3*b^4*c - 8*a^4*b^2*c^2 + 16*a^5*c^3)*x^6 + (a^3*b^5 - 8*a^4*b^3*c + 16*a^5*b*c^2)*x^4 + (a^4*b^4 - 8*a^5*b^2*c + 16*a^6*c^2)*x^2), \\ & -1/4*(2*A*a^2*b^4 - 16*A*a^3*b^2*c + 32*A*a^4*c^2 + 2*(24*A*a^3*c^3 + 2*(2*B*a^3*b - 7*A*a^2*b^2)*c^2 - (B*a^2*b^3 - 2*A*a*b^4)*c)*x^4 - 2*(B*a^2*b^4 - 2*A*a*b^5 + 4*(2*B*a^4 - 7*A*a^3*b)*c^2 - 3*(2*B*a^3*b^2 - 5*A*a^2*b^3)*c)*x^2 + 2*((12*A*a^2*c^3 + 6*(B*a^2*b - 2*A*a*b^2)*c^2 - (B*a*b^3 - 2*A*b^4)*c)*x^6 - (B*a*b^4 - 2*A*b^5 - 12*A*a^2*b*c^2 - 6*(B*a^2*b^2 - 2*A*a*b^3)*c)*x^4 - (B*a^2*b^3 - 2*A*a*b^4 - 12*A*a^3*c^2 - 6*(B*a^3*b - 2*A*a^2*b^2)*c)*x^2)*\text{sqrt}(-b^2 + 4*a*c)*\text{arctan}(-(2*c*x^2 + b)*\text{sqrt}(-b^2 + 4*a*c)/(b^2 - 4*a*c)) + ((16*(B*a^3 - 2*A*a^2*b)*c^3 - 8*(B*a^2*b^2 - 2*A*a*b^3)*c^2 + (B*a*b^4 - 2*A*b^5)*c)*x^6 + (B*a*b^5 - 2*A*b^6 + 16*(B*a^3*b - 2*A*a^2*b^2)*c^2 - 8*(B*a^2*b^3 - 2*A*a*b^4)*c)*x^4 + (B*a^2*b^4 - 2*A*a*b^5 + 16*(B*a^4 - 2*A*a^3*b)*c^2 - 8*(B*a^3*b^2 - 2*A*a^2*b^3)*c)*x^2)*\text{log}(c*x^4 + b*x^2 + a) - 4*((16*(B*a^3 - 2*A*a^2*b)*c^3 - 8*(B*a^2*b^2 - 2*A*a*b^3)*c^2 + (B*a*b^4 - 2*A*b^5)*c)*x^6 + (B*a*b^5 - 2*A*b^6 + 16*(B*a^3*b - 2*A*a^2*b^2)*c^2 - 8*(B*a^2*b^3 - 2*A*a*b^4)*c)*x^4 + (B*a^2*b^4 - 2*A*a*b^5 + 16*(B*a^4 - 2*A*a^3*b)*c^2 - 8*(B*a^3*b^2 - 2*A*a^2*b^3)*c)*x^2)*\text{log}(x)]/(a^3*b^4*c - 8*a^4*b^2*c^2 + 16*a^5*c^3)*x^6 + (a^3*b^5 - 8*a^4*b^3*c + 16*a^5*b*c^2)*x^4 + (a^4*b^4 - 8*a^5*b^2*c + 16*a^6*c^2)*x^2]] \end{aligned}$$

giac [A] time = 1.65, size = 250, normalized size = 1.12

$$\frac{(Bab^3 - 2Ab^4 - 6Ba^2bc + 12Aab^2c - 12Aa^2c^2) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) + Babcx^4 - 2Ab^2cx^4 + 6Aac^2x^4 + Bab^2x^4}{2(a^3b^2 - 4a^4c)\sqrt{-b^2+4ac}} + \frac{Bab^2x^4 - 2Ab^2cx^4 + 6Aac^2x^4 + Bab^2x^4}{2(cx^6 + bx^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out]
$$-1/2*(B*a*b^3 - 2*A*b^4 - 6*B*a^2*b*c + 12*A*a*b^2*c - 12*A*a^2*c^2)*\arctan\left(\frac{(2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c}}{(a^3*b^2 - 4*a^4*c)*\sqrt{-b^2 + 4*a*c}}\right) + 1/2*(B*a*b*c*x^4 - 2*A*b^2*c*x^4 + 6*A*a*c^2*x^4 + B*a*b^2*x^2 - 2*A*b^3*x^2 - 2*B*a^2*c*x^2 + 7*A*a*b*c*x^2 - A*a*b^2 + 4*A*a^2*c)/((c*x^6 + b*x^4 + a*x^2)*(a^2*b^2 - 4*a^3*c)) - 1/4*(B*a - 2*A*b)*\log(c*x^4 + b*x^2 + a)/a^3 + 1/2*(B*a - 2*A*b)*\log(x^2)/a^3$$

maple [B] time = 0.02, size = 622, normalized size = 2.79

$$\frac{Ac^2x^2}{(cx^4 + bx^2 + a)(4ac - b^2)a} + \frac{Ab^2cx^2}{2(cx^4 + bx^2 + a)(4ac - b^2)a^2} - \frac{Bbcx^2}{2(cx^4 + bx^2 + a)(4ac - b^2)a} - \frac{6Ac^2 \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{(4ac - b^2)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^2,x)

[Out]
$$-1/2*A/a^2/x^2-2/a^3*\ln(x)*A*b+1/a^2*\ln(x)*B-1/a/(c*x^4+b*x^2+a)*c^2/(4*a*c-b^2)*x^2*A+1/2/a^2/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*A*b^2-1/2/a/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*b*B-3/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*A*b*c+1/2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*A*b^3+1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*B*c-1/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*B*b^2+2/a^2/(4*a*c-b^2)*c*\ln(c*x^4+b*x^2+a)*A*b-1/2/a^3/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*A*b^3-1/a/(4*a*c-b^2)*c*\ln(c*x^4+b*x^2+a)*B+1/4/a^2/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^2*B-6/a/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*c^2+6/a^2/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*b^2*c-1/a^3/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*A*b^4-3/a/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*B*c+1/2/a^2/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*B*b^3$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 9.09, size = 10034, normalized size = 45.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^2),x)

[Out]
$$\begin{aligned} & \left(\log\left(\frac{(c^4(2Ab - Ba)(6A^2ac - 2Ab^2 + B^2ab)^2)}{(a^6(4ac - b^2)^2)}\right) - \left(\frac{(Ba - 2Ab + a^3(-2Ab^4 + 12A^2ac^2 - B^2ab^3 - 12A^2ab^2c + 6B^2a^2bc))^2}{(a^6(4ac - b^2)^3)}\right)^{1/2} \right) \\ & \left(\frac{(b^2c^2(Ba - 2Ab + a^3(-2Ab^4 + 12A^2ac^2 - B^2ab^3 - 12A^2ab^2c + 6B^2a^2bc))^2}{(a^6(4ac - b^2)^3)} \right)^{1/2} \\ & \left(\frac{(ab + 3b^2x^2 - 10acx^2)}{a^3} + \frac{4b^2c^2(2Ab^4 + 6A^2ac^2 - B^2ab^3 - 10A^2ab^2c + 5B^2a^2bc)}{(a^2(4ac - b^2))} \right) \\ & \left(\frac{2c^3x^2(2Ab^4 - 60A^2ac^2 - B^2ab^3 + 4A^2ab^2c + 10B^2a^2bc)}{(a^2(4ac - b^2))} \right) \\ & \left(\frac{c^3(36A^2a^3c^3 - 16A^2b^6 - 4B^2a^2b^4 + 16AB^2ab^5 - 216A^2a^2b^2c^2 + 116A^2ab^4c + 17B^2a^3b^2c - 92AB^2a^2b^3c + 108AB^2a^3bc^2)}{(a^4(4ac - b^2)^2)} \right) \\ & \left(\frac{2c^4x^2(12A^2b^5 + 3B^2a^2b^3 - 12AB^2ab^4 - 60AB^2a^3c^2 - 82A^2ab^3c - 10B^2a^3bc + 138A^2a^2b^2c^2 + 61AB^2a^2b^2c)}{(a^4(4ac - b^2)^2)} \right) \\ & \left(\frac{(Ba - 2Ab + a^3(-2Ab^4 + 12A^2ac^2 - B^2ab^3 - 12A^2ab^2c + 6B^2a^2bc))^2}{(a^6(4ac - b^2)^3)} \right)^{1/2} \\ & \left(\frac{c^5x^2(6A^2ac - 2Ab^2 + B^2ab)^3}{(a^6(4ac - b^2)^3)} \right) \\ & \left(\frac{(c^4(2Ab - Ba)(6A^2ac - 2Ab^2 + B^2ab)^2)}{(a^6(4ac - b^2)^2)} - \left(\frac{(2Ab - Ba + a^3(-2Ab^4 + 12A^2ac^2 - B^2ab^3 - 12A^2ab^2c + 6B^2a^2bc))^2}{(a^6(4ac - b^2)^3)}\right)^{1/2} \right) \\ & \left(\frac{(4b^2c^2(2Ab^4 + 6A^2ac^2 - B^2ab^3 - 10A^2ab^2c + 5B^2a^2bc))}{(a^2(4ac - b^2))} - \frac{(b^2c^2(2Ab - Ba + a^3(-2Ab^4 + 12A^2ac^2 - B^2ab^3 - 12A^2ab^2c + 6B^2a^2bc))^2}{(a^6(4ac - b^2)^3)} \right)^{1/2} \\ & \left(\frac{(ab + 3b^2x^2 - 10acx^2)}{a^3} + \frac{2c^3x^2(2Ab^4 - 60A^2ac^2 - B^2ab^3 + 4A^2ab^2c + 10B^2a^2bc)}{(a^2(4ac - b^2))} \right) \\ & \left(\frac{c^3(36A^2a^3c^3 - 16A^2b^6 - 4B^2a^2b^4 + 16AB^2ab^5 - 216A^2a^2b^2c^2 + 116A^2ab^4c + 17B^2a^3b^2c - 92AB^2a^2b^3c + 108AB^2a^3bc^2)}{(a^4(4ac - b^2)^2)} \right) \\ & \left(\frac{2c^4x^2(12A^2b^5 + 3B^2a^2b^3 - 12AB^2ab^4 - 60AB^2a^3c^2 - 82A^2ab^3c - 10B^2a^3bc + 138A^2a^2b^2c^2 + 61AB^2a^2b^2c)}{(a^4(4ac - b^2)^2)} \right) \\ & \left(\frac{(2Ab - Ba + a^3(-2Ab^4 + 12A^2ac^2 - B^2ab^3 - 12A^2ab^2c + 6B^2a^2bc))^2}{(a^6(4ac - b^2)^3)} \right)^{1/2} \\ & \left(\frac{c^5x^2(6A^2ac - 2Ab^2 + B^2ab)^3}{(a^6(4ac - b^2)^3)} \right) \\ & \left(\frac{4Ab^7 + 128B^2a^4c^3 - 2B^2ab^6 - 48A^2ab^5c - 256A^2a^3bc^3 + 24B^2a^2b^4c + 192A^2a^2c^3}{(a^6(4ac - b^2)^3)} \right) \end{aligned}$$

$$\begin{aligned}
& b^3c^2 - 96B^3a^3b^2c^2) / (2(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 1 \\
& 92a^5b^2c^2)) - (\log(x)(2Ab - Ba)) / a^3 - (A/(2a) - (x^2(2Ab^3 - \\
& B^3a^3b^2 + 2B^2a^2c - 7A^2ab^2c)) / (2a^2(4ac - b^2))) + (cx^4(6A^2ac - \\
& 2Ab^2 + B^2a^2b)) / (2a^2(4ac - b^2)) / (ax^2 + bx^4 + cx^6) + (\operatorname{atan}((\\
& x^2(((216A^3a^3c^8 - 8A^3b^6c^5 - 216A^3a^2b^2c^7 + B^3a^3b^3 \\
& *c^5 + 72A^3a^2b^4c^6 + 12A^2B^2a^2b^5c^5 + 108A^2B^2a^3b^2c^7 - 6A^2B^ \\
& 2a^2b^4c^5 + 18A^2B^2a^3b^2c^6 - 72A^2B^2a^2b^3c^6) / (a^6b^6 - 64a^ \\
& a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) + (((24A^2a^2b^7c^4 - 260A^2a^ \\
& a^3b^5c^5 + 932A^2a^4b^3c^6 + 6B^2a^4b^5c^4 - 44B^2a^5b^3c^5 \\
& + 480A^2B^2a^6c^7 - 1104A^2a^5b^2c^7 + 80B^2a^6b^2c^6 - 24A^2B^2a^3b^6 \\
& c^4 + 218A^2B^2a^4b^4c^5 - 608A^2B^2a^5b^2c^6) / (a^6b^6 - 64a^9c^3 - 12 \\
& *a^7b^4c + 48a^8b^2c^2) + (((1920A^2a^8c^7 - 320B^2a^8b^2c^6 - 4A^2a^ \\
& 4b^8c^3 + 24A^2a^5b^6c^4 + 120A^2a^6b^4c^5 - 1088A^2a^7b^2c^6 + 2B^ \\
& *a^5b^7c^3 - 36B^2a^6b^5c^4 + 192B^2a^7b^3c^5) / (a^6b^6 - 64a^9c^3 \\
& - 12a^7b^4c + 48a^8b^2c^2) - ((2560a^10b^2c^6 + 12a^6b^9c^2 - 184 \\
& *a^7b^7c^3 + 1056a^8b^5c^4 - 2688a^9b^3c^5) * (4Ab^7 + 128B^2a^4c^ \\
& 3 - 2B^2a^2b^6 - 48A^2a^5b^2c^2 - 256A^2a^3b^2c^2) / (2(a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^ \\
& a^8b^2c^2) * (4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2))) * (\\
& 4Ab^7 + 128B^2a^4c^3 - 2B^2a^2b^6 - 48A^2a^5b^2c^2 - 256A^2a^3b^2c^2) / (2(4a^3b^6 - 256a^6 \\
& *c^3 - 48a^4b^4c + 192a^5b^2c^2))) * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^2b^ \\
& ^6 - 48A^2a^5b^2c^2 - 256A^2a^3b^2c^2) / (2(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2 \\
& *c^2)) - (((((1920A^2a^8c^7 - 320B^2a^8b^2c^6 - 4A^2a^4b^8c^3 + 24A^2a^5 \\
& *b^6c^4 + 120A^2a^6b^4c^5 - 1088A^2a^7b^2c^6 + 2B^2a^5b^7c^3 - 36B^ \\
& a^6b^5c^4 + 192B^2a^7b^3c^5) / (a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^ \\
& a^8b^2c^2) - ((2560a^10b^2c^6 + 12a^6b^9c^2 - 184a^7b^7c^3 + 1056a^ \\
& a^8b^5c^4 - 2688a^9b^3c^5) * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^2b^6 - 48A^ \\
& *a^5b^2c^2 - 256A^2a^3b^2c^2) / (2(a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^ \\
& a^8b^2c^2) * (4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2))) * (2Ab^4 + 12A^2a^2c \\
& ^2 - B^2a^2b^3 - 12A^2a^2b^2c + 6B^2a^2b^2c)) / (4a^3(4ac - b^2)^(3/2)) - (\\
& (2560a^10b^2c^6 + 12a^6b^9c^2 - 184a^7b^7c^3 + 1056a^8b^5c^4 - 26 \\
& 88a^9b^3c^5) * (2Ab^4 + 12A^2a^2c^2 - B^2a^2b^3 - 12A^2a^2b^2c + 6B^2a^2 \\
& b^2c)) * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^2b^6 - 48A^2a^5b^2c^2 - 256A^2a^3b^2c^2) / (8a^3(4ac - b \\
& ^2)^(3/2) * (a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) * (4a^3b^6 \\
& - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2))) * (2Ab^4 + 12A^2a^2c^2 \\
& - B^2a^2b^3 - 12A^2a^2b^2c + 6B^2a^2b^2c)) / (4a^3(4ac - b^2)^(3/2)) + ((25 \\
& 60a^10b^2c^6 + 12a^6b^9c^2 - 184a^7b^7c^3 + 1056a^8b^5c^4 - 2688a^ \\
& a^9b^3c^5) * (2Ab^4 + 12A^2a^2c^2 - B^2a^2b^3 - 12A^2a^2b^2c + 6B^2a^2b^2c \\
&)^2 * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^2b^6 - 48A^2a^5b^2c^2 - 256A^2a^3b^2c^2) / (32a^6(4ac - b \\
& ^2)^3 * (a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) * (4a^3b^6 - 2
\end{aligned}$$

$$\begin{aligned}
& (56a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)) * (6Aa^3c^3 - 6Ab^6 + 3B \\
& * a^5b^5 + 42Aa^4b^4c - 21B^2a^2b^3c + 33B^2a^3b^2c^2 - 72Aa^2b^2c^2) \\
&) / (8a^3c^2(4a^2c - b^2)^3(36A^2a^4c^4 - 24A^2b^8 - 6B^2a^2b^6 + \\
& 400B^2a^5c^3 + 24ABa^4b^7 - 1152A^2a^2b^4c^2 + 1528A^2a^3b^2c^3 \\
& ^3 - 291B^2a^4b^2c^2 + 288A^2a^2b^6c + 72B^2a^3b^4c + 1158ABa^3 \\
& b^3c^2 - 288ABa^2b^5c - 1564ABa^4b^3c^3)) + (((((((1920Aa^8c^7 \\
& - 320B^2a^8b^6c^6 - 4Aa^4b^8c^3 + 24Aa^5b^6c^4 + 120Aa^6b^4c^5 \\
& - 1088Aa^7b^2c^6 + 2B^2a^5b^7c^3 - 36B^2a^6b^5c^4 + 192B^2a^7b^3 \\
& c^5) / (a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) - ((2560a^10 \\
& b^6c^6 + 12a^6b^9c^2 - 184a^7b^7c^3 + 1056a^8b^5c^4 - 2688a^9b^3 \\
& c^5) * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^6b^6 - 48Aa^5b^5c - 256Aa^3 \\
& b^3c^3 \\
& + 24B^2a^2b^4c + 192Aa^2b^3c^2 - 96B^2a^3b^2c^2)) / (2(a^6b^6 - 64 \\
& a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) * (4a^3b^6 - 256a^6c^3 - 48a^4 \\
& b^4c + 192a^5b^2c^2))) * (2Ab^4 + 12Aa^2c^2 - B^2a^3b^3 - 12Aa^2b^2c \\
& + 6B^2a^2b^3c)) / (4a^3(4a^2c - b^2)^(3/2)) - ((2560a^10b^6c^6 + 12a^6 \\
& b^9c^2 - 184a^7b^7c^3 + 1056a^8b^5c^4 - 2688a^9b^3c^5) * (2Ab^4 + \\
& 12Aa^2c^2 - B^2a^3b^3 - 12Aa^2b^2c + 6B^2a^2b^3c) * (4Ab^7 + 128B^2 \\
& a^4c^3 - 2B^2a^6b^6 - 48Aa^5b^5c - 256Aa^3b^3c^3 + 24B^2a^2b^4c + 192Aa^2 \\
& b^3c^2 - 96B^2a^3b^2c^2)) / (8a^3(4a^2c - b^2)^(3/2) * (a^6b^6 - 64a^9 \\
& c^3 - 12a^7b^4c + 48a^8b^2c^2) * (4a^3b^6 - 256a^6c^3 - 48a^4b^4 \\
& c + 192a^5b^2c^2))) * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^6b^6 - 48Aa^5 \\
& b^5c \\
& - 256Aa^3b^3c^3 + 24B^2a^2b^4c + 192Aa^2b^3c^2 - 96B^2a^3b^2c^2) \\
&) / (2(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)) + (((24A^2 \\
& a^2b^7c^4 - 260A^2a^3b^5c^5 + 932A^2a^4b^3c^6 + 6B^2a^4b^5c^4 - 44B^2 \\
& a^5b^3c^5 + 480ABa^6c^7 - 1104A^2a^5b^7c^7 + 80B^2a^6 \\
& b^6c^6 - 24ABa^3b^6c^4 + 218ABa^4b^4c^5 - 608ABa^5b^2c^6) / (a^6 \\
& b^6 - 64a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) + (((1920Aa^8c^7 - \\
& 320B^2a^8b^6c^6 - 4Aa^4b^8c^3 + 24Aa^5b^6c^4 + 120Aa^6b^4c^5 - \\
& 1088Aa^7b^2c^6 + 2B^2a^5b^7c^3 - 36B^2a^6b^5c^4 + 192B^2a^7b^3c^5) \\
&) / (a^6b^6 - 64a^9c^3 - 12a^7b^4c + 48a^8b^2c^2) - ((2560a^10b^6c^6 \\
& + 12a^6b^9c^2 - 184a^7b^7c^3 + 1056a^8b^5c^4 - 2688a^9b^3c^5) \\
& * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^6b^6 - 48Aa^5b^5c - 256Aa^3b^3c^3 + 24 \\
& B^2a^2b^4c + 192Aa^2b^3c^2 - 96B^2a^3b^2c^2)) / (2(a^6b^6 - 64a^9 \\
& c^3 - 12a^7b^4c + 48a^8b^2c^2) * (4a^3b^6 - 256a^6c^3 - 48a^4b^4 \\
& c + 192a^5b^2c^2))) * (4Ab^7 + 128B^2a^4c^3 - 2B^2a^6b^6 - 48Aa^5 \\
& b^5c \\
& - 256Aa^3b^3c^3 + 24B^2a^2b^4c + 192Aa^2b^3c^2 - 96B^2a^3b^2c^2) \\
&) / (2(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2))) * (2Ab^4 + \\
& 12Aa^2c^2 - B^2a^3b^3 - 12Aa^2b^2c + 6B^2a^2b^3c)) / (4a^3(4a^2c - b^2) \\
& ^{(3/2)}) + ((2560a^10b^6c^6 + 12a^6b^9c^2 - 184a^7b^7c^3 + 1056a^8b^5 \\
& c^4 - 2688a^9b^3c^5) * (2Ab^4 + 12Aa^2c^2 - B^2a^3b^3 - 12Aa^2b^2c \\
& + 6B^2a^2b^3c)^3) / (64a^9(4a^2c - b^2)^(9/2) * (a^6b^6 - 64a^9c^3 - 12a^7 \\
& b^4c + 48a^8b^2c^2))) * (768Ab^7 + 5120B^2a^4c^3 - 384B^2a^6b^6 - 69 \\
& 12Aa^5b^5c - 12544Aa^3b^3c^3 + 3456B^2a^2b^4c + 18432Aa^2b^3c^2 - \\
& 8832B^2a^3b^2c^2)) / (1024a^3c^2(4a^2c - b^2)^(7/2) * (36A^2a^4c^4 - 2 \\
& 4A^2b^8 - 6B^2a^2b^6 + 400B^2a^5c^3 + 24ABa^4b^7 - 1152A^2a^2b^
\end{aligned}$$

$$\begin{aligned}
&^4c^2 + 1528A^2a^3b^2c^3 - 291B^2a^4b^2c^2 + 288A^2a*b^6c + 72B^2a^3b^4c + 1158A*B*a^3b^3c^2 - 288A*B*a^2b^5c - 1564A*B*a^4b*c \\
&^3)) * (16a^9b^6(4ac - b^2)^{(9/2)} - 1024a^{12}c^3(4ac - b^2)^{(9/2)} - \\
&192a^{10}b^4c(4ac - b^2)^{(9/2)} + 768a^{11}b^2c^2(4ac - b^2)^{(9/2)}) \\
&)/(144A^2a^4c^6 + 4A^2b^8c^2 + 192A^2a^2b^4c^4 - 288A^2a^3b^2c^5 + B^2a^2b^6c^2 - 12B^2a^3b^4c^3 + 36B^2a^4b^2c^4 - 48A^2a*b^6c^3 + 48A*B*a^2b^5c^3 - 168A*B*a^3b^3c^4 - 4A*B*a*b^7c^2 + 144A*B*a^4b*c^5) + (((((((96A*a^7b*c^5 - 8A*a^4b^7c^2 + 72A*a^5b^5c^3 - 184A*a^6b^3c^4 + 4B*a^5b^6c^2 - 36B*a^6b^4c^3 + 80B*a^7b^2c^4)/(a^6b^4 + 16a^8c^2 - 8a^7b^2c) - ((4a^7b^6c^2 - 32a^8b^4c^3 + 64a^9b^2c^4)*(4Ab^7 + 128B*a^4c^3 - 2B*a*b^6 - 48A*a*b^5c - 256A*a^3b*c^3 + 24B*a^2b^4c + 192A*a^2b^3c^2 - 96B*a^3b^2c^2))/(2*(a^6b^4 + 16a^8c^2 - 8a^7b^2c))*(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)))*(2Ab^4 + 12A*a^2c^2 - B*a*b^3 - 12A*a*b^2c + 6B*a^2b*c))/(4a^3(4ac - b^2)^{(3/2)}) - ((4a^7b^6c^2 - 32a^8b^4c^3 + 64a^9b^2c^4)*(2Ab^4 + 12A*a^2c^2 - B*a*b^3 - 12A*a*b^2c + 6B*a^2b*c)*(4Ab^7 + 128B*a^4c^3 - 2B*a*b^6 - 48A*a*b^5c - 256A*a^3b*c^3 + 24B*a^2b^4c + 192A*a^2b^3c^2 - 96B*a^3b^2c^2))/(8a^3(4ac - b^2)^{(3/2)}*(a^6b^4 + 16a^8c^2 - 8a^7b^2c)*(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)))*(4Ab^7 + 128B*a^4c^3 - 2B*a*b^6 - 48A*a*b^5c - 256A*a^3b*c^3 + 24B*a^2b^4c + 192A*a^2b^3c^2 - 96B*a^3b^2c^2))/(2*(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)) - (((36A^2a^5c^6 - 16A^2a^2b^6c^3 + 116A^2a^3b^4c^4 - 216A^2a^4b^2c^5 - 4B^2a^4b^4c^3 + 17B^2a^5b^2c^4 + 16A*B*a^3b^5c^3 - 92A*B*a^4b^3c^4 + 108A*B*a^5b*c^5)/(a^6b^4 + 16a^8c^2 - 8a^7b^2c) - (((96A*a^7b*c^5 - 8A*a^4b^7c^2 + 72A*a^5b^5c^3 - 184A*a^6b^3c^4 + 4B*a^5b^6c^2 - 36B*a^6b^4c^3 + 80B*a^7b^2c^4)/(a^6b^4 + 16a^8c^2 - 8a^7b^2c) - ((4a^7b^6c^2 - 32a^8b^4c^3 + 64a^9b^2c^4)*(4Ab^7 + 128B*a^4c^3 - 2B*a*b^6 - 48A*a*b^5c - 256A*a^3b*c^3 + 24B*a^2b^4c + 192A*a^2b^3c^2 - 96B*a^3b^2c^2))/(2*(a^6b^4 + 16a^8c^2 - 8a^7b^2c)*(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)))*(4Ab^7 + 128B*a^4c^3 - 2B*a*b^6 - 48A*a*b^5c - 256A*a^3b*c^3 + 24B*a^2b^4c + 192A*a^2b^3c^2 - 96B*a^3b^2c^2))/(2*(4a^3b^6 - 256a^6c^3 - 48a^4b^4c + 192a^5b^2c^2)))*(2Ab^4 + 12A*a^2c^2 - B*a*b^3 - 12A*a*b^2c + 6B*a^2b*c))/(4a^3(4ac - b^2)^{(3/2)}) + ((4a^7b^6c^2 - 32a^8b^4c^3 + 64a^9b^2c^4)*(2Ab^4 + 12A*a^2c^2 - B*a*b^3 - 12A*a*b^2c + 6B*a^2b*c)^3)/(64a^9(4ac - b^2)^{(9/2)}*(a^6b^4 + 16a^8c^2 - 8a^7b^2c)))*(16a^9b^6(4ac - b^2)^{(9/2)} - 1024a^{12}c^3(4ac - b^2)^{(9/2)} - 192a^{10}b^4c(4ac - b^2)^{(9/2)} + 768a^{11}b^2c^2(4ac - b^2)^{(9/2)})*(768A*b^7 + 5120B*a^4c^3 - 384B*a*b^6 - 6912A*a*b^5c - 12544A*a^3b*c^3 + 3456B*a^2b^4c + 18432A*a^2b^3c^2 - 8832B*a^3b^2c^2))/(1024a^3c^2(4ac - b^2)^{(7/2)}*(144A^2a^4c^6 + 4A^2b^8c^2 + 192A^2a^2b^4c^4 - 288A^2a^3b^2c^5 + B^2a^2b^6c^2 - 12B^2a^3b^4c^3 + 36B^2a^4b^2c^4 - 48A^2a*b^6c^3 + 48A*B*a^2b^5c^3 - 168A*B*a^3b^3c^4 - 4A*B*a*b^7c^2 + 144A*B*a^4b*c^5)*(36A^2a^4c
\end{aligned}$$

$$\begin{aligned}
&^4 - 24*A^2*b^8 - 6*B^2*a^2*b^6 + 400*B^2*a^5*c^3 + 24*A*B*a*b^7 - 1152*A^2 \\
&*a^2*b^4*c^2 + 1528*A^2*a^3*b^2*c^3 - 291*B^2*a^4*b^2*c^2 + 288*A^2*a*b^6*c \\
&+ 72*B^2*a^3*b^4*c + 1158*A*B*a^3*b^3*c^2 - 288*A*B*a^2*b^5*c - 1564*A*B*a \\
&^4*b*c^3)) + ((16*a^9*b^6*(4*a*c - b^2)^(9/2) - 1024*a^12*c^3*(4*a*c - b^2) \\
&^(9/2) - 192*a^10*b^4*c*(4*a*c - b^2)^(9/2) + 768*a^11*b^2*c^2*(4*a*c - b^2) \\
&^(9/2))*((B^3*a^3*b^2*c^4 - 8*A^3*b^5*c^4 + 36*A^2*B*a^3*c^6 + 48*A^3*a*b^ \\
&3*c^5 - 72*A^3*a^2*b*c^6 + 12*A*B^2*a^3*b*c^5 + 12*A^2*B*a*b^4*c^4 - 6*A*B^ \\
&2*a^2*b^3*c^4 - 48*A^2*B*a^2*b^2*c^5)/(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c) \\
&- (((36*A^2*a^5*c^6 - 16*A^2*a^2*b^6*c^3 + 116*A^2*a^3*b^4*c^4 - 216*A^2*a^ \\
&4*b^2*c^5 - 4*B^2*a^4*b^4*c^3 + 17*B^2*a^5*b^2*c^4 + 16*A*B*a^3*b^5*c^3 - 9 \\
&2*A*B*a^4*b^3*c^4 + 108*A*B*a^5*b*c^5)/(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c) \\
&- (((96*A*a^7*b*c^5 - 8*A*a^4*b^7*c^2 + 72*A*a^5*b^5*c^3 - 184*A*a^6*b^3*c \\
&^4 + 4*B*a^5*b^6*c^2 - 36*B*a^6*b^4*c^3 + 80*B*a^7*b^2*c^4)/(a^6*b^4 + 16*a \\
&^8*c^2 - 8*a^7*b^2*c) - ((4*a^7*b^6*c^2 - 32*a^8*b^4*c^3 + 64*a^9*b^2*c^4)* \\
&(4*A*b^7 + 128*B*a^4*c^3 - 2*B*a*b^6 - 48*A*a*b^5*c - 256*A*a^3*b*c^3 + 24* \\
&B*a^2*b^4*c + 192*A*a^2*b^3*c^2 - 96*B*a^3*b^2*c^2))/(2*(a^6*b^4 + 16*a^8*c \\
&^2 - 8*a^7*b^2*c)*(4*a^3*b^6 - 256*a^6*c^3 - 48*a^4*b^4*c + 192*a^5*b^2*c^2 \\
&)))*(4*A*b^7 + 128*B*a^4*c^3 - 2*B*a*b^6 - 48*A*a*b^5*c - 256*A*a^3*b*c^3 + \\
&24*B*a^2*b^4*c + 192*A*a^2*b^3*c^2 - 96*B*a^3*b^2*c^2))/(2*(4*a^3*b^6 - 25 \\
&6*a^6*c^3 - 48*a^4*b^4*c + 192*a^5*b^2*c^2)))*(4*A*b^7 + 128*B*a^4*c^3 - 2* \\
&B*a*b^6 - 48*A*a*b^5*c - 256*A*a^3*b*c^3 + 24*B*a^2*b^4*c + 192*A*a^2*b^3*c \\
&^2 - 96*B*a^3*b^2*c^2))/(2*(4*a^3*b^6 - 256*a^6*c^3 - 48*a^4*b^4*c + 192*a^ \\
&5*b^2*c^2)) - ((((((96*A*a^7*b*c^5 - 8*A*a^4*b^7*c^2 + 72*A*a^5*b^5*c^3 - 18 \\
&4*A*a^6*b^3*c^4 + 4*B*a^5*b^6*c^2 - 36*B*a^6*b^4*c^3 + 80*B*a^7*b^2*c^4)/(a \\
&^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c) - ((4*a^7*b^6*c^2 - 32*a^8*b^4*c^3 + 64* \\
&a^9*b^2*c^4)*(4*A*b^7 + 128*B*a^4*c^3 - 2*B*a*b^6 - 48*A*a*b^5*c - 256*A*a^ \\
&3*b*c^3 + 24*B*a^2*b^4*c + 192*A*a^2*b^3*c^2 - 96*B*a^3*b^2*c^2))/(2*(a^6*b \\
&^4 + 16*a^8*c^2 - 8*a^7*b^2*c)*(4*a^3*b^6 - 256*a^6*c^3 - 48*a^4*b^4*c + 19 \\
&2*a^5*b^2*c^2)))*(2*A*b^4 + 12*A*a^2*c^2 - B*a*b^3 - 12*A*a*b^2*c + 6*B*a^2 \\
&*b*c))/(4*a^3*(4*a*c - b^2)^(3/2)) - ((4*a^7*b^6*c^2 - 32*a^8*b^4*c^3 + 64* \\
&a^9*b^2*c^4)*(2*A*b^4 + 12*A*a^2*c^2 - B*a*b^3 - 12*A*a*b^2*c + 6*B*a^2*b*c \\
&)*(4*A*b^7 + 128*B*a^4*c^3 - 2*B*a*b^6 - 48*A*a*b^5*c - 256*A*a^3*b*c^3 + 2 \\
&4*B*a^2*b^4*c + 192*A*a^2*b^3*c^2 - 96*B*a^3*b^2*c^2))/(8*a^3*(4*a*c - b^2) \\
&^(3/2)*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)*(4*a^3*b^6 - 256*a^6*c^3 - 48*a \\
&^4*b^4*c + 192*a^5*b^2*c^2)))*(2*A*b^4 + 12*A*a^2*c^2 - B*a*b^3 - 12*A*a*b^ \\
&2*c + 6*B*a^2*b*c))/(4*a^3*(4*a*c - b^2)^(3/2)) + (((4*a^7*b^6*c^2 - 32*a^8* \\
&b^4*c^3 + 64*a^9*b^2*c^4)*(2*A*b^4 + 12*A*a^2*c^2 - B*a*b^3 - 12*A*a*b^2*c \\
&+ 6*B*a^2*b*c))^2*(4*A*b^7 + 128*B*a^4*c^3 - 2*B*a*b^6 - 48*A*a*b^5*c - 256* \\
&A*a^3*b*c^3 + 24*B*a^2*b^4*c + 192*A*a^2*b^3*c^2 - 96*B*a^3*b^2*c^2))/(32*a \\
&^6*(4*a*c - b^2)^3*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)*(4*a^3*b^6 - 256*a^ \\
&6*c^3 - 48*a^4*b^4*c + 192*a^5*b^2*c^2)))*(6*A*a^3*c^3 - 6*A*b^6 + 3*B*a*b^ \\
&5 + 42*A*a*b^4*c - 21*B*a^2*b^3*c + 33*B*a^3*b*c^2 - 72*A*a^2*b^2*c^2))/(8* \\
&a^3*c^2*(4*a*c - b^2)^3*(144*A^2*a^4*c^6 + 4*A^2*b^8*c^2 + 192*A^2*a^2*b^4* \\
&c^4 - 288*A^2*a^3*b^2*c^5 + B^2*a^2*b^6*c^2 - 12*B^2*a^3*b^4*c^3 + 36*B^2*a \\
&^4*b^2*c^4 - 48*A^2*a*b^6*c^3 + 48*A*B*a^2*b^5*c^3 - 168*A*B*a^3*b^3*c^4 -
\end{aligned}$$

$$4ABab^7c^2 + 144ABa^4b^2c^5)(36A^2a^4c^4 - 24A^2b^8 - 6B^2a^2b^6 + 400B^2a^5c^3 + 24ABab^7 - 1152A^2a^2b^4c^2 + 1528A^2a^3b^2c^3 - 291B^2a^4b^2c^2 + 288A^2ab^6c + 72B^2a^3b^4c + 1158ABa^3b^3c^2 - 288ABa^2b^5c - 1564ABa^4b^2c^3)))(2Ab^4 + 12Aa^2c^2 - B^2ab^3 - 12Aab^2c + 6Ba^2b^2c)/(2a^3(4ac - b^2)^{3/2})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**3/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.118 \quad \int \frac{x^6(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=425

$$\frac{\left(-\frac{20a^2Bc^2+8aAbc^2-19ab^2Bc-Ab^3c+3b^4B}{\sqrt{b^2-4ac}} + 6aAc^2 - 13abBc - Ab^2c + 3b^3B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) \left(\frac{20a^2Bc^2+8aAbc^2-19ab^2Bc-Ab^3c+3b^4B}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}c^{5/2}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out] $\frac{1}{2}*(-A*b*c-10*B*a*c+3*B*b^2)*x/c^2/(-4*a*c+b^2)-\frac{1}{2}*(-2*A*c+B*b)*x^3/c/(-4*a*c+b^2)-\frac{1}{2}*x^5*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)-\frac{1}{4}*arctan(x*x^{2(1/2)}*c^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}}*(3*b^3*B-A*b^2*c-13*a*b*B*c+6*a*A*c^2+(-8*A*a*b*c^2+A*b^3*c-20*B*a^2*c^2+19*B*a*b^2*c-3*B*b^4)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)/(-4*a*c+b^2)*2^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}})-\frac{1}{4}*arctan(x*x^{2(1/2)}*c^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}}*(3*b^3*B-A*b^2*c-13*a*b*B*c+6*a*A*c^2+(8*A*a*b*c^2-A*b^3*c+20*B*a^2*c^2-19*B*a*b^2*c+3*B*b^4)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)/(-4*a*c+b^2)*2^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}})$

Rubi [A] time = 3.67, antiderivative size = 425, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1275, 1279, 1166, 205}

$$\frac{\left(-\frac{20a^2Bc^2+8aAbc^2-19ab^2Bc-Ab^3c+3b^4B}{\sqrt{b^2-4ac}} + 6aAc^2 - 13abBc - Ab^2c + 3b^3B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) \left(\frac{20a^2Bc^2+8aAbc^2-19ab^2Bc-Ab^3c+3b^4B}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}c^{5/2}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] $((3*b^2*B - A*b*c - 10*a*B*c)*x)/(2*c^2*(b^2 - 4*a*c)) - ((b*B - 2*A*c)*x^3)/(2*c*(b^2 - 4*a*c)) - (x^5*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((3*b^3*B - A*b^2*c - 13*a*b*B*c + 6*a*A*c^2 - (3*b^4*B - A*b^3*c - 19*a*b^2*B*c + 8*a*A*b*c^2 + 20*a^2*B*c^2)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*c^{(5/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((3*b^3*B - A*b^2*c - 13*a*b*B*c + 6*a*A*c^2 + (3*b^4*B - A*b^3*c - 19*a*b^2*B*c + 8*a*A*b*c^2 + 20*a^2*B*c^2)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*c^{(5/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]$

Rule 205

$\text{Int}[\frac{(a_ + (b_ \cdot x)^2)^{-1}}{a}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] \text{ ; FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 1166

$\text{Int}[\frac{(d_ + (e_ \cdot x)^2)}{(a_ + (b_ \cdot x)^2 + (c_ \cdot x)^4)}, x_Symbol] \text{ ; } > \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[e/2 + (2cd - be)/(2q), \text{Int}[1/(b/2 - q/2 + cx^2), x], x] + \text{Dist}[e/2 - (2cd - be)/(2q), \text{Int}[1/(b/2 + q/2 + cx^2), x], x] \text{ ; FreeQ}\{a, b, c, d, e\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[cd^2 - ae^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4ac]$

Rule 1275

$\text{Int}[(f_ \cdot x)^{m_} \cdot (d_ + (e_ \cdot x)^2) \cdot (a_ + (b_ \cdot x)^2 + (c_ \cdot x)^4)^{p_}, x_Symbol] \rightarrow \text{Simp}[\frac{f \cdot (f \cdot x)^{m-1} \cdot (a + b \cdot x^2 + c \cdot x^4)^{p+1} \cdot (b \cdot d - 2ae - (be - 2cd) \cdot x^2)}{2(p+1)(b^2 - 4ac)}, x] - \text{Dist}[f^2/(2(p+1)(b^2 - 4ac)), \text{Int}[(f \cdot x)^{m-2} \cdot (a + b \cdot x^2 + c \cdot x^4)^{p+1} \cdot \text{Simp}[(m-1)(bd - 2ae) - (4p+4+m+1)(be - 2cd) \cdot x^2, x], x], x] \text{ ; FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1279

$\text{Int}[(f_ \cdot x)^{m_} \cdot (d_ + (e_ \cdot x)^2) \cdot (a_ + (b_ \cdot x)^2 + (c_ \cdot x)^4)^{p_}, x_Symbol] \rightarrow \text{Simp}[\frac{e \cdot f \cdot (f \cdot x)^{m-1} \cdot (a + b \cdot x^2 + c \cdot x^4)^{p+1}}{c(m+4p+3)}, x] - \text{Dist}[f^2/(c(m+4p+3)), \text{Int}[(f \cdot x)^{m-2} \cdot (a + b \cdot x^2 + c \cdot x^4)^p \cdot \text{Simp}[ae(m-1) + (be(m+2p+1) - cd(m+4p+3)) \cdot x^2, x], x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, p\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m+4p+3, 0] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (A + Bx^2)}{(a + bx^2 + cx^4)^2} dx &= -\frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\int \frac{x^4(5(Ab - 2aB) - 3(bB - 2Ac)x^2)}{a + bx^2 + cx^4} dx}{2(b^2 - 4ac)} \\
&= -\frac{(bB - 2Ac)x^3}{2c(b^2 - 4ac)} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\int \frac{x^2(-9a(bB - 2Ac) - 3(3b^2B - Abc - 10aBc)x^2)}{a + bx^2 + cx^4}}{6c(b^2 - 4ac)} \\
&= \frac{(3b^2B - Abc - 10aBc)x}{2c^2(b^2 - 4ac)} - \frac{(bB - 2Ac)x^3}{2c(b^2 - 4ac)} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\int \frac{-3a(3b^2B - Abc - 10aBc)x^2}{a + bx^2 + cx^4}}{6c(b^2 - 4ac)} \\
&= \frac{(3b^2B - Abc - 10aBc)x}{2c^2(b^2 - 4ac)} - \frac{(bB - 2Ac)x^3}{2c(b^2 - 4ac)} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(3b^3B - Abc - 10aBc)x^2}{6c(b^2 - 4ac)} \\
&= \frac{(3b^2B - Abc - 10aBc)x}{2c^2(b^2 - 4ac)} - \frac{(bB - 2Ac)x^3}{2c(b^2 - 4ac)} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(3b^3B - Abc - 10aBc)x^2}{6c(b^2 - 4ac)}
\end{aligned}$$

Mathematica [A] time = 1.20, size = 455, normalized size = 1.07

$$\frac{2\sqrt{c}x(-2a^2Bc + a(-bc(A + 3Bx^2) + 2Ac^2x^2 + b^2B) + b^2x^2(bB - Ac))}{(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\sqrt{2}(2ac^2(3A\sqrt{b^2 - 4ac} - 10aB) + b^2c(19aB - A\sqrt{b^2 - 4ac}) - abc(13B\sqrt{b^2 - 4ac} + 8Ac) + b^3B - Abc - 10aBc)}{(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] (4*B*Sqrt[c]*x + (2*Sqrt[c]*x*(-2*a^2*B*c + b^2*(b*B - A*c)*x^2 + a*(b^2*B + 2*A*c^2*x^2 - b*c*(A + 3*B*x^2))))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (Sqrt[2]*(-3*b^4*B + b^2*c*(19*a*B - A*Sqrt[b^2 - 4*a*c]) + 2*a*c^2*(-10*a*B + 3*A*Sqrt[b^2 - 4*a*c]) + b^3*(A*c + 3*B*Sqrt[b^2 - 4*a*c]) - a*b*c*(8*A*c + 13*B*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[2]*(3*b^4*B - b^2*c*(19*a*B + A*Sqrt[b^2 - 4*a*c]) + 2*a*c^2*(10*a*B + 3*A*Sqrt[b^2 - 4*a*c]) + a*b*c*(8*A*c - 13*B*Sqrt[b^2 - 4*a*c]) + b^3*(-(A*c) + 3*B*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]])/(4*c^(5/2))

$$\begin{aligned}
& - 5016*A^2*B^2*a^3*b^2 - 647*A^3*B*a^2*b^3 - 5*A^4*a*b^4)*c^3 + 9*(625*B^4*a^4*b^2 - 303*A*B^3*a^3*b^3 - 186*A^2*B^2*a^2*b^4 - 5*A^3*B*a*b^5)*c^2 - 27 \\
& *(73*B^4*a^3*b^4 - 49*A*B^3*a^2*b^5 - 5*A^2*B^2*a*b^6)*c)*x - 1/2*\sqrt{1/2} \\
& *(27*B^3*b^10 + 144*(10*A^2*B*a^4 + A^3*a^3*b)*c^6 - 8*(500*B^3*a^5 + 930*A \\
& *B^2*a^4*b + 252*A^2*B*a^3*b^2 + 11*A^3*a^2*b^3)*c^5 + (11360*B^3*a^4*b^2 + \\
& 7608*A*B^2*a^3*b^3 + 882*A^2*B*a^2*b^4 + 17*A^3*a*b^5)*c^4 - (8818*B^3*a^3 \\
& *b^4 + 2841*A*B^2*a^2*b^5 + 153*A^2*B*a*b^6 + A^3*b^7)*c^3 + 9*(329*B^3*a^2 \\
& *b^6 + 51*A*B^2*a*b^7 + A^2*B*b^8)*c^2 - 27*(17*B^3*a*b^8 + A*B^2*b^9)*c + \\
& (3*B*b^9*c^5 - 768*A*a^4*c^10 + 128*(8*B*a^4*b + 5*A*a^3*b^2)*c^9 - 192*(5* \\
& B*a^3*b^3 + A*a^2*b^4)*c^8 + 24*(14*B*a^2*b^5 + A*a*b^6)*c^7 - (52*B*a*b^7 \\
& + A*b^8)*c^6)*\sqrt{((81*B^4*b^8 + 81*A^4*a^2*c^6 - 18*(25*A^2*B^2*a^3 + 44*A \\
& ^3*B*a^2*b + A^4*a*b^2)*c^5 + (625*B^4*a^4 + 2200*A*B^3*a^3*b + 2904*A^2*B^ \\
& 2*a^2*b^2 + 196*A^3*B*a*b^3 + A^4*b^4)*c^4 - 6*(425*B^4*a^3*b^2 + 798*A*B^3 \\
& *a^2*b^3 + 132*A^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + 27*(113*B^4*a^2*b^4 + 52* \\
& A*B^3*a*b^5 + 2*A^2*B^2*b^6)*c^2 - 54*(17*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^6*c \\
& ^10 - 12*a*b^4*c^11 + 48*a^2*b^2*c^12 - 64*a^3*c^13))*\sqrt{-(9*B^2*b^7 + \\
& 60*(4*A*B*a^3 + A^2*a^2*b)*c^4 - 15*(28*B^2*a^3*b + 20*A*B*a^2*b^2 + A^2*a* \\
& b^3)*c^3 + (385*B^2*a^2*b^3 + 80*A*B*a*b^4 + A^2*b^5)*c^2 - 3*(35*B^2*a*b^5 \\
& + 2*A*B*b^6)*c - (b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^8)*\sqrt{ \\
& rt((81*B^4*b^8 + 81*A^4*a^2*c^6 - 18*(25*A^2*B^2*a^3 + 44*A^3*B*a^2*b + A^4 \\
& *a*b^2)*c^5 + (625*B^4*a^4 + 2200*A*B^3*a^3*b + 2904*A^2*B^2*a^2*b^2 + 196* \\
& A^3*B*a*b^3 + A^4*b^4)*c^4 - 6*(425*B^4*a^3*b^2 + 798*A*B^3*a^2*b^3 + 132*A \\
& ^2*B^2*a*b^4 + 2*A^3*B*b^5)*c^3 + 27*(113*B^4*a^2*b^4 + 52*A*B^3*a*b^5 + 2* \\
& A^2*B^2*b^6)*c^2 - 54*(17*B^4*a*b^6 + 2*A*B^3*b^7)*c)/(b^6*c^10 - 12*a*b^4*c \\
& ^11 + 48*a^2*b^2*c^12 - 64*a^3*c^13)))/(b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^ \\
& 2*c^7 - 64*a^3*c^8)) + 2*(3*B*a*b^2 - (10*B*a^2 + A*a*b)*c)*x)/(a*b^2*c^2 \\
& - 4*a^2*c^3 + (b^2*c^3 - 4*a*c^4)*x^4 + (b^3*c^2 - 4*a*b*c^3)*x^2)
\end{aligned}$$

giac [B] time = 6.49, size = 5681, normalized size = 13.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $B*x/c^2 + 1/2*(B*b^3*x^3 - 3*B*a*b*c*x^3 - A*b^2*c*x^3 + 2*A*a*c^2*x^3 + B*a*b^2*x - 2*B*a^2*c*x - A*a*b*c*x)/((c*x^4 + b*x^2 + a)*(b^2*c^2 - 4*a*c^3)) + 1/16*((2*b^4*c^3 - 20*a*b^2*c^4 + 48*a^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^4*c + 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a*b^2*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^3*c^2 - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a^2*c^3 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a*b*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*b^2*c^3 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c}*a*c^4 - 2*(b^2 - 4*a*c)*b^2*c^3 + 12*(b^2 - 4*a*c)*a*c^4*(b^2*c^2 - 4$

$$\begin{aligned}
& a^3c^3)^2A - (6b^5c^2 - 50a^2b^3c^3 + 104a^2b^2c^4 - 3\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^5 + 25\sqrt{2}\sqrt{b^2 - 4ac} \\
& c)\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c + 6\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^4c - 52\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& a^2b^2c^2 - 26\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^2 - 3\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^3c^2 + 13\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& a^2b^3c^3 - 6(b^2 - 4ac)b^3c^2 + 26(b^2 - 4ac)a^2b^3c^3) \\
& (b^2c^2 - 4a^2c^3)^2B + 2(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^5c^4 - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^5 - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^5 + 2a^2b^5c^5 + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^2c^6 + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^6 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^6 - 16a^2b^3c^6 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^7 + 32a^3b^2c^7 - 2(b^2 - 4ac)a^2b^3c^5 + 8(b^2 - 4ac)a^2b^2c^6) \\
& A\text{abs}(-b^2c^2 + 4a^2c^3) - 2(3\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^6c^3 - 34\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^4 - 6\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^5c^4 + 6a^2b^6c^4 + 128\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^2c^5 + 44\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^5 + 3\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^5 - 68a^2b^4c^5 - 160\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^4c^6 - 80\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^2c^6 - 22\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^6 + 256a^3b^2c^6 + 40\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3c^7 - 320a^4c^7 - 6(b^2 - 4ac)a^2b^4c^4 + 44(b^2 - 4ac)a^2b^2c^5 - 80(b^2 - 4ac)a^3c^6) \\
& B\text{abs}(-b^2c^2 + 4a^2c^3) - (2b^8c^7 - 32a^2b^6c^8 + 160a^2b^4c^9 - 256a^3b^2c^{10} - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^8c^5 + 16\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^6c^6 + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^7c^6 - 80\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^7 - 24\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^5c^7 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^6c^7 + 128\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^2c^8 + 64\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^8 + 12\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^8 - 32\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^9 - 2(b^2 - 4ac)b^6c^7 + 24(b^2 - 4ac)a^2b^4c^8 - 64(b^2 - 4ac)a^2b^2c^9) \\
& A + (6b^9c^6 - 86a^2b^7c^7 + 440a^2b^5c^8 - 928a^3b^3c^9 + 640a^4b^2c^{10} - 3\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^9c^4 + 43\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^5c^6 - 62\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^6c^6 - 3\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^7c^6 + 464\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^3c^7 + 192\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}c)
\end{aligned}$$

$$\begin{aligned}
& b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^4*c^7 + 31*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c - \sqrt{b^2 - 4*a*c})*c)*a*b^5*c^7 - 320*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b*c^8 - 160*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^2*c^8 - 96*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^3*c^8 + 80*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b*c^9 - 6*(b^2 - 4*a*c)*b^7*c^6 + 62*(b^2 - 4*a*c)*a*b^5*c^7 - 192*(b^2 - 4*a*c)*a^2*b^3*c^8 + 160*(b^2 - 4*a*c)*a^3*b*c^9) * B) * \arctan(2*\sqrt{1/2}*x/\sqrt{(b^3*c^2 - 4*a*b*c^3 + \sqrt{(b^3*c^2 - 4*a*b*c^3)^2 - 4*(a*b^2*c^2 - 4*a^2*c^3)*(b^2*c^3 - 4*a*c^4))})/(b^2*c^3 - 4*a*c^4)))/((a*b^6*c^5 - 12*a^2*b^4*c^6 - 2*a*b^5*c^6 + 48*a^3*b^2*c^7 + 16*a^2*b^3*c^7 + a*b^4*c^7 - 64*a^4*c^8 - 32*a^3*b*c^8 - 8*a^2*b^2*c^8 + 16*a^3*c^9) * \text{abs}(-b^2*c^2 + 4*a*c^3) * \text{abs}(c)) - 1/16*((2*b^4*c^3 - 20*a*b^2*c^4 + 48*a^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c})*b^4*c + 10*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c})*b^3*c^2 - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*c^3 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c})*b^2*c^3 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*c^4 - 2*(b^2 - 4*a*c)*b^2*c^3 + 12*(b^2 - 4*a*c)*a*c^4)*(b^2*c^2 - 4*a*c^3)^2 * A - (6*b^5*c^2 - 50*a*b^3*c^3 + 104*a^2*b*c^4 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c})*b^5 + 25*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^3*c + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c})*b^4*c - 52*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b*c^2 - 26*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^2 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c})*b^3*c^2 + 13*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b*c^3 - 6*(b^2 - 4*a*c)*b^3*c^2 + 26*(b^2 - 4*a*c)*a*b*c^3)*(b^2*c^2 - 4*a*c^3)^2 * B - 2*(\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^5*c^4 - 8*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b^3*c^5 - 2*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^4*c^5 - 2*a*b^5*c^5 + 16*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b*c^6 + 8*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c^6 + \sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^6 + 16*a^2*b^3*c^6 - 4*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b*c^7 - 32*a^3*b*c^7 + 2*(b^2 - 4*a*c)*a*b^3*c^5 - 8*(b^2 - 4*a*c)*a^2*b*c^6) * A * \text{abs}(-b^2*c^2 + 4*a*c^3) + 2*(3*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^6*c^3 - 34*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b^4*c^4 - 6*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^5*c^4 - 6*a*b^6*c^4 + 128*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b^2*c^5 + 44*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b^3*c^5 + 3*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a*b^4*c^5 + 68*a^2*b^4*c^5 - 160*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^4*c^6 - 80*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*b*c^6 - 22*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c^6 - 256*a^3*b^2*c^6 + 40*\sqrt{2}*\sqrt{(b*c + \sqrt{b^2 - 4*a*c})*c)*a^3*c^7 + 320*a^4*c^7 + 6*(b^2 - 4*a*c)*a*b^4*c^4 - 44*(b^2 - 4*a*c)*a^2*b^2*c^5 + 80*(b^2 - 4*a*c)*a^3*c^6) * B * \text{abs}(-b^2*c^2 + 4*a*c^3) - (2*b^8*c^7 - 32*a*b^6*c^8 + 160*a^2*b^4*c^9 -
\end{aligned}$$

```

256*a^3*b^2*c^10 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*
)*b^8*c^5 + 16*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*
b^6*c^6 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^7*c
^6 - 80*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^4*c
^7 - 24*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^5*c^7
- sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^6*c^7 + 128*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^3*b^2*c^8 + 64*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^3*c^8 + 12*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^4*c^8 - 32*sq
rt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^2*c^9 - 2*(b^
2 - 4*a*c)*b^6*c^7 + 24*(b^2 - 4*a*c)*a*b^4*c^8 - 64*(b^2 - 4*a*c)*a^2*b^2*
c^9)*A + (6*b^9*c^6 - 86*a*b^7*c^7 + 440*a^2*b^5*c^8 - 928*a^3*b^3*c^9 + 64
0*a^4*b*c^10 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*
b^9*c^4 + 43*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^
7*c^5 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^8*c^5
- 220*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^5*c^
6 - 62*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^6*c^6
- 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^7*c^6 + 464
*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^3*b^3*c^7 + 19
2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^4*c^7 + 3
1*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^5*c^7 - 320
*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^4*b*c^8 - 160*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^3*b^2*c^8 - 96*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^3*c^8 + 80*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^3*b*c^9 - 6*(b^
2 - 4*a*c)*b^7*c^6 + 62*(b^2 - 4*a*c)*a*b^5*c^7 - 192*(b^2 - 4*a*c)*a^2*b^3
*c^8 + 160*(b^2 - 4*a*c)*a^3*b*c^9)*B)*arctan(2*sqrt(1/2)*x/sqrt((b^3*c^2 -
4*a*b*c^3 - sqrt((b^3*c^2 - 4*a*b*c^3)^2 - 4*(a*b^2*c^2 - 4*a^2*c^3)*(b^2*
c^3 - 4*a*c^4)))/(b^2*c^3 - 4*a*c^4)))/((a*b^6*c^5 - 12*a^2*b^4*c^6 - 2*a*b
^5*c^6 + 48*a^3*b^2*c^7 + 16*a^2*b^3*c^7 + a*b^4*c^7 - 64*a^4*c^8 - 32*a^3*
b*c^8 - 8*a^2*b^2*c^8 + 16*a^3*c^9)*abs(-b^2*c^2 + 4*a*c^3)*abs(c))

```

maple [B] time = 0.04, size = 1507, normalized size = 3.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6*(B*x^2+A)/(c*x^4+b*x^2+a)^2, x)$

[Out] $\frac{1}{2}c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*A*b^2+1/c/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*x*B-1/2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^3*B-3/2/(4*a*c-b^2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\text{arctanh}(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*c*x)*a*A+3/2/(4*a*c-b^2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*\text{arctan}(2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*c*x)*a*A-1/2/c^2/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b^2*B+3/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*b*B$

$$\begin{aligned}
& +1/2/c/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*A*b+1/4/c/(4*a*c-b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^2-3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*B-1/4/c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^2+3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*B+5/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a^2*B+5/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a^2*B-19/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b^2*B-19/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b^2*B-1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*A+2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*A*b+2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*A*b+3/4/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^4*B-1/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^3+13/4/c/(4*a*c-b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b*B+3/4/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^4*B-1/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^3-13/4/c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b*B+B/c^2*x
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}*((B*b^3 + 2*A*a*c^2 - (3*B*a*b + A*b^2)*c)*x^3 + (B*a*b^2 - (2*B*a^2 + A*a*b)*c)*x)/(a*b^2*c^2 - 4*a^2*c^3 + (b^2*c^3 - 4*a*c^4)*x^4 + (b^3*c^2 - 4*a*b*c^3)*x^2) + B*x/c^2 - \frac{1}{2}*\operatorname{integrate}((3*B*a*b^2 + (3*B*b^3 + 6*A*a*c^2 - (13*B*a*b + A*b^2)*c)*x^2 - (10*B*a^2 + A*a*b)*c)/(c*x^4 + b*x^2 + a), x)/(b^2*c^2 - 4*a*c^3)$

$$\begin{aligned}
& 6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096*a^6*c^11 + b^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^10)))^{(1/2)} \\
& *i - (((10240*B*a^5*c^7 - 16*A*a*b^7*c^4 + 1024*A*a^4*b*c^7 + 48*B*a*b^8*c^3 + 192*A*a^2*b^5*c^5 - 768*A*a^3*b^3*c^6 - 736*B*a^2*b^6*c^4 + 4224*B*a^3*b^4*c^5 - 10752*B*a^4*b^2*c^6)/(8*(64*a^3*c^6 - b^6*c^3 + 12*a*b^4*c^4 - 48*a^2*b^2*c^5)) + (x*((9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^11*c^2 - 9*B^2*b^13 + 6*A*B*b^12*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 15360*A*B*a^6*c^7 + 213*B^2*a*b^11*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 26880*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096*a^6*c^11 + b^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^10)))^{(1/2)}*(16*b^7*c^5 - 192*a*b^5*c^6 - 1024*a^3*b*c^8 + 768*a^2*b^3*c^7))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))*((9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^11*c^2 - 9*B^2*b^13 + 6*A*B*b^12*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 15360*A*B*a^6*c^7 + 213*B^2*a*b^11*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 26880*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096*a^6*c^11 + b^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^10)))^{(1/2)} + (x*(9*B^2*b^8 - 72*A^2*a^3*c^5 + A^2*b^6*c^2 + 200*B^2*a^4*c^4 - 6*A*B*b^7*c + 74*A^2*a^2*b^2*c^4 + 481*B^2*a^2*b^4*c^2 - 718*B^2*a^3*b^2*c^3 - 114*B^2*a*b^6*c - 16*A^2*a*b^4*c^3 - 374*A*B*a^2*b^3*c^3 + 86*A*B*a*b^5*c^2 + 472*A*B*a^3*b*c^4))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))*((9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^11*c^2 - 9*B^2*b^13 + 6*A*B*b^12*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 15360*A*B*a^6*c^7 + 213*B^2*a*b^11*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 26880*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&)^9)^{(1/2)}) / (32 * (4096 * a^6 * c^{11} + b^{12} * c^5 - 24 * a * b^{10} * c^6 + 240 * a^2 * b^8 * c^7 \\
& - 1280 * a^3 * b^6 * c^8 + 3840 * a^4 * b^4 * c^9 - 6144 * a^5 * b^2 * c^{10}))^{(1/2)} * i) / (((\\
& (10240 * B * a^5 * c^7 - 16 * A * a * b^7 * c^4 + 1024 * A * a^4 * b * c^7 + 48 * B * a * b^8 * c^3 + 192 \\
& * A * a^2 * b^5 * c^5 - 768 * A * a^3 * b^3 * c^6 - 736 * B * a^2 * b^6 * c^4 + 4224 * B * a^3 * b^4 * c^5 \\
& - 10752 * B * a^4 * b^2 * c^6) / (8 * (64 * a^3 * c^6 - b^6 * c^3 + 12 * a * b^4 * c^4 - 48 * a^2 * b^ \\
& 2 * c^5)) - (x * ((9 * B^2 * b^4 * (-4 * a * c - b^2)^9)^{(1/2)} - A^2 * b^{11} * c^2 - 9 * B^2 * b^ \\
& 13 + 6 * A * B * b^{12} * c - 288 * A^2 * a^2 * b^7 * c^4 + 1504 * A^2 * a^3 * b^5 * c^5 - 3840 * A^2 * a \\
& ^4 * b^3 * c^6 - 2077 * B^2 * a^2 * b^9 * c^2 + 10656 * B^2 * a^3 * b^7 * c^3 - 30240 * B^2 * a^4 * b \\
& ^5 * c^4 + 44800 * B^2 * a^5 * b^3 * c^5 + A^2 * b^2 * c^2 * (-4 * a * c - b^2)^9)^{(1/2)} + 25 * \\
& B^2 * a^2 * c^2 * (-4 * a * c - b^2)^9)^{(1/2)} + 15360 * A * B * a^6 * c^7 + 213 * B^2 * a * b^{11} * c \\
& + 27 * A^2 * a * b^9 * c^3 + 3840 * A^2 * a^5 * b * c^7 - 9 * A^2 * a * c^3 * (-4 * a * c - b^2)^9)^{(\\
& 1/2)} - 26880 * B^2 * a^6 * b * c^6 + 1548 * A * B * a^2 * b^8 * c^3 - 8064 * A * B * a^3 * b^6 * c^4 + \\
& 22400 * A * B * a^4 * b^4 * c^5 - 30720 * A * B * a^5 * b^2 * c^6 - 51 * B^2 * a * b^2 * c * (-4 * a * c - b \\
& ^2)^9)^{(1/2)} - 152 * A * B * a * b^{10} * c^2 - 6 * A * B * b^3 * c * (-4 * a * c - b^2)^9)^{(1/2)} + \\
& 44 * A * B * a * b * c^2 * (-4 * a * c - b^2)^9)^{(1/2)}) / (32 * (4096 * a^6 * c^{11} + b^{12} * c^5 - 24 \\
& * a * b^{10} * c^6 + 240 * a^2 * b^8 * c^7 - 1280 * a^3 * b^6 * c^8 + 3840 * a^4 * b^4 * c^9 - 6144 * \\
& a^5 * b^2 * c^{10}))^{(1/2)} * (16 * b^7 * c^5 - 192 * a * b^5 * c^6 - 1024 * a^3 * b * c^8 + 768 * a^ \\
& 2 * b^3 * c^7)) / (2 * (16 * a^2 * c^5 + b^4 * c^3 - 8 * a * b^2 * c^4))) * ((9 * B^2 * b^4 * (-4 * a * c \\
& - b^2)^9)^{(1/2)} - A^2 * b^{11} * c^2 - 9 * B^2 * b^{13} + 6 * A * B * b^{12} * c - 288 * A^2 * a^2 * b^ \\
& 7 * c^4 + 1504 * A^2 * a^3 * b^5 * c^5 - 3840 * A^2 * a^4 * b^3 * c^6 - 2077 * B^2 * a^2 * b^9 * c^2 \\
& + 10656 * B^2 * a^3 * b^7 * c^3 - 30240 * B^2 * a^4 * b^5 * c^4 + 44800 * B^2 * a^5 * b^3 * c^5 + A \\
& ^2 * b^2 * c^2 * (-4 * a * c - b^2)^9)^{(1/2)} + 25 * B^2 * a^2 * c^2 * (-4 * a * c - b^2)^9)^{(1/ \\
& 2)} + 15360 * A * B * a^6 * c^7 + 213 * B^2 * a * b^{11} * c + 27 * A^2 * a * b^9 * c^3 + 3840 * A^2 * a^5 \\
& * b * c^7 - 9 * A^2 * a * c^3 * (-4 * a * c - b^2)^9)^{(1/2)} - 26880 * B^2 * a^6 * b * c^6 + 1548 * \\
& A * B * a^2 * b^8 * c^3 - 8064 * A * B * a^3 * b^6 * c^4 + 22400 * A * B * a^4 * b^4 * c^5 - 30720 * A * B * \\
& a^5 * b^2 * c^6 - 51 * B^2 * a * b^2 * c * (-4 * a * c - b^2)^9)^{(1/2)} - 152 * A * B * a * b^{10} * c^2 \\
& - 6 * A * B * b^3 * c * (-4 * a * c - b^2)^9)^{(1/2)} + 44 * A * B * a * b * c^2 * (-4 * a * c - b^2)^9)^ \\
& (1/2)) / (32 * (4096 * a^6 * c^{11} + b^{12} * c^5 - 24 * a * b^{10} * c^6 + 240 * a^2 * b^8 * c^7 - 12 \\
& 80 * a^3 * b^6 * c^8 + 3840 * a^4 * b^4 * c^9 - 6144 * a^5 * b^2 * c^{10}))^{(1/2)} - (x * (9 * B^2 * \\
& b^8 - 72 * A^2 * a^3 * c^5 + A^2 * b^6 * c^2 + 200 * B^2 * a^4 * c^4 - 6 * A * B * b^7 * c + 74 * A^2 \\
& * a^2 * b^2 * c^4 + 481 * B^2 * a^2 * b^4 * c^2 - 718 * B^2 * a^3 * b^2 * c^3 - 114 * B^2 * a * b^6 * c \\
& - 16 * A^2 * a * b^4 * c^3 - 374 * A * B * a^2 * b^3 * c^3 + 86 * A * B * a * b^5 * c^2 + 472 * A * B * a^3 * b \\
& * c^4)) / (2 * (16 * a^2 * c^5 + b^4 * c^3 - 8 * a * b^2 * c^4))) * ((9 * B^2 * b^4 * (-4 * a * c - b^2 \\
&)^9)^{(1/2)} - A^2 * b^{11} * c^2 - 9 * B^2 * b^{13} + 6 * A * B * b^{12} * c - 288 * A^2 * a^2 * b^7 * c^4 \\
& + 1504 * A^2 * a^3 * b^5 * c^5 - 3840 * A^2 * a^4 * b^3 * c^6 - 2077 * B^2 * a^2 * b^9 * c^2 + 106 \\
& 56 * B^2 * a^3 * b^7 * c^3 - 30240 * B^2 * a^4 * b^5 * c^4 + 44800 * B^2 * a^5 * b^3 * c^5 + A^2 * b^ \\
& 2 * c^2 * (-4 * a * c - b^2)^9)^{(1/2)} + 25 * B^2 * a^2 * c^2 * (-4 * a * c - b^2)^9)^{(1/2)} + \\
& 15360 * A * B * a^6 * c^7 + 213 * B^2 * a * b^{11} * c + 27 * A^2 * a * b^9 * c^3 + 3840 * A^2 * a^5 * b * c^ \\
& 7 - 9 * A^2 * a * c^3 * (-4 * a * c - b^2)^9)^{(1/2)} - 26880 * B^2 * a^6 * b * c^6 + 1548 * A * B * a \\
& ^2 * b^8 * c^3 - 8064 * A * B * a^3 * b^6 * c^4 + 22400 * A * B * a^4 * b^4 * c^5 - 30720 * A * B * a^5 * b \\
& ^2 * c^6 - 51 * B^2 * a * b^2 * c * (-4 * a * c - b^2)^9)^{(1/2)} - 152 * A * B * a * b^{10} * c^2 - 6 * A \\
& * B * b^3 * c * (-4 * a * c - b^2)^9)^{(1/2)} + 44 * A * B * a * b * c^2 * (-4 * a * c - b^2)^9)^{(1/2)} \\
&) / (32 * (4096 * a^6 * c^{11} + b^{12} * c^5 - 24 * a * b^{10} * c^6 + 240 * a^2 * b^8 * c^7 - 1280 * a^ \\
& 3 * b^6 * c^8 + 3840 * a^4 * b^4 * c^9 - 6144 * a^5 * b^2 * c^{10}))^{(1/2)} - (216 * A^3 * a^4 * c^ \\
& 4 - 63 * B^3 * a^3 * b^5 + 5 * A^3 * a^2 * b^4 * c^2 - 66 * A^3 * a^3 * b^2 * c^3 + 45 * A * B^2 * a^2 *
\end{aligned}$$

$$\begin{aligned}
& b^6 + 600*A*B^2*a^5*c^3 + 573*B^3*a^4*b^3*c - 1300*B^3*a^5*b*c^2 - 402*A*B^2*a^3*b^4*c - 30*A^2*B*a^2*b^5*c - 924*A^2*B*a^4*b*c^3 + 762*A*B^2*a^4*b^2*c^2 + 339*A^2*B*a^3*b^3*c^2)/(4*(64*a^3*c^6 - b^6*c^3 + 12*a*b^4*c^4 - 48*a^2*b^2*c^5)) + (((10240*B*a^5*c^7 - 16*A*a*b^7*c^4 + 1024*A*a^4*b*c^7 + 48*B*a*b^8*c^3 + 192*A*a^2*b^5*c^5 - 768*A*a^3*b^3*c^6 - 736*B*a^2*b^6*c^4 + 4224*B*a^3*b^4*c^5 - 10752*B*a^4*b^2*c^6)/(8*(64*a^3*c^6 - b^6*c^3 + 12*a*b^4*c^4 - 48*a^2*b^2*c^5)) + (x*((9*B^2*b^4*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^11*c^2 - 9*B^2*b^13 + 6*A*B*b^12*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + 15360*A*B*a^6*c^7 + 213*B^2*a*b^11*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^(1/2) - 26880*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^(1/2) - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^(1/2) + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^(1/2))/(32*(4096*a^6*c^11 + b^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^10)))^(1/2)*(16*b^7*c^5 - 192*a*b^5*c^6 - 1024*a^3*b*c^8 + 768*a^2*b^3*c^7))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))*((9*B^2*b^4*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^11*c^2 - 9*B^2*b^13 + 6*A*B*b^12*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + 15360*A*B*a^6*c^7 + 213*B^2*a*b^11*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^(1/2) - 26880*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^(1/2) - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^(1/2) + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^(1/2))/(32*(4096*a^6*c^11 + b^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^10)))^(1/2) + (x*(9*B^2*b^8 - 72*A^2*a^3*c^5 + A^2*b^6*c^2 + 200*B^2*a^4*c^4 - 6*A*B*b^7*c + 74*A^2*a^2*b^2*c^4 + 481*B^2*a^2*b^4*c^2 - 718*B^2*a^3*b^2*c^3 - 114*B^2*a*b^6*c - 16*A^2*a*b^4*c^3 - 374*A*B*a^2*b^3*c^3 + 86*A*B*a*b^5*c^2 + 472*A*B*a^3*b*c^4))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)))*((9*B^2*b^4*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^11*c^2 - 9*B^2*b^13 + 6*A*B*b^12*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + 15360*A*B*a^6*c^7 + 213*B^2*a*b^11*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^(1/2) - 26880*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^(1/2) - 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^(1/2) + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^(1/2))/(32*(4096*a^6*c^11 + b^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^10)))^(1/2)
\end{aligned}$$

$$\begin{aligned}
&) * ((9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^{11}*c^2 - 9*B^2*b^{13} + 6*A*B*b^{12}*c - 288*A^2*a^2*b^7*c^4 + 1504*A^2*a^3*b^5*c^5 - 3840*A^2*a^4*b^3*c^6 \\
& - 2077*B^2*a^2*b^9*c^2 + 10656*B^2*a^3*b^7*c^3 - 30240*B^2*a^4*b^5*c^4 + 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} + 15360*A*B*a^6*c^7 + 213*B^2*a*b^{11}*c + 27*A^2*a*b^9*c^3 + 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 2688 \\
& 0*B^2*a^6*b*c^6 + 1548*A*B*a^2*b^8*c^3 - 8064*A*B*a^3*b^6*c^4 + 22400*A*B*a^4*b^4*c^5 - 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}) / (32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c^6 \\
& + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^{10}))^{(1/2)} * 2i - ((x^3*(B*b^3 + 2*A*a*c^2 - A*b^2*c - 3*B*a*b*c)) / (2*(4*a*c - b^2)) - (x*(2*B*a^2*c - B*a*b^2 + A*a*b*c)) / (2*(4*a*c - b^2))) / (a*c^2 + c^3*x^4 + b*c^2*x^2) - \operatorname{atan}(\frac{(10240*B*a^5*c^7 - 16*A*a*b^7*c^4 + 1024*A*a^4*b*c^7 + 48*B*a*b^8*c^3 + 192*A*a^2*b^5*c^5 - 768*A*a^3*b^3*c^6 - 736*B*a^2*b^6*c^4 + 4224*B*a^3*b^4*c^5 - 10752*B*a^4*b^2*c^6)}{(8*(64*a^3*c^6 - b^6*c^3 + 12*a*b^4*c^4 - 48*a^2*b^2*c^5))} - (x*(-(9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213*B^2*a*b^{11}*c - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^4 - 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}) / (32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^{10}))^{(1/2)} * (16*b^7*c^5 - 192*a*b^5*c^6 - 1024*a^3*b*c^8 + 768*a^2*b^3*c^7)) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))) * (- (9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213*B^2*a*b^{11}*c - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^4 - 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}) / (32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^{10}))^{(1/2)} - (x*(9*B^2*b^8 - 72*A^2*a^3*c^5 + A^2*b^6*c^2 + 200*B^2*a^4*c^4 - 6*A*B*b^7*c + 74*A^2*a^2*b^2*c^4 + 481*B^2*a^2*b^4*c^2 - 718*B^2*a^3*b^2*c^3 - 114*B^2*a*b^6*c - 16*A^2*a*b^4*c^3 - 374*A*B*a^2*b^3*c^3 + 86*A*B*a*b^5*c^2 + 472*A*B*a^3*b*c^4)) / (2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))) * (- (9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6
\end{aligned}$$

$$\begin{aligned}
& *A*B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a^4*b^3 \\
& *c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b^5*c^4 \\
& - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^ \\
& 2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213*B^2*a*b^{11}*c - 27* \\
& A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^4 - 22400* \\
& A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} + 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B \\
& *a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10} \\
& 0*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2 \\
& 2*c^{10}))^{(1/2)}*1i - (((10240*B*a^5*c^7 - 16*A*a*b^7*c^4 + 1024*A*a^4*b*c^7 \\
& + 48*B*a*b^8*c^3 + 192*A*a^2*b^5*c^5 - 768*A*a^3*b^3*c^6 - 736*B*a^2*b^6*c \\
& ^4 + 4224*B*a^3*b^4*c^5 - 10752*B*a^4*b^2*c^6)/(8*(64*a^3*c^6 - b^6*c^3 + 1 \\
& 2*a*b^4*c^4 - 48*a^2*b^2*c^5)) + (x*(-(9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^ \\
& 4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2* \\
& a^3*b^5*c^5 + 3840*A^2*a^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b \\
& ^7*c^3 + 30240*B^2*a^4*b^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a \\
& *c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^ \\
& 6*c^7 - 213*B^2*a*b^{11}*c - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a* \\
& c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + \\
& 8064*A*B*a^3*b^6*c^4 - 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51* \\
& B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096* \\
& a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + \\
& 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^{10}))^{(1/2)}*(16*b^7*c^5 - 192*a*b^5*c^6 - \\
& 1024*a^3*b*c^8 + 768*a^2*b^3*c^7))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4) \\
&))*(-(9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A* \\
& B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a^4*b^3*c^ \\
& 6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b^5*c^4 - \\
& 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c \\
& ^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213*B^2*a*b^{11}*c - 27*A^2 \\
& *a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 26 \\
& 880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^4 - 22400*A*B \\
& *a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1 \\
& /2)} + 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a* \\
& b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c \\
& ^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c \\
& ^{10}))^{(1/2)} + (x*(9*B^2*b^8 - 72*A^2*a^3*c^5 + A^2*b^6*c^2 + 200*B^2*a^4*c \\
& ^4 - 6*A*B*b^7*c + 74*A^2*a^2*b^2*c^4 + 481*B^2*a^2*b^4*c^2 - 718*B^2*a^3*b \\
& ^2*c^3 - 114*B^2*a*b^6*c - 16*A^2*a*b^4*c^3 - 374*A*B*a^2*b^3*c^3 + 86*A*B* \\
& a*b^5*c^2 + 472*A*B*a^3*b*c^4))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))* \\
& -(9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*b^ \\
& 12*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a^4*b^3*c^6 + \\
& 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b^5*c^4 - 4480 \\
& 0*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(
\end{aligned}$$

$$\begin{aligned}
& -(4ac - b^2)^9)^{(1/2)} - 15360A^2B^2a^6c^7 - 213B^2a^5b^11c - 27A^2a^9c^3 - 3840A^2a^5b^7c^7 - 9A^2a^3c^3(-(4ac - b^2)^9)^{(1/2)} + 26880B^2a^6b^6c^6 - 1548A^2B^2a^2b^8c^3 + 8064A^2B^2a^3b^6c^4 - 22400A^2B^2a^4b^4c^5 + 30720A^2B^2a^5b^2c^6 - 51B^2a^2b^2c^6(-(4ac - b^2)^9)^{(1/2)} \\
& + 152A^2B^2a^2b^10c^2 - 6A^2B^2b^3c^6(-(4ac - b^2)^9)^{(1/2)} + 44A^2B^2a^2b^2c^2(-(4ac - b^2)^9)^{(1/2)})/(32(4096a^6c^11 + b^12c^5 - 24a^2b^10c^6 + 240a^2b^8c^7 - 1280a^3b^6c^8 + 3840a^4b^4c^9 - 6144a^5b^2c^10)) \\
&)^{(1/2)} * i) / (((10240B^2a^5c^7 - 16A^2a^2b^7c^4 + 1024A^2a^4b^6c^7 + 48B^2a^2b^8c^3 + 192A^2a^2b^5c^5 - 768A^2a^3b^3c^6 - 736B^2a^2b^6c^4 + 4224B^2a^3b^4c^5 - 10752B^2a^4b^2c^6)/(8(64a^3c^6 - b^6c^3 + 12a^2b^4c^4 - 48a^2b^2c^5)) - (x(-(9B^2b^13 + A^2b^11c^2 + 9B^2b^4(-(4ac - b^2)^9)^{(1/2)} - 6A^2B^2b^12c + 288A^2a^2b^7c^4 - 1504A^2a^3b^5c^5 + 3840A^2a^4b^3c^6 + 2077B^2a^2b^9c^2 - 10656B^2a^3b^7c^3 + 30240B^2a^4b^5c^4 - 44800B^2a^5b^3c^5 + A^2b^2c^2(-(4ac - b^2)^9)^{(1/2)} + 25B^2a^2c^2(-(4ac - b^2)^9)^{(1/2)} - 15360A^2B^2a^6c^7 - 213B^2a^5b^11c - 27A^2a^9c^3 - 3840A^2a^5b^7c^7 - 9A^2a^3c^3(-(4ac - b^2)^9)^{(1/2)} + 26880B^2a^6b^6c^6 - 1548A^2B^2a^2b^8c^3 + 8064A^2B^2a^3b^6c^4 - 22400A^2B^2a^4b^4c^5 + 30720A^2B^2a^5b^2c^6 - 51B^2a^2b^2c^6(-(4ac - b^2)^9)^{(1/2)} + 152A^2B^2a^2b^10c^2 - 6A^2B^2b^3c^6(-(4ac - b^2)^9)^{(1/2)} + 44A^2B^2a^2b^2c^2(-(4ac - b^2)^9)^{(1/2)})) / (32(4096a^6c^11 + b^12c^5 - 24a^2b^10c^6 + 240a^2b^8c^7 - 1280a^3b^6c^8 + 3840a^4b^4c^9 - 6144a^5b^2c^10)))^{(1/2)} * (16b^7c^5 - 192a^2b^5c^6 - 1024a^3b^3c^8 + 768a^2b^3c^7)) / (2(16a^2c^5 + b^4c^3 - 8a^2b^2c^4)) * (-9B^2b^13 + A^2b^11c^2 + 9B^2b^4(-(4ac - b^2)^9)^{(1/2)} - 6A^2B^2b^12c + 288A^2a^2b^7c^4 - 1504A^2a^3b^5c^5 + 3840A^2a^4b^3c^6 + 2077B^2a^2b^9c^2 - 10656B^2a^3b^7c^3 + 30240B^2a^4b^5c^4 - 44800B^2a^5b^3c^5 + A^2b^2c^2(-(4ac - b^2)^9)^{(1/2)} + 25B^2a^2c^2(-(4ac - b^2)^9)^{(1/2)} - 15360A^2B^2a^6c^7 - 213B^2a^5b^11c - 27A^2a^9c^3 - 3840A^2a^5b^7c^7 - 9A^2a^3c^3(-(4ac - b^2)^9)^{(1/2)} + 26880B^2a^6b^6c^6 - 1548A^2B^2a^2b^8c^3 + 8064A^2B^2a^3b^6c^4 - 22400A^2B^2a^4b^4c^5 + 30720A^2B^2a^5b^2c^6 - 51B^2a^2b^2c^6(-(4ac - b^2)^9)^{(1/2)} + 152A^2B^2a^2b^10c^2 - 6A^2B^2b^3c^6(-(4ac - b^2)^9)^{(1/2)} + 44A^2B^2a^2b^2c^2(-(4ac - b^2)^9)^{(1/2)})) / (32(4096a^6c^11 + b^12c^5 - 24a^2b^10c^6 + 240a^2b^8c^7 - 1280a^3b^6c^8 + 3840a^4b^4c^9 - 6144a^5b^2c^10)))^{(1/2)} - (x(9B^2b^8 - 72A^2a^3c^5 + A^2b^6c^2 + 200B^2a^4c^4 - 6A^2B^2b^7c + 74A^2a^2b^2c^4 + 481B^2a^2b^4c^2 - 718B^2a^3b^2c^3 - 114B^2a^2b^6c - 16A^2a^2b^4c^3 - 374A^2B^2a^2b^3c^3 + 86A^2B^2a^2b^5c^2 + 472A^2B^2a^3b^4c^4)) / (2(16a^2c^5 + b^4c^3 - 8a^2b^2c^4)) * (-9B^2b^13 + A^2b^11c^2 + 9B^2b^4(-(4ac - b^2)^9)^{(1/2)} - 6A^2B^2b^12c + 288A^2a^2b^7c^4 - 1504A^2a^3b^5c^5 + 3840A^2a^4b^3c^6 + 2077B^2a^2b^9c^2 - 10656B^2a^3b^7c^3 + 30240B^2a^4b^5c^4 - 44800B^2a^5b^3c^5 + A^2b^2c^2(-(4ac - b^2)^9)^{(1/2)} + 25B^2a^2c^2(-(4ac - b^2)^9)^{(1/2)} - 15360A^2B^2a^6c^7 - 213B^2a^5b^11c - 27A^2a^9c^3 - 3840A^2a^5b^7c^7 - 9A^2a^3c^3(-(4ac - b^2)^9)^{(1/2)} + 26880B^2a^6b^6c^6 - 1548A^2B^2a^2b^8c^3 + 8064A^2B^2a^3b^6c^4 - 22400A^2B^2a^4b^4c^5
\end{aligned}$$

$$\begin{aligned}
& 5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A \\
& *B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4* \\
& a*c - b^2)^9)^{(1/2)})/(32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c^6 + 240*a^ \\
& 2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^{10})))^{(1/2)} \\
&) - (216*A^3*a^4*c^4 - 63*B^3*a^3*b^5 + 5*A^3*a^2*b^4*c^2 - 66*A^3*a^3*b^2* \\
& c^3 + 45*A*B^2*a^2*b^6 + 600*A*B^2*a^5*c^3 + 573*B^3*a^4*b^3*c - 1300*B^3*a \\
& ^5*b*c^2 - 402*A*B^2*a^3*b^4*c - 30*A^2*B*a^2*b^5*c - 924*A^2*B*a^4*b*c^3 + \\
& 762*A*B^2*a^4*b^2*c^2 + 339*A^2*B*a^3*b^3*c^2)/(4*(64*a^3*c^6 - b^6*c^3 + \\
& 12*a*b^4*c^4 - 48*a^2*b^2*c^5)) + (((10240*B*a^5*c^7 - 16*A*a*b^7*c^4 + 102 \\
& 4*A*a^4*b*c^7 + 48*B*a*b^8*c^3 + 192*A*a^2*b^5*c^5 - 768*A*a^3*b^3*c^6 - 73 \\
& 6*B*a^2*b^6*c^4 + 4224*B*a^3*b^4*c^5 - 10752*B*a^4*b^2*c^6)/(8*(64*a^3*c^6 \\
& - b^6*c^3 + 12*a*b^4*c^4 - 48*a^2*b^2*c^5)) + (x*(-(9*B^2*b^{13} + A^2*b^{11}* \\
& ^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*b^{12}*c + 288*A^2*a^2*b^7*c^ \\
& 4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10 \\
& 656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b \\
& ^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 15360*A*B*a^6*c^7 - 213*B^2*a*b^{11}*c - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c \\
& ^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 26880*B^2*a^6*b*c^6 - 1548*A*B* \\
& a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^4 - 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5* \\
& b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a*b^{10}*c^2 - 6* \\
& A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
&))/(32*(4096*a^6*c^{11} + b^{12}*c^5 - 24*a*b^{10}*c^6 + 240*a^2*b^8*c^7 - 1280*a \\
& ^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144*a^5*b^2*c^{10})))^{(1/2)}*(16*b^7*c^5 - 19 \\
& 2*a*b^5*c^6 - 1024*a^3*b*c^8 + 768*a^2*b^3*c^7))/(2*(16*a^2*c^5 + b^4*c^3 - \\
& 8*a*b^2*c^4)))*(-(9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} - 6*A*B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A \\
& ^2*a^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a \\
& ^4*b^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213*B^2*a*b \\
& ^{11}*c - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} + 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^ \\
& 4 - 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 152*A*B*a*b^{10}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^6*c^{11} + b^{12}*c^5 \\
& - 24*a*b^{10}*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6 \\
& 144*a^5*b^2*c^{10})))^{(1/2)} + (x*(9*B^2*b^8 - 72*A^2*a^3*c^5 + A^2*b^6*c^2 + \\
& 200*B^2*a^4*c^4 - 6*A*B*b^7*c + 74*A^2*a^2*b^2*c^4 + 481*B^2*a^2*b^4*c^2 - \\
& 718*B^2*a^3*b^2*c^3 - 114*B^2*a*b^6*c - 16*A^2*a*b^4*c^3 - 374*A*B*a^2*b^3* \\
& c^3 + 86*A*B*a*b^5*c^2 + 472*A*B*a^3*b*c^4))/(2*(16*a^2*c^5 + b^4*c^3 - 8*a \\
& *b^2*c^4)))*(-(9*B^2*b^{13} + A^2*b^{11}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^9)^{(1/ \\
& 2)} - 6*A*B*b^{12}*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 + 3840*A^2*a \\
& ^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 30240*B^2*a^4*b \\
& ^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 25* \\
& B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213*B^2*a*b^{11}*c \\
& - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c - b^2)^9)^{(
\end{aligned}$$

$$\begin{aligned}
& 1/2) + 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^3*b^6*c^4 - \\
& 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c*(-(4*a*c - b \\
& ^2)^9)^{(1/2)} + 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^6*c^11 + b^12*c^5 - 24 \\
& *a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4*c^9 - 6144* \\
& a^5*b^2*c^10))^{(1/2)}))*(-(9*B^2*b^13 + A^2*b^11*c^2 + 9*B^2*b^4*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 6*A*B*b^12*c + 288*A^2*a^2*b^7*c^4 - 1504*A^2*a^3*b^5*c^5 \\
& + 3840*A^2*a^4*b^3*c^6 + 2077*B^2*a^2*b^9*c^2 - 10656*B^2*a^3*b^7*c^3 + 302 \\
& 40*B^2*a^4*b^5*c^4 - 44800*B^2*a^5*b^3*c^5 + A^2*b^2*c^2*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} + 25*B^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 15360*A*B*a^6*c^7 - 213* \\
& B^2*a*b^11*c - 27*A^2*a*b^9*c^3 - 3840*A^2*a^5*b*c^7 - 9*A^2*a*c^3*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 26880*B^2*a^6*b*c^6 - 1548*A*B*a^2*b^8*c^3 + 8064*A*B*a^ \\
& 3*b^6*c^4 - 22400*A*B*a^4*b^4*c^5 + 30720*A*B*a^5*b^2*c^6 - 51*B^2*a*b^2*c* \\
& (-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a*b^10*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} + 44*A*B*a*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(4096*a^6*c^11 + b \\
& ^12*c^5 - 24*a*b^10*c^6 + 240*a^2*b^8*c^7 - 1280*a^3*b^6*c^8 + 3840*a^4*b^4 \\
& *c^9 - 6144*a^5*b^2*c^10))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.119 \quad \int \frac{x^4(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=336

$$\frac{x^3(-2aB - (x^2(bB - 2Ac)) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(bB - 2Ac)}{2c(b^2 - 4ac)} + \frac{\left(-\frac{4aAc^2 - 8abBc + Ab^2c + b^3B}{\sqrt{b^2 - 4ac}} - 6aBc + Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] $-1/2*(-2*A*c+B*b)*x/c/(-4*a*c+b^2)-1/2*x^3*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)+1/4*\arctan(x*x^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(b^2*B+A*b*c-6*a*B*c+(-4*A*a*c^2-A*b^2*c+8*B*a*b*c-B*b^3)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}/(-4*a*c+b^2)*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/4*\arctan(x*x^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^2*B+A*b*c-6*a*B*c+(4*A*a*c^2+A*b^2*c-8*B*a*b*c+B*b^3)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}/(-4*a*c+b^2)*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.72, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1275, 1279, 1166, 205}

$$\frac{\left(-\frac{4aAc^2 - 8abBc + Ab^2c + b^3B}{\sqrt{b^2 - 4ac}} - 6aBc + Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(\frac{4aAc^2 - 8abBc + Ab^2c + b^3B}{\sqrt{b^2 - 4ac}} - 6aBc + Abc + b^2B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] $-((b*B - 2*A*c)*x)/(2*c*(b^2 - 4*a*c)) - (x^3*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + ((b^2*B + A*b*c - 6*a*B*c - (b^3*B + A*b^2*c - 8*a*b*B*c + 4*a*A*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*c^{(3/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + ((b^2*B + A*b*c - 6*a*B*c + (b^3*B + A*b^2*c - 8*a*b*B*c + 4*a*A*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*c^{(3/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1275

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1
)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f
^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1
)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] &&
GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1279

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p +
1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(
a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p +
3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c,
0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] ||
IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(A+Bx^2)}{(a+bx^2+cx^4)^2} dx &= -\frac{x^3(Ab-2aB-(bB-2Ac)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{\int \frac{x^2(3(Ab-2aB)+(-bB+2Ac)x^2)}{a+bx^2+cx^4} dx}{2(b^2-4ac)} \\
&= -\frac{(bB-2Ac)x}{2c(b^2-4ac)} - \frac{x^3(Ab-2aB-(bB-2Ac)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{\int \frac{-a(bB-2Ac)+(-b^2B-Abc+6aBc)x^2}{a+bx^2+cx^4} dx}{2c(b^2-4ac)} \\
&= -\frac{(bB-2Ac)x}{2c(b^2-4ac)} - \frac{x^3(Ab-2aB-(bB-2Ac)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{\left(b^2B+Abc-6aBc-\frac{b^3B+Ab^2c-8abBc}{\sqrt{b^2-4ac}}\right)}{4c(b^2-4ac)} \\
&= -\frac{(bB-2Ac)x}{2c(b^2-4ac)} - \frac{x^3(Ab-2aB-(bB-2Ac)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{\left(b^2B+Abc-6aBc-\frac{b^3B+Ab^2c-8abBc}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}c^{3/2}(b^2-4ac)\sqrt{b}}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 362, normalized size = 1.08

$$\frac{2\sqrt{c}(2acx(A+Bx^2)-abBx+bx^3(Ac-bB))}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2}\left(b^2\left(B\sqrt{b^2-4ac}-Ac\right)+bc\left(A\sqrt{b^2-4ac}+8aB\right)-2ac\left(3B\sqrt{b^2-4ac}+2Ac\right)+b^3(-B)\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{(b^2-4ac)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{}{4c^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]

[Out] ((2*Sqrt[c]*(-(a*b*B*x) + b*(-(b*B) + A*c))*x^3 + 2*a*c*x*(A + B*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*(-(b^3*B) + b*c*(8*a*B + A*Sqrt[b^2 - 4*a*c]) + b^2*(-(A*c) + B*Sqrt[b^2 - 4*a*c]) - 2*a*c*(2*A*c + 3*B*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*(b^3*B + 2*a*c*(2*A*c - 3*B*Sqrt[b^2 - 4*a*c]) + b^2*(A*c + B*Sqrt[b^2 - 4*a*c]) + b*(-8*a*B*c + A*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]])/(4*c^(3/2))

fricas [B] time = 2.37, size = 4658, normalized size = 13.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out]
$$-1/4*(2*(B*b^2 - (2*B*a + A*b)*c)*x^3 + \sqrt{1/2}*((b^2*c^2 - 4*a*c^3)*x^4 + a*b^2*c - 4*a^2*c^2 + (b^3*c - 4*a*b*c^2)*x^2)*\sqrt{-(B^2*b^5 - 12*(4*A*B*a^2 - A^2*a*b)*c^3 + (60*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c^2 - (15*B^2*a*b^3 - 2*A*B*b^4)*c + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6)*\sqrt{((B^4*b^4 + A^4*c^4 - 2*(9*A^2*B^2*a - 2*A^3*B*b)*c^3 + 3*(27*B^4*a^2 - 12*A*B^3*a*b + 2*A^2*B^2*b^2)*c^2 - 2*(9*B^4*a*b^2 - 2*A*B^3*b^3)*c)/(b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)))/(b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6))*\log(-(5*B^4*a*b^4 - 3*A*B^3*b^5 - 4*A^4*a*c^4 + (20*A^3*B*a*b - 3*A^4*b^2)*c^3 + 3*(108*B^4*a^3 - 108*A*B^3*a^2*b + 28*A^2*B^2*a*b^2 - 3*A^3*B*b^3)*c^2 - (81*B^4*a^2*b^2 - 65*A*B^3*a*b^3 + 9*A^2*B^2*b^4)*c)*x + 1/2*\sqrt{1/2}*(B^3*b^7 - 17*B^3*a*b^5*c - 32*A^3*a^2*c^5 + 16*(18*A*B^2*a^3 - 3*A^2*B*a^2*b + A^3*a*b^2)*c^4 - 2*(72*B^3*a^3*b + 72*A*B^2*a^2*b^2 - 12*A^2*B*a*b^3 + A^3*b^4)*c^3 + (88*B^3*a^2*b^3 + 18*A*B^2*a*b^4 - 3*A^2*B*b^5)*c^2 - (B*b^8*c^3 + 256*(3*B*a^4 - A*a^3*b)*c^7 - 64*(10*B*a^3*b^2 - 3*A*a^2*b^3)*c^6 + 48*(4*B*a^2*b^4 - A*a*b^5)*c^5 - 4*(6*B*a*b^6 - A*b^7)*c^4)*\sqrt{((B^4*b^4 + A^4*c^4 - 2*(9*A^2*B^2*a - 2*A^3*B*b)*c^3 + 3*(27*B^4*a^2 - 12*A*B^3*a*b + 2*A^2*B^2*b^2)*c^2 - 2*(9*B^4*a*b^2 - 2*A*B^3*b^3)*c)/(b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)))*\sqrt{-(B^2*b^5 - 12*(4*A*B*a^2 - A^2*a*b)*c^3 + (60*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c^2 - (15*B^2*a*b^3 - 2*A*B*b^4)*c + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6)*\sqrt{((B^4*b^4 + A^4*c^4 - 2*(9*A^2*B^2*a - 2*A^3*B*b)*c^3 + 3*(27*B^4*a^2 - 12*A*B^3*a*b + 2*A^2*B^2*b^2)*c^2 - 2*(9*B^4*a*b^2 - 2*A*B^3*b^3)*c)/(b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)))/(b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6))} - \sqrt{1/2}*((b^2*c^2 - 4*a*c^3)*x^4 + a*b^2*c - 4*a^2*c^2 + (b^3*c - 4*a*b*c^2)*x^2)*\sqrt{-(B^2*b^5 - 12*(4*A*B*a^2 - A^2*a*b)*c^3 + (60*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c^2 - (15*B^2*a*b^3 - 2*A*B*b^4)*c + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6)*\sqrt{((B^4*b^4 + A^4*c^4 - 2*(9*A^2*B^2*a - 2*A^3*B*b)*c^3 + 3*(27*B^4*a^2 - 12*A*B^3*a*b + 2*A^2*B^2*b^2)*c^2 - 2*(9*B^4*a*b^2 - 2*A*B^3*b^3)*c)/(b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)))/(b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6))*\log(-(5*B^4*a*b^4 - 3*A*B^3*b^5 - 4*A^4*a*c^4 + (20*A^3*B*a*b - 3*A^4*b^2)*c^3 + 3*(108*B^4*a^3 - 108*A*B^3*a^2*b + 28*A^2*B^2*a*b^2 - 3*A^3*B*b^3)*c^2 - (81*B^4*a^2*b^2 - 65*A*B^3*a*b^3 + 9*A^2*B^2*b^4)*c)*x - 1/2*\sqrt{1/2}*(B^3*b^7 - 17*B^3*a*b^5*c - 32*A^3*a^2*c^5 + 16*(18*A*B^2*a^3 - 3*A^2*B*a^2*b + A^3*a*b^2)*c^4 - 2*(72*B^3*a^3*b + 72*A*B^2*a^2*b^2 - 12*A^2*B*a*b^3 + A^3*b^4)*c^3 + (88*B^3*a^2*b^3 + 18*A*B^2*a*b^4 - 3*A^2*B*b^5)*c^2 - (B*b^8*c^3 + 256*(3*B*a^4 - A*a^3*b)*c^7 - 64*(10*B*a^3*b^2 - 3*A*a^2*b^3)*c^6 + 48*(4*B*a^2*b^4 - A*a*b^5)*c^5 - 4*(6*B*a*b^6 - A*b^7)*c^4)*\sqrt{((B^4*b^4 + A^4*c^4 - 2*(9*A^2*B^2*a - 2*A^3*B*b)*c^3 + 3*(27*B^4*a^2 - 12*A*B^3*a*b + 2*A^2*B^2*b^2)*c^2 - 2*(9*B^4*a*b^2 - 2*A*B^3*b^3)*c)/(b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)))*\sqrt{-(B^2*b^5 - 12*(4*A*B*a^2 - A^2*a*b)*c^3 + (60*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c^2 - (15*B^2*a*b^3 - 2*A*B*b^4)*c +$$

$$\begin{aligned}
& (b^6c^3 - 12ab^4c^4 + 48a^2b^2c^5 - 64a^3c^6) \sqrt{(B^4b^4 + A^4 \\
& *c^4 - 2*(9A^2B^2a - 2A^3Bb)*c^3 + 3*(27B^4a^2 - 12AB^3ab + 2A \\
& ^2B^2b^2)*c^2 - 2*(9B^4ab^2 - 2AB^3b^3)*c) / (b^6c^6 - 12ab^4c^7 \\
& + 48a^2b^2c^8 - 64a^3c^9)) / (b^6c^3 - 12ab^4c^4 + 48a^2b^2c^5 - \\
& 64a^3c^6)) + \sqrt{1/2} * ((b^2c^2 - 4ac^3) * x^4 + ab^2c - 4a^2c^2 + \\
& (b^3c - 4ab*c^2) * x^2) * \sqrt{-(B^2b^5 - 12*(4ABa^2 - A^2ab)*c^3 + (\\
& 60B^2a^2b - 12ABab^2 + A^2b^3)*c^2 - (15B^2ab^3 - 2ABb^4)*c - \\
& (b^6c^3 - 12ab^4c^4 + 48a^2b^2c^5 - 64a^3c^6) \sqrt{(B^4b^4 + A^4 \\
& *c^4 - 2*(9A^2B^2a - 2A^3Bb)*c^3 + 3*(27B^4a^2 - 12AB^3ab + 2A \\
& ^2B^2b^2)*c^2 - 2*(9B^4ab^2 - 2AB^3b^3)*c) / (b^6c^6 - 12ab^4c^7 \\
& + 48a^2b^2c^8 - 64a^3c^9)) / (b^6c^3 - 12ab^4c^4 + 48a^2b^2c^5 - \\
& 64a^3c^6)) * \log(-(5B^4ab^4 - 3AB^3b^5 - 4A^4ac^4 + (20A^3Bab \\
& - 3A^4b^2)*c^3 + 3*(108B^4a^3 - 108AB^3a^2b + 28A^2B^2ab^2 - 3 \\
& *A^3Bb^3)*c^2 - (81B^4a^2b^2 - 65AB^3ab^3 + 9A^2B^2b^4)*c) * x + \\
& 1/2 \sqrt{1/2} * (B^3b^7 - 17B^3ab^5c - 32A^3a^2c^5 + 16*(18AB^2a^3 \\
& - 3A^2Bba^2b + A^3ab^2)*c^4 - 2*(72B^3a^3b + 72AB^2a^2b^2 - 12 \\
& *A^2Bba^3 + A^3b^4)*c^3 + (88B^3a^2b^3 + 18AB^2ab^4 - 3A^2Bb^5 \\
& 5)*c^2 + (Bb^8c^3 + 256*(3Ba^4 - Aa^3b)*c^7 - 64*(10Ba^3b^2 - 3A \\
& a^2b^3)*c^6 + 48*(4Ba^2b^4 - Aab^5)*c^5 - 4*(6Bab^6 - Ab^7)*c^4) * \\
& \sqrt{(B^4b^4 + A^4c^4 - 2*(9A^2B^2a - 2A^3Bb)*c^3 + 3*(27B^4a^2 - \\
& 12AB^3ab + 2A^2B^2b^2)*c^2 - 2*(9B^4ab^2 - 2AB^3b^3)*c) / (b^6c^ \\
& 6 - 12ab^4c^7 + 48a^2b^2c^8 - 64a^3c^9)) * \sqrt{-(B^2b^5 - 12*(4 \\
& ABa^2 - A^2ab)*c^3 + (60B^2a^2b - 12ABab^2 + A^2b^3)*c^2 - (15 \\
& B^2ab^3 - 2ABb^4)*c - (b^6c^3 - 12ab^4c^4 + 48a^2b^2c^5 - 64a^ \\
& 3c^6) \sqrt{(B^4b^4 + A^4c^4 - 2*(9A^2B^2a - 2A^3Bb)*c^3 + 3*(27B^ \\
& 4a^2 - 12AB^3ab + 2A^2B^2b^2)*c^2 - 2*(9B^4ab^2 - 2AB^3b^3)*c \\
&) / (b^6c^6 - 12ab^4c^7 + 48a^2b^2c^8 - 64a^3c^9)) / (b^6c^3 - 12ab \\
& b^4c^4 + 48a^2b^2c^5 - 64a^3c^6)) - \sqrt{1/2} * ((b^2c^2 - 4ac^3) * x \\
& ^4 + ab^2c - 4a^2c^2 + (b^3c - 4ab*c^2) * x^2) * \sqrt{-(B^2b^5 - 12*(4 \\
& ABa^2 - A^2ab)*c^3 + (60B^2a^2b - 12ABab^2 + A^2b^3)*c^2 - (15 \\
& B^2ab^3 - 2ABb^4)*c - (b^6c^3 - 12ab^4c^4 + 48a^2b^2c^5 - 64a^ \\
& 3c^6) \sqrt{(B^4b^4 + A^4c^4 - 2*(9A^2B^2a - 2A^3Bb)*c^3 + 3*(27B^ \\
& 4a^2 - 12AB^3ab + 2A^2B^2b^2)*c^2 - 2*(9B^4ab^2 - 2AB^3b^3)*c \\
&) / (b^6c^6 - 12ab^4c^7 + 48a^2b^2c^8 - 64a^3c^9)) / (b^6c^3 - 12ab \\
& b^4c^4 + 48a^2b^2c^5 - 64a^3c^6)) * \log(-(5B^4ab^4 - 3AB^3b^5 - 4 \\
& *A^4ac^4 + (20A^3Bab - 3A^4b^2)*c^3 + 3*(108B^4a^3 - 108AB^3a^ \\
& 2b + 28A^2B^2ab^2 - 3A^3Bb^3)*c^2 - (81B^4a^2b^2 - 65AB^3ab^ \\
& 3 + 9A^2B^2b^4)*c) * x - 1/2 \sqrt{1/2} * (B^3b^7 - 17B^3ab^5c - 32A^3 \\
& a^2c^5 + 16*(18AB^2a^3 - 3A^2Bba^2b + A^3ab^2)*c^4 - 2*(72B^3a^3 \\
& *b + 72AB^2a^2b^2 - 12A^2Bba^3 + A^3b^4)*c^3 + (88B^3a^2b^3 + 1 \\
& 8AB^2ab^4 - 3A^2Bb^5)*c^2 + (Bb^8c^3 + 256*(3Ba^4 - Aa^3b)*c^7 \\
& - 64*(10Ba^3b^2 - 3Aa^2b^3)*c^6 + 48*(4Ba^2b^4 - Aab^5)*c^5 - 4 \\
& *(6Bab^6 - Ab^7)*c^4) * \sqrt{(B^4b^4 + A^4c^4 - 2*(9A^2B^2a - 2A^3 \\
& Bb)*c^3 + 3*(27B^4a^2 - 12AB^3ab + 2A^2B^2b^2)*c^2 - 2*(9B^4ab^ \\
& ^2 - 2AB^3b^3)*c) / (b^6c^6 - 12ab^4c^7 + 48a^2b^2c^8 - 64a^3c^9)
\end{aligned}$$

$$\begin{aligned}
&) * b^7 * c^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * b \\
& ^5 * c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^6 * c^4 \\
& + 16 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^2 * b^3 * c^5 \\
& - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^5 * c^5 - 64 * \\
& \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^3 * b * c^6 - 32 * \sqrt{2} * \\
& \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^2 * b^2 * c^6 + 16 * \sqrt{2} * \\
& \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^2 * b * c^7 - 2 * (b^2 \\
& - 4 * a * c) * b^5 * c^5 + 32 * (b^2 - 4 * a * c) * a^2 * b * c^7) * A - (2 * b^8 * c^4 - 32 * a * b^6 * c^5 \\
& + 160 * a^2 * b^4 * c^6 - 256 * a^3 * b^2 * c^7 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c \\
& + \sqrt{b^2 - 4 * a * c}} * c) * b^8 * c^2 + 16 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 \\
& - 4 * a * c}} * c) * a * b^6 * c^3 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 \\
& - 4 * a * c}} * c) * b^7 * c^3 - 80 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 \\
& - 4 * a * c}} * c) * a^2 * b^4 * c^4 - 24 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 \\
& - 4 * a * c}} * c) * a * b^5 * c^4 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a \\
& * c}} * c) * b^6 * c^4 + 128 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} \\
& * c) * a^3 * b^2 * c^5 + 64 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} \\
& * c) * a^2 * b^3 * c^5 + 12 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} \\
& * c) * a * b^4 * c^5 - 32 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) \\
& * a^2 * b^2 * c^6 - 2 * (b^2 - 4 * a * c) * b^6 * c^4 + 24 * (b^2 - 4 * a * c) * a * b^4 * c^5 - 64 * (\\
& b^2 - 4 * a * c) * a^2 * b^2 * c^6) * B) * \arctan(2 * \sqrt{1/2} * x / \sqrt{(b^3 * c - 4 * a * b * c^2 + \\
& \sqrt{(b^3 * c - 4 * a * b * c^2)^2 - 4 * (a * b^2 * c - 4 * a^2 * c^2) * (b^2 * c^2 - 4 * a * c^3)})} \\
& / (b^2 * c^2 - 4 * a * c^3))) / ((a * b^6 * c^3 - 12 * a^2 * b^4 * c^4 - 2 * a * b^5 * c^4 + 48 * a^3 * \\
& b^2 * c^5 + 16 * a^2 * b^3 * c^5 + a * b^4 * c^5 - 64 * a^4 * c^6 - 32 * a^3 * b * c^6 - 8 * a^2 * b^ \\
& 2 * c^6 + 16 * a^3 * c^7) * \text{abs}(b^2 * c - 4 * a * c^2) * \text{abs}(c)) - 1/16 * ((2 * b^3 * c^3 - 8 * a * b \\
& * c^4 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b^3 * c + 4 * \\
& \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b * c^2 + 2 * \sqrt{2} * \\
& \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b^2 * c^2 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} \\
& * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b * c^3 - 2 * (b^2 - 4 * a * c) * b * c^3) \\
& * (b^2 * c - 4 * a * c^2)^2 * A + (2 * b^4 * c^2 - 20 * a * b^2 * c^3 + 48 * a^2 * c^4 - \sqrt{2} * \\
& \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b^4 + 10 * \sqrt{2} * \sqrt{b^2 \\
& - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b^2 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4 * \\
& a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b^3 * c - 24 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{ \\
& b * c - \sqrt{b^2 - 4 * a * c}} * c) * a^2 * c^2 - 12 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \\
& \sqrt{b^2 - 4 * a * c}} * c) * a * b * c^2 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 \\
& - 4 * a * c}} * c) * b^2 * c^2 + 6 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& * c) * a * c^3 - 2 * (b^2 - 4 * a * c) * b^2 * c^2 + 12 * (b^2 - 4 * a * c) * a * c^3) * (b \\
& ^2 * c - 4 * a * c^2)^2 * B + 4 * (\sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b^4 * c^3 \\
& - 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a^2 * b^2 * c^4 - 2 * \sqrt{2} * \sqrt{b * c \\
& - \sqrt{b^2 - 4 * a * c}} * c) * a * b^3 * c^4 + 2 * a * b^4 * c^4 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{ \\
& b^2 - 4 * a * c}} * c) * a^3 * c^5 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a^2 * \\
& b * c^5 + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b^2 * c^5 - 16 * a^2 * b^2 * c^5 \\
& - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a^2 * c^6 + 32 * a^3 * c^6 - 2 * (b^2 - \\
& 4 * a * c) * a * b^2 * c^4 + 8 * (b^2 - 4 * a * c) * a^2 * c^5) * A * \text{abs}(b^2 * c - 4 * a * c^2) - 2 * (\sqrt{ \\
& 2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b^5 * c^2 - 8 * \sqrt{2} * \sqrt{b * c - \sqrt{ \\
& b^2 - 4 * a * c}} * c) * a^2 * b^3 * c^3 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a *
\end{aligned}$$

$$\begin{aligned}
& b^2)^{(1/2)} * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) \\
& * a * B + 1/4 / (4 * a * c - b^2) / c * 2^{(1/2)} / ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / \\
& ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b^2 * B + 2 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / \\
& ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * a * b * B - \\
& 1/4 / (4 * a * c - b^2) / c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / \\
& ((-b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b^3 * B - 1/4 / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * \\
& c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * A * b - 1 / (4 * a * c - \\
& b^2) * c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * \\
& c)^{(1/2)} * c * x) * a * A - 1/4 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / \\
& ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * A * b^2 + 3/2 / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / \\
& ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * A * b^2 + 3/2 / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / \\
& ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b^2 * B + 2 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / \\
& ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * a * b * B - 1/4 / (4 * a * c - b^2) / c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / \\
& ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b^3 * B
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $-1/2 * ((B * b^2 - (2 * B * a + A * b) * c) * x^3 + (B * a * b - 2 * A * a * c) * x) / ((b^2 * c^2 - 4 * a * c^3) * x^4 + a * b^2 * c - 4 * a^2 * c^2 + (b^3 * c - 4 * a * b * c^2) * x^2) + 1/2 * \operatorname{integrate}((B * a * b - 2 * A * a * c + (B * b^2 - (6 * B * a - A * b) * c) * x^2) / (c * x^4 + b * x^2 + a), x) / (b^2 * c - 4 * a * c^2)$

mupad [B] time = 5.18, size = 12396, normalized size = 36.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x)

[Out] $-((x^3 * (A * b * c - B * b^2 + 2 * B * a * c)) / (2 * c * (4 * a * c - b^2)) + (x * (2 * A * a * c - B * a * b)) / (2 * c * (4 * a * c - b^2))) / (a + b * x^2 + c * x^4) - \operatorname{atan}((((2048 * A * a^4 * c^6 - 32 * A * a * b^6 * c^3 + 16 * B * a * b^7 * c^2 - 1024 * B * a^4 * b * c^5 + 384 * A * a^2 * b^4 * c^4 - 1536 * A * a^3 * b^2 * c^5 - 192 * B * a^2 * b^5 * c^3 + 768 * B * a^3 * b^3 * c^4) / (8 * (b^6 * c - 64 * a^3 * c^4 - 12 * a * b^4 * c^2 + 48 * a^2 * b^2 * c^3)) - (x * (- (B^2 * b^11 + A^2 * b^9 * c^2 + A^2 * c^2 * (- (4 * a * c - b^2)^9)^{(1/2)} + B^2 * b^2 * (- (4 * a * c - b^2)^9)^{(1/2)} + 2 * A * B * b^11$

$$\begin{aligned}
& 0*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504 \\
& *B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c \\
& - 9*B^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b* \\
& c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2* \\
& A*B*b*c*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^ \\
& 12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4* \\
& c^7 - 6144*a^5*b^2*c^8))^{(1/2)}*(16*b^7*c^3 - 192*a*b^5*c^4 - 1024*a^3*b*c^ \\
& 6 + 768*a^2*b^3*c^5)/(2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2))*(-(B^2*b^11 + \\
& A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} + 2*A*B*b^10*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2 \\
& *a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c \\
& ^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 768*A^2*a^4*b*c^ \\
& 6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A \\
& *B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a*b^8*c^2)/(32 \\
& *(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6* \\
& c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)} - (x*(B^2*b^6 + 8*A^2*a^ \\
& 2*c^4 + A^2*b^4*c^2 - 72*B^2*a^3*c^3 + 2*A*B*b^5*c + 74*B^2*a^2*b^2*c^2 - 1 \\
& 6*B^2*a*b^4*c + 2*A^2*a*b^2*c^3 - 14*A*B*a*b^3*c^2 - 8*A*B*a^2*b*c^3))/(2*(\\
& b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2))*(-(B^2*b^11 + A^2*b^9*c^2 + A^2*c^2*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*b^10*c - 9 \\
& 6*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^ \\
& 3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^ \\
& 2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 1 \\
& 92*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 \\
& - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6 \\
& 144*a^5*b^2*c^8))^{(1/2)}*1i - (((2048*A*a^4*c^6 - 32*A*a*b^6*c^3 + 16*B*a*b \\
& ^7*c^2 - 1024*B*a^4*b*c^5 + 384*A*a^2*b^4*c^4 - 1536*A*a^3*b^2*c^5 - 192*B* \\
& a^2*b^5*c^3 + 768*B*a^3*b^3*c^4)/(8*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + 48 \\
& *a^2*b^2*c^3)) + (x*(-(B^2*b^11 + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^ \\
& (1/2) + B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*b^10*c - 96*A^2*a^2*b^5*c^ \\
& 4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840 \\
& *B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c \\
& ^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 \\
& + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8) \\
&))^{(1/2)}*(16*b^7*c^3 - 192*a*b^5*c^4 - 1024*a^3*b*c^6 + 768*a^2*b^3*c^5))/(\\
& 2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2))*(-(B^2*b^11 + A^2*b^9*c^2 + A^2*c^2* \\
& (-4*a*c - b^2)^9)^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*b^10*c \\
& - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2 \\
& *a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9 \\
& *B^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 \\
& + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B* \\
& b*c*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c
\end{aligned}$$

$$\begin{aligned}
& \left(-3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 \right. \\
& \left. - 6144*a^5*b^2*c^8) \right)^{(1/2)} + (x*(B^2*b^6 + 8*A^2*a^2*c^4 + A^2*b^4*c^2 - 7 \\
& 2*B^2*a^3*c^3 + 2*A*B*b^5*c + 74*B^2*a^2*b^2*c^2 - 16*B^2*a*b^4*c + 2*A^2*a \\
& *b^2*c^3 - 14*A*B*a*b^3*c^2 - 8*A*B*a^2*b*c^3)) / (2*(b^4*c + 16*a^2*c^3 - 8* \\
& a*b^2*c^2))) * (- (B^2*b^{11} + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*b^{10}*c - 96*A^2*a^2*b^5*c^4 + 512 \\
& *A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4 \\
& *b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 12 \\
& 8*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^{(1/ \\
& 2)} - 36*A*B*a*b^8*c^2) / (32*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a \\
& ^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)} \\
&) * i) / (((2048*A*a^4*c^6 - 32*A*a*b^6*c^3 + 16*B*a*b^7*c^2 - 1024*B*a^4*b*c \\
& ^5 + 384*A*a^2*b^4*c^4 - 1536*A*a^3*b^2*c^5 - 192*B*a^2*b^5*c^3 + 768*B*a^3 \\
& *b^3*c^4) / (8*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + 48*a^2*b^2*c^3)) - (x*(- \\
& B^2*b^{11} + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*b^2*(-(4*a* \\
& c - b^2)^9)^{(1/2)} + 2*A*B*b^{10}*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 \\
& + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072 \\
& *A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 768*A^ \\
& 2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 \\
& - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a*b^ \\
& 8*c^2) / (32*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 - 128 \\
& 0*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)} * (16*b^7*c^3 - \\
& 192*a*b^5*c^4 - 1024*a^3*b*c^6 + 768*a^2*b^3*c^5) / (2*(b^4*c + 16*a^2*c^3 - \\
& 8*a*b^2*c^2))) * (- (B^2*b^{11} + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*b^{10}*c - 96*A^2*a^2*b^5*c^4 + \\
& 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2 \\
& *a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - \\
& 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^ \\
& (1/2) - 36*A*B*a*b^8*c^2) / (32*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 24 \\
& 0*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(\\
& 1/2)} - (x*(B^2*b^6 + 8*A^2*a^2*c^4 + A^2*b^4*c^2 - 72*B^2*a^3*c^3 + 2*A*B*b \\
& ^5*c + 74*B^2*a^2*b^2*c^2 - 16*B^2*a*b^4*c + 2*A^2*a*b^2*c^3 - 14*A*B*a*b^3 \\
& *c^2 - 8*A*B*a^2*b*c^3)) / (2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2))) * (- (B^2*b^1 \\
& 1 + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*b^2*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} + 2*A*B*b^{10}*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288* \\
& B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^ \\
& 5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 768*A^2*a^4*b \\
& *c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 153 \\
& 6*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a*b^8*c^2) / \\
& (32*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b \\
& ^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)} - (3*A*B^2*a*b^5 - 21 \\
& 6*B^3*a^4*c^2 - 5*B^3*a^2*b^4 - 24*A^2*B*a^3*c^3 + 3*A^3*a*b^3*c^2 + 4*A^3* \\
& a^2*b*c^3 + 66*B^3*a^3*b^2*c - 51*A*B^2*a^2*b^3*c + 204*A*B^2*a^3*b*c^2 - 4
\end{aligned}$$

$$\begin{aligned}
& 2*A^2*B*a^2*b^2*c^2 + 6*A^2*B*a*b^4*c)/(4*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + 48*a^2*b^2*c^3)) + (((2048*A*a^4*c^6 - 32*A*a*b^6*c^3 + 16*B*a*b^7*c^2 - 1024*B*a^4*b*c^5 + 384*A*a^2*b^4*c^4 - 1536*A*a^3*b^2*c^5 - 192*B*a^2*b^5*c^3 + 768*B*a^3*b^3*c^4)/(8*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + 48*a^2*b^2*c^3)) + (x*(-(B^2*b^11 + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) + 2*A*B*b^10*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^(1/2) - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^(1/2) - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)))^(1/2) * (16*b^7*c^3 - 192*a*b^5*c^4 - 1024*a^3*b*c^6 + 768*a^2*b^3*c^5))/(2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2)) * (-(B^2*b^11 + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) + 2*A*B*b^10*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^(1/2) - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^(1/2) - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)))^(1/2) + (x*(B^2*b^6 + 8*A^2*a^2*c^4 + A^2*b^4*c^2 - 72*B^2*a^3*c^3 + 2*A*B*b^5*c + 74*B^2*a^2*b^2*c^2 - 16*B^2*a*b^4*c + 2*A^2*a*b^2*c^3 - 14*A*B*a*b^3*c^2 - 8*A*B*a^2*b*c^3))/(2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2))) * (-(B^2*b^11 + A^2*b^9*c^2 + A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) + B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) + 2*A*B*b^10*c - 96*A^2*a^2*b^5*c^4 + 512*A^2*a^3*b^3*c^5 + 288*B^2*a^2*b^7*c^2 - 1504*B^2*a^3*b^5*c^3 + 3840*B^2*a^4*b^3*c^4 + 3072*A*B*a^5*c^6 - 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^(1/2) - 768*A^2*a^4*b*c^6 - 3840*B^2*a^5*b*c^5 + 192*A*B*a^2*b^6*c^3 - 128*A*B*a^3*b^4*c^4 - 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^(1/2) - 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)))^(1/2) * 2i - atan((((2048*A*a^4*c^6 - 32*A*a*b^6*c^3 + 16*B*a*b^7*c^2 - 1024*B*a^4*b*c^5 + 384*A*a^2*b^4*c^4 - 1536*A*a^3*b^2*c^5 - 192*B*a^2*b^5*c^3 + 768*B*a^3*b^3*c^4)/(8*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + 48*a^2*b^2*c^3)) - (x*((A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^9*c^2 - B^2*b^11 + B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) - 2*A*B*b^10*c + 96*A^2*a^2*b^5*c^4 - 512*A^2*a^3*b^3*c^5 - 288*B^2*
\end{aligned}$$

$$\begin{aligned}
& (0*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)} + (x*(B^2*b^6 + 8*A^2*a^2*c^4 + A \\
& ^2*b^4*c^2 - 72*B^2*a^3*c^3 + 2*A*B*b^5*c + 74*B^2*a^2*b^2*c^2 - 16*B^2*a*b \\
& ^4*c + 2*A^2*a*b^2*c^3 - 14*A*B*a*b^3*c^2 - 8*A*B*a^2*b*c^3))/(2*(b^4*c + 1 \\
& 6*a^2*c^3 - 8*a*b^2*c^2)))*((A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^9*c^2 \\
& - B^2*b^11 + B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 2*A*B*b^10*c + 96*A^2*a^2* \\
& b^5*c^4 - 512*A^2*a^3*b^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 \\
& - 3840*B^2*a^4*b^3*c^4 - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} + 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^2 \\
& *b^6*c^3 + 128*A*B*a^3*b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^1 \\
& 0*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^ \\
& 2*c^8))^{(1/2)}*i)/((((2048*A*a^4*c^6 - 32*A*a*b^6*c^3 + 16*B*a*b^7*c^2 - 1 \\
& 024*B*a^4*b*c^5 + 384*A*a^2*b^4*c^4 - 1536*A*a^3*b^2*c^5 - 192*B*a^2*b^5*c^ \\
& 3 + 768*B*a^3*b^3*c^4)/(8*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + 48*a^2*b^2*c \\
& ^3)) - (x*((A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^9*c^2 - B^2*b^11 + B^2 \\
& *b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 2*A*B*b^10*c + 96*A^2*a^2*b^5*c^4 - 512*A^2 \\
& *a^3*b^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 - 3840*B^2*a^4*b^ \\
& 3*c^4 - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^{(1 \\
& /2)} + 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^2*b^6*c^3 + 128*A \\
& B*a^3*b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b \\
& ^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)}*(1 \\
& 6*b^7*c^3 - 192*a*b^5*c^4 - 1024*a^3*b*c^6 + 768*a^2*b^3*c^5))/(2*(b^4*c + \\
& 16*a^2*c^3 - 8*a*b^2*c^2)))*((A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^9*c^ \\
& 2 - B^2*b^11 + B^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 2*A*B*b^10*c + 96*A^2*a^2 \\
& *b^5*c^4 - 512*A^2*a^3*b^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 \\
& - 3840*B^2*a^4*b^3*c^4 - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} + 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^ \\
& 2*b^6*c^3 + 128*A*B*a^3*b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^ \\
& 10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b \\
& ^2*c^8))^{(1/2)} - (x*(B^2*b^6 + 8*A^2*a^2*c^4 + A^2*b^4*c^2 - 72*B^2*a^3*c^ \\
& 3 + 2*A*B*b^5*c + 74*B^2*a^2*b^2*c^2 - 16*B^2*a*b^4*c + 2*A^2*a*b^2*c^3 - 1 \\
& 4*A*B*a*b^3*c^2 - 8*A*B*a^2*b*c^3))/(2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2)) \\
& *((A^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - A^2*b^9*c^2 - B^2*b^11 + B^2*b^2*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 2*A*B*b^10*c + 96*A^2*a^2*b^5*c^4 - 512*A^2*a^3*b^3* \\
& c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 - 3840*B^2*a^4*b^3*c^4 - 3 \\
& 072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} + 768 \\
& *A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^2*b^6*c^3 + 128*A*B*a^3*b^4 \\
& *c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^{(1/2)} + 36*A*B*a \\
& *b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - \\
& 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))^{(1/2)} - (3*A*B^2* \\
& a*b^5 - 216*B^3*a^4*c^2 - 5*B^3*a^2*b^4 - 24*A^2*B*a^3*c^3 + 3*A^3*a*b^3*c^ \\
& 2 + 4*A^3*a^2*b*c^3 + 66*B^3*a^3*b^2*c - 51*A*B^2*a^2*b^3*c + 204*A*B^2*a^3 \\
& *b*c^2 - 42*A^2*B*a^2*b^2*c^2 + 6*A^2*B*a*b^4*c)/(4*(b^6*c - 64*a^3*c^4 - 1
\end{aligned}$$

$$\begin{aligned}
& 2*a*b^4*c^2 + 48*a^2*b^2*c^3)) + (((2048*A*a^4*c^6 - 32*A*a*b^6*c^3 + 16*B* \\
& a*b^7*c^2 - 1024*B*a^4*b*c^5 + 384*A*a^2*b^4*c^4 - 1536*A*a^3*b^2*c^5 - 192 \\
& *B*a^2*b^5*c^3 + 768*B*a^3*b^3*c^4)/(8*(b^6*c - 64*a^3*c^4 - 12*a*b^4*c^2 + \\
& 48*a^2*b^2*c^3)) + (x*((A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^9*c^2 - B \\
& ^2*b^11 + B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) - 2*A*B*b^10*c + 96*A^2*a^2*b^5* \\
& c^4 - 512*A^2*a^3*b^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 - 38 \\
& 40*B^2*a^4*b^3*c^4 - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c \\
& - b^2)^9)^(1/2) + 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^2*b^6 \\
& *c^3 + 128*A*B*a^3*b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^ \\
& 2)^9)^(1/2) + 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^ \\
& 4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^ \\
& 8)))^(1/2)*(16*b^7*c^3 - 192*a*b^5*c^4 - 1024*a^3*b*c^6 + 768*a^2*b^3*c^5)) \\
& /(2*(b^4*c + 16*a^2*c^3 - 8*a*b^2*c^2))*((A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) \\
& - A^2*b^9*c^2 - B^2*b^11 + B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) - 2*A*B*b^10*c \\
& + 96*A^2*a^2*b^5*c^4 - 512*A^2*a^3*b^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^ \\
& 2*a^3*b^5*c^3 - 3840*B^2*a^4*b^3*c^4 - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - \\
& 9*B^2*a*c*(-(4*a*c - b^2)^9)^(1/2) + 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 \\
& - 192*A*B*a^2*b^6*c^3 + 128*A*B*a^3*b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B \\
& *b*c*(-(4*a*c - b^2)^9)^(1/2) + 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c \\
& ^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 \\
& - 6144*a^5*b^2*c^8)))^(1/2) + (x*(B^2*b^6 + 8*A^2*a^2*c^4 + A^2*b^4*c^2 - \\
& 72*B^2*a^3*c^3 + 2*A*B*b^5*c + 74*B^2*a^2*b^2*c^2 - 16*B^2*a*b^4*c + 2*A^2* \\
& a*b^2*c^3 - 14*A*B*a*b^3*c^2 - 8*A*B*a^2*b*c^3))/(2*(b^4*c + 16*a^2*c^3 - 8 \\
& *a*b^2*c^2))*((A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^9*c^2 - B^2*b^11 + \\
& B^2*b^2*(-(4*a*c - b^2)^9)^(1/2) - 2*A*B*b^10*c + 96*A^2*a^2*b^5*c^4 - 512 \\
& *A^2*a^3*b^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 - 3840*B^2*a^ \\
& 4*b^3*c^4 - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9 \\
&)^(1/2) + 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^2*b^6*c^3 + 12 \\
& 8*A*B*a^3*b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^(1/ \\
& 2) + 36*A*B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a \\
& ^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)))^(1/2 \\
&))*((A^2*c^2*(-(4*a*c - b^2)^9)^(1/2) - A^2*b^9*c^2 - B^2*b^11 + B^2*b^2*(\\
& -(4*a*c - b^2)^9)^(1/2) - 2*A*B*b^10*c + 96*A^2*a^2*b^5*c^4 - 512*A^2*a^3*b \\
& ^3*c^5 - 288*B^2*a^2*b^7*c^2 + 1504*B^2*a^3*b^5*c^3 - 3840*B^2*a^4*b^3*c^4 \\
& - 3072*A*B*a^5*c^6 + 27*B^2*a*b^9*c - 9*B^2*a*c*(-(4*a*c - b^2)^9)^(1/2) + \\
& 768*A^2*a^4*b*c^6 + 3840*B^2*a^5*b*c^5 - 192*A*B*a^2*b^6*c^3 + 128*A*B*a^3* \\
& b^4*c^4 + 1536*A*B*a^4*b^2*c^5 + 2*A*B*b*c*(-(4*a*c - b^2)^9)^(1/2) + 36*A \\
& B*a*b^8*c^2)/(32*(4096*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 \\
& - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)))^(1/2)*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x**4*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

$$3.120 \quad \int \frac{x^2(A+Bx^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=276

$$\frac{x(-2aB - (x^2(bB - 2Ac)) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(-\frac{4aBc - 4Abc + b^2B}{\sqrt{b^2 - 4ac}} - 2Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(\frac{4aBc - 4Abc + b^2B}{\sqrt{b^2 - 4ac}} - 2Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] $-1/2*x*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)+1/4*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(b*B-2*A*c+(4*A*b*c-4*B*a*c-B*b^2)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)*2^{(1/2)}/c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/4*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b*B-2*A*c+(-4*A*b*c+4*B*a*c+B*b^2)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)*2^{(1/2)}/c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.55, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1275, 1166, 205}

$$\frac{x(-2aB + x^2(-(bB - 2Ac)) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(-\frac{4aBc - 4Abc + b^2B}{\sqrt{b^2 - 4ac}} - 2Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(\frac{4aBc - 4Abc + b^2B}{\sqrt{b^2 - 4ac}} - 2Ac + bB\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^2, x]

[Out] $-(x*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + ((b*B - 2*A*c - (b^2*B - 4*A*b*c + 4*a*B*c))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]]/(2*\text{Sqrt}[2]*\text{Sqrt}[c]*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + ((b*B - 2*A*c + (b^2*B - 4*A*b*c + 4*a*B*c))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(2*\text{Sqrt}[2]*\text{Sqrt}[c]*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1275

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1
)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f
^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1
)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] &&
GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (A + Bx^2)}{(a + bx^2 + cx^4)^2} dx &= -\frac{x (Ab - 2aB - (bB - 2Ac)x^2)}{2 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\int \frac{Ab - 2aB + (bB - 2Ac)x^2}{a + bx^2 + cx^4} dx}{2 (b^2 - 4ac)} \\ &= -\frac{x (Ab - 2aB - (bB - 2Ac)x^2)}{2 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\left(bB - 2Ac - \frac{b^2 B - 4Abc + 4aBc}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{4 (b^2 - 4ac)} + \dots \\ &= -\frac{x (Ab - 2aB - (bB - 2Ac)x^2)}{2 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\left(bB - 2Ac - \frac{b^2 B - 4Abc + 4aBc}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{2\sqrt{2} \sqrt{c} (b^2 - 4ac) \sqrt{b - \sqrt{b^2 - 4ac}}} + \dots \end{aligned}$$

Mathematica [A] time = 0.66, size = 298, normalized size = 1.08

$$\frac{1}{4} \left(\frac{2x (B (2a + bx^2) - A (b + 2cx^2))}{(b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\sqrt{2} \left(-2Ac\sqrt{b^2 - 4ac} + bB\sqrt{b^2 - 4ac} - 4aBc + 4Abc + b^2(-B) \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{c} (b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^2,x]
```

```
[Out] ((2*x*(B*(2*a + b*x^2) - A*(b + 2*c*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*(-(b^2*B) + 4*A*b*c - 4*a*B*c + b*B*Sqrt[b^2 - 4*a*c] - 2*A*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/(Sqrt[c]*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*(b^2*B - 4*A*b*c + 4*a*B*c + b*B*Sqrt[b^2 - 4*a*c] - 2*A*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/(Sqrt[c]*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]))/4
```

fricas [B] time = 1.26, size = 3467, normalized size = 12.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] 1/4*(2*(B*b - 2*A*c)*x^3 - sqrt(1/2)*((b^2*c - 4*a*c^2)*x^4 + a*b^2 - 4*a^2*c + (b^3 - 4*a*b*c)*x^2)*sqrt(-(B^2*a*b^3 - 4*(4*A*B*a^2 - 3*A^2*a*b)*c^2 + (12*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c + (a*b^6*c - 12*a^2*b^4*c^2 + 48*a^3*b^2*c^3 - 64*a^4*c^4)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^6*c^2 - 12*a^3*b^4*c^3 + 48*a^4*b^2*c^4 - 64*a^5*c^5)))/(a*b^6*c - 12*a^2*b^4*c^2 + 48*a^3*b^2*c^3 - 64*a^4*c^4))*log(-(3*B^4*a^2*b^2 - A*B^3*a*b^3 - 4*A^4*a*c^3 + 3*(4*A^3*B*a*b - A^4*b^2)*c^2 + (4*B^4*a^3 - 12*A*B^3*a^2*b + A^3*B*b^3)*c)*x + 1/2*sqrt(1/2)*(2*B^3*a^2*b^4 - A*B^2*a*b^5 - 16*(2*A^2*B*a^3 - A^3*a^2*b)*c^3 + 8*(4*B^3*a^4 - 2*A*B^2*a^3*b + 2*A^2*B*a^2*b^2 - A^3*a*b^3)*c^2 - (16*B^3*a^3*b^2 - 8*A*B^2*a^2*b^3 + 2*A^2*B*a*b^4 - A^3*b^5)*c + (192*B*a^4*b^3*c^3 + 256*A*a^5*c^5 - 128*(2*B*a^5*b + A*a^4*b^2)*c^4 - 8*(6*B*a^3*b^5 - A*a^2*b^6)*c^2 + (4*B*a^2*b^7 - A*a*b^8)*c)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^6*c^2 - 12*a^3*b^4*c^3 + 48*a^4*b^2*c^4 - 64*a^5*c^5)))*sqrt(-(B^2*a*b^3 - 4*(4*A*B*a^2 - 3*A^2*a*b)*c^2 + (12*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c + (a*b^6*c - 12*a^2*b^4*c^2 + 48*a^3*b^2*c^3 - 64*a^4*c^4)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^6*c^2 - 12*a^3*b^4*c^3 + 48*a^4*b^2*c^4 - 64*a^5*c^5)))/(a*b^6*c - 12*a^2*b^4*c^2 + 48*a^3*b^2*c^3 - 64*a^4*c^4))) + sqrt(1/2)*((b^2*c - 4*a*c^2)*x^4 + a*b^2 - 4*a^2*c + (b^3 - 4*a*b*c)*x^2)*sqrt(-(B^2*a*b^3 - 4*(4*A*B*a^2 - 3*A^2*a*b)*c^2 + (12*B^2*a^2*b - 12*A*B*a*b^2 + A^2*b^3)*c + (a*b^6*c - 12*a^2*b^4*c^2 + 48*a^3*b^2*c^3 - 64*a^4*c^4)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^6*c^2 - 12*a^3*b^4*c^3 + 48*a^4*b^2*c^4 - 64*a^5*c^5)))/(a*b^6*c - 12*a^2*b^4*c^2 + 48*a^3*b^2*c^3 - 64*a^4*c^4))*log(-(3*B^4*a^2*b^2 - A*B^3*a*b^3 - 4*A^4*a*c^3 + 3*(4*A^3*B*a*b - A^4*b^2)*c^2 + (4*B^4*a^3 - 12*A*B^3*a^2*b + A^3*B*b^3)*c)*x - 1/2*sqrt(1/2)*(2*B^3*a^2*b^4 - A*B^2*a*b^5 - 16*(2*A^2*B*a^3 - A^3*a^2*b)*c^3 + 8*(4*B^3*a^4 - 2*A*B^2*a^3*b + 2*A^2*B*a^2*b^2 - A^3*a*b^3)*c^2 - (16*B^3*a^3*b^2 - 8*A*B^2*a^2*b^3 + 2*A^2*B*a*b^4 - A^3*b^5)*c + (192*B*a^4*b^3*c^3 + 256*A*a^5*c^5 - 128*(2*B*a^5*b + A*a^4*b^2)*c^4 - 8*(6*B*a^3*b^5 - A*a^2*b^6)*c^2 + (4*B*a^2*b^7 - A*a*b^8)*c)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^6*c^2 - 12*a^3*b^4*c^3 + 48*a^4*b^2*c^4 - 64*a^5*c^5)))/4
```

$$\begin{aligned}
& b^2c^4 - 64a^5c^5)) * \text{sqrt}(-(B^2ab^3 - 4(4ABa^2 - 3A^2ab))c^2 + \\
& (12B^2a^2b - 12ABab^2 + A^2b^3)c + (ab^6c - 12a^2b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) * \text{sqrt}((B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^6 \\
& c^2 - 12a^3b^4c^3 + 48a^4b^2c^4 - 64a^5c^5)))/(ab^6c - 12a^2b^4 \\
& c^2 + 48a^3b^2c^3 - 64a^4c^4)) - \text{sqrt}(1/2)*((b^2c - 4a^2c^2)*x^4 + \\
& ab^2 - 4a^2c + (b^3 - 4ab^2c)*x^2) * \text{sqrt}(-(B^2ab^3 - 4(4ABa^2 - 3 \\
& A^2ab))c^2 + (12B^2a^2b - 12ABab^2 + A^2b^3)c - (ab^6c - 12a^2 \\
& b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) * \text{sqrt}((B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^6c^2 - 12a^3b^4c^3 + 48a^4b^2c^4 - 64a^5c^5)))/(ab \\
& ^6c - 12a^2b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) * \log(-(3B^4a^2b^2 - \\
& AB^3ab^3 - 4A^4ac^3 + 3(4A^3Bab - A^4b^2))c^2 + (4B^4a^3 - 1 \\
& 2AB^3a^2b + A^3Bb^3)c)*x + 1/2 * \text{sqrt}(1/2)*(2B^3a^2b^4 - AB^2ab^5 \\
& - 16(2A^2Ba^3 - A^3a^2b))c^3 + 8(4B^3a^4 - 2AB^2a^3b + 2A^2 \\
& Ba^2b^2 - A^3ab^3)c^2 - (16B^3a^3b^2 - 8AB^2a^2b^3 + 2A^2Bab^4 - A^3b^5)c \\
& - (192Ba^4b^3c^3 + 256Aa^5c^5 - 128(2Ba^5b + A \\
& a^4b^2))c^4 - 8(6Ba^3b^5 - Aa^2b^6)c^2 + (4Ba^2b^7 - Aab^8)c \\
&) * \text{sqrt}((B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^6c^2 - 12a^3b^4c^3 + \\
& 48a^4b^2c^4 - 64a^5c^5)) * \text{sqrt}(-(B^2ab^3 - 4(4ABa^2 - 3A^2ab)) \\
& c^2 + (12B^2a^2b - 12ABab^2 + A^2b^3)c - (ab^6c - 12a^2b^4c^2 \\
& + 48a^3b^2c^3 - 64a^4c^4)) * \text{sqrt}((B^4a^2 - 2A^2B^2ac + A^4c^2)/(\\
& a^2b^6c^2 - 12a^3b^4c^3 + 48a^4b^2c^4 - 64a^5c^5)))/(ab^6c - 12 \\
& a^2b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) + \text{sqrt}(1/2)*((b^2c - 4a^2c^2) \\
&)x^4 + ab^2 - 4a^2c + (b^3 - 4ab^2c)*x^2) * \text{sqrt}(-(B^2ab^3 - 4(4ABa^2 \\
& - 3A^2ab))c^2 + (12B^2a^2b - 12ABab^2 + A^2b^3)c - (ab^6c \\
& - 12a^2b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) * \text{sqrt}((B^4a^2 - 2A^2B^2a \\
& c + A^4c^2)/(a^2b^6c^2 - 12a^3b^4c^3 + 48a^4b^2c^4 - 64a^5c^5)) \\
&)/(ab^6c - 12a^2b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) * \log(-(3B^4a^2 \\
& b^2 - AB^3ab^3 - 4A^4ac^3 + 3(4A^3Bab - A^4b^2))c^2 + (4B^4a^3 \\
& a^3 - 12AB^3a^2b + A^3Bb^3)c)*x - 1/2 * \text{sqrt}(1/2)*(2B^3a^2b^4 - AB^2 \\
& ab^5 - 16(2A^2Ba^3 - A^3a^2b))c^3 + 8(4B^3a^4 - 2AB^2a^3b \\
& + 2A^2Bab^2 - A^3ab^3)c^2 - (16B^3a^3b^2 - 8AB^2a^2b^3 + 2A^2 \\
& Ba^2b^4 - A^3b^5)c - (192Ba^4b^3c^3 + 256Aa^5c^5 - 128(2Ba^5b \\
& + Aa^4b^2))c^4 - 8(6Ba^3b^5 - Aa^2b^6)c^2 + (4Ba^2b^7 - Aab^8)c \\
&) * \text{sqrt}((B^4a^2 - 2A^2B^2ac + A^4c^2)/(a^2b^6c^2 - 12a^3b^4 \\
& c^3 + 48a^4b^2c^4 - 64a^5c^5)) * \text{sqrt}(-(B^2ab^3 - 4(4ABa^2 - 3A^2 \\
& ab))c^2 + (12B^2a^2b - 12ABab^2 + A^2b^3)c - (ab^6c - 12a^2 \\
& b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) * \text{sqrt}((B^4a^2 - 2A^2B^2ac + A^4 \\
& c^2)/(a^2b^6c^2 - 12a^3b^4c^3 + 48a^4b^2c^4 - 64a^5c^5)))/(ab^6 \\
& c - 12a^2b^4c^2 + 48a^3b^2c^3 - 64a^4c^4)) + 2(2Ba - Ab)*x)/(\\
& (b^2c - 4a^2c^2)*x^4 + ab^2 - 4a^2c + (b^3 - 4ab^2c)*x^2)
\end{aligned}$$

giac [B] time = 4.78, size = 3776, normalized size = 13.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $\frac{1}{2} \cdot (B \cdot b \cdot x^3 - 2 \cdot A \cdot c \cdot x^3 + 2 \cdot B \cdot a \cdot x - A \cdot b \cdot x) / ((c \cdot x^4 + b \cdot x^2 + a) \cdot (b^2 - 4 \cdot a \cdot c)) - \frac{1}{16} \cdot (2 \cdot (2 \cdot b^2 \cdot c^3 - 8 \cdot a \cdot c^4 - \sqrt{2}) \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^2 \cdot c + 4 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot c^2 + 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b \cdot c^2 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c^3 - 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot c^3) \cdot (b^2 - 4 \cdot a \cdot c)^2 \cdot A - (2 \cdot b^3 \cdot c^2 - 8 \cdot a \cdot b \cdot c^3 - \sqrt{2}) \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^3 + 4 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b \cdot c + 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^2 \cdot c - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b \cdot c^2 - 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b \cdot c^2) \cdot (b^2 - 4 \cdot a \cdot c)^2 \cdot B - 2 \cdot (\sqrt{2}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^5 \cdot c - 8 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^3 \cdot c^2 - 2 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^4 \cdot c^2 - 2 \cdot b^5 \cdot c^2 + 16 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b \cdot c^3 + 8 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^2 \cdot c^3 + \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^3 \cdot c^3 + 16 \cdot a \cdot b^3 \cdot c^3 - 4 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b \cdot c^4 - 32 \cdot a^2 \cdot b \cdot c^4 + 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^3 \cdot c^2 - 8 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b \cdot c^3) \cdot A \cdot \text{abs}(b^2 - 4 \cdot a \cdot c) + 4 \cdot (\sqrt{2}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^4 \cdot c - 8 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^2 \cdot c^2 - 2 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^3 \cdot c^2 - 2 \cdot a \cdot b^4 \cdot c^2 + 16 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot c^3 + 8 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b \cdot c^3 + \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^2 \cdot c^3 + 16 \cdot a^2 \cdot b^2 \cdot c^3 - 4 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot c^4 - 32 \cdot a^3 \cdot c^4 + 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b^2 \cdot c^2 - 8 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a^2 \cdot c^3) \cdot B \cdot \text{abs}(b^2 - 4 \cdot a \cdot c) - 4 \cdot (2 \cdot b^6 \cdot c^3 - 16 \cdot a \cdot b^4 \cdot c^4 + 32 \cdot a^2 \cdot b^2 \cdot c^5 - \sqrt{2}) \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^6 \cdot c + 8 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^4 \cdot c^2 + 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^5 \cdot c^2 - 16 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^2 \cdot c^3 - 8 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^3 \cdot c^3 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^4 \cdot c^3 + 4 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^2 \cdot c^4 - 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^4 \cdot c^3 + 8 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b^2 \cdot c^4) \cdot A + (2 \cdot b^7 \cdot c^2 - 8 \cdot a \cdot b^5 \cdot c^3 - 32 \cdot a^2 \cdot b^3 \cdot c^4 + 128 \cdot a^3 \cdot b \cdot c^5 - \sqrt{2}) \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^7 + 4 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^5 \cdot c + 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^6 \cdot c + 16 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^3 \cdot c^2 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^5 \cdot c^2 - 64 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b \cdot c^3 - 32 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^2 \cdot c^3 + 16 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b \cdot c^4 - 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^5 \cdot c^2 + 32 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a^2 \cdot b \cdot c^4) \cdot B) \cdot \arctan(2 \cdot \sqrt{1/2} \cdot x / \sqrt{(b^3 - 4 \cdot a \cdot b \cdot c + \sqrt{(b^3 - 4 \cdot a \cdot b \cdot c)^2 - 4 \cdot (a \cdot b^2 - 4 \cdot a^2 \cdot c) \cdot (b^2 \cdot c - 4 \cdot a \cdot c^2)})} / (b^2 \cdot c - 4 \cdot a \cdot c^2))) / ((a \cdot b^6 \cdot c - 12 \cdot a^2 \cdot b^4 \cdot c^2 - 2 \cdot a \cdot b^5 \cdot c^2 + 48 \cdot a^3 \cdot b^2 \cdot c^3 + 16 \cdot a^2 \cdot b^3 \cdot c^3 + a \cdot b^4 \cdot c^3$

$$\begin{aligned}
& - 64a^4c^4 - 32a^3bc^4 - 8a^2b^2c^4 + 16a^3c^5) \cdot \text{abs}(b^2 - 4ac) \cdot \\
& \text{abs}(c)) + 1/16(2(2b^2c^3 - 8a^2c^4 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} \\
& - \sqrt{b^2 - 4ac})c) \cdot b^2c + 4\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot ac^2 + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot bc^2 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot c^3 - 2(b^2 - 4ac) \cdot c^3) \cdot (b^2 - 4ac)^2A - (2b^3c^2 - 8a^2bc^3 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot b^3 + 4\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2bc + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot b^2c - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot bc^2 - 2(b^2 - 4ac) \cdot bc^2) \cdot (b^2 - 4ac) \\
& ^2B + 2(\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^5c - 8\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2b^3c^2 - 2\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot bc^4c^2 + 2b^5c^2 + 16\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^3c^3 + 8\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2b^2c^3 + \sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot b^3c^3 - 16a^2b^3c^3 - 4\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2b^3c^4 + 32a^2b^2c^4 - 2(b^2 - 4ac) \cdot b^3c^2 + 8(b^2 - 4ac) \cdot a^2b^3c^3) \cdot A \cdot \text{abs}(b^2 - 4ac) - 4(\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2b^4c - 8\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^2c^2 - 2\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2b^3c^2 + 2a^2b^4c^2 + 16\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^3c^3 + 8\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \\
& \cdot a^2b^2c^3 + \sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^2c^3 - \\
& 16a^2b^2c^3 - 4\sqrt{2}\sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2c^4 + 32a^3 \\
& \cdot c^4 - 2(b^2 - 4ac) \cdot a^2b^2c^2 + 8(b^2 - 4ac) \cdot a^2c^3) \cdot B \cdot \text{abs}(b^2 - 4ac) - 4(2b^6c^3 - 16a^2b^4c^4 + 32a^2b^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^6c + 8\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^4c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^5c^2 - 16\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^2c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^3c^3 - \sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^4c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^2c^4 - 2(b^2 - 4ac) \cdot b^4c^3 + 8(b^2 - 4ac) \cdot a^2b^2c^4) \\
& \cdot A + (2b^7c^2 - 8a^2b^5c^3 - 32a^2b^3c^4 + 128a^3b^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^7 + 4\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^5c + 2\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^6c + 16\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^3c^2 - \sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot b^5c^2 - 64\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^3b^2c^3 - 32\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^2c^3 + 16\sqrt{2}\sqrt{b^2 - 4ac}) \\
& \cdot \sqrt{bc} - \sqrt{b^2 - 4ac}) \cdot a^2b^2c^4 - 2(b^2 - 4ac) \cdot b^5c^2 + 32(b^2 - 4ac) \cdot a^2b^2c^4) \cdot B) \cdot \arctan(2\sqrt{1/2} \cdot x / \sqrt{(b^3 - 4a^2bc - \sqrt{(b^3 - 4a^2bc)^2 - 4(a^2b^2 - 4a^2c)(b^2c - 4a^2c^2))}) / (b^2c - 4a^2c^2)}) / ((a^2b^6c^3 - 12a^2b^4c^2 - 2a^2b^5c^2 + 48a^3b^2c^3 + 16a^2b^3c^3 + a^2b^4c^3 - 64a^4c^4 - 32a^3bc^4 - 8a^2b^2c^4 + 16a^3c^5) \cdot \text{abs}(b^2 - 4ac) \cdot \text{abs}(c))
\end{aligned}$$

maple [B] time = 0.03, size = 733, normalized size = 2.66

$$\frac{\sqrt{2} A b c \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right)}{(4ac-b^2)\sqrt{-4ac+b^2}\sqrt{(-b+\sqrt{-4ac+b^2})c}} + \frac{\sqrt{2} A b c \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{(b+\sqrt{-4ac+b^2})c}}\right)}{(4ac-b^2)\sqrt{-4ac+b^2}\sqrt{(b+\sqrt{-4ac+b^2})c}} - \frac{\sqrt{2} B a c a}{(4ac-b^2)\sqrt{-4ac+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x)`

[Out] $(1/2*(2*A*c-B*b)/(4*a*c-b^2)*x^3+1/2*(A*b-2*B*a)/(4*a*c-b^2)*x)/(c*x^4+b*x^2+a)-1/2/(4*a*c-b^2)*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A+1/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b+1/4/(4*a*c-b^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*B-1/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*B-1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*B+1/2/(4*a*c-b^2)*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A+1/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b-1/4/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*B-1/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*B-1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*B$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(Bb-2Ac)x^3+(2Ba-Ab)x}{2((b^2c-4ac^2)x^4+ab^2-4a^2c+(b^3-4abc)x^2)} - \frac{-\int \frac{(Bb-2Ac)x^2-2Ba+Ab}{cx^4+bx^2+a} dx}{2(b^2-4ac)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] $1/2*((B*b-2*A*c)*x^3+(2*B*a-A*b)*x)/((b^2*c-4*a*c^2)*x^4+a*b^2-4*a^2*c+(b^3-4*a*b*c)*x^2)-1/2*\operatorname{integrate}(-((B*b-2*A*c)*x^2-2*B*a+A*b)/(c*x^4+b*x^2+a),x)/(b^2-4*a*c)$

$$\begin{aligned}
& 24*A*B*a^5*c^5 - 768*A^2*a^4*b*c^5 - 768*B^2*a^5*b*c^4 + 128*A*B*a^2*b^6*c^2 \\
& - 384*A*B*a^3*b^4*c^3 - 12*A*B*a*b^8*c)/(32*(4096*a^7*c^7 - 24*a^2*b^10*c^2 \\
& + 240*a^3*b^8*c^3 - 1280*a^4*b^6*c^4 + 3840*a^5*b^4*c^5 - 6144*a^6*b^2*c^6 \\
& + a*b^12*c)))^{(1/2)} + (x*(B^2*b^4*c - 8*A^2*a*c^4 + 10*A^2*b^2*c^3 + 8*B^2*a^2*c^3 \\
& - 6*A*B*b^3*c^2 + 2*B^2*a*b^2*c^2 - 8*A*B*a*b*c^3))/(2*(b^4 + 16 \\
& *a^2*c^2 - 8*a*b^2*c)))*(-(B^2*a*b^9 - B^2*a*(-(4*a*c - b^2)^9)^{(1/2)} + A^2 \\
& *b^9*c + A^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 96*A^2*a^2*b^5*c^3 + 512*A^2*a^3*b^3*c^4 \\
& - 96*B^2*a^3*b^5*c^2 + 512*B^2*a^4*b^3*c^3 + 1024*A*B*a^5*c^5 - 768 \\
& *A^2*a^4*b*c^5 - 768*B^2*a^5*b*c^4 + 128*A*B*a^2*b^6*c^2 - 384*A*B*a^3*b^4*c^3 \\
& - 12*A*B*a*b^8*c)/(32*(4096*a^7*c^7 - 24*a^2*b^10*c^2 + 240*a^3*b^8*c^3 \\
& - 1280*a^4*b^6*c^4 + 3840*a^5*b^4*c^5 - 6144*a^6*b^2*c^6 + a*b^12*c)))^{(1/2)} \\
& *1i)/((8*A^3*a*c^4 + 6*A^3*b^2*c^3 + A*B^2*b^4*c - 3*B^3*a*b^3*c + 8*A*B^2 \\
& *a^2*c^3 - 5*A^2*B*b^3*c^2 - 4*B^3*a^2*b*c^2 + 18*A*B^2*a*b^2*c^2 - 28*A^2 \\
& *B*a*b*c^3)/(4*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)) + (((16*A \\
& b^7*c^2 + 2048*B*a^4*c^5 - 192*A*a*b^5*c^3 - 1024*A*a^3*b*c^5 - 32*B*a*b^6*c^2 \\
& + 768*A*a^2*b^3*c^4 + 384*B*a^2*b^4*c^3 - 1536*B*a^3*b^2*c^4)/(8*(b^6 - \\
& 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)) - (x*(-(B^2*a*b^9 - B^2*a*(-(4* \\
& a*c - b^2)^9)^{(1/2)} + A^2*b^9*c + A^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 96*A^2*a^2 \\
& *b^5*c^3 + 512*A^2*a^3*b^3*c^4 - 96*B^2*a^3*b^5*c^2 + 512*B^2*a^4*b^3*c^3 \\
& + 1024*A*B*a^5*c^5 - 768*A^2*a^4*b*c^5 - 768*B^2*a^5*b*c^4 + 128*A*B*a^2*b^6 \\
& *c^2 - 384*A*B*a^3*b^4*c^3 - 12*A*B*a*b^8*c)/(32*(4096*a^7*c^7 - 24*a^2*b^10 \\
& *c^2 + 240*a^3*b^8*c^3 - 1280*a^4*b^6*c^4 + 3840*a^5*b^4*c^5 - 6144*a^6*b^2*c^6 \\
& + a*b^12*c)))^{(1/2)}*(16*b^7*c^2 - 192*a*b^5*c^3 - 1024*a^3*b*c^5 + \\
& 768*a^2*b^3*c^4))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))*(-(B^2*a*b^9 - B^2*a* \\
& (- (4*a*c - b^2)^9)^{(1/2)} + A^2*b^9*c + A^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 96* \\
& A^2*a^2*b^5*c^3 + 512*A^2*a^3*b^3*c^4 - 96*B^2*a^3*b^5*c^2 + 512*B^2*a^4*b^3 \\
& *c^3 + 1024*A*B*a^5*c^5 - 768*A^2*a^4*b*c^5 - 768*B^2*a^5*b*c^4 + 128*A*B* \\
& a^2*b^6*c^2 - 384*A*B*a^3*b^4*c^3 - 12*A*B*a*b^8*c)/(32*(4096*a^7*c^7 - 24* \\
& a^2*b^10*c^2 + 240*a^3*b^8*c^3 - 1280*a^4*b^6*c^4 + 3840*a^5*b^4*c^5 - 6144 \\
& *a^6*b^2*c^6 + a*b^12*c)))^{(1/2)} - (x*(B^2*b^4*c - 8*A^2*a*c^4 + 10*A^2*b^2 \\
& *c^3 + 8*B^2*a^2*c^3 - 6*A*B*b^3*c^2 + 2*B^2*a*b^2*c^2 - 8*A*B*a*b*c^3))/(2 \\
& *(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))*(-(B^2*a*b^9 - B^2*a*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + A^2*b^9*c + A^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 96*A^2*a^2*b^5*c^3 + 51 \\
& 2*A^2*a^3*b^3*c^4 - 96*B^2*a^3*b^5*c^2 + 512*B^2*a^4*b^3*c^3 + 1024*A*B*a^5 \\
& *c^5 - 768*A^2*a^4*b*c^5 - 768*B^2*a^5*b*c^4 + 128*A*B*a^2*b^6*c^2 - 384*A* \\
& B*a^3*b^4*c^3 - 12*A*B*a*b^8*c)/(32*(4096*a^7*c^7 - 24*a^2*b^10*c^2 + 240*a^3 \\
& *b^8*c^3 - 1280*a^4*b^6*c^4 + 3840*a^5*b^4*c^5 - 6144*a^6*b^2*c^6 + a*b^12 \\
& *c)))^{(1/2)} + (((16*A*b^7*c^2 + 2048*B*a^4*c^5 - 192*A*a*b^5*c^3 - 1024*A* \\
& a^3*b*c^5 - 32*B*a*b^6*c^2 + 768*A*a^2*b^3*c^4 + 384*B*a^2*b^4*c^3 - 1536*B \\
& *a^3*b^2*c^4)/(8*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)) + (x*(-(\\
& B^2*a*b^9 - B^2*a*(-(4*a*c - b^2)^9)^{(1/2)} + A^2*b^9*c + A^2*c*(-(4*a*c - b \\
& ^2)^9)^{(1/2)} - 96*A^2*a^2*b^5*c^3 + 512*A^2*a^3*b^3*c^4 - 96*B^2*a^3*b^5*c^2 \\
& + 512*B^2*a^4*b^3*c^3 + 1024*A*B*a^5*c^5 - 768*A^2*a^4*b*c^5 - 768*B^2*a^5 \\
& *b*c^4 + 128*A*B*a^2*b^6*c^2 - 384*A*B*a^3*b^4*c^3 - 12*A*B*a*b^8*c)/(32*(\\
& 4096*a^7*c^7 - 24*a^2*b^10*c^2 + 240*a^3*b^8*c^3 - 1280*a^4*b^6*c^4 + 3840*
\end{aligned}$$

$$\begin{aligned}
& a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a b^{12} c))^{(1/2)} * (16 b^7 c^2 - 192 a^* b^5 c^3 - 1024 a^3 b^* c^5 + 768 a^2 b^3 c^4)) / (2 * (b^4 + 16 a^2 c^2 - 8 a^* b^2 c)) \\
&) * (- (B^2 a^* b^9 - B^2 a^* (- (4 a^* c - b^2)^9)^{(1/2)} + A^2 b^9 c + A^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 96 A^2 a^2 b^5 c^3 + 512 A^2 a^3 b^3 c^4 - 96 B^2 a^3 b^5 c^2 + 512 B^2 a^4 b^3 c^3 + 1024 A^* B^* a^5 c^5 - 768 A^2 a^4 b^* c^5 - 768 B^2 a^5 b^* c^4 + 128 A^* B^* a^2 b^6 c^2 - 384 A^* B^* a^3 b^4 c^3 - 12 A^* B^* a^* b^8 c) / \\
& (32 * (4096 a^7 c^7 - 24 a^2 b^10 c^2 + 240 a^3 b^8 c^3 - 1280 a^4 b^6 c^4 + 3840 a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a^* b^{12} c))^{(1/2)} + (x * (B^2 b^4 c - 8 A^2 a^* c^4 + 10 A^2 b^2 c^3 + 8 B^2 a^2 c^3 - 6 A^* B^* b^3 c^2 + 2 B^2 a^* b^2 c^2 - 8 A^* B^* a^* b^* c^3)) / (2 * (b^4 + 16 a^2 c^2 - 8 a^* b^2 c))) * (- (B^2 a^* b^9 - B^2 a^* (- (4 a^* c - b^2)^9)^{(1/2)} + A^2 b^9 c + A^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 96 A^2 a^2 b^5 c^3 + 512 A^2 a^3 b^3 c^4 - 96 B^2 a^3 b^5 c^2 + 512 B^2 a^4 b^3 c^3 + 1024 A^* B^* a^5 c^5 - 768 A^2 a^4 b^* c^5 - 768 B^2 a^5 b^* c^4 + 128 A^* B^* a^2 b^6 c^2 - 384 A^* B^* a^3 b^4 c^3 - 12 A^* B^* a^* b^8 c) / (32 * (4096 a^7 c^7 - 24 a^2 b^10 c^2 + 240 a^3 b^8 c^3 - 1280 a^4 b^6 c^4 + 3840 a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a^* b^{12} c))^{(1/2)})) * (- (B^2 a^* b^9 - B^2 a^* (- (4 a^* c - b^2)^9)^{(1/2)} + A^2 b^9 c + A^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 96 A^2 a^2 b^5 c^3 + 512 A^2 a^3 b^3 c^4 - 96 B^2 a^3 b^5 c^2 + 512 B^2 a^4 b^3 c^3 + 1024 A^* B^* a^5 c^5 - 768 A^2 a^4 b^* c^5 - 768 B^2 a^5 b^* c^4 + 128 A^* B^* a^2 b^6 c^2 - 384 A^* B^* a^3 b^4 c^3 - 12 A^* B^* a^* b^8 c) / (32 * (4096 a^7 c^7 - 24 a^2 b^10 c^2 + 240 a^3 b^8 c^3 - 1280 a^4 b^6 c^4 + 3840 a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a^* b^{12} c))^{(1/2)} * 2i - \operatorname{atan}(\frac{((16 A^* b^7 c^2 + 2048 B^* a^4 c^5 - 192 A^* a^* b^5 c^3 - 1024 A^* a^3 b^* c^5 - 32 B^* a^* b^6 c^2 + 768 A^* a^2 b^3 c^4 + 384 B^* a^2 b^4 c^3 - 1536 B^* a^3 b^2 c^4) / (8 * (b^6 - 64 a^3 c^3 + 48 a^2 b^2 c^2 - 12 a^* b^4 c)) - (x * (- (B^2 a^* b^9 + B^2 a^* (- (4 a^* c - b^2)^9)^{(1/2)} + A^2 b^9 c - A^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 96 A^2 a^2 b^5 c^3 + 512 A^2 a^3 b^3 c^4 - 96 B^2 a^3 b^5 c^2 + 512 B^2 a^4 b^3 c^3 + 1024 A^* B^* a^5 c^5 - 768 A^2 a^4 b^* c^5 - 768 B^2 a^5 b^* c^4 + 128 A^* B^* a^2 b^6 c^2 - 384 A^* B^* a^3 b^4 c^3 - 12 A^* B^* a^* b^8 c) / (32 * (4096 a^7 c^7 - 24 a^2 b^10 c^2 + 240 a^3 b^8 c^3 - 1280 a^4 b^6 c^4 + 3840 a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a^* b^{12} c))^{(1/2)} * (16 b^7 c^2 - 192 a^* b^5 c^3 - 1024 a^3 b^* c^5 + 768 a^2 b^3 c^4)) / (2 * (b^4 + 16 a^2 c^2 - 8 a^* b^2 c)) * (- (B^2 a^* b^9 + B^2 a^* (- (4 a^* c - b^2)^9)^{(1/2)} + A^2 b^9 c - A^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 96 A^2 a^2 b^5 c^3 + 512 A^2 a^3 b^3 c^4 - 96 B^2 a^3 b^5 c^2 + 512 B^2 a^4 b^3 c^3 + 1024 A^* B^* a^5 c^5 - 768 A^2 a^4 b^* c^5 - 768 B^2 a^5 b^* c^4 + 128 A^* B^* a^2 b^6 c^2 - 384 A^* B^* a^3 b^4 c^3 - 12 A^* B^* a^* b^8 c) / (32 * (4096 a^7 c^7 - 24 a^2 b^10 c^2 + 240 a^3 b^8 c^3 - 1280 a^4 b^6 c^4 + 3840 a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a^* b^{12} c))^{(1/2)} - (x * (B^2 b^4 c - 8 A^2 a^* c^4 + 10 A^2 b^2 c^3 + 8 B^2 a^2 c^3 - 6 A^* B^* b^3 c^2 + 2 B^2 a^* b^2 c^2 - 8 A^* B^* a^* b^* c^3)) / (2 * (b^4 + 16 a^2 c^2 - 8 a^* b^2 c))) * (- (B^2 a^* b^9 + B^2 a^* (- (4 a^* c - b^2)^9)^{(1/2)} + A^2 b^9 c - A^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 96 A^2 a^2 b^5 c^3 + 512 A^2 a^3 b^3 c^4 - 96 B^2 a^3 b^5 c^2 + 512 B^2 a^4 b^3 c^3 + 1024 A^* B^* a^5 c^5 - 768 A^2 a^4 b^* c^5 - 768 B^2 a^5 b^* c^4 + 128 A^* B^* a^2 b^6 c^2 - 384 A^* B^* a^3 b^4 c^3 - 12 A^* B^* a^* b^8 c) / (32 * (4096 a^7 c^7 - 24 a^2 b^10 c^2 + 240 a^3 b^8 c^3 - 1280 a^4 b^6 c^4 + 3840 a^5 b^4 c^5 - 6144 a^6 b^2 c^6 + a^* b^{12} c))^{(1/2)} * 1i - (((16 A^* b^7 c^2 + 204
\end{aligned}$$

$$\begin{aligned} & ^2a^3b^3c^4 - 96B^2a^3b^5c^2 + 512B^2a^4b^3c^3 + 1024ABa^5c^5 - 768A^2a^4b^5c^5 - 768B^2a^5b^5c^4 + 128ABa^2b^6c^2 - 384ABa^3b^4c^3 - 12ABa^3b^8c) / (32(4096a^7c^7 - 24a^2b^10c^2 + 240a^3b^8c^3 - 1280a^4b^6c^4 + 3840a^5b^4c^5 - 6144a^6b^2c^6 + a^b^{12}c))^{(1/2)} + (((16A^2b^7c^2 + 2048B^2a^4c^5 - 192A^2a^3b^5c^3 - 1024A^2a^3b^5c^5 - 32B^2a^2b^6c^2 + 768A^2a^2b^3c^4 + 384B^2a^2b^4c^3 - 1536B^2a^3b^2c^4) / (8(b^6 - 64a^3c^3 + 48a^2b^2c^2 - 12ab^4c)) + (x*(-(B^2a^2b^9 + B^2a^2*(-(4ac - b^2)^9)^{(1/2)} + A^2b^9c - A^2c*(-(4ac - b^2)^9)^{(1/2)} - 96A^2a^2b^5c^3 + 512A^2a^3b^3c^4 - 96B^2a^3b^5c^2 + 512B^2a^4b^3c^3 + 1024ABa^5c^5 - 768A^2a^4b^5c^5 - 768B^2a^5b^5c^4 + 128ABa^2b^6c^2 - 384ABa^3b^4c^3 - 12ABa^3b^8c) / (32(4096a^7c^7 - 24a^2b^10c^2 + 240a^3b^8c^3 - 1280a^4b^6c^4 + 3840a^5b^4c^5 - 6144a^6b^2c^6 + a^b^{12}c)))^{(1/2)} * (16b^7c^2 - 192a^2b^5c^3 - 1024a^3b^5c^5 + 768a^2b^3c^4) / (2(b^4 + 16a^2c^2 - 8ab^2c))) * (- (B^2a^2b^9 + B^2a^2*(-(4ac - b^2)^9)^{(1/2)} + A^2b^9c - A^2c*(-(4ac - b^2)^9)^{(1/2)} - 96A^2a^2b^5c^3 + 512A^2a^3b^3c^4 - 96B^2a^3b^5c^2 + 512B^2a^4b^3c^3 + 1024ABa^5c^5 - 768A^2a^4b^5c^5 - 768B^2a^5b^5c^4 + 128ABa^2b^6c^2 - 384ABa^3b^4c^3 - 12ABa^3b^8c) / (32(4096a^7c^7 - 24a^2b^10c^2 + 240a^3b^8c^3 - 1280a^4b^6c^4 + 3840a^5b^4c^5 - 6144a^6b^2c^6 + a^b^{12}c)))^{(1/2)} + (x*(B^2b^4c - 8A^2a^2c^4 + 10A^2b^2c^3 + 8B^2a^2c^3 - 6ABb^3c^2 + 2B^2a^2b^2c^2 - 8ABa^2b^3c^3) / (2(b^4 + 16a^2c^2 - 8ab^2c))) * (- (B^2a^2b^9 + B^2a^2*(-(4ac - b^2)^9)^{(1/2)} + A^2b^9c - A^2c*(-(4ac - b^2)^9)^{(1/2)} - 96A^2a^2b^5c^3 + 512A^2a^3b^3c^4 - 96B^2a^3b^5c^2 + 512B^2a^4b^3c^3 + 1024ABa^5c^5 - 768A^2a^4b^5c^5 - 768B^2a^5b^5c^4 + 128ABa^2b^6c^2 - 384ABa^3b^4c^3 - 12ABa^3b^8c) / (32(4096a^7c^7 - 24a^2b^10c^2 + 240a^3b^8c^3 - 1280a^4b^6c^4 + 3840a^5b^4c^5 - 6144a^6b^2c^6 + a^b^{12}c)))^{(1/2)})) * (- (B^2a^2b^9 + B^2a^2*(-(4ac - b^2)^9)^{(1/2)} + A^2b^9c - A^2c*(-(4ac - b^2)^9)^{(1/2)} - 96A^2a^2b^5c^3 + 512A^2a^3b^3c^4 - 96B^2a^3b^5c^2 + 512B^2a^4b^3c^3 + 1024ABa^5c^5 - 768A^2a^4b^5c^5 - 768B^2a^5b^5c^4 + 128ABa^2b^6c^2 - 384ABa^3b^4c^3 - 12ABa^3b^8c) / (32(4096a^7c^7 - 24a^2b^10c^2 + 240a^3b^8c^3 - 1280a^4b^6c^4 + 3840a^5b^4c^5 - 6144a^6b^2c^6 + a^b^{12}c)))^{(1/2)})) * 2i \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(B*x**2+A)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.121 \quad \int \frac{A+Bx^2}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=293

$$\frac{x(cx^2(Ab-2aB)-2aAc-abB+Ab^2)}{2a(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{c} \left(\frac{A(b^2-12ac)+4abB}{\sqrt{b^2-4ac}} - 2aB + Ab \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{c} \left(-\frac{12aAc+4abB}{\sqrt{b^2-4ac}} \right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out] $\frac{1}{2}x(Ab^2 - a^2b - 2a^2c + (Ab - 2a^2B)c)x^2/a/(-4ac + b^2)/(cx^4 + bx^2 + a) + \frac{1}{4} \arctan(x^{1/2}c^{1/2}/(b - (-4ac + b^2)^{1/2}))^{1/2}c^{1/2}(Ab - 2a^2B + (4abB + A(-12ac + b^2))/(-4ac + b^2)^{1/2})/a/(-4ac + b^2)^{1/2}/(b - (-4ac + b^2)^{1/2})^{1/2} + \frac{1}{4} \arctan(x^{1/2}c^{1/2}/(b + (-4ac + b^2)^{1/2}))^{1/2}c^{1/2}(Ab - 2a^2B + (12aAc - Ab^2 - 4a^2B)c)/(-4ac + b^2)^{1/2})/a/(-4ac + b^2)^{1/2}/(b + (-4ac + b^2)^{1/2})^{1/2}$

Rubi [A] time = 0.85, antiderivative size = 293, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1178, 1166, 205}

$$\frac{x(cx^2(Ab-2aB)-2aAc-abB+Ab^2)}{2a(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{c} \left(\frac{A(b^2-12ac)+4abB}{\sqrt{b^2-4ac}} - 2aB + Ab \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{c} \left(-\frac{12aAc+4abB}{\sqrt{b^2-4ac}} \right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a + b*x^2 + c*x^4)^2,x]

[Out] $(x(Ab^2 - a^2b - 2a^2c + (Ab - 2a^2B)c)x^2)/(2a(b^2 - 4ac)(a + bx^2 + cx^4)) + (\text{Sqrt}[c](Ab - 2a^2B + (4abB + A(b^2 - 12ac))/\text{Sqrt}[b^2 - 4ac])\text{ArcTan}[(\text{Sqrt}[2]\text{Sqrt}[c]x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4ac]])]/(2*\text{Sqrt}[2]*a*(b^2 - 4ac)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4ac]]) + (\text{Sqrt}[c](Ab - 2a^2B - (Ab^2 + 4abB - 12a^2c))/\text{Sqrt}[b^2 - 4ac])\text{ArcTan}[(\text{Sqrt}[2]\text{Sqrt}[c]x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4ac]])]/(2*\text{Sqrt}[2]*a*(b^2 - 4ac)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4ac]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] :> Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{(a + bx^2 + cx^4)^2} dx &= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\int \frac{-Ab^2 - abB + 6aAc - (Ab - 2aB)cx^2}{a + bx^2 + cx^4} dx}{2a(b^2 - 4ac)} \\ &= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(c(Ab - 2aB - \frac{Ab^2 + 4abB - 12aAc}{\sqrt{b^2 - 4ac}})\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac}}}{4a(b^2 - 4ac)} \\ &= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c} \left(2aB(2b - \sqrt{b^2 - 4ac}) + A(b^2 - 12ac)\right)}{2\sqrt{2}a(b^2 - 4ac)^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.79, size = 304, normalized size = 1.04

$$\frac{2x(A(-2ac + b^2 + bcx^2) - aB(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c} \left(A(b\sqrt{b^2 - 4ac} - 12ac + b^2) - 2aB(\sqrt{b^2 - 4ac} - 2b) \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{2}\sqrt{c} \left(A(b\sqrt{b^2 - 4ac} + 12ac) - aB(b + 2cx^2) \right)}{(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

$4a$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(a + b*x^2 + c*x^4)^2, x]

```
[Out] ((2*x*(-(a*B*(b + 2*c*x^2)) + A*(b^2 - 2*a*c + b*c*x^2)))/((b^2 - 4*a*c)*(a
+ b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(-2*a*B*(-2*b + Sqrt[b^2 - 4*a*c]) +
A*(b^2 - 12*a*c + b*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b -
Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (
Sqrt[2]*Sqrt[c]*(-2*a*B*(2*b + Sqrt[b^2 - 4*a*c]) + A*(-b^2 + 12*a*c + b*Sq
rt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/
((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]])/(4*a)
```

fricas [B] time = 3.33, size = 4885, normalized size = 16.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] -1/4*(2*(2*B*a - A*b)*c*x^3 - sqrt(1/2)*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^
2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*sqrt(-(B^2*a^2*b^3 + 2*A*B*a*b^4 + A
^2*b^5 - 12*(4*A*B*a^3 - 5*A^2*a^2*b)*c^2 + 3*(4*B^2*a^3*b - 4*A*B*a^2*b^2
- 5*A^2*a*b^3)*c + (a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3)*s
qrt((B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 + 4*A^3*B*a*b^3 + A^4*b^4
+ 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^6
- 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))/(a^3*b^6 - 12*a^4*b^4*c +
48*a^5*b^2*c^2 - 64*a^6*c^3))*log((324*A^4*a^2*c^4 - 81*(4*A^3*B*a^2*b + A
^4*a*b^2)*c^3 - (4*B^4*a^4 - 20*A*B^3*a^3*b - 84*A^2*B^2*a^2*b^2 - 65*A^3*B*
a*b^3 - 5*A^4*b^4)*c^2 - 3*(B^4*a^3*b^2 + 3*A*B^3*a^2*b^3 + 3*A^2*B^2*a*b^4
+ A^3*B*b^5)*c)*x + 1/2*sqrt(1/2)*(B^3*a^3*b^5 + 3*A*B^2*a^2*b^6 + 3*A^2*B
*a*b^7 + A^3*b^8 + 864*A^3*a^4*c^4 - 48*(2*A*B^2*a^5 + 7*A^2*B*a^4*b + 14*A
^3*a^3*b^2)*c^3 + 2*(8*B^3*a^5*b + 48*A*B^2*a^4*b^2 + 108*A^2*B*a^3*b^3 + 9
5*A^3*a^2*b^4)*c^2 - (8*B^3*a^4*b^3 + 30*A*B^2*a^3*b^4 + 45*A^2*B*a^2*b^5 +
23*A^3*a*b^6)*c - (B*a^4*b^8 + A*a^3*b^9 + 144*A*a^5*b^5*c^2 - 256*(B*a^8
- 2*A*a^7*b)*c^4 + 64*(2*B*a^7*b^2 - 7*A*a^6*b^3)*c^3 - 4*(2*B*a^5*b^6 + 5*
A*a^4*b^7)*c)*sqrt((B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 + 4*A^3*B*a
*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b
^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3))*sqrt(-(B^2*
a^2*b^3 + 2*A*B*a*b^4 + A^2*b^5 - 12*(4*A*B*a^3 - 5*A^2*a^2*b)*c^2 + 3*(4*B
^2*a^3*b - 4*A*B*a^2*b^2 - 5*A^2*a*b^3)*c + (a^3*b^6 - 12*a^4*b^4*c + 48*a
^5*b^2*c^2 - 64*a^6*c^3)*sqrt((B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 +
4*A^3*B*a*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b
+ A^4*a*b^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))/(
a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3)) + sqrt(1/2)*((a*b^2
*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*sqrt(-(B
^2*a^2*b^3 + 2*A*B*a*b^4 + A^2*b^5 - 12*(4*A*B*a^3 - 5*A^2*a^2*b)*c^2 + 3*(
4*B^2*a^3*b - 4*A*B*a^2*b^2 - 5*A^2*a*b^3)*c + (a^3*b^6 - 12*a^4*b^4*c + 48
*a^5*b^2*c^2 - 64*a^6*c^3)*sqrt((B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^
2 + 4*A^3*B*a*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^

```


$$\begin{aligned}
& 2*b + A^4*a*b^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)) \\
&)/(a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3))*\log((324*A^4*a^2*c^4 - 81*(4*A^3*B*a^2*b + A^4*a*b^2)*c^3 - (4*B^4*a^4 - 20*A*B^3*a^3*b - 84 \\
& *A^2*B^2*a^2*b^2 - 65*A^3*B*a*b^3 - 5*A^4*b^4)*c^2 - 3*(B^4*a^3*b^2 + 3*A*B^3*a^2*b^3 + 3*A^2*B^2*a*b^4 + A^3*B*b^5)*c)*x - 1/2*\sqrt{1/2)*(B^3*a^3*b^5 \\
& + 3*A*B^2*a^2*b^6 + 3*A^2*B*a*b^7 + A^3*b^8 + 864*A^3*a^4*c^4 - 48*(2*A*B^2*a^5 + 7*A^2*B*a^4*b + 14*A^3*a^3*b^2)*c^3 + 2*(8*B^3*a^5*b + 48*A*B^2*a^4 \\
& *b^2 + 108*A^2*B*a^3*b^3 + 95*A^3*a^2*b^4)*c^2 - (8*B^3*a^4*b^3 + 30*A*B^2*a^3*b^4 + 45*A^2*B*a^2*b^5 + 23*A^3*a*b^6)*c - (B*a^4*b^8 + A*a^3*b^9 + 144 \\
& *A*a^5*b^5*c^2 - 256*(B*a^8 - 2*A*a^7*b)*c^4 + 64*(2*B*a^7*b^2 - 7*A*a^6*b^3)*c^3 - 4*(2*B*a^5*b^6 + 5*A*a^4*b^7)*c)*\sqrt{(B^4*a^4 + 4*A*B^3*a^3*b + 6 \\
& *A^2*B^2*a^2*b^2 + 4*A^3*B*a*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 \\
& - 64*a^9*c^3))*\sqrt{-(B^2*a^2*b^3 + 2*A*B*a*b^4 + A^2*b^5 - 12*(4*A*B*a^3 - 5*A^2*a^2*b)*c^2 + 3*(4*B^2*a^3*b - 4*A*B*a^2*b^2 - 5*A^2*a*b^3)*c + (a^ \\
& 3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3))*\sqrt{(B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 + 4*A^3*B*a*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18* \\
& (A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))/(a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^ \\
& 6*c^3))) - \sqrt{1/2}*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*\sqrt{-(B^2*a^2*b^3 + 2*A*B*a*b^4 + A^2*b^5 - 12*(4*A*B* \\
& a^3 - 5*A^2*a^2*b)*c^2 + 3*(4*B^2*a^3*b - 4*A*B*a^2*b^2 - 5*A^2*a*b^3)*c - (a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3))*\sqrt{(B^4*a^4 + 4*A* \\
& B^3*a^3*b + 6*A^2*B^2*a^2*b^2 + 4*A^3*B*a*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 4 \\
& 8*a^8*b^2*c^2 - 64*a^9*c^3)))/(a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3))*\log((324*A^4*a^2*c^4 - 81*(4*A^3*B*a^2*b + A^4*a*b^2)*c^3 - (4*B \\
& ^4*a^4 - 20*A*B^3*a^3*b - 84*A^2*B^2*a^2*b^2 - 65*A^3*B*a*b^3 - 5*A^4*b^4)*c^2 - 3*(B^4*a^3*b^2 + 3*A*B^3*a^2*b^3 + 3*A^2*B^2*a*b^4 + A^3*B*b^5)*c)*x \\
& + 1/2*\sqrt{1/2)*(B^3*a^3*b^5 + 3*A*B^2*a^2*b^6 + 3*A^2*B*a*b^7 + A^3*b^8 + 864*A^3*a^4*c^4 - 48*(2*A*B^2*a^5 + 7*A^2*B*a^4*b + 14*A^3*a^3*b^2)*c^3 + 2 \\
& *(8*B^3*a^5*b + 48*A*B^2*a^4*b^2 + 108*A^2*B*a^3*b^3 + 95*A^3*a^2*b^4)*c^2 - (8*B^3*a^4*b^3 + 30*A*B^2*a^3*b^4 + 45*A^2*B*a^2*b^5 + 23*A^3*a*b^6)*c + \\
& (B*a^4*b^8 + A*a^3*b^9 + 144*A*a^5*b^5*c^2 - 256*(B*a^8 - 2*A*a^7*b)*c^4 + 64*(2*B*a^7*b^2 - 7*A*a^6*b^3)*c^3 - 4*(2*B*a^5*b^6 + 5*A*a^4*b^7)*c)*\sqrt{(\\
& B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 + 4*A^3*B*a*b^3 + A^4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^6 - 1 \\
& 2*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3))*\sqrt{-(B^2*a^2*b^3 + 2*A*B*a*b^4 + A^2*b^5 - 12*(4*A*B*a^3 - 5*A^2*a^2*b)*c^2 + 3*(4*B^2*a^3*b - 4*A*B*a^ \\
& 2*b^2 - 5*A^2*a*b^3)*c - (a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3))*\sqrt{(B^4*a^4 + 4*A*B^3*a^3*b + 6*A^2*B^2*a^2*b^2 + 4*A^3*B*a*b^3 + A^ \\
& 4*b^4 + 81*A^4*a^2*c^2 - 18*(A^2*B^2*a^3 + 2*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)))/(a^3*b^6 - 12*a^4*b^ \\
& 4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3))) + \sqrt{1/2}*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2)*\sqrt{-(B^2*a^2*b^3 + 2*A*B*
\end{aligned}$$

$$\begin{aligned}
& a^2 b^4 + A^2 b^5 - 12(4ABa^3 - 5A^2 a^2 b) c^2 + 3(4B^2 a^3 b - 4AB \\
& a^2 b^2 - 5A^2 a b^3) c - (a^3 b^6 - 12a^4 b^4 c + 48a^5 b^2 c^2 - 64a^6 c^3) \sqrt{(B^4 a^4 + 4AB^3 a^3 b + 6A^2 B^2 a^2 b^2 + 4A^3 B a b^3 + \\
& A^4 b^4 + 81A^4 a^2 c^2 - 18(A^2 B^2 a^3 + 2A^3 B a^2 b + A^4 a b^2) c) \\
& / (a^6 b^6 - 12a^7 b^4 c + 48a^8 b^2 c^2 - 64a^9 c^3) / (a^3 b^6 - 12a^4 \\
& b^4 c + 48a^5 b^2 c^2 - 64a^6 c^3) * \log((324A^4 a^2 c^4 - 81(4A^3 B a^2 \\
& b + A^4 a b^2) c^3 - (4B^4 a^4 - 20AB^3 a^3 b - 84A^2 B^2 a^2 b^2 - \\
& 65A^3 B a b^3 - 5A^4 b^4) c^2 - 3(B^4 a^3 b^2 + 3AB^3 a^2 b^3 + 3A^2 B^2 \\
& B^2 a b^4 + A^3 B b^5) c) * x - 1/2 \sqrt{1/2} (B^3 a^3 b^5 + 3AB^2 a^2 b^6 \\
& + 3A^2 B a b^7 + A^3 b^8 + 864A^3 a^4 c^4 - 48(2AB^2 a^5 + 7A^2 B a^4 \\
& b + 14A^3 a^3 b^2) c^3 + 2(8B^3 a^5 b + 48AB^2 a^4 b^2 + 108A^2 B a^3 \\
& b^3 + 95A^3 a^2 b^4) c^2 - (8B^3 a^4 b^3 + 30AB^2 a^3 b^4 + 45A^2 B a^2 \\
& b^5 + 23A^3 a b^6) c + (B a^4 b^8 + A a^3 b^9 + 144A a^5 b^5 c^2 - 25 \\
& 6(B a^8 - 2A a^7 b) c^4 + 64(2B a^7 b^2 - 7A a^6 b^3) c^3 - 4(2B a^5 \\
& b^6 + 5A a^4 b^7) c) \sqrt{(B^4 a^4 + 4AB^3 a^3 b + 6A^2 B^2 a^2 b^2 + \\
& 4A^3 B a b^3 + A^4 b^4 + 81A^4 a^2 c^2 - 18(A^2 B^2 a^3 + 2A^3 B a^2 b \\
& + A^4 a b^2) c) / (a^6 b^6 - 12a^7 b^4 c + 48a^8 b^2 c^2 - 64a^9 c^3) * \sqrt{-} \\
& (B^2 a^2 b^3 + 2AB a b^4 + A^2 b^5 - 12(4AB a^3 - 5A^2 a^2 b) c^2 \\
& + 3(4B^2 a^3 b - 4AB a^2 b^2 - 5A^2 a b^3) c - (a^3 b^6 - 12a^4 b^4 c \\
& + 48a^5 b^2 c^2 - 64a^6 c^3) \sqrt{(B^4 a^4 + 4AB^3 a^3 b + 6A^2 B^2 a^2 b^2 + \\
& 4A^3 B a b^3 + A^4 b^4 + 81A^4 a^2 c^2 - 18(A^2 B^2 a^3 + 2A^3 B a^2 b \\
& + A^4 a b^2) c) / (a^6 b^6 - 12a^7 b^4 c + 48a^8 b^2 c^2 - 64a^9 c^3) \\
& + 2(B a b^3 - A b^2 + 2A a c) * x / ((a b^2 c - 4a^2 c^2) * x^4 + a^2 b^2 - 4a^3 c + (a \\
& b^3 - 4a^2 b c) * x^2)
\end{aligned}$$

giac [B] time = 5.96, size = 4426, normalized size = 15.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned}
& -1/2(2B a c x^3 - A b c x^3 + B a b x - A b^2 x + 2A a c x) / ((c x^4 + b x^2 + a) (a b^2 - 4a^2 c)) + 1/16((2b^3 c^2 - 8a b c^3 - \sqrt{2} \sqrt{b^2 - 4a c}) \sqrt{b c + \sqrt{b^2 - 4a c}} * b^3 + 4 \sqrt{2} \sqrt{b^2 - 4a c} \sqrt{b c + \sqrt{b^2 - 4a c}} * a b c + 2 \sqrt{2} \sqrt{b^2 - 4a c} \sqrt{b c + \sqrt{b^2 - 4a c}} * b^2 c - \sqrt{2} \sqrt{b^2 - 4a c} \sqrt{b c + \sqrt{b^2 - 4a c}} * b c^2 - 2(b^2 - 4a c) b c^2) (a b^2 - 4a^2 c)^2 A - 2(2a b^2 c^2 - 8a^2 c^3 - \sqrt{2} \sqrt{b^2 - 4a c}) \sqrt{b c + \sqrt{b^2 - 4a c}} * a b^2 + 4 \sqrt{2} \sqrt{b^2 - 4a c} \sqrt{b c + \sqrt{b^2 - 4a c}} * a^2 c + 2 \sqrt{2} \sqrt{b^2 - 4a c} \sqrt{b c + \sqrt{b^2 - 4a c}} * a b c - \sqrt{2} \sqrt{b^2 - 4a c} \sqrt{b c + \sqrt{b^2 - 4a c}} * a c^2 - 2(b^2 - 4a c) a c^2) (a b^2 - 4a^2 c)^2 B + 2(\sqrt{2} \sqrt{b c + \sqrt{b^2 - 4a c}} * a b^6 - 14 \sqrt{2} \sqrt{b c + \sqrt{b^2 - 4a c}} * a^2 b^4 c - 2
\end{aligned}$$

$$\begin{aligned}
& * \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a*b^5*c - 2*a*b^6*c + 64*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^2*c^2 + 20*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^3*c^2 + \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a*b^4*c^2 + 28*a^2*b^4*c^2 - 96*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*c^3 - 4 \\
& 8*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b*c^3 - 10*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^2*c^3 - 128*a^3*b^2*c^3 + 24*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*c^4 + 192*a^4*c^4 + 2*(b^2 - 4*a*c) * a*b^4*c - 20 * \\
& (b^2 - 4*a*c) * a^2*b^2*c^2 + 48*(b^2 - 4*a*c) * a^3*c^3) * A * \text{abs}(a*b^2 - 4*a^2*c) + 2*(\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^5 - 8*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^3*c - 2*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^4*c - 2*a^2*b^5*c + 16*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4 * \\
& b*c^2 + 8*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^2*c^2 + \sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^3*c^2 + 16*a^3*b^3*c^2 - 4*\sqrt{2} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b*c^3 - 32*a^4*b*c^3 + 2*(b^2 - 4*a*c) * a^2 * \\
& b^3*c - 8*(b^2 - 4*a*c) * a^3*b*c^2) * B * \text{abs}(a*b^2 - 4*a^2*c) + (2*a^2*b^7*c^2 - 40*a^3*b^5*c^3 + 224*a^4*b^3*c^4 - 384*a^5*b*c^5 - \sqrt{2} * \sqrt{b^2 - 4*a * \\
& c}) * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^7 + 20*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^5*c + 2*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^6*c - 112*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*b^3*c^2 - 32*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^4*c^2 - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^2*b^5*c^2 + 192*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^5*b*c^3 + 96*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*b^2*c^3 + 16*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^3*c^3 - 48*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*b*c^4 - 2*(b^2 - 4*a*c) * a^2*b^5*c^2 + 32*(b^2 - 4*a*c) * a^3*b^3*c^3 - 96*(b^2 - 4*a*c) * a^4*b*c^4) * A + 4*(2*a^3*b^6*c^2 - 16 * \\
& a^4*b^4*c^3 + 32*a^5*b^2*c^4 - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^6 + 8*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*b^4*c + 2*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^5*c - 16*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^5*b^2*c^2 - 8*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*b^3*c^2 - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^3*b^4*c^2 + 4*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * c) * a^4*b^2*c^3 - 2*(b^2 - 4*a*c) * a^3*b^4*c^2 + 8*(b^2 - 4*a*c) * a^4*b^2*c^3) * B) * \arctan(2*\sqrt{1/2} * x / \sqrt{((a*b^3 - 4*a^2*b*c + \sqrt{(a*b^3 - 4*a^2*b*c)^2 - 4*(a^2*b^2 - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2))}) / (a*b^2*c - 4*a^2*c^2)}) / ((a^3*b^6 - 12*a^4*b^4*c - 2*a^3*b^5*c + 48*a^5*b^2*c^2 + 16*a^4*b^3*c^2 + a^3 * \\
& b^4*c^2 - 64*a^6*c^3 - 32*a^5*b*c^3 - 8*a^4*b^2*c^3 + 16*a^5*c^4) * \text{abs}(a*b^2 - 4*a^2*c) * \text{abs}(c)) - 1/16*((2*b^3*c^2 - 8*a*b*c^3 - \sqrt{2} * \sqrt{b^2 - 4*a * \\
& c}) * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} * c) * b^3 + 4*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} * c) * a*b*c + 2*\sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} * c) * b^2*c - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} * c) * b*c^2 - 2*(b^2 - 4*a*c) * b*c^2) * (a*b^2 - 4*a^2*c)^2 * A - 2*(2*a*b ^2 * c^2 - 8*a^2*c^3 - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}})
\end{aligned}$$

$$\begin{aligned}
& *c)*a*b^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2 \\
& *c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b*c - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*c^2 - 2*(b^2 - 4* \\
& a*c)*a*c^2)*(a*b^2 - 4*a^2*c)^2*B - 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a*b^6 - 14*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^2*b^4*c - 2*\sqrt{2} \\
&)*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a*b^5*c + 2*a*b^6*c + 64*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*b^2*c^2 + 20*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a* \\
& c})*c})*a^2*b^3*c^2 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a*b^4*c^2 - 28* \\
& a^2*b^4*c^2 - 96*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^4*c^3 - 48*\sqrt{2} \\
&)*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*b*c^3 - 10*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^2*b^2*c^3 + 128*a^3*b^2*c^3 + 24*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*c^4 - 192*a^4*c^4 - 2*(b^2 - 4*a*c)*a*b^4*c + 20*(b^2 - \\
& 4*a*c)*a^2*b^2*c^2 - 48*(b^2 - 4*a*c)*a^3*c^3)*A*\text{abs}(a*b^2 - 4*a^2*c) - 2*(\\
& \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^2*b^5 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*b^3*c - 2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^2* \\
& b^4*c + 2*a^2*b^5*c + 16*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^4*b*c^2 \\
& + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*b^2*c^2 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^2*b^3*c^2 - 16*a^3*b^3*c^2 - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*b*c^3 + 32*a^4*b*c^3 - 2*(b^2 - 4*a*c)*a^2*b^3*c + \\
& 8*(b^2 - 4*a*c)*a^3*b*c^2)*B*\text{abs}(a*b^2 - 4*a^2*c) + (2*a^2*b^7*c^2 - 40*a^ \\
& 3*b^5*c^3 + 224*a^4*b^3*c^4 - 384*a^5*b*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& t(b*c - \sqrt{b^2 - 4*a*c})*c})*a^2*b^7 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b* \\
& c - \sqrt{b^2 - 4*a*c})*c})*a^3*b^5*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \\
& \sqrt{b^2 - 4*a*c})*c})*a^2*b^6*c - 112*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \\
& \sqrt{b^2 - 4*a*c})*c})*a^4*b^3*c^2 - 32*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \\
& \sqrt{b^2 - 4*a*c})*c})*a^3*b^4*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& t(b^2 - 4*a*c})*c})*a^2*b^5*c^2 + 192*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& t(b^2 - 4*a*c})*c})*a^5*b*c^3 + 96*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& t(b^2 - 4*a*c})*c})*a^4*b^2*c^3 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& t(b^2 - 4*a*c})*c})*a^3*b^3*c^3 - 48*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& t(b^2 - 4*a*c})*c})*a^4*b*c^4 - 2*(b^2 - 4*a*c)*a^2*b^5*c^2 + 32*(b^2 - 4*a*c) \\
& *a^3*b^3*c^3 - 96*(b^2 - 4*a*c)*a^4*b*c^4)*A + 4*(2*a^3*b^6*c^2 - 16*a^4*b^ \\
& 4*c^3 + 32*a^5*b^2*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4* \\
& a*c})*c})*a^3*b^6 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})* \\
& c})*a^4*b^4*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})* \\
& a^3*b^5*c - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^ \\
& 5*b^2*c^2 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^4 \\
& *b^3*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^3*b^ \\
& 4*c^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c})*a^4*b^2 \\
& *c^3 - 2*(b^2 - 4*a*c)*a^3*b^4*c^2 + 8*(b^2 - 4*a*c)*a^4*b^2*c^3)*B)*\arctan \\
& (2*\sqrt{1/2}*x/\sqrt{((a*b^3 - 4*a^2*b*c - \sqrt{((a*b^3 - 4*a^2*b*c)^2 - 4*(a^ \\
& 2*b^2 - 4*a^3*c)*(a*b^2*c - 4*a^2*c^2)))/(a*b^2*c - 4*a^2*c^2)))/((a^3*b^6 \\
& - 12*a^4*b^4*c - 2*a^3*b^5*c + 48*a^5*b^2*c^2 + 16*a^4*b^3*c^2 + a^3*b^4*c^ \\
& 2 - 64*a^6*c^3 - 32*a^5*b*c^3 - 8*a^4*b^2*c^3 + 16*a^5*c^4)*\text{abs}(a*b^2 - 4*a \\
& ^2*c)*\text{abs}(c))
\end{aligned}$$

maple [B] time = 0.11, size = 1761, normalized size = 6.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*x^2+A)/(c*x^4+b*x^2+a)^2, x)$

[Out] $\frac{1}{4} \frac{1}{(4ac-b^2)} (-4ac+b^2)^{1/2} \frac{1}{ax} \frac{1}{(x^2+1/2(-4ac+b^2))^{1/2}} \frac{1}{c+1/2b/c} \frac{1}{c} A - \frac{1}{4} \frac{1}{(4ac-b^2)} \frac{1}{ax} \frac{1}{(x^2+1/2(-4ac+b^2))^{1/2}} \frac{1}{c+1/2b/c} B - 12c^3 \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ax - 8c^2 \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^2 + \frac{3}{4} \frac{1}{c} \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^4 - c^2 \frac{1}{(4ac-b^2)} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^3 + 2c^2 \frac{1}{(4ac-b^2)} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} B + \frac{3}{2} \frac{1}{c} \frac{1}{(4ac-b^2)} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} B^2 + 4c^2 \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \arctan\left(\frac{2^{1/2}}{((b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} B^3 - \frac{1}{4} \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{ax} \frac{1}{(x^2+1/2b/c-1/2(-4ac+b^2))^{1/2}} \frac{1}{c} A - \frac{1}{4} \frac{1}{(4ac-b^2)} \frac{1}{ax} \frac{1}{(x^2+1/2b/c-1/2(-4ac+b^2))^{1/2}} \frac{1}{c} Ab + \frac{1}{2} \frac{1}{(4ac-b^2)} \frac{1}{ax} \frac{1}{(x^2+1/2b/c-1/2(-4ac+b^2))^{1/2}} \frac{1}{c} B - 12c^3 \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} A - 8c^2 \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^2 + \frac{3}{4} \frac{1}{c} \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^4 + c^2 \frac{1}{(4ac-b^2)} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^3 + \frac{3}{4} \frac{1}{c} \frac{1}{(4ac-b^2)} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} Ab^3 - 2c^2 \frac{1}{(4ac-b^2)} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} B - \frac{3}{2} \frac{1}{c} \frac{1}{(4ac-b^2)} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} B^2 + 4c^2 \frac{1}{(4ac-b^2)} \frac{1}{(-4ac+b^2)^{1/2}} \frac{1}{a} \frac{1}{(4ac+3b^2)^2} \frac{1}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \operatorname{arctanh}\left(\frac{2^{1/2}}{((-b+(-4ac+b^2))^{1/2})^2} \frac{1}{c} \right) \frac{1}{c} B^3$

*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*B+3*c/(4*a*c-b^2)
 /(-4*a*c+b^2)^(1/2)/(4*a*c+3*b^2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)
 *arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*B*b^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(2Ba - Ab)cx^3 + (Bab - Ab^2 + 2Aac)x}{2((ab^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2bc)x^2)} + \frac{-\int \frac{(2Ba - Ab)cx^2 - Bab - Ab^2 + 6Aac}{cx^4 + bx^2 + a} dx}{2(ab^2 - 4a^2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] -1/2*((2*B*a - A*b)*c*x^3 + (B*a*b - A*b^2 + 2*A*a*c)*x)/((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + (a*b^3 - 4*a^2*b*c)*x^2) + 1/2*integrate(-((2*B*a - A*b)*c*x^2 - B*a*b - A*b^2 + 6*A*a*c)/(c*x^4 + b*x^2 + a), x)/(a*b^2 - 4*a^2*c)

mupad [B] time = 4.84, size = 12349, normalized size = 42.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(a + b*x^2 + c*x^4)^2,x)

[Out] atan((((6144*A*a^5*c^6 + 16*A*a*b^8*c^2 - 1024*B*a^5*b*c^5 - 288*A*a^2*b^6*c^3 + 1920*A*a^3*b^4*c^4 - 5632*A*a^4*b^2*c^5 + 16*B*a^2*b^7*c^2 - 192*B*a^3*b^5*c^3 + 768*B*a^4*b^3*c^4)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 4*8*a^4*b^2*c^2)) - (x*(-(A^2*b^11 + B^2*a^2*b^9 + A^2*b^2*(-(4*a*c - b^2)^9)^(1/2) + B^2*a^2*(-(4*a*c - b^2)^9)^(1/2) + 2*A*B*a*b^10 + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 51*2*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^2)^9)^(1/2) - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2)^9)^(1/2) - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))))^(1/2)*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4)/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(A^2*b^11 + B^2*a^2*b^9 + A^2*b^2*(-(4*a*c - b^2)^9)^(1/2) + B^2*a^2*(-(4*a*c - b^2)^9)^(1/2) + 2*A*B*a*b^10 + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 51*2*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^2)^9)^(1/2) - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2)^9)^(1/2) - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))))^(1/2)

$$\begin{aligned}
& *b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} + (x*(72*A^2*a^2*c^5 + A^2*b^4*c^3 - 8 \\
& *B^2*a^3*c^4 + 10*B^2*a^2*b^2*c^3 - 14*A^2*a*b^2*c^4 + 2*A*B*a*b^3*c^3 - 40 \\
& *A*B*a^2*b*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(A^2*b^11 + B^ \\
& 2*a^2*b^9 + A^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} + 2*A*B*a*b^10 + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2 \\
& *a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 \\
& - 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 \\
& - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B* \\
& a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a \\
& ^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 \\
& + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*1i - (((6144*A*a^5*c^6 + 16 \\
& *A*a*b^8*c^2 - 1024*B*a^5*b*c^5 - 288*A*a^2*b^6*c^3 + 1920*A*a^3*b^4*c^4 - \\
& 5632*A*a^4*b^2*c^5 + 16*B*a^2*b^7*c^2 - 192*B*a^3*b^5*c^3 + 768*B*a^4*b^3*c \\
& ^4)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) + (x*(-(A^2* \\
& b^11 + B^2*a^2*b^9 + A^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(-(4*a*c - \\
& b^2)^9)^{(1/2)} + 2*A*B*a*b^10 + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + \\
& 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B \\
& *a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a \\
& ^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - \\
& 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8* \\
& c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^ \\
& 6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*(1024*a^5*b*c^5 - \\
& 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c \\
& ^2 - 8*a^3*b^2*c)))*(-(A^2*b^11 + B^2*a^2*b^9 + A^2*b^2*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} + B^2*a^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^10 + 288*A^2*a^2*b^7*c \\
& ^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512 \\
& *B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c \\
& ^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c \\
& + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5) \\
&))^{(1/2)} - (x*(72*A^2*a^2*c^5 + A^2*b^4*c^3 - 8*B^2*a^3*c^4 + 10*B^2*a^2*b^ \\
& 2*c^3 - 14*A^2*a*b^2*c^4 + 2*A*B*a*b^3*c^3 - 40*A*B*a^2*b*c^4))/(2*(a^2*b^4 \\
& + 16*a^4*c^2 - 8*a^3*b^2*c)))*(-(A^2*b^11 + B^2*a^2*b^9 + A^2*b^2*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + B^2*a^2*(-(4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^10 + 288*A^ \\
& 2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^ \\
& 5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A* \\
& B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4 \\
& *a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24* \\
& a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a \\
& ^8*b^2*c^5))^{(1/2)}*1i)/((((6144*A*a^5*c^6 + 16*A*a*b^8*c^2 - 1024*B*a^5*b \\
& c^5 - 288*A*a^2*b^6*c^3 + 1920*A*a^3*b^4*c^4 - 5632*A*a^4*b^2*c^5 + 16*B*a^ \\
& 2*b^7*c^2 - 192*B*a^3*b^5*c^3 + 768*B*a^4*b^3*c^4)/(8*(a^2*b^6 - 64*a^5*c^3 \\
& - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*(-(A^2*b^11 + B^2*a^2*b^9 + A^2*b^2
\end{aligned}$$

$$\begin{aligned}
& *(- (4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^{10} \\
& + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - \\
& 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B \\
& *a*b*(- (4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 \\
& - 6144*a^8*b^2*c^5))^{(1/2)}*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4)/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(- (A^2*b^{11} + B^2*a^2*b^9 + A^2*b^2*(- (4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^{10} + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + \\
& 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1 \\
& 536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} + (x*(72*A^2*a^2*c^5 + A^2*b^4*c^3 - 8*B^2*a^3*c^4 + 10*B^2*a^2*b^2*c^3 - 14*A^2*a*b^2*c^4 + 2 \\
& *A*B*a*b^3*c^3 - 40*A*B*a^2*b*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(- (A^2*b^{11} + B^2*a^2*b^9 + A^2*b^2*(- (4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^{10} + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 \\
& + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} - 36*A \\
& B*a^2*b^8*c)/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)} + (((614 \\
& 4*A*a^5*c^6 + 16*A*a*b^8*c^2 - 1024*B*a^5*b*c^5 - 288*A*a^2*b^6*c^3 + 1920* \\
& A*a^3*b^4*c^4 - 5632*A*a^4*b^2*c^5 + 16*B*a^2*b^7*c^2 - 192*B*a^3*b^5*c^3 + \\
& 768*B*a^4*b^3*c^4)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) + (x*(- (A^2*b^{11} + B^2*a^2*b^9 + A^2*b^2*(- (4*a*c - b^2)^9)^{(1/2)} + B^2 \\
& *a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^{10} + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A \\
& B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^{12} + 4096*a^9*c^6 - 24*a^4*b^{10}*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5))^{(1/2)}*(1 \\
& 024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*(- (A^2*b^{11} + B^2*a^2*b^9 + A^2*b^2*(- (4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^{10} + 2 \\
& 88*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c^4 + 1 \\
& 92*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b
\end{aligned}$$

$$\begin{aligned}
& *(- (4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 \\
& - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6 \\
& 144*a^8*b^2*c^5)))^{(1/2)} - (x*(72*A^2*a^2*c^5 + A^2*b^4*c^3 - 8*B^2*a^3*c^4 \\
& + 10*B^2*a^2*b^2*c^3 - 14*A^2*a*b^2*c^4 + 2*A*B*a*b^3*c^3 - 40*A*B*a^2*b*c \\
& ^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))) * (- (A^2*b^11 + B^2*a^2*b^9 + \\
& A^2*b^2*(- (4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B \\
& *a*b^10 + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 \\
& - 96*B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b \\
& ^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^ \\
& 6*b*c^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 \\
& + 2*A*B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 40 \\
& 96*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7* \\
& b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} + (5*A^3*b^3*c^4 + 8*B^3*a^3*c^4 + 6*B^ \\
& 3*a^2*b^2*c^3 - 36*A^3*a*b*c^5 + 72*A^2*B*a^2*c^5 - 3*A^2*B*b^4*c^3 + 3*A*B \\
& ^2*a*b^3*c^3 - 60*A*B^2*a^2*b*c^4 + 18*A^2*B*a*b^2*c^4)/(4*(a^2*b^6 - 64*a^ \\
& 5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2))) * (- (A^2*b^11 + B^2*a^2*b^9 + A^2*b \\
& ^2*(- (4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} + 2*A*B*a*b^ \\
& 10 + 288*A^2*a^2*b^7*c^2 - 1504*A^2*a^3*b^5*c^3 + 3840*A^2*a^4*b^3*c^4 - 96 \\
& *B^2*a^4*b^5*c^2 + 512*B^2*a^5*b^3*c^3 + 3072*A*B*a^6*c^5 - 27*A^2*a*b^9*c \\
& - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} - 3840*A^2*a^5*b*c^5 - 768*B^2*a^6*b*c \\
& ^4 + 192*A*B*a^3*b^6*c^2 - 128*A*B*a^4*b^4*c^3 - 1536*A*B*a^5*b^2*c^4 + 2*A \\
& *B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} - 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^ \\
& 9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c \\
& ^4 - 6144*a^8*b^2*c^5)))^{(1/2)} * 2i + \operatorname{atan}((((6144*A*a^5*c^6 + 16*A*a*b^8*c^ \\
& 2 - 1024*B*a^5*b*c^5 - 288*A*a^2*b^6*c^3 + 1920*A*a^3*b^4*c^4 - 5632*A*a^4* \\
& b^2*c^5 + 16*B*a^2*b^7*c^2 - 192*B*a^3*b^5*c^3 + 768*B*a^4*b^3*c^4)/(8*(a^2 \\
& *b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*((A^2*b^2*(- (4*a*c \\
& - b^2)^9)^{(1/2)} - B^2*a^2*b^9 - A^2*b^11 + B^2*a^2*(- (4*a*c - b^2)^9)^{(1/2)} \\
&) - 2*A*B*a*b^10 - 288*A^2*a^2*b^7*c^2 + 1504*A^2*a^3*b^5*c^3 - 3840*A^2*a^ \\
& 4*b^3*c^4 + 96*B^2*a^4*b^5*c^2 - 512*B^2*a^5*b^3*c^3 - 3072*A*B*a^6*c^5 + 2 \\
& 7*A^2*a*b^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} + 3840*A^2*a^5*b*c^5 + 7 \\
& 68*B^2*a^6*b*c^4 - 192*A*B*a^3*b^6*c^2 + 128*A*B*a^4*b^4*c^3 + 1536*A*B*a^5 \\
& *b^2*c^4 + 2*A*B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} + 36*A*B*a^2*b^8*c)/(32*(a^3* \\
& b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + \\
& 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} * (1024*a^5*b*c^5 - 16*a^2*b^7*c \\
& ^2 + 192*a^3*b^5*c^3 - 768*a^4*b^3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b \\
& ^2*c))) * ((A^2*b^2*(- (4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^9 - A^2*b^11 + B^2*a \\
& ^2*(- (4*a*c - b^2)^9)^{(1/2)} - 2*A*B*a*b^10 - 288*A^2*a^2*b^7*c^2 + 1504*A^2 \\
& *a^3*b^5*c^3 - 3840*A^2*a^4*b^3*c^4 + 96*B^2*a^4*b^5*c^2 - 512*B^2*a^5*b^3* \\
& c^3 - 3072*A*B*a^6*c^5 + 27*A^2*a*b^9*c - 9*A^2*a*c*(- (4*a*c - b^2)^9)^{(1/2)} \\
&) + 3840*A^2*a^5*b*c^5 + 768*B^2*a^6*b*c^4 - 192*A*B*a^3*b^6*c^2 + 128*A*B \\
& a^4*b^4*c^3 + 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(- (4*a*c - b^2)^9)^{(1/2)} + 3 \\
& 6*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8 \\
& *c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^{(1/2)} + (x \\
& *(72*A^2*a^2*c^5 + A^2*b^4*c^3 - 8*B^2*a^3*c^4 + 10*B^2*a^2*b^2*c^3 - 14*A^
\end{aligned}$$

$$\begin{aligned}
& (2*a*b^2*c^4 + 2*A*B*a*b^3*c^3 - 40*A*B*a^2*b*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 \\
& - 8*a^3*b^2*c)))*((A^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^9 - A^2*b^ \\
& 11 + B^2*a^2*(-(4*a*c - b^2)^9)^{(1/2)} - 2*A*B*a*b^10 - 288*A^2*a^2*b^7*c^2 \\
& + 1504*A^2*a^3*b^5*c^3 - 3840*A^2*a^4*b^3*c^4 + 96*B^2*a^4*b^5*c^2 - 512*B^ \\
& 2*a^5*b^3*c^3 - 3072*A*B*a^6*c^5 + 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)} + 3840*A^2*a^5*b*c^5 + 768*B^2*a^6*b*c^4 - 192*A*B*a^3*b^6*c^2 \\
& + 128*A*B*a^4*b^4*c^3 + 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} + 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 2 \\
& 40*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^ \\
& (1/2)*1i - (((6144*A*a^5*c^6 + 16*A*a*b^8*c^2 - 1024*B*a^5*b*c^5 - 288*A*a^ \\
& 2*b^6*c^3 + 1920*A*a^3*b^4*c^4 - 5632*A*a^4*b^2*c^5 + 16*B*a^2*b^7*c^2 - 19 \\
& 2*B*a^3*b^5*c^3 + 768*B*a^4*b^3*c^4)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c \\
& + 48*a^4*b^2*c^2)) + (x*((A^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^9 \\
& - A^2*b^11 + B^2*a^2*(-(4*a*c - b^2)^9)^{(1/2)} - 2*A*B*a*b^10 - 288*A^2*a^2*b^ \\
& 7*c^2 + 1504*A^2*a^3*b^5*c^3 - 3840*A^2*a^4*b^3*c^4 + 96*B^2*a^4*b^5*c^2 \\
& - 512*B^2*a^5*b^3*c^3 - 3072*A*B*a^6*c^5 + 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4* \\
& a*c - b^2)^9)^{(1/2)} + 3840*A^2*a^5*b*c^5 + 768*B^2*a^6*b*c^4 - 192*A*B*a^3*b^ \\
& 6*c^2 + 128*A*B*a^4*b^4*c^3 + 1536*A*B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - \\
& b^2)^9)^{(1/2)} + 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^ \\
& 10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2 \\
& *c^5)))^((1/2)*(1024*a^5*b*c^5 - 16*a^2*b^7*c^2 + 192*a^3*b^5*c^3 - 768*a^4*b^ \\
& 3*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*((A^2*b^2*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)} - B^2*a^2*b^9 - A^2*b^11 + B^2*a^2*(-(4*a*c - b^2)^9)^{(1/2)} - 2 \\
& *A*B*a*b^10 - 288*A^2*a^2*b^7*c^2 + 1504*A^2*a^3*b^5*c^3 - 3840*A^2*a^4*b^3 \\
& *c^4 + 96*B^2*a^4*b^5*c^2 - 512*B^2*a^5*b^3*c^3 - 3072*A*B*a^6*c^5 + 27*A^2 \\
& *a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} + 3840*A^2*a^5*b*c^5 + 768*B^ \\
& 2*a^6*b*c^4 - 192*A*B*a^3*b^6*c^2 + 128*A*B*a^4*b^4*c^3 + 1536*A*B*a^5*b^2*c^ \\
& 4 + 2*A*B*a*b*(-(4*a*c - b^2)^9)^{(1/2)} + 36*A*B*a^2*b^8*c)/(32*(a^3*b^12 \\
& + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^3 + 3840* \\
& a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^((1/2) - (x*(72*A^2*a^2*c^5 + A^2*b^4*c^3 \\
& - 8*B^2*a^3*c^4 + 10*B^2*a^2*b^2*c^3 - 14*A^2*a*b^2*c^4 + 2*A*B*a*b^3*c^3 - \\
& 40*A*B*a^2*b*c^4))/(2*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))*((A^2*b^2*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^9 - A^2*b^11 + B^2*a^2*(-(4*a*c - b^2)^9) \\
& ^{(1/2)} - 2*A*B*a*b^10 - 288*A^2*a^2*b^7*c^2 + 1504*A^2*a^3*b^5*c^3 - 3840*A^ \\
& 2*a^4*b^3*c^4 + 96*B^2*a^4*b^5*c^2 - 512*B^2*a^5*b^3*c^3 - 3072*A*B*a^6*c^ \\
& 5 + 27*A^2*a*b^9*c - 9*A^2*a*c*(-(4*a*c - b^2)^9)^{(1/2)} + 3840*A^2*a^5*b*c^ \\
& 5 + 768*B^2*a^6*b*c^4 - 192*A*B*a^3*b^6*c^2 + 128*A*B*a^4*b^4*c^3 + 1536*A* \\
& B*a^5*b^2*c^4 + 2*A*B*a*b*(-(4*a*c - b^2)^9)^{(1/2)} + 36*A*B*a^2*b^8*c)/(32* \\
& (a^3*b^12 + 4096*a^9*c^6 - 24*a^4*b^10*c + 240*a^5*b^8*c^2 - 1280*a^6*b^6*c^ \\
& ^3 + 3840*a^7*b^4*c^4 - 6144*a^8*b^2*c^5)))^((1/2)*1i)/((((6144*A*a^5*c^6 + \\
& 16*A*a*b^8*c^2 - 1024*B*a^5*b*c^5 - 288*A*a^2*b^6*c^3 + 1920*A*a^3*b^4*c^4 \\
& - 5632*A*a^4*b^2*c^5 + 16*B*a^2*b^7*c^2 - 192*B*a^3*b^5*c^3 + 768*B*a^4*b^3 \\
& *c^4)/(8*(a^2*b^6 - 64*a^5*c^3 - 12*a^3*b^4*c + 48*a^4*b^2*c^2)) - (x*((A^2 \\
& *b^2*(-(4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^9 - A^2*b^11 + B^2*a^2*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 2*A*B*a*b^10 - 288*A^2*a^2*b^7*c^2 + 1504*A^2*a^3*b^5*c^3
\end{aligned}$$

$$3.122 \quad \int \frac{A+Bx^2}{x^2(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=389

$$\frac{-10aAc - abB + 3Ab^2}{2a^2x(b^2 - 4ac)} + \frac{\sqrt{c} \left(aB \left(b\sqrt{b^2 - 4ac} - 12ac + b^2 \right) - A \left(3b^2\sqrt{b^2 - 4ac} - 10ac\sqrt{b^2 - 4ac} - 16abc + 3b^3 \right) \right)}{2\sqrt{2}a^2(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] $1/2*(10*A*a*c-3*A*b^2+B*a*b)/a^2/(-4*a*c+b^2)/x+1/2*(-a*b*B+A*(-2*a*c+b^2)+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/x/(c*x^4+b*x^2+a)+1/4*\arctan(x*x^{1/2}*c^{1/2}/(b-(-4*a*c+b^2)^{1/2}))^{1/2}*c^{1/2}*(a*B*(b^2-12*a*c+b*(-4*a*c+b^2)^{1/2}))-A*(3*b^3-16*a*b*c+3*b^2*(-4*a*c+b^2)^{1/2}-10*a*c*(-4*a*c+b^2)^{1/2}))/a^2/(-4*a*c+b^2)^{3/2}*2^{1/2}/(b-(-4*a*c+b^2)^{1/2})^{1/2}-1/4*\arctan(x*x^{1/2}*c^{1/2}/(b+(-4*a*c+b^2)^{1/2}))^{1/2}*c^{1/2}*(3*A*b^2-a*b*B-10*a*A*c+(a*B*(-12*a*c+b^2)-A*(-16*a*b*c+3*b^3)))/(-4*a*c+b^2)^{1/2})/a^2/(-4*a*c+b^2)*2^{1/2}/(b+(-4*a*c+b^2)^{1/2})^{1/2}$

Rubi [A] time = 1.22, antiderivative size = 389, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1277, 1281, 1166, 205}

$$\frac{-10aAc - abB + 3Ab^2}{2a^2x(b^2 - 4ac)} + \frac{\sqrt{c} \left(aB \left(b\sqrt{b^2 - 4ac} - 12ac + b^2 \right) - A \left(3b^2\sqrt{b^2 - 4ac} - 10ac\sqrt{b^2 - 4ac} - 16abc + 3b^3 \right) \right)}{2\sqrt{2}a^2(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)^2), x]

[Out] $-(3*A*b^2 - a*b*B - 10*a*A*c)/(2*a^2*(b^2 - 4*a*c)*x) - (a*b*B - A*(b^2 - 2*a*c) - (A*b - 2*a*B)*c*x^2)/(2*a*(b^2 - 4*a*c)*x*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[c]*(a*B*(b^2 - 12*a*c + b*\text{Sqrt}[b^2 - 4*a*c]) - A*(3*b^3 - 16*a*b*c + 3*b^2*\text{Sqrt}[b^2 - 4*a*c] - 10*a*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)^{3/2}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(3*A*b^2 - a*b*B - 10*a*A*c + (a*B*(b^2 - 12*a*c) - A*(3*b^3 - 16*a*b*c)))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1277

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(
x_)^4)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)*
(d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2))/(2*a*f*(p + 1)*(b^2 - 4*a*
c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^m*(a + b*x^2 + c*x^
4)^(p + 1)*Simp[d*(b^2*(m + 2*(p + 1) + 1) - 2*a*c*(m + 4*(p + 1) + 1)) - a
*b*e*(m + 1) + c*(m + 2*(2*p + 3) + 1)*(b*d - 2*a*e)*x^2, x], x], x] /; Fre
eQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && Intege
rQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(
x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)
)/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2
+ c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m
, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^2(a + bx^2 + cx^4)^2} dx &= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} - \frac{\int \frac{-3Ab^2 + abB + 10aAc - 3(Ab - 2aB)cx^2}{x^2(a + bx^2 + cx^4)} dx}{2a(b^2 - 4ac)} \\
&= -\frac{3Ab^2 - abB - 10aAc}{2a^2(b^2 - 4ac)x} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{\int \frac{aB(b^2 - 6ac) - A(3b^3 - 6ab^2 + 3a^2c)}{x^2(a + bx^2 + cx^4)} dx}{2a} \\
&= -\frac{3Ab^2 - abB - 10aAc}{2a^2(b^2 - 4ac)x} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{c(aB(b^2 - 12ac) - A(3b^3 - 6ab^2 + 3a^2c))}{2a} \\
&= -\frac{3Ab^2 - abB - 10aAc}{2a^2(b^2 - 4ac)x} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{\sqrt{c}(aB(b^2 - 12ac) - A(3b^3 - 6ab^2 + 3a^2c))}{4a^2}
\end{aligned}$$

Mathematica [A] time = 1.04, size = 382, normalized size = 0.98

$$\frac{2x(aB(-2ac + b^2 + bcx^2) - A(-3abc - 2ac^2x^2 + b^3 + b^2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c}\left(A\left(-3b^2\sqrt{b^2 - 4ac} + 10ac\sqrt{b^2 - 4ac} + 16abc - 3b^3\right) + aB\left(b\sqrt{b^2 - 4ac} - 12ac + b^2\right)\right)\tan^{-1}\left(\frac{x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}}$$

4a²

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)^2), x]

[Out] ((-4*A)/x + (2*x*(a*B*(b^2 - 2*a*c + b*c*x^2) - A*(b^3 - 3*a*b*c + b^2*c*x^2 - 2*a*c^2*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(a*B*(b^2 - 12*a*c + b*Sqrt[b^2 - 4*a*c]) + A*(-3*b^3 + 16*a*b*c - 3*b^2*Sqrt[b^2 - 4*a*c] + 10*a*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*Sqrt[c]*(a*B*(-b^2 + 12*a*c + b*Sqrt[b^2 - 4*a*c]) + A*(3*b^3 - 16*a*b*c - 3*b^2*Sqrt[b^2 - 4*a*c] + 10*a*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]))/((4*a^2)

fricas [B] time = 7.30, size = 7583, normalized size = 19.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{4} * (2 * (10 * A * a * c^2 + (B * a * b - 3 * A * b^2) * c) * x^4 - 4 * A * a * b^2 + 16 * A * a^2 * c + 2 * (B * a * b^2 - 3 * A * b^3 - (2 * B * a^2 - 11 * A * a * b) * c) * x^2 - \sqrt{1/2} * ((a^2 * b^2 * c - 4 * a^3 * c^2) * x^5 + (a^2 * b^3 - 4 * a^3 * b * c) * x^3 + (a^3 * b^2 - 4 * a^4 * c) * x) * \sqrt{-(B^2 * a^2 * b^5 - 6 * A * B * a * b^6 + 9 * A^2 * b^7 + 60 * (4 * A * B * a^4 - 7 * A^2 * a^3 * b) * c^3 + 5 * (12 * B^2 * a^4 * b - 60 * A * B * a^3 * b^2 + 77 * A^2 * a^2 * b^3) * c^2 - 5 * (3 * B^2 * a^3 * b^3 - 16 * A * B * a^2 * b^4 + 21 * A^2 * a * b^5) * c + (a^5 * b^6 - 12 * a^6 * b^4 * c + 48 * a^7 * b^2 * c^2 - 64 * a^8 * c^3) * \sqrt{(B^4 * a^4 * b^4 - 12 * A * B^3 * a^3 * b^5 + 54 * A^2 * B^2 * a^2 * b^6 - 108 * A^3 * B * a * b^7 + 81 * A^4 * b^8 + 625 * A^4 * a^4 * c^4 - 50 * (9 * A^2 * B^2 * a^5 - 44 * A^3 * B * a^4 * b + 51 * A^4 * a^3 * b^2) * c^3 + 3 * (27 * B^4 * a^6 - 264 * A * B^3 * a^5 * b + 968 * A^2 * B^2 * a^4 * b^2 - 1596 * A^3 * B * a^3 * b^3 + 1017 * A^4 * a^2 * b^4) * c^2 - 2 * (9 * B^4 * a^5 * b^2 - 98 * A * B^3 * a^4 * b^3 + 396 * A^2 * B^2 * a^3 * b^4 - 702 * A^3 * B * a^2 * b^5 + 459 * A^4 * a * b^6) * c) / (a^{10} * b^6 - 12 * a^{11} * b^4 * c + 48 * a^{12} * b^2 * c^2 - 64 * a^{13} * c^3)) / (a^5 * b^6 - 12 * a^6 * b^4 * c + 48 * a^7 * b^2 * c^2 - 64 * a^8 * c^3)) * \log((2500 * A^4 * a^3 * c^6 + 625 * (4 * A^3 * B * a^3 * b - 9 * A^4 * a^2 * b^2) * c^5 - 3 * (108 * B^4 * a^5 - 756 * A * B^3 * a^4 * b + 1672 * A^2 * B^2 * a^3 * b^2 - 909 * A^3 * B * a^2 * b^3 - 657 * A^4 * a * b^4) * c^4 + (81 * B^4 * a^4 * b^2 - 647 * A * B^3 * a^3 * b^3 + 1674 * A^2 * B^2 * a^2 * b^4 - 1323 * A^3 * B * a * b^5 - 189 * A^4 * b^6) * c^3 - 5 * (B^4 * a^3 * b^4 - 9 * A * B^3 * a^2 * b^5 + 27 * A^2 * B^2 * a * b^6 - 27 * A^3 * B * b^7) * c^2) * x + 1/2 * \sqrt{1/2} * (B^3 * a^3 * b^8 - 9 * A * B^2 * a^2 * b^9 + 27 * A^2 * B * a * b^{10} - 27 * A^3 * b^{11} - 400 * (6 * A^2 * B * a^6 - 13 * A^3 * a^5 * b) * c^5 + 8 * (108 * B^3 * a^7 - 762 * A * B^2 * a^6 * b + 1956 * A^2 * B * a^5 * b^2 - 1801 * A^3 * a^4 * b^3) * c^4 - (672 * B^3 * a^6 * b^2 - 4968 * A * B^2 * a^5 * b^3 + 12414 * A^2 * B * a^4 * b^4 - 10549 * A^3 * a^3 * b^5) * c^3 + 5 * (38 * B^3 * a^5 * b^4 - 297 * A * B^2 * a^4 * b^5 + 771 * A^2 * B * a^3 * b^6 - 666 * A^3 * a^2 * b^7) * c^2 - (23 * B^3 * a^4 * b^6 - 192 * A * B^2 * a^3 * b^7 + 531 * A^2 * B * a^2 * b^8 - 486 * A^3 * a * b^9) * c - (B * a^6 * b^9 - 3 * A * a^5 * b^{10} + 1280 * A * a^{10} * c^5 + 128 * (4 * B * a^{10} * b - 17 * A * a^9 * b^2) * c^4 - 448 * (B * a^9 * b^3 - 3 * A * a^8 * b^4) * c^3 + 8 * (18 * B * a^8 * b^5 - 49 * A * a^7 * b^6) * c^2 - 5 * (4 * B * a^7 * b^7 - 11 * A * a^6 * b^8) * c) * \sqrt{(B^4 * a^4 * b^4 - 12 * A * B^3 * a^3 * b^5 + 54 * A^2 * B^2 * a^2 * b^6 - 108 * A^3 * B * a * b^7 + 81 * A^4 * b^8 + 625 * A^4 * a^4 * c^4 - 50 * (9 * A^2 * B^2 * a^5 - 44 * A^3 * B * a^4 * b + 51 * A^4 * a^3 * b^2) * c^3 + 3 * (27 * B^4 * a^6 - 264 * A * B^3 * a^5 * b + 968 * A^2 * B^2 * a^4 * b^2 - 1596 * A^3 * B * a^3 * b^3 + 1017 * A^4 * a^2 * b^4) * c^2 - 2 * (9 * B^4 * a^5 * b^2 - 98 * A * B^3 * a^4 * b^3 + 396 * A^2 * B^2 * a^3 * b^4 - 702 * A^3 * B * a^2 * b^5 + 459 * A^4 * a * b^6) * c) / (a^{10} * b^6 - 12 * a^{11} * b^4 * c + 48 * a^{12} * b^2 * c^2 - 64 * a^{13} * c^3)) * \sqrt{-(B^2 * a^2 * b^5 - 6 * A * B * a * b^6 + 9 * A^2 * b^7 + 60 * (4 * A * B * a^4 - 7 * A^2 * a^3 * b) * c^3 + 5 * (12 * B^2 * a^4 * b - 60 * A * B * a^3 * b^2 + 77 * A^2 * a^2 * b^3) * c^2 - 5 * (3 * B^2 * a^3 * b^3 - 16 * A * B * a^2 * b^4 + 21 * A^2 * a * b^5) * c + (a^5 * b^6 - 12 * a^6 * b^4 * c + 48 * a^7 * b^2 * c^2 - 64 * a^8 * c^3) * \sqrt{(B^4 * a^4 * b^4 - 12 * A * B^3 * a^3 * b^5 + 54 * A^2 * B^2 * a^2 * b^6 - 108 * A^3 * B * a * b^7 + 81 * A^4 * b^8 + 625 * A^4 * a^4 * c^4 - 50 * (9 * A^2 * B^2 * a^5 - 44 * A^3 * B * a^4 * b + 51 * A^4 * a^3 * b^2) * c^3 + 3 * (27 * B^4 * a^6 - 264 * A * B^3 * a^5 * b + 968 * A^2 * B^2 * a^4 * b^2 - 1596 * A^3 * B * a^3 * b^3 + 1017 * A^4 * a^2 * b^4) * c^2 - 2 * (9 * B^4 * a^5 * b^2 - 98 * A * B^3 * a^4 * b^3 + 396 * A^2 * B^2 * a^3 * b^4 - 702 * A^3 * B * a^2 * b^5 + 459 * A^4 * a * b^6) * c) / (a^{10} * b^6 - 12 * a^{11} * b^4 * c + 48 * a^{12} * b^2 * c^2 - 64 * a^{13} * c^3)) / (a^5 * b^6 - 12 * a^6 * b^4 * c + 48 * a^7 * b^2 * c^2 - 64 * a^8 * c^3)) + \sqrt{1/2} * ((a^2 * b^2 * c - 4 * a^3 * c^2) * x^5 + (a^2 * b^3 - 4 * a^3 * b * c) * x^3 + (a^3 * b^2 - 4 * a^4 * c) * x) * \sqrt{-(B^2 * a^2 * b^5 - 6 * A * B * a * b^6 + 9 * A^2 * b^7$

$$\begin{aligned}
& ^7 + 60*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 5*(12*B^2*a^4*b - 60*A*B*a^3*b^2 + \\
& 77*A^2*a^2*b^3)*c^2 - 5*(3*B^2*a^3*b^3 - 16*A*B*a^2*b^4 + 21*A^2*a*b^5)*c + \\
& (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)*\sqrt{(B^4*a^4*b^4 - \\
& 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625 \\
& *A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3 \\
& *(27*B^4*a^6 - 264*A*B^3*a^5*b + 968*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + \\
& 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2* \\
& a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4*a*b^6)*c)/(a^{10}*b^6 - 12*a^{11}*b^4*c + \\
& 48*a^{12}*b^2*c^2 - 64*a^{13}*c^3))/(a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 \\
& - 64*a^8*c^3))*\log((2500*A^4*a^3*c^6 + 625*(4*A^3*B*a^3*b - 9*A^4*a^2*b^2)* \\
& c^5 - 3*(108*B^4*a^5 - 756*A*B^3*a^4*b + 1672*A^2*B^2*a^3*b^2 - 909*A^3*B*a \\
& ^2*b^3 - 657*A^4*a*b^4)*c^4 + (81*B^4*a^4*b^2 - 647*A*B^3*a^3*b^3 + 1674*A^ \\
& 2*B^2*a^2*b^4 - 1323*A^3*B*a*b^5 - 189*A^4*b^6)*c^3 - 5*(B^4*a^3*b^4 - 9*A* \\
& B^3*a^2*b^5 + 27*A^2*B^2*a*b^6 - 27*A^3*B*b^7)*c^2)*x - 1/2*\sqrt{1/2)*(B^3* \\
& a^3*b^8 - 9*A*B^2*a^2*b^9 + 27*A^2*B*a*b^10 - 27*A^3*b^11 - 400*(6*A^2*B*a^ \\
& 6 - 13*A^3*a^5*b)*c^5 + 8*(108*B^3*a^7 - 762*A*B^2*a^6*b + 1956*A^2*B*a^5*b \\
& ^2 - 1801*A^3*a^4*b^3)*c^4 - (672*B^3*a^6*b^2 - 4968*A*B^2*a^5*b^3 + 12414* \\
& A^2*B*a^4*b^4 - 10549*A^3*a^3*b^5)*c^3 + 5*(38*B^3*a^5*b^4 - 297*A*B^2*a^4* \\
& b^5 + 771*A^2*B*a^3*b^6 - 666*A^3*a^2*b^7)*c^2 - (23*B^3*a^4*b^6 - 192*A*B^ \\
& 2*a^3*b^7 + 531*A^2*B*a^2*b^8 - 486*A^3*a*b^9)*c - (B*a^6*b^9 - 3*A*a^5*b^1 \\
& 0 + 1280*A*a^10*c^5 + 128*(4*B*a^10*b - 17*A*a^9*b^2)*c^4 - 448*(B*a^9*b^3 \\
& - 3*A*a^8*b^4)*c^3 + 8*(18*B*a^8*b^5 - 49*A*a^7*b^6)*c^2 - 5*(4*B*a^7*b^7 - \\
& 11*A*a^6*b^8)*c)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 \\
& - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - 44* \\
& A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + 968*A \\
& ^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5* \\
& b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4* \\
& a*b^6)*c)/(a^{10}*b^6 - 12*a^{11}*b^4*c + 48*a^{12}*b^2*c^2 - 64*a^{13}*c^3)))*\sqrt{ \\
& -(B^2*a^2*b^5 - 6*A*B*a*b^6 + 9*A^2*b^7 + 60*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 \\
& + 5*(12*B^2*a^4*b - 60*A*B*a^3*b^2 + 77*A^2*a^2*b^3)*c^2 - 5*(3*B^2*a^3*b^ \\
& 3 - 16*A*B*a^2*b^4 + 21*A^2*a*b^5)*c + (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2 \\
& *c^2 - 64*a^8*c^3)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^ \\
& 6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - 44 \\
& *A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + 968* \\
& A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5 \\
& *b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4 \\
& *a*b^6)*c)/(a^{10}*b^6 - 12*a^{11}*b^4*c + 48*a^{12}*b^2*c^2 - 64*a^{13}*c^3)))/(a^ \\
& 5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)) - \sqrt{1/2)*((a^2*b^2 \\
& *c - 4*a^3*c^2)*x^5 + (a^2*b^3 - 4*a^3*b*c)*x^3 + (a^3*b^2 - 4*a^4*c)*x)*\sq \\
& rt(-(B^2*a^2*b^5 - 6*A*B*a*b^6 + 9*A^2*b^7 + 60*(4*A*B*a^4 - 7*A^2*a^3*b)*c \\
& ^3 + 5*(12*B^2*a^4*b - 60*A*B*a^3*b^2 + 77*A^2*a^2*b^3)*c^2 - 5*(3*B^2*a^3* \\
& b^3 - 16*A*B*a^2*b^4 + 21*A^2*a*b^5)*c - (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^ \\
& ^2*c^2 - 64*a^8*c^3)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2* \\
& b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - \\
& 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + 96
\end{aligned}$$

$$\begin{aligned}
& 8*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4*a*b^6)*c)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3))/(a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3))*\log((2500*A^4*a^3*c^6 + 625*(4*A^3*B*a^3*b - 9*A^4*a^2*b^2)*c^5 - 3*(108*B^4*a^5 - 756*A*B^3*a^4*b + 1672*A^2*B^2*a^3*b^2 - 909*A^3*B*a^2*b^3 - 657*A^4*a*b^4)*c^4 + (81*B^4*a^4*b^2 - 647*A*B^3*a^3*b^3 + 1674*A^2*B^2*a^2*b^4 - 1323*A^3*B*a*b^5 - 189*A^4*b^6)*c^3 - 5*(B^4*a^3*b^4 - 9*A*B^3*a^2*b^5 + 27*A^2*B^2*a*b^6 - 27*A^3*B*b^7)*c^2)*x + 1/2*\sqrt{1/2)*(B^3*a^3*b^8 - 9*A*B^2*a^2*b^9 + 27*A^2*B*a*b^10 - 27*A^3*b^11 - 400*(6*A^2*B*a^6 - 13*A^3*a^5*b)*c^5 + 8*(108*B^3*a^7 - 762*A*B^2*a^6*b + 1956*A^2*B*a^5*b^2 - 1801*A^3*a^4*b^3)*c^4 - (672*B^3*a^6*b^2 - 4968*A*B^2*a^5*b^3 + 12414*A^2*B*a^4*b^4 - 10549*A^3*a^3*b^5)*c^3 + 5*(38*B^3*a^5*b^4 - 297*A*B^2*a^4*b^5 + 771*A^2*B*a^3*b^6 - 666*A^3*a^2*b^7)*c^2 - (23*B^3*a^4*b^6 - 192*A*B^2*a^3*b^7 + 531*A^2*B*a^2*b^8 - 486*A^3*a*b^9)*c + (B*a^6*b^9 - 3*A*a^5*b^10 + 1280*A*a^10*c^5 + 128*(4*B*a^10*b - 17*A*a^9*b^2)*c^4 - 448*(B*a^9*b^3 - 3*A*a^8*b^4)*c^3 + 8*(18*B*a^8*b^5 - 49*A*a^7*b^6)*c^2 - 5*(4*B*a^7*b^7 - 11*A*a^6*b^8)*c)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + 968*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4*a*b^6)*c)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3)))*\sqrt{-(B^2*a^2*b^5 - 6*A*B*a*b^6 + 9*A^2*b^7 + 60*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 5*(12*B^2*a^4*b - 60*A*B*a^3*b^2 + 77*A^2*a^2*b^3)*c^2 - 5*(3*B^2*a^3*b^3 - 16*A*B*a^2*b^4 + 21*A^2*a*b^5)*c - (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + 968*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4*a*b^6)*c)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3)))/(a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3))*\sqrt{1/2)*((a^2*b^2*c - 4*a^3*c^2)*x^5 + (a^2*b^3 - 4*a^3*b*c)*x^3 + (a^3*b^2 - 4*a^4*c)*x)*\sqrt{-(B^2*a^2*b^5 - 6*A*B*a*b^6 + 9*A^2*b^7 + 60*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 5*(12*B^2*a^4*b - 60*A*B*a^3*b^2 + 77*A^2*a^2*b^3)*c^2 - 5*(3*B^2*a^3*b^3 - 16*A*B*a^2*b^4 + 21*A^2*a*b^5)*c - (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 - 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + 968*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4*a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459*A^4*a*b^6)*c)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3)))/(a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3))*\log((2500*A^4*a^3*c^6 + 625*(4*A^3*B*a^3*b - 9*A^4*a^2*b^2)*c^5 - 3*(108*B^4*a^5 - 756*A*B^3*a^4*b + 1672*A^2*B^2*a^3*b^2 - 909*A^
\end{aligned}$$

$$\begin{aligned}
& 3*B*a^2*b^3 - 657*A^4*a*b^4)*c^4 + (81*B^4*a^4*b^2 - 647*A*B^3*a^3*b^3 + 16 \\
& 74*A^2*B^2*a^2*b^4 - 1323*A^3*B*a*b^5 - 189*A^4*b^6)*c^3 - 5*(B^4*a^3*b^4 - \\
& 9*A*B^3*a^2*b^5 + 27*A^2*B^2*a*b^6 - 27*A^3*B*b^7)*c^2)*x - 1/2*\sqrt{1/2)* \\
& (B^3*a^3*b^8 - 9*A*B^2*a^2*b^9 + 27*A^2*B*a*b^{10} - 27*A^3*b^{11} - 400*(6*A^2 \\
& *B*a^6 - 13*A^3*a^5*b)*c^5 + 8*(108*B^3*a^7 - 762*A*B^2*a^6*b + 1956*A^2*B* \\
& a^5*b^2 - 1801*A^3*a^4*b^3)*c^4 - (672*B^3*a^6*b^2 - 4968*A*B^2*a^5*b^3 + 1 \\
& 2414*A^2*B*a^4*b^4 - 10549*A^3*a^3*b^5)*c^3 + 5*(38*B^3*a^5*b^4 - 297*A*B^2 \\
& *a^4*b^5 + 771*A^2*B*a^3*b^6 - 666*A^3*a^2*b^7)*c^2 - (23*B^3*a^4*b^6 - 192 \\
& *A*B^2*a^3*b^7 + 531*A^2*B*a^2*b^8 - 486*A^3*a*b^9)*c + (B*a^6*b^9 - 3*A*a^ \\
& 5*b^{10} + 1280*A*a^{10}*c^5 + 128*(4*B*a^{10}*b - 17*A*a^9*b^2)*c^4 - 448*(B*a^9 \\
& *b^3 - 3*A*a^8*b^4)*c^3 + 8*(18*B*a^8*b^5 - 49*A*a^7*b^6)*c^2 - 5*(4*B*a^7* \\
& b^7 - 11*A*a^6*b^8)*c)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^ \\
& 2*b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 \\
& - 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + \\
& 968*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^4 \\
& *a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 459 \\
& *A^4*a*b^6)*c)/(a^{10}*b^6 - 12*a^{11}*b^4*c + 48*a^{12}*b^2*c^2 - 64*a^{13}*c^3)) \\
& *\sqrt{-(B^2*a^2*b^5 - 6*A*B*a*b^6 + 9*A^2*b^7 + 60*(4*A*B*a^4 - 7*A^2*a^3*b \\
&)*c^3 + 5*(12*B^2*a^4*b - 60*A*B*a^3*b^2 + 77*A^2*a^2*b^3)*c^2 - 5*(3*B^2*a \\
& ^3*b^3 - 16*A*B*a^2*b^4 + 21*A^2*a*b^5)*c - (a^5*b^6 - 12*a^6*b^4*c + 48*a^ \\
& 7*b^2*c^2 - 64*a^8*c^3)*\sqrt{(B^4*a^4*b^4 - 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a \\
& ^2*b^6 - 108*A^3*B*a*b^7 + 81*A^4*b^8 + 625*A^4*a^4*c^4 - 50*(9*A^2*B^2*a^5 \\
& - 44*A^3*B*a^4*b + 51*A^4*a^3*b^2)*c^3 + 3*(27*B^4*a^6 - 264*A*B^3*a^5*b + \\
& 968*A^2*B^2*a^4*b^2 - 1596*A^3*B*a^3*b^3 + 1017*A^4*a^2*b^4)*c^2 - 2*(9*B^ \\
& 4*a^5*b^2 - 98*A*B^3*a^4*b^3 + 396*A^2*B^2*a^3*b^4 - 702*A^3*B*a^2*b^5 + 45 \\
& 9*A^4*a*b^6)*c)/(a^{10}*b^6 - 12*a^{11}*b^4*c + 48*a^{12}*b^2*c^2 - 64*a^{13}*c^3)) \\
&)/(a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)))/((a^2*b^2*c - 4 \\
& *a^3*c^2)*x^5 + (a^2*b^3 - 4*a^3*b*c)*x^3 + (a^3*b^2 - 4*a^4*c)*x)
\end{aligned}$$

giac [B] time = 6.16, size = 5408, normalized size = 13.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] $1/2*(B*a*b*c*x^4 - 3*A*b^2*c*x^4 + 10*A*a*c^2*x^4 + B*a*b^2*x^2 - 3*A*b^3*x^2 - 2*B*a^2*c*x^2 + 11*A*a*b*c*x^2 - 2*A*a*b^2 + 8*A*a^2*c)/((c*x^5 + b*x^3 + a*x)*(a^2*b^2 - 4*a^3*c)) - 1/16*((6*b^4*c^2 - 44*a*b^2*c^3 + 80*a^2*c^4 - 3*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^4 + 22*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b^2*c + 6*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^3*c - 40*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a^2*c^2 - 20*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*a*b*c^2 - 3*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*b^2*c^2 + 10*\sqrt{2})*\sqrt{b^2 - 4*a*c})*$

$$\begin{aligned} & \operatorname{rctanh}(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * bB-3c^2/(4ac-b^2) \\ & /(-4ac+b^2)^{1/2} * 2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctanh}(2^{1/2}/ \\ & /((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * B+1/4/ac/(4ac-b^2)/(-4ac+b^2) \\ &)^{1/2} * 2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctanh}(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * B * b^2-5/2/ac^2/(4ac-b^2) * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * A+3/4/a^2c/(4ac-b^2) * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * A * b^2+4/ac^2/(4ac-b^2)/(-4ac+b^2)^{1/2} * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * A * b-3/4/a^2c/(4ac-b^2)/(-4ac+b^2)^{1/2} * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * A * b^3-1/4/ac/(4ac-b^2) * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * bB-3c^2/(4ac-b^2)/(-4ac+b^2)^{1/2} * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * B+1/4/ac/(4ac-b^2)/(-4ac+b^2)^{1/2} * 2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}cx) * B * b^2 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $1/2 * ((10Aac^2 + (Bab - 3Ab^2)c)x^4 - 2Aab^2 + 8Aa^2c + (Bab^2 - 3Ab^3 - (2Ba^2 - 11Aab)c)x^2) / ((a^2b^2c - 4a^3c^2)x^5 + (a^2b^3 - 4a^3bc)x^3 + (a^3b^2 - 4a^4c)x) + 1/2 * \operatorname{integrate}((Bab^2 - 3Ab^3 + (10Aac^2 + (Bab - 3Ab^2)c)x^2 - (6Ba^2 - 13Aab)c) / (c*x^4 + b*x^2 + a), x) / (a^2b^2 - 4a^3c)$

mupad [B] time = 5.38, size = 17591, normalized size = 45.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)^2),x)

[Out] $-(A/a - (x^2(3Ab^3 - Bab^2 + 2Ba^2c - 11Aab)c)) / (2a^2(4ac - b^2)) + (cx^4(10Aac - 3Ab^2 + Bab)) / (2a^2(4ac - b^2)) / (ax + bx^3 + cx^5) - \operatorname{atan}(\frac{(-9A^2b^{13} + B^2a^2b^{11} + 9A^2b^4(-4ac - b^2)^9)^{1/2} - 6ABab^{12} + 2077A^2a^2b^9c^2 - 10656A^2a^3b^7c^3 + 30240A^2a^4b^5c^4 - 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{1/2} + B^2a^2b^2(-4ac - b^2)^9)^{1/2} + 288B^2a^4b^7c^2 - 1504B^2a^5b^5c^3 + 3840B^2a^6b^3c^4 - 15360ABa^7c^6 - 213$

$$\begin{aligned}
& 504*B^2*a^5*b^5*c^3 + 3840*B^2*a^6*b^3*c^4 - 15360*A*B*a^7*c^6 - 213*A^2*a* \\
& b^{11}*c + 26880*A^2*a^6*b*c^6 - 27*B^2*a^3*b^9*c - 3840*B^2*a^7*b*c^5 - 9*B^ \\
& 2*a^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 1548*A*B*a^3*b^8*c^2 + 8064*A*B*a^4*b^6* \\
& c^3 - 22400*A*B*a^5*b^4*c^4 + 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a \\
& *c - b^2)^9)^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a^2*b^1 \\
& 0*c + 44*A*B*a^2*b*c*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^5*b^12 + 4096*a^11*c^ \\
& 6 - 24*a^6*b^10*c + 240*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - \\
& 6144*a^10*b^2*c^5)))^{(1/2)}*(x*(-(9*A^2*b^13 + B^2*a^2*b^11 + 9*A^2*b^4*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^12 + 2077*A^2*a^2*b^9*c^2 - 10656*A^2*a^3 \\
& *b^7*c^3 + 30240*A^2*a^4*b^5*c^4 - 44800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(\\
& -(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 288*B^2*a^ \\
& 4*b^7*c^2 - 1504*B^2*a^5*b^5*c^3 + 3840*B^2*a^6*b^3*c^4 - 15360*A*B*a^7*c^6 \\
& - 213*A^2*a*b^{11}*c + 26880*A^2*a^6*b*c^6 - 27*B^2*a^3*b^9*c - 3840*B^2*a^7 \\
& *b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 1548*A*B*a^3*b^8*c^2 + 8064 \\
& *A*B*a^4*b^6*c^3 - 22400*A*B*a^5*b^4*c^4 + 30720*A*B*a^6*b^2*c^5 - 51*A^2*a \\
& *b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} + 15 \\
& 2*A*B*a^2*b^10*c + 44*A*B*a^2*b*c*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^5*b^12 + \\
& 4096*a^11*c^6 - 24*a^6*b^10*c + 240*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840* \\
& a^9*b^4*c^4 - 6144*a^10*b^2*c^5)))^{(1/2)}*(1048576*a^16*b*c^8 + 256*a^10*b^1 \\
& 3*c^2 - 6144*a^11*b^11*c^3 + 61440*a^12*b^9*c^4 - 327680*a^13*b^7*c^5 + 983 \\
& 040*a^14*b^5*c^6 - 1572864*a^15*b^3*c^7) + 393216*B*a^15*c^8 - 851968*A*a^1 \\
& 4*b*c^8 - 192*A*a^8*b^13*c^2 + 4672*A*a^9*b^11*c^3 - 47360*A*a^10*b^9*c^4 + \\
& 256000*A*a^11*b^7*c^5 - 778240*A*a^12*b^5*c^6 + 1261568*A*a^13*b^3*c^7 + 6 \\
& 4*B*a^9*b^12*c^2 - 1664*B*a^10*b^10*c^3 + 17920*B*a^11*b^8*c^4 - 102400*B*a \\
& ^12*b^6*c^5 + 327680*B*a^13*b^4*c^6 - 557056*B*a^14*b^2*c^7) + x*(204800*A^ \\
& 2*a^12*c^9 - 73728*B^2*a^13*c^8 + 144*A^2*a^6*b^12*c^3 - 3264*A^2*a^7*b^10* \\
& c^4 + 30112*A^2*a^8*b^8*c^5 - 143360*A^2*a^9*b^6*c^6 + 365568*A^2*a^10*b^4* \\
& c^7 - 458752*A^2*a^11*b^2*c^8 + 16*B^2*a^8*b^10*c^3 - 416*B^2*a^9*b^8*c^4 + \\
& 4608*B^2*a^10*b^6*c^5 - 25600*B^2*a^11*b^4*c^6 + 69632*B^2*a^12*b^2*c^7 - \\
& 96*A*B*a^7*b^11*c^3 + 2336*A*B*a^8*b^9*c^4 - 22528*A*B*a^9*b^7*c^5 + 107520 \\
& *A*B*a^10*b^5*c^6 - 253952*A*B*a^11*b^3*c^7 + 237568*A*B*a^12*b*c^8))*(-(9* \\
& A^2*b^13 + B^2*a^2*b^11 + 9*A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^12 \\
& + 2077*A^2*a^2*b^9*c^2 - 10656*A^2*a^3*b^7*c^3 + 30240*A^2*a^4*b^5*c^4 - 4 \\
& 4800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b^ \\
& 2*(-(4*a*c - b^2)^9)^{(1/2)} + 288*B^2*a^4*b^7*c^2 - 1504*B^2*a^5*b^5*c^3 + 3 \\
& 840*B^2*a^6*b^3*c^4 - 15360*A*B*a^7*c^6 - 213*A^2*a*b^{11}*c + 26880*A^2*a^6* \\
& b*c^6 - 27*B^2*a^3*b^9*c - 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - 1548*A*B*a^3*b^8*c^2 + 8064*A*B*a^4*b^6*c^3 - 22400*A*B*a^5*b^4 \\
& *c^4 + 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6* \\
& A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a^2*b^10*c + 44*A*B*a^2*b*c*(- \\
& (4*a*c - b^2)^9)^{(1/2)})/(32*(a^5*b^12 + 4096*a^11*c^6 - 24*a^6*b^10*c + 240 \\
& *a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^10*b^2*c^5)))^{(\\
& 1/2)}*1i)/(((-(9*A^2*b^13 + B^2*a^2*b^11 + 9*A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 6*A*B*a*b^12 + 2077*A^2*a^2*b^9*c^2 - 10656*A^2*a^3*b^7*c^3 + 30240*A^2 \\
& *a^4*b^5*c^4 - 44800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1
\end{aligned}$$

$$\begin{aligned}
& /2) + B^2*a^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 288*B^2*a^4*b^7*c^2 - 1504*B^2 \\
& *a^5*b^5*c^3 + 3840*B^2*a^6*b^3*c^4 - 15360*A*B*a^7*c^6 - 213*A^2*a*b^{11}*c \\
& + 26880*A^2*a^6*b*c^6 - 27*B^2*a^3*b^9*c - 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 1548*A*B*a^3*b^8*c^2 + 8064*A*B*a^4*b^6*c^3 - 2 \\
& 2400*A*B*a^5*b^4*c^4 + 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a^2*b^{10}*c + 4 \\
& 4*A*B*a^2*b*c*(-(4*a*c - b^2)^9)^{(1/2))}/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24* \\
& a^6*b^{10}*c + 240*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a \\
& ^{10}*b^2*c^5)))^{(1/2)}*(x*(-(9*A^2*b^{13} + B^2*a^2*b^{11} + 9*A^2*b^4*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 6*A*B*a*b^{12} + 2077*A^2*a^2*b^9*c^2 - 10656*A^2*a^3*b^7*c^ \\
& 3 + 30240*A^2*a^4*b^5*c^4 - 44800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c \\
& - b^2)^9)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} + 288*B^2*a^4*b^7*c \\
& ^2 - 1504*B^2*a^5*b^5*c^3 + 3840*B^2*a^6*b^3*c^4 - 15360*A*B*a^7*c^6 - 213* \\
& A^2*a*b^{11}*c + 26880*A^2*a^6*b*c^6 - 27*B^2*a^3*b^9*c - 3840*B^2*a^7*b*c^5 \\
& - 9*B^2*a^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 1548*A*B*a^3*b^8*c^2 + 8064*A*B*a^ \\
& 4*b^6*c^3 - 22400*A*B*a^5*b^4*c^4 + 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c* \\
& (- (4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a \\
& ^2*b^{10}*c + 44*A*B*a^2*b*c*(-(4*a*c - b^2)^9)^{(1/2))}/(32*(a^5*b^{12} + 4096*a \\
& ^{11}*c^6 - 24*a^6*b^{10}*c + 240*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4 \\
& *c^4 - 6144*a^{10}*b^2*c^5)))^{(1/2)}*(1048576*a^{16}*b*c^8 + 256*a^{10}*b^{13}*c^2 - \\
& 6144*a^{11}*b^{11}*c^3 + 61440*a^{12}*b^9*c^4 - 327680*a^{13}*b^7*c^5 + 983040*a^{1 \\
& 4}*b^5*c^6 - 1572864*a^{15}*b^3*c^7) - 393216*B*a^{15}*c^8 + 851968*A*a^{14}*b*c^8 \\
& + 192*A*a^8*b^{13}*c^2 - 4672*A*a^9*b^{11}*c^3 + 47360*A*a^{10}*b^9*c^4 - 256000 \\
& *A*a^{11}*b^7*c^5 + 778240*A*a^{12}*b^5*c^6 - 1261568*A*a^{13}*b^3*c^7 - 64*B*a^9 \\
& *b^{12}*c^2 + 1664*B*a^{10}*b^{10}*c^3 - 17920*B*a^{11}*b^8*c^4 + 102400*B*a^{12}*b^6 \\
& *c^5 - 327680*B*a^{13}*b^4*c^6 + 557056*B*a^{14}*b^2*c^7) + x*(204800*A^2*a^{12}* \\
& c^9 - 73728*B^2*a^{13}*c^8 + 144*A^2*a^6*b^{12}*c^3 - 3264*A^2*a^7*b^{10}*c^4 + 3 \\
& 0112*A^2*a^8*b^8*c^5 - 143360*A^2*a^9*b^6*c^6 + 365568*A^2*a^{10}*b^4*c^7 - 4 \\
& 58752*A^2*a^{11}*b^2*c^8 + 16*B^2*a^8*b^{10}*c^3 - 416*B^2*a^9*b^8*c^4 + 4608*B \\
& ^2*a^{10}*b^6*c^5 - 25600*B^2*a^{11}*b^4*c^6 + 69632*B^2*a^{12}*b^2*c^7 - 96*A*B* \\
& a^7*b^{11}*c^3 + 2336*A*B*a^8*b^9*c^4 - 22528*A*B*a^9*b^7*c^5 + 107520*A*B*a^ \\
& 10*b^5*c^6 - 253952*A*B*a^{11}*b^3*c^7 + 237568*A*B*a^{12}*b*c^8))*(-(9*A^2*b^1 \\
& 3 + B^2*a^2*b^{11} + 9*A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^{12} + 2077 \\
& *A^2*a^2*b^9*c^2 - 10656*A^2*a^3*b^7*c^3 + 30240*A^2*a^4*b^5*c^4 - 44800*A^ \\
& 2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b^2*(-(4* \\
& a*c - b^2)^9)^{(1/2)} + 288*B^2*a^4*b^7*c^2 - 1504*B^2*a^5*b^5*c^3 + 3840*B^2 \\
& *a^6*b^3*c^4 - 15360*A*B*a^7*c^6 - 213*A^2*a*b^{11}*c + 26880*A^2*a^6*b*c^6 - \\
& 27*B^2*a^3*b^9*c - 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2)^9)^{(1/ \\
& 2)} - 1548*A*B*a^3*b^8*c^2 + 8064*A*B*a^4*b^6*c^3 - 22400*A*B*a^5*b^4*c^4 + \\
& 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b \\
& ^3*(-(4*a*c - b^2)^9)^{(1/2)} + 152*A*B*a^2*b^{10}*c + 44*A*B*a^2*b*c*(-(4*a*c \\
& - b^2)^9)^{(1/2))}/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^6*b^{10}*c + 240*a^7*b^ \\
& 8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^{10}*b^2*c^5)))^{(1/2)} - \\
& ((- (9*A^2*b^{13} + B^2*a^2*b^{11} + 9*A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B* \\
& a*b^{12} + 2077*A^2*a^2*b^9*c^2 - 10656*A^2*a^3*b^7*c^3 + 30240*A^2*a^4*b^5*c
\end{aligned}$$

$$\begin{aligned}
&^4 - 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^9)^{(1/2)} + 288B^2a^4b^7c^2 - 1504B^2a^5b^5c^3 \\
&+ 3840B^2a^6b^3c^4 - 15360A^2a^7c^6 - 213A^2a^2b^11c + 26880A^2a^6b^3c^6 - 27B^2a^3b^9c - 3840B^2a^7b^5c^5 - 9B^2a^3c(-4ac - b^2)^9)^{(1/2)} \\
&- 1548A^2a^3b^8c^2 + 8064A^2a^4b^6c^3 - 22400A^2a^5b^4c^4 + 30720A^2a^6b^2c^5 - 51A^2a^2b^2(-4ac - b^2)^9)^{(1/2)} - 6A^2a^2b^3(-4ac - b^2)^9)^{(1/2)} \\
&+ 152A^2a^2b^10c + 44A^2a^2b^2c(-4ac - b^2)^9)^{(1/2)})/(32(a^5b^12 + 4096a^11c^6 - 24a^6b^10c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^10b^2c^5)) \\
&)^{(1/2)} * (x(-9A^2b^13 + B^2a^2b^11 + 9A^2b^4(-4ac - b^2)^9)^{(1/2)} - 6A^2a^2b^12 + 2077A^2a^2b^9c^2 - 10656A^2a^3b^7c^3 + 30240A^2a^4b^5c^4 \\
&- 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^9)^{(1/2)} + 288B^2a^4b^7c^2 - 1504B^2a^5b^5c^3 + 3840B^2a^6b^3c^4 \\
&- 15360A^2a^7c^6 - 213A^2a^2b^11c + 26880A^2a^6b^3c^6 - 27B^2a^3b^9c - 3840B^2a^7b^5c^5 - 9B^2a^3c(-4ac - b^2)^9)^{(1/2)} - 1548A^2a^3b^8c^2 + 8064A^2a^4b^6c^3 \\
&- 22400A^2a^5b^4c^4 + 30720A^2a^6b^2c^5 - 51A^2a^2b^2(-4ac - b^2)^9)^{(1/2)} - 6A^2a^2b^3(-4ac - b^2)^9)^{(1/2)} + 152A^2a^2b^10c + 44A^2a^2b^2c(-4ac - b^2)^9)^{(1/2)}) \\
&/(32(a^5b^12 + 4096a^11c^6 - 24a^6b^10c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^10b^2c^5)) \\
&)^{(1/2)} * (1048576a^16b^8c^8 + 256a^10b^13c^2 - 6144a^11b^11c^3 + 61440a^12b^9c^4 - 327680a^13b^7c^5 + 983040a^14b^5c^6 - 1572864a^15b^3c^7) \\
&+ 393216B^2a^15c^8 - 851968A^2a^14b^8c^8 - 192A^2a^8b^13c^2 + 4672A^2a^9b^11c^3 - 47360A^2a^10b^9c^4 + 256000A^2a^11b^7c^5 - 778240A^2a^12b^5c^6 \\
&+ 1261568A^2a^13b^3c^7 + 64B^2a^9b^12c^2 - 1664B^2a^10b^10c^3 + 17920B^2a^11b^8c^4 - 102400B^2a^12b^6c^5 + 327680B^2a^13b^4c^6 - 557056B^2a^14b^2c^7) \\
&+ x(204800A^2a^12c^9 - 73728B^2a^13c^8 + 144A^2a^6b^12c^3 - 3264A^2a^7b^10c^4 + 30112A^2a^8b^8c^5 - 143360A^2a^9b^6c^6 + 365568A^2a^10b^4c^7 - 458752A^2a^11b^2c^8 \\
&+ 16B^2a^8b^10c^3 - 416B^2a^9b^8c^4 + 4608B^2a^10b^6c^5 - 25600B^2a^11b^4c^6 + 69632B^2a^12b^2c^7 - 96A^2a^7b^11c^3 + 2336A^2a^8b^9c^4 - 22528A^2a^9b^7c^5 \\
&+ 107520A^2a^10b^5c^6 - 253952A^2a^11b^3c^7 + 237568A^2a^12b^1c^8)) * (-9A^2b^13 + B^2a^2b^11 + 9A^2b^4(-4ac - b^2)^9)^{(1/2)} - 6A^2a^2b^12 + 2077A^2a^2b^9c^2 \\
&- 10656A^2a^3b^7c^3 + 30240A^2a^4b^5c^4 - 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{(1/2)} + B^2a^2b^2(-4ac - b^2)^9)^{(1/2)} + 288B^2a^4b^7c^2 - 1504B^2a^5b^5c^3 \\
&+ 3840B^2a^6b^3c^4 - 15360A^2a^7c^6 - 213A^2a^2b^11c + 26880A^2a^6b^3c^6 - 27B^2a^3b^9c - 3840B^2a^7b^5c^5 - 9B^2a^3c(-4ac - b^2)^9)^{(1/2)} - 1548A^2a^3b^8c^2 \\
&+ 8064A^2a^4b^6c^3 - 22400A^2a^5b^4c^4 + 30720A^2a^6b^2c^5 - 51A^2a^2b^2(-4ac - b^2)^9)^{(1/2)} - 6A^2a^2b^3(-4ac - b^2)^9)^{(1/2)} + 152A^2a^2b^10c + 44A^2a^2b^2c(-4ac - b^2)^9)^{(1/2)}) \\
&/(32(a^5b^12 + 4096a^11c^6 - 24a^6b^10c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^10b^2c^5)) \\
&)^{(1/2)} + 128000A^3a^10c^9 + 504A^3a^6b^8c^5 - 8112A^3a^7b^6c^6 + 48704A^3a^8b^4c^7
\end{aligned}$$

$$\begin{aligned}
& c^7 - 129280A^3a^9b^2c^8 - 40B^3a^8b^7c^4 + 608B^3a^9b^5c^5 - 2 \\
& 944B^3a^{10}b^3c^6 + 46080AB^2a^{11}c^8 + 4608B^3a^{11}b^3c^7 - 84480A \\
& ^2B^3a^{10}b^3c^8 + 240AB^2a^7b^8c^4 - 3792AB^2a^8b^6c^5 + 21696A \\
& B^2a^9b^4c^6 - 52992AB^2a^{10}b^2c^7 - 360A^2B^3a^6b^9c^4 + 5736A \\
& ^2B^3a^7b^7c^5 - 33888A^2B^3a^8b^5c^6 + 87936A^2B^3a^9b^3c^7) * (- (9 \\
& * A^2b^{13} + B^2a^2b^{11} + 9A^2b^4 * (- (4ac - b^2)^9)^{1/2} - 6AB^2a^2b^1 \\
& 2 + 2077A^2a^2b^9c^2 - 10656A^2a^3b^7c^3 + 30240A^2a^4b^5c^4 - \\
& 44800A^2a^5b^3c^5 + 25A^2a^2c^2 * (- (4ac - b^2)^9)^{1/2} + B^2a^2b^2 * (- (4ac - b^2)^9)^{1/2} + 288B^2a^4b^7c^2 - 1504B^2a^5b^5c^3 + \\
& 3840B^2a^6b^3c^4 - 15360AB^2a^7c^6 - 213A^2a^b^{11}c + 26880A^2a^6 \\
& * b^3c^6 - 27B^2a^3b^9c - 3840B^2a^7b^3c^5 - 9B^2a^3c * (- (4ac - b^2 \\
&)^9)^{1/2} - 1548AB^2a^3b^8c^2 + 8064AB^2a^4b^6c^3 - 22400AB^2a^5b^ \\
& 4c^4 + 30720AB^2a^6b^2c^5 - 51A^2a^b^2c * (- (4ac - b^2)^9)^{1/2} - 6 \\
& * AB^2a^b^3 * (- (4ac - b^2)^9)^{1/2} + 152AB^2a^2b^{10}c + 44AB^2a^2b^3c * (\\
& - (4ac - b^2)^9)^{1/2} / (32 * (a^5b^{12} + 4096a^{11}c^6 - 24a^6b^{10}c + 24 \\
& 0a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^{10}b^2c^5))) ^ \\
& (1/2) * 2i - \operatorname{atan}((((9A^2b^4 * (- (4ac - b^2)^9)^{1/2} - B^2a^2b^{11} - 9A \\
& ^2b^{13} + 6AB^2a^2b^{12} - 2077A^2a^2b^9c^2 + 10656A^2a^3b^7c^3 - 302 \\
& 40A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2 * (- (4ac - b^2) \\
& ^9)^{1/2} + B^2a^2b^2 * (- (4ac - b^2)^9)^{1/2} - 288B^2a^4b^7c^2 + 15 \\
& 04B^2a^5b^5c^3 - 3840B^2a^6b^3c^4 + 15360AB^2a^7c^6 + 213A^2a^b \\
& ^{11}c - 26880A^2a^6b^3c^6 + 27B^2a^3b^9c + 3840B^2a^7b^3c^5 - 9B^2 \\
& * a^3c * (- (4ac - b^2)^9)^{1/2} + 1548AB^2a^3b^8c^2 - 8064AB^2a^4b^6c \\
& ^3 + 22400AB^2a^5b^4c^4 - 30720AB^2a^6b^2c^5 - 51A^2a^b^2c * (- (4ac \\
& - b^2)^9)^{1/2} - 6AB^2a^b^3 * (- (4ac - b^2)^9)^{1/2} - 152AB^2a^2b^{10} \\
& * c + 44AB^2a^2b^3c * (- (4ac - b^2)^9)^{1/2} / (32 * (a^5b^{12} + 4096a^{11}c^6 \\
& - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - \\
& 6144a^{10}b^2c^5))) ^ (1/2) * (x * ((9A^2b^4 * (- (4ac - b^2)^9)^{1/2} - B^2a^ \\
& 2b^{11} - 9A^2b^{13} + 6AB^2a^2b^{12} - 2077A^2a^2b^9c^2 + 10656A^2a^3b \\
& ^7c^3 - 30240A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2 * (- (\\
& 4ac - b^2)^9)^{1/2} + B^2a^2b^2 * (- (4ac - b^2)^9)^{1/2} - 288B^2a^4 * \\
& b^7c^2 + 1504B^2a^5b^5c^3 - 3840B^2a^6b^3c^4 + 15360AB^2a^7c^6 + \\
& 213A^2a^b^{11}c - 26880A^2a^6b^3c^6 + 27B^2a^3b^9c + 3840B^2a^7b^3 \\
& * c^5 - 9B^2a^3c * (- (4ac - b^2)^9)^{1/2} + 1548AB^2a^3b^8c^2 - 8064A \\
& * B^2a^4b^6c^3 + 22400AB^2a^5b^4c^4 - 30720AB^2a^6b^2c^5 - 51A^2a^b \\
& ^2c * (- (4ac - b^2)^9)^{1/2} - 6AB^2a^b^3 * (- (4ac - b^2)^9)^{1/2} - 152 * \\
& AB^2a^2b^{10}c + 44AB^2a^2b^3c * (- (4ac - b^2)^9)^{1/2} / (32 * (a^5b^{12} + 4 \\
& 096a^{11}c^6 - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^ \\
& 9b^4c^4 - 6144a^{10}b^2c^5))) ^ (1/2) * (1048576a^{16}b^3c^8 + 256a^{10}b^{13} \\
& c^2 - 6144a^{11}b^{11}c^3 + 61440a^{12}b^9c^4 - 327680a^{13}b^7c^5 + 98304 \\
& 0a^{14}b^5c^6 - 1572864a^{15}b^3c^7) - 393216B^2a^{15}c^8 + 851968A^2a^{14} \\
& b^3c^8 + 192A^2a^8b^{13}c^2 - 4672A^2a^9b^{11}c^3 + 47360A^2a^{10}b^9c^4 - 2 \\
& 56000A^2a^{11}b^7c^5 + 778240A^2a^{12}b^5c^6 - 1261568A^2a^{13}b^3c^7 - 64 * \\
& B^2a^9b^{12}c^2 + 1664B^2a^{10}b^{10}c^3 - 17920B^2a^{11}b^8c^4 + 102400B^2a^{1 \\
& 2}b^6c^5 - 327680B^2a^{13}b^4c^6 + 557056B^2a^{14}b^2c^7) + x * (204800A^2 *
\end{aligned}$$

$$\begin{aligned}
& a^{12}c^9 - 73728B^2a^{13}c^8 + 144A^2a^6b^{12}c^3 - 3264A^2a^7b^{10}c^4 + 30112A^2a^8b^8c^5 - 143360A^2a^9b^6c^6 + 365568A^2a^{10}b^4c^7 - 458752A^2a^{11}b^2c^8 + 16B^2a^8b^{10}c^3 - 416B^2a^9b^8c^4 + 4608B^2a^{10}b^6c^5 - 25600B^2a^{11}b^4c^6 + 69632B^2a^{12}b^2c^7 - 96A^2B^2a^7b^{11}c^3 + 2336A^2B^2a^8b^9c^4 - 22528A^2B^2a^9b^7c^5 + 107520A^2B^2a^{10}b^5c^6 - 253952A^2B^2a^{11}b^3c^7 + 237568A^2B^2a^{12}b^1c^8) \cdot ((9A^2b^4(-4ac - b^2)^9)^{1/2} - B^2a^2b^{11} - 9A^2b^{13} + 6A^2B^2a^2b^{12} - 2077A^2a^2b^9c^2 + 10656A^2a^3b^7c^3 - 30240A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{1/2} + B^2a^2b^2(-4ac - b^2)^9)^{1/2} - 288B^2a^4b^7c^2 + 1504B^2a^5b^5c^3 - 3840B^2a^6b^3c^4 + 15360A^2B^2a^7c^6 + 213A^2a^2b^{11}c - 26880A^2a^6b^6c^6 + 27B^2a^3b^9c + 3840B^2a^7b^5c^5 - 9B^2a^3c(-4ac - b^2)^9)^{1/2} + 1548A^2B^2a^3b^8c^2 - 8064A^2B^2a^4b^6c^3 + 22400A^2B^2a^5b^4c^4 - 30720A^2B^2a^6b^2c^5 - 51A^2a^2b^2c(-4ac - b^2)^9)^{1/2} - 6A^2B^2a^2b^3(-4ac - b^2)^9)^{1/2} - 152A^2B^2a^2b^{10}c + 44A^2B^2a^2b^6c(-4ac - b^2)^9)^{1/2}))/((32(a^5b^{12} + 4096a^{11}c^6 - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^{10}b^2c^5)))^{1/2}) \cdot i + (((9A^2b^4(-4ac - b^2)^9)^{1/2} - B^2a^2b^{11} - 9A^2b^{13} + 6A^2B^2a^2b^{12} - 2077A^2a^2b^9c^2 + 10656A^2a^3b^7c^3 - 30240A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{1/2} + B^2a^2b^2(-4ac - b^2)^9)^{1/2} - 288B^2a^4b^7c^2 + 1504B^2a^5b^5c^3 - 3840B^2a^6b^3c^4 + 15360A^2B^2a^7c^6 + 213A^2a^2b^{11}c - 26880A^2a^6b^6c^6 + 27B^2a^3b^9c + 3840B^2a^7b^5c^5 - 9B^2a^3c(-4ac - b^2)^9)^{1/2} + 1548A^2B^2a^3b^8c^2 - 8064A^2B^2a^4b^6c^3 + 22400A^2B^2a^5b^4c^4 - 30720A^2B^2a^6b^2c^5 - 51A^2a^2b^2c(-4ac - b^2)^9)^{1/2} - 6A^2B^2a^2b^3(-4ac - b^2)^9)^{1/2} - 152A^2B^2a^2b^{10}c + 44A^2B^2a^2b^6c(-4ac - b^2)^9)^{1/2}))/((32(a^5b^{12} + 4096a^{11}c^6 - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^{10}b^2c^5)))^{1/2}) \cdot (x((9A^2b^4(-4ac - b^2)^9)^{1/2} - B^2a^2b^{11} - 9A^2b^{13} + 6A^2B^2a^2b^{12} - 2077A^2a^2b^9c^2 + 10656A^2a^3b^7c^3 - 30240A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2(-4ac - b^2)^9)^{1/2} + B^2a^2b^2(-4ac - b^2)^9)^{1/2} - 288B^2a^4b^7c^2 + 1504B^2a^5b^5c^3 - 3840B^2a^6b^3c^4 + 15360A^2B^2a^7c^6 + 213A^2a^2b^{11}c - 26880A^2a^6b^6c^6 + 27B^2a^3b^9c + 3840B^2a^7b^5c^5 - 9B^2a^3c(-4ac - b^2)^9)^{1/2} + 1548A^2B^2a^3b^8c^2 - 8064A^2B^2a^4b^6c^3 + 22400A^2B^2a^5b^4c^4 - 30720A^2B^2a^6b^2c^5 - 51A^2a^2b^2c(-4ac - b^2)^9)^{1/2} - 6A^2B^2a^2b^3(-4ac - b^2)^9)^{1/2} - 152A^2B^2a^2b^{10}c + 44A^2B^2a^2b^6c(-4ac - b^2)^9)^{1/2}))/((32(a^5b^{12} + 4096a^{11}c^6 - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^{10}b^2c^5)))^{1/2}) \cdot (1048576a^{16}b^8c^8 + 256a^{10}b^{13}c^2 - 6144a^{11}b^{11}c^3 + 61440a^{12}b^9c^4 - 327680a^{13}b^7c^5 + 983040a^{14}b^5c^6 - 1572864a^{15}b^3c^7) + 393216B^2a^{15}c^8 - 851968A^2a^{14}b^8c^8 - 192A^2a^8b^{13}c^2 + 4672A^2a^9b^{11}c^3 - 47360A^2a^{10}b^9c^4 + 256000A^2a^{11}b^7c^5 - 778240A^2a^{12}b^5c^6 + 1261568A^2a^{13}b^3c^7 + 64B^2a^9b^{12}c^2 - 1664B^2a^{10}b^{10}c^3 + 17920B^2a^{11}b^8c^4 - 102400B^2a^{12}b^6c^5
\end{aligned}$$

$$\begin{aligned}
& + 327680*B*a^{13}*b^4*c^6 - 557056*B*a^{14}*b^2*c^7) + x*(204800*A^2*a^{12}*c^9 - \\
& 73728*B^2*a^{13}*c^8 + 144*A^2*a^6*b^{12}*c^3 - 3264*A^2*a^7*b^{10}*c^4 + 30112* \\
& A^2*a^8*b^8*c^5 - 143360*A^2*a^9*b^6*c^6 + 365568*A^2*a^{10}*b^4*c^7 - 458752 \\
& *A^2*a^{11}*b^2*c^8 + 16*B^2*a^8*b^{10}*c^3 - 416*B^2*a^9*b^8*c^4 + 4608*B^2*a^ \\
& 10*b^6*c^5 - 25600*B^2*a^{11}*b^4*c^6 + 69632*B^2*a^{12}*b^2*c^7 - 96*A*B*a^7*b \\
& ^{11}*c^3 + 2336*A*B*a^8*b^9*c^4 - 22528*A*B*a^9*b^7*c^5 + 107520*A*B*a^{10}*b^ \\
& 5*c^6 - 253952*A*B*a^{11}*b^3*c^7 + 237568*A*B*a^{12}*b*c^8))*((9*A^2*b^4*(-(4* \\
& a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^{11} - 9*A^2*b^{13} + 6*A*B*a*b^{12} - 2077*A^2*a \\
& ^2*b^9*c^2 + 10656*A^2*a^3*b^7*c^3 - 30240*A^2*a^4*b^5*c^4 + 44800*A^2*a^5* \\
& b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 288*B^2*a^4*b^7*c^2 + 1504*B^2*a^5*b^5*c^3 - 3840*B^2*a^6*b \\
& ^3*c^4 + 15360*A*B*a^7*c^6 + 213*A^2*a*b^{11}*c - 26880*A^2*a^6*b*c^6 + 27*B^ \\
& 2*a^3*b^9*c + 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 1 \\
& 548*A*B*a^3*b^8*c^2 - 8064*A*B*a^4*b^6*c^3 + 22400*A*B*a^5*b^4*c^4 - 30720* \\
& A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^3*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a^2*b^{10}*c + 44*A*B*a^2*b*c*(-(4*a*c - b^2) \\
& ^9)^{(1/2)))/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^6*b^{10}*c + 240*a^7*b^8*c^2 \\
& - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^{10}*b^2*c^5)))^{(1/2)}*i)/(((\\
& 9*A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^{11} - 9*A^2*b^{13} + 6*A*B*a*b^ \\
& 12 - 2077*A^2*a^2*b^9*c^2 + 10656*A^2*a^3*b^7*c^3 - 30240*A^2*a^4*b^5*c^4 + \\
& 44800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2* \\
& b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 288*B^2*a^4*b^7*c^2 + 1504*B^2*a^5*b^5*c^3 - \\
& 3840*B^2*a^6*b^3*c^4 + 15360*A*B*a^7*c^6 + 213*A^2*a*b^{11}*c - 26880*A^2*a^ \\
& 6*b*c^6 + 27*B^2*a^3*b^9*c + 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)} + 1548*A*B*a^3*b^8*c^2 - 8064*A*B*a^4*b^6*c^3 + 22400*A*B*a^5*b^ \\
& 4*c^4 - 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 6*A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a^2*b^{10}*c + 44*A*B*a^2*b*c* \\
& (- (4*a*c - b^2)^9)^{(1/2)))/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^6*b^{10}*c + 2 \\
& 40*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^{10}*b^2*c^5))) \\
& ^{(1/2)}*(x*((9*A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^{11} - 9*A^2*b^{13} \\
& + 6*A*B*a*b^{12} - 2077*A^2*a^2*b^9*c^2 + 10656*A^2*a^3*b^7*c^3 - 30240*A^2*a \\
& ^4*b^5*c^4 + 44800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + B^2*a^2*b^2*(-(4*a*c - b^2)^9)^{(1/2)} - 288*B^2*a^4*b^7*c^2 + 1504*B^2*a \\
& ^5*b^5*c^3 - 3840*B^2*a^6*b^3*c^4 + 15360*A*B*a^7*c^6 + 213*A^2*a*b^{11}*c - \\
& 26880*A^2*a^6*b*c^6 + 27*B^2*a^3*b^9*c + 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(- \\
& (4*a*c - b^2)^9)^{(1/2)} + 1548*A*B*a^3*b^8*c^2 - 8064*A*B*a^4*b^6*c^3 + 224 \\
& 00*A*B*a^5*b^4*c^4 - 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a^2*b^{10}*c + 44* \\
& A*B*a^2*b*c*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^ \\
& 6*b^{10}*c + 240*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^1 \\
& 0*b^2*c^5)))^{(1/2)}*(1048576*a^{16}*b*c^8 + 256*a^{10}*b^{13}*c^2 - 6144*a^{11}*b^{11} \\
& *c^3 + 61440*a^{12}*b^9*c^4 - 327680*a^{13}*b^7*c^5 + 983040*a^{14}*b^5*c^6 - 157 \\
& 2864*a^{15}*b^3*c^7) - 393216*B*a^{15}*c^8 + 851968*A*a^{14}*b*c^8 + 192*A*a^8*b^ \\
& 13*c^2 - 4672*A*a^9*b^{11}*c^3 + 47360*A*a^{10}*b^9*c^4 - 256000*A*a^{11}*b^7*c^5 \\
& + 778240*A*a^{12}*b^5*c^6 - 1261568*A*a^{13}*b^3*c^7 - 64*B*a^9*b^{12}*c^2 + 166
\end{aligned}$$

$$\begin{aligned}
& 4*B*a^{10}*b^{10}*c^3 - 17920*B*a^{11}*b^8*c^4 + 102400*B*a^{12}*b^6*c^5 - 327680*B \\
& *a^{13}*b^4*c^6 + 557056*B*a^{14}*b^2*c^7) + x*(204800*A^2*a^{12}*c^9 - 73728*B^2 \\
& *a^{13}*c^8 + 144*A^2*a^6*b^{12}*c^3 - 3264*A^2*a^7*b^{10}*c^4 + 30112*A^2*a^8*b^ \\
& 8*c^5 - 143360*A^2*a^9*b^6*c^6 + 365568*A^2*a^{10}*b^4*c^7 - 458752*A^2*a^{11}* \\
& b^2*c^8 + 16*B^2*a^8*b^{10}*c^3 - 416*B^2*a^9*b^8*c^4 + 4608*B^2*a^{10}*b^6*c^5 \\
& - 25600*B^2*a^{11}*b^4*c^6 + 69632*B^2*a^{12}*b^2*c^7 - 96*A*B*a^7*b^{11}*c^3 + \\
& 2336*A*B*a^8*b^9*c^4 - 22528*A*B*a^9*b^7*c^5 + 107520*A*B*a^{10}*b^5*c^6 - 25 \\
& 3952*A*B*a^{11}*b^3*c^7 + 237568*A*B*a^{12}*b*c^8))*((9*A^2*b^4*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} - B^2*a^2*b^{11} - 9*A^2*b^{13} + 6*A*B*a*b^{12} - 2077*A^2*a^2*b^9*c^2 \\
& + 10656*A^2*a^3*b^7*c^3 - 30240*A^2*a^4*b^5*c^4 + 44800*A^2*a^5*b^3*c^5 + \\
& 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^9)^{(1 \\
& /2)} - 288*B^2*a^4*b^7*c^2 + 1504*B^2*a^5*b^5*c^3 - 3840*B^2*a^6*b^3*c^4 + 1 \\
& 5360*A*B*a^7*c^6 + 213*A^2*a*b^{11}*c - 26880*A^2*a^6*b*c^6 + 27*B^2*a^3*b^9* \\
& c + 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 1548*A*B*a^ \\
& 3*b^8*c^2 - 8064*A*B*a^4*b^6*c^3 + 22400*A*B*a^5*b^4*c^4 - 30720*A*B*a^6*b^ \\
& 2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)} - 152*A*B*a^2*b^{10}*c + 44*A*B*a^2*b*c*(-(4*a*c - b^2)^9)^{(1/2)}) \\
& /((32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^6*b^{10}*c + 240*a^7*b^8*c^2 - 1280*a^8 \\
& *b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^{10}*b^2*c^5)))^{(1/2)} - (((9*A^2*b^4*(-(\\
& 4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^{11} - 9*A^2*b^{13} + 6*A*B*a*b^{12} - 2077*A^2 \\
& *a^2*b^9*c^2 + 10656*A^2*a^3*b^7*c^3 - 30240*A^2*a^4*b^5*c^4 + 44800*A^2*a^ \\
& 5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c \\
& - b^2)^9)^{(1/2)} - 288*B^2*a^4*b^7*c^2 + 1504*B^2*a^5*b^5*c^3 - 3840*B^2*a^6 \\
& *b^3*c^4 + 15360*A*B*a^7*c^6 + 213*A^2*a*b^{11}*c - 26880*A^2*a^6*b*c^6 + 27* \\
& B^2*a^3*b^9*c + 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 1548*A*B*a^3*b^8*c^2 - 8064*A*B*a^4*b^6*c^3 + 22400*A*B*a^5*b^4*c^4 - 3072 \\
& 0*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6*A*B*a*b^3*(\\
& -(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a^2*b^{10}*c + 44*A*B*a^2*b*c*(-(4*a*c - b^ \\
& 2)^9)^{(1/2)})/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^6*b^{10}*c + 240*a^7*b^8*c^ \\
& 2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^{10}*b^2*c^5)))^{(1/2)}*(x*((9 \\
& *A^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} - B^2*a^2*b^{11} - 9*A^2*b^{13} + 6*A*B*a*b^1 \\
& 2 - 2077*A^2*a^2*b^9*c^2 + 10656*A^2*a^3*b^7*c^3 - 30240*A^2*a^4*b^5*c^4 + \\
& 44800*A^2*a^5*b^3*c^5 + 25*A^2*a^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + B^2*a^2*b \\
& ^2*(-(4*a*c - b^2)^9)^{(1/2)} - 288*B^2*a^4*b^7*c^2 + 1504*B^2*a^5*b^5*c^3 - \\
& 3840*B^2*a^6*b^3*c^4 + 15360*A*B*a^7*c^6 + 213*A^2*a*b^{11}*c - 26880*A^2*a^6 \\
& *b*c^6 + 27*B^2*a^3*b^9*c + 3840*B^2*a^7*b*c^5 - 9*B^2*a^3*c*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} + 1548*A*B*a^3*b^8*c^2 - 8064*A*B*a^4*b^6*c^3 + 22400*A*B*a^5*b^ \\
& 4*c^4 - 30720*A*B*a^6*b^2*c^5 - 51*A^2*a*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 6 \\
& *A*B*a*b^3*(-(4*a*c - b^2)^9)^{(1/2)} - 152*A*B*a^2*b^{10}*c + 44*A*B*a^2*b*c*(\\
& -(4*a*c - b^2)^9)^{(1/2)})/(32*(a^5*b^{12} + 4096*a^{11}*c^6 - 24*a^6*b^{10}*c + 24 \\
& 0*a^7*b^8*c^2 - 1280*a^8*b^6*c^3 + 3840*a^9*b^4*c^4 - 6144*a^{10}*b^2*c^5)))^{(\\
& 1/2)}*(1048576*a^{16}*b*c^8 + 256*a^{10}*b^{13}*c^2 - 6144*a^{11}*b^{11}*c^3 + 61440* \\
& a^{12}*b^9*c^4 - 327680*a^{13}*b^7*c^5 + 983040*a^{14}*b^5*c^6 - 1572864*a^{15}*b^3 \\
& *c^7) + 393216*B*a^{15}*c^8 - 851968*A*a^{14}*b*c^8 - 192*A*a^8*b^{13}*c^2 + 4672 \\
& *A*a^9*b^{11}*c^3 - 47360*A*a^{10}*b^9*c^4 + 256000*A*a^{11}*b^7*c^5 - 778240*A*a
\end{aligned}$$

$$\begin{aligned}
& ^{12}b^5c^6 + 1261568Aa^{13}b^3c^7 + 64B^2a^9b^{12}c^2 - 1664B^2a^{10}b^{10} \\
& c^3 + 17920B^2a^{11}b^8c^4 - 102400B^2a^{12}b^6c^5 + 327680B^2a^{13}b^4c^6 \\
& - 557056B^2a^{14}b^2c^7) + x(204800A^2a^{12}c^9 - 73728B^2a^{13}c^8 + 1 \\
& 44A^2a^6b^{12}c^3 - 3264A^2a^7b^{10}c^4 + 30112A^2a^8b^8c^5 - 14336 \\
& 0A^2a^9b^6c^6 + 365568A^2a^{10}b^4c^7 - 458752A^2a^{11}b^2c^8 + 16B^2 \\
& a^8b^{10}c^3 - 416B^2a^9b^8c^4 + 4608B^2a^{10}b^6c^5 - 25600B^2a^{11} \\
& b^4c^6 + 69632B^2a^{12}b^2c^7 - 96A^2B^2a^7b^{11}c^3 + 2336A^2B^2a^8b^9 \\
& c^4 - 22528A^2B^2a^9b^7c^5 + 107520A^2B^2a^{10}b^5c^6 - 253952A^2B^2a^{11} \\
& b^3c^7 + 237568A^2B^2a^{12}b^2c^8) * ((9A^2b^4 * (-4ac - b^2)^9)^{(1/2)} - B^2 \\
& a^2b^{11} - 9A^2b^{13} + 6A^2B^2a^7b^{12} - 2077A^2a^2b^9c^2 + 10656A^2a^3 \\
& b^7c^3 - 30240A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2 * (-4ac - b^2)^9)^{(1/2)} \\
& + B^2a^2b^2 * (-4ac - b^2)^9)^{(1/2)} - 288B^2a^4b^7c^2 + 1504B^2a^5b^5c^3 - 3840B^2a^6 \\
& b^3c^4 + 15360A^2B^2a^7c^6 + 213A^2a^6b^{11}c - 26880A^2a^6b^6c^6 + 27B^2a^3b^9c + 3840B^2a^7 \\
& b^5c^5 - 9B^2a^3c * (-4ac - b^2)^9)^{(1/2)} + 1548A^2B^2a^3b^8c^2 - 8064A^2B^2a^4 \\
& b^6c^3 + 22400A^2B^2a^5b^4c^4 - 30720A^2B^2a^6b^2c^5 - 51A^2a^2b^2c * (-4ac - b^2)^9)^{(1/2)} \\
& - 6A^2B^2a^3b^3 * (-4ac - b^2)^9)^{(1/2)} - 152A^2B^2a^2b^{10}c + 44A^2B^2a^2b^2c * (-4ac - b^2)^9)^{(1/2)} \\
&) / (32 * (a^5b^{12} + 4096a^{11}c^6 - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 \\
& - 6144a^{10}b^2c^5)))^{(1/2)} + 128000A^3a^{10}c^9 + 504A^3a^6b^8c^5 - 8112A^3a^7b^6c^6 + 48704A^3a^8b^4c^7 \\
& - 129280A^3a^9b^2c^8 - 40B^3a^8b^7c^4 + 608B^3a^9b^5c^5 - 2944B^3a^{10}b^3c^6 + 46080A^2B^3a^{11} \\
& c^8 + 4608B^3a^{11}b^2c^7 - 84480A^2B^3a^{10}b^2c^8 + 240A^2B^3a^7b^8c^4 - 3792A^2B^3a^8b^6c^5 + 21696A^2B^3a^9 \\
& b^4c^6 - 52992A^2B^3a^{10}b^2c^7 - 360A^2B^3a^6b^9c^4 + 5736A^2B^3a^7b^7c^5 - 33888A^2B^3a^8b^5c^6 + 87936A^2B^3a^9 \\
& b^3c^7) * ((9A^2b^4 * (-4ac - b^2)^9)^{(1/2)} - B^2a^2b^{11} - 9A^2b^{13} + 6A^2B^2a^7b^{12} - 2077A^2a^2b^9 \\
& c^2 + 10656A^2a^3b^7c^3 - 30240A^2a^4b^5c^4 + 44800A^2a^5b^3c^5 + 25A^2a^2c^2 * (-4ac - b^2)^9)^{(1/2)} \\
& + B^2a^2b^2 * (-4ac - b^2)^9)^{(1/2)} - 288B^2a^4b^7c^2 + 1504B^2a^5b^5c^3 - 3840B^2a^6b^3c^4 + 15360A^2B^2a^7 \\
& c^6 + 213A^2a^6b^{11}c - 26880A^2a^6b^6c^6 + 27B^2a^3b^9c + 3840B^2a^7b^5c^5 - 9B^2a^3c * (-4ac - b^2)^9)^{(1/2)} \\
& + 1548A^2B^2a^3b^8c^2 - 8064A^2B^2a^4b^6c^3 + 22400A^2B^2a^5b^4c^4 - 30720A^2B^2a^6b^2c^5 - 51A^2a^2b^2c * (-4ac - b^2)^9)^{(1/2)} \\
& - 6A^2B^2a^3b^3 * (-4ac - b^2)^9)^{(1/2)} - 152A^2B^2a^2b^{10}c + 44A^2B^2a^2b^2c * (-4ac - b^2)^9)^{(1/2)} \\
&) / (32 * (a^5b^{12} + 4096a^{11}c^6 - 24a^6b^{10}c + 240a^7b^8c^2 - 1280a^8b^6c^3 + 3840a^9b^4c^4 - 6144a^{10}b^2c^5)))^{(1/2)} * 2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**2/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.123 \quad \int \frac{A+Bx^2}{x^4(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=522

$$\frac{aB(3b^2 - 10ac) - A(5b^3 - 19abc)}{2a^3x(b^2 - 4ac)} - \frac{-14aAc - 3abB + 5Ab^2}{6a^2x^3(b^2 - 4ac)} \sqrt{c} \left(aB(3b^2\sqrt{b^2 - 4ac} - 10ac\sqrt{b^2 - 4ac} - 16abc) \right)$$

[Out] $1/6*(14*A*a*c-5*A*b^2+3*B*a*b)/a^2/(-4*a*c+b^2)/x^3+1/2*(-a*B*(-10*a*c+3*b^2)+A*(-19*a*b*c+5*b^3))/a^3/(-4*a*c+b^2)/x+1/2*(-a*b*B+A*(-2*a*c+b^2)+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/x^3/(c*x^4+b*x^2+a)-1/4*\arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(a*B*(3*b^3-16*a*b*c+3*b^2*(-4*a*c+b^2)^(1/2)-10*a*c*(-4*a*c+b^2)^(1/2))-A*(5*b^4-29*a*b^2*c+28*a^2*c^2+5*(-4*a*c+b^2)^(1/2)*b^3-19*(-4*a*c+b^2)^(1/2)*a*b*c))/a^3/(-4*a*c+b^2)^(3/2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)+1/4*\arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(a*B*(3*b^3-16*a*b*c-3*b^2*(-4*a*c+b^2)^(1/2)+10*a*c*(-4*a*c+b^2)^(1/2))-A*(5*b^4-29*a*b^2*c+28*a^2*c^2-5*(-4*a*c+b^2)^(1/2)*b^3+19*(-4*a*c+b^2)^(1/2)*a*b*c))/a^3/(-4*a*c+b^2)^(3/2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)$

Rubi [A] time = 1.36, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1277, 1281, 1166, 205}

$$\sqrt{c} \left(aB(3b^2\sqrt{b^2 - 4ac} - 10ac\sqrt{b^2 - 4ac} - 16abc + 3b^3) - A(28a^2c^2 + 5b^3\sqrt{b^2 - 4ac} - 29ab^2c - 19abc\sqrt{b^2 - 4ac}) \right)$$

$$2\sqrt{2}a^3(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)^2), x]

[Out] $-(5*A*b^2 - 3*a*b*B - 14*a*A*c)/(6*a^2*(b^2 - 4*a*c)*x^3) - (a*B*(3*b^2 - 10*a*c) - A*(5*b^3 - 19*a*b*c))/(2*a^3*(b^2 - 4*a*c)*x) - (a*b*B - A*(b^2 - 2*a*c) - (A*b - 2*a*B)*c*x^2)/(2*a*(b^2 - 4*a*c)*x^3*(a + b*x^2 + c*x^4)) - (\text{Sqrt}[c]*(a*B*(3*b^3 - 16*a*b*c + 3*b^2*\text{Sqrt}[b^2 - 4*a*c] - 10*a*c*\text{Sqrt}[b^2 - 4*a*c]) - A*(5*b^4 - 29*a*b^2*c + 28*a^2*c^2 + 5*b^3*\text{Sqrt}[b^2 - 4*a*c] - 19*a*b*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(2*\text{Sqrt}[2]*a^3*(b^2 - 4*a*c)^(3/2)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[c]*(a*B*(3*b^3 - 16*a*b*c - 3*b^2*\text{Sqrt}[b^2 - 4*a*c] + 10*a*c*\text{Sqrt}[b^2 - 4*a*c]) - A*(5*b^4 - 29*a*b^2*c + 28*a^2*c^2 - 5*b^3*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(2*\text{Sqrt}[2]*a^3*(b^2 - 4*a*c)^(3/2)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

$c] + 19*a*b*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(2*\text{Sqrt}[2]*a^3*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]$

Rule 205

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 1166

$\text{Int}[(d + (e \cdot x)^2)/(a + (b \cdot x)^2 + (c \cdot x)^4), x_Symbol] :> \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4*a*c]$

Rule 1277

$\text{Int}[(f \cdot x)^m * (d + (e \cdot x)^2) * (a + (b \cdot x)^2 + (c \cdot x)^4)^p, x_Symbol] \rightarrow -\text{Simp}[(f \cdot x)^{m+1} * (a + b*x^2 + c*x^4)^{p+1} * (d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2)/(2*a*f*(p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p+1)*(b^2 - 4*a*c)), \text{Int}[(f \cdot x)^m * (a + b*x^2 + c*x^4)^{p+1} * \text{Simp}[d*(b^2*(m+2*(p+1)+1) - 2*a*c*(m+4*(p+1)+1)) - a*b*e*(m+1) + c*(m+2*(2*p+3)+1)*(b*d - 2*a*e)*x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1281

$\text{Int}[(f \cdot x)^m * (d + (e \cdot x)^2) * (a + (b \cdot x)^2 + (c \cdot x)^4)^p, x_Symbol] \rightarrow \text{Simp}[(d*(f \cdot x)^{m+1} * (a + b*x^2 + c*x^4)^{p+1})/(a*f*(m+1)), x] + \text{Dist}[1/(a*f^2*(m+1)), \text{Int}[(f \cdot x)^{m+2} * (a + b*x^2 + c*x^4)^p * \text{Simp}[a*e*(m+1) - b*d*(m+2*p+3) - c*d*(m+4*p+5)*x^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegerQ}[2*p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^4(a + bx^2 + cx^4)^2} dx &= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^3(a + bx^2 + cx^4)} - \frac{\int \frac{-5Ab^2 + 3abB + 14aAc - 5(Ab - 2aB)cx^2}{x^4(a + bx^2 + cx^4)} dx}{2a(b^2 - 4ac)} \\
&= -\frac{5Ab^2 - 3abB - 14aAc}{6a^2(b^2 - 4ac)x^3} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{2a(b^2 - 4ac)x^3(a + bx^2 + cx^4)} + \frac{\int \frac{-3(5Ab^3 - 3ab^2B - 19abc^2)}{x^4(a + bx^2 + cx^4)} dx}{2a(b^2 - 4ac)} \\
&= -\frac{5Ab^2 - 3abB - 14aAc}{6a^2(b^2 - 4ac)x^3} - \frac{aB(3b^2 - 10ac) - A(5b^3 - 19abc)}{2a^3(b^2 - 4ac)x} - \frac{abB - A(b^2 - 2ac)}{2a(b^2 - 4ac)x^3(a + bx^2 + cx^4)} \\
&= -\frac{5Ab^2 - 3abB - 14aAc}{6a^2(b^2 - 4ac)x^3} - \frac{aB(3b^2 - 10ac) - A(5b^3 - 19abc)}{2a^3(b^2 - 4ac)x} - \frac{abB - A(b^2 - 2ac)}{2a(b^2 - 4ac)x^3(a + bx^2 + cx^4)} \\
&= -\frac{5Ab^2 - 3abB - 14aAc}{6a^2(b^2 - 4ac)x^3} - \frac{aB(3b^2 - 10ac) - A(5b^3 - 19abc)}{2a^3(b^2 - 4ac)x} - \frac{abB - A(b^2 - 2ac)}{2a(b^2 - 4ac)x^3(a + bx^2 + cx^4)}
\end{aligned}$$

Mathematica [A] time = 1.20, size = 487, normalized size = 0.93

$$\frac{6x(A(2a^2c^2 - 4ab^2c - 3abc^2x^2 + b^4 + b^3cx^2) + aB(3abc + 2ac^2x^2 - b^3 - b^2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{3\sqrt{2}\sqrt{c}\left(A(28a^2c^2 - 29ab^2c - 19abc\sqrt{b^2 - 4ac} + 5b^3\sqrt{b^2 - 4ac} + 5b^4) + aB(-3b^3 + 2a^2c^2x^2 + b^3cx^2) + A(b^4 - 4a^2b^2c + 2a^2c^2 + b^3cx^2 - 3a^2b^2c^2x^2)\right)}{(b^2 - 4ac)^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)^2), x]

[Out] ((-4*a*A)/x^3 + (24*A*b - 12*a*B)/x + (6*x*(a*B*(-b^3 + 3*a*b*c - b^2*c*x^2 + 2*a*c^2*x^2) + A*(b^4 - 4*a*b^2*c + 2*a^2*c^2 + b^3*c*x^2 - 3*a*b*c^2*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (3*sqrt[2]*sqrt[c]*(a*B*(-3*b^3 + 16*a*b*c - 3*b^2*sqrt[b^2 - 4*a*c] + 10*a*c*sqrt[b^2 - 4*a*c]) + A*(5*b^4 - 29*a*b^2*c + 28*a^2*c^2 + 5*b^3*sqrt[b^2 - 4*a*c] - 19*a*b*c*sqrt[b^2 - 4*a*c]))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b - sqrt[b^2 - 4*a*c]])/(b^2 - 4*a*c)^(3/2)*sqrt[b - sqrt[b^2 - 4*a*c]]) - (3*sqrt[2]*sqrt[c]*(a*B*(-3*b^3 + 16*a*b*c + 3*b^2*sqrt[b^2 - 4*a*c] - 10*a*c*sqrt[b^2 - 4*a*c]) + A*(5*b^4 - 29*a*b^2*c + 28*a^2*c^2 - 5*b^3*sqrt[b^2 - 4*a*c] + 19*a*b*c*sqrt[b^2 - 4*a*c]))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b + sqrt[b^2 - 4*a*c]])/(b^2 - 4*a*c)^(3/2)*sqrt[b + sqrt[b^2 - 4*a*c]])/(12*a^3)

fricas [B] time = 18.85, size = 10190, normalized size = 19.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out]
$$\frac{1}{12} \cdot (6 \cdot ((10 \cdot B \cdot a^2 - 19 \cdot A \cdot a \cdot b) \cdot c^2 - (3 \cdot B \cdot a \cdot b^2 - 5 \cdot A \cdot b^3) \cdot c) \cdot x^6 - 4 \cdot A \cdot a^2 \cdot b^2 + 16 \cdot A \cdot a^3 \cdot c - 2 \cdot (9 \cdot B \cdot a \cdot b^3 - 15 \cdot A \cdot b^4 - 14 \cdot A \cdot a^2 \cdot c^2 - (33 \cdot B \cdot a^2 \cdot b - 62 \cdot A \cdot a \cdot b^2) \cdot c) \cdot x^4 - 4 \cdot (3 \cdot B \cdot a^2 \cdot b^2 - 5 \cdot A \cdot a \cdot b^3 - 4 \cdot (3 \cdot B \cdot a^3 - 5 \cdot A \cdot a^2 \cdot b) \cdot c) \cdot x^2 - 3 \cdot \sqrt{1/2} \cdot ((a^3 \cdot b^2 \cdot c - 4 \cdot a^4 \cdot c^2) \cdot x^7 + (a^3 \cdot b^3 - 4 \cdot a^4 \cdot b \cdot c) \cdot x^5 + (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c) \cdot x^3) \cdot \sqrt{-(9 \cdot B^2 \cdot a^2 \cdot b^7 - 30 \cdot A \cdot B \cdot a \cdot b^8 + 25 \cdot A^2 \cdot b^9 - 140 \cdot (4 \cdot A \cdot B \cdot a^5 - 9 \cdot A^2 \cdot a^4 \cdot b) \cdot c^4 - 105 \cdot (4 \cdot B^2 \cdot a^5 \cdot b - 20 \cdot A \cdot B \cdot a^4 \cdot b^2 + 23 \cdot A^2 \cdot a^3 \cdot b^3) \cdot c^3 + 7 \cdot (55 \cdot B^2 \cdot a^4 \cdot b^3 - 210 \cdot A \cdot B \cdot a^3 \cdot b^4 + 198 \cdot A^2 \cdot a^2 \cdot b^5) \cdot c^2 - 7 \cdot (15 \cdot B^2 \cdot a^3 \cdot b^5 - 52 \cdot A \cdot B \cdot a^2 \cdot b^6 + 45 \cdot A^2 \cdot a \cdot b^7) \cdot c + (a^7 \cdot b^6 - 12 \cdot a^8 \cdot b^4 \cdot c + 48 \cdot a^9 \cdot b^2 \cdot c^2 - 64 \cdot a^{10} \cdot c^3) \cdot \sqrt{(81 \cdot B^4 \cdot a^4 \cdot b^8 - 540 \cdot A \cdot B^3 \cdot a^3 \cdot b^9 + 1350 \cdot A^2 \cdot B^2 \cdot a^2 \cdot b^{10} - 1500 \cdot A^3 \cdot B \cdot a \cdot b^{11} + 625 \cdot A^4 \cdot b^{12} + 2401 \cdot A^4 \cdot a^6 \cdot c^6 - 98 \cdot (25 \cdot A^2 \cdot B^2 \cdot a^7 - 186 \cdot A^3 \cdot B \cdot a^6 \cdot b + 246 \cdot A^4 \cdot a^5 \cdot b^2) \cdot c^5 + (625 \cdot B^4 \cdot a^8 - 9300 \cdot A \cdot B^3 \cdot a^7 \cdot b + 51894 \cdot A^2 \cdot B^2 \cdot a^6 \cdot b^2 - 109544 \cdot A^3 \cdot B \cdot a^5 \cdot b^3 + 76686 \cdot A^4 \cdot a^4 \cdot b^4) \cdot c^4 - 2 \cdot (1275 \cdot B^4 \cdot a^7 \cdot b^2 - 14086 \cdot A \cdot B^3 \cdot a^6 \cdot b^3 + 51336 \cdot A^2 \cdot B^2 \cdot a^5 \cdot b^4 - 77424 \cdot A^3 \cdot B \cdot a^4 \cdot b^5 + 41815 \cdot A^4 \cdot a^3 \cdot b^6) \cdot c^3 + 3 \cdot (1017 \cdot B^4 \cdot a^6 \cdot b^4 - 7872 \cdot A \cdot B^3 \cdot a^5 \cdot b^5 + 22508 \cdot A^2 \cdot B^2 \cdot a^4 \cdot b^6 - 28260 \cdot A^3 \cdot B \cdot a^3 \cdot b^7 + 13175 \cdot A^4 \cdot a^2 \cdot b^8) \cdot c^2 - 2 \cdot (459 \cdot B^4 \cdot a^5 \cdot b^6 - 3186 \cdot A \cdot B^3 \cdot a^4 \cdot b^7 + 8280 \cdot A^2 \cdot B^2 \cdot a^3 \cdot b^8 - 9550 \cdot A^3 \cdot B \cdot a^2 \cdot b^9 + 4125 \cdot A^4 \cdot a \cdot b^{10}) \cdot c) / (a^{14} \cdot b^6 - 12 \cdot a^{15} \cdot b^4 \cdot c + 48 \cdot a^{16} \cdot b^2 \cdot c^2 - 64 \cdot a^{17} \cdot c^3)) / (a^7 \cdot b^6 - 12 \cdot a^8 \cdot b^4 \cdot c + 48 \cdot a^9 \cdot b^2 \cdot c^2 - 64 \cdot a^{10} \cdot c^3) \cdot \log((9604 \cdot A^4 \cdot a^4 \cdot c^8 + 7203 \cdot (4 \cdot A^3 \cdot B \cdot a^4 \cdot b - 7 \cdot A^4 \cdot a^3 \cdot b^2) \cdot c^7 - (2500 \cdot B^4 \cdot a^6 - 22500 \cdot A \cdot B^3 \cdot a^5 \cdot b + 43524 \cdot A^2 \cdot B^2 \cdot a^4 \cdot b^2 + 4343 \cdot A^3 \cdot B \cdot a^3 \cdot b^3 - 43410 \cdot A^4 \cdot a^2 \cdot b^4) \cdot c^6 + (5625 \cdot B^4 \cdot a^5 \cdot b^2 - 31137 \cdot A \cdot B^3 \cdot a^4 \cdot b^3 + 52821 \cdot A^2 \cdot B^2 \cdot a^3 \cdot b^4 - 20190 \cdot A^3 \cdot B \cdot a^2 \cdot b^5 - 12325 \cdot A^4 \cdot a \cdot b^6) \cdot c^5 - 3 \cdot (657 \cdot B^4 \cdot a^4 \cdot b^4 - 3351 \cdot A \cdot B^3 \cdot a^3 \cdot b^5 + 5560 \cdot A^2 \cdot B^2 \cdot a^2 \cdot b^6 - 2775 \cdot A^3 \cdot B \cdot a \cdot b^7 - 375 \cdot A^4 \cdot b^8) \cdot c^4 + 7 \cdot (27 \cdot B^4 \cdot a^3 \cdot b^6 - 135 \cdot A \cdot B^3 \cdot a^2 \cdot b^7 + 225 \cdot A^2 \cdot B^2 \cdot a \cdot b^8 - 125 \cdot A^3 \cdot B \cdot b^9) \cdot c^3) \cdot x + 1/2 \cdot \sqrt{1/2} \cdot (27 \cdot B^3 \cdot a^3 \cdot b^{11} - 135 \cdot A \cdot B^2 \cdot a^2 \cdot b^{12} + 225 \cdot A^2 \cdot B \cdot a \cdot b^{13} - 125 \cdot A^3 \cdot b^{14} + 10976 \cdot A^3 \cdot a^7 \cdot c^7 - 112 \cdot (50 \cdot A \cdot B^2 \cdot a^8 - 463 \cdot A^2 \cdot B \cdot a^7 \cdot b + 709 \cdot A^3 \cdot a^6 \cdot b^2) \cdot c^6 - 2 \cdot (2600 \cdot B^3 \cdot a^8 \cdot b - 31256 \cdot A \cdot B^2 \cdot a^7 \cdot b^2 + 96044 \cdot A^2 \cdot B \cdot a^6 \cdot b^3 - 86495 \cdot A^3 \cdot a^5 \cdot b^4) \cdot c^5 + (14408 \cdot B^3 \cdot a^7 \cdot b^3 - 101006 \cdot A \cdot B^2 \cdot a^6 \cdot b^4 + 224705 \cdot A^2 \cdot B \cdot a^5 \cdot b^5 - 160932 \cdot A^3 \cdot a^4 \cdot b^6) \cdot c^4 - 7 \cdot (1507 \cdot B^3 \cdot a^6 \cdot b^5 - 8820 \cdot A \cdot B^2 \cdot a^5 \cdot b^6 + 16991 \cdot A^2 \cdot B \cdot a^4 \cdot b^7 - 10797 \cdot A^3 \cdot a^3 \cdot b^8) \cdot c^3 + (3330 \cdot B^3 \cdot a^5 \cdot b^7 - 17889 \cdot A \cdot B^2 \cdot a^4 \cdot b^8 + 31929 \cdot A^2 \cdot B \cdot a^3 \cdot b^9 - 18940 \cdot A^3 \cdot a^2 \cdot b^{10}) \cdot c^2 - (486 \cdot B^3 \cdot a^4 \cdot b^9 - 2493 \cdot A \cdot B^2 \cdot a^3 \cdot b^{10} + 4260 \cdot A^2 \cdot B \cdot a^2 \cdot b^{11} - 2425 \cdot A^3 \cdot a \cdot b^{12}) \cdot c - (3 \cdot B \cdot a^8 \cdot b^{10} - 5 \cdot A \cdot a^7 \cdot b^{11} - 256 \cdot (5 \cdot B \cdot a^{13} - 13 \cdot A \cdot a^{12} \cdot b) \cdot c^5 + 64 \cdot (34 \cdot B \cdot a^{12} \cdot b^2 - 73 \cdot A \cdot a^{11} \cdot b^3) \cdot c^4 - 112 \cdot (12 \cdot B \cdot a^{11} \cdot b^4 - 23 \cdot A \cdot a^{10} \cdot b^5) \cdot c^3 + 28 \cdot (14 \cdot B \cdot a^{10} \cdot b^6 - 25 \cdot A \cdot a^9 \cdot b^7) \cdot c^2 - (55 \cdot B \cdot a^9 \cdot b^8 - 94 \cdot A \cdot a^8 \cdot b^9) \cdot c) \cdot \sqrt{(81 \cdot B^4 \cdot a^4 \cdot b^8 - 540 \cdot A \cdot B^3 \cdot a^3 \cdot b^9 + 1350 \cdot A^2 \cdot B^2 \cdot a^2 \cdot b^{10} - 1500 \cdot A^3 \cdot B \cdot a$$

$$\begin{aligned}
& *b^{11} + 625*A^4*b^{12} + 2401*A^4*a^6*c^6 - 98*(25*A^2*B^2*a^7 - 186*A^3*B*a^6*b + 246*A^4*a^5*b^2)*c^5 + (625*B^4*a^8 - 9300*A*B^3*a^7*b + 51894*A^2*B^2*a^6*b^2 - 109544*A^3*B*a^5*b^3 + 76686*A^4*a^4*b^4)*c^4 - 2*(1275*B^4*a^7*b^2 - 14086*A*B^3*a^6*b^3 + 51336*A^2*B^2*a^5*b^4 - 77424*A^3*B*a^4*b^5 + 41815*A^4*a^3*b^6)*c^3 + 3*(1017*B^4*a^6*b^4 - 7872*A*B^3*a^5*b^5 + 22508*A^2*B^2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^{10})*c)/(a^{14}*b^6 - 12*a^{15}*b^4*c + 48*a^{16}*b^2*c^2 - 64*a^{17}*c^3)))*sqrt(-(9*B^2*a^2*b^7 - 30*A*B*a*b^8 + 25*A^2*b^9 - 140*(4*A*B*a^5 - 9*A^2*a^4*b)*c^4 - 105*(4*B^2*a^5*b - 20*A*B*a^4*b^2 + 23*A^2*a^3*b^3)*c^3 + 7*(55*B^2*a^4*b^3 - 210*A*B*a^3*b^4 + 198*A^2*a^2*b^5)*c^2 - 7*(15*B^2*a^3*b^5 - 52*A*B*a^2*b^6 + 45*A^2*a*b^7)*c + (a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^{10}*c^3))*sqrt((81*B^4*a^4*b^8 - 540*A*B^3*a^3*b^9 + 1350*A^2*B^2*a^2*b^{10} - 1500*A^3*B*a*b^{11} + 625*A^4*b^{12} + 2401*A^4*a^6*c^6 - 98*(25*A^2*B^2*a^7 - 186*A^3*B*a^6*b + 246*A^4*a^5*b^2)*c^5 + (625*B^4*a^8 - 9300*A*B^3*a^7*b + 51894*A^2*B^2*a^6*b^2 - 109544*A^3*B*a^5*b^3 + 76686*A^4*a^4*b^4)*c^4 - 2*(1275*B^4*a^7*b^2 - 14086*A*B^3*a^6*b^3 + 51336*A^2*B^2*a^5*b^4 - 77424*A^3*B*a^4*b^5 + 41815*A^4*a^3*b^6)*c^3 + 3*(1017*B^4*a^6*b^4 - 7872*A*B^3*a^5*b^5 + 22508*A^2*B^2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^{10})*c)/(a^{14}*b^6 - 12*a^{15}*b^4*c + 48*a^{16}*b^2*c^2 - 64*a^{17}*c^3)))/(a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^{10}*c^3))) + 3*sqrt(1/2)*((a^3*b^2*c - 4*a^4*c^2)*x^7 + (a^3*b^3 - 4*a^4*b*c)*x^5 + (a^4*b^2 - 4*a^5*c)*x^3)*sqrt(-(9*B^2*a^2*b^7 - 30*A*B*a*b^8 + 25*A^2*b^9 - 140*(4*A*B*a^5 - 9*A^2*a^4*b)*c^4 - 105*(4*B^2*a^5*b - 20*A*B*a^4*b^2 + 23*A^2*a^3*b^3)*c^3 + 7*(55*B^2*a^4*b^3 - 210*A*B*a^3*b^4 + 198*A^2*a^2*b^5)*c^2 - 7*(15*B^2*a^3*b^5 - 52*A*B*a^2*b^6 + 45*A^2*a*b^7)*c + (a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^{10}*c^3))*sqrt((81*B^4*a^4*b^8 - 540*A*B^3*a^3*b^9 + 1350*A^2*B^2*a^2*b^{10} - 1500*A^3*B*a*b^{11} + 625*A^4*b^{12} + 2401*A^4*a^6*c^6 - 98*(25*A^2*B^2*a^7 - 186*A^3*B*a^6*b + 246*A^4*a^5*b^2)*c^5 + (625*B^4*a^8 - 9300*A*B^3*a^7*b + 51894*A^2*B^2*a^6*b^2 - 109544*A^3*B*a^5*b^3 + 76686*A^4*a^4*b^4)*c^4 - 2*(1275*B^4*a^7*b^2 - 14086*A*B^3*a^6*b^3 + 51336*A^2*B^2*a^5*b^4 - 77424*A^3*B*a^4*b^5 + 41815*A^4*a^3*b^6)*c^3 + 3*(1017*B^4*a^6*b^4 - 7872*A*B^3*a^5*b^5 + 22508*A^2*B^2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^{10})*c)/(a^{14}*b^6 - 12*a^{15}*b^4*c + 48*a^{16}*b^2*c^2 - 64*a^{17}*c^3)))/(a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^{10}*c^3))*log((9604*A^4*a^4*c^8 + 7203*(4*A^3*B*a^4*b - 7*A^4*a^3*b^2)*c^7 - (2500*B^4*a^6 - 22500*A*B^3*a^5*b + 43524*A^2*B^2*a^4*b^2 + 4343*A^3*B*a^3*b^3 - 43410*A^4*a^2*b^4)*c^6 + (5625*B^4*a^5*b^2 - 31137*A*B^3*a^4*b^3 + 52821*A^2*B^2*a^3*b^4 - 20190*A^3*B*a^2*b^5 - 12325*A^4*a*b^6)*c^5 - 3*(657*B^4*a^4*b^4 - 3351*A*B^3*a^3*b^5 + 5560*A^2*B^2*a^2*b^6 - 2775*A^3*B*a*b^7 - 375*A^4*b^8)*c^4 + 7*(27*B^4*a^3*b^6 - 135*A*B^3*a^2*b^7 + 225*A^2*B^2*a*b^8 - 125*A^3*B*b^9)*c^3)*x - 1/2*sqrt(1/2)*(27*B^3*a^3*b^{11} - 135*A*B^2*a^2*b^{12} + 225*A^2*B*a*b^{13} - 125*A^3*
\end{aligned}$$

$$\begin{aligned}
& 2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^10)*c)/(a^14*b^6 - 12*a^15*b^4*c + 48*a^16*b^2*c^2 - 64*a^17*c^3)) \\
& / (a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^10*c^3))*\log((9604*A^4*a^4*c^8 + 7203*(4*A^3*B*a^4*b - 7*A^4*a^3*b^2)*c^7 - (2500*B^4*a^6 - 22500*A*B^3*a^5*b + 43524*A^2*B^2*a^4*b^2 + 4343*A^3*B*a^3*b^3 - 43410*A^4*a^2*b^4)*c^6 + (5625*B^4*a^5*b^2 - 31137*A*B^3*a^4*b^3 + 52821*A^2*B^2*a^3*b^4 - 20190*A^3*B*a^2*b^5 - 12325*A^4*a*b^6)*c^5 - 3*(657*B^4*a^4*b^4 - 3351*A*B^3*a^3*b^5 + 5560*A^2*B^2*a^2*b^6 - 2775*A^3*B*a*b^7 - 375*A^4*b^8)*c^4 + 7*(27*B^4*a^3*b^6 - 135*A*B^3*a^2*b^7 + 225*A^2*B^2*a*b^8 - 125*A^3*B*b^9)*c^3)*x + 1/2*\sqrt{1/2}*(27*B^3*a^3*b^11 - 135*A*B^2*a^2*b^12 + 225*A^2*B*a*b^13 - 125*A^3*b^14 + 10976*A^3*a^7*c^7 - 112*(50*A*B^2*a^8 - 463*A^2*B*a^7*b + 709*A^3*a^6*b^2)*c^6 - 2*(2600*B^3*a^8*b - 31256*A*B^2*a^7*b^2 + 96044*A^2*B*a^6*b^3 - 86495*A^3*a^5*b^4)*c^5 + (14408*B^3*a^7*b^3 - 101006*A*B^2*a^6*b^4 + 224705*A^2*B*a^5*b^5 - 160932*A^3*a^4*b^6)*c^4 - 7*(1507*B^3*a^6*b^5 - 8820*A*B^2*a^5*b^6 + 16991*A^2*B*a^4*b^7 - 10797*A^3*a^3*b^8)*c^3 + (3330*B^3*a^5*b^7 - 17889*A*B^2*a^4*b^8 + 31929*A^2*B*a^3*b^9 - 18940*A^3*a^2*b^10)*c^2 - (486*B^3*a^4*b^9 - 2493*A*B^2*a^3*b^10 + 4260*A^2*B*a^2*b^11 - 2425*A^3*a*b^12)*c + (3*B*a^8*b^10 - 5*A*a^7*b^11 - 256*(5*B*a^13 - 13*A*a^12*b))*c^5 + 64*(34*B*a^12*b^2 - 73*A*a^11*b^3)*c^4 - 112*(12*B*a^11*b^4 - 23*A*a^10*b^5)*c^3 + 28*(14*B*a^10*b^6 - 25*A*a^9*b^7)*c^2 - (55*B*a^9*b^8 - 94*A*a^8*b^9)*c)*\sqrt{(81*B^4*a^4*b^8 - 540*A*B^3*a^3*b^9 + 1350*A^2*B^2*a^2*b^10 - 1500*A^3*B*a*b^11 + 625*A^4*b^12 + 2401*A^4*a^6*c^6 - 98*(25*A^2*B^2*a^7 - 186*A^3*B*a^6*b + 246*A^4*a^5*b^2)*c^5 + (625*B^4*a^8 - 9300*A*B^3*a^7*b + 51894*A^2*B^2*a^6*b^2 - 109544*A^3*B*a^5*b^3 + 76686*A^4*a^4*b^4)*c^4 - 2*(1275*B^4*a^7*b^2 - 14086*A*B^3*a^6*b^3 + 51336*A^2*B^2*a^5*b^4 - 77424*A^3*B*a^4*b^5 + 41815*A^4*a^3*b^6)*c^3 + 3*(1017*B^4*a^6*b^4 - 7872*A*B^3*a^5*b^5 + 22508*A^2*B^2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^10)*c)/(a^14*b^6 - 12*a^15*b^4*c + 48*a^16*b^2*c^2 - 64*a^17*c^3)))*\sqrt{-(9*B^2*a^2*b^7 - 30*A*B*a*b^8 + 25*A^2*b^9 - 140*(4*A*B*a^5 - 9*A^2*a^4*b)*c^4 - 105*(4*B^2*a^5*b - 20*A*B*a^4*b^2 + 23*A^2*a^3*b^3)*c^3 + 7*(55*B^2*a^4*b^3 - 210*A*B*a^3*b^4 + 198*A^2*a^2*b^5)*c^2 - 7*(15*B^2*a^3*b^5 - 52*A*B*a^2*b^6 + 45*A^2*a*b^7)*c - (a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^10*c^3)*\sqrt{(81*B^4*a^4*b^8 - 540*A*B^3*a^3*b^9 + 1350*A^2*B^2*a^2*b^10 - 1500*A^3*B*a*b^11 + 625*A^4*b^12 + 2401*A^4*a^6*c^6 - 98*(25*A^2*B^2*a^7 - 186*A^3*B*a^6*b + 246*A^4*a^5*b^2)*c^5 + (625*B^4*a^8 - 9300*A*B^3*a^7*b + 51894*A^2*B^2*a^6*b^2 - 109544*A^3*B*a^5*b^3 + 76686*A^4*a^4*b^4)*c^4 - 2*(1275*B^4*a^7*b^2 - 14086*A*B^3*a^6*b^3 + 51336*A^2*B^2*a^5*b^4 - 77424*A^3*B*a^4*b^5 + 41815*A^4*a^3*b^6)*c^3 + 3*(1017*B^4*a^6*b^4 - 7872*A*B^3*a^5*b^5 + 22508*A^2*B^2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^10)*c)/(a^14*b^6 - 12*a^15*b^4*c + 48*a^16*b^2*c^2 - 64*a^17*c^3)))/(a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^10*c^3)) + 3*\sqrt{1/2}*((a^3*b^2*c - 4*a^4*c^2)*
\end{aligned}$$

$$\begin{aligned}
& x^7 + (a^3b^3 - 4a^4b^2c)x^5 + (a^4b^2 - 4a^5c)x^3) \sqrt{-(9B^2a^2 \\
& *b^7 - 30A^2B^2a^2b^8 + 25A^2b^9 - 140(4A^2B^2a^5 - 9A^2a^4b)c^4 - 105 \\
& (4B^2a^5b - 20A^2B^2a^4b^2 + 23A^2a^3b^3)c^3 + 7(55B^2a^4b^3 - 2 \\
& 10A^2B^2a^3b^4 + 198A^2a^2b^5)c^2 - 7(15B^2a^3b^5 - 52A^2B^2a^2b^6 \\
& + 45A^2a^2b^7)c - (a^7b^6 - 12a^8b^4c + 48a^9b^2c^2 - 64a^{10}c^3) \\
& * \sqrt{(81B^4a^4b^8 - 540A^2B^3a^3b^9 + 1350A^2B^2a^2b^{10} - 1500A^3 \\
& B^2a^2b^{11} + 625A^4b^{12} + 2401A^4a^6c^6 - 98(25A^2B^2a^7 - 186A^3 \\
& B^2a^6b + 246A^4a^5b^2)c^5 + (625B^4a^8 - 9300A^2B^3a^7b + 51894A^2 \\
& B^2a^6b^2 - 109544A^3B^2a^5b^3 + 76686A^4a^4b^4)c^4 - 2(1275B^4 \\
& a^7b^2 - 14086A^2B^3a^6b^3 + 51336A^2B^2a^5b^4 - 77424A^3B^2a^4b^5 \\
& + 41815A^4a^3b^6)c^3 + 3(1017B^4a^6b^4 - 7872A^2B^3a^5b^5 + 22 \\
& 508A^2B^2a^4b^6 - 28260A^3B^2a^3b^7 + 13175A^4a^2b^8)c^2 - 2(459 \\
& B^4a^5b^6 - 3186A^2B^3a^4b^7 + 8280A^2B^2a^3b^8 - 9550A^3B^2a^2b^9 \\
& + 4125A^4a^2b^{10})c) / (a^{14}b^6 - 12a^{15}b^4c + 48a^{16}b^2c^2 - 64a^{17} \\
& c^3) / (a^7b^6 - 12a^8b^4c + 48a^9b^2c^2 - 64a^{10}c^3) * \log((96 \\
& 04A^4a^4c^8 + 7203(4A^3B^2a^4b - 7A^4a^3b^2)c^7 - (2500B^4a^6 - \\
& 22500A^2B^3a^5b + 43524A^2B^2a^4b^2 + 4343A^3B^2a^3b^3 - 43410A^4 \\
& a^2b^4)c^6 + (5625B^4a^5b^2 - 31137A^2B^3a^4b^3 + 52821A^2B^2a^3 \\
& b^4 - 20190A^3B^2a^2b^5 - 12325A^4a^2b^6)c^5 - 3(657B^4a^4b^4 - 33 \\
& 51A^2B^3a^3b^5 + 5560A^2B^2a^2b^6 - 2775A^3B^2a^2b^7 - 375A^4b^8)c^4 \\
& + 7(27B^4a^3b^6 - 135A^2B^3a^2b^7 + 225A^2B^2a^2b^8 - 125A^3B^2 \\
& b^9)c^3) * x - 1/2 * \sqrt{1/2} * (27B^3a^3b^{11} - 135A^2B^2a^2b^{12} + 225A^2 \\
& B^2a^2b^{13} - 125A^3b^{14} + 10976A^3a^7c^7 - 112(50A^2B^2a^8 - 463A^2 \\
& B^2a^7b + 709A^3a^6b^2)c^6 - 2(2600B^3a^8b - 31256A^2B^2a^7b^2 + \\
& 96044A^2B^2a^6b^3 - 86495A^3a^5b^4)c^5 + (14408B^3a^7b^3 - 101006A^2 \\
& B^2a^6b^4 + 224705A^2B^2a^5b^5 - 160932A^3a^4b^6)c^4 - 7(1507B^3 \\
& a^6b^5 - 8820A^2B^2a^5b^6 + 16991A^2B^2a^4b^7 - 10797A^3a^3b^8)c^3 \\
& + (3330B^3a^5b^7 - 17889A^2B^2a^4b^8 + 31929A^2B^2a^3b^9 - 18940A^3 \\
& a^2b^{10})c^2 - (486B^3a^4b^9 - 2493A^2B^2a^3b^{10} + 4260A^2B^2a^2 \\
& b^{11} - 2425A^3a^2b^{12})c + (3B^2a^8b^{10} - 5A^2a^7b^{11} - 256(5B^2a^{13} - \\
& 13A^2a^{12}b)c^5 + 64(34B^2a^{12}b^2 - 73A^2a^{11}b^3)c^4 - 112(12B^2a^{11} \\
& b^4 - 23A^2a^{10}b^5)c^3 + 28(14B^2a^{10}b^6 - 25A^2a^9b^7)c^2 - (55B^2a^9 \\
& b^8 - 94A^2a^8b^9)c) * \sqrt{(81B^4a^4b^8 - 540A^2B^3a^3b^9 + 1350A^2 \\
& B^2a^2b^{10} - 1500A^3B^2a^2b^{11} + 625A^4b^{12} + 2401A^4a^6c^6 - 98 \\
& (25A^2B^2a^7 - 186A^3B^2a^6b + 246A^4a^5b^2)c^5 + (625B^4a^8 - 9 \\
& 300A^2B^3a^7b + 51894A^2B^2a^6b^2 - 109544A^3B^2a^5b^3 + 76686A^4a^4 \\
& b^4)c^4 - 2(1275B^4a^7b^2 - 14086A^2B^3a^6b^3 + 51336A^2B^2a^5 \\
& b^4 - 77424A^3B^2a^4b^5 + 41815A^4a^3b^6)c^3 + 3(1017B^4a^6b^4 - \\
& 7872A^2B^3a^5b^5 + 22508A^2B^2a^4b^6 - 28260A^3B^2a^3b^7 + 13175A^4 \\
& a^2b^8)c^2 - 2(459B^4a^5b^6 - 3186A^2B^3a^4b^7 + 8280A^2B^2a^3 \\
& b^8 - 9550A^3B^2a^2b^9 + 4125A^4a^2b^{10})c) / (a^{14}b^6 - 12a^{15}b^4c \\
& + 48a^{16}b^2c^2 - 64a^{17}c^3) * \sqrt{-(9B^2a^2b^7 - 30A^2B^2a^2b^8 + 2 \\
& 5A^2b^9 - 140(4A^2B^2a^5 - 9A^2a^4b)c^4 - 105(4B^2a^5b - 20A^2B^2a^4 \\
& b^2 + 23A^2a^3b^3)c^3 + 7(55B^2a^4b^3 - 210A^2B^2a^3b^4 + 198A^2 \\
& a^2b^5)c^2 - 7(15B^2a^3b^5 - 52A^2B^2a^2b^6 + 45A^2a^2b^7)c - (a^
\end{aligned}$$

$$7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^{10}*c^3)*\sqrt{(81*B^4*a^4*b^8 - 540*A*B^3*a^3*b^9 + 1350*A^2*B^2*a^2*b^{10} - 1500*A^3*B*a*b^{11} + 625*A^4*b^{12} + 2401*A^4*a^6*c^6 - 98*(25*A^2*B^2*a^7 - 186*A^3*B*a^6*b + 246*A^4*a^5*b^2)*c^5 + (625*B^4*a^8 - 9300*A*B^3*a^7*b + 51894*A^2*B^2*a^6*b^2 - 109544*A^3*B*a^5*b^3 + 76686*A^4*a^4*b^4)*c^4 - 2*(1275*B^4*a^7*b^2 - 14086*A*B^3*a^6*b^3 + 51336*A^2*B^2*a^5*b^4 - 77424*A^3*B*a^4*b^5 + 41815*A^4*a^3*b^6)*c^3 + 3*(1017*B^4*a^6*b^4 - 7872*A*B^3*a^5*b^5 + 22508*A^2*B^2*a^4*b^6 - 28260*A^3*B*a^3*b^7 + 13175*A^4*a^2*b^8)*c^2 - 2*(459*B^4*a^5*b^6 - 3186*A*B^3*a^4*b^7 + 8280*A^2*B^2*a^3*b^8 - 9550*A^3*B*a^2*b^9 + 4125*A^4*a*b^{10})*c)/(a^{14}*b^6 - 12*a^{15}*b^4*c + 48*a^{16}*b^2*c^2 - 64*a^{17}*c^3)))/(a^7*b^6 - 12*a^8*b^4*c + 48*a^9*b^2*c^2 - 64*a^{10}*c^3)))/((a^3*b^2*c - 4*a^4*c^2)*x^7 + (a^3*b^3 - 4*a^4*b*c)*x^5 + (a^4*b^2 - 4*a^5*c)*x^3)$$

giac [B] time = 8.15, size = 6327, normalized size = 12.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out]
$$-1/2*(B*a*b^2*c*x^3 - A*b^3*c*x^3 - 2*B*a^2*c^2*x^3 + 3*A*a*b*c^2*x^3 + B*a*b^3*x - A*b^4*x - 3*B*a^2*b*c*x + 4*A*a*b^2*c*x - 2*A*a^2*c^2*x)/((a^3*b^2 - 4*a^4*c)*(c*x^4 + b*x^2 + a)) + 1/16*((10*b^5*c^2 - 78*a*b^3*c^3 + 152*a^2*b*c^4 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*b^5 + 39*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b^3*c + 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*b^4*c - 76*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^2*b*c^2 - 38*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b^2*c^2 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*b^3*c^2 + 19*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b*c^3 - 10*(b^2 - 4*a*c)*b^3*c^2 + 38*(b^2 - 4*a*c)*a*b*c^3)*(a^3*b^2 - 4*a^4*c)^2*A - (6*a*b^4*c^2 - 44*a^2*b^2*c^3 + 80*a^3*c^4 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b^4 + 22*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^2*b^2*c + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b^3*c - 40*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^3*c^2 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^2*b*c^2 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b^2*c^2 + 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^2*c^3 - 6*(b^2 - 4*a*c)*a*b^2*c^2 + 20*(b^2 - 4*a*c)*a^2*c^3)*(a^3*b^2 - 4*a^4*c)^2*B + 2*(5*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^3*b^8 - 64*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^4*b^6*c - 10*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^3*b^7*c - 10*a^3*b^8*c + 286*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^5*b^4*c^2 + 88*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^4*b^5*c^2 + 5*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^3*b^6*c^2 + 128*a^4*b^6*c^2 - 496*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^6*b^2*c^3 - 220*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^5*b^3*c^3 - 110*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^4*b^4*c^3 + 55*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^3*b^5*c^3 - 11*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^2*b^6*c^3 + 11*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a*b^7*c^3 - 11*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c})*c}*a^8*c^3)$$

$$\begin{aligned}
& b*c + \sqrt{b^2 - 4*a*c}*c)*a^5*b^3*c^3 - 44*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^4*b^4*c^3 - 572*a^5*b^4*c^3 + 224*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*c^4 + 112*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b*c^4 + \\
& 110*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^5*b^2*c^4 + 992*a^6*b^2*c^4 - 56*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*c^5 - 448*a^7*c^5 + 10*(b^2 - 4*a*c)*a^3*b^6*c - 88*(b^2 - 4*a*c)*a^4*b^4*c^2 + 220*(b^2 - 4*a*c)*a^5*b^2*c^3 - 112*(b^2 - 4*a*c)*a^6*c^4)*A*\text{abs}(a^3*b^2 - 4*a^4*c) - 2*(3*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^4*b^7 - 37*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^5*b^5*c - 6*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^4*b^6*c - 6*a^4*b^7*c + 152*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b^3*c^2 + 50*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^5*b^4*c^2 + 3*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^4*b^5*c^2 + 74*a^5*b^5*c^2 - 208*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b*c^3 - 104*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b^2*c^3 - 25*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^5*b^3*c^3 - 304*a^6*b^3*c^3 + 52*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b*c^4 + 416*a^7*b*c^4 + 6*(b^2 - 4*a*c)*a^4*b^5*c - 50*(b^2 - 4*a*c)*a^5*b^3*c^2 + 104*(b^2 - 4*a*c)*a^6*b*c^3)*B*\text{abs}(a^3*b^2 - 4*a^4*c) + (10*a^6*b^9*c^2 - 138*a^7*b^7*c^3 + 680*a^8*b^5*c^4 - 1376*a^9*b^3*c^5 + 896*a^10*b*c^6 - 5*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b^9 + 69*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b^7*c + 10*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b^8*c - 340*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^8*b^5*c^2 - 98*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b^6*c^2 - 5*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^6*b^7*c^2 + 688*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^9*b^3*c^3 + 288*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^8*b^4*c^3 + 49*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b^5*c^3 - 448*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^10*b*c^4 - 224*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^9*b^2*c^4 - 144*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^8*b^3*c^4 + 112*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^9*b*c^5 - 10*(b^2 - 4*a*c)*a^6*b^7*c^2 + 98*(b^2 - 4*a*c)*a^7*b^5*c^3 - 288*(b^2 - 4*a*c)*a^8*b^3*c^4 + 224*(b^2 - 4*a*c)*a^9*b*c^5)*A - (6*a^7*b^8*c^2 - 80*a^8*b^6*c^3 + 352*a^9*b^4*c^4 - 512*a^10*b^2*c^5 - 3*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b^8 + 40*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^8*b^6*c + 6*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b^7*c - 176*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^9*b^4*c^2 - 56*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^8*b^5*c^2 - 3*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^7*b^6*c^2 + 256*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^10*b^2*c^3 + 128*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^9*b^3*c^3 + 28*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^8*b^4*c^3 - 64*\sqrt{2})*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)*a^9*b^2*c^4 - 6*(b^2 - 4*a*c)*a^7*b^6*c^2 + 56*(b^2 - 4*a*c)*a^8*b^4*c^3 - 128*(b^2 - 4*a*c)*a^9*b^2*c^4)*B)*\arctan(2*\sqrt{1/2})*x/\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c)}
\end{aligned}$$

$$\begin{aligned} & \text{rt}(b*c - \sqrt{b^2 - 4*a*c})*c)*a^6*b^9 + 69*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b} \\ & *c - \sqrt{b^2 - 4*a*c})*c)*a^7*b^7*c + 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^6*b^8*c - 340*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^8*b^5*c^2 - 98*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^7*b^6*c^2 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^6*b^7*c^2 + 688*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^9*b^3*c^3 + 288*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^8*b^4*c^3 + 49*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & - \sqrt{b^2 - 4*a*c})*c)*a^7*b^5*c^3 - 448*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & c - \sqrt{b^2 - 4*a*c})*c)*a^{10}*b*c^4 - 224*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\ & c - \sqrt{b^2 - 4*a*c})*c)*a^9*b^2*c^4 - 144*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b} \\ & *c - \sqrt{b^2 - 4*a*c})*c)*a^8*b^3*c^4 + 112*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b} \\ & *c - \sqrt{b^2 - 4*a*c})*c)*a^9*b*c^5 - 10*(b^2 - 4*a*c)*a^6*b^7*c^2 + 98*(b \\ & ^2 - 4*a*c)*a^7*b^5*c^3 - 288*(b^2 - 4*a*c)*a^8*b^3*c^4 + 224*(b^2 - 4*a*c) \\ & *a^9*b*c^5)*A - (6*a^7*b^8*c^2 - 80*a^8*b^6*c^3 + 352*a^9*b^4*c^4 - 512*a^1 \\ & 0*b^2*c^5 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^7 \\ & *b^8 + 40*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^8*b^6 \\ & *c + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^7*b^7*c \\ & - 176*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^9*b^4*c^2 \\ & - 56*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^8*b^5*c^2 \\ & - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^7*b^6*c^2 \\ & + 256*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^{10}*b^2*c^ \\ & 3 + 128*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^9*b^3*c \\ & ^3 + 28*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^8*b^4*c \\ & ^3 - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*c)*a^9*b^2*c \\ & ^4 - 6*(b^2 - 4*a*c)*a^7*b^6*c^2 + 56*(b^2 - 4*a*c)*a^8*b^4*c^3 - 128*(b^2 \\ & - 4*a*c)*a^9*b^2*c^4)*B)*\arctan(2*\sqrt{1/2}*x/\sqrt{(a^3*b^3 - 4*a^4*b*c - s \\ & \sqrt{(a^3*b^3 - 4*a^4*b*c)^2 - 4*(a^4*b^2 - 4*a^5*c)*(a^3*b^2*c - 4*a^4*c^2) \\ &))/(a^3*b^2*c - 4*a^4*c^2)))/((a^7*b^6 - 12*a^8*b^4*c - 2*a^7*b^5*c + 48*a^ \\ & 9*b^2*c^2 + 16*a^8*b^3*c^2 + a^7*b^4*c^2 - 64*a^{10}*c^3 - 32*a^9*b*c^3 - 8*a \\ & ^8*b^2*c^3 + 16*a^9*c^4)*\text{abs}(a^3*b^2 - 4*a^4*c)*\text{abs}(c)) - 1/3*(3*B*a*x^2 - \\ & 6*A*b*x^2 + A*a)/(a^3*x^3) \end{aligned}$$

maple [B] time = 0.05, size = 1653, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^2, x)$

[Out] $\frac{1}{2}a^2/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^3*B*b^2+2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*A*b^2*c-3/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b*B*c+3/2/a^2/(c*x^4+b*x^2+a)*c^2/(4*a*c-b^2)*x^3*A*b-1/2/a^3/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^3*A*b^3+5/2/a*c^2/(4*a*c-b^2)*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(h(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B-5/2/a*c^2/(4*a*c-b^2)*2^$

$$\begin{aligned}
& (1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B+2/a^3/x*A*b+7/a*c^3/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A-3/4/a^2*c/(4*a*c-b^2)*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B*b^2+19/4/a^2*c^2/(4*a*c-b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b+7/a*c^3/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A+3/4/a^2*c/(4*a*c-b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B*b^2+5/4/a^3*c/(4*a*c-b^2)*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^3-5/4/a^3*c/(4*a*c-b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^3-19/4/a^2*c^2/(4*a*c-b^2)*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b-1/3*A/a^2/x^3-1/a^2/x*B-29/4/a^2*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^2+4/a*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*B-3/4/a^2*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B*b^3+5/4/a^3*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^4+5/4/a^3*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^4-29/4/a^2*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^2+4/a*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*B-3/4/a^2*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctanh(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B*b^3-1/a/(c*x^4+b*x^2+a)*c^2/(4*a*c-b^2)*x^3*B-1/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*A*c^2+1/2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*B*b^3-1/2/a^3/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*A*b^4
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $1/6*(3*((10*B*a^2 - 19*A*a*b)*c^2 - (3*B*a*b^2 - 5*A*b^3)*c)*x^6 - 2*A*a^2*b^2 + 8*A*a^3*c - (9*B*a*b^3 - 15*A*b^4 - 14*A*a^2*c^2 - (33*B*a^2*b - 62*A*a*b^2)*c)*x^4 - 2*(3*B*a^2*b^2 - 5*A*a*b^3 - 4*(3*B*a^3 - 5*A*a^2*b)*c)*x^2)/((a^3*b^2*c - 4*a^4*c^2)*x^7 + (a^3*b^3 - 4*a^4*b*c)*x^5 + (a^4*b^2 - 4*$

$$a^5c)x^3) - 1/2*\text{integrate}((3*B*a*b^3 - 5*A*b^4 - 14*A*a^2*c^2 - ((10*B*a^2 - 19*A*a*b)*c^2 - (3*B*a*b^2 - 5*A*b^3)*c)*x^2 - (13*B*a^2*b - 24*A*a*b^2)*c)/(c*x^4 + b*x^2 + a), x)/(a^3*b^2 - 4*a^4*c)$$

mupad [B] time = 5.70, size = 21554, normalized size = 41.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)^2), x)$

[Out] $-\text{atan}\left(\frac{\left(-25A^2b^{15} + 9B^2a^2b^{13} - 25A^2b^6(-4ac - b^2)^9\right)^{1/2} - 30ABab^{14} + 6366A^2a^2b^{11}c^2 - 35767A^2a^3b^9c^3 + 116928A^2a^4b^7c^4 - 219744A^2a^5b^5c^5 + 215040A^2a^6b^3c^6 + 49A^2a^3c^3(-4ac - b^2)^9)^{1/2} - 9B^2a^2b^4(-4ac - b^2)^9)^{1/2} + 2077B^2a^4b^9c^2 - 10656B^2a^5b^7c^3 + 30240B^2a^6b^5c^4 - 44800B^2a^7b^3c^5 - 25B^2a^4c^2(-4ac - b^2)^9)^{1/2} + 35840ABa^8c^7 - 615A^2ab^{13}c - 80640A^2a^7b^7c^7 - 213B^2a^3b^{11}c + 26880B^2a^8b^6c^6 - 246A^2a^2b^2c^2(-4ac - b^2)^9)^{1/2} - 7278ABa^3b^{10}c^2 + 39132ABa^4b^8c^3 - 119616ABa^5b^6c^4 + 201600ABa^6b^4c^5 - 161280ABa^7b^2c^6 + 165A^2ab^4c(-4ac - b^2)^9)^{1/2} + 51B^2a^3b^2c(-4ac - b^2)^9)^{1/2} + 30ABab^5(-4ac - b^2)^9)^{1/2} + 724ABa^2b^{12}c - 184ABa^2b^3c(-4ac - b^2)^9)^{1/2} + 186ABa^3b^3c^2(-4ac - b^2)^9)^{1/2}}{(32(a^7b^{12} + 4096a^{13}c^6 - 24a^8b^{10}c + 240a^9b^8c^2 - 1280a^{10}b^6c^3 + 3840a^{11}b^4c^4 - 6144a^{12}b^2c^5))^{1/2}}(917504Aa^{19}c^9 + x(-25A^2b^{15} + 9B^2a^2b^{13} - 25A^2b^6(-4ac - b^2)^9)^{1/2} - 30ABab^{14} + 6366A^2a^2b^{11}c^2 - 35767A^2a^3b^9c^3 + 116928A^2a^4b^7c^4 - 219744A^2a^5b^5c^5 + 215040A^2a^6b^3c^6 + 49A^2a^3c^3(-4ac - b^2)^9)^{1/2} - 9B^2a^2b^4(-4ac - b^2)^9)^{1/2} + 2077B^2a^4b^9c^2 - 10656B^2a^5b^7c^3 + 30240B^2a^6b^5c^4 - 44800B^2a^7b^3c^5 - 25B^2a^4c^2(-4ac - b^2)^9)^{1/2} + 35840ABa^8c^7 - 615A^2ab^{13}c - 80640A^2a^7b^7c^7 - 213B^2a^3b^{11}c + 26880B^2a^8b^6c^6 - 246A^2a^2b^2c^2(-4ac - b^2)^9)^{1/2} - 7278ABa^3b^{10}c^2 + 39132ABa^4b^8c^3 - 119616ABa^5b^6c^4 + 201600ABa^6b^4c^5 - 161280ABa^7b^2c^6 + 165A^2ab^4c(-4ac - b^2)^9)^{1/2} + 51B^2a^3b^2c(-4ac - b^2)^9)^{1/2} + 30ABab^5(-4ac - b^2)^9)^{1/2} + 724ABa^2b^{12}c - 184ABa^2b^3c(-4ac - b^2)^9)^{1/2} + 186ABa^3b^3c^2(-4ac - b^2)^9)^{1/2}}{(32(a^7b^{12} + 4096a^{13}c^6 - 24a^8b^{10}c + 240a^9b^8c^2 - 1280a^{10}b^6c^3 + 3840a^{11}b^4c^4 - 6144a^{12}b^2c^5))^{1/2}}(1048576a^{21}b^8c^8 + 256a^{15}b^{13}c^2 - 6144a^{16}b^{11}c^3 + 61440a^{17}b^9c^4 - 327680a^{18}b^7c^5 + 983040a^{19}b^5c^6 - 1572864a^{20}b^3c^7) + 851968Ba^{19}b^8c^8 - 320Aa^{12}b^{14}c^2 + 7936Aa^{13}b^{12}c^3 - 82816Aa^{14}b^{10}c^4 + 468480Aa^{15}b^8c^5 - 1536000Aa^{16}b^6c^6 + 2867200Aa^{17}b^4c^7 - 2719744Aa^{18}b^2c^8 + 192Ba^{13}b^{13}c^2 - 4672$

$$\begin{aligned}
& *B*a^{14}*b^{11}*c^3 + 47360*B*a^{15}*b^9*c^4 - 256000*B*a^{16}*b^7*c^5 + 778240*B* \\
& a^{17}*b^5*c^6 - 1261568*B*a^{18}*b^3*c^7) - x*(401408*A^2*a^{16}*c^{10} - 204800*B \\
& ^2*a^{17}*c^9 - 400*A^2*a^9*b^{14}*c^3 + 9440*A^2*a^{10}*b^{12}*c^4 - 92816*A^2*a^{11} \\
& *b^{10}*c^5 + 488096*A^2*a^{12}*b^8*c^6 - 1458688*A^2*a^{13}*b^6*c^7 + 2401280*A \\
& ^2*a^{14}*b^4*c^8 - 1871872*A^2*a^{15}*b^2*c^9 - 144*B^2*a^{11}*b^{12}*c^3 + 3264*B \\
& ^2*a^{12}*b^{10}*c^4 - 30112*B^2*a^{13}*b^8*c^5 + 143360*B^2*a^{14}*b^6*c^6 - 36556 \\
& 8*B^2*a^{15}*b^4*c^7 + 458752*B^2*a^{16}*b^2*c^8 + 480*A*B*a^{10}*b^{13}*c^3 - 1110 \\
& 4*A*B*a^{11}*b^{11}*c^4 + 105824*A*B*a^{12}*b^9*c^5 - 530432*A*B*a^{13}*b^7*c^6 + 1 \\
& 469440*A*B*a^{14}*b^5*c^7 - 2121728*A*B*a^{15}*b^3*c^8 + 1236992*A*B*a^{16}*b*c^9 \\
&))*(-(25*A^2*b^{15} + 9*B^2*a^2*b^{13} - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 30*A*B*a*b^{14} + 6366*A^2*a^2*b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2* \\
& a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a^3* \\
& c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 207 \\
& 7*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B \\
& ^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^ \\
& 7 - 615*A^2*a*b^{13}*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880*B^2 \\
& *a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^ \\
& 10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^ \\
& 4*c^5 - 161280*A*B*a^7*b^2*c^6 + 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} + 724*A*B*a^2*b^{12}*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^7*b^{12} + 4096*a^{13}*c^6 \\
& - 24*a^8*b^{10}*c + 240*a^9*b^8*c^2 - 1280*a^{10}*b^6*c^3 + 3840*a^{11}*b^4*c^4 - \\
& 6144*a^{12}*b^2*c^5)))^{(1/2)}*i - ((-(25*A^2*b^{15} + 9*B^2*a^2*b^{13} - 25*A^2* \\
& b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^{14} + 6366*A^2*a^2*b^{11}*c^2 - 3576 \\
& 7*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 21504 \\
& 0*A^2*a^6*b^3*c^6 + 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + \\
& 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b \\
& ^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^{13}*c - 80640*A^2*a^7*b*c^7 - \\
& 213*B^2*a^3*b^{11}*c + 26880*B^2*a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^{10}*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B* \\
& a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 + 165*A^2*a*b \\
& ^4*c*(-(4*a*c - b^2)^9)^{(1/2)} + 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^{12}*c - 184*A*B*a^2*b \\
& ^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)) \\
& /(32*(a^7*b^{12} + 4096*a^{13}*c^6 - 24*a^8*b^{10}*c + 240*a^9*b^8*c^2 - 1280*a^{10} \\
& *b^6*c^3 + 3840*a^{11}*b^4*c^4 - 6144*a^{12}*b^2*c^5)))^{(1/2)}*(917504*A*a^{19}*c \\
& ^9 - x*(-(25*A^2*b^{15} + 9*B^2*a^2*b^{13} - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 30*A*B*a*b^{14} + 6366*A^2*a^2*b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928* \\
& A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2* \\
& a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 448 \\
& 00*B^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^ \\
& 8*c^7 - 615*A^2*a*b^{13}*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880
\end{aligned}$$

$$\begin{aligned}
& *B^2*a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 + 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^12*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1/2)} \\
& *(1048576*a^21*b*c^8 + 256*a^15*b^13*c^2 - 6144*a^16*b^11*c^3 + 61440*a^17*b^9*c^4 - 327680*a^18*b^7*c^5 + 983040*a^19*b^5*c^6 - 1572864*a^20*b^3*c^7) + 851968*B*a^19*b*c^8 - 320*A*a^12*b^14*c^2 \\
& + 7936*A*a^13*b^12*c^3 - 82816*A*a^14*b^10*c^4 + 468480*A*a^15*b^8*c^5 - 1536000*A*a^16*b^6*c^6 + 2867200*A*a^17*b^4*c^7 - 2719744*A*a^18*b^2*c^8 + 192*B*a^13*b^13*c^2 \\
& - 4672*B*a^14*b^11*c^3 + 47360*B*a^15*b^9*c^4 - 256000*B*a^16*b^7*c^5 + 778240*B*a^17*b^5*c^6 - 1261568*B*a^18*b^3*c^7) + x*(401408*A^2*a^16*c^10 - 204800*B^2*a^17*c^9 - 400*A^2*a^9*b^14*c^3 + 9440*A^2*a^10*b^12*c^4 - 92816*A^2*a^11*b^10*c^5 \\
& + 488096*A^2*a^12*b^8*c^6 - 1458688*A^2*a^13*b^6*c^7 + 2401280*A^2*a^14*b^4*c^8 - 1871872*A^2*a^15*b^2*c^9 - 144*B^2*a^11*b^12*c^3 + 3264*B^2*a^12*b^10*c^4 - 30112*B^2*a^13*b^8*c^5 + 143360*B^2*a^14*b^6*c^6 - 365568*B^2*a^15*b^4*c^7 + 458752*B^2*a^16*b^2*c^8 + 480*A*B*a^10*b^13*c^3 - 11104*A*B*a^11*b^11*c^4 + 105824*A*B*a^12*b^9*c^5 - 530432*A*B*a^13*b^7*c^6 + 1469440*A*B*a^14*b^5*c^7 - 2121728*A*B*a^15*b^3*c^8 + 1236992*A*B*a^16*b*c^9) \\
& *(-(25*A^2*b^15 + 9*B^2*a^2*b^13 - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 + 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} + 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^12*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1/2)} * 1i) / (((-(25*A^2*b^15 + 9*B^2*a^2*b^13 - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*
\end{aligned}$$

$$\begin{aligned}
& a^7 b^2 c^6 + 165 A^2 a b^4 c * (- (4 a c - b^2)^9)^{(1/2)} + 51 B^2 a^3 b^2 c * (\\
& - (4 a c - b^2)^9)^{(1/2)} + 30 A B a b^5 * (- (4 a c - b^2)^9)^{(1/2)} + 724 A B a \\
& ^2 b^{12} c - 184 A B a^2 b^3 c * (- (4 a c - b^2)^9)^{(1/2)} + 186 A B a^3 b c^2 * \\
& (- (4 a c - b^2)^9)^{(1/2)} / (32 * (a^7 b^{12} + 4096 a^{13} c^6 - 24 a^8 b^{10} c + 2 \\
& 40 a^9 b^8 c^2 - 1280 a^{10} b^6 c^3 + 3840 a^{11} b^4 c^4 - 6144 a^{12} b^2 c^5) \\
&))^{(1/2)} * (917504 A a^{19} c^9 + x * (- (25 A^2 b^{15} + 9 B^2 a^2 b^{13} - 25 A^2 b^6 * \\
& (- (4 a c - b^2)^9)^{(1/2)} - 30 A B a b^{14} + 6366 A^2 a^2 b^{11} c^2 - 35767 * \\
& A^2 a^3 b^9 c^3 + 116928 A^2 a^4 b^7 c^4 - 219744 A^2 a^5 b^5 c^5 + 215040 * \\
& A^2 a^6 b^3 c^6 + 49 A^2 a^3 c^3 * (- (4 a c - b^2)^9)^{(1/2)} - 9 B^2 a^2 b^4 * (\\
& - (4 a c - b^2)^9)^{(1/2)} + 2077 B^2 a^4 b^9 c^2 - 10656 B^2 a^5 b^7 c^3 + 30 \\
& 240 B^2 a^6 b^5 c^4 - 44800 B^2 a^7 b^3 c^5 - 25 B^2 a^4 c^2 * (- (4 a c - b^2 \\
&)^9)^{(1/2)} + 35840 A B a^8 c^7 - 615 A^2 a b^{13} c - 80640 A^2 a^7 b c^7 - 2 \\
& 13 B^2 a^3 b^{11} c + 26880 B^2 a^8 b c^6 - 246 A^2 a^2 b^2 c^2 * (- (4 a c - b^2 \\
&)^9)^{(1/2)} - 7278 A B a^3 b^{10} c^2 + 39132 A B a^4 b^8 c^3 - 119616 A B a^5 \\
& b^6 c^4 + 201600 A B a^6 b^4 c^5 - 161280 A B a^7 b^2 c^6 + 165 A^2 a b^4 \\
& * c * (- (4 a c - b^2)^9)^{(1/2)} + 51 B^2 a^3 b^2 c * (- (4 a c - b^2)^9)^{(1/2)} + 3 \\
& 0 A B a b^5 * (- (4 a c - b^2)^9)^{(1/2)} + 724 A B a^2 b^{12} c - 184 A B a^2 b^3 \\
& * c * (- (4 a c - b^2)^9)^{(1/2)} + 186 A B a^3 b c^2 * (- (4 a c - b^2)^9)^{(1/2)} / (\\
& 32 * (a^7 b^{12} + 4096 a^{13} c^6 - 24 a^8 b^{10} c + 240 a^9 b^8 c^2 - 1280 a^{10} \\
& b^6 c^3 + 3840 a^{11} b^4 c^4 - 6144 a^{12} b^2 c^5))^{(1/2)} * (1048576 a^{21} b c^8 \\
& + 256 a^{15} b^{13} c^2 - 6144 a^{16} b^{11} c^3 + 61440 a^{17} b^9 c^4 - 327680 a^{18} \\
& b^7 c^5 + 983040 a^{19} b^5 c^6 - 1572864 a^{20} b^3 c^7) + 851968 B a^{19} b c^8 \\
& - 320 A a^{12} b^{14} c^2 + 7936 A a^{13} b^{12} c^3 - 82816 A a^{14} b^{10} c^4 + \\
& 468480 A a^{15} b^8 c^5 - 1536000 A a^{16} b^6 c^6 + 2867200 A a^{17} b^4 c^7 - 2 \\
& 719744 A a^{18} b^2 c^8 + 192 B a^{13} b^{13} c^2 - 4672 B a^{14} b^{11} c^3 + 47360 * \\
& B a^{15} b^9 c^4 - 256000 B a^{16} b^7 c^5 + 778240 B a^{17} b^5 c^6 - 1261568 B * \\
& a^{18} b^3 c^7) - x * (401408 A^2 a^{16} c^{10} - 204800 B^2 a^{17} c^9 - 400 A^2 a^9 \\
& * b^{14} c^3 + 9440 A^2 a^{10} b^{12} c^4 - 92816 A^2 a^{11} b^{10} c^5 + 488096 A^2 a \\
& ^{12} b^8 c^6 - 1458688 A^2 a^{13} b^6 c^7 + 2401280 A^2 a^{14} b^4 c^8 - 1871872 \\
& * A^2 a^{15} b^2 c^9 - 144 B^2 a^{11} b^{12} c^3 + 3264 B^2 a^{12} b^{10} c^4 - 30112 * \\
& B^2 a^{13} b^8 c^5 + 143360 B^2 a^{14} b^6 c^6 - 365568 B^2 a^{15} b^4 c^7 + 4587 \\
& 52 B^2 a^{16} b^2 c^8 + 480 A B a^{10} b^{13} c^3 - 11104 A B a^{11} b^{11} c^4 + 105 \\
& 824 A B a^{12} b^9 c^5 - 530432 A B a^{13} b^7 c^6 + 1469440 A B a^{14} b^5 c^7 - \\
& 2121728 A B a^{15} b^3 c^8 + 1236992 A B a^{16} b c^9) * (- (25 A^2 b^{15} + 9 B^2 \\
& a^2 b^{13} - 25 A^2 b^6 * (- (4 a c - b^2)^9)^{(1/2)} - 30 A B a b^{14} + 6366 A^2 * \\
& a^2 b^{11} c^2 - 35767 A^2 a^3 b^9 c^3 + 116928 A^2 a^4 b^7 c^4 - 219744 A^2 * \\
& a^5 b^5 c^5 + 215040 A^2 a^6 b^3 c^6 + 49 A^2 a^3 c^3 * (- (4 a c - b^2)^9)^{(1 \\
& /2)} - 9 B^2 a^2 b^4 * (- (4 a c - b^2)^9)^{(1/2)} + 2077 B^2 a^4 b^9 c^2 - 10656 \\
& * B^2 a^5 b^7 c^3 + 30240 B^2 a^6 b^5 c^4 - 44800 B^2 a^7 b^3 c^5 - 25 B^2 a \\
& ^4 c^2 * (- (4 a c - b^2)^9)^{(1/2)} + 35840 A B a^8 c^7 - 615 A^2 a b^{13} c - 80 \\
& 640 A^2 a^7 b c^7 - 213 B^2 a^3 b^{11} c + 26880 B^2 a^8 b c^6 - 246 A^2 a^2 * \\
& b^2 c^2 * (- (4 a c - b^2)^9)^{(1/2)} - 7278 A B a^3 b^{10} c^2 + 39132 A B a^4 b^ \\
& 8 c^3 - 119616 A B a^5 b^6 c^4 + 201600 A B a^6 b^4 c^5 - 161280 A B a^7 b^ \\
& 2 c^6 + 165 A^2 a b^4 c * (- (4 a c - b^2)^9)^{(1/2)} + 51 B^2 a^3 b^2 c * (- (4 a * \\
& c - b^2)^9)^{(1/2)} + 30 A B a b^5 * (- (4 a c - b^2)^9)^{(1/2)} + 724 A B a^2 b^1
\end{aligned}$$

$$\begin{aligned}
& 2*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 186*A*B*a^3*b*c^2*(-(4*a \\
& *c - b^2)^9)^{(1/2))/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9 \\
& *b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1/ \\
& 2)} + ((-25*A^2*b^15 + 9*B^2*a^2*b^13 - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 30*A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A \\
& ^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a \\
& ^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 4480 \\
& 0*B^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8 \\
& *c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880* \\
& B^2*a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3 \\
& *b^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6 \\
& *b^4*c^5 - 161280*A*B*a^7*b^2*c^6 + 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} + 724*A*B*a^2*b^12*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2))/(32*(a^7*b^12 + 4096*a^13*c^6 \\
& - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 \\
& - 6144*a^12*b^2*c^5)))^{(1/2)}*(917504*A*a^19*c^9 - x*(-(25*A^2*b^15 + 9*B^ \\
& 2*a^2*b^13 - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^14 + 6366*A^2 \\
& *a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2 \\
& *a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 1065 \\
& 6*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 - 25*B^2* \\
& a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 8 \\
& 0640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 - 246*A^2*a^2 \\
& *b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b \\
& ^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b \\
& ^2*c^6 + 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} + 51*B^2*a^3*b^2*c*(-(4*a \\
& *c - b^2)^9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^ \\
& 12*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 186*A*B*a^3*b*c^2*(-(4* \\
& a*c - b^2)^9)^{(1/2))/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^ \\
& 9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1 \\
& /2)}*(1048576*a^21*b*c^8 + 256*a^15*b^13*c^2 - 6144*a^16*b^11*c^3 + 61440*a^ \\
& 17*b^9*c^4 - 327680*a^18*b^7*c^5 + 983040*a^19*b^5*c^6 - 1572864*a^20*b^3*c^ \\
& ^7) + 851968*B*a^19*b*c^8 - 320*A*a^12*b^14*c^2 + 7936*A*a^13*b^12*c^3 - 82 \\
& 816*A*a^14*b^10*c^4 + 468480*A*a^15*b^8*c^5 - 1536000*A*a^16*b^6*c^6 + 2867 \\
& 200*A*a^17*b^4*c^7 - 2719744*A*a^18*b^2*c^8 + 192*B*a^13*b^13*c^2 - 4672*B* \\
& a^14*b^11*c^3 + 47360*B*a^15*b^9*c^4 - 256000*B*a^16*b^7*c^5 + 778240*B*a^1 \\
& 7*b^5*c^6 - 1261568*B*a^18*b^3*c^7) + x*(401408*A^2*a^16*c^10 - 204800*B^2* \\
& a^17*c^9 - 400*A^2*a^9*b^14*c^3 + 9440*A^2*a^10*b^12*c^4 - 92816*A^2*a^11*b \\
& ^10*c^5 + 488096*A^2*a^12*b^8*c^6 - 1458688*A^2*a^13*b^6*c^7 + 2401280*A^2* \\
& a^14*b^4*c^8 - 1871872*A^2*a^15*b^2*c^9 - 144*B^2*a^11*b^12*c^3 + 3264*B^2* \\
& a^12*b^10*c^4 - 30112*B^2*a^13*b^8*c^5 + 143360*B^2*a^14*b^6*c^6 - 365568*B \\
& ^2*a^15*b^4*c^7 + 458752*B^2*a^16*b^2*c^8 + 480*A*B*a^10*b^13*c^3 - 11104*A \\
& *B*a^11*b^11*c^4 + 105824*A*B*a^12*b^9*c^5 - 530432*A*B*a^13*b^7*c^6 + 1469
\end{aligned}$$

$$\begin{aligned}
& 440*A*B*a^{14}*b^5*c^7 - 2121728*A*B*a^{15}*b^3*c^8 + 1236992*A*B*a^{16}*b*c^9) * \\
& (- (25*A^2*b^{15} + 9*B^2*a^2*b^{13} - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30* \\
& A*B*a*b^{14} + 6366*A^2*a^2*b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4 \\
& *b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a^3*c^3 \\
& *(- (4*a*c - b^2)^9)^{(1/2)} - 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B \\
& ^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2* \\
& a^7*b^3*c^5 - 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - \\
& 615*A^2*a*b^{13}*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880*B^2*a^ \\
& 8*b*c^6 - 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^{10}* \\
& c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c \\
& ^5 - 161280*A*B*a^7*b^2*c^6 + 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} + 51 \\
& *B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} + 724*A*B*a^2*b^{12}*c - 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 18 \\
& 6*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^{12} + 4096*a^{13}*c^6 - 2 \\
& 4*a^8*b^{10}*c + 240*a^9*b^8*c^2 - 1280*a^{10}*b^6*c^3 + 3840*a^{11}*b^4*c^4 - 61 \\
& 44*a^{12}*b^2*c^5)))^{(1/2)} + 128000*B^3*a^{15}*c^9 - 1800*A^3*a^9*b^9*c^6 + 290 \\
& 80*A^3*a^{10}*b^7*c^7 - 176032*A^3*a^{11}*b^5*c^8 + 473216*A^3*a^{12}*b^3*c^9 + 5 \\
& 04*B^3*a^{11}*b^8*c^5 - 8112*B^3*a^{12}*b^6*c^6 + 48704*B^3*a^{13}*b^4*c^7 - 1292 \\
& 80*B^3*a^{14}*b^2*c^8 + 250880*A^2*B*a^{14}*c^{10} - 476672*A^3*a^{13}*b*c^{10} - 442 \\
& 880*A*B^2*a^{14}*b*c^9 - 1680*A*B^2*a^{10}*b^9*c^5 + 27176*A*B^2*a^{11}*b^7*c^6 - \\
& 164448*A*B^2*a^{12}*b^5*c^7 + 441216*A*B^2*a^{13}*b^3*c^8 + 1400*A^2*B*a^9*b^1 \\
& 0*c^5 - 21680*A^2*B*a^{10}*b^8*c^6 + 121648*A^2*B*a^{11}*b^6*c^7 - 275264*A^2*B \\
& *a^{12}*b^4*c^8 + 121088*A^2*B*a^{13}*b^2*c^9) * (- (25*A^2*b^{15} + 9*B^2*a^2*b^{13} \\
& - 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^{14} + 6366*A^2*a^2*b^{11} \\
& c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c \\
& ^5 + 215040*A^2*a^6*b^3*c^6 + 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} - 9*B \\
& ^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5* \\
& b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 - 25*B^2*a^4*c^2*(- \\
& (4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^{13}*c - 80640*A^2*a \\
& ^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880*B^2*a^8*b*c^6 - 246*A^2*a^2*b^2*c^2*(\\
& -(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^{10}*c^2 + 39132*A*B*a^4*b^8*c^3 - 1 \\
& 19616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 + 1 \\
& 65*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} + 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} + 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^{12}*c - 184 \\
& *A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} + 186*A*B*a^3*b*c^2*(-(4*a*c - b^2) \\
& ^9)^{(1/2)})/(32*(a^7*b^{12} + 4096*a^{13}*c^6 - 24*a^8*b^{10}*c + 240*a^9*b^8*c^2 \\
& - 1280*a^{10}*b^6*c^3 + 3840*a^{11}*b^4*c^4 - 6144*a^{12}*b^2*c^5)))^{(1/2)} * 2i - a \\
& \tan((((-(25*A^2*b^{15} + 9*B^2*a^2*b^{13} + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 30*A*B*a*b^{14} + 6366*A^2*a^2*b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A \\
& ^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a \\
& ^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + \\
& 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 4480 \\
& 0*B^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8 \\
& *c^7 - 615*A^2*a*b^{13}*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880* \\
& B^2*a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3
\end{aligned}$$

$$\begin{aligned}
& *b^{10}c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6 \\
& *b^4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} + 724*A*B*a^2*b^12*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) - 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)}/(32*(a^7*b^12 + 4096*a^13*c \\
& ^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^ \\
& 4 - 6144*a^12*b^2*c^5)))^{(1/2)}*(917504*A*a^19*c^9 + x*(-(25*A^2*b^15 + 9*B^ \\
& 2*a^2*b^13 + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^14 + 6366*A^2 \\
& *a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2 \\
& *a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(\\
& 1/2)} + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 1065 \\
& 6*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 + 25*B^2*a \\
& ^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 8 \\
& 0640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 + 246*A^2*a^2 \\
& *b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b \\
& ^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b \\
& ^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} - 51*B^2*a^3*b^2*c*(-(4*a \\
& *c - b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^ \\
& 12*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 186*A*B*a^3*b*c^2*(-(4* \\
& a*c - b^2)^9)^{(1/2)}/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^ \\
& 9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1 \\
& /2)}*(1048576*a^21*b*c^8 + 256*a^15*b^13*c^2 - 6144*a^16*b^11*c^3 + 61440*a^ \\
& 17*b^9*c^4 - 327680*a^18*b^7*c^5 + 983040*a^19*b^5*c^6 - 1572864*a^20*b^3*c \\
& ^7) + 851968*B*a^19*b*c^8 - 320*A*a^12*b^14*c^2 + 7936*A*a^13*b^12*c^3 - 82 \\
& 816*A*a^14*b^10*c^4 + 468480*A*a^15*b^8*c^5 - 1536000*A*a^16*b^6*c^6 + 2867 \\
& 200*A*a^17*b^4*c^7 - 2719744*A*a^18*b^2*c^8 + 192*B*a^13*b^13*c^2 - 4672*B* \\
& a^14*b^11*c^3 + 47360*B*a^15*b^9*c^4 - 256000*B*a^16*b^7*c^5 + 778240*B*a^1 \\
& 7*b^5*c^6 - 1261568*B*a^18*b^3*c^7) - x*(401408*A^2*a^16*c^10 - 204800*B^2* \\
& a^17*c^9 - 400*A^2*a^9*b^14*c^3 + 9440*A^2*a^10*b^12*c^4 - 92816*A^2*a^11*b \\
& ^10*c^5 + 488096*A^2*a^12*b^8*c^6 - 1458688*A^2*a^13*b^6*c^7 + 2401280*A^2* \\
& a^14*b^4*c^8 - 1871872*A^2*a^15*b^2*c^9 - 144*B^2*a^11*b^12*c^3 + 3264*B^2* \\
& a^12*b^10*c^4 - 30112*B^2*a^13*b^8*c^5 + 143360*B^2*a^14*b^6*c^6 - 365568*B \\
& ^2*a^15*b^4*c^7 + 458752*B^2*a^16*b^2*c^8 + 480*A*B*a^10*b^13*c^3 - 11104*A \\
& *B*a^11*b^11*c^4 + 105824*A*B*a^12*b^9*c^5 - 530432*A*B*a^13*b^7*c^6 + 1469 \\
& 440*A*B*a^14*b^5*c^7 - 2121728*A*B*a^15*b^3*c^8 + 1236992*A*B*a^16*b*c^9))* \\
& (- (25*A^2*b^15 + 9*B^2*a^2*b^13 + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30* \\
& A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4 \\
& *b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3 \\
& *(- (4*a*c - b^2)^9)^{(1/2)} + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B \\
& ^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2* \\
& a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - \\
& 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^ \\
& 8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10* \\
& c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c \\
& ^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} - 51
\end{aligned}$$

$$\begin{aligned}
& *B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 724*A*B*a^2*b^12*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 18 \\
& 6*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2))/(32*(a^7*b^12 + 4096*a^13*c^6 - 2 \\
& 4*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 61 \\
& 44*a^12*b^2*c^5)))^{(1/2)}*1i - (((-(25*A^2*b^15 + 9*B^2*a^2*b^13 + 25*A^2*b^6 \\
& *(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2 - 35767*A \\
& ^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A \\
& ^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 9*B^2*a^2*b^4*(- \\
& (4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 302 \\
& 40*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2) \\
& ^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 21 \\
& 3*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2 \\
&)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5 \\
& *b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4* \\
& c*(-(4*a*c - b^2)^9)^{(1/2)} - 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 30 \\
& *A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^12*c + 184*A*B*a^2*b^3* \\
& c*(-(4*a*c - b^2)^9)^{(1/2)} - 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2))/(3 \\
& 2*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b \\
& ^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1/2)}*(917504*A*a^19*c^9 \\
& - x*(-(25*A^2*b^15 + 9*B^2*a^2*b^13 + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 30*A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2 \\
& *a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3 \\
& *c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 20 \\
& 77*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800* \\
& B^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c \\
& ^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^ \\
& 2*a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b \\
& ^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b \\
& ^4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2)^ \\
& 9)^{(1/2)} + 724*A*B*a^2*b^12*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2))/(32*(a^7*b^12 + 4096*a^13*c^6 \\
& - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 \\
& - 6144*a^12*b^2*c^5)))^{(1/2)}*(1048576*a^21*b*c^8 + 256*a^15*b^13*c^2 - 6144 \\
& *a^16*b^11*c^3 + 61440*a^17*b^9*c^4 - 327680*a^18*b^7*c^5 + 983040*a^19*b^5 \\
& *c^6 - 1572864*a^20*b^3*c^7) + 851968*B*a^19*b*c^8 - 320*A*a^12*b^14*c^2 + \\
& 7936*A*a^13*b^12*c^3 - 82816*A*a^14*b^10*c^4 + 468480*A*a^15*b^8*c^5 - 1536 \\
& 000*A*a^16*b^6*c^6 + 2867200*A*a^17*b^4*c^7 - 2719744*A*a^18*b^2*c^8 + 192* \\
& B*a^13*b^13*c^2 - 4672*B*a^14*b^11*c^3 + 47360*B*a^15*b^9*c^4 - 256000*B*a^ \\
& 16*b^7*c^5 + 778240*B*a^17*b^5*c^6 - 1261568*B*a^18*b^3*c^7) + x*(401408*A^ \\
& 2*a^16*c^10 - 204800*B^2*a^17*c^9 - 400*A^2*a^9*b^14*c^3 + 9440*A^2*a^10*b^ \\
& 12*c^4 - 92816*A^2*a^11*b^10*c^5 + 488096*A^2*a^12*b^8*c^6 - 1458688*A^2*a^ \\
& 13*b^6*c^7 + 2401280*A^2*a^14*b^4*c^8 - 1871872*A^2*a^15*b^2*c^9 - 144*B^2* \\
& a^11*b^12*c^3 + 3264*B^2*a^12*b^10*c^4 - 30112*B^2*a^13*b^8*c^5 + 143360*B^ \\
& 2*a^14*b^6*c^6 - 365568*B^2*a^15*b^4*c^7 + 458752*B^2*a^16*b^2*c^8 + 480*A
\end{aligned}$$

$$\begin{aligned}
& B^2 a^{10} b^{13} c^3 - 11104 A B^2 a^{11} b^{11} c^4 + 105824 A^2 B^2 a^{12} b^9 c^5 - 53043 \\
& 2 A^3 B^2 a^{13} b^7 c^6 + 1469440 A^4 B^2 a^{14} b^5 c^7 - 2121728 A^5 B^2 a^{15} b^3 c^8 + \\
& 1236992 A^6 B^2 a^{16} b c^9) * (- (25 A^2 b^{15} + 9 B^2 a^2 b^{13} + 25 A^2 b^6 * (- (4 a^* \\
& a^* c - b^2)^9)^{(1/2)} - 30 A^2 B^2 a^3 b^{14} + 6366 A^2 a^2 b^{11} c^2 - 35767 A^2 a^3 \\
& * b^9 c^3 + 116928 A^2 a^4 b^7 c^4 - 219744 A^2 a^5 b^5 c^5 + 215040 A^2 a^6 \\
& * b^3 c^6 - 49 A^2 a^3 c^3 * (- (4 a^* c - b^2)^9)^{(1/2)} + 9 B^2 a^2 b^4 * (- (4 a^* c \\
& - b^2)^9)^{(1/2)} + 2077 B^2 a^4 b^9 c^2 - 10656 B^2 a^5 b^7 c^3 + 30240 B^2 \\
& * a^6 b^5 c^4 - 44800 B^2 a^7 b^3 c^5 + 25 B^2 a^4 c^2 * (- (4 a^* c - b^2)^9)^{(1 \\
& /2)} + 35840 A^2 B^2 a^8 c^7 - 615 A^2 a^2 b^{13} c - 80640 A^2 a^7 b^* c^7 - 213 B^2 * \\
& a^3 b^{11} c + 26880 B^2 a^8 b^* c^6 + 246 A^2 a^2 b^2 c^2 * (- (4 a^* c - b^2)^9)^{(\\
& 1/2)} - 7278 A^2 B^2 a^3 b^{10} c^2 + 39132 A^2 B^2 a^4 b^8 c^3 - 119616 A^2 B^2 a^5 b^6 c \\
& ^4 + 201600 A^2 B^2 a^6 b^4 c^5 - 161280 A^2 B^2 a^7 b^2 c^6 - 165 A^2 a^2 b^4 c^* (- (4 \\
& * a^* c - b^2)^9)^{(1/2)} - 51 B^2 a^3 b^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 30 A^2 B^2 a \\
& * b^5 * (- (4 a^* c - b^2)^9)^{(1/2)} + 724 A^2 B^2 a^2 b^{12} c + 184 A^2 B^2 a^2 b^3 c^* (- (4 \\
& * a^* c - b^2)^9)^{(1/2)} - 186 A^2 B^2 a^3 b^* c^2 * (- (4 a^* c - b^2)^9)^{(1/2))} / (32 * (a^7 \\
& * b^{12} + 4096 a^{13} c^6 - 24 a^8 b^{10} c + 240 a^9 b^8 c^2 - 1280 a^{10} b^6 c^3 \\
& + 3840 a^{11} b^4 c^4 - 6144 a^{12} b^2 c^5)))^{(1/2)} * i) / (((- (25 A^2 b^{15} + 9 * \\
& B^2 a^2 b^{13} + 25 A^2 b^6 * (- (4 a^* c - b^2)^9)^{(1/2)} - 30 A^2 B^2 a^3 b^{14} + 6366 A \\
& ^2 a^2 b^{11} c^2 - 35767 A^2 a^3 b^9 c^3 + 116928 A^2 a^4 b^7 c^4 - 219744 A \\
& ^2 a^5 b^5 c^5 + 215040 A^2 a^6 b^3 c^6 - 49 A^2 a^3 c^3 * (- (4 a^* c - b^2)^9) \\
& ^{(1/2)} + 9 B^2 a^2 b^4 * (- (4 a^* c - b^2)^9)^{(1/2)} + 2077 B^2 a^4 b^9 c^2 - 10 \\
& 656 B^2 a^5 b^7 c^3 + 30240 B^2 a^6 b^5 c^4 - 44800 B^2 a^7 b^3 c^5 + 25 B^ \\
& 2 a^4 c^2 * (- (4 a^* c - b^2)^9)^{(1/2)} + 35840 A^2 B^2 a^8 c^7 - 615 A^2 a^2 b^{13} c - \\
& 80640 A^2 a^7 b^* c^7 - 213 B^2 a^3 b^{11} c + 26880 B^2 a^8 b^* c^6 + 246 A^2 a^2 \\
& b^2 c^2 * (- (4 a^* c - b^2)^9)^{(1/2)} - 7278 A^2 B^2 a^3 b^{10} c^2 + 39132 A^2 B^2 a^4 \\
& * b^8 c^3 - 119616 A^2 B^2 a^5 b^6 c^4 + 201600 A^2 B^2 a^6 b^4 c^5 - 161280 A^2 B^2 a^7 \\
& * b^2 c^6 - 165 A^2 a^2 b^4 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 51 B^2 a^3 b^2 c^* (- (4 \\
& * a^* c - b^2)^9)^{(1/2)} - 30 A^2 B^2 a^2 b^5 * (- (4 a^* c - b^2)^9)^{(1/2)} + 724 A^2 B^2 a^2 \\
& b^{12} c + 184 A^2 B^2 a^2 b^3 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 186 A^2 B^2 a^3 b^* c^2 * (- (\\
& 4 a^* c - b^2)^9)^{(1/2))} / (32 * (a^7 b^{12} + 4096 a^{13} c^6 - 24 a^8 b^{10} c + 240 * \\
& a^9 b^8 c^2 - 1280 a^{10} b^6 c^3 + 3840 a^{11} b^4 c^4 - 6144 a^{12} b^2 c^5)))^{(\\
& 1/2)} * (917504 A^2 a^{19} c^9 + x * (- (25 A^2 b^{15} + 9 B^2 a^2 b^{13} + 25 A^2 b^6 * (\\
& - (4 a^* c - b^2)^9)^{(1/2)} - 30 A^2 B^2 a^3 b^{14} + 6366 A^2 a^2 b^{11} c^2 - 35767 A^2 \\
& * a^3 b^9 c^3 + 116928 A^2 a^4 b^7 c^4 - 219744 A^2 a^5 b^5 c^5 + 215040 A^2 \\
& * a^6 b^3 c^6 - 49 A^2 a^3 c^3 * (- (4 a^* c - b^2)^9)^{(1/2)} + 9 B^2 a^2 b^4 * (- (4 \\
& * a^* c - b^2)^9)^{(1/2)} + 2077 B^2 a^4 b^9 c^2 - 10656 B^2 a^5 b^7 c^3 + 30240 \\
& * B^2 a^6 b^5 c^4 - 44800 B^2 a^7 b^3 c^5 + 25 B^2 a^4 c^2 * (- (4 a^* c - b^2)^9 \\
&)^{(1/2)} + 35840 A^2 B^2 a^8 c^7 - 615 A^2 a^2 b^{13} c - 80640 A^2 a^7 b^* c^7 - 213 * \\
& B^2 a^3 b^{11} c + 26880 B^2 a^8 b^* c^6 + 246 A^2 a^2 b^2 c^2 * (- (4 a^* c - b^2)^ \\
& 9)^{(1/2)} - 7278 A^2 B^2 a^3 b^{10} c^2 + 39132 A^2 B^2 a^4 b^8 c^3 - 119616 A^2 B^2 a^5 b^ \\
& ^6 c^4 + 201600 A^2 B^2 a^6 b^4 c^5 - 161280 A^2 B^2 a^7 b^2 c^6 - 165 A^2 a^2 b^4 c^* \\
& (- (4 a^* c - b^2)^9)^{(1/2)} - 51 B^2 a^3 b^2 c^* (- (4 a^* c - b^2)^9)^{(1/2)} - 30 A \\
& * B^2 a^2 b^5 * (- (4 a^* c - b^2)^9)^{(1/2)} + 724 A^2 B^2 a^2 b^{12} c + 184 A^2 B^2 a^2 b^3 c^* \\
& (- (4 a^* c - b^2)^9)^{(1/2)} - 186 A^2 B^2 a^3 b^* c^2 * (- (4 a^* c - b^2)^9)^{(1/2))} / (32 * \\
& (a^7 b^{12} + 4096 a^{13} c^6 - 24 a^8 b^{10} c + 240 a^9 b^8 c^2 - 1280 a^{10} b^6
\end{aligned}$$

$$\begin{aligned}
& *c^3 + 3840*a^{11}*b^4*c^4 - 6144*a^{12}*b^2*c^5)))^{(1/2)}*(1048576*a^{21}*b*c^8 + \\
& 256*a^{15}*b^{13}*c^2 - 6144*a^{16}*b^{11}*c^3 + 61440*a^{17}*b^9*c^4 - 327680*a^{18}* \\
& b^7*c^5 + 983040*a^{19}*b^5*c^6 - 1572864*a^{20}*b^3*c^7) + 851968*B*a^{19}*b*c^8 \\
& - 320*A*a^{12}*b^{14}*c^2 + 7936*A*a^{13}*b^{12}*c^3 - 82816*A*a^{14}*b^{10}*c^4 + 468 \\
& 480*A*a^{15}*b^8*c^5 - 1536000*A*a^{16}*b^6*c^6 + 2867200*A*a^{17}*b^4*c^7 - 2719 \\
& 744*A*a^{18}*b^2*c^8 + 192*B*a^{13}*b^{13}*c^2 - 4672*B*a^{14}*b^{11}*c^3 + 47360*B*a \\
& ^{15}*b^9*c^4 - 256000*B*a^{16}*b^7*c^5 + 778240*B*a^{17}*b^5*c^6 - 1261568*B*a^{1 \\
& 8}*b^3*c^7) - x*(401408*A^2*a^{16}*c^{10} - 204800*B^2*a^{17}*c^9 - 400*A^2*a^9*b^ \\
& 14*c^3 + 9440*A^2*a^{10}*b^{12}*c^4 - 92816*A^2*a^{11}*b^{10}*c^5 + 488096*A^2*a^{12} \\
& *b^8*c^6 - 1458688*A^2*a^{13}*b^6*c^7 + 2401280*A^2*a^{14}*b^4*c^8 - 1871872*A^ \\
& 2*a^{15}*b^2*c^9 - 144*B^2*a^{11}*b^{12}*c^3 + 3264*B^2*a^{12}*b^{10}*c^4 - 30112*B^2 \\
& *a^{13}*b^8*c^5 + 143360*B^2*a^{14}*b^6*c^6 - 365568*B^2*a^{15}*b^4*c^7 + 458752* \\
& B^2*a^{16}*b^2*c^8 + 480*A*B*a^{10}*b^{13}*c^3 - 11104*A*B*a^{11}*b^{11}*c^4 + 105824 \\
& *A*B*a^{12}*b^9*c^5 - 530432*A*B*a^{13}*b^7*c^6 + 1469440*A*B*a^{14}*b^5*c^7 - 21 \\
& 21728*A*B*a^{15}*b^3*c^8 + 1236992*A*B*a^{16}*b*c^9))*(-(25*A^2*b^{15} + 9*B^2*a^ \\
& 2*b^{13} + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^{14} + 6366*A^2*a^2 \\
& *b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5 \\
& *b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^ \\
& 2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 + 25*B^2*a^4*c \\
& ^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^{13}*c - 80640 \\
& *A^2*a^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880*B^2*a^8*b*c^6 + 246*A^2*a^2*b^2 \\
& *c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^{10}*c^2 + 39132*A*B*a^4*b^8*c \\
& ^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c \\
& ^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} - 51*B^2*a^3*b^2*c*(-(4*a*c - \\
& b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^{12}*c \\
& + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 186*A*B*a^3*b*c^2*(-(4*a*c \\
& - b^2)^9)^{(1/2)))/(32*(a^7*b^{12} + 4096*a^{13}*c^6 - 24*a^8*b^{10}*c + 240*a^9*b^ \\
& 8*c^2 - 1280*a^{10}*b^6*c^3 + 3840*a^{11}*b^4*c^4 - 6144*a^{12}*b^2*c^5)))^{(1/2)} \\
& + (((-25*A^2*b^{15} + 9*B^2*a^2*b^{13} + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 30*A*B*a*b^{14} + 6366*A^2*a^2*b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2* \\
& a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3* \\
& c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 207 \\
& 7*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B \\
& ^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^ \\
& 7 - 615*A^2*a*b^{13}*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^{11}*c + 26880*B^2 \\
& *a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^ \\
& 10*c^2 + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^ \\
& 4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2)^9 \\
&)^{(1/2)} + 724*A*B*a^2*b^{12}*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - \\
& 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)))/(32*(a^7*b^{12} + 4096*a^{13}*c^6 \\
& - 24*a^8*b^{10}*c + 240*a^9*b^8*c^2 - 1280*a^{10}*b^6*c^3 + 3840*a^{11}*b^4*c^4 - \\
& 6144*a^{12}*b^2*c^5)))^{(1/2)}*(917504*A*a^{19}*c^9 - x*(-(25*A^2*b^{15} + 9*B^2*a \\
& ^2*b^{13} + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^{14} + 6366*A^2*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^{11}*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} \\
& + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 \\
& + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} - 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} \\
& - 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} + 724*A*B*a^2*b^12*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1/2)} \\
& *(1048576*a^21*b*c^8 + 256*a^15*b^13*c^2 - 6144*a^16*b^11*c^3 + 61440*a^17*b^9*c^4 - 327680*a^18*b^7*c^5 + 983040*a^19*b^5*c^6 - 1572864*a^20*b^3*c^7) \\
& + 851968*B*a^19*b*c^8 - 320*A*a^12*b^14*c^2 + 7936*A*a^13*b^12*c^3 - 82816*A*a^14*b^10*c^4 + 468480*A*a^15*b^8*c^5 - 1536000*A*a^16*b^6*c^6 + 2867200*A*a^17*b^4*c^7 - 2719744*A*a^18*b^2*c^8 + 192*B*a^13*b^13*c^2 - 4672*B*a^14*b^11*c^3 \\
& + 47360*B*a^15*b^9*c^4 - 256000*B*a^16*b^7*c^5 + 778240*B*a^17*b^5*c^6 - 1261568*B*a^18*b^3*c^7) + x*(401408*A^2*a^16*c^10 - 204800*B^2*a^17*c^9 - 400*A^2*a^9*b^14*c^3 + 9440*A^2*a^10*b^12*c^4 - 92816*A^2*a^11*b^10*c^5 \\
& + 488096*A^2*a^12*b^8*c^6 - 1458688*A^2*a^13*b^6*c^7 + 2401280*A^2*a^14*b^4*c^8 - 1871872*A^2*a^15*b^2*c^9 - 144*B^2*a^11*b^12*c^3 + 3264*B^2*a^12*b^10*c^4 - 30112*B^2*a^13*b^8*c^5 + 143360*B^2*a^14*b^6*c^6 - 365568*B^2*a^15*b^4*c^7 \\
& + 458752*B^2*a^16*b^2*c^8 + 480*A*B*a^10*b^13*c^3 - 11104*A*B*a^11*b^11*c^4 + 105824*A*B*a^12*b^9*c^5 - 530432*A*B*a^13*b^7*c^6 + 1469440*A*B*a^14*b^5*c^7 - 2121728*A*B*a^15*b^3*c^8 + 1236992*A*B*a^16*b*c^9))*(-(25*A^2*b^15 + 9*B^2*a^2*b^13 + 25*A^2*b^6*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^14 \\
& + 6366*A^2*a^2*b^11*c^2 - 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5 + 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^{(1/2)} + 9*B^2*a^2*b^4*(-(4*a*c - b^2)^9)^{(1/2)} + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7*c^3 \\
& + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*a*c - b^2)^9)^{(1/2)} + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4*a*c - b^2)^9)^{(1/2)} - 7278*A*B*a^3*b^10*c^2 \\
& + 39132*A*B*a^4*b^8*c^3 - 119616*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*A^2*a*b^4*c*(-(4*a*c - b^2)^9)^{(1/2)} - 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^{(1/2)} - 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^{(1/2)} \\
&) + 724*A*B*a^2*b^12*c + 184*A*B*a^2*b^3*c*(-(4*a*c - b^2)^9)^{(1/2)} - 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)^{(1/2)})/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^{(1/2)} \\
& + 128000*B^3*a^15*c^9 - 1800*A^3*a^9*b^9*c^6 + 29080*A^3*a^10*b^7*c^7 - 176032*A^3*a^11*b^5*c^8 + 473216*A^3*a^12*b^3*c^9 + 504*B^3*a^11*b^8*c^5 - 8112*B^3*a^12*b^6*c^6 + 48704*B^3*a^13*b^4*c^7 - 129280*B^3*a^14*b^2*c^8 + 250880*A^2*B*a^14*c^10 - 476672*A^3*a^13*b*c^10 - 442880
\end{aligned}$$

```

*A*B^2*a^14*b*c^9 - 1680*A*B^2*a^10*b^9*c^5 + 27176*A*B^2*a^11*b^7*c^6 - 16
4448*A*B^2*a^12*b^5*c^7 + 441216*A*B^2*a^13*b^3*c^8 + 1400*A^2*B*a^9*b^10*c
^5 - 21680*A^2*B*a^10*b^8*c^6 + 121648*A^2*B*a^11*b^6*c^7 - 275264*A^2*B*a^
12*b^4*c^8 + 121088*A^2*B*a^13*b^2*c^9))*(-(25*A^2*b^15 + 9*B^2*a^2*b^13 +
25*A^2*b^6*(-(4*a*c - b^2)^9)^(1/2) - 30*A*B*a*b^14 + 6366*A^2*a^2*b^11*c^2
- 35767*A^2*a^3*b^9*c^3 + 116928*A^2*a^4*b^7*c^4 - 219744*A^2*a^5*b^5*c^5
+ 215040*A^2*a^6*b^3*c^6 - 49*A^2*a^3*c^3*(-(4*a*c - b^2)^9)^(1/2) + 9*B^2*
a^2*b^4*(-(4*a*c - b^2)^9)^(1/2) + 2077*B^2*a^4*b^9*c^2 - 10656*B^2*a^5*b^7
*c^3 + 30240*B^2*a^6*b^5*c^4 - 44800*B^2*a^7*b^3*c^5 + 25*B^2*a^4*c^2*(-(4*
a*c - b^2)^9)^(1/2) + 35840*A*B*a^8*c^7 - 615*A^2*a*b^13*c - 80640*A^2*a^7*
b*c^7 - 213*B^2*a^3*b^11*c + 26880*B^2*a^8*b*c^6 + 246*A^2*a^2*b^2*c^2*(-(4
*a*c - b^2)^9)^(1/2) - 7278*A*B*a^3*b^10*c^2 + 39132*A*B*a^4*b^8*c^3 - 1196
16*A*B*a^5*b^6*c^4 + 201600*A*B*a^6*b^4*c^5 - 161280*A*B*a^7*b^2*c^6 - 165*
A^2*a*b^4*c*(-(4*a*c - b^2)^9)^(1/2) - 51*B^2*a^3*b^2*c*(-(4*a*c - b^2)^9)^(
1/2) - 30*A*B*a*b^5*(-(4*a*c - b^2)^9)^(1/2) + 724*A*B*a^2*b^12*c + 184*A*
B*a^2*b^3*c*(-(4*a*c - b^2)^9)^(1/2) - 186*A*B*a^3*b*c^2*(-(4*a*c - b^2)^9)
^(1/2))/(32*(a^7*b^12 + 4096*a^13*c^6 - 24*a^8*b^10*c + 240*a^9*b^8*c^2 - 1
280*a^10*b^6*c^3 + 3840*a^11*b^4*c^4 - 6144*a^12*b^2*c^5)))^(1/2)*2i - (A/(
3*a) - (x^2*(5*A*b - 3*B*a))/(3*a^2) + (x^4*(15*A*b^4 + 14*A*a^2*c^2 - 9*B*
a*b^3 - 62*A*a*b^2*c + 33*B*a^2*b*c))/(6*a^3*(4*a*c - b^2)) + (c*x^6*(5*A*b
^3 - 3*B*a*b^2 + 10*B*a^2*c - 19*A*a*b*c))/(2*a^3*(4*a*c - b^2)))/(a*x^3 +
b*x^5 + c*x^7)

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**4/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.124 \quad \int \frac{x^{11}(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=365

$$\frac{x^4 \left(x^2 (20a^2Bc^2 + 10aAbc^2 - 20ab^2Bc - Ab^3c + 3b^4B) + a (16aAc^2 - 18abBc - Ab^2c + 3b^3B) \right)}{4c^2 (b^2 - 4ac)^2 (a + bx^2 + cx^4)} + \frac{x^2 (30a^2Bc^2 - 10aAbc^2 - 20ab^2Bc - Ab^3c + 3b^4B)}{4c^2 (b^2 - 4ac)^2 (a + bx^2 + cx^4)}$$

[Out] $1/2*(7*A*a*b*c^2-A*b^3*c+30*B*a^2*c^2-21*B*a*b^2*c+3*B*b^4)*x^2/c^3/(-4*a*c+b^2)^2-1/4*x^8*(a*(-2*A*c+B*b)+(-A*b*c-2*B*a*c+B*b^2)*x^2)/c/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2-1/4*x^4*(a*(16*A*a*c^2-A*b^2*c-18*B*a*b*c+3*B*b^3)+(10*A*a*b*c^2-A*b^3*c+20*B*a^2*c^2-20*B*a*b^2*c+3*B*b^4)*x^2)/c^2/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)-1/2*(-30*A*a^2*b*c^3+10*A*a*b^3*c^2-A*b^5*c-60*B*a^3*c^3+90*B*a^2*b^2*c^2-30*B*a*b^4*c+3*B*b^6)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^4/(-4*a*c+b^2)^{(5/2)}-1/4*(-A*c+3*B*b)*\ln(c*x^4+b*x^2+a)/c^4$

Rubi [A] time = 1.45, antiderivative size = 365, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 818, 773, 634, 618, 206, 628}

$$\frac{x^4 \left(x^2 (20a^2Bc^2 + 10aAbc^2 - 20ab^2Bc - Ab^3c + 3b^4B) + a (16aAc^2 - 18abBc - Ab^2c + 3b^3B) \right)}{4c^2 (b^2 - 4ac)^2 (a + bx^2 + cx^4)} + \frac{x^2 (30a^2Bc^2 - 10aAbc^2 - 20ab^2Bc - Ab^3c + 3b^4B)}{4c^2 (b^2 - 4ac)^2 (a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(x^11*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] $((3*b^4*B - A*b^3*c - 21*a*b^2*B*c + 7*a*A*b*c^2 + 30*a^2*B*c^2)*x^2)/(2*c^3*(b^2 - 4*a*c)^2) - (x^8*(a*(b*B - 2*A*c) + (b^2*B - A*b*c - 2*a*B*c)*x^2))/(4*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (x^4*(a*(3*b^3*B - A*b^2*c - 18*a*b*B*c + 16*a*A*c^2) + (3*b^4*B - A*b^3*c - 20*a*b^2*B*c + 10*a*A*b*c^2 + 20*a^2*B*c^2)*x^2))/(4*c^2*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) - ((3*b^6*B - A*b^5*c - 30*a*b^4*B*c + 10*a*A*b^3*c^2 + 90*a^2*b^2*B*c^2 - 30*a^2*A*b*c^3 - 60*a^3*B*c^3)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^4*(b^2 - 4*a*c)^{(5/2)}) - ((3*b*B - A*c)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^4)$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 773

```
Int[(((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (c*e*f + c*d*g - b*e*g)*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 818

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(b*e*f + b*d*g + 2*a*e*g))*x))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/(c*(p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m - 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4)) + e*(b^2*e*g*(m + p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3, 0])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
```

$b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m - 1)/2]$

Rubi steps

$$\begin{aligned}
 \int \frac{x^{11} (A + Bx^2)}{(a + bx^2 + cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^5 (A + Bx)}{(a + bx + cx^2)^3} dx, x, x^2 \right) \\
 &= -\frac{x^8 (a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{\text{Subst} \left(\int \frac{x^3 (4a(bB - 2Ac) + (3b^2B - Abc - 10aBc)x)}{(a + bx + cx^2)^2} dx, x, x^2 \right)}{4c(b^2 - 4ac)} \\
 &= -\frac{x^8 (a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^4 (a(3b^3B - Ab^2c - 18abBc + 16aAc^2))}{4c^2(b^2 - 4ac)} \\
 &= \frac{(3b^4B - Ab^3c - 21ab^2Bc + 7aAbc^2 + 30a^2Bc^2)x^2}{2c^3(b^2 - 4ac)^2} - \frac{x^8 (a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} \\
 &= \frac{(3b^4B - Ab^3c - 21ab^2Bc + 7aAbc^2 + 30a^2Bc^2)x^2}{2c^3(b^2 - 4ac)^2} - \frac{x^8 (a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} \\
 &= \frac{(3b^4B - Ab^3c - 21ab^2Bc + 7aAbc^2 + 30a^2Bc^2)x^2}{2c^3(b^2 - 4ac)^2} - \frac{x^8 (a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} \\
 &= \frac{(3b^4B - Ab^3c - 21ab^2Bc + 7aAbc^2 + 30a^2Bc^2)x^2}{2c^3(b^2 - 4ac)^2} - \frac{x^8 (a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2}
 \end{aligned}$$

Mathematica [A] time = 0.66, size = 435, normalized size = 1.19

$$\frac{a^3c^2(2c(A+Bx^2)-5bB)+a^2bc(-bc(4A+9Bx^2)+5Ac^2x^2+5b^2B)+ab^3(bc(A+6Bx^2)-5Ac^2x^2+b^2(-B))+b^5x^2(Ac-bB)}{(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{2c(60a^3Bc^3+30a^2Abc^3-90a^2b^2c^2)}{4c^2(b^2-4ac)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^11*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x]

```
[Out] (2*B*c^2*x^2 + (b^7*B - b^6*c*(A + 6*B*x^2) + 4*a^3*c^4*(8*A + 9*B*x^2) - 3
*a^2*b^2*c^3*(13*A + 34*B*x^2) + a*b^4*c^2*(11*A + 48*B*x^2) + a*b^3*c^2*(6
1*a*B - 30*A*c*x^2) + 2*b^5*c*(-7*a*B + 2*A*c*x^2) + 2*a^2*b*c^3*(-39*a*B +
25*A*c*x^2))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (b^5*(-(b*B) + A*c)*x
^2 + a^3*c^2*(-5*b*B + 2*c*(A + B*x^2)) + a*b^3*(-(b^2*B) - 5*A*c^2*x^2 + b
*c*(A + 6*B*x^2)) + a^2*b*c*(5*b^2*B + 5*A*c^2*x^2 - b*c*(4*A + 9*B*x^2)))/
((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (2*c*(-3*b^6*B + A*b^5*c + 30*a*b^4
*B*c - 10*a*A*b^3*c^2 - 90*a^2*b^2*B*c^2 + 30*a^2*A*b*c^3 + 60*a^3*B*c^3)*A
rcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]]/(-b^2 + 4*a*c)^(5/2) + c*(-3*b*B +
A*c)*Log[a + b*x^2 + c*x^4])/(4*c^5)
```

fricas [B] time = 1.27, size = 3196, normalized size = 8.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^11*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")
```

```
[Out] [1/4*(2*(B*b^6*c^3 - 12*B*a*b^4*c^4 + 48*B*a^2*b^2*c^5 - 64*B*a^3*c^6)*x^10
- 5*B*a^2*b^7 - 96*A*a^5*c^4 + 4*(B*b^7*c^2 - 12*B*a*b^5*c^3 + 48*B*a^2*b^
3*c^4 - 64*B*a^3*b*c^5)*x^8 - 2*(2*B*b^8*c + 100*(2*B*a^4 + A*a^3*b)*c^5 -
(254*B*a^3*b^2 + 85*A*a^2*b^3)*c^4 + (123*B*a^2*b^4 + 23*A*a*b^5)*c^3 - 2*(
13*B*a*b^6 + A*b^7)*c^2)*x^6 - (5*B*b^9 + 128*A*a^4*c^5 + 4*(22*B*a^4*b + 3
*A*a^3*b^2)*c^4 - (314*B*a^3*b^3 + 87*A*a^2*b^4)*c^3 + (225*B*a^2*b^5 + 31*
A*a*b^6)*c^2 - (58*B*a*b^7 + 3*A*b^8)*c)*x^4 + 4*(58*B*a^5*b + 27*A*a^4*b^2
)*c^3 - (202*B*a^4*b^3 + 33*A*a^3*b^4)*c^2 - 2*(5*B*a*b^8 + 4*(30*B*a^5 + 3
1*A*a^4*b)*c^4 - (346*B*a^4*b^2 + 119*A*a^3*b^3)*c^3 + (235*B*a^3*b^4 + 34*
A*a^2*b^5)*c^2 - (59*B*a^2*b^6 + 3*A*a*b^7)*c)*x^2 - (3*B*a^2*b^6 + (3*B*b^
6*c^2 - 30*(2*B*a^3 + A*a^2*b)*c^5 + 10*(9*B*a^2*b^2 + A*a*b^3)*c^4 - (30*B
*a*b^4 + A*b^5)*c^3)*x^8 + 2*(3*B*b^7*c - 30*(2*B*a^3*b + A*a^2*b^2)*c^4 +
10*(9*B*a^2*b^3 + A*a*b^4)*c^3 - (30*B*a*b^5 + A*b^6)*c^2)*x^6 + (3*B*b^8 -
60*(2*B*a^4 + A*a^3*b)*c^4 + 10*(12*B*a^3*b^2 - A*a^2*b^3)*c^3 + 2*(15*B*a
^2*b^4 + 4*A*a*b^5)*c^2 - (24*B*a*b^6 + A*b^7)*c)*x^4 - 30*(2*B*a^5 + A*a^4
*b)*c^3 + 10*(9*B*a^4*b^2 + A*a^3*b^3)*c^2 + 2*(3*B*a*b^7 - 30*(2*B*a^4*b +
A*a^3*b^2)*c^3 + 10*(9*B*a^3*b^3 + A*a^2*b^4)*c^2 - (30*B*a^2*b^5 + A*a*b^
6)*c)*x^2 - (30*B*a^3*b^4 + A*a^2*b^5)*c)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4
+ 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2
+ a)) + (56*B*a^3*b^5 + 3*A*a^2*b^6)*c - (3*B*a^2*b^7 + 64*A*a^5*c^4 + (3*
B*b^7*c^2 + 64*A*a^3*c^6 - 48*(4*B*a^3*b + A*a^2*b^2)*c^5 + 12*(12*B*a^2*b^
3 + A*a*b^4)*c^4 - (36*B*a*b^5 + A*b^6)*c^3)*x^8 + 2*(3*B*b^8*c + 64*A*a^3*
b*c^5 - 48*(4*B*a^3*b^2 + A*a^2*b^3)*c^4 + 12*(12*B*a^2*b^4 + A*a*b^5)*c^3
- (36*B*a*b^6 + A*b^7)*c^2)*x^6 + (3*B*b^9 + 128*A*a^4*c^5 - 32*(12*B*a^4*b
+ A*a^3*b^2)*c^4 + 24*(4*B*a^3*b^3 - A*a^2*b^4)*c^3 + 2*(36*B*a^2*b^5 + 5*
A*a*b^6)*c^2 - (30*B*a*b^7 + A*b^8)*c)*x^4 - 48*(4*B*a^5*b + A*a^4*b^2)*c^3
+ 12*(12*B*a^4*b^3 + A*a^3*b^4)*c^2 + 2*(3*B*a*b^8 + 64*A*a^4*b*c^4 - 48*(
```

$$\begin{aligned}
& 4*B*a^4*b^2 + A*a^3*b^3)*c^3 + 12*(12*B*a^3*b^4 + A*a^2*b^5)*c^2 - (36*B*a^2*b^6 + A*a*b^7)*c)*x^2 - (36*B*a^3*b^5 + A*a^2*b^6)*c)*\log(c*x^4 + b*x^2 + a))/(a^2*b^6*c^4 - 12*a^3*b^4*c^5 + 48*a^4*b^2*c^6 - 64*a^5*c^7 + (b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)*x^8 + 2*(b^7*c^5 - 12*a*b^5*c^6 + 48*a^2*b^3*c^7 - 64*a^3*b*c^8)*x^6 + (b^8*c^4 - 10*a*b^6*c^5 + 24*a^2*b^4*c^6 + 32*a^3*b^2*c^7 - 128*a^4*c^8)*x^4 + 2*(a*b^7*c^4 - 12*a^2*b^5*c^5 + 48*a^3*b^3*c^6 - 64*a^4*b*c^7)*x^2), 1/4*(2*(B*b^6*c^3 - 12*B*a*b^4*c^4 + 48*B*a^2*b^2*c^5 - 64*B*a^3*c^6)*x^10 - 5*B*a^2*b^7 - 96*A*a^5*c^4 + 4*(B*b^7*c^2 - 12*B*a*b^5*c^3 + 48*B*a^2*b^3*c^4 - 64*B*a^3*b*c^5)*x^8 - 2*(2*B*b^8*c + 100*(2*B*a^4 + A*a^3*b)*c^5 - (254*B*a^3*b^2 + 85*A*a^2*b^3)*c^4 + (123*B*a^2*b^4 + 23*A*a*b^5)*c^3 - 2*(13*B*a*b^6 + A*b^7)*c^2)*x^6 - (5*B*b^9 + 128*A*a^4*c^5 + 4*(22*B*a^4*b + 3*A*a^3*b^2)*c^4 - (314*B*a^3*b^3 + 87*A*a^2*b^4)*c^3 + (225*B*a^2*b^5 + 31*A*a*b^6)*c^2 - (58*B*a*b^7 + 3*A*b^8)*c)*x^4 + 4*(58*B*a^5*b + 27*A*a^4*b^2)*c^3 - (202*B*a^4*b^3 + 33*A*a^3*b^4)*c^2 - 2*(5*B*a*b^8 + 4*(30*B*a^5 + 31*A*a^4*b)*c^4 - (346*B*a^4*b^2 + 119*A*a^3*b^3)*c^3 + (235*B*a^3*b^4 + 34*A*a^2*b^5)*c^2 - (59*B*a^2*b^6 + 3*A*a*b^7)*c)*x^2 - 2*(3*B*a^2*b^6 + (3*B*b^6*c^2 - 30*(2*B*a^3 + A*a^2*b))*c^5 + 10*(9*B*a^2*b^2 + A*a*b^3)*c^4 - (30*B*a*b^4 + A*b^5)*c^3)*x^8 + 2*(3*B*b^7*c - 30*(2*B*a^3*b + A*a^2*b^2))*c^4 + 10*(9*B*a^2*b^3 + A*a*b^4)*c^3 - (30*B*a*b^5 + A*b^6)*c^2)*x^6 + (3*B*b^8 - 60*(2*B*a^4 + A*a^3*b))*c^4 + 10*(12*B*a^3*b^2 - A*a^2*b^3)*c^3 + 2*(15*B*a^2*b^4 + 4*A*a*b^5)*c^2 - (24*B*a*b^6 + A*b^7)*c)*x^4 - 30*(2*B*a^5 + A*a^4*b)*c^3 + 10*(9*B*a^4*b^2 + A*a^3*b^3)*c^2 + 2*(3*B*a*b^7 - 30*(2*B*a^4*b + A*a^3*b^2))*c^3 + 10*(9*B*a^3*b^3 + A*a^2*b^4)*c^2 - (30*B*a^2*b^5 + A*a*b^6)*c)*x^2 - (30*B*a^3*b^4 + A*a^2*b^5)*c)*\sqrt{-b^2 + 4*a*c})*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4*a*c)) + (56*B*a^3*b^5 + 3*A*a^2*b^6)*c - (3*B*a^2*b^7 + 64*A*a^5*c^4 + (3*B*b^7*c^2 + 64*A*a^3*c^6 - 48*(4*B*a^3*b + A*a^2*b^2))*c^5 + 12*(12*B*a^2*b^3 + A*a*b^4)*c^4 - (36*B*a*b^5 + A*b^6)*c^3)*x^8 + 2*(3*B*b^8*c + 64*A*a^3*b*c^5 - 48*(4*B*a^3*b^2 + A*a^2*b^3))*c^4 + 12*(12*B*a^2*b^4 + A*a*b^5)*c^3 - (36*B*a*b^6 + A*b^7)*c^2)*x^6 + (3*B*b^9 + 128*A*a^4*c^5 - 32*(12*B*a^4*b + A*a^3*b^2))*c^4 + 24*(4*B*a^3*b^3 - A*a^2*b^4)*c^3 + 2*(36*B*a^2*b^5 + 5*A*a*b^6)*c^2 - (30*B*a*b^7 + A*b^8)*c)*x^4 - 48*(4*B*a^5*b + A*a^4*b^2)*c^3 + 12*(12*B*a^4*b^3 + A*a^3*b^4)*c^2 + 2*(3*B*a*b^8 + 64*A*a^4*b*c^4 - 48*(4*B*a^4*b^2 + A*a^3*b^3))*c^3 + 12*(12*B*a^3*b^4 + A*a^2*b^5)*c^2 - (36*B*a^2*b^6 + A*a*b^7)*c)*x^2 - (36*B*a^3*b^5 + A*a^2*b^6)*c)*\log(c*x^4 + b*x^2 + a))/(a^2*b^6*c^4 - 12*a^3*b^4*c^5 + 48*a^4*b^2*c^6 - 64*a^5*c^7 + (b^6*c^6 - 12*a*b^4*c^7 + 48*a^2*b^2*c^8 - 64*a^3*c^9)*x^8 + 2*(b^7*c^5 - 12*a*b^5*c^6 + 48*a^2*b^3*c^7 - 64*a^3*b*c^8)*x^6 + (b^8*c^4 - 10*a*b^6*c^5 + 24*a^2*b^4*c^6 + 32*a^3*b^2*c^7 - 128*a^4*c^8)*x^4 + 2*(a*b^7*c^4 - 12*a^2*b^5*c^5 + 48*a^3*b^3*c^6 - 64*a^4*b*c^7)*x^2)]
\end{aligned}$$

giac [A] time = 5.88, size = 598, normalized size = 1.64

$$\frac{(3 B b^6 - 30 B a b^4 c - A b^5 c + 90 B a^2 b^2 c^2 + 10 A a b^3 c^2 - 60 B a^3 c^3 - 30 A a^2 b c^3) \arctan\left(\frac{2 c x^2 + b}{\sqrt{-b^2 + 4 a c}}\right) + \frac{B x^2}{2 c^3} + \frac{9 B b^5 c^2 x}{2 c^3}}{2 (b^4 c^4 - 8 a b^2 c^5 + 16 a^2 c^6) \sqrt{-b^2 + 4 a c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(B*x²+A)/(c*x⁴+b*x²+a)³,x, algorithm="giac")

[Out] 1/2*(3*B*b⁶ - 30*B*a*b⁴*c - A*b⁵*c + 90*B*a²*b²*c² + 10*A*a*b³*c² - 60*B*a³*c³ - 30*A*a²*b*c³)*arctan((2*c*x² + b)/sqrt(-b² + 4*a*c))/((b⁴*c⁴ - 8*a*b²*c⁵ + 16*a²*c⁶)*sqrt(-b² + 4*a*c)) + 1/2*B*x²/c³ + 1/8*(9*B*b⁵*c²*x⁸ - 72*B*a*b³*c³*x⁸ - 3*A*b⁴*c³*x⁸ + 144*B*a²*b*c⁴*x⁸ + 24*A*a*b²*c⁴*x⁸ - 48*A*a²*c⁵*x⁸ + 6*B*b⁶*c*x⁶ - 48*B*a*b⁴*c²*x⁶ + 2*A*b⁵*c²*x⁶ + 84*B*a²*b²*c³*x⁶ - 12*A*a*b³*c³*x⁶ + 72*B*a³*c⁴*x⁶ + 4*A*a²*b*c⁴*x⁶ - B*b⁷*x⁴ + 14*B*a*b⁵*c*x⁴ + 3*A*b⁶*c*x⁴ - 82*B*a²*b³*c²*x⁴ - 20*A*a*b⁴*c²*x⁴ + 204*B*a³*b*c³*x⁴ + 22*A*a²*b²*c³*x⁴ - 32*A*a³*c⁴*x⁴ - 2*B*a*b⁶*x² + 8*B*a²*b⁴*c*x² + 6*A*a*b⁵*c*x² + 4*B*a³*b²*c²*x² - 40*A*a²*b³*c²*x² + 56*B*a⁴*c³*x² + 28*A*a³*b*c³*x² - B*a²*b⁵ + 3*A*a²*b⁴*c + 28*B*a⁴*b*c² - 18*A*a³*b²*c²)/(b⁴*c⁴ - 8*a*b²*c⁵ + 16*a²*c⁶)*(c*x⁴ + b*x² + a)²) - 1/4*(3*B*b - A*c)*log(c*x⁴ + b*x² + a)/c⁴

maple [B] time = 0.03, size = 2054, normalized size = 5.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x¹¹*(B*x²+A)/(c*x⁴+b*x²+a)³,x)

[Out] 1/2*B*x²/c³+6/c³/(16*a²*c²-8*a*b²*c+b⁴)*ln(c*x⁴+b*x²+a)*B*a*b³-1/2/c³/(16*a²*c²-8*a*b²*c+b⁴)/(4*a*c-b²)^(1/2)*arctan((2*c*x²+b)/(4*a*c-b²)^(1/2))*b⁵*A-2/c²/(16*a²*c²-8*a*b²*c+b⁴)*ln(c*x⁴+b*x²+a)*A*a*b²-12/c²/(16*a²*c²-8*a*b²*c+b⁴)*ln(c*x⁴+b*x²+a)*B*a²*b+1/c²/(c*x⁴+b*x²+a)²/(16*a²*c²-8*a*b²*c+b⁴)*x⁶*A*b⁵-5/4/c⁴/(c*x⁴+b*x²+a)²/(16*a²*c²-8*a*b²*c+b⁴)*x⁴*B*b⁷+7/c/(c*x⁴+b*x²+a)²*a⁴/(16*a²*c²-8*a*b²*c+b⁴)*x²*B-21/4/c²/(c*x⁴+b*x²+a)²*a³/(16*a²*c²-8*a*b²*c+b⁴)*A*b²-29/2/c²/(c*x⁴+b*x²+a)²*a⁴/(16*a²*c²-8*a*b²*c+b⁴)*B*b⁵-5/4/c⁴/(c*x⁴+b*x²+a)²*a²/(16*a²*c²-8*a*b²*c+b⁴)*B*b⁵+25/2/(c*x⁴+b*x²+a)²/(16*a²*c²-8*a*b²*c+b⁴)*x⁶*A*a²*b+3/2/c⁴/(16*a²*c²-8*a*b²*c+b⁴)/(4*a*c-b²)^(1/2)*arctan((2*c*x²+b)/(4*a*c-b²)^(1/2))*b⁶*B-30/c/(16*a²*c²-8*a*b²*c+b⁴)/(4*a*c-b²)^(1/2)*arctan((2*c*x²+b)/(4*a*c-b²)^(1/2))*a³*B-3/2/c³/(c*x⁴+b*x²+a)²/(16*a²*c²-8*a*b²*c+b⁴)*x⁶*B*b⁶+3/4/c³/(c*x⁴+b*x²+a)²/(16*a²*c²-8*a*b²*c+b⁴)*x⁴*A*b⁶+3/4/c³/(c

$$\begin{aligned} & x^4 + b x^2 + a)^2 a^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) A b^4 + 9 / c^3 / (c x^4 + b x^2 + a)^2 a^3 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) B b^3 + 3 / 2 / c^3 / (c x^4 + b x^2 + a)^2 a / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^2 A b^5 - 11 / c^2 / (c x^4 + b x^2 + a)^2 a^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^2 A b^3 + 11 / 4 / c / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^4 A a^2 b^2 - 19 / 4 / c^2 / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^4 A a b^4 - 21 / 2 / c / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^4 B a^3 b - 41 / 4 / c^2 / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^4 B a^2 b^3 + 31 / 2 / c / (c x^4 + b x^2 + a)^2 a^3 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^2 A b - 71 / 2 / c^2 / (c x^4 + b x^2 + a)^2 a^3 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^2 B b^2 - 5 / 2 / c^4 / (c x^4 + b x^2 + a)^2 a / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^2 B b^6 - 15 / 2 / c / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^6 A a b^3 + 12 / c^2 / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^6 B a b^4 - 15 / c / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) / (4 a^2 c - b^2)^{1/2} \arctan((2 c x^2 + b) / (4 a^2 c - b^2)^{1/2}) A a^2 b + 5 / c^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) / (4 a^2 c - b^2)^{1/2} \arctan((2 c x^2 + b) / (4 a^2 c - b^2)^{1/2}) A a b^3 + 45 / c^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) / (4 a^2 c - b^2)^{1/2} \arctan((2 c x^2 + b) / (4 a^2 c - b^2)^{1/2}) B a^2 b^2 - 15 / c^3 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) / (4 a^2 c - b^2)^{1/2} \arctan((2 c x^2 + b) / (4 a^2 c - b^2)^{1/2}) B a b^4 + 19 / c^3 / (c x^4 + b x^2 + a)^2 a^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^2 B b^4 + 17 / 2 / c^3 / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^4 B a b^5 - 51 / 2 / c / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^6 B a^2 b^2 + 9 / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^6 B a^3 + 8 / (c x^4 + b x^2 + a)^2 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) x^4 A a^3 + 6 / c / (c x^4 + b x^2 + a)^2 a^4 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) A + 1 / 4 / c^3 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) \ln(c x^4 + b x^2 + a) A b^4 + 4 / c / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) \ln(c x^4 + b x^2 + a) A a^2 - 3 / 4 / c^4 / (16 a^2 c^2 - 8 a^2 b^2 c + b^4) \ln(c x^4 + b x^2 + a) B b^5 \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x¹¹*(B*x²+A)/(c*x⁴+b*x²+a)³,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b²>0)', see `assume?` for more details) Is 4*a*c-b² positive or negative?

mupad [B] time = 4.66, size = 4501, normalized size = 12.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x¹¹*(A + B*x²))/(a + b*x² + c*x⁴)³,x)

[Out]
$$\begin{aligned} & ((x^6(18B^3a^3c^3 - 3B^2b^6 + 2A^2b^5c + 24B^2a^2b^4c - 15A^2a^2b^3c^2 + \\ & 25A^2a^2b^3c^3 - 51B^2a^2b^2c^2))/(2(b^4 + 16a^2c^2 - 8ab^2c)) + (\\ & a(24A^3a^3c^3 - 5B^2a^2b^5 + 3A^2a^2b^4c + 36B^2a^2b^3c - 58B^2a^3b^3c^2 \\ & - 21A^2a^2b^2c^2))/(4c(b^4 + 16a^2c^2 - 8ab^2c)) + (x^2(14B^2a^4 \\ & c^3 - 5B^2a^2b^6 + 3A^2a^2b^5c + 31A^2a^3b^3c^3 + 38B^2a^2b^4c - 22A^2a^2 \\ & b^3c^2 - 71B^2a^3b^2c^2))/(2c(b^4 + 16a^2c^2 - 8ab^2c)) - (x^4(\\ & 5B^2b^7 - 32A^2a^3c^4 - 3A^2b^6c - 34B^2a^2b^5c + 19A^2a^2b^4c^2 + 42B^2a \\ & ^3b^3c^3 - 11A^2a^2b^2c^3 + 41B^2a^2b^3c^2))/(4c(b^4 + 16a^2c^2 - 8 \\ & ab^2c)))/(a^2c^3 + c^5x^8 + x^4(2a^2c^4 + b^2c^3) + 2b^2c^4x^6 + 2 \\ & a^2b^2c^3x^2) + (B^2x^2)/(2c^3) + (\log(((a(Ac - 3Bb))^2)/c^6 - (((8a(Ac \\ & - 3Bb))/c^2 - (2(2a + bx^2))(Ac - 3Bb + c^4(-(60B^3a^3c^3 - 3B \\ & b^6 + Ab^5c + 30B^2a^2b^4c - 10A^2a^2b^3c^2 + 30A^2a^2b^2c^3 - 90B^2a^2 \\ & b^2c^2))^2/(c^8(4ac - b^2)^5))^(1/2)))/c^2 + (2x^2(60B^3a^3c^3 - 9B^2 \\ & b^6 + 3A^2b^5c + 78B^2a^2b^4c - 26A^2a^2b^3c^2 + 62A^2a^2b^2c^3 - 186B^2a^2 \\ & b^2c^2))/(c^2(4ac - b^2)^2))(Ac - 3Bb + c^4(-(60B^3a^3c^3 - 3B \\ & b^6 + Ab^5c + 30B^2a^2b^4c - 10A^2a^2b^3c^2 + 30A^2a^2b^2c^3 - 90B^2a^2 \\ & b^2c^2))^2/(c^8(4ac - b^2)^5))^(1/2)))/(4c^4) + (x^2(Ac - 3Bb)(30 \\ & B^3a^3c^3 - 3B^2b^6 + Ab^5c + 27B^2a^2b^4c - 9A^2a^2b^3c^2 + 23A^2a^2b^2c^3 \\ & - 69B^2a^2b^2c^2))/(c^6(4ac - b^2)^2))(a(Ac - 3Bb))^2/c^6 + (\\ & ((2(2a + bx^2))(3Bb - Ac + c^4(-(60B^3a^3c^3 - 3B^2b^6 + Ab^5c + \\ & 30B^2a^2b^4c - 10A^2a^2b^3c^2 + 30A^2a^2b^2c^3 - 90B^2a^2b^2c^2))^2/(c^8(\\ & 4ac - b^2)^5))^(1/2)))/c^2 + (8a(Ac - 3Bb))/c^2 + (2x^2(60B^3a^3c^3 \\ & - 9B^2b^6 + 3A^2b^5c + 78B^2a^2b^4c - 26A^2a^2b^3c^2 + 62A^2a^2b^2c^3 - \\ & 186B^2a^2b^2c^2))/(c^2(4ac - b^2)^2))(3Bb - Ac + c^4(-(60B^3a^3c^3 \\ & - 3B^2b^6 + Ab^5c + 30B^2a^2b^4c - 10A^2a^2b^3c^2 + 30A^2a^2b^2c^3 - \\ & 90B^2a^2b^2c^2))^2/(c^8(4ac - b^2)^5))^(1/2)))/(4c^4) + (x^2(Ac - 3 \\ & Bb)(30B^3a^3c^3 - 3B^2b^6 + Ab^5c + 27B^2a^2b^4c - 9A^2a^2b^3c^2 + 23 \\ & A^2a^2b^2c^3 - 69B^2a^2b^2c^2))/(c^6(4ac - b^2)^2)))(6B^2b^11 + 2048A^2 \\ & a^5c^6 - 2A^2b^10c - 120B^2a^2b^9c + 40A^2a^2b^8c^2 - 6144B^2a^5b^3c^5 - \\ & 320A^2a^2b^6c^3 + 1280A^2a^3b^4c^4 - 2560A^2a^4b^2c^5 + 960B^2a^2b^7 \\ & c^2 - 3840B^2a^3b^5c^3 + 7680B^2a^4b^3c^4))/(2(4096a^5c^9 - 4b^10 \\ & c^4 + 80a^2b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8 \\ &)) - (\operatorname{atan}(((32a^2c^8(4ac - b^2)^5 + 2b^4c^6(4ac - b^2)^5 - 16a^2 \\ & b^2c^7(4ac - b^2)^5)(x^2((((6A^2b^5c^5 + 120B^2a^3c^7 - 18B^2b^6c^4 \\ & - 52A^2a^2b^3c^6 + 124A^2a^2b^2c^7 + 156B^2a^2b^4c^5 - 372B^2a^2b^2c^6 \\ &))/(16a^2c^8 + b^4c^6 - 8ab^2c^7) - ((8b^5c^8 - 64a^2b^3c^9 + 128a^2 \\ & b^2c^10)(6B^2b^11 + 2048A^2a^5c^6 - 2A^2b^10c - 120B^2a^2b^9c + 40A^2 \\ & a^2b^8c^2 - 6144B^2a^5b^3c^5 - 320A^2a^2b^6c^3 + 1280A^2a^3b^4c^4 - 2560 \\ & A^2a^4b^2c^5 + 960B^2a^2b^7c^2 - 3840B^2a^3b^5c^3 + 7680B^2a^4b^3c^4 \\ & 4))/(2(16a^2c^8 + b^4c^6 - 8ab^2c^7))(4096a^5c^9 - 4b^10c^4 + 80 \\ & a^2b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8)))(60B^2 \\ & a^3c^3 - 3B^2b^6 + Ab^5c + 30B^2a^2b^4c - 10A^2a^2b^3c^2 + 30A^2a^2b^2c^3 \\ & - 90B^2a^2b^2c^2))/(8c^4(4ac - b^2)^(5/2)) - ((8b^5c^8 - 64a^2b^3 \\ & c^9 + 128a^2b^2c^10)(60B^2a^3c^3 - 3B^2b^6 + Ab^5c + 30B^2a^2b^4c - \\ & 10A^2a^2b^3c^2 + 30A^2a^2b^2c^3 - 90B^2a^2b^2c^2))(6B^2b^11 + 2048A^2a^5c^6 \end{aligned}$$

$$\begin{aligned}
& c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 \\
& - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4) / (16c^4(4a^*c - b^2)^{(5/2)} * (16a^2c^8 + b^4c^6 - 8a^*b^2c^7) * (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8))) / (a^*(4a^*c - b^2)^2) + (b^*((((6A^*b^5c^5 + 120B^*a^3c^7 - 18B^*b^6c^4 - 52A^*a^*b^3c^6 + 124A^*a^2b^*c^7 + 156B^*a^*b^4c^5 - 372B^*a^2b^2c^6) / (16a^2c^8 + b^4c^6 - 8a^*b^2c^7) - ((8b^5c^8 - 64a^*b^3c^9 + 128a^2b^*c^10) * (6B^*b^11 + 2048A^*a^5c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4)) / (2 * (16a^2c^8 + b^4c^6 - 8a^*b^2c^7) * (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8))) * (6B^*b^11 + 2048A^*a^5c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4)) / (2 * (16a^2c^8 + b^4c^6 - 8a^*b^2c^7) * (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8))) - (9B^2b^7 + A^2b^5c^2 - 6A^*B^*b^6c + 207B^2a^2b^3c^2 + 30A^*B^*a^3c^4 - 81B^2a^*b^5c - 9A^2a^*b^3c^3 + 23A^2a^2b^*c^4 - 90B^2a^3b^*c^3 - 138A^*B^*a^2b^2c^3 + 54A^*B^*a^*b^4c^2) / (16a^2c^8 + b^4c^6 - 8a^*b^2c^7) + (((b^5c^8) / 2 - 4a^*b^3c^9 + 8a^2b^*c^10) * (60B^*a^3c^3 - 3B^*b^6 + A^*b^5c + 30B^*a^*b^4c - 10A^*a^*b^3c^2 + 30A^*a^2b^*c^3 - 90B^*a^2b^2c^2)^2) / (c^8(4a^*c - b^2)^5 * (16a^2c^8 + b^4c^6 - 8a^*b^2c^7)))) / (2a^*(4a^*c - b^2)^{(5/2)}) + (((8A^*a^*c^5 - 24B^*a^*b^*c^4) / c^6 - (8a^*c^2 * (6B^*b^11 + 2048A^*a^5c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4)) / (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8)) * (60B^*a^3c^3 - 3B^*b^6 + A^*b^5c + 30B^*a^*b^4c - 10A^*a^*b^3c^2 + 30A^*a^2b^*c^3 - 90B^*a^2b^2c^2)) / (8c^4(4a^*c - b^2)^{(5/2)}) - (a^*(60B^*a^3c^3 - 3B^*b^6 + A^*b^5c + 30B^*a^*b^4c - 10A^*a^*b^3c^2 + 30A^*a^2b^*c^3 - 90B^*a^2b^2c^2) * (6B^*b^11 + 2048A^*a^5c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4)) / (c^2(4a^*c - b^2)^{(5/2)} * (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8))) / (a^*(4a^*c - b^2)^2) + (b^*((((8A^*a^*c^5 - 24B^*a^*b^*c^4) / c^6 - (8a^*c^2 * (6B^*b^11 + 2048A^*a^5c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4)) / (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8)) * (6B^*b^11 + 2048A^*a^5c^6 - 2A^*b^{10}c - 120B^*a^*b^9c + 40A^*a^*b^8c^2 - 6144B^*a^5b^*c^5 - 320A^*a^2b^6c^3 + 1280A^*a^3b^4c^4 - 2560A^*a^4b^2c^5 + 960B^*a^2b^7c^2 - 3840B^*a^3b^5c^3 + 7680B^*a^4b^3c^4)) / (2 * (4096a^5c^9 - 4b^{10}c^4 + 80a^*b^8c^5 - 640a^2b^6c^6 + 2560a^3b^4c^7 - 5120a^4b^2c^8)))
\end{aligned}$$

```
*c^7 - 5120*a^4*b^2*c^8)) - (A^2*a*c^2 + 9*B^2*a*b^2 - 6*A*B*a*b*c)/c^6 + (
a*(60*B*a^3*c^3 - 3*B*b^6 + A*b^5*c + 30*B*a*b^4*c - 10*A*a*b^3*c^2 + 30*A*
a^2*b*c^3 - 90*B*a^2*b^2*c^2)^2)/(c^6*(4*a*c - b^2)^5)))/(2*a*(4*a*c - b^2)
^(5/2))))/(9*B^2*b^12 + A^2*b^10*c^2 + 3600*B^2*a^6*c^6 - 6*A*B*b^11*c + 16
0*A^2*a^2*b^6*c^4 - 600*A^2*a^3*b^4*c^5 + 900*A^2*a^4*b^2*c^6 + 1440*B^2*a^
2*b^8*c^2 - 5760*B^2*a^3*b^6*c^3 + 11700*B^2*a^4*b^4*c^4 - 10800*B^2*a^5*b^
2*c^5 - 180*B^2*a*b^10*c - 20*A^2*a*b^8*c^3 - 960*A*B*a^2*b^7*c^3 + 3720*A*
B*a^3*b^5*c^4 - 6600*A*B*a^4*b^3*c^5 + 120*A*B*a*b^9*c^2 + 3600*A*B*a^5*b*c
^6))*(60*B*a^3*c^3 - 3*B*b^6 + A*b^5*c + 30*B*a*b^4*c - 10*A*a*b^3*c^2 + 30
*A*a^2*b*c^3 - 90*B*a^2*b^2*c^2))/(2*c^4*(4*a*c - b^2)^(5/2))
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**11*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)
```

```
[Out] Timed out
```

$$3.125 \quad \int \frac{x^9(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=254

$$\frac{(-12a^2Ac^3 + 30a^2bBc^2 - 10ab^3Bc + b^5B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) x^2 (x^2(16a^2Bc^2 + 6aAbc^2 - 15ab^2Bc + 2b^4B) + 2a)}{2c^3(b^2 - 4ac)^{5/2} 4c^2(b^2 - 4ac)^2(a + bx^2 + cx^4)}$$

[Out] $-1/4*x^6*(a*(-2*A*c+B*b)+(-A*b*c-2*B*a*c+B*b^2)*x^2)/c/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2-1/4*x^2*(2*a*(6*A*a*c^2-7*B*a*b*c+B*b^3)+(6*A*a*b*c^2+16*B*a^2*c^2-15*B*a*b^2*c+2*B*b^4)*x^2)/c^2/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+1/2*(-12*A*a^2*c^3+30*B*a^2*b*c^2-10*B*a*b^3*c+B*b^5)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^3/(-4*a*c+b^2)^{(5/2)}+1/4*B*\ln(c*x^4+b*x^2+a)/c^3$

Rubi [A] time = 0.40, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 818, 634, 618, 206, 628}

$$\frac{x^2(x^2(16a^2Bc^2 + 6aAbc^2 - 15ab^2Bc + 2b^4B) + 2a(6aAc^2 - 7abBc + b^3B))}{4c^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{(-12a^2Ac^3 + 30a^2bBc^2 - 10ab^3Bc + b^5B) \operatorname{arctanh}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^3(b^2 - 4ac)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^9*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] $-(x^6*(a*(b*B - 2*A*c) + (b^2*B - A*b*c - 2*a*B*c)*x^2))/(4*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (x^2*(2*a*(b^3*B - 7*a*b*B*c + 6*a*A*c^2) + (2*b^4*B - 15*a*b^2*B*c + 6*a*A*b*c^2 + 16*a^2*B*c^2)*x^2))/(4*c^2*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + ((b^5*B - 10*a*b^3*B*c + 30*a^2*b*B*c^2 - 12*a^2*A*c^3)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^3*(b^2 - 4*a*c)^{(5/2)}) + (B*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^3)$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x, x] /; FreeQ[{a, b, c},

$x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d + e*x)/(a + b*x + c*x^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[(d + e*x)/(a + b*x + c*x^2), x_Symbol] \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 818

$\text{Int}[(d + e*x)^m * ((f + g*x)/(a + b*x + c*x^2))^p, x_Symbol] \rightarrow -\text{Simp}[(d + e*x)^{m-1} * (a + b*x + c*x^2)^{p+1} * ((2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(b*e*f + b*d*g + 2*a*e*g))*x) / (c*(p+1)*(b^2 - 4*a*c)), x] - \text{Dist}[1/(c*(p+1)*(b^2 - 4*a*c)), \text{Int}[(d + e*x)^{m-2} * (a + b*x + c*x^2)^{p+1} * \text{Simp}[2*c^2*d^2*f*(2*p+3) + b*e*g*(a*e*(m-1) + b*d*(p+2)) - c*(2*a*e*(e*f*(m-1) + d*g*m) + b*d*(d*g*(2*p+3) - e*f*(m-2*p-4))] + e*(b^2*e*g*(m+p+1) + 2*c^2*d*f*(m+2*p+2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m+2*p+2)))*x, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m, 1] \&\& ((\text{EqQ}[m, 2] \&\& \text{EqQ}[p, -3] \&\& \text{RationalQ}[a, b, c, d, e, f, g]) || \text{!ILtQ}[m + 2*p + 3, 0])$

Rule 1251

$\text{Int}[x^m * ((d + e*x)/(a + b*x + c*x^2))^q, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2} * (d + e*x)^q * (a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, d, e, p, q\}, x] \&\& \text{IntegerQ}[(m-1)/2]$

Rubi steps

$$\begin{aligned}
\int \frac{x^9(A+Bx^2)}{(a+bx^2+cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^4(A+Bx)}{(a+bx+cx^2)^3} dx, x, x^2 \right) \\
&= -\frac{x^6(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{\text{Subst} \left(\int \frac{x^2(3a(bB-2Ac)+2B(b^2-4ac)x)}{(a+bx+cx^2)^2} dx, x, x^2 \right)}{4c(b^2-4ac)} \\
&= -\frac{x^6(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x^2(2a(b^3B-7abBc+6aAc^2) + (2b^4B-4a^2c^2)x^2)}{4c^2(b^2-4ac)^2} \\
&= -\frac{x^6(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x^2(2a(b^3B-7abBc+6aAc^2) + (2b^4B-4a^2c^2)x^2)}{4c^2(b^2-4ac)^2} \\
&= -\frac{x^6(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x^2(2a(b^3B-7abBc+6aAc^2) + (2b^4B-4a^2c^2)x^2)}{4c^2(b^2-4ac)^2} \\
&= -\frac{x^6(a(bB-2Ac) + (b^2B - Abc - 2aBc)x^2)}{4c(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x^2(2a(b^3B-7abBc+6aAc^2) + (2b^4B-4a^2c^2)x^2)}{4c^2(b^2-4ac)^2}
\end{aligned}$$

Mathematica [A] time = 0.48, size = 354, normalized size = 1.39

$$-\frac{2c(-12a^2Ac^3+30a^2bBc^2-10ab^3Bc+b^5B)\tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)}{(4ac-b^2)^{5/2}} + \frac{2a^2bc^3(11A+25Bx^2)+4a^2c^3(8aB-5Acx^2)+b^4c(11aB-2Acx^2)-2ab^3c^2(4A+15Bx^2)+b^5c^2}{(b^2-4ac)^2(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^9*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] ((-(b^6*B) + b^5*c*(A + 4*B*x^2) - 2*a*b^3*c^2*(4*A + 15*B*x^2) + 2*a^2*b*c^3*(11*A + 25*B*x^2) + 4*a^2*c^3*(8*a*B - 5*A*c*x^2) + b^4*c*(11*a*B - 2*A*c*x^2) + a*b^2*c^2*(-39*a*B + 16*A*c*x^2))/(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4) + (2*a^3*B*c^2 + b^4*(b*B - A*c)*x^2 + a*b^2*(b^2*B + 4*A*c^2*x^2 - b*c*(A + 5*B*x^2)) + a^2*c*(-4*b^2*B - 2*A*c^2*x^2 + b*c*(3*A + 5*B*x^2)))/(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2 - (2*c*(b^5*B - 10*a*b^3*B*c + 30*a^2*b*B*c^2 - 12*a^2*A*c^3)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(5/2) + B*c*Log[a + b*x^2 + c*x^4]/(4*c^4)

fricas [B] time = 0.87, size = 2167, normalized size = 8.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(3*B*a^2*b^6 + 2*(2*B*b^7*c + 40*A*a^3*c^5 - 2*(50*B*a^3*b + 21*A*a^2*b^2)*c^4 + (85*B*a^2*b^3 + 12*A*a*b^4)*c^3 - (23*B*a*b^5 + A*b^6)*c^2)*x^6 \\ & + (3*B*b^8 - 8*(16*B*a^4 + A*a^3*b)*c^4 - 6*(2*B*a^3*b^2 + 5*A*a^2*b^3)*c^3 \\ & + 3*(29*B*a^2*b^4 + 4*A*a*b^5)*c^2 - (31*B*a*b^6 + A*b^7)*c)*x^4 - 8*(12*B*a^5 + 5*A*a^4*b)*c^3 + 2*(54*B*a^4*b^2 + 7*A*a^3*b^3)*c^2 + 2*(3*B*a*b^7 + 24*A*a^4*c^4 - 2*(62*B*a^4*b + 23*A*a^3*b^2)*c^3 + 7*(17*B*a^3*b^3 + 2*A*a^2*b^4)*c^2 - (34*B*a^2*b^5 + A*a*b^6)*c)*x^2 - ((B*b^5*c^2 - 10*B*a*b^3*c^3 + 30*B*a^2*b*c^4 - 12*A*a^2*c^5)*x^8 + B*a^2*b^5 - 10*B*a^3*b^3*c + 30*B*a^4*b*c^2 - 12*A*a^4*c^3 + 2*(B*b^6*c - 10*B*a*b^4*c^2 + 30*B*a^2*b^2*c^3 - 12*A*a^2*b*c^4)*x^6 + (B*b^7 - 8*B*a*b^5*c + 10*B*a^2*b^3*c^2 - 24*A*a^3*c^4 + 12*(5*B*a^3*b - A*a^2*b^2)*c^3)*x^4 + 2*(B*a*b^6 - 10*B*a^2*b^4*c + 30*B*a^3*b^2*c^2 - 12*A*a^3*b*c^3)*x^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - (33*B*a^3*b^4 + A*a^2*b^5)*c + (B*a^2*b^6 - 12*B*a^3*b^4*c + 48*B*a^4*b^2*c^2 - 64*B*a^5*c^3 + (B*b^6*c^2 - 12*B*a*b^4*c^3 + 48*B*a^2*b^2*c^4 - 64*B*a^3*c^5)*x^8 + 2*(B*b^7*c - 12*B*a*b^5*c^2 + 48*B*a^2*b^3*c^3 - 64*B*a^3*b*c^4)*x^6 + (B*b^8 - 10*B*a*b^6*c + 24*B*a^2*b^4*c^2 + 32*B*a^3*b^2*c^3 - 128*B*a^4*c^4)*x^4 + 2*(B*a*b^7 - 12*B*a^2*b^5*c + 48*B*a^3*b^3*c^2 - 64*B*a^4*b*c^3)*x^2)*log(c*x^4 + b*x^2 + a))/(a^2*b^6*c^3 - 12*a^3*b^4*c^4 + 48*a^4*b^2*c^5 - 64*a^5*c^6 + (b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^8)*x^8 + 2*(b^7*c^4 - 12*a*b^5*c^5 + 48*a^2*b^3*c^6 - 64*a^3*b*c^7)*x^6 + (b^8*c^3 - 10*a*b^6*c^4 + 24*a^2*b^4*c^5 + 32*a^3*b^2*c^6 - 128*a^4*c^7)*x^4 + 2*(a*b^7*c^3 - 12*a^2*b^5*c^4 + 48*a^3*b^3*c^5 - 64*a^4*b*c^6)*x^2), 1/4*(3*B*a^2*b^6 + 2*(2*B*b^7*c + 40*A*a^3*c^5 - 2*(50*B*a^3*b + 21*A*a^2*b^2)*c^4 + (85*B*a^2*b^3 + 12*A*a*b^4)*c^3 - (23*B*a*b^5 + A*b^6)*c^2)*x^6 + (3*B*b^8 - 8*(16*B*a^4 + A*a^3*b)*c^4 - 6*(2*B*a^3*b^2 + 5*A*a^2*b^3)*c^3 + 3*(29*B*a^2*b^4 + 4*A*a*b^5)*c^2 - (31*B*a*b^6 + A*b^7)*c)*x^4 - 8*(12*B*a^5 + 5*A*a^4*b)*c^3 + 2*(54*B*a^4*b^2 + 7*A*a^3*b^3)*c^2 + 2*(3*B*a*b^7 + 24*A*a^4*c^4 - 2*(62*B*a^4*b + 23*A*a^3*b^2)*c^3 + 7*(17*B*a^3*b^3 + 2*A*a^2*b^4)*c^2 - (34*B*a^2*b^5 + A*a*b^6)*c)*x^2 + 2*((B*b^5*c^2 - 10*B*a*b^3*c^3 + 30*B*a^2*b*c^4 - 12*A*a^2*c^5)*x^8 + B*a^2*b^5 - 10*B*a^3*b^3*c + 30*B*a^4*b*c^2 - 12*A*a^4*c^3 + 2*(B*b^6*c - 10*B*a*b^4*c^2 + 30*B*a^2*b^2*c^3 - 12*A*a^2*b*c^4)*x^6 + (B*b^7 - 8*B*a*b^5*c + 10*B*a^2*b^3*c^2 - 24*A*a^3*c^4 + 12*(5*B*a^3*b - A*a^2*b^2)*c^3)*x^4 + 2*(B*a*b^6 - 10*B*a^2*b^4*c + 30*B*a^3*b^2*c^2 - 12*A*a^3*b*c^3)*x^2)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - (33*B*a^3*b^4 + A*a^2*b^5)*c + (B*a^2*b^6 - 12*B*a^3*b^4*c + 48*B*a^4*b^2*c^2 - 64*B*a^5*c^3 + (B*b^6*c^2 - 12*B*a*b^4*c^3 + 48*B*a^2*b^2*c^4 - 64*B*a^3*c^5)*x^8 + 2*(B*b^7*c - 12*B*a*b^5*c^2 + 48*B*a^2*b^3*c^3 - 64*B*a^3*b*c^4)*x^6 + (B*b^8 - 10*B*a*b^6*c + 24*B*a^2*b^4*c^2 + 32*B*a^3*b^2*c^3 - 128*B*a^4*c^4)*x^4 + 2*(B*a*b^7 - 12*B*a^2*b^5*c + 48*B*a^3*b^3*c^2 - 64*B*a^4*b*c^3)*x^2)*log(c*x^4 + b*x^2 + a))/(a^2*b^6*c^3 - 12*a^3*b^4*c^4 + 48*a^4*b^2*c^5 - 64*a^5*c^6 + (b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^8)*x^8 + 2*(b^7*c^4 - 12*a*b^5*c^5 + 48*a^2*b^3*c^6 - 64*a^3*b*c^7)*x^6 + (b^8*c^3 - 10*a*b^6*c^4 + 24*a^2*b^4*c^5 + 32*a^3*b^2*c^6 - 128*a^4*c^7)*x^4 + 2*(a*b^7*c^3 - 12*a^2*b^5*c^4 + 48*a^3*b^3*c^5 - 64*a^4*b*c^6)*x^2) \end{aligned}$$

$$\begin{aligned}
& - 12Bab^4c^3 + 48B^2a^2b^2c^4 - 64B^3a^3c^5)x^8 + 2(Bb^7c - 12B \\
& a^2b^5c^2 + 48B^2a^2b^3c^3 - 64B^3a^3b^2c^4)x^6 + (Bb^8 - 10B^2a^2b^6c \\
& + 24B^3a^2b^4c^2 + 32B^4a^3b^2c^3 - 128B^5a^4c^4)x^4 + 2(B^2a^2b^7 - \\
& 12B^3a^2b^5c + 48B^4a^3b^3c^2 - 64B^5a^4b^2c^3)x^2) \log(cx^4 + bx^2 \\
& + a) / (a^2b^6c^3 - 12a^3b^4c^4 + 48a^4b^2c^5 - 64a^5c^6 + (b^6c^5 \\
& - 12a^2b^4c^6 + 48a^3b^2c^7 - 64a^4c^8)x^8 + 2(b^7c^4 - 12a^2b^5 \\
& c^5 + 48a^3b^3c^6 - 64a^4b^2c^7)x^6 + (b^8c^3 - 10a^2b^6c^4 + 24a^3 \\
& b^4c^5 + 32a^4b^2c^6 - 128a^5c^7)x^4 + 2(a^2b^7c^3 - 12a^3b^5c^4 \\
& + 48a^4b^3c^5 - 64a^5b^2c^6)x^2)]
\end{aligned}$$

giac [A] time = 6.31, size = 466, normalized size = 1.83

$$\frac{(Bb^5 - 10 Bab^3c + 30 Ba^2bc^2 - 12 Aa^2c^3) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) + B \log(cx^4 + bx^2 + a)}{2(b^4c^3 - 8ab^2c^4 + 16a^2c^5)\sqrt{-b^2+4ac}} + \frac{3Bb^4c^2x^8 - 24Bab^2c^3x^8}{4c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned}
& -1/2*(Bb^5 - 10B^2a^2b^3c + 30B^3a^2b^2c^2 - 12A^2a^2c^3) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) / ((b^4c^3 - 8a^2b^2c^4 + 16a^2c^5) \sqrt{-b^2+4ac}) \\
& + 1/4*B \log(cx^4 + bx^2 + a) / c^3 - 1/8*(3B^2b^4c^2x^8 - 24B^3a^2b^2c^3x^8 + 48B^4a^3b^2c^4x^8 - 2B^5b^5c^5x^6 + 12B^6a^2b^3c^2x^6 + 4A^2 \\
& b^4c^2x^6 - 4B^7a^2b^2c^3x^6 - 32A^3a^2b^2c^3x^6 + 40A^4a^2c^4x^6 - 3B^8b^6x^4 + 20B^9a^2b^4c^4x^4 + 2A^5b^5c^5x^4 - 22B^6a^2b^2c^2x^4 - 16A^6 \\
& a^2b^3c^2x^4 + 32B^7a^3c^3x^4 - 4A^7a^2b^2c^3x^4 - 6B^8a^2b^5x^2 + 40B^9a^2b^3c^3x^2 + 4A^8a^2b^4c^4x^2 - 28B^9a^3b^2c^2x^2 - 40A^9a^2b^2c^2x^2 \\
& + 24A^9a^3c^3x^2 - 3B^9a^2b^4 + 18B^9a^3b^2c + 2A^9a^2b^3c - 20A^9a^3b^2c^2) / ((b^4c^3 - 8a^2b^2c^4 + 16a^2c^5) (cx^4 + bx^2 + a)^2)
\end{aligned}$$

maple [B] time = 0.03, size = 723, normalized size = 2.85

$$\frac{6A^2a^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4) \sqrt{4ac-b^2}} - \frac{15B^2a^2b \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4) \sqrt{4ac-b^2} c} + \frac{5Ba^2b^3 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4) \sqrt{4ac-b^2} c^2} - \frac{2}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x)

[Out]
$$\begin{aligned}
& 1/2*(-1/c^2*(10A^2a^2c^3-8A^3a^2b^2c^2+A^4b^4c-25B^2a^2b^2c^2+15B^3a^2b^3c \\
& -2B^4b^5)/(16a^2c^2-8a^2b^2c+b^4)x^6+1/2*(2A^2a^2b^2c^3+8A^3a^2b^3c^2-A \\
& b^5c+32B^2a^3c^3+11B^3a^2b^2c^2-19B^4a^2b^4c+3B^5b^6)/c^3/(16a^2c^2- \\
& 8a^2b^2c+b^4)x^4-a*(6A^2a^2c^3-10A^3a^2b^2c^2+A^4b^4c-31B^2a^2b^2c^2+22B^3
\end{aligned}$$

$$\begin{aligned}
& - b^2)^5)^{(1/2)} * ((8*B*a)/c - (2*(B - c^3*(-(B*b^5 - 12*A*a^2*c^3 - 10*B*a \\
& *b^3*c + 30*B*a^2*b*c^2))^2/(c^6*(4*a*c - b^2)^5))^{(1/2)} * (2*a + b*x^2))/c + \\
& (2*x^2*(3*B*b^5 - 12*A*a^2*c^3 - 26*B*a*b^3*c + 62*B*a^2*b*c^2))/(c*(4*a*c \\
& - b^2)^2)))/(4*c^3) + (B*x^2*(B*b^5 - 6*A*a^2*c^3 - 9*B*a*b^3*c + 23*B*a^2 \\
& *b*c^2))/(c^4*(4*a*c - b^2)^2)) * (2*B*b^10 - 2048*B*a^5*c^5 - 40*B*a*b^8*c \\
& + 320*B*a^2*b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4))/(2*(4096*a^ \\
& 5*c^8 - 4*b^10*c^3 + 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b^4*c^6 - 51 \\
& 20*a^4*b^2*c^7)) + (atan(((32*a^2*c^6*(4*a*c - b^2)^5 + 2*b^4*c^4*(4*a*c - \\
& b^2)^5 - 16*a*b^2*c^5*(4*a*c - b^2)^5)*(x^2*(((24*A*a^2*c^6 - 6*B*b^5*c^3 \\
& + 52*B*a*b^3*c^4 - 124*B*a^2*b*c^5)/(16*a^2*c^6 + b^4*c^4 - 8*a*b^2*c^5) - \\
& ((8*b^5*c^6 - 64*a*b^3*c^7 + 128*a^2*b*c^8)*(2*B*b^10 - 2048*B*a^5*c^5 - 4 \\
& 0*B*a*b^8*c + 320*B*a^2*b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4)) \\
& / (2*(16*a^2*c^6 + b^4*c^4 - 8*a*b^2*c^5)*(4096*a^5*c^8 - 4*b^10*c^3 + 80*a* \\
& b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b^4*c^6 - 5120*a^4*b^2*c^7)))*(B*b^5 - \\
& 12*A*a^2*c^3 - 10*B*a*b^3*c + 30*B*a^2*b*c^2))/(8*c^3*(4*a*c - b^2)^{(5/2)})) \\
& - ((8*b^5*c^6 - 64*a*b^3*c^7 + 128*a^2*b*c^8)*(B*b^5 - 12*A*a^2*c^3 - 10*B \\
& *a*b^3*c + 30*B*a^2*b*c^2)*(2*B*b^10 - 2048*B*a^5*c^5 - 40*B*a*b^8*c + 320* \\
& B*a^2*b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4))/(16*c^3*(4*a*c - \\
& b^2)^{(5/2)}*(16*a^2*c^6 + b^4*c^4 - 8*a*b^2*c^5)*(4096*a^5*c^8 - 4*b^10*c^3 \\
& + 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b^4*c^6 - 5120*a^4*b^2*c^7)))/(\\
& a*(4*a*c - b^2)^2) - (b*(((24*A*a^2*c^6 - 6*B*b^5*c^3 + 52*B*a*b^3*c^4 - 1 \\
& 24*B*a^2*b*c^5)/(16*a^2*c^6 + b^4*c^4 - 8*a*b^2*c^5) - ((8*b^5*c^6 - 64*a*b \\
& ^3*c^7 + 128*a^2*b*c^8)*(2*B*b^10 - 2048*B*a^5*c^5 - 40*B*a*b^8*c + 320*B*a \\
& ^2*b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4))/(2*(16*a^2*c^6 + b^4 \\
& *c^4 - 8*a*b^2*c^5)*(4096*a^5*c^8 - 4*b^10*c^3 + 80*a*b^8*c^4 - 640*a^2*b^6 \\
& *c^5 + 2560*a^3*b^4*c^6 - 5120*a^4*b^2*c^7)))*(2*B*b^10 - 2048*B*a^5*c^5 - \\
& 40*B*a*b^8*c + 320*B*a^2*b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4) \\
&)/(2*(4096*a^5*c^8 - 4*b^10*c^3 + 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3 \\
& *b^4*c^6 - 5120*a^4*b^2*c^7)) - (B^2*b^5 - 6*A*B*a^2*c^3 - 9*B^2*a*b^3*c + \\
& 23*B^2*a^2*b*c^2)/(16*a^2*c^6 + b^4*c^4 - 8*a*b^2*c^5) + (((b^5*c^6)/2 - 4* \\
& a*b^3*c^7 + 8*a^2*b*c^8)*(B*b^5 - 12*A*a^2*c^3 - 10*B*a*b^3*c + 30*B*a^2*b* \\
& c^2)^2)/(c^6*(4*a*c - b^2)^5*(16*a^2*c^6 + b^4*c^4 - 8*a*b^2*c^5)))/(2*a*(\\
& 4*a*c - b^2)^{(5/2)})) - (((8*B*a)/c + (8*a*c^2*(2*B*b^10 - 2048*B*a^5*c^5 - \\
& 40*B*a*b^8*c + 320*B*a^2*b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4 \\
&))/(4096*a^5*c^8 - 4*b^10*c^3 + 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b \\
& ^4*c^6 - 5120*a^4*b^2*c^7))*(B*b^5 - 12*A*a^2*c^3 - 10*B*a*b^3*c + 30*B*a^2 \\
& *b*c^2))/(8*c^3*(4*a*c - b^2)^{(5/2)})) + (a*(B*b^5 - 12*A*a^2*c^3 - 10*B*a*b^ \\
& 3*c + 30*B*a^2*b*c^2)*(2*B*b^10 - 2048*B*a^5*c^5 - 40*B*a*b^8*c + 320*B*a^2 \\
& *b^6*c^2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4))/(c*(4*a*c - b^2)^{(5/2)} \\
& *(4096*a^5*c^8 - 4*b^10*c^3 + 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b^4 \\
& *c^6 - 5120*a^4*b^2*c^7)))/(a*(4*a*c - b^2)^2) + (b*((B^2*a)/c^4 + ((8*B*a \\
&)/c + (8*a*c^2*(2*B*b^10 - 2048*B*a^5*c^5 - 40*B*a*b^8*c + 320*B*a^2*b^6*c^ \\
& 2 - 1280*B*a^3*b^4*c^3 + 2560*B*a^4*b^2*c^4))/(4096*a^5*c^8 - 4*b^10*c^3 + \\
& 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b^4*c^6 - 5120*a^4*b^2*c^7)))*(2*B \\
& *b^10 - 2048*B*a^5*c^5 - 40*B*a*b^8*c + 320*B*a^2*b^6*c^2 - 1280*B*a^3*b^4*
\end{aligned}$$

$$\frac{c^3 + 2560*B*a^4*b^2*c^4)}{(2*(4096*a^5*c^8 - 4*b^{10}*c^3 + 80*a*b^8*c^4 - 640*a^2*b^6*c^5 + 2560*a^3*b^4*c^6 - 5120*a^4*b^2*c^7)) - (a*(B*b^5 - 12*A*a^2*c^3 - 10*B*a*b^3*c + 30*B*a^2*b*c^2)^2)/(c^4*(4*a*c - b^2)^5)))/(2*a*(4*a*c - b^2)^{(5/2)})))/(B^2*b^{10} + 144*A^2*a^4*c^6 + 160*B^2*a^2*b^6*c^2 - 600*B^2*a^3*b^4*c^3 + 900*B^2*a^4*b^2*c^4 - 20*B^2*a*b^8*c - 24*A*B*a^2*b^5*c^3 + 240*A*B*a^3*b^3*c^4 - 720*A*B*a^4*b*c^5))*(B*b^5 - 12*A*a^2*c^3 - 10*B*a*b^3*c + 30*B*a^2*b*c^2))/(2*c^3*(4*a*c - b^2)^{(5/2)})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] Timed out

$$3.126 \quad \int \frac{x^7(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=146

$$\frac{3a(Ab - 2aB) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}} + \frac{3x^2(2a + bx^2)(Ab - 2aB)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{x^6(-2aB - (x^2(bB - 2Ac)) + Ab)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2}$$

[Out] $-1/4*x^6*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2+3/4*(A*b-2*B*a)*x^2*(b*x^2+2*a)/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+3*a*(A*b-2*B*a)*\arctanh((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(5/2)}$

Rubi [A] time = 0.14, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 804, 722, 618, 206}

$$\frac{x^6(-2aB + x^2(-bB - 2Ac)) + Ab}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{3x^2(2a + bx^2)(Ab - 2aB)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{3a(Ab - 2aB) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^7*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x]

[Out] $-(x^6*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (3*(A*b - 2*a*B)*x^2*(2*a + b*x^2))/(4*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (3*a*(A*b - 2*a*B)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(5/2)}$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 722

```

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m - 1)*(d*b - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*(2*p + 3)*(c*d^2 - b*d*e + a*e^2))/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && EqQ[m + 2*p + 2, 0] && LtQ[p, -1]

```

Rule 804

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*(b*f - 2*a*g + (2*c*f - b*g)*x))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(m*(b*(e*f + d*g) - 2*(c*d*f + a*e*g)))/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0] && LtQ[p, -1]

```

Rule 1251

```

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^7(A+Bx^2)}{(a+bx^2+cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3(A+Bx)}{(a+bx+cx^2)^3} dx, x, x^2 \right) \\
&= -\frac{x^6(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{(3(Ab-2aB)) \text{Subst} \left(\int \frac{x^2}{(a+bx+cx^2)^2} dx, x, x^2 \right)}{4(b^2-4ac)} \\
&= -\frac{x^6(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{3(Ab-2aB)x^2(2a+bx^2)}{4(b^2-4ac)^2(a+bx^2+cx^4)} - \frac{(3a(Ab-2aB)) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} dx, x, x^2 \right)}{2(b^2-4ac)} \\
&= -\frac{x^6(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{3(Ab-2aB)x^2(2a+bx^2)}{4(b^2-4ac)^2(a+bx^2+cx^4)} + \frac{(3a(Ab-2aB)) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} dx, x, x^2 \right)}{2(b^2-4ac)} \\
&= -\frac{x^6(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{3(Ab-2aB)x^2(2a+bx^2)}{4(b^2-4ac)^2(a+bx^2+cx^4)} + \frac{3a(Ab-2aB) \tan^{-1} \left(\frac{2cx+b}{\sqrt{4ac-b^2}} \right)}{(b^2-4ac)}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 261, normalized size = 1.79

$$\frac{1}{4} \left(\frac{a^2c(2c(A+Bx^2)-3bB) + ab(-bc(A+4Bx^2) + 3Ac^2x^2 + b^2B) + b^3x^2(bB-Ac)}{c^3(4ac-b^2)(a+bx^2+cx^4)^2} + \frac{-4a^2c^3(4A+5Bx^2) + \dots}{(b^2-4ac)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] ((b^5*B - 8*a*b^3*B*c - b^4*c*(A + 2*B*x^2) - 4*a^2*c^3*(4*A + 5*B*x^2) + a*b^2*c^2*(5*A + 16*B*x^2) + 2*a*b*c^2*(11*a*B - 3*A*c*x^2))/(c^3*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (b^3*(b*B - A*c)*x^2 + a^2*c*(-3*b*B + 2*c*(A + B*x^2)) + a*b*(b^2*B + 3*A*c^2*x^2 - b*c*(A + 4*B*x^2)))/(c^3*(-b^2 + 4*a*c)*(a + b*x^2 + c*x^4)^2) - (12*a*(A*b - 2*a*B)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(5/2))/4

fricas [B] time = 0.56, size = 1378, normalized size = 9.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(B*a^2*b^5 - 32*A*a^4*c^3 + 2*(B*b^6*c - 12*B*a*b^4*c^2 - 4*(10*B*a^3 \\ & + 3*A*a^2*b)*c^4 + 3*(14*B*a^2*b^2 + A*a*b^3)*c^3)*x^6 + (B*b^7 - 64*A*a^3 \\ & *c^4 + 4*(2*B*a^3*b + 3*A*a^2*b^2)*c^3 + 3*(10*B*a^2*b^3 - A*a*b^4)*c^2 - (\\ & 12*B*a*b^5 - A*b^6)*c)*x^4 + 4*(10*B*a^4*b + A*a^3*b^2)*c^2 + 2*(B*a*b^6 - \\ & 4*(6*B*a^4 + 5*A*a^3*b)*c^3 + (46*B*a^3*b^2 + A*a^2*b^3)*c^2 - (14*B*a^2*b^4 \\ & - A*a*b^5)*c)*x^2 + 6*((2*B*a^2 - A*a*b)*c^4*x^8 + 2*(2*B*a^2*b - A*a*b^2) \\ &)*c^3*x^6 + 2*(2*B*a^3*b - A*a^2*b^2)*c^2*x^2 + (2*(2*B*a^3 - A*a^2*b)*c^3 \\ & + (2*B*a^2*b^2 - A*a*b^3)*c^2)*x^4 + (2*B*a^4 - A*a^3*b)*c^2)*\sqrt{b^2 - 4* \\ & a*c}*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\sqrt{b^2 - 4* \\ & a*c}))/((c*x^4 + b*x^2 + a)) - (14*B*a^3*b^3 - A*a^2*b^4)*c)/(a^2*b^6*c^2 - 1 \\ & 2*a^3*b^4*c^3 + 48*a^4*b^2*c^4 - 64*a^5*c^5 + (b^6*c^4 - 12*a*b^4*c^5 + 48* \\ & a^2*b^2*c^6 - 64*a^3*c^7)*x^8 + 2*(b^7*c^3 - 12*a*b^5*c^4 + 48*a^2*b^3*c^5 \\ & - 64*a^3*b*c^6)*x^6 + (b^8*c^2 - 10*a*b^6*c^3 + 24*a^2*b^4*c^4 + 32*a^3*b^2 \\ & *c^5 - 128*a^4*c^6)*x^4 + 2*(a*b^7*c^2 - 12*a^2*b^5*c^3 + 48*a^3*b^3*c^4 - \\ & 64*a^4*b*c^5)*x^2), -1/4*(B*a^2*b^5 - 32*A*a^4*c^3 + 2*(B*b^6*c - 12*B*a*b^4 \\ & *c^2 - 4*(10*B*a^3 + 3*A*a^2*b)*c^4 + 3*(14*B*a^2*b^2 + A*a*b^3)*c^3)*x^6 \\ & + (B*b^7 - 64*A*a^3*c^4 + 4*(2*B*a^3*b + 3*A*a^2*b^2)*c^3 + 3*(10*B*a^2*b^3 \\ & - A*a*b^4)*c^2 - (12*B*a*b^5 - A*b^6)*c)*x^4 + 4*(10*B*a^4*b + A*a^3*b^2)* \\ & c^2 + 2*(B*a*b^6 - 4*(6*B*a^4 + 5*A*a^3*b)*c^3 + (46*B*a^3*b^2 + A*a^2*b^3) \\ & *c^2 - (14*B*a^2*b^4 - A*a*b^5)*c)*x^2 + 12*((2*B*a^2 - A*a*b)*c^4*x^8 + 2* \\ & (2*B*a^2*b - A*a*b^2)*c^3*x^6 + 2*(2*B*a^3*b - A*a^2*b^2)*c^2*x^2 + (2*(2*B \\ & *a^3 - A*a^2*b)*c^3 + (2*B*a^2*b^2 - A*a*b^3)*c^2)*x^4 + (2*B*a^4 - A*a^3*b \\ &)*c^2)*\sqrt{-b^2 + 4*a*c}*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4 \\ & *a*c)) - (14*B*a^3*b^3 - A*a^2*b^4)*c)/(a^2*b^6*c^2 - 12*a^3*b^4*c^3 + 48*a \\ & ^4*b^2*c^4 - 64*a^5*c^5 + (b^6*c^4 - 12*a*b^4*c^5 + 48*a^2*b^2*c^6 - 64*a^3 \\ & *c^7)*x^8 + 2*(b^7*c^3 - 12*a*b^5*c^4 + 48*a^2*b^3*c^5 - 64*a^3*b*c^6)*x^6 \\ & + (b^8*c^2 - 10*a*b^6*c^3 + 24*a^2*b^4*c^4 + 32*a^3*b^2*c^5 - 128*a^4*c^6)* \\ & x^4 + 2*(a*b^7*c^2 - 12*a^2*b^5*c^3 + 48*a^3*b^3*c^4 - 64*a^4*b*c^5)*x^2)] \end{aligned}$$

giac [B] time = 6.46, size = 318, normalized size = 2.18

$$\frac{3(2Ba^2 - Aab) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - 2Bb^4cx^6 - 16Bab^2c^2x^6 + 20Ba^2c^3x^6 + 6Aabc^3x^6 + Bb^5x^4 - 8Bab^3cx^4 + A(b^4 - 8ab^2c + 16a^2c^2)\sqrt{-b^2+4ac}}{(b^4 - 8ab^2c + 16a^2c^2)\sqrt{-b^2+4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & 3*(2*B*a^2 - A*a*b)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((b^4 - 8*a*b^ \\ & 2*c + 16*a^2*c^2)*\sqrt{-b^2 + 4*a*c}) - 1/4*(2*B*b^4*c*x^6 - 16*B*a*b^2*c^2 \\ & *x^6 + 20*B*a^2*c^3*x^6 + 6*A*a*b*c^3*x^6 + B*b^5*x^4 - 8*B*a*b^3*c*x^4 + A \\ & *b^4*c*x^4 - 2*B*a^2*b*c^2*x^4 + A*a*b^2*c^2*x^4 + 16*A*a^2*c^3*x^4 + 2*B*a \\ & *b^4*x^2 - 20*B*a^2*b^2*c*x^2 + 2*A*a*b^3*c*x^2 + 12*B*a^3*c^2*x^2 + 10*A*a \end{aligned}$$

$$\frac{2b^2c^2x^2 + Ba^2b^3 - 10B^2a^3b^2c + A^2a^2b^2c + 8A^2a^3c^2}{(b^4c^2 - 8a^2b^2c^3 + 16a^2c^4)(cx^4 + bx^2 + a)^2}$$

maple [B] time = 0.02, size = 398, normalized size = 2.73

$$\frac{3Aab \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4)\sqrt{4ac-b^2}} + \frac{6B a^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4)\sqrt{4ac-b^2}} + \frac{(3aAb^2c^2 + 10a^2Bc^2 - 8ab^2Bc + b^4B)x^6}{(16a^2c^2 - 8ab^2c + b^4)c} - \frac{(16Aa^2c^2)}{(16a^2c^2 - 8ab^2c + b^4)c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x)`

[Out] $\frac{1}{2} * (- (3A^2a^2b^2c^2 + 10B^2a^2c^2 - 8B^2a^2b^2c + B^2b^4) / c / (16a^2c^2 - 8a^2b^2c + b^4) * x^6 - 1/2 * (16A^2a^2c^3 + A^2a^2b^2c^2 + A^2b^4c - 2B^2a^2b^2c^2 - 8B^2a^2b^3c + B^2b^5) / (16a^2c^2 - 8a^2b^2c + b^4) / c^2 * x^4 - a * (5A^2a^2b^2c^2 + A^2b^3c + 6B^2a^2c^2 - 10B^2a^2b^2c + B^2b^4) / (16a^2c^2 - 8a^2b^2c + b^4) / c^2 * x^2 - 1/2 * a^2 / c^2 * (8A^2a^2c^2 + A^2b^2c - 10B^2a^2b^2c + B^2b^3) / (16a^2c^2 - 8a^2b^2c + b^4) / (c*x^4 + b*x^2 + a)^2 - 3a / (16a^2c^2 - 8a^2b^2c + b^4) / (4a^2c - b^2)^{(1/2)} * \arctan((2c*x^2 + b) / (4a^2c - b^2)^{(1/2)}) * A^2b + 6a^2 / (16a^2c^2 - 8a^2b^2c + b^4) / (4a^2c - b^2)^{(1/2)} * \arctan((2c*x^2 + b) / (4a^2c - b^2)^{(1/2)}) * B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.69, size = 593, normalized size = 4.06

$$\frac{3a \operatorname{atan} \left(\frac{x^2 \left(\frac{3(Ab-2Ba)(6Ba^2c^2-3Aabc^2)}{(4ac-b^2)^{9/2} (16a^2c^2-8ab^2c+b^4)} - \frac{9ab(Ab-2Ba)^2(32a^2bc^4-16ab^3c^3+2b^5c^2)}{2(4ac-b^2)^{15/2} (16a^2c^2-8ab^2c+b^4)} \right) - \frac{18a^2bc^2(Ab-2Ba)^2}{(4ac-b^2)^{15/2}} \right)}{18A^2a^2b^2c^2-72ABa^3b^2c^2+72B^2a^4c^2} \left(b^4(4ac-b^2)^5 + 16a^2c^2(4ac-b^2)^5 \right)^{5/2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^7*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x)`

```
[Out] (3*a*atan(((x^2*((3*(A*b - 2*B*a))*(6*B*a^2*c^2 - 3*A*a*b*c^2)))/((4*a*c - b^2)^(9/2)*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (9*a*b*(A*b - 2*B*a)^2*(2*b^5*c^2 - 16*a*b^3*c^3 + 32*a^2*b*c^4))/(2*(4*a*c - b^2)^(15/2)*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))) - (18*a^2*b*c^2*(A*b - 2*B*a)^2)/(4*a*c - b^2)^(15/2))*(b^4*(4*a*c - b^2)^5 + 16*a^2*c^2*(4*a*c - b^2)^5 - 8*a*b^2*c*(4*a*c - b^2)^5))/(72*B^2*a^4*c^2 + 18*A^2*a^2*b^2*c^2 - 72*A*B*a^3*b*c^2))*(A*b - 2*B*a))/((4*a*c - b^2)^(5/2) - ((x^4*(B*b^5 + 16*A*a^2*c^3 + A*b^4*c - 8*B*a*b^3*c + A*a*b^2*c^2 - 2*B*a^2*b*c^2))/(4*c^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (a^2*(B*b^3 + 8*A*a*c^2 + A*b^2*c - 10*B*a*b*c))/(4*c^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x^6*(B*b^4 + 10*B*a^2*c^2 + 3*A*a*b*c^2 - 8*B*a*b^2*c))/(2*c*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (a*x^2*(B*b^4 + 6*B*a^2*c^2 + A*b^3*c + 5*A*a*b*c^2 - 10*B*a*b^2*c))/(2*c^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a*b*x^2 + 2*b*c*x^6)
```

sympy [B] time = 102.04, size = 775, normalized size = 5.31

$$3a \sqrt{-\frac{1}{(4ac-b^2)^5}} (-Ab + 2Ba) \log \left(x^2 + \frac{-3Aab^2 + 6Ba^2b - 192a^4c^3 \sqrt{-\frac{1}{(4ac-b^2)^5}} (-Ab + 2Ba) + 144a^3b^2c^2 \sqrt{-\frac{1}{(4ac-b^2)^5}} (-Ab + 2Ba) - 36a^2b^4c}{-6Aabc + 12Ba^2c} \right)$$

2

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**7*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)
```

```
[Out] -3*a*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a)*log(x**2 + (-3*A*a*b**2 + 6*B*a**2*b - 192*a**4*c**3*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a) + 144*a**3*b**2*c**2*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a) - 36*a**2*b**4*c*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a) + 3*a*b**6*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a))/(-6*A*a*b*c + 12*B*a**2*c))/2 + 3*a*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a)*log(x**2 + (-3*A*a*b**2 + 6*B*a**2*b + 192*a**4*c**3*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a) - 144*a**3*b**2*c**2*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a) + 36*a**2*b**4*c*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a) - 3*a*b**6*sqrt(-1/(4*a*c - b**2)**5)*(-A*b + 2*B*a))/(-6*A*a*b*c + 12*B*a**2*c))/2 + (-8*A*a**3*c**2 - A*a**2*b**2*c + 10*B*a**3*b*c - B*a**2*b**3 + x**6*(-6*A*a*b*c**3 - 20*B*a**2*c**3 + 16*B*a*b**2*c**2 - 2*B*b**4*c) + x**4*(-16*A*a**2*c**3 - A*a*b**2*c**2 - A*b**4*c + 2*B*a**2*b*c**2 + 8*B*a*b**3*c - B*b**5) + x**2*(-10*A*a**2*b*c**2 - 2*A*a*b**3*c - 12*B*a**3*c**2 + 20*B*a**2*b**2*c - 2*B*a*b**4))/((64*a**4*c**4 - 32*a**3*b**2*c**3 + 4*a**2*b**4*c**2 + x**8*(64*a**2*c**6 - 32*a*b**2*c**5 + 4*b**4*c**4) + x**6*(128*a**2*b*c**5 - 64*a*b**3*c**4 + 8*b**5*c**3) + x**4*(128*a**3*c**5 - 24*a*b**4*c**3 + 4*b**6*c**2) + x**2*(128*a**3*b*c**4 - 64*a**2*b**3*c**3 + 8*a*b**5*c**2))
```

$$3.127 \quad \int \frac{x^5(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=185

$$\frac{(3abB - A(2ac + b^2)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right) x^4(-2aB - (x^2(bB - 2Ac)) + Ab) - a(8aBc - 6Abc + b^2B) + x^2(4aA - 4aAb + b^2A)}{(b^2 - 4ac)^{5/2} \cdot 4(b^2 - 4ac)(a + bx^2 + cx^4)^2 \cdot 4c(b^2 - 4ac)^2(a + bx^2 + cx^4)}$$

[Out] $-1/4*x^4*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2+1/4*(-a*(-6*A*b*c+8*B*a*c+B*b^2)-(4*A*a*c^2-4*A*b^2*c+2*B*a*b*c+B*b^3)*x^2)/c/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+(3*a*b*B-A*(2*a*c+b^2))*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(5/2)}$

Rubi [A] time = 0.26, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 820, 777, 618, 206}

$$\frac{x^2(4aAc^2 + 2abBc - 4Ab^2c + b^3B) + a(8aBc - 6Abc + b^2B) x^4(-2aB + x^2(-(bB - 2Ac)) + Ab) (3abB - 4aAb + b^2A)}{4c(b^2 - 4ac)^2(a + bx^2 + cx^4) \cdot 4(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{(3abB - 4aAb + b^2A) x^4(-2aB + x^2(-(bB - 2Ac)) + Ab)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x]

[Out] $-(x^4*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (a*(b^2*B - 6*A*b*c + 8*a*B*c) + (b^3*B - 4*A*b^2*c + 2*a*b*B*c + 4*a*A*c^2)*x^2)/(4*c*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + ((3*a*b*B - A*(b^2 + 2*a*c))*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(5/2)}$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 777

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (b^2*e*g - b*c*(e*f + d*g) + 2*c*(c*d*f - a*e*g))*x)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(c*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

Rule 820

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*(f*b - 2*a*g + (2*c*f - b*g)*x))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1)*Simp[g*(2*a*e*m + b*d*(2*p + 3)) - f*(b*e*m + 2*c*d*(2*p + 3)) - e*(2*c*f - b*g)*(m + 2*p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 0] && (IntegerQ[m] || IntegerQ[p] || IntegerQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(A+Bx^2)}{(a+bx^2+cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2(A+Bx)}{(a+bx+cx^2)^3} dx, x, x^2 \right) \\
&= -\frac{x^4(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{\text{Subst} \left(\int \frac{x(-2(Ab-2aB)-(bB-2Ac)x)}{(a+bx+cx^2)^2} dx, x, x^2 \right)}{4(b^2-4ac)} \\
&= -\frac{x^4(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{a(b^2B-6Abc+8aBc) + (b^3B-4Ab^2c+2abBc)}{4c(b^2-4ac)^2(a+bx^2+cx^4)} \\
&= -\frac{x^4(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{a(b^2B-6Abc+8aBc) + (b^3B-4Ab^2c+2abBc)}{4c(b^2-4ac)^2(a+bx^2+cx^4)} \\
&= -\frac{x^4(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{a(b^2B-6Abc+8aBc) + (b^3B-4Ab^2c+2abBc)}{4c(b^2-4ac)^2(a+bx^2+cx^4)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 233, normalized size = 1.26

$$\frac{1}{4} \left(\frac{2a^2Bc + a(bc(A+3Bx^2) - 2Ac^2x^2 + b^2(-B)) + b^2x^2(Ac - bB)}{c^2(4ac - b^2)(a + bx^2 + cx^4)^2} + \frac{4(A(2ac + b^2) - 3abB) \tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)}{(4ac - b^2)^{5/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] (((-b^4*B) + A*b^3*c + 2*a*b*c^2*(A - 3*B*x^2) + 4*a*c^2*(-4*a*B + A*c*x^2) + b^2*c*(5*a*B + 2*A*c*x^2))/(c^2*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (2*a^2*B*c + b^2*(-(b*B) + A*c)*x^2 + a*(-(b^2*B) - 2*A*c^2*x^2 + b*c*(A + 3*B*x^2)))/(c^2*(-b^2 + 4*a*c)*(a + b*x^2 + c*x^4)^2) + (4*(-3*a*b*B + A*(b^2 + 2*a*c))*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(5/2))/4

fricas [B] time = 0.62, size = 1369, normalized size = 7.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*(B*a^2*b^4 + 2*(8*A*a^2*c^4 - 2*(6*B*a^2*b - A*a*b^2)*c^3 + (3*B*a*b^3 - A*b^4)*c^2)*x^6 + (B*b^6 - 8*(8*B*a^3 - 3*A*a^2*b)*c^3 + 6*(2*B*a^2*b^2 + A*a*b^3)*c^2 - 3*(B*a*b^4 + A*b^5)*c)*x^4 - 8*(4*B*a^4 - 3*A*a^3*b)*c^2 + 2*(B*a*b^5 - 8*A*a^3*c^3 - 2*(10*B*a^3*b - 11*A*a^2*b^2)*c^2 + (B*a^2*b^3 - 5*A*a*b^4)*c)*x^2 - 2*((2*A*a*c^4 - (3*B*a*b - A*b^2)*c^3)*x^8 + 2*(2*A*a*b*c^3 - (3*B*a*b^2 - A*b^3)*c^2)*x^6 + 2*A*a^3*c^2 + (4*A*a^2*c^3 - 2*(3*B*a^2*b - 2*A*a*b^2)*c^2 - (3*B*a*b^3 - A*b^4)*c)*x^4 + 2*(2*A*a^2*b*c^2 - (3*B*a^2*b^2 - A*a*b^3)*c)*x^2 - (3*B*a^3*b - A*a^2*b^2)*c)*sqrt(b^2 - 4*a*c) * log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) + 2*(2*B*a^3*b^2 - 3*A*a^2*b^3)*c)/(a^2*b^6*c - 12*a^3*b^4*c^2 + 48*a^4*b^2*c^3 - 64*a^5*c^4 + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6)*x^8 + 2*(b^7*c^2 - 12*a*b^5*c^3 + 48*a^2*b^3*c^4 - 64*a^3*b*c^5)*x^6 + (b^8*c - 10*a*b^6*c^2 + 24*a^2*b^4*c^3 + 32*a^3*b^2*c^4 - 128*a^4*c^5)*x^4 + 2*(a*b^7*c - 12*a^2*b^5*c^2 + 48*a^3*b^3*c^3 - 64*a^4*b*c^4)*x^2), -1/4*(B*a^2*b^4 + 2*(8*A*a^2*c^4 - 2*(6*B*a^2*b - A*a*b^2)*c^3 + (3*B*a*b^3 - A*b^4)*c^2)*x^6 + (B*b^6 - 8*(8*B*a^3 - 3*A*a^2*b)*c^3 + 6*(2*B*a^2*b^2 + A*a*b^3)*c^2 - 3*(B*a*b^4 + A*b^5)*c)*x^4 - 8*(4*B*a^4 - 3*A*a^3*b)*c^2 + 2*(B*a*b^5 - 8*A*a^3*c^3 - 2*(10*B*a^3*b - 11*A*a^2*b^2)*c^2 + (B*a^2*b^3 - 5*A*a*b^4)*c)*x^2 + 4*((2*A*a*c^4 - (3*B*a*b - A*b^2)*c^3)*x^8 + 2*(2*A*a*b*c^3 - (3*B*a*b^2 - A*b^3)*c^2)*x^6 + 2*A*a^3*c^2 + (4*A*a^2*c^3 - 2*(3*B*a^2*b - 2*A*a*b^2)*c^2 - (3*B*a*b^3 - A*b^4)*c)*x^4 + 2*(2*A*a^2*b*c^2 - (3*B*a^2*b^2 - A*a*b^3)*c)*x^2 - (3*B*a^3*b - A*a^2*b^2)*c)*sqrt(-b^2 + 4*a*c) * arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) + 2*(2*B*a^3*b^2 - 3*A*a^2*b^3)*c)/(a^2*b^6*c - 12*a^3*b^4*c^2 + 48*a^4*b^2*c^3 - 64*a^5*c^4 + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6)*x^8 + 2*(b^7*c^2 - 12*a*b^5*c^3 + 48*a^2*b^3*c^4 - 64*a^3*b*c^5)*x^6 + (b^8*c - 10*a*b^6*c^2 + 24*a^2*b^4*c^3 + 32*a^3*b^2*c^4 - 128*a^4*c^5)*x^4 + 2*(a*b^7*c - 12*a^2*b^5*c^2 + 48*a^3*b^3*c^3 - 64*a^4*b*c^4)*x^2)] \end{aligned}$$

giac [A] time = 6.59, size = 268, normalized size = 1.45

$$\frac{(3 Bab - Ab^2 - 2 Aac) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - 6Babc^2x^6 - 2Ab^2c^2x^6 - 4Aac^3x^6 + Bb^4x^4 + Bab^2cx^4 - 3Ab^3cx^4 + (b^4 - 8ab^2c + 16a^2c^2)\sqrt{-b^2 + 4ac}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -(3*B*a*b - A*b^2 - 2*A*a*c)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/((b^4 - 8*a*b^2*c + 16*a^2*c^2)*sqrt(-b^2 + 4*a*c)) - 1/4*(6*B*a*b*c^2*x^6 - 2*A*b^2*c^2*x^6 - 4*A*a*c^3*x^6 + B*b^4*x^4 + B*a*b^2*c*x^4 - 3*A*b^3*c*x^4 + 16*B*a^2*c^2*x^4 - 6*A*a*b*c^2*x^4 + 2*B*a*b^3*x^2 + 10*B*a^2*b*c*x^2 - 10* \end{aligned}$$

$A*a*b^2*c*x^2 + 4*A*a^2*c^2*x^2 + B*a^2*b^2 + 8*B*a^3*c - 6*A*a^2*b*c)/((b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)*(c*x^4 + b*x^2 + a)^2)$

maple [B] time = 0.02, size = 411, normalized size = 2.22

$$\frac{2Aac \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4)\sqrt{4ac-b^2}} + \frac{Ab^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4)\sqrt{4ac-b^2}} - \frac{3Bab \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2 - 8ab^2c + b^4)\sqrt{4ac-b^2}} + \frac{(2aAc - 16a^2c^3)}{(16a^2c^2 - 8ab^2c + b^4)\sqrt{4ac-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x)`

[Out] $\frac{1}{2}*(c*(2*A*a*c+A*b^2-3*B*a*b)/(16*a^2*c^2-8*a*b^2*c+b^4)*x^6+1/2*(6*A*a*b*c^2+3*A*b^3*c-16*B*a^2*c^2-B*a*b^2*c-B*b^4)/c/(16*a^2*c^2-8*a*b^2*c+b^4)*x^4-a/c*(2*A*a*c^2-5*A*b^2*c+5*B*a*b*c+B*b^3)/(16*a^2*c^2-8*a*b^2*c+b^4)*x^2+1/2*a^2*(6*A*b*c-8*B*a*c-B*b^2)/c/(16*a^2*c^2-8*a*b^2*c+b^4))/(c*x^4+b*x^2+a)^2+2/(16*a^2*c^2-8*a*b^2*c+b^4)/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*A*c+1/(16*a^2*c^2-8*a*b^2*c+b^4)/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*A*b^2-3/(16*a^2*c^2-8*a*b^2*c+b^4)/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.68, size = 625, normalized size = 3.38

$$\operatorname{atan}\left(\frac{\left(x^2\left(\frac{(Ab^2c^2-3Babc^2+2Aac^3)(Ab^2-3Bab+2Aac)}{a(4ac-b^2)^{9/2}(16a^2c^2-8ab^2c+b^4)} + \frac{b(Ab^2-3Bab+2Aac)^2(32a^2bc^4-16ab^3c^3+2b^5c^2)}{2a(4ac-b^2)^{15/2}(16a^2c^2-8ab^2c+b^4)}\right) + \frac{2bc^2(Ab^2-3Bab+2Aac)^2}{(4ac-b^2)^{15/2}}\right)\left(b^4(4ac-b^2)^5\right)}{8A^2a^2c^4+8A^2ab^2c^3+2A^2b^4c^2-24ABa^2bc^3-12ABAab^3c^2+18B^2a^2b^2c^2}\right)$$

$$(4ac-b^2)^{5/2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x)

[Out] (atan(((x^2*((A*b^2*c^2 + 2*A*a*c^3 - 3*B*a*b*c^2)*(A*b^2 + 2*A*a*c - 3*B*a*b))/(a*(4*a*c - b^2)^(9/2)*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (b*(A*b^2 + 2*A*a*c - 3*B*a*b)^2*(2*b^5*c^2 - 16*a*b^3*c^3 + 32*a^2*b*c^4))/(2*a*(4*a*c - b^2)^(15/2)*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))) + (2*b*c^2*(A*b^2 + 2*A*a*c - 3*B*a*b)^2)/(4*a*c - b^2)^(15/2))*(b^4*(4*a*c - b^2)^5 + 16*a^2*c^2*(4*a*c - b^2)^5 - 8*a*b^2*c*(4*a*c - b^2)^5))/(8*A^2*a^2*c^4 + 2*A^2*b^4*c^2 + 18*B^2*a^2*b^2*c^2 + 8*A^2*a*b^2*c^3 - 12*A*B*a*b^3*c^2 - 24*A*B*a^2*b*c^3)*(A*b^2 + 2*A*a*c - 3*B*a*b))/(4*a*c - b^2)^(5/2) - ((x^4*(B*b^4 + 16*B*a^2*c^2 - 3*A*b^3*c - 6*A*a*b*c^2 + B*a*b^2*c))/(4*c*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (c*x^6*(A*b^2 + 2*A*a*c - 3*B*a*b))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (a*(B*a*b^2 + 8*B*a^2*c - 6*A*a*b*c))/(4*c*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x^2*(2*A*a^2*c^2 + B*a*b^3 - 5*A*a*b^2*c + 5*B*a^2*b*c))/(2*c*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a*b*x^2 + 2*b*c*x^6)

sympy [B] time = 44.84, size = 833, normalized size = 4.50

$$\sqrt{\frac{1}{(4ac-b^2)^5}} \left(-2Aac - Ab^2 + 3Bab \right) \log \left(x^2 + \frac{-2Aabc - Ab^3 + 3Bab^2 - 6Aa^3c^3 \sqrt{\frac{1}{(4ac-b^2)^5}} (-2Aac - Ab^2 + 3Bab) + 48a^2b^2c^2 \sqrt{\frac{1}{(4ac-b^2)^5}}}{-4A} \right)$$

2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] sqrt(-1/(4*a*c - b**2)**5)*(-2*A*a*c - A*b**2 + 3*B*a*b)*log(x**2 + (-2*A*a*b*c - A*b**3 + 3*B*a*b**2 - 64*a**3*c**3*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b) + 48*a**2*b**2*c**2*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b) - 12*a*b**4*c*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b) + b**6*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b))/(-4*A*a*c**2 - 2*A*b**2*c + 6*B*a*b*c))/2 - sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b)*log(x**2 + (-2*A*a*b*c - A*b**3 + 3*B*a*b**2 + 64*a**3*c**3*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b) - 48*a**2*b**2*c**2*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b) + 12*a*b**4*c*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b) - b**6*sqrt(-1/(4*a*c - b**2)**5))*(-2*A*a*c - A*b**2 + 3*B*a*b))/(-4*A*a*c**2 - 2*A*b**2*c + 6*B*a*b*c))/2 + (6*A*a**2*b*c - 8*B*a**3*c - B*a**2*b*c**2 + x**6*(4*A*a*c**3 + 2*A*b**2*c**2 - 6*B*a*b*c**2) + x**4*(6*A*a*b*c**2 + 3*A*b**3*c - 16*B*a**2*c**2 - B*a*b**2*c - B*b**4) + x**2*(-4*A*a**2*c**2 + 10*A*a*b**2*c - 10*B*a**2*b*c - 2*B*a*b**3))/(64*a**4*c**3 - 32*a**3*b**2*c**2 + 4*a**2*b**4*c + x**8*(64*a**2*c**5 - 32*a*b**2*c**4 + 4*b**4*c**3) + x**6*(128*a**2*b*c**4 - 64*a*b**3*c**3 + 8*b**5*c**2) + x**4*(128*a**3*c

$$c^4 - 24abc^3 + 4b^2c^2 + x^2(128a^3bc^3 - 64a^2b^3c^2 + 8ab^5c)$$

$$3.128 \quad \int \frac{x^3(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=170

$$\frac{(2aBc - 3Abc + b^2B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}} + \frac{(b + 2cx^2)(2aBc - 3Abc + b^2B)}{4c(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{x^2(-2aBc - Abc + b^2B) + a(bB - 2Ac)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2}$$

[Out] $1/4*(-a*(-2*A*c+B*b)-(-A*b*c-2*B*a*c+B*b^2)*x^2)/c/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2+1/4*(-3*A*b*c+2*B*a*c+B*b^2)*(2*c*x^2+b)/c/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)-(-3*A*b*c+2*B*a*c+B*b^2)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(5/2)}$

Rubi [A] time = 0.16, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 777, 614, 618, 206}

$$\frac{(b + 2cx^2)(2aBc - 3Abc + b^2B)}{4c(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{x^2(-2aBc - Abc + b^2B) + a(bB - 2Ac)}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{(2aBc - 3Abc + b^2B) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x]$

[Out] $-(a*(b*B - 2*A*c) + (b^2*B - A*b*c - 2*a*B*c)*x^2)/(4*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + ((b^2*B - 3*A*b*c + 2*a*B*c)*(b + 2*c*x^2))/(4*c*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) - ((b^2*B - 3*A*b*c + 2*a*B*c)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(5/2)}$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 614

$\operatorname{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \operatorname{Simp}[(b + 2*c*x)*(a + b*x + c*x^2)^{(p + 1)}/((p + 1)*(b^2 - 4*a*c)), x] - \operatorname{Dist}[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), \operatorname{Int}[(a + b*x + c*x^2)^{(p + 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \operatorname{LtQ}[p, -1] \ \&\& \operatorname{NeQ}[p, -3/2] \ \&\& \operatorname{IntegerQ}[4*p]$

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 777

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (b^2*e*g - b*c*(e*f + d*g) + 2*c*(c*d*f - a*e*g))*x)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(c*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (A + Bx^2)}{(a + bx^2 + cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(A + Bx)}{(a + bx + cx^2)^3} dx, x, x^2 \right) \\
&= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{(b^2B - 3Abc + 2aBc) \text{Subst} \left(\int \frac{1}{(a+bx+cx^2)^2} dx \right)}{4c(b^2 - 4ac)} \\
&= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{(b^2B - 3Abc + 2aBc)(b + 2cx^2)}{4c(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{(b^2B - 3Abc + 2aBc)}{4c(b^2 - 4ac)} \\
&= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{(b^2B - 3Abc + 2aBc)(b + 2cx^2)}{4c(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{(b^2B - 3Abc + 2aBc)}{4c(b^2 - 4ac)} \\
&= -\frac{a(bB - 2Ac) + (b^2B - Abc - 2aBc)x^2}{4c(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{(b^2B - 3Abc + 2aBc)(b + 2cx^2)}{4c(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{(b^2B - 3Abc + 2aBc)}{4c(b^2 - 4ac)}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 172, normalized size = 1.01

$$\frac{1}{4} \left(\frac{4(2aBc - 3Abc + b^2B) \tan^{-1} \left(\frac{b+2cx^2}{\sqrt{4ac-b^2}} \right)}{(4ac - b^2)^{5/2}} + \frac{(b + 2cx^2)(2aBc - 3Abc + b^2B)}{c(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{-2ac(A + Bx^2) + abB + bx^2(bB - 3Abc + 2aBc)}{c(4ac - b^2)(a + bx^2 + cx^4)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] (((b^2*B - 3*A*b*c + 2*a*B*c)*(b + 2*c*x^2))/(c*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (a*b*B + b*(b*B - A*c)*x^2 - 2*a*c*(A + B*x^2))/(c*(-b^2 + 4*a*c)*(a + b*x^2 + c*x^4)^2) + (4*(b^2*B - 3*A*b*c + 2*a*B*c)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(5/2))/4

fricas [B] time = 0.86, size = 1226, normalized size = 7.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

```
[Out] [1/4*(2*(B*b^4*c - 4*(2*B*a^2 - 3*A*a*b)*c^3 - (2*B*a*b^2 + 3*A*b^3)*c^2)*x^6 + 6*B*a^2*b^3 - A*a*b^4 + 32*A*a^3*c^2 + 3*(B*b^5 - 4*(2*B*a^2*b - 3*A*a*b^2)*c^2 - (2*B*a*b^3 + 3*A*b^4)*c)*x^4 + 2*(5*B*a*b^4 - A*b^5 + 4*(2*B*a^3 + 5*A*a^2*b)*c^2 - (22*B*a^2*b^2 + A*a*b^3)*c)*x^2 - 2*((B*b^2*c^2 + (2*B*a - 3*A*b)*c^3)*x^8 + 2*(B*b^3*c + (2*B*a*b - 3*A*b^2)*c^2)*x^6 + B*a^2*b^2 + (B*b^4 + 2*(2*B*a^2 - 3*A*a*b)*c^2 + (4*B*a*b^2 - 3*A*b^3)*c)*x^4 + 2*(B*a*b^3 + (2*B*a^2*b - 3*A*a*b^2)*c)*x^2 + (2*B*a^3 - 3*A*a^2*b)*c)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - 4*(6*B*a^3*b + A*a^2*b^2)*c)/((b^6*c^2 - 12*a*b^4*c^3 + 48*a^2*b^2*c^4 - 64*a^3*c^5)*x^8 + a^2*b^6 - 12*a^3*b^4*c + 48*a^4*b^2*c^2 - 64*a^5*c^3 + 2*(b^7*c - 12*a*b^5*c^2 + 48*a^2*b^3*c^3 - 64*a^3*b*c^4)*x^6 + (b^8 - 10*a*b^6*c + 24*a^2*b^4*c^2 + 32*a^3*b^2*c^3 - 128*a^4*c^4)*x^4 + 2*(a*b^7 - 12*a^2*b^5*c + 48*a^3*b^3*c^2 - 64*a^4*b*c^3)*x^2), 1/4*(2*(B*b^4*c - 4*(2*B*a^2 - 3*A*a*b)*c^3 - (2*B*a*b^2 + 3*A*b^3)*c^2)*x^6 + 6*B*a^2*b^3 - A*a*b^4 + 32*A*a^3*c^2 + 3*(B*b^5 - 4*(2*B*a^2*b - 3*A*a*b^2)*c^2 - (2*B*a*b^3 + 3*A*b^4)*c)*x^4 + 2*(5*B*a*b^4 - A*b^5 + 4*(2*B*a^3 + 5*A*a^2*b)*c^2 - (22*B*a^2*b^2 + A*a*b^3)*c)*x^2 - 4*((B*b^2*c^2 + (2*B*a - 3*A*b)*c^3)*x^8 + 2*(B*b^3*c + (2*B*a*b - 3*A*b^2)*c^2)*x^6 + B*a^2*b^2 + (B*b^4 + 2*(2*B*a^2 - 3*A*a*b)*c^2 + (4*B*a*b^2 - 3*A*b^3)*c)*x^4 + 2*(B*a*b^3 + (2*B*a^2*b - 3*A*a*b^2)*c)*x^2 + (2*B*a^3 - 3*A*a^2*b)*c)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - 4*(6*B*a^3*b + A*a^2*b^2)*c)/((b^6*c^2 - 12*a*b^4*c^3 + 48*a^2*b^2*c^4 - 64*a^3*c^5)*x^8 + a^2*b^6 - 12*a^3*b^4*c + 48*a^4*b^2*c^2 - 64*a^5*c^3 + 2*(b^7*c - 12*a*b^5*c^2 + 48*a^2*b^3*c^3 - 64*a^3*b*c^4)*x^6 + (b^8 - 10*a*b^6*c + 24*a^2*b^4*c^2 + 32*a^3*b^2*c^3 - 128*a^4*c^4)*x^4 + 2*(a*b^7 - 12*a^2*b^5*c + 48*a^3*b^3*c^2 - 64*a^4*b*c^3)*x^2)]
```

giac [A] time = 6.06, size = 228, normalized size = 1.34

$$\frac{(Bb^2 + 2Bac - 3Abc) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{(b^4 - 8ab^2c + 16a^2c^2)\sqrt{-b^2+4ac}} + \frac{2Bb^2cx^6 + 4Bac^2x^6 - 6Abc^2x^6 + 3Bb^3x^4 + 6Babcx^4 - 9Ab^2cx^4 + 4Bb^2cx^4 - 10Ab^2cx^4 + 10Bab^2cx^2 - 2Aab^3cx^2 - 4Bba^2cx^2 - 10Aa^2bcx^2 + 6Bba^2b - Aa^2b^2 - 8Aa^2c)}{4(cx^4 + bx^2 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="giac")
```

```
[Out] (B*b^2 + 2*B*a*c - 3*A*b*c)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/((b^4 - 8*a*b^2*c + 16*a^2*c^2)*sqrt(-b^2 + 4*a*c)) + 1/4*(2*B*b^2*c*x^6 + 4*B*a*c^2*x^6 - 6*A*b*c^2*x^6 + 3*B*b^3*x^4 + 6*B*a*b*c*x^4 - 9*A*b^2*c*x^4 + 10*B*a*b^2*x^2 - 2*A*b^3*x^2 - 4*B*a^2*c*x^2 - 10*A*a*b*c*x^2 + 6*B*a^2*b - A*a*b^2 - 8*A*a^2*c)/((c*x^4 + b*x^2 + a)^2*(b^4 - 8*a*b^2*c + 16*a^2*c^2))
```

maple [B] time = 0.02, size = 379, normalized size = 2.23

$$-\frac{3Abc \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2-8ab^2c+b^4)\sqrt{4ac-b^2}} + \frac{2Bac \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2-8ab^2c+b^4)\sqrt{4ac-b^2}} + \frac{Bb^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(16a^2c^2-8ab^2c+b^4)\sqrt{4ac-b^2}} + \frac{(3Aa^2c^2-2Ab^2c+Bb^3)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x)

[Out] $\frac{1}{2} * (-c * (3 * A * b * c - 2 * B * a * c - B * b^2) / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4) * x^6 - 3/2 * b * (3 * A * b * c - 2 * B * a * c - B * b^2) / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4) * x^4 - (5 * A * a * b * c + A * b^3 + 2 * B * a^2 * c - 5 * B * a * b^2) / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4) * x^2 - 1/2 * a * (8 * A * a * c + A * b^2 - 6 * B * a * b) / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4)) / (c * x^4 + b * x^2 + a)^2 - 3 / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4) / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * A * b * c + 2 / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4) / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * a * B * c + 1 / (16 * a^2 * c^2 - 8 * a * b^2 * c + b^4) / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * b^2 * B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.66, size = 587, normalized size = 3.45

$$\operatorname{atan}\left(\frac{\left(x^2\left(\frac{(Bb^2c^2-3Abc^3+2Bac^3)(Bb^2-3Ac b+2Bac)}{a(4ac-b^2)^{9/2}(16a^2c^2-8ab^2c+b^4)} + \frac{b(Bb^2-3Ac b+2Bac)^2(32a^2bc^4-16ab^3c^3+2b^5c^2)}{2a(4ac-b^2)^{15/2}(16a^2c^2-8ab^2c+b^4)}\right) + \frac{2bc^2(Bb^2-3Ac b+2Bac)^2}{(4ac-b^2)^{15/2}}\right)\left(b^4(4ac-b^2)^5 + 16a^2c^2\right)}{18A^2b^2c^4 - 24ABab^3c^4 - 12ABb^3c^3 + 8B^2a^2c^4 + 8B^2ab^2c^3 + 2B^2b^4c^2}\right) \frac{1}{(4ac-b^2)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x)

[Out] $\operatorname{atan}\left(\frac{(x^2 * ((B * b^2 * c^2 - 3 * A * b * c^3 + 2 * B * a * c^3) * (B * b^2 - 3 * A * b * c + 2 * B * a * c)) / (a * (4 * a * c - b^2)^{(9/2)} * (b^4 + 16 * a^2 * c^2 - 8 * a * b^2 * c)) + (b * (B * b^2 - 3 * A * b * c + 2 * B * a * c)) / (a * (4 * a * c - b^2)^{(9/2)} * (b^4 + 16 * a^2 * c^2 - 8 * a * b^2 * c))}{(a * (4 * a * c - b^2)^{(9/2)} * (b^4 + 16 * a^2 * c^2 - 8 * a * b^2 * c)) + (b * (B * b^2 - 3 * A * b * c + 2 * B * a * c)) / (a * (4 * a * c - b^2)^{(9/2)} * (b^4 + 16 * a^2 * c^2 - 8 * a * b^2 * c))}\right)$

$$\begin{aligned}
& A*b*c + 2*B*a*c)^2*(2*b^5*c^2 - 16*a*b^3*c^3 + 32*a^2*b*c^4))/(2*a*(4*a*c - \\
& b^2)^{(15/2)*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))} + (2*b*c^2*(B*b^2 - 3*A*b*c + \\
& 2*B*a*c)^2)/(4*a*c - b^2)^{(15/2)}*(b^4*(4*a*c - b^2)^5 + 16*a^2*c^2*(4*a*c \\
& - b^2)^5 - 8*a*b^2*c*(4*a*c - b^2)^5))/(18*A^2*b^2*c^4 + 8*B^2*a^2*c^4 + 2 \\
& *B^2*b^4*c^2 - 12*A*B*b^3*c^3 + 8*B^2*a*b^2*c^3 - 24*A*B*a*b*c^4)*(B*b^2 - \\
& 3*A*b*c + 2*B*a*c))/(4*a*c - b^2)^{(5/2)} - ((A*a*b^2 + 8*A*a^2*c - 6*B*a^2* \\
& b)/(4*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x^2*(A*b^3 - 5*B*a*b^2 + 2*B*a^2*c \\
& + 5*A*a*b*c))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (3*b*x^4*(B*b^2 - 3*A*b \\
& *c + 2*B*a*c))/(4*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (c*x^6*(B*b^2 - 3*A*b*c \\
& + 2*B*a*c))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))/(x^4*(2*a*c + b^2) + a^2 + \\
& c^2*x^8 + 2*a*b*x^2 + 2*b*c*x^6)
\end{aligned}$$

sympy [B] time = 21.37, size = 789, normalized size = 4.64

$$\sqrt{-\frac{1}{(4ac-b^2)^5}} (-3Abc + 2Bac + Bb^2) \log \left(x^2 + \frac{-3Ab^2c + 2Babc + Bb^3 - 64a^3c^3 \sqrt{-\frac{1}{(4ac-b^2)^5}} (-3Abc + 2Bac + Bb^2) + 48a^2b^2c^2 \sqrt{-\frac{1}{(4ac-b^2)^5}}}{2} \right)$$

2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] $-\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2)*\log(x**2 + (-3*A*b**2*c + 2*B*a*b*c + B*b**3 - 64*a**3*c**3*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2) + 48*a**2*b**2*c**2*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2) - 12*a*b**4*c*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2) + b**6*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2)))/(-6*A*b*c**2 + 4*B*a*c**2 + 2*B*b**2*c))/2 + \sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2)*\log(x**2 + (-3*A*b**2*c + 2*B*a*b*c + B*b**3 + 64*a**3*c**3*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2) - 48*a**2*b**2*c**2*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2) + 12*a*b**4*c*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2) - b**6*\sqrt{-1/(4*a*c - b**2)**5}*(-3*A*b*c + 2*B*a*c + B*b**2)))/(-6*A*b*c**2 + 4*B*a*c**2 + 2*B*b**2*c))/2 + (-8*A*a**2*c - A*a*b**2 + 6*B*a**2*b + x**6*(-6*A*b*c**2 + 4*B*a*c**2 + 2*B*b**2*c) + x**4*(-9*A*b**2*c + 6*B*a*b*c + 3*B*b**3) + x**2*(-10*A*a*b*c - 2*A*b**3 - 4*B*a**2*c + 10*B*a*b**2))/ (64*a**4*c**2 - 32*a**3*b**2*c + 4*a**2*b**4 + x**8*(64*a**2*c**4 - 32*a*b**2*c**3 + 4*b**4*c**2) + x**6*(128*a**2*b*c**3 - 64*a*b**3*c**2 + 8*b**5*c) + x**4*(128*a**3*c**3 - 24*a*b**4*c + 4*b**6) + x**2*(128*a**3*b*c**2 - 64*a**2*b**3*c + 8*a*b**5))$

$$3.129 \quad \int \frac{x(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=139

$$\frac{3c(bB - 2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}} - \frac{3(b + 2cx^2)(bB - 2Ac)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{-2aB - (x^2(bB - 2Ac)) + Ab}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2}$$

[Out] $1/4*(-A*b+2*a*B+(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2-3/4*(-2*A*c+B*b)*(2*c*x^2+b)/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+3*c*(-2*A*c+B*b)*\arctanh((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(5/2)}$

Rubi [A] time = 0.12, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1247, 638, 614, 618, 206}

$$\frac{3(b + 2cx^2)(bB - 2Ac)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{-2aB + x^2(-bB - 2Ac) + Ab}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{3c(bB - 2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] $-(A*b - 2*a*B - (b*B - 2*A*c)*x^2)/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (3*(b*B - 2*A*c)*(b + 2*c*x^2))/(4*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (3*c*(b*B - 2*A*c)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(5/2)}$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 614

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p + 3))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4*p]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{x(A + Bx^2)}{(a + bx^2 + cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{(a + bx + cx^2)^3} dx, x, x^2 \right) \\
 &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{(3(bB - 2Ac)) \text{Subst} \left(\int \frac{1}{(a + bx + cx^2)^2} dx, x, x^2 \right)}{4(b^2 - 4ac)} \\
 &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{3(bB - 2Ac)(b + 2cx^2)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{(3c(bB - 2Ac)) \text{Subst} \left(\int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{2(b^2 - 4ac)} \\
 &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{3(bB - 2Ac)(b + 2cx^2)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{(3c(bB - 2Ac)) \text{Subst} \left(\int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{(b^2 - 4ac)} \\
 &= -\frac{Ab - 2aB - (bB - 2Ac)x^2}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{3(bB - 2Ac)(b + 2cx^2)}{4(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{3c(bB - 2Ac) \tanh^{-1} \left(\frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{(b^2 - 4ac)}
 \end{aligned}$$

Mathematica [A] time = 0.13, size = 142, normalized size = 1.02

$$\frac{-\frac{12c(bB-2Ac)\tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2}} + \frac{(b^2-4ac)(B(2a+bx^2)-A(b+2cx^2))}{(a+bx^2+cx^4)^2} - \frac{3(b+2cx^2)(bB-2Ac)}{a+bx^2+cx^4}}{4(b^2-4ac)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] ((-3*(b*B - 2*A*c)*(b + 2*c*x^2))/(a + b*x^2 + c*x^4) + ((b^2 - 4*a*c)*(B*(2*a + b*x^2) - A*(b + 2*c*x^2)))/(a + b*x^2 + c*x^4)^2 - (12*c*(b*B - 2*A*c)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/Sqrt[-b^2 + 4*a*c])/(4*(b^2 - 4*a*c)^2)

fricas [B] time = 0.59, size = 1109, normalized size = 7.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out] [-1/4*(6*(B*b^3*c^2 + 8*A*a*c^4 - 2*(2*B*a*b + A*b^2)*c^3)*x^6 + B*a*b^4 + A*b^5 + 9*(B*b^4*c + 8*A*a*b*c^3 - 2*(2*B*a*b^2 + A*b^3)*c^2)*x^4 - 8*(4*B*a^3 - 5*A*a^2*b)*c^2 + 2*(B*b^5 + 40*A*a^2*c^3 - 2*(10*B*a^2*b + A*a*b^2)*c^2 + (B*a*b^3 - 2*A*b^4)*c)*x^2 + 6*((B*b*c^3 - 2*A*c^4)*x^8 + 2*(B*b^2*c^2 - 2*A*b*c^3)*x^6 + B*a^2*b*c - 2*A*a^2*c^2 + (B*b^3*c - 4*A*a*c^3 + 2*(B*a*b - A*b^2)*c^2)*x^4 + 2*(B*a*b^2*c - 2*A*a*b*c^2)*x^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) + 2*(2*B*a^2*b^2 - 7*A*a*b^3)*c)/((b^6*c^2 - 12*a*b^4*c^3 + 48*a^2*b^2*c^4 - 64*a^3*c^5)*x^8 + a^2*b^6 - 12*a^3*b^4*c + 48*a^4*b^2*c^2 - 64*a^5*c^3 + 2*(b^7*c - 12*a*b^5*c^2 + 48*a^2*b^3*c^3 - 64*a^3*b*c^4)*x^6 + (b^8 - 10*a*b^6*c + 24*a^2*b^4*c^2 + 32*a^3*b^2*c^3 - 128*a^4*c^4)*x^4 + 2*(a*b^7 - 12*a^2*b^5*c + 48*a^3*b^3*c^2 - 64*a^4*b*c^3)*x^2), -1/4*(6*(B*b^3*c^2 + 8*A*a*c^4 - 2*(2*B*a*b + A*b^2)*c^3)*x^6 + B*a*b^4 + A*b^5 + 9*(B*b^4*c + 8*A*a*b*c^3 - 2*(2*B*a*b^2 + A*b^3)*c^2)*x^4 - 8*(4*B*a^3 - 5*A*a^2*b)*c^2 + 2*(B*b^5 + 40*A*a^2*c^3 - 2*(10*B*a^2*b + A*a*b^2)*c^2 + (B*a*b^3 - 2*A*b^4)*c)*x^2 - 12*((B*b*c^3 - 2*A*c^4)*x^8 + 2*(B*b^2*c^2 - 2*A*b*c^3)*x^6 + B*a^2*b*c - 2*A*a^2*c^2 + (B*b^3*c - 4*A*a*c^3 + 2*(B*a*b - A*b^2)*c^2)*x^4 + 2*(B*a*b^2*c - 2*A*a*b*c^2)*x^2)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) + 2*(2*B*a^2*b^2 - 7*A*a*b^3)*c)/((b^6*c^2 - 12*a*b^4*c^3 + 48*a^2*b^2*c^4 - 64*a^3*c^5)*x^8 + a^2*b^6 - 12*a^3*b^4*c + 48*a^4*b^2*c^2 - 64*a^5*c^3 + 2*(b^7*c - 12*a*b^5*c^2 + 48*a^2*b^3*c^3 - 64*a^3*b*c^4)*x^6 + (b^8 - 10*a*b^6*c + 24*a^2*b^4*c^2 + 32*a^3*b^2*c^3 - 128*a^4*c^4)*x^4 + 2*(a*b^7 - 12*a^2*b^5*c + 48*a^3*b^3*c^2 - 64*a^4*b*c^3)*x^2)

$32a^3b^2c^3 - 128a^4c^4)x^4 + 2*(a*b^7 - 12a^2b^5c + 48a^3b^3c^2 - 64a^4b*c^3)*x^2]$

giac [A] time = 5.57, size = 208, normalized size = 1.50

$$\frac{3(Bbc - 2Ac^2) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{(b^4 - 8ab^2c + 16a^2c^2)\sqrt{-b^2+4ac}} - \frac{6Bbc^2x^6 - 12Ac^3x^6 + 9Bb^2cx^4 - 18Abc^2x^4 + 2Bb^3x^2 + 10Babcx^2 - 4A^2c^2}{4(cx^4 + bx^2 + a)^2(b^4 - 8ab^2c + 16a^2c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out] $-3*(B*b*c - 2*A*c^2)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((b^4 - 8*a*b^2*c + 16*a^2*c^2)*\sqrt{-b^2 + 4*a*c}) - 1/4*(6*B*b*c^2*x^6 - 12*A*c^3*x^6 + 9*B*b^2*c*x^4 - 18*A*b*c^2*x^4 + 2*B*b^3*x^2 + 10*B*a*b*c*x^2 - 4*A*b^2*c*x^2 - 20*A*a*c^2*x^2 + B*a*b^2 + A*b^3 + 8*B*a^2*c - 10*A*a*b*c)/(c*x^4 + b*x^2 + a)^2*(b^4 - 8*a*b^2*c + 16*a^2*c^2)$

maple [A] time = 0.01, size = 262, normalized size = 1.88

$$\frac{3Ac^2x^2}{(4ac - b^2)^2(c x^4 + b x^2 + a)} - \frac{3Bbcx^2}{2(4ac - b^2)^2(c x^4 + b x^2 + a)} + \frac{6Ac^2 \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(4ac - b^2)^{\frac{5}{2}}} - \frac{3Bbc \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(4ac - b^2)^{\frac{5}{2}}} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x)

[Out] $1/4*(A*b-2*B*a+(2*A*c-B*b)*x^2)/(4*a*c-b^2)/(c*x^4+b*x^2+a)^2+3/(4*a*c-b^2)^2/(c*x^4+b*x^2+a)*c^2*x^2*A-3/2/(4*a*c-b^2)^2/(c*x^4+b*x^2+a)*c*x^2*b*B+3/2/(4*a*c-b^2)^2/(c*x^4+b*x^2+a)*b*A*c-3/4/(4*a*c-b^2)^2/(c*x^4+b*x^2+a)*b^2*B+6/(4*a*c-b^2)^{5/2}*c^2*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{1/2})*A-3/(4*a*c-b^2)^{5/2}*c*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{1/2})*b*B$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 0.59, size = 517, normalized size = 3.72

$$3c \operatorname{atan} \left(\frac{\left(x^2 \left(\frac{3c(2Ac-Bb)(6Ac^4-3Bbc^3)}{a(4ac-b^2)^{9/2}(16a^2c^2-8ab^2c+b^4)} + \frac{9b^2(2Ac-Bb)^2(32a^2bc^4-16ab^3c^3+2b^5c^2)}{2a(4ac-b^2)^{15/2}(16a^2c^2-8ab^2c+b^4)} \right) + \frac{18bc^4(2Ac-Bb)^2}{(4ac-b^2)^{15/2}} \right) \left(b^4(4ac-b^2)^5 + 16a^2c^2(4ac-b^2)^5 - 8a^4c^4 \right)}{72A^2c^6 - 72ABbc^5 + 18B^2b^2c^4} \right) \frac{1}{(4ac-b^2)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x)`

[Out] $(3*c*\operatorname{atan}(((x^2*((3*c*(2*A*c - B*b))*(6*A*c^4 - 3*B*b*c^3))/(a*(4*a*c - b^2)^{(9/2)}*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (9*b*c^2*(2*A*c - B*b)^2*(2*b^5*c^2 - 16*a*b^3*c^3 + 32*a^2*b*c^4))/(2*a*(4*a*c - b^2)^{(15/2)}*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))) + (18*b*c^4*(2*A*c - B*b)^2)/(4*a*c - b^2)^{(15/2)}*(b^4*(4*a*c - b^2)^5 + 16*a^2*c^2*(4*a*c - b^2)^5 - 8*a*b^2*c*(4*a*c - b^2)^5))/(72*A^2*c^6 + 18*B^2*b^2*c^4 - 72*A*B*b*c^5))*(2*A*c - B*b))/(4*a*c - b^2)^{(5/2)} - ((A*b^3 + B*a*b^2 + 8*B*a^2*c - 10*A*a*b*c)/(4*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (9*x^4*(2*A*b*c^2 - B*b^2*c))/(4*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))) + (x^2*(B*b^3 - 10*A*a*c^2 - 2*A*b^2*c + 5*B*a*b*c))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (3*c^2*x^6*(2*A*c - B*b))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a*b*x^2 + 2*b*c*x^6)$

sympy [B] time = 12.40, size = 661, normalized size = 4.76

$$3c \sqrt{\frac{1}{(4ac-b^2)^5}} (-2Ac + Bb) \log \left(x^2 + \frac{-6Abc^2 + 3Bb^2c - 192a^3c^4 \sqrt{\frac{1}{(4ac-b^2)^5}} (-2Ac + Bb) + 144a^2b^2c^3 \sqrt{\frac{1}{(4ac-b^2)^5}} (-2Ac + Bb) - 36ab^4c^2 \sqrt{\frac{1}{(4ac-b^2)^5}} (-2Ac + Bb)}{-12Ac^3 + 6Bbc^2} \right) \frac{1}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)`

[Out] $3*c*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b)*\log(x**2 + (-6*A*b*c**2 + 3*B*b**2*c - 192*a**3*c**4*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b) + 144*a**2*b**2*c**3*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b) - 36*a*b**4*c**2*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b) + 3*b**6*c*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b))/(-12*A*c**3 + 6*B*b*c**2))/2 - 3*c*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b)*\log(x**2 + (-6*A*b*c**2 + 3*B*b**2*c + 192*a**3*c**4*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b) - 144*a**2*b**2*c**3*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b) + 36*a*b**4*c**2*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b) + 3*b**6*c*\sqrt{-1/(4*a*c - b**2)**5}*(-2*A*c + B*b))/(-12*A*c**3 + 6*B*b*c**2))$

$$\begin{aligned}
& A*c + B*b) - 3*b**6*c*\text{sqrt}(-1/(4*a*c - b**2)**5)*(-2*A*c + B*b))/(-12*A*c** \\
& 3 + 6*B*b*c**2))/2 + (10*A*a*b*c - A*b**3 - 8*B*a**2*c - B*a*b**2 + x**6*(1 \\
& 2*A*c**3 - 6*B*b*c**2) + x**4*(18*A*b*c**2 - 9*B*b**2*c) + x**2*(20*A*a*c** \\
& 2 + 4*A*b**2*c - 10*B*a*b*c - 2*B*b**3))/(64*a**4*c**2 - 32*a**3*b**2*c + 4 \\
& *a**2*b**4 + x**8*(64*a**2*c**4 - 32*a*b**2*c**3 + 4*b**4*c**2) + x**6*(128 \\
& *a**2*b*c**3 - 64*a*b**3*c**2 + 8*b**5*c) + x**4*(128*a**3*c**3 - 24*a*b**4 \\
& *c + 4*b**6) + x**2*(128*a**3*b*c**2 - 64*a**2*b**3*c + 8*a*b**5))
\end{aligned}$$

$$3.130 \quad \int \frac{A+Bx^2}{x(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=252

$$\frac{A \log(a+bx^2+cx^4)}{4a^3} + \frac{A \log(x)}{a^3} + \frac{2cx^2(6a^2Bc + A(b^3 - 7abc)) + A(16a^2c^2 - 15ab^2c + 2b^4) + 6a^2bBc}{4a^2(b^2 - 4ac)^2(a+bx^2+cx^4)} - \frac{(12a^3Bc^2 - A(30a^2bc^2 - 10ab^3c + b^5)) \operatorname{arctanh}\left(\frac{2cx^2+b}{(-4a^2c+b^2)^{1/2}}\right) + A \ln(x) - \frac{1}{4}A \ln(cx^4+bx^2+a)}{2a^3(b^2 - 4ac)^{5/2}}$$

[Out] $\frac{1}{4}(-a*b*B+A*(-2*a*c+b^2)+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2 + \frac{1}{4}(6*a^2*b*B*c+A*(16*a^2*c^2-15*a*b^2*c+2*b^4)+2*c*(6*a^2*B*c+A*(-7*a*b*c+b^3))*x^2)/a^2/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a) - \frac{1}{2}(12*a^3*B*c^2-A*(30*a^2*b*c^2-10*a*b^3*c+b^5))*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/a^3/(-4*a*c+b^2)^{(5/2)} + A*\ln(x)/a^3 - \frac{1}{4}A*\ln(c*x^4+b*x^2+a)/a^3$

Rubi [A] time = 0.54, antiderivative size = 252, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 822, 800, 634, 618, 206, 628}

$$\frac{2cx^2(6a^2Bc + A(b^3 - 7abc)) + A(16a^2c^2 - 15ab^2c + 2b^4) + 6a^2bBc}{4a^2(b^2 - 4ac)^2(a+bx^2+cx^4)} - \frac{(12a^3Bc^2 - A(30a^2bc^2 - 10ab^3c + b^5)) \operatorname{arctanh}\left(\frac{2cx^2+b}{(-4a^2c+b^2)^{1/2}}\right) + A \ln(x) - \frac{1}{4}A \ln(cx^4+bx^2+a)}{2a^3(b^2 - 4ac)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x*(a + b*x^2 + c*x^4)^3), x]

[Out] $-(a*b*B - A*(b^2 - 2*a*c) - (A*b - 2*a*B)*c*x^2)/(4*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + \frac{(6*a^2*b*B*c + A*(2*b^4 - 15*a*b^2*c + 16*a^2*c^2) + 2*c*(6*a^2*B*c + A*(b^3 - 7*a*b*c))*x^2)/(4*a^2*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) - ((12*a^3*B*c^2 - A*(b^5 - 10*a*b^3*c + 30*a^2*b*c^2))*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*a^3*(b^2 - 4*a*c)^{(5/2)}) + (A*\operatorname{Log}[x])/a^3 - (A*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*a^3)}$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},

x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 800

Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]

Rule 822

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x(a + bx^2 + cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x(a + bx + cx^2)^3} dx, x, x^2 \right) \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{\text{Subst} \left(\int \frac{-2A(b^2 - 4ac) - 3(Ab - 2aB)cx}{x(a + bx + cx^2)^2} dx, x, x^2 \right)}{4a(b^2 - 4ac)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{6a^2bBc + A(2b^4 - 15ab^2c + 16a^2c^2) + 2c(6a^2 - 2ab)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)}
\end{aligned}$$

Mathematica [A] time = 0.69, size = 396, normalized size = 1.57

$$\frac{a^2(A(-2ac + b^2 + bcx^2) - aB(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{a(2a^2c(8Ac + 3bB + 6Bcx^2) - aAbc(15b + 14cx^2) + 2Ab^3(b + cx^2))}{(b^2 - 4ac)^2(a + bx^2 + cx^4)} - \frac{A(16a^2c^2\sqrt{b^2 - 4ac} + 30a^2bc^2 - 10ab^3c - 8ab^2c^2)}{4a^2(b^2 - 4ac)^2(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x*(a + b*x^2 + c*x^4)^3), x]


```
[Out] ((a^2*(-(a*B*(b + 2*c*x^2)) + A*(b^2 - 2*a*c + b*c*x^2)))/((b^2 - 4*a*c)*(a
+ b*x^2 + c*x^4)^2) + (a*(2*A*b^3*(b + c*x^2) - a*A*b*c*(15*b + 14*c*x^2)
+ 2*a^2*c*(3*b*B + 8*A*c + 6*B*c*x^2)))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4
)) + 4*A*Log[x] - ((-12*a^3*B*c^2 + A*(b^5 - 10*a*b^3*c + 30*a^2*b*c^2 + b^
4*Sqrt[b^2 - 4*a*c] - 8*a*b^2*c*Sqrt[b^2 - 4*a*c] + 16*a^2*c^2*Sqrt[b^2 - 4
*a*c]))*Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x^2])/(b^2 - 4*a*c)^(5/2) - ((12*a^
3*B*c^2 + A*(-b^5 + 10*a*b^3*c - 30*a^2*b*c^2 + b^4*Sqrt[b^2 - 4*a*c] - 8*a
*b^2*c*Sqrt[b^2 - 4*a*c] + 16*a^2*c^2*Sqrt[b^2 - 4*a*c]))*Log[b + Sqrt[b^2
- 4*a*c] + 2*c*x^2])/(b^2 - 4*a*c)^(5/2))/(4*a^3)
```

fricas [B] time = 4.99, size = 2494, normalized size = 9.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")
```

```
[Out] [-1/4*(B*a^3*b^5 - 3*A*a^2*b^6 + 96*A*a^5*c^3 - 2*(A*a*b^5*c^2 - 4*(6*B*a^4
- 7*A*a^3*b)*c^4 + (6*B*a^3*b^2 - 11*A*a^2*b^3)*c^3)*x^6 - (4*A*a*b^6*c -
64*A*a^4*c^4 - 12*(6*B*a^4*b - 11*A*a^3*b^2)*c^3 + 9*(2*B*a^3*b^3 - 5*A*a^2
*b^4)*c^2)*x^4 + 4*(10*B*a^5*b - 27*A*a^4*b^2)*c^2 - 2*(A*a*b^7 - 4*(10*B*a
^5 - A*a^4*b)*c^3 + (2*B*a^4*b^2 + 23*A*a^3*b^3)*c^2 + 2*(B*a^3*b^4 - 5*A*a
^2*b^5)*c)*x^2 - ((A*b^5*c^2 - 10*A*a*b^3*c^3 - 6*(2*B*a^3 - 5*A*a^2*b)*c^4
)*x^8 + A*a^2*b^5 - 10*A*a^3*b^3*c + 2*(A*b^6*c - 10*A*a*b^4*c^2 - 6*(2*B*a
^3*b - 5*A*a^2*b^2)*c^3)*x^6 + (A*b^7 - 8*A*a*b^5*c - 12*(2*B*a^4 - 5*A*a^3
*b)*c^3 - 2*(6*B*a^3*b^2 - 5*A*a^2*b^3)*c^2)*x^4 - 6*(2*B*a^5 - 5*A*a^4*b)*
c^2 + 2*(A*a*b^6 - 10*A*a^2*b^4*c - 6*(2*B*a^4*b - 5*A*a^3*b^2)*c^2)*x^2)*s
qrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*s
qrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - (14*B*a^4*b^3 - 33*A*a^3*b^4)*c +
(A*a^2*b^6 - 12*A*a^3*b^4*c + 48*A*a^4*b^2*c^2 - 64*A*a^5*c^3 + (A*b^6*c^2
- 12*A*a*b^4*c^3 + 48*A*a^2*b^2*c^4 - 64*A*a^3*c^5)*x^8 + 2*(A*b^7*c - 12*A
*a*b^5*c^2 + 48*A*a^2*b^3*c^3 - 64*A*a^3*b*c^4)*x^6 + (A*b^8 - 10*A*a*b^6*c
+ 24*A*a^2*b^4*c^2 + 32*A*a^3*b^2*c^3 - 128*A*a^4*c^4)*x^4 + 2*(A*a*b^7 -
12*A*a^2*b^5*c + 48*A*a^3*b^3*c^2 - 64*A*a^4*b*c^3)*x^2)*log(c*x^4 + b*x^2
+ a) - 4*(A*a^2*b^6 - 12*A*a^3*b^4*c + 48*A*a^4*b^2*c^2 - 64*A*a^5*c^3 + (A
*b^6*c^2 - 12*A*a*b^4*c^3 + 48*A*a^2*b^2*c^4 - 64*A*a^3*c^5)*x^8 + 2*(A*b^7
*c - 12*A*a*b^5*c^2 + 48*A*a^2*b^3*c^3 - 64*A*a^3*b*c^4)*x^6 + (A*b^8 - 10*
A*a*b^6*c + 24*A*a^2*b^4*c^2 + 32*A*a^3*b^2*c^3 - 128*A*a^4*c^4)*x^4 + 2*(A
*a*b^7 - 12*A*a^2*b^5*c + 48*A*a^3*b^3*c^2 - 64*A*a^4*b*c^3)*x^2)*log(x))/(
a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3 + (a^3*b^6*c^2 - 12*a^
4*b^4*c^3 + 48*a^5*b^2*c^4 - 64*a^6*c^5)*x^8 + 2*(a^3*b^7*c - 12*a^4*b^5*c^
2 + 48*a^5*b^3*c^3 - 64*a^6*b*c^4)*x^6 + (a^3*b^8 - 10*a^4*b^6*c + 24*a^5*b
^4*c^2 + 32*a^6*b^2*c^3 - 128*a^7*c^4)*x^4 + 2*(a^4*b^7 - 12*a^5*b^5*c + 48
*a^6*b^3*c^2 - 64*a^7*b*c^3)*x^2), -1/4*(B*a^3*b^5 - 3*A*a^2*b^6 + 96*A*a^5
*c^3 - 2*(A*a*b^5*c^2 - 4*(6*B*a^4 - 7*A*a^3*b)*c^4 + (6*B*a^3*b^2 - 11*A*a
```

$$\begin{aligned} & \cdot 2b^3)c^3)x^6 - (4A^2ab^6c - 64A^4a^4c^4 - 12(6B^2a^4b - 11A^3a^3b \\ & \cdot 2)c^3 + 9(2B^2a^3b^3 - 5A^2a^2b^4)c^2)x^4 + 4(10B^2a^5b - 27A^4 \\ & \cdot b^2)c^2 - 2(A^2ab^7 - 4(10B^2a^5 - A^4b)c^3 + (2B^2a^4b^2 + 23A^3 \\ & \cdot 3b^3)c^2 + 2(B^2a^3b^4 - 5A^2a^2b^5)c)x^2 - 2((Ab^5c^2 - 10A^2ab \\ & \cdot 3c^3 - 6(2B^2a^3 - 5A^2a^2b)c^4)x^8 + A^2a^2b^5 - 10A^3a^3b^3c + 2 \\ & \cdot (Ab^6c - 10A^2ab^4c^2 - 6(2B^2a^3b - 5A^2a^2b^2)c^3)x^6 + (Ab^7 - \\ & \cdot 8A^2ab^5c - 12(2B^2a^4 - 5A^3a^3b)c^3 - 2(6B^2a^3b^2 - 5A^2a^2b^3) \\ & \cdot c^2)x^4 - 6(2B^2a^5 - 5A^4a^4b)c^2 + 2(A^2ab^6 - 10A^2a^2b^4c - 6(\\ & \cdot 2B^2a^4b - 5A^3a^3b^2)c^2)x^2) \cdot \sqrt{-b^2 + 4ac} \cdot \arctan\left(\frac{-2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right) \\ & \cdot \sqrt{-b^2 + 4ac} / (b^2 - 4ac) - (14B^2a^4b^3 - 33A^3a^3b^4)c + (A^2 \\ & \cdot 2b^6 - 12A^3a^3b^4c + 48A^4a^4b^2c^2 - 64A^5a^5c^3 + (Ab^6c^2 - 12 \\ & \cdot A^2ab^4c^3 + 48A^2a^2b^2c^4 - 64A^3a^3c^5)x^8 + 2(Ab^7c - 12A^2ab \\ & \cdot 5c^2 + 48A^2a^2b^3c^3 - 64A^3a^3b^2c^4)x^6 + (Ab^8 - 10A^2ab^6c + 2 \\ & \cdot 4A^2a^2b^4c^2 + 32A^3a^3b^2c^3 - 128A^4a^4c^4)x^4 + 2(A^2ab^7 - 12A \\ & \cdot a^2b^5c + 48A^3a^3b^3c^2 - 64A^4a^4b^2c^3)x^2) \cdot \log(cx^4 + bx^2 + a) \\ & - 4(A^2a^2b^6 - 12A^3a^3b^4c + 48A^4a^4b^2c^2 - 64A^5a^5c^3 + (Ab^6 \\ & \cdot c^2 - 12A^2ab^4c^3 + 48A^2a^2b^2c^4 - 64A^3a^3c^5)x^8 + 2(Ab^7c - \\ & \cdot 12A^2ab^5c^2 + 48A^2a^2b^3c^3 - 64A^3a^3b^2c^4)x^6 + (Ab^8 - 10A^2ab \\ & \cdot b^6c + 24A^2a^2b^4c^2 + 32A^3a^3b^2c^3 - 128A^4a^4c^4)x^4 + 2(A^2ab \\ & \cdot 7 - 12A^2a^2b^5c + 48A^3a^3b^3c^2 - 64A^4a^4b^2c^3)x^2) \cdot \log(x) / (a^5 \\ & \cdot b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3 + (a^3b^6c^2 - 12a^4b^ \\ & \cdot 4c^3 + 48a^5b^2c^4 - 64a^6c^5)x^8 + 2(a^3b^7c - 12a^4b^5c^2 + \\ & \cdot 48a^5b^3c^3 - 64a^6b^2c^4)x^6 + (a^3b^8 - 10a^4b^6c + 24a^5b^4c \\ & \cdot ^2 + 32a^6b^2c^3 - 128a^7c^4)x^4 + 2(a^4b^7 - 12a^5b^5c + 48a^6 \\ & \cdot b^3c^2 - 64a^7b^2c^3)x^2) \end{aligned}$$

giac [A] time = 6.44, size = 421, normalized size = 1.67

$$\frac{(Ab^5 - 10Aab^3c - 12Ba^3c^2 + 30Aa^2bc^2) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - A \log(cx^4 + bx^2 + a) + \frac{A \log(x^2)}{2a^3} + \frac{3Ab^4c^2x^8}{4a^3}}{2(a^3b^4 - 8a^4b^2c + 16a^5c^2)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2(Ab^5 - 10A^2ab^3c - 12B^2a^3c^2 + 30A^2a^2b^2c^2) \cdot \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right) / \left((a^3b^4 - 8a^4b^2c + 16a^5c^2) \cdot \sqrt{-b^2 + 4ac}\right) \\ & - 1/4A \cdot \log(cx^4 + bx^2 + a) / a^3 + 1/2A \cdot \log(x^2) / a^3 + 1/8(3A^2 \\ & \cdot b^4c^2x^8 - 24A^2ab^2c^3x^8 + 48A^2a^2c^4x^8 + 6Ab^5c^2x^6 - 44A^2 \\ & \cdot ab^3c^2x^6 + 24B^2a^3c^3x^6 + 68A^2a^2b^2c^3x^6 + 3Ab^6c^2x^4 - 10A^2 \\ & \cdot ab^4c^2x^4 + 36B^2a^3b^2c^2x^4 - 58A^2a^2b^2c^2x^4 + 128A^3a^3c^3x^4 \\ & \cdot 4 + 10A^2ab^5c^2x^2 + 8B^2a^3b^2c^2x^2 - 72A^2a^2b^3c^2x^2 + 40B^2a^4c^2x^2 \\ & \cdot x^2 + 92A^3a^3b^2c^2x^2 - 2B^2a^3b^3 + 9A^2a^2b^4 + 20B^2a^4b^2c - 66A^2 \\ & \cdot a^3b^2c + 96A^4a^4c^2) / \left((a^3b^4 - 8a^4b^2c + 16a^5c^2) \cdot (cx^4 + bx^2 + a)^2\right) \end{aligned}$$

maple [B] time = 0.03, size = 1161, normalized size = 4.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((Bx^2+A)/x/(cx^4+bx^2+a)^3, x)$

[Out]
$$\frac{9}{2} \frac{1}{(cx^4+bx^2+a)^2 c^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 b B - \frac{1}{2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A b c^2 + \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 B b^2 c + \frac{1}{2} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A b^5 + \frac{5}{2} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 B b c^2 + \frac{5}{2} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} b B b c + \frac{2}{a^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} c \ln(cx^4+bx^2+a) A b^2 - \frac{1}{2} \frac{1}{a^3} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{(4ac-b^2)^{1/2}}\right) A b^5 + A \ln(x) / a^3 - \frac{1}{4} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} B b^3 - \frac{7}{2} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 A b + \frac{1}{2} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 A b^3 - \frac{29}{4} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 A b^2 + \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 A b^4 - \frac{3}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A b^3 c - \frac{15}{a} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{(4ac-b^2)^{1/2}}\right) A b c^2 + \frac{5}{a^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{(4ac-b^2)^{1/2}}\right) A b^3 c - \frac{21}{4} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} A b^2 c + \frac{6}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} A c^2 + \frac{3}{4} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} A b^4 - \frac{4}{a} \frac{1}{(16a^2c^2-8ab^2c+b^4)} c^2 \ln(cx^4+bx^2+a) A - \frac{1}{4} \frac{1}{a^3} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \ln(cx^4+bx^2+a) A b^4 + \frac{6}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{(4ac-b^2)^{1/2}}\right) B b c^2 + \frac{3}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 B + \frac{4}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 A$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((Bx^2+A)/x/(cx^4+bx^2+a)^3, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 11.57, size = 11674, normalized size = 46.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((A + B*x^2)/(x*(a + b*x^2 + c*x^4)^3), x)$

[Out]
$$\begin{aligned} & ((3*A*b^4 + 24*A*a^2*c^2 - B*a*b^3 - 21*A*a*b^2*c + 10*B*a^2*b*c)/(4*a*(b^4 \\ & + 16*a^2*c^2 - 8*a*b^2*c)) + (x^2*(A*b^5 + 10*B*a^3*c^2 - 6*A*a*b^3*c - A \\ & a^2*b*c^2 + 2*B*a^2*b^2*c))/(2*a^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x^4*(\\ & 16*A*a^2*c^3 + 4*A*b^4*c - 29*A*a*b^2*c^2 + 18*B*a^2*b*c^2))/(4*a^2*(b^4 + \\ & 16*a^2*c^2 - 8*a*b^2*c)) + (c^2*x^6*(A*b^3 + 6*B*a^2*c - 7*A*a*b*c))/(2*a^2 \\ & *(b^4 + 16*a^2*c^2 - 8*a*b^2*c))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a* \\ & b*x^2 + 2*b*c*x^6) + (A*\log(x))/a^3 - (\log(((c^5*x^2*(A*b^3 + 6*B*a^2*c - 7 \\ & *A*a*b*c)^3)/(a^6*(4*a*c - b^2)^6) - ((A + a^3*(-(A*b^5 - 12*B*a^3*c^2 - 10 \\ & *A*a*b^3*c + 30*A*a^2*b*c^2)^2/(a^6*(4*a*c - b^2)^5))^(1/2))*((c^3*(4*A^2*b \\ & ^8 - 36*B^2*a^5*c^3 + 302*A^2*a^2*b^4*c^2 - 497*A^2*a^3*b^2*c^3 - 61*A^2*a* \\ & b^6*c - 204*A*B*a^3*b^3*c^2 + 24*A*B*a^2*b^5*c + 468*A*B*a^4*b*c^3))/(a^4*(\\ & 4*a*c - b^2)^4) - ((A + a^3*(-(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a \\ & ^2*b*c^2)^2/(a^6*(4*a*c - b^2)^5))^(1/2))*((2*c^3*x^2*(A*b^5 + 60*B*a^3*c^2 \\ & - 2*A*a*b^3*c + 10*A*a^2*b*c^2 - 24*B*a^2*b^2*c))/(a^2*(4*a*c - b^2)^2) + \\ & (4*b*c^2*(A*b^5 - 6*B*a^3*c^2 - 9*A*a*b^3*c + 23*A*a^2*b*c^2))/(a^2*(4*a*c \\ & - b^2)^2) + (b*c^2*(A + a^3*(-(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a \\ & ^2*b*c^2)^2/(a^6*(4*a*c - b^2)^5))^(1/2))*(a*b + 3*b^2*x^2 - 10*a*c*x^2))/a \\ & ^3))/(4*a^3) + (c^4*x^2*(6*A^2*b^7 + 409*A^2*a^2*b^3*c^2 + 480*A*B*a^4*c^3 \\ & - 89*A^2*a*b^5*c - 560*A^2*a^3*b*c^3 + 36*B^2*a^4*b*c^2 - 324*A*B*a^3*b^2*c \\ & ^2 + 42*A*B*a^2*b^4*c))/(a^4*(4*a*c - b^2)^4))/(4*a^3) + (A*c^4*(A*b^3 + 6 \\ & *B*a^2*c - 7*A*a*b*c)^2)/(a^6*(4*a*c - b^2)^4))*((c^5*x^2*(A*b^3 + 6*B*a^2* \\ & c - 7*A*a*b*c)^3)/(a^6*(4*a*c - b^2)^6) - ((A - a^3*(-(A*b^5 - 12*B*a^3*c^2 \\ & - 10*A*a*b^3*c + 30*A*a^2*b*c^2)^2/(a^6*(4*a*c - b^2)^5))^(1/2))*((c^3*(4* \\ & A^2*b^8 - 36*B^2*a^5*c^3 + 302*A^2*a^2*b^4*c^2 - 497*A^2*a^3*b^2*c^3 - 61*A \\ & ^2*a*b^6*c - 204*A*B*a^3*b^3*c^2 + 24*A*B*a^2*b^5*c + 468*A*B*a^4*b*c^3))/(\\ & a^4*(4*a*c - b^2)^4) - ((A - a^3*(-(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 3 \\ & 0*A*a^2*b*c^2)^2/(a^6*(4*a*c - b^2)^5))^(1/2))*((2*c^3*x^2*(A*b^5 + 60*B*a^ \\ & 3*c^2 - 2*A*a*b^3*c + 10*A*a^2*b*c^2 - 24*B*a^2*b^2*c))/(a^2*(4*a*c - b^2)^ \\ & 2) + (4*b*c^2*(A*b^5 - 6*B*a^3*c^2 - 9*A*a*b^3*c + 23*A*a^2*b*c^2))/(a^2*(4 \\ & *a*c - b^2)^2) + (b*c^2*(A - a^3*(-(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 3 \\ & 0*A*a^2*b*c^2)^2/(a^6*(4*a*c - b^2)^5))^(1/2))*(a*b + 3*b^2*x^2 - 10*a*c*x^ \\ & 2))/a^3))/(4*a^3) + (c^4*x^2*(6*A^2*b^7 + 409*A^2*a^2*b^3*c^2 + 480*A*B*a^4 \\ & *c^3 - 89*A^2*a*b^5*c - 560*A^2*a^3*b*c^3 + 36*B^2*a^4*b*c^2 - 324*A*B*a^3* \\ & b^2*c^2 + 42*A*B*a^2*b^4*c))/(a^4*(4*a*c - b^2)^4))/(4*a^3) + (A*c^4*(A*b^ \\ & 3 + 6*B*a^2*c - 7*A*a*b*c)^2)/(a^6*(4*a*c - b^2)^4))*((2*A*b^10 - 2048*A*a^ \\ & 5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4* \\ & b^2*c^4))/(2*(4*a^3*b^10 - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - \\ & 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)) - (\text{atan}((x^2*(((30720*B*a^11*c^9 \\ & + 5120*A*a^10*b*c^9 + 2*A*a^4*b^13*c^3 - 36*A*a^5*b^11*c^4 + 276*A*a^6*b^9 \\ & *c^5 - 1216*A*a^7*b^7*c^6 + 3456*A*a^8*b^5*c^7 - 6144*A*a^9*b^3*c^8 - 48*B* \\ & a^6*b^10*c^4 + 888*B*a^7*b^8*c^5 - 6528*B*a^8*b^6*c^6 + 23808*B*a^9*b^4*c^7 \\ & \end{aligned}$$

$$\begin{aligned}
& - 43008B^2a^{10}b^2c^8)/(a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) - ((2 \\
& *A^2b^{10} - 2048A^3a^5c^5 - 40A^4a^2b^8c + 320A^5a^2b^6c^2 - 1280A^6a^3b^4c^3 + 2560A^7a^4b^2c^4)*(163840a^{13}b^2c^9 - 12a^6b^{15}c^2 + 328a^7b^{13}c^3 - 3840a^8b^{11}c^4 + 24960a^9b^9c^5 - 97280a^{10}b^7c^6 + 227 \\
& 328a^{11}b^5c^7 - 294912a^{12}b^3c^8))/(2*(4a^3b^{10} - 4096a^8c^5 - 80 \\
& *a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)*(a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3 \\
& 840a^{10}b^4c^4 - 6144a^{11}b^2c^5)))*(A^2b^5 - 12B^3a^3c^2 - 10A^4a^2b^3c + 30A^5a^2b^2c^2))/(4a^3*(4a^3c - b^2)^{(5/2)}) - ((A^2b^5 - 12B^3a^3c^2 - \\
& 10A^4a^2b^3c + 30A^5a^2b^2c^2)*(2A^2b^{10} - 2048A^3a^5c^5 - 40A^4a^2b^8c + 320A^5a^2b^6c^2 - 1280A^6a^3b^4c^3 + 2560A^7a^4b^2c^4)*(163840a^{13} \\
& b^2c^9 - 12a^6b^{15}c^2 + 328a^7b^{13}c^3 - 3840a^8b^{11}c^4 + 24960a^9b^9c^5 - 97280a^{10}b^7c^6 + 227328a^{11}b^5c^7 - 294912a^{12}b^3c^8))/ \\
& (8a^3*(4a^3c - b^2)^{(5/2)}*(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)*(a^6b^{12} + 4096a^{12}c^6 \\
& - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5)))*(2A^2b^{10} - 2048A^3a^5c^5 - 40A^4a^2b^8c + 320A^5a^2b^6c^2 - 1280A^6a^3b^4c^3 + 2560A^7a^4b^2c^4))/(2*(4a^3b^{10} - 4096 \\
& *a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)) - (((6A^2a^2b^{11}c^4 - 137A^2a^3b^9c^5 + 1217A^2a^4b^7c^6 \\
& - 5256A^2a^5b^5c^7 + 11024A^2a^6b^3c^8 + 36B^2a^6b^5c^6 - 288B^2a^7b^3c^7 + 7680A^2B^2a^8c^9 - 8960A^2a^7b^2c^9 + 576B^2a^8b^2c^8 \\
& + 42A^2B^2a^4b^8c^5 - 660A^2B^2a^5b^6c^6 + 3744A^2B^2a^6b^4c^7 - 9024A^2B^2a^7b^2c^8)/(a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 \\
& - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) - (((30720B^2a^{11}c^9 + 5120A^2a^{10}b^2c^9 + 2A^2a^4b^{13}c^3 - 36A^2a^5b^{11}c^4 + 276A^2a^6b^9c^5 - 1216A^2a^7b^7c^6 + 3456A^2a^8b^5c^7 - 6144A^2a^9b^3c^8 \\
& - 48B^2a^6b^{10}c^4 + 888B^2a^7b^8c^5 - 6528B^2a^8b^6c^6 + 23808B^2a^9b^4c^7 - 43008B^2a^{10}b^2c^8)/(a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5 \\
&) - ((2A^2b^{10} - 2048A^3a^5c^5 - 40A^4a^2b^8c + 320A^5a^2b^6c^2 - 1280A^6a^3b^4c^3 + 2560A^7a^4b^2c^4)*(163840a^{13}b^2c^9 - 12a^6b^{15}c^2 + 3 \\
& 28a^7b^{13}c^3 - 3840a^8b^{11}c^4 + 24960a^9b^9c^5 - 97280a^{10}b^7c^6 + 227328a^{11}b^5c^7 - 294912a^{12}b^3c^8))/(2*(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4))* \\
& (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5)))*(2A^2b^{10} - 2048A^3a^5c^5 - \\
& 40A^4a^2b^8c + 320A^5a^2b^6c^2 - 1280A^6a^3b^4c^3 + 2560A^7a^4b^2c^4))/(2*(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)))*(A^2b^5 - 12B^3a^3c^2 - 10A^4a^2b^3c + 30A^5a^2b^2c^2))/(4a^3*(4a^3c - b^2)^{(5/2)}) + ((A^2b^5 - 12B^3a^3c^2 - 10A^4a^2b^3c + 30A^5a^2b^2c^2)^3*(163840a^{13}b^2c^9 - 12a^6b^{15}c^2 + 328a^7b^{13}c^3 - 3840a^8b^{11}c^4 + 24960a^9b^9c^5 - 97280a^{10}b^7c^6 + 22732 \\
& 8a^{11}b^5c^7 - 294912a^{12}b^3c^8))/(64a^9*(4a^3c - b^2)^{(15/2)}*(a^6b^{12}
\end{aligned}$$

$$\begin{aligned}
& 12 + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) \cdot (3A^2b^8 + 160A^2a^4c^4 - 39A^2a^6b^6c + 18B^2a^4b^6c^3 + 180A^2a^2b^4c^2 - 325A^2a^3b^2c^3 - 6B^2a^3b^3c^2) \\
& \cdot ((8a^3c^2(4a^2c - b^2)^{(13/2)}(6A^2b^{10} - 6400A^2a^5c^5 - 36B^2a^6c^4 + 960A^2a^2b^6c^2 - 3850A^2a^3b^4c^3 + 7775A^2a^4b^2c^4 - 120A^2a^2b^8c + 6A^2B^2a^3b^5c^2 - 60A^2B^2a^4b^3c^3 + 180A^2B^2a^5b^2c^4)) \\
& + ((A^3b^9c^5 + 216B^3a^6c^8 + 147A^3a^2b^5c^7 - 343A^3a^3b^3c^8 - 21A^3a^2b^7c^6 - 756A^2B^2a^5b^2c^8 + 108A^2B^2a^4b^3c^7 + 18A^2B^2a^2b^6c^6 - 252A^2B^2a^3b^4c^7 + 882A^2B^2a^4b^2c^8) \\
&) / (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) - (((6A^2a^2b^{11}c^4 - 137A^2a^3b^9c^5 + 1217A^2a^4b^7c^6 - 5256A^2a^5b^5c^7 + 11024A^2a^6b^3c^8 + 36B^2a^6b^5c^6 - 288B^2a^7b^3c^7 + 7680A^2B^2a^8c^9 - 8960A^2a^7b^2c^9 + 576B^2a^8b^2c^8 + 42A^2B^2a^4b^8c^5 - 660A^2B^2a^5b^6c^6 + 3744A^2B^2a^6b^4c^7 - 9024A^2B^2a^7b^2c^8) / (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) - (((30720B^2a^{11}c^9 + 5120A^2a^{10}b^2c^9 + 2A^2a^4b^{13}c^3 - 36A^2a^5b^{11}c^4 + 276A^2a^6b^9c^5 - 1216A^2a^7b^7c^6 + 3456A^2a^8b^5c^7 - 6144A^2a^9b^3c^8 - 48B^2a^6b^{10}c^4 + 888B^2a^7b^8c^5 - 6528B^2a^8b^6c^6 + 23808B^2a^9b^4c^7 - 43008B^2a^{10}b^2c^8) / (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) - ((2A^2b^{10} - 2048A^2a^5c^5 - 40A^2a^6b^8c + 320A^2a^2b^6c^2 - 1280A^2a^3b^4c^3 + 2560A^2a^4b^2c^4) * (163840a^{13}b^2c^9 - 12a^6b^{15}c^2 + 328a^7b^{13}c^3 - 3840a^8b^{11}c^4 + 24960a^9b^9c^5 - 97280a^{10}b^7c^6 + 227328a^{11}b^5c^7 - 294912a^{12}b^3c^8)) / (2(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4) * (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5))) * (2A^2b^{10} - 2048A^2a^5c^5 - 40A^2a^6b^8c + 320A^2a^2b^6c^2 - 1280A^2a^3b^4c^3 + 2560A^2a^4b^2c^4) / (2(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)) * (2A^2b^{10} - 2048A^2a^5c^5 - 40A^2a^6b^8c + 320A^2a^2b^6c^2 - 1280A^2a^3b^4c^3 + 2560A^2a^4b^2c^4) / (2(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)) - (((((30720B^2a^{11}c^9 + 5120A^2a^{10}b^2c^9 + 2A^2a^4b^{13}c^3 - 36A^2a^5b^{11}c^4 + 276A^2a^6b^9c^5 - 1216A^2a^7b^7c^6 + 3456A^2a^8b^5c^7 - 6144A^2a^9b^3c^8 - 48B^2a^6b^{10}c^4 + 888B^2a^7b^8c^5 - 6528B^2a^8b^6c^6 + 23808B^2a^9b^4c^7 - 43008B^2a^{10}b^2c^8) / (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5) - ((2A^2b^{10} - 2048A^2a^5c^5 - 40A^2a^6b^8c + 320A^2a^2b^6c^2 - 1280A^2a^3b^4c^3 + 2560A^2a^4b^2c^4) * (163840a^{13}b^2c^9 - 12a^6b^{15}c^2 + 328a^7b^{13}c^3 - 3840a^8b^{11}c^4 + 24960a^9b^9c^5 - 97280a^{10}b^7c^6 + 227328a^{11}b^5c^7 - 294912a^{12}b^3c^8)) / (2(4a^3b^{10} - 4096a^8c^5 - 80a^4b^8c + 640a^5b^6c^2 - 2560a^6b^4c^3 + 5120a^7b^2c^4)) * (a^6b^{12} + 4096a^{12}c^6 - 24a^7b^{10}c + 240a^8b^8c^2 - 1280a^9b^6c^3 + 3840a^{10}b^4c^4 - 6144a^{11}b^2c^5)
\end{aligned}$$

$$\begin{aligned}
& + 3840*a^{10}*b^4*c^4 - 6144*a^{11}*b^2*c^5)))*(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2))/(4*a^3*(4*a*c - b^2)^{(5/2)}) - ((A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)*(2*A*b^{10} - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4)*(163840*a^{13}*b*c^9 - 12*a^6*b^{15}*c^2 + 328*a^7*b^{13}*c^3 - 3840*a^8*b^{11}*c^4 + 24960*a^9*b^9*c^5 - 97280*a^{10}*b^7*c^6 + 227328*a^{11}*b^5*c^7 - 294912*a^{12}*b^3*c^8))/(8*a^3*(4*a*c - b^2)^{(5/2)}*(4*a^3*b^{10} - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)*(a^6*b^{12} + 4096*a^{12}*c^6 - 24*a^7*b^{10}*c + 240*a^8*b^8*c^2 - 1280*a^9*b^6*c^3 + 3840*a^{10}*b^4*c^4 - 6144*a^{11}*b^2*c^5)))*(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2))/(4*a^3*(4*a*c - b^2)^{(5/2)}) + ((A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)^2*(2*A*b^{10} - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4)*(163840*a^{13}*b*c^9 - 12*a^6*b^{15}*c^2 + 328*a^7*b^{13}*c^3 - 3840*a^8*b^{11}*c^4 + 24960*a^9*b^9*c^5 - 97280*a^{10}*b^7*c^6 + 227328*a^{11}*b^5*c^7 - 294912*a^{12}*b^3*c^8))/(32*a^6*(4*a*c - b^2)^5*(4*a^3*b^{10} - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)*(a^6*b^{12} + 4096*a^{12}*c^6 - 24*a^7*b^{10}*c + 240*a^8*b^8*c^2 - 1280*a^9*b^6*c^3 + 3840*a^{10}*b^4*c^4 - 6144*a^{11}*b^2*c^5)))*(3*A*b^7 + 6*B*a^4*c^3 - 33*A*a*b^5*c - 135*A*a^3*b*c^3 + 120*A*a^2*b^3*c^2 - 6*B*a^3*b^2*c^2))/(8*a^3*c^2*(4*a*c - b^2)^6*(6*A^2*b^{10} - 6400*A^2*a^5*c^5 - 36*B^2*a^6*c^4 + 960*A^2*a^2*b^6*c^2 - 3850*A^2*a^3*b^4*c^3 + 7775*A^2*a^4*b^2*c^4 - 120*A^2*a*b^8*c + 6*A*B*a^3*b^5*c^2 - 60*A*B*a^4*b^3*c^3 + 180*A*B*a^5*b*c^4)))*(16*a^9*b^{12}*(4*a*c - b^2)^{(15/2)} + 65536*a^{15}*c^6*(4*a*c - b^2)^{(15/2)} - 384*a^{10}*b^{10}*c*(4*a*c - b^2)^{(15/2)} + 3840*a^{11}*b^8*c^2*(4*a*c - b^2)^{(15/2)} - 20480*a^{12}*b^6*c^3*(4*a*c - b^2)^{(15/2)} + 61440*a^{13}*b^4*c^4*(4*a*c - b^2)^{(15/2)} - 98304*a^{14}*b^2*c^5*(4*a*c - b^2)^{(15/2)}))/(A^2*b^{10}*c^2 + 144*B^2*a^6*c^6 + 160*A^2*a^2*b^6*c^4 - 600*A^2*a^3*b^4*c^5 + 900*A^2*a^4*b^2*c^6 - 20*A^2*a*b^8*c^3 - 24*A*B*a^3*b^5*c^4 + 240*A*B*a^4*b^3*c^5 - 720*A*B*a^5*b*c^6) - (((((((384*B*a^9*b*c^6 - 4*A*a^4*b^{10}*c^2 + 68*A*a^5*b^8*c^3 - 444*A*a^6*b^6*c^4 + 1312*A*a^7*b^4*c^5 - 1472*A*a^8*b^2*c^6 + 24*B*a^7*b^5*c^4 - 192*B*a^8*b^3*c^5)/(a^6*b^8 + 256*a^{10}*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3) - ((4*a^7*b^{10}*c^2 - 64*a^8*b^8*c^3 + 384*a^9*b^6*c^4 - 1024*a^{10}*b^4*c^5 + 1024*a^{11}*b^2*c^6)*(2*A*b^{10} - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4))/(2*(a^6*b^8 + 256*a^{10}*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3)*(4*a^3*b^{10} - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)))*(A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2))/(4*a^3*(4*a*c - b^2)^{(5/2)}) - ((A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)*(4*a^7*b^{10}*c^2 - 64*a^8*b^8*c^3 + 384*a^9*b^6*c^4 - 1024*a^{10}*b^4*c^5 + 1024*a^{11}*b^2*c^6)*(2*A*b^{10} - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4))/(8*a^3*(4*a*c - b^2)^{(5/2)}*(a^6*b^8 + 256*a^{10}*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3)*(4*a^3*b^{10} - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4))))*(2*A*b^{10} - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*
\end{aligned}$$

$$\begin{aligned}
& (560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)) * (2*A*b^10 - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4) / (2*(4*a^3*b^10 - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)) * (2*A*b^10 - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4) / (2*(4*a^3*b^10 - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4)) + (((((384*B*a^9*b*c^6 - 4*A*a^4*b^10*c^2 + 68*A*a^5*b^8*c^3 - 444*A*a^6*b^6*c^4 + 1312*A*a^7*b^4*c^5 - 1472*A*a^8*b^2*c^6 + 24*B*a^7*b^5*c^4 - 192*B*a^8*b^3*c^5) / (a^6*b^8 + 256*a^10*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3) - ((4*a^7*b^10*c^2 - 64*a^8*b^8*c^3 + 384*a^9*b^6*c^4 - 1024*a^10*b^4*c^5 + 1024*a^11*b^2*c^6) * (2*A*b^10 - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4)) / (2*(a^6*b^8 + 256*a^10*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3)) * (4*a^3*b^10 - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4))) * (A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)) / (4*a^3*(4*a*c - b^2)^(5/2)) - ((A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2) * (4*a^7*b^10*c^2 - 64*a^8*b^8*c^3 + 384*a^9*b^6*c^4 - 1024*a^10*b^4*c^5 + 1024*a^11*b^2*c^6) * (2*A*b^10 - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4)) / (8*a^3*(4*a*c - b^2)^(5/2) * (a^6*b^8 + 256*a^10*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3) * (4*a^3*b^10 - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4))) * (A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)) / (4*a^3*(4*a*c - b^2)^(5/2)) - ((A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)^2 * (4*a^7*b^10*c^2 - 64*a^8*b^8*c^3 + 384*a^9*b^6*c^4 - 1024*a^10*b^4*c^5 + 1024*a^11*b^2*c^6) * (2*A*b^10 - 2048*A*a^5*c^5 - 40*A*a*b^8*c + 320*A*a^2*b^6*c^2 - 1280*A*a^3*b^4*c^3 + 2560*A*a^4*b^2*c^4)) / (32*a^6*(4*a*c - b^2)^5 * (a^6*b^8 + 256*a^10*c^4 - 16*a^7*b^6*c + 96*a^8*b^4*c^2 - 256*a^9*b^2*c^3) * (4*a^3*b^10 - 4096*a^8*c^5 - 80*a^4*b^8*c + 640*a^5*b^6*c^2 - 2560*a^6*b^4*c^3 + 5120*a^7*b^2*c^4))) * (3*A*b^7 + 6*B*a^4*c^3 - 33*A*a*b^5*c - 135*A*a^3*b*c^3 + 120*A*a^2*b^3*c^2 - 6*B*a^3*b^2*c^2) * (16*a^9*b^12*(4*a*c - b^2)^(15/2) + 65536*a^15*c^6*(4*a*c - b^2)^(15/2) - 384*a^10*b^10*c*(4*a*c - b^2)^(15/2) + 3840*a^11*b^8*c^2*(4*a*c - b^2)^(15/2) - 20480*a^12*b^6*c^3*(4*a*c - b^2)^(15/2) + 61440*a^13*b^4*c^4*(4*a*c - b^2)^(15/2) - 98304*a^14*b^2*c^5*(4*a*c - b^2)^(15/2))) / (8*a^3*c^2*(4*a*c - b^2)^6 * (A^2*b^10*c^2 + 144*B^2*a^6*c^6 + 160*A^2*a^2*b^6*c^4 - 600*A^2*a^3*b^4*c^5 + 900*A^2*a^4*b^2*c^6 - 20*A^2*a*b^8*c^3 - 24*A*B*a^3*b^5*c^4 + 240*A*B*a^4*b^3*c^5 - 720*A*B*a^5*b*c^6) * (6*A^2*b^10 - 6400*A^2*a^5*c^5 - 36*B^2*a^6*c^4 + 960*A^2*a^2*b^6*c^2 - 3850*A^2*a^3*b^4*c^3 + 7775*A^2*a^4*b^2*c^4 - 120*A^2*a*b^8*c + 6*A*B*a^3*b^5*c^2 - 60*A*B*a^4*b^3*c^3 + 180*A*B*a^5*b*c^4))) * (A*b^5 - 12*B*a^3*c^2 - 10*A*a*b^3*c + 30*A*a^2*b*c^2)) / (2*a^3*(4*a*c - b^2)^(5/2))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x**2+A)/x/(c*x**4+b*x**2+a)**3,x)
```

```
[Out] Timed out
```

$$3.131 \quad \int \frac{A+Bx^2}{x^3(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=363

$$\frac{(3Ab - aB) \log(a + bx^2 + cx^4)}{4a^4} - \frac{\log(x)(3Ab - aB)}{a^4} - \frac{-A(20a^2c^2 - 20ab^2c + 3b^4) + cx^2(aB(b^2 - 16ac) - 3A(b^3 - 6abc))}{4a^2x^2(b^2 - 4ac)^2(a + bx^2 + cx^4)}$$

[Out] $\frac{1}{2}(a*b*B*(-7*a*c+b^2)-3*A*(10*a^2*c^2-7*a*b^2*c+b^4))/a^3/(-4*a*c+b^2)^2/x^2+1/4*(-a*b*B+A*(-2*a*c+b^2)+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/x^2/(c*x^4+b*x^2+a)^2+1/4*(-a*b*B*(-10*a*c+b^2)+A*(20*a^2*c^2-20*a*b^2*c+3*b^4)-c*(a*B*(-16*a*c+b^2)-3*A*(-6*a*b*c+b^3))*x^2)/a^2/(-4*a*c+b^2)^2/x^2/(c*x^4+b*x^2+a)+1/2*(a*b*B*(30*a^2*c^2-10*a*b^2*c+b^4)-3*A*(-20*a^3*c^3+30*a^2*b^2*c^2-10*a*b^4*c+b^6))*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/a^4/(-4*a*c+b^2)^{(5/2)}-(3*A*b-B*a)*\ln(x)/a^4+1/4*(3*A*b-B*a)*\ln(c*x^4+b*x^2+a)/a^4$

Rubi [A] time = 0.77, antiderivative size = 363, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 822, 800, 634, 618, 206, 628}

$$\frac{abB(b^2 - 7ac) - 3A(10a^2c^2 - 7ab^2c + b^4)}{2a^3x^2(b^2 - 4ac)^2} - \frac{-A(20a^2c^2 - 20ab^2c + 3b^4) + cx^2(aB(b^2 - 16ac) - 3A(b^3 - 6abc))}{4a^2x^2(b^2 - 4ac)^2(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^3), x]

[Out] $\frac{(a*b*B*(b^2 - 7*a*c) - 3*A*(b^4 - 7*a*b^2*c + 10*a^2*c^2))/(2*a^3*(b^2 - 4*a*c)^2*x^2) - (a*b*B - A*(b^2 - 2*a*c) - (A*b - 2*a*B)*c*x^2)/(4*a*(b^2 - 4*a*c)*x^2*(a + b*x^2 + c*x^4)^2) - (a*b*B*(b^2 - 10*a*c) - A*(3*b^4 - 20*a*b^2*c + 20*a^2*c^2) + c*(a*B*(b^2 - 16*a*c) - 3*A*(b^3 - 6*a*b*c))*x^2)/(4*a^2*(b^2 - 4*a*c)^2*x^2*(a + b*x^2 + c*x^4)) + ((a*b*B*(b^4 - 10*a*b^2*c + 30*a^2*c^2) - 3*A*(b^6 - 10*a*b^4*c + 30*a^2*b^2*c^2 - 20*a^3*c^3))*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*a^4*(b^2 - 4*a*c)^{(5/2)}) - ((3*A*b - a*B)*\operatorname{Log}[x])/a^4 + ((3*A*b - a*B)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*a^4)}$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 800

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
```

gerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^3 (a + bx^2 + cx^4)^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x^2 (a + bx + cx^2)^3} dx, x, x^2 \right) \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2} - \frac{\text{Subst} \left(\int \frac{-3Ab^2 + abB + 10aAc - 4(Ab - 2aB)cx}{x^2(a + bx + cx^2)^2} dx, x \right)}{4a(b^2 - 4ac)} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2} - \frac{abB(b^2 - 10ac) - A(3b^4 - 20ab^2c + 20a^2c^2)}{4a^2(b^2 - 4ac)^2} \\
&= -\frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2} - \frac{abB(b^2 - 10ac) - A(3b^4 - 20ab^2c + 20a^2c^2)}{4a^2(b^2 - 4ac)^2} \\
&= \frac{abB(b^2 - 7ac) - 3A(b^4 - 7ab^2c + 10a^2c^2)}{2a^3(b^2 - 4ac)^2 x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2} \\
&= \frac{abB(b^2 - 7ac) - 3A(b^4 - 7ab^2c + 10a^2c^2)}{2a^3(b^2 - 4ac)^2 x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2} \\
&= \frac{abB(b^2 - 7ac) - 3A(b^4 - 7ab^2c + 10a^2c^2)}{2a^3(b^2 - 4ac)^2 x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2} \\
&= \frac{abB(b^2 - 7ac) - 3A(b^4 - 7ab^2c + 10a^2c^2)}{2a^3(b^2 - 4ac)^2 x^2} - \frac{abB - A(b^2 - 2ac) - (Ab - 2aB)cx^2}{4a(b^2 - 4ac)x^2(a + bx^2 + cx^4)^2}
\end{aligned}$$

Mathematica [A] time = 1.50, size = 642, normalized size = 1.77

$$-\frac{a^2(A(-3abc - 2ac^2x^2 + b^3 + b^2cx^2) + aB(2ac - b^2 - bcx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{a(aB(16a^2c^2 - 15ab^2c - 14abc^2x^2 + 2b^4 + 2b^3cx^2) - A(46a^2bc^2 + 28a^2c^3x^2 - 29ab^3c - 26ab^2c^2x^2))}{(b^2 - 4ac)^2(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^3), x]

[Out]
$$\begin{aligned} &((-2*a*A)/x^2 - (a^2*(a*B*(-b^2 + 2*a*c - b*c*x^2) + A*(b^3 - 3*a*b*c + b^2 \\ &*c*x^2 - 2*a*c^2*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (a*(a*B*(2* \\ &b^4 - 15*a*b^2*c + 16*a^2*c^2 + 2*b^3*c*x^2 - 14*a*b*c^2*x^2) - A*(4*b^5 - \\ &29*a*b^3*c + 46*a^2*b*c^2 + 4*b^4*c*x^2 - 26*a*b^2*c^2*x^2 + 28*a^2*c^3*x^2 \\ &)))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + 4*(-3*A*b + a*B)*Log[x] + ((-a \\ &*B*(b^5 - 10*a*b^3*c + 30*a^2*b*c^2 + b^4*sqrt[b^2 - 4*a*c] - 8*a*b^2*c*sqrt \\ &[b^2 - 4*a*c] + 16*a^2*c^2*sqrt[b^2 - 4*a*c])) + 3*A*(b^6 - 10*a*b^4*c + 3 \\ &0*a^2*b^2*c^2 - 20*a^3*c^3 + b^5*sqrt[b^2 - 4*a*c] - 8*a*b^3*c*sqrt[b^2 - 4 \\ &*a*c] + 16*a^2*b*c^2*sqrt[b^2 - 4*a*c]))*Log[b - sqrt[b^2 - 4*a*c] + 2*c*x^ \\ &2]/(b^2 - 4*a*c)^(5/2) + ((a*B*(b^5 - 10*a*b^3*c + 30*a^2*b*c^2 - b^4*sqrt \\ &[b^2 - 4*a*c] + 8*a*b^2*c*sqrt[b^2 - 4*a*c] - 16*a^2*c^2*sqrt[b^2 - 4*a*c]) \\ &+ 3*A*(-b^6 + 10*a*b^4*c - 30*a^2*b^2*c^2 + 20*a^3*c^3 + b^5*sqrt[b^2 - 4* \\ &a*c] - 8*a*b^3*c*sqrt[b^2 - 4*a*c] + 16*a^2*b*c^2*sqrt[b^2 - 4*a*c]))*Log[b \\ &+ sqrt[b^2 - 4*a*c] + 2*c*x^2]/(b^2 - 4*a*c)^(5/2))/(4*a^4) \end{aligned}$$

fricas [B] time = 10.17, size = 3956, normalized size = 10.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} &[-1/4*(2*A*a^3*b^6 - 24*A*a^4*b^4*c + 96*A*a^5*b^2*c^2 - 128*A*a^6*c^3 - 2* \\ &(120*A*a^4*c^5 + 2*(14*B*a^4*b - 57*A*a^3*b^2)*c^4 - 11*(B*a^3*b^3 - 3*A*a^ \\ &2*b^4)*c^3 + (B*a^2*b^5 - 3*A*a*b^6)*c^2)*x^8 + (8*(8*B*a^5 - 69*A*a^4*b)*c \\ &^4 - 6*(22*B*a^4*b^2 - 81*A*a^3*b^3)*c^3 + 45*(B*a^3*b^4 - 3*A*a^2*b^5)*c^2 \\ &- 4*(B*a^2*b^6 - 3*A*a*b^7)*c)*x^6 - 2*(B*a^2*b^7 - 3*A*a*b^8 + 200*A*a^5* \\ &c^4 + 2*(2*B*a^5*b - 11*A*a^4*b^2)*c^3 + (23*B*a^4*b^3 - 79*A*a^3*b^4)*c^2 \\ &- 10*(B*a^3*b^5 - 3*A*a^2*b^6)*c)*x^4 - (3*B*a^3*b^6 - 9*A*a^2*b^7 - 8*(12* \\ &B*a^6 - 61*A*a^5*b)*c^3 + 2*(54*B*a^5*b^2 - 197*A*a^4*b^3)*c^2 - (33*B*a^4* \\ &b^4 - 104*A*a^3*b^5)*c)*x^2 - ((60*A*a^3*c^5 + 30*(B*a^3*b - 3*A*a^2*b^2)*c \\ &^4 - 10*(B*a^2*b^3 - 3*A*a*b^4)*c^3 + (B*a*b^5 - 3*A*b^6)*c^2)*x^10 + 2*(60 \\ &*A*a^3*b*c^4 + 30*(B*a^3*b^2 - 3*A*a^2*b^3)*c^3 - 10*(B*a^2*b^4 - 3*A*a*b^5 \\ &)*c^2 + (B*a*b^6 - 3*A*b^7)*c)*x^8 + (B*a*b^7 - 3*A*b^8 + 120*A*a^4*c^4 + 6 \\ &0*(B*a^4*b - 2*A*a^3*b^2)*c^3 + 10*(B*a^3*b^3 - 3*A*a^2*b^4)*c^2 - 8*(B*a^2 \\ &*b^5 - 3*A*a*b^6)*c)*x^6 + 2*(B*a^2*b^6 - 3*A*a*b^7 + 60*A*a^4*b*c^3 + 30*(\\ &B*a^4*b^2 - 3*A*a^3*b^3)*c^2 - 10*(B*a^3*b^4 - 3*A*a^2*b^5)*c)*x^4 + (B*a^3 \\ &*b^5 - 3*A*a^2*b^6 + 60*A*a^5*c^3 + 30*(B*a^5*b - 3*A*a^4*b^2)*c^2 - 10*(B* \\ &a^4*b^3 - 3*A*a^3*b^4)*c)*x^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 \\ &+ b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - ((\\ &64*(B*a^4 - 3*A*a^3*b)*c^5 - 48*(B*a^3*b^2 - 3*A*a^2*b^3)*c^4 + 12*(B*a^2*b \end{aligned}$$

$$\begin{aligned}
&^4 - 3A^*a^*b^5)*c^3 - (B^*a^*b^6 - 3A^*b^7)*c^2)*x^{10} + 2*(64*(B^*a^4*b - 3A^*a^3*b^2)*c^4 - 48*(B^*a^3*b^3 - 3A^*a^2*b^4)*c^3 + 12*(B^*a^2*b^5 - 3A^*a*b^6) \\
&)*c^2 - (B^*a^*b^7 - 3A^*b^8)*c)*x^8 - (B^*a^*b^8 - 3A^*b^9 - 128*(B^*a^5 - 3A^*a^4*b))*c^4 + 32*(B^*a^4*b^2 - 3A^*a^3*b^3)*c^3 + 24*(B^*a^3*b^4 - 3A^*a^2*b^5) \\
&)*c^2 - 10*(B^*a^2*b^6 - 3A^*a*b^7)*c)*x^6 - 2*(B^*a^2*b^7 - 3A^*a*b^8 - 64*(B^*a^5*b - 3A^*a^4*b^2))*c^3 + 48*(B^*a^4*b^3 - 3A^*a^3*b^4)*c^2 - 12*(B^*a^3*b^5 - 3A^*a^2*b^6)*c)*x^4 - (B^*a^3*b^6 - 3A^*a^2*b^7 - 64*(B^*a^6 - 3A^*a^5*b) \\
&)*c^3 + 48*(B^*a^5*b^2 - 3A^*a^4*b^3)*c^2 - 12*(B^*a^4*b^4 - 3A^*a^3*b^5)*c)*x^2)*\log(cx^4 + bx^2 + a) + 4*((64*(B^*a^4 - 3A^*a^3*b)*c^5 - 48*(B^*a^3*b^2 - 3A^*a^2*b^3)*c^4 + 12*(B^*a^2*b^4 - 3A^*a*b^5)*c^3 - (B^*a^*b^6 - 3A^*b^7) \\
&)*c^2)*x^{10} + 2*(64*(B^*a^4*b - 3A^*a^3*b^2)*c^4 - 48*(B^*a^3*b^3 - 3A^*a^2*b^4)*c^3 + 12*(B^*a^2*b^5 - 3A^*a*b^6)*c^2 - (B^*a^*b^7 - 3A^*b^8)*c)*x^8 - (B^*a^*b^8 - 3A^*b^9 - 128*(B^*a^5 - 3A^*a^4*b))*c^4 + 32*(B^*a^4*b^2 - 3A^*a^3*b^3) \\
&)*c^3 + 24*(B^*a^3*b^4 - 3A^*a^2*b^5)*c^2 - 10*(B^*a^2*b^6 - 3A^*a*b^7)*c)*x^6 - 2*(B^*a^2*b^7 - 3A^*a*b^8 - 64*(B^*a^5*b - 3A^*a^4*b^2))*c^3 + 48*(B^*a^4*b^3 - 3A^*a^3*b^4)*c^2 - 12*(B^*a^3*b^5 - 3A^*a^2*b^6)*c)*x^4 - (B^*a^3*b^6 - 3A^*a^2*b^7 - 64*(B^*a^6 - 3A^*a^5*b) \\
&)*c^3 + 48*(B^*a^5*b^2 - 3A^*a^4*b^3)*c^2 - 12*(B^*a^4*b^4 - 3A^*a^3*b^5)*c)*x^2)*\log(x))/((a^4*b^6*c^2 - 12*a^5*b^4*c^3 + 48*a^6*b^2*c^4 - 64*a^7*c^5)*x^{10} + 2*(a^4*b^7*c - 12*a^5*b^5*c^2 + 48 \\
&)*a^6*b^3*c^3 - 64*a^7*b*c^4)*x^8 + (a^4*b^8 - 10*a^5*b^6*c + 24*a^6*b^4*c^2 + 32*a^7*b^2*c^3 - 128*a^8*c^4)*x^6 + 2*(a^5*b^7 - 12*a^6*b^5*c + 48*a^7*b^3*c^2 - 64*a^8*b*c^3)*x^4 + (a^6*b^6 - 12*a^7*b^4*c + 48*a^8*b^2*c^2 - 64*a^9*c^3)*x^2), -1/4*(2*A^*a^3*b^6 - 24*A^*a^4*b^4*c + 96*A^*a^5*b^2*c^2 - 128* \\
&A^*a^6*c^3 - 2*(120*A^*a^4*c^5 + 2*(14*B^*a^4*b - 57*A^*a^3*b^2)*c^4 - 11*(B^*a^3*b^3 - 3A^*a^2*b^4)*c^3 + (B^*a^2*b^5 - 3A^*a*b^6)*c^2)*x^8 + (8*(8*B^*a^5 - 69*A^*a^4*b)*c^4 - 6*(22*B^*a^4*b^2 - 81*A^*a^3*b^3)*c^3 + 45*(B^*a^3*b^4 - 3A^*a^2*b^5)*c^2 - 4*(B^*a^2*b^6 - 3A^*a*b^7)*c)*x^6 - 2*(B^*a^2*b^7 - 3A^*a*b^8 + 200*A^*a^5*c^4 + 2*(2*B^*a^5*b - 11*A^*a^4*b^2)*c^3 + (23*B^*a^4*b^3 - 79*A^*a^3*b^4)*c^2 - 10*(B^*a^3*b^5 - 3A^*a^2*b^6)*c)*x^4 - (3*B^*a^3*b^6 - 9*A^*a^2*b^7 - 8*(12*B^*a^6 - 61*A^*a^5*b)*c^3 + 2*(54*B^*a^5*b^2 - 197*A^*a^4*b^3)*c^2 - (33*B^*a^4*b^4 - 104*A^*a^3*b^5)*c)*x^2 - 2*((60*A^*a^3*c^5 + 30*(B^*a^3*b - 3A^*a^2*b^2)*c^4 - 10*(B^*a^2*b^3 - 3A^*a*b^4)*c^3 + (B^*a^*b^5 - 3A^*b^6)*c^2)*x^{10} + 2*(60*A^*a^3*b*c^4 + 30*(B^*a^3*b^2 - 3A^*a^2*b^3)*c^3 - 10*(B^*a^2*b^4 - 3A^*a*b^5)*c^2 + (B^*a^*b^6 - 3A^*b^7)*c)*x^8 + (B^*a^*b^7 - 3A^*b^8 + 120*A^*a^4*c^4 + 60*(B^*a^4*b - 2*A^*a^3*b^2)*c^3 + 10*(B^*a^3*b^3 - 3A^*a^2*b^4)*c^2 - 8*(B^*a^2*b^5 - 3A^*a*b^6)*c)*x^6 + 2*(B^*a^2*b^6 - 3A^*a*b^7 + 60*A^*a^4*b*c^3 + 30*(B^*a^4*b^2 - 3A^*a^3*b^3)*c^2 - 10*(B^*a^3*b^4 - 3A^*a^2*b^5)*c)*x^4 + (B^*a^3*b^5 - 3A^*a^2*b^6 + 60*A^*a^5*c^3 + 30*(B^*a^5*b - 3A^*a^4*b^2)*c^2 - 10*(B^*a^4*b^3 - 3A^*a^3*b^4)*c)*x^2)*\sqrt{-b^2 + 4*a*c})*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4*a*c)) - ((64*(B^*a^4 - 3A^*a^3*b)*c^5 - 48*(B^*a^3*b^2 - 3A^*a^2*b^3)*c^4 + 12*(B^*a^2*b^4 - 3A^*a*b^5)*c^3 - (B^*a^*b^6 - 3A^*b^7)*c^2)*x^{10} + 2*(64*(B^*a^4*b - 3A^*a^3*b^2)*c^4 - 48*(B^*a^3*b^3 - 3A^*a^2*b^4)*c^3 + 12*(B^*a^2*b^5 - 3A^*a*b^6)*c^2 - (B^*a^*b^7 - 3A^*b^8)*c)*x^8 - (B^*a^*b^8 - 3A^*b^9 - 128*(B^*a^5 - 3A^*a^4*b))*c^4 + 32*(B^*a^4*b^2 - 3A^*a^3*b^3)*c^3 + 24*(B^*a^3*b^4 - 3A^*a^2*b^5)*c^2 - 10*(B^*a^2*b^6 -
\end{aligned}$$

$$\begin{aligned}
& 3A^2b^7)c)x^6 - 2(Ba^2b^7 - 3A^2b^8 - 64(Ba^5b - 3A^4b^2)*c \\
& ^3 + 48(Ba^4b^3 - 3A^3b^4)*c^2 - 12(Ba^3b^5 - 3A^2b^6)*c)x^4 \\
& - (Ba^3b^6 - 3A^2b^7 - 64(Ba^6 - 3A^5b)*c^3 + 48(Ba^5b^2 - \\
& 3A^4b^3)*c^2 - 12(Ba^4b^4 - 3A^3b^5)*c)x^2)*\log(cx^4 + bx^2 + \\
& a) + 4*((64(Ba^4 - 3A^3b)*c^5 - 48(Ba^3b^2 - 3A^2b^3)*c^4 + 1 \\
& 2*(Ba^2b^4 - 3A^2b^5)*c^3 - (Ba^2b^6 - 3A^2b^7)*c^2)*x^{10} + 2*(64(Ba^ \\
& 4b - 3A^3b^2)*c^4 - 48(Ba^3b^3 - 3A^2b^4)*c^3 + 12*(Ba^2b^5 - \\
& 3A^2b^6)*c^2 - (Ba^2b^7 - 3A^2b^8)*c)x^8 - (Ba^2b^8 - 3A^2b^9 - 128*(B \\
& a^5 - 3A^4b)*c^4 + 32*(Ba^4b^2 - 3A^3b^3)*c^3 + 24*(Ba^3b^4 - 3 \\
& A^2b^5)*c^2 - 10*(Ba^2b^6 - 3A^2b^7)*c)x^6 - 2*(Ba^2b^7 - 3A^2b \\
& b^8 - 64*(Ba^5b - 3A^4b^2)*c^3 + 48*(Ba^4b^3 - 3A^3b^4)*c^2 - 1 \\
& 2*(Ba^3b^5 - 3A^2b^6)*c)x^4 - (Ba^3b^6 - 3A^2b^7 - 64*(Ba^6 - \\
& 3A^5b)*c^3 + 48*(Ba^5b^2 - 3A^4b^3)*c^2 - 12*(Ba^4b^4 - 3A^3b \\
& 3b^5)*c)x^2)*\log(x)/((a^4b^6c^2 - 12a^5b^4c^3 + 48a^6b^2c^4 - 64 \\
& a^7c^5)*x^{10} + 2*(a^4b^7c - 12a^5b^5c^2 + 48a^6b^3c^3 - 64a^7b^* \\
& c^4)*x^8 + (a^4b^8 - 10a^5b^6c + 24a^6b^4c^2 + 32a^7b^2c^3 - 128* \\
& a^8c^4)*x^6 + 2*(a^5b^7 - 12a^6b^5c + 48a^7b^3c^2 - 64a^8b^*c^3)*x \\
& ^4 + (a^6b^6 - 12a^7b^4c + 48a^8b^2c^2 - 64a^9c^3)*x^2)]
\end{aligned}$$

giac [A] time = 6.37, size = 648, normalized size = 1.79

$$\frac{(Bab^5 - 3Ab^6 - 10Ba^2b^3c + 30Aab^4c + 30Ba^3bc^2 - 90Aa^2b^2c^2 + 60Aa^3c^3) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) + 3Bab^4c^2x^8 - 2(a^4b^4 - 8a^5b^2c + 16a^6c^2)\sqrt{-b^2+4ac}}{2(a^4b^4 - 8a^5b^2c + 16a^6c^2)\sqrt{-b^2+4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned}
& -1/2*(B^2b^5 - 3A^2b^6 - 10B^2a^2b^3c + 30A^2a^2b^4c + 30B^2a^3b^3c^2 - \\
& 90A^2a^2b^2c^2 + 60A^2a^3c^3)*\arctan((2cx^2 + b)/\sqrt{-b^2 + 4ac})/(\\
& (a^4b^4 - 8a^5b^2c + 16a^6c^2)*\sqrt{-b^2 + 4ac}) + 1/8*(3B^2a^2b^4c \\
& ^2*x^8 - 9A^2b^5c^2*x^8 - 24B^2a^2b^2c^3*x^8 + 72A^2a^2b^3c^3*x^8 + 48B \\
& ^2a^3c^4*x^8 - 144A^2a^2b^4c^4*x^8 + 6B^2a^2b^5c^5*x^6 - 18A^2b^6c^6*x^6 - 44* \\
& B^2a^2b^3c^2*x^6 + 136A^2a^2b^4c^2*x^6 + 68B^2a^3b^3c^3*x^6 - 236A^2a^2b^ \\
& 2c^3*x^6 - 56A^2a^3c^4*x^6 + 3B^2a^2b^6*x^4 - 9A^2b^7*x^4 - 10B^2a^2b^4c \\
& *x^4 + 38A^2a^2b^5c*x^4 - 58B^2a^3b^2c^2*x^4 + 110A^2a^2b^3c^2*x^4 + 12 \\
& 8B^2a^4c^3*x^4 - 436A^2a^3b^3c^3*x^4 + 10B^2a^2b^5*x^2 - 26A^2a^2b^6*x^2 - \\
& 72B^2a^3b^3c^3*x^2 + 192A^2a^2b^4c^4*x^2 + 92B^2a^4b^3c^2*x^2 - 316A^2a^3b \\
& b^2c^2*x^2 - 72A^2a^4c^3*x^2 + 9B^2a^3b^4 - 19A^2a^2b^5 - 66B^2a^4b^2* \\
& c + 144A^2a^3b^3c + 96B^2a^5c^2 - 260A^2a^4b^3c^2)/((a^4b^4 - 8a^5b^2 \\
& *c + 16a^6c^2)*(c*x^4 + b*x^2 + a)^2) - 1/4*(B^2a - 3A^2b)*\log(cx^4 + bx \\
& ^2 + a)/a^4 + 1/2*(B^2a - 3A^2b)*\log(x^2)/a^4 - 1/2*(B^2a*x^2 - 3A^2b*x^2 + A \\
& ^2a)/(a^4*x^2)
\end{aligned}$$

maple [B] time = 0.04, size = 1862, normalized size = 5.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int ((Bx^2+A)/x^3/(cx^4+bx^2+a)^3, x)$

[Out]
$$\frac{6}{a^2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A b^4 c - \frac{3}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 B b^3 c + \frac{13}{2} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} c^3 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 A b^2 - \frac{1}{a^3} \frac{1}{(cx^4+bx^2+a)^2} c^2 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 A b^4 - \frac{7}{2} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} c^3 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 b B + \frac{1}{2} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} c^2 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 B b^3 - \frac{37}{2} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} c^3 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 A b + \frac{55}{4} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} c^2 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 A b^3 + \frac{45}{a^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} A b^2 c^2 - \frac{15}{a^3} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} A b^4 c - \frac{15}{a} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} B b^3 c^2 + \frac{5}{a^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} B b^3 c - \frac{2}{a^3} \frac{1}{(cx^4+bx^2+a)^2} c \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 A b^5 - \frac{29}{4} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} c^2 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 B b^2 + \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} c \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 B b^4 - \frac{7}{2} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A b^2 c^2 - \frac{3}{a^4} \ln(x) A b + \frac{3}{4} \frac{1}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} B b^4 + \frac{3}{4} \frac{1}{a^4} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \ln(cx^4+bx^2+a) A b^5 - \frac{4}{a} \frac{1}{(16a^2c^2-8ab^2c+b^4)} c^2 \ln(cx^4+bx^2+a) B b^4 + \frac{4}{(cx^4+bx^2+a)^2} c^3 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^4 B - \frac{9}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A c^3 - \frac{29}{2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} A b^3 c^2 - \frac{21}{4} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} B b^2 c - \frac{1}{2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 B b^3 c^2 - \frac{7}{a} \frac{1}{(cx^4+bx^2+a)^2} c^4 \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^6 A - \frac{1}{a^3} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 A b^6 + \frac{1}{2} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} x^2 B b^5 + \frac{9}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} A b^3 c + \frac{12}{a^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} c^2 \ln(cx^4+bx^2+a) A b - \frac{6}{a^3} \frac{1}{(16a^2c^2-8ab^2c+b^4)} c \ln(cx^4+bx^2+a) A b^3 + \frac{2}{a^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} c \ln(cx^4+bx^2+a) B b^2 - \frac{30}{a} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} A c^3 - \frac{1}{2} \frac{1}{a^3} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} B b^5 + \frac{3}{2} \frac{1}{a^4} \frac{1}{(16a^2c^2-8ab^2c+b^4)} \frac{1}{(4ac-b^2)^{1/2}} \arctan\left(\frac{2cx^2+b}{4ac-b^2}\right)^{1/2} A b^6 - \frac{5}{4} \frac{1}{a^2} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} A b^5 + \frac{6}{a} \frac{1}{(cx^4+bx^2+a)^2} \frac{1}{(16a^2c^2-8ab^2c+b^4)} B c^2 - \frac{1}{2} \frac{1}{a^3} \frac{1}{x^2} + \frac{1}{a^3} \ln(x) * B$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for mo
re details)Is 4*a*c-b^2 positive or negative?
```

mupad [B] time = 15.91, size = 16265, normalized size = 44.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^3),x)
```

```
[Out] (log(((c^5*x^2*(3*A*b^4 + 30*A*a^2*c^2 - B*a*b^3 - 21*A*a*b^2*c + 7*B*a^2*b
*c)^3)/(a^9*(4*a*c - b^2)^6) - ((B*a - 3*A*b + a^4*(-(60*A*a^3*c^3 - 3*A*b^
6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2
*c^2)^2/(a^8*(4*a*c - b^2)^5))^(1/2))*((B*a - 3*A*b + a^4*(-(60*A*a^3*c^3
- 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A
*a^2*b^2*c^2)^2/(a^8*(4*a*c - b^2)^5))^(1/2))*((4*b*c^2*(30*A*a^3*c^3 - 3*A
*b^6 + B*a*b^5 + 27*A*a*b^4*c - 9*B*a^2*b^3*c + 23*B*a^3*b*c^2 - 69*A*a^2*b
^2*c^2))/(a^3*(4*a*c - b^2)^2) + (2*c^3*x^2*(B*a*b^5 - 300*A*a^3*c^3 - 3*A
*b^6 + 6*A*a*b^4*c - 2*B*a^2*b^3*c + 10*B*a^3*b*c^2 + 90*A*a^2*b^2*c^2))/(a^
3*(4*a*c - b^2)^2) + (b*c^2*(B*a - 3*A*b + a^4*(-(60*A*a^3*c^3 - 3*A*b^6 +
B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2
)^2/(a^8*(4*a*c - b^2)^5))^(1/2))*(a*b + 3*b^2*x^2 - 10*a*c*x^2))/a^4)/(4*
a^4) + (c^3*(900*A^2*a^5*c^5 - 36*A^2*b^10 - 4*B^2*a^2*b^8 + 24*A*B*a*b^9 -
3078*A^2*a^2*b^6*c^2 + 7533*A^2*a^3*b^4*c^3 - 7020*A^2*a^4*b^2*c^4 - 302*B
^2*a^4*b^4*c^2 + 497*B^2*a^5*b^2*c^3 + 549*A^2*a*b^8*c + 61*B^2*a^3*b^6*c +
1932*A*B*a^3*b^5*c^2 - 4002*A*B*a^4*b^3*c^3 - 366*A*B*a^2*b^7*c + 2340*A*B
*a^5*b*c^4))/(a^6*(4*a*c - b^2)^4) - (c^4*x^2*(54*A^2*b^9 + 6*B^2*a^2*b^7 -
36*A*B*a*b^8 + 4311*A^2*a^2*b^5*c^2 - 9900*A^2*a^3*b^3*c^3 + 409*B^2*a^4*b
^3*c^2 - 2400*A*B*a^5*c^4 - 801*A^2*a*b^7*c + 8100*A^2*a^4*b*c^4 - 89*B^2*a
^3*b^5*c - 560*B^2*a^5*b*c^3 - 2664*A*B*a^3*b^4*c^2 + 4980*A*B*a^4*b^2*c^3
+ 534*A*B*a^2*b^6*c))/(a^6*(4*a*c - b^2)^4))/(4*a^4) + (c^4*(3*A*b - B*a)*
(3*A*b^4 + 30*A*a^2*c^2 - B*a*b^3 - 21*A*a*b^2*c + 7*B*a^2*b*c)^2)/(a^9*(4*
a*c - b^2)^4))*((c^5*x^2*(3*A*b^4 + 30*A*a^2*c^2 - B*a*b^3 - 21*A*a*b^2*c +
7*B*a^2*b*c)^3)/(a^9*(4*a*c - b^2)^6) - ((3*A*b - B*a + a^4*(-(60*A*a^3*c^
3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90
*A*a^2*b^2*c^2)^2/(a^8*(4*a*c - b^2)^5))^(1/2))*(((3*A*b - B*a + a^4*(-(60*
A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*
c^2 - 90*A*a^2*b^2*c^2)^2/(a^8*(4*a*c - b^2)^5))^(1/2))*((4*b*c^2*(30*A*a^3
*c^3 - 3*A*b^6 + B*a*b^5 + 27*A*a*b^4*c - 9*B*a^2*b^3*c + 23*B*a^3*b*c^2 -
```

$$\begin{aligned}
& 69*A*a^2*b^2*c^2)/(a^3*(4*a*c - b^2)^2) + (2*c^3*x^2*(B*a*b^5 - 300*A*a^3*c^3 - 3*A*b^6 + 6*A*a*b^4*c - 2*B*a^2*b^3*c + 10*B*a^3*b*c^2 + 90*A*a^2*b^2*c^2))/(a^3*(4*a*c - b^2)^2) - (b*c^2*(3*A*b - B*a + a^4*(-(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2)^2/(a^8*(4*a*c - b^2)^5))^(1/2))*(a*b + 3*b^2*x^2 - 10*a*c*x^2))/a^4)/(4*a^4) - (c^3*(900*A^2*a^5*c^5 - 36*A^2*b^10 - 4*B^2*a^2*b^8 + 24*A*B*a*b^9 - 3078*A^2*a^2*b^6*c^2 + 7533*A^2*a^3*b^4*c^3 - 7020*A^2*a^4*b^2*c^4 - 302*B^2*a^4*b^4*c^2 + 497*B^2*a^5*b^2*c^3 + 549*A^2*a*b^8*c + 61*B^2*a^3*b^6*c + 1932*A*B*a^3*b^5*c^2 - 4002*A*B*a^4*b^3*c^3 - 366*A*B*a^2*b^7*c + 2340*A*B*a^5*b*c^4))/(a^6*(4*a*c - b^2)^4) + (c^4*x^2*(54*A^2*b^9 + 6*B^2*a^2*b^7 - 36*A*B*a*b^8 + 4311*A^2*a^2*b^5*c^2 - 9900*A^2*a^3*b^3*c^3 + 409*B^2*a^4*b^3*c^2 - 2400*A*B*a^5*c^4 - 801*A^2*a*b^7*c + 8100*A^2*a^4*b*c^4 - 89*B^2*a^3*b^5*c - 560*B^2*a^5*b*c^3 - 2664*A*B*a^3*b^4*c^2 + 4980*A*B*a^4*b^2*c^3 + 534*A*B*a^2*b^6*c))/(a^6*(4*a*c - b^2)^4))/(4*a^4) + (c^4*(3*A*b - B*a)*(3*A*b^4 + 30*A*a^2*c^2 - B*a*b^3 - 21*A*a*b^2*c + 7*B*a^2*b*c)^2)/(a^9*(4*a*c - b^2)^4))*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)) - (log(x)*(3*A*b - B*a))/a^4 - (A/(2*a) + (x^2*(9*A*b^5 - 24*B*a^3*c^2 - 3*B*a*b^4 - 68*A*a*b^3*c + 122*A*a^2*b*c^2 + 21*B*a^2*b^2*c))/(4*a^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (x^6*(16*B*a^3*c^3 - 12*A*b^5*c + 4*B*a*b^4*c + 87*A*a*b^3*c^2 - 138*A*a^2*b*c^3 - 29*B*a^2*b^2*c^2))/(4*a^3*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x^4*(3*A*b^6 + 50*A*a^3*c^3 - B*a*b^5 - 18*A*a*b^4*c + 6*B*a^2*b^3*c + B*a^3*b*c^2 + 7*A*a^2*b^2*c^2))/(2*a^3*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (c^2*x^8*(3*A*b^4 + 30*A*a^2*c^2 - B*a*b^3 - 21*A*a*b^2*c + 7*B*a^2*b*c))/(2*a^3*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))/(x^6*(2*a*c + b^2) + a^2*x^2 + c^2*x^10 + 2*a*b*x^4 + 2*b*c*x^8) - (atan((x^2*(((153600*A*a^13*c^10 - 5120*B*a^13*b*c^9 + 6*A*a^6*b^14*c^3 - 108*A*a^7*b^12*c^4 + 588*A*a^8*b^10*c^5 + 792*A*a^9*b^8*c^6 - 22272*A*a^10*b^6*c^7 + 100608*A*a^11*b^4*c^8 - 199680*A*a^12*b^2*c^9 - 2*B*a^7*b^13*c^3 + 36*B*a^8*b^11*c^4 - 276*B*a^9*b^9*c^5 + 1216*B*a^10*b^7*c^6 - 3456*B*a^11*b^5*c^7 + 6144*B*a^12*b^3*c^8)/(a^9*b^12 + 4096*a^15*c^6 - 24*a^10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - 6144*a^14*b^2*c^5) - ((163840*a^16*b*c^9 - 12*a^9*b^15*c^2 + 328*a^10*b^13*c^3 - 3840*a^11*b^11*c^4 + 24960*a^12*b^9*c^5 - 97280*a^13*b^7*c^6 + 227328*a^14*b^5*c^7 - 294912*a^15*b^3*c^8)*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)*(a^9*b^12 + 4096*a^15*c^6 - 24*a^10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - 6144*a^14*b^2*c^5)))*(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) - ((60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c -
\end{aligned}$$

$$\begin{aligned}
& 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2)*(163840*a^16*b*c^9 - 12 \\
& *a^9*b^15*c^2 + 328*a^10*b^13*c^3 - 3840*a^11*b^11*c^4 + 24960*a^12*b^9*c^5 \\
& - 97280*a^13*b^7*c^6 + 227328*a^14*b^5*c^7 - 294912*a^15*b^3*c^8)*(6*A*b^1 \\
& 1 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a \\
& ^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 32 \\
& 0*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(8*a^4*(4*a*c - \\
& b^2)^(5/2)*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2 \\
& 560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)*(a^9*b^12 + 4096*a^15*c^6 - 24*a^10*b^1 \\
& 0*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - 6144*a^14* \\
& b^2*c^5)))*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A \\
& *a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680 \\
& *A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^ \\
& 4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a \\
& ^7*b^4*c^3 + 5120*a^8*b^2*c^4)) - (((54*A^2*a^3*b^13*c^4 - 1233*A^2*a^4*b^1 \\
& 1*c^5 + 11583*A^2*a^5*b^9*c^6 - 57204*A^2*a^6*b^7*c^7 + 156276*A^2*a^7*b^5* \\
& c^8 - 223200*A^2*a^8*b^3*c^9 + 6*B^2*a^5*b^11*c^4 - 137*B^2*a^6*b^9*c^5 + 1 \\
& 217*B^2*a^7*b^7*c^6 - 5256*B^2*a^8*b^5*c^7 + 11024*B^2*a^9*b^3*c^8 - 38400* \\
& A*B*a^10*c^10 + 129600*A^2*a^9*b*c^10 - 8960*B^2*a^10*b*c^9 - 36*A*B*a^4*b^ \\
& 12*c^4 + 822*A*B*a^5*b^10*c^5 - 7512*A*B*a^6*b^8*c^6 + 34836*A*B*a^7*b^6*c^ \\
& 7 - 84864*A*B*a^8*b^4*c^8 + 98880*A*B*a^9*b^2*c^9)/(a^9*b^12 + 4096*a^15*c^ \\
& 6 - 24*a^10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c \\
& ^4 - 6144*a^14*b^2*c^5) - (((153600*A*a^13*c^10 - 5120*B*a^13*b*c^9 + 6*A*a \\
& ^6*b^14*c^3 - 108*A*a^7*b^12*c^4 + 588*A*a^8*b^10*c^5 + 792*A*a^9*b^8*c^6 - \\
& 22272*A*a^10*b^6*c^7 + 100608*A*a^11*b^4*c^8 - 199680*A*a^12*b^2*c^9 - 2*B \\
& *a^7*b^13*c^3 + 36*B*a^8*b^11*c^4 - 276*B*a^9*b^9*c^5 + 1216*B*a^10*b^7*c^6 \\
& - 3456*B*a^11*b^5*c^7 + 6144*B*a^12*b^3*c^8)/(a^9*b^12 + 4096*a^15*c^6 - 2 \\
& 4*a^10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - \\
& 6144*a^14*b^2*c^5) - ((163840*a^16*b*c^9 - 12*a^9*b^15*c^2 + 328*a^10*b^13* \\
& c^3 - 3840*a^11*b^11*c^4 + 24960*a^12*b^9*c^5 - 97280*a^13*b^7*c^6 + 227328 \\
& *a^14*b^5*c^7 - 294912*a^15*b^3*c^8)*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^1 \\
& 0 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - \\
& 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^ \\
& ^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c \\
& + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)*(a^9*b^12 + 4096*a \\
& ^15*c^6 - 24*a^10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13 \\
& *b^4*c^4 - 6144*a^14*b^2*c^5)))*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 1 \\
& 20*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840 \\
& *A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^ \\
& 3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640 \\
& *a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)))*(60*A*a^3*c^3 - 3*A*b \\
& ^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^ \\
& 2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) + ((60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + \\
& 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2)^3*(16384 \\
& 0*a^16*b*c^9 - 12*a^9*b^15*c^2 + 328*a^10*b^13*c^3 - 3840*a^11*b^11*c^4 + 2 \\
& 4960*a^12*b^9*c^5 - 97280*a^13*b^7*c^6 + 227328*a^14*b^5*c^7 - 294912*a^15*
\end{aligned}$$

$$\begin{aligned}
& b^3c^8) / (64a^{12}(4ac - b^2)^{(15/2)}(a^9b^{12} + 4096a^{15}c^6 - 24a^{10} \\
& * b^{10}c + 240a^{11}b^8c^2 - 1280a^{12}b^6c^3 + 3840a^{13}b^4c^4 - 6144a^{14}b^2c^5)) * (9A^8b^9 - 160B^8a^5c^4 - 3B^8a^4b^8 - 117A^8a^4b^7c + 570A^8 \\
& * a^4b^6c^4 + 39B^8a^2b^6c + 540A^8a^2b^5c^2 - 1005A^8a^3b^3c^3 - 180B^8a^3b^4c^2 + 325B^8a^4b^2c^3) / (8(4ac - b^2)^{(13/2)}(900A^2a^9c^8 \\
& + 6400B^2a^{10}c^7 - 54A^2a^3b^{12}c^2 - 960a^6b^6c^4(B^2a - 36A^2c) + 120a^5b^8c^3(B^2a - 72A^2c) - 6a^4b^{10}c^2(B^2a - 180A^2c) \\
& - 25a^8b^2c^6(311B^2a - 2196A^2c) + 25a^7b^4c^5(154B^2a - 2763A^2c) + 36A^8B^8a^4b^{11}c^2 - 720A^8B^8a^5b^9c^3 + 5760A^8B^8a^6b^7c^4 \\
& - 23070A^8B^8a^7b^5c^5 + 46350A^8B^8a^8b^3c^6 - 37500A^8B^8a^9b^1c^7) - (((27000A^3a^6c^{11} + 27A^3b^{12}c^5 + 4779A^3a^2b^8c^7 - 20601 \\
& * A^3a^3b^6c^8 + 47790A^3a^4b^4c^9 - 56700A^3a^5b^2c^{10} - B^3a^3b^9c^5 + 21B^3a^4b^7c^6 - 147B^3a^5b^5c^7 + 343B^3a^6b^3c^8 - \\
& 567A^3a^6b^{10}c^6 - 27A^2B^8a^4b^{11}c^5 + 18900A^2B^8a^6b^6c^{10} + 9A^8B^2a^2b^{10}c^5 - 189A^8B^2a^3b^8c^6 + 1413A^8B^2a^4b^6c^7 - 4347A^8B^2a^5b^4c^8 \\
& + 4410A^8B^2a^6b^2c^9 + 567A^2B^8a^2b^9c^6 - 4509A^2B^8a^3b^7c^7 + 16821A^2B^8a^4b^5c^8 - 29160A^2B^8a^5b^3c^9) / (a^9b^{12} \\
& + 4096a^{15}c^6 - 24a^{10}b^{10}c + 240a^{11}b^8c^2 - 1280a^{12}b^6c^3 + 3840a^{13}b^4c^4 - 6144a^{14}b^2c^5) - (((54A^2a^3b^{13}c^4 - 1233A^2a^4b^{11}c^5 \\
& + 11583A^2a^5b^9c^6 - 57204A^2a^6b^7c^7 + 156276A^2a^7b^5c^8 - 223200A^2a^8b^3c^9 + 6B^2a^5b^{11}c^4 - 137B^2a^6b^9c^5 + 1217B^2a^7b^7c^6 \\
& - 5256B^2a^8b^5c^7 + 11024B^2a^9b^3c^8 - 38400A^8B^8a^{10}c^{10} + 129600A^2a^9b^6c^{10} - 8960B^2a^{10}b^6c^9 - 36A^8B^8a^4b^{12}c^4 \\
& + 822A^8B^8a^5b^{10}c^5 - 7512A^8B^8a^6b^8c^6 + 34836A^8B^8a^7b^6c^7 - 84864A^8B^8a^8b^4c^8 + 98880A^8B^8a^9b^2c^9) / (a^9b^{12} + 4096a^{15}c^6 \\
& - 24a^{10}b^{10}c + 240a^{11}b^8c^2 - 1280a^{12}b^6c^3 + 3840a^{13}b^4c^4 - 6144a^{14}b^2c^5) - (((153600A^8a^{13}c^{10} - 5120B^8a^{13}b^6c^9 \\
& + 6A^8a^6b^{14}c^3 - 108A^8a^7b^{12}c^4 + 588A^8a^8b^{10}c^5 + 792A^8a^9b^8c^6 - 22272A^8a^{10}b^6c^7 + 100608A^8a^{11}b^4c^8 - 199680A^8a^{12}b^2c^9 \\
& - 2B^8a^7b^{13}c^3 + 36B^8a^8b^{11}c^4 - 276B^8a^9b^9c^5 + 1216B^8a^{10}b^7c^6 - 3456B^8a^{11}b^5c^7 + 6144B^8a^{12}b^3c^8) / (a^9b^{12} + 4096a^{15}c^6 \\
& - 24a^{10}b^{10}c + 240a^{11}b^8c^2 - 1280a^{12}b^6c^3 + 3840a^{13}b^4c^4 - 6144a^{14}b^2c^5) - ((163840a^{16}b^6c^9 - 12a^9b^{15}c^2 + 328a^{10}b^{13}c^3 \\
& - 3840a^{11}b^{11}c^4 + 24960a^{12}b^9c^5 - 97280a^{13}b^7c^6 + 227328a^{14}b^5c^7 - 294912a^{15}b^3c^8) * (6A^8b^{11} + 2048B^8a^6c^5 - 2B^8a^4b^{10} \\
& - 120A^8a^4b^9c - 6144A^8a^5b^6c^5 + 40B^8a^2b^8c + 960A^8a^2b^7c^2 - 3840A^8a^3b^5c^3 + 7680A^8a^4b^3c^4 - 320B^8a^3b^6c^2 + 1280B^8a^4b^4c^3 \\
& - 2560B^8a^5b^2c^4) / (2(4a^4b^{10} - 4096a^9c^5 - 80a^5b^8c + 640a^6b^6c^2 - 2560a^7b^4c^3 + 5120a^8b^2c^4) * (a^9b^{12} + 4096a^{15}c^6 - 24a^{10}b^{10}c \\
& + 240a^{11}b^8c^2 - 1280a^{12}b^6c^3 + 3840a^{13}b^4c^4 - 6144a^{14}b^2c^5)) * (6A^8b^{11} + 2048B^8a^6c^5 - 2B^8a^4b^{10} - 120A^8a^4b^9c - 6144A^8a^5b^6c^5 \\
& + 40B^8a^2b^8c + 960A^8a^2b^7c^2 - 3840A^8a^3b^5c^3 + 7680A^8a^4b^3c^4 - 320B^8a^3b^6c^2 + 1280B^8a^4b^4c^3 - 2560B^8a^5b^2c^4) / (2(4a^4b^{10} - 4096a^9c^5 \\
& - 80a^5b^8c + 640a^6b^6c^2 - 2560a^7b^4c^3 + 5120a^8b^2c^4)) * (6A^8b^{11} + 20
\end{aligned}$$

$$\begin{aligned}
& 48*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8 \\
& *c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^ \\
& 3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4)/(2*(4*a^4*b^10 - 4096 \\
& *a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2 \\
& *c^4)) - (((((153600*A*a^13*c^10 - 5120*B*a^13*b*c^9 + 6*A*a^6*b^14*c^3 - 1 \\
& 08*A*a^7*b^12*c^4 + 588*A*a^8*b^10*c^5 + 792*A*a^9*b^8*c^6 - 22272*A*a^10*b \\
& ^6*c^7 + 100608*A*a^11*b^4*c^8 - 199680*A*a^12*b^2*c^9 - 2*B*a^7*b^13*c^3 + \\
& 36*B*a^8*b^11*c^4 - 276*B*a^9*b^9*c^5 + 1216*B*a^10*b^7*c^6 - 3456*B*a^11* \\
& b^5*c^7 + 6144*B*a^12*b^3*c^8)/(a^9*b^12 + 4096*a^15*c^6 - 24*a^10*b^10*c + \\
& 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - 6144*a^14*b^2*c \\
& ^5) - ((163840*a^16*b*c^9 - 12*a^9*b^15*c^2 + 328*a^10*b^13*c^3 - 3840*a^11 \\
& *b^11*c^4 + 24960*a^12*b^9*c^5 - 97280*a^13*b^7*c^6 + 227328*a^14*b^5*c^7 - \\
& 294912*a^15*b^3*c^8)*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9 \\
& *c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5 \\
& *c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B \\
& *a^5*b^2*c^4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c \\
& ^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)*(a^9*b^12 + 4096*a^15*c^6 - 24*a^ \\
& 10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - 6144 \\
& *a^14*b^2*c^5)))*(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^ \\
& 2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) - \\
& ((60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B* \\
& a^3*b*c^2 - 90*A*a^2*b^2*c^2)*(163840*a^16*b*c^9 - 12*a^9*b^15*c^2 + 328*a^ \\
& 10*b^13*c^3 - 3840*a^11*b^11*c^4 + 24960*a^12*b^9*c^5 - 97280*a^13*b^7*c^6 \\
& + 227328*a^14*b^5*c^7 - 294912*a^15*b^3*c^8)*(6*A*b^11 + 2048*B*a^6*c^5 - 2 \\
& *B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b \\
& ^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280 \\
& *B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(8*a^4*(4*a*c - b^2)^(5/2)*(4*a^4*b^1 \\
& 0 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120 \\
& *a^8*b^2*c^4)*(a^9*b^12 + 4096*a^15*c^6 - 24*a^10*b^10*c + 240*a^11*b^8*c^2 \\
& - 1280*a^12*b^6*c^3 + 3840*a^13*b^4*c^4 - 6144*a^14*b^2*c^5)))*(60*A*a^3*c \\
& ^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 9 \\
& 0*A*a^2*b^2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) + ((60*A*a^3*c^3 - 3*A*b^6 + \\
& B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2 \\
&)^2*(163840*a^16*b*c^9 - 12*a^9*b^15*c^2 + 328*a^10*b^13*c^3 - 3840*a^11*b^ \\
& 11*c^4 + 24960*a^12*b^9*c^5 - 97280*a^13*b^7*c^6 + 227328*a^14*b^5*c^7 - 29 \\
& 4912*a^15*b^3*c^8)*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c \\
& - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^ \\
& 3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^ \\
& 5*b^2*c^4))/(32*a^8*(4*a*c - b^2)^5*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8 \\
& *c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)*(a^9*b^12 + 409 \\
& 6*a^15*c^6 - 24*a^10*b^10*c + 240*a^11*b^8*c^2 - 1280*a^12*b^6*c^3 + 3840*a \\
& ^13*b^4*c^4 - 6144*a^14*b^2*c^5)))*(9*A*b^8 + 30*A*a^4*c^4 - 3*B*a*b^7 - 99 \\
& *A*a*b^6*c + 33*B*a^2*b^5*c + 135*B*a^4*b*c^3 + 360*A*a^2*b^4*c^2 - 435*A*a \\
& ^3*b^2*c^3 - 120*B*a^3*b^3*c^2))/(8*a^3*c^2*(4*a*c - b^2)^6*(900*A^2*a^6*c^ \\
& 6 - 54*A^2*b^12 - 6*B^2*a^2*b^10 + 6400*B^2*a^7*c^5 + 36*A*B*a*b^11 - 8640*
\end{aligned}$$

$$\begin{aligned}
& A^2 a^2 b^8 c^2 + 34560 A^2 a^3 b^6 c^3 - 69075 A^2 a^4 b^4 c^4 + 54900 A^2 \\
& a^5 b^2 c^5 - 960 B^2 a^4 b^6 c^2 + 3850 B^2 a^5 b^4 c^3 - 7775 B^2 a^6 b^2 \\
& c^4 + 1080 A^2 a b^{10} c + 120 B^2 a^3 b^8 c + 5760 A B a^3 b^7 c^2 - 2307 \\
& 0 A B a^4 b^5 c^3 + 46350 A B a^5 b^3 c^4 - 720 A B a^2 b^9 c - 37500 A B a^6 \\
& b^2 c^5) \cdot (16 a^{12} b^{12} (4 a c - b^2)^{(15/2)} + 65536 a^{18} c^6 (4 a c - b^2)^{(15/2)} \\
& - 384 a^{13} b^{10} c (4 a c - b^2)^{(15/2)} + 3840 a^{14} b^8 c^2 (4 a c \\
& - b^2)^{(15/2)} - 20480 a^{15} b^6 c^3 (4 a c - b^2)^{(15/2)} + 61440 a^{16} b^4 c^4 \\
& (4 a c - b^2)^{(15/2)} - 98304 a^{17} b^2 c^5 (4 a c - b^2)^{(15/2)}) / (3600 A \\
& a^2 a^6 c^8 + 9 A^2 b^{12} c^2 + 1440 A^2 a^2 b^8 c^4 - 5760 A^2 a^3 b^6 c^5 + \\
& 11700 A^2 a^4 b^4 c^6 - 10800 A^2 a^5 b^2 c^7 + B^2 a^2 b^{10} c^2 - 20 B^2 a^3 \\
& b^8 c^3 + 160 B^2 a^4 b^6 c^4 - 600 B^2 a^5 b^4 c^5 + 900 B^2 a^6 b^2 c^6 - 180 A^2 a b^{10} c^3 \\
& + 120 A B a^2 b^9 c^3 - 960 A B a^3 b^7 c^4 + 3720 A B a^4 b^5 c^5 - 6600 A B a^5 b^3 c^6 \\
& - 6 A B a^2 b^{11} c^2 + 3600 A B a^6 b^2 c^7) - (((((((1920 A a^{11} b^7 c^7 - 12 A a^6 b^{11} c^2 \\
& + 204 A a^7 b^9 c^3 - 1332 A a^8 b^7 c^4 + 4056 A a^9 b^5 c^5 - 5376 A a^{10} b^3 c^6 + 4 B a^7 b^{10} \\
& c^2 - 68 B a^8 b^8 c^3 + 444 B a^9 b^6 c^4 - 1312 B a^{10} b^4 c^5 + 1472 B a^{11} b^2 c^6) / (a^9 b^8 \\
& + 256 a^{13} c^4 - 16 a^{10} b^6 c + 96 a^{11} b^4 c^2 - 256 a^{12} b^2 c^3) - ((4 a^{10} b^{10} c^2 \\
& - 64 a^{11} b^8 c^3 + 384 a^{12} b^6 c^4 - 1024 a^{13} b^4 c^5 + 1024 a^{14} b^2 c^6) * (6 A b^{11} \\
& + 2048 B a^6 c^5 - 2 B a^2 b^{10} - 120 A a b^9 c - 6144 A a^5 b^3 c^5 + 40 B a^2 b^8 c + 960 A a^2 b^7 c^2 \\
& - 3840 A a^3 b^5 c^3 + 7680 A a^4 b^3 c^4 - 320 B a^3 b^6 c^2 + 1280 B a^4 b^4 c^3 - 2560 B a^5 b^2 c^4) \\
& / (2 (a^9 b^8 + 256 a^{13} c^4 - 16 a^{10} b^6 c + 96 a^{11} b^4 c^2 - 256 a^{12} b^2 c^3) * (4 a^4 b^{10} \\
& - 4096 a^9 c^5 - 80 a^5 b^8 c + 640 a^6 b^6 c^2 - 2560 a^7 b^4 c^3 + 5120 a^8 b^2 c^4)) * (60 A a^3 c^3 \\
& - 3 A b^6 + B a b^5 + 30 A a b^4 c - 10 B a^2 b^3 c + 30 B a^3 b^2 c^2 - 90 A a^2 b^2 c^2) \\
& / (4 a^4 (4 a c - b^2)^{(5/2)}) - ((4 a^{10} b^{10} c^2 - 64 a^{11} b^8 c^3 + 384 a^{12} b^6 c^4 \\
& - 1024 a^{13} b^4 c^5 + 1024 a^{14} b^2 c^6) * (60 A a^3 c^3 - 3 A b^6 + B a b^5 + 30 A a b^4 c \\
& - 10 B a^2 b^3 c + 30 B a^3 b^2 c^2 - 90 A a^2 b^2 c^2) * (6 A b^{11} + 2048 B a^6 c^5 - 2 B a^2 b^{10} \\
& - 120 A a b^9 c - 6144 A a^5 b^3 c^5 + 40 B a^2 b^8 c + 960 A a^2 b^7 c^2 - 3840 A a^3 b^5 \\
& c^3 + 7680 A a^4 b^3 c^4 - 320 B a^3 b^6 c^2 + 1280 B a^4 b^4 c^3 - 2560 B a^5 b^2 c^4) \\
& / (8 a^4 (4 a c - b^2)^{(5/2)} * (a^9 b^8 + 256 a^{13} c^4 - 16 a^{10} b^6 c + 96 a^{11} b^4 c^2 \\
& - 256 a^{12} b^2 c^3) * (4 a^4 b^{10} - 4096 a^9 c^5 - 80 a^5 b^8 c + 640 a^6 b^6 c^2 - 2560 a^7 b^4 c^3 \\
& + 5120 a^8 b^2 c^4)) * (6 A b^{11} + 2048 B a^6 c^5 - 2 B a^2 b^{10} - 120 A a b^9 c - 6144 A a^5 b^3 c^5 \\
& + 40 B a^2 b^8 c + 960 A a^2 b^7 c^2 - 3840 A a^3 b^5 c^3 + 7680 A a^4 b^3 c^4 \\
& - 320 B a^3 b^6 c^2 + 1280 B a^4 b^4 c^3 - 2560 B a^5 b^2 c^4) / (2 (4 a^4 b^{10} - 4096 a^9 c^5 \\
& - 80 a^5 b^8 c + 640 a^6 b^6 c^2 - 2560 a^7 b^4 c^3 + 5120 a^8 b^2 c^4)) - (((900 A^2 a^8 c^8 \\
& - 36 A^2 a^3 b^{10} c^3 + 549 A^2 a^4 b^8 c^4 - 3078 A^2 a^5 b^6 c^5 + 7533 A^2 a^6 b^4 c^6 - 7020 A^2 a^7 b^2 c^7 \\
& - 4 B^2 a^5 b^8 c^3 + 61 B^2 a^6 b^6 c^4 - 302 B^2 a^7 b^4 c^5 + 497 B^2 a^8 b^2 c^6 + 24 A B a^4 b^9 c^3 \\
& - 366 A B a^5 b^7 c^4 + 1932 A B a^6 b^5 c^5 - 4002 A B a^7 b^3 c^6 + 2340 A B a^8 b^2 c^7) / (a^9 b^8 \\
& + 256 a^{13} c^4 - 16 a^{10} b^6 c + 96 a^{11} b^4 c^2 - 256 a^{12} b^2 c^3) - (((1920 A a^{11} b^7 c^7 - \\
& 12 A a^6 b^{11} c^2 + 204 A a^7 b^9 c^3 - 1332 A a^8 b^7 c^4 + 4056 A a^9 b^
\end{aligned}$$

$$\begin{aligned}
& 5*c^5 - 5376*A*a^{10}*b^3*c^6 + 4*B*a^7*b^{10}*c^2 - 68*B*a^8*b^8*c^3 + 444*B*a^9*b^6*c^4 - 1312*B*a^{10}*b^4*c^5 + 1472*B*a^{11}*b^2*c^6)/(a^9*b^8 + 256*a^{13}*c^4 - 16*a^{10}*b^6*c + 96*a^{11}*b^4*c^2 - 256*a^{12}*b^2*c^3) - ((4*a^{10}*b^{10}*c^2 - 64*a^{11}*b^8*c^3 + 384*a^{12}*b^6*c^4 - 1024*a^{13}*b^4*c^5 + 1024*a^{14}*b^2*c^6)*(6*A*b^{11} + 2048*B*a^6*c^5 - 2*B*a*b^{10} - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(a^9*b^8 + 256*a^{13}*c^4 - 16*a^{10}*b^6*c + 96*a^{11}*b^4*c^2 - 256*a^{12}*b^2*c^3)*(4*a^4*b^{10} - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)))*(6*A*b^{11} + 2048*B*a^6*c^5 - 2*B*a*b^{10} - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^{10} - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)))*(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) + ((4*a^{10}*b^{10}*c^2 - 64*a^{11}*b^8*c^3 + 384*a^{12}*b^6*c^4 - 1024*a^{13}*b^4*c^5 + 1024*a^{14}*b^2*c^6)*(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3*b*c^2 - 90*A*a^2*b^2*c^2)^3)/(64*a^{12}*(4*a*c - b^2)^(15/2)*(a^9*b^8 + 256*a^{13}*c^4 - 16*a^{10}*b^6*c + 96*a^{11}*b^4*c^2 - 256*a^{12}*b^2*c^3)))*(16*a^{12}*b^{12}*(4*a*c - b^2)^(15/2) + 65536*a^{18}*c^6*(4*a*c - b^2)^(15/2) - 384*a^{13}*b^{10}*c*(4*a*c - b^2)^(15/2) + 3840*a^{14}*b^8*c^2*(4*a*c - b^2)^(15/2) - 20480*a^{15}*b^6*c^3*(4*a*c - b^2)^(15/2) + 61440*a^{16}*b^4*c^4*(4*a*c - b^2)^(15/2) - 98304*a^{17}*b^2*c^5*(4*a*c - b^2)^(15/2))*(9*A*b^9 - 160*B*a^5*c^4 - 3*B*a*b^8 - 117*A*a*b^7*c + 570*A*a^4*b*c^4 + 39*B*a^2*b^6*c + 540*A*a^2*b^5*c^2 - 1005*A*a^3*b^3*c^3 - 180*B*a^3*b^4*c^2 + 325*B*a^4*b^2*c^3))/(8*(4*a*c - b^2)^(13/2)*(900*A^2*a^9*c^8 + 6400*B^2*a^{10}*c^7 - 54*A^2*a^3*b^{12}*c^2 - 960*a^6*b^6*c^4 - 4*(B^2*a - 36*A^2*c) + 120*a^5*b^8*c^3*(B^2*a - 72*A^2*c) - 6*a^4*b^{10}*c^2*(B^2*a - 180*A^2*c) - 25*a^8*b^2*c^6*(311*B^2*a - 2196*A^2*c) + 25*a^7*b^4*c^5*(154*B^2*a - 2763*A^2*c) + 36*A*B*a^4*b^{11}*c^2 - 720*A*B*a^5*b^9*c^3 + 5760*A*B*a^6*b^7*c^4 - 23070*A*B*a^7*b^5*c^5 + 46350*A*B*a^8*b^3*c^6 - 37500*A*B*a^9*b*c^7)*(3600*A^2*a^6*c^8 + 9*A^2*b^{12}*c^2 + 1440*A^2*a^2*b^8*c^4 - 5760*A^2*a^3*b^6*c^5 + 11700*A^2*a^4*b^4*c^6 - 10800*A^2*a^5*b^2*c^7 + B^2*a^2*b^{10}*c^2 - 20*B^2*a^3*b^8*c^3 + 160*B^2*a^4*b^6*c^4 - 600*B^2*a^5*b^4*c^5 + 900*B^2*a^6*b^2*c^6 - 180*A^2*a*b^{10}*c^3 + 120*A*B*a^2*b^9*c^3 - 960*A*B*a^3*b^7*c^4 + 3720*A*B*a^4*b^5*c^5 - 6600*A*B*a^5*b^3*c^6 - 6*A*B*a*b^{11}*c^2 + 3600*A*B*a^6*b*c^7)) + (((3780*A^3*a^3*b^3*c^7 - 1863*A^3*a^2*b^5*c^6 - 27*A^3*b^9*c^4 + B^3*a^3*b^6*c^4 - 14*B^3*a^4*b^4*c^5 + 49*B^3*a^5*b^2*c^6 + 900*A^2*B*a^5*c^8 + 378*A^3*a*b^7*c^5 - 2700*A^3*a^4*b*c^8 + 420*A*B^2*a^5*b*c^7 + 27*A^2*B*a*b^8*c^4 - 9*A*B^2*a^2*b^7*c^4 + 126*A*B^2*a^3*b^5*c^5 - 501*A*B^2*a^4*b^3*c^6 - 378*A^2*B*a^2*b^6*c^5 + 1683*A^2*B*a^3*b^4*c^6 - 2520*A^2*B*a^4*b^2*c^7)/(a^9*b^8 + 256*a^{13}*c^4 - 16*a^{10}*b^6*c + 96*a^{11}*b^4*c^2 - 256*a^{12}*b^2*c^3) - (((900*A^2*a^8*c^8 - 36*A^2*a^3*b^{10}*c^3 + 549*A^2*a^4*b^8*c^4 - 3078*A^2*a^5*b^6*c^5 + 7533*A^2*a^6*b^4*c^6 - 7020*A^2*a^7*b^2*c^7 - 4*B^2*a^5*b^8*c^3 + 61*B^2*a^6*b^6*c^4 - 302*B^2*a^7*b^4
\end{aligned}$$

$$\begin{aligned}
& *c^5 + 497*B^2*a^8*b^2*c^6 + 24*A*B*a^4*b^9*c^3 - 366*A*B*a^5*b^7*c^4 + 193 \\
& 2*A*B*a^6*b^5*c^5 - 4002*A*B*a^7*b^3*c^6 + 2340*A*B*a^8*b*c^7)/(a^9*b^8 + 2 \\
& 56*a^13*c^4 - 16*a^10*b^6*c + 96*a^11*b^4*c^2 - 256*a^12*b^2*c^3) - (((1920 \\
& *A*a^11*b*c^7 - 12*A*a^6*b^11*c^2 + 204*A*a^7*b^9*c^3 - 1332*A*a^8*b^7*c^4 \\
& + 4056*A*a^9*b^5*c^5 - 5376*A*a^10*b^3*c^6 + 4*B*a^7*b^10*c^2 - 68*B*a^8*b^ \\
& 8*c^3 + 444*B*a^9*b^6*c^4 - 1312*B*a^10*b^4*c^5 + 1472*B*a^11*b^2*c^6)/(a^9 \\
& *b^8 + 256*a^13*c^4 - 16*a^10*b^6*c + 96*a^11*b^4*c^2 - 256*a^12*b^2*c^3) - \\
& ((4*a^10*b^10*c^2 - 64*a^11*b^8*c^3 + 384*a^12*b^6*c^4 - 1024*a^13*b^4*c^5 \\
& + 1024*a^14*b^2*c^6)*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9 \\
& *c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5 \\
& *c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B \\
& *a^5*b^2*c^4))/(2*(a^9*b^8 + 256*a^13*c^4 - 16*a^10*b^6*c + 96*a^11*b^4*c^2 \\
& - 256*a^12*b^2*c^3)*(4*a^4*b^10 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^ \\
& 6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)))*(6*A*b^11 + 2048*B*a^6*c^5 - \\
& 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2 \\
& *b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 12 \\
& 80*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^10 - 4096*a^9*c^5 - 80* \\
& a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)))*(6*A*b \\
& ^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B \\
& *a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - \\
& 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(4*a^4*b^1 \\
& 0 - 4096*a^9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120 \\
& *a^8*b^2*c^4)) - (((((1920*A*a^11*b*c^7 - 12*A*a^6*b^11*c^2 + 204*A*a^7*b^9 \\
& *c^3 - 1332*A*a^8*b^7*c^4 + 4056*A*a^9*b^5*c^5 - 5376*A*a^10*b^3*c^6 + 4*B* \\
& a^7*b^10*c^2 - 68*B*a^8*b^8*c^3 + 444*B*a^9*b^6*c^4 - 1312*B*a^10*b^4*c^5 + \\
& 1472*B*a^11*b^2*c^6)/(a^9*b^8 + 256*a^13*c^4 - 16*a^10*b^6*c + 96*a^11*b^4 \\
& *c^2 - 256*a^12*b^2*c^3) - ((4*a^10*b^10*c^2 - 64*a^11*b^8*c^3 + 384*a^12*b \\
& ^6*c^4 - 1024*a^13*b^4*c^5 + 1024*a^14*b^2*c^6)*(6*A*b^11 + 2048*B*a^6*c^5 \\
& - 2*B*a*b^10 - 120*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^ \\
& 2*b^7*c^2 - 3840*A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1 \\
& 280*B*a^4*b^4*c^3 - 2560*B*a^5*b^2*c^4))/(2*(a^9*b^8 + 256*a^13*c^4 - 16*a^ \\
& 10*b^6*c + 96*a^11*b^4*c^2 - 256*a^12*b^2*c^3)*(4*a^4*b^10 - 4096*a^9*c^5 - \\
& 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^4)))*(6 \\
& 0*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B*a^3* \\
& b*c^2 - 90*A*a^2*b^2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) - ((4*a^10*b^10*c^2 \\
& - 64*a^11*b^8*c^3 + 384*a^12*b^6*c^4 - 1024*a^13*b^4*c^5 + 1024*a^14*b^2*c^ \\
& 6)*(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30*B \\
& *a^3*b*c^2 - 90*A*a^2*b^2*c^2))*(6*A*b^11 + 2048*B*a^6*c^5 - 2*B*a*b^10 - 12 \\
& 0*A*a*b^9*c - 6144*A*a^5*b*c^5 + 40*B*a^2*b^8*c + 960*A*a^2*b^7*c^2 - 3840* \\
& A*a^3*b^5*c^3 + 7680*A*a^4*b^3*c^4 - 320*B*a^3*b^6*c^2 + 1280*B*a^4*b^4*c^3 \\
& - 2560*B*a^5*b^2*c^4))/(8*a^4*(4*a*c - b^2)^(5/2)*(a^9*b^8 + 256*a^13*c^4 \\
& - 16*a^10*b^6*c + 96*a^11*b^4*c^2 - 256*a^12*b^2*c^3)*(4*a^4*b^10 - 4096*a^ \\
& 9*c^5 - 80*a^5*b^8*c + 640*a^6*b^6*c^2 - 2560*a^7*b^4*c^3 + 5120*a^8*b^2*c^ \\
& 4)))*(60*A*a^3*c^3 - 3*A*b^6 + B*a*b^5 + 30*A*a*b^4*c - 10*B*a^2*b^3*c + 30 \\
& *B*a^3*b*c^2 - 90*A*a^2*b^2*c^2))/(4*a^4*(4*a*c - b^2)^(5/2)) + ((4*a^10*b^
\end{aligned}$$

$$\begin{aligned}
& 10c^2 - 64a^{11}b^8c^3 + 384a^{12}b^6c^4 - 1024a^{13}b^4c^5 + 1024a^{14} \\
& *b^2c^6) * (60Aa^3c^3 - 3Ab^6 + Baa^5 + 30Aa^4b^2c - 10Baa^2b^3c \\
& + 30Baa^3b^2c^2 - 90Aa^2b^2c^2)^2 * (6Ab^{11} + 2048Baa^6c^5 - 2Baa \\
& b^{10} - 120Aa^9c - 6144Aa^5b^2c^5 + 40Baa^2b^8c + 960Aa^2b^7c^2 \\
& - 3840Aa^3b^5c^3 + 7680Aa^4b^3c^4 - 320Baa^3b^6c^2 + 1280Baa^4 \\
& 4b^4c^3 - 2560Baa^5b^2c^4) / (32a^8(4ac - b^2)^5(a^9b^8 + 256a^{13} \\
& 3c^4 - 16a^{10}b^6c + 96a^{11}b^4c^2 - 256a^{12}b^2c^3) * (4a^4b^{10} - 4 \\
& 096a^9c^5 - 80a^5b^8c + 640a^6b^6c^2 - 2560a^7b^4c^3 + 5120a^8 \\
& b^2c^4)) * (16a^{12}b^{12}(4ac - b^2)^{(15/2)} + 65536a^{18}c^6(4ac - b^2 \\
&)^{(15/2)} - 384a^{13}b^{10}c * (4ac - b^2)^{(15/2)} + 3840a^{14}b^8c^2 * (4ac \\
& - b^2)^{(15/2)} - 20480a^{15}b^6c^3 * (4ac - b^2)^{(15/2)} + 61440a^{16}b^4c^4 \\
& 4 * (4ac - b^2)^{(15/2)} - 98304a^{17}b^2c^5 * (4ac - b^2)^{(15/2)}) * (9Ab^8 \\
& + 30Aa^4c^4 - 3Baa^7 - 99Aa^3b^2c^3 - 120Baa^3b^3c^2) / (8a^3c^2 * \\
& (4ac - b^2)^6 * (3600A^2a^6c^8 + 9A^2b^{12}c^2 + 1440A^2a^2b^8c^4 - \\
& 5760A^2a^3b^6c^5 + 11700A^2a^4b^4c^6 - 10800A^2a^5b^2c^7 + B^2 \\
& a^2b^{10}c^2 - 20B^2a^3b^8c^3 + 160B^2a^4b^6c^4 - 600B^2a^5b^4c^5 + 900B^2a^6 \\
& b^2c^6 - 180A^2a^2b^{10}c^3 + 120ABaa^2b^9c^3 - 960A \\
& ABaa^3b^7c^4 + 3720ABaa^4b^5c^5 - 6600ABaa^5b^3c^6 - 6ABaa^6b^{11} \\
& 1c^2 + 3600ABaa^6b^2c^7) * (900A^2a^6c^6 - 54A^2b^{12} - 6B^2a^2b^{10} \\
& + 6400B^2a^7c^5 + 36ABaa^6b^{11} - 8640A^2a^2b^8c^2 + 34560A^2a^3 \\
& b^6c^3 - 69075A^2a^4b^4c^4 + 54900A^2a^5b^2c^5 - 960B^2a^4b^6c^2 \\
& + 3850B^2a^5b^4c^3 - 7775B^2a^6b^2c^4 + 1080A^2a^2b^{10}c + 120 \\
& B^2a^3b^8c + 5760ABaa^3b^7c^2 - 23070ABaa^4b^5c^3 + 46350ABaa^5 \\
& 5b^3c^4 - 720ABaa^2b^9c - 37500ABaa^6b^2c^5)) * (60Aa^3c^3 - 3A \\
& b^6 + Baa^5 + 30Aa^4b^2c - 10Baa^2b^3c + 30Baa^3b^2c^2 - 90Aa^2b^2 \\
& c^2) / (2a^4(4ac - b^2)^{(5/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**3/(c*x**4+b*x**2+a)**3,x)

[Out] Timed out

$$3.132 \quad \int \frac{x^8(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=554

$$\frac{\left(-\frac{40a^2Ac^3+132a^2bBc^2-18aAb^2c^2-33ab^3Bc+Ab^4c+3b^5B}{\sqrt{b^2-4ac}} + 84a^2Bc^2 - 16aAbc^2 - 27ab^2Bc + Ab^3c + 3b^4B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{8\sqrt{2}c^{5/2}(b^2-4ac)^2\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out] $-1/8*(20*A*a*c^2+A*b^2*c-24*B*a*b*c+3*B*b^3)*x/c^2/(-4*a*c+b^2)^2+1/8*(12*A*b*c-28*B*a*c+B*b^2)*x^3/c/(-4*a*c+b^2)^2-1/4*x^7*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2-1/8*x^5*(7*A*b^2-12*a*b*B-4*a*A*c+(12*A*b*c-28*B*a*c+B*b^2)*x^2)/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+1/16*\arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(3*b^4*B+A*b^3*c-27*a*b^2*B*c-16*a*A*b*c^2+84*a^2*B*c^2+(40*A*a^2*c^3+18*A*a*b^2*c^2-A*b^4*c-132*B*a^2*b*c^2+33*B*a*b^3*c-3*B*b^5)/(-4*a*c+b^2)^(1/2))/c^(5/2)/(-4*a*c+b^2)^2*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)+1/16*\arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2)))^(1/2)*(3*b^4*B+A*b^3*c-27*a*b^2*B*c-16*a*A*b*c^2+84*a^2*B*c^2+(-40*A*a^2*c^3-18*A*a*b^2*c^2+A*b^4*c+132*B*a^2*b*c^2-33*B*a*b^3*c+3*B*b^5)/(-4*a*c+b^2)^(1/2))/c^(5/2)/(-4*a*c+b^2)^2*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)$

Rubi [A] time = 11.19, antiderivative size = 554, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1275, 1279, 1166, 205}

$$\frac{\left(-\frac{40a^2Ac^3+132a^2bBc^2-18aAb^2c^2-33ab^3Bc+Ab^4c+3b^5B}{\sqrt{b^2-4ac}} + 84a^2Bc^2 - 16aAbc^2 - 27ab^2Bc + Ab^3c + 3b^4B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{8\sqrt{2}c^{5/2}(b^2-4ac)^2\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^8*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x]

[Out] $-((3*b^3*B + A*b^2*c - 24*a*b*B*c + 20*a*A*c^2)*x)/(8*c^2*(b^2 - 4*a*c)^2) + ((b^2*B + 12*A*b*c - 28*a*B*c)*x^3)/(8*c*(b^2 - 4*a*c)^2) - (x^7*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (x^5*(7*A*b^2 - 12*a*b*B - 4*a*A*c + (b^2*B + 12*A*b*c - 28*a*B*c)*x^2))/(8*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + ((3*b^4*B + A*b^3*c - 27*a*b^2*B*c - 16*a*A*b*c^2 + 84*a^2*B*c^2 - (3*b^5*B + A*b^4*c - 33*a*b^3*B*c - 18*a*A*b^2*c^2 + 132*a^2*b*B*c^2 - 40*a^2*A*c^3)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(8*\text{Sqrt}[2]*c^(5/2)*(b^2 - 4*a*c)^2*\text{Sqr$

$$\frac{t[b - \sqrt{b^2 - 4ac}]}{(3b^4B + Ab^3c - 27ab^2Bc - 16aAb^2c^2 + 84a^2Bc^2 + (3b^5B + Ab^4c - 33ab^3Bc - 18aAb^2c^2 + 132a^2bBc^2 - 40a^2Ac^3)/\sqrt{b^2 - 4ac}) \cdot \text{ArcTan}[\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}]}{(8\sqrt{2} c^{5/2} (b^2 - 4ac)^2 \sqrt{b + \sqrt{b^2 - 4ac}})]}$$

Rule 205

$$\text{Int}[\frac{(a_.) + (b_.) (x_.)^2}{(a_.) + (b_.) (x_.)^2 + (c_.) (x_.)^4}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$

Rule 1166

$$\text{Int}[\frac{(d_.) + (e_.) (x_.)^2}{(a_.) + (b_.) (x_.)^2 + (c_.) (x_.)^4}, x_Symbol] : > \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[e/2 + (2cd - b^2e)/(2q), \text{Int}[1/(b/2 - q/2 + cx^2), x], x] + \text{Dist}[e/2 - (2cd - b^2e)/(2q), \text{Int}[1/(b/2 + q/2 + cx^2), x], x]] \text{ ; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c^2 - ae^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4ac]$$

Rule 1275

$$\text{Int}[\frac{(f_.) (x_.)^m}{(a_.) + (b_.) (x_.)^2 + (c_.) (x_.)^4} (d_.) + (e_.) (x_.)^2, x_Symbol] \rightarrow \text{Simp}[(f \cdot (fx)^{m-1} (a + bx^2 + cx^4)^{p+1} (bd - 2ae - (be - 2cd)x^2)) / (2(p+1)(b^2 - 4ac)), x] - \text{Dist}[f^2 / (2(p+1)(b^2 - 4ac)), \text{Int}[(fx)^{m-2} (a + bx^2 + cx^4)^{p+1} \cdot \text{Simp}[(m-1)(bd - 2ae) - (4p+4+m+1)(be - 2cd)x^2, x], x], x] \text{ ; FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$$

Rule 1279

$$\text{Int}[\frac{(f_.) (x_.)^m}{(a_.) + (b_.) (x_.)^2 + (c_.) (x_.)^4} (d_.) + (e_.) (x_.)^2, x_Symbol] \rightarrow \text{Simp}[(ef \cdot (fx)^{m-1} (a + bx^2 + cx^4)^{p+1}) / (c(m+4p+3)), x] - \text{Dist}[f^2 / (c(m+4p+3)), \text{Int}[(fx)^{m-2} (a + bx^2 + cx^4)^p \cdot \text{Simp}[ae(m-1) + (be(m+2p+1) - cd(m+4p+3))x^2, x], x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m+4p+3, 0] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$$

Rubi steps

$$\begin{aligned}
\int \frac{x^8 (A + Bx^2)}{(a + bx^2 + cx^4)^3} dx &= -\frac{x^7 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{\int \frac{x^6(7(Ab-2aB)+(-bB+2Ac)x^2)}{(a+bx^2+cx^4)^2} dx}{4(b^2 - 4ac)} \\
&= -\frac{x^7 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^5 (7Ab^2 - 12abB - 4aAc + (b^2B + 12Abc - 28aBc))}{8(b^2 - 4ac)^2 (a + bx^2 + cx^4)} \\
&= \frac{(b^2B + 12Abc - 28aBc)x^3}{8c(b^2 - 4ac)^2} - \frac{x^7 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^5 (7Ab^2 - 12abB - 4aAc)}{8(b^2 - 4ac)^2} \\
&= -\frac{(3b^3B + Ab^2c - 24abBc + 20aAc^2)x}{8c^2(b^2 - 4ac)^2} + \frac{(b^2B + 12Abc - 28aBc)x^3}{8c(b^2 - 4ac)^2} - \frac{x^7 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} \\
&= -\frac{(3b^3B + Ab^2c - 24abBc + 20aAc^2)x}{8c^2(b^2 - 4ac)^2} + \frac{(b^2B + 12Abc - 28aBc)x^3}{8c(b^2 - 4ac)^2} - \frac{x^7 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} \\
&= -\frac{(3b^3B + Ab^2c - 24abBc + 20aAc^2)x}{8c^2(b^2 - 4ac)^2} + \frac{(b^2B + 12Abc - 28aBc)x^3}{8c(b^2 - 4ac)^2} - \frac{x^7 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2}
\end{aligned}$$

Mathematica [A] time = 2.40, size = 644, normalized size = 1.16

$$-\frac{4x(a^2c(2c(A+Bx^2)-3bB)+ab(-bc(A+4Bx^2)+3Ac^2x^2+b^2B)+b^3x^2(bB-Ac))}{(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{\sqrt{2}\sqrt{c}\left(4a^2c^2\left(21B\sqrt{b^2-4ac}+10Ac\right)-4abc^2\left(4A\sqrt{b^2-4ac}+33aB\right)+\right)}{(b^2-4ac)(a+bx^2+cx^4)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] ((2*x*(2*b^5*B - b^4*c*(2*A + 5*B*x^2) - 4*a^2*c^3*(9*A + 11*B*x^2) + a*b^2*c^2*(11*A + 37*B*x^2) + 16*a*b*c^2*(3*a*B - A*c*x^2) + b^3*c*(-17*a*B + A*c*x^2)))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) - (4*x*(b^3*(b*B - A*c)*x^2 + a^2*c*(-3*b*B + 2*c*(A + B*x^2)) + a*b*(b^2*B + 3*A*c^2*x^2 - b*c*(A + 4*B*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (Sqrt[2]*Sqrt[c]*(-3*b^5*B + b^3*c*(33*a*B + A*Sqrt[b^2 - 4*a*c]) - 4*a*b*c^2*(33*a*B + 4*A*Sqrt[b^2 - 4*a*c]))/(b^2 - 4*a*c)^2)

$$\begin{aligned}
& - 4*a*c]) + 9*a*b^2*c*(2*A*c - 3*B*\text{Sqrt}[b^2 - 4*a*c]) + b^4*(-(A*c) + 3*B* \\
& \text{Sqrt}[b^2 - 4*a*c]) + 4*a^2*c^2*(10*A*c + 21*B*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{S} \\
& \text{qrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^(5/2)*\text{Sqrt}[b \\
& - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(3*b^5*B + 4*a*b*c^2*(33*a*B - 4* \\
& A*\text{Sqrt}[b^2 - 4*a*c]) + b^4*(A*c + 3*B*\text{Sqrt}[b^2 - 4*a*c]) - 9*a*b^2*c*(2*A*c \\
& + 3*B*\text{Sqrt}[b^2 - 4*a*c]) + 4*a^2*c^2*(-10*A*c + 21*B*\text{Sqrt}[b^2 - 4*a*c]) + \\
& b^3*(-33*a*B*c + A*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b \\
& + \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^(5/2)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]))/ \\
& (16*c^3)
\end{aligned}$$

fricas [B] time = 14.45, size = 9636, normalized size = 17.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/16*(2*(5*B*b^4*c + 4*(11*B*a^2 + 4*A*a*b)*c^3 - (37*B*a*b^2 + A*b^3)*c^2 \\
&)*x^7 + 2*(3*B*b^5 + 36*A*a^2*c^3 - (4*B*a^2*b - 5*A*a*b^2)*c^2 - (20*B*a*b \\
& ^3 - A*b^4)*c)*x^5 + 2*(6*B*a*b^4 + 28*(B*a^3 + A*a^2*b)*c^2 - (49*B*a^2*b^ \\
& 2 - 2*A*a*b^3)*c)*x^3 - \text{sqrt}(1/2)*((b^4*c^4 - 8*a*b^2*c^5 + 16*a^2*c^6)*x^8 \\
& + a^2*b^4*c^2 - 8*a^3*b^2*c^3 + 16*a^4*c^4 + 2*(b^5*c^3 - 8*a*b^3*c^4 + 16 \\
& a^2*b*c^5)*x^6 + (b^6*c^2 - 6*a*b^4*c^3 + 32*a^3*c^5)*x^4 + 2*(a*b^5*c^2 - \\
& 8*a^2*b^3*c^3 + 16*a^3*b*c^4)*x^2)*\text{sqrt}(-(9*B^2*b^9 - 1680*(4*A*B*a^4 - A^ \\
& 2*a^3*b)*c^5 + 280*(54*B^2*a^4*b - 12*A*B*a^3*b^2 + A^2*a^2*b^3)*c^4 - 35*(\\
& 216*B^2*a^3*b^3 - 36*A*B*a^2*b^4 + A^2*a*b^5)*c^3 + (1701*B^2*a^2*b^5 - 168 \\
& *A*B*a*b^6 + A^2*b^7)*c^2 - 3*(63*B^2*a*b^7 - 2*A*B*b^8)*c + (b^10*c^5 - 20 \\
& *a*b^8*c^6 + 160*a^2*b^6*c^7 - 640*a^3*b^4*c^8 + 1280*a^4*b^2*c^9 - 1024*a^ \\
& 5*c^10)*\text{sqrt}((81*B^4*b^8 + 625*A^4*a^2*c^6 - 50*(441*A^2*B^2*a^3 - 108*A^3* \\
& B*a^2*b + A^4*a*b^2)*c^5 + (194481*B^4*a^4 - 95256*A*B^3*a^3*b + 17496*A^2* \\
& B^2*a^2*b^2 - 516*A^3*B*a*b^3 + A^4*b^4)*c^4 - 6*(14553*B^4*a^3*b^2 - 4446* \\
& A*B^3*a^2*b^3 + 324*A^2*B^2*a*b^4 - 2*A^3*B*b^5)*c^3 + 27*(657*B^4*a^2*b^4 \\
& - 116*A*B^3*a*b^5 + 2*A^2*B^2*b^6)*c^2 - 54*(33*B^4*a*b^6 - 2*A*B^3*b^7)*c) \\
& /((b^10*c^10 - 20*a*b^8*c^11 + 160*a^2*b^6*c^12 - 640*a^3*b^4*c^13 + 1280*a^ \\
& 4*b^2*c^14 - 1024*a^5*c^15)))/((b^10*c^5 - 20*a*b^8*c^6 + 160*a^2*b^6*c^7 - \\
& 640*a^3*b^4*c^8 + 1280*a^4*b^2*c^9 - 1024*a^5*c^10))*\log(-(1701*B^4*a^2*b^8 \\
& - 945*A*B^3*a*b^9 - 10000*A^4*a^4*c^6 + 15000*(6*A^3*B*a^4*b - A^4*a^3*b^2 \\
&)*c^5 + 3*(1037232*B^4*a^6 - 1037232*A*B^3*a^5*b + 287712*A^2*B^2*a^4*b^2 - \\
& 32952*A^3*B*a^3*b^3 + 497*A^4*a^2*b^4)*c^4 - (1555848*B^4*a^5*b^2 - 129837 \\
& 6*A*B^3*a^4*b^3 + 238464*A^2*B^2*a^3*b^4 - 11277*A^3*B*a^2*b^5 + 35*A^4*a*b \\
& ^6)*c^3 + 9*(37701*B^4*a^4*b^4 - 26973*A*B^3*a^3*b^5 + 3066*A^2*B^2*a^2*b^6 \\
& - 35*A^3*B*a*b^7)*c^2 - 27*(1341*B^4*a^3*b^6 - 819*A*B^3*a^2*b^7 + 35*A^2* \\
& B^2*a*b^8)*c)*x + 1/2*\text{sqrt}(1/2)*(27*B^3*b^13 + 32000*A^3*a^5*c^8 - 640*(882 \\
& *A*B^2*a^6 - 156*A^2*B*a^5*b + 37*A^3*a^4*b^2)*c^7 + 64*(10584*B^3*a^6*b + \\
& 5562*A*B^2*a^5*b^2 - 1083*A^2*B*a^4*b^3 + 89*A^3*a^3*b^4)*c^6 - 8*(93096*B^
\end{aligned}$$

$$\begin{aligned}
& 3a^5b^3 + 3816AB^2a^4b^4 - 1746A^2Ba^3b^5 + 49A^3a^2b^6)c^5 + \\
& (337392B^3a^4b^5 - 24120AB^2a^3b^6 - 84A^2Ba^2b^7 - 17A^3a^*b^8) \\
&)c^4 - (81324B^3a^3b^7 - 6993AB^2a^2b^8 + 195A^2Ba^*b^9 - A^3b^10) \\
&)c^3 + 9*(1239B^3a^2b^9 - 79AB^2a^*b^10 + A^2Bb^11)c^2 - 27*(31B^3a^*b^11 \\
& - AB^2b^12)c - (3Bb^14c^5 - 4096*(42Ba^7 - 13Aa^6b))c^12 \\
& + 6144*(40Ba^6b^2 - 11Aa^5b^3)c^11 - 768*(194Ba^5b^4 - 45Aa^4b^5) \\
&)c^10 + 1280*(39Ba^4b^6 - 7Aa^3b^7)c^9 - 240*(42Ba^3b^8 - 5Aa^2b^9) \\
&)c^8 + 24*(52Ba^2b^10 - 3Aa^*b^11)c^7 - (90Ba^*b^12 - Ab^13)c^6) \\
&)\sqrt{(81B^4b^8 + 625A^4a^2c^6 - 50*(441A^2B^2a^3 - 108A^3Ba^2b + A^4a^*b^2) \\
&)c^5 + (194481B^4a^4 - 95256AB^3a^3b + 17496A^2B^2a^2b^2 - 516A^3Ba^*b^3 \\
& + A^4b^4)c^4 - 6*(14553B^4a^3b^2 - 4446AB^3a^2b^3 + 324A^2B^2a^*b^4 - 2A^3Bb^5) \\
&)c^3 + 27*(657B^4a^2b^4 - 116AB^3a^*b^5 + 2A^2B^2b^6)c^2 - 54*(33B^4a^*b^6 - 2AB^3b^7) \\
&)c)/(b^10c^10 - 20a^*b^8c^11 + 160a^2b^6c^12 - 640a^3b^4c^13 + 1280a^4b^2c^14 \\
& - 1024a^5c^15))\sqrt{-(9B^2b^9 - 1680*(4ABa^4 - A^2a^3b))c^5 + 280*(54B^2a^4b \\
& - 12ABa^3b^2 + A^2a^2b^3)c^4 - 35*(216B^2a^3b^3 - 36ABa^2b^4 + A^2a^*b^5) \\
&)c^3 + (1701B^2a^2b^5 - 168ABa^*b^6 + A^2b^7)c^2 - 3*(63B^2a^*b^7 - 2ABb^8) \\
&)c + (b^10c^5 - 20a^*b^8c^6 + 160a^2b^6c^7 - 640a^3b^4c^8 + 1280a^4b^2c^9 - 1024a^5c^10) \\
&)\sqrt{(81B^4b^8 + 625A^4a^2c^6 - 50*(441A^2B^2a^3 - 108A^3Ba^2b + A^4a^*b^2) \\
&)c^5 + (194481B^4a^4 - 95256AB^3a^3b + 17496A^2B^2a^2b^2 - 516A^3Ba^*b^3 \\
& + A^4b^4)c^4 - 6*(14553B^4a^3b^2 - 4446AB^3a^2b^3 + 324A^2B^2a^*b^4 - 2A^3Bb^5) \\
&)c^3 + 27*(657B^4a^2b^4 - 116AB^3a^*b^5 + 2A^2B^2b^6)c^2 - 54*(33B^4a^*b^6 - 2AB^3b^7) \\
&)c)/(b^10c^10 - 20a^*b^8c^11 + 160a^2b^6c^12 - 640a^3b^4c^13 + 1280a^4b^2c^14 \\
& - 1024a^5c^15)))/(b^10c^5 - 20a^*b^8c^6 + 160a^2b^6c^7 - 640a^3b^4c^8 + 1280a^4b^2c^9 \\
& - 1024a^5c^10)) + \sqrt{1/2}*((b^4c^4 - 8a^*b^2c^5 + 16a^2c^6)x^8 + a^2b^4c^2 - 8a^3b^2c^3 \\
& + 16a^4c^4 + 2*(b^5c^3 - 8a^*b^3c^4 + 16a^2b^*c^5)x^6 + (b^6c^2 - 6a^*b^4c^3 + 32a^3c^5) \\
&)x^4 + 2*(a^*b^5c^2 - 8a^2b^3c^3 + 16a^3b^*c^4)x^2)\sqrt{-(9B^2b^9 - 1680*(4ABa^4 \\
& - A^2a^3b))c^5 + 280*(54B^2a^4b - 12ABa^3b^2 + A^2a^2b^3)c^4 - 35*(216B^2a^3b^3 \\
& - 36ABa^2b^4 + A^2a^*b^5)c^3 + (1701B^2a^2b^5 - 168ABa^*b^6 + A^2b^7)c^2 - 3*(63B^2a^*b^7 \\
& - 2ABb^8)c + (b^10c^5 - 20a^*b^8c^6 + 160a^2b^6c^7 - 640a^3b^4c^8 + 1280a^4b^2c^9 \\
& - 1024a^5c^10)\sqrt{(81B^4b^8 + 625A^4a^2c^6 - 50*(441A^2B^2a^3 - 108A^3Ba^2b + A^4a^*b^2) \\
&)c^5 + (194481B^4a^4 - 95256AB^3a^3b + 17496A^2B^2a^2b^2 - 516A^3Ba^*b^3 + A^4b^4) \\
&)c^4 - 6*(14553B^4a^3b^2 - 4446AB^3a^2b^3 + 324A^2B^2a^*b^4 - 2A^3Bb^5)c^3 + 27*(657B^4a^2b^4 \\
& - 116AB^3a^*b^5 + 2A^2B^2b^6)c^2 - 54*(33B^4a^*b^6 - 2AB^3b^7)c)/(b^10c^10 - 20a^*b^8c^11 \\
& + 160a^2b^6c^12 - 640a^3b^4c^13 + 1280a^4b^2c^14 - 1024a^5c^15)))/(b^10c^5 - 20a^*b^8c^6 \\
& + 160a^2b^6c^7 - 640a^3b^4c^8 + 1280a^4b^2c^9 - 1024a^5c^10))*\log(-(1701B^4a^2b^8 - 945AB^3a^*b^9 \\
& - 10000A^4a^4c^6 + 15000*(6A^3Ba^4b - A^4a^3b^2)c^5 + 3*(1037232B^4a^6 - 1037232AB^3a^5b \\
& + 287712A^2B^2a^4b^2 - 32952A^3Ba^3b^3 + 497A^4a^2b^4)c^4 - (
\end{aligned}$$

$$\begin{aligned}
& 1555848*B^4*a^5*b^2 - 1298376*A*B^3*a^4*b^3 + 238464*A^2*B^2*a^3*b^4 - 1127 \\
& 7*A^3*B*a^2*b^5 + 35*A^4*a*b^6)*c^3 + 9*(37701*B^4*a^4*b^4 - 26973*A*B^3*a^ \\
& 3*b^5 + 3066*A^2*B^2*a^2*b^6 - 35*A^3*B*a*b^7)*c^2 - 27*(1341*B^4*a^3*b^6 - \\
& 819*A*B^3*a^2*b^7 + 35*A^2*B^2*a*b^8)*c)*x - 1/2*sqrt(1/2)*(27*B^3*b^13 + \\
& 32000*A^3*a^5*c^8 - 640*(882*A*B^2*a^6 - 156*A^2*B*a^5*b + 37*A^3*a^4*b^2)* \\
& c^7 + 64*(10584*B^3*a^6*b + 5562*A*B^2*a^5*b^2 - 1083*A^2*B*a^4*b^3 + 89*A^ \\
& 3*a^3*b^4)*c^6 - 8*(93096*B^3*a^5*b^3 + 3816*A*B^2*a^4*b^4 - 1746*A^2*B*a^3 \\
& *b^5 + 49*A^3*a^2*b^6)*c^5 + (337392*B^3*a^4*b^5 - 24120*A*B^2*a^3*b^6 - 84 \\
& *A^2*B*a^2*b^7 - 17*A^3*a*b^8)*c^4 - (81324*B^3*a^3*b^7 - 6993*A*B^2*a^2*b^ \\
& 8 + 195*A^2*B*a*b^9 - A^3*b^10)*c^3 + 9*(1239*B^3*a^2*b^9 - 79*A*B^2*a*b^10 \\
& + A^2*B*b^11)*c^2 - 27*(31*B^3*a*b^11 - A*B^2*b^12)*c - (3*B*b^14*c^5 - 40 \\
& 96*(42*B*a^7 - 13*A*a^6*b)*c^12 + 6144*(40*B*a^6*b^2 - 11*A*a^5*b^3)*c^11 - \\
& 768*(194*B*a^5*b^4 - 45*A*a^4*b^5)*c^10 + 1280*(39*B*a^4*b^6 - 7*A*a^3*b^7 \\
&)*c^9 - 240*(42*B*a^3*b^8 - 5*A*a^2*b^9)*c^8 + 24*(52*B*a^2*b^10 - 3*A*a*b^ \\
& 11)*c^7 - (90*B*a*b^12 - A*b^13)*c^6)*sqrt((81*B^4*b^8 + 625*A^4*a^2*c^6 - \\
& 50*(441*A^2*B^2*a^3 - 108*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (194481*B^4*a^4 - \\
& 95256*A*B^3*a^3*b + 17496*A^2*B^2*a^2*b^2 - 516*A^3*B*a*b^3 + A^4*b^4)*c^4 \\
& - 6*(14553*B^4*a^3*b^2 - 4446*A*B^3*a^2*b^3 + 324*A^2*B^2*a*b^4 - 2*A^3*B*b^ \\
& 5)*c^3 + 27*(657*B^4*a^2*b^4 - 116*A*B^3*a*b^5 + 2*A^2*B^2*b^6)*c^2 - 54*(\\
& 33*B^4*a*b^6 - 2*A*B^3*b^7)*c)/(b^10*c^10 - 20*a*b^8*c^11 + 160*a^2*b^6*c^1 \\
& 2 - 640*a^3*b^4*c^13 + 1280*a^4*b^2*c^14 - 1024*a^5*c^15))*sqrt(-(9*B^2*b^ \\
& 9 - 1680*(4*A*B*a^4 - A^2*a^3*b)*c^5 + 280*(54*B^2*a^4*b - 12*A*B*a^3*b^2 + \\
& A^2*a^2*b^3)*c^4 - 35*(216*B^2*a^3*b^3 - 36*A*B*a^2*b^4 + A^2*a*b^5)*c^3 + \\
& (1701*B^2*a^2*b^5 - 168*A*B*a*b^6 + A^2*b^7)*c^2 - 3*(63*B^2*a*b^7 - 2*A*B \\
& *b^8)*c + (b^10*c^5 - 20*a*b^8*c^6 + 160*a^2*b^6*c^7 - 640*a^3*b^4*c^8 + 12 \\
& 80*a^4*b^2*c^9 - 1024*a^5*c^10)*sqrt((81*B^4*b^8 + 625*A^4*a^2*c^6 - 50*(44 \\
& 1*A^2*B^2*a^3 - 108*A^3*B*a^2*b + A^4*a*b^2)*c^5 + (194481*B^4*a^4 - 95256* \\
& A*B^3*a^3*b + 17496*A^2*B^2*a^2*b^2 - 516*A^3*B*a*b^3 + A^4*b^4)*c^4 - 6*(1 \\
& 4553*B^4*a^3*b^2 - 4446*A*B^3*a^2*b^3 + 324*A^2*B^2*a*b^4 - 2*A^3*B*b^5)*c^ \\
& 3 + 27*(657*B^4*a^2*b^4 - 116*A*B^3*a*b^5 + 2*A^2*B^2*b^6)*c^2 - 54*(33*B^4 \\
& *a*b^6 - 2*A*B^3*b^7)*c)/(b^10*c^10 - 20*a*b^8*c^11 + 160*a^2*b^6*c^12 - 64 \\
& 0*a^3*b^4*c^13 + 1280*a^4*b^2*c^14 - 1024*a^5*c^15)))/(b^10*c^5 - 20*a*b^8* \\
& c^6 + 160*a^2*b^6*c^7 - 640*a^3*b^4*c^8 + 1280*a^4*b^2*c^9 - 1024*a^5*c^10) \\
&)) - sqrt(1/2)*((b^4*c^4 - 8*a*b^2*c^5 + 16*a^2*c^6)*x^8 + a^2*b^4*c^2 - 8* \\
& a^3*b^2*c^3 + 16*a^4*c^4 + 2*(b^5*c^3 - 8*a*b^3*c^4 + 16*a^2*b*c^5)*x^6 + (\\
& b^6*c^2 - 6*a*b^4*c^3 + 32*a^3*c^5)*x^4 + 2*(a*b^5*c^2 - 8*a^2*b^3*c^3 + 16 \\
& *a^3*b*c^4)*x^2)*sqrt(-(9*B^2*b^9 - 1680*(4*A*B*a^4 - A^2*a^3*b)*c^5 + 280* \\
& (54*B^2*a^4*b - 12*A*B*a^3*b^2 + A^2*a^2*b^3)*c^4 - 35*(216*B^2*a^3*b^3 - 3 \\
& 6*A*B*a^2*b^4 + A^2*a*b^5)*c^3 + (1701*B^2*a^2*b^5 - 168*A*B*a*b^6 + A^2*b^ \\
& 7)*c^2 - 3*(63*B^2*a*b^7 - 2*A*B*b^8)*c - (b^10*c^5 - 20*a*b^8*c^6 + 160*a^ \\
& 2*b^6*c^7 - 640*a^3*b^4*c^8 + 1280*a^4*b^2*c^9 - 1024*a^5*c^10)*sqrt((81*B^ \\
& 4*b^8 + 625*A^4*a^2*c^6 - 50*(441*A^2*B^2*a^3 - 108*A^3*B*a^2*b + A^4*a*b^2 \\
&)*c^5 + (194481*B^4*a^4 - 95256*A*B^3*a^3*b + 17496*A^2*B^2*a^2*b^2 - 516*A \\
& ^3*B*a*b^3 + A^4*b^4)*c^4 - 6*(14553*B^4*a^3*b^2 - 4446*A*B^3*a^2*b^3 + 324 \\
& *A^2*B^2*a*b^4 - 2*A^3*B*b^5)*c^3 + 27*(657*B^4*a^2*b^4 - 116*A*B^3*a*b^5 +
\end{aligned}$$

$$\begin{aligned}
& 2*A^2*B^2*b^6)*c^2 - 54*(33*B^4*a*b^6 - 2*A*B^3*b^7)*c)/(b^{10}*c^{10} - 20*a* \\
& b^8*c^{11} + 160*a^2*b^6*c^{12} - 640*a^3*b^4*c^{13} + 1280*a^4*b^2*c^{14} - 1024*a \\
& ^5*c^{15}))/((b^{10}*c^5 - 20*a*b^8*c^6 + 160*a^2*b^6*c^7 - 640*a^3*b^4*c^8 + 1 \\
& 280*a^4*b^2*c^9 - 1024*a^5*c^{10}))*\log(-(1701*B^4*a^2*b^8 - 945*A*B^3*a*b^9 \\
& - 10000*A^4*a^4*c^6 + 15000*(6*A^3*B*a^4*b - A^4*a^3*b^2)*c^5 + 3*(1037232* \\
& B^4*a^6 - 1037232*A*B^3*a^5*b + 287712*A^2*B^2*a^4*b^2 - 32952*A^3*B*a^3*b^ \\
& 3 + 497*A^4*a^2*b^4)*c^4 - (1555848*B^4*a^5*b^2 - 1298376*A*B^3*a^4*b^3 + 2 \\
& 38464*A^2*B^2*a^3*b^4 - 11277*A^3*B*a^2*b^5 + 35*A^4*a*b^6)*c^3 + 9*(37701* \\
& B^4*a^4*b^4 - 26973*A*B^3*a^3*b^5 + 3066*A^2*B^2*a^2*b^6 - 35*A^3*B*a*b^7)* \\
& c^2 - 27*(1341*B^4*a^3*b^6 - 819*A*B^3*a^2*b^7 + 35*A^2*B^2*a*b^8)*c)*x + 1 \\
& /2*\sqrt{1/2)*(27*B^3*b^{13} + 32000*A^3*a^5*c^8 - 640*(882*A*B^2*a^6 - 156*A^ \\
& 2*B*a^5*b + 37*A^3*a^4*b^2)*c^7 + 64*(10584*B^3*a^6*b + 5562*A*B^2*a^5*b^2 \\
& - 1083*A^2*B*a^4*b^3 + 89*A^3*a^3*b^4)*c^6 - 8*(93096*B^3*a^5*b^3 + 3816*A* \\
& B^2*a^4*b^4 - 1746*A^2*B*a^3*b^5 + 49*A^3*a^2*b^6)*c^5 + (337392*B^3*a^4*b^ \\
& 5 - 24120*A*B^2*a^3*b^6 - 84*A^2*B*a^2*b^7 - 17*A^3*a*b^8)*c^4 - (81324*B^3 \\
& *a^3*b^7 - 6993*A*B^2*a^2*b^8 + 195*A^2*B*a*b^9 - A^3*b^{10})*c^3 + 9*(1239*B \\
& ^3*a^2*b^9 - 79*A*B^2*a*b^{10} + A^2*B*b^{11})*c^2 - 27*(31*B^3*a*b^{11} - A*B^2* \\
& b^{12})*c + (3*B*b^{14}*c^5 - 4096*(42*B*a^7 - 13*A*a^6*b)*c^{12} + 6144*(40*B*a^ \\
& 6*b^2 - 11*A*a^5*b^3)*c^{11} - 768*(194*B*a^5*b^4 - 45*A*a^4*b^5)*c^{10} + 1280 \\
& *(39*B*a^4*b^6 - 7*A*a^3*b^7)*c^9 - 240*(42*B*a^3*b^8 - 5*A*a^2*b^9)*c^8 + \\
& 24*(52*B*a^2*b^{10} - 3*A*a*b^{11})*c^7 - (90*B*a*b^{12} - A*b^{13})*c^6)*\sqrt{((81* \\
& B^4*b^8 + 625*A^4*a^2*c^6 - 50*(441*A^2*B^2*a^3 - 108*A^3*B*a^2*b + A^4*a*b \\
& ^2)*c^5 + (194481*B^4*a^4 - 95256*A*B^3*a^3*b + 17496*A^2*B^2*a^2*b^2 - 516 \\
& *A^3*B*a*b^3 + A^4*b^4)*c^4 - 6*(14553*B^4*a^3*b^2 - 4446*A*B^3*a^2*b^3 + 3 \\
& 24*A^2*B^2*a*b^4 - 2*A^3*B*b^5)*c^3 + 27*(657*B^4*a^2*b^4 - 116*A*B^3*a*b^5 \\
& + 2*A^2*B^2*b^6)*c^2 - 54*(33*B^4*a*b^6 - 2*A*B^3*b^7)*c)/(b^{10}*c^{10} - 20* \\
& a*b^8*c^{11} + 160*a^2*b^6*c^{12} - 640*a^3*b^4*c^{13} + 1280*a^4*b^2*c^{14} - 1024 \\
& *a^5*c^{15}))*\sqrt{-(9*B^2*b^9 - 1680*(4*A*B*a^4 - A^2*a^3*b)*c^5 + 280*(54* \\
& B^2*a^4*b - 12*A*B*a^3*b^2 + A^2*a^2*b^3)*c^4 - 35*(216*B^2*a^3*b^3 - 36*A* \\
& B*a^2*b^4 + A^2*a*b^5)*c^3 + (1701*B^2*a^2*b^5 - 168*A*B*a*b^6 + A^2*b^7)*c \\
& ^2 - 3*(63*B^2*a*b^7 - 2*A*B*b^8)*c - (b^{10}*c^5 - 20*a*b^8*c^6 + 160*a^2*b^ \\
& 6*c^7 - 640*a^3*b^4*c^8 + 1280*a^4*b^2*c^9 - 1024*a^5*c^{10}))*\sqrt{((81*B^4*b^ \\
& 8 + 625*A^4*a^2*c^6 - 50*(441*A^2*B^2*a^3 - 108*A^3*B*a^2*b + A^4*a*b^2)*c^ \\
& 5 + (194481*B^4*a^4 - 95256*A*B^3*a^3*b + 17496*A^2*B^2*a^2*b^2 - 516*A^3*B \\
& *a*b^3 + A^4*b^4)*c^4 - 6*(14553*B^4*a^3*b^2 - 4446*A*B^3*a^2*b^3 + 324*A^2 \\
& *B^2*a*b^4 - 2*A^3*B*b^5)*c^3 + 27*(657*B^4*a^2*b^4 - 116*A*B^3*a*b^5 + 2*A \\
& ^2*B^2*b^6)*c^2 - 54*(33*B^4*a*b^6 - 2*A*B^3*b^7)*c)/(b^{10}*c^{10} - 20*a*b^8* \\
& c^{11} + 160*a^2*b^6*c^{12} - 640*a^3*b^4*c^{13} + 1280*a^4*b^2*c^{14} - 1024*a^5*c \\
& ^{15}))/((b^{10}*c^5 - 20*a*b^8*c^6 + 160*a^2*b^6*c^7 - 640*a^3*b^4*c^8 + 1280* \\
& a^4*b^2*c^9 - 1024*a^5*c^{10}))) + \sqrt{1/2)*((b^4*c^4 - 8*a*b^2*c^5 + 16*a^2 \\
& *c^6)*x^8 + a^2*b^4*c^2 - 8*a^3*b^2*c^3 + 16*a^4*c^4 + 2*(b^5*c^3 - 8*a*b^3 \\
& *c^4 + 16*a^2*b*c^5)*x^6 + (b^6*c^2 - 6*a*b^4*c^3 + 32*a^3*c^5)*x^4 + 2*(a* \\
& b^5*c^2 - 8*a^2*b^3*c^3 + 16*a^3*b*c^4)*x^2)*\sqrt{-(9*B^2*b^9 - 1680*(4*A*B \\
& *a^4 - A^2*a^3*b)*c^5 + 280*(54*B^2*a^4*b - 12*A*B*a^3*b^2 + A^2*a^2*b^3)*c \\
& ^4 - 35*(216*B^2*a^3*b^3 - 36*A*B*a^2*b^4 + A^2*a*b^5)*c^3 + (1701*B^2*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^5 - 168* A * B * a * b^6 + A^2 * b^7) * c^2 - 3 * (63 * B^2 * a * b^7 - 2 * A * B * b^8) * c - (b^{10} \\
& * c^5 - 20 * a * b^8 * c^6 + 160 * a^2 * b^6 * c^7 - 640 * a^3 * b^4 * c^8 + 1280 * a^4 * b^2 * c^9 \\
& - 1024 * a^5 * c^{10}) * \sqrt{(81 * B^4 * b^8 + 625 * A^4 * a^2 * c^6 - 50 * (441 * A^2 * B^2 * a^3 - \\
& 108 * A^3 * B * a^2 * b + A^4 * a * b^2) * c^5 + (194481 * B^4 * a^4 - 95256 * A * B^3 * a^3 * b + 1 \\
& 7496 * A^2 * B^2 * a^2 * b^2 - 516 * A^3 * B * a * b^3 + A^4 * b^4) * c^4 - 6 * (14553 * B^4 * a^3 * b^2 \\
& - 4446 * A * B^3 * a^2 * b^3 + 324 * A^2 * B^2 * a * b^4 - 2 * A^3 * B * b^5) * c^3 + 27 * (657 * B^4 \\
& * a^2 * b^4 - 116 * A * B^3 * a * b^5 + 2 * A^2 * B^2 * b^6) * c^2 - 54 * (33 * B^4 * a * b^6 - 2 * A * B^3 \\
& * b^7) * c) / (b^{10} * c^{10} - 20 * a * b^8 * c^{11} + 160 * a^2 * b^6 * c^{12} - 640 * a^3 * b^4 * c^{13} \\
& + 1280 * a^4 * b^2 * c^{14} - 1024 * a^5 * c^{15})) / (b^{10} * c^5 - 20 * a * b^8 * c^6 + 160 * a^2 * b^6 * c^7 \\
& - 640 * a^3 * b^4 * c^8 + 1280 * a^4 * b^2 * c^9 - 1024 * a^5 * c^{10}) * \log(- (1701 * B^4 * a^2 * b^8 - 945 * A * B^3 * a * b^9 \\
& - 10000 * A^4 * a^4 * c^6 + 15000 * (6 * A^3 * B * a^4 * b - A^4 * a^3 * b^2) * c^5 + 3 * (1037232 * B^4 * a^6 - 1037232 * A * B^3 * a^5 * b \\
& + 287712 * A^2 * B^2 * a^4 * b^2 - 32952 * A^3 * B * a^3 * b^3 + 497 * A^4 * a^2 * b^4) * c^4 - (1555848 * B^4 * a^5 * b^2 \\
& - 1298376 * A * B^3 * a^4 * b^3 + 238464 * A^2 * B^2 * a^3 * b^4 - 11277 * A^3 * B * a^2 * b^5 + 3 \\
& 5 * A^4 * a * b^6) * c^3 + 9 * (37701 * B^4 * a^4 * b^4 - 26973 * A * B^3 * a^3 * b^5 + 3066 * A^2 * B^2 * a^2 * b^6 \\
& - 35 * A^3 * B * a * b^7) * c^2 - 27 * (1341 * B^4 * a^3 * b^6 - 819 * A * B^3 * a^2 * b^7 \\
& + 35 * A^2 * B^2 * a * b^8) * c) * x - 1/2 * \sqrt{1/2} * (27 * B^3 * b^{13} + 32000 * A^3 * a^5 * c^8 - \\
& 640 * (882 * A * B^2 * a^6 - 156 * A^2 * B * a^5 * b + 37 * A^3 * a^4 * b^2) * c^7 + 64 * (10584 * B^3 * a^6 * b \\
& + 5562 * A * B^2 * a^5 * b^2 - 1083 * A^2 * B * a^4 * b^3 + 89 * A^3 * a^3 * b^4) * c^6 - 8 * (93096 * B^3 * a^5 * b^3 \\
& + 3816 * A * B^2 * a^4 * b^4 - 1746 * A^2 * B * a^3 * b^5 + 49 * A^3 * a^2 * b^6) * c^5 + (337392 * B^3 * a^4 * b^5 \\
& - 24120 * A * B^2 * a^3 * b^6 - 84 * A^2 * B * a^2 * b^7 - 17 * A^3 * a * b^8) * c^4 - (81324 * B^3 * a^3 * b^7 \\
& - 6993 * A * B^2 * a^2 * b^8 + 195 * A^2 * B * a * b^9 - A^3 * b^{10}) * c^3 + 9 * (1239 * B^3 * a^2 * b^9 - 79 * A * B^2 * a * b^{10} \\
& + A^2 * B * b^{11}) * c^2 - 27 * (31 * B^3 * a * b^{11} - A * B^2 * b^{12}) * c + (3 * B * b^{14} * c^5 - 4096 * (42 * B * a^7 - 13 * A \\
& * a^6 * b) * c^{12} + 6144 * (40 * B * a^6 * b^2 - 11 * A * a^5 * b^3) * c^{11} - 768 * (194 * B * a^5 * b^4 - 45 * A * a^4 * b^5) \\
& * c^{10} + 1280 * (39 * B * a^4 * b^6 - 7 * A * a^3 * b^7) * c^9 - 240 * (42 * B * a^3 * b^8 - 5 * A * a^2 * b^9) * c^8 \\
& + 24 * (52 * B * a^2 * b^{10} - 3 * A * a * b^{11}) * c^7 - (90 * B * a * b^{12} - A * b^{13}) * c^6) * \sqrt{(81 * B^4 * b^8 + 625 * A^4 * a^2 * c^6 \\
& - 50 * (441 * A^2 * B^2 * a^3 - 108 * A^3 * B * a^2 * b + A^4 * a * b^2) * c^5 + (194481 * B^4 * a^4 - 95256 * A * B^3 * a^3 * b \\
& + 17496 * A^2 * B^2 * a^2 * b^2 - 516 * A^3 * B * a * b^3 + A^4 * b^4) * c^4 - 6 * (14553 * B^4 * a^3 * b^2 - 4446 * A * B^3 * a^2 * b^3 \\
& + 324 * A^2 * B^2 * a * b^4 - 2 * A^3 * B * b^5) * c^3 + 27 * (657 * B^4 * a^2 * b^4 - 116 * A * B^3 * a * b^5 + 2 * A^2 * B^2 * b^6) \\
& * c^2 - 54 * (33 * B^4 * a * b^6 - 2 * A * B^3 * b^7) * c) / (b^{10} * c^{10} - 20 * a * b^8 * c^{11} + 160 * a^2 * b^6 * c^{12} - 640 * a^3 * b^4 * c^{13} \\
& + 1280 * a^4 * b^2 * c^{14} - 1024 * a^5 * c^{15})) * \sqrt{-(9 * B^2 * b^9 - 1680 * (4 * A * B * a^4 - A^2 * a^3 * b) * c^5 + 280 * (54 * B^2 * a^4 * b \\
& - 12 * A * B * a^3 * b^2 + A^2 * a^2 * b^3) * c^4 - 35 * (216 * B^2 * a^3 * b^3 - 36 * A * B * a^2 * b^4 + A^2 * a * b^5) * c^3 + (1701 * B^2 * a^2 * b^5 \\
& - 168 * A * B * a * b^6 + A^2 * b^7) * c^2 - 3 * (63 * B^2 * a * b^7 - 2 * A * B * b^8) * c - (b^{10} * c^5 - 20 * a * b^8 * c^6 \\
& + 160 * a^2 * b^6 * c^7 - 640 * a^3 * b^4 * c^8 + 1280 * a^4 * b^2 * c^9 - 1024 * a^5 * c^{10}) * \sqrt{(81 * B^4 * b^8 + 625 * A^4 * a^2 * c^6 \\
& - 50 * (441 * A^2 * B^2 * a^3 - 108 * A^3 * B * a^2 * b + A^4 * a * b^2) * c^5 + (194481 * B^4 * a^4 - 95256 * A * B^3 * a^3 * b \\
& + 17496 * A^2 * B^2 * a^2 * b^2 - 516 * A^3 * B * a * b^3 + A^4 * b^4) * c^4 - 6 * (14553 * B^4 * a^3 * b^2 - 4446 * A * B^3 * a^2 * b^3 \\
& + 324 * A^2 * B^2 * a * b^4 - 2 * A^3 * B * b^5) * c^3 + 27 * (657 * B^4 * a^2 * b^4 - 116 * A * B^3 * a * b^5 + 2 * A^2 * B^2 * b^6) \\
& * c^2 - 54 * (33 * B^4 * a * b^6 - 2 * A * B^3 * b^7) * c) / (b^{10} * c^{10} - 20 * a * b^8 * c^{11} + 160 * a^2 * b^6 * c^{12} - 640 * a^3 * b^4 * c^{13} + 12 \\
& 80 * a^4 * b^2 * c^{14} - 1024 * a^5 * c^{15})) / (b^{10} * c^5 - 20 * a * b^8 * c^6 + 160 * a^2 * b^6 * c^7 - 640 * a^3 * b^4 * c^8 + 1280 * a^4 * b^2 * c^9 - 1024 * a^5 * c^{10})
\end{aligned}$$


```

*c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a*b^2*c^3 - 56*sqrt(2)*sqrt(b^2 - 4*a*c
)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a^2*c^4 - 2*(b^2 - 4*a*c)*b^5*c + 24*(b^2
- 4*a*c)*a*b^3*c^2 - 2*(b^2 - 4*a*c)*b^4*c^2 - 64*(b^2 - 4*a*c)*a^2*b*c^3
+ 20*(b^2 - 4*a*c)*a*b^2*c^3 - 112*(b^2 - 4*a*c)*a^2*c^4)*B)*arctan(2*sqrt(
1/2)*x/sqrt((b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4 - sqrt((b^5*c^2 - 8*a*b^3
*c^3 + 16*a^2*b*c^4)^2 - 4*(a*b^4*c^2 - 8*a^2*b^2*c^3 + 16*a^3*c^4)*(b^4*c^
3 - 8*a*b^2*c^4 + 16*a^2*c^5)))/(b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)))/((b^
8*c^2 - 16*a*b^6*c^3 - 2*b^7*c^3 + 96*a^2*b^4*c^4 + 24*a*b^5*c^4 + b^6*c^4
- 256*a^3*b^2*c^5 - 96*a^2*b^3*c^5 - 12*a*b^4*c^5 + 256*a^4*c^6 + 128*a^3*b
*c^6 + 48*a^2*b^2*c^6 - 64*a^3*c^7)*abs(c)) - 1/8*(5*B*b^4*c*x^7 - 37*B*a*b
^2*c^2*x^7 - A*b^3*c^2*x^7 + 44*B*a^2*c^3*x^7 + 16*A*a*b*c^3*x^7 + 3*B*b^5*
x^5 - 20*B*a*b^3*c*x^5 + A*b^4*c*x^5 - 4*B*a^2*b*c^2*x^5 + 5*A*a*b^2*c^2*x^
5 + 36*A*a^2*c^3*x^5 + 6*B*a*b^4*x^3 - 49*B*a^2*b^2*c*x^3 + 2*A*a*b^3*c*x^3
+ 28*B*a^3*c^2*x^3 + 28*A*a^2*b*c^2*x^3 + 3*B*a^2*b^3*x - 24*B*a^3*b*c*x +
A*a^2*b^2*c*x + 20*A*a^3*c^2*x)/(b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)*(c*x
^4 + b*x^2 + a)^2)

```

maple [B] time = 0.07, size = 2015, normalized size = 3.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^8*(B*x^2+A)/(c*x^4+b*x^2+a)^3, x)$

```

[Out] (-1/8*(16*A*a*b*c^2-A*b^3*c+44*B*a^2*c^2-37*B*a*b^2*c+5*B*b^4)/(16*a^2*c^2-
8*a*b^2*c+b^4)/c*x^7-1/8*(36*A*a^2*c^3+5*A*a*b^2*c^2+A*b^4*c-4*B*a^2*b*c^2-
20*B*a*b^3*c+3*B*b^5)/c^2/(16*a^2*c^2-8*a*b^2*c+b^4)*x^5-1/8*a/c^2*(28*A*a*
b*c^2+2*A*b^3*c+28*B*a^2*c^2-49*B*a*b^2*c+6*B*b^4)/(16*a^2*c^2-8*a*b^2*c+b^
4)*x^3-1/8*a^2*(20*A*a*c^2+A*b^2*c-24*B*a*b*c+3*B*b^3)/c^2/(16*a^2*c^2-8*a*
b^2*c+b^4)*x)/(c*x^4+b*x^2+a)^2+1/(16*a^2*c^2-8*a*b^2*c+b^4)*2^(1/2)/((-b+(
-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/
2)*c*x)*a*A*b-1/16/c/(16*a^2*c^2-8*a*b^2*c+b^4)*2^(1/2)/((-b+(-4*a*c+b^2)^(
1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*A*b^3
-5/2*c/(16*a^2*c^2-8*a*b^2*c+b^4)/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b
^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*
A*a^2-9/8/(16*a^2*c^2-8*a*b^2*c+b^4)/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*
c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*
x)*A*a*b^2+1/16/c/(16*a^2*c^2-8*a*b^2*c+b^4)/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-
b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(
1/2)*c*x)*A*b^4-21/4/(16*a^2*c^2-8*a*b^2*c+b^4)*2^(1/2)/((-b+(-4*a*c+b^2)^(
1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*a^2*
B+27/16/c/(16*a^2*c^2-8*a*b^2*c+b^4)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1
/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*a*b^2*B-3/16/c^2
/(16*a^2*c^2-8*a*b^2*c+b^4)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arcta
nh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b^4*B+33/4/(16*a^2*c^2-8*

```


$$x^2) - 1/8 \int (-3B*ab^3 + 20A*a^2*c^2 + (3B*b^4 + 4*(21B*a^2 - 4A*a*b)*c^2 - (27B*ab^2 - A*b^3)*c)*x^2 - (24B*a^2*b - A*a*b^2)*c)/(c*x^4 + b*x^2 + a), x)/(b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)$$

mupad [B] time = 5.05, size = 22911, normalized size = 41.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^8*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x)$

[Out]
$$- ((x^5*(3B*b^5 + 36A*a^2*c^3 + A*b^4*c - 20B*ab^3*c + 5A*ab^2*c^2 - 4B*a^2*b*c^2))/(8*c^2*(b^4 + 16*a^2*c^2 - 8*ab^2*c)) + (x^7*(5B*b^4 + 44B*a^2*c^2 - A*b^3*c + 16A*ab*c^2 - 37B*ab^2*c))/(8*c*(b^4 + 16*a^2*c^2 - 8*ab^2*c)) + (x^3*(28B*a^3*c^2 + 6B*ab^4 + 2A*ab^3*c + 28A*a^2*b*c^2 - 49B*a^2*b^2*c))/(8*c^2*(b^4 + 16*a^2*c^2 - 8*ab^2*c)) + (a^2*x*(3B*b^3 + 20A*a*c^2 + A*b^2*c - 24B*ab*c))/(8*c^2*(b^4 + 16*a^2*c^2 - 8*ab^2*c)))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*ab*x^2 + 2*b*c*x^6) - \text{atan}(\frac{(((((256A*ab^{12}c^4 - 5242880A*a^7c^{10} + 768B*ab^{13}c^3 + 6291456B*a^7b*c^9 - 61440A*a^3b^8c^6 + 655360A*a^4b^6c^7 - 2949120A*a^5b^4c^8 + 6291456A*a^6b^2c^9 - 21504B*a^2b^{11}c^4 + 245760B*a^3b^9c^5 - 1474560B*a^4b^7c^6 + 4915200B*a^5b^5c^7 - 8650752B*a^6b^3c^8))/(512*(4096a^6c^9 + b^{12}c^3 - 24a*b^{10}c^4 + 240a^2b^8c^5 - 1280a^3b^6c^6 + 3840a^4b^4c^7 - 6144a^5b^2c^8)) - (x*(-(9B^2b^{19} + A^2b^{17}c^2 + 9B^2b^4*(-(4ac - b^2)^{15})^{1/2} + 6ABb^{18}c + 1140A^2a^2b^{13}c^4 - 10160A^2a^3b^{11}c^5 + 34880A^2a^4b^9c^6 + 43776A^2a^5b^7c^7 - 680960A^2a^6b^5c^8 + 1863680A^2a^7b^3c^9 + 6921B^2a^2b^{15}c^2 - 77580B^2a^3b^{13}c^3 + 570960B^2a^4b^{11}c^4 - 2851776B^2a^5b^9c^5 + 9628416B^2a^6b^7c^6 - 21095424B^2a^7b^5c^7 + 27095040B^2a^8b^3c^8 + A^2b^2c^2*(-(4ac - b^2)^{15})^{1/2} + 441B^2a^2c^2*(-(4ac - b^2)^{15})^{1/2} + 6881280AB*a^9c^{10} - 369B^2a*b^{17}c - 55A^2a*b^{15}c^3 - 1720320A^2a^8b*c^{10} - 25A^2a*c^3*(-(4ac - b^2)^{15})^{1/2} - 15482880B^2a^9b*c^9 + 5580A*B*a^2b^{14}c^3 - 59280A*B*a^3b^{12}c^4 + 377280A*B*a^4b^{10}c^5 - 1430784A*B*a^5b^8c^6 + 2860032A*B*a^6b^6c^7 - 1290240A*B*a^7b^4c^8 - 5160960A*B*a^8b^2c^9 - 99B^2a*b^2c*(-(4ac - b^2)^{15})^{1/2} - 288A*B*a*b^{16}c^2 + 6A*B*b^3c*(-(4ac - b^2)^{15})^{1/2} - 108A*B*ab*c^2*(-(4ac - b^2)^{15})^{1/2})/(512*(1048576a^{10}c^{15} + b^{20}c^5 - 40a*b^{18}c^6 + 720a^2b^{16}c^7 - 7680a^3b^{14}c^8 + 53760a^4b^{12}c^9 - 258048a^5b^{10}c^{10} + 860160a^6b^8c^{11} - 1966080a^7b^6c^{12} + 2949120a^8b^4c^{13} - 2621440a^9b^2c^{14}))^{1/2}*(256b^{11}c^5 - 5120a*b^9c^6 - 262144a^5b*c^{10} + 40960a^2b^7c^7 - 163840a^3b^5c^8 + 327680a^4b^3c^9))/(32*(256a^4c^7 + b^8c^3 - 16a*b^6c^4 + 96a^2b^4c^5 - 256a^3b^2c^6)))*(-(9B^2b^{19} + A^2b^{17}c^2 + 9B^2b^4*(-(4ac - b^2)^{15})^{1/2} + 6A*B*b^{18}c + 1140A^2a^2b^{13}c^4 - 10160A^2a^3b^{11}c^5 + 34880A^2a^4b^9c^6 + 43776A^2a^5b^7c^7 - 680960A^2a^6b^5c^8$$

$$\begin{aligned}
& 9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2* \\
& a^8*b^3*c^8 + A^2*b^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 441*B^2*a^2*c^2*(-(4* \\
& a*c - b^2)^15)^{(1/2)} + 6881280*A*B*a^9*c^10 - 369*B^2*a*b^17*c - 55*A^2*a*b \\
& ^15*c^3 - 1720320*A^2*a^8*b*c^10 - 25*A^2*a*c^3*(-(4*a*c - b^2)^15)^{(1/2)} - \\
& 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^14*c^3 - 59280*A*B*a^3*b^12*c^4 + \\
& 377280*A*B*a^4*b^10*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 \\
& - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 99*B^2*a*b^2*c*(-(4* \\
& a*c - b^2)^15)^{(1/2)} - 288*A*B*a*b^16*c^2 + 6*A*B*b^3*c*(-(4*a*c - b^2)^15) \\
& ^{(1/2)} - 108*A*B*a*b*c^2*(-(4*a*c - b^2)^15)^{(1/2)}/(512*(1048576*a^10*c^15 \\
& + b^20*c^5 - 40*a*b^18*c^6 + 720*a^2*b^16*c^7 - 7680*a^3*b^14*c^8 + 53760* \\
& a^4*b^12*c^9 - 258048*a^5*b^10*c^10 + 860160*a^6*b^8*c^11 - 1966080*a^7*b^6 \\
& *c^12 + 2949120*a^8*b^4*c^13 - 2621440*a^9*b^2*c^14)))^{(1/2)}*(256*b^11*c^5 \\
& - 5120*a*b^9*c^6 - 262144*a^5*b*c^10 + 40960*a^2*b^7*c^7 - 163840*a^3*b^5*c \\
& ^8 + 327680*a^4*b^3*c^9)/(32*(256*a^4*c^7 + b^8*c^3 - 16*a*b^6*c^4 + 96*a^ \\
& 2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9*B^2*b^19 + A^2*b^17*c^2 + 9*B^2*b^4*(-(\\
& 4*a*c - b^2)^15)^{(1/2)} + 6*A*B*b^18*c + 1140*A^2*a^2*b^13*c^4 - 10160*A^2*a \\
& ^3*b^11*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 - 680960*A^2*a^ \\
& 6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^15*c^2 - 77580*B^2*a^3 \\
& *b^13*c^3 + 570960*B^2*a^4*b^11*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9628416*B^2 \\
& *a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8*b^3*c^8 + A^2*b^ \\
& 2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 441*B^2*a^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} \\
& + 6881280*A*B*a^9*c^10 - 369*B^2*a*b^17*c - 55*A^2*a*b^15*c^3 - 1720320*A^ \\
& 2*a^8*b*c^10 - 25*A^2*a*c^3*(-(4*a*c - b^2)^15)^{(1/2)} - 15482880*B^2*a^9*b* \\
& c^9 + 5580*A*B*a^2*b^14*c^3 - 59280*A*B*a^3*b^12*c^4 + 377280*A*B*a^4*b^10* \\
& c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b \\
& ^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 99*B^2*a*b^2*c*(-(4*a*c - b^2)^15)^{(1/2)} \\
& - 288*A*B*a*b^16*c^2 + 6*A*B*b^3*c*(-(4*a*c - b^2)^15)^{(1/2)} - 108*A*B*a*b \\
& *c^2*(-(4*a*c - b^2)^15)^{(1/2)}/(512*(1048576*a^10*c^15 + b^20*c^5 - 40*a*b \\
& ^18*c^6 + 720*a^2*b^16*c^7 - 7680*a^3*b^14*c^8 + 53760*a^4*b^12*c^9 - 25804 \\
& 8*a^5*b^10*c^10 + 860160*a^6*b^8*c^11 - 1966080*a^7*b^6*c^12 + 2949120*a^8* \\
& b^4*c^13 - 2621440*a^9*b^2*c^14)))^{(1/2)} + (x*(9*B^2*b^10 + 800*A^2*a^4*c^6 \\
& + A^2*b^8*c^2 - 14112*B^2*a^5*c^5 + 6*A*B*b^9*c + 314*A^2*a^2*b^4*c^4 + 20 \\
& 8*A^2*a^3*b^2*c^5 + 1881*B^2*a^2*b^6*c^2 - 9090*B^2*a^3*b^4*c^3 + 21312*B^2 \\
& *a^4*b^2*c^4 - 198*B^2*a*b^8*c - 36*A^2*a*b^6*c^3 + 1422*A*B*a^2*b^5*c^3 - \\
& 4464*A*B*a^3*b^3*c^4 - 174*A*B*a*b^7*c^2 + 96*A*B*a^4*b*c^5))/(32*(256*a^4* \\
& c^7 + b^8*c^3 - 16*a*b^6*c^4 + 96*a^2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9*B^2 \\
& *b^19 + A^2*b^17*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*b^18*c + \\
& 1140*A^2*a^2*b^13*c^4 - 10160*A^2*a^3*b^11*c^5 + 34880*A^2*a^4*b^9*c^6 + 4 \\
& 3776*A^2*a^5*b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6 \\
& 921*B^2*a^2*b^15*c^2 - 77580*B^2*a^3*b^13*c^3 + 570960*B^2*a^4*b^11*c^4 - 2 \\
& 851776*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 \\
& + 27095040*B^2*a^8*b^3*c^8 + A^2*b^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 441*B \\
& ^2*a^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 6881280*A*B*a^9*c^10 - 369*B^2*a*b^1 \\
& 7*c - 55*A^2*a*b^15*c^3 - 1720320*A^2*a^8*b*c^10 - 25*A^2*a*c^3*(-(4*a*c - \\
& b^2)^15)^{(1/2)} - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^14*c^3 - 59280*A*B
\end{aligned}$$

$$\begin{aligned}
& *a^3*b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032 \\
& *A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 99*B \\
& ^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 + 6*A*B*b^3*c*(-(\\
& 4*a*c - b^2)^{15})^{(1/2)} - 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1 \\
& 048576*a^{10}*c^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b \\
& ^{14}*c^8 + 53760*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - \\
& 1966080*a^7*b^6*c^{12} + 2949120*a^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14}))^{(1/2} \\
&)*1i)/(((256*A*a*b^{12}*c^4 - 5242880*A*a^7*c^{10} + 768*B*a*b^{13}*c^3 + 629145 \\
& 6*B*a^7*b*c^9 - 61440*A*a^3*b^8*c^6 + 655360*A*a^4*b^6*c^7 - 2949120*A*a^5* \\
& b^4*c^8 + 6291456*A*a^6*b^2*c^9 - 21504*B*a^2*b^{11}*c^4 + 245760*B*a^3*b^9*c \\
& ^5 - 1474560*B*a^4*b^7*c^6 + 4915200*B*a^5*b^5*c^7 - 8650752*B*a^6*b^3*c^8) \\
& / (512*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 - 1280*a^3 \\
& *b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)) - (x*(-(9*B^2*b^{19} + A^2*b \\
& ^{17}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}*c + 1140*A^2*a^2 \\
& *b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5* \\
& b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b \\
& ^{15}*c^2 - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^ \\
& 5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B \\
& ^2*a^8*b^3*c^8 + A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 441*B^2*a^2*c^2*(- \\
& (4*a*c - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2* \\
& a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} - 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2} \\
&) - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 \\
& + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6* \\
& c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 99*B^2*a*b^2*c*(-(\\
& 4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 + 6*A*B*b^3*c*(-(4*a*c - b^2)^{ \\
& 15})^{(1/2)} - 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1048576*a^{10}*c \\
& ^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}*c^8 + 537 \\
& 60*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7* \\
& b^6*c^{12} + 2949120*a^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14}))^{(1/2)}*(256*b^{11}*c \\
& ^5 - 5120*a*b^9*c^6 - 262144*a^5*b*c^{10} + 40960*a^2*b^7*c^7 - 163840*a^3*b^ \\
& 5*c^8 + 327680*a^4*b^3*c^9)/((32*(256*a^4*c^7 + b^8*c^3 - 16*a*b^6*c^4 + 96 \\
& *a^2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9*B^2*b^{19} + A^2*b^{17}*c^2 + 9*B^2*b^4* \\
& (- (4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^ \\
& 2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 - 680960*A^2 \\
& *a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^{15}*c^2 - 77580*B^2* \\
& a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9628416* \\
& B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8*b^3*c^8 + A^2 \\
& *b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 441*B^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1 \\
& /2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2*a*b^{15}*c^3 - 1720320 \\
& *A^2*a^8*b*c^{10} - 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 15482880*B^2*a^9 \\
& *b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 + 377280*A*B*a^4*b^ \\
& 10*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^ \\
& 7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 99*B^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1 \\
& /2)} - 288*A*B*a*b^{16}*c^2 + 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 108*A*B* \\
& a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1048576*a^{10}*c^{15} + b^{20}*c^5 - 40*
\end{aligned}$$

$$\begin{aligned}
& a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 - 25 \\
& 8048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*b^6*c^{12} + 2949120*a \\
& ^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14}))^{(1/2)} - (x*(9*B^2*b^{10} + 800*A^2*a^4* \\
& c^6 + A^2*b^8*c^2 - 14112*B^2*a^5*c^5 + 6*A*B*b^9*c + 314*A^2*a^2*b^4*c^4 + \\
& 208*A^2*a^3*b^2*c^5 + 1881*B^2*a^2*b^6*c^2 - 9090*B^2*a^3*b^4*c^3 + 21312* \\
& B^2*a^4*b^2*c^4 - 198*B^2*a*b^8*c - 36*A^2*a*b^6*c^3 + 1422*A*B*a^2*b^5*c^3 \\
& - 4464*A*B*a^3*b^3*c^4 - 174*A*B*a*b^7*c^2 + 96*A*B*a^4*b*c^5))/(32*(256*a \\
& ^4*c^7 + b^8*c^3 - 16*a*b^6*c^4 + 96*a^2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9* \\
& B^2*b^{19} + A^2*b^{17}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*b^{18}* \\
& c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 \\
& + 43776*A^2*a^5*b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 \\
& + 6921*B^2*a^2*b^{15}*c^2 - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 \\
& - 2851776*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5* \\
& c^7 + 27095040*B^2*a^8*b^3*c^8 + A^2*b^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 44 \\
& 1*B^2*a^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a* \\
& b^{17}*c - 55*A^2*a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} - 25*A^2*a*c^3*(-(4*a*c \\
& - b^2)^15)^{(1/2)} - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280* \\
& A*B*a^3*b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860 \\
& 032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 9 \\
& 9*B^2*a*b^2*c*(-(4*a*c - b^2)^15)^{(1/2)} - 288*A*B*a*b^{16}*c^2 + 6*A*B*b^3*c* \\
& (- (4*a*c - b^2)^15)^{(1/2)} - 108*A*B*a*b*c^2*(-(4*a*c - b^2)^15)^{(1/2)))/(512 \\
& *(1048576*a^{10}*c^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^ \\
& 3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{1 \\
& 1 - 1966080*a^7*b^6*c^{12} + 2949120*a^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14}))^{(\\
& 1/2)} + (((256*A*a*b^{12}*c^4 - 5242880*A*a^7*c^{10} + 768*B*a*b^{13}*c^3 + 629145 \\
& 6*B*a^7*b*c^9 - 61440*A*a^3*b^8*c^6 + 655360*A*a^4*b^6*c^7 - 2949120*A*a^5* \\
& b^4*c^8 + 6291456*A*a^6*b^2*c^9 - 21504*B*a^2*b^{11}*c^4 + 245760*B*a^3*b^9*c \\
& ^5 - 1474560*B*a^4*b^7*c^6 + 4915200*B*a^5*b^5*c^7 - 8650752*B*a^6*b^3*c^8) \\
& / (512*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 - 1280*a^3 \\
& *b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)) + (x*(-(9*B^2*b^{19} + A^2*b \\
& ^{17}*c^2 + 9*B^2*b^4*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*b^{18}*c + 1140*A^2*a^2 \\
& *b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5* \\
& b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b \\
& ^{15}*c^2 - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^ \\
& 5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B \\
& ^2*a^8*b^3*c^8 + A^2*b^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + 441*B^2*a^2*c^2*(- \\
& (4*a*c - b^2)^15)^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2* \\
& a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} - 25*A^2*a*c^3*(-(4*a*c - b^2)^15)^{(1/2) \\
&) - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 \\
& + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6* \\
& c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 - 99*B^2*a*b^2*c*(- \\
& (4*a*c - b^2)^15)^{(1/2)} - 288*A*B*a*b^{16}*c^2 + 6*A*B*b^3*c*(-(4*a*c - b^2)^ \\
& 15)^{(1/2)} - 108*A*B*a*b*c^2*(-(4*a*c - b^2)^15)^{(1/2)))/(512*(1048576*a^{10}*c \\
& ^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}*c^8 + 537 \\
& 60*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*
\end{aligned}$$

$$\begin{aligned}
& b^6c^{12} + 2949120a^8b^4c^{13} - 2621440a^9b^2c^{14}))^{(1/2)} \cdot (256b^{11}c^5 - 5120a^8b^9c^6 - 262144a^5b^3c^{10} + 40960a^2b^7c^7 - 163840a^3b^5c^8 + 327680a^4b^3c^9) / (32 \cdot (256a^4c^7 + b^8c^3 - 16a^2b^6c^4 + 96a^2b^4c^5 - 256a^3b^2c^6))) \cdot (- (9B^2b^{19} + A^2b^{17}c^2 + 9B^2b^4 \cdot (- (4ac - b^2)^{15})^{(1/2)} + 6ABb^{18}c + 1140A^2a^2b^{13}c^4 - 10160A^2a^3b^{11}c^5 + 34880A^2a^4b^9c^6 + 43776A^2a^5b^7c^7 - 680960A^2a^6b^5c^8 + 1863680A^2a^7b^3c^9 + 6921B^2a^2b^{15}c^2 - 77580B^2a^3b^{13}c^3 + 570960B^2a^4b^{11}c^4 - 2851776B^2a^5b^9c^5 + 9628416B^2a^6b^7c^6 - 21095424B^2a^7b^5c^7 + 27095040B^2a^8b^3c^8 + A^2b^2c^2 \cdot (- (4ac - b^2)^{15})^{(1/2)} + 441B^2a^2c^2 \cdot (- (4ac - b^2)^{15})^{(1/2)} + 6881280ABa^9c^{10} - 369B^2a^2b^{17}c - 55A^2a^2b^{15}c^3 - 1720320A^2a^8b^3c^{10} - 25A^2a^2c^3 \cdot (- (4ac - b^2)^{15})^{(1/2)} - 15482880B^2a^9b^3c^9 + 5580ABa^2b^{14}c^3 - 59280ABa^3b^{12}c^4 + 377280ABa^4b^{10}c^5 - 1430784ABa^5b^8c^6 + 2860032ABa^6b^6c^7 - 1290240ABa^7b^4c^8 - 5160960ABa^8b^2c^9 - 99B^2a^2b^2c \cdot (- (4ac - b^2)^{15})^{(1/2)} - 288ABa^2b^{16}c^2 + 6ABb^3c \cdot (- (4ac - b^2)^{15})^{(1/2)} - 108ABa^2b^2c \cdot (- (4ac - b^2)^{15})^{(1/2)}) / (512 \cdot (1048576a^{10}c^{15} + b^{20}c^5 - 40a^2b^{18}c^6 + 720a^2b^{16}c^7 - 7680a^3b^{14}c^8 + 53760a^4b^{12}c^9 - 258048a^5b^{10}c^{10} + 860160a^6b^8c^{11} - 1966080a^7b^6c^{12} + 2949120a^8b^4c^{13} - 2621440a^9b^2c^{14}))^{(1/2)} + (x \cdot (9B^2b^{10} + 800A^2a^4c^6 + A^2b^8c^2 - 14112B^2a^5c^5 + 6ABb^9c + 314A^2a^2b^4c^4 + 208A^2a^3b^2c^5 + 1881B^2a^2b^6c^2 - 9090B^2a^3b^4c^3 + 21312B^2a^4b^2c^4 - 198B^2a^2b^8c - 36A^2a^2b^6c^3 + 1422ABa^2b^5c^3 - 4464ABa^3b^3c^4 - 174ABa^2b^7c^2 + 96ABa^4b^3c^5)) / (32 \cdot (256a^4c^7 + b^8c^3 - 16a^2b^6c^4 + 96a^2b^4c^5 - 256a^3b^2c^6))) \cdot (- (9B^2b^{19} + A^2b^{17}c^2 + 9B^2b^4 \cdot (- (4ac - b^2)^{15})^{(1/2)} + 6ABb^{18}c + 1140A^2a^2b^{13}c^4 - 10160A^2a^3b^{11}c^5 + 34880A^2a^4b^9c^6 + 43776A^2a^5b^7c^7 - 680960A^2a^6b^5c^8 + 1863680A^2a^7b^3c^9 + 6921B^2a^2b^{15}c^2 - 77580B^2a^3b^{13}c^3 + 570960B^2a^4b^{11}c^4 - 2851776B^2a^5b^9c^5 + 9628416B^2a^6b^7c^6 - 21095424B^2a^7b^5c^7 + 27095040B^2a^8b^3c^8 + A^2b^2c^2 \cdot (- (4ac - b^2)^{15})^{(1/2)} + 441B^2a^2c^2 \cdot (- (4ac - b^2)^{15})^{(1/2)} + 6881280ABa^9c^{10} - 369B^2a^2b^{17}c - 55A^2a^2b^{15}c^3 - 1720320A^2a^8b^3c^{10} - 25A^2a^2c^3 \cdot (- (4ac - b^2)^{15})^{(1/2)} - 15482880B^2a^9b^3c^9 + 5580ABa^2b^{14}c^3 - 59280ABa^3b^{12}c^4 + 377280ABa^4b^{10}c^5 - 1430784ABa^5b^8c^6 + 2860032ABa^6b^6c^7 - 1290240ABa^7b^4c^8 - 5160960ABa^8b^2c^9 - 99B^2a^2b^2c \cdot (- (4ac - b^2)^{15})^{(1/2)} - 288ABa^2b^{16}c^2 + 6ABb^3c \cdot (- (4ac - b^2)^{15})^{(1/2)} - 108ABa^2b^2c \cdot (- (4ac - b^2)^{15})^{(1/2)}) / (512 \cdot (1048576a^{10}c^{15} + b^{20}c^5 - 40a^2b^{18}c^6 + 720a^2b^{16}c^7 - 7680a^3b^{14}c^8 + 53760a^4b^{12}c^9 - 258048a^5b^{10}c^{10} + 860160a^6b^8c^{11} - 1966080a^7b^6c^{12} + 2949120a^8b^4c^{13} - 2621440a^9b^2c^{14}))^{(1/2)} + (35A^3a^2b^7c^2 - 592704B^3a^7c^4 - 567B^3a^3b^8 - 1176A^3a^3b^5c^3 + 9456A^3a^4b^3c^4 - 89532B^3a^5b^4c^2 + 353808B^3a^6b^2c^3 + 315AB^2a^2b^9 - 33600A^2B^2a^6c^5 + 6400A^3a^5b^3c^5 + 10935B^3a^4b^6c - 6552AB^2a^3b^7c + 560448AB^2a^6b^3c^4 + 210
\end{aligned}$$

$$\begin{aligned}
& 2)^{15})^{(1/2)} + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 \\
& + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 - 680960*A^2*a^6*b^5*c^8 \\
& + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^{15}*c^2 - 77580*B^2*a^3*b^{13}*c^3 \\
& + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 \\
& - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8*b^3*c^8 - A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - 441*B^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c \\
& - 55*A^2*a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 \\
& - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 \\
& + 99*B^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(1048576*a^{10}*c^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 \\
& - 7680*a^3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*b^6*c^{12} \\
& + 2949120*a^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14}))^{(1/2)} - (x*(9*B^2*b^{10} + 800*A^2*a^4*c^6 + A^2*b^8*c^2 \\
& - 14112*B^2*a^5*c^5 + 6*A*B*b^9*c + 314*A^2*a^2*b^4*c^4 + 208*A^2*a^3*b^2*c^5 + 1881*B^2*a^2*b^6*c^2 \\
& - 9090*B^2*a^3*b^4*c^3 + 21312*B^2*a^4*b^2*c^4 - 198*B^2*a*b^8*c - 36*A^2*a*b^6*c^3 + 1422*A*B*a^2*b^5*c^3 \\
& - 4464*A*B*a^3*b^3*c^4 - 174*A*B*a*b^7*c^2 + 96*A*B*a^4*b*c^5))/(32*(256*a^4*c^7 + b^8*c^3 - 16*a*b^6*c^4 \\
& + 96*a^2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9*B^2*b^{19} + A^2*b^{17}*c^2 - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 \\
& - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^{15}*c^2 - 77580*B^2*a^3*b^{13}*c^3 \\
& + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 \\
& + 27095040*B^2*a^8*b^3*c^8 - A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - 441*B^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2*a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 \\
& - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 \\
& + 99*B^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(1048576*a^{10}*c^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 \\
& - 7680*a^3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*b^6*c^{12} \\
& + 2949120*a^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14}))^{(1/2)}*i - (((256*A*a*b^{12}*c^4 - 5242880*A*a^7*c^{10} \\
& + 768*B*a*b^{13}*c^3 + 6291456*B*a^7*b^8*c^9 - 61440*A*a^3*b^8*c^6 + 655360*A*a^4*b^6*c^7 - 2949120*A*a^5*b^4*c^8 \\
& + 6291456*A*a^6*b^2*c^9 - 21504*B*a^2*b^{11}*c^4 + 245760*B*a^3*b^9*c^5 - 1474560*B*a^4*b^7*c^6 \\
& + 4915200*B*a^5*b^5*c^7 - 8650752*B*a^6*b^3*c^8)/(512*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 \\
& + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)) + (x*(-(9*B^2*b^{19} + A^2*b^{17}*c^2 \\
& - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 \\
& + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 -
\end{aligned}$$

$$\begin{aligned}
& 680960A^2a^6b^5c^8 + 1863680A^2a^7b^3c^9 + 6921B^2a^2b^{15}c^2 - \\
& 77580B^2a^3b^{13}c^3 + 570960B^2a^4b^{11}c^4 - 2851776B^2a^5b^9c^5 + \\
& 9628416B^2a^6b^7c^6 - 21095424B^2a^7b^5c^7 + 27095040B^2a^8b^3c^8 - \\
& A^2b^2c^2(-4ac - b^2)^{15} - 441B^2a^2c^2(-4ac - b^2)^{15} + 6881280A^2a^8b^3c^10 - \\
& 369B^2a^2b^{17}c - 55A^2a^2b^{15}c^3 - 1720320A^2a^8b^3c^10 + 25A^2a^2c^3(-4ac - b^2)^{15} - \\
& 15482880B^2a^9b^3c^9 + 5580A^2a^2b^{14}c^3 - 59280A^2a^3b^{12}c^4 + 377280A^2a^4b^{10}c^5 - \\
& 1430784A^2a^5b^8c^6 + 2860032A^2a^6b^6c^7 - 1290240A^2a^7b^4c^8 - 5160960A^2a^8b^2c^9 + \\
& 99B^2a^2b^2c^2(-4ac - b^2)^{15} - 288A^2a^2b^{16}c^2 - 6A^2a^2b^3c^2(-4ac - b^2)^{15} + \\
& 108A^2a^2b^3c^2(-4ac - b^2)^{15} / (512(1048576a^{10}c^{15} + b^{20}c^5 - 40a^2b^{18}c^6 + \\
& 720a^2b^{16}c^7 - 7680a^3b^{14}c^8 + 53760a^4b^{12}c^9 - 258048a^5b^{10}c^{10} + 860160a^6b^8c^{11} - \\
& 1966080a^7b^6c^{12} + 2949120a^8b^4c^{13} - 2621440a^9b^2c^{14}))^{1/2} * (256b^{11}c^5 - 5120a^2b^9c^6 - \\
& 262144a^5b^3c^{10} + 40960a^2b^7c^7 - 163840a^3b^5c^8 + 327680a^4b^3c^9) / (32(256a^4c^7 + \\
& b^8c^3 - 16a^2b^6c^4 + 96a^2b^4c^5 - 256a^3b^2c^6)) * (-9B^2b^{19} + A^2b^{17}c^2 - 9B^2b^4(-4ac - \\
& b^2)^{15})^{1/2} + 6A^2a^2b^{18}c + 1140A^2a^2b^{13}c^4 - 10160A^2a^3b^{11}c^5 + 34880A^2a^4b^9c^6 + \\
& 43776A^2a^5b^7c^7 - 680960A^2a^6b^5c^8 + 1863680A^2a^7b^3c^9 + 6921B^2a^2b^{15}c^2 - 77580B^2a^3b^{13}c^3 + \\
& 570960B^2a^4b^{11}c^4 - 2851776B^2a^5b^9c^5 + 9628416B^2a^6b^7c^6 - 21095424B^2a^7b^5c^7 + \\
& 27095040B^2a^8b^3c^8 - A^2b^2c^2(-4ac - b^2)^{15} - 441B^2a^2c^2(-4ac - b^2)^{15} + 6881280A^2a^8b^3c^10 - \\
& 369B^2a^2b^{17}c - 55A^2a^2b^{15}c^3 - 1720320A^2a^8b^3c^10 + 25A^2a^2c^3(-4ac - b^2)^{15} - \\
& 15482880B^2a^9b^3c^9 + 5580A^2a^2b^{14}c^3 - 59280A^2a^3b^{12}c^4 + 377280A^2a^4b^{10}c^5 - 1430784A^2a^5b^8c^6 + \\
& 2860032A^2a^6b^6c^7 - 1290240A^2a^7b^4c^8 - 5160960A^2a^8b^2c^9 + 99B^2a^2b^2c^2(-4ac - b^2)^{15} - \\
& 288A^2a^2b^{16}c^2 - 6A^2a^2b^3c^2(-4ac - b^2)^{15} + 108A^2a^2b^3c^2(-4ac - b^2)^{15} / (512(1048576a^{10}c^{15} + \\
& b^{20}c^5 - 40a^2b^{18}c^6 + 720a^2b^{16}c^7 - 7680a^3b^{14}c^8 + 53760a^4b^{12}c^9 - 258048a^5b^{10}c^{10} + \\
& 860160a^6b^8c^{11} - 1966080a^7b^6c^{12} + 2949120a^8b^4c^{13} - 2621440a^9b^2c^{14}))^{1/2} + (x(9B^2b^{10} + \\
& 800A^2a^4c^6 + A^2b^8c^2 - 14112B^2a^5c^5 + 6A^2a^2b^9c + 314A^2a^2b^4c^4 + 208A^2a^3b^2c^5 + \\
& 1881B^2a^2b^6c^2 - 9090B^2a^3b^4c^3 + 21312B^2a^4b^2c^4 - 198B^2a^2b^8c - 36A^2a^2b^6c^3 + \\
& 1422A^2a^2b^5c^3 - 4464A^2a^3b^3c^4 - 174A^2a^2b^7c^2 + 96A^2a^4b^3c^5)) / (32(256a^4c^7 + b^8c^3 - \\
& 16a^2b^6c^4 + 96a^2b^4c^5 - 256a^3b^2c^6)) * (-9B^2b^{19} + A^2b^{17}c^2 - 9B^2b^4(-4ac - b^2)^{15})^{1/2} + \\
& 6A^2a^2b^{18}c + 1140A^2a^2b^{13}c^4 - 10160A^2a^3b^{11}c^5 + 34880A^2a^4b^9c^6 + 43776A^2a^5b^7c^7 - \\
& 680960A^2a^6b^5c^8 + 1863680A^2a^7b^3c^9 + 6921B^2a^2b^{15}c^2 - 77580B^2a^3b^{13}c^3 + 570960B^2a^4b^{11}c^4 - \\
& 2851776B^2a^5b^9c^5 + 9628416B^2a^6b^7c^6 - 21095424B^2a^7b^5c^7 + 27095040B^2a^8b^3c^8 - A^2b^2c^2(-4ac - \\
& b^2)^{15} - 441B^2a^2c^2(-4ac - b^2)^{15} + 6881280A^2a^8b^3c^10 - 369B^2a^2b^{17}c - 5
\end{aligned}$$

$$\begin{aligned}
& 5*A^2*a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15}) \\
& ^{(1/2)} - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 \\
& + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 \\
& - 5160960*A*B*a^8*b^2*c^9 + 99*B^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 \\
& - 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1048576*a^{10}*c^{15} \\
& + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 \\
& - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*b^6*c^{12} + 2949120*a^8*b^4*c^{13} \\
& - 2621440*a^9*b^2*c^{14}))^{(1/2)}*i)/(((256*A*a*b^{12}*c^4 - 5242880*A*a^7*c^{10} + 768*B*a*b^{13}*c^3 + 6291456*B*a^7*b*c^9 \\
& - 61440*A*a^3*b^8*c^6 + 655360*A*a^4*b^6*c^7 - 2949120*A*a^5*b^4*c^8 + 6291456*A*a^6*b^2*c^9 \\
& - 21504*B*a^2*b^{11}*c^4 + 245760*B*a^3*b^9*c^5 - 1474560*B*a^4*b^7*c^6 + 4915200*B*a^5*b^5*c^7 \\
& - 8650752*B*a^6*b^3*c^8)/(512*(4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 \\
& - 1280*a^3*b^6*c^6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)) - (x*(-(9*B^2*b^{19} + A^2*b^{17}*c^2 - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 \\
& + 43776*A^2*a^5*b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^{15}*c^2 \\
& - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 \\
& - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8*b^3*c^8 - A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - 441*B^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2*a*b^{15}*c^3 \\
& - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 15482880*B^2*a^9*b*c^9 \\
& + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 \\
& + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 + 99*B^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - 288*A*B*a*b^{16}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1048576*a^{10}*c^{15} \\
& + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 \\
& - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*b^6*c^{12} + 2949120*a^8*b^4*c^{13} \\
& - 2621440*a^9*b^2*c^{14}))^{(1/2)}*(256*b^{11}*c^5 - 5120*a*b^9*c^6 - 262144*a^5*b*c^{10} \\
& + 40960*a^2*b^7*c^7 - 163840*a^3*b^5*c^8 + 327680*a^4*b^3*c^9))/(32*(256*a^4*c^7 + b^8*c^3 - 16*a*b^6*c^4 \\
& + 96*a^2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9*B^2*b^{19} + A^2*b^{17}*c^2 - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 \\
& + 43776*A^2*a^5*b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^{15}*c^2 \\
& - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 \\
& - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8*b^3*c^8 - A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - 441*B^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2*a*b^{15}*c^3 \\
& - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 15482880*B^2*a^9*b*c^9 \\
& + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 \\
& + 2860032*A*B*a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 + 99*B^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 2
\end{aligned}$$

$$\begin{aligned}
& 88*A*B*a*b^{16}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 108*A*B*a*b*c^2 \\
& *(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1048576*a^{10}*c^{15} + b^{20}*c^5 - 40*a*b^{18}* \\
& c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}*c^8 + 53760*a^4*b^{12}*c^9 - 258048*a^5* \\
& b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 1966080*a^7*b^6*c^{12} + 2949120*a^8*b^4* \\
& c^{13} - 2621440*a^9*b^2*c^{14})))^{(1/2)} - (x*(9*B^2*b^{10} + 800*A^2*a^4*c^6 + A \\
& ^2*b^8*c^2 - 14112*B^2*a^5*c^5 + 6*A*B*b^9*c + 314*A^2*a^2*b^4*c^4 + 208*A^ \\
& 2*a^3*b^2*c^5 + 1881*B^2*a^2*b^6*c^2 - 9090*B^2*a^3*b^4*c^3 + 21312*B^2*a^4 \\
& *b^2*c^4 - 198*B^2*a*b^8*c - 36*A^2*a*b^6*c^3 + 1422*A*B*a^2*b^5*c^3 - 4464 \\
& *A*B*a^3*b^3*c^4 - 174*A*B*a*b^7*c^2 + 96*A*B*a^4*b*c^5))/(32*(256*a^4*c^7 \\
& + b^8*c^3 - 16*a*b^6*c^4 + 96*a^2*b^4*c^5 - 256*a^3*b^2*c^6)))*(-(9*B^2*b^1 \\
& 9 + A^2*b^{17}*c^2 - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}*c + 114 \\
& 0*A^2*a^2*b^{13}*c^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776 \\
& *A^2*a^5*b^7*c^7 - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921* \\
& B^2*a^2*b^{15}*c^2 - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 28517 \\
& 76*B^2*a^5*b^9*c^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 2 \\
& 7095040*B^2*a^8*b^3*c^8 - A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - 441*B^2*a \\
& ^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c \\
& - 55*A^2*a*b^{15}*c^3 - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2) \\
& ^{15})^{(1/2)} - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3 \\
& *b^{12}*c^4 + 377280*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B \\
& *a^6*b^6*c^7 - 1290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 + 99*B^2*a \\
& *b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 - 6*A*B*b^3*c*(-(4*a* \\
& c - b^2)^{15})^{(1/2)} + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(10485 \\
& 76*a^{10}*c^{15} + b^{20}*c^5 - 40*a*b^{18}*c^6 + 720*a^2*b^{16}*c^7 - 7680*a^3*b^{14}* \\
& c^8 + 53760*a^4*b^{12}*c^9 - 258048*a^5*b^{10}*c^{10} + 860160*a^6*b^8*c^{11} - 196 \\
& 6080*a^7*b^6*c^{12} + 2949120*a^8*b^4*c^{13} - 2621440*a^9*b^2*c^{14})))^{(1/2)} + \\
& (((256*A*a*b^{12}*c^4 - 5242880*A*a^7*c^{10} + 768*B*a*b^{13}*c^3 + 6291456*B*a^7 \\
& *b*c^9 - 61440*A*a^3*b^8*c^6 + 655360*A*a^4*b^6*c^7 - 2949120*A*a^5*b^4*c^8 \\
& + 6291456*A*a^6*b^2*c^9 - 21504*B*a^2*b^{11}*c^4 + 245760*B*a^3*b^9*c^5 - 14 \\
& 74560*B*a^4*b^7*c^6 + 4915200*B*a^5*b^5*c^7 - 8650752*B*a^6*b^3*c^8)/(512*(\\
& 4096*a^6*c^9 + b^{12}*c^3 - 24*a*b^{10}*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^ \\
& 6 + 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8)) + (x*(-(9*B^2*b^{19} + A^2*b^{17}*c^2 \\
& - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}*c + 1140*A^2*a^2*b^{13}*c \\
& ^4 - 10160*A^2*a^3*b^{11}*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 \\
& - 680960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^{15}*c^2 \\
& - 77580*B^2*a^3*b^{13}*c^3 + 570960*B^2*a^4*b^{11}*c^4 - 2851776*B^2*a^5*b^9*c \\
& ^5 + 9628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8* \\
& b^3*c^8 - A^2*b^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - 441*B^2*a^2*c^2*(-(4*a*c \\
& - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9*c^{10} - 369*B^2*a*b^{17}*c - 55*A^2*a*b^{15}* \\
& c^3 - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 154 \\
& 82880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}*c^3 - 59280*A*B*a^3*b^{12}*c^4 + 3772 \\
& 80*A*B*a^4*b^{10}*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1 \\
& 290240*A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 + 99*B^2*a*b^2*c*(-(4*a*c \\
& - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^{15})^{(1/ \\
& 2)} + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)}/(512*(1048576*a^{10}*c^{15} + b
\end{aligned}$$

$$\begin{aligned}
& ^{20}c^5 - 40*a*b^{18}c^6 + 720*a^2*b^{16}c^7 - 7680*a^3*b^{14}c^8 + 53760*a^4* \\
& b^{12}c^9 - 258048*a^5*b^{10}c^{10} + 860160*a^6*b^8c^{11} - 1966080*a^7*b^6c^{12} + 2949120*a^8*b^4c^{13} - 2621440*a^9*b^2c^{14}))^{(1/2)}*(256*b^{11}c^5 - 51 \\
& 20*a*b^9c^6 - 262144*a^5*b*c^{10} + 40960*a^2*b^7c^7 - 163840*a^3*b^5c^8 + \\
& 327680*a^4*b^3c^9)/(32*(256*a^4c^7 + b^8c^3 - 16*a*b^6c^4 + 96*a^2*b^ \\
& 4c^5 - 256*a^3*b^2c^6)))*(-(9*B^2*b^{19} + A^2*b^{17}c^2 - 9*B^2*b^4*(-(4*a* \\
& c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}c + 1140*A^2*a^2*b^{13}c^4 - 10160*A^2*a^3*b \\
& ^{11}c^5 + 34880*A^2*a^4*b^9c^6 + 43776*A^2*a^5*b^7c^7 - 680960*A^2*a^6*b^ \\
& 5c^8 + 1863680*A^2*a^7*b^3c^9 + 6921*B^2*a^2*b^{15}c^2 - 77580*B^2*a^3*b^1 \\
& 3c^3 + 570960*B^2*a^4*b^{11}c^4 - 2851776*B^2*a^5*b^9c^5 + 9628416*B^2*a^6 \\
& *b^7c^6 - 21095424*B^2*a^7*b^5c^7 + 27095040*B^2*a^8*b^3c^8 - A^2*b^2c^ \\
& 2*(-(4*a*c - b^2)^{15})^{(1/2)} - 441*B^2*a^2c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6 \\
& 881280*A*B*a^9c^{10} - 369*B^2*a*b^{17}c - 55*A^2*a*b^{15}c^3 - 1720320*A^2*a^ \\
& 8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 15482880*B^2*a^9*b*c^9 \\
& + 5580*A*B*a^2*b^{14}c^3 - 59280*A*B*a^3*b^{12}c^4 + 377280*A*B*a^4*b^{10}c^5 \\
& - 1430784*A*B*a^5*b^8c^6 + 2860032*A*B*a^6*b^6c^7 - 1290240*A*B*a^7*b^4c^ \\
& ^8 - 5160960*A*B*a^8*b^2c^9 + 99*B^2*a*b^2c*(-(4*a*c - b^2)^{15})^{(1/2)} - 2 \\
& 88*A*B*a*b^{16}c^2 - 6*A*B*b^3c*(-(4*a*c - b^2)^{15})^{(1/2)} + 108*A*B*a*b*c^2 \\
& *(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(1048576*a^{10}c^{15} + b^{20}c^5 - 40*a*b^{18}c^ \\
& ^6 + 720*a^2*b^{16}c^7 - 7680*a^3*b^{14}c^8 + 53760*a^4*b^{12}c^9 - 258048*a^ \\
& 5*b^{10}c^{10} + 860160*a^6*b^8c^{11} - 1966080*a^7*b^6c^{12} + 2949120*a^8*b^4c^ \\
& ^{13} - 2621440*a^9*b^2c^{14}))^{(1/2)} + (x*(9*B^2*b^{10} + 800*A^2*a^4c^6 + A \\
& ^2*b^8c^2 - 14112*B^2*a^5c^5 + 6*A*B*b^9c + 314*A^2*a^2*b^4c^4 + 208*A^ \\
& 2*a^3*b^2c^5 + 1881*B^2*a^2*b^6c^2 - 9090*B^2*a^3*b^4c^3 + 21312*B^2*a^4 \\
& *b^2c^4 - 198*B^2*a*b^8c - 36*A^2*a*b^6c^3 + 1422*A*B*a^2*b^5c^3 - 4464 \\
& *A*B*a^3*b^3c^4 - 174*A*B*a*b^7c^2 + 96*A*B*a^4*b*c^5))/(32*(256*a^4c^7 \\
& + b^8c^3 - 16*a*b^6c^4 + 96*a^2*b^4c^5 - 256*a^3*b^2c^6)))*(-(9*B^2*b^1 \\
& 9 + A^2*b^{17}c^2 - 9*B^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{18}c + 114 \\
& 0*A^2*a^2*b^{13}c^4 - 10160*A^2*a^3*b^{11}c^5 + 34880*A^2*a^4*b^9c^6 + 43776 \\
& *A^2*a^5*b^7c^7 - 680960*A^2*a^6*b^5c^8 + 1863680*A^2*a^7*b^3c^9 + 6921* \\
& B^2*a^2*b^{15}c^2 - 77580*B^2*a^3*b^{13}c^3 + 570960*B^2*a^4*b^{11}c^4 - 28517 \\
& 76*B^2*a^5*b^9c^5 + 9628416*B^2*a^6*b^7c^6 - 21095424*B^2*a^7*b^5c^7 + 2 \\
& 7095040*B^2*a^8*b^3c^8 - A^2*b^2c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - 441*B^2*a \\
& ^2c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6881280*A*B*a^9c^{10} - 369*B^2*a*b^{17}c \\
& - 55*A^2*a*b^{15}c^3 - 1720320*A^2*a^8*b*c^{10} + 25*A^2*a*c^3*(-(4*a*c - b^2) \\
& ^{15})^{(1/2)} - 15482880*B^2*a^9*b*c^9 + 5580*A*B*a^2*b^{14}c^3 - 59280*A*B*a^3 \\
& *b^{12}c^4 + 377280*A*B*a^4*b^{10}c^5 - 1430784*A*B*a^5*b^8c^6 + 2860032*A*B \\
& *a^6*b^6c^7 - 1290240*A*B*a^7*b^4c^8 - 5160960*A*B*a^8*b^2c^9 + 99*B^2*a \\
& *b^2c*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a*b^{16}c^2 - 6*A*B*b^3c*(-(4*a* \\
& c - b^2)^{15})^{(1/2)} + 108*A*B*a*b*c^2*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(10485 \\
& 76*a^{10}c^{15} + b^{20}c^5 - 40*a*b^{18}c^6 + 720*a^2*b^{16}c^7 - 7680*a^3*b^{14}c^ \\
& ^8 + 53760*a^4*b^{12}c^9 - 258048*a^5*b^{10}c^{10} + 860160*a^6*b^8c^{11} - 196 \\
& 6080*a^7*b^6c^{12} + 2949120*a^8*b^4c^{13} - 2621440*a^9*b^2c^{14}))^{(1/2)} + \\
& (35*A^3*a^2*b^7c^2 - 592704*B^3*a^7c^4 - 567*B^3*a^3*b^8 - 1176*A^3*a^3*b \\
& ^5c^3 + 9456*A^3*a^4*b^3c^4 - 89532*B^3*a^5*b^4c^2 + 353808*B^3*a^6*b^2*
\end{aligned}$$

$$\begin{aligned}
& c^3 + 315*A*B^2*a^2*b^9 - 33600*A^2*B*a^6*c^5 + 6400*A^3*a^5*b*c^5 + 10935* \\
& B^3*a^4*b^6*c - 6552*A*B^2*a^3*b^7*c + 560448*A*B^2*a^6*b*c^4 + 210*A^2*B*a \\
& ^2*b^8*c + 61524*A*B^2*a^4*b^5*c^2 - 280800*A*B^2*a^5*b^3*c^3 - 5649*A^2*B* \\
& a^3*b^6*c^2 + 42516*A^2*B*a^4*b^4*c^3 - 126192*A^2*B*a^5*b^2*c^4)/(256*(409 \\
& 6*a^6*c^9 + b^12*c^3 - 24*a*b^10*c^4 + 240*a^2*b^8*c^5 - 1280*a^3*b^6*c^6 + \\
& 3840*a^4*b^4*c^7 - 6144*a^5*b^2*c^8))))*(-(9*B^2*b^19 + A^2*b^17*c^2 - 9*B \\
& ^2*b^4*(-(4*a*c - b^2)^15)^(1/2) + 6*A*B*b^18*c + 1140*A^2*a^2*b^13*c^4 - 1 \\
& 0160*A^2*a^3*b^11*c^5 + 34880*A^2*a^4*b^9*c^6 + 43776*A^2*a^5*b^7*c^7 - 680 \\
& 960*A^2*a^6*b^5*c^8 + 1863680*A^2*a^7*b^3*c^9 + 6921*B^2*a^2*b^15*c^2 - 775 \\
& 80*B^2*a^3*b^13*c^3 + 570960*B^2*a^4*b^11*c^4 - 2851776*B^2*a^5*b^9*c^5 + 9 \\
& 628416*B^2*a^6*b^7*c^6 - 21095424*B^2*a^7*b^5*c^7 + 27095040*B^2*a^8*b^3*c^ \\
& 8 - A^2*b^2*c^2*(-(4*a*c - b^2)^15)^(1/2) - 441*B^2*a^2*c^2*(-(4*a*c - b^2) \\
& ^15)^(1/2) + 6881280*A*B*a^9*c^10 - 369*B^2*a*b^17*c - 55*A^2*a*b^15*c^3 - \\
& 1720320*A^2*a^8*b*c^10 + 25*A^2*a*c^3*(-(4*a*c - b^2)^15)^(1/2) - 15482880* \\
& B^2*a^9*b*c^9 + 5580*A*B*a^2*b^14*c^3 - 59280*A*B*a^3*b^12*c^4 + 377280*A*B \\
& *a^4*b^10*c^5 - 1430784*A*B*a^5*b^8*c^6 + 2860032*A*B*a^6*b^6*c^7 - 1290240 \\
& *A*B*a^7*b^4*c^8 - 5160960*A*B*a^8*b^2*c^9 + 99*B^2*a*b^2*c*(-(4*a*c - b^2) \\
& ^15)^(1/2) - 288*A*B*a*b^16*c^2 - 6*A*B*b^3*c*(-(4*a*c - b^2)^15)^(1/2) + 1 \\
& 08*A*B*a*b*c^2*(-(4*a*c - b^2)^15)^(1/2))/(512*(1048576*a^10*c^15 + b^20*c^ \\
& 5 - 40*a*b^18*c^6 + 720*a^2*b^16*c^7 - 7680*a^3*b^14*c^8 + 53760*a^4*b^12*c \\
& ^9 - 258048*a^5*b^10*c^10 + 860160*a^6*b^8*c^11 - 1966080*a^7*b^6*c^12 + 29 \\
& 49120*a^8*b^4*c^13 - 2621440*a^9*b^2*c^14))))^(1/2)*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] Timed out

$$3.133 \quad \int \frac{x^6(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=461

$$\frac{\left(-\frac{-40a^2Bc^2+36aAbc^2-18ab^2Bc+3Ab^3c+b^4B}{\sqrt{b^2-4ac}} + 12aAc^2 - 16abBc + 3Ab^2c + b^3B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) + \left(\frac{-40a^2Bc^2+36aAbc^2-18ab^2Bc+3Ab^3c+b^4B}{\sqrt{b^2-4ac}} + 12aAc^2 - 16abBc + 3Ab^2c + b^3B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{8\sqrt{2}c^{3/2}(b^2-4ac)^2\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out] $-1/8*(-12*A*b*c+20*B*a*c+B*b^2)*x/c/(-4*a*c+b^2)^2-1/4*x^5*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2-1/8*x^3*(5*A*b^2-12*a*b*B+4*a*A*c-(-12*A*b*c+20*B*a*c+B*b^2)*x^2)/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+1/16*\arctan(x*2^{(1/2)}*c^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^3*B+3*A*b^2*c-16*a*b*B*c+12*a*A*c^2+(-36*A*a*b*c^2-3*A*b^3*c+40*B*a^2*c^2+18*B*a*b^2*c-B*b^4)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)/(-4*a*c+b^2)^2*2^{(1/2)/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})+1/16*\arctan(x*2^{(1/2)}*c^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^3*B+3*A*b^2*c-16*a*b*B*c+12*a*A*c^2+(36*A*a*b*c^2+3*A*b^3*c-40*B*a^2*c^2-18*B*a*b^2*c+B*b^4)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)/(-4*a*c+b^2)^2*2^{(1/2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})}$

Rubi [A] time = 4.62, antiderivative size = 461, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1275, 1279, 1166, 205}

$$\frac{\left(-\frac{-40a^2Bc^2+36aAbc^2-18ab^2Bc+3Ab^3c+b^4B}{\sqrt{b^2-4ac}} + 12aAc^2 - 16abBc + 3Ab^2c + b^3B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) + \left(\frac{-40a^2Bc^2+36aAbc^2-18ab^2Bc+3Ab^3c+b^4B}{\sqrt{b^2-4ac}} + 12aAc^2 - 16abBc + 3Ab^2c + b^3B\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{8\sqrt{2}c^{3/2}(b^2-4ac)^2\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] $-((b^2*B - 12*A*b*c + 20*a*B*c)*x)/(8*c*(b^2 - 4*a*c)^2) - (x^5*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (x^3*(5*A*b^2 - 12*a*b*B + 4*a*A*c - (b^2*B - 12*A*b*c + 20*a*B*c)*x^2))/(8*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + ((b^3*B + 3*A*b^2*c - 16*a*b*B*c + 12*a*A*c^2 - (b^4*B + 3*A*b^3*c - 18*a*b^2*B*c + 36*a*A*b*c^2 - 40*a^2*B*c^2)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(8*\text{Sqrt}[2]*c^{(3/2)}*(b^2 - 4*a*c)^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + ((b^3*B + 3*A*b^2*c - 16*a*b*B*c + 12*a*A*c^2 + (b^4*B + 3*A*b^3*c - 18*a*b^2*B*c + 36*a*A*b*c^2 - 40*a^2*B*c^2)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[$

$(b + \sqrt{b^2 - 4ac}) / (8\sqrt{2}c^{3/2}(b^2 - 4ac)^2\sqrt{b + \sqrt{b^2 - 4ac}})$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 1166

$\text{Int}[(d_ + (e_)*(x_)^2)/(a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[e/2 + (2cd - b^2e)/(2q), \text{Int}[1/(b/2 - q/2 + cx^2), x], x] + \text{Dist}[e/2 - (2cd - b^2e)/(2q), \text{Int}[1/(b/2 + q/2 + cx^2), x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[cd^2 - ae^2, 0] \ \&\& \ \text{PosQ}[b^2 - 4ac]$

Rule 1275

$\text{Int}[(f_)*(x_)^{m_ }*(d_ + (e_)*(x_)^2)*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_ }), x_Symbol] \rightarrow \text{Simp}[(f*(fx)^{m-1}*(a + bx^2 + cx^4)^{p+1}*(bd - 2ae - (be - 2cd)*x^2))/(2*(p+1)*(b^2 - 4ac)), x] - \text{Dist}[f^2/(2*(p+1)*(b^2 - 4ac)), \text{Int}[(fx)^{m-2}*(a + bx^2 + cx^4)^{p+1}*\text{Simp}[(m-1)*(bd - 2ae) - (4p+4+m+1)*(be - 2cd)*x^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rule 1279

$\text{Int}[(f_)*(x_)^{m_ }*(d_ + (e_)*(x_)^2)*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{p_ }), x_Symbol] \rightarrow \text{Simp}[(ef*(fx)^{m-1}*(a + bx^2 + cx^4)^{p+1})/(c*(m+4p+3)), x] - \text{Dist}[f^2/(c*(m+4p+3)), \text{Int}[(fx)^{m-2}*(a + bx^2 + cx^4)^p*\text{Simp}[a*e*(m-1) + (b*e*(m+2p+1) - c*d*(m+4p+3))*x^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{NeQ}[m+4p+3, 0] \ \&\& \ \text{IntegerQ}[2p] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned}
\int \frac{x^6 (A + Bx^2)}{(a + bx^2 + cx^4)^3} dx &= -\frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{\int \frac{x^4(5(Ab-2aB)+(bB-2Ac)x^2)}{(a+bx^2+cx^4)^2} dx}{4(b^2 - 4ac)} \\
&= -\frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^3 (5Ab^2 - 12abB + 4aAc - (b^2B - 12Abc + 20aBc))}{8(b^2 - 4ac)^2 (a + bx^2 + cx^4)} \\
&= -\frac{(b^2B - 12Abc + 20aBc)x}{8c(b^2 - 4ac)^2} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^3 (5Ab^2 - 12abB + 4aAc)}{8(b^2 - 4ac)} \\
&= -\frac{(b^2B - 12Abc + 20aBc)x}{8c(b^2 - 4ac)^2} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^3 (5Ab^2 - 12abB + 4aAc)}{8(b^2 - 4ac)} \\
&= -\frac{(b^2B - 12Abc + 20aBc)x}{8c(b^2 - 4ac)^2} - \frac{x^5 (Ab - 2aB - (bB - 2Ac)x^2)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x^3 (5Ab^2 - 12abB + 4aAc)}{8(b^2 - 4ac)}
\end{aligned}$$

Mathematica [A] time = 2.02, size = 543, normalized size = 1.18

$$\frac{4x(2a^2Bc+a(bc(A+3Bx^2)-2Ac^2x^2+b^2(-B))+b^2x^2(Ac-bB))}{(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{2x(b^2c(11aB+3Acx^2)+4abc^2(A-4Bx^2)+12ac^2(Acx^2-3aB)+b^3c(2A+Bx^2)-2b^4B)}{(b^2-4ac)^2(a+bx^2+cx^4)} +$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] ((2*x*(-2*b^4*B + 4*a*b*c^2*(A - 4*B*x^2) + b^3*c*(2*A + B*x^2) + 12*a*c^2*(-3*a*B + A*c*x^2) + b^2*c*(11*a*B + 3*A*c*x^2)))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) - (4*x*(2*a^2*B*c + b^2*(-(b*B) + A*c)*x^2 + a*(-(b^2*B) - 2*A*c^2*x^2 + b*c*(A + 3*B*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (Sqrt[2]*Sqrt[c]*(-(b^4*B) + 3*b^2*c*(6*a*B + A*Sqrt[b^2 - 4*a*c]) + 4*a*c^2*(10*a*B + 3*A*Sqrt[b^2 - 4*a*c]) + b^3*(-3*A*c + B*Sqrt[b^2 - 4*a*c]) - 4*a*b*c*(9*A*c + 4*B*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(5/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*Sqrt[c]*(b^4*B + 3*b^2*c*(-6*a*B + A*Sqrt[b^2 - 4*a*c]) + 4*a*c^2*(-10*a*B + 3*A*Sqrt[b^2 - 4*a*c]) + 4*a*b*c*(9*A*c - 4*B*Sqrt[b^2 - 4*a*c]) + b

$$\sqrt{3} \cdot (3A \cdot c + B \cdot \sqrt{b^2 - 4ac}) \cdot \text{ArcTan}\left[\frac{\sqrt{2} \cdot \sqrt{c} \cdot x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right] / ((b^2 - 4ac)^{5/2} \cdot \sqrt{b + \sqrt{b^2 - 4ac}}) / (16c^2)$$

fricas [B] time = 5.17, size = 7060, normalized size = 15.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{16} \cdot (2 \cdot (B \cdot b^3 \cdot c + 12 \cdot A \cdot a \cdot c^3 - (16 \cdot B \cdot a \cdot b - 3 \cdot A \cdot b^2) \cdot c^2) \cdot x^7 - 2 \cdot (B \cdot b^4 + 4 \cdot (9 \cdot B \cdot a^2 - 4 \cdot A \cdot a \cdot b) \cdot c^2 + 5 \cdot (B \cdot a \cdot b^2 - A \cdot b^3) \cdot c) \cdot x^5 - 2 \cdot (2 \cdot B \cdot a \cdot b^3 + 4 \cdot A \cdot a^2 \cdot c^2 + (28 \cdot B \cdot a^2 \cdot b - 19 \cdot A \cdot a \cdot b^2) \cdot c) \cdot x^3 - \sqrt{1/2} \cdot ((b^4 \cdot c^3 - 8 \cdot a \cdot b^2 \cdot c^4 + 16 \cdot a^2 \cdot c^5) \cdot x^8 + a^2 \cdot b^4 \cdot c - 8 \cdot a^3 \cdot b^2 \cdot c^2 + 16 \cdot a^4 \cdot c^3 + 2 \cdot (b^5 \cdot c^2 - 8 \cdot a \cdot b^3 \cdot c^3 + 16 \cdot a^2 \cdot b \cdot c^4) \cdot x^6 + (b^6 \cdot c - 6 \cdot a \cdot b^4 \cdot c^2 + 32 \cdot a^3 \cdot c^4) \cdot x^4 + 2 \cdot (a \cdot b^5 \cdot c - 8 \cdot a^2 \cdot b^3 \cdot c^2 + 16 \cdot a^3 \cdot b \cdot c^3) \cdot x^2) \cdot \sqrt{-(B^2 \cdot b^7 - 240 \cdot (4 \cdot A \cdot B \cdot a^3 - 3 \cdot A^2 \cdot a^2 \cdot b) \cdot c^4 + 120 \cdot (14 \cdot B^2 \cdot a^3 \cdot b - 16 \cdot A \cdot B \cdot a^2 \cdot b^2 + 3 \cdot A^2 \cdot a \cdot b^3) \cdot c^3 + (280 \cdot B^2 \cdot a^2 \cdot b^3 - 60 \cdot A \cdot B \cdot a \cdot b^4 + 9 \cdot A^2 \cdot b^5) \cdot c^2 - (35 \cdot B^2 \cdot a \cdot b^5 - 6 \cdot A \cdot B \cdot b^6) \cdot c + (b^{10} \cdot c^3 - 20 \cdot a \cdot b^8 \cdot c^4 + 160 \cdot a^2 \cdot b^6 \cdot c^5 - 640 \cdot a^3 \cdot b^4 \cdot c^6 + 1280 \cdot a^4 \cdot b^2 \cdot c^7 - 1024 \cdot a^5 \cdot c^8) \cdot \sqrt{(B^4 \cdot b^4 + 81 \cdot A^4 \cdot c^4 - 18 \cdot (25 \cdot A^2 \cdot B^2 \cdot a - 6 \cdot A^3 \cdot B \cdot b) \cdot c^3 + (625 \cdot B^4 \cdot a^2 - 300 \cdot A \cdot B^3 \cdot a \cdot b + 54 \cdot A^2 \cdot B^2 \cdot b^2) \cdot c^2 - 2 \cdot (25 \cdot B^4 \cdot a \cdot b^2 - 6 \cdot A \cdot B^3 \cdot b^3) \cdot c) / (b^{10} \cdot c^6 - 20 \cdot a \cdot b^8 \cdot c^7 + 160 \cdot a^2 \cdot b^6 \cdot c^8 - 640 \cdot a^3 \cdot b^4 \cdot c^9 + 1280 \cdot a^4 \cdot b^2 \cdot c^{10} - 1024 \cdot a^5 \cdot c^{11}))} / (b^{10} \cdot c^3 - 20 \cdot a \cdot b^8 \cdot c^4 + 160 \cdot a^2 \cdot b^6 \cdot c^5 - 640 \cdot a^3 \cdot b^4 \cdot c^6 + 1280 \cdot a^4 \cdot b^2 \cdot c^7 - 1024 \cdot a^5 \cdot c^8) \cdot \log(-(35 \cdot B^4 \cdot a \cdot b^6 - 15 \cdot A \cdot B^3 \cdot b^7 - 1296 \cdot A^4 \cdot a^2 \cdot c^5 + 648 \cdot (14 \cdot A^3 \cdot B \cdot a^2 \cdot b - 5 \cdot A^4 \cdot a \cdot b^2) \cdot c^4 + (10000 \cdot B^4 \cdot a^4 - 30000 \cdot A \cdot B^3 \cdot a^3 \cdot b + 9936 \cdot A^2 \cdot B^2 \cdot a^2 \cdot b^2 + 1080 \cdot A^3 \cdot B \cdot a \cdot b^3 - 405 \cdot A^4 \cdot b^4) \cdot c^3 + 3 \cdot (5000 \cdot B^4 \cdot a^3 \cdot b^2 - 3864 \cdot A \cdot B^3 \cdot a^2 \cdot b^3 + 1080 \cdot A^2 \cdot B^2 \cdot a \cdot b^4 - 135 \cdot A^3 \cdot B \cdot b^5) \cdot c^2 - 3 \cdot (497 \cdot B^4 \cdot a^2 \cdot b^4 - 315 \cdot A \cdot B^3 \cdot a \cdot b^5 + 45 \cdot A^2 \cdot B^2 \cdot b^6) \cdot c) \cdot x + 1/2 \cdot \sqrt{1/2} \cdot (B^3 \cdot b^{10} - 2304 \cdot (5 \cdot A^2 \cdot B \cdot a^4 - 3 \cdot A^3 \cdot a^3 \cdot b) \cdot c^6 + 64 \cdot (500 \cdot B^3 \cdot a^5 - 420 \cdot A \cdot B^2 \cdot a^4 \cdot b + 198 \cdot A^2 \cdot B \cdot a^3 \cdot b^2 - 81 \cdot A^3 \cdot a^2 \cdot b^3) \cdot c^5 - 16 \cdot (1480 \cdot B^3 \cdot a^4 \cdot b^2 - 1284 \cdot A \cdot B^2 \cdot a^3 \cdot b^3 + 324 \cdot A^2 \cdot B \cdot a^2 \cdot b^4 - 81 \cdot A^3 \cdot a \cdot b^5) \cdot c^4 + 4 \cdot (1424 \cdot B^3 \cdot a^3 \cdot b^4 - 1332 \cdot A \cdot B^2 \cdot a^2 \cdot b^5 + 234 \cdot A^2 \cdot B \cdot a \cdot b^6 - 27 \cdot A^3 \cdot b^7) \cdot c^3 - (392 \cdot B^3 \cdot a^2 \cdot b^6 - 492 \cdot A \cdot B^2 \cdot a \cdot b^7 + 63 \cdot A^2 \cdot B \cdot b^8) \cdot c^2 - (17 \cdot B^3 \cdot a \cdot b^8 + 6 \cdot A \cdot B^2 \cdot b^9) \cdot c - (B \cdot b^{13} \cdot c^3 - 24576 \cdot A \cdot a^6 \cdot c^{10} + 4096 \cdot (13 \cdot B \cdot a^6 \cdot b + 3 \cdot A \cdot a^5 \cdot b^2) \cdot c^9 - 1536 \cdot (44 \cdot B \cdot a^5 \cdot b^3 - 5 \cdot A \cdot a^4 \cdot b^4) \cdot c^8 + 3840 \cdot (9 \cdot B \cdot a^4 \cdot b^5 - 2 \cdot A \cdot a^3 \cdot b^6) \cdot c^7 - 160 \cdot (56 \cdot B \cdot a^3 \cdot b^7 - 15 \cdot A \cdot a^2 \cdot b^8) \cdot c^6 + 48 \cdot (25 \cdot B \cdot a^2 \cdot b^9 - 7 \cdot A \cdot a \cdot b^{10}) \cdot c^5 - 18 \cdot (4 \cdot B \cdot a \cdot b^{11} - A \cdot b^{12}) \cdot c^4) \cdot \sqrt{(B^4 \cdot b^4 + 81 \cdot A^4 \cdot c^4 - 18 \cdot (25 \cdot A^2 \cdot B^2 \cdot a - 6 \cdot A^3 \cdot B \cdot b) \cdot c^3 + (625 \cdot B^4 \cdot a^2 - 300 \cdot A \cdot B^3 \cdot a \cdot b + 54 \cdot A^2 \cdot B^2 \cdot b^2) \cdot c^2 - 2 \cdot (25 \cdot B^4 \cdot a \cdot b^2 - 6 \cdot A \cdot B^3 \cdot b^3) \cdot c) / (b^{10} \cdot c^6 - 20 \cdot a \cdot b^8 \cdot c^7 + 160 \cdot a^2 \cdot b^6 \cdot c^8 - 640 \cdot a^3 \cdot b^4 \cdot c^9 + 1280 \cdot a^4 \cdot b^2 \cdot c^{10} - 1024 \cdot a^5 \cdot c^{11}))} \cdot \sqrt{-(B^2 \cdot b^7 - 240 \cdot (4 \cdot A \cdot B \cdot a^3 - 3 \cdot A^2 \cdot a^2 \cdot b) \cdot c^4 + 120 \cdot (14 \cdot B^2 \cdot a^3 \cdot b - 16 \cdot A \cdot B \cdot a^2 \cdot b^2 + 3 \cdot A^2 \cdot a \cdot b^3) \cdot c^3 + (280 \cdot B^2 \cdot a^2 \cdot b^3 - 60 \cdot A \cdot B \cdot a \cdot b^4 + 9 \cdot A^2 \cdot b^5) \cdot c^2 - (35 \cdot B^2 \cdot a \cdot b^5 - 6 \cdot A \cdot B \cdot b^6) \cdot c + (b^{10} \cdot c^3 - 20 \cdot a \cdot b^8 \cdot c^4 + 160 \cdot a^2 \cdot b^6 \cdot c^5 - 640 \cdot a^3 \cdot b^4 \cdot c^6 + 1280 \cdot a^4 \cdot b^2 \cdot c^7 - 1024 \cdot a^5 \cdot c^8) \cdot \sqrt{(B^4 \cdot b^4 + 81 \cdot A^4 \cdot c^4 -$$

$$\begin{aligned}
& 18*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a^2 - 300*A*B^3*a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10}*c^6 - 20*a*b^8*c^7 + \\
& 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} - 1024*a^5*c^{11}))/ (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8)) + \text{sqrt}(1/2)*((b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*x^8 \\
& + a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3 + 2*(b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^6 + (b^6*c - 6*a*b^4*c^2 + 32*a^3*c^4)*x^4 + 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^2)*\text{sqrt}(-(B^2*b^7 - 240*(4*A*B*a^3 - 3*A^2*a^2*b) \\
& *c^4 + 120*(14*B^2*a^3*b - 16*A*B*a^2*b^2 + 3*A^2*a*b^3)*c^3 + (280*B^2*a^2*b^3 - 60*A*B*a*b^4 + 9*A^2*b^5)*c^2 - (35*B^2*a*b^5 - 6*A*B*b^6)*c + (b^{10} \\
& *c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8))*\text{sqrt}((B^4*b^4 + 81*A^4*c^4 - 18*(25*A^2*B^2*a - 6*A^3*B*b)* \\
& c^3 + (625*B^4*a^2 - 300*A*B^3*a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10}*c^6 - 20*a*b^8*c^7 + 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} - 1024*a^5*c^{11}))/ (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8))*\log(-(35*B^4*a*b^6 - 15*A*B^3*b^7 - 1296*A^4*a^2*c^5 + 648*(14*A^3*B*a^2*b - 5*A^4*a*b^2)*c^4 + (10000*B^4*a^4 - 30000*A*B^3*a^3*b + 9936*A^2*B^2*a^2*b^2 + 1080 \\
& *A^3*B*a*b^3 - 405*A^4*b^4)*c^3 + 3*(5000*B^4*a^3*b^2 - 3864*A*B^3*a^2*b^3 + 1080*A^2*B^2*a*b^4 - 135*A^3*B*b^5)*c^2 - 3*(497*B^4*a^2*b^4 - 315*A*B^3*a*b^5 + 45*A^2*B^2*b^6)*c)*x - 1/2*\text{sqrt}(1/2)*(B^3*b^{10} - 2304*(5*A^2*B*a^4 - 3*A^3*a^3*b)*c^6 + 64*(500*B^3*a^5 - 420*A*B^2*a^4*b + 198*A^2*B*a^3*b^2 - 81*A^3*a^2*b^3)*c^5 - 16*(1480*B^3*a^4*b^2 - 1284*A*B^2*a^3*b^3 + 324*A^2*B*a^2*b^4 - 81*A^3*a*b^5)*c^4 + 4*(1424*B^3*a^3*b^4 - 1332*A*B^2*a^2*b^5 + 234*A^2*B*a*b^6 - 27*A^3*b^7)*c^3 - (392*B^3*a^2*b^6 - 492*A*B^2*a*b^7 + 6 \\
& 3*A^2*B*b^8)*c^2 - (17*B^3*a*b^8 + 6*A*B^2*b^9)*c - (B*b^{13}*c^3 - 24576*A*a^6*c^{10} + 4096*(13*B*a^6*b + 3*A*a^5*b^2)*c^9 - 1536*(44*B*a^5*b^3 - 5*A*a^4*b^4)*c^8 + 3840*(9*B*a^4*b^5 - 2*A*a^3*b^6)*c^7 - 160*(56*B*a^3*b^7 - 15*A*a^2*b^8)*c^6 + 48*(25*B*a^2*b^9 - 7*A*a*b^{10})*c^5 - 18*(4*B*a*b^{11} - A*b^{12})*c^4)*\text{sqrt}((B^4*b^4 + 81*A^4*c^4 - 18*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a^2 - 300*A*B^3*a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10}*c^6 - 20*a*b^8*c^7 + 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} - 1024*a^5*c^{11}))*\text{sqrt}(-(B^2*b^7 - 240*(4*A*B*a^3 - 3*A^2*a^2*b)*c^4 + 120*(14*B^2*a^3*b - 16*A*B*a^2*b^2 + 3*A^2*a*b^3)*c^3 + (280*B^2*a^2*b^3 - 60*A*B*a*b^4 + 9*A^2*b^5)*c^2 - (35*B^2*a*b^5 - 6*A*B*b^6)*c + (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8))*\text{sqrt}((B^4*b^4 + 81*A^4*c^4 - 18*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a^2 - 300*A*B^3*a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10}*c^6 - 20*a*b^8*c^7 + 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} - 1024*a^5*c^{11}))/ (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8)) - \text{sqrt}(1/2)*((b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*x^8 + a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3 + 2*(b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^6 + (b^6*c - 6*a*b^4*c^2 + 32*a^3*c^4)*x^4 + 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^2)*\text{sqrt}(-(B^2*b^7 - 240*(4*A*B*a^3 - 3*A^2*a^2*b)*c^4 + 120*(14*B^2*a^3*b
\end{aligned}$$

$$\begin{aligned}
& b - 16*A*B*a^2*b^2 + 3*A^2*a*b^3)*c^3 + (280*B^2*a^2*b^3 - 60*A*B*a*b^4 + 9 \\
& *A^2*b^5)*c^2 - (35*B^2*a*b^5 - 6*A*B*b^6)*c - (b^{10}*c^3 - 20*a*b^8*c^4 + 1 \\
& 60*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8)*\sqrt{(B \\
& ^4*b^4 + 81*A^4*c^4 - 18*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a^2 - 30 \\
& 0*A*B^3*a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10} \\
& *c^6 - 20*a*b^8*c^7 + 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} \\
& - 1024*a^5*c^{11}))/ (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^ \\
& 4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8))*\log(-(35*B^4*a*b^6 - 15*A*B^3*b^7 \\
& - 1296*A^4*a^2*c^5 + 648*(14*A^3*B*a^2*b - 5*A^4*a*b^2)*c^4 + (10000*B^4*a \\
& ^4 - 30000*A*B^3*a^3*b + 9936*A^2*B^2*a^2*b^2 + 1080*A^3*B*a*b^3 - 405*A^4* \\
& b^4)*c^3 + 3*(5000*B^4*a^3*b^2 - 3864*A*B^3*a^2*b^3 + 1080*A^2*B^2*a*b^4 - \\
& 135*A^3*B*b^5)*c^2 - 3*(497*B^4*a^2*b^4 - 315*A*B^3*a*b^5 + 45*A^2*B^2*b^6) \\
& *c)*x + 1/2*\sqrt{1/2)*(B^3*b^{10} - 2304*(5*A^2*B*a^4 - 3*A^3*a^3*b)*c^6 + 64 \\
& *(500*B^3*a^5 - 420*A*B^2*a^4*b + 198*A^2*B*a^3*b^2 - 81*A^3*a^2*b^3)*c^5 - \\
& 16*(1480*B^3*a^4*b^2 - 1284*A*B^2*a^3*b^3 + 324*A^2*B*a^2*b^4 - 81*A^3*a*b \\
& ^5)*c^4 + 4*(1424*B^3*a^3*b^4 - 1332*A*B^2*a^2*b^5 + 234*A^2*B*a*b^6 - 27*A \\
& ^3*b^7)*c^3 - (392*B^3*a^2*b^6 - 492*A*B^2*a*b^7 + 63*A^2*B*b^8)*c^2 - (17* \\
& B^3*a*b^8 + 6*A*B^2*b^9)*c + (B*b^{13}*c^3 - 24576*A*a^6*c^{10} + 4096*(13*B*a^ \\
& 6*b + 3*A*a^5*b^2)*c^9 - 1536*(44*B*a^5*b^3 - 5*A*a^4*b^4)*c^8 + 3840*(9*B* \\
& a^4*b^5 - 2*A*a^3*b^6)*c^7 - 160*(56*B*a^3*b^7 - 15*A*a^2*b^8)*c^6 + 48*(25 \\
& *B*a^2*b^9 - 7*A*a*b^{10})*c^5 - 18*(4*B*a*b^{11} - A*b^{12})*c^4)*\sqrt{(B^4*b^4 \\
& + 81*A^4*c^4 - 18*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a^2 - 300*A*B^3 \\
& *a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10}*c^6 - \\
& 20*a*b^8*c^7 + 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} - 1024 \\
& *a^5*c^{11}))*\sqrt{-(B^2*b^7 - 240*(4*A*B*a^3 - 3*A^2*a^2*b)*c^4 + 120*(14*B \\
& ^2*a^3*b - 16*A*B*a^2*b^2 + 3*A^2*a*b^3)*c^3 + (280*B^2*a^2*b^3 - 60*A*B*a* \\
& b^4 + 9*A^2*b^5)*c^2 - (35*B^2*a*b^5 - 6*A*B*b^6)*c - (b^{10}*c^3 - 20*a*b^8*c \\
& ^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8)* \\
& \sqrt{(B^4*b^4 + 81*A^4*c^4 - 18*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a \\
& ^2 - 300*A*B^3*a*b + 54*A^2*B^2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c \\
&)/(b^{10}*c^6 - 20*a*b^8*c^7 + 160*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b \\
& ^2*c^{10} - 1024*a^5*c^{11}))/ (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640 \\
& *a^3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8))) + \sqrt{1/2)*((b^4*c^3 - 8 \\
& *a*b^2*c^4 + 16*a^2*c^5)*x^8 + a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3 + 2*(\\
& b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^6 + (b^6*c - 6*a*b^4*c^2 + 32*a^3*c \\
& ^4)*x^4 + 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^2)*\sqrt{-(B^2*b^7 - \\
& 240*(4*A*B*a^3 - 3*A^2*a^2*b)*c^4 + 120*(14*B^2*a^3*b - 16*A*B*a^2*b^2 + 3* \\
& A^2*a*b^3)*c^3 + (280*B^2*a^2*b^3 - 60*A*B*a*b^4 + 9*A^2*b^5)*c^2 - (35*B^2 \\
& *a*b^5 - 6*A*B*b^6)*c - (b^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^ \\
& 3*b^4*c^6 + 1280*a^4*b^2*c^7 - 1024*a^5*c^8)*\sqrt{(B^4*b^4 + 81*A^4*c^4 - 1 \\
& 8*(25*A^2*B^2*a - 6*A^3*B*b)*c^3 + (625*B^4*a^2 - 300*A*B^3*a*b + 54*A^2*B^ \\
& 2*b^2)*c^2 - 2*(25*B^4*a*b^2 - 6*A*B^3*b^3)*c)/(b^{10}*c^6 - 20*a*b^8*c^7 + 1 \\
& 60*a^2*b^6*c^8 - 640*a^3*b^4*c^9 + 1280*a^4*b^2*c^{10} - 1024*a^5*c^{11}))/ (b^ \\
& ^{10}*c^3 - 20*a*b^8*c^4 + 160*a^2*b^6*c^5 - 640*a^3*b^4*c^6 + 1280*a^4*b^2*c^ \\
& 7 - 1024*a^5*c^8))*\log(-(35*B^4*a*b^6 - 15*A*B^3*b^7 - 1296*A^4*a^2*c^5 + 6
\end{aligned}$$

$$\begin{aligned}
& \text{qrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^3*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b \\
& *c + \text{sqrt}(b^2 - 4*a*c))*b^4*c - 64*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{s} \\
& \text{qrt}(b^2 - 4*a*c))*a^2*b*c^2 - 32*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqr} \\
& \text{t}(b^2 - 4*a*c))*a*b^2*c^2 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4 \\
& - 4*a*c))*b^3*c^2 + 16*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4 \\
& *a*c))*a*b*c^3 - 2*(b^2 - 4*a*c)*b^3*c^2 + 32*(b^2 - 4*a*c)*a*b*c^3)*(b^4 \\
& *c - 8*a*b^2*c^2 + 16*a^2*c^3)^2*B - 24*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a* \\
& c))*c)*a*b^7*c^3 - 12*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^5*c^4 - \\
& 2*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^6*c^4 - 2*a*b^7*c^4 + 48*\text{sqrt} \\
& (2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^3*c^5 + 16*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqr} \\
& \text{t}(b^2 - 4*a*c))*a^2*b^4*c^5 + \text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b \\
& ^5*c^5 + 24*a^2*b^5*c^5 - 64*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^4*b* \\
& c^6 - 32*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^2*c^6 - 8*\text{sqrt}(2)*\text{sq} \\
& \text{rt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^3*c^6 - 96*a^3*b^3*c^6 + 16*\text{sqrt}(2)*\text{sq} \\
& \text{rt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b*c^7 + 128*a^4*b*c^7 + 2*(b^2 - 4*a*c)*a* \\
& b^5*c^4 - 16*(b^2 - 4*a*c)*a^2*b^3*c^5 + 32*(b^2 - 4*a*c)*a^3*b*c^6)*A*\text{abs}(\\
& b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3) + 2*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c) \\
& *c)*a*b^8*c^2 + 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^6*c^3 - 2*s \\
& \text{qrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^7*c^3 - 2*a*b^8*c^3 - 192*\text{sqrt}(2) \\
&)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^4*c^4 - 24*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(\\
& b^2 - 4*a*c))*a^2*b^5*c^4 + \text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^6 \\
& *c^4 - 16*a^2*b^6*c^4 + 896*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^4*b^2 \\
& *c^5 + 288*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^3*c^5 + 12*\text{sqrt}(2) \\
& *\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^4*c^5 + 384*a^3*b^4*c^5 - 1280*\text{sqrt}(\\
& 2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^5*c^6 - 640*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^ \\
& 2 - 4*a*c))*a^4*b*c^6 - 144*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b \\
& ^2*c^6 - 1792*a^4*b^2*c^6 + 320*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^4 \\
& *c^7 + 2560*a^5*c^7 + 2*(b^2 - 4*a*c)*a*b^6*c^3 + 24*(b^2 - 4*a*c)*a^2*b^4* \\
& c^4 - 288*(b^2 - 4*a*c)*a^3*b^2*c^5 + 640*(b^2 - 4*a*c)*a^4*c^6)*B*\text{abs}(b^4*c \\
& - 8*a*b^2*c^2 + 16*a^2*c^3) - 3*(2*b^12*c^5 - 8*a*b^10*c^6 - 192*a^2*b^8* \\
& c^7 + 1792*a^3*b^6*c^8 - 5632*a^4*b^4*c^9 + 6144*a^5*b^2*c^10 - \text{sqrt}(2)*\text{sqr} \\
& \text{t}(b^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*b^12*c^3 + 4*\text{sqrt}(2)*\text{sqrt}(b^ \\
& 2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a*b^10*c^4 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 \\
& - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*b^11*c^4 + 96*\text{sqrt}(2)*\text{sqrt}(b^2 - 4 \\
& *a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^8*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a* \\
& c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*b^10*c^5 - 896*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c) \\
& *\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^6*c^6 - 192*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c) \\
&)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^7*c^6 + 2816*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a \\
& *c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^4*b^4*c^7 + 1024*\text{sqrt}(2)*\text{sqrt}(b^2 - 4 \\
& *a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^5*c^7 + 96*\text{sqrt}(2)*\text{sqrt}(b^2 - 4 \\
& *a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^2*b^6*c^7 - 3072*\text{sqrt}(2)*\text{sqrt}(b^2 - \\
& 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^5*b^2*c^8 - 1536*\text{sqrt}(2)*\text{sqrt}(b^2 \\
& - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^4*b^3*c^8 - 512*\text{sqrt}(2)*\text{sqrt}(b^ \\
& 2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^3*b^4*c^8 + 768*\text{sqrt}(2)*\text{sqrt}(b \\
& ^2 - 4*a*c)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*a^4*b^2*c^9 - 2*(b^2 - 4*a*c)*b
\end{aligned}$$

$$\begin{aligned}
& ^{10}c^5 + 192*(b^2 - 4*a*c)*a^2*b^6*c^7 - 1024*(b^2 - 4*a*c)*a^3*b^4*c^8 + \\
& 1536*(b^2 - 4*a*c)*a^4*b^2*c^9)*A - (2*b^{13}*c^4 - 68*a*b^{11}*c^5 + 688*a^2*b^9*c^6 - 2688*a^3*b^7*c^7 + 2048*a^4*b^5*c^8 + 11264*a^5*b^3*c^9 - 20480*a^6*b*c^{10} - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^{13}*c^2 + 34*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^{11}*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^{12}*c^3 - 344*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b^9*c^4 - 60*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^{10}*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*b^{11}*c^4 + 1344*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^3*b^7*c^5 + 448*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b^8*c^5 + 30*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a*b^9*c^5 - 1024*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^4*b^5*c^6 - 896*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^3*b^6*c^6 - 224*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^2*b^7*c^6 - 5632*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^5*b^3*c^7 - 1536*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^4*b^4*c^7 + 448*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^3*b^5*c^7 + 10240*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^6*b*c^8 + 5120*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^5*b^2*c^8 + 768*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^4*b^3*c^8 - 2560*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}*c})*a^5*b*c^9 - 2*(b^2 - 4*a*c)*b^{11}*c^4 + 60*(b^2 - 4*a*c)*a*b^9*c^5 - 448*(b^2 - 4*a*c)*a^2*b^7*c^6 + 896*(b^2 - 4*a*c)*a^3*b^5*c^7 + 1536*(b^2 - 4*a*c)*a^4*b^3*c^8 - 5120*(b^2 - 4*a*c)*a^5*b*c^9)*B)*\arctan(2*\sqrt{1/2}*x/\sqrt{(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3 + \sqrt{(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)^2 - 4*(a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)}*(b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)))/(b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)))/((a*b^{10}*c^3 - 20*a^2*b^8*c^4 - 2*a*b^9*c^4 + 160*a^3*b^6*c^5 + 32*a^2*b^7*c^5 + a*b^8*c^5 - 640*a^4*b^4*c^6 - 192*a^3*b^5*c^6 - 16*a^2*b^6*c^6 + 1280*a^5*b^2*c^7 + 512*a^4*b^3*c^7 + 96*a^3*b^4*c^7 - 1024*a^6*c^8 - 512*a^5*b*c^8 - 256*a^4*b^2*c^8 + 256*a^5*c^9)*abs(b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)*abs(c)) - 1/64*(3*(2*b^4*c^3 - 32*a^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^4*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^3*c^2 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*c^3 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^2*c^3 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*c^4 - 2*(b^2 - 4*a*c)*b^2*c^3 - 8*(b^2 - 4*a*c)*a*c^4)*(b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)^2)*A + (2*b^5*c^2 - 40*a*b^3*c^3 + 128*a^2*b*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^5 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^3*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^4*c - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b*c^2 - 32*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^2*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^3*
\end{aligned}$$

$$\begin{aligned}
& c^2 + 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b * c^3 \\
& - 2*(b^2 - 4ac)*b^3*c^2 + 32*(b^2 - 4ac)*a*b*c^3)*(b^4*c - 8*a*b^2*c^2 \\
& + 16*a^2*c^3)^2*B + 24*(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b^7*c^3 - \\
& 12*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^5*c^4 - 2*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^2*b^4*c^5 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b^5*c^5 - 24*a^2*b^5*c^5 - 64*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^4*b*c^6 - 32*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b^2*c^6 - 8*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^2*b^3*c^6 + 96*a^3*b^3*c^6 + 16*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b*c^7 - 128*a^4*b*c^7 - 2*(b^2 - 4ac) * a * b^5*c^4 + 16*(b^2 \\
& - 4ac) * a^2*b^3*c^5 - 32*(b^2 - 4ac) * a^3*b*c^6)*A*abs(b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3) - 2*(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b^8*c^2 + 8 \\
& *\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^6*c^3 - 2*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b^7*c^3 + 2*a*b^8*c^3 - 192*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^3*b^4*c^4 - 24*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^5*c^4 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b^6*c^4 + 16*a^2*b^6*c^4 + 896*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^4*b^2*c^5 + 288*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b^3*c^5 + 12*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^4*c^5 - 384*a^3*b^4*c^5 - 1280*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^5*c^6 - 640*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^4*b*c^6 - 144*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b^2*c^6 + 1792*a^4*b^2*c^6 + 320*\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c) \\
& * a^4*c^7 - 2560*a^5*c^7 - 2*(b^2 - 4ac) * a * b^6*c^3 - 24*(b^2 - 4ac) * a^2*b^4*c^4 + 288*(b^2 - 4ac) * a^3*b^2*c^5 - 640*(b^2 - 4ac) * a^4*c^6)*B*abs(b^4*c - 8*a*b^2*c^2 + \\
& 16*a^2*c^3) - 3*(2*b^12*c^5 - 8*a*b^10*c^6 - 192*a^2*b^8*c^7 + 1792*a^3*b^6*c^8 - 5632*a^4*b^4*c^9 + 6144*a^5*b^2*c^10 - \sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * b^12*c^3 + 4*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a * b^10*c^4 + 2*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * b^11*c^4 + 96*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^8*c^5 - \sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * b^10*c^5 - 896*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b^6*c^6 - 192*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^7*c^6 + 2816*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^4*b^4*c^7 + 1024*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b^5*c^7 + 96*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^2*b^6*c^7 - 3072*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^5*b^2*c^8 - 1536*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^4*b^3*c^8 - 512*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^3*b^4*c^8 + 768*\sqrt{2}\sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * a^4*b^2*c^9 - 2*(b^2 - 4ac) * b^10*c^5 + 192*(b^2 - 4ac) * a^2*b^6*c^7 - 1024*(b^2 - 4ac) * a^3*b^4*c^8 + 1536*(b^2 - 4ac) * a^4*b^2*c^9)*A - (2*b^13*c^4 - 68*a*b^11*c^5 + 688*a^2*b^9*c^6 - 2688*a^3*b^7*c^7 + 2048*a^4*b^5*c^8 + 11264*a^5*b^3*c^9 - 20480*a^6*b*c^10 - \sqrt{2}) * \sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}}c) * b^13*c^2 + 34*\sqrt{2}) * s
\end{aligned}$$

$$\begin{aligned} & \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^{11} c^3 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^{12} c^3 - 344\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^9 c^4 - 60\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^{10} c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^{11} c^4 + 1344\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^3 b^7 c^5 + 448\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^8 c^5 + 30\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^9 c^5 - 1024\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^4 b^5 c^6 - 896\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^3 b^6 c^6 - 224\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^7 c^6 - 5632\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^5 b^3 c^7 - 1536\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^4 b^4 c^7 + 448\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^3 b^5 c^7 + 10240\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^6 b^2 c^8 + 5120\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^5 b^2 c^8 + 768\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^4 b^3 c^8 - 2560\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc - \sqrt{b^2 - 4ac}c} a^5 b^3 c^9 - 2(b^2 - 4ac) b^{11} c^4 + 60(b^2 - 4ac) a^2 b^9 c^5 - 448(b^2 - 4ac) a^2 b^7 c^6 + 896(b^2 - 4ac) a^3 b^5 c^7 + 1536(b^2 - 4ac) a^4 b^3 c^8 - 5120(b^2 - 4ac) a^5 b^3 c^9) B \arctan\left(\frac{2\sqrt{1/2} x / \sqrt{(b^5 c - 8a^2 b^3 c^2 + 16a^2 b^3 c^3 - \sqrt{(b^5 c - 8a^2 b^3 c^2 + 16a^2 b^3 c^3)^2 - 4(a^2 b^4 c - 8a^2 b^2 c^2 + 16a^3 c^3)(b^4 c^2 - 8a^2 b^2 c^3 + 16a^2 c^4))}}}{(a^2 b^{10} c^3 - 20a^2 b^8 c^4 - 2a^2 b^9 c^4 + 160a^3 b^6 c^5 + 32a^2 b^7 c^5 + a^2 b^8 c^5 - 640a^4 b^4 c^6 - 192a^3 b^5 c^6 - 16a^2 b^6 c^6 + 1280a^5 b^2 c^7 + 512a^4 b^3 c^7 + 96a^3 b^4 c^7 - 1024a^6 c^8 - 512a^5 b^2 c^8 - 256a^4 b^2 c^8 + 256a^5 c^9) \operatorname{abs}(b^4 c - 8a^2 b^2 c^2 + 16a^2 c^3) \operatorname{abs}(c)}\right) + \frac{1}{8} (B^2 b^3 c^2 x^7 - 16B^2 a^2 b^2 c^2 x^7 + 3A^2 b^2 c^2 x^7 + 12A^2 a^2 c^3 x^7 - B^2 b^4 x^5 - 5B^2 a^2 b^2 c^2 x^5 + 5A^2 b^3 c^2 x^5 - 36B^2 a^2 c^2 x^5 + 16A^2 a^2 b^2 c^2 x^5 - 2B^2 a^2 b^3 x^3 - 28B^2 a^2 b^2 c^2 x^3 + 19A^2 a^2 b^2 c^2 x^3 - 4A^2 a^2 c^2 x^3 - B^2 a^2 b^2 x - 20B^2 a^3 c^2 x + 12A^2 a^2 b^2 c^2 x) / ((b^4 c - 8a^2 b^2 c^2 + 16a^2 c^3) (c^2 x^4 + b^2 x^2 + a)^2) \end{aligned}$$

maple [B] time = 0.05, size = 1631, normalized size = 3.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (x^6 (Bx^2 + A) / (cx^4 + bx^2 + a)^3, x)$

[Out] $(1/8 * (12A^2 a^2 c^2 + 3A^2 b^2 c - 16B^2 a^2 b^2 c + B^2 b^3) / (16a^2 c^2 - 8a^2 b^2 c + b^4) * x^7 + 1/8 * (16A^2 a^2 b^2 c^2 + 5A^2 b^3 c - 36B^2 a^2 c^2 - 5B^2 a^2 b^2 c - B^2 b^4) / c / (16a^2 c^2 - 8a^2 b^2 c + b^4) * x^5 - 1/8 * a / c * (4A^2 a^2 c^2 - 19A^2 b^2 c + 28B^2 a^2 b^2 c + 2B^2 b^3) / (16a^2 c^2 - 8a^2 b^2 c + b^4) * x^3 + 1/8 * a^2 * (12A^2 b^2 c - 20B^2 a^2 c - B^2 b^2) / c / (16a^2 c^2 - 8a^2 b^2 c + b^4) * x) / (c^2 x^4 + b^2 x^2 + a)^2 - 3/4 / (16a^2 c^2 - 8a^2 b^2 c + b^4) * c^{1/2} /$

$$\begin{aligned} & ((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})* \\ & c)^{(1/2)}*c*x)*a*A-3/16/(16*a^2*c^2-8*a*b^2*c+b^4)*2^{(1/2)}/((-b+(-4*a*c+b^2) \\ & ^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b \\ & ^2+9/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c \\ & +b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x \\ &)*a*A*b+3/16/(16*a^2*c^2-8*a*b^2*c+b^4)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4 \\ & *a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} \\ & *c*x)*A*b^3+1/(16*a^2*c^2-8*a*b^2*c+b^4)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c \\ &)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b*B-1/16/(\\ & 16*a^2*c^2-8*a*b^2*c+b^4)/c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arcta} \\ & \operatorname{nh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*B-5/2/(16*a^2*c^2-8*a \\ & *b^2*c+b^4)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}* \\ & \operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a^2*B-9/8/(16*a^2*c^ \\ & 2-8*a*b^2*c+b^4)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/ \\ & 2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b^2*B+1/16/(16* \\ & a^2*c^2-8*a*b^2*c+b^4)/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2) \\ &)*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^4*B+3/4 \\ & /((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arct} \\ & \operatorname{an}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*A+3/16/(16*a^2*c^2-8*a*b \\ & ^2*c+b^4)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a \\ & *c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^2+9/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c \\ & +b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4 \\ & *a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*A*b+3/16/(16*a^2*c^2-8*a*b^2*c+b^4)/(-4*a* \\ & c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(- \\ & 4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^3-1/(16*a^2*c^2-8*a*b^2*c+b^4)*2^{(1/2)}/ \\ & ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(\\ & 1/2)}*c*x)*a*b*B+1/16/(16*a^2*c^2-8*a*b^2*c+b^4)/c*2^{(1/2)}/((b+(-4*a*c+b^2) \\ & ^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^3*B \\ & -5/2/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^ \\ & 2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a^2 \\ & *B-9/8/(16*a^2*c^2-8*a*b^2*c+b^4)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^ \\ & 2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b \\ & ^2*B+1/16/(16*a^2*c^2-8*a*b^2*c+b^4)/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a \\ & *c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x \\ &)*b^4*B \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")

[Out] 1/8*((B*b^3*c + 12*A*a*c^3 - (16*B*a*b - 3*A*b^2)*c^2)*x^7 - (B*b^4 + 4*(9*B*a^2 - 4*A*a*b)*c^2 + 5*(B*a*b^2 - A*b^3)*c)*x^5 - (2*B*a*b^3 + 4*A*a^2*c^

$$2 + (28*B*a^2*b - 19*A*a*b^2)*c)*x^3 - (B*a^2*b^2 + 4*(5*B*a^3 - 3*A*a^2*b)*c)*x)/((b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*x^8 + a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3 + 2*(b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^6 + (b^6*c - 6*a*b^4*c^2 + 32*a^3*c^4)*x^4 + 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^2) + 1/8*integrate((B*a*b^2 + (B*b^3 + 12*A*a*c^2 - (16*B*a*b - 3*A*b^2)*c)*x^2 + 4*(5*B*a^2 - 3*A*a*b)*c)/(c*x^4 + b*x^2 + a), x)/(b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)$$

mupad [B] time = 3.95, size = 19041, normalized size = 41.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^6*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x)$

[Out] $\text{atan}(\frac{((5242880*B*a^7*c^8 + 3072*A*a*b^11*c^3 - 3145728*A*a^6*b*c^8 - 256*B*a*b^12*c^2 - 61440*A*a^2*b^9*c^4 + 491520*A*a^3*b^7*c^5 - 1966080*A*a^4*b^5*c^6 + 3932160*A*a^5*b^3*c^7 + 61440*B*a^3*b^8*c^4 - 655360*B*a^4*b^6*c^5 + 2949120*B*a^5*b^4*c^6 - 6291456*B*a^6*b^2*c^7)/(512*(b^12*c + 4096*a^6*c^7 - 24*a*b^10*c^2 + 240*a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 3840*a^4*b^4*c^5 - 6144*a^5*b^2*c^6)) - (x*(-(B^2*b^17 + 9*A^2*b^15*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^15))^{1/2} + B^2*b^2*(-(4*a*c - b^2)^15)^{1/2} + 6*A*B*b^16*c - 5040*A^2*a^2*b^11*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^13*c^2 - 10160*B^2*a^3*b^11*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^15*c - 25*B^2*a*c*(-(4*a*c - b^2)^15)^{1/2} + 180*A^2*a*b^13*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^12*c^3 + 24000*A*B*a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 + 6*A*B*b*c*(-(4*a*c - b^2)^15)^{1/2} - 180*A*B*a*b^14*c^2)/(512*(1048576*a^10*c^13 + b^20*c^3 - 40*a*b^18*c^4 + 720*a^2*b^16*c^5 - 7680*a^3*b^14*c^6 + 53760*a^4*b^12*c^7 - 258048*a^5*b^10*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^10 + 2949120*a^8*b^4*c^11 - 2621440*a^9*b^2*c^12))^{1/2}*(256*b^11*c^3 - 5120*a*b^9*c^4 - 262144*a^5*b*c^8 + 40960*a^2*b^7*c^5 - 163840*a^3*b^5*c^6 + 327680*a^4*b^3*c^7))/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4)))*(-(B^2*b^17 + 9*A^2*b^15*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^15)^{1/2} + B^2*b^2*(-(4*a*c - b^2)^15)^{1/2} + 6*A*B*b^16*c - 5040*A^2*a^2*b^11*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^13*c^2 - 10160*B^2*a^3*b^11*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^15*c - 25*B^2*a*c*(-(4*a*c - b^2)^15)^{1/2} + 180*A^2*a*b^13*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^12*c^3 + 24000*A*B*a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 +$

$$\begin{aligned}
& 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + \\
& 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} - (x*(B^2 \\
& *b^8 - 288*A^2*a^3*c^5 + 9*A^2*b^6*c^2 + 800*B^2*a^4*c^4 + 6*A*B*b^7*c + 57 \\
& 6*A^2*a^2*b^2*c^4 + 314*B^2*a^2*b^4*c^2 + 208*B^2*a^3*b^2*c^3 - 36*B^2*a*b^6*c + 126*A^2*a*b^4*c^3 - 816*A*B*a^2*b^3*c^3 - 66*A*B*a*b^5*c^2 - 672*A*B* \\
& a^3*b*c^4))/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256* \\
& a^3*b^2*c^4)))*(-(B^2*b^17 + 9*A^2*b^15*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^{15}) \\
& ^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^16*c - 5040*A^2*a^2*b^ \\
& 11*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5* \\
& c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^13*c^2 - 10160*B^2*a^3*b^11*c \\
& ^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 \\
& + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^15*c - 25*B^2* \\
& a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^13*c^3 - 737280*A^2*a^7*b*c^9 - \\
& 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^12*c^3 + 24000*A*B*a^3*b^10*c^4 - 24 \\
& 1920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 7 \\
& 37280*A*B*a^7*b^2*c^8 + 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^1 \\
& 4*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a \\
& ^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2* \\
& c^{12}))^{(1/2)}*i - (((5242880*B*a^7*c^8 + 3072*A*a*b^11*c^3 - 3145728*A*a^6 \\
& *b*c^8 - 256*B*a*b^12*c^2 - 61440*A*a^2*b^9*c^4 + 491520*A*a^3*b^7*c^5 - 19 \\
& 66080*A*a^4*b^5*c^6 + 3932160*A*a^5*b^3*c^7 + 61440*B*a^3*b^8*c^4 - 655360* \\
& B*a^4*b^6*c^5 + 2949120*B*a^5*b^4*c^6 - 6291456*B*a^6*b^2*c^7)/(512*(b^{12}*c \\
& + 4096*a^6*c^7 - 24*a*b^10*c^2 + 240*a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 3840 \\
& *a^4*b^4*c^5 - 6144*a^5*b^2*c^6)) + (x*(-(B^2*b^17 + 9*A^2*b^15*c^2 + 9*A^2 \\
& *c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B* \\
& b^16*c - 5040*A^2*a^2*b^11*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7 \\
& *c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^13*c^ \\
& 2 - 10160*B^2*a^3*b^11*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 \\
& - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 5 \\
& 5*B^2*a*b^15*c - 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^13*c^3 \\
& - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^12*c^3 + 240 \\
& 00*A*B*a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 178 \\
& 1760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 + 6*A*B*b*c*(-(4*a*c - b^2)^1 \\
& 5)^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18} \\
& *c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048 \\
& *a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4 \\
& *c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)}*(256*b^{11}*c^3 - 5120*a*b^9*c^4 - 2621 \\
& 44*a^5*b*c^8 + 40960*a^2*b^7*c^5 - 163840*a^3*b^5*c^6 + 327680*a^4*b^3*c^7) \\
&)/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4 \\
& 4)))*(-(B^2*b^17 + 9*A^2*b^15*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + B \\
& ^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^16*c - 5040*A^2*a^2*b^11*c^4 + 3 \\
& 7440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 5529
\end{aligned}$$

$$\begin{aligned}
& 60A^2a^6b^3c^8 + 1140B^2a^2b^{13}c^2 - 10160B^2a^3b^{11}c^3 + 34880 \\
& *B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680 \\
& *B^2a^7b^3c^7 + 983040A*B*a^8c^9 - 55B^2a*b^{15}c - 25B^2a*c*(-(4a \\
& *c - b^2)^{15})^{(1/2)} + 180A^2a*b^{13}c^3 - 737280A^2a^7b*c^9 - 1720320B \\
& ^2a^8b*c^8 + 240A*B*a^2b^{12}c^3 + 24000A*B*a^3b^{10}c^4 - 241920A*B*a \\
& ^4b^8c^5 + 992256A*B*a^5b^6c^6 - 1781760A*B*a^6b^4c^7 + 737280A*B* \\
& a^7b^2c^8 + 6A*B*b*c*(-(4a*c - b^2)^{15})^{(1/2)} - 180A*B*a*b^{14}c^2)/(51 \\
& 2*(1048576a^{10}c^{13} + b^{20}c^3 - 40a*b^{18}c^4 + 720a^2b^{16}c^5 - 7680a \\
& ^3b^{14}c^6 + 53760a^4b^{12}c^7 - 258048a^5b^{10}c^8 + 860160a^6b^8c^9 \\
& - 1966080a^7b^6c^{10} + 2949120a^8b^4c^{11} - 2621440a^9b^2c^{12}))^{(1 \\
& /2)} + (x*(B^2b^8 - 288A^2a^3c^5 + 9A^2b^6c^2 + 800B^2a^4c^4 + 6A \\
& *B*b^7c + 576A^2a^2b^2c^4 + 314B^2a^2b^4c^2 + 208B^2a^3b^2c^3 \\
& - 36B^2a*b^6c + 126A^2a*b^4c^3 - 816A*B*a^2b^3c^3 - 66A*B*a*b^5c \\
& ^2 - 672A*B*a^3b*c^4))/(32*(b^8c + 256a^4c^5 - 16a*b^6c^2 + 96a^2b \\
& ^4c^3 - 256a^3b^2c^4))*(-(B^2b^{17} + 9A^2b^{15}c^2 + 9A^2c^2*(-(4a \\
& *c - b^2)^{15})^{(1/2)} + B^2b^2*(-(4a*c - b^2)^{15})^{(1/2)} + 6A*B*b^{16}c - 50 \\
& 40A^2a^2b^{11}c^4 + 37440A^2a^3b^9c^5 - 103680A^2a^4b^7c^6 - 9216 \\
& *A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^2a^2b^{13}c^2 - 10160B \\
& ^2a^3b^{11}c^3 + 34880B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2 \\
& a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A*B*a^8c^9 - 55B^2a*b^{15} \\
& 5c - 25B^2a*c*(-(4a*c - b^2)^{15})^{(1/2)} + 180A^2a*b^{13}c^3 - 737280A^ \\
& 2a^7b*c^9 - 1720320B^2a^8b*c^8 + 240A*B*a^2b^{12}c^3 + 24000A*B*a^3* \\
& b^{10}c^4 - 241920A*B*a^4b^8c^5 + 992256A*B*a^5b^6c^6 - 1781760A*B*a^ \\
& 6b^4c^7 + 737280A*B*a^7b^2c^8 + 6A*B*b*c*(-(4a*c - b^2)^{15})^{(1/2)} - \\
& 180A*B*a*b^{14}c^2)/(512*(1048576a^{10}c^{13} + b^{20}c^3 - 40a*b^{18}c^4 + 72 \\
& 0a^2b^{16}c^5 - 7680a^3b^{14}c^6 + 53760a^4b^{12}c^7 - 258048a^5b^{10}c^ \\
& ^8 + 860160a^6b^8c^9 - 1966080a^7b^6c^{10} + 2949120a^8b^4c^{11} - 262 \\
& 1440a^9b^2c^{12}))^{(1/2)}*i)/(((5242880B*a^7c^8 + 3072A*a*b^{11}c^3 - \\
& 3145728A*a^6b*c^8 - 256B*a*b^{12}c^2 - 61440A*a^2b^9c^4 + 491520A*a^3 \\
& *b^7c^5 - 1966080A*a^4b^5c^6 + 3932160A*a^5b^3c^7 + 61440B*a^3b^8* \\
& c^4 - 655360B*a^4b^6c^5 + 2949120B*a^5b^4c^6 - 6291456B*a^6b^2c^7) \\
& / (512*(b^{12}c + 4096a^6c^7 - 24a*b^{10}c^2 + 240a^2b^8c^3 - 1280a^3b \\
& ^6c^4 + 3840a^4b^4c^5 - 6144a^5b^2c^6)) - (x*(-(B^2b^{17} + 9A^2b^{15} \\
& c^2 + 9A^2c^2*(-(4a*c - b^2)^{15})^{(1/2)} + B^2b^2*(-(4a*c - b^2)^{15})^{(\\
& 1/2)} + 6A*B*b^{16}c - 5040A^2a^2b^{11}c^4 + 37440A^2a^3b^9c^5 - 10368 \\
& 0A^2a^4b^7c^6 - 9216A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^ \\
& 2a^2b^{13}c^2 - 10160B^2a^3b^{11}c^3 + 34880B^2a^4b^9c^4 + 43776B^2 \\
& a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A* \\
& B*a^8c^9 - 55B^2a*b^{15}c - 25B^2a*c*(-(4a*c - b^2)^{15})^{(1/2)} + 180A^ \\
& 2a*b^{13}c^3 - 737280A^2a^7b*c^9 - 1720320B^2a^8b*c^8 + 240A*B*a^2b \\
& ^{12}c^3 + 24000A*B*a^3b^{10}c^4 - 241920A*B*a^4b^8c^5 + 992256A*B*a^5* \\
& b^6c^6 - 1781760A*B*a^6b^4c^7 + 737280A*B*a^7b^2c^8 + 6A*B*b*c*(-(4 \\
& *a*c - b^2)^{15})^{(1/2)} - 180A*B*a*b^{14}c^2)/(512*(1048576a^{10}c^{13} + b^{20} \\
& c^3 - 40a*b^{18}c^4 + 720a^2b^{16}c^5 - 7680a^3b^{14}c^6 + 53760a^4b^{12} \\
& *c^7 - 258048a^5b^{10}c^8 + 860160a^6b^8c^9 - 1966080a^7b^6c^{10} + 29
\end{aligned}$$

$$\begin{aligned}
& (49120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} * (256*b^{11}*c^3 - 5120*a*b^9*c^4 - 262144*a^5*b*c^8 + 40960*a^2*b^7*c^5 - 163840*a^3*b^5*c^6 + 327680*a^4*b^3*c^7) / (32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4)) * (- (B^2*b^{17} + 9*A^2*b^{15}*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c - 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 + 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2) / (512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} - (x*(B^2*b^8 - 288*A^2*a^3*c^5 + 9*A^2*b^6*c^2 + 800*B^2*a^4*c^4 + 6*A*B*b^7*c + 576*A^2*a^2*b^2*c^4 + 314*B^2*a^2*b^4*c^2 + 208*B^2*a^3*b^2*c^3 - 36*B^2*a*b^6*c + 126*A^2*a*b^4*c^3 - 816*A*B*a^2*b^3*c^3 - 66*A*B*a*b^5*c^2 - 672*A*B*a^3*b*c^4) / (32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4)) * (- (B^2*b^{17} + 9*A^2*b^{15}*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c - 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 + 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2) / (512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} + (((5242880*B*a^7*c^8 + 3072*A*a*b^{11}*c^3 - 3145728*A*a^6*b*c^8 - 256*B*a*b^{12}*c^2 - 61440*A*a^2*b^9*c^4 + 491520*A*a^3*b^7*c^5 - 1966080*A*a^4*b^5*c^6 + 3932160*A*a^5*b^3*c^7 + 61440*B*a^3*b^8*c^4 - 655360*B*a^4*b^6*c^5 + 2949120*B*a^5*b^4*c^6 - 6291456*B*a^6*b^2*c^7) / (512*(b^{12}*c + 4096*a^6*c^7 - 24*a*b^{10}*c^2 + 240*a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 3840*a^4*b^4*c^5 - 6144*a^5*b^2*c^6)) + (x*(-(B^2*b^{17} + 9*A^2*b^{15}*c^2 + 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c - 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&) + 180A^2ab^{13}c^3 - 737280A^2a^7b^9c^9 - 1720320B^2a^8b^8c^8 + 240 \\
& *A^2B^2a^2b^{12}c^3 + 24000A^2B^2a^3b^{10}c^4 - 241920A^2B^2a^4b^8c^5 + 99225 \\
& 6A^2B^2a^5b^6c^6 - 1781760A^2B^2a^6b^4c^7 + 737280A^2B^2a^7b^2c^8 + 6A^2 \\
& B^2b^4c^7 - 180A^2B^2a^2b^{14}c^2)/(512*(1048576a^{10}c^{13} + b^{20}c^3 - 40a^2b^{18}c^4 + 720a^2b^{16}c^5 - 7680a^3b^{14}c^6 + 5376 \\
& 0a^4b^{12}c^7 - 258048a^5b^{10}c^8 + 860160a^6b^8c^9 - 1966080a^7b^6c^{10} + 2949120a^8b^4c^{11} - 2621440a^9b^2c^{12}))^{(1/2)}*(256b^{11}c^3 \\
& - 5120a^2b^9c^4 - 262144a^5b^8c^8 + 40960a^2b^7c^5 - 163840a^3b^5c^6 + 327680a^4b^3c^7)/(32*(b^8c + 256a^4c^5 - 16a^2b^6c^2 + 96a^2b^4c^3 - 256a^3b^2c^4)) \\
&)*(-(B^2b^{17} + 9A^2b^{15}c^2 + 9A^2c^2*(-(4ac - b^2)^{15})^{(1/2)} + B^2b^2*(-(4ac - b^2)^{15})^{(1/2)} + 6A^2B^2b^{16}c - 50 \\
& 40A^2a^2b^{11}c^4 + 37440A^2a^3b^9c^5 - 103680A^2a^4b^7c^6 - 9216A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^2a^2b^{13}c^2 - 10160B^2a^3b^{11}c^3 + 34880B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A^2B^2a^8c^9 - 55B^2a^2b^{15}c - 25B^2a^2c*(-(4ac - b^2)^{15})^{(1/2)} + 180A^2a^2b^{13}c^3 - 737280A^2a^7b^9c^9 - 1720320B^2a^8b^8c^8 + 240A^2B^2a^2b^{12}c^3 + 24000A^2B^2a^3b^{10}c^4 - 241920A^2B^2a^4b^8c^5 + 992256A^2B^2a^5b^6c^6 - 1781760A^2B^2a^6b^4c^7 + 737280A^2B^2a^7b^2c^8 + 6A^2B^2b^4c^7 - 180A^2B^2a^2b^{14}c^2)/(512*(1048576a^{10}c^{13} + b^{20}c^3 - 40a^2b^{18}c^4 + 720a^2b^{16}c^5 - 7680a^3b^{14}c^6 + 53760a^4b^{12}c^7 - 258048a^5b^{10}c^8 + 860160a^6b^8c^9 - 1966080a^7b^6c^{10} + 2949120a^8b^4c^{11} - 2621440a^9b^2c^{12}))^{(1/2)} + (x*(B^2b^8 - 288A^2a^3c^5 + 9A^2b^6c^2 + 800B^2a^4c^4 + 6A^2B^2b^7c + 576A^2a^2b^2c^4 + 314B^2a^2b^4c^2 + 208B^2a^3b^2c^3 - 36B^2a^2b^6c + 126A^2a^2b^4c^3 - 816A^2B^2a^2b^3c^3 - 66A^2B^2a^2b^5c^2 - 672A^2B^2a^3b^4c^4))/(32*(b^8c + 256a^4c^5 - 16a^2b^6c^2 + 96a^2b^4c^3 - 256a^3b^2c^4)) \\
&)*(-(B^2b^{17} + 9A^2b^{15}c^2 + 9A^2c^2*(-(4ac - b^2)^{15})^{(1/2)} + B^2b^2*(-(4ac - b^2)^{15})^{(1/2)} + 6A^2B^2b^{16}c - 5040A^2a^2b^{11}c^4 + 37440A^2a^3b^9c^5 - 103680A^2a^4b^7c^6 - 9216A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^2a^2b^{13}c^2 - 10160B^2a^3b^{11}c^3 + 34880B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A^2B^2a^8c^9 - 55B^2a^2b^{15}c - 25B^2a^2c*(-(4ac - b^2)^{15})^{(1/2)} + 180A^2a^2b^{13}c^3 - 737280A^2a^7b^9c^9 - 1720320B^2a^8b^8c^8 + 240A^2B^2a^2b^{12}c^3 + 24000A^2B^2a^3b^{10}c^4 - 241920A^2B^2a^4b^8c^5 + 992256A^2B^2a^5b^6c^6 - 1781760A^2B^2a^6b^4c^7 + 737280A^2B^2a^7b^2c^8 + 6A^2B^2b^4c^7 - 180A^2B^2a^2b^{14}c^2)/(512*(1048576a^{10}c^{13} + b^{20}c^3 - 40a^2b^{18}c^4 + 720a^2b^{16}c^5 - 7680a^3b^{14}c^6 + 53760a^4b^{12}c^7 - 258048a^5b^{10}c^8 + 860160a^6b^8c^9 - 1966080a^7b^6c^{10} + 2949120a^8b^4c^{11} - 2621440a^9b^2c^{12}))^{(1/2)} + (1728A^3a^4c^5 - 35B^3a^2b^7 + 1620A^3a^2b^4c^3 + 4752A^3a^3b^2c^4 - 9456B^3a^4b^3c^2 + 15A^2B^2a^2b^8 + 4800A^2B^2a^5c^4 + 135A^3a^2b^6c^2 + 1176B^3a^3b^5c - 6400B^3a^5b^3c^3 - 705A^2B^2a^2b^6c - 15552A^2B^2a^4b^3c^4 + 6084A^2B^2a^3b^4c^2 + 26256A^2B^2a^4b^2c^3 - 1260A^2B^2a^2b^5c^2 - 13248A^2B^2a^3b^3c^3 + 90A^2B^2a^2b^7c)/(256*(b^{12}c + 4096a^6c^4
\end{aligned}$$

$$\begin{aligned}
& 7 - 24*a*b^{10}*c^2 + 240*a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 3840*a^4*b^4*c^5 - \\
& 6144*a^5*b^2*c^6)))*(-(B^2*b^{17} + 9*A^2*b^{15}*c^2 + 9*A^2*c^2*(-(4*a*c - b \\
& ^2)^{15})^{(1/2)} + B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2 \\
& *a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a \\
& ^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3 \\
& *b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6* \\
& b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c - \\
& 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A^2*a^7* \\
& b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c \\
& ^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4* \\
& c^7 + 737280*A*B*a^7*b^2*c^8 + 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A* \\
& B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2* \\
& b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 8 \\
& 60160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a \\
& ^9*b^2*c^{12}))^{(1/2)}*2i - ((x^5*(B*b^4 + 36*B*a^2*c^2 - 5*A*b^3*c - 16*A*a* \\
& b*c^2 + 5*B*a*b^2*c))/(8*c*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (x^7*(B*b^3 + \\
& 12*A*a*c^2 + 3*A*b^2*c - 16*B*a*b*c))/(8*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + \\
& (x^3*(4*A*a^2*c^2 + 2*B*a*b^3 - 19*A*a*b^2*c + 28*B*a^2*b*c))/(8*c*(b^4 + 1 \\
& 6*a^2*c^2 - 8*a*b^2*c)) + (a^2*x*(B*b^2 - 12*A*b*c + 20*B*a*c))/(8*c*(b^4 + \\
& 16*a^2*c^2 - 8*a*b^2*c)))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a*b*x^2 + \\
& 2*b*c*x^6) + \operatorname{atan}((((5242880*B*a^7*c^8 + 3072*A*a*b^{11}*c^3 - 3145728*A*a^ \\
& 6*b*c^8 - 256*B*a*b^{12}*c^2 - 61440*A*a^2*b^9*c^4 + 491520*A*a^3*b^7*c^5 - 1 \\
& 966080*A*a^4*b^5*c^6 + 3932160*A*a^5*b^3*c^7 + 61440*B*a^3*b^8*c^4 - 655360 \\
& *B*a^4*b^6*c^5 + 2949120*B*a^5*b^4*c^6 - 6291456*B*a^6*b^2*c^7)/(512*(b^{12}* \\
& c + 4096*a^6*c^7 - 24*a*b^{10}*c^2 + 240*a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 384 \\
& 0*a^4*b^4*c^5 - 6144*a^5*b^2*c^6)) - (x*(-(B^2*b^{17} + 9*A^2*b^{15}*c^2 - 9*A^ \\
& 2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B \\
& *b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^ \\
& 7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c \\
& ^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 \\
& - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - \\
& 55*B^2*a*b^{15}*c + 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 \\
& - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24 \\
& 000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 17 \\
& 81760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2)^ \\
& ^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b \\
& ^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 25804 \\
& 8*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^ \\
& 4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)}*(256*b^{11}*c^3 - 5120*a*b^9*c^4 - 262 \\
& 144*a^5*b*c^8 + 40960*a^2*b^7*c^5 - 163840*a^3*b^5*c^6 + 327680*a^4*b^3*c^7 \\
&))/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c \\
& ^4)))*(-(B^2*b^{17} + 9*A^2*b^{15}*c^2 - 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - \\
& B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + \\
& 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552 \\
& 960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 3488
\end{aligned}$$

$$\begin{aligned}
& 0*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 186368 \\
& 0*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c + 25*B^2*a*c*(-(4* \\
& a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A^2*a^7*b*c^9 - 1720320* \\
& B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B* \\
& a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B \\
& *a^7*b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(5 \\
& 12*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680* \\
& a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 \\
& - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} - \\
& (x*(B^2*b^8 - 288*A^2*a^3*c^5 + 9*A^2*b^6*c^2 + 800*B^2*a^4*c^4 + 6* \\
& A*B*b^7*c + 576*A^2*a^2*b^2*c^4 + 314*B^2*a^2*b^4*c^2 + 208*B^2*a^3*b^2*c^3 \\
& - 36*B^2*a*b^6*c + 126*A^2*a*b^4*c^3 - 816*A*B*a^2*b^3*c^3 - 66*A*B*a*b^5* \\
& c^2 - 672*A*B*a^3*b*c^4))/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2* \\
& b^4*c^3 - 256*a^3*b^2*c^4))*(-(B^2*b^{17} + 9*A^2*b^{15}*c^2 - 9*A^2*c^2*(-(4* \\
& a*c - b^2)^{15})^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5 \\
& 040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 921 \\
& 6*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160* \\
& B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B \\
& ^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}* \\
& c + 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A \\
& ^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3 \\
& *b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a \\
& ^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - \\
& 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 7 \\
& 20*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}* \\
& c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 26 \\
& 21440*a^9*b^2*c^{12}))^{(1/2)}*i - (((5242880*B*a^7*c^8 + 3072*A*a*b^{11}*c^3 - \\
& 3145728*A*a^6*b*c^8 - 256*B*a*b^{12}*c^2 - 61440*A*a^2*b^9*c^4 + 491520*A*a^ \\
& 3*b^7*c^5 - 1966080*A*a^4*b^5*c^6 + 3932160*A*a^5*b^3*c^7 + 61440*B*a^3*b^8 \\
& *c^4 - 655360*B*a^4*b^6*c^5 + 2949120*B*a^5*b^4*c^6 - 6291456*B*a^6*b^2*c^7 \\
&)/(512*(b^{12}*c + 4096*a^6*c^7 - 24*a*b^{10}*c^2 + 240*a^2*b^8*c^3 - 1280*a^3* \\
& b^6*c^4 + 3840*a^4*b^4*c^5 - 6144*a^5*b^2*c^6)) + (x*(-(B^2*b^{17} + 9*A^2*b^ \\
& 15*c^2 - 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 1036 \\
& 80*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B \\
& ^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^ \\
& 2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A \\
& *B*a^8*c^9 - 55*B^2*a*b^{15}*c + 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A \\
& ^2*a*b^{13}*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2* \\
& b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5 \\
& *b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(-(\\
& 4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20} \\
& *c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^ \\
& 12*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2 \\
& 949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)}*(256*b^{11}*c^3 - 5120*a*
\end{aligned}$$

$$\begin{aligned}
& b^9c^4 - 262144a^5b^8c^8 + 40960a^2b^7c^5 - 163840a^3b^5c^6 + 32768 \\
& 0a^4b^3c^7)/(32*(b^8c + 256a^4c^5 - 16a^2b^6c^2 + 96a^2b^4c^3 - \\
& 256a^3b^2c^4)))*(-(B^2b^17 + 9A^2b^15c^2 - 9A^2c^2*(-(4a^2c - b^2) \\
& ^15)^{(1/2)} - B^2b^2*(-(4a^2c - b^2)^15)^{(1/2)} + 6A^2B^2b^16c - 5040A^2a^2 \\
& ^2b^11c^4 + 37440A^2a^3b^9c^5 - 103680A^2a^4b^7c^6 - 9216A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^2a^2b^13c^2 - 10160B^2a^3b^ \\
& ^11c^3 + 34880B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A^2B^2a^8c^9 - 55B^2a^2a^b^15c + 25 \\
& B^2a^2a^c*(-(4a^2c - b^2)^15)^{(1/2)} + 180A^2a^2a^b^13c^3 - 737280A^2a^7b^9c^9 - 1720320B^2a^8b^8c^8 + 240A^2B^2a^2b^12c^3 + 24000A^2B^2a^3b^10c^4 \\
& - 241920A^2B^2a^4b^8c^5 + 992256A^2B^2a^5b^6c^6 - 1781760A^2B^2a^6b^4c^7 \\
& + 737280A^2B^2a^7b^2c^8 - 6A^2B^2b^2c*(-(4a^2c - b^2)^15)^{(1/2)} - 180A^2B^2a^2 \\
& ^2b^14c^2)/(512*(1048576a^10c^13 + b^20c^3 - 40a^2b^18c^4 + 720a^2b^16c^5 - 7680a^3b^14c^6 + 53760a^4b^12c^7 - 258048a^5b^10c^8 + 8601 \\
& 60a^6b^8c^9 - 1966080a^7b^6c^10 + 2949120a^8b^4c^11 - 2621440a^9b^2c^12))^{(1/2)} + (x*(B^2b^8 - 288A^2a^3c^5 + 9A^2b^6c^2 + 800B^2 \\
& ^2a^4c^4 + 6A^2B^2b^7c + 576A^2a^2b^2c^4 + 314B^2a^2b^4c^2 + 208B^2 \\
& ^2a^3b^2c^3 - 36B^2a^2b^6c + 126A^2a^2b^4c^3 - 816A^2B^2a^2b^3c^3 - \\
& 66A^2B^2a^2b^5c^2 - 672A^2B^2a^3b^4c^4))/(32*(b^8c + 256a^4c^5 - 16a^2b^6c^2 + 96a^2b^4c^3 - 256a^3b^2c^4)))*(-(B^2b^17 + 9A^2b^15c^2 - 9A^2c^2*(-(4a^2c - b^2)^15)^{(1/2)} - B^2b^2*(-(4a^2c - b^2)^15)^{(1/2)} + 6A^2B^2b^16c - 5040A^2a^2b^11c^4 + 37440A^2a^3b^9c^5 - 103680A^2a^4b^7c^6 - 9216A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^2a^2b^13c^2 - 10160B^2a^3b^11c^3 + 34880B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A^2B^2a^8c^9 - 55B^2a^2a^b^15c + 25B^2a^2a^c*(-(4a^2c - b^2)^15)^{(1/2)} + 180A^2a^2a^b^13c^3 - 737280A^2a^7b^9c^9 - 1720320B^2a^8b^8c^8 + 240A^2B^2a^2b^12c^3 + 24000A^2B^2a^3b^10c^4 - 241920A^2B^2a^4b^8c^5 + 992256A^2B^2a^5b^6c^6 - 1781760A^2B^2a^6b^4c^7 + 737280A^2B^2a^7b^2c^8 - 6A^2B^2b^2c*(-(4a^2c - b^2)^15)^{(1/2)} - 180A^2B^2a^2b^14c^2)/(512*(1048576a^10c^13 + b^20c^3 - 40a^2b^18c^4 + 720a^2b^16c^5 - 7680a^3b^14c^6 + 53760a^4b^12c^7 - 258048a^5b^10c^8 + 860160a^6b^8c^9 - 1966080a^7b^6c^10 + 2949120a^8b^4c^11 - 2621440a^9b^2c^12))^{(1/2)}*ii)/((((5242880B^2a^7c^8 + 3072A^2a^2a^b^11c^3 - 3145728A^2a^6b^8c^8 - 256B^2a^2b^12c^2 - 61440A^2a^2b^9c^4 + 491520A^2a^3b^7c^5 - 1966080A^2a^4b^5c^6 + 3932160A^2a^5b^3c^7 + 61440B^2a^3b^8c^4 - 655360B^2a^4b^6c^5 + 2949120B^2a^5b^4c^6 - 6291456B^2a^6b^2c^7)/(512*(b^12c + 4096a^6c^7 - 24a^2b^10c^2 + 240a^2b^8c^3 - 1280a^3b^6c^4 + 3840a^4b^4c^5 - 6144a^5b^2c^6)) - (x*(-(B^2b^17 + 9A^2b^15c^2 - 9A^2c^2*(-(4a^2c - b^2)^15)^{(1/2)} - B^2b^2*(-(4a^2c - b^2)^15)^{(1/2)} + 6A^2B^2b^16c - 5040A^2a^2b^11c^4 + 37440A^2a^3b^9c^5 - 103680A^2a^4b^7c^6 - 9216A^2a^5b^5c^7 + 552960A^2a^6b^3c^8 + 1140B^2a^2b^13c^2 - 10160B^2a^3b^11c^3 + 34880B^2a^4b^9c^4 + 43776B^2a^5b^7c^5 - 680960B^2a^6b^5c^6 + 1863680B^2a^7b^3c^7 + 983040A^2B^2a^8c^9 - 55B^2a^2a^b^15c + 25B^2a^2a^c*(-(4a^2c - b^2)^15)^{(1/2)} + 180A^2a^2a^b^13c^3 - 737280A^2a^7b^9c^9 - 1720320B^2a^8b^8c^8 +
\end{aligned}$$

$$\begin{aligned}
& 240*A*B*a^2*b^12*c^3 + 24000*A*B*a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 9 \\
& 92256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - \\
& 6*A*B*b*c*(-(4*a*c - b^2)^15)^{(1/2)} - 180*A*B*a*b^14*c^2)/(512*(1048576*a^1 \\
& 0*c^13 + b^20*c^3 - 40*a*b^18*c^4 + 720*a^2*b^16*c^5 - 7680*a^3*b^14*c^6 + \\
& 53760*a^4*b^12*c^7 - 258048*a^5*b^10*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7 \\
& *b^6*c^10 + 2949120*a^8*b^4*c^11 - 2621440*a^9*b^2*c^12)))^{(1/2)}*(256*b^11* \\
& c^3 - 5120*a*b^9*c^4 - 262144*a^5*b*c^8 + 40960*a^2*b^7*c^5 - 163840*a^3*b^ \\
& 5*c^6 + 327680*a^4*b^3*c^7))/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a \\
& ^2*b^4*c^3 - 256*a^3*b^2*c^4)))*(-(B^2*b^17 + 9*A^2*b^15*c^2 - 9*A^2*c^2*(- \\
& (4*a*c - b^2)^15)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*b^16*c \\
& - 5040*A^2*a^2*b^11*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - \\
& 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^13*c^2 - 101 \\
& 60*B^2*a^3*b^11*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 68096 \\
& 0*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a \\
& *b^15*c + 25*B^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} + 180*A^2*a*b^13*c^3 - 73728 \\
& 0*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^12*c^3 + 24000*A*B* \\
& a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A* \\
& B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2)^15)^{(1/2)} \\
&) - 180*A*B*a*b^14*c^2)/(512*(1048576*a^10*c^13 + b^20*c^3 - 40*a*b^18*c^4 \\
& + 720*a^2*b^16*c^5 - 7680*a^3*b^14*c^6 + 53760*a^4*b^12*c^7 - 258048*a^5*b^ \\
& 10*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^10 + 2949120*a^8*b^4*c^11 - \\
& 2621440*a^9*b^2*c^12)))^{(1/2)} - (x*(B^2*b^8 - 288*A^2*a^3*c^5 + 9*A^2*b^6* \\
& c^2 + 800*B^2*a^4*c^4 + 6*A*B*b^7*c + 576*A^2*a^2*b^2*c^4 + 314*B^2*a^2*b^4 \\
& *c^2 + 208*B^2*a^3*b^2*c^3 - 36*B^2*a*b^6*c + 126*A^2*a*b^4*c^3 - 816*A*B*a \\
& ^2*b^3*c^3 - 66*A*B*a*b^5*c^2 - 672*A*B*a^3*b*c^4))/(32*(b^8*c + 256*a^4*c^ \\
& 5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4)))*(-(B^2*b^17 + 9*A^2* \\
& b^15*c^2 - 9*A^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^15 \\
&)^{(1/2)} + 6*A*B*b^16*c - 5040*A^2*a^2*b^11*c^4 + 37440*A^2*a^3*b^9*c^5 - 10 \\
& 3680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140 \\
& *B^2*a^2*b^13*c^2 - 10160*B^2*a^3*b^11*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776* \\
& B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040 \\
& *A*B*a^8*c^9 - 55*B^2*a*b^15*c + 25*B^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} + 180 \\
& *A^2*a*b^13*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^ \\
& 2*b^12*c^3 + 24000*A*B*a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a \\
& ^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(- \\
& (4*a*c - b^2)^15)^{(1/2)} - 180*A*B*a*b^14*c^2)/(512*(1048576*a^10*c^13 + b^ \\
& 20*c^3 - 40*a*b^18*c^4 + 720*a^2*b^16*c^5 - 7680*a^3*b^14*c^6 + 53760*a^4*b \\
& ^12*c^7 - 258048*a^5*b^10*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^10 + \\
& 2949120*a^8*b^4*c^11 - 2621440*a^9*b^2*c^12)))^{(1/2)} + (((5242880*B*a^7*c^ \\
& 8 + 3072*A*a*b^11*c^3 - 3145728*A*a^6*b*c^8 - 256*B*a*b^12*c^2 - 61440*A*a^ \\
& 2*b^9*c^4 + 491520*A*a^3*b^7*c^5 - 1966080*A*a^4*b^5*c^6 + 3932160*A*a^5*b^ \\
& 3*c^7 + 61440*B*a^3*b^8*c^4 - 655360*B*a^4*b^6*c^5 + 2949120*B*a^5*b^4*c^6 \\
& - 6291456*B*a^6*b^2*c^7)/(512*(b^12*c + 4096*a^6*c^7 - 24*a*b^10*c^2 + 240* \\
& a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 3840*a^4*b^4*c^5 - 6144*a^5*b^2*c^6)) + (x \\
& *(-(B^2*b^17 + 9*A^2*b^15*c^2 - 9*A^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} - B^2*b
\end{aligned}$$

$$\begin{aligned}
& ^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440 \\
& *A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A \\
& ^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2 \\
& *a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2 \\
& *a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c + 25*B^2*a*c*(-(4*a*c - \\
& b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a \\
& ^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b \\
& ^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7* \\
& b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1 \\
& 048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b \\
& ^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1 \\
& 966080*a^7*b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)}* \\
& (256*b^{11}*c^3 - 5120*a*b^9*c^4 - 262144*a^5*b*c^8 + 40960*a^2*b^7*c^5 - 163 \\
& 840*a^3*b^5*c^6 + 327680*a^4*b^3*c^7))/(32*(b^8*c + 256*a^4*c^5 - 16*a*b^6* \\
& c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4)))*(-(B^2*b^{17} + 9*A^2*b^{15}*c^2 - 9* \\
& A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - B^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A \\
& *B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4* \\
& b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^{13} \\
& *c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c \\
& ^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 \\
& - 55*B^2*a*b^{15}*c + 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 180*A^2*a*b^{13}*c \\
& ^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^{12}*c^3 + \\
& 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - \\
& 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2 \\
&)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10}*c^{13} + b^{20}*c^3 - 40*a \\
& *b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 53760*a^4*b^{12}*c^7 - 258 \\
& 048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^{10} + 2949120*a^8* \\
& b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} + (x*(B^2*b^8 - 288*A^2*a^3*c^5 + \\
& 9*A^2*b^6*c^2 + 800*B^2*a^4*c^4 + 6*A*B*b^7*c + 576*A^2*a^2*b^2*c^4 + 314*B \\
& ^2*a^2*b^4*c^2 + 208*B^2*a^3*b^2*c^3 - 36*B^2*a*b^6*c + 126*A^2*a*b^4*c^3 - \\
& 816*A*B*a^2*b^3*c^3 - 66*A*B*a*b^5*c^2 - 672*A*B*a^3*b*c^4))/(32*(b^8*c + \\
& 256*a^4*c^5 - 16*a*b^6*c^2 + 96*a^2*b^4*c^3 - 256*a^3*b^2*c^4)))*(-(B^2*b^1 \\
& 7 + 9*A^2*b^{15}*c^2 - 9*A^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - B^2*b^2*(-(4*a*c \\
& - b^2)^{15})^{(1/2)} + 6*A*B*b^{16}*c - 5040*A^2*a^2*b^{11}*c^4 + 37440*A^2*a^3*b^ \\
& 9*c^5 - 103680*A^2*a^4*b^7*c^6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3* \\
& c^8 + 1140*B^2*a^2*b^{13}*c^2 - 10160*B^2*a^3*b^{11}*c^3 + 34880*B^2*a^4*b^9*c^ \\
& 4 + 43776*B^2*a^5*b^7*c^5 - 680960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^ \\
& 7 + 983040*A*B*a^8*c^9 - 55*B^2*a*b^{15}*c + 25*B^2*a*c*(-(4*a*c - b^2)^{15})^{(\\
& 1/2)} + 180*A^2*a*b^{13}*c^3 - 737280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + \\
& 240*A*B*a^2*b^{12}*c^3 + 24000*A*B*a^3*b^{10}*c^4 - 241920*A*B*a^4*b^8*c^5 + 99 \\
& 2256*A*B*a^5*b^6*c^6 - 1781760*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6 \\
& *A*B*b*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a*b^{14}*c^2)/(512*(1048576*a^{10} \\
& *c^{13} + b^{20}*c^3 - 40*a*b^{18}*c^4 + 720*a^2*b^{16}*c^5 - 7680*a^3*b^{14}*c^6 + 5 \\
& 3760*a^4*b^{12}*c^7 - 258048*a^5*b^{10}*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7* \\
& b^6*c^{10} + 2949120*a^8*b^4*c^{11} - 2621440*a^9*b^2*c^{12}))^{(1/2)} + (1728*A^3
\end{aligned}$$

$$\begin{aligned} & *a^4*c^5 - 35*B^3*a^2*b^7 + 1620*A^3*a^2*b^4*c^3 + 4752*A^3*a^3*b^2*c^4 - 9 \\ & 456*B^3*a^4*b^3*c^2 + 15*A*B^2*a*b^8 + 4800*A*B^2*a^5*c^4 + 135*A^3*a*b^6*c \\ & ^2 + 1176*B^3*a^3*b^5*c - 6400*B^3*a^5*b*c^3 - 705*A*B^2*a^2*b^6*c - 15552* \\ & A^2*B*a^4*b*c^4 + 6084*A*B^2*a^3*b^4*c^2 + 26256*A*B^2*a^4*b^2*c^3 - 1260*A \\ & ^2*B*a^2*b^5*c^2 - 13248*A^2*B*a^3*b^3*c^3 + 90*A^2*B*a*b^7*c)/(256*(b^12*c \\ & + 4096*a^6*c^7 - 24*a*b^10*c^2 + 240*a^2*b^8*c^3 - 1280*a^3*b^6*c^4 + 3840 \\ & *a^4*b^4*c^5 - 6144*a^5*b^2*c^6)))*(-(B^2*b^17 + 9*A^2*b^15*c^2 - 9*A^2*c^ \\ & 2*(-(4*a*c - b^2)^15)^(1/2) - B^2*b^2*(-(4*a*c - b^2)^15)^(1/2) + 6*A*B*b^1 \\ & 6*c - 5040*A^2*a^2*b^11*c^4 + 37440*A^2*a^3*b^9*c^5 - 103680*A^2*a^4*b^7*c^ \\ & 6 - 9216*A^2*a^5*b^5*c^7 + 552960*A^2*a^6*b^3*c^8 + 1140*B^2*a^2*b^13*c^2 - \\ & 10160*B^2*a^3*b^11*c^3 + 34880*B^2*a^4*b^9*c^4 + 43776*B^2*a^5*b^7*c^5 - 6 \\ & 80960*B^2*a^6*b^5*c^6 + 1863680*B^2*a^7*b^3*c^7 + 983040*A*B*a^8*c^9 - 55*B \\ & ^2*a*b^15*c + 25*B^2*a*c*(-(4*a*c - b^2)^15)^(1/2) + 180*A^2*a*b^13*c^3 - 7 \\ & 37280*A^2*a^7*b*c^9 - 1720320*B^2*a^8*b*c^8 + 240*A*B*a^2*b^12*c^3 + 24000* \\ & A*B*a^3*b^10*c^4 - 241920*A*B*a^4*b^8*c^5 + 992256*A*B*a^5*b^6*c^6 - 178176 \\ & 0*A*B*a^6*b^4*c^7 + 737280*A*B*a^7*b^2*c^8 - 6*A*B*b*c*(-(4*a*c - b^2)^15)^(\\ & (1/2) - 180*A*B*a*b^14*c^2)/(512*(1048576*a^10*c^13 + b^20*c^3 - 40*a*b^18* \\ & c^4 + 720*a^2*b^16*c^5 - 7680*a^3*b^14*c^6 + 53760*a^4*b^12*c^7 - 258048*a^ \\ & 5*b^10*c^8 + 860160*a^6*b^8*c^9 - 1966080*a^7*b^6*c^10 + 2949120*a^8*b^4*c^ \\ & 11 - 2621440*a^9*b^2*c^12)))^(1/2)*2i \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] Timed out

$$3.134 \quad \int \frac{x^4(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=380

$$\frac{3x \left(x^2 (4aBc - 4Abc + b^2B) - A(4ac + b^2) + 4abB \right) - x^3 \left(-2aB - (x^2(bB - 2Ac)) + Ab \right)}{8(b^2 - 4ac)^2 (a + bx^2 + cx^4)} + \frac{3 \left(\frac{-8aAc^2 + 12abBc - 6Ab^2c + b^3B}{\sqrt{b^2 - 4ac}} \right)}{8\sqrt{2} \sqrt{c} (b^2 - 4ac)^2 \sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] $-1/4*x^3*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2+3/8*x*(4*a*b*B-A*(4*a*c+b^2)+(-4*A*b*c+4*B*a*c+B*b^2)*x^2)/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+3/16*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^2*B-4*A*b*c+4*a*B*c+(8*A*a*c^2+6*A*b^2*c-12*B*a*b*c-B*b^3)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^2*2^{(1/2)}/c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+3/16*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^2*B-4*A*b*c+4*a*B*c+(-8*A*a*c^2-6*A*b^2*c+12*B*a*b*c+B*b^3)/(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^2*2^{(1/2)}/c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.41, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1275, 1166, 205}

$$\frac{3 \left(\frac{-8aAc^2 + 12abBc - 6Ab^2c + b^3B}{\sqrt{b^2 - 4ac}} + 4aBc - 4Abc + b^2B \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) + 3 \left(\frac{-8aAc^2 + 12abBc - 6Ab^2c + b^3B}{\sqrt{b^2 - 4ac}} + 4aBc - 4Abc + b^2B \right)}{8\sqrt{2} \sqrt{c} (b^2 - 4ac)^2 \sqrt{b - \sqrt{b^2 - 4ac}} + 8\sqrt{2} \sqrt{c} (b^2 - 4ac)^2 \sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^3, x]

[Out] $-(x^3*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (3*x*(4*a*b*B - A*(b^2 + 4*a*c) + (b^2*B - 4*A*b*c + 4*a*B*c)*x^2))/(8*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (3*(b^2*B - 4*A*b*c + 4*a*B*c - (b^3*B - 6*A*b^2*c + 12*a*b*B*c - 8*a*A*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(8*\text{Sqrt}[2]*\text{Sqrt}[c]*(b^2 - 4*a*c)^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (3*(b^2*B - 4*A*b*c + 4*a*B*c + (b^3*B - 6*A*b^2*c + 12*a*b*B*c - 8*a*A*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(8*\text{Sqrt}[2]*\text{Sqrt}[c]*(b^2 - 4*a*c)^2*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 1166

`Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]`

Rule 1275

`Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])`

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (A + Bx^2)}{(a + bx^2 + cx^4)^3} dx &= -\frac{x^3 (Ab - 2aB - (bB - 2Ac)x^2)}{4 (b^2 - 4ac) (a + bx^2 + cx^4)^2} + \frac{\int \frac{x^2 (3(Ab - 2aB) + 3(bB - 2Ac)x^2)}{(a + bx^2 + cx^4)^2} dx}{4 (b^2 - 4ac)} \\
 &= -\frac{x^3 (Ab - 2aB - (bB - 2Ac)x^2)}{4 (b^2 - 4ac) (a + bx^2 + cx^4)^2} + \frac{3x (4abB - A (b^2 + 4ac) + (b^2B - 4Abc + 4aBc) x^2)}{8 (b^2 - 4ac)^2 (a + bx^2 + cx^4)} \\
 &= -\frac{x^3 (Ab - 2aB - (bB - 2Ac)x^2)}{4 (b^2 - 4ac) (a + bx^2 + cx^4)^2} + \frac{3x (4abB - A (b^2 + 4ac) + (b^2B - 4Abc + 4aBc) x^2)}{8 (b^2 - 4ac)^2 (a + bx^2 + cx^4)} \\
 &= -\frac{x^3 (Ab - 2aB - (bB - 2Ac)x^2)}{4 (b^2 - 4ac) (a + bx^2 + cx^4)^2} + \frac{3x (4abB - A (b^2 + 4ac) + (b^2B - 4Abc + 4aBc) x^2)}{8 (b^2 - 4ac)^2 (a + bx^2 + cx^4)}
 \end{aligned}$$

Mathematica [A] time = 1.70, size = 447, normalized size = 1.18

$$\frac{8acx(A+Bx^2)-4abBx+4bx^3(Ac-bB)}{(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{2x(4bc(aB-3Acx^2)+4ac^2(A+3Bx^2)+b^2(3Bcx^2-7Ac)+2b^3B)}{(b^2-4ac)^2(a+bx^2+cx^4)} + \frac{3\sqrt{2}\sqrt{c}\left(b^2\left(B\sqrt{b^2-4ac}+6Ac\right)-4bc\left(A\sqrt{b^2}\right)\right)}{(b^2-4ac)^2(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out]
$$\frac{((-4*a*b*B*x + 4*b*(-(b*B) + A*c))*x^3 + 8*a*c*x*(A + B*x^2))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (2*x*(2*b^3*B + 4*a*c^2*(A + 3*B*x^2) + 4*b*c*(a*B - 3*A*c*x^2) + b^2*(-7*A*c + 3*B*c*x^2)))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (3*sqrt[2]*sqrt[c]*(-(b^3*B) - 4*b*c*(3*a*B + A*sqrt[b^2 - 4*a*c]) + 4*a*c*(2*A*c + B*sqrt[b^2 - 4*a*c]) + b^2*(6*A*c + B*sqrt[b^2 - 4*a*c]))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b - sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(5/2)*sqrt[b - sqrt[b^2 - 4*a*c]]) + (3*sqrt[2]*sqrt[c]*(b^3*B + 4*b*c*(3*a*B - A*sqrt[b^2 - 4*a*c]) + b^2*(-6*A*c + B*sqrt[b^2 - 4*a*c]) + 4*a*c*(-2*A*c + B*sqrt[b^2 - 4*a*c]))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b + sqrt[b^2 - 4*a*c]]])/((b^2 - 4*a*c)^(5/2)*sqrt[b + sqrt[b^2 - 4*a*c]])/(16*c)}$$

fricas [B] time = 4.43, size = 5650, normalized size = 14.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{16}*(6*(B*b^2*c + 4*(B*a - A*b)*c^2)*x^7 + 2*(5*B*b^3 + 4*A*a*c^2 + (16*B*a*b - 19*A*b^2)*c)*x^5 + 2*(19*B*a*b^2 - 5*A*b^3 - 4*(B*a^2 + 4*A*a*b)*c)*x^3 - 3*sqrt(1/2)*((b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)*x^8 + 2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x^6 + a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2 + (b^6 - 6*a*b^4*c + 32*a^3*c^3)*x^4 + 2*(a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*x^2)*sqrt(-(B^2*a*b^5 - 16*(4*A*B*a^3 - 5*A^2*a^2*b)*c^3 + 40*(2*B^2*a^3*b - 4*A*B*a^2*b^2 + A^2*a*b^3)*c^2 + (40*B^2*a^2*b^3 - 20*A*B*a*b^4 + A^2*b^5)*c + (a*b^10*c - 20*a^2*b^8*c^2 + 160*a^3*b^6*c^3 - 640*a^4*b^4*c^4 + 1280*a^5*b^2*c^5 - 1024*a^6*c^6)*sqrt((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^10*c^2 - 20*a^3*b^8*c^3 + 160*a^4*b^6*c^4 - 640*a^5*b^4*c^5 + 1280*a^6*b^2*c^6 - 1024*a^7*c^7)))/(a*b^10*c - 20*a^2*b^8*c^2 + 160*a^3*b^6*c^3 - 640*a^4*b^4*c^4 + 1280*a^5*b^2*c^5 - 1024*a^6*c^6)*log(-27*(5*B^4*a^2*b^4 - A*B^3*a*b^5 - 16*A^4*a^2*c^4 + 40*(2*A^3*B*a^2*b - A^4*a*b^2)*c^3 + (16*B^4*a^4 - 80*A*B^3*a^3*b + 40*A^3*B*a*b^3 - 5*A^4*b^4)*c^2 + (40*B^4*a^3*b^2 - 40*A*B^3*a^2*b^3 + A^3*B*b^5)*c)*x + 27/2*sqrt(1/2)*(4*B^3*a^2*b^7 - A*B^2*a*b^8 - 256*A^3*a^4*c^5 + 128*(2*A*B^2*a^5 + 2*A^2*B*a^4*b + A^3*a^3*b^2)*c^4 - 64$$

$$\begin{aligned}
&*(4*B^3*a^5*b + 2*A*B^2*a^4*b^2 + 3*A^2*B*a^3*b^3)*c^3 + 8*(24*B^3*a^4*b^3 \\
&+ 6*A^2*B*a^2*b^5 - A^3*a*b^6)*c^2 - (48*B^3*a^3*b^5 - 8*A*B^2*a^2*b^6 + 4* \\
&A^2*B*a*b^7 - A^3*b^8)*c - (4096*(2*B*a^8 - 3*A*a^7*b)*c^7 - 2048*(2*B*a^7* \\
&b^2 - 7*A*a^6*b^3)*c^6 - 1280*(2*B*a^6*b^4 + 5*A*a^5*b^5)*c^5 + 1280*(2*B*a \\
&^5*b^6 + A*a^4*b^7)*c^4 - 80*(10*B*a^4*b^8 + A*a^3*b^9)*c^3 + 8*(14*B*a^3*b \\
&^10 - A*a^2*b^11)*c^2 - (6*B*a^2*b^12 - A*a*b^13)*c)*\sqrt{(B^4*a^2 - 2*A^2* \\
&B^2*a*c + A^4*c^2)/(a^2*b^10*c^2 - 20*a^3*b^8*c^3 + 160*a^4*b^6*c^4 - 640*a \\
&^5*b^4*c^5 + 1280*a^6*b^2*c^6 - 1024*a^7*c^7)))*\sqrt{-(B^2*a*b^5 - 16*(4*A* \\
&B*a^3 - 5*A^2*a^2*b)*c^3 + 40*(2*B^2*a^3*b - 4*A*B*a^2*b^2 + A^2*a*b^3)*c^2 \\
&+ (40*B^2*a^2*b^3 - 20*A*B*a*b^4 + A^2*b^5)*c + (a*b^10*c - 20*a^2*b^8*c^2 \\
&+ 160*a^3*b^6*c^3 - 640*a^4*b^4*c^4 + 1280*a^5*b^2*c^5 - 1024*a^6*c^6)*\sqrt{ \\
&t((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^10*c^2 - 20*a^3*b^8*c^3 + 160* \\
&a^4*b^6*c^4 - 640*a^5*b^4*c^5 + 1280*a^6*b^2*c^6 - 1024*a^7*c^7)))/(a*b^10* \\
&c - 20*a^2*b^8*c^2 + 160*a^3*b^6*c^3 - 640*a^4*b^4*c^4 + 1280*a^5*b^2*c^5 - \\
&1024*a^6*c^6)) + 3*\sqrt{1/2}*((b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)*x^8 + \\
&2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x^6 + a^2*b^4 - 8*a^3*b^2*c + 16*a^4 \\
&*c^2 + (b^6 - 6*a*b^4*c + 32*a^3*c^3)*x^4 + 2*(a*b^5 - 8*a^2*b^3*c + 16*a^3 \\
&*b*c^2)*x^2)*\sqrt{-(B^2*a*b^5 - 16*(4*A*B*a^3 - 5*A^2*a^2*b)*c^3 + 40*(2*B^ \\
&2*a^3*b - 4*A*B*a^2*b^2 + A^2*a*b^3)*c^2 + (40*B^2*a^2*b^3 - 20*A*B*a*b^4 + \\
&A^2*b^5)*c + (a*b^10*c - 20*a^2*b^8*c^2 + 160*a^3*b^6*c^3 - 640*a^4*b^4*c^ \\
&4 + 1280*a^5*b^2*c^5 - 1024*a^6*c^6)*\sqrt{((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^ \\
&2)/(a^2*b^10*c^2 - 20*a^3*b^8*c^3 + 160*a^4*b^6*c^4 - 640*a^5*b^4*c^5 + 128 \\
&0*a^6*b^2*c^6 - 1024*a^7*c^7)))/(a*b^10*c - 20*a^2*b^8*c^2 + 160*a^3*b^6*c^ \\
&3 - 640*a^4*b^4*c^4 + 1280*a^5*b^2*c^5 - 1024*a^6*c^6))*\log(-27*(5*B^4*a^2* \\
&b^4 - A*B^3*a*b^5 - 16*A^4*a^2*c^4 + 40*(2*A^3*B*a^2*b - A^4*a*b^2)*c^3 + (\\
&16*B^4*a^4 - 80*A*B^3*a^3*b + 40*A^3*B*a*b^3 - 5*A^4*b^4)*c^2 + (40*B^4*a^3 \\
&*b^2 - 40*A*B^3*a^2*b^3 + A^3*B*b^5)*c)*x - 27/2*\sqrt{1/2}*(4*B^3*a^2*b^7 - \\
&A*B^2*a*b^8 - 256*A^3*a^4*c^5 + 128*(2*A*B^2*a^5 + 2*A^2*B*a^4*b + A^3*a^3 \\
&*b^2)*c^4 - 64*(4*B^3*a^5*b + 2*A*B^2*a^4*b^2 + 3*A^2*B*a^3*b^3)*c^3 + 8*(2 \\
&4*B^3*a^4*b^3 + 6*A^2*B*a^2*b^5 - A^3*a*b^6)*c^2 - (48*B^3*a^3*b^5 - 8*A*B^ \\
&2*a^2*b^6 + 4*A^2*B*a*b^7 - A^3*b^8)*c - (4096*(2*B*a^8 - 3*A*a^7*b)*c^7 - \\
&2048*(2*B*a^7*b^2 - 7*A*a^6*b^3)*c^6 - 1280*(2*B*a^6*b^4 + 5*A*a^5*b^5)*c^5 \\
&+ 1280*(2*B*a^5*b^6 + A*a^4*b^7)*c^4 - 80*(10*B*a^4*b^8 + A*a^3*b^9)*c^3 + \\
&8*(14*B*a^3*b^10 - A*a^2*b^11)*c^2 - (6*B*a^2*b^12 - A*a*b^13)*c)*\sqrt{(B^ \\
&4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^10*c^2 - 20*a^3*b^8*c^3 + 160*a^4*b \\
&^6*c^4 - 640*a^5*b^4*c^5 + 1280*a^6*b^2*c^6 - 1024*a^7*c^7)))*\sqrt{-(B^2*a* \\
&b^5 - 16*(4*A*B*a^3 - 5*A^2*a^2*b)*c^3 + 40*(2*B^2*a^3*b - 4*A*B*a^2*b^2 + \\
&A^2*a*b^3)*c^2 + (40*B^2*a^2*b^3 - 20*A*B*a*b^4 + A^2*b^5)*c + (a*b^10*c - \\
&20*a^2*b^8*c^2 + 160*a^3*b^6*c^3 - 640*a^4*b^4*c^4 + 1280*a^5*b^2*c^5 - 102 \\
&4*a^6*c^6)*\sqrt{((B^4*a^2 - 2*A^2*B^2*a*c + A^4*c^2)/(a^2*b^10*c^2 - 20*a^3* \\
&b^8*c^3 + 160*a^4*b^6*c^4 - 640*a^5*b^4*c^5 + 1280*a^6*b^2*c^6 - 1024*a^7*c \\
&^7)))/(a*b^10*c - 20*a^2*b^8*c^2 + 160*a^3*b^6*c^3 - 640*a^4*b^4*c^4 + 1280 \\
&*a^5*b^2*c^5 - 1024*a^6*c^6))} - 3*\sqrt{1/2}*((b^4*c^2 - 8*a*b^2*c^3 + 16*a \\
&^2*c^4)*x^8 + 2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x^6 + a^2*b^4 - 8*a^3* \\
&b^2*c + 16*a^4*c^2 + (b^6 - 6*a*b^4*c + 32*a^3*c^3)*x^4 + 2*(a*b^5 - 8*a^2*
\end{aligned}$$

$$\begin{aligned}
& b^3c + 16a^3b^2c^2)x^2) \sqrt{-(B^2a^2b^5 - 16(4ABa^3 - 5A^2a^2b) * \\
& c^3 + 40(2B^2a^3b - 4ABa^2b^2 + A^2ab^3)c^2 + (40B^2a^2b^3 - \\
& 20ABa^2b^4 + A^2b^5)c - (ab^{10}c - 20a^2b^8c^2 + 160a^3b^6c^3 - \\
& 640a^4b^4c^4 + 1280a^5b^2c^5 - 1024a^6c^6)) \sqrt{((B^4a^2 - 2A^2B^2 \\
& 2a^2c + A^4c^2)/(a^2b^{10}c^2 - 20a^3b^8c^3 + 160a^4b^6c^4 - 640a^5 \\
& b^4c^5 + 1280a^6b^2c^6 - 1024a^7c^7)))/(a^2b^{10}c^2 - 20a^3b^8c^2 + \\
& 160a^3b^6c^3 - 640a^4b^4c^4 + 1280a^5b^2c^5 - 1024a^6c^6)) * \log(- \\
& 27(5B^4a^2b^4 - AB^3a^2b^5 - 16A^4a^2c^4 + 40(2A^3B^2a^2b - A^4a \\
& ab^2)c^3 + (16B^4a^4 - 80AB^3a^3b + 40A^3B^2a^2b^3 - 5A^4b^4)c^2 \\
& + (40B^4a^3b^2 - 40AB^3a^2b^3 + A^3B^2b^5)c) * x + 27/2 \sqrt{1/2} * (4 \\
& B^3a^2b^7 - AB^2a^2b^8 - 256A^3a^4c^5 + 128(2AB^2a^5 + 2A^2B^2a \\
& ^4b + A^3a^3b^2)c^4 - 64(4B^3a^5b + 2AB^2a^4b^2 + 3A^2B^2a^3b \\
& ^3)c^3 + 8(24B^3a^4b^3 + 6A^2B^2a^2b^5 - A^3ab^6)c^2 - (48B^3a^ \\
& 3b^5 - 8AB^2a^2b^6 + 4A^2B^2a^2b^7 - A^3b^8)c + (4096(2B^2a^8 - 3A \\
& a^7b)c^7 - 2048(2B^2a^7b^2 - 7A^2a^6b^3)c^6 - 1280(2B^2a^6b^4 + 5A \\
& a^5b^5)c^5 + 1280(2B^2a^5b^6 + A^2a^4b^7)c^4 - 80(10B^2a^4b^8 + A \\
& a^3b^9)c^3 + 8(14B^2a^3b^10 - A^2a^2b^11)c^2 - (6B^2a^2b^12 - A^2ab^1 \\
& 3)c) \sqrt{((B^4a^2 - 2A^2B^2a^2c + A^4c^2)/(a^2b^{10}c^2 - 20a^3b^8c \\
& ^3 + 160a^4b^6c^4 - 640a^5b^4c^5 + 1280a^6b^2c^6 - 1024a^7c^7))} \\
& * \sqrt{-(B^2a^2b^5 - 16(4ABa^3 - 5A^2a^2b) * c^3 + 40(2B^2a^3b - 4A \\
& ABa^2b^2 + A^2ab^3)c^2 + (40B^2a^2b^3 - 20ABa^2b^4 + A^2b^5)c - \\
& (ab^{10}c - 20a^2b^8c^2 + 160a^3b^6c^3 - 640a^4b^4c^4 + 1280a^5 \\
& b^2c^5 - 1024a^6c^6)) \sqrt{((B^4a^2 - 2A^2B^2a^2c + A^4c^2)/(a^2b^{10} \\
& c^2 - 20a^3b^8c^3 + 160a^4b^6c^4 - 640a^5b^4c^5 + 1280a^6b^2c^6 - \\
& 1024a^7c^7)))/(a^2b^{10}c^2 - 20a^3b^8c^2 + 160a^3b^6c^3 - 640a^4b \\
& ^4c^4 + 1280a^5b^2c^5 - 1024a^6c^6))} + 3 \sqrt{1/2} * ((b^4c^2 - 8a^2 \\
& b^2c^3 + 16a^2c^4) * x^8 + 2(b^5c - 8a^2b^3c^2 + 16a^2b^2c^3) * x^6 + a^ \\
& 2b^4 - 8a^3b^2c + 16a^4c^2 + (b^6 - 6a^2b^4c + 32a^3c^3) * x^4 + 2 * (\\
& ab^5 - 8a^2b^3c + 16a^3b^2c^2) * x^2) \sqrt{-(B^2a^2b^5 - 16(4ABa^3 - \\
& 5A^2a^2b) * c^3 + 40(2B^2a^3b - 4ABa^2b^2 + A^2ab^3)c^2 + (40B^2 \\
& a^2b^3 - 20ABa^2b^4 + A^2b^5)c - (ab^{10}c - 20a^2b^8c^2 + 160a^3 \\
& b^6c^3 - 640a^4b^4c^4 + 1280a^5b^2c^5 - 1024a^6c^6)) \sqrt{((B^4a^2 \\
& - 2A^2B^2a^2c + A^4c^2)/(a^2b^{10}c^2 - 20a^3b^8c^3 + 160a^4b^6 \\
& c^4 - 640a^5b^4c^5 + 1280a^6b^2c^6 - 1024a^7c^7)))/(a^2b^{10}c^2 - 20 \\
& a^2b^8c^2 + 160a^3b^6c^3 - 640a^4b^4c^4 + 1280a^5b^2c^5 - 1024a^ \\
& ^6c^6)) * \log(-27(5B^4a^2b^4 - AB^3a^2b^5 - 16A^4a^2c^4 + 40(2A^3B^2 \\
& a^2b - A^4ab^2)c^3 + (16B^4a^4 - 80AB^3a^3b + 40A^3B^2a^2b^3 - \\
& 5A^4b^4)c^2 + (40B^4a^3b^2 - 40AB^3a^2b^3 + A^3B^2b^5)c) * x - 27/ \\
& 2 \sqrt{1/2} * (4B^3a^2b^7 - AB^2a^2b^8 - 256A^3a^4c^5 + 128(2AB^2a^5 \\
& ^5 + 2A^2B^2a^4b + A^3a^3b^2)c^4 - 64(4B^3a^5b + 2AB^2a^4b^2 + \\
& 3A^2B^2a^3b^3)c^3 + 8(24B^3a^4b^3 + 6A^2B^2a^2b^5 - A^3ab^6)c^2 - \\
& (48B^3a^3b^5 - 8AB^2a^2b^6 + 4A^2B^2a^2b^7 - A^3b^8)c + (4096(2B^2 \\
& a^8 - 3A^2a^7b)c^7 - 2048(2B^2a^7b^2 - 7A^2a^6b^3)c^6 - 1280(2B^2 \\
& a^6b^4 + 5A^2a^5b^5)c^5 + 1280(2B^2a^5b^6 + A^2a^4b^7)c^4 - 80(10B^2 \\
& a^4b^8 + A^2a^3b^9)c^3 + 8(14B^2a^3b^10 - A^2a^2b^11)c^2 - (6B^2a^2 \\
\end{aligned}$$

$$\begin{aligned}
& 2) \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}c} a^3 c^2 + 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}c} a^2 b c^2 - 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}c} a^2 b^2 c^2 - 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{bc + \sqrt{b^2 - 4ac}c} a^2 c^3 + 4(b^2 - 4ac) a b^3 c \\
& - 16(b^2 - 4ac) a^2 b c^2 - 6(b^2 - 4ac) a b^2 c^2 - 8(b^2 - 4ac) a^2 c^3) B) \arctan(2 \sqrt{1/2} x / \sqrt{(b^5 - 8 a b^3 c + 16 a^2 b c^2 + \sqrt{(b^5 - 8 a b^3 c + 16 a^2 b c^2)^2 - 4(a b^4 - 8 a^2 b^2 c + 16 a^3 c^2)(b^4 c - 8 a b^2 c^2 + 16 a^2 c^3))}) / (b^4 c - 8 a b^2 c^2 + 16 a^2 c^3)) \\
& / ((a b^8 - 16 a^2 b^6 c - 2 a b^7 c + 96 a^3 b^4 c^2 + 24 a^2 b^5 c^2 + a b^6 c^2 - 256 a^4 b^2 c^3 - 96 a^3 b^3 c^3 - 12 a^2 b^4 c^3 + 256 a^5 c^4 + 128 a^4 b c^4 + 48 a^3 b^2 c^4 - 64 a^4 c^5) \operatorname{abs}(c)) + 3/32 ((\sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) b^6 - 4 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^4 c - 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) b^5 c + 2 b^6 c - 16 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b^2 c^2 + \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) b^4 c^2 - 8 a b^4 c^2 - 2 b^5 c^2 + 64 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^3 c^3 + 32 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b c^3 - 32 a^2 b^2 c^3 - 16 a b^3 c^3 - 16 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 c^4 + 128 a^3 c^4 + 96 a^2 b c^4 + \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) b^5 + 8 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^3 c - 2 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) b^4 c - 48 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b c^2 - 24 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^2 c^2 + \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) b^3 c^2 + 12 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b c^3 - 2(b^2 - 4ac) b^4 c + 2(b^2 - 4ac) b^3 c^2 + 32(b^2 - 4ac) a^2 c^3 + 24(b^2 - 4ac) a b c^3) A - 2(2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^5 - 16 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b^3 c - 4 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^4 c + 4 a b^5 c + 32 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^3 b c^2 + 16 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b^2 c^2 + 2 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^3 c^2 - 32 a^2 b^3 c^2 - 6 a b^4 c^2 - 8 \sqrt{2} \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b c^3 + 64 a^3 b c^3 + 16 a^2 b^2 c^3 + 32 a^3 c^4 + 3 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^4 - 8 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b^2 c - 6 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^3 c - 16 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^3 c^2 - 8 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 b c^2 + 3 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a b^2 c^2 + 4 \sqrt{2} \sqrt{b^2 - 4ac}) \sqrt{bc - \sqrt{b^2 - 4ac}c}) a^2 c^3 - 4(b^2 - 4ac) a b^3 c + 16(b^2 - 4ac) a^2 b c^2 + 6(b^2 - 4ac) a b^2 c^2 + 8(b^2 - 4ac) a^2 c^3) B) \arctan(2 \sqrt{1/2} x / \sqrt{(b^5 - 8 a b^3 c + 16 a^2 b c^2 - \sqrt{(b^5 - 8 a b^3 c + 16 a^2 b c^2)^2 - 4(a b^4 - 8 a^2 b^2 c + 16 a^3 c^2)(b^4 c - 8 a b^2 c^2 + 16 a^2 c^3))}) / (b^4 c - 8 a b^2 c^2 + 16 a^2 c^3)) / ((a b^8 - 16 a^2 b^6 c - 2 a b^7 c + 96 a^3 b^4 c^2 + 24 a^2 b^5 c^2 + a b^6 c^2 - 256 a^4 b^2 c^3 - 96 a^3 b^3 c^3 - 12 a^2 b^4 c^3 + 256 a^5 c^4 + 128 a^4 b c^4 + 48 a^3 b^2 c^4 + 48 a^4 c^5) \operatorname{abs}(c))
\end{aligned}$$

$$\begin{aligned} & ^3b^2c^4 - 64a^4c^5) \cdot \text{abs}(c)) + 1/8 \cdot (3Bb^2cx^7 + 12B^2ac^2x^7 - 12 \\ & \cdot A^2bc^2x^7 + 5B^2b^3x^5 + 16B^2a^2bcx^5 - 19A^2b^2cx^5 + 4A^2ac^2x^5 \\ & + 19B^2a^2b^2x^3 - 5A^2b^3x^3 - 4B^2a^2c^2x^3 - 16A^2a^2bcx^3 + 12B^2a^2 \\ & \cdot 2b^2x - 3A^2a^2b^2x - 12A^2a^2c^2x) / ((cx^4 + bx^2 + a)^2 \cdot (b^4 - 8a^2b^2c \\ & + 16a^2c^2)) \end{aligned}$$

maple [B] time = 0.05, size = 1283, normalized size = 3.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4 \cdot (Bx^2 + A) / (cx^4 + bx^2 + a)^3, x)$

[Out]
$$\begin{aligned} & (-3/8 \cdot c \cdot (4A^2b^2c - 4B^2a^2c - B^2b^2) / (16a^2c^2 - 8a^2b^2c + b^4) \cdot x^7 + 1/8 \cdot (4A^2a^2c \\ & ^2 - 19A^2b^2c + 16B^2a^2bc + 5B^2b^3) / (16a^2c^2 - 8a^2b^2c + b^4) \cdot x^5 - 1/8 \cdot (16A^2a^2 \\ & \cdot a^2bc + 5A^2b^3 + 4B^2a^2c - 19B^2a^2b^2) / (16a^2c^2 - 8a^2b^2c + b^4) \cdot x^3 - 3/8 \cdot a \cdot (4 \\ & \cdot A^2a^2c + A^2b^2 - 4B^2a^2b) / (16a^2c^2 - 8a^2b^2c + b^4) \cdot x) / (cx^4 + bx^2 + a)^2 + 3/4 / (\\ & 16a^2c^2 - 8a^2b^2c + b^4) \cdot c^2 \cdot (1/2) / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot A^2b - 3/2 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c^2 / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot a \cdot A - 9/8 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot A^2b^2 - 3/4 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c^2 \cdot (1/2) / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot a \cdot B - 3/16 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot 2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot b^2 \cdot B + 9/4 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot a \cdot b \cdot B + 3/16 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & h(2^{1/2} / ((-b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot b^3 \cdot B - 3/4 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c^2 \cdot (1/2) / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot A^2b - 3/2 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c^2 / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot a \cdot A - 9/8 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot A^2b^2 + 3/4 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c^2 \cdot (1/2) / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot a \cdot B + 3/16 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot 2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot b^2 \cdot B + 9/4 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & \cdot c / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot a \cdot b \cdot B + 3/16 / (16a^2c^2 - 8a^2b^2c + b^4) \\ & / (-4a^2c + b^2)^{1/2} \cdot 2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan \\ & (2^{1/2} / ((b + (-4a^2c + b^2)^{1/2}) \cdot c)^{1/2} \cdot cx) \cdot b^3 \cdot B \end{aligned}$$

$$\begin{aligned}
& 7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 \\
& + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61 \\
& 440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7 \\
& *b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 6 \\
& 4*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360 \\
& *A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c)) / (512*(1048576* \\
& a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760* \\
& a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c \\
& ^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c))^(1/2) - (x*(\\
& 9*B^2*b^6*c + 288*A^2*a^2*c^5 + 234*A^2*b^4*c^3 - 288*B^2*a^3*c^4 + 576*B^2 \\
& *a^2*b^2*c^3 - 90*A*B*b^5*c^2 + 144*A^2*a*b^2*c^4 + 126*B^2*a*b^4*c^2 - 720 \\
& *A*B*a*b^3*c^3 - 288*A*B*a^2*b*c^4)) / (32*(b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^ \\
& 2 - 256*a^3*b^2*c^3 - 16*a*b^6*c)) * (- (9*(B^2*a*b^15 + B^2*a*(-(4*a*c - b^2) \\
&)^15))^(1/2) + A^2*b^15*c - A^2*c*(-(4*a*c - b^2)^15))^(1/2) - 560*A^2*a^2*b^ \\
& 11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^ \\
& 6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 1 \\
& 1520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536 \\
& *A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c \\
& - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520* \\
& A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A* \\
& B*a^7*b^2*c^7 - 20*A*B*a*b^14*c)) / (512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 \\
& + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b \\
& ^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - \\
& 2621440*a^10*b^2*c^10 + a*b^20*c))^(1/2) * i - (((3*(1048576*A*a^6*c^8 - 25 \\
& 6*A*b^12*c^2 + 4096*A*a*b^10*c^3 + 1024*B*a*b^11*c^2 - 1048576*B*a^6*b*c^7 \\
& - 20480*A*a^2*b^8*c^4 + 327680*A*a^4*b^4*c^6 - 1048576*A*a^5*b^2*c^7 - 2048 \\
& 0*B*a^2*b^9*c^3 + 163840*B*a^3*b^7*c^4 - 655360*B*a^4*b^5*c^5 + 1310720*B*a \\
& ^5*b^3*c^6)) / (512*(b^12 + 4096*a^6*c^6 + 240*a^2*b^8*c^2 - 1280*a^3*b^6*c^3 \\
& + 3840*a^4*b^4*c^4 - 6144*a^5*b^2*c^5 - 24*a*b^10*c)) + (x*(-(9*(B^2*a*b^1 \\
& 5 + B^2*a*(-(4*a*c - b^2)^15))^(1/2) + A^2*b^15*c - A^2*c*(-(4*a*c - b^2)^15 \\
&)^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c \\
& ^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + \\
& 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440 \\
& *B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b* \\
& c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A \\
& *B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A* \\
& B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c)) / (512*(1048576*a^1 \\
& 1*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5 \\
& *b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 \\
& + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c))^(1/2) * (256*b^11 \\
& *c^2 - 5120*a*b^9*c^3 - 262144*a^5*b*c^7 + 40960*a^2*b^7*c^4 - 163840*a^3*b \\
& ^5*c^5 + 327680*a^4*b^3*c^6)) / (32*(b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^2 - 256 \\
& *a^3*b^2*c^3 - 16*a*b^6*c)) * (- (9*(B^2*a*b^15 + B^2*a*(-(4*a*c - b^2)^15))^(\\
& 1/2) + A^2*b^15*c - A^2*c*(-(4*a*c - b^2)^15))^(1/2) - 560*A^2*a^2*b^11*c^3 \\
& + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 614
\end{aligned}$$

$$\begin{aligned}
& 0*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 8 \\
& 1920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c)) / (512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + \\
& 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 262 \\
& 1440*a^10*b^2*c^10 + a*b^20*c))^(1/2) + (x*(9*B^2*b^6*c + 288*A^2*a^2*c^5 + 234*A^2*b^4*c^3 - 288*B^2*a^3*c^4 + 576*B^2*a^2*b^2*c^3 - 90*A*B*b^5*c^2 \\
& + 144*A^2*a*b^2*c^4 + 126*B^2*a*b^4*c^2 - 720*A*B*a*b^3*c^3 - 288*A*B*a^2*b*c^4)) / (32*(b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 - 16*a*b^6*c)) * (- (9*(B^2*a*b^15 + B^2*a*(-(4*a*c - b^2)^15))^(1/2) + A^2*b^15*c - A^2*c*(-(4*a*c - b^2)^15))^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 56 \\
& 0*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c)) / (512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c))^(1/2) + (3*(576*B^3*a^4*c^4 - 180*A^3*b^5*c^3 + 540*B^3*a^2*b^4*c^2 + 1584*B^3*a^3*b^2*c^3 - 9*A*B^2*b^7*c + 45*B^3*a*b^6*c + 576*A^2*B*a^3*c^5 + 81*A^2*B*b^6*c^2 - 1440*A^3*a*b^3*c^4 - 576*A^3*a^2*b*c^5 - 576*A*B^2*a*b^5*c^2 - 3456*A*B^2*a^3*b*c^4 + 1980*A^2*B*a*b^4*c^3 - 3600*A*B^2*a^2*b^3*c^3 + 4464*A^2*B*a^2*b^2*c^4)) / (256*(b^12 + 4096*a^6*c^6 + 240*a^2*b^8*c^2 - 1280*a^3*b^6*c^3 + 3840*a^4*b^4*c^4 - 6144*a^5*b^2*c^5 - 24*a*b^10*c)) * (- (9*(B^2*a*b^15 + B^2*a*(-(4*a*c - b^2)^15))^(1/2) + A^2*b^15*c - A^2*c*(-(4*a*c - b^2)^15))^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c)) / (512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c))^(1/2) * 2i - (((x^3*(5*A*b^3 - 19*B*a*b^2 + 4*B*a^2*c + 16*A*a*b*c)) / (8*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (x^5*(5*B*b^3 + 4*A*a*c^2 - 19*A*b^2*c + 16*B*a*b*c)) / (8*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (3*a*x*(A*b^2 + 4*A*a*c - 4*B*a*b)) / (8*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (3*c*x^7*(B*b^2 - 4*A*b*c + 4*B*a*c)) / (8*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))) / (x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a*b*x^2 + 2*b*c*x^6) + atan((((3*(1048576*A*a^6*c^8 - 256*A*b^12*c^2 +
\end{aligned}$$

$$\begin{aligned}
& 4096A^2a^2b^{10}c^3 + 1024B^2a^2b^{11}c^2 - 1048576B^2a^6b^7c^7 - 20480A^2a^2b^8c^4 + 327680A^2a^4b^4c^6 - 1048576A^2a^5b^2c^7 - 20480B^2a^2b^9c^3 \\
& + 163840B^2a^3b^7c^4 - 655360B^2a^4b^5c^5 + 1310720B^2a^5b^3c^6) / (512(b^{12} + 4096a^6c^6 + 240a^2b^8c^2 - 1280a^3b^6c^3 + 3840a^4b^4c^4 \\
& - 6144a^5b^2c^5 - 24a^2b^{10}c)) - (x * (-9(B^2a^2b^{15} - B^2a^2(-4a^2c - b^2)^{15})^{1/2} + A^2b^{15}c + A^2c * (-4a^2c - b^2)^{15})^{1/2} - 560A^2a^2b^{11}c^3 \\
& + 4160A^2a^3b^9c^4 - 11520A^2a^4b^7c^5 - 1024A^2a^5b^5c^6 + 61440A^2a^6b^3c^7 - 560B^2a^3b^{11}c^2 + 4160B^2a^4b^9c^3 - 11520B^2a^5b^7c^4 \\
& - 1024B^2a^6b^5c^5 + 61440B^2a^7b^3c^6 + 65536A^2a^8b^2c^8 + 20A^2a^2b^{13}c^2 - 81920A^2a^7b^2c^8 + 20B^2a^2b^{13}c - 81920B^2a^8b^2c^7 \\
& + 240A^2a^2b^{12}c^2 - 64A^2a^3b^{10}c^3 - 11520A^2a^4b^8c^4 + 66560A^2a^5b^6c^5 - 143360A^2a^6b^4c^6 + 81920A^2a^7b^2c^7 - 20A^2a^2b^{14}c) / (512(1048576a^{11}c^{11} - 40a^2b^{18}c^2 \\
& + 720a^3b^{16}c^3 - 7680a^4b^{14}c^4 + 53760a^5b^{12}c^5 - 258048a^6b^{10}c^6 + 860160a^7b^8c^7 - 1966080a^8b^6c^8 + 2949120a^9b^4c^9 - 2621440a^{10}b^2c^{10} \\
& + a^2b^{20}c))^{1/2} * (256b^{11}c^2 - 5120a^2b^9c^3 - 262144a^5b^2c^7 + 40960a^2b^7c^4 - 163840a^3b^5c^5 + 327680a^4b^3c^6) / (32(b^8 + 256a^4c^4 + 96a^2b^4c^2 - 256a^3b^2c^3 - 16a^2b^6c)) \\
& * (-9(B^2a^2b^{15} - B^2a^2(-4a^2c - b^2)^{15})^{1/2} + A^2b^{15}c + A^2c * (-4a^2c - b^2)^{15})^{1/2} - 560A^2a^2b^{11}c^3 + 4160A^2a^3b^9c^4 - 11520A^2a^4b^7c^5 - 1024A^2a^5b^5c^6 \\
& + 61440A^2a^6b^3c^7 - 560B^2a^3b^{11}c^2 + 4160B^2a^4b^9c^3 - 11520B^2a^5b^7c^4 - 1024B^2a^6b^5c^5 + 61440B^2a^7b^3c^6 + 65536A^2a^8b^2c^8 + 20A^2a^2b^{13}c^2 \\
& - 81920A^2a^7b^2c^8 + 20B^2a^2b^{13}c - 81920B^2a^8b^2c^7 + 240A^2a^2b^{12}c^2 - 64A^2a^3b^{10}c^3 - 11520A^2a^4b^8c^4 + 66560A^2a^5b^6c^5 - 143360A^2a^6b^4c^6 \\
& + 81920A^2a^7b^2c^7 - 20A^2a^2b^{14}c) / (512(1048576a^{11}c^{11} - 40a^2b^{18}c^2 + 720a^3b^{16}c^3 - 7680a^4b^{14}c^4 + 53760a^5b^{12}c^5 - 258048a^6b^{10}c^6 + 860160a^7b^8c^7 \\
& - 1966080a^8b^6c^8 + 2949120a^9b^4c^9 - 2621440a^{10}b^2c^{10} + a^2b^{20}c))^{1/2} - (x * (9B^2a^2b^6c + 288A^2a^2c^5 + 234A^2a^2b^4c^3 - 288B^2a^3c^4 + 576B^2a^2b^2c^3 \\
& - 90A^2a^2b^5c^2 + 144A^2a^2b^2c^4 + 126B^2a^2b^4c^2 - 720A^2a^2b^3c^3 - 288A^2a^2b^2c^4) / (32(b^8 + 256a^4c^4 + 96a^2b^4c^2 - 256a^3b^2c^3 - 16a^2b^6c)) \\
& * (-9(B^2a^2b^{15} - B^2a^2(-4a^2c - b^2)^{15})^{1/2} + A^2b^{15}c + A^2c * (-4a^2c - b^2)^{15})^{1/2} - 560A^2a^2b^{11}c^3 + 4160A^2a^3b^9c^4 - 11520A^2a^4b^7c^5 - 1024A^2a^5b^5c^6 \\
& + 61440A^2a^6b^3c^7 - 560B^2a^3b^{11}c^2 + 4160B^2a^4b^9c^3 - 11520B^2a^5b^7c^4 - 1024B^2a^6b^5c^5 + 61440B^2a^7b^3c^6 + 65536A^2a^8b^2c^8 + 20A^2a^2b^{13}c^2 \\
& - 81920A^2a^7b^2c^8 + 20B^2a^2b^{13}c - 81920B^2a^8b^2c^7 + 240A^2a^2b^{12}c^2 - 64A^2a^3b^{10}c^3 - 11520A^2a^4b^8c^4 + 66560A^2a^5b^6c^5 - 143360A^2a^6b^4c^6 \\
& + 81920A^2a^7b^2c^7 - 20A^2a^2b^{14}c) / (512(1048576a^{11}c^{11} - 40a^2b^{18}c^2 + 720a^3b^{16}c^3 - 7680a^4b^{14}c^4 + 53760a^5b^{12}c^5 - 258048a^6b^{10}c^6 + 860160a^7b^8c^7 \\
& - 1966080a^8b^6c^8 + 2949120a^9b^4c^9 - 2621440a^{10}b^2c^{10} + a^2b^{20}c))^{1/2} * i - ((3(1048576A^2a^6c^8 - 256A^2a^2b^{12}c^2 + 4096A^2a^2b^{10}c^3 + 1024B^2a^2b^{11}
\end{aligned}$$

$$\begin{aligned}
& *c^2 - 1048576*B*a^6*b*c^7 - 20480*A*a^2*b^8*c^4 + 327680*A*a^4*b^4*c^6 - 1 \\
& 048576*A*a^5*b^2*c^7 - 20480*B*a^2*b^9*c^3 + 163840*B*a^3*b^7*c^4 - 655360* \\
& B*a^4*b^5*c^5 + 1310720*B*a^5*b^3*c^6)/(512*(b^12 + 4096*a^6*c^6 + 240*a^2 \\
& *b^8*c^2 - 1280*a^3*b^6*c^3 + 3840*a^4*b^4*c^4 - 6144*a^5*b^2*c^5 - 24*a*b^ \\
& 10*c)) + (x*(-(9*(B^2*a*b^15 - B^2*a*(-(4*a*c - b^2)^15)^(1/2) + A^2*b^15*c \\
& + A^2*c*(-(4*a*c - b^2)^15)^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^ \\
& 9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^ \\
& 7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1 \\
& 024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a* \\
& b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + \\
& 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560* \\
& A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a \\
& *b^14*c))/(512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 76 \\
& 80*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8 \\
& *c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + \\
& a*b^20*c))^(1/2)*(256*b^11*c^2 - 5120*a*b^9*c^3 - 262144*a^5*b*c^7 + 40960 \\
& *a^2*b^7*c^4 - 163840*a^3*b^5*c^5 + 327680*a^4*b^3*c^6))/(32*(b^8 + 256*a^4 \\
& *c^4 + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 - 16*a*b^6*c)))*(-(9*(B^2*a*b^15 - \\
& B^2*a*(-(4*a*c - b^2)^15)^(1/2) + A^2*b^15*c + A^2*c*(-(4*a*c - b^2)^15)^(1 \\
& /2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - \\
& 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160 \\
& *B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2 \\
& *a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 \\
& + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a \\
& ^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^ \\
& 6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c))/(512*(1048576*a^11*c^ \\
& 11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^1 \\
& 2*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 29 \\
& 49120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c))^(1/2) + (x*(9*B^2*b \\
& ^6*c + 288*A^2*a^2*c^5 + 234*A^2*b^4*c^3 - 288*B^2*a^3*c^4 + 576*B^2*a^2*b^ \\
& 2*c^3 - 90*A*B*b^5*c^2 + 144*A^2*a*b^2*c^4 + 126*B^2*a*b^4*c^2 - 720*A*B*a* \\
& b^3*c^3 - 288*A*B*a^2*b*c^4))/(32*(b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^2 - 256 \\
& *a^3*b^2*c^3 - 16*a*b^6*c)))*(-(9*(B^2*a*b^15 - B^2*a*(-(4*a*c - b^2)^15)^(\\
& 1/2) + A^2*b^15*c + A^2*c*(-(4*a*c - b^2)^15)^(1/2) - 560*A^2*a^2*b^11*c^3 \\
& + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 614 \\
& 40*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^ \\
& 2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^ \\
& 8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920 \\
& *B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4 \\
& *b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b \\
& ^2*c^7 - 20*A*B*a*b^14*c))/(512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720* \\
& a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 \\
& + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440 \\
& *a^10*b^2*c^10 + a*b^20*c))^(1/2)*1i)/((((3*(1048576*A*a^6*c^8 - 256*A*b^1 \\
& 2*c^2 + 4096*A*a*b^10*c^3 + 1024*B*a*b^11*c^2 - 1048576*B*a^6*b*c^7 - 20480
\end{aligned}$$

$$\begin{aligned}
& *A*a^2*b^8*c^4 + 327680*A*a^4*b^4*c^6 - 1048576*A*a^5*b^2*c^7 - 20480*B*a^2 \\
& *b^9*c^3 + 163840*B*a^3*b^7*c^4 - 655360*B*a^4*b^5*c^5 + 1310720*B*a^5*b^3* \\
& c^6))/ (512*(b^12 + 4096*a^6*c^6 + 240*a^2*b^8*c^2 - 1280*a^3*b^6*c^3 + 3840 \\
& *a^4*b^4*c^4 - 6144*a^5*b^2*c^5 - 24*a*b^10*c)) - (x*(-(9*(B^2*a*b^15 - B^2 \\
& *a*(-(4*a*c - b^2)^15)^(1/2) + A^2*b^15*c + A^2*c*(-(4*a*c - b^2)^15)^(1/2) \\
& - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 10 \\
& 24*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^ \\
& 2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^ \\
& 7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 2 \\
& 0*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3* \\
& b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b \\
& ^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c))/ (512*(1048576*a^11*c^11 \\
& - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c \\
& ^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 29491 \\
& 20*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c)))^(1/2)*(256*b^11*c^2 - \\
& 5120*a*b^9*c^3 - 262144*a^5*b*c^7 + 40960*a^2*b^7*c^4 - 163840*a^3*b^5*c^5 \\
& + 327680*a^4*b^3*c^6))/ (32*(b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^2 - 256*a^3*b^ \\
& 2*c^3 - 16*a*b^6*c)))*(-(9*(B^2*a*b^15 - B^2*a*(-(4*a*c - b^2)^15)^(1/2) + \\
& A^2*b^15*c + A^2*c*(-(4*a*c - b^2)^15)^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160* \\
& A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2* \\
& a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b \\
& ^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + \\
& 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^ \\
& 8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^ \\
& 4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 \\
& - 20*A*B*a*b^14*c))/ (512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^1 \\
& 6*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 8601 \\
& 60*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b \\
& ^2*c^10 + a*b^20*c)))^(1/2) - (x*(9*B^2*b^6*c + 288*A^2*a^2*c^5 + 234*A^2*b \\
& ^4*c^3 - 288*B^2*a^3*c^4 + 576*B^2*a^2*b^2*c^3 - 90*A*B*b^5*c^2 + 144*A^2*a \\
& *b^2*c^4 + 126*B^2*a*b^4*c^2 - 720*A*B*a*b^3*c^3 - 288*A*B*a^2*b*c^4))/ (32* \\
& (b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 - 16*a*b^6*c)))*(-(9* \\
& (B^2*a*b^15 - B^2*a*(-(4*a*c - b^2)^15)^(1/2) + A^2*b^15*c + A^2*c*(-(4*a*c \\
& - b^2)^15)^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2 \\
& *a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b \\
& ^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c \\
& ^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920* \\
& A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12* \\
& c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - \\
& 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c))/ (512*(1 \\
& 048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + \\
& 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^ \\
& 8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c)))^(1/2) \\
& + (((3*(1048576*A*a^6*c^8 - 256*A*b^12*c^2 + 4096*A*a*b^10*c^3 + 1024*B*a* \\
& b^11*c^2 - 1048576*B*a^6*b*c^7 - 20480*A*a^2*b^8*c^4 + 327680*A*a^4*b^4*c^6
\end{aligned}$$

$$\begin{aligned}
& - 1048576*A*a^5*b^2*c^7 - 20480*B*a^2*b^9*c^3 + 163840*B*a^3*b^7*c^4 - 655 \\
& 360*B*a^4*b^5*c^5 + 1310720*B*a^5*b^3*c^6)/(512*(b^12 + 4096*a^6*c^6 + 240 \\
& *a^2*b^8*c^2 - 1280*a^3*b^6*c^3 + 3840*a^4*b^4*c^4 - 6144*a^5*b^2*c^5 - 24* \\
& a*b^10*c)) + (x*(-(9*(B^2*a*b^15 - B^2*a*(-(4*a*c - b^2)^15)^(1/2) + A^2*b^ \\
& 15*c + A^2*c*(-(4*a*c - b^2)^15)^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^ \\
& 3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^ \\
& 3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 \\
& - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^ \\
& 2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^ \\
& 7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66 \\
& 560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A \\
& *B*a*b^14*c))/(512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 \\
& - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7 \\
& *b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^1 \\
& 0 + a*b^20*c)))^(1/2)*(256*b^11*c^2 - 5120*a*b^9*c^3 - 262144*a^5*b*c^7 + 4 \\
& 0960*a^2*b^7*c^4 - 163840*a^3*b^5*c^5 + 327680*a^4*b^3*c^6))/(32*(b^8 + 256 \\
& *a^4*c^4 + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 - 16*a*b^6*c)))*(-(9*(B^2*a*b^1 \\
& 5 - B^2*a*(-(4*a*c - b^2)^15)^(1/2) + A^2*b^15*c + A^2*c*(-(4*a*c - b^2)^15 \\
&)^(1/2) - 560*A^2*a^2*b^11*c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c \\
& ^5 - 1024*A^2*a^5*b^5*c^6 + 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + \\
& 4160*B^2*a^4*b^9*c^3 - 11520*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440 \\
& *B^2*a^7*b^3*c^6 + 65536*A*B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b* \\
& c^8 + 20*B^2*a^2*b^13*c - 81920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A \\
& *B*a^3*b^10*c^3 - 11520*A*B*a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A* \\
& B*a^6*b^4*c^6 + 81920*A*B*a^7*b^2*c^7 - 20*A*B*a*b^14*c))/(512*(1048576*a^1 \\
& 1*c^11 - 40*a^2*b^18*c^2 + 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5 \\
& *b^12*c^5 - 258048*a^6*b^10*c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 \\
& + 2949120*a^9*b^4*c^9 - 2621440*a^10*b^2*c^10 + a*b^20*c)))^(1/2) + (x*(9*B \\
& ^2*b^6*c + 288*A^2*a^2*c^5 + 234*A^2*b^4*c^3 - 288*B^2*a^3*c^4 + 576*B^2*a^ \\
& 2*b^2*c^3 - 90*A*B*b^5*c^2 + 144*A^2*a*b^2*c^4 + 126*B^2*a*b^4*c^2 - 720*A* \\
& B*a*b^3*c^3 - 288*A*B*a^2*b*c^4))/(32*(b^8 + 256*a^4*c^4 + 96*a^2*b^4*c^2 - \\
& 256*a^3*b^2*c^3 - 16*a*b^6*c)))*(-(9*(B^2*a*b^15 - B^2*a*(-(4*a*c - b^2)^1 \\
& 5)^(1/2) + A^2*b^15*c + A^2*c*(-(4*a*c - b^2)^15)^(1/2) - 560*A^2*a^2*b^11* \\
& c^3 + 4160*A^2*a^3*b^9*c^4 - 11520*A^2*a^4*b^7*c^5 - 1024*A^2*a^5*b^5*c^6 + \\
& 61440*A^2*a^6*b^3*c^7 - 560*B^2*a^3*b^11*c^2 + 4160*B^2*a^4*b^9*c^3 - 1152 \\
& 0*B^2*a^5*b^7*c^4 - 1024*B^2*a^6*b^5*c^5 + 61440*B^2*a^7*b^3*c^6 + 65536*A* \\
& B*a^8*c^8 + 20*A^2*a*b^13*c^2 - 81920*A^2*a^7*b*c^8 + 20*B^2*a^2*b^13*c - 8 \\
& 1920*B^2*a^8*b*c^7 + 240*A*B*a^2*b^12*c^2 - 64*A*B*a^3*b^10*c^3 - 11520*A*B \\
& *a^4*b^8*c^4 + 66560*A*B*a^5*b^6*c^5 - 143360*A*B*a^6*b^4*c^6 + 81920*A*B*a \\
& ^7*b^2*c^7 - 20*A*B*a*b^14*c))/(512*(1048576*a^11*c^11 - 40*a^2*b^18*c^2 + \\
& 720*a^3*b^16*c^3 - 7680*a^4*b^14*c^4 + 53760*a^5*b^12*c^5 - 258048*a^6*b^10 \\
& *c^6 + 860160*a^7*b^8*c^7 - 1966080*a^8*b^6*c^8 + 2949120*a^9*b^4*c^9 - 262 \\
& 1440*a^10*b^2*c^10 + a*b^20*c)))^(1/2) + (3*(576*B^3*a^4*c^4 - 180*A^3*b^5* \\
& c^3 + 540*B^3*a^2*b^4*c^2 + 1584*B^3*a^3*b^2*c^3 - 9*A*B^2*b^7*c + 45*B^3*a \\
& *b^6*c + 576*A^2*B*a^3*c^5 + 81*A^2*B*b^6*c^2 - 1440*A^3*a*b^3*c^4 - 576*A^
\end{aligned}$$

$$3.135 \quad \int \frac{x^2(A+Bx^2)}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=438

$$\frac{x(-2aB - (x^2(bB - 2Ac)) + Ab)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x(-A(8abc + b^3) + cx^2(12abB - A(20ac + b^2)) + aB(7b^2 - 4ac))}{8a(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{\sqrt{c}}{\dots}$$

[Out] $-1/4*x*(A*b-2*a*B-(-2*A*c+B*b)*x^2)/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2-1/8*x*(a*B*(-4*a*c+7*b^2)-A*(8*a*b*c+b^3)+c*(12*a*b*B-A*(20*a*c+b^2))*x^2)/a/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+1/16*\arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*c^(1/2)*(6*a*B*(3*b^2+4*a*c-2*b*(-4*a*c+b^2)^(1/2))+A*(b^3-52*a*b*c+b^2*(-4*a*c+b^2)^(1/2)+20*a*c*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)^(5/2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-1/16*\arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2)))^(1/2)*c^(1/2)*(6*a*B*(3*b^2+4*a*c+2*b*(-4*a*c+b^2)^(1/2))+A*(b^3-52*a*b*c-b^2*(-4*a*c+b^2)^(1/2)-20*a*c*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)^(5/2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)$

Rubi [A] time = 1.09, antiderivative size = 438, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1275, 1178, 1166, 205}

$$\frac{x(-2aB + x^2(-(bB - 2Ac)) + Ab)}{4(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{x(cx^2(12abB - A(20ac + b^2)) - A(8abc + b^3) + aB(7b^2 - 4ac))}{8a(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{\sqrt{c}}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] $-(x*(A*b - 2*a*B - (b*B - 2*A*c)*x^2))/(4*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) - (x*(a*B*(7*b^2 - 4*a*c) - A*(b^3 + 8*a*b*c) + c*(12*a*b*B - A*(b^2 + 20*a*c))*x^2))/(8*a*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[c]*(6*a*B*(3*b^2 + 4*a*c - 2*b*\text{Sqrt}[b^2 - 4*a*c]) + A*(b^3 - 52*a*b*c + b^2*\text{Sqrt}[b^2 - 4*a*c] + 20*a*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(8*\text{Sqrt}[2]*a*(b^2 - 4*a*c)^(5/2)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(6*a*B*(3*b^2 + 4*a*c + 2*b*\text{Sqrt}[b^2 - 4*a*c]) + A*(b^3 - 52*a*b*c - b^2*\text{Sqrt}[b^2 - 4*a*c] - 20*a*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(8*\text{Sqrt}[2]*a*(b^2 - 4*a*c)^(5/2)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1178

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1275

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{x^2(A+Bx^2)}{(a+bx^2+cx^4)^3} dx &= -\frac{x(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{\int \frac{Ab-2aB+5(bB-2Ac)x^2}{(a+bx^2+cx^4)^2} dx}{4(b^2-4ac)} \\
&= -\frac{x(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x(aB(7b^2-4ac)-A(b^3+8abc)+c(12abB-A(b^3+8abc)))}{8a(b^2-4ac)^2(a+bx^2+cx^4)} \\
&= -\frac{x(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x(aB(7b^2-4ac)-A(b^3+8abc)+c(12abB-A(b^3+8abc)))}{8a(b^2-4ac)^2(a+bx^2+cx^4)} \\
&= -\frac{x(Ab-2aB-(bB-2Ac)x^2)}{4(b^2-4ac)(a+bx^2+cx^4)^2} - \frac{x(aB(7b^2-4ac)-A(b^3+8abc)+c(12abB-A(b^3+8abc)))}{8a(b^2-4ac)^2(a+bx^2+cx^4)}
\end{aligned}$$

Mathematica [A] time = 1.65, size = 436, normalized size = 1.00

$$\frac{1}{16} \left(\frac{4x(B(2a+bx^2)-A(b+2cx^2))}{(b^2-4ac)(a+bx^2+cx^4)^2} + \frac{2x(A(8abc+20ac^2x^2+b^3+b^2cx^2)+aB(4ac-7b^2-12bcx^2))}{a(b^2-4ac)^2(a+bx^2+cx^4)} + \frac{\sqrt{2}x(A(8abc+20ac^2x^2+b^3+b^2cx^2)+aB(4ac-7b^2-12bcx^2))}{a(b^2-4ac)^2(a+bx^2+cx^4)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x]

[Out] ((4*x*(B*(2*a + b*x^2) - A*(b + 2*c*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (2*x*(a*B*(-7*b^2 + 4*a*c - 12*b*c*x^2) + A*(b^3 + 8*a*b*c + b^2*c*x^2 + 20*a*c^2*x^2)))/(a*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (Sqrt[2]*Sqrt[c]*(6*a*B*(3*b^2 + 4*a*c - 2*b*Sqrt[b^2 - 4*a*c]) + A*(b^3 - 52*a*b*c + b^2*Sqrt[b^2 - 4*a*c] + 20*a*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(a*(b^2 - 4*a*c)^(5/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*Sqrt[c]*(-6*a*B*(3*b^2 + 4*a*c + 2*b*Sqrt[b^2 - 4*a*c]) + A*(-b^3 + 52*a*b*c + b^2*Sqrt[b^2 - 4*a*c] + 20*a*c*Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(a*(b^2 - 4*a*c)^(5/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]))/16

fricas [B] time = 6.68, size = 7270, normalized size = 16.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{16} \left(2(20Aac^3 - (12Bab - Ab^2)c^2)x^7 + 2(4(Ba^2 + 7Aab)c^2 - (19Bab^2 - 2Ab^3)c)x^5 - 2(5Bab^3 - Ab^4 - 36Aa^2c^2 + (16Ba^2b - 5Aab^2)c)x^3 + \sqrt{1/2}((ab^4c^2 - 8a^2b^2c^3 + 16a^3c^4)x^8 + a^3b^4 - 8a^4b^2c + 16a^5c^2 + 2(ab^5c - 8a^2b^3c^2 + 16a^3b^2c^3)x^6 + (ab^6 - 6a^2b^4c + 32a^4c^3)x^4 + 2(a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)x^2) \right) \sqrt{-(9B^2a^2b^5 + 6ABab^6 + A^2b^7 - 240(4ABa^4 - 7A^2a^3b)c^3 + 40(18B^2a^4b - 48ABa^3b^2 + 7A^2a^2b^3)c^2 + 5(72B^2a^3b^3 - 12ABa^2b^4 - 7A^2ab^5)c + (a^3b^{10} - 20a^4b^8c + 160a^5b^6c^2 - 640a^6b^4c^3 + 1280a^7b^2c^4 - 1024a^8c^5))} \sqrt{(81B^4a^4 + 108AB^3a^3b + 54A^2B^2a^2b^2 + 12A^3Bab^3 + A^4b^4 + 625A^4a^2c^2 - 50(9A^2B^2a^3 + 6A^3Bab^2 + A^4ab^2)c) / (a^6b^{10} - 20a^7b^8c + 160a^8b^6c^2 - 640a^9b^4c^3 + 1280a^{10}b^2c^4 - 1024a^{11}c^5))} / (a^3b^{10} - 20a^4b^8c + 160a^5b^6c^2 - 640a^6b^4c^3 + 1280a^7b^2c^4 - 1024a^8c^5)) \log((10000A^4a^3c^5 - 15000(2A^3Bab^3 - A^4a^2b^2)c^4 - 3(432B^4a^5 - 3024AB^3a^4b - 3312A^2B^2a^3b^2 + 3864A^3Bab^2b^3 + 497A^4a^2b^4)c^3 - 5(648B^4a^4b^2 - 216AB^3a^3b^3 - 648A^2B^2a^2b^4 - 189A^3Bab^5 - 7A^4b^6)c^2 - 15(27B^4a^3b^4 + 27AB^3a^2b^5 + 9A^2B^2a^2b^6 + A^3Bb^7)c) \times x + 1/2 \sqrt{1/2} (27B^3a^3b^8 + 27AB^2a^2b^9 + 9A^2Bab^10 + A^3b^{11} + 6400(3A^2Bab^6 - 4A^3a^5b)c^5 - 64(108B^3a^7 - 72AB^2a^6b + 66A^2Bab^5b^2 - 341A^3a^4b^3)c^4 + 16(216B^3a^6b^2 - 324AB^2a^5b^3 - 288A^2Bab^4b^4 - 427A^3a^3b^5)c^3 + 20(108AB^2a^4b^5 + 102A^2Bab^3b^6 + 47A^3a^2b^7)c^2 - (216B^3a^4b^6 + 396AB^2a^3b^7 + 267A^2Bab^2b^8 + 53A^3a^2b^9)c - (3Bab^4b^{13} + Aa^3b^{14} + 40960Aa^{10}c^7 - 4096(9Bab^{10}b + 8Aa^9b^2)c^6 + 1536(28Bab^9b^3 + Aa^8b^4)c^5 - 6400(3Bab^8b^5 - Aa^7b^6)c^4 + 160(24Bab^7b^7 - 17Aa^6b^8)c^3 - 240(Bab^6b^9 - 2Aa^5b^{10})c^2 - 2(12Bab^5b^{11} + 19Aa^4b^{12})c) \sqrt{(81B^4a^4 + 108AB^3a^3b + 54A^2B^2a^2b^2 + 12A^3Bab^3 + A^4b^4 + 625A^4a^2c^2 - 50(9A^2B^2a^3 + 6A^3Bab^2 + A^4ab^2)c) / (a^6b^{10} - 20a^7b^8c + 160a^8b^6c^2 - 640a^9b^4c^3 + 1280a^{10}b^2c^4 - 1024a^{11}c^5))} \sqrt{-(9B^2a^2b^5 + 6ABab^6 + A^2b^7 - 240(4ABa^4 - 7A^2a^3b)c^3 + 40(18B^2a^4b - 48ABa^3b^2 + 7A^2a^2b^3)c^2 + 5(72B^2a^3b^3 - 12ABa^2b^4 - 7A^2ab^5)c + (a^3b^{10} - 20a^4b^8c + 160a^5b^6c^2 - 640a^6b^4c^3 + 1280a^7b^2c^4 - 1024a^8c^5))} \sqrt{(81B^4a^4 + 108AB^3a^3b + 54A^2B^2a^2b^2 + 12A^3Bab^3 + A^4b^4 + 625A^4a^2c^2 - 50(9A^2B^2a^3 + 6A^3Bab^2 + A^4ab^2)c) / (a^6b^{10} - 20a^7b^8c + 160a^8b^6c^2 - 640a^9b^4c^3 + 1280a^{10}b^2c^4 - 1024a^{11}c^5))} / (a^3b^{10} - 20a^4b^8c + 160a^5b^6c^2 - 640a^6b^4c^3 + 1280a^7b^2c^4 - 1024a^8c^5)) - \sqrt{1/2}((ab^4c^2 - 8a^2b^2c^3 + 16a^3c^4)x^8 + a^3b^4 - 8a^4b^2c + 1$$

$$\begin{aligned}
& 6*a^5*c^2 + 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^6 + (a*b^6 - 6*a^2*b^4*c + 32*a^4*c^3)*x^4 + 2*(a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*x^2)*\text{sqrt}(- (9*B^2*a^2*b^5 + 6*A*B*a*b^6 + A^2*b^7 - 240*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 40*(18*B^2*a^4*b - 48*A*B*a^3*b^2 + 7*A^2*a^2*b^3)*c^2 + 5*(72*B^2*a^3*b^3 - 12*A*B*a^2*b^4 - 7*A^2*a*b^5)*c + (a^3*b^10 - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))*\text{sqrt}((81*B^4*a^4 + 108*A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4 + 625*A^4*a^2*c^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^10 - 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^10*b^2*c^4 - 1024*a^11*c^5)))/ (a^3*b^10 - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))*\log((10000*A^4*a^3*c^5 - 15000*(2*A^3*B*a^3*b - A^4*a^2*b^2)*c^4 - 3*(432*B^4*a^5 - 3024*A*B^3*a^4*b - 3312*A^2*B^2*a^3*b^2 + 3864*A^3*B*a^2*b^3 + 497*A^4*a*b^4)*c^3 - 5*(648*B^4*a^4*b^2 - 216*A*B^3*a^3*b^3 - 648*A^2*B^2*a^2*b^4 - 189*A^3*B*a*b^5 - 7*A^4*b^6)*c^2 - 15*(27*B^4*a^3*b^4 + 27*A*B^3*a^2*b^5 + 9*A^2*B^2*a*b^6 + A^3*B*b^7)*c)*x - 1/2*\text{sqrt}(1/2)*(27*B^3*a^3*b^8 + 27*A*B^2*a^2*b^9 + 9*A^2*B*a*b^10 + A^3*b^11 + 6400*(3*A^2*B*a^6 - 4*A^3*a^5*b)*c^5 - 64*(108*B^3*a^7 - 72*A*B^2*a^6*b + 66*A^2*B*a^5*b^2 - 341*A^3*a^4*b^3)*c^4 + 16*(216*B^3*a^6*b^2 - 324*A*B^2*a^5*b^3 - 288*A^2*B*a^4*b^4 - 427*A^3*a^3*b^5)*c^3 + 20*(108*A*B^2*a^4*b^5 + 102*A^2*B*a^3*b^6 + 47*A^3*a^2*b^7)*c^2 - (216*B^3*a^4*b^6 + 396*A*B^2*a^3*b^7 + 267*A^2*B*a^2*b^8 + 53*A^3*a*b^9)*c - (3*B*a^4*b^13 + A*a^3*b^14 + 40960*A*a^10*c^7 - 4096*(9*B*a^10*b + 8*A*a^9*b^2)*c^6 + 1536*(28*B*a^9*b^3 + A*a^8*b^4)*c^5 - 6400*(3*B*a^8*b^5 - A*a^7*b^6)*c^4 + 160*(24*B*a^7*b^7 - 17*A*a^6*b^8)*c^3 - 240*(B*a^6*b^9 - 2*A*a^5*b^10)*c^2 - 2*(12*B*a^5*b^11 + 19*A*a^4*b^12)*c)*\text{sqrt}((81*B^4*a^4 + 108*A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4 + 625*A^4*a^2*c^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^10 - 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^10*b^2*c^4 - 1024*a^11*c^5)))*\text{sqrt}(- (9*B^2*a^2*b^5 + 6*A*B*a*b^6 + A^2*b^7 - 240*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 40*(18*B^2*a^4*b - 48*A*B*a^3*b^2 + 7*A^2*a^2*b^3)*c^2 + 5*(72*B^2*a^3*b^3 - 12*A*B*a^2*b^4 - 7*A^2*a*b^5)*c + (a^3*b^10 - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))*\text{sqrt}((81*B^4*a^4 + 108*A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4 + 625*A^4*a^2*c^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^10 - 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^10*b^2*c^4 - 1024*a^11*c^5)))/ (a^3*b^10 - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))) + \text{sqrt}(1/2)*((a*b^4*c^2 - 8*a^2*b^2*c^3 + 16*a^3*c^4)*x^8 + a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2 + 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^6 + (a*b^6 - 6*a^2*b^4*c + 32*a^4*c^3)*x^4 + 2*(a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*x^2)*\text{sqrt}(- (9*B^2*a^2*b^5 + 6*A*B*a*b^6 + A^2*b^7 - 240*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 40*(18*B^2*a^4*b - 48*A*B*a^3*b^2 + 7*A^2*a^2*b^3)*c^2 + 5*(72*B^2*a^3*b^3 - 12*A*B*a^2*b^4 - 7*A^2*a*b^5)*c - (a^3*b^10 - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))*\text{sqrt}((81*B^4*a^4 + 108*A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4 + 625*A^4*a^2*c^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^10 - 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^10*b^2*c^4 - 1024*a^11*c^5)))/ (a^3*b^10 - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))
\end{aligned}$$

$$\begin{aligned}
& *a^2*b + A^4*a*b^2)*c)/(a^6*b^{10} - 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9* \\
& *b^4*c^3 + 1280*a^{10}*b^2*c^4 - 1024*a^{11}*c^5)))/(a^3*b^{10} - 20*a^4*b^8*c + \\
& 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5))*\log((\\
& 10000*A^4*a^3*c^5 - 15000*(2*A^3*B*a^3*b - A^4*a^2*b^2)*c^4 - 3*(432*B^4*a^5 \\
& - 3024*A*B^3*a^4*b - 3312*A^2*B^2*a^3*b^2 + 3864*A^3*B*a^2*b^3 + 497*A^4* \\
& a*b^4)*c^3 - 5*(648*B^4*a^4*b^2 - 216*A*B^3*a^3*b^3 - 648*A^2*B^2*a^2*b^4 - \\
& 189*A^3*B*a*b^5 - 7*A^4*b^6)*c^2 - 15*(27*B^4*a^3*b^4 + 27*A*B^3*a^2*b^5 + \\
& 9*A^2*B^2*a*b^6 + A^3*B*b^7)*c)*x + 1/2*\sqrt{1/2)*(27*B^3*a^3*b^8 + 27*A*B \\
& ^2*a^2*b^9 + 9*A^2*B*a*b^{10} + A^3*b^{11} + 6400*(3*A^2*B*a^6 - 4*A^3*a^5*b)*c \\
& ^5 - 64*(108*B^3*a^7 - 72*A*B^2*a^6*b + 66*A^2*B*a^5*b^2 - 341*A^3*a^4*b^3) \\
& *c^4 + 16*(216*B^3*a^6*b^2 - 324*A*B^2*a^5*b^3 - 288*A^2*B*a^4*b^4 - 427*A^ \\
& 3*a^3*b^5)*c^3 + 20*(108*A*B^2*a^4*b^5 + 102*A^2*B*a^3*b^6 + 47*A^3*a^2*b^7 \\
&)*c^2 - (216*B^3*a^4*b^6 + 396*A*B^2*a^3*b^7 + 267*A^2*B*a^2*b^8 + 53*A^3*a \\
& *b^9)*c + (3*B*a^4*b^{13} + A*a^3*b^{14} + 40960*A*a^{10}*c^7 - 4096*(9*B*a^{10}*b \\
& + 8*A*a^9*b^2)*c^6 + 1536*(28*B*a^9*b^3 + A*a^8*b^4)*c^5 - 6400*(3*B*a^8*b^5 \\
& - A*a^7*b^6)*c^4 + 160*(24*B*a^7*b^7 - 17*A*a^6*b^8)*c^3 - 240*(B*a^6*b^9 \\
& - 2*A*a^5*b^{10})*c^2 - 2*(12*B*a^5*b^{11} + 19*A*a^4*b^{12})*c)*\sqrt{((81*B^4*a^ \\
& 4 + 108*A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4 + 625*A^ \\
& 4*a^2*c^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^{10} - \\
& 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^{10}*b^2*c^4 - 1024 \\
& *a^{11}*c^5)))*\sqrt{-(9*B^2*a^2*b^5 + 6*A*B*a*b^6 + A^2*b^7 - 240*(4*A*B*a^4 \\
& - 7*A^2*a^3*b)*c^3 + 40*(18*B^2*a^4*b - 48*A*B*a^3*b^2 + 7*A^2*a^2*b^3)*c^2 \\
& + 5*(72*B^2*a^3*b^3 - 12*A*B*a^2*b^4 - 7*A^2*a*b^5)*c - (a^3*b^{10} - 20*a^4* \\
& *b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5) \\
&)*\sqrt{((81*B^4*a^4 + 108*A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 \\
& + A^4*b^4 + 625*A^4*a^2*c^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2) \\
&)*c)/(a^6*b^{10} - 20*a^7*b^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^{ \\
& 10}*b^2*c^4 - 1024*a^{11}*c^5)))/(a^3*b^{10} - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - \\
& 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5)) - \sqrt{1/2)*((a*b^4*c \\
& ^2 - 8*a^2*b^2*c^3 + 16*a^3*c^4)*x^8 + a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2 + \\
& 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*x^6 + (a*b^6 - 6*a^2*b^4*c + 32 \\
& *a^4*c^3)*x^4 + 2*(a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*x^2)*\sqrt{-(9*B^2* \\
& a^2*b^5 + 6*A*B*a*b^6 + A^2*b^7 - 240*(4*A*B*a^4 - 7*A^2*a^3*b)*c^3 + 40*(1 \\
& 8*B^2*a^4*b - 48*A*B*a^3*b^2 + 7*A^2*a^2*b^3)*c^2 + 5*(72*B^2*a^3*b^3 - 12* \\
& A*B*a^2*b^4 - 7*A^2*a*b^5)*c - (a^3*b^{10} - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - \\
& 640*a^6*b^4*c^3 + 1280*a^7*b^2*c^4 - 1024*a^8*c^5)*\sqrt{((81*B^4*a^4 + 108* \\
& A*B^3*a^3*b + 54*A^2*B^2*a^2*b^2 + 12*A^3*B*a*b^3 + A^4*b^4 + 625*A^4*a^2*c \\
& ^2 - 50*(9*A^2*B^2*a^3 + 6*A^3*B*a^2*b + A^4*a*b^2)*c)/(a^6*b^{10} - 20*a^7*b \\
& ^8*c + 160*a^8*b^6*c^2 - 640*a^9*b^4*c^3 + 1280*a^{10}*b^2*c^4 - 1024*a^{11}*c^ \\
& 5)))/(a^3*b^{10} - 20*a^4*b^8*c + 160*a^5*b^6*c^2 - 640*a^6*b^4*c^3 + 1280*a^ \\
& 7*b^2*c^4 - 1024*a^8*c^5))*\log((10000*A^4*a^3*c^5 - 15000*(2*A^3*B*a^3*b - \\
& A^4*a^2*b^2)*c^4 - 3*(432*B^4*a^5 - 3024*A*B^3*a^4*b - 3312*A^2*B^2*a^3*b^2 \\
& + 3864*A^3*B*a^2*b^3 + 497*A^4*a*b^4)*c^3 - 5*(648*B^4*a^4*b^2 - 216*A*B^3 \\
& *a^3*b^3 - 648*A^2*B^2*a^2*b^4 - 189*A^3*B*a*b^5 - 7*A^4*b^6)*c^2 - 15*(27* \\
& B^4*a^3*b^4 + 27*A*B^3*a^2*b^5 + 9*A^2*B^2*a*b^6 + A^3*B*b^7)*c)*x - 1/2*sq
\end{aligned}$$

$$\begin{aligned}
& (b^2 - 4ac)c) * a * b * c^2 - 2 * (b^2 - 4ac) * a * b * c^2) * (a * b^4 - 8 * a^2 * b^2 * c + \\
& 16 * a^3 * c^2)^2 * B + 2 * (\sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a * b^9 - 28 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^7 * c - 2 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a * b^8 * c - 2 * a * b^9 * c + 240 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^5 * c^2 + 48 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^6 * c^2 \\
& + \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a * b^7 * c^2 + 56 * a^2 * b^7 * c^2 - 832 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^3 * c^3 - 288 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^4 * c^3 - 24 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^5 * c^3 - 480 * a^3 * b^5 * c^3 + 1024 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * b * c^4 + 512 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^2 * c^4 \\
& + 144 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^3 * c^4 + 1664 * a^4 * b^3 * c^4 - 256 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b * c^5 - 2048 * a^5 * b * c^5 \\
& + 2 * (b^2 - 4ac) * a * b^7 * c - 48 * (b^2 - 4ac) * a^2 * b^5 * c^2 + 288 * (b^2 - 4ac) * a^3 * b^3 * c^3 - 512 * (b^2 - 4ac) * a^4 * b * c^4) * A * \text{abs}(a * b^4 - 8 * a^2 * b^2 * c + 16 * a^3 * c^2) + 6 * (\sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^8 - 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^6 * c - 2 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^7 * c - 2 * a^2 * b^8 * c + 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^5 * c^2 + \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^6 * c^2 + 16 * a^3 * b^6 * c^2 + 128 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * b^2 * c^3 + 32 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^3 * c^3 - 4 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^4 * c^3 - 256 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^6 * c^4 - 128 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * b * c^4 - 16 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^2 * c^4 - 256 * a^5 * b^2 * c^4 + 64 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * c^5 + 512 * a^6 * c^5 + 2 * (b^2 - 4ac) * a^2 * b^6 * c - 8 * (b^2 - 4ac) * a^3 * b^4 * c^2 - 32 * (b^2 - 4ac) * a^4 * b^2 * c^3 + 128 * (b^2 - 4ac) * a^5 * c^4) * B * \text{abs}(a * b^4 - 8 * a^2 * b^2 * c + 16 * a^3 * c^2) + (2 * a^2 * b^12 * c^2 - 136 * a^3 * b^10 * c^3 + 1856 * a^4 * b^8 * c^4 - 10496 * a^5 * b^6 * c^5 + 27136 * a^6 * b^4 * c^6 - 26624 * a^7 * b^2 * c^7 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^12 + 68 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^10 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^11 * c - 928 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^8 * c^2 - 128 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^9 * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^2 * b^10 * c^2 + 5248 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * b^6 * c^3 + 1344 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^7 * c^3 + 64 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^3 * b^8 * c^3 - 13568 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^6 * b^4 * c^4 - 5120 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * b^5 * c^4 - 672 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^4 * b^6 * c^4 + 13312 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^7 * b^2 * c^5 + 6656 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^6 * b^3 * c^5 + 2560 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^5 * b^4 * c^5 - 3328 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{b * c + \sqrt{b^2 - 4ac}} * c) * a^6 * b^2 * c^6 - 2 * (b^2 - 4ac) * a^2 * b^10 * c^2 + 128 * (b^2 - 4ac) * a^3 * b^8 * c^3 - 1344 * (b^2 - 4ac) * a^4 * b^6 * c^4 + 5120 * (b
\end{aligned}$$

$$\begin{aligned}
&^2 - 4*a*c)*a^5*b^4*c^5 - 6656*(b^2 - 4*a*c)*a^6*b^2*c^6)*A + 6*(6*a^3*b^11 \\
&*c^2 - 88*a^4*b^9*c^3 + 448*a^5*b^7*c^4 - 768*a^6*b^5*c^5 - 512*a^7*b^3*c^6 \\
&+ 2048*a^8*b*c^7 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
&)*c)*a^3*b^11 + 44*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a^4*b^9*c + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
&^3*b^10*c - 224*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
&^5*b^7*c^2 - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
&^4*b^8*c^2 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^ \\
&^3*b^9*c^2 + 384*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
&^6*b^5*c^3 + 192*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)* \\
&a^5*b^6*c^3 + 32*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)* \\
&a^4*b^7*c^3 + 256*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c) \\
&*a^7*b^3*c^4 - 96*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c) \\
&*a^5*b^5*c^4 - 1024*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}* \\
&c)*a^8*b*c^5 - 512*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a^7*b^2*c^5 + 256*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}* \\
&c)*a^7*b*c^6 - 6*(b^2 - 4*a*c)*a^3*b^9*c^2 + 64*(b^2 - 4*a*c)*a^4*b^7*c^3 - \\
&192*(b^2 - 4*a*c)*a^5*b^5*c^4 + 512*(b^2 - 4*a*c)*a^7*b*c^6)*B)*\arctan(2*s \\
&\sqrt{1/2}*x/\sqrt{(a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2 + \sqrt{(a*b^5 - 8*a^2*b \\
&^3*c + 16*a^3*b*c^2)^2 - 4*(a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2)*(a*b^4*c - \\
&8*a^2*b^2*c^2 + 16*a^3*c^3)))/(a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)))/((a^ \\
&^3*b^10 - 20*a^4*b^8*c - 2*a^3*b^9*c + 160*a^5*b^6*c^2 + 32*a^4*b^7*c^2 + a^ \\
&^3*b^8*c^2 - 640*a^6*b^4*c^3 - 192*a^5*b^5*c^3 - 16*a^4*b^6*c^3 + 1280*a^7*b \\
&^2*c^4 + 512*a^6*b^3*c^4 + 96*a^5*b^4*c^4 - 1024*a^8*c^5 - 512*a^7*b*c^5 - \\
&256*a^6*b^2*c^5 + 256*a^7*c^6)*\text{abs}(a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2)*\text{abs}(c) \\
&)- 1/64*((2*b^4*c^2 + 32*a*b^2*c^3 - 160*a^2*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a* \\
&c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^4 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{ \\
&b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \\
&\sqrt{b^2 - 4*a*c}}*c)*b^3*c + 80*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{ \\
&b^2 - 4*a*c}}*c)*a^2*c^2 + 40*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 \\
&- 4*a*c}}*c)*a*b*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}} \\
&)*c)*b^2*c^2 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c) \\
&*a*c^3 - 2*(b^2 - 4*a*c)*b^2*c^2 - 40*(b^2 - 4*a*c)*a*c^3)*(a*b^4 - 8*a^2*b \\
&^2*c + 16*a^3*c^2)^2*A - 12*(2*a*b^3*c^2 - 8*a^2*b*c^3 - \sqrt{2}*\sqrt{b^2 - \\
&4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^3 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c} \\
&)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{ \\
&b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \\
&\sqrt{b^2 - 4*a*c}}*c)*a*b*c^2 - 2*(b^2 - 4*a*c)*a*b*c^2)*(a*b^4 - 8*a^2*b^2* \\
&c + 16*a^3*c^2)^2*B - 2*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^9 - 28 \\
&*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b^7*c - 2*\sqrt{2}*\sqrt{b*c - s \\
&\sqrt{b^2 - 4*a*c}}*c)*a*b^8*c + 2*a*b^9*c + 240*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - \\
&4*a*c}}*c)*a^3*b^5*c^2 + 48*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b^6 \\
&*c^2 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^7*c^2 - 56*a^2*b^7*c^2 - \\
&832*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^4*b^3*c^3 - 288*\sqrt{2}*\sqrt{ \\
&b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*b^4*c^3 - 24*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 -
\end{aligned}$$

$$\begin{aligned}
& 4*a*c)*c)*a^2*b^5*c^3 + 480*a^3*b^5*c^3 + 1024*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b*c^4 + 512*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^2 \\
& *c^4 + 144*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^3*c^4 - 1664*a^4*b^3*c^4 - 256*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b*c^5 + 2048*a^5*b \\
& *c^5 - 2*(b^2 - 4*a*c)*a*b^7*c + 48*(b^2 - 4*a*c)*a^2*b^5*c^2 - 288*(b^2 - 4*a*c)*a^3*b^3*c^3 + 512*(b^2 - 4*a*c)*a^4*b*c^4)*A*abs(a*b^4 - 8*a^2*b^2*c \\
& + 16*a^3*c^2) - 6*(\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^8 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^6*c - 2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^7*c + 2*a^2*b^8*c + 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4 \\
& *a*c})*c)*a^3*b^5*c^2 + \sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^6*c^2 - 16*a^3*b^6*c^2 + 128*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b^2*c^3 \\
& + 32*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^3*c^3 - 4*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^4*c^3 - 256*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4 \\
& *a*c})*c)*a^6*c^4 - 128*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b*c^4 - 16*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^2*c^4 + 256*a^5*b^2*c^4 + \\
& 64*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*c^5 - 512*a^6*c^5 - 2*(b^2 - 4*a*c)*a^2*b^6*c + 8*(b^2 - 4*a*c)*a^3*b^4*c^2 + 32*(b^2 - 4*a*c)*a^4*b^2* \\
& c^3 - 128*(b^2 - 4*a*c)*a^5*c^4)*B*abs(a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2) + \\
& (2*a^2*b^12*c^2 - 136*a^3*b^10*c^3 + 1856*a^4*b^8*c^4 - 10496*a^5*b^6*c^5 + \\
& 27136*a^6*b^4*c^6 - 26624*a^7*b^2*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \\
& \sqrt{b^2 - 4*a*c})*c)*a^2*b^12 + 68*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \\
& \sqrt{b^2 - 4*a*c})*c)*a^3*b^10*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^11*c - 928*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^8*c^2 - 128*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^9*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^2*b^10*c^2 + 5248*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b^6*c^3 + 1344*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^7*c^3 + 64*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^8*c^3 - 13568*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^6*b^4*c^4 - 5120*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b^5*c^4 - 672*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^6*c^4 + 13312*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^7*b^2*c^5 + 6656*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^6*b^3*c^5 + 2560*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b^4*c^5 - 3328*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^6*b^2*c^6 - 2*(b^2 - 4*a*c)*a^2*b^10*c^2 + 128*(b^2 - 4*a*c)*a^3*b^8*c^3 - 1344*(b^2 - 4*a*c)*a^4*b^6*c^4 + 5120*(b^2 - 4*a*c)*a^5*b^4*c^5 - 6656*(b^2 - 4*a*c)*a^6*b^2*c^6)*A + 6*(6*a^3*b^11*c^2 - 88*a^4*b^9*c^3 + 448*a^5*b^7*c^4 - 768*a^6*b^5*c^5 - 512*a^7*b^3*c^6 + 2048*a^8*b*c^7 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^11 + 44*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^9*c + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^3*b^10*c - 224*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^5*b^7*c^2 - 64*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)*a^4*b^8*c^2 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c})*c)
\end{aligned}$$

```

)*a^3*b^9*c^2 + 384*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*
c)*a^6*b^5*c^3 + 192*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)
*c)*a^5*b^6*c^3 + 32*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)
*c)*a^4*b^7*c^3 + 256*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)
)*c)*a^7*b^3*c^4 - 96*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)
)*c)*a^5*b^5*c^4 - 1024*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a
*c)*c)*a^8*b*c^5 - 512*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*
c)*c)*a^7*b^2*c^5 + 256*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a
*c)*c)*a^7*b*c^6 - 6*(b^2 - 4*a*c)*a^3*b^9*c^2 + 64*(b^2 - 4*a*c)*a^4*b^7*c
^3 - 192*(b^2 - 4*a*c)*a^5*b^5*c^4 + 512*(b^2 - 4*a*c)*a^7*b*c^6)*B)*arctan
(2*sqrt(1/2)*x/sqrt((a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2 - sqrt((a*b^5 - 8*a
^2*b^3*c + 16*a^3*b*c^2)^2 - 4*(a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2)*(a*b^4*c
- 8*a^2*b^2*c^2 + 16*a^3*c^3)))/(a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)))/
((a^3*b^10 - 20*a^4*b^8*c - 2*a^3*b^9*c + 160*a^5*b^6*c^2 + 32*a^4*b^7*c^2
+ a^3*b^8*c^2 - 640*a^6*b^4*c^3 - 192*a^5*b^5*c^3 - 16*a^4*b^6*c^3 + 1280*a
^7*b^2*c^4 + 512*a^6*b^3*c^4 + 96*a^5*b^4*c^4 - 1024*a^8*c^5 - 512*a^7*b*c^
5 - 256*a^6*b^2*c^5 + 256*a^7*c^6)*abs(a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2)*ab
s(c)) - 1/8*(12*B*a*b*c^2*x^7 - A*b^2*c^2*x^7 - 20*A*a*c^3*x^7 + 19*B*a*b^2
*c*x^5 - 2*A*b^3*c*x^5 - 4*B*a^2*c^2*x^5 - 28*A*a*b*c^2*x^5 + 5*B*a*b^3*x^3
- A*b^4*x^3 + 16*B*a^2*b*c*x^3 - 5*A*a*b^2*c*x^3 - 36*A*a^2*c^2*x^3 + 3*B*
a^2*b^2*x + A*a*b^3*x + 12*B*a^3*c*x - 16*A*a^2*b*c*x)/(a*b^4 - 8*a^2*b^2*
c + 16*a^3*c^2)*(c*x^4 + b*x^2 + a)^2)

```

maple [B] time = 0.05, size = 1335, normalized size = 3.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (x^2(Bx^2+A)/(cx^4+bx^2+a)^3, x)$

[Out] $(1/8*c^2*(20*A*a*c+A*b^2-12*B*a*b)/a/(16*a^2*c^2-8*a*b^2*c+b^4)*x^7+1/8/a*c$
 $* (28*A*a*b*c+2*A*b^3+4*B*a^2*c-19*B*a*b^2)/(16*a^2*c^2-8*a*b^2*c+b^4)*x^5+1$
 $/8*(36*A*a^2*c^2+5*A*a*b^2*c+A*b^4-16*B*a^2*b*c-5*B*a*b^3)/a/(16*a^2*c^2-8*$
 $a*b^2*c+b^4)*x^3+1/8*(16*A*a*b*c-A*b^3-12*B*a^2*c-3*B*a*b^2)/(16*a^2*c^2-8*$
 $a*b^2*c+b^4)*x)/(c*x^4+b*x^2+a)^2-5/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c^2*2^(1/2)$
 $)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2)$
 $)*c)^(1/2)*c*x)*A-1/16/a/(16*a^2*c^2-8*a*b^2*c+b^4)*c*2^(1/2)/((-b+(-4*a*c+$
 $b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)$
 $*A*b^2+13/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+$
 $(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1$
 $/2)*c*x)*A*b-1/16/a/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c+b^2)^(1/2)*2^(1/2)$
 $/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))$
 $*c)^(1/2)*c*x)*A*b^3+3/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c*2^(1/2)/((-b+(-4*a*c+$
 $b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)$
 $*b*B-3/2*a/(16*a^2*c^2-8*a*b^2*c+b^4)*c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+($

$$\begin{aligned}
& -4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B-9/8/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B*b^2+5/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A+1/16/a/(16*a^2*c^2-8*a*b^2*c+b^4)*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^2+13/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b-1/16/a/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*A*b^3-3/4/(16*a^2*c^2-8*a*b^2*c+b^4)*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B-9/8/(16*a^2*c^2-8*a*b^2*c+b^4)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*B*b^2
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{8}((20Aac^3 - (12Bab - Ab^2)c^2)x^7 + (4(Ba^2 + 7Aab)c^2 - (19Bab^2 - 2Ab^3)c)x^5 - (5Bab^3 - Ab^4 - 36Aa^2c^2 + (16Ba^2b - 5Aab^2)c)x^3 - (3Ba^2b^2 + Aab^3 + 4(3Ba^3 - 4Aa^2b)c)x)/((ab^4c^2 - 8a^2b^2c^3 + 16a^3c^4)x^8 + a^3b^4 - 8a^4b^2c + 16a^5c^2 + 2(ab^5c - 8a^2b^3c^2 + 16a^3b^2c^3)x^6 + (ab^6 - 6a^2b^4c + 32a^4c^3)x^4 + 2(a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)x^2) + \frac{1}{8}\operatorname{integrate}((3Bab^2 + Ab^3 + (20Aa^2c^2 - (12Bab - Ab^2)c)x^2 + 4(3Ba^2 - 4Aab)c)/(c*x^4 + b*x^2 + a), x)/(ab^4 - 8a^2b^2c + 16a^3c^2)$

mupad [B] time = 3.92, size = 18992, normalized size = 43.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^3,x)

[Out] $\frac{(x^3(Ab^4 + 36Aa^2c^2 - 5Bab^3 + 5Aab^2c - 16Ba^2b^2c))/(8a(b^4 + 16a^2c^2 - 8ab^2c)) - (x(Ab^3 + 3Bab^2 + 12Ba^2c - 16Aab^2c))/(8(b^4 + 16a^2c^2 - 8ab^2c)) + (x^5(4Ba^2c^2 + 2Ab^3c))}{(8a(b^4 + 16a^2c^2 - 8ab^2c)) - (x(Ab^3 + 3Bab^2 + 12Ba^2c - 16Aab^2c))/(8(b^4 + 16a^2c^2 - 8ab^2c)) + (x^5(4Ba^2c^2 + 2Ab^3c))}$

$$\begin{aligned}
& *a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c - 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 + 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^20 + 1048576*a^13*c^10 - 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^7*b^12*c^4 - 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^7 + 2949120*a^11*b^4*c^8 - 2621440*a^12*b^2*c^9))^{(1/2)} * i \\
& - (((256*A*a*b^{13}*c^2 - 3145728*B*a^8*c^8 + 4194304*A*a^7*b*c^8 - 9216*A*a^2*b^{11}*c^3 + 122880*A*a^3*b^9*c^4 - 819200*A*a^4*b^7*c^5 + 2949120*A*a^5*b^5*c^6 - 5505024*A*a^6*b^3*c^7 + 768*B*a^2*b^{12}*c^2 - 12288*B*a^3*b^{10}*c^3 + 61440*B*a^4*b^8*c^4 - 983040*B*a^6*b^4*c^6 + 3145728*B*a^7*b^2*c^7)/(512*(a^2*b^{12} + 4096*a^8*c^6 - 24*a^3*b^{10}*c + 240*a^4*b^8*c^2 - 1280*a^5*b^6*c^3 + 3840*a^6*b^4*c^4 - 6144*a^7*b^2*c^5)) + (x*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} + A^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c - 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 + 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^20 + 1048576*a^13*c^10 - 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^7*b^12*c^4 - 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^7 + 2949120*a^11*b^4*c^8 - 2621440*a^12*b^2*c^9))^{(1/2)} * (262144*a^7*b*c^7 - 256*a^2*b^{11}*c^2 + 5120*a^3*b^9*c^3 - 40960*a^4*b^7*c^4 + 163840*a^5*b^5*c^5 - 327680*a^6*b^3*c^6))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^4*c^2 - 256*a^5*b^2*c^3)) * (- (A^2*b^{17} + 9*B^2*a^2*b^{15} + A^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c - 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 + 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^20 + 1048576*a^13*c^10 - 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^7*b^12*c^4 - 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^7 + 2949120*a^11*b^4*c^8 - 2621440*a^12*b^2*c^9))^{(1/2)} - (x*(A^2*b^6*c^3 - 800*A^2*a^3*c^6 + 288*B^2*a^4*c^5 + 1472*A^2*a^2*b^2*c^5 + 234*B^2*a^2*b^4*c^3 + 144*B^2*a^3*b^2*c^4 - 34*A^2
\end{aligned}$$

$$\begin{aligned}
& *a*b^4*c^4 - 1104*A*B*a^2*b^3*c^4 + 6*A*B*a*b^5*c^3 - 288*A*B*a^3*b*c^5)) / (\\
& 32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^4*c^2 - 256*a^5*b^2*c^3 \\
&)) * (- (A^2*b^17 + 9*B^2*a^2*b^15 + A^2*b^2*(-(4*a*c - b^2)^15)^{(1/2)} + 9*B^2 \\
& *a^2*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*a*b^16 + 1140*A^2*a^2*b^13*c^2 - 10 \\
& 160*A^2*a^3*b^11*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 6809 \\
& 60*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^11*c^2 + 3744 \\
& 0*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960* \\
& B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^15*c - 25*A^2*a*c*(-(4*a* \\
& c - b^2)^15)^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^13*c - 737280*B^2 \\
& *a^9*b*c^7 + 240*A*B*a^3*b^12*c^2 + 24000*A*B*a^4*b^10*c^3 - 241920*A*B*a^5 \\
& *b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8 \\
& *b^2*c^7 + 6*A*B*a*b*(-(4*a*c - b^2)^15)^{(1/2)} - 180*A*B*a^2*b^14*c) / (512 \\
& *(a^3*b^20 + 1048576*a^13*c^10 - 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6 \\
& *b^14*c^3 + 53760*a^7*b^12*c^4 - 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 \\
& - 1966080*a^10*b^6*c^7 + 2949120*a^11*b^4*c^8 - 2621440*a^12*b^2*c^9)))^{(1/ \\
& 2)} * i) / (((((256*A*a*b^13*c^2 - 3145728*B*a^8*c^8 + 4194304*A*a^7*b*c^8 - 921 \\
& 6*A*a^2*b^11*c^3 + 122880*A*a^3*b^9*c^4 - 819200*A*a^4*b^7*c^5 + 2949120*A* \\
& a^5*b^5*c^6 - 5505024*A*a^6*b^3*c^7 + 768*B*a^2*b^12*c^2 - 12288*B*a^3*b^10 \\
& *c^3 + 61440*B*a^4*b^8*c^4 - 983040*B*a^6*b^4*c^6 + 3145728*B*a^7*b^2*c^7) / \\
& (512*(a^2*b^12 + 4096*a^8*c^6 - 24*a^3*b^10*c + 240*a^4*b^8*c^2 - 1280*a^5* \\
& b^6*c^3 + 3840*a^6*b^4*c^4 - 6144*a^7*b^2*c^5)) - (x*(-(A^2*b^17 + 9*B^2*a^ \\
& 2*b^15 + A^2*b^2*(-(4*a*c - b^2)^15)^{(1/2)} + 9*B^2*a^2*(-(4*a*c - b^2)^15)^ \\
& (1/2) + 6*A*B*a*b^16 + 1140*A^2*a^2*b^13*c^2 - 10160*A^2*a^3*b^11*c^3 + 348 \\
& 80*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 18636 \\
& 80*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^11*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680 \\
& *B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A \\
& *B*a^9*c^8 - 55*A^2*a*b^15*c - 25*A^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} - 17203 \\
& 20*A^2*a^8*b*c^8 + 180*B^2*a^3*b^13*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3* \\
& b^12*c^2 + 24000*A*B*a^4*b^10*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6 \\
& *b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 + 6*A*B*a*b*(-(\\
& 4*a*c - b^2)^15)^{(1/2)} - 180*A*B*a^2*b^14*c) / (512*(a^3*b^20 + 1048576*a^13* \\
& c^10 - 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^7*b^1 \\
& 2*c^4 - 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^7 + 2 \\
& 949120*a^11*b^4*c^8 - 2621440*a^12*b^2*c^9)))^{(1/2)} * (262144*a^7*b*c^7 - 256 \\
& *a^2*b^11*c^2 + 5120*a^3*b^9*c^3 - 40960*a^4*b^7*c^4 + 163840*a^5*b^5*c^5 - \\
& 327680*a^6*b^3*c^6)) / (32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^ \\
& 4*c^2 - 256*a^5*b^2*c^3))) * (- (A^2*b^17 + 9*B^2*a^2*b^15 + A^2*b^2*(-(4*a*c \\
& - b^2)^15)^{(1/2)} + 9*B^2*a^2*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*a*b^16 + 114 \\
& 0*A^2*a^2*b^13*c^2 - 10160*A^2*a^3*b^11*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776 \\
& *A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040* \\
& B^2*a^4*b^11*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2 \\
& *a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^15 \\
& *c - 25*A^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2 \\
& *a^3*b^13*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^12*c^2 + 24000*A*B*a^4*b \\
& ^10*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7
\end{aligned}$$

$$\begin{aligned}
& *b^4*c^6 + 737280*A*B*a^8*b^2*c^7 + 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 1 \\
& 80*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720 \\
& *a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 \\
& + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621 \\
& 440*a^{12}*b^2*c^9))^{(1/2)} + (x*(A^2*b^6*c^3 - 800*A^2*a^3*c^6 + 288*B^2*a^4 \\
& *c^5 + 1472*A^2*a^2*b^2*c^5 + 234*B^2*a^2*b^4*c^3 + 144*B^2*a^3*b^2*c^4 - 3 \\
& 4*A^2*a*b^4*c^4 - 1104*A*B*a^2*b^3*c^4 + 6*A*B*a*b^5*c^3 - 288*A*B*a^3*b*c^5 \\
& 5))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^4*c^2 - 256*a^5*b^2 \\
& *c^3)))*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} + A^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + \\
& 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 \\
& - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - \\
& 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + \\
& 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 55 \\
& 2960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c - 25*A^2*a*c*(- \\
& (4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 7372 \\
& 80*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A \\
& *B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280* \\
& A*B*a^8*b^2*c^7 + 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c) \\
& / (512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 76 \\
& 80*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8 \\
& *c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9)) \\
&)^{(1/2)} + (((256*A*a*b^{13}*c^2 - 3145728*B*a^8*c^8 + 4194304*A*a^7*b*c^8 - 9 \\
& 216*A*a^2*b^{11}*c^3 + 122880*A*a^3*b^9*c^4 - 819200*A*a^4*b^7*c^5 + 2949120* \\
& A*a^5*b^5*c^6 - 5505024*A*a^6*b^3*c^7 + 768*B*a^2*b^{12}*c^2 - 12288*B*a^3*b^ \\
& 10*c^3 + 61440*B*a^4*b^8*c^4 - 983040*B*a^6*b^4*c^6 + 3145728*B*a^7*b^2*c^7 \\
&)/(512*(a^2*b^{12} + 4096*a^8*c^6 - 24*a^3*b^{10}*c + 240*a^4*b^8*c^2 - 1280*a^ \\
& 5*b^6*c^3 + 3840*a^6*b^4*c^4 - 6144*a^7*b^2*c^5)) + (x*(-(A^2*b^{17} + 9*B^2* \\
& a^2*b^{15} + A^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 9*B^2*a^2*(-(4*a*c - b^2)^{15} \\
&)^{(1/2)} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 3 \\
& 4880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 186 \\
& 3680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 1036 \\
& 80*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040 \\
& *A*B*a^9*c^8 - 55*A^2*a*b^{15}*c - 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 172 \\
& 0320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^ \\
& 3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a \\
& ^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 + 6*A*B*a*b*(- \\
& (4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^1 \\
& 3*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b \\
& ^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + \\
& 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9))^{(1/2)}*(262144*a^7*b*c^7 - 2 \\
& 56*a^2*b^{11}*c^2 + 5120*a^3*b^9*c^3 - 40960*a^4*b^7*c^4 + 163840*a^5*b^5*c^5 \\
& - 327680*a^6*b^3*c^6))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4* \\
& b^4*c^2 - 256*a^5*b^2*c^3)))*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} + A^2*b^2*(-(4*a* \\
& c - b^2)^{15})^{(1/2)} + 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{16} + 1 \\
& 140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 437
\end{aligned}$$

$$\begin{aligned}
& 76A^2a^5b^7c^5 - 680960A^2a^6b^5c^6 + 1863680A^2a^7b^3c^7 - 5040B^2a^4b^{11}c^2 + 37440B^2a^5b^9c^3 - 103680B^2a^6b^7c^4 - 9216B^2a^7b^5c^5 + 552960B^2a^8b^3c^6 + 983040ABa^9c^8 - 55A^2a^5b^{15}c - 25A^2a^5c^* \cdot (-4ac - b^2)^{15} \cdot (1/2) - 1720320A^2a^8b^8c^8 + 180B^2a^3b^{13}c - 737280B^2a^9b^8c^7 + 240ABa^3b^{12}c^2 + 24000ABa^4b^{10}c^3 - 241920ABa^5b^8c^4 + 992256ABa^6b^6c^5 - 1781760ABa^7b^4c^6 + 737280ABa^8b^2c^7 + 6ABa^5b^* \cdot (-4ac - b^2)^{15} \cdot (1/2) - 180ABa^2b^{14}c) / (512(a^3b^{20} + 1048576a^{13}c^{10} - 40a^4b^{18}c + 720a^5b^{16}c^2 - 7680a^6b^{14}c^3 + 53760a^7b^{12}c^4 - 258048a^8b^{10}c^5 + 860160a^9b^8c^6 - 1966080a^{10}b^6c^7 + 2949120a^{11}b^4c^8 - 2621440a^{12}b^2c^9)) \cdot (1/2) - (x(A^2b^6c^3 - 800A^2a^3c^6 + 288B^2a^4c^5 + 1472A^2a^2b^2c^5 + 234B^2a^2b^4c^3 + 144B^2a^3b^2c^4 - 34A^2a^5b^4c^4 - 1104ABa^2b^3c^4 + 6ABa^5b^5c^3 - 288ABa^3b^5c^5)) / (32(a^2b^8 + 256a^6c^4 - 16a^3b^6c + 96a^4b^4c^2 - 256a^5b^2c^3)) \cdot (-A^2b^{17} + 9B^2a^2b^{15} + A^2b^2 \cdot (-4ac - b^2)^{15} \cdot (1/2) + 9B^2a^2 \cdot (-4ac - b^2)^{15} \cdot (1/2) + 6ABa^5b^{16} + 1140A^2a^2b^{13}c^2 - 10160A^2a^3b^{11}c^3 + 34880A^2a^4b^9c^4 + 43776A^2a^5b^7c^5 - 680960A^2a^6b^5c^6 + 1863680A^2a^7b^3c^7 - 5040B^2a^4b^{11}c^2 + 37440B^2a^5b^9c^3 - 103680B^2a^6b^7c^4 - 9216B^2a^7b^5c^5 + 552960B^2a^8b^3c^6 + 983040ABa^9c^8 - 55A^2a^5b^{15}c - 25A^2a^5c^* \cdot (-4ac - b^2)^{15} \cdot (1/2) - 1720320A^2a^8b^8c^8 + 180B^2a^3b^{13}c - 737280B^2a^9b^8c^7 + 240ABa^3b^{12}c^2 + 24000ABa^4b^{10}c^3 - 241920ABa^5b^8c^4 + 992256ABa^6b^6c^5 - 1781760ABa^7b^4c^6 + 737280ABa^8b^2c^7 + 6ABa^5b^* \cdot (-4ac - b^2)^{15} \cdot (1/2) - 180ABa^2b^{14}c) / (512(a^3b^{20} + 1048576a^{13}c^{10} - 40a^4b^{18}c + 720a^5b^{16}c^2 - 7680a^6b^{14}c^3 + 53760a^7b^{12}c^4 - 258048a^8b^{10}c^5 + 860160a^9b^8c^6 - 1966080a^{10}b^6c^7 + 2949120a^{11}b^4c^8 - 2621440a^{12}b^2c^9)) \cdot (1/2) + (35A^3b^6c^4 - 8000A^3a^3c^7 - 12720A^3a^2b^2c^6 + 540B^3a^2b^5c^3 + 4320B^3a^3b^3c^4 - 2880AB^2a^4c^6 - 15A^2Bb^7c^3 + 84A^3a^5b^4c^5 + 1728B^3a^4b^5c^5 + 135AB^2a^5b^6c^3 - 360A^2B^2a^5b^5c^4 + 26880A^2B^2a^3b^5c^6 - 5580AB^2a^2b^4c^4 - 20592AB^2a^3b^2c^5 + 15696A^2B^2a^2b^3c^5) / (256(a^2b^{12} + 4096a^8c^6 - 24a^3b^{10}c + 240a^4b^8c^2 - 1280a^5b^6c^3 + 3840a^6b^4c^4 - 6144a^7b^2c^5)) \cdot (-A^2b^{17} + 9B^2a^2b^{15} + A^2b^2 \cdot (-4ac - b^2)^{15} \cdot (1/2) + 9B^2a^2 \cdot (-4ac - b^2)^{15} \cdot (1/2) + 6ABa^5b^{16} + 1140A^2a^2b^{13}c^2 - 10160A^2a^3b^{11}c^3 + 34880A^2a^4b^9c^4 + 43776A^2a^5b^7c^5 - 680960A^2a^6b^5c^6 + 1863680A^2a^7b^3c^7 - 5040B^2a^4b^{11}c^2 + 37440B^2a^5b^9c^3 - 103680B^2a^6b^7c^4 - 9216B^2a^7b^5c^5 + 552960B^2a^8b^3c^6 + 983040ABa^9c^8 - 55A^2a^5b^{15}c - 25A^2a^5c^* \cdot (-4ac - b^2)^{15} \cdot (1/2) - 1720320A^2a^8b^8c^8 + 180B^2a^3b^{13}c - 737280B^2a^9b^8c^7 + 240ABa^3b^{12}c^2 + 24000ABa^4b^{10}c^3 - 241920ABa^5b^8c^4 + 992256ABa^6b^6c^5 - 1781760ABa^7b^4c^6 + 737280ABa^8b^2c^7 + 6ABa^5b^* \cdot (-4ac - b^2)^{15} \cdot (1/2) - 180ABa^2b^{14}c) / (512(a^3b^{20} + 1048576a^{13}c^{10} - 40a^4b^{18}c + 720a^5b^{16}c^2 - 7680a^6b^{14}c^3 + 53760a^7b^{12}c^4 - 258048a^8b^{10}c^5 + 860160
\end{aligned}$$

$$\begin{aligned}
& *a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9))^{\frac{1}{2}}*2i + \operatorname{atan}\left(\frac{(256*A*a*b^{13}*c^2 - 3145728*B*a^8*c^8 + 4194304*A*a^7*b*c^8 - 9216*A*a^2*b^{11}*c^3 + 122880*A*a^3*b^9*c^4 - 819200*A*a^4*b^7*c^5 + 2949120*A*a^5*b^5*c^6 - 5505024*A*a^6*b^3*c^7 + 768*B*a^2*b^{12}*c^2 - 12288*B*a^3*b^{10}*c^3 + 61440*B*a^4*b^8*c^4 - 983040*B*a^6*b^4*c^6 + 3145728*B*a^7*b^2*c^7)/(512*(a^2*b^{12} + 4096*a^8*c^6 - 24*a^3*b^{10}*c + 240*a^4*b^8*c^2 - 1280*a^5*b^6*c^3 + 3840*a^6*b^4*c^4 - 6144*a^7*b^2*c^5)) - (x*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} - A^2*b^2*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c + 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9))^{\frac{1}{2}}*(262144*a^7*b*c^7 - 256*a^2*b^{11}*c^2 + 5120*a^3*b^9*c^3 - 40960*a^4*b^7*c^4 + 163840*a^5*b^5*c^5 - 327680*a^6*b^3*c^6))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^4*c^2 - 256*a^5*b^2*c^3)))*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} - A^2*b^2*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c + 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9))^{\frac{1}{2}} + (x*(A^2*b^6*c^3 - 800*A^2*a^3*c^6 + 288*B^2*a^4*c^5 + 1472*A^2*a^2*b^2*c^5 + 234*B^2*a^2*b^4*c^3 + 144*B^2*a^3*b^2*c^4 - 34*A^2*a*b^4*c^4 - 1104*A*B*a^2*b^3*c^4 + 6*A*B*a*b^5*c^3 - 288*A*B*a^3*b*c^5))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^4*c^2 - 256*a^5*b^2*c^3)))*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} - A^2*b^2*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} - 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{\frac{1}{2}} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}
\end{aligned}$$

$$\begin{aligned}
& 5*c + 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9)))^{(1/2)}*1i - (((256*A*a*b^{13}*c^2 - 3145728*B*a^8*c^8 + 4194304*A*a^7*b*c^8 - 9216*A*a^2*b^{11}*c^3 + 122880*A*a^3*b^9*c^4 - 819200*A*a^4*b^7*c^5 + 2949120*A*a^5*b^5*c^6 - 5505024*A*a^6*b^3*c^7 + 768*B*a^2*b^{12}*c^2 - 12288*B*a^3*b^{10}*c^3 + 61440*B*a^4*b^8*c^4 - 983040*B*a^6*b^4*c^6 + 3145728*B*a^7*b^2*c^7)/(512*(a^2*b^{12} + 4096*a^8*c^6 - 24*a^3*b^{10}*c + 240*a^4*b^8*c^2 - 1280*a^5*b^6*c^3 + 3840*a^6*b^4*c^4 - 6144*a^7*b^2*c^5)) + (x*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} - A^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} - 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c + 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9)))^{(1/2)}*(262144*a^7*b*c^7 - 256*a^2*b^{11}*c^2 + 5120*a^3*b^9*c^3 - 40960*a^4*b^7*c^4 + 163840*a^5*b^5*c^5 - 327680*a^6*b^3*c^6))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*a^4*b^4*c^2 - 256*a^5*b^2*c^3)))*(-(A^2*b^{17} + 9*B^2*a^2*b^{15} - A^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} - 9*B^2*a^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{16} + 1140*A^2*a^2*b^{13}*c^2 - 10160*A^2*a^3*b^{11}*c^3 + 34880*A^2*a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^3*c^7 - 5040*B^2*a^4*b^{11}*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - 55*A^2*a*b^{15}*c + 25*A^2*a*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^{13}*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^{12}*c^2 + 24000*A*B*a^4*b^{10}*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - b^2)^{15})^{(1/2)} - 180*A*B*a^2*b^{14}*c)/(512*(a^3*b^{20} + 1048576*a^{13}*c^{10} - 40*a^4*b^{18}*c + 720*a^5*b^{16}*c^2 - 7680*a^6*b^{14}*c^3 + 53760*a^7*b^{12}*c^4 - 258048*a^8*b^{10}*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^{10}*b^6*c^7 + 2949120*a^{11}*b^4*c^8 - 2621440*a^{12}*b^2*c^9)))^{(1/2)} - (x*(A^2*b^6*c^3 - 800*A^2*a^3*c^6 + 288*B^2*a^4*c^5 + 1472*A^2*a^2*b^2*c^5 + 234*B^2*a^2*b^4*c^3 + 144*B^2*a^3*b^2*c^4 - 34*A^2*a*b^4*c^4 - 1104*A*B*a^2*b^3*c^4 + 6*A*B*a*b^5*c^3 - 288*A*B*a^3*b*c^5))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6*c + 96*
\end{aligned}$$

$$\begin{aligned}
& a^4 b^4 c^2 - 256 a^5 b^2 c^3)) * (- (A^2 b^{17} + 9 B^2 a^2 b^{15} - A^2 b^2 * (- (4 a^4 c - b^2)^{15})^{1/2} - 9 B^2 a^2 * (- (4 a^4 c - b^2)^{15})^{1/2} + 6 A B a^2 b^{16} \\
& + 1140 A^2 a^2 b^{13} c^2 - 10160 A^2 a^3 b^{11} c^3 + 34880 A^2 a^4 b^9 c^4 + 43776 A^2 a^5 b^7 c^5 - 680960 A^2 a^6 b^5 c^6 + 1863680 A^2 a^7 b^3 c^7 - \\
& 5040 B^2 a^4 b^{11} c^2 + 37440 B^2 a^5 b^9 c^3 - 103680 B^2 a^6 b^7 c^4 - 9216 B^2 a^7 b^5 c^5 + 552960 B^2 a^8 b^3 c^6 + 983040 A B a^9 c^8 - 55 A^2 a^2 b^{15} c \\
& + 25 A^2 a^2 c * (- (4 a^4 c - b^2)^{15})^{1/2} - 1720320 A^2 a^8 b^8 c^8 + 180 B^2 a^3 b^{13} c - 737280 B^2 a^9 b^8 c^7 + 240 A B a^3 b^{12} c^2 + 24000 A B \\
& a^4 b^{10} c^3 - 241920 A B a^5 b^8 c^4 + 992256 A B a^6 b^6 c^5 - 1781760 A B a^7 b^4 c^6 + 737280 A B a^8 b^2 c^7 - 6 A B a^2 b^2 * (- (4 a^4 c - b^2)^{15})^{1/2} \\
& - 180 A B a^2 b^{14} c) / (512 * (a^3 b^{20} + 1048576 a^{13} c^{10} - 40 a^4 b^{18} c + 720 a^5 b^{16} c^2 - 7680 a^6 b^{14} c^3 + 53760 a^7 b^{12} c^4 - 258048 a^8 b^{10} c^5 \\
& + 860160 a^9 b^8 c^6 - 1966080 a^{10} b^6 c^7 + 2949120 a^{11} b^4 c^8 - 2621440 a^{12} b^2 c^9))^{1/2} * i) / (((256 A a^2 b^{13} c^2 - 3145728 B a^8 c^8 + 4194304 A a^7 b^8 c^8 - 9216 A a^2 b^{11} c^3 + 122880 A a^3 b^9 c^4 - 8192 \\
& 00 A a^4 b^7 c^5 + 2949120 A a^5 b^5 c^6 - 5505024 A a^6 b^3 c^7 + 768 B a^2 b^{12} c^2 - 12288 B a^3 b^{10} c^3 + 61440 B a^4 b^8 c^4 - 983040 B a^6 b^4 c^6 + 3145728 B a^7 b^2 c^7) / (512 * (a^2 b^{12} + 4096 a^8 c^6 - 24 a^3 b^{10} c \\
& + 240 a^4 b^8 c^2 - 1280 a^5 b^6 c^3 + 3840 a^6 b^4 c^4 - 6144 a^7 b^2 c^5) - (x * (- (A^2 b^{17} + 9 B^2 a^2 b^{15} - A^2 b^2 * (- (4 a^4 c - b^2)^{15})^{1/2} - 9 \\
& * B^2 a^2 * (- (4 a^4 c - b^2)^{15})^{1/2} + 6 A B a^2 b^{16} + 1140 A^2 a^2 b^{13} c^2 - 10160 A^2 a^3 b^{11} c^3 + 34880 A^2 a^4 b^9 c^4 + 43776 A^2 a^5 b^7 c^5 - 6 \\
& 80960 A^2 a^6 b^5 c^6 + 1863680 A^2 a^7 b^3 c^7 - 5040 B^2 a^4 b^{11} c^2 + 37440 B^2 a^5 b^9 c^3 - 103680 B^2 a^6 b^7 c^4 - 9216 B^2 a^7 b^5 c^5 + 5529 \\
& 60 B^2 a^8 b^3 c^6 + 983040 A B a^9 c^8 - 55 A^2 a^2 b^{15} c + 25 A^2 a^2 c * (- (4 a^4 c - b^2)^{15})^{1/2} - 1720320 A^2 a^8 b^8 c^8 + 180 B^2 a^3 b^{13} c - 737280 \\
& * B^2 a^9 b^8 c^7 + 240 A B a^3 b^{12} c^2 + 24000 A B a^4 b^{10} c^3 - 241920 A B a^5 b^8 c^4 + 992256 A B a^6 b^6 c^5 - 1781760 A B a^7 b^4 c^6 + 737280 A B \\
& a^8 b^2 c^7 - 6 A B a^2 b^2 * (- (4 a^4 c - b^2)^{15})^{1/2} - 180 A B a^2 b^{14} c) / (512 * (a^3 b^{20} + 1048576 a^{13} c^{10} - 40 a^4 b^{18} c + 720 a^5 b^{16} c^2 - 7680 \\
& a^6 b^{14} c^3 + 53760 a^7 b^{12} c^4 - 258048 a^8 b^{10} c^5 + 860160 a^9 b^8 c^6 - 1966080 a^{10} b^6 c^7 + 2949120 a^{11} b^4 c^8 - 2621440 a^{12} b^2 c^9))^{1/2} \\
& * (262144 a^7 b^8 c^7 - 256 a^2 b^{11} c^2 + 5120 a^3 b^9 c^3 - 40960 a^4 b^7 c^4 + 163840 a^5 b^5 c^5 - 327680 a^6 b^3 c^6) / (32 * (a^2 b^8 + 256 a^6 c^4 - 16 a^3 b^6 c + 96 a^4 b^4 c^2 - 256 a^5 b^2 c^3)) * (- (A^2 b^{17} + 9 B^2 \\
& a^2 b^{15} - A^2 b^2 * (- (4 a^4 c - b^2)^{15})^{1/2} - 9 B^2 a^2 * (- (4 a^4 c - b^2)^{15})^{1/2} + 6 A B a^2 b^{16} + 1140 A^2 a^2 b^{13} c^2 - 10160 A^2 a^3 b^{11} c^3 + \\
& 34880 A^2 a^4 b^9 c^4 + 43776 A^2 a^5 b^7 c^5 - 680960 A^2 a^6 b^5 c^6 + 1863680 A^2 a^7 b^3 c^7 - 5040 B^2 a^4 b^{11} c^2 + 37440 B^2 a^5 b^9 c^3 - 103 \\
& 680 B^2 a^6 b^7 c^4 - 9216 B^2 a^7 b^5 c^5 + 552960 B^2 a^8 b^3 c^6 + 983040 A B a^9 c^8 - 55 A^2 a^2 b^{15} c + 25 A^2 a^2 c * (- (4 a^4 c - b^2)^{15})^{1/2} - 17 \\
& 20320 A^2 a^8 b^8 c^8 + 180 B^2 a^3 b^{13} c - 737280 B^2 a^9 b^8 c^7 + 240 A B a^3 b^{12} c^2 + 24000 A B a^4 b^{10} c^3 - 241920 A B a^5 b^8 c^4 + 992256 A B a^6 b^6 c^5 - 1781760 A B a^7 b^4 c^6 + 737280 A B a^8 b^2 c^7 - 6 A B a^2 b^2 * \\
& (- (4 a^4 c - b^2)^{15})^{1/2} - 180 A B a^2 b^{14} c) / (512 * (a^3 b^{20} + 1048576 a^{13} c^{10} - 40 a^4 b^{18} c + 720 a^5 b^{16} c^2 - 7680 a^6 b^{14} c^3 + 53760 a^7 b^{12} c^4 - 258048 a^8 b^{10} c^5 + 860160 a^9 b^8 c^6 - 1966080 a^{10} b^6 c^7 + 2949120 a^{11} b^4 c^8 - 2621440 a^{12} b^2 c^9))^{1/2}
\end{aligned}$$

$$\begin{aligned}
& 13c^{10} - 40a^4b^{18}c + 720a^5b^{16}c^2 - 7680a^6b^{14}c^3 + 53760a^7b^{12}c^4 - 258048a^8b^{10}c^5 + 860160a^9b^8c^6 - 1966080a^{10}b^6c^7 \\
& + 2949120a^{11}b^4c^8 - 2621440a^{12}b^2c^9))^{(1/2)} + (x*(A^2b^6c^3 - 800A^2a^3c^6 + 288B^2a^4c^5 + 1472A^2a^2b^2c^5 + 234B^2a^2b^4c^3 + 144B^2a^3b^2c^4 - 34A^2a*b^4c^4 - 1104A*B*a^2b^3c^4 + 6A*B \\
& *a*b^5c^3 - 288A*B*a^3b*c^5))/(32*(a^2b^8 + 256a^6c^4 - 16a^3b^6c + 96a^4b^4c^2 - 256a^5b^2c^3)))*(-(A^2b^{17} + 9B^2a^2b^{15} - A^2b^2 \\
& *(-(4a*c - b^2)^{15})^{(1/2)} - 9B^2a^2*(-(4a*c - b^2)^{15})^{(1/2)} + 6A*B*a*b^{16} + 1140A^2a^2b^{13}c^2 - 10160A^2a^3b^{11}c^3 + 34880A^2a^4b^9c^4 + 43776A^2a^5b^7c^5 - 680960A^2a^6b^5c^6 + 1863680A^2a^7b^3c^7 \\
& - 5040B^2a^4b^{11}c^2 + 37440B^2a^5b^9c^3 - 103680B^2a^6b^7c^4 - 9216B^2a^7b^5c^5 + 552960B^2a^8b^3c^6 + 983040A*B*a^9c^8 - 55 \\
& *A^2a*b^{15}c + 25A^2a*c*(-(4a*c - b^2)^{15})^{(1/2)} - 1720320A^2a^8b*c^8 + 180B^2a^3b^{13}c - 737280B^2a^9b*c^7 + 240A*B*a^3b^{12}c^2 + 2400 \\
& 0A*B*a^4b^{10}c^3 - 241920A*B*a^5b^8c^4 + 992256A*B*a^6b^6c^5 - 1781760A*B*a^7b^4c^6 + 737280A*B*a^8b^2c^7 - 6A*B*a*b*(-(4a*c - b^2)^{15})^{(1/2)} - 180A*B*a^2b^{14}c)/(512*(a^3b^{20} + 1048576a^{13}c^{10} - 40a^4b^{18}c + 720a^5b^{16}c^2 - 7680a^6b^{14}c^3 + 53760a^7b^{12}c^4 - 258048 \\
& a^8b^{10}c^5 + 860160a^9b^8c^6 - 1966080a^{10}b^6c^7 + 2949120a^{11}b^4c^8 - 2621440a^{12}b^2c^9))^{(1/2)} + (((256A*a*b^{13}c^2 - 3145728B*a^8c^8 + 4194304A*a^7b*c^8 - 9216A*a^2b^{11}c^3 + 122880A*a^3b^9c^4 - 81 \\
& 9200A*a^4b^7c^5 + 2949120A*a^5b^5c^6 - 5505024A*a^6b^3c^7 + 768B*a^2b^{12}c^2 - 12288B*a^3b^{10}c^3 + 61440B*a^4b^8c^4 - 983040B*a^6b^4c^6 + 3145728B*a^7b^2c^7)/(512*(a^2b^{12} + 4096a^8c^6 - 24a^3b^{10}c + 240a^4b^8c^2 - 1280a^5b^6c^3 + 3840a^6b^4c^4 - 6144a^7b^2c^5) \\
& 5)) + (x*(-(A^2b^{17} + 9B^2a^2b^{15} - A^2b^2*(-(4a*c - b^2)^{15})^{(1/2)} - 9B^2a^2*(-(4a*c - b^2)^{15})^{(1/2)} + 6A*B*a*b^{16} + 1140A^2a^2b^{13}c^2 - 10160A^2a^3b^{11}c^3 + 34880A^2a^4b^9c^4 + 43776A^2a^5b^7c^5 - 680960A^2a^6b^5c^6 + 1863680A^2a^7b^3c^7 - 5040B^2a^4b^{11}c^2 + 37440B^2a^5b^9c^3 - 103680B^2a^6b^7c^4 - 9216B^2a^7b^5c^5 + 55 \\
& 2960B^2a^8b^3c^6 + 983040A*B*a^9c^8 - 55A^2a*b^{15}c + 25A^2a*c*(-(4a*c - b^2)^{15})^{(1/2)} - 1720320A^2a^8b*c^8 + 180B^2a^3b^{13}c - 7372 \\
& 80B^2a^9b*c^7 + 240A*B*a^3b^{12}c^2 + 24000A*B*a^4b^{10}c^3 - 241920A \\
& *B*a^5b^8c^4 + 992256A*B*a^6b^6c^5 - 1781760A*B*a^7b^4c^6 + 737280 \\
& A*B*a^8b^2c^7 - 6A*B*a*b*(-(4a*c - b^2)^{15})^{(1/2)} - 180A*B*a^2b^{14}c) \\
& /((512*(a^3b^{20} + 1048576a^{13}c^{10} - 40a^4b^{18}c + 720a^5b^{16}c^2 - 76 \\
& 80a^6b^{14}c^3 + 53760a^7b^{12}c^4 - 258048a^8b^{10}c^5 + 860160a^9b^8 \\
& *c^6 - 1966080a^{10}b^6c^7 + 2949120a^{11}b^4c^8 - 2621440a^{12}b^2c^9)) \\
&)^{(1/2)}*(262144a^7b*c^7 - 256a^2b^{11}c^2 + 5120a^3b^9c^3 - 40960a^4 \\
& *b^7c^4 + 163840a^5b^5c^5 - 327680a^6b^3c^6))/(32*(a^2b^8 + 256a^6 \\
& *c^4 - 16a^3b^6c + 96a^4b^4c^2 - 256a^5b^2c^3)))*(-(A^2b^{17} + 9B \\
& ^2a^2b^{15} - A^2b^2*(-(4a*c - b^2)^{15})^{(1/2)} - 9B^2a^2*(-(4a*c - b^2)^{15})^{(1/2)} + 6A*B*a*b^{16} + 1140A^2a^2b^{13}c^2 - 10160A^2a^3b^{11}c^3 \\
& + 34880A^2a^4b^9c^4 + 43776A^2a^5b^7c^5 - 680960A^2a^6b^5c^6 + 1863680A^2a^7b^3c^7 - 5040B^2a^4b^{11}c^2 + 37440B^2a^5b^9c^3 - 1
\end{aligned}$$

$$\begin{aligned}
& 03680*B^2*a^6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983 \\
& 040*A*B*a^9*c^8 - 55*A^2*a*b^15*c + 25*A^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} - \\
& 1720320*A^2*a^8*b*c^8 + 180*B^2*a^3*b^13*c - 737280*B^2*a^9*b*c^7 + 240*A*B \\
& *a^3*b^12*c^2 + 24000*A*B*a^4*b^10*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A* \\
& B*a^6*b^6*c^5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a* \\
& b*(-(4*a*c - b^2)^15)^{(1/2)} - 180*A*B*a^2*b^14*c)/(512*(a^3*b^20 + 1048576* \\
& a^13*c^10 - 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^ \\
& 7*b^12*c^4 - 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^ \\
& 7 + 2949120*a^11*b^4*c^8 - 2621440*a^12*b^2*c^9)))^{(1/2)} - (x*(A^2*b^6*c^3 \\
& - 800*A^2*a^3*c^6 + 288*B^2*a^4*c^5 + 1472*A^2*a^2*b^2*c^5 + 234*B^2*a^2*b^ \\
& 4*c^3 + 144*B^2*a^3*b^2*c^4 - 34*A^2*a*b^4*c^4 - 1104*A*B*a^2*b^3*c^4 + 6*A \\
& *B*a*b^5*c^3 - 288*A*B*a^3*b*c^5))/(32*(a^2*b^8 + 256*a^6*c^4 - 16*a^3*b^6* \\
& c + 96*a^4*b^4*c^2 - 256*a^5*b^2*c^3)))*(-(A^2*b^17 + 9*B^2*a^2*b^15 - A^2* \\
& b^2*(-(4*a*c - b^2)^15)^{(1/2)} - 9*B^2*a^2*(-(4*a*c - b^2)^15)^{(1/2)} + 6*A*B \\
& *a*b^16 + 1140*A^2*a^2*b^13*c^2 - 10160*A^2*a^3*b^11*c^3 + 34880*A^2*a^4*b^ \\
& 9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2*a^7*b^ \\
& 3*c^7 - 5040*B^2*a^4*b^11*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^6*b^7* \\
& c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9*c^8 - \\
& 55*A^2*a*b^15*c + 25*A^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} - 1720320*A^2*a^8*b* \\
& c^8 + 180*B^2*a^3*b^13*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^12*c^2 + 24 \\
& 000*A*B*a^4*b^10*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^5 - 17 \\
& 81760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - b^2)^ \\
& 15)^{(1/2)} - 180*A*B*a^2*b^14*c)/(512*(a^3*b^20 + 1048576*a^13*c^10 - 40*a^4 \\
& *b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^7*b^12*c^4 - 25804 \\
& 8*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^7 + 2949120*a^11*b \\
& ^4*c^8 - 2621440*a^12*b^2*c^9)))^{(1/2)} + (35*A^3*b^6*c^4 - 8000*A^3*a^3*c^7 \\
& - 12720*A^3*a^2*b^2*c^6 + 540*B^3*a^2*b^5*c^3 + 4320*B^3*a^3*b^3*c^4 - 288 \\
& 0*A*B^2*a^4*c^6 - 15*A^2*B*b^7*c^3 + 84*A^3*a*b^4*c^5 + 1728*B^3*a^4*b*c^5 \\
& + 135*A*B^2*a*b^6*c^3 - 360*A^2*B*a*b^5*c^4 + 26880*A^2*B*a^3*b*c^6 - 5580* \\
& A*B^2*a^2*b^4*c^4 - 20592*A*B^2*a^3*b^2*c^5 + 15696*A^2*B*a^2*b^3*c^5)/(256 \\
& *(a^2*b^12 + 4096*a^8*c^6 - 24*a^3*b^10*c + 240*a^4*b^8*c^2 - 1280*a^5*b^6* \\
& c^3 + 3840*a^6*b^4*c^4 - 6144*a^7*b^2*c^5)))*(-(A^2*b^17 + 9*B^2*a^2*b^15 \\
& - A^2*b^2*(-(4*a*c - b^2)^15)^{(1/2)} - 9*B^2*a^2*(-(4*a*c - b^2)^15)^{(1/2)} + \\
& 6*A*B*a*b^16 + 1140*A^2*a^2*b^13*c^2 - 10160*A^2*a^3*b^11*c^3 + 34880*A^2* \\
& a^4*b^9*c^4 + 43776*A^2*a^5*b^7*c^5 - 680960*A^2*a^6*b^5*c^6 + 1863680*A^2* \\
& a^7*b^3*c^7 - 5040*B^2*a^4*b^11*c^2 + 37440*B^2*a^5*b^9*c^3 - 103680*B^2*a^ \\
& 6*b^7*c^4 - 9216*B^2*a^7*b^5*c^5 + 552960*B^2*a^8*b^3*c^6 + 983040*A*B*a^9* \\
& c^8 - 55*A^2*a*b^15*c + 25*A^2*a*c*(-(4*a*c - b^2)^15)^{(1/2)} - 1720320*A^2* \\
& a^8*b*c^8 + 180*B^2*a^3*b^13*c - 737280*B^2*a^9*b*c^7 + 240*A*B*a^3*b^12*c^ \\
& 2 + 24000*A*B*a^4*b^10*c^3 - 241920*A*B*a^5*b^8*c^4 + 992256*A*B*a^6*b^6*c^ \\
& 5 - 1781760*A*B*a^7*b^4*c^6 + 737280*A*B*a^8*b^2*c^7 - 6*A*B*a*b*(-(4*a*c - \\
& b^2)^15)^{(1/2)} - 180*A*B*a^2*b^14*c)/(512*(a^3*b^20 + 1048576*a^13*c^10 - \\
& 40*a^4*b^18*c + 720*a^5*b^16*c^2 - 7680*a^6*b^14*c^3 + 53760*a^7*b^12*c^4 - \\
& 258048*a^8*b^10*c^5 + 860160*a^9*b^8*c^6 - 1966080*a^10*b^6*c^7 + 2949120* \\
& a^11*b^4*c^8 - 2621440*a^12*b^2*c^9)))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] Timed out

$$3.136 \quad \int \frac{A+Bx^2}{(a+bx^2+cx^4)^3} dx$$

Optimal. Leaf size=460

$$\frac{x \left(A \left(28a^2c^2 - 25ab^2c + 3b^4 \right) + cx^2 \left(3A \left(b^3 - 8abc \right) + aB \left(20ac + b^2 \right) \right) + abB \left(8ac + b^2 \right) \right)}{8a^2 \left(b^2 - 4ac \right)^2 \left(a + bx^2 + cx^4 \right)} + \frac{\sqrt{c} \left(\frac{3A \left(56a^2c^2 - 10ab^2c + b^4 \right)}{\sqrt{b^2 - 4ac}} \right)}{8a^2 \left(b^2 - 4ac \right)^2 \left(a + bx^2 + cx^4 \right)}$$

[Out] $\frac{1}{4}xx(A*b^2-a*b*B-2*a*A*c+(A*b-2*B*a)*c*x^2)/a/(-4*a*c+b^2)/(c*x^4+b*x^2+a)^2+1/8xx(a*b*B*(8*a*c+b^2)+A*(28*a^2*c^2-25*a*b^2*c+3*b^4)+c*(a*B*(20*a*c+b^2)+3*A*(-8*a*b*c+b^3))*x^2)/a^2/(-4*a*c+b^2)^2/(c*x^4+b*x^2+a)+1/16*arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(a*B*(20*a*c+b^2)+3*A*(-8*a*b*c+b^3)+(a*b*B*(-52*a*c+b^2)+3*A*(56*a^2*c^2-10*a*b^2*c+b^4)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)+1/16*arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*c^(1/2)*(a*B*(20*a*c+b^2)+3*A*(-8*a*b*c+b^3)+(-a*b*B*(-52*a*c+b^2)-3*A*(56*a^2*c^2-10*a*b^2*c+b^4)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)$

Rubi [A] time = 1.35, antiderivative size = 460, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1178, 1166, 205}

$$\frac{x \left(A \left(28a^2c^2 - 25ab^2c + 3b^4 \right) + cx^2 \left(3A \left(b^3 - 8abc \right) + aB \left(20ac + b^2 \right) \right) + abB \left(8ac + b^2 \right) \right)}{8a^2 \left(b^2 - 4ac \right)^2 \left(a + bx^2 + cx^4 \right)} + \frac{\sqrt{c} \left(\frac{3A \left(56a^2c^2 - 10ab^2c + b^4 \right)}{\sqrt{b^2 - 4ac}} \right)}{8a^2 \left(b^2 - 4ac \right)^2 \left(a + bx^2 + cx^4 \right)}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(a + b*x^2 + c*x^4)^3,x]

[Out] $(x*(A*b^2 - a*b*B - 2*a*A*c + (A*b - 2*a*B)*c*x^2))/(4*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (x*(a*b*B*(b^2 + 8*a*c) + A*(3*b^4 - 25*a*b^2*c + 28*a^2*c^2) + c*(a*B*(b^2 + 20*a*c) + 3*A*(b^3 - 8*a*b*c))*x^2)/(8*a^2*(b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (Sqrt[c]*(a*B*(b^2 + 20*a*c) + 3*A*(b^3 - 8*a*b*c) + (a*b*B*(b^2 - 52*a*c) + 3*A*(b^4 - 10*a*b^2*c + 56*a^2*c^2))/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(8*Sqrt[2]*a^2*(b^2 - 4*a*c)^2*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[c]*(a*B*(b^2 + 20*a*c) + 3*A*(b^3 - 8*a*b*c) - (a*b*B*(b^2 - 52*a*c) + 3*A*(b^4 - 10*a*b^2*c + 56*a^2*c^2))/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b$

+ Sqrt[b^2 - 4*a*c]]]/(8*Sqrt[2]*a^2*(b^2 - 4*a*c)^2*Sqrt[b + Sqrt[b^2 - 4*a*c]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
 > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1178

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{(a + bx^2 + cx^4)^3} dx &= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} - \frac{\int \frac{-3Ab^2 - abB + 14aAc - 5(Ab - 2aB)cx^2}{(a + bx^2 + cx^4)^2} dx}{4a(b^2 - 4ac)} \\
&= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{x(abB(b^2 + 8ac) + A(3b^4 - 25ab^2c + 28a^2c^2))}{8a^2(b^2 - 4ac)^2} \\
&= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{x(abB(b^2 + 8ac) + A(3b^4 - 25ab^2c + 28a^2c^2))}{8a^2(b^2 - 4ac)^2} \\
&= \frac{x(Ab^2 - abB - 2aAc + (Ab - 2aB)cx^2)}{4a(b^2 - 4ac)(a + bx^2 + cx^4)^2} + \frac{x(abB(b^2 + 8ac) + A(3b^4 - 25ab^2c + 28a^2c^2))}{8a^2(b^2 - 4ac)^2}
\end{aligned}$$

Mathematica [A] time = 2.19, size = 516, normalized size = 1.12

$$\frac{2x(A(28a^2c^2 - 25ab^2c - 24abc^2x^2 + 3b^4 + 3b^3cx^2) + aB(8abc + 20ac^2x^2 + b^3 + b^2cx^2))}{(b^2 - 4ac)^2(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c}\left(3A\left(56a^2c^2 - 10ab^2c - 8abc\sqrt{b^2 - 4ac} + b^3\sqrt{b^2 - 4ac} + b^4\right) + aB(b^2 - 4ac)\right)}{(b^2 - 4ac)^{5/2}\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(a + b*x^2 + c*x^4)^3,x]

[Out]
$$\begin{aligned}
&((-4*a*x*(a*B*(b + 2*c*x^2) - A*(b^2 - 2*a*c + b*c*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)^2) + (2*x*(a*B*(b^3 + 8*a*b*c + b^2*c*x^2 + 20*a*c^2*x^2) + A*(3*b^4 - 25*a*b^2*c + 28*a^2*c^2 + 3*b^3*c*x^2 - 24*a*b*c^2*x^2)))/((b^2 - 4*a*c)^2*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(a*B*(b^3 - 52*a*b*c + b^2*\text{Sqrt}[b^2 - 4*a*c] + 20*a*c*\text{Sqrt}[b^2 - 4*a*c]) + 3*A*(b^4 - 10*a*b^2*c + 56*a^2*c^2 + b^3*\text{Sqrt}[b^2 - 4*a*c] - 8*a*b*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(5/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(a*B*(-b^3 + 52*a*b*c + b^2*\text{Sqrt}[b^2 - 4*a*c] + 20*a*c*\text{Sqrt}[b^2 - 4*a*c]) + 3*A*(-b^4 + 10*a*b^2*c - 56*a^2*c^2 + b^3*\text{Sqrt}[b^2 - 4*a*c] - 8*a*b*c*\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(5/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]))/((16*a^2)
\end{aligned}$$

fricas [B] time = 16.22, size = 9909, normalized size = 21.54

result too large to display

$$\begin{aligned}
& 5*B^4*a^5*b^2 + 258*A*B^3*a^4*b^3 + 972*A^2*B^2*a^3*b^4 + 1566*A^3*B*a^2*b^5 \\
& + 891*A^4*a*b^6)*c)/(a^{10}b^{10} - 20*a^{11}b^8*c + 160*a^{12}b^6*c^2 - 640*a^{13}b^4*c^3 + 1280*a^{14}b^2*c^4 - 1024*a^{15}c^5))\sqrt{-(B^2*a^2*b^7 + 6*A \\
& *B*a*b^8 + 9*A^2*b^9 - 1680*(4*A*B*a^5 - 9*A^2*a^4*b)*c^4 + 840*(2*B^2*a^5*b \\
& - 4*A*B*a^4*b^2 - 9*A^2*a^3*b^3)*c^3 + 7*(40*B^2*a^4*b^3 + 180*A*B*a^3*b^4 \\
& + 243*A^2*a^2*b^5)*c^2 - 7*(5*B^2*a^3*b^5 + 24*A*B*a^2*b^6 + 27*A^2*a*b^7) \\
&)*c + (a^5*b^{10} - 20*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 1024*a^{10}c^5))\sqrt{(B^4*a^4*b^4 + 12*A*B^3*a^3*b^5 + 54*A^2*B \\
& ^2*a^2*b^6 + 108*A^3*B*a*b^7 + 81*A^4*b^8 + 194481*A^4*a^4*c^4 - 882*(25*A^2 \\
& *B^2*a^5 + 108*A^3*B*a^4*b + 99*A^4*a^3*b^2)*c^3 + (625*B^4*a^6 + 5400*A*B \\
& ^3*a^5*b + 17496*A^2*B^2*a^4*b^2 + 26676*A^3*B*a^3*b^3 + 17739*A^4*a^2*b^4) \\
&)*c^2 - 2*(25*B^4*a^5*b^2 + 258*A*B^3*a^4*b^3 + 972*A^2*B^2*a^3*b^4 + 1566*A^3 \\
& *B*a^2*b^5 + 891*A^4*a*b^6)*c)/(a^{10}b^{10} - 20*a^{11}b^8*c + 160*a^{12}b^6*c^2 - 640*a^{13}b^4*c^3 + 1280*a^{14}b^2*c^4 - 1024*a^{15}c^5)))/(a^5*b^{10} - 2 \\
& 0*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 1024*a^{10}c^5)) + \sqrt{1/2}*((a^2*b^4*c^2 - 8*a^3*b^2*c^3 + 16*a^4*c^4)*x^8 + a^4 \\
& *b^4 - 8*a^5*b^2*c + 16*a^6*c^2 + 2*(a^2*b^5*c - 8*a^3*b^3*c^2 + 16*a^4*b*c^3)*x^6 + (a^2*b^6 - 6*a^3*b^4*c + 32*a^5*c^3)*x^4 + 2*(a^3*b^5 - 8*a^4*b^3 \\
& *c + 16*a^5*b*c^2)*x^2)\sqrt{-(B^2*a^2*b^7 + 6*A*B*a*b^8 + 9*A^2*b^9 - 168 \\
& 0*(4*A*B*a^5 - 9*A^2*a^4*b)*c^4 + 840*(2*B^2*a^5*b - 4*A*B*a^4*b^2 - 9*A^2*a^3 \\
& *b^3)*c^3 + 7*(40*B^2*a^4*b^3 + 180*A*B*a^3*b^4 + 243*A^2*a^2*b^5)*c^2 - 7*(5*B^2 \\
& *a^3*b^5 + 24*A*B*a^2*b^6 + 27*A^2*a*b^7)*c + (a^5*b^{10} - 20*a^6*b^8*c + 160*a^7 \\
& *b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 1024*a^{10}c^5))\sqrt{(B^4*a^4*b^4 + 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 + 108*A^3*B*a*b^7 + 81*A^4*b^8 + 194481*A^4 \\
& *a^4*c^4 - 882*(25*A^2*B^2*a^5 + 108*A^3*B*a^4*b + 99*A^4*a^3*b^2)*c^3 + (625*B^4*a^6 + 5400*A*B^3 \\
& *a^5*b + 17496*A^2*B^2*a^4*b^2 + 26676*A^3*B*a^3*b^3 + 17739*A^4*a^2*b^4)*c^2 - 2*(25*B^4 \\
& *a^5*b^2 + 258*A*B^3*a^4*b^3 + 972*A^2*B^2*a^3*b^4 + 1566*A^3*B*a^2*b^5 + 891*A^4*a*b^6) \\
&)*c)/(a^{10}b^{10} - 20*a^{11}b^8*c + 160*a^{12}b^6*c^2 - 640*a^{13}b^4*c^3 + 1280*a^{14}b^2*c^4 - 1024*a^{15}c^5)))/(a^5*b^{10} - 20*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 1024*a^{10}c^5)) \\
&)\log((3111696*A^4*a^4*c^7 - 1555848*(2*A^3*B*a^4*b + A^4*a^3*b^2)*c^6 - (10000*B^4*a^6 - 900 \\
& 00*A*B^3*a^5*b - 863136*A^2*B^2*a^4*b^2 - 1298376*A^3*B*a^3*b^3 - 339309*A^4 \\
& *a^2*b^4)*c^5 - 3*(5000*B^4*a^5*b^2 + 32952*A*B^3*a^4*b^3 + 79488*A^2*B^2*a^3*b^4 + 80919 \\
& *A^3*B*a^2*b^5 + 12069*A^4*a*b^6)*c^4 + 21*(71*B^4*a^4*b^4 + 537*A*B^3*a^3*b^5 + 1314 \\
& *A^2*B^2*a^2*b^6 + 1053*A^3*B*a*b^7 + 81*A^4*b^8)*c^3 - 35*(B^4*a^3*b^6 + 9*A*B^3 \\
& *a^2*b^7 + 27*A^2*B^2*a*b^8 + 27*A^3*B*b^9)*c^2)*x - 1/2*\sqrt{1/2}*(B^3*a^3*b^{11} + 9*A*B^2*a^2*b^{12} + 27*A^2*B*a*b^{13} + 27*A^3*b^{14} - 2370816*A^3*a^7*c^7 + 2688*(50*A*B^2*a^8 + 384*A^2*B*a^7*b + 1143*A^3*a^6*b^2)*c^6 - 64*(400*B^3*a^8*b + 4062*A*B^2*a^7*b^2 + 17541*A^2 \\
& *B*a^6*b^3 + 26865*A^3*a^5*b^4)*c^5 + 8*(2728*B^3*a^7*b^3 + 20520*A*B^2*a^6 \\
& *b^4 + 62694*A^2*B*a^5*b^5 + 67797*A^3*a^4*b^6)*c^4 - 7*(976*B^3*a^6*b^5 + 6744*A*B^2 \\
& *a^5*b^6 + 16884*A^2*B*a^4*b^7 + 14985*A^3*a^3*b^8)*c^3 + (940*B^3*a^5*b^7 + 6591*A*B^2 \\
& *a^4*b^8 + 15489*A^2*B*a^3*b^9 + 12528*A^3*a^2*b^{10})*c^2 - (53*B^3*a^4*b^9 + 414*A*B^2 \\
& *a^3*b^{10} + 1053*A^2*B*a^2*b^{11} + 864*A^3*
\end{aligned}$$

$$\begin{aligned}
& a*b^{12}) * c - (B*a^6*b^{14} + 3*A*a^5*b^{15} + 4096*(10*B*a^{13} - 33*A*a^{12}*b) * c^7 \\
& - 2048*(16*B*a^{12}*b^2 - 99*A*a^{11}*b^3) * c^6 + 768*(2*B*a^{11}*b^4 - 169*A*a^{10}*b^5) * c^5 + 1280*(5*B*a^{10}*b^6 + 36*A*a^9*b^7) * c^4 - 80*(34*B*a^9*b^8 + 12 \\
& 3*A*a^8*b^9) * c^3 + 24*(20*B*a^8*b^{10} + 53*A*a^7*b^{11}) * c^2 - (38*B*a^7*b^{12} \\
& + 93*A*a^6*b^{13}) * c) * \text{sqrt}((B^4*a^4*b^4 + 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 \\
& + 108*A^3*B*a*b^7 + 81*A^4*b^8 + 194481*A^4*a^4*c^4 - 882*(25*A^2*B^2*a^5 \\
& + 108*A^3*B*a^4*b + 99*A^4*a^3*b^2) * c^3 + (625*B^4*a^6 + 5400*A*B^3*a^5*b \\
& + 17496*A^2*B^2*a^4*b^2 + 26676*A^3*B*a^3*b^3 + 17739*A^4*a^2*b^4) * c^2 - 2 \\
& *(25*B^4*a^5*b^2 + 258*A*B^3*a^4*b^3 + 972*A^2*B^2*a^3*b^4 + 1566*A^3*B*a^2 \\
& *b^5 + 891*A^4*a*b^6) * c) / (a^{10}*b^{10} - 20*a^{11}*b^8*c + 160*a^{12}*b^6*c^2 - 64 \\
& 0*a^{13}*b^4*c^3 + 1280*a^{14}*b^2*c^4 - 1024*a^{15}*c^5)) * \text{sqrt}(-(B^2*a^2*b^7 + \\
& 6*A*B*a*b^8 + 9*A^2*b^9 - 1680*(4*A*B*a^5 - 9*A^2*a^4*b) * c^4 + 840*(2*B^2*a^5*b \\
& - 4*A*B*a^4*b^2 - 9*A^2*a^3*b^3) * c^3 + 7*(40*B^2*a^4*b^3 + 180*A*B*a^3 \\
& *b^4 + 243*A^2*a^2*b^5) * c^2 - 7*(5*B^2*a^3*b^5 + 24*A*B*a^2*b^6 + 27*A^2*a*b^7) * c \\
& + (a^5*b^{10} - 20*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 128 \\
& 0*a^9*b^2*c^4 - 1024*a^{10}*c^5) * \text{sqrt}((B^4*a^4*b^4 + 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 \\
& + 108*A^3*B*a*b^7 + 81*A^4*b^8 + 194481*A^4*a^4*c^4 - 882*(25 \\
& *A^2*B^2*a^5 + 108*A^3*B*a^4*b + 99*A^4*a^3*b^2) * c^3 + (625*B^4*a^6 + 5400* \\
& A*B^3*a^5*b + 17496*A^2*B^2*a^4*b^2 + 26676*A^3*B*a^3*b^3 + 17739*A^4*a^2*b^4) * c^2 - 2 \\
& *(25*B^4*a^5*b^2 + 258*A*B^3*a^4*b^3 + 972*A^2*B^2*a^3*b^4 + 156 \\
& 6*A^3*B*a^2*b^5 + 891*A^4*a*b^6) * c) / (a^{10}*b^{10} - 20*a^{11}*b^8*c + 160*a^{12}*b^6*c^2 - 640*a^{13}*b^4*c^3 + 1280*a^{14}*b^2*c^4 - 1024*a^{15}*c^5)) / (a^5*b^{10} \\
& - 20*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 102 \\
& 4*a^{10}*c^5)) - \text{sqrt}(1/2) * ((a^2*b^4*c^2 - 8*a^3*b^2*c^3 + 16*a^4*c^4) * x^8 + \\
& a^4*b^4 - 8*a^5*b^2*c + 16*a^6*c^2 + 2*(a^2*b^5*c - 8*a^3*b^3*c^2 + 16*a^4 \\
& *b*c^3) * x^6 + (a^2*b^6 - 6*a^3*b^4*c + 32*a^5*c^3) * x^4 + 2*(a^3*b^5 - 8*a^4 \\
& *b^3*c + 16*a^5*b*c^2) * x^2) * \text{sqrt}(-(B^2*a^2*b^7 + 6*A*B*a*b^8 + 9*A^2*b^9 - \\
& 1680*(4*A*B*a^5 - 9*A^2*a^4*b) * c^4 + 840*(2*B^2*a^5*b - 4*A*B*a^4*b^2 - 9*A^2*a^3*b^3) * c^3 + 7*(40*B^2*a^4*b^3 + 180*A*B*a^3*b^4 + 243*A^2*a^2*b^5) * c^2 \\
& - 7*(5*B^2*a^3*b^5 + 24*A*B*a^2*b^6 + 27*A^2*a*b^7) * c - (a^5*b^{10} - 20*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 1024*a^{10}* \\
& c^5) * \text{sqrt}((B^4*a^4*b^4 + 12*A*B^3*a^3*b^5 + 54*A^2*B^2*a^2*b^6 + 108*A^3*B* \\
& a*b^7 + 81*A^4*b^8 + 194481*A^4*a^4*c^4 - 882*(25*A^2*B^2*a^5 + 108*A^3*B*a^4*b \\
& + 99*A^4*a^3*b^2) * c^3 + (625*B^4*a^6 + 5400*A*B^3*a^5*b + 17496*A^2*B^2*a^4*b^2 + 26676*A^3*B*a^3*b^3 + 17739*A^4*a^2*b^4) * c^2 - 2*(25*B^4*a^5*b^2 \\
& + 258*A*B^3*a^4*b^3 + 972*A^2*B^2*a^3*b^4 + 1566*A^3*B*a^2*b^5 + 891*A^4*a*b^6) * c) / (a^{10}*b^{10} - 20*a^{11}*b^8*c + 160*a^{12}*b^6*c^2 - 640*a^{13}*b^4*c^3 \\
& + 1280*a^{14}*b^2*c^4 - 1024*a^{15}*c^5)) / (a^5*b^{10} - 20*a^6*b^8*c + 160*a^7*b^6*c^2 - 640*a^8*b^4*c^3 + 1280*a^9*b^2*c^4 - 1024*a^{10}*c^5)) * \log((3111696* \\
& A^4*a^4*c^7 - 1555848*(2*A^3*B*a^4*b + A^4*a^3*b^2) * c^6 - (10000*B^4*a^6 - \\
& 90000*A*B^3*a^5*b - 863136*A^2*B^2*a^4*b^2 - 1298376*A^3*B*a^3*b^3 - 339309 \\
& *A^4*a^2*b^4) * c^5 - 3*(5000*B^4*a^5*b^2 + 32952*A*B^3*a^4*b^3 + 79488*A^2*B^2*a^3*b^4 + 80919*A^3*B*a^2*b^5 + 12069*A^4*a*b^6) * c^4 + 21*(71*B^4*a^4*b^4 \\
& + 537*A*B^3*a^3*b^5 + 1314*A^2*B^2*a^2*b^6 + 1053*A^3*B*a*b^7 + 81*A^4*b^8) * c^3 - 35*(B^4*a^3*b^6 + 9*A*B^3*a^2*b^7 + 27*A^2*B^2*a*b^8 + 27*A^3*B*b^8) * c^3 - 35*(B^4*a^3*b^6 + 9*A*B^3*a^2*b^7 + 27*A^2*B^2*a*b^8 + 27*A^3*B*b^8) * c^3
\end{aligned}$$

$$\begin{aligned}
& 9) * c^2) * x + 1/2 * \text{sqrt}(1/2) * (B^3 * a^3 * b^{11} + 9 * A * B^2 * a^2 * b^{12} + 27 * A^2 * B * a * b^{13} \\
& + 27 * A^3 * b^{14} - 2370816 * A^3 * a^7 * c^7 + 2688 * (50 * A * B^2 * a^8 + 384 * A^2 * B * a^7 * b \\
& + 1143 * A^3 * a^6 * b^2) * c^6 - 64 * (400 * B^3 * a^8 * b + 4062 * A * B^2 * a^7 * b^2 + 17541 * A^2 * B * a^6 * b^3 \\
& + 26865 * A^3 * a^5 * b^4) * c^5 + 8 * (2728 * B^3 * a^7 * b^3 + 20520 * A * B^2 * a^6 * b^4 + 62694 * A^2 * B * a^5 * b^5 \\
& + 67797 * A^3 * a^4 * b^6) * c^4 - 7 * (976 * B^3 * a^6 * b^5 + 6744 * A * B^2 * a^5 * b^6 + 16884 * A^2 * B * a^4 * b^7 \\
& + 14985 * A^3 * a^3 * b^8) * c^3 + (940 * B^3 * a^5 * b^7 + 6591 * A * B^2 * a^4 * b^8 + 15489 * A^2 * B * a^3 * b^9 + 12528 * A^3 * a^2 * b^{10} \\
& + 864 * A^4 * a * b^{11} + 864 * A^5 * b^{12}) * c^2 - (53 * B^3 * a^4 * b^9 + 414 * A * B^2 * a^3 * b^{10} + 1053 * A^2 * B * a^2 * b^{11} \\
& + 864 * A^3 * a * b^{12}) * c + (B * a^6 * b^{14} + 3 * A * a^5 * b^{15} + 4096 * (10 * B * a^{13} - 33 * A * a^{12} * b) * c^7 \\
& - 2048 * (16 * B * a^{12} * b^2 - 99 * A * a^{11} * b^3) * c^6 + 768 * (2 * B * a^{11} * b^4 - 169 * A * a^{10} * b^5) * c^5 \\
& + 1280 * (5 * B * a^{10} * b^6 + 36 * A * a^9 * b^7) * c^4 - 80 * (34 * B * a^9 * b^8 + 123 * A * a^8 * b^9) * c^3 \\
& + 24 * (20 * B * a^8 * b^{10} + 53 * A * a^7 * b^{11}) * c^2 - (38 * B * a^7 * b^{12} + 93 * A * a^6 * b^{13}) * c) * \text{sqrt}((B^4 * a^4 * b^4 \\
& + 12 * A * B^3 * a^3 * b^5 + 54 * A^2 * B^2 * a^2 * b^6 + 108 * A^3 * B * a * b^7 + 81 * A^4 * b^8 + 194481 * A^4 * a^4 * c^4 \\
& - 882 * (25 * A^2 * B^2 * a^5 + 108 * A^3 * B * a^4 * b + 99 * A^4 * a^3 * b^2) * c^3 + (625 * B^4 * a^6 + 5400 * A * B^3 * a^5 * b \\
& + 17496 * A^2 * B^2 * a^4 * b^2 + 26676 * A^3 * B * a^3 * b^3 + 17739 * A^4 * a^2 * b^4) * c^2 - 2 * (25 * B^4 * a^5 * b^2 \\
& + 258 * A * B^3 * a^4 * b^3 + 972 * A^2 * B^2 * a^3 * b^4 + 1566 * A^3 * B * a^2 * b^5 + 891 * A^4 * a * b^6) * c) / (a^{10} * b^{10} \\
& - 20 * a^{11} * b^8 * c + 160 * a^{12} * b^6 * c^2 - 640 * a^{13} * b^4 * c^3 + 1280 * a^{14} * b^2 * c^4 - 1024 * a^{15} * c^5)) * \text{sqrt}(-(B^2 * a^2 * b^7 \\
& + 6 * A * B * a * b^8 + 9 * A^2 * b^9 - 1680 * (4 * A * B * a^5 - 9 * A^2 * a^4 * b) * c^4 + 840 * (2 * B^2 * a^5 * b \\
& - 4 * A * B * a^4 * b^2 - 9 * A^2 * a^3 * b^3) * c^3 + 7 * (40 * B^2 * a^4 * b^3 + 180 * A * B * a^3 * b^4 + 243 * A^2 * a^2 * b^5) * c^2 \\
& - 7 * (5 * B^2 * a^3 * b^5 + 24 * A * B * a^2 * b^6 + 27 * A^2 * a * b^7) * c - (a^5 * b^{10} - 20 * a^6 * b^8 * c + 160 * a^7 * b^6 * c^2 \\
& - 640 * a^8 * b^4 * c^3 + 1280 * a^9 * b^2 * c^4 - 1024 * a^{10} * c^5) * \text{sqrt}((B^4 * a^4 * b^4 + 12 * A * B^3 * a^3 * b^5 + 54 * A^2 * B^2 * a^2 * b^6 \\
& + 108 * A^3 * B * a * b^7 + 81 * A^4 * b^8 + 194481 * A^4 * a^4 * c^4 - 882 * (25 * A^2 * B^2 * a^5 + 108 * A^3 * B * a^4 * b \\
& + 99 * A^4 * a^3 * b^2) * c^3 + (625 * B^4 * a^6 + 5400 * A * B^3 * a^5 * b + 17496 * A^2 * B^2 * a^4 * b^2 + 26676 * A^3 * B * a^3 * b^3 \\
& + 17739 * A^4 * a^2 * b^4) * c^2 - 2 * (25 * B^4 * a^5 * b^2 + 258 * A * B^3 * a^4 * b^3 + 972 * A^2 * B^2 * a^3 * b^4 + 1566 * A^3 * B * a^2 * b^5 \\
& + 891 * A^4 * a * b^6) * c) / (a^{10} * b^{10} - 20 * a^{11} * b^8 * c + 160 * a^{12} * b^6 * c^2 - 640 * a^{13} * b^4 * c^3 + 1280 * a^{14} * b^2 * c^4 \\
& - 1024 * a^{15} * c^5)) / (a^5 * b^{10} - 20 * a^6 * b^8 * c + 160 * a^7 * b^6 * c^2 - 640 * a^8 * b^4 * c^3 + 1280 * a^9 * b^2 * c^4 \\
& - 1024 * a^{10} * c^5)) + \text{sqrt}(1/2) * ((a^2 * b^4 * c^2 - 8 * a^3 * b^2 * c^3 + 16 * a^4 * c^4) * x^8 + a^4 * b^4 - 8 * a^5 * b^2 * c \\
& + 16 * a^6 * c^2 + 2 * (a^2 * b^5 * c - 8 * a^3 * b^3 * c^2 + 16 * a^4 * b * c^3) * x^6 + (a^2 * b^6 - 6 * a^3 * b^4 * c + 32 * a^5 * c^3) * x^4 \\
& + 2 * (a^3 * b^5 - 8 * a^4 * b^3 * c + 16 * a^5 * b * c^2) * x^2) * \text{sqrt}(-(B^2 * a^2 * b^7 + 6 * A * B * a * b^8 + 9 * A^2 * b^9 - 1680 * (4 * A * B * a^5 \\
& - 9 * A^2 * a^4 * b) * c^4 + 840 * (2 * B^2 * a^5 * b - 4 * A * B * a^4 * b^2 - 9 * A^2 * a^3 * b^3) * c^3 + 7 * (40 * B^2 * a^4 * b^3 \\
& + 180 * A * B * a^3 * b^4 + 243 * A^2 * a^2 * b^5) * c^2 - 7 * (5 * B^2 * a^3 * b^5 + 24 * A * B * a^2 * b^6 + 27 * A^2 * a * b^7) * c \\
& - (a^5 * b^{10} - 20 * a^6 * b^8 * c + 160 * a^7 * b^6 * c^2 - 640 * a^8 * b^4 * c^3 + 1280 * a^9 * b^2 * c^4 - 1024 * a^{10} * c^5) * \text{sqrt}((B^4 * a^4 * b^4 \\
& + 12 * A * B^3 * a^3 * b^5 + 54 * A^2 * B^2 * a^2 * b^6 + 108 * A^3 * B * a * b^7 + 81 * A^4 * b^8 + 194481 * A^4 * a^4 * c^4 \\
& - 882 * (25 * A^2 * B^2 * a^5 + 108 * A^3 * B * a^4 * b + 99 * A^4 * a^3 * b^2) * c^3 + (625 * B^4 * a^6 + 5400 * A * B^3 * a^5 * b \\
& + 17496 * A^2 * B^2 * a^4 * b^2 + 26676 * A^3 * B * a^3 * b^3 + 17739 * A^4 * a^2 * b^4) * c^2 - 2 * (25 * B^4 * a^5 * b^2 + 258 * A * B^3 * a^4 * b^3 \\
& + 972 * A^2 * B^2 * a^3 * b^4 + 1566 * A^3 * B * a^2 * b^5 + 891 * A^4 * a * b^6) * c) / (a^{10} * b^{10} - 20 * a^{11} * b^8 * c + 160 * a^{12} * b^6 * c^2 \\
& - 640 * a^{13} * b^4 * c^3 + 1280 * a^{14} * b^2 * c^4 - 1024 * a^{15} * c^5))
\end{aligned}$$

$$\begin{aligned}
& \left((a^3 + 1280a^{14}b^2c^4 - 1024a^{15}c^5) \right) / (a^5b^{10} - 20a^6b^8c + 160a^7b^6c^2 - 640a^8b^4c^3 + 1280a^9b^2c^4 - 1024a^{10}c^5) * \log((31116 \\
& 96A^4a^4c^7 - 1555848(2A^3B^3a^4b + A^4a^3b^2)c^6 - (10000B^4a^6 \\
& - 90000AB^3a^5b - 863136A^2B^2a^4b^2 - 1298376A^3B^3a^3b^3 - 339 \\
& 309A^4a^2b^4)c^5 - 3(5000B^4a^5b^2 + 32952AB^3a^4b^3 + 79488A^2 \\
& 2B^2a^3b^4 + 80919A^3B^3a^2b^5 + 12069A^4a^3b^6)c^4 + 21(71B^4a^4 \\
& *b^4 + 537AB^3a^3b^5 + 1314A^2B^2a^2b^6 + 1053A^3B^3a^3b^7 + 81A^4 \\
& *b^8)c^3 - 35(B^4a^3b^6 + 9AB^3a^2b^7 + 27A^2B^2a^3b^8 + 27A^3B^3 \\
& *b^9)c^2) * x - 1/2 * \sqrt{1/2} * (B^3a^3b^{11} + 9AB^2a^2b^{12} + 27A^2B^3a^3 \\
& b^{13} + 27A^3b^{14} - 2370816A^3a^7c^7 + 2688(50AB^2a^8 + 384A^2B^3a^7 \\
& ^7b + 1143A^3a^6b^2)c^6 - 64(400B^3a^8b + 4062AB^2a^7b^2 + 175 \\
& 41A^2B^3a^6b^3 + 26865A^3a^5b^4)c^5 + 8(2728B^3a^7b^3 + 20520AB^2 \\
& ^2a^6b^4 + 62694A^2B^3a^5b^5 + 67797A^3a^4b^6)c^4 - 7(976B^3a^6b^5 \\
& + 6744AB^2a^5b^6 + 16884A^2B^3a^4b^7 + 14985A^3a^3b^8)c^3 + (\\
& 940B^3a^5b^7 + 6591AB^2a^4b^8 + 15489A^2B^3a^3b^9 + 12528A^3a^2b^{10} \\
& ^10)c^2 - (53B^3a^4b^9 + 414AB^2a^3b^{10} + 1053A^2B^3a^2b^{11} + 86 \\
& 4A^3a^3b^{12}) * c + (B^3a^6b^{14} + 3A^3a^5b^{15} + 4096(10B^3a^{13} - 33A^3a^{12} \\
& b) * c^7 - 2048(16B^3a^{12}b^2 - 99A^3a^{11}b^3) * c^6 + 768(2B^3a^{11}b^4 - 169 \\
& *A^3a^{10}b^5) * c^5 + 1280(5B^3a^{10}b^6 + 36A^3a^9b^7) * c^4 - 80(34B^3a^9b^8 \\
& + 123A^3a^8b^9) * c^3 + 24(20B^3a^8b^{10} + 53A^3a^7b^{11}) * c^2 - (38B^3a^7 \\
& ^7b^{12} + 93A^3a^6b^{13}) * c) * \sqrt{(B^4a^4b^4 + 12AB^3a^3b^5 + 54A^2B^2 \\
& ^2a^2b^6 + 108A^3B^3a^3b^7 + 81A^4b^8 + 194481A^4a^4c^4 - 882(25A^2B^2 \\
& ^2a^5 + 108A^3B^3a^4b + 99A^4a^3b^2) * c^3 + (625B^4a^6 + 5400AB^3 \\
& ^3a^5b + 17496A^2B^2a^4b^2 + 26676A^3B^3a^3b^3 + 17739A^4a^2b^4) * c \\
& ^2 - 2(25B^4a^5b^2 + 258AB^3a^4b^3 + 972A^2B^2a^3b^4 + 1566A^3 \\
& ^3B^3a^2b^5 + 891A^4a^3b^6) * c) / (a^{10}b^{10} - 20a^{11}b^8c + 160a^{12}b^6c^2 \\
& ^2 - 640a^{13}b^4c^3 + 1280a^{14}b^2c^4 - 1024a^{15}c^5)) * \sqrt{-(B^2a^2b^7 \\
& ^7 + 6AB^3a^3b^8 + 9A^2b^9 - 1680(4AB^3a^5 - 9A^2a^4b) * c^4 + 840(2 \\
& ^2B^2a^5b - 4AB^3a^4b^2 - 9A^2a^3b^3) * c^3 + 7(40B^2a^4b^3 + 180A \\
& ^3B^3a^3b^4 + 243A^2a^2b^5) * c^2 - 7(5B^2a^3b^5 + 24AB^3a^2b^6 + 27A^2 \\
& ^2a^3b^7) * c - (a^5b^{10} - 20a^6b^8c + 160a^7b^6c^2 - 640a^8b^4c^3 \\
& ^3 + 1280a^9b^2c^4 - 1024a^{10}c^5) * \sqrt{(B^4a^4b^4 + 12AB^3a^3b^5 + \\
& ^54A^2B^2a^2b^6 + 108A^3B^3a^3b^7 + 81A^4b^8 + 194481A^4a^4c^4 - 8 \\
& ^82(25A^2B^2a^5 + 108A^3B^3a^4b + 99A^4a^3b^2) * c^3 + (625B^4a^6 + \\
& ^5400AB^3a^5b + 17496A^2B^2a^4b^2 + 26676A^3B^3a^3b^3 + 17739A^4 \\
& ^4a^2b^4) * c^2 - 2(25B^4a^5b^2 + 258AB^3a^4b^3 + 972A^2B^2a^3b^4 \\
& ^4 + 1566A^3B^3a^2b^5 + 891A^4a^3b^6) * c) / (a^{10}b^{10} - 20a^{11}b^8c + 160 \\
& ^160a^{12}b^6c^2 - 640a^{13}b^4c^3 + 1280a^{14}b^2c^4 - 1024a^{15}c^5)) / (a^5 \\
& ^5b^{10} - 20a^6b^8c + 160a^7b^6c^2 - 640a^8b^4c^3 + 1280a^9b^2c^4 \\
& ^4 - 1024a^{10}c^5)) - 2(B^3a^2b^3 - 5A^3a^3b^4 - 44A^3a^3c^2 - (16B^3a^3b \\
& ^3 - 37A^3a^2b^2) * c) * x) / ((a^2b^4c^2 - 8a^3b^2c^3 + 16a^4c^4) * x^8 + a^4 \\
& ^4b^4 - 8a^5b^2c + 16a^6c^2 + 2(a^2b^5c - 8a^3b^3c^2 + 16a^4b^3 \\
& ^3c^3) * x^6 + (a^2b^6 - 6a^3b^4c + 32a^5c^3) * x^4 + 2(a^3b^5 - 8a^4b^3 \\
& ^3c + 16a^5b^3c^2) * x^2)
\end{aligned}$$

giac [B] time = 8.54, size = 4609, normalized size = 10.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out] $\frac{1}{32} \cdot (3 \cdot (\sqrt{2}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^8 - 17 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^6 \cdot c - 2 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^7 \cdot c - 2 \cdot b^8 \cdot c + 116 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^4 \cdot c^2 + 26 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^5 \cdot c^2 + \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^6 \cdot c^2 + 34 \cdot a \cdot b^6 \cdot c^2 + 2 \cdot b^7 \cdot c^2 - 368 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b^2 \cdot c^3 - 128 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^3 \cdot c^3 - 13 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^4 \cdot c^3 - 232 \cdot a^2 \cdot b^4 \cdot c^3 - 30 \cdot a \cdot b^5 \cdot c^3 + 448 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^4 \cdot c^4 + 224 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b \cdot c^4 + 64 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^2 \cdot c^4 + 736 \cdot a^3 \cdot b^2 \cdot c^4 + 176 \cdot a^2 \cdot b^3 \cdot c^4 - 112 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot c^5 - 896 \cdot a^4 \cdot c^5 - 352 \cdot a^3 \cdot b \cdot c^5 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^7 + 15 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^5 \cdot c + 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^6 \cdot c - 88 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^3 \cdot c^2 - 22 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^4 \cdot c^2 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot b^5 \cdot c^2 + 176 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b \cdot c^3 + 88 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^2 \cdot c^3 + 11 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^3 \cdot c^3 - 44 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b \cdot c^4 + 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^6 \cdot c - 26 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b^4 \cdot c^2 - 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^5 \cdot c^2 + 128 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a^2 \cdot b^2 \cdot c^3 + 22 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b^3 \cdot c^3 - 224 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a^3 \cdot c^4 - 88 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a^2 \cdot b \cdot c^4) \cdot A + (\sqrt{2}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^7 - 24 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^5 \cdot c - 2 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^6 \cdot c - 2 \cdot a \cdot b^7 \cdot c + 144 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b^3 \cdot c^2 + 40 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^4 \cdot c^2 + \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^5 \cdot c^2 + 48 \cdot a^2 \cdot b^5 \cdot c^2 + 2 \cdot a \cdot b^6 \cdot c^2 - 256 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^4 \cdot b \cdot c^3 - 128 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b^2 \cdot c^3 - 20 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^3 \cdot c^3 - 288 \cdot a^3 \cdot b^3 \cdot c^3 - 44 \cdot a^2 \cdot b^4 \cdot c^3 + 64 \cdot \sqrt{2} \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b \cdot c^4 + 512 \cdot a^4 \cdot b \cdot c^4 + 64 \cdot a^3 \cdot b^2 \cdot c^4 + 320 \cdot a^4 \cdot c^5 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^6 + 22 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^4 \cdot c + 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a \cdot b^5 \cdot c - 32 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b^2 \cdot c^2 - 36 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{b \cdot c + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c)$

$$\begin{aligned}
& *c) *c) *a^2 *b^3 *c^2 - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
& *c) *a *b^4 *c^2 - 160 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} * \\
& c) *a^4 *c^3 - 80 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} *c) *a \\
& ^3 *b *c^3 + 18 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} *c) *a^2 \\
& *b^2 *c^3 + 40 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c + \sqrt{b^2 - 4*a*c}} *c) *a^3 \\
& *c^4 + 2 * (b^2 - 4*a*c) *a *b^5 *c - 40 * (b^2 - 4*a*c) *a^2 *b^3 *c^2 - 2 * (b^2 - 4* \\
& a*c) *a *b^4 *c^2 + 128 * (b^2 - 4*a*c) *a^3 *b *c^3 + 36 * (b^2 - 4*a*c) *a^2 *b^2 *c^3 \\
& + 80 * (b^2 - 4*a*c) *a^3 *c^4) *B) * \arctan(2 * \sqrt{1/2} *x / \sqrt{(a^2 *b^5 - 8 *a^3 * \\
& b^3 *c + 16 *a^4 *b *c^2 + \sqrt{(a^2 *b^5 - 8 *a^3 *b^3 *c + 16 *a^4 *b *c^2)^2 - 4 * (a \\
& ^3 *b^4 - 8 *a^4 *b^2 *c + 16 *a^5 *c^2) * (a^2 *b^4 *c - 8 *a^3 *b^2 *c^2 + 16 *a^4 *c^3) \\
&)) / (a^2 *b^4 *c - 8 *a^3 *b^2 *c^2 + 16 *a^4 *c^3)) / ((a^3 *b^8 - 16 *a^4 *b^6 *c - 2 * \\
& a^3 *b^7 *c + 96 *a^5 *b^4 *c^2 + 24 *a^4 *b^5 *c^2 + a^3 *b^6 *c^2 - 256 *a^6 *b^2 *c^3 \\
& - 96 *a^5 *b^3 *c^3 - 12 *a^4 *b^4 *c^3 + 256 *a^7 *c^4 + 128 *a^6 *b *c^4 + 48 *a^5 *b \\
& ^2 *c^4 - 64 *a^6 *c^5) * \text{abs}(c)) + 1/32 * (3 * (\sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} \\
&) *c) *b^8 - 17 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a *b^6 *c - 2 * \sqrt{2} * \sqrt{ \\
& b*c - \sqrt{b^2 - 4*a*c}} *c) *b^7 *c + 2 *b^8 *c + 116 * \sqrt{2} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^2 *b^4 *c^2 + 26 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) * \\
& a *b^5 *c^2 + \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *b^6 *c^2 - 34 *a *b^6 *c^2 \\
& - 2 *b^7 *c^2 - 368 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^3 *b^2 *c^3 - 128 \\
& * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^2 *b^3 *c^3 - 13 * \sqrt{2} * \sqrt{b*c \\
& - \sqrt{b^2 - 4*a*c}} *c) *a *b^4 *c^3 + 232 *a^2 *b^4 *c^3 + 30 *a *b^5 *c^3 + 448 * \sqrt{ \\
& 2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^4 *c^4 + 224 * \sqrt{2} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^3 *b *c^4 + 64 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^2 * \\
& b^2 *c^4 - 736 *a^3 *b^2 *c^4 - 176 *a^2 *b^3 *c^4 - 112 * \sqrt{2} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^3 *c^5 + 896 *a^4 *c^5 + 352 *a^3 *b *c^5 + \sqrt{2} * \sqrt{b^2 - 4 \\
& *a*c} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *b^7 - 15 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{ \\
& b*c - \sqrt{b^2 - 4*a*c}} *c) *a *b^5 *c - 2 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c \\
& - \sqrt{b^2 - 4*a*c}} *c) *b^6 *c + 88 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^2 *b^3 *c^2 + 22 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a *b^4 *c^2 + \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *b^5 *c^2 - 176 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^3 *b *c^3 - 88 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^2 *b^2 *c^3 - 11 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a *b^3 *c^3 + 44 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a^2 *b *c^4 - 2 * (b^2 - 4*a*c) *b^6 *c + 26 * (b^2 - 4*a*c) *a *b^4 *c^2 + 2 * (\\
& b^2 - 4*a*c) *b^5 *c^2 - 128 * (b^2 - 4*a*c) *a^2 *b^2 *c^3 - 22 * (b^2 - 4*a*c) *a *b \\
& ^3 *c^3 + 224 * (b^2 - 4*a*c) *a^3 *c^4 + 88 * (b^2 - 4*a*c) *a^2 *b *c^4) *A + (\sqrt{2} * \sqrt{ \\
& b*c - \sqrt{b^2 - 4*a*c}} *c) *a *b^7 - 24 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4 \\
& *a*c}} *c) *a^2 *b^5 *c - 2 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a *b^6 *c + \\
& 2 *a *b^7 *c + 144 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^3 *b^3 *c^2 + 40 * \sqrt{ \\
& 2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^2 *b^4 *c^2 + \sqrt{2} * \sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}} *c) *a *b^5 *c^2 - 48 *a^2 *b^5 *c^2 - 2 *a *b^6 *c^2 - 256 * \sqrt{2} * \sqrt{ \\
& b*c - \sqrt{b^2 - 4*a*c}} *c) *a^4 *b *c^3 - 128 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4 \\
& *a*c}} *c) *a^3 *b^2 *c^3 - 20 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4*a*c}} *c) *a^2 *b^3 *c \\
& ^3 + 288 *a^3 *b^3 *c^3 + 44 *a^2 *b^4 *c^3 + 64 * \sqrt{2} * \sqrt{b*c - \sqrt{b^2 - 4
\end{aligned}$$

```

*a*c)*c)*a^3*b*c^4 - 512*a^4*b*c^4 - 64*a^3*b^2*c^4 - 320*a^4*c^5 + sqrt(2)
*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a*b^6 - 22*sqrt(2)*sqrt(
b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a^2*b^4*c - 2*sqrt(2)*sqrt(b^2 - 4
- 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a*b^5*c + 32*sqrt(2)*sqrt(b^2 - 4
*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a^3*b^2*c^2 + 36*sqrt(2)*sqrt(b^2 - 4
*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a^2*b^3*c^2 + sqrt(2)*sqrt(b^2 - 4*a*
c)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a*b^4*c^2 + 160*sqrt(2)*sqrt(b^2 - 4*a*c
)*sqrt(b*c - sqrt(b^2 - 4*a*c))*a^4*c^3 + 80*sqrt(2)*sqrt(b^2 - 4*a*c)*sq
rt(b*c - sqrt(b^2 - 4*a*c))*a^3*b*c^3 - 18*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt
(b*c - sqrt(b^2 - 4*a*c))*a^2*b^2*c^3 - 40*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt
(b*c - sqrt(b^2 - 4*a*c))*a^3*c^4 - 2*(b^2 - 4*a*c)*a*b^5*c + 40*(b^2 - 4
*a*c)*a^2*b^3*c^2 + 2*(b^2 - 4*a*c)*a*b^4*c^2 - 128*(b^2 - 4*a*c)*a^3*b*c^3
- 36*(b^2 - 4*a*c)*a^2*b^2*c^3 - 80*(b^2 - 4*a*c)*a^3*c^4)*B)*arctan(2*sqrt
(1/2)*x/sqrt((a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2 - sqrt((a^2*b^5 - 8*a^3
*b^3*c + 16*a^4*b*c^2)^2 - 4*(a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2)*(a^2*b^4*
c - 8*a^3*b^2*c^2 + 16*a^4*c^3)))/(a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3))
)/(a^3*b^8 - 16*a^4*b^6*c - 2*a^3*b^7*c + 96*a^5*b^4*c^2 + 24*a^4*b^5*c^2
+ a^3*b^6*c^2 - 256*a^6*b^2*c^3 - 96*a^5*b^3*c^3 - 12*a^4*b^4*c^3 + 256*a^7
*c^4 + 128*a^6*b*c^4 + 48*a^5*b^2*c^4 - 64*a^6*c^5)*abs(c)) + 1/8*(B*a*b^2*
c^2*x^7 + 3*A*b^3*c^2*x^7 + 20*B*a^2*c^3*x^7 - 24*A*a*b*c^3*x^7 + 2*B*a*b^3
*c*x^5 + 6*A*b^4*c*x^5 + 28*B*a^2*b*c^2*x^5 - 49*A*a*b^2*c^2*x^5 + 28*A*a^2
*c^3*x^5 + B*a*b^4*x^3 + 3*A*b^5*x^3 + 5*B*a^2*b^2*c*x^3 - 20*A*a*b^3*c*x^3
+ 36*B*a^3*c^2*x^3 - 4*A*a^2*b*c^2*x^3 - B*a^2*b^3*x + 5*A*a*b^4*x + 16*B*
a^3*b*c*x - 37*A*a^2*b^2*c*x + 44*A*a^3*c^2*x)/(a^2*b^4 - 8*a^3*b^2*c + 16
*a^4*c^2)*(c*x^4 + b*x^2 + a)^2)

```

maple [B] time = 0.28, size = 11936, normalized size = 25.95

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/(c*x^4+b*x^2+a)^3,x)

[Out] result too large to display

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(4(5Ba^2 - 6Aab)c^3 + (Bab^2 + 3Ab^3)c^2)x^7 + (28Aa^2c^3 + 7(4Ba^2b - 7Aab^2)c^2 + 2(Bab^3 + 3Ab^4)c)x^5 + (Bab^4 + 3Aab^3)c^3x^3 + (Bab^5 + 3Aab^4)c^2x + (Bab^6 + 3Aab^5)c^2}{8((a^2b^4c^2 - 8a^3b^2c^3 + 16a^4c^4)x^8 + a^4b^4 - 8a^5b^2c + 16a^6c^2 + 2(a^2b^5c - 8a^3b^4c^2 + 16a^4c^3)x^6 + (a^2b^6c^2 - 8a^3b^5c^2 + 16a^4c^3)x^4 + (a^2b^7c^2 - 8a^3b^6c^2 + 16a^4c^3)x^2 + a^2b^8c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a)^3,x, algorithm="maxima")

```
[Out] 1/8*((4*(5*B*a^2 - 6*A*a*b)*c^3 + (B*a*b^2 + 3*A*b^3)*c^2)*x^7 + (28*A*a^2*c^3 + 7*(4*B*a^2*b - 7*A*a*b^2)*c^2 + 2*(B*a*b^3 + 3*A*b^4)*c)*x^5 + (B*a*b^4 + 3*A*b^5 + 4*(9*B*a^3 - A*a^2*b)*c^2 + 5*(B*a^2*b^2 - 4*A*a*b^3)*c)*x^3 - (B*a^2*b^3 - 5*A*a*b^4 - 44*A*a^3*c^2 - (16*B*a^3*b - 37*A*a^2*b^2)*c)*x)/((a^2*b^4*c^2 - 8*a^3*b^2*c^3 + 16*a^4*c^4)*x^8 + a^4*b^4 - 8*a^5*b^2*c + 16*a^6*c^2 + 2*(a^2*b^5*c - 8*a^3*b^3*c^2 + 16*a^4*b*c^3)*x^6 + (a^2*b^6 - 6*a^3*b^4*c + 32*a^5*c^3)*x^4 + 2*(a^3*b^5 - 8*a^4*b^3*c + 16*a^5*b*c^2)*x^2) - 1/8*integrate(-(B*a*b^3 + 3*A*b^4 + 84*A*a^2*c^2 + (4*(5*B*a^2 - 6*A*a*b)*c^2 + (B*a*b^2 + 3*A*b^3)*c)*x^2 - (16*B*a^2*b + 27*A*a*b^2)*c)/(c*x^4 + b*x^2 + a), x)/(a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2)
```

mupad [B] time = 4.61, size = 22914, normalized size = 49.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x^2)/(a + b*x^2 + c*x^4)^3,x)
```

```
[Out] ((x^3*(3*A*b^5 + 36*B*a^3*c^2 + B*a*b^4 - 20*A*a*b^3*c - 4*A*a^2*b*c^2 + 5*B*a^2*b^2*c))/(8*a^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x^5*(28*A*a^2*c^3 + 6*A*b^4*c + 2*B*a*b^3*c - 49*A*a*b^2*c^2 + 28*B*a^2*b*c^2))/(8*a^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x*(5*A*b^4 + 44*A*a^2*c^2 - B*a*b^3 - 37*A*a*b^2*c + 16*B*a^2*b*c))/(8*a*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (c*x^7*(20*B*a^2*c^2 + 3*A*b^3*c - 24*A*a*b*c^2 + B*a*b^2*c))/(8*a^2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))/(x^4*(2*a*c + b^2) + a^2 + c^2*x^8 + 2*a*b*x^2 + 2*b*c*x^6) + a tan((((4194304*B*a^9*b*c^8 - 22020096*A*a^9*c^9 + 768*A*a^2*b^14*c^2 - 22272*A*a^3*b^12*c^3 + 282624*A*a^4*b^10*c^4 - 2027520*A*a^5*b^8*c^5 + 8847360*A*a^6*b^6*c^6 - 23396352*A*a^7*b^4*c^7 + 34603008*A*a^8*b^2*c^8 + 256*B*a^3*b^13*c^2 - 9216*B*a^4*b^11*c^3 + 122880*B*a^5*b^9*c^4 - 819200*B*a^6*b^7*c^5 + 2949120*B*a^7*b^5*c^6 - 5505024*B*a^8*b^3*c^7)/(512*(a^4*b^12 + 4096*a^10*c^6 - 24*a^5*b^10*c + 240*a^6*b^8*c^2 - 1280*a^7*b^6*c^3 + 3840*a^8*b^4*c^4 - 6144*a^9*b^2*c^5)) - (x*(-(9*A^2*b^19 + B^2*a^2*b^17 + 9*A^2*b^4*(-(4*a*c - b^2)^15)^(1/2) + 6*A*B*a*b^18 + 6921*A^2*a^2*b^15*c^2 - 77580*A^2*a^3*b^13*c^3 + 570960*A^2*a^4*b^11*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416*A^2*a^6*b^7*c^6 - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 + 441*A^2*a^2*c^2*(-(4*a*c - b^2)^15)^(1/2) + B^2*a^2*b^2*(-(4*a*c - b^2)^15)^(1/2) + 1140*B^2*a^4*b^13*c^2 - 10160*B^2*a^5*b^11*c^3 + 34880*B^2*a^6*b^9*c^4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 + 6881280*A*B*a^10*c^9 - 369*A^2*a*b^17*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^15*c - 1720320*B^2*a^10*b*c^8 - 25*B^2*a^3*c*(-(4*a*c - b^2)^15)^(1/2) + 5580*A*B*a^3*b^14*c^2 - 59280*A*B*a^4*b^12*c^3 + 377280*A*B*a^5*b^10*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 - 99*A^2*a*b^2*c*(-(4*a*c - b^2)^15)^(1/2) + 6*A*B*a*b^3*(-(4*a*c - b^2)^15)^(1/2) - 288*A*B*a^2*b^16*c - 108*A*B*a^2*b*c*(-(4*a*c - b^2)^15)^(1/2)))/(512*(a^5*b^20 + 1048576*a^15*c^10 - 40*a^
```


$$\begin{aligned}
& c^8 + 256B^2a^3b^{13}c^2 - 9216B^2a^4b^{11}c^3 + 122880B^2a^5b^9c^4 - 819 \\
& 200B^2a^6b^7c^5 + 2949120B^2a^7b^5c^6 - 5505024B^2a^8b^3c^7)/(512(a^4 \\
& 4b^{12} + 4096a^{10}c^6 - 24a^5b^{10}c + 240a^6b^8c^2 - 1280a^7b^6c^3 \\
& + 3840a^8b^4c^4 - 6144a^9b^2c^5)) + (x(-(9A^2b^{19} + B^2a^2b^{17} \\
& + 9A^2b^4(-(4ac - b^2)^{15})^{1/2} + 6AB^2ab^{18} + 6921A^2a^2b^{15}c^2 \\
& - 77580A^2a^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 \\
& + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8 \\
& b^3c^8 + 441A^2a^2c^2(-(4ac - b^2)^{15})^{1/2} + B^2a^2b^2(-(4ac \\
& - b^2)^{15})^{1/2} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880 \\
& B^2a^6b^9c^4 + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680 \\
& B^2a^9b^3c^7 + 6881280AB^2a^{10}c^9 - 369A^2a^2b^{17}c - 15482880A^2a^9 \\
& b^3c^9 - 55B^2a^3b^{15}c - 1720320B^2a^{10}b^3c^8 - 25B^2a^3c(-(4ac \\
& c - b^2)^{15})^{1/2} + 5580AB^2a^3b^{14}c^2 - 59280AB^2a^4b^{12}c^3 + 37728 \\
& 0AB^2a^5b^{10}c^4 - 1430784AB^2a^6b^8c^5 + 2860032AB^2a^7b^6c^6 - 12 \\
& 90240AB^2a^8b^4c^7 - 5160960AB^2a^9b^2c^8 - 99A^2a^2b^2c(-(4ac - \\
& b^2)^{15})^{1/2} + 6AB^2a^3b^3(-(4ac - b^2)^{15})^{1/2} - 288AB^2a^2b^{16} \\
& c - 108AB^2a^2b^3c(-(4ac - b^2)^{15})^{1/2}))/512(a^5b^{20} + 1048576a^1 \\
& 5c^{10} - 40a^6b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b \\
& ^{12}c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 \\
& + 2949120a^{13}b^4c^8 - 2621440a^{14}b^2c^9)))^{1/2}*(262144a^9b^3c^7 - \\
& 256a^4b^{11}c^2 + 5120a^5b^9c^3 - 40960a^6b^7c^4 + 163840a^7b^5c \\
& ^5 - 327680a^8b^3c^6))/(32(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6 \\
& b^4c^2 - 256a^7b^2c^3)))*(-(9A^2b^{19} + B^2a^2b^{17} + 9A^2b^4(-(4 \\
& 4ac - b^2)^{15})^{1/2} + 6AB^2ab^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a \\
& ^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A \\
& ^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 + 441 \\
& A^2a^2c^2(-(4ac - b^2)^{15})^{1/2} + B^2a^2b^2(-(4ac - b^2)^{15})^{1/2} \\
& + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2a^6b^9c^4 \\
& + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2a^9b^3c^7 \\
& + 6881280AB^2a^{10}c^9 - 369A^2a^2b^{17}c - 15482880A^2a^9b^3c^9 - 55B^2 \\
& a^3b^{15}c - 1720320B^2a^{10}b^3c^8 - 25B^2a^3c(-(4ac - b^2)^{15})^{1/2} \\
& + 5580AB^2a^3b^{14}c^2 - 59280AB^2a^4b^{12}c^3 + 377280AB^2a^5b^{10} \\
& c^4 - 1430784AB^2a^6b^8c^5 + 2860032AB^2a^7b^6c^6 - 1290240AB^2a^8b \\
& ^4c^7 - 5160960AB^2a^9b^2c^8 - 99A^2a^2b^2c(-(4ac - b^2)^{15})^{1/2} \\
& + 6AB^2a^3b^3(-(4ac - b^2)^{15})^{1/2} - 288AB^2a^2b^{16}c - 108AB^2a^2 \\
& b^3c(-(4ac - b^2)^{15})^{1/2}))/512(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6 \\
& b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 25804 \\
& 8a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13} \\
& b^4c^8 - 2621440a^{14}b^2c^9)))^{1/2} - (x(14112A^2a^4c^7 + 9A^2b^8 \\
& c^3 - 800B^2a^5c^6 + 1530A^2a^2b^4c^5 - 6192A^2a^3b^2c^6 + B^2 \\
& a^2b^6c^3 - 34B^2a^3b^4c^4 + 1472B^2a^4b^2c^5 - 180A^2a^2b^6c^4 \\
& - 162AB^2a^2b^5c^4 + 1104AB^2a^3b^3c^5 + 6AB^2a^4b^2c^3 - 6816AB^2 \\
& a^4b^3c^6))/(32(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6b^4c^2 - 2 \\
& 56a^7b^2c^3)))*(-(9A^2b^{19} + B^2a^2b^{17} + 9A^2b^4(-(4ac - b^2)^{15})^{1/2} \\
& + 6AB^2ab^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13}c^3 +
\end{aligned}$$

$$\begin{aligned}
& 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 + 441A^2a^2c^2(- \\
& -(4ac - b^2)^{15})^{(1/2)} + B^2a^2b^2(-4ac - b^2)^{15})^{(1/2)} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2a^6b^9c^4 + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2a^9b^3c^7 + 6881280A \\
& B^2a^{10}c^9 - 369A^2ab^{17}c - 15482880A^2a^9b^9c^9 - 55B^2a^3b^{15}c - 1720320B^2a^{10}b^8c^8 - 25B^2a^3c(-4ac - b^2)^{15})^{(1/2)} + 5580A \\
& B^2a^3b^{14}c^2 - 59280AB^2a^4b^{12}c^3 + 377280AB^2a^5b^{10}c^4 - 1430784A^2B^2a^6b^8c^5 + 2860032AB^2a^7b^6c^6 - 1290240AB^2a^8b^4c^7 - 5160 \\
& 960AB^2a^9b^2c^8 - 99A^2ab^2(-4ac - b^2)^{15})^{(1/2)} + 6AB^2a^3(-4ac - b^2)^{15})^{(1/2)} - 288AB^2a^2b^{16}c - 108AB^2a^2b^2(-4ac - b^2)^{15})^{(1/2)} \\
& - 108AB^2a^2b^2(-4ac - b^2)^{15})^{(1/2)} / (512(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6b^{18}c + 720 \\
& a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13}b^4c^8 - 26 \\
& 21440a^{14}b^2c^9))^{(1/2)} * i) / (((4194304B^2a^9b^8c^8 - 22020096A^2a^9c^9 + 768A^2a^2b^{14}c^2 - 22272A^2a^3b^{12}c^3 + 282624A^2a^4b^{10}c^4 - 202 \\
& 7520A^2a^5b^8c^5 + 8847360A^2a^6b^6c^6 - 23396352A^2a^7b^4c^7 + 34603008A^2a^8b^2c^8 + 256B^2a^3b^{13}c^2 - 9216B^2a^4b^{11}c^3 + 122880B^2a^5 \\
& b^9c^4 - 819200B^2a^6b^7c^5 + 2949120B^2a^7b^5c^6 - 5505024B^2a^8b^3c^7) / (512(a^4b^{12} + 4096a^{10}c^6 - 24a^5b^{10}c + 240a^6b^8c^2 - 12 \\
& 80a^7b^6c^3 + 3840a^8b^4c^4 - 6144a^9b^2c^5)) - (x(-9A^2b^{19} + B^2a^2b^{17} + 9A^2b^4(-4ac - b^2)^{15})^{(1/2)} + 6AB^2a^2b^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 285177 \\
& 6A^2a^5b^9c^5 + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 + 441A^2a^2c^2(-4ac - b^2)^{15})^{(1/2)} + B^2a^2b^2(-4ac - b^2)^{15})^{(1/2)} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2a^6b^9c^4 + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2a^9b^3c^7 + 6881280AB^2a^{10}c^9 - 369A^2ab^{17}c - 15482880A^2a^9b^9c^9 - 55B^2a^3b^{15}c - 1720320B^2a^{10}b^8c^8 - 25B^2a^3c(-4ac - b^2)^{15})^{(1/2)} + 5580AB^2a^3b^{14}c^2 - 59280AB^2a^4b^{12}c^3 + 377280AB^2a^5b^{10}c^4 - 1430784A^2B^2a^6b^8c^5 + 2860032AB^2a^7b^6c^6 - 1290240AB^2a^8b^4c^7 - 5160960AB^2a^9b^2c^8 - 99A^2ab^2(-4ac - b^2)^{15})^{(1/2)} + 6AB^2a^3(-4ac - b^2)^{15})^{(1/2)} - 288AB^2a^2b^{16}c - 108AB^2a^2b^2(-4ac - b^2)^{15})^{(1/2)} / (512(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13}b^4c^8 - 2621440a^{14}b^2c^9))^{(1/2)} * (262144a^9b^8c^7 - 256a^4b^{11}c^2 + 5120a^5b^9c^3 - 40960a^6b^7c^4 + 163840a^7b^5c^5 - 327680a^8b^3c^6) / (32(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6b^4c^2 - 256a^7b^2c^3)) * (-9A^2b^{19} + B^2a^2b^{17} + 9A^2b^4(-4ac - b^2)^{15})^{(1/2)} + 6AB^2a^2b^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 + 441A^2a^2c^2(-4ac - b^2)^{15})^{(1/2)} + B^2a^2b^2(-4ac - b^2)^{15})^{(1/2)} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B
\end{aligned}$$

$$\begin{aligned}
&^2*a^6*b^9*c^4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B \\
&^2*a^9*b^3*c^7 + 6881280*A*B*a^10*c^9 - 369*A^2*a*b^17*c - 15482880*A^2*a^9 \\
&*b*c^9 - 55*B^2*a^3*b^15*c - 1720320*B^2*a^10*b*c^8 - 25*B^2*a^3*c*(-(4*a*c \\
&- b^2)^15)^{(1/2)} + 5580*A*B*a^3*b^14*c^2 - 59280*A*B*a^4*b^12*c^3 + 377280 \\
&*A*B*a^5*b^10*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 129 \\
&0240*A*B*a^8*b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 - 99*A^2*a*b^2*c*(-(4*a*c - \\
&b^2)^15)^{(1/2)} + 6*A*B*a*b^3*(-(4*a*c - b^2)^15)^{(1/2)} - 288*A*B*a^2*b^16*c \\
&- 108*A*B*a^2*b*c*(-(4*a*c - b^2)^15)^{(1/2)}/(512*(a^5*b^20 + 1048576*a^15 \\
&*c^10 - 40*a^6*b^18*c + 720*a^7*b^16*c^2 - 7680*a^8*b^14*c^3 + 53760*a^9*b^ \\
&12*c^4 - 258048*a^10*b^10*c^5 + 860160*a^11*b^8*c^6 - 1966080*a^12*b^6*c^7 \\
&+ 2949120*a^13*b^4*c^8 - 2621440*a^14*b^2*c^9)))^{(1/2)} + (x*(14112*A^2*a^4* \\
&c^7 + 9*A^2*b^8*c^3 - 800*B^2*a^5*c^6 + 1530*A^2*a^2*b^4*c^5 - 6192*A^2*a^3 \\
&*b^2*c^6 + B^2*a^2*b^6*c^3 - 34*B^2*a^3*b^4*c^4 + 1472*B^2*a^4*b^2*c^5 - 18 \\
&0*A^2*a*b^6*c^4 - 162*A*B*a^2*b^5*c^4 + 1104*A*B*a^3*b^3*c^5 + 6*A*B*a*b^7* \\
&c^3 - 6816*A*B*a^4*b*c^6))/((32*(a^4*b^8 + 256*a^8*c^4 - 16*a^5*b^6*c + 96*a \\
&^6*b^4*c^2 - 256*a^7*b^2*c^3)))*(-(9*A^2*b^19 + B^2*a^2*b^17 + 9*A^2*b^4*(- \\
&(4*a*c - b^2)^15)^{(1/2)} + 6*A*B*a*b^18 + 6921*A^2*a^2*b^15*c^2 - 77580*A^2* \\
&a^3*b^13*c^3 + 570960*A^2*a^4*b^11*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416* \\
&A^2*a^6*b^7*c^6 - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 + 441 \\
&*A^2*a^2*c^2*(-(4*a*c - b^2)^15)^{(1/2)} + B^2*a^2*b^2*(-(4*a*c - b^2)^15)^{(1 \\
&/2)} + 1140*B^2*a^4*b^13*c^2 - 10160*B^2*a^5*b^11*c^3 + 34880*B^2*a^6*b^9*c^ \\
&4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^ \\
&7 + 6881280*A*B*a^10*c^9 - 369*A^2*a*b^17*c - 15482880*A^2*a^9*b*c^9 - 55*B \\
&^2*a^3*b^15*c - 1720320*B^2*a^10*b*c^8 - 25*B^2*a^3*c*(-(4*a*c - b^2)^15)^{(\\
&1/2)} + 5580*A*B*a^3*b^14*c^2 - 59280*A*B*a^4*b^12*c^3 + 377280*A*B*a^5*b^10 \\
&*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8* \\
&b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 - 99*A^2*a*b^2*c*(-(4*a*c - b^2)^15)^{(1/2 \\
&)} + 6*A*B*a*b^3*(-(4*a*c - b^2)^15)^{(1/2)} - 288*A*B*a^2*b^16*c - 108*A*B*a^ \\
&2*b*c*(-(4*a*c - b^2)^15)^{(1/2)}/(512*(a^5*b^20 + 1048576*a^15*c^10 - 40*a^ \\
&6*b^18*c + 720*a^7*b^16*c^2 - 7680*a^8*b^14*c^3 + 53760*a^9*b^12*c^4 - 2580 \\
&48*a^10*b^10*c^5 + 860160*a^11*b^8*c^6 - 1966080*a^12*b^6*c^7 + 2949120*a^1 \\
&3*b^4*c^8 - 2621440*a^14*b^2*c^9)))^{(1/2)} - (567*A^3*b^7*c^5 + 8000*B^3*a^5 \\
&*c^7 + 67824*A^3*a^2*b^3*c^7 - 35*B^3*a^2*b^6*c^4 - 84*B^3*a^3*b^4*c^5 + 12 \\
&720*B^3*a^4*b^2*c^6 + 141120*A^2*B*a^4*c^8 - 315*A^2*B*b^8*c^4 - 10368*A^3* \\
&a*b^5*c^6 - 169344*A^3*a^3*b*c^8 - 210*A*B^2*a*b^7*c^4 - 116160*A*B^2*a^4*b \\
&*c^7 + 6237*A^2*B*a*b^6*c^5 + 1764*A*B^2*a^2*b^5*c^5 + 4608*A*B^2*a^3*b^3*c \\
&^6 - 42372*A^2*B*a^2*b^4*c^6 + 96048*A^2*B*a^3*b^2*c^7)/(256*(a^4*b^12 + 40 \\
&96*a^10*c^6 - 24*a^5*b^10*c + 240*a^6*b^8*c^2 - 1280*a^7*b^6*c^3 + 3840*a^8 \\
&*b^4*c^4 - 6144*a^9*b^2*c^5)) + (((4194304*B*a^9*b*c^8 - 22020096*A*a^9*c^9 \\
&+ 768*A*a^2*b^14*c^2 - 22272*A*a^3*b^12*c^3 + 282624*A*a^4*b^10*c^4 - 2027 \\
&520*A*a^5*b^8*c^5 + 8847360*A*a^6*b^6*c^6 - 23396352*A*a^7*b^4*c^7 + 346030 \\
&08*A*a^8*b^2*c^8 + 256*B*a^3*b^13*c^2 - 9216*B*a^4*b^11*c^3 + 122880*B*a^5* \\
&b^9*c^4 - 819200*B*a^6*b^7*c^5 + 2949120*B*a^7*b^5*c^6 - 5505024*B*a^8*b^3* \\
&c^7)/(512*(a^4*b^12 + 4096*a^10*c^6 - 24*a^5*b^10*c + 240*a^6*b^8*c^2 - 128 \\
&0*a^7*b^6*c^3 + 3840*a^8*b^4*c^4 - 6144*a^9*b^2*c^5)) + (x*(-(9*A^2*b^19 +
\end{aligned}$$

$$\begin{aligned}
& B^2 a^2 b^{17} + 9 A^2 b^4 (-4 a c - b^2)^{15} (1/2) + 6 A B a b^{18} + 6921 A^2 a^2 b^{15} c^2 - 77580 A^2 a^3 b^{13} c^3 + 570960 A^2 a^4 b^{11} c^4 - 2851776 \\
& A^2 a^5 b^9 c^5 + 9628416 A^2 a^6 b^7 c^6 - 21095424 A^2 a^7 b^5 c^7 + 27095040 A^2 a^8 b^3 c^8 + 441 A^2 a^2 c^2 (-4 a c - b^2)^{15} (1/2) + B^2 a^2 \\
& b^2 (-4 a c - b^2)^{15} (1/2) + 1140 B^2 a^4 b^{13} c^2 - 10160 B^2 a^5 b^{11} c^3 + 34880 B^2 a^6 b^9 c^4 + 43776 B^2 a^7 b^7 c^5 - 680960 B^2 a^8 b^5 c^6 \\
& + 1863680 B^2 a^9 b^3 c^7 + 6881280 A B a^{10} c^9 - 369 A^2 a b^{17} c - 15482880 A^2 a^9 b c^9 - 55 B^2 a^3 b^{15} c - 1720320 B^2 a^{10} b c^8 - 25 B^2 a^3 c \\
& (-4 a c - b^2)^{15} (1/2) + 5580 A B a^3 b^{14} c^2 - 59280 A B a^4 b^{12} c^3 + 377280 A B a^5 b^{10} c^4 - 1430784 A B a^6 b^8 c^5 + 2860032 A B a^7 \\
& b^6 c^6 - 1290240 A B a^8 b^4 c^7 - 5160960 A B a^9 b^2 c^8 - 99 A^2 a b^2 c (-4 a c - b^2)^{15} (1/2) + 6 A B a b^3 (-4 a c - b^2)^{15} (1/2) - 288 \\
& A B a^2 b^{16} c - 108 A B a^2 b c (-4 a c - b^2)^{15} (1/2) / (512 (a^5 b^{20} + 1048576 a^{15} c^{10} - 40 a^6 b^{18} c + 720 a^7 b^{16} c^2 - 7680 a^8 b^{14} c^3 \\
& + 53760 a^9 b^{12} c^4 - 258048 a^{10} b^{10} c^5 + 860160 a^{11} b^8 c^6 - 1966080 a^{12} b^6 c^7 + 2949120 a^{13} b^4 c^8 - 2621440 a^{14} b^2 c^9)) (1/2) * (26214 \\
& 4 a^9 b c^7 - 256 a^4 b^{11} c^2 + 5120 a^5 b^9 c^3 - 40960 a^6 b^7 c^4 + 163840 a^7 b^5 c^5 - 327680 a^8 b^3 c^6) / (32 (a^4 b^8 + 256 a^8 c^4 - 16 a^5 b^6 c \\
& + 96 a^6 b^4 c^2 - 256 a^7 b^2 c^3)) * (-9 A^2 b^{19} + B^2 a^2 b^{17} + 9 A^2 b^4 (-4 a c - b^2)^{15} (1/2) + 6 A B a b^{18} + 6921 A^2 a^2 b^{15} c^2 \\
& - 77580 A^2 a^3 b^{13} c^3 + 570960 A^2 a^4 b^{11} c^4 - 2851776 A^2 a^5 b^9 c^5 + 9628416 A^2 a^6 b^7 c^6 - 21095424 A^2 a^7 b^5 c^7 + 27095040 A^2 a^8 b^3 c^8 \\
& + 441 A^2 a^2 c^2 (-4 a c - b^2)^{15} (1/2) + B^2 a^2 b^2 (-4 a c - b^2)^{15} (1/2) + 1140 B^2 a^4 b^{13} c^2 - 10160 B^2 a^5 b^{11} c^3 + 34880 B^2 \\
& a^6 b^9 c^4 + 43776 B^2 a^7 b^7 c^5 - 680960 B^2 a^8 b^5 c^6 + 1863680 B^2 a^9 b^3 c^7 + 6881280 A B a^{10} c^9 - 369 A^2 a b^{17} c - 15482880 A^2 a^9 \\
& b c^9 - 55 B^2 a^3 b^{15} c - 1720320 B^2 a^{10} b c^8 - 25 B^2 a^3 c (-4 a c - b^2)^{15} (1/2) + 5580 A B a^3 b^{14} c^2 - 59280 A B a^4 b^{12} c^3 + 377280 \\
& A B a^5 b^{10} c^4 - 1430784 A B a^6 b^8 c^5 + 2860032 A B a^7 b^6 c^6 - 1290240 A B a^8 b^4 c^7 - 5160960 A B a^9 b^2 c^8 - 99 A^2 a b^2 c (-4 a c - b \\
& ^2)^{15} (1/2) + 6 A B a b^3 (-4 a c - b^2)^{15} (1/2) - 288 A B a^2 b^{16} c - 108 A B a^2 b c (-4 a c - b^2)^{15} (1/2) / (512 (a^5 b^{20} + 1048576 a^{15} \\
& c^{10} - 40 a^6 b^{18} c + 720 a^7 b^{16} c^2 - 7680 a^8 b^{14} c^3 + 53760 a^9 b^{12} c^4 - 258048 a^{10} b^{10} c^5 + 860160 a^{11} b^8 c^6 - 1966080 a^{12} b^6 c^7 + \\
& 2949120 a^{13} b^4 c^8 - 2621440 a^{14} b^2 c^9)) (1/2) - (x (14112 A^2 a^4 c^7 + 9 A^2 b^8 c^3 - 800 B^2 a^5 c^6 + 1530 A^2 a^2 b^4 c^5 - 6192 A^2 a^3 b^2 c^6 \\
& + B^2 a^2 b^6 c^3 - 34 B^2 a^3 b^4 c^4 + 1472 B^2 a^4 b^2 c^5 - 180 A^2 a b^6 c^4 - 162 A B a^2 b^5 c^4 + 1104 A B a^3 b^3 c^5 + 6 A B a b^7 c^3 - 6816 A B a^4 b c^6)) / (32 (a^4 b^8 + 256 a^8 c^4 - 16 a^5 b^6 c \\
& + 96 a^6 b^4 c^2 - 256 a^7 b^2 c^3)) * (-9 A^2 b^{19} + B^2 a^2 b^{17} + 9 A^2 b^4 (-4 a c - b^2)^{15} (1/2) + 6 A B a b^{18} + 6921 A^2 a^2 b^{15} c^2 - 77580 A^2 a^3 \\
& b^{13} c^3 + 570960 A^2 a^4 b^{11} c^4 - 2851776 A^2 a^5 b^9 c^5 + 9628416 A^2 a^6 b^7 c^6 - 21095424 A^2 a^7 b^5 c^7 + 27095040 A^2 a^8 b^3 c^8 + 441 A^2 a^2 c^2 \\
& (-4 a c - b^2)^{15} (1/2) + B^2 a^2 b^2 (-4 a c - b^2)^{15} (1/2) + 1140 B^2 a^4 b^{13} c^2 - 10160 B^2 a^5 b^{11} c^3 + 34880 B^2 a^6 b^9 c^4
\end{aligned}$$

$$\begin{aligned}
& + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 \\
& + 6881280*A*B*a^10*c^9 - 369*A^2*a*b^17*c - 15482880*A^2*a^9*b*c^9 - 55*B^2 \\
& *a^3*b^15*c - 1720320*B^2*a^10*b*c^8 - 25*B^2*a^3*c*(-(4*a*c - b^2)^15)^(1 \\
& /2) + 5580*A*B*a^3*b^14*c^2 - 59280*A*B*a^4*b^12*c^3 + 377280*A*B*a^5*b^10* \\
& c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b \\
& ^4*c^7 - 5160960*A*B*a^9*b^2*c^8 - 99*A^2*a*b^2*c*(-(4*a*c - b^2)^15)^(1/2) \\
& + 6*A*B*a*b^3*(-(4*a*c - b^2)^15)^(1/2) - 288*A*B*a^2*b^16*c - 108*A*B*a^2 \\
& *b*c*(-(4*a*c - b^2)^15)^(1/2))/(512*(a^5*b^20 + 1048576*a^15*c^10 - 40*a^6 \\
& *b^18*c + 720*a^7*b^16*c^2 - 7680*a^8*b^14*c^3 + 53760*a^9*b^12*c^4 - 25804 \\
& 8*a^10*b^10*c^5 + 860160*a^11*b^8*c^6 - 1966080*a^12*b^6*c^7 + 2949120*a^13 \\
& *b^4*c^8 - 2621440*a^14*b^2*c^9)))^(1/2))*(-(9*A^2*b^19 + B^2*a^2*b^17 + 9 \\
& *A^2*b^4*(-(4*a*c - b^2)^15)^(1/2) + 6*A*B*a*b^18 + 6921*A^2*a^2*b^15*c^2 - \\
& 77580*A^2*a^3*b^13*c^3 + 570960*A^2*a^4*b^11*c^4 - 2851776*A^2*a^5*b^9*c^5 \\
& + 9628416*A^2*a^6*b^7*c^6 - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^ \\
& 3*c^8 + 441*A^2*a^2*c^2*(-(4*a*c - b^2)^15)^(1/2) + B^2*a^2*b^2*(-(4*a*c - \\
& b^2)^15)^(1/2) + 1140*B^2*a^4*b^13*c^2 - 10160*B^2*a^5*b^11*c^3 + 34880*B^2 \\
& *a^6*b^9*c^4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2 \\
& *a^9*b^3*c^7 + 6881280*A*B*a^10*c^9 - 369*A^2*a*b^17*c - 15482880*A^2*a^9*b \\
& *c^9 - 55*B^2*a^3*b^15*c - 1720320*B^2*a^10*b*c^8 - 25*B^2*a^3*c*(-(4*a*c - \\
& b^2)^15)^(1/2) + 5580*A*B*a^3*b^14*c^2 - 59280*A*B*a^4*b^12*c^3 + 377280*A \\
& *B*a^5*b^10*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 12902 \\
& 40*A*B*a^8*b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 - 99*A^2*a*b^2*c*(-(4*a*c - b^ \\
& 2)^15)^(1/2) + 6*A*B*a*b^3*(-(4*a*c - b^2)^15)^(1/2) - 288*A*B*a^2*b^16*c - \\
& 108*A*B*a^2*b*c*(-(4*a*c - b^2)^15)^(1/2))/(512*(a^5*b^20 + 1048576*a^15*c \\
& ^10 - 40*a^6*b^18*c + 720*a^7*b^16*c^2 - 7680*a^8*b^14*c^3 + 53760*a^9*b^12 \\
& *c^4 - 258048*a^10*b^10*c^5 + 860160*a^11*b^8*c^6 - 1966080*a^12*b^6*c^7 + \\
& 2949120*a^13*b^4*c^8 - 2621440*a^14*b^2*c^9)))^(1/2)*2i + atan((((4194304* \\
& B*a^9*b*c^8 - 22020096*A*a^9*c^9 + 768*A*a^2*b^14*c^2 - 22272*A*a^3*b^12*c^ \\
& 3 + 282624*A*a^4*b^10*c^4 - 2027520*A*a^5*b^8*c^5 + 8847360*A*a^6*b^6*c^6 - \\
& 23396352*A*a^7*b^4*c^7 + 34603008*A*a^8*b^2*c^8 + 256*B*a^3*b^13*c^2 - 921 \\
& 6*B*a^4*b^11*c^3 + 122880*B*a^5*b^9*c^4 - 819200*B*a^6*b^7*c^5 + 2949120*B* \\
& a^7*b^5*c^6 - 5505024*B*a^8*b^3*c^7)/(512*(a^4*b^12 + 4096*a^10*c^6 - 24*a^ \\
& 5*b^10*c + 240*a^6*b^8*c^2 - 1280*a^7*b^6*c^3 + 3840*a^8*b^4*c^4 - 6144*a^9 \\
& *b^2*c^5)) - (x*(-(9*A^2*b^19 + B^2*a^2*b^17 - 9*A^2*b^4*(-(4*a*c - b^2)^15 \\
&)^(1/2) + 6*A*B*a*b^18 + 6921*A^2*a^2*b^15*c^2 - 77580*A^2*a^3*b^13*c^3 + 5 \\
& 70960*A^2*a^4*b^11*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416*A^2*a^6*b^7*c^6 \\
& - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 - 441*A^2*a^2*c^2*(-(\\
& 4*a*c - b^2)^15)^(1/2) - B^2*a^2*b^2*(-(4*a*c - b^2)^15)^(1/2) + 1140*B^2*a \\
& ^4*b^13*c^2 - 10160*B^2*a^5*b^11*c^3 + 34880*B^2*a^6*b^9*c^4 + 43776*B^2*a^ \\
& 7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 + 6881280*A*B* \\
& a^10*c^9 - 369*A^2*a*b^17*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^15*c - \\
& 1720320*B^2*a^10*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^15)^(1/2) + 5580*A*B* \\
& a^3*b^14*c^2 - 59280*A*B*a^4*b^12*c^3 + 377280*A*B*a^5*b^10*c^4 - 1430784*A \\
& *B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^4*c^7 - 516096 \\
& 0*A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^15)^(1/2) - 6*A*B*a*b^3*
\end{aligned}$$

$$\begin{aligned}
& ((-4ac - b^2)^{15})^{1/2} - 288ABa^2b^{16}c + 108ABa^2b^8c^2(-4ac - b^2)^{15})^{1/2} / (512(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13}b^4c^8 - 2621440a^{14}b^2c^9))^{1/2} * (262144a^9b^8c^7 - 256a^4b^{11}c^2 + 5120a^5b^9c^3 - 40960a^6b^7c^4 + 163840a^7b^5c^5 - 327680a^8b^3c^6) / (32(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6b^4c^2 - 256a^7b^2c^3)) * ((-9A^2b^{19} + B^2a^2b^{17} - 9A^2b^4(-4ac - b^2)^{15})^{1/2} + 6ABa^2b^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 - 441A^2a^2c^2(-4ac - b^2)^{15})^{1/2} - B^2a^2b^2(-4ac - b^2)^{15})^{1/2} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2a^6b^9c^4 + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2a^9b^3c^7 + 6881280ABa^{10}c^9 - 369A^2a^2b^{17}c - 15482880A^2a^9b^8c^9 - 55B^2a^3b^{15}c - 1720320B^2a^{10}b^8c^8 + 25B^2a^3c^2(-4ac - b^2)^{15})^{1/2} + 5580ABa^3b^{14}c^2 - 59280ABa^4b^{12}c^3 + 377280ABa^5b^{10}c^4 - 1430784ABa^6b^8c^5 + 2860032ABa^7b^6c^6 - 1290240ABa^8b^4c^7 - 5160960ABa^9b^2c^8 + 99A^2a^2b^2c^2(-4ac - b^2)^{15})^{1/2} - 6ABa^2b^3(-4ac - b^2)^{15})^{1/2} - 288ABa^2b^{16}c + 108ABa^2b^8c^2(-4ac - b^2)^{15})^{1/2} / (512(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13}b^4c^8 - 2621440a^{14}b^2c^9))^{1/2} + (x*(14112A^2a^4c^7 + 9A^2b^8c^3 - 800B^2a^5c^6 + 1530A^2a^2b^4c^5 - 6192A^2a^3b^2c^6 + B^2a^2b^6c^3 - 34B^2a^3b^4c^4 + 1472B^2a^4b^2c^5 - 180A^2a^2b^6c^4 - 162ABa^2b^5c^4 + 1104ABa^3b^3c^5 + 6ABa^2b^7c^3 - 6816ABa^4b^2c^6) / (32(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6b^4c^2 - 256a^7b^2c^3))) * ((-9A^2b^{19} + B^2a^2b^{17} - 9A^2b^4(-4ac - b^2)^{15})^{1/2} + 6ABa^2b^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 - 441A^2a^2c^2(-4ac - b^2)^{15})^{1/2} - B^2a^2b^2(-4ac - b^2)^{15})^{1/2} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2a^6b^9c^4 + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2a^9b^3c^7 + 6881280ABa^{10}c^9 - 369A^2a^2b^{17}c - 15482880A^2a^9b^8c^9 - 55B^2a^3b^{15}c - 1720320B^2a^{10}b^8c^8 + 25B^2a^3c^2(-4ac - b^2)^{15})^{1/2} + 5580ABa^3b^{14}c^2 - 59280ABa^4b^{12}c^3 + 377280ABa^5b^{10}c^4 - 1430784ABa^6b^8c^5 + 2860032ABa^7b^6c^6 - 1290240ABa^8b^4c^7 - 5160960ABa^9b^2c^8 + 99A^2a^2b^2c^2(-4ac - b^2)^{15})^{1/2} - 6ABa^2b^3(-4ac - b^2)^{15})^{1/2} - 288ABa^2b^{16}c + 108ABa^2b^8c^2(-4ac - b^2)^{15})^{1/2} / (512(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13}b^4c^8 - 2621440a^{14}b^2c^9))^{1/2} * 11i - (((4194304B^2a^9b^8c^8 - 22020096A^2a^9c^9 + 768A^2a^2b^{14}c^2 - 22272
\end{aligned}$$

$$\begin{aligned}
& *A*a^3*b^{12}*c^3 + 282624*A*a^4*b^{10}*c^4 - 2027520*A*a^5*b^8*c^5 + 8847360*A \\
& *a^6*b^6*c^6 - 23396352*A*a^7*b^4*c^7 + 34603008*A*a^8*b^2*c^8 + 256*B*a^3* \\
& b^{13}*c^2 - 9216*B*a^4*b^{11}*c^3 + 122880*B*a^5*b^9*c^4 - 819200*B*a^6*b^7*c^ \\
& 5 + 2949120*B*a^7*b^5*c^6 - 5505024*B*a^8*b^3*c^7)/(512*(a^4*b^{12} + 4096*a^ \\
& 10*c^6 - 24*a^5*b^{10}*c + 240*a^6*b^8*c^2 - 1280*a^7*b^6*c^3 + 3840*a^8*b^4* \\
& c^4 - 6144*a^9*b^2*c^5)) + (x*(-(9*A^2*b^{19} + B^2*a^2*b^{17} - 9*A^2*b^4*(-(4 \\
& *a*c - b^2)^{15})^{1/2} + 6*A*B*a*b^{18} + 6921*A^2*a^2*b^{15}*c^2 - 77580*A^2*a^ \\
& 3*b^{13}*c^3 + 570960*A^2*a^4*b^{11}*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416*A^ \\
& 2*a^6*b^7*c^6 - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 - 441*A \\
& ^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{1/2} - B^2*a^2*b^2*(-(4*a*c - b^2)^{15})^{1/2} \\
&) + 1140*B^2*a^4*b^{13}*c^2 - 10160*B^2*a^5*b^{11}*c^3 + 34880*B^2*a^6*b^9*c^4 \\
& + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 \\
& + 6881280*A*B*a^{10}*c^9 - 369*A^2*a*b^{17}*c - 15482880*A^2*a^9*b*c^9 - 55*B^2 \\
& *a^3*b^{15}*c - 1720320*B^2*a^{10}*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^{15})^{1/2} \\
&) + 5580*A*B*a^3*b^{14}*c^2 - 59280*A*B*a^4*b^{12}*c^3 + 377280*A*B*a^5*b^{10}*c \\
& ^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^ \\
& 4*c^7 - 5160960*A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{1/2} \\
& - 6*A*B*a*b^3*(-(4*a*c - b^2)^{15})^{1/2} - 288*A*B*a^2*b^{16}*c + 108*A*B*a^2* \\
& b*c*(-(4*a*c - b^2)^{15})^{1/2}))/((512*(a^5*b^{20} + 1048576*a^{15}*c^{10} - 40*a^6* \\
& b^{18}*c + 720*a^7*b^{16}*c^2 - 7680*a^8*b^{14}*c^3 + 53760*a^9*b^{12}*c^4 - 258048 \\
& *a^{10}*b^{10}*c^5 + 860160*a^{11}*b^8*c^6 - 1966080*a^{12}*b^6*c^7 + 2949120*a^{13} \\
& *b^4*c^8 - 2621440*a^{14}*b^2*c^9)))^{1/2}*(262144*a^9*b*c^7 - 256*a^4*b^{11}*c^ \\
& 2 + 5120*a^5*b^9*c^3 - 40960*a^6*b^7*c^4 + 163840*a^7*b^5*c^5 - 327680*a^8* \\
& b^3*c^6))/((32*(a^4*b^8 + 256*a^8*c^4 - 16*a^5*b^6*c + 96*a^6*b^4*c^2 - 256* \\
& a^7*b^2*c^3)))*(-(9*A^2*b^{19} + B^2*a^2*b^{17} - 9*A^2*b^4*(-(4*a*c - b^2)^{15}) \\
& ^{1/2} + 6*A*B*a*b^{18} + 6921*A^2*a^2*b^{15}*c^2 - 77580*A^2*a^3*b^{13}*c^3 + 57 \\
& 0960*A^2*a^4*b^{11}*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416*A^2*a^6*b^7*c^6 - \\
& 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 - 441*A^2*a^2*c^2*(-(4 \\
& *a*c - b^2)^{15})^{1/2} - B^2*a^2*b^2*(-(4*a*c - b^2)^{15})^{1/2} + 1140*B^2*a^ \\
& 4*b^{13}*c^2 - 10160*B^2*a^5*b^{11}*c^3 + 34880*B^2*a^6*b^9*c^4 + 43776*B^2*a^7 \\
& *b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 + 6881280*A*B*a \\
& ^{10}*c^9 - 369*A^2*a*b^{17}*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^{15}*c - 1 \\
& 720320*B^2*a^{10}*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^{15})^{1/2} + 5580*A*B*a \\
& ^3*b^{14}*c^2 - 59280*A*B*a^4*b^{12}*c^3 + 377280*A*B*a^5*b^{10}*c^4 - 1430784*A* \\
& B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^4*c^7 - 5160960 \\
& *A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{1/2} - 6*A*B*a*b^3*(\\
& -(4*a*c - b^2)^{15})^{1/2} - 288*A*B*a^2*b^{16}*c + 108*A*B*a^2*b*c*(-(4*a*c - \\
& b^2)^{15})^{1/2}))/((512*(a^5*b^{20} + 1048576*a^{15}*c^{10} - 40*a^6*b^{18}*c + 720*a^ \\
& 7*b^{16}*c^2 - 7680*a^8*b^{14}*c^3 + 53760*a^9*b^{12}*c^4 - 258048*a^{10}*b^{10}*c^5 \\
& + 860160*a^{11}*b^8*c^6 - 1966080*a^{12}*b^6*c^7 + 2949120*a^{13}*b^4*c^8 - 26214 \\
& 40*a^{14}*b^2*c^9)))^{1/2} - (x*(14112*A^2*a^4*c^7 + 9*A^2*b^8*c^3 - 800*B^2* \\
& a^5*c^6 + 1530*A^2*a^2*b^4*c^5 - 6192*A^2*a^3*b^2*c^6 + B^2*a^2*b^6*c^3 - 3 \\
& 4*B^2*a^3*b^4*c^4 + 1472*B^2*a^4*b^2*c^5 - 180*A^2*a*b^6*c^4 - 162*A*B*a^2* \\
& b^5*c^4 + 1104*A*B*a^3*b^3*c^5 + 6*A*B*a*b^7*c^3 - 6816*A*B*a^4*b*c^6))/((32 \\
& *(a^4*b^8 + 256*a^8*c^4 - 16*a^5*b^6*c + 96*a^6*b^4*c^2 - 256*a^7*b^2*c^3))
\end{aligned}$$

$$\begin{aligned}
&) * (- (9 * A^2 * b^{19} + B^2 * a^2 * b^{17} - 9 * A^2 * b^4 * (- (4 * a * c - b^2)^{15})^{1/2} + 6 * A * \\
& B * a * b^{18} + 6921 * A^2 * a^2 * b^{15} * c^2 - 77580 * A^2 * a^3 * b^{13} * c^3 + 570960 * A^2 * a^4 * \\
& b^{11} * c^4 - 2851776 * A^2 * a^5 * b^9 * c^5 + 9628416 * A^2 * a^6 * b^7 * c^6 - 21095424 * A^2 * \\
& a^7 * b^5 * c^7 + 27095040 * A^2 * a^8 * b^3 * c^8 - 441 * A^2 * a^2 * c^2 * (- (4 * a * c - b^2)^{15})^{1/2} - \\
& B^2 * a^2 * b^2 * (- (4 * a * c - b^2)^{15})^{1/2} + 1140 * B^2 * a^4 * b^{13} * c^2 - \\
& 10160 * B^2 * a^5 * b^{11} * c^3 + 34880 * B^2 * a^6 * b^9 * c^4 + 43776 * B^2 * a^7 * b^7 * c^5 - 68 \\
& 0960 * B^2 * a^8 * b^5 * c^6 + 1863680 * B^2 * a^9 * b^3 * c^7 + 6881280 * A * B * a^{10} * c^9 - 369 \\
& * A^2 * a * b^{17} * c - 15482880 * A^2 * a^9 * b * c^9 - 55 * B^2 * a^3 * b^{15} * c - 1720320 * B^2 * a^ \\
& 10 * b * c^8 + 25 * B^2 * a^3 * c * (- (4 * a * c - b^2)^{15})^{1/2} + 5580 * A * B * a^3 * b^{14} * c^2 - \\
& 59280 * A * B * a^4 * b^{12} * c^3 + 377280 * A * B * a^5 * b^{10} * c^4 - 1430784 * A * B * a^6 * b^8 * c^5 \\
& + 2860032 * A * B * a^7 * b^6 * c^6 - 1290240 * A * B * a^8 * b^4 * c^7 - 5160960 * A * B * a^9 * b^2 * \\
& c^8 + 99 * A^2 * a * b^2 * c * (- (4 * a * c - b^2)^{15})^{1/2} - 6 * A * B * a * b^3 * (- (4 * a * c - b^2) \\
&)^{15})^{1/2} - 288 * A * B * a^2 * b^{16} * c + 108 * A * B * a^2 * b * c * (- (4 * a * c - b^2)^{15})^{1/2} \\
&) / (512 * (a^5 * b^{20} + 1048576 * a^{15} * c^{10} - 40 * a^6 * b^{18} * c + 720 * a^7 * b^{16} * c^2 - \\
& 7680 * a^8 * b^{14} * c^3 + 53760 * a^9 * b^{12} * c^4 - 258048 * a^{10} * b^{10} * c^5 + 860160 * a^{11} \\
& * b^8 * c^6 - 1966080 * a^{12} * b^6 * c^7 + 2949120 * a^{13} * b^4 * c^8 - 2621440 * a^{14} * b^2 * c^ \\
& ^9))^{1/2} * i) / (((4194304 * B * a^9 * b * c^8 - 22020096 * A * a^9 * c^9 + 768 * A * a^2 * b^ \\
& 14 * c^2 - 22272 * A * a^3 * b^{12} * c^3 + 282624 * A * a^4 * b^{10} * c^4 - 2027520 * A * a^5 * b^8 * c \\
& ^5 + 8847360 * A * a^6 * b^6 * c^6 - 23396352 * A * a^7 * b^4 * c^7 + 34603008 * A * a^8 * b^2 * c^ \\
& 8 + 256 * B * a^3 * b^{13} * c^2 - 9216 * B * a^4 * b^{11} * c^3 + 122880 * B * a^5 * b^9 * c^4 - 81920 \\
& 0 * B * a^6 * b^7 * c^5 + 2949120 * B * a^7 * b^5 * c^6 - 5505024 * B * a^8 * b^3 * c^7) / (512 * (a^4 * \\
& b^{12} + 4096 * a^{10} * c^6 - 24 * a^5 * b^{10} * c + 240 * a^6 * b^8 * c^2 - 1280 * a^7 * b^6 * c^3 + \\
& 3840 * a^8 * b^4 * c^4 - 6144 * a^9 * b^2 * c^5)) - (x * (- (9 * A^2 * b^{19} + B^2 * a^2 * b^{17} - \\
& 9 * A^2 * b^4 * (- (4 * a * c - b^2)^{15})^{1/2} + 6 * A * B * a * b^{18} + 6921 * A^2 * a^2 * b^{15} * c^2 \\
& - 77580 * A^2 * a^3 * b^{13} * c^3 + 570960 * A^2 * a^4 * b^{11} * c^4 - 2851776 * A^2 * a^5 * b^9 * c^5 \\
& + 9628416 * A^2 * a^6 * b^7 * c^6 - 21095424 * A^2 * a^7 * b^5 * c^7 + 27095040 * A^2 * a^8 * b^ \\
& ^3 * c^8 - 441 * A^2 * a^2 * c^2 * (- (4 * a * c - b^2)^{15})^{1/2} - B^2 * a^2 * b^2 * (- (4 * a * c - \\
& b^2)^{15})^{1/2} + 1140 * B^2 * a^4 * b^{13} * c^2 - 10160 * B^2 * a^5 * b^{11} * c^3 + 34880 * B^ \\
& 2 * a^6 * b^9 * c^4 + 43776 * B^2 * a^7 * b^7 * c^5 - 680960 * B^2 * a^8 * b^5 * c^6 + 1863680 * B^ \\
& 2 * a^9 * b^3 * c^7 + 6881280 * A * B * a^{10} * c^9 - 369 * A^2 * a * b^{17} * c - 15482880 * A^2 * a^9 * \\
& b * c^9 - 55 * B^2 * a^3 * b^{15} * c - 1720320 * B^2 * a^{10} * b * c^8 + 25 * B^2 * a^3 * c * (- (4 * a * c \\
& - b^2)^{15})^{1/2} + 5580 * A * B * a^3 * b^{14} * c^2 - 59280 * A * B * a^4 * b^{12} * c^3 + 377280 * \\
& A * B * a^5 * b^{10} * c^4 - 1430784 * A * B * a^6 * b^8 * c^5 + 2860032 * A * B * a^7 * b^6 * c^6 - 1290 \\
& 240 * A * B * a^8 * b^4 * c^7 - 5160960 * A * B * a^9 * b^2 * c^8 + 99 * A^2 * a * b^2 * c * (- (4 * a * c - \\
& b^2)^{15})^{1/2} - 6 * A * B * a * b^3 * (- (4 * a * c - b^2)^{15})^{1/2} - 288 * A * B * a^2 * b^{16} * c \\
& + 108 * A * B * a^2 * b * c * (- (4 * a * c - b^2)^{15})^{1/2} / (512 * (a^5 * b^{20} + 1048576 * a^{15} * \\
& c^{10} - 40 * a^6 * b^{18} * c + 720 * a^7 * b^{16} * c^2 - 7680 * a^8 * b^{14} * c^3 + 53760 * a^9 * b^{1 \\
& 2} * c^4 - 258048 * a^{10} * b^{10} * c^5 + 860160 * a^{11} * b^8 * c^6 - 1966080 * a^{12} * b^6 * c^7 + \\
& 2949120 * a^{13} * b^4 * c^8 - 2621440 * a^{14} * b^2 * c^9))^{1/2} * (262144 * a^9 * b * c^7 - 2 \\
& 56 * a^4 * b^{11} * c^2 + 5120 * a^5 * b^9 * c^3 - 40960 * a^6 * b^7 * c^4 + 163840 * a^7 * b^5 * c^5 \\
& - 327680 * a^8 * b^3 * c^6) / (32 * (a^4 * b^8 + 256 * a^8 * c^4 - 16 * a^5 * b^6 * c + 96 * a^6 * \\
& b^4 * c^2 - 256 * a^7 * b^2 * c^3)) * (- (9 * A^2 * b^{19} + B^2 * a^2 * b^{17} - 9 * A^2 * b^4 * (- (4 * \\
& a * c - b^2)^{15})^{1/2} + 6 * A * B * a * b^{18} + 6921 * A^2 * a^2 * b^{15} * c^2 - 77580 * A^2 * a^3 \\
& * b^{13} * c^3 + 570960 * A^2 * a^4 * b^{11} * c^4 - 2851776 * A^2 * a^5 * b^9 * c^5 + 9628416 * A^2 \\
& * a^6 * b^7 * c^6 - 21095424 * A^2 * a^7 * b^5 * c^7 + 27095040 * A^2 * a^8 * b^3 * c^8 - 441 * A^
\end{aligned}$$

$$\begin{aligned}
& 2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - B^2*a^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& + 1140*B^2*a^4*b^{13}*c^2 - 10160*B^2*a^5*b^{11}*c^3 + 34880*B^2*a^6*b^9*c^4 + \\
& 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 + \\
& 6881280*A*B*a^{10}*c^9 - 369*A^2*a*b^{17}*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^{15}*c \\
& - 1720320*B^2*a^{10}*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} \\
&) + 5580*A*B*a^3*b^{14}*c^2 - 59280*A*B*a^4*b^{12}*c^3 + 377280*A*B*a^5*b^{10}*c^4 \\
& - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^4*c^7 \\
& *c^7 - 5160960*A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - \\
& 6*A*B*a*b^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a^2*b^{16}*c + 108*A*B*a^2*b \\
& *c*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(a^5*b^{20} + 1048576*a^{15}*c^{10} - 40*a^6*b^{18}*c \\
& ^{18}*c + 720*a^7*b^{16}*c^2 - 7680*a^8*b^{14}*c^3 + 53760*a^9*b^{12}*c^4 - 258048* \\
& a^{10}*b^{10}*c^5 + 860160*a^{11}*b^8*c^6 - 1966080*a^{12}*b^6*c^7 + 2949120*a^{13}*b^4*c^8 \\
& - 2621440*a^{14}*b^2*c^9)))^{(1/2)} + (x*(14112*A^2*a^4*c^7 + 9*A^2*b^8*c^3 - 800*B^2*a^5*c^6 \\
& + 1530*A^2*a^2*b^4*c^5 - 6192*A^2*a^3*b^2*c^6 + B^2*a^2*b^6*c^3 - 34*B^2*a^3*b^4*c^4 \\
& + 1472*B^2*a^4*b^2*c^5 - 180*A^2*a*b^6*c^4 - 162*A*B*a^2*b^5*c^4 + 1104*A*B*a^3*b^3*c^5 \\
& + 6*A*B*a*b^7*c^3 - 6816*A*B*a^4*b*c^6))/(32*(a^4*b^8 + 256*a^8*c^4 - 16*a^5*b^6*c + 96*a^6*b^4*c^2 \\
& - 256*a^7*b^2*c^3)))*(-(9*A^2*b^{19} + B^2*a^2*b^{17} - 9*A^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} \\
&)^{(1/2)} + 6*A*B*a*b^{18} + 6921*A^2*a^2*b^{15}*c^2 - 77580*A^2*a^3*b^{13}*c^3 + 5 \\
& 70960*A^2*a^4*b^{11}*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416*A^2*a^6*b^7*c^6 \\
& - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 - 441*A^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} \\
& - B^2*a^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 1140*B^2*a^4*b^{13}*c^2 - 10160*B^2*a^5*b^{11}*c^3 \\
& + 34880*B^2*a^6*b^9*c^4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 \\
& + 6881280*A*B*a^{10}*c^9 - 369*A^2*a*b^{17}*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^{15}*c \\
& - 1720320*B^2*a^{10}*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 5580*A*B*a^3*b^{14}*c^2 \\
& - 59280*A*B*a^4*b^{12}*c^3 + 377280*A*B*a^5*b^{10}*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 \\
& - 1290240*A*B*a^8*b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 6*A*B*a*b^3 \\
& (- (4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a^2*b^{16}*c + 108*A*B*a^2*b*c*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(a^5*b^{20} \\
& + 1048576*a^{15}*c^{10} - 40*a^6*b^{18}*c + 720*a^7*b^{16}*c^2 - 7680*a^8*b^{14}*c^3 + 53760*a^9*b^{12}*c^4 \\
& - 258048*a^{10}*b^{10}*c^5 + 860160*a^{11}*b^8*c^6 - 1966080*a^{12}*b^6*c^7 + 2949120*a^{13}*b^4*c^8 - 2621 \\
& 440*a^{14}*b^2*c^9)))^{(1/2)} - (567*A^3*b^7*c^5 + 8000*B^3*a^5*c^7 + 67824*A^3*a^2*b^3*c^7 - 35*B^3*a^2*b^6*c^4 \\
& - 84*B^3*a^3*b^4*c^5 + 12720*B^3*a^4*b^2*c^6 + 141120*A^2*B*a^4*c^8 - 315*A^2*B*b^8*c^4 - 10368*A^3*a*b^5*c^6 - 1693 \\
& 44*A^3*a^3*b*c^8 - 210*A*B^2*a*b^7*c^4 - 116160*A*B^2*a^4*b*c^7 + 6237*A^2*B*a*b^6*c^5 + 1764*A*B^2*a^2*b^5*c^5 \\
& + 4608*A*B^2*a^3*b^3*c^6 - 42372*A^2*B*a^2*b^4*c^6 + 96048*A^2*B*a^3*b^2*c^7)/(256*(a^4*b^{12} + 4096*a^{10}*c^6 - 24 \\
& *a^5*b^{10}*c + 240*a^6*b^8*c^2 - 1280*a^7*b^6*c^3 + 3840*a^8*b^4*c^4 - 6144*a^9*b^2*c^5)) + (((4194304*B*a^9*b*c^8 \\
& - 22020096*A*a^9*c^9 + 768*A*a^2*b^{14}*c^2 - 22272*A*a^3*b^{12}*c^3 + 282624*A*a^4*b^{10}*c^4 - 2027520*A*a^5*b^8*c^5 \\
& + 8847360*A*a^6*b^6*c^6 - 23396352*A*a^7*b^4*c^7 + 34603008*A*a^8*b^2*c^8 + 256*B*a^3*b^{13}*c^2 - 9216*B*a^4*b^{11}*c^3 \\
& + 122880*B*a^5*b^9*c^4 - 819200*B*a^6*b^7*c^5 + 2949120*B*a^7*b^5*c^6 - 5505024*B*a^8*b^3*c^7)/(512*(a^4*b
\end{aligned}$$

$$\begin{aligned}
& ^{12} + 4096a^{10}c^6 - 24a^5b^{10}c + 240a^6b^8c^2 - 1280a^7b^6c^3 + \\
& 3840a^8b^4c^4 - 6144a^9b^2c^5) + (x*(-(9A^2b^{19} + B^2a^2b^{17} - 9 \\
& A^2b^4*(-(4ac - b^2)^{15})^{1/2} + 6ABab^{18} + 6921A^2a^2b^{15}c^2 - \\
& 77580A^2a^3b^{13}c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 \\
& + 9628416A^2a^6b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3 \\
& 3c^8 - 441A^2a^2c^2*(-(4ac - b^2)^{15})^{1/2} - B^2a^2b^2*(-(4ac - \\
& b^2)^{15})^{1/2} + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2 \\
& a^6b^9c^4 + 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2 \\
& a^9b^3c^7 + 6881280ABa^{10}c^9 - 369A^2ab^{17}c - 15482880A^2a^9b \\
& c^9 - 55B^2a^3b^{15}c - 1720320B^2a^{10}b^8c^8 + 25B^2a^3c*(-(4ac - \\
& b^2)^{15})^{1/2} + 5580ABa^3b^{14}c^2 - 59280ABa^4b^{12}c^3 + 377280A \\
& B^2a^5b^{10}c^4 - 1430784ABa^6b^8c^5 + 2860032ABa^7b^6c^6 - 12902 \\
& 40ABa^8b^4c^7 - 5160960ABa^9b^2c^8 + 99A^2ab^2c*(-(4ac - b^2)^{15})^{1/2} - \\
& 6ABa^3b^3*(-(4ac - b^2)^{15})^{1/2} - 288ABa^2b^{16}c + \\
& 108ABa^2b^3c*(-(4ac - b^2)^{15})^{1/2})/(512*(a^5b^{20} + 1048576a^{15}c \\
& ^{10} - 40a^6b^{18}c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12} \\
& c^4 - 258048a^{10}b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + \\
& 2949120a^{13}b^4c^8 - 2621440a^{14}b^2c^9)))^{1/2}*(262144a^9b^3c^7 - 25 \\
& 6a^4b^{11}c^2 + 5120a^5b^9c^3 - 40960a^6b^7c^4 + 163840a^7b^5c^5 \\
& - 327680a^8b^3c^6)/(32*(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6b^4 \\
& c^2 - 256a^7b^2c^3))*(-(9A^2b^{19} + B^2a^2b^{17} - 9A^2b^4*(-(4ac - \\
& b^2)^{15})^{1/2} + 6ABab^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13} \\
& c^3 + 570960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A^2a^6 \\
& b^7c^6 - 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 - 441A^2 \\
& a^2c^2*(-(4ac - b^2)^{15})^{1/2} - B^2a^2b^2*(-(4ac - b^2)^{15})^{1/2} \\
& + 1140B^2a^4b^{13}c^2 - 10160B^2a^5b^{11}c^3 + 34880B^2a^6b^9c^4 + \\
& 43776B^2a^7b^7c^5 - 680960B^2a^8b^5c^6 + 1863680B^2a^9b^3c^7 + \\
& 6881280ABa^{10}c^9 - 369A^2ab^{17}c - 15482880A^2a^9b^3c^9 - 55B^2a^3 \\
& b^{15}c - 1720320B^2a^{10}b^8c^8 + 25B^2a^3c*(-(4ac - b^2)^{15})^{1/2} \\
& + 5580ABa^3b^{14}c^2 - 59280ABa^4b^{12}c^3 + 377280ABa^5b^{10}c^4 \\
& - 1430784ABa^6b^8c^5 + 2860032ABa^7b^6c^6 - 1290240ABa^8b^4 \\
& c^7 - 5160960ABa^9b^2c^8 + 99A^2ab^2c*(-(4ac - b^2)^{15})^{1/2} - \\
& 6ABa^3b^3*(-(4ac - b^2)^{15})^{1/2} - 288ABa^2b^{16}c + 108ABa^2b^3 \\
& c*(-(4ac - b^2)^{15})^{1/2})/(512*(a^5b^{20} + 1048576a^{15}c^{10} - 40a^6b^{18} \\
& c + 720a^7b^{16}c^2 - 7680a^8b^{14}c^3 + 53760a^9b^{12}c^4 - 258048a^{10} \\
& b^{10}c^5 + 860160a^{11}b^8c^6 - 1966080a^{12}b^6c^7 + 2949120a^{13}b^4 \\
& c^8 - 2621440a^{14}b^2c^9)))^{1/2} - (x*(14112A^2a^4c^7 + 9A^2b^8c^3 - \\
& 800B^2a^5c^6 + 1530A^2a^2b^4c^5 - 6192A^2a^3b^2c^6 + B^2a^2 \\
& b^6c^3 - 34B^2a^3b^4c^4 + 1472B^2a^4b^2c^5 - 180A^2ab^6c^4 - \\
& 162ABa^2b^5c^4 + 1104ABa^3b^3c^5 + 6ABa^7c^3 - 6816ABa^4 \\
& b^3c^6))/(32*(a^4b^8 + 256a^8c^4 - 16a^5b^6c + 96a^6b^4c^2 - 256a^7 \\
& b^2c^3))*(-(9A^2b^{19} + B^2a^2b^{17} - 9A^2b^4*(-(4ac - b^2)^{15})^{1/2} \\
& + 6ABab^{18} + 6921A^2a^2b^{15}c^2 - 77580A^2a^3b^{13}c^3 + 57 \\
& 0960A^2a^4b^{11}c^4 - 2851776A^2a^5b^9c^5 + 9628416A^2a^6b^7c^6 - \\
& 21095424A^2a^7b^5c^7 + 27095040A^2a^8b^3c^8 - 441A^2a^2c^2*(-(4
\end{aligned}$$

$$\begin{aligned}
& *a*c - b^2)^{15})^{(1/2)} - B^2*a^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 1140*B^2*a^4*b^{13}*c^2 - 10160*B^2*a^5*b^{11}*c^3 + 34880*B^2*a^6*b^9*c^4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 + 6881280*A*B*a^{10}*c^9 - 369*A^2*a*b^{17}*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^{15}*c - 1720320*B^2*a^{10}*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 5580*A*B*a^3*b^{14}*c^2 - 59280*A*B*a^4*b^{12}*c^3 + 377280*A*B*a^5*b^{10}*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a^2*b^{16}*c + 108*A*B*a^2*b*c*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(a^5*b^20 + 1048576*a^15*c^10 - 40*a^6*b^18*c + 720*a^7*b^16*c^2 - 7680*a^8*b^14*c^3 + 53760*a^9*b^12*c^4 - 258048*a^10*b^10*c^5 + 860160*a^11*b^8*c^6 - 1966080*a^12*b^6*c^7 + 2949120*a^13*b^4*c^8 - 2621440*a^14*b^2*c^9)))^{(1/2)})*(-(9*A^2*b^{19} + B^2*a^2*b^{17} - 9*A^2*b^4*(-(4*a*c - b^2)^{15})^{(1/2)} + 6*A*B*a*b^{18} + 6921*A^2*a^2*b^{15}*c^2 - 77580*A^2*a^3*b^{13}*c^3 + 570960*A^2*a^4*b^{11}*c^4 - 2851776*A^2*a^5*b^9*c^5 + 9628416*A^2*a^6*b^7*c^6 - 21095424*A^2*a^7*b^5*c^7 + 27095040*A^2*a^8*b^3*c^8 - 441*A^2*a^2*c^2*(-(4*a*c - b^2)^{15})^{(1/2)} - B^2*a^2*b^2*(-(4*a*c - b^2)^{15})^{(1/2)} + 1140*B^2*a^4*b^{13}*c^2 - 10160*B^2*a^5*b^{11}*c^3 + 34880*B^2*a^6*b^9*c^4 + 43776*B^2*a^7*b^7*c^5 - 680960*B^2*a^8*b^5*c^6 + 1863680*B^2*a^9*b^3*c^7 + 6881280*A*B*a^{10}*c^9 - 369*A^2*a*b^{17}*c - 15482880*A^2*a^9*b*c^9 - 55*B^2*a^3*b^{15}*c - 1720320*B^2*a^{10}*b*c^8 + 25*B^2*a^3*c*(-(4*a*c - b^2)^{15})^{(1/2)} + 5580*A*B*a^3*b^{14}*c^2 - 59280*A*B*a^4*b^{12}*c^3 + 377280*A*B*a^5*b^{10}*c^4 - 1430784*A*B*a^6*b^8*c^5 + 2860032*A*B*a^7*b^6*c^6 - 1290240*A*B*a^8*b^4*c^7 - 5160960*A*B*a^9*b^2*c^8 + 99*A^2*a*b^2*c*(-(4*a*c - b^2)^{15})^{(1/2)} - 6*A*B*a*b^3*(-(4*a*c - b^2)^{15})^{(1/2)} - 288*A*B*a^2*b^{16}*c + 108*A*B*a^2*b*c*(-(4*a*c - b^2)^{15})^{(1/2)})/(512*(a^5*b^20 + 1048576*a^15*c^10 - 40*a^6*b^18*c + 720*a^7*b^16*c^2 - 7680*a^8*b^14*c^3 + 53760*a^9*b^12*c^4 - 258048*a^10*b^10*c^5 + 860160*a^11*b^8*c^6 - 1966080*a^12*b^6*c^7 + 2949120*a^13*b^4*c^8 - 2621440*a^14*b^2*c^9)))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/(c*x**4+b*x**2+a)**3,x)

[Out] Timed out

$$3.137 \quad \int \frac{x(-7+4x^2)}{4-5x^2+x^4} dx$$

Optimal. Leaf size=25

$$\frac{1}{2} \log(1-x^2) + \frac{3}{2} \log(4-x^2)$$

[Out] 1/2*ln(-x^2+1)+3/2*ln(-x^2+4)

Rubi [A] time = 0.02, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {1247, 632, 31}

$$\frac{1}{2} \log(1-x^2) + \frac{3}{2} \log(4-x^2)$$

Antiderivative was successfully verified.

[In] Int[(x*(-7 + 4*x^2))/(4 - 5*x^2 + x^4),x]

[Out] Log[1 - x^2]/2 + (3*Log[4 - x^2])/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 632

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(c*d - e*(b/2 - q/2))/q, Int[1/(b/2 - q/2 + c*x), x], x] - Dist[(c*d - e*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c*x), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && NiceSqrtQ[b^2 - 4*a*c]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned}
\int \frac{x(-7+4x^2)}{4-5x^2+x^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{-7+4x}{4-5x+x^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{-1+x} dx, x, x^2 \right) + \frac{3}{2} \text{Subst} \left(\int \frac{1}{-4+x} dx, x, x^2 \right) \\
&= \frac{1}{2} \log(1-x^2) + \frac{3}{2} \log(4-x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 25, normalized size = 1.00

$$\frac{1}{2} \log(1-x^2) + \frac{3}{2} \log(4-x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(-7 + 4*x^2))/(4 - 5*x^2 + x^4), x]

[Out] Log[1 - x^2]/2 + (3*Log[4 - x^2])/2

fricas [A] time = 0.67, size = 17, normalized size = 0.68

$$\frac{1}{2} \log(x^2 - 1) + \frac{3}{2} \log(x^2 - 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(4*x^2-7)/(x^4-5*x^2+4), x, algorithm="fricas")

[Out] 1/2*log(x^2 - 1) + 3/2*log(x^2 - 4)

giac [A] time = 0.31, size = 19, normalized size = 0.76

$$\frac{1}{2} \log(|x^2 - 1|) + \frac{3}{2} \log(|x^2 - 4|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(4*x^2-7)/(x^4-5*x^2+4), x, algorithm="giac")

[Out] 1/2*log(abs(x^2 - 1)) + 3/2*log(abs(x^2 - 4))

maple [A] time = 0.01, size = 18, normalized size = 0.72

$$\frac{3 \ln(x^2 - 4)}{2} + \frac{\ln(x^2 - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(4*x^2-7)/(x^4-5*x^2+4),x)`

[Out] `3/2*ln(x^2-4)+1/2*ln(x^2-1)`

maxima [A] time = 0.72, size = 17, normalized size = 0.68

$$\frac{1}{2} \log(x^2 - 1) + \frac{3}{2} \log(x^2 - 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(4*x^2-7)/(x^4-5*x^2+4),x, algorithm="maxima")`

[Out] `1/2*log(x^2 - 1) + 3/2*log(x^2 - 4)`

mupad [B] time = 0.06, size = 17, normalized size = 0.68

$$\frac{\ln(x^2 - 1)}{2} + \frac{3 \ln(x^2 - 4)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(4*x^2 - 7))/(x^4 - 5*x^2 + 4),x)`

[Out] `log(x^2 - 1)/2 + (3*log(x^2 - 4))/2`

sympy [A] time = 0.12, size = 17, normalized size = 0.68

$$\frac{3 \log(x^2 - 4)}{2} + \frac{\log(x^2 - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(4*x**2-7)/(x**4-5*x**2+4),x)`

[Out] `3*log(x**2 - 4)/2 + log(x**2 - 1)/2`

$$3.138 \quad \int \frac{-7x+4x^3}{4-5x^2+x^4} dx$$

Optimal. Leaf size=25

$$\frac{1}{2} \log(1-x^2) + \frac{3}{2} \log(4-x^2)$$

[Out] 1/2*ln(-x^2+1)+3/2*ln(-x^2+4)

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1593, 1247, 632, 31}

$$\frac{1}{2} \log(1-x^2) + \frac{3}{2} \log(4-x^2)$$

Antiderivative was successfully verified.

[In] Int[(-7*x + 4*x^3)/(4 - 5*x^2 + x^4), x]

[Out] Log[1 - x^2]/2 + (3*Log[4 - x^2])/2

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 632

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(c*d - e*(b/2 - q/2))/q, Int[1/(b/2 - q/2 + c*x), x], x] - Dist[(c*d - e*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c*x), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && NiceSqrtQ[b^2 - 4*a*c]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rule 1593

Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.))^(n_.), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q-p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]

Rubi steps

$$\begin{aligned}
\int \frac{-7x + 4x^3}{4 - 5x^2 + x^4} dx &= \int \frac{x(-7 + 4x^2)}{4 - 5x^2 + x^4} dx \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{-7 + 4x}{4 - 5x + x^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \frac{1}{-1 + x} dx, x, x^2 \right) + \frac{3}{2} \text{Subst} \left(\int \frac{1}{-4 + x} dx, x, x^2 \right) \\
&= \frac{1}{2} \log(1 - x^2) + \frac{3}{2} \log(4 - x^2)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 25, normalized size = 1.00

$$\frac{1}{2} \log(1 - x^2) + \frac{3}{2} \log(4 - x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(-7*x + 4*x^3)/(4 - 5*x^2 + x^4), x]

[Out] Log[1 - x^2]/2 + (3*Log[4 - x^2])/2

fricas [A] time = 0.66, size = 17, normalized size = 0.68

$$\frac{1}{2} \log(x^2 - 1) + \frac{3}{2} \log(x^2 - 4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-7*x)/(x^4-5*x^2+4), x, algorithm="fricas")

[Out] 1/2*log(x^2 - 1) + 3/2*log(x^2 - 4)

giac [A] time = 0.28, size = 19, normalized size = 0.76

$$\frac{1}{2} \log(|x^2 - 1|) + \frac{3}{2} \log(|x^2 - 4|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((4*x^3-7*x)/(x^4-5*x^2+4), x, algorithm="giac")

[Out] 1/2*log(abs(x^2 - 1)) + 3/2*log(abs(x^2 - 4))

maple [A] time = 0.00, size = 18, normalized size = 0.72

$$\frac{3 \ln(x^2 - 4)}{2} + \frac{\ln(x^2 - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*x^3-7*x)/(x^4-5*x^2+4),x)`

[Out] `3/2*ln(x^2-4)+1/2*ln(x^2-1)`

maxima [A] time = 0.74, size = 25, normalized size = 1.00

$$\frac{3}{2} \log(x + 2) + \frac{1}{2} \log(x + 1) + \frac{1}{2} \log(x - 1) + \frac{3}{2} \log(x - 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x^3-7*x)/(x^4-5*x^2+4),x, algorithm="maxima")`

[Out] `3/2*log(x + 2) + 1/2*log(x + 1) + 1/2*log(x - 1) + 3/2*log(x - 2)`

mupad [B] time = 0.03, size = 17, normalized size = 0.68

$$\frac{\ln(x^2 - 1)}{2} + \frac{3 \ln(x^2 - 4)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(7*x - 4*x^3)/(x^4 - 5*x^2 + 4),x)`

[Out] `log(x^2 - 1)/2 + (3*log(x^2 - 4))/2`

sympy [A] time = 0.11, size = 17, normalized size = 0.68

$$\frac{3 \log(x^2 - 4)}{2} + \frac{\log(x^2 - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((4*x**3-7*x)/(x**4-5*x**2+4),x)`

[Out] `3*log(x**2 - 4)/2 + log(x**2 - 1)/2`

$$3.139 \quad \int \frac{x(2+x^2)}{1+x^2+x^4} dx$$

Optimal. Leaf size=37

$$\frac{1}{2}\sqrt{3} \tan^{-1}\left(\frac{2x^2+1}{\sqrt{3}}\right) + \frac{1}{4} \log(x^4 + x^2 + 1)$$

[Out] 1/4*ln(x^4+x^2+1)+1/2*arctan(1/3*(2*x^2+1)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {1247, 634, 618, 204, 628}

$$\frac{1}{4} \log(x^4 + x^2 + 1) + \frac{1}{2}\sqrt{3} \tan^{-1}\left(\frac{2x^2+1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x*(2 + x^2))/(1 + x^2 + x^4),x]

[Out] (Sqrt[3]*ArcTan[(1 + 2*x^2)/Sqrt[3]])/2 + Log[1 + x^2 + x^4]/4

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ

`[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]`

Rule 1247

`Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]`

Rubi steps

$$\begin{aligned} \int \frac{x(2+x^2)}{1+x^2+x^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+x}{1+x+x^2} dx, x, x^2 \right) \\ &= \frac{1}{4} \text{Subst} \left(\int \frac{1+2x}{1+x+x^2} dx, x, x^2 \right) + \frac{3}{4} \text{Subst} \left(\int \frac{1}{1+x+x^2} dx, x, x^2 \right) \\ &= \frac{1}{4} \log(1+x^2+x^4) - \frac{3}{2} \text{Subst} \left(\int \frac{1}{-3-x^2} dx, x, 1+2x^2 \right) \\ &= \frac{1}{2} \sqrt{3} \tan^{-1} \left(\frac{1+2x^2}{\sqrt{3}} \right) + \frac{1}{4} \log(1+x^2+x^4) \end{aligned}$$

Mathematica [A] time = 0.01, size = 37, normalized size = 1.00

$$\frac{1}{2} \sqrt{3} \tan^{-1} \left(\frac{2x^2+1}{\sqrt{3}} \right) + \frac{1}{4} \log(x^4+x^2+1)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2 + x^2))/(1 + x^2 + x^4), x]

[Out] (Sqrt[3]*ArcTan[(1 + 2*x^2)/Sqrt[3]])/2 + Log[1 + x^2 + x^4]/4

fricas [A] time = 0.55, size = 30, normalized size = 0.81

$$\frac{1}{2} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x^2+1) \right) + \frac{1}{4} \log(x^4+x^2+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x^2+2)/(x^4+x^2+1), x, algorithm="fricas")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x^2 + 1)) + 1/4*log(x^4 + x^2 + 1)

giac [A] time = 0.28, size = 30, normalized size = 0.81

$$\frac{1}{2} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x^2 + 1)\right) + \frac{1}{4} \log(x^4 + x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x^2+2)/(x^4+x^2+1),x, algorithm="giac")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x^2 + 1)) + 1/4*log(x^4 + x^2 + 1)

maple [A] time = 0.00, size = 31, normalized size = 0.84

$$\frac{\sqrt{3} \arctan\left(\frac{(2x^2+1)\sqrt{3}}{3}\right)}{2} + \frac{\ln(x^4 + x^2 + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(x^2+2)/(x^4+x^2+1),x)

[Out] 1/4*ln(x^4+x^2+1)+1/2*arctan(1/3*(2*x^2+1)*3^(1/2))*3^(1/2)

maxima [A] time = 1.40, size = 30, normalized size = 0.81

$$\frac{1}{2} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x^2 + 1)\right) + \frac{1}{4} \log(x^4 + x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x^2+2)/(x^4+x^2+1),x, algorithm="maxima")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x^2 + 1)) + 1/4*log(x^4 + x^2 + 1)

mupad [B] time = 0.21, size = 32, normalized size = 0.86

$$\frac{\ln(x^4 + x^2 + 1)}{4} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x^2}{3} + \frac{\sqrt{3}}{3}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(x^2 + 2))/(x^2 + x^4 + 1),x)

[Out] log(x^2 + x^4 + 1)/4 + (3^(1/2)*atan(3^(1/2)/3 + (2*3^(1/2)*x^2)/3))/2

sympy [A] time = 0.12, size = 37, normalized size = 1.00

$$\frac{\log(x^4 + x^2 + 1)}{4} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x^2}{3} + \frac{\sqrt{3}}{3}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(x**2+2)/(x**4+x**2+1),x)

[Out] log(x**4 + x**2 + 1)/4 + sqrt(3)*atan(2*sqrt(3)*x**2/3 + sqrt(3)/3)/2

$$3.140 \quad \int \frac{2x+x^3}{1+x^2+x^4} dx$$

Optimal. Leaf size=37

$$\frac{1}{2}\sqrt{3} \tan^{-1}\left(\frac{2x^2+1}{\sqrt{3}}\right) + \frac{1}{4} \log(x^4+x^2+1)$$

[Out] 1/4*ln(x^4+x^2+1)+1/2*arctan(1/3*(2*x^2+1)*3^(1/2))*3^(1/2)

Rubi [A] time = 0.04, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1593, 1247, 634, 618, 204, 628}

$$\frac{1}{4} \log(x^4+x^2+1) + \frac{1}{2}\sqrt{3} \tan^{-1}\left(\frac{2x^2+1}{\sqrt{3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(2*x + x^3)/(1 + x^2 + x^4),x]

[Out] (Sqrt[3]*ArcTan[(1 + 2*x^2)/Sqrt[3]])/2 + Log[1 + x^2 + x^4]/4

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ

`[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]`

Rule 1247

`Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]`

Rule 1593

`Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]`

Rubi steps

$$\begin{aligned}
 \int \frac{2x + x^3}{1 + x^2 + x^4} dx &= \int \frac{x(2 + x^2)}{1 + x^2 + x^4} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + x}{1 + x + x^2} dx, x, x^2 \right) \\
 &= \frac{1}{4} \text{Subst} \left(\int \frac{1 + 2x}{1 + x + x^2} dx, x, x^2 \right) + \frac{3}{4} \text{Subst} \left(\int \frac{1}{1 + x + x^2} dx, x, x^2 \right) \\
 &= \frac{1}{4} \log(1 + x^2 + x^4) - \frac{3}{2} \text{Subst} \left(\int \frac{1}{-3 - x^2} dx, x, 1 + 2x^2 \right) \\
 &= \frac{1}{2} \sqrt{3} \tan^{-1} \left(\frac{1 + 2x^2}{\sqrt{3}} \right) + \frac{1}{4} \log(1 + x^2 + x^4)
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 37, normalized size = 1.00

$$\frac{1}{2} \sqrt{3} \tan^{-1} \left(\frac{2x^2 + 1}{\sqrt{3}} \right) + \frac{1}{4} \log(x^4 + x^2 + 1)$$

Antiderivative was successfully verified.

[In] Integrate[(2*x + x^3)/(1 + x^2 + x^4), x]

[Out] (Sqrt[3]*ArcTan[(1 + 2*x^2)/Sqrt[3]])/2 + Log[1 + x^2 + x^4]/4

fricas [A] time = 0.65, size = 30, normalized size = 0.81

$$\frac{1}{2} \sqrt{3} \arctan \left(\frac{1}{3} \sqrt{3} (2x^2 + 1) \right) + \frac{1}{4} \log(x^4 + x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+2*x)/(x^4+x^2+1),x, algorithm="fricas")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x^2 + 1)) + 1/4*log(x^4 + x^2 + 1)

giac [A] time = 0.37, size = 30, normalized size = 0.81

$$\frac{1}{2} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x^2 + 1)\right) + \frac{1}{4} \log(x^4 + x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+2*x)/(x^4+x^2+1),x, algorithm="giac")

[Out] 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x^2 + 1)) + 1/4*log(x^4 + x^2 + 1)

maple [A] time = 0.00, size = 31, normalized size = 0.84

$$\frac{\sqrt{3} \arctan\left(\frac{(2x^2+1)\sqrt{3}}{3}\right)}{2} + \frac{\ln(x^4 + x^2 + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3+2*x)/(x^4+x^2+1),x)

[Out] 1/2*3^(1/2)*arctan(1/3*(2*x^2+1)*3^(1/2))+1/4*ln(x^4+x^2+1)

maxima [A] time = 1.60, size = 53, normalized size = 1.43

$$-\frac{1}{2} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{2} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{4} \log(x^2 + x + 1) + \frac{1}{4} \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^3+2*x)/(x^4+x^2+1),x, algorithm="maxima")

[Out] -1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/2*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/4*log(x^2 + x + 1) + 1/4*log(x^2 - x + 1)

mupad [B] time = 0.03, size = 32, normalized size = 0.86

$$\frac{\ln(x^4 + x^2 + 1)}{4} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x^2}{3} + \frac{\sqrt{3}}{3}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x + x^3)/(x^2 + x^4 + 1),x)`

[Out] `log(x^2 + x^4 + 1)/4 + (3^(1/2)*atan(3^(1/2)/3 + (2*3^(1/2)*x^2)/3))/2`

sympy [A] time = 0.12, size = 37, normalized size = 1.00

$$\frac{\log(x^4 + x^2 + 1)}{4} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x^2}{3} + \frac{\sqrt{3}}{3}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**3+2*x)/(x**4+x**2+1),x)`

[Out] `log(x**4 + x**2 + 1)/4 + sqrt(3)*atan(2*sqrt(3)*x**2/3 + sqrt(3)/3)/2`

$$3.141 \quad \int \frac{11x+2x^3}{(3+2x^2+x^4)^2} dx$$

Optimal. Leaf size=45

$$\frac{9 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}} + \frac{9x^2+5}{8(x^4+2x^2+3)}$$

[Out] 1/8*(9*x^2+5)/(x^4+2*x^2+3)+9/16*arctan(1/2*(x^2+1)*2^(1/2))*2^(1/2)

Rubi [A] time = 0.05, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1593, 1247, 638, 618, 204}

$$\frac{9x^2+5}{8(x^4+2x^2+3)} + \frac{9 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(11*x + 2*x^3)/(3 + 2*x^2 + x^4)^2,x]

[Out] (5 + 9*x^2)/(8*(3 + 2*x^2 + x^4)) + (9*ArcTan[(1 + x^2)/Sqrt[2]])/(8*Sqrt[2])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 638

Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 1247

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rule 1593

```
Int[(u_)*((a_)*(x_)^(p_) + (b_)*(x_)^(q_))^(n_), x_Symbol] := Int[u*x^(n*p)*(a + b*x^(q - p))^n, x] /; FreeQ[{a, b, p, q}, x] && IntegerQ[n] && PosQ[q - p]
```

Rubi steps

$$\begin{aligned}
 \int \frac{11x + 2x^3}{(3 + 2x^2 + x^4)^2} dx &= \int \frac{x(11 + 2x^2)}{(3 + 2x^2 + x^4)^2} dx \\
 &= \frac{1}{2} \text{Subst} \left(\int \frac{11 + 2x}{(3 + 2x + x^2)^2} dx, x, x^2 \right) \\
 &= \frac{5 + 9x^2}{8(3 + 2x^2 + x^4)} + \frac{9}{8} \text{Subst} \left(\int \frac{1}{3 + 2x + x^2} dx, x, x^2 \right) \\
 &= \frac{5 + 9x^2}{8(3 + 2x^2 + x^4)} - \frac{9}{4} \text{Subst} \left(\int \frac{1}{-8 - x^2} dx, x, 2(1 + x^2) \right) \\
 &= \frac{5 + 9x^2}{8(3 + 2x^2 + x^4)} + \frac{9 \tan^{-1} \left(\frac{1+x^2}{\sqrt{2}} \right)}{8\sqrt{2}}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 45, normalized size = 1.00

$$\frac{9 \tan^{-1} \left(\frac{x^2+1}{\sqrt{2}} \right)}{8\sqrt{2}} + \frac{9x^2 + 5}{8(x^4 + 2x^2 + 3)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(11*x + 2*x^3)/(3 + 2*x^2 + x^4)^2, x]
```

```
[Out] (5 + 9*x^2)/(8*(3 + 2*x^2 + x^4)) + (9*ArcTan[(1 + x^2)/Sqrt[2]])/(8*Sqrt[2])
```

fricas [A] time = 0.62, size = 47, normalized size = 1.04

$$\frac{9\sqrt{2}(x^4 + 2x^2 + 3)\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) + 18x^2 + 10}{16(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^3+11*x)/(x^4+2*x^2+3)^2,x, algorithm="fricas")

[Out] 1/16*(9*sqrt(2)*(x^4 + 2*x^2 + 3)*arctan(1/2*sqrt(2)*(x^2 + 1)) + 18*x^2 + 10)/(x^4 + 2*x^2 + 3)

giac [A] time = 0.94, size = 38, normalized size = 0.84

$$\frac{9}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) + \frac{9x^2 + 5}{8(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^3+11*x)/(x^4+2*x^2+3)^2,x, algorithm="giac")

[Out] 9/16*sqrt(2)*arctan(1/2*sqrt(2)*(x^2 + 1)) + 1/8*(9*x^2 + 5)/(x^4 + 2*x^2 + 3)

maple [A] time = 0.01, size = 41, normalized size = 0.91

$$\frac{9\sqrt{2}\arctan\left(\frac{(2x^2+2)\sqrt{2}}{4}\right)}{16} + \frac{18x^2 + 10}{16x^4 + 32x^2 + 48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^3+11*x)/(x^4+2*x^2+3)^2,x)

[Out] 1/16*(18*x^2+10)/(x^4+2*x^2+3)+9/16*2^(1/2)*arctan(1/4*(2*x^2+2)*2^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{9x^2 + 5}{8(x^4 + 2x^2 + 3)} + \frac{9}{4} \int \frac{x}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^3+11*x)/(x^4+2*x^2+3)^2,x, algorithm="maxima")

[Out] 1/8*(9*x^2 + 5)/(x^4 + 2*x^2 + 3) + 9/4*integrate(x/(x^4 + 2*x^2 + 3), x)

mupad [B] time = 0.05, size = 41, normalized size = 0.91

$$\frac{\frac{9x^2}{8} + \frac{5}{8}}{x^4 + 2x^2 + 3} + \frac{9\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((11*x + 2*x^3)/(2*x^2 + x^4 + 3)^2,x)`

[Out] `((9*x^2)/8 + 5/8)/(2*x^2 + x^4 + 3) + (9*2^(1/2)*atan(2^(1/2)/2 + (2^(1/2)*x^2)/2))/16`

sympy [A] time = 0.15, size = 44, normalized size = 0.98

$$\frac{9x^2 + 5}{8x^4 + 16x^2 + 24} + \frac{9\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**3+11*x)/(x**4+2*x**2+3)**2,x)`

[Out] `(9*x**2 + 5)/(8*x**4 + 16*x**2 + 24) + 9*sqrt(2)*atan(sqrt(2)*x**2/2 + sqrt(2)/2)/16`

$$3.142 \quad \int x^5 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx$$

Optimal. Leaf size=102

$$\frac{3}{10} (x^4 + 5x^2 + 3)^{3/2} x^4 + \frac{1}{480} (1837 - 510x^2) (x^4 + 5x^2 + 3)^{3/2} - \frac{1633}{256} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} + \frac{21229}{512} \tanh^{-1} \left(\frac{2x^2 + 5}{\sqrt{x^4 + 5x^2 + 3}} \right)$$

[Out] 3/10*x^4*(x^4+5*x^2+3)^(3/2)+1/480*(-510*x^2+1837)*(x^4+5*x^2+3)^(3/2)+21229/512*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-1633/256*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 832, 779, 612, 621, 206}

$$\frac{3}{10} (x^4 + 5x^2 + 3)^{3/2} x^4 + \frac{1}{480} (1837 - 510x^2) (x^4 + 5x^2 + 3)^{3/2} - \frac{1633}{256} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} + \frac{21229}{512} \tanh^{-1} \left(\frac{2x^2 + 5}{\sqrt{x^4 + 5x^2 + 3}} \right)$$

Antiderivative was successfully verified.

[In] Int[x^5*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4],x]

[Out] (-1633*(5 + 2*x^2)*Sqrt[3 + 5*x^2 + x^4])/256 + (3*x^4*(3 + 5*x^2 + x^4)^(3/2))/10 + ((1837 - 510*x^2)*(3 + 5*x^2 + x^4)^(3/2))/480 + (21229*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/512

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 612

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^p)/(2*c*(2*p + 1)), x] - Dist[(p*(b^2 - 4*a*c))/(2*c*(2*p + 1)), Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[4*p]

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g)))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]
```

Rule 832

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int x^5 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx &= \frac{1}{2} \text{Subst} \left(\int x^2 (2 + 3x) \sqrt{3 + 5x + x^2} dx, x, x^2 \right) \\
&= \frac{3}{10} x^4 (3 + 5x^2 + x^4)^{3/2} + \frac{1}{10} \text{Subst} \left(\int \left(-18 - \frac{85x}{2} \right) x \sqrt{3 + 5x + x^2} dx, x, x^2 \right) \\
&= \frac{3}{10} x^4 (3 + 5x^2 + x^4)^{3/2} + \frac{1}{480} (1837 - 510x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{1633}{64} \text{Subst} \left(\int \sqrt{3 + 5x + x^2} dx, x, x^2 \right) \\
&= -\frac{1633}{256} (5 + 2x^2) \sqrt{3 + 5x^2 + x^4} + \frac{3}{10} x^4 (3 + 5x^2 + x^4)^{3/2} + \frac{1}{480} (1837 - 510x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= -\frac{1633}{256} (5 + 2x^2) \sqrt{3 + 5x^2 + x^4} + \frac{3}{10} x^4 (3 + 5x^2 + x^4)^{3/2} + \frac{1}{480} (1837 - 510x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= -\frac{1633}{256} (5 + 2x^2) \sqrt{3 + 5x^2 + x^4} + \frac{3}{10} x^4 (3 + 5x^2 + x^4)^{3/2} + \frac{1}{480} (1837 - 510x^2) (3 + 5x^2 + x^4)^{3/2}
\end{aligned}$$

[Out] $3/10*x^4*(x^4+5*x^2+3)^{(3/2)}-17/16*x^2*(x^4+5*x^2+3)^{(3/2)}+1837/480*(x^4+5*x^2+3)^{(3/2)}-1633/256*(2*x^2+5)*(x^4+5*x^2+3)^{(1/2)}+21229/512*\ln(5/2+x^2+(x^4+5*x^2+3)^{(1/2)})$

maxima [A] time = 0.67, size = 104, normalized size = 1.02

$$\frac{3}{10} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^4 - \frac{17}{16} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2 - \frac{1633}{128} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{1837}{480} (x^4 + 5x^2 + 3)^{\frac{3}{2}} - \frac{8165}{256} \sqrt{x^4 + 5x^2 + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")`

[Out] $3/10*(x^4 + 5*x^2 + 3)^{(3/2)}*x^4 - 17/16*(x^4 + 5*x^2 + 3)^{(3/2)}*x^2 - 1633/128*\sqrt{x^4 + 5*x^2 + 3}*x^2 + 1837/480*(x^4 + 5*x^2 + 3)^{(3/2)} - 8165/256*\sqrt{x^4 + 5*x^2 + 3} + 21229/512*\log(2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3} + 5)$

mupad [B] time = 0.49, size = 102, normalized size = 1.00

$$\frac{21229 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{512} - \frac{17x^2(x^4 + 5x^2 + 3)^{3/2}}{16} + \frac{3x^4(x^4 + 5x^2 + 3)^{3/2}}{10} + \frac{51\left(\frac{x^2}{2} + \frac{5}{4}\right)\sqrt{x^4 + 5x^2 + 3}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2),x)`

[Out] $(21229*\log((5*x^2 + x^4 + 3)^{(1/2)} + x^2 + 5/2))/512 - (17*x^2*(5*x^2 + x^4 + 3)^{(3/2)})/16 + (3*x^4*(5*x^2 + x^4 + 3)^{(3/2)})/10 + (51*(x^2/2 + 5/4)*(5*x^2 + x^4 + 3)^{(1/2)})/16 + (1837*(5*x^2 + x^4 + 3)^{(1/2)}*(10*x^2 + 8*x^4 - 51))/3840$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^5 (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(3*x**2+2)*(x**4+5*x**2+3)**(1/2),x)`

[Out] `Integral(x**5*(3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3), x)`

3.143 $\int x^3 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx$

Optimal. Leaf size=81

$$-\frac{1}{48} (59 - 18x^2) (x^4 + 5x^2 + 3)^{3/2} + \frac{259}{128} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} - \frac{3367}{256} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

[Out] $-1/48*(-18*x^2+59)*(x^4+5*x^2+3)^{(3/2)}-3367/256*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2}))+259/128*(2*x^2+5)*(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 779, 612, 621, 206}

$$-\frac{1}{48} (59 - 18x^2) (x^4 + 5x^2 + 3)^{3/2} + \frac{259}{128} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} - \frac{3367}{256} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3*(2 + 3*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4], x]$

[Out] $(259*(5 + 2*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/128 - ((59 - 18*x^2)*(3 + 5*x^2 + x^4)^{(3/2}))/48 - (3367*\operatorname{ArcTanh}[(5 + 2*x^2)/(2*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/256$

Rule 206

$\operatorname{Int}[(a + (b \cdot x) \cdot (x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2] * x) / \operatorname{Rt}[a, 2]]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 612

$\operatorname{Int}[(a + (b \cdot x) + (c \cdot x)^2)^p, x_Symbol] \rightarrow \operatorname{Simp}[(b + 2 * c * x) * (a + b * x + c * x^2)^p / (2 * c * (2 * p + 1)), x] - \operatorname{Dist}[(p * (b^2 - 4 * a * c)) / (2 * c * (2 * p + 1)), \operatorname{Int}[(a + b * x + c * x^2)^{p-1}, x], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4 * a * c, 0] \ \&\& \operatorname{GtQ}[p, 0] \ \&\& \operatorname{IntegerQ}[4 * p]$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a + (b \cdot x) + (c \cdot x)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4 * c - x^2), x], x, (b + 2 * c * x) / \operatorname{Sqrt}[a + b * x + c * x^2]], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4 * a * c, 0]$

Rule 779

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g)*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
 \int x^3 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx &= \frac{1}{2} \text{Subst} \left(\int x(2 + 3x) \sqrt{3 + 5x + x^2} dx, x, x^2 \right) \\
 &= -\frac{1}{48} (59 - 18x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{259}{32} \text{Subst} \left(\int \sqrt{3 + 5x + x^2} dx, x, x^2 \right) \\
 &= \frac{259}{128} (5 + 2x^2) \sqrt{3 + 5x^2 + x^4} - \frac{1}{48} (59 - 18x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{3367}{256} \text{St} \\
 &= \frac{259}{128} (5 + 2x^2) \sqrt{3 + 5x^2 + x^4} - \frac{1}{48} (59 - 18x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{3367}{128} \text{St} \\
 &= \frac{259}{128} (5 + 2x^2) \sqrt{3 + 5x^2 + x^4} - \frac{1}{48} (59 - 18x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{3367}{256} \text{ta}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 66, normalized size = 0.81

$$\frac{1}{768} \left(2\sqrt{x^4 + 5x^2 + 3} (144x^6 + 248x^4 - 374x^2 + 2469) - 10101 \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] (2*Sqrt[3 + 5*x^2 + x^4]*(2469 - 374*x^2 + 248*x^4 + 144*x^6) - 10101*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/768

fricas [A] time = 0.71, size = 56, normalized size = 0.69

$$\frac{1}{384} (144x^6 + 248x^4 - 374x^2 + 2469) \sqrt{x^4 + 5x^2 + 3} + \frac{3367}{256} \log \left(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/384*(144*x^6 + 248*x^4 - 374*x^2 + 2469)*sqrt(x^4 + 5*x^2 + 3) + 3367/256 *log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.36, size = 88, normalized size = 1.09

$$\frac{1}{128} \sqrt{x^4 + 5x^2 + 3} (2(4(6x^2 + 5)x^2 - 89)x^2 + 1095) + \frac{1}{24} \sqrt{x^4 + 5x^2 + 3} (2(4x^2 + 5)x^2 - 51) + \frac{3367}{256} \log(2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 1/128*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(6*x^2 + 5)*x^2 - 89)*x^2 + 1095) + 1/24*sqrt(x^4 + 5*x^2 + 3)*(2*(4*x^2 + 5)*x^2 - 51) + 3367/256*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 74, normalized size = 0.91

$$\frac{3(x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2}{8} - \frac{3367 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{256} - \frac{59(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{48} + \frac{259(2x^2 + 5)\sqrt{x^4 + 5x^2 + 3}}{128}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x)

[Out] 3/8*(x^4+5*x^2+3)^(3/2)*x^2-59/48*(x^4+5*x^2+3)^(3/2)+259/128*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)-3367/256*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 0.59, size = 87, normalized size = 1.07

$$\frac{3}{8} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2 + \frac{259}{64} \sqrt{x^4 + 5x^2 + 3} x^2 - \frac{59}{48} (x^4 + 5x^2 + 3)^{\frac{3}{2}} + \frac{1295}{128} \sqrt{x^4 + 5x^2 + 3} - \frac{3367}{256} \log(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] 3/8*(x^4 + 5*x^2 + 3)^(3/2)*x^2 + 259/64*sqrt(x^4 + 5*x^2 + 3)*x^2 - 59/48*(x^4 + 5*x^2 + 3)^(3/2) + 1295/128*sqrt(x^4 + 5*x^2 + 3) - 3367/256*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [B] time = 0.43, size = 85, normalized size = 1.05

$$\frac{3x^2(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{8} - \frac{3367 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{256} - \frac{9\left(\frac{x^2}{2} + \frac{5}{4}\right)\sqrt{x^4 + 5x^2 + 3}}{8} - \frac{59\sqrt{x^4 + 5x^2 + 3}}{384} (8x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2), x)`

[Out] $(3*x^2*(5*x^2 + x^4 + 3)^{(3/2)})/8 - (3367*\log((5*x^2 + x^4 + 3)^{(1/2)} + x^2 + 5/2))/256 - (9*(x^2/2 + 5/4)*(5*x^2 + x^4 + 3)^{(1/2)})/8 - (59*(5*x^2 + x^4 + 3)^{(1/2)}*(10*x^2 + 8*x^4 - 51))/384$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(3*x**2+2)*(x**4+5*x**2+3)**(1/2), x)`

[Out] `Integral(x**3*(3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3), x)`

3.144 $\int x(2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx$

Optimal. Leaf size=74

$$\frac{1}{2} (x^4 + 5x^2 + 3)^{3/2} - \frac{11}{16} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} + \frac{143}{32} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

[Out] $1/2*(x^4+5*x^2+3)^(3/2)+143/32*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-1/16*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)$

Rubi [A] time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1247, 640, 612, 621, 206}

$$\frac{1}{2} (x^4 + 5x^2 + 3)^{3/2} - \frac{11}{16} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} + \frac{143}{32} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x*(2 + 3*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4], x]$

[Out] $(-11*(5 + 2*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/16 + (3 + 5*x^2 + x^4)^(3/2)/2 + (143*\operatorname{ArcTanh}[(5 + 2*x^2)/(2*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/32$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 612

$\operatorname{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{p_}, x_Symbol] \rightarrow \operatorname{Simp}[(b + 2*c*x)*(a + b*x + c*x^2)^p]/(2*c*(2*p + 1)), x] - \operatorname{Dist}[(p*(b^2 - 4*a*c))/(2*c*(2*p + 1)), \operatorname{Int}[(a + b*x + c*x^2)^{p-1}, x], x] /; \operatorname{FreeQ}[\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \operatorname{GtQ}[p, 0] \ \&\& \operatorname{IntegerQ}[4*p]$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_) + (c_)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}[\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 640

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[(e*(a + b*x + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[(2*c*d - b
*e)/(2*c), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x]
&& NeQ[2*c*d - b*e, 0] && NeQ[p, -1]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
\int x(2 + 3x^2)\sqrt{3 + 5x^2 + x^4} dx &= \frac{1}{2} \text{Subst}\left(\int (2 + 3x)\sqrt{3 + 5x + x^2} dx, x, x^2\right) \\
&= \frac{1}{2} (3 + 5x^2 + x^4)^{3/2} - \frac{11}{4} \text{Subst}\left(\int \sqrt{3 + 5x + x^2} dx, x, x^2\right) \\
&= -\frac{11}{16} (5 + 2x^2)\sqrt{3 + 5x^2 + x^4} + \frac{1}{2} (3 + 5x^2 + x^4)^{3/2} + \frac{143}{32} \text{Subst}\left(\int \frac{1}{\sqrt{3 + 5x + x^2}} dx, x, x^2\right) \\
&= -\frac{11}{16} (5 + 2x^2)\sqrt{3 + 5x^2 + x^4} + \frac{1}{2} (3 + 5x^2 + x^4)^{3/2} + \frac{143}{16} \text{Subst}\left(\int \frac{1}{4 - x^2} dx, x, x^2\right) \\
&= -\frac{11}{16} (5 + 2x^2)\sqrt{3 + 5x^2 + x^4} + \frac{1}{2} (3 + 5x^2 + x^4)^{3/2} + \frac{143}{32} \tanh^{-1}\left(\frac{5 + 2x^2}{2\sqrt{3 + 5x^2 + x^4}}\right)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 61, normalized size = 0.82

$$\frac{1}{32} \left(2\sqrt{x^4 + 5x^2 + 3} (8x^4 + 18x^2 - 31) + 143 \tanh^{-1}\left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]
```

```
[Out] (2*Sqrt[3 + 5*x^2 + x^4]*(-31 + 18*x^2 + 8*x^4) + 143*ArcTanh[(5 + 2*x^2)/(
2*Sqrt[3 + 5*x^2 + x^4]]))/32
```

fricas [A] time = 0.66, size = 51, normalized size = 0.69

$$\frac{1}{16} (8x^4 + 18x^2 - 31)\sqrt{x^4 + 5x^2 + 3} - \frac{143}{32} \log\left(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/16*(8*x^4 + 18*x^2 - 31)*sqrt(x^4 + 5*x^2 + 3) - 143/32*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.34, size = 74, normalized size = 1.00

$$\frac{1}{16} \sqrt{x^4 + 5x^2 + 3} (2(4x^2 + 5)x^2 - 51) + \frac{1}{4} \sqrt{x^4 + 5x^2 + 3} (2x^2 + 5) - \frac{143}{32} \log(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 1/16*sqrt(x^4 + 5*x^2 + 3)*(2*(4*x^2 + 5)*x^2 - 51) + 1/4*sqrt(x^4 + 5*x^2 + 3)*(2*x^2 + 5) - 143/32*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.01, size = 57, normalized size = 0.77

$$\frac{143 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{32} + \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{2} - \frac{11(2x^2 + 5)\sqrt{x^4 + 5x^2 + 3}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x)

[Out] 1/2*(x^4+5*x^2+3)^(3/2)-11/16*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)+143/32*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 0.65, size = 70, normalized size = 0.95

$$-\frac{11}{8} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{1}{2} (x^4 + 5x^2 + 3)^{\frac{3}{2}} - \frac{55}{16} \sqrt{x^4 + 5x^2 + 3} + \frac{143}{32} \log(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] -11/8*sqrt(x^4 + 5*x^2 + 3)*x^2 + 1/2*(x^4 + 5*x^2 + 3)^(3/2) - 55/16*sqrt(x^4 + 5*x^2 + 3) + 143/32*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [B] time = 0.29, size = 67, normalized size = 0.91

$$\frac{143 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{32} + \left(\frac{x^2}{2} + \frac{5}{4}\right) \sqrt{x^4 + 5x^2 + 3} + \frac{\sqrt{x^4 + 5x^2 + 3} (8x^4 + 10x^2 - 51)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(x*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2),x)
```

```
[Out] (143*log((5*x^2 + x^4 + 3)^(1/2) + x^2 + 5/2))/32 + (x^2/2 + 5/4)*(5*x^2 + x^4 + 3)^(1/2) + ((5*x^2 + x^4 + 3)^(1/2)*(10*x^2 + 8*x^4 - 51))/16
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(3x^2 + 2)\sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(3*x**2+2)*(x**4+5*x**2+3)**(1/2),x)
```

```
[Out] Integral(x*(3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3), x)
```

$$3.145 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x} dx$$

Optimal. Leaf size=94

$$\frac{1}{8}\sqrt{x^4+5x^2+3}(6x^2+23) + \frac{1}{16}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \sqrt{3}\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)$$

[Out] 1/16*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)+1/8*(6*x^2+23)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 814, 843, 621, 206, 724}

$$\frac{1}{8}\sqrt{x^4+5x^2+3}(6x^2+23) + \frac{1}{16}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \sqrt{3}\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x,x]

[Out] ((23 + 6*x^2)*Sqrt[3 + 5*x^2 + x^4])/8 + ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])]/16 - Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] :> Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] :> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 814

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x]
/; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

Rule 843

```

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 1251

```

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{3+5x+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{8} (23+6x^2) \sqrt{3+5x^2+x^4} - \frac{1}{8} \text{Subst} \left(\int \frac{-24-\frac{x}{2}}{x\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= \frac{1}{8} (23+6x^2) \sqrt{3+5x^2+x^4} + \frac{1}{16} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) + 3 \text{Subst} \left(\int \frac{1}{x\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= \frac{1}{8} (23+6x^2) \sqrt{3+5x^2+x^4} + \frac{1}{8} \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) - 6 \text{Subst} \left(\int \frac{1}{x\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= \frac{1}{8} (23+6x^2) \sqrt{3+5x^2+x^4} + \frac{1}{16} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) - \sqrt{3} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right)
\end{aligned}$$

Mathematica [A] time = 0.04, size = 92, normalized size = 0.98

$$\frac{1}{16} \left(2\sqrt{x^4+5x^2+3} (6x^2+23) + \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) - 16\sqrt{3} \tanh^{-1} \left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x,x]

[Out] (2*(23 + 6*x^2)*Sqrt[3 + 5*x^2 + x^4] + ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]]) - 16*Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/16

fricas [A] time = 0.68, size = 95, normalized size = 1.01

$$\frac{1}{8} \sqrt{x^4+5x^2+3} (6x^2+23) + \sqrt{3} \log \left(\frac{25x^2 - 2\sqrt{3}(5x^2+6) - 2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6) + 30}{x^2} \right) - \frac{1}{16} \log(-2x^2 + 2\sqrt{x^4+5x^2+3} - 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x,x, algorithm="fricas")

[Out] 1/8*sqrt(x^4 + 5*x^2 + 3)*(6*x^2 + 23) + sqrt(3)*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) - 6) + 30)/x^2) - 1/16*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.48, size = 98, normalized size = 1.04

$$\frac{1}{8} \sqrt{x^4+5x^2+3} (6x^2+23) + \sqrt{3} \log \left(\frac{x^2 + \sqrt{3} - \sqrt{x^4+5x^2+3}}{x^2 - \sqrt{3} - \sqrt{x^4+5x^2+3}} \right) - \frac{1}{16} \log \left(2x^2 - 2\sqrt{x^4+5x^2+3} + 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x,x, algorithm="giac")

[Out] 1/8*sqrt(x^4 + 5*x^2 + 3)*(6*x^2 + 23) + sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) - 1/16*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 85, normalized size = 0.90

$$-\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2 + 6)\sqrt{3}}{6\sqrt{x^4 + 5x^2 + 3}}\right) + \frac{\ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{16} + \frac{3(2x^2 + 5)\sqrt{x^4 + 5x^2 + 3}}{8} + \sqrt{x^4 + 5x^2 + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x,x)

[Out] 3/8*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)+1/16*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))+(x^4+5*x^2+3)^(1/2)-arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)

maxima [A] time = 1.50, size = 89, normalized size = 0.95

$$\frac{3}{4}\sqrt{x^4 + 5x^2 + 3}x^2 - \sqrt{3} \log\left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5\right) + \frac{23}{8}\sqrt{x^4 + 5x^2 + 3} + \frac{1}{16} \log\left(2x^2 + 2\sqrt{x^4 + 5x^2 + 3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x,x, algorithm="maxima")

[Out] 3/4*sqrt(x^4 + 5*x^2 + 3)*x^2 - sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) + 23/8*sqrt(x^4 + 5*x^2 + 3) + 1/16*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [B] time = 0.43, size = 86, normalized size = 0.91

$$\frac{\ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{16} - \sqrt{3} \ln\left(\frac{3}{x^2} + \frac{\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{5}{2}\right) + \frac{3\left(\frac{x^2}{2} + \frac{5}{4}\right)\sqrt{x^4 + 5x^2 + 3}}{2} + \sqrt{x^4 + 5x^2 + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x,x)

[Out] log((5*x^2 + x^4 + 3)^(1/2) + x^2 + 5/2)/16 - 3^(1/2)*log(3/x^2 + (3^(1/2))*(5*x^2 + x^4 + 3)^(1/2))/x^2 + 5/2) + (3*(x^2/2 + 5/4)*(5*x^2 + x^4 + 3)^(1/2))/2 + (5*x^2 + x^4 + 3)^(1/2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x,x)

[Out] Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x, x)

$$3.146 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^3} dx$$

Optimal. Leaf size=97

$$-\frac{\sqrt{x^4+5x^2+3}(2-3x^2)}{2x^2} + \frac{19}{4} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{7 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{\sqrt{3}}$$

[Out] 19/4*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-7/3*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-1/2*(-3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^2

Rubi [A] time = 0.08, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 812, 843, 621, 206, 724}

$$-\frac{\sqrt{x^4+5x^2+3}(2-3x^2)}{2x^2} + \frac{19}{4} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{7 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^3, x]

[Out] -((2 - 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/(2*x^2) + (19*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/4 - (7*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/Sqrt[3]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 812

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x)*(a + b*x + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p - 1)*Simp[g*(b*d + 2*a*e + 2*a*e*m + 2*b*d*p) - f*b*e*(m + 2*p + 2) + (g*(2*c*d + b*e + b*e*m + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_.)*((d) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{3+5x+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{3+5x^2+x^4}}{2x^2} - \frac{1}{4} \text{Subst} \left(\int \frac{-28-19x}{x\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{3+5x^2+x^4}}{2x^2} + \frac{19}{4} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) + 7 \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) - 14 \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)\sqrt{3+5x^2+x^4}}{2x^2} + \frac{19}{4} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) - \frac{7 \tanh^{-1} \left(\frac{6}{2\sqrt{3}\sqrt{3+5x^2+x^4}} \right)}{\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 1.00

$$\frac{\sqrt{x^4+5x^2+3}(3x^2-2)}{2x^2} + \frac{19}{4} \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) - \frac{7 \tanh^{-1} \left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^3,x]

[Out] ((-2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/(2*x^2) + (19*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/4 - (7*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4]])/Sqrt[3])

fricas [A] time = 0.68, size = 112, normalized size = 1.15

$$\frac{56\sqrt{3}x^2 \log\left(\frac{25x^2-2\sqrt{3}(5x^2+6)-2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6)+30}{x^2}\right) - 114x^2 \log(-2x^2 + 2\sqrt{x^4+5x^2+3} - 5) + 21x^2 + 12\sqrt{3}}{24x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^3,x, algorithm="fricas")

[Out] 1/24*(56*sqrt(3)*x^2*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) - 6) + 30)/x^2) - 114*x^2*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5) + 21*x^2 + 12*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)*(3*x^2 - 2))/x^2

giac [A] time = 0.51, size = 138, normalized size = 1.42

$$\frac{7}{3} \sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{3}{2} \sqrt{x^4 + 5x^2 + 3} + \frac{5x^2 - 5\sqrt{x^4 + 5x^2 + 3} + 6}{(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3} - \frac{19}{4} \log\left(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^3,x, algorithm="giac")

[Out] 7/3*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 3/2*sqrt(x^4 + 5*x^2 + 3) + (5*x^2 - 5*sqrt(x^4 + 5*x^2 + 3) + 6)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3) - 19/4*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 104, normalized size = 1.07

$$-\frac{7\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{3} + \frac{19 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{4} - \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{3x^2} + \frac{7\sqrt{x^4 + 5x^2 + 3}}{3} + \frac{(2x^2 + 5)\sqrt{x^4 + 5x^2 + 3}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^3,x)

[Out] 7/3*(x^4+5*x^2+3)^(1/2)+19/4*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))-7/3*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-1/3/x^2*(x^4+5*x^2+3)^(3/2)+1/6*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)

maxima [A] time = 1.35, size = 89, normalized size = 0.92

$$-\frac{7}{3} \sqrt{3} \log\left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5\right) + \frac{3}{2} \sqrt{x^4+5x^2+3} - \frac{\sqrt{x^4+5x^2+3}}{x^2} + \frac{19}{4} \log\left(2x^2 + 2\sqrt{x^4+5x^2+3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^3,x, algorithm="maxima")

[Out] -7/3*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) + 3/2*sqrt(x^4 + 5*x^2 + 3) - sqrt(x^4 + 5*x^2 + 3)/x^2 + 19/4*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [B] time = 0.88, size = 84, normalized size = 0.87

$$\frac{19 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{4} - \frac{\sqrt{x^4 + 5x^2 + 3}}{x^2} - \frac{7\sqrt{3} \ln\left(\frac{3}{x^2} + \frac{\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{5}{2}\right)}{3} + \frac{3\sqrt{x^4 + 5x^2 + 3}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^3,x)`

[Out] $(19*\log((5*x^2 + x^4 + 3)^{(1/2)} + x^2 + 5/2))/4 - (5*x^2 + x^4 + 3)^{(1/2)}/x^2 - (7*3^{(1/2)}*\log(3/x^2 + (3^{(1/2)}*(5*x^2 + x^4 + 3)^{(1/2))}/x^2 + 5/2))/3 + (3*(5*x^2 + x^4 + 3)^{(1/2)))/2$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)\sqrt{x^4 + 5x^2 + 3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**3,x)`

[Out] `Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x**3, x)`

$$3.147 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^5} dx$$

Optimal. Leaf size=99

$$-\frac{\sqrt{x^4+5x^2+3}(23x^2+6)}{12x^4} + \frac{3}{2} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{77 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{24\sqrt{3}}$$

[Out] 3/2*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-77/72*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-1/12*(23*x^2+6)*(x^4+5*x^2+3)^(1/2)/x^4

Rubi [A] time = 0.08, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 810, 843, 621, 206, 724}

$$-\frac{\sqrt{x^4+5x^2+3}(23x^2+6)}{12x^4} + \frac{3}{2} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{77 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{24\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^5,x]

[Out] -((6 + 23*x^2)*Sqrt[3 + 5*x^2 + x^4])/(12*x^4) + (3*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/2 - (77*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4]])/(24*Sqrt[3]))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] :> Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] :> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 810

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*((d*g - e*f*(m + 2))*(c*d^2 - b*d*e + a*e^2) - d*p*(2*c*d - b*e)*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 - b*d*e + a*e^2) + p*(2*c*d - b*e)*(e*f - d*g))*x))/ (e^2*(m + 1)*(m + 2)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[p/(e^2*(m + 1)*(m + 2)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 2)*(a + b*x + c*x^2)^(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) + b^2*e*(d*g*(p + 1) - e*f*(m + p + 2)) + b*(a*e^2*g*(m + 1) - c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2))) - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2)) - e*(2*a*e*g*(m + 1) - b*(d*g*(m - 2*p) + e*f*(m + 2*p + 2)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0] && !LtQ[m + 2*p + 3, 0]

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^5} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{3+5x+x^2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{(6+23x^2)\sqrt{3+5x^2+x^4}}{12x^4} - \frac{1}{24} \text{Subst} \left(\int \frac{-77-36x}{x\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{(6+23x^2)\sqrt{3+5x^2+x^4}}{12x^4} + \frac{3}{2} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) + \frac{77}{24} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{(6+23x^2)\sqrt{3+5x^2+x^4}}{12x^4} + 3 \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) - \frac{77}{12} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{(6+23x^2)\sqrt{3+5x^2+x^4}}{12x^4} + \frac{3}{2} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) - \frac{77 \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right)}{24\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 97, normalized size = 0.98

$$\frac{1}{72} \left(-\frac{6\sqrt{x^4+5x^2+3}(23x^2+6)}{x^4} + 108 \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) - 77\sqrt{3} \tanh^{-1} \left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2+3*x^2)*Sqrt[3+5*x^2+x^4])/x^5,x]

[Out] ((-6*(6+23*x^2)*Sqrt[3+5*x^2+x^4])/x^4+108*ArcTanh[(5+2*x^2)/(2*Sqrt[3+5*x^2+x^4]])-77*Sqrt[3]*ArcTanh[(6+5*x^2)/(2*Sqrt[3]*Sqrt[3+5*x^2+x^4])])/72

fricas [A] time = 0.65, size = 112, normalized size = 1.13

$$\frac{77\sqrt{3}x^4 \log\left(\frac{25x^2-2\sqrt{3}(5x^2+6)-2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6)+30}{x^2}\right) - 108x^4 \log(-2x^2+2\sqrt{x^4+5x^2+3}-5) - 138x^4 - 6\sqrt{x^4+5x^2+3}}{72x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^5,x, algorithm="fricas")

[Out] 1/72*(77*sqrt(3)*x^4*log((25*x^2-2*sqrt(3)*(5*x^2+6)-2*sqrt(x^4+5*x^2+3)*(5*sqrt(3)-6)+30)/x^2)-108*x^4*log(-2*x^2+2*sqrt(x^4+5*x^2+3)-5)-138*x^4-6*sqrt(x^4+5*x^2+3)*(23*x^2+6))/x^4

giac [B] time = 0.57, size = 169, normalized size = 1.71

$$\frac{77}{72} \sqrt{3} \log \left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}} \right) + \frac{127(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 + 228(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 159x^2 + 159\sqrt{x^4 + 5x^2 + 3} - 324}{12 \left((x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^5,x, algorithm="giac")

[Out] 77/72*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 1/12*(127*(x^2 - sqrt(x^4 + 5*x^2 + 3))^3 + 228*(x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 159*x^2 + 159*sqrt(x^4 + 5*x^2 + 3) - 324)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)^2 - 3/2*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 121, normalized size = 1.22

$$\frac{77\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{72} + \frac{3 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{2} - \frac{13(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{36x^2} - \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{6x^4} + \frac{77\sqrt{x^4}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^5,x)

[Out] -1/6/x^4*(x^4+5*x^2+3)^(3/2)-13/36*(x^4+5*x^2+3)^(3/2)/x^2+77/72*(x^4+5*x^2+3)^(1/2)-77/72*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)+13/72*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)+3/2*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 1.43, size = 106, normalized size = 1.07

$$-\frac{77}{72} \sqrt{3} \log \left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5 \right) + \frac{1}{6} \sqrt{x^4+5x^2+3} - \frac{13\sqrt{x^4+5x^2+3}}{12x^2} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{6x^4} + \frac{3}{2} \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^5,x, algorithm="maxima")

[Out] -77/72*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) + 1/6*sqrt(x^4 + 5*x^2 + 3) - 13/12*sqrt(x^4 + 5*x^2 + 3)/x^2 - 1/6*(x^4 + 5*x^2 + 3)^(3/2)/x^4 + 3/2*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^5, x)`

[Out] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^5, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**5, x)`

[Out] `Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x**5, x)`

$$3.148 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^7} dx$$

Optimal. Leaf size=90

$$-\frac{(5x^2+6)\sqrt{x^4+5x^2+3}}{18x^4} + \frac{13 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{36\sqrt{3}} - \frac{(x^4+5x^2+3)^{3/2}}{9x^6}$$

[Out] $-1/9*(x^4+5*x^2+3)^{(3/2)}/x^6+13/108*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2)})*3^{(1/2)}-1/18*(5*x^2+6)*(x^4+5*x^2+3)^{(1/2)}/x^4$

Rubi [A] time = 0.07, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 806, 720, 724, 206}

$$-\frac{(x^4+5x^2+3)^{3/2}}{9x^6} - \frac{(5x^2+6)\sqrt{x^4+5x^2+3}}{18x^4} + \frac{13 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{36\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^7, x]

[Out] $-((6 + 5*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/(18*x^4) - (3 + 5*x^2 + x^4)^{(3/2)}/(9*x^6) + (13*\operatorname{ArcTanh}[(6 + 5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/(36*\operatorname{Sqrt}[3])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 720

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(d*b - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^p)/(2*(m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[(p*(b^2 - 4*a*c))/(2*(m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 2)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && EqQ[m + 2*p + 2, 0] && GtQ[p, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2 + 3x^2) \sqrt{3 + 5x^2 + x^4}}{x^7} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2 + 3x) \sqrt{3 + 5x + x^2}}{x^4} dx, x, x^2 \right) \\
&= -\frac{(3 + 5x^2 + x^4)^{3/2}}{9x^6} + \frac{2}{3} \text{Subst} \left(\int \frac{\sqrt{3 + 5x + x^2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{(6 + 5x^2) \sqrt{3 + 5x^2 + x^4}}{18x^4} - \frac{(3 + 5x^2 + x^4)^{3/2}}{9x^6} - \frac{13}{36} \text{Subst} \left(\int \frac{1}{x \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\
&= -\frac{(6 + 5x^2) \sqrt{3 + 5x^2 + x^4}}{18x^4} - \frac{(3 + 5x^2 + x^4)^{3/2}}{9x^6} + \frac{13}{18} \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, x^2 \right) \\
&= -\frac{(6 + 5x^2) \sqrt{3 + 5x^2 + x^4}}{18x^4} - \frac{(3 + 5x^2 + x^4)^{3/2}}{9x^6} + \frac{13 \tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3} \sqrt{3 + 5x^2 + x^4}} \right)}{36\sqrt{3}}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 74, normalized size = 0.82

$$\frac{1}{108} \left(13\sqrt{3} \tanh^{-1} \left(\frac{5x^2 + 6}{2\sqrt{3} \sqrt{x^4 + 5x^2 + 3}} \right) - \frac{6\sqrt{x^4 + 5x^2 + 3} (7x^4 + 16x^2 + 6)}{x^6} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^7,x]

[Out] ((-6*Sqrt[3 + 5*x^2 + x^4]*(6 + 16*x^2 + 7*x^4))/x^6 + 13*Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/108

fricas [A] time = 0.74, size = 90, normalized size = 1.00

$$\frac{13\sqrt{3}x^6 \log\left(\frac{25x^2+2\sqrt{3}(5x^2+6)+2\sqrt{x^4+5x^2+3}(5\sqrt{3}+6)+30}{x^2}\right) - 42x^6 - 6(7x^4+16x^2+6)\sqrt{x^4+5x^2+3}}{108x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^7,x, algorithm="fricas")

[Out] 1/108*(13*sqrt(3)*x^6*log((25*x^2 + 2*sqrt(3)*(5*x^2 + 6) + 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) + 6) + 30)/x^2) - 42*x^6 - 6*(7*x^4 + 16*x^2 + 6)*sqrt(x^4 + 5*x^2 + 3))/x^6

giac [B] time = 0.53, size = 189, normalized size = 2.10

$$-\frac{13}{108} \sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{67(x^2 - \sqrt{x^4 + 5x^2 + 3})^5 + 306(x^2 - \sqrt{x^4 + 5x^2 + 3})^4 + 430(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 + 90(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 63x^2 + 63\sqrt{x^4 + 5x^2 + 3} + 108}{18(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^7,x, algorithm="giac")

[Out] -13/108*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 1/18*(67*(x^2 - sqrt(x^4 + 5*x^2 + 3))^5 + 306*(x^2 - sqrt(x^4 + 5*x^2 + 3))^4 + 430*(x^2 - sqrt(x^4 + 5*x^2 + 3))^3 + 90*(x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 63*x^2 + 63*sqrt(x^4 + 5*x^2 + 3) + 108)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)

maple [A] time = 0.02, size = 118, normalized size = 1.31

$$\frac{13\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{108} + \frac{5(x^4+5x^2+3)^{\frac{3}{2}}}{54x^2} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{9x^4} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{9x^6} - \frac{13\sqrt{x^4+5x^2+3}}{108} - \frac{5(2x^2 - \sqrt{x^4+5x^2+3})}{108}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^7,x)`

[Out] $-1/9*(x^4+5*x^2+3)^{(3/2)}/x^6-1/9*(x^4+5*x^2+3)^{(3/2)}/x^4+5/54*(x^4+5*x^2+3)^{(3/2)}/x^2-13/108*(x^4+5*x^2+3)^{(1/2)}+13/108*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2)})*3^{(1/2)}-5/108*(2*x^2+5)*(x^4+5*x^2+3)^{(1/2)}$

maxima [A] time = 1.45, size = 99, normalized size = 1.10

$$\frac{13}{108} \sqrt{3} \log \left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5 \right) + \frac{1}{9} \sqrt{x^4+5x^2+3} + \frac{5\sqrt{x^4+5x^2+3}}{18x^2} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{9x^4} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{9x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^7,x, algorithm="maxima")`

[Out] $13/108*\operatorname{sqrt}(3)*\log(2*\operatorname{sqrt}(3)*\operatorname{sqrt}(x^4+5*x^2+3)/x^2+6/x^2+5)+1/9*\operatorname{sqrt}(x^4+5*x^2+3)+5/18*\operatorname{sqrt}(x^4+5*x^2+3)/x^2-1/9*(x^4+5*x^2+3)^{(3/2)}/x^4-1/9*(x^4+5*x^2+3)^{(3/2)}/x^6$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2+2)\sqrt{x^4+5x^2+3}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((3*x^2+2)*(5*x^2+x^4+3)^(1/2))/x^7,x)`

[Out] `int(((3*x^2+2)*(5*x^2+x^4+3)^(1/2))/x^7,x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2+2)\sqrt{x^4+5x^2+3}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**7,x)`

[Out] `Integral((3*x**2+2)*sqrt(x**4+5*x**2+3)/x**7,x)`

$$3.149 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^9} dx$$

Optimal. Leaf size=111

$$\frac{67(5x^2+6)\sqrt{x^4+5x^2+3}}{1728x^4} - \frac{871 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3456\sqrt{3}} - \frac{(x^4+5x^2+3)^{3/2}}{12x^8} - \frac{11(x^4+5x^2+3)^{3/2}}{216x^6}$$

[Out] $-1/12*(x^4+5*x^2+3)^{(3/2)}/x^8-11/216*(x^4+5*x^2+3)^{(3/2)}/x^6-871/10368*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2)})*3^{(1/2)}+67/1728*(5*x^2+6)*(x^4+5*x^2+3)^{(1/2)}/x^4$

Rubi [A] time = 0.09, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 834, 806, 720, 724, 206}

$$\frac{11(x^4+5x^2+3)^{3/2}}{216x^6} - \frac{(x^4+5x^2+3)^{3/2}}{12x^8} + \frac{67(5x^2+6)\sqrt{x^4+5x^2+3}}{1728x^4} - \frac{871 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3456\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^9, x]

[Out] $(67*(6 + 5*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/(1728*x^4) - (3 + 5*x^2 + x^4)^{(3/2)}/(12*x^8) - (11*(3 + 5*x^2 + x^4)^{(3/2)})/(216*x^6) - (871*\operatorname{ArcTanh}[(6 + 5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/(3456*\operatorname{Sqrt}[3])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 720

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(d*b - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^p)/(2*(m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[(p*(b^2 - 4*a*c))/(2*(m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 2)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && EqQ[m + 2*p + 2, 0] && GtQ[p, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^9} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{3+5x+x^2}}{x^5} dx, x, x^2 \right) \\
&= -\frac{(3+5x^2+x^4)^{3/2}}{12x^8} - \frac{1}{24} \text{Subst} \left(\int \frac{(-11+2x)\sqrt{3+5x+x^2}}{x^4} dx, x, x^2 \right) \\
&= -\frac{(3+5x^2+x^4)^{3/2}}{12x^8} - \frac{11(3+5x^2+x^4)^{3/2}}{216x^6} - \frac{67}{144} \text{Subst} \left(\int \frac{\sqrt{3+5x+x^2}}{x^3} dx, \right. \\
&= \frac{67(6+5x^2)\sqrt{3+5x^2+x^4}}{1728x^4} - \frac{(3+5x^2+x^4)^{3/2}}{12x^8} - \frac{11(3+5x^2+x^4)^{3/2}}{216x^6} + \frac{871}{10368x^8} \\
&= \frac{67(6+5x^2)\sqrt{3+5x^2+x^4}}{1728x^4} - \frac{(3+5x^2+x^4)^{3/2}}{12x^8} - \frac{11(3+5x^2+x^4)^{3/2}}{216x^6} - \frac{871}{10368x^8} \\
&= \frac{67(6+5x^2)\sqrt{3+5x^2+x^4}}{1728x^4} - \frac{(3+5x^2+x^4)^{3/2}}{12x^8} - \frac{11(3+5x^2+x^4)^{3/2}}{216x^6} - \frac{871}{10368x^8}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 82, normalized size = 0.74

$$\frac{6\sqrt{x^4+5x^2+3}(247x^6-182x^4-984x^2-432)-871\sqrt{3}x^8 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{10368x^8}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^9,x]

[Out] (6*Sqrt[3 + 5*x^2 + x^4]*(-432 - 984*x^2 - 182*x^4 + 247*x^6) - 871*Sqrt[3]*x^8*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/(10368*x^8)

fricas [A] time = 0.63, size = 95, normalized size = 0.86

$$\frac{871\sqrt{3}x^8 \log\left(\frac{25x^2-2\sqrt{3}(5x^2+6)-2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6)+30}{x^2}\right) + 1482x^8 + 6(247x^6-182x^4-984x^2-432)\sqrt{x^4+5x^2+3}}{10368x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^9,x, algorithm="fricas")

[Out] 1/10368*(871*sqrt(3)*x^8*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) - 6) + 30)/x^2) + 1482*x^8 + 6*(247*x^6 - 182*x^4 - 984*x^2 - 432)*sqrt(x^4 + 5*x^2 + 3))/x^8

giac [B] time = 0.46, size = 233, normalized size = 2.10

$$\frac{871}{10368} \sqrt{3} \log \left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}} \right) - \frac{871(x^2 - \sqrt{x^4 + 5x^2 + 3})^7 - 5184(x^2 - \sqrt{x^4 + 5x^2 + 3})^6 - 57389(x^2 - \sqrt{x^4 + 5x^2 + 3})^5 - 165888(x^2 - \sqrt{x^4 + 5x^2 + 3})^4 - 204807(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 - 93312(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 2403x^2 + 2403\sqrt{x^4 + 5x^2 + 3} - 5184}{(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3} x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^9,x, algorithm="giac")

[Out] 871/10368*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) - 1/1728*(871*(x^2 - sqrt(x^4 + 5*x^2 + 3))^7 - 5184*(x^2 - sqrt(x^4 + 5*x^2 + 3))^6 - 57389*(x^2 - sqrt(x^4 + 5*x^2 + 3))^5 - 165888*(x^2 - sqrt(x^4 + 5*x^2 + 3))^4 - 204807*(x^2 - sqrt(x^4 + 5*x^2 + 3))^3 - 93312*(x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 2403*x^2 + 2403*sqrt(x^4 + 5*x^2 + 3) - 5184)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)*x^4

maple [A] time = 0.02, size = 135, normalized size = 1.22

$$\frac{871\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{10368} - \frac{335(x^4+5x^2+3)^{\frac{3}{2}}}{5184x^2} + \frac{67(x^4+5x^2+3)^{\frac{3}{2}}}{864x^4} - \frac{11(x^4+5x^2+3)^{\frac{3}{2}}}{216x^6} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{12x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^9,x)

[Out] -11/216*(x^4+5*x^2+3)^(3/2)/x^6+67/864*(x^4+5*x^2+3)^(3/2)/x^4-335/5184*(x^4+5*x^2+3)^(3/2)/x^2+871/10368*(x^4+5*x^2+3)^(1/2)-871/10368*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)+335/10368*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)-1/12*(x^4+5*x^2+3)^(3/2)/x^8

maxima [A] time = 1.74, size = 116, normalized size = 1.05

$$-\frac{871}{10368} \sqrt{3} \log \left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5 \right) - \frac{67}{864} \sqrt{x^4+5x^2+3} - \frac{335\sqrt{x^4+5x^2+3}}{1728x^2} + \frac{67(x^4+5x^2+3)^{\frac{3}{2}}}{864x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^9,x, algorithm="maxima")

[Out] -871/10368*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) - 67/864*sqrt(x^4 + 5*x^2 + 3) - 335/1728*sqrt(x^4 + 5*x^2 + 3)/x^2 + 67/864*(x^4 + 5*x^2 + 3)^(3/2)/x^4 - 11/216*(x^4 + 5*x^2 + 3)^(3/2)/x^6 - 1/12*(x^4 + 5*x^2 + 3)^(3/2)/x^8

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^9, x)

[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^9, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^9} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**9, x)

[Out] Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x**9, x)

$$3.150 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^{11}} dx$$

Optimal. Leaf size=132

$$-\frac{161(5x^2+6)\sqrt{x^4+5x^2+3}}{5184x^4} + \frac{2093 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{10368\sqrt{3}} - \frac{(x^4+5x^2+3)^{3/2}}{15x^{10}} - \frac{(x^4+5x^2+3)^{3/2}}{36x^8} + \frac{173(x^4+5x^2+3)^{3/2}}{3240x^6}$$

[Out] $-1/15*(x^4+5*x^2+3)^{(3/2)}/x^{10}-1/36*(x^4+5*x^2+3)^{(3/2)}/x^8+173/3240*(x^4+5*x^2+3)^{(3/2)}/x^6+2093/31104*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2}))*3^{(1/2)}-161/5184*(5*x^2+6)*(x^4+5*x^2+3)^{(1/2)}/x^4$

Rubi [A] time = 0.11, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 834, 806, 720, 724, 206}

$$\frac{173(x^4+5x^2+3)^{3/2}}{3240x^6} - \frac{(x^4+5x^2+3)^{3/2}}{36x^8} - \frac{(x^4+5x^2+3)^{3/2}}{15x^{10}} - \frac{161(5x^2+6)\sqrt{x^4+5x^2+3}}{5184x^4} + \frac{2093 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{10368\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^11, x]

[Out] $(-161*(6 + 5*x^2)*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/(5184*x^4) - (3 + 5*x^2 + x^4)^{(3/2)}/(15*x^{10}) - (3 + 5*x^2 + x^4)^{(3/2)}/(36*x^8) + (173*(3 + 5*x^2 + x^4)^{(3/2)})/(3240*x^6) + (2093*\operatorname{ArcTanh}[(6 + 5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/(10368*\operatorname{Sqrt}[3])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 720

Int[((d_.) + (e_.)*(x_)^(m_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(d*b - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^p)/(2*(m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[(p*(b^2 - 4*a*c))/(2*(m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 2)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && EqQ[m + 2*p + 2, 0] && GtQ[p, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 806

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(m + 1)*(c*d^2 - b*d*e + a*e^2), x] + Dist[1/(m + 1)*(c*d^2 - b*d*e + a*e^2), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^{11}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)\sqrt{3+5x+x^2}}{x^6} dx, x, x^2 \right) \\
&= -\frac{(3+5x^2+x^4)^{3/2}}{15x^{10}} - \frac{1}{30} \text{Subst} \left(\int \frac{(-10+4x)\sqrt{3+5x+x^2}}{x^5} dx, x, x^2 \right) \\
&= -\frac{(3+5x^2+x^4)^{3/2}}{15x^{10}} - \frac{(3+5x^2+x^4)^{3/2}}{36x^8} + \frac{1}{360} \text{Subst} \left(\int \frac{(-173-10x)\sqrt{3+5x+x^2}}{x^4} dx, x, x^2 \right) \\
&= -\frac{(3+5x^2+x^4)^{3/2}}{15x^{10}} - \frac{(3+5x^2+x^4)^{3/2}}{36x^8} + \frac{173(3+5x^2+x^4)^{3/2}}{3240x^6} + \frac{161}{432} \text{Subst} \left(\int \frac{(-173-10x)\sqrt{3+5x+x^2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{161(6+5x^2)\sqrt{3+5x^2+x^4}}{5184x^4} - \frac{(3+5x^2+x^4)^{3/2}}{15x^{10}} - \frac{(3+5x^2+x^4)^{3/2}}{36x^8} + \frac{173(3+5x^2+x^4)^{3/2}}{3240x^6} \\
&= -\frac{161(6+5x^2)\sqrt{3+5x^2+x^4}}{5184x^4} - \frac{(3+5x^2+x^4)^{3/2}}{15x^{10}} - \frac{(3+5x^2+x^4)^{3/2}}{36x^8} + \frac{173(3+5x^2+x^4)^{3/2}}{3240x^6} \\
&= -\frac{161(6+5x^2)\sqrt{3+5x^2+x^4}}{5184x^4} - \frac{(3+5x^2+x^4)^{3/2}}{15x^{10}} - \frac{(3+5x^2+x^4)^{3/2}}{36x^8} + \frac{173(3+5x^2+x^4)^{3/2}}{3240x^6}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 84, normalized size = 0.64

$$\frac{10465\sqrt{3} \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right) - \frac{6\sqrt{x^4+5x^2+3}(2641x^8-1370x^6+1176x^4+10800x^2+5184)}{x^{10}}}{155520}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^11, x]

[Out] ((-6*Sqrt[3 + 5*x^2 + x^4]*(5184 + 10800*x^2 + 1176*x^4 - 1370*x^6 + 2641*x^8))/x^10 + 10465*Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/155520

fricas [A] time = 0.72, size = 100, normalized size = 0.76

$$\frac{10465\sqrt{3}x^{10} \log\left(\frac{25x^2+2\sqrt{3}(5x^2+6)+2\sqrt{x^4+5x^2+3}(5\sqrt{3}+6)+30}{x^2}\right) - 15846x^{10} - 6(2641x^8 - 1370x^6 + 1176x^4 + 10800x^2 + 5184)}{155520x^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^11,x, algorithm="fricas")

[Out] 1/155520*(10465*sqrt(3)*x^10*log((25*x^2 + 2*sqrt(3)*(5*x^2 + 6) + 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) + 6) + 30)/x^2) - 15846*x^10 - 6*(2641*x^8 - 1370*x^6 + 1176*x^4 + 10800*x^2 + 5184)*sqrt(x^4 + 5*x^2 + 3))/x^10

giac [B] time = 0.56, size = 255, normalized size = 1.93

$$-\frac{2093}{31104} \sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{10465(x^2 - \sqrt{x^4 + 5x^2 + 3})^9 - 42830(x^2 - \sqrt{x^4 + 5x^2 + 3})^7 + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^11,x, algorithm="giac")

[Out] -2093/31104*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 1/25920*(10465*(x^2 - sqrt(x^4 + 5*x^2 + 3))^9 - 42830*(x^2 - sqrt(x^4 + 5*x^2 + 3))^7 + 1270080*(x^2 - sqrt(x^4 + 5*x^2 + 3))^6 + 7060800*(x^2 - sqrt(x^4 + 5*x^2 + 3))^5 + 15310080*(x^2 - sqrt(x^4 + 5*x^2 + 3))^4 + 16095870*(x^2 - sqrt(x^4 + 5*x^2 + 3))^3 + 7568640*(x^2 - sqrt(x^4 + 5*x^2 + 3))^2 + 1096335*x^2 - 1096335*sqrt(x^4 + 5*x^2 + 3) + 202176)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)^5

maple [A] time = 0.02, size = 152, normalized size = 1.15

$$\frac{2093\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{31104} + \frac{805(x^4+5x^2+3)^{\frac{3}{2}}}{15552x^2} - \frac{161(x^4+5x^2+3)^{\frac{3}{2}}}{2592x^4} + \frac{173(x^4+5x^2+3)^{\frac{3}{2}}}{3240x^6} - \frac{(x^4+5x^2+3)^{\frac{3}{2}}}{36x^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^11,x)

[Out] -1/15*(x^4+5*x^2+3)^(3/2)/x^10-1/36*(x^4+5*x^2+3)^(3/2)/x^8+173/3240*(x^4+5*x^2+3)^(3/2)/x^6-161/2592*(x^4+5*x^2+3)^(3/2)/x^4+805/15552*(x^4+5*x^2+3)^(3/2)/x^2-2093/31104*(x^4+5*x^2+3)^(1/2)+2093/31104*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-805/31104*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)

maxima [A] time = 1.73, size = 133, normalized size = 1.01

$$\frac{2093}{31104} \sqrt{3} \log\left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5\right) + \frac{161}{2592} \sqrt{x^4+5x^2+3} + \frac{805\sqrt{x^4+5x^2+3}}{5184x^2} - \frac{161(x^4+5x^2+3)^{\frac{3}{2}}}{2592x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^11,x, algorithm="maxima")

[Out] 2093/31104*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) + 1
61/2592*sqrt(x^4 + 5*x^2 + 3) + 805/5184*sqrt(x^4 + 5*x^2 + 3)/x^2 - 161/25
92*(x^4 + 5*x^2 + 3)^(3/2)/x^4 + 173/3240*(x^4 + 5*x^2 + 3)^(3/2)/x^6 - 1/3
6*(x^4 + 5*x^2 + 3)^(3/2)/x^8 - 1/15*(x^4 + 5*x^2 + 3)^(3/2)/x^10

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^11,x)

[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^11, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^{11}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**11,x)

[Out] Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x**11, x)

$$3.151 \quad \int x^4 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx$$

Optimal. Leaf size=322

$$\frac{13}{3} \sqrt{x^4 + 5x^2 + 3} x - \frac{1924(2x^2 + \sqrt{13} + 5)x}{105\sqrt{x^4 + 5x^2 + 3}} - \frac{13 \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{\sqrt{6(5 + \sqrt{13})} \sqrt{x^4 + 5x^2 + 3}}$$

[Out] $-1924/105*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}+13/3*x*(x^4+5*x^2+3)^{(1/2)}-26/35*x^3*(x^4+5*x^2+3)^{(1/2)}+1/21*x^5*(7*x^2+11)*(x^4+5*x^2+3)^{(1/2)}+962/315*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2))})^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2))})^{(1/2)}*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)})^{(1/2)})/(6+x^2*(5+13^{(1/2))})^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-13*(1/(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2))})^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2))})^{(1/2)}*((6+x^2*(5-13^{(1/2)})^{(1/2)})/(6+x^2*(5+13^{(1/2))})^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1273, 1279, 1189, 1099, 1135}

$$\frac{1}{21} (7x^2 + 11) \sqrt{x^4 + 5x^2 + 3} x^5 - \frac{26}{35} \sqrt{x^4 + 5x^2 + 3} x^3 + \frac{13}{3} \sqrt{x^4 + 5x^2 + 3} x - \frac{1924(2x^2 + \sqrt{13} + 5)x}{105\sqrt{x^4 + 5x^2 + 3}} - \frac{13 \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{\sqrt{6(5 + \sqrt{13})} \sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[x^4*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] $(-1924*x*(5 + \text{Sqrt}[13] + 2*x^2))/(105*\text{Sqrt}[3 + 5*x^2 + x^4]) + (13*x*\text{Sqrt}[3 + 5*x^2 + x^4])/3 - (26*x^3*\text{Sqrt}[3 + 5*x^2 + x^4])/35 + (x^5*(11 + 7*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/21 + (962*\text{Sqrt}[(2*(5 + \text{Sqrt}[13]))/3]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(105*\text{Sqrt}[3 + 5*x^2 + x^4]) - (13*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(\text{Sqrt}[6*(5 + \text{Sqrt}[13])]*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1273

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(b*e*2*p + c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(c*(4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*c*d*(m + 4*p + 3) - a*b*e*(m + 1) + (2*a*c*e*(4*p + m + 1) + b*c*d*(m + 4*p + 3) - b^2*e*(m + 2*p + 1))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1279

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] ||
```


IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int x^4 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx &= \frac{1}{21} x^5 (11 + 7x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{63} \int \frac{x^4 (-117 - 234x^2)}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= -\frac{26}{35} x^3 \sqrt{3 + 5x^2 + x^4} + \frac{1}{21} x^5 (11 + 7x^2) \sqrt{3 + 5x^2 + x^4} - \frac{1}{315} \int \frac{x^2 (-210)}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= \frac{13}{3} x \sqrt{3 + 5x^2 + x^4} - \frac{26}{35} x^3 \sqrt{3 + 5x^2 + x^4} + \frac{1}{21} x^5 (11 + 7x^2) \sqrt{3 + 5x^2 + x^4} \\
&= \frac{13}{3} x \sqrt{3 + 5x^2 + x^4} - \frac{26}{35} x^3 \sqrt{3 + 5x^2 + x^4} + \frac{1}{21} x^5 (11 + 7x^2) \sqrt{3 + 5x^2 + x^4} \\
&= -\frac{1924x (5 + \sqrt{13} + 2x^2)}{105\sqrt{3 + 5x^2 + x^4}} + \frac{13}{3} x \sqrt{3 + 5x^2 + x^4} - \frac{26}{35} x^3 \sqrt{3 + 5x^2 + x^4} + \frac{1}{21} x^5 (11 + 7x^2) \sqrt{3 + 5x^2 + x^4}
\end{aligned}$$

Mathematica [C] time = 0.38, size = 237, normalized size = 0.74

$$70x^{11} + 460x^9 + 604x^7 + 460x^5 + 4082x^3 + 13i\sqrt{2} (148\sqrt{13} - 635) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13}} + 5F\left(i \sinh^{-1}\left(\frac{\sqrt{2x^2 + \sqrt{13}}}{\sqrt{13} - 5}\right)\right)$$

21

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] (2730*x + 4082*x^3 + 460*x^5 + 604*x^7 + 460*x^9 + 70*x^11 - (1924*I)*Sqrt[2]*(-5 + Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] + (13*I)*Sqrt[2]*(-635 + 148*Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(210*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(3x^6 + 2x^4\right)\sqrt{x^4 + 5x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4)*sqrt(x^4 + 5*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5x^2 + 3} (3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)*x^4, x)

maple [A] time = 0.12, size = 260, normalized size = 0.81

$$\frac{\sqrt{x^4 + 5x^2 + 3} x^7}{3} + \frac{11\sqrt{x^4 + 5x^2 + 3} x^5}{21} - \frac{26\sqrt{x^4 + 5x^2 + 3} x^3}{35} + \frac{13\sqrt{x^4 + 5x^2 + 3} x}{3} - \frac{78\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x)

[Out] 1/3*x^7*(x^4+5*x^2+3)^(1/2)+11/21*x^5*(x^4+5*x^2+3)^(1/2)-26/35*x^3*(x^4+5*x^2+3)^(1/2)+13/3*x*(x^4+5*x^2+3)^(1/2)-78/((-30+6*13^(1/2))^(1/2))*(1-(-5/6+1/6*13^(1/2))*x^2)^(1/2)*(1-(-5/6-1/6*13^(1/2))*x^2)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*x*(-30+6*13^(1/2))^(1/2),5/6*3^(1/2)+1/6*39^(1/2))+46176/35/((-30+6*13^(1/2))^(1/2))*(1-(-5/6+1/6*13^(1/2))*x^2)^(1/2)*(1-(-5/6-1/6*13^(1/2))*x^2)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*x*(-30+6*13^(1/2))^(1/2),5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*x*(-30+6*13^(1/2))^(1/2),5/6*3^(1/2)+1/6*39^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5x^2 + 3} (3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2), x)`

[Out] `int(x^4*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(3*x**2+2)*(x**4+5*x**2+3)**(1/2), x)`

[Out] `Integral(x**4*(3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3), x)`

3.152 $\int x^2 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx$

Optimal. Leaf size=305

$$-\frac{4}{3}\sqrt{x^4 + 5x^2 + 3}x + \frac{1247(2x^2 + \sqrt{13} + 5)x}{210\sqrt{x^4 + 5x^2 + 3}} + \frac{2\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5 + \sqrt{13})x^2 + 6)F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $1247/210*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-4/3*x*(x^4+5*x^2+3)^{(1/2)}+1/35*x^3*(15*x^2+29)*(x^4+5*x^2+3)^{(1/2)}+2/3*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)})/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-1247/1260*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1273, 1279, 1189, 1099, 1135}

$$\frac{1}{35}(15x^2 + 29)\sqrt{x^4 + 5x^2 + 3}x^3 - \frac{4}{3}\sqrt{x^4 + 5x^2 + 3}x + \frac{1247(2x^2 + \sqrt{13} + 5)x}{210\sqrt{x^4 + 5x^2 + 3}} + \frac{2\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5 + \sqrt{13})x^2 + 6)F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[x^2*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] $(1247*x*(5 + \text{Sqrt}[13] + 2*x^2))/(210*\text{Sqrt}[3 + 5*x^2 + x^4]) - (4*x*\text{Sqrt}[3 + 5*x^2 + x^4])/3 + (x^3*(29 + 15*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/35 - (1247*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(210*\text{Sqrt}[3 + 5*x^2 + x^4]) + (2*\text{Sqrt}[2/(3*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/Sqrt[3 + 5*x^2 + x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2))*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
)*x^2]/(2*a + (b + q)*x^2))*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1273

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(b*e*2*p + c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(c*(4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*c*d*(m + 4*p + 3) - a*b*e*(m + 1) + (2*a*c*e*(4*p + m + 1) + b*c*d*(m + 4*p + 3) - b^2*e*(m + 2*p + 1))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int x^2 (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx &= \frac{1}{35} x^3 (29 + 15x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{35} \int \frac{x^2 (-51 - 140x^2)}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= -\frac{4}{3} x \sqrt{3 + 5x^2 + x^4} + \frac{1}{35} x^3 (29 + 15x^2) \sqrt{3 + 5x^2 + x^4} - \frac{1}{105} \int \frac{-420 - 124x^2}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= -\frac{4}{3} x \sqrt{3 + 5x^2 + x^4} + \frac{1}{35} x^3 (29 + 15x^2) \sqrt{3 + 5x^2 + x^4} + 4 \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= \frac{1247x (5 + \sqrt{13} + 2x^2)}{210\sqrt{3 + 5x^2 + x^4}} - \frac{4}{3} x \sqrt{3 + 5x^2 + x^4} + \frac{1}{35} x^3 (29 + 15x^2) \sqrt{3 + 5x^2 + x^4} + 4 \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx
\end{aligned}$$

Mathematica [C] time = 0.26, size = 234, normalized size = 0.77

$$\frac{-i\sqrt{2} (1247\sqrt{13} - 5395) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13} + 5} F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) + 1247i\sqrt{2} (\sqrt{13} - 5)}{420\sqrt{x^4 + 5x^2 + 3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] (4*x*(-420 - 439*x^2 + 430*x^4 + 312*x^6 + 45*x^8) + (1247*I)*Sqrt[2]*(-5 + Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-5395 + 1247*Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(420*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(3x^4 + 2x^2\right)\sqrt{x^4 + 5x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(1/2), x, algorithm="fricas")

[Out] integral((3*x^4 + 2*x^2)*sqrt(x^4 + 5*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5x^2 + 3} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)*x^2, x)

maple [A] time = 0.01, size = 243, normalized size = 0.80

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^5}{7} + \frac{29\sqrt{x^4 + 5x^2 + 3} x^3}{35} - \frac{4\sqrt{x^4 + 5x^2 + 3} x}{3} + \frac{24\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\sqrt{-30 + 6\sqrt{13}} \sqrt{x^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x)

[Out] 3/7*(x^4+5*x^2+3)^(1/2)*x^5+29/35*(x^4+5*x^2+3)^(1/2)*x^3-4/3*(x^4+5*x^2+3)^(1/2)*x+24/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-14964/35/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5x^2 + 3} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2), x)
```

```
[Out] int(x^2*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(3*x**2+2)*(x**4+5*x**2+3)**(1/2), x)
```

```
[Out] Integral(x**2*(3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3), x)
```


3.153 $\int (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx$

Optimal. Leaf size=279

$$-\frac{23x(2x^2 + \sqrt{13} + 5)}{15\sqrt{x^4 + 5x^2 + 3}} + \frac{1}{15}x(9x^2 + 25)\sqrt{x^4 + 5x^2 + 3} + \frac{\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}\right)\right)}{\sqrt{6(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $-23/15*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}+1/15*x*(9*x^2+25)*(x^4+5*x^2+3)^{(1/2)}+23/90*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}+(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 279, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1176, 1189, 1099, 1135}

$$-\frac{23x(2x^2 + \sqrt{13} + 5)}{15\sqrt{x^4 + 5x^2 + 3}} + \frac{1}{15}x(9x^2 + 25)\sqrt{x^4 + 5x^2 + 3} + \frac{\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}\right)\right)}{\sqrt{6(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] $(-23*x*(5 + \text{Sqrt}[13] + 2*x^2))/(15*\text{Sqrt}[3 + 5*x^2 + x^4]) + (x*(25 + 9*x^2))*\text{Sqrt}[3 + 5*x^2 + x^4]/15 + (23*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(15*\text{Sqrt}[3 + 5*x^2 + x^4]) + (\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(\text{Sqrt}[6*(5 + \text{Sqrt}[13])]*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*

```
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4], x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
  )*x^2]/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned}
\int (2 + 3x^2) \sqrt{3 + 5x^2 + x^4} dx &= \frac{1}{15}x(25 + 9x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{15} \int \frac{15 - 46x^2}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= \frac{1}{15}x(25 + 9x^2) \sqrt{3 + 5x^2 + x^4} - \frac{46}{15} \int \frac{x^2}{\sqrt{3 + 5x^2 + x^4}} dx + \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} \\
&= -\frac{23x(5 + \sqrt{13} + 2x^2)}{15\sqrt{3 + 5x^2 + x^4}} + \frac{1}{15}x(25 + 9x^2) \sqrt{3 + 5x^2 + x^4} + \frac{23\sqrt{\frac{1}{6}(5 + \sqrt{13})}}{\sqrt{3 + 5x^2 + x^4}}
\end{aligned}$$

Mathematica [C] time = 0.24, size = 229, normalized size = 0.82

$$\frac{i\sqrt{2} (23\sqrt{13} - 130) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13}} + 5F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) - 23i\sqrt{2} (\sqrt{13} - 5) \sqrt{30\sqrt{x^4 + 5x^2 + 3}}}{30\sqrt{x^4 + 5x^2 + 3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4], x]

[Out] (2*x*(75 + 152*x^2 + 70*x^4 + 9*x^6) - (23*I)*Sqrt[2]*(-5 + Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] + I*Sqrt[2]*(-130 + 23*Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(30*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{x^4 + 5x^2 + 3}(3x^2 + 2), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5x^2 + 3}(3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2), x)

maple [A] time = 0.01, size = 226, normalized size = 0.81

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^3}{5} + \frac{5\sqrt{x^4 + 5x^2 + 3} x}{3} + \frac{6\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}}{6}\right)}{\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2),x)

[Out] $\frac{3}{5}(x^4+5x^2+3)^{1/2}x^3+\frac{5}{3}(x^4+5x^2+3)^{1/2}x+\frac{6}{(-30+6\sqrt{13})^{1/2}}(-\frac{5}{6}+\frac{1}{6}\sqrt{13})x^2+1)^{1/2}(-\frac{5}{6}-\frac{1}{6}\sqrt{13})x^2+1)^{1/2}/(x^4+5x^2+3)^{1/2}\text{EllipticF}(\frac{1}{6}(-30+6\sqrt{13})^{1/2})x,\frac{5}{6}\sqrt{3}+\frac{1}{6}\sqrt{39})+\frac{552}{5(-30+6\sqrt{13})^{1/2}}(-\frac{5}{6}+\frac{1}{6}\sqrt{13})x^2+1)^{1/2}(-\frac{5}{6}-\frac{1}{6}\sqrt{13})x^2+1)^{1/2}/(x^4+5x^2+3)^{1/2}/(\sqrt{13}+5)(\text{EllipticF}(\frac{1}{6}(-30+6\sqrt{13})^{1/2})x,\frac{5}{6}\sqrt{3}+\frac{1}{6}\sqrt{39})-\text{EllipticE}(\frac{1}{6}(-30+6\sqrt{13})^{1/2})x,\frac{5}{6}\sqrt{3}+\frac{1}{6}\sqrt{39})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{x^4 + 5x^2 + 3} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2),x)

[Out] int((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (3x^2 + 2) \sqrt{x^4 + 5x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2),x)

[Out] Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3), x)

$$3.154 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^2} dx$$

Optimal. Leaf size=284

$$-\frac{\sqrt{x^4+5x^2+3}(2-x^2)}{x} + \frac{9x(2x^2+\sqrt{13}+5)}{2\sqrt{x^4+5x^2+3}} + \frac{8\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}\left(\frac{\sqrt{x^4+5x^2+3}}{x}\right)\right)\right)}{\sqrt{x^4+5x^2+3}}$$

[Out] $9/2*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)} - (-x^2+2)*(x^4+5*x^2+3)^{(1/2)}/x + 8/3*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}, 1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))^{(1/2)}/(6+x^2*(5+13^{(1/2)}))^{(1/2)})/(x^4+5*x^2+3)^{(1/2)} - 3/4*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}, 1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))^{(1/2)}/(6+x^2*(5+13^{(1/2)}))^{(1/2)}))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 284, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1271, 1189, 1099, 1135}

$$-\frac{\sqrt{x^4+5x^2+3}(2-x^2)}{x} + \frac{9x(2x^2+\sqrt{13}+5)}{2\sqrt{x^4+5x^2+3}} + \frac{8\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}\left(\frac{\sqrt{x^4+5x^2+3}}{x}\right)\right)\right)}{\sqrt{x^4+5x^2+3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^2, x]

[Out] $(9*x*(5 + \text{Sqrt}[13] + 2*x^2))/(2*\text{Sqrt}[3 + 5*x^2 + x^4]) - ((2 - x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/x - (3*\text{Sqrt}[(3*(5 + \text{Sqrt}[13]))/2]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13]))*x^2]/(6 + (5 + \text{Sqrt}[13])*x^2))*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6)]/(2*\text{Sqrt}[3 + 5*x^2 + x^4]) + (8*\text{Sqrt}[2/(3*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6)]/\text{Sqrt}[3 + 5*x^2 + x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*

```
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4], x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
  )*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbo
l] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
  x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1271

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] :> Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m
+ 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^
2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Sim
p[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && Gt
Q[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p]
|| IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^2} dx &= -\frac{(2-x^2)\sqrt{3+5x^2+x^4}}{x} - \frac{1}{3} \int \frac{-48-27x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{(2-x^2)\sqrt{3+5x^2+x^4}}{x} + 9 \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx + 16 \int \frac{1}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{9x(5+\sqrt{13}+2x^2)}{2\sqrt{3+5x^2+x^4}} - \frac{(2-x^2)\sqrt{3+5x^2+x^4}}{x} - \frac{3\sqrt{\frac{3}{2}}(5+\sqrt{13})\sqrt{\frac{6+(5-\sqrt{13})}{6+(5+\sqrt{13})}}}{\sqrt{3+5x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 231, normalized size = 0.81

$$\frac{-i\sqrt{2}(9\sqrt{13}-13)x\sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}}\sqrt{2x^2+\sqrt{13}+5}F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}\right)x\right)\Big|_{\frac{19}{6}+\frac{5\sqrt{13}}{6}}+9i\sqrt{2}(\sqrt{13}-5)x\sqrt{4x\sqrt{x^4+5x^2+3}}}{4x\sqrt{x^4+5x^2+3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^2,x]

[Out] (4*(-6 - 7*x^2 + 3*x^4 + x^6) + (9*I)*Sqrt[2]*(-5 + Sqrt[13])*x*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-13 + 9*Sqrt[13])*x*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(4*x*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5x^2+3}(3x^2+2)}{x^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^2,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4+5x^2+3}(3x^2+2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/x^2, x)

maple [A] time = 0.02, size = 225, normalized size = 0.79

$$\frac{\sqrt{x^4 + 5x^2 + 3} x + \frac{96 \sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}} x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}}}{2\sqrt{x^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^2,x)

[Out] (x^4+5*x^2+3)^(1/2)*x+96/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-324/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2)))-2*(x^4+5*x^2+3)^(1/2)/x

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 5x^2 + 3} (3x^2 + 2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^2,x)

[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)\sqrt{x^4 + 5x^2 + 3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**2,x)

[Out] Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x**2, x)

$$3.155 \quad \int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^4} dx$$

Optimal. Leaf size=305

$$-\frac{64\sqrt{x^4+5x^2+3}}{9x} + \frac{32x(2x^2+\sqrt{13}+5)}{9\sqrt{x^4+5x^2+3}} + \frac{49\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5+\sqrt{13})x^2+6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}(5+\sqrt{13})}x\right)\right) \frac{1}{6}}{3\sqrt{6(5+\sqrt{13})}\sqrt{x^4+5x^2+3}}$$

[Out] $32/9*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-64/9*(x^4+5*x^2+3)^{(1/2)}/x-1/3*(-9*x^2+2)*(x^4+5*x^2+3)^{(1/2)}/x^3-16/27*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}+49/3*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1271, 1281, 1189, 1099, 1135}

$$-\frac{\sqrt{x^4+5x^2+3}(2-9x^2)}{3x^3} - \frac{64\sqrt{x^4+5x^2+3}}{9x} + \frac{32x(2x^2+\sqrt{13}+5)}{9\sqrt{x^4+5x^2+3}} + \frac{49\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5+\sqrt{13})x^2+6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}(5+\sqrt{13})}x\right)\right) \frac{1}{6}}{3\sqrt{6(5+\sqrt{13})}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^4,x]

[Out] $(32*x*(5 + \text{Sqrt}[13] + 2*x^2))/(9*\text{Sqrt}[3 + 5*x^2 + x^4]) - (64*\text{Sqrt}[3 + 5*x^2 + x^4])/(9*x) - ((2 - 9*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/(3*x^3) - (16*\text{Sqrt}[(2*(5 + \text{Sqrt}[13]))/3]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(9*\text{Sqrt}[3 + 5*x^2 + x^4]) + (49*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(3*\text{Sqrt}[6*(5 + \text{Sqrt}[13])]*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2))*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
)*x^2]/(2*a + (b + q)*x^2))*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1271

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)\sqrt{3+5x^2+x^4}}{x^4} dx &= -\frac{(2-9x^2)\sqrt{3+5x^2+x^4}}{3x^3} - \frac{1}{3} \int \frac{-64-49x^2}{x^2\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{64\sqrt{3+5x^2+x^4}}{9x} - \frac{(2-9x^2)\sqrt{3+5x^2+x^4}}{3x^3} + \frac{1}{9} \int \frac{147+64x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{64\sqrt{3+5x^2+x^4}}{9x} - \frac{(2-9x^2)\sqrt{3+5x^2+x^4}}{3x^3} + \frac{64}{9} \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx + \frac{147}{9} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{32x(5+\sqrt{13}+2x^2)}{9\sqrt{3+5x^2+x^4}} - \frac{64\sqrt{3+5x^2+x^4}}{9x} - \frac{(2-9x^2)\sqrt{3+5x^2+x^4}}{3x^3} - \frac{16\sqrt{\frac{2}{3}}}{9}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 237, normalized size = 0.78

$$\frac{-i\sqrt{2}(32\sqrt{13}-13)\sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}}\sqrt{2x^2+\sqrt{13}+5}x^3F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}\right)x\right)\Big|_{\frac{19}{6}+\frac{5\sqrt{13}}{6}}+32i\sqrt{2}(\sqrt{13}-5)\sqrt{18x^3\sqrt{x^4+5x^2}}}{18x^3\sqrt{x^4+5x^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((2 + 3*x^2)*Sqrt[3 + 5*x^2 + x^4])/x^4,x]

[Out] (-2*(18 + 141*x^2 + 191*x^4 + 37*x^6) + (32*I)*Sqrt[2]*(-5 + Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-13 + 32*Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6)/(18*x^3*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5x^2+3}(3x^2+2)}{x^4},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^4,x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 5x^2 + 3}(3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^4,x, algorithm="giac")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/x^4, x)

maple [A] time = 0.02, size = 228, normalized size = 0.75

$$\frac{98\sqrt{-\left(\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1}\sqrt{-\left(\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1}\operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{\sqrt{-30+6\sqrt{13}}\sqrt{x^4+5x^2+3}} - \frac{37\sqrt{x^4+5x^2+3}}{9x} - \frac{2\sqrt{\dots}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^4,x)

[Out] $-37/9*(x^4+5*x^2+3)^{(1/2)}/x+98/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})$
 $*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}*\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x, 5/6*3^{(1/2)}+1/6*39^{(1/2)})-256/(-30+6*13^{(1/2)})^{(1/2)}$
 $*(-(-5/6+1/6*13^{(1/2)})x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(13^{(1/2)}+5)*(\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)}$
 $)x, 5/6*3^{(1/2)}+1/6*39^{(1/2)})-\operatorname{EllipticE}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x, 5/6*3^{(1/2)}$
 $+1/6*39^{(1/2)})-2/3*(x^4+5*x^2+3)^{(1/2)}/x^3$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{x^4 + 5x^2 + 3}(3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(1/2)/x^4,x, algorithm="maxima")

[Out] integrate(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(3x^2 + 2)\sqrt{x^4 + 5x^2 + 3}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^4, x)`

[Out] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(1/2))/x^4, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5*x**2+3)**(1/2)/x**4, x)`

[Out] `Integral((3*x**2 + 2)*sqrt(x**4 + 5*x**2 + 3)/x**4, x)`

$$3.156 \quad \int x^5 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=127

$$\frac{3}{14} (x^4 + 5x^2 + 3)^{5/2} x^4 + \frac{(3313 - 1070x^2)(x^4 + 5x^2 + 3)^{5/2}}{1680} - \frac{2183}{768} (2x^2 + 5)(x^4 + 5x^2 + 3)^{3/2} + \frac{28379(2x^2 + 5)}{2048}$$

[Out] -2183/768*(2*x^2+5)*(x^4+5*x^2+3)^(3/2)+3/14*x^4*(x^4+5*x^2+3)^(5/2)+1/1680*(-1070*x^2+3313)*(x^4+5*x^2+3)^(5/2)-368927/4096*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))+28379/2048*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 832, 779, 612, 621, 206}

$$\frac{3}{14} (x^4 + 5x^2 + 3)^{5/2} x^4 + \frac{(3313 - 1070x^2)(x^4 + 5x^2 + 3)^{5/2}}{1680} - \frac{2183}{768} (2x^2 + 5)(x^4 + 5x^2 + 3)^{3/2} + \frac{28379(2x^2 + 5)}{2048}$$

Antiderivative was successfully verified.

[In] Int[x^5*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (28379*(5 + 2*x^2)*Sqrt[3 + 5*x^2 + x^4])/2048 - (2183*(5 + 2*x^2)*(3 + 5*x^2 + x^4)^(3/2))/768 + (3*x^4*(3 + 5*x^2 + x^4)^(5/2))/14 + ((3313 - 1070*x^2)*(3 + 5*x^2 + x^4)^(5/2))/1680 - (368927*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/4096

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 612

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^p)/(2*c*(2*p + 1)), x] - Dist[(p*(b^2 - 4*a*c))/(2*c*(2*p + 1)), Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[4*p]

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

Rule 832

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1251

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int x^5 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx &= \frac{1}{2} \text{Subst} \left(\int x^2 (2 + 3x) (3 + 5x + x^2)^{3/2} dx, x, x^2 \right) \\
&= \frac{3}{14} x^4 (3 + 5x^2 + x^4)^{5/2} + \frac{1}{14} \text{Subst} \left(\int \left(-18 - \frac{107x}{2} \right) x (3 + 5x + x^2)^{3/2} dx, x, x^2 \right) \\
&= \frac{3}{14} x^4 (3 + 5x^2 + x^4)^{5/2} + \frac{(3313 - 1070x^2) (3 + 5x^2 + x^4)^{5/2}}{1680} - \frac{2183}{96} \text{Subst} \left(\int \frac{1}{x} (3 + 5x + x^2)^{3/2} dx, x, x^2 \right) \\
&= -\frac{2183}{768} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{3}{14} x^4 (3 + 5x^2 + x^4)^{5/2} + \frac{(3313 - 1070x^2) (3 + 5x^2 + x^4)^{5/2}}{1680} \\
&= \frac{28379 (5 + 2x^2) \sqrt{3 + 5x^2 + x^4}}{2048} - \frac{2183}{768} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{3}{14} x^4 (3 + 5x^2 + x^4)^{5/2} \\
&= \frac{28379 (5 + 2x^2) \sqrt{3 + 5x^2 + x^4}}{2048} - \frac{2183}{768} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{3}{14} x^4 (3 + 5x^2 + x^4)^{5/2} \\
&= \frac{28379 (5 + 2x^2) \sqrt{3 + 5x^2 + x^4}}{2048} - \frac{2183}{768} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{3}{14} x^4 (3 + 5x^2 + x^4)^{5/2}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 81, normalized size = 0.64

$$\frac{2\sqrt{x^4 + 5x^2 + 3} (46080x^{12} + 323840x^{10} + 482944x^8 + 154800x^6 + 283304x^4 - 1499570x^2 + 9546951) - 38737335 \text{ArcTanh}\left[\frac{5 + 2x^2}{2\sqrt{3 + 5x^2 + x^4}}\right]}{430080}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2),x]

[Out] (2*sqrt[3 + 5*x^2 + x^4]*(9546951 - 1499570*x^2 + 283304*x^4 + 154800*x^6 + 482944*x^8 + 323840*x^10 + 46080*x^12) - 38737335*ArcTanh[(5 + 2*x^2)/(2*sqrt[3 + 5*x^2 + x^4]])/430080

fricas [A] time = 0.84, size = 71, normalized size = 0.56

$$\frac{1}{215040} (46080 x^{12} + 323840 x^{10} + 482944 x^8 + 154800 x^6 + 283304 x^4 - 1499570 x^2 + 9546951) \sqrt{x^4 + 5x^2 + 3} + 368927/4096 \log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] 1/215040*(46080*x^12 + 323840*x^10 + 482944*x^8 + 154800*x^6 + 283304*x^4 - 1499570*x^2 + 9546951)*sqrt(x^4 + 5*x^2 + 3) + 368927/4096*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.54, size = 207, normalized size = 1.63

$$\frac{1}{71680} \sqrt{x^4 + 5x^2 + 3} \left(2 \left(4 \left(2 \left(8 \left(10 \left(12x^2 + 5 \right) x^2 - 203 \right) x^2 + 7635 \right) x^2 - 76083 \right) x^2 + 1627215 \right) x^2 - 20756241 \right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] 1/71680*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(2*(8*(10*(12*x^2 + 5)*x^2 - 203)*x^2 + 7635)*x^2 - 76083)*x^2 + 1627215)*x^2 - 20756241) + 17/3072*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(2*(8*(2*x^2 + 1)*x^2 - 33)*x^2 + 321)*x^2 - 6837)*x^2 + 8714*7) + 19/3840*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(6*(8*x^2 + 5)*x^2 - 127)*x^2 + 2635)*x^2 - 33429) + 1/64*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(6*x^2 + 5)*x^2 - 89)*x^2 + 1095) + 368927/4096*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.03, size = 138, normalized size = 1.09

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^{12}}{14} + \frac{253\sqrt{x^4 + 5x^2 + 3} x^{10}}{168} + \frac{539\sqrt{x^4 + 5x^2 + 3} x^8}{240} + \frac{645\sqrt{x^4 + 5x^2 + 3} x^6}{896} + \frac{5059\sqrt{x^4 + 5x^2 + 3}}{3840}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x)

[Out] 645/896*x^6*(x^4+5*x^2+3)^(1/2)-149957/21504*x^2*(x^4+5*x^2+3)^(1/2)-368927/4096*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))+3/14*x^12*(x^4+5*x^2+3)^(1/2)+253/168*x^10*(x^4+5*x^2+3)^(1/2)+539/240*x^8*(x^4+5*x^2+3)^(1/2)+3182317/71680*(x^4+5*x^2+3)^(1/2)+5059/3840*x^4*(x^4+5*x^2+3)^(1/2)

maxima [A] time = 0.59, size = 135, normalized size = 1.06

$$\frac{3}{14} (x^4 + 5x^2 + 3)^{\frac{5}{2}} x^4 - \frac{107}{168} (x^4 + 5x^2 + 3)^{\frac{5}{2}} x^2 - \frac{2183}{384} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2 + \frac{3313}{1680} (x^4 + 5x^2 + 3)^{\frac{5}{2}} + \frac{28379}{1024} \sqrt{x^4 + 5x^2 + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] 3/14*(x^4 + 5*x^2 + 3)^(5/2)*x^4 - 107/168*(x^4 + 5*x^2 + 3)^(5/2)*x^2 - 2183/384*(x^4 + 5*x^2 + 3)^(3/2)*x^2 + 3313/1680*(x^4 + 5*x^2 + 3)^(5/2) + 28379/1024*sqrt(x^4 + 5*x^2 + 3)*x^2 - 10915/768*(x^4 + 5*x^2 + 3)^(3/2) + 141895/2048*sqrt(x^4 + 5*x^2 + 3) - 368927/4096*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^5 (3x^2 + 2) (x^4 + 5x^2 + 3)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)`

[Out] `int(x^5*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^5 (3x^2 + 2) (x^4 + 5x^2 + 3)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(3*x**2+2)*(x**4+5*x**2+3)**(3/2), x)`

[Out] `Integral(x**5*(3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2), x)`

$$3.157 \quad \int x^3 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=106

$$-\frac{1}{40} (27 - 10x^2) (x^4 + 5x^2 + 3)^{5/2} + \frac{123}{128} (2x^2 + 5) (x^4 + 5x^2 + 3)^{3/2} - \frac{4797 (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3}}{1024} + \frac{62361 \operatorname{tanh}}{2048}$$

[Out] 123/128*(2*x^2+5)*(x^4+5*x^2+3)^(3/2)-1/40*(-10*x^2+27)*(x^4+5*x^2+3)^(5/2)+62361/2048*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-4797/1024*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 779, 612, 621, 206}

$$-\frac{1}{40} (27 - 10x^2) (x^4 + 5x^2 + 3)^{5/2} + \frac{123}{128} (2x^2 + 5) (x^4 + 5x^2 + 3)^{3/2} - \frac{4797 (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3}}{1024} + \frac{62361 \operatorname{tanh}}{2048}$$

Antiderivative was successfully verified.

[In] Int[x^3*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (-4797*(5 + 2*x^2)*Sqrt[3 + 5*x^2 + x^4])/1024 + (123*(5 + 2*x^2)*(3 + 5*x^2 + x^4)^(3/2))/128 - ((27 - 10*x^2)*(3 + 5*x^2 + x^4)^(5/2))/40 + (62361*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/2048

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 612

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^p)/(2*c*(2*p + 1)), x] - Dist[(p*(b^2 - 4*a*c))/(2*c*(2*p + 1)), Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[4*p]

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
 \int x^3 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx &= \frac{1}{2} \text{Subst} \left(\int x(2 + 3x) (3 + 5x + x^2)^{3/2} dx, x, x^2 \right) \\
 &= -\frac{1}{40} (27 - 10x^2) (3 + 5x^2 + x^4)^{5/2} + \frac{123}{16} \text{Subst} \left(\int (3 + 5x + x^2)^{3/2} dx, x, x^2 \right) \\
 &= \frac{123}{128} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{1}{40} (27 - 10x^2) (3 + 5x^2 + x^4)^{5/2} - \frac{4797}{25} \\
 &= -\frac{4797 (5 + 2x^2) \sqrt{3 + 5x^2 + x^4}}{1024} + \frac{123}{128} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{1}{40} \\
 &= -\frac{4797 (5 + 2x^2) \sqrt{3 + 5x^2 + x^4}}{1024} + \frac{123}{128} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{1}{40} \\
 &= -\frac{4797 (5 + 2x^2) \sqrt{3 + 5x^2 + x^4}}{1024} + \frac{123}{128} (5 + 2x^2) (3 + 5x^2 + x^4)^{3/2} - \frac{1}{40}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 76, normalized size = 0.72

$$\frac{311805 \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) + 2\sqrt{x^4+5x^2+3} (1280x^{10} + 9344x^8 + 14960x^6 + 5064x^4 + 12390x^2 - 77229)}{10240}$$

10240

Antiderivative was successfully verified.

maxima [A] time = 0.88, size = 118, normalized size = 1.11

$$\frac{1}{4} (x^4 + 5x^2 + 3)^{\frac{5}{2}} x^2 + \frac{123}{64} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2 - \frac{27}{40} (x^4 + 5x^2 + 3)^{\frac{5}{2}} - \frac{4797}{512} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{615}{128} (x^4 + 5x^2 + 3)^{\frac{3}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] 1/4*(x^4 + 5*x^2 + 3)^(5/2)*x^2 + 123/64*(x^4 + 5*x^2 + 3)^(3/2)*x^2 - 27/40*(x^4 + 5*x^2 + 3)^(5/2) - 4797/512*sqrt(x^4 + 5*x^2 + 3)*x^2 + 615/128*(x^4 + 5*x^2 + 3)^(3/2) - 23985/1024*sqrt(x^4 + 5*x^2 + 3) + 62361/2048*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (3x^2 + 2) (x^4 + 5x^2 + 3)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2),x)

[Out] int(x^3*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (3x^2 + 2) (x^4 + 5x^2 + 3)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(3*x**2+2)*(x**4+5*x**2+3)**(3/2),x)

[Out] Integral(x**3*(3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2), x)

$$3.158 \quad \int x (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=99

$$\frac{3}{10} (x^4 + 5x^2 + 3)^{5/2} - \frac{11}{32} (2x^2 + 5) (x^4 + 5x^2 + 3)^{3/2} + \frac{429}{256} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} - \frac{5577}{512} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

[Out] -11/32*(2*x^2+5)*(x^4+5*x^2+3)^(3/2)+3/10*(x^4+5*x^2+3)^(5/2)-5577/512*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))+429/256*(2*x^2+5)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.06, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1247, 640, 612, 621, 206}

$$\frac{3}{10} (x^4 + 5x^2 + 3)^{5/2} - \frac{11}{32} (2x^2 + 5) (x^4 + 5x^2 + 3)^{3/2} + \frac{429}{256} (2x^2 + 5) \sqrt{x^4 + 5x^2 + 3} - \frac{5577}{512} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

Antiderivative was successfully verified.

[In] Int[x*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (429*(5 + 2*x^2)*Sqrt[3 + 5*x^2 + x^4])/256 - (11*(5 + 2*x^2)*(3 + 5*x^2 + x^4)^(3/2))/32 + (3*(3 + 5*x^2 + x^4)^(5/2))/10 - (5577*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/512

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 612

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x)*(a + b*x + c*x^2)^p)/(2*c*(2*p + 1)), x] - Dist[(p*(b^2 - 4*a*c))/(2*c*(2*p + 1)), Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && IntegerQ[4*p]

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 640

```
Int[((d_.) + (e_.)*(x_.))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
  := Simp[(e*(a + b*x + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[(2*c*d - b
*e)/(2*c), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x]
&& NeQ[2*c*d - b*e, 0] && NeQ[p, -1]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
\int x(2 + 3x^2)(3 + 5x^2 + x^4)^{3/2} dx &= \frac{1}{2} \text{Subst}\left(\int (2 + 3x)(3 + 5x + x^2)^{3/2} dx, x, x^2\right) \\
&= \frac{3}{10}(3 + 5x^2 + x^4)^{5/2} - \frac{11}{4} \text{Subst}\left(\int (3 + 5x + x^2)^{3/2} dx, x, x^2\right) \\
&= -\frac{11}{32}(5 + 2x^2)(3 + 5x^2 + x^4)^{3/2} + \frac{3}{10}(3 + 5x^2 + x^4)^{5/2} + \frac{429}{64} \text{Subst}\left(\int \sqrt{3 + 5x + x^2} dx, x, x^2\right) \\
&= \frac{429}{256}(5 + 2x^2)\sqrt{3 + 5x^2 + x^4} - \frac{11}{32}(5 + 2x^2)(3 + 5x^2 + x^4)^{3/2} + \frac{3}{10}(3 + 5x^2 + x^4)^{5/2} \\
&= \frac{429}{256}(5 + 2x^2)\sqrt{3 + 5x^2 + x^4} - \frac{11}{32}(5 + 2x^2)(3 + 5x^2 + x^4)^{3/2} + \frac{3}{10}(3 + 5x^2 + x^4)^{5/2} \\
&= \frac{429}{256}(5 + 2x^2)\sqrt{3 + 5x^2 + x^4} - \frac{11}{32}(5 + 2x^2)(3 + 5x^2 + x^4)^{3/2} + \frac{3}{10}(3 + 5x^2 + x^4)^{5/2}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 71, normalized size = 0.72

$$\frac{2\sqrt{x^4 + 5x^2 + 3} (384x^8 + 2960x^6 + 5304x^4 + 2170x^2 + 7581) - 27885 \tanh^{-1}\left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}}\right)}{2560}$$

Antiderivative was successfully verified.

[In] Integrate[x*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (2*Sqrt[3 + 5*x^2 + x^4]*(7581 + 2170*x^2 + 5304*x^4 + 2960*x^6 + 384*x^8) - 27885*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/2560

fricas [A] time = 0.64, size = 61, normalized size = 0.62

$$\frac{1}{1280} (384x^8 + 2960x^6 + 5304x^4 + 2170x^2 + 7581) \sqrt{x^4 + 5x^2 + 3} + \frac{5577}{512} \log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] 1/1280*(384*x^8 + 2960*x^6 + 5304*x^4 + 2170*x^2 + 7581)*sqrt(x^4 + 5*x^2 + 3) + 5577/512*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.45, size = 151, normalized size = 1.53

$$\frac{1}{1280} \sqrt{x^4 + 5x^2 + 3} (2(4(6(8x^2 + 5)x^2 - 127)x^2 + 2635)x^2 - 33429) + \frac{17}{384} \sqrt{x^4 + 5x^2 + 3} (2(4(6x^2 + 5)x^2 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] 1/1280*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(6*(8*x^2 + 5)*x^2 - 127)*x^2 + 2635)*x^2 - 33429) + 17/384*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(6*x^2 + 5)*x^2 - 89)*x^2 + 1095) + 19/48*sqrt(x^4 + 5*x^2 + 3)*(2*(4*x^2 + 5)*x^2 - 51) + 3/4*sqrt(x^4 + 5*x^2 + 3)*(2*x^2 + 5) + 5577/512*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 104, normalized size = 1.05

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^8}{10} + \frac{37\sqrt{x^4 + 5x^2 + 3} x^6}{16} + \frac{663\sqrt{x^4 + 5x^2 + 3} x^4}{160} + \frac{217\sqrt{x^4 + 5x^2 + 3} x^2}{128} - \frac{5577 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{512}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x)

[Out] 3/10*(x^4+5*x^2+3)^(1/2)*x^8+37/16*(x^4+5*x^2+3)^(1/2)*x^6+663/160*(x^4+5*x^2+3)^(1/2)*x^4+217/128*(x^4+5*x^2+3)^(1/2)*x^2+7581/1280*(x^4+5*x^2+3)^(1/2)-5577/512*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 0.67, size = 101, normalized size = 1.02

$$-\frac{11}{16} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2 + \frac{3}{10} (x^4 + 5x^2 + 3)^{\frac{5}{2}} + \frac{429}{128} \sqrt{x^4 + 5x^2 + 3} x^2 - \frac{55}{32} (x^4 + 5x^2 + 3)^{\frac{3}{2}} + \frac{2145}{256} \sqrt{x^4 + 5x^2 + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] $-11/16*(x^4 + 5*x^2 + 3)^{(3/2)}*x^2 + 3/10*(x^4 + 5*x^2 + 3)^{(5/2)} + 429/128*\sqrt{x^4 + 5*x^2 + 3}*x^2 - 55/32*(x^4 + 5*x^2 + 3)^{(3/2)} + 2145/256*\sqrt{x^4 + 5*x^2 + 3} - 5577/512*\log(2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3} + 5)$

mupad [B] time = 0.53, size = 127, normalized size = 1.28

$$\frac{\left(x^2 + \frac{5}{2}\right) \left(x^4 + 5x^2 + 3\right)^{3/2}}{4} - \frac{15x^2 \left(x^4 + 5x^2 + 3\right)^{3/2}}{16} - \frac{5577 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{512} + \frac{585 \left(2x^2 + 5\right) \sqrt{x^4}}{256}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2),x)

[Out] $((x^2 + 5/2)*(5*x^2 + x^4 + 3)^{(3/2)})/4 - (15*x^2*(5*x^2 + x^4 + 3)^{(3/2)})/16 - (5577*\log((5*x^2 + x^4 + 3)^{(1/2)} + x^2 + 5/2))/512 + (585*(2*x^2 + 5)*(5*x^2 + x^4 + 3)^{(1/2)})/256 - (39*(x^2/2 + 5/4)*(5*x^2 + x^4 + 3)^{(1/2)})/16 - (75*(5*x^2 + x^4 + 3)^{(3/2)})/32 + (3*(5*x^2 + x^4 + 3)^{(5/2)})/10$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(3x^2 + 2)(x^4 + 5x^2 + 3)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x**2+2)*(x**4+5*x**2+3)**(3/2),x)

[Out] Integral(x*(3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2), x)

$$3.159 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x} dx$$

Optimal. Leaf size=119

$$\frac{1}{48} (18x^2 + 61) (x^4 + 5x^2 + 3)^{3/2} + \frac{1}{128} (199 - 74x^2) \sqrt{x^4 + 5x^2 + 3} + \frac{2401}{256} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right) - 3\sqrt{3} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

[Out] 1/48*(18*x^2+61)*(x^4+5*x^2+3)^(3/2)+2401/256*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-3*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)+1/128*(-74*x^2+199)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.11, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 814, 843, 621, 206, 724}

$$\frac{1}{48} (18x^2 + 61) (x^4 + 5x^2 + 3)^{3/2} + \frac{1}{128} (199 - 74x^2) \sqrt{x^4 + 5x^2 + 3} + \frac{2401}{256} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right) - 3\sqrt{3} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x,x]

[Out] ((199 - 74*x^2)*Sqrt[3 + 5*x^2 + x^4])/128 + ((61 + 18*x^2)*(3 + 5*x^2 + x^4)^(3/2))/48 + (2401*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/256 - 3*Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] :> Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] :> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 814

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

Rule 843

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 1251

```

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(3+5x+x^2)^{3/2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{48} (61+18x^2)(3+5x^2+x^4)^{3/2} - \frac{1}{16} \text{Subst} \left(\int \frac{(-48+\frac{37x}{2})\sqrt{3+5x+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{128} (199-74x^2)\sqrt{3+5x^2+x^4} + \frac{1}{48} (61+18x^2)(3+5x^2+x^4)^{3/2} + \frac{1}{64} \text{Subst} \left(\int \frac{(-48+\frac{37x}{2})\sqrt{3+5x+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{128} (199-74x^2)\sqrt{3+5x^2+x^4} + \frac{1}{48} (61+18x^2)(3+5x^2+x^4)^{3/2} + 9 \text{Subst} \left(\int \frac{(-48+\frac{37x}{2})\sqrt{3+5x+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{128} (199-74x^2)\sqrt{3+5x^2+x^4} + \frac{1}{48} (61+18x^2)(3+5x^2+x^4)^{3/2} - 18 \text{Subst} \left(\int \frac{(-48+\frac{37x}{2})\sqrt{3+5x+x^2}}{x} dx, x, x^2 \right) \\
&= \frac{1}{128} (199-74x^2)\sqrt{3+5x^2+x^4} + \frac{1}{48} (61+18x^2)(3+5x^2+x^4)^{3/2} + \frac{2401}{256} \text{Subst} \left(\int \frac{(-48+\frac{37x}{2})\sqrt{3+5x+x^2}}{x} dx, x, x^2 \right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 104, normalized size = 0.87

$$\frac{2401}{256} \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) - 3\sqrt{3} \tanh^{-1} \left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}} \right) + \frac{1}{384} \sqrt{x^4+5x^2+3} (144x^6+1208x^4+2650x^2+2061)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x,x]

[Out] (Sqrt[3 + 5*x^2 + x^4]*(2061 + 2650*x^2 + 1208*x^4 + 144*x^6))/384 + (2401*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/256 - 3*Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])]

fricas [A] time = 0.69, size = 106, normalized size = 0.89

$$\frac{1}{384} (144x^6 + 1208x^4 + 2650x^2 + 2061)\sqrt{x^4+5x^2+3} + 3\sqrt{3} \log \left(\frac{25x^2 - 2\sqrt{3}(5x^2+6) - 2\sqrt{x^4+5x^2+3}}{x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x,x, algorithm="fricas")

[Out] 1/384*(144*x^6 + 1208*x^4 + 2650*x^2 + 2061)*sqrt(x^4 + 5*x^2 + 3) + 3*sqrt(3)*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) - 6) + 30)/x^2) - 2401/256*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.50, size = 113, normalized size = 0.95

$$\frac{1}{384} \sqrt{x^4 + 5x^2 + 3} \left(2 \left(4 \left(18x^2 + 151 \right) x^2 + 1325 \right) x^2 + 2061 \right) + 3\sqrt{3} \log \left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}} \right) - \frac{2401}{256} \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x,x, algorithm="giac")

[Out] 1/384*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(18*x^2 + 151)*x^2 + 1325)*x^2 + 2061) + 3*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) - 2401/256*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 117, normalized size = 0.98

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^6}{8} + \frac{151\sqrt{x^4 + 5x^2 + 3} x^4}{48} + \frac{1325\sqrt{x^4 + 5x^2 + 3} x^2}{192} - 3\sqrt{3} \operatorname{arctanh} \left(\frac{(5x^2 + 6)\sqrt{3}}{6\sqrt{x^4 + 5x^2 + 3}} \right) + \frac{2401 \ln}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x,x)

[Out] 3/8*(x^4+5*x^2+3)^(1/2)*x^6+151/48*(x^4+5*x^2+3)^(1/2)*x^4+1325/192*(x^4+5*x^2+3)^(1/2)*x^2+687/128*(x^4+5*x^2+3)^(1/2)+2401/256*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))-3*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)

maxima [A] time = 1.40, size = 120, normalized size = 1.01

$$\frac{3}{8} (x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2 - \frac{37}{64} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{61}{48} (x^4 + 5x^2 + 3)^{\frac{3}{2}} - 3\sqrt{3} \log \left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5 \right) + \frac{1}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x,x, algorithm="maxima")

[Out] 3/8*(x^4 + 5*x^2 + 3)^(3/2)*x^2 - 37/64*sqrt(x^4 + 5*x^2 + 3)*x^2 + 61/48*(x^4 + 5*x^2 + 3)^(3/2) - 3*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) + 199/128*sqrt(x^4 + 5*x^2 + 3) + 2401/256*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x,x)
```

```
[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x,x)
```

```
[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x, x)
```


$$3.160 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^3} dx$$

Optimal. Leaf size=122

$$-\frac{(2-x^2)(x^4+5x^2+3)^{3/2}}{2x^2} + \frac{3}{16}(18x^2+109)\sqrt{x^4+5x^2+3} + \frac{609}{32}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - 12\sqrt{3}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

[Out] $-1/2*(-x^2+2)*(x^4+5*x^2+3)^{(3/2)}/x^2+609/32*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2)})-12*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)/(x^4+5*x^2+3)^{(1/2)})}*3^{(1/2)}+3/16*(18*x^2+109)*(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 812, 814, 843, 621, 206, 724}

$$-\frac{(2-x^2)(x^4+5x^2+3)^{3/2}}{2x^2} + \frac{3}{16}(18x^2+109)\sqrt{x^4+5x^2+3} + \frac{609}{32}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - 12\sqrt{3}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2+3*x^2)*(3+5*x^2+x^4)^{(3/2)}/x^3, x]$

[Out] $(3*(109+18*x^2)*\operatorname{Sqrt}[3+5*x^2+x^4])/16 - ((2-x^2)*(3+5*x^2+x^4)^{(3/2)})/(2*x^2) + (609*\operatorname{ArcTanh}[(5+2*x^2)/(2*\operatorname{Sqrt}[3+5*x^2+x^4])])/32 - 12*\operatorname{Sqrt}[3]*\operatorname{ArcTanh}[(6+5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3+5*x^2+x^4])]$

Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt} Q[a, 0] \parallel \operatorname{Lt} Q[b, 0])$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*(x_+) + (c_+)*(x_+)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 724

$\operatorname{Int}[1/(((d_+ + (e_+)*(x_+))*\operatorname{Sqrt}[(a_+ + (b_+)*(x_+) + (c_+)*(x_+)^2])), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c,$

d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 812

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x)*(a + b*x + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p - 1)*Simp[g*(b*d + 2*a*e + 2*a*e*m + 2*b*d*p) - f*b*e*(m + 2*p + 2) + (g*(2*c*d + b*e + b*e*m + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 814

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(3+5x+x^2)^{3/2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(2-x^2)(3+5x^2+x^4)^{3/2}}{2x^2} - \frac{1}{4} \text{Subst} \left(\int \frac{(-48-27x)\sqrt{3+5x+x^2}}{x} dx, x, \right. \\
&= \frac{3}{16} (109+18x^2) \sqrt{3+5x^2+x^4} - \frac{(2-x^2)(3+5x^2+x^4)^{3/2}}{2x^2} + \frac{1}{16} \text{Subst} \left(\int \right. \\
&= \frac{3}{16} (109+18x^2) \sqrt{3+5x^2+x^4} - \frac{(2-x^2)(3+5x^2+x^4)^{3/2}}{2x^2} + \frac{609}{32} \text{Subst} \left(\int \right. \\
&= \frac{3}{16} (109+18x^2) \sqrt{3+5x^2+x^4} - \frac{(2-x^2)(3+5x^2+x^4)^{3/2}}{2x^2} + \frac{609}{16} \text{Subst} \left(\int \right. \\
&= \frac{3}{16} (109+18x^2) \sqrt{3+5x^2+x^4} - \frac{(2-x^2)(3+5x^2+x^4)^{3/2}}{2x^2} + \frac{609}{32} \tanh^{-1}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 107, normalized size = 0.88

$$\frac{609}{32} \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) - 12\sqrt{3} \tanh^{-1} \left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}} \right) + \frac{\sqrt{x^4+5x^2+3} (8x^6+78x^4+271x^2-48)}{16x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^3,x]

[Out] (Sqrt[3 + 5*x^2 + x^4]*(-48 + 271*x^2 + 78*x^4 + 8*x^6))/(16*x^2) + (609*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/32 - 12*Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4]])

fricas [A] time = 0.59, size = 122, normalized size = 1.00

$$\frac{1536\sqrt{3}x^2 \log\left(\frac{25x^2-2\sqrt{3}(5x^2+6)-2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6)+30}{x^2}\right) - 2436x^2 \log(-2x^2 + 2\sqrt{x^4+5x^2+3} - 5) + 1541x^2}{128x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^3,x, algorithm="fricas")

[Out] $\frac{1}{128}*(1536*\sqrt{3}*x^2*\log((25*x^2 - 2*\sqrt{3})*(5*x^2 + 6) - 2*\sqrt{x^4 + 5*x^2 + 3})*(5*\sqrt{3} - 6) + 30)/x^2) - 2436*x^2*\log(-2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3}) - 5) + 1541*x^2 + 8*(8*x^6 + 78*x^4 + 271*x^2 - 48)*\sqrt{x^4 + 5*x^2 + 3})/x^2$

giac [A] time = 0.56, size = 153, normalized size = 1.25

$$\frac{1}{16} \sqrt{x^4 + 5x^2 + 3} (2(4x^2 + 39)x^2 + 271) + 12\sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{3(5x^2 - 5\sqrt{x^4 + 5x^2 + 3} - (x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 609/32 \log(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5))}{(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 609/32 \log(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^3,x, algorithm="giac")

[Out] $\frac{1}{16}*\sqrt{x^4 + 5*x^2 + 3}*(2*(4*x^2 + 39)*x^2 + 271) + 12*\sqrt{3}*\log((x^2 + \sqrt{3} - \sqrt{x^4 + 5*x^2 + 3})/(x^2 - \sqrt{3} - \sqrt{x^4 + 5*x^2 + 3})) + 3*(5*x^2 - 5*\sqrt{x^4 + 5*x^2 + 3} + 6)/((x^2 - \sqrt{x^4 + 5*x^2 + 3})^2 - 3) - 609/32*\log(2*x^2 - 2*\sqrt{x^4 + 5*x^2 + 3} + 5)$

maple [A] time = 0.02, size = 117, normalized size = 0.96

$$\frac{\sqrt{x^4 + 5x^2 + 3} x^4}{2} + \frac{39\sqrt{x^4 + 5x^2 + 3} x^2}{8} - 12\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2 + 6)\sqrt{3}}{6\sqrt{x^4 + 5x^2 + 3}}\right) + \frac{609 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^3,x)

[Out] $\frac{1}{2}*(x^4+5*x^2+3)^{(1/2)}*x^4+39/8*(x^4+5*x^2+3)^{(1/2)}*x^2+271/16*(x^4+5*x^2+3)^{(1/2)}+609/32*\ln(x^2+5/2+(x^4+5*x^2+3)^{(1/2)})-12*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-3*(x^4+5*x^2+3)^{(1/2)}/x^2$

maxima [A] time = 1.75, size = 120, normalized size = 0.98

$$\frac{27}{8} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{1}{2} (x^4 + 5x^2 + 3)^{\frac{3}{2}} - 12\sqrt{3} \log\left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5\right) + \frac{327}{16} \sqrt{x^4 + 5x^2 + 3} - \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^3,x, algorithm="maxima")

[Out] $\frac{27}{8}*\sqrt{x^4 + 5*x^2 + 3}*x^2 + 1/2*(x^4 + 5*x^2 + 3)^{(3/2)} - 12*\sqrt{3}*\log(2*\sqrt{3}*\sqrt{x^4 + 5*x^2 + 3}/x^2 + 6/x^2 + 5) + 327/16*\sqrt{x^4 + 5*x^2 + 3} - (x^4 + 5*x^2 + 3)^{(3/2)}/x^2$

$\sqrt{x^2 + 3} - (x^4 + 5x^2 + 3)^{3/2}/x^2 + 609/32 \log(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^3, x)

[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x**3, x)

[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x**3, x)

$$3.161 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^5} dx$$

Optimal. Leaf size=127

$$-\frac{(2-3x^2)(x^4+5x^2+3)^{3/2}}{4x^4} - \frac{3(28-19x^2)\sqrt{x^4+5x^2+3}}{8x^2} + \frac{453}{16} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{127}{8}\sqrt{3} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

[Out] $-1/4*(-3*x^2+2)*(x^4+5*x^2+3)^{(3/2)}/x^4+453/16*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2)})-127/8*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)/(x^4+5*x^2+3)^{(1/2)})}*3^{(1/2)}-3/8*(-19*x^2+28)*(x^4+5*x^2+3)^{(1/2)}/x^2$

Rubi [A] time = 0.11, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1251, 812, 843, 621, 206, 724}

$$-\frac{(2-3x^2)(x^4+5x^2+3)^{3/2}}{4x^4} - \frac{3(28-19x^2)\sqrt{x^4+5x^2+3}}{8x^2} + \frac{453}{16} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{127}{8}\sqrt{3} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2+3*x^2)*(3+5*x^2+x^4)^{(3/2)}/x^5, x]$

[Out] $(-3*(28-19*x^2)*\operatorname{Sqrt}[3+5*x^2+x^4])/(8*x^2) - ((2-3*x^2)*(3+5*x^2+x^4)^{(3/2)})/(4*x^4) + (453*\operatorname{ArcTanh}[(5+2*x^2)/(2*\operatorname{Sqrt}[3+5*x^2+x^4])])/16 - (127*\operatorname{Sqrt}[3]*\operatorname{ArcTanh}[(6+5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3+5*x^2+x^4])])/8$

Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*(x_+) + (c_+)*(x_+)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 724

$\operatorname{Int}[1/(((d_+ + (e_+)*(x_+))*\operatorname{Sqrt}[(a_+ + (b_+)*(x_+) + (c_+)*(x_+)^2])), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2$

$\text{Int}[(a e - b d - (2 c d - b e) x) / \sqrt{a + b x + c x^2}], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4 a c, 0] && NeQ[2 c d - b e, 0]

Rule 812

$\text{Int}[(d + e x)^m (f + g x) (a + b x + c x^2)^p], x_Symbol] \rightarrow \text{Simp}[(d + e x)^{m+1} (e f (m + 2 p + 2) - d g (2 p + 1) + e g (m + 1) x) (a + b x + c x^2)^p] / (e^2 (m + 1) (m + 2 p + 2)), x] + \text{Dist}[p / (e^2 (m + 1) (m + 2 p + 2)), \text{Int}[(d + e x)^{m+1} (a + b x + c x^2)^{p-1} \text{Simp}[g (b d + 2 a e + 2 a e m + 2 b d p) - f b e (m + 2 p + 2) + (g (2 c d + b e + b e m + 4 c d p) - 2 c e f (m + 2 p + 2)) x], x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4 a c, 0] && NeQ[c d^2 - b d e + a e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2 p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2 m, 2 p])

Rule 843

$\text{Int}[(d + e x)^m (f + g x) (a + b x + c x^2)^p], x_Symbol] \rightarrow \text{Dist}[g / e, \text{Int}[(d + e x)^{m+1} (a + b x + c x^2)^p], x] + \text{Dist}[(e f - d g) / e, \text{Int}[(d + e x)^m (a + b x + c x^2)^p], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4 a c, 0] && NeQ[c d^2 - b d e + a e^2, 0] && !IGtQ[m, 0]

Rule 1251

$\text{Int}[x^m (d + e x^2)^q (a + b x + c x^2)^p], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2} (d + e x)^q (a + b x + c x^2)^p], x, x^2], x] /;$ FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^5} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2+3x)(3+5x+x^2)^{3/2}}{x^3} dx, x, x^2 \right) \\
&= -\frac{(2-3x^2)(3+5x^2+x^4)^{3/2}}{4x^4} - \frac{3}{16} \text{Subst} \left(\int \frac{(-56-38x)\sqrt{3+5x+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{3(28-19x^2)\sqrt{3+5x^2+x^4}}{8x^2} - \frac{(2-3x^2)(3+5x^2+x^4)^{3/2}}{4x^4} + \frac{3}{32} \text{Subst} \left(\int \frac{(-56-38x)\sqrt{3+5x+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{3(28-19x^2)\sqrt{3+5x^2+x^4}}{8x^2} - \frac{(2-3x^2)(3+5x^2+x^4)^{3/2}}{4x^4} + \frac{453}{16} \text{Subst} \left(\int \frac{(-56-38x)\sqrt{3+5x+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{3(28-19x^2)\sqrt{3+5x^2+x^4}}{8x^2} - \frac{(2-3x^2)(3+5x^2+x^4)^{3/2}}{4x^4} + \frac{453}{8} \text{Subst} \left(\int \frac{(-56-38x)\sqrt{3+5x+x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{3(28-19x^2)\sqrt{3+5x^2+x^4}}{8x^2} - \frac{(2-3x^2)(3+5x^2+x^4)^{3/2}}{4x^4} + \frac{453}{16} \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 107, normalized size = 0.84

$$\frac{1}{16} \left(453 \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) - 254\sqrt{3} \tanh^{-1} \left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}} \right) + \frac{2\sqrt{x^4+5x^2+3}(6x^6+83x^4-86x^2)}{x^4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2+3*x^2)*(3+5*x^2+x^4)^(3/2))/x^5,x]

[Out] ((2*Sqrt[3+5*x^2+x^4]*(-12-86*x^2+83*x^4+6*x^6))/x^4+453*ArcTanh[(5+2*x^2)/(2*Sqrt[3+5*x^2+x^4]])-254*Sqrt[3]*ArcTanh[(6+5*x^2)/(2*Sqrt[3]*Sqrt[3+5*x^2+x^4])])/16

fricas [A] time = 0.80, size = 122, normalized size = 0.96

$$\frac{1016\sqrt{3}x^4 \log\left(\frac{25x^2-2\sqrt{3}(5x^2+6)-2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6)+30}{x^2}\right) - 1812x^4 \log(-2x^2+2\sqrt{x^4+5x^2+3}-5) + 67x^4 + 8}{64x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^5,x, algorithm="fricas")

[Out] $\frac{1}{64}*(1016*\sqrt{3})*x^4*\log((25*x^2 - 2*\sqrt{3})*(5*x^2 + 6) - 2*\sqrt{x^4 + 5*x^2 + 3}*(5*\sqrt{3} - 6) + 30)/x^2) - 1812*x^4*\log(-2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3} - 5) + 67*x^4 + 8*(6*x^6 + 83*x^4 - 86*x^2 - 12)*\sqrt{x^4 + 5*x^2 + 3})/x^4$

giac [A] time = 0.65, size = 190, normalized size = 1.50

$$\frac{1}{8}\sqrt{x^4 + 5x^2 + 3}(6x^2 + 83) + \frac{127}{8}\sqrt{3}\log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{227(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 + 348(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 459(x^2 - \sqrt{x^4 + 5x^2 + 3}) - 684}{4((x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 453/16\log(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^5,x, algorithm="giac")

[Out] $\frac{1}{8}\sqrt{x^4 + 5x^2 + 3}*(6x^2 + 83) + \frac{127}{8}\sqrt{3}*\log((x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3})/(x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3})) + \frac{1}{4}*(227*(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 + 348*(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 459*x^2 + 459*\sqrt{x^4 + 5x^2 + 3} - 684)/((x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3)^2 - 453/16*\log(2*x^2 - 2*\sqrt{x^4 + 5x^2 + 3} + 5)$

maple [A] time = 0.02, size = 117, normalized size = 0.92

$$\frac{3\sqrt{x^4 + 5x^2 + 3}}{4}x^2 - \frac{127\sqrt{3}}{8}\operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right) + \frac{453\ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{16} - \frac{43\sqrt{x^4 + 5x^2 + 3}}{4x^2} - \frac{3\sqrt{x^4 + 5x^2 + 3}}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^5,x)

[Out] $\frac{83}{8}*(x^4+5*x^2+3)^{(1/2)} + \frac{453}{16}*\ln(x^2+5/2+(x^4+5*x^2+3)^{(1/2)}) - \frac{127}{8}*\operatorname{arctanh}\left(\frac{1}{6}*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}\right) - \frac{43}{4}*(x^4+5*x^2+3)^{(1/2)}/x^2 - \frac{3}{2}*(x^4+5*x^2+3)^{(1/2)}/x^4 + \frac{3}{4}*(x^4+5*x^2+3)^{(1/2)}*x^2$

maxima [A] time = 1.46, size = 137, normalized size = 1.08

$$\frac{7}{2}\sqrt{x^4 + 5x^2 + 3}x^2 + \frac{1}{6}(x^4 + 5x^2 + 3)^{\frac{3}{2}} - \frac{127}{8}\sqrt{3}\log\left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5\right) + \frac{197}{8}\sqrt{x^4 + 5x^2 + 3} - \frac{23}{4}\sqrt{x^4 + 5x^2 + 3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^5,x, algorithm="maxima")

[Out] $\frac{7}{2}*\sqrt{x^4 + 5x^2 + 3}*x^2 + \frac{1}{6}*(x^4 + 5x^2 + 3)^{(3/2)} - \frac{127}{8}*\sqrt{3}*\log(2*\sqrt{3}*\sqrt{x^4 + 5x^2 + 3}/x^2 + 6/x^2 + 5) + \frac{197}{8}*\sqrt{x^4 + 5x^2 + 3} - \frac{23}{4}*\sqrt{x^4 + 5x^2 + 3}$

$x^2 + 3) - 23/12*(x^4 + 5*x^2 + 3)^{(3/2)}/x^2 - 1/6*(x^4 + 5*x^2 + 3)^{(5/2)}/x^4 + 453/16*\log(2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3}) + 5)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^5, x)

[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^5, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x**5, x)

[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x**5, x)

$$3.162 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^7} dx$$

Optimal. Leaf size=127

$$-\frac{(67-32x^2)\sqrt{x^4+5x^2+3}}{12x^2} + \frac{49}{4} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{527 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{24\sqrt{3}} - \frac{(7x^2+2)(x^4+5x^2)}{6x^6}$$

[Out] $-1/6*(7*x^2+2)*(x^4+5*x^2+3)^{(3/2)}/x^6+49/4*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2)})-527/72*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2)})*3^{(1/2)}-1/12*(-32*x^2+67)*(x^4+5*x^2+3)^{(1/2)}/x^2$

Rubi [A] time = 0.11, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1251, 810, 812, 843, 621, 206, 724}

$$\frac{(7x^2+2)(x^4+5x^2+3)^{3/2}}{6x^6} - \frac{(67-32x^2)\sqrt{x^4+5x^2+3}}{12x^2} + \frac{49}{4} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{527 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{24\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^7, x]

[Out] $-((67-32*x^2)*\operatorname{Sqrt}[3+5*x^2+x^4])/(12*x^2) - ((2+7*x^2)*(3+5*x^2+x^4)^{(3/2)})/(6*x^6) + (49*\operatorname{ArcTanh}[(5+2*x^2)/(2*\operatorname{Sqrt}[3+5*x^2+x^4])])/4 - (527*\operatorname{ArcTanh}[(6+5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3+5*x^2+x^4])])/(24*\operatorname{Sqrt}[3])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 810

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*((d*g - e*f*(m + 2))*(c*d^2 - b*d*e + a*e^2) - d*p*(2*c*d - b*e)*(e*f - d*g) - e*(g*(m + 1)*(c*d^2 - b*d*e + a*e^2) + p*(2*c*d - b*e)*(e*f - d*g))*x))/((e^2*(m + 1)*(m + 2)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[p/(e^2*(m + 1)*(m + 2)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 2)*(a + b*x + c*x^2)^(p - 1)*Simp[2*a*c*e*(e*f - d*g)*(m + 2) + b^2*e*(d*g*(p + 1) - e*f*(m + p + 2)) + b*(a*e^2*g*(m + 1) - c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2)))] - c*(2*c*d*(d*g*(2*p + 1) - e*f*(m + 2*p + 2)) - e*(2*a*e*g*(m + 1) - b*(d*g*(m - 2*p) + e*f*(m + 2*p + 2)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && LtQ[m, -2] && LtQ[m + 2*p, 0] && !ILtQ[m + 2*p + 3, 0]

Rule 812

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(e*f*(m + 2*p + 2) - d*g*(2*p + 1) + e*g*(m + 1)*x)*(a + b*x + c*x^2)^p)/(e^2*(m + 1)*(m + 2*p + 2)), x] + Dist[p/(e^2*(m + 1)*(m + 2*p + 2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p - 1)*Simp[g*(b*d + 2*a*e + 2*a*e*m + 2*b*d*p) - f*b*e*(m + 2*p + 2) + (g*(2*c*d + b*e + b*e*m + 4*c*d*p) - 2*c*e*f*(m + 2*p + 2))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && RationalQ[p] && p > 0 && (LtQ[m, -1] || EqQ[p, 1] || (IntegerQ[p] && !RationalQ[m])) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte

gerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{(2 + 3x^2)(3 + 5x^2 + x^4)^{3/2}}{x^7} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(2 + 3x)(3 + 5x + x^2)^{3/2}}{x^4} dx, x, x^2 \right) \\
&= -\frac{(2 + 7x^2)(3 + 5x^2 + x^4)^{3/2}}{6x^6} - \frac{1}{24} \text{Subst} \left(\int \frac{(-134 - 64x)\sqrt{3 + 5x + x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(67 - 32x^2)\sqrt{3 + 5x^2 + x^4}}{12x^2} - \frac{(2 + 7x^2)(3 + 5x^2 + x^4)^{3/2}}{6x^6} + \frac{1}{48} \text{Subst} \left(\int \frac{(-134 - 64x)\sqrt{3 + 5x + x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(67 - 32x^2)\sqrt{3 + 5x^2 + x^4}}{12x^2} - \frac{(2 + 7x^2)(3 + 5x^2 + x^4)^{3/2}}{6x^6} + \frac{49}{4} \text{Subst} \left(\int \frac{(-134 - 64x)\sqrt{3 + 5x + x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(67 - 32x^2)\sqrt{3 + 5x^2 + x^4}}{12x^2} - \frac{(2 + 7x^2)(3 + 5x^2 + x^4)^{3/2}}{6x^6} + \frac{49}{2} \text{Subst} \left(\int \frac{(-134 - 64x)\sqrt{3 + 5x + x^2}}{x^2} dx, x, x^2 \right) \\
&= -\frac{(67 - 32x^2)\sqrt{3 + 5x^2 + x^4}}{12x^2} - \frac{(2 + 7x^2)(3 + 5x^2 + x^4)^{3/2}}{6x^6} + \frac{49}{4} \tanh^{-1} \left(\frac{-134 - 64x}{2\sqrt{3 + 5x + x^2}} \right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 107, normalized size = 0.84

$$\frac{1}{72} \left(882 \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right) - 527\sqrt{3} \tanh^{-1} \left(\frac{5x^2 + 6}{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}} \right) + \frac{6\sqrt{x^4 + 5x^2 + 3}(18x^6 - 141x^4 - 711x^2 + 527\sqrt{3})}{x^6} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^7, x]

[Out] ((6*sqrt[3 + 5*x^2 + x^4]*(-12 - 62*x^2 - 141*x^4 + 18*x^6))/x^6 + 882*ArcTanh[(5 + 2*x^2)/(2*sqrt[3 + 5*x^2 + x^4]]) - 527*sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*sqrt[3]*sqrt[3 + 5*x^2 + x^4])])/72

fricas [A] time = 0.62, size = 122, normalized size = 0.96

$$\frac{527\sqrt{3}x^6 \log \left(\frac{25x^2 - 2\sqrt{3}(5x^2 + 6) - 2\sqrt{x^4 + 5x^2 + 3}(5\sqrt{3} - 6) + 30}{x^2} \right) - 882x^6 \log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5) - 711x^6 + 527\sqrt{3}}{72x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^7,x, algorithm="fricas")

[Out] $\frac{1}{72}*(527*\sqrt{3}*x^6*\log((25*x^2 - 2*\sqrt{3})*(5*x^2 + 6) - 2*\sqrt{x^4 + 5*x^2 + 3})*(5*\sqrt{3} - 6) + 30)/x^2) - 882*x^6*\log(-2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3} - 5) - 711*x^6 + 6*(18*x^6 - 141*x^4 - 62*x^2 - 12)*\sqrt{x^4 + 5*x^2 + 3})/x^6$

giac [B] time = 0.68, size = 227, normalized size = 1.79

$$\frac{527}{72} \sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{3}{2} \sqrt{x^4 + 5x^2 + 3} + \frac{829(x^2 - \sqrt{x^4 + 5x^2 + 3})^5 + 1824(x^2 - \sqrt{x^4 + 5x^2 + 3})^4 - 2200(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 - 5292(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 + 2799x^2 - 2799\sqrt{x^4 + 5x^2 + 3} + 5724}{(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3} - 49/4 * \log(2*x^2 - 2*\sqrt{x^4 + 5*x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^7,x, algorithm="giac")

[Out] $527/72*\sqrt{3}*\log((x^2 + \sqrt{3} - \sqrt{x^4 + 5*x^2 + 3})/(x^2 - \sqrt{3} - \sqrt{x^4 + 5*x^2 + 3})) + 3/2*\sqrt{x^4 + 5*x^2 + 3} + 1/12*(829*(x^2 - \sqrt{x^4 + 5*x^2 + 3})^5 + 1824*(x^2 - \sqrt{x^4 + 5*x^2 + 3})^4 - 2200*(x^2 - \sqrt{x^4 + 5*x^2 + 3})^3 - 5292*(x^2 - \sqrt{x^4 + 5*x^2 + 3})^2 + 2799*x^2 - 2799*\sqrt{x^4 + 5*x^2 + 3} + 5724)/((x^2 - \sqrt{x^4 + 5*x^2 + 3})^2 - 3) - 49/4*\log(2*x^2 - 2*\sqrt{x^4 + 5*x^2 + 3} + 5)$

maple [A] time = 0.02, size = 117, normalized size = 0.92

$$\frac{527\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{72} + \frac{49 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{4} - \frac{47\sqrt{x^4 + 5x^2 + 3}}{4x^2} - \frac{31\sqrt{x^4 + 5x^2 + 3}}{6x^4} - \frac{\sqrt{x^4 + 5x^2 + 3}}{4x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^7,x)

[Out] $49/4*\ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))-527/72*\operatorname{arctanh}(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-47/4*(x^4+5*x^2+3)^(1/2)/x^2-(x^4+5*x^2+3)^(1/2)/x^6-31/6*(x^4+5*x^2+3)^(1/2)/x^4+3/2*(x^4+5*x^2+3)^(1/2)$

maxima [A] time = 1.58, size = 154, normalized size = 1.21

$$\frac{67}{36} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{11}{54} (x^4 + 5x^2 + 3)^{\frac{3}{2}} - \frac{527}{72} \sqrt{3} \log\left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5\right) + \frac{431}{36} \sqrt{x^4 + 5x^2 + 3} - \frac{31}{6} \sqrt{x^4 + 5x^2 + 3} x^{-4} - \frac{47}{4} \sqrt{x^4 + 5x^2 + 3} x^{-2} - \frac{49}{4} \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^7,x, algorithm="maxima")

[Out] 67/36*sqrt(x^4 + 5*x^2 + 3)*x^2 + 11/54*(x^4 + 5*x^2 + 3)^(3/2) - 527/72*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) + 431/36*sqrt(x^4 + 5*x^2 + 3) - 79/108*(x^4 + 5*x^2 + 3)^(3/2)/x^2 - 11/54*(x^4 + 5*x^2 + 3)^(5/2)/x^4 - 1/9*(x^4 + 5*x^2 + 3)^(5/2)/x^6 + 49/4*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^7,x)

[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^7, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^7} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x**7,x)

[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x**7, x)

$$3.163 \quad \int x^4 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=356

$$-\frac{4210}{429} \sqrt{x^4 + 5x^2 + 3} x + \frac{176723 (2x^2 + \sqrt{13} + 5) x}{4290 \sqrt{x^4 + 5x^2 + 3}} + \frac{2105 \sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\right)}{143 \sqrt{x^4 + 5x^2 + 3}}$$

[Out] 1/143*x^5*(33*x^2+71)*(x^4+5*x^2+3)^(3/2)+176723/4290*x*(5+2*x^2+13^(1/2))/(x^4+5*x^2+3)^(1/2)-4210/429*x*(x^4+5*x^2+3)^(1/2)+1251/715*x^3*(x^4+5*x^2+3)^(1/2)-1/429*x^5*(272*x^2+283)*(x^4+5*x^2+3)^(1/2)+2105/429*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticF(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2)))^(1/2),1/6*(-78+30*13^(1/2))^(1/2))*(6+x^2*(5+13^(1/2)))*6^(1/2)/(5+13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)-176723/25740*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticE(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2)))^(1/2),1/6*(-78+30*13^(1/2))^(1/2))*(6+x^2*(5+13^(1/2)))*((30+6*13^(1/2))^(1/2)/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.26, antiderivative size = 356, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1273, 1279, 1189, 1099, 1135}

$$\frac{1}{143} (33x^2 + 71) (x^4 + 5x^2 + 3)^{3/2} x^5 - \frac{1}{429} (272x^2 + 283) \sqrt{x^4 + 5x^2 + 3} x^5 + \frac{1251}{715} \sqrt{x^4 + 5x^2 + 3} x^3 - \frac{4210}{429} \sqrt{x^4 + 3}$$

Antiderivative was successfully verified.

[In] Int[x^4*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2),x]

[Out] (176723*x*(5 + Sqrt[13] + 2*x^2))/(4290*Sqrt[3 + 5*x^2 + x^4]) - (4210*x*Sqrt[3 + 5*x^2 + x^4])/429 + (1251*x^3*Sqrt[3 + 5*x^2 + x^4])/715 - (x^5*(283 + 272*x^2)*Sqrt[3 + 5*x^2 + x^4])/429 + (x^5*(71 + 33*x^2)*(3 + 5*x^2 + x^4)^(3/2))/143 - (176723*Sqrt[(5 + Sqrt[13])/6]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)]*(6 + (5 + Sqrt[13])*x^2)*EllipticE[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/(4290*Sqrt[3 + 5*x^2 + x^4]) + (2105*Sqrt[2/(3*(5 + Sqrt[13]))]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)]*(6 + (5 + Sqrt[13])*x^2)*EllipticF[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/(143*Sqrt[3 + 5*x^2 + x^4])

Rule 1099


```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1273

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(b*e^2*p + c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(c*(4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*c*d*(m + 4*p + 3) - a*b*e*(m + 1) + (2*a*c*e*(4*p + m + 1) + b*c*d*(m + 4*p + 3) - b^2*e*(m + 2*p + 1))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1279

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] ||
```

IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int x^4 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx &= \frac{1}{143} x^5 (71 + 33x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{3}{143} \int x^4 (-69 - 272x^2) \sqrt{3 + 5x^2 + x^4} dx \\
&= -\frac{1}{429} x^5 (283 + 272x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{143} x^5 (71 + 33x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= \frac{1251}{715} x^3 \sqrt{3 + 5x^2 + x^4} - \frac{1}{429} x^5 (283 + 272x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{143} x^5 (71 + 33x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= -\frac{4210}{429} x \sqrt{3 + 5x^2 + x^4} + \frac{1251}{715} x^3 \sqrt{3 + 5x^2 + x^4} - \frac{1}{429} x^5 (283 + 272x^2) \sqrt{3 + 5x^2 + x^4} \\
&= -\frac{4210}{429} x \sqrt{3 + 5x^2 + x^4} + \frac{1251}{715} x^3 \sqrt{3 + 5x^2 + x^4} - \frac{1}{429} x^5 (283 + 272x^2) \sqrt{3 + 5x^2 + x^4} \\
&= \frac{176723x (5 + \sqrt{13} + 2x^2)}{4290\sqrt{3 + 5x^2 + x^4}} - \frac{4210}{429} x \sqrt{3 + 5x^2 + x^4} + \frac{1251}{715} x^3 \sqrt{3 + 5x^2 + x^4}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 249, normalized size = 0.70

$$-i\sqrt{2} (176723\sqrt{13} - 757315) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13} + 5} F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) + 176723i\sqrt{2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^4*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

```

[Out] (4*x*(-63150 - 93991*x^2 + 3055*x^4 + 29003*x^6 + 39650*x^8 + 24635*x^10 +
6015*x^12 + 495*x^14) + (176723*I)*Sqrt[2]*(-5 + Sqrt[13])*Sqrt[(-5 + Sqrt[
13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSin
h[Sqrt[2/(5 + Sqrt[13])]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-757315 +
176723*Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqr
t[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]*x], 19/6 + (5*Sqr
t[13])/6])/(8580*Sqrt[3 + 5*x^2 + x^4])

```

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(3x^{10} + 17x^8 + 19x^6 + 6x^4\right)\sqrt{x^4 + 5x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")`

[Out] `integral((3*x^10 + 17*x^8 + 19*x^6 + 6*x^4)*sqrt(x^4 + 5*x^2 + 3), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="giac")`

[Out] `integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)*x^4, x)`

maple [A] time = 0.02, size = 294, normalized size = 0.83

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^{11}}{13} + \frac{236\sqrt{x^4 + 5x^2 + 3} x^9}{143} + \frac{1090\sqrt{x^4 + 5x^2 + 3} x^7}{429} + \frac{356\sqrt{x^4 + 5x^2 + 3} x^5}{429} + \frac{1251\sqrt{x^4 + 5x^2 + 3} x^3}{715}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x)`

[Out] `3/13*x^11*(x^4+5*x^2+3)^(1/2)+236/143*x^9*(x^4+5*x^2+3)^(1/2)+1090/429*(x^4+5*x^2+3)^(1/2)*x^7+356/429*(x^4+5*x^2+3)^(1/2)*x^5+1251/715*(x^4+5*x^2+3)^(1/2)*x^3-4210/429*(x^4+5*x^2+3)^(1/2)*x+25260/143/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-2120676/715/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2)))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)*x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (3x^2 + 2) (x^4 + 5x^2 + 3)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2),x)

[Out] int(x^4*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (3x^2 + 2) (x^4 + 5x^2 + 3)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(3*x**2+2)*(x**4+5*x**2+3)**(3/2),x)

[Out] Integral(x**4*(3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2), x)

$$3.164 \quad \int x^2 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=331

$$\frac{353}{99} \sqrt{x^4 + 5x^2 + 3} x - \frac{49949 (2x^2 + \sqrt{13} + 5) x}{3465 \sqrt{x^4 + 5x^2 + 3}} - \frac{353 \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{33 \sqrt{6(5 + \sqrt{13})} \sqrt{x^4 + 5x^2 + 3}}$$

[Out] $1/99*x^3*(27*x^2+67)*(x^4+5*x^2+3)^{(3/2)}-49949/3465*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}+353/99*x*(x^4+5*x^2+3)^{(1/2)}-1/1155*x^3*(890*x^2+911)*(x^4+5*x^2+3)^{(1/2)}+49949/20790*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-353/33*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1273, 1279, 1189, 1099, 1135}

$$\frac{1}{99} (27x^2 + 67) (x^4 + 5x^2 + 3)^{3/2} x^3 - \frac{(890x^2 + 911) \sqrt{x^4 + 5x^2 + 3} x^3}{1155} + \frac{353}{99} \sqrt{x^4 + 5x^2 + 3} x - \frac{49949 (2x^2 + \sqrt{13})}{3465 \sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[x^2*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2),x]

[Out] $(-49949*x*(5 + \text{Sqrt}[13] + 2*x^2))/(3465*\text{Sqrt}[3 + 5*x^2 + x^4]) + (353*x*\text{Sqrt}[3 + 5*x^2 + x^4])/99 - (x^3*(911 + 890*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/1155 + (x^3*(67 + 27*x^2)*(3 + 5*x^2 + x^4)^{(3/2)})/99 + (49949*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(3465*\text{Sqrt}[3 + 5*x^2 + x^4]) - (353*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(33*\text{Sqrt}[6*(5 + \text{Sqrt}[13])]*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1273

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(b*e*2*p + c*d*(m + 4*p + 3) + c*e*(4*p + m + 1)*x^2))/(c*f*(4*p + m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(c*(4*p + m + 1)*(m + 4*p + 3)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*c*d*(m + 4*p + 3) - a*b*e*(m + 1) + (2*a*c*e*(4*p + m + 1) + b*c*d*(m + 4*p + 3) - b^2*e*(m + 2*p + 1))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && NeQ[4*p + m + 1, 0] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1279

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] ||
```

IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int x^2 (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx &= \frac{1}{99} x^3 (67 + 27x^2) (3 + 5x^2 + x^4)^{3/2} + \frac{1}{33} \int x^2 (-3 - 178x^2) \sqrt{3 + 5x^2 + x^4} dx \\
&= -\frac{x^3 (911 + 890x^2) \sqrt{3 + 5x^2 + x^4}}{1155} + \frac{1}{99} x^3 (67 + 27x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= \frac{353}{99} x \sqrt{3 + 5x^2 + x^4} - \frac{x^3 (911 + 890x^2) \sqrt{3 + 5x^2 + x^4}}{1155} + \frac{1}{99} x^3 (67 + 27x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= \frac{353}{99} x \sqrt{3 + 5x^2 + x^4} - \frac{x^3 (911 + 890x^2) \sqrt{3 + 5x^2 + x^4}}{1155} + \frac{1}{99} x^3 (67 + 27x^2) (3 + 5x^2 + x^4)^{3/2} \\
&= -\frac{49949x (5 + \sqrt{13} + 2x^2)}{3465 \sqrt{3 + 5x^2 + x^4}} + \frac{353}{99} x \sqrt{3 + 5x^2 + x^4} - \frac{x^3 (911 + 890x^2) \sqrt{3 + 5x^2 + x^4}}{1155}
\end{aligned}$$

Mathematica [C] time = 0.25, size = 244, normalized size = 0.74

$$i\sqrt{2} (49949\sqrt{13} - 212680) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13} + 5} F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) - 49949i\sqrt{2} \sqrt{3 + 5x^2 + x^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

```
[Out] (2*x*(37065 + 74681*x^2 + 69535*x^4 + 84962*x^6 + 50075*x^8 + 11795*x^10 + 945*x^12) - (49949*I)*Sqrt[2]*(-5 + Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] + I*Sqrt[2]*(-212680 + 49949*Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(6930*Sqrt[3 + 5*x^2 + x^4])
```

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(3x^8 + 17x^6 + 19x^4 + 6x^2\right)\sqrt{x^4 + 5x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] integral((3*x^8 + 17*x^6 + 19*x^4 + 6*x^2)*sqrt(x^4 + 5*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5x^2 + 3)^{\frac{3}{2}} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)*x^2, x)

maple [A] time = 0.02, size = 277, normalized size = 0.84

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^9}{11} + \frac{202\sqrt{x^4 + 5x^2 + 3} x^7}{99} + \frac{2378\sqrt{x^4 + 5x^2 + 3} x^5}{693} + \frac{478\sqrt{x^4 + 5x^2 + 3} x^3}{385} + \frac{353\sqrt{x^4 + 5x^2 + 3} x}{99}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x)

[Out] 3/11*(x^4+5*x^2+3)^(1/2)*x^9+202/99*(x^4+5*x^2+3)^(1/2)*x^7+2378/693*(x^4+5*x^2+3)^(1/2)*x^5+478/385*(x^4+5*x^2+3)^(1/2)*x^3+353/99*(x^4+5*x^2+3)^(1/2)*x-706/11/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))+399592/385/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5x^2 + 3)^{\frac{3}{2}} (3x^2 + 2)x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)*(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 (3x^2 + 2) (x^4 + 5x^2 + 3)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)`

[Out] `int(x^2*(3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (3x^2 + 2) (x^4 + 5x^2 + 3)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(3*x**2+2)*(x**4+5*x**2+3)**(3/2), x)`

[Out] `Integral(x**2*(3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2), x)`

$$3.165 \quad \int (2 + 3x^2) (3 + 5x^2 + x^4)^{3/2} dx$$

Optimal. Leaf size=308

$$\frac{1}{3}x(x^2 + 3)(x^4 + 5x^2 + 3)^{3/2} - \frac{1}{15}x(12x^2 + 5)\sqrt{x^4 + 5x^2 + 3} + \frac{203x(2x^2 + \sqrt{13} + 5)}{30\sqrt{x^4 + 5x^2 + 3}} + \frac{5\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+}{(5+\sqrt{13})x^2+}}}{1}$$

[Out] $\frac{1}{3}x(x^2+3)(x^4+5x^2+3)^{3/2} + \frac{203}{30}x(2x^2+\sqrt{13}+5)\sqrt{x^4+5x^2+3} + \frac{5\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+}{(5+\sqrt{13})x^2+}}}{1} - \frac{1}{15}x(12x^2+5)\sqrt{x^4+5x^2+3} + \frac{5}{3}\left(\frac{1}{(36+x^2(30+6\sqrt{13}))^{1/2}}\right)^{1/2} * (36+x^2(30+6\sqrt{13}))^{1/2} * \text{EllipticF}(x(30+6\sqrt{13})^{1/2}/(36+x^2(30+6\sqrt{13}))^{1/2}, 1/6 * (-78+30\sqrt{13})^{1/2})^{1/2} * (6+x^2(5+13^{1/2}))^{1/2} * 6^{1/2}/(5+13^{1/2})^{1/2} * ((6+x^2(5-13^{1/2}))/ (6+x^2(5+13^{1/2})))^{1/2} / (x^4+5x^2+3)^{1/2} - \frac{203}{180} * \left(\frac{1}{(36+x^2(30+6\sqrt{13}))^{1/2}}\right)^{1/2} * (36+x^2(30+6\sqrt{13}))^{1/2} * \text{EllipticE}(x(30+6\sqrt{13})^{1/2}/(36+x^2(30+6\sqrt{13}))^{1/2}, 1/6 * (-78+30\sqrt{13})^{1/2})^{1/2} * (6+x^2(5+13^{1/2})) * (30+6\sqrt{13})^{1/2})^{1/2} * ((6+x^2(5-13^{1/2}))/ (6+x^2(5+13^{1/2})))^{1/2} / (x^4+5x^2+3)^{1/2}$

Rubi [A] time = 0.15, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1176, 1189, 1099, 1135}

$$\frac{1}{3}x(x^2 + 3)(x^4 + 5x^2 + 3)^{3/2} - \frac{1}{15}x(12x^2 + 5)\sqrt{x^4 + 5x^2 + 3} + \frac{203x(2x^2 + \sqrt{13} + 5)}{30\sqrt{x^4 + 5x^2 + 3}} + \frac{5\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+}{(5+\sqrt{13})x^2+}}}{1}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

[Out] $\frac{203x(5 + \sqrt{13} + 2x^2)}{30\sqrt{3 + 5x^2 + x^4}} - \frac{x(5 + 12x^2)\sqrt{3 + 5x^2 + x^4}}{15} + \frac{x(3 + x^2)(3 + 5x^2 + x^4)^{3/2}}{3} - \frac{203\sqrt{\frac{5 + \sqrt{13}}{6}}\sqrt{\frac{(6 + (5 - \sqrt{13})x^2)}{(6 + (5 + \sqrt{13})x^2)}} * \text{EllipticE}[\text{ArcTan}[\sqrt{\frac{5 + \sqrt{13}}{6}}x], (-13 + 5\sqrt{13})/6]}{30\sqrt{3 + 5x^2 + x^4}} + \frac{5\sqrt{\frac{2}{3(5 + \sqrt{13})}}\sqrt{\frac{(5 - \sqrt{13})x^2 +}{(5 + \sqrt{13})x^2 +}}}{1} * \sqrt{\frac{(6 + (5 - \sqrt{13})x^2)}{(6 + (5 + \sqrt{13})x^2)}} * (6 + (5 + \sqrt{13})x^2) * \text{EllipticF}[\text{ArcTan}[\sqrt{\frac{5 + \sqrt{13}}{6}}x], (-13 + 5\sqrt{13})/6]}{\sqrt{3 + 5x^2 + x^4}}$

Rule 1099

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2))*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
  )*x^2]/(2*a + (b + q)*x^2))*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a]
|| PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned}
\int (2 + 3x^2)(3 + 5x^2 + x^4)^{3/2} dx &= \frac{1}{3}x(3 + x^2)(3 + 5x^2 + x^4)^{3/2} + \frac{1}{21} \int (63 - 84x^2) \sqrt{3 + 5x^2 + x^4} dx \\
&= -\frac{1}{15}x(5 + 12x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{3}x(3 + x^2)(3 + 5x^2 + x^4)^{3/2} + \frac{1}{315} \int \frac{31}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= -\frac{1}{15}x(5 + 12x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{3}x(3 + x^2)(3 + 5x^2 + x^4)^{3/2} + 10 \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= \frac{203x(5 + \sqrt{13} + 2x^2)}{30\sqrt{3 + 5x^2 + x^4}} - \frac{1}{15}x(5 + 12x^2) \sqrt{3 + 5x^2 + x^4} + \frac{1}{3}x(3 + x^2)(3 + 5x^2 + x^4)^{3/2} + 10 \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(3x^6 + 17x^4 + 19x^2 + 6\right)\sqrt{x^4 + 5x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2), x, algorithm="fricas")

[Out] integral((3*x^6 + 17*x^4 + 19*x^2 + 6)*sqrt(x^4 + 5*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2), x, algorithm="giac")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2), x)

maple [A] time = 0.01, size = 260, normalized size = 0.84

$$\frac{\sqrt{x^4 + 5x^2 + 3} x^7}{3} + \frac{8\sqrt{x^4 + 5x^2 + 3} x^5}{3} + \frac{26\sqrt{x^4 + 5x^2 + 3} x^3}{5} + \frac{8\sqrt{x^4 + 5x^2 + 3} x}{3} + \frac{60\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\sqrt{\dots}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)*(x^4+5*x^2+3)^(3/2), x)`

[Out] $\frac{1}{3}(x^4+5x^2+3)^{1/2}x^7 + \frac{8}{3}(x^4+5x^2+3)^{1/2}x^5 + \frac{26}{5}(x^4+5x^2+3)^{1/2}x^3 + \frac{8}{3}(x^4+5x^2+3)^{1/2}x + \frac{60}{\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1}} \left(\frac{(-5/6 + 1/6 \cdot 13^{1/2})^{1/2} x^2 + 1}{(x^4 + 5x^2 + 3)^{1/2}} \right) \cdot \text{EllipticF}\left(\frac{1}{6}(-30 + 6 \cdot 13^{1/2})^{1/2} x, \frac{5}{6} \cdot 3^{1/2} + \frac{1}{6} \cdot 39^{1/2}\right) - \frac{2436}{5} \left(\frac{-30 + 6 \cdot 13^{1/2}}{(x^4 + 5x^2 + 3)^{1/2}} \right) \cdot \left(\frac{-5/6 + 1/6 \cdot 13^{1/2}}{(x^4 + 5x^2 + 3)^{1/2}} \right) x^2 + 1 \right) \cdot \text{EllipticE}\left(\frac{1}{6}(-30 + 6 \cdot 13^{1/2})^{1/2} x, \frac{5}{6} \cdot 3^{1/2} + \frac{1}{6} \cdot 39^{1/2}\right) - \text{EllipticE}\left(\frac{1}{6}(-30 + 6 \cdot 13^{1/2})^{1/2} x, \frac{5}{6} \cdot 3^{1/2} + \frac{1}{6} \cdot 39^{1/2}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (x^4 + 5x^2 + 3)^{\frac{3}{2}} (3x^2 + 2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2), x, algorithm="maxima")`

[Out] `integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (3x^2 + 2) (x^4 + 5x^2 + 3)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)`

[Out] `int((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (3x^2 + 2) (x^4 + 5x^2 + 3)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2),x)
```

```
[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2), x)
```

$$3.166 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^2} dx$$

Optimal. Leaf size=312

$$-\frac{(14-3x^2)(x^4+5x^2+3)^{3/2}}{7x} + \frac{1}{35}x(129x^2+655)\sqrt{x^4+5x^2+3} + \frac{412x(2x^2+\sqrt{13}+5)}{35\sqrt{x^4+5x^2+3}} + \frac{19\sqrt{\frac{3}{2(5+\sqrt{13})}}\sqrt{\frac{5-\sqrt{13}}{5+\sqrt{13}}}}{1}$$

[Out] $-1/7*(-3*x^2+14)*(x^4+5*x^2+3)^{(3/2)}/x+412/35*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}+1/35*x*(129*x^2+655)*(x^4+5*x^2+3)^{(1/2)}+19/2*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-206/105*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*((30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1271, 1176, 1189, 1099, 1135}

$$-\frac{(14-3x^2)(x^4+5x^2+3)^{3/2}}{7x} + \frac{1}{35}x(129x^2+655)\sqrt{x^4+5x^2+3} + \frac{412x(2x^2+\sqrt{13}+5)}{35\sqrt{x^4+5x^2+3}} + \frac{19\sqrt{\frac{3}{2(5+\sqrt{13})}}\sqrt{\frac{5-\sqrt{13}}{5+\sqrt{13}}}}{1}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^2,x]

[Out] $(412*x*(5 + \text{Sqrt}[13] + 2*x^2))/(35*\text{Sqrt}[3 + 5*x^2 + x^4]) + (x*(655 + 129*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/35 - ((14 - 3*x^2)*(3 + 5*x^2 + x^4)^{(3/2)})/(7*x) - (206*\text{Sqrt}[(2*(5 + \text{Sqrt}[13]))/3]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6)]/(35*\text{Sqrt}[3 + 5*x^2 + x^4]) + (19*\text{Sqrt}[3/(2*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6)]/\text{Sqrt}[3 + 5*x^2 + x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
)*x^2]/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1176

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1271

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m
+ 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^
2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Sim
p[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x
^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && Gt
Q[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p]
|| IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^2} dx &= -\frac{(14-3x^2)(3+5x^2+x^4)^{3/2}}{7x} - \frac{3}{7} \int (-88-43x^2) \sqrt{3+5x^2+x^4} dx \\
&= \frac{1}{35} x (655+129x^2) \sqrt{3+5x^2+x^4} - \frac{(14-3x^2)(3+5x^2+x^4)^{3/2}}{7x} - \frac{1}{35} \int \dots \\
&= \frac{1}{35} x (655+129x^2) \sqrt{3+5x^2+x^4} - \frac{(14-3x^2)(3+5x^2+x^4)^{3/2}}{7x} + \frac{824}{35} \int \dots \\
&= \frac{412x(5+\sqrt{13}+2x^2)}{35\sqrt{3+5x^2+x^4}} + \frac{1}{35} x (655+129x^2) \sqrt{3+5x^2+x^4} - \frac{(14-3x^2)(3+5x^2+x^4)^{3/2}}{7x}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 235, normalized size = 0.75

$$\frac{30x^{10} + 418x^8 + 2130x^6 + 3884x^4 - i\sqrt{2} (412\sqrt{13} - 65) \sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}} \sqrt{2x^2 + \sqrt{13} + 5} x F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}\right)\right)}{70x\sqrt{x^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^2,x]

[Out] (-1260 + 3884*x^4 + 2130*x^6 + 418*x^8 + 30*x^10 + (412*I)*Sqrt[2]*(-5 + Sqrt[13])*x*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-65 + 412*Sqrt[13])*x*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(70*x*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^6 + 17x^4 + 19x^2 + 6)\sqrt{x^4 + 5x^2 + 3}}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^2,x, algorithm="fricas")

[Out] integral((3*x^6 + 17*x^4 + 19*x^2 + 6)*sqrt(x^4 + 5*x^2 + 3)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^2,x, algorithm="giac")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)/x^2, x)

maple [A] time = 0.02, size = 260, normalized size = 0.83

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^5}{7} + \frac{134\sqrt{x^4 + 5x^2 + 3} x^3}{35} + 10\sqrt{x^4 + 5x^2 + 3} x + \frac{342\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\sqrt{-30 + 6\sqrt{13}} \sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^2,x)

[Out] $\frac{3}{7}(x^4+5x^2+3)^{1/2}x^5 + \frac{134}{35}(x^4+5x^2+3)^{1/2}x^3 + 10(x^4+5x^2+3)^{1/2}x + \frac{342\sqrt{-30+6\sqrt{13}}\sqrt{x}}{\sqrt{-30+6\sqrt{13}}\sqrt{x}}$
 $\frac{342\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1}}{\sqrt{-30 + 6\sqrt{13}} \sqrt{x}}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^2,x, algorithm="maxima")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^2,x)`

[Out] `int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x**2,x)`

[Out] `Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x**2, x)`

$$3.167 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^4} dx$$

Optimal. Leaf size=314

$$-\frac{13(24-5x^2)\sqrt{x^4+5x^2+3}}{15x} + \frac{949x(2x^2+\sqrt{13}+5)}{30\sqrt{x^4+5x^2+3}} + \frac{65\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)F(\tan^{-1}(\frac{\sqrt{x^4+5x^2+3}}{(5+\sqrt{13})x^2+6}))}{\sqrt{x^4+5x^2+3}}$$

[Out] $-1/15*(-9*x^2+10)*(x^4+5*x^2+3)^{(3/2)}/x^3+949/30*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-13/15*(-5*x^2+24)*(x^4+5*x^2+3)^{(1/2)}/x+65/3*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)})/(36+x^2*(30+6*13^{(1/2))})^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-949/180*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)})/(36+x^2*(30+6*13^{(1/2))})^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 314, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1271, 1189, 1099, 1135}

$$-\frac{(10-9x^2)(x^4+5x^2+3)^{3/2}}{15x^3} - \frac{13(24-5x^2)\sqrt{x^4+5x^2+3}}{15x} + \frac{949x(2x^2+\sqrt{13}+5)}{30\sqrt{x^4+5x^2+3}} + \frac{65\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2}{(5+\sqrt{13})x^2}}}{\sqrt{x^4+5x^2+3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^4, x]

[Out] $(949*x*(5 + \text{Sqrt}[13] + 2*x^2))/(30*\text{Sqrt}[3 + 5*x^2 + x^4]) - (13*(24 - 5*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/(15*x) - ((10 - 9*x^2)*(3 + 5*x^2 + x^4)^{(3/2)})/(15*x^3) - (949*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(30*\text{Sqrt}[3 + 5*x^2 + x^4]) + (65*\text{Sqrt}[2/(3*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/ \text{Sqrt}[3 + 5*x^2 + x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2))*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
)*x^2]/(2*a + (b + q)*x^2))*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1271

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^4} dx &= -\frac{(10-9x^2)(3+5x^2+x^4)^{3/2}}{15x^3} - \frac{1}{5} \int \frac{(-104-65x^2)\sqrt{3+5x^2+x^4}}{x^2} dx \\
&= -\frac{13(24-5x^2)\sqrt{3+5x^2+x^4}}{15x} - \frac{(10-9x^2)(3+5x^2+x^4)^{3/2}}{15x^3} + \frac{1}{15} \int \frac{1950}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{13(24-5x^2)\sqrt{3+5x^2+x^4}}{15x} - \frac{(10-9x^2)(3+5x^2+x^4)^{3/2}}{15x^3} + \frac{949}{15} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{949x(5+\sqrt{13}+2x^2)}{30\sqrt{3+5x^2+x^4}} - \frac{13(24-5x^2)\sqrt{3+5x^2+x^4}}{15x} - \frac{(10-9x^2)(3+5x^2+x^4)^{3/2}}{15x^3}
\end{aligned}$$

Mathematica [C] time = 0.29, size = 247, normalized size = 0.79

$$-13i\sqrt{2} (73\sqrt{13} - 65) \sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}} \sqrt{2x^2 + \sqrt{13} + 5} x^3 F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) + 949i\sqrt{2} (\sqrt{13} - 60x)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^4,x]

[Out] (4*(-90 - 1155*x^2 - 1405*x^4 + 192*x^6 + 145*x^8 + 9*x^10) + (949*I)*Sqrt[2]*(-5 + Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - (13*I)*Sqrt[2]*(-65 + 73*Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6])/(60*x^3*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^6 + 17x^4 + 19x^2 + 6)\sqrt{x^4 + 5x^2 + 3}}{x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^4,x, algorithm="fricas")

[Out] integral((3*x^6 + 17*x^4 + 19*x^2 + 6)*sqrt(x^4 + 5*x^2 + 3)/x^4, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^4,x, algorithm="giac")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)/x^4, x)

maple [A] time = 0.02, size = 260, normalized size = 0.83

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^3}{5} + \frac{20\sqrt{x^4 + 5x^2 + 3} x}{3} + \frac{780\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}}{6}\right)}{\sqrt{-30 + 6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^4,x)

[Out] $-67/3*(x^4+5*x^2+3)^{(1/2)}/x+3/5*(x^4+5*x^2+3)^{(1/2)}*x^3+20/3*(x^4+5*x^2+3)^{(1/2)}*x+780/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}*\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-11388/5/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(13^{(1/2)}+5)*(\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-\operatorname{EllipticE}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)}))-2*(x^4+5*x^2+3)^{(1/2)}/x^3$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^4,x, algorithm="maxima")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)/x^4, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^4, x)
```

```
[Out] int(((3*x^2 + 2)*(5*x^2 + x^4 + 3)^(3/2))/x^4, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{\frac{3}{2}}}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x**4, x)
```

```
[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x**4, x)
```


$$3.168 \quad \int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^6} dx$$

Optimal. Leaf size=331

$$\frac{722\sqrt{x^4+5x^2+3}}{15x} + \frac{361x(2x^2+\sqrt{13}+5)}{15\sqrt{x^4+5x^2+3}} + \frac{103\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5+\sqrt{13})x^2+6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}(5+\sqrt{13})}x\right)\right)}{\sqrt{6(5+\sqrt{13})}\sqrt{x^4+5x^2+3}}$$

[Out] $-1/5*(-5*x^2+2)*(x^4+5*x^2+3)^{(3/2)}/x^5+361/15*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-722/15*(x^4+5*x^2+3)^{(1/2)}/x-1/5*(-87*x^2+40)*(x^4+5*x^2+3)^{(1/2)}/x^3-361/90*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}+103*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1271, 1281, 1189, 1099, 1135}

$$\frac{(2-5x^2)(x^4+5x^2+3)^{3/2}}{5x^5} - \frac{(40-87x^2)\sqrt{x^4+5x^2+3}}{5x^3} - \frac{722\sqrt{x^4+5x^2+3}}{15x} + \frac{361x(2x^2+\sqrt{13}+5)}{15\sqrt{x^4+5x^2+3}} + \frac{103\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5+\sqrt{13})x^2+6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}(5+\sqrt{13})}x\right)\right)}{\sqrt{6(5+\sqrt{13})}\sqrt{x^4+5x^2+3}}$$

Antiderivative was successfully verified.

[In] Int[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^6,x]

[Out] $(361*x*(5 + \text{Sqrt}[13] + 2*x^2))/(15*\text{Sqrt}[3 + 5*x^2 + x^4]) - (722*\text{Sqrt}[3 + 5*x^2 + x^4])/(15*x) - ((40 - 87*x^2)*\text{Sqrt}[3 + 5*x^2 + x^4])/(5*x^3) - ((2 - 5*x^2)*(3 + 5*x^2 + x^4)^{(3/2)})/(5*x^5) - (361*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(15*\text{Sqrt}[3 + 5*x^2 + x^4]) + (103*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(\text{Sqrt}[6*(5 + \text{Sqrt}[13])]*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1271

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{(2+3x^2)(3+5x^2+x^4)^{3/2}}{x^6} dx &= -\frac{(2-5x^2)(3+5x^2+x^4)^{3/2}}{5x^5} - \frac{1}{5} \int \frac{(-120-87x^2)\sqrt{3+5x^2+x^4}}{x^4} dx \\
&= -\frac{(40-87x^2)\sqrt{3+5x^2+x^4}}{5x^3} - \frac{(2-5x^2)(3+5x^2+x^4)^{3/2}}{5x^5} + \frac{1}{15} \int \frac{2166}{x^2\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{722\sqrt{3+5x^2+x^4}}{15x} - \frac{(40-87x^2)\sqrt{3+5x^2+x^4}}{5x^3} - \frac{(2-5x^2)(3+5x^2+x^4)^{3/2}}{5x^5} \\
&= -\frac{722\sqrt{3+5x^2+x^4}}{15x} - \frac{(40-87x^2)\sqrt{3+5x^2+x^4}}{5x^3} - \frac{(2-5x^2)(3+5x^2+x^4)^{3/2}}{5x^5} \\
&= \frac{361x(5+\sqrt{13}+2x^2)}{15\sqrt{3+5x^2+x^4}} - \frac{722\sqrt{3+5x^2+x^4}}{15x} - \frac{(40-87x^2)\sqrt{3+5x^2+x^4}}{5x^3}
\end{aligned}$$

Mathematica [C] time = 0.28, size = 244, normalized size = 0.74

$$30x^{10} - 634x^8 - 4040x^6 - 3438x^4 - 810x^2 - i\sqrt{2} (361\sqrt{13} - 260) \sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}} \sqrt{2x^2 + \sqrt{13} + 5} x^5 F\left(i \sinh^{-1}\left(\frac{\sqrt{2x^2 + \sqrt{13} + 5} x}{\sqrt{13} - 5}\right), x\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((2 + 3*x^2)*(3 + 5*x^2 + x^4)^(3/2))/x^6, x]

[Out] (-108 - 810*x^2 - 3438*x^4 - 4040*x^6 - 634*x^8 + 30*x^10 + (361*I)*Sqrt[2]*(-5 + Sqrt[13])*x^5*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-260 + 361*Sqrt[13])*x^5*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6)/(30*x^5*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^6 + 17x^4 + 19x^2 + 6)\sqrt{x^4 + 5x^2 + 3}}{x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^6,x, algorithm="fricas")

[Out] integral((3*x^6 + 17*x^4 + 19*x^2 + 6)*sqrt(x^4 + 5*x^2 + 3)/x^6, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^6,x, algorithm="giac")

[Out] integrate((x^4 + 5*x^2 + 3)^(3/2)*(3*x^2 + 2)/x^6, x)

maple [A] time = 0.02, size = 259, normalized size = 0.78

$$\frac{618\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{\sqrt{x^4 + 5x^2 + 3} \sqrt{-30 + 6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}} \quad 392\sqrt{13}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^6,x)

[Out] $-7*(x^4+5*x^2+3)^{(1/2)}/x^3-392/15*(x^4+5*x^2+3)^{(1/2)}/x+(x^4+5*x^2+3)^{(1/2)}$
 $*x+618/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/$
 $6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}*\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})$
 $^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-8664/5/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/$
 $6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{($
 $1/2)}/(13^{(1/2)}+5)*(\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*3$
 $9^{(1/2)})-\operatorname{EllipticE}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-$
 $6/5/x^5*(x^4+5*x^2+3)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(x^4 + 5x^2 + 3)^{\frac{3}{2}}(3x^2 + 2)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)*(x^4+5*x^2+3)^(3/2)/x^6,x, algorithm="maxima")

[Out] integrate((x⁴ + 5*x² + 3)^(3/2)*(3*x² + 2)/x⁶, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((3*x² + 2)*(5*x² + x⁴ + 3)^(3/2))/x⁶, x)

[Out] int(((3*x² + 2)*(5*x² + x⁴ + 3)^(3/2))/x⁶, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)(x^4 + 5x^2 + 3)^{3/2}}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)*(x**4+5*x**2+3)**(3/2)/x**6, x)

[Out] Integral((3*x**2 + 2)*(x**4 + 5*x**2 + 3)**(3/2)/x**6, x)

$$3.169 \quad \int \frac{x^5(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=153

$$\frac{\sqrt{a+bx^2+cx^4} \left(-16aBc - 2cx^2(5bB - 6Ac) - 18Abc + 15b^2B \right)}{48c^3} - \frac{(8aAc^2 - 12abBc - 6Ab^2c + 5b^3B) \tanh^{-1} \left(\frac{\sqrt{a+bx^2+cx^4}}{2\sqrt{c}} \right)}{32c^{7/2}}$$

[Out] -1/32*(8*A*a*c^2-6*A*b^2*c-12*B*a*b*c+5*B*b^3)*arctanh(1/2*(2*c*x^2+b)/c^(1/2)/(c*x^4+b*x^2+a)^(1/2))/c^(7/2)+1/6*B*x^4*(c*x^4+b*x^2+a)^(1/2)/c+1/48*(15*b^2*B-18*A*b*c-16*a*B*c-2*c*(-6*A*c+5*B*b)*x^2)*(c*x^4+b*x^2+a)^(1/2)/c^3

Rubi [A] time = 0.20, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1251, 832, 779, 621, 206}

$$\frac{\sqrt{a+bx^2+cx^4} \left(-16aBc - 2cx^2(5bB - 6Ac) - 18Abc + 15b^2B \right)}{48c^3} - \frac{(8aAc^2 - 12abBc - 6Ab^2c + 5b^3B) \tanh^{-1} \left(\frac{\sqrt{a+bx^2+cx^4}}{2\sqrt{c}} \right)}{32c^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^5*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (B*x^4*Sqrt[a + b*x^2 + c*x^4])/(6*c) + ((15*b^2*B - 18*A*b*c - 16*a*B*c - 2*c*(5*b*B - 6*A*c)*x^2)*Sqrt[a + b*x^2 + c*x^4])/(48*c^3) - ((5*b^3*B - 6*A*b^2*c - 12*a*b*B*c + 8*a*A*c^2)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(32*c^(7/2))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

```
Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g)*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]
```

Rule 832

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{x^5(A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2(A + Bx)}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\ &= \frac{Bx^4 \sqrt{a + bx^2 + cx^4}}{6c} + \frac{\text{Subst} \left(\int \frac{x^{(-2aB - \frac{1}{2}(5bB - 6Ac)x)}}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{6c} \\ &= \frac{Bx^4 \sqrt{a + bx^2 + cx^4}}{6c} + \frac{(15b^2B - 18Abc - 16aBc - 2c(5bB - 6Ac)x^2) \sqrt{a + bx^2 + cx^4}}{48c^3} \\ &= \frac{Bx^4 \sqrt{a + bx^2 + cx^4}}{6c} + \frac{(15b^2B - 18Abc - 16aBc - 2c(5bB - 6Ac)x^2) \sqrt{a + bx^2 + cx^4}}{48c^3} \\ &= \frac{Bx^4 \sqrt{a + bx^2 + cx^4}}{6c} + \frac{(15b^2B - 18Abc - 16aBc - 2c(5bB - 6Ac)x^2) \sqrt{a + bx^2 + cx^4}}{48c^3} \end{aligned}$$

Mathematica [A] time = 0.11, size = 139, normalized size = 0.91

$$\frac{2\sqrt{c}\sqrt{a+bx^2+cx^4}\left(4c(-4aB+3Acx^2+2Bcx^4)-2bc(9A+5Bx^2)+15b^2B\right)-3(8aAc^2-12abBc-6Ab^2c+96c^{7/2})}{96c^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4]*(15*b^2*B - 2*b*c*(9*A + 5*B*x^2) + 4*c*(-4*a*B + 3*A*c*x^2 + 2*B*c*x^4)) - 3*(5*b^3*B - 6*A*b^2*c - 12*a*b*B*c + 8*a*A*c^2)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(96*c^(7/2))

fricas [A] time = 0.84, size = 315, normalized size = 2.06

$$\left[\frac{3(5Bb^3 + 8Aac^2 - 6(2Bab + Ab^2)c)\sqrt{c} \log\left(-8c^2x^4 - 8bcx^2 - b^2 + 4\sqrt{cx^4 + bx^2 + a}(2cx^2 + b)\sqrt{c} - 4ac\right) + 192c^4}{192c^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="fricas")

[Out] [1/192*(3*(5*B*b^3 + 8*A*a*c^2 - 6*(2*B*a*b + A*b^2)*c)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 + 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) - 4*a*c) + 4*(8*B*c^3*x^4 + 15*B*b^2*c - 2*(8*B*a + 9*A*b)*c^2 - 2*(5*B*b*c^2 - 6*A*c^3)*x^2)*sqrt(c*x^4 + b*x^2 + a))/c^4, 1/96*(3*(5*B*b^3 + 8*A*a*c^2 - 6*(2*B*a*b + A*b^2)*c)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)) + 2*(8*B*c^3*x^4 + 15*B*b^2*c - 2*(8*B*a + 9*A*b)*c^2 - 2*(5*B*b*c^2 - 6*A*c^3)*x^2)*sqrt(c*x^4 + b*x^2 + a))/c^4]

giac [A] time = 0.54, size = 138, normalized size = 0.90

$$\frac{1}{48}\sqrt{cx^4+bx^2+a}\left(2\left(\frac{4Bx^2}{c}-\frac{5Bbc-6Ac^2}{c^3}\right)x^2+\frac{15Bb^2-16Bac-18Abc}{c^3}\right)+\frac{(5Bb^3-12Babc-6Ab^2c+8Aa^2c)}{96c^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="giac")

[Out] 1/48*sqrt(c*x^4 + b*x^2 + a)*(2*(4*B*x^2/c - (5*B*b*c - 6*A*c^2)/c^3)*x^2 + (15*B*b^2 - 16*B*a*c - 18*A*b*c)/c^3) + 1/32*(5*B*b^3 - 12*B*a*b*c - 6*A*b^2*c + 8*A*a*c^2)/c^(7/2)

$\sqrt{c} + 8Aa\sqrt{c} \log(\text{abs}(-2(\sqrt{c})x^2 - \sqrt{cx^4 + bx^2 + a})\sqrt{c} - b)/c^{7/2}$

maple [B] time = 0.03, size = 286, normalized size = 1.87

$$\frac{\sqrt{cx^4 + bx^2 + a} Bx^4}{6c} + \frac{\sqrt{cx^4 + bx^2 + a} Ax^2}{4c} - \frac{5\sqrt{cx^4 + bx^2 + a} Bbx^2}{24c^2} - \frac{Aa \ln\left(\frac{cx^2 + \frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4 + bx^2 + a}\right)}{4c^{\frac{3}{2}}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2), x)`

[Out] $\frac{1}{6}Bx^4(c^2x^4+bx^2+a)^{1/2}/c - \frac{5}{24}Bb/c^2x^2(c^2x^4+bx^2+a)^{1/2} + \frac{5}{16}Bb^2/c^3(c^2x^4+bx^2+a)^{1/2} - \frac{5}{32}Bb^3/c^{7/2} \ln\left(\frac{1/2b+cx^2}{c^{1/2} + (c^2x^4+bx^2+a)^{1/2}}\right) + \frac{3}{8}Bb/c^{5/2} a \ln\left(\frac{1/2b+cx^2}{c^{1/2} + (c^2x^4+bx^2+a)^{1/2}}\right) - \frac{1}{3}Ba/c^2(c^2x^4+bx^2+a)^{1/2} + \frac{1}{4}Ax^2/c(c^2x^4+bx^2+a)^{1/2} - \frac{3}{8}Ab/c^2(c^2x^4+bx^2+a)^{1/2} + \frac{3}{16}Ab^2/c^{5/2} \ln\left(\frac{1/2b+cx^2}{c^{1/2} + (c^2x^4+bx^2+a)^{1/2}}\right) - \frac{1}{4}Aa/c^{3/2} \ln\left(\frac{1/2b+cx^2}{c^{1/2} + (c^2x^4+bx^2+a)^{1/2}}\right)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5 (Bx^2 + A)}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)`

[Out] `int((x^5*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(B*x**2+A)/(c*x**4+b*x**2+a)**(1/2), x)

[Out] Integral(x**5*(A + B*x**2)/sqrt(a + b*x**2 + c*x**4), x)

$$3.170 \quad \int \frac{x^3(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=100

$$\frac{(-4aBc - 4Abc + 3b^2B) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{16c^{5/2}} - \frac{\sqrt{a+bx^2+cx^4}(-4Ac + 3bB - 2Bcx^2)}{8c^2}$$

[Out] 1/16*(-4*A*b*c-4*B*a*c+3*B*b^2)*arctanh(1/2*(2*c*x^2+b)/c^(1/2)/(c*x^4+b*x^2+a)^(1/2))/c^(5/2)-1/8*(-2*B*c*x^2-4*A*c+3*B*b)*(c*x^4+b*x^2+a)^(1/2)/c^2

Rubi [A] time = 0.09, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1251, 779, 621, 206}

$$\frac{(-4aBc - 4Abc + 3b^2B) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{16c^{5/2}} - \frac{\sqrt{a+bx^2+cx^4}(-4Ac + 3bB - 2Bcx^2)}{8c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4],x]

[Out] -((3*b*B - 4*A*c - 2*B*c*x^2)*Sqrt[a + b*x^2 + c*x^4])/(8*c^2) + ((3*b^2*B - 4*A*b*c - 4*a*B*c)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(16*c^(5/2))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g)))*(2*p +

3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^(q_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{x^3 (A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(A + Bx)}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\ &= -\frac{(3bB - 4Ac - 2Bcx^2) \sqrt{a + bx^2 + cx^4}}{8c^2} + \frac{(3b^2B - 4Abc - 4aBc) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{16c^2} \\ &= -\frac{(3bB - 4Ac - 2Bcx^2) \sqrt{a + bx^2 + cx^4}}{8c^2} + \frac{(3b^2B - 4Abc - 4aBc) \text{Subst} \left(\int \frac{1}{4c - x^2} dx, x, x^2 \right)}{8c^2} \\ &= -\frac{(3bB - 4Ac - 2Bcx^2) \sqrt{a + bx^2 + cx^4}}{8c^2} + \frac{(3b^2B - 4Abc - 4aBc) \tanh^{-1} \left(\frac{b + 2cx^2}{2\sqrt{c} \sqrt{a + bx^2 + cx^4}} \right)}{16c^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 101, normalized size = 1.01

$$\frac{(-4aBc - 4Abc + 3b^2B) \tanh^{-1} \left(\frac{b + 2cx^2}{2\sqrt{c} \sqrt{a + bx^2 + cx^4}} \right) + 2\sqrt{c} \sqrt{a + bx^2 + cx^4} (4Ac - 3bB + 2Bcx^2)}{16c^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (2*Sqrt[c]*(-3*b*B + 4*A*c + 2*B*c*x^2)*Sqrt[a + b*x^2 + c*x^4] + (3*b^2*B - 4*A*b*c - 4*a*B*c)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(16*c^(5/2))

fricas [A] time = 0.84, size = 233, normalized size = 2.33

$$\left[\frac{(3Bb^2 - 4(Ba + Ab)c)\sqrt{c} \log \left(-8c^2x^4 - 8bcx^2 - b^2 + 4\sqrt{cx^4 + bx^2 + a} (2cx^2 + b)\sqrt{c} - 4ac \right) - 4(2Bc^2x^2 - 3Bc^2)}{32c^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] $[-1/32*((3*B*b^2 - 4*(B*a + A*b)*c)*\sqrt{c}*\log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 + 4*\sqrt{c*x^4 + b*x^2 + a}*(2*c*x^2 + b)*\sqrt{c} - 4*a*c) - 4*(2*B*c^2*x^2 - 3*B*b*c + 4*A*c^2)*\sqrt{c*x^4 + b*x^2 + a})/c^3, -1/16*((3*B*b^2 - 4*(B*a + A*b)*c)*\sqrt{-c}*\arctan(1/2*\sqrt{c*x^4 + b*x^2 + a}*(2*c*x^2 + b)*\sqrt{-c})/(c^2*x^4 + b*c*x^2 + a*c)) - 2*(2*B*c^2*x^2 - 3*B*b*c + 4*A*c^2)*\sqrt{c*x^4 + b*x^2 + a})/c^3]$

giac [A] time = 0.45, size = 98, normalized size = 0.98

$$\frac{1}{8} \sqrt{cx^4 + bx^2 + a} \left(\frac{2Bx^2}{c} - \frac{3Bb - 4Ac}{c^2} \right) - \frac{(3Bb^2 - 4Bac - 4Abc) \log \left(\left| -2 \left(\sqrt{c} x^2 - \sqrt{cx^4 + bx^2 + a} \right) \sqrt{c} - b \right| \right)}{16c^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] $1/8*\sqrt{c*x^4 + b*x^2 + a}*(2*B*x^2/c - (3*B*b - 4*A*c)/c^2) - 1/16*(3*B*b^2 - 4*B*a*c - 4*A*b*c)*\log(\text{abs}(-2*(\sqrt{c})*x^2 - \sqrt{c*x^4 + b*x^2 + a}))*\sqrt{c} - b)/c^{(5/2)}$

maple [B] time = 0.02, size = 176, normalized size = 1.76

$$\frac{\sqrt{cx^4 + bx^2 + a} B x^2}{4c} - \frac{A b \ln \left(\frac{cx^2 + \frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4 + bx^2 + a} \right)}{4c^{\frac{3}{2}}} - \frac{B a \ln \left(\frac{cx^2 + \frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4 + bx^2 + a} \right)}{4c^{\frac{3}{2}}} + \frac{3B b^2 \ln \left(\frac{cx^2 + \frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4 + bx^2 + a} \right)}{16c^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] $1/4*B*x^2/c*(c*x^4+b*x^2+a)^{(1/2)} - 3/8*B*b/c^2*(c*x^4+b*x^2+a)^{(1/2)} + 3/16*B*b^2/c^{(5/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)}) - 1/4*B*a/c^{(3/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)}) + 1/2*A/c*(c*x^4+b*x^2+a)^{(1/2)} - 1/4*A*b/c^{(3/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details)Is 4*a*c-b^2 zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 (B x^2 + A)}{\sqrt{c x^4 + b x^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)

[Out] int((x^3*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (A + B x^2)}{\sqrt{a + b x^2 + c x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(B*x**2+A)/(c*x**4+b*x**2+a)**(1/2), x)

[Out] Integral(x**3*(A + B*x**2)/sqrt(a + b*x**2 + c*x**4), x)

$$3.171 \quad \int \frac{x(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=76

$$\frac{B\sqrt{a+bx^2+cx^4}}{2c} - \frac{(bB-2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{4c^{3/2}}$$

[Out] $-1/4*(-2*A*c+B*b)*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}/c^{(3/2)}+1/2*B*(c*x^4+b*x^2+a)^{(1/2)}/c$

Rubi [A] time = 0.06, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1247, 640, 621, 206}

$$\frac{B\sqrt{a+bx^2+cx^4}}{2c} - \frac{(bB-2Ac) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{4c^{3/2}}$$

Antiderivative was successfully verified.

[In] `Int[(x*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]`

[Out] `(B*Sqrt[a + b*x^2 + c*x^4])/(2*c) - ((b*B - 2*A*c)*ArcTanh[(b + 2*c*x^2)/(2 *Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(4*c^(3/2))`

Rule 206

`Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt Q[a, 0] || LtQ[b, 0])`

Rule 621

`Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 640

`Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(a + b*x + c*x^2)^(p + 1))/(2*c*(p + 1)), x] + Dist[(2*c*d - b*e)/(2*c), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[2*c*d - b*e, 0] && NeQ[p, -1]`

Rule 1247

`Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{x(A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\
 &= \frac{B\sqrt{a + bx^2 + cx^4}}{2c} + \frac{(-bB + 2Ac) \text{Subst} \left(\int \frac{1}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{4c} \\
 &= \frac{B\sqrt{a + bx^2 + cx^4}}{2c} + \frac{(-bB + 2Ac) \text{Subst} \left(\int \frac{1}{4c - x^2} dx, x, \frac{b + 2cx^2}{\sqrt{a + bx^2 + cx^4}} \right)}{2c} \\
 &= \frac{B\sqrt{a + bx^2 + cx^4}}{2c} - \frac{(bB - 2Ac) \tanh^{-1} \left(\frac{b + 2cx^2}{2\sqrt{c} \sqrt{a + bx^2 + cx^4}} \right)}{4c^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 78, normalized size = 1.03

$$\frac{1}{2} \left(\frac{(2Ac - bB) \tanh^{-1} \left(\frac{b + 2cx^2}{2\sqrt{c} \sqrt{a + bx^2 + cx^4}} \right)}{2c^{3/2}} + \frac{B\sqrt{a + bx^2 + cx^4}}{c} \right)$$

Antiderivative was successfully verified.

[In] `Integrate[(x*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]`

[Out] `((B*Sqrt[a + b*x^2 + c*x^4])/c + ((-(b*B) + 2*A*c)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(2*c^(3/2)))/2`

fricas [A] time = 1.08, size = 178, normalized size = 2.34

$$\left[\frac{4\sqrt{cx^4 + bx^2 + a}Bc - (Bb - 2Ac)\sqrt{c} \log \left(-8c^2x^4 - 8bcx^2 - b^2 - 4\sqrt{cx^4 + bx^2 + a}(2cx^2 + b)\sqrt{c} - 4ac \right)}{8c^2}, \frac{2\sqrt{c}}{2c^{3/2}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/8*(4*sqrt(c*x^4 + b*x^2 + a)*B*c - (B*b - 2*A*c)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) - 4*a*c))/c^2, 1/4*(2*sqrt(c*x^4 + b*x^2 + a)*B*c + (B*b - 2*A*c)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)))/c^2]

giac [A] time = 0.46, size = 69, normalized size = 0.91

$$\frac{\sqrt{cx^4 + bx^2 + a} B}{2c} + \frac{(Bb - 2Ac) \log\left(\left|-2\left(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}\right)\sqrt{c} - b\right|\right)}{4c^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] 1/2*sqrt(c*x^4 + b*x^2 + a)*B/c + 1/4*(B*b - 2*A*c)*log(abs(-2*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*sqrt(c) - b))/c^(3/2)

maple [A] time = 0.01, size = 93, normalized size = 1.22

$$\frac{A \ln\left(\frac{cx^2 + \frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4 + bx^2 + a}\right)}{2\sqrt{c}} - \frac{Bb \ln\left(\frac{cx^2 + \frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4 + bx^2 + a}\right)}{4c^{\frac{3}{2}}} + \frac{\sqrt{cx^4 + bx^2 + a} B}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] 1/2*B*(c*x^4+b*x^2+a)^(1/2)/c-1/4*B*b/c^(3/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+1/2*A*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 zero or nonzero?

mupad [B] time = 1.05, size = 92, normalized size = 1.21

$$\frac{A \ln\left(\sqrt{cx^4 + bx^2 + a} + \frac{cx^2 + \frac{b}{2}}{\sqrt{c}}\right)}{2\sqrt{c}} + \frac{B\sqrt{cx^4 + bx^2 + a}}{2c} - \frac{Bb \ln\left(\sqrt{cx^4 + bx^2 + a} + \frac{cx^2 + \frac{b}{2}}{\sqrt{c}}\right)}{4c^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)`

[Out] $(A \cdot \log((a + b \cdot x^2 + c \cdot x^4)^{1/2} + (b/2 + c \cdot x^2)/c^{1/2}))/ (2 \cdot c^{1/2}) + (B \cdot (a + b \cdot x^2 + c \cdot x^4)^{1/2}) / (2 \cdot c) - (B \cdot b \cdot \log((a + b \cdot x^2 + c \cdot x^4)^{1/2} + (b/2 + c \cdot x^2)/c^{1/2})) / (4 \cdot c^{3/2})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(B*x**2+A)/(c*x**4+b*x**2+a)**(1/2), x)`

[Out] `Integral(x*(A + B*x**2)/sqrt(a + b*x**2 + c*x**4), x)`

$$3.172 \quad \int \frac{A+Bx^2}{x\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=90

$$\frac{B \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{c}} - \frac{A \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{a}}$$

[Out] $-1/2*A*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})/a^{(1/2)}+1/2*B*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})/c^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1251, 843, 621, 206, 724}

$$\frac{B \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{c}} - \frac{A \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{a}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*x^2)/(x*\operatorname{Sqrt}[a + b*x^2 + c*x^4]), x]$

[Out] $-(A*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*\operatorname{Sqrt}[a]) + (B*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*\operatorname{Sqrt}[c])$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_) + (c_)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /;$ FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

$\operatorname{Int}[1/(((d_ + (e_)*(x_))*\operatorname{Sqrt}[(a_ + (b_)*(x_) + (c_)*(x_)^2])), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /;$ FreeQ[{a, b, c,

d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{x\sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x\sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} A \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx + cx^2}} dx, x, x^2 \right) + \frac{1}{2} B \text{Subst} \left(\int \frac{1}{\sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\ &= - \left(A \text{Subst} \left(\int \frac{1}{4a - x^2} dx, x, \frac{2a + bx^2}{\sqrt{a + bx^2 + cx^4}} \right) \right) + B \text{Subst} \left(\int \frac{1}{4c - x^2} dx, x, \frac{b + 2cx^2}{\sqrt{a + bx^2 + cx^4}} \right) \\ &= - \frac{A \tanh^{-1} \left(\frac{2a + bx^2}{2\sqrt{a} \sqrt{a + bx^2 + cx^4}} \right)}{2\sqrt{a}} + \frac{B \tanh^{-1} \left(\frac{b + 2cx^2}{2\sqrt{c} \sqrt{a + bx^2 + cx^4}} \right)}{2\sqrt{c}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 89, normalized size = 0.99

$$\frac{1}{2} \left(\frac{B \tanh^{-1} \left(\frac{b + 2cx^2}{2\sqrt{c} \sqrt{a + bx^2 + cx^4}} \right)}{\sqrt{c}} - \frac{A \tanh^{-1} \left(\frac{2a + bx^2}{2\sqrt{a} \sqrt{a + bx^2 + cx^4}} \right)}{\sqrt{a}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] $(-((A*\text{ArcTanh}[(2*a + b*x^2)/(2*\text{Sqrt}[a]*\text{Sqrt}[a + b*x^2 + c*x^4])])/ \text{Sqrt}[a]) + (B*\text{ArcTanh}[(b + 2*c*x^2)/(2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x^2 + c*x^4])])/ \text{Sqrt}[c])/2$

fricas [A] time = 1.07, size = 517, normalized size = 5.74

$$\frac{Ba\sqrt{c} \log\left(-8c^2x^4 - 8bcx^2 - b^2 - 4\sqrt{cx^4 + bx^2 + a}(2cx^2 + b)\sqrt{c} - 4ac\right) + A\sqrt{a}c \log\left(-\frac{(b^2+4ac)x^4+8abx^2-4\sqrt{c}}{4ac}\right)}{4ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] $[1/4*(B*a*\text{sqrt}(c)*\log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*\text{sqrt}(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*\text{sqrt}(c) - 4*a*c) + A*\text{sqrt}(a)*c*\log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*\text{sqrt}(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*\text{sqrt}(a) + 8*a^2)/x^4))/(a*c), -1/4*(2*B*a*\text{sqrt}(-c)*\arctan(1/2*\text{sqrt}(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*\text{sqrt}(-c)/(c^2*x^4 + b*c*x^2 + a*c)) - A*\text{sqrt}(a)*c*\log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*\text{sqrt}(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*\text{sqrt}(a) + 8*a^2)/x^4))/(a*c), 1/4*(2*A*\text{sqrt}(-a)*c*\arctan(1/2*\text{sqrt}(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*\text{sqrt}(-a)/(a*c*x^4 + a*b*x^2 + a^2)) + B*a*\text{sqrt}(c)*\log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*\text{sqrt}(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*\text{sqrt}(c) - 4*a*c))/(a*c), 1/2*(A*\text{sqrt}(-a)*c*\arctan(1/2*\text{sqrt}(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*\text{sqrt}(-a)/(a*c*x^4 + a*b*x^2 + a^2)) - B*a*\text{sqrt}(-c)*\arctan(1/2*\text{sqrt}(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*\text{sqrt}(-c)/(c^2*x^4 + b*c*x^2 + a*c)))/(a*c)]$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP UT:sage2:=int(sage0,x); OUTPUT:index.cc index_m operator + Error: Bad Argument Value

maple [A] time = 0.01, size = 76, normalized size = 0.84

$$-\frac{A \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{2\sqrt{a}} + \frac{B \ln\left(\frac{cx^2+\frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4+bx^2+a}\right)}{2\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)/x/(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `1/2*B*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)-1/2*A/a^(1/2)*ln((2*a+b*x^2+2*a^(1/2)*(c*x^4+b*x^2+a)^(1/2))/x^2)`

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/x/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details)Is 4*a*c-b^2 positive, negative or zero?

mupad [B] time = 0.76, size = 81, normalized size = 0.90

$$\frac{B \ln\left(\sqrt{cx^4 + bx^2 + a} + \frac{cx^2 + \frac{b}{2}}{\sqrt{c}}\right)}{2\sqrt{c}} - \frac{A \ln\left(\frac{1}{x^2}\right)}{2\sqrt{a}} - \frac{A \ln\left(2a + 2\sqrt{a}\sqrt{cx^4 + bx^2 + a} + bx^2\right)}{2\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x^2)/(x*(a + b*x^2 + c*x^4)^(1/2)),x)`

[Out] `(B*log((a + b*x^2 + c*x^4)^(1/2) + (b/2 + c*x^2)/c^(1/2)))/(2*c^(1/2)) - (A*log(1/x^2))/(2*a^(1/2)) - (A*log(2*a + 2*a^(1/2)*(a + b*x^2 + c*x^4)^(1/2) + b*x^2))/(2*a^(1/2))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{x\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x**2+A)/x/(c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral((A + B*x**2)/(x*sqrt(a + b*x**2 + c*x**4)), x)`

$$3.173 \quad \int \frac{A+Bx^2}{x^3 \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=80

$$\frac{(Ab - 2aB) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a} \sqrt{a+bx^2+cx^4}} \right)}{4a^{3/2}} - \frac{A\sqrt{a+bx^2+cx^4}}{2ax^2}$$

[Out] 1/4*(A*b-2*B*a)*arctanh(1/2*(b*x^2+2*a)/a^(1/2)/(c*x^4+b*x^2+a)^(1/2))/a^(3/2)-1/2*A*(c*x^4+b*x^2+a)^(1/2)/a/x^2

Rubi [A] time = 0.08, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1251, 806, 724, 206}

$$\frac{(Ab - 2aB) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a} \sqrt{a+bx^2+cx^4}} \right)}{4a^{3/2}} - \frac{A\sqrt{a+bx^2+cx^4}}{2ax^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^3*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] -(A*Sqrt[a + b*x^2 + c*x^4])/(2*a*x^2) + ((A*b - 2*a*B)*ArcTanh[(2*a + b*x^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])])/(4*a^(3/2))

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 806

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m+1)*(a + b*x + c*x^2)^(p+1))/(2*(p+1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m

+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &
 & NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m +
 2*p + 3], 0]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)
)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
 b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
 gerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{x^3 \sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x^2 \sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{2ax^2} - \frac{(Ab - 2aB) \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4a} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{2ax^2} + \frac{(Ab - 2aB) \text{Subst} \left(\int \frac{1}{4a-x^2} dx, x, \frac{2a+bx^2}{\sqrt{a+bx^2+cx^4}} \right)}{2a} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{2ax^2} + \frac{(Ab - 2aB) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{4a^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 82, normalized size = 1.02

$$\frac{1}{2} \left(\frac{(Ab - 2aB) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2a^{3/2}} - \frac{A\sqrt{a + bx^2 + cx^4}}{ax^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^3*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] (-((A*Sqrt[a + b*x^2 + c*x^4])/(a*x^2)) + ((A*b - 2*a*B)*ArcTanh[(2*a + b*x
 ^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])])/(2*a^(3/2)))/2

fricas [A] time = 1.15, size = 197, normalized size = 2.46

$$\left[\frac{(2Ba - Ab)\sqrt{a}x^2 \log\left(-\frac{(b^2+4ac)x^4+8abx^2+4\sqrt{cx^4+bx^2+a}(bx^2+2a)\sqrt{a}+8a^2}{x^4}\right) + 4\sqrt{cx^4+bx^2+a}Aa(2Ba - Ab)\sqrt{-a}}{8a^2x^2}, \dots \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [-1/8*((2*B*a - A*b)*sqrt(a)*x^2*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) + 4*sqrt(c*x^4 + b*x^2 + a)*A*a)/(a^2*x^2), 1/4*((2*B*a - A*b)*sqrt(-a)*x^2*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)) - 2*sqrt(c*x^4 + b*x^2 + a)*A*a)/(a^2*x^2)]

giac [A] time = 0.54, size = 124, normalized size = 1.55

$$\frac{(2Ba - Ab) \arctan\left(-\frac{\sqrt{c}x^2 - \sqrt{cx^4+bx^2+a}}{\sqrt{-a}}\right)}{2\sqrt{-a}a} + \frac{\left(\sqrt{c}x^2 - \sqrt{cx^4+bx^2+a}\right)Ab + 2Aa\sqrt{c}}{2\left(\left(\sqrt{c}x^2 - \sqrt{cx^4+bx^2+a}\right)^2 - a\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] 1/2*(2*B*a - A*b)*arctan(-(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))/sqrt(-a))/(sqrt(-a)*a) + 1/2*((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*A*b + 2*A*a*sqrt(c))/(((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^2 - a)*a)

maple [A] time = 0.02, size = 104, normalized size = 1.30

$$\frac{Ab \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{4a^{\frac{3}{2}}} - \frac{B \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{2\sqrt{a}} - \frac{\sqrt{cx^4+bx^2+a}A}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^(1/2),x)

[Out] -1/2*B/a^(1/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)-1/2*A*(c*x^4+b*x^2+a)^(1/2)/a/x^2+1/4*A*b/a^(3/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^3/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details) Is 4*a*c-b^2 positive, negative or zero?

mupad [B] time = 0.78, size = 103, normalized size = 1.29

$$\frac{A b \operatorname{atanh}\left(\frac{\frac{b x^2}{2}+a}{\sqrt{a} \sqrt{c x^4+b x^2+a}}\right)}{4 a^{3/2}} - \frac{B \ln\left(2 a+2 \sqrt{a} \sqrt{c x^4+b x^2+a}+b x^2\right)}{2 \sqrt{a}} - \frac{A \sqrt{c x^4+b x^2+a}}{2 a x^2} - \frac{B \ln\left(\frac{1}{x^2}\right)}{2 \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x^3*(a + b*x^2 + c*x^4)^(1/2)),x)

[Out] (A*b*atanh((a + (b*x^2)/2)/(a^(1/2)*(a + b*x^2 + c*x^4)^(1/2))))/(4*a^(3/2)) - (B*log(2*a + 2*a^(1/2)*(a + b*x^2 + c*x^4)^(1/2) + b*x^2))/(2*a^(1/2)) - (A*(a + b*x^2 + c*x^4)^(1/2))/(2*a*x^2) - (B*log(1/x^2))/(2*a^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{x^3 \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**3/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((A + B*x**2)/(x**3*sqrt(a + b*x**2 + c*x**4)), x)

$$3.174 \quad \int \frac{A+Bx^2}{x^5 \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=124

$$\frac{(-4aAc - 4abB + 3Ab^2) \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{16a^{5/2}} + \frac{(3Ab - 4aB)\sqrt{a+bx^2+cx^4}}{8a^2x^2} - \frac{A\sqrt{a+bx^2+cx^4}}{4ax^4}$$

[Out] $-1/16*(-4*A*a*c+3*A*b^2-4*B*a*b)*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})/a^{(5/2)}-1/4*A*(c*x^4+b*x^2+a)^{(1/2)}/a/x^4+1/8*(3*A*b-4*B*a)*(c*x^4+b*x^2+a)^{(1/2)}/a^2/x^2$

Rubi [A] time = 0.15, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1251, 834, 806, 724, 206}

$$\frac{(-4aAc - 4abB + 3Ab^2) \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{16a^{5/2}} + \frac{(3Ab - 4aB)\sqrt{a+bx^2+cx^4}}{8a^2x^2} - \frac{A\sqrt{a+bx^2+cx^4}}{4ax^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(A + B*x^2)/(x^5*\operatorname{Sqrt}[a + b*x^2 + c*x^4]), x]$

[Out] $-(A*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(4*a*x^4) + ((3*A*b - 4*a*B)*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(8*a^2*x^2) - ((3*A*b^2 - 4*a*b*B - 4*a*A*c)*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(16*a^{(5/2)})$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{Gt} Q[a, 0] \ || \operatorname{Lt} Q[b, 0])$

Rule 724

$\operatorname{Int}[1/(((d_ + (e_)*(x_))*\operatorname{Sqrt}[(a_ + (b_)*(x_ + (c_)*(x_)^2)]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] \text{ ; FreeQ}\{a, b, c, d, e\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \operatorname{NeQ}[2*c*d - b*e, 0]$

Rule 806

$\operatorname{Int}[(d_ + (e_)*(x_))^{(m_)*((f_ + (g_)*(x_))*((a_ + (b_)*(x_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\operatorname{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + b$

$*x + c*x^2)^{(p + 1)}/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - \text{Dist}[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^p}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, p}, x] & NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 834

$\text{Int}[((d_.) + (e_.)*(x_))^{(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_.)}, x_Symbol] := \text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^{(p + 1)}}/(m + 1)*(c*d^2 - b*d*e + a*e^2), x] + \text{Dist}[1/(m + 1)*(c*d^2 - b*d*e + a*e^2), \text{Int}[(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^p} * \text{Simp}[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1251

$\text{Int}[(x_)^{(m_.)*((d_) + (e_.)*(x_)^2)^{(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] := \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m - 1)/2}*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /;$ FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{x^5 \sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x^3 \sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{4ax^4} - \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(3Ab - 4aB) + Acx}{x^2 \sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{4a} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{4ax^4} + \frac{(3Ab - 4aB)\sqrt{a + bx^2 + cx^4}}{8a^2x^2} + \frac{(3Ab^2 - 4abB - 4aAc) \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{16a^2} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{4ax^4} + \frac{(3Ab - 4aB)\sqrt{a + bx^2 + cx^4}}{8a^2x^2} - \frac{(3Ab^2 - 4abB - 4aAc) \text{Subst} \left(\int \frac{1}{x \sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{8a^2} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{4ax^4} + \frac{(3Ab - 4aB)\sqrt{a + bx^2 + cx^4}}{8a^2x^2} - \frac{(3Ab^2 - 4abB - 4aAc) \tanh^{-1} \left(\frac{2cx + b}{\sqrt{a + bx + cx^2}} \right)}{16a^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 107, normalized size = 0.86

$$\frac{(4aAc + 4abB - 3Ab^2) \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{16a^{5/2}} + \frac{\sqrt{a+bx^2+cx^4} (3Abx^2 - 2a(A + 2Bx^2))}{8a^2x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^5*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] (Sqrt[a + b*x^2 + c*x^4]*(3*A*b*x^2 - 2*a*(A + 2*B*x^2)))/(8*a^2*x^4) + ((-3*A*b^2 + 4*a*b*B + 4*a*A*c)*ArcTanh[(2*a + b*x^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])])/(16*a^(5/2))

fricas [A] time = 0.87, size = 255, normalized size = 2.06

$$\left[\frac{(4Bab - 3Ab^2 + 4Aac)\sqrt{a}x^4 \log\left(-\frac{(b^2+4ac)x^4+8abx^2+4\sqrt{cx^4+bx^2+a}(bx^2+2a)\sqrt{a+8a^2}}{x^4}\right) - 4\sqrt{cx^4+bx^2+a}(2Aa^2 + \dots)}{32a^3x^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^5/(c*x^4+b*x^2+a)^(1/2), x, algorithm="fricas")

[Out] [1/32*((4*B*a*b - 3*A*b^2 + 4*A*a*c)*sqrt(a)*x^4*log(-(b^2 + 4*a*c)*x^4 + 8*a*b*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) - 4*sqrt(c*x^4 + b*x^2 + a)*(2*A*a^2 + (4*B*a^2 - 3*A*a*b)*x^2))/(a^3*x^4), -1/16*((4*B*a*b - 3*A*b^2 + 4*A*a*c)*sqrt(-a)*x^4*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)) + 2*sqrt(c*x^4 + b*x^2 + a)*(2*A*a^2 + (4*B*a^2 - 3*A*a*b)*x^2))/(a^3*x^4)]

giac [B] time = 0.52, size = 339, normalized size = 2.73

$$\frac{(4Bab - 3Ab^2 + 4Aac) \arctan\left(-\frac{\sqrt{c}x^2 - \sqrt{cx^4+bx^2+a}}{\sqrt{-a}}\right)}{8\sqrt{-a}a^2} + \frac{4\left(\sqrt{c}x^2 - \sqrt{cx^4+bx^2+a}\right)^3 Bab - 3\left(\sqrt{c}x^2 - \sqrt{cx^4+bx^2+a}\right)}{8\sqrt{-a}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^5/(c*x^4+b*x^2+a)^(1/2), x, algorithm="giac")

[Out] -1/8*(4*B*a*b - 3*A*b^2 + 4*A*a*c)*arctan(-(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))/sqrt(-a))/(sqrt(-a)*a^2) + 1/8*(4*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^3*B*a*b - 3*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^3*A*b^2 + 4*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^3*A*a*c)

$$\frac{t(c)x^2 - \sqrt{cx^4 + bx^2 + a})^3 A a^2 c + 8(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})^2 B a^2 \sqrt{c} - 4(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}) B a^2 b + 5(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}) A a^2 b^2 + 4(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}) A a^2 c - 8 B a^3 \sqrt{c} + 8 A a^2 b \sqrt{c}}{((\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})^2 - a)^2 a^2}$$

maple [A] time = 0.02, size = 194, normalized size = 1.56

$$\frac{Ac \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{4a^{\frac{3}{2}}} - \frac{3Ab^2 \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{16a^{\frac{5}{2}}} + \frac{Bb \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{4a^{\frac{3}{2}}} + \frac{3\sqrt{cx^4+bx^2+a}}{8a^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x^5/(c*x^4+b*x^2+a)^(1/2),x)

[Out]
$$-1/4 A (c x^4 + b x^2 + a)^{1/2} / a x^4 + 3/8 A b / a^2 x^2 (c x^4 + b x^2 + a)^{1/2} - 3/16 A b^2 / a^{5/2} \ln((b x^2 + 2 a + 2 (c x^4 + b x^2 + a)^{1/2} a^{1/2}) / x^2) + 1/4 A c / a^{3/2} \ln((b x^2 + 2 a + 2 (c x^4 + b x^2 + a)^{1/2} a^{1/2}) / x^2) - 1/2 B / a x^2 (c x^4 + b x^2 + a)^{1/2} + 1/4 B b / a^{3/2} \ln((b x^2 + 2 a + 2 (c x^4 + b x^2 + a)^{1/2} a^{1/2}) / x^2)$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^5/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details) Is 4*a*c-b^2 positive, negative or zero?

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Bx^2 + A}{x^5 \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x^5*(a + b*x^2 + c*x^4)^(1/2)),x)

[Out] int((A + B*x^2)/(x^5*(a + b*x^2 + c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{x^5 \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**5/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((A + B*x**2)/(x**5*sqrt(a + b*x**2 + c*x**4)), x)

$$3.175 \quad \int \frac{A+Bx^2}{x^7 \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=177

$$-\frac{\sqrt{a+bx^2+cx^4}(-16aAc-18abB+15Ab^2)}{48a^3x^2} + \frac{(5Ab-6aB)\sqrt{a+bx^2+cx^4}}{24a^2x^4} + \frac{(8a^2Bc-12aAbc-6ab^2B+5Ab^3)}{32a^{7/2}}$$

[Out] $1/32*(-12*A*a*b*c+5*A*b^3+8*B*a^2*c-6*B*a*b^2)*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/a^{(7/2)}-1/6*A*(c*x^4+b*x^2+a)^{(1/2)}/a/x^6+1/24*(5*A*b-6*B*a)*(c*x^4+b*x^2+a)^{(1/2)}/a^2/x^4-1/48*(-16*A*a*c+15*A*b^2-18*B*a*b)*(c*x^4+b*x^2+a)^{(1/2)}/a^3/x^2$

Rubi [A] time = 0.24, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1251, 834, 806, 724, 206}

$$-\frac{\sqrt{a+bx^2+cx^4}(-16aAc-18abB+15Ab^2)}{48a^3x^2} + \frac{(8a^2Bc-12aAbc-6ab^2B+5Ab^3)\tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{32a^{7/2}} + (5A$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^7*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] $-(A*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(6*a*x^6) + ((5*A*b - 6*a*B)*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(24*a^2*x^4) - ((15*A*b^2 - 18*a*b*B - 16*a*A*c)*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(48*a^3*x^2) + ((5*A*b^3 - 6*a*b^2*B - 12*a*A*b*c + 8*a^2*B*c)*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(32*a^{(7/2)})$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 806


```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]
```

Rule 834

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(m + 1)*(c*d^2 - b*d*e + a*e^2), x] + Dist[1/(m + 1)*(c*d^2 - b*d*e + a*e^2), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^7 \sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{A + Bx}{x^4 \sqrt{a + bx + cx^2}} dx, x, x^2 \right) \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{6ax^6} - \frac{\text{Subst} \left(\int \frac{\frac{1}{2}(5Ab - 6aB) + 2Acx}{x^3 \sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{6a} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{6ax^6} + \frac{(5Ab - 6aB)\sqrt{a + bx^2 + cx^4}}{24a^2x^4} + \frac{\text{Subst} \left(\int \frac{\frac{1}{4}(15Ab^2 - 18abB - 16aAc) + \frac{1}{2}}{x^2 \sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{12a^2} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{6ax^6} + \frac{(5Ab - 6aB)\sqrt{a + bx^2 + cx^4}}{24a^2x^4} - \frac{(15Ab^2 - 18abB - 16aAc)\sqrt{a + bx^2 + cx^4}}{48a^3x^2} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{6ax^6} + \frac{(5Ab - 6aB)\sqrt{a + bx^2 + cx^4}}{24a^2x^4} - \frac{(15Ab^2 - 18abB - 16aAc)\sqrt{a + bx^2 + cx^4}}{48a^3x^2} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{6ax^6} + \frac{(5Ab - 6aB)\sqrt{a + bx^2 + cx^4}}{24a^2x^4} - \frac{(15Ab^2 - 18abB - 16aAc)\sqrt{a + bx^2 + cx^4}}{48a^3x^2}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 148, normalized size = 0.84

$$\frac{(8a^2Bc - 12aAbc - 6ab^2B + 5Ab^3) \tanh^{-1} \left(\frac{2a + bx^2}{2\sqrt{a} \sqrt{a + bx^2 + cx^4}} \right) + \sqrt{a + bx^2 + cx^4} (-4a^2(2A + 3Bx^2) + 2a(5Abx^2 + 4a^2))}{32a^{7/2}} + \frac{\sqrt{a + bx^2 + cx^4} (-4a^2(2A + 3Bx^2) + 2a(5Abx^2 + 4a^2))}{48a^3x^6}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^7*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] (Sqrt[a + b*x^2 + c*x^4]*(-15*A*b^2*x^4 - 4*a^2*(2*A + 3*B*x^2) + 2*a*(5*A*b*x^2 + 9*b*B*x^4 + 8*A*c*x^4)))/(48*a^3*x^6) + ((5*A*b^3 - 6*a*b^2*B - 12*a*A*b*c + 8*a^2*B*c)*ArcTanh[(2*a + b*x^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])])/(32*a^(7/2))

fricas [A] time = 0.96, size = 339, normalized size = 1.92

$$\left[\frac{3(6Bab^2 - 5Ab^3 - 4(2Ba^2 - 3Aab)c)\sqrt{a}x^6 \log\left(-\frac{(b^2+4ac)x^4+8abx^2-4\sqrt{cx^4+bx^2+a}(bx^2+2a)\sqrt{a+8a^2}}{x^4}\right) + 4((18Ba^2b - 12Ab^2c + 8Aab^2c)\sqrt{a}x^6 + (18Ba^2b - 12Ab^2c)\sqrt{a}x^4 + (18Ba^2b - 12Ab^2c)\sqrt{a}x^2 + (18Ba^2b - 12Ab^2c)\sqrt{a})}{192a^4x^6} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^7/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/192*(3*(6*B*a*b^2 - 5*A*b^3 - 4*(2*B*a^2 - 3*A*a*b)*c)*sqrt(a)*x^6*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) + 4*((18*B*a^2*b - 15*A*a*b^2 + 16*A*a^2*c)*x^4 - 8*A*a^3 - 2*(6*B*a^3 - 5*A*a^2*b)*x^2)*sqrt(c*x^4 + b*x^2 + a)/(a^4*x^6), 1/96*(3*(6*B*a*b^2 - 5*A*b^3 - 4*(2*B*a^2 - 3*A*a*b)*c)*sqrt(-a)*x^6*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)) + 2*((18*B*a^2*b - 15*A*a*b^2 + 16*A*a^2*c)*x^4 - 8*A*a^3 - 2*(6*B*a^3 - 5*A*a^2*b)*x^2)*sqrt(c*x^4 + b*x^2 + a)/(a^4*x^6)]

giac [B] time = 0.64, size = 571, normalized size = 3.23

$$\frac{(6 Bab^2 - 5 Ab^3 - 8 Ba^2c + 12 Aabc) \arctan\left(-\frac{\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}}{\sqrt{-a}}\right) + 18\left(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}\right)^5 Bab^2 - 15\left(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}\right)^4 Ab^3}{16\sqrt{-a}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^7/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] 1/16*(6*B*a*b^2 - 5*A*b^3 - 8*B*a^2*c + 12*A*a*b*c)*arctan(-(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))/sqrt(-a))/((sqrt(-a)*a^3) - 1/48*(18*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^5*B*a*b^2 - 15*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^5*A*b^3 - 24*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^5*B*a^2*c + 36*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^5*A*a*b*c - 48*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^3*B*a^2*b^2 + 40*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^3*A*a*b^3 - 96*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^3*A*a^2*b*c - 48*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^2*B*a^3*b*sqrt(c) - 96*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^2*A*a^3*c^(3/2) + 30*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*B*a^3*b^2 - 33*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*A*a^2*b^3 + 24*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*B*a^4*c - 36*(sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*A*a^3*b*c + 48*B*a^4*b*sqrt(c) - 48*A*a^3*b^2*sqrt(c) + 32*A*a^4*c^(3/2))/(((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^2 - a)^3*a^3)

maple [A] time = 0.02, size = 311, normalized size = 1.76

$$\frac{3Abc \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{8a^{\frac{5}{2}}} + \frac{5Ab^3 \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{32a^{\frac{7}{2}}} + \frac{Bc \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{4a^{\frac{3}{2}}} - \frac{3Bb^2 \ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{4a^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x^7/(c*x^4+b*x^2+a)^(1/2),x)

```
[Out] -1/6*A*(c*x^4+b*x^2+a)^(1/2)/a/x^6+5/24*A*b/a^2/x^4*(c*x^4+b*x^2+a)^(1/2)-5/16*A*b^2/a^3/x^2*(c*x^4+b*x^2+a)^(1/2)+5/32*A*b^3/a^(7/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)-3/8*A*b/a^(5/2)*c*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)+1/3*A/a^2*c/x^2*(c*x^4+b*x^2+a)^(1/2)-1/4*B/a/x^4*(c*x^4+b*x^2+a)^(1/2)+3/8*B*b/a^2/x^2*(c*x^4+b*x^2+a)^(1/2)-3/16*B*b^2/a^(5/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)+1/4*B*c/a^(3/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x^2+A)/x^7/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive, negative or zero?
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{Bx^2 + A}{x^7 \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*x^2)/(x^7*(a + b*x^2 + c*x^4)^(1/2)),x)
```

```
[Out] int((A + B*x^2)/(x^7*(a + b*x^2 + c*x^4)^(1/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{x^7 \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((B*x**2+A)/x**7/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral((A + B*x**2)/(x**7*sqrt(a + b*x**2 + c*x**4)), x)
```

$$3.176 \quad \int \frac{x^4(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=403

$$\frac{x\sqrt{a+bx^2+cx^4}(-9aBc-10Abc+8b^2B)}{15c^{5/2}(\sqrt{a}+\sqrt{c}x^2)} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{c}x^2)\sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}(\sqrt{a}\sqrt{c}(4bB-5Ac)-9aBc-10Abc)}{30c^{11/4}\sqrt{a+bx^2+cx^4}}$$

[Out] $-1/15*(-5*A*c+4*B*b)*x*(c*x^4+b*x^2+a)^{(1/2)}/c^2+1/5*B*x^3*(c*x^4+b*x^2+a)^{(1/2)}/c+1/15*(-10*A*b*c-9*B*a*c+8*B*b^2)*x*(c*x^4+b*x^2+a)^{(1/2)}/c^{(5/2)}/(a^{(1/2)+x^2*c^{(1/2)}})-1/15*a^{(1/4)}*(-10*A*b*c-9*B*a*c+8*B*b^2)*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)})))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)}*(a^{(1/2)+x^2*c^{(1/2)}})*((c*x^4+b*x^2+a)/(a^{(1/2)+x^2*c^{(1/2)}})^{(1/2)}/c^{(11/4)}/(c*x^4+b*x^2+a)^{(1/2)}+1/30*a^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)})))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)}*(a^{(1/2)+x^2*c^{(1/2)}})*(8*b^2*B-10*A*b*c-9*a*B*c+(-5*A*c+4*B*b)*a^{(1/2)*c^{(1/2)}}*((c*x^4+b*x^2+a)/(a^{(1/2)+x^2*c^{(1/2)}})^{(1/2)}/c^{(11/4)}/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.28, antiderivative size = 403, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1279, 1197, 1103, 1195}

$$\frac{x\sqrt{a+bx^2+cx^4}(-9aBc-10Abc+8b^2B)}{15c^{5/2}(\sqrt{a}+\sqrt{c}x^2)} + \frac{\sqrt[4]{a}(\sqrt{a}+\sqrt{c}x^2)\sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}(\sqrt{a}\sqrt{c}(4bB-5Ac)-9aBc-10Abc)}{30c^{11/4}\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4],x]

[Out] $-((4*b*B-5*A*c)*x*\text{Sqrt}[a+b*x^2+c*x^4])/(15*c^2)+(B*x^3*\text{Sqrt}[a+b*x^2+c*x^4])/(5*c)+((8*b^2*B-10*A*b*c-9*a*B*c)*x*\text{Sqrt}[a+b*x^2+c*x^4])/(15*c^{(5/2)}*(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2))-(a^{(1/4)}*(8*b^2*B-10*A*b*c-9*a*B*c)*(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2)*\text{Sqrt}[(a+b*x^2+c*x^4)/(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}],(2-b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4]/(15*c^{(11/4)}*\text{Sqrt}[a+b*x^2+c*x^4])+(a^{(1/4)}*(8*b^2*B-10*A*b*c-9*a*B*c+\text{Sqrt}[a]*\text{Sqrt}[c]*(4*b*B-5*A*c))*(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2)*\text{Sqrt}[(a+b*x^2+c*x^4)/(\text{Sqrt}[a]+\text{Sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}],(2-b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4]/(30*c^{(11/4)}*\text{Sqrt}[a+b*x^2+c*x^4])$

Rule 1103

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1279

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(A+Bx^2)}{\sqrt{a+bx^2+cx^4}} dx &= \frac{Bx^3\sqrt{a+bx^2+cx^4}}{5c} - \frac{\int \frac{x^2(3aB+(4bB-5Ac)x^2)}{\sqrt{a+bx^2+cx^4}} dx}{5c} \\
&= -\frac{(4bB-5Ac)x\sqrt{a+bx^2+cx^4}}{15c^2} + \frac{Bx^3\sqrt{a+bx^2+cx^4}}{5c} + \frac{\int \frac{a(4bB-5Ac)+(8b^2B-10Abc-9aBc)}{\sqrt{a+bx^2+cx^4}} dx}{15c^2} \\
&= -\frac{(4bB-5Ac)x\sqrt{a+bx^2+cx^4}}{15c^2} + \frac{Bx^3\sqrt{a+bx^2+cx^4}}{5c} - \frac{(\sqrt{a}(8b^2B-10Abc-9aBc))}{15c^{5/2}} \\
&= -\frac{(4bB-5Ac)x\sqrt{a+bx^2+cx^4}}{15c^2} + \frac{Bx^3\sqrt{a+bx^2+cx^4}}{5c} + \frac{(8b^2B-10Abc-9aBc)x\sqrt{a}}{15c^{5/2}(\sqrt{a}+\sqrt{c}x^2)}
\end{aligned}$$

Mathematica [C] time = 2.21, size = 532, normalized size = 1.32

$$i\left(\sqrt{b^2-4ac}-b\right)\sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}}\sqrt{\frac{-2\sqrt{b^2-4ac}+2b+4cx^2}{b-\sqrt{b^2-4ac}}}\left(-9aBc-10Abc+8b^2B\right)E\left(i\sinh^{-1}\left(\sqrt{2}\sqrt{\frac{c}{b+\sqrt{b^2-4ac}}}\right)x\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (4*c*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x*(-4*b*B + 5*A*c + 3*B*c*x^2)*(a + b*x^2 + c*x^4) + I*(8*b^2*B - 10*A*b*c - 9*a*B*c)*(-b + Sqrt[b^2 - 4*a*c])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])] - I*(-8*b^3*B + b*c*(17*a*B - 10*A*Sqrt[b^2 - 4*a*c]) + 2*b^2*(5*A*c + 4*B*Sqrt[b^2 - 4*a*c]) - a*c*(10*A*c + 9*B*Sqrt[b^2 - 4*a*c]))*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])])/(60*c^3*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bx^6 + Ax^4}{\sqrt{cx^4 + bx^2 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral((B*x^6 + A*x^4)/sqrt(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bx^2 + A)x^4}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((B*x^2 + A)*x^4/sqrt(c*x^4 + b*x^2 + a), x)

maple [B] time = 0.02, size = 815, normalized size = 2.02

$$\left(\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \left(-\text{EllipticE} \left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} - 4}{2}} \right) + \text{EllipticE} \left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} - 4}{2}} \right) \right)}{3 \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a} (b + \sqrt{-4ac + b^2}) c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] B*(1/5/c*x^3*(c*x^4+b*x^2+a)^(1/2)-4/15*b/c^2*x*(c*x^4+b*x^2+a)^(1/2)+1/15*b/c^2*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(4-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(4+2*(b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*x*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2),1/2*(-4+2*b*(b+(-4*a*c+b^2)^(1/2))/a/c)^(1/2))-1/2*(-3/5/c*a+8/15*b^2/c^2)*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(4-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(4+2*(b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*EllipticF(1/2*x*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2),1/2*(-4+2*b*(b+(-4*a*c+b^2)^(1/2))/a/c)^(1/2))-EllipticE(1/2*x*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2),1/2*(-4+2*b*(b+(-4*a*c+b^2)^(1/2))/a/c)^(1/2)))+A*(1/3/c*x*(c*x^4+b*x^2+a)^(1/2)-1/12/c*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(4-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)*(4+2*(b+(-4*a*c+b^2)^(1/2))/a*x^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*x*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2),1/2*(-4+2*b*(b+(-4*a*c+b^2)^(1/2))/a/c)^(1/2))+1/3*b/c

$$a^{2^{1/2}} / ((-b + (-4ac + b^2)^{1/2}) / a)^{1/2} * (4 - 2 * (-b + (-4ac + b^2)^{1/2}) / a * x^2)^{1/2} * (4 + 2 * (b + (-4ac + b^2)^{1/2}) / a * x^2)^{1/2} / (cx^4 + bx^2 + a)^{1/2} / (b + (-4ac + b^2)^{1/2}) * (\text{EllipticF}(1/2 * x^2^{1/2} * ((-b + (-4ac + b^2)^{1/2}) / a)^{1/2}, 1/2 * (-4 + 2 * b * (b + (-4ac + b^2)^{1/2}) / a / c)^{1/2}) - \text{EllipticE}(1/2 * x^2^{1/2} * ((-b + (-4ac + b^2)^{1/2}) / a)^{1/2}, 1/2 * (-4 + 2 * b * (b + (-4ac + b^2)^{1/2}) / a / c)^{1/2}))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bx^2 + A)x^4}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)*x^4/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (Bx^2 + A)}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)

[Out] int((x^4*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(B*x**2+A)/(c*x**4+b*x**2+a)**(1/2), x)

[Out] Integral(x**4*(A + B*x**2)/sqrt(a + b*x**2 + c*x**4), x)


```
Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1279

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m-1)*(a + b*x^2 + c*x^4)^(p+1))/(c*(m+4*p+3)), x] - Dist[f^2/(c*(m+4*p+3)), Int[(f*x)^(m-2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m-1) + (b*e*(m+2*p+1) - c*d*(m+4*p+3))*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m+4*p+3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (A + Bx^2)}{\sqrt{a + bx^2 + cx^4}} dx &= \frac{Bx\sqrt{a + bx^2 + cx^4}}{3c} - \frac{\int \frac{aB + (2bB - 3Ac)x^2}{\sqrt{a + bx^2 + cx^4}} dx}{3c} \\
&= \frac{Bx\sqrt{a + bx^2 + cx^4}}{3c} + \frac{(\sqrt{a}(2bB - 3Ac)) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a + bx^2 + cx^4}} dx}{3c^{3/2}} - \frac{(\sqrt{a}(2bB + \sqrt{a}B\sqrt{c} - 3Ac))}{3c^{3/2}} \\
&= \frac{Bx\sqrt{a + bx^2 + cx^4}}{3c} - \frac{(2bB - 3Ac)x\sqrt{a + bx^2 + cx^4}}{3c^{3/2}(\sqrt{a} + \sqrt{c}x^2)} + \frac{\sqrt[4]{a}(2bB - 3Ac)(\sqrt{a} + \sqrt{c}x^2) \sqrt{\dots}}{3c^{7/4}}
\end{aligned}$$

Mathematica [C] time = 1.37, size = 479, normalized size = 1.43

$$i \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}} \sqrt{\frac{-2\sqrt{b^2 - 4ac} + 2b + 4cx^2}{b - \sqrt{b^2 - 4ac}}} \left(-3Ac\sqrt{b^2 - 4ac} + 2bB\sqrt{b^2 - 4ac} + 2aBc + 3Abc - 2b^2B \right) F \left(i \sinh^{-1} \left(\sqrt{\dots} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(A + B*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (4*B*c*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x*(a + b*x^2 + c*x^4) - I*(2*b*B - 3*A*c)*(-b + Sqrt[b^2 - 4*a*c])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])])*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x, (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])] + I*(-2*b^2*B + 3*A*b*c + 2*a*B*c + 2*b*B*Sqrt[b^2 - 4*a*c] - 3*A*c*Sqrt[b^2 - 4*a*c])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])])*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x, (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])])/(12*c^2*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{Bx^4 + Ax^2}{\sqrt{cx^4 + bx^2 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="fricas")

[Out] integral((B*x^4 + A*x^2)/sqrt(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bx^2 + A)x^2}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((B*x^2 + A)*x^2/sqrt(c*x^4 + b*x^2 + a), x)

maple [A] time = 0.01, size = 607, normalized size = 1.81

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b + \sqrt{-4ac + b^2})x^2}{a} + 4} \sqrt{\frac{2(b + \sqrt{-4ac + b^2})x^2}{a} + 4} \left(-\text{EllipticE} \left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b + \sqrt{-4ac + b^2})b}{ac} - 4}}{2} \right) + \text{EllipticE} \left(\frac{\sqrt{2} \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b + \sqrt{-4ac + b^2})b}{ac} - 4}}{2} \right) \right)}{2 \sqrt{\frac{-b + \sqrt{-4ac + b^2}}{a}} \sqrt{cx^4 + bx^2 + a} (b + \sqrt{-4ac + b^2})}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] B*(1/3*(c*x^4+b*x^2+a)^(1/2)/c*x-1/12/c*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))+1/3*b/c*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))-1/2*A*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(Bx^2 + A)x^2}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)*x^2/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (B x^2 + A)}{\sqrt{c x^4 + b x^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int((x^2*(A + B*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (A + B x^2)}{\sqrt{a + b x^2 + c x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(B*x**2+A)/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral(x**2*(A + B*x**2)/sqrt(a + b*x**2 + c*x**4), x)

$$3.178 \quad \int \frac{A+Bx^2}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=283

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \left(\frac{A\sqrt{c}}{\sqrt{a}} + B \right) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{2c^{3/4}\sqrt{a+bx^2+cx^4}} + \frac{\sqrt[4]{a} B (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{c^{3/4}\sqrt{a+bx^2+cx^4}}$$

[Out] B*x*(c*x^4+b*x^2+a)^(1/2)/c^(1/2)/(a^(1/2)+x^2*c^(1/2))-a^(1/4)*B*(cos(2*arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(c^(1/4)*x/a^(1/4)))*EllipticE(sin(2*arctan(c^(1/4)*x/a^(1/4))),1/2*(2-b/a^(1/2)/c^(1/2))^(1/2))*(a^(1/2)+x^2*c^(1/2))*((c*x^4+b*x^2+a)/(a^(1/2)+x^2*c^(1/2)))^(1/2)/c^(3/4)/(c*x^4+b*x^2+a)^(1/2)+1/2*a^(1/4)*(cos(2*arctan(c^(1/4)*x/a^(1/4)))^2)^(1/2)/cos(2*arctan(c^(1/4)*x/a^(1/4)))*EllipticF(sin(2*arctan(c^(1/4)*x/a^(1/4))),1/2*(2-b/a^(1/2)/c^(1/2))^(1/2))*(a^(1/2)+x^2*c^(1/2))*(B+A*c^(1/2)/a^(1/2))*((c*x^4+b*x^2+a)/(a^(1/2)+x^2*c^(1/2)))^(1/2)/c^(3/4)/(c*x^4+b*x^2+a)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 283, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1197, 1103, 1195}

$$\frac{\sqrt[4]{a} (\sqrt{a} + \sqrt{c} x^2) \left(\frac{A\sqrt{c}}{\sqrt{a}} + B \right) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4} \left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{2c^{3/4}\sqrt{a+bx^2+cx^4}} + \frac{\sqrt[4]{a} B (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{c^{3/4}\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (B*x*Sqrt[a + b*x^2 + c*x^4])/(Sqrt[c]*(Sqrt[a] + Sqrt[c]*x^2)) - (a^(1/4)*B*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticE[2*ArcTan[(c^(1/4)*x)/a^(1/4)], (2 - b/(Sqrt[a]*Sqrt[c]))/4])/(c^(3/4)*Sqrt[a + b*x^2 + c*x^4]) + (a^(1/4)*(B + (A*Sqrt[c])/Sqrt[a])*(Sqrt[a] + Sqrt[c]*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(Sqrt[a] + Sqrt[c]*x^2)^2]*EllipticF[2*ArcTan[(c^(1/4)*x)/a^(1/4)], (2 - b/(Sqrt[a]*Sqrt[c]))/4])/(2*c^(3/4)*Sqrt[a + b*x^2 + c*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rubi steps

$$\int \frac{A + Bx^2}{\sqrt{a + bx^2 + cx^4}} dx = \left(A + \frac{\sqrt{a}B}{\sqrt{c}} \right) \int \frac{1}{\sqrt{a + bx^2 + cx^4}} dx - \frac{(\sqrt{a}B) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a + bx^2 + cx^4}} dx}{\sqrt{c}}$$

$$= \frac{Bx\sqrt{a + bx^2 + cx^4}}{\sqrt{c}(\sqrt{a} + \sqrt{c}x^2)} - \frac{\sqrt[4]{a}B(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a + bx^2 + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt[4]{a}}\right) \Big| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right)}{c^{3/4}\sqrt{a + bx^2 + cx^4}}$$

Mathematica [C] time = 0.25, size = 302, normalized size = 1.07

$$\frac{i\sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \left((-B\sqrt{b^2-4ac} - 2Ac + bB) F\left(i \sinh^{-1}\left(\sqrt{2} \sqrt{\frac{c}{b+\sqrt{b^2-4ac}}} x\right) \Big| \frac{b+\sqrt{b^2-4ac}}{b-\sqrt{b^2-4ac}}\right) + B \right)}{2\sqrt{2}c\sqrt{\frac{c}{\sqrt{b^2-4ac}+b}} \sqrt{a + bx^2 + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/Sqrt[a + b*x^2 + c*x^4], x]

[Out] ((I/2)*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*(B*(-b + Sqrt[b^2 - 4*a*c])*Ellipti

`cE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])] + (b*B - 2*A*c - B*Sqrt[b^2 - 4*a*c])*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])])]/(Sqrt[2]*c*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[a + b*x^2 + c*x^4])`

fricas [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*x^2 + A)/sqrt(c*x^4 + b*x^2 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((B*x^2 + A)/sqrt(c*x^4 + b*x^2 + a), x)`

maple [A] time = 0.01, size = 362, normalized size = 1.28

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 A \text{EllipticF}\left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}-4}}{2}\right) \sqrt{2} \sqrt{-\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}}}{4 \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `-1/2*B*a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*`

$b/c-4)^{(1/2)})+1/4*A*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)*(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)*EllipticF(1/2*2^{(1/2)*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2))}}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int((A + B*x^2)/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((A + B*x**2)/sqrt(a + b*x**2 + c*x**4), x)

$$3.179 \quad \int \frac{A+Bx^2}{x^2 \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=312

$$\frac{(\sqrt{a} + \sqrt{c}x^2)(\sqrt{a}B + A\sqrt{c}) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) A\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{2a^{3/4}\sqrt[4]{c}\sqrt{a+bx^2+cx^4} \quad a^{3/4}\sqrt{a+bx^2+cx^4}}$$

[Out] $-A*(c*x^4+b*x^2+a)^{(1/2)}/a/x+A*x*c^{(1/2)}*(c*x^4+b*x^2+a)^{(1/2)}/a/(a^{(1/2)}+x^2*c^{(1/2)})-A*c^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})), 1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/(c*x^4+b*x^2+a)^{(1/2)}+1/2*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})), 1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)})*(B*a^{(1/2)}+A*c^{(1/2)})*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)}))^2)^{(1/2)}/a^{(3/4)}/c^{(1/4)}/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 312, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1281, 1197, 1103, 1195}

$$\frac{(\sqrt{a} + \sqrt{c}x^2)(\sqrt{a}B + A\sqrt{c}) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) A\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}}}{2a^{3/4}\sqrt[4]{c}\sqrt{a+bx^2+cx^4} \quad a^{3/4}\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^2*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] $-((A*\text{Sqrt}[a + b*x^2 + c*x^4])/(a*x)) + (A*\text{Sqrt}[c]*x*\text{Sqrt}[a + b*x^2 + c*x^4])/(a*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)) - (A*c^{(1/4)}*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/(a^{(3/4)}*\text{Sqrt}[a + b*x^2 + c*x^4]) + ((\text{Sqrt}[a]*B + A*\text{Sqrt}[c])*(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(\text{Sqrt}[a] + \text{Sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\text{Sqrt}[a]*\text{Sqrt}[c]))/4])/(2*a^{(3/4)}*c^{(1/4)}*\text{Sqrt}[a + b*x^2 + c*x^4])$

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4])

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1281

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int \frac{A + Bx^2}{x^2 \sqrt{a + bx^2 + cx^4}} dx &= -\frac{A\sqrt{a + bx^2 + cx^4}}{ax} - \frac{\int \frac{-aB - Acx^2}{\sqrt{a + bx^2 + cx^4}} dx}{a} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{ax} + \left(B + \frac{A\sqrt{c}}{\sqrt{a}}\right) \int \frac{1}{\sqrt{a + bx^2 + cx^4}} dx - \frac{(A\sqrt{c}) \int \frac{1 - \frac{\sqrt{c}x^2}{\sqrt{a}}}{\sqrt{a + bx^2 + cx^4}} dx}{\sqrt{a}} \\ &= -\frac{A\sqrt{a + bx^2 + cx^4}}{ax} + \frac{A\sqrt{c}x\sqrt{a + bx^2 + cx^4}}{a(\sqrt{a} + \sqrt{c}x^2)} - \frac{A\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a + bx^2 + cx^4}{(\sqrt{a} + \sqrt{c}x^2)^2}} E\left(2 \arctan\left(\frac{\sqrt{c}x}{\sqrt{a} + \sqrt{c}x^2}\right)\right)}{a^{3/4}\sqrt{a + bx^2 + cx^4}} \end{aligned}$$

Mathematica [C] time = 1.07, size = 448, normalized size = 1.44

$$-ix \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} \sqrt{\frac{-2\sqrt{b^2-4ac}+2b+4cx^2}{b-\sqrt{b^2-4ac}}} \left(A \left(\sqrt{b^2-4ac} - b \right) + 2aB \right) F \left(i \sinh^{-1} \left(\sqrt{2} \sqrt{\frac{c}{b+\sqrt{b^2-4ac}}} x \right) \middle| \frac{b+\sqrt{b^2-4ac}}{b-\sqrt{b^2-4ac}} \right)$$

4a.

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^2*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] (-4*A*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]*(a + b*x^2 + c*x^4) + I*A*(-b + Sqrt[b^2 - 4*a*c])*x*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x, (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])] - I*(2*a*B + A*(-b + Sqrt[b^2 - 4*a*c]))*x*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*Sqrt[(2*b - 2*Sqrt[b^2 - 4*a*c] + 4*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])]]*x, (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])])/(4*a*Sqrt[c/(b + Sqrt[b^2 - 4*a*c])])*x*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a} (Bx^2 + A)}{cx^6 + bx^4 + ax^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(B*x^2 + A)/(c*x^6 + b*x^4 + a*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((B*x^2 + A)/(sqrt(c*x^4 + b*x^2 + a)*x^2), x)

maple [A] time = 0.02, size = 386, normalized size = 1.24

$$\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 B \operatorname{EllipticF}\left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} - 4}{2}\right)}{4 \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a}} + \left(\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 B \operatorname{EllipticF}\left(\frac{\sqrt{2} \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} x}{2}, \frac{\sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} - 4}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^(1/2), x)`

[Out] $1/4*B*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)}*EllipticF(1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})+A*(-1/a*(c*x^4+b*x^2+a)^{(1/2)}/x-1/2*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*(-2*(-b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*x^2+4)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})*(EllipticF(1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)})-EllipticE(1/2*2^{(1/2)}*((-b+(-4*a*c+b^2)^{(1/2)})/a)^{(1/2)}*x, 1/2*(2*(b+(-4*a*c+b^2)^{(1/2)})/a*b/c-4)^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x^2+A)/x^2/(c*x^4+b*x^2+a)^(1/2), x, algorithm="maxima")`

[Out] `integrate((B*x^2 + A)/(sqrt(c*x^4 + b*x^2 + a)*x^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Bx^2 + A}{x^2 \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)^(1/2)), x)`

[Out] `int((A + B*x^2)/(x^2*(a + b*x^2 + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{x^2 \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((B*x**2+A)/x**2/(c*x**4+b*x**2+a)**(1/2), x)`

[Out] `Integral((A + B*x**2)/(x**2*sqrt(a + b*x**2 + c*x**4)), x)`

$$3.180 \quad \int \frac{A+Bx^2}{x^4 \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=376

$$\frac{\sqrt[4]{c} (\sqrt{a} + \sqrt{c} x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (\sqrt{a} A\sqrt{c} - 3aB + 2Ab) F\left(2 \tan^{-1}\left(\frac{\sqrt[4]{c}x}{\sqrt{a}}\right) \middle| \frac{1}{4}\left(2 - \frac{b}{\sqrt{a}\sqrt{c}}\right)\right) \sqrt[4]{c} (\sqrt{a} + \sqrt{c} x^2)}{6a^{7/4} \sqrt{a+bx^2+cx^4}} +$$

[Out] $-1/3*A*(c*x^4+b*x^2+a)^{(1/2)}/a/x^3+1/3*(2*A*b-3*B*a)*(c*x^4+b*x^2+a)^{(1/2)}/a^2/x-1/3*(2*A*b-3*B*a)*x*c^{(1/2)}*(c*x^4+b*x^2+a)^{(1/2)}/a^2/(a^{(1/2)}+x^2*c^{(1/2)})+1/3*(2*A*b-3*B*a)*c^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticE}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)}*(a^{(1/2)}+x^2*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(c*x^4+b*x^2+a)^{(1/2)}-1/6*c^{(1/4)}*(\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))^2)^{(1/2)}/\cos(2*\arctan(c^{(1/4)}*x/a^{(1/4)}))*\text{EllipticF}(\sin(2*\arctan(c^{(1/4)}*x/a^{(1/4)})),1/2*(2-b/a^{(1/2)}/c^{(1/2)})^{(1/2)}*(a^{(1/2)}+x^2*c^{(1/2)})*(2*A*b-3*a*B+A*a^{(1/2)}*c^{(1/2)})*((c*x^4+b*x^2+a)/(a^{(1/2)}+x^2*c^{(1/2)})^2)^{(1/2)}/a^{(7/4)}/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 376, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1281, 1197, 1103, 1195}

$$\frac{(2Ab - 3aB)\sqrt{a+bx^2+cx^4}}{3a^2x} - \frac{\sqrt{c}x(2Ab - 3aB)\sqrt{a+bx^2+cx^4}}{3a^2(\sqrt{a} + \sqrt{c}x^2)} - \frac{\sqrt[4]{c}(\sqrt{a} + \sqrt{c}x^2) \sqrt{\frac{a+bx^2+cx^4}{(\sqrt{a}+\sqrt{c}x^2)^2}} (\sqrt{a} A\sqrt{c} - 3aB)}{6a^{7/4} \sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(A + B*x^2)/(x^4*sqrt[a + b*x^2 + c*x^4]),x]

[Out] $-(A*\text{sqrt}[a + b*x^2 + c*x^4])/(3*a*x^3) + ((2*A*b - 3*a*B)*\text{sqrt}[a + b*x^2 + c*x^4])/(3*a^2*x) - ((2*A*b - 3*a*B)*\text{sqrt}[c]*x*\text{sqrt}[a + b*x^2 + c*x^4])/(3*a^2*(\text{sqrt}[a] + \text{sqrt}[c]*x^2)) + ((2*A*b - 3*a*B)*c^{(1/4)}*(\text{sqrt}[a] + \text{sqrt}[c]*x^2)*\text{sqrt}[(a + b*x^2 + c*x^4)/(\text{sqrt}[a] + \text{sqrt}[c]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\text{sqrt}[a]*\text{sqrt}[c]))/4])/(3*a^{(7/4)}*\text{sqrt}[a + b*x^2 + c*x^4]) - ((2*A*b - 3*a*B + \text{sqrt}[a]*A*\text{sqrt}[c])*c^{(1/4)}*(\text{sqrt}[a] + \text{sqrt}[c]*x^2)*\text{sqrt}[(a + b*x^2 + c*x^4)/(\text{sqrt}[a] + \text{sqrt}[c]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[(c^{(1/4)}*x)/a^{(1/4)}], (2 - b/(\text{sqrt}[a]*\text{sqrt}[c]))/4])/(6*a^{(7/4)}*\text{sqrt}[a + b*x^2 + c*x^4])$

Rule 1103


```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1281

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx^2}{x^4 \sqrt{a + bx^2 + cx^4}} dx &= -\frac{A\sqrt{a + bx^2 + cx^4}}{3ax^3} - \frac{\int \frac{2Ab - 3aB + Acx^2}{x^2 \sqrt{a + bx^2 + cx^4}} dx}{3a} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{3ax^3} + \frac{(2Ab - 3aB)\sqrt{a + bx^2 + cx^4}}{3a^2x} + \frac{\int \frac{-aAc - (2Ab - 3aB)cx^2}{\sqrt{a + bx^2 + cx^4}} dx}{3a^2} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{3ax^3} + \frac{(2Ab - 3aB)\sqrt{a + bx^2 + cx^4}}{3a^2x} + \frac{((2Ab - 3aB)\sqrt{c}) \int \frac{1 - \frac{\sqrt{cx^2}}{\sqrt{a}}}{\sqrt{a + bx^2 + cx^4}} dx}{3a^{3/2}} \\
&= -\frac{A\sqrt{a + bx^2 + cx^4}}{3ax^3} + \frac{(2Ab - 3aB)\sqrt{a + bx^2 + cx^4}}{3a^2x} - \frac{(2Ab - 3aB)\sqrt{c}x\sqrt{a + bx^2 + cx^4}}{3a^2(\sqrt{a} + \sqrt{c}x^2)}
\end{aligned}$$

Mathematica [C] time = 0.70, size = 373, normalized size = 0.99

$$\frac{4(a + bx^2 + cx^4)(a(A + 3Bx^2) - 2Abx^2)}{x^3} + \frac{i\sqrt{2} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}} \sqrt{\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} + 1 \left((2A(b\sqrt{b^2 - 4ac} + ac - b^2) + 3aB(b - \sqrt{b^2 - 4ac})) F\left(i \sinh^{-1}\left(\sqrt{2} \sqrt{\frac{c}{b + \sqrt{b^2 - 4ac} + b}}\right)\right)}{\sqrt{\frac{c}{\sqrt{b^2 - 4ac} + b}}}\right)}{12a^2 \sqrt{a + bx^2 + cx^4}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B*x^2)/(x^4*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] ((-4*(a + b*x^2 + c*x^4)*(-2*A*b*x^2 + a*(A + 3*B*x^2)))/x^3 + (I*Sqrt[2]*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*(-((2*A*b - 3*a*B)*(-b + Sqrt[b^2 - 4*a*c]))*EllipticE[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c]])*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c]]) + (3*a*B*(b - Sqrt[b^2 - 4*a*c]) + 2*A*(-b^2 + a*c + b*Sqrt[b^2 - 4*a*c]))*EllipticF[I*ArcSinh[Sqrt[2]*Sqrt[c/(b + Sqrt[b^2 - 4*a*c]])*x], (b + Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 - 4*a*c])]))/Sqrt[c/(b + Sqrt[b^2 - 4*a*c])])/(12*a^2*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a}(Bx^2 + A)}{cx^8 + bx^6 + ax^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(B*x^2 + A)/(c*x^8 + b*x^6 + a*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + a} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] integrate((B*x^2 + A)/(sqrt(c*x^4 + b*x^2 + a)*x^4), x)

maple [A] time = 0.02, size = 656, normalized size = 1.74

$$\left(\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \sqrt{\frac{2(b+\sqrt{-4ac+b^2})x^2}{a}} + 4 \left(-\text{EllipticE} \left(\frac{\sqrt{2} \sqrt{-\frac{2(-b+\sqrt{-4ac+b^2})x^2}{a}}}{2}, \sqrt{\frac{2(b+\sqrt{-4ac+b^2})b}{ac}} \right) \right)}{3 \sqrt{\frac{-b+\sqrt{-4ac+b^2}}{a}} \sqrt{cx^4 + bx^2 + a} (b + \sqrt{-4ac + b^2}) a} \right) + \text{EllipticE}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^(1/2),x)

[Out] B*(-(c*x^4+b*x^2+a)^(1/2)/a/x-1/2*c*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2))*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))+A*(-1/3/a*(c*x^4+b*x^2+a)^(1/2)/x^3+2/3/a^2*b*(c*x^4+b*x^2+a)^(1/2)/x-1/12/a*c*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)*EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))+1/3*b*c/a*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*(-2*(-b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)*(2*(b+(-4*a*c+b^2)^(1/2))/a*x^2+4)^(1/2)/(c*x^4+b*x^2+a)^(1/2)/(b+(-4*a*c+b^2)^(1/2))*(EllipticF(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))-EllipticE(1/2*2^(1/2)*((-b+(-4*a*c+b^2)^(1/2))/a)^(1/2)*x,1/2*(2*(b+(-4*a*c+b^2)^(1/2))/a*b/c-4)^(1/2))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bx^2 + A}{\sqrt{cx^4 + bx^2 + ax^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x^2+A)/x^4/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((B*x^2 + A)/(sqrt(c*x^4 + b*x^2 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{Bx^2 + A}{x^4 \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)^(1/2)),x)

[Out] int((A + B*x^2)/(x^4*(a + b*x^2 + c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + Bx^2}{x^4 \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B*x**2+A)/x**4/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((A + B*x**2)/(x**4*sqrt(a + b*x**2 + c*x**4)), x)

$$3.181 \quad \int \frac{x^7(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=98

$$-\frac{89}{48}\sqrt{x^4+5x^2+3}x^4 - \frac{1}{384}(24243-3802x^2)\sqrt{x^4+5x^2+3} + \frac{32801}{256}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) + \frac{3}{8}\sqrt{x^4+5x^2+3}$$

[Out] 32801/256*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-89/48*x^4*(x^4+5*x^2+3)^(1/2)+3/8*x^6*(x^4+5*x^2+3)^(1/2)-1/384*(-3802*x^2+24243)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 832, 779, 621, 206}

$$\frac{3}{8}\sqrt{x^4+5x^2+3}x^6 - \frac{89}{48}\sqrt{x^4+5x^2+3}x^4 - \frac{1}{384}(24243-3802x^2)\sqrt{x^4+5x^2+3} + \frac{32801}{256}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^7*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] (-89*x^4*Sqrt[3 + 5*x^2 + x^4])/48 + (3*x^6*Sqrt[3 + 5*x^2 + x^4])/8 - ((24243 - 3802*x^2)*Sqrt[3 + 5*x^2 + x^4])/384 + (32801*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/256

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x)*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g)))*(2*p +

3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

Rule 832

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
 \int \frac{x^7(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3(2+3x)}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
 &= \frac{3}{8} x^6 \sqrt{3+5x^2+x^4} + \frac{1}{8} \text{Subst} \left(\int \frac{\left(-27 - \frac{89x}{2}\right) x^2}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
 &= -\frac{89}{48} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{8} x^6 \sqrt{3+5x^2+x^4} + \frac{1}{24} \text{Subst} \left(\int \frac{x \left(267 + \frac{1901x}{4}\right)}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
 &= -\frac{89}{48} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{8} x^6 \sqrt{3+5x^2+x^4} - \frac{1}{384} (24243 - 3802x^2) \sqrt{3+5x^2+x^4} + \frac{3}{2} \\
 &= -\frac{89}{48} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{8} x^6 \sqrt{3+5x^2+x^4} - \frac{1}{384} (24243 - 3802x^2) \sqrt{3+5x^2+x^4} + \frac{3}{2} \\
 &= -\frac{89}{48} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{8} x^6 \sqrt{3+5x^2+x^4} - \frac{1}{384} (24243 - 3802x^2) \sqrt{3+5x^2+x^4} + \frac{3}{2}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 66, normalized size = 0.67

$$\frac{1}{768} \left(98403 \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right) + 2\sqrt{x^4 + 5x^2 + 3} (144x^6 - 712x^4 + 3802x^2 - 24243) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4],x]

[Out] (2*Sqrt[3 + 5*x^2 + x^4]*(-24243 + 3802*x^2 - 712*x^4 + 144*x^6) + 98403*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/768

fricas [A] time = 0.55, size = 56, normalized size = 0.57

$$\frac{1}{384} (144x^6 - 712x^4 + 3802x^2 - 24243)\sqrt{x^4 + 5x^2 + 3} - \frac{32801}{256} \log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/384*(144*x^6 - 712*x^4 + 3802*x^2 - 24243)*sqrt(x^4 + 5*x^2 + 3) - 32801/256*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.37, size = 60, normalized size = 0.61

$$\frac{1}{384} \sqrt{x^4 + 5x^2 + 3} (2(4(18x^2 - 89)x^2 + 1901)x^2 - 24243) - \frac{32801}{256} \log(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 1/384*sqrt(x^4 + 5*x^2 + 3)*(2*(4*(18*x^2 - 89)*x^2 + 1901)*x^2 - 24243) - 32801/256*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 87, normalized size = 0.89

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^6}{8} - \frac{89\sqrt{x^4 + 5x^2 + 3} x^4}{48} + \frac{1901\sqrt{x^4 + 5x^2 + 3} x^2}{192} + \frac{32801 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{256} - \frac{8081\sqrt{x^4 + 5x^2 + 3}}{128}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x)

[Out] 3/8*(x^4+5*x^2+3)^(1/2)*x^6-89/48*(x^4+5*x^2+3)^(1/2)*x^4+1901/192*(x^4+5*x^2+3)^(1/2)*x^2-8081/128*(x^4+5*x^2+3)^(1/2)+32801/256*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 0.93, size = 90, normalized size = 0.92

$$\frac{3}{8} \sqrt{x^4 + 5x^2 + 3} x^6 - \frac{89}{48} \sqrt{x^4 + 5x^2 + 3} x^4 + \frac{1901}{192} \sqrt{x^4 + 5x^2 + 3} x^2 - \frac{8081}{128} \sqrt{x^4 + 5x^2 + 3} + \frac{32801}{256} \log(2x^2 + 2\sqrt{x^4 + 5x^2 + 3})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] 3/8*sqrt(x^4 + 5*x^2 + 3)*x^6 - 89/48*sqrt(x^4 + 5*x^2 + 3)*x^4 + 1901/192*sqrt(x^4 + 5*x^2 + 3)*x^2 - 8081/128*sqrt(x^4 + 5*x^2 + 3) + 32801/256*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^7 (3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^7*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2),x)

[Out] int((x^7*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7 (3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7*(3*x**2+2)/(x**4+5*x**2+3)**(1/2),x)

[Out] Integral(x**7*(3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)

$$3.182 \quad \int \frac{x^5(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=77

$$\frac{1}{2}\sqrt{x^4+5x^2+3}x^4 + \frac{3}{16}(89-14x^2)\sqrt{x^4+5x^2+3} - \frac{1083}{32}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

[Out] -1083/32*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))+1/2*x^4*(x^4+5*x^2+3)^(1/2)+3/16*(-14*x^2+89)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 832, 779, 621, 206}

$$\frac{1}{2}\sqrt{x^4+5x^2+3}x^4 + \frac{3}{16}(89-14x^2)\sqrt{x^4+5x^2+3} - \frac{1083}{32}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^5*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] (x^4*Sqrt[3 + 5*x^2 + x^4])/2 + (3*(89 - 14*x^2)*Sqrt[3 + 5*x^2 + x^4])/16 - (1083*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/32

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

Rule 832

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[(g*(d + e*x)^m*(a + b*x + c*x^2)^(p + 1))/(c*(m + 2*p + 2)), x] + Dist[1/(c*(m + 2*p + 2)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^p*Simp[m*(c*d*f - a*e*g) + d*(2*c*f - b*g)*(p + 1) + (m*(c*e*f + c*d*g - b*e*g) + e*(p + 1)*(2*c*f - b*g))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[m, 0] && NeQ[m + 2*p + 2, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p]) && !(IGtQ[m, 0] && EqQ[f, 0])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{x^5(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2(2+3x)}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} x^4 \sqrt{3+5x^2+x^4} + \frac{1}{6} \text{Subst} \left(\int \frac{\left(-18 - \frac{63x}{2}\right)x}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{16} (89-14x^2) \sqrt{3+5x^2+x^4} - \frac{1083}{32} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{16} (89-14x^2) \sqrt{3+5x^2+x^4} - \frac{1083}{16} \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5}{\sqrt{3+5x+x^2}} \right) \\ &= \frac{1}{2} x^4 \sqrt{3+5x^2+x^4} + \frac{3}{16} (89-14x^2) \sqrt{3+5x^2+x^4} - \frac{1083}{32} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 61, normalized size = 0.79

$$\frac{1}{32} \left(2\sqrt{x^4+5x^2+3} (8x^4-42x^2+267) - 1083 \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] $(2\sqrt{3 + 5x^2 + x^4} \cdot (267 - 42x^2 + 8x^4) - 1083 \operatorname{ArcTanh}[(5 + 2x^2) / (2\sqrt{3 + 5x^2 + x^4})]) / 32$

fricas [A] time = 0.59, size = 51, normalized size = 0.66

$$\frac{1}{16} (8x^4 - 42x^2 + 267) \sqrt{x^4 + 5x^2 + 3} + \frac{1083}{32} \log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")`

[Out] $1/16*(8*x^4 - 42*x^2 + 267)*\operatorname{sqrt}(x^4 + 5*x^2 + 3) + 1083/32*\log(-2*x^2 + 2*\operatorname{sqrt}(x^4 + 5*x^2 + 3) - 5)$

giac [A] time = 0.34, size = 53, normalized size = 0.69

$$\frac{1}{16} \sqrt{x^4 + 5x^2 + 3} (2(4x^2 - 21)x^2 + 267) + \frac{1083}{32} \log(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")`

[Out] $1/16*\operatorname{sqrt}(x^4 + 5*x^2 + 3)*(2*(4*x^2 - 21)*x^2 + 267) + 1083/32*\log(2*x^2 - 2*\operatorname{sqrt}(x^4 + 5*x^2 + 3) + 5)$

maple [A] time = 0.01, size = 70, normalized size = 0.91

$$\frac{\sqrt{x^4 + 5x^2 + 3} x^4}{2} - \frac{21\sqrt{x^4 + 5x^2 + 3} x^2}{8} - \frac{1083 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{32} + \frac{267\sqrt{x^4 + 5x^2 + 3}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x)`

[Out] $1/2*(x^4+5*x^2+3)^(1/2)*x^4-21/8*(x^4+5*x^2+3)^(1/2)*x^2+267/16*(x^4+5*x^2+3)^(1/2)-1083/32*\ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))$

maxima [A] time = 0.99, size = 73, normalized size = 0.95

$$\frac{1}{2} \sqrt{x^4 + 5x^2 + 3} x^4 - \frac{21}{8} \sqrt{x^4 + 5x^2 + 3} x^2 + \frac{267}{16} \sqrt{x^4 + 5x^2 + 3} - \frac{1083}{32} \log(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{2}\sqrt{x^4 + 5x^2 + 3}x^4 - \frac{21}{8}\sqrt{x^4 + 5x^2 + 3}x^2 + \frac{267}{16}\sqrt{x^4 + 5x^2 + 3} - \frac{1083}{32}\log(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5 (3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2), x)`

[Out] `int((x^5*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(3*x**2+2)/(x**4+5*x**2+3)**(1/2), x)`

[Out] `Integral(x**5*(3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)`

$$3.183 \quad \int \frac{x^3(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=56

$$\frac{149}{16} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{1}{8}(37-6x^2)\sqrt{x^4+5x^2+3}$$

[Out] 149/16*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-1/8*(-6*x^2+37)*(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1251, 779, 621, 206}

$$\frac{149}{16} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{1}{8}(37-6x^2)\sqrt{x^4+5x^2+3}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] -((37 - 6*x^2)*Sqrt[3 + 5*x^2 + x^4])/8 + (149*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/16

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 779

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((b*e*g*(p + 2) - c*(e*f + d*g))*(2*p + 3) - 2*c*e*g*(p + 1)*x*(a + b*x + c*x^2)^(p + 1))/(2*c^2*(p + 1)*(2*p + 3)), x] + Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(2*c^2*(2*p + 3)), Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{x^3(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(2+3x)}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= -\frac{1}{8} (37-6x^2) \sqrt{3+5x^2+x^4} + \frac{149}{16} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= -\frac{1}{8} (37-6x^2) \sqrt{3+5x^2+x^4} + \frac{149}{8} \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) \\ &= -\frac{1}{8} (37-6x^2) \sqrt{3+5x^2+x^4} + \frac{149}{16} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 56, normalized size = 1.00

$$\frac{1}{16} \left(2\sqrt{x^4+5x^2+3} (6x^2-37) + 149 \tanh^{-1} \left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(2+3*x^2))/Sqrt[3+5*x^2+x^4],x]

[Out] (2*(-37+6*x^2)*Sqrt[3+5*x^2+x^4]+149*ArcTanh[(5+2*x^2)/(2*Sqrt[3+5*x^2+x^4]])/16

fricas [A] time = 0.54, size = 46, normalized size = 0.82

$$\frac{1}{8} \sqrt{x^4+5x^2+3} (6x^2-37) - \frac{149}{16} \log(-2x^2+2\sqrt{x^4+5x^2+3}-5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/8*sqrt(x^4+5*x^2+3)*(6*x^2-37)-149/16*log(-2*x^2+2*sqrt(x^4+5*x^2+3)-5)

giac [A] time = 0.35, size = 46, normalized size = 0.82

$$\frac{1}{8} \sqrt{x^4 + 5x^2 + 3} (6x^2 - 37) - \frac{149}{16} \log\left(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 1/8*sqrt(x^4 + 5*x^2 + 3)*(6*x^2 - 37) - 149/16*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.01, size = 53, normalized size = 0.95

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^2}{4} + \frac{149 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{16} - \frac{37\sqrt{x^4 + 5x^2 + 3}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x)

[Out] 3/4*(x^4+5*x^2+3)^(1/2)*x^2-37/8*(x^4+5*x^2+3)^(1/2)+149/16*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 1.04, size = 56, normalized size = 1.00

$$\frac{3}{4} \sqrt{x^4 + 5x^2 + 3} x^2 - \frac{37}{8} \sqrt{x^4 + 5x^2 + 3} + \frac{149}{16} \log\left(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] 3/4*sqrt(x^4 + 5*x^2 + 3)*x^2 - 37/8*sqrt(x^4 + 5*x^2 + 3) + 149/16*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x^3 (3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2),x)

[Out] int((x^3*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(3*x**2+2)/(x**4+5*x**2+3)**(1/2),x)

[Out] Integral(x**3*(3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)

$$3.184 \quad \int \frac{x(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=49

$$\frac{3}{2}\sqrt{x^4+5x^2+3} - \frac{11}{4}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

[Out] $-11/4*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2}))+3/2*(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {1247, 640, 621, 206}

$$\frac{3}{2}\sqrt{x^4+5x^2+3} - \frac{11}{4}\tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(2+3*x^2))/\operatorname{Sqrt}[3+5*x^2+x^4],x]$

[Out] $(3*\operatorname{Sqrt}[3+5*x^2+x^4])/2 - (11*\operatorname{ArcTanh}[(5+2*x^2)/(2*\operatorname{Sqrt}[3+5*x^2+x^4]))/4$

Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt}Q[a, 0] \parallel \operatorname{Lt}Q[b, 0])$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*(x_+) + (c_+)*(x_+)^2], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 640

$\operatorname{Int}[(d_+ + (e_+)*(x_+))*((a_+ + (b_+)*(x_+) + (c_+)*(x_+)^2)^{p_+}), x_Symbol] \rightarrow \operatorname{Simp}[(e*(a + b*x + c*x^2)^{(p+1)})/(2*c*(p+1)), x] + \operatorname{Dist}[(2*c*d - b*e)/(2*c), \operatorname{Int}[(a + b*x + c*x^2)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, p\}, x] \&\& \operatorname{NeQ}[2*c*d - b*e, 0] \&\& \operatorname{NeQ}[p, -1]$

Rule 1247

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(
p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{x(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= \frac{3}{2} \sqrt{3+5x^2+x^4} - \frac{11}{4} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= \frac{3}{2} \sqrt{3+5x^2+x^4} - \frac{11}{2} \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) \\ &= \frac{3}{2} \sqrt{3+5x^2+x^4} - \frac{11}{4} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) \end{aligned}$$

Mathematica [A] time = 0.01, size = 49, normalized size = 1.00

$$\frac{3}{2} \sqrt{x^4 + 5x^2 + 3} - \frac{11}{4} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] (3*Sqrt[3 + 5*x^2 + x^4])/2 - (11*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/4

fricas [A] time = 0.90, size = 39, normalized size = 0.80

$$\frac{3}{2} \sqrt{x^4 + 5x^2 + 3} + \frac{11}{4} \log \left(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5*x^2+3)^(1/2), x, algorithm="fricas")

[Out] 3/2*sqrt(x^4 + 5*x^2 + 3) + 11/4*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.47, size = 39, normalized size = 0.80

$$\frac{3}{2} \sqrt{x^4 + 5x^2 + 3} + \frac{11}{4} \log \left(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 3/2*sqrt(x^4 + 5*x^2 + 3) + 11/4*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.01, size = 36, normalized size = 0.73

$$-\frac{11 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{4} + \frac{3\sqrt{x^4 + 5x^2 + 3}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x)

[Out] 3/2*(x^4+5*x^2+3)^(1/2)-11/4*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))

maxima [A] time = 0.92, size = 39, normalized size = 0.80

$$\frac{3}{2} \sqrt{x^4 + 5x^2 + 3} - \frac{11}{4} \log\left(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] 3/2*sqrt(x^4 + 5*x^2 + 3) - 11/4*log(2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) + 5)

mupad [B] time = 0.52, size = 35, normalized size = 0.71

$$\frac{3\sqrt{x^4 + 5x^2 + 3}}{2} - \frac{11 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2),x)

[Out] (3*(5*x^2 + x^4 + 3)^(1/2))/2 - (11*log((5*x^2 + x^4 + 3)^(1/2) + x^2 + 5/2))/4

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x**2+2)/(x**4+5*x**2+3)**(1/2),x)

[Out] Integral(x*(3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)

$$3.185 \quad \int \frac{2+3x^2}{x\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=69

$$\frac{3}{2} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{\sqrt{3}}$$

[Out] 3/2*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))-1/3*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)

Rubi [A] time = 0.06, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 843, 621, 206, 724}

$$\frac{3}{2} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) - \frac{\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x*Sqrt[3 + 5*x^2 + x^4]),x]

[Out] (3*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/2 - ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4]])/Sqrt[3]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{x\sqrt{3 + 5x^2 + x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x\sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= \frac{3}{2} \text{Subst} \left(\int \frac{1}{\sqrt{3 + 5x + x^2}} dx, x, x^2 \right) + \text{Subst} \left(\int \frac{1}{x\sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= - \left(2 \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, \frac{6 + 5x^2}{\sqrt{3 + 5x^2 + x^4}} \right) \right) + 3 \text{Subst} \left(\int \frac{1}{4 - x^2} dx, x, \frac{5 + 2x^2}{\sqrt{3 + 5x^2 + x^4}} \right) \\ &= \frac{3}{2} \tanh^{-1} \left(\frac{5 + 2x^2}{2\sqrt{3 + 5x^2 + x^4}} \right) - \frac{\tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3}\sqrt{3 + 5x^2 + x^4}} \right)}{\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 69, normalized size = 1.00

$$\frac{3}{2} \tanh^{-1} \left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}} \right) - \frac{\tanh^{-1} \left(\frac{5x^2 + 6}{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}} \right)}{\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x*Sqrt[3 + 5*x^2 + x^4]),x]

[Out] (3*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4]])/2 - ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])]/Sqrt[3]

fricas [A] time = 0.83, size = 75, normalized size = 1.09

$$\frac{1}{3} \sqrt{3} \log \left(\frac{25x^2 - 2\sqrt{3}(5x^2 + 6) - 2\sqrt{x^4 + 5x^2 + 3}(5\sqrt{3} - 6) + 30}{x^2} \right) - \frac{3}{2} \log \left(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/3*sqrt(3)*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) - 6) + 30)/x^2) - 3/2*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5)

giac [A] time = 0.43, size = 78, normalized size = 1.13

$$\frac{1}{3} \sqrt{3} \log \left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}} \right) - \frac{3}{2} \log \left(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 1/3*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) - 3/2*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.01, size = 52, normalized size = 0.75

$$-\frac{\sqrt{3} \operatorname{arctanh} \left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}} \right)}{3} + \frac{3 \ln \left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x/(x^4+5*x^2+3)^(1/2),x)

[Out] 3/2*ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))-1/3*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)

maxima [A] time = 1.93, size = 58, normalized size = 0.84

$$-\frac{1}{3} \sqrt{3} \log \left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5 \right) + \frac{3}{2} \log \left(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] $-1/3*\sqrt{3}*\log(2*\sqrt{3}*\sqrt{x^4 + 5*x^2 + 3}/x^2 + 6/x^2 + 5) + 3/2*\log(2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3} + 5)$

mupad [B] time = 1.01, size = 56, normalized size = 0.81

$$\frac{3 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{2} - \frac{\sqrt{3} \left(\ln\left(\frac{1}{x^2}\right) + \ln\left(2\sqrt{3}\sqrt{x^4 + 5x^2 + 3} + 5x^2 + 6\right)\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x*(5*x^2 + x^4 + 3)^(1/2)), x)`

[Out] $(3*\log((5*x^2 + x^4 + 3)^{(1/2)} + x^2 + 5/2))/2 - (3^{(1/2)}*(\log(1/x^2) + \log(2*3^{(1/2)}*(5*x^2 + x^4 + 3)^{(1/2)} + 5*x^2 + 6)))/3$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x/(x**4+5*x**2+3)**(1/2), x)`

[Out] `Integral((3*x**2 + 2)/(x*sqrt(x**4 + 5*x**2 + 3)), x)`

$$3.186 \quad \int \frac{2+3x^2}{x^3 \sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=62

$$-\frac{\sqrt{x^4+5x^2+3}}{3x^2} - \frac{2 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3\sqrt{3}}$$

[Out] $-2/9*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)/(x^4+5*x^2+3)^{(1/2)})}*3^{(1/2)}-1/3*(x^4+5*x^2+3)^{(1/2)}/x^2$

Rubi [A] time = 0.05, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1251, 806, 724, 206}

$$-\frac{\sqrt{x^4+5x^2+3}}{3x^2} - \frac{2 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2 + 3*x^2)/(x^3*\operatorname{Sqrt}[3 + 5*x^2 + x^4]), x]$

[Out] $-\operatorname{Sqrt}[3 + 5*x^2 + x^4]/(3*x^2) - (2*\operatorname{ArcTanh}[(6 + 5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/(3*\operatorname{Sqrt}[3])$

Rule 206

$\operatorname{Int}[(a + (b_*)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt} Q[a, 0] \parallel \operatorname{Lt} Q[b, 0])$

Rule 724

$\operatorname{Int}[1/(((d_*) + (e_*)*(x_*))*\operatorname{Sqrt}[(a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \&\& \operatorname{NeQ}[2*c*d - b*e, 0]$

Rule 806

$\operatorname{Int}[(d_*) + (e_*)*(x_)^m]*((f_*) + (g_*)*(x_*))*((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2)^{p_*}, x_Symbol] \rightarrow -\operatorname{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + b*x + c*x^2)^{(p+1)}/(2*(p+1)*(c*d^2 - b*d*e + a*e^2)), x] - \operatorname{Dist}[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), \operatorname{Int}[(d + e*x)^m$

+ 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] & & NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{x^3 \sqrt{3 + 5x^2 + x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x^2 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{3x^2} + \frac{2}{3} \text{Subst} \left(\int \frac{1}{x \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{3x^2} - \frac{4}{3} \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, \frac{6 + 5x^2}{\sqrt{3 + 5x^2 + x^4}} \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{3x^2} - \frac{2 \tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3} \sqrt{3 + 5x^2 + x^4}} \right)}{3\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 62, normalized size = 1.00

$$-\frac{\sqrt{x^4 + 5x^2 + 3}}{3x^2} - \frac{2 \tanh^{-1} \left(\frac{5x^2 + 6}{2\sqrt{3} \sqrt{x^4 + 5x^2 + 3}} \right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^3*Sqrt[3 + 5*x^2 + x^4]), x]

[Out] -1/3*Sqrt[3 + 5*x^2 + x^4]/x^2 - (2*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/(3*Sqrt[3])

fricas [A] time = 0.52, size = 78, normalized size = 1.26

$$\frac{2\sqrt{3}x^2 \log \left(\frac{25x^2 - 2\sqrt{3}(5x^2 + 6) - 2\sqrt{x^4 + 5x^2 + 3}(5\sqrt{3} - 6) + 30}{x^2} \right) - 3x^2 - 3\sqrt{x^4 + 5x^2 + 3}}{9x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/9*(2*sqrt(3)*x^2*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3))*(5*sqrt(3) - 6) + 30)/x^2) - 3*x^2 - 3*sqrt(x^4 + 5*x^2 + 3))/x^2

giac [B] time = 0.39, size = 101, normalized size = 1.63

$$\frac{2}{9} \sqrt{3} \log \left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}} \right) + \frac{5x^2 - 5\sqrt{x^4 + 5x^2 + 3} + 6}{3 \left((x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 2/9*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 1/3*(5*x^2 - 5*sqrt(x^4 + 5*x^2 + 3) + 6)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)

maple [A] time = 0.02, size = 49, normalized size = 0.79

$$-\frac{2\sqrt{3} \operatorname{arctanh} \left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}} \right)}{9} - \frac{\sqrt{x^4 + 5x^2 + 3}}{3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^3/(x^4+5*x^2+3)^(1/2),x)

[Out] -2/9*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-1/3*(x^4+5*x^2+3)^(1/2)/x^2

maxima [A] time = 2.02, size = 51, normalized size = 0.82

$$-\frac{2}{9} \sqrt{3} \log \left(\frac{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}}{x^2} + \frac{6}{x^2} + 5 \right) - \frac{\sqrt{x^4 + 5x^2 + 3}}{3x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] -2/9*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) - 1/3*sqrt(x^4 + 5*x^2 + 3)/x^2

mupad [B] time = 0.66, size = 83, normalized size = 1.34

$$\frac{5\sqrt{3} \operatorname{atanh}\left(\frac{\sqrt{3}(5x^2+6)}{6\sqrt{x^4+5x^2+3}}\right)}{18} - \frac{\sqrt{x^4+5x^2+3}}{3x^2} - \frac{\sqrt{3} \left(\ln\left(\frac{1}{x^2}\right) + \ln\left(2\sqrt{3}\sqrt{x^4+5x^2+3} + 5x^2+6\right)\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^3*(5*x^2 + x^4 + 3)^(1/2)), x)`

[Out] $(5\cdot 3^{1/2} \cdot \operatorname{atanh}((3^{1/2} \cdot (5x^2 + 6)) / (6 \cdot (5x^2 + x^4 + 3)^{1/2}))) / 18 - (5x^2 + x^4 + 3)^{1/2} / (3x^2) - (3^{1/2} \cdot (\log(1/x^2) + \log(2 \cdot 3^{1/2} \cdot (5x^2 + x^4 + 3)^{1/2} + 5x^2 + 6))) / 2$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x^3 \sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**3/(x**4+5*x**2+3)**(1/2), x)`

[Out] `Integral((3*x**2 + 2)/(x**3*sqrt(x**4 + 5*x**2 + 3)), x)`

$$3.187 \quad \int \frac{2+3x^2}{x^5 \sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=83

$$-\frac{\sqrt{x^4+5x^2+3}}{12x^2} - \frac{\sqrt{x^4+5x^2+3}}{6x^4} + \frac{1}{8}\sqrt{3} \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)$$

[Out] 1/8*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)-1/6*(x^4+5*x^2+3)^(1/2)/x^4-1/12*(x^4+5*x^2+3)^(1/2)/x^2

Rubi [A] time = 0.07, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 834, 806, 724, 206}

$$-\frac{\sqrt{x^4+5x^2+3}}{12x^2} - \frac{\sqrt{x^4+5x^2+3}}{6x^4} + \frac{1}{8}\sqrt{3} \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^5*Sqrt[3 + 5*x^2 + x^4]),x]

[Out] -Sqrt[3 + 5*x^2 + x^4]/(6*x^4) - Sqrt[3 + 5*x^2 + x^4]/(12*x^2) + (Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/8

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 806

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] &

& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 834

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((m + 1)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p*Simp[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x, x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
 \int \frac{2 + 3x^2}{x^5 \sqrt{3 + 5x^2 + x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x^3 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{3 + 5x^2 + x^4}}{6x^4} - \frac{1}{12} \text{Subst} \left(\int \frac{-3 + 2x}{x^2 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{3 + 5x^2 + x^4}}{6x^4} - \frac{\sqrt{3 + 5x^2 + x^4}}{12x^2} - \frac{3}{8} \text{Subst} \left(\int \frac{1}{x \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\
 &= -\frac{\sqrt{3 + 5x^2 + x^4}}{6x^4} - \frac{\sqrt{3 + 5x^2 + x^4}}{12x^2} + \frac{3}{4} \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, \frac{6 + 5x^2}{\sqrt{3 + 5x^2 + x^4}} \right) \\
 &= -\frac{\sqrt{3 + 5x^2 + x^4}}{6x^4} - \frac{\sqrt{3 + 5x^2 + x^4}}{12x^2} + \frac{1}{8} \sqrt{3} \tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3} \sqrt{3 + 5x^2 + x^4}} \right)
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 67, normalized size = 0.81

$$\frac{1}{8} \sqrt{3} \tanh^{-1} \left(\frac{5x^2 + 6}{2\sqrt{3} \sqrt{x^4 + 5x^2 + 3}} \right) - \frac{(x^2 + 2) \sqrt{x^4 + 5x^2 + 3}}{12x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^5*Sqrt[3 + 5*x^2 + x^4]), x]

[Out] -1/12*((2 + x^2)*Sqrt[3 + 5*x^2 + x^4])/x^4 + (Sqrt[3]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/8

fricas [A] time = 0.70, size = 83, normalized size = 1.00

$$\frac{3\sqrt{3}x^4 \log\left(\frac{25x^2+2\sqrt{3}(5x^2+6)+2\sqrt{x^4+5x^2+3}(5\sqrt{3}+6)+30}{x^2}\right) - 2x^4 - 2\sqrt{x^4+5x^2+3}(x^2+2)}{24x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^5/(x^4+5*x^2+3)^(1/2), x, algorithm="fricas")

[Out] 1/24*(3*sqrt(3)*x^4*log((25*x^2 + 2*sqrt(3)*(5*x^2 + 6) + 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) + 6) + 30)/x^2) - 2*x^4 - 2*sqrt(x^4 + 5*x^2 + 3)*(x^2 + 2))/x^4

giac [B] time = 0.52, size = 145, normalized size = 1.75

$$-\frac{1}{8}\sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{9(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 + 36(x^2 - \sqrt{x^4 + 5x^2 + 3})^2 + 47x^2 - 47\sqrt{x^4 + 5x^2 + 3}}{12((x^2 - \sqrt{x^4 + 5x^2 + 3})^2 - 3)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^5/(x^4+5*x^2+3)^(1/2), x, algorithm="giac")

[Out] -1/8*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 1/12*(9*(x^2 - sqrt(x^4 + 5*x^2 + 3))^3 + 36*(x^2 - sqrt(x^4 + 5*x^2 + 3))^2 + 47*x^2 - 47*sqrt(x^4 + 5*x^2 + 3) + 12)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)^2

maple [A] time = 0.01, size = 66, normalized size = 0.80

$$\frac{\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{8} - \frac{\sqrt{x^4+5x^2+3}}{12x^2} - \frac{\sqrt{x^4+5x^2+3}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^5/(x^4+5*x^2+3)^(1/2), x)

[Out] $\frac{1}{8} \operatorname{arctanh}\left(\frac{1}{6} \sqrt{5x^2+6}\right) \sqrt{3} / (x^4+5x^2+3)^{1/2} \sqrt{3} - \frac{1}{6} \sqrt{x^4+5x^2+3} / x^4 - \frac{1}{12} \sqrt{x^4+5x^2+3} / x^2$

maxima [A] time = 2.00, size = 68, normalized size = 0.82

$$\frac{1}{8} \sqrt{3} \log\left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5\right) - \frac{\sqrt{x^4+5x^2+3}}{12x^2} - \frac{\sqrt{x^4+5x^2+3}}{6x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x^5/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{8} \sqrt{3} \log(2\sqrt{3}\sqrt{x^4+5x^2+3}/x^2 + 6/x^2 + 5) - \frac{1}{12} \sqrt{x^4+5x^2+3}/x^2 - \frac{1}{6} \sqrt{x^4+5x^2+3}/x^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{3x^2+2}{x^5\sqrt{x^4+5x^2+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/(x^5*(5*x^2+x^4+3)^(1/2)),x)`

[Out] `int((3*x^2+2)/(x^5*(5*x^2+x^4+3)^(1/2)),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2+2}{x^5\sqrt{x^4+5x^2+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**5/(x**4+5*x**2+3)**(1/2),x)`

[Out] `Integral((3*x**2+2)/(x**5*sqrt(x**4+5*x**2+3)),x)`

$$3.188 \quad \int \frac{2+3x^2}{x^7 \sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=104

$$\frac{13\sqrt{x^4+5x^2+3}}{108x^2} - \frac{\sqrt{x^4+5x^2+3}}{54x^4} - \frac{61 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{216\sqrt{3}} - \frac{\sqrt{x^4+5x^2+3}}{9x^6}$$

[Out] $-61/648*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2}))*3^{(1/2)}-1/9*(x^4+5*x^2+3)^{(1/2)}/x^6-1/54*(x^4+5*x^2+3)^{(1/2)}/x^4+13/108*(x^4+5*x^2+3)^{(1/2)}/x^2$

Rubi [A] time = 0.09, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 834, 806, 724, 206}

$$\frac{13\sqrt{x^4+5x^2+3}}{108x^2} - \frac{\sqrt{x^4+5x^2+3}}{54x^4} - \frac{\sqrt{x^4+5x^2+3}}{9x^6} - \frac{61 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{216\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2 + 3*x^2)/(x^7*\operatorname{Sqrt}[3 + 5*x^2 + x^4]), x]$

[Out] $-\operatorname{Sqrt}[3 + 5*x^2 + x^4]/(9*x^6) - \operatorname{Sqrt}[3 + 5*x^2 + x^4]/(54*x^4) + (13*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/(108*x^2) - (61*\operatorname{ArcTanh}[(6 + 5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/(216*\operatorname{Sqrt}[3])$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 724

$\operatorname{Int}[1/(((d_ + (e_)*(x_))*\operatorname{Sqrt}[(a_ + (b_)*(x_ + (c_)*(x_)^2)]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \operatorname{NeQ}[2*c*d - b*e, 0]$

Rule 806

$\operatorname{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_))*((a_ + (b_)*(x_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow -\operatorname{Simp}[(e*f - d*g)*(d + e*x)^{(m+1)}*(a + b$

$*x + c*x^2)^{(p + 1)}/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - \text{Dist}[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^p}, x], x] /;$ FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 834

$\text{Int}[(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^p}, x] := \text{Simp}[(e*f - d*g)*(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^p}/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] + \text{Dist}[1/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x)^{(m + 1)*(a + b*x + c*x^2)^p} * \text{Simp}[(c*d*f - f*b*e + a*e*g)*(m + 1) + b*(d*g - e*f)*(p + 1) - c*(e*f - d*g)*(m + 2*p + 3)*x], x], x] /;$ FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[m, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1251

$\text{Int}[(x + c*x^2)^{(m + 1)*(a + b*x + c*x^2)^p}, x] := \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m - 1)/2}*(d + e*x)^q*(a + b*x + c*x^2)^p], x, x^2], x] /;$ FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{x^7 \sqrt{3 + 5x^2 + x^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x^4 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{9x^6} - \frac{1}{18} \text{Subst} \left(\int \frac{-2 + 4x}{x^3 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{9x^6} - \frac{\sqrt{3 + 5x^2 + x^4}}{54x^4} + \frac{1}{108} \text{Subst} \left(\int \frac{-39 - 2x}{x^2 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{9x^6} - \frac{\sqrt{3 + 5x^2 + x^4}}{54x^4} + \frac{13\sqrt{3 + 5x^2 + x^4}}{108x^2} + \frac{61}{216} \text{Subst} \left(\int \frac{1}{x \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{9x^6} - \frac{\sqrt{3 + 5x^2 + x^4}}{54x^4} + \frac{13\sqrt{3 + 5x^2 + x^4}}{108x^2} - \frac{61}{108} \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, x^2 \right) \\ &= -\frac{\sqrt{3 + 5x^2 + x^4}}{9x^6} - \frac{\sqrt{3 + 5x^2 + x^4}}{54x^4} + \frac{13\sqrt{3 + 5x^2 + x^4}}{108x^2} - \frac{61 \tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3} \sqrt{3 + 5x^2 + x^4}} \right)}{216\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 77, normalized size = 0.74

$$\frac{6\sqrt{x^4 + 5x^2 + 3} (13x^4 - 2x^2 - 12) - 61\sqrt{3}x^6 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{648x^6}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^7*Sqrt[3 + 5*x^2 + x^4]),x]

[Out] (6*Sqrt[3 + 5*x^2 + x^4]*(-12 - 2*x^2 + 13*x^4) - 61*Sqrt[3]*x^6*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/(648*x^6)

fricas [A] time = 0.54, size = 90, normalized size = 0.87

$$\frac{61\sqrt{3}x^6 \log\left(\frac{25x^2-2\sqrt{3}(5x^2+6)-2\sqrt{x^4+5x^2+3}(5\sqrt{3}-6)+30}{x^2}\right) + 78x^6 + 6(13x^4 - 2x^2 - 12)\sqrt{x^4 + 5x^2 + 3}}{648x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^7/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] 1/648*(61*sqrt(3)*x^6*log((25*x^2 - 2*sqrt(3)*(5*x^2 + 6) - 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) - 6) + 30)/x^2) + 78*x^6 + 6*(13*x^4 - 2*x^2 - 12)*sqrt(x^4 + 5*x^2 + 3))/x^6

giac [B] time = 0.51, size = 167, normalized size = 1.61

$$\frac{61}{648}\sqrt{3}\log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) - \frac{61(x^2 - \sqrt{x^4 + 5x^2 + 3})^5 - 920(x^2 - \sqrt{x^4 + 5x^2 + 3})^3 - 2052(x^2 - \sqrt{x^4 + 5x^2 + 3})}{108((x^2 - \sqrt{x^4 + 5x^2 + 3})^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^7/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] 61/648*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) - 1/108*(61*(x^2 - sqrt(x^4 + 5*x^2 + 3))^5 - 920*(x^2 - sqrt(x^4 + 5*x^2 + 3))^3 - 2052*(x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 1449*x^2 + 1449*sqrt(x^4 + 5*x^2 + 3) - 108)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)^3

maple [A] time = 0.02, size = 83, normalized size = 0.80

$$-\frac{61\sqrt{3}\operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{648} + \frac{13\sqrt{x^4+5x^2+3}}{108x^2} - \frac{\sqrt{x^4+5x^2+3}}{54x^4} - \frac{\sqrt{x^4+5x^2+3}}{9x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/x^7/(x^4+5*x^2+3)^(1/2),x)`

[Out]
$$-61/648*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{1/2}/(x^4+5*x^2+3)^{1/2})*3^{1/2}-1/9*(x^4+5*x^2+3)^{1/2}/x^6-1/54*(x^4+5*x^2+3)^{1/2}/x^4+13/108*(x^4+5*x^2+3)^{1/2}/x^2$$

maxima [A] time = 1.98, size = 85, normalized size = 0.82

$$-\frac{61}{648}\sqrt{3}\log\left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2}+\frac{6}{x^2}+5\right)+\frac{13\sqrt{x^4+5x^2+3}}{108x^2}-\frac{\sqrt{x^4+5x^2+3}}{54x^4}-\frac{\sqrt{x^4+5x^2+3}}{9x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x^7/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")`

[Out]
$$-61/648*\sqrt{3}*\log(2*\sqrt{3}*\sqrt{x^4+5*x^2+3}/x^2+6/x^2+5)+13/108*\sqrt{x^4+5*x^2+3}/x^2-1/54*\sqrt{x^4+5*x^2+3}/x^4-1/9*\sqrt{x^4+5*x^2+3}/x^6$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{3x^2+2}{x^7\sqrt{x^4+5x^2+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/(x^7*(5*x^2+x^4+3)^(1/2)),x)`

[Out] `int((3*x^2+2)/(x^7*(5*x^2+x^4+3)^(1/2)),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2+2}{x^7\sqrt{x^4+5x^2+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**7/(x**4+5*x**2+3)**(1/2),x)`

[Out] `Integral((3*x**2+2)/(x**7*sqrt(x**4+5*x**2+3)),x)`

$$3.189 \quad \int \frac{x^4(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=298

$$-\frac{10}{3}\sqrt{x^4+5x^2+3}x + \frac{419(2x^2+\sqrt{13}+5)x}{30\sqrt{x^4+5x^2+3}} + \frac{5\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5+\sqrt{13})x\right)\right)}{\sqrt{x^4+5x^2+3}}$$

[Out] 419/30*x*(5+2*x^2+13^(1/2))/(x^4+5*x^2+3)^(1/2)-10/3*x*(x^4+5*x^2+3)^(1/2)+3/5*x^3*(x^4+5*x^2+3)^(1/2)+5/3*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticF(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2))))^(1/2),1/6*(-78+30*13^(1/2))^(1/2)*(6+x^2*(5+13^(1/2)))^6^(1/2)/(5+13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)-419/180*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticE(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2))))^(1/2),1/6*(-78+30*13^(1/2))^(1/2)*(6+x^2*(5+13^(1/2)))*(30+6*13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.18, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1279, 1189, 1099, 1135}

$$\frac{3}{5}\sqrt{x^4+5x^2+3}x^3 - \frac{10}{3}\sqrt{x^4+5x^2+3}x + \frac{419(2x^2+\sqrt{13}+5)x}{30\sqrt{x^4+5x^2+3}} + \frac{5\sqrt{\frac{2}{3(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)}{\sqrt{x^4+5x^2+3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] (419*x*(5 + Sqrt[13] + 2*x^2))/(30*Sqrt[3 + 5*x^2 + x^4]) - (10*x*Sqrt[3 + 5*x^2 + x^4])/3 + (3*x^3*Sqrt[3 + 5*x^2 + x^4])/5 - (419*Sqrt[(5 + Sqrt[13])/6]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)]*(6 + (5 + Sqrt[13])*x^2)*EllipticE[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/((30*Sqrt[3 + 5*x^2 + x^4]) + (5*Sqrt[2/(3*(5 + Sqrt[13]))])*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)]*(6 + (5 + Sqrt[13])*x^2)*EllipticF[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/Sqrt[3 + 5*x^2 + x^4]

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2))*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
  )*x^2]/(2*a + (b + q)*x^2))*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
  x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a]
|| PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1279

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(
x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p +
1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*
(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p +
3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c,
0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] ||
IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx &= \frac{3}{5}x^3\sqrt{3+5x^2+x^4} - \frac{1}{5} \int \frac{x^2(27+50x^2)}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{10}{3}x\sqrt{3+5x^2+x^4} + \frac{3}{5}x^3\sqrt{3+5x^2+x^4} + \frac{1}{15} \int \frac{150+419x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{10}{3}x\sqrt{3+5x^2+x^4} + \frac{3}{5}x^3\sqrt{3+5x^2+x^4} + 10 \int \frac{1}{\sqrt{3+5x^2+x^4}} dx + \frac{419}{15} \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{419x(5+\sqrt{13}+2x^2)}{30\sqrt{3+5x^2+x^4}} - \frac{10}{3}x\sqrt{3+5x^2+x^4} + \frac{3}{5}x^3\sqrt{3+5x^2+x^4} - \frac{419\sqrt{\frac{1}{6}(5+\sqrt{13})}}{60\sqrt{3+5x^2+x^4}}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 229, normalized size = 0.77

$$\frac{-i\sqrt{2}(419\sqrt{13}-1795)\sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}}\sqrt{2x^2+\sqrt{13}+5}F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}\right)x\right)\frac{19}{6}+\frac{5\sqrt{13}}{6}+419i\sqrt{2}(\sqrt{13}-5)}{60\sqrt{x^4+5x^2+3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(2+3*x^2))/Sqrt[3+5*x^2+x^4],x]

[Out] (4*x*(-150-223*x^2-5*x^4+9*x^6)+(419*I)*Sqrt[2]*(-5+Sqrt[13])*Sqrt[(-5+Sqrt[13]-2*x^2)/(-5+Sqrt[13])]*Sqrt[5+Sqrt[13]+2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5+Sqrt[13])]]*x],19/6+(5*Sqrt[13])/6-I*Sqrt[2]*(-1795+419*Sqrt[13])*Sqrt[(-5+Sqrt[13]-2*x^2)/(-5+Sqrt[13])]*Sqrt[5+Sqrt[13]+2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5+Sqrt[13])]]*x],19/6+(5*Sqrt[13])/6)/(60*Sqrt[3+5*x^2+x^4])

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{3x^6+2x^4}{\sqrt{x^4+5x^2+3}},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x,algorithm="fricas")

[Out] integral((3*x^6+2*x^4)/sqrt(x^4+5*x^2+3),x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2+2)x^4}{\sqrt{x^4+5x^2+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^4*(3*x^2+2)/(x^4+5*x^2+3)^{(1/2)}$, x, algorithm="giac")

[Out] integrate(($3*x^2 + 2$)* $x^4/\text{sqrt}(x^4 + 5*x^2 + 3)$, x)

maple [A] time = 0.02, size = 226, normalized size = 0.76

$$\frac{3\sqrt{x^4 + 5x^2 + 3} x^3}{5} - \frac{10\sqrt{x^4 + 5x^2 + 3} x}{3} + \frac{60\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}}{6}\right)}{\sqrt{-30 + 6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int($x^4*(3*x^2+2)/(x^4+5*x^2+3)^{(1/2)}$, x)

[Out] $\frac{3}{5}*(x^4+5*x^2+3)^{(1/2)}*x^3 - \frac{10}{3}*(x^4+5*x^2+3)^{(1/2)}*x + \frac{60}{(-30+6*13^{(1/2)})^{(1/2)}} * (-(-5/6+1/6*13^{(1/2)}) * x^2+1)^{(1/2)} * (-(-5/6-1/6*13^{(1/2)}) * x^2+1)^{(1/2)} / (x^4+5*x^2+3)^{(1/2)} * \text{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)} * x, 5/6*3^{(1/2)}+1/6*39^{(1/2)}) - \frac{5028}{5} / (-30+6*13^{(1/2)})^{(1/2)} * (-(-5/6+1/6*13^{(1/2)}) * x^2+1)^{(1/2)} * (-(-5/6-1/6*13^{(1/2)}) * x^2+1)^{(1/2)} / (x^4+5*x^2+3)^{(1/2)} / (13^{(1/2)}+5) * (\text{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)} * x, 5/6*3^{(1/2)}+1/6*39^{(1/2)}) - \text{EllipticE}(1/6*(-30+6*13^{(1/2)})^{(1/2)} * x, 5/6*3^{(1/2)}+1/6*39^{(1/2)}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^4*(3*x^2+2)/(x^4+5*x^2+3)^{(1/2)}$, x, algorithm="maxima")

[Out] integrate(($3*x^2 + 2$)* $x^4/\text{sqrt}(x^4 + 5*x^2 + 3)$, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(($x^4*(3*x^2 + 2)/(5*x^2 + x^4 + 3)^{(1/2)}$), x)

[Out] int(($x^4*(3*x^2 + 2)/(5*x^2 + x^4 + 3)^{(1/2)}$), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(3*x**2+2)/(x**4+5*x**2+3)**(1/2), x)

[Out] Integral(x**4*(3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)

$$3.190 \quad \int \frac{x^2(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=270

$$\frac{\sqrt{x^4 + 5x^2 + 3} x - \frac{4(2x^2 + \sqrt{13} + 5)x}{\sqrt{x^4 + 5x^2 + 3}} - \frac{\sqrt{\frac{3}{2(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{\sqrt{x^4 + 5x^2 + 3}}}{\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $-4*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}+x*(x^4+5*x^2+3)^{(1/2)}-1/2*(1/(3+6*x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2))})^{(1/2)}, 1/6*(-78+30*13^{(1/2)})^{(1/2)})*(6+x^2*(5+13^{(1/2)}))*6^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}+2/3*(1/(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2))})^{(1/2)}, 1/6*(-78+30*13^{(1/2)})^{(1/2)})*(6+x^2*(5+13^{(1/2)}))*((30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1279, 1189, 1099, 1135}

$$\frac{\sqrt{x^4 + 5x^2 + 3} x - \frac{4(2x^2 + \sqrt{13} + 5)x}{\sqrt{x^4 + 5x^2 + 3}} - \frac{\sqrt{\frac{3}{2(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{\sqrt{x^4 + 5x^2 + 3}}}{\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] $(-4*x*(5 + \text{Sqrt}[13] + 2*x^2))/\text{Sqrt}[3 + 5*x^2 + x^4] + x*\text{Sqrt}[3 + 5*x^2 + x^4] + (2*\text{Sqrt}[(2*(5 + \text{Sqrt}[13]))/3]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/ \text{Sqrt}[3 + 5*x^2 + x^4] - (\text{Sqrt}[3/(2*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/ \text{Sqrt}[3 + 5*x^2 + x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*

$a \cdot \text{Rt}[(b + q)/(2a), 2] \cdot \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4], x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2a), (b + q)/(2a)]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4ac, 0]$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_) + (b_) \cdot (x_)^2 + (c_) \cdot (x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Simp}[(x \cdot (b + q + 2cx^2))/(2c \cdot \text{Sqrt}[a + bx^2 + cx^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2a), 2] \cdot (2a + (b + q)x^2) \cdot \text{Sqrt}[(2a + (b - q)x^2])/(2a + (b + q)x^2)] \cdot \text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2a), 2] \cdot x], (2q)/(b + q)])/(2c \cdot \text{Sqrt}[a + bx^2 + cx^4]), x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2a), (b + q)/(2a)]) /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4ac, 0]$

Rule 1189

$\text{Int}[(d_) + (e_) \cdot (x_)^2/\text{Sqrt}[(a_) + (b_) \cdot (x_)^2 + (c_) \cdot (x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + bx^2 + cx^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + bx^2 + cx^4], x], x] /; \text{PosQ}[(b + q)/a] \&\& \text{PosQ}[(b - q)/a] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{GtQ}[b^2 - 4ac, 0]$

Rule 1279

$\text{Int}[(f_) \cdot (x_)^{(m_)} \cdot ((d_) + (e_) \cdot (x_)^2) \cdot ((a_) + (b_) \cdot (x_)^2 + (c_) \cdot (x_)^4)^{(p_)}, x_Symbol] :> \text{Simp}[(e \cdot f \cdot (f \cdot x)^{(m-1)} \cdot (a + bx^2 + cx^4)^{(p+1)})/(c \cdot (m + 4p + 3)), x] - \text{Dist}[f^2/(c \cdot (m + 4p + 3)), \text{Int}[(f \cdot x)^{(m-2)} \cdot (a + bx^2 + cx^4)^p \cdot \text{Simp}[a \cdot e \cdot (m-1) + (b \cdot e \cdot (m + 2p + 1) - c \cdot d \cdot (m + 4p + 3)) \cdot x^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m + 4p + 3, 0] \&\& \text{IntegerQ}[2p] \&\& (\text{IntegerQ}[p] \mid \mid \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned} \int \frac{x^2(2+3x^2)}{\sqrt{3+5x^2+x^4}} dx &= x\sqrt{3+5x^2+x^4} - \frac{1}{3} \int \frac{9+24x^2}{\sqrt{3+5x^2+x^4}} dx \\ &= x\sqrt{3+5x^2+x^4} - 3 \int \frac{1}{\sqrt{3+5x^2+x^4}} dx - 8 \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx \\ &= -\frac{4x(5+\sqrt{13}+2x^2)}{\sqrt{3+5x^2+x^4}} + x\sqrt{3+5x^2+x^4} + \frac{2\sqrt{\frac{2}{3}}(5+\sqrt{13})\sqrt{\frac{6+(5-\sqrt{13})x^2}{6+(5+\sqrt{13})x^2}}(6+(5+\sqrt{13}))}{\sqrt{3}} \end{aligned}$$

Mathematica [C] time = 0.24, size = 222, normalized size = 0.82

$$i\sqrt{2} (4\sqrt{13} - 17) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13}} + 5F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) - 4i\sqrt{2} (\sqrt{13} - 5) \sqrt{\frac{-2x^2}{\sqrt{13} - 5}}$$

$$2\sqrt{x^4 + 5x^2 + 3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(2 + 3*x^2))/Sqrt[3 + 5*x^2 + x^4], x]

[Out] (2*x*(3 + 5*x^2 + x^4) - (4*I)*Sqrt[2]*(-5 + Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] + I*Sqrt[2]*(-17 + 4*Sqrt[13])*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6)/(2*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{3x^4 + 2x^2}{\sqrt{x^4 + 5x^2 + 3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(1/2), x, algorithm="fricas")

[Out] integral((3*x^4 + 2*x^2)/sqrt(x^4 + 5*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(1/2), x, algorithm="giac")

[Out] integrate((3*x^2 + 2)*x^2/sqrt(x^4 + 5*x^2 + 3), x)

maple [A] time = 0.01, size = 208, normalized size = 0.77

$$\sqrt{x^4 + 5x^2 + 3} x - \frac{18\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}} x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x)`

[Out] $(x^4+5x^2+3)^{1/2}x-18/(-30+6\sqrt{13})^{1/2}*(-(-5/6+1/6\sqrt{13})x^2+1)^{1/2}*(-(-5/6-1/6\sqrt{13})x^2+1)^{1/2}/(x^4+5x^2+3)^{1/2}*\text{EllipticF}(1/6*(-30+6\sqrt{13})^{1/2}x,5/6\sqrt{3}+1/6\sqrt{39})+288/(-30+6\sqrt{13})^{1/2}*(-(-5/6+1/6\sqrt{13})x^2+1)^{1/2}*(-(-5/6-1/6\sqrt{13})x^2+1)^{1/2}/(x^4+5x^2+3)^{1/2}/(\sqrt{13}+5)*(\text{EllipticF}(1/6*(-30+6\sqrt{13})^{1/2}x,5/6\sqrt{3}+1/6\sqrt{39})-\text{EllipticE}(1/6*(-30+6\sqrt{13})^{1/2}x,5/6\sqrt{3}+1/6\sqrt{39}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")`

[Out] `integrate((3*x^2 + 2)*x^2/sqrt(x^4 + 5*x^2 + 3), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2(3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2),x)`

[Out] `int((x^2*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(3x^2 + 2)}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(3*x**2+2)/(x**4+5*x**2+3)**(1/2),x)`

[Out] `Integral(x**2*(3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)`

$$3.191 \quad \int \frac{2+3x^2}{\sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=257

$$\frac{3x(2x^2 + \sqrt{13} + 5)}{2\sqrt{x^4 + 5x^2 + 3}} + \frac{\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right) \frac{1}{6} (-13 + 5\sqrt{13})}{\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $3/2*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}+1/3*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)})/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)})^6/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-1/4*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)})/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1189, 1099, 1135}

$$\frac{3x(2x^2 + \sqrt{13} + 5)}{2\sqrt{x^4 + 5x^2 + 3}} + \frac{\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right) \frac{1}{6} (-13 + 5\sqrt{13})}{\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/Sqrt[3 + 5*x^2 + x^4], x]

[Out] $(3*x*(5 + \text{Sqrt}[13] + 2*x^2))/(2*\text{Sqrt}[3 + 5*x^2 + x^4]) - (\text{Sqrt}[(3*(5 + \text{Sqrt}[13]))/2]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(2*\text{Sqrt}[3 + 5*x^2 + x^4]) + (\text{Sqrt}[2/(3*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/\text{Sqrt}[3 + 5*x^2 + x^4]$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*

```
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4], x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q =
Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\int \frac{2 + 3x^2}{\sqrt{3 + 5x^2 + x^4}} dx = 2 \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx + 3 \int \frac{x^2}{\sqrt{3 + 5x^2 + x^4}} dx$$

$$= \frac{3x(5 + \sqrt{13} + 2x^2)}{2\sqrt{3 + 5x^2 + x^4}} - \frac{\sqrt{\frac{3}{2}}(5 + \sqrt{13}) \sqrt{\frac{6 + (5 - \sqrt{13})x^2}{6 + (5 + \sqrt{13})x^2}} (6 + (5 + \sqrt{13})x^2) E\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13} + 2x^2)\right)\right)}{2\sqrt{3 + 5x^2 + x^4}}$$

Mathematica [C] time = 0.12, size = 159, normalized size = 0.62

$$\frac{i \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13} + 5} \left((11 - 3\sqrt{13}) F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) + 3(\sqrt{13} - 5) E\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right)\right) \right)}{2\sqrt{2} \sqrt{x^4 + 5x^2 + 3}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(2 + 3*x^2)/Sqrt[3 + 5*x^2 + x^4], x]
```

```
[Out] ((I/2)*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*
x^2]*(3*(-5 + Sqrt[13])*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6
```

+ (5*Sqrt[13])/6] + (11 - 3*Sqrt[13])*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]*x], 19/6 + (5*Sqrt[13])/6)]/(Sqrt[2]*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 1.24, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral((3*x^2 + 2)/sqrt(x^4 + 5*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/sqrt(x^4 + 5*x^2 + 3), x)

maple [A] time = 0.01, size = 194, normalized size = 0.75

$$\frac{12\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right) + 108\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2}}{\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/(x^4+5*x^2+3)^(1/2),x)

[Out] -108/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2)))+12/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/sqrt(x^4 + 5*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(5*x^2 + x^4 + 3)^(1/2),x)

[Out] int((3*x^2 + 2)/(5*x^2 + x^4 + 3)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/(x**4+5*x**2+3)**(1/2),x)

[Out] Integral((3*x**2 + 2)/sqrt(x**4 + 5*x**2 + 3), x)

$$3.192 \quad \int \frac{2+3x^2}{x^2 \sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=278

$$\frac{x(2x^2 + \sqrt{13} + 5)}{3\sqrt{x^4 + 5x^2 + 3}} - \frac{2\sqrt{x^4 + 5x^2 + 3}}{3x} + \frac{\sqrt{\frac{3}{2(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{\sqrt{x^4 + 5x^2 + 3}}$$

[Out] 1/3*x*(5+2*x^2+13^(1/2))/(x^4+5*x^2+3)^(1/2)-2/3*(x^4+5*x^2+3)^(1/2)/x+1/2*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticF(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2)))^(1/2),1/6*(-78+30*13^(1/2)))^(1/2))*(6+x^2*(5+13^(1/2)))^6^(1/2)/(5+13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)-1/18*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticE(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2)))^(1/2),1/6*(-78+30*13^(1/2))^(1/2))*(6+x^2*(5+13^(1/2)))*(30+6*13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.12, antiderivative size = 278, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1281, 1189, 1099, 1135}

$$\frac{x(2x^2 + \sqrt{13} + 5)}{3\sqrt{x^4 + 5x^2 + 3}} - \frac{2\sqrt{x^4 + 5x^2 + 3}}{3x} + \frac{\sqrt{\frac{3}{2(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^2*Sqrt[3 + 5*x^2 + x^4]), x]

[Out] (x*(5 + Sqrt[13] + 2*x^2))/(3*Sqrt[3 + 5*x^2 + x^4]) - (2*Sqrt[3 + 5*x^2 + x^4])/(3*x) - (Sqrt[(5 + Sqrt[13])/6]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)])*(6 + (5 + Sqrt[13])*x^2)*EllipticE[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/(3*Sqrt[3 + 5*x^2 + x^4]) + (Sqrt[3/(2*(5 + Sqrt[13]))]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)])*(6 + (5 + Sqrt[13])*x^2)*EllipticF[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/Sqrt[3 + 5*x^2 + x^4]

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q))]/(2*

$a \cdot \text{Rt}[(b + q)/(2a), 2] \cdot \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4], x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2a), (b + q)/(2a)])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4a \cdot c, 0]$

Rule 1135

$\text{Int}[(x_)^2/\text{Sqrt}[(a_)+(b_)\cdot(x_)^2+(c_)\cdot(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4a \cdot c, 2]\}, \text{Simp}[(x \cdot (b + q + 2c \cdot x^2))/(2c \cdot \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4]), x] - \text{Simp}[(\text{Rt}[(b + q)/(2a), 2] \cdot (2a + (b + q) \cdot x^2) \cdot \text{Sqrt}[(2a + (b - q) \cdot x^2)/(2a + (b + q) \cdot x^2)]) \cdot \text{EllipticE}[\text{ArcTan}[\text{Rt}[(b + q)/(2a), 2] \cdot x], (2q)/(b + q)])/(2c \cdot \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4]), x] /; \text{PosQ}[(b + q)/a] \&\& !(\text{PosQ}[(b - q)/a] \&\& \text{SimplerSqrtQ}[(b - q)/(2a), (b + q)/(2a)])] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{GtQ}[b^2 - 4a \cdot c, 0]$

Rule 1189

$\text{Int}[(d_)+(e_)\cdot(x_)^2/\text{Sqrt}[(a_)+(b_)\cdot(x_)^2+(c_)\cdot(x_)^4], x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4a \cdot c, 2]\}, \text{Dist}[d, \text{Int}[1/\text{Sqrt}[a + b \cdot x^2 + c \cdot x^4], x], x] + \text{Dist}[e, \text{Int}[x^2/\text{Sqrt}[a + b \cdot x^2 + c \cdot x^4], x], x] /; \text{PosQ}[(b + q)/a] \&\& \text{PosQ}[(b - q)/a] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{GtQ}[b^2 - 4a \cdot c, 0]$

Rule 1281

$\text{Int}[(f_)\cdot(x_)^{m_}\cdot(d_)+(e_)\cdot(x_)^2\cdot((a_)+(b_)\cdot(x_)^2+(c_)\cdot(x_)^4)^{p_}, x_Symbol] :> \text{Simp}[(d \cdot (f \cdot x)^{(m+1)} \cdot (a + b \cdot x^2 + c \cdot x^4)^{(p+1)})/(a \cdot f \cdot (m+1)), x] + \text{Dist}[1/(a \cdot f^2 \cdot (m+1)), \text{Int}[(f \cdot x)^{(m+2)} \cdot (a + b \cdot x^2 + c \cdot x^4)^p \cdot \text{Simp}[a \cdot e \cdot (m+1) - b \cdot d \cdot (m+2 \cdot p+3) - c \cdot d \cdot (m+4 \cdot p+5) \cdot x^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \text{NeQ}[b^2 - 4a \cdot c, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[2 \cdot p] \&\& (\text{IntegerQ}[p] \mid \mid \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{x^2 \sqrt{3 + 5x^2 + x^4}} dx &= -\frac{2\sqrt{3 + 5x^2 + x^4}}{3x} - \frac{1}{3} \int \frac{-9 - 2x^2}{\sqrt{3 + 5x^2 + x^4}} dx \\ &= -\frac{2\sqrt{3 + 5x^2 + x^4}}{3x} + \frac{2}{3} \int \frac{x^2}{\sqrt{3 + 5x^2 + x^4}} dx + 3 \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx \\ &= \frac{x(5 + \sqrt{13} + 2x^2)}{3\sqrt{3 + 5x^2 + x^4}} - \frac{2\sqrt{3 + 5x^2 + x^4}}{3x} - \frac{\sqrt{\frac{1}{6}(5 + \sqrt{13})} \sqrt{\frac{6+(5-\sqrt{13})x^2}{6+(5+\sqrt{13})x^2}}}{3\sqrt{3}} (6 + (5 + \sqrt{13})) \end{aligned}$$

Mathematica [C] time = 0.25, size = 224, normalized size = 0.81

$$\frac{-i\sqrt{2} (4 + \sqrt{13}) x \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13} + 5} F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right) \middle| \frac{19}{6} + \frac{5\sqrt{13}}{6}\right) + i\sqrt{2} (\sqrt{13} - 5) x \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}}}{6x\sqrt{x^4 + 5x^2 + 3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3*x^2)/(x^2*Sqrt[3 + 5*x^2 + x^4]),x]

[Out] $(-4*(3 + 5*x^2 + x^4) + I*\text{Sqrt}[2]*(-5 + \text{Sqrt}[13])*x*\text{Sqrt}[(-5 + \text{Sqrt}[13] - 2*x^2)/(-5 + \text{Sqrt}[13])]*\text{Sqrt}[5 + \text{Sqrt}[13] + 2*x^2]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[2/(5 + \text{Sqrt}[13])]]*x], 19/6 + (5*\text{Sqrt}[13])/6] - I*\text{Sqrt}[2]*(4 + \text{Sqrt}[13])*x*\text{Sqrt}[(-5 + \text{Sqrt}[13] - 2*x^2)/(-5 + \text{Sqrt}[13])]*\text{Sqrt}[5 + \text{Sqrt}[13] + 2*x^2]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[2/(5 + \text{Sqrt}[13])]]*x], 19/6 + (5*\text{Sqrt}[13])/6))/(6*x*\text{Sqrt}[3 + 5*x^2 + x^4])$

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 5x^2 + 3}(3x^2 + 2)}{x^6 + 5x^4 + 3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5*x^2+3)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/(x^6 + 5*x^4 + 3*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3x^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5*x^2 + 3)*x^2), x)

maple [A] time = 0.02, size = 211, normalized size = 0.76

$$\frac{18\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \text{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}} - \frac{24\sqrt{x^4 + 5x^2 + 3}}{3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/x^2/(x^4+5*x^2+3)^(1/2),x)`

[Out] $18/(-30+6\sqrt{13})^{1/2} * (-(-5/6+1/6\sqrt{13})x^2+1)^{1/2} * (-(-5/6-1/6\sqrt{13})x^2+1)^{1/2} / (x^4+5x^2+3)^{1/2} * \text{EllipticF}(1/6*(-30+6\sqrt{13})^{1/2})^{1/2} * x, 5/6\sqrt{3}^{1/2}+1/6\sqrt{39}^{1/2}) - 2/3 * (x^4+5x^2+3)^{1/2} / x - 24/(-30+6\sqrt{13})^{1/2} * (-(-5/6+1/6\sqrt{13})x^2+1)^{1/2} * (-(-5/6-1/6\sqrt{13})x^2+1)^{1/2} / (x^4+5x^2+3)^{1/2} / (\sqrt{13}+5) * (\text{EllipticF}(1/6*(-30+6\sqrt{13})^{1/2})^{1/2} * x, 5/6\sqrt{3}^{1/2}+1/6\sqrt{39}^{1/2}) - \text{EllipticE}(1/6*(-30+6\sqrt{13})^{1/2})^{1/2} * x, 5/6\sqrt{3}^{1/2}+1/6\sqrt{39}^{1/2}))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x^2/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")`

[Out] `integrate((3*x^2 + 2)/(sqrt(x^4 + 5*x^2 + 3)*x^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{x^2 \sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^2*(5*x^2 + x^4 + 3)^(1/2)),x)`

[Out] `int((3*x^2 + 2)/(x^2*(5*x^2 + x^4 + 3)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x^2 \sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**2/(x**4+5*x**2+3)**(1/2),x)`

[Out] `Integral((3*x**2 + 2)/(x**2*sqrt(x**4 + 5*x**2 + 3)), x)`

$$3.193 \quad \int \frac{2+3x^2}{x^4 \sqrt{3+5x^2+x^4}} dx$$

Optimal. Leaf size=302

$$\frac{7x(2x^2 + \sqrt{13} + 5)}{54\sqrt{x^4 + 5x^2 + 3}} - \frac{7\sqrt{x^4 + 5x^2 + 3}}{27x} - \frac{\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{9\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $7/54*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-2/9*(x^4+5*x^2+3)^{(1/2)}/x^3-7/27*(x^4+5*x^2+3)^{(1/2)}/x-1/27*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-7/324*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*((30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 302, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1281, 1189, 1099, 1135}

$$\frac{7x(2x^2 + \sqrt{13} + 5)}{54\sqrt{x^4 + 5x^2 + 3}} - \frac{7\sqrt{x^4 + 5x^2 + 3}}{27x} - \frac{2\sqrt{x^4 + 5x^2 + 3}}{9x^3} - \frac{\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{9\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^4*Sqrt[3 + 5*x^2 + x^4]), x]

[Out] $(7*x*(5 + \text{Sqrt}[13] + 2*x^2))/(54*\text{Sqrt}[3 + 5*x^2 + x^4]) - (2*\text{Sqrt}[3 + 5*x^2 + x^4])/(9*x^3) - (7*\text{Sqrt}[3 + 5*x^2 + x^4])/(27*x) - (7*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/((54*\text{Sqrt}[3 + 5*x^2 + x^4]) - (\text{Sqrt}[2/(3*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(9*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1281

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)
)/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2
+ c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m
, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^4\sqrt{3+5x^2+x^4}} dx &= -\frac{2\sqrt{3+5x^2+x^4}}{9x^3} - \frac{1}{9} \int \frac{-7+2x^2}{x^2\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{2\sqrt{3+5x^2+x^4}}{9x^3} - \frac{7\sqrt{3+5x^2+x^4}}{27x} + \frac{1}{27} \int \frac{-6+7x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{2\sqrt{3+5x^2+x^4}}{9x^3} - \frac{7\sqrt{3+5x^2+x^4}}{27x} - \frac{2}{9} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx + \frac{7}{27} \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{7x(5+\sqrt{13}+2x^2)}{54\sqrt{3+5x^2+x^4}} - \frac{2\sqrt{3+5x^2+x^4}}{9x^3} - \frac{7\sqrt{3+5x^2+x^4}}{27x} - \frac{7\sqrt{\frac{1}{6}(5+\sqrt{13})}\sqrt{\frac{6+(5+\sqrt{13})}{6+(5+\sqrt{13})}}}{108x^3\sqrt{x^4+5x^2+3}}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 237, normalized size = 0.78

$$\frac{-i\sqrt{2}(7\sqrt{13}-47)\sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}}\sqrt{2x^2+\sqrt{13}+5x^3}F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}x\right)\middle|\frac{19}{6}+\frac{5\sqrt{13}}{6}\right)+7i\sqrt{2}(\sqrt{13}-5)\sqrt{2x^2+\sqrt{13}+5x^3}}{108x^3\sqrt{x^4+5x^2+3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3*x^2)/(x^4*Sqrt[3 + 5*x^2 + x^4]), x]

[Out] (-4*(18 + 51*x^2 + 41*x^4 + 7*x^6) + (7*I)*Sqrt[2]*(-5 + Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-47 + 7*Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6)/(108*x^3*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5x^2+3}(3x^2+2)}{x^8+5x^6+3x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5*x^2+3)^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/(x^8 + 5*x^6 + 3*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5*x^2+3)^(1/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5*x^2 + 3)*x^4), x)

maple [A] time = 0.02, size = 228, normalized size = 0.75

$$\frac{4\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{3\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}} - \frac{7\sqrt{x^4 + 5x^2 + 3}}{27x} - \frac{2\sqrt{x^4}}{27x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^4/(x^4+5*x^2+3)^(1/2),x)

[Out]
$$\begin{aligned} & -7/27*(x^4+5*x^2+3)^(1/2)/x-28/3/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))) *x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(\operatorname{EllipticF}(1/6*(-30+6*13^(1/2))^(1/2)*x, 5/6*3^(1/2)+1/6*39^(1/2))- \\ & \operatorname{EllipticE}(1/6*(-30+6*13^(1/2))^(1/2)*x, 5/6*3^(1/2)+1/6*39^(1/2)))-2/9*(x^4+5*x^2+3)^(1/2)/x^3-4/3/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*\operatorname{EllipticF}(1/6*(-30+6*13^(1/2))^(1/2)*x, 5/6*3^(1/2)+1/6*39^(1/2)) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{\sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5*x^2+3)^(1/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/(sqrt(x^4 + 5*x^2 + 3)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{x^4 \sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^4*(5*x^2 + x^4 + 3)^(1/2)),x)`

[Out] `int((3*x^2 + 2)/(x^4*(5*x^2 + x^4 + 3)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x^4 \sqrt{x^4 + 5x^2 + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**4/(x**4+5*x**2+3)**(1/2),x)`

[Out] `Integral((3*x**2 + 2)/(x**4*sqrt(x**4 + 5*x**2 + 3)), x)`

$$3.194 \quad \int \frac{x^5(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=77

$$-\frac{(47x^2 + 33)x^2}{13\sqrt{x^4 + 5x^2 + 3}} + \frac{133}{26}\sqrt{x^4 + 5x^2 + 3} - \frac{41}{4} \tanh^{-1}\left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}}\right)$$

[Out] $-41/4*\operatorname{arctanh}(1/2*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2)})-1/13*x^2*(47*x^2+33)/(x^4+5*x^2+3)^{(1/2)}+133/26*(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 818, 640, 621, 206}

$$-\frac{(47x^2 + 33)x^2}{13\sqrt{x^4 + 5x^2 + 3}} + \frac{133}{26}\sqrt{x^4 + 5x^2 + 3} - \frac{41}{4} \tanh^{-1}\left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^{(3/2)}, x]$

[Out] $-(x^2*(33 + 47*x^2))/(13*\operatorname{Sqrt}[3 + 5*x^2 + x^4]) + (133*\operatorname{Sqrt}[3 + 5*x^2 + x^4])/26 - (41*\operatorname{ArcTanh}[(5 + 2*x^2)/(2*\operatorname{Sqrt}[3 + 5*x^2 + x^4])])/4$

Rule 206

$\operatorname{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_ + (b_)*(x_) + (c_)*(x_)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 640

$\operatorname{Int}[(d_ + (e_)*(x_))*((a_ + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \operatorname{Simp}[(e*(a + b*x + c*x^2)^{(p+1)})/(2*c*(p+1)), x] + \operatorname{Dist}[(2*c*d - b*e)/(2*c), \operatorname{Int}[(a + b*x + c*x^2)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, p\}, x] \ \&\& \operatorname{NeQ}[2*c*d - b*e, 0] \ \&\& \operatorname{NeQ}[p, -1]$

Rule 818

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1)*(2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (2*c^2*d*f + b^2*e*g - c*(b*e*f + b*d*g + 2*a*e*g))*x))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[1/(c*(p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1)*Simp[2*c^2*d^2*f*(2*p + 3) + b*e*g*(a*e*(m - 1) + b*d*(p + 2)) - c*(2*a*e*(e*f*(m - 1) + d*g*m) + b*d*(d*g*(2*p + 3) - e*f*(m - 2*p - 4))] + e*(b^2*e*g*(m + p + 1) + 2*c^2*d*f*(m + 2*p + 2) - c*(2*a*e*g*m + b*(e*f + d*g)*(m + 2*p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 1] && ((EqQ[m, 2] && EqQ[p, -3] && RationalQ[a, b, c, d, e, f, g]) || !ILtQ[m + 2*p + 3, 0])

```

Rule 1251

```

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^5(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2(2+3x)}{(3+5x+x^2)^{3/2}} dx, x, x^2 \right) \\
&= -\frac{x^2(33+47x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{1}{13} \text{Subst} \left(\int \frac{33 + \frac{133x}{2}}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{x^2(33+47x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{133}{26}\sqrt{3+5x^2+x^4} - \frac{41}{4} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\
&= -\frac{x^2(33+47x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{133}{26}\sqrt{3+5x^2+x^4} - \frac{41}{2} \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) \\
&= -\frac{x^2(33+47x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{133}{26}\sqrt{3+5x^2+x^4} - \frac{41}{4} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 72, normalized size = 0.94

$$\frac{78x^4 + 1198x^2 - 533\sqrt{x^4 + 5x^2 + 3} \tanh^{-1}\left(\frac{2x^2+5}{2\sqrt{x^4+5x^2+3}}\right) + 798}{52\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (798 + 1198*x^2 + 78*x^4 - 533*Sqrt[3 + 5*x^2 + x^4]*ArcTanh[(5 + 2*x^2)/(2*Sqrt[3 + 5*x^2 + x^4])])/(52*Sqrt[3 + 5*x^2 + x^4])

fricas [A] time = 0.56, size = 86, normalized size = 1.12

$$\frac{1811x^4 + 9055x^2 + 1066(x^4 + 5x^2 + 3)\log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5) + 4(39x^4 + 599x^2 + 399)\sqrt{x^4 + 5x^2 + 3}}{104(x^4 + 5x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="fricas")

[Out] 1/104*(1811*x^4 + 9055*x^2 + 1066*(x^4 + 5*x^2 + 3)*log(-2*x^2 + 2*sqrt(x^4 + 5*x^2 + 3) - 5) + 4*(39*x^4 + 599*x^2 + 399)*sqrt(x^4 + 5*x^2 + 3) + 5433)/(x^4 + 5*x^2 + 3)

giac [A] time = 0.38, size = 52, normalized size = 0.68

$$\frac{(39x^2 + 599)x^2 + 399}{26\sqrt{x^4 + 5x^2 + 3}} + \frac{41}{4} \log\left(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="giac")

[Out] 1/26*((39*x^2 + 599)*x^2 + 399)/sqrt(x^4 + 5*x^2 + 3) + 41/4*log(2*x^2 - 2*sqrt(x^4 + 5*x^2 + 3) + 5)

maple [A] time = 0.02, size = 91, normalized size = 1.18

$$\frac{3x^4}{2\sqrt{x^4 + 5x^2 + 3}} + \frac{41x^2}{4\sqrt{x^4 + 5x^2 + 3}} - \frac{41 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{4} - \frac{133}{8\sqrt{x^4 + 5x^2 + 3}} + \frac{\frac{665x^2}{52} + \frac{3325}{104}}{\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x)

[Out] $\frac{3}{2}x^4/(x^4+5x^2+3)^{(1/2)}+41/4*x^2/(x^4+5*x^2+3)^{(1/2)}-133/8/(x^4+5*x^2+3)^{(1/2)}+665/104*(2*x^2+5)/(x^4+5*x^2+3)^{(1/2)}-41/4*\ln(x^2+5/2+(x^4+5*x^2+3)^{(1/2)})$

maxima [A] time = 0.92, size = 73, normalized size = 0.95

$$\frac{3x^4}{2\sqrt{x^4+5x^2+3}} + \frac{599x^2}{26\sqrt{x^4+5x^2+3}} + \frac{399}{26\sqrt{x^4+5x^2+3}} - \frac{41}{4} \log\left(2x^2 + 2\sqrt{x^4+5x^2+3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] $\frac{3}{2}x^4/\text{sqrt}(x^4 + 5x^2 + 3) + \frac{599}{26}x^2/\text{sqrt}(x^4 + 5x^2 + 3) + \frac{399}{26}/\text{sqrt}(x^4 + 5x^2 + 3) - \frac{41}{4}*\log(2x^2 + 2*\text{sqrt}(x^4 + 5x^2 + 3) + 5)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5 (3x^2 + 2)}{(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2),x)

[Out] int((x^5*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (3x^2 + 2)}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(3*x**2+2)/(x**4+5*x**2+3)**(3/2),x)

[Out] Integral(x**5*(3*x**2 + 2)/(x**4 + 5*x**2 + 3)**(3/2), x)

$$3.195 \quad \int \frac{x^3(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=56

$$\frac{-47x^2 - 33}{13\sqrt{x^4 + 5x^2 + 3}} + \frac{3}{2} \tanh^{-1}\left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}}\right)$$

[Out] 3/2*arctanh(1/2*(2*x^2+5)/(x^4+5*x^2+3)^(1/2))+1/13*(-47*x^2-33)/(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1251, 777, 621, 206}

$$\frac{3}{2} \tanh^{-1}\left(\frac{2x^2 + 5}{2\sqrt{x^4 + 5x^2 + 3}}\right) - \frac{47x^2 + 33}{13\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] -(33 + 47*x^2)/(13*sqrt[3 + 5*x^2 + x^4]) + (3*ArcTanh[(5 + 2*x^2)/(2*sqrt[3 + 5*x^2 + x^4]])/2

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 777

Int[((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (b^2*e*g - b*c*(e*f + d*g) + 2*c*(c*d*f - a*e*g))*x)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(c*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4

*a*c, 0] && LtQ[p, -1]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{x^3(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(2+3x)}{(3+5x+x^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{33+47x^2}{13\sqrt{3+5x^2+x^4}} + \frac{3}{2} \text{Subst} \left(\int \frac{1}{\sqrt{3+5x+x^2}} dx, x, x^2 \right) \\ &= -\frac{33+47x^2}{13\sqrt{3+5x^2+x^4}} + 3 \text{Subst} \left(\int \frac{1}{4-x^2} dx, x, \frac{5+2x^2}{\sqrt{3+5x^2+x^4}} \right) \\ &= -\frac{33+47x^2}{13\sqrt{3+5x^2+x^4}} + \frac{3}{2} \tanh^{-1} \left(\frac{5+2x^2}{2\sqrt{3+5x^2+x^4}} \right) \end{aligned}$$

Mathematica [A] time = 0.12, size = 54, normalized size = 0.96

$$\frac{3}{2} \log \left(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5 \right) - \frac{47x^2 + 33}{13\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] -1/13*(33 + 47*x^2)/Sqrt[3 + 5*x^2 + x^4] + (3*Log[5 + 2*x^2 + 2*Sqrt[3 + 5*x^2 + x^4]])/2

fricas [A] time = 0.61, size = 81, normalized size = 1.45

$$\frac{94x^4 + 470x^2 + 39(x^4 + 5x^2 + 3) \log(-2x^2 + 2\sqrt{x^4 + 5x^2 + 3} - 5) + 2\sqrt{x^4 + 5x^2 + 3}(47x^2 + 33) + 282}{26(x^4 + 5x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="fricas")

[Out] $-1/26*(94*x^4 + 470*x^2 + 39*(x^4 + 5*x^2 + 3))*\log(-2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3}) - 5) + 2*\sqrt{x^4 + 5*x^2 + 3}*(47*x^2 + 33) + 282)/(x^4 + 5*x^2 + 3)$

giac [A] time = 0.51, size = 46, normalized size = 0.82

$$-\frac{47x^2 + 33}{13\sqrt{x^4 + 5x^2 + 3}} - \frac{3}{2} \log\left(2x^2 - 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")`

[Out] $-1/13*(47*x^2 + 33)/\sqrt{x^4 + 5*x^2 + 3} - 3/2*\log(2*x^2 - 2*\sqrt{x^4 + 5*x^2 + 3}) + 5)$

maple [B] time = 0.01, size = 95, normalized size = 1.70

$$-\frac{3x^2}{2\sqrt{x^4 + 5x^2 + 3}} + \frac{3 \ln\left(x^2 + \frac{5}{2} + \sqrt{x^4 + 5x^2 + 3}\right)}{2} + \frac{15}{4\sqrt{x^4 + 5x^2 + 3}} - \frac{75(2x^2 + 5)}{52\sqrt{x^4 + 5x^2 + 3}} + \frac{\frac{10x^2}{13} + \frac{12}{13}}{\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x)`

[Out] $-3/2/(x^4+5*x^2+3)^(1/2)*x^2+15/4/(x^4+5*x^2+3)^(1/2)-75/52*(2*x^2+5)/(x^4+5*x^2+3)^(1/2)+3/2*\ln(x^2+5/2+(x^4+5*x^2+3)^(1/2))+2/13/(x^4+5*x^2+3)^(1/2)*(5*x^2+6)$

maxima [A] time = 0.93, size = 56, normalized size = 1.00

$$-\frac{47x^2}{13\sqrt{x^4 + 5x^2 + 3}} - \frac{33}{13\sqrt{x^4 + 5x^2 + 3}} + \frac{3}{2} \log\left(2x^2 + 2\sqrt{x^4 + 5x^2 + 3} + 5\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")`

[Out] $-47/13*x^2/\sqrt{x^4 + 5*x^2 + 3} - 33/13/\sqrt{x^4 + 5*x^2 + 3} + 3/2*\log(2*x^2 + 2*\sqrt{x^4 + 5*x^2 + 3}) + 5)$

mupad [B] time = 0.31, size = 52, normalized size = 0.93

$$\frac{3 \ln\left(\sqrt{x^4 + 5x^2 + 3} + x^2 + \frac{5}{2}\right)}{2} - \frac{47x^2}{13\sqrt{x^4 + 5x^2 + 3}} - \frac{33}{13\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2), x)`

[Out] $(3*\log((5*x^2 + x^4 + 3)^{(1/2)} + x^2 + 5/2))/2 - (47*x^2)/(13*(5*x^2 + x^4 + 3)^{(1/2)}) - 33/(13*(5*x^2 + x^4 + 3)^{(1/2)})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3(3x^2 + 2)}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(3*x**2+2)/(x**4+5*x**2+3)**(3/2), x)`

[Out] `Integral(x**3*(3*x**2 + 2)/(x**4 + 5*x**2 + 3)**(3/2), x)`

$$3.196 \quad \int \frac{x(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=25

$$\frac{11x^2 + 8}{13\sqrt{x^4 + 5x^2 + 3}}$$

[Out] 1/13*(11*x^2+8)/(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.02, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1247, 636}

$$\frac{11x^2 + 8}{13\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(x*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (8 + 11*x^2)/(13*sqrt[3 + 5*x^2 + x^4])

Rule 636

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(3/2), x_Symbol] :> Simp[(-2*(b*d - 2*a*e + (2*c*d - b*e)*x))/((b^2 - 4*a*c)*sqrt[a + b*x + c*x^2]), x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned} \int \frac{x(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2+3x}{(3+5x+x^2)^{3/2}} dx, x, x^2 \right) \\ &= \frac{8+11x^2}{13\sqrt{3+5x^2+x^4}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 25, normalized size = 1.00

$$\frac{11x^2 + 8}{13\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] (8 + 11*x^2)/(13*sqrt[3 + 5*x^2 + x^4])

fricas [B] time = 0.74, size = 46, normalized size = 1.84

$$\frac{11x^4 + 55x^2 + \sqrt{x^4 + 5x^2 + 3}(11x^2 + 8) + 33}{13(x^4 + 5x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="fricas")

[Out] 1/13*(11*x^4 + 55*x^2 + sqrt(x^4 + 5*x^2 + 3)*(11*x^2 + 8) + 33)/(x^4 + 5*x^2 + 3)

giac [A] time = 0.36, size = 21, normalized size = 0.84

$$\frac{11x^2 + 8}{13\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="giac")

[Out] 1/13*(11*x^2 + 8)/sqrt(x^4 + 5*x^2 + 3)

maple [A] time = 0.01, size = 22, normalized size = 0.88

$$\frac{11x^2 + 8}{13\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(3*x^2+2)/(x^4+5*x^2+3)^(3/2), x)

[Out] 1/13*(11*x^2+8)/(x^4+5*x^2+3)^(1/2)

maxima [A] time = 0.94, size = 32, normalized size = 1.28

$$\frac{11x^2}{13\sqrt{x^4 + 5x^2 + 3}} + \frac{8}{13\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] 11/13*x^2/sqrt(x^4 + 5*x^2 + 3) + 8/13/sqrt(x^4 + 5*x^2 + 3)

mupad [B] time = 0.24, size = 21, normalized size = 0.84

$$\frac{11x^2 + 8}{13\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2),x)

[Out] (11*x^2 + 8)/(13*(5*x^2 + x^4 + 3)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(3x^2 + 2)}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(3*x**2+2)/(x**4+5*x**2+3)**(3/2),x)

[Out] Integral(x*(3*x**2 + 2)/(x**4 + 5*x**2 + 3)**(3/2), x)

$$3.197 \quad \int \frac{2+3x^2}{x(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=66

$$\frac{-8x^2 - 7}{39\sqrt{x^4 + 5x^2 + 3}} - \frac{\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3\sqrt{3}}$$

[Out] $-1/9*\operatorname{arctanh}(1/6*(5*x^2+6)*3^{(1/2)}/(x^4+5*x^2+3)^{(1/2)})*3^{(1/2)}+1/39*(-8*x^2-7)/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 822, 12, 724, 206}

$$-\frac{8x^2 + 7}{39\sqrt{x^4 + 5x^2 + 3}} - \frac{\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(2 + 3*x^2)/(x*(3 + 5*x^2 + x^4)^{(3/2))}, x]$

[Out] $-(7 + 8*x^2)/(39*\operatorname{Sqrt}[3 + 5*x^2 + x^4]) - \operatorname{ArcTanh}[(6 + 5*x^2)/(2*\operatorname{Sqrt}[3]*\operatorname{Sqrt}[3 + 5*x^2 + x^4])]/(3*\operatorname{Sqrt}[3])$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ $\operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match} Q[u, (b_*)(v_)] /;$ $\operatorname{FreeQ}[b, x]$

Rule 206

$\operatorname{Int}[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$ $\operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{Gt} Q[a, 0] \ || \ \operatorname{Lt} Q[b, 0])$

Rule 724

$\operatorname{Int}[1/(((d_.) + (e_.)*(x_))*\operatorname{Sqrt}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \operatorname{NeQ}[2*c*d - b*e, 0]$

Rule 822

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{2 + 3x^2}{x(3 + 5x^2 + x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x(3 + 5x + x^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{7 + 8x^2}{39\sqrt{3 + 5x^2 + x^4}} - \frac{1}{39} \text{Subst} \left(\int -\frac{13}{x\sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{7 + 8x^2}{39\sqrt{3 + 5x^2 + x^4}} + \frac{1}{3} \text{Subst} \left(\int \frac{1}{x\sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\ &= -\frac{7 + 8x^2}{39\sqrt{3 + 5x^2 + x^4}} - \frac{2}{3} \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, \frac{6 + 5x^2}{\sqrt{3 + 5x^2 + x^4}} \right) \\ &= -\frac{7 + 8x^2}{39\sqrt{3 + 5x^2 + x^4}} - \frac{\tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3}\sqrt{3 + 5x^2 + x^4}} \right)}{3\sqrt{3}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 66, normalized size = 1.00

$$-\frac{8x^2 + 7}{39\sqrt{x^4 + 5x^2 + 3}} - \frac{\tanh^{-1} \left(\frac{5x^2 + 6}{2\sqrt{3}\sqrt{x^4 + 5x^2 + 3}} \right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x*(3 + 5*x^2 + x^4)^(3/2)),x]

[Out] $-\frac{1}{39} \frac{(7 + 8x^2) \sqrt{3 + 5x^2 + x^4} - \operatorname{ArcTanh}\left[\frac{(6 + 5x^2) \sqrt{3} \sqrt{3 + 5x^2 + x^4}}{3 \sqrt{3}}\right]}{(3 \sqrt{3})}$

fricas [B] time = 0.72, size = 107, normalized size = 1.62

$$\frac{24x^4 - 13\sqrt{3}(x^4 + 5x^2 + 3) \log\left(\frac{25x^2 - 2\sqrt{3}(5x^2 + 6) - 2\sqrt{x^4 + 5x^2 + 3}(5\sqrt{3} - 6) + 30}{x^2}\right) + 120x^2 + 3\sqrt{x^4 + 5x^2 + 3}(8x^2 + 7) + 72}{117(x^4 + 5x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] $-\frac{1}{117} \frac{(24x^4 - 13\sqrt{3}(x^4 + 5x^2 + 3) \log((25x^2 - 2\sqrt{3}(5x^2 + 6) - 2\sqrt{x^4 + 5x^2 + 3}(5\sqrt{3} - 6) + 30)/x^2) + 120x^2 + 3\sqrt{x^4 + 5x^2 + 3}(8x^2 + 7) + 72)}{(x^4 + 5x^2 + 3)}$

giac [A] time = 0.56, size = 78, normalized size = 1.18

$$-\frac{1}{9} \sqrt{3} \log\left(-x^2 + \sqrt{3} + \sqrt{x^4 + 5x^2 + 3}\right) + \frac{1}{9} \sqrt{3} \log\left(-x^2 - \sqrt{3} + \sqrt{x^4 + 5x^2 + 3}\right) - \frac{8x^2 + 7}{39\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] $-\frac{1}{9} \sqrt{3} \log(-x^2 + \sqrt{3} + \sqrt{x^4 + 5x^2 + 3}) + \frac{1}{9} \sqrt{3} \log(-x^2 - \sqrt{3} + \sqrt{x^4 + 5x^2 + 3}) - \frac{1}{39} \frac{(8x^2 + 7) \sqrt{x^4 + 5x^2 + 3}}{x^4 + 5x^2 + 3}$

maple [A] time = 0.02, size = 67, normalized size = 1.02

$$-\frac{\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{9} - \frac{4(2x^2+5)}{39\sqrt{x^4+5x^2+3}} + \frac{1}{3\sqrt{x^4+5x^2+3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x/(x^4+5*x^2+3)^(3/2),x)

[Out] $-\frac{4}{39} \frac{(2x^2+5) \sqrt{x^4+5x^2+3}}{(x^4+5x^2+3)^{1/2}} + \frac{1}{3} \frac{1}{\sqrt{x^4+5x^2+3}} - \frac{1}{9} \operatorname{arctanh}\left(\frac{1}{6} \frac{(5x^2+6) \sqrt{3}}{\sqrt{x^4+5x^2+3}}\right) \sqrt{x^4+5x^2+3}$

maxima [A] time = 2.01, size = 65, normalized size = 0.98

$$-\frac{8x^2}{39\sqrt{x^4+5x^2+3}} - \frac{1}{9}\sqrt{3}\log\left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5\right) - \frac{7}{39\sqrt{x^4+5x^2+3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] -8/39*x^2/sqrt(x^4 + 5*x^2 + 3) - 1/9*sqrt(3)*log(2*sqrt(3)*sqrt(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) - 7/39/sqrt(x^4 + 5*x^2 + 3)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{3x^2 + 2}{x(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(x*(5*x^2 + x^4 + 3)^(3/2)),x)

[Out] int((3*x^2 + 2)/(x*(5*x^2 + x^4 + 3)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/x/(x**4+5*x**2+3)**(3/2),x)

[Out] Integral((3*x**2 + 2)/(x*(x**4 + 5*x**2 + 3)**(3/2)), x)

$$3.198 \quad \int \frac{2+3x^2}{x^3(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=90

$$\frac{-8x^2 - 7}{39x^2\sqrt{x^4 + 5x^2 + 3}} - \frac{2\sqrt{x^4 + 5x^2 + 3}}{39x^2} + \frac{\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3\sqrt{3}}$$

[Out] 1/9*arctanh(1/6*(5*x^2+6)*3^(1/2)/(x^4+5*x^2+3)^(1/2))*3^(1/2)+1/39*(-8*x^2-7)/x^2/(x^4+5*x^2+3)^(1/2)-2/39*(x^4+5*x^2+3)^(1/2)/x^2

Rubi [A] time = 0.07, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1251, 822, 806, 724, 206}

$$-\frac{8x^2 + 7}{39x^2\sqrt{x^4 + 5x^2 + 3}} - \frac{2\sqrt{x^4 + 5x^2 + 3}}{39x^2} + \frac{\tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right)}{3\sqrt{3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^3*(3 + 5*x^2 + x^4)^(3/2)),x]

[Out] -(7 + 8*x^2)/(39*x^2*Sqrt[3 + 5*x^2 + x^4]) - (2*Sqrt[3 + 5*x^2 + x^4])/(39*x^2) + ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])]/(3*Sqrt[3])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 806

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f

+ d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] & NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 822

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
 \int \frac{2 + 3x^2}{x^3 (3 + 5x^2 + x^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{2 + 3x}{x^2 (3 + 5x + x^2)^{3/2}} dx, x, x^2 \right) \\
 &= -\frac{7 + 8x^2}{39x^2 \sqrt{3 + 5x^2 + x^4}} - \frac{1}{39} \text{Subst} \left(\int \frac{-6 + 8x}{x^2 \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\
 &= -\frac{7 + 8x^2}{39x^2 \sqrt{3 + 5x^2 + x^4}} - \frac{2\sqrt{3 + 5x^2 + x^4}}{39x^2} - \frac{1}{3} \text{Subst} \left(\int \frac{1}{x \sqrt{3 + 5x + x^2}} dx, x, x^2 \right) \\
 &= -\frac{7 + 8x^2}{39x^2 \sqrt{3 + 5x^2 + x^4}} - \frac{2\sqrt{3 + 5x^2 + x^4}}{39x^2} + \frac{2}{3} \text{Subst} \left(\int \frac{1}{12 - x^2} dx, x, \frac{6 + 5x^2}{\sqrt{3 + 5x^2 + x^4}} \right) \\
 &= -\frac{7 + 8x^2}{39x^2 \sqrt{3 + 5x^2 + x^4}} - \frac{2\sqrt{3 + 5x^2 + x^4}}{39x^2} + \frac{\tanh^{-1} \left(\frac{6 + 5x^2}{2\sqrt{3} \sqrt{3 + 5x^2 + x^4}} \right)}{3\sqrt{3}}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 88, normalized size = 0.98

$$\frac{-6x^4 - 54x^2 + 13\sqrt{3}\sqrt{x^4 + 5x^2 + 3}x^2 \tanh^{-1}\left(\frac{5x^2+6}{2\sqrt{3}\sqrt{x^4+5x^2+3}}\right) - 39}{117x^2\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Integrate[(2 + 3*x^2)/(x^3*(3 + 5*x^2 + x^4)^(3/2)),x]

[Out] (-39 - 54*x^2 - 6*x^4 + 13*Sqrt[3]*x^2*Sqrt[3 + 5*x^2 + x^4]*ArcTanh[(6 + 5*x^2)/(2*Sqrt[3]*Sqrt[3 + 5*x^2 + x^4])])/(117*x^2*Sqrt[3 + 5*x^2 + x^4])

fricas [A] time = 0.87, size = 124, normalized size = 1.38

$$\frac{6x^6 + 30x^4 - 13\sqrt{3}(x^6 + 5x^4 + 3x^2) \log\left(\frac{25x^2+2\sqrt{3}(5x^2+6)+2\sqrt{x^4+5x^2+3}(5\sqrt{3}+6)+30}{x^2}\right) + 18x^2 + 3(2x^4 + 18x^2)}{117(x^6 + 5x^4 + 3x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] -1/117*(6*x^6 + 30*x^4 - 13*sqrt(3)*(x^6 + 5*x^4 + 3*x^2)*log((25*x^2 + 2*sqrt(3)*(5*x^2 + 6) + 2*sqrt(x^4 + 5*x^2 + 3)*(5*sqrt(3) + 6) + 30)/x^2) + 18*x^2 + 3*(2*x^4 + 18*x^2 + 13)*sqrt(x^4 + 5*x^2 + 3))/(x^6 + 5*x^4 + 3*x^2)

giac [A] time = 0.49, size = 122, normalized size = 1.36

$$-\frac{1}{9}\sqrt{3} \log\left(\frac{x^2 + \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}{x^2 - \sqrt{3} - \sqrt{x^4 + 5x^2 + 3}}\right) + \frac{7x^2 + 11}{117\sqrt{x^4 + 5x^2 + 3}} + \frac{5x^2 - 5\sqrt{x^4 + 5x^2 + 3} + 6}{9\left(\left(x^2 - \sqrt{x^4 + 5x^2 + 3}\right)^2 - 3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^3/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] -1/9*sqrt(3)*log((x^2 + sqrt(3) - sqrt(x^4 + 5*x^2 + 3))/(x^2 - sqrt(3) - sqrt(x^4 + 5*x^2 + 3))) + 1/117*(7*x^2 + 11)/sqrt(x^4 + 5*x^2 + 3) + 1/9*(5*x^2 - 5*sqrt(x^4 + 5*x^2 + 3) + 6)/((x^2 - sqrt(x^4 + 5*x^2 + 3))^2 - 3)

maple [A] time = 0.02, size = 84, normalized size = 0.93

$$\frac{\sqrt{3} \operatorname{arctanh}\left(\frac{(5x^2+6)\sqrt{3}}{6\sqrt{x^4+5x^2+3}}\right)}{9} - \frac{1}{3\sqrt{x^4 + 5x^2 + 3}x^2} - \frac{1}{3\sqrt{x^4 + 5x^2 + 3}} - \frac{2x^2 + 5}{39\sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2+2)/x^3/(x^4+5*x^2+3)^(3/2),x)`

[Out] $-1/3/(x^4+5x^2+3)^{(1/2)}-1/39*(2x^2+5)/(x^4+5x^2+3)^{(1/2)}+1/9*\operatorname{arctanh}(1/6*(5x^2+6)*3^{(1/2)}/(x^4+5x^2+3)^{(1/2)})*3^{(1/2)}-1/3/x^2/(x^4+5x^2+3)^{(1/2)}$

maxima [A] time = 2.09, size = 82, normalized size = 0.91

$$-\frac{2x^2}{39\sqrt{x^4+5x^2+3}} + \frac{1}{9}\sqrt{3}\log\left(\frac{2\sqrt{3}\sqrt{x^4+5x^2+3}}{x^2} + \frac{6}{x^2} + 5\right) - \frac{6}{13\sqrt{x^4+5x^2+3}} - \frac{1}{3\sqrt{x^4+5x^2+3}x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x^2+2)/x^3/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")`

[Out] $-2/39*x^2/\operatorname{sqrt}(x^4 + 5*x^2 + 3) + 1/9*\operatorname{sqrt}(3)*\log(2*\operatorname{sqrt}(3)*\operatorname{sqrt}(x^4 + 5*x^2 + 3)/x^2 + 6/x^2 + 5) - 6/13/\operatorname{sqrt}(x^4 + 5*x^2 + 3) - 1/3/(\operatorname{sqrt}(x^4 + 5*x^2 + 3)*x^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{3x^2 + 2}{x^3 (x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^3*(5*x^2 + x^4 + 3)^(3/2)),x)`

[Out] `int((3*x^2 + 2)/(x^3*(5*x^2 + x^4 + 3)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x^3 (x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**3/(x**4+5*x**2+3)**(3/2),x)`

[Out] `Integral((3*x**2 + 2)/(x**3*(x**4 + 5*x**2 + 3)**(3/2)), x)`

$$3.199 \quad \int \frac{x^4(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=307

$$-\frac{11}{13}\sqrt{x^4+5x^2+3}x + \frac{43(2x^2+\sqrt{13}+5)x}{13\sqrt{x^4+5x^2+3}} + \frac{11\sqrt{\frac{3}{2(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5+\sqrt{13})x\right)\right)}{13\sqrt{x^4+5x^2+3}}$$

[Out] $1/13*x^3*(11*x^2+8)/(x^4+5*x^2+3)^{(1/2)}+43/13*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-11/13*x*(x^4+5*x^2+3)^{(1/2)}+11/26*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2))})^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)})^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-43/78*(1/(36+x^2*(30+6*13^{(1/2))}))^{(1/2)}*(36+x^2*(30+6*13^{(1/2))})^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1275, 1279, 1189, 1099, 1135}

$$\frac{(11x^2+8)x^3}{13\sqrt{x^4+5x^2+3}} - \frac{11}{13}\sqrt{x^4+5x^2+3}x + \frac{43(2x^2+\sqrt{13}+5)x}{13\sqrt{x^4+5x^2+3}} + \frac{11\sqrt{\frac{3}{2(5+\sqrt{13})}}\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}}((5+\sqrt{13})x^2+6)}{13\sqrt{x^4+5x^2+3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(2+3*x^2))/(3+5*x^2+x^4)^(3/2),x]

[Out] $(43*x*(5+\text{Sqrt}[13]+2*x^2))/(13*\text{Sqrt}[3+5*x^2+x^4])+(x^3*(8+11*x^2))/(13*\text{Sqrt}[3+5*x^2+x^4])-(11*x*\text{Sqrt}[3+5*x^2+x^4])/13-(43*\text{Sqrt}[(5+\text{Sqrt}[13])/6]*\text{Sqrt}[(6+(5-\text{Sqrt}[13])*x^2)/(6+(5+\text{Sqrt}[13])*x^2)])*(6+(5+\text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5+\text{Sqrt}[13])/6]*x],(-13+5*\text{Sqrt}[13])/6)/(13*\text{Sqrt}[3+5*x^2+x^4])+(11*\text{Sqrt}[3/(2*(5+\text{Sqrt}[13]))]*\text{Sqrt}[(6+(5-\text{Sqrt}[13])*x^2)/(6+(5+\text{Sqrt}[13])*x^2)])*(6+(5+\text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5+\text{Sqrt}[13])/6]*x],(-13+5*\text{Sqrt}[13])/6)/(13*\text{Sqrt}[3+5*x^2+x^4])$

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1275

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1279

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx &= \frac{x^3(8+11x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{1}{13} \int \frac{x^2(-24-33x^2)}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{x^3(8+11x^2)}{13\sqrt{3+5x^2+x^4}} - \frac{11}{13} x\sqrt{3+5x^2+x^4} - \frac{1}{39} \int \frac{-99-258x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{x^3(8+11x^2)}{13\sqrt{3+5x^2+x^4}} - \frac{11}{13} x\sqrt{3+5x^2+x^4} + \frac{33}{13} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx + \frac{86}{13} \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{43x(5+\sqrt{13}+2x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{x^3(8+11x^2)}{13\sqrt{3+5x^2+x^4}} - \frac{11}{13} x\sqrt{3+5x^2+x^4} - \frac{43\sqrt{\frac{1}{6}(5+\sqrt{13})}}{26\sqrt{x^4+5x^2+3}}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 219, normalized size = 0.71

$$\frac{-2x(47x^2+33) - i\sqrt{2}(43\sqrt{13}-182)\sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}}\sqrt{2x^2+\sqrt{13}} + 5F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}x\right)\middle|\frac{19}{6}+\frac{5\sqrt{13}}{6}\right) + 4}{26\sqrt{x^4+5x^2+3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(2+3*x^2))/(3+5*x^2+x^4)^(3/2),x]

[Out] (-2*x*(33+47*x^2)+(43*I)*Sqrt[2]*(-5+Sqrt[13])*Sqrt[(-5+Sqrt[13]-2*x^2)/(-5+Sqrt[13])]*Sqrt[5+Sqrt[13]+2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5+Sqrt[13])]*x],19/6+(5*Sqrt[13])/6]-I*Sqrt[2]*(-182+43*Sqrt[13])*Sqrt[(-5+Sqrt[13]-2*x^2)/(-5+Sqrt[13])]*Sqrt[5+Sqrt[13]+2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5+Sqrt[13])]*x],19/6+(5*Sqrt[13])/6])/(26*Sqrt[3+5*x^2+x^4])

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^6+2x^4)\sqrt{x^4+5x^2+3}}{x^8+10x^6+31x^4+30x^2+9},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] integral((3*x^6 + 2*x^4)*sqrt(x^4 + 5*x^2 + 3)/(x^8 + 10*x^6 + 31*x^4 + 30*x^2 + 9), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)*x^4/(x^4 + 5*x^2 + 3)^(3/2), x)

maple [A] time = 0.02, size = 240, normalized size = 0.78

$$\frac{198\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right) + 6\left(\frac{19}{26}x^3 + \frac{15}{26}x\right) - 3096\sqrt{-30+6\sqrt{13}}}{13\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3} \sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x)

[Out]
$$\begin{aligned} & -6*(19/26*x^3+15/26*x)/(x^4+5*x^2+3)^{(1/2)}+198/13/(-30+6*13^{(1/2)})^{(1/2)}*(- \\ & (-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5* \\ & x^2+3)^{(1/2)}*\operatorname{EllipticF}(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)} \\ &)-3096/13/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/ \\ & 6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(13^{(1/2)}+5)*(\operatorname{EllipticF}(1/ \\ & 6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-\operatorname{EllipticE}(1/6*(-30+6*1 \\ & 3^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)}))-4*(-5/26*x^3-3/13*x)/(x^4+5*x^2 \\ & +3)^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^4}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)*x^4/(x^4 + 5*x^2 + 3)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (3x^2 + 2)}{(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2), x)`

[Out] `int((x^4*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (3x^2 + 2)}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(3*x**2+2)/(x**4+5*x**2+3)**(3/2), x)`

[Out] `Integral(x**4*(3*x**2 + 2)/(x**4 + 5*x**2 + 3)**(3/2), x)`

$$3.200 \quad \int \frac{x^2(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=286

$$\frac{11x(2x^2 + \sqrt{13} + 5)}{26\sqrt{x^4 + 5x^2 + 3}} + \frac{x(11x^2 + 8)}{13\sqrt{x^4 + 5x^2 + 3}} - \frac{4\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{13\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $1/13*x*(11*x^2+8)/(x^4+5*x^2+3)^{(1/2)}-11/26*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-4/39*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}/(5+13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}+11/156*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))^{(1/2)}*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 286, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1275, 1189, 1099, 1135}

$$\frac{11x(2x^2 + \sqrt{13} + 5)}{26\sqrt{x^4 + 5x^2 + 3}} + \frac{x(11x^2 + 8)}{13\sqrt{x^4 + 5x^2 + 3}} - \frac{4\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})\right)\right)}{13\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(2 + 3*x^2))/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] $(-11*x*(5 + \text{Sqrt}[13] + 2*x^2))/(26*\text{Sqrt}[3 + 5*x^2 + x^4]) + (x*(8 + 11*x^2))/(13*\text{Sqrt}[3 + 5*x^2 + x^4]) + (11*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(26*\text{Sqrt}[3 + 5*x^2 + x^4]) - (4*\text{Sqrt}[2/(3*(5 + \text{Sqrt}[13]))]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(13*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2))*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
  Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
  4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)
  )*x^2]/(2*a + (b + q)*x^2))*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
  /(b + q)]/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
  (b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])) /; FreeQ[{a, b,
  c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
  x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a]
|| PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1275

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(
x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)
)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f
^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)
*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] &&
GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(2+3x^2)}{(3+5x^2+x^4)^{3/2}} dx &= \frac{x(8+11x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{1}{13} \int \frac{-8-11x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{x(8+11x^2)}{13\sqrt{3+5x^2+x^4}} - \frac{8}{13} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx - \frac{11}{13} \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{11x(5+\sqrt{13}+2x^2)}{26\sqrt{3+5x^2+x^4}} + \frac{x(8+11x^2)}{13\sqrt{3+5x^2+x^4}} + \frac{11\sqrt{\frac{1}{6}(5+\sqrt{13})} \sqrt{\frac{6+(5-\sqrt{13})x^2}{6+(5+\sqrt{13})x^2}} (6+(5
\end{aligned}$$

Mathematica [C] time = 0.25, size = 219, normalized size = 0.77

$$\frac{4x(11x^2+8) + i\sqrt{2}(11\sqrt{13}-39) \sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}} \sqrt{2x^2+\sqrt{13}} + 5F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}x\right)\right) \left(\frac{19}{6} + \frac{5\sqrt{13}}{6}\right) - 11i\sqrt{2}}{52\sqrt{x^4+5x^2+3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(2+3*x^2))/(3+5*x^2+x^4)^(3/2),x]

[Out] (4*x*(8+11*x^2) - (11*I)*Sqrt[2]*(-5+Sqrt[13])*Sqrt[(-5+Sqrt[13]-2*x^2)/(-5+Sqrt[13])] * Sqrt[5+Sqrt[13]+2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5+Sqrt[13])]]*x], 19/6+(5*Sqrt[13])/6] + I*Sqrt[2]*(-39+11*Sqrt[13])*Sqrt[(-5+Sqrt[13]-2*x^2)/(-5+Sqrt[13])] * Sqrt[5+Sqrt[13]+2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5+Sqrt[13])]]*x], 19/6+(5*Sqrt[13])/6])/(52*Sqrt[3+5*x^2+x^4])

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(3x^4+2x^2)\sqrt{x^4+5x^2+3}}{x^8+10x^6+31x^4+30x^2+9}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] integral((3*x^4+2*x^2)*sqrt(x^4+5*x^2+3)/(x^8+10*x^6+31*x^4+30*x^2+9), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2+2)x^2}{(x^4+5x^2+3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)*x^2/(x^4 + 5*x^2 + 3)^(3/2), x)

maple [A] time = 0.02, size = 240, normalized size = 0.84

$$\frac{48\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right) - 6\left(-\frac{5}{26}x^3 - \frac{3}{13}x\right) - 39}{13\sqrt{-30+6\sqrt{13}} \sqrt{x^4+5x^2+3} - \sqrt{x^4+5x^2+3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x)

[Out] $-6\left(-\frac{5}{26}x^3 - \frac{3}{13}x\right) / (x^4 + 5x^2 + 3)^{1/2} - 48/13 / (-30 + 6\sqrt{13})^{1/2} * (-(-5/6 + 1/6\sqrt{13})x^2 + 1)^{1/2} * (-(-5/6 - 1/6\sqrt{13})x^2 + 1)^{1/2} / (x^4 + 5x^2 + 3)^{1/2} * \operatorname{EllipticF}\left(\frac{1}{6}(-30 + 6\sqrt{13})^{1/2}x, \frac{5}{6}\sqrt{3} + \frac{1}{6}\sqrt{39}\right) + 396/13 / (-30 + 6\sqrt{13})^{1/2} * (-(-5/6 + 1/6\sqrt{13})x^2 + 1)^{1/2} * (-(-5/6 - 1/6\sqrt{13})x^2 + 1)^{1/2} / (x^4 + 5x^2 + 3)^{1/2} / (13^{1/2} + 5) * (\operatorname{EllipticF}\left(\frac{1}{6}(-30 + 6\sqrt{13})^{1/2}x, \frac{5}{6}\sqrt{3} + \frac{1}{6}\sqrt{39}\right) - \operatorname{EllipticE}\left(\frac{1}{6}(-30 + 6\sqrt{13})^{1/2}x, \frac{5}{6}\sqrt{3} + \frac{1}{6}\sqrt{39}\right)) - 4 * (1/13x^3 + 5/26x) / (x^4 + 5x^2 + 3)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(3x^2 + 2)x^2}{(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(3*x^2+2)/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)*x^2/(x^4 + 5*x^2 + 3)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (3x^2 + 2)}{(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2),x)

[Out] `int((x^2*(3*x^2 + 2))/(5*x^2 + x^4 + 3)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2(3x^2 + 2)}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(3*x**2+2)/(x**4+5*x**2+3)**(3/2), x)`

[Out] `Integral(x**2*(3*x**2 + 2)/(x**4 + 5*x**2 + 3)**(3/2), x)`

$$3.201 \quad \int \frac{2+3x^2}{(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=282

$$\frac{4x(2x^2 + \sqrt{13} + 5)}{39\sqrt{x^4 + 5x^2 + 3}} - \frac{x(8x^2 + 7)}{39\sqrt{x^4 + 5x^2 + 3}} + \frac{11\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)\Big|_{\frac{1}{6}}}{13\sqrt{6(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $-1/39*x*(8*x^2+7)/(x^4+5*x^2+3)^{(1/2)}+4/39*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-2/117*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}+11/13*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1178, 1189, 1099, 1135}

$$\frac{4x(2x^2 + \sqrt{13} + 5)}{39\sqrt{x^4 + 5x^2 + 3}} - \frac{x(8x^2 + 7)}{39\sqrt{x^4 + 5x^2 + 3}} + \frac{11\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)\Big|_{\frac{1}{6}}}{13\sqrt{6(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] $(4*x*(5 + \text{Sqrt}[13] + 2*x^2))/(39*\text{Sqrt}[3 + 5*x^2 + x^4]) - (x*(7 + 8*x^2))/(39*\text{Sqrt}[3 + 5*x^2 + x^4]) - (2*\text{Sqrt}[(2*(5 + \text{Sqrt}[13]))/3]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticE}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(39*\text{Sqrt}[3 + 5*x^2 + x^4]) + (11*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)]*(6 + (5 + \text{Sqrt}[13])*x^2)*\text{EllipticF}[\text{ArcTan}[\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*x], (-13 + 5*\text{Sqrt}[13])/6])/(13*\text{Sqrt}[6*(5 + \text{Sqrt}[13])]*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a +

```
(b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)]/(2*
a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] &&
!(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[
{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q =
Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^
4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q
)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)
/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[
(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)]]) /; FreeQ[{a, b,
c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1178

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4],
x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a
] || PosQ[(b - q)/a]] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{2 + 3x^2}{(3 + 5x^2 + x^4)^{3/2}} dx &= -\frac{x(7 + 8x^2)}{39\sqrt{3 + 5x^2 + x^4}} - \frac{1}{39} \int \frac{-33 - 8x^2}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= -\frac{x(7 + 8x^2)}{39\sqrt{3 + 5x^2 + x^4}} + \frac{8}{39} \int \frac{x^2}{\sqrt{3 + 5x^2 + x^4}} dx + \frac{11}{13} \int \frac{1}{\sqrt{3 + 5x^2 + x^4}} dx \\
&= \frac{4x(5 + \sqrt{13} + 2x^2)}{39\sqrt{3 + 5x^2 + x^4}} - \frac{x(7 + 8x^2)}{39\sqrt{3 + 5x^2 + x^4}} - \frac{2\sqrt{\frac{2}{3}}(5 + \sqrt{13})}{\sqrt{\frac{6+(5-\sqrt{13})x^2}{6+(5+\sqrt{13})x^2}}} (6 + (5 + 3
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(2 + 3*x^2)/(3 + 5*x^2 + x^4)^(3/2), x]

[Out] \$Aborted

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 5x^2 + 3}(3x^2 + 2)}{x^8 + 10x^6 + 31x^4 + 30x^2 + 9}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/(x^8 + 10*x^6 + 31*x^4 + 30*x^2 + 9), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/(x^4 + 5*x^2 + 3)^(3/2), x)

maple [A] time = 0.02, size = 240, normalized size = 0.85

$$\frac{66\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right) + 6\left(\frac{1}{13}x^3 + \frac{5}{26}x\right) + 96\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1}}{13\sqrt{-30+6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/(x^4+5*x^2+3)^(3/2), x)

[Out]
$$-6*(1/13*x^3+5/26*x)/(x^4+5*x^2+3)^{(1/2)}+66/13/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}*EllipticF(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x, 5/6*3^{(1/2)}+1/6*39^{(1/2)})-96/13/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(13^{(1/2)}+5)*(EllipticF(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x, 5/6*3^{(1/2)}+1/6*39^{(1/2)})-EllipticE(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x, 5/6*3^{(1/2)}+1/6*39^{(1/2)}))-4*(-19/78*x-5/78*x^3)/(x^4+5*x^2+3)^{(1/2)}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/(x^4+5*x^2+3)^(3/2), x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/(x^4 + 5*x^2 + 3)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(5*x^2 + x^4 + 3)^(3/2), x)

[Out] int((3*x^2 + 2)/(5*x^2 + x^4 + 3)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/(x**4+5*x**2+3)**(3/2),x)

[Out] Integral((3*x**2 + 2)/(x**4 + 5*x**2 + 3)**(3/2), x)

$$3.202 \quad \int \frac{2+3x^2}{x^2(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=309

$$\frac{19x(2x^2 + \sqrt{13} + 5)}{234\sqrt{x^4 + 5x^2 + 3}} - \frac{19\sqrt{x^4 + 5x^2 + 3}}{117x} - \frac{8x^2 + 7}{39x\sqrt{x^4 + 5x^2 + 3}} - \frac{4\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\frac{(5 + \sqrt{13})x^2 + 6}{(5 + \sqrt{13})x^2 + 6}\right)}{39\sqrt{x^4 + 5x^2 + 3}}$$

[Out] 1/39*(-8*x^2-7)/x/(x^4+5*x^2+3)^(1/2)+19/234*x*(5+2*x^2+13^(1/2))/(x^4+5*x^2+3)^(1/2)-19/117*(x^4+5*x^2+3)^(1/2)/x-4/117*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticF(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2))))^(1/2),1/6*(-78+30*13^(1/2))^(1/2)*(6+x^2*(5+13^(1/2)))^6^(1/2)/(5+13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)-19/1404*(1/(36+x^2*(30+6*13^(1/2))))^(1/2)*(36+x^2*(30+6*13^(1/2)))^(1/2)*EllipticE(x*(30+6*13^(1/2))^(1/2)/(36+x^2*(30+6*13^(1/2))))^(1/2),1/6*(-78+30*13^(1/2))^(1/2)*(6+x^2*(5+13^(1/2)))*(30+6*13^(1/2))^(1/2)*((6+x^2*(5-13^(1/2)))/(6+x^2*(5+13^(1/2))))^(1/2)/(x^4+5*x^2+3)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 309, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1277, 1281, 1189, 1099, 1135}

$$\frac{19x(2x^2 + \sqrt{13} + 5)}{234\sqrt{x^4 + 5x^2 + 3}} - \frac{19\sqrt{x^4 + 5x^2 + 3}}{117x} - \frac{8x^2 + 7}{39x\sqrt{x^4 + 5x^2 + 3}} - \frac{4\sqrt{\frac{2}{3(5+\sqrt{13})}} \sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} ((5 + \sqrt{13})x^2 + 6) F\left(\frac{(5 + \sqrt{13})x^2 + 6}{(5 + \sqrt{13})x^2 + 6}\right)}{39\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^2*(3 + 5*x^2 + x^4)^(3/2)), x]

[Out] (19*x*(5 + Sqrt[13] + 2*x^2))/(234*Sqrt[3 + 5*x^2 + x^4]) - (7 + 8*x^2)/(39*x*Sqrt[3 + 5*x^2 + x^4]) - (19*Sqrt[3 + 5*x^2 + x^4])/(117*x) - (19*Sqrt[(5 + Sqrt[13])/6]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)]*(6 + (5 + Sqrt[13])*x^2)*EllipticE[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/(234*Sqrt[3 + 5*x^2 + x^4]) - (4*Sqrt[2/(3*(5 + Sqrt[13]))]*Sqrt[(6 + (5 - Sqrt[13])*x^2)/(6 + (5 + Sqrt[13])*x^2)]*(6 + (5 + Sqrt[13])*x^2)*EllipticF[ArcTan[Sqrt[(5 + Sqrt[13])/6]*x], (-13 + 5*Sqrt[13])/6])/(39*Sqrt[3 + 5*x^2 + x^4])

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1277

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)*(d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2))/(2*a*f*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p + 1)*Simp[d*(b^2*(m + 2*(p + 1) + 1) - 2*a*c*(m + 4*(p + 1) + 1)) - a*b*e*(m + 1) + c*(m + 2*(2*p + 3) + 1)*(b*d - 2*a*e)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^2(3+5x^2+x^4)^{3/2}} dx &= -\frac{7+8x^2}{39x\sqrt{3+5x^2+x^4}} - \frac{1}{39} \int \frac{-19+8x^2}{x^2\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{7+8x^2}{39x\sqrt{3+5x^2+x^4}} - \frac{19\sqrt{3+5x^2+x^4}}{117x} + \frac{1}{117} \int \frac{-24+19x^2}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{7+8x^2}{39x\sqrt{3+5x^2+x^4}} - \frac{19\sqrt{3+5x^2+x^4}}{117x} + \frac{19}{117} \int \frac{x^2}{\sqrt{3+5x^2+x^4}} dx - \frac{8}{39} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx \\
&= \frac{19x(5+\sqrt{13}+2x^2)}{234\sqrt{3+5x^2+x^4}} - \frac{7+8x^2}{39x\sqrt{3+5x^2+x^4}} - \frac{19\sqrt{3+5x^2+x^4}}{117x} - \frac{19\sqrt{\frac{1}{6}(5+\sqrt{13})}}{468x\sqrt{x^4+5x^2+3}}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 228, normalized size = 0.74

$$\frac{-i\sqrt{2}(19\sqrt{13}-143)x\sqrt{\frac{-2x^2+\sqrt{13}-5}{\sqrt{13}-5}}\sqrt{2x^2+\sqrt{13}+5}F\left(i\sinh^{-1}\left(\sqrt{\frac{2}{5+\sqrt{13}}}\right)x\right)\frac{19}{6}+\frac{5\sqrt{13}}{6}+19i\sqrt{2}(\sqrt{13}-5)x}{468x\sqrt{x^4+5x^2+3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3*x^2)/(x^2*(3 + 5*x^2 + x^4)^(3/2)), x]

[Out] (-4*(78 + 119*x^2 + 19*x^4) + (19*I)*Sqrt[2]*(-5 + Sqrt[13])*x*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] - I*Sqrt[2]*(-143 + 19*Sqrt[13])*x*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6))/(468*x*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4+5x^2+3}(3x^2+2)}{x^{10}+10x^8+31x^6+30x^4+9x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5*x^2+3)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/(x^10 + 10*x^8 + 31*x^6 + 30*x^4 + 9*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/((x^4 + 5*x^2 + 3)^(3/2)*x^2), x)

maple [A] time = 0.03, size = 257, normalized size = 0.83

$$\frac{16\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right) - 2\sqrt{x^4 + 5x^2 + 3}}{13\sqrt{-30 + 6\sqrt{13}} \sqrt{x^4 + 5x^2 + 3}} - \frac{6}{9x} - \frac{6}{\sqrt{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^2/(x^4+5*x^2+3)^(3/2),x)

[Out] $-6*(-5/78*x^3-19/78*x)/(x^4+5*x^2+3)^{(1/2)}-16/13/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}*EllipticF(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-76/13/(-30+6*13^{(1/2)})^{(1/2)}*(-(-5/6+1/6*13^{(1/2)})*x^2+1)^{(1/2)}*(-(-5/6-1/6*13^{(1/2)})*x^2+1)^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(13^{(1/2)}+5)*(EllipticF(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)})-EllipticE(1/6*(-30+6*13^{(1/2)})^{(1/2)}*x,5/6*3^{(1/2)}+1/6*39^{(1/2)}))-2/9*(x^4+5*x^2+3)^{(1/2)}/x-4*(19/234*x^3+40/117*x)/(x^4+5*x^2+3)^{(1/2)}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^2/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/((x^4 + 5*x^2 + 3)^(3/2)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{x^2 (x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x^2 + 2)/(x^2*(5*x^2 + x^4 + 3)^(3/2)), x)`

[Out] `int((3*x^2 + 2)/(x^2*(5*x^2 + x^4 + 3)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x^2 (x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((3*x**2+2)/x**2/(x**4+5*x**2+3)**(3/2), x)`

[Out] `Integral((3*x**2 + 2)/(x**2*(x**4 + 5*x**2 + 3)**(3/2)), x)`

$$3.203 \quad \int \frac{2+3x^2}{x^4(3+5x^2+x^4)^{3/2}} dx$$

Optimal. Leaf size=326

$$\frac{133x(2x^2 + \sqrt{13} + 5)}{1053\sqrt{x^4 + 5x^2 + 3}} + \frac{266\sqrt{x^4 + 5x^2 + 3}}{1053x} - \frac{5\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{351\sqrt{6(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}}$$

[Out] $1/39*(-8*x^2-7)/x^3/(x^4+5*x^2+3)^{(1/2)}-133/1053*x*(5+2*x^2+13^{(1/2)})/(x^4+5*x^2+3)^{(1/2)}-5/351*(x^4+5*x^2+3)^{(1/2)}/x^3+266/1053*(x^4+5*x^2+3)^{(1/2)}/x+133/6318*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticE(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(30+6*13^{(1/2)})^{(1/2)}*((6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}-5/351*(1/(36+x^2*(30+6*13^{(1/2)})))^{(1/2)}*(36+x^2*(30+6*13^{(1/2)}))^{(1/2)}*EllipticF(x*(30+6*13^{(1/2)})^{(1/2)}/(36+x^2*(30+6*13^{(1/2)}))^{(1/2)},1/6*(-78+30*13^{(1/2)})^{(1/2)}*(6+x^2*(5+13^{(1/2)}))*(6+x^2*(5-13^{(1/2)}))/(6+x^2*(5+13^{(1/2)})))^{(1/2)}/(x^4+5*x^2+3)^{(1/2)}/(30+6*13^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 326, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1277, 1281, 1189, 1099, 1135}

$$\frac{133x(2x^2 + \sqrt{13} + 5)}{1053\sqrt{x^4 + 5x^2 + 3}} + \frac{266\sqrt{x^4 + 5x^2 + 3}}{1053x} - \frac{5\sqrt{x^4 + 5x^2 + 3}}{351x^3} - \frac{8x^2 + 7}{39x^3\sqrt{x^4 + 5x^2 + 3}} - \frac{5\sqrt{\frac{(5-\sqrt{13})x^2+6}{(5+\sqrt{13})x^2+6}} \left((5 + \sqrt{13})x^2 + 6 \right) F\left(\tan^{-1}\left(\sqrt{\frac{1}{6}}(5 + \sqrt{13})x\right)\right)}{351\sqrt{6(5 + \sqrt{13})}\sqrt{x^4 + 5x^2 + 3}}$$

Antiderivative was successfully verified.

[In] Int[(2 + 3*x^2)/(x^4*(3 + 5*x^2 + x^4)^(3/2)),x]

[Out] $(-133*x*(5 + \text{Sqrt}[13] + 2*x^2))/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) - (7 + 8*x^2)/(39*x^3*\text{Sqrt}[3 + 5*x^2 + x^4]) - (5*\text{Sqrt}[3 + 5*x^2 + x^4])/(351*x^3) + (266*\text{Sqrt}[3 + 5*x^2 + x^4])/(1053*x) + (133*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) - (5*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) - (5*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) + (133*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) - (5*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) + (133*\text{Sqrt}[(5 + \text{Sqrt}[13])/6]*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4]) - (5*\text{Sqrt}[(6 + (5 - \text{Sqrt}[13])*x^2)/(6 + (5 + \text{Sqrt}[13])*x^2)])/(1053*\text{Sqrt}[3 + 5*x^2 + x^4])$

Rule 1099

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[((2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticF[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*a*Rt[(b + q)/(2*a), 2]*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1135

```
Int[(x_)^2/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[(x*(b + q + 2*c*x^2))/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] - Simp[(Rt[(b + q)/(2*a), 2]*(2*a + (b + q)*x^2)*Sqrt[(2*a + (b - q)*x^2)/(2*a + (b + q)*x^2)]*EllipticE[ArcTan[Rt[(b + q)/(2*a), 2]*x], (2*q)/(b + q)])/(2*c*Sqrt[a + b*x^2 + c*x^4]), x] /; PosQ[(b + q)/a] && !(PosQ[(b - q)/a] && SimplerSqrtQ[(b - q)/(2*a), (b + q)/(2*a)])] /; FreeQ[{a, b, c}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1189

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[d, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[e, Int[x^2/Sqrt[a + b*x^2 + c*x^4], x], x] /; PosQ[(b + q)/a] || PosQ[(b - q)/a] /; FreeQ[{a, b, c, d, e}, x] && GtQ[b^2 - 4*a*c, 0]
```

Rule 1277

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)*(d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2))/(2*a*f*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p + 1)*Simp[d*(b^2*(m + 2*(p + 1) + 1) - 2*a*c*(m + 4*(p + 1) + 1)) - a*b*e*(m + 1) + c*(m + 2*(2*p + 3) + 1)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rubi steps

$$\begin{aligned}
\int \frac{2+3x^2}{x^4(3+5x^2+x^4)^{3/2}} dx &= -\frac{7+8x^2}{39x^3\sqrt{3+5x^2+x^4}} - \frac{1}{39} \int \frac{-5+24x^2}{x^4\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{7+8x^2}{39x^3\sqrt{3+5x^2+x^4}} - \frac{5\sqrt{3+5x^2+x^4}}{351x^3} + \frac{1}{351} \int \frac{-266-5x^2}{x^2\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{7+8x^2}{39x^3\sqrt{3+5x^2+x^4}} - \frac{5\sqrt{3+5x^2+x^4}}{351x^3} + \frac{266\sqrt{3+5x^2+x^4}}{1053x} - \frac{\int \frac{15+266x^2}{\sqrt{3+5x^2+x^4}} dx}{1053} \\
&= -\frac{7+8x^2}{39x^3\sqrt{3+5x^2+x^4}} - \frac{5\sqrt{3+5x^2+x^4}}{351x^3} + \frac{266\sqrt{3+5x^2+x^4}}{1053x} - \frac{5}{351} \int \frac{1}{\sqrt{3+5x^2+x^4}} dx \\
&= -\frac{133x(5+\sqrt{13}+2x^2)}{1053\sqrt{3+5x^2+x^4}} - \frac{7+8x^2}{39x^3\sqrt{3+5x^2+x^4}} - \frac{5\sqrt{3+5x^2+x^4}}{351x^3} + \frac{266\sqrt{3+5x^2+x^4}}{1053x}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 234, normalized size = 0.72

$$\frac{532x^6 + 2630x^4 + 1014x^2 + i\sqrt{2} (133\sqrt{13} - 650) \sqrt{\frac{-2x^2 + \sqrt{13} - 5}{\sqrt{13} - 5}} \sqrt{2x^2 + \sqrt{13} + 5} x^3 F\left(i \sinh^{-1}\left(\sqrt{\frac{2}{5 + \sqrt{13}}} x\right)\right) \frac{19}{6}}{2106x^3\sqrt{x^4 + 5x^2 + 3}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(2 + 3*x^2)/(x^4*(3 + 5*x^2 + x^4)^(3/2)), x]

[Out] (-468 + 1014*x^2 + 2630*x^4 + 532*x^6 - (133*I)*Sqrt[2]*(-5 + Sqrt[13])*x^3 *Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticE[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6] + I*Sqrt[2]*(-650 + 133*Sqrt[13])*x^3*Sqrt[(-5 + Sqrt[13] - 2*x^2)/(-5 + Sqrt[13])]*Sqrt[5 + Sqrt[13] + 2*x^2]*EllipticF[I*ArcSinh[Sqrt[2/(5 + Sqrt[13])]]*x], 19/6 + (5*Sqrt[13])/6)/(2106*x^3*Sqrt[3 + 5*x^2 + x^4])

fricas [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 5x^2 + 3}(3x^2 + 2)}{x^{12} + 10x^{10} + 31x^8 + 30x^6 + 9x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5*x^2+3)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 5*x^2 + 3)*(3*x^2 + 2)/(x^12 + 10*x^10 + 31*x^8 + 30*x^6 + 9*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5*x^2+3)^(3/2),x, algorithm="giac")

[Out] integrate((3*x^2 + 2)/((x^4 + 5*x^2 + 3)^(3/2)*x^4), x)

maple [A] time = 0.02, size = 274, normalized size = 0.84

$$\frac{10\sqrt{-\left(-\frac{5}{6} + \frac{\sqrt{13}}{6}\right)x^2 + 1} \sqrt{-\left(-\frac{5}{6} - \frac{\sqrt{13}}{6}\right)x^2 + 1} \operatorname{EllipticF}\left(\frac{\sqrt{-30+6\sqrt{13}}x}{6}, \frac{5\sqrt{3}}{6} + \frac{\sqrt{39}}{6}\right)}{117\sqrt{-30+6\sqrt{13}} \sqrt{x^4+5x^2+3}} + \frac{23\sqrt{x^4+5x^2+3}}{81x} - \frac{2\sqrt{x^4+5x^2+3}}{81x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2+2)/x^4/(x^4+5*x^2+3)^(3/2),x)

[Out] 23/81*(x^4+5*x^2+3)^(1/2)/x-6*(19/234*x^3+40/117*x)/(x^4+5*x^2+3)^(1/2)-10/117/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)*EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))+1064/117/(-30+6*13^(1/2))^(1/2)*(-(-5/6+1/6*13^(1/2))*x^2+1)^(1/2)*(-(-5/6-1/6*13^(1/2))*x^2+1)^(1/2)/(x^4+5*x^2+3)^(1/2)/(13^(1/2)+5)*(EllipticF(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2))-EllipticE(1/6*(-30+6*13^(1/2))^(1/2)*x,5/6*3^(1/2)+1/6*39^(1/2)))-2/27*(x^4+5*x^2+3)^(1/2)/x^3-4*(-40/351*x^3-343/702*x)/(x^4+5*x^2+3)^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{(x^4 + 5x^2 + 3)^{\frac{3}{2}}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x^2+2)/x^4/(x^4+5*x^2+3)^(3/2),x, algorithm="maxima")

[Out] integrate((3*x^2 + 2)/((x^4 + 5*x^2 + 3)^(3/2)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{3x^2 + 2}{x^4 (x^4 + 5x^2 + 3)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3*x^2 + 2)/(x^4*(5*x^2 + x^4 + 3)^(3/2)), x)

[Out] int((3*x^2 + 2)/(x^4*(5*x^2 + x^4 + 3)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3x^2 + 2}{x^4 (x^4 + 5x^2 + 3)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3*x**2+2)/x**4/(x**4+5*x**2+3)**(3/2), x)

[Out] Integral((3*x**2 + 2)/(x**4*(x**4 + 5*x**2 + 3)**(3/2)), x)

3.204 $\int (fx)^{3/2} (d + ex^2) \sqrt{a + bx^2 + cx^4} dx$

Optimal. Leaf size=297

$$\frac{2d(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{1}{2},-\frac{1}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}}+1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}+1} + \frac{2e(fx)^{9/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{9}{4};-\frac{1}{2},-\frac{1}{2};\frac{13}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{9f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}}+1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}+1}$$

[Out] $2/5*d*(f*x)^{(5/2)*AppellF1(5/4,-1/2,-1/2,9/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2}))*(c*x^4+b*x^2+a)^{(1/2)/f/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2}))})^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2}))})^{(1/2)+2/9*e*(f*x)^{(9/2)*AppellF1(9/4,-1/2,-1/2,13/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2}))*(c*x^4+b*x^2+a)^{(1/2)/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2}))})^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2}))})^{(1/2)}$

Rubi [A] time = 0.39, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{1}{2},-\frac{1}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}}+1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}+1} + \frac{2e(fx)^{9/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{9}{4};-\frac{1}{2},-\frac{1}{2};\frac{13}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{9f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}}+1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}+1}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(f*x)^{(3/2)}*(d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4],x]$

[Out] $(2*d*(f*x)^{(5/2)*\text{Sqrt}[a + b*x^2 + c*x^4]*AppellF1[5/4, -1/2, -1/2, 9/4, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(5*f*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])])*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])]) + (2*e*(f*x)^{(9/2)*\text{Sqrt}[a + b*x^2 + c*x^4]*AppellF1[9/4, -1/2, -1/2, 13/4, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(9*f^3*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])])*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])$

Rule 510

$\text{Int}[(e_*)(x_)^{(m_*)}*((a_*) + (b_*)(x_)^{(n_)})^{(p_*)}*((c_*) + (d_*)(x_)^{(n_*)})^{(q_*)}, x_Symbol] :> \text{Simp}[(a^p*c^q*(e*x)^{(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m+1)), x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p, q\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m, -1] \&\& \text{NeQ}[m, n - 1] \&\& (\text{IntegerQ}[p] \|\ \text{GtQ}[a, 0]) \&\& (\text{IntegerQ}[q] \|\ \text{GtQ}[c, 0])$

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int (fx)^{3/2} (d + ex^2) \sqrt{a + bx^2 + cx^4} dx &= \int \left(d(fx)^{3/2} \sqrt{a + bx^2 + cx^4} + \frac{e(fx)^{7/2} \sqrt{a + bx^2 + cx^4}}{f^2} \right) dx \\ &= d \int (fx)^{3/2} \sqrt{a + bx^2 + cx^4} dx + \frac{e \int (fx)^{7/2} \sqrt{a + bx^2 + cx^4} dx}{f^2} \\ &= \frac{\left(d \sqrt{a + bx^2 + cx^4} \right) \int (fx)^{3/2} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} + \dots} + \dots \\ &= \frac{2d(fx)^{5/2} \sqrt{a + bx^2 + cx^4} F_1 \left(\frac{5}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{5f \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} + \dots} + \dots \end{aligned}$$

Mathematica [A] time = 0.98, size = 430, normalized size = 1.45

$$2f\sqrt{fx} \left(10a \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} F_1 \left(\frac{1}{4}; \frac{1}{2}, \frac{1}{2}; \frac{5}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) (-18ace + 7b^2e - 13bcd) + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(f*x)^(3/2)*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(2*f*\sqrt{f*x}*(5*(a + b*x^2 + c*x^4)*(-14*b^2*e + 2*b*c*(13*d + 5*e*x^2) + c*(36*a*e + 65*c*d*x^2 + 45*c*e*x^4)) + 10*a*(-13*b*c*d + 7*b^2*e - 18*a*c*e)*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})}*\text{AppellF1}[1/4, 1/2, 1/2, 5/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})]) + 2*(-39*b^2*c*d + 130*a*c^2*d + 21*b^3*e - 79*a*b*c*e)*x^2*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})}*\text{AppellF1}[5/4, 1/2, 1/2, 9/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})])/(2925*c^2*\sqrt{a + b*x^2 + c*x^4})$

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(efx^3 + dfx\right)\sqrt{cx^4 + bx^2 + a}\sqrt{fx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((e*f*x^3 + d*f*x)*sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^4 + bx^2 + a} (ex^2 + d) (fx)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*(f*x)^(3/2), x)`

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int (fx)^{\frac{3}{2}} (ex^2 + d) \sqrt{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `int((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^4 + bx^2 + a} (ex^2 + d) (fx)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*(f*x)^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^{3/2} (ex^2 + d) \sqrt{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^(3/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2),x)
```

```
[Out] int((f*x)^(3/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^{3/2} (d + ex^2) \sqrt{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**(3/2)*(e*x**2+d)*(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral((f*x)**(3/2)*(d + e*x**2)*sqrt(a + b*x**2 + c*x**4), x)
```

3.205 $\int \sqrt{fx} (d + ex^2) \sqrt{a + bx^2 + cx^4} dx$

Optimal. Leaf size=297

$$\frac{2d(fx)^{3/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{3}{4};-\frac{1}{2},-\frac{1}{2};\frac{7}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{3f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}+\frac{2e(fx)^{7/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{7}{4};-\frac{1}{2},-\frac{1}{2};\frac{11}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{7f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] $\frac{2/3*d*(f*x)^{(3/2)*AppellF1(3/4,-1/2,-1/2,7/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)/f/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)+2/7*e*(f*x)^{(7/2)*AppellF1(7/4,-1/2,-1/2,11/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}}}}{3f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}+\frac{2e(fx)^{7/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{7}{4};-\frac{1}{2},-\frac{1}{2};\frac{11}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{7f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$

Rubi [A] time = 0.32, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d(fx)^{3/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{3}{4};-\frac{1}{2},-\frac{1}{2};\frac{7}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{3f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}+\frac{2e(fx)^{7/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{7}{4};-\frac{1}{2},-\frac{1}{2};\frac{11}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{7f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[f*x]*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(2*d*(f*x)^{(3/2)*Sqrt[a+b*x^2+c*x^4]*AppellF1[3/4,-1/2,-1/2,7/4,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c]),(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])]/(3*f*Sqrt[1+(2*c*x^2)/(b-Sqrt[b^2-4*a*c])]*Sqrt[1+(2*c*x^2)/(b+Sqrt[b^2-4*a*c])])+(2*e*(f*x)^{(7/2)*Sqrt[a+b*x^2+c*x^4]*AppellF1[7/4,-1/2,-1/2,11/4,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c]),(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])]/(7*f^3*Sqrt[1+(2*c*x^2)/(b-Sqrt[b^2-4*a*c])]*Sqrt[1+(2*c*x^2)/(b+Sqrt[b^2-4*a*c])])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.)+(b_.)*(x_)^(n_))^(p_.)*((c_.)+(d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n,-p,-q,1+(m+1)/n,-((b*x^n)/a),-((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a,b,c,d,e,m,n,p,q},x] && NeQ[b*c-a*d,0] && NeQ[m,-1] && NeQ[m,n-1] && (IntegerQ[p] || GtQ[a,0]) && (IntegerQ[q] || GtQ[c,0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \sqrt{fx} (d + ex^2) \sqrt{a + bx^2 + cx^4} dx &= \int \left(d\sqrt{fx} \sqrt{a + bx^2 + cx^4} + \frac{e(fx)^{5/2} \sqrt{a + bx^2 + cx^4}}{f^2} \right) dx \\ &= d \int \sqrt{fx} \sqrt{a + bx^2 + cx^4} dx + \frac{e \int (fx)^{5/2} \sqrt{a + bx^2 + cx^4} dx}{f^2} \\ &= \frac{\left(d\sqrt{a + bx^2 + cx^4} \right) \int \sqrt{fx} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} + \frac{e \int (fx)^{5/2} \sqrt{a + bx^2 + cx^4} dx}{f^2}} \\ &= \frac{2d(fx)^{3/2} \sqrt{a + bx^2 + cx^4} F_1\left(\frac{3}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right) + 2e \int (fx)^{5/2} \sqrt{a + bx^2 + cx^4} dx}{3f \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [A] time = 5.71, size = 386, normalized size = 1.30

$$2x\sqrt{fx} \left(6x^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} F_1\left(\frac{7}{4}; \frac{1}{2}, \frac{1}{2}; \frac{11}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) (14ace - 5b^2e + 11bcd) + \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[f*x]*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(2*x*\sqrt{f*x}*(21*(11*c*d + 2*b*e + 7*c*e*x^2)*(a + b*x^2 + c*x^4) + 14*a*(22*c*d - 3*b*e)*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})}*\text{AppellF1}[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})] + 6*(11*b*c*d - 5*b^2*e + 14*a*c*e)*x^2*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})}*\text{AppellF1}[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})]))/(1617*c*\sqrt{a + b*x^2 + c*x^4})$

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x), x)`

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \sqrt{fx}(ex^2 + d)\sqrt{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `int((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{fx} (ex^2 + d) \sqrt{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^(1/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int((f*x)^(1/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{fx} (d + ex^2) \sqrt{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**(1/2)*(e*x**2+d)*(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral(sqrt(f*x)*(d + e*x**2)*sqrt(a + b*x**2 + c*x**4), x)

$$3.206 \quad \int \frac{(d+ex^2)\sqrt{a+bx^2+cx^4}}{\sqrt{fx}} dx$$

Optimal. Leaf size=295

$$\frac{2d\sqrt{fx}\sqrt{a+bx^2+cx^4}F_1\left(\frac{1}{4};-\frac{1}{2},-\frac{1}{2};\frac{5}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2e(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{1}{2},-\frac{1}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] $2/5*e*(f*x)^{(5/2)*AppellF1(5/4,-1/2,-1/2,9/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)+2*d*AppellF1(1/4,-1/2,-1/2,5/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(f*x)^{(1/2)*(c*x^4+b*x^2+a)^{(1/2)/f/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}))^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2))^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d\sqrt{fx}\sqrt{a+bx^2+cx^4}F_1\left(\frac{1}{4};-\frac{1}{2},-\frac{1}{2};\frac{5}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2e(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{1}{2},-\frac{1}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4])/Sqrt[f*x], x]

[Out] $(2*d*\text{Sqrt}[f*x]*\text{Sqrt}[a + b*x^2 + c*x^4]*\text{AppellF1}[1/4, -1/2, -1/2, 5/4, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(f*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])]) + (2*e*(f*x)^{(5/2)*\text{Sqrt}[a + b*x^2 + c*x^4]*\text{AppellF1}[5/4, -1/2, -1/2, 9/4, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(5*f^3*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)])/((e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2) \sqrt{a + bx^2 + cx^4}}{\sqrt{fx}} dx &= \int \left(\frac{d\sqrt{a + bx^2 + cx^4}}{\sqrt{fx}} + \frac{e(fx)^{3/2} \sqrt{a + bx^2 + cx^4}}{f^2} \right) dx \\ &= d \int \frac{\sqrt{a + bx^2 + cx^4}}{\sqrt{fx}} dx + \frac{e \int (fx)^{3/2} \sqrt{a + bx^2 + cx^4} dx}{f^2} \\ &= \frac{(d\sqrt{a + bx^2 + cx^4}) \int \frac{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}}{\sqrt{fx}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{(e\sqrt{a + bx^2 + cx^4}) \int (fx)^{5/2}}{f^2 \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \\ &= \frac{2d\sqrt{fx} \sqrt{a + bx^2 + cx^4} F_1\left(\frac{1}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{5}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)}{f \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{2e(fx)^{5/2}}{f^2 \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [A] time = 0.71, size = 386, normalized size = 1.31

$$\frac{2x \left(2x^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} F_1\left(\frac{5}{4}; \frac{1}{2}, \frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) (10ace - 3b^2e + 9bcd) + 10a\sqrt{\dots} \right)}{225c\sqrt{f}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4])/Sqrt[f*x], x]

```
[Out] (2*x*(5*(9*c*d + 2*b*e + 5*c*e*x^2)*(a + b*x^2 + c*x^4) + 10*a*(18*c*d - b*
e)*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b
+ Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[1/4, 1/2,
1/2, 5/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*
a*c]]) + 2*(9*b*c*d - 3*b^2*e + 10*a*c*e)*x^2*Sqrt[(b - Sqrt[b^2 - 4*a*c] +
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(
b + Sqrt[b^2 - 4*a*c]])*AppellF1[5/4, 1/2, 1/2, 9/4, (-2*c*x^2)/(b + Sqrt[b
^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(225*c*Sqrt[f*x]*Sqrt[a
+ b*x^2 + c*x^4])
```

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx}}{fx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(1/2),x, algorithm="fricas"
)
```

```
[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(f*x), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)/sqrt(f*x), x)
```

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)\sqrt{cx^4 + bx^2 + a}}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(1/2),x)
```

```
[Out] int((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(1/2),x)
```


maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a} (ex^2 + d)}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)/sqrt(f*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d) \sqrt{cx^4 + bx^2 + a}}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2))/(f*x)^(1/2), x)

[Out] int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2))/(f*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2) \sqrt{a + bx^2 + cx^4}}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+b*x**2+a)**(1/2)/(f*x)**(1/2),x)

[Out] Integral((d + e*x**2)*sqrt(a + b*x**2 + c*x**4)/sqrt(f*x), x)

$$3.207 \quad \int \frac{(d+ex^2)\sqrt{a+bx^2+cx^4}}{(fx)^{3/2}} dx$$

Optimal. Leaf size=295

$$\frac{2e(fx)^{3/2}\sqrt{a+bx^2+cx^4} F_1\left(\frac{3}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{3f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}} - \frac{2d\sqrt{a+bx^2+cx^4} F_1\left(-\frac{1}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{3}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}\right)}{f\sqrt{fx}\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}$$

[Out] $2/3e*(f*x)^{(3/2)}*AppellF1(3/4, -1/2, -1/2, 7/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}-2*d*AppellF1(-1/4, -1/2, -1/2, 3/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f/(f*x)^{(1/2)}/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2e(fx)^{3/2}\sqrt{a+bx^2+cx^4} F_1\left(\frac{3}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{3f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}} - \frac{2d\sqrt{a+bx^2+cx^4} F_1\left(-\frac{1}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{3}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}\right)}{f\sqrt{fx}\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4])/(f*x)^(3/2), x]

[Out] $(-2*d*Sqrt[a + b*x^2 + c*x^4]*AppellF1[-1/4, -1/2, -1/2, 3/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(f*Sqrt[fx]*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]) + (2*e*(f*x)^{(3/2)}*Sqrt[a + b*x^2 + c*x^4]*AppellF1[3/4, -1/2, -1/2, 7/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(3*f^3*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)])/((e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2) \sqrt{a + bx^2 + cx^4}}{(fx)^{3/2}} dx &= \int \left(\frac{d\sqrt{a + bx^2 + cx^4}}{(fx)^{3/2}} + \frac{e\sqrt{fx} \sqrt{a + bx^2 + cx^4}}{f^2} \right) dx \\ &= d \int \frac{\sqrt{a + bx^2 + cx^4}}{(fx)^{3/2}} dx + \frac{e \int \sqrt{fx} \sqrt{a + bx^2 + cx^4} dx}{f^2} \\ &= \frac{\left(d\sqrt{a + bx^2 + cx^4} \right) \int \frac{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}}{(fx)^{3/2}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{\left(e\sqrt{a + bx^2 + cx^4} \right) \int \sqrt{fx} \sqrt{a + bx^2 + cx^4} dx}{f^2 \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \\ &= -\frac{2d\sqrt{a + bx^2 + cx^4} F_1\left(-\frac{1}{4}; -\frac{1}{2}, -\frac{1}{2}; \frac{3}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)}{f\sqrt{fx} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{2e(fx)^{3/2} \sqrt{a + bx^2 + cx^4}}{f^2 \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [A] time = 0.86, size = 370, normalized size = 1.25

$$\frac{x \left(28x^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} (2ae + 7bd) F_1\left(\frac{3}{4}; \frac{1}{2}, \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) + 12x^4 \sqrt{\frac{-\sqrt{b^2-4ac}+b}{b-\sqrt{b^2-4ac}}} \right)}{147(fx)^{3/2} \sqrt{a + bx^2 + cx^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4])/(f*x)^(3/2), x]

```
[Out] (x*(-42*(7*d - e*x^2)*(a + b*x^2 + c*x^4) + 28*(7*b*d + 2*a*e)*x^2*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]) + 12*(14*c*d + b*e)*x^4*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(147*(f*x)^(3/2)*Sqrt[a + b*x^2 + c*x^4])
```

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx}}{f^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(f^2*x^2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(3/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)/(f*x)^(3/2), x)
```

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)\sqrt{cx^4 + bx^2 + a}}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(3/2),x)
```

```
[Out] int((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(3/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a} (ex^2 + d)}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(1/2)/(f*x)^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)/(f*x)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d) \sqrt{cx^4 + bx^2 + a}}{(fx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2))/(f*x)^(3/2), x)

[Out] int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2))/(f*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2) \sqrt{a + bx^2 + cx^4}}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+b*x**2+a)**(1/2)/(f*x)**(3/2), x)

[Out] Integral((d + e*x**2)*sqrt(a + b*x**2 + c*x**4)/(f*x)**(3/2), x)

$$3.208 \quad \int (fx)^{3/2} (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx$$

Optimal. Leaf size=299

$$\frac{2ad(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{3}{2},-\frac{3}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2ae(fx)^{9/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{9}{4};-\frac{3}{2},-\frac{3}{2};\frac{13}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{9f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] $2/5*a*d*(f*x)^{(5/2)}*AppellF1(5/4, -3/2, -3/2, 9/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}+2/9*a*e*(f*x)^{(9/2)}*AppellF1(9/4, -3/2, -3/2, 13/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2ad(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{3}{2},-\frac{3}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2ae(fx)^{9/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{9}{4};-\frac{3}{2},-\frac{3}{2};\frac{13}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{9f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^(3/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2),x]

[Out] $(2*a*d*(f*x)^{(5/2)}*Sqrt[a + b*x^2 + c*x^4]*AppellF1[5/4, -3/2, -3/2, 9/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(5*f*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]) + (2*a*e*(f*x)^{(9/2)}*Sqrt[a + b*x^2 + c*x^4]*AppellF1[9/4, -3/2, -3/2, 13/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(9*f^3*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int (fx)^{3/2} (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx &= \int \left(d(fx)^{3/2} (a + bx^2 + cx^4)^{3/2} + \frac{e(fx)^{7/2} (a + bx^2 + cx^4)^{3/2}}{f^2} \right) dx \\ &= d \int (fx)^{3/2} (a + bx^2 + cx^4)^{3/2} dx + \frac{e \int (fx)^{7/2} (a + bx^2 + cx^4)^{3/2} dx}{f^2} \\ &= \frac{\left(ad\sqrt{a + bx^2 + cx^4} \right) \int (fx)^{3/2} \left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \\ &= \frac{2ad(fx)^{5/2} \sqrt{a + bx^2 + cx^4} F_1 \left(\frac{5}{4}; -\frac{3}{2}, -\frac{3}{2}; \frac{9}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{5f \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(f*x)^(3/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2),x]

[Out] \$Aborted

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cef x^7 + (cd + be)fx^5 + (bd + ae)fx^3 + adfx\right)\sqrt{cx^4 + bx^2 + a}\sqrt{fx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] integral((c*e*f*x^7 + (c*d + b*e)*f*x^5 + (b*d + a*e)*f*x^3 + a*d*f*x)*sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)(fx)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*(f*x)^(3/2), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int (fx)^{\frac{3}{2}}(ex^2 + d)(cx^4 + bx^2 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x)

[Out] int((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)(fx)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(3/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*(f*x)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^{3/2}(ex^2 + d)(cx^4 + bx^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^(3/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x)`

[Out] `int((f*x)^(3/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^{\frac{3}{2}} (d + ex^2) (a + bx^2 + cx^4)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**(3/2)*(e*x**2+d)*(c*x**4+b*x**2+a)**(3/2), x)`

[Out] `Integral((f*x)**(3/2)*(d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2), x)`

$$3.209 \quad \int \sqrt{fx} (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx$$

Optimal. Leaf size=299

$$\frac{2ad(fx)^{3/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{3}{4};-\frac{3}{2},-\frac{3}{2};\frac{7}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{3f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2ae(fx)^{7/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{7}{4};-\frac{3}{2},-\frac{3}{2};\frac{11}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{7f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] $2/3*a*d*(f*x)^{(3/2)}*AppellF1(3/4, -3/2, -3/2, 7/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{\wedge}(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{\wedge}(1/2)+2/7*a*e*(f*x)^{(7/2)}*AppellF1(7/4, -3/2, -3/2, 11/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{\wedge}(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{\wedge}(1/2)$

Rubi [A] time = 0.35, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2ad(fx)^{3/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{3}{4};-\frac{3}{2},-\frac{3}{2};\frac{7}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{3f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2ae(fx)^{7/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{7}{4};-\frac{3}{2},-\frac{3}{2};\frac{11}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{7f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[f*x]*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2),x]

[Out] $(2*a*d*(f*x)^{(3/2)}*Sqrt[a + b*x^2 + c*x^4]*AppellF1[3/4, -3/2, -3/2, 7/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(3*f*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]) + (2*a*e*(f*x)^{(7/2)}*Sqrt[a + b*x^2 + c*x^4]*AppellF1[7/4, -3/2, -3/2, 11/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(7*f^3*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned}
\int \sqrt{fx} (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx &= \int \left(d\sqrt{fx} (a + bx^2 + cx^4)^{3/2} + \frac{e(fx)^{5/2} (a + bx^2 + cx^4)^{3/2}}{f^2} \right) dx \\
&= d \int \sqrt{fx} (a + bx^2 + cx^4)^{3/2} dx + \frac{e \int (fx)^{5/2} (a + bx^2 + cx^4)^{3/2} dx}{f^2} \\
&= \frac{\left(ad\sqrt{a + bx^2 + cx^4} \right) \int \sqrt{fx} \left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \\
&= \frac{2ad(fx)^{3/2} \sqrt{a + bx^2 + cx^4} F_1 \left(\frac{3}{4}; -\frac{3}{2}, -\frac{3}{2}; \frac{7}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{3f \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}}
\end{aligned}$$

Mathematica [A] time = 6.14, size = 490, normalized size = 1.64

$$\frac{2x\sqrt{fx} \left(12x^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} F_1 \left(\frac{7}{4}; \frac{1}{2}, \frac{1}{2}; \frac{11}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) (420a^2c^2e - 309ab^2ce + \dots \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[f*x]*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x]

[Out] $(2*x*\sqrt{f*x}*(7*(a + b*x^2 + c*x^4)*(-108*b^3*e + 12*b^2*c*(19*d + 7*e*x^2) + b*c*(624*a*e + 7*c*x^2*(323*d + 231*e*x^2)) + c^2*(77*c*x^4*(19*d + 15*e*x^2) + a*(3971*d + 2415*e*x^2))) + 28*a*(-57*b^2*c*d + 836*a*c^2*d + 27*b^3*e - 156*a*b*c*e)*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})}*\text{AppellF1}[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})] + 12*(-95*b^3*c*d + 684*a*b*c^2*d + 45*b^4*e - 309*a*b^2*c*e + 420*a^2*c^2*e)*x^2*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})}*\text{AppellF1}[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})])/(153615*c^2*\sqrt{a + b*x^2 + c*x^4})$

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\left((cex^6 + (cd + be)x^4 + (bd + ae)x^2 + ad)\sqrt{cx^4 + bx^2 + a}\sqrt{fx}, x\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")`

[Out] `integral((c*e*x^6 + (c*d + b*e)*x^4 + (b*d + a*e)*x^2 + a*d)*sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)\sqrt{fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")`

[Out] `integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*sqrt(f*x), x)`

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \sqrt{fx} (ex^2 + d)(cx^4 + bx^2 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x)`

[Out] `int((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^4 + bx^2 + a)^{\frac{3}{2}} (ex^2 + d) \sqrt{fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(1/2)*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*sqrt(f*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{fx} (ex^2 + d) (cx^4 + bx^2 + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^(1/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x)

[Out] int((f*x)^(1/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{fx} (d + ex^2) (a + bx^2 + cx^4)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**(1/2)*(e*x**2+d)*(c*x**4+b*x**2+a)**(3/2), x)

[Out] Integral(sqrt(f*x)*(d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2), x)

$$3.210 \quad \int \frac{(d+ex^2)(a+bx^2+cx^4)^{3/2}}{\sqrt{fx}} dx$$

Optimal. Leaf size=297

$$\frac{2ad\sqrt{fx}\sqrt{a+bx^2+cx^4}F_1\left(\frac{1}{4};-\frac{3}{2},-\frac{3}{2};\frac{5}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2ae(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{3}{2},-\frac{3}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] $2/5*a*e*(f*x)^{(5/2)*AppellF1(5/4,-3/2,-3/2,9/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)/f^3/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)+2*a*d*AppellF1(1/4,-3/2,-3/2,5/4,-2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}),-2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(f*x)^{(1/2)*(c*x^4+b*x^2+a)^{(1/2)/f/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}}}$

Rubi [A] time = 0.35, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2ad\sqrt{fx}\sqrt{a+bx^2+cx^4}F_1\left(\frac{1}{4};-\frac{3}{2},-\frac{3}{2};\frac{5}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}} + \frac{2ae(fx)^{5/2}\sqrt{a+bx^2+cx^4}F_1\left(\frac{5}{4};-\frac{3}{2},-\frac{3}{2};\frac{9}{4};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{5f^3\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/Sqrt[f*x], x]

[Out] $(2*a*d*\text{Sqrt}[f*x]*\text{Sqrt}[a + b*x^2 + c*x^4]*\text{AppellF1}[1/4, -3/2, -3/2, 5/4, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(f*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])]) + (2*a*e*(f*x)^{(5/2)*\text{Sqrt}[a + b*x^2 + c*x^4]*\text{AppellF1}[5/4, -3/2, -3/2, 9/4, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(5*f^3*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])$

Rule 510

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)])/((e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  := Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^2)(a + bx^2 + cx^4)^{3/2}}{\sqrt{fx}} dx &= \int \left(\frac{d(a + bx^2 + cx^4)^{3/2}}{\sqrt{fx}} + \frac{e(fx)^{3/2}(a + bx^2 + cx^4)^{3/2}}{f^2} \right) dx \\
&= d \int \frac{(a + bx^2 + cx^4)^{3/2}}{\sqrt{fx}} dx + \frac{e \int (fx)^{3/2} (a + bx^2 + cx^4)^{3/2} dx}{f^2} \\
&= \frac{\left(ad\sqrt{a + bx^2 + cx^4} \right) \int \frac{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)^{3/2}}{\sqrt{fx}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{\left(ae\sqrt{a + bx^2 + cx^4} \right) \int \frac{1}{\sqrt{fx}} dx}{f^2} \\
&= \frac{2ad\sqrt{fx} \sqrt{a + bx^2 + cx^4} F_1 \left(\frac{1}{4}; -\frac{3}{2}, -\frac{3}{2}; \frac{5}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{f \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{2ae \int \frac{1}{\sqrt{fx}} dx}{f^2}
\end{aligned}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/Sqrt[f*x], x]

[Out] \$Aborted

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cex^6 + (cd + be)x^4 + (bd + ae)x^2 + ad)\sqrt{cx^4 + bx^2 + a}\sqrt{fx}}{fx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(1/2),x, algorithm="fricas")

[Out] integral((c*e*x^6 + (c*d + b*e)*x^4 + (b*d + a*e)*x^2 + a*d)*sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x)/(f*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(1/2),x, algorithm="giac")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)/sqrt(f*x), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(cx^4 + bx^2 + a)^{\frac{3}{2}}}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(1/2),x)

[Out] int((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(1/2),x, algorithm="maxima")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)/sqrt(f*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)(cx^4 + bx^2 + a)^{3/2}}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/(f*x)^(1/2), x)

[Out] int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/(f*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}}{\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)*(c*x**4+b*x**2+a)**(3/2)/(f*x)**(1/2), x)

[Out] Integral((d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)/sqrt(f*x), x)

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)(a + bx^2 + cx^4)^{3/2}}{(fx)^{3/2}} dx &= \int \left(\frac{d(a + bx^2 + cx^4)^{3/2}}{(fx)^{3/2}} + \frac{e\sqrt{fx}(a + bx^2 + cx^4)^{3/2}}{f^2} \right) dx \\ &= d \int \frac{(a + bx^2 + cx^4)^{3/2}}{(fx)^{3/2}} dx + \frac{e \int \sqrt{fx}(a + bx^2 + cx^4)^{3/2} dx}{f^2} \\ &= \frac{\left(ad\sqrt{a + bx^2 + cx^4} \right) \int \frac{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)^{3/2}}{(fx)^{3/2}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{2ae\sqrt{a + bx^2 + cx^4}}{f\sqrt{fx}} \\ &= \frac{2ad\sqrt{a + bx^2 + cx^4} F_1 \left(-\frac{1}{4}, -\frac{3}{2}, -\frac{3}{2}, \frac{3}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{f\sqrt{fx} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} + \frac{2ae(fx)}{f\sqrt{fx}} \end{aligned}$$

Mathematica [A] time = 0.99, size = 447, normalized size = 1.51

$$x \left(-56ax^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} F_1 \left(\frac{3}{4}, \frac{1}{2}, \frac{1}{2}, \frac{7}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) (-44ace + 3b^2e - 240bcd) + \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/(f*x)^(3/2),x]

[Out] (x*(14*(a + b*x^2 + c*x^4)*(a*c*(-1155*d + 209*e*x^2) + x^2*(12*b^2*e + 7*c^2*x^2*(15*d + 11*e*x^2) + b*c*(195*d + 119*e*x^2))) - 56*a*(-240*b*c*d + 3*b^2*e - 44*a*c*e)*x^2*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])] + 24*(15*b^2*c*d + 420*a*c^2*d - 5*b^3*e + 36*a*b*c*e)*x^4*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(8085*c*(f*x)^(3/2)*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cex^6 + (cd + be)x^4 + (bd + ae)x^2 + ad)\sqrt{cx^4 + bx^2 + a}\sqrt{fx}}{f^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(3/2),x, algorithm="fricas")

[Out] integral((c*e*x^6 + (c*d + b*e)*x^4 + (b*d + a*e)*x^2 + a*d)*sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x)/(f^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(3/2),x, algorithm="giac")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)/(f*x)^(3/2), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(cx^4 + bx^2 + a)^{\frac{3}{2}}}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(3/2),x)`

[Out] `int((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(3/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)*(c*x^4+b*x^2+a)^(3/2)/(f*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)/(f*x)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)(cx^4 + bx^2 + a)^{3/2}}{(fx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/(f*x)^(3/2),x)`

[Out] `int(((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2))/(f*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}}{(fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)*(c*x**4+b*x**2+a)**(3/2)/(f*x)**(3/2),x)`

[Out] `Integral((d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)/(f*x)**(3/2), x)`

$$3.212 \quad \int \frac{(fx)^{3/2}(d+ex^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=297

$$\frac{2d(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{5}{4}; \frac{1}{2}, \frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + 2e(fx)^{9/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5f\sqrt{a+bx^2+cx^4}}$$

[Out] $2/5*d*(f*x)^{(5/2)*AppellF1(5/4, 1/2, 1/2, 9/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/f/(c*x^4+b*x^2+a)^{(1/2)}+2/9*e*(f*x)^{(9/2)*AppellF1(9/4, 1/2, 1/2, 13/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/f^3/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{5}{4}; \frac{1}{2}, \frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + 2e(fx)^{9/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5f\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^(3/2)*(d + e*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(2*d*(f*x)^{(5/2)*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]]]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[5/4, 1/2, 1/2, 9/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(5*f*Sqrt[a + b*x^2 + c*x^4]) + (2*e*(f*x)^{(9/2)*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]]]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[9/4, 1/2, 1/2, 13/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(9*f^3*Sqrt[a + b*x^2 + c*x^4])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\int \frac{(fx)^{3/2} (d + ex^2)}{\sqrt{a + bx^2 + cx^4}} dx = \int \left(\frac{d(fx)^{3/2}}{\sqrt{a + bx^2 + cx^4}} + \frac{e(fx)^{7/2}}{f^2 \sqrt{a + bx^2 + cx^4}} \right) dx$$

$$= d \int \frac{(fx)^{3/2}}{\sqrt{a + bx^2 + cx^4}} dx + \frac{e \int \frac{(fx)^{7/2}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2}$$

$$= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^{3/2}}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} dx + \frac{\left(e \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{a + bx^2 + cx^4}}$$

$$= \frac{2d(fx)^{5/2} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1 \left(\frac{5}{4}; \frac{1}{2}, \frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right) + 2e \sqrt{a + bx^2 + cx^4}}{5f \sqrt{a + bx^2 + cx^4}}$$

Mathematica [A] time = 0.59, size = 354, normalized size = 1.19

$$\frac{2f\sqrt{fx} \left(x^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} (5cd - 3be) F_1 \left(\frac{5}{4}; \frac{1}{2}, \frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) - 5ae \sqrt{\frac{-\sqrt{b^2-4ac}}{b-\sqrt{b^2-4ac}}} \right)}{25c\sqrt{a + bx^2 + cx^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((f*x)^(3/2)*(d + e*x^2))/Sqrt[a + b*x^2 + c*x^4],x]

[Out] $(2*f*\sqrt{f*x}*(5*e*(a + b*x^2 + c*x^4) - 5*a*e*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c}})*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}})]*AppellF1[1/4, 1/2, 1/2, 5/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})]) + (5*c*d - 3*b*e)*x^2*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})*AppellF1[5/4, 1/2, 1/2, 9/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})])})/(25*c*\sqrt{a + b*x^2 + c*x^4})$

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(efx^3 + dfx)\sqrt{fx}}{\sqrt{cx^4 + bx^2 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] `integral((e*f*x^3 + d*f*x)*sqrt(f*x)/sqrt(c*x^4 + b*x^2 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^{\frac{3}{2}}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)*(f*x)^(3/2)/sqrt(c*x^4 + b*x^2 + a), x)`

maple [F] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{(fx)^{\frac{3}{2}}(ex^2 + d)}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `int((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^{\frac{3}{2}}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)*(f*x)^(3/2)/sqrt(c*x^4 + b*x^2 + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(fx)^{3/2} (ex^2 + d)}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^(3/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)
```

```
[Out] int(((f*x)^(3/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^{3/2} (d + ex^2)}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**(3/2)*(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2), x)
```

```
[Out] Integral((f*x)**(3/2)*(d + e*x**2)/sqrt(a + b*x**2 + c*x**4), x)
```

$$3.213 \quad \int \frac{\sqrt{fx}(d+ex^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=297

$$\frac{2d(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{3}{4}; \frac{1}{2}; \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + \frac{2e(fx)^{7/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3f\sqrt{a+bx^2+cx^4}}$$

[Out] $\frac{2}{3}d*(f*x)^{(3/2)}*AppellF1(3/4, 1/2, 1/2, 7/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/f/(c*x^4+b*x^2+a)^{(1/2)}+2/7*e*(f*x)^{(7/2)}*AppellF1(7/4, 1/2, 1/2, 11/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/f^3/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 297, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{3}{4}; \frac{1}{2}; \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + \frac{2e(fx)^{7/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3f\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[f*x]*(d + e*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(2*d*(f*x)^{(3/2)}*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(3*f*Sqrt[a + b*x^2 + c*x^4]) + (2*e*(f*x)^{(7/2)}*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(7*f^3*Sqrt[a + b*x^2 + c*x^4])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{fx} (d + ex^2)}{\sqrt{a + bx^2 + cx^4}} dx &= \int \left(\frac{d\sqrt{fx}}{\sqrt{a + bx^2 + cx^4}} + \frac{e(fx)^{5/2}}{f^2\sqrt{a + bx^2 + cx^4}} \right) dx \\ &= d \int \frac{\sqrt{fx}}{\sqrt{a + bx^2 + cx^4}} dx + \frac{e \int \frac{(fx)^{5/2}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2} \\ &= \frac{\left(d\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{\sqrt{fx}}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} dx}{\sqrt{a + bx^2 + cx^4}} + \frac{\left(e\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{a + bx^2 + cx^4}} \\ &= \frac{2d(fx)^{3/2} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1\left(\frac{3}{4}; \frac{1}{2}, \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)}{3f\sqrt{a + bx^2 + cx^4}} + \frac{2e}{\sqrt{a + bx^2 + cx^4}} \end{aligned}$$

Mathematica [A] time = 5.14, size = 242, normalized size = 0.81

$$\frac{2\sqrt{fx} \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}} \left(7dx F_1\left(\frac{3}{4}; \frac{1}{2}, \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^2}{\sqrt{b^2 - 4ac} - b}\right) + 3ex^3 F_1\left(\frac{7}{4}; \frac{1}{2}, \frac{1}{2}; \frac{11}{4}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^2}{\sqrt{b^2 - 4ac} - b}\right) \right)}{21\sqrt{a + bx^2 + cx^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[f*x]*(d + e*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

```
[Out] (2*Sqrt[f*x]*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])
]*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])*(7*d*x*Ap
pellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-
b + Sqrt[b^2 - 4*a*c])] + 3*e*x^3*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/
(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(21*Sqrt[a +
b*x^2 + c*x^4])
```

fricas [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)\sqrt{fx}}{\sqrt{cx^4 + bx^2 + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas"
)
```

```
[Out] integral((e*x^2 + d)*sqrt(f*x)/sqrt(c*x^4 + b*x^2 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)\sqrt{fx}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*sqrt(f*x)/sqrt(c*x^4 + b*x^2 + a), x)
```

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{fx} (ex^2 + d)}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)
```

```
[Out] int((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)\sqrt{fx}}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)*sqrt(f*x)/sqrt(c*x^4 + b*x^2 + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{f x} (e x^2 + d)}{\sqrt{c x^4 + b x^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^(1/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(1/2),x)
```

```
[Out] int(((f*x)^(1/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{f x} (d + e x^2)}{\sqrt{a + b x^2 + c x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**(1/2)*(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral(sqrt(f*x)*(d + e*x**2)/sqrt(a + b*x**2 + c*x**4), x)
```

$$3.214 \quad \int \frac{d+ex^2}{\sqrt{fx} \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=295

$$\frac{2d\sqrt{fx} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{4}; \frac{1}{2}, \frac{1}{2}; \frac{5}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f\sqrt{a+bx^2+cx^4}} + \frac{2e(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5f\sqrt{a+bx^2+cx^4}}$$

[Out] $2/5 * e * (f * x)^{(5/2)} * \text{AppellF1}(5/4, 1/2, 1/2, 9/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / f^3 / (c * x^4 + b * x^2 + a)^{(1/2)} + 2 * d * \text{AppellF1}(1/4, 1/2, 1/2, 5/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (f * x)^{(1/2)} * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / f / (c * x^4 + b * x^2 + a)^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d\sqrt{fx} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{4}; \frac{1}{2}, \frac{1}{2}; \frac{5}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f\sqrt{a+bx^2+cx^4}} + \frac{2e(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5f\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(Sqrt[fx]*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $(2 * d * \text{Sqrt}[f * x] * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[1/4, 1/2, 1/2, 5/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (f * \text{Sqrt}[a + b * x^2 + c * x^4]) + (2 * e * (f * x)^{(5/2)} * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[5/4, 1/2, 1/2, 9/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (5 * f^3 * \text{Sqrt}[a + b * x^2 + c * x^4])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{\sqrt{fx} \sqrt{a + bx^2 + cx^4}} dx &= \int \left(\frac{d}{\sqrt{fx} \sqrt{a + bx^2 + cx^4}} + \frac{e(fx)^{3/2}}{f^2 \sqrt{a + bx^2 + cx^4}} \right) dx \\ &= d \int \frac{1}{\sqrt{fx} \sqrt{a + bx^2 + cx^4}} dx + \frac{e \int \frac{(fx)^{3/2}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2} \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\sqrt{fx} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{a + bx^2 + cx^4}} + \frac{e \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}}{f^2} \\ &= \frac{2d\sqrt{fx} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1\left(\frac{1}{4}; \frac{1}{2}, \frac{1}{2}; \frac{5}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)}{f\sqrt{a + bx^2 + cx^4}} + \frac{e \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}}{f^2} \end{aligned}$$

Mathematica [A] time = 0.20, size = 241, normalized size = 0.82

$$\frac{2\sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} \left(5dx F_1\left(\frac{1}{4}; \frac{1}{2}, \frac{1}{2}; \frac{5}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) + ex^3 F_1\left(\frac{5}{4}; \frac{1}{2}, \frac{1}{2}; \frac{9}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) \right)}{5\sqrt{fx} \sqrt{a + bx^2 + cx^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^2)/(Sqrt[f*x]*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] $(2\sqrt{(b - \sqrt{b^2 - 4ac} + 2cx^2)/(b - \sqrt{b^2 - 4ac})})\sqrt{(b + \sqrt{b^2 - 4ac} + 2cx^2)/(b + \sqrt{b^2 - 4ac})}) * (5d * x * \text{AppellF1}[1/4, 1/2, 1/2, 5/4, (-2cx^2)/(b + \sqrt{b^2 - 4ac})], (2cx^2)/(-b + \sqrt{b^2 - 4ac})]) + e * x^3 * \text{AppellF1}[5/4, 1/2, 1/2, 9/4, (-2cx^2)/(b + \sqrt{b^2 - 4ac})], (2cx^2)/(-b + \sqrt{b^2 - 4ac})]) / (5\sqrt{fx} * \sqrt{a + bx^2 + cx^4})$

fricas [F] time = 0.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx}}{cfx^5 + bfx^3 + afx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(c*f*x^5 + b*f*x^3 + a*f*x), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a}\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)/(sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x)), x)`

maple [F] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{fx}\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `int((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a}\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)/(sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{e x^2 + d}{\sqrt{f x} \sqrt{c x^4 + b x^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)/((f*x)^(1/2)*(a + b*x^2 + c*x^4)^(1/2)),x)
```

```
[Out] int((d + e*x^2)/((f*x)^(1/2)*(a + b*x^2 + c*x^4)^(1/2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^2}{\sqrt{f x} \sqrt{a + b x^2 + c x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)/(f*x)**(1/2)/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral((d + e*x**2)/(sqrt(f*x)*sqrt(a + b*x**2 + c*x**4)), x)
```

$$3.215 \quad \int \frac{d+ex^2}{(fx)^{3/2} \sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=295

$$\frac{2e(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{3}{4}; \frac{1}{2}; \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) - 2d \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3f^3 \sqrt{a+bx^2+cx^4}} - \frac{f \sqrt{f}}{f \sqrt{f}}$$

[Out] $2/3 * e * (f * x)^{(3/2)} * \text{AppellF1}(3/4, 1/2, 1/2, 7/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / f^3 / (c * x^4 + b * x^2 + a)^{(1/2)} - 2 * d * \text{AppellF1}(-1/4, 1/2, 1/2, 3/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / f / (f * x)^{(1/2)} / (c * x^4 + b * x^2 + a)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 295, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2e(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{3}{4}; \frac{1}{2}; \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) - 2d \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3f^3 \sqrt{a+bx^2+cx^4}} - \frac{f \sqrt{f}}{f \sqrt{f}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/((f*x)^(3/2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $(-2 * d * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[-1/4, 1/2, 1/2, 3/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (f * \text{Sqrt}[f * x] * \text{Sqrt}[a + b * x^2 + c * x^4]) + (2 * e * (f * x)^{(3/2)} * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[3/4, 1/2, 1/2, 7/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (3 * f^3 * \text{Sqrt}[a + b * x^2 + c * x^4])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*((c_.) + (d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{(fx)^{3/2} \sqrt{a + bx^2 + cx^4}} dx &= \int \left(\frac{d}{(fx)^{3/2} \sqrt{a + bx^2 + cx^4}} + \frac{e\sqrt{fx}}{f^2 \sqrt{a + bx^2 + cx^4}} \right) dx \\ &= d \int \frac{1}{(fx)^{3/2} \sqrt{a + bx^2 + cx^4}} dx + \frac{e \int \frac{\sqrt{fx}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2} \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{(fx)^{3/2} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{a + bx^2 + cx^4}} + \frac{e \int \frac{\sqrt{fx}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2} \\ &= \frac{2d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1 \left(-\frac{1}{4}; \frac{1}{2}, \frac{1}{2}; \frac{3}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{f \sqrt{fx} \sqrt{a + bx^2 + cx^4}} + \frac{e \int \frac{\sqrt{fx}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2} \end{aligned}$$

Mathematica [A] time = 0.62, size = 356, normalized size = 1.21

$$\frac{2x \left(7x^2 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} (ae + bd) F_1 \left(\frac{3}{4}; \frac{1}{2}, \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) + 9cdx^4 \sqrt{\frac{-\sqrt{b^2-4ac}+b}{b-\sqrt{b^2-4ac}}} \right)}{21a(fx)^{3/2} \sqrt{a + bx^2 + cx^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^2)/((f*x)^(3/2)*Sqrt[a + b*x^2 + c*x^4]),x]

```
[Out] (2*x*(-21*d*(a + b*x^2 + c*x^4) + 7*(b*d + a*e)*x^2*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])] + 9*c*d*x^4*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(21*a*(f*x)^(3/2)*Sqrt[a + b*x^2 + c*x^4])
```

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx}}{cf^2x^6 + bf^2x^4 + af^2x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(c*f^2*x^6 + b*f^2*x^4 + a*f^2*x^2), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a} (fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)/(sqrt(c*x^4 + b*x^2 + a)*(f*x)^(3/2)), x)
```

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{(fx)^{\frac{3}{2}} \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(1/2),x)
```

```
[Out] int((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(1/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{cx^4 + bx^2 + a} (fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/(sqrt(c*x^4 + b*x^2 + a)*(f*x)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{(fx)^{\frac{3}{2}} \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/((f*x)^(3/2)*(a + b*x^2 + c*x^4)^(1/2)),x)

[Out] int((d + e*x^2)/((f*x)^(3/2)*(a + b*x^2 + c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^2}{(fx)^{\frac{3}{2}} \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(f*x)**(3/2)/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((d + e*x**2)/((f*x)**(3/2)*sqrt(a + b*x**2 + c*x**4)), x)

$$3.216 \quad \int \frac{(fx)^{3/2}(d+ex^2)}{(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=303

$$\frac{2d(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{5}{4}; \frac{3}{2}, \frac{3}{2}; \frac{9}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + \frac{2e(fx)^{9/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5af\sqrt{a+bx^2+cx^4}}$$

[Out] $2/5*d*(f*x)^{(5/2)*AppellF1(5/4, 3/2, 3/2, 9/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/f/(c*x^4+b*x^2+a)^{(1/2)}+2/9*e*(f*x)^{(9/2)*AppellF1(9/4, 3/2, 3/2, 13/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/f^3/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{5}{4}; \frac{3}{2}, \frac{3}{2}; \frac{9}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + \frac{2e(fx)^{9/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5af\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^(3/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2), x]

[Out] $(2*d*(f*x)^{(5/2)*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[5/4, 3/2, 3/2, 9/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(5*a*f*Sqrt[a + b*x^2 + c*x^4]) + (2*e*(f*x)^{(9/2)*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[9/4, 3/2, 3/2, 13/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(9*a*f^3*Sqrt[a + b*x^2 + c*x^4])$

Rule 510

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\int \frac{(fx)^{3/2} (d + ex^2)}{(a + bx^2 + cx^4)^{3/2}} dx = \int \left(\frac{d(fx)^{3/2}}{(a + bx^2 + cx^4)^{3/2}} + \frac{e(fx)^{7/2}}{f^2 (a + bx^2 + cx^4)^{3/2}} \right) dx$$

$$= d \int \frac{(fx)^{3/2}}{(a + bx^2 + cx^4)^{3/2}} dx + \frac{e \int \frac{(fx)^{7/2}}{(a + bx^2 + cx^4)^{3/2}} dx}{f^2}$$

$$= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^{3/2}}{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^2 + cx^4}} + \frac{\left(e \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^{7/2}}{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^2 + cx^4}}$$

$$= \frac{2d(fx)^{5/2} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1 \left(\frac{5}{4}; \frac{3}{2}, \frac{3}{2}; \frac{9}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{5af \sqrt{a + bx^2 + cx^4}} + \frac{2e(fx)^{9/2} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1 \left(\frac{9}{4}; \frac{3}{2}, \frac{3}{2}; \frac{9}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{5af \sqrt{a + bx^2 + cx^4}}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((f*x)^(3/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2),x]

[Out] \$Aborted

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(efx^3 + dfx)\sqrt{cx^4 + bx^2 + a}\sqrt{fx}}{c^2x^8 + 2bcx^6 + (b^2 + 2ac)x^4 + 2abx^2 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] integral((e*f*x^3 + d*f*x)*sqrt(c*x^4 + b*x^2 + a)*sqrt(f*x)/(c^2*x^8 + 2*b*c*x^6 + (b^2 + 2*a*c)*x^4 + 2*a*b*x^2 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^{\frac{3}{2}}}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(f*x)^(3/2)/(c*x^4 + b*x^2 + a)^(3/2), x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{(fx)^{\frac{3}{2}}(ex^2 + d)}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x)

[Out] int((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^{\frac{3}{2}}}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(3/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^(3/2)/(c*x^4 + b*x^2 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f x)^{3/2} (e x^2 + d)}{(c x^4 + b x^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^(3/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2),x)

[Out] int(((f*x)^(3/2)*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**(3/2)*(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2),x)

[Out] Timed out

$$3.217 \quad \int \frac{\sqrt{fx}(d+ex^2)}{(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=303

$$\frac{2d(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{3}{4}; \frac{3}{2}, \frac{3}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + \frac{2e(fx)^{7/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3af\sqrt{a+bx^2+cx^4}}$$

[Out] $\frac{2}{3}d*(f*x)^{(3/2)}*AppellF1(3/4, 3/2, 3/2, 7/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/f/(c*x^4+b*x^2+a)^{(1/2)}+2/7*e*(f*x)^{(7/2)}*AppellF1(7/4, 3/2, 3/2, 11/4, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/f^3/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 303, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{3}{4}; \frac{3}{2}, \frac{3}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + \frac{2e(fx)^{7/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3af\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[f*x]*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2), x]

[Out] $(2*d*(f*x)^{(3/2)}*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[3/4, 3/2, 3/2, 7/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(3*a*f*Sqrt[a + b*x^2 + c*x^4]) + (2*e*(f*x)^{(7/2)}*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[7/4, 3/2, 3/2, 11/4, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(7*a*f^3*Sqrt[a + b*x^2 + c*x^4])$

Rule 510

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)])/((e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  := Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{fx} (d + ex^2)}{(a + bx^2 + cx^4)^{3/2}} dx &= \int \left(\frac{d\sqrt{fx}}{(a + bx^2 + cx^4)^{3/2}} + \frac{e(fx)^{5/2}}{f^2 (a + bx^2 + cx^4)^{3/2}} \right) dx \\ &= d \int \frac{\sqrt{fx}}{(a + bx^2 + cx^4)^{3/2}} dx + \frac{e \int \frac{(fx)^{5/2}}{(a + bx^2 + cx^4)^{3/2}} dx}{f^2} \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{\sqrt{fx}}{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a\sqrt{a + bx^2 + cx^4}} + \frac{\left(e \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^{5/2}}{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{3af\sqrt{a + bx^2 + cx^4}} \end{aligned}$$

Mathematica [A] time = 5.70, size = 397, normalized size = 1.31

$$\frac{x\sqrt{fx} \left(7 \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} F_1 \left(\frac{3}{4}; \frac{1}{2}, \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) (-3abe + 2acd + b^2d) + 9cx^2 \right)}{21a(4a^2 + \dots)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[f*x]*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2),x]

[Out] (x*Sqrt[f*x]*(-21*b^2*d + 21*b*(a*e - c*d*x^2) + 42*a*c*(d + e*x^2) + 7*(b^2*d + 2*a*c*d - 3*a*b*e)*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])] + 9*c*(b*d - 2*a*e)*x^2*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(21*a*(-b^2 + 4*a*c)*Sqrt[a + b*x^2 + c*x^4])

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a} (ex^2 + d) \sqrt{fx}}{c^2x^8 + 2bcx^6 + (b^2 + 2ac)x^4 + 2abx^2 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(c^2*x^8 + 2*b*c*x^6 + (b^2 + 2*a*c)*x^4 + 2*a*b*x^2 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)\sqrt{fx}}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*sqrt(f*x)/(c*x^4 + b*x^2 + a)^(3/2), x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{fx} (ex^2 + d)}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^(1/2)*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x)

[Out] $\text{int}((f*x)^{(1/2)}*(e*x^2+d)/(c*x^4+b*x^2+a)^{(3/2)}, x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)\sqrt{fx}}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)^{(1/2)}*(e*x^2+d)/(c*x^4+b*x^2+a)^{(3/2)}, x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((e*x^2 + d)*\text{sqrt}(f*x)/(c*x^4 + b*x^2 + a)^{(3/2)}, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{fx} (ex^2 + d)}{(cx^4 + bx^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(((f*x)^{(1/2)}*(d + e*x^2))/(a + b*x^2 + c*x^4)^{(3/2)}, x)$

[Out] $\text{int}(((f*x)^{(1/2)}*(d + e*x^2))/(a + b*x^2 + c*x^4)^{(3/2)}, x)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x)**(1/2)*(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2), x)$

[Out] Timed out

$$3.218 \quad \int \frac{d+ex^2}{\sqrt{fx} (a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=301

$$\frac{2d\sqrt{fx} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{1}{4}; \frac{3}{2}, \frac{3}{2}; \frac{5}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{af\sqrt{a+bx^2+cx^4}} + \frac{2e(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5a}$$

[Out] $2/5 * e * (f * x)^{(5/2)} * \text{AppellF1}(5/4, 3/2, 3/2, 9/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / a / f^3 / (c * x^4 + b * x^2 + a)^{(1/2)} + 2 * d * \text{AppellF1}(1/4, 3/2, 3/2, 5/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (f * x)^{(1/2)} * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / a / f / (c * x^4 + b * x^2 + a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2d\sqrt{fx} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{1}{4}; \frac{3}{2}, \frac{3}{2}; \frac{5}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{af\sqrt{a+bx^2+cx^4}} + \frac{2e(fx)^{5/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{5a}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/(Sqrt[fx]*(a + b*x^2 + c*x^4)^(3/2)), x]

[Out] $(2 * d * \text{Sqrt}[f * x] * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])]) * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[1/4, 3/2, 3/2, 5/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (a * f * \text{Sqrt}[a + b * x^2 + c * x^4]) + (2 * e * (f * x)^{(5/2)} * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[5/4, 3/2, 3/2, 9/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (5 * a * f^3 * \text{Sqrt}[a + b * x^2 + c * x^4])$

Rule 510

Int[((e._)*(x._))^(m._)*((a._) + (b._)*(x._)^(n._))^(p._)*((c._) + (d._)*(x._)^(n._))^(q._), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\int \frac{d + ex^2}{\sqrt{fx} (a + bx^2 + cx^4)^{3/2}} dx = \int \left(\frac{d}{\sqrt{fx} (a + bx^2 + cx^4)^{3/2}} + \frac{e(fx)^{3/2}}{f^2 (a + bx^2 + cx^4)^{3/2}} \right) dx$$

$$= d \int \frac{1}{\sqrt{fx} (a + bx^2 + cx^4)^{3/2}} dx + \frac{e \int \frac{(fx)^{3/2}}{(a + bx^2 + cx^4)^{3/2}} dx}{f^2}$$

$$\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\sqrt{fx} \left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx$$

$$= \frac{2d\sqrt{fx} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1\left(\frac{1}{4}; \frac{3}{2}, \frac{3}{2}; \frac{5}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)}{af\sqrt{a + bx^2 + cx^4}}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^2)/(Sqrt[f*x]*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] \$Aborted

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)\sqrt{fx}}{c^2fx^9 + 2bcfx^7 + (b^2 + 2ac)fx^5 + 2abfx^3 + a^2fx}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(c^2*f*x^9 + 2*b*c*f*x^7 + (b^2 + 2*a*c)*f*x^5 + 2*a*b*f*x^3 + a^2*f*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{(cx^4 + bx^2 + a)^{\frac{3}{2}}\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/((c*x^4 + b*x^2 + a)^(3/2)*sqrt(f*x)), x)

maple [F] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{\sqrt{fx} (cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(3/2),x)

[Out] int((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{(cx^4 + bx^2 + a)^{\frac{3}{2}}\sqrt{fx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(f*x)^(1/2)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)/((c*x^4 + b*x^2 + a)^(3/2)*sqrt(f*x)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{e x^2 + d}{\sqrt{f x} (c x^4 + b x^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)/((f*x)^(1/2)*(a + b*x^2 + c*x^4)^(3/2)), x)

[Out] int((d + e*x^2)/((f*x)^(1/2)*(a + b*x^2 + c*x^4)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^2}{\sqrt{f x} (a + b x^2 + c x^4)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)/(f*x)**(1/2)/(c*x**4+b*x**2+a)**(3/2), x)

[Out] Integral((d + e*x**2)/(sqrt(f*x)*(a + b*x**2 + c*x**4)**(3/2)), x)

$$3.219 \quad \int \frac{d+ex^2}{(fx)^{3/2}(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=301

$$\frac{2e(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{3}{4}; \frac{3}{2}; \frac{3}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) - 2d \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3af^3 \sqrt{a+bx^2+cx^4} - af \sqrt{f}}$$

[Out] $2/3 * e * (f * x)^{(3/2)} * \text{AppellF1}(3/4, 3/2, 3/2, 7/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / a / f^3 / (c * x^4 + b * x^2 + a)^{(1/2)} - 2 * d * \text{AppellF1}(-1/4, 3/2, 3/2, 3/4, -2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}), -2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)})) * (1 + 2 * c * x^2 / (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} * (1 + 2 * c * x^2 / (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} / a / f / (f * x)^{(1/2)} / (c * x^4 + b * x^2 + a)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {1335, 1141, 510}

$$\frac{2e(fx)^{3/2} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{3}{4}; \frac{3}{2}; \frac{3}{2}; \frac{7}{4}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) - 2d \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}}}{3af^3 \sqrt{a+bx^2+cx^4} - af \sqrt{f}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)/((f*x)^(3/2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] $(-2 * d * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[-1/4, 3/2, 3/2, 3/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (a * f * \text{Sqrt}[f * x] * \text{Sqrt}[a + b * x^2 + c * x^4]) + (2 * e * (f * x)^{(3/2)} * \text{Sqrt}[1 + (2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c])] * \text{Sqrt}[1 + (2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])] * \text{AppellF1}[3/4, 3/2, 3/2, 7/4, (-2 * c * x^2) / (b - \text{Sqrt}[b^2 - 4 * a * c]), (-2 * c * x^2) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (3 * a * f^3 * \text{Sqrt}[a + b * x^2 + c * x^4])$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*((c_.) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  := Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2}{(fx)^{3/2} (a + bx^2 + cx^4)^{3/2}} dx &= \int \left(\frac{d}{(fx)^{3/2} (a + bx^2 + cx^4)^{3/2}} + \frac{e\sqrt{fx}}{f^2 (a + bx^2 + cx^4)^{3/2}} \right) dx \\ &= d \int \frac{1}{(fx)^{3/2} (a + bx^2 + cx^4)^{3/2}} dx + \frac{e \int \frac{\sqrt{fx}}{(a + bx^2 + cx^4)^{3/2}} dx}{f^2} \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{(fx)^{3/2} \left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a\sqrt{a + bx^2 + cx^4}} \\ &= -\frac{2d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1\left(-\frac{1}{4}; \frac{3}{2}, \frac{3}{2}; \frac{3}{4}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)}{af\sqrt{fx}\sqrt{a + bx^2 + cx^4}} \end{aligned}$$

Mathematica [A] time = 0.97, size = 460, normalized size = 1.53

$$x \left(7x^2 \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}} F_1\left(\frac{3}{4}; \frac{1}{2}, \frac{1}{2}; \frac{7}{4}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^2}{\sqrt{b^2 - 4ac} - b}\right) (2a^2ce + ab^2e + 9abcd - 3b^3d) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^2)/((f*x)^(3/2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out]
$$-1/21*(x*(-21*(-3*b^2*d*x^2*(b + c*x^2) + a^2*c*(8*d - 2*e*x^2) + a*(10*c^2*d*x^4 + b^2*(-2*d + e*x^2) + b*c*x^2*(11*d + e*x^2))) + 7*(-3*b^3*d + 9*a*b*c*d + a*b^2*e + 2*a^2*c*e)*x^2*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})})*AppellF1[3/4, 1/2, 1/2, 7/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})] - 9*c*(3*b^2*d - 10*a*c*d - a*b*e)*x^4*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})})*AppellF1[7/4, 1/2, 1/2, 11/4, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c}), (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})])/(a^2*(b^2 - 4*a*c)*(f*x)^(3/2)*\sqrt{a + b*x^2 + c*x^4})$$

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a} (ex^2 + d) \sqrt{fx}}{c^2 f^2 x^{10} + 2 b c f^2 x^8 + (b^2 + 2 a c) f^2 x^6 + 2 a b f^2 x^4 + a^2 f^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*sqrt(f*x)/(c^2*f^2*x^10 + 2*b*c*f^2*x^8 + (b^2 + 2*a*c)*f^2*x^6 + 2*a*b*f^2*x^4 + a^2*f^2*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{(cx^4 + bx^2 + a)^{\frac{3}{2}} (fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] integrate((e*x^2 + d)/((c*x^4 + b*x^2 + a)^(3/2)*(f*x)^(3/2)), x)

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{(fx)^{\frac{3}{2}} (cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(3/2),x)

[Out] `int((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(3/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^2 + d}{(cx^4 + bx^2 + a)^{\frac{3}{2}} (fx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)/(f*x)^(3/2)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)/((c*x^4 + b*x^2 + a)^(3/2)*(f*x)^(3/2)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{ex^2 + d}{(fx)^{3/2} (cx^4 + bx^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)/((f*x)^(3/2)*(a + b*x^2 + c*x^4)^(3/2)),x)`

[Out] `int((d + e*x^2)/((f*x)^(3/2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)/(f*x)**(3/2)/(c*x**4+b*x**2+a)**(3/2),x)`

[Out] Timed out

$$3.220 \quad \int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^3 dx$$

Optimal. Leaf size=243

$$\frac{a^3 d (fx)^{m+1}}{f(m+1)} + \frac{(fx)^{m+7} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{f^7(m+7)} + \frac{a^2 (fx)^{m+3} (ae + 3bd)}{f^3(m+3)} + \frac{3c (fx)^{m+11} (ace + b^2 e + bcd)}{f^{11}(m+11)} + \frac{3a(f}{f^9(m+9)}$$

[Out] $a^3 d (f*x)^{(1+m)}/f/(1+m) + a^2*(a*e+3*b*d)*(f*x)^{(3+m)}/f^3/(3+m) + 3*a*(a*b*e + a*c*d + b^2*d)*(f*x)^{(5+m)}/f^5/(5+m) + (3*a^2*c*e + 3*a*b^2*e + 6*a*b*c*d + b^3*d)*(f*x)^{(7+m)}/f^7/(7+m) + (6*a*b*c*e + 3*a*c^2*d + b^3*e + 3*b^2*c*d)*(f*x)^{(9+m)}/f^9/(9+m) + 3*c*(a*c*e + b^2*e + b*c*d)*(f*x)^{(11+m)}/f^{11}/(11+m) + c^2*(3*b*e + c*d)*(f*x)^{(13+m)}/f^{13}/(13+m) + c^3*e*(f*x)^{(15+m)}/f^{15}/(15+m)$

Rubi [A] time = 0.18, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1261}

$$\frac{(fx)^{m+7} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{f^7(m+7)} + \frac{a^2 (fx)^{m+3} (ae + 3bd)}{f^3(m+3)} + \frac{a^3 d (fx)^{m+1}}{f(m+1)} + \frac{(fx)^{m+9} (6abce + 3ac^2 d + 3b^2 cd + b^3 c)}{f^9(m+9)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] $(a^3*d*(f*x)^{(1+m)})/(f*(1+m)) + (a^2*(3*b*d + a*e)*(f*x)^{(3+m)})/(f^3*(3+m)) + (3*a*(b^2*d + a*c*d + a*b*e)*(f*x)^{(5+m)})/(f^5*(5+m)) + ((b^3*d + 6*a*b*c*d + 3*a*b^2*e + 3*a^2*c*e)*(f*x)^{(7+m)})/(f^7*(7+m)) + ((3*b^2*c*d + 3*a*c^2*d + b^3*e + 6*a*b*c*e)*(f*x)^{(9+m)})/(f^9*(9+m)) + (3*c*(b*c*d + b^2*e + a*c*e)*(f*x)^{(11+m)})/(f^{11}*(11+m)) + (c^2*(c*d + 3*b*e)*(f*x)^{(13+m)})/(f^{13}*(13+m)) + (c^3*e*(f*x)^{(15+m)})/(f^{15}*(15+m))$

Rule 1261

Int[((f_.)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^3 dx = \int \left(a^3 d (fx)^m + \frac{a^2(3bd + ae)(fx)^{2+m}}{f^2} + \frac{3a(b^2d + acd + abe)(fx)^{4+m}}{f^4} \right. \\ \left. = \frac{a^3 d (fx)^{1+m}}{f(1+m)} + \frac{a^2(3bd + ae)(fx)^{3+m}}{f^3(3+m)} + \frac{3a(b^2d + acd + abe)(fx)^{5+m}}{f^5(5+m)} + \dots \right)$$

Mathematica [A] time = 0.30, size = 191, normalized size = 0.79

$$x(fx)^m \left(\frac{a^3 d}{m+1} + \frac{x^6(3a^2ce + 3ab^2e + 6abcd + b^3d)}{m+7} + \frac{a^2x^2(ae + 3bd)}{m+3} + \frac{3cx^{10}(ace + b^2e + bcd)}{m+11} + \frac{3ax^4(abe + \dots)}{m+15} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^3,x]

[Out] x*(f*x)^m*((a^3*d)/(1 + m) + (a^2*(3*b*d + a*e)*x^2)/(3 + m) + (3*a*(b^2*d + a*c*d + a*b*e)*x^4)/(5 + m) + ((b^3*d + 6*a*b*c*d + 3*a*b^2*e + 3*a^2*c*e)*x^6)/(7 + m) + ((3*b^2*c*d + 3*a*c^2*d + b^3*e + 6*a*b*c*e)*x^8)/(9 + m) + (3*c*(b*c*d + b^2*e + a*c*e)*x^10)/(11 + m) + (c^2*(c*d + 3*b*e)*x^12)/(13 + m) + (c^3*e*x^14)/(15 + m))

fricas [B] time = 0.74, size = 1357, normalized size = 5.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^3,x, algorithm="fricas")

[Out] ((c^3*e*m^7 + 49*c^3*e*m^6 + 973*c^3*e*m^5 + 10045*c^3*e*m^4 + 57379*c^3*e*m^3 + 177331*c^3*e*m^2 + 264207*c^3*e*m + 135135*c^3*e)*x^15 + ((c^3*d + 3*b*c^2*e)*m^7 + 51*(c^3*d + 3*b*c^2*e)*m^6 + 1045*(c^3*d + 3*b*c^2*e)*m^5 + 11055*(c^3*d + 3*b*c^2*e)*m^4 + 155925*c^3*d + 467775*b*c^2*e + 64339*(c^3*d + 3*b*c^2*e)*m^3 + 201609*(c^3*d + 3*b*c^2*e)*m^2 + 303255*(c^3*d + 3*b*c^2*e)*m*x^13 + 3*((b*c^2*d + (b^2*c + a*c^2)*e)*m^7 + 53*(b*c^2*d + (b^2*c + a*c^2)*e)*m^6 + 1125*(b*c^2*d + (b^2*c + a*c^2)*e)*m^5 + 12265*(b*c^2*d + (b^2*c + a*c^2)*e)*m^4 + 184275*b*c^2*d + 73139*(b*c^2*d + (b^2*c + a*c^2)*e)*m^3 + 233487*(b*c^2*d + (b^2*c + a*c^2)*e)*m^2 + 184275*(b^2*c + a*c^2)*e + 355815*(b*c^2*d + (b^2*c + a*c^2)*e)*m*x^11 + ((3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^7 + 55*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^6 + 1213*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^5 + 13723*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^4 + 84547*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^3 + 10045*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^2 + 57379*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m + 177331*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e) + 264207*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*x^9 + 135135*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*x^7 + 10045*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*x^5 + 57379*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*x^3 + 177331*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*x + 264207*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e) + 135135*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*x^1 + 135135*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)

$$\begin{aligned}
& b*c)*e)*m^3 + 277093*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*m^2 + 675675 \\
& *(b^2*c + a*c^2)*d + 225225*(b^3 + 6*a*b*c)*e + 430335*(3*(b^2*c + a*c^2)*d \\
& + (b^3 + 6*a*b*c)*e)*m)*x^9 + (((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*m \\
& ^7 + 57*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*m^6 + 1309*((b^3 + 6*a*b* \\
& c)*d + 3*(a*b^2 + a^2*c)*e)*m^5 + 15477*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2 \\
& *c)*e)*m^4 + 99715*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*m^3 + 340011*(\\
& (b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*m^2 + 289575*(b^3 + 6*a*b*c)*d + 8 \\
& 68725*(a*b^2 + a^2*c)*e + 544095*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)* \\
& m)*x^7 + 3*((a^2*b*e + (a*b^2 + a^2*c)*d)*m^7 + 59*(a^2*b*e + (a*b^2 + a^2* \\
& c)*d)*m^6 + 1413*(a^2*b*e + (a*b^2 + a^2*c)*d)*m^5 + 17575*(a^2*b*e + (a*b^ \\
& 2 + a^2*c)*d)*m^4 + 405405*a^2*b*e + 120179*(a^2*b*e + (a*b^2 + a^2*c)*d)*m \\
& ^3 + 437121*(a^2*b*e + (a*b^2 + a^2*c)*d)*m^2 + 405405*(a*b^2 + a^2*c)*d + \\
& 738567*(a^2*b*e + (a*b^2 + a^2*c)*d)*m)*x^5 + ((3*a^2*b*d + a^3*e)*m^7 + 61 \\
& *(3*a^2*b*d + a^3*e)*m^6 + 1525*(3*a^2*b*d + a^3*e)*m^5 + 20065*(3*a^2*b*d \\
& + a^3*e)*m^4 + 2027025*a^2*b*d + 675675*a^3*e + 147859*(3*a^2*b*d + a^3*e)* \\
& m^3 + 594439*(3*a^2*b*d + a^3*e)*m^2 + 1140855*(3*a^2*b*d + a^3*e)*m)*x^3 + \\
& (a^3*d*m^7 + 63*a^3*d*m^6 + 1645*a^3*d*m^5 + 22995*a^3*d*m^4 + 185059*a^3* \\
& d*m^3 + 852957*a^3*d*m^2 + 2071215*a^3*d*m + 2027025*a^3*d)*x*(f*x)^m/(m^8 \\
& + 64*m^7 + 1708*m^6 + 24640*m^5 + 208054*m^4 + 1038016*m^3 + 2924172*m^2 + \\
& 4098240*m + 2027025)
\end{aligned}$$

giac [B] time = 0.75, size = 2816, normalized size = 11.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^3,x, algorithm="giac")

[Out] ((f*x)^m*c^3*m^7*x^15*e + 49*(f*x)^m*c^3*m^6*x^15*e + (f*x)^m*c^3*d*m^7*x^13 + 3*(f*x)^m*b*c^2*m^7*x^13*e + 973*(f*x)^m*c^3*m^5*x^15*e + 51*(f*x)^m*c^3*d*m^6*x^13 + 153*(f*x)^m*b*c^2*m^6*x^13*e + 10045*(f*x)^m*c^3*m^4*x^15*e + 3*(f*x)^m*b*c^2*d*m^7*x^11 + 1045*(f*x)^m*c^3*d*m^5*x^13 + 3*(f*x)^m*b^2*c*m^7*x^11*e + 3*(f*x)^m*a*c^2*m^7*x^11*e + 3135*(f*x)^m*b*c^2*m^5*x^13*e + 57379*(f*x)^m*c^3*m^3*x^15*e + 159*(f*x)^m*b*c^2*d*m^6*x^11 + 11055*(f*x)^m*c^3*d*m^4*x^13 + 159*(f*x)^m*b^2*c*m^6*x^11*e + 159*(f*x)^m*a*c^2*m^6*x^11*e + 33165*(f*x)^m*b*c^2*m^4*x^13*e + 177331*(f*x)^m*c^3*m^2*x^15*e + 3*(f*x)^m*b^2*c*d*m^7*x^9 + 3*(f*x)^m*a*c^2*d*m^7*x^9 + 3375*(f*x)^m*b*c^2*d*m^5*x^11 + 64339*(f*x)^m*c^3*d*m^3*x^13 + (f*x)^m*b^3*m^7*x^9*e + 6*(f*x)^m*a*b*c*m^7*x^9*e + 3375*(f*x)^m*b^2*c*m^5*x^11*e + 3375*(f*x)^m*a*c^2*m^5*x^11*e + 193017*(f*x)^m*b*c^2*m^3*x^13*e + 264207*(f*x)^m*c^3*m*x^15*e + 165*(f*x)^m*b^2*c*d*m^6*x^9 + 165*(f*x)^m*a*c^2*d*m^6*x^9 + 36795*(f*x)^m*b*c^2*d*m^4*x^11 + 201609*(f*x)^m*c^3*d*m^2*x^13 + 55*(f*x)^m*b^3*m^6*x^9*e + 330*(f*x)^m*a*b*c*m^6*x^9*e + 36795*(f*x)^m*b^2*c*m^4*x^11*e + 36795*(f*x)^m*a*c^2*m^4*x^11*e + 604827*(f*x)^m*b*c^2*m^2*x^13*e + 135135*(f*x)^m*c^3*x^15*e + (f*x)^m*b^3*d*m^7*x^7 + 6*(f*x)^m*a*b*c*d*m^7*x^7 + 3639*(f*x)^m*b^2*c

$d^m^5x^9 + 3639*(f*x)^m*a*c^2*d^m^5x^9 + 219417*(f*x)^m*b*c^2*d^m^3x^11$
 $+ 303255*(f*x)^m*c^3*d^m*x^13 + 3*(f*x)^m*a*b^2*m^7x^7e + 3*(f*x)^m*a^2*$
 $c*m^7x^7e + 1213*(f*x)^m*b^3*m^5x^9e + 7278*(f*x)^m*a*b*c*m^5x^9e + 2$
 $19417*(f*x)^m*b^2*c*m^3x^11e + 219417*(f*x)^m*a*c^2*m^3x^11e + 909765*($
 $f*x)^m*b*c^2*m*x^13e + 57*(f*x)^m*b^3*d^m^6x^7 + 342*(f*x)^m*a*b*c*d^m^6*$
 $x^7 + 41169*(f*x)^m*b^2*c*d^m^4x^9 + 41169*(f*x)^m*a*c^2*d^m^4x^9 + 70046$
 $1*(f*x)^m*b*c^2*d^m^2x^11 + 155925*(f*x)^m*c^3*d*x^13 + 171*(f*x)^m*a*b^2*$
 $m^6x^7e + 171*(f*x)^m*a^2*c*m^6x^7e + 13723*(f*x)^m*b^3*m^4x^9e + 823$
 $38*(f*x)^m*a*b*c*m^4x^9e + 700461*(f*x)^m*b^2*c*m^2x^11e + 700461*(f*x)$
 $^m*a*c^2*m^2x^11e + 467775*(f*x)^m*b*c^2*x^13e + 3*(f*x)^m*a*b^2*d^m^7*x$
 $^5 + 3*(f*x)^m*a^2*c*d^m^7*x^5 + 1309*(f*x)^m*b^3*d^m^5x^7 + 7854*(f*x)^m*$
 $a*b*c*d^m^5x^7 + 253641*(f*x)^m*b^2*c*d^m^3x^9 + 253641*(f*x)^m*a*c^2*d^m$
 $^3x^9 + 1067445*(f*x)^m*b*c^2*d^m*x^11 + 3*(f*x)^m*a^2*b*m^7x^5e + 3927*$
 $(f*x)^m*a*b^2*m^5x^7e + 3927*(f*x)^m*a^2*c*m^5x^7e + 84547*(f*x)^m*b^3*$
 $m^3x^9e + 507282*(f*x)^m*a*b*c*m^3x^9e + 1067445*(f*x)^m*b^2*c*m*x^11e$
 $+ 1067445*(f*x)^m*a*c^2*m*x^11e + 177*(f*x)^m*a*b^2*d^m^6x^5 + 177*(f*x)$
 $^m*a^2*c*d^m^6x^5 + 15477*(f*x)^m*b^3*d^m^4x^7 + 92862*(f*x)^m*a*b*c*d^m^$
 $4x^7 + 831279*(f*x)^m*b^2*c*d^m^2x^9 + 831279*(f*x)^m*a*c^2*d^m^2x^9 + 5$
 $52825*(f*x)^m*b*c^2*d*x^11 + 177*(f*x)^m*a^2*b*m^6x^5e + 46431*(f*x)^m*a*$
 $b^2*m^4x^7e + 46431*(f*x)^m*a^2*c*m^4x^7e + 277093*(f*x)^m*b^3*m^2x^9*$
 $e + 1662558*(f*x)^m*a*b*c*m^2x^9e + 552825*(f*x)^m*b^2*c*x^11e + 552825*$
 $(f*x)^m*a*c^2*x^11e + 3*(f*x)^m*a^2*b*d^m^7x^3 + 4239*(f*x)^m*a*b^2*d^m^5$
 $*x^5 + 4239*(f*x)^m*a^2*c*d^m^5x^5 + 99715*(f*x)^m*b^3*d^m^3x^7 + 598290*$
 $(f*x)^m*a*b*c*d^m^3x^7 + 1291005*(f*x)^m*b^2*c*d^m*x^9 + 1291005*(f*x)^m*a$
 $*c^2*d^m*x^9 + (f*x)^m*a^3*m^7x^3e + 4239*(f*x)^m*a^2*b*m^5x^5e + 29914$
 $5*(f*x)^m*a*b^2*m^3x^7e + 299145*(f*x)^m*a^2*c*m^3x^7e + 430335*(f*x)^m$
 $*b^3*m*x^9e + 2582010*(f*x)^m*a*b*c*m*x^9e + 183*(f*x)^m*a^2*b*d^m^6x^3$
 $+ 52725*(f*x)^m*a*b^2*d^m^4x^5 + 52725*(f*x)^m*a^2*c*d^m^4x^5 + 340011*(f$
 $*x)^m*b^3*d^m^2x^7 + 2040066*(f*x)^m*a*b*c*d^m^2x^7 + 675675*(f*x)^m*b^2*$
 $c*d*x^9 + 675675*(f*x)^m*a*c^2*d*x^9 + 61*(f*x)^m*a^3*m^6x^3e + 52725*(f*$
 $x)^m*a^2*b*m^4x^5e + 1020033*(f*x)^m*a*b^2*m^2x^7e + 1020033*(f*x)^m*a^$
 $2*c*m^2x^7e + 225225*(f*x)^m*b^3*x^9e + 1351350*(f*x)^m*a*b*c*x^9e + (f$
 $*x)^m*a^3*d^m^7x + 4575*(f*x)^m*a^2*b*d^m^5x^3 + 360537*(f*x)^m*a*b^2*d^m$
 $^3x^5 + 360537*(f*x)^m*a^2*c*d^m^3x^5 + 544095*(f*x)^m*b^3*d^m*x^7 + 3264$
 $570*(f*x)^m*a*b*c*d^m*x^7 + 1525*(f*x)^m*a^3*m^5x^3e + 360537*(f*x)^m*a^2$
 $*b*m^3x^5e + 1632285*(f*x)^m*a*b^2*m*x^7e + 1632285*(f*x)^m*a^2*c*m*x^7*$
 $e + 63*(f*x)^m*a^3*d^m^6x + 60195*(f*x)^m*a^2*b*d^m^4x^3 + 1311363*(f*x)^$
 $m*a*b^2*d^m^2x^5 + 1311363*(f*x)^m*a^2*c*d^m^2x^5 + 289575*(f*x)^m*b^3*d*$
 $x^7 + 1737450*(f*x)^m*a*b*c*d*x^7 + 20065*(f*x)^m*a^3*m^4x^3e + 1311363*($
 $f*x)^m*a^2*b*m^2x^5e + 868725*(f*x)^m*a*b^2*x^7e + 868725*(f*x)^m*a^2*c*$
 $x^7e + 1645*(f*x)^m*a^3*d^m^5x + 443577*(f*x)^m*a^2*b*d^m^3x^3 + 2215701$
 $*(f*x)^m*a*b^2*d^m*x^5 + 2215701*(f*x)^m*a^2*c*d^m*x^5 + 147859*(f*x)^m*a^3$
 $*m^3x^3e + 2215701*(f*x)^m*a^2*b*m*x^5e + 22995*(f*x)^m*a^3*d^m^4x + 17$
 $83317*(f*x)^m*a^2*b*d^m^2x^3 + 1216215*(f*x)^m*a*b^2*d*x^5 + 1216215*(f*x)$
 $^m*a^2*c*d*x^5 + 594439*(f*x)^m*a^3*m^2x^3e + 1216215*(f*x)^m*a^2*b*x^5e$

$$+ 185059*(f*x)^m*a^3*d*m^3*x + 3422565*(f*x)^m*a^2*b*d*m*x^3 + 1140855*(f*x)^m*a^3*m*x^3*e + 852957*(f*x)^m*a^3*d*m^2*x + 2027025*(f*x)^m*a^2*b*d*x^3 + 675675*(f*x)^m*a^3*x^3*e + 2071215*(f*x)^m*a^3*d*m*x + 2027025*(f*x)^m*a^3*d*x)/(m^8 + 64*m^7 + 1708*m^6 + 24640*m^5 + 208054*m^4 + 1038016*m^3 + 924172*m^2 + 4098240*m + 2027025)$$

maple [B] time = 0.01, size = 1935, normalized size = 7.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^3,x)`

[Out] $x*(c^3*e*m^7*x^{14}+49*c^3*e*m^6*x^{14}+3*b*c^2*e*m^7*x^{12}+c^3*d*m^7*x^{12}+973*c^3*e*m^5*x^{14}+153*b*c^2*e*m^6*x^{12}+51*c^3*d*m^6*x^{12}+10045*c^3*e*m^4*x^{14}+3*a*c^2*e*m^7*x^{10}+3*b^2*c*e*m^7*x^{10}+3*b*c^2*d*m^7*x^{10}+3135*b*c^2*e*m^5*x^{12}+1045*c^3*d*m^5*x^{12}+57379*c^3*e*m^3*x^{14}+159*a*c^2*e*m^6*x^{10}+159*b^2*c*e*m^6*x^{10}+159*b*c^2*d*m^6*x^{10}+33165*b*c^2*e*m^4*x^{12}+11055*c^3*d*m^4*x^{12}+177331*c^3*e*m^2*x^{14}+6*a*b*c*e*m^7*x^8+3*a*c^2*d*m^7*x^8+3375*a*c^2*e*m^5*x^{10}+b^3*e*m^7*x^8+3*b^2*c*d*m^7*x^8+3375*b^2*c*e*m^5*x^{10}+3375*b*c^2*d*m^5*x^{10}+193017*b*c^2*e*m^3*x^{12}+64339*c^3*d*m^3*x^{12}+264207*c^3*e*m*x^{14}+330*a*b*c*e*m^6*x^8+165*a*c^2*d*m^6*x^8+36795*a*c^2*e*m^4*x^{10}+55*b^3*e*m^6*x^8+165*b^2*c*d*m^6*x^8+36795*b^2*c*e*m^4*x^{10}+36795*b*c^2*d*m^4*x^{10}+604827*b*c^2*e*m^2*x^{12}+201609*c^3*d*m^2*x^{12}+135135*c^3*e*x^{14}+3*a^2*c*e*m^7*x^6+3*a*b^2*e*m^7*x^6+6*a*b*c*d*m^7*x^6+7278*a*b*c*e*m^5*x^8+3639*a*c^2*d*m^5*x^8+219417*a*c^2*e*m^3*x^{10}+b^3*d*m^7*x^6+1213*b^3*e*m^5*x^8+3639*b^2*c*d*m^5*x^8+219417*b^2*c*e*m^3*x^{10}+219417*b*c^2*d*m^3*x^{10}+909765*b*c^2*e*m*x^{12}+303255*c^3*d*m*x^{12}+171*a^2*c*e*m^6*x^6+171*a*b^2*e*m^6*x^6+342*a*b*c*d*m^6*x^6+82338*a*b*c*e*m^4*x^8+41169*a*c^2*d*m^4*x^8+700461*a*c^2*e*m^2*x^{10}+57*b^3*d*m^6*x^6+13723*b^3*e*m^4*x^8+41169*b^2*c*d*m^4*x^8+700461*b^2*c*e*m^2*x^{10}+700461*b*c^2*d*m^2*x^{10}+467775*b*c^2*e*x^{12}+155925*c^3*d*x^{12}+3*a^2*b*e*m^7*x^4+3*a^2*c*d*m^7*x^4+3927*a^2*c*e*m^5*x^6+3*a*b^2*d*m^7*x^4+3927*a*b^2*e*m^5*x^6+7854*a*b*c*d*m^5*x^6+507282*a*b*c*e*m^3*x^8+253641*a*c^2*d*m^3*x^8+1067445*a*c^2*e*m*x^{10}+1309*b^3*d*m^5*x^6+84547*b^3*e*m^3*x^8+253641*b^2*c*d*m^3*x^8+1067445*b^2*c*e*m*x^{10}+1067445*b*c^2*d*m*x^{10}+177*a^2*b*e*m^6*x^4+177*a^2*c*d*m^6*x^4+46431*a^2*c*e*m^4*x^6+177*a*b^2*d*m^6*x^4+46431*a*b^2*e*m^4*x^6+92862*a*b*c*d*m^4*x^6+1662558*a*b*c*e*m^2*x^8+831279*a*c^2*d*m^2*x^8+552825*a*c^2*e*x^{10}+15477*b^3*d*m^4*x^6+277093*b^3*e*m^2*x^8+831279*b^2*c*d*m^2*x^8+552825*b^2*c*e*x^{10}+552825*b*c^2*d*x^{10}+a^3*e*m^7*x^2+3*a^2*b*d*m^7*x^2+4239*a^2*b*e*m^5*x^4+4239*a^2*c*d*m^5*x^4+299145*a^2*c*e*m^3*x^6+4239*a*b^2*d*m^5*x^4+299145*a*b^2*e*m^3*x^6+598290*a*b*c*d*m^3*x^6+2582010*a*b*c*e*m*x^8+1291005*a*c^2*d*m*x^8+99715*b^3*d*m^3*x^6+430335*b^3*e*m*x^8+1291005*b^2*c*d*m*x^8+61*a^3*e*m^6*x^2+183*a^2*b*d*m^6*x^2+52725*a^2*b*e*m^4*x^4+52725*a^2*c*d*m^4*x^4+1020033*a^2*c*e*m^2*x^6+52725*a*b^2*d*m^4*x^4+1020033*a*b^2*e*m^2*x^6+2040066*a*b*c*d*m^2*x^6+1351350*a*b*c*e*x^8+6$

75675*a*c^2*d*x^8+340011*b^3*d*m^2*x^6+225225*b^3*e*x^8+675675*b^2*c*d*x^8+a^3*d*m^7+1525*a^3*e*m^5*x^2+4575*a^2*b*d*m^5*x^2+360537*a^2*b*e*m^3*x^4+360537*a^2*c*d*m^3*x^4+1632285*a^2*c*e*m*x^6+360537*a*b^2*d*m^3*x^4+1632285*a*b^2*e*m*x^6+3264570*a*b*c*d*m*x^6+544095*b^3*d*m*x^6+63*a^3*d*m^6+20065*a^3*e*m^4*x^2+60195*a^2*b*d*m^4*x^2+1311363*a^2*b*e*m^2*x^4+1311363*a^2*c*d*m^2*x^4+868725*a^2*c*e*x^6+1311363*a*b^2*d*m^2*x^4+868725*a*b^2*e*x^6+1737450*a*b*c*d*x^6+289575*b^3*d*x^6+1645*a^3*d*m^5+147859*a^3*e*m^3*x^2+443577*a^2*b*d*m^3*x^2+2215701*a^2*b*e*m*x^4+2215701*a^2*c*d*m*x^4+2215701*a*b^2*d*m*x^4+22995*a^3*d*m^4+594439*a^3*e*m^2*x^2+1783317*a^2*b*d*m^2*x^2+1216215*a^2*b*e*x^4+1216215*a^2*c*d*x^4+1216215*a*b^2*d*x^4+185059*a^3*d*m^3+1140855*a^3*e*m*x^2+3422565*a^2*b*d*m*x^2+852957*a^3*d*m^2+675675*a^3*e*x^2+2027025*a^2*b*d*x^2+2071215*a^3*d*m+2027025*a^3*d)*(f*x)^m/(m+1)/(m+3)/(m+5)/(m+7)/(m+9)/(m+11)/(m+13)/(m+15)

maxima [A] time = 1.39, size = 408, normalized size = 1.68

$$\frac{c^3 e f^m x^{15} x^m}{m+15} + \frac{c^3 d f^m x^{13} x^m}{m+13} + \frac{3 b c^2 e f^m x^{13} x^m}{m+13} + \frac{3 b c^2 d f^m x^{11} x^m}{m+11} + \frac{3 b^2 c e f^m x^{11} x^m}{m+11} + \frac{3 a c^2 e f^m x^{11} x^m}{m+11} + \frac{3 b^2 c d f^m x^9 x^m}{m+9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^3,x, algorithm="maxima")

[Out] c^3*e*f^m*x^15*x^m/(m+15) + c^3*d*f^m*x^13*x^m/(m+13) + 3*b*c^2*e*f^m*x^13*x^m/(m+13) + 3*b*c^2*d*f^m*x^11*x^m/(m+11) + 3*b^2*c*e*f^m*x^11*x^m/(m+11) + 3*a*c^2*e*f^m*x^11*x^m/(m+11) + 3*b^2*c*d*f^m*x^9*x^m/(m+9) + 3*a*c^2*d*f^m*x^9*x^m/(m+9) + b^3*e*f^m*x^9*x^m/(m+9) + 6*a*b*c*e*f^m*x^9*x^m/(m+9) + b^3*d*f^m*x^7*x^m/(m+7) + 6*a*b*c*d*f^m*x^7*x^m/(m+7) + 3*a*b^2*e*f^m*x^7*x^m/(m+7) + 3*a^2*c*e*f^m*x^7*x^m/(m+7) + 3*a*b^2*d*f^m*x^5*x^m/(m+5) + 3*a^2*c*d*f^m*x^5*x^m/(m+5) + 3*a^2*b*e*f^m*x^5*x^m/(m+5) + 3*a^2*b*d*f^m*x^3*x^m/(m+3) + a^3*e*f^m*x^3*x^m/(m+3) + (f*x)^(m+1)*a^3*d/(f*(m+1))

mupad [B] time = 1.06, size = 769, normalized size = 3.16

$$\frac{x^7 (f x)^m (3 c e a^2 + 3 e a b^2 + 6 c d a b + d b^3) (m^7 + 57 m^6 + 1309 m^5 + 15477 m^4 + 99715 m^3 + 340011 m^2 + 5 m^8 + 64 m^7 + 1708 m^6 + 24640 m^5 + 208054 m^4 + 1038016 m^3 + 2924172 m^2 + 4098240 m + 2027025)}{(4098240 m^8 + 64 m^7 + 1708 m^6 + 24640 m^5 + 208054 m^4 + 1038016 m^3 + 2924172 m^2 + 4098240 m + 2027025) + (x^9 (f x)^m (b^3 e + 3 a c^2 d + 3 b^2 c d + 6 a b c e))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^3,x)

[Out] (x^7*(f*x)^m*(b^3*d + 3*a*b^2*e + 3*a^2*c*e + 6*a*b*c*d)*(544095*m + 340011*m^2 + 99715*m^3 + 15477*m^4 + 1309*m^5 + 57*m^6 + m^7 + 289575))/(4098240*m + 2924172*m^2 + 1038016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7 + m^8 + 2027025) + (x^9*(f*x)^m*(b^3*e + 3*a*c^2*d + 3*b^2*c*d + 6*a*b*c*e))

```

*(430335*m + 277093*m^2 + 84547*m^3 + 13723*m^4 + 1213*m^5 + 55*m^6 + m^7 +
  225225))/(4098240*m + 2924172*m^2 + 1038016*m^3 + 208054*m^4 + 24640*m^5 +
  1708*m^6 + 64*m^7 + m^8 + 2027025) + (a^3*d*x*(f*x)^m*(2071215*m + 852957*
  m^2 + 185059*m^3 + 22995*m^4 + 1645*m^5 + 63*m^6 + m^7 + 2027025))/(4098240
  *m + 2924172*m^2 + 1038016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7
  + m^8 + 2027025) + (c^3*e*x^15*(f*x)^m*(264207*m + 177331*m^2 + 57379*m^3
  + 10045*m^4 + 973*m^5 + 49*m^6 + m^7 + 135135))/(4098240*m + 2924172*m^2 +
  1038016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7 + m^8 + 2027025) +
  (3*a*x^5*(f*x)^m*(b^2*d + a*b*e + a*c*d)*(738567*m + 437121*m^2 + 120179*m
  ^3 + 17575*m^4 + 1413*m^5 + 59*m^6 + m^7 + 405405))/(4098240*m + 2924172*m^
  2 + 1038016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7 + m^8 + 202702
  5) + (3*c*x^11*(f*x)^m*(b^2*e + a*c*e + b*c*d)*(355815*m + 233487*m^2 + 731
  39*m^3 + 12265*m^4 + 1125*m^5 + 53*m^6 + m^7 + 184275))/(4098240*m + 292417
  2*m^2 + 1038016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7 + m^8 + 20
  27025) + (a^2*x^3*(f*x)^m*(a*e + 3*b*d)*(1140855*m + 594439*m^2 + 147859*m^
  3 + 20065*m^4 + 1525*m^5 + 61*m^6 + m^7 + 675675))/(4098240*m + 2924172*m^2
  + 1038016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7 + m^8 + 2027025
  ) + (c^2*x^13*(f*x)^m*(3*b*e + c*d)*(303255*m + 201609*m^2 + 64339*m^3 + 11
  055*m^4 + 1045*m^5 + 51*m^6 + m^7 + 155925))/(4098240*m + 2924172*m^2 + 103
  8016*m^3 + 208054*m^4 + 24640*m^5 + 1708*m^6 + 64*m^7 + m^8 + 2027025)

```

sympy [A] time = 12.38, size = 11538, normalized size = 47.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)*(c*x**4+b*x**2+a)**3,x)
```

```
[Out] Piecewise((( -a**3*d/(14*x**14) - a**3*e/(12*x**12) - a**2*b*d/(4*x**12) - 3
*a**2*b*e/(10*x**10) - 3*a**2*c*d/(10*x**10) - 3*a**2*c*e/(8*x**8) - 3*a*b*
*2*d/(10*x**10) - 3*a*b**2*e/(8*x**8) - 3*a*b*c*d/(4*x**8) - a*b*c*e/x**6 -
  a*c**2*d/(2*x**6) - 3*a*c**2*e/(4*x**4) - b**3*d/(8*x**8) - b**3*e/(6*x**6
  ) - b**2*c*d/(2*x**6) - 3*b**2*c*e/(4*x**4) - 3*b*c**2*d/(4*x**4) - 3*b*c**
  2*e/(2*x**2) - c**3*d/(2*x**2) + c**3*e*log(x))/f**15, Eq(m, -15)), ((-a**3
  *d/(12*x**12) - a**3*e/(10*x**10) - 3*a**2*b*d/(10*x**10) - 3*a**2*b*e/(8*x
  **8) - 3*a**2*c*d/(8*x**8) - a**2*c*e/(2*x**6) - 3*a*b**2*d/(8*x**8) - a*b*
  *2*e/(2*x**6) - a*b*c*d/x**6 - 3*a*b*c*e/(2*x**4) - 3*a*c**2*d/(4*x**4) - 3
  *a*c**2*e/(2*x**2) - b**3*d/(6*x**6) - b**3*e/(4*x**4) - 3*b**2*c*d/(4*x**4
  ) - 3*b**2*c*e/(2*x**2) - 3*b*c**2*d/(2*x**2) + 3*b*c**2*e*log(x) + c**3*d*
  log(x) + c**3*e*x**2/2)/f**13, Eq(m, -13)), ((-a**3*d/(10*x**10) - a**3*e/(
  8*x**8) - 3*a**2*b*d/(8*x**8) - a**2*b*e/(2*x**6) - a**2*c*d/(2*x**6) - 3*a
  **2*c*e/(4*x**4) - a*b**2*d/(2*x**6) - 3*a*b**2*e/(4*x**4) - 3*a*b*c*d/(2*x
  **4) - 3*a*b*c*e/x**2 - 3*a*c**2*d/(2*x**2) + 3*a*c**2*e*log(x) - b**3*d/(4
  *x**4) - b**3*e/(2*x**2) - 3*b**2*c*d/(2*x**2) + 3*b**2*c*e*log(x) + 3*b*c*
  *2*d*log(x) + 3*b*c**2*e*x**2/2 + c**3*d*x**2/2 + c**3*e*x**4/4)/f**11, Eq(

```

$m, -11)), ((-a^{**3}d/(8*x^{**8}) - a^{**3}e/(6*x^{**6}) - a^{**2}b*d/(2*x^{**6}) - 3*a^{**2} * b*e/(4*x^{**4}) - 3*a^{**2}*c*d/(4*x^{**4}) - 3*a^{**2}*c*e/(2*x^{**2}) - 3*a*b^{**2}*d/(4*x^{**4}) - 3*a*b^{**2}*e/(2*x^{**2}) - 3*a*b*c*d/x^{**2} + 6*a*b*c*e*log(x) + 3*a*c^{**2}*d * log(x) + 3*a*c^{**2}*e*x^{**2}/2 - b^{**3}d/(2*x^{**2}) + b^{**3}*e*log(x) + 3*b^{**2}*c*d * log(x) + 3*b^{**2}*c*e*x^{**2}/2 + 3*b*c^{**2}*d*x^{**2}/2 + 3*b*c^{**2}*e*x^{**4}/4 + c^{**3}*d * x^{**4}/4 + c^{**3}*e*x^{**6}/6)/f^{**9}, Eq(m, -9)), ((-a^{**3}d/(6*x^{**6}) - a^{**3}e/(4*x^{**4}) - 3*a^{**2}*b*d/(4*x^{**4}) - 3*a^{**2}*b*e/(2*x^{**2}) - 3*a^{**2}*c*d/(2*x^{**2}) + 3* a^{**2}*c*e*log(x) - 3*a*b^{**2}*d/(2*x^{**2}) + 3*a*b^{**2}*e*log(x) + 6*a*b*c*d*log(x)) + 3*a*b*c*e*x^{**2} + 3*a*c^{**2}*d*x^{**2}/2 + 3*a*c^{**2}*e*x^{**4}/4 + b^{**3}*d*log(x) + b^{**3}*e*x^{**2}/2 + 3*b^{**2}*c*d*x^{**2}/2 + 3*b^{**2}*c*e*x^{**4}/4 + 3*b*c^{**2}*d*x^{**4}/4 + b*c^{**2}*e*x^{**6}/2 + c^{**3}*d*x^{**6}/6 + c^{**3}*e*x^{**8}/8)/f^{**7}, Eq(m, -7)), ((-a * 3*d/(4*x^{**4}) - a^{**3}e/(2*x^{**2}) - 3*a^{**2}*b*d/(2*x^{**2}) + 3*a^{**2}*b*e*log(x) + 3*a^{**2}*c*d*log(x) + 3*a^{**2}*c*e*x^{**2}/2 + 3*a*b^{**2}*d*log(x) + 3*a*b^{**2}*e*x^{** 2}/2 + 3*a*b*c*d*x^{**2} + 3*a*b*c*e*x^{**4}/2 + 3*a*c^{**2}*d*x^{**4}/4 + a*c^{**2}*e*x^{**6} /2 + b^{**3}*d*x^{**2}/2 + b^{**3}*e*x^{**4}/4 + 3*b^{**2}*c*d*x^{**4}/4 + b^{**2}*c*e*x^{**6}/2 + b*c^{**2}*d*x^{**6}/2 + 3*b*c^{**2}*e*x^{**8}/8 + c^{**3}*d*x^{**8}/8 + c^{**3}*e*x^{**10}/10)/f^{**5} , Eq(m, -5)), ((-a^{**3}d/(2*x^{**2}) + a^{**3}e*log(x) + 3*a^{**2}*b*d*log(x) + 3*a * 2*b*e*x^{**2}/2 + 3*a^{**2}*c*d*x^{**2}/2 + 3*a^{**2}*c*e*x^{**4}/4 + 3*a*b^{**2}*d*x^{**2}/2 + 3*a*b^{**2}*e*x^{**4}/4 + 3*a*b*c*d*x^{**4}/2 + a*b*c*e*x^{**6} + a*c^{**2}*d*x^{**6}/2 + 3* a*c^{**2}*e*x^{**8}/8 + b^{**3}*d*x^{**4}/4 + b^{**3}*e*x^{**6}/6 + b^{**2}*c*d*x^{**6}/2 + 3*b^{**2}* c*e*x^{**8}/8 + 3*b*c^{**2}*d*x^{**8}/8 + 3*b*c^{**2}*e*x^{**10}/10 + c^{**3}*d*x^{**10}/10 + c * 3*e*x^{**12}/12)/f^{**3}, Eq(m, -3)), ((a^{**3}*d*log(x) + a^{**3}*e*x^{**2}/2 + 3*a^{**2}*b * d*x^{**2}/2 + 3*a^{**2}*b*e*x^{**4}/4 + 3*a^{**2}*c*d*x^{**4}/4 + a^{**2}*c*e*x^{**6}/2 + 3*a*b * 2*d*x^{**4}/4 + a*b^{**2}*e*x^{**6}/2 + a*b*c*d*x^{**6} + 3*a*b*c*e*x^{**8}/4 + 3*a*c^{**2} * d*x^{**8}/8 + 3*a*c^{**2}*e*x^{**10}/10 + b^{**3}*d*x^{**6}/6 + b^{**3}*e*x^{**8}/8 + 3*b^{**2}*c * d*x^{**8}/8 + 3*b^{**2}*c*e*x^{**10}/10 + 3*b*c^{**2}*d*x^{**10}/10 + b*c^{**2}*e*x^{**12}/4 + c * 3*d*x^{**12}/12 + c^{**3}*e*x^{**14}/14)/f, Eq(m, -1)), (a^{**3}*d*f^{**m}*m^{**7}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924 172*m^{**2} + 4098240*m + 2027025) + 63*a^{**3}*d*f^{**m}*m^{**6}*x^{**m}/(m^{**8} + 64*m^{** 7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 40 98240*m + 2027025) + 1645*a^{**3}*d*f^{**m}*m^{**5}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m * 6 + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2 027025) + 22995*a^{**3}*d*f^{**m}*m^{**4}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640 * m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 185059*a^{**3}*d*f^{**m}*m^{**3}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 2 08054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 852957*a * 3*d*f^{**m}*m^{**2}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{** 4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 2071215*a^{**3}*d*f^{** m}*m*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016 * m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 2027025*a^{**3}*d*f^{**m}*x^{**m}/(m **8 + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 29241 72*m^{**2} + 4098240*m + 2027025) + a^{**3}*e*f^{**m}*m^{**7}*x^{**3}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 409 8240*m + 2027025) + 61*a^{**3}*e*f^{**m}*m^{**6}*x^{**3}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m * 6 + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2$

$$\begin{aligned}
& + 2027025) + 171*a*b**2*e*f**m**m**6*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 \\
& + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027 \\
& 025) + 3927*a*b**2*e*f**m**m**5*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 2464 \\
& 0*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + \\
& 46431*a*b**2*e*f**m**m**4*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m** \\
& 5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 2991 \\
& 45*a*b**2*e*f**m**m**3*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + \\
& 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 1020033* \\
& a*b**2*e*f**m**m**2*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208 \\
& 054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 1632285*a*b \\
& **2*e*f**m**m*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m** \\
& *4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 868725*a*b**2*e*f \\
& **m*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038 \\
& 016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 6*a*b*c*d*f**m**m**7*x**7*x \\
& **m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + \\
& 2924172*m**2 + 4098240*m + 2027025) + 342*a*b*c*d*f**m**m**6*x**7*x**m/(m** \\
& 8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172 \\
& *m**2 + 4098240*m + 2027025) + 7854*a*b*c*d*f**m**m**5*x**7*x**m/(m**8 + 64* \\
& m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + \\
& 4098240*m + 2027025) + 92862*a*b*c*d*f**m**m**4*x**7*x**m/(m**8 + 64*m**7 + \\
& 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 40982 \\
& 40*m + 2027025) + 598290*a*b*c*d*f**m**m**3*x**7*x**m/(m**8 + 64*m**7 + 1708 \\
& *m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m \\
& + 2027025) + 2040066*a*b*c*d*f**m**m**2*x**7*x**m/(m**8 + 64*m**7 + 1708*m** \\
& 6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 20 \\
& 27025) + 3264570*a*b*c*d*f**m**m*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 246 \\
& 40*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) \\
& + 1737450*a*b*c*d*f**m*x**7*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + \\
& 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 6*a*b*c \\
& *e*f**m**m**7*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m** \\
& *4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 330*a*b*c*e*f**m \\
& **6*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 103 \\
& 8016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 7278*a*b*c*e*f**m**m**5*x* \\
& *9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m** \\
& *3 + 2924172*m**2 + 4098240*m + 2027025) + 82338*a*b*c*e*f**m**m**4*x**9*x** \\
& m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2 \\
& 924172*m**2 + 4098240*m + 2027025) + 507282*a*b*c*e*f**m**m**3*x**9*x**m/(m* \\
& *8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 292417 \\
& 2*m**2 + 4098240*m + 2027025) + 1662558*a*b*c*e*f**m**m**2*x**9*x**m/(m**8 + \\
& 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m** \\
& *2 + 4098240*m + 2027025) + 2582010*a*b*c*e*f**m**m*x**9*x**m/(m**8 + 64*m** \\
& 7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 40 \\
& 98240*m + 2027025) + 1351350*a*b*c*e*f**m*x**9*x**m/(m**8 + 64*m**7 + 1708* \\
& m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + \\
& 2027025) + 3*a*c**2*d*f**m**m**7*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24
\end{aligned}$$

$$\begin{aligned}
& 640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) \\
& + 165ac^2dfm^6x^9x^9/(m^8 + 64m^7 + 1708m^6 + 24640m^5 \\
& + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + 3639 \\
& ac^2dfm^5x^9x^9/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 20 \\
& 8054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + 41169ac \\
& ^2dfm^4x^9x^9/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m \\
& ^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + 253641ac^2d \\
& f^3m^3x^9x^9/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 \\
& + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + 831279ac^2dfm \\
& ^2x^9x^9/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1 \\
& 038016m^3 + 2924172m^2 + 4098240m + 2027025) + 1291005ac^2dfm \\
& ^x^9x^9/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016 \\
& ^m^3 + 2924172m^2 + 4098240m + 2027025) + 675675ac^2dfm^x^9x^9 \\
& m/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2 \\
& 924172m^2 + 4098240m + 2027025) + 3ac^2efm^7x^11x^11/(m^8 \\
& + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m \\
& ^2 + 4098240m + 2027025) + 159ac^2efm^6x^11x^11/(m^8 + 64m \\
& ^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + \\
& 4098240m + 2027025) + 3375ac^2efm^5x^11x^11/(m^8 + 64m^7 + \\
& 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 40982 \\
& 40m + 2027025) + 36795ac^2efm^4x^11x^11/(m^8 + 64m^7 + 170 \\
& 8m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m \\
& + 2027025) + 219417ac^2efm^3x^11x^11/(m^8 + 64m^7 + 1708m \\
& ^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + \\
& 2027025) + 700461ac^2efm^2x^11x^11/(m^8 + 64m^7 + 1708m^6 + 24 \\
& 640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 202 \\
& 7025) + 1067445ac^2efm^x^11x^11/(m^8 + 64m^7 + 1708m^6 + 24 \\
& 640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) \\
& + 552825ac^2efm^x^11x^11/(m^8 + 64m^7 + 1708m^6 + 24640m^5 \\
& + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + b^3d \\
& f^7m^7x^7x^7/(m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 \\
& + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + 57b^3df^6m^6x^7x^7 \\
& /m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 103801 \\
& 6m^3 + 2924172m^2 + 4098240m + 2027025) + 1309b^3df^5m^5x^7x^7 \\
& /m^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + \\
& 2924172m^2 + 4098240m + 2027025) + 15477b^3df^4m^4x^7x^7/(m \\
& ^8 + 64m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 292417 \\
& 2m^2 + 4098240m + 2027025) + 99715b^3df^3m^3x^7x^7/(m^8 + 64 \\
& ^m^7 + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 \\
& + 4098240m + 2027025) + 340011b^3df^2m^2x^7x^7/(m^8 + 64m^7 \\
& + 1708m^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098 \\
& 240m + 2027025) + 544095b^3df^m^x^7x^7/(m^8 + 64m^7 + 1708m^ \\
& ^6 + 24640m^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2 \\
& 027025) + 289575b^3df^x^7x^7/(m^8 + 64m^7 + 1708m^6 + 24640m \\
& ^5 + 208054m^4 + 1038016m^3 + 2924172m^2 + 4098240m + 2027025) + b
\end{aligned}$$

$$\begin{aligned}
& **3*e*f**m**7*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054 \\
& *m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 55*b**3*e*f**m \\
& *m**6*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 10 \\
& 38016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 1213*b**3*e*f**m**5*x* \\
& *9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m* \\
& *3 + 2924172*m**2 + 4098240*m + 2027025) + 13723*b**3*e*f**m**4*x**9*x**m \\
& /(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 29 \\
& 24172*m**2 + 4098240*m + 2027025) + 84547*b**3*e*f**m**3*x**9*x**m/(m**8 \\
& + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m \\
& **2 + 4098240*m + 2027025) + 277093*b**3*e*f**m**2*x**9*x**m/(m**8 + 64*m \\
& **7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + \\
& 4098240*m + 2027025) + 430335*b**3*e*f**m*x**9*x**m/(m**8 + 64*m**7 + 170 \\
& 8*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m \\
& + 2027025) + 225225*b**3*e*f**m*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24 \\
& 640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) \\
& + 3*b**2*c*d*f**m**7*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 \\
& + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 165*b* \\
& *2*c*d*f**m**6*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 20805 \\
& 4*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 3639*b**2*c*d \\
& *f**m**5*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 \\
& + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 41169*b**2*c*d*f**m \\
& *m**4*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 10 \\
& 38016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 253641*b**2*c*d*f**m** \\
& 3*x**9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 103801 \\
& 6*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 831279*b**2*c*d*f**m**2*x* \\
& *9*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m* \\
& *3 + 2924172*m**2 + 4098240*m + 2027025) + 1291005*b**2*c*d*f**m*x**9*x** \\
& m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2 \\
& 924172*m**2 + 4098240*m + 2027025) + 675675*b**2*c*d*f**m*x**9*x**m/(m**8 + \\
& 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m* \\
& *2 + 4098240*m + 2027025) + 3*b**2*c*e*f**m**7*x**11*x**m/(m**8 + 64*m**7 \\
& + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 409 \\
& 8240*m + 2027025) + 159*b**2*c*e*f**m**6*x**11*x**m/(m**8 + 64*m**7 + 170 \\
& 8*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m \\
& + 2027025) + 3375*b**2*c*e*f**m**5*x**11*x**m/(m**8 + 64*m**7 + 1708*m** \\
& 6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 20 \\
& 27025) + 36795*b**2*c*e*f**m**4*x**11*x**m/(m**8 + 64*m**7 + 1708*m**6 + \\
& 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 202702 \\
& 5) + 219417*b**2*c*e*f**m**3*x**11*x**m/(m**8 + 64*m**7 + 1708*m**6 + 246 \\
& 40*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) \\
& + 700461*b**2*c*e*f**m**2*x**11*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640* \\
& m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 1 \\
& 067445*b**2*c*e*f**m*x**11*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 \\
& + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 552825 \\
& *b**2*c*e*f**m*x**11*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054
\end{aligned}$$

$$\begin{aligned}
& *m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 3*b*c^{**2}*d*f** \\
& m*m^{**7}*x^{**11}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + \\
& 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 159*b*c^{**2}*d*f**m*m^{**6} \\
& *x^{**11}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 103801 \\
& 6*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 3375*b*c^{**2}*d*f**m*m^{**5}*x^{**1 \\
& 1*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{** \\
& 3 + 2924172*m^{**2} + 4098240*m + 2027025) + 36795*b*c^{**2}*d*f**m*m^{**4}*x^{**11}*x^{** \\
& *m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + \\
& 2924172*m^{**2} + 4098240*m + 2027025) + 219417*b*c^{**2}*d*f**m*m^{**3}*x^{**11}*x^{**m}/ \\
& (m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 292 \\
& 4172*m^{**2} + 4098240*m + 2027025) + 700461*b*c^{**2}*d*f**m*m^{**2}*x^{**11}*x^{**m}/(m^{** \\
& *8 + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 292417 \\
& 2*m^{**2} + 4098240*m + 2027025) + 1067445*b*c^{**2}*d*f**m*m*x^{**11}*x^{**m}/(m^{**8} + \\
& 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{** \\
& 2 + 4098240*m + 2027025) + 552825*b*c^{**2}*d*f**m*x^{**11}*x^{**m}/(m^{**8} + 64*m^{**7} \\
& + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098 \\
& 240*m + 2027025) + 3*b*c^{**2}*e*f**m*m^{**7}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m \\
& **6 + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + \\
& 2027025) + 153*b*c^{**2}*e*f**m*m^{**6}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + \\
& 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 202702 \\
& 5) + 3135*b*c^{**2}*e*f**m*m^{**5}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640 \\
& *m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + \\
& 33165*b*c^{**2}*e*f**m*m^{**4}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{** \\
& 5 + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 1930 \\
& 17*b*c^{**2}*e*f**m*m^{**3}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + \\
& 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 604827* \\
& b*c^{**2}*e*f**m*m^{**2}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 20 \\
& 8054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 909765*b*c \\
& **2*e*f**m*m*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m \\
& **4 + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 467775*b*c^{**2}*e* \\
& f**m*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 10 \\
& 38016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + c^{**3}*d*f**m*m^{**7}*x^{**13}*x \\
& **m/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + \\
& 2924172*m^{**2} + 4098240*m + 2027025) + 51*c^{**3}*d*f**m*m^{**6}*x^{**13}*x^{**m}/(m^{**8} \\
& + 64*m^{**7} + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172* \\
& m^{**2} + 4098240*m + 2027025) + 1045*c^{**3}*d*f**m*m^{**5}*x^{**13}*x^{**m}/(m^{**8} + 64*m \\
& **7 + 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + \\
& 4098240*m + 2027025) + 11055*c^{**3}*d*f**m*m^{**4}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + \\
& 1708*m^{**6} + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 409824 \\
& 0*m + 2027025) + 64339*c^{**3}*d*f**m*m^{**3}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m \\
& **6 + 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + \\
& 2027025) + 201609*c^{**3}*d*f**m*m^{**2}*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + \\
& 24640*m^{**5} + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 20270 \\
& 25) + 303255*c^{**3}*d*f**m*m*x^{**13}*x^{**m}/(m^{**8} + 64*m^{**7} + 1708*m^{**6} + 24640*m \\
& **5 + 208054*m^{**4} + 1038016*m^{**3} + 2924172*m^{**2} + 4098240*m + 2027025) + 15
\end{aligned}$$

$$\begin{aligned}
& 5925*c**3*d*f**m*x**13*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 2080 \\
& 54*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + c**3*e*f**m* \\
& m**7*x**15*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 10 \\
& 38016*m**3 + 2924172*m**2 + 4098240*m + 2027025) + 49*c**3*e*f**m*m**6*x**1 \\
& 5*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m** \\
& 3 + 2924172*m**2 + 4098240*m + 2027025) + 973*c**3*e*f**m*m**5*x**15*x**m/(\\
& m**8 + 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924 \\
& 172*m**2 + 4098240*m + 2027025) + 10045*c**3*e*f**m*m**4*x**15*x**m/(m**8 + \\
& 64*m**7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m* \\
& *2 + 4098240*m + 2027025) + 57379*c**3*e*f**m*m**3*x**15*x**m/(m**8 + 64*m* \\
& *7 + 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4 \\
& 098240*m + 2027025) + 177331*c**3*e*f**m*m**2*x**15*x**m/(m**8 + 64*m**7 + \\
& 1708*m**6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 409824 \\
& 0*m + 2027025) + 264207*c**3*e*f**m*m*x**15*x**m/(m**8 + 64*m**7 + 1708*m** \\
& 6 + 24640*m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 20 \\
& 27025) + 135135*c**3*e*f**m*x**15*x**m/(m**8 + 64*m**7 + 1708*m**6 + 24640* \\
& m**5 + 208054*m**4 + 1038016*m**3 + 2924172*m**2 + 4098240*m + 2027025), Tr \\
& ue))
\end{aligned}$$

$$3.221 \quad \int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^2 dx$$

Optimal. Leaf size=155

$$\frac{a^2 d (fx)^{m+1}}{f(m+1)} + \frac{(fx)^{m+7} (2ace + b^2e + 2bcd)}{f^7(m+7)} + \frac{(fx)^{m+5} (2abe + 2acd + b^2d)}{f^5(m+5)} + \frac{a(fx)^{m+3}(ae + 2bd)}{f^3(m+3)} + \frac{c(fx)^{m+9}(2be + b^2d)}{f^9(m+9)}$$

[Out] $a^2*d*(f*x)^{(1+m)}/f/(1+m)+a*(a*e+2*b*d)*(f*x)^{(3+m)}/f^3/(3+m)+(2*a*b*e+2*a*c*d+b^2*d)*(f*x)^{(5+m)}/f^5/(5+m)+(2*a*c*e+b^2*e+2*b*c*d)*(f*x)^{(7+m)}/f^7/(7+m)+c*(2*b*e+c*d)*(f*x)^{(9+m)}/f^9/(9+m)+c^2*e*(f*x)^{(11+m)}/f^{11}/(11+m)$

Rubi [A] time = 0.10, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$, Rules used = {1261}

$$\frac{a^2 d (fx)^{m+1}}{f(m+1)} + \frac{(fx)^{m+5} (2abe + 2acd + b^2d)}{f^5(m+5)} + \frac{(fx)^{m+7} (2ace + b^2e + 2bcd)}{f^7(m+7)} + \frac{a(fx)^{m+3}(ae + 2bd)}{f^3(m+3)} + \frac{c(fx)^{m+9}(2be + b^2d)}{f^9(m+9)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^2,x]

[Out] $(a^2*d*(f*x)^{(1+m)}/(f*(1+m)) + (a*(2*b*d + a*e)*(f*x)^{(3+m)})/(f^3*(3+m)) + ((b^2*d + 2*a*c*d + 2*a*b*e)*(f*x)^{(5+m)})/(f^5*(5+m)) + ((2*b*c*d + b^2*e + 2*a*c*e)*(f*x)^{(7+m)})/(f^7*(7+m)) + (c*(c*d + 2*b*e)*(f*x)^{(9+m)})/(f^9*(9+m)) + (c^2*e*(f*x)^{(11+m)})/(f^{11}*(11+m))$

Rule 1261

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^2 dx &= \int \left(a^2 d (fx)^m + \frac{a(2bd + ae)(fx)^{2+m}}{f^2} + \frac{(b^2d + 2acd + 2abe)(fx)^{4+m}}{f^4} + \right. \\ &= \frac{a^2 d (fx)^{1+m}}{f(1+m)} + \frac{a(2bd + ae)(fx)^{3+m}}{f^3(3+m)} + \frac{(b^2d + 2acd + 2abe)(fx)^{5+m}}{f^5(5+m)} + \left. \frac{c(b^2d + 2acd + 2abe)(fx)^{7+m}}{f^7(7+m)} + \frac{c^2 e (fx)^{9+m}}{f^9(9+m)} \right) dx \end{aligned}$$

Mathematica [A] time = 0.12, size = 117, normalized size = 0.75

$$x(fx)^m \left(\frac{a^2 d}{m+1} + \frac{x^6 (2ace + b^2 e + 2bcd)}{m+7} + \frac{x^4 (2abe + 2acd + b^2 d)}{m+5} + \frac{ax^2 (ae + 2bd)}{m+3} + \frac{cx^8 (2be + cd)}{m+9} + \frac{c^2 ex^{10}}{m+11} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^2,x]

[Out] x*(f*x)^m*((a^2*d)/(1 + m) + (a*(2*b*d + a*e)*x^2)/(3 + m) + ((b^2*d + 2*a*c*d + 2*a*b*e)*x^4)/(5 + m) + ((2*b*c*d + b^2*e + 2*a*c*e)*x^6)/(7 + m) + (c*(c*d + 2*b*e)*x^8)/(9 + m) + (c^2*e*x^10)/(11 + m))

fricas [B] time = 0.64, size = 573, normalized size = 3.70

$$\frac{((c^2 em^5 + 25 c^2 em^4 + 230 c^2 em^3 + 950 c^2 em^2 + 1689 c^2 em + 945 c^2 e)x^{11} + ((c^2 d + 2 bce)m^5 + 27(c^2 d + 2 bce)m^4 + 262(c^2 d + 2 bce)m^3 + 1155 c^2 d + 2310 b c e + 1122(c^2 d + 2 b c e)m^2 + 2041(c^2 d + 2 b c e)m)x^9 + ((2 b c d + (b^2 + 2 a c)e)m^5 + 29(2 b c d + (b^2 + 2 a c)e)m^4 + 302(2 b c d + (b^2 + 2 a c)e)m^3 + 2970 b c d + 1366(2 b c d + (b^2 + 2 a c)e)m^2 + 1485(b^2 + 2 a c)e + 2577(2 b c d + (b^2 + 2 a c)e)m)x^7 + ((2 a b e + (b^2 + 2 a c)d)m^5 + 31(2 a b e + (b^2 + 2 a c)d)m^4 + 350(2 a b e + (b^2 + 2 a c)d)m^3 + 4158 a b e + 1730(2 a b e + (b^2 + 2 a c)d)m^2 + 2079(b^2 + 2 a c)d + 3489(2 a b e + (b^2 + 2 a c)d)m)x^5 + ((2 a b d + a^2 e)m^5 + 33(2 a b d + a^2 e)m^4 + 406(2 a b d + a^2 e)m^3 + 6930 a b d + 3465 a^2 e + 2262(2 a b d + a^2 e)m^2 + 5353(2 a b d + a^2 e)m)x^3 + (a^2 d m^5 + 35 a^2 d m^4 + 470 a^2 d m^3 + 3010 a^2 d m^2 + 9129 a^2 d m + 10395 a^2 d)x)(f*x)^m/(m^6 + 36 m^5 + 505 m^4 + 3480 m^3 + 12139 m^2 + 19524 m + 10395)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] ((c^2*e*m^5 + 25*c^2*e*m^4 + 230*c^2*e*m^3 + 950*c^2*e*m^2 + 1689*c^2*e*m + 945*c^2*e)*x^11 + ((c^2*d + 2*b*c*e)*m^5 + 27*(c^2*d + 2*b*c*e)*m^4 + 262*(c^2*d + 2*b*c*e)*m^3 + 1155*c^2*d + 2310*b*c*e + 1122*(c^2*d + 2*b*c*e)*m^2 + 2041*(c^2*d + 2*b*c*e)*m)x^9 + ((2*b*c*d + (b^2 + 2*a*c)*e)*m^5 + 29*(2*b*c*d + (b^2 + 2*a*c)*e)*m^4 + 302*(2*b*c*d + (b^2 + 2*a*c)*e)*m^3 + 2970*b*c*d + 1366*(2*b*c*d + (b^2 + 2*a*c)*e)*m^2 + 1485*(b^2 + 2*a*c)*e + 2577*(2*b*c*d + (b^2 + 2*a*c)*e)*m)x^7 + ((2*a*b*e + (b^2 + 2*a*c)*d)*m^5 + 31*(2*a*b*e + (b^2 + 2*a*c)*d)*m^4 + 350*(2*a*b*e + (b^2 + 2*a*c)*d)*m^3 + 4158*a*b*e + 1730*(2*a*b*e + (b^2 + 2*a*c)*d)*m^2 + 2079*(b^2 + 2*a*c)*d + 3489*(2*a*b*e + (b^2 + 2*a*c)*d)*m)x^5 + ((2*a*b*d + a^2*e)*m^5 + 33*(2*a*b*d + a^2*e)*m^4 + 406*(2*a*b*d + a^2*e)*m^3 + 6930*a*b*d + 3465*a^2*e + 2262*(2*a*b*d + a^2*e)*m^2 + 5353*(2*a*b*d + a^2*e)*m)x^3 + (a^2*d*m^5 + 35*a^2*d*m^4 + 470*a^2*d*m^3 + 3010*a^2*d*m^2 + 9129*a^2*d*m + 10395*a^2*d)*x)(f*x)^m/(m^6 + 36*m^5 + 505*m^4 + 3480*m^3 + 12139*m^2 + 19524*m + 10395)

giac [B] time = 0.40, size = 1178, normalized size = 7.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] ((f*x)^m*c^2*m^5*x^11*e + 25*(f*x)^m*c^2*m^4*x^11*e + (f*x)^m*c^2*d*m^5*x^9 + 2*(f*x)^m*b*c*m^5*x^9*e + 230*(f*x)^m*c^2*m^3*x^11*e + 27*(f*x)^m*c^2*d*

$$\begin{aligned}
& m^4 x^9 + 54(f*x)^m b*c*m^4 x^9 e + 950(f*x)^m c^2 m^2 x^{11} e + 2(f*x)^m \\
& *b*c*d*m^5 x^7 + 262(f*x)^m c^2 d*m^3 x^9 + (f*x)^m b^2 m^5 x^7 e + 2(f*x) \\
&)^m a*c*m^5 x^7 e + 524(f*x)^m b*c*m^3 x^9 e + 1689(f*x)^m c^2 m*x^{11} e + \\
& 58(f*x)^m b*c*d*m^4 x^7 + 1122(f*x)^m c^2 d*m^2 x^9 + 29(f*x)^m b^2 m^4 \\
& *x^7 e + 58(f*x)^m a*c*m^4 x^7 e + 2244(f*x)^m b*c*m^2 x^9 e + 945(f*x)^ \\
& m*c^2 x^{11} e + (f*x)^m b^2 d*m^5 x^5 + 2(f*x)^m a*c*d*m^5 x^5 + 604(f*x)^ \\
& m*b*c*d*m^3 x^7 + 2041(f*x)^m c^2 d*m*x^9 + 2(f*x)^m a*b*m^5 x^5 e + 302* \\
& (f*x)^m b^2 m^3 x^7 e + 604(f*x)^m a*c*m^3 x^7 e + 4082(f*x)^m b*c*m*x^9 e \\
& + 31(f*x)^m b^2 d*m^4 x^5 + 62(f*x)^m a*c*d*m^4 x^5 + 2732(f*x)^m b*c* \\
& d*m^2 x^7 + 1155(f*x)^m c^2 d*x^9 + 62(f*x)^m a*b*m^4 x^5 e + 1366(f*x)^ \\
& m*b^2 m^2 x^7 e + 2732(f*x)^m a*c*m^2 x^7 e + 2310(f*x)^m b*c*x^9 e + 2*(\\
& f*x)^m a*b*d*m^5 x^3 + 350(f*x)^m b^2 d*m^3 x^5 + 700(f*x)^m a*c*d*m^3 x^ \\
& 5 + 5154(f*x)^m b*c*d*m*x^7 + (f*x)^m a^2 m^5 x^3 e + 700(f*x)^m a*b*m^3 \\
& x^5 e + 2577(f*x)^m b^2 m*x^7 e + 5154(f*x)^m a*c*m*x^7 e + 66(f*x)^m a* \\
& b*d*m^4 x^3 + 1730(f*x)^m b^2 d*m^2 x^5 + 3460(f*x)^m a*c*d*m^2 x^5 + 297 \\
& 0(f*x)^m b*c*d*x^7 + 33(f*x)^m a^2 m^4 x^3 e + 3460(f*x)^m a*b*m^2 x^5 e \\
& + 1485(f*x)^m b^2 x^7 e + 2970(f*x)^m a*c*x^7 e + (f*x)^m a^2 d*m^5 x + \\
& 812(f*x)^m a*b*d*m^3 x^3 + 3489(f*x)^m b^2 d*m*x^5 + 6978(f*x)^m a*c*d*m \\
& *x^5 + 406(f*x)^m a^2 m^3 x^3 e + 6978(f*x)^m a*b*m*x^5 e + 35(f*x)^m a^ \\
& 2 d*m^4 x + 4524(f*x)^m a*b*d*m^2 x^3 + 2079(f*x)^m b^2 d*x^5 + 4158(f*x) \\
&)^m a*c*d*x^5 + 2262(f*x)^m a^2 m^2 x^3 e + 4158(f*x)^m a*b*x^5 e + 470*(\\
& f*x)^m a^2 d*m^3 x + 10706(f*x)^m a*b*d*m*x^3 + 5353(f*x)^m a^2 m*x^3 e + \\
& 3010(f*x)^m a^2 d*m^2 x + 6930(f*x)^m a*b*d*x^3 + 3465(f*x)^m a^2 x^3 e \\
& + 9129(f*x)^m a^2 d*m*x + 10395(f*x)^m a^2 d*x)/(m^6 + 36*m^5 + 505*m^4 \\
& + 3480*m^3 + 12139*m^2 + 19524*m + 10395)
\end{aligned}$$

maple [B] time = 0.01, size = 783, normalized size = 5.05

$$\frac{(c^2 e m^5 x^{10} + 25 c^2 e m^4 x^{10} + 2 b c e m^5 x^8 + c^2 d m^5 x^8 + 230 c^2 e m^3 x^{10} + 54 b c e m^4 x^8 + 27 c^2 d m^4 x^8 + 950 c^2 e m^2 x^{10} + 25 c^2 e m^3 x^{10} + 54 b^2 c e m^4 x^8 + 27 c^2 d m^4 x^8 + 950 c^2 e m^2 x^{10} + 2 a^2 c e m^5 x^4 + 2 a^2 c d m^5 x^4 + 604 a^2 c e m^3 x^6 + b^2 d m^5 x^4 + 302 b^2 e m^3 x^6 + 604 b^2 c d m^3 x^6 + 4082 b^2 c e m^3 x^6 + 2041 c^2 d m^3 x^8 + 62 a^2 b e m^4 x^4 + 62 a^2 c d m^4 x^4 + 2732 a^2 c e m^2 x^6 + 31 b^2 d m^4 x^4 + 1366 b^2 e m^2 x^6 + 2732 b^2 c d m^2 x^6 + 2310 b^2 c e m^2 x^6 + 1155 c^2 d x^8 + a^2 e m^5 x^2 + 2 a^2 b d m^5 x^2 + 700 a^2 b e m^3 x^4 + 700 a^2 c d m^3 x^4 + 5154 a^2 c e m^3 x^6 + 350 b^2 d m^3 x^4 + 2577 b^2 e m^3 x^6 + 5154 b^2 c d m^3 x^6 + 3) (m^6 + 36 m^5 + 505 m^4 + 3480 m^3 + 12139 m^2 + 19524 m + 10395)}{m^6 + 36 m^5 + 505 m^4 + 3480 m^3 + 12139 m^2 + 19524 m + 10395}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^2, x)$

[Out] $x*(c^2 e m^5 x^{10} + 25 c^2 e m^4 x^{10} + 2 b^2 c e m^5 x^8 + c^2 d m^5 x^8 + 230 c^2 e m^3 x^{10} + 54 b^2 c e m^4 x^8 + 27 c^2 d m^4 x^8 + 950 c^2 e m^2 x^{10} + 2 a^2 c e m^5 x^4 + b^2 e m^5 x^6 + 2 b^2 c d m^5 x^6 + 524 b^2 c e m^3 x^8 + 262 c^2 d m^3 x^8 + 1689 c^2 e m^3 x^{10} + 58 a^2 c e m^4 x^6 + 29 b^2 e m^4 x^6 + 58 b^2 c d m^4 x^6 + 2244 b^2 c e m^2 x^8 + 1122 c^2 d m^2 x^8 + 945 c^2 e m^2 x^{10} + 2 a^2 b e m^5 x^4 + 2 a^2 c d m^5 x^4 + 604 a^2 c e m^3 x^6 + b^2 d m^5 x^4 + 302 b^2 e m^3 x^6 + 604 b^2 c d m^3 x^6 + 4082 b^2 c e m^3 x^6 + 2041 c^2 d m^3 x^8 + 62 a^2 b e m^4 x^4 + 62 a^2 c d m^4 x^4 + 2732 a^2 c e m^2 x^6 + 31 b^2 d m^4 x^4 + 1366 b^2 e m^2 x^6 + 2732 b^2 c d m^2 x^6 + 2310 b^2 c e m^2 x^6 + 1155 c^2 d x^8 + a^2 e m^5 x^2 + 2 a^2 b d m^5 x^2 + 700 a^2 b e m^3 x^4 + 700 a^2 c d m^3 x^4 + 5154 a^2 c e m^3 x^6 + 350 b^2 d m^3 x^4 + 2577 b^2 e m^3 x^6 + 5154 b^2 c d m^3 x^6 + 3)$

$3a^2e^m x^2 + 66abd^m x^2 + 3460a^2b^2e^m x^4 + 3460ac^2d^m x^4 + 2970a^2c^2e^m x^6 + 1730b^2d^m x^4 + 1485b^2e^m x^6 + 2970b^2c^2d^m x^6 + a^2d^m x^5 + 406a^2e^m x^3 x^2 + 812abd^m x^3 x^2 + 6978a^2b^2e^m x^4 + 6978ac^2d^m x^4 + 3489b^2d^m x^4 + 35a^2d^m x^4 + 2262a^2e^m x^2 x^2 + 4524abd^m x^2 x^2 + 4158a^2b^2e^m x^4 + 4158ac^2d^m x^4 + 2079b^2d^m x^4 + 470a^2d^m x^3 + 5353a^2e^m x^2 + 10706abd^m x^2 + 3010a^2d^m x^2 + 3465a^2e^m x^2 + 6930abd^m x^2 + 9129a^2d^m x + 10395a^2d^m x$

maxima [A] time = 1.22, size = 230, normalized size = 1.48

$$\frac{c^2 e^m x^{11} x^m}{m+11} + \frac{c^2 d^m x^9 x^m}{m+9} + \frac{2 b c e^m x^9 x^m}{m+9} + \frac{2 b c d^m x^7 x^m}{m+7} + \frac{b^2 e^m x^7 x^m}{m+7} + \frac{2 a c e^m x^7 x^m}{m+7} + \frac{b^2 d^m x^5 x^m}{m+5} + \frac{2 a c d^m x^5 x^m}{m+5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] $c^2 e^m f^m x^{11} x^m / (m+11) + c^2 d^m f^m x^9 x^m / (m+9) + 2 b^2 c^2 e^m f^m x^9 x^m / (m+9) + 2 b^2 c^2 d^m f^m x^7 x^m / (m+7) + b^2 e^m f^m x^7 x^m / (m+7) + 2 a^2 c^2 e^m f^m x^7 x^m / (m+7) + b^2 d^m f^m x^5 x^m / (m+5) + 2 a^2 c^2 d^m f^m x^5 x^m / (m+5) + 2 a^2 b^2 e^m f^m x^5 x^m / (m+5) + 2 a^2 b^2 d^m f^m x^3 x^m / (m+3) + a^2 e^m f^m x^3 x^m / (m+3) + (f*x)^{(m+1)} a^2 d / (f*(m+1))$

mupad [B] time = 0.60, size = 429, normalized size = 2.77

$$\frac{x^5 (f x)^m (d b^2 + 2 a e b + 2 a c d) (m^5 + 31 m^4 + 350 m^3 + 1730 m^2 + 3489 m + 2079)}{m^6 + 36 m^5 + 505 m^4 + 3480 m^3 + 12139 m^2 + 19524 m + 10395} + \frac{x^7 (f x)^m (e b^2 + 2 c d b)}{m^6 + 36 m^5 + 505 m^4 + 3480 m^3 + 12139 m^2 + 19524 m + 10395}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^2,x)

[Out] $(x^5 (f*x)^m (b^2 d + 2 a^2 b e + 2 a^2 c d) (3489 m + 1730 m^2 + 350 m^3 + 31 m^4 + m^5 + 2079) / (19524 m + 12139 m^2 + 3480 m^3 + 505 m^4 + 36 m^5 + m^6 + 10395) + (x^7 (f*x)^m (b^2 e + 2 a^2 c e + 2 b^2 c d) (2577 m + 1366 m^2 + 302 m^3 + 29 m^4 + m^5 + 1485) / (19524 m + 12139 m^2 + 3480 m^3 + 505 m^4 + 36 m^5 + m^6 + 10395) + (a^2 d x (f*x)^m (9129 m + 3010 m^2 + 470 m^3 + 35 m^4 + m^5 + 10395) / (19524 m + 12139 m^2 + 3480 m^3 + 505 m^4 + 36 m^5 + m^6 + 10395) + (a x^3 (f*x)^m (a e + 2 b d) (5353 m + 2262 m^2 + 406 m^3 + 33 m^4 + m^5 + 3465) / (19524 m + 12139 m^2 + 3480 m^3 + 505 m^4 + 36 m^5 + m^6 + 10395) + (c x^9 (f*x)^m (2 b e + c d) (2041 m + 1122 m^2 + 262 m^3 + 27 m^4 + m^5 + 1155) / (19524 m + 12139 m^2 + 3480 m^3 + 505 m^4 + 36 m^5 + m^6 + 10395) + (c^2 e x^{11} (f*x)^m (1689 m + 950 m^2 + 230 m^3 + 25 m^4 + m^5 + 945) / (19524 m + 12139 m^2 + 3480 m^3 + 505 m^4 + 36 m^5 + m^6 + 10395)$

sympy [A] time = 5.44, size = 4190, normalized size = 27.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(c*x**4+b*x**2+a)**2,x)

[Out] Piecewise(((-a**2*d/(10*x**10) - a**2*e/(8*x**8) - a*b*d/(4*x**8) - a*b*e/(3*x**6) - a*c*d/(3*x**6) - a*c*e/(2*x**4) - b**2*d/(6*x**6) - b**2*e/(4*x**4) - b*c*d/(2*x**4) - b*c*e/x**2 - c**2*d/(2*x**2) + c**2*e*log(x))/f**11, Eq(m, -11)), ((-a**2*d/(8*x**8) - a**2*e/(6*x**6) - a*b*d/(3*x**6) - a*b*e/(2*x**4) - a*c*d/(2*x**4) - a*c*e/x**2 - b**2*d/(4*x**4) - b**2*e/(2*x**2) - b*c*d/x**2 + 2*b*c*e*log(x) + c**2*d*log(x) + c**2*e*x**2/2)/f**9, Eq(m, -9)), ((-a**2*d/(6*x**6) - a**2*e/(4*x**4) - a*b*d/(2*x**4) - a*b*e/x**2 - a*c*d/x**2 + 2*a*c*e*log(x) - b**2*d/(2*x**2) + b**2*e*log(x) + 2*b*c*d*log(x) + b*c*e*x**2 + c**2*d*x**2/2 + c**2*e*x**4/4)/f**7, Eq(m, -7)), ((-a**2*d/(4*x**4) - a**2*e/(2*x**2) - a*b*d/x**2 + 2*a*b*e*log(x) + 2*a*c*d*log(x) + a*c*e*x**2 + b**2*d*log(x) + b**2*e*x**2/2 + b*c*d*x**2 + b*c*e*x**4/2 + c**2*d*x**4/4 + c**2*e*x**6/6)/f**5, Eq(m, -5)), ((-a**2*d/(2*x**2) + a**2*e*log(x) + 2*a*b*d*log(x) + a*b*e*x**2 + a*c*d*x**2 + a*c*e*x**4/2 + b**2*d*x**2/2 + b**2*e*x**4/4 + b*c*d*x**4/2 + b*c*e*x**6/3 + c**2*d*x**6/6 + c**2*e*x**8/8)/f**3, Eq(m, -3)), ((a**2*d*log(x) + a**2*e*x**2/2 + a*b*d*x**2 + a*b*e*x**4/2 + a*c*d*x**4/2 + a*c*e*x**6/3 + b**2*d*x**4/4 + b**2*e*x**6/6 + b*c*d*x**6/3 + b*c*e*x**8/4 + c**2*d*x**8/8 + c**2*e*x**10/10)/f, Eq(m, -1)), (a**2*d*f**m**5*x*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 35*a**2*d*f**m**4*x*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 470*a**2*d*f**m**3*x*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 3010*a**2*d*f**m**2*x*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 9129*a**2*d*f**m*m*x*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 10395*a**2*d*f**m*x*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + a**2*e*f**m**5*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 33*a**2*e*f**m**4*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 406*a**2*e*f**m**3*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2262*a**2*e*f**m**2*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 5353*a**2*e*f**m*m*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 3465*a**2*e*f**m*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2*a*b*d*f**m**5*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 66*a*b*d*f**m**4*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 812*a*b*d*f**m**3*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 4524*a*b*d*f**m**2*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 10706*a*b*d*f**m*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 6930*a*b*d*f**m*x**3*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 +

$$\begin{aligned}
& 12139m^{**2} + 19524m + 10395) + 2a*b*e*f**m^{**5}*x^{**5}*x**m/(m^{**6} + 36m^{**5} \\
& + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 62a*b*e*f**m^{**4} \\
& *x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + \\
& 10395) + 700a*b*e*f**m^{**3}*x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} \\
& + 12139m^{**2} + 19524m + 10395) + 3460a*b*e*f**m^{**2}*x^{**5}*x**m/(m^{**6} \\
& + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 6978a*b \\
& *e*f**m^{**x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 1 \\
& 9524m + 10395) + 4158a*b*e*f**m^{**x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 34 \\
& 80m^{**3} + 12139m^{**2} + 19524m + 10395) + 2a*c*d*f**m^{**5}*x^{**5}*x**m/(m^{**6} \\
& + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 62a*c* \\
& d*f**m^{**4}*x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + \\
& 19524m + 10395) + 700a*c*d*f**m^{**3}*x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} \\
& + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 3460a*c*d*f**m^{**2}*x^{**5}*x \\
& **m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) \\
& + 6978a*c*d*f**m^{**x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 1213 \\
& 9m^{**2} + 19524m + 10395) + 4158a*c*d*f**m^{**x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505 \\
& m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 2a*c*e*f**m^{**5}*x^{**7} \\
& *x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) \\
& + 58a*c*e*f**m^{**4}*x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12 \\
& 139m^{**2} + 19524m + 10395) + 604a*c*e*f**m^{**3}*x^{**7}*x**m/(m^{**6} + 36m^{**5} \\
& + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 2732a*c*e*f**m^{**2} \\
& *x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m \\
& + 10395) + 5154a*c*e*f**m^{**x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} \\
& + 12139m^{**2} + 19524m + 10395) + 2970a*c*e*f**m^{**x^{**7}*x**m/(m^{**6} + 36m^{**5} \\
& + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + b^{**2}*d*f**m^{**5} \\
& *x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m \\
& + 10395) + 31*b^{**2}*d*f**m^{**4}*x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480 \\
& m^{**3} + 12139m^{**2} + 19524m + 10395) + 350*b^{**2}*d*f**m^{**3}*x^{**5}*x**m/(m^{**6} \\
& + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 1730*b \\
& **2*d*f**m^{**2}*x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} \\
& + 19524m + 10395) + 3489*b^{**2}*d*f**m^{**x^{**5}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} \\
& + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 2079*b^{**2}*d*f**m^{**x^{**5}*x} \\
& *m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + \\
& b^{**2}*e*f**m^{**5}*x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} \\
& + 19524m + 10395) + 29*b^{**2}*e*f**m^{**4}*x^{**7}*x**m/(m^{**6} + 36m^{**5} + 5 \\
& 05m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 302*b^{**2}*e*f**m^{**3} \\
& *x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 1 \\
& 0395) + 1366*b^{**2}*e*f**m^{**2}*x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} \\
& + 12139m^{**2} + 19524m + 10395) + 2577*b^{**2}*e*f**m^{**x^{**7}*x**m/(m^{**6} + \\
& 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 1485*b^{**2} \\
& *e*f**m^{**x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 1952 \\
& 4m + 10395) + 2*b*c*d*f**m^{**5}*x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 348 \\
& 0m^{**3} + 12139m^{**2} + 19524m + 10395) + 58*b*c*d*f**m^{**4}*x^{**7}*x**m/(m^{**6} \\
& + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2} + 19524m + 10395) + 604*b*c \\
& *d*f**m^{**3}*x^{**7}*x**m/(m^{**6} + 36m^{**5} + 505m^{**4} + 3480m^{**3} + 12139m^{**2}
\end{aligned}$$

$$\begin{aligned}
& + 19524*m + 10395) + 2732*b*c*d*f**m**2*x**7*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 5154*b*c*d*f**m*x**7*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2970*b*c*d*f**m*x**7*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2*b*c*e*f**m**5*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 54*b*c*e*f**m**4*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 524*b*c*e*f**m**3*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2244*b*c*e*f**m**2*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 4082*b*c*e*f**m*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2310*b*c*e*f**m*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + c**2*d*f**m**5*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 27*c**2*d*f**m**4*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 262*c**2*d*f**m**3*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 1122*c**2*d*f**m**2*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 2041*c**2*d*f**m*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 1155*c**2*d*f**m*x**9*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + c**2*e*f**m**5*x**11*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 25*c**2*e*f**m**4*x**11*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 230*c**2*e*f**m**3*x**11*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 950*c**2*e*f**m**2*x**11*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 1689*c**2*e*f**m*x**11*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395) + 945*c**2*e*f**m*x**11*x**m/(m**6 + 36*m**5 + 505*m**4 + 3480*m**3 + 12139*m**2 + 19524*m + 10395), True))
\end{aligned}$$

3.222 $\int (fx)^m (d + ex^2) (a + bx^2 + cx^4) dx$

Optimal. Leaf size=83

$$\frac{(fx)^{m+3}(ae + bd)}{f^3(m+3)} + \frac{ad(fx)^{m+1}}{f(m+1)} + \frac{(fx)^{m+5}(be + cd)}{f^5(m+5)} + \frac{ce(fx)^{m+7}}{f^7(m+7)}$$

[Out] a*d*(f*x)^(1+m)/f/(1+m)+(a*e+b*d)*(f*x)^(3+m)/f^3/(3+m)+(b*e+c*d)*(f*x)^(5+m)/f^5/(5+m)+c*e*(f*x)^(7+m)/f^7/(7+m)

Rubi [A] time = 0.05, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1261}

$$\frac{(fx)^{m+3}(ae + bd)}{f^3(m+3)} + \frac{ad(fx)^{m+1}}{f(m+1)} + \frac{(fx)^{m+5}(be + cd)}{f^5(m+5)} + \frac{ce(fx)^{m+7}}{f^7(m+7)}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4),x]

[Out] (a*d*(f*x)^(1 + m))/(f*(1 + m)) + ((b*d + a*e)*(f*x)^(3 + m))/(f^3*(3 + m)) + ((c*d + b*e)*(f*x)^(5 + m))/(f^5*(5 + m)) + (c*e*(f*x)^(7 + m))/(f^7*(7 + m))

Rule 1261

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a + bx^2 + cx^4) dx &= \int \left(ad(fx)^m + \frac{(bd + ae)(fx)^{2+m}}{f^2} + \frac{(cd + be)(fx)^{4+m}}{f^4} + \frac{ce(fx)^{6+m}}{f^6} \right) dx \\ &= \frac{ad(fx)^{1+m}}{f(1+m)} + \frac{(bd + ae)(fx)^{3+m}}{f^3(3+m)} + \frac{(cd + be)(fx)^{5+m}}{f^5(5+m)} + \frac{ce(fx)^{7+m}}{f^7(7+m)} \end{aligned}$$

Mathematica [A] time = 0.05, size = 59, normalized size = 0.71

$$x(fx)^m \left(\frac{x^2(ae + bd)}{m+3} + \frac{ad}{m+1} + \frac{x^4(be + cd)}{m+5} + \frac{cex^6}{m+7} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4), x]

[Out] $x*(f*x)^m*((a*d)/(1 + m) + ((b*d + a*e)*x^2)/(3 + m) + ((c*d + b*e)*x^4)/(5 + m) + (c*e*x^6)/(7 + m))$

fricas [B] time = 0.91, size = 171, normalized size = 2.06

$$\frac{((cem^3 + 9cem^2 + 23cem + 15ce)x^7 + ((cd + be)m^3 + 11(cd + be)m^2 + 21cd + 21be + 31(cd + be)m)x^5 + ((b$$

$$m^4 + 16m^3 + 86$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] $((c*e*m^3 + 9*c*e*m^2 + 23*c*e*m + 15*c*e)*x^7 + ((c*d + b*e)*m^3 + 11*(c*d + b*e)*m^2 + 21*c*d + 21*b*e + 31*(c*d + b*e)*m)*x^5 + ((b*d + a*e)*m^3 + 13*(b*d + a*e)*m^2 + 35*b*d + 35*a*e + 47*(b*d + a*e)*m)*x^3 + (a*d*m^3 + 15*a*d*m^2 + 71*a*d*m + 105*a*d)*x*(f*x)^m/(m^4 + 16*m^3 + 86*m^2 + 176*m + 105)$

giac [B] time = 0.42, size = 350, normalized size = 4.22

$$\frac{(f*x)^m cm^3 x^7 e + 9 (f*x)^m cm^2 x^7 e + (f*x)^m cdm^3 x^5 + (f*x)^m bm^3 x^5 e + 23 (f*x)^m cmx^7 e + 11 (f*x)^m cdm^2 x^5 + 11$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] $((f*x)^m*c*m^3*x^7*e + 9*(f*x)^m*c*m^2*x^7*e + (f*x)^m*c*d*m^3*x^5 + (f*x)^m*b*m^3*x^5*e + 23*(f*x)^m*c*m*x^7*e + 11*(f*x)^m*c*d*m^2*x^5 + 11*(f*x)^m*b*m^2*x^5*e + 15*(f*x)^m*c*x^7*e + (f*x)^m*b*d*m^3*x^3 + 31*(f*x)^m*c*d*m*x^5 + (f*x)^m*a*m^3*x^3*e + 31*(f*x)^m*b*m*x^5*e + 13*(f*x)^m*b*d*m^2*x^3 + 21*(f*x)^m*c*d*x^5 + 13*(f*x)^m*a*m^2*x^3*e + 21*(f*x)^m*b*x^5*e + (f*x)^m*a*d*m^3*x + 47*(f*x)^m*b*d*m*x^3 + 47*(f*x)^m*a*m*x^3*e + 15*(f*x)^m*a*d*m^2*x + 35*(f*x)^m*b*d*x^3 + 35*(f*x)^m*a*x^3*e + 71*(f*x)^m*a*d*m*x + 105*(f*x)^m*a*d*x)/(m^4 + 16*m^3 + 86*m^2 + 176*m + 105)$

maple [B] time = 0.00, size = 221, normalized size = 2.66

$$\frac{(ce m^3 x^6 + 9ce m^2 x^6 + be m^3 x^4 + cd m^3 x^4 + 23cem x^6 + 11be m^2 x^4 + 11cd m^2 x^4 + 15ce x^6 + ae m^3 x^2 + bd m^3 x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a),x)`

[Out] $x*(c*e*m^3*x^6+9*c*e*m^2*x^6+b*e*m^3*x^4+c*d*m^3*x^4+23*c*e*m*x^6+11*b*e*m^2*x^4+11*c*d*m^2*x^4+15*c*e*x^6+a*e*m^3*x^2+b*d*m^3*x^2+31*b*e*m*x^4+31*c*d*m*x^4+13*a*e*m^2*x^2+13*b*d*m^2*x^2+21*b*e*x^4+21*c*d*x^4+a*d*m^3+47*a*e*m*x^2+47*b*d*m*x^2+15*a*d*m^2+35*a*e*x^2+35*b*d*x^2+71*a*d*m+105*a*d)*(f*x)^m/(m+7)/(m+5)/(m+3)/(m+1)$

maxima [A] time = 1.06, size = 104, normalized size = 1.25

$$\frac{cef^m x^7 x^m}{m+7} + \frac{cdf^m x^5 x^m}{m+5} + \frac{bef^m x^5 x^m}{m+5} + \frac{bdf^m x^3 x^m}{m+3} + \frac{aef^m x^3 x^m}{m+3} + \frac{(fx)^{m+1} ad}{f(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] $c*e*f^m*x^7*x^m/(m+7) + c*d*f^m*x^5*x^m/(m+5) + b*e*f^m*x^5*x^m/(m+5) + b*d*f^m*x^3*x^m/(m+3) + a*e*f^m*x^3*x^m/(m+3) + (f*x)^{(m+1)}*a*d/(f*(m+1))$

mupad [B] time = 0.34, size = 171, normalized size = 2.06

$$(fx)^m \left(\frac{x^3 (ae + bd) (m^3 + 13m^2 + 47m + 35)}{m^4 + 16m^3 + 86m^2 + 176m + 105} + \frac{x^5 (be + cd) (m^3 + 11m^2 + 31m + 21)}{m^4 + 16m^3 + 86m^2 + 176m + 105} + \frac{adx (m^3 + 15m^2 + 47m + 35)}{m^4 + 16m^3 + 86m^2 + 176m + 105} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4),x)`

[Out] $(f*x)^m*((x^3*(a*e + b*d)*(47*m + 13*m^2 + m^3 + 35))/(176*m + 86*m^2 + 16*m^3 + m^4 + 105) + (x^5*(b*e + c*d)*(31*m + 11*m^2 + m^3 + 21))/(176*m + 86*m^2 + 16*m^3 + m^4 + 105) + (a*d*x*(71*m + 15*m^2 + m^3 + 105))/(176*m + 86*m^2 + 16*m^3 + m^4 + 105) + (c*e*x^7*(23*m + 9*m^2 + m^3 + 15))/(176*m + 86*m^2 + 16*m^3 + m^4 + 105))$

sympy [A] time = 1.86, size = 1056, normalized size = 12.72

$$\left\{ \begin{array}{l} \frac{-\frac{ad}{6x^6} - \frac{ae}{4x^4} - \frac{bd}{4x^4} - \frac{be}{2x^2} - \frac{cd}{2x^2} + ce \log(x)}{f^7} \\ \frac{-\frac{ad}{4x^4} - \frac{ae}{2x^2} - \frac{bd}{2x^2} + be \log(x) + cd \log(x) + \frac{cex^2}{2}}{f^5} \\ \frac{-\frac{ad}{2x^2} + ae \log(x) + bd \log(x) + \frac{bex^2}{2} + \frac{cdx^2}{2} + \frac{cex^4}{4}}{f^3} \\ \frac{ad \log(x) + \frac{aex^2}{2} + \frac{bdx^2}{2} + \frac{bex^4}{4} + \frac{cdx^4}{4} + \frac{cex^6}{6}}{f} \\ \frac{adf^m m^3 x x^m}{m^4 + 16m^3 + 86m^2 + 176m + 105} + \frac{15adf^m m^2 x x^m}{m^4 + 16m^3 + 86m^2 + 176m + 105} + \frac{71adf^m m x x^m}{m^4 + 16m^3 + 86m^2 + 176m + 105} + \frac{105adf^m x x^m}{m^4 + 16m^3 + 86m^2 + 176m + 105} + \frac{ae}{m^4 + 16m^3 + 86m^2 + 176m + 105} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(c*x**4+b*x**2+a), x)

[Out] Piecewise(((-a*d/(6*x**6) - a*e/(4*x**4) - b*d/(4*x**4) - b*e/(2*x**2) - c*d/(2*x**2) + c*e*log(x))/f**7, Eq(m, -7)), ((-a*d/(4*x**4) - a*e/(2*x**2) - b*d/(2*x**2) + b*e*log(x) + c*d*log(x) + c*e*x**2/2)/f**5, Eq(m, -5)), ((-a*d/(2*x**2) + a*e*log(x) + b*d*log(x) + b*e*x**2/2 + c*d*x**2/2 + c*e*x**4/4)/f**3, Eq(m, -3)), ((a*d*log(x) + a*e*x**2/2 + b*d*x**2/2 + b*e*x**4/4 + c*d*x**4/4 + c*e*x**6/6)/f, Eq(m, -1)), (a*d*f**m*m**3*x*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 15*a*d*f**m*m**2*x*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 71*a*d*f**m*m*x*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 105*a*d*f**m*x*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + a*e*f**m*m**3*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 13*a*e*f**m*m**2*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 47*a*e*f**m*m*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 35*a*e*f**m*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + b*d*f**m*m**3*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 13*b*d*f**m*m**2*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 47*b*d*f**m*m*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 35*b*d*f**m*x**3*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + b*e*f**m*m**3*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 11*b*e*f**m*m**2*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 31*b*e*f**m*m*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 21*b*e*f**m*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + c*d*f**m*m**3*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 11*c*d*f**m*m**2*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 31*c*d*f**m*m*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 21*c*d*f**m*x**5*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + c*e*f**m*m**3*x**7*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105) + 9*c*e*f**m*m**2*x**7*x**m/(m**4 + 16*m**3 + 86*m**2 + 176

```
*m + 105) + 23*c*e*f**m*m*x**7*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105  
) + 15*c*e*f**m*x**7*x**m/(m**4 + 16*m**3 + 86*m**2 + 176*m + 105), True))
```


$$3.223 \quad \int \frac{(fx)^m (d+ex^2)}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=194

$$\frac{(fx)^{m+1} \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right)}{f(m+1) \left(b - \sqrt{b^2-4ac} \right)} + \frac{(fx)^{m+1} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}} \right)}{f(m+1) \left(\sqrt{b^2-4ac} + b \right)}$$

[Out] (f*x)^(1+m)*hypergeom([1, 1/2+1/2*m], [3/2+1/2*m], -2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))*(e+(-b*e+2*c*d)/(-4*a*c+b^2)^(1/2))/f/(1+m)/(b-(-4*a*c+b^2)^(1/2))+(f*x)^(1+m)*hypergeom([1, 1/2+1/2*m], [3/2+1/2*m], -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(e+(b*e-2*c*d)/(-4*a*c+b^2)^(1/2))/f/(1+m)/(b+(-4*a*c+b^2)^(1/2))

Rubi [A] time = 0.30, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {1285, 364}

$$\frac{(fx)^{m+1} \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right)}{f(m+1) \left(b - \sqrt{b^2-4ac} \right)} + \frac{(fx)^{m+1} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}} \right)}{f(m+1) \left(\sqrt{b^2-4ac} + b \right)}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4), x]

[Out] ((e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*(f*x)^(1 + m)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]/((b - Sqrt[b^2 - 4*a*c])*f*(1 + m)) + ((e - (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*(f*x)^(1 + m)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]/((b + Sqrt[b^2 - 4*a*c])*f*(1 + m))

Rule 364

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1285

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 + q/2 + c*x^2), x], x] /; FreeQ[{a, b, c, d, e,

f, m}, x] && NeQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int \frac{(fx)^m (d + ex^2)}{a + bx^2 + cx^4} dx = \frac{1}{2} \left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{(fx)^m}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx + \frac{1}{2} \left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{(fx)^m}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx$$

$$= \frac{\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) (fx)^{1+m} {}_2F_1 \left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)}{(b - \sqrt{b^2 - 4ac}) f(1+m)} + \frac{\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) (fx)^{1+m} {}_2F_1 \left(1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{(b + \sqrt{b^2 - 4ac}) f(1+m)}$$

Mathematica [A] time = 0.24, size = 156, normalized size = 0.80

$$\frac{x(fx)^m \left(\left(d\sqrt{b^2 - 4ac} - 2ae + bd \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; \frac{2cx^2}{\sqrt{b^2 - 4ac} - b} \right) + \left(d\sqrt{b^2 - 4ac} + 2ae - bd \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{\sqrt{b^2 - 4ac} + b} \right) \right)}{2a(m+1)\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4), x]

[Out] (x*(f*x)^m*((b*d + Sqrt[b^2 - 4*a*c]*d - 2*a*e)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]) + (-b*d) + Sqrt[b^2 - 4*a*c]*d + 2*a*e)*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(2*a*Sqrt[b^2 - 4*a*c]*(1 + m))

fricas [F] time = 0.52, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)(fx)^m}{cx^4 + bx^2 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] integral((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(e x^2 + d) (f x)^m}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e x^2 + d) (f x)^m}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(f x)^m (e x^2 + d)}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4),x)

[Out] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x)^m (d + e x^2)}{a + b x^2 + c x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Integral((f*x)**m*(d + e*x**2)/(a + b*x**2 + c*x**4), x)

$$3.224 \quad \int \frac{(fx)^m (d+ex^2)}{(a+bx^2+cx^4)^2} dx$$

Optimal. Leaf size=392

$$\frac{c(fx)^{m+1} \left(b \left(d(1-m)\sqrt{b^2-4ac} + 4ae \right) - 2a \left(e(1-m)\sqrt{b^2-4ac} + 2cd(3-m) \right) + b^2(d-dm) \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; \right)}{2af(m+1)(b^2-4ac)^{3/2} \left(b - \sqrt{b^2-4ac} \right)}$$

[Out] $1/2*(f*x)^{(1+m)}*(b^2*d-2*a*c*d-a*b*e+c*(-2*a*e+b*d)*x^2)/a/(-4*a*c+b^2)/f/(c*x^4+b*x^2+a)-1/2*c*(f*x)^{(1+m)}*\text{hypergeom}([1, 1/2+1/2*m], [3/2+1/2*m], -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(b^2*d*(1-m)+b*(4*a*e-d*(1-m)*(-4*a*c+b^2)^{(1/2)}))+2*a*(-2*c*d*(3-m)+e*(1-m)*(-4*a*c+b^2)^{(1/2)})/a/(-4*a*c+b^2)^{(3/2)}/f/(1+m)/(b+(-4*a*c+b^2)^{(1/2)})+1/2*c*(f*x)^{(1+m)}*\text{hypergeom}([1, 1/2+1/2*m], [3/2+1/2*m], -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))*(b^2*(-d*m+d)+b*(4*a*e+d*(1-m)*(-4*a*c+b^2)^{(1/2)}))-2*a*(2*c*d*(3-m)+e*(1-m)*(-4*a*c+b^2)^{(1/2)})/a/(-4*a*c+b^2)^{(3/2)}/f/(1+m)/(b-(-4*a*c+b^2)^{(1/2)})$

Rubi [A] time = 2.65, antiderivative size = 358, normalized size of antiderivative = 0.91, number of steps used = 4, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1277, 1285, 364}

$$\frac{c(fx)^{m+1} \left((1-m)\sqrt{b^2-4ac}(bd-2ae) + 4abe - 4acd(3-m) + b^2(d-dm) \right) {}_2F_1 \left(1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right) c(fx)}{2af(m+1)(b^2-4ac)^{3/2} \left(b - \sqrt{b^2-4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] $((f*x)^{(1+m)}*(b^2*d-2*a*c*d-a*b*e+c*(b*d-2*a*e)*x^2)/(2*a*(b^2-4*a*c)*f*(a+b*x^2+c*x^4)) + (c*(4*a*b*e+\text{Sqrt}[b^2-4*a*c]*(b*d-2*a*e)*(1-m)-4*a*c*d*(3-m)+b^2*(d-d*m))*(f*x)^{(1+m)}*\text{Hypergeometric}2F1[1, (1+m)/2, (3+m)/2, (-2*c*x^2)/(b-\text{Sqrt}[b^2-4*a*c])])/(2*a*(b^2-4*a*c)^{(3/2)}*(b-\text{Sqrt}[b^2-4*a*c])*f*(1+m)) - (c*(4*a*b*e-\text{Sqrt}[b^2-4*a*c]*(b*d-2*a*e)*(1-m)-4*a*c*d*(3-m)+b^2*(d-d*m))*(f*x)^{(1+m)}*\text{Hypergeometric}2F1[1, (1+m)/2, (3+m)/2, (-2*c*x^2)/(b+\text{Sqrt}[b^2-4*a*c])])/(2*a*(b^2-4*a*c)^{(3/2)}*(b+\text{Sqrt}[b^2-4*a*c])*f*(1+m))$

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -(b*x^n)/a])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

Q[p, 0] || GtQ[a, 0])

Rule 1277

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)*(d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2))/(2*a*f*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p + 1)*Simp[d*(b^2*(m + 2*(p + 1) + 1) - 2*a*c*(m + 4*(p + 1) + 1)) - a*b*e*(m + 1) + c*(m + 2*(2*p + 3) + 1)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1285

```
Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(fx)^m (d + ex^2)}{(a + bx^2 + cx^4)^2} dx &= \frac{(fx)^{1+m} (b^2d - 2acd - abe + c(bd - 2ae)x^2)}{2a(b^2 - 4ac) f (a + bx^2 + cx^4)} - \int \frac{(fx)^m (-b^2d(1-m) + 2acd(3-m) - abe(1+m) - c(bd - 2ae)x^2)}{a + bx^2 + cx^4} dx \\ &= \frac{(fx)^{1+m} (b^2d - 2acd - abe + c(bd - 2ae)x^2)}{2a(b^2 - 4ac) f (a + bx^2 + cx^4)} + \frac{c \left(4abe + b^2d(1 - m) + \sqrt{b^2 - 4ac} (bd - 2ae) \right)}{2a(b^2 - 4ac)} \\ &= \frac{(fx)^{1+m} (b^2d - 2acd - abe + c(bd - 2ae)x^2)}{2a(b^2 - 4ac) f (a + bx^2 + cx^4)} + \frac{c \left(4abe + b^2d(1 - m) + \sqrt{b^2 - 4ac} (bd - 2ae) \right)}{2a(b^2 - 4ac)} \end{aligned}$$

Mathematica [C] time = 0.23, size = 160, normalized size = 0.41

$$\frac{x(fx)^m \left(d(m+3)F_1\left(\frac{m+1}{2}; 2, 2; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) + e(m+1)x^2F_1\left(\frac{m+3}{2}; 2, 2; \frac{m+5}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b}\right) \right)}{a^2(m+1)(m+3)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^2,x]

[Out] (x*(f*x)^m*(d*(3 + m)*AppellF1[(1 + m)/2, 2, 2, (3 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])] + e*(1 + m)*x^2*AppellF1[(3 + m)/2, 2, 2, (5 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/(a^2*(1 + m)*(3 + m))

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)(fx)^m}{c^2x^8 + 2bcx^6 + (b^2 + 2ac)x^4 + 2abx^2 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")

[Out] integral((e*x^2 + d)*(f*x)^m/(c^2*x^8 + 2*b*c*x^6 + (b^2 + 2*a*c)*x^4 + 2*a*b*x^2 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(cx^4 + bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a)^2, x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(cx^4 + bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^2,x)

[Out] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(cx^4 + bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(f x)^m (e x^2 + d)}{(c x^4 + b x^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^2,x)

[Out] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)/(c*x**4+b*x**2+a)**2,x)

[Out] Timed out

$$3.225 \quad \int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx$$

Optimal. Leaf size=319

$$\frac{ad(fx)^{m+1}\sqrt{a+bx^2+cx^4}F_1\left(\frac{m+1}{2};-\frac{3}{2},-\frac{3}{2};\frac{m+3}{2};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)+ae(fx)^{m+3}\sqrt{a+bx^2+cx^4}F_1\left(\frac{m+3}{2};-\frac{3}{2},-\frac{3}{2};\frac{m+5}{2};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f(m+1)\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}+1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}+f^3(m+3)\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}}$$

[Out] a*d*(f*x)^(1+m)*AppellF1(1/2+1/2*m,-3/2,-3/2,3/2+1/2*m,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)),-2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(c*x^4+b*x^2+a)^(1/2)/f/(1+m)/(1+2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))^(1/2)+a*e*(f*x)^(3+m)*AppellF1(3/2+1/2*m,-3/2,-3/2,5/2+1/2*m,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)),-2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(c*x^4+b*x^2+a)^(1/2)/f^3/(3+m)/(1+2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(1+2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))^(1/2))^(1/2)

Rubi [A] time = 0.40, antiderivative size = 319, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1335, 1141, 510}

$$\frac{ad(fx)^{m+1}\sqrt{a+bx^2+cx^4}F_1\left(\frac{m+1}{2};-\frac{3}{2},-\frac{3}{2};\frac{m+3}{2};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)+ae(fx)^{m+3}\sqrt{a+bx^2+cx^4}F_1\left(\frac{m+3}{2};-\frac{3}{2},-\frac{3}{2};\frac{m+5}{2};-\frac{2cx^2}{b-\sqrt{b^2-4ac}},-\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f(m+1)\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}+1\sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}+1}+f^3(m+3)\sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}+1}}$$

Antiderivative was successfully verified.

[In] Int[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2),x]

[Out] (a*d*(f*x)^(1+m)*Sqrt[a+b*x^2+c*x^4]*AppellF1[(1+m)/2,-3/2,-3/2,(3+m)/2,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c]),(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])]/(f*(1+m)*Sqrt[1+(2*c*x^2)/(b-Sqrt[b^2-4*a*c])]*Sqrt[1+(2*c*x^2)/(b+Sqrt[b^2-4*a*c])])+(a*e*(f*x)^(3+m)*Sqrt[a+b*x^2+c*x^4]*AppellF1[(3+m)/2,-3/2,-3/2,(5+m)/2,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c]),(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])]/(f^3*(3+m)*Sqrt[1+(2*c*x^2)/(b-Sqrt[b^2-4*a*c])]*Sqrt[1+(2*c*x^2)/(b+Sqrt[b^2-4*a*c])])

Rule 510

Int[((e_)*(x_))^(m_)*((a_)+(b_)*(x_)^(n_))^(p_)*((c_)+(d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n,-p,-q,1+(m+1)/n,-((b*x^n)/a),-((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a,b,c,d,e,m,n,p,q},x] && NeQ[b*c-a*d,0] && NeQ[m,-1] && NeQ[m,n-1] && (IntegerQ[p] || GtQ[a,0]) && (IntegerQ[q] || GtQ[c,0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx &= \int \left(d(fx)^m (a + bx^2 + cx^4)^{3/2} + \frac{e(fx)^{2+m} (a + bx^2 + cx^4)^{3/2}}{f^2} \right) dx \\ &= d \int (fx)^m (a + bx^2 + cx^4)^{3/2} dx + \frac{e \int (fx)^{2+m} (a + bx^2 + cx^4)^{3/2} dx}{f^2} \\ &= \frac{\left(ad\sqrt{a + bx^2 + cx^4} \right) \int (fx)^m \left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \\ &= \frac{ad(fx)^{1+m} \sqrt{a + bx^2 + cx^4} F_1 \left(\frac{1+m}{2}; -\frac{3}{2}, -\frac{3}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{f(1+m) \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [A] time = 0.53, size = 466, normalized size = 1.46

$$\frac{x(fx)^m \sqrt{a + bx^2 + cx^4} \left((m+1)x^2 \left((m^2 + 12m + 35)(ae + bd) F_1 \left(\frac{m+3}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+5}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^2}{\sqrt{b^2 - 4ac} - b} \right) + (m+1) \right) \right)}{f(1+m) \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x]

[Out] $(x*(f*x)^m*\sqrt{a + b*x^2 + c*x^4}*(a*d*(105 + 71*m + 15*m^2 + m^3)*\text{AppellF1}[(1 + m)/2, -1/2, -1/2, (3 + m)/2, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})], (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})] + (1 + m)*x^2*((b*d + a*e)*(35 + 12*m + m^2)*\text{AppellF1}[(3 + m)/2, -1/2, -1/2, (5 + m)/2, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})], (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})] + (3 + m)*x^2*((c*d + b*e)*(7 + m)*\text{AppellF1}[(5 + m)/2, -1/2, -1/2, (7 + m)/2, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})], (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})] + c*e*(5 + m)*x^2*\text{AppellF1}[(7 + m)/2, -1/2, -1/2, (9 + m)/2, (-2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})], (2*c*x^2)/(-b + \sqrt{b^2 - 4*a*c})]))/((1 + m)*(3 + m)*(5 + m)*(7 + m)*\sqrt{(b - \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b - \sqrt{b^2 - 4*a*c})}*\sqrt{(b + \sqrt{b^2 - 4*a*c} + 2*c*x^2)/(b + \sqrt{b^2 - 4*a*c})})$

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cex^6 + (cd + be)x^4 + (bd + ae)x^2 + ad\right)\sqrt{cx^4 + bx^2 + a} (fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")`

[Out] `integral((c*e*x^6 + (c*d + b*e)*x^4 + (b*d + a*e)*x^2 + a*d)*sqrt(c*x^4 + b*x^2 + a)*(f*x)^m, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")`

[Out] `integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*(f*x)^m, x)`

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int (ex^2 + d)(cx^4 + bx^2 + a)^{\frac{3}{2}}(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x)`

[Out] `int((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*(f*x)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^m (ex^2 + d) (cx^4 + bx^2 + a)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2),x)

[Out] int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) (a + bx^2 + cx^4)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)*(c*x**4+b*x**2+a)**(3/2),x)

[Out] Integral((f*x)**m*(d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2), x)

3.226 $\int (fx)^m (d + ex^2) \sqrt{a + bx^2 + cx^4} dx$

Optimal. Leaf size=317

$$\frac{d(fx)^{m+1} \sqrt{a + bx^2 + cx^4} F_1\left(\frac{m+1}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + e(fx)^{m+3} \sqrt{a + bx^2 + cx^4} F_1\left(\frac{m+3}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+5}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f(m+1) \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 \quad f^3(m+3) \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1}$$

[Out] $d*(f*x)^{(1+m)}*AppellF1(1/2+1/2*m, -1/2, -1/2, 3/2+1/2*m, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f/(1+m)/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}+e*(f*x)^{(3+m)}*AppellF1(3/2+1/2*m, -1/2, -1/2, 5/2+1/2*m, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))*(c*x^4+b*x^2+a)^{(1/2)}/f^3/(3+m)/(1+2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1335, 1141, 510}

$$\frac{d(fx)^{m+1} \sqrt{a + bx^2 + cx^4} F_1\left(\frac{m+1}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) + e(fx)^{m+3} \sqrt{a + bx^2 + cx^4} F_1\left(\frac{m+3}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+5}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right)}{f(m+1) \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 \quad f^3(m+3) \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(f*x)^m*(d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4], x]$

[Out] $(d*(f*x)^{(1+m)}*\text{Sqrt}[a + b*x^2 + c*x^4]*AppellF1[(1+m)/2, -1/2, -1/2, (3+m)/2, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(f*(1+m)*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])]) + (e*(f*x)^{(3+m)}*\text{Sqrt}[a + b*x^2 + c*x^4]*AppellF1[(3+m)/2, -1/2, -1/2, (5+m)/2, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(f^3*(3+m)*\text{Sqrt}[1 + (2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]*\text{Sqrt}[1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])$

Rule 510

$\text{Int}[(e_*)*(x_*)^m*((a_*) + (b_*)*(x_*)^n)^p*((c_*) + (d_*)*(x_*)^n)^q, x_Symbol] \rightarrow \text{Simp}[(a^p*c^q*(e*x)^{(m+1)}*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)])/(e*(m+1)), x] /; \text{FreeQ}\{a, b, c, d, e, m, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{NeQ}[m, n - 1] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0]) \ \&\& \ (\text{IntegerQ}[q] \ || \ \text{GtQ}[c, 0])$

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int (fx)^m (d + ex^2) \sqrt{a + bx^2 + cx^4} dx &= \int \left(d(fx)^m \sqrt{a + bx^2 + cx^4} + \frac{e(fx)^{2+m} \sqrt{a + bx^2 + cx^4}}{f^2} \right) dx \\ &= d \int (fx)^m \sqrt{a + bx^2 + cx^4} dx + \frac{e \int (fx)^{2+m} \sqrt{a + bx^2 + cx^4} dx}{f^2} \\ &= \frac{\left(d \sqrt{a + bx^2 + cx^4} \right) \int (fx)^m \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} + \frac{e \sqrt{a + bx^2 + cx^4}}{f^2}} \\ &= \frac{d(fx)^{1+m} \sqrt{a + bx^2 + cx^4} F_1 \left(\frac{1+m}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{f(1+m) \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [A] time = 0.20, size = 267, normalized size = 0.84

$$\frac{x(fx)^m \sqrt{a + bx^2 + cx^4} \left(d(m+3) F_1 \left(\frac{m+1}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^2}{\sqrt{b^2 - 4ac} - b} \right) + e(m+1)x^2 F_1 \left(\frac{m+3}{2}; -\frac{1}{2}, -\frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right) \right)}{(m+1)(m+3) \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(f*x)^m*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4], x]

[Out] $(x*(f*x)^m*\text{Sqrt}[a + b*x^2 + c*x^4]*(d*(3 + m)*\text{AppellF1}[(1 + m)/2, -1/2, -1/2, (3 + m)/2, (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c]), (2*c*x^2)/(-b + \text{Sqrt}[b^2 - 4*a*c])]) + e*(1 + m)*x^2*\text{AppellF1}[(3 + m)/2, -1/2, -1/2, (5 + m)/2, (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c]), (2*c*x^2)/(-b + \text{Sqrt}[b^2 - 4*a*c])]))/((1 + m)*(3 + m)*\text{Sqrt}[(b - \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])])*\text{Sqrt}[(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])])$

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{cx^4 + bx^2 + a}(ex^2 + d)(fx)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*(f*x)^m, x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^4 + bx^2 + a}(ex^2 + d)(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*(f*x)^m, x)`

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int (ex^2 + d)\sqrt{cx^4 + bx^2 + a}(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x)`

[Out] `int((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^4 + bx^2 + a}(ex^2 + d)(fx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)^m*(e*x^2+d)*(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*(f*x)^m, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (fx)^m (ex^2 + d) \sqrt{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2), x)`

[Out] `int((f*x)^m*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx)^m (d + ex^2) \sqrt{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x)**m*(e*x**2+d)*(c*x**4+b*x**2+a)**(1/2), x)`

[Out] `Integral((f*x)**m*(d + e*x**2)*sqrt(a + b*x**2 + c*x**4), x)`

$$3.227 \quad \int \frac{(fx)^m (d+ex^2)}{\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=317

$$\frac{d(fx)^{m+1} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{m+1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) e(fx)^{m+3} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1}{f(m+1)\sqrt{a+bx^2+cx^4}}$$

[Out] d*(f*x)^(1+m)*AppellF1(1/2+1/2*m,1/2,1/2,3/2+1/2*m,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(1+2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(1+2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))^(1/2)/f/(1+m)/(c*x^4+b*x^2+a)^(1/2)+e*(f*x)^(3+m)*AppellF1(3/2+1/2*m,1/2,1/2,5/2+1/2*m,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(1+2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(1+2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))^(1/2)/f^3/(3+m)/(c*x^4+b*x^2+a)^(1/2)

Rubi [A] time = 0.35, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1335, 1141, 510}

$$\frac{d(fx)^{m+1} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{m+1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) e(fx)^{m+3} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1}{f(m+1)\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d + e*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

[Out] (d*(f*x)^(1 + m)*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[(1 + m)/2, 1/2, 1/2, (3 + m)/2, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(f*(1 + m)*Sqrt[a + b*x^2 + c*x^4]) + (e*(f*x)^(3 + m)*Sqrt[1 + (2*c*x^2)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[(3 + m)/2, 1/2, 1/2, (5 + m)/2, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])])/(f^3*(3 + m)*Sqrt[a + b*x^2 + c*x^4])

Rule 510

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)])/((e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{(fx)^m (d + ex^2)}{\sqrt{a + bx^2 + cx^4}} dx &= \int \left(\frac{d(fx)^m}{\sqrt{a + bx^2 + cx^4}} + \frac{e(fx)^{2+m}}{f^2 \sqrt{a + bx^2 + cx^4}} \right) dx \\ &= d \int \frac{(fx)^m}{\sqrt{a + bx^2 + cx^4}} dx + \frac{e \int \frac{(fx)^{2+m}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2} \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^m}{\sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{a + bx^2 + cx^4}} + \frac{e \int \frac{(fx)^{2+m}}{\sqrt{a + bx^2 + cx^4}} dx}{f^2}}{\sqrt{a + bx^2 + cx^4}} \\ &= \frac{d(fx)^{1+m} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1 \left(\frac{1+m}{2}; \frac{1}{2}, \frac{1}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right) + e(m+1)x^2 F_1 \left(\frac{m+3}{2}; \frac{1}{2}, \frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{f(1+m)\sqrt{a + bx^2 + cx^4}} \end{aligned}$$

Mathematica [A] time = 0.26, size = 267, normalized size = 0.84

$$\frac{x(fx)^m \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^2}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^2}{\sqrt{b^2-4ac}+b}} \left(d(m+3)F_1 \left(\frac{m+1}{2}; \frac{1}{2}, \frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) + e(m+1)x^2 F_1 \left(\frac{m+3}{2}; \frac{1}{2}, \frac{1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}} \right) \right)}{(m+1)(m+3)\sqrt{a + bx^2 + cx^4}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((f*x)^m*(d + e*x^2))/Sqrt[a + b*x^2 + c*x^4], x]

```
[Out] (x*(f*x)^m*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))*
Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))*(d*(3 + m)*
AppellF1[(1 + m)/2, 1/2, 1/2, (3 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c])
, (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])) + e*(1 + m)*x^2*AppellF1[(3 + m)/2, 1
/2, 1/2, (5 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqr
t[b^2 - 4*a*c])))/((1 + m)*(3 + m)*Sqrt[a + b*x^2 + c*x^4])
```

fricas [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)(fx)^m}{\sqrt{cx^4 + bx^2 + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((e*x^2 + d)*(f*x)^m/sqrt(c*x^4 + b*x^2 + a), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((e*x^2 + d)*(f*x)^m/sqrt(c*x^4 + b*x^2 + a), x)
```

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)
```

```
[Out] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^m/sqrt(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(fx)^m (ex^2 + d)}{\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^(1/2),x)

[Out] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (d + ex^2)}{\sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)

[Out] Integral((f*x)**m*(d + e*x**2)/sqrt(a + b*x**2 + c*x**4), x)

$$3.228 \quad \int \frac{(fx)^m (d+ex^2)}{(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=323

$$\frac{d(fx)^{m+1} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{m+1}{2}; \frac{3}{2}, \frac{3}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) e(fx)^{m+3} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1}{af(m+1)\sqrt{a+bx^2+cx^4}}$$

[Out] d*(f*x)^(1+m)*AppellF1(1/2+1/2*m,3/2,3/2,3/2+1/2*m,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(1+2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(1+2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))^(1/2)/a/f/(1+m)/(c*x^4+b*x^2+a)^(1/2)+e*(f*x)^(3+m)*AppellF1(3/2+1/2*m,3/2,3/2,5/2+1/2*m,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))*(1+2*c*x^2/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(1+2*c*x^2/(b+(-4*a*c+b^2)^(1/2)))^(1/2)/a/f^3/(3+m)/(c*x^4+b*x^2+a)^(1/2)

Rubi [A] time = 0.39, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1335, 1141, 510}

$$\frac{d(fx)^{m+1} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^2}{\sqrt{b^2-4ac}+b}} + {}_1F_1\left(\frac{m+1}{2}; \frac{3}{2}, \frac{3}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{2cx^2}{b+\sqrt{b^2-4ac}}\right) e(fx)^{m+3} \sqrt{\frac{2cx^2}{b-\sqrt{b^2-4ac}}} + 1}{af(m+1)\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2),x]

[Out] (d*(f*x)^(1+m)*Sqrt[1+(2*c*x^2)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^2)/(b+Sqrt[b^2-4*a*c]])*AppellF1[(1+m)/2,3/2,3/2,(3+m)/2,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c]),(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])]/(a*f*(1+m)*Sqrt[a+b*x^2+c*x^4])+(e*(f*x)^(3+m)*Sqrt[1+(2*c*x^2)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^2)/(b+Sqrt[b^2-4*a*c]])*AppellF1[(3+m)/2,3/2,3/2,(5+m)/2,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c]),(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])]/(a*f^3*(3+m)*Sqrt[a+b*x^2+c*x^4])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.)+(b_.)*(x_)^(n_.))^(p_.)*((c_.)+(d_.)*(x_)^(n_.))^(q_.),x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n,-p,-q,1+(m+1)/n,-((b*x^n)/a),-((d*x^n)/c)]/(e*(m+1)),x] /; FreeQ[{a,b,c,d,e,m,n,p,q},x] && NeQ[b*c-a*d,0] && NeQ[m,-1] && NeQ[m,n-1] && (IntegerQ[p] || GtQ[a,0]) && (IntegerQ[q] || GtQ[c,0])

Rule 1141

```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> Dist[(a^IntPart[p]*(a + b*x^2 + c*x^4)^FracPart[p])/((1 + (2*c*x^2)/(b
+ Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^2)/(b - Rt[b^2 - 4*a*c, 2]))
^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (
2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x]
```

Rule 1335

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (
c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*
(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && N
eQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rubi steps

$$\begin{aligned} \int \frac{(fx)^m (d + ex^2)}{(a + bx^2 + cx^4)^{3/2}} dx &= \int \left(\frac{d(fx)^m}{(a + bx^2 + cx^4)^{3/2}} + \frac{e(fx)^{2+m}}{f^2 (a + bx^2 + cx^4)^{3/2}} \right) dx \\ &= d \int \frac{(fx)^m}{(a + bx^2 + cx^4)^{3/2}} dx + \frac{e \int \frac{(fx)^{2+m}}{(a + bx^2 + cx^4)^{3/2}} dx}{f^2} \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^m}{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^2 + cx^4}} + \frac{\left(e \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{(fx)^{2+m}}{\left(1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^2 + cx^4}} \\ &= \frac{d(fx)^{1+m} \sqrt{1 + \frac{2cx^2}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^2}{b + \sqrt{b^2 - 4ac}}} F_1 \left(\frac{1+m}{2}; \frac{3}{2}, \frac{3}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{af(1+m)\sqrt{a + bx^2 + cx^4}} \end{aligned}$$

Mathematica [A] time = 0.41, size = 307, normalized size = 0.95

$$\frac{x(fx)^m \left(\sqrt{b^2 - 4ac} - b - 2cx^2 \right) \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^2}{b - \sqrt{b^2 - 4ac}}} \left(\frac{\sqrt{b^2 - 4ac} + b + 2cx^2}{\sqrt{b^2 - 4ac} + b} \right)^{3/2} \left(d(m+3) F_1 \left(\frac{m+1}{2}; \frac{3}{2}, \frac{3}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right) \right)}{(m+1)(m+3) \left(\sqrt{b^2 - 4ac} - b \right) (a + bx^2 + cx^4)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2), x]

[Out] (x*(f*x)^m*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x^2)*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]))*((b + Sqrt[b^2 - 4*a*c] + 2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]))^(3/2)*(d*(3 + m)*AppellF1[(1 + m)/2, 3/2, 3/2, (3 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])] + e*(1 + m)*x^2*AppellF1[(3 + m)/2, 3/2, 3/2, (5 + m)/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^2)/(-b + Sqrt[b^2 - 4*a*c])]))/((-b + Sqrt[b^2 - 4*a*c])*(1 + m)*(3 + m)*(a + b*x^2 + c*x^4)^(3/2))

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^4 + bx^2 + a} (ex^2 + d) (fx)^m}{c^2x^8 + 2bcx^6 + (b^2 + 2ac)x^4 + 2abx^2 + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*(f*x)^m/(c^2*x^8 + 2*b*c*x^6 + (b^2 + 2*a*c)*x^4 + 2*a*b*x^2 + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d) (fx)^m}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x, algorithm="giac")

[Out] integrate((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a)^(3/2), x)

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d) (fx)^m}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x)

[Out] int((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)(fx)^m}{(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)*(f*x)^m/(c*x^4 + b*x^2 + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(fx)^m (ex^2 + d)}{(cx^4 + bx^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2), x)

[Out] int(((f*x)^m*(d + e*x^2))/(a + b*x^2 + c*x^4)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (d + ex^2)}{(a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)**m*(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2), x)

[Out] Integral((f*x)**m*(d + e*x**2)/(a + b*x**2 + c*x**4)**(3/2), x)

$$3.229 \quad \int \frac{x^9}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=134

$$\frac{a^{3/2}d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2c^{3/2}(ae^2 + cd^2)} - \frac{a^2e \log(a + cx^4)}{4c^2(ae^2 + cd^2)} + \frac{d^4 \log(d + ex^2)}{2e^3(ae^2 + cd^2)} - \frac{dx^2}{2ce^2} + \frac{x^4}{4ce}$$

[Out] $-1/2*d*x^2/c/e^2+1/4*x^4/c/e+1/2*a^{(3/2)*d*\arctan(x^2*c^{(1/2)}/a^{(1/2)})}/c^{(3/2)}/(a*e^2+c*d^2)+1/2*d^4*\ln(e*x^2+d)/e^3/(a*e^2+c*d^2)-1/4*a^2*e*\ln(c*x^4+a)/c^2/(a*e^2+c*d^2)$

Rubi [A] time = 0.18, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 1629, 635, 205, 260}

$$-\frac{a^2e \log(a + cx^4)}{4c^2(ae^2 + cd^2)} + \frac{a^{3/2}d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2c^{3/2}(ae^2 + cd^2)} + \frac{d^4 \log(d + ex^2)}{2e^3(ae^2 + cd^2)} - \frac{dx^2}{2ce^2} + \frac{x^4}{4ce}$$

Antiderivative was successfully verified.

[In] Int[x^9/((d + e*x^2)*(a + c*x^4)),x]

[Out] $-(d*x^2)/(2*c*e^2) + x^4/(4*c*e) + (a^{(3/2)*d*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]]})/(2*c^{(3/2)*(c*d^2 + a*e^2)}) + (d^4*Log[d + e*x^2])/(2*e^3*(c*d^2 + a*e^2)) - (a^2*e*Log[a + c*x^4])/(4*c^2*(c*d^2 + a*e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1629

Int[(Pq_)*((d_) + (e_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
 \int \frac{x^9}{(d + ex^2)(a + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^4}{(d + ex)(a + cx^2)} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \left(-\frac{d}{ce^2} + \frac{x}{ce} + \frac{d^4}{e^2(cd^2 + ae^2)(d + ex)} + \frac{a^2(d - ex)}{c(cd^2 + ae^2)(a + cx^2)} \right) dx, x, x^2 \right) \\
 &= -\frac{dx^2}{2ce^2} + \frac{x^4}{4ce} + \frac{d^4 \log(d + ex^2)}{2e^3(cd^2 + ae^2)} + \frac{a^2 \text{Subst} \left(\int \frac{d - ex}{a + cx^2} dx, x, x^2 \right)}{2c(cd^2 + ae^2)} \\
 &= -\frac{dx^2}{2ce^2} + \frac{x^4}{4ce} + \frac{d^4 \log(d + ex^2)}{2e^3(cd^2 + ae^2)} + \frac{(a^2 d) \text{Subst} \left(\int \frac{1}{a + cx^2} dx, x, x^2 \right)}{2c(cd^2 + ae^2)} - \frac{(a^2 e) \text{Subst} \left(\int \frac{1}{a + cx^2} dx, x, x^2 \right)}{2c(cd^2 + ae^2)} \\
 &= -\frac{dx^2}{2ce^2} + \frac{x^4}{4ce} + \frac{a^{3/2} d \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2c^{3/2}(cd^2 + ae^2)} + \frac{d^4 \log(d + ex^2)}{2e^3(cd^2 + ae^2)} - \frac{a^2 e \log(a + cx^4)}{4c^2(cd^2 + ae^2)}
 \end{aligned}$$

Mathematica [A] time = 0.06, size = 134, normalized size = 1.00

$$\frac{a^{3/2} d \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2c^{3/2}(ae^2 + cd^2)} - \frac{a^2 e \log(a + cx^4)}{4c^2(ae^2 + cd^2)} + \frac{d^4 \log(d + ex^2)}{2e^3(ae^2 + cd^2)} - \frac{dx^2}{2ce^2} + \frac{x^4}{4ce}$$

Antiderivative was successfully verified.

[In] Integrate[x^9/((d + e*x^2)*(a + c*x^4)), x]

[Out] -1/2*(d*x^2)/(c*e^2) + x^4/(4*c*e) + (a^(3/2)*d*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(2*c^(3/2)*(c*d^2 + a*e^2)) + (d^4*Log[d + e*x^2])/(2*e^3*(c*d^2 + a*e^2)) - (a^2*e*Log[a + c*x^4])/(4*c^2*(c*d^2 + a*e^2))

fricas [A] time = 8.36, size = 277, normalized size = 2.07

$$\frac{acde^3 \sqrt{-\frac{a}{c}} \log\left(\frac{cx^4 + 2cx^2 \sqrt{-\frac{a}{c}} - a}{cx^4 + a}\right) - a^2 e^4 \log(cx^4 + a) + 2c^2 d^4 \log(ex^2 + d) + (c^2 d^2 e^2 + ace^4)x^4 - 2(c^2 d^3 e + acde^3)x^2}{4(c^3 d^2 e^3 + ac^2 e^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] [1/4*(a*c*d*e^3*sqrt(-a/c)*log((c*x^4 + 2*c*x^2*sqrt(-a/c) - a)/(c*x^4 + a)) - a^2*e^4*log(c*x^4 + a) + 2*c^2*d^4*log(e*x^2 + d) + (c^2*d^2*e^2 + a*c*e^4)*x^4 - 2*(c^2*d^3*e + a*c*d*e^3)*x^2)/(c^3*d^2*e^3 + a*c^2*e^5), 1/4*(2*a*c*d*e^3*sqrt(a/c)*arctan(c*x^2*sqrt(a/c)/a) - a^2*e^4*log(c*x^4 + a) + 2*c^2*d^4*log(e*x^2 + d) + (c^2*d^2*e^2 + a*c*e^4)*x^4 - 2*(c^2*d^3*e + a*c*d*e^3)*x^2)/(c^3*d^2*e^3 + a*c^2*e^5)]

giac [A] time = 0.31, size = 121, normalized size = 0.90

$$\frac{d^4 \log(|x^2 e + d|)}{2(c^2 d^2 e^3 + a e^5)} - \frac{a^2 e \log(cx^4 + a)}{4(c^3 d^2 + ac^2 e^2)} + \frac{a^2 d \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(c^2 d^2 + ace^2)\sqrt{ac}} + \frac{(cx^4 e - 2cdx^2)e^{(-2)}}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] 1/2*d^4*log(abs(x^2*e + d))/(c*d^2*e^3 + a*e^5) - 1/4*a^2*e*log(c*x^4 + a)/(c^3*d^2 + a*c^2*e^2) + 1/2*a^2*d*arctan(c*x^2/sqrt(a*c))/((c^2*d^2 + a*c*e^2)*sqrt(a*c)) + 1/4*(c*x^4*e - 2*c*d*x^2)*e^(-2)/c^2

maple [A] time = 0.01, size = 122, normalized size = 0.91

$$\frac{a^2 d \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}c} - \frac{a^2 e \ln(cx^4 + a)}{4(ae^2 + cd^2)c^2} + \frac{x^4}{4ce} + \frac{d^4 \ln(ex^2 + d)}{2(ae^2 + cd^2)e^3} - \frac{dx^2}{2ce^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9/(e*x^2+d)/(c*x^4+a),x)

[Out] 1/4*x^4/c/e-1/2*d*x^2/c/e^2-1/4*a^2*e*ln(c*x^4+a)/c^2/(a*e^2+c*d^2)+1/2*a^2/(a*e^2+c*d^2)/c*d/(a*c)^(1/2)*arctan(c*x^2/(a*c)^(1/2))+1/2*d^4*ln(e*x^2+d)/e^3/(a*e^2+c*d^2)

maxima [A] time = 2.00, size = 120, normalized size = 0.90

$$\frac{d^4 \log(ex^2 + d)}{2(cd^2e^3 + ae^5)} - \frac{a^2e \log(cx^4 + a)}{4(c^3d^2 + ac^2e^2)} + \frac{a^2d \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(c^2d^2 + ace^2)\sqrt{ac}} + \frac{ex^4 - 2dx^2}{4ce^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] 1/2*d^4*log(e*x^2 + d)/(c*d^2*e^3 + a*e^5) - 1/4*a^2*e*log(c*x^4 + a)/(c^3*d^2 + a*c^2*e^2) + 1/2*a^2*d*arctan(c*x^2/sqrt(a*c))/((c^2*d^2 + a*c*e^2)*sqrt(a*c)) + 1/4*(e*x^4 - 2*d*x^2)/(c*e^2)

mupad [B] time = 0.87, size = 181, normalized size = 1.35

$$\frac{\ln\left(\sqrt{-a^3c^5} + ac^3x^2\right)\left(d\sqrt{-a^3c^5} - a^2c^2e\right) - \ln\left(\sqrt{-a^3c^5} - ac^3x^2\right)\left(d\sqrt{-a^3c^5} + a^2c^2e\right)}{4c^5d^2 + 4ac^4e^2} + \frac{d^4 \ln(ex^2 + d)}{2cd^2e^3 + 2ae^5} + \frac{1}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9/((a + c*x^4)*(d + e*x^2)),x)

[Out] (log((-a^3*c^5)^(1/2) + a*c^3*x^2)*(d*(-a^3*c^5)^(1/2) - a^2*c^2*e))/(4*c^5*d^2 + 4*a*c^4*e^2) - (log((-a^3*c^5)^(1/2) - a*c^3*x^2)*(d*(-a^3*c^5)^(1/2) + a^2*c^2*e))/(4*(c^5*d^2 + a*c^4*e^2)) + (d^4*log(d + e*x^2))/(2*a*e^5 + 2*c*d^2*e^3) + x^4/(4*c*e) - (d*x^2)/(2*c*e^2)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.230 \quad \int \frac{x^7}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=118

$$-\frac{a^{3/2}e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2c^{3/2}(ae^2+cd^2)} - \frac{ad \log(a+cx^4)}{4c(ae^2+cd^2)} - \frac{d^3 \log(d+ex^2)}{2e^2(ae^2+cd^2)} + \frac{x^2}{2ce}$$

[Out] $1/2*x^2/c/e-1/2*a^{(3/2)}*e*\arctan(x^2*c^{(1/2)}/a^{(1/2)})/c^{(3/2)}/(a*e^2+c*d^2)-1/2*d^3*\ln(e*x^2+d)/e^2/(a*e^2+c*d^2)-1/4*a*d*\ln(c*x^4+a)/c/(a*e^2+c*d^2)$

Rubi [A] time = 0.15, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 1629, 635, 205, 260}

$$-\frac{a^{3/2}e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2c^{3/2}(ae^2+cd^2)} - \frac{d^3 \log(d+ex^2)}{2e^2(ae^2+cd^2)} - \frac{ad \log(a+cx^4)}{4c(ae^2+cd^2)} + \frac{x^2}{2ce}$$

Antiderivative was successfully verified.

[In] Int[x^7/((d + e*x^2)*(a + c*x^4)),x]

[Out] $x^2/(2*c*e) - (a^{(3/2)}*e*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/(2*c^{(3/2)}*(c*d^2 + a*e^2)) - (d^3*\text{Log}[d + e*x^2])/(2*e^2*(c*d^2 + a*e^2)) - (a*d*\text{Log}[a + c*x^4])/(4*c*(c*d^2 + a*e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x]
/; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1629

```
Int[(Pq_)*((d_) + (e_.)*(x_)^2)^(m_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + c*x^2)^p, x], x]
/; FreeQ[{a, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7}{(d+ex^2)(a+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3}{(d+ex)(a+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{ce} - \frac{d^3}{e(cd^2+ae^2)(d+ex)} - \frac{a(ae+cdx)}{c(cd^2+ae^2)(a+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{x^2}{2ce} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2+ae^2)} - \frac{a \text{Subst} \left(\int \frac{ae+cdx}{a+cx^2} dx, x, x^2 \right)}{2c(cd^2+ae^2)} \\
&= \frac{x^2}{2ce} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2+ae^2)} - \frac{(ad) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} - \frac{(a^2e) \text{Subst} \left(\int \frac{1}{a+cx^2} dx, x, x^2 \right)}{2c(cd^2+ae^2)} \\
&= \frac{x^2}{2ce} - \frac{a^{3/2}e \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{2c^{3/2}(cd^2+ae^2)} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2+ae^2)} - \frac{ad \log(a+cx^4)}{4c(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 99, normalized size = 0.84

$$\frac{-\frac{2a^{3/2}e^3 \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{c^{3/2}} + \frac{e(2x^2(ae^2+cd^2)-ade \log(a+cx^4))}{c} - 2d^3 \log(d+ex^2)}{4e^2(ae^2+cd^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^7/((d + e*x^2)*(a + c*x^4)), x]
```

```
[Out] ((-2*a^(3/2)*e^3*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/c^(3/2) - 2*d^3*Log[d + e*x^2] + (e*(2*(c*d^2 + a*e^2)*x^2 - a*d*e*Log[a + c*x^4]))/c)/(4*e^2*(c*d^2 + a*e^2))
```

fricas [A] time = 3.47, size = 212, normalized size = 1.80

$$\left[\frac{ae^3 \sqrt{\frac{-a}{c}} \log\left(\frac{cx^4 - 2cx^2 \sqrt{\frac{-a}{c}} - a}{cx^4 + a}\right) - ade^2 \log(cx^4 + a) - 2cd^3 \log(ex^2 + d) + 2(cd^2e + ae^3)x^2}{4(c^2d^2e^2 + ace^4)}, \frac{2ae^3 \sqrt{\frac{a}{c}} \arctan\left(\frac{cx^2 \sqrt{\frac{a}{c}}}{a}\right)}{4(c^2d^2e^2 + ace^4)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] [1/4*(a*e^3*sqrt(-a/c)*log((c*x^4 - 2*c*x^2*sqrt(-a/c) - a)/(c*x^4 + a)) - a*d*e^2*log(c*x^4 + a) - 2*c*d^3*log(e*x^2 + d) + 2*(c*d^2*e + a*e^3)*x^2)/(c^2*d^2*e^2 + a*c*e^4), -1/4*(2*a*e^3*sqrt(a/c)*arctan(c*x^2*sqrt(a/c)/a) + a*d*e^2*log(c*x^4 + a) + 2*c*d^3*log(e*x^2 + d) - 2*(c*d^2*e + a*e^3)*x^2)/(c^2*d^2*e^2 + a*c*e^4)]

giac [A] time = 0.31, size = 105, normalized size = 0.89

$$\frac{d^3 \log(|x^2e + d|)}{2(cd^2e^2 + ae^4)} - \frac{a^2 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)e}{2(c^2d^2 + ace^2)\sqrt{ac}} + \frac{x^2e^{(-1)}}{2c} - \frac{ad \log(cx^4 + a)}{4(c^2d^2 + ace^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] -1/2*d^3*log(abs(x^2*e + d))/(c*d^2*e^2 + a*e^4) - 1/2*a^2*arctan(c*x^2/sqrt(a*c))*e/((c^2*d^2 + a*c*e^2)*sqrt(a*c)) + 1/2*x^2*e^(-1)/c - 1/4*a*d*log(c*x^4 + a)/(c^2*d^2 + a*c*e^2)

maple [A] time = 0.01, size = 108, normalized size = 0.92

$$-\frac{a^2e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}c} - \frac{ad \ln(cx^4 + a)}{4(ae^2 + cd^2)c} - \frac{d^3 \ln(ex^2 + d)}{2(ae^2 + cd^2)e^2} + \frac{x^2}{2ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7/(e*x^2+d)/(c*x^4+a),x)

[Out] 1/2*x^2/c/e-1/4*a*d*ln(c*x^4+a)/c/(a*e^2+c*d^2)-1/2*a^2/(a*e^2+c*d^2)/c*e/(a*c)^(1/2)*arctan(1/(a*c)^(1/2)*c*x^2)-1/2*d^3*ln(e*x^2+d)/e^2/(a*e^2+c*d^2)

maxima [A] time = 2.02, size = 107, normalized size = 0.91

$$\frac{d^3 \log(ex^2 + d)}{2(cd^2e^2 + ae^4)} - \frac{a^2e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(c^2d^2 + ace^2)\sqrt{ac}} - \frac{ad \log(cx^4 + a)}{4(c^2d^2 + ace^2)} + \frac{x^2}{2ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $-1/2*d^3*\log(e*x^2 + d)/(c*d^2*e^2 + a*e^4) - 1/2*a^2*e*\arctan(c*x^2/\sqrt{a*c})/((c^2*d^2 + a*c*e^2)*\sqrt{a*c}) - 1/4*a*d*\log(c*x^4 + a)/(c^2*d^2 + a*c*e^2) + 1/2*x^2/(c*e)$

mupad [B] time = 0.72, size = 166, normalized size = 1.41

$$\frac{x^2}{2ce} - \frac{d^3 \ln(ex^2 + d)}{2cd^2e^2 + 2ae^4} - \frac{\ln\left(\sqrt{-a^3c^3} + ac^2x^2\right)\left(e\sqrt{-a^3c^3} + ac^2d\right)}{4(c^4d^2 + ac^3e^2)} + \frac{\ln\left(\sqrt{-a^3c^3} - ac^2x^2\right)\left(e\sqrt{-a^3c^3} - ac^2d\right)}{4c^4d^2 + 4ac^3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7/((a + c*x^4)*(d + e*x^2)),x)

[Out] $x^2/(2*c*e) - (d^3*\log(d + e*x^2))/(2*a*e^4 + 2*c*d^2*e^2) - (\log((-a^3*c^3)^{(1/2)} + a*c^2*x^2)*(e*(-a^3*c^3)^{(1/2)} + a*c^2*d))/(4*(c^4*d^2 + a*c^3*e^2)) + (\log((-a^3*c^3)^{(1/2)} - a*c^2*x^2)*(e*(-a^3*c^3)^{(1/2)} - a*c^2*d))/(4*c^4*d^2 + 4*a*c^3*e^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.231 \quad \int \frac{x^5}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=105

$$\frac{ae \log(a+cx^4)}{4c(ae^2+cd^2)} + \frac{d^2 \log(d+ex^2)}{2e(ae^2+cd^2)} - \frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{c}(ae^2+cd^2)}$$

[Out] 1/2*d^2*ln(e*x^2+d)/e/(a*e^2+c*d^2)+1/4*a*e*ln(c*x^4+a)/c/(a*e^2+c*d^2)-1/2*d*arctan(x^2*c^(1/2)/a^(1/2))*a^(1/2)/(a*e^2+c*d^2)/c^(1/2)

Rubi [A] time = 0.14, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 1629, 635, 205, 260}

$$\frac{d^2 \log(d+ex^2)}{2e(ae^2+cd^2)} + \frac{ae \log(a+cx^4)}{4c(ae^2+cd^2)} - \frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{c}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e*x^2)*(a + c*x^4)),x]

[Out] -(Sqrt[a]*d*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(2*Sqrt[c]*(c*d^2 + a*e^2)) + (d^2*Log[d + e*x^2])/(2*e*(c*d^2 + a*e^2)) + (a*e*Log[a + c*x^4])/(4*c*(c*d^2 + a*e^2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1252


```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rule 1629

```
Int[(Pq_)*((d_) + (e_.)*(x_)^2)^(m_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex^2)(a+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{(d+ex)(a+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{d^2}{(cd^2+ae^2)(d+ex)} - \frac{a(d-ex)}{(cd^2+ae^2)(a+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{d^2 \log(d+ex^2)}{2e(cd^2+ae^2)} - \frac{a \text{Subst} \left(\int \frac{d-ex}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} \\
&= \frac{d^2 \log(d+ex^2)}{2e(cd^2+ae^2)} - \frac{(ad) \text{Subst} \left(\int \frac{1}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} + \frac{(ae) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} \\
&= -\frac{\sqrt{a} d \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2\sqrt{c}(cd^2+ae^2)} + \frac{d^2 \log(d+ex^2)}{2e(cd^2+ae^2)} + \frac{ae \log(a+cx^4)}{4c(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 77, normalized size = 0.73

$$\frac{-2\sqrt{a}\sqrt{c}de \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right) + ae^2 \log(a+cx^4) + 2cd^2 \log(d+ex^2)}{4ace^3 + 4c^2d^2e}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^5/((d + e*x^2)*(a + c*x^4)), x]
```

```
[Out] (-2*Sqrt[a]*Sqrt[c]*d*e*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]] + 2*c*d^2*Log[d + e*x^2] + a*e^2*Log[a + c*x^4])/(4*c^2*d^2*e + 4*a*c*e^3)
```

fricas [A] time = 1.96, size = 170, normalized size = 1.62

$$\left[\frac{cde\sqrt{-\frac{a}{c}} \log\left(\frac{cx^4 - 2cx^2\sqrt{-\frac{a}{c}} - a}{cx^4 + a}\right) + ae^2 \log(cx^4 + a) + 2cd^2 \log(ex^2 + d)}{4(c^2d^2e + ace^3)}, -\frac{2cde\sqrt{\frac{a}{c}} \arctan\left(\frac{cx^2\sqrt{\frac{a}{c}}}{a}\right) - ae^2 \log(cx^4 + a)}{4(c^2d^2e + ace^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] [1/4*(c*d*e*sqrt(-a/c)*log((c*x^4 - 2*c*x^2*sqrt(-a/c) - a)/(c*x^4 + a)) + a*e^2*log(c*x^4 + a) + 2*c*d^2*log(e*x^2 + d))/(c^2*d^2*e + a*c*e^3), -1/4*(2*c*d*e*sqrt(a/c)*arctan(c*x^2*sqrt(a/c)/a) - a*e^2*log(c*x^4 + a) - 2*c*d^2*log(e*x^2 + d))/(c^2*d^2*e + a*c*e^3)]

giac [A] time = 0.36, size = 90, normalized size = 0.86

$$\frac{ae \log(cx^4 + a)}{4(c^2d^2 + ace^2)} + \frac{d^2 \log(|x^2e + d|)}{2(cd^2e + ae^3)} - \frac{ad \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(cd^2 + ae^2)\sqrt{ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] 1/4*a*e*log(c*x^4 + a)/(c^2*d^2 + a*c*e^2) + 1/2*d^2*log(abs(x^2*e + d))/(c*d^2*e + a*e^3) - 1/2*a*d*arctan(c*x^2/sqrt(a*c))/((c*d^2 + a*e^2)*sqrt(a*c))

maple [A] time = 0.01, size = 92, normalized size = 0.88

$$-\frac{ad \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}} + \frac{ae \ln(cx^4 + a)}{4(ae^2 + cd^2)c} + \frac{d^2 \ln(ex^2 + d)}{2(ae^2 + cd^2)e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(e*x^2+d)/(c*x^4+a),x)

[Out] 1/4*a*e*ln(c*x^4+a)/c/(a*e^2+c*d^2)-1/2*a/(a*e^2+c*d^2)*d/(a*c)^(1/2)*arctan(1/(a*c)^(1/2)*c*x^2)+1/2*d^2*ln(e*x^2+d)/e/(a*e^2+c*d^2)

maxima [A] time = 2.00, size = 89, normalized size = 0.85

$$\frac{ae \log(cx^4 + a)}{4(c^2d^2 + ace^2)} + \frac{d^2 \log(ex^2 + d)}{2(cd^2e + ae^3)} - \frac{ad \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(cd^2 + ae^2)\sqrt{ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{4}ae \log(cx^4 + a)/(c^2d^2 + ac^2e) + \frac{1}{2}d^2 \log(ex^2 + d)/(cd^2e + ae^3) - \frac{1}{2}ad \arctan(cx^2/\sqrt{ac})/((cd^2 + ae^2)\sqrt{ac})$

mupad [B] time = 0.99, size = 138, normalized size = 1.31

$$\frac{d^2 \ln(ex^2 + d)}{2cd^2e + 2ae^3} - \frac{\ln(\sqrt{-ac^3} + c^2x^2) (d\sqrt{-ac^3} - ace)}{4(c^3d^2 + ac^2e^2)} + \frac{\ln(\sqrt{-ac^3} - c^2x^2) (d\sqrt{-ac^3} + ace)}{4c^3d^2 + 4ac^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/((a + c*x^4)*(d + e*x^2)),x)

[Out] $\frac{d^2 \log(d + ex^2)}{2ae^3 + 2cd^2e} - \frac{(\log((-ac^3)^{1/2} + c^2x^2) * (d(-ac^3)^{1/2} - ace))}{4(c^3d^2 + ac^2e^2)} + \frac{(\log((-ac^3)^{1/2} - c^2x^2) * (d(-ac^3)^{1/2} + ace))}{4c^3d^2 + 4ac^2e^2}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.232 \quad \int \frac{x^3}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=96

$$\frac{d \log(a+cx^4)}{4(ae^2+cd^2)} - \frac{d \log(d+ex^2)}{2(ae^2+cd^2)} + \frac{\sqrt{a} e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{c}(ae^2+cd^2)}$$

[Out] $-1/2*d*\ln(e*x^2+d)/(a*e^2+c*d^2)+1/4*d*\ln(c*x^4+a)/(a*e^2+c*d^2)+1/2*e*\arctan(x^2*c^(1/2)/a^(1/2))*a^(1/2)/(a*e^2+c*d^2)/c^(1/2)$

Rubi [A] time = 0.09, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 801, 635, 205, 260}

$$-\frac{d \log(d+ex^2)}{2(ae^2+cd^2)} + \frac{d \log(a+cx^4)}{4(ae^2+cd^2)} + \frac{\sqrt{a} e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{c}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e*x^2)*(a + c*x^4)),x]

[Out] (Sqrt[a]*e*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]]/(2*Sqrt[c]*(c*d^2 + a*e^2)) - (d*Log[d + e*x^2])/(2*(c*d^2 + a*e^2)) + (d*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 801

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (c_.)*(x_)^2),
  x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],
  x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
  x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{(d + ex^2)(a + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(d + ex)(a + cx^2)} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \left(-\frac{de}{(cd^2 + ae^2)(d + ex)} + \frac{ae + cdx}{(cd^2 + ae^2)(a + cx^2)} \right) dx, x, x^2 \right) \\
 &= -\frac{d \log(d + ex^2)}{2(cd^2 + ae^2)} + \frac{\text{Subst} \left(\int \frac{ae + cdx}{a + cx^2} dx, x, x^2 \right)}{2(cd^2 + ae^2)} \\
 &= -\frac{d \log(d + ex^2)}{2(cd^2 + ae^2)} + \frac{(cd) \text{Subst} \left(\int \frac{x}{a + cx^2} dx, x, x^2 \right)}{2(cd^2 + ae^2)} + \frac{(ae) \text{Subst} \left(\int \frac{1}{a + cx^2} dx, x, x^2 \right)}{2(cd^2 + ae^2)} \\
 &= \frac{\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2\sqrt{c} (cd^2 + ae^2)} - \frac{d \log(d + ex^2)}{2(cd^2 + ae^2)} + \frac{d \log(a + cx^4)}{4(cd^2 + ae^2)}
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 66, normalized size = 0.69

$$\frac{d \log(a + cx^4) + \frac{2\sqrt{a} e \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{\sqrt{c}} - 2d \log(d + ex^2)}{4ae^2 + 4cd^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3/((d + e*x^2)*(a + c*x^4)), x]
```

```
[Out] ((2*Sqrt[a]*e*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/Sqrt[c] - 2*d*Log[d + e*x^2] +
  d*Log[a + c*x^4])/(4*c*d^2 + 4*a*e^2)
```

fricas [A] time = 0.84, size = 145, normalized size = 1.51

$$\left[\frac{e\sqrt{-\frac{a}{c}} \log\left(\frac{cx^4 + 2cx^2\sqrt{-\frac{a}{c}} - a}{cx^4 + a}\right) + d \log(cx^4 + a) - 2d \log(ex^2 + d)}{4(cd^2 + ae^2)}, \frac{2e\sqrt{\frac{a}{c}} \arctan\left(\frac{cx^2\sqrt{\frac{a}{c}}}{a}\right) + d \log(cx^4 + a) - 2d \log(ex^2 + d)}{4(cd^2 + ae^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] [1/4*(e*sqrt(-a/c)*log((c*x^4 + 2*c*x^2*sqrt(-a/c) - a)/(c*x^4 + a)) + d*log(c*x^4 + a) - 2*d*log(e*x^2 + d))/(c*d^2 + a*e^2), 1/4*(2*e*sqrt(a/c)*arctan(c*x^2*sqrt(a/c)/a) + d*log(c*x^4 + a) - 2*d*log(e*x^2 + d))/(c*d^2 + a*e^2)]

giac [A] time = 0.39, size = 86, normalized size = 0.90

$$-\frac{de \log(|x^2e + d|)}{2(cd^2e + ae^3)} + \frac{a \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)e}{2(cd^2 + ae^2)\sqrt{ac}} + \frac{d \log(cx^4 + a)}{4(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] -1/2*d*e*log(abs(x^2*e + d))/(c*d^2*e + a*e^3) + 1/2*a*arctan(c*x^2/sqrt(a*c))*e/((c*d^2 + a*e^2)*sqrt(a*c)) + 1/4*d*log(c*x^4 + a)/(c*d^2 + a*e^2)

maple [A] time = 0.01, size = 83, normalized size = 0.86

$$\frac{ae \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}} + \frac{d \ln(cx^4 + a)}{4ae^2 + 4cd^2} - \frac{d \ln(ex^2 + d)}{2(ae^2 + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e*x^2+d)/(c*x^4+a),x)

[Out] 1/4*d*ln(c*x^4+a)/(a*e^2+c*d^2)+1/2/(a*e^2+c*d^2)*a*e/(a*c)^(1/2)*arctan(1/(a*c)^(1/2)*c*x^2)-1/2*d*ln(e*x^2+d)/(a*e^2+c*d^2)

maxima [A] time = 1.99, size = 82, normalized size = 0.85

$$\frac{ae \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(cd^2 + ae^2)\sqrt{ac}} + \frac{d \log(cx^4 + a)}{4(cd^2 + ae^2)} - \frac{d \log(ex^2 + d)}{2(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $\frac{1}{2}a e \arctan\left(\frac{c x^2}{\sqrt{a c}}\right) / \left((c d^2 + a e^2) \sqrt{a c}\right) + \frac{1}{4} d \log(c x^4 + a) / (c d^2 + a e^2) - \frac{1}{2} d \log(e x^2 + d) / (c d^2 + a e^2)$

mupad [B] time = 1.94, size = 944, normalized size = 9.83

$$\frac{c d \ln\left(a^4 e^6 - 9 a c^3 d^6 - 39 a^3 c d^2 e^4 + a^3 e^6 x^2 \sqrt{-a c} - 9 c^3 d^6 x^2 \sqrt{-a c} + 79 a^2 c^2 d^4 e^2 - 42 c d^5 e (-a c)^{3/2} + 7\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((a + c*x^4)*(d + e*x^2)),x)

[Out]
$$\frac{(c d \log(a^4 e^6 - 9 a^3 c^3 d^6 - 39 a^3 c d^2 e^4 + a^3 e^6 x^2 (-a c)^{1/2}) - 9 c^3 d^6 x^2 (-a c)^{1/2} + 79 a^2 c^2 d^4 e^2 - 42 c d^5 e (-a c)^{3/2} + 76 a d^3 e^3 (-a c)^{3/2} + 10 a^3 d e^5 (-a c)^{1/2} + 76 a^2 c^2 d^3 e^3 x^2 - 42 a^3 c^3 d^5 e x^2 - 10 a^3 c d e^5 x^2 + 39 a d^2 e^4 x^2 (-a c)^{3/2} - 79 c d^4 e^2 x^2 (-a c)^{3/2}) / (4 c^2 d^2 + 4 a c e^2) - (d \log(d + e x^2)) / (2 (a e^2 + c d^2)) + (c d \log(9 a^3 c^3 d^6 - a^4 e^6 + 39 a^3 c d^2 e^4 + a^3 e^6 x^2 (-a c)^{1/2} - 9 c^3 d^6 x^2 (-a c)^{1/2} - 79 a^2 c^2 d^4 e^2 + 10 a^3 d e^5 (-a c)^{1/2} + 42 a^3 c^2 d^5 e (-a c)^{1/2} - 76 a^2 c^2 d^3 e^3 x^2 + 42 a^3 c^3 d^5 e x^2 + 10 a^3 c d e^5 x^2 - 76 a^2 c d^3 e^3 (-a c)^{1/2} + 79 a^3 c^2 d^4 e^2 x^2 (-a c)^{1/2} - 39 a^2 c d^2 e^4 x^2 (-a c)^{1/2})) / (4 c^2 d^2 + 4 a c e^2) - (e \log(a^4 e^6 - 9 a^3 c^3 d^6 - 39 a^3 c d^2 e^4 + a^3 e^6 x^2 (-a c)^{1/2} - 9 c^3 d^6 x^2 (-a c)^{1/2} + 79 a^2 c^2 d^4 e^2 - 42 c d^5 e (-a c)^{3/2} + 76 a d^3 e^3 (-a c)^{3/2} + 10 a^3 d e^5 (-a c)^{1/2} + 76 a^2 c^2 d^3 e^3 x^2 - 42 a^3 c^3 d^5 e x^2 - 10 a^3 c d e^5 x^2 + 39 a d^2 e^4 x^2 (-a c)^{3/2} - 79 c d^4 e^2 x^2 (-a c)^{3/2}) * (-a c)^{1/2}) / (4 c^2 d^2 + 4 a c e^2) + (e \log(9 a^3 c^3 d^6 - a^4 e^6 + 39 a^3 c d^2 e^4 + a^3 e^6 x^2 (-a c)^{1/2} - 9 c^3 d^6 x^2 (-a c)^{1/2} - 79 a^2 c^2 d^4 e^2 + 10 a^3 d e^5 (-a c)^{1/2} + 42 a^3 c^2 d^5 e (-a c)^{1/2} - 76 a^2 c^2 d^3 e^3 x^2 + 42 a^3 c^3 d^5 e x^2 + 10 a^3 c d e^5 x^2 - 76 a^2 c d^3 e^3 (-a c)^{1/2} + 79 a^3 c^2 d^4 e^2 x^2 (-a c)^{1/2} - 39 a^2 c d^2 e^4 x^2 (-a c)^{1/2}) * (-a c)^{1/2}) / (4 c^2 d^2 + 4 a c e^2)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.233 \quad \int \frac{x}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=96

$$-\frac{e \log(a+cx^4)}{4(ae^2+cd^2)} + \frac{e \log(d+ex^2)}{2(ae^2+cd^2)} + \frac{\sqrt{c} d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{a}(ae^2+cd^2)}$$

[Out] $1/2*e*\ln(e*x^2+d)/(a*e^2+c*d^2)-1/4*e*\ln(c*x^4+a)/(a*e^2+c*d^2)+1/2*d*\arctan(x^2*c^{(1/2)}/a^{(1/2)})*c^{(1/2)}/(a*e^2+c*d^2)/a^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1248, 706, 31, 635, 205, 260}

$$\frac{e \log(d+ex^2)}{2(ae^2+cd^2)} - \frac{e \log(a+cx^4)}{4(ae^2+cd^2)} + \frac{\sqrt{c} d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{a}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e*x^2)*(a + c*x^4)),x]

[Out] (Sqrt[c]*d*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]]/(2*Sqrt[a]*(c*d^2 + a*e^2)) + (e*Log[d + e*x^2])/(2*(c*d^2 + a*e^2)) - (e*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)))

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)⁽⁻¹⁾, x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635


```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 706

```
Int[1/(((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)), x_Symbol] := Dist[e^2/(c*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d - c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x}{(d+ex^2)(a+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(d+ex)(a+cx^2)} dx, x, x^2 \right) \\
 &= \frac{\text{Subst} \left(\int \frac{cd-cex}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} + \frac{e^2 \text{Subst} \left(\int \frac{1}{d+ex} dx, x, x^2 \right)}{2(cd^2+ae^2)} \\
 &= \frac{e \log(d+ex^2)}{2(cd^2+ae^2)} + \frac{(cd) \text{Subst} \left(\int \frac{1}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} - \frac{(ce) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} \\
 &= \frac{\sqrt{c} d \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2\sqrt{a}(cd^2+ae^2)} + \frac{e \log(d+ex^2)}{2(cd^2+ae^2)} - \frac{e \log(a+cx^4)}{4(cd^2+ae^2)}
 \end{aligned}$$

Mathematica [A] time = 0.04, size = 67, normalized size = 0.70

$$\frac{\frac{2\sqrt{c}d \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{\sqrt{a}} - e \log(a+cx^4) + 2e \log(d+ex^2)}{4ae^2 + 4cd^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/((d + e*x^2)*(a + c*x^4)), x]
```

[Out] $((2*\text{Sqrt}[c]*d*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/\text{Sqrt}[a] + 2*e*\text{Log}[d + e*x^2] - e*\text{Log}[a + c*x^4])/(4*c*d^2 + 4*a*e^2)$

fricas [A] time = 0.95, size = 146, normalized size = 1.52

$$\left[\frac{d\sqrt{\frac{-c}{a}} \log\left(\frac{cx^4+2ax^2\sqrt{\frac{-c}{a}}-a}{cx^4+a}\right) - e \log(cx^4+a) + 2e \log(ex^2+d)}{4(cd^2+ae^2)}, -\frac{2d\sqrt{\frac{c}{a}} \arctan\left(\frac{a\sqrt{\frac{c}{a}}}{cx^2}\right) + e \log(cx^4+a) - 2e \log(ex^2+d)}{4(cd^2+ae^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")`

[Out] $[1/4*(d*\text{sqrt}(-c/a)*\log((c*x^4 + 2*a*x^2*\text{sqrt}(-c/a) - a)/(c*x^4 + a)) - e*\log(c*x^4 + a) + 2*e*\log(e*x^2 + d))/(c*d^2 + a*e^2), -1/4*(2*d*\text{sqrt}(c/a)*\arctan(a*\text{sqrt}(c/a)/(c*x^2)) + e*\log(c*x^4 + a) - 2*e*\log(e*x^2 + d))/(c*d^2 + a*e^2)]$

giac [A] time = 0.35, size = 85, normalized size = 0.89

$$\frac{cd \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(cd^2 + ae^2)\sqrt{ac}} - \frac{e \log(cx^4 + a)}{4(cd^2 + ae^2)} + \frac{e^2 \log(|x^2e + d|)}{2(cd^2e + ae^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")`

[Out] $1/2*c*d*\arctan(c*x^2/\text{sqrt}(a*c))/((c*d^2 + a*e^2)*\text{sqrt}(a*c)) - 1/4*e*\log(c*x^4 + a)/(c*d^2 + a*e^2) + 1/2*e^2*\log(\text{abs}(x^2*e + d))/(c*d^2*e + a*e^3)$

maple [A] time = 0.01, size = 83, normalized size = 0.86

$$\frac{cd \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}} - \frac{e \ln(cx^4 + a)}{4(ae^2 + cd^2)} + \frac{e \ln(ex^2 + d)}{2ae^2 + 2cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(e*x^2+d)/(c*x^4+a),x)`

[Out] $-1/4*e*\ln(c*x^4+a)/(a*e^2+c*d^2)+1/2*c/(a*e^2+c*d^2)*d/(a*c)^{(1/2)}*\arctan(1/(a*c)^{(1/2)}*c*x^2)+1/2*e*\ln(e*x^2+d)/(a*e^2+c*d^2)$

maxima [A] time = 1.98, size = 82, normalized size = 0.85

$$\frac{cd \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(cd^2 + ae^2)\sqrt{ac}} - \frac{e \log(cx^4 + a)}{4(cd^2 + ae^2)} + \frac{e \log(ex^2 + d)}{2(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] 1/2*c*d*arctan(c*x^2/sqrt(a*c))/((c*d^2 + a*e^2)*sqrt(a*c)) - 1/4*e*log(c*x^4 + a)/(c*d^2 + a*e^2) + 1/2*e*log(e*x^2 + d)/(c*d^2 + a*e^2)

mupad [B] time = 1.02, size = 328, normalized size = 3.42

$$\frac{e \ln(ex^2 + d)}{2cd^2 + 2ae^2} - \frac{\ln(ac^5d^6x^2 - c^3d^6(-ac)^{3/2} - 9a^3e^6(-ac)^{3/2} + 9a^4c^2e^6x^2 + 19ad^2e^4(-ac)^{5/2} + 11cd^4e^2(-ac)^{5/2} - 9a^3d^6(-ac)^{3/2} + c^3d^6(-ac)^{3/2} + a^5d^6x^2 + 9a^4c^2e^6x^2 - 19ad^2e^4(-ac)^{5/2} - 11cd^4e^2(-ac)^{5/2} + 11a^2c^4d^4e^2x^2 + 19a^3c^3d^2e^4x^2)(ae - d(-ac)^{1/2})}{4(a^2e^2 + ca d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((a + c*x^4)*(d + e*x^2)),x)

[Out] (e*log(d + e*x^2))/(2*a*e^2 + 2*c*d^2) - (log(a*c^5*d^6*x^2 - c^3*d^6*(-a*c)^(3/2) - 9*a^3*e^6*(-a*c)^(3/2) + 9*a^4*c^2*e^6*x^2 + 19*a*d^2*e^4*(-a*c)^(5/2) + 11*c*d^4*e^2*(-a*c)^(5/2) + 11*a^2*c^4*d^4*e^2*x^2 + 19*a^3*c^3*d^2*e^4*x^2)*(a*e - d*(-a*c)^(1/2)))/(4*(a^2*e^2 + a*c*d^2)) - (log(9*a^3*e^6*(-a*c)^(3/2) + c^3*d^6*(-a*c)^(3/2) + a*c^5*d^6*x^2 + 9*a^4*c^2*e^6*x^2 - 19*a*d^2*e^4*(-a*c)^(5/2) - 11*c*d^4*e^2*(-a*c)^(5/2) + 11*a^2*c^4*d^4*e^2*x^2 + 19*a^3*c^3*d^2*e^4*x^2)*(a*e + d*(-a*c)^(1/2)))/(4*(a^2*e^2 + a*c*d^2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.234 \quad \int \frac{1}{x(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=114

$$-\frac{cd \log(a+cx^4)}{4a(ae^2+cd^2)} - \frac{e^2 \log(d+ex^2)}{2d(ae^2+cd^2)} - \frac{\sqrt{c} e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{a}(ae^2+cd^2)} + \frac{\log(x)}{ad}$$

[Out] $\ln(x)/a/d-1/2*e^2*\ln(e*x^2+d)/d/(a*e^2+c*d^2)-1/4*c*d*\ln(c*x^4+a)/a/(a*e^2+c*d^2)-1/2*e*arctan(x^2*c^(1/2)/a^(1/2))*c^(1/2)/(a*e^2+c*d^2)/a^(1/2)$

Rubi [A] time = 0.12, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 894, 635, 205, 260}

$$-\frac{e^2 \log(d+ex^2)}{2d(ae^2+cd^2)} - \frac{cd \log(a+cx^4)}{4a(ae^2+cd^2)} - \frac{\sqrt{c} e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2\sqrt{a}(ae^2+cd^2)} + \frac{\log(x)}{ad}$$

Antiderivative was successfully verified.

[In] Int[1/(x*(d + e*x^2)*(a + c*x^4)),x]

[Out] $-(\text{Sqrt}[c]*e*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/(2*\text{Sqrt}[a]*(c*d^2 + a*e^2)) + \text{Log}[x]/(a*d) - (e^2*\text{Log}[d + e*x^2])/(2*d*(c*d^2 + a*e^2)) - (c*d*\text{Log}[a + c*x^4])/(4*a*(c*d^2 + a*e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 894

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_.) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x(d+ex^2)(a+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(d+ex)(a+cx^2)} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{adx} - \frac{e^3}{d(cd^2+ae^2)(d+ex)} - \frac{c(ae+cdx)}{a(cd^2+ae^2)(a+cx^2)} \right) dx, x, x^2 \right) \\
 &= \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2+ae^2)} - \frac{c \text{Subst} \left(\int \frac{ae+cdx}{a+cx^2} dx, x, x^2 \right)}{2a(cd^2+ae^2)} \\
 &= \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2+ae^2)} - \frac{(c^2d) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2a(cd^2+ae^2)} - \frac{(ce) \text{Subst} \left(\int \frac{1}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)} \\
 &= -\frac{\sqrt{c}e \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{2\sqrt{a}(cd^2+ae^2)} + \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2+ae^2)} - \frac{cd \log(a+cx^4)}{4a(cd^2+ae^2)}
 \end{aligned}$$

Mathematica [A] time = 0.07, size = 134, normalized size = 1.18

$$\frac{-cd^2 \log(a+cx^4) + 2\sqrt{a}\sqrt{c}de \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}} \right) + 2\sqrt{a}\sqrt{c}de \tan^{-1} \left(\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}} + 1 \right) - 2ae^2 \log(d+ex^2) + 4ae^2}{4a^2de^2 + 4acd^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x*(d + e*x^2)*(a + c*x^4)), x]
```

```
[Out] (2*Sqrt[a]*Sqrt[c]*d*e*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*Sqrt[a]*Sqrt[c]*d*e*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 4*c*d^2*Log[x] + 4*a*
```

$$e^{2*Log[x]} - 2*a*e^{2*Log[d + e*x^2]} - c*d^2*Log[a + c*x^4]/(4*a*c*d^3 + 4*a^2*d*e^2)$$

fricas [A] time = 11.29, size = 201, normalized size = 1.76

$$\left[\frac{ade\sqrt{-\frac{c}{a}} \log\left(\frac{cx^4 - 2ax^2\sqrt{-\frac{c}{a}} - a}{cx^4 + a}\right) - cd^2 \log(cx^4 + a) - 2ae^2 \log(ex^2 + d) + 4(cd^2 + ae^2) \log(x) + 2ade\sqrt{\frac{c}{a}} \arctan\left(\frac{cx^2}{\sqrt{a}}\right)}{4(acd^3 + a^2de^2)}, \frac{2ade\sqrt{\frac{c}{a}} \arctan\left(\frac{cx^2}{\sqrt{a}}\right)}{4(acd^3 + a^2de^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] [1/4*(a*d*e*sqrt(-c/a)*log((c*x^4 - 2*a*x^2*sqrt(-c/a) - a)/(c*x^4 + a)) - c*d^2*log(c*x^4 + a) - 2*a*e^2*log(e*x^2 + d) + 4*(c*d^2 + a*e^2)*log(x))/(a*c*d^3 + a^2*d*e^2), 1/4*(2*a*d*e*sqrt(c/a)*arctan(a*sqrt(c/a)/(c*x^2)) - c*d^2*log(c*x^4 + a) - 2*a*e^2*log(e*x^2 + d) + 4*(c*d^2 + a*e^2)*log(x))/(a*c*d^3 + a^2*d*e^2)]

giac [A] time = 0.29, size = 102, normalized size = 0.89

$$-\frac{cd \log(cx^4 + a)}{4(acd^2 + a^2e^2)} - \frac{c \arctan\left(\frac{cx^2}{\sqrt{ac}}\right) e}{2(cd^2 + ae^2)\sqrt{ac}} - \frac{e^3 \log(|x^2e + d|)}{2(cd^3e + ade^3)} + \frac{\log(x^2)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] -1/4*c*d*log(c*x^4 + a)/(a*c*d^2 + a^2*e^2) - 1/2*c*arctan(c*x^2/sqrt(a*c))*e/((c*d^2 + a*e^2)*sqrt(a*c)) - 1/2*e^3*log(abs(x^2*e + d))/(c*d^3*e + a*d*e^3) + 1/2*log(x^2)/(a*d)

maple [A] time = 0.01, size = 101, normalized size = 0.89

$$-\frac{ce \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}} - \frac{cd \ln(cx^4 + a)}{4(ae^2 + cd^2)a} - \frac{e^2 \ln(ex^2 + d)}{2(ae^2 + cd^2)d} + \frac{\ln(x)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e*x^2+d)/(c*x^4+a),x)

[Out] ln(x)/a/d-1/4*c*d*ln(c*x^4+a)/a/(a*e^2+c*d^2)-1/2*c/(a*e^2+c*d^2)*e/(a*c)^(1/2)*arctan(1/(a*c)^(1/2)*c*x^2)-1/2*e^2*ln(e*x^2+d)/d/(a*e^2+c*d^2)

maxima [A] time = 1.97, size = 101, normalized size = 0.89

$$\frac{cd \log(cx^4 + a)}{4(acd^2 + a^2e^2)} - \frac{e^2 \log(ex^2 + d)}{2(cd^3 + ade^2)} - \frac{ce \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(cd^2 + ae^2)\sqrt{ac}} + \frac{\log(x^2)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] -1/4*c*d*log(c*x^4 + a)/(a*c*d^2 + a^2*e^2) - 1/2*e^2*log(e*x^2 + d)/(c*d^3 + a*d*e^2) - 1/2*c*e*arctan(c*x^2/sqrt(a*c))/((c*d^2 + a*e^2)*sqrt(a*c)) + 1/2*log(x^2)/(a*d)

mupad [B] time = 0.96, size = 527, normalized size = 4.62

$$\ln\left(\frac{64a^7 c e^{10} x^2 - 64a^6 e^{10} \sqrt{-a^3 c} - 25a^5 d^{10} \sqrt{-a^3 c} + 25a^2 c^6 d^{10} x^2 + 180a^2 d^2 e^8 (-a^3 c)^{3/2} - 41c^2 d^6 e^4 (-a^3 c)^{3/2}}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + c*x^4)*(d + e*x^2)),x)

[Out] (log(64*a^7*c*e^10*x^2 - 64*a^6*e^10*(-a^3*c)^(1/2) - 25*a*c^5*d^10*(-a^3*c)^(1/2) + 25*a^2*c^6*d^10*x^2 + 180*a^2*d^2*e^8*(-a^3*c)^(3/2) - 41*c^2*d^6*e^4*(-a^3*c)^(3/2) - 9*a^3*c^5*d^8*e^2*x^2 - 41*a^4*c^4*d^6*e^4*x^2 + 109*a^5*c^3*d^4*e^6*x^2 + 180*a^6*c^2*d^2*e^8*x^2 + 9*a^2*c^4*d^8*e^2*(-a^3*c)^(1/2) + 109*a*c*d^4*e^6*(-a^3*c)^(3/2))*(e*(-a^3*c)^(1/2) - a*c*d))/(4*a^3*e^2 + 4*a^2*c*d^2) - (log(64*a^6*e^10*(-a^3*c)^(1/2) + 64*a^7*c*e^10*x^2 + 25*a*c^5*d^10*(-a^3*c)^(1/2) + 25*a^2*c^6*d^10*x^2 - 180*a^2*d^2*e^8*(-a^3*c)^(3/2) + 41*c^2*d^6*e^4*(-a^3*c)^(3/2) - 9*a^3*c^5*d^8*e^2*x^2 - 41*a^4*c^4*d^6*e^4*x^2 + 109*a^5*c^3*d^4*e^6*x^2 + 180*a^6*c^2*d^2*e^8*x^2 - 9*a^2*c^4*d^8*e^2*(-a^3*c)^(1/2) - 109*a*c*d^4*e^6*(-a^3*c)^(3/2))*(e*(-a^3*c)^(1/2) + a*c*d))/(4*(a^3*e^2 + a^2*c*d^2)) - (e^2*log(d + e*x^2))/(2*c*d^3 + 2*a*d*e^2) + log(x)/(a*d)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.235 \quad \int \frac{1}{x^3(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=129

$$-\frac{c^{3/2}d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2a^{3/2}(ae^2+cd^2)} + \frac{ce \log(a+cx^4)}{4a(ae^2+cd^2)} + \frac{e^3 \log(d+ex^2)}{2d^2(ae^2+cd^2)} - \frac{e \log(x)}{ad^2} - \frac{1}{2adx^2}$$

[Out] -1/2/a/d/x^2-1/2*c^(3/2)*d*arctan(x^2*c^(1/2)/a^(1/2))/a^(3/2)/(a*e^2+c*d^2)-e*ln(x)/a/d^2+1/2*e^3*ln(e*x^2+d)/d^2/(a*e^2+c*d^2)+1/4*c*e*ln(c*x^4+a)/a/(a*e^2+c*d^2)

Rubi [A] time = 0.15, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 894, 635, 205, 260}

$$-\frac{c^{3/2}d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2a^{3/2}(ae^2+cd^2)} + \frac{e^3 \log(d+ex^2)}{2d^2(ae^2+cd^2)} + \frac{ce \log(a+cx^4)}{4a(ae^2+cd^2)} - \frac{e \log(x)}{ad^2} - \frac{1}{2adx^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(d + e*x^2)*(a + c*x^4)),x]

[Out] -1/(2*a*d*x^2) - (c^(3/2)*d*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(2*a^(3/2)*(c*d^2 + a*e^2)) - (e*Log[x])/(a*d^2) + (e^3*Log[d + e*x^2])/(2*d^2*(c*d^2 + a*e^2)) + (c*e*Log[a + c*x^4])/(4*a*(c*d^2 + a*e^2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 894

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (d + ex^2) (a + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^2 (d + ex) (a + cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{adx^2} - \frac{e}{ad^2x} + \frac{e^4}{d^2 (cd^2 + ae^2) (d + ex)} - \frac{c^2 (d - ex)}{a (cd^2 + ae^2) (a + cx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{1}{2adx^2} - \frac{e \log(x)}{ad^2} + \frac{e^3 \log(d + ex^2)}{2d^2 (cd^2 + ae^2)} - \frac{c^2 \text{Subst} \left(\int \frac{d - ex}{a + cx^2} dx, x, x^2 \right)}{2a (cd^2 + ae^2)} \\
&= -\frac{1}{2adx^2} - \frac{e \log(x)}{ad^2} + \frac{e^3 \log(d + ex^2)}{2d^2 (cd^2 + ae^2)} - \frac{(c^2 d) \text{Subst} \left(\int \frac{1}{a + cx^2} dx, x, x^2 \right)}{2a (cd^2 + ae^2)} + \frac{(c^2 e) \text{Subst} \left(\int \frac{x}{a + cx^2} dx, x, x^2 \right)}{2a (cd^2 + ae^2)} \\
&= -\frac{1}{2adx^2} - \frac{c^{3/2} d \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2a^{3/2} (cd^2 + ae^2)} - \frac{e \log(x)}{ad^2} + \frac{e^3 \log(d + ex^2)}{2d^2 (cd^2 + ae^2)} + \frac{ce \log(a + cx^4)}{4a (cd^2 + ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 169, normalized size = 1.31

$$\frac{2c^{3/2}d^3x^2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{c}x}{\sqrt{a}} \right) + 2c^{3/2}d^3x^2 \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{c}x}{\sqrt{a}} + 1 \right) + \sqrt{a} (-4ex^2 \log(x) (ae^2 + cd^2) + cd^2 ex^2 \log(a + cx^4))}{4a^{3/2}d^2x^2 (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(d + e*x^2)*(a + c*x^4)), x]

[Out] $(2*c^{(3/2)}*d^3*x^2*ArcTan[1 - (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}] + 2*c^{(3/2)}*d^3*x^2*ArcTan[1 + (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}] + Sqrt[a]*(-2*c*d^3 - 2*a*d*e^2 - 4*e*(c*d^2 + a*e^2)*x^2*Log[x] + 2*a*e^3*x^2*Log[d + e*x^2] + c*d^2*e*x^2*Log[a + c*x^4]))/(4*a^{(3/2)}*d^2*(c*d^2 + a*e^2)*x^2)$

fricas [A] time = 68.84, size = 265, normalized size = 2.05

$$\frac{cd^3x^2\sqrt{-\frac{c}{a}}\log\left(\frac{cx^4-2ax^2\sqrt{-\frac{c}{a}}-a}{cx^4+a}\right)+cd^2ex^2\log(cx^4+a)+2ae^3x^2\log(ex^2+d)-2cd^3-2ade^2-4(cd^2e+ae^3)x^2}{4(acd^4+a^2d^2e^2)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] $[1/4*(c*d^3*x^2*\sqrt{-c/a}*\log((c*x^4 - 2*a*x^2*\sqrt{-c/a} - a)/(c*x^4 + a)) + c*d^2*e*x^2*\log(c*x^4 + a) + 2*a*e^3*x^2*\log(e*x^2 + d) - 2*c*d^3 - 2*a*d*e^2 - 4*(c*d^2*e + a*e^3)*x^2*\log(x))/((a*c*d^4 + a^2*d^2*e^2)*x^2), 1/4*(2*c*d^3*x^2*\sqrt{c/a}*\arctan(a*\sqrt{c/a}/(c*x^2)) + c*d^2*e*x^2*\log(c*x^4 + a) + 2*a*e^3*x^2*\log(e*x^2 + d) - 2*c*d^3 - 2*a*d*e^2 - 4*(c*d^2*e + a*e^3)*x^2*\log(x))/((a*c*d^4 + a^2*d^2*e^2)*x^2)]$

giac [A] time = 0.30, size = 132, normalized size = 1.02

$$-\frac{c^2d \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(acd^2 + a^2e^2)\sqrt{ac}} + \frac{ce \log(cx^4 + a)}{4(acd^2 + a^2e^2)} + \frac{e^4 \log(|x^2e + d|)}{2(cd^4e + ad^2e^3)} - \frac{e \log(x^2)}{2ad^2} + \frac{x^2e - d}{2ad^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $-1/2*c^2*d*\arctan(c*x^2/\sqrt{a*c})/((a*c*d^2 + a^2*e^2)*\sqrt{a*c}) + 1/4*c*e*\log(c*x^4 + a)/(a*c*d^2 + a^2*e^2) + 1/2*e^4*\log(\text{abs}(x^2*e + d))/(c*d^4*e + a*d^2*e^3) - 1/2*e*\log(x^2)/(a*d^2) + 1/2*(x^2*e - d)/(a*d^2*x^2)$

maple [A] time = 0.01, size = 119, normalized size = 0.92

$$-\frac{c^2d \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}a} + \frac{ce \ln(cx^4 + a)}{4(ae^2 + cd^2)a} + \frac{e^3 \ln(ex^2 + d)}{2(ae^2 + cd^2)d^2} - \frac{e \ln(x)}{ad^2} - \frac{1}{2ad^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e*x^2+d)/(c*x^4+a),x)

[Out] $-1/2/a/d/x^2 - e \ln(x)/a/d^2 + 1/4*c*e*\ln(c*x^4+a)/a/(a*e^2+c*d^2) - 1/2*c^2/(a*e^2+c*d^2)/a*d/(a*c)^{(1/2)}*\arctan(1/(a*c)^{(1/2)}*c*x^2) + 1/2*e^3*\ln(e*x^2+d)/d^2/(a*e^2+c*d^2)$

maxima [A] time = 2.00, size = 120, normalized size = 0.93

$$\frac{e^3 \log(ex^2 + d)}{2(cd^4 + ad^2e^2)} - \frac{c^2 d \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(acd^2 + a^2e^2)\sqrt{ac}} + \frac{ce \log(cx^4 + a)}{4(acd^2 + a^2e^2)} - \frac{e \log(x^2)}{2ad^2} - \frac{1}{2adx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $1/2*e^3*\log(e*x^2 + d)/(c*d^4 + a*d^2*e^2) - 1/2*c^2*d*\arctan(c*x^2/\sqrt{a*c})/((a*c*d^2 + a^2*e^2)*\sqrt{a*c}) + 1/4*c*e*\log(c*x^4 + a)/(a*c*d^2 + a^2*e^2) - 1/2*e*\log(x^2)/(a*d^2) - 1/2/(a*d*x^2)$

mupad [B] time = 1.38, size = 820, normalized size = 6.36

$$\frac{\ln\left(a^6 c^{12} d^{16} x^2 + 64 a^{14} c^4 e^{16} x^2 + a^2 c^7 d^{16} (-a^3 c^3)^{3/2} - 64 a^{13} c^2 e^{16} \sqrt{-a^3 c^3} + 63 a^3 d^8 e^8 (-a^3 c^3)^{5/2} + 224 a^9\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + c*x^4)*(d + e*x^2)),x)

[Out] $(\log(a^6*c^{12}*d^{16}*x^2 + 64*a^{14}*c^4*e^{16}*x^2 + a^2*c^7*d^{16}*(-a^3*c^3)^{(3/2)} - 64*a^{13}*c^2*e^{16}*(-a^3*c^3)^{(1/2)} + 63*a^3*d^8*e^8*(-a^3*c^3)^{(5/2)} + 224*a^9*d^2*e^{14}*(-a^3*c^3)^{(3/2)} - 28*c^3*d^{14}*e^2*(-a^3*c^3)^{(5/2)} + 28*a^7*c^{11}*d^{14}*e^2*x^2 + 114*a^8*c^{10}*d^{12}*e^4*x^2 + 108*a^9*c^9*d^{10}*e^6*x^2 - 63*a^{10}*c^8*d^8*e^8*x^2 - 32*a^{11}*c^7*d^6*e^{10}*x^2 + 212*a^{12}*c^6*d^4*e^{12}*x^2 + 224*a^{13}*c^5*d^2*e^{14}*x^2 - 114*a*c^2*d^{12}*e^4*(-a^3*c^3)^{(5/2)} - 108*a^2*c*d^{10}*e^6*(-a^3*c^3)^{(5/2)} + 212*a^8*c*d^4*e^{12}*(-a^3*c^3)^{(3/2)} - 32*a^7*c^2*d^6*e^{10}*(-a^3*c^3)^{(3/2)})*(d*(-a^3*c^3)^{(1/2)} + a^2*c*e))/(4*a^4*e^2 + 4*a^3*c*d^2) - (\log(a^6*c^{12}*d^{16}*x^2 + 64*a^{14}*c^4*e^{16}*x^2 - a^2*c^7*d^{16}*(-a^3*c^3)^{(3/2)} + 64*a^{13}*c^2*e^{16}*(-a^3*c^3)^{(1/2)} - 63*a^3*d^8*e^8*(-a^3*c^3)^{(5/2)} - 224*a^9*d^2*e^{14}*(-a^3*c^3)^{(3/2)} + 28*c^3*d^{14}*e^2*(-a^3*c^3)^{(5/2)} + 28*a^7*c^{11}*d^{14}*e^2*x^2 + 114*a^8*c^{10}*d^{12}*e^4*x^2 + 108*a^9*c^9*d^{10}*e^6*x^2 - 63*a^{10}*c^8*d^8*e^8*x^2 - 32*a^{11}*c^7*d^6*e^{10}*x^2 + 212*a^{12}*c^6*d^4*e^{12}*x^2 + 224*a^{13}*c^5*d^2*e^{14}*x^2 + 114*a*c^2*d^{12}*e^4*(-a^3*c^3)^{(5/2)} + 108*a^2*c*d^{10}*e^6*(-a^3*c^3)^{(5/2)} - 212*a^8*c*d^4*e^{12}*(-a^3*c^3)^{(3/2)} + 32*a^7*c^2*d^6*e^{10}*(-a^3*c^3)^{(3/2)})*(d*(-a^3*c^3)^{(1/2)} - a^2*c*e))/(4*(a^4*e^2 + a^3*c*d^2)) + (e^3*log(d + e*x^2))/(2*c*d^4 + 2*a*d^2*e^2) - 1/(2*a*d*x^2) - (e*log(x))/(a*d^2)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.236 \quad \int \frac{1}{x^5(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=156

$$\frac{c^{3/2}e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2a^{3/2}(ae^2 + cd^2)} + \frac{c^2d \log(a + cx^4)}{4a^2(ae^2 + cd^2)} - \frac{\log(x)(cd^2 - ae^2)}{a^2d^3} - \frac{e^4 \log(d + ex^2)}{2d^3(ae^2 + cd^2)} + \frac{e}{2ad^2x^2} - \frac{1}{4adx^4}$$

[Out] $-1/4/a/d/x^4 + 1/2*e/a/d^2/x^2 + 1/2*c^{(3/2)}*e*\arctan(x^2*c^{(1/2)}/a^{(1/2)})/a^{(3/2)}/(a*e^2 + c*d^2) - (-a*e^2 + c*d^2)*\ln(x)/a^2/d^3 - 1/2*e^4*\ln(e*x^2 + d)/d^3/(a*e^2 + c*d^2) + 1/4*c^2*d*\ln(c*x^4 + a)/a^2/(a*e^2 + c*d^2)$

Rubi [A] time = 0.18, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {1252, 894, 635, 205, 260}

$$\frac{c^2d \log(a + cx^4)}{4a^2(ae^2 + cd^2)} + \frac{c^{3/2}e \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2a^{3/2}(ae^2 + cd^2)} - \frac{\log(x)(cd^2 - ae^2)}{a^2d^3} - \frac{e^4 \log(d + ex^2)}{2d^3(ae^2 + cd^2)} + \frac{e}{2ad^2x^2} - \frac{1}{4adx^4}$$

Antiderivative was successfully verified.

[In] Int[1/(x^5*(d + e*x^2)*(a + c*x^4)),x]

[Out] $-1/(4*a*d*x^4) + e/(2*a*d^2*x^2) + (c^{(3/2)}*e*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/(2*a^{(3/2)}*(c*d^2 + a*e^2)) - ((c*d^2 - a*e^2)*\text{Log}[x])/(a^2*d^3) - (e^4*\text{Log}[d + e*x^2])/(2*d^3*(c*d^2 + a*e^2)) + (c^2*d*\text{Log}[a + c*x^4])/(4*a^2*(c*d^2 + a*e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 894

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^5 (d + ex^2)(a + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^3 (d + ex)(a + cx^2)} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{adx^3} - \frac{e}{ad^2x^2} + \frac{-cd^2 + ae^2}{a^2d^3x} - \frac{e^5}{d^3(cd^2 + ae^2)(d + ex)} + \frac{c^2(ae - cd^2)}{a^2(cd^2 + ae^2)(d + ex)} \right) dx, x, x^2 \right) \\ &= -\frac{1}{4adx^4} + \frac{e}{2ad^2x^2} - \frac{(cd^2 - ae^2) \log(x)}{a^2d^3} - \frac{e^4 \log(d + ex^2)}{2d^3(cd^2 + ae^2)} + \frac{c^2 \text{Subst} \left(\int \frac{ae + cd^2}{a + cx^2} dx, x, x^2 \right)}{2a^2(cd^2 + ae^2)} \\ &= -\frac{1}{4adx^4} + \frac{e}{2ad^2x^2} - \frac{(cd^2 - ae^2) \log(x)}{a^2d^3} - \frac{e^4 \log(d + ex^2)}{2d^3(cd^2 + ae^2)} + \frac{(c^3d) \text{Subst} \left(\int \frac{x}{a + cx^2} dx, x, x^2 \right)}{2a^2(cd^2 + ae^2)} \\ &= -\frac{1}{4adx^4} + \frac{e}{2ad^2x^2} + \frac{c^{3/2}e \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{2a^{3/2}(cd^2 + ae^2)} - \frac{(cd^2 - ae^2) \log(x)}{a^2d^3} - \frac{e^4 \log(d + ex^2)}{2d^3(cd^2 + ae^2)} + \end{aligned}$$

Mathematica [A] time = 0.09, size = 209, normalized size = 1.34

$$\frac{a^2d^2e^2 + 2a^2e^4x^4 \log(d + ex^2) - 2a^2de^3x^2 - 4a^2e^4x^4 \log(x) + 2\sqrt{a}c^{3/2}d^3ex^4 \tan^{-1} \left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}} \right) + 2\sqrt{a}c^{3/2}d^3ex^4}{4a^2d^3x^4(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^5*(d + e*x^2)*(a + c*x^4)),x]

[Out]
$$-1/4*(a*c*d^4 + a^2*d^2*e^2 - 2*a*c*d^3*e*x^2 - 2*a^2*d*e^3*x^2 + 2*\sqrt{a} *c^{(3/2)}*d^3*e*x^4*\text{ArcTan}[1 - (\sqrt{2}*c^{(1/4)}*x)/a^{(1/4)}] + 2*\sqrt{a}*c^{(3/2)}*d^3*e*x^4*\text{ArcTan}[1 + (\sqrt{2}*c^{(1/4)}*x)/a^{(1/4)}] + 4*c^2*d^4*x^4*\text{Log}[x] - 4*a^2*e^4*x^4*\text{Log}[x] + 2*a^2*e^4*x^4*\text{Log}[d + e*x^2] - c^2*d^4*x^4*\text{Log}[a + c*x^4])/(a^2*d^3*(c*d^2 + a*e^2)*x^4)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^5/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")`

[Out] Timed out

giac [A] time = 0.34, size = 168, normalized size = 1.08

$$\frac{c^2 d \log(cx^4 + a)}{4(a^2 c d^2 + a^3 e^2)} + \frac{c^2 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right) e}{2(acd^2 + a^2 e^2)\sqrt{ac}} - \frac{e^5 \log(|x^2 e + d|)}{2(cd^5 e + ad^3 e^3)} - \frac{(cd^2 - ae^2) \log(x^2)}{2a^2 d^3} + \frac{3cd^2 x^4 - 3ax^4 e^2 + 2adx^2 e - d^2 x^4}{4a^2 d^3 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^5/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")`

[Out]
$$1/4*c^2*d*\log(c*x^4 + a)/(a^2*c*d^2 + a^3*e^2) + 1/2*c^2*\arctan(c*x^2/\sqrt{a*c})*e/((a*c*d^2 + a^2*e^2)*\sqrt{a*c}) - 1/2*e^5*\log(\text{abs}(x^2*e + d))/(c*d^5*e + a*d^3*e^3) - 1/2*(c*d^2 - a*e^2)*\log(x^2)/(a^2*d^3) + 1/4*(3*c*d^2*x^4 - 3*a*x^4*e^2 + 2*a*d*x^2*e - a*d^2)/(a^2*d^3*x^4)$$

maple [A] time = 0.02, size = 145, normalized size = 0.93

$$\frac{c^2 e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(ae^2 + cd^2)\sqrt{ac}} + \frac{c^2 d \ln(cx^4 + a)}{4(ae^2 + cd^2)a^2} - \frac{e^4 \ln(ex^2 + d)}{2(ae^2 + cd^2)d^3} + \frac{e^2 \ln(x)}{ad^3} - \frac{c \ln(x)}{a^2 d} + \frac{e}{2ad^2 x^2} - \frac{1}{4ad^4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^5/(e*x^2+d)/(c*x^4+a),x)`

[Out]
$$-1/4/a/d/x^4 + 1/d^3/a*\ln(x)*e^2 - 1/d/a^2*\ln(x)*c + 1/2*e/a/d^2/x^2 + 1/4*c^2*d*\ln(c*x^4+a)/a^2/(a*e^2+c*d^2) + 1/2*c^2/(a*e^2+c*d^2)/a*e/(a*c)^{(1/2)}*\arctan(1/(a*c)^{(1/2)}*c*x^2) - 1/2*e^4*\ln(e*x^2+d)/d^3/(a*e^2+c*d^2)$$

maxima [A] time = 2.05, size = 145, normalized size = 0.93

$$-\frac{e^4 \log(ex^2 + d)}{2(cd^5 + ad^3 e^2)} + \frac{c^2 d \log(cx^4 + a)}{4(a^2 c d^2 + a^3 e^2)} + \frac{c^2 e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{2(acd^2 + a^2 e^2)\sqrt{ac}} - \frac{(cd^2 - ae^2) \log(x^2)}{2a^2 d^3} + \frac{2ex^2 - d}{4ad^2 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^5/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $-1/2*e^4*\log(e*x^2 + d)/(c*d^5 + a*d^3*e^2) + 1/4*c^2*d*\log(c*x^4 + a)/(a^2*c*d^2 + a^3*e^2) + 1/2*c^2*e*\arctan(c*x^2/\sqrt{a*c})/((a*c*d^2 + a^2*e^2)*\sqrt{a*c}) - 1/2*(c*d^2 - a*e^2)*\log(x^2)/(a^2*d^3) + 1/4*(2*e*x^2 - d)/(a*d^2*x^4)$

mupad [B] time = 1.87, size = 1017, normalized size = 6.52

$\ln\left(25 a^2 c^9 d^{20} \left(-a^5 c^3\right)^{3/2} - 64 a^{19} c^4 e^{20} x^2 - 25 a^9 c^{14} d^{20} x^2 - 64 a^{17} c^2 e^{20} \sqrt{-a^5 c^3} + 100 a^3 d^8 e^{12} \left(-a^5 c^3\right)^{5/2} + \dots\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^5*(a + c*x^4)*(d + e*x^2)),x)

[Out] $(\log(25*a^2*c^9*d^{20}*(-a^5*c^3)^{(3/2)} - 64*a^{19}*c^4*e^{20}*x^2 - 25*a^9*c^{14}*d^{20}*x^2 - 64*a^{17}*c^2*e^{20}*(-a^5*c^3)^{(1/2)} + 100*a^3*d^8*e^{12}*(-a^5*c^3)^{(5/2)} + 128*a^{11}*d^2*e^{18}*(-a^5*c^3)^{(3/2)} - 112*c^3*d^{14}*e^6*(-a^5*c^3)^{(5/2)} - 76*a^{10}*c^{13}*d^{18}*e^2*x^2 - 138*a^{11}*c^{12}*d^{16}*e^4*x^2 - 112*a^{12}*c^{11}*d^{14}*e^6*x^2 + 55*a^{13}*c^{10}*d^{12}*e^8*x^2 + 104*a^{14}*c^9*d^{10}*e^{10}*x^2 + 100*a^{15}*c^8*d^8*e^{12}*x^2 + 172*a^{16}*c^7*d^6*e^{14}*x^2 + 32*a^{17}*c^6*d^4*e^{16}*x^2 - 128*a^{18}*c^5*d^2*e^{18}*x^2 + 55*a*c^2*d^{12}*e^8*(-a^5*c^3)^{(5/2)} + 104*a^2*c*d^{10}*e^{10}*(-a^5*c^3)^{(5/2)} - 32*a^{10}*c*d^4*e^{16}*(-a^5*c^3)^{(3/2)} + 76*a^3*c^8*d^{18}*e^2*(-a^5*c^3)^{(3/2)} + 138*a^4*c^7*d^{16}*e^4*(-a^5*c^3)^{(3/2)} - 172*a^9*c^2*d^6*e^{14}*(-a^5*c^3)^{(3/2}))* (e*(-a^5*c^3)^{(1/2)} + a^2*c^2*d) / (4*a^5*e^2 + 4*a^4*c*d^2) - (e^4*log(d + e*x^2))/(2*(c*d^5 + a*d^3*e^2)) - (\log(25*a^9*c^{14}*d^{20}*x^2 + 64*a^{19}*c^4*e^{20}*x^2 + 25*a^2*c^9*d^{20}*(-a^5*c^3)^{(3/2)} - 64*a^{17}*c^2*e^{20}*(-a^5*c^3)^{(1/2)} + 100*a^3*d^8*e^{12}*(-a^5*c^3)^{(5/2)} + 128*a^{11}*d^2*e^{18}*(-a^5*c^3)^{(3/2)} - 112*c^3*d^{14}*e^6*(-a^5*c^3)^{(5/2)} + 76*a^{10}*c^{13}*d^{18}*e^2*x^2 + 138*a^{11}*c^{12}*d^{16}*e^4*x^2 + 112*a^{12}*c^{11}*d^{14}*e^6*x^2 - 55*a^{13}*c^{10}*d^{12}*e^8*x^2 - 104*a^{14}*c^9*d^{10}*e^{10}*x^2 - 100*a^{15}*c^8*d^8*e^{12}*x^2 - 172*a^{16}*c^7*d^6*e^{14}*x^2 - 32*a^{17}*c^6*d^4*e^{16}*x^2 + 128*a^{18}*c^5*d^2*e^{18}*x^2 + 55*a*c^2*d^{12}*e^8*(-a^5*c^3)^{(5/2)} + 104*a^2*c*d^{10}*e^{10}*(-a^5*c^3)^{(5/2)} - 32*a^{10}*c*d^4*e^{16}*(-a^5*c^3)^{(3/2)} + 76*a^3*c^8*d^{18}*e^2*(-a^5*c^3)^{(3/2)} + 138*a^4*c^7*d^{16}*e^4*(-a^5*c^3)^{(3/2)} - 172*a^9*c^2*d^6*e^{14}*(-a^5*c^3)^{(3/2}))* (e*(-a^5*c^3)^{(1/2)} - a^2*c^2*d) / (4*(a^5*e^2 + a^4*c*d^2)) - (1/(4*a*d) - (e*x^2)/(2*a*d^2))/x^4 + (\log(x)*(a*e^2 - c*d^2))/(a^2*d^3)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**5/(e*x**2+d)/(c*x**4+a),x)
```

```
[Out] Timed out
```

$$3.237 \quad \int \frac{x^8}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=359

$$\frac{a^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} + \frac{a^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} - \frac{a^{5/4}}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)}$$

[Out] $-d*x/c/e^2+1/3*x^3/c/e+d^{(7/2)*\arctan(x*e^{(1/2)}/d^{(1/2)})}/e^{(5/2)}/(a*e^2+c*d^2)+1/4*a^{(5/4)*\arctan(-1+c^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})}/c^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}+1/4*a^{(5/4)*\arctan(1+c^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})}/c^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/8*a^{(5/4)*\ln(-a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})}/c^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}+1/8*a^{(5/4)*\ln(a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})}/c^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 359, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1288, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{a^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} + \frac{a^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} - \frac{a^{5/4}}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^8/((d + e*x^2)*(a + c*x^4)),x]

[Out] $-((d*x)/(c*e^2)) + x^3/(3*c*e) + (d^{(7/2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(e^{(5/2)*(c*d^2 + a*e^2)}) - (a^{(5/4)*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)})}/(2*\text{Sqrt}[2]*c^{(7/4)*(c*d^2 + a*e^2)}) + (a^{(5/4)*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)})}/(2*\text{Sqrt}[2]*c^{(7/4)*(c*d^2 + a*e^2)}) - (a^{(5/4)*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2]}/(4*\text{Sqrt}[2]*c^{(7/4)*(c*d^2 + a*e^2)}) + (a^{(5/4)*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2]}/(4*\text{Sqrt}[2]*c^{(7/4)*(c*d^2 + a*e^2)})$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1288

Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{x^8}{(d+ex^2)(a+cx^4)} dx &= \int \left(-\frac{d}{ce^2} + \frac{x^2}{ce} + \frac{d^4}{e^2(cd^2+ae^2)(d+ex^2)} + \frac{a^2(d-ex^2)}{c(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= -\frac{dx}{ce^2} + \frac{x^3}{3ce} + \frac{a^2 \int \frac{d-ex^2}{a+cx^4} dx}{c(cd^2+ae^2)} + \frac{d^4 \int \frac{1}{d+ex^2} dx}{e^2(cd^2+ae^2)} \\
&= -\frac{dx}{ce^2} + \frac{x^3}{3ce} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{5/2}(cd^2+ae^2)} + \frac{\left(a^2\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2c^2(cd^2+ae^2)} + \frac{\left(a^2\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right)\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2c^2(cd^2+ae^2)} \\
&= -\frac{dx}{ce^2} + \frac{x^3}{3ce} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{5/2}(cd^2+ae^2)} + \frac{\left(a^2\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c^2(cd^2+ae^2)} + \frac{\left(a^2\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right)\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c^2(cd^2+ae^2)} \\
&= -\frac{dx}{ce^2} + \frac{x^3}{3ce} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{5/2}(cd^2+ae^2)} - \frac{a^{5/4}(\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(cd^2+ae^2)} \\
&= -\frac{dx}{ce^2} + \frac{x^3}{3ce} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{5/2}(cd^2+ae^2)} - \frac{a^{7/4}\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}c^{7/4}(cd^2+ae^2)} + \frac{a^{7/4}\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}c^{7/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.36, size = 344, normalized size = 0.96

$$-3\sqrt{2}ae^{5/2}\left(a^{3/4}e + \sqrt[4]{a}\sqrt{c}d\right)\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) + 3\sqrt{2}ae^{5/2}\left(a^{3/4}e + \sqrt[4]{a}\sqrt{c}d\right)\log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right)$$

Antiderivative was successfully verified.

[In] Integrate[x^8/((d + e*x^2)*(a + c*x^4)),x]

[Out] $(-24*c^{(3/4)}*d*\text{Sqrt}[e]*(c*d^2 + a*e^2)*x + 8*c^{(3/4)}*e^{(3/2)}*(c*d^2 + a*e^2)*x^3 + 24*c^{(7/4)}*d^{(7/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]] + 6*\text{Sqrt}[2]*a^{(5/4)}*e^{(5/2)}*(-(\text{Sqrt}[c]*d) + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}] - 6*\text{Sqrt}[2]*a^{(5/4)}*e^{(5/2)}*(-(\text{Sqrt}[c]*d) + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}] - 3*\text{Sqrt}[2]*a*e^{(5/2)}*(a^{(1/4)}*\text{Sqrt}[c]*d + a^{(3/4)}*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2] + 3*\text{Sqrt}[2]*a*e^{(5/2)}*(a^{(1/4)}*\text{Sqrt}[c]*d + a^{(3/4)}*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(24*c^{(7/4)}*e^{(5/2)}*(c*d^2 + a*e^2))$

fricas [B] time = 21.11, size = 4414, normalized size = 12.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/12*(6*c*d^3*\sqrt{-d/e}*\log((e*x^2 + 2*e*x*\sqrt{-d/e} - d)/(e*x^2 + d)) + \\ & 4*(c*d^2*e + a*e^3)*x^3 - 3*(c^2*d^2*e^2 + a*c*e^4)*\sqrt{(2*a^3*d*e + (c^5 \\ & *d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 \\ & + a^7*e^4)/(c^{11}*d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2 \\ & *e^6 + a^4*c^7*e^8)))/(c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4))*\log(-(a^3*c \\ & *d^2 - a^4*e^2)*x + (a^2*c^3*d^3 - a^3*c^2*d*e^2 + (c^7*d^4*e + 2*a*c^6*d^2 \\ & *e^3 + a^2*c^5*e^5)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11} \\ & *d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7 \\ & *e^8)))*\sqrt{(2*a^3*d*e + (c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)*\sqrt{-(a^5 \\ & *c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2 \\ & *c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7*e^8)))/(c^5*d^4 + 2*a*c^4*d^2 \\ & *e^2 + a^2*c^3*e^4)) + 3*(c^2*d^2*e^2 + a*c*e^4)*\sqrt{(2*a^3*d*e + (c^5*d^4 + \\ & 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e \\ & ^4)/(c^{11}*d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + \\ & a^4*c^7*e^8)))/(c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4))*\log(-(a^3*c*d^2 - \\ & a^4*e^2)*x - (a^2*c^3*d^3 - a^3*c^2*d*e^2 + (c^7*d^4*e + 2*a*c^6*d^2*e^3 + \\ & a^2*c^5*e^5)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 + 4 \\ & *a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7*e^8)))*\sqrt{ \\ & ((2*a^3*d*e + (c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)*\sqrt{-(a^5*c^2*d^4 \\ & - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4 \\ & *e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7*e^8)))/(c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2 \\ & *c^3*e^4)) - 3*(c^2*d^2*e^2 + a*c*e^4)*\sqrt{((2*a^3*d*e - (c^5*d^4 + 2*a*c^4 \\ & *d^2*e^2 + a^2*c^3*e^4)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11} \\ & *d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7 \\ & *e^8)))/(c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4))*\log(-(a^3*c*d^2 - a^4 \\ & *e^2)*x + (a^2*c^3*d^3 - a^3*c^2*d*e^2 - (c^7*d^4*e + 2*a*c^6*d^2*e^3 + a^2*c^5 \\ & *e^5)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 + 4*a*c^{10} \\ & *d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7*e^8)))*\sqrt{((2*a \\ & ^3*d*e - (c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)*\sqrt{-(a^5*c^2*d^4 - 2*a \\ & ^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + \\ & 4*a^3*c^8*d^2*e^6 + a^4*c^7*e^8)))/(c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4 \\ &)) + 3*(c^2*d^2*e^2 + a*c*e^4)*\sqrt{((2*a^3*d*e - (c^5*d^4 + 2*a*c^4*d^2*e^2 \\ & + a^2*c^3*e^4)*\sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 \\ & + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 + a^4*c^7*e^8)) \\ &))/(c^5*d^4 + 2*a*c^4*d^2*e^2 + a^2*c^3*e^4))*\log(-(a^3*c*d^2 - a^4*e^2)*x - \\ & (a^2*c^3*d^3 - a^3*c^2*d*e^2 - (c^7*d^4*e + 2*a*c^6*d^2*e^3 + a^2*c^5*e^5)* \\ & \sqrt{-(a^5*c^2*d^4 - 2*a^6*c*d^2*e^2 + a^7*e^4)/(c^{11}*d^8 + 4*a*c^{10}*d^6*e^2} \end{aligned}$$

$$\sim 2 + a^2 c^3 e^4)) - 12(c d^3 + a d e^2) x / (c^2 d^2 e^2 + a c e^4)]$$

giac [A] time = 0.54, size = 363, normalized size = 1.01

$$\frac{d^{\frac{7}{2}} \arctan\left(\frac{x e^{\frac{1}{2}}}{\sqrt{d}}\right) e^{-\frac{1}{2}}}{c d^2 e^2 + a e^4} + \frac{\left((a c^3)^{\frac{1}{4}} a c^2 d - (a c^3)^{\frac{3}{4}} a e\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2} c^5 d^2 + \sqrt{2} a c^4 e^2\right)} + \frac{\left((a c^3)^{\frac{1}{4}} a c^2 d - (a c^3)^{\frac{3}{4}} a e\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2} c^5 d^2 + \sqrt{2} a c^4 e^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $d^{7/2} \arctan(x e^{1/2} / \sqrt{d}) e^{-1/2} / (c d^2 e^2 + a e^4) + 1/2 * ((a c^3)^{1/4} a c^2 d - (a c^3)^{3/4} a e) \arctan(1/2 * \sqrt{2} * (2x + \sqrt{2} * (a/c)^{1/4}) / (a/c)^{1/4}) / (\sqrt{2} * c^5 d^2 + \sqrt{2} * a c^4 e^2) + 1/2 * ((a c^3)^{1/4} a c^2 d - (a c^3)^{3/4} a e) \arctan(1/2 * \sqrt{2} * (2x - \sqrt{2} * (a/c)^{1/4}) / (a/c)^{1/4}) / (\sqrt{2} * c^5 d^2 + \sqrt{2} * a c^4 e^2) + 1/4 * ((a c^3)^{1/4} a c^2 d + (a c^3)^{3/4} a e) * \log(x^2 + \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}) / (\sqrt{2} * c^5 d^2 + \sqrt{2} * a c^4 e^2) - 1/4 * ((a c^3)^{1/4} a c^2 d + (a c^3)^{3/4} a e) * \log(x^2 - \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}) / (\sqrt{2} * c^5 d^2 + \sqrt{2} * a c^4 e^2) + 1/3 * (c^2 * x^3 * e^2 - 3 * c^2 * d * x * e) * e^{-3} / c^3$

maple [A] time = 0.02, size = 405, normalized size = 1.13

$$\frac{d^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(a e^2 + c d^2) \sqrt{de} e^2} - \frac{\sqrt{2} a^2 e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(a e^2 + c d^2) \left(\frac{a}{c}\right)^{\frac{1}{4}} c^2} - \frac{\sqrt{2} a^2 e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(a e^2 + c d^2) \left(\frac{a}{c}\right)^{\frac{1}{4}} c^2} - \frac{\sqrt{2} a^2 e \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}\right)}{8(a e^2 + c d^2) \left(\frac{a}{c}\right)^{\frac{1}{4}} c^2} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}}}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8/(e*x^2+d)/(c*x^4+a),x)

[Out] $1/3 * x^3 / c / e - d * x / c / e^2 + 1/8 * a / (a e^2 + c d^2) / c * d * (a/c)^{1/4} * 2^{1/2} * \ln((x^2 + (a/c)^{1/4} * x * 2^{1/2} + (a/c)^{1/2}) / (x^2 - (a/c)^{1/4} * x * 2^{1/2} + (a/c)^{1/2})) + 1/4 * a / (a e^2 + c d^2) / c * d * (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) + 1/4 * a / (a e^2 + c d^2) / c * d * (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1) - 1/8 * a^2 / (a e^2 + c d^2) / c^2 * e / (a/c)^{1/4} * 2^{1/2} * \ln((x^2 - (a/c)^{1/4} * x * 2^{1/2} + (a/c)^{1/2}) / (x^2 + (a/c)^{1/4} * x * 2^{1/2} + (a/c)^{1/2})) - 1/4 * a^2 / (a e^2 + c d^2) / c^2 * e / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) - 1/4 * a^2 / (a e^2 + c d^2) / c^2 * e / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1) + 1/e^2 * d^4 / (a e^2 + c d^2) / (d * e)^{1/2} * \arctan(e * x / (d * e)^{1/2})$

maxima [A] time = 2.05, size = 294, normalized size = 0.82

$$\frac{d^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2e^2 + ae^4)\sqrt{de}} + \frac{a^2 \left[\frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} \right] + \frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{\sqrt{2}(\sqrt{c}d + \sqrt{a}e)}{8(c^2d^2 + ace^2)} \right]}{8(c^2d^2 + ace^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $d^4 \arctan(e*x/\sqrt{d*e}) / ((c*d^2*e^2 + a*e^4)*\sqrt{d*e}) + 1/8*a^2*(2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}) - \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}))/((c^2*d^2 + a*c*e^2) + 1/3*(e*x^3 - 3*d*x)/(c*e^2)$

mupad [B] time = 2.06, size = 6097, normalized size = 16.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8/((a + c*x^4)*(d + e*x^2)),x)

[Out] $(\log(a^7*d^4*e^{26} + 16*c^7*d^{18}*e^{12} - 16*c^7*x*(-d^7*e^5)^{(5/2)} + 2*a^6*c*d^6*e^{24} + 16*a^3*c^4*d^{12}*e^{18} + a^5*c^2*d^8*e^{22} - a^7*e^{24}*x*(-d^7*e^5)^{(1/2)} - a^5*c^2*d^4*e^{20}*x*(-d^7*e^5)^{(1/2)} + 16*a^3*c^4*d*e^{11}*x*(-d^7*e^5)^{(3/2)} - 2*a^6*c*d^2*e^{22}*x*(-d^7*e^5)^{(1/2)}*(-d^7*e^5)^{(1/2)})/(2*a*e^7 + 2*c*d^2*e^5) - \operatorname{atan}\left(\frac{(192*a^3*c^8*d^6*e^5 + 384*a^4*c^7*d^4*e^7 + 192*a^5*c^6*d^2*e^9)/(c^3*e^3) - (2*x*((c*d^2*(-a^5*c^7)^{(1/2)} - a*e^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)}*(256*a^5*c^7*e^{12} - 256*a^2*c^{10}*d^6*e^6 - 256*a^3*c^9*d^4*e^8 + 256*a^4*c^8*d^2*e^{10})/(c^3*e^3)*((c*d^2*(-a^5*c^7)^{(1/2)} - a*e^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} + (2*x*(64*a^2*c^8*d^9*e + 56*a^6*c^4*d*e^9 - 8*a^4*c^6*d^5*e^5 - 16*a^5*c^5*d^3*e^7))/(c^3*e^3)*((c*d^2*(-a^5*c^7)^{(1/2)} - a*e^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} - (16*$

$$\begin{aligned}
& a^3c^6d^9 + 4a^7c^2d^8e^8 - 64a^4c^5d^7e^2 + 64a^5c^4d^5e^4 + 4 \\
& *a^6c^3d^3e^6)/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} \\
& /2) + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} \\
& - (2*x*(a^8e^8 + 2a^4c^4d^8))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} \\
& + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)}*1i - (((((192a^3c^8d^6e^5 + 384a^4c^7d^4e^7 + 192a^5c^6d^2e^9)/(c^3e^3) + (2*x*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)}*(256a^5c^7e^12 - 256a^2c^10d^6e^6 - 256a^3c^9d^4e^8 + 256a^4c^8d^2e^10))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} - (2*x*(64a^2c^8d^9e + 56a^6c^4d^8e^9 - 8a^4c^6d^5e^5 - 16a^5c^5d^3e^7))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} - (16a^3c^6d^9 + 4a^7c^2d^8e^8 - 64a^4c^5d^7e^2 + 64a^5c^4d^5e^4 + 4a^6c^3d^3e^6)/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} + (2*x*(a^8e^8 + 2a^4c^4d^8))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)}*1i)/((((((192a^3c^8d^6e^5 + 384a^4c^7d^4e^7 + 192a^5c^6d^2e^9)/(c^3e^3) - (2*x*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)}*(256a^5c^7e^12 - 256a^2c^10d^6e^6 - 256a^3c^9d^4e^8 + 256a^4c^8d^2e^10))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} + (2*x*(64a^2c^8d^9e + 56a^6c^4d^8e^9 - 8a^4c^6d^5e^5 - 16a^5c^5d^3e^7))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} - (16a^3c^6d^9 + 4a^7c^2d^8e^8 - 64a^4c^5d^7e^2 + 64a^5c^4d^5e^4 + 4a^6c^3d^3e^6)/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} - (2*x*(a^8e^8 + 2a^4c^4d^8))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} + (((((192a^3c^8d^6e^5 + 384a^4c^7d^4e^7 + 192a^5c^6d^2e^9)/(c^3e^3) + (2*x*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)}*(256a^5c^7e^12 - 256a^2c^10d^6e^6 - 256a^3c^9d^4e^8 + 256a^4c^8d^2e^10))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} - (2*x*(64a^2c^8d^9e + 56a^6c^4d^8e^9 - 8a^4c^6d^5e^5 - 16a^5c^5d^3e^7))/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} - (16a^3c^6d^9 + 4a^7c^2d^8e^8 - 64a^4c^5d^7e^2 + 64a^5c^4d^5e^4 + 4a^6c^3d^3e^6)/(c^3e^3))*((c^2d^2(-a^5c^7)^{(1/2)} - a^2e^2(-a^5c^7)^{(1/2)} + 2a^3c^4d^8e)/(16*(c^9d^4 + a^2c^7e^4 + 2a^3c^8d^2e^2)))^{(1/2)} + (2*x
\end{aligned}$$

$$\begin{aligned}
& * (a^8 e^8 + 2 a^4 c^4 d^8) / (c^3 e^3) * ((c d^2 (-a^5 c^7)^{1/2} - a e^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} + (2 (a^7 d^4 e^3 - a^6 c d^6 e)) / (c^3 e^3) * ((c d^2 (-a^5 c^7)^{1/2} - a e^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} * 2i - (\log(a^7 d^4 e^{26} + 16 c^7 d^{18} e^{12} + 16 c^7 x x (-d^7 e^5)^{5/2} + 2 a^6 c d^6 e^{24} + 16 a^3 c^4 d^{12} e^{18} + a^5 c^2 d^8 e^{22} + a^7 e^{24} x x (-d^7 e^5)^{1/2} + a^5 c^2 d^4 e^{20} x x (-d^7 e^5)^{1/2} - 16 a^3 c^4 d e^{11} x x (-d^7 e^5)^{3/2} + 2 a^6 c d^2 e^{22} x x (-d^7 e^5)^{1/2})) * (-d^7 e^5)^{1/2}) / (2 (a e^7 + c d^2 e^5)) - \operatorname{atan}((((192 a^3 c^8 d^6 e^5 + 384 a^4 c^7 d^4 e^7 + 192 a^5 c^6 d^2 e^9) / (c^3 e^3) - (2 x x ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} * (256 a^5 c^7 e^{12} - 256 a^2 c^{10} d^6 e^6 - 256 a^3 c^9 d^4 e^8 + 256 a^4 c^8 d^2 e^{10})) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} + (2 x x (64 a^2 c^8 d^9 e + 56 a^6 c^4 d e^9 - 8 a^4 c^6 d^5 e^5 - 16 a^5 c^5 d^3 e^7)) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} - (16 a^3 c^6 d^9 + 4 a^7 c^2 d e^8 - 64 a^4 c^5 d^7 e^2 + 64 a^5 c^4 d^5 e^4 + 4 a^6 c^3 d^3 e^6) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} - (2 x x (a^8 e^8 + 2 a^4 c^4 d^8)) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} * 1i - (((192 a^3 c^8 d^6 e^5 + 384 a^4 c^7 d^4 e^7 + 192 a^5 c^6 d^2 e^9) / (c^3 e^3) + (2 x x ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} * (256 a^5 c^7 e^{12} - 256 a^2 c^{10} d^6 e^6 - 256 a^3 c^9 d^4 e^8 + 256 a^4 c^8 d^2 e^{10})) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} - (2 x x (64 a^2 c^8 d^9 e + 56 a^6 c^4 d e^9 - 8 a^4 c^6 d^5 e^5 - 16 a^5 c^5 d^3 e^7)) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} - (16 a^3 c^6 d^9 + 4 a^7 c^2 d e^8 - 64 a^4 c^5 d^7 e^2 + 64 a^5 c^4 d^5 e^4 + 4 a^6 c^3 d^3 e^6) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} + (2 x x (a^8 e^8 + 2 a^4 c^4 d^8)) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} * 1i) / (((192 a^3 c^8 d^6 e^5 + 384 a^4 c^7 d^4 e^7 + 192 a^5 c^6 d^2 e^9) / (c^3 e^3) - (2 x x ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} * (256 a^5 c^7 e^{12} - 256 a^2 c^{10} d^6 e^6 - 256 a^3 c^9 d^4 e^8 + 256 a^4 c^8 d^2 e^{10})) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} + (2 x x (64 a^2 c^8 d^9 e + 56 a^6 c^4 d e^9 - 8 a^4 c^6 d^5 e^5 - 16 a^5 c^5 d^3 e^7)) / (c^3 e^3)) * ((a e^2 (-a^5 c^7)^{1/2} - c d^2 (-a^5 c^7)^{1/2} + 2 a^3 c^4 d e) / (16 (c^9 d^4 + a^2 c^7 e^4 + 2 a c^8 d^2 e^2)))^{1/2} + (2 x x (a^8 e^8 + 2 a^4 c^4 d^8)) / (c^3 e^3) + 2
\end{aligned}$$

$$\begin{aligned}
& *a*c^8*d^2*e^2)))^{(1/2)} - (16*a^3*c^6*d^9 + 4*a^7*c^2*d*e^8 - 64*a^4*c^5*d^7*e^2 + 64*a^5*c^4*d^5*e^4 + 4*a^6*c^3*d^3*e^6)/(c^3*e^3))*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} - (2*x*(a^8*e^8 + 2*a^4*c^4*d^8))/(c^3*e^3))* \\
& ((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} + (((((192*a^3*c^8*d^6*e^5 + 384*a^4*c^7*d^4*e^7 + 192*a^5*c^6*d^2*e^9)/(c^3*e^3) + (2*x*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)}*(256*a^5*c^7*e^12 - 256*a^2*c^10*d^6*e^6 - 256*a^3*c^9*d^4*e^8 + 256*a^4*c^8*d^2*e^10))/(c^3*e^3))*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} - (2*x*(64*a^2*c^8*d^9*e + 56*a^6*c^4*d*e^9 - 8*a^4*c^6*d^5*e^5 - 16*a^5*c^5*d^3*e^7))/(c^3*e^3))*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} - (16*a^3*c^6*d^9 + 4*a^7*c^2*d*e^8 - 64*a^4*c^5*d^7*e^2 + 64*a^5*c^4*d^5*e^4 + 4*a^6*c^3*d^3*e^6)/(c^3*e^3))*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} + (2*x*(a^8*e^8 + 2*a^4*c^4*d^8))/(c^3*e^3))*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)} + (2*(a^7*d^4*e^3 - a^6*c*d^6*e))/(c^3*e^3))*((a*e^2*(-a^5*c^7)^{(1/2)} - c*d^2*(-a^5*c^7)^{(1/2)} + 2*a^3*c^4*d*e)/(16*(c^9*d^4 + a^2*c^7*e^4 + 2*a*c^8*d^2*e^2)))^{(1/2)}*2i + x^3/(3*c*e) - (d*x)/(c*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8/(e*x**2+d)/(c*x**4+a), x)

[Out] Timed out

$$3.238 \quad \int \frac{x^6}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=345

$$\frac{a^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{5/4}(ae^2 + cd^2)} + \frac{a^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{5/4}(ae^2 + cd^2)} + \frac{a^{3/4}}{4\sqrt{2}c^{5/4}(ae^2 + cd^2)}$$

[Out] x/c/e-d^(5/2)*arctan(x*e^(1/2)/d^(1/2))/e^(3/2)/(a*e^2+c*d^2)-1/8*a^(3/4)*ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(-e*a^(1/2)+d*c^(1/2))/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)+1/8*a^(3/4)*ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(-e*a^(1/2)+d*c^(1/2))/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)-1/4*a^(3/4)*arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+d*c^(1/2))/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)-1/4*a^(3/4)*arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+d*c^(1/2))/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)

Rubi [A] time = 0.30, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1288, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{a^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{5/4}(ae^2 + cd^2)} + \frac{a^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{5/4}(ae^2 + cd^2)} + \frac{a^{3/4}}{4\sqrt{2}c^{5/4}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^6/((d + e*x^2)*(a + c*x^4)),x]

[Out] x/(c*e) - (d^(5/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(e^(3/2)*(c*d^2 + a*e^2)) + (a^(3/4)*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*c^(5/4)*(c*d^2 + a*e^2)) - (a^(3/4)*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*c^(5/4)*(c*d^2 + a*e^2)) - (a^(3/4)*(Sqrt[c]*d - Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*c^(5/4)*(c*d^2 + a*e^2)) + (a^(3/4)*(Sqrt[c]*d - Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*c^(5/4)*(c*d^2 + a*e^2))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1288

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{x^6}{(d+ex^2)(a+cx^4)} dx &= \int \left(\frac{1}{ce} - \frac{d^3}{e(cd^2+ae^2)(d+ex^2)} - \frac{a(ae+cdx^2)}{c(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= \frac{x}{ce} - \frac{a \int \frac{ae+cdx^2}{a+cx^4} dx}{c(cd^2+ae^2)} - \frac{d^3 \int \frac{1}{d+ex^2} dx}{e(cd^2+ae^2)} \\
&= \frac{x}{ce} - \frac{d^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{3/2}(cd^2+ae^2)} + \frac{\left(a\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\sqrt{a}\sqrt{c}-cx^2}{a+cx^4} dx}{2c(cd^2+ae^2)} - \frac{\left(a\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\sqrt{a}\sqrt{c}+cx^2}{a+cx^4} dx}{2c(cd^2+ae^2)} \\
&= \frac{x}{ce} - \frac{d^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{3/2}(cd^2+ae^2)} - \frac{\left(a^{3/4}\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}}+2x}{-\frac{\sqrt{a}}{\sqrt{c}}-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}}-x^2} dx}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} - \frac{\left(a^{3/4}\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\sqrt{2}\sqrt[4]{a}}{\sqrt{c}}+2x}{-\frac{\sqrt{a}}{\sqrt{c}}-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}}-x^2} dx}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} \\
&= \frac{x}{ce} - \frac{d^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{3/2}(cd^2+ae^2)} - \frac{a^{3/4}\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right)}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} + \frac{a^{3/4}\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right)}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} \\
&= \frac{x}{ce} - \frac{d^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{3/2}(cd^2+ae^2)} + \frac{a^{3/4}(\sqrt{c}d + \sqrt{ae}) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}c^{5/4}(cd^2+ae^2)} - \frac{a^{3/4}(\sqrt{c}d + \sqrt{ae}) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}c^{5/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 373, normalized size = 1.08

$$-\frac{(a^{3/4}cd - a^{5/4}\sqrt{c}e) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} + \frac{(a^{3/4}cd - a^{5/4}\sqrt{c}e) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} - \frac{(a^{3/4}cd + a^{5/4}\sqrt{c}e) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)} + \frac{(a^{3/4}cd + a^{5/4}\sqrt{c}e) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}c^{7/4}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/((d + e*x^2)*(a + c*x^4)),x]

[Out] x/(c*e) - (d^(5/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]]/(e^(3/2)*(c*d^2 + a*e^2)) - ((a^(3/4)*c*d + a^(5/4)*Sqrt[c]*e)*ArcTan[(-(Sqrt[2]*a^(1/4)) + 2*c^(1/4)*x)/(Sqrt[2]*a^(1/4))]/(2*Sqrt[2]*c^(7/4)*(c*d^2 + a*e^2)) - ((a^(3/4)*c*d + a^(5/4)*Sqrt[c]*e)*ArcTan[(Sqrt[2]*a^(1/4) + 2*c^(1/4)*x)/(Sqrt[2]*a^(1/4))]/(2*Sqrt[2]*c^(7/4)*(c*d^2 + a*e^2)) - ((a^(3/4)*c*d - a^(5/4)*Sqrt[c]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]/(4*Sqrt[2]*c^(7/4)*(c*d^2 + a*e^2)) + ((a^(3/4)*c*d - a^(5/4)*Sqrt[c]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]/(4*Sqrt[2]*c^(7/4)*(c*d^2 + a*e^2))

$$\begin{aligned}
& 2*a^2*d*e - (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)) + 4*(c*d^2 + a*e^2)*x)/(c^2*d^2*e + a*c*e^3), -1/4*(4*c*d^2*\sqrt{d/e}*\arctan(e*x*\sqrt{d/e}/d) - (c^2*d^2*e + a*c*e^3)*\sqrt{-(2*a^2*d*e + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4))*\log(-(a^2*c*d^2 - a^3*e^2)*x + (a^2*c^2*d^2*e - a^3*c*e^3 - (c^6*d^5 + 2*a*c^5*d^3*e^2 + a^2*c^4*d*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))*\sqrt{-(2*a^2*d*e + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)) + (c^2*d^2*e + a*c*e^3)*\sqrt{-(2*a^2*d*e + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4))*\log(-(a^2*c*d^2 - a^3*e^2)*x - (a^2*c^2*d^2*e - a^3*c*e^3 - (c^6*d^5 + 2*a*c^5*d^3*e^2 + a^2*c^4*d*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))*\sqrt{-(2*a^2*d*e + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)) - (c^2*d^2*e + a*c*e^3)*\sqrt{-(2*a^2*d*e - (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4))*\log(-(a^2*c*d^2 - a^3*e^2)*x + (a^2*c^2*d^2*e - a^3*c*e^3 + (c^6*d^5 + 2*a*c^5*d^3*e^2 + a^2*c^4*d*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))*\sqrt{-(2*a^2*d*e - (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)) + (c^2*d^2*e + a*c*e^3)*\sqrt{-(2*a^2*d*e - (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4))*\log(-(a^2*c*d^2 - a^3*e^2)*x - (a^2*c^2*d^2*e - a^3*c*e^3 + (c^6*d^5 + 2*a*c^5*d^3*e^2 + a^2*c^4*d*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))*\sqrt{-(2*a^2*d*e - (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*\sqrt{-(a^3*c^2*d^4 - 2*a^4*c*d^2*e^2 + a^5*e^4)/(c^9*d^8 + 4*a*c^8*d^6*e^2 + 6*a^2*c^7*d^4*e^4 + 4*a^3*c^6*d^2*e^6 + a^4*c^5*e^8)))/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)) - 4*(c*d^2 + a*e^2)*x)/(c^2*d^2*e + a*c*e^3)
\end{aligned}$$

]

giac [A] time = 0.44, size = 333, normalized size = 0.97

$$\frac{d^{\frac{5}{2}} \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)} \left(\left(ac^3\right)^{\frac{1}{4}} ace + \left(ac^3\right)^{\frac{3}{4}} d\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left(\left(ac^3\right)^{\frac{1}{4}} ace + \left(ac^3\right)^{\frac{3}{4}} d\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{cd^2e + ae^3} \frac{1}{2\left(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2\right)} \frac{1}{2\left(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $-d^{\frac{5}{2}} \arctan(xe^{\frac{1}{2}}/\sqrt{d}) e^{(-\frac{1}{2})}/(c*d^2*e + a*e^3) - 1/2*((a*c^3)^{\frac{1}{4}}*a*c*e + (a*c^3)^{\frac{3}{4}}*d)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/c)^{\frac{1}{4}})/(a/c)^{\frac{1}{4}})/(\sqrt{2}*c^4*d^2 + \sqrt{2}*a*c^3*e^2) - 1/2*((a*c^3)^{\frac{1}{4}}*a*c*e + (a*c^3)^{\frac{3}{4}}*d)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/c)^{\frac{1}{4}})/(a/c)^{\frac{1}{4}})/(\sqrt{2}*c^4*d^2 + \sqrt{2}*a*c^3*e^2) + x*e^{(-1)}/c - 1/4*((a*c^3)^{\frac{1}{4}}*a*c*e - (a*c^3)^{\frac{3}{4}}*d)*\log(x^2 + \sqrt{2}*x*(a/c)^{\frac{1}{4}} + \sqrt{a/c})/(\sqrt{2}*c^4*d^2 + \sqrt{2}*a*c^3*e^2) + 1/4*((a*c^3)^{\frac{1}{4}}*a*c*e - (a*c^3)^{\frac{3}{4}}*d)*\log(x^2 - \sqrt{2}*x*(a/c)^{\frac{1}{4}} + \sqrt{a/c})/(\sqrt{2}*c^4*d^2 + \sqrt{2}*a*c^3*e^2)$

maple [A] time = 0.01, size = 387, normalized size = 1.12

$$\frac{d^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ae^2 + cd^2)\sqrt{de}e} \frac{\sqrt{2} ad \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}c} \frac{\sqrt{2} ad \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}c} \frac{\sqrt{2} ad \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}c} \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/(e*x^2+d)/(c*x^4+a),x)

[Out] $x/c/e - 1/4*a/(a*e^2+c*d^2)/c*e*(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*\arctan(2^{\frac{1}{2}}/(a/c)^{\frac{1}{4}})*x - 1/8*a/(a*e^2+c*d^2)/c*e*(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*\ln((x^2+(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}})*x+(a/c)^{\frac{1}{2}})/(x^2-(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*x+(a/c)^{\frac{1}{2}})) - 1/4*a/(a*e^2+c*d^2)/c*e*(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*\arctan(2^{\frac{1}{2}}/(a/c)^{\frac{1}{4}}*x+1) - 1/8*a/(a*e^2+c*d^2)/c*d/(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*\ln((x^2-(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}})*x+(a/c)^{\frac{1}{2}})/(x^2+(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*x+(a/c)^{\frac{1}{2}})) - 1/4*a/(a*e^2+c*d^2)/c*d/(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*\arctan(2^{\frac{1}{2}}/(a/c)^{\frac{1}{4}}*x+1) - 1/4*a/(a*e^2+c*d^2)/c*d/(a/c)^{\frac{1}{4}}*2^{\frac{1}{2}}*\arctan(2^{\frac{1}{2}}/(a/c)^{\frac{1}{4}}*x-1) - 1/e*d^3/(a*e^2+c*d^2)/(d*e)^{\frac{1}{2}}*\arctan(1/(d*e)^{\frac{1}{2}}*e*x)$

$$\begin{aligned}
& ^{10} - 256a^2c^8d^6e^4 - 256a^3c^7d^4e^6 + 256a^4c^6d^2e^8)/(c* \\
& e)*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16 \\
& *(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} + (2*x*(64*a^2*c^6*d^7*e \\
& - 56*a^5*c^3*d*e^7 + 8*a^3*c^5*d^5*e^3 + 16*a^4*c^4*d^3*e^5))/(c*e))*(-(c* \\
& d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 \\
& + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} - (48*a^3*c^4*d^6*e - 60*a^4*c^3* \\
& d^4*e^3 + 4*a^5*c^2*d^2*e^5)/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3 \\
& c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)) \\
&)^{(1/2)} - (2*x*(a^6*e^6 - 2*a^3*c^3*d^6))/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} \\
& - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a* \\
& c^6*d^2*e^2)))^{(1/2)}*1i - (((((64*a^5*c^4*d*e^8 + 64*a^3*c^6*d^5*e^4 + 128* \\
& a^4*c^5*d^3*e^6)/(c*e) + (2*x*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} \\
& + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} \\
&)*(256*a^5*c^5*e^{10} - 256*a^2*c^8*d^6*e^4 - 256*a^3*c^7*d^4*e^6 + 256*a^4*c^6 \\
& *d^2*e^8))/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2* \\
& a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} - (2*x*(\\
& 64*a^2*c^6*d^7*e - 56*a^5*c^3*d*e^7 + 8*a^3*c^5*d^5*e^3 + 16*a^4*c^4*d^3*e^5) \\
&)/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d \\
& *e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} - (48*a^3*c^4*d^6 \\
& *e - 60*a^4*c^3*d^4*e^3 + 4*a^5*c^2*d^2*e^5)/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} \\
& - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2 \\
& *a*c^6*d^2*e^2)))^{(1/2)} + (2*x*(a^6*e^6 - 2*a^3*c^3*d^6))/(c*e))*(-(c*d^2*(\\
& -a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^ \\
& 2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)}*1i)/((((((64*a^5*c^4*d*e^8 + 64*a^3*c^ \\
& 6*d^5*e^4 + 128*a^4*c^5*d^3*e^6)/(c*e) - (2*x*(-(c*d^2*(-a^3c^5)^{(1/2)} - a \\
& *e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6 \\
& *d^2*e^2)))^{(1/2)}*(256*a^5*c^5*e^{10} - 256*a^2*c^8*d^6*e^4 - 256*a^3*c^7*d^4 \\
& *e^6 + 256*a^4*c^6*d^2*e^8))/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3 \\
& c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)) \\
&)^{(1/2)} + (2*x*(64*a^2*c^6*d^7*e - 56*a^5*c^3*d*e^7 + 8*a^3*c^5*d^5*e^3 + 1 \\
& 6*a^4*c^4*d^3*e^5))/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} \\
& + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} - \\
& (48*a^3*c^4*d^6*e - 60*a^4*c^3*d^4*e^3 + 4*a^5*c^2*d^2*e^5)/(c*e))*(-(c*d^ \\
& 2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + \\
& a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} - (2*x*(a^6*e^6 - 2*a^3*c^3*d^6))/(\\
& c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(\\
& 16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)} + (((((64*a^5*c^4*d*e^8 \\
& + 64*a^3*c^6*d^5*e^4 + 128*a^4*c^5*d^3*e^6)/(c*e) + (2*x*(-(c*d^2*(-a^3c^ \\
& 5)^{(1/2)} - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5* \\
& e^4 + 2*a*c^6*d^2*e^2)))^{(1/2)}*(256*a^5*c^5*e^{10} - 256*a^2*c^8*d^6*e^4 - 25 \\
& 6*a^3*c^7*d^4*e^6 + 256*a^4*c^6*d^2*e^8))/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} \\
& - a*e^2*(-a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a* \\
& c^6*d^2*e^2)))^{(1/2)} - (2*x*(64*a^2*c^6*d^7*e - 56*a^5*c^3*d*e^7 + 8*a^3*c^ \\
& 5*d^5*e^3 + 16*a^4*c^4*d^3*e^5))/(c*e))*(-(c*d^2*(-a^3c^5)^{(1/2)} - a*e^2*(\\
& -a^3c^5)^{(1/2)} + 2*a^2*c^3*d*e)/(16*(c^7*d^4 + a^2*c^5*e^4 + 2*a*c^6*d^2*e
\end{aligned}$$

$$3.239 \quad \int \frac{x^4}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=336

$$\frac{\sqrt[4]{a} (\sqrt{a}e + \sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)} - \frac{\sqrt[4]{a} (\sqrt{a}e + \sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)} + \frac{\sqrt[4]{a} (\sqrt{a}e + \sqrt{c}d)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)}$$

[Out] $-1/4*a^{(1/4)}*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/4*a^{(1/4)}*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}+1/8*a^{(1/4)}*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/8*a^{(1/4)}*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}+d^{(3/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/(a*e^2+c*d^2)/e^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1288, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{a} (\sqrt{a}e + \sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)} - \frac{\sqrt[4]{a} (\sqrt{a}e + \sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)} + \frac{\sqrt[4]{a} (\sqrt{a}e + \sqrt{c}d)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e*x^2)*(a + c*x^4)),x]

[Out] $(d^{(3/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(\text{Sqrt}[e]*(c*d^2 + a*e^2)) + (a^{(1/4)}*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*c^{(3/4)}*(c*d^2 + a*e^2)) - (a^{(1/4)}*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*c^{(3/4)}*(c*d^2 + a*e^2)) + (a^{(1/4)}*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*c^{(3/4)}*(c*d^2 + a*e^2)) - (a^{(1/4)}*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*c^{(3/4)}*(c*d^2 + a*e^2))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1288

Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex^2)(a+cx^4)} dx &= \int \left(\frac{d^2}{(cd^2+ae^2)(d+ex^2)} - \frac{a(d-ex^2)}{(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= -\frac{a \int \frac{d-ex^2}{a+cx^4} dx}{cd^2+ae^2} + \frac{d^2 \int \frac{1}{d+ex^2} dx}{cd^2+ae^2} \\
&= \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)} - \frac{\left(a\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2c(cd^2+ae^2)} - \frac{\left(a\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right)\right) \int \frac{\sqrt{a}\sqrt{c-cx^2}}{a+cx^4} dx}{2c(cd^2+ae^2)} \\
&= \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)} - \frac{\left(a\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c(cd^2+ae^2)} - \frac{\left(a\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right)\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c(cd^2+ae^2)} \\
&= \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)} + \frac{\sqrt[4]{a}(\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} - \frac{\sqrt[4]{a}(\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} \\
&= \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)} + \frac{a^{3/4}\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}c^{3/4}(cd^2+ae^2)} - \frac{a^{3/4}\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}c^{3/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 233, normalized size = 0.69

$$\frac{\sqrt{2}\sqrt[4]{a}\sqrt{e}\left((\sqrt{a}e + \sqrt{c}d)\left(\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) - \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)\right) + 2(\sqrt{c}d - \sqrt{a}e)\right)}{8c^{3/4}\sqrt{e}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e*x^2)*(a + c*x^4)),x]

[Out] (8*c^(3/4)*d^(3/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + Sqrt[2]*a^(1/4)*Sqrt[e]*(2*(Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + (-2*Sqrt[c]*d + 2*Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + (Sqrt[c]*d + Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]))/(8*c^(3/4)*Sqrt[e]*(c*d^2 + a*e^2))

fricas [B] time = 1.68, size = 4040, normalized size = 12.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & \frac{1}{4} \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & \log\left(-\frac{(c^2 d^3 - a^2 c d e^2 + (c^4 d^4 e + 2 a^2 c^3 d^2 e^3 + a^2 c^2 e^5) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}\right) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & \left. \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & - (c^2 d^2 + a^2 e^2) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & \left. \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & \log\left(-\frac{(c^2 d^3 - a^2 c d e^2 + (c^4 d^4 e + 2 a^2 c^3 d^2 e^3 + a^2 c^2 e^5) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}\right) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & \left. \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & + (c^2 d^2 + a^2 e^2) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & - (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & \left. \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & \log\left(-\frac{(c^2 d^2 - a^2 e^2) x + (c^2 d^3 - a^2 c d e^2 - (c^4 d^4 e + 2 a^2 c^3 d^2 e^3 + a^2 c^2 e^5) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}\right) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & \left. \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & - (c^2 d^2 + a^2 e^2) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \\ & \left. \left((c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}} \right) \right) / (c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^2 c^2 e^4) \\ & + 2 d \sqrt{-d/e} \log\left(\frac{(e x^2 + 2 e x \sqrt{-d/e} - d) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}}{(e x^2 + d) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}}\right) / (c^2 d^2 + a^2 e^2) \\ & + \frac{1}{4} (4 d \sqrt{d/e} \arctan(e x \sqrt{d/e}/d) + (c^2 d^2 + a^2 e^2) \sqrt{-\frac{a^2 c^2 d^4 - 2 a^2 c^2 d^2 e^2 + a^3 e^4}{c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8}}) \end{aligned}$$

$$\begin{aligned}
& 4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8)) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \log(-(c*d^2 - a*e^2)*x + (c^2*d^3 - a*c*d*e^2 + (c^4*d^4*e + 2*a*c^3*d^2*e^3 + a^2*c^2*e^5) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) * \sqrt{((2*a*d*e + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)) - (c*d^2 + a*e^2) * \sqrt{((2*a*d*e + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)) * \log(-(c*d^2 - a*e^2)*x - (c^2*d^3 - a*c*d*e^2 + (c^4*d^4*e + 2*a*c^3*d^2*e^3 + a^2*c^2*e^5) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) * \sqrt{((2*a*d*e + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)) + (c*d^2 + a*e^2) * \sqrt{((2*a*d*e - (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)) * \log(-(c*d^2 - a*e^2)*x + (c^2*d^3 - a*c*d*e^2 - (c^4*d^4*e + 2*a*c^3*d^2*e^3 + a^2*c^2*e^5) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) * \sqrt{((2*a*d*e - (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)) - (c*d^2 + a*e^2) * \sqrt{((2*a*d*e - (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)) * \log(-(c*d^2 - a*e^2)*x - (c^2*d^3 - a*c*d*e^2 - (c^4*d^4*e + 2*a*c^3*d^2*e^3 + a^2*c^2*e^5) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) * \sqrt{((2*a*d*e - (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) * \sqrt{-(a*c^2*d^4 - 2*a^2*c*d^2*e^2 + a^3*e^4)} / (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4))} / (c*d^2 + a*e^2)]
\end{aligned}$$

giac [A] time = 0.43, size = 327, normalized size = 0.97

$$\frac{d^3 \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{-\frac{1}{2}} \left((ac^3)^{\frac{1}{4}} c^2 d - (ac^3)^{\frac{3}{4}} e \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left((ac^3)^{\frac{1}{4}} c^2 d - (ac^3)^{\frac{3}{4}} e \right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{cd^2 + ae^2} \cdot \frac{1}{2\left(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2\right)} \cdot \frac{1}{2\left(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $d^{3/2} \arctan(xe^{1/2}/\sqrt{d})e^{-1/2}/(cd^2 + ae^2) - 1/2*((ac^3)^{(1/4)}c^{1/4}c^2d - (ac^3)^{(3/4)}e) \arctan(1/2\sqrt{2}*(2x + \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2) - 1/2*((ac^3)^{(1/4)}c^2d - (ac^3)^{(3/4)}e) \arctan(1/2\sqrt{2}*(2x - \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2) - 1/4*((ac^3)^{(1/4)}c^2d + (ac^3)^{(3/4)}e) \log(x^2 + \sqrt{2}x*(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2) + 1/4*((ac^3)^{(1/4)}c^2d + (ac^3)^{(3/4)}e) \log(x^2 - \sqrt{2}x*(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}c^4d^2 + \sqrt{2}ac^3e^2)$

maple [A] time = 0.01, size = 363, normalized size = 1.08

$$\frac{d^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ae^2 + cd^2)\sqrt{de}} + \frac{\sqrt{2} ae \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}c} + \frac{\sqrt{2} ae \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}c} + \frac{\sqrt{2} ae \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}c} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}d}{4(ae^2 + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e*x^2+d)/(c*x^4+a),x)

[Out] $-1/8/(ae^2+cd^2)*d*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))-1/4/(ae^2+cd^2)*d*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)-1/4/(ae^2+cd^2)*d*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)+1/8*a/(ae^2+cd^2)*e/c/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))+1/4*a/(ae^2+cd^2)*e/c/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)+1/4*a/(ae^2+cd^2)*e/c/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)+d^2/(ae^2+cd^2)/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 2.63, size = 268, normalized size = 0.80

$$\frac{d^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2 + ae^2)\sqrt{de}} + \frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{\sqrt{2}(\sqrt{c}d + \sqrt{a}e)}{8(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $d^2 \arctan(e*x/\sqrt{d*e}) / ((c*d^2 + a*e^2) \sqrt{d*e}) - 1/8*a*(2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e) \arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2})*a^{1/4}*c^{1/4}) / \sqrt{\sqrt{a}*\sqrt{c}}) / (\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e) \arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2})*a^{1/4}*c^{1/4}) / \sqrt{\sqrt{a}*\sqrt{c}}) / (\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e) \log(\sqrt{c}*x^2 + \sqrt{2})*a^{1/4}*c^{1/4}*x + \sqrt{a}) / (a^{3/4}*c^{3/4}) - \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e) \log(\sqrt{c}*x^2 - \sqrt{2})*a^{1/4}*c^{1/4}*x + \sqrt{a}) / (a^{3/4}*c^{3/4}) / (c*d^2 + a*e^2)$

mupad [B] time = 2.20, size = 5111, normalized size = 15.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((a + c*x^4)*(d + e*x^2)),x)

[Out] $\operatorname{atan}\left(\frac{((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2))^{1/2} * ((x*(112*a^4*c^3*d*e^6 + 112*a^2*c^5*d^5*e^2 - 32*a^3*c^4*d^3*e^4) + ((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} * (64*a^2*c^6*d^6*e^2 - x*((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} * (512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) + 128*a^3*c^5*d^4*e^4 + 64*a^4*c^4*d^2*e^6)) * ((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} + 16*a^2*c^4*d^5*e + 4*a^4*c^2*d*e^5 - 60*a^3*c^3*d^3*e^3) - x*(2*a^4*c*e^5 + 4*a^2*c^3*d^4*e)) * ((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} * i + (((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} * ((x*(112*a^4*c^3*d*e^6 + 112*a^2*c^5*d^5*e^2 - 32*a^3*c^4*d^3*e^4) - ((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} * (512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) + 64*a^2*c^6*d^6*e^2 + 128*a^3*c^5*d^4*e^4 + 64*a^4*c^4*d^2*e^6)) * ((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} - 16*a^2*c^4*d^5*e - 4*a^4*c^2*d*e^5 + 60*a^3*c^3*d^3*e^3) - x*(2*a^4*c*e^5 + 4*a^2*c^3*d^4*e)) * ((a*e^2*(-a*c^3)^{1/2} - c*d^2*(-a*c^3)^{1/2} + 2*a*c^2*d*e)/(16*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)))^{1/2} *$

$$\begin{aligned}
& \sqrt[5]{d^4 e^4 + 64 a^4 c^4 d^2 e^6} \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} - \\
& 16 a^2 c^4 d^5 e - 4 a^4 c^2 d e^5 + 60 a^3 c^3 d^3 e^3 - x (2 a^4 c e^5 + 4 a^2 c^3 d^4 e) \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * i / \left(\left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * \left(x (112 a^4 c^3 d e^6 + 112 a^2 c^5 d^5 e^2 - 32 a^3 c^4 d^3 e^4) + \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * (64 a^2 c^6 d^6 e^2 - x \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * (512 a^5 c^4 e^9 - 512 a^2 c^7 d^6 e^3 - 512 a^3 c^6 d^4 e^5 + 512 a^4 c^5 d^2 e^7) + 128 a^3 c^5 d^4 e^4 + 64 a^4 c^4 d^2 e^6) \right) \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} + 16 a^2 c^4 d^5 e + 4 a^4 c^2 d e^5 - 60 a^3 c^3 d^3 e^3 - x (2 a^4 c e^5 + 4 a^2 c^3 d^4 e) \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} - \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * \left(x (112 a^4 c^3 d e^6 + 112 a^2 c^5 d^5 e^2 - 32 a^3 c^4 d^3 e^4) - \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * \left(x \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * (512 a^5 c^4 e^9 - 512 a^2 c^7 d^6 e^3 - 512 a^3 c^6 d^4 e^5 + 512 a^4 c^5 d^2 e^7) + 64 a^2 c^6 d^6 e^2 + 128 a^3 c^5 d^4 e^4 + 64 a^4 c^4 d^2 e^6) \right) \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} - 16 a^2 c^4 d^5 e - 4 a^4 c^2 d e^5 + 60 a^3 c^3 d^3 e^3 - x (2 a^4 c e^5 + 4 a^2 c^3 d^4 e) \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} + 2 a^3 c d^2 e^2 \left((c d^2 (-a c^3)^{1/2} - a e^2 (-a c^3)^{1/2} + 2 a c^2 d e) / (16 (c^5 d^4 + a^2 c^3 e^4 + 2 a c^4 d^2 e^2)) \right)^{1/2} * i - (\log(16 c^3 x (-d^3 e)^{5/2} + a^3 d^2 e^8 + 16 c^3 d^8 e^2 + 17 a c^2 d^6 e^4 + 2 a^2 c d^4 e^6 + a^3 e^8 x x (-d^3 e)^{1/2} - 17 a c^2 d e^3 x x (-d^3 e)^{3/2} + 2 a^2 c d^2 e^6 x x (-d^3 e)^{1/2}) * (-d^3 e)^{1/2}) / (2 (a e^3 + c d^2 e)) + (\log(a^3 d^2 e^8 - 16 c^3 x x (-d^3 e)^{5/2} + 16 c^3 d^8 e^2 + 17 a c^2 d^6 e^4 + 2 a^2 c d^4 e^6 - a^3 e^8 x x (-d^3 e)^{1/2} + 17 a c^2 d e^3 x x (-d^3 e)^{3/2} - 2 a^2 c d^2 e^6 x x (-d^3 e)^{1/2}) * (-d^3 e)^{1/2}) / (2 a e^3 + 2 c d^2 e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.240 \quad \int \frac{x^2}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=337

$$\frac{(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} (ae^2 + cd^2)} - \frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} (ae^2 + cd^2)} - \frac{\sqrt{d} \sqrt{e} \tan^{-1}\left(\frac{\sqrt{c}d - \sqrt{a}e}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2}\right)}{ae^2 + cd^2}$$

[Out] 1/8*ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(-e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)*2^(1/2)-1/8*ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(-e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)*2^(1/2)+1/4*arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)*2^(1/2)+1/4*arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)*2^(1/2)-arctan(x*e^(1/2)/d^(1/2))*d^(1/2)*e^(1/2)/(a*e^2+c*d^2)

Rubi [A] time = 0.27, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1288, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} (ae^2 + cd^2)} - \frac{(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} (ae^2 + cd^2)} - \frac{\sqrt{d} \sqrt{e} \tan^{-1}\left(\frac{\sqrt{c}d - \sqrt{a}e}{\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2}\right)}{ae^2 + cd^2}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e*x^2)*(a + c*x^4)),x]

[Out] -((Sqrt[d]*Sqrt[e]*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(c*d^2 + a*e^2)) - ((Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(2*Sqrt[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2)) + ((Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(2*Sqrt[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2)) + ((Sqrt[c]*d - Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2)) - ((Sqrt[c]*d - Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1288

Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(d+ex^2)(a+cx^4)} dx &= \int \left(-\frac{de}{(cd^2+ae^2)(d+ex^2)} + \frac{ae+cdx^2}{(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= \frac{\int \frac{ae+cdx^2}{a+cx^4} dx}{cd^2+ae^2} - \frac{(de) \int \frac{1}{d+ex^2} dx}{cd^2+ae^2} \\
&= -\frac{\sqrt{d}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{cd^2+ae^2} - \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \int \frac{\sqrt{a}\sqrt{c}-cx^2}{a+cx^4} dx}{2(cd^2+ae^2)} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right) \int \frac{\sqrt{a}\sqrt{c}+cx^2}{a+cx^4} dx}{2(cd^2+ae^2)} \\
&= -\frac{\sqrt{d}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{cd^2+ae^2} + \frac{\left(\sqrt[4]{c}\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}+2x}{\sqrt[4]{c}}}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} - x^2} dx}{4\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)} + \frac{\left(\sqrt[4]{c}\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}-2x}{\sqrt[4]{c}}}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} - x^2} dx}{4\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)} \\
&= -\frac{\sqrt{d}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{cd^2+ae^2} + \frac{\sqrt[4]{c}\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right)}{4\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)} - \frac{\sqrt[4]{c}\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right)}{4\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)} \\
&= -\frac{\sqrt{d}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{cd^2+ae^2} - \frac{\sqrt[4]{c}\left(d + \frac{\sqrt{ae}}{\sqrt{c}}\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)} + \frac{\sqrt[4]{c}\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 232, normalized size = 0.69

$$\frac{\sqrt{2} \left((\sqrt{c}d - \sqrt{ae}) \left(\log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) - \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) \right) - 2(\sqrt{ae} + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) \right)}{8\sqrt[4]{a}\sqrt[4]{c}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e*x^2)*(a + c*x^4)),x]

[Out] (-8*a^(1/4)*c^(1/4)*Sqrt[d]*Sqrt[e]*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + Sqrt[2]*(-2*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + (Sqrt[c]*d - Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]))/(8*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2))

fricas [B] time = 1.20, size = 3892, normalized size = 11.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/4*((c*d^2 + a*e^2)*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*s} \\ & \text{qrt}(-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6 \\ & *a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^ \\ & 2 + a^2*e^4))*\log(-(c*d^2 - a*e^2)*x + (a*c*d^2*e - a^2*e^3 - (a*c^3*d^5 + \\ & 2*a^2*c^2*d^3*e^2 + a^3*c*d*e^4))*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/} \\ & (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^ \\ & 5*c*e^8))*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{-(c^2*d^ \\ & 4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4 \\ & *e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) \\ &)) - (c*d^2 + a*e^2)*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{ \\ & t}(-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a \\ & ^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 \\ & + a^2*e^4))*\log(-(c*d^2 - a*e^2)*x - (a*c*d^2*e - a^2*e^3 - (a*c^3*d^5 + 2* \\ & a^2*c^2*d^3*e^2 + a^3*c*d*e^4))*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a \\ & *c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c \\ & *e^8))*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{-(c^2*d^4 \\ & - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e \\ & ^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))) \\ & + (c*d^2 + a*e^2)*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{ \\ & -} \\ & (c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3 \\ & *c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + \\ & a^2*e^4))*\log(-(c*d^2 - a*e^2)*x + (a*c*d^2*e - a^2*e^3 + (a*c^3*d^5 + 2*a^ \\ & 2*c^2*d^3*e^2 + a^3*c*d*e^4))*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c \\ & ^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c* \\ & e^8))*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{-(c^2*d^4 - \\ & 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 \\ & + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))) - \\ & (c*d^2 + a*e^2)*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{-(\\ & c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c \\ & ^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^ \\ & 2*e^4))*\log(-(c*d^2 - a*e^2)*x - (a*c*d^2*e - a^2*e^3 + (a*c^3*d^5 + 2*a^2* \\ & c^2*d^3*e^2 + a^3*c*d*e^4))*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5 \\ & *d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^ \\ & 8))*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*\sqrt{-(c^2*d^4 - 2* \\ & a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + \\ & 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))) - 2 \\ & *\sqrt{-d*e}*\log((e*x^2 - 2*\sqrt{-d*e})*x - d)/(e*x^2 + d))/(c*d^2 + a*e^2), \\ & -1/4*((c*d^2 + a*e^2)*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))*s} \\ & \text{qrt}(-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6 \\ & *a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^ \\ & 2 + a^2*e^4))*\log(-(c*d^2 - a*e^2)*x + (a*c*d^2*e - a^2*e^3 - (a*c^3*d^5 + \end{aligned}$$

$$\begin{aligned}
& 2*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/} \\
& (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
&) - (c*d^2 + a*e^2)*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
&)*\log(-(c*d^2 - a*e^2)*x - (a*c*d^2*e - a^2*e^3 - (a*c^3*d^5 + 2*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))*\sqrt{-(2*d*e + (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
& + (c*d^2 + a*e^2)*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
&)*\log(-(c*d^2 - a*e^2)*x + (a*c*d^2*e - a^2*e^3 + (a*c^3*d^5 + 2*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
& - (c*d^2 + a*e^2)*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
&)*\log(-(c*d^2 - a*e^2)*x - (a*c*d^2*e - a^2*e^3 + (a*c^3*d^5 + 2*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))*\sqrt{-(2*d*e - (c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{-(c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4))} \\
& + 4*\sqrt{d*e}*\arctan(\sqrt{d*e}*x/d)/(c*d^2 + a*e^2)]
\end{aligned}$$

giac [A] time = 0.38, size = 336, normalized size = 1.00

$$\frac{\sqrt{d} \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\frac{1}{2}} \left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d \right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{cd^2 + ae^2} + \frac{\left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d \right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2\right)} + \frac{\left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right) \left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d \right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $-\sqrt{d} \arctan(xe^{1/2}/\sqrt{d})e^{1/2}/(cd^2 + ae^2) + 1/2*((ac^3)^{(1/4)}ac^3e + (ac^3)^{(3/4)}d) \arctan(1/2\sqrt{2}*(2x + \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2) + 1/2*((ac^3)^{(1/4)}ac^3e + (ac^3)^{(3/4)}d) \arctan(1/2\sqrt{2}*(2x - \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2) + 1/4*((ac^3)^{(1/4)}ac^3e - (ac^3)^{(3/4)}d) \log(x^2 + \sqrt{2}xx(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2) - 1/4*((ac^3)^{(1/4)}ac^3e - (ac^3)^{(3/4)}d) \log(x^2 - \sqrt{2}xx(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}ac^3d^2 + \sqrt{2}a^2c^2e^2)$

maple [A] time = 0.01, size = 351, normalized size = 1.04

$$\frac{d e \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ae^2 + cd^2)\sqrt{de}} + \frac{\sqrt{2} d \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}} + \frac{\sqrt{2} d \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}} + \frac{\sqrt{2} d \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}e}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(e*x^2+d)/(c*x^4+a),x)`

[Out] $1/4/(ae^2+cd^2)*e*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)+1/8/(ae^2+cd^2)*e*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))+1/4/(ae^2+cd^2)*e*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)+1/8/(ae^2+cd^2)*d/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))+1/4/(ae^2+cd^2)*d/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)+1/4/(ae^2+cd^2)*d/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)-d*e/(ae^2+cd^2)/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 1.43, size = 275, normalized size = 0.82

$$\frac{d e \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2 + ae^2)\sqrt{de}} + \frac{2\sqrt{2}(\sqrt{a}cd+a\sqrt{c}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x+\sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}(\sqrt{a}cd+a\sqrt{c}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x-\sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} - \frac{\sqrt{2}(\sqrt{a}cd-a\sqrt{c}e)}{8(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")`

[Out] $-d*e*\arctan(e*x/\sqrt{d*e})/((c*d^2 + a*e^2)*\sqrt{d*e}) + 1/8*(2*\sqrt{2}*(\sqrt{a}*c*d + a*\sqrt{c}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2})*a^{(1/4)}*e^{(1/2)})/(\sqrt{2}*(c*d^2 + a*e^2)) + 1/8*(2*\sqrt{2}*(\sqrt{a}*c*d - a*\sqrt{c}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2})*a^{(1/4)}*e^{(1/2)})/(\sqrt{2}*(c*d^2 + a*e^2)) - d*e/(\sqrt{d*e})*\arctan(1/(\sqrt{d*e})*e*x)$

$$\begin{aligned} & c^{(1/4)}/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2 \\ & * \sqrt{2}*(\sqrt{a}*c*d + a*\sqrt{c}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2} \\ &)*a^{(1/4)}*c^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}})* \\ & \sqrt{c}) - \sqrt{2}*(\sqrt{a}*c*d - a*\sqrt{c}*e)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{(1/4)} \\ &)*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)}) + \sqrt{2}*(\sqrt{a}*c*d - a*\sqrt{c} \\ &)*e)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)}) \\ &)/(c*d^2 + a*e^2) \end{aligned}$$

mupad [B] time = 1.59, size = 4720, normalized size = 14.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^2/((a + c*x^4)*(d + e*x^2)),x)$

[Out] $(\log(a^2*d*e^7 + c^2*d^5*e^3 - c^2*d*x*(-d*e)^{(7/2)} + 2*a*c*d^3*e^5 + a^2*e^7*x*(-d*e)^{(1/2)} + 2*a*c*e^3*x*(-d*e)^{(5/2)})*(-d*e)^{(1/2)})/(2*a*e^2 + 2*c*d^2) - \text{atan}(\frac{(((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(x*(-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) + 192*a^4*c^4*d*e^7 + 192*a^2*c^6*d^5*e^3 + 384*a^3*c^5*d^3*e^5) - x*(16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 + 160*a^2*c^5*d^3*e^4))*((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)} + 4*a*c^5*d^4*e^2 + 52*a^2*c^4*d^2*e^4) + x*(2*a^2*c^3*e^5 - 4*a*c^4*d^2*e^3))*((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*1i - ((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(192*a^4*c^4*d*e^7 - x*(-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) + 192*a^2*c^6*d^5*e^3 + 384*a^3*c^5*d^3*e^5) + x*(16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 + 160*a^2*c^5*d^3*e^4))*((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)} + 4*a*c^5*d^4*e^2 + 52*a^2*c^4*d^2*e^4) - x*(2*a^2*c^3*e^5 - 4*a*c^4*d^2*e^3))*((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*1i)/((((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(((-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(x*(-c*d^2*(-a*c)^{(1/2)} - a*e^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)}*(512*a^5*c^4*e^9$

$$e^2))^{(1/2)*i}/(((-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/$$

$$(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*(((-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/$$

$$(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*((x*(-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d$$

$$*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*((512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) + 192*$$

$$a^4*c^4*d*e^7 + 192*a^2*c^6*d^5*e^3 + 384*a^3*c^5*d^3*e^5) - x*(16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 + 160*a^2*c^5*d^3*e^4))*(-(a*e^2*(-a*c)^{(1/2)} - c$$

$$*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)} + 4*a*c^5*d^4*e^2 + 52*a^2*c^4*d^2*e^4) + x*(2*a^2*c^3*e^5 - 4*$$

$$a*c^4*d^2*e^3))*(-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16$$

$$*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)} + (((-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/$$

$$(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*(((-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)$$

$$/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*((192*a^4*c^4*d*e^7$$

$$- x*(-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4$$

$$+ a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*((512*a^5*c^4*e^9 - 512*a^2*c^7*d^6$$

$$*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) + 192*a^2*c^6*d^5*e^3 +$$

$$384*a^3*c^5*d^3*e^5) + x*(16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 + 160*a^2*c^5$$

$$*d^3*e^4))*(-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a$$

$$c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)} + 4*a*c^5*d^4*e^2 + 52*a^2$$

$$*c^4*d^2*e^4) - x*(2*a^2*c^3*e^5 - 4*a*c^4*d^2*e^3))*(-(a*e^2*(-a*c)^{(1/2)}$$

$$- c*d^2*(-a*c)^{(1/2)} + 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2$$

$$*e^2)))^{(1/2)} + 2*a*c^3*d*e^3))*(-(a*e^2*(-a*c)^{(1/2)} - c*d^2*(-a*c)^{(1/2)}$$

$$+ 2*a*c*d*e)/(16*(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2)))^{(1/2)*2i$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.241 \quad \int \frac{1}{(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=336

$$\frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} + \frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} - \frac{\sqrt[4]{c}}{\sqrt[4]{c}}$$

[Out] $\frac{1}{4} c^{1/4} \arctan(-1 + c^{1/4} x^2 / a^{1/4}) * (-e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} + \frac{1}{4} c^{1/4} \arctan(1 + c^{1/4} x^2 / a^{1/4}) * (-e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} - \frac{1}{8} c^{1/4} \ln(-a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) * (e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} + \frac{1}{8} c^{1/4} \ln(a^{1/4} c^{1/4} x^2 + a^{1/2} + x^2 c^{1/2}) * (e a^{1/2} + d c^{1/2}) / a^{3/4} / (a e^2 + c d^2)^{1/2} + e^{3/2} \arctan(x e^{1/2} / d^{1/2}) / (a e^2 + c d^2) / d^{1/2}$

Rubi [A] time = 0.27, antiderivative size = 336, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {1171, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} + \frac{\sqrt[4]{c} (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)} - \frac{\sqrt[4]{c}}{\sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(a + c*x^4)),x]

[Out] $(e^{3/2} \text{ArcTan}[\text{Sqrt}[e] x / \text{Sqrt}[d]]) / (\text{Sqrt}[d] * (c d^2 + a e^2)) - (c^{1/4} * (\text{Sqrt}[c] d - \text{Sqrt}[a] e) * \text{ArcTan}[1 - (\text{Sqrt}[2] * c^{1/4} x) / a^{1/4}]) / (2 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2)) + (c^{1/4} * (\text{Sqrt}[c] d - \text{Sqrt}[a] e) * \text{ArcTan}[1 + (\text{Sqrt}[2] * c^{1/4} x) / a^{1/4}]) / (2 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2)) - (c^{1/4} * (\text{Sqrt}[c] d + \text{Sqrt}[a] e) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{1/4} * c^{1/4} x + \text{Sqrt}[c] * x^2]) / (4 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2)) + (c^{1/4} * (\text{Sqrt}[c] d + \text{Sqrt}[a] e) * \text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2] * a^{1/4} * c^{1/4} x + \text{Sqrt}[c] * x^2]) / (4 * \text{Sqrt}[2] * a^{3/4} * (c d^2 + a e^2))$

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1171

Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)(a+cx^4)} dx &= \int \left(\frac{e^2}{(cd^2+ae^2)(d+ex^2)} + \frac{c(d-ex^2)}{(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= \frac{c \int \frac{d-ex^2}{a+cx^4} dx}{cd^2+ae^2} + \frac{e^2 \int \frac{1}{d+ex^2} dx}{cd^2+ae^2} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}-e\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}+e\right) \int \frac{\sqrt{a}\sqrt{c-cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}-e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}}-\frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}}+x^2} dx}{4(cd^2+ae^2)} + \frac{\left(\frac{\sqrt{cd}}{\sqrt{a}}+e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}}+\frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}}+x^2} dx}{4(cd^2+ae^2)} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} - \frac{\sqrt[4]{c}(\sqrt{cd}+\sqrt{a}e) \log(\sqrt{a}-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{c}x^2)}{4\sqrt{2}a^{3/4}(cd^2+ae^2)} + \frac{\sqrt[4]{c}(\sqrt{cd}-\sqrt{a}e) \log(\sqrt{a}+\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{c}x^2)}{4\sqrt{2}a^{3/4}(cd^2+ae^2)} \\
&= \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)} - \frac{\sqrt[4]{c}(\sqrt{cd}-\sqrt{a}e) \tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)} + \frac{\sqrt[4]{c}(\sqrt{cd}+\sqrt{a}e) \tan^{-1}\left(1+\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 234, normalized size = 0.70

$$\frac{8a^{3/4}e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) + \sqrt{2}\sqrt[4]{c}\sqrt{d} \left(-(\sqrt{a}e + \sqrt{cd}) \left(\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) - \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) \right) \right)}{8a^{3/4}\sqrt{d}(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + c*x^4)),x]

[Out] (8*a^(3/4)*e^(3/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + Sqrt[2]*c^(1/4)*Sqrt[d]*((-2*Sqrt[c]*d + 2*Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 2*(Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] - (Sqrt[c]*d + Sqrt[a]*e)*(Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] - Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]))/(8*a^(3/4)*Sqrt[d]*(c*d^2 + a*e^2))

fricas [B] time = 2.28, size = 4084, normalized size = 12.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $\frac{1}{2} * ((a*c^3)^{1/4} * c^2 * d - (a*c^3)^{3/4} * e) * \arctan\left(\frac{1}{2} * \sqrt{2} * (2*x + \sqrt{2}) * (a/c)^{1/4}\right) / (a/c)^{1/4} / (\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2) + \frac{1}{2} * ((a*c^3)^{1/4} * c^2 * d - (a*c^3)^{3/4} * e) * \arctan\left(\frac{1}{2} * \sqrt{2} * (2*x - \sqrt{2}) * (a/c)^{1/4}\right) / (a/c)^{1/4} / (\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2) + \frac{1}{4} * ((a*c^3)^{1/4} * c^2 * d + (a*c^3)^{3/4} * e) * \log(x^2 + \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}) / (\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2) - \frac{1}{4} * ((a*c^3)^{1/4} * c^2 * d + (a*c^3)^{3/4} * e) * \log(x^2 - \sqrt{2} * x * (a/c)^{1/4} + \sqrt{a/c}) / (\sqrt{2} * a * c^3 * d^2 + \sqrt{2} * a^2 * c^2 * e^2) + \arctan(x * e^{1/2} / \sqrt{d}) * e^{3/2} / ((c * d^2 + a * e^2) * \sqrt{d})$

maple [A] time = 0.01, size = 363, normalized size = 1.08

$$\frac{e^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ae^2 + cd^2)\sqrt{de}} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} cd \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(ae^2 + cd^2)a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} cd \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(ae^2 + cd^2)a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} cd \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}\right)}{8(ae^2 + cd^2)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+a),x)

[Out] $\frac{1}{8} * c / (a * e^2 + c * d^2) * d * (a/c)^{1/4} / a^{1/2} * \ln((x^2 + (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2}) / (x^2 - (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2})) + \frac{1}{4} * c / (a * e^2 + c * d^2) * d * (a/c)^{1/4} / a^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) + \frac{1}{4} * c / (a * e^2 + c * d^2) * d * (a/c)^{1/4} / a^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1) - \frac{1}{8} / (a * e^2 + c * d^2) * e / (a/c)^{1/4} * 2^{1/2} * \ln((x^2 - (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2}) / (x^2 + (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2})) - \frac{1}{4} / (a * e^2 + c * d^2) * e / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) - \frac{1}{4} / (a * e^2 + c * d^2) * e / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1) + e^2 / (a * e^2 + c * d^2) / (d * e)^{1/2} * \arctan(1 / (d * e)^{1/2} * e * x)$

maxima [A] time = 1.09, size = 268, normalized size = 0.80

$$\frac{e^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2 + ae^2)\sqrt{de}} + c \left[\frac{2\sqrt{2}(\sqrt{cd} - \sqrt{ae}) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{cx} + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}(\sqrt{cd} - \sqrt{ae}) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{cx} - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{\sqrt{2}(\sqrt{cd} + \sqrt{ae}) \log\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}\right)}{8(cd^2 + ae^2)} \right]$$

$$\begin{aligned}
& *e^4 + a^3c^2d^4 + 2a^4c*d^2e^2))^{(1/2)}*(4c^6d^3e^3 - (((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 + x*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) + x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) - 6c^5e^5*x)*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + (((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(4c^6d^3e^3 - (((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 - x*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) - x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) + 6c^5e^5*x)*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)})))*((a^2*(-a^3c)^{(1/2)} - c*d^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*2i + \operatorname{atan}((((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(4c^6d^3e^3 - (((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 + x*((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) + x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) - 6c^5e^5*x)*((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*1i - (((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(4c^6d^3e^3 - (((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(256a^4c^4e^8 - x*((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)}*(512a^5c^4e^9 - 512a^2c^7d^6e^3 - 512a^3c^6d^4e^5 + 512a^4c^5d^2e^7) - 64a*c^7d^6e^2 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6) - x*(16c^7d^5e^2 + 32a*c^6d^3e^4 - 240a^2c^5d*e^6))*((c*d^2*(-a^3c)^{(1/2)} - a^2*(-a^3c)^{(1/2)} + 2a^2c*d*e)/(16*(a^5e^4 + a^3c^2d^4 + 2a^4c*d^2e^2)))^{(1/2)} + 20a*c^5d*e^5) + 6c^5e^5*
\end{aligned}$$

$$\begin{aligned}
& x) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * 1i) / (((c*d^2*(-a^3*c)^{(1/2)} - a * e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2 * e^2)))^{(1/2)} * (4*c^6*d^3*e^3 - (((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (25 6*a^4*c^4*e^8 + x*((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d * e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e^5 + 512*a^4*c^5*d^2*e^7) - 64*a*c ^7*d^6*e^2 + 128*a^2*c^6*d^4*e^4 + 448*a^3*c^5*d^2*e^6) + x*(16*c^7*d^5*e^2 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6)) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a ^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2))) ^{(1/2)} + 20*a*c^5*d*e^5) - 6*c^5*e^5*x) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a ^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} + (((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a ^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (4*c^6*d^3*e^3 - (((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2* d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * (256*a^4*c^4*e^8 - x*((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c* d^2*e^2)))^{(1/2)} * (512*a^5*c^4*e^9 - 512*a^2*c^7*d^6*e^3 - 512*a^3*c^6*d^4*e ^5 + 512*a^4*c^5*d^2*e^7) - 64*a*c^7*d^6*e^2 + 128*a^2*c^6*d^4*e^4 + 448*a^ 3*c^5*d^2*e^6) - x*(16*c^7*d^5*e^2 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6)) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} + 20*a*c^5*d*e^5) + 6*c^5*e^5*x) * ((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)})) * (((c*d^2*(-a^3*c)^{(1/2)} - a*e^2*(-a^3*c)^{(1/2)} + 2*a^2*c*d*e)/(16*(a^5*e^4 + a^3*c^2*d^4 + 2*a^4*c*d^2*e^2)))^{(1/2)} * 2i - (log(16*a^2*e^2*(-d*e^3)^{(3/2)} + c^2*d^5*e^3*x - c^2*d^5*e*(-d*e ^3)^{(1/2)} + 16*a^2*d*e^7*x + a*c*d^2*(-d*e^3)^{(3/2)} + a*c*d^3*e^5*x)*(-d*e^ 3)^{(1/2)})/(2*(c*d^3 + a*d*e^2)) + (log(c^2*d^5*e^3*x - 16*a^2*e^2*(-d*e^3)^ (3/2) + c^2*d^5*e*(-d*e^3)^{(1/2)} + 16*a^2*d*e^7*x + 4*a*c*d^2*(-d*e^3)^{(3/2)} + a*c*d^3*e^5*x + 5*a*c*d^3*e^3*(-d*e^3)^{(1/2)})*(-d*e^3)^{(1/2)})/(2*c*d^3 + 2*a*d*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.242 \quad \int \frac{1}{x^2(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=348

$$\frac{c^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{5/4}(ae^2 + cd^2)} + \frac{c^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{5/4}(ae^2 + cd^2)} + \frac{c^{3/4}}{4\sqrt{2}a^{5/4}(ae^2 + cd^2)}$$

[Out] $-1/a/d/x-e^{(5/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/(a*e^2+c*d^2)-1/8*c^{(3/4)}$
 $*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(-e*a^{(1/2)}+d*c^{(1/2)})$
 $/a^{(5/4)}/(a*e^2+c*d^2)*2^{(1/2)}+1/8*c^{(3/4)}*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}$
 $+x^2*c^{(1/2)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(5/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/4*$
 $c^{(3/4)}*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(5/4)}/$
 $(a*e^2+c*d^2)*2^{(1/2)}-1/4*c^{(3/4)}*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(e*a^{(1/2)}$
 $+d*c^{(1/2)})/a^{(5/4)}/(a*e^2+c*d^2)*2^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 348, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1288, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{c^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{5/4}(ae^2 + cd^2)} + \frac{c^{3/4}(\sqrt{c}d - \sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{5/4}(ae^2 + cd^2)} + \frac{c^{3/4}}{4\sqrt{2}a^{5/4}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(d + e*x^2)*(a + c*x^4)),x]

[Out] $-(1/(a*d*x)) - (e^{(5/2)}*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^{(3/2)}*(c*d^2 + a*e^2))$
 $+ (c^{(3/4)}*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(5/4)}*(c*d^2 + a*e^2))$
 $- (c^{(3/4)}*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(5/4)}*(c*d^2 + a*e^2))$
 $- (c^{(3/4)}*(Sqrt[c]*d - Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^{(5/4)}*(c*d^2 + a*e^2))$
 $+ (c^{(3/4)}*(Sqrt[c]*d - Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^{(5/4)}*(c*d^2 + a*e^2))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1288

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2(d+ex^2)(a+cx^4)} dx &= \int \left(\frac{1}{adx^2} - \frac{e^3}{d(cd^2+ae^2)(d+ex^2)} - \frac{c(ae+cdx^2)}{a(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= -\frac{1}{adx} - \frac{c \int \frac{ae+cdx^2}{a+cx^4} dx}{a(cd^2+ae^2)} - \frac{e^3 \int \frac{1}{d+ex^2} dx}{d(cd^2+ae^2)} \\
&= -\frac{1}{adx} - \frac{e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{3/2}(cd^2+ae^2)} + \frac{\left(c\left(d-\frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\sqrt{a}\sqrt{c}-cx^2}{a+cx^4} dx}{2a(cd^2+ae^2)} - \frac{\left(c\left(d+\frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\sqrt{a}\sqrt{c}+cx^2}{a+cx^4} dx}{2a(cd^2+ae^2)} \\
&= -\frac{1}{adx} - \frac{e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{3/2}(cd^2+ae^2)} - \frac{\left(c^{5/4}\left(d-\frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}+2x}{\sqrt{c}}}{\frac{\sqrt{a}-\sqrt{2}\sqrt[4]{a}}{\sqrt{c}}-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}}-x^2} dx}{4\sqrt{2}a^{5/4}(cd^2+ae^2)} - \frac{\left(c^{5/4}\left(d+\frac{\sqrt{ae}}{\sqrt{c}}\right)\right) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}-2x}{\sqrt{c}}}{\frac{\sqrt{a}-\sqrt{2}\sqrt[4]{a}}{\sqrt{c}}-\frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt{c}}-x^2} dx}{4\sqrt{2}a^{5/4}(cd^2+ae^2)} \\
&= -\frac{1}{adx} - \frac{e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{3/2}(cd^2+ae^2)} - \frac{c^{5/4}\left(d-\frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{a}-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{c}x^2\right)}{4\sqrt{2}a^{5/4}(cd^2+ae^2)} + \frac{c^{5/4}\left(d+\frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{a}+\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{c}x^2\right)}{4\sqrt{2}a^{5/4}(cd^2+ae^2)} \\
&= -\frac{1}{adx} - \frac{e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{3/2}(cd^2+ae^2)} + \frac{c^{3/4}\left(\sqrt{c}d+\sqrt{ae}\right) \tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}a^{5/4}(cd^2+ae^2)} - \frac{c^{3/4}\left(\sqrt{c}d+\sqrt{ae}\right) \tan^{-1}\left(1+\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}a^{5/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 389, normalized size = 1.12

$$-\sqrt{d} \left(8a^{5/4}e^2 + \sqrt{2}c^{5/4}d^2x \log\left(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) - \sqrt{2}c^{5/4}d^2x \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) - \sqrt{2}c^{5/4}d^2x \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) - \sqrt{2}c^{5/4}d^2x \log\left(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(d + e*x^2)*(a + c*x^4)), x]

[Out] $(-8a^{5/4}e^{5/2}x \operatorname{ArcTan}\left[\frac{\sqrt{e}x}{\sqrt{d}}\right] - \sqrt{d}(8a^{1/4}cd^2 + 8a^{5/4}e^2 - 2\sqrt{2}c^{3/4}d(\sqrt{c}d + \sqrt{a}e)x \operatorname{ArcTan}\left[1 - \frac{\sqrt{2}\sqrt[4]{a}x}{a^{1/4}}\right] + 2\sqrt{2}c^{3/4}d(\sqrt{c}d + \sqrt{a}e)x \operatorname{ArcTan}\left[1 + \frac{\sqrt{2}\sqrt[4]{a}x}{a^{1/4}}\right] + \sqrt{2}c^{5/4}d^2x \operatorname{Log}\left[\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right] - \sqrt{2}c^{5/4}d^2x \operatorname{Log}\left[\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right] - \sqrt{2}c^{5/4}d^2x \operatorname{Log}\left[\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right] + \sqrt{2}c^{5/4}d^2x \operatorname{Log}\left[\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right] + \sqrt{2}c^{5/4}d^2x \operatorname{Log}\left[\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right] - \sqrt{2}c^{5/4}d^2x \operatorname{Log}\left[\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2\right])$

```
qrt[a]*c^(3/4)*d*e*x*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]
))/(8*a^(5/4)*d^(3/2)*(c*d^2 + a*e^2)*x)
```

fricas [B] time = 6.21, size = 4362, normalized size = 12.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")
```

```
[Out] [1/4*(2*a*e^2*x*sqrt(-e/d)*log((e*x^2 - 2*d*x*sqrt(-e/d) - d)/(e*x^2 + d))
+ (a*c*d^3 + a^2*d*e^2)*x*sqrt(-(2*c^2*d*e + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2
+ a^4*e^4)*sqrt(-(c^5*d^4 - 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4*d^8 +
4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))/(a^2*c
^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4))*log(-(c^3*d^2 - a*c^2*e^2)*x + (a^2*c^
2*d^2*e - a^3*c*e^3 - (a^4*c^2*d^5 + 2*a^5*c*d^3*e^2 + a^6*d*e^4)*sqrt(-(c^
5*d^4 - 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e^2 + 6
*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))*sqrt(-(2*c^2*d*e + (a^2*c^2
*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4)*sqrt(-(c^5*d^4 - 2*a*c^4*d^2*e^2 + a^2*c^
3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2*e
^6 + a^9*e^8)))/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4))) - (a*c*d^3 + a^
2*d*e^2)*x*sqrt(-(2*c^2*d*e + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4)*sqr
t(-(c^5*d^4 - 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e
^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))/(a^2*c^2*d^4 + 2*a^3*
c*d^2*e^2 + a^4*e^4))*log(-(c^3*d^2 - a*c^2*e^2)*x - (a^2*c^2*d^2*e - a^3*c
*e^3 - (a^4*c^2*d^5 + 2*a^5*c*d^3*e^2 + a^6*d*e^4)*sqrt(-(c^5*d^4 - 2*a*c^4
*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*d^4*e^
4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))*sqrt(-(2*c^2*d*e + (a^2*c^2*d^4 + 2*a^3*c*
d^2*e^2 + a^4*e^4)*sqrt(-(c^5*d^4 - 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4
*d^8 + 4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))
/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4))) + (a*c*d^3 + a^2*d*e^2)*x*sqrt
(-(2*c^2*d*e - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4)*sqrt(-(c^5*d^4 - 2
*a*c^4*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*
d^4*e^4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4
*e^4))*log(-(c^3*d^2 - a*c^2*e^2)*x + (a^2*c^2*d^2*e - a^3*c*e^3 + (a^4*c^2
*d^5 + 2*a^5*c*d^3*e^2 + a^6*d*e^4)*sqrt(-(c^5*d^4 - 2*a*c^4*d^2*e^2 + a^2*
c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2
*e^6 + a^9*e^8)))*sqrt(-(2*c^2*d*e - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e
^4)*sqrt(-(c^5*d^4 - 2*a*c^4*d^2*e^2 + a^2*c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^
3*d^6*e^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8*c*d^2*e^6 + a^9*e^8)))/(a^2*c^2*d^4 +
2*a^3*c*d^2*e^2 + a^4*e^4))) - (a*c*d^3 + a^2*d*e^2)*x*sqrt(-(2*c^2*d*e -
(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4)*sqrt(-(c^5*d^4 - 2*a*c^4*d^2*e^2
+ a^2*c^3*e^4)/(a^5*c^4*d^8 + 4*a^6*c^3*d^6*e^2 + 6*a^7*c^2*d^4*e^4 + 4*a^8
*c*d^2*e^6 + a^9*e^8)))/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4))*log(-(c^
3*d^2 - a*c^2*e^2)*x - (a^2*c^2*d^2*e - a^3*c*e^3 + (a^4*c^2*d^5 + 2*a^5*c*
```


8)))/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4))) + 4*c*d^2 + 4*a*e^2)/((a*c*d^3 + a^2*d*e^2)*x)]

giac [A] time = 0.40, size = 348, normalized size = 1.00

$$\frac{\left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}a^2c^2d^2 + \sqrt{2}a^3ce^2\right)} - \frac{\left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}a^2c^2d^2 + \sqrt{2}a^3ce^2\right)} - \frac{\left((ac^3)^{\frac{1}{4}} ace + (ac^3)^{\frac{3}{4}} d\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{2\left(\sqrt{2}a^2c^2d^2 + \sqrt{2}a^3ce^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $-1/2*((a*c^3)^{(1/4)}*a*c*e + (a*c^3)^{(3/4)}*d)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}*a^2*c^2*d^2 + \sqrt{2}*a^3*c*e^2) - 1/2*((a*c^3)^{(1/4)}*a*c*e + (a*c^3)^{(3/4)}*d)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}*a^2*c^2*d^2 + \sqrt{2}*a^3*c*e^2) - 1/4*((a*c^3)^{(1/4)}*a*c*e - (a*c^3)^{(3/4)}*d)*\log(x^2 + \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}*a^2*c^2*d^2 + \sqrt{2}*a^3*c*e^2) + 1/4*((a*c^3)^{(1/4)}*a*c*e - (a*c^3)^{(3/4)}*d)*\log(x^2 - \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}*a^2*c^2*d^2 + \sqrt{2}*a^3*c*e^2) - \arctan(x*e^{(1/2)}/\sqrt{d})*e^{(5/2)}/((c*d^3 + a*d*e^2)*\sqrt{d}) - 1/(a*d*x)$

maple [A] time = 0.01, size = 390, normalized size = 1.12

$$\frac{e^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(ae^2 + cd^2)\sqrt{de}d} - \frac{\sqrt{2}cd \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}a} - \frac{\sqrt{2}cd \arctan\left(\frac{\sqrt{2}x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}a} - \frac{\sqrt{2}cd \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{2}x + \sqrt{\frac{a}{c}}}\right)}{8(ae^2 + cd^2)\left(\frac{a}{c}\right)^{\frac{1}{4}}a} - \left(\frac{a}{c}\right)^{\frac{1}{4}}\sqrt{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e*x^2+d)/(c*x^4+a),x)

[Out] $-1/a/d/x - 1/4*c/(a*e^2+c*d^2)/a*e*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1) - 1/8*c/(a*e^2+c*d^2)/a*e*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})) - 1/4*c/(a*e^2+c*d^2)/a*d/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1) - 1/8*c/(a*e^2+c*d^2)/a*d/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})) - 1/4*c/(a*e^2+c*d^2)/a*d/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1) - 1/4*c/(a*e^2+c*d^2)/a*d/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1) - 1/d*e^3/(a*e^2+c*d^2)/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 1.27, size = 292, normalized size = 0.84

$$\frac{e^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^3 + ade^2)\sqrt{de}} \left[\frac{2\sqrt{2}(\sqrt{a}cd + a\sqrt{c}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{c}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{2\sqrt{2}(\sqrt{a}cd + a\sqrt{c}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{a}\sqrt{c}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} - \frac{\sqrt{2}(\sqrt{a}cd - a\sqrt{c}e)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} \right]$$

$$8(acd^2 + a^2e^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $-e^3 \arctan(e*x/\sqrt{d*e})/((c*d^3 + a*d*e^2)*\sqrt{d*e}) - 1/8*c*(2*\sqrt{2}*(\sqrt{a}*c*d + a*\sqrt{c}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{1/4}*c^{1/4}))/\sqrt{(\sqrt{a}*\sqrt{c})})/(\sqrt{a}*\sqrt{(\sqrt{a}*\sqrt{c})}*\sqrt{c}) + 2*\sqrt{2}*(\sqrt{a}*c*d + a*\sqrt{c}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{1/4}*c^{1/4}))/\sqrt{(\sqrt{a}*\sqrt{c})})/(\sqrt{a}*\sqrt{(\sqrt{a}*\sqrt{c})}*\sqrt{c}) - \sqrt{2}*(\sqrt{a}*c*d - a*\sqrt{c}*e)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}) + \sqrt{2}*(\sqrt{a}*c*d - a*\sqrt{c}*e)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}))/((a*c*d^2 + a^2*e^2) - 1/(a*d*x))$

mupad [B] time = 2.00, size = 5761, normalized size = 16.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + c*x^4)*(d + e*x^2)),x)

[Out] $\operatorname{atan}\left(\frac{(x*(2*a^7*c^7*d^9*e^5 - 4*a^8*c^6*d^7*e^7) - (-a*e^2*(-a^5*c^3)^{1/2}) - c*d^2*(-a^5*c^3)^{1/2} + 2*a^3*c^2*d*e)/(16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2))^{1/2} * (((-a*e^2*(-a^5*c^3)^{1/2}) - c*d^2*(-a^5*c^3)^{1/2} + 2*a^3*c^2*d*e)/(16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2))^{1/2} * (x*(-a*e^2*(-a^5*c^3)^{1/2}) - c*d^2*(-a^5*c^3)^{1/2} + 2*a^3*c^2*d*e)/(16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2))^{1/2} * (512*a^{11}*c^7*d^{15}*e^3 + 512*a^{12}*c^6*d^{13}*e^5 - 512*a^{13}*c^5*d^{11}*e^7 - 512*a^{14}*c^4*d^9*e^9) - 192*a^{10}*c^7*d^{14}*e^3 - 128*a^{11}*c^6*d^{12}*e^5 + 320*a^{12}*c^5*d^{10}*e^7 + 256*a^{13}*c^4*d^8*e^9) + x*(16*a^8*c^8*d^{14}*e^2 + 32*a^9*c^7*d^{12}*e^4 - 112*a^{10}*c^6*d^{10}*e^6 + 128*a^{11}*c^5*d^8*e^8)}{((-a*e^2*(-a^5*c^3)^{1/2}) - c*d^2*(-a^5*c^3)^{1/2} + 2*a^3*c^2*d*e)/(16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2))^{1/2} - 4*a^7*c^8*d^{13}*e^2 - 4*a^8*c^7*d^{11}*e^4 + 16*a^{10}*c^5*d^7*e^8)}{((-a*e^2*(-a^5*c^3)^{1/2}) - c*d^2*(-a^5*c^3)^{1/2} + 2*a^3*c^2*d*e)/(16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2))^{1/2}}$

$$\begin{aligned}
&^4 + a^5c^2d^4 + 2a^6c^2d^2e^2))^{(1/2)} * i + (x*(2a^7c^7d^9e^5 - 4a^8c^6d^7e^7) - ((a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (((-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (x*(-(a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (512a^11c^7d^15e^3 + 512a^12c^6d^13e^5 - 512a^13c^5d^11e^7 - 512a^14c^4d^9e^9) + 192a^10c^7d^14e^3 + 128a^11c^6d^12e^5 - 320a^12c^5d^10e^7 - 256a^13c^4d^8e^9) + x*(16a^8c^8d^14e^2 + 32a^9c^7d^12e^4 - 112a^10c^6d^10e^6 + 128a^11c^5d^8e^8)) * (-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} + 4a^7c^8d^13e^2 + 4a^8c^7d^11e^4 - 16a^10c^5d^7e^8)) * (-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * i) / ((x*(2a^7c^7d^9e^5 - 4a^8c^6d^7e^7) - ((a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (((-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (x*(-(a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (512a^11c^7d^15e^3 + 512a^12c^6d^13e^5 - 512a^13c^5d^11e^7 - 512a^14c^4d^9e^9) - 192a^10c^7d^14e^3 - 128a^11c^6d^12e^5 + 320a^12c^5d^10e^7 + 256a^13c^4d^8e^9) + x*(16a^8c^8d^14e^2 + 32a^9c^7d^12e^4 - 112a^10c^6d^10e^6 + 128a^11c^5d^8e^8)) * (-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} - 4a^7c^8d^13e^2 - 4a^8c^7d^11e^4 + 16a^10c^5d^7e^8)) * (-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} - (x*(2a^7c^7d^9e^5 - 4a^8c^6d^7e^7) - ((a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (((-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (x*(-(a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * (512a^11c^7d^15e^3 + 512a^12c^6d^13e^5 - 512a^13c^5d^11e^7 - 512a^14c^4d^9e^9) + 192a^10c^7d^14e^3 + 128a^11c^6d^12e^5 - 320a^12c^5d^10e^7 - 256a^13c^4d^8e^9) + x*(16a^8c^8d^14e^2 + 32a^9c^7d^12e^4 - 112a^10c^6d^10e^6 + 128a^11c^5d^8e^8)) * (-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} + 4a^7c^8d^13e^2 + 4a^8c^7d^11e^4 - 16a^10c^5d^7e^8)) * (-a^e^2*(-a^5c^3)^{(1/2)} - c*d^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} * 2i + a \tan(((x*(2a^7c^7d^9e^5 - 4a^8c^6d^7e^7) - ((c*d^2*(-a^5c^3)^{(1/2)} - a^e^2*(-a^5c^3)^{(1/2)} + 2a^3c^2d^2e)/(16*(a^7e^4 + a^5c^2d^4 + 2a^6c^2d^2e^2)))^{(1/2)} *
\end{aligned}$$

$$\begin{aligned}
& a^{13}c^5d^{11}e^7 - 512a^{14}c^4d^9e^9) + 192a^{10}c^7d^{14}e^3 + 128a^{11}c^6d^{12}e^5 - 320a^{12}c^5d^{10}e^7 - 256a^{13}c^4d^8e^9) + x(16a^8c^8d^{14}e^2 + 32a^9c^7d^{12}e^4 - 112a^{10}c^6d^{10}e^6 + 128a^{11}c^5d^8e^8)) * (- (c*d^2*(-a^5*c^3)^{(1/2)} - a*e^2*(-a^5*c^3)^{(1/2)} + 2*a^3*c^2*d*e) / (16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2)))^{(1/2)} + 4*a^7*c^8*d^{13}e^2 + 4*a^8*c^7*d^{11}e^4 - 16*a^{10}c^5*d^7*e^8)) * (- (c*d^2*(-a^5*c^3)^{(1/2)} - a*e^2*(-a^5*c^3)^{(1/2)} + 2*a^3*c^2*d*e) / (16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2)))^{(1/2)}) * (- (c*d^2*(-a^5*c^3)^{(1/2)} - a*e^2*(-a^5*c^3)^{(1/2)} + 2*a^3*c^2*d*e) / (16*(a^7*e^4 + a^5*c^2*d^4 + 2*a^6*c*d^2*e^2)))^{(1/2)} * 2i - 1 / (a*d*x) - (\log(c^4*d^{11}*(-d^3*e^5)^{(1/2)} - 16*a^4*e^3*(-d^3*e^5)^{(3/2)} + 16*a^4*d^4*e^{11}*x + c^4*d^{12}e^3*x + a*c^3*d^9*e^2*(-d^3*e^5)^{(1/2)} + a*c^3*d^{10}e^5*x - 16*a^3*c*d^6*e^9*x + 16*a^3*c*d^2*e*(-d^3*e^5)^{(3/2)}) * (-d^3*e^5)^{(1/2)}) / (2*(c*d^5 + a*d^3*e^2)) + (\log(16*a^4*e^3*(-d^3*e^5)^{(3/2)} - c^4*d^{11}*(-d^3*e^5)^{(1/2)} + 16*a^4*d^4*e^{11}*x + c^4*d^{12}e^3*x - a*c^3*d^9*e^2*(-d^3*e^5)^{(1/2)} + a*c^3*d^{10}e^5*x - 16*a^3*c*d^6*e^9*x - 16*a^3*c*d^2*e*(-d^3*e^5)^{(3/2)}) * (-d^3*e^5)^{(1/2)}) / (2*c*d^5 + 2*a*d^3*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.243 \quad \int \frac{1}{x^4(d+ex^2)(a+cx^4)} dx$$

Optimal. Leaf size=360

$$\frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{7/4} (ae^2 + cd^2)} - \frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{7/4} (ae^2 + cd^2)} + \frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d)}{4\sqrt{2} a^{7/4} (ae^2 + cd^2)}$$

[Out] $-1/3/a/d/x^3+e/a/d^2/x+e^{(7/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/(a*e^2+c*d^2)-1/4*c^{(5/4)}*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/4*c^{(5/4)}*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}+1/8*c^{(5/4)}*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/8*c^{(5/4)}*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(7/4)}/(a*e^2+c*d^2)*2^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 360, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {1288, 205, 1168, 1162, 617, 204, 1165, 628}

$$\frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{7/4} (ae^2 + cd^2)} - \frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{7/4} (ae^2 + cd^2)} + \frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d)}{4\sqrt{2} a^{7/4} (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(d + e*x^2)*(a + c*x^4)),x]

[Out] $-1/(3*a*d*x^3) + e/(a*d^2*x) + (e^{(7/2)}*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^{(5/2)}*(c*d^2 + a*e^2)) + (c^{(5/4)}*(Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(7/4)}*(c*d^2 + a*e^2)) - (c^{(5/4)}*(Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(7/4)}*(c*d^2 + a*e^2)) + (c^{(5/4)}*(Sqrt[c]*d + Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^{(7/4)}*(c*d^2 + a*e^2)) - (c^{(5/4)}*(Sqrt[c]*d + Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^{(1/4)}*c^{(1/4)}*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^{(7/4)}*(c*d^2 + a*e^2))$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1288

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e, f, m}, x] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4(d+ex^2)(a+cx^4)} dx &= \int \left(\frac{1}{adx^4} - \frac{e}{ad^2x^2} + \frac{e^4}{d^2(cd^2+ae^2)(d+ex^2)} - \frac{c^2(d-ex^2)}{a(cd^2+ae^2)(a+cx^4)} \right) dx \\
&= -\frac{1}{3adx^3} + \frac{e}{ad^2x} - \frac{c^2 \int \frac{d-ex^2}{a+cx^4} dx}{a(cd^2+ae^2)} + \frac{e^4 \int \frac{1}{d+ex^2} dx}{d^2(cd^2+ae^2)} \\
&= -\frac{1}{3adx^3} + \frac{e}{ad^2x} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{5/2}(cd^2+ae^2)} - \frac{\left(c\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2a(cd^2+ae^2)} - \frac{\left(c\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right)\right)}{2a(cd^2+ae^2)} \\
&= -\frac{1}{3adx^3} + \frac{e}{ad^2x} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{5/2}(cd^2+ae^2)} - \frac{\left(c\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4a(cd^2+ae^2)} - \frac{\left(c\left(\frac{\sqrt{c}d}{\sqrt{a}}+e\right)\right)}{2a(cd^2+ae^2)} \\
&= -\frac{1}{3adx^3} + \frac{e}{ad^2x} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{d^{5/2}(cd^2+ae^2)} + \frac{c^{5/4}(\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{7/4}(cd^2+ae^2)} - \frac{c^{5/4}(\sqrt{c}d - \sqrt{a}e) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{7/4}(cd^2+ae^2)} - \frac{c^{5/4}}{2a(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 367, normalized size = 1.02

$$3\sqrt{2}c^{5/4}d^{5/2}x^3(a^{3/4}e + \sqrt[4]{a}\sqrt{c}d) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2) - 3\sqrt{2}c^{5/4}d^{5/2}x^3(a^{3/4}e + \sqrt[4]{a}\sqrt{c}d) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(d + e*x^2)*(a + c*x^4)),x]

[Out] (-8*a*d^(3/2)*(c*d^2 + a*e^2) + 24*a*Sqrt[d]*e*(c*d^2 + a*e^2)*x^2 + 24*a^2*e^(7/2)*x^3*ArcTan[Sqrt[e]*x/Sqrt[d]] + 6*Sqrt[2]*a^(1/4)*c^(5/4)*d^(5/2)*(Sqrt[c]*d - Sqrt[a]*e)*x^3*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 6*Sqrt[2]*a^(1/4)*c^(5/4)*d^(5/2)*(-Sqrt[c]*d + Sqrt[a]*e)*x^3*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 3*Sqrt[2]*c^(5/4)*d^(5/2)*(a^(1/4)*Sqrt[c]*d + a^(3/4)*e)*x^3*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2] - 3*Sqrt[2]*c^(5/4)*d^(5/2)*(a^(1/4)*Sqrt[c]*d + a^(3/4)*e)*x^3*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2]

qrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2)]/(24*a^2*d^(5/2)*(c*d^2 + a*e^2)*x^3)

fricas [B] time = 19.68, size = 4442, normalized size = 12.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+a),x, algorithm="fricas")

[Out] [1/12*(6*a*e^3*x^3*sqrt(-e/d)*log((e*x^2 + 2*d*x*sqrt(-e/d) - d)/(e*x^2 + d)) + 3*(a*c*d^4 + a^2*d^2*e^2)*x^3*sqrt((2*c^3*d*e + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4))*log(-(c^5*d^2 - a*c^4*e^2)*x + (a^2*c^4*d^3 - a^3*c^3*d*e^2 + (a^6*c^2*d^4*e + 2*a^7*c*d^2*e^3 + a^8*e^5)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))*sqrt((2*c^3*d*e + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)) - 3*(a*c*d^4 + a^2*d^2*e^2)*x^3*sqrt((2*c^3*d*e + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4))*log(-(c^5*d^2 - a*c^4*e^2)*x - (a^2*c^4*d^3 - a^3*c^3*d*e^2 + (a^6*c^2*d^4*e + 2*a^7*c*d^2*e^3 + a^8*e^5)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))*sqrt((2*c^3*d*e + (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)) + 3*(a*c*d^4 + a^2*d^2*e^2)*x^3*sqrt((2*c^3*d*e - (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4))*log(-(c^5*d^2 - a*c^4*e^2)*x + (a^2*c^4*d^3 - a^3*c^3*d*e^2 - (a^6*c^2*d^4*e + 2*a^7*c*d^2*e^3 + a^8*e^5)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))*sqrt((2*c^3*d*e - (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)) - 3*(a*c*d^4 + a^2*d^2*e^2)*x^3*sqrt((2*c^3*d*e - (a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*sqrt(-(c^7*d^4 - 2*a*c^6*d^2*e^2 + a^2*c^5*e^4)/(a^7*c^4*d^8 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4 + 4*a^10*c*d^2*e^6 + a^11*e^8))))/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4))*log(-(c^5*d^2 - a*c^4*e^2)*x - (a^2*c

$e^4 \sqrt{-(c^7 d^4 - 2 a c^6 d^2 e^2 + a^2 c^5 e^4) / (a^7 c^4 d^8 + 4 a^8 c^3 d^6 e^2 + 6 a^9 c^2 d^4 e^4 + 4 a^{10} c d^2 e^6 + a^{11} e^8)} - 4 c d^3 - 4 a d e^2 + 12 (c d^2 e + a e^3) x^2 / ((a c d^4 + a^2 d^2 e^2) x^3]$

giac [A] time = 0.40, size = 364, normalized size = 1.01

$$\frac{\left((ac^3)^{\frac{1}{4}} c^2 d - (ac^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{2 \left(\sqrt{2} a^2 c^2 d^2 + \sqrt{2} a^3 c e^2 \right)} - \frac{\left((ac^3)^{\frac{1}{4}} c^2 d - (ac^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x - \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)}{2 \left(\sqrt{2} a^2 c^2 d^2 + \sqrt{2} a^3 c e^2 \right)} - \left((ac^3)^{\frac{1}{4}} c^2 d - (ac^3)^{\frac{3}{4}} e \right) \arctan \left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left(\frac{a}{c} \right)^{\frac{1}{4}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+a),x, algorithm="giac")

[Out] $-1/2 * ((a*c^3)^{(1/4)} * c^2 * d - (a*c^3)^{(3/4)} * e) * \arctan(1/2 * \sqrt{2} * (2*x + \sqrt{2} * (a/c)^{(1/4)}) / (a/c)^{(1/4)}) / (\sqrt{2} * a^2 * c^2 * d^2 + \sqrt{2} * a^3 * c * e^2) - 1/2 * ((a*c^3)^{(1/4)} * c^2 * d - (a*c^3)^{(3/4)} * e) * \arctan(1/2 * \sqrt{2} * (2*x - \sqrt{2} * (a/c)^{(1/4)}) / (a/c)^{(1/4)}) / (\sqrt{2} * a^2 * c^2 * d^2 + \sqrt{2} * a^3 * c * e^2) - 1/4 * ((a*c^3)^{(1/4)} * c^2 * d + (a*c^3)^{(3/4)} * e) * \log(x^2 + \sqrt{2} * x * (a/c)^{(1/4)} + \sqrt{a/c}) / (\sqrt{2} * a^2 * c^2 * d^2 + \sqrt{2} * a^3 * c * e^2) + 1/4 * ((a*c^3)^{(1/4)} * c^2 * d + (a*c^3)^{(3/4)} * e) * \log(x^2 - \sqrt{2} * x * (a/c)^{(1/4)} + \sqrt{a/c}) / (\sqrt{2} * a^2 * c^2 * d^2 + \sqrt{2} * a^3 * c * e^2) + \arctan(x * e^{(1/2)} / \sqrt{d}) * e^{(7/2)} / ((c * d^4 + a * d^2 * e^2) * \sqrt{d}) + 1/3 * (3 * x^2 * e - d) / (a * d^2 * x^3)$

maple [A] time = 0.01, size = 406, normalized size = 1.13

$$\frac{e^4 \arctan \left(\frac{ex}{\sqrt{de}} \right)}{(a e^2 + c d^2) \sqrt{de} d^2} + \frac{\sqrt{2} c e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} - 1 \right)}{4 (a e^2 + c d^2) \left(\frac{a}{c} \right)^{\frac{1}{4}} a} + \frac{\sqrt{2} c e \arctan \left(\frac{\sqrt{2} x}{\left(\frac{a}{c} \right)^{\frac{1}{4}}} + 1 \right)}{4 (a e^2 + c d^2) \left(\frac{a}{c} \right)^{\frac{1}{4}} a} + \frac{\sqrt{2} c e \ln \left(\frac{x^2 - \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 + \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}} \right)}{8 (a e^2 + c d^2) \left(\frac{a}{c} \right)^{\frac{1}{4}} a} - \left(\frac{a}{c} \right)^{\frac{1}{4}} \sqrt{2} c e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(e*x^2+d)/(c*x^4+a),x)

[Out] $-1/3 * a / d / x^3 + e / a / d^2 / x - 1/8 * c^2 / (a * e^2 + c * d^2) / a^2 * d * (a/c)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)}) / (x^2 - (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)})) - 1/4 * c^2 / (a * e^2 + c * d^2) / a^2 * d * (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x + 1) - 1/4 * c^2 / (a * e^2 + c * d^2) / a^2 * d * (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x - 1) + 1/8 * c / (a * e^2 + c * d^2) / a * e / (a/c)^{(1/4)} * 2^{(1/2)} * \ln((x^2 - (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)}) / (x^2 + (a/c)^{(1/4)} * 2^{(1/2)} * x + (a/c)^{(1/2)})) + 1/4 * c / (a * e^2 + c * d^2) / a * e / (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x + 1) + 1/4 * c / (a * e^2 + c * d^2) / a * e / (a/c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a/c)^{(1/4)} * x - 1)$

$(a^2e^2 + cd^2)/ae/(a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(a/c)^{1/4} * x - 1) + 1/d^2 * e^4/(a^2e^2 + cd^2)/(d^2e)^{1/2} * \arctan(1/(d^2e)^{1/2} * e * x)$

maxima [A] time = 2.12, size = 297, normalized size = 0.82

$$\frac{e^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^4 + ad^2e^2)\sqrt{de}} - \frac{c^2 \left[\frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} \right] + \frac{2\sqrt{2}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{\sqrt{2}(\sqrt{c}d + \sqrt{a}e)}{8(acd^2 + a^2e^2)} \right]}{8(acd^2 + a^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+a),x, algorithm="maxima")

[Out] $e^4 \arctan(e*x/\sqrt{d*e}) / ((c*d^4 + a*d^2*e^2)*\sqrt{d*e}) - 1/8*c^2*(2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2*\sqrt{2}*(\sqrt{c}*d - \sqrt{a}*e)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}})*\sqrt{c} + \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}) - \sqrt{2}*(\sqrt{c}*d + \sqrt{a}*e)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}) / (a*c*d^2 + a^2*e^2) + 1/3*(3*e*x^2 - d)/(a*d^2*x^3)$

mupad [B] time = 2.26, size = 5972, normalized size = 16.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + c*x^4)*(d + e*x^2)),x)

[Out] $\operatorname{atan}\left(\frac{x*(2*a^5*c^9*d^18*e^5 + 4*a^7*c^7*d^14*e^9) - ((a^2e^2*(-a^7c^5)^{1/2} - cd^2*(-a^7c^5)^{1/2} + 2a^4c^3d^2e)/(16*(a^9e^4 + a^7c^2d^4 + 2a^8cd^2e^2))^{1/2} * (((a^2e^2*(-a^7c^5)^{1/2} - cd^2*(-a^7c^5)^{1/2} + 2a^4c^3d^2e)/(16*(a^9e^4 + a^7c^2d^4 + 2a^8cd^2e^2))^{1/2} * (x*((a^2e^2*(-a^7c^5)^{1/2} - cd^2*(-a^7c^5)^{1/2} + 2a^4c^3d^2e)/(16*(a^9e^4 + a^7c^2d^4 + 2a^8cd^2e^2))^{1/2} * (512*a^{11}*c^7*d^{24}*e^3 + 512*a^{12}*c^6*d^{22}*e^5 - 512*a^{13}*c^5*d^{20}*e^7 - 512*a^{14}*c^4*d^{18}*e^9) - 64*a^9*c^8*d^{24}*e^2 + 128*a^{10}*c^7*d^{22}*e^4 + 192*a^{11}*c^6*d^{20}*e^6 - 256*a^{12}*c^5*d^{18}*e^8 - 256*a^{13}*c^4*d^{16}*e^{10}) - x*(16*a^7*c^9*d^{23}*e^2 + 32*a^8*c^8*d^{21}*e^4 - 112*a^9*c^7*d^{19}*e^6 - 128*a^{11}*c^5*d^{15}*e^{10}))}{((a^2e^2*(-a^7c^5)^{1/2} - cd^2*(-a^7c^5)^{1/2} + 2a^4c^3d^2e)/(16*(a^9e^4 + a^7c^2d^4 + 2a^8cd^2e^2))^{1/2} * (((a^2e^2*(-a^7c^5)^{1/2} - cd^2*(-a^7c^5)^{1/2} + 2a^4c^3d^2e)/(16*(a^9e^4 + a^7c^2d^4 + 2a^8cd^2e^2))^{1/2} * (x*((a^2e^2*(-a^7c^5)^{1/2} - cd^2*(-a^7c^5)^{1/2} + 2a^4c^3d^2e)/(16*(a^9e^4 + a^7c^2d^4 + 2a^8cd^2e^2))^{1/2} * (512*a^{11}*c^7*d^{24}*e^3 + 512*a^{12}*c^6*d^{22}*e^5 - 512*a^{13}*c^5*d^{20}*e^7 - 512*a^{14}*c^4*d^{18}*e^9) - 64*a^9*c^8*d^{24}*e^2 + 128*a^{10}*c^7*d^{22}*e^4 + 192*a^{11}*c^6*d^{20}*e^6 - 256*a^{12}*c^5*d^{18}*e^8 - 256*a^{13}*c^4*d^{16}*e^{10}) - x*(16*a^7*c^9*d^{23}*e^2 + 32*a^8*c^8*d^{21}*e^4 - 112*a^9*c^7*d^{19}*e^6 - 128*a^{11}*c^5*d^{15}*e^{10}))}$

$$\begin{aligned}
& 5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e)/(16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2))^{(1/2)} - 4*a^6*c^9*d^21*e^3 - 4*a^7*c^8*d^19*e^5 + 4 \\
& 8*a^9*c^6*d^15*e^9))*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2* \\
& a^4*c^3*d*e)/(16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*1i + (x* \\
& (2*a^5*c^9*d^18*e^5 + 4*a^7*c^7*d^14*e^9) - ((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2* \\
& (-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e)/(16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2* \\
& e^2)))^{(1/2)}*(((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) \\
& / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*(x*((a*e^2*(-a^7*c^5)^{(1/2)} - \\
& c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e)/(16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2* \\
& e^2)))^{(1/2)}*(512*a^11*c^7*d^24*e^3 + 512*a^12*c^6*d^22*e^5 - 512*a^13*c^5*d^20*e^7 - 512*a^14*c^4*d^18*e^9) + 64*a^9*c^8*d^24* \\
& e^2 - 128*a^10*c^7*d^22*e^4 - 192*a^11*c^6*d^20*e^6 + 256*a^12*c^5*d^18*e^8 + 256*a^13*c^4*d^16*e^10) - x*(16*a^7*c^9*d^23*e^2 + 32*a^8*c^8*d^21*e^4 \\
& - 112*a^9*c^7*d^19*e^6 - 128*a^11*c^5*d^15*e^10))*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) \\
& / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)} + 4*a^6*c^9*d^21*e^3 + 4*a^7*c^8*d^19*e^5 - 48*a^9*c^6*d^15*e^9) \\
&)*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2* \\
& e^2)))^{(1/2)}*1i) / ((x*(2*a^5*c^9*d^18*e^5 + 4*a^7*c^7*d^14*e^9) - ((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) \\
& / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*(((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) \\
& / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*(x*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) \\
& / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*(512*a^11*c^7*d^24*e^3 + 512*a^12*c^6*d^22*e^5 - 512*a^13*c^5*d^20*e^7 - 512*a^14*c^4*d^18*e^9) - 64*a^9*c^8*d^24*e^2 + 12 \\
& 8*a^10*c^7*d^22*e^4 + 192*a^11*c^6*d^20*e^6 - 256*a^12*c^5*d^18*e^8 - 256*a^13*c^4*d^16*e^10) - x*(16*a^7*c^9*d^23*e^2 + 32*a^8*c^8*d^21*e^4 - 112*a^9* \\
& c^7*d^19*e^6 - 128*a^11*c^5*d^15*e^10))*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2* \\
& e^2)))^{(1/2)} - 4*a^6*c^9*d^21*e^3 - 4*a^7*c^8*d^19*e^5 + 48*a^9*c^6*d^15*e^9) \\
&)*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2* \\
& e^2)))^{(1/2)} - (x*(2*a^5*c^9*d^18*e^5 + 4*a^7*c^7*d^14*e^9) - ((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) \\
& / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*(((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 \\
& + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}*(x*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2* \\
& e^2)))^{(1/2)}*(512*a^11*c^7*d^24*e^3 + 512*a^12*c^6*d^22*e^5 - 512*a^13*c^5*d^20*e^7 - 512*a^14*c^4*d^18*e^9) + 64*a^9*c^8*d^24*e^2 - 128*a^10*c^7*d^22* \\
& e^4 - 192*a^11*c^6*d^20*e^6 + 256*a^12*c^5*d^18*e^8 + 256*a^13*c^4*d^16*e^10) - x*(16*a^7*c^9*d^23*e^2 + 32*a^8*c^8*d^21*e^4 - 112*a^9*c^7*d^19*e^6 - 128*a^11*c^5*d^15*e^10) \\
&)*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)} \\
& + 4*a^6*c^9*d^21*e^3 + 4*a^7*c^8*d^19*e^5 - 48*a^9*c^6*d^15*e^9))*((a*e^2*(-a^7*c^5)^{(1/2)} - c*d^2*(-a^7*c^5)^{(1/2)} + 2*a^4*c^3*d*e) / (16*(a^9*e^4 + a^7*c^2*d^4 + 2*a^8*c*d^2*e^2)))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 5)^{(1/2)} - a \cdot e^{2 \cdot (-a^7 \cdot c^5)^{(1/2)} + 2 \cdot a^4 \cdot c^3 \cdot d \cdot e} / (16 \cdot (a^9 \cdot e^4 + a^7 \cdot c^2 \cdot d^4 + 2 \cdot a^8 \cdot c \cdot d^2 \cdot e^2))^{(1/2)} \cdot (((c \cdot d^2 \cdot (-a^7 \cdot c^5)^{(1/2)} - a \cdot e^{2 \cdot (-a^7 \cdot c^5)^{(1/2)} + 2 \cdot a^4 \cdot c^3 \cdot d \cdot e} / (16 \cdot (a^9 \cdot e^4 + a^7 \cdot c^2 \cdot d^4 + 2 \cdot a^8 \cdot c \cdot d^2 \cdot e^2))^{(1/2)} \cdot (x \cdot ((c \cdot d^2 \cdot (-a^7 \cdot c^5)^{(1/2)} - a \cdot e^{2 \cdot (-a^7 \cdot c^5)^{(1/2)} + 2 \cdot a^4 \cdot c^3 \cdot d \cdot e} / (16 \cdot (a^9 \cdot e^4 + a^7 \cdot c^2 \cdot d^4 + 2 \cdot a^8 \cdot c \cdot d^2 \cdot e^2))^{(1/2)} \cdot (512 \cdot a^{11} \cdot c^7 \cdot d^{24} \cdot e^3 + 512 \cdot a^{12} \cdot c^6 \cdot d^{22} \cdot e^5 - 512 \cdot a^{13} \cdot c^5 \cdot d^{20} \cdot e^7 - 512 \cdot a^{14} \cdot c^4 \cdot d^{18} \cdot e^9) + 64 \cdot a^9 \cdot c^8 \cdot d^{24} \cdot e^2 - 128 \cdot a^{10} \cdot c^7 \cdot d^{22} \cdot e^4 - 192 \cdot a^{11} \cdot c^6 \cdot d^{20} \cdot e^6 + 256 \cdot a^{12} \cdot c^5 \cdot d^{18} \cdot e^8 + 256 \cdot a^{13} \cdot c^4 \cdot d^{16} \cdot e^{10}) - x \cdot (16 \cdot a^7 \cdot c^9 \cdot d^{23} \cdot e^2 + 32 \cdot a^8 \cdot c^8 \cdot d^{21} \cdot e^4 - 112 \cdot a^9 \cdot c^7 \cdot d^{19} \cdot e^6 - 128 \cdot a^{11} \cdot c^5 \cdot d^{15} \cdot e^{10})) \cdot ((c \cdot d^2 \cdot (-a^7 \cdot c^5)^{(1/2)} - a \cdot e^{2 \cdot (-a^7 \cdot c^5)^{(1/2)} + 2 \cdot a^4 \cdot c^3 \cdot d \cdot e} / (16 \cdot (a^9 \cdot e^4 + a^7 \cdot c^2 \cdot d^4 + 2 \cdot a^8 \cdot c \cdot d^2 \cdot e^2))^{(1/2)} + 4 \cdot a^6 \cdot c^9 \cdot d^{21} \cdot e^3 + 4 \cdot a^7 \cdot c^8 \cdot d^{19} \cdot e^5 - 48 \cdot a^9 \cdot c^6 \cdot d^{15} \cdot e^9)) \cdot ((c \cdot d^2 \cdot (-a^7 \cdot c^5)^{(1/2)} - a \cdot e^{2 \cdot (-a^7 \cdot c^5)^{(1/2)} + 2 \cdot a^4 \cdot c^3 \cdot d \cdot e} / (16 \cdot (a^9 \cdot e^4 + a^7 \cdot c^2 \cdot d^4 + 2 \cdot a^8 \cdot c \cdot d^2 \cdot e^2))^{(1/2)} + 2 \cdot a^5 \cdot c^8 \cdot d^{14} \cdot e^8)) \cdot ((c \cdot d^2 \cdot (-a^7 \cdot c^5)^{(1/2)} - a \cdot e^{2 \cdot (-a^7 \cdot c^5)^{(1/2)} + 2 \cdot a^4 \cdot c^3 \cdot d \cdot e} / (16 \cdot (a^9 \cdot e^4 + a^7 \cdot c^2 \cdot d^4 + 2 \cdot a^8 \cdot c \cdot d^2 \cdot e^2))^{(1/2)} \cdot 2i - (1 / (3 \cdot a \cdot d) - (e \cdot x^2) / (a \cdot d^2)) / x^3 - (\log(16 \cdot a^7 \cdot d^{13} \cdot e^{20} + c^7 \cdot d^{27} \cdot e^6 + 2 \cdot a \cdot c^6 \cdot d^{25} \cdot e^8 + a^2 \cdot c^5 \cdot d^{23} \cdot e^{10} + 16 \cdot a^4 \cdot c^3 \cdot d^{19} \cdot e^{14} + 16 \cdot a^7 \cdot e^3 \cdot x \cdot (-d^5 \cdot e^7)^{(5/2)} - a^2 \cdot c^5 \cdot d^{15} \cdot x \cdot (-d^5 \cdot e^7)^{(3/2)} + c^7 \cdot d^{24} \cdot e^3 \cdot x \cdot (-d^5 \cdot e^7)^{(1/2)} - 16 \cdot a^4 \cdot c^3 \cdot d^{11} \cdot e^4 \cdot x \cdot (-d^5 \cdot e^7)^{(3/2)} + 2 \cdot a \cdot c^6 \cdot d^{22} \cdot e^5 \cdot x \cdot (-d^5 \cdot e^7)^{(1/2})) \cdot (-d^5 \cdot e^7)^{(1/2)}) / (2 \cdot (c \cdot d^7 + a \cdot d^5 \cdot e^2)) + (\log(16 \cdot a^7 \cdot d^{13} \cdot e^{20} + c^7 \cdot d^{27} \cdot e^6 + 2 \cdot a \cdot c^6 \cdot d^{25} \cdot e^8 + a^2 \cdot c^5 \cdot d^{23} \cdot e^{10} + 16 \cdot a^4 \cdot c^3 \cdot d^{19} \cdot e^{14} - 16 \cdot a^7 \cdot e^3 \cdot x \cdot (-d^5 \cdot e^7)^{(5/2)} + a^2 \cdot c^5 \cdot d^{15} \cdot x \cdot (-d^5 \cdot e^7)^{(3/2)} - c^7 \cdot d^{24} \cdot e^3 \cdot x \cdot (-d^5 \cdot e^7)^{(1/2)} + 16 \cdot a^4 \cdot c^3 \cdot d^{11} \cdot e^4 \cdot x \cdot (-d^5 \cdot e^7)^{(3/2)} - 2 \cdot a \cdot c^6 \cdot d^{22} \cdot e^5 \cdot x \cdot (-d^5 \cdot e^7)^{(1/2})) \cdot (-d^5 \cdot e^7)^{(1/2)}) / (2 \cdot c \cdot d^7 + 2 \cdot a \cdot d^5 \cdot e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(e*x**2+d)/(c*x**4+a),x)

[Out] Timed out

$$3.244 \quad \int \frac{x^9}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=169

$$-\frac{\sqrt{a} d (ae^2 + 3cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4c^{3/2} (ae^2 + cd^2)^2} + \frac{ae (ae^2 + 2cd^2) \log(a + cx^4)}{4c^2 (ae^2 + cd^2)^2} + \frac{a (ae + cd^2)}{4c^2 (a + cx^4) (ae^2 + cd^2)} + \frac{d^4 \log(d + ex^2)}{2e (ae^2 + cd^2)^2}$$

[Out] $1/4*a*(c*d*x^2+a*e)/c^2/(a*e^2+c*d^2)/(c*x^4+a)+1/2*d^4*\ln(e*x^2+d)/e/(a*e^2+c*d^2)^2+1/4*a*e*(a*e^2+2*c*d^2)*\ln(c*x^4+a)/c^2/(a*e^2+c*d^2)^2-1/4*d*(a*e^2+3*c*d^2)*\arctan(x^2*c^(1/2)/a^(1/2))*a^(1/2)/c^(3/2)/(a*e^2+c*d^2)^2$

Rubi [A] time = 0.37, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 1647, 1629, 635, 205, 260}

$$\frac{a (ae + cd^2)}{4c^2 (a + cx^4) (ae^2 + cd^2)} + \frac{ae (ae^2 + 2cd^2) \log(a + cx^4)}{4c^2 (ae^2 + cd^2)^2} - \frac{\sqrt{a} d (ae^2 + 3cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4c^{3/2} (ae^2 + cd^2)^2} + \frac{d^4 \log(d + ex^2)}{2e (ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[x^9/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] $(a*(a*e + c*d*x^2))/(4*c^2*(c*d^2 + a*e^2)*(a + c*x^4)) - (\text{Sqrt}[a]*d*(3*c*d^2 + a*e^2)*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/(4*c^(3/2)*(c*d^2 + a*e^2)^2) + (d^4*\text{Log}[d + e*x^2])/(2*e*(c*d^2 + a*e^2)^2) + (a*e*(2*c*d^2 + a*e^2)*\text{Log}[a + c*x^4])/(4*c^2*(c*d^2 + a*e^2)^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e

}, x] && !NiceSqrtQ[-(a*c)]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1629

Int[(Pq_)*((d_) + (e_.)*(x_)^(m_.))*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1647

Int[(Pq_)*((d_) + (e_.)*(x_)^(m_.))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q]/(d + e*x)^m + (c*f*(2*p + 3))/(d + e*x)^m, x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^9}{(d+ex^2)(a+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^4}{(d+ex)(a+cx^2)^2} dx, x, x^2 \right) \\
&= \frac{a(ae+cdx^2)}{4c^2(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \frac{\frac{a^2d^2}{cd^2+ae^2} - \frac{a^2dex}{cd^2+ae^2} - 2ax^2}{(d+ex)(a+cx^2)} dx, x, x^2 \right)}{4ac} \\
&= \frac{a(ae+cdx^2)}{4c^2(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \left(-\frac{2acd^4}{(cd^2+ae^2)^2(d+ex)} + \frac{a^2(d(3cd^2+ae^2)-2e(2cd^2+ae^2)x)}{(cd^2+ae^2)^2(a+cx^2)} \right) dx, x, x^2 \right)}{4ac} \\
&= \frac{a(ae+cdx^2)}{4c^2(cd^2+ae^2)(a+cx^4)} + \frac{d^4 \log(d+ex^2)}{2e(cd^2+ae^2)^2} - \frac{a \text{Subst} \left(\int \frac{d(3cd^2+ae^2)-2e(2cd^2+ae^2)x}{a+cx^2} dx, x, x^2 \right)}{4c(cd^2+ae^2)^2} \\
&= \frac{a(ae+cdx^2)}{4c^2(cd^2+ae^2)(a+cx^4)} + \frac{d^4 \log(d+ex^2)}{2e(cd^2+ae^2)^2} + \frac{(ae(2cd^2+ae^2)) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2c(cd^2+ae^2)^2} \\
&= \frac{a(ae+cdx^2)}{4c^2(cd^2+ae^2)(a+cx^4)} - \frac{\sqrt{a}d(3cd^2+ae^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{4c^{3/2}(cd^2+ae^2)^2} + \frac{d^4 \log(d+ex^2)}{2e(cd^2+ae^2)^2} + \frac{ae}{4c^2(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 135, normalized size = 0.80

$$\frac{-\frac{\sqrt{a}d(ae^2+3cd^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{c^{3/2}} + \frac{ae(ae^2+2cd^2) \log(a+cx^4)}{c^2} + \frac{a(ae^2+cd^2)(ae+cdx^2)}{c^2(a+cx^4)} + \frac{2d^4 \log(d+ex^2)}{e}}{4(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^9/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] ((a*(c*d^2 + a*e^2)*(a*e + c*d*x^2))/(c^2*(a + c*x^4)) - (Sqrt[a]*d*(3*c*d^2 + a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/c^(3/2) + (2*d^4*Log[d + e*x^2])/e + (a*e*(2*c*d^2 + a*e^2)*Log[a + c*x^4])/c^2)/(4*(c*d^2 + a*e^2)^2)

fricas [A] time = 31.51, size = 555, normalized size = 3.28

$$\frac{2a^2cd^2e^2 + 2a^3e^4 + 2(ac^2d^3e + a^2cde^3)x^2 + (3ac^2d^3e + a^2cde^3 + (3c^3d^3e + ac^2de^3)x^4)\sqrt{-\frac{a}{c}} \log\left(\frac{cx^4 - 2cx^2\sqrt{-\frac{a}{c}}}{cx^4 + a}\right)}{8(ac^4d^4e + 2a^2c^3d^2e^3 + a^3c^2e^5 + (c^5d^4e + 2a^2c^4d^2e^3 + a^2c^3e^5)x^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] [1/8*(2*a^2*c*d^2*e^2 + 2*a^3*e^4 + 2*(a*c^2*d^3*e + a^2*c*d*e^3)*x^2 + (3*a*c^2*d^3*e + a^2*c*d*e^3 + (3*c^3*d^3*e + a*c^2*d*e^3)*x^4)*sqrt(-a/c)*log((c*x^4 - 2*c*x^2*sqrt(-a/c) - a)/(c*x^4 + a)) + 2*(2*a^2*c*d^2*e^2 + a^3*e^4 + (2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^4)*log(c*x^4 + a) + 4*(c^3*d^4*x^4 + a*c^2*d^4)*log(e*x^2 + d)/(a*c^4*d^4*e + 2*a^2*c^3*d^2*e^3 + a^3*c^2*e^5 + (c^5*d^4*e + 2*a*c^4*d^2*e^3 + a^2*c^3*e^5)*x^4), 1/4*(a^2*c*d^2*e^2 + a^3*e^4 + (a*c^2*d^3*e + a^2*c*d*e^3)*x^2 - (3*a*c^2*d^3*e + a^2*c*d*e^3 + (3*c^3*d^3*e + a*c^2*d*e^3)*x^4)*sqrt(a/c)*arctan(c*x^2*sqrt(a/c)/a) + (2*a^2*c*d^2*e^2 + a^3*e^4 + (2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^4)*log(c*x^4 + a) + 2*(c^3*d^4*x^4 + a*c^2*d^4)*log(e*x^2 + d)/(a*c^4*d^4*e + 2*a^2*c^3*d^2*e^3 + a^3*c^2*e^5 + (c^5*d^4*e + 2*a*c^4*d^2*e^3 + a^2*c^3*e^5)*x^4)]

giac [A] time = 0.36, size = 251, normalized size = 1.49

$$\frac{d^4 \log(|x^2e + d|)}{2(c^2d^4e + 2acd^2e^3 + a^2e^5)} + \frac{(2acd^2e + a^2e^3) \log(cx^4 + a)}{4(c^4d^4 + 2ac^3d^2e^2 + a^2c^2e^4)} - \frac{(3acd^3 + a^2de^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^3d^4 + 2ac^2d^2e^2 + a^2ce^4)\sqrt{ac}} - \frac{2acd^2x^4e - acd^3e^3}{4(c^3d^4 + 2ac^2d^2e^2 + a^2ce^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] 1/2*d^4*log(abs(x^2*e + d))/(c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5) + 1/4*(2*a*c*d^2*e + a^2*e^3)*log(c*x^4 + a)/(c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4) - 1/4*(3*a*c*d^3 + a^2*d*e^2)*arctan(c*x^2/sqrt(a*c))/((c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*sqrt(a*c)) - 1/4*(2*a*c*d^2*x^4*e - a*c*d^3*x^2 + a^2*x^4*e^3 - a^2*d*x^2*e^2 + a^2*d^2*e)/(c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*(c*x^4 + a)

maple [A] time = 0.02, size = 305, normalized size = 1.80

$$\frac{a^2d^2e^2x^2}{4(ae^2 + cd^2)^2(cx^4 + a)c} + \frac{ad^3x^2}{4(ae^2 + cd^2)^2(cx^4 + a)} - \frac{a^2de^2 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}c} - \frac{3ad^3 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}} + \frac{a^2d^2e^2x^2}{4(ae^2 + cd^2)^2(cx^4 + a)c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^9/(e*x^2+d)/(c*x^4+a)^2,x)`

[Out] $\frac{1}{4}a^2/(a^2e^2+c^2d^2)^2/(c^4x^4+a)d/c^2x^2e^2+1/4a/(a^2e^2+c^2d^2)^2/(c^4x^4+a)x^2d^3+1/4a^3/(a^2e^2+c^2d^2)^2/(c^4x^4+a)e^3/c^2+1/4a^2/(a^2e^2+c^2d^2)^2/(c^4x^4+a)e/c^2d^2+1/4a^2/(a^2e^2+c^2d^2)^2/c^2\ln(c^4x^4+a)e^3+1/2a/(a^2e^2+c^2d^2)^2/c\ln(c^4x^4+a)d^2e-1/4a^2/(a^2e^2+c^2d^2)^2/c/(a^2c)^{(1/2)}\arctan(1/(a^2c)^{(1/2)}c^2x^2)d^3+1/2d^4\ln(e^2x^2+d)/e/(a^2e^2+c^2d^2)^2$

maxima [A] time = 2.08, size = 220, normalized size = 1.30

$$\frac{d^4 \log(ex^2 + d)}{2(c^2d^4e + 2acd^2e^3 + a^2e^5)} + \frac{(2acd^2e + a^2e^3) \log(cx^4 + a)}{4(c^4d^4 + 2ac^3d^2e^2 + a^2c^2e^4)} - \frac{(3acd^3 + a^2de^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^3d^4 + 2ac^2d^2e^2 + a^2ce^4)\sqrt{ac}} + \frac{acdx^2}{4(ac^3d^2 + a^2c^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^9/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{2}d^4\log(e^2x^2 + d)/(c^2d^4e + 2a^2c^2d^2e^3 + a^2e^5) + \frac{1}{4}(2a^2c^2d^2e + a^2e^3)\log(c^4x^4 + a)/(c^4d^4 + 2a^2c^3d^2e^2 + a^2c^2e^4) - \frac{1}{4}(3a^2c^2d^3 + a^2d^2e^2)\arctan(cx^2/\sqrt{ac})/((c^3d^4 + 2a^2c^2d^2e^2 + a^2c^2e^4)\sqrt{ac}) + \frac{1}{4}(a^2c^2d^2x^2 + a^2e)/(a^2c^3d^2 + a^2c^2e^2 + (c^4d^2 + a^2c^3e^2)x^4)$

mupad [B] time = 1.30, size = 305, normalized size = 1.80

$$\frac{\frac{a^2e}{4c^2(c^2d^2+ae^2)} + \frac{ad^2x^2}{4c(c^2d^2+ae^2)}}{cx^4 + a} - \frac{\ln\left(\sqrt{-ac^5} + c^3x^2\right) \left(3cd^3\sqrt{-ac^5} - 2a^2c^2e^3 - 4ac^3d^2e + ade^2\sqrt{-ac^5}\right)}{8(a^2c^4e^4 + 2ac^5d^2e^2 + c^6d^4)} + \frac{\ln\left(\sqrt{-ac^5} + c^3x^2\right)}{4c(c^2d^2+ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^9/((a + c*x^4)^2*(d + e*x^2)),x)`

[Out] $\frac{(a^2e)/(4c^2(a^2e^2 + c^2d^2)) + (ad^2x^2)/(4c(a^2e^2 + c^2d^2))}{(a + c^4x^4) - (\log((-a^2c^5)^{(1/2)} + c^3x^2)(3c^3d^3(-a^2c^5)^{(1/2)} - 2a^2c^2e^3 - 4a^2c^3d^2e + ad^2e^2(-a^2c^5)^{(1/2))})/(8(c^6d^4 + a^2c^4e^4 + 2a^2c^5d^2e^2)) + (\log((-a^2c^5)^{(1/2)} - c^3x^2)(3c^3d^3(-a^2c^5)^{(1/2)} + 2a^2c^2e^3 + 4a^2c^3d^2e + ad^2e^2(-a^2c^5)^{(1/2))})/(8(c^6d^4 + a^2c^4e^4 + 2a^2c^5d^2e^2)) + (d^4\log(d + e^2x^2))/(2a^2e^5 + 2c^2d^4e + 4a^2c^2d^2e^3)}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**9/(e*x**2+d)/(c*x**4+a)**2,x)
```

```
[Out] Timed out
```

$$3.245 \quad \int \frac{x^7}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=150

$$\frac{\sqrt{a} e (ae^2 + 3cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4c^{3/2} (ae^2 + cd^2)^2} + \frac{a(d - ex^2)}{4c(a + cx^4)(ae^2 + cd^2)} + \frac{d^3 \log(a + cx^4)}{4(ae^2 + cd^2)^2} - \frac{d^3 \log(d + ex^2)}{2(ae^2 + cd^2)^2}$$

[Out] 1/4*a*(-e*x^2+d)/c/(a*e^2+c*d^2)/(c*x^4+a)-1/2*d^3*ln(e*x^2+d)/(a*e^2+c*d^2)^2+1/4*d^3*ln(c*x^4+a)/(a*e^2+c*d^2)^2+1/4*e*(a*e^2+3*c*d^2)*arctan(x^2*c^(1/2)/a^(1/2))*a^(1/2)/c^(3/2)/(a*e^2+c*d^2)^2

Rubi [A] time = 0.25, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 1647, 801, 635, 205, 260}

$$\frac{\sqrt{a} e (ae^2 + 3cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4c^{3/2} (ae^2 + cd^2)^2} + \frac{a(d - ex^2)}{4c(a + cx^4)(ae^2 + cd^2)} - \frac{d^3 \log(d + ex^2)}{2(ae^2 + cd^2)^2} + \frac{d^3 \log(a + cx^4)}{4(ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[x^7/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] (a*(d - e*x^2))/(4*c*(c*d^2 + a*e^2)*(a + c*x^4)) + (Sqrt[a]*e*(3*c*d^2 + a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(4*c^(3/2)*(c*d^2 + a*e^2)^2) - (d^3*Log[d + e*x^2])/(2*(c*d^2 + a*e^2)^2) + (d^3*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e

}, x] && !NiceSqrtQ[-(a*c)]

Rule 801

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2),
x_Symbol] :> Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1647

Int[(Pq_)*((d_) + (e_.)*(x_)^2)^(m_.)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[Pol
ynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[Polynomial
Remainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c
*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^
m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p
+ 3))/(d + e*x)^m, x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] &
& NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^7}{(d+ex^2)(a+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3}{(d+ex)(a+cx^2)^2} dx, x, x^2 \right) \\
&= \frac{a(d-ex^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \frac{\frac{a^2de}{cd^2+ae^2} - \frac{a(2cd^2+ae^2)x}{cd^2+ae^2}}{(d+ex)(a+cx^2)} dx, x, x^2 \right)}{4ac} \\
&= \frac{a(d-ex^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \left(\frac{2acd^3e}{(cd^2+ae^2)^2(d+ex)} - \frac{a(3acd^2e+a^2e^3+2c^2d^3x)}{(cd^2+ae^2)^2(a+cx^2)} \right) dx, x, x^2 \right)}{4ac} \\
&= \frac{a(d-ex^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{d^3 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{\text{Subst} \left(\int \frac{3acd^2e+a^2e^3+2c^2d^3x}{a+cx^2} dx, x, x^2 \right)}{4c(cd^2+ae^2)^2} \\
&= \frac{a(d-ex^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{d^3 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{(cd^3) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)^2} + \frac{(ae)}{4} \\
&= \frac{a(d-ex^2)}{4c(cd^2+ae^2)(a+cx^4)} + \frac{\sqrt{a}e(3cd^2+ae^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{4c^{3/2}(cd^2+ae^2)^2} - \frac{d^3 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{d^3}{4}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 142, normalized size = 0.95

$$\frac{\sqrt{a}e(a+cx^4)(ae^2+3cd^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right) + \sqrt{c}(-2cd^3(a+cx^4) \log(d+ex^2) + cd^3(a+cx^4) \log(a+cx^4) + a)}{4c^{3/2}(a+cx^4)(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^7/((d+e*x^2)*(a+c*x^4)^2),x]

[Out] (Sqrt[a]*e*(3*c*d^2+a*e^2)*(a+c*x^4)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]]+Sqrt[c]*(a*(c*d^2+a*e^2)*(d-e*x^2)-2*c*d^3*(a+c*x^4)*Log[d+e*x^2]+c*d^3*(a+c*x^4)*Log[a+c*x^4]))/(4*c^(3/2)*(c*d^2+a*e^2)^2*(a+c*x^4))

[In] int(x^7/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a^2*e^3/c*x^2-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a*e*x^2*d^2+1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a^2*d/c*e^2+1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a*d^3+1/4*d^3*\ln(c*x^4+a)/(a*e^2+c*d^2)^2+1/4/(a*e^2+c*d^2)^2/c/(a*c)^{(1/2)}*\arctan(1/(a*c)^{(1/2)}*c*x^2)*a^2*e^3+3/4/(a*e^2+c*d^2)^2/(a*c)^{(1/2)}*\arctan(1/(a*c)^{(1/2)}*c*x^2)*a*d^2*e-1/2*d^3*\ln(e*x^2+d)/(a*e^2+c*d^2)^2$

maxima [A] time = 2.05, size = 197, normalized size = 1.31

$$\frac{d^3 \log(cx^4 + a)}{4(c^2d^4 + 2acd^2e^2 + a^2e^4)} - \frac{d^3 \log(ex^2 + d)}{2(c^2d^4 + 2acd^2e^2 + a^2e^4)} + \frac{(3acd^2e + a^2e^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^3d^4 + 2ac^2d^2e^2 + a^2ce^4)\sqrt{ac}} - \frac{aex^2 - ad}{4(ac^2d^2 + a^2ce^2 + (c^3d^4 + 2acd^2e^2 + a^2e^4))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $1/4*d^3*\log(c*x^4 + a)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) - 1/2*d^3*\log(e*x^2 + d)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) + 1/4*(3*a*c*d^2*e + a^2*e^3)*\arctan(c*x^2/\sqrt{a*c})/((c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*\sqrt{a*c}) - 1/4*(a*e*x^2 - a*d)/(a*c^2*d^2 + a^2*c*e^2 + (c^3*d^4 + a*c^2*e^2)*x^4)$

mupad [B] time = 1.49, size = 647, normalized size = 4.31

$$\frac{\frac{ad}{4c(c^2d^2+ae^2)} - \frac{aex^2}{4c(c^2d^2+ae^2)}}{cx^4+a} - \frac{d^3 \ln(ex^2 + d)}{2(a^2e^4 + 2acd^2e^2 + c^2d^4)} + \frac{\ln\left(36c^8d^{10}x^2 + 36c^6d^{10}\sqrt{-ac^3} + a^5ce^{10}\sqrt{-ac^3} + a^5c^3e^{10}x^2\right)}{2(a^2e^4 + 2acd^2e^2 + c^2d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] $((a*d)/(4*c*(a*e^2 + c*d^2)) - (a*e*x^2)/(4*c*(a*e^2 + c*d^2)))/(a + c*x^4) - (d^3*\log(d + e*x^2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) + (\log(36*c^8*d^{10}*x^2 + 36*c^6*d^{10}*(-a*c^3)^{(1/2)} + a^5*c*e^{10}*(-a*c^3)^{(1/2)} + a^5*c^3*e^{10}*x^2 - 22*a^2*d^4*e^6*(-a*c^3)^{(3/2)} - 81*c^2*d^8*e^2*(-a*c^3)^{(3/2)}) + 60*a^2*c^6*d^6*e^4*x^2 + 22*a^3*c^5*d^4*e^6*x^2 + 8*a^4*c^4*d^2*e^8*x^2 + 8*a^4*c^2*d^2*e^8*(-a*c^3)^{(1/2)} - 60*a*c*d^6*e^4*(-a*c^3)^{(3/2)} + 81*a*c^7*d^8*e^2*x^2)*(2*c^3*d^3 + a*e^3*(-a*c^3)^{(1/2)} + 3*c*d^2*e*(-a*c^3)^{(1/2)}))/(8*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2)) - (\log(36*c^8*d^{10}*x^2 - 36*c^6*d^{10}*(-a*c^3)^{(1/2)} - a^5*c*e^{10}*(-a*c^3)^{(1/2)} + a^5*c^3*e^{10}*x^2 + 22*a^2*d^4*e^6*(-a*c^3)^{(3/2)} + 81*c^2*d^8*e^2*(-a*c^3)^{(3/2)} + 60*a^2*c^6*d^6*e^4*x^2 + 22*a^3*c^5*d^4*e^6*x^2 + 8*a^4*c^4*d^2*e^8*x^2 - 8*a^4*c^2*d^2*e^8*(-a*c^3)^{(1/2)} + 60*a*c*d^6*e^4*(-a*c^3)^{(3/2)} + 81*a*c^7*d^8*e^2*x^2)*(a*e^3*(-a*c^3)^{(1/2)} - 2*c^3*d^3 + 3*c*d^2*e*(-a*c^3)^{(1/2)}))/(8*(c^5*d^4 + a^2*c^3*e^4 + 2*a*c^4*d^2*e^2))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.246 \quad \int \frac{x^5}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=155

$$-\frac{d^2e \log(a+cx^4)}{4(ae^2+cd^2)^2} + \frac{d^2e \log(d+ex^2)}{2(ae^2+cd^2)^2} + \frac{d(cd^2-ae^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4\sqrt{a}\sqrt{c}(ae^2+cd^2)^2} + \frac{-ae-cdx^2}{4c(a+cx^4)(ae^2+cd^2)}$$

[Out] 1/4*(-c*d*x^2-a*e)/c/(a*e^2+c*d^2)/(c*x^4+a)+1/2*d^2*e*ln(e*x^2+d)/(a*e^2+c*d^2)^2-1/4*d^2*e*ln(c*x^4+a)/(a*e^2+c*d^2)^2+1/4*d*(-a*e^2+c*d^2)*arctan(x^2*c^(1/2)/a^(1/2))/(a*e^2+c*d^2)^2/a^(1/2)/c^(1/2)

Rubi [A] time = 0.25, antiderivative size = 153, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 1647, 801, 635, 205, 260}

$$-\frac{ae+cdx^2}{4c(a+cx^4)(ae^2+cd^2)} + \frac{d^2e \log(d+ex^2)}{2(ae^2+cd^2)^2} - \frac{d^2e \log(a+cx^4)}{4(ae^2+cd^2)^2} + \frac{d(cd^2-ae^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4\sqrt{a}\sqrt{c}(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d+e*x^2)*(a+c*x^4)^2),x]

[Out] -(a*e+c*d*x^2)/(4*c*(c*d^2+a*e^2)*(a+c*x^4))+ (d*(c*d^2-a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(4*Sqrt[a]*Sqrt[c]*(c*d^2+a*e^2)^2)+ (d^2*e*Log[d+e*x^2])/(2*(c*d^2+a*e^2)^2)- (d^2*e*Log[a+c*x^4])/(4*(c*d^2+a*e^2)^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e

}, x] && !NiceSqrtQ[-(a*c)]

Rule 801

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2),
x_Symbol] :> Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1647

Int[(Pq_)*((d_) + (e_.)*(x_)^(m_.))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :
> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + c*x^2, x], f = Coeff[Pol
ynomialRemainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 0], g = Coeff[Polynomial
Remainder[(d + e*x)^m*Pq, a + c*x^2, x], x, 1]}, Simp[((a*g - c*f*x)*(a + c
*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[1/(2*a*c*(p + 1)), Int[(d + e*x)^
m*(a + c*x^2)^(p + 1)*ExpandToSum[(2*a*c*(p + 1)*Q)/(d + e*x)^m + (c*f*(2*p
+ 3))/(d + e*x)^m, x], x]] /; FreeQ[{a, c, d, e}, x] && PolyQ[Pq, x] &
& NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex^2)(a+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{(d+ex)(a+cx^2)^2} dx, x, x^2 \right) \\
&= \frac{ae+cdx^2}{4c(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \frac{-\frac{acd^2}{cd^2+ae^2} + \frac{acdex}{cd^2+ae^2}}{(d+ex)(a+cx^2)} dx, x, x^2 \right)}{4ac} \\
&= \frac{ae+cdx^2}{4c(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \left(-\frac{2acd^2e^2}{(cd^2+ae^2)^2(d+ex)} + \frac{acd(-cd^2+ae^2+2cdex)}{(cd^2+ae^2)^2(a+cx^2)} \right) dx, x, x^2 \right)}{4ac} \\
&= \frac{ae+cdx^2}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^2e \log(d+ex^2)}{2(cd^2+ae^2)^2} - \frac{d \text{Subst} \left(\int \frac{-cd^2+ae^2+2cdex}{a+cx^2} dx, x, x^2 \right)}{4(cd^2+ae^2)^2} \\
&= \frac{ae+cdx^2}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^2e \log(d+ex^2)}{2(cd^2+ae^2)^2} - \frac{(cd^2e) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)^2} + \frac{d^2e \log(d+ex^2)}{4(cd^2+ae^2)^2} \\
&= \frac{ae+cdx^2}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d(cd^2-ae^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{4\sqrt{a}\sqrt{c}(cd^2+ae^2)^2} + \frac{d^2e \log(d+ex^2)}{2(cd^2+ae^2)^2} - \frac{d^2e \log(d+ex^2)}{4(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 120, normalized size = 0.77

$$\frac{\frac{d(cd^2-ae^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{\sqrt{a}\sqrt{c}} - \frac{(ae^2+cd^2)(ae+cdx^2)}{c(a+cx^4)} - d^2e \log(a+cx^4) + 2d^2e \log(d+ex^2)}{4(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] (-(((c*d^2 + a*e^2)*(a*e + c*d*x^2))/(c*(a + c*x^4))) + (d*(c*d^2 - a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(Sqrt[a]*Sqrt[c]) + 2*d^2*e*Log[d + e*x^2] - d^2*e*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)^2)

fricas [A] time = 6.53, size = 487, normalized size = 3.14

$$\left[\frac{2a^2cd^2e + 2a^3e^3 + 2(ac^2d^3 + a^2cde^2)x^2 - (acd^3 - a^2de^2 + (c^2d^3 - acde^2)x^4)\sqrt{-ac} \log\left(\frac{cx^4 + 2\sqrt{-ac}x^2 - a}{cx^4 + a}\right) + 2(ae^2 + cd^2) \log(d+ex^2)}{8(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4ce^4 + (ac^4d^4 + 2a^2c^3d^2e^2 + \dots))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/8*(2*a^2*c*d^2*e + 2*a^3*e^3 + 2*(a*c^2*d^3 + a^2*c*d*e^2)*x^2 - (a*c*d^3 - a^2*d*e^2 + (c^2*d^3 - a*c*d*e^2)*x^4)*\sqrt{-a*c}*\log((c*x^4 + 2*\sqrt{-a*c})*x^2 - a)/(c*x^4 + a) + 2*(a*c^2*d^2*e*x^4 + a^2*c*d^2*e)*\log(c*x^4 + a) - 4*(a*c^2*d^2*e*x^4 + a^2*c*d^2*e)*\log(e*x^2 + d))/(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4 + (a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*x^4), \\ & -1/4*(a^2*c*d^2*e + a^3*e^3 + (a*c^2*d^3 + a^2*c*d*e^2)*x^2 + (a*c*d^3 - a^2*d*e^2 + (c^2*d^3 - a*c*d*e^2)*x^4)*\sqrt{a*c}*\arctan(\sqrt{a*c}/(c*x^2)) + (a*c^2*d^2*e*x^4 + a^2*c*d^2*e)*\log(c*x^4 + a) - 2*(a*c^2*d^2*e*x^4 + a^2*c*d^2*e)*\log(e*x^2 + d))/(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4 + (a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*x^4)] \end{aligned}$$

giac [A] time = 0.33, size = 220, normalized size = 1.42

$$\frac{d^2 e \log(cx^4 + a)}{4(c^2 d^4 + 2acd^2 e^2 + a^2 e^4)} + \frac{d^2 e^2 \log(|x^2 e + d|)}{2(c^2 d^4 e + 2acd^2 e^3 + a^2 e^5)} + \frac{(cd^3 - ade^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^2 d^4 + 2acd^2 e^2 + a^2 e^4)\sqrt{ac}} + \frac{c^2 d^2 x^4 e - c^2 d^3 x^2 - a^2 d^2 e^2}{4(c^3 d^4 + 2ac^2 d^2 e^2 + a^3 c^2 e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*d^2*e*\log(c*x^4 + a)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) + 1/2*d^2*e^2*\log(\text{abs}(x^2*e + d))/(c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5) + 1/4*(c*d^3 - a*d*e^2)*\arctan(c*x^2/\sqrt{a*c})/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{a*c}) + 1/4*(c^2*d^2*x^4*e - c^2*d^3*x^2 - a*c*d*x^2*e^2 - a^2*e^3)/((c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*(c*x^4 + a)) \end{aligned}$$

maple [A] time = 0.02, size = 252, normalized size = 1.63

$$\frac{ad e^2 x^2}{4(a e^2 + c d^2)^2 (c x^4 + a)} - \frac{c d^3 x^2}{4(a e^2 + c d^2)^2 (c x^4 + a)} - \frac{ad e^2 \arctan\left(\frac{c x^2}{\sqrt{ac}}\right)}{4(a e^2 + c d^2)^2 \sqrt{ac}} + \frac{c d^3 \arctan\left(\frac{c x^2}{\sqrt{ac}}\right)}{4(a e^2 + c d^2)^2 \sqrt{ac}} - \frac{a^2 d^2 e^2}{4(a e^2 + c d^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(e*x^2+d)/(c*x^4+a)^2,x)

[Out]
$$\begin{aligned} & -1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x^2*a*d*e^2-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x^2*2*c*d^3-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a^2*e^3/c-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a*e*d^2-1/4*d^2*e*\ln(c*x^4+a)/(a*e^2+c*d^2)^2-1/4/(a*e^2+c*d^2)^2*d/(a*c)^(1/2)*\arctan(1/(a*c)^(1/2)*c*x^2)*a*e^2+1/4/(a*e^2+c*d^2)^2/(a*c)^(1/2)*\arctan(1/(a*c)^(1/2)*c*x^2)*c*d^3+1/2*d^2*e*\ln(e*x^2+d)/(a*e^2+c*d^2)^2 \end{aligned}$$

maxima [A] time = 2.08, size = 192, normalized size = 1.24

$$-\frac{d^2 e \log(cx^4 + a)}{4(c^2 d^4 + 2acd^2 e^2 + a^2 e^4)} + \frac{d^2 e \log(ex^2 + d)}{2(c^2 d^4 + 2acd^2 e^2 + a^2 e^4)} + \frac{(cd^3 - ade^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^2 d^4 + 2acd^2 e^2 + a^2 e^4)\sqrt{ac}} - \frac{cdx^2 + ae}{4(ac^2 d^2 + a^2 ce^2 + (c^3 a^2 + a^3 c^2))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] -1/4*d^2*e*log(c*x^4 + a)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) + 1/2*d^2*e*log(e*x^2 + d)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) + 1/4*(c*d^3 - a*d*e^2)*arctan(c*x^2/sqrt(a*c))/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*sqrt(a*c)) - 1/4*(c*d*x^2 + a*e)/(a*c^2*d^2 + a^2*c*e^2 + (c^3*d^2 + a*c^2*e^2)*x^4)

mupad [B] time = 1.52, size = 528, normalized size = 3.41

$$\frac{\ln\left(a^4 e^8 \sqrt{-ac} + c^4 d^8 \sqrt{-ac} + 70 d^4 e^4 (-ac)^{5/2} + c^5 d^8 x^2 + a^4 c e^8 x^2 - 36 a^2 d^2 e^6 (-ac)^{3/2} - 36 c^2 d^6 e^2 (-ac)^{3/2}\right)}{a^3 c e^4 + 2 a^2 c^2 d^2 e^2 + a c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] (log(a^4*e^8*(-a*c)^(1/2) + c^4*d^8*(-a*c)^(1/2) + 70*d^4*e^4*(-a*c)^(5/2) + c^5*d^8*x^2 + a^4*c*e^8*x^2 - 36*a^2*d^2*e^6*(-a*c)^(3/2) - 36*c^2*d^6*e^2*(-a*c)^(3/2) + 70*a^2*c^3*d^4*e^4*x^2 + 36*a^3*c^2*d^2*e^6*x^2 + 36*a*c^4*d^6*e^2*x^2)*(c*((d^3*(-a*c)^(1/2))/8 - (a*d^2*e)/4) - (a*d*e^2*(-a*c)^(1/2))/8)/(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2) - ((d*x^2)/(4*(a*e^2 + c*d^2)) + (a*e)/(4*c*(a*e^2 + c*d^2)))/(a + c*x^4) - (log(c^5*d^8*x^2 - c^4*d^8*(-a*c)^(1/2) - 70*d^4*e^4*(-a*c)^(5/2) - a^4*e^8*(-a*c)^(1/2) + a^4*c*e^8*x^2 + 36*a^2*d^2*e^6*(-a*c)^(3/2) + 36*c^2*d^6*e^2*(-a*c)^(3/2) + 70*a^2*c^3*d^4*e^4*x^2 + 36*a^3*c^2*d^2*e^6*x^2 + 36*a*c^4*d^6*e^2*x^2)*(c*((d^3*(-a*c)^(1/2))/8 + (a*d^2*e)/4) - (a*d*e^2*(-a*c)^(1/2))/8))/(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2) + (d^2*e*log(d + e*x^2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.247 \quad \int \frac{x^3}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=149

$$\frac{de^2 \log(a+cx^4)}{4(ae^2+cd^2)^2} - \frac{de^2 \log(d+ex^2)}{2(ae^2+cd^2)^2} - \frac{e(cd^2-ae^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4\sqrt{a}\sqrt{c}(ae^2+cd^2)^2} + \frac{ex^2-d}{4(a+cx^4)(ae^2+cd^2)}$$

[Out] 1/4*(e*x^2-d)/(a*e^2+c*d^2)/(c*x^4+a)-1/2*d*e^2*ln(e*x^2+d)/(a*e^2+c*d^2)^2+1/4*d*e^2*ln(c*x^4+a)/(a*e^2+c*d^2)^2-1/4*e*(-a*e^2+c*d^2)*arctan(x^2*c^(1/2)/a^(1/2))/(a*e^2+c*d^2)^2/a^(1/2)/c^(1/2)

Rubi [A] time = 0.19, antiderivative size = 148, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 823, 801, 635, 205, 260}

$$-\frac{d-ex^2}{4(a+cx^4)(ae^2+cd^2)} - \frac{de^2 \log(d+ex^2)}{2(ae^2+cd^2)^2} + \frac{de^2 \log(a+cx^4)}{4(ae^2+cd^2)^2} - \frac{e(cd^2-ae^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4\sqrt{a}\sqrt{c}(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] -(d - e*x^2)/(4*(c*d^2 + a*e^2)*(a + c*x^4)) - (e*(c*d^2 - a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(4*Sqrt[a]*Sqrt[c]*(c*d^2 + a*e^2)^2) - (d*e^2*Log[d + e*x^2])/(2*(c*d^2 + a*e^2)^2) + (d*e^2*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e

}, x] && !NiceSqrtQ[-(a*c)]

Rule 801

Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2),
x_Symbol] :> Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rule 823

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p
_), x_Symbol] :> -Simp[((d + e*x)^(m + 1)*(f*a*c*e - a*g*c*d + c*(c*d*f + a
*e*g)*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/
(2*a*c*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*(a + c*x^2)^(p + 1)*Simp[f
*(c^2*d^2*(2*p + 3) + a*c*e^2*(m + 2*p + 3)) - a*c*d*e*g*m + c*e*(c*d*f + a
*e*g)*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*
d^2 + a*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2
*m, 2*p])

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex^2)(a+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(d+ex)(a+cx^2)^2} dx, x, x^2 \right) \\
&= -\frac{d-ex^2}{4(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \frac{acde-ace^2x}{(d+ex)(a+cx^2)} dx, x, x^2 \right)}{4ac(cd^2+ae^2)} \\
&= -\frac{d-ex^2}{4(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \left(\frac{2acde^3}{(cd^2+ae^2)(d+ex)} - \frac{ace(-cd^2+ae^2+2cdex)}{(cd^2+ae^2)(a+cx^2)} \right) dx, x, x^2 \right)}{4ac(cd^2+ae^2)} \\
&= -\frac{d-ex^2}{4(cd^2+ae^2)(a+cx^4)} - \frac{de^2 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{e \text{Subst} \left(\int \frac{-cd^2+ae^2+2cdex}{a+cx^2} dx, x, x^2 \right)}{4(cd^2+ae^2)^2} \\
&= -\frac{d-ex^2}{4(cd^2+ae^2)(a+cx^4)} - \frac{de^2 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{(cde^2) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)^2} \\
&= -\frac{d-ex^2}{4(cd^2+ae^2)(a+cx^4)} - \frac{e(cd^2-ae^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{4\sqrt{a}\sqrt{c}(cd^2+ae^2)^2} - \frac{de^2 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{de^2 \log(a+cx^4)}{4(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 114, normalized size = 0.77

$$\frac{\frac{e(ae^2-cd^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{\sqrt{a}\sqrt{c}} + \frac{(ex^2-d)(ae^2+cd^2)}{a+cx^4} + de^2 \log(a+cx^4) - 2de^2 \log(d+ex^2)}{4(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] (((c*d^2 + a*e^2)*(-d + e*x^2))/(a + c*x^4) + (e*(-(c*d^2) + a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(Sqrt[a]*Sqrt[c]) - 2*d*e^2*Log[d + e*x^2] + d*e^2*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)^2)

fricas [A] time = 6.69, size = 492, normalized size = 3.30

$$\left[\frac{2ac^2d^3 + 2a^2cde^2 - 2(ac^2d^2e + a^2ce^3)x^2 - (acd^2e - a^2e^3 + (c^2d^2e - ace^3)x^4)\sqrt{-ac} \log\left(\frac{cx^4-2\sqrt{-ac}x^2-a}{cx^4+a}\right) - 2(ae^2-cd^2)\tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{8(a^2c^3d^4 + 2a^3c^2d^2e^2 + a^4ce^4 + (ac^4d^4 + 2a^2c^3d^2e^2))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] $[-1/8*(2*a*c^2*d^3 + 2*a^2*c*d*e^2 - 2*(a*c^2*d^2*e + a^2*c*e^3)*x^2 - (a*c*d^2*e - a^2*e^3 + (c^2*d^2*e - a*c*e^3)*x^4)*\sqrt{-a*c}*\log((c*x^4 - 2*\sqrt{-a*c}*x^2 - a)/(c*x^4 + a)) - 2*(a*c^2*d*e^2*x^4 + a^2*c*d*e^2)*\log(c*x^4 + a) + 4*(a*c^2*d*e^2*x^4 + a^2*c*d*e^2)*\log(e*x^2 + d)]/(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4 + (a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*x^4), -1/4*(a*c^2*d^3 + a^2*c*d*e^2 - (a*c^2*d^2*e + a^2*c*e^3)*x^2 - (a*c*d^2*e - a^2*e^3 + (c^2*d^2*e - a*c*e^3)*x^4)*\sqrt{a*c}*\arctan(\sqrt{a*c}/(c*x^2)) - (a*c^2*d*e^2*x^4 + a^2*c*d*e^2)*\log(c*x^4 + a) + 2*(a*c^2*d*e^2*x^4 + a^2*c*d*e^2)*\log(e*x^2 + d)]/(a^2*c^3*d^4 + 2*a^3*c^2*d^2*e^2 + a^4*c*e^4 + (a*c^4*d^4 + 2*a^2*c^3*d^2*e^2 + a^3*c^2*e^4)*x^4)]$

giac [A] time = 0.28, size = 188, normalized size = 1.26

$$\frac{de^2 \log(cx^4 + a)}{4(c^2d^4 + 2acd^2e^2 + a^2e^4)} - \frac{de^3 \log(|x^2e + d|)}{2(c^2d^4e + 2acd^2e^3 + a^2e^5)} - \frac{(cd^2e - ae^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^2d^4 + 2acd^2e^2 + a^2e^4)\sqrt{ac}} - \frac{cd^3 - (cd^2e + ae^3)x^2 + a}{4(cx^4 + a)(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $1/4*d*e^2*\log(c*x^4 + a)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) - 1/2*d*e^3*\log(\text{abs}(x^2*e + d))/(c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5) - 1/4*(c*d^2*e - a*e^3)*\arctan(c*x^2/\sqrt{a*c})/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{a*c}) - 1/4*(c*d^3 - (c*d^2*e + a*e^3)*x^2 + a*d*e^2)/((c*x^4 + a)*(c*d^2 + a*e^2)^2)$

maple [A] time = 0.02, size = 247, normalized size = 1.66

$$\frac{ae^3x^2}{4(ae^2 + cd^2)^2(cx^4 + a)} + \frac{cd^2ex^2}{4(ae^2 + cd^2)^2(cx^4 + a)} + \frac{ae^3 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}} - \frac{cd^2e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}} - \frac{ade^2}{4(ae^2 + cd^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x^2*e^3*a+1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x^2*e*c*d^2-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*a*d*e^2-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*c*d^3+1/4*d*e^2*\ln(c*x^4+a)/(a*e^2+c*d^2)^2+1/4/(a*e^2+c*d^2)^2/(a*c)^(1/2)*\arctan(1/(a*c)^(1/2)*c*x^2)*a*e^3-1/4/(a*e^2+c*d^2)^2*e/(a*c)^(1/2)*\arctan(1/(a*c)^(1/2)*c*x^2)*c*d^2-1/2*d*e^2*\ln(e*x^2+d)/(a*e^2+c*d^2)^2$

maxima [A] time = 2.03, size = 186, normalized size = 1.25

$$\frac{de^2 \log(cx^4 + a)}{4(c^2d^4 + 2acd^2e^2 + a^2e^4)} - \frac{de^2 \log(ex^2 + d)}{2(c^2d^4 + 2acd^2e^2 + a^2e^4)} - \frac{(cd^2e - ae^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(c^2d^4 + 2acd^2e^2 + a^2e^4)\sqrt{ac}} + \frac{ex^2 - d}{4((c^2d^2 + ace^2)x^4 + ac)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] 1/4*d*e^2*log(c*x^4 + a)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) - 1/2*d*e^2*log(e*x^2 + d)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) - 1/4*(c*d^2*e - a*e^3)*arctan(c*x^2/sqrt(a*c))/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*sqrt(a*c)) + 1/4*(e*x^2 - d)/((c^2*d^2 + a*c*e^2)*x^4 + a*c*d^2 + a^2*e^2)

mupad [B] time = 1.41, size = 527, normalized size = 3.54

$$\frac{\ln\left(a^4 e^8 \sqrt{-ac} + c^4 d^8 \sqrt{-ac} + 70 d^4 e^4 (-ac)^{5/2} + c^5 d^8 x^2 + a^4 c e^8 x^2 - 36 a^2 d^2 e^6 (-ac)^{3/2} - 36 c^2 d^6 e^2 (-ac)^3\right)}{a^3 c e^4 + 2 a^2 c^2 d^2 e^2 + a c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] (log(a^4*e^8*(-a*c)^(1/2) + c^4*d^8*(-a*c)^(1/2) + 70*d^4*e^4*(-a*c)^(5/2) + c^5*d^8*x^2 + a^4*c*e^8*x^2 - 36*a^2*d^2*e^6*(-a*c)^(3/2) - 36*c^2*d^6*e^2*(-a*c)^(3/2) + 70*a^2*c^3*d^4*e^4*x^2 + 36*a^3*c^2*d^2*e^6*x^2 + 36*a*c^4*d^6*e^2*x^2)*(a*((e^3*(-a*c)^(1/2))/8 + (c*d*e^2)/4) - (c*d^2*e*(-a*c)^(1/2))/8))/(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2) - (d/(4*(a*e^2 + c*d^2)) - (e*x^2)/(4*(a*e^2 + c*d^2)))/(a + c*x^4) - (log(c^5*d^8*x^2 - c^4*d^8*(-a*c)^(1/2) - 70*d^4*e^4*(-a*c)^(5/2) - a^4*e^8*(-a*c)^(1/2) + a^4*c*e^8*x^2 + 36*a^2*d^2*e^6*(-a*c)^(3/2) + 36*c^2*d^6*e^2*(-a*c)^(3/2) + 70*a^2*c^3*d^4*e^4*x^2 + 36*a^3*c^2*d^2*e^6*x^2 + 36*a*c^4*d^6*e^2*x^2)*(a*((e^3*(-a*c)^(1/2))/8 - (c*d*e^2)/4) - (c*d^2*e*(-a*c)^(1/2))/8))/(a*c^3*d^4 + a^3*c*e^4 + 2*a^2*c^2*d^2*e^2) - (d*e^2*log(d + e*x^2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.248 \quad \int \frac{x}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=151

$$\frac{\sqrt{c} d (3ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4a^{3/2} (ae^2 + cd^2)^2} + \frac{ae + cdx^2}{4a (a + cx^4) (ae^2 + cd^2)} - \frac{e^3 \log(a + cx^4)}{4 (ae^2 + cd^2)^2} + \frac{e^3 \log(d + ex^2)}{2 (ae^2 + cd^2)^2}$$

[Out] 1/4*(c*d*x^2+a*e)/a/(a*e^2+c*d^2)/(c*x^4+a)+1/2*e^3*ln(e*x^2+d)/(a*e^2+c*d^2)^2-1/4*e^3*ln(c*x^4+a)/(a*e^2+c*d^2)^2+1/4*d*(3*a*e^2+c*d^2)*arctan(x^2*c^(1/2)/a^(1/2))/a^(3/2)/(a*e^2+c*d^2)^2

Rubi [A] time = 0.18, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1248, 741, 801, 635, 205, 260}

$$\frac{\sqrt{c} d (3ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4a^{3/2} (ae^2 + cd^2)^2} + \frac{ae + cdx^2}{4a (a + cx^4) (ae^2 + cd^2)} + \frac{e^3 \log(d + ex^2)}{2 (ae^2 + cd^2)^2} - \frac{e^3 \log(a + cx^4)}{4 (ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e*x^2)*(a + c*x^4)^2),x]

[Out] (a*e + c*d*x^2)/(4*a*(c*d^2 + a*e^2)*(a + c*x^4)) + (Sqrt[c]*d*(c*d^2 + 3*a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(4*a^(3/2)*(c*d^2 + a*e^2)^2) + (e^3*Log[d + e*x^2])/(2*(c*d^2 + a*e^2)^2) - (e^3*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 741

```
Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp
[((d + e*x)^(m + 1)*(a*e + c*d*x)*(a + c*x^2)^(p + 1))/(2*a*(p + 1)*(c*d^2
+ a*e^2)), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp[
c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^
2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] &&
LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]
```

Rule 801

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2),
x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x],
x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]
```

Rule 1248

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ
[{a, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex^2)(a+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(d+ex)(a+cx^2)^2} dx, x, x^2 \right) \\
&= \frac{ae+cdx^2}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \frac{-cd^2-2ae^2-cdex}{(d+ex)(a+cx^2)} dx, x, x^2 \right)}{4a(cd^2+ae^2)} \\
&= \frac{ae+cdx^2}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\text{Subst} \left(\int \left(-\frac{2ae^4}{(cd^2+ae^2)(d+ex)} - \frac{c(cd^3+3ade^2-2ae^3x)}{(cd^2+ae^2)(a+cx^2)} \right) dx, x, x^2 \right)}{4a(cd^2+ae^2)} \\
&= \frac{ae+cdx^2}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^3 \log(d+ex^2)}{2(cd^2+ae^2)^2} + \frac{c \text{Subst} \left(\int \frac{cd^3+3ade^2-2ae^3x}{a+cx^2} dx, x, x^2 \right)}{4a(cd^2+ae^2)^2} \\
&= \frac{ae+cdx^2}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^3 \log(d+ex^2)}{2(cd^2+ae^2)^2} - \frac{(ce^3) \text{Subst} \left(\int \frac{x}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)^2} + \frac{(cd^3+3ade^2-2ae^3x)}{4a(cd^2+ae^2)^2} \\
&= \frac{ae+cdx^2}{4a(cd^2+ae^2)(a+cx^4)} + \frac{\sqrt{c}d(cd^2+3ae^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{4a^{3/2}(cd^2+ae^2)^2} + \frac{e^3 \log(d+ex^2)}{2(cd^2+ae^2)^2} - \frac{e^3 \log(a+cx^4)}{4a(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 117, normalized size = 0.77

$$\frac{\frac{\sqrt{c}d(3ae^2+cd^2) \tan^{-1} \left(\frac{\sqrt{c}x^2}{\sqrt{a}} \right)}{a^{3/2}} + \frac{(ae^2+cd^2)(ae+cdx^2)}{a(a+cx^4)} - e^3 \log(a+cx^4) + 2e^3 \log(d+ex^2)}{4(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] (((c*d^2 + a*e^2)*(a*e + c*d*x^2))/(a*(a + c*x^4)) + (Sqrt[c]*d*(c*d^2 + 3*a*e^2)*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/a^(3/2) + 2*e^3*Log[d + e*x^2] - e^3*Log[a + c*x^4])/(4*(c*d^2 + a*e^2)^2)

fricas [A] time = 15.72, size = 458, normalized size = 3.03

$$\frac{2acd^2e + 2a^2e^3 + 2(c^2d^3 + acde^2)x^2 + (acd^3 + 3a^2de^2 + (c^2d^3 + 3acde^2)x^4)\sqrt{-\frac{c}{a}} \log\left(\frac{cx^4 + 2ax^2\sqrt{-\frac{c}{a}} - a}{cx^4 + a}\right) - 2(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3cd^4))}{8(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3cd^4))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] [1/8*(2*a*c*d^2*e + 2*a^2*e^3 + 2*(c^2*d^3 + a*c*d*e^2)*x^2 + (a*c*d^3 + 3*a^2*d*e^2 + (c^2*d^3 + 3*a*c*d*e^2)*x^4)*sqrt(-c/a)*log((c*x^4 + 2*a*x^2*sqrt(-c/a) - a)/(c*x^4 + a)) - 2*(a*c*e^3*x^4 + a^2*e^3)*log(c*x^4 + a) + 4*(a*c*e^3*x^4 + a^2*e^3)*log(e*x^2 + d))/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4), 1/4*(a*c*d^2*e + a^2*e^3 + (c^2*d^3 + a*c*d*e^2)*x^2 - (a*c*d^3 + 3*a^2*d*e^2 + (c^2*d^3 + 3*a*c*d*e^2)*x^4)*sqrt(c/a)*arctan(a*sqrt(c/a)/(c*x^2)) - (a*c*e^3*x^4 + a^2*e^3)*log(c*x^4 + a) + 2*(a*c*e^3*x^4 + a^2*e^3)*log(e*x^2 + d))/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)]

giac [A] time = 0.38, size = 199, normalized size = 1.32

$$-\frac{e^3 \log(cx^4 + a)}{4(c^2d^4 + 2acd^2e^2 + a^2e^4)} + \frac{e^4 \log(|x^2e + d|)}{2(c^2d^4e + 2acd^2e^3 + a^2e^5)} + \frac{(c^2d^3 + 3acde^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ac^2d^4 + 2a^2cd^2e^2 + a^3e^4)\sqrt{ac}} + \frac{acd^2e + (c^2d^3 + acde^2)x^2}{4(cx^4 + a)(cd^2 + ae^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] -1/4*e^3*log(c*x^4 + a)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) + 1/2*e^4*log(abs(x^2*e + d))/(c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5) + 1/4*(c^2*d^3 + 3*a*c*d*e^2)*arctan(c*x^2/sqrt(a*c))/((a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*sqrt(a*c)) + 1/4*(a*c*d^2*e + (c^2*d^3 + a*c*d*e^2)*x^2 + a^2*e^3)/((c*x^4 + a)*(c*d^2 + a*e^2)^2*a)

maple [A] time = 0.02, size = 255, normalized size = 1.69

$$\frac{c^2d^3x^2}{4(ae^2 + cd^2)^2(cx^4 + a)a} + \frac{cd^2e^2x^2}{4(ae^2 + cd^2)^2(cx^4 + a)} + \frac{c^2d^3 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}a} + \frac{3cd^2e^2 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}} + \frac{acd^2e + (c^2d^3 + acde^2)x^2}{4(ae^2 + cd^2)^2(cx^4 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $\frac{1}{4} \frac{c}{(a e^2 + c d^2)^2} \frac{1}{(c x^4 + a)} d x^2 e^2 + \frac{1}{4} \frac{c^2}{(a e^2 + c d^2)^2} \frac{1}{(c x^4 + a)} d^3 / a x^2 + \frac{1}{4} \frac{1}{(a e^2 + c d^2)^2} \frac{1}{(c x^4 + a)} e^3 a + \frac{1}{4} \frac{c}{(a e^2 + c d^2)^2} \frac{1}{(c x^4 + a)} e d^2 - \frac{1}{4} e^3 \ln(c x^4 + a) / (a e^2 + c d^2)^2 + \frac{3}{4} \frac{c}{(a e^2 + c d^2)^2} \frac{1}{(a c)^{(1/2)}} \arctan(1 / (a c)^{(1/2)} c x^2) d e^2 + \frac{1}{4} \frac{c^2}{(a e^2 + c d^2)^2} \frac{1}{a} \frac{1}{(a c)^{(1/2)}} \arctan(1 / (a c)^{(1/2)} c x^2) d^3 + \frac{1}{2} e^3 \ln(e x^2 + d) / (a e^2 + c d^2)^2$

maxima [A] time = 2.03, size = 196, normalized size = 1.30

$$-\frac{e^3 \log(cx^4 + a)}{4(c^2 d^4 + 2 a c d^2 e^2 + a^2 e^4)} + \frac{e^3 \log(ex^2 + d)}{2(c^2 d^4 + 2 a c d^2 e^2 + a^2 e^4)} + \frac{(c^2 d^3 + 3 a c d e^2) \arctan\left(\frac{c x^2}{\sqrt{a c}}\right)}{4(a c^2 d^4 + 2 a^2 c d^2 e^2 + a^3 e^4) \sqrt{a c}} + \frac{c d x^2 + (a c^2 d^3 + 3 a^2 c d e^2) \arctan\left(\frac{c x^2}{\sqrt{a c}}\right)}{4(a^2 c d^2 + a^3 e^2 + a^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $-\frac{1}{4} e^3 \log(c x^4 + a) / (c^2 d^4 + 2 a^2 c d^2 e^2 + a^2 e^4) + \frac{1}{2} e^3 \log(e x^2 + d) / (c^2 d^4 + 2 a^2 c d^2 e^2 + a^2 e^4) + \frac{1}{4} (c^2 d^3 + 3 a^2 c d e^2) \arctan(c x^2 / \sqrt{a c}) / ((a c^2 d^4 + 2 a^2 c d^2 e^2 + a^3 e^4) \sqrt{a c}) + \frac{1}{4} (c d x^2 + a e) / (a^2 c d^2 + a^3 e^2 + (a c^2 d^2 + a^2 c e^2) x^4)$

mupad [B] time = 1.49, size = 649, normalized size = 4.30

$$\frac{\frac{e}{4(c d^2 + a e^2)} + \frac{c d x^2}{4 a (c d^2 + a e^2)}}{c x^4 + a} + \frac{e^3 \ln(e x^2 + d)}{2(a^2 e^4 + 2 a c d^2 e^2 + c^2 d^4)} + \frac{\ln\left(36 a^6 e^{10} \sqrt{-a^3 c} + 36 a^7 c e^{10} x^2 + a c^5 d^{10} \sqrt{-a^3 c} + \dots\right)}{2(a^2 e^4 + 2 a c d^2 e^2 + c^2 d^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] $\frac{e}{4(a e^2 + c d^2)} + \frac{c d x^2}{4 a (a e^2 + c d^2)} / (a + c x^4) + \frac{e^3 \log(d + e x^2)}{2(a^2 e^4 + c^2 d^4 + 2 a^2 c d^2 e^2)} + \frac{\log(36 a^6 e^{10} (-a^3 c)^{(1/2)} + 36 a^7 c e^{10} x^2 + a c^5 d^{10} (-a^3 c)^{(1/2)} + a^2 c^6 d^{10} x^2 - 81 a^2 d^2 e^8 (-a^3 c)^{(3/2)} - 22 c^2 d^6 e^4 (-a^3 c)^{(3/2)} + 8 a^3 c^5 d^8 e^2 x^2 + 22 a^4 c^4 d^6 e^4 x^2 + 60 a^5 c^3 d^4 e^6 x^2 + 81 a^6 c^2 d^2 e^8 x^2 + 8 a^2 c^4 d^8 e^2 (-a^3 c)^{(1/2)} - 60 a c^3 d^4 e^6 (-a^3 c)^{(3/2)}) (c d^3 (-a^3 c)^{(1/2)} - 2 a^3 e^3 + 3 a d e^2 (-a^3 c)^{(1/2)})}{(8(a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2)) - (\log(36 a^7 c e^{10} x^2 - 36 a^6 e^{10} (-a^3 c)^{(1/2)} - a c^5 d^{10} (-a^3 c)^{(1/2)} + a^2 c^6 d^{10} x^2 + 81 a^2 d^2 e^8 (-a^3 c)^{(3/2)} + 22 c^2 d^6 e^4 (-a^3 c)^{(3/2)} + 8 a^3 c^5 d^8 e^2 x^2 + 22 a^4 c^4 d^6 e^4 x^2 + 60 a^5 c^3 d^4 e^6 x^2 + 81 a^6 c^2 d^2 e^8 x^2 - 8 a^2 c^4 d^8 e^2 (-a^3 c)^{(1/2)} + 60 a c^3 d^4 e^6 (-a^3 c)^{(3/2)}) (2 a^3 e^3 + c d^3 (-a^3 c)^{(1/2)} + 3 a d e^2 (-a^3 c)^{(1/2)})}{(8(a^5 e^4 + a^3 c^2 d^4 + 2 a^4 c d^2 e^2))}$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.249 \quad \int \frac{1}{x(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=209

$$\frac{\sqrt{c} e \tan^{-1}\left(\frac{\sqrt{c} x^2}{\sqrt{a}}\right)}{4a^{3/2} (ae^2 + cd^2)} - \frac{cd(2ae^2 + cd^2) \log(a + cx^4)}{4a^2 (ae^2 + cd^2)^2} + \frac{\log(x)}{a^2 d} + \frac{c(d - ex^2)}{4a(a + cx^4)(ae^2 + cd^2)} - \frac{e^4 \log(d + ex^2)}{2d(ae^2 + cd^2)^2} - \frac{\sqrt{c} e^3 \tan^{-1}\left(\frac{\sqrt{c} x^2}{\sqrt{a}}\right)}{2\sqrt{a} (ae^2 + cd^2)}$$

[Out] 1/4*c*(-e*x^2+d)/a/(a*e^2+c*d^2)/(c*x^4+a)+ln(x)/a^2/d-1/2*e^4*ln(e*x^2+d)/d/(a*e^2+c*d^2)^2-1/4*c*d*(2*a*e^2+c*d^2)*ln(c*x^4+a)/a^2/(a*e^2+c*d^2)^2-1/4*e*arctan(x^2*c^(1/2)/a^(1/2))*c^(1/2)/a^(3/2)/(a*e^2+c*d^2)-1/2*e^3*arctan(x^2*c^(1/2)/a^(1/2))*c^(1/2)/(a*e^2+c*d^2)^2/a^(1/2)

Rubi [A] time = 0.24, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 894, 639, 205, 635, 260}

$$\frac{cd(2ae^2 + cd^2) \log(a + cx^4)}{4a^2 (ae^2 + cd^2)^2} - \frac{\sqrt{c} e \tan^{-1}\left(\frac{\sqrt{c} x^2}{\sqrt{a}}\right)}{4a^{3/2} (ae^2 + cd^2)} + \frac{\log(x)}{a^2 d} + \frac{c(d - ex^2)}{4a(a + cx^4)(ae^2 + cd^2)} - \frac{e^4 \log(d + ex^2)}{2d(ae^2 + cd^2)^2} - \frac{\sqrt{c} e^3 \tan^{-1}\left(\frac{\sqrt{c} x^2}{\sqrt{a}}\right)}{2\sqrt{a} (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] (c*(d - e*x^2))/(4*a*(c*d^2 + a*e^2)*(a + c*x^4)) - (Sqrt[c]*e^3*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(2*Sqrt[a]*(c*d^2 + a*e^2)^2) - (Sqrt[c]*e*ArcTan[(Sqrt[c]*x^2)/Sqrt[a]])/(4*a^(3/2)*(c*d^2 + a*e^2)) + Log[x]/(a^2*d) - (e^4*Log[d + e*x^2])/(2*d*(c*d^2 + a*e^2)^2) - (c*d*(c*d^2 + 2*a*e^2)*Log[a + c*x^4])/(4*a^2*(c*d^2 + a*e^2)^2)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}

}, x] && !NiceSqrtQ[-(a*c)]

Rule 639

Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Simp[((a*e - c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[(d*(2*p + 3))/(2*a*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]

Rule 894

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex^2)(a+cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(d+ex)(a+cx^2)^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{a^2 dx} - \frac{e^5}{d(cd^2+ae^2)^2(d+ex)} - \frac{c(ae+cdx)}{a(cd^2+ae^2)(a+cx^2)^2} + \frac{c(-a^2e^3}{a^2(cd^2+ae^2)^2} \right) dx, x, x^2 \right) \\
&= \frac{\log(x)}{a^2 d} - \frac{e^4 \log(d+ex^2)}{2d(cd^2+ae^2)^2} + \frac{c \text{Subst} \left(\int \frac{-a^2e^3 - cd(cd^2+2ae^2)x}{a+cx^2} dx, x, x^2 \right)}{2a^2(cd^2+ae^2)^2} - \frac{c \text{Subst} \left(\int \frac{1}{a+cx^2} dx, x, x^2 \right)}{2a(cd^2+ae^2)} \\
&= \frac{c(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{\log(x)}{a^2 d} - \frac{e^4 \log(d+ex^2)}{2d(cd^2+ae^2)^2} - \frac{(ce^3) \text{Subst} \left(\int \frac{1}{a+cx^2} dx, x, x^2 \right)}{2(cd^2+ae^2)^2} \\
&= \frac{c(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\sqrt{c} e^3 \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2\sqrt{a}(cd^2+ae^2)^2} - \frac{\sqrt{c} e \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{4a^{3/2}(cd^2+ae^2)} + \frac{\log(x)}{a^2 d} - \frac{e^4}{2d}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 241, normalized size = 1.15

$$\frac{-2a^2e^4(a+cx^4)\log(d+ex^2) + 4\log(x)(a+cx^4)(ae^2+cd^2)^2 - cd^2(a+cx^4)(2ae^2+cd^2)\log(a+cx^4) + \sqrt{a}\sqrt{c}\tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] (a*c*d*(c*d^2 + a*e^2)*(d - e*x^2) + Sqrt[a]*Sqrt[c]*d*e*(c*d^2 + 3*a*e^2)*(a + c*x^4)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + Sqrt[a]*Sqrt[c]*d*e*(c*d^2 + 3*a*e^2)*(a + c*x^4)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)] + 4*(c*d^2 + a*e^2)^2*(a + c*x^4)*Log[x] - 2*a^2*e^4*(a + c*x^4)*Log[d + e*x^2] - c*d^2*(c*d^2 + 2*a*e^2)*(a + c*x^4)*Log[a + c*x^4])/(4*a^2*d*(c*d^2 + a*e^2)^2*(a + c*x^4))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.37, size = 279, normalized size = 1.33

$$\frac{(c^2d^3 + 2acde^2) \log(cx^4 + a)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)} - \frac{e^5 \log(|x^2e + d|)}{2(c^2d^5e + 2acd^3e^3 + a^2de^5)} - \frac{(c^2d^2e + 3ace^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ac^2d^4 + 2a^2cd^2e^2 + a^3e^4)\sqrt{ac}} + \frac{c^3d^3x^4 + 2ac}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $-1/4*(c^2*d^3 + 2*a*c*d*e^2)*\log(c*x^4 + a)/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4) - 1/2*e^5*\log(\text{abs}(x^2*e + d))/(c^2*d^5*e + 2*a*c*d^3*e^3 + a^2*d*e^5) - 1/4*(c^2*d^2*e + 3*a*c*e^3)*\arctan(c*x^2/\text{sqrt}(a*c))/((a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\text{sqrt}(a*c)) + 1/4*(c^3*d^3*x^4 + 2*a*c^2*d*x^4*e^2 - a*c^2*d^2*x^2*e + 2*a*c^2*d^3 - a^2*c*x^2*e^3 + 3*a^2*c*d*e^2)/((a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4)*(c*x^4 + a)) + 1/2*\log(x^2)/(a^2*d)$

maple [A] time = 0.02, size = 309, normalized size = 1.48

$$\frac{c^2d^2ex^2}{4(ae^2 + cd^2)^2(cx^4 + a)a} - \frac{ce^3x^2}{4(ae^2 + cd^2)^2(cx^4 + a)} - \frac{c^2d^2e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}a} - \frac{3ce^3 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}} + \frac{c^3d^3x^4 + 2ac}{4(ae^2 + cd^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $\ln(x)/a^2/d - 1/4*c/(a*e^2+c*d^2)^2/(c*x^4+a)*e^3*x^2 - 1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*x^2*e*d^2 + 1/4*c/(a*e^2+c*d^2)^2/(c*x^4+a)*d*e^2 + 1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*d^3 - 1/2*c/(a*e^2+c*d^2)^2/a*\ln(c*x^4+a)*d*e^2 - 1/4*c^2/(a*e^2+c*d^2)^2/a^2*\ln(c*x^4+a)*d^3 - 3/4*c/(a*e^2+c*d^2)^2/(a*c)^(1/2)*\arctan(1/(a*c)^(1/2)*c*x^2)*e^3 - 1/4*c^2/(a*e^2+c*d^2)^2/a/(a*c)^(1/2)*\arctan(1/(a*c)^(1/2)*c*x^2)*e*d^2 - 1/2*e^4*\ln(e*x^2+d)/d/(a*e^2+c*d^2)^2$

maxima [A] time = 2.05, size = 228, normalized size = 1.09

$$\frac{e^4 \log(ex^2 + d)}{2(c^2d^5 + 2acd^3e^2 + a^2de^4)} - \frac{(c^2d^3 + 2acde^2) \log(cx^4 + a)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)} - \frac{(c^2d^2e + 3ace^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ac^2d^4 + 2a^2cd^2e^2 + a^3e^4)\sqrt{ac}} - \frac{c^3d^3x^4 + 2ac}{4(a^2cd^2 + a^3e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $-1/2*e^4*\log(e*x^2 + d)/(c^2*d^5 + 2*a*c*d^3*e^2 + a^2*d*e^4) - 1/4*(c^2*d^3 + 2*a*c*d*e^2)*\log(c*x^4 + a)/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4) - 1/4*(c^2*d^2*e + 3*a*c*e^3)*\arctan(c*x^2/\sqrt{a*c})/((a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4)*\sqrt{a*c}) - 1/4*(c*e*x^2 - c*d)/(a^2*c*d^2 + a^3*e^2 + (a*c^2*d^2 + a^2*c*e^2)*x^4) + 1/2*\log(x^2)/(a^2*d)$

mupad [B] time = 2.58, size = 1082, normalized size = 5.18

$$\frac{\frac{cd}{4a(cd^2+ae^2)} - \frac{cex^2}{4a(cd^2+ae^2)}}{cx^4+a} \ln\left(\frac{400a^9c^{12}d^{20}x^2 - 10481d^4e^{16}(-a^5c)^{7/2} - 1024a^{12}e^{20}(-a^5c)^{3/2} + 1024a^{19}c^2e^{20}}{cx^4+a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(a + c*x^4)^2*(d + e*x^2)),x)`

[Out] $((c*d)/(4*a*(a*e^2 + c*d^2)) - (c*e*x^2)/(4*a*(a*e^2 + c*d^2)))/(a + c*x^4) - (\log(400*a^9*c^{12}*d^{20}*x^2 - 10481*d^4*e^{16}*(-a^5*c)^{(7/2)} - 1024*a^{12}*e^{20}*(-a^5*c)^{(3/2)} + 1024*a^{19}*c^2*e^{20}*x^2 - 400*a^2*c^{10}*d^{20}*(-a^5*c)^{(3/2)} + 5840*a^6*d^2*e^{18}*(-a^5*c)^{(5/2)} + 33710*c^6*d^{14}*e^6*(-a^5*c)^{(5/2)} + 4104*a^{10}*c^{11}*d^{18}*e^2*x^2 + 16689*a^{11}*c^{10}*d^{16}*e^4*x^2 + 33710*a^{12}*c^9*d^{14}*e^6*x^2 + 33391*a^{13}*c^8*d^{12}*e^8*x^2 + 10748*a^{14}*c^7*d^{10}*e^{10}*x^2 - 3585*a^{15}*c^6*d^8*e^{12}*x^2 + 3998*a^{16}*c^5*d^6*e^{14}*x^2 + 10481*a^{17}*c^4*d^4*e^{16}*x^2 + 5840*a^{18}*c^3*d^2*e^{18}*x^2 + 10748*a^2*c^4*d^{10}*e^{10}*(-a^5*c)^{(5/2)} - 3585*a^3*c^3*d^8*e^{12}*(-a^5*c)^{(5/2)} + 3998*a^4*c^2*d^6*e^{14}*(-a^5*c)^{(5/2)} - 4104*a^3*c^9*d^{18}*e^2*(-a^5*c)^{(3/2)} - 16689*a^4*c^8*d^{16}*e^4*(-a^5*c)^{(3/2)} + 33391*a*c^5*d^{12}*e^8*(-a^5*c)^{(5/2)})*(3*a*e^3*(-a^5*c)^{(1/2)} + 2*a^2*c^2*d^3 + 4*a^3*c*d*e^2 + c*d^2*e*(-a^5*c)^{(1/2)))/(8*(a^6*e^4 + a^4*c^2*d^4 + 2*a^5*c*d^2*e^2)) + (\log(1024*a^{12}*e^{20}*(-a^5*c)^{(3/2)} + 10481*d^4*e^{16}*(-a^5*c)^{(7/2)} + 400*a^9*c^{12}*d^{20}*x^2 + 1024*a^{19}*c^2*e^{20}*x^2 + 400*a^2*c^{10}*d^{20}*(-a^5*c)^{(3/2)} - 5840*a^6*d^2*e^{18}*(-a^5*c)^{(5/2)} - 33710*c^6*d^{14}*e^6*(-a^5*c)^{(5/2)} + 4104*a^{10}*c^{11}*d^{18}*e^2*x^2 + 16689*a^{11}*c^{10}*d^{16}*e^4*x^2 + 33710*a^{12}*c^9*d^{14}*e^6*x^2 + 33391*a^{13}*c^8*d^{12}*e^8*x^2 + 10748*a^{14}*c^7*d^{10}*e^{10}*x^2 - 3585*a^{15}*c^6*d^8*e^{12}*x^2 + 3998*a^{16}*c^5*d^6*e^{14}*x^2 + 10481*a^{17}*c^4*d^4*e^{16}*x^2 + 5840*a^{18}*c^3*d^2*e^{18}*x^2 - 10748*a^2*c^4*d^{10}*e^{10}*(-a^5*c)^{(5/2)} + 3585*a^3*c^3*d^8*e^{12}*(-a^5*c)^{(5/2)} - 3998*a^4*c^2*d^6*e^{14}*(-a^5*c)^{(5/2)} + 4104*a^3*c^9*d^{18}*e^2*(-a^5*c)^{(3/2)} + 16689*a^4*c^8*d^{16}*e^4*(-a^5*c)^{(3/2)} - 33391*a*c^5*d^{12}*e^8*(-a^5*c)^{(5/2)})*(3*a*e^3*(-a^5*c)^{(1/2)} - 2*a^2*c^2*d^3 - 4*a^3*c*d*e^2 + c*d^2*e*(-a^5*c)^{(1/2)))/(8*(a^6*e^4 + a^4*c^2*d^4 + 2*a^5*c*d^2*e^2)) - (e^4*\log(d + e*x^2))/(2*c^2*d^5 + 2*a^2*d*e^4 + 4*a*c*d^3*e^2) + \log(x)/(a^2*d)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(e*x**2+d)/(c*x**4+a)**2,x)
```

```
[Out] Timed out
```

$$3.250 \quad \int \frac{1}{x^3(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=236

$$\frac{c^{3/2}d(2ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2a^{5/2}(ae^2 + cd^2)^2} - \frac{c^{3/2}d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4a^{5/2}(ae^2 + cd^2)} + \frac{ce(2ae^2 + cd^2) \log(a + cx^4)}{4a^2(ae^2 + cd^2)^2} - \frac{c(ae + cd^2)}{4a^2(a + cx^4)(ae^2 + cd^2)}$$

[Out] $-1/2/a^2/d/x^2 - 1/4*c*(c*d*x^2+a*e)/a^2/(a*e^2+c*d^2)/(c*x^4+a) - 1/4*c^{(3/2)*d*arctan(x^2*c^{(1/2)}/a^{(1/2)})/a^{(5/2)/(a*e^2+c*d^2)} - 1/2*c^{(3/2)*d*(2*a*e^2+c*d^2)*arctan(x^2*c^{(1/2)}/a^{(1/2)})/a^{(5/2)/(a*e^2+c*d^2)^2} - e*ln(x)/a^2/d^2 + 1/2*e^5*ln(e*x^2+d)/d^2/(a*e^2+c*d^2)^2 + 1/4*c*e*(2*a*e^2+c*d^2)*ln(c*x^4+a)/a^2/(a*e^2+c*d^2)^2$

Rubi [A] time = 0.26, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 894, 639, 205, 635, 260}

$$\frac{c^{3/2}d(2ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{2a^{5/2}(ae^2 + cd^2)^2} - \frac{c^{3/2}d \tan^{-1}\left(\frac{\sqrt{c}x^2}{\sqrt{a}}\right)}{4a^{5/2}(ae^2 + cd^2)} - \frac{c(ae + cd^2)}{4a^2(a + cx^4)(ae^2 + cd^2)} + \frac{ce(2ae^2 + cd^2) \log(a + cx^4)}{4a^2(ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] $-1/(2*a^2*d*x^2) - (c*(a*e + c*d*x^2))/(4*a^2*(c*d^2 + a*e^2)*(a + c*x^4)) - (c^{(3/2)*d*ArcTan[Sqrt[c]*x^2]/Sqrt[a]})/(4*a^{(5/2)*(c*d^2 + a*e^2)}) - (c^{(3/2)*d*(c*d^2 + 2*a*e^2)*ArcTan[Sqrt[c]*x^2]/Sqrt[a]})/(2*a^{(5/2)*(c*d^2 + a*e^2)^2}) - (e*Log[x])/(a^2*d^2) + (e^5*Log[d + e*x^2])/(2*d^2*(c*d^2 + a*e^2)^2) + (c*e*(c*d^2 + 2*a*e^2)*Log[a + c*x^4])/(4*a^2*(c*d^2 + a*e^2)^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635


```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 639

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((a*e - c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[(d*(2*p + 3))/(2*a*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && LtQ[p, -1] && NeQ[p, -3/2]
```

Rule 894

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (d + ex^2) (a + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^2 (d + ex) (a + cx^2)^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{a^2 dx^2} - \frac{e}{a^2 d^2 x} + \frac{e^6}{d^2 (cd^2 + ae^2)^2 (d + ex)} - \frac{c^2 (d - ex)}{a (cd^2 + ae^2) (a + cx^2)^2} \right) dx, x, x^2 \right) \\
&= -\frac{1}{2a^2 dx^2} - \frac{e \log(x)}{a^2 d^2} + \frac{e^5 \log(d + ex^2)}{2d^2 (cd^2 + ae^2)^2} - \frac{c^2 \text{Subst} \left(\int \frac{d - ex}{(a + cx^2)^2} dx, x, x^2 \right)}{2a (cd^2 + ae^2)} - \frac{(c^2 d) \text{Subst} \left(\int \frac{1}{a + cx^2} dx, x, x^2 \right)}{4a^2} \\
&= -\frac{1}{2a^2 dx^2} - \frac{c (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{e \log(x)}{a^2 d^2} + \frac{e^5 \log(d + ex^2)}{2d^2 (cd^2 + ae^2)^2} - \frac{(c^2 d) \text{Subst} \left(\int \frac{1}{a + cx^2} dx, x, x^2 \right)}{4a^2} \\
&= -\frac{1}{2a^2 dx^2} - \frac{c (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{c^{3/2} d \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{4a^{5/2} (cd^2 + ae^2)} - \frac{c^{3/2} d (cd^2 + 2ae^2) \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{2a^{5/2} (cd^2 + ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 248, normalized size = 1.05

$$\frac{1}{4} \left(\frac{c^{3/2} d (5ae^2 + 3cd^2) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt{a}} \right)}{a^{5/2} (ae^2 + cd^2)^2} + \frac{c^{3/2} d (5ae^2 + 3cd^2) \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt{a}} + 1 \right)}{a^{5/2} (ae^2 + cd^2)^2} - \frac{c (ae + cd x^2)}{a^2 (a + cx^4) (ae^2 + cd^2)} + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(d + e*x^2)*(a + c*x^4)^2),x]

[Out] (-2/(a^2*d*x^2) - (c*(a*e + c*d*x^2))/(a^2*(c*d^2 + a*e^2)*(a + c*x^4)) + (c^(3/2)*d*(3*c*d^2 + 5*a*e^2)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(a^(5/2)*(c*d^2 + a*e^2)^2) + (c^(3/2)*d*(3*c*d^2 + 5*a*e^2)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(a^(5/2)*(c*d^2 + a*e^2)^2) - (4*e*Log[x])/(a^2*d^2) + (2*e^5*Log[d + e*x^2])/(c*d^3 + a*d*e^2)^2 + (c*(c*d^2*e + 2*a*e^3)*Log[a + c*x^4])/(a^2*(c*d^2 + a*e^2)^2))/4

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.35, size = 344, normalized size = 1.46

$$\frac{(c^2d^2e + 2ace^3) \log(cx^4 + a)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)} + \frac{e^6 \log(|x^2e + d|)}{2(c^2d^6e + 2acd^4e^3 + a^2d^2e^5)} - \frac{(3c^3d^3 + 5ac^2de^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)\sqrt{ac}} - \frac{9c^3d^5x^4 + 15c^4d^3x^2}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{4}(c^2d^2e + 2a^3c^2d^2e^2 + a^4e^4) \log(cx^4 + a) / (a^2c^2d^4 + 2a^3c^2d^2e^2 + a^4e^4) + \frac{1}{2}e^6 \log(\text{abs}(x^2e + d)) / (c^2d^6e + 2a^3cd^4e^3 + a^2d^2e^5) - \frac{1}{4}(3c^3d^3 + 5a^2c^2d^2e^2) \arctan(cx^2/\sqrt{ac}) / ((a^2c^2d^4 + 2a^3c^2d^2e^2 + a^4e^4)\sqrt{ac}) - \frac{1}{12}(9c^3d^5x^4 + 15a^2c^2d^3x^2e^2 - 2a^2c^2x^6e^5 + 3a^2c^2d^4x^2e + 6a^2c^2d^2x^4e^4 + 6a^2c^2d^5 + 3a^2c^2d^2x^2e^3 + 12a^2c^2d^3e^2 - 2a^3x^2e^5 + 6a^3d^2e^4) / ((a^2c^2d^6 + 2a^3c^2d^4e^2 + a^4d^2e^4)(cx^6 + ax^2)) - \frac{1}{2}e \log(x^2) / (a^2d^2)$

maple [A] time = 0.02, size = 332, normalized size = 1.41

$$\frac{c^2de^2x^2}{4(ae^2 + cd^2)^2(cx^4 + a)a} - \frac{c^3d^3x^2}{4(ae^2 + cd^2)^2(cx^4 + a)a^2} - \frac{5c^2de^2 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}a} - \frac{3c^3d^3 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}a^2} - \frac{9c^3d^5x^4 + 15c^4d^3x^2}{4(ae^2 + cd^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $-\frac{1}{2}a^{-2}d/x^2 - e \ln(x)/a^{-2}d^2 - \frac{1}{4}c^2/(ae^2 + cd^2)^2/a/(cx^4 + a) * x^2 * d * e^2 - \frac{1}{4}c^3/(ae^2 + cd^2)^2/a^{-2}/(cx^4 + a) * x^2 * d^3 - \frac{1}{4}c/(ae^2 + cd^2)^2/(cx^4 + a) * e^3 - \frac{1}{4}c^2/(ae^2 + cd^2)^2/a/(cx^4 + a) * e * d^2 + \frac{1}{2}c/(ae^2 + cd^2)^2/a \ln(cx^4 + a) * e^3 + \frac{1}{4}c^2/(ae^2 + cd^2)^2/a^2 \ln(cx^4 + a) * e * d^2 - \frac{5}{4}c^2/(ae^2 + cd^2)^2/a/(ac)^{(1/2)} * \arctan(1/(ac)^{(1/2)} * cx^2) * d * e^2 - \frac{3}{4}c^3/(ae^2 + cd^2)^2/a^{-2}/(ac)^{(1/2)} * \arctan(1/(ac)^{(1/2)} * cx^2) * d^3 + \frac{1}{2}e^5 \ln(e*x^2 + d) / d^2 / (ae^2 + cd^2)^2$

maxima [A] time = 2.01, size = 278, normalized size = 1.18

$$\frac{e^5 \log(ex^2 + d)}{2(c^2d^6 + 2acd^4e^2 + a^2d^2e^4)} + \frac{(c^2d^2e + 2ace^3) \log(cx^4 + a)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)} - \frac{(3c^3d^3 + 5ac^2de^2) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)\sqrt{ac}} - \frac{acdex^2 + (3c^3d^5x^4 + 15c^4d^3x^2)}{4((a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}e^5 \log(e x^2 + d) / (c^2 d^6 + 2 a c d^4 e^2 + a^2 d^2 e^4) + \frac{1}{4} (c^2 d^2 e + 2 a c e^3) \log(c x^4 + a) / (a^2 c^2 d^4 + 2 a^3 c d^2 e^2 + a^4 e^4) - \frac{1}{4} (3 c^3 d^3 + 5 a c^2 d e^2) \arctan(c x^2 / \sqrt{a c}) / ((a^2 c^2 d^4 + 2 a^3 c d^2 e^2 + a^4 e^4) \sqrt{a c}) - \frac{1}{4} (a c d e x^2 + (3 c^2 d^2 + 2 a c e^2) x^4 + 2 a c d^2 + 2 a^2 e^2) / ((a^2 c^2 d^3 + a^3 c d e^2) x^6 + (a^3 c d^3 + a^4 d e^2) x^2) - \frac{1}{2} e \log(x^2) / (a^2 d^2)$

mupad [B] time = 2.94, size = 1337, normalized size = 5.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + c*x^4)^2*(d + e*x^2)),x)

[Out] $(\log(81 a^{10} c^{16} d^{24} x^2 + 1024 a^{22} c^4 e^{24} x^2 - 81 a^3 c^{11} d^{24} (-a^5 c^3)^{3/2} + 1024 a^{20} c^2 e^{24} (-a^5 c^3)^{1/2} - 14496 a^6 d^8 e^{16} (-a^5 c^3)^{5/2} - 5120 a^{14} d^2 e^{22} (-a^5 c^3)^{3/2} + 11647 c^6 d^{20} e^4 (-a^5 c^3)^{5/2} + 1638 a^{11} c^{15} d^{22} e^2 x^2 + 11647 a^{12} c^{14} d^{20} e^4 x^2 + 43524 a^{13} c^{13} d^{18} e^6 x^2 + 97311 a^{14} c^{12} d^{16} e^8 x^2 + 133334 a^{15} c^{11} d^{14} e^{10} x^2 + 103633 a^{16} c^{10} d^{12} e^{12} x^2 + 29456 a^{17} c^9 d^{10} e^{14} x^2 - 14496 a^{18} c^8 d^8 e^{16} x^2 - 7984 a^{19} c^7 d^6 e^{18} x^2 + 5888 a^{20} c^6 d^4 e^{20} x^2 + 5120 a^{21} c^5 d^2 e^{22} x^2 + 43524 a c^5 d^{18} e^6 (-a^5 c^3)^{5/2} + 29456 a^5 c d^{10} e^{14} (-a^5 c^3)^{5/2} - 5888 a^{13} c d^4 e^{20} (-a^5 c^3)^{3/2} + 97311 a^2 c^4 d^{16} e^8 (-a^5 c^3)^{5/2} + 133334 a^3 c^3 d^{14} e^{10} (-a^5 c^3)^{5/2} + 103633 a^4 c^2 d^{12} e^{12} (-a^5 c^3)^{5/2} - 1638 a^4 c^{10} d^{22} e^2 (-a^5 c^3)^{3/2} + 7984 a^{12} c^2 d^6 e^{18} (-a^5 c^3)^{3/2}) * (4 a^4 c e^3 - 3 c d^3 (-a^5 c^3)^{1/2} + 2 a^3 c^2 d^2 e - 5 a d e^2 (-a^5 c^3)^{1/2}) / (8 (a^7 e^4 + a^5 c^2 d^4 + 2 a^6 c d^2 e^2)) - (1 / (2 a d) + (c e x^2) / (4 a (a e^2 + c d^2)) + (c x^4 (2 a e^2 + 3 c d^2)) / (4 a^2 d (a e^2 + c d^2))) / (a x^2 + c x^6) + (\log(81 a^{10} c^{16} d^{24} x^2 + 1024 a^{22} c^4 e^{24} x^2 + 81 a^3 c^{11} d^{24} (-a^5 c^3)^{3/2} - 1024 a^{20} c^2 e^{24} (-a^5 c^3)^{1/2} + 14496 a^6 d^8 e^{16} (-a^5 c^3)^{5/2} + 5120 a^{14} d^2 e^{22} (-a^5 c^3)^{3/2} - 11647 c^6 d^{20} e^4 (-a^5 c^3)^{5/2} + 1638 a^{11} c^{15} d^{22} e^2 x^2 + 11647 a^{12} c^{14} d^{20} e^4 x^2 + 43524 a^{13} c^{13} d^{18} e^6 x^2 + 97311 a^{14} c^{12} d^{16} e^8 x^2 + 133334 a^{15} c^{11} d^{14} e^{10} x^2 + 103633 a^{16} c^{10} d^{12} e^{12} x^2 + 29456 a^{17} c^9 d^{10} e^{14} x^2 - 14496 a^{18} c^8 d^8 e^{16} x^2 - 7984 a^{19} c^7 d^6 e^{18} x^2 + 5888 a^{20} c^6 d^4 e^{20} x^2 + 5120 a^{21} c^5 d^2 e^{22} x^2 - 43524 a c^5 d^{18} e^6 (-a^5 c^3)^{5/2} - 29456 a^5 c d^{10} e^{14} (-a^5 c^3)^{5/2} + 5888 a^{13} c d^4 e^{20} (-a^5 c^3)^{3/2} - 97311 a^2 c^4 d^{16} e^8 (-a^5 c^3)^{5/2} - 133334 a^3 c^3 d^{14} e^{10} (-a^5 c^3)^{5/2} - 103633 a^4 c^2 d^{12} e^{12} (-a^5 c^3)^{5/2} + 1638 a^4 c^{10} d^{22} e^2 (-$

$$a^5c^3)^{3/2} - 7984a^{12}c^2d^6e^{18}(-a^5c^3)^{3/2})(4a^4ce^3 + 3cd^3(-a^5c^3)^{1/2} + 2a^3c^2d^2e + 5ad^2e^2(-a^5c^3)^{1/2}))/8(a^7e^4 + a^5c^2d^4 + 2a^6cd^2e^2) + (e^5\log(d + ex^2))/(2c^2d^6 + 2a^2d^2e^4 + 4ac^2d^4e^2) - (e\log(x))/(a^2d^2)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.251 \quad \int \frac{1}{x^5(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=265

$$\frac{c^{3/2}e(2ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{cx^2}}{\sqrt{a}}\right)}{2a^{5/2}(ae^2 + cd^2)^2} + \frac{c^{3/2}e \tan^{-1}\left(\frac{\sqrt{cx^2}}{\sqrt{a}}\right)}{4a^{5/2}(ae^2 + cd^2)} + \frac{c^2d(3ae^2 + 2cd^2) \log(a + cx^4)}{4a^3(ae^2 + cd^2)^2} - \frac{\log(x)(2cd^2 - ae^2)}{a^3d^3} - \frac{1}{4a^2(a + cx^4)}$$

[Out] $-1/4/a^2/d/x^4+1/2*e/a^2/d^2/x^2-1/4*c^2*(-e*x^2+d)/a^2/(a*e^2+c*d^2)/(c*x^4+a)+1/4*c^{(3/2)}*e*\arctan(x^2*c^{(1/2)}/a^{(1/2)})/a^{(5/2)/(a*e^2+c*d^2)+1/2*c^{(3/2)}*e*(2*a*e^2+c*d^2)*\arctan(x^2*c^{(1/2)}/a^{(1/2)})/a^{(5/2)/(a*e^2+c*d^2)^2} - (-a*e^2+2*c*d^2)*\ln(x)/a^3/d^3-1/2*e^6*\ln(e*x^2+d)/d^3/(a*e^2+c*d^2)^2+1/4*c^2*d*(3*a*e^2+2*c*d^2)*\ln(c*x^4+a)/a^3/(a*e^2+c*d^2)^2$

Rubi [A] time = 0.33, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1252, 894, 639, 205, 635, 260}

$$-\frac{c^2(d - ex^2)}{4a^2(a + cx^4)(ae^2 + cd^2)} + \frac{c^2d(3ae^2 + 2cd^2) \log(a + cx^4)}{4a^3(ae^2 + cd^2)^2} + \frac{c^{3/2}e(2ae^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{cx^2}}{\sqrt{a}}\right)}{2a^{5/2}(ae^2 + cd^2)^2} + \frac{c^{3/2}e \tan^{-1}\left(\frac{\sqrt{cx^2}}{\sqrt{a}}\right)}{4a^{5/2}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^5*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] $-1/(4*a^2*d*x^4) + e/(2*a^2*d^2*x^2) - (c^2*(d - e*x^2))/(4*a^2*(c*d^2 + a*e^2)*(a + c*x^4)) + (c^{(3/2)}*e*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/(4*a^{(5/2)}*(c*d^2 + a*e^2)) + (c^{(3/2)}*e*(c*d^2 + 2*a*e^2)*\text{ArcTan}[(\text{Sqrt}[c]*x^2)/\text{Sqrt}[a]])/(2*a^{(5/2)}*(c*d^2 + a*e^2)^2) - ((2*c*d^2 - a*e^2)*\text{Log}[x])/(a^3*d^3) - (e^6*\text{Log}[d + e*x^2])/(2*d^3*(c*d^2 + a*e^2)^2) + (c^2*d*(2*c*d^2 + 3*a*e^2)*\text{Log}[a + c*x^4])/(4*a^3*(c*d^2 + a*e^2)^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(
a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e
}, x] && !NiceSqrtQ[-(a*c)]
```

Rule 639

```
Int[((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((a*e
- c*d*x)*(a + c*x^2)^(p + 1))/(2*a*c*(p + 1)), x] + Dist[(d*(2*p + 3))/(2*
a*(p + 1)), Int[(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e}, x] && Lt
Q[p, -1] && NeQ[p, -3/2]
```

Rule 894

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ
[m, 0] && ILtQ[n, 0]))
```

Rule 1252

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_S
ymbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^5 (d + ex^2) (a + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^3 (d + ex) (a + cx^2)^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{a^2 dx^3} - \frac{e}{a^2 d^2 x^2} + \frac{-2cd^2 + ae^2}{a^3 d^3 x} - \frac{e^7}{d^3 (cd^2 + ae^2)^2 (d + ex)} + \frac{c^2}{a^2 (cd^2 + ae^2)} \right) dx, x, x^2 \right) \\
&= -\frac{1}{4a^2 dx^4} + \frac{e}{2a^2 d^2 x^2} - \frac{(2cd^2 - ae^2) \log(x)}{a^3 d^3} - \frac{e^6 \log(d + ex^2)}{2d^3 (cd^2 + ae^2)^2} + \frac{c^2 \text{Subst} \left(\int \frac{ae^2}{a^2 (cd^2 + ae^2)} dx, x, x^2 \right)}{2a^2 (cd^2 + ae^2)} \\
&= -\frac{1}{4a^2 dx^4} + \frac{e}{2a^2 d^2 x^2} - \frac{c^2 (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{(2cd^2 - ae^2) \log(x)}{a^3 d^3} - \frac{e^6 \log(d + ex^2)}{2d^3 (cd^2 + ae^2)^2} \\
&= -\frac{1}{4a^2 dx^4} + \frac{e}{2a^2 d^2 x^2} - \frac{c^2 (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} + \frac{c^{3/2} e \tan^{-1} \left(\frac{\sqrt{c} x^2}{\sqrt{a}} \right)}{4a^{5/2} (cd^2 + ae^2)} + \frac{c^{3/2} e (cd^2 + ae^2)}{2a^2 (cd^2 + ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 278, normalized size = 1.05

$$\frac{1}{4} \left(-\frac{c^{3/2} e (5ae^2 + 3cd^2) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt{a}} \right)}{a^{5/2} (ae^2 + cd^2)^2} - \frac{c^{3/2} e (5ae^2 + 3cd^2) \tan^{-1} \left(\frac{\sqrt{2} \sqrt[4]{c} x}{\sqrt{a}} + 1 \right)}{a^{5/2} (ae^2 + cd^2)^2} + \frac{c^2 (3ade^2 + 2cd^3) \log(a + cx^4)}{a^3 (ae^2 + cd^2)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^5*(d + e*x^2)*(a + c*x^4)^2),x]

[Out] $(-(1/(a^2*d*x^4)) + (2*e)/(a^2*d^2*x^2) + (c^2*(-d + e*x^2))/(a^2*(c*d^2 + a*e^2)*(a + c*x^4)) - (c^{3/2}*e*(3*c*d^2 + 5*a*e^2)*ArcTan[1 - (Sqrt[2]*c^{1/4}*x)/a^{1/4}])/(a^{5/2}*(c*d^2 + a*e^2)^2) - (c^{3/2}*e*(3*c*d^2 + 5*a*e^2)*ArcTan[1 + (Sqrt[2]*c^{1/4}*x)/a^{1/4}])/(a^{5/2}*(c*d^2 + a*e^2)^2) + (4*(-2*c*d^2 + a*e^2)*Log[x])/(a^3*d^3) - (2*e^6*Log[d + e*x^2])/(d^3*(c*d^2 + a*e^2)^2) + (c^2*(2*c*d^3 + 3*a*d*e^2)*Log[a + c*x^4])/(a^3*(c*d^2 + a*e^2)^2))/4$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^5/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.37, size = 350, normalized size = 1.32

$$\frac{(2c^3d^3 + 3ac^2de^2) \log(cx^4 + a)}{4(a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)} - \frac{e^7 \log(|x^2e + d|)}{2(c^2d^7e + 2acd^5e^3 + a^2d^3e^5)} + \frac{(3c^3d^2e + 5ac^2e^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)\sqrt{ac}} - \frac{2c^4d^3x^4 + \dots}{4(ae^2 + cd^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^5/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] 1/4*(2*c^3*d^3 + 3*a*c^2*d*e^2)*log(c*x^4 + a)/(a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4) - 1/2*e^7*log(abs(x^2*e + d))/(c^2*d^7*e + 2*a*c*d^5*e^3 + a^2*d^3*e^5) + 1/4*(3*c^3*d^2*e + 5*a*c^2*e^3)*arctan(c*x^2/sqrt(a*c))/((a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4)*sqrt(a*c)) - 1/4*(2*c^4*d^3*x^4 + 3*a*c^3*d*x^4*e^2 - a*c^3*d^2*x^2*e + 3*a*c^3*d^3 - a^2*c^2*x^2*e^3 + 4*a^2*c^2*d*e^2)/((a^3*c^2*d^4 + 2*a^4*c*d^2*e^2 + a^5*e^4)*(c*x^4 + a)) - 1/2*(2*c*d^2 - a*e^2)*log(x^2)/(a^3*d^3) + 1/4*(6*c*d^2*x^4 - 3*a*x^4*e^2 + 2*a*d*x^2*e - a*d^2)/(a^3*d^3*x^4)

maple [A] time = 0.02, size = 363, normalized size = 1.37

$$\frac{c^2e^3x^2}{4(ae^2 + cd^2)^2(cx^4 + a)a} + \frac{c^3d^2ex^2}{4(ae^2 + cd^2)^2(cx^4 + a)a^2} + \frac{5c^2e^3 \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}a} + \frac{3c^3d^2e \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(ae^2 + cd^2)^2\sqrt{ac}a^2} - \frac{\dots}{4(ae^2 + cd^2)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^5/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] -1/4/a^2/d/x^4+1/a^2/d^3*ln(x)*e^2-2/a^3/d*ln(x)*c+1/2*e/a^2/d^2/x^2+1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*e^3*x^2+1/4*c^3/(a*e^2+c*d^2)^2/a^2/(c*x^4+a)*x^2*e*d^2-1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*d*e^2-1/4*c^3/(a*e^2+c*d^2)^2/a^2/(c*x^4+a)*d^3+3/4*c^2/(a*e^2+c*d^2)^2/a^2*ln(c*x^4+a)*d*e^2+1/2*c^3/(a*e^2+c*d^2)^2/a^3*ln(c*x^4+a)*d^3+5/4*c^2/(a*e^2+c*d^2)^2/a/(a*c)^(1/2)*arctan(1/(a*c)^(1/2)*c*x^2)*e^3+3/4*c^3/(a*e^2+c*d^2)^2/a^2/(a*c)^(1/2)*arctan(1/(a*c)^(1/2)*c*x^2)*e*d^2-1/2*e^6*ln(e*x^2+d)/d^3/(a*e^2+c*d^2)^2

maxima [A] time = 2.08, size = 332, normalized size = 1.25

$$\frac{e^6 \log(ex^2 + d)}{2(c^2d^7 + 2acd^5e^2 + a^2d^3e^4)} + \frac{(2c^3d^3 + 3ac^2de^2) \log(cx^4 + a)}{4(a^3c^2d^4 + 2a^4cd^2e^2 + a^5e^4)} + \frac{(3c^3d^2e + 5ac^2e^3) \arctan\left(\frac{cx^2}{\sqrt{ac}}\right)}{4(a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4)\sqrt{ac}} + \frac{(3c^2d^2e - \dots)}{4(ae^2 + cd^2)^2}$$

$$\begin{aligned} &^2 - 27472*a^{22}*c^9*d^{10}*e^{18}*x^2 - 10688*a^{23}*c^8*d^8*e^{20}*x^2 - 10288*a^{24}*c^7*d^6*e^{22}*x^2 - 3584*a^{25}*c^6*d^4*e^{24}*x^2 + 2048*a^{26}*c^5*d^2*e^{26}*x^2 \\ &- 465092*a*c^5*d^{18}*e^{10}*(-a^7*c^3)^{(5/2)} + 27472*a^5*c*d^{10}*e^{18}*(-a^7*c^3)^{(5/2)} - 3584*a^{15}*c*d^4*e^{24}*(-a^7*c^3)^{(3/2)} - 256991*a^2*c^4*d^{16}*e^{12}*(-a^7*c^3)^{(5/2)} \\ &- 52822*a^3*c^3*d^{14}*e^{14}*(-a^7*c^3)^{(5/2)} + 37423*a^4*c^2*d^{12}*e^{16}*(-a^7*c^3)^{(5/2)} + 54944*a^4*c^{12}*d^{26}*e^2*(-a^7*c^3)^{(3/2)} + 200881*a^5*c^{11}*d^{24}*e^4*(-a^7*c^3)^{(3/2)} \\ &+ 413414*a^6*c^{10}*d^{22}*e^6*(-a^7*c^3)^{(3/2)} - 10288*a^{14}*c^2*d^6*e^{22}*(-a^7*c^3)^{(3/2)}*(4*a^3*c^3*d^3 - 5*a^3*e^3*(-a^7*c^3)^{(1/2)} + 6*a^4*c^2*d*e^2 - 3*c*d^2*e*(-a^7*c^3)^{(1/2)}))/ (8*(a^8*e^4 + a^6*c^2*d^4 + 2*a^7*c*d^2*e^2)) + (\log(x)*(a*e^2 - 2*c*d^2))/(a^3*d^3) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**5/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.252 \quad \int \frac{x^8}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=712

$$\frac{\sqrt[4]{a} d^2 (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)^2} - \frac{\sqrt[4]{a} d^2 (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)^2} + \dots$$

[Out] $\frac{1}{4} d x / (a e^2 + c d^2) - \frac{1}{4} x^3 (c d x^2 + a e) / (a e^2 + c d^2) / (c x^4 + a) - \frac{1}{16} a^{1/4} \arctan(-1 + c^{1/4} x^2 / a^{1/4}) * (-3 e a^{1/2} + d c^{1/2}) / c^{7/4} / (a e^2 + c d^2) * 2^{1/2} - \frac{1}{16} a^{1/4} \arctan(1 + c^{1/4} x^2 / a^{1/4}) * (-3 e a^{1/2} + d c^{1/2}) / c^{7/4} / (a e^2 + c d^2) * 2^{1/2} - \frac{1}{4} a^{1/4} d^2 \arctan(-1 + c^{1/4} x^2 / a^{1/4}) * (-e a^{1/2} + d c^{1/2}) / c^{3/4} / (a e^2 + c d^2)^2 * 2^{1/2} - \frac{1}{4} a^{1/4} d^2 \arctan(1 + c^{1/4} x^2 / a^{1/4}) * (-e a^{1/2} + d c^{1/2}) / c^{3/4} / (a e^2 + c d^2)^2 * 2^{1/2} + \frac{1}{8} a^{1/4} d^2 \ln(-a^{1/4} c^{1/4} x^2 / a^{1/2} + x^2 c^{1/2}) * (e a^{1/2} + d c^{1/2}) / c^{3/4} / (a e^2 + c d^2)^2 * 2^{1/2} - \frac{1}{8} a^{1/4} d^2 \ln(a^{1/4} c^{1/4} x^2 / a^{1/2} + x^2 c^{1/2}) * (e a^{1/2} + d c^{1/2}) / c^{3/4} / (a e^2 + c d^2)^2 * 2^{1/2} + \frac{1}{32} a^{1/4} \ln(-a^{1/4} c^{1/4} x^2 / a^{1/2} + x^2 c^{1/2}) * (3 e a^{1/2} + d c^{1/2}) / c^{7/4} / (a e^2 + c d^2) * 2^{1/2} - \frac{1}{32} a^{1/4} \ln(a^{1/4} c^{1/4} x^2 / a^{1/2} + x^2 c^{1/2}) * (3 e a^{1/2} + d c^{1/2}) / c^{7/4} / (a e^2 + c d^2) * 2^{1/2} + d^{7/2} \arctan(x e^{1/2} / d^{1/2}) / (a e^2 + c d^2)^2 e^{1/2}$

Rubi [A] time = 0.67, antiderivative size = 712, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 11, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {1314, 1276, 1280, 1168, 1162, 617, 204, 1165, 628, 1288, 205}

$$\frac{\sqrt[4]{a} d^2 (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)^2} - \frac{\sqrt[4]{a} d^2 (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} c^{3/4} (ae^2 + cd^2)^2} + \dots$$

Antiderivative was successfully verified.

[In] Int[x^8/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] $\frac{d x}{4 c (c d^2 + a e^2)} - \frac{x^3 (a e + c d x^2)}{4 c (c d^2 + a e^2) (a + c x^4)} + \frac{d^{7/2} \operatorname{ArcTan}[\frac{\sqrt{e} x}{\sqrt{d}}]}{(\sqrt{e} (c d^2 + a e^2))^2} + \frac{a^{1/4} d^2 (\sqrt{c} d - \sqrt{a} e) \operatorname{ArcTan}[1 - (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(2 \sqrt{2} c^{3/4} (c d^2 + a e^2)^2)} + \frac{a^{1/4} (\sqrt{c} d - 3 \sqrt{a} e) \operatorname{ArcTan}[1 - (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(8 \sqrt{2} c^{7/4} (c d^2 + a e^2))} - \frac{a^{1/4} d^2 (\sqrt{c} d - \sqrt{a} e) \operatorname{ArcTan}[1 + (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(2 \sqrt{2} c^{3/4} (c d^2 + a e^2)^2)} - \frac{a^{1/4} (\sqrt{c} d$

$$\begin{aligned}
& - 3\sqrt{a}e \operatorname{ArcTan}\left[1 + \frac{\sqrt{2}c^{1/4}x}{a^{1/4}}\right] / (8\sqrt{2}c^{7/4} \\
& * (cd^2 + ae^2)) + a^{1/4}d^2(\sqrt{c}d + \sqrt{a}e) \operatorname{Log}[\sqrt{a} - \sqrt{2} \\
& * a^{1/4}c^{1/4}x + \sqrt{c}x^2] / (4\sqrt{2}c^{3/4}(cd^2 + ae^2)^2) \\
& + a^{1/4}(\sqrt{c}d + 3\sqrt{a}e) \operatorname{Log}[\sqrt{a} - \sqrt{2}a^{1/4}c^{1/4} \\
& * x + \sqrt{c}x^2] / (16\sqrt{2}c^{7/4}(cd^2 + ae^2)) - a^{1/4}d^2(\sqrt{c} \\
& * d + \sqrt{a}e) \operatorname{Log}[\sqrt{a} + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2] \\
& / (4\sqrt{2}c^{3/4}(cd^2 + ae^2)^2) - a^{1/4}(\sqrt{c}d + 3\sqrt{a}e) \\
& * \operatorname{Log}[\sqrt{a} + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2] / (16\sqrt{2}c^{7/4} \\
& * (cd^2 + ae^2))
\end{aligned}$$

Rule 204

$$\operatorname{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTan}[\operatorname{Rt}[-b, 2]x] / \operatorname{Rt}[-a, 2]] / (\operatorname{Rt}[-a, 2] \operatorname{Rt}[-b, 2]), x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[a/b] \ \&\& (\operatorname{LtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$$

Rule 205

$$\operatorname{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] \operatorname{ArcTan}[x / \operatorname{Rt}[a/b, 2]])] / a, x] \text{ ; FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[a/b]$$

Rule 617

$$\operatorname{Int}[(a_ + (b_)(x_ + (c_)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{With}[\{q = 1 - 4\operatorname{Simplify}[(a*c)/b^2]\}, \operatorname{Dist}[-2/b, \operatorname{Subst}[\operatorname{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ ; RationalQ}[q] \ \&\& (\operatorname{EqQ}[q^2, 1] \ || \ !\operatorname{RationalQ}[b^2 - 4*a*c])] \text{ ; FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$$

Rule 628

$$\operatorname{Int}[(d_ + (e_)(x_)) / ((a_ + (b_)(x_ + (c_)(x_)^2)), x_Symbol] \rightarrow \operatorname{Simp}[(d * \operatorname{Log}[\operatorname{RemoveContent}[a + b*x + c*x^2, x]])] / b, x] \text{ ; FreeQ}\{a, b, c, d, e\}, x \ \&\& \operatorname{EqQ}[2*c*d - b*e, 0]$$

Rule 1162

$$\operatorname{Int}[(d_ + (e_)(x_)^2) / ((a_ + (c_)(x_)^4), x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[(2*d)/e, 2]\}, \operatorname{Dist}[e/(2*c), \operatorname{Int}[1/\operatorname{Simp}[d/e + q*x + x^2, x], x], x] + \operatorname{Dist}[e/(2*c), \operatorname{Int}[1/\operatorname{Simp}[d/e - q*x + x^2, x], x], x]] \text{ ; FreeQ}\{a, c, d, e\}, x \ \&\& \operatorname{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \operatorname{PosQ}[d*e]$$

Rule 1165

$$\operatorname{Int}[(d_ + (e_)(x_)^2) / ((a_ + (c_)(x_)^4), x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[-(2*d)/e, 2]\}, \operatorname{Dist}[e/(2*c*q), \operatorname{Int}[(q - 2*x) / \operatorname{Simp}[d/e + q*x - x^2, x], x], x] + \operatorname{Dist}[e/(2*c*q), \operatorname{Int}[(q + 2*x) / \operatorname{Simp}[d/e - q*x - x^2, x], x], x]] \text{ ; FreeQ}\{a, c, d, e\}, x \ \&\& \operatorname{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \operatorname{PosQ}[d*e]$$

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 1168

$Int[((d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4), x_Symbol] \ :> \ With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ NeQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[-(a*c)]$

Rule 1276

$Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^(p_), x_Symbol] \ :> \ Simp[(f*(f*x)^(m-1)*(a + c*x^4)^(p+1)*(a*e - c*d*x^2))/(4*a*c*(p+1)), x] - Dist[f^2/(4*a*c*(p+1)), Int[(f*x)^(m-2)*(a + c*x^4)^(p+1)*(a*e*(m-1) - c*d*(4*p+4+m+1)*x^2), x], x] \ /; \ FreeQ[\{a, c, d, e, f\}, x] \ \&\& \ LtQ[p, -1] \ \&\& \ GtQ[m, 1] \ \&\& \ IntegerQ[2*p] \ \&\& \ (IntegerQ[p] \ || \ IntegerQ[m])$

Rule 1280

$Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^(p_), x_Symbol] \ :> \ Simp[(e*f*(f*x)^(m-1)*(a + c*x^4)^(p+1))/(c*(m+4*p+3)), x] - Dist[f^2/(c*(m+4*p+3)), Int[(f*x)^(m-2)*(a + c*x^4)^p*(a*e*(m-1) - c*d*(m+4*p+3)*x^2), x], x] \ /; \ FreeQ[\{a, c, d, e, f, p\}, x] \ \&\& \ GtQ[m, 1] \ \&\& \ NeQ[m+4*p+3, 0] \ \&\& \ IntegerQ[2*p] \ \&\& \ (IntegerQ[p] \ || \ IntegerQ[m])$

Rule 1288

$Int[(((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(q_))/((a_)+(c_)*(x_)^4), x_Symbol] \ :> \ Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q/(a + c*x^4), x], x] \ /; \ FreeQ[\{a, c, d, e, f, m\}, x] \ \&\& \ IntegerQ[q] \ \&\& \ IntegerQ[m]$

Rule 1314

$Int[(((f_)*(x_))^(m_)*((a_)+(c_)*(x_)^4)^(p_))/((d_)+(e_)*(x_)^2), x_Symbol] \ :> \ -Dist[(a*f^4)/(c*d^2 + a*e^2), Int[(f*x)^(m-4)*(d - e*x^2)*(a + c*x^4)^p, x], x] + Dist[(d^2*f^4)/(c*d^2 + a*e^2), Int[((f*x)^(m-4)*(a + c*x^4)^(p+1))/(d + e*x^2), x], x] \ /; \ FreeQ[\{a, c, d, e, f\}, x] \ \&\& \ LtQ[p, -1] \ \&\& \ GtQ[m, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{x^8}{(d+ex^2)(a+cx^4)^2} dx &= -\frac{a \int \frac{x^4(d-ex^2)}{(a+cx^4)^2} dx}{cd^2+ae^2} + \frac{d^2 \int \frac{x^4}{(d+ex^2)(a+cx^4)} dx}{cd^2+ae^2} \\
&= -\frac{x^3(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{\int \frac{x^2(-3ae-cdx^2)}{a+cx^4} dx}{4c(cd^2+ae^2)} + \frac{d^2 \int \left(\frac{d^2}{(cd^2+ae^2)(d+ex^2)} - \frac{a(d-ex^2)}{(cd^2+ae^2)(a+cx^4)} \right) dx}{cd^2+ae^2} \\
&= \frac{dx}{4c(cd^2+ae^2)} - \frac{x^3(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{(ad^2) \int \frac{d-ex^2}{a+cx^4} dx}{(cd^2+ae^2)^2} + \frac{d^4 \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} + \frac{\int \frac{d^2}{a+cx^4} dx}{4c(cd^2+ae^2)} \\
&= \frac{dx}{4c(cd^2+ae^2)} - \frac{x^3(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)^2} - \frac{\left(ad^2\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{1}{d+ex^2} dx}{2c(cd^2+ae^2)} \\
&= \frac{dx}{4c(cd^2+ae^2)} - \frac{x^3(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)^2} - \frac{\left(ad^2\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)\right) \int \frac{1}{d+ex^2} dx}{4c(cd^2+ae^2)} \\
&= \frac{dx}{4c(cd^2+ae^2)} - \frac{x^3(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)^2} + \frac{\sqrt[4]{a}d^2(\sqrt{c}d+\sqrt{a}e)}{4\sqrt{2}c^{3/4}(cd^2+ae^2)} \\
&= \frac{dx}{4c(cd^2+ae^2)} - \frac{x^3(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2+ae^2)^2} + \frac{a^{3/4}d^2\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2\sqrt{2}c^{3/4}(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 431, normalized size = 0.61

$$\frac{\sqrt{2} \sqrt[4]{a} (3a^{3/2}e^3 + 7\sqrt{a}cd^2e + a\sqrt{c}de^2 + 5c^{3/2}d^3) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{c^{7/4}} - \frac{\sqrt{2} \sqrt[4]{a} (3a^{3/2}e^3 + 7\sqrt{a}cd^2e + a\sqrt{c}de^2 + 5c^{3/2}d^3) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{c^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[x^8/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] ((8*a*(c*d^2 + a*e^2)*x*(d - e*x^2))/(c*(a + c*x^4)) + (32*d^(7/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[e] - (2*Sqrt[2]*a^(1/4)*(-5*c^(3/2)*d^3 + 7*Sqrt[

$$\begin{aligned} & a]*c*d^2*e - a*\text{Sqrt}[c]*d*e^2 + 3*a^{(3/2)}*e^3)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x \\ &)/a^{(1/4)}])/c^{(7/4)} + (2*\text{Sqrt}[2]*a^{(1/4)}*(-5*c^{(3/2)}*d^3 + 7*\text{Sqrt}[a]*c*d^2* \\ & e - a*\text{Sqrt}[c]*d*e^2 + 3*a^{(3/2)}*e^3)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)} \\ &])/c^{(7/4)} + (\text{Sqrt}[2]*a^{(1/4)}*(5*c^{(3/2)}*d^3 + 7*\text{Sqrt}[a]*c*d^2*e + a*\text{Sqrt}[c] \\ &]*d*e^2 + 3*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]* \\ & x^2])/c^{(7/4)} - (\text{Sqrt}[2]*a^{(1/4)}*(5*c^{(3/2)}*d^3 + 7*\text{Sqrt}[a]*c*d^2*e + a*\text{Sqr} \\ & t[c]*d*e^2 + 3*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[\\ & c]*x^2])/c^{(7/4)})/(32*(c*d^2 + a*e^2)^2) \end{aligned}$$

fricas [B] time = 37.53, size = 9856, normalized size = 13.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/16*(4*(a*c*d^2*e + a^2*e^3)*x^3 - (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3* \\ & c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)*\text{sqrt}((70*a*c^2*d^5*e \\ & + 44*a^2*c*d^3*e^3 + 6*a^3*d*e^5 + (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5* \\ & d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8)*\text{sqrt}(-(625*a*c^6*d^12 - 1950*a^2 \\ & *c^5*d^10*e^2 - 529*a^3*c^4*d^8*e^4 + 2748*a^4*c^3*d^6*e^6 + 2383*a^5*c^2*d \\ & ^4*e^8 + 738*a^6*c*d^2*e^10 + 81*a^7*e^12)/(c^15*d^16 + 8*a*c^14*d^14*e^2 + \\ & 28*a^2*c^13*d^12*e^4 + 56*a^3*c^12*d^10*e^6 + 70*a^4*c^11*d^8*e^8 + 56*a^5 \\ & *c^10*d^6*e^10 + 28*a^6*c^9*d^4*e^12 + 8*a^7*c^8*d^2*e^14 + a^8*c^7*e^16)))/ \\ & (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c \\ & ^3*e^8))*\text{log}(-(625*c^4*d^8 - 750*a*c^3*d^6*e^2 - 1376*a^2*c^2*d^4*e^4 - 594 \\ & *a^3*c*d^2*e^6 - 81*a^4*e^8)*x + (125*c^6*d^9 - 170*a*c^5*d^7*e^2 - 244*a^2 \\ & *c^4*d^5*e^4 - 86*a^3*c^3*d^3*e^6 - 9*a^4*c^2*d*e^8 + (7*c^10*d^10*e + 31*a \\ & *c^9*d^8*e^3 + 54*a^2*c^8*d^6*e^5 + 46*a^3*c^7*d^4*e^7 + 19*a^4*c^6*d^2*e^9 \\ & + 3*a^5*c^5*e^11)*\text{sqrt}(-(625*a*c^6*d^12 - 1950*a^2*c^5*d^10*e^2 - 529*a^3* \\ & c^4*d^8*e^4 + 2748*a^4*c^3*d^6*e^6 + 2383*a^5*c^2*d^4*e^8 + 738*a^6*c*d^2*e \\ & ^10 + 81*a^7*e^12)/(c^15*d^16 + 8*a*c^14*d^14*e^2 + 28*a^2*c^13*d^12*e^4 + \\ & 56*a^3*c^12*d^10*e^6 + 70*a^4*c^11*d^8*e^8 + 56*a^5*c^10*d^6*e^10 + 28*a^6* \\ & c^9*d^4*e^12 + 8*a^7*c^8*d^2*e^14 + a^8*c^7*e^16)))*\text{sqrt}((70*a*c^2*d^5*e \\ & + 44*a^2*c*d^3*e^3 + 6*a^3*d*e^5 + (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4 \\ & *e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8)*\text{sqrt}(-(625*a*c^6*d^12 - 1950*a^2*c^ \\ & 5*d^10*e^2 - 529*a^3*c^4*d^8*e^4 + 2748*a^4*c^3*d^6*e^6 + 2383*a^5*c^2*d^4* \\ & e^8 + 738*a^6*c*d^2*e^10 + 81*a^7*e^12)/(c^15*d^16 + 8*a*c^14*d^14*e^2 + 28 \\ & *a^2*c^13*d^12*e^4 + 56*a^3*c^12*d^10*e^6 + 70*a^4*c^11*d^8*e^8 + 56*a^5*c^ \\ & 10*d^6*e^10 + 28*a^6*c^9*d^4*e^12 + 8*a^7*c^8*d^2*e^14 + a^8*c^7*e^16)))/(c \\ & ^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3* \\ & e^8)) + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^ \\ & 2*e^2 + a^2*c^2*e^4)*x^4)*\text{sqrt}((70*a*c^2*d^5*e + 44*a^2*c*d^3*e^3 + 6*a^3*d \\ & *e^5 + (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + \\ & a^4*c^3*e^8)*\text{sqrt}(-(625*a*c^6*d^12 - 1950*a^2*c^5*d^10*e^2 - 529*a^3*c^4*d \end{aligned}$$

$$\begin{aligned}
& \left(8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6cd^2e^{10} + 81a^7e^{12} \right) / \left(c^{15}d^{16} + 8a^2c^{14}d^{14}e^2 + 28a^2c^{13}d^{12}e^4 + 56a^3c^{12}d^{10}e^6 + 70a^4c^{11}d^8e^8 + 56a^5c^{10}d^6e^{10} + 28a^6c^9d^4e^{12} + 8a^7c^8d^2e^{14} + a^8c^7e^{16} \right) \\
& \left(c^7d^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8 \right) * \log \left(- (625c^4d^8 - 750a^2c^3d^6e^2 - 1376a^2c^2d^4e^4 - 594a^3cd^2e^6 - 81a^4e^8) * \right. \\
& x - (125c^6d^9 - 170a^2c^5d^7e^2 - 244a^2c^4d^5e^4 - 86a^3c^3d^3e^6 - 9a^4c^2d^2e^8 + (7c^{10}d^{10}e + 31a^2c^9d^8e^3 + 54a^2c^8d^6e^5 + 46a^3c^7d^4e^7 + 19a^4c^6d^2e^9 + 3a^5c^5e^{11}) * \sqrt{- (625a^2c^6d^{12} - 1950a^2c^5d^{10}e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6cd^2e^{10} + 81a^7e^{12}) / (c^{15}d^{16} + 8a^2c^{14}d^{14}e^2 + 28a^2c^{13}d^{12}e^4 + 56a^3c^{12}d^{10}e^6 + 70a^4c^{11}d^8e^8 + 56a^5c^{10}d^6e^{10} + 28a^6c^9d^4e^{12} + 8a^7c^8d^2e^{14} + a^8c^7e^{16})} \left. \right) * \sqrt{\left(70a^2c^2d^5e + 44a^2cd^3e^3 + 6a^3d^2e^5 + (c^7d^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8) * \sqrt{- (625a^2c^6d^{12} - 1950a^2c^5d^{10}e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6cd^2e^{10} + 81a^7e^{12}) / (c^{15}d^{16} + 8a^2c^{14}d^{14}e^2 + 28a^2c^{13}d^{12}e^4 + 56a^3c^{12}d^{10}e^6 + 70a^4c^{11}d^8e^8 + 56a^5c^{10}d^6e^{10} + 28a^6c^9d^4e^{12} + 8a^7c^8d^2e^{14} + a^8c^7e^{16})} \right) - (a^2c^3d^4 + 2a^2c^2d^2e^2 + a^3ce^4 + (c^4d^4 + 2a^2c^3d^2e^2 + a^2c^2e^4) * x^4) * \sqrt{\left(70a^2c^2d^5e + 44a^2cd^3e^3 + 6a^3d^2e^5 - (c^7d^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8) * \sqrt{- (625a^2c^6d^{12} - 1950a^2c^5d^{10}e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6cd^2e^{10} + 81a^7e^{12}) / (c^{15}d^{16} + 8a^2c^{14}d^{14}e^2 + 28a^2c^{13}d^{12}e^4 + 56a^3c^{12}d^{10}e^6 + 70a^4c^{11}d^8e^8 + 56a^5c^{10}d^6e^{10} + 28a^6c^9d^4e^{12} + 8a^7c^8d^2e^{14} + a^8c^7e^{16})} \right) / (c^7d^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8) * \log \left(- (625c^4d^8 - 750a^2c^3d^6e^2 - 1376a^2c^2d^4e^4 - 594a^3cd^2e^6 - 81a^4e^8) * x + (125c^6d^9 - 170a^2c^5d^7e^2 - 244a^2c^4d^5e^4 - 86a^3c^3d^3e^6 - 9a^4c^2d^2e^8 - (7c^{10}d^{10}e + 31a^2c^9d^8e^3 + 54a^2c^8d^6e^5 + 46a^3c^7d^4e^7 + 19a^4c^6d^2e^9 + 3a^5c^5e^{11}) * \sqrt{- (625a^2c^6d^{12} - 1950a^2c^5d^{10}e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6cd^2e^{10} + 81a^7e^{12}) / (c^{15}d^{16} + 8a^2c^{14}d^{14}e^2 + 28a^2c^{13}d^{12}e^4 + 56a^3c^{12}d^{10}e^6 + 70a^4c^{11}d^8e^8 + 56a^5c^{10}d^6e^{10} + 28a^6c^9d^4e^{12} + 8a^7c^8d^2e^{14} + a^8c^7e^{16})} \right) * \sqrt{\left(70a^2c^2d^5e + 44a^2cd^3e^3 + 6a^3d^2e^5 - (c^7d^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8) * \sqrt{- (625a^2c^6d^{12} - 1950a^2c^5d^{10}e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6cd^2e^{10} + 81a^7e^{12}) / (c^{15}d^{16} + 8a^2c^{14}d^{14}e^2 + 28a^2c^{13}d^{12}e^4 + 56a^3c^{12}d^{10}e^6 + 70a^4c^{11}d^8e^8 + 56a^5c^{10}d^6e^{10} + 28a^6c^9d^4e^{12} + 8a^7c^8d^2e^{14} + a^8c^7e^{16})} \right) / (c^7d^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8)
\end{aligned}$$

$$\begin{aligned}
& \left(2e^6 + a^4c^3e^8 \right) \Big) + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3c^3e^4 + (c^4 \\
& *d^4 + 2a^3c^3d^2e^2 + a^2c^2e^4)*x^4)*\sqrt{(70ac^2d^5e + 44a^2c^3d^3e^3 + 6a^3d^5e^5 - (c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8)*\sqrt{-(625a^6c^6d^12 - 1950a^2c^5d^10e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6c^2d^2e^10 + 81a^7e^12)/(c^15d^16 + 8a^6c^14d^14e^2 + 28a^2c^13d^12e^4 + 56a^3c^12d^10e^6 + 70a^4c^11d^8e^8 + 56a^5c^10d^6e^10 + 28a^6c^9d^4e^12 + 8a^7c^8d^2e^14 + a^8c^7e^16)))/(c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8))*\log \\
& \left(-(625c^4d^8 - 750a^3c^3d^6e^2 - 1376a^2c^2d^4e^4 - 594a^3c^2d^2e^6 - 81a^4e^8)*x - (125c^6d^9 - 170a^5c^5d^7e^2 - 244a^2c^4d^5e^4 - 86a^3c^3d^3e^6 - 9a^4c^2d^2e^8 - (7c^10d^10e + 31a^9c^9d^8e^3 + 54a^2c^8d^6e^5 + 46a^3c^7d^4e^7 + 19a^4c^6d^2e^9 + 3a^5c^5e^11)*\sqrt{-(625a^6c^6d^12 - 1950a^2c^5d^10e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6c^2d^2e^10 + 81a^7e^12)/(c^15d^16 + 8a^6c^14d^14e^2 + 28a^2c^13d^12e^4 + 56a^3c^12d^10e^6 + 70a^4c^11d^8e^8 + 56a^5c^10d^6e^10 + 28a^6c^9d^4e^12 + 8a^7c^8d^2e^14 + a^8c^7e^16)} \right) \Big) * \sqrt{(70ac^2d^5e + 44a^2c^3d^3e^3 + 6a^3d^5e^5 - (c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8)*\sqrt{-(625a^6c^6d^12 - 1950a^2c^5d^10e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6c^2d^2e^10 + 81a^7e^12)/(c^15d^16 + 8a^6c^14d^14e^2 + 28a^2c^13d^12e^4 + 56a^3c^12d^10e^6 + 70a^4c^11d^8e^8 + 56a^5c^10d^6e^10 + 28a^6c^9d^4e^12 + 8a^7c^8d^2e^14 + a^8c^7e^16)))/(c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8)) - 8*(c^2d^3x^4 + acd^3)*\sqrt{-d/e}*\log((ex^2 + 2ex*\sqrt{-d/e} - d)/(ex^2 + d)) - 4*(ac^3d^3 + a^2d^2e^2)*x)/(ac^3d^4 + 2a^2c^2d^2e^2 + a^3c^3e^4 + (c^4d^4 + 2a^3c^3d^2e^2 + a^2c^2e^4)*x^4), -1/16*(4*(ac^3d^2e + a^2e^3)*x^3 - 16*(c^2d^3x^4 + acd^3)*\sqrt{d/e}*\arctan(ex*\sqrt{d/e}/d) - (ac^3d^4 + 2a^2c^2d^2e^2 + a^3c^3e^4 + (c^4d^4 + 2a^3c^3d^2e^2 + a^2c^2e^4)*x^4)*\sqrt{(70ac^2d^5e + 44a^2c^3d^3e^3 + 6a^3d^5e^5 + (c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8)*\sqrt{-(625a^6c^6d^12 - 1950a^2c^5d^10e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6c^2d^2e^10 + 81a^7e^12)/(c^15d^16 + 8a^6c^14d^14e^2 + 28a^2c^13d^12e^4 + 56a^3c^12d^10e^6 + 70a^4c^11d^8e^8 + 56a^5c^10d^6e^10 + 28a^6c^9d^4e^12 + 8a^7c^8d^2e^14 + a^8c^7e^16)))/(c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8))*\log(-(625c^4d^8 - 750a^3c^3d^6e^2 - 1376a^2c^2d^4e^4 - 594a^3c^2d^2e^6 - 81a^4e^8)*x + (125c^6d^9 - 170a^5c^5d^7e^2 - 244a^2c^4d^5e^4 - 86a^3c^3d^3e^6 - 9a^4c^2d^2e^8 + (7c^10d^10e + 31a^9c^9d^8e^3 + 54a^2c^8d^6e^5 + 46a^3c^7d^4e^7 + 19a^4c^6d^2e^9 + 3a^5c^5e^11)*\sqrt{-(625a^6c^6d^12 - 1950a^2c^5d^10e^2 - 529a^3c^4d^8e^4 + 2748a^4c^3d^6e^6 + 2383a^5c^2d^4e^8 + 738a^6c^2d^2e^10 + 81a^7e^12)/(c^15d^16 + 8a^6c^14d^14e^2 + 28a^2c^13d^12e^4 + 56a^3c^12d^10e^6 + 70a^4c^11d^8e^8 + 56a^5c^10d^6e^10 + 28a^6c^9d^4e^12 + 8a^7c^8d^2e^14 + a^8c^7e^16)))/(c^7d^8 + 4a^6c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6 + a^4c^3e^8))
\end{aligned}$$

$$\begin{aligned}
& d^8 e^8 + 56 a^5 c^{10} d^6 e^{10} + 28 a^6 c^9 d^4 e^{12} + 8 a^7 c^8 d^2 e^{14} \\
& + a^8 c^7 e^{16})) \sqrt{(70 a^2 c^5 d^3 e^3 + 6 a^3 d e^5 + (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8))} \\
& \sqrt{-(625 a^2 c^6 d^{12} - 1950 a^2 c^5 d^{10} e^2 - 529 a^3 c^4 d^8 e^4 + 2748 a^4 c^3 d^6 e^6 + 2383 a^5 c^2 d^4 e^8 + 738 a^6 c d^2 e^{10} + 81 a^7 e^{12})} \\
& / (c^{15} d^{16} + 8 a^2 c^{14} d^{14} e^2 + 28 a^2 c^{13} d^{12} e^4 + 56 a^3 c^{12} d^{10} e^6 + 70 a^4 c^{11} d^8 e^8 + 56 a^5 c^{10} d^6 e^{10} + 28 a^6 c^9 d^4 e^{12} \\
& + 8 a^7 c^8 d^2 e^{14} + a^8 c^7 e^{16})) / (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8)) + (a^2 c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4 + (c^4 d^4 + 2 a^2 c^3 d^2 e^2 + a^2 c^2 e^4) x^4) \sqrt{(70 a^2 c^5 d^3 e^3 + 6 a^3 d e^5 + (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8))} \\
& \sqrt{-(625 a^2 c^6 d^{12} - 1950 a^2 c^5 d^{10} e^2 - 529 a^3 c^4 d^8 e^4 + 2748 a^4 c^3 d^6 e^6 + 2383 a^5 c^2 d^4 e^8 + 738 a^6 c d^2 e^{10} + 81 a^7 e^{12})} \\
& / (c^{15} d^{16} + 8 a^2 c^{14} d^{14} e^2 + 28 a^2 c^{13} d^{12} e^4 + 56 a^3 c^{12} d^{10} e^6 + 70 a^4 c^{11} d^8 e^8 + 56 a^5 c^{10} d^6 e^{10} + 28 a^6 c^9 d^4 e^{12} + 8 a^7 c^8 d^2 e^{14} + a^8 c^7 e^{16})) / (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8)) \log(-(625 c^4 d^8 - 750 a^2 c^3 d^6 e^2 - 1376 a^2 c^2 d^4 e^4 - 594 a^3 c d^2 e^6 - 81 a^4 e^8) x - (125 c^6 d^9 - 170 a^2 c^5 d^7 e^2 - 244 a^2 c^4 d^5 e^4 - 86 a^3 c^3 d^3 e^6 - 9 a^4 c^2 d e^8 + (7 c^{10} d^{10} e + 31 a^2 c^9 d^8 e^3 + 54 a^2 c^8 d^6 e^5 + 46 a^3 c^7 d^4 e^7 + 19 a^4 c^6 d^2 e^9 + 3 a^5 c^5 e^{11})) \sqrt{-(625 a^2 c^6 d^{12} - 1950 a^2 c^5 d^{10} e^2 - 529 a^3 c^4 d^8 e^4 + 2748 a^4 c^3 d^6 e^6 + 2383 a^5 c^2 d^4 e^8 + 738 a^6 c d^2 e^{10} + 81 a^7 e^{12})} \\
& / (c^{15} d^{16} + 8 a^2 c^{14} d^{14} e^2 + 28 a^2 c^{13} d^{12} e^4 + 56 a^3 c^{12} d^{10} e^6 + 70 a^4 c^{11} d^8 e^8 + 56 a^5 c^{10} d^6 e^{10} + 28 a^6 c^9 d^4 e^{12} + 8 a^7 c^8 d^2 e^{14} + a^8 c^7 e^{16})) \sqrt{(70 a^2 c^5 d^3 e^3 + 6 a^3 d e^5 + (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8))} \\
& \sqrt{-(625 a^2 c^6 d^{12} - 1950 a^2 c^5 d^{10} e^2 - 529 a^3 c^4 d^8 e^4 + 2748 a^4 c^3 d^6 e^6 + 2383 a^5 c^2 d^4 e^8 + 738 a^6 c d^2 e^{10} + 81 a^7 e^{12})} \\
& / (c^{15} d^{16} + 8 a^2 c^{14} d^{14} e^2 + 28 a^2 c^{13} d^{12} e^4 + 56 a^3 c^{12} d^{10} e^6 + 70 a^4 c^{11} d^8 e^8 + 56 a^5 c^{10} d^6 e^{10} + 28 a^6 c^9 d^4 e^{12} + 8 a^7 c^8 d^2 e^{14} + a^8 c^7 e^{16})) / (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8)) - (a^2 c^3 d^4 + 2 a^2 c^2 d^2 e^2 + a^3 c e^4 + (c^4 d^4 + 2 a^2 c^3 d^2 e^2 + a^2 c^2 e^4) x^4) \sqrt{(70 a^2 c^5 d^3 e^3 + 6 a^3 d e^5 - (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8))} \\
& \sqrt{-(625 a^2 c^6 d^{12} - 1950 a^2 c^5 d^{10} e^2 - 529 a^3 c^4 d^8 e^4 + 2748 a^4 c^3 d^6 e^6 + 2383 a^5 c^2 d^4 e^8 + 738 a^6 c d^2 e^{10} + 81 a^7 e^{12})} \\
& / (c^{15} d^{16} + 8 a^2 c^{14} d^{14} e^2 + 28 a^2 c^{13} d^{12} e^4 + 56 a^3 c^{12} d^{10} e^6 + 70 a^4 c^{11} d^8 e^8 + 56 a^5 c^{10} d^6 e^{10} + 28 a^6 c^9 d^4 e^{12} + 8 a^7 c^8 d^2 e^{14} + a^8 c^7 e^{16})) / (c^7 d^8 + 4 a^2 c^6 d^6 e^2 + 6 a^2 c^5 d^4 e^4 + 4 a^3 c^4 d^2 e^6 + a^4 c^3 e^8)) \log(-(625 c^4 d^8 - 750 a^2 c^3 d^6 e^2 - 1376 a^2 c^2 d^4 e^4 - 594 a^3 c d^2 e^6 - 81 a^4 e^8) x + (125 c^6 d^9 - 170 a^2 c^5 d^7 e^2 - 244 a^2 c^4 d^5 e^4 - 86 a^3 c^3 d^3 e^6 - 9 a^4 c^2 d e^8 - (7 c^{10} d^{10} e + 31 a^2 c^9 d^8 e^3 + 54
\end{aligned}$$

$$\begin{aligned}
& *a^2*c^8*d^6*e^5 + 46*a^3*c^7*d^4*e^7 + 19*a^4*c^6*d^2*e^9 + 3*a^5*c^5*e^11 \\
&)*\sqrt{-(625*a*c^6*d^12 - 1950*a^2*c^5*d^10*e^2 - 529*a^3*c^4*d^8*e^4 + 274 \\
& 8*a^4*c^3*d^6*e^6 + 2383*a^5*c^2*d^4*e^8 + 738*a^6*c*d^2*e^10 + 81*a^7*e^12 \\
&)/(c^15*d^16 + 8*a*c^14*d^14*e^2 + 28*a^2*c^13*d^12*e^4 + 56*a^3*c^12*d^10* \\
& e^6 + 70*a^4*c^11*d^8*e^8 + 56*a^5*c^10*d^6*e^10 + 28*a^6*c^9*d^4*e^12 + 8* \\
& a^7*c^8*d^2*e^14 + a^8*c^7*e^16)))*\sqrt{((70*a*c^2*d^5*e + 44*a^2*c*d^3*e^3 \\
& + 6*a^3*d*e^5 - (c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4* \\
& d^2*e^6 + a^4*c^3*e^8))*\sqrt{-(625*a*c^6*d^12 - 1950*a^2*c^5*d^10*e^2 - 529* \\
& a^3*c^4*d^8*e^4 + 2748*a^4*c^3*d^6*e^6 + 2383*a^5*c^2*d^4*e^8 + 738*a^6*c*d \\
& ^2*e^10 + 81*a^7*e^12)/(c^15*d^16 + 8*a*c^14*d^14*e^2 + 28*a^2*c^13*d^12*e^ \\
& 4 + 56*a^3*c^12*d^10*e^6 + 70*a^4*c^11*d^8*e^8 + 56*a^5*c^10*d^6*e^10 + 28* \\
& a^6*c^9*d^4*e^12 + 8*a^7*c^8*d^2*e^14 + a^8*c^7*e^16)))/(c^7*d^8 + 4*a*c^6* \\
& d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8)) + (a*c^3*d \\
& ^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e \\
& ^4)*x^4)*\sqrt{((70*a*c^2*d^5*e + 44*a^2*c*d^3*e^3 + 6*a^3*d*e^5 - (c^7*d^8 + \\
& 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))*\sqrt{ \\
& t(-(625*a*c^6*d^12 - 1950*a^2*c^5*d^10*e^2 - 529*a^3*c^4*d^8*e^4 + 2748*a^4 \\
& *c^3*d^6*e^6 + 2383*a^5*c^2*d^4*e^8 + 738*a^6*c*d^2*e^10 + 81*a^7*e^12)/(c^ \\
& 15*d^16 + 8*a*c^14*d^14*e^2 + 28*a^2*c^13*d^12*e^4 + 56*a^3*c^12*d^10*e^6 + \\
& 70*a^4*c^11*d^8*e^8 + 56*a^5*c^10*d^6*e^10 + 28*a^6*c^9*d^4*e^12 + 8*a^7*c \\
& ^8*d^2*e^14 + a^8*c^7*e^16)))/(c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^ \\
& 4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))*\log(-(625*c^4*d^8 - 750*a*c^3*d^6*e^2 \\
& - 1376*a^2*c^2*d^4*e^4 - 594*a^3*c*d^2*e^6 - 81*a^4*e^8)*x - (125*c^6*d^9 \\
& - 170*a*c^5*d^7*e^2 - 244*a^2*c^4*d^5*e^4 - 86*a^3*c^3*d^3*e^6 - 9*a^4*c^2* \\
& d*e^8 - (7*c^10*d^10*e + 31*a*c^9*d^8*e^3 + 54*a^2*c^8*d^6*e^5 + 46*a^3*c^7 \\
& *d^4*e^7 + 19*a^4*c^6*d^2*e^9 + 3*a^5*c^5*e^11))*\sqrt{-(625*a*c^6*d^12 - 195 \\
& 0*a^2*c^5*d^10*e^2 - 529*a^3*c^4*d^8*e^4 + 2748*a^4*c^3*d^6*e^6 + 2383*a^5* \\
& c^2*d^4*e^8 + 738*a^6*c*d^2*e^10 + 81*a^7*e^12)/(c^15*d^16 + 8*a*c^14*d^14* \\
& e^2 + 28*a^2*c^13*d^12*e^4 + 56*a^3*c^12*d^10*e^6 + 70*a^4*c^11*d^8*e^8 + 5 \\
& 6*a^5*c^10*d^6*e^10 + 28*a^6*c^9*d^4*e^12 + 8*a^7*c^8*d^2*e^14 + a^8*c^7*e^ \\
& 16)))*\sqrt{((70*a*c^2*d^5*e + 44*a^2*c*d^3*e^3 + 6*a^3*d*e^5 - (c^7*d^8 + 4* \\
& a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8))*\sqrt{-(\\
& (625*a*c^6*d^12 - 1950*a^2*c^5*d^10*e^2 - 529*a^3*c^4*d^8*e^4 + 2748*a^4*c^ \\
& 3*d^6*e^6 + 2383*a^5*c^2*d^4*e^8 + 738*a^6*c*d^2*e^10 + 81*a^7*e^12)/(c^15* \\
& d^16 + 8*a*c^14*d^14*e^2 + 28*a^2*c^13*d^12*e^4 + 56*a^3*c^12*d^10*e^6 + 70 \\
& *a^4*c^11*d^8*e^8 + 56*a^5*c^10*d^6*e^10 + 28*a^6*c^9*d^4*e^12 + 8*a^7*c^8* \\
& d^2*e^14 + a^8*c^7*e^16)))/(c^7*d^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + \\
& 4*a^3*c^4*d^2*e^6 + a^4*c^3*e^8)) - 4*(a*c*d^3 + a^2*d*e^2)*x)/(a*c^3*d^4 \\
& + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4 \\
&)*x^4)]
\end{aligned}$$

giac [A] time = 0.57, size = 581, normalized size = 0.82

$$\frac{d^{\frac{7}{2}} \arctan\left(\frac{x e^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)} \left(5 (ac^3)^{\frac{1}{4}} c^3 d^3 + (ac^3)^{\frac{1}{4}} ac^2 d e^2 - 7 (ac^3)^{\frac{3}{4}} c d^2 e - 3 (ac^3)^{\frac{3}{4}} a e^3\right) \arctan\left(\frac{\sqrt{2} \left(2x + \sqrt{2} \left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2 \left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{c^2 d^4 + 2 a c d^2 e^2 + a^2 e^4} \frac{1}{8 \left(\sqrt{2} c^6 d^4 + 2 \sqrt{2} a c^5 d^2 e^2 + \sqrt{2} a^2 c^4 e^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $d^{(7/2)} \arctan(x e^{(1/2)} / \sqrt{d}) e^{(-1/2)} / (c^2 d^4 + 2 a c d^2 e^2 + a^2 e^4) - 1/8 * (5 * (a * c^3)^{(1/4)} * c^3 * d^3 + (a * c^3)^{(1/4)} * a * c^2 * d * e^2 - 7 * (a * c^3)^{(3/4)} * c * d^2 * e - 3 * (a * c^3)^{(3/4)} * a * e^3) * \arctan(1/2 * \sqrt{2} * (2 * x + \sqrt{2} * (a / c)^{(1/4)}) / (a / c)^{(1/4)}) / (a / c)^{(1/4)} / (\sqrt{2} * c^6 * d^4 + 2 * \sqrt{2} * a * c^5 * d^2 * e^2 + \sqrt{2} * a^2 * c^4 * e^4) - 1/8 * (5 * (a * c^3)^{(1/4)} * c^3 * d^3 + (a * c^3)^{(1/4)} * a * c^2 * d * e^2 - 7 * (a * c^3)^{(3/4)} * c * d^2 * e - 3 * (a * c^3)^{(3/4)} * a * e^3) * \arctan(1/2 * \sqrt{2} * (2 * x - \sqrt{2} * (a / c)^{(1/4)}) / (a / c)^{(1/4)}) / (a / c)^{(1/4)} / (\sqrt{2} * c^6 * d^4 + 2 * \sqrt{2} * a * c^5 * d^2 * e^2 + \sqrt{2} * a^2 * c^4 * e^4) - 1/16 * (5 * (a * c^3)^{(1/4)} * c^3 * d^3 + (a * c^3)^{(1/4)} * a * c^2 * d * e^2 + 7 * (a * c^3)^{(3/4)} * c * d^2 * e + 3 * (a * c^3)^{(3/4)} * a * e^3) * \log(x^2 + \sqrt{2} * x * (a / c)^{(1/4)} + \sqrt{2} * (a / c)^{(1/4)}) / (\sqrt{2} * c^6 * d^4 + 2 * \sqrt{2} * a * c^5 * d^2 * e^2 + \sqrt{2} * a^2 * c^4 * e^4) + 1/16 * (5 * (a * c^3)^{(1/4)} * c^3 * d^3 + (a * c^3)^{(1/4)} * a * c^2 * d * e^2 + 7 * (a * c^3)^{(3/4)} * c * d^2 * e + 3 * (a * c^3)^{(3/4)} * a * e^3) * \log(x^2 - \sqrt{2} * x * (a / c)^{(1/4)} + \sqrt{2} * (a / c)^{(1/4)}) / (\sqrt{2} * c^6 * d^4 + 2 * \sqrt{2} * a * c^5 * d^2 * e^2 + \sqrt{2} * a^2 * c^4 * e^4) - 1/4 * (a * x^3 * e - a * d * x) / ((c * x^4 + a) * (c^2 * d^2 + a * c * e^2))$

maple [A] time = 0.02, size = 873, normalized size = 1.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $-1/4 * a^2 / (a * e^2 + c * d^2)^2 / (c * x^4 + a) * e^3 / c * x^3 - 1/4 * a / (a * e^2 + c * d^2)^2 / (c * x^4 + a) * e * x^3 * d^2 + 1/4 * a^2 / (a * e^2 + c * d^2)^2 / (c * x^4 + a) * d / c * x * e^2 + 1/4 * a / (a * e^2 + c * d^2)^2 / (c * x^4 + a) * d^3 * x - 1/16 * a / (a * e^2 + c * d^2)^2 / c * (a / c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a / c)^{(1/4)} * x - 1) * d * e^2 - 5/16 / (a * e^2 + c * d^2)^2 * (a / c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a / c)^{(1/4)} * x - 1) * d^3 - 1/32 * a / (a * e^2 + c * d^2)^2 / c * (a / c)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (a / c)^{(1/4)} * 2^{(1/2)} * x + (a / c)^{(1/2)}) / (x^2 - (a / c)^{(1/4)} * 2^{(1/2)} * x + (a / c)^{(1/2)})) * d * e^2 - 5/32 / (a * e^2 + c * d^2)^2 * (a / c)^{(1/4)} * 2^{(1/2)} * \ln((x^2 + (a / c)^{(1/4)} * 2^{(1/2)} * x + (a / c)^{(1/2)}) / (x^2 - (a / c)^{(1/4)} * 2^{(1/2)} * x + (a / c)^{(1/2)})) * d^3 - 1/16 * a / (a * e^2 + c * d^2)^2 / c * (a / c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a / c)^{(1/4)} * x + 1) * d * e^2 - 5/16 / (a * e^2 + c * d^2)^2 * (a / c)^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (a / c)^{(1/4)} * x + 1) * d$

$$\begin{aligned} & \frac{3}{2} + \frac{3}{32} a^2 / (a e^2 + c d^2)^2 / c^2 / (a/c)^{1/4} * 2^{1/2} * \ln((x^2 - (a/c)^{1/4}) * 2^{1/2} * x + (a/c)^{1/2}) / (x^2 + (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2}) * e^3 + 7/32 * a / (a e^2 + c d^2)^2 / c / (a/c)^{1/4} * 2^{1/2} * \ln((x^2 - (a/c)^{1/4}) * 2^{1/2} * x + (a/c)^{1/2}) / (x^2 + (a/c)^{1/4} * 2^{1/2} * x + (a/c)^{1/2}) * d^2 * e^3 + 3/16 * a^2 / (a e^2 + c d^2)^2 / c^2 / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1) * e^3 + 7/16 * a / (a e^2 + c d^2)^2 / c / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x - 1) * d^2 * e^3 + 3/16 * a^2 / (a e^2 + c d^2)^2 / c^2 / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) * e^3 + 7/16 * a / (a e^2 + c d^2)^2 / c / (a/c)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (a/c)^{1/4} * x + 1) * d^2 * e^3 + d^4 / (a e^2 + c d^2)^2 / (d e)^{1/2} * \arctan(1 / (d e)^{1/2} * e * x) \end{aligned}$$

maxima [A] time = 2.06, size = 504, normalized size = 0.71

$$\frac{d^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2 d^4 + 2acd^2e^2 + a^2e^4)\sqrt{de}} + \frac{2\sqrt{2}\left(5c^{\frac{3}{2}}d^3 - 7\sqrt{a}cd^2e + a\sqrt{c}de^2 - 3a^{\frac{3}{2}}e^3\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}\left(5c^{\frac{3}{2}}d^3 - 7\sqrt{a}cd^2e + a\sqrt{c}de^2 - 3a^{\frac{3}{2}}e^3\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $d^4 \arctan(e*x/\sqrt{d*e}) / ((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{d*e}) - 1/32*a*(2*\sqrt{2}*(5*c^{3/2}*d^3 - 7*\sqrt{a}*c*d^2*e + a*\sqrt{c}*d*e^2 - 3*a^{3/2}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{c}))/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + 2*\sqrt{2}*(5*c^{3/2}*d^3 - 7*\sqrt{a}*c*d^2*e + a*\sqrt{c}*d*e^2 - 3*a^{3/2}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{1/4}*c^{1/4})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + \sqrt{2}*(5*c^{3/2}*d^3 + 7*\sqrt{a}*c*d^2*e + a*\sqrt{c}*d*e^2 + 3*a^{3/2}*e^3)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}) - \sqrt{2}*(5*c^{3/2}*d^3 + 7*\sqrt{a}*c*d^2*e + a*\sqrt{c}*d*e^2 + 3*a^{3/2}*e^3)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{1/4}*c^{1/4}*x + \sqrt{a})/(a^{3/4}*c^{3/4}) / (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4) - 1/4*((a*c*d^2*e + a^2*e^3)*x^3 - (a*c*d^3 + a^2*d*e^2)*x) / (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)$

mupad [B] time = 2.86, size = 18343, normalized size = 25.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^8/((a + c*x^4)^2*(d + e*x^2)),x)$

[Out]
$$\frac{(a*d*x)/(4*c*(a*e^2 + c*d^2)) - (a*e*x^3)/(4*c*(a*e^2 + c*d^2))}{(a + c*x^4) + \text{atan}\left(\frac{((5120*a^2*c^8*d^{13}*e + 432*a^8*c^2*d*e^{13} - 17232*a^3*c^7*d^{11}*e^3 - 37776*a^4*c^6*d^9*e^5 - 13600*a^5*c^5*d^7*e^7 + 4320*a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^{11})/(256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - ((81920*a^5*c^9*d^8*e^8 - 73728*a^3*c^{11}*d^{12}*e^4 - 61440*a^4*c^{10}*d^{10}*e^6 - 20480*a^2*c^{12}*d^{14}*e^2 + 184320*a^6*c^8*d^6*e^{10} + 122880*a^7*c^7*d^4*e^{12} + 28672*a^8*c^6*d^2*e^{14})/(256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - (x*((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)}*(65536*a^9*c^7*e^{17} - 65536*a^2*c^{14}*d^{14}*e^3 - 327680*a^3*c^{13}*d^{12}*e^5 - 589824*a^4*c^{12}*d^{10}*e^7 - 327680*a^5*c^{11}*d^8*e^9 + 327680*a^6*c^{10}*d^6*e^{11} + 589824*a^7*c^9*d^4*e^{13} + 327680*a^8*c^8*d^2*e^{15})/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} + (x*(1920*a^8*c^4*d*e^{14} + 13184*a^2*c^{10}*d^{13}*e^2 + 16640*a^3*c^9*d^{11}*e^4 + 18560*a^4*c^8*d^9*e^6 + 56832*a^5*c^7*d^7*e^8 + 60544*a^6*c^6*d^5*e^{10} + 20736*a^7*c^5*d^3*e^{12})/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} + (x*(81*a^8*e^{13} + 800*a^2*c^6*d^{12}*e + 612*a^7*c*d^2*e^{11} + 832*a^3*c^5*d^{10}*e^3 + 913*a^4*c^4*d^8*e^5 + 1700*a^5*c^3*d^6*e^7 + 1606*a^6*c^2*d^4*e^9))/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)}*i - ((5120*a^2*c^8*d^{13}*e + 432*a^8*c^2*d*e^{13} - 17232*a^3*c^7*d^{11}*e^3 - 37776*a^4*c^6*d^9*e^5 - 13600*a^5*c^5*d^7*e^7 + 4320*a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^{11})/(256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - ((81920*a^5*c^9*d^8*e^8 - 73728*a^3*c^{11}*d^{12}*e^4 - 61440*a^4*c^{10}*d^{10}*e^6 - 20480*a^2*c^{12}*d^{14}*e^2 + 184320*a^6*c^8*d^6*e^{10} + 122880*a^7*c^7*d^4*e^{12} + 286$$

$$\begin{aligned}
& 72*a^8*c^6*d^2*e^14)/(256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) + (x*((25*c^3*d^6*(-a*c^7)^(1/2) - 9*a^3*e^6*(-a*c^7)^(1/2) + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^(1/2) - 41*a^2*c*d^2*e^4*(-a*c^7)^(1/2)))/(256*(c^11*d^8 + a^4*c^7*e^8 + 4*a*c^10*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^(1/2)*(65536*a^9*c^7*e^17 - 65536*a^2*c^14*d^14*e^3 - 327680*a^3*c^13*d^12*e^5 - 589824*a^4*c^12*d^10*e^7 - 327680*a^5*c^11*d^8*e^9 + 327680*a^6*c^10*d^6*e^11 + 589824*a^7*c^9*d^4*e^13 + 327680*a^8*c^8*d^2*e^15))/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a*c^7)^(1/2) - 9*a^3*e^6*(-a*c^7)^(1/2) + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^(1/2) - 41*a^2*c*d^2*e^4*(-a*c^7)^(1/2)))/(256*(c^11*d^8 + a^4*c^7*e^8 + 4*a*c^10*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^(1/2) - (x*(1920*a^8*c^4*d*e^14 + 13184*a^2*c^10*d^13*e^2 + 16640*a^3*c^9*d^11*e^4 + 18560*a^4*c^8*d^9*e^6 + 56832*a^5*c^7*d^7*e^8 + 60544*a^6*c^6*d^5*e^10 + 20736*a^7*c^5*d^3*e^12))/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a*c^7)^(1/2) - 9*a^3*e^6*(-a*c^7)^(1/2) + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^(1/2) - 41*a^2*c*d^2*e^4*(-a*c^7)^(1/2)))/(256*(c^11*d^8 + a^4*c^7*e^8 + 4*a*c^10*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^(1/2) - (x*(81*a^8*e^13 + 800*a^2*c^6*d^12*e + 612*a^7*c*d^2*e^11 + 832*a^3*c^5*d^10*e^3 + 913*a^4*c^4*d^8*e^5 + 1700*a^5*c^3*d^6*e^7 + 1606*a^6*c^2*d^4*e^9))/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a*c^7)^(1/2) - 9*a^3*e^6*(-a*c^7)^(1/2) + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^(1/2) - 41*a^2*c*d^2*e^4*(-a*c^7)^(1/2)))/(256*(c^11*d^8 + a^4*c^7*e^8 + 4*a*c^10*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^(1/2)*1i)/((81*a^6*d^4*e^8 + 450*a^5*c*d^6*e^6 + 300*a^3*c^3*d^10*e^2 + 733*a^4*c^2*d^8*e^4)/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) + (((5120*a^2*c^8*d^13*e + 432*a^8*c^2*d*e^13 - 17232*a^3*c^7*d^11*e^3 - 37776*a^4*c^6*d^9*e^5 - 13600*a^5*c^5*d^7*e^7 + 4320*a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^11)/(256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - (((81920*a^5*c^9*d^8*e^8 - 73728*a^3*c^11*d^12*e^4 - 61440*a^4*c^10*d^10*e^6 - 20480*a^2*c^12*d^14*e^2 + 184320*a^6*c^8*d^6*e^10 + 122880*a^7*c^7*d^4*e^12 + 28672*a^8*c^6*d^2*e^14)/(256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - (x*((25*c^3*d^6*(-a*c^7)^(1/2) - 9*a^3*e^6*(-a*c^7)^(1/2) + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^(1/2) - 41*a^2*c*d^2*e^4*(-a*c^7)^(1/2)))/(256*(c^11*d^8 + a^4*c^7*e^8 + 4*a*c^10*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^(1/2)*(65536*a^9*c^7*e^17 - 65536*a^2*c^14*d^14*e^3 - 327680*a^3*c^13*d^12*e^5 - 589824*a^4*c^
\end{aligned}$$

$$\begin{aligned}
& 12*d^{10}*e^7 - 327680*a^5*c^{11}*d^8*e^9 + 327680*a^6*c^{10}*d^6*e^{11} + 589824*a \\
& ^7*c^9*d^4*e^{13} + 327680*a^8*c^8*d^2*e^{15})/(128*(c^7*d^8 + a^4*c^3*e^8 + 4 \\
& *a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((25*c^3*d^6*(-a* \\
& c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^ \\
& 3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a \\
& *c^7)^{(1/2)})/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^ \\
& 4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} + (x*(1920*a^8*c^4*d*e^{14} + 13184*a^2*c^ \\
& 10*d^{13}*e^2 + 16640*a^3*c^9*d^{11}*e^4 + 18560*a^4*c^8*d^9*e^6 + 56832*a^5*c^ \\
& 7*d^7*e^8 + 60544*a^6*c^6*d^5*e^{10} + 20736*a^7*c^5*d^3*e^{12}))/((128*(c^7*d^8 \\
& + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6))) \\
& *((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + \\
& 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41 \\
& *a^2*c*d^2*e^4*(-a*c^7)^{(1/2)})/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6* \\
& e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)})*((25*c^3*d^6*(-a*c^7) \\
& ^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + \\
& 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7) \\
&)^{(1/2)})/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^ \\
& 4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} + (x*(81*a^8*e^{13} + 800*a^2*c^6*d^{12}*e + 612 \\
& *a^7*c*d^2*e^{11} + 832*a^3*c^5*d^{10}*e^3 + 913*a^4*c^4*d^8*e^5 + 1700*a^5*c^3 \\
& *d^6*e^7 + 1606*a^6*c^2*d^4*e^9))/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6 \\
& *e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6))*((25*c^3*d^6*(-a*c^7)^{(1/2)} \\
& - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c \\
& ^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)} \\
&))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4* \\
& a^3*c^8*d^2*e^6))^{(1/2)} + (((5120*a^2*c^8*d^{13}*e + 432*a^8*c^2*d*e^{13} - 17 \\
& 232*a^3*c^7*d^{11}*e^3 - 37776*a^4*c^6*d^9*e^5 - 13600*a^5*c^5*d^7*e^7 + 4320 \\
& *a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^{11}))/((256*(c^7*d^8 + a^4*c^3*e^8 + 4*a \\
& *c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - (((81920*a^5*c^9*d \\
& ^8*e^8 - 73728*a^3*c^{11}*d^{12}*e^4 - 61440*a^4*c^{10}*d^{10}*e^6 - 20480*a^2*c^{12} \\
& *d^{14}*e^2 + 184320*a^6*c^8*d^6*e^{10} + 122880*a^7*c^7*d^4*e^{12} + 28672*a^8*c \\
& ^6*d^2*e^{14}))/((256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4* \\
& e^4 + 4*a^3*c^4*d^2*e^6)) + (x*((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a* \\
& c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c \\
& ^2*d^4*e^2*(-a*c^7)^{(1/2)} - 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}))/((256*(c^{11}*d^8 \\
& + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)) \\
&)^{(1/2)}*(65536*a^9*c^7*e^{17} - 65536*a^2*c^{14}*d^{14}*e^3 - 327680*a^3*c^{13}*d^1 \\
& 2*e^5 - 589824*a^4*c^{12}*d^{10}*e^7 - 327680*a^5*c^{11}*d^8*e^9 + 327680*a^6*c^{1 \\
& 0}*d^6*e^{11} + 589824*a^7*c^9*d^4*e^{13} + 327680*a^8*c^8*d^2*e^{15}))/((128*(c^7* \\
& d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6 \\
&)))*((25*c^3*d^6*(-a*c^7)^{(1/2)} - 9*a^3*e^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^ \\
& 5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e - 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} - \\
& 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)})/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d \\
& ^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} - (x*(1920*a^8*c^4* \\
& d*e^{14} + 13184*a^2*c^{10}*d^{13}*e^2 + 16640*a^3*c^9*d^{11}*e^4 + 18560*a^4*c^8*d \\
& ^9*e^6 + 56832*a^5*c^7*d^7*e^8 + 60544*a^6*c^6*d^5*e^{10} + 20736*a^7*c^5*d^3
\end{aligned}$$

$$\begin{aligned}
& *e^{12}) / (128 * (c^7 * d^8 + a^4 * c^3 * e^8 + 4 * a * c^6 * d^6 * e^2 + 6 * a^2 * c^5 * d^4 * e^4 + \\
& 4 * a^3 * c^4 * d^2 * e^6)) * ((25 * c^3 * d^6 * (-a * c^7)^{(1/2)} - 9 * a^3 * e^6 * (-a * c^7)^{(1/2)} \\
&) + 6 * a^3 * c^4 * d * e^5 + 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e - 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} - 41 * a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))^{(1/2)}) * \\
& ((25 * c^3 * d^6 * (-a * c^7)^{(1/2)} - 9 * a^3 * e^6 * (-a * c^7)^{(1/2)} + 6 * a^3 * c^4 * d * e^5 + \\
& 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e - 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} - 41 * \\
& a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))^{(1/2)} - (x * (81 * a^8 * e^{13} + 800 * a^2 * c^6 * d^{12} * e + 612 * a^7 * c * d^2 * e^{11} + 832 * a^3 * c^5 * d^{10} * e^3 + 913 * a^4 * c^4 * d^8 * e^5 + 1700 * a^5 * c^3 * d^6 * e^7 + 1606 * a^6 * c^2 * d^4 * e^9)) / (128 * (c^7 * d^8 + a^4 * c^3 * e^8 + 4 * a * c^6 * d^6 * e^2 + 6 * a^2 * c^5 * d^4 * e^4 + 4 * a^3 * c^4 * d^2 * e^6)) * ((25 * c^3 * d^6 * (-a * c^7)^{(1/2)} - 9 * a^3 * e^6 * (-a * c^7)^{(1/2)} + 6 * a^3 * c^4 * d * e^5 + 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e - 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} - 41 * a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))^{(1/2)}) * ((25 * c^3 * d^6 * (-a * c^7)^{(1/2)} - 9 * a^3 * e^6 * (-a * c^7)^{(1/2)} + 6 * a^3 * c^4 * d * e^5 + 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e - 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} - 41 * a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))^{(1/2)} * 2i + \operatorname{atan}((((5120 * a^2 * c^8 * d^{13} * e + 432 * a^8 * c^2 * d * e^{13} - 17232 * a^3 * c^7 * d^{11} * e^3 - 37776 * a^4 * c^6 * d^9 * e^5 - 13600 * a^5 * c^5 * d^7 * e^7 + 4320 * a^6 * c^4 * d^5 * e^9 + 2928 * a^7 * c^3 * d^3 * e^{11}) / (256 * (c^7 * d^8 + a^4 * c^3 * e^8 + 4 * a * c^6 * d^6 * e^2 + 6 * a^2 * c^5 * d^4 * e^4 + 4 * a^3 * c^4 * d^2 * e^6)) - (((81920 * a^5 * c^9 * d^8 * e^8 - 73728 * a^3 * c^{11} * d^{12} * e^4 - 61440 * a^4 * c^{10} * d^{10} * e^6 - 20480 * a^2 * c^{12} * d^{14} * e^2 + 184320 * a^6 * c^8 * d^6 * e^{10} + 122880 * a^7 * c^7 * d^4 * e^{12} + 28672 * a^8 * c^6 * d^2 * e^{14}) / (256 * (c^7 * d^8 + a^4 * c^3 * e^8 + 4 * a * c^6 * d^6 * e^2 + 6 * a^2 * c^5 * d^4 * e^4 + 4 * a^3 * c^4 * d^2 * e^6)) - (x * ((9 * a^3 * e^6 * (-a * c^7)^{(1/2)} - 25 * c^3 * d^6 * (-a * c^7)^{(1/2)} + 6 * a^3 * c^4 * d * e^5 + 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e + 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} + 41 * a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))^{(1/2)} * (65536 * a^9 * c^7 * e^{17} - 65536 * a^2 * c^{14} * d^{14} * e^3 - 327680 * a^3 * c^{13} * d^{12} * e^5 - 589824 * a^4 * c^{12} * d^{10} * e^7 - 327680 * a^5 * c^{11} * d^8 * e^9 + 327680 * a^6 * c^{10} * d^6 * e^{11} + 589824 * a^7 * c^9 * d^4 * e^{13} + 327680 * a^8 * c^8 * d^2 * e^{15})) / (128 * (c^7 * d^8 + a^4 * c^3 * e^8 + 4 * a * c^6 * d^6 * e^2 + 6 * a^2 * c^5 * d^4 * e^4 + 4 * a^3 * c^4 * d^2 * e^6)) * ((9 * a^3 * e^6 * (-a * c^7)^{(1/2)} - 25 * c^3 * d^6 * (-a * c^7)^{(1/2)} + 6 * a^3 * c^4 * d * e^5 + 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e + 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} + 41 * a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))^{(1/2)} + (x * (1920 * a^8 * c^4 * d * e^{14} + 13184 * a^2 * c^{10} * d^{13} * e^2 + 16640 * a^3 * c^9 * d^{11} * e^4 + 18560 * a^4 * c^8 * d^9 * e^6 + 56832 * a^5 * c^7 * d^7 * e^8 + 60544 * a^6 * c^6 * d^5 * e^{10} + 20736 * a^7 * c^5 * d^3 * e^{12})) / (128 * (c^7 * d^8 + a^4 * c^3 * e^8 + 4 * a * c^6 * d^6 * e^2 + 6 * a^2 * c^5 * d^4 * e^4 + 4 * a^3 * c^4 * d^2 * e^6)) * ((9 * a^3 * e^6 * (-a * c^7)^{(1/2)} - 25 * c^3 * d^6 * (-a * c^7)^{(1/2)} + 6 * a^3 * c^4 * d * e^5 + 44 * a^2 * c^5 * d^3 * e^3 + 70 * a * c^6 * d^5 * e + 39 * a * c^2 * d^4 * e^2 * (-a * c^7)^{(1/2)} + 41 * a^2 * c * d^2 * e^4 * (-a * c^7)^{(1/2)}) / (256 * (c^{11} * d^8 + a^4 * c^7 * e^8 + 4 * a * c^{10} * d^6 * e^2 + 6 * a^2 * c^9 * d^4 * e^4 + 4 * a^3 * c^8 * d^2 * e^6))
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} * ((9*a^3*e^6*(-a*c^7)^{(1/2)} - 25*c^3*d^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4 \\
& *d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} + 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}) / (256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c \\
& ^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} + (x*(81*a^8*e \\
& ^{13} + 800*a^2*c^6*d^{12}*e + 612*a^7*c*d^2*e^{11} + 832*a^3*c^5*d^{10}*e^3 + 913* \\
& a^4*c^4*d^8*e^5 + 1700*a^5*c^3*d^6*e^7 + 1606*a^6*c^2*d^4*e^9)) / (128*(c^7*d \\
& ^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6) \\
&)) * ((9*a^3*e^6*(-a*c^7)^{(1/2)} - 25*c^3*d^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 \\
& + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} + \\
& 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}) / (256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^ \\
& 6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} * i - (((5120*a^2*c^8 \\
& *d^{13}*e + 432*a^8*c^2*d*e^{13} - 17232*a^3*c^7*d^{11}*e^3 - 37776*a^4*c^6*d^9*e \\
& ^5 - 13600*a^5*c^5*d^7*e^7 + 4320*a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^{11}) / \\
& (256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c \\
& ^4*d^2*e^6)) - (((81920*a^5*c^9*d^8*e^8 - 73728*a^3*c^{11}*d^{12}*e^4 - 61440*a \\
& ^4*c^{10}*d^{10}*e^6 - 20480*a^2*c^{12}*d^{14}*e^2 + 184320*a^6*c^8*d^6*e^{10} + 1228 \\
& 80*a^7*c^7*d^4*e^{12} + 28672*a^8*c^6*d^2*e^{14}) / (256*(c^7*d^8 + a^4*c^3*e^8 + \\
& 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) + (x*((9*a^3*e^6 \\
& *(-a*c^7)^{(1/2)} - 25*c^3*d^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5* \\
& d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} + 41*a^2*c*d^2*e \\
& ^4*(-a*c^7)^{(1/2)}) / (256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2* \\
& c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} * (65536*a^9*c^7*e^{17} - 65536*a^2*c^ \\
& 14*d^{14}*e^3 - 327680*a^3*c^{13}*d^{12}*e^5 - 589824*a^4*c^{12}*d^{10}*e^7 - 327680* \\
& a^5*c^{11}*d^8*e^9 + 327680*a^6*c^{10}*d^6*e^{11} + 589824*a^7*c^9*d^4*e^{13} + 327 \\
& 680*a^8*c^8*d^2*e^{15}) / (128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^ \\
& 2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) * ((9*a^3*e^6*(-a*c^7)^{(1/2)} - 25*c^3*d^ \\
& 6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + \\
& 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} + 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}) / (256*(c^ \\
& 11*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2 \\
& *e^6))^{(1/2)} - (x*(1920*a^8*c^4*d*e^{14} + 13184*a^2*c^{10}*d^{13}*e^2 + 16640*a \\
& ^3*c^9*d^{11}*e^4 + 18560*a^4*c^8*d^9*e^6 + 56832*a^5*c^7*d^7*e^8 + 60544*a^6 \\
& *c^6*d^5*e^{10} + 20736*a^7*c^5*d^3*e^{12}) / (128*(c^7*d^8 + a^4*c^3*e^8 + 4*a* \\
& c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) * ((9*a^3*e^6*(-a*c^7) \\
& ^{(1/2)} - 25*c^3*d^6*(-a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + \\
& 70*a*c^6*d^5*e + 39*a*c^2*d^4*e^2*(-a*c^7)^{(1/2)} + 41*a^2*c*d^2*e^4*(-a*c^ \\
& 7)^{(1/2)}) / (256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e \\
& ^4 + 4*a^3*c^8*d^2*e^6))^{(1/2)} * ((9*a^3*e^6*(-a*c^7)^{(1/2)} - 25*c^3*d^6*(- \\
& a*c^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a \\
& *c^2*d^4*e^2*(-a*c^7)^{(1/2)} + 41*a^2*c*d^2*e^4*(-a*c^7)^{(1/2)}) / (256*(c^{11}*d \\
& ^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6 \\
&))^{(1/2)} - (x*(81*a^8*e^{13} + 800*a^2*c^6*d^{12}*e + 612*a^7*c*d^2*e^{11} + 832 \\
& *a^3*c^5*d^{10}*e^3 + 913*a^4*c^4*d^8*e^5 + 1700*a^5*c^3*d^6*e^7 + 1606*a^6*c \\
& ^2*d^4*e^9)) / (128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4* \\
& e^4 + 4*a^3*c^4*d^2*e^6)) * ((9*a^3*e^6*(-a*c^7)^{(1/2)} - 25*c^3*d^6*(-a*c^7) \\
& ^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d
\end{aligned}$$

$$\begin{aligned}
& ^4e^2*(-ac^7)^{(1/2)} + 41a^2*c*d^2*e^4*(-ac^7)^{(1/2)})/(256*(c^{11}*d^8 + a \\
& ^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^{(1 \\
& /2)*1i)/((81*a^6*d^4*e^8 + 450*a^5*c*d^6*e^6 + 300*a^3*c^3*d^10*e^2 + 733*a \\
& ^4*c^2*d^8*e^4)/(128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d \\
& ^4*e^4 + 4*a^3*c^4*d^2*e^6)) + (((5120*a^2*c^8*d^13*e + 432*a^8*c^2*d*e^13 \\
& - 17232*a^3*c^7*d^11*e^3 - 37776*a^4*c^6*d^9*e^5 - 13600*a^5*c^5*d^7*e^7 + \\
& 4320*a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^11)/(256*(c^7*d^8 + a^4*c^3*e^8 + \\
& 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - (((81920*a^5*c \\
& ^9*d^8*e^8 - 73728*a^3*c^{11}*d^{12}*e^4 - 61440*a^4*c^{10}*d^{10}*e^6 - 20480*a^2* \\
& c^{12}*d^{14}*e^2 + 184320*a^6*c^8*d^6*e^{10} + 122880*a^7*c^7*d^4*e^{12} + 28672*a \\
& ^8*c^6*d^2*e^{14}))/256*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5* \\
& d^4*e^4 + 4*a^3*c^4*d^2*e^6)) - (x*((9*a^3*e^6*(-ac^7)^{(1/2)} - 25*c^3*d^6* \\
& (-ac^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39 \\
& *a*c^2*d^4*e^2*(-ac^7)^{(1/2)} + 41*a^2*c*d^2*e^4*(-ac^7)^{(1/2)}))/(256*(c^{11} \\
& *d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e \\
& ^6)))^{(1/2)}*(65536*a^9*c^7*e^{17} - 65536*a^2*c^{14}*d^{14}*e^3 - 327680*a^3*c^{13} \\
& *d^{12}*e^5 - 589824*a^4*c^{12}*d^{10}*e^7 - 327680*a^5*c^{11}*d^8*e^9 + 327680*a^6 \\
& *c^{10}*d^6*e^{11} + 589824*a^7*c^9*d^4*e^{13} + 327680*a^8*c^8*d^2*e^{15}))/128*(\\
& c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2 \\
& *e^6)))*((9*a^3*e^6*(-ac^7)^{(1/2)} - 25*c^3*d^6*(-ac^7)^{(1/2)} + 6*a^3*c^4* \\
& d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d^4*e^2*(-ac^7)^{(1/ \\
& 2)} + 41*a^2*c*d^2*e^4*(-ac^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^ \\
& 10*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^{(1/2)} + (x*(1920*a^8* \\
& c^4*d*e^{14} + 13184*a^2*c^{10}*d^{13}*e^2 + 16640*a^3*c^9*d^{11}*e^4 + 18560*a^4*c \\
& ^8*d^9*e^6 + 56832*a^5*c^7*d^7*e^8 + 60544*a^6*c^6*d^5*e^{10} + 20736*a^7*c^5 \\
& *d^3*e^{12}))/128*(c^7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e \\
& ^4 + 4*a^3*c^4*d^2*e^6)))*((9*a^3*e^6*(-ac^7)^{(1/2)} - 25*c^3*d^6*(-ac^7)^{(\\
& 1/2)} + 6*a^3*c^4*d*e^5 + 44*a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d^ \\
& 4*e^2*(-ac^7)^{(1/2)} + 41*a^2*c*d^2*e^4*(-ac^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^ \\
& 4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^{(1/ \\
& 2)} + (x*(81*a^8*e^{13} + \\
& 800*a^2*c^6*d^{12}*e + 612*a^7*c*d^2*e^{11} + 832*a^3*c^5*d^{10}*e^3 + 913*a^4*c \\
& ^4*d^8*e^5 + 1700*a^5*c^3*d^6*e^7 + 1606*a^6*c^2*d^4*e^9))/128*(c^7*d^8 + \\
& a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e^6)))*((\\
& 9*a^3*e^6*(-ac^7)^{(1/2)} - 25*c^3*d^6*(-ac^7)^{(1/2)} + 6*a^3*c^4*d*e^5 + 44 \\
& *a^2*c^5*d^3*e^3 + 70*a*c^6*d^5*e + 39*a*c^2*d^4*e^2*(-ac^7)^{(1/2)} + 41*a^ \\
& 2*c*d^2*e^4*(-ac^7)^{(1/2)}))/(256*(c^{11}*d^8 + a^4*c^7*e^8 + 4*a*c^{10}*d^6*e^2 \\
& + 6*a^2*c^9*d^4*e^4 + 4*a^3*c^8*d^2*e^6)))^{(1/2)} + (((5120*a^2*c^8*d^13*e \\
& + 432*a^8*c^2*d*e^13 - 17232*a^3*c^7*d^11*e^3 - 37776*a^4*c^6*d^9*e^5 - 136 \\
& 00*a^5*c^5*d^7*e^7 + 4320*a^6*c^4*d^5*e^9 + 2928*a^7*c^3*d^3*e^11)/(256*(c^ \\
& 7*d^8 + a^4*c^3*e^8 + 4*a*c^6*d^6*e^2 + 6*a^2*c^5*d^4*e^4 + 4*a^3*c^4*d^2*e \\
& ^6)) - (((81920*a^5*c^9*d^8*e^8 - 73728*a^3*c^{11}*d^{12}*e^4 - 61440*a^4*c^{10}
\end{aligned}$$

$$\begin{aligned}
& d^{10}e^6 - 20480a^2c^{12}d^{14}e^2 + 184320a^6c^8d^6e^{10} + 122880a^7c^7d^4e^{12} + 28672a^8c^6d^2e^{14}) / (256(c^7d^8 + a^4c^3e^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6)) + (x((9a^3e^6(-ac^7)^{1/2} - 25c^3d^6(-ac^7)^{1/2} + 6a^3c^4d^5e^5 + 44a^2c^5d^3e^3 + 70a^2c^6d^5e + 39a^2c^2d^4e^2(-ac^7)^{1/2} + 41a^2c^2d^2e^4(-ac^7)^{1/2})) / (256(c^{11}d^8 + a^4c^7e^8 + 4a^2c^9d^4e^4 + 4a^3c^8d^2e^6)))^{1/2} * (65536a^9c^7e^{17} - 65536a^2c^{14}d^{14}e^3 - 327680a^3c^{13}d^{12}e^5 - 589824a^4c^{12}d^{10}e^7 - 327680a^5c^{11}d^8e^9 + 327680a^6c^{10}d^6e^{11} + 589824a^7c^9d^4e^{13} + 327680a^8c^8d^2e^{15})) / (128(c^7d^8 + a^4c^3e^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6)) * ((9a^3e^6(-ac^7)^{1/2} - 25c^3d^6(-ac^7)^{1/2} + 6a^3c^4d^5e^5 + 44a^2c^5d^3e^3 + 70a^2c^6d^5e + 39a^2c^2d^4e^2(-ac^7)^{1/2} + 41a^2c^2d^2e^4(-ac^7)^{1/2})) / (256(c^{11}d^8 + a^4c^7e^8 + 4a^2c^9d^4e^4 + 4a^3c^8d^2e^6)))^{1/2} - (x(1920a^8c^4d^6e^{14} + 13184a^2c^{10}d^{13}e^2 + 16640a^3c^9d^{11}e^4 + 18560a^4c^8d^9e^6 + 56832a^5c^7d^7e^8 + 60544a^6c^6d^5e^{10} + 20736a^7c^5d^3e^{12})) / (128(c^7d^8 + a^4c^3e^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6)) * ((9a^3e^6(-ac^7)^{1/2} - 25c^3d^6(-ac^7)^{1/2} + 6a^3c^4d^5e^5 + 44a^2c^5d^3e^3 + 70a^2c^6d^5e + 39a^2c^2d^4e^2(-ac^7)^{1/2} + 41a^2c^2d^2e^4(-ac^7)^{1/2})) / (256(c^{11}d^8 + a^4c^7e^8 + 4a^2c^9d^4e^4 + 4a^3c^8d^2e^6)))^{1/2} * ((9a^3e^6(-ac^7)^{1/2} - 25c^3d^6(-ac^7)^{1/2} + 6a^3c^4d^5e^5 + 44a^2c^5d^3e^3 + 70a^2c^6d^5e + 39a^2c^2d^4e^2(-ac^7)^{1/2} + 41a^2c^2d^2e^4(-ac^7)^{1/2})) / (256(c^{11}d^8 + a^4c^7e^8 + 4a^2c^9d^4e^4 + 4a^3c^8d^2e^6)))^{1/2} - (x(81a^8e^{13} + 800a^2c^6d^{12}e + 612a^7c^5d^{10}e^3 + 913a^4c^4d^8e^5 + 1700a^5c^3d^6e^7 + 1606a^6c^2d^4e^9)) / (128(c^7d^8 + a^4c^3e^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6)) * ((9a^3e^6(-ac^7)^{1/2} - 25c^3d^6(-ac^7)^{1/2} + 6a^3c^4d^5e^5 + 44a^2c^5d^3e^3 + 70a^2c^6d^5e + 39a^2c^2d^4e^2(-ac^7)^{1/2} + 41a^2c^2d^2e^4(-ac^7)^{1/2})) / (256(c^{11}d^8 + a^4c^7e^8 + 4a^2c^9d^4e^4 + 4a^3c^8d^2e^6)))^{1/2} * ((9a^3e^6(-ac^7)^{1/2} - 25c^3d^6(-ac^7)^{1/2} + 6a^3c^4d^5e^5 + 44a^2c^5d^3e^3 + 70a^2c^6d^5e + 39a^2c^2d^4e^2(-ac^7)^{1/2} + 41a^2c^2d^2e^4(-ac^7)^{1/2})) / (256(c^{11}d^8 + a^4c^7e^8 + 4a^2c^9d^4e^4 + 4a^3c^8d^2e^6)))^{1/2} * 2i + (atan((((x(81a^8e^{13} + 800a^2c^6d^{12}e + 612a^7c^5d^{10}e^3 + 913a^4c^4d^8e^5 + 1700a^5c^3d^6e^7 + 1606a^6c^2d^4e^9)) / (256(c^7d^8 + a^4c^3e^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6)) + (((20a^2c^8d^{13}e + (27a^8c^2d^6e^{13})/16 - (1077a^3c^7d^{11}e^3)/16 - (2361a^4c^6d^9e^5)/16 - (425a^5c^5d^7e^7)/8 + (135a^6c^4d^5e^9)/8 + (183a^7c^3d^3e^{11})/16) / (2(c^7d^8 + a^4c^3e^8 + 4a^2c^6d^6e^2 + 6a^2c^5d^4e^4 + 4a^3c^4d^2e^6)) - ((-d^7e)^{1/2}) * (((-d^7e)^{1/2}) * ((320a^5c^9d^8e^8 - 288a^3c^{11}d^{12}e^4 - 240a^4c^{10}d^{10}e^6 - 80a^2c^{12}d^{14}e^2 + 720a^6c^8d^6e^{10} + 480a^7c^7d^4e^{12} +
\end{aligned}$$

$$3.253 \quad \int \frac{x^6}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=687

$$-\frac{(\sqrt{ae} + \sqrt{cd}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} \sqrt[4]{a} c^{5/4} (ae^2 + cd^2)} + \frac{(\sqrt{ae} + \sqrt{cd}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} \sqrt[4]{a} c^{5/4} (ae^2 + cd^2)} + \frac{(\sqrt{cd} - \sqrt{ae})}{8\sqrt{2} \sqrt[4]{a}}$$

[Out] $-1/4*x*(c*d*x^2+a*e)/c/(a*e^2+c*d^2)/(c*x^4+a)-1/16*\arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))*(-e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)-1/16*\arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))*(-e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)+1/8*d^2*\ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(-e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)^2*2^(1/2)-1/8*d^2*\ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(-e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)^2*2^(1/2)+1/4*d^2*\arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)^2*2^(1/2)+1/4*d^2*\arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))*(e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(1/4)/(a*e^2+c*d^2)^2*2^(1/2)-1/32*\ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)+1/32*\ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(e*a^(1/2)+d*c^(1/2))/a^(1/4)/c^(5/4)/(a*e^2+c*d^2)*2^(1/2)-d^(5/2)*\arctan(x*e^(1/2)/d^(1/2))*e^(1/2)/(a*e^2+c*d^2)^2$

Rubi [A] time = 0.60, antiderivative size = 687, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 10, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {1314, 1276, 1168, 1162, 617, 204, 1165, 628, 1288, 205}

$$-\frac{(\sqrt{ae} + \sqrt{cd}) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} \sqrt[4]{a} c^{5/4} (ae^2 + cd^2)} + \frac{(\sqrt{ae} + \sqrt{cd}) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} \sqrt[4]{a} c^{5/4} (ae^2 + cd^2)} + \frac{(\sqrt{cd} - \sqrt{ae})}{8\sqrt{2} \sqrt[4]{a}}$$

Antiderivative was successfully verified.

[In] Int[x^6/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] $-(x*(a*e + c*d*x^2))/(4*c*(c*d^2 + a*e^2)*(a + c*x^4)) - (d^(5/2)*\text{Sqrt}[e]*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(c*d^2 + a*e^2)^2 - (d^2*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2)^2) + ((\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^(1/4)*x)/a^(1/4)])/(8*\text{Sqrt}[2]*a^(1/4)*c^(5/4)*(c*d^2 + a*e^2)) + (d^2*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2)^2) - ((\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^(1/4)*x)/a^(1/4)])/(2*\text{Sqrt}[2]*a^(1/4)*c^(1/4)*(c*d^2 + a*e^2)^2)$

$$\begin{aligned} &)/a^{(1/4)})/(8*\text{Sqrt}[2]*a^{(1/4)}*c^{(5/4)}*(c*d^2 + a*e^2)) + (d^2*(\text{Sqrt}[c]*d - \\ &\text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt} \\ &[2]*a^{(1/4)}*c^{(1/4)}*(c*d^2 + a*e^2)^2) - ((\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[\\ &a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(16*\text{Sqrt}[2]*a^{(1/4)}*c^{(5/4)}* \\ &(c*d^2 + a*e^2)) - (d^2*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/ \\ &4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*(c*d^2 + a*e^2)^2) \\ &+ ((\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c] \\ &]*x^2])/(16*\text{Sqrt}[2]*a^{(1/4)}*c^{(5/4)}*(c*d^2 + a*e^2)) \end{aligned}$$
Rule 204

$$\text{Int}[\{(a_)+(b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$
Rule 205

$$\text{Int}[\{(a_)+(b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$
Rule 617

$$\text{Int}[\{(a_)+(b_)*(x_)+(c_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ /; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) \ \&\& \ \text{FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$$
Rule 628

$$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2)\}, x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \text{ /; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$$
Rule 1162

$$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4)\}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$
Rule 1165

$$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4)\}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] \text{ /; Fre}$$

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 1168

$Int[((d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4), x_Symbol] \ :> \ With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] \ ; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ NeQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[-(a*c)]$

Rule 1276

$Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)*((a_)+(c_)*(x_)^4)^(p_), x_Symbol] \ :> \ Simp[(f*(f*x)^(m-1)*(a + c*x^4)^(p+1)*(a*e - c*d*x^2))/(4*a*c*(p+1)), x] - Dist[f^2/(4*a*c*(p+1)), Int[(f*x)^(m-2)*(a + c*x^4)^(p+1)*(a*e*(m-1) - c*d*(4*p+4+m+1)*x^2), x], x] \ ; \ FreeQ[\{a, c, d, e, f\}, x] \ \&\& \ LtQ[p, -1] \ \&\& \ GtQ[m, 1] \ \&\& \ IntegerQ[2*p] \ \&\& \ (IntegerQ[p] || IntegerQ[m])$

Rule 1288

$Int[(((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(q_))/((a_)+(c_)*(x_)^4), x_Symbol] \ :> \ Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q/(a + c*x^4), x], x] \ ; \ FreeQ[\{a, c, d, e, f, m\}, x] \ \&\& \ IntegerQ[q] \ \&\& \ IntegerQ[m]$

Rule 1314

$Int[(((f_)*(x_))^(m_)*((a_)+(c_)*(x_)^4)^(p_))/((d_)+(e_)*(x_)^2), x_Symbol] \ :> \ -Dist[(a*f^4)/(c*d^2 + a*e^2), Int[(f*x)^(m-4)*(d - e*x^2)*(a + c*x^4)^p, x], x] + Dist[(d^2*f^4)/(c*d^2 + a*e^2), Int[((f*x)^(m-4)*(a + c*x^4)^(p+1))/(d + e*x^2), x], x] \ ; \ FreeQ[\{a, c, d, e, f\}, x] \ \&\& \ LtQ[p, -1] \ \&\& \ GtQ[m, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{x^6}{(d+ex^2)(a+cx^4)^2} dx &= -\frac{a \int \frac{x^2(d-ex^2)}{(a+cx^4)^2} dx}{cd^2+ae^2} + \frac{d^2 \int \frac{x^2}{(d+ex^2)(a+cx^4)} dx}{cd^2+ae^2} \\
&= -\frac{x(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{\int \frac{-ae+cdx^2}{a+cx^4} dx}{4c(cd^2+ae^2)} + \frac{d^2 \int \left(-\frac{de}{(cd^2+ae^2)(d+ex^2)} + \frac{ae+cdx^2}{(cd^2+ae^2)(a+cx^4)} \right) dx}{cd^2+ae^2} \\
&= -\frac{x(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} + \frac{d^2 \int \frac{ae+cdx^2}{a+cx^4} dx}{(cd^2+ae^2)^2} - \frac{(d^3e) \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} - \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}} \right) \int \frac{\sqrt{a}\sqrt{c}}{a+cx^4} dx}{8c(cd^2+ae^2)} \\
&= -\frac{x(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{d^{5/2}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{a}}\right)}{(cd^2+ae^2)^2} - \frac{\left(d^2 \left(d - \frac{\sqrt{a}e}{\sqrt{c}} \right) \right) \int \frac{\sqrt{a}\sqrt{c}-cx^2}{a+cx^4} dx}{2(cd^2+ae^2)^2} \\
&= -\frac{x(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{d^{5/2}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{a}}\right)}{(cd^2+ae^2)^2} - \frac{(\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt{c}x)}{16\sqrt{2}\sqrt[4]{a}c^{5/4}(cd^2+ae^2)} \\
&= -\frac{x(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{d^{5/2}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{a}}\right)}{(cd^2+ae^2)^2} + \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}} \right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}} \right)}{8\sqrt{2}\sqrt[4]{a}c^{3/4}(cd^2+ae^2)} \\
&= -\frac{x(ae+cdx^2)}{4c(cd^2+ae^2)(a+cx^4)} - \frac{d^{5/2}\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{a}}\right)}{(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}d^2 \left(d + \frac{\sqrt{a}e}{\sqrt{c}} \right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}} \right)}{2\sqrt{2}\sqrt[4]{a}(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 428, normalized size = 0.62

$$\frac{\sqrt{2}(a^{3/2}e^3+5\sqrt{a}cd^2e+a\sqrt{c}de^2-3c^{3/2}d^3)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{\sqrt[4]{a}c^{5/4}} - \frac{\sqrt{2}(a^{3/2}e^3+5\sqrt{a}cd^2e+a\sqrt{c}de^2-3c^{3/2}d^3)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{\sqrt[4]{a}c^{5/4}}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/((d + e*x^2)*(a + c*x^4)^2),x]

```
[Out] -1/32*((8*(c*d^2 + a*e^2)*(a*e*x + c*d*x^3))/(c*(a + c*x^4)) + 32*d^(5/2)*S
qrt[e]*ArcTan[(Sqrt[e]*x)/Sqrt[d]] + (2*Sqrt[2]*(3*c^(3/2)*d^3 + 5*Sqrt[a]*
c*d^2*e - a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(
1/4)]/(a^(1/4)*c^(5/4)) - (2*Sqrt[2]*(3*c^(3/2)*d^3 + 5*Sqrt[a]*c*d^2*e -
a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(a^(
1/4)*c^(5/4)) + (Sqrt[2]*(-3*c^(3/2)*d^3 + 5*Sqrt[a]*c*d^2*e + a*Sqrt[c]*d
*e^2 + a^(3/2)*e^3)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])
/(a^(1/4)*c^(5/4)) - (Sqrt[2]*(-3*c^(3/2)*d^3 + 5*Sqrt[a]*c*d^2*e + a*Sqrt[
c]*d*e^2 + a^(3/2)*e^3)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x
^2])/(a^(1/4)*c^(5/4))/(c*d^2 + a*e^2)^2
```

fricas [B] time = 22.08, size = 9822, normalized size = 14.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] [-1/16*(4*(c^2*d^3 + a*c*d*e^2)*x^3 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*
c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)*sqrt(-(30*c^2*d^5*e
- 4*a*c*d^3*e^3 - 2*a^2*d*e^5 + (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*
e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8)*sqrt(-(81*c^6*d^12 - 558*a*c^5*d^10*
e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*
a^5*c*d^2*e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a^2*c^12*d^14*e^2 + 28*a^3*c^11
*d^12*e^4 + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^10
+ 28*a^7*c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 + a^9*c^5*e^16)))/(c^6*d^8 + 4*
a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*log(-
(81*c^4*d^8 - 270*a*c^3*d^6*e^2 - 112*a^2*c^2*d^4*e^4 - 18*a^3*c*d^2*e^6 -
a^4*e^8)*x + (45*a*c^5*d^8*e - 146*a^2*c^4*d^6*e^3 - 76*a^3*c^3*d^4*e^5 - 1
4*a^4*c^2*d^2*e^7 - a^5*c*e^9 - (3*a*c^9*d^11 + 11*a^2*c^8*d^9*e^2 + 14*a^3
*c^7*d^7*e^4 + 6*a^4*c^6*d^5*e^6 - a^5*c^5*d^3*e^8 - a^6*c^4*d*e^10)*sqrt(-
(81*c^6*d^12 - 558*a*c^5*d^10*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*
e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a
^2*c^12*d^14*e^2 + 28*a^3*c^11*d^12*e^4 + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9
*d^8*e^8 + 56*a^6*c^8*d^6*e^10 + 28*a^7*c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 +
a^9*c^5*e^16)))*sqrt(-(30*c^2*d^5*e - 4*a*c*d^3*e^3 - 2*a^2*d*e^5 + (c^6*d
^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8)
)*sqrt(-(81*c^6*d^12 - 558*a*c^5*d^10*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^
3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 + a^6*e^12)/(a*c^13*d^1
6 + 8*a^2*c^12*d^14*e^2 + 28*a^3*c^11*d^12*e^4 + 56*a^4*c^10*d^10*e^6 + 70*
a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^10 + 28*a^7*c^7*d^4*e^12 + 8*a^8*c^6*d^2
*e^14 + a^9*c^5*e^16)))/(c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*
a^3*c^3*d^2*e^6 + a^4*c^2*e^8))) - (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e
^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)*sqrt(-(30*c^2*d^5*e - 4
*a*c*d^3*e^3 - 2*a^2*d*e^5 + (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4
```

$$\begin{aligned}
& + 4a^3c^3d^2e^6 + a^4c^2e^8) \sqrt{-(81c^6d^{12} - 558a^5c^5d^{10}e^2 \\
& + 799a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 143a^4c^2d^4e^8 + 18a^5 \\
& *c^d^2e^{10} + a^6e^{12}) / (a^c^{13}d^{16} + 8a^2c^{12}d^{14}e^2 + 28a^3c^{11}d^{12} \\
& *e^4 + 56a^4c^{10}d^{10}e^6 + 70a^5c^9d^8e^8 + 56a^6c^8d^6e^{10} + \\
& 28a^7c^7d^4e^{12} + 8a^8c^6d^2e^{14} + a^9c^5e^{16})) / (c^6d^8 + 4a^c^5 \\
& *d^6e^2 + 6a^2c^4d^4e^4 + 4a^3c^3d^2e^6 + a^4c^2e^8)) * \log(-(81 \\
& *c^4d^8 - 270a^c^3d^6e^2 - 112a^2c^2d^4e^4 - 18a^3c^d^2e^6 - a^4 \\
& *e^8) * x - (45a^c^5d^8e - 146a^2c^4d^6e^3 - 76a^3c^3d^4e^5 - 14a^4 \\
& ^4c^2d^2e^7 - a^5c^e^9 - (3a^c^9d^{11} + 11a^2c^8d^9e^2 + 14a^3c^7 \\
& *d^7e^4 + 6a^4c^6d^5e^6 - a^5c^5d^3e^8 - a^6c^4d^e^{10}) * \sqrt{-(81 \\
& *c^6d^{12} - 558a^c^5d^{10}e^2 + 799a^2c^4d^8e^4 + 540a^3c^3d^6e^6 \\
& + 143a^4c^2d^4e^8 + 18a^5c^d^2e^{10} + a^6e^{12}) / (a^c^{13}d^{16} + 8a^2c^ \\
& ^{12}d^{14}e^2 + 28a^3c^{11}d^{12}e^4 + 56a^4c^{10}d^{10}e^6 + 70a^5c^9d^8 \\
& *e^8 + 56a^6c^8d^6e^{10} + 28a^7c^7d^4e^{12} + 8a^8c^6d^2e^{14} + a^9 \\
& *c^5e^{16})) * \sqrt{-(30c^2d^5e - 4a^c^d^3e^3 - 2a^2d^e^5 + (c^6d^8 \\
& + 4a^c^5d^6e^2 + 6a^2c^4d^4e^4 + 4a^3c^3d^2e^6 + a^4c^2e^8)) * \sqrt{ \\
& -(81c^6d^{12} - 558a^c^5d^{10}e^2 + 799a^2c^4d^8e^4 + 540a^3c^3d^6e^6 \\
& + 143a^4c^2d^4e^8 + 18a^5c^d^2e^{10} + a^6e^{12}) / (a^c^{13}d^{16} + 8a^2c^ \\
& ^{12}d^{14}e^2 + 28a^3c^{11}d^{12}e^4 + 56a^4c^{10}d^{10}e^6 + 70a^5c^9d^8 \\
& *e^8 + 56a^6c^8d^6e^{10} + 28a^7c^7d^4e^{12} + 8a^8c^6d^2e^{14} + a^9 \\
& *c^5e^{16})) / (c^6d^8 + 4a^c^5d^6e^2 + 6a^2c^4d^4e^4 + 4a^3c^3d^2e^6 \\
& + a^4c^2e^8)) + (a^c^3d^4 + 2a^2c^2d^2e^2 + a^3c^e^4 \\
& + (c^4d^4 + 2a^c^3d^2e^2 + a^2c^2e^4) * x^4) * \sqrt{-(30c^2d^5e - 4a^c^ \\
& *d^3e^3 - 2a^2d^e^5 - (c^6d^8 + 4a^c^5d^6e^2 + 6a^2c^4d^4e^4 + \\
& 4a^3c^3d^2e^6 + a^4c^2e^8)) * \sqrt{-(81c^6d^{12} - 558a^c^5d^{10}e^2 + \\
& 799a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 143a^4c^2d^4e^8 + 18a^5c^d^2 \\
& *e^{10} + a^6e^{12}) / (a^c^{13}d^{16} + 8a^2c^{12}d^{14}e^2 + 28a^3c^{11}d^{12} \\
& *e^4 + 56a^4c^{10}d^{10}e^6 + 70a^5c^9d^8e^8 + 56a^6c^8d^6e^{10} + 28 \\
& *a^7c^7d^4e^{12} + 8a^8c^6d^2e^{14} + a^9c^5e^{16})) / (c^6d^8 + 4a^c^5 \\
& *d^6e^2 + 6a^2c^4d^4e^4 + 4a^3c^3d^2e^6 + a^4c^2e^8)) * \log(-(81c^ \\
& 4d^8 - 270a^c^3d^6e^2 - 112a^2c^2d^4e^4 - 18a^3c^d^2e^6 - a^4e^8) * x \\
& + (45a^c^5d^8e - 146a^2c^4d^6e^3 - 76a^3c^3d^4e^5 - 14a^4c^2d^2e^7 \\
& - a^5c^e^9 + (3a^c^9d^{11} + 11a^2c^8d^9e^2 + 14a^3c^7d^7e^4 + 6a^4c^6 \\
& *d^5e^6 - a^5c^5d^3e^8 - a^6c^4d^e^{10}) * \sqrt{-(81c^6d^{12} - 558a^c^5 \\
& *d^{10}e^2 + 799a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 143a^4c^2d^4e^8 + 18 \\
& *a^5c^d^2e^{10} + a^6e^{12}) / (a^c^{13}d^{16} + 8a^2c^{12}d^{14}e^2 + 28a^3c^{11} \\
& *d^{12}e^4 + 56a^4c^{10}d^{10}e^6 + 70a^5c^9d^8e^8 + 56a^6c^8d^6e^{10} + 28 \\
& *a^7c^7d^4e^{12} + 8a^8c^6d^2e^{14} + a^9c^5e^{16})) * \sqrt{-(30c^2d^5e \\
& - 4a^c^d^3e^3 - 2a^2d^e^5 - (c^6d^8 + 4a^c^5d^6e^2 + 6a^2c^4d^4e^4 + \\
& 4a^3c^3d^2e^6 + a^4c^2e^8)) * \sqrt{-(81c^6d^{12} - 558a^c^5d^{10}e^2 + \\
& 799a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 143a^4c^2d^4e^8 + 18a^5c^d^2e^{10} \\
& + a^6e^{12}) / (a^c^{13}d^{16} + 8a^2c^{12}d^{14}e^2 + 28a^3c^{11}d^{12}e^4 + 56 \\
& *a^4c^{10}d^{10}e^6 + 70a^5c^9d^8e^8 + 56a^6c^8d^6e^{10} + 28a^7c^7d^4e^{12} \\
& + 8a^8c^6d^2e^{14} + a^9c^5e^{16})) / (c^6d^8 + 4a^c^5d^6e^2 + 6a^2c^4d^4e^4 \\
& + 4a^3c^3d^2e^6 + a^4c^2e^8))
\end{aligned}$$

$$\begin{aligned}
& (3*d^2*e^6 + a^4*c^2*e^8))) - (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (\\
& c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)*\sqrt{-(30*c^2*d^5*e - 4*a*c*d \\
& ^3*e^3 - 2*a^2*d*e^5 - (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a \\
& ^3*c^3*d^2*e^6 + a^4*c^2*e^8)*\sqrt{-(81*c^6*d^12 - 558*a*c^5*d^10*e^2 + 799 \\
& *a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2 \\
& *e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a^2*c^12*d^14*e^2 + 28*a^3*c^11*d^12*e^4 \\
& + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^10 + 28*a^7 \\
& *c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 + a^9*c^5*e^16)))/(c^6*d^8 + 4*a*c^5*d^6 \\
& *e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*\log(-(81*c^4*d \\
& ^8 - 270*a*c^3*d^6*e^2 - 112*a^2*c^2*d^4*e^4 - 18*a^3*c*d^2*e^6 - a^4*e^8)* \\
& x - (45*a*c^5*d^8*e - 146*a^2*c^4*d^6*e^3 - 76*a^3*c^3*d^4*e^5 - 14*a^4*c^2 \\
& *d^2*e^7 - a^5*c*e^9 + (3*a*c^9*d^11 + 11*a^2*c^8*d^9*e^2 + 14*a^3*c^7*d^7* \\
& e^4 + 6*a^4*c^6*d^5*e^6 - a^5*c^5*d^3*e^8 - a^6*c^4*d*e^10)*\sqrt{-(81*c^6*d \\
& ^12 - 558*a*c^5*d^10*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143* \\
& a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a^2*c^12*d \\
& ^14*e^2 + 28*a^3*c^11*d^12*e^4 + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9*d^8*e^8 \\
& + 56*a^6*c^8*d^6*e^10 + 28*a^7*c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 + a^9*c^5* \\
& e^16)))*\sqrt{-(30*c^2*d^5*e - 4*a*c*d^3*e^3 - 2*a^2*d*e^5 - (c^6*d^8 + 4*a* \\
& c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8)*\sqrt{-(8 \\
& 1*c^6*d^12 - 558*a*c^5*d^10*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 \\
& + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a^2 \\
& *c^12*d^14*e^2 + 28*a^3*c^11*d^12*e^4 + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9*d \\
& ^8*e^8 + 56*a^6*c^8*d^6*e^10 + 28*a^7*c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 + a \\
& ^9*c^5*e^16)))/(c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d \\
& ^2*e^6 + a^4*c^2*e^8))) - 8*(c^2*d^2*x^4 + a*c*d^2)*\sqrt{-d*e}*\log((e*x^2 - \\
& 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)) + 4*(a*c*d^2*e + a^2*e^3)*x/(a*c^3*d^4 + \\
& 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)* \\
& x^4), -1/16*(4*(c^2*d^3 + a*c*d*e^2)*x^3 + 16*(c^2*d^2*x^4 + a*c*d^2)*\sqrt{ \\
& d*e}*\arctan(\sqrt{d*e}*x/d) + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (\\
& c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)*\sqrt{-(30*c^2*d^5*e - 4*a*c*d \\
& ^3*e^3 - 2*a^2*d*e^5 + (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a \\
& ^3*c^3*d^2*e^6 + a^4*c^2*e^8)*\sqrt{-(81*c^6*d^12 - 558*a*c^5*d^10*e^2 + 799 \\
& *a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2 \\
& *e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a^2*c^12*d^14*e^2 + 28*a^3*c^11*d^12*e^4 \\
& + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^10 + 28*a^7 \\
& *c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 + a^9*c^5*e^16)))/(c^6*d^8 + 4*a*c^5*d^6 \\
& *e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*\log(-(81*c^4*d \\
& ^8 - 270*a*c^3*d^6*e^2 - 112*a^2*c^2*d^4*e^4 - 18*a^3*c*d^2*e^6 - a^4*e^8)* \\
& x + (45*a*c^5*d^8*e - 146*a^2*c^4*d^6*e^3 - 76*a^3*c^3*d^4*e^5 - 14*a^4*c^2 \\
& *d^2*e^7 - a^5*c*e^9 - (3*a*c^9*d^11 + 11*a^2*c^8*d^9*e^2 + 14*a^3*c^7*d^7* \\
& e^4 + 6*a^4*c^6*d^5*e^6 - a^5*c^5*d^3*e^8 - a^6*c^4*d*e^10)*\sqrt{-(81*c^6*d \\
& ^12 - 558*a*c^5*d^10*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143* \\
& a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^10 + a^6*e^12)/(a*c^13*d^16 + 8*a^2*c^12*d \\
& ^14*e^2 + 28*a^3*c^11*d^12*e^4 + 56*a^4*c^10*d^10*e^6 + 70*a^5*c^9*d^8*e^8 \\
& + 56*a^6*c^8*d^6*e^10 + 28*a^7*c^7*d^4*e^12 + 8*a^8*c^6*d^2*e^14 + a^9*c^5*
\end{aligned}$$

$$\begin{aligned}
& 2*d^4*e^8 + 18*a^5*c*d^2*e^{10} + a^6*e^{12})/(a*c^{13}*d^{16} + 8*a^2*c^{12}*d^{14}*e^2 + 28*a^3*c^{11}*d^{12}*e^4 + 56*a^4*c^{10}*d^{10}*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^{10} + 28*a^7*c^7*d^4*e^{12} + 8*a^8*c^6*d^2*e^{14} + a^9*c^5*e^{16})) \\
&)*\sqrt{-(30*c^2*d^5*e - 4*a*c*d^3*e^3 - 2*a^2*d*e^5 - (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*\sqrt{-(81*c^6*d^{12} - 558*a*c^5*d^{10}*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^{10} + a^6*e^{12})/(a*c^{13}*d^{16} + 8*a^2*c^{12}*d^{14}*e^2 + 28*a^3*c^{11}*d^{12}*e^4 + 56*a^4*c^{10}*d^{10}*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^{10} + 28*a^7*c^7*d^4*e^{12} + 8*a^8*c^6*d^2*e^{14} + a^9*c^5*e^{16})))/(c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))} - (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)*\sqrt{-(30*c^2*d^5*e - 4*a*c*d^3*e^3 - 2*a^2*d*e^5 - (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*\sqrt{-(81*c^6*d^{12} - 558*a*c^5*d^{10}*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^{10} + a^6*e^{12})/(a*c^{13}*d^{16} + 8*a^2*c^{12}*d^{14}*e^2 + 28*a^3*c^{11}*d^{12}*e^4 + 56*a^4*c^{10}*d^{10}*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^{10} + 28*a^7*c^7*d^4*e^{12} + 8*a^8*c^6*d^2*e^{14} + a^9*c^5*e^{16})))/(c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*\log(-(81*c^4*d^8 - 270*a*c^3*d^6*e^2 - 112*a^2*c^2*d^4*e^4 - 18*a^3*c*d^2*e^6 - a^4*e^8)*x - (45*a*c^5*d^8*e - 146*a^2*c^4*d^6*e^3 - 76*a^3*c^3*d^4*e^5 - 14*a^4*c^2*d^2*e^7 - a^5*c*e^9 + (3*a*c^9*d^{11} + 11*a^2*c^8*d^9*e^2 + 14*a^3*c^7*d^7*e^4 + 6*a^4*c^6*d^5*e^6 - a^5*c^5*d^3*e^8 - a^6*c^4*d*e^{10}))*\sqrt{-(81*c^6*d^{12} - 558*a*c^5*d^{10}*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^{10} + a^6*e^{12})/(a*c^{13}*d^{16} + 8*a^2*c^{12}*d^{14}*e^2 + 28*a^3*c^{11}*d^{12}*e^4 + 56*a^4*c^{10}*d^{10}*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^{10} + 28*a^7*c^7*d^4*e^{12} + 8*a^8*c^6*d^2*e^{14} + a^9*c^5*e^{16})))*\sqrt{-(30*c^2*d^5*e - 4*a*c*d^3*e^3 - 2*a^2*d*e^5 - (c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))*\sqrt{-(81*c^6*d^{12} - 558*a*c^5*d^{10}*e^2 + 799*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 143*a^4*c^2*d^4*e^8 + 18*a^5*c*d^2*e^{10} + a^6*e^{12})/(a*c^{13}*d^{16} + 8*a^2*c^{12}*d^{14}*e^2 + 28*a^3*c^{11}*d^{12}*e^4 + 56*a^4*c^{10}*d^{10}*e^6 + 70*a^5*c^9*d^8*e^8 + 56*a^6*c^8*d^6*e^{10} + 28*a^7*c^7*d^4*e^{12} + 8*a^8*c^6*d^2*e^{14} + a^9*c^5*e^{16})))/(c^6*d^8 + 4*a*c^5*d^6*e^2 + 6*a^2*c^4*d^4*e^4 + 4*a^3*c^3*d^2*e^6 + a^4*c^2*e^8))} + 4*(a*c*d^2*e + a^2*e^3)*x)/(a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4 + (c^4*d^4 + 2*a*c^3*d^2*e^2 + a^2*c^2*e^4)*x^4)]
\end{aligned}$$

giac [A] time = 0.59, size = 595, normalized size = 0.87

$$\frac{d^{\frac{5}{2}} \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\frac{1}{2}} \left(5 (ac^3)^{\frac{1}{4}} ac^2 d^2 e + 3 (ac^3)^{\frac{3}{4}} cd^3 + (ac^3)^{\frac{1}{4}} a^2 ce^3 - (ac^3)^{\frac{3}{4}} ade^2\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{c^2 d^4 + 2 acd^2 e^2 + a^2 e^4} + \frac{8\left(\sqrt{2} ac^5 d^4 + 2\sqrt{2} a^2 c^4 d^2 e^2 + \sqrt{2} a^3 c^3 e^4\right)}{8\left(\sqrt{2} ac^5 d^4 + 2\sqrt{2} a^2 c^4 d^2 e^2 + \sqrt{2} a^3 c^3 e^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $-d^{5/2} \arctan(xe^{1/2}/\sqrt{d})e^{1/2}/(c^2d^4 + 2ac^2d^2e^2 + a^2e^4) + 1/8(5(a^3c)^{1/4}ac^2d^2e + 3(a^3c)^{3/4}c^3d^3 + (a^3c)^{1/4}a^2c^3e^3 - (a^3c)^{3/4}a^2de^2) \arctan(1/2\sqrt{2}(2x + \sqrt{2})(a/c)^{1/4})/(a/c)^{1/4}/(\sqrt{2}ac^5d^4 + 2\sqrt{2}a^2c^4d^2e^2 + \sqrt{2}a^3c^3e^4) + 1/8(5(a^3c)^{1/4}ac^2d^2e + 3(a^3c)^{3/4}c^3d^3 + (a^3c)^{1/4}a^2c^3e^3 - (a^3c)^{3/4}a^2de^2) \arctan(1/2\sqrt{2}(2x - \sqrt{2})(a/c)^{1/4})/(a/c)^{1/4}/(\sqrt{2}ac^5d^4 + 2\sqrt{2}a^2c^4d^2e^2 + \sqrt{2}a^3c^3e^4) + 1/16(5(a^3c)^{1/4}ac^2d^2e - 3(a^3c)^{3/4}c^3d^3 + (a^3c)^{1/4}a^2c^3e^3 + (a^3c)^{3/4}a^2de^2) \log(x^2 + \sqrt{2}x(a/c)^{1/4} + \sqrt{a/c})/(\sqrt{2}ac^5d^4 + 2\sqrt{2}a^2c^4d^2e^2 + \sqrt{2}a^3c^3e^4) - 1/16(5(a^3c)^{1/4}ac^2d^2e - 3(a^3c)^{3/4}c^3d^3 + (a^3c)^{1/4}a^2c^3e^3 + (a^3c)^{3/4}a^2de^2) \log(x^2 - \sqrt{2}x(a/c)^{1/4} + \sqrt{a/c})/(\sqrt{2}ac^5d^4 + 2\sqrt{2}a^2c^4d^2e^2 + \sqrt{2}a^3c^3e^4) - 1/4(cdx^3 + axe)/(c^2d^2 + ace^2)$

maple [A] time = 0.02, size = 852, normalized size = 1.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $-1/4/(ae^2+cd^2)^2/(c^2x^4+a)x^3ade^2-1/4/(ae^2+cd^2)^2/(c^2x^4+a)x^3cd^3-1/4/(ae^2+cd^2)^2/(c^2x^4+a)a^2e^3/cx-1/4/(ae^2+cd^2)^2/(c^2x^4+a)ea^2d^2x+1/16/(ae^2+cd^2)^2/c(a/c)^{1/4}a^2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x-1)e^3+5/16/(ae^2+cd^2)^2(a/c)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x-1)d^2e+1/32/(ae^2+cd^2)^2/c(a/c)^{1/4}a^2^{1/2}\ln((x^2+(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2})/(x^2-(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2}))e^3+5/32/(ae^2+cd^2)^2(a/c)^{1/4}2^{1/2}\ln((x^2+(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2})/(x^2-(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2}))d^2e+1/16/(ae^2+cd^2)^2/c(a/c)^{1/4}a^2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x+1)e^3+5/16/(ae^2+cd^2)^2(a/c)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x+1)d^2e-1/32/(ae^2+cd^2)^2/c(a/c)^{1/4}2^{1/2}\ln((x^2-(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2})/(x^2+(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2}))a^2de^2+3/32/(ae^2+cd^2)^2/(a/c)^{1/4}2^{1/2}\ln((x^2-(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2})/(x^2+(a/c)^{1/4}2^{1/2}x+(a/c)^{1/2}))d^3-1/16/(ae^2+cd^2)^2/c(a/c)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x-1)a^2de^2+3/16/(ae^2+cd^2)^2/(a/c)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x-1)d^3-1/16/(ae^2+cd^2)^2/c(a/c)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x+1)a^2de^2+3/16/(ae^2+cd^2)^2/(a/c)^{1/4}2^{1/2}\arctan(2^{1/2}/(a/c)^{1/4}x+1)d^3-d^3e/(ae^2+cd^2)^2/(d^2e)^{1/2}\arctan(1/(d^2e)^{1/2}e^2x)$

maxima [A] time = 2.08, size = 476, normalized size = 0.69

$$\frac{d^3 e \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2 d^4 + 2acd^2 e^2 + a^2 e^4) \sqrt{de}} - \frac{cdx^3 + aex}{4(ac^2 d^2 + a^2 ce^2 + (c^3 d^2 + ac^2 e^2)x^4)} + \frac{2\sqrt{2}\left(3\sqrt{a}c^2 d^3 + 5ac^{\frac{3}{2}}d^2 e - a^{\frac{3}{2}}cde^2 + a^2\sqrt{c}e^3\right) \arctan\left(\frac{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $-d^3 e \arctan(e x / \sqrt{d e}) / ((c^2 d^4 + 2 a c d^2 e^2 + a^2 e^4) \sqrt{d e}) - 1/4 (c d x^3 + a e x) / (a c^2 d^2 + a^2 c e^2 + (c^3 d^2 + a c^2 e^2) x^4) + 1/32 (2 \sqrt{2} (3 \sqrt{a} c^2 d^3 + 5 a c^{\frac{3}{2}} d^2 e - a^{\frac{3}{2}} c d e^2 + a^2 \sqrt{c} e^3) \arctan(1/2 \sqrt{2} (2 \sqrt{c} x + \sqrt{2}) a^{1/4} c^{1/4}) / \sqrt{\sqrt{a} \sqrt{c}}) / (\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}}) \sqrt{c} + 2 \sqrt{2} (3 \sqrt{a} c^2 d^3 + 5 a c^{\frac{3}{2}} d^2 e - a^{\frac{3}{2}} c d e^2 + a^2 \sqrt{c} e^3) \arctan(1/2 \sqrt{2} (2 \sqrt{c} x - \sqrt{2}) a^{1/4} c^{1/4}) / \sqrt{\sqrt{a} \sqrt{c}}) / (\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}}) \sqrt{c} - \sqrt{2} (3 \sqrt{a} c^2 d^3 - 5 a c^{\frac{3}{2}} d^2 e - a^{\frac{3}{2}} c d e^2 - a^2 \sqrt{c} e^3) \log(\sqrt{c} x^2 + \sqrt{2} a^{1/4} c^{1/4} x + \sqrt{a}) / (a^{3/4} c^{3/4}) + \sqrt{2} (3 \sqrt{a} c^2 d^3 - 5 a c^{\frac{3}{2}} d^2 e - a^{\frac{3}{2}} c d e^2 - a^2 \sqrt{c} e^3) \log(\sqrt{c} x^2 - \sqrt{2} a^{1/4} c^{1/4} x + \sqrt{a}) / (a^{3/4} c^{3/4})) / (c^3 d^4 + 2 a c d^2 e^2 + a^2 c e^4)$

mupad [B] time = 2.82, size = 17909, normalized size = 26.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] $\operatorname{atan}\left(\frac{((432 a^7 c^7 d^{12} e^2 + 13040 a^2 c^6 d^{10} e^4 + 12000 a^3 c^5 d^8 e^6 - 1056 a^4 c^4 d^6 e^8 - 400 a^5 c^3 d^4 e^{10} + 48 a^6 c^2 d^2 e^{12}) / (256 (c^5 d^8 + a^4 c e^8 + 4 a c^4 d^6 e^2 + 6 a^2 c^3 d^4 e^4 + 4 a^3 c^2 d^2 e^6)) + ((45056 a^2 c^{10} d^{13} e^3 - 4096 a^8 c^4 d e^{15} + 221184 a^3 c^9 d^{11} e^5 + 430080 a^4 c^8 d^9 e^7 + 409600 a^5 c^7 d^7 e^9 + 184320 a^6 c^6 d^5 e^{11} + 24576 a^7 c^5 d^3 e^{13}) / (256 (c^5 d^8 + a^4 c e^8 + 4 a c^4 d^6 e^2 + 6 a^2 c^3 d^4 e^4 + 4 a^3 c^2 d^2 e^6)) - (x (-a^3 e^6 (-a c^5)^{1/2} - 9 c^3 d^6 (-a c^5)^{1/2} - 2 a^3 c^3 d e^5 - 4 a^2 c^4 d^3 e^3 + 30 a c^5 d^5 e + 31 a c^2 d^4 e^2 (-a c^5)^{1/2} + 9 a^2 c d^2 e^4 (-a c^5)^{1/2})) / (256 (a c^9 d^8 + a^5 c^5 e^8 + 4 a^2 c^8 d^6 e^2 + 6 a^3 c^7 d^4 e^4 + 4 a^4 c^6 d^2 e^6))\right)^{1/2} (65536 a^9 c^5 e^{17} - 65536 a^2 c^{12} d^{14} e^3 -$

$$\begin{aligned}
& 327680a^3c^{11}d^{12}e^5 - 589824a^4c^{10}d^{10}e^7 - 327680a^5c^9d^8e^9 + 327680a^6c^8d^6e^{11} + 589824a^7c^7d^4e^{13} + 327680a^8c^6d^2e^{15}) / (128(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) * (-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)} + (x(1152a^9d^{13}e^2 + 1152a^7c^3d^7e^{14} + 21248a^2c^8d^{11}e^4 + 25472a^3c^7d^9e^6 - 5632a^4c^6d^7e^8 - 7296a^5c^5d^5e^{10} + 4864a^6c^4d^3e^{12})) / (128(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) * (-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)} * (-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)} - (x(a^6e^{13} - 288a^5c^5d^{10}e^3 + 20a^5c^3d^2e^{11} + 17a^2c^4d^8e^5 + 148a^3c^3d^6e^7 + 118a^4c^2d^4e^9)) / (128(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) * (-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)} * i - (((432a^3c^7d^{12}e^2 + 13040a^2c^6d^{10}e^4 + 12000a^3c^5d^8e^6 - 1056a^4c^4d^6e^8 - 400a^5c^3d^4e^{10} + 48a^6c^2d^2e^{12}) / (256(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) + (((45056a^2c^{10}d^{13}e^3 - 4096a^8c^4d^7e^{15} + 221184a^3c^9d^{11}e^5 + 430080a^4c^8d^9e^7 + 409600a^5c^7d^7e^9 + 184320a^6c^6d^5e^{11} + 24576a^7c^5d^3e^{13}) / (256(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) + (x(-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)} * (65536a^9c^5e^{17} - 65536a^2c^{12}d^{14}e^3 - 327680a^3c^{11}d^{12}e^5 - 589824a^4c^{10}d^{10}e^7 - 327680a^5c^9d^8e^9 + 327680a^6c^8d^6e^{11} + 589824a^7c^7d^4e^{13} + 327680a^8c^6d^2e^{15})) / (128(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) * (-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)} - (x(1152a^9d^{13}e^2 + 1152a^7c^3d^7e^{14} + 21248a^2c^8d^{11}e^4 + 25472a^3c^7d^9e^6 - 5632a^4c^6d^7e^8 - 7296a^5c^5d^5e^{10} + 4864a^6c^4d^3e^{12})) / (128(c^5d^8 + a^4c^8e^8 + 4a^3c^4d^6e^2 + 6a^2c^3d^4e^4 + 4a^3c^2d^2e^6)) * (-a^3e^6(-ac^5)^{(1/2)} - 9c^3d^6(-ac^5)^{(1/2)} - 2a^3c^3d^5e^5 - 4a^2c^4d^3e^3 + 30a^3c^5d^5e + 31a^3c^2d^4e^2(-ac^5)^{(1/2)} + 9a^2c^3d^2e^4(-ac^5)^{(1/2)}) / (256(a^9d^8 + a^5c^5e^8 + 4a^2c^8d^6e^2 + 6a^3c^7d^4e^4 + 4a^4c^6d^2e^6))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)) * (- (a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6* \\
& (-a*c^5)^{(1/2)} - 2*a^3*c^3*d*e^5 - 4*a^2*c^4*d^3*e^3 + 30*a*c^5*d^5*e + 31* \\
& a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)}) / (256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)}) * (- (a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} - 2*a^3*c^3*d*e^5 - 4*a^2*c^4*d^3*e^3 + 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)}) / (256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} + (x*(a^6*e^13 - 288*a*c^5*d^10*e^3 + 20*a^5*c*d^2*e^11 + 17*a^2*c^4*d^8*e^5 + 148*a^3*c^3*d^6*e^7 + 118*a^4*c^2*d^4*e^9)) / (128*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6))) * (- (a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} - 2*a^3*c^3*d*e^5 - 4*a^2*c^4*d^3*e^3 + 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)}) / (256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} * i) / (((432*a*c^7*d^12*e^2 + 13040*a^2*c^6*d^10*e^4 + 12000*a^3*c^5*d^8*e^6 - 1056*a^4*c^4*d^6*e^8 - 400*a^5*c^3*d^4*e^10 + 48*a^6*c^2*d^2*e^12) / (256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)) + ((45056*a^2*c^10*d^13*e^3 - 4096*a^8*c^4*d^7*e^9 + 184320*a^6*c^6*d^5*e^11 + 24576*a^7*c^5*d^3*e^13) / (256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)) - (x*(- (a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} - 2*a^3*c^3*d*e^5 - 4*a^2*c^4*d^3*e^3 + 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)}) / (256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} * (65536*a^9*c^5*e^17 - 65536*a^2*c^12*d^14*e^3 - 327680*a^3*c^11*d^12*e^5 - 589824*a^4*c^10*d^10*e^7 - 327680*a^5*c^9*d^8*e^9 + 327680*a^6*c^8*d^6*e^11 + 589824*a^7*c^7*d^4*e^13 + 327680*a^8*c^6*d^2*e^15)) / (128*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6))) * (- (a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} - 2*a^3*c^3*d*e^5 - 4*a^2*c^4*d^3*e^3 + 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)}) / (256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} + (x*(1152*a*c^9*d^13*e^2 + 1152*a^7*c^3*d*e^14 + 21248*a^2*c^8*d^11*e^4 + 25472*a^3*c^7*d^9*e^6 - 5632*a^4*c^6*d^7*e^8 - 7296*a^5*c^5*d^5*e^10 + 4864*a^6*c^4*d^3*e^12)) / (128*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6))) * (- (a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} - 2*a^3*c^3*d*e^5 - 4*a^2*c^4*d^3*e^3 + 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)}) / (256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} - (x*(a^6*e^13 - 288*a*c^5*d^10*e^3 + 20*a^5*c*d^2*e^11 + 17*a^2*c^4*d^8*e^5 + 148*a^3*c^3*d^6*e^7 + 118*a^4*c^2*d^4*e^9)) / (128*(c^5*d^8 + a^4*c*e^8 +
\end{aligned}$$

$$\begin{aligned}
& 4 + 4*a^4*c^6*d^2*e^6))^{(1/2)*2i} - (((d*x^3)/(4*(a*e^2 + c*d^2)) + (a*e*x)/ \\
& (4*c*(a*e^2 + c*d^2)))/(a + c*x^4) + \operatorname{atan}((((432*a*c^7*d^12*e^2 + 13040*a^ \\
& 2*c^6*d^10*e^4 + 12000*a^3*c^5*d^8*e^6 - 1056*a^4*c^4*d^6*e^8 - 400*a^5*c^3 \\
& *d^4*e^10 + 48*a^6*c^2*d^2*e^12)/(256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^ \\
& 2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)) + (((45056*a^2*c^10*d^13*e^3 - \\
& 4096*a^8*c^4*d*e^15 + 221184*a^3*c^9*d^11*e^5 + 430080*a^4*c^8*d^9*e^7 + 40 \\
& 9600*a^5*c^7*d^7*e^9 + 184320*a^6*c^6*d^5*e^11 + 24576*a^7*c^5*d^3*e^13)/(2 \\
& 56*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d \\
& ^2*e^6)) - (x*((a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c \\
& ^3*d*e^5 + 4*a^2*c^4*d^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(\\
& 1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^ \\
& 2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6)))^{(1/2)}*(65536*a^9*c \\
& ^5*e^17 - 65536*a^2*c^12*d^14*e^3 - 327680*a^3*c^11*d^12*e^5 - 589824*a^4*c \\
& ^10*d^10*e^7 - 327680*a^5*c^9*d^8*e^9 + 327680*a^6*c^8*d^6*e^11 + 589824*a^ \\
& 7*c^7*d^4*e^13 + 327680*a^8*c^6*d^2*e^15))/(128*(c^5*d^8 + a^4*c*e^8 + 4*a* \\
& c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)))*((a^3*e^6*(-a*c^5)^{(\\
& 1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 - 30* \\
& a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1 \\
& /2)))/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 \\
& + 4*a^4*c^6*d^2*e^6)))^{(1/2)} + (x*(1152*a*c^9*d^13*e^2 + 1152*a^7*c^3*d*e^1 \\
& 4 + 21248*a^2*c^8*d^11*e^4 + 25472*a^3*c^7*d^9*e^6 - 5632*a^4*c^6*d^7*e^8 - \\
& 7296*a^5*c^5*d^5*e^10 + 4864*a^6*c^4*d^3*e^12))/(128*(c^5*d^8 + a^4*c*e^8 \\
& + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)))*((a^3*e^6*(-a* \\
& c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 \\
& - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c \\
& ^5)^{(1/2)))/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^ \\
& 4*e^4 + 4*a^4*c^6*d^2*e^6)))^{(1/2)})*((a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(- \\
& a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 - 30*a*c^5*d^5*e + 31*a* \\
& c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)))/(256*(a*c^9*d^ \\
& 8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6 \\
&))^{(1/2)} - (x*(a^6*e^13 - 288*a*c^5*d^10*e^3 + 20*a^5*c*d^2*e^11 + 17*a^2*c \\
& ^4*d^8*e^5 + 148*a^3*c^3*d^6*e^7 + 118*a^4*c^2*d^4*e^9))/(128*(c^5*d^8 + a \\
& ^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)))*((a^3 \\
& *e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^ \\
& 4*d^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2* \\
& e^4*(-a*c^5)^{(1/2)))/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a \\
& ^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6)))^{(1/2)}*1i - (((432*a*c^7*d^12*e^2 + 13 \\
& 040*a^2*c^6*d^10*e^4 + 12000*a^3*c^5*d^8*e^6 - 1056*a^4*c^4*d^6*e^8 - 400*a \\
& ^5*c^3*d^4*e^10 + 48*a^6*c^2*d^2*e^12)/(256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^ \\
& 6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)) + (((45056*a^2*c^10*d^13* \\
& e^3 - 4096*a^8*c^4*d*e^15 + 221184*a^3*c^9*d^11*e^5 + 430080*a^4*c^8*d^9*e^ \\
& 7 + 409600*a^5*c^7*d^7*e^9 + 184320*a^6*c^6*d^5*e^11 + 24576*a^7*c^5*d^3*e^ \\
& 13)/(256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3 \\
& *c^2*d^2*e^6)) + (x*((a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2 \\
& *a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a
\end{aligned}$$

$$\begin{aligned}
& c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^5*e^8 \\
& + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)}*(65536 \\
& *a^9*c^5*e^{17} - 65536*a^2*c^{12}*d^{14}*e^3 - 327680*a^3*c^{11}*d^{12}*e^5 - 589824 \\
& *a^4*c^{10}*d^{10}*e^7 - 327680*a^5*c^9*d^8*e^9 + 327680*a^6*c^8*d^6*e^{11} + 589 \\
& 824*a^7*c^7*d^4*e^{13} + 327680*a^8*c^6*d^2*e^{15}))/((128*(c^5*d^8 + a^4*c*e^8 \\
& + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)))*((a^3*e^6*(-a* \\
& c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 \\
& - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c \\
& ^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^ \\
& 4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} - (x*(1152*a*c^9*d^{13}*e^2 + 1152*a^7*c^3 \\
& *d*e^{14} + 21248*a^2*c^8*d^{11}*e^4 + 25472*a^3*c^7*d^9*e^6 - 5632*a^4*c^6*d^7 \\
& *e^8 - 7296*a^5*c^5*d^5*e^{10} + 4864*a^6*c^4*d^3*e^{12}))/((128*(c^5*d^8 + a^4*c \\
& *e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)))*((a^3*e^ \\
& 6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d \\
& ^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4 \\
& *(-a*c^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c \\
& ^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)})*((a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d \\
& ^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 - 30*a*c^5*d^5*e + \\
& 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)})/(256*(a* \\
& c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d \\
& ^2*e^6))^{(1/2)} + (x*(a^6*e^{13} - 288*a*c^5*d^{10}*e^3 + 20*a^5*c*d^2*e^{11} + 1 \\
& 7*a^2*c^4*d^8*e^5 + 148*a^3*c^3*d^6*e^7 + 118*a^4*c^2*d^4*e^9))/((128*(c^5*d \\
& ^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6))) \\
& *((a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4* \\
& a^2*c^4*d^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c \\
& *d^2*e^4*(-a*c^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 \\
& + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)}*1i)/((((432*a*c^7*d^{12}*e^ \\
& 2 + 13040*a^2*c^6*d^{10}*e^4 + 12000*a^3*c^5*d^8*e^6 - 1056*a^4*c^4*d^6*e^8 - \\
& 400*a^5*c^3*d^4*e^{10} + 48*a^6*c^2*d^2*e^{12}))/((256*(c^5*d^8 + a^4*c*e^8 + 4* \\
& a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)) + (((45056*a^2*c^{10} \\
& *d^{13}*e^3 - 4096*a^8*c^4*d*e^{15} + 221184*a^3*c^9*d^{11}*e^5 + 430080*a^4*c^8* \\
& d^9*e^7 + 409600*a^5*c^7*d^7*e^9 + 184320*a^6*c^6*d^5*e^{11} + 24576*a^7*c^5* \\
& d^3*e^{13}))/((256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + \\
& 4*a^3*c^2*d^2*e^6)) - (x*((a^3*e^6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/ \\
& 2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^ \\
& 2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4*(-a*c^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^ \\
& 5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)}* \\
& (65536*a^9*c^5*e^{17} - 65536*a^2*c^{12}*d^{14}*e^3 - 327680*a^3*c^{11}*d^{12}*e^5 - \\
& 589824*a^4*c^{10}*d^{10}*e^7 - 327680*a^5*c^9*d^8*e^9 + 327680*a^6*c^8*d^6*e^{11} \\
& + 589824*a^7*c^7*d^4*e^{13} + 327680*a^8*c^6*d^2*e^{15}))/((128*(c^5*d^8 + a^4*c \\
& *e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6)))*((a^3*e^ \\
& 6*(-a*c^5)^{(1/2)} - 9*c^3*d^6*(-a*c^5)^{(1/2)} + 2*a^3*c^3*d*e^5 + 4*a^2*c^4*d \\
& ^3*e^3 - 30*a*c^5*d^5*e + 31*a*c^2*d^4*e^2*(-a*c^5)^{(1/2)} + 9*a^2*c*d^2*e^4 \\
& *(-a*c^5)^{(1/2)})/(256*(a*c^9*d^8 + a^5*c^5*e^8 + 4*a^2*c^8*d^6*e^2 + 6*a^3*c \\
& ^7*d^4*e^4 + 4*a^4*c^6*d^2*e^6))^{(1/2)} + (x*(1152*a*c^9*d^{13}*e^2 + 1152*a
\end{aligned}$$

$$\frac{(c^4 + c^2*d^4 + 2*a*c*d^2*e^2)*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6))*(-d^5*e)^{(1/2)}}{(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2))*(-d^5*e)^{(1/2)}} + \frac{(x*(a^6*e^{13} - 288*a*c^5*d^{10}*e^3 + 20*a^5*c*d^2*e^{11} + 17*a^2*c^4*d^8*e^5 + 148*a^3*c^3*d^6*e^7 + 118*a^4*c^2*d^4*e^9))/(256*(c^5*d^8 + a^4*c*e^8 + 4*a*c^4*d^6*e^2 + 6*a^2*c^3*d^4*e^4 + 4*a^3*c^2*d^2*e^6))}{(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2))*(-d^5*e)^{(1/2)*i}}{(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.254 \quad \int \frac{x^4}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=685

$$\frac{(\sqrt{a}e + 3\sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} a^{3/4} c^{3/4} (ae^2 + cd^2)} - \frac{(\sqrt{a}e + 3\sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} a^{3/4} c^{3/4} (ae^2 + cd^2)} + \frac{(3\sqrt{c}d - \sqrt{a}e)}{8\sqrt{2} a}$$

[Out] $-1/4*x*(-e*x^2+d)/(a*e^2+c*d^2)/(c*x^4+a)+d^{(3/2)}*e^{(3/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/(a*e^2+c*d^2)^2+1/4*c^{(1/4)}*d^2*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}+1/4*c^{(1/4)}*d^2*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}-1/8*c^{(1/4)}*d^2*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}+1/8*c^{(1/4)}*d^2*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(3/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}-1/16*\arctan(-1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/16*\arctan(1+c^{(1/4)}*x*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}+1/32*\ln(-a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/32*\ln(a^{(1/4)}*c^{(1/4)}*x*2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(3/4)}/c^{(3/4)}/(a*e^2+c*d^2)*2^{(1/2)}$

Rubi [A] time = 0.61, antiderivative size = 685, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 10, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {1314, 1179, 1168, 1162, 617, 204, 1165, 628, 1171, 205}

$$\frac{(\sqrt{a}e + 3\sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} a^{3/4} c^{3/4} (ae^2 + cd^2)} - \frac{(\sqrt{a}e + 3\sqrt{c}d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{16\sqrt{2} a^{3/4} c^{3/4} (ae^2 + cd^2)} + \frac{(3\sqrt{c}d - \sqrt{a}e)}{8\sqrt{2} a}$$

Antiderivative was successfully verified.

[In] Int[x^4/((d + e*x^2)*(a + c*x^4)^2),x]

[Out] $-(x*(d - e*x^2))/(4*(c*d^2 + a*e^2)*(a + c*x^4)) + (d^{(3/2)}*e^{(3/2)}*\text{ArcTan}[\frac{\text{Sqrt}[e]*x}{\text{Sqrt}[d]}])/(c*d^2 + a*e^2)^2 - (c^{(1/4)}*d^2*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^2) + ((3*\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}*(c*d^2 + a*e^2)) + (c^{(1/4)}*d^2*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^2) - ((3*\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)}])/(8*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}*(c*d^2 + a*e^2)^2)$

$$\begin{aligned} & a^{(1/4)})/(8*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}*(c*d^2 + a*e^2)) - (c^{(1/4)}*d^2*(\text{Sqrt}[\\ & c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(\\ & 4*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^2) + ((3*\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[\\ & a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(16*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}* \\ & (c*d^2 + a*e^2)) + (c^{(1/4)}*d^2*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[\\ & 2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/(4*\text{Sqrt}[2]*a^{(3/4)}*(c*d^2 + a*e^2)^2) \\ & - ((3*\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt} \\ & [c]*x^2])/(16*\text{Sqrt}[2]*a^{(3/4)}*c^{(3/4)}*(c*d^2 + a*e^2)) \end{aligned}$$
Rule 204

$$\text{Int}[\{(a_)+(b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])]$$
Rule 205

$$\text{Int}[\{(a_)+(b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$
Rule 617

$$\text{Int}[\{(a_)+(b_)*(x_)+(c_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{With}[\{q = 1 - 4*\text{Simplify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c])] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$$
Rule 628

$$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2)\}, x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$$
Rule 1162

$$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4)\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$
Rule 1165

$$\text{Int}[\{(d_)+(e_)*(x_)^2)/((a_)+(c_)*(x_)^4)\}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 1168

$Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] \ :> \ With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ NeQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[-(a*c)]$

Rule 1171

$Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (c_)*(x_)^4), x_Symbol] \ :> \ Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ IntegerQ[q]$

Rule 1179

$Int[((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] \ :> \ -Simp[(x*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)), Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ LtQ[p, -1] \ \&\& \ IntegerQ[2*p]$

Rule 1314

$Int[(((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^4)^(p_))/((d_) + (e_)*(x_)^2), x_Symbol] \ :> \ -Dist[(a*f^4)/(c*d^2 + a*e^2), Int[(f*x)^(m - 4)*(d - e*x^2)*(a + c*x^4)^p, x], x] + Dist[(d^2*f^4)/(c*d^2 + a*e^2), Int[((f*x)^(m - 4)*(a + c*x^4)^(p + 1))/(d + e*x^2), x], x] \ /; \ FreeQ[\{a, c, d, e, f\}, x] \ \&\& \ LtQ[p, -1] \ \&\& \ GtQ[m, 2]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{(d+ex^2)(a+cx^4)^2} dx &= -\frac{a \int \frac{d-ex^2}{(a+cx^4)^2} dx}{cd^2+ae^2} + \frac{d^2 \int \frac{1}{(d+ex^2)(a+cx^4)} dx}{cd^2+ae^2} \\
&= -\frac{x(d-ex^2)}{4(cd^2+ae^2)(a+cx^4)} + \frac{\int \frac{-3d+ex^2}{a+cx^4} dx}{4(cd^2+ae^2)} + \frac{d^2 \int \left(\frac{e^2}{(cd^2+ae^2)(d+ex^2)} + \frac{c(d-ex^2)}{(cd^2+ae^2)(a+cx^4)} \right)}{cd^2+ae^2} \\
&= -\frac{x(d-ex^2)}{4(cd^2+ae^2)(a+cx^4)} + \frac{(cd^2) \int \frac{d-ex^2}{a+cx^4} dx}{(cd^2+ae^2)^2} + \frac{(d^2 e^2) \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} - \frac{\left(\frac{3\sqrt{c}d}{\sqrt{a}} - e \right) \int \frac{\sqrt{a}}{a+cx^4}}{8c(cd^2+ae^2)} \\
&= -\frac{x(d-ex^2)}{4(cd^2+ae^2)(a+cx^4)} + \frac{d^{3/2} e^{3/2} \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{(cd^2+ae^2)^2} + \frac{\left(d^2 \left(\frac{\sqrt{c}d}{\sqrt{a}} - e \right) \right) \int \frac{\sqrt{a} \sqrt{c+cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)^2} + \dots \\
&= -\frac{x(d-ex^2)}{4(cd^2+ae^2)(a+cx^4)} + \frac{d^{3/2} e^{3/2} \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{(cd^2+ae^2)^2} + \frac{(3\sqrt{c}d + \sqrt{a}e) \log(\sqrt{a} - \sqrt{2} \sqrt[4]{c}x)}{16\sqrt{2} a^{3/4} c^{3/4} (cd^2+ae^2)} \\
&= -\frac{x(d-ex^2)}{4(cd^2+ae^2)(a+cx^4)} + \frac{d^{3/2} e^{3/2} \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{(cd^2+ae^2)^2} + \frac{(3\sqrt{c}d - \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{c}x}{\sqrt{a}} \right)}{8\sqrt{2} a^{3/4} c^{3/4} (cd^2+ae^2)} \\
&= -\frac{x(d-ex^2)}{4(cd^2+ae^2)(a+cx^4)} + \frac{d^{3/2} e^{3/2} \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{(cd^2+ae^2)^2} - \frac{\sqrt[4]{c} d^2 (\sqrt{c}d - \sqrt{a}e) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{c}x}{\sqrt{a}} \right)}{2\sqrt{2} a^{3/4} (cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 423, normalized size = 0.62

$$\frac{\sqrt{2} (a^{3/2} e^3 - 3\sqrt{a} cd^2 e + 3a\sqrt{c} de^2 - c^{3/2} d^3) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{a^{3/4} c^{3/4}} + \frac{\sqrt{2} (-a^{3/2} e^3 + 3\sqrt{a} cd^2 e - 3a\sqrt{c} de^2 + c^{3/2} d^3) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{a^{3/4} c^{3/4}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e*x^2)*(a + c*x^4)^2), x]

```
[Out] ((8*(c*d^2 + a*e^2)*(-(d*x) + e*x^3))/(a + c*x^4) + 32*d^(3/2)*e^(3/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]] - (2*Sqrt[2]*(c^(3/2)*d^3 - 3*Sqrt[a]*c*d^2*e - 3*a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(a^(3/4)*c^(3/4)) + (2*Sqrt[2]*(c^(3/2)*d^3 - 3*Sqrt[a]*c*d^2*e - 3*a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(a^(3/4)*c^(3/4)) + (Sqrt[2]*(-(c^(3/2)*d^3) - 3*Sqrt[a]*c*d^2*e + 3*a*Sqrt[c]*d*e^2 + a^(3/2)*e^3)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(a^(3/4)*c^(3/4)) + (Sqrt[2]*(c^(3/2)*d^3 + 3*Sqrt[a]*c*d^2*e - 3*a*Sqrt[c]*d*e^2 - a^(3/2)*e^3)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(a^(3/4)*c^(3/4)))/(32*(c*d^2 + a*e^2)^2)
```

fricas [B] time = 18.40, size = 9678, normalized size = 14.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] [1/16*(4*(c*d^2*e + a*e^3)*x^3 - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^4)*sqrt((6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 + (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^11*d^16 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8*d^10*e^6 + 70*a^7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + 8*a^10*c^4*d^2*e^14 + a^11*c^3*e^16)))/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8))*log(-(c^4*d^8 - 14*a*c^3*d^6*e^2 + 14*a^3*c*d^2*e^6 - a^4*e^8)*x + (a*c^5*d^9 - 18*a^2*c^4*d^7*e^2 + 60*a^3*c^3*d^5*e^4 - 46*a^4*c^2*d^3*e^6 + 3*a^5*c*d*e^8 + (3*a^3*c^7*d^10*e + 11*a^4*c^6*d^8*e^3 + 14*a^5*c^5*d^6*e^5 + 6*a^6*c^4*d^4*e^7 - a^7*c^3*d^2*e^9 - a^8*c^2*e^11))*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^11*d^16 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8*d^10*e^6 + 70*a^7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + 8*a^10*c^4*d^2*e^14 + a^11*c^3*e^16)))*sqrt((6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 + (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)*sqrt(-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^11*d^16 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8*d^10*e^6 + 70*a^7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + 8*a^10*c^4*d^2*e^14 + a^11*c^3*e^16)))/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)))] + (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^4)*sqrt((6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 + (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8)*sqrt(-
```


$$\begin{aligned}
& 2*c*e^4)*x^4)*\sqrt{((6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 - (a*c^5*d^8 \\
& + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8))*s \\
& \sqrt{-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3*d^6* \\
& e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^11*d^16 + \\
& 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8*d^10*e^6 + 70*a^7*c^ \\
& 7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + 8*a^10*c^4*d^2*e^14 \\
& + a^11*c^3*e^16)))/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4* \\
& a^4*c^2*d^2*e^6 + a^5*c*e^8))*\log(-(c^4*d^8 - 14*a*c^3*d^6*e^2 + 14*a^3*c*d^ \\
& ^2*e^6 - a^4*e^8)*x - (a*c^5*d^9 - 18*a^2*c^4*d^7*e^2 + 60*a^3*c^3*d^5*e^4 \\
& - 46*a^4*c^2*d^3*e^6 + 3*a^5*c*d*e^8 - (3*a^3*c^7*d^10*e + 11*a^4*c^6*d^8*e \\
& ^3 + 14*a^5*c^5*d^6*e^5 + 6*a^6*c^4*d^4*e^7 - a^7*c^3*d^2*e^9 - a^8*c^2*e^1 \\
& 1))*\sqrt{-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^3*c^3* \\
& d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^11*d^1 \\
& 6 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8*d^10*e^6 + 70*a^ \\
& 7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + 8*a^10*c^4*d^2* \\
& e^14 + a^11*c^3*e^16)))*\sqrt{((6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^2*d*e^5 - \\
& (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^ \\
& 5*c*e^8))*\sqrt{-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^4 - 452*a^ \\
& 3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^12))/(a^3*c^ \\
& 11*d^16 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8*d^10*e^6 + \\
& 70*a^7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + 8*a^10*c^ \\
& 4*d^2*e^14 + a^11*c^3*e^16)))/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^ \\
& 4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8))) + 8*(c*d*e*x^4 + a*d*e)*\sqrt{-d*e} \\
& *\log((e*x^2 + 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)) - 4*(c*d^3 + a*d*e^2)*x)/(a* \\
& c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^ \\
& 4)*x^4), 1/16*(4*(c*d^2*e + a*e^3)*x^3 + 16*(c*d*e*x^4 + a*d*e)*\sqrt{d*e}*a \\
& rctan(\sqrt{d*e}*x/d - (a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + \\
& 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^4))*\sqrt{((6*c^2*d^5*e - 20*a*c*d^3*e^3 + 6*a^ \\
& 2*d*e^5 + (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^ \\
& 2*e^6 + a^5*c*e^8))*\sqrt{-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^8*e^ \\
& 4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6*e^1 \\
& 2))/(a^3*c^11*d^16 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6*c^8* \\
& d^10*e^6 + 70*a^7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^12 + \\
& 8*a^10*c^4*d^2*e^14 + a^11*c^3*e^16)))/(a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6* \\
& a^3*c^3*d^4*e^4 + 4*a^4*c^2*d^2*e^6 + a^5*c*e^8))*\log(-(c^4*d^8 - 14*a*c^3* \\
& d^6*e^2 + 14*a^3*c*d^2*e^6 - a^4*e^8)*x + (a*c^5*d^9 - 18*a^2*c^4*d^7*e^2 + \\
& 60*a^3*c^3*d^5*e^4 - 46*a^4*c^2*d^3*e^6 + 3*a^5*c*d*e^8 + (3*a^3*c^7*d^10* \\
& e + 11*a^4*c^6*d^8*e^3 + 14*a^5*c^5*d^6*e^5 + 6*a^6*c^4*d^4*e^7 - a^7*c^3*d^ \\
& ^2*e^9 - a^8*c^2*e^11))*\sqrt{-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*c^4*d^ \\
& 8*e^4 - 452*a^3*c^3*d^6*e^6 + 255*a^4*c^2*d^4*e^8 - 30*a^5*c*d^2*e^10 + a^6 \\
& *e^12))/(a^3*c^11*d^16 + 8*a^4*c^10*d^14*e^2 + 28*a^5*c^9*d^12*e^4 + 56*a^6* \\
& c^8*d^10*e^6 + 70*a^7*c^7*d^8*e^8 + 56*a^8*c^6*d^6*e^10 + 28*a^9*c^5*d^4*e^ \\
& 12 + 8*a^10*c^4*d^2*e^14 + a^11*c^3*e^16)))*\sqrt{((6*c^2*d^5*e - 20*a*c*d^3* \\
& e^3 + 6*a^2*d*e^5 + (a*c^5*d^8 + 4*a^2*c^4*d^6*e^2 + 6*a^3*c^3*d^4*e^4 + 4* \\
& a^4*c^2*d^2*e^6 + a^5*c*e^8))*\sqrt{-(c^6*d^12 - 30*a*c^5*d^10*e^2 + 255*a^2*
\end{aligned}$$

$$\begin{aligned}
& c^4 d^8 e^4 - 452 a^3 c^3 d^6 e^6 + 255 a^4 c^2 d^4 e^8 - 30 a^5 c d^2 e^{10} \\
& + a^6 e^{12}) / (a^3 c^{11} d^{16} + 8 a^4 c^{10} d^{14} e^2 + 28 a^5 c^9 d^{12} e^4 + 5 \\
& 6 a^6 c^8 d^{10} e^6 + 70 a^7 c^7 d^8 e^8 + 56 a^8 c^6 d^6 e^{10} + 28 a^9 c^5 d^4 e^{12} + 8 a^{10} c^4 d^2 e^{14} + a^{11} c^3 e^{16})) / (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8)) + (a^2 c^2 d^4 + 2 a^2 c d^2 e^2 + a^3 e^4 + (c^3 d^4 + 2 a c^2 d^2 e^2 + a^2 c e^4) x^4) * \\
& \text{sqrt}((6 c^2 d^5 e - 20 a c d^3 e^3 + 6 a^2 d e^5 + (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8) * \text{sqrt}(-(c^6 d^{12} \\
& - 30 a c^5 d^{10} e^2 + 255 a^2 c^4 d^8 e^4 - 452 a^3 c^3 d^6 e^6 + 255 a^4 c^2 d^4 e^8 - 30 a^5 c d^2 e^{10} + a^6 e^{12}) / (a^3 c^{11} d^{16} + 8 a^4 c^{10} d^{14} \\
& e^2 + 28 a^5 c^9 d^{12} e^4 + 56 a^6 c^8 d^{10} e^6 + 70 a^7 c^7 d^8 e^8 + 56 a^8 c^6 d^6 e^{10} + 28 a^9 c^5 d^4 e^{12} + 8 a^{10} c^4 d^2 e^{14} + a^{11} c^3 e^{16}))) / (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8)) * \log(-(c^4 d^8 - 14 a c^3 d^6 e^2 + 14 a^3 c d^2 e^6 - a^4 e^8) x - (a^5 c^5 d^9 - 18 a^2 c^4 d^7 e^2 + 60 a^3 c^3 d^5 e^4 - 46 a^4 c^2 d^3 e^6 + 3 a^5 c d e^8 + (3 a^3 c^7 d^{10} e + 11 a^4 c^6 d^8 e^3 + 14 a^5 c^5 d^6 e^5 + 6 a^6 c^4 d^4 e^7 - a^7 c^3 d^2 e^9 - a^8 c^2 e^{11}) * \text{sqrt}(-(c^6 d^{12} \\
& - 30 a c^5 d^{10} e^2 + 255 a^2 c^4 d^8 e^4 - 452 a^3 c^3 d^6 e^6 + 255 a^4 c^2 d^4 e^8 - 30 a^5 c d^2 e^{10} + a^6 e^{12}) / (a^3 c^{11} d^{16} + 8 a^4 c^{10} d^{14} e^2 + 28 a^5 c^9 d^{12} e^4 + 56 a^6 c^8 d^{10} e^6 + 70 a^7 c^7 d^8 e^8 + 56 a^8 c^6 d^6 e^{10} + 28 a^9 c^5 d^4 e^{12} + 8 a^{10} c^4 d^2 e^{14} + a^{11} c^3 e^{16}))) * \text{sqrt}((6 c^2 d^5 e - 20 a c d^3 e^3 + 6 a^2 d e^5 + (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8) * \text{sqrt}(-(c^6 d^{12} \\
& - 30 a c^5 d^{10} e^2 + 255 a^2 c^4 d^8 e^4 - 452 a^3 c^3 d^6 e^6 + 255 a^4 c^2 d^4 e^8 - 30 a^5 c d^2 e^{10} + a^6 e^{12}) / (a^3 c^{11} d^{16} + 8 a^4 c^{10} d^{14} e^2 + 28 a^5 c^9 d^{12} e^4 + 56 a^6 c^8 d^{10} e^6 + 70 a^7 c^7 d^8 e^8 + 56 a^8 c^6 d^6 e^{10} + 28 a^9 c^5 d^4 e^{12} + 8 a^{10} c^4 d^2 e^{14} + a^{11} c^3 e^{16}))) / (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8)) - (a^2 c^2 d^4 + 2 a^2 c d^2 e^2 + a^3 e^4 + (c^3 d^4 + 2 a c^2 d^2 e^2 + a^2 c e^4) x^4) * \text{sqrt}(((6 c^2 d^5 e - 20 a c d^3 e^3 + 6 a^2 d e^5 - (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8) * \text{sqrt}(-(c^6 d^{12} \\
& - 30 a c^5 d^{10} e^2 + 255 a^2 c^4 d^8 e^4 - 452 a^3 c^3 d^6 e^6 + 255 a^4 c^2 d^4 e^8 - 30 a^5 c d^2 e^{10} + a^6 e^{12}) / (a^3 c^{11} d^{16} + 8 a^4 c^{10} d^{14} e^2 + 28 a^5 c^9 d^{12} e^4 + 56 a^6 c^8 d^{10} e^6 + 70 a^7 c^7 d^8 e^8 + 56 a^8 c^6 d^6 e^{10} + 28 a^9 c^5 d^4 e^{12} + 8 a^{10} c^4 d^2 e^{14} + a^{11} c^3 e^{16}))) / (a^5 c^5 d^8 + 4 a^2 c^4 d^6 e^2 + 6 a^3 c^3 d^4 e^4 + 4 a^4 c^2 d^2 e^6 + a^5 c e^8)) * \log(-(c^4 d^8 - 14 a c^3 d^6 e^2 + 14 a^3 c d^2 e^6 - a^4 e^8) x + (a^5 c^5 d^9 - 18 a^2 c^4 d^7 e^2 + 60 a^3 c^3 d^5 e^4 - 46 a^4 c^2 d^3 e^6 + 3 a^5 c d e^8 - (3 a^3 c^7 d^{10} e + 11 a^4 c^6 d^8 e^3 + 14 a^5 c^5 d^6 e^5 + 6 a^6 c^4 d^4 e^7 - a^7 c^3 d^2 e^9 - a^8 c^2 e^{11}) * \text{sqrt}(-(c^6 d^{12} \\
& - 30 a c^5 d^{10} e^2 + 255 a^2 c^4 d^8 e^4 - 452 a^3 c^3 d^6 e^6 + 255 a^4 c^2 d^4 e^8 - 30 a^5 c d^2 e^{10} + a^6 e^{12}) / (a^3 c^{11} d^{16} + 8 a^4 c^{10} d^{14} e^2 + 28 a^5 c^9 d^{12} e^4 + 56 a^6 c^8 d^{10} e^6 + 70 a^7 c^7 d^8 e^8 + 56 a^8 c^6 d^6 e^{10} + 28 a^9 c^5 d^4 e^{12} + 8 a^{10} c^4 d^2 e^{14} + a^{11} c^3 e^{16}))) * \text{sqrt}((6 c^2 d^5 e - 20 a c
\end{aligned}$$

$$\begin{aligned}
& *d^3e^3 + 6a^2d^5e^5 - (ac^5d^8 + 4a^2c^4d^6e^2 + 6a^3c^3d^4e^4 \\
& + 4a^4c^2d^2e^6 + a^5c^5e^8) \sqrt{-(c^6d^{12} - 30ac^5d^{10}e^2 + 255 \\
& a^2c^4d^8e^4 - 452a^3c^3d^6e^6 + 255a^4c^2d^4e^8 - 30a^5c^3d^2e^{10} + a^6e^{12})} / (a^3c^{11}d^{16} + 8a^4c^{10}d^{14}e^2 + 28a^5c^9d^{12}e^4 \\
& + 56a^6c^8d^{10}e^6 + 70a^7c^7d^8e^8 + 56a^8c^6d^6e^{10} + 28a^9c^5d^4e^{12} + 8a^{10}c^4d^2e^{14} + a^{11}c^3e^{16})) / (ac^5d^8 + 4a^2c^4d^6e^2 \\
& + 6a^3c^3d^4e^4 + 4a^4c^2d^2e^6 + a^5c^5e^8)) + (ac^2d^4 + 2a^2c^2d^2e^2 + a^3e^4 + (c^3d^4 + 2a^2c^2d^2e^2 + a^2c^5e^4) * x^4) \\
& * \sqrt{((6c^2d^5e - 20ac^3d^3e^3 + 6a^2d^5e^5 - (ac^5d^8 + 4a^2c^4d^6e^2 + 6a^3c^3d^4e^4 + 4a^4c^2d^2e^6 + a^5c^5e^8) * \sqrt{-(c^6d^{12} - 30ac^5d^{10}e^2 + 255a^2c^4d^8e^4 - 452a^3c^3d^6e^6 + 255a^4c^2d^4e^8 - 30a^5c^3d^2e^{10} + a^6e^{12})} / (a^3c^{11}d^{16} + 8a^4c^{10}d^{14}e^2 + 28a^5c^9d^{12}e^4 + 56a^6c^8d^{10}e^6 + 70a^7c^7d^8e^8 + 56a^8c^6d^6e^{10} + 28a^9c^5d^4e^{12} + 8a^{10}c^4d^2e^{14} + a^{11}c^3e^{16}))) / (ac^5d^8 + 4a^2c^4d^6e^2 + 6a^3c^3d^4e^4 + 4a^4c^2d^2e^6 + a^5c^5e^8)) * \log(-(c^4d^8 - 14ac^3d^6e^2 + 14a^3c^3d^2e^6 - a^4e^8) * x - (ac^5d^9 - 18a^2c^4d^7e^2 + 60a^3c^3d^5e^4 - 46a^4c^2d^3e^6 + 3a^5c^3d^1e^8 - (3a^3c^7d^{10}e + 11a^4c^6d^8e^3 + 14a^5c^5d^6e^5 + 6a^6c^4d^4e^7 - a^7c^3d^2e^9 - a^8c^2e^{11}) * \sqrt{-(c^6d^{12} - 30ac^5d^{10}e^2 + 255a^2c^4d^8e^4 - 452a^3c^3d^6e^6 + 255a^4c^2d^4e^8 - 30a^5c^3d^2e^{10} + a^6e^{12})} / (a^3c^{11}d^{16} + 8a^4c^{10}d^{14}e^2 + 28a^5c^9d^{12}e^4 + 56a^6c^8d^{10}e^6 + 70a^7c^7d^8e^8 + 56a^8c^6d^6e^{10} + 28a^9c^5d^4e^{12} + 8a^{10}c^4d^2e^{14} + a^{11}c^3e^{16}))) * \sqrt{((6c^2d^5e - 20ac^3d^3e^3 + 6a^2d^5e^5 - (ac^5d^8 + 4a^2c^4d^6e^2 + 6a^3c^3d^4e^4 + 4a^4c^2d^2e^6 + a^5c^5e^8) * \sqrt{-(c^6d^{12} - 30ac^5d^{10}e^2 + 255a^2c^4d^8e^4 - 452a^3c^3d^6e^6 + 255a^4c^2d^4e^8 - 30a^5c^3d^2e^{10} + a^6e^{12})} / (a^3c^{11}d^{16} + 8a^4c^{10}d^{14}e^2 + 28a^5c^9d^{12}e^4 + 56a^6c^8d^{10}e^6 + 70a^7c^7d^8e^8 + 56a^8c^6d^6e^{10} + 28a^9c^5d^4e^{12} + 8a^{10}c^4d^2e^{14} + a^{11}c^3e^{16}))) / (ac^5d^8 + 4a^2c^4d^6e^2 + 6a^3c^3d^4e^4 + 4a^4c^2d^2e^6 + a^5c^5e^8)) - 4*(c^3d^4 + 2a^2c^2d^2e^2 + a^2c^5e^4) * x^4]
\end{aligned}$$

giac [A] time = 0.47, size = 586, normalized size = 0.86

$$\frac{d^{\frac{3}{2}} \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\frac{3}{2}} \left((ac^3)^{\frac{1}{4}} c^3 d^3 - 3 (ac^3)^{\frac{1}{4}} ac^2 de^2 - 3 (ac^3)^{\frac{3}{4}} cd^2 e + (ac^3)^{\frac{3}{4}} ae^3 \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{c^2 d^4 + 2acd^2 e^2 + a^2 e^4} + \frac{8\left(\sqrt{2}ac^5 d^4 + 2\sqrt{2}a^2 c^4 d^2 e^2 + \sqrt{2}a^3 c^3 e^4\right)}{8\left(\sqrt{2}ac^5 d^4 + 2\sqrt{2}a^2 c^4 d^2 e^2 + \sqrt{2}a^3 c^3 e^4\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

```
[Out] d^(3/2)*arctan(x*e^(1/2)/sqrt(d))*e^(3/2)/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4) + 1/8*((a*c^3)^(1/4)*c^3*d^3 - 3*(a*c^3)^(1/4)*a*c^2*d*e^2 - 3*(a*c^3)^(3/4)*c*d^2*e + (a*c^3)^(3/4)*a*e^3)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(sqrt(2)*a*c^5*d^4 + 2*sqrt(2)*a^2*c^4*d^2*e^2 + sqrt(2)*a^3*c^3*e^4) + 1/8*((a*c^3)^(1/4)*c^3*d^3 - 3*(a*c^3)^(1/4)*a*c^2*d*e^2 - 3*(a*c^3)^(3/4)*c*d^2*e + (a*c^3)^(3/4)*a*e^3)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(sqrt(2)*a*c^5*d^4 + 2*sqrt(2)*a^2*c^4*d^2*e^2 + sqrt(2)*a^3*c^3*e^4) + 1/16*((a*c^3)^(1/4)*c^3*d^3 - 3*(a*c^3)^(1/4)*a*c^2*d*e^2 + 3*(a*c^3)^(3/4)*c*d^2*e - (a*c^3)^(3/4)*a*e^3)*log(x^2 + sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(sqrt(2)*a*c^5*d^4 + 2*sqrt(2)*a^2*c^4*d^2*e^2 + sqrt(2)*a^3*c^3*e^4) - 1/16*((a*c^3)^(1/4)*c^3*d^3 - 3*(a*c^3)^(1/4)*a*c^2*d*e^2 + 3*(a*c^3)^(3/4)*c*d^2*e - (a*c^3)^(3/4)*a*e^3)*log(x^2 - sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(sqrt(2)*a*c^5*d^4 + 2*sqrt(2)*a^2*c^4*d^2*e^2 + sqrt(2)*a^3*c^3*e^4) + 1/4*(x^3*e - d*x)/((c*x^4 + a)*(c*d^2 + a*e^2))
```

maple [A] time = 0.02, size = 848, normalized size = 1.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4/(e*x^2+d)/(c*x^4+a)^2,x)
```

```
[Out] 1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x^3*e^3*a+1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x^3*e*c*d^2-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x*a*d*e^2-1/4/(a*e^2+c*d^2)^2/(c*x^4+a)*x*c*d^3-3/16/(a*e^2+c*d^2)^2*(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)*d*e^2+1/16/(a*e^2+c*d^2)^2*(a/c)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)*c*d^3-3/32/(a*e^2+c*d^2)^2*(a/c)^(1/4)*2^(1/2)*ln((x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))*d*e^2+1/32/(a*e^2+c*d^2)^2*(a/c)^(1/4)/a*2^(1/2)*ln((x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))*c*d^3-3/16/(a*e^2+c*d^2)^2*(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)*d*e^2+1/16/(a*e^2+c*d^2)^2*(a/c)^(1/4)/a*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)*c*d^3+1/32/(a*e^2+c*d^2)^2/c/(a/c)^(1/4)*2^(1/2)*ln((x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))*a*e^3-3/32/(a*e^2+c*d^2)^2/(a/c)^(1/4)*2^(1/2)*ln((x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))*d^2*e+1/16/(a*e^2+c*d^2)^2/c/(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)*a*e^3-3/16/(a*e^2+c*d^2)^2/(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)*d^2*e+1/16/(a*e^2+c*d^2)^2/c/(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)*a*e^3-3/16/(a*e^2+c*d^2)^2/(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)*d^2*e+e^2/(a*e^2+c*d^2)^2*d^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)
```

maxima [A] time = 2.09, size = 490, normalized size = 0.72

$$\frac{d^2 e^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2 d^4 + 2acd^2 e^2 + a^2 e^4) \sqrt{de}} + \frac{(cd^2 e + ae^3)x^3 - (cd^3 + ade^2)x}{4(ac^2 d^4 + 2a^2 cd^2 e^2 + a^3 e^4 + (c^3 d^4 + 2ac^2 d^2 e^2 + a^2 ce^4)x^4)} + \frac{2\sqrt{2}\left(c^{\frac{3}{2}}d^3 - 3\sqrt{a}cd^2e - 3a\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $d^2 e^2 \arctan(e*x/\sqrt{d*e})/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{d*e}) + 1/4*((c*d^2*e + a*e^3)*x^3 - (c*d^3 + a*d*e^2)*x)/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^4) + 1/32*(2*\sqrt{2}*(c^{(3/2)}*d^3 - 3*\sqrt{a}*c*d^2*e - 3*a*\sqrt{c}*d*e^2 + a^{(3/2)}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{(\sqrt{a}*\sqrt{c})})/(\sqrt{a}*\sqrt{(\sqrt{a}*\sqrt{c})}*\sqrt{c}) + 2*\sqrt{2}*(c^{(3/2)}*d^3 - 3*\sqrt{a}*c*d^2*e - 3*a*\sqrt{c}*d*e^2 + a^{(3/2)}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{(\sqrt{a}*\sqrt{c})})/(\sqrt{a}*\sqrt{(\sqrt{a}*\sqrt{c})}*\sqrt{c}) + \sqrt{2}*(c^{(3/2)}*d^3 + 3*\sqrt{a}*c*d^2*e - 3*a*\sqrt{c}*d*e^2 - a^{(3/2)}*e^3)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)}) - \sqrt{2}*(c^{(3/2)}*d^3 + 3*\sqrt{a}*c*d^2*e - 3*a*\sqrt{c}*d*e^2 - a^{(3/2)}*e^3)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)})))/(c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)$

mupad [B] time = 4.87, size = 17180, normalized size = 25.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] $- \operatorname{atan}\left(\frac{(28672*a^2*c^8*d^{10}*e^4 - 4096*a*c^9*d^{12}*e^2 + 155648*a^3*c^7*d^8*e^6 + 253952*a^4*c^6*d^6*e^8 + 176128*a^5*c^5*d^4*e^{10} + 45056*a^6*c^4*d^2*e^{12})/(256*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) - (x*((a^3*e^6*(-a^3*c^3)^{(1/2)} - c^3*d^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 + 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} - 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)})/(256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6)))^{(1/2)}*(65536*a^9*c^4*e^{17} - 65536*a^2*c^{11}*d^{14}*e^3 - 327680*a^3*c^{10}*d^{12}*e^5 - 589824*a^4*c^9*d^{10}*e^7 - 327680*a^5*c^8*d^8*e^9 + 327680*a^6*c^7*d^6*e^{11} + 589824*a^7*c^6*d^4*e^{13} + 327680*a^8*c^5*d^2*e^{15})/(128*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4))}{(a^3*e^6*(-a^3*c^3)^{(1/2)}}$

$$\begin{aligned}
& *e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} * (\\
& 65536*a^9*c^4*e^{17} - 65536*a^2*c^{11}*d^{14}*e^3 - 327680*a^3*c^{10}*d^{12}*e^5 - 5 \\
& 89824*a^4*c^9*d^{10}*e^7 - 327680*a^5*c^8*d^8*e^9 + 327680*a^6*c^7*d^6*e^{11} + \\
& 589824*a^7*c^6*d^4*e^{13} + 327680*a^8*c^5*d^2*e^{15}) / (128*(a^4*e^8 + c^4*d^ \\
& 8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)) * ((c^3*d^6*(-a^ \\
& 3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 \\
& - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^ \\
& 4*(-a^3*c^3)^{(1/2)}) / (256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6 \\
& *a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} + (x*(256*a*c^8*d^{11}*e^4 - 12 \\
& 8*c^9*d^{13}*e^2 + 2944*a^6*c^3*d*e^{14} + 21632*a^2*c^7*d^9*e^6 + 32256*a^3*c^ \\
& 6*d^7*e^8 + 4224*a^4*c^5*d^5*e^{10} - 3840*a^5*c^4*d^3*e^{12}) / (128*(a^4*e^8 + \\
& c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)) * ((c^3*d \\
& ^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^ \\
& 2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c \\
& *d^2*e^4*(-a^3*c^3)^{(1/2)}) / (256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6* \\
& e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} + (16*c^6*d^9*e^3 - 96 \\
& 0*a*c^5*d^7*e^5 + 16*a^4*c^2*d*e^{11} + 8288*a^2*c^4*d^5*e^7 - 3008*a^3*c^3*d \\
& ^3*e^9) / (256*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) * ((c^ \\
& 3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4 \\
& *c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^ \\
& 2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}) / (256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d \\
& ^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} - (x*(a^4*c*e^{13} + \\
& 33*c^5*d^8*e^5 - 188*a*c^4*d^6*e^7 + 38*a^2*c^3*d^4*e^9 + 4*a^3*c^2*d^2*e^{1 \\
& 1}) / (128*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2 \\
& *d^4*e^4)) * ((c^3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c \\
& ^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^ \\
& 3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}) / (256*(a^3*c^7*d^8 + a^7*c^3*e \\
& ^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} * i \\
& - (((((28672*a^2*c^8*d^{10}*e^4 - 4096*a*c^9*d^{12}*e^2 + 155648*a^3*c^7*d^8*e^ \\
& 6 + 253952*a^4*c^6*d^6*e^8 + 176128*a^5*c^5*d^4*e^{10} + 45056*a^6*c^4*d^2*e^ \\
& 12) / (256*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) + (x*((c^ \\
& 3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4 \\
& *c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^ \\
& 2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}) / (256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d \\
& ^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} * (65536*a^9*c^4*e^{17} \\
& - 65536*a^2*c^{11}*d^{14}*e^3 - 327680*a^3*c^{10}*d^{12}*e^5 - 589824*a^4*c^9*d^{10} \\
& *e^7 - 327680*a^5*c^8*d^8*e^9 + 327680*a^6*c^7*d^6*e^{11} + 589824*a^7*c^6*d^ \\
& 4*e^{13} + 327680*a^8*c^5*d^2*e^{15}) / (128*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^ \\
& 2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)) * ((c^3*d^6*(-a^3*c^3)^{(1/2)} - a^3 \\
& *e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3* \\
& e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)} \\
&) / (256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + \\
& 4*a^6*c^4*d^2*e^6))^{(1/2)} - (x*(256*a*c^8*d^{11}*e^4 - 128*c^9*d^{13}*e^2 + 2 \\
& 944*a^6*c^3*d*e^{14} + 21632*a^2*c^7*d^9*e^6 + 32256*a^3*c^6*d^7*e^8 + 4224*a \\
& ^4*c^5*d^5*e^{10} - 3840*a^5*c^4*d^3*e^{12}) / (128*(a^4*e^8 + c^4*d^8 + 4*a*c^3
\end{aligned}$$

$$\begin{aligned}
& (5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} - (x*(a^4*c*e^{13} + 33*c^5*d^8*e^5 - \\
& 188*a*c^4*d^6*e^7 + 38*a^2*c^3*d^4*e^9 + 4*a^3*c^2*d^2*e^{11}))/((128*(a^4*e^8 \\
& + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)))*((c^3 \\
& *d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4* \\
& c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2 \\
& *c*d^2*e^4*(-a^3*c^3)^{(1/2)}))/(256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^ \\
& 6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)} + (((((28672*a^2*c^8 \\
& *d^{10}*e^4 - 4096*a*c^9*d^{12}*e^2 + 155648*a^3*c^7*d^8*e^6 + 253952*a^4*c^6*d \\
& ^6*e^8 + 176128*a^5*c^5*d^4*e^{10} + 45056*a^6*c^4*d^2*e^{12}))/((256*(a^3*e^6 + \\
& c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) + (x*((c^3*d^6*(-a^3*c^3)^{(1/2)} \\
& - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3* \\
& c^3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^ \\
& 3)^{(1/2)}))/(256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d \\
& ^4*e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)}*(65536*a^9*c^4*e^{17} - 65536*a^2*c^{11}*d^ \\
& 14*e^3 - 327680*a^3*c^{10}*d^{12}*e^5 - 589824*a^4*c^9*d^{10}*e^7 - 327680*a^5*c^ \\
& 8*d^8*e^9 + 327680*a^6*c^7*d^6*e^{11} + 589824*a^7*c^6*d^4*e^{13} + 327680*a^8* \\
& c^5*d^2*e^{15}))/((128*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 \\
& + 6*a^2*c^2*d^4*e^4)))*((c^3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^3)^{(1/2)} \\
&) + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^2*d^4*e \\
& ^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}))/(256*(a^3*c^7*d^8 \\
& + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4*d^2*e^6)) \\
&)^{(1/2)} - (x*(256*a*c^8*d^{11}*e^4 - 128*c^9*d^{13}*e^2 + 2944*a^6*c^3*d*e^{14} + \\
& 21632*a^2*c^7*d^9*e^6 + 32256*a^3*c^6*d^7*e^8 + 4224*a^4*c^5*d^5*e^{10} - 38 \\
& 40*a^5*c^4*d^3*e^{12}))/((128*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^ \\
& ^2*e^6 + 6*a^2*c^2*d^4*e^4)))*((c^3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3*c^ \\
& 3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a*c^ \\
& 2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}))/(256*(a^3*c \\
& ^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4* \\
& *d^2*e^6))^{(1/2)} + (16*c^6*d^9*e^3 - 960*a*c^5*d^7*e^5 + 16*a^4*c^2*d*e^{11} + \\
& 8288*a^2*c^4*d^5*e^7 - 3008*a^3*c^3*d^3*e^9)/(256*(a^3*e^6 + c^3*d^6 + 3*a* \\
& c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)))*((c^3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(-a^3 \\
& *c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 15*a \\
& *c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}))/(256*(a^ \\
& 3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6*c^4 \\
& *d^2*e^6))^{(1/2)} + (x*(a^4*c*e^{13} + 33*c^5*d^8*e^5 - 188*a*c^4*d^6*e^7 + 3 \\
& 8*a^2*c^3*d^4*e^9 + 4*a^3*c^2*d^2*e^{11}))/((128*(a^4*e^8 + c^4*d^8 + 4*a*c^3* \\
& d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)))*((c^3*d^6*(-a^3*c^3)^{(1/2)} \\
& - a^3*e^6*(-a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^ \\
& 3*d^3*e^3 - 15*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3) \\
& ^{(1/2)}))/(256*(a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4 \\
& *e^4 + 4*a^6*c^4*d^2*e^6))^{(1/2)})*((c^3*d^6*(-a^3*c^3)^{(1/2)} - a^3*e^6*(- \\
& a^3*c^3)^{(1/2)} + 6*a^2*c^4*d^5*e + 6*a^4*c^2*d*e^5 - 20*a^3*c^3*d^3*e^3 - 1 \\
& 5*a*c^2*d^4*e^2*(-a^3*c^3)^{(1/2)} + 15*a^2*c*d^2*e^4*(-a^3*c^3)^{(1/2)}))/(256* \\
& (a^3*c^7*d^8 + a^7*c^3*e^8 + 4*a^4*c^6*d^6*e^2 + 6*a^5*c^5*d^4*e^4 + 4*a^6* \\
& c^4*d^2*e^6))^{(1/2)}*2i - ((d*x)/(4*(a*e^2 + c*d^2)) - (e*x^3)/(4*(a*e^2 +
\end{aligned}$$

$$\begin{aligned}
& c*d^2)))/(a + c*x^4) - (\operatorname{atan}(((((((c^6*d^9*e^3)/16 - (15*a*c^5*d^7*e^5)/4 \\
& + (a^4*c^2*d*e^11)/16 + (259*a^2*c^4*d^5*e^7)/8 - (47*a^3*c^3*d^3*e^9)/4)/(\\
& 2*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) + ((x*(256*a*c^ \\
& 8*d^11*e^4 - 128*c^9*d^13*e^2 + 2944*a^6*c^3*d*e^14 + 21632*a^2*c^7*d^9*e^6 \\
& + 32256*a^3*c^6*d^7*e^8 + 4224*a^4*c^5*d^5*e^10 - 3840*a^5*c^4*d^3*e^12)))/ \\
& (256*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4 \\
& *e^4)) + (((112*a^2*c^8*d^10*e^4 - 16*a*c^9*d^12*e^2 + 608*a^3*c^7*d^8*e^6 \\
& + 992*a^4*c^6*d^6*e^8 + 688*a^5*c^5*d^4*e^10 + 176*a^6*c^4*d^2*e^12)/(2*(a^ \\
& 3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) - (x*(-d^3*e^3)^(1/2) \\
& *(65536*a^9*c^4*e^17 - 65536*a^2*c^11*d^14*e^3 - 327680*a^3*c^10*d^12*e^5 - \\
& 589824*a^4*c^9*d^10*e^7 - 327680*a^5*c^8*d^8*e^9 + 327680*a^6*c^7*d^6*e^11 \\
& + 589824*a^7*c^6*d^4*e^13 + 327680*a^8*c^5*d^2*e^15))/(512*(a^2*e^4 + c^2*d \\
& ^4 + 2*a*c*d^2*e^2)*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 \\
& + 6*a^2*c^2*d^4*e^4)))*(-d^3*e^3)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2 \\
& *e^2)))*(-d^3*e^3)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)))*(-d^3*e^ \\
& 3)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) - (x*(a^4*c*e^13 + 33*c^5 \\
& *d^8*e^5 - 188*a*c^4*d^6*e^7 + 38*a^2*c^3*d^4*e^9 + 4*a^3*c^2*d^2*e^11))/(2 \\
& 56*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e \\
& ^4)))*(-d^3*e^3)^(1/2)*i)/(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2) - ((((((c^6* \\
& d^9*e^3)/16 - (15*a*c^5*d^7*e^5)/4 + (a^4*c^2*d*e^11)/16 + (259*a^2*c^4*d^5 \\
& *e^7)/8 - (47*a^3*c^3*d^3*e^9)/4)/(2*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + \\
& 3*a^2*c*d^2*e^4)) - ((x*(256*a*c^8*d^11*e^4 - 128*c^9*d^13*e^2 + 2944*a^6 \\
& *c^3*d*e^14 + 21632*a^2*c^7*d^9*e^6 + 32256*a^3*c^6*d^7*e^8 + 4224*a^4*c^5* \\
& d^5*e^10 - 3840*a^5*c^4*d^3*e^12))/(256*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^ \\
& 2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)) - (((112*a^2*c^8*d^10*e^4 - 16*a* \\
& c^9*d^12*e^2 + 608*a^3*c^7*d^8*e^6 + 992*a^4*c^6*d^6*e^8 + 688*a^5*c^5*d^4* \\
& e^10 + 176*a^6*c^4*d^2*e^12)/(2*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^ \\
& 2*c*d^2*e^4)) + (x*(-d^3*e^3)^(1/2)*(65536*a^9*c^4*e^17 - 65536*a^2*c^11*d^ \\
& 14*e^3 - 327680*a^3*c^10*d^12*e^5 - 589824*a^4*c^9*d^10*e^7 - 327680*a^5*c^ \\
& 8*d^8*e^9 + 327680*a^6*c^7*d^6*e^11 + 589824*a^7*c^6*d^4*e^13 + 327680*a^8* \\
& c^5*d^2*e^15))/(512*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)*(a^4*e^8 + c^4*d^8 \\
& + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)))*(-d^3*e^3)^(1/2) \\
&)/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)))*(-d^3*e^3)^(1/2))/(2*(a^2*e^4 + \\
& c^2*d^4 + 2*a*c*d^2*e^2)))*(-d^3*e^3)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c* \\
& d^2*e^2)) + (x*(a^4*c*e^13 + 33*c^5*d^8*e^5 - 188*a*c^4*d^6*e^7 + 38*a^2*c^ \\
& 3*d^4*e^9 + 4*a^3*c^2*d^2*e^11))/(256*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 \\
& + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)))*(-d^3*e^3)^(1/2)*i)/(a^2*e^4 + c^ \\
& 2*d^4 + 2*a*c*d^2*e^2))/(((5*c^2*d^4*e^6)/128 + (a*c*d^2*e^8)/128)/(a^3*e^6 \\
& + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4) + ((((((c^6*d^9*e^3)/16 - (\\
& 15*a*c^5*d^7*e^5)/4 + (a^4*c^2*d*e^11)/16 + (259*a^2*c^4*d^5*e^7)/8 - (47*a \\
& ^3*c^3*d^3*e^9)/4)/(2*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^ \\
& 4)) + ((x*(256*a*c^8*d^11*e^4 - 128*c^9*d^13*e^2 + 2944*a^6*c^3*d*e^14 + 2 \\
& 1632*a^2*c^7*d^9*e^6 + 32256*a^3*c^6*d^7*e^8 + 4224*a^4*c^5*d^5*e^10 - 3840 \\
& *a^5*c^4*d^3*e^12))/(256*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2 \\
& *e^6 + 6*a^2*c^2*d^4*e^4)) + (((112*a^2*c^8*d^10*e^4 - 16*a*c^9*d^12*e^2 +
\end{aligned}$$

$$\begin{aligned}
& 608*a^3*c^7*d^8*e^6 + 992*a^4*c^6*d^6*e^8 + 688*a^5*c^5*d^4*e^{10} + 176*a^6*c^4*d^2*e^{12}) / (2*(a^3*e^6 + c^3*d^6 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) - \\
& (x*(-d^3*e^3)^{(1/2)}*(65536*a^9*c^4*e^{17} - 65536*a^2*c^{11}*d^{14}*e^3 - 327680 \\
& *a^3*c^{10}*d^{12}*e^5 - 589824*a^4*c^9*d^{10}*e^7 - 327680*a^5*c^8*d^8*e^9 + 327 \\
& 680*a^6*c^7*d^6*e^{11} + 589824*a^7*c^6*d^4*e^{13} + 327680*a^8*c^5*d^2*e^{15}))/ \\
& (512*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 \\
& + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)))*(-d^3*e^3)^{(1/2)}) / (2*(a^2*e^4 + \\
& c^2*d^4 + 2*a*c*d^2*e^2)))*(-d^3*e^3)^{(1/2)}) / (2*(a^2*e^4 + c^2*d^4 + 2*a*c \\
& *d^2*e^2)))*(-d^3*e^3)^{(1/2)}) / (2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) - (x* \\
& (a^4*c*e^{13} + 33*c^5*d^8*e^5 - 188*a*c^4*d^6*e^7 + 38*a^2*c^3*d^4*e^9 + 4*a \\
& ^3*c^2*d^2*e^{11})) / (256*(a^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 \\
& + 6*a^2*c^2*d^4*e^4)))*(-d^3*e^3)^{(1/2)}) / (a^2*e^4 + c^2*d^4 + 2*a*c*d^2* \\
& e^2) + ((((((c^6*d^9*e^3)/16 - (15*a*c^5*d^7*e^5)/4 + (a^4*c^2*d*e^{11})/16 + \\
& (259*a^2*c^4*d^5*e^7)/8 - (47*a^3*c^3*d^3*e^9)/4) / (2*(a^3*e^6 + c^3*d^6 + \\
& 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) - (((x*(256*a*c^8*d^{11}*e^4 - 128*c^9*d^ \\
& 13*e^2 + 2944*a^6*c^3*d*e^{14} + 21632*a^2*c^7*d^9*e^6 + 32256*a^3*c^6*d^7*e^ \\
& 8 + 4224*a^4*c^5*d^5*e^{10} - 3840*a^5*c^4*d^3*e^{12})) / (256*(a^4*e^8 + c^4*d^8 \\
& + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)) - (((112*a^2*c^8 \\
& *d^{10}*e^4 - 16*a*c^9*d^{12}*e^2 + 608*a^3*c^7*d^8*e^6 + 992*a^4*c^6*d^6*e^8 + \\
& 688*a^5*c^5*d^4*e^{10} + 176*a^6*c^4*d^2*e^{12}) / (2*(a^3*e^6 + c^3*d^6 + 3*a*c^ \\
& ^2*d^4*e^2 + 3*a^2*c*d^2*e^4)) + (x*(-d^3*e^3)^{(1/2)}*(65536*a^9*c^4*e^{17} - \\
& 65536*a^2*c^{11}*d^{14}*e^3 - 327680*a^3*c^{10}*d^{12}*e^5 - 589824*a^4*c^9*d^{10}*e^ \\
& 7 - 327680*a^5*c^8*d^8*e^9 + 327680*a^6*c^7*d^6*e^{11} + 589824*a^7*c^6*d^4*e^ \\
& ^{13} + 327680*a^8*c^5*d^2*e^{15}))/ (512*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)*(a \\
& ^4*e^8 + c^4*d^8 + 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4))) \\
& *(-d^3*e^3)^{(1/2)}) / (2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)))*(-d^3*e^3)^{(1/2)}) / (2*(a^2*e^4 + \\
& c^2*d^4 + 2*a*c*d^2*e^2)))*(-d^3*e^3)^{(1/2)}) / (2*(a^2*e^4 + \\
& c^2*d^4 + 2*a*c*d^2*e^2)) + (x*(a^4*c*e^{13} + 33*c^5*d^8*e^5 - 188*a*c^4*d^ \\
& 6*e^7 + 38*a^2*c^3*d^4*e^9 + 4*a^3*c^2*d^2*e^{11})) / (256*(a^4*e^8 + c^4*d^8 + \\
& 4*a*c^3*d^6*e^2 + 4*a^3*c*d^2*e^6 + 6*a^2*c^2*d^4*e^4)))*(-d^3*e^3)^{(1/2)}) \\
& / (a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2))*(-d^3*e^3)^{(1/2)}*1i) / (a^2*e^4 + c^2* \\
& d^4 + 2*a*c*d^2*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.255 \quad \int \frac{x^2}{(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=685

$$\frac{\sqrt[4]{c} de (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} - \frac{\sqrt[4]{c} de (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} +$$

[Out] $\frac{1}{4} x (c d x^2 + a e) / a (a e^2 + c d^2) / (c x^4 + a) + \frac{1}{32} \ln(-a^{1/4} c^{1/4} x^{1/2} + a^{1/2} + x^2 c^{1/2}) (-3 e a^{1/2} + d c^{1/2}) / a^{5/4} c^{1/4} (a e^2 + c d^2)^2 - \frac{1}{32} \ln(a^{1/4} c^{1/4} x^{1/2} + a^{1/2} + x^2 c^{1/2}) (-3 e a^{1/2} + d c^{1/2}) / a^{5/4} c^{1/4} (a e^2 + c d^2)^2 - \frac{1}{4} c^{1/4} d e \operatorname{arctan}(-1 + c^{1/4} x^{1/2} / a^{1/4}) (-e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^2 - \frac{1}{4} c^{1/4} d e \operatorname{arctan}(1 + c^{1/4} x^{1/2} / a^{1/4}) (-e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^2 + \frac{1}{8} c^{1/4} d e \ln(-a^{1/4} c^{1/4} x^{1/2} + a^{1/2} + x^2 c^{1/2}) (e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^2 - \frac{1}{8} c^{1/4} d e \ln(a^{1/4} c^{1/4} x^{1/2} + a^{1/2} + x^2 c^{1/2}) (e a^{1/2} + d c^{1/2}) / a^{3/4} (a e^2 + c d^2)^2 + \frac{1}{16} \operatorname{arctan}(-1 + c^{1/4} x^{1/2} / a^{1/4}) (3 e a^{1/2} + d c^{1/2}) / a^{5/4} c^{1/4} (a e^2 + c d^2)^2 + \frac{1}{16} \operatorname{arctan}(1 + c^{1/4} x^{1/2} / a^{1/4}) (3 e a^{1/2} + d c^{1/2}) / a^{5/4} c^{1/4} (a e^2 + c d^2)^2 - e^{5/2} \operatorname{arctan}(x e^{1/2} / d^{1/2}) d^{1/2} / (a e^2 + c d^2)^2$

Rubi [A] time = 0.56, antiderivative size = 685, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 10, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {1316, 1179, 1168, 1162, 617, 204, 1165, 628, 1171, 205}

$$\frac{\sqrt[4]{c} de (\sqrt{a} e + \sqrt{c} d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} - \frac{\sqrt[4]{c} de (\sqrt{a} e + \sqrt{c} d) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{4\sqrt{2} a^{3/4} (ae^2 + cd^2)^2} +$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] $\frac{x(ae + cd^2)}{4a(c d^2 + a e^2)(a + c x^4)} - \frac{\sqrt{d} e^{5/2} \operatorname{ArcTan}(\frac{\sqrt{e} x}{\sqrt{d}})}{(c d^2 + a e^2)^2} + \frac{c^{1/4} d e (\sqrt{c} d - \sqrt{a} e) \operatorname{ArcTan}[1 - (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(2 \sqrt{2} a^{3/4} (c d^2 + a e^2)^2)} - \frac{c^{1/4} d e (\sqrt{c} d + 3 \sqrt{a} e) \operatorname{ArcTan}[1 - (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(8 \sqrt{2} a^{5/4} c^{1/4} (c d^2 + a e^2))} - \frac{c^{1/4} d e (\sqrt{c} d - \sqrt{a} e) \operatorname{ArcTan}[1 + (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(2 \sqrt{2} a^{3/4} (c d^2 + a e^2)^2)} + \frac{c^{1/4} d e (\sqrt{c} d + 3 \sqrt{a} e) \operatorname{ArcTan}[1 + (\sqrt{2} c^{1/4} x) / a^{1/4}]}{(2 \sqrt{2} a^{5/4} c^{1/4} (c d^2 + a e^2))}$

```
)x)/a^(1/4)]/(8*Sqrt[2]*a^(5/4)*c^(1/4)*(c*d^2 + a*e^2)) + (c^(1/4)*d*e*(
Sqrt[c]*d + Sqrt[a]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^
2])/(4*Sqrt[2]*a^(3/4)*(c*d^2 + a*e^2)^2) + ((Sqrt[c]*d - 3*Sqrt[a]*e)*Log[
Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(16*Sqrt[2]*a^(5/4)*c^(
1/4)*(c*d^2 + a*e^2)) - (c^(1/4)*d*e*(Sqrt[c]*d + Sqrt[a]*e)*Log[Sqrt[a] +
Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^(3/4)*(c*d^2 + a*e^2
)^2) - ((Sqrt[c]*d - 3*Sqrt[a]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x +
Sqrt[c]*x^2])/(16*Sqrt[2]*a^(5/4)*c^(1/4)*(c*d^2 + a*e^2))
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
```


$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 1168

$Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] \ :> \ With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ NeQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[-(a*c)]$

Rule 1171

$Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (c_)*(x_)^4), x_Symbol] \ :> \ Int[ExpandIntegrand[(d + e*x^2)^q/(a + c*x^4), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ IntegerQ[q]$

Rule 1179

$Int[((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] \ :> \ -Simp[(x*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)), Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ LtQ[p, -1] \ \&\& \ IntegerQ[2*p]$

Rule 1316

$Int[((f_)*(x_)^(m_))*((a_) + (c_)*(x_)^4)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] \ :> \ Dist[f^2/(c*d^2 + a*e^2), Int[(f*x)^(m - 2)*(a*e + c*d*x^2)*(a + c*x^4)^p, x], x] - Dist[(d*e*f^2)/(c*d^2 + a*e^2), Int[((f*x)^(m - 2)*(a + c*x^4)^(p + 1))/(d + e*x^2), x], x] \ /; \ FreeQ[\{a, c, d, e, f\}, x] \ \&\& \ LtQ[p, -1] \ \&\& \ GtQ[m, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(d+ex^2)(a+cx^4)^2} dx &= \frac{\int \frac{ae+cdx^2}{(a+cx^4)^2} dx}{cd^2+ae^2} - \frac{(de) \int \frac{1}{(d+ex^2)(a+cx^4)} dx}{cd^2+ae^2} \\
&= \frac{x(ae+cdx^2)}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\int \frac{-3ae-cdx^2}{a+cx^4} dx}{4a(cd^2+ae^2)} - \frac{(de) \int \left(\frac{e^2}{(cd^2+ae^2)(d+ex^2)} + \frac{c(d-ex^2)}{(cd^2+ae^2)(a+cx^4)} \right) dx}{cd^2+ae^2} \\
&= \frac{x(ae+cdx^2)}{4a(cd^2+ae^2)(a+cx^4)} - \frac{(cde) \int \frac{d-ex^2}{a+cx^4} dx}{(cd^2+ae^2)^2} - \frac{(de^3) \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} - \frac{\left(d - \frac{3\sqrt{a}e}{\sqrt{c}}\right) \int \frac{\sqrt{a}\sqrt{c}}{a+cx^4} dx}{8a(cd^2+ae^2)} \\
&= \frac{x(ae+cdx^2)}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\sqrt{d}e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2+ae^2)^2} - \frac{\left(d\left(\frac{\sqrt{c}d}{\sqrt{a}} - e\right)e\right) \int \frac{\sqrt{a}\sqrt{c}+cx^2}{a+cx^4} dx}{2(cd^2+ae^2)^2} - \frac{\left(d - \frac{3\sqrt{a}e}{\sqrt{c}}\right) \int \frac{\sqrt{a}\sqrt{c}}{a+cx^4} dx}{16\sqrt{2}a^{5/4}(cd^2+ae^2)} \\
&= \frac{x(ae+cdx^2)}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\sqrt{d}e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2+ae^2)^2} - \frac{4\sqrt{c}\left(d + \frac{3\sqrt{a}e}{\sqrt{c}}\right) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{8\sqrt{2}a^{5/4}(cd^2+ae^2)} \\
&= \frac{x(ae+cdx^2)}{4a(cd^2+ae^2)(a+cx^4)} - \frac{\sqrt{d}e^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{(cd^2+ae^2)^2} + \frac{4\sqrt{c}de(\sqrt{c}d - \sqrt{a}e) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 428, normalized size = 0.62

$$\frac{\sqrt{2}(-3a^{3/2}e^3 + \sqrt{a}cd^2e + 5a\sqrt{c}de^2 + c^{3/2}d^3) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{a^{5/4}\sqrt[4]{c}} - \frac{\sqrt{2}(-3a^{3/2}e^3 + \sqrt{a}cd^2e + 5a\sqrt{c}de^2 + c^{3/2}d^3) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{a^{5/4}\sqrt[4]{c}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e*x^2)*(a + c*x^4)^2), x]

```
[Out] ((8*(c*d^2 + a*e^2)*(a*e*x + c*d*x^3))/(a*(a + c*x^4)) - 32*Sqrt[d]*e^(5/2)
*ArcTan[(Sqrt[e]*x)/Sqrt[d]] - (2*Sqrt[2]*(c^(3/2)*d^3 - Sqrt[a]*c*d^2*e +
5*a*Sqrt[c]*d*e^2 + 3*a^(3/2)*e^3)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])
/(a^(5/4)*c^(1/4)) + (2*Sqrt[2]*(c^(3/2)*d^3 - Sqrt[a]*c*d^2*e + 5*a*Sqrt[c]
]*d*e^2 + 3*a^(3/2)*e^3)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)]/(a^(5/4)*
c^(1/4)) + (Sqrt[2]*(c^(3/2)*d^3 + Sqrt[a]*c*d^2*e + 5*a*Sqrt[c]*d*e^2 - 3*
a^(3/2)*e^3)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(a^(5/
4)*c^(1/4)) - (Sqrt[2]*(c^(3/2)*d^3 + Sqrt[a]*c*d^2*e + 5*a*Sqrt[c]*d*e^2 -
3*a^(3/2)*e^3)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(a^(
5/4)*c^(1/4)))/(32*(c*d^2 + a*e^2)^2)
```

fricas [B] time = 20.92, size = 9774, normalized size = 14.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")
```

```
[Out] [1/16*(4*(c^2*d^3 + a*c*d*e^2)*x^3 + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e
^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*sqrt((2*c^2*d^5*e + 4
*a*c*d^3*e^3 - 30*a^2*d*e^5 + (a^2*c^4*d^8 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*
d^4*e^4 + 4*a^5*c*d^2*e^6 + a^6*e^8)*sqrt(-(c^6*d^12 + 18*a*c^5*d^10*e^2 +
143*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 799*a^4*c^2*d^4*e^8 - 558*a^5*c
*d^2*e^10 + 81*a^6*e^12))/(a^5*c^9*d^16 + 8*a^6*c^8*d^14*e^2 + 28*a^7*c^7*d^
12*e^4 + 56*a^8*c^6*d^10*e^6 + 70*a^9*c^5*d^8*e^8 + 56*a^10*c^4*d^6*e^10 +
28*a^11*c^3*d^4*e^12 + 8*a^12*c^2*d^2*e^14 + a^13*c*e^16)))/(a^2*c^4*d^8 +
4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4 + 4*a^5*c*d^2*e^6 + a^6*e^8))*log(-(c
^4*d^8 + 18*a*c^3*d^6*e^2 + 112*a^2*c^2*d^4*e^4 + 270*a^3*c*d^2*e^6 - 81*a^
4*e^8)*x + (a^2*c^4*d^8*e + 6*a^3*c^3*d^6*e^3 + 4*a^4*c^2*d^4*e^5 - 102*a^5
*c*d^2*e^7 + 27*a^6*e^9 - (a^4*c^6*d^11 + 9*a^5*c^5*d^9*e^2 + 26*a^6*c^4*d^
7*e^4 + 34*a^7*c^3*d^5*e^6 + 21*a^8*c^2*d^3*e^8 + 5*a^9*c*d*e^10)*sqrt(-(c^
6*d^12 + 18*a*c^5*d^10*e^2 + 143*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^6 + 79
9*a^4*c^2*d^4*e^8 - 558*a^5*c*d^2*e^10 + 81*a^6*e^12))/(a^5*c^9*d^16 + 8*a^6
*c^8*d^14*e^2 + 28*a^7*c^7*d^12*e^4 + 56*a^8*c^6*d^10*e^6 + 70*a^9*c^5*d^8*
e^8 + 56*a^10*c^4*d^6*e^10 + 28*a^11*c^3*d^4*e^12 + 8*a^12*c^2*d^2*e^14 + a
^13*c*e^16))*sqrt((2*c^2*d^5*e + 4*a*c*d^3*e^3 - 30*a^2*d*e^5 + (a^2*c^4*d
^8 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4 + 4*a^5*c*d^2*e^6 + a^6*e^8)*sqr
t(-(c^6*d^12 + 18*a*c^5*d^10*e^2 + 143*a^2*c^4*d^8*e^4 + 540*a^3*c^3*d^6*e^
6 + 799*a^4*c^2*d^4*e^8 - 558*a^5*c*d^2*e^10 + 81*a^6*e^12))/(a^5*c^9*d^16 +
8*a^6*c^8*d^14*e^2 + 28*a^7*c^7*d^12*e^4 + 56*a^8*c^6*d^10*e^6 + 70*a^9*c^
5*d^8*e^8 + 56*a^10*c^4*d^6*e^10 + 28*a^11*c^3*d^4*e^12 + 8*a^12*c^2*d^2*e^
14 + a^13*c*e^16)))/(a^2*c^4*d^8 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4 +
4*a^5*c*d^2*e^6 + a^6*e^8)) - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (
a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*sqrt((2*c^2*d^5*e + 4*a*c*d
^3*e^3 - 30*a^2*d*e^5 + (a^2*c^4*d^8 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^
```

$$\begin{aligned}
& 4 + 4a^5cd^2e^6 + a^6e^8) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) * \log(-(c^4d^8 + 18a^3d^6e^2 + 112a^2c^2d^4e^4 + 270a^3cd^2e^6 - 81a^4e^8) * x - (a^2c^4d^8e + 6a^3c^3d^6e^3 + 4a^4c^2d^4e^5 - 102a^5cd^2e^7 + 27a^6e^9 - (a^4c^6d^{11} + 9a^5c^5d^9e^2 + 26a^6c^4d^7e^4 + 34a^7c^3d^5e^6 + 21a^8c^2d^3e^8 + 5a^9cd^1e^{10}) * \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} * \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 + (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) * \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} * \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) * \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8))) + (a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (a^3cd^4 + 2a^2c^2d^2e^2 + a^3c^1e^4) * x^4) * \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) * \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8)) * \log(-(c^4d^8 + 18a^3d^6e^2 + 112a^2c^2d^4e^4 + 270a^3cd^2e^6 - 81a^4e^8) * x + (a^2c^4d^8e + 6a^3c^3d^6e^3 + 4a^4c^2d^4e^5 - 102a^5cd^2e^7 + 27a^6e^9 + (a^4c^6d^{11} + 9a^5c^5d^9e^2 + 26a^6c^4d^7e^4 + 34a^7c^3d^5e^6 + 21a^8c^2d^3e^8 + 5a^9cd^1e^{10}) * \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} * \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) * \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8))) / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8))
\end{aligned}$$

$$\begin{aligned}
& c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 + (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16})) / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) \\
& - (a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3c^2e^4) * x^4) \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 + (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16}))) / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8)) * \log(-(c^4d^8 + 18a^3c^3d^6e^2 + 112a^2c^2d^4e^4 + 270a^3cd^2e^6 - 81a^4e^8) * x - (a^2c^4d^8e + 6a^3c^3d^6e^3 + 4a^4c^2d^4e^5 - 102a^5cd^2e^7 + 27a^6e^9 - (a^4c^6d^{11} + 9a^5c^5d^9e^2 + 26a^6c^4d^7e^4 + 34a^7c^3d^5e^6 + 21a^8c^2d^3e^8 + 5a^9cd^2e^{10}) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16}))) \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 + (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16}))) / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8)) \\
& + (a^2c^2d^4 + 2a^3cd^2e^2 + a^4e^4 + (ac^3d^4 + 2a^2c^2d^2e^2 + a^3c^2e^4) * x^4) \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16}))) / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8)) * \log(-(c^4d^8 + 18a^3c^3d^6e^2 + 112a^2c^2d^4e^4 + 270a^3cd^2e^6 - 81a^4e^8) * x + (a^2c^4d^8e + 6a^3c^3d^6e^3 + 4a^4c^2d^4e^5 - 102a^5cd^2e^7 + 27a^6e^9 + (a^4c^6d^{11} + 9a^5c^5d^9e^2 + 26a^6c^4d^7e^4 + 34a^7c^3d^5e^6 + 21a^8c^2d^3e^8 + 5a^9cd^2e^{10}) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16}))) \sqrt{((2c^2d^5e + 4a^3cd^3e^3 - 30a^2d^5e^5 + (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8) \sqrt{-(c^6d^{12} + 18a^5c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5cd^2e^{10} + 81a^6e^{12})} / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^2e^{16}))) / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5cd^2e^6 + a^6e^8))
\end{aligned}$$

$$\begin{aligned}
& e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16})) * \sqrt{(2c^2d^5e + 4a^2c^3d^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5c^1d^2e^6 + a^6e^8)) * \sqrt{-(c^6d^{12} + 18a^2c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5c^1d^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5c^1d^2e^6 + a^6e^8)) - (a^2c^2d^4 + 2a^3c^1d^2e^2 + a^4e^4 + (a^2c^3d^4 + 2a^2c^2d^2e^2 + a^3c^1e^4) * x^4) * \sqrt{(2c^2d^5e + 4a^2c^3d^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5c^1d^2e^6 + a^6e^8)) * \sqrt{-(c^6d^{12} + 18a^2c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5c^1d^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5c^1d^2e^6 + a^6e^8)) * \log(-(c^4d^8 + 18a^2c^3d^6e^2 + 112a^2c^2d^4e^4 + 270a^3c^1d^2e^6 - 81a^4e^8) * x - (a^2c^4d^8e + 6a^3c^3d^6e^3 + 4a^4c^2d^4e^5 - 102a^5c^1d^2e^7 + 27a^6e^9 + (a^4c^6d^{11} + 9a^5c^5d^9e^2 + 26a^6c^4d^7e^4 + 34a^7c^3d^5e^6 + 21a^8c^2d^3e^8 + 5a^9c^1d^1e^{10})) * \sqrt{-(c^6d^{12} + 18a^2c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5c^1d^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} * \sqrt{(2c^2d^5e + 4a^2c^3d^3e^3 - 30a^2d^5e^5 - (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5c^1d^2e^6 + a^6e^8)) * \sqrt{-(c^6d^{12} + 18a^2c^5d^{10}e^2 + 143a^2c^4d^8e^4 + 540a^3c^3d^6e^6 + 799a^4c^2d^4e^8 - 558a^5c^1d^2e^{10} + 81a^6e^{12}) / (a^5c^9d^{16} + 8a^6c^8d^{14}e^2 + 28a^7c^7d^{12}e^4 + 56a^8c^6d^{10}e^6 + 70a^9c^5d^8e^8 + 56a^{10}c^4d^6e^{10} + 28a^{11}c^3d^4e^{12} + 8a^{12}c^2d^2e^{14} + a^{13}c^1e^{16}))} / (a^2c^4d^8 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4 + 4a^5c^1d^2e^6 + a^6e^8)) + 4 * (a^2c^2d^4 + 2a^3c^1d^2e^2 + a^4e^4 + (a^2c^3d^4 + 2a^2c^2d^2e^2 + a^3c^1e^4) * x^4)]
\end{aligned}$$

giac [A] time = 0.50, size = 603, normalized size = 0.88

$$\frac{\sqrt{d} \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\frac{5}{2}} \left((ac^3)^{\frac{1}{4}} ac^2d^2e - (ac^3)^{\frac{3}{4}} cd^3 - 3 (ac^3)^{\frac{1}{4}} a^2ce^3 - 5 (ac^3)^{\frac{3}{4}} ade^2 \right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{c^2d^4 + 2acd^2e^2 + a^2e^4} \cdot \frac{1}{8\left(\sqrt{2}a^2c^4d^4 + 2\sqrt{2}a^3c^3d^2e^2 + \sqrt{2}a^4c^2e^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out]
$$-\sqrt{d} \arctan\left(\frac{x\sqrt{e}}{\sqrt{d}}\right) e^{5/2} / (c^2 d^4 + 2 a c d^2 e^2 + a^2 e^4) - \frac{1}{8} \left((a c^3)^{1/4} a c^2 d^2 e - (a c^3)^{3/4} c d^3 - 3 (a c^3)^{1/4} a^2 c e^3 - 5 (a c^3)^{3/4} a d e^2 \right) \arctan\left(\frac{1}{2} \sqrt{2} (2 x + \sqrt{2}) \left(\frac{a}{c}\right)^{1/4}\right) / \left(\frac{a}{c}\right)^{1/4} / \left(\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4\right) - \frac{1}{8} \left((a c^3)^{1/4} a c^2 d^2 e - (a c^3)^{3/4} c d^3 - 3 (a c^3)^{1/4} a^2 c e^3 - 5 (a c^3)^{3/4} a d e^2 \right) \arctan\left(\frac{1}{2} \sqrt{2} (2 x - \sqrt{2}) \left(\frac{a}{c}\right)^{1/4}\right) / \left(\frac{a}{c}\right)^{1/4} / \left(\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4\right) - \frac{1}{16} \left((a c^3)^{1/4} a c^2 d^2 e + (a c^3)^{3/4} c d^3 - 3 (a c^3)^{1/4} a^2 c e^3 + 5 (a c^3)^{3/4} a d e^2 \right) \log\left(\frac{x^2 + \sqrt{2} x \left(\frac{a}{c}\right)^{1/4} + \sqrt{a/c}}{\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4}\right) + \frac{1}{16} \left((a c^3)^{1/4} a c^2 d^2 e + (a c^3)^{3/4} c d^3 - 3 (a c^3)^{1/4} a^2 c e^3 + 5 (a c^3)^{3/4} a d e^2 \right) \log\left(\frac{x^2 - \sqrt{2} x \left(\frac{a}{c}\right)^{1/4} + \sqrt{a/c}}{\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4}\right) + \frac{1}{4} (c d x^3 + a x e) / ((c x^4 + a) (a c d^2 + a^2 e^2))$$

maple [A] time = 0.02, size = 852, normalized size = 1.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(e*x^2+d)/(c*x^4+a)^2,x)

[Out]
$$\frac{1}{4} (a e^2 + c d^2)^{-2} / (c x^4 + a) c d x^3 e^2 + \frac{1}{4} (a e^2 + c d^2)^{-2} / (c x^4 + a) c^2 d^3 / a x^3 + \frac{1}{4} (a e^2 + c d^2)^{-2} / (c x^4 + a) x x e^3 a + \frac{1}{4} (a e^2 + c d^2)^{-2} / (c x^4 + a) x x e c d^2 + \frac{3}{16} (a e^2 + c d^2)^{-2} (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x - 1\right) e^3 - \frac{1}{16} (a e^2 + c d^2)^{-2} a (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x - 1\right) c d^2 e + \frac{3}{32} (a e^2 + c d^2)^{-2} (a/c)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}}{x^2 - (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}}\right) e^3 - \frac{1}{32} (a e^2 + c d^2)^{-2} a (a/c)^{1/4} 2^{1/2} \ln\left(\frac{x^2 + (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}}{x^2 - (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}}\right) c d^2 e + \frac{3}{16} (a e^2 + c d^2)^{-2} (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x + 1\right) e^3 - \frac{1}{16} (a e^2 + c d^2)^{-2} a (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x + 1\right) c d^2 e + \frac{5}{32} (a e^2 + c d^2)^{-2} (a/c)^{1/4} 2^{1/2} \ln\left(\frac{x^2 - (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}}{(x^2 + (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}) d e^2 + 1}\right) + \frac{1}{32} (a e^2 + c d^2)^{-2} a c / (a/c)^{1/4} 2^{1/2} \ln\left(\frac{x^2 - (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}}{(x^2 + (a/c)^{1/4} 2^{1/2} x + (a/c)^{1/2}) d^3 + 5}\right) + \frac{5}{16} (a e^2 + c d^2)^{-2} / (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x - 1\right) d e^2 + \frac{1}{16} (a e^2 + c d^2)^{-2} a c / (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x - 1\right) d^3 + \frac{5}{16} (a e^2 + c d^2)^{-2} / (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x + 1\right) d e^2 + \frac{1}{16} (a e^2 + c d^2)^{-2} a c / (a/c)^{1/4} 2^{1/2} \arctan\left(2^{1/2} / (a/c)^{1/4} x + 1\right) d^3 - d e^3 / (a e^2 + c d^2)^{-2} / (d e)^{1/2} \arctan\left(1 / (d e)^{1/2} e x\right)$$

maxima [A] time = 2.15, size = 472, normalized size = 0.69

$$\frac{de^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2d^4 + 2acd^2e^2 + a^2e^4)\sqrt{de}} + \frac{cdx^3 + aex}{4(a^2cd^2 + a^3e^2 + (ac^2d^2 + a^2ce^2)x^4)} + \frac{2\sqrt{2}\left(\sqrt{a}c^2d^3 - ac^{\frac{3}{2}}d^2e + 5a^{\frac{3}{2}}cde^2 + 3a^2\sqrt{c}e^3\right) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $-d^3e^3 \arctan(ex/\sqrt{de}) / ((c^2d^4 + 2ac^2d^2e^2 + a^2e^4)\sqrt{de}) + 1/4 * (cdx^3 + aex) / (a^2cd^2 + a^3e^2 + (ac^2d^2 + a^2ce^2)x^4) + 1/32 * (2\sqrt{2} * (\sqrt{a}c^2d^3 - ac^{3/2}d^2e + 5a^{3/2}cde^2 + 3a^2\sqrt{c}e^3) * \arctan(1/2\sqrt{2} * (\sqrt{c}x + \sqrt{2}a^{1/4}c^{1/4}) / \sqrt{\sqrt{a}\sqrt{c}})) / (\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}) + 2\sqrt{2} * (\sqrt{a}c^2d^3 - ac^{3/2}d^2e + 5a^{3/2}cde^2 + 3a^2\sqrt{c}e^3) * \arctan(1/2\sqrt{2} * (\sqrt{c}x - \sqrt{2}a^{1/4}c^{1/4}) / \sqrt{\sqrt{a}\sqrt{c}})) / (\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}) - \sqrt{2} * (\sqrt{a}c^2d^3 + ac^{3/2}d^2e + 5a^{3/2}cde^2 - 3a^2\sqrt{c}e^3) * \log(\sqrt{c}x^2 + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a}) / (a^{3/4}c^{3/4}) + \sqrt{2} * (\sqrt{a}c^2d^3 + ac^{3/2}d^2e + 5a^{3/2}cde^2 - 3a^2\sqrt{c}e^3) * \log(\sqrt{c}x^2 - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{a}) / (a^{3/4}c^{3/4}) / (a^2c^2d^4 + 2a^2c^2d^2e^2 + a^3e^4)$

mupad [B] time = 2.87, size = 17812, normalized size = 26.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] $((ex)/(4*(ae^2 + cd^2)) + (cdx^3)/(4*a*(ae^2 + cd^2)))/(a + c*x^4) + \operatorname{atan}(\frac{(((((53248*a^9*c^4*d^15 + 4096*a^3*c^10*d^13*e^3 + 73728*a^4*c^9*d^11*e^5 + 307200*a^5*c^8*d^9*e^7 + 573440*a^6*c^7*d^7*e^9 + 552960*a^7*c^6*d^5*e^11 + 270336*a^8*c^5*d^3*e^13)/(256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (x*(-(c^3*d^6*(-a^5*c)^{1/2}) - 9*a^3*e^6*(-a^5*c)^{1/2}) - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{1/2}) + 31*a^2*c*d^2*e^4*(-a^5*c)^{1/2})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{1/2} * (65536*a^11*c^4*e^17 - 65536*a^4*c^11*d^14*e^3 - 327680*a^5*c^10*d^12*e^5 - 589824*a^6*c^9*d^10*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^11 + 589824*a^9*c^6*d^4*e^13 + 327680*a^10*c^5*d^2*e^15 + 163840*a^11*c^4*d^2*e^17 + 163840*a^4*c^11*d^2*e^15 + 163840*a^5*c^10*d^2*e^13 + 163840*a^6*c^9*d^2*e^11 + 163840*a^7*c^8*d^2*e^9 + 163840*a^8*c^7*d^2*e^7 + 163840*a^9*c^6*d^2*e^5 + 163840*a^10*c^5*d^2*e^3 + 163840*a^11*c^4*d^2*e^1)}{(((((53248*a^9*c^4*d^15 + 4096*a^3*c^10*d^13*e^3 + 73728*a^4*c^9*d^11*e^5 + 307200*a^5*c^8*d^9*e^7 + 573440*a^6*c^7*d^7*e^9 + 552960*a^7*c^6*d^5*e^11 + 270336*a^8*c^5*d^3*e^13)/(256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (x*(-(c^3*d^6*(-a^5*c)^{1/2}) - 9*a^3*e^6*(-a^5*c)^{1/2}) - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{1/2}) + 31*a^2*c*d^2*e^4*(-a^5*c)^{1/2})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{1/2} * (65536*a^11*c^4*e^17 - 65536*a^4*c^11*d^14*e^3 - 327680*a^5*c^10*d^12*e^5 - 589824*a^6*c^9*d^10*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^11 + 589824*a^9*c^6*d^4*e^13 + 327680*a^10*c^5*d^2*e^15 + 163840*a^11*c^4*d^2*e^17 + 163840*a^4*c^11*d^2*e^15 + 163840*a^5*c^10*d^2*e^13 + 163840*a^6*c^9*d^2*e^11 + 163840*a^7*c^8*d^2*e^9 + 163840*a^8*c^7*d^2*e^7 + 163840*a^9*c^6*d^2*e^5 + 163840*a^10*c^5*d^2*e^3 + 163840*a^11*c^4*d^2*e^1)}$

$$\begin{aligned}
& \cdot 2e^{15}) / (128(a^6e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 + 4a^3c^3d^6e^2 \\
& + 6a^4c^2d^4e^4)) * (-c^3d^6(-a^5c)^{(1/2)} - 9a^3e^6(-a^5c)^{(1/2)} \\
& - 2a^3c^3d^5e - 4a^4c^2d^3e^3 + 30a^5c^2d^2e^5 + 9a^3c^2d^4e^2 * \\
& (-a^5c)^{(1/2)} + 31a^2c^2d^2e^4 * (-a^5c)^{(1/2)}) / (256(a^9c^2e^8 + a^5c^5 \\
& * d^8 + 4a^6c^4d^6e^2 + 6a^7c^3d^4e^4 + 4a^8c^2d^2e^6))^{(1/2)} + \\
& (x * (128a^2c^10d^13e^2 - 14208a^7c^4d^14e^14 + 768a^2c^9d^11e^4 + 39 \\
& 68a^3c^8d^9e^6 + 27136a^4c^7d^7e^8 + 30592a^5c^6d^5e^10 - 7424a^6 \\
& c^5d^3e^12)) / (128(a^6e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 + 4a^3c^3 \\
& d^6e^2 + 6a^4c^2d^4e^4)) * (-c^3d^6(-a^5c)^{(1/2)} - 9a^3e^6(-a^5 \\
& c)^{(1/2)} - 2a^3c^3d^5e - 4a^4c^2d^3e^3 + 30a^5c^2d^2e^5 + 9a^3c^2 \\
& d^4e^2 * (-a^5c)^{(1/2)} + 31a^2c^2d^2e^4 * (-a^5c)^{(1/2)}) / (256(a^9c^2e^8 \\
& + a^5c^5d^8 + 4a^6c^4d^6e^2 + 6a^7c^3d^4e^4 + 4a^8c^2d^2e^6)) \\
&)^{(1/2)} + (16c^9d^12e^2 + 208a^2c^8d^10e^4 + 672a^2c^7d^8e^6 + 928 \\
& a^3c^6d^6e^8 + 12880a^4c^5d^4e^10 + 12432a^5c^4d^2e^12) / (256(a^6 \\
& e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4)) \\
&) * (-c^3d^6(-a^5c)^{(1/2)} - 9a^3e^6(-a^5c)^{(1/2)} - 2a^3c^3d^5 \\
& e - 4a^4c^2d^3e^3 + 30a^5c^2d^2e^5 + 9a^3c^2d^4e^2 * (-a^5c)^{(1/2)} + \\
& 31a^2c^2d^2e^4 * (-a^5c)^{(1/2)}) / (256(a^9c^2e^8 + a^5c^5d^8 + 4a^6c^4 \\
& d^6e^2 + 6a^7c^3d^4e^4 + 4a^8c^2d^2e^6))^{(1/2)} - (x * (81a^4c^3e \\
& ^{13} + c^7d^8e^5 - 12a^2c^6d^6e^7 + 54a^2c^5d^4e^9 - 108a^3c^4d^2 \\
& * e^{11})) / (128(a^6e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 + 4a^3c^3d^6e^2 + \\
& 6a^4c^2d^4e^4)) * (-c^3d^6(-a^5c)^{(1/2)} - 9a^3e^6(-a^5c)^{(1/2)} \\
& - 2a^3c^3d^5e - 4a^4c^2d^3e^3 + 30a^5c^2d^2e^5 + 9a^3c^2d^4e^2 * (- \\
& a^5c)^{(1/2)} + 31a^2c^2d^2e^4 * (-a^5c)^{(1/2)}) / (256(a^9c^2e^8 + a^5c^5 \\
& d^8 + 4a^6c^4d^6e^2 + 6a^7c^3d^4e^4 + 4a^8c^2d^2e^6))^{(1/2)} * i \\
& - (((((53248a^9c^4d^15e^{15} + 4096a^3c^10d^13e^3 + 73728a^4c^9d^11e \\
& ^5 + 307200a^5c^8d^9e^7 + 573440a^6c^7d^7e^9 + 552960a^7c^6d^5e \\
& ^{11} + 270336a^8c^5d^3e^{13}) / (256(a^6e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 \\
& + 4a^3c^3d^6e^2 + 6a^4c^2d^4e^4)) + (x * (-c^3d^6(-a^5c)^{(1/2)} \\
& - 9a^3e^6(-a^5c)^{(1/2)} - 2a^3c^3d^5e - 4a^4c^2d^3e^3 + 30a^5c^2 \\
& d^2e^5 + 9a^3c^2d^4e^2 * (-a^5c)^{(1/2)} + 31a^2c^2d^2e^4 * (-a^5c)^{(1/2)}) / \\
& (256(a^9c^2e^8 + a^5c^5d^8 + 4a^6c^4d^6e^2 + 6a^7c^3d^4e^4 + 4a^8 \\
& c^2d^2e^6))^{(1/2)} * (65536a^{11}c^4e^{17} - 65536a^4c^{11}d^{14}e^3 - 32 \\
& 7680a^5c^{10}d^{12}e^5 - 589824a^6c^9d^{10}e^7 - 327680a^7c^8d^8e^9 + \\
& 327680a^8c^7d^6e^{11} + 589824a^9c^6d^4e^{13} + 327680a^{10}c^5d^2e^{15} \\
&)) / (128(a^6e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 + 4a^3c^3d^6e^2 + 6a^4 \\
& c^2d^4e^4)) * (-c^3d^6(-a^5c)^{(1/2)} - 9a^3e^6(-a^5c)^{(1/2)} - 2 \\
& a^3c^3d^5e - 4a^4c^2d^3e^3 + 30a^5c^2d^2e^5 + 9a^3c^2d^4e^2 * (-a^5 \\
& c)^{(1/2)} + 31a^2c^2d^2e^4 * (-a^5c)^{(1/2)}) / (256(a^9c^2e^8 + a^5c^5 \\
& d^8 + 4a^6c^4d^6e^2 + 6a^7c^3d^4e^4 + 4a^8c^2d^2e^6))^{(1/2)} - (x * (\\
& 128a^2c^10d^13e^2 - 14208a^7c^4d^14e^14 + 768a^2c^9d^11e^4 + 3968a^3 \\
& c^8d^9e^6 + 27136a^4c^7d^7e^8 + 30592a^5c^6d^5e^10 - 7424a^6c^5 \\
& d^3e^12)) / (128(a^6e^8 + a^2c^4d^8 + 4a^5c^2d^2e^6 + 4a^3c^3d^6 \\
& e^2 + 6a^4c^2d^4e^4)) * (-c^3d^6(-a^5c)^{(1/2)} - 9a^3e^6(-a^5c)^{(1/2)} \\
& - 2a^3c^3d^5e - 4a^4c^2d^3e^3 + 30a^5c^2d^2e^5 + 9a^3c^2d^4e^2 *
\end{aligned}$$

$$\begin{aligned}
& e^{2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}} / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} \\
& + (16*c^9*d^12*e^2 + 208*a*c^8*d^10*e^4 + 672*a^2*c^7*d^8*e^6 + 928*a^3*c^6*d^6*e^8 + 12880*a^4*c^5*d^4*e^10 + 12432*a^5*c^4*d^2*e^12) / (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) \\
&) * (-(c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} \\
& + (x*(81*a^4*c^3*e^13 + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^11)) / (128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) \\
&) * (-(c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} * i) / (((((53248*a^9*c^4*d*e^15 + 4096*a^3*c^10*d^13*e^3 + 73728*a^4*c^9*d^11*e^5 + 307200*a^5*c^8*d^9*e^7 + 573440*a^6*c^7*d^7*e^9 + 552960*a^7*c^6*d^5*e^11 + 270336*a^8*c^5*d^3*e^13) / (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (x*(-(c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} * (65536*a^11*c^4*e^17 - 65536*a^4*c^11*d^14*e^3 - 327680*a^5*c^10*d^12*e^5 - 589824*a^6*c^9*d^10*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^11 + 589824*a^9*c^6*d^4*e^13 + 327680*a^10*c^5*d^2*e^15)) / (128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) \\
&) * (-(c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} \\
& + (x*(128*a*c^10*d^13*e^2 - 14208*a^7*c^4*d*e^14 + 768*a^2*c^9*d^11*e^4 + 3968*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^10 - 7424*a^6*c^5*d^3*e^12)) / (128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) \\
&) * (-(c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} \\
& + (16*c^9*d^12*e^2 + 208*a*c^8*d^10*e^4 + 672*a^2*c^7*d^8*e^6 + 928*a^3*c^6*d^6*e^8 + 12880*a^4*c^5*d^4*e^10 + 12432*a^5*c^4*d^2*e^12) / (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) \\
&) * (-(c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} - 2*a^3*c^3*d^5*e - 4*a^4*c^2*d^3*e^3 + 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} - (x*(81*a^4*c^3*e^13 + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^11)) / (1
\end{aligned}$$

$$\begin{aligned}
& + 327680*a^{10}*c^5*d^2*e^{15})/(128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 \\
& + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)))*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3 \\
& *e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 \\
& + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a \\
& ^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2* \\
& d^2*e^6)))^{(1/2)} - (x*(128*a*c^{10}*d^{13}*e^2 - 14208*a^7*c^4*d*e^{14} + 768*a^2 \\
& *c^9*d^{11}*e^4 + 3968*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^{10} \\
& - 7424*a^6*c^5*d^3*e^{12}))/((128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 \\
& + 6*a^4*c^2*d^4*e^4)))*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} \\
& - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 \\
& + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) \\
& /((256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4* \\
& a^8*c^2*d^2*e^6)))^{(1/2)} + (16*c^9*d^{12}*e^2 + 208*a*c^8*d^{10}*e^4 + 672*a^2*c^7*d^8*e^6 \\
& + 928*a^3*c^6*d^6*e^8 + 12880*a^4*c^5*d^4*e^{10} + 12432*a^5*c^4*d^2*e^{12}))/((256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 \\
& + 6*a^4*c^2*d^4*e^4)))*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} \\
& + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} \\
& + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} + \\
& (x*(81*a^4*c^3*e^{13} + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - \\
& 108*a^3*c^4*d^2*e^{11}))/((128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 \\
& + 6*a^4*c^2*d^4*e^4)))*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} \\
& + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} \\
& + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)}*1i)/((((((53248*a^9*c^4*d*e^{15} + 4096*a^3*c^{10}*d^{13}*e^3 + 73728 \\
& *a^4*c^9*d^{11}*e^5 + 307200*a^5*c^8*d^9*e^7 + 573440*a^6*c^7*d^7*e^9 + 55296 \\
& 0*a^7*c^6*d^5*e^{11} + 270336*a^8*c^5*d^3*e^{13}))/((256*(a^6*e^8 + a^2*c^4*d^8 + \\
& 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (x*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3* \\
& e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3 \\
& *d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)}*(65536*a^{11}*c^4*e^{17} - 65536*a^4*c^{11} \\
& *d^{14}*e^3 - 327680*a^5*c^{10}*d^{12}*e^5 - 589824*a^6*c^9*d^{10}*e^7 - 327680*a^7 \\
& *c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^{11} + 589824*a^9*c^6*d^4*e^{13} + 327680*a \\
& ^{10}*c^5*d^2*e^{15}))/((128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3 \\
& *d^6*e^2 + 6*a^4*c^2*d^4*e^4)))*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5 \\
& *c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2* \\
& d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + \\
& a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))) \\
& ^{(1/2)} + (x*(128*a*c^{10}*d^{13}*e^2 - 14208*a^7*c^4*d*e^{14} + 768*a^2*c^9*d^{11} \\
& *e^4 + 3968*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^{10} \\
& - 7424*a^6*c^5*d^3*e^{12}))/((128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + \\
& 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)))*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6 \\
& ^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 +
\end{aligned}$$

$$\begin{aligned}
& 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} + (16*c^9*d^12*e^2 + 208*a*c^8*d^10*e^4 + 672*a^2*c^7*d^8*e^6 + 928*a^3*c^6*d^6*e^8 + 12880*a^4*c^5*d^4*e^10 + 12432*a^5*c^4*d^2*e^12)/ \\
& (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} - (x*(81*a^4*c^3*e^13 + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^11))/(128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} + (((((53248*a^9*c^4*d*e^15 + 4096*a^3*c^10*d^13*e^3 + 73728*a^4*c^9*d^11*e^5 + 307200*a^5*c^8*d^9*e^7 + 573440*a^6*c^7*d^7*e^9 + 552960*a^7*c^6*d^5*e^11 + 270336*a^8*c^5*d^3*e^13)/(256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) + (x*((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})))/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)}*(65536*a^11*c^4*e^17 - 65536*a^4*c^11*d^14*e^3 - 327680*a^5*c^10*d^12*e^5 - 589824*a^6*c^9*d^10*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^11 + 589824*a^9*c^6*d^4*e^13 + 327680*a^10*c^5*d^2*e^15))/(128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} - (x*(128*a*c^10*d^13*e^2 - 14208*a^7*c^4*d*e^14 + 768*a^2*c^9*d^11*e^4 + 3968*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^10 - 7424*a^6*c^5*d^3*e^12))/(128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} + (16*c^9*d^12*e^2 + 208*a*c^8*d^10*e^4 + 672*a^2*c^7*d^8*e^6 + 928*a^3*c^6*d^6*e^8 + 12880*a^4*c^5*d^4*e^10 + 12432*a^5*c^4*d^2*e^12)/(256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})/(256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6)))^{(1/2)} + (x*(81*a^4*c^3*e^13 + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^11))
\end{aligned}$$

$$\begin{aligned}
& /((128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)})) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} + (5*c^5*d^5*e^7 + 54*a*c^4*d^3*e^9 + 81*a^2*c^3*d*e^{11}) / (128*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) * ((c^3*d^6*(-a^5*c)^{(1/2)} - 9*a^3*e^6*(-a^5*c)^{(1/2)} + 2*a^3*c^3*d^5*e + 4*a^4*c^2*d^3*e^3 - 30*a^5*c*d*e^5 + 9*a*c^2*d^4*e^2*(-a^5*c)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^5*c)^{(1/2)}) / (256*(a^9*c*e^8 + a^5*c^5*d^8 + 4*a^6*c^4*d^6*e^2 + 6*a^7*c^3*d^4*e^4 + 4*a^8*c^2*d^2*e^6))^{(1/2)} * 2i - (\operatorname{atan}(((-d*e^5)^{(1/2)} * ((x*(81*a^4*c^3*e^{13} + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^{11})) / (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (((c^9*d^{12}*e^2)/16 + (13*a*c^8*d^{10}*e^4)/16 + (21*a^2*c^7*d^8*e^6)/8 + (29*a^3*c^6*d^6*e^8)/8 + (805*a^4*c^5*d^4*e^{10})/16 + (777*a^5*c^4*d^2*e^{12})/16) / (2*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) + (((-d*e^5)^{(1/2)} * ((208*a^9*c^4*d*e^{15} + 16*a^3*c^{10}*d^{13}*e^3 + 288*a^4*c^9*d^{11}*e^5 + 1200*a^5*c^8*d^9*e^7 + 2240*a^6*c^7*d^7*e^9 + 2160*a^7*c^6*d^5*e^{11} + 1056*a^8*c^5*d^3*e^{13}) / (2*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (x*(-d*e^5)^{(1/2)} * (65536*a^{11}*c^4*e^{17} - 65536*a^4*c^{11}*d^{14}*e^3 - 327680*a^5*c^{10}*d^{12}*e^5 - 589824*a^6*c^9*d^{10}*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^{11} + 589824*a^9*c^6*d^4*e^{13} + 327680*a^{10}*c^5*d^2*e^{15})) / (512*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2) * (a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))) / (2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) + (x*(128*a*c^{10}*d^{13}*e^2 - 14208*a^7*c^4*d*e^{14} + 768*a^2*c^9*d^{11}*e^4 + 3968*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^{10} - 7424*a^6*c^5*d^3*e^{12})) / (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) * (-d*e^5)^{(1/2)} / (2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) * 1i) / (a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2) + ((-d*e^5)^{(1/2)} * ((x*(81*a^4*c^3*e^{13} + c^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^{11})) / (256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) + (((c^9*d^{12}*e^2)/16 + (13*a*c^8*d^{10}*e^4)/16 + (21*a^2*c^7*d^8*e^6)/8 + (29*a^3*c^6*d^6*e^8)/8 + (805*a^4*c^5*d^4*e^{10})/16 + (777*a^5*c^4*d^2*e^{12})/16) / (2*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) + (((-d*e^5)^{(1/2)} * ((208*a^9*c^4*d*e^{15} + 16*a^3*c^{10}*d^{13}*e^3 + 288*a^4*c^9*d^{11}*e^5 + 1200*a^5*c^8*d^9*e^7 + 2240*a^6*c^7*d^7*e^9 + 2160*a^7*c^6*d^5*e^{11} + 1056*a^8*c^5*d^3*e^{13}) / (2*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) + (x*(-d*e^5)^{(1/2)} * (65536*a^{11}*c^4*e^{17} - 65536*a^4*c^{11}*d^{14}*e^3 - 327680*a^5*c^{10}*d^{12}*e^5 - 589824*a^6*c^9*d^{10}*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^{11} + 589824*a^9*c^6*d^4*e^{13} + 327680*a^{10}*c^5*d^2*e^{15})) / (512*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2) * (a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4))
\end{aligned}$$

$$\begin{aligned}
& 4))))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) - (x*(128*a*c^10*d^13*e^2 - \\
& 14208*a^7*c^4*d*e^14 + 768*a^2*c^9*d^11*e^4 + 3968*a^3*c^8*d^9*e^6 + 27136* \\
& a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^10 - 7424*a^6*c^5*d^3*e^12))/(256*(a^ \\
& 6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e \\
& ^4)))*(-d*e^5)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)))*(-d*e^5)^(1/ \\
& 2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)))*i)/(a^2*e^4 + c^2*d^4 + 2*a*c \\
& *d^2*e^2)/(((5*c^5*d^5*e^7)/128 + (27*a*c^4*d^3*e^9)/64 + (81*a^2*c^3*d*e^ \\
& 11)/128)/(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a \\
& ^4*c^2*d^4*e^4) - ((-d*e^5)^(1/2))*((x*(81*a^4*c^3*e^13 + c^7*d^8*e^5 - 12*a \\
& *c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^11))/(256*(a^6*e^8 + \\
& a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (\\
& ((c^9*d^12*e^2)/16 + (13*a*c^8*d^10*e^4)/16 + (21*a^2*c^7*d^8*e^6)/8 + (29 \\
& *a^3*c^6*d^6*e^8)/8 + (805*a^4*c^5*d^4*e^10)/16 + (777*a^5*c^4*d^2*e^12)/16 \\
&))/(2*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c \\
& ^2*d^4*e^4)) + ((((-d*e^5)^(1/2))*((208*a^9*c^4*d*e^15 + 16*a^3*c^10*d^13*e^ \\
& 3 + 288*a^4*c^9*d^11*e^5 + 1200*a^5*c^8*d^9*e^7 + 2240*a^6*c^7*d^7*e^9 + 21 \\
& 60*a^7*c^6*d^5*e^11 + 1056*a^8*c^5*d^3*e^13)/(2*(a^6*e^8 + a^2*c^4*d^8 + 4* \\
& a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) - (x*(-d*e^5)^(1/2) \\
& *(65536*a^11*c^4*e^17 - 65536*a^4*c^11*d^14*e^3 - 327680*a^5*c^10*d^12*e^5 \\
& - 589824*a^6*c^9*d^10*e^7 - 327680*a^7*c^8*d^8*e^9 + 327680*a^8*c^7*d^6*e^1 \\
& 1 + 589824*a^9*c^6*d^4*e^13 + 327680*a^10*c^5*d^2*e^15))/(512*(a^2*e^4 + c^ \\
& 2*d^4 + 2*a*c*d^2*e^2)*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3 \\
& *d^6*e^2 + 6*a^4*c^2*d^4*e^4)))/((2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)) + \\
& (x*(128*a*c^10*d^13*e^2 - 14208*a^7*c^4*d*e^14 + 768*a^2*c^9*d^11*e^4 + 396 \\
& 8*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*d^5*e^10 - 7424*a \\
& ^6*c^5*d^3*e^12))/(256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3 \\
& *d^6*e^2 + 6*a^4*c^2*d^4*e^4)))*(-d*e^5)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a \\
& *c*d^2*e^2)))*(-d*e^5)^(1/2))/(2*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)))/((a^ \\
& 2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2) + ((-d*e^5)^(1/2))*((x*(81*a^4*c^3*e^13 + c \\
& ^7*d^8*e^5 - 12*a*c^6*d^6*e^7 + 54*a^2*c^5*d^4*e^9 - 108*a^3*c^4*d^2*e^11)) \\
& /((256*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4* \\
& c^2*d^4*e^4)) + (((c^9*d^12*e^2)/16 + (13*a*c^8*d^10*e^4)/16 + (21*a^2*c^7 \\
& *d^8*e^6)/8 + (29*a^3*c^6*d^6*e^8)/8 + (805*a^4*c^5*d^4*e^10)/16 + (777*a^5 \\
& *c^4*d^2*e^12)/16)/(2*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3* \\
& d^6*e^2 + 6*a^4*c^2*d^4*e^4)) + ((((-d*e^5)^(1/2))*((208*a^9*c^4*d*e^15 + 16 \\
& *a^3*c^10*d^13*e^3 + 288*a^4*c^9*d^11*e^5 + 1200*a^5*c^8*d^9*e^7 + 2240*a^6 \\
& *c^7*d^7*e^9 + 2160*a^7*c^6*d^5*e^11 + 1056*a^8*c^5*d^3*e^13)/(2*(a^6*e^8 + \\
& a^2*c^4*d^8 + 4*a^5*c*d^2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)) + \\
& (x*(-d*e^5)^(1/2)*(65536*a^11*c^4*e^17 - 65536*a^4*c^11*d^14*e^3 - 327680*a \\
& ^5*c^10*d^12*e^5 - 589824*a^6*c^9*d^10*e^7 - 327680*a^7*c^8*d^8*e^9 + 32768 \\
& 0*a^8*c^7*d^6*e^11 + 589824*a^9*c^6*d^4*e^13 + 327680*a^10*c^5*d^2*e^15))/(\\
& 512*(a^2*e^4 + c^2*d^4 + 2*a*c*d^2*e^2)*(a^6*e^8 + a^2*c^4*d^8 + 4*a^5*c*d^ \\
& 2*e^6 + 4*a^3*c^3*d^6*e^2 + 6*a^4*c^2*d^4*e^4)))/((2*(a^2*e^4 + c^2*d^4 + 2 \\
& *a*c*d^2*e^2)) - (x*(128*a*c^10*d^13*e^2 - 14208*a^7*c^4*d*e^14 + 768*a^2*c \\
& ^9*d^11*e^4 + 3968*a^3*c^8*d^9*e^6 + 27136*a^4*c^7*d^7*e^8 + 30592*a^5*c^6*
\end{aligned}$$

$$\frac{d^5 e^{10} - 7424 a^6 c^5 d^3 e^{12}}{(256(a^6 e^8 + a^2 c^4 d^8 + 4 a^5 c d^2 e^6 + 4 a^3 c^3 d^6 e^2 + 6 a^4 c^2 d^4 e^4)) * (-d e^5)^{1/2}} \frac{(-d e^5)^{1/2}}{(2(a^2 e^4 + c^2 d^4 + 2 a c d^2 e^2)) * (-d e^5)^{1/2}} \frac{(-d e^5)^{1/2}}{(2(a^2 e^4 + c^2 d^4 + 2 a c d^2 e^2))} \frac{(-d e^5)^{1/2} i}{(a^2 e^4 + c^2 d^4 + 2 a c d^2 e^2)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$\frac{\sqrt{c}d + \sqrt{a}e \cdot \log[\sqrt{a} - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2]}{(4\sqrt{2}a^{3/4}(cd^2 + ae^2)^2) - (c^{1/4}(3\sqrt{c}d + \sqrt{a}e) \cdot \log[\sqrt{a} - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2])}{(16\sqrt{2}a^{7/4}(cd^2 + ae^2))} + \frac{(c^{1/4}e^2(\sqrt{c}d + \sqrt{a}e) \cdot \log[\sqrt{a} + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2])}{(4\sqrt{2}a^{3/4}(cd^2 + ae^2)^2)} + \frac{(c^{1/4}(3\sqrt{c}d + \sqrt{a}e) \cdot \log[\sqrt{a} + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2])}{(16\sqrt{2}a^{7/4}(cd^2 + ae^2))}$$
Rule 204

$$\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$
Rule 205

$$\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$$
Rule 617

$$\text{Int}[(a_ + (b_ \cdot x) + (c_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4\text{Simplify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c]) /; \text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$$
Rule 628

$$\text{Int}[(d_ + (e_ \cdot x))/(a_ + (b_ \cdot x) + (c_ \cdot x)^2), x_Symbol] \rightarrow \text{Simp}[(d \cdot \log[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$$
Rule 1162

$$\text{Int}[(d_ + (e_ \cdot x)^2)/(a_ + (c_ \cdot x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{PosQ}[d \cdot e]$$
Rule 1165

$$\text{Int}[(d_ + (e_ \cdot x)^2)/(a_ + (c_ \cdot x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q - 2 \cdot x)/\text{Simp}[d/e + q \cdot x - x^2, x], x], x] + \text{Dist}[e/(2 \cdot c \cdot q), \text{Int}[(q + 2 \cdot x)/\text{Simp}[d/e - q \cdot x - x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{NegQ}[d \cdot e]$$

Rule 1168

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + D
ist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a,
c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*
c)]
```

Rule 1179

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[(x
*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)),
Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] /;
FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2
*p]
```

Rule 1239

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] := Int
[ExpandIntegrand[(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; FreeQ[{a, c, d, e,
p, q}, x] && ((IntegerQ[p] && IntegerQ[q]) || IGtQ[p, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)(a+cx^4)^2} dx &= \int \left(\frac{e^4}{(cd^2+ae^2)^2(d+ex^2)} + \frac{c(d-ex^2)}{(cd^2+ae^2)(a+cx^4)^2} - \frac{ce^2(-d+ex^2)}{(cd^2+ae^2)^2(a+cx^4)} \right) dx \\
&= -\frac{(ce^2) \int \frac{-d+ex^2}{a+cx^4} dx}{(cd^2+ae^2)^2} + \frac{e^4 \int \frac{1}{d+ex^2} dx}{(cd^2+ae^2)^2} + \frac{c \int \frac{d-ex^2}{(a+cx^4)^2} dx}{cd^2+ae^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} + \frac{\left(\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)e^2\right) \int \frac{\sqrt{a}\sqrt{c+cx^2}}{a+cx^4} dx}{2(cd^2+ae^2)^2} + \frac{e^2}{(cd^2+ae^2)^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} + \frac{\left(\left(\frac{\sqrt{c}d}{\sqrt{a}}-e\right)e^2\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} + x^2} dx}{4(cd^2+ae^2)^2} + \frac{e^2}{(cd^2+ae^2)^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}e^2(\sqrt{c}d+\sqrt{a}e) \log(\sqrt{a}-\sqrt{2}\sqrt[4]{c}x)}{4\sqrt{2}a^{3/4}(cd^2+ae^2)^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}e^2(\sqrt{c}d-\sqrt{a}e) \tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)^2} \\
&= \frac{cx(d-ex^2)}{4a(cd^2+ae^2)(a+cx^4)} + \frac{e^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{\sqrt{d}(cd^2+ae^2)^2} - \frac{\sqrt[4]{c}e^2(\sqrt{c}d-\sqrt{a}e) \tan^{-1}\left(1-\frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt{a}}\right)}{2\sqrt{2}a^{3/4}(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 429, normalized size = 0.62

$$\frac{\sqrt{2}\sqrt[4]{c}(5a^{3/2}e^3+\sqrt{a}cd^2e+7a\sqrt{c}de^2+3c^{3/2}d^3)\log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{7/4}} + \frac{\sqrt{2}\sqrt[4]{c}(5a^{3/2}e^3+\sqrt{a}cd^2e+7a\sqrt{c}de^2+3c^{3/2}d^3)\log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x+\sqrt{a}+\sqrt{c}x^2)}{a^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + c*x^4)^2), x]

[Out] ((8*c*(c*d^2 + a*e^2)*x*(d - e*x^2))/(a*(a + c*x^4)) + (32*e^(7/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/Sqrt[d] + (2*Sqrt[2]*c^(1/4)*(-3*c^(3/2)*d^3 + Sqrt[a]

$$\begin{aligned} & *c*d^2*e - 7*a*\text{Sqrt}[c]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x \\ &)/a^{(1/4)})]/a^{(7/4)} - (2*\text{Sqrt}[2]*c^{(1/4)}*(-3*c^{(3/2)}*d^3 + \text{Sqrt}[a]*c*d^2*e \\ & - 7*a*\text{Sqrt}[c]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)} \\ &])/a^{(7/4)} - (\text{Sqrt}[2]*c^{(1/4)}*(3*c^{(3/2)}*d^3 + \text{Sqrt}[a]*c*d^2*e + 7*a*\text{Sqrt}[c] \\ &]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]* \\ & x^2])/a^{(7/4)} + (\text{Sqrt}[2]*c^{(1/4)}*(3*c^{(3/2)}*d^3 + \text{Sqrt}[a]*c*d^2*e + 7*a*\text{Sqr} \\ & \text{t}[c]*d*e^2 + 5*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[\\ & c]*x^2])/a^{(7/4)})/(32*(c*d^2 + a*e^2)^2) \end{aligned}$$

fricas [B] time = 40.14, size = 9892, normalized size = 14.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/16*(4*(c^2*d^2*e + a*c*e^3)*x^3 + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4* \\ & e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\text{sqrt}((6*c^3*d^5*e + \\ & 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^ \\ & 5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d \\ & ^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 \\ & - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12))/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e \\ & ^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56* \\ & a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))/ \\ & (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a \\ & ^7*e^8))*\text{log}(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750* \\ & a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x + (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 \\ & + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 + (a^6*c^5*d^ \\ & 10*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^1 \\ & 0*c*d^2*e^9 + 5*a^11*e^11)*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a \\ & ^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2* \\ & d^2*e^10 + 625*a^6*c*e^12))/(a^7*c^8*d^16 + 8*a^8*c^7*d^14*e^2 + 28*a^9*c^6* \\ & d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 + 56*a^12*c^3*d^6*e^1 \\ & 0 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^16)))*\text{sqrt}((6*c^3*d^5 \\ & *e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + \\ & 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\text{sqrt}(-(81*c^7*d^12 + 738*a* \\ & c^6*d^10*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^ \\ & 4*e^8 - 1950*a^5*c^2*d^2*e^10 + 625*a^6*c*e^12))/(a^7*c^8*d^16 + 8*a^8*c^7*d \\ & ^14*e^2 + 28*a^9*c^6*d^12*e^4 + 56*a^10*c^5*d^10*e^6 + 70*a^11*c^4*d^8*e^8 \\ & + 56*a^12*c^3*d^6*e^10 + 28*a^13*c^2*d^4*e^12 + 8*a^14*c*d^2*e^14 + a^15*e^ \\ & 16)))/(a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^ \\ & 6 + a^7*e^8))) - (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2* \\ & a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\text{sqrt}((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70 \\ & *a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6 \\ & *c*d^2*e^6 + a^7*e^8)*\text{sqrt}(-(81*c^7*d^12 + 738*a*c^6*d^10*e^2 + 2383*a^2*c^ \end{aligned}$$

$$\begin{aligned}
& 5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12}) / (a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16})) / (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)) * \log(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x - (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 + (a^6*c^5*d^{10}*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^{10}*c*d^2*e^9 + 5*a^{11}*e^{11})*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12}) / (a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16})))*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 + (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12}) / (a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))} / (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))) + (a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12}) / (a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))} / (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)) * \log(-(81*c^5*d^8 + 594*a*c^4*d^6*e^2 + 1376*a^2*c^3*d^4*e^4 + 750*a^3*c^2*d^2*e^6 - 625*a^4*c*e^8)*x + (27*a^2*c^5*d^9 + 186*a^3*c^4*d^7*e^2 + 404*a^4*c^3*d^5*e^4 + 198*a^5*c^2*d^3*e^6 - 175*a^6*c*d*e^8 - (a^6*c^5*d^{10}*e + 9*a^7*c^4*d^8*e^3 + 26*a^8*c^3*d^6*e^5 + 34*a^9*c^2*d^4*e^7 + 21*a^{10}*c*d^2*e^9 + 5*a^{11}*e^{11})*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12}) / (a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16})))*\sqrt{((6*c^3*d^5*e + 44*a*c^2*d^3*e^3 + 70*a^2*c*d*e^5 - (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8)*\sqrt{-(81*c^7*d^{12} + 738*a*c^6*d^{10}*e^2 + 2383*a^2*c^5*d^8*e^4 + 2748*a^3*c^4*d^6*e^6 - 529*a^4*c^3*d^4*e^8 - 1950*a^5*c^2*d^2*e^{10} + 625*a^6*c*e^{12}) / (a^7*c^8*d^{16} + 8*a^8*c^7*d^{14}*e^2 + 28*a^9*c^6*d^{12}*e^4 + 56*a^{10}*c^5*d^{10}*e^6 + 70*a^{11}*c^4*d^8*e^8 + 56*a^{12}*c^3*d^6*e^{10} + 28*a^{13}*c^2*d^4*e^{12} + 8*a^{14}*c*d^2*e^{14} + a^{15}*e^{16}))} / (a^3*c^4*d^8 + 4*a^4*c^3*d^6*e^2 + 6*a^5*c^2*d^4*e^4 + 4*a^6*c*d^2*e^6 + a^7*e^8))
\end{aligned}$$

$$\begin{aligned}
&^4 + 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28 \\
&a^{13}c^2d^4e^{12} + 8a^{14}c^1d^2e^{14} + a^{15}e^{16}))\sqrt{(6c^3d^5e + 4 \\
&4a^2c^2d^3e^3 + 70a^2c^1d^1e^5 + (a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5 \\
&c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))\sqrt{-(81c^7d^{12} + 738a^6c^6d^{10}e^2 \\
&+ 2383a^2c^5d^8e^4 + 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} \\
&- 625a^6c^1e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 \\
&+ 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} \\
&+ 8a^{14}c^1d^2e^{14} + a^{15}e^{16})))/ \\
&(a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))) - (a^2c^2d^4 \\
&+ 2a^3c^1d^2e^2 + a^4e^4 + (a^3c^3d^4 + 2a^2c^2 \\
&d^2e^2 + a^3c^1e^4)*x^4)\sqrt{(6c^3d^5e + 44a^2c^2d^3e^3 + 70a^2c^1d^1e^5 \\
&+ (a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))\sqrt{-(81c^7d^{12} \\
&+ 738a^6c^6d^{10}e^2 + 2383a^2c^5d^8e^4 + 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} \\
&+ 625a^6c^1e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + 56a^{10}c^5d^{10}e^6 \\
&+ 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}c^1d^2e^{14} + a^{15}e^{16})))/ \\
&(a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))*\log(-(81c^5d^8 + \\
&594a^4c^4d^6e^2 + 1376a^2c^3d^4e^4 + 750a^3c^2d^2e^6 - 625a^4c^1e^8)*x - (27a^2c^5d^9 \\
&+ 186a^3c^4d^7e^2 + 404a^4c^3d^5e^4 + 198 \\
&a^5c^2d^3e^6 - 175a^6c^1d^1e^8 + (a^6c^5d^{10}e + 9a^7c^4d^8e^3 + \\
&26a^8c^3d^6e^5 + 34a^9c^2d^4e^7 + 21a^{10}c^1d^2e^9 + 5a^{11}e^{11})* \\
&\sqrt{-(81c^7d^{12} + 738a^6c^6d^{10}e^2 + 2383a^2c^5d^8e^4 + 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} \\
&+ 625a^6c^1e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 + 56a^{10}c^5d^{10}e^6 \\
&+ 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}c^1d^2e^{14} + a^{15}e^{16}))\sqrt{(6c^3d^5e + 44a^2c^2d^3e^3 + 70a^2c^1d^1e^5 \\
&+ (a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))\sqrt{-(81c^7d^{12} + 738a^6c^6d^{10}e^2 + 2383a^2c^5d^8e^4 \\
&+ 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} + 625a^6c^1e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 \\
&+ 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}c^1d^2e^{14} + a^{15}e^{16})))/ \\
&(a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))) + (a^2c^2d^4 \\
&+ 2a^3c^1d^2e^2 + a^4e^4 + (a^3c^3d^4 + 2a^2c^2d^2e^2 + a^3c^1e^4) \\
&)*x^4)\sqrt{(6c^3d^5e + 44a^2c^2d^3e^3 + 70a^2c^1d^1e^5 - (a^3c^4d^8 \\
&+ 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))\sqrt{-(81c^7d^{12} + 738a^6c^6d^{10}e^2 + 2383a^2c^5d^8e^4 \\
&+ 2748a^3c^4d^6e^6 - 529a^4c^3d^4e^8 - 1950a^5c^2d^2e^{10} + 625a^6c^1e^{12})/(a^7c^8d^{16} + 8a^8c^7d^{14}e^2 + 28a^9c^6d^{12}e^4 \\
&+ 56a^{10}c^5d^{10}e^6 + 70a^{11}c^4d^8e^8 + 56a^{12}c^3d^6e^{10} + 28a^{13}c^2d^4e^{12} + 8a^{14}c^1d^2e^{14} + a^{15}e^{16})))/ \\
&(a^3c^4d^8 + 4a^4c^3d^6e^2 + 6a^5c^2d^4e^4 + 4a^6c^1d^2e^6 + a^7e^8))*\log(-(81c^5d^8 + 594a^4c^4d^6e^2 + \\
&1376a^2c^3d^4e^4 + 750a^3c^2d^2e^6 - 625a^4c^1e^8)*x + (27a^2c^5d^9 + 186a^3c^4d^7e^2 + 404a^4c^3d^5e^4 + 198a^5c^2d^3e^6 - 17
\end{aligned}$$

giac [A] time = 0.47, size = 603, normalized size = 0.88

$$\frac{\left(3 \left(ac^3\right)^{\frac{1}{4}} c^3 d^3 + 7 \left(ac^3\right)^{\frac{1}{4}} ac^2 de^2 - \left(ac^3\right)^{\frac{3}{4}} cd^2 e - 5 \left(ac^3\right)^{\frac{3}{4}} ae^3\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{8\left(\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4\right)} + \frac{\left(3 \left(ac^3\right)^{\frac{1}{4}} c^3 d^3 + 7 \left(ac^3\right)^{\frac{1}{4}} ac^2 de^2 - \left(ac^3\right)^{\frac{3}{4}} cd^2 e - 5 \left(ac^3\right)^{\frac{3}{4}} ae^3\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{8\left(\sqrt{2} a^2 c^4 d^4 + 2 \sqrt{2} a^3 c^3 d^2 e^2 + \sqrt{2} a^4 c^2 e^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out] $\frac{1}{8} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 - (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e - 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot x + \sqrt{2} \cdot (a/c)^{\frac{1}{4}}) / (a/c)^{\frac{1}{4}}\right) / (a/c)^{\frac{1}{4}} / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) + \frac{1}{8} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 - (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e - 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2 \cdot x - \sqrt{2} \cdot (a/c)^{\frac{1}{4}}) / (a/c)^{\frac{1}{4}}\right) / (a/c)^{\frac{1}{4}} / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) + \frac{1}{16} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 + (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e + 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \log(x^2 + \sqrt{2} \cdot x \cdot (a/c)^{\frac{1}{4}} + \sqrt{a/c}) / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) - \frac{1}{16} \cdot (3 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot c^3 \cdot d^3 + 7 \cdot (a \cdot c^3)^{\frac{1}{4}} \cdot a \cdot c^2 \cdot d \cdot e^2 + (a \cdot c^3)^{\frac{3}{4}} \cdot c \cdot d^2 \cdot e + 5 \cdot (a \cdot c^3)^{\frac{3}{4}} \cdot a \cdot e^3) \cdot \log(x^2 - \sqrt{2} \cdot x \cdot (a/c)^{\frac{1}{4}} + \sqrt{a/c}) / (\sqrt{2} \cdot a^2 \cdot c^4 \cdot d^4 + 2 \cdot \sqrt{2} \cdot a^3 \cdot c^3 \cdot d^2 \cdot e^2 + \sqrt{2} \cdot a^4 \cdot c^2 \cdot e^4) + \arctan(x \cdot e^{\frac{1}{2}} / \sqrt{d}) \cdot e^{\frac{7}{2}} / ((c^2 \cdot d^4 + 2 \cdot a \cdot c \cdot d^2 \cdot e^2 + a^2 \cdot e^4) \cdot \sqrt{d}) - \frac{1}{4} \cdot (c \cdot x^3 \cdot e - c \cdot d \cdot x) / ((c \cdot x^4 + a) \cdot (a \cdot c \cdot d^2 + a^2 \cdot e^2))$

maple [A] time = 0.02, size = 873, normalized size = 1.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+a)^2,x)

[Out] $-\frac{1}{4} \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / (c \cdot x^4 + a) \cdot e^3 \cdot x^3 - \frac{1}{4} \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / (c \cdot x^4 + a) \cdot e / a \cdot x^3 \cdot d^2 + \frac{1}{4} \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / (c \cdot x^4 + a) \cdot d \cdot x \cdot e^2 + \frac{1}{4} \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / (c \cdot x^4 + a) \cdot d^3 / a \cdot x + \frac{7}{16} \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x - 1) \cdot d \cdot e^2 + \frac{3}{16} \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2 \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x - 1) \cdot d^3 + \frac{7}{32} \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \ln((x^2 + (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}}) / (x^2 - (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}})) \cdot d \cdot e^2 + \frac{3}{32} \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2 \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \ln((x^2 + (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}}) / (x^2 - (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot x + (a/c)^{\frac{1}{2}})) \cdot d^3 + \frac{7}{16} \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x + 1) \cdot d \cdot e^2 + \frac{3}{16} \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2 \cdot (a/c)^{\frac{1}{4}} \cdot 2^{\frac{1}{2}} \cdot \arctan(2^{\frac{1}{2}} / (a/c)^{\frac{1}{4}} \cdot x + 1) \cdot d^3$

$(1/2)/(a/c)^{(1/4)*x+1}*d^3-5/32/(a*e^2+c*d^2)^2/(a/c)^{(1/4)*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)*2^{(1/2)}*x+(a/c)^{(1/2)}))})*e^3-1/32*c/(a*e^2+c*d^2)^2/a/(a/c)^{(1/4)*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)*2^{(1/2)}*x+(a/c)^{(1/2)}))})*d^2*e-5/16/(a*e^2+c*d^2)^2/(a/c)^{(1/4)*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)*x-1})*e^3-1/16*c/(a*e^2+c*d^2)^2/a/(a/c)^{(1/4)*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)*x-1})*d^2*e-5/16/(a*e^2+c*d^2)^2/(a/c)^{(1/4)*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)*x+1})*e^3-1/16*c/(a*e^2+c*d^2)^2/a/(a/c)^{(1/4)*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)*x+1})*d^2*e+e^4/(a*e^2+c*d^2)^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)$

maxima [A] time = 2.06, size = 506, normalized size = 0.73

$$\frac{e^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2d^4 + 2acd^2e^2 + a^2e^4)\sqrt{de}} + \frac{c \left(\frac{2\sqrt{2}\left(3c^{\frac{3}{2}}d^3 - \sqrt{a}cd^2e + 7a\sqrt{c}de^2 - 5a^{\frac{3}{2}}e^3\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} \right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} + \frac{2\sqrt{2}\left(3c^{\frac{3}{2}}d^3 - \sqrt{a}cd^2e + 7a\sqrt{c}de^2 - 5a^{\frac{3}{2}}e^3\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out] $e^4*\arctan(e*x/\sqrt{d*e})/((c^2*d^4 + 2*a*c*d^2*e^2 + a^2*e^4)*\sqrt{d*e}) + 1/32*c*(2*\sqrt{2}*(3*c^{(3/2)}*d^3 - \sqrt{a}*c*d^2*e + 7*a*\sqrt{c}*d*e^2 - 5*a^{(3/2)}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x + \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c})) + 2*\sqrt{2}*(3*c^{(3/2)}*d^3 - \sqrt{a}*c*d^2*e + 7*a*\sqrt{c}*d*e^2 - 5*a^{(3/2)}*e^3)*\arctan(1/2*\sqrt{2}*(2*\sqrt{c}*x - \sqrt{2}*a^{(1/4)}*c^{(1/4)})/\sqrt{\sqrt{a}*\sqrt{c}})/(\sqrt{a}*\sqrt{\sqrt{a}*\sqrt{c}}*\sqrt{c}) + \sqrt{2}*(3*c^{(3/2)}*d^3 + \sqrt{a}*c*d^2*e + 7*a*\sqrt{c}*d*e^2 + 5*a^{(3/2)}*e^3)*\log(\sqrt{c}*x^2 + \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)}) - \sqrt{2}*(3*c^{(3/2)}*d^3 + \sqrt{a}*c*d^2*e + 7*a*\sqrt{c}*d*e^2 + 5*a^{(3/2)}*e^3)*\log(\sqrt{c}*x^2 - \sqrt{2}*a^{(1/4)}*c^{(1/4)}*x + \sqrt{a})/(a^{(3/4)}*c^{(3/4)})/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4) - 1/4*((c^2*d^2*e + a*c*e^3)*x^3 - (c^2*d^3 + a*c*d*e^2)*x)/(a^2*c^2*d^4 + 2*a^3*c*d^2*e^2 + a^4*e^4 + (a*c^3*d^4 + 2*a^2*c^2*d^2*e^2 + a^3*c*e^4)*x^4)$

mupad [B] time = 2.73, size = 17945, normalized size = 26.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^4)^2*(d + e*x^2)),x)

[Out] ((c*d*x)/(4*a*(a*e^2 + c*d^2)) - (c*e*x^3)/(4*a*(a*e^2 + c*d^2)))/(a + c*x^4) - atan((((((((65536*a^11*c^4*e^16 - 12288*a^4*c^11*d^14*e^2 - 57344*a^5*c^10*d^12*e^4 - 36864*a^6*c^9*d^10*e^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^10 + 663552*a^9*c^6*d^4*e^12 + 331776*a^10*c^5*d^2*e^14)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2)*(65536*a^13*c^4*e^17 - 65536*a^6*c^11*d^14*e^3 - 327680*a^7*c^10*d^12*e^5 - 589824*a^8*c^9*d^10*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^10*c^7*d^6*e^11 + 589824*a^11*c^6*d^4*e^13 + 327680*a^12*c^5*d^2*e^15))/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2) - (x*(1152*a^2*c^11*d^13*e^2 - 49024*a^8*c^5*d*e^14 + 7936*a^3*c^10*d^11*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^10 - 110848*a^7*c^6*d^3*e^12))/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2) - (720*a*c^10*d^11*e^3 + 20432*a^6*c^5*d*e^13 + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^11)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2) - (x*(1425*a^4*c^5*e^13 + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^11))/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c*d^2*e^4*(-a^7*c)^(1/2)))/(256*(a^11*e^8 + a^7*c^4*d^8 + 4*a^10*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4)))^(1/2)*i - (((((65536*a^11*c^4*e^16 - 12288*a^4*c^11*d^14*e^2 - 57344*a^5*c^10*d^12*e^4 - 36864*a^6*c^9*d^10*e^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^10 + 663552*a^9*c^6*d^4*e^12 + 331776*a^10*c^5*d^2*e^14)/(256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) + (x*((9*c^3*d^6*(-a^7*c)^(1/2) - 25*a^3*e^6*(-a^7*c)^(1/2) + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^(1/2) + 39*a^2*c

$$\begin{aligned}
& d^2e^4(-a^7c)^{(1/2)})/(256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + \\
& 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)}*(65536a^{13}c^4e^{17} - 65536 \\
& a^6c^{11}d^{14}e^3 - 327680a^7c^{10}d^{12}e^5 - 589824a^8c^9d^{10}e^7 - 3 \\
& 27680a^9c^8d^8e^9 + 327680a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} \\
& + 327680a^{12}c^5d^2e^{15}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 \\
& + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((9c^3d^6(-a^7c)^{(1/2)} - 25 \\
& a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d \\
& e^5 + 41a^2c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^2d^2e^4(-a^7c)^{(1/2)}))/ \\
& (256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2 \\
& d^4e^4))^{(1/2)} + (x*(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5d^2e^{14} + \\
& 7936a^3c^{10}d^{11}e^4 + 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 666 \\
& 88a^6c^7d^5e^{10} - 110848a^7c^6d^3e^{12}))/((128*(a^8e^8 + a^4c^4d^8 \\
& + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((9c^3d^6(- \\
& -a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^ \\
& 3e^3 + 70a^6c^2d^2e^5 + 41a^2c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^2d^2e^4 \\
& *(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3 \\
& d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)} - (720a^2c^{10}d^{11}e^3 + 20432a^6c^ \\
& ^5d^2e^{13} + 4880a^2c^9d^9e^5 + 12320a^3c^8d^7e^7 + 21024a^4c^7d^ \\
& 5e^9 + 33296a^5c^6d^3e^{11}))/((256*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^ \\
& ^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((9c^3d^6(-a^7c)^{(1/2)} - \\
& 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2 \\
& d^2e^5 + 41a^2c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^2d^2e^4(-a^7c)^{(1/2)})) \\
& /((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2 \\
& d^4e^4))^{(1/2)} + (x*(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612a^2c^8 \\
& d^6e^7 + 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}))/((128*(a^8e^8 + a \\
& ^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((9 \\
& c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^ \\
& a^5c^2d^3e^3 + 70a^6c^2d^2e^5 + 41a^2c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2 \\
& c^2d^2e^4(-a^7c)^{(1/2)}))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 \\
& + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4))^{(1/2)}*i)/((125a^2c^5e^{12} + 8 \\
& 1c^7d^4e^8 + 270a^2c^6d^2e^{10}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^ \\
& ^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) + (((((65536a^{11}c^4e^{16} \\
& - 12288a^4c^{11}d^{14}e^2 - 57344a^5c^{10}d^{12}e^4 - 36864a^6c^9d^{10}e^ \\
& ^6 + 245760a^7c^8d^8e^8 + 634880a^8c^7d^6e^{10} + 663552a^9c^6d^4e^{12} \\
& + 331776a^{10}c^5d^2e^{14}))/((256*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^ \\
& ^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) - (x*((9c^3d^6(-a^7c)^{(1/2)} \\
& - 25a^3e^6(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^ \\
& e^5 + 41a^2c^2d^4e^2(-a^7c)^{(1/2)} + 39a^2c^2d^2e^4(-a^7c)^{(1/2)}))/ \\
& (256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2 \\
& d^4e^4))^{(1/2)}*(65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 \\
& - 327680a^7c^{10}d^{12}e^5 - 589824a^8c^9d^{10}e^7 - 327680a^9c^8d^8e^ \\
& ^9 + 327680a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} + 327680a^{12}c^5 \\
& d^2e^{15}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^ \\
& ^2 + 6a^6c^2d^4e^4)))*((9c^3d^6(-a^7c)^{(1/2)} - 25a^3e^6(-a^7c)^{(\\
& 1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^2e^5 + 41a^2c^2d^4
\end{aligned}$$

$$\begin{aligned}
& *e^{2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}} / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} \\
&) - (x*(1152*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^{10} \\
& - 110848*a^7*c^6*d^3*e^{12})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c^5*d*e^{13} + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^{11}) / (256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (x*(1425*a^4*c^5*e^{13} + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^{11})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (((((65536*a^{11}*c^4*e^{16} - 12288*a^4*c^{11}*d^{14}*e^2 - 57344*a^5*c^{10}*d^{12}*e^4 - 36864*a^6*c^9*d^{10}*e^6 + 245760*a^7*c^8*d^8*e^8 + 634880*a^8*c^7*d^6*e^{10} + 663552*a^9*c^6*d^4*e^{12} + 331776*a^{10}*c^5*d^2*e^{14})) / (256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) + (x*((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} * (65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 - 327680*a^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (x*(1152*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^{10} - 110848*a^7*c^6*d^3*e^{12})) / (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) * ((9*c^3*d^6*(-a^7*c)^{(1/2)} - 25*a^3*e^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 + 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)}) / (256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& (1/2))/((256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 \\
& + 6a^9c^2d^4e^4)))^{(1/2)} - (x*(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612 \\
& *a^8c^8d^6e^7 + 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}))/((128*(a^8e^8 \\
& + a^4c^4d^8 + 4a^7c^3d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4) \\
&))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e \\
& + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^2c^2d^4e^2*(-a^7c)^{(1/2)} - \\
& 39a^2c^2d^2e^4*(-a^7c)^{(1/2)})/(256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2 \\
& e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)}*i - (((((65536a^{11} \\
& c^4e^{16} - 12288a^4c^{11}d^{14}e^2 - 57344a^5c^{10}d^{12}e^4 - 36864a^6c^9 \\
& d^{10}e^6 + 245760a^7c^8d^8e^8 + 634880a^8c^7d^6e^{10} + 663552a^9 \\
& c^6d^4e^{12} + 331776a^{10}c^5d^2e^{14}))/((256*(a^8e^8 + a^4c^4d^8 + 4a^7 \\
& c^3d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4))) + (x*((25a^3e^6*(-a^7c)^{(1/2)} \\
& - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 \\
& - 41a^2c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)})/(256*(a^{11} \\
& e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} \\
& *((65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 - 327680a^7c^{10}d^{12}e^5 - 589824a^8c^9 \\
& d^{10}e^7 - 327680a^9c^8d^8e^9 + 327680a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} + 327680 \\
& a^{12}c^5d^2e^{15}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^2e^6 + 4a^5c^3 \\
& d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} \\
& + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^2c^2d^4e^2*(-a^7c)^{(1/2)} \\
& - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)})/(256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 \\
& + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} + (x*(1152a^2c^{11}d^{13}e^2 - 49024a^8c^5 \\
& d^{14}e^{14} + 7936a^3c^{10}d^{11}e^4 + 20352a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7 \\
& d^5e^{10} - 110848a^7c^6d^3e^{12}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^2e^6 \\
& + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} \\
& + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^2c^2d^4e^2*(-a^7c)^{(1/2)} \\
& - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)})/(256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 \\
& + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} - (720a^2c^{10}d^{11}e^3 + 20432a^6c^5 \\
& d^{13}e^{13} + 4880a^2c^9d^9e^5 + 12320a^3c^8d^7e^7 + 21024a^4c^7d^5e^9 + 33 \\
& 296a^5c^6d^3e^{11}))/((256*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^2e^6 + 4a^5c^3 \\
& d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} \\
& + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^2c^2d^4e^2*(-a^7c)^{(1/2)} \\
& - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)})/(256*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 \\
& + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} + (x*(1425a^4c^5e^{13} + 81c^9d^8e^5 + 612 \\
& *a^8c^8d^6e^7 + 1894a^2c^7d^4e^9 + 2532a^3c^6d^2e^{11}))/((128*(a^8e^8 + a^4c^4d^8 \\
& + 4a^7c^3d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} \\
& - 9c^3d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 \\
& - 41a^2c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)})/(256*(a^{11} \\
& e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)}*i \\
& /((125a^2c^5e^{12} + 81c^7d^4e^8 + 270a^2c^6d^2e^{10}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^3d^2e^6 + 4
\end{aligned}$$

$$\begin{aligned}
& *a^5c^3d^6e^2 + 6a^6c^2d^4e^4)) + (((((65536a^{11}c^4e^{16} - 12288a^{4c^{11}d^{14}e^2} - 57344a^5c^{10}d^{12}e^4 - 36864a^6c^9d^{10}e^6 + 24576 \\
& 0a^7c^8d^8e^8 + 634880a^8c^7d^6e^{10} + 663552a^9c^6d^4e^{12} + 331 \\
& 776a^{10}c^5d^2e^{14})/(256*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5 \\
& c^3d^6e^2 + 6a^6c^2d^4e^4)) - (x*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3 \\
& d^6*(-a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - \\
& 41a^5c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/(256 \\
& *(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2 \\
& d^4e^4)))^{(1/2)}*(65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 - 327680a \\
& ^7c^{10}d^{12}e^5 - 589824a^8c^9d^{10}e^7 - 327680a^9c^8d^8e^9 + 32768 \\
& 0a^{10}c^7d^6e^{11} + 589824a^{11}c^6d^4e^{13} + 327680a^{12}c^5d^2e^{15})) \\
& /(128*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6c^2 \\
& d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6a \\
& ^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^5c^2d^4e^2*(-a^7 \\
& c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/(256*(a^{11}e^8 + a^7c^4d^8 + \\
& 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} - (x*(11 \\
& 52a^2c^{11}d^{13}e^2 - 49024a^8c^5d^5e^{14} + 7936a^3c^{10}d^{11}e^4 + 2035 \\
& 2a^4c^9d^9e^6 + 8704a^5c^8d^7e^8 - 66688a^6c^7d^5e^{10} - 110848a \\
& ^7c^6d^3e^{12}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3 \\
& d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(- \\
& a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a \\
& ^5c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/(256*(a^{11}e \\
& ^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4 \\
&)))^{(1/2)} - (720a^5c^{10}d^{11}e^3 + 20432a^6c^5d^5e^{13} + 4880a^2c^9d^9e^5 \\
& + 12320a^3c^8d^7e^7 + 21024a^4c^7d^5e^9 + 33296a^5c^6d^3e^{11} \\
& 1)/((256*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6 \\
& c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} + 6 \\
& a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^5c^2d^4e^2*(-a \\
& ^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/(256*(a^{11}e^8 + a^7c^4d^8 \\
& + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)} - (x*(\\
& 1425a^4c^5e^{13} + 81c^9d^8e^5 + 612a^5c^8d^6e^7 + 1894a^2c^7d^4e^9 + \\
& 2532a^3c^6d^2e^{11}))/((128*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5 \\
& c^3d^6e^2 + 6a^6c^2d^4e^4)))*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(- \\
& a^7c)^{(1/2)} + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^5 \\
& c^2d^4e^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/(2 \\
& 56*(a^{11}e^8 + a^7c^4d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2 \\
& d^4e^4)))^{(1/2)} + (((((65536a^{11}c^4e^{16} - 12288a^{4c^{11}d^{14}e^2} - \\
& 57344a^5c^{10}d^{12}e^4 - 36864a^6c^9d^{10}e^6 + 245760a^7c^8d^8e^8 + \\
& 634880a^8c^7d^6e^{10} + 663552a^9c^6d^4e^{12} + 331776a^{10}c^5d^2e^{14}) \\
&)/(256*(a^8e^8 + a^4c^4d^8 + 4a^7c^2d^2e^6 + 4a^5c^3d^6e^2 + 6a^6 \\
& c^2d^4e^4)) + (x*((25a^3e^6*(-a^7c)^{(1/2)} - 9c^3d^6*(-a^7c)^{(1/2)} \\
&) + 6a^4c^3d^5e + 44a^5c^2d^3e^3 + 70a^6c^2d^3e^5 - 41a^5c^2d^4e^2 \\
& ^2*(-a^7c)^{(1/2)} - 39a^2c^2d^2e^4*(-a^7c)^{(1/2)}))/(256*(a^{11}e^8 + a^7c^4 \\
& d^8 + 4a^{10}c^2d^2e^6 + 4a^8c^3d^6e^2 + 6a^9c^2d^4e^4)))^{(1/2)}*(\\
& 65536a^{13}c^4e^{17} - 65536a^6c^{11}d^{14}e^3 - 327680a^7c^{10}d^{12}e^5 -
\end{aligned}$$

$$\begin{aligned}
& 589824*a^8*c^9*d^10*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} \\
& + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15})/(128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25 \\
& *a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2* \\
& c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (x*(1152*a^2*c^{11}*d^{13}*e^2 \\
& - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*d^7*e^8 - 66688*a^6*c^7*d^5*e^{10} - 110848*a^7*c^6*d^3*e^{12}))/ \\
& (128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} - (720*a*c^{10}*d^{11}*e^3 + 20432*a^6*c^5*d*e^{13} + 4880*a^2*c^9*d^9*e^5 + 12320*a^3*c^8*d^7*e^7 + 21024*a^4*c^7*d^5*e^9 + 33296*a^5*c^6*d^3*e^{11}))/((256*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)} + (x*(1425*a^4*c^5*e^{13} + 81*c^9*d^8*e^5 + 612*a*c^8*d^6*e^7 + 1894*a^2*c^7*d^4*e^9 + 2532*a^3*c^6*d^2*e^{11}))/((128*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)})))*((25*a^3*e^6*(-a^7*c)^{(1/2)} - 9*c^3*d^6*(-a^7*c)^{(1/2)} + 6*a^4*c^3*d^5*e + 44*a^5*c^2*d^3*e^3 + 70*a^6*c*d*e^5 - 41*a*c^2*d^4*e^2*(-a^7*c)^{(1/2)} - 39*a^2*c*d^2*e^4*(-a^7*c)^{(1/2)})/(256*(a^{11}*e^8 + a^7*c^4*d^8 + 4*a^{10}*c*d^2*e^6 + 4*a^8*c^3*d^6*e^2 + 6*a^9*c^2*d^4*e^4))^{(1/2)})*2i + (atan(-((((((((45*a*c^{10}*d^{11}*e^3)/16 + (1277*a^6*c^5*d*e^{13})/16 + (305*a^2*c^9*d^9*e^5)/16 + (385*a^3*c^8*d^7*e^7)/8 + (657*a^4*c^7*d^5*e^9)/8 + (2081*a^5*c^6*d^3*e^{11})/16)/((2*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (((((256*a^{11}*c^4*e^{16} - 48*a^4*c^{11}*d^{14}*e^2 - 224*a^5*c^{10}*d^{12}*e^4 - 144*a^6*c^9*d^{10}*e^6 + 960*a^7*c^8*d^8*e^8 + 2480*a^8*c^7*d^6*e^{10} + 2592*a^9*c^6*d^4*e^{12} + 1296*a^{10}*c^5*d^2*e^{14}))/((2*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)) - (x*(-d*e^7)^{(1/2)}*(65536*a^{13}*c^4*e^{17} - 65536*a^6*c^{11}*d^{14}*e^3 - 327680*a^7*c^{10}*d^{12}*e^5 - 589824*a^8*c^9*d^{10}*e^7 - 327680*a^9*c^8*d^8*e^9 + 327680*a^{10}*c^7*d^6*e^{11} + 589824*a^{11}*c^6*d^4*e^{13} + 327680*a^{12}*c^5*d^2*e^{15}))/((512*(c^2*d^5 + a^2*d*e^4 + 2*a*c*d^3*e^2)*(a^8*e^8 + a^4*c^4*d^8 + 4*a^7*c*d^2*e^6 + 4*a^5*c^3*d^6*e^2 + 6*a^6*c^2*d^4*e^4)))*(-d*e^7)^{(1/2)}))/((2*(c^2*d^5 + a^2*d*e^4 + 2*a*c*d^3*e^2)) - (x*(1152*a^2*c^{11}*d^{13}*e^2 - 49024*a^8*c^5*d*e^{14} + 7936*a^3*c^{10}*d^{11}*e^4 + 20352*a^4*c^9*d^9*e^6 + 8704*a^5*c^8*
\end{aligned}$$

$$\begin{aligned}
& d^7 e^8 - 66688 a^6 c^7 d^5 e^{10} - 110848 a^7 c^6 d^3 e^{12}) / (256 (a^8 e^8 \\
& + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * \\
& (-d e^7)^{(1/2)} / (2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) * (-d e^7)^{(1/2)} / \\
& (2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) + (x (1425 a^4 c^5 e^{13} + 81 c^9 d^8 e^5 + 612 a c^8 d^6 e^7 + 1894 a^2 c^7 d^4 e^9 + 2532 a^3 c^6 d^2 e^{11}) \\
&) / (256 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d e^7)^{(1/2)} * i / (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2) - \\
& ((((((45 a c^{10} d^{11} e^3) / 16 + (1277 a^6 c^5 d e^{13}) / 16 + (305 a^2 c^9 d^9 e^5) / 16 + (385 a^3 c^8 d^7 e^7) / 8 + (657 a^4 c^7 d^5 e^9) / 8 + (2081 a^5 c^6 \\
& d^3 e^{11}) / 16) / (2 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) - (((((256 a^{11} c^4 e^{16} - 48 a^4 c^{11} d^{14} e^2 - \\
& 224 a^5 c^{10} d^{12} e^4 - 144 a^6 c^9 d^{10} e^6 + 960 a^7 c^8 d^8 e^8 + 2480 a^8 c^7 d^6 e^{10} + 2592 a^9 c^6 d^4 e^{12} + 1296 a^{10} c^5 d^2 e^{14}) / (2 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4) \\
&)) + (x (-d e^7)^{(1/2)} * (65536 a^{13} c^4 e^{17} - 65536 a^6 c^{11} d^{14} e^3 - 327 \\
& 680 a^7 c^{10} d^{12} e^5 - 589824 a^8 c^9 d^{10} e^7 - 327680 a^9 c^8 d^8 e^9 + \\
& 327680 a^{10} c^7 d^6 e^{11} + 589824 a^{11} c^6 d^4 e^{13} + 327680 a^{12} c^5 d^2 e^{15})) / (512 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) * (a^8 e^8 + a^4 c^4 d^8 + 4 \\
& a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d e^7)^{(1/2)} / (\\
& 2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) + (x (1152 a^2 c^{11} d^{13} e^2 - 490 \\
& 24 a^8 c^5 d e^{14} + 7936 a^3 c^{10} d^{11} e^4 + 20352 a^4 c^9 d^9 e^6 + 8704 a^5 c^8 d^7 e^8 - 66688 a^6 c^7 d^5 e^{10} - 110848 a^7 c^6 d^3 e^{12}) / (256 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d e^7)^{(1/2)} / (2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) * (-d e^7)^{(1/2)} / (2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) - (x (1425 a^4 c^5 e^{13} + 81 c^9 d^8 e^5 + 612 a c^8 d^6 e^7 + 1894 a^2 c^7 d^4 e^9 + 2532 a^3 c^6 d^2 e^{11}) / (256 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d e^7)^{(1/2)} * i / (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) / ((((((45 a c^{10} d^{11} e^3) / 16 + (1277 a^6 c^5 d e^{13}) / 16 + (305 a^2 c^9 d^9 e^5) / 16 + (385 a^3 c^8 d^7 e^7) / 8 + (657 a^4 c^7 d^5 e^9) / 8 + (2081 a^5 c^6 d^3 e^{11}) / 16) / (2 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) - (((((256 a^{11} c^4 e^{16} - 48 a^4 c^{11} d^{14} e^2 - 224 a^5 c^{10} d^{12} e^4 - 144 a^6 c^9 d^{10} e^6 + 960 a^7 c^8 d^8 e^8 + 2480 a^8 c^7 d^6 e^{10} + 2592 a^9 c^6 d^4 e^{12} + 1296 a^{10} c^5 d^2 e^{14}) / (2 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) - (x (-d e^7)^{(1/2)} * (65536 a^{13} c^4 e^{17} - 65536 a^6 c^{11} d^{14} e^3 - 327680 a^7 c^{10} d^{12} e^5 - 589824 a^8 c^9 d^{10} e^7 - 327680 a^9 c^8 d^8 e^9 + 327680 a^{10} c^7 d^6 e^{11} + 589824 a^{11} c^6 d^4 e^{13} + 327680 a^{12} c^5 d^2 e^{15})) / (512 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) * (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d e^7)^{(1/2)} / (2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) - (x (1152 a^2 c^{11} d^{13} e^2 - 49024 a^8 c^5 d e^{14} + 7936 a^3 c^{10} d^{11} e^4 + 20352 a^4 c^9 d^9 e^6 + 8704 a^5 c^8 d^7 e^8 - 66688 a^6 c^7 d^5 e^{10} - 110848 a^7 c^6 d^3 e^{12}) / (256 (a^8 e^8 + a^4 c^4 d^8 + 4 a^7 c d^2 e^6 + 4 a^5 c^3 d^6 e^2 + 6 a^6 c^2 d^4 e^4)) * (-d e^7)^{(1/2)} / (2 (c^2 d^5 + a^2 d e^4 + 2 a c d^3 e^2)) * (-
\end{aligned}$$

$$\begin{aligned}
& d^7 e^{7/2} / (2(c^2 d^5 + a^2 d^4 + 2ac^3 d^2)) + (x(1425a^4 c^5 e^{13} + 81c^9 d^8 e^5 + 612a^3 c^8 d^6 e^7 + 1894a^2 c^7 d^4 e^9 + 2532a^3 c^6 d^2 e^{11})) / (256(a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4)) * (-d^7 e^{7/2}) / (c^2 d^5 + a^2 d^4 + 2ac^3 d^2) \\
& - ((125a^2 c^5 e^{12}) / 128 + (81c^7 d^4 e^8) / 128 + (135a^3 c^6 d^2 e^{10}) / 64) / (a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4) + ((((((45ac^{10} d^{11} e^3) / 16 + (1277a^6 c^5 d^5 e^{13}) / 16 + (305a^2 c^9 d^9 e^5) / 16 + (385a^3 c^8 d^7 e^7) / 8 + (657a^4 c^7 d^5 e^9) / 8 + (2081a^5 c^6 d^3 e^{11}) / 16)) / (2(a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4)) - (((((256a^{11} c^4 e^{16} - 48a^4 c^{11} d^{14} e^2 - 224a^5 c^{10} d^{12} e^4 - 144a^6 c^9 d^{10} e^6 + 960a^7 c^8 d^8 e^8 + 2480a^8 c^7 d^6 e^{10} + 2592a^9 c^6 d^4 e^{12} + 1296a^{10} c^5 d^2 e^{14}) / (2(a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4)) + (x(-d^7 e^{7/2}) * (65536a^{13} c^4 e^{17} - 65536a^6 c^{11} d^{14} e^3 - 327680a^7 c^{10} d^{12} e^5 - 589824a^8 c^9 d^{10} e^7 - 327680a^9 c^8 d^8 e^9 + 327680a^{10} c^7 d^6 e^{11} + 589824a^{11} c^6 d^4 e^{13} + 327680a^{12} c^5 d^2 e^{15})) / (512(c^2 d^5 + a^2 d^4 + 2ac^3 d^2)) * (a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4)) * (-d^7 e^{7/2}) / (2(c^2 d^5 + a^2 d^4 + 2ac^3 d^2)) + (x(1152a^2 c^{11} d^{13} e^2 - 49024a^8 c^5 d^5 e^{14} + 7936a^3 c^{10} d^{11} e^4 + 20352a^4 c^9 d^9 e^6 + 8704a^5 c^8 d^7 e^8 - 66688a^6 c^7 d^5 e^{10} - 110848a^7 c^6 d^3 e^{12})) / (256(a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4)) * (-d^7 e^{7/2}) / (2(c^2 d^5 + a^2 d^4 + 2ac^3 d^2)) - (x(1425a^4 c^5 e^{13} + 81c^9 d^8 e^5 + 612a^3 c^8 d^6 e^7 + 1894a^2 c^7 d^4 e^9 + 2532a^3 c^6 d^2 e^{11})) / (256(a^8 e^8 + a^4 c^4 d^8 + 4a^7 c^3 d^2 e^6 + 4a^5 c^3 d^6 e^2 + 6a^6 c^2 d^4 e^4)) * (-d^7 e^{7/2}) / (c^2 d^5 + a^2 d^4 + 2ac^3 d^2)) * (-d^7 e^{7/2}) * i) / (c^2 d^5 + a^2 d^4 + 2ac^3 d^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.257 \quad \int \frac{1}{x^2(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=745

$$\frac{c^{3/4}(\sqrt{c}d - 3\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{9/4} (ae^2 + cd^2)} + \frac{c^{3/4}(\sqrt{c}d - 3\sqrt{a}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{9/4} (ae^2 + cd^2)} + \dots$$

[Out] $-1/a^2/d/x-1/4*c*x*(c*d*x^2+a*e)/a^2/(a*e^2+c*d^2)/(c*x^4+a)-e^{(9/2)*\arctan(x*e^{(1/2)}/d^{(1/2)})}/d^{(3/2)}/(a*e^2+c*d^2)^2-1/32*c^{(3/4)*\ln(-a^{(1/4)*c^{(1/4)}}*x^2^{(1/2)+a^{(1/2)+x^2*c^{(1/2)}}*(-3*e*a^{(1/2)+d*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)*2^{(1/2)+1/32*c^{(3/4)*\ln(a^{(1/4)*c^{(1/4)}}*x^2^{(1/2)+a^{(1/2)+x^2*c^{(1/2)}}*(-3*e*a^{(1/2)+d*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)*2^{(1/2)-1/16*c^{(3/4)*\arctan(-1+c^{(1/4)*x^2^{(1/2)}/a^{(1/4)}}*(3*e*a^{(1/2)+d*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)*2^{(1/2)-1/16*c^{(3/4)*\arctan(1+c^{(1/4)*x^2^{(1/2)}/a^{(1/4)}}*(3*e*a^{(1/2)+d*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)*2^{(1/2)+1/8*c^{(3/4)*\ln(-a^{(1/4)*c^{(1/4)}}*x^2^{(1/2)+a^{(1/2)+x^2*c^{(1/2)}}*(a^{(3/2)*e^3-d*(2*a*e^2+c*d^2)*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)^2*2^{(1/2)-1/8*c^{(3/4)*\ln(a^{(1/4)*c^{(1/4)}}*x^2^{(1/2)+a^{(1/2)+x^2*c^{(1/2)}}*(a^{(3/2)*e^3-d*(2*a*e^2+c*d^2)*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)^2*2^{(1/2)-1/4*c^{(3/4)*\arctan(-1+c^{(1/4)*x^2^{(1/2)}/a^{(1/4)}}*(a^{(3/2)*e^3+d*(2*a*e^2+c*d^2)*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)^2*2^{(1/2)-1/4*c^{(3/4)*\arctan(1+c^{(1/4)*x^2^{(1/2)}/a^{(1/4)}}*(a^{(3/2)*e^3+d*(2*a*e^2+c*d^2)*c^{(1/2)}})/a^{(9/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}$

Rubi [A] time = 0.77, antiderivative size = 745, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1336, 205, 1179, 1168, 1162, 617, 204, 1165, 628}

$$\frac{c^{3/4}(a^{3/2}e^3 - \sqrt{c}d(2ae^2 + cd^2)) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} a^{9/4} (ae^2 + cd^2)^2} - \frac{c^{3/4}(\sqrt{c}d - 3\sqrt{a}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2} a^{9/4} (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] $-(1/(a^2*d*x)) - (c*x*(a*e + c*d*x^2))/(4*a^2*(c*d^2 + a*e^2)*(a + c*x^4)) - (e^{(9/2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]})/d^{(3/2)*(c*d^2 + a*e^2)^2} + (c^{(3/4)*(\text{Sqrt}[c]*d + 3*\text{Sqrt}[a]*e)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}]})/(8*\text{Sqrt}[2]*a^{(9/4)*(c*d^2 + a*e^2)}) + (c^{(3/4)*(a^{(3/2)*e^3 + \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}]})/(2*\text{Sqrt}[2]*a^{(9/4)*(c*d^2 + a*e^2)^2}) - (c^{(3/4)*(\text{Sqrt}[c]*d + 3*\text{Sqrt}[a]*e)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}]})/(8*\text{Sqrt}[2]*a^{(9/4)*(c*d^2 + a*e^2)}) - (c^{(3/4)*(a^{(3/2)*e^3 + \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}]})/(8*\text{Sqrt}[2]*a^{(9/4)*(c*d^2 + a*e^2)}) - (c^{(3/4)*(a^{(3/2)*e^3 + \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}]})/(8*\text{Sqrt}[2]*a^{(9/4)*(c*d^2 + a*e^2)}) - (c^{(3/4)*(a^{(3/2)*e^3 + \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}]})/(8*\text{Sqrt}[2]*a^{(9/4)*(c*d^2 + a*e^2)})$

$$e^3 + \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2))*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)*x})/a^{(1/4)}] / (2*\text{Sqrt}[2]*a^{(9/4)}*(c*d^2 + a*e^2)^2) - (c^{(3/4)}*(\text{Sqrt}[c]*d - 3*\text{Sqrt}[a]*e) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2]) / (16*\text{Sqrt}[2]*a^{(9/4)} * (c*d^2 + a*e^2)) + (c^{(3/4)}*(a^{(3/2)}*e^3 - \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2))*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2]) / (4*\text{Sqrt}[2]*a^{(9/4)} * (c*d^2 + a*e^2)^2) + (c^{(3/4)}*(\text{Sqrt}[c]*d - 3*\text{Sqrt}[a]*e)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2]) / (16*\text{Sqrt}[2]*a^{(9/4)}*(c*d^2 + a*e^2)) - (c^{(3/4)}*(a^{(3/2)}*e^3 - \text{Sqrt}[c]*d*(c*d^2 + 2*a*e^2))*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)*x} + \text{Sqrt}[c]*x^2]) / (4*\text{Sqrt}[2]*a^{(9/4)}*(c*d^2 + a*e^2)^2)$$
Rule 204

$$\text{Int}[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$
Rule 205

$$\text{Int}[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$$
Rule 617

$$\text{Int}(((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4*S \text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$$
Rule 628

$$\text{Int}(((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$$
Rule 1162

$$\text{Int}(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$
Rule 1165

$$\text{Int}(((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$$

$eQ[\{a, c, d, e\}, x] \ \&\& \ EqQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[d*e]$

Rule 1168

$Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] \ :> \ With[\{q = Rt[a*c, 2]\}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x]] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ NeQ[c*d^2 - a*e^2, 0] \ \&\& \ NegQ[-(a*c)]$

Rule 1179

$Int[((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] \ :> \ -Simp[(x*(d + e*x^2)*(a + c*x^4)^(p + 1))/(4*a*(p + 1)), x] + Dist[1/(4*a*(p + 1)), Int[Simp[d*(4*p + 5) + e*(4*p + 7)*x^2, x]*(a + c*x^4)^(p + 1), x], x] \ /; \ FreeQ[\{a, c, d, e\}, x] \ \&\& \ NeQ[c*d^2 + a*e^2, 0] \ \&\& \ LtQ[p, -1] \ \&\& \ IntegerQ[2*p]$

Rule 1336

$Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] \ :> \ Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p, x], x] \ /; \ FreeQ[\{a, c, d, e, f, m, p, q\}, x] \ \&\& \ (IGtQ[p, 0] \ || \ IGtQ[q, 0] \ | \ IntegersQ[m, q])$

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2 (d + ex^2) (a + cx^4)^2} dx &= \int \left(\frac{1}{a^2 dx^2} - \frac{e^5}{d (cd^2 + ae^2)^2 (d + ex^2)} - \frac{c (ae + cd x^2)}{a (cd^2 + ae^2) (a + cx^4)^2} + \frac{c (-a^2 e^3 - cd)}{a^2 (cd^2 + ae^2)} \right) dx \\
&= -\frac{1}{a^2 dx} + \frac{c \int \frac{-a^2 e^3 - cd (cd^2 + 2ae^2) x^2}{a + cx^4} dx}{a^2 (cd^2 + ae^2)^2} - \frac{e^5 \int \frac{1}{d + ex^2} dx}{d (cd^2 + ae^2)^2} - \frac{c \int \frac{ae + cd x^2}{(a + cx^4)^2} dx}{a (cd^2 + ae^2)} \\
&= -\frac{1}{a^2 dx} - \frac{cx (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{e^{9/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{3/2} (cd^2 + ae^2)^2} + \frac{c \int \frac{-3ae - cd x^2}{a + cx^4} dx}{4a^2 (cd^2 + ae^2)} + \frac{c (cd^2 + ae^2)}{a^2 (cd^2 + ae^2)} \\
&= -\frac{1}{a^2 dx} - \frac{cx (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{e^{9/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{3/2} (cd^2 + ae^2)^2} + \frac{\left(c \left(d - \frac{3\sqrt{a} e}{\sqrt{c}} \right) \right) \int \frac{\sqrt{a} \sqrt{c} - c}{a + cx^4} dx}{8a^2 (cd^2 + ae^2)} \\
&= -\frac{1}{a^2 dx} - \frac{cx (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{e^{9/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{3/2} (cd^2 + ae^2)^2} - \frac{c^{5/4} \left(cd^3 + 2ade^2 - \frac{a^{3/2} e^3}{\sqrt{c}} \right)}{4\sqrt{2} a^{9/4} (cd^2 + ae^2)} \\
&= -\frac{1}{a^2 dx} - \frac{cx (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{e^{9/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{3/2} (cd^2 + ae^2)^2} + \frac{c^{5/4} \left(cd^3 + 2ade^2 + \frac{a^{3/2} e^3}{\sqrt{c}} \right)}{2\sqrt{2} a^{9/4} (cd^2 + ae^2)} \\
&= -\frac{1}{a^2 dx} - \frac{cx (ae + cd x^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} - \frac{e^{9/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{3/2} (cd^2 + ae^2)^2} + \frac{c^{3/4} (\sqrt{c} d + 3\sqrt{a} e) \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{8\sqrt{2} a^{9/4} (cd^2 + ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 499, normalized size = 0.67

$$\frac{1}{32} \left(\frac{\sqrt{2} c^{3/4} (7a^{3/2} e^3 + 3\sqrt{a} cd^2 e - 9a\sqrt{c} de^2 - 5c^{3/2} d^3) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{a^{9/4} (ae^2 + cd^2)^2} + \frac{\sqrt{2} c^{3/4} (-7a^{3/2} e^3 - 3\sqrt{a} cd^2 e + 9a\sqrt{c} de^2 + 5c^{3/2} d^3)}{8\sqrt{2} a^{9/4} (cd^2 + ae^2)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] (-32/(a^2*d*x) - (8*c*x*(a*e + c*d*x^2))/(a^2*(c*d^2 + a*e^2)*(a + c*x^4)) - (32*e^(9/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(3/2)*(c*d^2 + a*e^2)^2) + (2

$$\begin{aligned} & * \text{Sqrt}[2] * c^{(3/4)} * (5 * c^{(3/2)} * d^3 + 3 * \text{Sqrt}[a] * c * d^2 * e + 9 * a * \text{Sqrt}[c] * d * e^2 + 7 \\ & * a^{(3/2)} * e^3) * \text{ArcTan}[1 - (\text{Sqrt}[2] * c^{(1/4)} * x) / a^{(1/4)}] / (a^{(9/4)} * (c * d^2 + a * \\ & e^2)^2) - (2 * \text{Sqrt}[2] * c^{(3/4)} * (5 * c^{(3/2)} * d^3 + 3 * \text{Sqrt}[a] * c * d^2 * e + 9 * a * \text{Sqrt}[\\ & c] * d * e^2 + 7 * a^{(3/2)} * e^3) * \text{ArcTan}[1 + (\text{Sqrt}[2] * c^{(1/4)} * x) / a^{(1/4)}] / (a^{(9/4)} \\ & * (c * d^2 + a * e^2)^2) + (\text{Sqrt}[2] * c^{(3/4)} * (-5 * c^{(3/2)} * d^3 + 3 * \text{Sqrt}[a] * c * d^2 * e \\ & - 9 * a * \text{Sqrt}[c] * d * e^2 + 7 * a^{(3/2)} * e^3) * \text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2] * a^{(1/4)} * c^{(1/4)} * \\ & x + \text{Sqrt}[c] * x^2]) / (a^{(9/4)} * (c * d^2 + a * e^2)^2) + (\text{Sqrt}[2] * c^{(3/4)} * (5 * c^{(3/2)} \\ & * d^3 - 3 * \text{Sqrt}[a] * c * d^2 * e + 9 * a * \text{Sqrt}[c] * d * e^2 - 7 * a^{(3/2)} * e^3) * \text{Log}[\text{Sqrt}[a] + \\ & \text{Sqrt}[2] * a^{(1/4)} * c^{(1/4)} * x + \text{Sqrt}[c] * x^2]) / (a^{(9/4)} * (c * d^2 + a * e^2)^2) / 32 \end{aligned}$$

fricas [B] time = 98.08, size = 10188, normalized size = 13.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/16 * (16 * a * c^2 * d^4 + 32 * a^2 * c * d^2 * e^2 + 16 * a^3 * e^4 + 4 * (5 * c^3 * d^4 + 9 * a * c \\ & ^2 * d^2 * e^2 + 4 * a^2 * c * e^4) * x^4 + 4 * (a * c^2 * d^3 * e + a^2 * c * d * e^3) * x^2 - ((a^2 * c \\ & ^3 * d^5 + 2 * a^3 * c^2 * d^3 * e^2 + a^4 * c * d * e^4) * x^5 + (a^3 * c^2 * d^5 + 2 * a^4 * c * d^3 * \\ & e^2 + a^5 * d * e^4) * x) * \text{sqrt}(-(30 * c^4 * d^5 * e + 124 * a * c^3 * d^3 * e^3 + 126 * a^2 * c^2 * d \\ & * e^5 + (a^4 * c^4 * d^8 + 4 * a^5 * c^3 * d^6 * e^2 + 6 * a^6 * c^2 * d^4 * e^4 + 4 * a^7 * c * d^2 * e \\ & ^6 + a^8 * e^8) * \text{sqrt}(-(625 * c^9 * d^12 + 4050 * a * c^8 * d^10 * e^2 + 8511 * a^2 * c^7 * d^8 * \\ & e^4 + 3868 * a^3 * c^6 * d^6 * e^6 - 6417 * a^4 * c^5 * d^4 * e^8 - 3822 * a^5 * c^4 * d^2 * e^10 + \\ & 2401 * a^6 * c^3 * e^12)) / (a^9 * c^8 * d^16 + 8 * a^10 * c^7 * d^14 * e^2 + 28 * a^11 * c^6 * d^12 * \\ & e^4 + 56 * a^12 * c^5 * d^10 * e^6 + 70 * a^13 * c^4 * d^8 * e^8 + 56 * a^14 * c^3 * d^6 * e^10 + 2 \\ & 8 * a^15 * c^2 * d^4 * e^12 + 8 * a^16 * c * d^2 * e^14 + a^17 * e^16)) / (a^4 * c^4 * d^8 + 4 * a^5 \\ & * c^3 * d^6 * e^2 + 6 * a^6 * c^2 * d^4 * e^4 + 4 * a^7 * c * d^2 * e^6 + a^8 * e^8) * \text{log}(-(625 * c^ \\ & 6 * d^8 + 3250 * a * c^5 * d^6 * e^2 + 4944 * a^2 * c^4 * d^4 * e^4 + 686 * a^3 * c^3 * d^2 * e^6 - 2 \\ & 401 * a^4 * c^2 * e^8) * x + (75 * a^3 * c^5 * d^8 * e + 418 * a^4 * c^4 * d^6 * e^3 + 684 * a^5 * c^3 * \\ & d^4 * e^5 + 126 * a^6 * c^2 * d^2 * e^7 - 343 * a^7 * c * e^9 - (5 * a^7 * c^5 * d^11 + 29 * a^8 * c^ \\ & 4 * d^9 * e^2 + 66 * a^9 * c^3 * d^7 * e^4 + 74 * a^10 * c^2 * d^5 * e^6 + 41 * a^11 * c * d^3 * e^8 + \\ & 9 * a^12 * d * e^10) * \text{sqrt}(-(625 * c^9 * d^12 + 4050 * a * c^8 * d^10 * e^2 + 8511 * a^2 * c^7 * d^8 \\ & * e^4 + 3868 * a^3 * c^6 * d^6 * e^6 - 6417 * a^4 * c^5 * d^4 * e^8 - 3822 * a^5 * c^4 * d^2 * e^10 \\ & + 2401 * a^6 * c^3 * e^12)) / (a^9 * c^8 * d^16 + 8 * a^10 * c^7 * d^14 * e^2 + 28 * a^11 * c^6 * d^12 \\ & * e^4 + 56 * a^12 * c^5 * d^10 * e^6 + 70 * a^13 * c^4 * d^8 * e^8 + 56 * a^14 * c^3 * d^6 * e^10 + \\ & 28 * a^15 * c^2 * d^4 * e^12 + 8 * a^16 * c * d^2 * e^14 + a^17 * e^16)) * \text{sqrt}(-(30 * c^4 * d^5 * e \\ & + 124 * a * c^3 * d^3 * e^3 + 126 * a^2 * c^2 * d * e^5 + (a^4 * c^4 * d^8 + 4 * a^5 * c^3 * d^6 * e^2 \\ & + 6 * a^6 * c^2 * d^4 * e^4 + 4 * a^7 * c * d^2 * e^6 + a^8 * e^8) * \text{sqrt}(-(625 * c^9 * d^12 + 405 \\ & 0 * a * c^8 * d^10 * e^2 + 8511 * a^2 * c^7 * d^8 * e^4 + 3868 * a^3 * c^6 * d^6 * e^6 - 6417 * a^4 * c \\ & ^5 * d^4 * e^8 - 3822 * a^5 * c^4 * d^2 * e^10 + 2401 * a^6 * c^3 * e^12)) / (a^9 * c^8 * d^16 + 8 * a \\ & ^10 * c^7 * d^14 * e^2 + 28 * a^11 * c^6 * d^12 * e^4 + 56 * a^12 * c^5 * d^10 * e^6 + 70 * a^13 * c^ \\ & 4 * d^8 * e^8 + 56 * a^14 * c^3 * d^6 * e^10 + 28 * a^15 * c^2 * d^4 * e^12 + 8 * a^16 * c * d^2 * e^14 \\ & + a^17 * e^16)) / (a^4 * c^4 * d^8 + 4 * a^5 * c^3 * d^6 * e^2 + 6 * a^6 * c^2 * d^4 * e^4 + 4 * a^ \\ & 7 * c * d^2 * e^6 + a^8 * e^8)) + ((a^2 * c^3 * d^5 + 2 * a^3 * c^2 * d^3 * e^2 + a^4 * c * d * e^4) \end{aligned}$$

$$\begin{aligned}
& d^{10}e^2 + 8511a^2c^7d^8e^4 + 3868a^3c^6d^6e^6 - 6417a^4c^5d^4e^8 - 3822a^5c^4d^2e^{10} + 2401a^6c^3e^{12}) / (a^9c^8d^{16} + 8a^{10}c^7d^{14}e^2 + 28a^{11}c^6d^{12}e^4 + 56a^{12}c^5d^{10}e^6 + 70a^{13}c^4d^8e^8 + 56a^{14}c^3d^6e^{10} + 28a^{15}c^2d^4e^{12} + 8a^{16}c^2d^2e^{14} + a^{17}e^{16})) / (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8)) + ((a^2c^3d^5 + 2a^3c^2d^3e^2 + a^4c^2d^2e^4) * x^5 + (a^3c^2d^5 + 2a^4c^2d^3e^2 + a^5d^2e^4) * x) * \sqrt{-(30c^4d^5e + 124a^3c^3d^3e^3 + 126a^2c^2d^2e^5 - (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8) * \sqrt{-(625c^9d^{12} + 4050a^8c^8d^{10}e^2 + 8511a^7c^7d^8e^4 + 3868a^6c^6d^6e^6 - 6417a^5c^5d^4e^8 - 3822a^4c^4d^2e^{10} + 2401a^3c^3e^{12}) / (a^9c^8d^{16} + 8a^{10}c^7d^{14}e^2 + 28a^{11}c^6d^{12}e^4 + 56a^{12}c^5d^{10}e^6 + 70a^{13}c^4d^8e^8 + 56a^{14}c^3d^6e^{10} + 28a^{15}c^2d^4e^{12} + 8a^{16}c^2d^2e^{14} + a^{17}e^{16}))} / (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8)) * \log(-(625c^6d^8 + 3250a^5c^5d^6e^2 + 4944a^4c^4d^4e^4 + 686a^3c^3d^2e^6 - 2401a^2c^2e^8) * x - (75a^3c^5d^8e + 418a^4c^4d^6e^3 + 684a^5c^3d^4e^5 + 126a^6c^2d^2e^7 - 343a^7c^2e^9 + (5a^7c^5d^{11} + 29a^8c^4d^9e^2 + 66a^9c^3d^7e^4 + 74a^{10}c^2d^5e^6 + 41a^{11}c^2d^3e^8 + 9a^{12}d^2e^{10}) * \sqrt{-(625c^9d^{12} + 4050a^8c^8d^{10}e^2 + 8511a^7c^7d^8e^4 + 3868a^6c^6d^6e^6 - 6417a^5c^5d^4e^8 - 3822a^4c^4d^2e^{10} + 2401a^3c^3e^{12}) / (a^9c^8d^{16} + 8a^{10}c^7d^{14}e^2 + 28a^{11}c^6d^{12}e^4 + 56a^{12}c^5d^{10}e^6 + 70a^{13}c^4d^8e^8 + 56a^{14}c^3d^6e^{10} + 28a^{15}c^2d^4e^{12} + 8a^{16}c^2d^2e^{14} + a^{17}e^{16}))} * \sqrt{-(30c^4d^5e + 124a^3c^3d^3e^3 + 126a^2c^2d^2e^5 - (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8) * \sqrt{-(625c^9d^{12} + 4050a^8c^8d^{10}e^2 + 8511a^7c^7d^8e^4 + 3868a^6c^6d^6e^6 - 6417a^5c^5d^4e^8 - 3822a^4c^4d^2e^{10} + 2401a^3c^3e^{12}) / (a^9c^8d^{16} + 8a^{10}c^7d^{14}e^2 + 28a^{11}c^6d^{12}e^4 + 56a^{12}c^5d^{10}e^6 + 70a^{13}c^4d^8e^8 + 56a^{14}c^3d^6e^{10} + 28a^{15}c^2d^4e^{12} + 8a^{16}c^2d^2e^{14} + a^{17}e^{16}))} / (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8)) - 8(a^2c^4x^5 + a^3e^4x) * \sqrt{-e/d} * \log((e*x^2 - 2d*x*\sqrt{-e/d} - d) / (e*x^2 + d)) / ((a^2c^3d^5 + 2a^3c^2d^3e^2 + a^4c^2d^2e^4) * x^5 + (a^3c^2d^5 + 2a^4c^2d^3e^2 + a^5d^2e^4) * x), -1/16*(16a^2c^2d^4 + 32a^2c^2d^2e^2 + 16a^3e^4 + 4*(5c^3d^4 + 9a^2c^2d^2e^2 + 4a^2c^2e^4) * x^4 + 4*(a^2c^2d^3e + a^2c^2d^2e^3) * x^2 + 16*(a^2c^2e^4x^5 + a^3e^4x) * \sqrt{e/d} * \arctan(x*\sqrt{e/d})) - ((a^2c^3d^5 + 2a^3c^2d^3e^2 + a^4c^2d^2e^4) * x^5 + (a^3c^2d^5 + 2a^4c^2d^3e^2 + a^5d^2e^4) * x) * \sqrt{-(30c^4d^5e + 124a^3c^3d^3e^3 + 126a^2c^2d^2e^5 + (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8) * \sqrt{-(625c^9d^{12} + 4050a^8c^8d^{10}e^2 + 8511a^7c^7d^8e^4 + 3868a^6c^6d^6e^6 - 6417a^5c^5d^4e^8 - 3822a^4c^4d^2e^{10} + 2401a^3c^3e^{12}) / (a^9c^8d^{16} + 8a^{10}c^7d^{14}e^2 + 28a^{11}c^6d^{12}e^4 + 56a^{12}c^5d^{10}e^6 + 70a^{13}c^4d^8e^8 + 56a^{14}c^3d^6e^{10} + 28a^{15}c^2d^4e^{12} + 8a^{16}c^2d^2e^{14} + a^{17}e^{16}))} / (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8)) * \log
\end{aligned}$$

$$+ 56a^{12}c^5d^{10}e^6 + 70a^{13}c^4d^8e^8 + 56a^{14}c^3d^6e^{10} + 28a^{15}c^2d^4e^{12} + 8a^{16}c^2d^2e^{14} + a^{17}e^{16})) / (a^4c^4d^8 + 4a^5c^3d^6e^2 + 6a^6c^2d^4e^4 + 4a^7c^2d^2e^6 + a^8e^8))) / ((a^2c^3d^5 + 2a^3c^2d^3e^2 + a^4c^2d^2e^4) * x^5 + (a^3c^2d^5 + 2a^4c^2d^3e^2 + a^5c^2d^2e^4) * x)]$$

giac [A] time = 0.45, size = 639, normalized size = 0.86

$$\frac{\left(3 (ac^3)^{\frac{1}{4}} ac^2d^2e + 5 (ac^3)^{\frac{3}{4}} cd^3 + 7 (ac^3)^{\frac{1}{4}} a^2ce^3 + 9 (ac^3)^{\frac{3}{4}} ade^2\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{8\left(\sqrt{2}a^3c^3d^4 + 2\sqrt{2}a^4c^2d^2e^2 + \sqrt{2}a^5ce^4\right)} \left(3 (ac^3)^{\frac{1}{4}} ac^2d^2e + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out]
$$-1/8*(3*(a*c^3)^{(1/4)}*a*c^2*d^2*e + 5*(a*c^3)^{(3/4)}*c*d^3 + 7*(a*c^3)^{(1/4)}*a^2*c*e^3 + 9*(a*c^3)^{(3/4)}*a*d*e^2)*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}*a^3*c^3*d^4 + 2*\sqrt{2}*a^4*c^2*d^2*e^2 + \sqrt{2}*a^5*c*e^4) - 1/8*(3*(a*c^3)^{(1/4)}*a*c^2*d^2*e + 5*(a*c^3)^{(3/4)}*c*d^3 + 7*(a*c^3)^{(1/4)}*a^2*c*e^3 + 9*(a*c^3)^{(3/4)}*a*d*e^2)*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2}*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\sqrt{2}*a^3*c^3*d^4 + 2*\sqrt{2}*a^4*c^2*d^2*e^2 + \sqrt{2}*a^5*c*e^4) - 1/16*(3*(a*c^3)^{(1/4)}*a*c^2*d^2*e - 5*(a*c^3)^{(3/4)}*c*d^3 + 7*(a*c^3)^{(1/4)}*a^2*c*e^3 - 9*(a*c^3)^{(3/4)}*a*d*e^2)*\log(x^2 + \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}*a^3*c^3*d^4 + 2*\sqrt{2}*a^4*c^2*d^2*e^2 + \sqrt{2}*a^5*c*e^4) + 1/16*(3*(a*c^3)^{(1/4)}*a*c^2*d^2*e - 5*(a*c^3)^{(3/4)}*c*d^3 + 7*(a*c^3)^{(1/4)}*a^2*c*e^3 - 9*(a*c^3)^{(3/4)}*a*d*e^2)*\log(x^2 - \sqrt{2}*x*(a/c)^{(1/4)} + \sqrt{a/c})/(\sqrt{2}*a^3*c^3*d^4 + 2*\sqrt{2}*a^4*c^2*d^2*e^2 + \sqrt{2}*a^5*c*e^4) - \arctan(x*e^{(1/2)}/\sqrt{d})*e^{(9/2)}/((c^2*d^5 + 2*a*c*d^3*e^2 + a^2*d*e^4)*\sqrt{d}) - 1/4*(5*c^2*d^2*x^4 + 4*a*c*x^4*e^2 + a*c*d*x^2*e + 4*a*c*d^2 + 4*a^2*e^2)/((a^2*c*d^3 + a^3*d*e^2)*(c*x^5 + a*x))$$

maple [A] time = 0.02, size = 911, normalized size = 1.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e*x^2+d)/(c*x^4+a)^2,x)

[Out]
$$-1/a^2/d/x - 1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*x^3*d*e^2 - 1/4*c^3/(a*e^2+c*d^2)^2/a^2/(c*x^4+a)*x^3*d^3 - 1/4*c/(a*e^2+c*d^2)^2/(c*x^4+a)*x*e^3 - 1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*x*e*d^2 - 7/32*c/(a*e^2+c*d^2)^2/a*(a/c)^{(1/4)}*2^*$$

$$\begin{aligned} & \frac{1}{2} \ln\left(\frac{(x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}{(x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}\right) \cdot e^{-3-3/32 \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \ln\left(\frac{(x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}{(x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}\right) \\ & \cdot d^2 \cdot e^{-7/16 \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x - 1}\right) \cdot e^{-3-3/16 \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x - 1}\right) \\ & \cdot d^2 \cdot e^{-7/16 \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x + 1}\right) \cdot e^{-3-3/16 \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x + 1}\right) \\ & \cdot d^2 \cdot e^{-9/32 \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \ln\left(\frac{(x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}{(x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}\right) \\ & \cdot d \cdot e^{-2-5/32 \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \ln\left(\frac{(x^2 - (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}{(x^2 + (a/c)^{1/4} \cdot 2^{1/2} \cdot x + (a/c)^{1/2})}\right) \\ & \cdot d^3 \cdot e^{-9/16 \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x - 1}\right) \cdot d \cdot e^{-2-5/16 \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x - 1}\right) \\ & \cdot d^3 \cdot e^{-9/16 \cdot c / (a \cdot e^2 + c \cdot d^2)^2 / a} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x + 1}\right) \cdot d \cdot e^{-2-5/16 \cdot c^2 / (a \cdot e^2 + c \cdot d^2)^2 / a^2} \cdot (a/c)^{1/4} \cdot 2^{1/2} \cdot \arctan\left(\frac{2^{1/2}}{(a/c)^{1/4} \cdot x + 1}\right) \\ & \cdot d^3 \cdot e^{-1/d \cdot e^5 / (a \cdot e^2 + c \cdot d^2)^2} \cdot (d \cdot e)^{1/2} \cdot \arctan\left(\frac{1}{(d \cdot e)^{1/2}}\right) \cdot e^x \end{aligned}$$

maxima [A] time = 2.11, size = 521, normalized size = 0.70

$$\frac{e^5 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2 d^5 + 2acd^3 e^2 + a^2 d e^4) \sqrt{de}} \left[\frac{2\sqrt{2} \left(5\sqrt{a} c^2 d^3 + 3ac^2 d^2 e + 9a^2 c d e^2 + 7a^2 \sqrt{c} e^3\right) \arctan\left(\frac{\sqrt{2} \left(2\sqrt{cx} + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a} \sqrt{c}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c} \sqrt{c}}} \right] + \frac{2\sqrt{2} \left(5\sqrt{a} c^2 d^3 + \dots\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -e^5 \arctan\left(\frac{ex}{\sqrt{de}}\right) / ((c^2 d^5 + 2a \cdot c \cdot d^3 \cdot e^2 + a^2 \cdot d \cdot e^4) \cdot \sqrt{d \cdot e}) \\ & - \frac{1}{32} \cdot c \cdot (2 \cdot \sqrt{2}) \cdot (5 \cdot \sqrt{a}) \cdot c^2 \cdot d^3 + 3 \cdot a \cdot c \cdot (3/2) \cdot d^2 \cdot e + 9 \cdot a \cdot (3/2) \cdot c \cdot d \cdot e^2 + 7 \cdot a^2 \cdot \sqrt{c} \cdot e^3 \cdot \arctan\left(\frac{1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{c} \cdot x + \sqrt{2} \cdot a^{1/4} \cdot c^{1/4})}{\sqrt{a} \cdot \sqrt{c}}\right) / (\sqrt{a} \cdot \sqrt{c}) \\ & + \frac{2 \cdot \sqrt{2} \cdot (5 \cdot \sqrt{a}) \cdot c^2 \cdot d^3 + 3 \cdot a \cdot c \cdot (3/2) \cdot d^2 \cdot e + 9 \cdot a \cdot (3/2) \cdot c \cdot d \cdot e^2 + 7 \cdot a^2 \cdot \sqrt{c} \cdot e^3 \cdot \arctan\left(\frac{1/2 \cdot \sqrt{2} \cdot (2 \cdot \sqrt{c} \cdot x - \sqrt{2} \cdot a^{1/4} \cdot c^{1/4})}{\sqrt{a} \cdot \sqrt{c}}\right) / (\sqrt{a} \cdot \sqrt{c})}{(\sqrt{a} \cdot \sqrt{c})} - \sqrt{2} \cdot (5 \cdot \sqrt{a}) \cdot c^2 \cdot d^3 - 3 \cdot a \cdot c \cdot (3/2) \cdot d^2 \cdot e + 9 \cdot a \cdot (3/2) \cdot c \cdot d \cdot e^2 - 7 \cdot a^2 \cdot \sqrt{c} \cdot e^3 \cdot \log(\sqrt{c} \cdot x^2 + \sqrt{2} \cdot a^{1/4} \cdot c^{1/4} \cdot x + \sqrt{a}) / (a^{3/4} \cdot c^{3/4}) \\ & + \sqrt{2} \cdot (5 \cdot \sqrt{a}) \cdot c^2 \cdot d^3 - 3 \cdot a \cdot c \cdot (3/2) \cdot d^2 \cdot e + 9 \cdot a \cdot (3/2) \cdot c \cdot d \cdot e^2 - 7 \cdot a^2 \cdot \sqrt{c} \cdot e^3 \cdot \log(\sqrt{c} \cdot x^2 - \sqrt{2} \cdot a^{1/4} \cdot c^{1/4} \cdot x + \sqrt{a}) / (a^{3/4} \cdot c^{3/4}) / (a^2 \cdot c^2 \cdot d^4 + 2 \cdot a^3 \cdot c \cdot d^2 \cdot e^2 + a^4 \cdot e^4) - 1/4 \cdot (a \cdot c \cdot d \cdot e \cdot x^2 \end{aligned}$$

$$\begin{aligned}
& + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 31902i + a^{11}c^6d^8e^9x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 52008i + a^{12}c^5d^6e^{11}x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 42238i + a^{13}c^4d^4e^{13}x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 10924i - a^{14}c^3d^2e^{15}x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 5694i - a^{12}c^9d^{17}e^2x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} * 216i - a^{13}c^8d^{15}e^4x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} * 700i - a^{14}c^7d^{13}e^6x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} * 778i + a^{16}c^5d^9e^{10}x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} * 3224i + a^{17}c^4d^7e^{12}x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} * 3460i + a^{18}c^3d^5e^{14}x
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)} / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} * 40i - a^{19}c^6d^{14}e^7 * x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} \\
& + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} \\
&) * 56i - a^{20}c^5d^{12}e^9 * x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} \\
&) * 28i + a^{21}c^4d^{10}e^{11} * x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} \\
&) * 28i + a^{22}c^3d^8e^{13} * x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} \\
&) * 56i + a^{23}c^2d^6e^{15} * x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} \\
&) * 40i - a^{20}c^2d^2e^{18} * x * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4)^{(5/2)} \\
&) * 128i)) / (9765625a^9c^{21}d^{32} + 481890304a^{25}c^5e^{32} + 159765625a^{10}c^{20}d^30e^2 + 1159031250a^{11}c^{19}d^{28}e^4 + 4879001250a^{12}c^{18}d^{26}e^6 + 13043411775a^{13}c^{17}d^{24}e^8 + 22507897839a^{14}c^{16}d^{22}e^{10} + 23209461788a^{15}c^{15}d^{20}e^{12} + 7790140604a^{16}c^{14}d^{18}e^{14} - 15160518297a^{17}c^{13}d^{16}e^{16} - 24964288057a^{18}c^{12}d^{14}e^{18} - 11511478798a^{19}c^{11}d^{12}e^{20} + 8613907074a^{20}c^{10}d^{10}e^{22} + 11397074817a^{21}c^9d^8e^{24} + 586708977a^{22}c^8d^6e^{26} - 3576733440a^{23}c^7d^4e^{28} - 521228288a^{24}c^6d^2e^{30})) * (- (49a^3e^6(-a^9c^3)^{(1/2)} - 25c^3d^6(-a^9c^3)^{(1/2)} \\
& + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 - 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} - 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (256(a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 2i - \operatorname{atan}(((11875a^5c^{10}d^{15}e - a^9c^3(72128a^3d^5e^{15} + 265655c^3d^7e^9 - 76440a^2c^2d^5e^{11} - 178585a^2c^2d^3e^{13}) + 68800a^6c^9d^{13}e^3 + 89403a^7c^8d^{11}e^5 - 126488a^8c^7d^9e^7) * (a^{25}d^2e^{19} * x * (- (25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^2c^2d^4e^2(-a^9c^3)^{(1/2)} + 39a^2c^2d^2e^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c^2d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(5/2)} * 2i -
\end{aligned}$$

$$\begin{aligned}
& + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^9*c^3)^{(1/2))}/(\\
& a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2 \\
& *d^4*e^4))^{(5/2)}*56i - a^{20}*c^5*d^{12}*e^9*x*(-(25*c^3*d^6*(-a^9*c^3)^{(1/2)} - \\
& 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5*e + 126*a^7*c^2*d*e^5 + 124*a \\
& ^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^9 \\
& *c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^ \\
& 2 + 6*a^{11}*c^2*d^4*e^4))^{(5/2)}*28i + a^{21}*c^4*d^{10}*e^{11}*x*(-(25*c^3*d^6*(-a \\
& ^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5*e + 126*a^7*c^ \\
& 2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2* \\
& c*d^2*e^4*(-a^9*c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4* \\
& a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2*d^4*e^4))^{(5/2)}*28i + a^{22}*c^3*d^8*e^{13}*x*(-(\\
& 25*c^3*d^6*(-a^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5* \\
& e + 126*a^7*c^2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(\\
& 1/2)} + 39*a^2*c*d^2*e^4*(-a^9*c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}* \\
& c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2*d^4*e^4))^{(5/2)}*56i + a^{23}*c^2* \\
& d^6*e^{15}*x*(-(25*c^3*d^6*(-a^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 3 \\
& 0*a^5*c^4*d^5*e + 126*a^7*c^2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^ \\
& 2*(-a^9*c^3)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^9*c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4 \\
& *d^8 + 4*a^{12}*c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2*d^4*e^4))^{(5/2)}*4 \\
& 0i - a^{20}*c*d*e^{18}*x*(-(25*c^3*d^6*(-a^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3) \\
& ^{(1/2)} + 30*a^5*c^4*d^5*e + 126*a^7*c^2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a* \\
& c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^9*c^3)^{(1/2)))/(a^{13}*e^8 \\
& + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2*d^4*e^4 \\
&))^{(3/2)}*128i - (-a^9*c^3)^{(1/2)}*(3125*c^9*d^{16} + 21952*a^8*c*e^{16} + 3000* \\
& a*c^8*d^{14}*e^2 - 77435*a^2*c^7*d^{12}*e^4 - 242104*a^3*c^6*d^{10}*e^6 - 127665* \\
& a^4*c^5*d^8*e^8 + 240064*a^5*c^4*d^6*e^{10} + 118199*a^6*c^3*d^4*e^{12} - 13036 \\
& 8*a^7*c^2*d^2*e^{14})*(a^{25}*d^2*e^{19}*x*(-(25*c^3*d^6*(-a^9*c^3)^{(1/2)} - 49*a^ \\
& 3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5*e + 126*a^7*c^2*d*e^5 + 124*a^6*c^3 \\
& *d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2*c*d^2*e^4*(-a^9*c^3)^ \\
& (1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^2 + 6* \\
& a^{11}*c^2*d^4*e^4))^{(5/2)}*2i - a^{15}*c^2*e^{17}*x*(-(25*c^3*d^6*(-a^9*c^3)^{(1/2) \\
&) - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5*e + 126*a^7*c^2*d*e^5 + 12 \\
& 4*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2*c*d^2*e^4*(- \\
& a^9*c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4*a^{10}*c^3*d^6 \\
& *e^2 + 6*a^{11}*c^2*d^4*e^4))^{(1/2)}*3136i - a^{11}*c^{10}*d^{19}*x*(-(25*c^3*d^6*(- \\
& a^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5*e + 126*a^7*c \\
& ^2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1/2)} + 39*a^2 \\
& *c*d^2*e^4*(-a^9*c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}*c*d^2*e^6 + 4 \\
& *a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2*d^4*e^4))^{(3/2)}*25i - a^{16}*c^9*d^{20}*e*x*(-(2 \\
& 5*c^3*d^6*(-a^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^5*c^4*d^5*e \\
& + 126*a^7*c^2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-a^9*c^3)^{(1 \\
& /2)} + 39*a^2*c*d^2*e^4*(-a^9*c^3)^{(1/2)))/(a^{13}*e^8 + a^9*c^4*d^8 + 4*a^{12}* \\
& c*d^2*e^6 + 4*a^{10}*c^3*d^6*e^2 + 6*a^{11}*c^2*d^4*e^4))^{(5/2)}*2i + a^{24}*c*d^4* \\
& e^{17}*x*(-(25*c^3*d^6*(-a^9*c^3)^{(1/2)} - 49*a^3*e^6*(-a^9*c^3)^{(1/2)} + 30*a^ \\
& 5*c^4*d^5*e + 126*a^7*c^2*d*e^5 + 124*a^6*c^3*d^3*e^3 + 81*a*c^2*d^4*e^2*(-
\end{aligned}$$

$$\begin{aligned}
& a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d^8 \\
& + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(5/2)}*14i + \\
& a^8c^9d^{14}e^3*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} \\
& + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^c \\
& ^2d^4e^2*(-a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 \\
& + a^9c^4d^8 + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4) \\
&)^{(1/2)}*1250i + a^9c^8d^{12}e^5*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e \\
& ^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d \\
& ^3e^3 + 81a^c^2d^4e^2*(-a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1 \\
& /2)))/(a^{13}e^8 + a^9c^4d^8 + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^2 + 6a^ \\
& ^{11}c^2d^4e^4))^{(1/2)}*9900i + a^{10}c^7d^{10}e^7*x*(-(25c^3d^6(-a^9c^3) \\
& ^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 \\
& + 124a^6c^3d^3e^3 + 81a^c^2d^4e^2*(-a^9c^3)^{(1/2)} + 39a^2cd^2e \\
& ^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d^8 + 4a^{12}cd^2e^6 + 4a^{10}c^ \\
& ^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)}*31902i + a^{11}c^6d^8e^9*x*(-(25c^ \\
& ^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 1 \\
& 26a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^c^2d^4e^2*(-a^9c^3)^{(1/2)} \\
& + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d^8 + 4a^{12}cd^2 \\
& *e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)}*52008i + a^{12}c^5d^ \\
& ^6e^{11}*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30 \\
& a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^c^2d^4e^2* \\
& (-a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d \\
& ^8 + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)}*422 \\
& 38i + a^{13}c^4d^4e^{13}*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9 \\
& *c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + \\
& 81a^c^2d^4e^2*(-a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^1 \\
& 3e^8 + a^9c^4d^8 + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^ \\
& ^4e^4))^{(1/2)}*10924i - a^{14}c^3d^2e^{15}*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - \\
& 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^ \\
& ^6c^3d^3e^3 + 81a^c^2d^4e^2*(-a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9 \\
& *c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d^8 + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^ \\
& ^2 + 6a^{11}c^2d^4e^4))^{(1/2)}*5694i - a^{12}c^9d^{17}e^2*x*(-(25c^3d^6(- \\
& a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c \\
& ^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^c^2d^4e^2*(-a^9c^3)^{(1/2)} + 39a^2 \\
& *cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d^8 + 4a^{12}cd^2e^6 + 4 \\
& *a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)}*216i - a^{13}c^8d^{15}e^4*x*(\\
& -(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^ \\
& 5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^c^2d^4e^2*(-a^9c^3) \\
& ^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c^4d^8 + 4a^1 \\
& 2*c^d^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)}*700i - a^{14}c \\
& ^7d^{13}e^6*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} \\
& + 30a^5c^4d^5e + 126a^7c^2d^2e^5 + 124a^6c^3d^3e^3 + 81a^c^2d^4 \\
& *e^2*(-a^9c^3)^{(1/2)} + 39a^2cd^2e^4(-a^9c^3)^{(1/2)})/(a^{13}e^8 + a^9c \\
& ^4d^8 + 4a^{12}cd^2e^6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} \\
&)*808i + a^{15}c^6d^{11}e^8*x*(-(25c^3d^6(-a^9c^3)^{(1/2)} - 49a^3e^6(-
\end{aligned}$$

$$\begin{aligned} & ^4e^4)^{(5/2)} * 56i + a^{23}c^2d^6e^{15}xx * (- (25c^3d^6(-a^9c^3)^{(1/2)} - 4 \\ & 9a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^5e^5 + 124a^6 \\ & *c^3d^3e^3 + 81a*c^2d^4e^2(-a^9c^3)^{(1/2)} + 39a^2c*d^2e^4(-a^9c \\ & ^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c*d^2e^6 + 4a^{10}c^3d^6e^2 \\ & + 6a^{11}c^2d^4e^4))^{(5/2)} * 40i - a^{20}c*d^e^{18}xx * (- (25c^3d^6(-a^9c^3) \\ & ^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c^2d^5e^5 \\ & + 124a^6c^3d^3e^3 + 81a*c^2d^4e^2(-a^9c^3)^{(1/2)} + 39a^2c*d^2e \\ & ^4(-a^9c^3)^{(1/2)}) / (a^{13}e^8 + a^9c^4d^8 + 4a^{12}c*d^2e^6 + 4a^{10}c^ \\ & 3d^6e^2 + 6a^{11}c^2d^4e^4))^{(3/2)} * 128i) / (9765625a^9c^{21}d^{32} + 4818 \\ & 90304a^{25}c^5e^{32} + 159765625a^{10}c^{20}d^{30}e^2 + 1159031250a^{11}c^{19}d \\ & ^{28}e^4 + 4879001250a^{12}c^{18}d^{26}e^6 + 13043411775a^{13}c^{17}d^{24}e^8 + \\ & 22507897839a^{14}c^{16}d^{22}e^{10} + 23209461788a^{15}c^{15}d^{20}e^{12} + 7790140 \\ & 604a^{16}c^{14}d^{18}e^{14} - 15160518297a^{17}c^{13}d^{16}e^{16} - 24964288057a^{1 \\ & 8}c^{12}d^{14}e^{18} - 11511478798a^{19}c^{11}d^{12}e^{20} + 8613907074a^{20}c^{10}d \\ & ^{10}e^{22} + 11397074817a^{21}c^9d^8e^{24} + 586708977a^{22}c^8d^6e^{26} - 35 \\ & 76733440a^{23}c^7d^4e^{28} - 521228288a^{24}c^6d^2e^{30})) * (- (25c^3d^6(- \\ & a^9c^3)^{(1/2)} - 49a^3e^6(-a^9c^3)^{(1/2)} + 30a^5c^4d^5e + 126a^7c \\ & ^2d^5e^5 + 124a^6c^3d^3e^3 + 81a*c^2d^4e^2(-a^9c^3)^{(1/2)} + 39a^2 \\ & *c*d^2e^4(-a^9c^3)^{(1/2)}) / (256*(a^{13}e^8 + a^9c^4d^8 + 4a^{12}c*d^2e^ \\ & 6 + 4a^{10}c^3d^6e^2 + 6a^{11}c^2d^4e^4))^{(1/2)} * 2i - (atan((a^9e^3xx \\ & (-d^3e^9)^{(5/2)} * 4096i - a^3c^6d^{15}xx * (-d^3e^9)^{(3/2)} * 26804i + c^9d^{24} \\ & e^3xx * (-d^3e^9)^{(1/2)} * 625i - a^4c^5d^{13}e^2xx * (-d^3e^9)^{(3/2)} * 24831i - \\ & a^5c^4d^{11}e^4xx * (-d^3e^9)^{(3/2)} * 8214i + a^6c^3d^9e^6xx * (-d^3e^9)^{(3 \\ & /2)} * 13471i + a^7c^2d^7e^8xx * (-d^3e^9)^{(3/2)} * 16128i + a^2c^7d^{20}e^7xx \\ & * (-d^3e^9)^{(1/2)} * 15951i + a*c^8d^{22}e^5xx * (-d^3e^9)^{(1/2)} * 4950i) / (4096a \\ & ^9d^8e^{25} + 625c^9d^{26}e^7 + 4950a*c^8d^{24}e^9 + 15951a^2c^7d^{22}e \\ & ^{11} + 26804a^3c^6d^{20}e^{13} + 24831a^4c^5d^{18}e^{15} + 8214a^5c^4d^{16} \\ & *e^{17} - 13471a^6c^3d^{14}e^{19} - 16128a^7c^2d^{12}e^{21})) * (-d^3e^9)^{(1/2)} \\ &) * 1i) / (c^2d^7 + a^2d^3e^4 + 2a*c*d^5e^2) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.258 \quad \int \frac{1}{x^4(d+ex^2)(a+cx^4)^2} dx$$

Optimal. Leaf size=751

$$\frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d)(2ae^2 + cd^2) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{11/4}(ae^2 + cd^2)^2} + \frac{c^{5/4}(\sqrt{a}e + 3\sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{11/4}(ae^2 + cd^2)}$$

[Out] $-1/3/a^2/d/x^3+e/a^2/d^2/x-1/4*c^2*x*(-e*x^2+d)/a^2/(a*e^2+c*d^2)/(c*x^4+a)$
 $+e^{(11/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/(a*e^2+c*d^2)^2-1/4*c^{(5/4)}*(2*$
 $a*e^2+c*d^2)*\arctan(-1+c^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(11/4)}/$
 $(a*e^2+c*d^2)^2*2^{(1/2)}-1/4*c^{(5/4)}*(2*a*e^2+c*d^2)*\arctan(1+c^{(1/4)}$
 $*x^2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+d*c^{(1/2)})/a^{(11/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}$
 $+1/8*c^{(5/4)}*(2*a*e^2+c*d^2)*\ln(-a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})$
 $*(e*a^{(1/2)}+d*c^{(1/2)})/a^{(11/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}-1/8*c^{(5/4)}*(2*$
 $a*e^2+c*d^2)*\ln(a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})*(e*a^{(1/2)}+d$
 $*c^{(1/2)})/a^{(11/4)}/(a*e^2+c*d^2)^2*2^{(1/2)}-1/16*c^{(5/4)}*\arctan(-1+c^{(1/4)}*x$
 $*2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(11/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1$
 $/16*c^{(5/4)}*\arctan(1+c^{(1/4)}*x^2^{(1/2)}/a^{(1/4)})*(-e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(11/4)}/$
 $(a*e^2+c*d^2)*2^{(1/2)}+1/32*c^{(5/4)}*\ln(-a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})$
 $*(e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(11/4)}/(a*e^2+c*d^2)*2^{(1/2)}-1/32*c^{(5/4)}*\ln(a^{(1/4)}*c^{(1/4)}*x^2^{(1/2)}+a^{(1/2)}+x^2*c^{(1/2)})$
 $*(e*a^{(1/2)}+3*d*c^{(1/2)})/a^{(11/4)}/(a*e^2+c*d^2)*2^{(1/2)}$

Rubi [A] time = 0.69, antiderivative size = 751, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1336, 205, 1179, 1168, 1162, 617, 204, 1165, 628}

$$-\frac{c^2x(d-ex^2)}{4a^2(a+cx^4)(ae^2+cd^2)} + \frac{c^{5/4}(\sqrt{a}e + \sqrt{c}d)(2ae^2 + cd^2) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}a^{11/4}(ae^2 + cd^2)^2} + \frac{c^{5/4}(\sqrt{a}e + 3\sqrt{c}d) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{16\sqrt{2}a^{11/4}(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] $-1/(3*a^2*d*x^3) + e/(a^2*d^2*x) - (c^2*x*(d - e*x^2))/(4*a^2*(c*d^2 + a*e^2)*(a + c*x^4)) + (e^{(11/2)}*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^{(5/2)}*(c*d^2 + a*e^2)^2) + (c^{(5/4)}*(3*Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 - (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(8*Sqrt[2]*a^{(11/4)}*(c*d^2 + a*e^2)) + (c^{(5/4)}*(Sqrt[c]*d - Sqrt[a]*e)*(c*d^2 + 2*a*e^2)*ArcTan[1 - (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(2*Sqrt[2]*a^{(11/4)}*(c*d^2 + a*e^2)^2) - (c^{(5/4)}*(3*Sqrt[c]*d - Sqrt[a]*e)*ArcTan[1 + (Sqrt[2]*c^{(1/4)}*x)/a^{(1/4)}])/(8*Sqrt[2]*a^{(11/4)}*(c*d^2 + a*e^2)) -$

$$\begin{aligned} & (c^{5/4}(\sqrt{c}d - \sqrt{a}e)(c^2d^2 + 2ae^2)\text{ArcTan}[1 + (\sqrt{2}c^{1/4}x)/a^{1/4}]) / (2\sqrt{2}a^{11/4}(c^2d^2 + ae^2)^2) + (c^{5/4}(3\sqrt{c}d + \sqrt{a}e)\text{Log}[\sqrt{a} - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2]) / (16\sqrt{2}a^{11/4}(c^2d^2 + ae^2)) \\ & + (c^{5/4}(\sqrt{c}d + \sqrt{a}e)(c^2d^2 + 2ae^2)\text{Log}[\sqrt{a} - \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2]) / (4\sqrt{2}a^{11/4}(c^2d^2 + ae^2)^2) - (c^{5/4}(3\sqrt{c}d + \sqrt{a}e)\text{Log}[\sqrt{a} + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2]) / (16\sqrt{2}a^{11/4}(c^2d^2 + ae^2)) \\ & - (c^{5/4}(\sqrt{c}d + \sqrt{a}e)(c^2d^2 + 2ae^2)\text{Log}[\sqrt{a} + \sqrt{2}a^{1/4}c^{1/4}x + \sqrt{c}x^2]) / (4\sqrt{2}a^{11/4}(c^2d^2 + ae^2)^2) \end{aligned}$$
Rule 204

$$\text{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]\text{Rt}[-b, 2]), x] \text{ /; FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$
Rule 205

$$\text{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ /; FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$$
Rule 617

$$\text{Int}[(a_ + (b_)(x_ + (c_)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{With}\{q = 1 - 4\text{Simplify}[(a_ c_)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2c_ x)/b], x] \text{ /; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4a_ c_]) \ \text{ /; FreeQ}\{a, b, c, x\} \ \&\& \ \text{NeQ}[b^2 - 4a_ c, 0]$$
Rule 628

$$\text{Int}[(d_ + (e_)(x_))/((a_ + (b_)(x_ + (c_)(x_)^2)), x_Symbol] \rightarrow \text{Simp}[(d_ \text{Log}[\text{RemoveContent}[a + b_ x + c_ x^2, x]])/b, x] \text{ /; FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{EqQ}[2c_ d - b_ e, 0]$$
Rule 1162

$$\text{Int}[(d_ + (e_)(x_)^2)/((a_ + (c_)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2d_)/e, 2]\}, \text{Dist}[e/(2c_), \text{Int}[1/\text{Simp}[d/e + q_ x + x^2, x], x], x] + \text{Dist}[e/(2c_), \text{Int}[1/\text{Simp}[d/e - q_ x + x^2, x], x], x] \text{ /; FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{EqQ}[c_ d^2 - a_ e^2, 0] \ \&\& \ \text{PosQ}[d_ e]$$
Rule 1165

$$\text{Int}[(d_ + (e_)(x_)^2)/((a_ + (c_)(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[-(2d_)/e, 2]\}, \text{Dist}[e/(2c_ q), \text{Int}[(q - 2x)/\text{Simp}[d/e + q_ x - x^2, x], x],$$

$x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rule 1168

$\text{Int}[(d + (e_*)*(x_)^2)/((a_) + (c_*)*(x_)^4), x_Symbol] :> \text{With}[\{q = \text{Rt}[a*c, 2]\}, \text{Dist}[(d*q + a*e)/(2*a*c), \text{Int}[(q + c*x^2)/(a + c*x^4), x], x] + \text{Dist}[(d*q - a*e)/(2*a*c), \text{Int}[(q - c*x^2)/(a + c*x^4), x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[-(a*c)]$

Rule 1179

$\text{Int}[(d + (e_*)*(x_)^2)*((a_) + (c_*)*(x_)^4)^{(p_)}, x_Symbol] :> -\text{Simp}[(x*(d + e*x^2)*(a + c*x^4)^{(p+1)})/(4*a*(p+1)), x] + \text{Dist}[1/(4*a*(p+1)), \text{Int}[\text{Simp}[d*(4*p+5) + e*(4*p+7)*x^2, x]*(a + c*x^4)^{(p+1)}, x], x] /; \text{FreeQ}\{a, c, d, e, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{IntegerQ}[2*p]$

Rule 1336

$\text{Int}[(f_*)*(x_)^{(m_*)}*((d_) + (e_*)*(x_)^2)^{(q_*)}*((a_) + (c_*)*(x_)^4)^{(p_)}, x_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d + e*x^2)^q*(a + c*x^4)^p, x], x] /; \text{FreeQ}\{a, c, d, e, f, m, p, q, x\} \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[q, 0] \ | \ \text{IntegersQ}[m, q])$

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (d + ex^2) (a + cx^4)^2} dx &= \int \left(\frac{1}{a^2 dx^4} - \frac{e}{a^2 d^2 x^2} + \frac{e^6}{d^2 (cd^2 + ae^2)^2 (d + ex^2)} - \frac{c^2 (d - ex^2)}{a (cd^2 + ae^2) (a + cx^4)^2} - \frac{c^2}{a^2} \right) dx \\
&= -\frac{1}{3a^2 dx^3} + \frac{e}{a^2 d^2 x} + \frac{e^6 \int \frac{1}{d+ex^2} dx}{d^2 (cd^2 + ae^2)^2} - \frac{c^2 \int \frac{d-ex^2}{(a+cx^4)^2} dx}{a (cd^2 + ae^2)} - \frac{(c^2 (cd^2 + 2ae^2)) \int \frac{d-e}{a+c}}{a^2 (cd^2 + ae^2)^2} \\
&= -\frac{1}{3a^2 dx^3} + \frac{e}{a^2 d^2 x} - \frac{c^2 x (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} + \frac{e^{11/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{5/2} (cd^2 + ae^2)^2} + \frac{c^2 \int \frac{-3d+ex}{a+cx^4}}{4a^2 (cd^2 + ae^2)^2} \\
&= -\frac{1}{3a^2 dx^3} + \frac{e}{a^2 d^2 x} - \frac{c^2 x (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} + \frac{e^{11/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{5/2} (cd^2 + ae^2)^2} - \frac{c \left(\frac{3\sqrt{c} d}{\sqrt{a}} - \dots \right)}{8a^2} \\
&= -\frac{1}{3a^2 dx^3} + \frac{e}{a^2 d^2 x} - \frac{c^2 x (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} + \frac{e^{11/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{5/2} (cd^2 + ae^2)^2} + \frac{c^{5/4} \left(\frac{\sqrt{c} d}{\sqrt{a}} + \dots \right)}{8a^2} \\
&= -\frac{1}{3a^2 dx^3} + \frac{e}{a^2 d^2 x} - \frac{c^2 x (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} + \frac{e^{11/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{5/2} (cd^2 + ae^2)^2} + \frac{c^{5/4} \left(\frac{\sqrt{c} d}{\sqrt{a}} - \dots \right)}{8a^2} \\
&= -\frac{1}{3a^2 dx^3} + \frac{e}{a^2 d^2 x} - \frac{c^2 x (d - ex^2)}{4a^2 (cd^2 + ae^2) (a + cx^4)} + \frac{e^{11/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{5/2} (cd^2 + ae^2)^2} + \frac{c^{5/4} \left(\frac{3\sqrt{c} d}{\sqrt{a}} - \dots \right)}{8\sqrt{2}}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 513, normalized size = 0.68

$$\frac{1}{96} \left(\frac{3\sqrt{2} c^{5/4} (9a^{3/2} e^3 + 5\sqrt{a} cd^2 e + 11a\sqrt{c} de^2 + 7c^{3/2} d^3) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c} x + \sqrt{a} + \sqrt{c} x^2)}{a^{11/4} (ae^2 + cd^2)^2} - \frac{3\sqrt{2} c^{5/4} (9a^{3/2} e^3 + \dots)}{8\sqrt{2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(d + e*x^2)*(a + c*x^4)^2), x]

[Out] (-32/(a^2*d*x^3) + (96*e)/(a^2*d^2*x) - (24*c^2*x*(d - e*x^2))/(a^2*(c*d^2 + a*e^2)*(a + c*x^4)) + (96*e^(11/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(5/2)*

$$\begin{aligned} & (c*d^2 + a*e^2)^2) + (6*\text{Sqrt}[2]*c^{(5/4)}*(7*c^{(3/2)}*d^3 - 5*\text{Sqrt}[a]*c*d^2*e \\ & + 11*a*\text{Sqrt}[c]*d*e^2 - 9*a^{(3/2)}*e^3)*\text{ArcTan}[1 - (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)} \\ &)]/(a^{(11/4)}*(c*d^2 + a*e^2)^2) + (6*\text{Sqrt}[2]*c^{(5/4)}*(-7*c^{(3/2)}*d^3 + 5*\text{S} \\ & \text{qrt}[a]*c*d^2*e - 11*a*\text{Sqrt}[c]*d*e^2 + 9*a^{(3/2)}*e^3)*\text{ArcTan}[1 + (\text{Sqrt}[2]*c^{(1/4)}*x)/a^{(1/4)} \\ &)]/(a^{(11/4)}*(c*d^2 + a*e^2)^2) + (3*\text{Sqrt}[2]*c^{(5/4)}*(7*c^{(3/2)}*d^3 + 5*\text{Sqrt}[a]*c*d^2*e \\ & + 11*a*\text{Sqrt}[c]*d*e^2 + 9*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] - \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2])/ \\ & (a^{(11/4)}*(c*d^2 + a*e^2)^2) - (3*\text{Sqrt}[2]*c^{(5/4)}*(7*c^{(3/2)}*d^3 + 5*\text{Sqrt}[a]*c*d^2*e + 11*a*\text{Sqrt}[c]*d* \\ & e^2 + 9*a^{(3/2)}*e^3)*\text{Log}[\text{Sqrt}[a] + \text{Sqrt}[2]*a^{(1/4)}*c^{(1/4)}*x + \text{Sqrt}[c]*x^2] \\ &)/(a^{(11/4)}*(c*d^2 + a*e^2)^2))/96 \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.50, size = 628, normalized size = 0.84

$$\frac{\left(7(ac^3)^{\frac{1}{4}}c^3d^3 + 11(ac^3)^{\frac{1}{4}}ac^2de^2 - 5(ac^3)^{\frac{3}{4}}cd^2e - 9(ac^3)^{\frac{3}{4}}ae^3\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{8\left(\sqrt{2}a^3c^3d^4 + 2\sqrt{2}a^4c^2d^2e^2 + \sqrt{2}a^5ce^4\right)} \left(7(ac^3)^{\frac{1}{4}}c^3d^3 + 11(ac^3)^{\frac{1}{4}}ac^2de^2 - 5(ac^3)^{\frac{3}{4}}cd^2e - 9(ac^3)^{\frac{3}{4}}ae^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(7*(a*c^3)^{(1/4)}*c^3*d^3 + 11*(a*c^3)^{(1/4)}*a*c^2*d*e^2 - 5*(a*c^3)^{(3/4)}*c*d^2*e \\ & - 9*(a*c^3)^{(3/4)}*a*e^3)*\arctan(1/2*\text{sqrt}(2)*(2*x + \text{sqrt}(2)*(a/c)^{(1/4)})/(a/c)^{(1/4)})/ \\ & (\text{sqrt}(2)*a^3*c^3*d^4 + 2*\text{sqrt}(2)*a^4*c^2*d^2*e^2 + \text{sqrt}(2)*a^5*c*e^4) - 1/8*(7*(a*c^3)^{(1/4)}*c^3*d^3 \\ & + 11*(a*c^3)^{(1/4)}*a*c^2*d*e^2 - 5*(a*c^3)^{(3/4)}*c*d^2*e - 9*(a*c^3)^{(3/4)}*a*e^3)*\arctan(1/2*\text{sqrt}(2)* \\ & (2*x - \text{sqrt}(2)*(a/c)^{(1/4)})/(a/c)^{(1/4)})/(\text{sqrt}(2)*a^3*c^3*d^4 + 2*\text{sqrt}(2)*a^4*c^2*d^2*e^2 + \\ & \text{sqrt}(2)*a^5*c*e^4) - 1/16*(7*(a*c^3)^{(1/4)}*c^3*d^3 + 11*(a*c^3)^{(1/4)}*a*c^2*d*e^2 + 5*(a*c^3)^{(3/4)}*c*d^2*e \\ & + 9*(a*c^3)^{(3/4)}*a*e^3)*\log(x^2 + \text{sqrt}(2)*x*(a/c)^{(1/4)} + \text{sqrt}(a/c))/(\text{sqrt}(2)*a^3*c^3*d^4 + 2*\text{sqrt}(2) \\ &)*a^4*c^2*d^2*e^2 + \text{sqrt}(2)*a^5*c*e^4) + 1/16*(7*(a*c^3)^{(1/4)}*c^3*d^3 + 11*(a*c^3)^{(1/4)}*a*c^2*d*e^2 \\ & + 5*(a*c^3)^{(3/4)}*c*d^2*e + 9*(a*c^3)^{(3/4)}*a*e^3)*\log(x^2 - \text{sqrt}(2)*x*(a/c)^{(1/4)} + \text{sqrt}(a/c))/ \\ & (\text{sqrt}(2)*a^3*c^3*d^4 + 2*\text{sqrt}(2)*a^4*c^2*d^2*e^2 + \text{sqrt}(2)*a^5*c*e^4) + \arctan(x*e^{(1/2)}/\text{sqrt}(d))*e^{(1/2)} \end{aligned}$$

$$\frac{1/2}{((c^2*d^6 + 2*a*c*d^4*e^2 + a^2*d^2*e^4)*\sqrt{d})} + \frac{1/4*(c^2*x^3*e - c^2*d*x)}{((a^2*c*d^2 + a^3*e^2)*(c*x^4 + a))} + \frac{1/3*(3*x^2*e - d)}{(a^2*d^2*x^3)}$$

maple [A] time = 0.02, size = 932, normalized size = 1.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(e*x^2+d)/(c*x^4+a)^2,x)

[Out]
$$-1/3/a^2/d/x^3 + e/a^2/d^2/x + 1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*x^3*e^3 + 1/4*c^3/(a*e^2+c*d^2)^2/a^2/(c*x^4+a)*x^3*e*d^2 - 1/4*c^2/(a*e^2+c*d^2)^2/a/(c*x^4+a)*x*d*e^2 - 1/4*c^3/(a*e^2+c*d^2)^2/a^2/(c*x^4+a)*x*d^3 - 11/16*c^2/(a*e^2+c*d^2)^2/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d*e^2 - 7/16*c^3/(a*e^2+c*d^2)^2/a^3*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^3 - 11/32*c^2/(a*e^2+c*d^2)^2/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d*e^2 - 7/32*c^3/(a*e^2+c*d^2)^2/a^3*(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^3 - 11/16*c^2/(a*e^2+c*d^2)^2/a^2*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d*e^2 - 7/16*c^3/(a*e^2+c*d^2)^2/a^3*(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^3 + 9/32*c/(a*e^2+c*d^2)^2/a/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*e^3 + 5/32*c^2/(a*e^2+c*d^2)^2/a^2/(a/c)^{(1/4)}*2^{(1/2)}*\ln((x^2-(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)})/(x^2+(a/c)^{(1/4)}*2^{(1/2)}*x+(a/c)^{(1/2)}))*d^2*e + 9/16*c/(a*e^2+c*d^2)^2/a/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*e^3 + 5/16*c^2/(a*e^2+c*d^2)^2/a^2/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x-1)*d^2*e + 9/16*c/(a*e^2+c*d^2)^2/a/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*e^3 + 5/16*c^2/(a*e^2+c*d^2)^2/a^2/(a/c)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(a/c)^{(1/4)}*x+1)*d^2*e + 1/d^2*e^6/(a*e^2+c*d^2)^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)})*e*x$$

maxima [A] time = 2.11, size = 543, normalized size = 0.72

$$\frac{e^6 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(c^2d^6 + 2acd^4e^2 + a^2d^2e^4)\sqrt{de}} + \frac{c^2 \left(\frac{2\sqrt{2}\left(7c^{\frac{3}{2}}d^3 - 5\sqrt{a}cd^2e + 11a\sqrt{c}de^2 - 9a^{\frac{3}{2}}e^3\right) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}}\sqrt{c}} \right)}{2\sqrt{2}\left(7c^{\frac{3}{2}}d^3 - 5\sqrt{a}cd^2e + 11a\sqrt{c}de^2 - 9a^{\frac{3}{2}}e^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+a)^2,x, algorithm="maxima")

[Out]
$$e^6 \arctan\left(\frac{e x}{\sqrt{d e}}\right) / \left((c^2 d^6 + 2 a c d^4 e^2 + a^2 d^2 e^4) \sqrt{d e} \right) - \frac{1}{32} c^2 (2 \sqrt{2}) (7 c^{3/2} d^3 - 5 \sqrt{a} c d^2 e + 11 a \sqrt{c} d e^2 - 9 a^{3/2} e^3) \arctan\left(\frac{1/2 \sqrt{2} (2 \sqrt{c} x + \sqrt{2}) a^{1/4} c^{1/4}}{\sqrt{\sqrt{a} \sqrt{c}}}\right) / \left(\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}} \sqrt{c} \right) + 2 \sqrt{2} (7 c^{3/2} d^3 - 5 \sqrt{a} c d^2 e + 11 a \sqrt{c} d e^2 - 9 a^{3/2} e^3) \arctan\left(\frac{1/2 \sqrt{2} (2 \sqrt{c} x - \sqrt{2}) a^{1/4} c^{1/4}}{\sqrt{\sqrt{a} \sqrt{c}}}\right) / \left(\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}} \sqrt{c} \right) + \sqrt{2} (7 c^{3/2} d^3 + 5 \sqrt{a} c d^2 e + 11 a \sqrt{c} d e^2 + 9 a^{3/2} e^3) \log\left(\frac{\sqrt{2} a^{1/4} c^{1/4} x + \sqrt{a}}{a^{3/4} c^{3/4}}\right) - \sqrt{2} (7 c^{3/2} d^3 + 5 \sqrt{a} c d^2 e + 11 a \sqrt{c} d e^2 + 9 a^{3/2} e^3) \log\left(\frac{\sqrt{2} a^{1/4} c^{1/4} x + \sqrt{a}}{a^{3/4} c^{3/4}}\right) / \left(a^2 c^2 d^4 + 2 a^3 c d^2 e^2 + a^4 e^4 \right) + \frac{1}{12} (3 (5 c^2 d^2 e + 4 a c e^3) x^6 - 4 a c d^3 - 4 a^2 d e^2 - (7 c^2 d^3 + 4 a c d e^2) x^4 + 12 (a c d^2 e + a^2 e^3) x^2) / \left((a^2 c^2 d^4 + a^3 c d^2 e^2) x^7 + (a^3 c d^4 + a^4 d^2 e^2) x^3 \right)$$

mupad [B] time = 5.22, size = 20828, normalized size = 27.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + c*x^4)^2*(d + e*x^2)),x)

[Out]
$$\operatorname{atan}\left(\left(\frac{x(4917248 a^{10} c^{18} d^{36} e^5 + 50677760 a^{11} c^{17} d^{34} e^7 + 230498304 a^{12} c^{16} d^{32} e^9 + 607559680 a^{13} c^{15} d^{30} e^{11} + 1026486272 a^{14} c^{14} d^{28} e^{13} + 1166602240 a^{15} c^{13} d^{26} e^{15} + 923508736 a^{16} c^{12} d^{24} e^{17} + 539500544 a^{17} c^{11} d^{22} e^{19} + 259409920 a^{18} c^{10} d^{20} e^{21} + 109709312 a^{19} c^9 d^{18} e^{23} + 34537472 a^{20} c^8 d^{16} e^{25} + 5308416 a^{21} c^7 d^{14} e^{27}) - \left((81 a^3 e^6 (-a^{11} c^5)^{1/2} - 49 c^3 d^6 (-a^{11} c^5)^{1/2} + 70 a^6 c^5 d^5 e + 198 a^8 c^3 d e^5 + 236 a^7 c^4 d^3 e^3 - 129 a c^2 d^4 e^2 (-a^{11} c^5)^{1/2} - 31 a^2 c d^2 e^4 (-a^{11} c^5)^{1/2}) \right) / \left(256 (a^{15} e^8 + a^{11} c^4 d^8 + 4 a^{14} c d^2 e^6 + 4 a^{12} c^3 d^6 e^2 + 6 a^{13} c^2 d^4 e^4) \right)\right)^{1/2} \cdot \left(\frac{x(1787297792 a^{19} c^{13} d^{31} e^{12} - 147587072 a^{15} c^{17} d^{39} e^4 - 698089472 a^{16} c^{16} d^{37} e^6 - 1660157952 a^{17} c^{15} d^{35} e^8 - 1588068352 a^{18} c^{14} d^{33} e^{10} - 12845056 a^{14} c^{18} d^{41} e^2 + 7839678464 a^{20} c^{12} d^{29} e^{14} + 11879841792 a^{21} c^{11} d^{27} e^{16} + 10631249920 a^{22} c^{10} d^{25} e^{18} + 6274940928 a^{23} c^9 d^{23} e^{20} + 2652110848 a^{24} c^8 d^{21} e^{22} + 891027456 a^{25} c^7 d^{19} e^{24} + 234881024 a^{26} c^6 d^{17} e^{26} + 33554432 a^{27} c^5 d^{15} e^{28}) + \left((81 a^3 e^6 (-a^{11} c^5)^{1/2} - 49 c^3 d^6 (-a^{11} c^5)^{1/2} + 70 a^6 c^5 d^5 e + 198 a^8 c^3 d e^5 + 236 a^7 c^4 d^3 e^3 - 129 a c^2 d^4 e^2 (-a^{11} c^5)^{1/2} - 31 a^2 c d^2 e^4 (-a^{11} c^5)^{1/2}) \right) / \left(256 (a^{15} e^8 + a^{11} c^4 d^8 + 4 a^{14} c d^2 e^6 + 4 a^{12} c^3 d^6 e^2 + 6 a^{13} c^2 d^4 e^4) \right)\right)^{1/2} \cdot \left(\frac{x \left((81 a^3 e^6 (-a^{11} c^5)^{1/2} - 49 c^3 d^6 (-a^{11} c^5)^{1/2} + 70 a^6 c^5 d^5 e + 198 a^8 c^3 d e^5 + 236 a^7 c^4 d^3 e^3 - 129 a c^2 d^4 e^2 (-a^{11} c^5)^{1/2} - 31 a^2 c d^2 e^4 (-a^{11} c^5)^{1/2}) \right) / \left(256 (a^{15} e^8 + a^{11} c^4 d^8 + 4 a^{14} c d^2 e^6 + 4 a^{12} c^3 d^6 e^2 + 6 a^{13} c^2 d^4 e^4) \right)}{x \left((81 a^3 e^6 (-a^{11} c^5)^{1/2} - 49 c^3 d^6 (-a^{11} c^5)^{1/2} + 70 a^6 c^5 d^5 e + 198 a^8 c^3 d e^5 + 236 a^7 c^4 d^3 e^3 - 129 a c^2 d^4 e^2 (-a^{11} c^5)^{1/2} - 31 a^2 c d^2 e^4 (-a^{11} c^5)^{1/2}) \right) / \left(256 (a^{15} e^8 + a^{11} c^4 d^8 + 4 a^{14} c d^2 e^6 + 4 a^{12} c^3 d^6 e^2 + 6 a^{13} c^2 d^4 e^4) \right)} \right)$$

$$\begin{aligned}
&)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 \\
& + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*(293 \\
& 60128*a^{17}*c^{17}*d^{42}*e^2 - x*((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(- \\
& a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^ \\
& 3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)} \\
&))/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + \\
& 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*(134217728*a^{20}*c^{16}*d^{42}*e^3 + 1342177280*a^{21} \\
& *c^{15}*d^{40}*e^5 + 5905580032*a^{22}*c^{14}*d^{38}*e^7 + 14763950080*a^{23}*c^{13}*d^{36} \\
& *e^9 + 22145925120*a^{24}*c^{12}*d^{34}*e^{11} + 17716740096*a^{25}*c^{11}*d^{32}*e^{13} - \\
& 17716740096*a^{27}*c^9*d^{28}*e^{17} - 22145925120*a^{28}*c^8*d^{26}*e^{19} - 147639500 \\
& 80*a^{29}*c^7*d^{24}*e^{21} - 5905580032*a^{30}*c^6*d^{22}*e^{23} - 1342177280*a^{31}*c^5 \\
& *d^{20}*e^{25} - 134217728*a^{32}*c^4*d^{18}*e^{27}) + 239075328*a^{18}*c^{16}*d^{40}*e^4 + \\
& 708837376*a^{19}*c^{15}*d^{38}*e^6 + 465567744*a^{20}*c^{14}*d^{36}*e^8 - 2726297600*a \\
& ^{21}*c^{13}*d^{34}*e^{10} - 9084862464*a^{22}*c^{12}*d^{32}*e^{12} - 13614710784*a^{23}*c^{11} \\
& *d^{30}*e^{14} - 10745806848*a^{24}*c^{10}*d^{28}*e^{16} - 2403336192*a^{25}*c^9*d^{26}*e^{18} \\
& + 3879731200*a^{26}*c^8*d^{24}*e^{20} + 4517265408*a^{27}*c^7*d^{22}*e^{22} + 2294284 \\
& 288*a^{28}*c^6*d^{20}*e^{24} + 603979776*a^{29}*c^5*d^{18}*e^{26} + 67108864*a^{30}*c^4*d \\
& ^{16}*e^{28}))*((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + \\
& 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4* \\
& e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 \\
& + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4 \\
&))^{(1/2)} - 7225344*a^{12}*c^{18}*d^{39}*e^3 - 76972032*a^{13}*c^{17}*d^{37}*e^5 - 3676 \\
& 07808*a^{14}*c^{16}*d^{35}*e^7 - 1036910592*a^{15}*c^{15}*d^{33}*e^9 - 1876983808*a^{16}* \\
& c^{14}*d^{31}*e^{11} - 2115436544*a^{17}*c^{13}*d^{29}*e^{13} - 1052803072*a^{18}*c^{12}*d^{27} \\
& *e^{15} + 848429056*a^{19}*c^{11}*d^{25}*e^{17} + 2105458688*a^{20}*c^{10}*d^{23}*e^{19} + 19 \\
& 09030912*a^{21}*c^9*d^{21}*e^{21} + 959037440*a^{22}*c^8*d^{19}*e^{23} + 262144000*a^{23} \\
& *c^7*d^{17}*e^{25} + 30408704*a^{24}*c^6*d^{15}*e^{27}))*((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} \\
& - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + \\
& 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^ \\
& 4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a \\
& ^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*i)/((x*(4917248*a^{10}*c^{18}*d^ \\
& 36*e^5 + 50677760*a^{11}*c^{17}*d^{34}*e^7 + 230498304*a^{12}*c^{16}*d^{32}*e^9 + 60755 \\
& 9680*a^{13}*c^{15}*d^{30}*e^{11} + 1026486272*a^{14}*c^{14}*d^{28}*e^{13} + 1166602240*a^{15} \\
& *c^{13}*d^{26}*e^{15} + 923508736*a^{16}*c^{12}*d^{24}*e^{17} + 539500544*a^{17}*c^{11}*d^{22}* \\
& e^{19} + 259409920*a^{18}*c^{10}*d^{20}*e^{21} + 109709312*a^{19}*c^9*d^{18}*e^{23} + 34537 \\
& 472*a^{20}*c^8*d^{16}*e^{25} + 5308416*a^{21}*c^7*d^{14}*e^{27}) - ((81*a^3*e^6*(-a^{11}* \\
& c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3* \\
& d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2* \\
& c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e \\
& ^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*((x*(1787297792*a^{19}* \\
& c^{13}*d^{31}*e^{12} - 147587072*a^{15}*c^{17}*d^{39}*e^4 - 698089472*a^{16}*c^{16}*d^{37}*e^ \\
& 6 - 1660157952*a^{17}*c^{15}*d^{35}*e^8 - 1588068352*a^{18}*c^{14}*d^{33}*e^{10} - 128450 \\
& 56*a^{14}*c^{18}*d^{41}*e^2 + 7839678464*a^{20}*c^{12}*d^{29}*e^{14} + 11879841792*a^{21}*c \\
& ^{11}*d^{27}*e^{16} + 10631249920*a^{22}*c^{10}*d^{25}*e^{18} + 6274940928*a^{23}*c^9*d^{23}* \\
& e^{20} + 2652110848*a^{24}*c^8*d^{21}*e^{22} + 891027456*a^{25}*c^7*d^{19}*e^{24} + 23488
\end{aligned}$$

$$\begin{aligned}
& 1024*a^{26}*c^6*d^{17}*e^{26} + 33554432*a^{27}*c^5*d^{15}*e^{28}) - ((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4)))^{(1/2)}*(29360128*a^{17}*c^{17}*d^{42}*e^2 - x*((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4)))^{(1/2)}*(134217728*a^{20}*c^{16}*d^{42}*e^3 + 1342177280*a^{21}*c^{15}*d^{40}*e^5 + 5905580032*a^{22}*c^{14}*d^{38}*e^7 + 14763950080*a^{23}*c^{13}*d^{36}*e^9 + 22145925120*a^{24}*c^{12}*d^{34}*e^{11} + 17716740096*a^{25}*c^{11}*d^{32}*e^{13} - 17716740096*a^{27}*c^9*d^{28}*e^{17} - 22145925120*a^{28}*c^8*d^{26}*e^{19} - 14763950080*a^{29}*c^7*d^{24}*e^{21} - 5905580032*a^{30}*c^6*d^{22}*e^{23} - 1342177280*a^{31}*c^5*d^{20}*e^{25} - 134217728*a^{32}*c^4*d^{18}*e^{27}) + 239075328*a^{18}*c^{16}*d^{40}*e^4 + 708837376*a^{19}*c^{15}*d^{38}*e^6 + 465567744*a^{20}*c^{14}*d^{36}*e^8 - 2726297600*a^{21}*c^{13}*d^{34}*e^{10} - 9084862464*a^{22}*c^{12}*d^{32}*e^{12} - 13614710784*a^{23}*c^{11}*d^{30}*e^{14} - 10745806848*a^{24}*c^{10}*d^{28}*e^{16} - 2403336192*a^{25}*c^9*d^{26}*e^{18} + 3879731200*a^{26}*c^8*d^{24}*e^{20} + 4517265408*a^{27}*c^7*d^{22}*e^{22} + 2294284288*a^{28}*c^6*d^{20}*e^{24} + 603979776*a^{29}*c^5*d^{18}*e^{26} + 67108864*a^{30}*c^4*d^{16}*e^{28}))*((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4)))^{(1/2)} - 7225344*a^{12}*c^{18}*d^{39}*e^3 - 76972032*a^{13}*c^{17}*d^{37}*e^5 - 367607808*a^{14}*c^{16}*d^{35}*e^7 - 1036910592*a^{15}*c^{15}*d^{33}*e^9 - 1876983808*a^{16}*c^{14}*d^{31}*e^{11} - 2115436544*a^{17}*c^{13}*d^{29}*e^{13} - 1052803072*a^{18}*c^{12}*d^{27}*e^{15} + 848429056*a^{19}*c^{11}*d^{25}*e^{17} + 2105458688*a^{20}*c^{10}*d^{23}*e^{19} + 1909030912*a^{21}*c^9*d^{21}*e^{21} + 959037440*a^{22}*c^8*d^{19}*e^{23} + 262144000*a^{23}*c^7*d^{17}*e^{25} + 30408704*a^{24}*c^6*d^{15}*e^{27}))*((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4)))^{(1/2)} - (x*(4917248*a^{10}*c^{18}*d^{36}*e^5 + 50677760*a^{11}*c^{17}*d^{34}*e^7 + 230498304*a^{12}*c^{16}*d^{32}*e^9 + 607559680*a^{13}*c^{15}*d^{30}*e^{11} + 1026486272*a^{14}*c^{14}*d^{28}*e^{13} + 1166602240*a^{15}*c^{13}*d^{26}*e^{15} + 923508736*a^{16}*c^{12}*d^{24}*e^{17} + 539500544*a^{17}*c^{11}*d^{22}*e^{19} + 259409920*a^{18}*c^{10}*d^{20}*e^{21} + 109709312*a^{19}*c^9*d^{18}*e^{23} + 34537472*a^{20}*c^8*d^{16}*e^{25} + 5308416*a^{21}*c^7*d^{14}*e^{27}) - ((81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} - 49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 - 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} - 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4)))^{(1/2)}*((x*(1787297792*a^{19}*c^{13}*d^{31}*e^{12} - 147587072*a^{15}*c^{17}*d^{39}*e^4 - 698089472*a^{16}*c^{16}*d^{37}*e^6 - 1660157952*a^{17}*c^{15}*d^{35}*e^8 - 1588068352*a^{18}*c^{14}*d^{33}*e^{10} - 12845056*a^{14}*c^{18}*d^{41}*
\end{aligned}$$

$$\begin{aligned}
& e^2 + 7839678464a^{20}c^{12}d^{29}e^{14} + 11879841792a^{21}c^{11}d^{27}e^{16} + 10 \\
& 631249920a^{22}c^{10}d^{25}e^{18} + 6274940928a^{23}c^9d^{23}e^{20} + 2652110848* \\
& a^{24}c^8d^{21}e^{22} + 891027456a^{25}c^7d^{19}e^{24} + 234881024a^{26}c^6d^{17} \\
& *e^{26} + 33554432a^{27}c^5d^{15}e^{28}) + ((81a^3e^6(-a^{11}c^5)^{(1/2)} - 49* \\
& c^3d^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7* \\
& c^4d^3e^3 - 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} - 31a^2*c*d^2e^4*(-a^{11} \\
& *c^5)^{(1/2)})/(256*(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3* \\
& d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)}*(x*((81a^3e^6(-a^{11}c^5)^{(1/2)} - 4 \\
& 9c^3d^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^ \\
& 7*c^4d^3e^3 - 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} - 31a^2*c*d^2e^4*(-a^ \\
& 11*c^5)^{(1/2)})/(256*(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^ \\
& 3*d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)}*(134217728a^{20}c^{16}d^{42}e^3 + 134 \\
& 2177280a^{21}c^{15}d^{40}e^5 + 5905580032a^{22}c^{14}d^{38}e^7 + 14763950080a^ \\
& 23*c^{13}d^{36}e^9 + 22145925120a^{24}c^{12}d^{34}e^{11} + 17716740096a^{25}c^{11} \\
& d^{32}e^{13} - 17716740096a^{27}c^9d^{28}e^{17} - 22145925120a^{28}c^8d^{26}e^{19} \\
& - 14763950080a^{29}c^7d^{24}e^{21} - 5905580032a^{30}c^6d^{22}e^{23} - 1342177 \\
& 280a^{31}c^5d^{20}e^{25} - 134217728a^{32}c^4d^{18}e^{27}) + 29360128a^{17}c^{17} \\
& *d^{42}e^2 + 239075328a^{18}c^{16}d^{40}e^4 + 708837376a^{19}c^{15}d^{38}e^6 + 4 \\
& 65567744a^{20}c^{14}d^{36}e^8 - 2726297600a^{21}c^{13}d^{34}e^{10} - 9084862464a^ \\
& ^{22}c^{12}d^{32}e^{12} - 13614710784a^{23}c^{11}d^{30}e^{14} - 10745806848a^{24}c^{1 \\
& 0}d^{28}e^{16} - 2403336192a^{25}c^9d^{26}e^{18} + 3879731200a^{26}c^8d^{24}e^{20} \\
& + 4517265408a^{27}c^7d^{22}e^{22} + 2294284288a^{28}c^6d^{20}e^{24} + 60397977 \\
& 6a^{29}c^5d^{18}e^{26} + 67108864a^{30}c^4d^{16}e^{28}))*((81a^3e^6(-a^{11}c^ \\
& 5)^{(1/2)} - 49c^3d^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^* \\
& e^5 + 236a^7*c^4d^3e^3 - 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} - 31a^2*c* \\
& d^2e^4*(-a^{11}c^5)^{(1/2)})/(256*(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 \\
& + 4a^{12}c^3*d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)} + 7225344a^{12}c^{18}d^3 \\
& 9e^3 + 76972032a^{13}c^{17}d^{37}e^5 + 367607808a^{14}c^{16}d^{35}e^7 + 103691 \\
& 0592a^{15}c^{15}d^{33}e^9 + 1876983808a^{16}c^{14}d^{31}e^{11} + 2115436544a^{17} \\
& c^{13}d^{29}e^{13} + 1052803072a^{18}c^{12}d^{27}e^{15} - 848429056a^{19}c^{11}d^{25} \\
& e^{17} - 2105458688a^{20}c^{10}d^{23}e^{19} - 1909030912a^{21}c^9d^{21}e^{21} - 959 \\
& 037440a^{22}c^8d^{19}e^{23} - 262144000a^{23}c^7d^{17}e^{25} - 30408704a^{24}c^ \\
& 6*d^{15}e^{27}))*((81a^3e^6(-a^{11}c^5)^{(1/2)} - 49c^3d^6(-a^{11}c^5)^{(1/2)} \\
& + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7*c^4d^3e^3 - 129a*c^2d^ \\
& ^4e^2*(-a^{11}c^5)^{(1/2)} - 31a^2*c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(256*(a^{15}e \\
& ^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3*d^6e^2 + 6a^{13}c^2d^4* \\
& e^4))^{(1/2)} + 4917248a^{10}c^{16}d^{30}e^{10} + 40843264a^{11}c^{15}d^{28}e^{12} + \\
& 147507200a^{12}c^{14}d^{26}e^{14} + 302962688a^{13}c^{13}d^{24}e^{16} + 387512320* \\
& a^{14}c^{12}d^{22}e^{18} + 316418048a^{15}c^{11}d^{20}e^{20} + 161224704a^{16}c^{10}d \\
& ^{18}e^{22} + 46909440a^{17}c^9d^{16}e^{24} + 5971968a^{18}c^8d^{14}e^{26}))*((81* \\
& a^3e^6(-a^{11}c^5)^{(1/2)} - 49c^3d^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e \\
& + 198a^8c^3d^3e^5 + 236a^7*c^4d^3e^3 - 129a*c^2d^4e^2*(-a^{11}c^5)^ \\
& (1/2) - 31a^2*c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(256*(a^{15}e^8 + a^{11}c^4d^8 + \\
& 4a^{14}c*d^2e^6 + 4a^{12}c^3*d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)}*2i - (\\
& 1/(3*a*d) - (e*x^2)/(a*d^2) + (x^4*(7*c^2*d^2 + 4*a*c*e^2))/(12*a^2*d*(a*e^
\end{aligned}$$

$$\begin{aligned}
& 2 + c*d^2)) - (c*x^6*(4*a*e^3 + 5*c*d^2*e))/(4*a^2*d^2*(a*e^2 + c*d^2)))/(a \\
& *x^3 + c*x^7) + \operatorname{atan}(((a^{11}*c^5*(156627*c^2*d^6*e^{12} - 245952*a^2*d^2*e^{16} \\
& + 324032*a*c*d^4*e^{14}) - 16807*a^5*c^{13}*d^{18} + 46656*a^{14}*c^4*e^{18} + 24696* \\
& a^6*c^{12}*d^{16}*e^2 + 455609*a^7*c^{11}*d^{14}*e^4 + 856936*a^8*c^{10}*d^{12}*e^6 - 2 \\
& 7429*a^9*c^9*d^{10}*e^8 - 805344*a^{10}*c^8*d^8*e^{10})*(a^{13}*c^{11}*d^{21}*x*((49*c^ \\
& 3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + \\
& 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} \\
& + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14} \\
& *c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*49i + a^{17}*c^3 \\
& *e^{19}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70* \\
& a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2 \\
& *(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c \\
& ^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)} \\
& *5184i + a^{28}*d^4*e^{19}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11} \\
& *c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + \\
& 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(\\
& a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^ \\
& 2*d^4*e^4))^{(5/2)}*2i - a^{19}*c^9*d^{22}*e*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 8 \\
& 1*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^ \\
& 7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^ \\
& 11*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6 \\
& *e^2 + 6*a^{13}*c^2*d^4*e^4))^{(5/2)}*2i + a^{27}*c*d^6*e^{17}*x*((49*c^3*d^6*(-a^1 \\
& 1*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^ \\
& 3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^ \\
& 2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 \\
& + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(5/2)}*14i + a^9*c^{11}*d^{16}*e^3*x \\
& *((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5 \\
& *d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11} \\
& *c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c^4*d^8 \\
& + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*4802i \\
& + a^{10}*c^{10}*d^{14}*e^5*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c \\
& ^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 12 \\
& 9*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(a^ \\
& 15*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2* \\
& d^4*e^4))^{(1/2)}*35084i + a^{11}*c^9*d^{12}*e^7*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} \\
& - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 23 \\
& 6*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4* \\
& (-a^{11}*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3 \\
& *d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*105438i + a^{12}*c^8*d^{10}*e^9*x*((49*c^ \\
& 3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + \\
& 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} \\
& + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)}))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14} \\
& *c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*166952i + a^{13} \\
& *c^7*d^8*e^{11}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} \\
& + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2
\end{aligned}$$

$$\begin{aligned}
& *d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 \\
& + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4 \\
&))^{(1/2)}*150174i + a^{14}c^6d^6e^{13}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)}*82444i + a^{15}c^5d^4e^{15}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)}*37058i + a^{16}c^4d^2e^{17}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(1/2)}*18176i + a^{14}c^{10}d^{19}e^{2}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*416i + a^{15}c^9d^{17}e^{4}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*1268i + a^{16}c^8d^{15}e^{6}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*1232i - a^{17}c^7d^{13}e^{8}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*1858i - a^{18}c^6d^{11}e^{10}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*6208i - a^{19}c^5d^9e^{12}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*6940i - a^{20}c^4d^7e^{14}x*((49c^3d^6*(-a^{11}c^5)^{(1/2)} - 81a^3e^6*(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a*c^2d^4e^2*(-a^{11}c^5)^{(1/2)} + 31a^2c*d^2e^4*(-a^{11}c^5)^{(1/2)})/(a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c*d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)}*
\end{aligned}$$

$$\begin{aligned}
& 4016i - a^{21}c^3d^5e^{16}x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 \\
& + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)} \cdot 1479i - a^{22}c^2d^3e^{18}x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 \\
& + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)} \cdot 512i - a^{20}c^8d^{20}e^3x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 \\
& + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 14i - a^{21}c^7d^{18}e^5x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 40i - a^{22}c^6d^{16}e^7x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 56i - a^{23}c^5d^{14}e^9x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 28i + a^{24}c^4d^{12}e^{11}x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 28i + a^{25}c^3d^{10}e^{13}x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 56i + a^{26}c^2d^8e^{15}x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} \cdot 40i - a^{23}c^2d^8e^{15}x \cdot ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^5e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)} \cdot 128i - (-a^{11}c^5)^{(1/2)} \cdot (69629c^{10}d^{17}e + 286944a^9d^{15}e^3 + 150336a^8c^2d^9e^{17} + 110645a^2c^8d^{13}e^5 - 770024a^3c^7d^{11}e^7 - 606089a^4c^6d^9e^9 + 566984a^5
\end{aligned}$$

$$\begin{aligned}
& *c^5*d^7*e^{11} + 157207*a^6*c^4*d^5*e^{13} - 327104*a^7*c^3*d^3*e^{15})*(a^{13}*c^{11}*d^{21}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*49i + a^{17}*c^3*e^{19}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*5184i + a^{28}*d^4*e^{19}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(5/2)}*2i - a^{19}*c^9*d^{22}*e*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(5/2)}*2i + a^{27}*c*d^6*e^{17}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(5/2)}*14i + a^9*c^{11}*d^{16}*e^3*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*4802i + a^{10}*c^{10}*d^{14}*e^5*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*35084i + a^{11}*c^9*d^{12}*e^7*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*105438i + a^{12}*c^8*d^{10}*e^9*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*166952i + a^{13}*c^7*d^8*e^{11}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*150174i + a^{14}*c^6*d^6*e^{13}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3
\end{aligned}$$

$$\begin{aligned}
& *d^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2 \\
& *c*d^2*e^4*(-a^{11}*c^5)^{(1/2))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + \\
& 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*82444i + a^{15}*c^5*d^4*e^{15} \\
& *x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c \\
& ^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11} \\
& *c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 \\
& + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(1/2)}*3705 \\
& 8i + a^{16}*c^4*d^2*e^{17}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11} \\
& *c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + \\
& 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(\\
& a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^ \\
& 2*d^4*e^4))^{(1/2)}*18176i + a^{14}*c^{10}*d^{19}*e^2*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1 \\
& /2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + \\
& 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e \\
& ^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12} \\
& *c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*416i + a^{15}*c^9*d^{17}*e^4*x*((49*c^ \\
& 3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + \\
& 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1 \\
& /2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14} \\
& *c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*1268i + a^{16}*c \\
& ^8*d^{15}*e^6*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} \\
& + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d \\
& ^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + \\
& a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4)) \\
& ^{(3/2)}*1232i - a^{17}*c^7*d^{13}*e^8*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3* \\
& e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4* \\
& d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5 \\
&)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + \\
& 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*1858i - a^{18}*c^6*d^{11}*e^{10}*x*((49*c^3*d^6*(-a^{11} \\
& *c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^ \\
& 3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^ \\
& 2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 \\
& + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*6208i - a^{19}*c^5*d^9*e^{12} \\
& *x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c \\
& ^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11} \\
& *c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 \\
& + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4*e^4))^{(3/2)}*6940 \\
& i - a^{20}*c^4*d^7*e^{14}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11} \\
& *c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 1 \\
& 29*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)))/(a \\
& ^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2 \\
& *d^4*e^4))^{(3/2)}*4016i - a^{21}*c^3*d^5*e^{16}*x*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} \\
& - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 23 \\
& 6*a^7*c^4*d^3*e^3 + 129*a*c^2*d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4* \\
& (-a^{11}*c^5)^{(1/2)))/(a^{15}*e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3
\end{aligned}$$

$$\begin{aligned}
& *d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)} * 1479i - a^{22}c^2d^3e^{18} * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)} * 512i - a^{20}c^8d^{20}e^3 * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 14i - a^{21}c^7d^{18}e^5 * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 40i - a^{22}c^6d^{16}e^7 * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 56i - a^{23}c^5d^{14}e^9 * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 28i + a^{24}c^4d^{12}e^{11} * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 28i + a^{25}c^3d^{10}e^{13} * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 56i + a^{26}c^2d^8e^{15} * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(5/2)} * 40i - a^{23}c^2d^8e^{20} * x * ((49c^3d^6(-a^{11}c^5)^{(1/2)} - 81a^3e^6(-a^{11}c^5)^{(1/2)} + 70a^6c^5d^5e + 198a^8c^3d^3e^5 + 236a^7c^4d^3e^3 + 129a^2c^2d^4e^2(-a^{11}c^5)^{(1/2)} + 31a^2c^2d^2e^4(-a^{11}c^5)^{(1/2)}) / (a^{15}e^8 + a^{11}c^4d^8 + 4a^{14}c^2d^2e^6 + 4a^{12}c^3d^6e^2 + 6a^{13}c^2d^4e^4))^{(3/2)} * 128i)) / (2824752 49a^{10}c^{26}d^{36} + 2176782336a^{28}c^8e^{36} + 4018066297a^{11}c^{25}d^{34}e^2 + 25254299042a^{12}c^{24}d^{32}e^4 + 91443453570a^{13}c^{23}d^{30}e^6 + 207093177767a^{14}c^{22}d^{28}e^8 + 292503608847a^{15}c^{21}d^{26}e^{10} + 225034341628a^{16}c^{20}d^{24}e^{12} + 22083537020a^{17}c^{19}d^{22}e^{14} - 108969417553a^{18}c^{18}d^{20}e^{16} - 43670306041a^{19}c^{17}d^{18}e^{18} + 58023955010a^{20}c^{16}d^{16}e^{20} + 18862267874a^{21}c^{15}d^{14}e^{22} - 60676266279a^{22}c^{14}d^{12}e^{24}
\end{aligned}$$

$$\begin{aligned}
& 4 - 33348619375*a^{23}*c^{13}*d^{10}*e^{26} + 20433166080*a^{24}*c^{12}*d^8*e^{28} + 9487 \\
& 311616*a^{25}*c^{11}*d^6*e^{30} - 7622553600*a^{26}*c^{10}*d^4*e^{32} - 349360128*a^{27}* \\
& c^9*d^2*e^{34})*((49*c^3*d^6*(-a^{11}*c^5)^{(1/2)} - 81*a^3*e^6*(-a^{11}*c^5)^{(1/2)} \\
&) + 70*a^6*c^5*d^5*e + 198*a^8*c^3*d*e^5 + 236*a^7*c^4*d^3*e^3 + 129*a*c^2* \\
& d^4*e^2*(-a^{11}*c^5)^{(1/2)} + 31*a^2*c*d^2*e^4*(-a^{11}*c^5)^{(1/2)})/(256*(a^{15}* \\
& e^8 + a^{11}*c^4*d^8 + 4*a^{14}*c*d^2*e^6 + 4*a^{12}*c^3*d^6*e^2 + 6*a^{13}*c^2*d^4 \\
& *e^4))^{(1/2)}*2i + (\operatorname{atan}((a^{11}*e^3*x*(-d^5*e^{11})^{(5/2)}*4096i - a^4*c^7*d^{19} \\
& *x*(-d^5*e^{11})^{(3/2)}*73519i + c^{11}*d^{32}*e^3*x*(-d^5*e^{11})^{(1/2)}*2401i - a^5 \\
& *c^6*d^{17}*e^2*x*(-d^5*e^{11})^{(3/2)}*34182i - a^6*c^5*d^{15}*e^4*x*(-d^5*e^{11})^{(\\
& 3/2)}*15521i - a^7*c^4*d^{13}*e^6*x*(-d^5*e^{11})^{(3/2)}*30208i - a^8*c^3*d^{11}*e^ \\
& 8*x*(-d^5*e^{11})^{(3/2)}*25344i + a^2*c^9*d^{28}*e^7*x*(-d^5*e^{11})^{(1/2)}*52719i \\
& + a^3*c^8*d^{26}*e^9*x*(-d^5*e^{11})^{(1/2)}*83476i + a*c^{10}*d^{30}*e^5*x*(-d^5*e^{1 \\
& 1})^{(1/2)}*17542i)/(4096*a^{11}*d^{13}*e^{30} + 2401*c^{11}*d^{35}*e^8 + 17542*a*c^{10}*d \\
& ^{33}*e^{10} + 52719*a^2*c^9*d^{31}*e^{12} + 83476*a^3*c^8*d^{29}*e^{14} + 73519*a^4*c^ \\
& 7*d^{27}*e^{16} + 34182*a^5*c^6*d^{25}*e^{18} + 15521*a^6*c^5*d^{23}*e^{20} + 30208*a^7 \\
& *c^4*d^{21}*e^{22} + 25344*a^8*c^3*d^{19}*e^{24}))*(-d^5*e^{11})^{(1/2)}*1i)/(c^2*d^9 + \\
& a^2*d^5*e^4 + 2*a*c*d^7*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(e*x**2+d)/(c*x**4+a)**2,x)

[Out] Timed out

$$3.259 \quad \int \frac{x^2}{(1+x^2)\sqrt{1+x^4}} dx$$

Optimal. Leaf size=70

$$\frac{(x^2 + 1) \sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{x^4 + 1}} - \frac{\tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{x^4+1}}\right)}{2\sqrt{2}}$$

[Out] $-1/4*\arctan(x*2^{(1/2)}/(x^4+1)^{(1/2)})*2^{(1/2)}+1/4*(x^2+1)*(\cos(2*\arctan(x)))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2*2^{(1/2)})*((x^4+1)/(x^2+1)^2)^{(1/2)}/(x^4+1)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1318, 220, 1699, 203}

$$\frac{(x^2 + 1) \sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{x^4 + 1}} - \frac{\tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{x^4+1}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1 + x^2)*Sqrt[1 + x^4]),x]

[Out] $-\text{ArcTan}[(\text{Sqrt}[2]*x)/\text{Sqrt}[1 + x^4]]/(2*\text{Sqrt}[2]) + ((1 + x^2)*\text{Sqrt}[(1 + x^4)/(1 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x], 1/2])/(4*\text{Sqrt}[1 + x^4])$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] :> With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1318

Int[(x_)^2/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] :> Dist[d/(2*d*e), Int[1/Sqrt[a + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e*

$x^2)/((d + e*x^2)*\text{Sqrt}[a + c*x^4]), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0]$

Rule 1699

$\text{Int}[\frac{(A_.) + (B_.)*(x_)^2}{((d_.) + (e_.)*(x_)^2)*\text{Sqrt}[(a_.) + (c_.)*(x_)^4]}], x_Symbol] \text{:>} \text{Dist}[A, \text{Subst}[\text{Int}[1/(d + 2*a*e*x^2), x], x, x/\text{Sqrt}[a + c*x^4]], x] /; \text{FreeQ}[\{a, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{EqQ}[B*d + A*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1+x^2)\sqrt{1+x^4}} dx &= \frac{1}{2} \int \frac{1}{\sqrt{1+x^4}} dx - \frac{1}{2} \int \frac{1-x^2}{(1+x^2)\sqrt{1+x^4}} dx \\ &= \frac{(1+x^2) \sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{1+x^4}} - \frac{1}{2} \text{Subst}\left(\int \frac{1}{1+2x^2} dx, x, \frac{x}{\sqrt{1+x^4}}\right) \\ &= -\frac{\tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{1+x^4}}\right)}{2\sqrt{2}} + \frac{(1+x^2) \sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{1+x^4}} \end{aligned}$$

Mathematica [C] time = 0.10, size = 40, normalized size = 0.57

$$\sqrt[4]{-1} \left(\Pi\left(-i; i \sinh^{-1}\left(\sqrt[4]{-1} x\right) \middle| -1\right) - F\left(i \sinh^{-1}\left(\sqrt[4]{-1} x\right) \middle| -1\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1 + x^2)*Sqrt[1 + x^4]), x]

[Out] $(-1)^{1/4} * (-\text{EllipticF}[I * \text{ArcSinh}[(-1)^{1/4} * x], -1] + \text{EllipticPi}[-I, I * \text{ArcSinh}[(-1)^{1/4} * x], -1])$

fricas [F] time = 1.14, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4 + 1} x^2}{x^6 + x^4 + x^2 + 1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 + 1)*x^2/(x^6 + x^4 + x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{x^4 + 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(x^2/(sqrt(x^4 + 1)*(x^2 + 1)), x)

maple [C] time = 0.07, size = 110, normalized size = 1.57

$$\frac{\sqrt{-ix^2 + 1} \sqrt{ix^2 + 1} \operatorname{EllipticF}\left(\left(\frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)x, i\right)}{\left(\frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)\sqrt{x^4 + 1}} + \frac{(-1)^{\frac{3}{4}} \sqrt{-ix^2 + 1} \sqrt{ix^2 + 1} \operatorname{EllipticPi}\left((-1)^{\frac{1}{4}}x, i, -\sqrt{-i}(-1)^{\frac{3}{4}}\right)}{\sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(x^2+1)/(x^4+1)^(1/2),x)

[Out] 1/(1/2*2^(1/2)+1/2*I*2^(1/2))*(1-I*x^2)^(1/2)*(1+I*x^2)^(1/2)/(x^4+1)^(1/2)
EllipticF(x(1/2*2^(1/2)+1/2*I*2^(1/2)),I)+(-1)^(3/4)*(1-I*x^2)^(1/2)*(1+I
*x^2)^(1/2)/(x^4+1)^(1/2)*EllipticPi((-1)^(1/4)*x,I,(-I)^(1/2)/(-1)^(1/4))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{x^4 + 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(x^4 + 1)*(x^2 + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(x^2 + 1)\sqrt{x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/((x^2 + 1)*(x^4 + 1)^(1/2)),x)
```

```
[Out] int(x^2/((x^2 + 1)*(x^4 + 1)^(1/2)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{(x^2 + 1)\sqrt{x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(x**2+1)/(x**4+1)**(1/2),x)
```

```
[Out] Integral(x**2/((x**2 + 1)*sqrt(x**4 + 1)), x)
```

$$3.260 \quad \int \frac{x^2}{(1-x^2)\sqrt{1+x^4}} dx$$

Optimal. Leaf size=70

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}x}{\sqrt{x^4+1}}\right)}{2\sqrt{2}} - \frac{(x^2+1)\sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{x^4+1}}$$

[Out] $1/4*\operatorname{arctanh}(x*2^{(1/2)}/(x^4+1)^{(1/2)})*2^{(1/2)}-1/4*(x^2+1)*(\cos(2*\operatorname{arctan}(x)))^2)^{(1/2)}/\cos(2*\operatorname{arctan}(x))*\operatorname{EllipticF}(\sin(2*\operatorname{arctan}(x)),1/2*2^{(1/2)})*((x^4+1)/(x^2+1)^2)^{(1/2)}/(x^4+1)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1318, 220, 1699, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{2}x}{\sqrt{x^4+1}}\right)}{2\sqrt{2}} - \frac{(x^2+1)\sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{x^4+1}}$$

Antiderivative was successfully verified.

[In] `Int[x^2/((1 - x^2)*Sqrt[1 + x^4]),x]`

[Out] `ArcTanh[(Sqrt[2]*x)/Sqrt[1 + x^4]]/(2*Sqrt[2]) - ((1 + x^2)*Sqrt[(1 + x^4)/(1 + x^2)^2]*EllipticF[2*ArcTan[x], 1/2])/(4*Sqrt[1 + x^4])`

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 220

`Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]`

Rule 1318

`Int[(x_)^2/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e*`

$x^2)/((d + e*x^2)*\text{Sqrt}[a + c*x^4]), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0]$

Rule 1699

$\text{Int}[\frac{(A_.) + (B_.)*(x_)^2}{((d_) + (e_.)*(x_)^2)*\text{Sqrt}[(a_) + (c_.)*(x_)^4]}, x_Symbol] :> \text{Dist}[A, \text{Subst}[\text{Int}[1/(d + 2*a*e*x^2), x], x, x/\text{Sqrt}[a + c*x^4]], x] /; \text{FreeQ}[\{a, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{EqQ}[B*d + A*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1-x^2)\sqrt{1+x^4}} dx &= -\left(\frac{1}{2} \int \frac{1}{\sqrt{1+x^4}} dx\right) + \frac{1}{2} \int \frac{1+x^2}{(1-x^2)\sqrt{1+x^4}} dx \\ &= -\frac{(1+x^2)\sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{1+x^4}} + \frac{1}{2} \text{Subst}\left(\int \frac{1}{1-2x^2} dx, x, \frac{x}{\sqrt{1+x^4}}\right) \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{2}x}{\sqrt{1+x^4}}\right)}{2\sqrt{2}} - \frac{(1+x^2)\sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{1+x^4}} \end{aligned}$$

Mathematica [C] time = 0.09, size = 36, normalized size = 0.51

$$\sqrt[4]{-1} \left(F\left(i \sinh^{-1}\left(\sqrt[4]{-1} x\right) \middle| -1\right) - \Pi\left(i; \sin^{-1}\left((-1)^{3/4} x\right) \middle| -1\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1 - x^2)*Sqrt[1 + x^4]), x]

[Out] (-1)^(1/4)*(EllipticF[I*ArcSinh[(-1)^(1/4)*x], -1] - EllipticPi[I, ArcSin[(-1)^(3/4)*x], -1])

fricas [F] time = 1.19, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{x^4+1} x^2}{x^6-x^4+x^2-1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(x^4 + 1)*x^2/(x^6 - x^4 + x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2}{\sqrt{x^4 + 1}(x^2 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(-x^2/(sqrt(x^4 + 1)*(x^2 - 1)), x)

maple [C] time = 0.02, size = 112, normalized size = 1.60

$$\frac{\sqrt{-ix^2 + 1} \sqrt{ix^2 + 1} \operatorname{EllipticF}\left(\left(\frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)x, i\right) (-1)^{\frac{3}{4}} \sqrt{-ix^2 + 1} \sqrt{ix^2 + 1} \operatorname{EllipticPi}\left(\left(-1\right)^{\frac{1}{4}} x, -i, -\sqrt{-i} (-1)\right)}{\left(\frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right) \sqrt{x^4 + 1} \sqrt{x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-x^2+1)/(x^4+1)^(1/2),x)

[Out] -1/(1/2*2^(1/2)+1/2*I*2^(1/2))*(-I*x^2+1)^(1/2)*(I*x^2+1)^(1/2)/(x^4+1)^(1/2)*EllipticF((1/2*2^(1/2)+1/2*I*2^(1/2))*x,I)-(-1)^(3/4)*(-I*x^2+1)^(1/2)*(I*x^2+1)^(1/2)/(x^4+1)^(1/2)*EllipticPi((-1)^(1/4)*x,-I,(-I)^(1/2)/(-1)^(1/4))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{x^4 + 1}(x^2 - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(x^4+1)^(1/2),x, algorithm="maxima")

[Out] -integrate(x^2/(sqrt(x^4 + 1)*(x^2 - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int \frac{x^2}{(x^2 - 1) \sqrt{x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-x^2/((x^2 - 1)*(x^4 + 1)^(1/2)), x)`

[Out] `-int(x^2/((x^2 - 1)*(x^4 + 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{x^2}{x^2 \sqrt{x^4 + 1} - \sqrt{x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(-x**2+1)/(x**4+1)**(1/2), x)`

[Out] `-Integral(x**2/(x**2*sqrt(x**4 + 1) - sqrt(x**4 + 1)), x)`

$$3.261 \quad \int \frac{x^2}{(1+x^2)\sqrt{1-x^4}} dx$$

Optimal. Leaf size=99

$$-\frac{x(1-x^2)}{2\sqrt{1-x^4}} + \frac{\sqrt{x^2+1}\sqrt{1-x^2}F(\sin^{-1}(x)|-1)}{\sqrt{1-x^4}} - \frac{\sqrt{x^2+1}\sqrt{1-x^2}E(\sin^{-1}(x)|-1)}{2\sqrt{1-x^4}}$$

[Out] $-1/2*x*(-x^2+1)/(-x^4+1)^{(1/2)}-1/2*EllipticE(x,I)*(-x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+1)^{(1/2)}+EllipticF(x,I)*(-x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(-x^4+1)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1256, 471, 423, 424, 248, 221}

$$-\frac{x(1-x^2)}{2\sqrt{1-x^4}} + \frac{\sqrt{x^2+1}\sqrt{1-x^2}F(\sin^{-1}(x)|-1)}{\sqrt{1-x^4}} - \frac{\sqrt{x^2+1}\sqrt{1-x^2}E(\sin^{-1}(x)|-1)}{2\sqrt{1-x^4}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1 + x^2)*Sqrt[1 - x^4]),x]

[Out] $-(x*(1-x^2))/(2*Sqrt[1-x^4]) - (Sqrt[1-x^2]*Sqrt[1+x^2]*EllipticE[ArcSin[x], -1])/(2*Sqrt[1-x^4]) + (Sqrt[1-x^2]*Sqrt[1+x^2]*EllipticF[ArcSin[x], -1])/Sqrt[1-x^4]$

Rule 221

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := Simp[EllipticF[ArcSin[(Rt[-b, 4]*x)/Rt[a, 4]], -1]/(Rt[a, 4]*Rt[-b, 4]), x] /; FreeQ[{a, b}, x] && NegQ[b/a] && GtQ[a, 0]

Rule 248

Int[((a1_.) + (b1_.)*(x_)^(n_))^(p_.)*((a2_.) + (b2_.)*(x_)^(n_))^(p_.), x_Symbol] := Int[(a1*a2 + b1*b2*x^(2*n))^p, x] /; FreeQ[{a1, b1, a2, b2, n, p}, x] && EqQ[a2*b1 + a1*b2, 0] && (IntegerQ[p] || (GtQ[a1, 0] && GtQ[a2, 0]))

Rule 423

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po

sQ[d/c] && NegQ[b/a]

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c)
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)
*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 1256

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_
), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d
+ (c*x^2)/e)^FracPart[p]), Int[(f*x)^m*(d + e*x^2)^(q + p)*(a/d + (c*x^2)/e
)^p, x], x] /; FreeQ[{a, c, d, e, f, m, p, q}, x] && EqQ[c*d^2 + a*e^2, 0]
&& !IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(1+x^2)\sqrt{1-x^4}} dx &= \frac{(\sqrt{1-x^2}\sqrt{1+x^2}) \int \frac{x^2}{\sqrt{1-x^2}(1+x^2)^{3/2}} dx}{\sqrt{1-x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{1-x^4}} + \frac{(\sqrt{1-x^2}\sqrt{1+x^2}) \int \frac{\sqrt{1-x^2}}{\sqrt{1+x^2}} dx}{2\sqrt{1-x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{1-x^4}} - \frac{(\sqrt{1-x^2}\sqrt{1+x^2}) \int \frac{\sqrt{1+x^2}}{\sqrt{1-x^2}} dx}{2\sqrt{1-x^4}} + \frac{(\sqrt{1-x^2}\sqrt{1+x^2}) \int \frac{1}{\sqrt{1-x^2}\sqrt{1+x^2}} dx}{\sqrt{1-x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{1-x^4}} - \frac{\sqrt{1-x^2}\sqrt{1+x^2} E(\sin^{-1}(x)|-1)}{2\sqrt{1-x^4}} + \frac{(\sqrt{1-x^2}\sqrt{1+x^2}) \int \frac{1}{\sqrt{1-x^4}} dx}{\sqrt{1-x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{1-x^4}} - \frac{\sqrt{1-x^2}\sqrt{1+x^2} E(\sin^{-1}(x)|-1)}{2\sqrt{1-x^4}} + \frac{\sqrt{1-x^2}\sqrt{1+x^2} F(\sin^{-1}(x)|-1)}{\sqrt{1-x^4}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 46, normalized size = 0.46

$$\frac{1}{2} \left(-\frac{x}{\sqrt{1-x^4}} + \frac{x^3}{\sqrt{1-x^4}} + 2F(\sin^{-1}(x)|-1) - E(\sin^{-1}(x)|-1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1+x^2)*Sqrt[1-x^4]),x]

[Out] $(-(x/\text{Sqrt}[1-x^4]) + x^3/\text{Sqrt}[1-x^4] - \text{EllipticE}[\text{ArcSin}[x], -1] + 2*\text{EllipticF}[\text{ArcSin}[x], -1])/2$

fricas [F] time = 1.19, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{\sqrt{-x^4+1} x^2}{x^6+x^4-x^2-1}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(-x^4+1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-x^4+1)*x^2/(x^6+x^4-x^2-1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-x^4+1}(x^2+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(-x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(x^2/(sqrt(-x^4 + 1)*(x^2 + 1)), x)

maple [A] time = 0.02, size = 96, normalized size = 0.97

$$-\frac{(-x^2 + 1)x}{2\sqrt{(-x^2 + 1)(x^2 + 1)}} + \frac{\sqrt{-x^2 + 1} \sqrt{x^2 + 1} \operatorname{EllipticF}(x, i)}{2\sqrt{-x^4 + 1}} + \frac{\sqrt{-x^2 + 1} \sqrt{x^2 + 1} (-\operatorname{EllipticE}(x, i) + \operatorname{EllipticF}(x, i))}{2\sqrt{-x^4 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(x^2+1)/(-x^4+1)^(1/2),x)

[Out] 1/2*EllipticF(x,I)*(-x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+1)^(1/2)-1/2*(-x^2+1)*x/((-x^2+1)*(x^2+1))^(1/2)+1/2*(-x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+1)^(1/2)*(EllipticF(x,I)-EllipticE(x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-x^4 + 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(-x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(-x^4 + 1)*(x^2 + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(x^2 + 1) \sqrt{1 - x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((x^2 + 1)*(1 - x^4)^(1/2)),x)

[Out] int(x^2/((x^2 + 1)*(1 - x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-(x-1)(x+1)(x^2+1)}(x^2+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(x**2+1)/(-x**4+1)**(1/2),x)
```

```
[Out] Integral(x**2/(sqrt(-(x - 1)*(x + 1)*(x**2 + 1))*(x**2 + 1)), x)
```

$$3.262 \quad \int \frac{x^2}{(1-x^2)\sqrt{1-x^4}} dx$$

Optimal. Leaf size=61

$$\frac{x(x^2+1)}{2\sqrt{1-x^4}} - \frac{\sqrt{1-x^2}\sqrt{x^2+1}E(\sin^{-1}(x)|-1)}{2\sqrt{1-x^4}}$$

[Out] 1/2*x*(x^2+1)/(-x^4+1)^(1/2)-1/2*EllipticE(x,I)*(-x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+1)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1256, 471, 424}

$$\frac{x(x^2+1)}{2\sqrt{1-x^4}} - \frac{\sqrt{1-x^2}\sqrt{x^2+1}E(\sin^{-1}(x)|-1)}{2\sqrt{1-x^4}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1-x^2)*Sqrt[1-x^4]),x]

[Out] (x*(1+x^2))/(2*Sqrt[1-x^4]) - (Sqrt[1-x^2]*Sqrt[1+x^2]*EllipticE[ArcSin[x],-1])/(2*Sqrt[1-x^4])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 471

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(e^(n-1)*(e*x)^(m-n+1)*(a+b*x^n)^(p+1)*(c+d*x^n)^(q+1))/(n*(b*c-a*d)*(p+1)), x] - Dist[e^n/(n*(b*c-a*d)*(p+1)), Int[(e*x)^(m-n)*(a+b*x^n)^(p+1)*(c+d*x^n)^q*Simp[c*(m-n+1)+d*(m+n*(p+q+1)+1]*x^n, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b*c-a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m-n+1] && GtQ[m-n+1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]

Rule 1256

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[(a+c*x^4)^FracPart[p]/((d+e*x^2)^FracPart[p]*(a/d

```
+ (c*x^2)/e)^FracPart[p]), Int[(f*x)^m*(d + e*x^2)^(q + p)*(a/d + (c*x^2)/e)
)^p, x], x] /; FreeQ[{a, c, d, e, f, m, p, q}, x] && EqQ[c*d^2 + a*e^2, 0]
&& !IntegerQ[p]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1-x^2)\sqrt{1-x^4}} dx &= \frac{\left(\sqrt{1-x^2}\sqrt{1+x^2}\right) \int \frac{x^2}{(1-x^2)^{3/2}\sqrt{1+x^2}} dx}{\sqrt{1-x^4}} \\ &= \frac{x(1+x^2)}{2\sqrt{1-x^4}} - \frac{\left(\sqrt{1-x^2}\sqrt{1+x^2}\right) \int \frac{\sqrt{1+x^2}}{\sqrt{1-x^2}} dx}{2\sqrt{1-x^4}} \\ &= \frac{x(1+x^2)}{2\sqrt{1-x^4}} - \frac{\sqrt{1-x^2}\sqrt{1+x^2} E\left(\sin^{-1}(x)|-1\right)}{2\sqrt{1-x^4}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 37, normalized size = 0.61

$$\frac{-\sqrt{1-x^4} E\left(\sin^{-1}(x)|-1\right) + x^3 + x}{2\sqrt{1-x^4}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/((1 - x^2)*Sqrt[1 - x^4]), x]
```

```
[Out] (x + x^3 - Sqrt[1 - x^4]*EllipticE[ArcSin[x], -1])/(2*Sqrt[1 - x^4])
```

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-x^4+1}x^2}{x^6-x^4-x^2+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(-x^2+1)/(-x^4+1)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(-x^4 + 1)*x^2/(x^6 - x^4 - x^2 + 1), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2}{\sqrt{-x^4+1}(x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(-x^4+1)^(1/2),x, algorithm="giac")

[Out] integrate(-x^2/(sqrt(-x^4 + 1)*(x^2 - 1)), x)

maple [B] time = 0.03, size = 143, normalized size = 2.34

$$\frac{\sqrt{-x^2+1} \sqrt{x^2+1} \operatorname{EllipticF}(x, i)}{2\sqrt{-x^4+1}} - \frac{-x^3+x^2-x+1}{4\sqrt{(x+1)(-x^3+x^2-x+1)}} + \frac{\sqrt{-x^2+1} \sqrt{x^2+1} (-\operatorname{EllipticE}(x, i) + \operatorname{EllipticF}(x, i))}{2\sqrt{-x^4+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-x^2+1)/(-x^4+1)^(1/2),x)

[Out] -1/2*EllipticF(x,I)*(-x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+1)^(1/2)-1/4*(-x^3+x^2-x+1)/((x+1)*(-x^3+x^2-x+1))^(1/2)+1/2*(-x^2+1)^(1/2)*(x^2+1)^(1/2)/(-x^4+1)^(1/2)*(EllipticF(x,I)-EllipticE(x,I))-1/4*(-x^3-x^2-x-1)/((x-1)*(-x^3-x^2-x-1))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4+1}(x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(-x^4+1)^(1/2),x, algorithm="maxima")

[Out] -integrate(x^2/(sqrt(-x^4 + 1)*(x^2 - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$-\int \frac{x^2}{(x^2-1)\sqrt{1-x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-x^2/((x^2 - 1)*(1 - x^4)^(1/2)),x)

[Out] -int(x^2/((x^2 - 1)*(1 - x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{x^2\sqrt{1-x^4} - \sqrt{1-x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(-x**2+1)/(-x**4+1)**(1/2),x)
```

```
[Out] -Integral(x**2/(x**2*sqrt(1 - x**4) - sqrt(1 - x**4)), x)
```


$$3.263 \quad \int \frac{x^2}{(1+x^2)\sqrt{-1+x^4}} dx$$

Optimal. Leaf size=113

$$-\frac{x(1-x^2)}{2\sqrt{x^4-1}} + \frac{\sqrt{x^2-1}\sqrt{x^2+1}F\left(\sin^{-1}\left(\frac{\sqrt{2}x}{\sqrt{x^2-1}}\right)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4-1}} - \frac{\sqrt{x^2+1}\sqrt{1-x^2}E\left(\sin^{-1}(x)\middle|-1\right)}{2\sqrt{x^4-1}}$$

[Out] $-1/2*x*(-x^2+1)/(x^4-1)^{(1/2)}-1/2*EllipticE(x,1)*(-x^2+1)^{(1/2)}*(x^2+1)^{(1/2)}/(x^4-1)^{(1/2)}+1/2*EllipticF(x*2^{(1/2)}/(x^2-1)^{(1/2)},1/2*2^{(1/2)})*(x^2-1)^{(1/2)}*(x^2+1)^{(1/2)}*2^{(1/2)}/(x^4-1)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1256, 471, 423, 427, 424, 253, 222}

$$-\frac{x(1-x^2)}{2\sqrt{x^4-1}} + \frac{\sqrt{x^2-1}\sqrt{x^2+1}F\left(\sin^{-1}\left(\frac{\sqrt{2}x}{\sqrt{x^2-1}}\right)\middle|\frac{1}{2}\right)}{\sqrt{2}\sqrt{x^4-1}} - \frac{\sqrt{x^2+1}\sqrt{1-x^2}E\left(\sin^{-1}(x)\middle|-1\right)}{2\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1 + x^2)*Sqrt[-1 + x^4]),x]

[Out] $-(x*(1-x^2))/(2*Sqrt[-1+x^4]) - (Sqrt[1-x^2]*Sqrt[1+x^2]*EllipticE[ArcSin[x],-1])/(2*Sqrt[-1+x^4]) + (Sqrt[-1+x^2]*Sqrt[1+x^2]*EllipticF[ArcSin[(Sqrt[2]*x)/Sqrt[-1+x^2]],1/2])/(Sqrt[2]*Sqrt[-1+x^4])$

Rule 222

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[-(a*b), 2]}, Simp[(Sqrt[-a + q*x^2]*Sqrt[(a + q*x^2)/q]*EllipticF[ArcSin[x/Sqrt[(a + q*x^2)/(2*q)]], 1/2])/(Sqrt[2]*Sqrt[-a]*Sqrt[a + b*x^4]), x] /; IntegerQ[q] /; FreeQ[{a, b}, x] && LtQ[a, 0] && GtQ[b, 0]

Rule 253

Int[((a1_.) + (b1_.)*(x_)^(n_))^(p_)*((a2_.) + (b2_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[((a1 + b1*x^n)^FracPart[p]*(a2 + b2*x^n)^FracPart[p])/(a1*a2 + b1*b2*x^(2*n))^FracPart[p], Int[(a1*a2 + b1*b2*x^(2*n))^p, x], x] /; FreeQ[{a1, b1, a2, b2, n, p}, x] && EqQ[a2*b1 + a1*b2, 0] && !IntegerQ[p]

Rule 423

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
b/d, Int[Sqrt[c + d*x^2]/Sqrt[a + b*x^2], x], x] - Dist[(b*c - a*d)/d, Int[
1/(Sqrt[a + b*x^2]*Sqrt[c + d*x^2]), x], x] /; FreeQ[{a, b, c, d}, x] && Po
sQ[d/c] && NegQ[b/a]
```

Rule 424

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Simp[
(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)]/(Sqrt[c]*Rt[-(d/c
), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]
```

Rule 427

```
Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] := Dist[
Sqrt[1 + (d*x^2)/c]/Sqrt[c + d*x^2], Int[Sqrt[a + b*x^2]/Sqrt[1 + (d*x^2)/c
], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && !GtQ[c, 0]
```

Rule 471

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_
))^(q_), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*(a + b*x^n)^(p + 1)
*(c + d*x^n)^(q + 1))/(n*(b*c - a*d)*(p + 1)), x] - Dist[e^n/(n*(b*c - a*d)
*(p + 1)), Int[(e*x)^(m - n)*(a + b*x^n)^(p + 1)*(c + d*x^n)^q*Simp[c*(m -
n + 1) + d*(m + n*(p + q + 1) + 1)*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,
q}, x] && NeQ[b*c - a*d, 0] && IGtQ[n, 0] && LtQ[p, -1] && GeQ[n, m - n +
1] && GtQ[m - n + 1, 0] && IntBinomialQ[a, b, c, d, e, m, n, p, q, x]
```

Rule 1256

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_
), x_Symbol] := Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d
+ (c*x^2)/e)^FracPart[p]), Int[(f*x)^m*(d + e*x^2)^(q + p)*(a/d + (c*x^2)/e
)^p, x], x] /; FreeQ[{a, c, d, e, f, m, p, q}, x] && EqQ[c*d^2 + a*e^2, 0]
&& !IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(1+x^2)\sqrt{-1+x^4}} dx &= \frac{(\sqrt{-1+x^2}\sqrt{1+x^2}) \int \frac{x^2}{\sqrt{-1+x^2}(1+x^2)^{3/2}} dx}{\sqrt{-1+x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{-1+x^4}} - \frac{(\sqrt{-1+x^2}\sqrt{1+x^2}) \int \frac{\sqrt{-1+x^2}}{\sqrt{1+x^2}} dx}{2\sqrt{-1+x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{-1+x^4}} - \frac{(\sqrt{-1+x^2}\sqrt{1+x^2}) \int \frac{\sqrt{1+x^2}}{\sqrt{-1+x^2}} dx}{2\sqrt{-1+x^4}} + \frac{(\sqrt{-1+x^2}\sqrt{1+x^2}) \int \frac{1}{\sqrt{-1+x^2}} dx}{\sqrt{-1+x^4}} \\
&= -\frac{x(1-x^2)}{2\sqrt{-1+x^4}} - \frac{(\sqrt{1-x^2}\sqrt{1+x^2}) \int \frac{\sqrt{1+x^2}}{\sqrt{1-x^2}} dx}{2\sqrt{-1+x^4}} + \int \frac{1}{\sqrt{-1+x^4}} dx \\
&= -\frac{x(1-x^2)}{2\sqrt{-1+x^4}} - \frac{\sqrt{1-x^2}\sqrt{1+x^2} E(\sin^{-1}(x)|-1)}{2\sqrt{-1+x^4}} + \frac{\sqrt{-1+x^2}\sqrt{1+x^2} F(\sin^{-1}(\frac{1}{\sqrt{-1+x^2}}))}{\sqrt{2}\sqrt{-1+x^4}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 54, normalized size = 0.48

$$\frac{2\sqrt{1-x^4} F(\sin^{-1}(x)|-1) - \sqrt{1-x^4} E(\sin^{-1}(x)|-1) + x^3 - x}{2\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1+x^2)*Sqrt[-1+x^4]),x]

[Out] (-x + x^3 - Sqrt[1 - x^4]*EllipticE[ArcSin[x], -1] + 2*Sqrt[1 - x^4]*EllipticF[ArcSin[x], -1])/(2*Sqrt[-1 + x^4])

fricas [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{x^4-1}x^2}{x^6+x^4-x^2-1},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(x^4-1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(x^4 - 1)*x^2/(x^6 + x^4 - x^2 - 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{x^4-1}(x^2+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(x^4-1)^(1/2),x, algorithm="giac")

[Out] integrate(x^2/(sqrt(x^4 - 1)*(x^2 + 1)), x)

maple [A] time = 0.02, size = 99, normalized size = 0.88

$$\frac{(x^2 - 1)x}{2\sqrt{(x^2 + 1)(x^2 - 1)}} - \frac{i\sqrt{x^2 + 1} \sqrt{-x^2 + 1} \operatorname{EllipticF}(ix, i)}{2\sqrt{x^4 - 1}} + \frac{i\sqrt{x^2 + 1} \sqrt{-x^2 + 1} (-\operatorname{EllipticE}(ix, i) + \operatorname{EllipticF}(ix, i))}{2\sqrt{x^4 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(x^2+1)/(x^4-1)^(1/2),x)

[Out] -1/2*I*(x^2+1)^(1/2)*(-x^2+1)^(1/2)/(x^4-1)^(1/2)*EllipticF(I*x,I)+1/2*(x^2-1)*x/((x^2+1)*(x^2-1))^(1/2)+1/2*I*(x^2+1)^(1/2)*(-x^2+1)^(1/2)/(x^4-1)^(1/2)*(EllipticF(I*x,I)-EllipticE(I*x,I))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{x^4 - 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(x^4-1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(x^4 - 1)*(x^2 + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(x^2 + 1)\sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((x^2 + 1)*(x^4 - 1)^(1/2)),x)

[Out] int(x^2/((x^2 + 1)*(x^4 - 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{(x - 1)(x + 1)(x^2 + 1)}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(x**2+1)/(x**4-1)**(1/2),x)
```

```
[Out] Integral(x**2/(sqrt((x - 1)*(x + 1)*(x**2 + 1))*(x**2 + 1)), x)
```

$$3.264 \quad \int \frac{x^2}{(1-x^2)\sqrt{-1+x^4}} dx$$

Optimal. Leaf size=57

$$\frac{x(x^2+1)}{2\sqrt{x^4-1}} - \frac{\sqrt{1-x^2}\sqrt{x^2+1}E(\sin^{-1}(x)|-1)}{2\sqrt{x^4-1}}$$

[Out] 1/2*x*(x^2+1)/(x^4-1)^(1/2)-1/2*EllipticE(x,I)*(-x^2+1)^(1/2)*(x^2+1)^(1/2)/(x^4-1)^(1/2)

Rubi [A] time = 0.05, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1256, 471, 426, 424}

$$\frac{x(x^2+1)}{2\sqrt{x^4-1}} - \frac{\sqrt{1-x^2}\sqrt{x^2+1}E(\sin^{-1}(x)|-1)}{2\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1-x^2)*Sqrt[-1+x^4]),x]

[Out] (x*(1+x^2))/(2*Sqrt[-1+x^4]) - (Sqrt[1-x^2]*Sqrt[1+x^2]*EllipticE[ArcSin[x],-1])/(2*Sqrt[-1+x^4])

Rule 424

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Simp[(Sqrt[a]*EllipticE[ArcSin[Rt[-(d/c), 2]*x], (b*c)/(a*d)])/(Sqrt[c]*Rt[-(d/c), 2]), x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && GtQ[a, 0]

Rule 426

Int[Sqrt[(a_) + (b_.)*(x_)^2]/Sqrt[(c_) + (d_.)*(x_)^2], x_Symbol] :> Dist[Sqrt[a + b*x^2]/Sqrt[1 + (b*x^2)/a], Int[Sqrt[1 + (b*x^2)/a]/Sqrt[c + d*x^2], x], x] /; FreeQ[{a, b, c, d}, x] && NegQ[d/c] && GtQ[c, 0] && !GtQ[a, 0]

Rule 471

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(e^(n-1)*(e*x)^(m-n+1)*(a+b*x^n)^(p+1)*(c+d*x^n)^(q+1))/(n*(b*c-a*d)*(p+1)), x] - Dist[e^n/(n*(b*c-a*d)*(p+1)), Int[(e*x)^(m-n)*(a+b*x^n)^(p+1)*(c+d*x^n)^q*Simp[c*(m-n+1)+d*(m+n*(p+q+1)+1]*x^n, x], x], x] /; FreeQ[{a, b, c, d, e,

$q\}$, $x]$ && NeQ[$b*c - a*d$, 0] && IGtQ[n , 0] && LtQ[p , -1] && GeQ[n , $m - n + 1$] && GtQ[$m - n + 1$, 0] && IntBinomialQ[a , b , c , d , e , m , n , p , q , $x]$

Rule 1256

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (c_.)*(x_)^4)^(p_), x_Symbol] :> Dist[(a + c*x^4)^FracPart[p]/((d + e*x^2)^FracPart[p]*(a/d + (c*x^2)/e)^FracPart[p]), Int[(f*x)^m*(d + e*x^2)^(q + p)*(a/d + (c*x^2)/e)^p, x], x] /; FreeQ[{a, c, d, e, f, m, p, q}, x] && EqQ[c*d^2 + a*e^2, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1-x^2)\sqrt{-1+x^4}} dx &= \frac{\left(\sqrt{-1-x^2}\sqrt{1-x^2}\right) \int \frac{x^2}{\sqrt{-1-x^2}(1-x^2)^{3/2}} dx}{\sqrt{-1+x^4}} \\ &= \frac{x(1+x^2)}{2\sqrt{-1+x^4}} + \frac{\left(\sqrt{-1-x^2}\sqrt{1-x^2}\right) \int \frac{\sqrt{-1-x^2}}{\sqrt{1-x^2}} dx}{2\sqrt{-1+x^4}} \\ &= \frac{x(1+x^2)}{2\sqrt{-1+x^4}} + \frac{\left((-1-x^2)\sqrt{1-x^2}\right) \int \frac{\sqrt{1+x^2}}{\sqrt{1-x^2}} dx}{2\sqrt{1+x^2}\sqrt{-1+x^4}} \\ &= \frac{x(1+x^2)}{2\sqrt{-1+x^4}} - \frac{\sqrt{1-x^2}\sqrt{1+x^2}E\left(\sin^{-1}(x)\middle| -1\right)}{2\sqrt{-1+x^4}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 35, normalized size = 0.61

$$\frac{-\sqrt{1-x^4}E\left(\sin^{-1}(x)\middle| -1\right) + x^3 + x}{2\sqrt{x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1 - x^2)*Sqrt[-1 + x^4]), x]

[Out] (x + x^3 - Sqrt[1 - x^4]*EllipticE[ArcSin[x], -1])/(2*Sqrt[-1 + x^4])

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{x^4-1}x^2}{x^6-x^4-x^2+1}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(x^4-1)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(x^4 - 1)*x^2/(x^6 - x^4 - x^2 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2}{\sqrt{x^4-1}(x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(x^4-1)^(1/2),x, algorithm="giac")

[Out] integrate(-x^2/(sqrt(x^4 - 1)*(x^2 - 1)), x)

maple [B] time = 0.02, size = 134, normalized size = 2.35

$$\frac{i\sqrt{x^2+1}\sqrt{-x^2+1}\operatorname{EllipticF}(ix,i)}{2\sqrt{x^4-1}} + \frac{x^3-x^2+x-1}{4\sqrt{(x+1)(x^3-x^2+x-1)}} + \frac{i\sqrt{x^2+1}\sqrt{-x^2+1}(-\operatorname{EllipticE}(ix,i)+\operatorname{EllipticF}(ix,i))}{2\sqrt{x^4-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-x^2+1)/(x^4-1)^(1/2),x)

[Out] 1/2*I*(x^2+1)^(1/2)*(-x^2+1)^(1/2)/(x^4-1)^(1/2)*EllipticF(I*x,I)+1/4*(x^3-x^2+x-1)/((x+1)*(x^3-x^2+x-1))^(1/2)+1/2*I*(x^2+1)^(1/2)*(-x^2+1)^(1/2)/(x^4-1)^(1/2)*(EllipticF(I*x,I)-EllipticE(I*x,I))+1/4*(x^3+x^2+x+1)/((x-1)*(x^3+x^2+x+1))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{x^4-1}(x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(x^4-1)^(1/2),x, algorithm="maxima")

[Out] -integrate(x^2/(sqrt(x^4 - 1)*(x^2 - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$-\int \frac{x^2}{(x^2-1)\sqrt{x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-x^2/((x^2 - 1)*(x^4 - 1)^(1/2)), x)`

[Out] `-int(x^2/((x^2 - 1)*(x^4 - 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{x^2}{x^2 \sqrt{x^4 - 1} - \sqrt{x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(-x**2+1)/(x**4-1)**(1/2), x)`

[Out] `-Integral(x**2/(x**2*sqrt(x**4 - 1) - sqrt(x**4 - 1)), x)`

$$3.265 \quad \int \frac{x^2}{(1+x^2)\sqrt{-1-x^4}} dx$$

Optimal. Leaf size=74

$$\frac{(x^2 + 1) \sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{-x^4-1}} - \frac{\tanh^{-1}\left(\frac{\sqrt{2}x}{\sqrt{-x^4-1}}\right)}{2\sqrt{2}}$$

[Out] $-1/4*\arctanh(x*2^{(1/2)/(-x^4-1)^{(1/2)})*2^{(1/2)}+1/4*(x^2+1)*(\cos(2*\arctan(x))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2*2^{(1/2)})*((x^4+1)/(x^2+1)^2)^{(1/2)/(-x^4-1)^{(1/2)}}$

Rubi [A] time = 0.06, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1318, 220, 1699, 206}

$$\frac{(x^2 + 1) \sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{-x^4-1}} - \frac{\tanh^{-1}\left(\frac{\sqrt{2}x}{\sqrt{-x^4-1}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1 + x^2)*Sqrt[-1 - x^4]),x]

[Out] $-\text{ArcTanh}[(\text{Sqrt}[2]*x)/\text{Sqrt}[-1 - x^4]]/(2*\text{Sqrt}[2]) + ((1 + x^2)*\text{Sqrt}[(1 + x^4)/(1 + x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[x], 1/2])/(4*\text{Sqrt}[-1 - x^4])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1318

Int[(x_)^2/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e

$x^2)/((d + e*x^2)*\text{Sqrt}[a + c*x^4]), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{PosQ}[c/a] \&\& \text{EqQ}[c*d^2 - a*e^2, 0]$

Rule 1699

$\text{Int}[(A_ + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*\text{Sqrt}[(a_) + (c_)*(x_)^4]), x_Symbol] :> \text{Dist}[A, \text{Subst}[\text{Int}[1/(d + 2*a*e*x^2), x], x, x/\text{Sqrt}[a + c*x^4]], x] /; \text{FreeQ}[\{a, c, d, e, A, B\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{EqQ}[B*d + A*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1+x^2)\sqrt{-1-x^4}} dx &= \frac{1}{2} \int \frac{1}{\sqrt{-1-x^4}} dx - \frac{1}{2} \int \frac{1-x^2}{(1+x^2)\sqrt{-1-x^4}} dx \\ &= \frac{(1+x^2) \sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{-1-x^4}} - \frac{1}{2} \text{Subst}\left(\int \frac{1}{1-2x^2} dx, x, \frac{x}{\sqrt{-1-x^4}}\right) \\ &= -\frac{\tanh^{-1}\left(\frac{\sqrt{2}x}{\sqrt{-1-x^4}}\right)}{2\sqrt{2}} + \frac{(1+x^2) \sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{-1-x^4}} \end{aligned}$$

Mathematica [C] time = 0.09, size = 60, normalized size = 0.81

$$\frac{\sqrt[4]{-1} \sqrt{x^4+1} \left(\Pi\left(-i; i \sinh^{-1}\left(\sqrt[4]{-1} x\right) \middle| -1\right) - F\left(i \sinh^{-1}\left(\sqrt[4]{-1} x\right) \middle| -1\right) \right)}{\sqrt{-x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1 + x^2)*Sqrt[-1 - x^4]),x]

[Out] $((-1)^{(1/4)}*\text{Sqrt}[1 + x^4]*(-\text{EllipticF}[I*\text{ArcSinh}[(-1)^{(1/4)}*x], -1] + \text{EllipticPi}[-I, I*\text{ArcSinh}[(-1)^{(1/4)}*x], -1])/ \text{Sqrt}[-1 - x^4]$

fricas [F] time = 1.28, size = 0, normalized size = 0.00

$$-\frac{1}{8} \sqrt{2} \log\left(\frac{\sqrt{2}x + \sqrt{-x^4-1}}{x^2+1}\right) + \frac{1}{8} \sqrt{2} \log\left(-\frac{\sqrt{2}x - \sqrt{-x^4-1}}{x^2+1}\right) + \text{integral}\left(-\frac{\sqrt{-x^4-1}}{2(x^4+1)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(-x^4-1)^(1/2),x, algorithm="fricas")

[Out] -1/8*sqrt(2)*log((sqrt(2)*x + sqrt(-x^4 - 1))/(x^2 + 1)) + 1/8*sqrt(2)*log(-sqrt(2)*x - sqrt(-x^4 - 1))/(x^2 + 1) + integral(-1/2*sqrt(-x^4 - 1)/(x^4 + 1), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-x^4 - 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(-x^4-1)^(1/2),x, algorithm="giac")

[Out] integrate(x^2/(sqrt(-x^4 - 1)*(x^2 + 1)), x)

maple [C] time = 0.04, size = 168, normalized size = 2.27

$$\frac{\sqrt{ix^2 + 1} \sqrt{-ix^2 + 1} \operatorname{EllipticF}\left(\left(\frac{\sqrt{2}}{2} - \frac{i\sqrt{2}}{2}\right)x, i\right)}{\left(\frac{\sqrt{2}}{2} - \frac{i\sqrt{2}}{2}\right)\sqrt{-x^4 - 1}} - \frac{i\sqrt{-i} \sqrt{ix^2 + 1} \sqrt{-ix^2 + 1} \operatorname{EllipticPi}\left(\sqrt{-i}x, -i, \frac{(-1)^{\frac{1}{4}}}{\sqrt{-i}}\right)}{2\sqrt{-x^4 - 1}} - \sqrt{ix^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(x^2+1)/(-x^4-1)^(1/2),x)

[Out] 1/(1/2*2^(1/2)-1/2*I*2^(1/2))*(I*x^2+1)^(1/2)*(-I*x^2+1)^(1/2)/(-x^4-1)^(1/2)*EllipticF((1/2*2^(1/2)-1/2*I*2^(1/2))*x,I)-1/2*I*(-I)^(1/2)*(I*x^2+1)^(1/2)*(-I*x^2+1)^(1/2)/(-x^4-1)^(1/2)*EllipticPi((-I)^(1/2)*x,-I,(-1)^(1/4)/(-I)^(1/2))-1/2/(-I)^(1/2)*(I*x^2+1)^(1/2)*(-I*x^2+1)^(1/2)/(-x^4-1)^(1/2)*EllipticPi((-I)^(1/2)*x,-I,(-1)^(1/4)/(-I)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-x^4 - 1}(x^2 + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(x^2+1)/(-x^4-1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(-x^4 - 1)*(x^2 + 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{(x^2 + 1) \sqrt{-x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((x^2 + 1)*(- x^4 - 1)^(1/2)), x)`

[Out] `int(x^2/((x^2 + 1)*(- x^4 - 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(x^2 + 1) \sqrt{-x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(x**2+1)/(-x**4-1)**(1/2), x)`

[Out] `Integral(x**2/((x**2 + 1)*sqrt(-x**4 - 1)), x)`

$$3.266 \quad \int \frac{x^2}{(1-x^2)\sqrt{-1-x^4}} dx$$

Optimal. Leaf size=74

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{-x^4-1}}\right)}{2\sqrt{2}} - \frac{(x^2+1)\sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2\tan^{-1}(x)\middle|\frac{1}{2}\right)}{4\sqrt{-x^4-1}}$$

[Out] $1/4*\arctan(x*2^{(1/2)/(-x^4-1)^{(1/2)})*2^{(1/2)}-1/4*(x^2+1)*(\cos(2*\arctan(x)))^2)^{(1/2)}/\cos(2*\arctan(x))*\text{EllipticF}(\sin(2*\arctan(x)),1/2*2^{(1/2)})*((x^4+1)/(x^2+1)^2)^{(1/2)/(-x^4-1)^{(1/2)}}$

Rubi [A] time = 0.06, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {1318, 220, 1699, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{-x^4-1}}\right)}{2\sqrt{2}} - \frac{(x^2+1)\sqrt{\frac{x^4+1}{(x^2+1)^2}} F\left(2\tan^{-1}(x)\middle|\frac{1}{2}\right)}{4\sqrt{-x^4-1}}$$

Antiderivative was successfully verified.

[In] Int[x^2/((1 - x^2)*Sqrt[-1 - x^4]),x]

[Out] ArcTan[(Sqrt[2]*x)/Sqrt[-1 - x^4]]/(2*Sqrt[2]) - ((1 + x^2)*Sqrt[(1 + x^4)/(1 + x^2)^2]*EllipticF[2*ArcTan[x], 1/2])/(4*Sqrt[-1 - x^4])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 220

Int[1/Sqrt[(a_) + (b_.)*(x_)^4], x_Symbol] := With[{q = Rt[b/a, 4]}, Simp[(1 + q^2*x^2)*Sqrt[(a + b*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2]]/(2*q*Sqrt[a + b*x^4]), x] /; FreeQ[{a, b}, x] && PosQ[b/a]

Rule 1318

Int[(x_)^2/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (c_.)*(x_)^4]), x_Symbol] := Dist[d/(2*d*e), Int[1/Sqrt[a + c*x^4], x], x] - Dist[d/(2*d*e), Int[(d - e*

$x^2)/((d + e*x^2)*\text{Sqrt}[a + c*x^4]), x], x] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{PosQ}[c/a] \&\& \text{EqQ}[c*d^2 - a*e^2, 0]$

Rule 1699

$\text{Int}[\frac{(A_.) + (B_.)*(x_)^2}{((d_) + (e_.)*(x_)^2)*\text{Sqrt}[(a_) + (c_.)*(x_)^4]}, x_Symbol] :> \text{Dist}[A, \text{Subst}[\text{Int}[1/(d + 2*a*e*x^2), x], x, x/\text{Sqrt}[a + c*x^4]], x] /; \text{FreeQ}[\{a, c, d, e, A, B\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{EqQ}[B*d + A*e, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(1-x^2)\sqrt{-1-x^4}} dx &= -\left(\frac{1}{2} \int \frac{1}{\sqrt{-1-x^4}} dx\right) + \frac{1}{2} \int \frac{1+x^2}{(1-x^2)\sqrt{-1-x^4}} dx \\ &= -\frac{(1+x^2) \sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{-1-x^4}} + \frac{1}{2} \text{Subst}\left(\int \frac{1}{1+2x^2} dx, x, \frac{x}{\sqrt{-1-x^4}}\right) \\ &= \frac{\tan^{-1}\left(\frac{\sqrt{2}x}{\sqrt{-1-x^4}}\right)}{2\sqrt{2}} - \frac{(1+x^2) \sqrt{\frac{1+x^4}{(1+x^2)^2}} F\left(2 \tan^{-1}(x) \middle| \frac{1}{2}\right)}{4\sqrt{-1-x^4}} \end{aligned}$$

Mathematica [C] time = 0.09, size = 56, normalized size = 0.76

$$\frac{\sqrt[4]{-1} \sqrt{x^4+1} \left(F\left(i \sinh^{-1}\left(\sqrt[4]{-1} x\right) \middle| -1\right) - \Pi\left(i; \sin^{-1}\left((-1)^{3/4} x\right) \middle| -1\right) \right)}{\sqrt{-x^4-1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((1 - x^2)*Sqrt[-1 - x^4]), x]

[Out] $((-1)^{1/4}*\text{Sqrt}[1 + x^4]*(\text{EllipticF}[I*\text{ArcSinh}[(-1)^{1/4}*x], -1] - \text{EllipticPi}[I, \text{ArcSin}[(-1)^{3/4}*x], -1]))/\text{Sqrt}[-1 - x^4]$

fricas [F] time = 0.90, size = 0, normalized size = 0.00

$$-\frac{1}{8}i\sqrt{2} \log\left(\frac{i\sqrt{2}x + \sqrt{-x^4-1}}{x^2-1}\right) + \frac{1}{8}i\sqrt{2} \log\left(\frac{-i\sqrt{2}x + \sqrt{-x^4-1}}{x^2-1}\right) + \text{integral}\left(\frac{\sqrt{-x^4-1}}{2(x^4+1)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(-x^4-1)^(1/2),x, algorithm="fricas")

[Out] $-1/8*I*\sqrt{2}*\log((I*\sqrt{2}*x + \sqrt{-x^4 - 1})/(x^2 - 1)) + 1/8*I*\sqrt{2}*\log((-I*\sqrt{2}*x + \sqrt{-x^4 - 1})/(x^2 - 1)) + \text{integral}(1/2*\sqrt{-x^4 - 1}/(x^4 + 1), x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x^2}{\sqrt{-x^4-1}(x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(-x^4-1)^(1/2),x, algorithm="giac")

[Out] integrate(-x^2/(sqrt(-x^4 - 1)*(x^2 - 1)), x)

maple [C] time = 0.02, size = 115, normalized size = 1.55

$$-\frac{\sqrt{ix^2+1} \sqrt{-ix^2+1} \text{EllipticF}\left(\left(\frac{\sqrt{2}}{2} - \frac{i\sqrt{2}}{2}\right)x, i\right)}{\left(\frac{\sqrt{2}}{2} - \frac{i\sqrt{2}}{2}\right) \sqrt{-x^4-1}} + \frac{\sqrt{ix^2+1} \sqrt{-ix^2+1} \text{EllipticPi}\left(\sqrt{-i} x, i, \frac{(-1)^{\frac{1}{4}}}{\sqrt{-i}}\right)}{\sqrt{-i} \sqrt{-x^4-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(-x^2+1)/(-x^4-1)^(1/2),x)

[Out] $-1/((1/2*2^{(1/2)}-1/2*I*2^{(1/2)})*(I*x^2+1)^{(1/2)}*(-I*x^2+1)^{(1/2)}/(-x^4-1)^{(1/2)}*\text{EllipticF}((1/2*2^{(1/2)}-1/2*I*2^{(1/2)})*x, I)+1/(-I)^{(1/2)}*(I*x^2+1)^{(1/2)}*(-I*x^2+1)^{(1/2)}/(-x^4-1)^{(1/2)}*\text{EllipticPi}((-I)^{(1/2)}*x, I, (-1)^{(1/4)}/(-I)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2}{\sqrt{-x^4-1}(x^2-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(-x^2+1)/(-x^4-1)^(1/2),x, algorithm="maxima")

[Out] -integrate(x^2/(sqrt(-x^4 - 1)*(x^2 - 1)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$-\int \frac{x^2}{(x^2-1)\sqrt{-x^4-1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-x^2/((x^2 - 1)*(- x^4 - 1)^(1/2)), x)`

[Out] `-int(x^2/((x^2 - 1)*(- x^4 - 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{x^2}{x^2 \sqrt{-x^4 - 1} - \sqrt{-x^4 - 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(-x**2+1)/(-x**4-1)**(1/2), x)`

[Out] `-Integral(x**2/(x**2*sqrt(-x**4 - 1) - sqrt(-x**4 - 1)), x)`

3.267 $\int x^2 \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4} dx$

Optimal. Leaf size=243

$$\frac{c^2 \sqrt{a^2 + 2abx^2 + b^2x^4} (bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{dx}}{\sqrt{c+dx^2}} \right)}{16d^{5/2} (a + bx^2)} - \frac{cx \sqrt{a^2 + 2abx^2 + b^2x^4} \sqrt{c + dx^2} (bc - 2ad)}{16d^2 (a + bx^2)} + \frac{bx^3 \sqrt{a^2 + 2abx^2}}{6d (a + bx^2)}$$

[Out] $1/6*b*x^3*(d*x^2+c)^(3/2)*((b*x^2+a)^2)^(1/2)/d/(b*x^2+a)+1/16*c^2*(-2*a*d+b*c)*\operatorname{arctanh}(x*d^(1/2)/(d*x^2+c)^(1/2))*((b*x^2+a)^2)^(1/2)/d^(5/2)/(b*x^2+a)-1/16*c*(-2*a*d+b*c)*x*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/d^2/(b*x^2+a)-1/8*(-2*a*d+b*c)*x^3*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/d/(b*x^2+a)$

Rubi [A] time = 0.13, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1250, 459, 279, 321, 217, 206}

$$\frac{c^2 \sqrt{a^2 + 2abx^2 + b^2x^4} (bc - 2ad) \tanh^{-1} \left(\frac{\sqrt{dx}}{\sqrt{c+dx^2}} \right)}{16d^{5/2} (a + bx^2)} - \frac{cx \sqrt{a^2 + 2abx^2 + b^2x^4} \sqrt{c + dx^2} (bc - 2ad)}{16d^2 (a + bx^2)} + \frac{bx^3 \sqrt{a^2 + 2abx^2}}{6d (a + bx^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2 \operatorname{Sqrt}[c + d*x^2] \operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4], x]$

[Out] $-(c*(b*c - 2*a*d)*x*\operatorname{Sqrt}[c + d*x^2]*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(16*d^2*(a + b*x^2)) - ((b*c - 2*a*d)*x^3*\operatorname{Sqrt}[c + d*x^2]*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(8*d*(a + b*x^2)) + (b*x^3*(c + d*x^2)^(3/2)*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(6*d*(a + b*x^2)) + (c^2*(b*c - 2*a*d)*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[d]*x)/\operatorname{Sqrt}[c + d*x^2]])/(16*d^(5/2)*(a + b*x^2))$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2]^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 217

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_)^2], x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - b*x^2), x], x, x/\operatorname{Sqrt}[a + b*x^2]] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ !\operatorname{GtQ}[a, 0]$

Rule 279

$\operatorname{Int}[(c_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}], x_Symbol] \rightarrow \operatorname{Simp}[(c*x)^(m+1)*(a + b*x^n)^p]/(c*(m + n*p + 1)), x] + \operatorname{Dist}[(a*n*p)/(m + n*p +$

1), Int[(c*x)^m*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c, m}, x] && IGtQ[n, 0] && GtQ[p, 0] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 321

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 459

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] :> Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]

Rule 1250

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4} dx &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int x^2 (ab + b^2x^2) \sqrt{c + dx^2} dx}{ab + b^2x^2} \\
&= \frac{bx^3 (c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{6d(a + bx^2)} - \frac{(b(bc - 2ad)\sqrt{a^2 + 2abx^2 + b^2x^4})}{2d(a + bx^2)} \\
&= -\frac{(bc - 2ad)x^3 \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)} + \frac{bx^3 (c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{6d(a + bx^2)} \\
&= -\frac{c(bc - 2ad)x \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{16d^2(a + bx^2)} - \frac{(bc - 2ad)x^3 \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)} \\
&= -\frac{c(bc - 2ad)x \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{16d^2(a + bx^2)} - \frac{(bc - 2ad)x^3 \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)} \\
&= -\frac{c(bc - 2ad)x \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{16d^2(a + bx^2)} - \frac{(bc - 2ad)x^3 \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 142, normalized size = 0.58

$$\frac{\sqrt{(a + bx^2)^2} \sqrt{c + dx^2} \left(3c^{3/2}(bc - 2ad) \sinh^{-1} \left(\frac{\sqrt{d}x}{\sqrt{c}} \right) + \sqrt{d}x \sqrt{\frac{dx^2}{c} + 1} (6ad(c + 2dx^2) + b(-3c^2 + 2cdx^2 + 8d^2x^4)) \right)}{48d^{5/2}(a + bx^2) \sqrt{\frac{dx^2}{c} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4],x]

[Out] (Sqrt[(a + b*x^2)^2]*Sqrt[c + d*x^2]*(Sqrt[d]*x*Sqrt[1 + (d*x^2)/c]*(6*a*d*(c + 2*d*x^2) + b*(-3*c^2 + 2*c*d*x^2 + 8*d^2*x^4)) + 3*c^(3/2)*(b*c - 2*a*d)*ArcSinh[(Sqrt[d]*x)/Sqrt[c]])/(48*d^(5/2)*(a + b*x^2)*Sqrt[1 + (d*x^2)/c])

fricas [A] time = 0.63, size = 206, normalized size = 0.85

$$\left[\frac{3(bc^3 - 2ac^2d)\sqrt{d} \log(-2dx^2 + 2\sqrt{dx^2 + c}\sqrt{d}x - c) - 2(8bd^3x^5 + 2(bcd^2 + 6ad^3)x^3 - 3(bc^2d - 2acd^2)x)}{96d^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x, algorithm="fricas")

[Out] [-1/96*(3*(b*c^3 - 2*a*c^2*d)*sqrt(d)*log(-2*d*x^2 + 2*sqrt(d*x^2 + c)*sqrt(d)*x - c) - 2*(8*b*d^3*x^5 + 2*(b*c*d^2 + 6*a*d^3)*x^3 - 3*(b*c^2*d - 2*a*c*d^2)*x)*sqrt(d*x^2 + c))/d^3, -1/48*(3*(b*c^3 - 2*a*c^2*d)*sqrt(-d)*arctan(sqrt(-d)*x/sqrt(d*x^2 + c)) - (8*b*d^3*x^5 + 2*(b*c*d^2 + 6*a*d^3)*x^3 - 3*(b*c^2*d - 2*a*c*d^2)*x)*sqrt(d*x^2 + c))/d^3]

giac [A] time = 0.38, size = 156, normalized size = 0.64

$$\frac{1}{48} \left(2 \left(4bx^2 \operatorname{sgn}(bx^2 + a) + \frac{bcd^3 \operatorname{sgn}(bx^2 + a) + 6ad^4 \operatorname{sgn}(bx^2 + a)}{d^4} \right) x^2 - \frac{3(bc^2d^2 \operatorname{sgn}(bx^2 + a) - 2acd^3 \operatorname{sgn}(bx^2 + a))}{d^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] 1/48*(2*(4*b*x^2*sgn(b*x^2 + a) + (b*c*d^3*sgn(b*x^2 + a) + 6*a*d^4*sgn(b*x^2 + a))/d^4)*x^2 - 3*(b*c^2*d^2*sgn(b*x^2 + a) - 2*a*c*d^3*sgn(b*x^2 + a))/d^4*sqrt(d*x^2 + c)*x - 1/16*(b*c^3*sgn(b*x^2 + a) - 2*a*c^2*d*sgn(b*x^2 + a))*log(abs(-sqrt(d)*x + sqrt(d*x^2 + c)))/d^(5/2)

maple [A] time = 0.01, size = 159, normalized size = 0.65

$$\frac{\sqrt{(bx^2 + a)^2} \left(8(dx^2 + c)^{\frac{3}{2}} b d^{\frac{3}{2}} x^3 - 6a c^2 d \ln(\sqrt{d} x + \sqrt{dx^2 + c}) + 3b c^3 \ln(\sqrt{d} x + \sqrt{dx^2 + c}) - 6\sqrt{dx^2 + c} \right)}{48(bx^2 + a)d^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x)

[Out] 1/48*((b*x^2+a)^2)^(1/2)*(8*d^(3/2)*(d*x^2+c)^(3/2)*x^3*b+12*d^(3/2)*(d*x^2+c)^(3/2)*x*a-6*d^(1/2)*(d*x^2+c)^(3/2)*x*b*c-6*d^(3/2)*(d*x^2+c)^(1/2)*x*a*c+3*d^(1/2)*(d*x^2+c)^(1/2)*x*b*c^2-6*ln(d^(1/2)*x+(d*x^2+c)^(1/2))*a*c^2*d+3*ln(d^(1/2)*x+(d*x^2+c)^(1/2))*b*c^3)/(b*x^2+a)/d^(5/2)

maxima [A] time = 0.92, size = 124, normalized size = 0.51

$$\frac{(dx^2 + c)^{\frac{3}{2}} bx^3}{6d} - \frac{(dx^2 + c)^{\frac{3}{2}} bcx}{8d^2} + \frac{\sqrt{dx^2 + c} bc^2x}{16d^2} + \frac{(dx^2 + c)^{\frac{3}{2}} ax}{4d} - \frac{\sqrt{dx^2 + c} acx}{8d} + \frac{bc^3 \operatorname{arsinh}\left(\frac{dx}{\sqrt{cd}}\right)}{16d^{\frac{5}{2}}} - \frac{ac^2 \operatorname{arsinh}\left(\frac{dx}{\sqrt{cd}}\right)}{8d^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] 1/6*(d*x^2 + c)^(3/2)*b*x^3/d - 1/8*(d*x^2 + c)^(3/2)*b*c*x/d^2 + 1/16*sqrt(d*x^2 + c)*b*c^2*x/d^2 + 1/4*(d*x^2 + c)^(3/2)*a*x/d - 1/8*sqrt(d*x^2 + c)*a*c*x/d + 1/16*b*c^3*arcsinh(d*x/sqrt(c*d))/d^(5/2) - 1/8*a*c^2*arcsinh(d*x/sqrt(c*d))/d^(3/2)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sqrt{dx^2 + c} \sqrt{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c + d*x^2)^(1/2)*((a + b*x^2)^2)^(1/2),x)

[Out] int(x^2*(c + d*x^2)^(1/2)*((a + b*x^2)^2)^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(d*x**2+c)**(1/2)*((b*x**2+a)**2)**(1/2),x)

[Out] Timed out

3.268 $\int x\sqrt{c+dx^2}\sqrt{a^2+2abx^2+b^2x^4}dx$

Optimal. Leaf size=108

$$\frac{b\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{5/2}}{5d^2(a+bx^2)} - \frac{\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{3/2}(bc-ad)}{3d^2(a+bx^2)}$$

[Out] $-1/3*(-a*d+b*c)*(d*x^2+c)^{(3/2)*((b*x^2+a)^2)^{(1/2)}/d^2/(b*x^2+a)+1/5*b*(d*x^2+c)^{(5/2)*((b*x^2+a)^2)^{(1/2)}/d^2/(b*x^2+a)}$

Rubi [A] time = 0.10, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 35, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {1247, 646, 43}

$$\frac{b\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{5/2}}{5d^2(a+bx^2)} - \frac{\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{3/2}(bc-ad)}{3d^2(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] $-((b*c - a*d)*(c + d*x^2)^{(3/2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]}/(3*d^2*(a + b*x^2)) + (b*(c + d*x^2)^{(5/2)*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4]}/(5*d^2*(a + b*x^2)))$

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^(m)*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 646

Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[(a + b*x + c*x^2)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x)^(2*FracPart[p]))], Int[(d + e*x)^(m)*(b/2 + c*x)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p] && NeQ[2*c*d - b*e, 0]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],

$x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x]$

Rubi steps

$$\begin{aligned}
 \int x\sqrt{c+dx^2}\sqrt{a^2+2abx^2+b^2x^4} dx &= \frac{1}{2} \text{Subst}\left(\int \sqrt{c+dx}\sqrt{a^2+2abx+b^2x^2} dx, x, x^2\right) \\
 &= \frac{\sqrt{a^2+2abx^2+b^2x^4} \text{Subst}\left(\int (ab+b^2x)\sqrt{c+dx} dx, x, x^2\right)}{2(ab+b^2x^2)} \\
 &= \frac{\sqrt{a^2+2abx^2+b^2x^4} \text{Subst}\left(\int \left(-\frac{b(bc-ad)\sqrt{c+dx}}{d} + \frac{b^2(c+dx)^{3/2}}{d}\right) dx, x, x^2\right)}{2(ab+b^2x^2)} \\
 &= -\frac{(bc-ad)(c+dx^2)^{3/2}\sqrt{a^2+2abx^2+b^2x^4}}{3d^2(a+bx^2)} + \frac{b(c+dx^2)^{5/2}\sqrt{a^2+2abx^2+b^2x^4}}{5d^2(a+bx^2)}
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 56, normalized size = 0.52

$$\frac{\sqrt{(a+bx^2)^2}(c+dx^2)^{3/2}(5ad-2bc+3bdx^2)}{15d^2(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] (Sqrt[(a + b*x^2)^2]*(c + d*x^2)^(3/2)*(-2*b*c + 5*a*d + 3*b*d*x^2))/(15*d^2*(a + b*x^2))

fricas [A] time = 0.93, size = 50, normalized size = 0.46

$$\frac{(3bd^2x^4 - 2bc^2 + 5acd + (bcd + 5ad^2)x^2)\sqrt{dx^2 + c}}{15d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2), x, algorithm="fricas")

[Out] 1/15*(3*b*d^2*x^4 - 2*b*c^2 + 5*a*c*d + (b*c*d + 5*a*d^2)*x^2)*sqrt(d*x^2 + c)/d^2

giac [A] time = 0.34, size = 68, normalized size = 0.63

$$\frac{3(dx^2 + c)^{\frac{5}{2}} b \operatorname{sgn}(bx^2 + a) - 5(dx^2 + c)^{\frac{3}{2}} bc \operatorname{sgn}(bx^2 + a) + 5(dx^2 + c)^{\frac{3}{2}} ad \operatorname{sgn}(bx^2 + a)}{15d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x, algorithm="giac")

[Out] 1/15*(3*(d*x^2 + c)^(5/2)*b*sgn(b*x^2 + a) - 5*(d*x^2 + c)^(3/2)*b*c*sgn(b*x^2 + a) + 5*(d*x^2 + c)^(3/2)*a*d*sgn(b*x^2 + a))/d^2

maple [A] time = 0.00, size = 51, normalized size = 0.47

$$\frac{(dx^2 + c)^{\frac{3}{2}} (3bdx^2 + 5ad - 2bc) \sqrt{(bx^2 + a)^2}}{15(bx^2 + a)d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x)

[Out] 1/15*(d*x^2+c)^(3/2)*(3*b*d*x^2+5*a*d-2*b*c)*((b*x^2+a)^2)^(1/2)/d^2/(b*x^2+a)

maxima [A] time = 0.90, size = 50, normalized size = 0.46

$$\frac{(dx^2 + c)^{\frac{3}{2}} bx^2}{5d} - \frac{2(dx^2 + c)^{\frac{3}{2}} bc}{15d^2} + \frac{(dx^2 + c)^{\frac{3}{2}} a}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x, algorithm="maxima")

[Out] 1/5*(d*x^2 + c)^(3/2)*b*x^2/d - 2/15*(d*x^2 + c)^(3/2)*b*c/d^2 + 1/3*(d*x^2 + c)^(3/2)*a/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \sqrt{dx^2 + c} \sqrt{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c + d*x^2)^(1/2)*((a + b*x^2)^2)^(1/2),x)

```
[Out] int(x*(c + d*x^2)^(1/2)*((a + b*x^2)^2)^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(d*x**2+c)**(1/2)*((b*x**2+a)**2)**(1/2),x)
```

```
[Out] Timed out
```

3.269 $\int \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4} dx$

Optimal. Leaf size=178

$$\frac{c\sqrt{a^2 + 2abx^2 + b^2x^4}(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c+dx^2}}\right)}{8d^{3/2}(a + bx^2)} + \frac{bx\sqrt{a^2 + 2abx^2 + b^2x^4}(c + dx^2)^{3/2}}{4d(a + bx^2)} - \frac{x\sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)}$$

[Out] $1/4*b*x*(d*x^2+c)^{(3/2)*((b*x^2+a)^2)^{(1/2)}/d/(b*x^2+a)-1/8*c*(-4*a*d+b*c)*\arctanh(x*d^{(1/2)/(d*x^2+c)^{(1/2)})*((b*x^2+a)^2)^{(1/2)}/d^{(3/2)/(b*x^2+a)-1/8*(-4*a*d+b*c)*x*(d*x^2+c)^{(1/2)*((b*x^2+a)^2)^{(1/2)}/d/(b*x^2+a)}$

Rubi [A] time = 0.08, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {1148, 388, 195, 217, 206}

$$\frac{c\sqrt{a^2 + 2abx^2 + b^2x^4}(bc - 4ad) \tanh^{-1}\left(\frac{\sqrt{dx}}{\sqrt{c+dx^2}}\right)}{8d^{3/2}(a + bx^2)} + \frac{bx\sqrt{a^2 + 2abx^2 + b^2x^4}(c + dx^2)^{3/2}}{4d(a + bx^2)} - \frac{x\sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sqrt}[c + d*x^2]*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4], x]$

[Out] $-((b*c - 4*a*d)*x*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(8*d*(a + b*x^2)) + (b*x*(c + d*x^2)^{(3/2)}*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(4*d*(a + b*x^2)) - (c*(b*c - 4*a*d)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]*\text{ArcTanh}[(\text{Sqrt}[d]*x)/\text{Sqrt}[c + d*x^2]])/(8*d^{(3/2)}*(a + b*x^2))$

Rule 195

$\text{Int}[(a + b*x^n)^p, x_Symbol] \rightarrow \text{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \text{Dist}[(a*n*p)/(n*p + 1), \text{Int}[(a + b*x^n)^{p-1}, x], x] /;$ Free Q[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 1148

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned} \int \sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4} dx &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int (ab + b^2x^2) \sqrt{c + dx^2} dx}{ab + b^2x^2} \\ &= \frac{bx(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{4d(a + bx^2)} - \frac{(b(bc - 4ad)\sqrt{a^2 + 2abx^2 + b^2x^4})}{4d(a + bx^2)} \\ &= -\frac{(bc - 4ad)x\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)} + \frac{bx(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2}}{4d(a + bx^2)} \\ &= -\frac{(bc - 4ad)x\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)} + \frac{bx(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2}}{4d(a + bx^2)} \\ &= -\frac{(bc - 4ad)x\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{8d(a + bx^2)} + \frac{bx(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2}}{4d(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.11, size = 121, normalized size = 0.68

$$\frac{\sqrt{(a + bx^2)^2} \sqrt{c + dx^2} \left(\sqrt{d} x \sqrt{\frac{dx^2}{c} + 1} (4ad + b(c + 2dx^2)) - \sqrt{c} (bc - 4ad) \sinh^{-1} \left(\frac{\sqrt{d} x}{\sqrt{c}} \right) \right)}{8d^{3/2} (a + bx^2) \sqrt{\frac{dx^2}{c} + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4], x]

[Out] (Sqrt[(a + b*x^2)^2]*Sqrt[c + d*x^2]*(Sqrt[d]*x*Sqrt[1 + (d*x^2)/c]*(4*a*d + b*(c + 2*d*x^2)) - Sqrt[c]*(b*c - 4*a*d)*ArcSinh[(Sqrt[d]*x)/Sqrt[c]]))/ (8*d^(3/2)*(a + b*x^2)*Sqrt[1 + (d*x^2)/c])

fricas [A] time = 0.98, size = 155, normalized size = 0.87

$$\left[\frac{(bc^2 - 4acd)\sqrt{d} \log\left(-2dx^2 - 2\sqrt{dx^2 + c}\sqrt{d}x - c\right) - 2(2bd^2x^3 + (bcd + 4ad^2)x)\sqrt{dx^2 + c}}{16d^2}, \frac{(bc^2 - 4acd)\sqrt{d}}{8d^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2), x, algorithm="fricas")

[Out] [-1/16*((b*c^2 - 4*a*c*d)*sqrt(d)*log(-2*d*x^2 - 2*sqrt(d*x^2 + c)*sqrt(d)*x - c) - 2*(2*b*d^2*x^3 + (b*c*d + 4*a*d^2)*x)*sqrt(d*x^2 + c))/d^2, 1/8*((b*c^2 - 4*a*c*d)*sqrt(-d)*arctan(sqrt(-d)*x/sqrt(d*x^2 + c)) + (2*b*d^2*x^3 + (b*c*d + 4*a*d^2)*x)*sqrt(d*x^2 + c))/d^2]

giac [A] time = 0.46, size = 109, normalized size = 0.61

$$\frac{1}{8} \left(2bx^2 \operatorname{sgn}(bx^2 + a) + \frac{bcd \operatorname{sgn}(bx^2 + a) + 4ad^2 \operatorname{sgn}(bx^2 + a)}{d^2} \right) \sqrt{dx^2 + c} x + \frac{(bc^2 \operatorname{sgn}(bx^2 + a) - 4acd \operatorname{sgn}(bx^2 + a))}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2), x, algorithm="giac")

[Out] 1/8*(2*b*x^2*sgn(b*x^2 + a) + (b*c*d*sgn(b*x^2 + a) + 4*a*d^2*sgn(b*x^2 + a))/d^2)*sqrt(d*x^2 + c)*x + 1/8*(b*c^2*sgn(b*x^2 + a) - 4*a*c*d*sgn(b*x^2 + a))*log(abs(-sqrt(d)*x + sqrt(d*x^2 + c)))/d^(3/2)

maple [A] time = 0.01, size = 119, normalized size = 0.67

$$\frac{\sqrt{(bx^2 + a)^2} \left(4acd \ln\left(\sqrt{d}x + \sqrt{dx^2 + c}\right) - bc^2 \ln\left(\sqrt{d}x + \sqrt{dx^2 + c}\right) + 4\sqrt{dx^2 + c} ad^{\frac{3}{2}}x - \sqrt{dx^2 + c} bc\sqrt{d} \right)}{8(bx^2 + a)d^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2), x)

[Out] $\frac{1}{8} * ((b*x^2+a)^2)^{(1/2)} * (2*d^{(1/2)} * (d*x^2+c)^{(3/2)} * x*b + 4*d^{(3/2)} * (d*x^2+c)^{(1/2)} * x*a - d^{(1/2)} * (d*x^2+c)^{(1/2)} * x*b*c + 4*\ln(d^{(1/2)} * x + (d*x^2+c)^{(1/2)}) * a*c * d - \ln(d^{(1/2)} * x + (d*x^2+c)^{(1/2)}) * b*c^2) / (b*x^2+a) / d^{(3/2)}$

maxima [A] time = 1.08, size = 81, normalized size = 0.46

$$\frac{1}{2} \sqrt{dx^2 + c} ax + \frac{(dx^2 + c)^{\frac{3}{2}} bx}{4d} - \frac{\sqrt{dx^2 + c} bcx}{8d} - \frac{bc^2 \operatorname{arsinh}\left(\frac{dx}{\sqrt{cd}}\right)}{8d^{\frac{3}{2}}} + \frac{ac \operatorname{arsinh}\left(\frac{dx}{\sqrt{cd}}\right)}{2\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2),x, algorithm="maxima")`

[Out] $\frac{1}{2} * \sqrt{d*x^2 + c} * a * x + \frac{1}{4} * (d*x^2 + c)^{(3/2)} * b * x / d - \frac{1}{8} * \sqrt{d*x^2 + c} * b * c * x / d - \frac{1}{8} * b * c^2 * \operatorname{arcsinh}(d*x/\sqrt{c*d}) / d^{(3/2)} + \frac{1}{2} * a * c * \operatorname{arcsinh}(d*x/\sqrt{c*d}) / \sqrt{d}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{d x^2 + c} \sqrt{(b x^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x^2)^(1/2)*((a + b*x^2)^2)^(1/2),x)`

[Out] `int((c + d*x^2)^(1/2)*((a + b*x^2)^2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx^2} \sqrt{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**2+c)**(1/2)*((b*x**2+a)**2)**(1/2),x)`

[Out] `Integral(sqrt(c + d*x**2)*sqrt((a + b*x**2)**2), x)`

$$3.270 \quad \int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x} dx$$

Optimal. Leaf size=152

$$\frac{b\sqrt{a^2+2abx^2+b^2x^4} (c+dx^2)^{3/2}}{3d(a+bx^2)} + \frac{a\sqrt{a^2+2abx^2+b^2x^4} \sqrt{c+dx^2}}{a+bx^2} - \frac{a\sqrt{c} \sqrt{a^2+2abx^2+b^2x^4} \tanh^{-1}\left(\frac{\sqrt{c+dx^2}}{\sqrt{c}}\right)}{a+bx^2}$$

[Out] $1/3*b*(d*x^2+c)^{(3/2)*((b*x^2+a)^2)^{(1/2)}/d/(b*x^2+a)-a*\arctanh((d*x^2+c)^{(1/2)/c^{(1/2)})}*c^{(1/2)*((b*x^2+a)^2)^{(1/2)}/(b*x^2+a)+a*(d*x^2+c)^{(1/2)*((b*x^2+a)^2)^{(1/2)}/(b*x^2+a)}$

Rubi [A] time = 0.09, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1250, 446, 80, 50, 63, 208}

$$\frac{b\sqrt{a^2+2abx^2+b^2x^4} (c+dx^2)^{3/2}}{3d(a+bx^2)} + \frac{a\sqrt{a^2+2abx^2+b^2x^4} \sqrt{c+dx^2}}{a+bx^2} - \frac{a\sqrt{c} \sqrt{a^2+2abx^2+b^2x^4} \tanh^{-1}\left(\frac{\sqrt{c+dx^2}}{\sqrt{c}}\right)}{a+bx^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/x,x]

[Out] $(a*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(a + b*x^2) + (b*(c + d*x^2)^{(3/2)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]}/(3*d*(a + b*x^2)) - (a*\text{Sqrt}[c]*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]*\text{ArcTanh}[\text{Sqrt}[c + d*x^2]/\text{Sqrt}[c]])/(a + b*x^2)$

Rule 50

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Simp[((a + b*x)^(m + 1)*(c + d*x)^n)/(b*(m + n + 1)), x] + Dist[(n*(b*c - a*d))/(b*(m + n + 1)), Int[(a + b*x)^m*(c + d*x)^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[n, 0] && NeQ[m + n + 1, 0] && !(IGtQ[m, 0] && (!IntegerQ[n] || (GtQ[m, 0] && LtQ[m - n, 0]))) && !ILtQ[m + n + 2, 0] && IntLinearQ[a, b, c, d, m, n, x]

Rule 63

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Dist[p/b, Subst[Int[x^(p*(m + 1) - 1)*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Den

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 80

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[(b*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(d*f*(n + p + 2)), x] + Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(d*f*(n + p + 2)), Int[(c + d*x)^n*(e + f*x)^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1250

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x} dx &= \frac{\sqrt{a^2+2abx^2+b^2x^4} \int \frac{(ab+b^2x^2)\sqrt{c+dx^2}}{x} dx}{ab+b^2x^2} \\
&= \frac{\sqrt{a^2+2abx^2+b^2x^4} \operatorname{Subst}\left(\int \frac{(ab+b^2x)\sqrt{c+dx}}{x} dx, x, x^2\right)}{2(ab+b^2x^2)} \\
&= \frac{b(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{3d(a+bx^2)} + \frac{(ab\sqrt{a^2+2abx^2+b^2x^4}) \operatorname{Subst}\left(\int \frac{\sqrt{c+dx}}{x} dx, x, x^2\right)}{2(ab+b^2x^2)} \\
&= \frac{a\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{a+bx^2} + \frac{b(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{3d(a+bx^2)} + \\
&= \frac{a\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{a+bx^2} + \frac{b(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{3d(a+bx^2)} + \\
&= \frac{a\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{a+bx^2} + \frac{b(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{3d(a+bx^2)} -
\end{aligned}$$

Mathematica [A] time = 0.05, size = 83, normalized size = 0.55

$$\frac{\sqrt{(a+bx^2)^2} \left(\sqrt{c+dx^2} (3ad+b(c+dx^2)) - 3a\sqrt{c}d \tanh^{-1}\left(\frac{\sqrt{c+dx^2}}{\sqrt{c}}\right) \right)}{3d(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/x,x]

[Out] (Sqrt[(a + b*x^2)^2]*(Sqrt[c + d*x^2]*(3*a*d + b*(c + d*x^2)) - 3*a*Sqrt[c]*d*ArcTanh[Sqrt[c + d*x^2]/Sqrt[c]]))/(3*d*(a + b*x^2))

fricas [A] time = 0.87, size = 123, normalized size = 0.81

$$\left[\frac{3a\sqrt{c}d \log\left(-\frac{dx^2-2\sqrt{dx^2+c}\sqrt{c}+2c}{x^2}\right) + 2(bdx^2+bc+3ad)\sqrt{dx^2+c}}{6d}, \frac{3a\sqrt{-c}d \arctan\left(\frac{\sqrt{-c}}{\sqrt{dx^2+c}}\right) + (bdx^2+bc+3ad)}{3d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x,x, algorithm="fricas")

[Out] [1/6*(3*a*sqrt(c)*d*log(-(d*x^2 - 2*sqrt(d*x^2 + c)*sqrt(c) + 2*c)/x^2) + 2*(b*d*x^2 + b*c + 3*a*d)*sqrt(d*x^2 + c))/d, 1/3*(3*a*sqrt(-c)*d*arctan(sqrt(-c)/sqrt(d*x^2 + c)) + (b*d*x^2 + b*c + 3*a*d)*sqrt(d*x^2 + c))/d]

giac [A] time = 0.45, size = 84, normalized size = 0.55

$$\frac{ac \arctan\left(\frac{\sqrt{dx^2+c}}{\sqrt{-c}}\right) \operatorname{sgn}(bx^2+a)}{\sqrt{-c}} + \frac{(dx^2+c)^{\frac{3}{2}}bd^2 \operatorname{sgn}(bx^2+a) + 3\sqrt{dx^2+c}ad^3 \operatorname{sgn}(bx^2+a)}{3d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x,x, algorithm="giac")

[Out] a*c*arctan(sqrt(d*x^2 + c)/sqrt(-c))*sgn(b*x^2 + a)/sqrt(-c) + 1/3*((d*x^2 + c)^(3/2)*b*d^2*sgn(b*x^2 + a) + 3*sqrt(d*x^2 + c)*a*d^3*sgn(b*x^2 + a))/d^3

maple [A] time = 0.01, size = 80, normalized size = 0.53

$$\frac{\sqrt{(bx^2+a)^2} \left(3a\sqrt{c} d \ln\left(\frac{2c+2\sqrt{dx^2+c}\sqrt{c}}{x}\right) - 3\sqrt{dx^2+c}ad - (dx^2+c)^{\frac{3}{2}}b \right)}{3(bx^2+a)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x,x)

[Out] -1/3*((b*x^2+a)^2)^(1/2)*(3*ln(2*(c^(1/2)*(d*x^2+c)^(1/2)+c)/x)*c^(1/2)*a*d - b*(d*x^2+c)^(3/2) - 3*(d*x^2+c)^(1/2)*a*d)/(b*x^2+a)/d

maxima [A] time = 1.45, size = 45, normalized size = 0.30

$$-a\sqrt{c} \operatorname{arsinh}\left(\frac{c}{\sqrt{cd}|x|}\right) + \sqrt{dx^2+c}a + \frac{(dx^2+c)^{\frac{3}{2}}b}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x,x, algorithm="maxima")

[Out] -a*sqrt(c)*arcsinh(c/(sqrt(c*d)*abs(x))) + sqrt(d*x^2 + c)*a + 1/3*(d*x^2 + c)^(3/2)*b/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{dx^2 + c} \sqrt{(bx^2 + a)^2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x^2)^(1/2))*((a + b*x^2)^2)^(1/2))/x, x)

[Out] int(((c + d*x^2)^(1/2))*((a + b*x^2)^2)^(1/2))/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx^2} \sqrt{(a + bx^2)^2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)**(1/2)*((b*x**2+a)**2)**(1/2)/x, x)

[Out] Integral(sqrt(c + d*x**2)*sqrt((a + b*x**2)**2)/x, x)

$$3.271 \quad \int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x^2} dx$$

Optimal. Leaf size=177

$$-\frac{a\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{3/2}}{cx(a+bx^2)} + \frac{x\sqrt{a^2+2abx^2+b^2x^4}\sqrt{c+dx^2}(2ad+bc)}{2c(a+bx^2)} + \frac{\sqrt{a^2+2abx^2+b^2x^4}(2ad+bc)}{2\sqrt{d}(a+bx^2)}$$

[Out] $-a*(d*x^2+c)^{(3/2)*((b*x^2+a)^2)^{(1/2)}/c/x/(b*x^2+a)+1/2*(2*a*d+b*c)*\arctan$
 $h(x*d^{(1/2)/(d*x^2+c)^{(1/2)*((b*x^2+a)^2)^{(1/2)/(b*x^2+a)/d^{(1/2)+1/2*(2*a$
 $*d+b*c)*x*(d*x^2+c)^{(1/2)*((b*x^2+a)^2)^{(1/2)/c/(b*x^2+a)}$

Rubi [A] time = 0.09, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.135, Rules used = {1250, 453, 195, 217, 206}

$$-\frac{a\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{3/2}}{cx(a+bx^2)} + \frac{x\sqrt{a^2+2abx^2+b^2x^4}\sqrt{c+dx^2}(2ad+bc)}{2c(a+bx^2)} + \frac{\sqrt{a^2+2abx^2+b^2x^4}(2ad+bc)}{2\sqrt{d}(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/x^2,x]

[Out] $((b*c + 2*a*d)*x*\text{Sqrt}[c + d*x^2]*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(2*c*(a + b*x^2)) - (a*(c + d*x^2)^{(3/2)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]}/(c*x*(a + b*x^2)) + ((b*c + 2*a*d)*\text{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]*\text{ArcTanh}[(\text{Sqrt}[d]*x)/\text{Sqrt}[c + d*x^2]])/(2*\text{Sqrt}[d]*(a + b*x^2))$

Rule 195

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^p)/(n*p + 1), x] + Dist[(a*n*p)/(n*p + 1), Int[(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && GtQ[p, 0] && (IntegerQ[2*p] || (EqQ[n, 2] && IntegerQ[4*p]) || (EqQ[n, 2] && IntegerQ[3*p]) || LtQ[Denominator[p + 1/n], Denominator[p]])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

`Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]`

Rule 453

`Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1)/(a*e*(m + 1)),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1)/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]`

Rule 1250

`Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]`

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{x^2} dx &= \frac{\sqrt{a^2 + 2abx^2 + b^2x^4} \int \frac{(ab + b^2x^2)\sqrt{c + dx^2}}{x^2} dx}{ab + b^2x^2} \\ &= -\frac{a(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{cx(a + bx^2)} + \frac{\left((-b^2c - 2abd) \sqrt{a^2 + 2abx^2 + b^2x^4}\right)}{c(a + b^2x^2)} \\ &= \frac{(bc + 2ad)x\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{2c(a + bx^2)} - \frac{a(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{cx(a + bx^2)} \\ &= \frac{(bc + 2ad)x\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{2c(a + bx^2)} - \frac{a(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{cx(a + bx^2)} \\ &= \frac{(bc + 2ad)x\sqrt{c + dx^2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{2c(a + bx^2)} - \frac{a(c + dx^2)^{3/2} \sqrt{a^2 + 2abx^2 + b^2x^4}}{cx(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.11, size = 122, normalized size = 0.69

$$\frac{\sqrt{(a+bx^2)^2} \sqrt{c+dx^2} \left(\sqrt{c} \sqrt{d} (bx^2-2a) \sqrt{\frac{dx^2}{c}+1} + x(2ad+bc) \sinh^{-1} \left(\frac{\sqrt{d}x}{\sqrt{c}} \right) \right)}{2\sqrt{c} \sqrt{d} x (a+bx^2) \sqrt{\frac{dx^2}{c}+1}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/x^2,x]

[Out] (Sqrt[(a + b*x^2)^2]*Sqrt[c + d*x^2]*(Sqrt[c]*Sqrt[d]*(-2*a + b*x^2)*Sqrt[1 + (d*x^2)/c] + (b*c + 2*a*d)*x*ArcSinh[(Sqrt[d]*x)/Sqrt[c]])/(2*Sqrt[c]*Sqrt[d]*x*(a + b*x^2)*Sqrt[1 + (d*x^2)/c])

fricas [A] time = 0.80, size = 134, normalized size = 0.76

$$\left[\frac{(bc + 2ad)\sqrt{d}x \log(-2dx^2 - 2\sqrt{dx^2 + c}\sqrt{d}x - c) + 2(bdx^2 - 2ad)\sqrt{dx^2 + c}}{4dx}, -\frac{(bc + 2ad)\sqrt{-d}x \arctan\left(\frac{\sqrt{-d}}{\sqrt{dx^2 + c}}\right)}{2d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^2,x, algorithm="fricas")

[Out] [1/4*((b*c + 2*a*d)*sqrt(d)*x*log(-2*d*x^2 - 2*sqrt(d*x^2 + c)*sqrt(d)*x - c) + 2*(b*d*x^2 - 2*a*d)*sqrt(d*x^2 + c))/(d*x), -1/2*((b*c + 2*a*d)*sqrt(-d)*x*arctan(sqrt(-d)*x/sqrt(d*x^2 + c)) - (b*d*x^2 - 2*a*d)*sqrt(d*x^2 + c))/(d*x)]

giac [A] time = 0.47, size = 116, normalized size = 0.66

$$\frac{1}{2} \sqrt{dx^2 + c} b x \operatorname{sgn}(bx^2 + a) + \frac{2ac\sqrt{d} \operatorname{sgn}(bx^2 + a)}{(\sqrt{d}x - \sqrt{dx^2 + c})^2 - c} - \frac{(bc\sqrt{d} \operatorname{sgn}(bx^2 + a) + 2ad^{\frac{3}{2}} \operatorname{sgn}(bx^2 + a)) \log\left(\left(\sqrt{d}x - \sqrt{dx^2 + c}\right)\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^2,x, algorithm="giac")

[Out] 1/2*sqrt(d*x^2 + c)*b*x*sgn(b*x^2 + a) + 2*a*c*sqrt(d)*sgn(b*x^2 + a)/((sqrt(d)*x - sqrt(d*x^2 + c))^2 - c) - 1/4*(b*c*sqrt(d)*sgn(b*x^2 + a) + 2*a*d^(3/2)*sgn(b*x^2 + a))*log((sqrt(d)*x - sqrt(d*x^2 + c))^2)/d

maple [A] time = 0.01, size = 128, normalized size = 0.72

$$\frac{\sqrt{(bx^2 + a)^2} \left(2acdx \ln(\sqrt{d}x + \sqrt{dx^2 + c}) + bc^2x \ln(\sqrt{d}x + \sqrt{dx^2 + c}) + 2\sqrt{dx^2 + c} ad^{\frac{3}{2}}x^2 + \sqrt{dx^2 + c} bc \right)}{2(bx^2 + a)c\sqrt{d}x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^2,x)

[Out] 1/2*((b*x^2+a)^2)^(1/2)*(2*d^(3/2)*(d*x^2+c)^(1/2)*x^2*a+d^(1/2)*(d*x^2+c)^(1/2)*x^2*b*c-2*d^(1/2)*(d*x^2+c)^(3/2)*a+2*ln(d^(1/2)*x+(d*x^2+c)^(1/2))*x*a*c*d+ln(d^(1/2)*x+(d*x^2+c)^(1/2))*x*b*c^2)/(b*x^2+a)/c/x/d^(1/2)

maxima [A] time = 1.08, size = 59, normalized size = 0.33

$$\frac{1}{2} \sqrt{dx^2 + c} bx + \frac{bc \operatorname{arsinh}\left(\frac{dx}{\sqrt{cd}}\right)}{2\sqrt{d}} + a\sqrt{d} \operatorname{arsinh}\left(\frac{dx}{\sqrt{cd}}\right) - \frac{\sqrt{dx^2 + c} a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^2,x, algorithm="maxima")

[Out] 1/2*sqrt(d*x^2 + c)*b*x + 1/2*b*c*arcsinh(d*x/sqrt(c*d))/sqrt(d) + a*sqrt(d)*arcsinh(d*x/sqrt(c*d)) - sqrt(d*x^2 + c)*a/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{dx^2 + c} \sqrt{(bx^2 + a)^2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((c + d*x^2)^(1/2))*((a + b*x^2)^2)^(1/2))/x^2,x)

[Out] int(((c + d*x^2)^(1/2))*((a + b*x^2)^2)^(1/2))/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{c + dx^2} \sqrt{(a + bx^2)^2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x**2+c)**(1/2)*((b*x**2+a)**2)**(1/2)/x**2,x)

[Out] Integral(sqrt(c + d*x**2)*sqrt((a + b*x**2)**2)/x**2, x)

$$3.272 \quad \int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x^3} dx$$

Optimal. Leaf size=177

$$\frac{a\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{3/2}}{2cx^2(a+bx^2)} + \frac{\sqrt{a^2+2abx^2+b^2x^4}\sqrt{c+dx^2}(ad+2bc)}{2c(a+bx^2)} - \frac{\sqrt{a^2+2abx^2+b^2x^4}(ad+2bc)\operatorname{arctanh}\left(\frac{(c+dx^2)^{1/2}/c^{1/2}}{(b^2x^2+a)^{1/2}/c^{1/2}}\right)}{2\sqrt{c}(a+bx^2)}$$

[Out] $-1/2*a*(d*x^2+c)^{(3/2)*((b*x^2+a)^2)^{(1/2)}/c/x^2/(b*x^2+a)-1/2*(a*d+2*b*c)*\operatorname{arctanh}((d*x^2+c)^{(1/2)}/c^{(1/2)})*((b*x^2+a)^2)^{(1/2)}/(b*x^2+a)/c^{(1/2)}+1/2*(a*d+2*b*c)*(d*x^2+c)^{(1/2)*((b*x^2+a)^2)^{(1/2)}/c/(b*x^2+a)}$

Rubi [A] time = 0.12, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 37, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {1250, 446, 78, 50, 63, 208}

$$\frac{a\sqrt{a^2+2abx^2+b^2x^4}(c+dx^2)^{3/2}}{2cx^2(a+bx^2)} + \frac{\sqrt{a^2+2abx^2+b^2x^4}\sqrt{c+dx^2}(ad+2bc)}{2c(a+bx^2)} - \frac{\sqrt{a^2+2abx^2+b^2x^4}(ad+2bc)\operatorname{arctanh}\left(\frac{(c+dx^2)^{1/2}/c^{1/2}}{(b^2x^2+a)^{1/2}/c^{1/2}}\right)}{2\sqrt{c}(a+bx^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(\operatorname{Sqrt}[c + d*x^2]*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/x^3, x]$

[Out] $((2*b*c + a*d)*\operatorname{Sqrt}[c + d*x^2]*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(2*c*(a + b*x^2)) - (a*(c + d*x^2)^{(3/2)}*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4])/(2*c*x^2*(a + b*x^2)) - ((2*b*c + a*d)*\operatorname{Sqrt}[a^2 + 2*a*b*x^2 + b^2*x^4]*\operatorname{ArcTanh}[\operatorname{Sqrt}[c + d*x^2]/\operatorname{Sqrt}[c]])/(2*\operatorname{Sqrt}[c]*(a + b*x^2))$

Rule 50

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(a + b*x)^{(m+1)}*(c + d*x)^n/(b*(m+n+1)), x] + \operatorname{Dist}[(n*(b*c - a*d))/(b*(m+n+1)), \operatorname{Int}[(a + b*x)^m*(c + d*x)^{(n-1)}, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x$ && $\operatorname{NeQ}[b*c - a*d, 0]$ && $\operatorname{GtQ}[n, 0]$ && $\operatorname{NeQ}[m+n+1, 0]$ && $!(\operatorname{IGtQ}[m, 0] \&\& (!\operatorname{IntegerQ}[n] \mid\mid (\operatorname{GtQ}[m, 0] \&\& \operatorname{LtQ}[m-n, 0])))$ && $!\operatorname{ILtQ}[m+n+2, 0]$ && $\operatorname{IntLinearQ}[a, b, c, d, m, n, x]$

Rule 63

$\operatorname{Int}[(a_. + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}, x_Symbol] \rightarrow \operatorname{With}\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}[p/b, \operatorname{Subst}[\operatorname{Int}[x^{(p*(m+1)-1)}*(c - (a*d)/b + (d*x^p)/b)^n, x], x, (a + b*x)^{(1/p)}], x] /;$ $\operatorname{FreeQ}\{a, b, c, d\}, x$ && $\operatorname{NeQ}[b*c - a*d, 0]$ && $\operatorname{LtQ}[-1, m, 0]$ && $\operatorname{LeQ}[-1, n, 0]$ && $\operatorname{LeQ}[\operatorname{Denominator}[n], \operatorname{Denominator}[m]]$

ominator[m]] && IntLinearQ[a, b, c, d, m, n, x]

Rule 78

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := -Simp[((b*e - a*f)*(c + d*x)^(n + 1)*(e + f*x)^(p + 1))/(f*(p + 1)*(c*f - d*e)), x] - Dist[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)), Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))

Rule 208

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 446

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_))^(q_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p*(c + d*x)^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && IntegerQ[Simplify[(m + 1)/n]]

Rule 1250

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[(a + b*x^2 + c*x^4)^FracPart[p]/(c^IntPart[p]*(b/2 + c*x^2)^(2*FracPart[p])), Int[(f*x)^m*(d + e*x^2)^q*(b/2 + c*x^2)^(2*p), x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && EqQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{x^3} dx &= \frac{\sqrt{a^2+2abx^2+b^2x^4} \int \frac{(ab+b^2x^2)\sqrt{c+dx^2}}{x^3} dx}{ab+b^2x^2} \\
&= \frac{\sqrt{a^2+2abx^2+b^2x^4} \operatorname{Subst}\left(\int \frac{(ab+b^2x)\sqrt{c+dx}}{x^2} dx, x, x^2\right)}{2(ab+b^2x^2)} \\
&= -\frac{a(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{2cx^2(a+bx^2)} + \frac{\left(b^2c + \frac{abd}{2}\right) \sqrt{a^2+2abx^2+b^2x^4}}{2c(ab+b^2x^2)} \\
&= \frac{(2bc+ad)\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{2c(a+bx^2)} - \frac{a(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{2cx^2(a+bx^2)} \\
&= \frac{(2bc+ad)\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{2c(a+bx^2)} - \frac{a(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{2cx^2(a+bx^2)} \\
&= \frac{(2bc+ad)\sqrt{c+dx^2} \sqrt{a^2+2abx^2+b^2x^4}}{2c(a+bx^2)} - \frac{a(c+dx^2)^{3/2} \sqrt{a^2+2abx^2+b^2x^4}}{2cx^2(a+bx^2)}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 90, normalized size = 0.51

$$\frac{\sqrt{(a+bx^2)^2} \left(\sqrt{c} (a-2bx^2) \sqrt{c+dx^2} + x^2(ad+2bc) \tanh^{-1}\left(\frac{\sqrt{c+dx^2}}{\sqrt{c}}\right) \right)}{2\sqrt{c}x^2(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[c + d*x^2]*Sqrt[a^2 + 2*a*b*x^2 + b^2*x^4])/x^3, x]

[Out] -1/2*(Sqrt[(a + b*x^2)^2]*(Sqrt[c]*(a - 2*b*x^2)*Sqrt[c + d*x^2] + (2*b*c + a*d)*x^2*ArcTanh[Sqrt[c + d*x^2]/Sqrt[c]]))/(Sqrt[c]*x^2*(a + b*x^2))

fricas [A] time = 0.68, size = 141, normalized size = 0.80

$$\left[\frac{(2bc+ad)\sqrt{c}x^2 \log\left(-\frac{dx^2-2\sqrt{dx^2+c}\sqrt{c+2c}}{x^2}\right) + 2(2bcx^2-ac)\sqrt{dx^2+c}}{4cx^2}, \frac{(2bc+ad)\sqrt{-c}x^2 \arctan\left(\frac{\sqrt{-c}}{\sqrt{dx^2+c}}\right) + (2b}{2cx^2} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^3,x, algorithm="fricas")

[Out] [1/4*((2*b*c + a*d)*sqrt(c)*x^2*log(-(d*x^2 - 2*sqrt(d*x^2 + c)*sqrt(c) + 2*c)/x^2) + 2*(2*b*c*x^2 - a*c)*sqrt(d*x^2 + c))/(c*x^2), 1/2*((2*b*c + a*d)*sqrt(-c)*x^2*arctan(sqrt(-c)/sqrt(d*x^2 + c)) + (2*b*c*x^2 - a*c)*sqrt(d*x^2 + c))/(c*x^2)]

giac [A] time = 0.44, size = 100, normalized size = 0.56

$$\frac{2\sqrt{dx^2+c}bd\operatorname{sgn}(bx^2+a) + \frac{(2bcd\operatorname{sgn}(bx^2+a)+ad^2\operatorname{sgn}(bx^2+a))\arctan\left(\frac{\sqrt{dx^2+c}}{\sqrt{-c}}\right) - \frac{\sqrt{dx^2+c}ad\operatorname{sgn}(bx^2+a)}{x^2}}{\sqrt{-c}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^3,x, algorithm="giac")

[Out] 1/2*(2*sqrt(d*x^2 + c)*b*d*sgn(b*x^2 + a) + (2*b*c*d*sgn(b*x^2 + a) + a*d^2*sgn(b*x^2 + a))*arctan(sqrt(d*x^2 + c)/sqrt(-c))/sqrt(-c) - sqrt(d*x^2 + c)*a*d*sgn(b*x^2 + a)/x^2)/d

maple [A] time = 0.01, size = 133, normalized size = 0.75

$$\frac{\sqrt{(bx^2+a)^2} \left(a\sqrt{c} dx^2 \ln\left(\frac{2c+2\sqrt{dx^2+c}\sqrt{c}}{x}\right) + 2bc^{\frac{3}{2}}x^2 \ln\left(\frac{2c+2\sqrt{dx^2+c}\sqrt{c}}{x}\right) - \sqrt{dx^2+c} adx^2 - 2\sqrt{dx^2+c} bcx^2 \right)}{2(bx^2+a)cx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^3,x)

[Out] -1/2*((b*x^2+a)^2)^(1/2)*(c^(1/2)*ln(2*(c+(d*x^2+c)^(1/2)*c^(1/2))/x)*x^2*a*d+2*c^(3/2)*ln(2*(c+(d*x^2+c)^(1/2)*c^(1/2))/x)*x^2*b-(d*x^2+c)^(1/2)*x^2*a*d-2*(d*x^2+c)^(1/2)*x^2*b*c+(d*x^2+c)^(3/2)*a)/(b*x^2+a)/c/x^2

maxima [A] time = 1.23, size = 83, normalized size = 0.47

$$-b\sqrt{c}\operatorname{arsinh}\left(\frac{c}{\sqrt{cd}|x|}\right) - \frac{ad\operatorname{arsinh}\left(\frac{c}{\sqrt{cd}|x|}\right)}{2\sqrt{c}} + \sqrt{dx^2+c}b + \frac{\sqrt{dx^2+c}ad}{2c} - \frac{(dx^2+c)^{\frac{3}{2}}a}{2cx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x^2+c)^(1/2)*((b*x^2+a)^2)^(1/2)/x^3,x, algorithm="maxima")

[Out] $-b\sqrt{c}\operatorname{arcsinh}\left(\frac{c}{\sqrt{c*d}\operatorname{abs}(x)}\right) - \frac{1}{2}a*d\operatorname{arcsinh}\left(\frac{c}{\sqrt{c*d}\operatorname{abs}(x)}\right)/\sqrt{c} + \sqrt{d*x^2 + c}*b + \frac{1}{2}\sqrt{d*x^2 + c}*a*d/c - \frac{1}{2}(d*x^2 + c)^{3/2}*a/(c*x^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{d x^2 + c} \sqrt{(b x^2 + a)^2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((c + d*x^2)^(1/2))*((a + b*x^2)^2)^(1/2))/x^3,x)`

[Out] `int(((c + d*x^2)^(1/2))*((a + b*x^2)^2)^(1/2))/x^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x**2+c)**(1/2)*((b*x**2+a)**2)**(1/2)/x**3,x)`

[Out] Timed out

$$3.273 \quad \int x^3 (d + ex^2)^2 (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=78

$$\frac{1}{8}x^8 (e(ae + 2bd) + cd^2) + \frac{1}{6}dx^6(2ae + bd) + \frac{1}{4}ad^2x^4 + \frac{1}{10}ex^{10}(be + 2cd) + \frac{1}{12}ce^2x^{12}$$

[Out] $1/4*a*d^2*x^4+1/6*d*(2*a*e+b*d)*x^6+1/8*(c*d^2+e*(a*e+2*b*d))*x^8+1/10*e*(b*e+2*c*d)*x^{10}+1/12*c*e^2*x^{12}$

Rubi [A] time = 0.13, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1251, 771}

$$\frac{1}{8}x^8 (e(ae + 2bd) + cd^2) + \frac{1}{6}dx^6(2ae + bd) + \frac{1}{4}ad^2x^4 + \frac{1}{10}ex^{10}(be + 2cd) + \frac{1}{12}ce^2x^{12}$$

Antiderivative was successfully verified.

[In] Int[x^3*(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]

[Out] $(a*d^2*x^4)/4 + (d*(b*d + 2*a*e)*x^6)/6 + ((c*d^2 + e*(2*b*d + a*e))*x^8)/8 + (e*(2*c*d + b*e)*x^{10})/10 + (c*e^2*x^{12})/12$

Rule 771

Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int x^3 (d + ex^2)^2 (a + bx^2 + cx^4) dx &= \frac{1}{2} \text{Subst} \left(\int x(d + ex)^2 (a + bx + cx^2) dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int (ad^2x + d(bd + 2ae)x^2 + (cd^2 + e(2bd + ae))x^3 + e(2cd + be)x^4) dx, x, x^2 \right) \\
&= \frac{1}{4} ad^2 x^4 + \frac{1}{6} d(bd + 2ae)x^6 + \frac{1}{8} (cd^2 + e(2bd + ae))x^8 + \frac{1}{10} e(2cd + be)x^{10} + \dots
\end{aligned}$$

Mathematica [A] time = 0.03, size = 72, normalized size = 0.92

$$\frac{1}{120} x^4 (15x^4 (e(ae + 2bd) + cd^2) + 20dx^2(2ae + bd) + 30ad^2 + 12ex^6(be + 2cd) + 10ce^2x^8)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]

[Out] (x^4*(30*a*d^2 + 20*d*(b*d + 2*a*e))*x^2 + 15*(c*d^2 + e*(2*b*d + a*e))*x^4 + 12*e*(2*c*d + b*e)*x^6 + 10*c*e^2*x^8)/120

fricas [A] time = 0.54, size = 79, normalized size = 1.01

$$\frac{1}{12} x^{12} e^2 c + \frac{1}{5} x^{10} e d c + \frac{1}{10} x^{10} e^2 b + \frac{1}{8} x^8 d^2 c + \frac{1}{4} x^8 e d b + \frac{1}{8} x^8 e^2 a + \frac{1}{6} x^6 d^2 b + \frac{1}{3} x^6 e d a + \frac{1}{4} x^4 d^2 a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^2*(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] 1/12*x^12*e^2*c + 1/5*x^10*e*d*c + 1/10*x^10*e^2*b + 1/8*x^8*d^2*c + 1/4*x^8*e*d*b + 1/8*x^8*e^2*a + 1/6*x^6*d^2*b + 1/3*x^6*e*d*a + 1/4*x^4*d^2*a

giac [A] time = 0.27, size = 79, normalized size = 1.01

$$\frac{1}{12} cx^{12}e^2 + \frac{1}{5} cdx^{10}e + \frac{1}{10} bx^{10}e^2 + \frac{1}{8} cd^2x^8 + \frac{1}{4} bdx^8e + \frac{1}{8} ax^8e^2 + \frac{1}{6} bd^2x^6 + \frac{1}{3} adx^6e + \frac{1}{4} ad^2x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^2*(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] 1/12*c*x^12*e^2 + 1/5*c*d*x^10*e + 1/10*b*x^10*e^2 + 1/8*c*d^2*x^8 + 1/4*b*d*x^8*e + 1/8*a*x^8*e^2 + 1/6*b*d^2*x^6 + 1/3*a*d*x^6*e + 1/4*a*d^2*x^4

maple [A] time = 0.00, size = 73, normalized size = 0.94

$$\frac{c e^2 x^{12}}{12} + \frac{(e^2 b + 2 d e c) x^{10}}{10} + \frac{(a e^2 + 2 d e b + c d^2) x^8}{8} + \frac{a d^2 x^4}{4} + \frac{(2 d e a + d^2 b) x^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(e*x^2+d)^2*(c*x^4+b*x^2+a),x)`

[Out] $1/12*c*e^2*x^{12}+1/10*(b*e^2+2*c*d*e)*x^{10}+1/8*(a*e^2+2*b*d*e+c*d^2)*x^8+1/6*(2*a*d*e+b*d^2)*x^6+1/4*a*d^2*x^4$

maxima [A] time = 1.11, size = 72, normalized size = 0.92

$$\frac{1}{12}ce^2x^{12} + \frac{1}{10}(2cde + be^2)x^{10} + \frac{1}{8}(cd^2 + 2bde + ae^2)x^8 + \frac{1}{4}ad^2x^4 + \frac{1}{6}(bd^2 + 2ade)x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] $1/12*c*e^2*x^{12} + 1/10*(2*c*d*e + b*e^2)*x^{10} + 1/8*(c*d^2 + 2*b*d*e + a*e^2)*x^8 + 1/4*a*d^2*x^4 + 1/6*(b*d^2 + 2*a*d*e)*x^6$

mupad [B] time = 0.04, size = 73, normalized size = 0.94

$$x^8 \left(\frac{cd^2}{8} + \frac{bde}{4} + \frac{ae^2}{8} \right) + x^6 \left(\frac{bd^2}{6} + \frac{aed}{3} \right) + x^{10} \left(\frac{be^2}{10} + \frac{cde}{5} \right) + \frac{ad^2x^4}{4} + \frac{ce^2x^{12}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(d + e*x^2)^2*(a + b*x^2 + c*x^4),x)`

[Out] $x^8*((a*e^2)/8 + (c*d^2)/8 + (b*d*e)/4) + x^6*((b*d^2)/6 + (a*d*e)/3) + x^{10}*((b*e^2)/10 + (c*d*e)/5) + (a*d^2*x^4)/4 + (c*e^2*x^{12})/12$

sympy [A] time = 0.08, size = 76, normalized size = 0.97

$$\frac{ad^2x^4}{4} + \frac{ce^2x^{12}}{12} + x^{10} \left(\frac{be^2}{10} + \frac{cde}{5} \right) + x^8 \left(\frac{ae^2}{8} + \frac{bde}{4} + \frac{cd^2}{8} \right) + x^6 \left(\frac{ade}{3} + \frac{bd^2}{6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(e*x**2+d)**2*(c*x**4+b*x**2+a),x)`

[Out] $a*d**2*x**4/4 + c*e**2*x**12/12 + x**10*(b*e**2/10 + c*d*e/5) + x**8*(a*e**2/8 + b*d*e/4 + c*d**2/8) + x**6*(a*d*e/3 + b*d**2/6)$

$$3.274 \quad \int x^2 (d + ex^2)^2 (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=78

$$\frac{1}{7}x^7 (e(ae + 2bd) + cd^2) + \frac{1}{5}dx^5(2ae + bd) + \frac{1}{3}ad^2x^3 + \frac{1}{9}ex^9(be + 2cd) + \frac{1}{11}ce^2x^{11}$$

[Out] $\frac{1}{3}a*d^2*x^3 + \frac{1}{5}d*(2*a*e + b*d)*x^5 + \frac{1}{7}*(c*d^2 + e*(a*e + 2*b*d))*x^7 + \frac{1}{9}*e*(b*e + 2*c*d)*x^9 + \frac{1}{11}*c*e^2*x^{11}$

Rubi [A] time = 0.06, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1261}

$$\frac{1}{7}x^7 (e(ae + 2bd) + cd^2) + \frac{1}{5}dx^5(2ae + bd) + \frac{1}{3}ad^2x^3 + \frac{1}{9}ex^9(be + 2cd) + \frac{1}{11}ce^2x^{11}$$

Antiderivative was successfully verified.

[In] Int[x^2*(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]

[Out] $(a*d^2*x^3)/3 + (d*(b*d + 2*a*e)*x^5)/5 + ((c*d^2 + e*(2*b*d + a*e))*x^7)/7 + (e*(2*c*d + b*e)*x^9)/9 + (c*e^2*x^{11})/11$

Rule 1261

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int x^2 (d + ex^2)^2 (a + bx^2 + cx^4) dx &= \int (ad^2x^2 + d(bd + 2ae)x^4 + (cd^2 + e(2bd + ae))x^6 + e(2cd + be)x^8 + ce^2x^{10}) dx \\ &= \frac{1}{3}ad^2x^3 + \frac{1}{5}d(bd + 2ae)x^5 + \frac{1}{7}(cd^2 + e(2bd + ae))x^7 + \frac{1}{9}e(2cd + be)x^9 + \frac{1}{11}ce^2x^{11} \end{aligned}$$

Mathematica [A] time = 0.02, size = 78, normalized size = 1.00

$$\frac{1}{7}x^7 (ae^2 + 2bde + cd^2) + \frac{1}{5}dx^5(2ae + bd) + \frac{1}{3}ad^2x^3 + \frac{1}{9}ex^9(be + 2cd) + \frac{1}{11}ce^2x^{11}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(d + e*x^2)^2*(a + b*x^2 + c*x^4),x]

[Out] (a*d^2*x^3)/3 + (d*(b*d + 2*a*e)*x^5)/5 + ((c*d^2 + 2*b*d*e + a*e^2)*x^7)/7 + (e*(2*c*d + b*e)*x^9)/9 + (c*e^2*x^11)/11

fricas [A] time = 0.88, size = 79, normalized size = 1.01

$$\frac{1}{11}x^{11}e^2c + \frac{2}{9}x^9edc + \frac{1}{9}x^9e^2b + \frac{1}{7}x^7d^2c + \frac{2}{7}x^7edb + \frac{1}{7}x^7e^2a + \frac{1}{5}x^5d^2b + \frac{2}{5}x^5eda + \frac{1}{3}x^3d^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] 1/11*x^11*e^2*c + 2/9*x^9*e*d*c + 1/9*x^9*e^2*b + 1/7*x^7*d^2*c + 2/7*x^7*e*d*b + 1/7*x^7*e^2*a + 1/5*x^5*d^2*b + 2/5*x^5*e*d*a + 1/3*x^3*d^2*a

giac [A] time = 0.39, size = 79, normalized size = 1.01

$$\frac{1}{11}cx^{11}e^2 + \frac{2}{9}cdx^9e + \frac{1}{9}bx^9e^2 + \frac{1}{7}cd^2x^7 + \frac{2}{7}bdx^7e + \frac{1}{7}ax^7e^2 + \frac{1}{5}bd^2x^5 + \frac{2}{5}adx^5e + \frac{1}{3}ad^2x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/11*c*x^11*e^2 + 2/9*c*d*x^9*e + 1/9*b*x^9*e^2 + 1/7*c*d^2*x^7 + 2/7*b*d*x^7*e + 1/7*a*x^7*e^2 + 1/5*b*d^2*x^5 + 2/5*a*d*x^5*e + 1/3*a*d^2*x^3

maple [A] time = 0.00, size = 73, normalized size = 0.94

$$\frac{ce^2x^{11}}{11} + \frac{(e^2b + 2dec)x^9}{9} + \frac{(ae^2 + 2deb + cd^2)x^7}{7} + \frac{ad^2x^3}{3} + \frac{(2dea + d^2b)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)^2*(c*x^4+b*x^2+a),x)

[Out] 1/11*c*e^2*x^11+1/9*(b*e^2+2*c*d*e)*x^9+1/7*(a*e^2+2*b*d*e+c*d^2)*x^7+1/5*(2*a*d*e+b*d^2)*x^5+1/3*a*d^2*x^3

maxima [A] time = 1.19, size = 72, normalized size = 0.92

$$\frac{1}{11}ce^2x^{11} + \frac{1}{9}(2cde + be^2)x^9 + \frac{1}{7}(cd^2 + 2bde + ae^2)x^7 + \frac{1}{3}ad^2x^3 + \frac{1}{5}(bd^2 + 2ade)x^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $1/11*c*e^2*x^{11} + 1/9*(2*c*d*e + b*e^2)*x^9 + 1/7*(c*d^2 + 2*b*d*e + a*e^2)*x^7 + 1/3*a*d^2*x^3 + 1/5*(b*d^2 + 2*a*d*e)*x^5$

mupad [B] time = 0.03, size = 73, normalized size = 0.94

$$x^7 \left(\frac{cd^2}{7} + \frac{2bde}{7} + \frac{ae^2}{7} \right) + x^5 \left(\frac{bd^2}{5} + \frac{2aed}{5} \right) + x^9 \left(\frac{be^2}{9} + \frac{2cde}{9} \right) + \frac{ad^2x^3}{3} + \frac{ce^2x^{11}}{11}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(d + e*x^2)^2*(a + b*x^2 + c*x^4),x)`

[Out] $x^7*((a*e^2)/7 + (c*d^2)/7 + (2*b*d*e)/7) + x^5*((b*d^2)/5 + (2*a*d*e)/5) + x^9*((b*e^2)/9 + (2*c*d*e)/9) + (a*d^2*x^3)/3 + (c*e^2*x^{11})/11$

sympy [A] time = 0.08, size = 82, normalized size = 1.05

$$\frac{ad^2x^3}{3} + \frac{ce^2x^{11}}{11} + x^9 \left(\frac{be^2}{9} + \frac{2cde}{9} \right) + x^7 \left(\frac{ae^2}{7} + \frac{2bde}{7} + \frac{cd^2}{7} \right) + x^5 \left(\frac{2ade}{5} + \frac{bd^2}{5} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(e*x**2+d)**2*(c*x**4+b*x**2+a),x)`

[Out] $a*d**2*x**3/3 + c*e**2*x**11/11 + x**9*(b*e**2/9 + 2*c*d*e/9) + x**7*(a*e**2/7 + 2*b*d*e/7 + c*d**2/7) + x**5*(2*a*d*e/5 + b*d**2/5)$

$$3.275 \quad \int x (d + ex^2)^2 (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=75

$$\frac{(d + ex^2)^3 (ae^2 - bde + cd^2)}{6e^3} - \frac{(d + ex^2)^4 (2cd - be)}{8e^3} + \frac{c(d + ex^2)^5}{10e^3}$$

[Out] $1/6*(a*e^2-b*d*e+c*d^2)*(e*x^2+d)^3/e^3-1/8*(-b*e+2*c*d)*(e*x^2+d)^4/e^3+1/10*c*(e*x^2+d)^5/e^3$

Rubi [A] time = 0.13, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {1247, 698}

$$\frac{(d + ex^2)^3 (ae^2 - bde + cd^2)}{6e^3} - \frac{(d + ex^2)^4 (2cd - be)}{8e^3} + \frac{c(d + ex^2)^5}{10e^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]$

[Out] $((c*d^2 - b*d*e + a*e^2)*(d + e*x^2)^3)/(6*e^3) - ((2*c*d - b*e)*(d + e*x^2)^4)/(8*e^3) + (c*(d + e*x^2)^5)/(10*e^3)$

Rule 698

$\text{Int}[(d + e*x^2)^m*(a + b*x + c*x^2)^p, x]$ /; $\text{FreeQ}\{a, b, c, d, e, m\}, x$ && $\text{NeQ}[b^2 - 4*a*c, 0]$ && $\text{NeQ}[c*d^2 - b*d*e + a*e^2, 0]$ && $\text{NeQ}[2*c*d - b*e, 0]$ && $\text{IntegerQ}[p]$ && $(\text{GtQ}[p, 0] \mid \mid (\text{EqQ}[a, 0] \mid \mid \text{IntegerQ}[m]))$

Rule 1247

$\text{Int}[(d + e*x^2)^q*(a + b*x + c*x^2)^p, x]$ /; $\text{FreeQ}\{a, b, c, d, e, p, q\}, x$

Rubi steps

$$\begin{aligned}
\int x(d+ex^2)^2(a+bx^2+cx^4)dx &= \frac{1}{2} \text{Subst}\left(\int (d+ex)^2(a+bx+cx^2)dx, x, x^2\right) \\
&= \frac{1}{2} \text{Subst}\left(\int \left(\frac{(cd^2-bde+ae^2)(d+ex)^2}{e^2} + \frac{(-2cd+be)(d+ex)^3}{e^2} + \frac{c(d+ex)^4}{e^2}\right)dx, x, x^2\right) \\
&= \frac{(cd^2-bde+ae^2)(d+ex^2)^3}{6e^3} - \frac{(2cd-be)(d+ex^2)^4}{8e^3} + \frac{c(d+ex^2)^5}{10e^3}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 72, normalized size = 0.96

$$\frac{1}{120}x^2(20x^4(e(ae+2bd)+cd^2)+30dx^2(2ae+bd)+60ad^2+15ex^6(be+2cd)+12ce^2x^8)$$

Antiderivative was successfully verified.

[In] Integrate[x*(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]

[Out] (x^2*(60*a*d^2 + 30*d*(b*d + 2*a*e))*x^2 + 20*(c*d^2 + e*(2*b*d + a*e))*x^4 + 15*e*(2*c*d + b*e)*x^6 + 12*c*e^2*x^8)/120

fricas [A] time = 0.83, size = 79, normalized size = 1.05

$$\frac{1}{10}x^{10}e^2c + \frac{1}{4}x^8edc + \frac{1}{8}x^8e^2b + \frac{1}{6}x^6d^2c + \frac{1}{3}x^6edb + \frac{1}{6}x^6e^2a + \frac{1}{4}x^4d^2b + \frac{1}{2}x^4eda + \frac{1}{2}x^2d^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] 1/10*x^10*e^2*c + 1/4*x^8*e*d*c + 1/8*x^8*e^2*b + 1/6*x^6*d^2*c + 1/3*x^6*e*d*b + 1/6*x^6*e^2*a + 1/4*x^4*d^2*b + 1/2*x^4*e*d*a + 1/2*x^2*d^2*a

giac [A] time = 0.27, size = 79, normalized size = 1.05

$$\frac{1}{10}cx^{10}e^2 + \frac{1}{4}cdx^8e + \frac{1}{8}bx^8e^2 + \frac{1}{6}cd^2x^6 + \frac{1}{3}bdx^6e + \frac{1}{6}ax^6e^2 + \frac{1}{4}bd^2x^4 + \frac{1}{2}adx^4e + \frac{1}{2}ad^2x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^2*(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] 1/10*c*x^10*e^2 + 1/4*c*d*x^8*e + 1/8*b*x^8*e^2 + 1/6*c*d^2*x^6 + 1/3*b*d*x^6*e + 1/6*a*x^6*e^2 + 1/4*b*d^2*x^4 + 1/2*a*d*x^4*e + 1/2*a*d^2*x^2

maple [A] time = 0.00, size = 73, normalized size = 0.97

$$\frac{ce^2x^{10}}{10} + \frac{(e^2b + 2dec)x^8}{8} + \frac{(ae^2 + 2deb + cd^2)x^6}{6} + \frac{ad^2x^2}{2} + \frac{(2dea + d^2b)x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)^2*(c*x^4+b*x^2+a),x)`

[Out] `1/10*c*e^2*x^10+1/8*(b*e^2+2*c*d*e)*x^8+1/6*(a*e^2+2*b*d*e+c*d^2)*x^6+1/4*(2*a*d*e+b*d^2)*x^4+1/2*a*d^2*x^2`

maxima [A] time = 1.21, size = 72, normalized size = 0.96

$$\frac{1}{10}ce^2x^{10} + \frac{1}{8}(2cde + be^2)x^8 + \frac{1}{6}(cd^2 + 2bde + ae^2)x^6 + \frac{1}{2}ad^2x^2 + \frac{1}{4}(bd^2 + 2ade)x^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `1/10*c*e^2*x^10 + 1/8*(2*c*d*e + b*e^2)*x^8 + 1/6*(c*d^2 + 2*b*d*e + a*e^2)*x^6 + 1/2*a*d^2*x^2 + 1/4*(b*d^2 + 2*a*d*e)*x^4`

mupad [B] time = 0.03, size = 73, normalized size = 0.97

$$x^6 \left(\frac{cd^2}{6} + \frac{bde}{3} + \frac{ae^2}{6} \right) + x^4 \left(\frac{bd^2}{4} + \frac{aed}{2} \right) + x^8 \left(\frac{be^2}{8} + \frac{cde}{4} \right) + \frac{ad^2x^2}{2} + \frac{ce^2x^{10}}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(d + e*x^2)^2*(a + b*x^2 + c*x^4),x)`

[Out] `x^6*((a*e^2)/6 + (c*d^2)/6 + (b*d*e)/3) + x^4*((b*d^2)/4 + (a*d*e)/2) + x^8*((b*e^2)/8 + (c*d*e)/4) + (a*d^2*x^2)/2 + (c*e^2*x^10)/10`

sympy [A] time = 0.08, size = 76, normalized size = 1.01

$$\frac{ad^2x^2}{2} + \frac{ce^2x^{10}}{10} + x^8 \left(\frac{be^2}{8} + \frac{cde}{4} \right) + x^6 \left(\frac{ae^2}{6} + \frac{bde}{3} + \frac{cd^2}{6} \right) + x^4 \left(\frac{ade}{2} + \frac{bd^2}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)**2*(c*x**4+b*x**2+a),x)`

[Out] `a*d**2*x**2/2 + c*e**2*x**10/10 + x**8*(b*e**2/8 + c*d*e/4) + x**6*(a*e**2/6 + b*d*e/3 + c*d**2/6) + x**4*(a*d*e/2 + b*d**2/4)`

$$3.276 \quad \int (d + ex^2)^2 (a + bx^2 + cx^4) dx$$

Optimal. Leaf size=73

$$\frac{1}{5}x^5(e(ae + 2bd) + cd^2) + \frac{1}{3}dx^3(2ae + bd) + ad^2x + \frac{1}{7}ex^7(be + 2cd) + \frac{1}{9}ce^2x^9$$

[Out] a*d^2*x+1/3*d*(2*a*e+b*d)*x^3+1/5*(c*d^2+e*(a*e+2*b*d))*x^5+1/7*e*(b*e+2*c*d)*x^7+1/9*c*e^2*x^9

Rubi [A] time = 0.04, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1153}

$$\frac{1}{5}x^5(e(ae + 2bd) + cd^2) + \frac{1}{3}dx^3(2ae + bd) + ad^2x + \frac{1}{7}ex^7(be + 2cd) + \frac{1}{9}ce^2x^9$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^2*(a + b*x^2 + c*x^4), x]

[Out] a*d^2*x + (d*(b*d + 2*a*e)*x^3)/3 + ((c*d^2 + e*(2*b*d + a*e))*x^5)/5 + (e*(2*c*d + b*e)*x^7)/7 + (c*e^2*x^9)/9

Rule 1153

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int (d + ex^2)^2 (a + bx^2 + cx^4) dx &= \int (ad^2 + d(bd + 2ae)x^2 + (cd^2 + e(2bd + ae))x^4 + e(2cd + be)x^6 + ce^2x^8) dx \\ &= ad^2x + \frac{1}{3}d(bd + 2ae)x^3 + \frac{1}{5}(cd^2 + e(2bd + ae))x^5 + \frac{1}{7}e(2cd + be)x^7 + \frac{1}{9}ce^2x^9 \end{aligned}$$

Mathematica [A] time = 0.02, size = 73, normalized size = 1.00

$$\frac{1}{5}x^5(ae^2 + 2bde + cd^2) + \frac{1}{3}dx^3(2ae + bd) + ad^2x + \frac{1}{7}ex^7(be + 2cd) + \frac{1}{9}ce^2x^9$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^2*(a + b*x^2 + c*x^4),x]

[Out] a*d^2*x + (d*(b*d + 2*a*e)*x^3)/3 + ((c*d^2 + 2*b*d*e + a*e^2)*x^5)/5 + (e*(2*c*d + b*e)*x^7)/7 + (c*e^2*x^9)/9

fricas [A] time = 0.55, size = 76, normalized size = 1.04

$$\frac{1}{9}x^9e^2c + \frac{2}{7}x^7edc + \frac{1}{7}x^7e^2b + \frac{1}{5}x^5d^2c + \frac{2}{5}x^5edb + \frac{1}{5}x^5e^2a + \frac{1}{3}x^3d^2b + \frac{2}{3}x^3eda + xd^2a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] 1/9*x^9*e^2*c + 2/7*x^7*e*d*c + 1/7*x^7*e^2*b + 1/5*x^5*d^2*c + 2/5*x^5*e*d*b + 1/5*x^5*e^2*a + 1/3*x^3*d^2*b + 2/3*x^3*e*d*a + x*d^2*a

giac [A] time = 0.35, size = 76, normalized size = 1.04

$$\frac{1}{9}cx^9e^2 + \frac{2}{7}cdx^7e + \frac{1}{7}bx^7e^2 + \frac{1}{5}cd^2x^5 + \frac{2}{5}bdx^5e + \frac{1}{5}ax^5e^2 + \frac{1}{3}bd^2x^3 + \frac{2}{3}adx^3e + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/9*c*x^9*e^2 + 2/7*c*d*x^7*e + 1/7*b*x^7*e^2 + 1/5*c*d^2*x^5 + 2/5*b*d*x^5*e + 1/5*a*x^5*e^2 + 1/3*b*d^2*x^3 + 2/3*a*d*x^3*e + a*d^2*x

maple [A] time = 0.00, size = 70, normalized size = 0.96

$$\frac{ce^2x^9}{9} + \frac{(e^2b + 2dec)x^7}{7} + \frac{(ae^2 + 2deb + cd^2)x^5}{5} + ad^2x + \frac{(2dea + d^2b)x^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+b*x^2+a),x)

[Out] 1/9*c*e^2*x^9+1/7*(b*e^2+2*c*d*e)*x^7+1/5*(a*e^2+2*b*d*e+c*d^2)*x^5+1/3*(2*a*d*e+b*d^2)*x^3+a*d^2*x

maxima [A] time = 1.17, size = 69, normalized size = 0.95

$$\frac{1}{9}ce^2x^9 + \frac{1}{7}(2cde + be^2)x^7 + \frac{1}{5}(cd^2 + 2bde + ae^2)x^5 + ad^2x + \frac{1}{3}(bd^2 + 2ade)x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $\frac{1}{9}c^2e^2x^9 + \frac{1}{7}(2cd^2e + b^2e^2)x^7 + \frac{1}{5}(cd^2 + 2bd^2e + a^2e^2)x^5 + ad^2x + \frac{1}{3}(bd^2 + 2ad^2e)x^3$

mupad [B] time = 0.03, size = 70, normalized size = 0.96

$$x^5 \left(\frac{cd^2}{5} + \frac{2bde}{5} + \frac{ae^2}{5} \right) + x^3 \left(\frac{bd^2}{3} + \frac{2aed}{3} \right) + x^7 \left(\frac{be^2}{7} + \frac{2cde}{7} \right) + \frac{ce^2x^9}{9} + ad^2x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^2*(a + b*x^2 + c*x^4),x)`

[Out] $x^5*((a^2e^2)/5 + (c^2d^2)/5 + (2*b*d^2*e)/5) + x^3*((b^2d^2)/3 + (2*a*d^2*e)/3) + x^7*((b^2e^2)/7 + (2*c*d^2*e)/7) + (c^2e^2*x^9)/9 + ad^2*x$

sympy [A] time = 0.08, size = 78, normalized size = 1.07

$$ad^2x + \frac{ce^2x^9}{9} + x^7 \left(\frac{be^2}{7} + \frac{2cde}{7} \right) + x^5 \left(\frac{ae^2}{5} + \frac{2bde}{5} + \frac{cd^2}{5} \right) + x^3 \left(\frac{2ade}{3} + \frac{bd^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**2*(c*x**4+b*x**2+a),x)`

[Out] $a*d**2*x + c*e**2*x**9/9 + x**7*(b*e**2/7 + 2*c*d*e/7) + x**5*(a*e**2/5 + 2*b*d*e/5 + c*d**2/5) + x**3*(2*a*d*e/3 + b*d**2/3)$

$$3.277 \quad \int \frac{(d+ex^2)^2(a+bx^2+cx^4)}{x} dx$$

Optimal. Leaf size=74

$$\frac{1}{4}x^4(e(ae+2bd)+cd^2) + \frac{1}{2}dx^2(2ae+bd) + ad^2 \log(x) + \frac{1}{6}ex^6(be+2cd) + \frac{1}{8}ce^2x^8$$

[Out] $1/2*d*(2*a*e+b*d)*x^2+1/4*(c*d^2+e*(a*e+2*b*d))*x^4+1/6*e*(b*e+2*c*d)*x^6+1/8*c*e^2*x^8+a*d^2*\ln(x)$

Rubi [A] time = 0.09, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1251, 893}

$$\frac{1}{4}x^4(e(ae+2bd)+cd^2) + \frac{1}{2}dx^2(2ae+bd) + ad^2 \log(x) + \frac{1}{6}ex^6(be+2cd) + \frac{1}{8}ce^2x^8$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x,x]

[Out] $(d*(b*d + 2*a*e)*x^2)/2 + ((c*d^2 + e*(2*b*d + a*e))*x^4)/4 + (e*(2*c*d + b*e)*x^6)/6 + (c*e^2*x^8)/8 + a*d^2*\text{Log}[x]$

Rule 893

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex^2)^2(a+bx^2+cx^4)}{x} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^2(a+bx+cx^2)}{x} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(d(bd+2ae) + \frac{ad^2}{x} + (cd^2 + e(2bd+ae))x + e(2cd+be)x^2 + ce^2x^3 \right) dx, x, x^2 \right) \\ &= \frac{1}{2} d(bd+2ae)x^2 + \frac{1}{4} (cd^2 + e(2bd+ae))x^4 + \frac{1}{6} e(2cd+be)x^6 + \frac{1}{8} ce^2x^8 + ad^2 \log(x) \end{aligned}$$

Mathematica [A] time = 0.02, size = 74, normalized size = 1.00

$$\frac{1}{4}x^4(ae^2 + 2bde + cd^2) + \frac{1}{2}dx^2(2ae + bd) + ad^2 \log(x) + \frac{1}{6}ex^6(be + 2cd) + \frac{1}{8}ce^2x^8$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x,x]

[Out] (d*(b*d + 2*a*e)*x^2)/2 + ((c*d^2 + 2*b*d*e + a*e^2)*x^4)/4 + (e*(2*c*d + b*e)*x^6)/6 + (c*e^2*x^8)/8 + a*d^2*Log[x]

fricas [A] time = 0.80, size = 70, normalized size = 0.95

$$\frac{1}{8}ce^2x^8 + \frac{1}{6}(2cde + be^2)x^6 + \frac{1}{4}(cd^2 + 2bde + ae^2)x^4 + ad^2 \log(x) + \frac{1}{2}(bd^2 + 2ade)x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x,x, algorithm="fricas")

[Out] 1/8*c*e^2*x^8 + 1/6*(2*c*d*e + b*e^2)*x^6 + 1/4*(c*d^2 + 2*b*d*e + a*e^2)*x^4 + a*d^2*log(x) + 1/2*(b*d^2 + 2*a*d*e)*x^2

giac [A] time = 0.26, size = 79, normalized size = 1.07

$$\frac{1}{8}cx^8e^2 + \frac{1}{3}cdx^6e + \frac{1}{6}bx^6e^2 + \frac{1}{4}cd^2x^4 + \frac{1}{2}bdx^4e + \frac{1}{4}ax^4e^2 + \frac{1}{2}bd^2x^2 + adx^2e + \frac{1}{2}ad^2 \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x,x, algorithm="giac")

[Out] 1/8*c*x^8*e^2 + 1/3*c*d*x^6*e + 1/6*b*x^6*e^2 + 1/4*c*d^2*x^4 + 1/2*b*d*x^4*e + 1/4*a*x^4*e^2 + 1/2*b*d^2*x^2 + a*d*x^2*e + 1/2*a*d^2*log(x^2)

maple [A] time = 0.00, size = 77, normalized size = 1.04

$$\frac{ce^2x^8}{8} + \frac{be^2x^6}{6} + \frac{cde x^6}{3} + \frac{ae^2x^4}{4} + \frac{bde x^4}{2} + \frac{cd^2x^4}{4} + ade x^2 + \frac{bd^2x^2}{2} + ad^2 \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+b*x^2+a)/x,x)

[Out] 1/8*c*e^2*x^8+1/6*x^6*b*e^2+1/3*x^6*c*d*e+1/4*x^4*a*e^2+1/2*x^4*b*d*e+1/4*x^4*c*d^2+x^2*a*d*e+1/2*x^2*b*d^2+a*d^2*ln(x)

maxima [A] time = 1.12, size = 73, normalized size = 0.99

$$\frac{1}{8}ce^2x^8 + \frac{1}{6}(2cde + be^2)x^6 + \frac{1}{4}(cd^2 + 2bde + ae^2)x^4 + \frac{1}{2}ad^2 \log(x^2) + \frac{1}{2}(bd^2 + 2ade)x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x,x, algorithm="maxima")

[Out] 1/8*c*e^2*x^8 + 1/6*(2*c*d*e + b*e^2)*x^6 + 1/4*(c*d^2 + 2*b*d*e + a*e^2)*x^4 + 1/2*a*d^2*log(x^2) + 1/2*(b*d^2 + 2*a*d*e)*x^2

mupad [B] time = 0.03, size = 70, normalized size = 0.95

$$x^4 \left(\frac{cd^2}{4} + \frac{bde}{2} + \frac{ae^2}{4} \right) + x^2 \left(\frac{bd^2}{2} + aed \right) + x^6 \left(\frac{be^2}{6} + \frac{cde}{3} \right) + \frac{ce^2x^8}{8} + ad^2 \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x,x)

[Out] x^4*((a*e^2)/4 + (c*d^2)/4 + (b*d*e)/2) + x^2*((b*d^2)/2 + a*d*e) + x^6*((b*e^2)/6 + (c*d*e)/3) + (c*e^2*x^8)/8 + a*d^2*log(x)

sympy [A] time = 0.17, size = 73, normalized size = 0.99

$$ad^2 \log(x) + \frac{ce^2x^8}{8} + x^6 \left(\frac{be^2}{6} + \frac{cde}{3} \right) + x^4 \left(\frac{ae^2}{4} + \frac{bde}{2} + \frac{cd^2}{4} \right) + x^2 \left(ade + \frac{bd^2}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(c*x**4+b*x**2+a)/x,x)

[Out] a*d**2*log(x) + c*e**2*x**8/8 + x**6*(b*e**2/6 + c*d*e/3) + x**4*(a*e**2/4 + b*d*e/2 + c*d**2/4) + x**2*(a*d*e + b*d**2/2)

$$3.278 \quad \int \frac{(d+ex^2)^2(a+bx^2+cx^4)}{x^2} dx$$

Optimal. Leaf size=71

$$\frac{1}{3}x^3(e(ae+2bd)+cd^2)+dx(2ae+bd)-\frac{ad^2}{x}+\frac{1}{5}ex^5(be+2cd)+\frac{1}{7}ce^2x^7$$

[Out] $-a*d^2/x+d*(2*a*e+b*d)*x+1/3*(c*d^2+e*(a*e+2*b*d))*x^3+1/5*e*(b*e+2*c*d)*x^5+1/7*c*e^2*x^7$

Rubi [A] time = 0.05, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {1261}

$$\frac{1}{3}x^3(e(ae+2bd)+cd^2)+dx(2ae+bd)-\frac{ad^2}{x}+\frac{1}{5}ex^5(be+2cd)+\frac{1}{7}ce^2x^7$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x^2,x]

[Out] $-((a*d^2)/x) + d*(b*d + 2*a*e)*x + ((c*d^2 + e*(2*b*d + a*e))*x^3)/3 + (e*(2*c*d + b*e)*x^5)/5 + (c*e^2*x^7)/7$

Rule 1261

Int[((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex^2)^2(a+bx^2+cx^4)}{x^2} dx &= \int \left(d(bd+2ae) + \frac{ad^2}{x^2} + (cd^2 + e(2bd+ae))x^2 + e(2cd+be)x^4 + ce^2x^6 \right) dx \\ &= -\frac{ad^2}{x} + d(bd+2ae)x + \frac{1}{3}(cd^2 + e(2bd+ae))x^3 + \frac{1}{5}e(2cd+be)x^5 + \frac{1}{7}ce^2x^7 \end{aligned}$$

Mathematica [A] time = 0.03, size = 71, normalized size = 1.00

$$\frac{1}{3}x^3(ae^2+2bde+cd^2)+dx(2ae+bd)-\frac{ad^2}{x}+\frac{1}{5}ex^5(be+2cd)+\frac{1}{7}ce^2x^7$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x^2,x]

[Out] -((a*d^2)/x) + d*(b*d + 2*a*e)*x + ((c*d^2 + 2*b*d*e + a*e^2)*x^3)/3 + (e*(2*c*d + b*e)*x^5)/5 + (c*e^2*x^7)/7

fricas [A] time = 0.55, size = 74, normalized size = 1.04

$$\frac{15 ce^2x^8 + 21(2cde + be^2)x^6 + 35(cd^2 + 2bde + ae^2)x^4 - 105ad^2 + 105(bd^2 + 2ade)x^2}{105x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^2,x, algorithm="fricas")

[Out] 1/105*(15*c*e^2*x^8 + 21*(2*c*d*e + b*e^2)*x^6 + 35*(c*d^2 + 2*b*d*e + a*e^2)*x^4 - 105*a*d^2 + 105*(b*d^2 + 2*a*d*e)*x^2)/x

giac [A] time = 0.36, size = 74, normalized size = 1.04

$$\frac{1}{7}cx^7e^2 + \frac{2}{5}cdx^5e + \frac{1}{5}bx^5e^2 + \frac{1}{3}cd^2x^3 + \frac{2}{3}bdx^3e + \frac{1}{3}ax^3e^2 + bd^2x + 2adxe - \frac{ad^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^2,x, algorithm="giac")

[Out] 1/7*c*x^7*e^2 + 2/5*c*d*x^5*e + 1/5*b*x^5*e^2 + 1/3*c*d^2*x^3 + 2/3*b*d*x^3*e + 1/3*a*x^3*e^2 + b*d^2*x + 2*a*d*x*e - a*d^2/x

maple [A] time = 0.00, size = 75, normalized size = 1.06

$$\frac{c e^2 x^7}{7} + \frac{b e^2 x^5}{5} + \frac{2 c d e x^5}{5} + \frac{a e^2 x^3}{3} + \frac{2 b d e x^3}{3} + \frac{c d^2 x^3}{3} + 2 a d e x + b d^2 x - \frac{a d^2}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^2,x)

[Out] 1/7*c*e^2*x^7+1/5*x^5*b*e^2+2/5*x^5*c*d*e+1/3*x^3*a*e^2+2/3*x^3*b*d*e+1/3*x^3*c*d^2+2*d*e*a*x+d^2*b*x-a*d^2/x

maxima [A] time = 1.07, size = 69, normalized size = 0.97

$$\frac{1}{7}ce^2x^7 + \frac{1}{5}(2cde + be^2)x^5 + \frac{1}{3}(cd^2 + 2bde + ae^2)x^3 - \frac{ad^2}{x} + (bd^2 + 2ade)x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^2,x, algorithm="maxima")

[Out] 1/7*c*e^2*x^7 + 1/5*(2*c*d*e + b*e^2)*x^5 + 1/3*(c*d^2 + 2*b*d*e + a*e^2)*x^3 - a*d^2/x + (b*d^2 + 2*a*d*e)*x

mupad [B] time = 0.03, size = 70, normalized size = 0.99

$$x^3 \left(\frac{cd^2}{3} + \frac{2bde}{3} + \frac{ae^2}{3} \right) + x (bd^2 + 2aed) + x^5 \left(\frac{be^2}{5} + \frac{2cde}{5} \right) - \frac{ad^2}{x} + \frac{ce^2x^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x^2,x)

[Out] x^3*((a*e^2)/3 + (c*d^2)/3 + (2*b*d*e)/3) + x*(b*d^2 + 2*a*d*e) + x^5*((b*e^2)/5 + (2*c*d*e)/5) - (a*d^2)/x + (c*e^2*x^7)/7

sympy [A] time = 0.16, size = 73, normalized size = 1.03

$$-\frac{ad^2}{x} + \frac{ce^2x^7}{7} + x^5 \left(\frac{be^2}{5} + \frac{2cde}{5} \right) + x^3 \left(\frac{ae^2}{3} + \frac{2bde}{3} + \frac{cd^2}{3} \right) + x(2ade + bd^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(c*x**4+b*x**2+a)/x**2,x)

[Out] -a*d**2/x + c*e**2*x**7/7 + x**5*(b*e**2/5 + 2*c*d*e/5) + x**3*(a*e**2/3 + 2*b*d*e/3 + c*d**2/3) + x*(2*a*d*e + b*d**2)

$$3.279 \quad \int \frac{(d+ex^2)^2(a+bx^2+cx^4)}{x^3} dx$$

Optimal. Leaf size=74

$$\frac{1}{2}x^2(eae + 2bd) + cd^2 + d \log(x)(2ae + bd) - \frac{ad^2}{2x^2} + \frac{1}{4}ex^4(be + 2cd) + \frac{1}{6}ce^2x^6$$

[Out] $-1/2*a*d^2/x^2+1/2*(c*d^2+e*(a*e+2*b*d))*x^2+1/4*e*(b*e+2*c*d)*x^4+1/6*c*e^2*x^6+d*(2*a*e+b*d)*\ln(x)$

Rubi [A] time = 0.10, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {1251, 893}

$$\frac{1}{2}x^2(eae + 2bd) + cd^2 + d \log(x)(2ae + bd) - \frac{ad^2}{2x^2} + \frac{1}{4}ex^4(be + 2cd) + \frac{1}{6}ce^2x^6$$

Antiderivative was successfully verified.

[In] Int[((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x^3,x]

[Out] $-(a*d^2)/(2*x^2) + ((c*d^2 + e*(2*b*d + a*e))*x^2)/2 + (e*(2*c*d + b*e)*x^4)/4 + (c*e^2*x^6)/6 + d*(b*d + 2*a*e)*\text{Log}[x]$

Rule 893

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned} \int \frac{(d+ex^2)^2(a+bx^2+cx^4)}{x^3} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^2(a+bx+cx^2)}{x^2} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(cd^2 \left(1 + \frac{e(2bd+ae)}{cd^2} \right) + \frac{ad^2}{x^2} + \frac{d(bd+2ae)}{x} + e(2cd+be)x + ce^2x^2 \right) dx, x, x^2 \right) \\ &= -\frac{ad^2}{2x^2} + \frac{1}{2} (cd^2 + e(2bd+ae))x^2 + \frac{1}{4}e(2cd+be)x^4 + \frac{1}{6}ce^2x^6 + d(bd+2ae)\log(x) \end{aligned}$$

Mathematica [A] time = 0.04, size = 71, normalized size = 0.96

$$\frac{1}{12} \left(6x^2 (e(ae+2bd)+cd^2) + 12d \log(x)(2ae+bd) - \frac{6ad^2}{x^2} + 3ex^4(be+2cd) + 2ce^2x^6 \right)$$

Antiderivative was successfully verified.

[In] Integrate[((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x^3, x]

[Out] ((-6*a*d^2)/x^2 + 6*(c*d^2 + e*(2*b*d + a*e))*x^2 + 3*e*(2*c*d + b*e)*x^4 + 2*c*e^2*x^6 + 12*d*(b*d + 2*a*e)*Log[x])/12

fricas [A] time = 0.90, size = 76, normalized size = 1.03

$$\frac{2ce^2x^8 + 3(2cde + be^2)x^6 + 6(cd^2 + 2bde + ae^2)x^4 + 12(bd^2 + 2ade)x^2 \log(x) - 6ad^2}{12x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^3,x, algorithm="fricas")

[Out] 1/12*(2*c*e^2*x^8 + 3*(2*c*d*e + b*e^2)*x^6 + 6*(c*d^2 + 2*b*d*e + a*e^2)*x^4 + 12*(b*d^2 + 2*a*d*e)*x^2*log(x) - 6*a*d^2)/x^2

giac [A] time = 0.38, size = 97, normalized size = 1.31

$$\frac{1}{6}cx^6e^2 + \frac{1}{2}cdx^4e + \frac{1}{4}bx^4e^2 + \frac{1}{2}cd^2x^2 + bdx^2e + \frac{1}{2}ax^2e^2 + \frac{1}{2}(bd^2 + 2ade)\log(x^2) - \frac{bd^2x^2 + 2adx^2e + ad^2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^3,x, algorithm="giac")

[Out] 1/6*c*x^6*e^2 + 1/2*c*d*x^4*e + 1/4*b*x^4*e^2 + 1/2*c*d^2*x^2 + b*d*x^2*e + 1/2*a*x^2*e^2 + 1/2*(b*d^2 + 2*a*d*e)*log(x^2) - 1/2*(b*d^2*x^2 + 2*a*d*x^2*e + a*d^2)/x^2

maple [A] time = 0.01, size = 76, normalized size = 1.03

$$\frac{c e^2 x^6}{6} + \frac{b e^2 x^4}{4} + \frac{c d e x^4}{2} + \frac{a e^2 x^2}{2} + b d e x^2 + \frac{c d^2 x^2}{2} + 2 a d e \ln(x) + b d^2 \ln(x) - \frac{a d^2}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^3,x)

[Out] 1/6*c*e^2*x^6+1/4*x^4*b*e^2+1/2*x^4*c*d*e+1/2*x^2*a*e^2+x^2*b*d*e+1/2*x^2*c*d^2+2*ln(x)*a*d*e+ln(x)*b*d^2-1/2*a*d^2/x^2

maxima [A] time = 1.09, size = 73, normalized size = 0.99

$$\frac{1}{6} c e^2 x^6 + \frac{1}{4} (2 c d e + b e^2) x^4 + \frac{1}{2} (c d^2 + 2 b d e + a e^2) x^2 + \frac{1}{2} (b d^2 + 2 a d e) \log(x^2) - \frac{a d^2}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^2*(c*x^4+b*x^2+a)/x^3,x, algorithm="maxima")

[Out] 1/6*c*e^2*x^6 + 1/4*(2*c*d*e + b*e^2)*x^4 + 1/2*(c*d^2 + 2*b*d*e + a*e^2)*x^2 + 1/2*(b*d^2 + 2*a*d*e)*log(x^2) - 1/2*a*d^2/x^2

mupad [B] time = 0.04, size = 70, normalized size = 0.95

$$x^2 \left(\frac{c d^2}{2} + b d e + \frac{a e^2}{2} \right) + x^4 \left(\frac{b e^2}{4} + \frac{c d e}{2} \right) + \ln(x) (b d^2 + 2 a e d) - \frac{a d^2}{2 x^2} + \frac{c e^2 x^6}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((d + e*x^2)^2*(a + b*x^2 + c*x^4))/x^3,x)

[Out] x^2*((a*e^2)/2 + (c*d^2)/2 + b*d*e) + x^4*((b*e^2)/4 + (c*d*e)/2) + log(x)*(b*d^2 + 2*a*d*e) - (a*d^2)/(2*x^2) + (c*e^2*x^6)/6

sympy [A] time = 0.26, size = 71, normalized size = 0.96

$$-\frac{a d^2}{2 x^2} + \frac{c e^2 x^6}{6} + d (2 a e + b d) \log(x) + x^4 \left(\frac{b e^2}{4} + \frac{c d e}{2} \right) + x^2 \left(\frac{a e^2}{2} + b d e + \frac{c d^2}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**2*(c*x**4+b*x**2+a)/x**3,x)

[Out] -a*d**2/(2*x**2) + c*e**2*x**6/6 + d*(2*a*e + b*d)*log(x) + x**4*(b*e**2/4 + c*d*e/2) + x**2*(a*e**2/2 + b*d*e + c*d**2/2)

$$3.280 \quad \int \frac{x^6(a+bx^2+cx^4)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=168

$$-\frac{dx(4cd^2 - e(3bd - 2ae))}{e^5} + \frac{x^3(3cd^2 - e(2bd - ae))}{3e^4} - \frac{d^2x(ae^2 - bde + cd^2)}{2e^5(d+ex^2)} + \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(9cd^2 - e(7bd - 5ae))}{2e^{11/2}}$$

[Out] -d*(4*c*d^2-e*(-2*a*e+3*b*d))*x/e^5+1/3*(3*c*d^2-e*(-a*e+2*b*d))*x^3/e^4-1/5*(-b*e+2*c*d)*x^5/e^3+1/7*c*x^7/e^2-1/2*d^2*(a*e^2-b*d*e+c*d^2)*x/e^5/(e*x^2+d)+1/2*d^(3/2)*(9*c*d^2-e*(-5*a*e+7*b*d))*arctan(x*e^(1/2)/d^(1/2))/e^(11/2)

Rubi [A] time = 0.23, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1257, 1810, 205}

$$\frac{x^3(3cd^2 - e(2bd - ae))}{3e^4} - \frac{d^2x(ae^2 - bde + cd^2)}{2e^5(d+ex^2)} - \frac{dx(4cd^2 - e(3bd - 2ae))}{e^5} + \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(9cd^2 - e(7bd - 5ae))}{2e^{11/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x]

[Out] -((d*(4*c*d^2 - e*(3*b*d - 2*a*e))*x)/e^5) + ((3*c*d^2 - e*(2*b*d - a*e))*x^3)/(3*e^4) - ((2*c*d - b*e)*x^5)/(5*e^3) + (c*x^7)/(7*e^2) - (d^2*(c*d^2 - b*d*e + a*e^2)*x)/(2*e^5*(d + e*x^2)) + (d^(3/2)*(9*c*d^2 - e*(7*b*d - 5*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*e^(11/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1257

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[1/(2*e^(2*p + m/2)*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*e^(2*p + m/2)*(q + 1)*x^m*(a + b*x^2 + c*x^4))^p - (-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}

, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m/2, 0]

Rule 1810

Int[(Pq_)*((a_) + (b_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{x^6 (a + bx^2 + cx^4)}{(d + ex^2)^2} dx &= -\frac{d^2 (cd^2 - bde + ae^2) x}{2e^5 (d + ex^2)} - \frac{\int \frac{-d^2(cd^2 - bde + ae^2) + 2de(cd^2 - bde + ae^2)x^2 - 2e^2(cd^2 - bde + ae^2)x^4 + 2e^3(cd - bde + ae^2)x^6}{d + ex^2} dx}{2e^5} \\ &= -\frac{d^2 (cd^2 - bde + ae^2) x}{2e^5 (d + ex^2)} - \frac{\int (2d(4cd^2 - e(3bd - 2ae)) - 2e(3cd^2 - e(2bd - ae))x^2 + 2e^2(2cd - be)x^4 - 2e^3cx^6) dx}{2e^5} \\ &= -\frac{d(4cd^2 - e(3bd - 2ae))x}{e^5} + \frac{(3cd^2 - e(2bd - ae))x^3}{3e^4} - \frac{(2cd - be)x^5}{5e^3} + \frac{cx^7}{7e^2} - \frac{d^2 (cd^2 - bde + ae^2) x}{2e^5} \\ &= -\frac{d(4cd^2 - e(3bd - 2ae))x}{e^5} + \frac{(3cd^2 - e(2bd - ae))x^3}{3e^4} - \frac{(2cd - be)x^5}{5e^3} + \frac{cx^7}{7e^2} - \frac{d^2 (cd^2 - bde + ae^2) x}{2e^5} \end{aligned}$$

Mathematica [A] time = 0.14, size = 165, normalized size = 0.98

$$-\frac{dx(2ae^2 - 3bde + 4cd^2)}{e^5} + \frac{x^3(ae^2 - 2bde + 3cd^2)}{3e^4} + \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(5ae^2 - 7bde + 9cd^2)}{2e^{11/2}} - \frac{x(ad^2e^2 - bd^3e + cd^4)}{2e^5(d + ex^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x]

[Out] -((d*(4*c*d^2 - 3*b*d*e + 2*a*e^2)*x)/e^5) + ((3*c*d^2 - 2*b*d*e + a*e^2)*x^3)/(3*e^4) + ((-2*c*d + b*e)*x^5)/(5*e^3) + (c*x^7)/(7*e^2) - ((c*d^4 - b*d^3*e + a*d^2*e^2)*x)/(2*e^5*(d + e*x^2)) + (d^(3/2)*(9*c*d^2 - 7*b*d*e + 5*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*e^(11/2))

fricas [A] time = 0.94, size = 426, normalized size = 2.54

$$\frac{60ce^4x^9 - 12(9cde^3 - 7be^4)x^7 + 28(9cd^2e^2 - 7bde^3 + 5ae^4)x^5 - 140(9cd^3e - 7bd^2e^2 + 5ade^3)x^3 + 105(9cd^4 - 7bd^3e + 5ad^2e^2 + (9cd^3e - 7bd^2e^2 + 5ad^2e^3)x^2)\sqrt{-d/e}\log((ex^2 + 2ex\sqrt{-d/e} - d)/(ex^2 + d)) - 210(9cd^4 - 7bd^3e + 5ad^2e^2)x}{420(e^6x^2 + d^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/420*(60*c*e^4*x^9 - 12*(9*c*d*e^3 - 7*b*e^4)*x^7 + 28*(9*c*d^2*e^2 - 7*b*d*e^3 + 5*a*e^4)*x^5 - 140*(9*c*d^3*e - 7*b*d^2*e^2 + 5*a*d*e^3)*x^3 + 105*(9*c*d^4 - 7*b*d^3*e + 5*a*d^2*e^2 + (9*c*d^3*e - 7*b*d^2*e^2 + 5*a*d*e^3)*x^2)*sqrt(-d/e)*log((e*x^2 + 2*e*x*sqrt(-d/e) - d)/(e*x^2 + d)) - 210*(9*c*d^4 - 7*b*d^3*e + 5*a*d^2*e^2)*x)/(e^6*x^2 + d^5), 1/210*(30*c*e^4*x^9 - 6*(9*c*d*e^3 - 7*b*e^4)*x^7 + 14*(9*c*d^2*e^2 - 7*b*d*e^3 + 5*a*e^4)*x^5 - 70*(9*c*d^3*e - 7*b*d^2*e^2 + 5*a*d*e^3)*x^3 + 105*(9*c*d^4 - 7*b*d^3*e + 5*a*d^2*e^2 + (9*c*d^3*e - 7*b*d^2*e^2 + 5*a*d*e^3)*x^2)*sqrt(d/e)*arctan(e*x*sqrt(d/e)/d) - 105*(9*c*d^4 - 7*b*d^3*e + 5*a*d^2*e^2)*x)/(e^6*x^2 + d^5)]

giac [A] time = 0.32, size = 160, normalized size = 0.95

$$\frac{(9cd^4 - 7bd^3e + 5ad^2e^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{-\frac{11}{2}}}{2\sqrt{d}} + \frac{1}{105} (15cx^7e^{12} - 42cdx^5e^{11} + 21bx^5e^{12} + 105cd^2x^3e^{10} - 70bdx^3e^{11})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] 1/2*(9*c*d^4 - 7*b*d^3*e + 5*a*d^2*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-11/2)/sqrt(d) + 1/105*(15*c*x^7*e^12 - 42*c*d*x^5*e^11 + 21*b*x^5*e^12 + 105*c*d^2*x^3*e^10 - 70*b*d*x^3*e^11 - 420*c*d^3*x*e^9 + 35*a*x^3*e^12 + 315*b*d^2*x*e^10 - 210*a*d*x*e^11)*e^(-14) - 1/2*(c*d^4*x - b*d^3*x*e + a*d^2*x*e^2)*e^(-5)/(x^2*e + d)

maple [A] time = 0.01, size = 214, normalized size = 1.27

$$\frac{cx^7}{7e^2} + \frac{bx^5}{5e^2} - \frac{2cdx^5}{5e^3} + \frac{ax^3}{3e^2} - \frac{2bdx^3}{3e^3} + \frac{cd^2x^3}{e^4} - \frac{ad^2x}{2(e^2x^2 + d)e^3} + \frac{5ad^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^3} + \frac{bd^3x}{2(e^2x^2 + d)e^4} - \frac{7bd^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x)$

[Out] $\frac{1}{7}c*x^7/e^2 + \frac{1}{5}e^{-2}*x^5*b - \frac{2}{5}e^{-3}*x^5*c*d + \frac{1}{3}e^{-2}*x^3*a - \frac{2}{3}e^{-3}*x^3*b*d + \frac{1}{e^4}*x^3*c*d^2 - \frac{2}{e^3}*a*d*x + \frac{3}{e^4}*d^2*b*x - \frac{4}{e^5}*c*d^3*x - \frac{1}{2}*d^2/e^3*x/(e*x^2+d)*a + \frac{1}{2}*d^3/e^4*x/(e*x^2+d)*b - \frac{1}{2}*d^4/e^5*x/(e*x^2+d)*c + \frac{5}{2}*d^2/e^3/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a - \frac{7}{2}*d^3/e^4/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b + \frac{9}{2}*d^4/e^5/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.49, size = 165, normalized size = 0.98

$$\frac{(cd^4 - bd^3e + ad^2e^2)x}{2(e^6x^2 + de^5)} + \frac{(9cd^4 - 7bd^3e + 5ad^2e^2)\arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^5} + \frac{15ce^3x^7 - 21(2cde^2 - be^3)x^5 + 35(3cd^2e - 10e^3x^3 - 105(4cd^3 - 3bd^2e + 2ad^2e^2)x)/e^5}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, \text{algorithm}="maxima")$

[Out] $-1/2*(c*d^4 - b*d^3*e + a*d^2*e^2)*x/(e^6*x^2 + d*e^5) + 1/2*(9*c*d^4 - 7*b*d^3*e + 5*a*d^2*e^2)*\arctan(e*x/\text{sqrt}(d*e))/(\text{sqrt}(d*e)*e^5) + 1/105*(15*c*e^3*x^7 - 21*(2*c*d*e^2 - b*e^3)*x^5 + 35*(3*c*d^2*e - 2*b*d*e^2 + a*e^3)*x^3 - 105*(4*c*d^3 - 3*b*d^2*e + 2*a*d*e^2)*x)/e^5$

mupad [B] time = 0.33, size = 251, normalized size = 1.49

$$x^5 \left(\frac{b}{5e^2} - \frac{2cd}{5e^3} \right) - x^3 \left(\frac{cd^2}{3e^4} - \frac{a}{3e^2} + \frac{2d \left(\frac{b}{e^2} - \frac{2cd}{e^3} \right)}{3e} \right) + x \left(\frac{2d \left(\frac{cd^2}{e^4} - \frac{a}{e^2} + \frac{2d \left(\frac{b}{e^2} - \frac{2cd}{e^3} \right)}{e} \right)}{e} - \frac{d^2 \left(\frac{b}{e^2} - \frac{2cd}{e^3} \right)}{e^2} \right) - \frac{x \left(\frac{cd^4}{2} - \frac{bd^3e}{2} + \frac{ad^2e^2}{2} - \frac{bd^3e}{2} \right)}{e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^6*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x)$

[Out] $x^5*(b/(5*e^2) - (2*c*d)/(5*e^3)) - x^3*((c*d^2)/(3*e^4) - a/(3*e^2) + (2*d*(b/e^2 - (2*c*d)/e^3))/(3*e)) + x*((2*d*((c*d^2)/e^4 - a/e^2 + (2*d*(b/e^2 - (2*c*d)/e^3))/e))/e - (d^2*(b/e^2 - (2*c*d)/e^3))/e^2 - (x*((c*d^4)/2 + (a*d^2*e^2)/2 - (b*d^3*e)/2))/(d*e^5 + e^6*x^2) + (c*x^7)/(7*e^2) + (d^(3/2)*atan((d^(3/2)*e^(1/2)*x*(5*a*e^2 + 9*c*d^2 - 7*b*d*e))/(9*c*d^4 + 5*a*d^2*e^2 - 7*b*d^3*e))*(5*a*e^2 + 9*c*d^2 - 7*b*d*e))/(2*e^(11/2))$

sympy [B] time = 1.18, size = 320, normalized size = 1.90

$$\frac{cx^7}{7e^2} + x^5 \left(\frac{b}{5e^2} - \frac{2cd}{5e^3} \right) + x^3 \left(\frac{a}{3e^2} - \frac{2bd}{3e^3} + \frac{cd^2}{e^4} \right) + x \left(-\frac{2ad}{e^3} + \frac{3bd^2}{e^4} - \frac{4cd^3}{e^5} \right) + \frac{x(-ad^2e^2 + bd^3e - cd^4)}{2de^5 + 2e^6x^2} - \frac{\sqrt{-\frac{d^3}{e^{11}}}(5ae^2)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**6*(c*x**4+b*x**2+a)/(e*x**2+d)**2,x)`

[Out] $c*x**7/(7*e**2) + x**5*(b/(5*e**2) - 2*c*d/(5*e**3)) + x**3*(a/(3*e**2) - 2*b*d/(3*e**3) + c*d**2/e**4) + x*(-2*a*d/e**3 + 3*b*d**2/e**4 - 4*c*d**3/e**5) + x*(-a*d**2*e**2 + b*d**3*e - c*d**4)/(2*d*e**5 + 2*e**6*x**2) - \sqrt{-d**3/e**11}*(5*a*e**2 - 7*b*d*e + 9*c*d**2)*\log(-e**5*\sqrt{-d**3/e**11}*(5*a*e**2 - 7*b*d*e + 9*c*d**2)/(5*a*d*e**2 - 7*b*d**2*e + 9*c*d**3) + x)/4 + \sqrt{-d**3/e**11}*(5*a*e**2 - 7*b*d*e + 9*c*d**2)*\log(e**5*\sqrt{-d**3/e**11}*(5*a*e**2 - 7*b*d*e + 9*c*d**2)/(5*a*d*e**2 - 7*b*d**2*e + 9*c*d**3) + x)/4$

$$3.281 \quad \int \frac{x^4(a+bx^2+cx^4)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=135

$$\frac{\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(7cd^2 - e(5bd - 3ae))}{2e^{9/2}} + \frac{x(3cd^2 - e(2bd - ae))}{e^4} + \frac{dx(ae^2 - bde + cd^2)}{2e^4(d + ex^2)} - \frac{x^3(2cd - be)}{3e^3} + \frac{cx^5}{5e^2}$$

[Out] (3*c*d^2-e*(-a*e+2*b*d))*x/e^4-1/3*(-b*e+2*c*d)*x^3/e^3+1/5*c*x^5/e^2+1/2*d*(a*e^2-b*d*e+c*d^2)*x/e^4/(e*x^2+d)-1/2*(7*c*d^2-e*(-3*a*e+5*b*d))*arctan(x*e^(1/2)/d^(1/2))*d^(1/2)/e^(9/2)

Rubi [A] time = 0.16, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1257, 1810, 205}

$$\frac{dx(ae^2 - bde + cd^2)}{2e^4(d + ex^2)} + \frac{x(3cd^2 - e(2bd - ae))}{e^4} - \frac{\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(7cd^2 - e(5bd - 3ae))}{2e^{9/2}} - \frac{x^3(2cd - be)}{3e^3} + \frac{cx^5}{5e^2}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x]

[Out] ((3*c*d^2 - e*(2*b*d - a*e))*x)/e^4 - ((2*c*d - b*e)*x^3)/(3*e^3) + (c*x^5)/(5*e^2) + (d*(c*d^2 - b*d*e + a*e^2)*x)/(2*e^4*(d + e*x^2)) - (Sqrt[d]*(7*c*d^2 - e*(5*b*d - 3*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*e^(9/2))

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1257

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[1/(2*e^(2*p + m/2)*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*e^(2*p + m/2)*(q + 1)*x^m*(a + b*x^2 + c*x^4)^p - (-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m/2, 0]

Rule 1810

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (a + bx^2 + cx^4)}{(d + ex^2)^2} dx &= \frac{d(cd^2 - bde + ae^2)x}{2e^4(d + ex^2)} - \frac{\int \frac{d(cd^2 - bde + ae^2) - 2e(cd^2 - bde + ae^2)x^2 + 2e^2(cd - be)x^4 - 2ce^3x^6}{d + ex^2} dx}{2e^4} \\
 &= \frac{d(cd^2 - bde + ae^2)x}{2e^4(d + ex^2)} - \frac{\int \left(-2(3cd^2 - 2bde + ae^2) + 2e(2cd - be)x^2 - 2ce^2x^4 + \frac{7cd^3 - 5bde^2}{d} \right) dx}{2e^4} \\
 &= \frac{(3cd^2 - e(2bd - ae))x}{e^4} - \frac{(2cd - be)x^3}{3e^3} + \frac{cx^5}{5e^2} + \frac{d(cd^2 - bde + ae^2)x}{2e^4(d + ex^2)} - \frac{d(7cd^2 - e(5bd - 2ae))}{2e^4} \\
 &= \frac{(3cd^2 - e(2bd - ae))x}{e^4} - \frac{(2cd - be)x^3}{3e^3} + \frac{cx^5}{5e^2} + \frac{d(cd^2 - bde + ae^2)x}{2e^4(d + ex^2)} - \frac{\sqrt{d}(7cd^2 - e(5bd - 2ae))}{2e^4}
 \end{aligned}$$

Mathematica [A] time = 0.08, size = 133, normalized size = 0.99

$$\frac{\sqrt{d} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (3ae^2 - 5bde + 7cd^2)}{2e^{9/2}} + \frac{x(ae^2 - 2bde + 3cd^2)}{e^4} + \frac{x(ade^2 - bd^2e + cd^3)}{2e^4(d + ex^2)} + \frac{x^3(be - 2cd)}{3e^3} + \frac{cx^5}{5e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x]

[Out] ((3*c*d^2 - 2*b*d*e + a*e^2)*x)/e^4 + ((-2*c*d + b*e)*x^3)/(3*e^3) + (c*x^5)/(5*e^2) + ((c*d^3 - b*d^2*e + a*d*e^2)*x)/(2*e^4*(d + e*x^2)) - (Sqrt[d]*(7*c*d^2 - 5*b*d*e + 3*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*e^(9/2))

fricas [A] time = 0.68, size = 350, normalized size = 2.59

$$\left[\frac{12ce^3x^7 - 4(7cde^2 - 5be^3)x^5 + 20(7cd^2e - 5bde^2 + 3ae^3)x^3 + 15(7cd^3 - 5bd^2e + 3ade^2 + (7cd^2e - 5bde^2 + 3ae^3))}{60(e^5x^2 + de^4)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/60*(12*c*e^3*x^7 - 4*(7*c*d*e^2 - 5*b*e^3)*x^5 + 20*(7*c*d^2*e - 5*b*d*e^2 + 3*a*e^3)*x^3 + 15*(7*c*d^3 - 5*b*d^2*e + 3*a*d*e^2 + (7*c*d^2*e - 5*b*d*e^2 + 3*a*e^3)*x^2)*sqrt(-d/e)*log((e*x^2 - 2*e*x*sqrt(-d/e) - d)/(e*x^2 + d)) + 30*(7*c*d^3 - 5*b*d^2*e + 3*a*d*e^2)*x)/(e^5*x^2 + d*e^4), 1/30*(6*c*e^3*x^7 - 2*(7*c*d*e^2 - 5*b*e^3)*x^5 + 10*(7*c*d^2*e - 5*b*d*e^2 + 3*a*e^3)*x^3 - 15*(7*c*d^3 - 5*b*d^2*e + 3*a*d*e^2 + (7*c*d^2*e - 5*b*d*e^2 + 3*a*e^3)*x^2)*sqrt(d/e)*arctan(e*x*sqrt(d/e)/d) + 15*(7*c*d^3 - 5*b*d^2*e + 3*a*d*e^2)*x)/(e^5*x^2 + d*e^4)]

giac [A] time = 0.28, size = 125, normalized size = 0.93

$$-\frac{(7cd^3 - 5bd^2e + 3ade^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{2\sqrt{d}} + \frac{1}{15} (3cx^5e^8 - 10cdx^3e^7 + 5bx^3e^8 + 45cd^2xe^6 - 30bdxe^7 + 15ax^2e^8)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] -1/2*(7*c*d^3 - 5*b*d^2*e + 3*a*d*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-9/2)/sqrt(d) + 1/15*(3*c*x^5*e^8 - 10*c*d*x^3*e^7 + 5*b*x^3*e^8 + 45*c*d^2*x*e^6 - 30*b*d*x*e^7 + 15*a*x*e^8)*e^(-10) + 1/2*(c*d^3*x - b*d^2*x*e + a*d*x*e^2)*e^(-4)/(x^2*e + d)

maple [A] time = 0.01, size = 176, normalized size = 1.30

$$\frac{cx^5}{5e^2} + \frac{bx^3}{3e^2} - \frac{2cdx^3}{3e^3} + \frac{adx}{2(e^2x^2 + d)} - \frac{3ad \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^2} - \frac{bd^2x}{2(e^2x^2 + d)e^3} + \frac{5bd^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^3} + \frac{cd^3x}{2(e^2x^2 + d)e^4} - \frac{7cd^3}{2(e^2x^2 + d)e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x)

[Out] 1/5*c*x^5/e^2+1/3/e^2*x^3*b-2/3/e^3*x^3*c*d+1/e^2*a*x-2/e^3*d*b*x+3/e^4*c*d^2*x+1/2*d/e^2*x/(e*x^2+d)*a-1/2*d^2/e^3*x/(e*x^2+d)*b+1/2*d^3/e^4*x/(e*x^2+d)*c-3/2*d/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a+5/2*d^2/e^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b-7/2*d^3/e^4/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c

maxima [A] time = 2.45, size = 130, normalized size = 0.96

$$\frac{(cd^3 - bd^2e + ade^2)x}{2(e^5x^2 + de^4)} - \frac{(7cd^3 - 5bd^2e + 3ade^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^4} + \frac{3ce^2x^5 - 5(2cde - be^2)x^3 + 15(3cd^2 - 2bde + d^3)}{15e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $\frac{1}{2}*(c*d^3 - b*d^2*e + a*d*e^2)*x/(e^5*x^2 + d*e^4) - \frac{1}{2}*(7*c*d^3 - 5*b*d^2*e + 3*a*d*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*e^4) + \frac{1}{15}*(3*c*e^2*x^5 - 5*(2*c*d*e - b*e^2)*x^3 + 15*(3*c*d^2 - 2*b*d*e + a*e^2)*x)/e^4$

mupad [B] time = 0.32, size = 179, normalized size = 1.33

$$x^3 \left(\frac{b}{3e^2} - \frac{2cd}{3e^3} \right) - x \left(\frac{cd^2}{e^4} - \frac{a}{e^2} + \frac{2d \left(\frac{b}{e^2} - \frac{2cd}{e^3} \right)}{e} \right) + \frac{cx^5}{5e^2} + \frac{x \left(\frac{cd^3}{2} - \frac{bd^2e}{2} + \frac{ade^2}{2} \right)}{e^5 x^2 + de^4} - \frac{\sqrt{d} \operatorname{atan} \left(\frac{\sqrt{d} \sqrt{e} x (7cd^2 - 5bde + 3ade)}{7cd^3 - 5bd^2e + 3ade^2} \right)}{2e^{9/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x)

[Out] $x^3*(b/(3*e^2) - (2*c*d)/(3*e^3)) - x*((c*d^2)/e^4 - a/e^2 + (2*d*(b/e^2 - (2*c*d)/e^3))/e) + (c*x^5)/(5*e^2) + (x*((c*d^3)/2 + (a*d*e^2)/2 - (b*d^2*e)/2))/(d*e^4 + e^5*x^2) - (d^{1/2}*atan((d^{1/2}*e^{1/2})*x*(3*a*e^2 + 7*c*d^2 - 5*b*d*e))/(7*c*d^3 + 3*a*d*e^2 - 5*b*d^2*e))*(3*a*e^2 + 7*c*d^2 - 5*b*d*e)/(2*e^{9/2})$

sympy [A] time = 1.08, size = 189, normalized size = 1.40

$$\frac{cx^5}{5e^2} + x^3 \left(\frac{b}{3e^2} - \frac{2cd}{3e^3} \right) + x \left(\frac{a}{e^2} - \frac{2bd}{e^3} + \frac{3cd^2}{e^4} \right) + \frac{x(ade^2 - bd^2e + cd^3)}{2de^4 + 2e^5x^2} + \frac{\sqrt{-\frac{d}{e^9}} (3ae^2 - 5bde + 7cd^2) \log \left(-e^4 \sqrt{-\frac{d}{e^9}} + \dots \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(c*x**4+b*x**2+a)/(e*x**2+d)**2,x)

[Out] $c*x**5/(5*e**2) + x**3*(b/(3*e**2) - 2*c*d/(3*e**3)) + x*(a/e**2 - 2*b*d/e**3 + 3*c*d**2/e**4) + x*(a*d*e**2 - b*d**2*e + c*d**3)/(2*d*e**4 + 2*e**5*x**2) + \sqrt{-d/e**9}*(3*a*e**2 - 5*b*d*e + 7*c*d**2)*\log(-e**4*\sqrt{-d/e**9} + x)/4 - \sqrt{-d/e**9}*(3*a*e**2 - 5*b*d*e + 7*c*d**2)*\log(e**4*\sqrt{-d/e**9} + x)/4$

$$3.282 \quad \int \frac{x^2(a+bx^2+cx^4)}{(d+ex^2)^2} dx$$

Optimal. Leaf size=106

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(5cd^2 - e(3bd - ae))}{2\sqrt{d}e^{7/2}} - \frac{x(ae^2 - bde + cd^2)}{2e^3(d + ex^2)} - \frac{x(2cd - be)}{e^3} + \frac{cx^3}{3e^2}$$

[Out] $-(-b*e+2*c*d)*x/e^3+1/3*c*x^3/e^2-1/2*(a*e^2-b*d*e+c*d^2)*x/e^3/(e*x^2+d)+1/2*(5*c*d^2-e*(-a*e+3*b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(7/2)}/d^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1257, 1153, 205}

$$-\frac{x(ae^2 - bde + cd^2)}{2e^3(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(5cd^2 - e(3bd - ae))}{2\sqrt{d}e^{7/2}} - \frac{x(2cd - be)}{e^3} + \frac{cx^3}{3e^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x]

[Out] $-(((2*c*d - b*e)*x)/e^3 + (c*x^3)/(3*e^2) - ((c*d^2 - b*d*e + a*e^2)*x)/(2*e^3*(d + e*x^2)) + ((5*c*d^2 - e*(3*b*d - a*e))*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(2*\text{Sqrt}[d]*e^{(7/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1153

Int[((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1257

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Simp[(-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1)/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[1/(2*e^(2*p + m/2)*

(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*e^(2*p + m/2)*
(q + 1)*x^m*(a + b*x^2 + c*x^4)^p - (-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^
p*(d + e*(2*q + 3)*x^2)))/(d + e*x^2)], x], x], x] /; FreeQ[{a, b, c, d, e},
x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^2 (a + bx^2 + cx^4)}{(d + ex^2)^2} dx &= -\frac{(cd^2 - bde + ae^2)x}{2e^3 (d + ex^2)} - \frac{\int \frac{-cd^2 + bde - ae^2 + 2e(cd - be)x^2 - 2ce^2x^4}{d + ex^2} dx}{2e^3} \\ &= -\frac{(cd^2 - bde + ae^2)x}{2e^3 (d + ex^2)} - \frac{\int \left(2(2cd - be) - 2cex^2 + \frac{-5cd^2 + 3bde - ae^2}{d + ex^2} \right) dx}{2e^3} \\ &= -\frac{(2cd - be)x}{e^3} + \frac{cx^3}{3e^2} - \frac{(cd^2 - bde + ae^2)x}{2e^3 (d + ex^2)} - \frac{(-5cd^2 + e(3bd - ae)) \int \frac{1}{d + ex^2} dx}{2e^3} \\ &= -\frac{(2cd - be)x}{e^3} + \frac{cx^3}{3e^2} - \frac{(cd^2 - bde + ae^2)x}{2e^3 (d + ex^2)} + \frac{(5cd^2 - e(3bd - ae)) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{2\sqrt{d} e^{7/2}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 102, normalized size = 0.96

$$\frac{\tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right) (ae^2 - 3bde + 5cd^2)}{2\sqrt{d} e^{7/2}} - \frac{x (ae^2 - bde + cd^2)}{2e^3 (d + ex^2)} + \frac{x(be - 2cd)}{e^3} + \frac{cx^3}{3e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x]

[Out] ((-2*c*d + b*e)*x)/e^3 + (c*x^3)/(3*e^2) - ((c*d^2 - b*d*e + a*e^2)*x)/(2*e^3*(d + e*x^2)) + ((5*c*d^2 - 3*b*d*e + a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*Sqrt[d]*e^(7/2))

fricas [A] time = 0.84, size = 302, normalized size = 2.85

$$\left[\frac{4cde^3x^5 - 4(5cd^2e^2 - 3bde^3)x^3 - 3(5cd^3 - 3bd^2e + ade^2 + (5cd^2e - 3bde^2 + ae^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right)}{12(de^5x^2 + d^2e^4)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/12*(4*c*d*e^3*x^5 - 4*(5*c*d^2*e^2 - 3*b*d*e^3)*x^3 - 3*(5*c*d^3 - 3*b*d^2*e + a*d*e^2 + (5*c*d^2*e - 3*b*d*e^2 + a*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 6*(5*c*d^3*e - 3*b*d^2*e^2 + a*d*e^3)*x)/(d*e^5*x^2 + d^2*e^4), 1/6*(2*c*d*e^3*x^5 - 2*(5*c*d^2*e^2 - 3*b*d*e^3)*x^3 + 3*(5*c*d^3 - 3*b*d^2*e + a*d*e^2 + (5*c*d^2*e - 3*b*d*e^2 + a*e^3)*x^2)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 3*(5*c*d^3*e - 3*b*d^2*e^2 + a*d*e^3)*x)/(d*e^5*x^2 + d^2*e^4)]

giac [A] time = 0.34, size = 91, normalized size = 0.86

$$\frac{(5cd^2 - 3bde + ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{7}{2}\right)}}{2\sqrt{d}} + \frac{1}{3} (cx^3e^4 - 6cdxe^3 + 3bx^2e^4)e^{(-6)} - \frac{(cd^2x - bdx + axe^2)e^{(-3)}}{2(x^2e + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] 1/2*(5*c*d^2 - 3*b*d*e + a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-7/2)/sqrt(d) + 1/3*(c*x^3*e^4 - 6*c*d*x*e^3 + 3*b*x*e^4)*e^(-6) - 1/2*(c*d^2*x - b*d*x*e + a*x*e^2)*e^(-3)/(x^2*e + d)

maple [A] time = 0.01, size = 141, normalized size = 1.33

$$\frac{cx^3}{3e^2} - \frac{ax}{2(e^2x^2 + d)e} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e} + \frac{bdx}{2(e^2x^2 + d)e^2} - \frac{3bd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^2} - \frac{cd^2x}{2(e^2x^2 + d)e^3} + \frac{5cd^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^3} + \frac{b}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x)

[Out] 1/3*c*x^3/e^2+1/e^2*b*x-2/e^3*c*d*x-1/2/e*x/(e*x^2+d)*a+1/2/e^2*x/(e*x^2+d)*d*b-1/2/e^3*x/(e*x^2+d)*c*d^2+1/2/e/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a-3/2/e^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*d*b+5/2/e^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c*d^2

maxima [A] time = 2.52, size = 95, normalized size = 0.90

$$-\frac{(cd^2 - bde + ae^2)x}{2(e^4x^2 + de^3)} + \frac{(5cd^2 - 3bde + ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^3} + \frac{cex^3 - 3(2cd - be)x}{3e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $-1/2*(c*d^2 - b*d*e + a*e^2)*x/(e^4*x^2 + d*e^3) + 1/2*(5*c*d^2 - 3*b*d*e + a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*e^3) + 1/3*(c*e*x^3 - 3*(2*c*d - b*e)*x)/e^3$

mupad [B] time = 0.34, size = 95, normalized size = 0.90

$$x \left(\frac{b}{e^2} - \frac{2cd}{e^3} \right) - \frac{x \left(\frac{cd^2}{2} - \frac{bde}{2} + \frac{ae^2}{2} \right)}{e^4 x^2 + de^3} + \frac{cx^3}{3e^2} + \frac{\operatorname{atan} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right) (5cd^2 - 3bde + ae^2)}{2\sqrt{d}e^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(a + b*x^2 + c*x^4))/(d + e*x^2)^2,x)

[Out] $x*(b/e^2 - (2*c*d)/e^3) - (x*((a*e^2)/2 + (c*d^2)/2 - (b*d*e)/2))/(d*e^3 + e^4*x^2) + (c*x^3)/(3*e^2) + (\operatorname{atan}((e^{1/2}*x)/d^{1/2})*(a*e^2 + 5*c*d^2 - 3*b*d*e))/(2*d^{1/2}*e^{7/2})$

sympy [A] time = 0.97, size = 162, normalized size = 1.53

$$\frac{cx^3}{3e^2} + x \left(\frac{b}{e^2} - \frac{2cd}{e^3} \right) + \frac{x(-ae^2 + bde - cd^2)}{2de^3 + 2e^4x^2} - \frac{\sqrt{-\frac{1}{de^7}} (ae^2 - 3bde + 5cd^2) \log \left(-de^3 \sqrt{-\frac{1}{de^7}} + x \right)}{4} + \frac{\sqrt{-\frac{1}{de^7}} (ae^2 - 3bde + 5cd^2) \log \left(-de^3 \sqrt{-\frac{1}{de^7}} + x \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(c*x**4+b*x**2+a)/(e*x**2+d)**2,x)

[Out] $c*x**3/(3*e**2) + x*(b/e**2 - 2*c*d/e**3) + x*(-a*e**2 + b*d*e - c*d**2)/(2*d*e**3 + 2*e**4*x**2) - \sqrt{-1/(d*e**7)}*(a*e**2 - 3*b*d*e + 5*c*d**2)*\log(-d*e**3*\sqrt{-1/(d*e**7)} + x)/4 + \sqrt{-1/(d*e**7)}*(a*e**2 - 3*b*d*e + 5*c*d**2)*\log(d*e**3*\sqrt{-1/(d*e**7)} + x)/4$

$$3.283 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^2} dx$$

Optimal. Leaf size=83

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

[Out] $c*x/e^2+1/2*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^{-1/2}*(3*c*d^2-e*(a*e+b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/e^{(5/2)}$

Rubi [A] time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1157, 388, 205}

$$-\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3cd^2 - e(ae + bd))}{2d^{3/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{2d(d+ex^2)} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^2,x]

[Out] $(c*x)/e^2 + ((a + (d*(c*d - b*e))/e^2)*x)/(2*d*(d + e*x^2)) - ((3*c*d^2 - e*(b*d + a*e))*\text{ArcTan}[\text{Sqrt}[e]*x]/\text{Sqrt}[d])/(2*d^{(3/2)}*e^{(5/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p+1))/(b*(n*(p+1)+1)), x] - Dist[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p+1)+1, 0]

Rule 1157

Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]}, -Simp[(R*x*(d + e*x^2)^(q+1))/(2*d*(q+1)), x] + Dist[1/(2*d*(q +

1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^2} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{\int \frac{\frac{cd^2 - e(bd+ae)}{e^2} - \frac{2cdx^2}{e}}{d+ex^2} dx}{2d} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \int \frac{1}{d+ex^2} dx}{2de^2} \\ &= \frac{cx}{e^2} + \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{2d(d + ex^2)} - \frac{(3cd^2 - e(bd + ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{3/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 88, normalized size = 1.06

$$\frac{x(ae^2 - bde + cd^2)}{2de^2(d + ex^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(-ae^2 - bde + 3cd^2)}{2d^{3/2}e^{5/2}} + \frac{cx}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^2,x]

[Out] (c*x)/e^2 + ((c*d^2 - b*d*e + a*e^2)*x)/(2*d*e^2*(d + e*x^2)) - ((3*c*d^2 - b*d*e - a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(3/2)*e^(5/2))

fricas [A] time = 0.81, size = 268, normalized size = 3.23

$$\frac{4cd^2e^2x^3 + (3cd^3 - bd^2e - ade^2 + (3cd^2e - bde^2 - ae^3)x^2)\sqrt{-de} \log\left(\frac{ex^2 - 2\sqrt{-de}x - d}{ex^2 + d}\right) + 2(3cd^3e - bd^2e^2 + ade^3)}{4(d^2e^4x^2 + d^3e^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/4*(4*c*d^2*e^2*x^3 + (3*c*d^3 - b*d^2*e - a*d*e^2 + (3*c*d^2*e - b*d*e^2 - a*e^3)*x^2)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) + 2

$(3cd^3e - bd^2e^2 + ad^3e^3)x / (d^2e^4x^2 + d^3e^3), 1/2(2cd^2e^2x^3 - (3cd^3 - bd^2e - ad^3e^2 + (3cd^2e - bd^2e^2 - ad^3e^3)x^2) \sqrt{de} \arctan(\sqrt{de}x/d) + (3cd^3e - bd^2e^2 + ad^3e^3)x) / (d^2e^4x^2 + d^3e^3)]$

giac [A] time = 0.41, size = 75, normalized size = 0.90

$$cxe^{(-2)} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)}}{2d^{\frac{3}{2}}} + \frac{(cd^2x - bdx + axe^2)e^{(-2)}}{2(x^2e + d)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="giac")

[Out] $cxe^{(-2)} - 1/2(3cd^2 - bd^2e - ad^3e^2) \arctan(xe^{(1/2)}/\sqrt{d})e^{(-5/2)}/d^{(3/2)} + 1/2(c*d^2*x - b*d*x*e + a*x*e^2)*e^{(-2)}/((x^2*e + d)*d)$

maple [A] time = 0.01, size = 118, normalized size = 1.42

$$\frac{ax}{2(e^2x^2 + d)d} + \frac{a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} - \frac{bx}{2(e^2x^2 + d)e} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e} + \frac{cdx}{2(e^2x^2 + d)e^2} - \frac{3cd \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}e^2} + \frac{cx}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^2,x)

[Out] $c*x/e^2 + 1/2/d*x/(e*x^2+d)*a - 1/2/e*x/(e*x^2+d)*b + 1/2/e^2*d*x/(e*x^2+d)*c + 1/2/d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a + 1/2/e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b - 3/2/e^2*d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.34, size = 84, normalized size = 1.01

$$\frac{(cd^2 - bde + ae^2)x}{2(de^3x^2 + d^2e^2)} + \frac{cx}{e^2} - \frac{(3cd^2 - bde - ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}de^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $1/2*(c*d^2 - b*d*e + a*e^2)*x/(d^3*x^2 + d^2*e^2) + c*x/e^2 - 1/2*(3*c*d^2 - b*d*e - a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d*e^2)$

mupad [B] time = 0.36, size = 77, normalized size = 0.93

$$\frac{cx}{e^2} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (-3cd^2 + bde + ae^2)}{2d^{3/2}e^{5/2}} + \frac{x(cd^2 - bde + ae^2)}{2d(e^3x^2 + de^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(d + e*x^2)^2,x)`

[Out] `(c*x)/e^2 + (atan((e^(1/2)*x)/d^(1/2))*(a*e^2 - 3*c*d^2 + b*d*e))/(2*d^(3/2)*e^(5/2)) + (x*(a*e^2 + c*d^2 - b*d*e))/(2*d*(d*e^2 + e^3*x^2))`

sympy [B] time = 0.77, size = 153, normalized size = 1.84

$$\frac{cx}{e^2} + \frac{x(ae^2 - bde + cd^2)}{2d^2e^2 + 2de^3x^2} - \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2)\log\left(-d^2e^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4} + \frac{\sqrt{-\frac{1}{d^3e^5}}(ae^2 + bde - 3cd^2)\log\left(d^2\sqrt{-\frac{1}{d^3e^5}} + x\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/(e*x**2+d)**2,x)`

[Out] `c*x/e**2 + x*(a*e**2 - b*d*e + c*d**2)/(2*d**2*e**2 + 2*d*e**3*x**2) - sqrt(-1/(d**3*e**5))*(a*e**2 + b*d*e - 3*c*d**2)*log(-d**2*e**2*sqrt(-1/(d**3*e**5)) + x)/4 + sqrt(-1/(d**3*e**5))*(a*e**2 + b*d*e - 3*c*d**2)*log(d**2*e**2*sqrt(-1/(d**3*e**5)) + x)/4`

$$3.284 \quad \int \frac{a+bx^2+cx^4}{x^2(d+ex^2)^2} dx$$

Optimal. Leaf size=89

$$-\frac{x(ae^2 - bde + cd^2)}{2d^2e(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e(bd - 3ae) + cd^2)}{2d^{5/2}e^{3/2}} - \frac{a}{d^2x}$$

[Out] $-a/d^2/x-1/2*(a*e^2-b*d*e+c*d^2)*x/d^2/e/(e*x^2+d)+1/2*(c*d^2+e*(-3*a*e+b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/e^{(3/2)}$

Rubi [A] time = 0.12, antiderivative size = 86, normalized size of antiderivative = 0.97, number of steps used = 3, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1259, 453, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(e(bd - 3ae) + cd^2)}{2d^{5/2}e^{3/2}} - \frac{x\left(\frac{c}{e} - \frac{bd-ae}{d^2}\right)}{2(d + ex^2)} - \frac{a}{d^2x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^2*(d + e*x^2)^2), x]

[Out] $-(a/(d^2*x)) - ((c/e - (b*d - a*e)/d^2)*x)/(2*(d + e*x^2)) + ((c*d^2 + e*(b*d - 3*a*e))*\text{ArcTan}[\text{Sqrt}[e]*x]/\text{Sqrt}[d])/(2*d^{(5/2)}*e^{(3/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 453

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]

Rule 1259

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d

+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2)))/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{x^2(d + ex^2)^2} dx &= -\left(\frac{c}{e} - \frac{bd-ae}{d^2}\right)x - \frac{\int \frac{-2ade^2 - e(cd^2 + e(bd-ae))x^2}{x^2(d+ex^2)} dx}{2d^2e^2} \\ &= -\frac{a}{d^2x} - \frac{\left(\frac{c}{e} - \frac{bd-ae}{d^2}\right)x}{2(d + ex^2)} + \frac{1}{2}\left(\frac{c}{e} + \frac{bd - 3ae}{d^2}\right) \int \frac{1}{d + ex^2} dx \\ &= -\frac{a}{d^2x} - \frac{\left(\frac{c}{e} - \frac{bd-ae}{d^2}\right)x}{2(d + ex^2)} + \frac{(cd^2 + e(bd - 3ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{2d^{5/2}e^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 89, normalized size = 1.00

$$-\frac{x(ae^2 - bde + cd^2)}{2d^2e(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(-3ae^2 + bde + cd^2)}{2d^{5/2}e^{3/2}} - \frac{a}{d^2x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(x^2*(d + e*x^2)^2), x]

[Out] -(a/(d^2*x)) - ((c*d^2 - b*d*e + a*e^2)*x)/(2*d^2*e*(d + e*x^2)) + ((c*d^2 + b*d*e - 3*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(5/2)*e^(3/2))

fricas [A] time = 0.98, size = 267, normalized size = 3.00

$$\left[-\frac{4ad^2e^2 + 2(cd^3e - bd^2e^2 + 3ade^3)x^2 - ((cd^2e + bde^2 - 3ae^3)x^3 + (cd^3 + bd^2e - 3ade^2)x)\sqrt{-de} \log\left(\frac{ex^2 + 2\sqrt{-d}}{ex^2 + d}\right)}{4(d^3e^3x^3 + d^4e^2x)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^2,x, algorithm="fricas")

[Out] $[-1/4*(4*a*d^2*e^2 + 2*(c*d^3*e - b*d^2*e^2 + 3*a*d*e^3)*x^2 - ((c*d^2*e + b*d*e^2 - 3*a*e^3)*x^3 + (c*d^3 + b*d^2*e - 3*a*d*e^2)*x)*\sqrt{-d*e}*\log((e*x^2 + 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)))/(d^3*e^3*x^3 + d^4*e^2*x), -1/2*(2*a*d^2*e^2 + (c*d^3*e - b*d^2*e^2 + 3*a*d*e^3)*x^2 - ((c*d^2*e + b*d*e^2 - 3*a*e^3)*x^3 + (c*d^3 + b*d^2*e - 3*a*d*e^2)*x)*\sqrt{d*e}*\arctan(\sqrt{d*e}*x/d))/(d^3*e^3*x^3 + d^4*e^2*x)]$

giac [A] time = 0.29, size = 83, normalized size = 0.93

$$\frac{(cd^2 + bde - 3ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{3}{2}\right)}}{2d^{\frac{5}{2}}} - \frac{(cd^2x^2 - bdx^2e + 3ax^2e^2 + 2ade)e^{(-1)}}{2(x^3e + dx)d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^2,x, algorithm="giac")`

[Out] $1/2*(c*d^2 + b*d*e - 3*a*e^2)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-3/2)}/d^{(5/2)} - 1/2*(c*d^2*x^2 - b*d*x^2*e + 3*a*x^2*e^2 + 2*a*d*e)*e^{(-1)}/((x^3*e + d*x)*d^2)$

maple [A] time = 0.01, size = 121, normalized size = 1.36

$$\frac{aex}{2(e x^2 + d) d^2} - \frac{3ae \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de} d^2} + \frac{bx}{2(e x^2 + d) d} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de} d} - \frac{cx}{2(e x^2 + d) e} + \frac{c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de} e} - \frac{a}{d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^2,x)`

[Out] $-a/d^2/x - 1/2/d^2*e*x/(e*x^2+d)*a + 1/2/d*x/(e*x^2+d)*b - 1/2/e*x/(e*x^2+d)*c - 3/2/d^2*e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a + 1/2/d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b + 1/2/e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.46, size = 87, normalized size = 0.98

$$-\frac{2ade + (cd^2 - bde + 3ae^2)x^2}{2(d^2e^2x^3 + d^3ex)} + \frac{(cd^2 + bde - 3ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^2,x, algorithm="maxima")`

[Out] $-1/2*(2*a*d*e + (c*d^2 - b*d*e + 3*a*e^2)*x^2)/(d^2*e^2*x^3 + d^3*e*x) + 1/2*(c*d^2 + b*d*e - 3*a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^2*e)$

mupad [B] time = 0.37, size = 81, normalized size = 0.91

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 + bde - 3ae^2)}{2d^{5/2}e^{3/2}} - \frac{\frac{a}{d} + \frac{x^2(cd^2 - bde + 3ae^2)}{2d^2e}}{ex^3 + dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(x^2*(d + e*x^2)^2), x)`

[Out] `(atan((e^(1/2)*x)/d^(1/2))*(c*d^2 - 3*a*e^2 + b*d*e))/(2*d^(5/2)*e^(3/2)) - (a/d + (x^2*(3*a*e^2 + c*d^2 - b*d*e))/(2*d^2*e))/(d*x + e*x^3)`

sympy [A] time = 1.12, size = 155, normalized size = 1.74

$$\frac{\sqrt{-\frac{1}{d^5e^3}}(3ae^2 - bde - cd^2)\log\left(-d^3e\sqrt{-\frac{1}{d^5e^3}} + x\right)}{4} - \frac{\sqrt{-\frac{1}{d^5e^3}}(3ae^2 - bde - cd^2)\log\left(d^3e\sqrt{-\frac{1}{d^5e^3}} + x\right)}{4} + \frac{-2ade + x^2}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/x**2/(e*x**2+d)**2, x)`

[Out] `sqrt(-1/(d**5*e**3))*(3*a*e**2 - b*d*e - c*d**2)*log(-d**3*e*sqrt(-1/(d**5*e**3)) + x)/4 - sqrt(-1/(d**5*e**3))*(3*a*e**2 - b*d*e - c*d**2)*log(d**3*e*sqrt(-1/(d**5*e**3)) + x)/4 + (-2*a*d*e + x**2*(-3*a*e**2 + b*d*e - c*d**2))/(2*d**3*e*x + 2*d**2*e**2*x**3)`

$$3.285 \quad \int \frac{a+bx^2+cx^4}{x^4(d+ex^2)^2} dx$$

Optimal. Leaf size=106

$$\frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 - e(3bd - 5ae))}{2d^{7/2}\sqrt{e}} + \frac{x(ae^2 - bde + cd^2)}{2d^3(d + ex^2)} - \frac{bd - 2ae}{d^3x} - \frac{a}{3d^2x^3}$$

[Out] $-1/3*a/d^2/x^3+(2*a*e-b*d)/d^3/x+1/2*(a*e^2-b*d*e+c*d^2)*x/d^3/(e*x^2+d)+1/2*(c*d^2-e*(-5*a*e+3*b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(7/2)}/e^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1259, 1261, 205}

$$\frac{x(ae^2 - bde + cd^2)}{2d^3(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 - e(3bd - 5ae))}{2d^{7/2}\sqrt{e}} - \frac{bd - 2ae}{d^3x} - \frac{a}{3d^2x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^4*(d + e*x^2)^2), x]

[Out] $-a/(3*d^2*x^3) - (b*d - 2*a*e)/(d^3*x) + ((c*d^2 - b*d*e + a*e^2)*x)/(2*d^3*(d + e*x^2)) + ((c*d^2 - e*(3*b*d - 5*a*e))*\text{ArcTan}[\text{Sqrt}[e]*x/\text{Sqrt}[d]])/(2*d^{(7/2)}*\text{Sqrt}[e])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1259

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-m/2 + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m/2, 0]

Rule 1261

```
Int[((f_)*(x_))^(m_)*((d_)+(e_)*(x_)^2)^(q_)*((a_)+(b_)*(x_)^2+(c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d+e*x^2)^q*(a+b*x^2+c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2-4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{x^4(d + ex^2)^2} dx &= \frac{(cd^2 - bde + ae^2)x}{2d^3(d + ex^2)} + \frac{\int \frac{2ad^2e^2 + 2de^2(bd - ae)x^2 + e^2(cd^2 - bde + ae^2)x^4}{x^4(d + ex^2)} dx}{2d^3e^2} \\ &= \frac{(cd^2 - bde + ae^2)x}{2d^3(d + ex^2)} + \frac{\int \left(\frac{2ade^2}{x^4} - \frac{2e^2(-bd + 2ae)}{x^2} + \frac{e^2(cd^2 - e(3bd - 5ae))}{d + ex^2} \right) dx}{2d^3e^2} \\ &= -\frac{a}{3d^2x^3} - \frac{bd - 2ae}{d^3x} + \frac{(cd^2 - bde + ae^2)x}{2d^3(d + ex^2)} + \frac{(cd^2 - e(3bd - 5ae)) \int \frac{1}{d + ex^2} dx}{2d^3} \\ &= -\frac{a}{3d^2x^3} - \frac{bd - 2ae}{d^3x} + \frac{(cd^2 - bde + ae^2)x}{2d^3(d + ex^2)} + \frac{(cd^2 - e(3bd - 5ae)) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{2d^{7/2}\sqrt{e}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 105, normalized size = 0.99

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(5ae^2 - 3bde + cd^2)}{2d^{7/2}\sqrt{e}} + \frac{x(ae^2 - bde + cd^2)}{2d^3(d + ex^2)} + \frac{2ae - bd}{d^3x} - \frac{a}{3d^2x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(x^4*(d + e*x^2)^2), x]

[Out] -1/3*a/(d^2*x^3) + (-b*d) + 2*a*e)/(d^3*x) + ((c*d^2 - b*d*e + a*e^2)*x)/(2*d^3*(d + e*x^2)) + ((c*d^2 - 3*b*d*e + 5*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(7/2)*Sqrt[e])

fricas [A] time = 0.93, size = 316, normalized size = 2.98

$$\left[\frac{4ad^3e - 6(cd^3e - 3bd^2e^2 + 5ade^3)x^4 + 4(3bd^3e - 5ad^2e^2)x^2 + 3((cd^2e - 3bde^2 + 5ae^3)x^5 + (cd^3 - 3bd^2e + \dots)}{12(d^4e^2x^5 + d^5ex^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [-1/12*(4*a*d^3*e - 6*(c*d^3*e - 3*b*d^2*e^2 + 5*a*d*e^3)*x^4 + 4*(3*b*d^3*e - 5*a*d^2*e^2)*x^2 + 3*((c*d^2*e - 3*b*d*e^2 + 5*a*e^3)*x^5 + (c*d^3 - 3*b*d^2*e + 5*a*d*e^2)*x^3)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d))/(d^4*e^2*x^5 + d^5*e*x^3), -1/6*(2*a*d^3*e - 3*(c*d^3*e - 3*b*d^2*e^2 + 5*a*d*e^3)*x^4 + 2*(3*b*d^3*e - 5*a*d^2*e^2)*x^2 - 3*((c*d^2*e - 3*b*d*e^2 + 5*a*e^3)*x^5 + (c*d^3 - 3*b*d^2*e + 5*a*d*e^2)*x^3)*sqrt(d*e)*arctan(sqrt(d*e)*x/d)/(d^4*e^2*x^5 + d^5*e*x^3)]

giac [A] time = 0.26, size = 94, normalized size = 0.89

$$\frac{(cd^2 - 3bde + 5ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)}}{2d^{\frac{7}{2}}} + \frac{cd^2x - bdx + axe^2}{2(x^2e + d)d^3} - \frac{3bdx^2 - 6ax^2e + ad}{3d^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^2,x, algorithm="giac")

[Out] 1/2*(c*d^2 - 3*b*d*e + 5*a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/d^(7/2) + 1/2*(c*d^2*x - b*d*x*e + a*x*e^2)/((x^2*e + d)*d^3) - 1/3*(3*b*d*x^2 - 6*a*x^2*e + a*d)/(d^3*x^3)

maple [A] time = 0.01, size = 146, normalized size = 1.38

$$\frac{ae^2x}{2(e^2x^2 + d)d^3} + \frac{5ae^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^3} - \frac{bex}{2(e^2x^2 + d)d^2} - \frac{3be \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^2} + \frac{cx}{2(e^2x^2 + d)d} + \frac{c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d} + \frac{2ae}{d^3x} - \frac{1}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^2,x)

[Out] -1/3*a/d^2/x^3+2/d^3/x*a*e-1/d^2/x*b+1/2/d^3*x/(e*x^2+d)*a*e^2-1/2/d^2*x/(e*x^2+d)*e*b+1/2/d*x/(e*x^2+d)*c+5/2/d^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2))*e*x)*a*e^2-3/2/d^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2))*e*x)*e*b+1/2/d/(d*e)^(1/2)*arctan(1/(d*e)^(1/2))*e*x)*c

maxima [A] time = 2.39, size = 103, normalized size = 0.97

$$\frac{3(cd^2 - 3bde + 5ae^2)x^4 - 2ad^2 - 2(3bd^2 - 5ade)x^2}{6(d^3ex^5 + d^4x^3)} + \frac{(cd^2 - 3bde + 5ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^2,x, algorithm="maxima")

[Out] $\frac{1}{6} \cdot (3 \cdot (c \cdot d^2 - 3 \cdot b \cdot d \cdot e + 5 \cdot a \cdot e^2) \cdot x^4 - 2 \cdot a \cdot d^2 - 2 \cdot (3 \cdot b \cdot d^2 - 5 \cdot a \cdot d \cdot e) \cdot x^2) / (d^3 \cdot e \cdot x^5 + d^4 \cdot x^3) + \frac{1}{2} \cdot (c \cdot d^2 - 3 \cdot b \cdot d \cdot e + 5 \cdot a \cdot e^2) \cdot \arctan(e \cdot x / \sqrt{d \cdot e}) / (\sqrt{d \cdot e} \cdot d^3)$

mupad [B] time = 0.36, size = 98, normalized size = 0.92

$$\frac{\frac{x^2(5ae-3bd)}{3d^2} - \frac{a}{3d} + \frac{x^4(cd^2-3bde+5ae^2)}{2d^3}}{ex^5+dx^3} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2-3bde+5ae^2)}{2d^{7/2}\sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(x^4*(d + e*x^2)^2),x)

[Out] $((x^2 \cdot (5 \cdot a \cdot e - 3 \cdot b \cdot d)) / (3 \cdot d^2) - a / (3 \cdot d) + (x^4 \cdot (5 \cdot a \cdot e^2 + c \cdot d^2 - 3 \cdot b \cdot d \cdot e)) / (2 \cdot d^3)) / (d \cdot x^3 + e \cdot x^5) + (\operatorname{atan}((e^{1/2} \cdot x) / d^{1/2})) \cdot (5 \cdot a \cdot e^2 + c \cdot d^2 - 3 \cdot b \cdot d \cdot e) / (2 \cdot d^{7/2} \cdot e^{1/2})$

sympy [A] time = 1.53, size = 167, normalized size = 1.58

$$-\frac{\sqrt{-\frac{1}{d^7e}}(5ae^2-3bde+cd^2)\log\left(-d^4\sqrt{-\frac{1}{d^7e}}+x\right)}{4} + \frac{\sqrt{-\frac{1}{d^7e}}(5ae^2-3bde+cd^2)\log\left(d^4\sqrt{-\frac{1}{d^7e}}+x\right)}{4} + \frac{-2ad^2+x^4}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/x**4/(e*x**2+d)**2,x)

[Out] $-\operatorname{sqrt}(-1/(d**7*e)) \cdot (5 \cdot a \cdot e**2 - 3 \cdot b \cdot d \cdot e + c \cdot d**2) \cdot \log(-d**4 \cdot \operatorname{sqrt}(-1/(d**7*e)) + x) / 4 + \operatorname{sqrt}(-1/(d**7*e)) \cdot (5 \cdot a \cdot e**2 - 3 \cdot b \cdot d \cdot e + c \cdot d**2) \cdot \log(d**4 \cdot \operatorname{sqrt}(-1/(d**7*e)) + x) / 4 + (-2 \cdot a \cdot d**2 + x**4 \cdot (15 \cdot a \cdot e**2 - 9 \cdot b \cdot d \cdot e + 3 \cdot c \cdot d**2) + x**2 \cdot (10 \cdot a \cdot d \cdot e - 6 \cdot b \cdot d**2)) / (6 \cdot d**4 \cdot x**3 + 6 \cdot d**3 \cdot e \cdot x**5)$

$$3.286 \quad \int \frac{a+bx^2+cx^4}{x^6(d+ex^2)^2} dx$$

Optimal. Leaf size=136

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (3cd^2 - e(5bd - 7ae))}{2d^{9/2}} - \frac{ex(ae^2 - bde + cd^2)}{2d^4(d+ex^2)} - \frac{cd^2 - e(2bd - 3ae)}{d^4x} - \frac{bd - 2ae}{3d^3x^3} - \frac{a}{5d^2x^5}$$

[Out] $-1/5*a/d^2/x^5+1/3*(2*a*e-b*d)/d^3/x^3+(-c*d^2+e*(-3*a*e+2*b*d))/d^4/x-1/2*e*(a*e^2-b*d*e+c*d^2)*x/d^4/(e*x^2+d)-1/2*(3*c*d^2-e*(-7*a*e+5*b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})*e^{(1/2)}/d^{(9/2)}$

Rubi [A] time = 0.25, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1259, 1802, 205}

$$\frac{ex(ae^2 - bde + cd^2)}{2d^4(d+ex^2)} - \frac{cd^2 - e(2bd - 3ae)}{d^4x} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (3cd^2 - e(5bd - 7ae))}{2d^{9/2}} - \frac{bd - 2ae}{3d^3x^3} - \frac{a}{5d^2x^5}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^6*(d + e*x^2)^2), x]

[Out] $-a/(5*d^2*x^5) - (b*d - 2*a*e)/(3*d^3*x^3) - (c*d^2 - e*(2*b*d - 3*a*e))/(d^4*x) - (e*(c*d^2 - b*d*e + a*e^2)*x)/(2*d^4*(d + e*x^2)) - (\text{Sqrt}[e]*(3*c*d^2 - e*(5*b*d - 7*a*e))*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(2*d^{(9/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1259

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && ILtQ[m/2, 0]

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [-1/60*(30*(3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*x^6 + 20*(3*c*d^3 - 5*b*d^2*e + 7*a*d*e^2)*x^4 + 12*a*d^3 + 4*(5*b*d^3 - 7*a*d^2*e)*x^2 - 15*((3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*x^7 + (3*c*d^3 - 5*b*d^2*e + 7*a*d*e^2)*x^5)*sqrt(-e/d)*log((e*x^2 - 2*d*x*sqrt(-e/d) - d)/(e*x^2 + d))/(d^4*e*x^7 + d^5*x^5), -1/30*(15*(3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*x^6 + 10*(3*c*d^3 - 5*b*d^2*e + 7*a*d*e^2)*x^4 + 6*a*d^3 + 2*(5*b*d^3 - 7*a*d^2*e)*x^2 + 15*((3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*x^7 + (3*c*d^3 - 5*b*d^2*e + 7*a*d*e^2)*x^5)*sqrt(e/d)*arctan(x*sqrt(e/d))/(d^4*e*x^7 + d^5*x^5)]

giac [A] time = 0.33, size = 131, normalized size = 0.96

$$\frac{(3cd^2e - 5bde^2 + 7ae^3) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)}}{2d^{\frac{9}{2}}} - \frac{cd^2xe - bdx^2e + axe^3}{2(x^2e + d)d^4} - \frac{15cd^2x^4 - 30bdx^4e + 45ax^4e^2 + 5bd^2x^2 - 15d^4x^5}{15d^4x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^2,x, algorithm="giac")

[Out] -1/2*(3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/d^(9/2) - 1/2*(c*d^2*x*e - b*d*x*e^2 + a*x*e^3)/((x^2*e + d)*d^4) - 1/15*(15*c*d^2*x^4 - 30*b*d*x^4*e + 45*a*x^4*e^2 + 5*b*d^2*x^2 - 10*a*d*x^2*e + 3*a*d^2)/(d^4*x^5)

maple [A] time = 0.02, size = 183, normalized size = 1.35

$$\frac{ae^3x}{2(e^2x^2 + d)d^4} - \frac{7ae^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^4} + \frac{be^2x}{2(e^2x^2 + d)d^3} + \frac{5be^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^3} - \frac{cex}{2(e^2x^2 + d)d^2} - \frac{3ce \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^2,x)

[Out] -1/5*a/d^2/x^5+2/3/d^3/x^3*a*e-1/3/d^2/x^3*b-3/d^4/x*a*e^2+2/d^3/x*e*b-1/d^2/x*c-1/2*e^3/d^4*x/(e*x^2+d)*a+1/2*e^2/d^3*x/(e*x^2+d)*b-1/2*e/d^2*x/(e*x^2+d)*c-7/2*e^3/d^4/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a+5/2*e^2/d^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b-3/2*e/d^2/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c

maxima [A] time = 2.46, size = 139, normalized size = 1.02

$$\frac{15(3cd^2e - 5bde^2 + 7ae^3)x^6 + 10(3cd^3 - 5bd^2e + 7ade^2)x^4 + 6ad^3 + 2(5bd^3 - 7ad^2e)x^2 + (3cd^2e - 5bde^2 + 7ae^3)}{30(d^4ex^7 + d^5x^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^2,x, algorithm="maxima")

[Out] -1/30*(15*(3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*x^6 + 10*(3*c*d^3 - 5*b*d^2*e + 7*a*d*e^2)*x^4 + 6*a*d^3 + 2*(5*b*d^3 - 7*a*d^2*e)*x^2)/(d^4*e*x^7 + d^5*x^5) - 1/2*(3*c*d^2*e - 5*b*d*e^2 + 7*a*e^3)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*d^4)

mupad [B] time = 0.38, size = 128, normalized size = 0.94

$$\frac{\frac{a}{5d} - \frac{x^2(7ae-5bd)}{15d^2} + \frac{x^4(3cd^2-5bde+7ae^2)}{3d^3} + \frac{e x^6(3cd^2-5bde+7ae^2)}{2d^4}}{e x^7 + d x^5} - \frac{\sqrt{e} \operatorname{atan}\left(\frac{\sqrt{e} x}{\sqrt{d}}\right) (3cd^2 - 5bde + 7ae^2)}{2d^{9/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(x^6*(d + e*x^2)^2), x)

[Out] - (a/(5*d) - (x^2*(7*a*e - 5*b*d))/(15*d^2) + (x^4*(7*a*e^2 + 3*c*d^2 - 5*b*d*e))/(3*d^3) + (e*x^6*(7*a*e^2 + 3*c*d^2 - 5*b*d*e))/(2*d^4))/(d*x^5 + e*x^7) - (e^(1/2)*atan((e^(1/2)*x)/d^(1/2))*(7*a*e^2 + 3*c*d^2 - 5*b*d*e))/(2*d^(9/2))

sympy [B] time = 2.13, size = 284, normalized size = 2.09

$$\frac{\sqrt{-\frac{e}{d^9}} (7ae^2 - 5bde + 3cd^2) \log\left(-\frac{d^5 \sqrt{-\frac{e}{d^9}} (7ae^2 - 5bde + 3cd^2)}{7ae^3 - 5bde^2 + 3cd^2e} + x\right)}{4} - \frac{\sqrt{-\frac{e}{d^9}} (7ae^2 - 5bde + 3cd^2) \log\left(\frac{d^5 \sqrt{-\frac{e}{d^9}} (7ae^2 - 5bde + 3cd^2)}{7ae^3 - 5bde^2 + 3cd^2e} + x\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/x**6/(e*x**2+d)**2,x)

[Out] sqrt(-e/d**9)*(7*a*e**2 - 5*b*d*e + 3*c*d**2)*log(-d**5*sqrt(-e/d**9)*(7*a*e**2 - 5*b*d*e + 3*c*d**2)/(7*a*e**3 - 5*b*d*e**2 + 3*c*d**2*e) + x)/4 - sqrt(-e/d**9)*(7*a*e**2 - 5*b*d*e + 3*c*d**2)*log(d**5*sqrt(-e/d**9)*(7*a*e**2 - 5*b*d*e + 3*c*d**2)/(7*a*e**3 - 5*b*d*e**2 + 3*c*d**2*e) + x)/4 + (-6*a*d**3 + x**6*(-105*a*e**3 + 75*b*d*e**2 - 45*c*d**2*e) + x**4*(-70*a*d*e**2 + 50*b*d**2*e - 30*c*d**3) + x**2*(14*a*d**2*e - 10*b*d**3))/(30*d**5*x**5 + 30*d**4*e*x**7)

$$3.287 \quad \int \frac{a+bx^2+cx^4}{x^8(d+ex^2)^2} dx$$

Optimal. Leaf size=167

$$\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (5cd^2 - e(7bd - 9ae))}{2d^{11/2}} + \frac{e^2x (ae^2 - bde + cd^2)}{2d^5 (d + ex^2)} + \frac{e (2cd^2 - e(3bd - 4ae))}{d^5x} - \frac{cd^2 - e(2bd - 3ae)}{3d^4x^3} - \frac{bd}{5d^4x^5}$$

[Out] $-1/7*a/d^2/x^7+1/5*(2*a*e-b*d)/d^3/x^5+1/3*(-c*d^2+e*(-3*a*e+2*b*d))/d^4/x^3+e*(2*c*d^2-e*(-4*a*e+3*b*d))/d^5/x+1/2*e^2*(a*e^2-b*d*e+c*d^2)*x/d^5/(e*x^2+d)+1/2*e^{(3/2)}*(5*c*d^2-e*(-9*a*e+7*b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(11/2)}$

Rubi [A] time = 0.33, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1259, 1802, 205}

$$\frac{e^2x (ae^2 - bde + cd^2)}{2d^5 (d + ex^2)} + \frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (5cd^2 - e(7bd - 9ae))}{2d^{11/2}} - \frac{cd^2 - e(2bd - 3ae)}{3d^4x^3} + \frac{e (2cd^2 - e(3bd - 4ae))}{d^5x} - \frac{bd}{5d^4x^5}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^8*(d + e*x^2)^2), x]

[Out] $-a/(7*d^2*x^7) - (b*d - 2*a*e)/(5*d^3*x^5) - (c*d^2 - e*(2*b*d - 3*a*e))/(3*d^4*x^3) + (e*(2*c*d^2 - e*(3*b*d - 4*a*e)))/(d^5*x) + (e^2*(c*d^2 - b*d*e + a*e^2)*x)/(2*d^5*(d + e*x^2)) + (e^{(3/2)}*(5*c*d^2 - e*(7*b*d - 9*a*e))*\text{ArcTan}[\text{Sqrt}[e]*x/\text{Sqrt}[d]])/(2*d^{(11/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1259

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-(m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4))^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]

&& ILtQ[m/2, 0]

Rule 1802

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{x^8(d + ex^2)^2} dx &= \frac{e^2(cd^2 - bde + ae^2)x}{2d^5(d + ex^2)} + \frac{\int \frac{2ad^4e^2 + 2d^3e^2(bd - ae)x^2 + 2d^2e^2(cd^2 - bde + ae^2)x^4 - 2de^3(cd^2 - bde + ae^2)x^6 + e^4(cd^2 - bde + ae^2)x^8}{x^8(d + ex^2)} dx}{2d^5e^2} \\ &= \frac{e^2(cd^2 - bde + ae^2)x}{2d^5(d + ex^2)} + \frac{\int \left(\frac{2ad^3e^2}{x^8} + \frac{2d^2e^2(bd - 2ae)}{x^6} + \frac{2de^2(cd^2 - e(2bd - 3ae))}{x^4} + \frac{2e^3(-2cd^2 + e(3bd - 4ae))}{x^2} \right) dx}{2d^5e^2} \\ &= -\frac{a}{7d^2x^7} - \frac{bd - 2ae}{5d^3x^5} - \frac{cd^2 - e(2bd - 3ae)}{3d^4x^3} + \frac{e(2cd^2 - e(3bd - 4ae))}{d^5x} + \frac{e^2(cd^2 - bde + ae^2)}{2d^5(d + ex^2)} \\ &= -\frac{a}{7d^2x^7} - \frac{bd - 2ae}{5d^3x^5} - \frac{cd^2 - e(2bd - 3ae)}{3d^4x^3} + \frac{e(2cd^2 - e(3bd - 4ae))}{d^5x} + \frac{e^2(cd^2 - bde + ae^2)}{2d^5(d + ex^2)} \end{aligned}$$

Mathematica [A] time = 0.10, size = 166, normalized size = 0.99

$$\frac{e^{3/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) (9ae^2 - 7bde + 5cd^2)}{2d^{11/2}} + \frac{e^2x(ae^2 - bde + cd^2)}{2d^5(d + ex^2)} + \frac{e(4ae^2 - 3bde + 2cd^2)}{d^5x} + \frac{-3ae^2 + 2bde - cd^2}{3d^4x^3} + \frac{2ae^2}{5d^4x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(x^8*(d + e*x^2)^2), x]

[Out] -1/7*a/(d^2*x^7) + (-b*d) + 2*a*e)/(5*d^3*x^5) + (-c*d^2) + 2*b*d*e - 3*a*e^2)/(3*d^4*x^3) + (e*(2*c*d^2 - 3*b*d*e + 4*a*e^2))/(d^5*x) + (e^2*(c*d^2 - b*d*e + a*e^2)*x)/(2*d^5*(d + e*x^2)) + (e^(3/2)*(5*c*d^2 - 7*b*d*e + 9*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(2*d^(11/2))

fricas [A] time = 0.90, size = 436, normalized size = 2.61

$$\frac{210(5cd^2e^2 - 7bde^3 + 9ae^4)x^8 + 140(5cd^3e - 7bd^2e^2 + 9ade^3)x^6 - 60ad^4 - 28(5cd^4 - 7bd^3e + 9ad^2e^2)x^4}{420(d^5e^9 + d^6x^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^8/(e*x^2+d)^2,x, algorithm="fricas")

[Out] [1/420*(210*(5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*x^8 + 140*(5*c*d^3*e - 7*b*d^2*e^2 + 9*a*d*e^3)*x^6 - 60*a*d^4 - 28*(5*c*d^4 - 7*b*d^3*e + 9*a*d^2*e^2)*x^4 - 12*(7*b*d^4 - 9*a*d^3*e)*x^2 + 105*((5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*x^9 + (5*c*d^3*e - 7*b*d^2*e^2 + 9*a*d*e^3)*x^7)*sqrt(-e/d)*log((e*x^2 + 2*d*x*sqrt(-e/d) - d)/(e*x^2 + d)))/(d^5*e*x^9 + d^6*x^7), 1/210*(105*(5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*x^8 + 70*(5*c*d^3*e - 7*b*d^2*e^2 + 9*a*d*e^3)*x^6 - 30*a*d^4 - 14*(5*c*d^4 - 7*b*d^3*e + 9*a*d^2*e^2)*x^4 - 6*(7*b*d^4 - 9*a*d^3*e)*x^2 + 105*((5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*x^9 + (5*c*d^3*e - 7*b*d^2*e^2 + 9*a*d*e^3)*x^7)*sqrt(e/d)*arctan(x*sqrt(e/d)))/(d^5*e*x^9 + d^6*x^7)]

giac [A] time = 0.42, size = 164, normalized size = 0.98

$$\frac{(5cd^2e^2 - 7bde^3 + 9ae^4) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)}}{2d^{\frac{11}{2}}} + \frac{cd^2xe^2 - bdx^3 + axe^4}{2(x^2e + d)d^5} + \frac{210cd^2x^6e - 315bdx^6e^2 - 35cd^3x^4 + 420a^2x^6e^3 + 70bd^2x^4e - 105a^2d^2x^4e^2 - 21b^3d^3x^2 + 42a^2d^2x^2e - 15a^2d^3}{d^5x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^8/(e*x^2+d)^2,x, algorithm="giac")

[Out] 1/2*(5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/d^(11/2) + 1/2*(c*d^2*x*e^2 - b*d*x*e^3 + a*x*e^4)/((x^2*e + d)*d^5) + 1/10*5*(210*c*d^2*x^6*e - 315*b*d*x^6*e^2 - 35*c*d^3*x^4 + 420*a*x^6*e^3 + 70*b*d^2*x^4*e - 105*a^2*d^2*x^4*e^2 - 21*b^3*d^3*x^2 + 42*a^2*d^2*x^2*e - 15*a^2*d^3)/(d^5*x^7)

maple [A] time = 0.02, size = 221, normalized size = 1.32

$$\frac{ae^4x}{2(e^2x^2 + d)d^5} + \frac{9ae^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^5} - \frac{be^3x}{2(e^2x^2 + d)d^4} - \frac{7be^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^4} + \frac{ce^2x}{2(e^2x^2 + d)d^3} + \frac{5ce^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{2\sqrt{de}d^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x^8/(e*x^2+d)^2,x)`

[Out]
$$-1/7*a/d^2/x^7+2/5/d^3/x^5*a*e-1/5/d^2/x^5*b-1/d^4/x^3*a*e^2+2/3/d^3/x^3*e*b-1/3/d^2/x^3*c+4*e^3/d^5/x*a-3*e^2/d^4/x*b+2*e/d^3/x*c+1/2*e^4/d^5*x/(e*x^2+d)*a-1/2*e^3/d^4*x/(e*x^2+d)*b+1/2*e^2/d^3*x/(e*x^2+d)*c+9/2*e^4/d^5/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a-7/2*e^3/d^4/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b+5/2*e^2/d^3/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$$

maxima [A] time = 2.57, size = 174, normalized size = 1.04

$$\frac{105(5cd^2e^2 - 7bde^3 + 9ae^4)x^8 + 70(5cd^3e - 7bd^2e^2 + 9ade^3)x^6 - 30ad^4 - 14(5cd^4 - 7bd^3e + 9ad^2e^2)x^4 - 6}{210(d^5ex^9 + d^6x^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^8/(e*x^2+d)^2,x, algorithm="maxima")`

[Out]
$$1/210*(105*(5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*x^8 + 70*(5*c*d^3*e - 7*b*d^2*e^2 + 9*a*d*e^3)*x^6 - 30*a*d^4 - 14*(5*c*d^4 - 7*b*d^3*e + 9*a*d^2*e^2)*x^4 - 6*(7*b*d^4 - 9*a*d^3*e)*x^2)/(d^5*e*x^9 + d^6*x^7) + 1/2*(5*c*d^2*e^2 - 7*b*d*e^3 + 9*a*e^4)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^5)$$

mupad [B] time = 0.40, size = 156, normalized size = 0.93

$$\frac{x^2(9ae-7bd)}{35d^2} - \frac{a}{7d} - \frac{x^4(5cd^2-7bde+9ae^2)}{15d^3} + \frac{ex^6(5cd^2-7bde+9ae^2)}{3d^4} + \frac{e^2x^8(5cd^2-7bde+9ae^2)}{2d^5} + \frac{e^{3/2} \operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(5cd^2-7bde+9ae^2)}{2d^{11/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(x^8*(d + e*x^2)^2),x)`

[Out]
$$\left(\frac{x^2(9ae-7bd)}{35d^2} - \frac{a}{7d} - \frac{x^4(9ae^2+5cd^2-7bde)}{15d^3} + \frac{e^2x^6(9ae^2+5cd^2-7bde)}{3d^4} + \frac{e^2x^8(9ae^2+5cd^2-7bde)}{2d^5}\right)/(d^7+e^2x^9) + \frac{e^{3/2} \operatorname{atan}\left(\frac{e^{1/2}x}{d^{1/2}}\right)(9ae^2+5cd^2-7bde)}{2d^{11/2}}$$

sympy [B] time = 2.68, size = 328, normalized size = 1.96

$$\frac{\sqrt{-\frac{e^3}{d^{11}}}(9ae^2-7bde+5cd^2) \log\left(-\frac{d^6\sqrt{-\frac{e^3}{d^{11}}}(9ae^2-7bde+5cd^2)}{9ae^4-7bde^3+5cd^2e^2} + x\right)}{4} + \frac{\sqrt{-\frac{e^3}{d^{11}}}(9ae^2-7bde+5cd^2) \log\left(\frac{d^6\sqrt{-\frac{e^3}{d^{11}}}(9ae^2-7bde+5cd^2)}{9ae^4-7bde^3+5cd^2e^2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/x**8/(e*x**2+d)**2,x)`

```
[Out] -sqrt(-e**3/d**11)*(9*a*e**2 - 7*b*d*e + 5*c*d**2)*log(-d**6*sqrt(-e**3/d**
11)*(9*a*e**2 - 7*b*d*e + 5*c*d**2)/(9*a*e**4 - 7*b*d*e**3 + 5*c*d**2*e**2)
+ x)/4 + sqrt(-e**3/d**11)*(9*a*e**2 - 7*b*d*e + 5*c*d**2)*log(d**6*sqrt(-
e**3/d**11)*(9*a*e**2 - 7*b*d*e + 5*c*d**2)/(9*a*e**4 - 7*b*d*e**3 + 5*c*d*
*2*e**2) + x)/4 + (-30*a*d**4 + x**8*(945*a*e**4 - 735*b*d*e**3 + 525*c*d**
2*e**2) + x**6*(630*a*d*e**3 - 490*b*d**2*e**2 + 350*c*d**3*e) + x**4*(-126
*a*d**2*e**2 + 98*b*d**3*e - 70*c*d**4) + x**2*(54*a*d**3*e - 42*b*d**4))/(
210*d**6*x**7 + 210*d**5*e*x**9)
```

$$3.288 \quad \int \frac{x^6(a+bx^2+cx^4)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=173

$$\frac{dx(17cd^2 - e(13bd - 9ae))}{8e^5(d+ex^2)} + \frac{x(6cd^2 - e(3bd - ae))}{e^5} - \frac{\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(15ae^2 - 35bde + 63cd^2)}{8e^{11/2}} - \frac{d^2x(ae^2 - bde + cd^2)}{4e^5(d+ex^2)^2}$$

[Out] (6*c*d^2-e*(-a*e+3*b*d))*x/e^5-1/3*(-b*e+3*c*d)*x^3/e^4+1/5*c*x^5/e^3-1/4*d^2*(a*e^2-b*d*e+c*d^2)*x/e^5/(e*x^2+d)^2+1/8*d*(17*c*d^2-e*(-9*a*e+13*b*d))*x/e^5/(e*x^2+d)-1/8*(15*a*e^2-35*b*d*e+63*c*d^2)*arctan(x*e^(1/2)/d^(1/2))*d^(1/2)/e^(11/2)

Rubi [A] time = 0.32, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1257, 1814, 1810, 205}

$$\frac{dx(17cd^2 - e(13bd - 9ae))}{8e^5(d+ex^2)} - \frac{d^2x(ae^2 - bde + cd^2)}{4e^5(d+ex^2)^2} + \frac{x(6cd^2 - e(3bd - ae))}{e^5} - \frac{\sqrt{d} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(15ae^2 - 35bde + 63cd^2)}{8e^{11/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x]

[Out] ((6*c*d^2 - e*(3*b*d - a*e))*x)/e^5 - ((3*c*d - b*e)*x^3)/(3*e^4) + (c*x^5)/(5*e^3) - (d^2*(c*d^2 - b*d*e + a*e^2)*x)/(4*e^5*(d + e*x^2)^2) + (d*(17*c*d^2 - e*(13*b*d - 9*a*e))*x)/(8*e^5*(d + e*x^2)) - (Sqrt[d]*(63*c*d^2 - 35*b*d*e + 15*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*e^(11/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1257

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1)/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[1/(2*e^(2*p + m/2)*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*e^(2*p + m/2)*(q + 1)*x^m*(a + b*x^2 + c*x^4)^p - (-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}

, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m/2, 0]

Rule 1810

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1814

Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]

Rubi steps

$$\begin{aligned}
 \int \frac{x^6 (a + bx^2 + cx^4)}{(d + ex^2)^3} dx &= -\frac{d^2 (cd^2 - bde + ae^2) x}{4e^5 (d + ex^2)^2} - \frac{\int \frac{-d^2(cd^2 - bde + ae^2) + 4de(cd^2 - bde + ae^2)x^2 - 4e^2(cd^2 - bde + ae^2)x^4 + 4e^3(cd - bde + ae^2)x^6}{(d + ex^2)^2} dx}{4e^5} \\
 &= -\frac{d^2 (cd^2 - bde + ae^2) x}{4e^5 (d + ex^2)^2} + \frac{d (17cd^2 - e(13bd - 9ae)) x}{8e^5 (d + ex^2)} + \frac{\int \frac{-d^2(15cd^2 - e(11bd - 7ae)) + 8de(3cd^2 - bde + ae^2)x^2 - 8e^2(3cd - bde + ae^2)x^4 + 8e^3(3cd - bde + ae^2)x^6}{(d + ex^2)^2} dx}{8e^5} \\
 &= -\frac{d^2 (cd^2 - bde + ae^2) x}{4e^5 (d + ex^2)^2} + \frac{d (17cd^2 - e(13bd - 9ae)) x}{8e^5 (d + ex^2)} + \frac{\int (8d (6cd^2 - e(3bd - ae))}{8e^5} \\
 &= \frac{(6cd^2 - e(3bd - ae)) x}{e^5} - \frac{(3cd - be)x^3}{3e^4} + \frac{cx^5}{5e^3} - \frac{d^2 (cd^2 - bde + ae^2) x}{4e^5 (d + ex^2)^2} + \frac{d (17cd^2 - e(13bd - 9ae)) x}{8e^5} \\
 &= \frac{(6cd^2 - e(3bd - ae)) x}{e^5} - \frac{(3cd - be)x^3}{3e^4} + \frac{cx^5}{5e^3} - \frac{d^2 (cd^2 - bde + ae^2) x}{4e^5 (d + ex^2)^2} + \frac{d (17cd^2 - e(13bd - 9ae)) x}{8e^5}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 170, normalized size = 0.98

$$\frac{x (de(9ae - 13bd) + 17cd^3)}{8e^5 (d + ex^2)} - \frac{\sqrt{d} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (5e(3ae - 7bd) + 63cd^2)}{8e^{11/2}} + \frac{x (e(ae - 3bd) + 6cd^2)}{e^5} - \frac{x (d^2e(ae - bd))}{4e^5 (d + ex^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x]

[Out] ((6*c*d^2 + e*(-3*b*d + a*e))*x)/e^5 + ((-3*c*d + b*e)*x^3)/(3*e^4) + (c*x^5)/(5*e^3) - ((c*d^4 + d^2*e*(-(b*d) + a*e))*x)/(4*e^5*(d + e*x^2)^2) + ((17*c*d^3 + d*e*(-13*b*d + 9*a*e))*x)/(8*e^5*(d + e*x^2)) - (Sqrt[d]*(63*c*d^2 + 5*e*(-7*b*d + 3*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*e^(11/2))

fricas [A] time = 0.97, size = 504, normalized size = 2.91

$$\frac{48ce^4x^9 - 16(9cde^3 - 5be^4)x^7 + 16(63cd^2e^2 - 35bde^3 + 15ae^4)x^5 + 50(63cd^3e - 35bd^2e^2 + 15ade^3)x^3 + 15(63cd^4 - 35bd^3e + 15ad^2e^2 + (63cd^2e^2 - 35bd^2e^3 + 15ae^4))x^2 + 2(63cd^3e - 35bd^2e^2 + 15ad^2e^3)x + 15(63cd^4 - 35bd^3e + 15ad^2e^2 + (63cd^2e^2 - 35bd^2e^3 + 15ae^4))}{8\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [1/240*(48*c*e^4*x^9 - 16*(9*c*d*e^3 - 5*b*e^4)*x^7 + 16*(63*c*d^2*e^2 - 35*b*d*e^3 + 15*a*e^4)*x^5 + 50*(63*c*d^3*e - 35*b*d^2*e^2 + 15*a*d*e^3)*x^3 + 15*(63*c*d^4 - 35*b*d^3*e + 15*a*d^2*e^2 + (63*c*d^2*e^2 - 35*b*d^2*e^3 + 15*a*e^4))*x^2 + 2*(63*c*d^3*e - 35*b*d^2*e^2 + 15*a*d*e^3)*x)*sqrt(-d/e)*log((e*x^2 - 2*e*x*sqrt(-d/e) - d)/(e*x^2 + d)) + 30*(63*c*d^4 - 35*b*d^3*e + 15*a*d^2*e^2)*x)/(e^7*x^4 + 2*d*e^6*x^2 + d^2*e^5), 1/120*(24*c*e^4*x^9 - 8*(9*c*d*e^3 - 5*b*e^4)*x^7 + 8*(63*c*d^2*e^2 - 35*b*d^2*e^3 + 15*a*e^4)*x^5 + 25*(63*c*d^3*e - 35*b*d^2*e^2 + 15*a*d^2*e^3)*x^3 - 15*(63*c*d^4 - 35*b*d^3*e + 15*a*d^2*e^2 + (63*c*d^2*e^2 - 35*b*d^2*e^3 + 15*a*e^4))*x^2 + 2*(63*c*d^3*e - 35*b*d^2*e^2 + 15*a*d^2*e^3)*x)*sqrt(d/e)*arctan(e*x*sqrt(d/e)/d) + 15*(63*c*d^4 - 35*b*d^3*e + 15*a*d^2*e^2)*x)/(e^7*x^4 + 2*d*e^6*x^2 + d^2*e^5)]

giac [A] time = 0.36, size = 160, normalized size = 0.92

$$-\frac{(63cd^3 - 35bd^2e + 15ade^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{11}{2}\right)}}{8\sqrt{d}} + \frac{1}{15} (3cx^5e^{12} - 15cdx^3e^{11} + 5bx^3e^{12} + 90cd^2xe^{10} - 45bdxe^{11})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="giac")

[Out] -1/8*(63*c*d^3 - 35*b*d^2*e + 15*a*d^2*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-11/2)/sqrt(d) + 1/15*(3*c*x^5*e^12 - 15*c*d*x^3*e^11 + 5*b*x^3*e^12 + 90*c*d^2

$$*x*e^{10} - 45*b*d*x*e^{11} + 15*a*x*e^{12})*e^{-15} + 1/8*(17*c*d^3*x^3*e - 13*b*d^2*x^3*e^2 + 15*c*d^4*x + 9*a*d*x^3*e^3 - 11*b*d^3*x*e + 7*a*d^2*x*e^2)*e^{-5}/(x^2*e + d)^2$$

maple [A] time = 0.02, size = 239, normalized size = 1.38

$$\frac{9ad^3x^3}{8(e^2x^2 + d)^2 e^2} - \frac{13bd^2x^3}{8(e^2x^2 + d)^2 e^3} + \frac{17cd^3x^3}{8(e^2x^2 + d)^2 e^4} + \frac{cx^5}{5e^3} + \frac{7ad^2x}{8(e^2x^2 + d)^2 e^3} - \frac{11bd^3x}{8(e^2x^2 + d)^2 e^4} + \frac{bx^3}{3e^3} + \frac{15cd^4x}{8(e^2x^2 + d)^2 e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x)

[Out] 1/5*c*x^5/e^3+1/3/e^3*x^3*b-1/e^4*x^3*c*d+1/e^3*a*x-3/e^4*d*b*x+6/e^5*c*d^2*x+9/8*d/e^2/(e*x^2+d)^2*x^3*a-13/8*d^2/e^3/(e*x^2+d)^2*x^3*b+17/8*d^3/e^4/(e*x^2+d)^2*x^3*c+7/8*d^2/e^3/(e*x^2+d)^2*a*x-11/8*d^3/e^4/(e*x^2+d)^2*b*x+15/8*d^4/e^5/(e*x^2+d)^2*c*x-15/8*d/e^3/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*a+35/8*d^2/e^4/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*b-63/8*d^3/e^5/(d*e)^(1/2)*arctan(1/(d*e)^(1/2)*e*x)*c

maxima [A] time = 2.47, size = 175, normalized size = 1.01

$$\frac{(17cd^3e - 13bd^2e^2 + 9ade^3)x^3 + (15cd^4 - 11bd^3e + 7ad^2e^2)x}{8(e^7x^4 + 2de^6x^2 + d^2e^5)} - \frac{(63cd^3 - 35bd^2e + 15ade^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de}e^5} + 3c$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="maxima")

[Out] 1/8*((17*c*d^3*e - 13*b*d^2*e^2 + 9*a*d*e^3)*x^3 + (15*c*d^4 - 11*b*d^3*e + 7*a*d^2*e^2)*x)/(e^7*x^4 + 2*d*e^6*x^2 + d^2*e^5) - 1/8*(63*c*d^3 - 35*b*d^2*e + 15*a*d*e^2)*arctan(e*x/sqrt(d*e))/(sqrt(d*e)*e^5) + 1/15*(3*c*e^2*x^5 - 5*(3*c*d*e - b*e^2)*x^3 + 15*(6*c*d^2 - 3*b*d*e + a*e^2)*x)/e^5

mupad [B] time = 0.35, size = 223, normalized size = 1.29

$$x^3 \left(\frac{b}{3e^3} - \frac{cd}{e^4} \right) - x \left(\frac{3cd^2}{e^5} - \frac{a}{e^3} + \frac{3d \left(\frac{b}{e^3} - \frac{3cd}{e^4} \right)}{e} \right) + \frac{\left(\frac{17cd^3e}{8} - \frac{13bd^2e^2}{8} + \frac{9ade^3}{8} \right) x^3 + \left(\frac{15cd^4}{8} - \frac{11bd^3e}{8} + \frac{7ad^2e^2}{8} \right) x}{d^2e^5 + 2de^6x^2 + e^7x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^6*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x)

```
[Out] x^3*(b/(3*e^3) - (c*d)/e^4) - x*((3*c*d^2)/e^5 - a/e^3 + (3*d*(b/e^3 - (3*c*d)/e^4))/e) + (x^3*((9*a*d*e^3)/8 - (13*b*d^2*e^2)/8 + (17*c*d^3*e)/8) + x*((15*c*d^4)/8 + (7*a*d^2*e^2)/8 - (11*b*d^3*e)/8))/(d^2*e^5 + e^7*x^4 + 2*d*e^6*x^2) + (c*x^5)/(5*e^3) - (d^(1/2)*atan((d^(1/2)*e^(1/2)*x*(15*a*e^2 + 63*c*d^2 - 35*b*d*e))/(63*c*d^3 + 15*a*d*e^2 - 35*b*d^2*e))*(15*a*e^2 + 63*c*d^2 - 35*b*d*e))/(8*e^(11/2))
```

sympy [A] time = 3.58, size = 235, normalized size = 1.36

$$\frac{cx^5}{5e^3} + x^3 \left(\frac{b}{3e^3} - \frac{cd}{e^4} \right) + x \left(\frac{a}{e^3} - \frac{3bd}{e^4} + \frac{6cd^2}{e^5} \right) + \frac{\sqrt{-\frac{d}{e^{11}}} (15ae^2 - 35bde + 63cd^2) \log \left(-e^5 \sqrt{-\frac{d}{e^{11}}} + x \right) - \sqrt{-\frac{d}{e^{11}}} (15ae^2 - 35bde + 63cd^2)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(c*x**4+b*x**2+a)/(e*x**2+d)**3,x)
```

```
[Out] c*x**5/(5*e**3) + x**3*(b/(3*e**3) - c*d/e**4) + x*(a/e**3 - 3*b*d/e**4 + 6*c*d**2/e**5) + sqrt(-d/e**11)*(15*a*e**2 - 35*b*d*e + 63*c*d**2)*log(-e**5*sqrt(-d/e**11) + x)/16 - sqrt(-d/e**11)*(15*a*e**2 - 35*b*d*e + 63*c*d**2)*log(e**5*sqrt(-d/e**11) + x)/16 + (x**3*(9*a*d*e**3 - 13*b*d**2*e**2 + 17*c*d**3*e) + x*(7*a*d**2*e**2 - 11*b*d**3*e + 15*c*d**4))/(8*d**2*e**5 + 16*d*e**6*x**2 + 8*e**7*x**4)
```


$$3.289 \quad \int \frac{x^4(a+bx^2+cx^4)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=143

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(35cd^2 - 3e(5bd - ae))}{8\sqrt{d}e^{9/2}} - \frac{x(13cd^2 - e(9bd - 5ae))}{8e^4(d+ex^2)} + \frac{dx(ae^2 - bde + cd^2)}{4e^4(d+ex^2)^2} - \frac{x(3cd - be)}{e^4} + \frac{cx^3}{3e^3}$$

[Out] $-(b*e+3*c*d)*x/e^4+1/3*c*x^3/e^3+1/4*d*(a*e^2-b*d*e+c*d^2)*x/e^4/(e*x^2+d)^2-1/8*(13*c*d^2-e*(-5*a*e+9*b*d))*x/e^4/(e*x^2+d)+1/8*(35*c*d^2-3*e*(-a*e+5*b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(9/2)}/d^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1257, 1814, 1153, 205}

$$\frac{x(13cd^2 - e(9bd - 5ae))}{8e^4(d+ex^2)} + \frac{dx(ae^2 - bde + cd^2)}{4e^4(d+ex^2)^2} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(35cd^2 - 3e(5bd - ae))}{8\sqrt{d}e^{9/2}} - \frac{x(3cd - be)}{e^4} + \frac{cx^3}{3e^3}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x]

[Out] $-(((3*c*d - b*e)*x)/e^4 + (c*x^3)/(3*e^3) + (d*(c*d^2 - b*d*e + a*e^2)*x)/(4*e^4*(d + e*x^2)^2) - ((13*c*d^2 - e*(9*b*d - 5*a*e))*x)/(8*e^4*(d + e*x^2)) + ((35*c*d^2 - 3*e*(5*b*d - a*e))*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*\text{Sqrt}[d]*e^{(9/2)})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1153

Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rule 1257

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[1/(2*e^(2*p + m/2)*(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*e^(2*p + m/2)*(q + 1)*x^m*(a + b*x^2 + c*x^4)^p - (-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*(d + e*(2*q + 3)*x^2)))/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m/2, 0]
```

Rule 1814

```
Int[(Pq_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(a + b*x^2)^(p + 1)*ExpandToSum[2*a*(p + 1)*Q + f*(2*p + 3), x], x], x] /; FreeQ[{a, b}, x] && PolyQ[Pq, x] && LtQ[p, -1]
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^4 (a + bx^2 + cx^4)}{(d + ex^2)^3} dx &= \frac{d (cd^2 - bde + ae^2) x}{4e^4 (d + ex^2)^2} - \frac{\int \frac{d(cd^2 - bde + ae^2) - 4e(cd^2 - bde + ae^2)x^2 + 4e^2(cd - be)x^4 - 4ce^3x^6}{(d + ex^2)^2} dx}{4e^4} \\
 &= \frac{d (cd^2 - bde + ae^2) x}{4e^4 (d + ex^2)^2} - \frac{(13cd^2 - e(9bd - 5ae)) x}{8e^4 (d + ex^2)} + \frac{\int \frac{d(11cd^2 - e(7bd - 3ae)) - 8de(2cd - be)x^2 + 8cd^3}{d + ex^2} dx}{8de^4} \\
 &= \frac{d (cd^2 - bde + ae^2) x}{4e^4 (d + ex^2)^2} - \frac{(13cd^2 - e(9bd - 5ae)) x}{8e^4 (d + ex^2)} + \frac{\int (-8d(3cd - be) + 8cdex^2 + \frac{35cd^3}{d + ex^2}) dx}{8de^4} \\
 &= -\frac{(3cd - be)x}{e^4} + \frac{cx^3}{3e^3} + \frac{d (cd^2 - bde + ae^2) x}{4e^4 (d + ex^2)^2} - \frac{(13cd^2 - e(9bd - 5ae)) x}{8e^4 (d + ex^2)} + \frac{(35cd^2 - 3e^2cd^2)}{8de^4} \\
 &= -\frac{(3cd - be)x}{e^4} + \frac{cx^3}{3e^3} + \frac{d (cd^2 - bde + ae^2) x}{4e^4 (d + ex^2)^2} - \frac{(13cd^2 - e(9bd - 5ae)) x}{8e^4 (d + ex^2)} + \frac{(35cd^2 - 3e^2cd^2)}{8de^4}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 141, normalized size = 0.99

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3ae^2 - 15bde + 35cd^2)}{8\sqrt{d}e^{9/2}} - \frac{x(5ae^2 - 9bde + 13cd^2)}{8e^4(d + ex^2)} + \frac{x(ade^2 - bd^2e + cd^3)}{4e^4(d + ex^2)^2} + \frac{x(be - 3cd)}{e^4} + \frac{cx^3}{3e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x]

[Out] ((-3*c*d + b*e)*x)/e^4 + (c*x^3)/(3*e^3) + ((c*d^3 - b*d^2*e + a*d*e^2)*x)/(4*e^4*(d + e*x^2)^2) - ((13*c*d^2 - 9*b*d*e + 5*a*e^2)*x)/(8*e^4*(d + e*x^2)) + ((35*c*d^2 - 15*b*d*e + 3*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*Sqrt[d]*e^(9/2))

fricas [A] time = 0.68, size = 462, normalized size = 3.23

$$\left[\frac{16cde^4x^7 - 16(7cd^2e^3 - 3bde^4)x^5 - 10(35cd^3e^2 - 15bd^2e^3 + 3ade^4)x^3 - 3(35cd^4 - 15bd^3e + 3ad^2e^2 + (35cd^5 - 15bd^4e + 3ad^3e^2)x)}{48(d^7x^4 + 2d^2e^6x^2 + d^3e^5)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [1/48*(16*c*d*e^4*x^7 - 16*(7*c*d^2*e^3 - 3*b*d*e^4)*x^5 - 10*(35*c*d^3*e^2 - 15*b*d^2*e^3 + 3*a*d*e^4)*x^3 - 3*(35*c*d^4 - 15*b*d^3*e + 3*a*d^2*e^2 + (35*c*d^5 - 15*b*d^4*e + 3*a*d^3*e^2)*x)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)) - 6*(35*c*d^4*e - 15*b*d^3*e^2 + 3*a*d^2*e^3)*x)/(d*e^7*x^4 + 2*d^2*e^6*x^2 + d^3*e^5), 1/24*(8*c*d*e^4*x^7 - 8*(7*c*d^2*e^3 - 3*b*d*e^4)*x^5 - 5*(35*c*d^3*e^2 - 15*b*d^2*e^3 + 3*a*d*e^4)*x^3 + 3*(35*c*d^4 - 15*b*d^3*e + 3*a*d^2*e^2 + (35*c*d^5 - 15*b*d^4*e + 3*a*d^3*e^2)*x)*sqrt(d*e)*arctan(sqrt(d*e)*x/d) - 3*(35*c*d^4*e - 15*b*d^3*e^2 + 3*a*d^2*e^3)*x)/(d*e^7*x^4 + 2*d^2*e^6*x^2 + d^3*e^5)]

giac [A] time = 0.47, size = 125, normalized size = 0.87

$$\frac{(35cd^2 - 15bde + 3ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{9}{2}\right)}}{8\sqrt{d}} + \frac{1}{3} (cx^3e^6 - 9cdxe^5 + 3bx^6e^6) e^{(-9)} - \frac{(13cd^2x^3e - 9bdx^3e^2 + 11cd^3x^4)}{8(x^2 + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="giac")

[Out] $\frac{1}{8}*(35*c*d^2 - 15*b*d*e + 3*a*e^2)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-9/2)}/\sqrt{d} + \frac{1}{3}*(c*x^3*e^6 - 9*c*d*x*e^5 + 3*b*x*e^6)*e^{(-9)} - \frac{1}{8}*(13*c*d^2*x^3*e - 9*b*d*x^3*e^2 + 11*c*d^3*x + 5*a*x^3*e^3 - 7*b*d^2*x*e + 3*a*d*x*e^2)*e^{(-4)}/(x^2*e + d)^2$

maple [A] time = 0.01, size = 202, normalized size = 1.41

$$-\frac{5ax^3}{8(e^2x^2+d)^2} + \frac{9bdx^3}{8(e^2x^2+d)^2} - \frac{13cd^2x^3}{8(e^2x^2+d)^2} - \frac{3adx}{8(e^2x^2+d)^2} + \frac{7bd^2x}{8(e^2x^2+d)^2} - \frac{11cd^3x}{8(e^2x^2+d)^2} + \frac{cx^3}{3e^3} + \frac{3a}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x)$

[Out] $\frac{1}{3}*c*x^3/e^3 + \frac{1}{e^3}*b*x - \frac{3}{e^4}*c*d*x - \frac{5}{8}*e/(e*x^2+d)^2*x^3*a + \frac{9}{8}*e^2/(e*x^2+d)^2*x^3*b*d - \frac{13}{8}*e^3/(e*x^2+d)^2*x^3*c*d^2 - \frac{3}{8}*e^2/(e*x^2+d)^2*a*d*x + \frac{7}{8}*e^3/(e*x^2+d)^2*d^2*b*x - \frac{11}{8}*e^4/(e*x^2+d)^2*c*d^3*x + \frac{3}{8}*e^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a - \frac{15}{8}*e^3/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*d*b + \frac{35}{8}*e^4/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c*d^2$

maxima [A] time = 2.51, size = 139, normalized size = 0.97

$$-\frac{(13cd^2e - 9bde^2 + 5ae^3)x^3 + (11cd^3 - 7bd^2e + 3ade^2)x}{8(e^6x^4 + 2de^5x^2 + d^2e^4)} + \frac{(35cd^2 - 15bde + 3ae^2)\arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de}e^4} + \frac{cex^3 - 3(3a)}{3e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^4*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, \text{algorithm}="maxima")$

[Out] $-\frac{1}{8}*((13*c*d^2*e - 9*b*d*e^2 + 5*a*e^3)*x^3 + (11*c*d^3 - 7*b*d^2*e + 3*a*d*e^2)*x)/(e^6*x^4 + 2*d*e^5*x^2 + d^2*e^4) + \frac{1}{8}*(35*c*d^2 - 15*b*d*e + 3*a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*e^4) + \frac{1}{3}*(c*e*x^3 - 3*(3*c*d - b*e)*x)/e^4$

mupad [B] time = 0.34, size = 137, normalized size = 0.96

$$x \left(\frac{b}{e^3} - \frac{3cd}{e^4} \right) - \frac{\left(\frac{13cd^2e}{8} - \frac{9bde^2}{8} + \frac{5ae^3}{8} \right) x^3 + \left(\frac{11cd^3}{8} - \frac{7bd^2e}{8} + \frac{3ade^2}{8} \right) x}{d^2e^4 + 2de^5x^2 + e^6x^4} + \frac{cx^3}{3e^3} + \frac{\text{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(35cd^2 - 15bde + 3ae^2)}{8\sqrt{d}e^{9/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^4*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x)$

```
[Out] x*(b/e^3 - (3*c*d)/e^4) - (x*((11*c*d^3)/8 + (3*a*d*e^2)/8 - (7*b*d^2*e)/8)
+ x^3*((5*a*e^3)/8 - (9*b*d*e^2)/8 + (13*c*d^2*e)/8)/(d^2*e^4 + e^6*x^4 +
2*d*e^5*x^2) + (c*x^3)/(3*e^3) + (atan((e^(1/2)*x)/d^(1/2))*(3*a*e^2 + 35*
c*d^2 - 15*b*d*e))/(8*d^(1/2)*e^(9/2))
```

sympy [A] time = 3.37, size = 212, normalized size = 1.48

$$\frac{cx^3}{3e^3} + x \left(\frac{b}{e^3} - \frac{3cd}{e^4} \right) - \frac{\sqrt{-\frac{1}{de^9}} (3ae^2 - 15bde + 35cd^2) \log \left(-de^4 \sqrt{-\frac{1}{de^9}} + x \right)}{16} + \frac{\sqrt{-\frac{1}{de^9}} (3ae^2 - 15bde + 35cd^2) \log \left(de^4 \sqrt{-\frac{1}{de^9}} + x \right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(c*x**4+b*x**2+a)/(e*x**2+d)**3,x)
```

```
[Out] c*x**3/(3*e**3) + x*(b/e**3 - 3*c*d/e**4) - sqrt(-1/(d*e**9))*(3*a*e**2 - 1
5*b*d*e + 35*c*d**2)*log(-d*e**4*sqrt(-1/(d*e**9)) + x)/16 + sqrt(-1/(d*e**
9))*(3*a*e**2 - 15*b*d*e + 35*c*d**2)*log(d*e**4*sqrt(-1/(d*e**9)) + x)/16
+ (x**3*(-5*a*e**3 + 9*b*d*e**2 - 13*c*d**2*e) + x*(-3*a*d*e**2 + 7*b*d**2*
e - 11*c*d**3))/(8*d**2*e**4 + 16*d*e**5*x**2 + 8*e**6*x**4)
```

$$3.290 \quad \int \frac{x^2(a+bx^2+cx^4)}{(d+ex^2)^3} dx$$

Optimal. Leaf size=124

$$\frac{x(9cd^2 - e(5bd - ae))}{8de^3(d + ex^2)} - \frac{x(ae^2 - bde + cd^2)}{4e^3(d + ex^2)^2} - \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(15cd^2 - e(ae + 3bd))}{8d^{3/2}e^{7/2}} + \frac{cx}{e^3}$$

[Out] $c*x/e^3 - 1/4*(a*e^2 - b*d*e + c*d^2)*x/e^3/(e*x^2 + d)^2 + 1/8*(9*c*d^2 - e*(-a*e + 5*b*d))*x/d/e^3/(e*x^2 + d) - 1/8*(15*c*d^2 - e*(a*e + 3*b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/e^{(7/2)}$

Rubi [A] time = 0.14, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1257, 1157, 388, 205}

$$\frac{x(9cd^2 - e(5bd - ae))}{8de^3(d + ex^2)} - \frac{x(ae^2 - bde + cd^2)}{4e^3(d + ex^2)^2} - \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(15cd^2 - e(ae + 3bd))}{8d^{3/2}e^{7/2}} + \frac{cx}{e^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*(a + b*x^2 + c*x^4))/(d + e*x^2)^3, x]$

[Out] $(c*x)/e^3 - ((c*d^2 - b*d*e + a*e^2)*x)/(4*e^3*(d + e*x^2)^2) + ((9*c*d^2 - e*(5*b*d - a*e))*x)/(8*d*e^3*(d + e*x^2)) - ((15*c*d^2 - e*(3*b*d + a*e))*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*d^{(3/2)}*e^{(7/2)})$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 388

$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}*((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(d*x*(a + b*x^n)^{(p+1)})/(b*(n*(p+1)+1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1)+1))/(b*(n*(p+1)+1)), \text{Int}[(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n*(p+1)+1, 0]$

Rule 1157

$\text{Int}[(d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{With}\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, d + e*x^2]$

```
, x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x
, 0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rule 1257

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] :> Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d
+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[1/(2*e^(2*p + m/2)*
(q + 1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*e^(2*p + m/2)*
(q + 1)*x^m*(a + b*x^2 + c*x^4)^p - (-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^
p*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}
, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1] && IGtQ[m/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (a + bx^2 + cx^4)}{(d + ex^2)^3} dx &= -\frac{(cd^2 - bde + ae^2)x}{4e^3 (d + ex^2)^2} - \frac{\int \frac{-cd^2 + bde - ae^2 + 4e(cd - be)x^2 - 4ce^2x^4}{(d + ex^2)^2} dx}{4e^3} \\ &= -\frac{(cd^2 - bde + ae^2)x}{4e^3 (d + ex^2)^2} + \frac{(9cd^2 - e(5bd - ae))x}{8de^3 (d + ex^2)} + \frac{\int \frac{-7cd^2 + e(3bd + ae) + 8cdex^2}{d + ex^2} dx}{8de^3} \\ &= \frac{cx}{e^3} - \frac{(cd^2 - bde + ae^2)x}{4e^3 (d + ex^2)^2} + \frac{(9cd^2 - e(5bd - ae))x}{8de^3 (d + ex^2)} - \frac{(15cd^2 - e(3bd + ae)) \int \frac{1}{d + ex^2} dx}{8de^3} \\ &= \frac{cx}{e^3} - \frac{(cd^2 - bde + ae^2)x}{4e^3 (d + ex^2)^2} + \frac{(9cd^2 - e(5bd - ae))x}{8de^3 (d + ex^2)} - \frac{(15cd^2 - e(3bd + ae)) \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{8d^{3/2}e^{7/2}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 122, normalized size = 0.98

$$\frac{x(ae^2 - 5bde + 9cd^2)}{8de^3 (d + ex^2)} - \frac{x(ae^2 - bde + cd^2)}{4e^3 (d + ex^2)^2} - \frac{\tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right) (-ae^2 - 3bde + 15cd^2)}{8d^{3/2}e^{7/2}} + \frac{cx}{e^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^2*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x]
```


[In] `int(x^2*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x)`

[Out] $c*x/e^3+1/8/(e*x^2+d)^2/d*x^3*a-5/8/e/(e*x^2+d)^2*x^3*b+9/8/e^2/(e*x^2+d)^2*x^3*c*d-1/8/e/(e*x^2+d)^2*a*x-3/8/e^2/(e*x^2+d)^2*d*b*x+7/8/e^3/(e*x^2+d)^2*c*d^2*x+1/8/e/d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a+3/8/e^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b-15/8/e^3*d/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.46, size = 126, normalized size = 1.02

$$\frac{(9cd^2e - 5bde^2 + ae^3)x^3 + (7cd^3 - 3bde^2 - ade^2)x}{8(de^5x^4 + 2d^2e^4x^2 + d^3e^3)} + \frac{cx}{e^3} - \frac{(15cd^2 - 3bde - ae^2)\arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de}de^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="maxima")`

[Out] $1/8*((9*c*d^2*e - 5*b*d*e^2 + a*e^3)*x^3 + (7*c*d^3 - 3*b*d^2*e - a*d*e^2)*x)/(d*e^5*x^4 + 2*d^2*e^4*x^2 + d^3*e^3) + c*x/e^3 - 1/8*(15*c*d^2 - 3*b*d*e - a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d*e^3)$

mupad [B] time = 0.39, size = 118, normalized size = 0.95

$$\frac{cx}{e^3} - \frac{x\left(-\frac{7cd^2}{8} + \frac{3bde}{8} + \frac{ae^2}{8}\right) - \frac{x^3(9cd^2e - 5bde^2 + ae^3)}{8d}}{d^2e^3 + 2de^4x^2 + e^5x^4} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(-15cd^2 + 3bde + ae^2)}{8d^{3/2}e^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^2*(a + b*x^2 + c*x^4))/(d + e*x^2)^3,x)`

[Out] $(c*x)/e^3 - (x*((a*e^2)/8 - (7*c*d^2)/8 + (3*b*d*e)/8) - (x^3*(a*e^3 - 5*b*d*e^2 + 9*c*d^2*e))/(8*d))/(d^2*e^3 + e^5*x^4 + 2*d*e^4*x^2) + (\operatorname{atan}((e^{(1/2)}*x)/d^{(1/2)})*(a*e^2 - 15*c*d^2 + 3*b*d*e))/(8*d^{(3/2)}*e^{(7/2)})$

sympy [A] time = 2.62, size = 201, normalized size = 1.62

$$\frac{cx}{e^3} - \frac{\sqrt{-\frac{1}{d^3e^7}}(ae^2 + 3bde - 15cd^2)\log\left(-d^2e^3\sqrt{-\frac{1}{d^3e^7}} + x\right)}{16} + \frac{\sqrt{-\frac{1}{d^3e^7}}(ae^2 + 3bde - 15cd^2)\log\left(d^2e^3\sqrt{-\frac{1}{d^3e^7}} + x\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(c*x**4+b*x**2+a)/(e*x**2+d)**3,x)`

[Out] $c*x/e**3 - \sqrt{-1/(d**3*e**7)}*(a*e**2 + 3*b*d*e - 15*c*d**2)*\log(-d**2*e**3*\sqrt{-1/(d**3*e**7)} + x)/16 + \sqrt{-1/(d**3*e**7)}*(a*e**2 + 3*b*d*e -$

$$15*c*d**2)*\log(d**2*e**3*\sqrt{-1/(d**3*e**7)} + x)/16 + (x**3*(a*e**3 - 5*b*d*e**2 + 9*c*d**2*e) + x*(-a*d*e**2 - 3*b*d**2*e + 7*c*d**3))/(8*d**3*e**3 + 16*d**2*e**4*x**2 + 8*d*e**5*x**4)$$

$$3.291 \quad \int \frac{a+bx^2+cx^4}{(d+ex^2)^3} dx$$

Optimal. Leaf size=115

$$-\frac{x(5cd^2 - e(3ae + bd))}{8d^2e^2(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(e(3ae + bd) + 3cd^2)}{8d^{5/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{4d(d + ex^2)^2}$$

[Out] 1/4*(a+d*(-b*e+c*d)/e^2)*x/d/(e*x^2+d)^2-1/8*(5*c*d^2-e*(3*a*e+b*d))*x/d^2/e^2/(e*x^2+d)+1/8*(3*c*d^2+e*(3*a*e+b*d))*arctan(x*e^(1/2)/d^(1/2))/d^(5/2)/e^(5/2)

Rubi [A] time = 0.12, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {1157, 385, 205}

$$-\frac{x(5cd^2 - e(3ae + bd))}{8d^2e^2(d + ex^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(e(3ae + bd) + 3cd^2)}{8d^{5/2}e^{5/2}} + \frac{x\left(a + \frac{d(cd-be)}{e^2}\right)}{4d(d + ex^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(d + e*x^2)^3, x]

[Out] ((a + (d*(c*d - b*e))/e^2)*x)/(4*d*(d + e*x^2)^2) - ((5*c*d^2 - e*(b*d + 3*a*e))*x)/(8*d^2*e^2*(d + e*x^2)) + ((3*c*d^2 + e*(b*d + 3*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(5/2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 1157

```
Int[((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, d + e*x^2,
x], R = Coeff[PolynomialRemainder[(a + b*x^2 + c*x^4)^p, d + e*x^2, x],
0]}, -Simp[(R*x*(d + e*x^2)^(q + 1))/(2*d*(q + 1)), x] + Dist[1/(2*d*(q +
1)), Int[(d + e*x^2)^(q + 1)*ExpandToSum[2*d*(q + 1)*Qx + R*(2*q + 3), x],
x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 -
b*d*e + a*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{(d + ex^2)^3} dx &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{\int \frac{-3a + \frac{d(cd-be)}{e^2} - \frac{4cdx^2}{e}}{(d+ex^2)^2} dx}{4d} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{(5cd^2 - e(bd + 3ae))x}{8d^2e^2(d + ex^2)} - \frac{\left(-\frac{4cd^2}{e} + e\left(-3a + \frac{d(cd-be)}{e^2}\right)\right) \int \frac{1}{d+ex^2} dx}{8d^2e} \\ &= \frac{\left(a + \frac{d(cd-be)}{e^2}\right)x}{4d(d + ex^2)^2} - \frac{(5cd^2 - e(bd + 3ae))x}{8d^2e^2(d + ex^2)} + \frac{(3cd^2 + e(bd + 3ae)) \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{8d^{5/2}e^{5/2}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 110, normalized size = 0.96

$$\frac{x \left(e \left(ae \left(5d + 3ex^2 \right) + bd \left(ex^2 - d \right) \right) - cd^2 \left(3d + 5ex^2 \right) \right)}{8d^2e^2 \left(d + ex^2 \right)^2} + \frac{\tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right) \left(e \left(3ae + bd \right) + 3cd^2 \right)}{8d^{5/2}e^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(d + e*x^2)^3,x]

[Out] (x*(-(c*d^2*(3*d + 5*e*x^2)) + e*(b*d*(-d + e*x^2) + a*e*(5*d + 3*e*x^2)))/(8*d^2*e^2*(d + e*x^2)^2) + ((3*c*d^2 + e*(b*d + 3*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(5/2)*e^(5/2))

fricas [A] time = 0.77, size = 391, normalized size = 3.40

$$\left[\frac{2 \left(5cd^3e^2 - bd^2e^3 - 3ade^4 \right) x^3 + \left(3cd^4 + bd^3e + 3ad^2e^2 + \left(3cd^2e^2 + bde^3 + 3ae^4 \right) x^4 + 2 \left(3cd^3e + bd^2e^2 + 3ade^3 \right) x^5 + \left(3cd^2e^2 + bde^3 + 3ae^4 \right) x^6}{16 \left(d^3e^5x^4 + 2d^4e^4x^2 + d^5e^3 \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/16*(2*(5*c*d^3*e^2 - b*d^2*e^3 - 3*a*d*e^4)*x^3 + (3*c*d^4 + b*d^3*e + 3*a*d^2*e^2 + (3*c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*x^4 + 2*(3*c*d^3*e + b*d^2*e^2 + 3*a*d*e^3)*x^2)*\sqrt{-d*e}*\log((e*x^2 - 2*\sqrt{-d*e}*x - d)/(e*x^2 + d)) + 2*(3*c*d^4*e + b*d^3*e^2 - 5*a*d^2*e^3)*x)/(d^3*e^5*x^4 + 2*d^4*e^4*x^2 + d^5*e^3), \\ & -1/8*((5*c*d^3*e^2 - b*d^2*e^3 - 3*a*d*e^4)*x^3 - (3*c*d^4 + b*d^3*e + 3*a*d^2*e^2 + (3*c*d^2*e^2 + b*d*e^3 + 3*a*e^4)*x^4 + 2*(3*c*d^3*e + b*d^2*e^2 + 3*a*d*e^3)*x^2)*\sqrt{d*e}*\arctan(\sqrt{d*e}*x/d) + (3*c*d^4*e + b*d^3*e^2 - 5*a*d^2*e^3)*x)/(d^3*e^5*x^4 + 2*d^4*e^4*x^2 + d^5*e^3)] \end{aligned}$$

giac [A] time = 0.31, size = 101, normalized size = 0.88

$$\frac{(3cd^2 + bde + 3ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{5}{2}\right)} + (5cd^2x^3e - bdx^3e^2 + 3cd^3x - 3ax^3e^3 + bd^2xe - 5adxe^2)e^{(-2)}}{8d^{\frac{5}{2}} - 8(x^2e + d)^2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/8*(3*c*d^2 + b*d*e + 3*a*e^2)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-5/2)}/d^{(5/2)} \\ & - 1/8*(5*c*d^2*x^3*e - b*d*x^3*e^2 + 3*c*d^3*x - 3*a*x^3*e^3 + b*d^2*x*e - 5*a*d*x*e^2)*e^{(-2)}/((x^2*e + d)^2*d^2) \end{aligned}$$

maple [A] time = 0.01, size = 131, normalized size = 1.14

$$\frac{3a \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^2} + \frac{b \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} de} + \frac{3c \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} e^2} + \frac{\frac{(3ae^2 + deb - 5cd^2)x^3}{8d^2e} + \frac{(5ae^2 - deb - 3cd^2)x}{8de^2}}{(ex^2 + d)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/(e*x^2+d)^3,x)

[Out]
$$\begin{aligned} & (1/8*(3*a*e^2+b*d*e-5*c*d^2)/d^2/e*x^3+1/8*(5*a*e^2-b*d*e-3*c*d^2)/e^2/d*x) \\ & / (e*x^2+d)^2+3/8/d^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a+1/8/d/e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b+3/8/e^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c \end{aligned}$$

maxima [A] time = 2.46, size = 121, normalized size = 1.05

$$\frac{(5cd^2e - bde^2 - 3ae^3)x^3 + (3cd^3 + bd^2e - 5ade^2)x}{8(d^2e^4x^4 + 2d^3e^3x^2 + d^4e^2)} + \frac{(3cd^2 + bde + 3ae^2) \arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de} d^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $-1/8*((5*c*d^2*e - b*d*e^2 - 3*a*e^3)*x^3 + (3*c*d^3 + b*d^2*e - 5*a*d*e^2)*x)/(d^2*e^4*x^4 + 2*d^3*e^3*x^2 + d^4*e^2) + 1/8*(3*c*d^2 + b*d*e + 3*a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^2*e^2)$

mupad [B] time = 0.38, size = 112, normalized size = 0.97

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(3cd^2 + bde + 3ae^2)}{8d^{5/2}e^{5/2}} - \frac{x(3cd^2 + bde - 5ae^2)}{8de^2} - \frac{x^3(-5cd^2 + bde + 3ae^2)}{8d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)/(d + e*x^2)^3,x)

[Out] $(\operatorname{atan}((e^{1/2})x/d^{1/2})*(3*a*e^2 + 3*c*d^2 + b*d*e))/(8*d^{5/2}*e^{5/2}) - ((x*(3*c*d^2 - 5*a*e^2 + b*d*e))/(8*d*e^2) - (x^3*(3*a*e^2 - 5*c*d^2 + b*d*e))/(8*d^2*e))/(\sqrt{d^2 + e^2*x^4 + 2*d*e*x^2})$

sympy [A] time = 1.50, size = 196, normalized size = 1.70

$$-\frac{\sqrt{-\frac{1}{d^5e^5}}(3ae^2 + bde + 3cd^2)\log\left(-d^3e^2\sqrt{-\frac{1}{d^5e^5}} + x\right)}{16} + \frac{\sqrt{-\frac{1}{d^5e^5}}(3ae^2 + bde + 3cd^2)\log\left(d^3e^2\sqrt{-\frac{1}{d^5e^5}} + x\right)}{16} + x^3\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)/(e*x**2+d)**3,x)

[Out] $-\operatorname{sqrt}(-1/(d**5*e**5))*(3*a*e**2 + b*d*e + 3*c*d**2)*\log(-d**3*e**2*\operatorname{sqrt}(-1/(d**5*e**5)) + x)/16 + \operatorname{sqrt}(-1/(d**5*e**5))*(3*a*e**2 + b*d*e + 3*c*d**2)*\log(d**3*e**2*\operatorname{sqrt}(-1/(d**5*e**5)) + x)/16 + (x**3*(3*a*e**3 + b*d*e**2 - 5*c*d**2*e) + x*(5*a*d*e**2 - b*d**2*e - 3*c*d**3))/(8*d**4*e**2 + 16*d**3*e**3*x**2 + 8*d**2*e**4*x**4)$

$$3.292 \quad \int \frac{a+bx^2+cx^4}{x^2(d+ex^2)^3} dx$$

Optimal. Leaf size=127

$$-\frac{x(ae^2 - bde + cd^2)}{4d^2e(d+ex^2)^2} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3e(bd - 5ae) + cd^2)}{8d^{7/2}e^{3/2}} + \frac{x(e(3bd - 7ae) + cd^2)}{8d^3e(d+ex^2)} - \frac{a}{d^3x}$$

[Out] $-a/d^3/x - 1/4*(a*e^2 - b*d*e + c*d^2)*x/d^2/e/(e*x^2+d)^2 + 1/8*(c*d^2 + e*(-7*a*e + 3*b*d))*x/d^3/e/(e*x^2+d) + 1/8*(c*d^2 + 3*e*(-5*a*e + b*d))*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(7/2)}/e^{(3/2)}$

Rubi [A] time = 0.20, antiderivative size = 124, normalized size of antiderivative = 0.98, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1259, 456, 453, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3e(bd - 5ae) + cd^2)}{8d^{7/2}e^{3/2}} + \frac{x(e(3bd - 7ae) + cd^2)}{8d^3e(d+ex^2)} - \frac{x\left(\frac{c}{e} - \frac{bd-ae}{d^2}\right)}{4(d+ex^2)^2} - \frac{a}{d^3x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^2*(d + e*x^2)^3), x]

[Out] $-(a/(d^3*x)) - ((c/e - (b*d - a*e)/d^2)*x)/(4*(d + e*x^2)^2) + ((c*d^2 + e*(3*b*d - 7*a*e))*x)/(8*d^3*e*(d + e*x^2)) + ((c*d^2 + 3*e*(b*d - 5*a*e))*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*d^{(7/2)}*e^{(3/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 453

Int[((e_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m+1)*(a + b*x^n)^(p+1))/(a*e*(m+1), x] + Dist[(a*d*(m+1) - b*c*(m+n*(p+1)+1))/(a*e^n*(m+1)), Int[(e*x)^(m+n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m+n, -1])) && !ILtQ[p, -1]

Rule 456

```

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^2)^(p_)*((c_) + (d_.)*(x_)^2), x_Symbol] :
> Simp[((-a)^(m/2 - 1)*(b*c - a*d)*x*(a + b*x^2)^(p + 1))/(2*b^(m/2 + 1)*(p
+ 1)), x] + Dist[1/(2*b^(m/2 + 1)*(p + 1)), Int[x^m*(a + b*x^2)^(p + 1)*Ex
pandToSum[2*b*(p + 1)*Together[(b^(m/2)*(c + d*x^2) - (-a)^(m/2 - 1)*(b*c -
a*d)*x^(-m + 2))/(a + b*x^2)] - ((-a)^(m/2 - 1)*(b*c - a*d))/x^m, x], x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && LtQ[p, -1] && ILtQ[m/2
, 0] && (IntegerQ[p] || EqQ[m + 2*p + 1, 0])

```

Rule 1259

```

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^
4)^(p_), x_Symbol] :> Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d
+ e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^
(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)
^(-m/2) + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e
^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x], x] /; Fr
eeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]
&& ILtQ[m/2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^2(d + ex^2)^3} dx &= -\frac{\left(\frac{c}{e} - \frac{bd - ae}{d^2}\right)x}{4(d + ex^2)^2} - \frac{\int \frac{-4ade^2 - e(cd^2 + 3e(bd - ae))x^2}{x^2(d + ex^2)^2} dx}{4d^2e^2} \\
&= -\frac{\left(\frac{c}{e} - \frac{bd - ae}{d^2}\right)x}{4(d + ex^2)^2} + \frac{(cd^2 + e(3bd - 7ae))x}{8d^3e(d + ex^2)} + \frac{\int \frac{8ae^2 + e\left(cd + e\left(3b - \frac{7ae}{d}\right)\right)x^2}{x^2(d + ex^2)} dx}{8d^2e^2} \\
&= -\frac{a}{d^3x} - \frac{\left(\frac{c}{e} - \frac{bd - ae}{d^2}\right)x}{4(d + ex^2)^2} + \frac{(cd^2 + e(3bd - 7ae))x}{8d^3e(d + ex^2)} + \frac{(cd^2 + 3e(bd - 5ae)) \int \frac{1}{d + ex^2} dx}{8d^3e} \\
&= -\frac{a}{d^3x} - \frac{\left(\frac{c}{e} - \frac{bd - ae}{d^2}\right)x}{4(d + ex^2)^2} + \frac{(cd^2 + e(3bd - 7ae))x}{8d^3e(d + ex^2)} + \frac{(cd^2 + 3e(bd - 5ae)) \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)}{8d^{7/2}e^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 124, normalized size = 0.98

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(3e(bd - 5ae) + cd^2)}{e^{3/2}} + \frac{\sqrt{d}(dx^2(be(5d + 3ex^2) + cd(ex^2 - d)) - ae(8d^2 + 25dex^2 + 15e^2x^4))}{ex(d + ex^2)^2}$$

$$8d^{7/2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(x^2*(d + e*x^2)^3), x]

[Out] ((Sqrt[d]*(-(a*e*(8*d^2 + 25*d*e*x^2 + 15*e^2*x^4)) + d*x^2*(c*d*(-d + e*x^2) + b*e*(5*d + 3*e*x^2))))/(e*x*(d + e*x^2)^2) + ((c*d^2 + 3*e*(b*d - 5*a*e))*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/e^(3/2))/(8*d^(7/2))

fricas [A] time = 0.70, size = 421, normalized size = 3.31

$$\frac{16 ad^3 e^2 - 2 (cd^3 e^2 + 3 bd^2 e^3 - 15 ade^4)x^4 + 2 (cd^4 e - 5 bd^3 e^2 + 25 ad^2 e^3)x^2 - ((cd^2 e^2 + 3 bde^3 - 15 ae^4)x^5 + 16 (d^4 e^4 x^5 + 2 d^5 e^3 x^3 + d^6 e^2 x))}{16 (d^4 e^4 x^5 + 2 d^5 e^3 x^3 + d^6 e^2 x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [-1/16*(16*a*d^3*e^2 - 2*(c*d^3*e^2 + 3*b*d^2*e^3 - 15*a*d*e^4)*x^4 + 2*(c*d^4*e - 5*b*d^3*e^2 + 25*a*d^2*e^3)*x^2 - ((c*d^2*e^2 + 3*b*d*e^3 - 15*a*e^4)*x^5 + 2*(c*d^3*e + 3*b*d^2*e^2 - 15*a*d*e^3)*x^3 + (c*d^4 + 3*b*d^3*e - 15*a*d^2*e^2)*x)*sqrt(-d*e)*log((e*x^2 + 2*sqrt(-d*e)*x - d)/(e*x^2 + d)))/(d^4*e^4*x^5 + 2*d^5*e^3*x^3 + d^6*e^2*x), -1/8*(8*a*d^3*e^2 - (c*d^3*e^2 + 3*b*d^2*e^3 - 15*a*d*e^4)*x^4 + (c*d^4*e - 5*b*d^3*e^2 + 25*a*d^2*e^3)*x^2 - ((c*d^2*e^2 + 3*b*d*e^3 - 15*a*e^4)*x^5 + 2*(c*d^3*e + 3*b*d^2*e^2 - 15*a*d*e^3)*x^3 + (c*d^4 + 3*b*d^3*e - 15*a*d^2*e^2)*x)*sqrt(d*e)*arctan(sqrt(d*e)*x/d)/(d^4*e^4*x^5 + 2*d^5*e^3*x^3 + d^6*e^2*x)]

giac [A] time = 0.32, size = 110, normalized size = 0.87

$$\frac{(cd^2 + 3bde - 15ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{3}{2}\right)}}{8d^{\frac{7}{2}}} - \frac{a}{d^3x} + \frac{(cd^2x^3e + 3bdx^3e^2 - cd^3x - 7ax^3e^3 + 5bd^2xe - 9adxe^2)e^{(-1)}}{8(x^2e + d)^2d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^3,x, algorithm="giac")

[Out] 1/8*(c*d^2 + 3*b*d*e - 15*a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-3/2)/d^(7/2) - a/(d^3*x) + 1/8*(c*d^2*x^3*e + 3*b*d*x^3*e^2 - c*d^3*x - 7*a*x^3*e^3 + 5*b*d^2*x*e - 9*a*d*x*e^2)*e^(-1)/((x^2*e + d)^2*d^3)

maple [A] time = 0.01, size = 182, normalized size = 1.43

$$\frac{7ae^2x^3}{8(e x^2 + d)^2 d^3} + \frac{3be x^3}{8(e x^2 + d)^2 d^2} + \frac{cx^3}{8(e x^2 + d)^2 d} - \frac{9aex}{8(e x^2 + d)^2 d^2} + \frac{5bx}{8(e x^2 + d)^2 d} - \frac{cx}{8(e x^2 + d)^2 e} - \frac{15ae \arctan\left(\frac{x\sqrt{e}}{\sqrt{d}}\right)}{8\sqrt{d}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^3,x)`

[Out]
$$-a/d^3/x - 7/8/d^3/(e*x^2+d)^2*x^3*a*e^2 + 3/8/d^2/(e*x^2+d)^2*x^3*b*e + 1/8/d/(e*x^2+d)^2*x^3*c - 9/8/d^2/(e*x^2+d)^2*e*a*x + 5/8/d/(e*x^2+d)^2*b*x - 1/8/(e*x^2+d)^2/e*x*c - 15/8/d^3*e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a + 3/8/d^2/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b + 1/8/d/e/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$$

maxima [A] time = 2.65, size = 129, normalized size = 1.02

$$\frac{(cd^2e + 3bde^2 - 15ae^3)x^4 - 8ad^2e - (cd^3 - 5bd^2e + 25ade^2)x^2}{8(d^3e^3x^5 + 2d^4e^2x^3 + d^5ex)} + \frac{(cd^2 + 3bde - 15ae^2)\arctan\left(\frac{ex}{\sqrt{de}}\right)}{8\sqrt{de}d^3e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^2/(e*x^2+d)^3,x, algorithm="maxima")`

[Out]
$$1/8*((c*d^2*e + 3*b*d*e^2 - 15*a*e^3)*x^4 - 8*a*d^2*e - (c*d^3 - 5*b*d^2*e + 25*a*d*e^2)*x^2)/(d^3*e^3*x^5 + 2*d^4*e^2*x^3 + d^5*e*x) + 1/8*(c*d^2 + 3*b*d*e - 15*a*e^2)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^3*e)$$

mupad [B] time = 0.39, size = 118, normalized size = 0.93

$$\frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(cd^2 + 3bde - 15ae^2)}{8d^{7/2}e^{3/2}} - \frac{a}{d} - \frac{x^4(cd^2 + 3bde - 15ae^2)}{8d^3} + \frac{x^2(cd^2 - 5bde + 25ae^2)}{8d^2e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(x^2*(d + e*x^2)^3),x)`

[Out]
$$\left(\operatorname{atan}\left(\frac{e^{1/2}x}{d^{1/2}}\right)*(c*d^2 - 15*a*e^2 + 3*b*d*e)\right)/(8*d^{7/2}*e^{3/2}) - (a/d - (x^4*(c*d^2 - 15*a*e^2 + 3*b*d*e))/(8*d^3) + (x^2*(25*a*e^2 + c*d^2 - 5*b*d*e))/(8*d^2*e))/(d^2*x + e^2*x^5 + 2*d*e*x^3)$$

sympy [A] time = 2.14, size = 202, normalized size = 1.59

$$\frac{\sqrt{-\frac{1}{d^7e^3}}(15ae^2 - 3bde - cd^2)\log\left(-d^4e\sqrt{-\frac{1}{d^7e^3}} + x\right)}{16} - \frac{\sqrt{-\frac{1}{d^7e^3}}(15ae^2 - 3bde - cd^2)\log\left(d^4e\sqrt{-\frac{1}{d^7e^3}} + x\right)}{16} + \frac{-8ad^2}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/x**2/(e*x**2+d)**3,x)`

```
[Out] sqrt(-1/(d**7*e**3))*(15*a*e**2 - 3*b*d*e - c*d**2)*log(-d**4*e*sqrt(-1/(d*
*7*e**3)) + x)/16 - sqrt(-1/(d**7*e**3))*(15*a*e**2 - 3*b*d*e - c*d**2)*log
(d**4*e*sqrt(-1/(d**7*e**3)) + x)/16 + (-8*a*d**2*e + x**4*(-15*a*e**3 + 3*
b*d*e**2 + c*d**2*e) + x**2*(-25*a*d*e**2 + 5*b*d**2*e - c*d**3))/(8*d**5*e
*x + 16*d**4*e**2*x**3 + 8*d**3*e**3*x**5)
```

$$3.293 \quad \int \frac{a+bx^2+cx^4}{x^4(d+ex^2)^3} dx$$

Optimal. Leaf size=142

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(35ae^2 - 15bde + 3cd^2)}{8d^{9/2}\sqrt{e}} + \frac{x(3cd^2 - e(7bd - 11ae))}{8d^4(d+ex^2)} + \frac{x(ae^2 - bde + cd^2)}{4d^3(d+ex^2)^2} - \frac{bd - 3ae}{d^4x} - \frac{a}{3d^3x^3}$$

[Out] $-1/3*a/d^3/x^3+(3*a*e-b*d)/d^4/x+1/4*(a*e^2-b*d*e+c*d^2)*x/d^3/(e*x^2+d)^2+1/8*(3*c*d^2-e*(-11*a*e+7*b*d))*x/d^4/(e*x^2+d)+1/8*(35*a*e^2-15*b*d*e+3*c*d^2)*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(9/2)}/e^{(1/2)}$

Rubi [A] time = 0.22, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1259, 1261, 205}

$$\frac{x(ae^2 - bde + cd^2)}{4d^3(d+ex^2)^2} + \frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(35ae^2 - 15bde + 3cd^2)}{8d^{9/2}\sqrt{e}} + \frac{x(3cd^2 - e(7bd - 11ae))}{8d^4(d+ex^2)} - \frac{bd - 3ae}{d^4x} - \frac{a}{3d^3x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^4*(d + e*x^2)^3), x]

[Out] $-a/(3*d^3*x^3) - (b*d - 3*a*e)/(d^4*x) + ((c*d^2 - b*d*e + a*e^2)*x)/(4*d^3*(d + e*x^2)^2) + ((3*c*d^2 - e*(7*b*d - 11*a*e))*x)/(8*d^4*(d + e*x^2)) + ((3*c*d^2 - 15*b*d*e + 35*a*e^2)*\text{ArcTan}[\text{Sqrt}[e]*x/\text{Sqrt}[d]])/(8*d^{(9/2)}*\text{Sqrt}[e])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1259

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> Simp[(-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1)/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-m/2 + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]

&& ILtQ[m/2, 0]

Rule 1261

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{x^4(d + ex^2)^3} dx &= \frac{(cd^2 - bde + ae^2)x}{4d^3(d + ex^2)^2} + \frac{\int \frac{4ad^2e^2 + 4de^2(bd - ae)x^2 + 3e^2(cd^2 - bde + ae^2)x^4}{x^4(d + ex^2)^2} dx}{4d^3e^2} \\ &= \frac{(cd^2 - bde + ae^2)x}{4d^3(d + ex^2)^2} + \frac{(3cd^2 - e(7bd - 11ae))x}{8d^4(d + ex^2)} + \frac{\int \frac{8ad^4e^4 + 8d^3e^4(bd - 2ae)x^2 + d^2e^4(3cd^2 - e(7bd - 11ae))x^4}{x^4(d + ex^2)} dx}{8d^6e^4} \\ &= \frac{(cd^2 - bde + ae^2)x}{4d^3(d + ex^2)^2} + \frac{(3cd^2 - e(7bd - 11ae))x}{8d^4(d + ex^2)} + \frac{\int \left(\frac{8ad^3e^4}{x^4} + \frac{8d^2e^4(bd - 3ae)}{x^2} + \frac{d^2e^4(3cd^2 - 15bde + 8ae^2)}{d + ex^2} \right) dx}{8d^6e^4} \\ &= -\frac{a}{3d^3x^3} - \frac{bd - 3ae}{d^4x} + \frac{(cd^2 - bde + ae^2)x}{4d^3(d + ex^2)^2} + \frac{(3cd^2 - e(7bd - 11ae))x}{8d^4(d + ex^2)} + \frac{(3cd^2 - 15bde + 8ae^2)}{8d^6} \\ &= -\frac{a}{3d^3x^3} - \frac{bd - 3ae}{d^4x} + \frac{(cd^2 - bde + ae^2)x}{4d^3(d + ex^2)^2} + \frac{(3cd^2 - e(7bd - 11ae))x}{8d^4(d + ex^2)} + \frac{(3cd^2 - 15bde + 8ae^2)}{8d^6} \end{aligned}$$

Mathematica [A] time = 0.09, size = 141, normalized size = 0.99

$$\frac{\tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right)(35ae^2 - 15bde + 3cd^2)}{8d^{9/2}\sqrt{e}} + \frac{x(11ae^2 - 7bde + 3cd^2)}{8d^4(d + ex^2)} + \frac{x(ae^2 - bde + cd^2)}{4d^3(d + ex^2)^2} + \frac{3ae - bd}{d^4x} - \frac{a}{3d^3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(x^4*(d + e*x^2)^3), x]

[Out] -1/3*a/(d^3*x^3) + (-b*d) + 3*a*e)/(d^4*x) + ((c*d^2 - b*d*e + a*e^2)*x)/(4*d^3*(d + e*x^2)^2) + ((3*c*d^2 - 7*b*d*e + 11*a*e^2)*x)/(8*d^4*(d + e*x^2)

)) + ((3*c*d^2 - 15*b*d*e + 35*a*e^2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(8*d^(9/2)*Sqrt[e])

fricas [A] time = 0.88, size = 476, normalized size = 3.35

$$\frac{6(3cd^3e^2 - 15bd^2e^3 + 35ade^4)x^6 - 16ad^4e + 10(3cd^4e - 15bd^3e^2 + 35ad^2e^3)x^4 - 16(3bd^4e - 7ad^3e^2)x^2 - 3}{48(d^5e^3x^7 + 2d^6e^2x^5 + d^7ex^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^3,x, algorithm="fricas")

[Out] [1/48*(6*(3*c*d^3*e^2 - 15*b*d^2*e^3 + 35*a*d*e^4)*x^6 - 16*a*d^4*e + 10*(3*c*d^4*e - 15*b*d^3*e^2 + 35*a*d^2*e^3)*x^4 - 16*(3*b*d^4*e - 7*a*d^3*e^2)*x^2 - 3*((3*c*d^2*e^2 - 15*b*d*e^3 + 35*a*e^4)*x^7 + 2*(3*c*d^3*e - 15*b*d^2*e^2 + 35*a*d*e^3)*x^5 + (3*c*d^4 - 15*b*d^3*e + 35*a*d^2*e^2)*x^3)*sqrt(-d*e)*log((e*x^2 - 2*sqrt(-d*e)*x - d)/(e*x^2 + d)))/(d^5*e^3*x^7 + 2*d^6*e^2*x^5 + d^7*e*x^3), 1/24*(3*(3*c*d^3*e^2 - 15*b*d^2*e^3 + 35*a*d*e^4)*x^6 - 8*a*d^4*e + 5*(3*c*d^4*e - 15*b*d^3*e^2 + 35*a*d^2*e^3)*x^4 - 8*(3*b*d^4*e - 7*a*d^3*e^2)*x^2 + 3*((3*c*d^2*e^2 - 15*b*d*e^3 + 35*a*e^4)*x^7 + 2*(3*c*d^3*e - 15*b*d^2*e^2 + 35*a*d*e^3)*x^5 + (3*c*d^4 - 15*b*d^3*e + 35*a*d^2*e^2)*x^3)*sqrt(d*e)*arctan(sqrt(d*e)*x/d)/(d^5*e^3*x^7 + 2*d^6*e^2*x^5 + d^7*e*x^3)]

giac [A] time = 0.34, size = 128, normalized size = 0.90

$$\frac{(3cd^2 - 15bde + 35ae^2) \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)}}{8d^{\frac{9}{2}}} + \frac{3cd^2x^3e - 7bdx^3e^2 + 5cd^3x + 11ax^3e^3 - 9bd^2xe + 13adxe^2 - 3bdx}{8(x^2e + d)^2d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^3,x, algorithm="giac")

[Out] 1/8*(3*c*d^2 - 15*b*d*e + 35*a*e^2)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/d^(9/2) + 1/8*(3*c*d^2*x^3*e - 7*b*d*x^3*e^2 + 5*c*d^3*x + 11*a*x^3*e^3 - 9*b*d^2*x*e + 13*a*d*x*e^2)/((x^2*e + d)^2*d^4) - 1/3*(3*b*d*x^2 - 9*a*x^2*e + a*d)/(d^4*x^3)

maple [A] time = 0.02, size = 207, normalized size = 1.46

$$\frac{11ae^3x^3}{8(e^2x^2 + d)^2d^4} - \frac{7be^2x^3}{8(e^2x^2 + d)^2d^3} + \frac{3ce^3x^3}{8(e^2x^2 + d)^2d^2} + \frac{13ae^2x}{8(e^2x^2 + d)^2d^3} - \frac{9bex}{8(e^2x^2 + d)^2d^2} + \frac{5cx}{8(e^2x^2 + d)^2d} + \frac{35ae^2 \arctan\left(\frac{xe^{\frac{1}{2}}}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)}}{8\sqrt{de}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^3,x)`

[Out]
$$-1/3*a/d^3/x^3+3/d^4/x*a*e-1/d^3/x*b+11/8/d^4/(e*x^2+d)^2*x^3*a*e^3-7/8/d^3/(e*x^2+d)^2*x^3*b*e^2+3/8/d^2/(e*x^2+d)^2*x^3*c*e+13/8/d^3/(e*x^2+d)^2*a*e^2*x-9/8/d^2/(e*x^2+d)^2*b*e*x+5/8/d/(e*x^2+d)^2*c*x+35/8/d^4/(d*e)^{(1/2)}*a \operatorname{rctan}(1/(d*e)^{(1/2)}*e*x)*a*e^2-15/8/d^3/(d*e)^{(1/2)}*\operatorname{arctan}(1/(d*e)^{(1/2)}*e*x)*e*b+3/8/d^2/(d*e)^{(1/2)}*\operatorname{arctan}(1/(d*e)^{(1/2)}*e*x)*c$$

maxima [A] time = 2.59, size = 147, normalized size = 1.04

$$\frac{3(3cd^2e - 15bde^2 + 35ae^3)x^6 + 5(3cd^3 - 15bd^2e + 35ade^2)x^4 - 8ad^3 - 8(3bd^3 - 7ad^2e)x^2}{24(d^4e^2x^7 + 2d^5ex^5 + d^6x^3)} + \frac{(3cd^2 - 15bde)}{24d^4e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^4/(e*x^2+d)^3,x, algorithm="maxima")`

[Out]
$$\frac{1}{24} * (3 * (3 * c * d^2 * e - 15 * b * d * e^2 + 35 * a * e^3) * x^6 + 5 * (3 * c * d^3 - 15 * b * d^2 * e + 35 * a * d * e^2) * x^4 - 8 * a * d^3 - 8 * (3 * b * d^3 - 7 * a * d^2 * e) * x^2) / (d^4 * e^2 * x^7 + 2 * d^5 * e * x^5 + d^6 * x^3) + \frac{1}{8} * (3 * c * d^2 - 15 * b * d * e + 35 * a * e^2) * \operatorname{arctan}(e * x / \sqrt{d * e}) / (\sqrt{d * e} * d^4)$$

mupad [B] time = 0.40, size = 138, normalized size = 0.97

$$\frac{\frac{x^2(7ae-3bd)}{3d^2} - \frac{a}{3d} + \frac{5x^4(3cd^2-15bde+35ae^2)}{24d^3} + \frac{ex^6(3cd^2-15bde+35ae^2)}{8d^4}}{d^2x^3 + 2dex^5 + e^2x^7} + \frac{\operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)(3cd^2 - 15bde + 35ae^2)}{8d^{9/2}\sqrt{e}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(x^4*(d + e*x^2)^3),x)`

[Out]
$$\frac{(x^2 * (7 * a * e - 3 * b * d)) / (3 * d^2) - a / (3 * d) + (5 * x^4 * (35 * a * e^2 + 3 * c * d^2 - 15 * b * d * e)) / (24 * d^3) + (e * x^6 * (35 * a * e^2 + 3 * c * d^2 - 15 * b * d * e)) / (8 * d^4)}{(d^2 * x^3 + 2 * d * e * x^5 + e^2 * x^7)} + \frac{\operatorname{atan}\left(\frac{e^{1/2} * x}{d^{1/2}}\right) * (35 * a * e^2 + 3 * c * d^2 - 15 * b * d * e)}{(8 * d^{9/2} * e^{1/2})}$$

sympy [A] time = 2.92, size = 214, normalized size = 1.51

$$\frac{\sqrt{-\frac{1}{d^9e}}(35ae^2 - 15bde + 3cd^2) \log\left(-d^5\sqrt{-\frac{1}{d^9e}} + x\right)}{16} + \frac{\sqrt{-\frac{1}{d^9e}}(35ae^2 - 15bde + 3cd^2) \log\left(d^5\sqrt{-\frac{1}{d^9e}} + x\right)}{16} - 8$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**4+b*x**2+a)/x**4/(e*x**2+d)**3,x)
```

```
[Out] -sqrt(-1/(d**9*e))*(35*a*e**2 - 15*b*d*e + 3*c*d**2)*log(-d**5*sqrt(-1/(d**9*e)) + x)/16 + sqrt(-1/(d**9*e))*(35*a*e**2 - 15*b*d*e + 3*c*d**2)*log(d**5*sqrt(-1/(d**9*e)) + x)/16 + (-8*a*d**3 + x**6*(105*a*e**3 - 45*b*d*e**2 + 9*c*d**2*e) + x**4*(175*a*d*e**2 - 75*b*d**2*e + 15*c*d**3) + x**2*(56*a*d**2*e - 24*b*d**3))/(24*d**6*x**3 + 48*d**5*e*x**5 + 24*d**4*e**2*x**7)
```


$$3.294 \quad \int \frac{a+bx^2+cx^4}{x^6(d+ex^2)^3} dx$$

Optimal. Leaf size=171

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) (63ae^2 - 35bde + 15cd^2)}{8d^{11/2}} - \frac{6ae^2 - 3bde + cd^2}{d^5x} - \frac{ex(7cd^2 - e(11bd - 15ae))}{8d^5(d+ex^2)} - \frac{ex(ae^2 - bde + cd^2)}{4d^4(d+ex^2)^2}$$

[Out] $-1/5*a/d^3/x^5+1/3*(3*a*e-b*d)/d^4/x^3+(-6*a*e^2+3*b*d*e-c*d^2)/d^5/x-1/4*e*(a*e^2-b*d*e+c*d^2)*x/d^4/(e*x^2+d)^2-1/8*e*(7*c*d^2-e*(-15*a*e+11*b*d))*x/d^5/(e*x^2+d)-1/8*(63*a*e^2-35*b*d*e+15*c*d^2)*\arctan(x*e^{(1/2)}/d^{(1/2)})*e^{(1/2)}/d^{(11/2)}$

Rubi [A] time = 0.37, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {1259, 1805, 1802, 205}

$$\frac{ex(ae^2 - bde + cd^2)}{4d^4(d+ex^2)^2} - \frac{6ae^2 - 3bde + cd^2}{d^5x} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{d}}\right) (63ae^2 - 35bde + 15cd^2)}{8d^{11/2}} - \frac{ex(7cd^2 - e(11bd - 15ae))}{8d^5(d+ex^2)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)/(x^6*(d + e*x^2)^3), x]

[Out] $-a/(5*d^3*x^5) - (b*d - 3*a*e)/(3*d^4*x^3) - (c*d^2 - 3*b*d*e + 6*a*e^2)/(d^5*x) - (e*(c*d^2 - b*d*e + a*e^2)*x)/(4*d^4*(d + e*x^2)^2) - (e*(7*c*d^2 - e*(11*b*d - 15*a*e))*x)/(8*d^5*(d + e*x^2)) - (\text{Sqrt}[e]*(15*c*d^2 - 35*b*d*e + 63*a*e^2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*d^{(11/2)})$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1259

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[((-d)^(m/2 - 1)*(c*d^2 - b*d*e + a*e^2)^p*x*(d + e*x^2)^(q + 1))/(2*e^(2*p + m/2)*(q + 1)), x] + Dist[(-d)^(m/2 - 1)/(2*e^(2*p)*(q + 1)), Int[x^m*(d + e*x^2)^(q + 1)*ExpandToSum[Together[(1*(2*(-d)^(-m/2 + 1)*e^(2*p)*(q + 1)*(a + b*x^2 + c*x^4)^p - ((c*d^2 - b*d*e + a*e^2)^p/(e^(m/2)*x^m))*(d + e*(2*q + 3)*x^2))]/(d + e*x^2)], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && ILtQ[q, -1]

&& ILtQ[m/2, 0]

Rule 1802

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*Pq*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 1805

Int[(Pq_)*((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[(c*x)^m*Pq, a + b*x^2, x], f = Coeff[PolynomialRemainder[(c*x)^m*Pq, a + b*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(c*x)^m*Pq, a + b*x^2, x], x, 1]}, Simp[((a*g - b*f*x)*(a + b*x^2)^(p + 1))/(2*a*b*(p + 1)), x] + Dist[1/(2*a*(p + 1)), Int[(c*x)^m*(a + b*x^2)^(p + 1)*ExpandToSum[(2*a*(p + 1)*Q)/(c*x)^m + (f*(2*p + 3))/(c*x)^m, x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{a + bx^2 + cx^4}{x^6 (d + ex^2)^3} dx &= -\frac{e (cd^2 - bde + ae^2) x}{4d^4 (d + ex^2)^2} - \frac{\int \frac{-4ad^3e^2 - 4d^2e^2(bd - ae)x^2 - 4de^2(cd^2 - bde + ae^2)x^4 + 3e^3(cd^2 - bde + ae^2)x^6}{x^6(d + ex^2)^2} dx}{4d^4e^2} \\
 &= -\frac{e (cd^2 - bde + ae^2) x}{4d^4 (d + ex^2)^2} - \frac{e (7cd^2 - e(11bd - 15ae)) x}{8d^5 (d + ex^2)} + \frac{\int \frac{8ad^3e^2 + 8d^2e^2(bd - 2ae)x^2 + 8de^2(cd^2 - e(2bd - 3de + ae^2))x^4 - 3e^3(cd^2 - bde + ae^2)x^6}{x^6(d + ex^2)^2} dx}{8d^5e^2} \\
 &= -\frac{e (cd^2 - bde + ae^2) x}{4d^4 (d + ex^2)^2} - \frac{e (7cd^2 - e(11bd - 15ae)) x}{8d^5 (d + ex^2)} + \frac{\int \left(\frac{8ad^2e^2}{x^6} + \frac{8de^2(bd - 3ae)}{x^4} + \frac{8e^2(cd^2 - 3bde + ae^2)}{x^2} \right) dx}{8d^5e^2} \\
 &= -\frac{a}{5d^3x^5} - \frac{bd - 3ae}{3d^4x^3} - \frac{cd^2 - 3bde + 6ae^2}{d^5x} - \frac{e (cd^2 - bde + ae^2) x}{4d^4 (d + ex^2)^2} - \frac{e (7cd^2 - e(11bd - 15ae))}{8d^5 (d + ex^2)} \\
 &= -\frac{a}{5d^3x^5} - \frac{bd - 3ae}{3d^4x^3} - \frac{cd^2 - 3bde + 6ae^2}{d^5x} - \frac{e (cd^2 - bde + ae^2) x}{4d^4 (d + ex^2)^2} - \frac{e (7cd^2 - e(11bd - 15ae))}{8d^5 (d + ex^2)}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 173, normalized size = 1.01

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right) (63ae^2 - 35bde + 15cd^2)}{8d^{11/2}} + \frac{-6ae^2 + 3bde - cd^2}{d^5x} - \frac{x(15ae^3 - 11bde^2 + 7cd^2e)}{8d^5(d+ex^2)} - \frac{ex(ae^2 - bde + cd^2)}{4d^4(d+ex^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)/(x^6*(d + e*x^2)^3), x]

[Out] $-1/5*a/(d^3*x^5) + (-b*d + 3*a*e)/(3*d^4*x^3) + (-c*d^2 + 3*b*d*e - 6*a*e^2)/(d^5*x) - (e*(c*d^2 - b*d*e + a*e^2)*x)/(4*d^4*(d + e*x^2)^2) - ((7*c*d^2*e - 11*b*d*e^2 + 15*a*e^3)*x)/(8*d^5*(d + e*x^2)) - (\text{Sqrt}[e]*(15*c*d^2 - 35*b*d*e + 63*a*e^2)*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(8*d^{(11/2)})$

fricas [A] time = 0.95, size = 514, normalized size = 3.01

$$\frac{30(15cd^2e^2 - 35bde^3 + 63ae^4)x^8 + 50(15cd^3e - 35bd^2e^2 + 63ade^3)x^6 + 48ad^4 + 16(15cd^4 - 35bd^3e + 63ad^2e^2)}{8d^{11/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^3,x, algorithm="fricas")

[Out] $[-1/240*(30*(15*c*d^2*e^2 - 35*b*d*e^3 + 63*a*e^4)*x^8 + 50*(15*c*d^3*e - 35*b*d^2*e^2 + 63*a*d*e^3)*x^6 + 48*a*d^4 + 16*(15*c*d^4 - 35*b*d^3*e + 63*a*d^2*e^2)*x^4 + 16*(5*b*d^4 - 9*a*d^3*e)*x^2 - 15*((15*c*d^2*e^2 - 35*b*d*e^3 + 63*a*e^4)*x^9 + 2*(15*c*d^3*e - 35*b*d^2*e^2 + 63*a*d*e^3)*x^7 + (15*c*d^4 - 35*b*d^3*e + 63*a*d^2*e^2)*x^5)*\text{sqrt}(-e/d)*\log((e*x^2 - 2*d*x*\text{sqrt}(-e/d) - d)/(e*x^2 + d)))/(d^5*e^2*x^9 + 2*d^6*e*x^7 + d^7*x^5), -1/120*(15*(15*c*d^2*e^2 - 35*b*d*e^3 + 63*a*e^4)*x^8 + 25*(15*c*d^3*e - 35*b*d^2*e^2 + 63*a*d*e^3)*x^6 + 24*a*d^4 + 8*(15*c*d^4 - 35*b*d^3*e + 63*a*d^2*e^2)*x^4 + 8*(5*b*d^4 - 9*a*d^3*e)*x^2 + 15*((15*c*d^2*e^2 - 35*b*d*e^3 + 63*a*e^4)*x^9 + 2*(15*c*d^3*e - 35*b*d^2*e^2 + 63*a*d*e^3)*x^7 + (15*c*d^4 - 35*b*d^3*e + 63*a*d^2*e^2)*x^5)*\text{sqrt}(e/d)*\text{arctan}(x*\text{sqrt}(e/d)))/(d^5*e^2*x^9 + 2*d^6*e*x^7 + d^7*x^5)]$

giac [A] time = 0.35, size = 164, normalized size = 0.96

$$\frac{(15cd^2e - 35bde^2 + 63ae^3) \arctan\left(\frac{xe^2}{\sqrt{d}}\right) e^{\left(-\frac{1}{2}\right)}}{8d^{\frac{11}{2}}} - \frac{7cd^2x^3e^2 - 11bdx^3e^3 + 9cd^3xe + 15ax^3e^4 - 13bd^2xe^2 + 17ad^2e^3}{8(x^2e + d)^2d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^3,x, algorithm="giac")

[Out] $-1/8*(15*c*d^2*e - 35*b*d*e^2 + 63*a*e^3)*\arctan(x*e^{(1/2)}/\sqrt{d})*e^{(-1/2)}/d^{(11/2)} - 1/8*(7*c*d^2*x^3*e^2 - 11*b*d*x^3*e^3 + 9*c*d^3*x*e + 15*a*x^3*e^4 - 13*b*d^2*x*e^2 + 17*a*d*x*e^3)/((x^2*e + d)^2*d^5) - 1/15*(15*c*d^2*x^4 - 45*b*d*x^4*e + 90*a*x^4*e^2 + 5*b*d^2*x^2 - 15*a*d*x^2*e + 3*a*d^2)/(d^5*x^5)$

maple [A] time = 0.02, size = 245, normalized size = 1.43

$$\frac{15ae^4x^3}{8(e^2x^2+d)^2d^5} + \frac{11be^3x^3}{8(e^2x^2+d)^2d^4} - \frac{7ce^2x^3}{8(e^2x^2+d)^2d^3} - \frac{17ae^3x}{8(e^2x^2+d)^2d^4} + \frac{13be^2x}{8(e^2x^2+d)^2d^3} - \frac{9cex}{8(e^2x^2+d)^2d^2} - \frac{63ae^3}{8V}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^3,x)

[Out] $-1/5*a/d^3/x^5+1/d^4/x^3*a*e-1/3/d^3/x^3*b-6/d^5/x*a*e^2+3/d^4/x*e*b-1/d^3/x*c-15/8*e^4/d^5/(e*x^2+d)^2*x^3*a+11/8*e^3/d^4/(e*x^2+d)^2*x^3*b-7/8*e^2/d^3/(e*x^2+d)^2*x^3*c-17/8*e^3/d^4/(e*x^2+d)^2*a*x+13/8*e^2/d^3/(e*x^2+d)^2*b*x-9/8*e/d^2/(e*x^2+d)^2*c*x-63/8*e^3/d^5/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*a+35/8*e^2/d^4/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*b-15/8*e/d^3/(d*e)^{(1/2)}*\arctan(1/(d*e)^{(1/2)}*e*x)*c$

maxima [A] time = 2.45, size = 183, normalized size = 1.07

$$\frac{15(15cd^2e^2 - 35bde^3 + 63ae^4)x^8 + 25(15cd^3e - 35bd^2e^2 + 63ade^3)x^6 + 24ad^4 + 8(15cd^4 - 35bd^3e + 63ad^2e^2)}{120(d^5e^2x^9 + 2d^6ex^7 + d^7x^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)/x^6/(e*x^2+d)^3,x, algorithm="maxima")

[Out] $-1/120*(15*(15*c*d^2*e^2 - 35*b*d*e^3 + 63*a*e^4)*x^8 + 25*(15*c*d^3*e - 35*b*d^2*e^2 + 63*a*d*e^3)*x^6 + 24*a*d^4 + 8*(15*c*d^4 - 35*b*d^3*e + 63*a*d^2*e^2)*x^4 + 8*(5*b*d^4 - 9*a*d^3*e)*x^2)/(d^5*e^2*x^9 + 2*d^6*e*x^7 + d^7*x^5) - 1/8*(15*c*d^2*e - 35*b*d*e^2 + 63*a*e^3)*\arctan(e*x/\sqrt{d*e})/(\sqrt{d*e}*d^5)$

mupad [B] time = 0.41, size = 168, normalized size = 0.98

$$\frac{\frac{a}{5d} - \frac{x^2(9ae-5bd)}{15d^2} + \frac{x^4(15cd^2-35bde+63ae^2)}{15d^3} + \frac{5ex^6(15cd^2-35bde+63ae^2)}{24d^4} + \frac{e^2x^8(15cd^2-35bde+63ae^2)}{8d^5}}{d^2x^5 + 2dex^7 + e^2x^9} - \sqrt{e} \operatorname{atan}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*x^2 + c*x^4)/(x^6*(d + e*x^2)^3),x)`

[Out] $-\frac{a}{5d} - \frac{x^2(9ae - 5bd)}{15d^2} + \frac{x^4(63ae^2 + 15cd^2 - 35bde)}{15d^3} + \frac{5e^2x^6(63ae^2 + 15cd^2 - 35bde)}{24d^4} + \frac{e^2x^8(63ae^2 + 15cd^2 - 35bde)}{8d^5} + \frac{e^2x^9 + 2de^2x^7 - e^{1/2}\operatorname{atan}\left(\frac{e^{1/2}x}{d^{1/2}}\right)(63ae^2 + 15cd^2 - 35bde)}{8d^{11/2}}$

sympy [B] time = 3.76, size = 330, normalized size = 1.93

$$\frac{\sqrt{-\frac{e}{d^{11}}}(63ae^2 - 35bde + 15cd^2) \log\left(-\frac{d^6 \sqrt{-\frac{e}{d^{11}}}(63ae^2 - 35bde + 15cd^2)}{63ae^3 - 35bde^2 + 15cd^2e} + x\right)}{16} + \frac{\sqrt{-\frac{e}{d^{11}}}(63ae^2 - 35bde + 15cd^2) \log\left(\frac{d^6 \sqrt{-\frac{e}{d^{11}}}(63ae^2 - 35bde + 15cd^2)}{63ae^3 - 35bde^2 + 15cd^2e} + x\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x**4+b*x**2+a)/x**6/(e*x**2+d)**3,x)`

[Out] $\frac{\sqrt{-e/d^{11}}(63ae^2 - 35bde + 15cd^2) \log(-d^6 \sqrt{-e/d^{11}}(63ae^2 - 35bde + 15cd^2)/(63ae^3 - 35bde^2 + 15cd^2e) + x)/16 - \sqrt{-e/d^{11}}(63ae^2 - 35bde + 15cd^2) \log(d^6 \sqrt{-e/d^{11}}(63ae^2 - 35bde + 15cd^2)/(63ae^3 - 35bde^2 + 15cd^2e) + x)/16 + (-24ad^4 + x^8(-945ae^4 + 525bde^3 - 225cd^2e^2) + x^6(-1575ad^3e + 875bd^2e^2 - 375cd^3e) + x^4(-504ad^2e^2 + 280bd^3e - 120cd^4) + x^2(72ad^3e - 40bd^4))}{120d^7x^5 + 240d^6ex^7 + 120d^5e^2x^9}$

$$3.295 \quad \int \frac{x^9}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=230

$$\frac{(a^2ce - ab^2e - 2abcd + b^3d) \log(a + bx^2 + cx^4)}{4c^3 (ae^2 - bde + cd^2)} - \frac{(3a^2bce + 2a^2c^2d - ab^3e - 4ab^2cd + b^4d) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^3\sqrt{b^2-4ac} (ae^2 - bde + cd^2)} + \frac{2}{2}$$

[Out] $-1/2*(b*e+c*d)*x^2/c^2/e^2+1/4*x^4/c/e+1/2*d^4*\ln(e*x^2+d)/e^3/(a*e^2-b*d*e+c*d^2)-1/4*(a^2*c*e-a*b^2*e-2*a*b*c*d+b^3*d)*\ln(c*x^4+b*x^2+a)/c^3/(a*e^2-b*d*e+c*d^2)-1/2*(3*a^2*b*c*e+2*a^2*c^2*d-a*b^3*e-4*a*b^2*c*d+b^4*d)*\arctan h((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^3/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.49, antiderivative size = 230, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 1628, 634, 618, 206, 628}

$$\frac{(a^2ce - ab^2e - 2abcd + b^3d) \log(a + bx^2 + cx^4)}{4c^3 (ae^2 - bde + cd^2)} - \frac{(3a^2bce + 2a^2c^2d - 4ab^2cd - ab^3e + b^4d) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^3\sqrt{b^2-4ac} (ae^2 - bde + cd^2)} + \frac{2}{2}$$

Antiderivative was successfully verified.

[In] Int[x^9/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-((c*d + b*e)*x^2)/(2*c^2*e^2) + x^4/(4*c*e) - ((b^4*d - 4*a*b^2*c*d + 2*a^2*c^2*d - a*b^3*e + 3*a^2*b*c*e)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*c^3*\text{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) + (d^4*\text{Log}[d + e*x^2])/(2*e^3*(c*d^2 - b*d*e + a*e^2)) - ((b^3*d - 2*a*b*c*d - a*b^2*e + a^2*c*e)*\text{Log}[a + b*x^2 + c*x^4])/(4*c^3*(c*d^2 - b*d*e + a*e^2))$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x, x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 1628

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x
], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^9}{(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^4}{(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{-cd-be}{c^2e^2} + \frac{x}{ce} + \frac{d^4}{e^2(cd^2-bde+ae^2)(d+ex)} + \frac{-a(b^2d-acd-}{c^2(cd^2} \right. \right. \\
&= -\frac{(cd+be)x^2}{2c^2e^2} + \frac{x^4}{4ce} + \frac{d^4 \log(d+ex^2)}{2e^3(cd^2-bde+ae^2)} + \frac{\text{Subst} \left(\int \frac{-a(b^2d-acd-abe)-(b^3d-2abc}{a+bx+cx^2} \right)}{2c^2(cd^2-bde+ae^2)} \\
&= -\frac{(cd+be)x^2}{2c^2e^2} + \frac{x^4}{4ce} + \frac{d^4 \log(d+ex^2)}{2e^3(cd^2-bde+ae^2)} - \frac{(b^3d-2abcd-ab^2e+a^2ce) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} \right)}{4c^3(cd^2-bde+ae^2)} \\
&= -\frac{(cd+be)x^2}{2c^2e^2} + \frac{x^4}{4ce} + \frac{d^4 \log(d+ex^2)}{2e^3(cd^2-bde+ae^2)} - \frac{(b^3d-2abcd-ab^2e+a^2ce) \log \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{4c^3(cd^2-bde+ae^2)} \\
&= -\frac{(cd+be)x^2}{2c^2e^2} + \frac{x^4}{4ce} - \frac{(b^4d-4ab^2cd+2a^2c^2d-ab^3e+3a^2bce) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2c^3\sqrt{b^2-4ac}(cd^2-bde+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 228, normalized size = 0.99

$$\frac{1}{4} \left(\frac{(-a^2ce + ab^2e + 2abcd + b^3(-d)) \log(a + bx^2 + cx^4)}{c^3(e(ae - bd) + cd^2)} - \frac{2(3a^2bce + 2a^2c^2d - ab^3e - 4ab^2cd + b^4d) \tan^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{c^3\sqrt{4ac-b^2}(e(bd-ae)-cd^2)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^9/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] ((-2*(c*d + b*e)*x^2)/(c^2*e^2) + x^4/(c*e) - (2*(b^4*d - 4*a*b^2*c*d + 2*a^2*c^2*d - a*b^3*e + 3*a^2*b*c*e)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]])/(c^3*Sqrt[-b^2 + 4*a*c]*(-(c*d^2) + e*(b*d - a*e))) + (2*d^4*Log[d + e*x^2])/((e^3*(c*d^2 + e*(-(b*d) + a*e))) + ((-(b^3*d) + 2*a*b*c*d + a*b^2*e - a^2*c*e)*Log[a + b*x^2 + c*x^4])/(c^3*(c*d^2 + e*(-(b*d) + a*e))))/4

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 1.73, size = 236, normalized size = 1.03

$$\frac{d^4 \log(|x^2 e + d|)}{2(cd^2 e^3 - bde^4 + ae^5)} - \frac{(b^3 d - 2abcd - ab^2 e + a^2 ce) \log(cx^4 + bx^2 + a)}{4(c^4 d^2 - bc^3 de + ac^3 e^2)} + \frac{(b^4 d - 4ab^2 cd + 2a^2 c^2 d - ab^3 e + 3a^2 b^2 c)}{2(c^4 d^2 - bc^3 de + ac^3 e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\frac{1}{2}d^4 \log(\text{abs}(x^2 e + d)) / (c^4 d^2 e^3 - b^3 d e^4 + a e^5) - \frac{1}{4}(b^3 d - 2abcd - ab^2 e + a^2 ce) \log(cx^4 + bx^2 + a) / (c^4 d^2 - bc^3 de + ac^3 e^2) + \frac{1}{2}(b^4 d - 4ab^2 cd + 2a^2 c^2 d - ab^3 e + 3a^2 b^2 c) \arctan((2cx^2 + b) / \sqrt{-b^2 + 4ac}) / ((c^4 d^2 - bc^3 de + ac^3 e^2) \sqrt{-b^2 + 4ac}) + \frac{1}{4}(c^4 d^2 e - 2c^3 d e^2 - 2b^3 d e^3) e^{-2} / c^2$

maple [B] time = 0.02, size = 538, normalized size = 2.34

$$\frac{3a^2 b e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c^2} + \frac{a^2 d \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c} - \frac{ab^3 e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c^3} - \frac{2ab^2 c}{(ae^2 - deb + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] $\frac{1}{4}c/e^4 x^4 - \frac{1}{2}c^2/e^2 x^2 b - \frac{1}{2}c^3 d/e^2 x^2 - \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^2 \ln(cx^4 + bx^2 + a) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^3 \ln(cx^4 + bx^2 + a) + \frac{1}{2}(a^2 e^2 - b^3 d e + c^3 d^2) / c^2 \ln(cx^4 + bx^2 + a) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^3 \ln(cx^4 + bx^2 + a) + \frac{3}{2}(a^2 e^2 - b^3 d e + c^3 d^2) / c^2 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^2 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^3 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^4 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^5 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^6 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^7 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^8 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2}) + \frac{1}{4}(a^2 e^2 - b^3 d e + c^3 d^2) / c^9 (4ac - b^2)^{1/2} \arctan((2cx^2 + b) / (4ac - b^2)^{1/2})$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^9/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?
```

mupad [B] time = 69.94, size = 7024, normalized size = 30.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^9/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)
```

```
[Out] (d^4*log(d + e*x^2))/(2*a*e^5 + 2*c*d^2*e^3 - 2*b*d*e^4) + (log((x^2*(a^7*e^7 + b^7*d^7 - 2*a^3*b*c^3*d^7 - a^4*c^3*d^6*e - 2*a^6*c*d^2*e^5 + 7*a^2*b^3*c^2*d^7 + 3*a^2*b^5*d^5*e^2 + 4*a^3*b^4*d^4*e^3 + 4*a^4*b^3*d^3*e^4 + 3*a^5*b^2*d^2*e^5 + 2*a^5*c^2*d^4*e^3 - 5*a*b^5*c*d^7 + 2*a*b^6*d^6*e + 2*a^6*b*d*e^6 - 8*a^2*b^4*c*d^6*e - 6*a^5*b*c*d^3*e^4 + 8*a^3*b^2*c^2*d^6*e - 9*a^3*b^3*c*d^5*e^2 + 5*a^4*b*c^2*d^5*e^2 - 9*a^4*b^2*c*d^4*e^3)))/(c^4*e^4) + (a*d*(a^3*e^3 + b^3*d^3 - 2*a*b*c*d^3 + a*b^2*d^2*e + a^2*b*d*e^2 - a^2*c*d^2*e)^2)/(c^4*e^4) + (((x^2*(4*a^2*c^6*d^8 + 6*a^4*b^4*e^8 + 18*a^6*c^2*e^8 + 6*b^4*c^4*d^8 + 6*b^8*d^4*e^4 - 16*a*b^2*c^5*d^8 - 26*a^5*b^2*c*e^8 + 8*a*b^7*d^3*e^5 + 8*a^3*b^5*d*e^7 - 2*b^5*c^3*d^7*e - 2*b^7*c*d^5*e^3 + 8*a^2*b^6*d^2*e^6 - 20*a^3*c^5*d^6*e^2 + 40*a^4*c^4*d^4*e^4 - 36*a^5*c^3*d^2*e^6 + 2*b^6*c^2*d^6*e^2 + 42*a^2*b^2*c^4*d^6*e^2 - 28*a^2*b^3*c^3*d^5*e^3 + 80*a^2*b^4*c^2*d^4*e^4 - 64*a^3*b^2*c^3*d^4*e^4 + 80*a^3*b^3*c^2*d^3*e^5 + 48*a^4*b^2*c^2*d^2*e^6 + 18*a*b^3*c^4*d^7*e - 40*a*b^6*c*d^4*e^4 - 26*a^2*b*c^5*d^7*e - 32*a^4*b^3*c*d*e^7 + 12*a^5*b*c^2*d*e^7 - 16*a*b^4*c^3*d^6*e^2 + 10*a*b^5*c^2*d^5*e^3 - 48*a^2*b^5*c*d^3*e^5 + 46*a^3*b*c^4*d^5*e^3 - 40*a^3*b^4*c*d^2*e^6 - 48*a^4*b*c^3*d^3*e^5))/(c^4*e^4) + (((x^2*(8*a*b^8*e^9 + 8*b*c^8*d^9 + 8*b^9*d*e^8 + 120*a^5*c^4*e^9 - 72*a^2*b^6*c*e^9 - 8*b^2*c^7*d^8*e - 8*b^8*c*d^2*e^7 + 212*a^3*b^4*c^2*e^9 - 240*a^4*b^2*c^3*e^9 - 112*a^2*c^7*d^6*e^3 + 240*a^3*c^6*d^4*e^5 - 228*a^4*c^5*d^2*e^7 + 4*b^3*c^6*d^7*e^2 - 24*b^4*c^5*d^6*e^3 + 32*b^5*c^4*d^5*e^4 - 24*b^6*c^3*d^4*e^5 + 4*b^7*c^2*d^3*e^6 + 32*a*c^8*d^8*e - 56*a*b^7*c*d*e^8 - 428*a^2*b^2*c^5*d^4*e^5 + 108*a^2*b^3*c^4*d^3*e^6 - 216*a^2*b^4*c^3*d^2*e^7 + 424*a^3*b^2*c^4*d^2*e^7 - 16*a*b*c^7*d^7*e^2 + 8*a^4*b*c^4*d*e^8 + 88*a*b^2*c^6*d^6*e^3 - 116*a*b^3*c^5*d^5*e^4 + 188*a*b^4*c^4*d^4*e^5 - 36*a*b^5*c^3*d^3*e^6 + 60*a*b^6*c^2*d^2*e^7 + 40*a^2*b*c^6*d^5*e^4 + 100*a^2*b^5*c^2*d*e^8 - 72*a^3*b*c^5*d^3*e^6 - 4*a^3*b^3*c^3*d*e^8))/(c^4*e^4) - (((x^2*(32*a*b^6*c^3*e^10 - 352*a^4*c^6*e^10 + 128*a*c^9*d^6*e^4 + 32*b*c^9*d^7*e^3 + 32*b^7*c^3*d*e^9 - 256*a^2*b^4*c^4*e^10 + 600*a^3*b^2*c^5*e^10 - 464*a^2*c^8*d^4*e^6 + 592*a^3*c^7*d^2*e^8 - 64*b^2*c^8*d^6*e^4 + 56*b^3*c^7*d^5*e^5 - 48*b^4*c^6*d^4*e^6 + 56*b^5*c^5*d^3*e^7 - 64*b^6*c^4*d^2*e^8 - 688*a^2*b^2*c^6*d^2*e^8 - 192*a*b*
```


$$\begin{aligned}
& c*d^7 + 2*a*b^6*d^6*e + 2*a^6*b*d*e^6 - 8*a^2*b^4*c*d^6*e - 6*a^5*b*c*d^3*e \\
& ^4 + 8*a^3*b^2*c^2*d^6*e - 9*a^3*b^3*c*d^5*e^2 + 5*a^4*b*c^2*d^5*e^2 - 9*a^ \\
& 4*b^2*c*d^4*e^3)/(c^4*e^4) + (a*d*(a^3*e^3 + b^3*d^3 - 2*a*b*c*d^3 + a*b^2 \\
& *d^2*e + a^2*b*d*e^2 - a^2*c*d^2*e)^2)/(c^4*e^4) - (((x^2*(4*a^2*c^6*d^8 + \\
& 6*a^4*b^4*e^8 + 18*a^6*c^2*e^8 + 6*b^4*c^4*d^8 + 6*b^8*d^4*e^4 - 16*a*b^2*c \\
& ^5*d^8 - 26*a^5*b^2*c*e^8 + 8*a*b^7*d^3*e^5 + 8*a^3*b^5*d*e^7 - 2*b^5*c^3*d \\
& ^7*e - 2*b^7*c*d^5*e^3 + 8*a^2*b^6*d^2*e^6 - 20*a^3*c^5*d^6*e^2 + 40*a^4*c^ \\
& 4*d^4*e^4 - 36*a^5*c^3*d^2*e^6 + 2*b^6*c^2*d^6*e^2 + 42*a^2*b^2*c^4*d^6*e^2 \\
& - 28*a^2*b^3*c^3*d^5*e^3 + 80*a^2*b^4*c^2*d^4*e^4 - 64*a^3*b^2*c^3*d^4*e^4 \\
& + 80*a^3*b^3*c^2*d^3*e^5 + 48*a^4*b^2*c^2*d^2*e^6 + 18*a*b^3*c^4*d^7*e - 4 \\
& 0*a*b^6*c*d^4*e^4 - 26*a^2*b*c^5*d^7*e - 32*a^4*b^3*c*d*e^7 + 12*a^5*b*c^2* \\
& d*e^7 - 16*a*b^4*c^3*d^6*e^2 + 10*a*b^5*c^2*d^5*e^3 - 48*a^2*b^5*c*d^3*e^5 \\
& + 46*a^3*b*c^4*d^5*e^3 - 40*a^3*b^4*c*d^2*e^6 - 48*a^4*b*c^3*d^3*e^5))/(c^4 \\
& *e^4) - (((x^2*(8*a*b^8*e^9 + 8*b*c^8*d^9 + 8*b^9*d*e^8 + 120*a^5*c^4*e^9 - \\
& 72*a^2*b^6*c*e^9 - 8*b^2*c^7*d^8*e - 8*b^8*c*d^2*e^7 + 212*a^3*b^4*c^2*e^9 \\
& - 240*a^4*b^2*c^3*e^9 - 112*a^2*c^7*d^6*e^3 + 240*a^3*c^6*d^4*e^5 - 228*a^ \\
& 4*c^5*d^2*e^7 + 4*b^3*c^6*d^7*e^2 - 24*b^4*c^5*d^6*e^3 + 32*b^5*c^4*d^5*e^4 \\
& - 24*b^6*c^3*d^4*e^5 + 4*b^7*c^2*d^3*e^6 + 32*a*c^8*d^8*e - 56*a*b^7*c*d*e \\
& ^8 - 428*a^2*b^2*c^5*d^4*e^5 + 108*a^2*b^3*c^4*d^3*e^6 - 216*a^2*b^4*c^3*d^ \\
& 2*e^7 + 424*a^3*b^2*c^4*d^2*e^7 - 16*a*b*c^7*d^7*e^2 + 8*a^4*b*c^4*d*e^8 + \\
& 88*a*b^2*c^6*d^6*e^3 - 116*a*b^3*c^5*d^5*e^4 + 188*a*b^4*c^4*d^4*e^5 - 36*a \\
& *b^5*c^3*d^3*e^6 + 60*a*b^6*c^2*d^2*e^7 + 40*a^2*b*c^6*d^5*e^4 + 100*a^2*b^ \\
& 5*c^2*d*e^8 - 72*a^3*b*c^5*d^3*e^6 - 4*a^3*b^3*c^3*d*e^8))/(c^4*e^4) + ((x \\
& ^2*(32*a*b^6*c^3*e^10 - 352*a^4*c^6*e^10 + 128*a*c^9*d^6*e^4 + 32*b*c^9*d^7 \\
& *e^3 + 32*b^7*c^3*d*e^9 - 256*a^2*b^4*c^4*e^10 + 600*a^3*b^2*c^5*e^10 - 464 \\
& *a^2*c^8*d^4*e^6 + 592*a^3*c^7*d^2*e^8 - 64*b^2*c^8*d^6*e^4 + 56*b^3*c^7*d^ \\
& 5*e^5 - 48*b^4*c^6*d^4*e^6 + 56*b^5*c^5*d^3*e^7 - 64*b^6*c^4*d^2*e^8 - 688* \\
& a^2*b^2*c^6*d^2*e^8 - 192*a*b*c^8*d^5*e^5 - 224*a*b^5*c^4*d*e^9 - 72*a^3*b* \\
& c^6*d*e^9 + 272*a*b^2*c^7*d^4*e^6 - 200*a*b^3*c^6*d^3*e^7 + 360*a*b^4*c^5*d \\
& ^2*e^8 + 136*a^2*b*c^7*d^3*e^7 + 424*a^2*b^3*c^5*d*e^9))/(c^4*e^4) + (32*a* \\
& d*(2*b^6*e^6 + 2*c^6*d^6 - 15*a^3*c^3*e^6 - 10*a*c^5*d^4*e^2 + 29*a^2*b^2*c \\
& ^2*e^6 + 17*a^2*c^4*d^2*e^4 + 3*b^2*c^4*d^4*e^2 - b^3*c^3*d^3*e^3 + 3*b^4*c \\
& ^2*d^2*e^4 - 14*a*b^4*c*e^6 - 2*b*c^5*d^5*e - 2*b^5*c*d*e^5 + 2*a*b*c^4*d^3 \\
& *e^3 + 6*a*b^3*c^2*d*e^5 + a^2*b*c^3*d*e^5 - 13*a*b^2*c^3*d^2*e^4))/(c*e) + \\
& (8*e^2*(b^2*e^2 + c^2*d^2 - 3*a*c*e^2 - b*c*d*e)*(b^4*d*(b^2 - 4*a*c)^(1/2 \\
&) - b^5*d + 4*a^3*c^2*e + a*b^4*e + 6*a*b^3*c*d - a*b^3*e*(b^2 - 4*a*c)^(1/ \\
& 2) - 8*a^2*b*c^2*d - 5*a^2*b^2*c*e + 2*a^2*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a* \\
& b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a^2*b*c*e*(b^2 - 4*a*c)^(1/2))*(2*a*c^2*d^3 \\
& + a*b^2*e^3*x^2 + b*c^2*d^3*x^2 - 4*a^2*c*e^3*x^2 + b^3*d*e^2*x^2 + 2*a*b^ \\
& 2*d*e^2 - 6*a^2*c*d*e^2 + 4*a*c^2*d^2*e*x^2 - 2*b^2*c*d^2*e*x^2 - 2*a*b*c*d \\
& ^2*e - 3*a*b*c*d*e^2*x^2))/(c*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e))*(b^4* \\
& d*(b^2 - 4*a*c)^(1/2) - b^5*d + 4*a^3*c^2*e + a*b^4*e + 6*a*b^3*c*d - a*b^3 \\
& *e*(b^2 - 4*a*c)^(1/2) - 8*a^2*b*c^2*d - 5*a^2*b^2*c*e + 2*a^2*c^2*d*(b^2 - \\
& 4*a*c)^(1/2) - 4*a*b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a^2*b*c*e*(b^2 - 4*a*c) \\
& ^{(1/2)}))/(4*c^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) + (4*a*d*(4*b^8*e^8
\end{aligned}$$

$$\begin{aligned}
& + 4*c^8*d^8 + 37*a^4*c^4*e^8 - 16*a*c^7*d^6*e^2 + 84*a^2*b^4*c^2*e^8 - 84*a^3*b^2*c^3*e^8 + 40*a^2*c^6*d^4*e^4 - 56*a^3*c^5*d^2*e^6 + 4*b^2*c^6*d^6*e^2 \\
& - 4*b^3*c^5*d^5*e^3 + 13*b^4*c^4*d^4*e^4 - 4*b^5*c^3*d^3*e^5 + 4*b^6*c^2*d^2*e^6 - 32*a*b^6*c*e^8 + 98*a^2*b^2*c^4*d^2*e^6 - 8*a*b^5*c^2*d*e^7 - 4*a^3*b*c^4*d*e^7 \\
& - 52*a*b^2*c^5*d^4*e^4 + 20*a*b^3*c^4*d^3*e^5 - 36*a*b^4*c^3*d^2*e^6 - 16*a^2*b*c^5*d^3*e^5 + 28*a^2*b^3*c^3*d*e^7)/(c^4*e^4)*(b^4*d*(b^2 - 4*a*c)^(1/2) - b^5*d + 4*a^3*c^2*e + a*b^4*e + 6*a*b^3*c*d - a*b^3*e*(b^2 - 4*a*c)^(1/2) - 8*a^2*b*c^2*d - 5*a^2*b^2*c*e + 2*a^2*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a^2*b*c*e*(b^2 - 4*a*c)^(1/2)))/(4*c^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) + (4*a*d*(2*a^3*b^4*e^7 + 5*a^5*c^2*e^7 + 2*b^3*c^4*d^7 + 2*b^7*d^3*e^4 - 8*a^4*b^2*c*e^7 + 2*a*b^6*d^2*e^5 + 2*a^2*b^5*d*e^6 - 2*a^2*c^5*d^6*e + 6*a^3*c^4*d^4*e^3 - 9*a^4*c^3*d^2*e^5 + b^5*c^2*d^5*e^2 - 4*a*b*c^5*d^7 - a^2*b^2*c^3*d^4*e^3 + 20*a^2*b^3*c^2*d^3*e^4 + 12*a^3*b^2*c^2*d^2*e^5 + 2*a*b^2*c^4*d^6*e - 12*a*b^5*c*d^3*e^4 - 8*a^3*b^3*c*d*e^6 + 3*a^4*b*c^2*d*e^6 - 6*a*b^3*c^3*d^5*e^2 - a*b^4*c^2*d^4*e^3 + 10*a^2*b*c^4*d^5*e^2 - 10*a^2*b^4*c*d^2*e^5 - 12*a^3*b*c^3*d^3*e^4))/(c^4*e^4)*(b^4*d*(b^2 - 4*a*c)^(1/2) - b^5*d + 4*a^3*c^2*e + a*b^4*e + 6*a*b^3*c*d - a*b^3*e*(b^2 - 4*a*c)^(1/2) - 8*a^2*b*c^2*d - 5*a^2*b^2*c*e + 2*a^2*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a^2*b*c*e*(b^2 - 4*a*c)^(1/2)))/(4*c^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e))*(b^4*d*(b^2 - 4*a*c)^(1/2) - b^5*d + 4*a^3*c^2*e + a*b^4*e + 6*a*b^3*c*d - a*b^3*e*(b^2 - 4*a*c)^(1/2) - 8*a^2*b*c^2*d - 5*a^2*b^2*c*e + 2*a^2*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a^2*b*c*e*(b^2 - 4*a*c)^(1/2)))/(4*(4*a*c^5*d^2 + 4*a^2*c^4*e^2 - b^2*c^4*d^2 - a*b^2*c^3*e^2 + b^3*c^3*d*e - 4*a*b*c^4*d*e)) + x^4/(4*c*e) - (x^2*(b*e + c*d))/(2*c^2*e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**9/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.296 \quad \int \frac{x^7}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=189

$$\frac{(2a^2ce - ab^2e - 3abcd + b^3d) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^2\sqrt{b^2-4ac}(ae^2 - bde + cd^2)} + \frac{(-abe - acd + b^2d) \log(a + bx^2 + cx^4)}{4c^2(ae^2 - bde + cd^2)} - \frac{d^3 \log(d + ex^2)}{2e^2(ae^2 - bde + cd^2)} +$$

[Out] $1/2*x^2/c/e-1/2*d^3*\ln(e*x^2+d)/e^2/(a*e^2-b*d*e+c*d^2)+1/4*(-a*b*e-a*c*d+b^2*d)*\ln(c*x^4+b*x^2+a)/c^2/(a*e^2-b*d*e+c*d^2)+1/2*(2*a^2*c*e-a*b^2*e-3*a*b*c*d+b^3*d)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c^2/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.33, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 1628, 634, 618, 206, 628}

$$\frac{(2a^2ce - ab^2e - 3abcd + b^3d) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^2\sqrt{b^2-4ac}(ae^2 - bde + cd^2)} + \frac{(-abe - acd + b^2d) \log(a + bx^2 + cx^4)}{4c^2(ae^2 - bde + cd^2)} - \frac{d^3 \log(d + ex^2)}{2e^2(ae^2 - bde + cd^2)} +$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^7/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]$

[Out] $x^2/(2*c*e) + ((b^3*d - 3*a*b*c*d - a*b^2*e + 2*a^2*c*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c^2*\operatorname{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) - (d^3*\operatorname{Log}[d + e*x^2])/(2*e^2*(c*d^2 - b*d*e + a*e^2)) + ((b^2*d - a*c*d - a*b*e)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c^2*(c*d^2 - b*d*e + a*e^2))$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 618

$\operatorname{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
)^4^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 1628

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x
], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7}{(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3}{(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{ce} - \frac{d^3}{e(cd^2-bde+ae^2)(d+ex)} + \frac{a(bd-ae) + (b^2d-acd-abe)}{c(cd^2-bde+ae^2)(a+bx+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{x^2}{2ce} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2-bde+ae^2)} + \frac{\text{Subst} \left(\int \frac{a(bd-ae) + (b^2d-acd-abe)x}{a+bx+cx^2} dx, x, x^2 \right)}{2c(cd^2-bde+ae^2)} \\
&= \frac{x^2}{2ce} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2-bde+ae^2)} + \frac{(b^2d-acd-abe) \text{Subst} \left(\int \frac{b+2cx}{a+bx+cx^2} dx, x, x^2 \right)}{4c^2(cd^2-bde+ae^2)} \\
&= \frac{x^2}{2ce} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2-bde+ae^2)} + \frac{(b^2d-acd-abe) \log(a+bx^2+cx^4)}{4c^2(cd^2-bde+ae^2)} + \frac{(b^3d-3abcd-ab^2e+2a^2ce) \tanh^{-1} \left(\frac{b+2cx}{\sqrt{b^2-4ac}} \right)}{4c^2 \sqrt{b^2-4ac} (cd^2-bde+ae^2)} - \frac{d^3 \log(d+ex^2)}{2e^2(cd^2-bde+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 186, normalized size = 0.98

$$\frac{2e^2(2a^2ce - ab^2e - 3abcd + b^3d) \tan^{-1} \left(\frac{b+2cx^2}{\sqrt{4ac-b^2}} \right) + \sqrt{4ac-b^2} \left(e \left(abe + acd + b^2(-d) \right) \log(a+bx^2+cx^4) - 2cd^3 \log(d+ex^2) \right)}{4c^2e^2\sqrt{4ac-b^2} (e(bd-ae) - cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^7/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] (2*e^2*(b^3*d - 3*a*b*c*d - a*b^2*e + 2*a^2*c*e)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]] + Sqrt[-b^2 + 4*a*c]*(2*c^2*d^3*Log[d + e*x^2] + e*(-2*c*(c*d^2 - b*d*e + a*e^2)*x^2 + e*(-(b^2*d) + a*c*d + a*b*e)*Log[a + b*x^2 + c*x^4]))/(4*c^2*Sqrt[-b^2 + 4*a*c]*e^2*(-(c*d^2) + e*(b*d - a*e)))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 2.19, size = 194, normalized size = 1.03

$$\frac{d^3 \log(|x^2 e + d|)}{2(cd^2 e^2 - bde^3 + ae^4)} + \frac{x^2 e^{(-1)}}{2c} + \frac{(b^2 d - acd - abe) \log(cx^4 + bx^2 + a)}{4(c^3 d^2 - bc^2 de + ac^2 e^2)} - \frac{(b^3 d - 3abcd - ab^2 e + 2a^2 ce) \arctan\left(\frac{cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2(c^3 d^2 - bc^2 de + ac^2 e^2) \sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $-1/2*d^3*\log(\text{abs}(x^2*e + d))/(c*d^2*e^2 - b*d*e^3 + a*e^4) + 1/2*x^2*e^{(-1)}/c + 1/4*(b^2*d - a*c*d - a*b*e)*\log(c*x^4 + b*x^2 + a)/(c^3*d^2 - b*c^2*d*e + a*c^2*e^2) - 1/2*(b^3*d - 3*a*b*c*d - a*b^2*e + 2*a^2*c*e)*\arctan((2*c*x^2 + b)/\text{sqrt}(-b^2 + 4*a*c))/((c^3*d^2 - b*c^2*d*e + a*c^2*e^2)*\text{sqrt}(-b^2 + 4*a*c))$

maple [B] time = 0.01, size = 408, normalized size = 2.16

$$\frac{a^2 e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c} + \frac{ab^2 e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c^2} + \frac{3abd \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c} - \frac{b^3 d \ln(e*x^2+d)}{2(ae^2 - deb + cd^2) \sqrt{4ac-b^2} c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] $1/2/c/e*x^2 - 1/4/(a*e^2 - b*d*e + c*d^2)/c^2*\ln(c*x^4 + b*x^2 + a)*a*b*e - 1/4/(a*e^2 - b*d*e + c*d^2)/c*\ln(c*x^4 + b*x^2 + a)*a*d + 1/4/(a*e^2 - b*d*e + c*d^2)/c^2*\ln(c*x^4 + b*x^2 + a)*b^2*d - 1/(a*e^2 - b*d*e + c*d^2)/c/(4*a*c - b^2)^{(1/2)}*\arctan((2*c*x^2 + b)/(4*a*c - b^2)^{(1/2)})*a^2*e + 3/2/(a*e^2 - b*d*e + c*d^2)/c/(4*a*c - b^2)^{(1/2)}*\arctan((2*c*x^2 + b)/(4*a*c - b^2)^{(1/2)})*a*b*d + 1/2/(a*e^2 - b*d*e + c*d^2)/c^2/(4*a*c - b^2)^{(1/2)}*\arctan((2*c*x^2 + b)/(4*a*c - b^2)^{(1/2)})*b^2*a*e - 1/2/(a*e^2 - b*d*e + c*d^2)/c^2/(4*a*c - b^2)^{(1/2)}*\arctan((2*c*x^2 + b)/(4*a*c - b^2)^{(1/2)})*b^3*d - 1/2*d^3*\ln(e*x^2+d)/e^2/(a*e^2 - b*d*e + c*d^2)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help

elp (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details) Is 4*a*c-b^2 positive or negative?

mupad [B] time = 15.21, size = 2304, normalized size = 12.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^7/((d + e*x^2)*(a + b*x^2 + c*x^4)), x)$

[Out] $x^2/(2*c*e) - (d^3*\log(d + e*x^2))/(2*(a*e^4 + c*d^2*e^2 - b*d*e^3)) - (\log(a*e^5*x^2*(b^2 - 4*a*c)^{(7/2)} - 128*a^5*c^3*e^5 - 8*c^3*d^5*(b^2 - 4*a*c)^{(5/2)} - 512*a^3*c^5*d^4*e + 8*b^2*c^3*d^5*(b^2 - 4*a*c)^{(3/2)} + 6*b^3*d^2*e^3*(b^2 - 4*a*c)^{(5/2)} - 3*b^5*d^2*e^3*(b^2 - 4*a*c)^{(3/2)} + 32*a^4*b^2*c^2*e^5 + 384*a^4*c^4*d^2*e^3 + 256*a^2*c^6*d^5*x^2 + 16*b^4*c^4*d^5*x^2 + 3*a*d*e^4*(b^2 - 4*a*c)^{(7/2)} - 3*b*d^2*e^3*(b^2 - 4*a*c)^{(7/2)} - 3*c*d^3*e^2*(b^2 - 4*a*c)^{(7/2)} - 16*a^2*b^3*c^3*d^3*e^2 + 48*a^2*b^4*c^2*d^2*e^3 - 288*a^3*b^2*c^3*d^2*e^3 + 16*a^3*b^3*c^2*e^5*x^2 - 384*a^3*c^5*d^3*e^2*x^2 + 16*b^6*c^2*d^3*e^2*x^2 - 6*a*b^2*d*e^4*(b^2 - 4*a*c)^{(5/2)} + 3*a*b^4*d*e^4*(b^2 - 4*a*c)^{(3/2)} + 8*b*c^2*d^4*e*(b^2 - 4*a*c)^{(5/2)} - 32*a*b^4*c^3*d^4*e + 192*a^4*b*c^3*d*e^4 - 2*b^2*c*d^3*e^2*(b^2 - 4*a*c)^{(5/2)} - 8*b^3*c^2*d^4*e*(b^2 - 4*a*c)^{(3/2)} + 5*b^4*c*d^3*e^2*(b^2 - 4*a*c)^{(3/2)} - 2*a*b^2*e^5*x^2*(b^2 - 4*a*c)^{(5/2)} + a*b^4*e^5*x^2*(b^2 - 4*a*c)^{(3/2)} + 16*b*c^4*d^5*x^2*(b^2 - 4*a*c)^{(3/2)} - 3*c*d^2*e^3*x^2*(b^2 - 4*a*c)^{(7/2)} - 16*c^3*d^4*e*x^2*(b^2 - 4*a*c)^{(5/2)} + 256*a^2*b^2*c^4*d^4*e + 64*a^3*b*c^4*d^3*e^2 - 48*a^3*b^3*c^2*d*e^4 - 128*a*b^2*c^5*d^5*x^2 - 64*a^4*b*c^3*e^5*x^2 + 384*a^4*c^4*d*e^4*x^2 - 32*b^5*c^3*d^4*e*x^2 + 480*a^2*b^2*c^4*d^3*e^2*x^2 + 48*a^2*b^3*c^3*d^2*e^3*x^2 + 256*a*b^3*c^4*d^4*e*x^2 - 512*a^2*b*c^5*d^4*e*x^2 + 8*b*c^2*d^3*e^2*x^2*(b^2 - 4*a*c)^{(5/2)} + 6*b^2*c*d^2*e^3*x^2*(b^2 - 4*a*c)^{(5/2)} - 16*b^2*c^3*d^4*e*x^2*(b^2 - 4*a*c)^{(3/2)} - 3*b^4*c*d^2*e^3*x^2*(b^2 - 4*a*c)^{(3/2)} - 160*a*b^4*c^3*d^3*e^2*x^2 - 192*a^3*b*c^4*d^2*e^3*x^2 - 96*a^3*b^2*c^3*d^2*e^4*x^2 + 8*b^3*c^2*d^3*e^2*x^2*(b^2 - 4*a*c)^{(3/2)})*(b^4*d - b^3*d*(b^2 - 4*a*c)^{(1/2)} + 4*a^2*c^2*d - a*b^3*e - 5*a*b^2*c*d + 4*a^2*b*c*e + a*b^2*e*(b^2 - 4*a*c)^{(1/2)} - 2*a^2*c*e*(b^2 - 4*a*c)^{(1/2)} + 3*a*b*c*d*(b^2 - 4*a*c)^{(1/2)}))/((4*(4*a*c^4*d^2 + 4*a^2*c^3*e^2 - b^2*c^3*d^2 - a*b^2*c^2*e^2 + b^3*c^2*d*e - 4*a*b*c^3*d*e)) - (\log(8*c^3*d^5*(b^2 - 4*a*c)^{(5/2)} - 128*a^5*c^3*e^5 - a*e^5*x^2*(b^2 - 4*a*c)^{(7/2)} - 512*a^3*c^5*d^4*e - 8*b^2*c^3*d^5*(b^2 - 4*a*c)^{(3/2)} - 6*b^3*d^2*e^3*(b^2 - 4*a*c)^{(5/2)} + 3*b^5*d^2*e^3*(b^2 - 4*a*c)^{(3/2)} + 32*a^4*b^2*c^2*e^5 + 384*a^4*c^4*d^2*e^3 + 256*a^2*c^6*d^5*x^2 + 16*b^4*c^4*d^5*x^2 - 3*a*d*e^4*(b^2 - 4*a*c)^{(7/2)} + 3*b*d^2*e^3*(b^2 - 4*a*c)^{(7/2)} + 3*c*d^3*e^2*(b^2 - 4*a*c)^{(7/2)}) - 16*a^2*b^3*c^3*d^3*e^2 + 48*a^2*b^4*c^2*d^2*e^3 - 288*a^3*b^2*c^3*d^2*e^3 + 16*a^3*b^3*c^2*e^5*x^2 - 384*a^3*c^5*d^3*e^2*x^2 + 16*b^6*c^2*d^3*e^2*x^2 + 6*a*b^2*d*e^4*(b^2 - 4*a*c)^{(5/2)} - 3*a*b^4*d*e^4*(b^2 - 4*a*c)^{(3/2)} - 8*b*c^2*d^4*e*(b^2 - 4*a*c)^{(5/2)} - 32*a*b^4*c^3*d^4*e + 192*a^4*b*c^3*d$

$$\begin{aligned}
& *e^4 + 2*b^2*c*d^3*e^2*(b^2 - 4*a*c)^{(5/2)} + 8*b^3*c^2*d^4*e*(b^2 - 4*a*c)^{(3/2)} - 5*b^4*c*d^3*e^2*(b^2 - 4*a*c)^{(3/2)} + 2*a*b^2*e^5*x^2*(b^2 - 4*a*c)^{(5/2)} - a*b^4*e^5*x^2*(b^2 - 4*a*c)^{(3/2)} - 16*b*c^4*d^5*x^2*(b^2 - 4*a*c)^{(3/2)} + 3*c*d^2*e^3*x^2*(b^2 - 4*a*c)^{(7/2)} + 16*c^3*d^4*e*x^2*(b^2 - 4*a*c)^{(5/2)} + 256*a^2*b^2*c^4*d^4*e + 64*a^3*b*c^4*d^3*e^2 - 48*a^3*b^3*c^2*d*e^4 - 128*a*b^2*c^5*d^5*x^2 - 64*a^4*b*c^3*e^5*x^2 + 384*a^4*c^4*d*e^4*x^2 - 32*b^5*c^3*d^4*e*x^2 + 480*a^2*b^2*c^4*d^3*e^2*x^2 + 48*a^2*b^3*c^3*d^2*e^3*x^2 + 256*a*b^3*c^4*d^4*e*x^2 - 512*a^2*b*c^5*d^4*e*x^2 - 8*b*c^2*d^3*e^2*x^2*(b^2 - 4*a*c)^{(5/2)} - 6*b^2*c*d^2*e^3*x^2*(b^2 - 4*a*c)^{(5/2)} + 16*b^2*c^3*d^4*e*x^2*(b^2 - 4*a*c)^{(3/2)} + 3*b^4*c*d^2*e^3*x^2*(b^2 - 4*a*c)^{(3/2)} - 160*a*b^4*c^3*d^3*e^2*x^2 - 192*a^3*b*c^4*d^2*e^3*x^2 - 96*a^3*b^2*c^3*d*e^4*x^2 - 8*b^3*c^2*d^3*e^2*x^2*(b^2 - 4*a*c)^{(3/2))}*(b^4*d + b^3*d*(b^2 - 4*a*c)^{(1/2)} + 4*a^2*c^2*d - a*b^3*e - 5*a*b^2*c*d + 4*a^2*b*c*e - a*b^2*e*(b^2 - 4*a*c)^{(1/2)} + 2*a^2*c*e*(b^2 - 4*a*c)^{(1/2)} - 3*a*b*c*d*(b^2 - 4*a*c)^{(1/2)))/(4*(4*a*c^4*d^2 + 4*a^2*c^3*e^2 - b^2*c^3*d^2 - a*b^2*c^2*e^2 + b^3*c^2*d*e - 4*a*b*c^3*d*e))
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.297 \quad \int \frac{x^5}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=158

$$\frac{(-abe - 2acd + b^2d) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}(ae^2 - bde + cd^2)} + \frac{d^2 \log(d + ex^2)}{2e(ae^2 - bde + cd^2)} - \frac{(bd - ae) \log(a + bx^2 + cx^4)}{4c(ae^2 - bde + cd^2)}$$

[Out] $1/2*d^2*\ln(e*x^2+d)/e/(a*e^2-b*d*e+c*d^2)-1/4*(-a*e+b*d)*\ln(c*x^4+b*x^2+a)/c/(a*e^2-b*d*e+c*d^2)-1/2*(-a*b*e-2*a*c*d+b^2*d)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/c/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 1628, 634, 618, 206, 628}

$$\frac{(-abe - 2acd + b^2d) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}(ae^2 - bde + cd^2)} + \frac{d^2 \log(d + ex^2)}{2e(ae^2 - bde + cd^2)} - \frac{(bd - ae) \log(a + bx^2 + cx^4)}{4c(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-((b^2*d - 2*a*c*d - a*b*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*c*\operatorname{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) + (d^2*\operatorname{Log}[d + e*x^2])/(2*e*(c*d^2 - b*d*e + a*e^2)) - ((b*d - a*e)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*c*(c*d^2 - b*d*e + a*e^2))$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1628

Int[(Pq_)*((d_.) + (e_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{d^2}{(cd^2 - bde + ae^2)(d+ex)} + \frac{-ad - (bd - ae)x}{(cd^2 - bde + ae^2)(a+bx+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{d^2 \log(d+ex^2)}{2e(cd^2 - bde + ae^2)} + \frac{\text{Subst} \left(\int \frac{-ad - (bd - ae)x}{a+bx+cx^2} dx, x, x^2 \right)}{2(cd^2 - bde + ae^2)} \\
&= \frac{d^2 \log(d+ex^2)}{2e(cd^2 - bde + ae^2)} - \frac{(bd - ae) \text{Subst} \left(\int \frac{b+2cx}{a+bx+cx^2} dx, x, x^2 \right)}{4c(cd^2 - bde + ae^2)} + \frac{(b^2d - 2acd - abe) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} dx, x, x^2 \right)}{4c(cd^2 - bde + ae^2)} \\
&= \frac{d^2 \log(d+ex^2)}{2e(cd^2 - bde + ae^2)} - \frac{(bd - ae) \log(a+bx^2+cx^4)}{4c(cd^2 - bde + ae^2)} - \frac{(b^2d - 2acd - abe) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} dx, x, x^2 \right)}{2c(cd^2 - bde + ae^2)} \\
&= -\frac{(b^2d - 2acd - abe) \tanh^{-1} \left(\frac{b+2cx}{\sqrt{b^2-4ac}} \right)}{2c\sqrt{b^2-4ac}(cd^2 - bde + ae^2)} + \frac{d^2 \log(d+ex^2)}{2e(cd^2 - bde + ae^2)} - \frac{(bd - ae) \log(a+bx^2+cx^4)}{4c(cd^2 - bde + ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 139, normalized size = 0.88

$$\frac{\sqrt{4ac - b^2} \left(e(bd - ae) \log(a + bx^2 + cx^4) - 2cd^2 \log(d + ex^2) \right) + 2e \left(abe + 2acd + b^2(-d) \right) \tan^{-1} \left(\frac{b+2cx}{\sqrt{4ac-b^2}} \right)}{4ce\sqrt{4ac - b^2} \left(e(ae - bd) + cd^2 \right)}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] $-1/4*(2*e*(-(b^2*d) + 2*a*c*d + a*b*e)*\text{ArcTan}[(b + 2*c*x^2)/\text{Sqrt}[-b^2 + 4*a*c]] + \text{Sqrt}[-b^2 + 4*a*c]*(-2*c*d^2*\text{Log}[d + e*x^2] + e*(b*d - a*e)*\text{Log}[a + b*x^2 + c*x^4]))/(c*\text{Sqrt}[-b^2 + 4*a*c]*e*(c*d^2 + e*(-(b*d) + a*e)))$

fricas [A] time = 144.36, size = 421, normalized size = 2.66

$$\left[\frac{2(b^2c - 4ac^2)d^2 \log(ex^2 + d) + (abe^2 - (b^2 - 2ac)de)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) - ((b^2c - 4ac^2)d^2e - (b^3c - 4abc^2)de^2 + (ab^2c - 4a^2c^2)e^3)}{4((b^2c^2 - 4ac^3)d^2e - (b^3c - 4abc^2)de^2 + (ab^2c - 4a^2c^2)e^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] $\frac{1}{4} \cdot (2 \cdot (b^2 \cdot c - 4 \cdot a \cdot c^2) \cdot d^2 \cdot \log(e \cdot x^2 + d) + (a \cdot b \cdot e^2 - (b^2 - 2 \cdot a \cdot c) \cdot d \cdot e) \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \log((2 \cdot c^2 \cdot x^4 + 2 \cdot b \cdot c \cdot x^2 + b^2 - 2 \cdot a \cdot c + (2 \cdot c \cdot x^2 + b) \cdot \sqrt{b^2 - 4 \cdot a \cdot c})) / (c \cdot x^4 + b \cdot x^2 + a)) - ((b^3 - 4 \cdot a \cdot b \cdot c) \cdot d \cdot e - (a \cdot b^2 - 4 \cdot a^2 \cdot c) \cdot e^2) \cdot \log(c \cdot x^4 + b \cdot x^2 + a) / ((b^2 \cdot c^2 - 4 \cdot a \cdot c^3) \cdot d^2 \cdot e - (b^3 \cdot c - 4 \cdot a \cdot b \cdot c^2) \cdot d \cdot e^2 + (a \cdot b^2 \cdot c - 4 \cdot a^2 \cdot c^2) \cdot e^3), \frac{1}{4} \cdot (2 \cdot (b^2 \cdot c - 4 \cdot a \cdot c^2) \cdot d^2 \cdot \log(e \cdot x^2 + d) + 2 \cdot (a \cdot b \cdot e^2 - (b^2 - 2 \cdot a \cdot c) \cdot d \cdot e) \cdot \sqrt{-b^2 + 4 \cdot a \cdot c}) \cdot \arctan(-(2 \cdot c \cdot x^2 + b) \cdot \sqrt{-b^2 + 4 \cdot a \cdot c}) / (b^2 - 4 \cdot a \cdot c)) - ((b^3 - 4 \cdot a \cdot b \cdot c) \cdot d \cdot e - (a \cdot b^2 - 4 \cdot a^2 \cdot c) \cdot e^2) \cdot \log(c \cdot x^4 + b \cdot x^2 + a) / ((b^2 \cdot c^2 - 4 \cdot a \cdot c^3) \cdot d^2 \cdot e - (b^3 \cdot c - 4 \cdot a \cdot b \cdot c^2) \cdot d \cdot e^2 + (a \cdot b^2 \cdot c - 4 \cdot a^2 \cdot c^2) \cdot e^3)]$

giac [A] time = 1.84, size = 157, normalized size = 0.99

$$\frac{d^2 \log(|x^2 e + d|)}{2(c d^2 e - b d e^2 + a e^3)} - \frac{(b d - a e) \log(c x^4 + b x^2 + a)}{4(c^2 d^2 - b c d e + a c e^2)} + \frac{(b^2 d - 2 a c d - a b e) \arctan\left(\frac{2 c x^2 + b}{\sqrt{-b^2 + 4 a c}}\right)}{2(c^2 d^2 - b c d e + a c e^2) \sqrt{-b^2 + 4 a c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\frac{1}{2} \cdot d^2 \cdot \log(\text{abs}(x^2 \cdot e + d)) / (c \cdot d^2 \cdot e - b \cdot d \cdot e^2 + a \cdot e^3) - \frac{1}{4} \cdot (b \cdot d - a \cdot e) \cdot \log(c \cdot x^4 + b \cdot x^2 + a) / (c^2 \cdot d^2 - b \cdot c \cdot d \cdot e + a \cdot c \cdot e^2) + \frac{1}{2} \cdot (b^2 \cdot d - 2 \cdot a \cdot c \cdot d - a \cdot b \cdot e) \cdot \arctan((2 \cdot c \cdot x^2 + b) / \sqrt{-b^2 + 4 \cdot a \cdot c}) / ((c^2 \cdot d^2 - b \cdot c \cdot d \cdot e + a \cdot c \cdot e^2) \cdot \sqrt{-b^2 + 4 \cdot a \cdot c})$

maple [A] time = 0.01, size = 289, normalized size = 1.83

$$\frac{a b e \arctan\left(\frac{2 c x^2 + b}{\sqrt{4 a c - b^2}}\right)}{2(a e^2 - d e b + c d^2) \sqrt{4 a c - b^2} c} - \frac{a d \arctan\left(\frac{2 c x^2 + b}{\sqrt{4 a c - b^2}}\right)}{(a e^2 - d e b + c d^2) \sqrt{4 a c - b^2}} + \frac{b^2 d \arctan\left(\frac{2 c x^2 + b}{\sqrt{4 a c - b^2}}\right)}{2(a e^2 - d e b + c d^2) \sqrt{4 a c - b^2} c} + \frac{a e \ln(c x^4 + b x^2 + a)}{4(a e^2 - d e b + c d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] $\frac{1}{4} / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) / c \cdot \ln(c \cdot x^4 + b \cdot x^2 + a) \cdot a \cdot e - \frac{1}{4} / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) / c \cdot \ln(c \cdot x^4 + b \cdot x^2 + a) \cdot b \cdot d - \frac{1}{(a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) / (4 \cdot a \cdot c - b^2)^{(1/2)}} \cdot \arctan((2 \cdot c \cdot x^2 + b) / (4 \cdot a \cdot c - b^2)^{(1/2)}) \cdot a \cdot d - \frac{1}{2} / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) / (4 \cdot a \cdot c - b^2)^{(1/2)} \cdot \arctan((2 \cdot c \cdot x^2 + b) / (4 \cdot a \cdot c - b^2)^{(1/2)}) \cdot b / c \cdot a \cdot e + \frac{1}{2} / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) / (4 \cdot a \cdot c - b^2)^{(1/2)} \cdot \arctan((2 \cdot c \cdot x^2 + b) / (4 \cdot a \cdot c - b^2)^{(1/2)}) \cdot b^2 / c \cdot d + \frac{1}{2} \cdot d^2 \cdot \ln(e \cdot x^2 + d) / e / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for mo
re details)Is 4*a*c-b^2 positive or negative?
```

mupad [B] time = 11.05, size = 1853, normalized size = 11.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)
```

```
[Out] (d^2*log(d + e*x^2))/(2*a*e^3 - 2*b*d*e^2 + 2*c*d^2*e) + (log(4*a^2*e^4*(b^
2 - 4*a*c)^(5/2) + 8*c^2*d^4*(b^2 - 4*a*c)^(5/2) + 5*d^2*e^2*(b^2 - 4*a*c)^(
7/2) + 3*d*e^3*x^2*(b^2 - 4*a*c)^(7/2) - 16*a^3*b^3*c*e^4 + 64*a^4*b*c^2*e
^4 + 640*a^3*c^4*d^3*e - 384*a^4*c^3*d*e^3 - 4*a^2*b^2*e^4*(b^2 - 4*a*c)^(3
/2) - 8*b^2*c^2*d^4*(b^2 - 4*a*c)^(3/2) - 6*b^2*d^2*e^2*(b^2 - 4*a*c)^(5/2)
+ b^4*d^2*e^2*(b^2 - 4*a*c)^(3/2) - 256*a^2*c^5*d^4*x^2 - 128*a^4*c^3*e^4*x
^2 - 16*b^4*c^3*d^4*x^2 + 80*a^2*b^3*c^2*d^2*e^2 + 96*a^3*b^2*c^2*e^4*x^2
+ 640*a^3*c^4*d^2*e^2*x^2 + 4*b^3*c*d^3*e*(b^2 - 4*a*c)^(3/2) + 4*a*b*e^4*x
^2*(b^2 - 4*a*c)^(5/2) + 48*a*b^4*c^2*d^3*e - 16*a*b^5*c*d^2*e^2 - 4*a*b^3*
e^4*x^2*(b^2 - 4*a*c)^(3/2) - 16*b*c^3*d^4*x^2*(b^2 - 4*a*c)^(3/2) - 6*b^2*
d*e^3*x^2*(b^2 - 4*a*c)^(5/2) + 3*b^4*d*e^3*x^2*(b^2 - 4*a*c)^(3/2) + 20*c^
2*d^3*e*x^2*(b^2 - 4*a*c)^(5/2) - 352*a^2*b^2*c^3*d^3*e - 64*a^3*b*c^3*d^2*
e^2 + 96*a^3*b^2*c^2*d*e^3 + 128*a*b^2*c^4*d^4*x^2 - 16*a^2*b^4*c*e^4*x^2 +
32*b^5*c^2*d^3*e*x^2 - 16*b^6*c*d^2*e^2*x^2 - 4*b*c*d^3*e*(b^2 - 4*a*c)^(5
/2) - 480*a^2*b^2*c^3*d^2*e^2*x^2 - 12*b*c*d^2*e^2*x^2*(b^2 - 4*a*c)^(5/2)
- 240*a*b^3*c^3*d^3*e*x^2 + 448*a^2*b*c^4*d^3*e*x^2 - 192*a^3*b*c^3*d*e^3*x
^2 + 12*b^2*c^2*d^3*e*x^2*(b^2 - 4*a*c)^(3/2) - 4*b^3*c*d^2*e^2*x^2*(b^2 -
4*a*c)^(3/2) + 144*a*b^4*c^2*d^2*e^2*x^2 + 48*a^2*b^3*c^2*d*e^3*x^2)*((b^3*d
d)/4 + e*(a^2*c - (a*b^2)/4 + (a*b*(b^2 - 4*a*c)^(1/2))/4) - (b^2*d*(b^2 -
4*a*c)^(1/2))/4 + (a*c*d*(b^2 - 4*a*c)^(1/2))/2 - a*b*c*d)/(4*a*c^3*d^2 +
4*a^2*c^2*e^2 - b^2*c^2*d^2 + b^3*c*d*e - a*b^2*c*e^2 - 4*a*b*c^2*d*e) - (l
og(4*a^2*e^4*(b^2 - 4*a*c)^(5/2) + 8*c^2*d^4*(b^2 - 4*a*c)^(5/2) + 5*d^2*e^
2*(b^2 - 4*a*c)^(7/2) + 3*d*e^3*x^2*(b^2 - 4*a*c)^(7/2) + 16*a^3*b^3*c*e^4
- 64*a^4*b*c^2*e^4 - 640*a^3*c^4*d^3*e + 384*a^4*c^3*d*e^3 - 4*a^2*b^2*e^4*
(b^2 - 4*a*c)^(3/2) - 8*b^2*c^2*d^4*(b^2 - 4*a*c)^(3/2) - 6*b^2*d^2*e^2*(b^
2 - 4*a*c)^(5/2) + b^4*d^2*e^2*(b^2 - 4*a*c)^(3/2) + 256*a^2*c^5*d^4*x^2 +
128*a^4*c^3*e^4*x^2 + 16*b^4*c^3*d^4*x^2 - 80*a^2*b^3*c^2*d^2*e^2 - 96*a^3*
b^2*c^2*e^4*x^2 - 640*a^3*c^4*d^2*e^2*x^2 + 4*b^3*c*d^3*e*(b^2 - 4*a*c)^(3/
2) + 4*a*b*e^4*x^2*(b^2 - 4*a*c)^(5/2) - 48*a*b^4*c^2*d^3*e + 16*a*b^5*c*d^
```


$$\begin{aligned}
& 2e^2 - 4ab^3e^4x^2(b^2 - 4ac)^{3/2} - 16b^3c^3d^4x^2(b^2 - 4ac)^{3/2} - 6b^2d^3e^3x^2(b^2 - 4ac)^{5/2} + 3b^4d^3e^3x^2(b^2 - 4ac)^{3/2} \\
& + 20c^2d^3e^3x^2(b^2 - 4ac)^{5/2} + 352a^2b^2c^3d^3e + 64a^3b^3c^3d^2e^2 - 96a^3b^2c^2d^3e^3 - 128ab^2c^4d^4x^2 + 16a^2b^4c^3d^2e^2 - 32b^5c^2d^3e^3x^2 \\
& + 16b^6c^3d^2e^2x^2 - 4b^3c^3d^3e^3(b^2 - 4ac)^{5/2} + 480a^2b^2c^3d^2e^2x^2 - 12b^3c^3d^2e^2x^2(b^2 - 4ac)^{5/2} \\
& + 240ab^3c^3d^3e^3x^2 - 448a^2b^3c^4d^3e^3x^2 + 192a^3b^3c^3d^3e^3x^2 + 12b^2c^2d^3e^3x^2(b^2 - 4ac)^{3/2} - 4b^3c^3d^2e^2x^2(b^2 - 4ac)^{3/2} \\
& - 144ab^4c^2d^2e^2x^2 - 48a^2b^3c^2d^3e^3x^2 * (e((ab^2)/4 - a^2c + (ab(b^2 - 4ac)^{1/2}))/4) - (b^3d)/4 - (b^2d(b^2 - 4ac)^{1/2})/4 \\
& + (acd(b^2 - 4ac)^{1/2})/2 + abc*d) / (4ac^3d^2 + 4a^2c^2e^2 - b^2c^2d^2 + b^3c^3d^3e - ab^2c^3e^2 - 4ab^3c^2d^3e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.298 \quad \int \frac{x^3}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=132

$$\frac{(bd - 2ae) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2\sqrt{b^2 - 4ac} (ae^2 - bde + cd^2)} - \frac{d \log(d + ex^2)}{2(ae^2 - bde + cd^2)} + \frac{d \log(a + bx^2 + cx^4)}{4(ae^2 - bde + cd^2)}$$

[Out] $-1/2*d*\ln(e*x^2+d)/(a*e^2-b*d*e+c*d^2)+1/4*d*\ln(c*x^4+b*x^2+a)/(a*e^2-b*d*e+c*d^2)+1/2*(-2*a*e+b*d)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 800, 634, 618, 206, 628}

$$\frac{(bd - 2ae) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2\sqrt{b^2 - 4ac} (ae^2 - bde + cd^2)} - \frac{d \log(d + ex^2)}{2(ae^2 - bde + cd^2)} + \frac{d \log(a + bx^2 + cx^4)}{4(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]$

[Out] $((b*d - 2*a*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*\operatorname{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) - (d*\operatorname{Log}[d + e*x^2])/(2*(c*d^2 - b*d*e + a*e^2)) + (d*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*(c*d^2 - b*d*e + a*e^2))$

Rule 206

$\operatorname{Int}(((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 618

$\operatorname{Int}(((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \operatorname{FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\operatorname{Int}(((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] \rightarrow \operatorname{Simp}[(d*\operatorname{Log}[\operatorname{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \operatorname{FreeQ}\{a, b, c, d,$

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 800

Int[(((d_.) + (e_.)*(x_)^m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [1/4*((b^2 - 4*a*c)*d*log(c*x^4 + b*x^2 + a) - 2*(b^2 - 4*a*c)*d*log(e*x^2 + d) - sqrt(b^2 - 4*a*c)*(b*d - 2*a*e)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)))/((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2), 1/4*((b^2 - 4*a*c)*d*log(c*x^4 + b*x^2 + a) - 2*(b^2 - 4*a*c)*d*log(e*x^2 + d) + 2*sqrt(-b^2 + 4*a*c)*(b*d - 2*a*e)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)))/((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2)
]

giac [A] time = 1.72, size = 133, normalized size = 1.01

$$-\frac{de \log(|x^2e + d|)}{2(cd^2e - bde^2 + ae^3)} + \frac{d \log(cx^4 + bx^2 + a)}{4(cd^2 - bde + ae^2)} - \frac{(bd - 2ae) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{2(cd^2 - bde + ae^2)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/2*d*e*log(abs(x^2*e + d))/(c*d^2*e - b*d*e^2 + a*e^3) + 1/4*d*log(c*x^4 + b*x^2 + a)/(c*d^2 - b*d*e + a*e^2) - 1/2*(b*d - 2*a*e)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/((c*d^2 - b*d*e + a*e^2)*sqrt(-b^2 + 4*a*c))

maple [A] time = 0.01, size = 176, normalized size = 1.33

$$\frac{ae \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2)\sqrt{4ac - b^2}} - \frac{bd \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac - b^2}} - \frac{d \ln(ex^2 + d)}{2(ae^2 - deb + cd^2)} + \frac{d \ln(cx^4 + bx^2 + a)}{4ae^2 - 4deb + 4cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] 1/4*d*ln(c*x^4+b*x^2+a)/(a*e^2-b*d*e+c*d^2)+1/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*a*e-1/2/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*d-1/2*d*ln(e*x^2+d)/(a*e^2-b*d*e+c*d^2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 9.75, size = 3704, normalized size = 28.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)$

[Out] $(\log(76*d^3*e^3*(b^2 - 4*a*c)^{(9/2)} - 64*a^3*b^6*e^6 - 4608*a^3*c^6*d^6 + 512*a^6*c^3*e^6 - 320*a*b^4*c^4*d^6 + 512*a^4*b^4*c*e^6 - 64*a*b^8*d^2*e^4 - 128*a^2*b^7*d*e^5 + 32*a^3*b^3*e^6*(b^2 - 4*a*c)^{(3/2)} - 48*b^3*c^3*d^6*(b^2 - 4*a*c)^{(3/2)} - 68*b^2*d^3*e^3*(b^2 - 4*a*c)^{(7/2)} - 28*b^4*d^3*e^3*(b^2 - 4*a*c)^{(5/2)} + 20*b^6*d^3*e^3*(b^2 - 4*a*c)^{(3/2)} + 4*a^2*e^6*x^2*(b^2 - 4*a*c)^{(7/2)} + 144*c^4*d^6*x^2*(b^2 - 4*a*c)^{(5/2)} + 39*d^2*e^4*x^2*(b^2 - 4*a*c)^{(9/2)} + 2432*a^2*b^2*c^5*d^6 - 1152*a^5*b^2*c^2*e^6 + 40448*a^4*c^5*d^4*e^2 - 19968*a^5*c^4*d^2*e^4 - 64*a^2*b^7*e^6*x^2 - 64*b^5*c^4*d^6*x^2 - 64*b^9*d^2*e^4*x^2 + 32*a^3*b*e^6*(b^2 - 4*a*c)^{(5/2)} + 48*b*c^3*d^6*(b^2 - 4*a*c)^{(5/2)} + 40*a^2*d*e^5*(b^2 - 4*a*c)^{(7/2)} + 168*c^2*d^5*e*(b^2 - 4*a*c)^{(7/2)} + 40*a^2*b^2*e^6*x^2*(b^2 - 4*a*c)^{(5/2)} + 20*a^2*b^4*e^6*x^2*(b^2 - 4*a*c)^{(3/2)} - 80*b^2*c^4*d^6*x^2*(b^2 - 4*a*c)^{(3/2)} + 155*b^2*d^2*e^4*x^2*(b^2 - 4*a*c)^{(7/2)} - 155*b^4*d^2*e^4*x^2*(b^2 - 4*a*c)^{(5/2)} + 25*b^6*d^2*e^4*x^2*(b^2 - 4*a*c)^{(3/2)} + 316*c^2*d^4*e^2*x^2*(b^2 - 4*a*c)^{(7/2)} + 5120*a^2*b^4*c^3*d^4*e^2 - 4096*a^2*b^5*c^2*d^3*e^3 - 24448*a^3*b^2*c^4*d^4*e^2 + 21760*a^3*b^3*c^3*d^3*e^3 - 9920*a^3*b^4*c^2*d^2*e^4 + 26240*a^4*b^2*c^3*d^2*e^4 - 1600*a^4*b^3*c^2*e^6*x^2 + 38912*a^4*c^5*d^3*e^3*x^2 - 384*b^7*c^2*d^4*e^2*x^2 + 212*a*b*d^2*e^4*(b^2 - 4*a*c)^{(7/2)} - 176*b*c*d^4*e^2*(b^2 - 4*a*c)^{(7/2)} + 256*a*b^5*c^3*d^5*e + 256*a*b^7*c*d^3*e^3 + 2560*a^3*b*c^5*d^5*e + 1664*a^3*b^5*c*d*e^5 + 8704*a^5*b*c^3*d*e^5 - 128*a*b^8*d*e^5*x^2 - 168*a*b^3*d^2*e^4*(b^2 - 4*a*c)^{(5/2)} + 20*a*b^5*d^2*e^4*(b^2 - 4*a*c)^{(3/2)} + 144*a^2*b^2*d*e^5*(b^2 - 4*a*c)^{(5/2)} - 56*a^2*b^4*d*e^5*(b^2 - 4*a*c)^{(3/2)} - 272*b^2*c^2*d^5*e*(b^2 - 4*a*c)^{(5/2)} + 256*b^3*c*d^4*e^2*(b^2 - 4*a*c)^{(5/2)} + 104*b^4*c^2*d^5*e*(b^2 - 4*a*c)^{(3/2)} - 80*b^5*c*d^4*e^2*(b^2 - 4*a*c)^{(3/2)} - 384*a*b^6*c^2*d^4*e^2 - 1664*a^2*b^3*c^4*d^5*e + 1408*a^2*b^6*c*d^2*e^4 - 37888*a^4*b*c^4*d^3*e^3 - 6784*a^4*b^3*c^2*d*e^5 + 448*a*b^3*c^5*d^6*x^2 - 768*a^2*b*c^6*d^6*x^2 + 576*a^3*b^5*c*e^6*x^2 + 1280*a^5*b*c^3*e^6*x^2 - 21504*a^3*c^6*d^5*e*x^2 - 5120*a^5*c^4*d*e^5*x^2 + 256*b^6*c^3*d^5*e*x^2 + 256*b^8*c*d^3*e^3*x^2 - 26560*a^2*b^3*c^4*d^4*e^2*x^2 + 25600*a^2*b^4*c^3*d^3*e^3*x^2 - 11264*a^2*b^5*c^2*d^2*e^4*x^2 - 58880*a^3*b^2*c^4*d^3*e^3*x^2 + 34880*a^3*b^3*c^3*d^2*e^4*x^2 + 80*a*b^3*d*e^5*x^2*(b^2 - 4*a*c)^{(5/2)} - 40*a*b^5*d*e^5*x^2*(b^2 - 4*a*c)^{(3/2)} - 448*b*c*d^3*e^3*x^2*(b^2 - 4*a*c)^{(7/2)} - 416*b*c^3*d^5*e*x^2*(b^2 - 4*a*c)^{(5/2)} -$

$$\begin{aligned}
& 3200*a*b^4*c^4*d^5*e*x^2 + 1472*a*b^7*c*d^2*e^4*x^2 + 1792*a^2*b^6*c*d*e^5 \\
& *x^2 + 192*b^3*c*d^3*e^3*x^2*(b^2 - 4*a*c)^{(5/2)} + 160*b^3*c^3*d^5*e*x^2*(b \\
& ^2 - 4*a*c)^{(3/2)} + 5504*a*b^5*c^3*d^4*e^2*x^2 - 4352*a*b^6*c^2*d^3*e^3*x^2 \\
& + 14080*a^2*b^2*c^5*d^5*e*x^2 + 42752*a^3*b*c^5*d^4*e^2*x^2 - 8320*a^3*b^4 \\
& *c^2*d*e^5*x^2 - 37120*a^4*b*c^4*d^2*e^4*x^2 + 14080*a^4*b^2*c^3*d*e^5*x^2 \\
& + 88*a*b*d*e^5*x^2*(b^2 - 4*a*c)^{(7/2)} + 168*b^2*c^2*d^4*e^2*x^2*(b^2 - 4*a \\
& *c)^{(5/2)} - 100*b^4*c^2*d^4*e^2*x^2*(b^2 - 4*a*c)^{(3/2)}*(d*((b*(b^2 - 4*a* \\
& c)^{(1/2)))/4 - a*c + b^2/4) - (a*e*(b^2 - 4*a*c)^{(1/2)}/2))/(a*b^2*e^2 - 4*a \\
& *c^2*d^2 - 4*a^2*c*e^2 + b^2*c*d^2 - b^3*d*e + 4*a*b*c*d*e) - (\log(76*d^3*e \\
& ^3*(b^2 - 4*a*c)^{(9/2)} + 64*a^3*b^6*e^6 + 4608*a^3*c^6*d^6 - 512*a^6*c^3*e^ \\
& 6 + 320*a*b^4*c^4*d^6 - 512*a^4*b^4*c*e^6 + 64*a*b^8*d^2*e^4 + 128*a^2*b^7* \\
& d*e^5 + 32*a^3*b^3*e^6*(b^2 - 4*a*c)^{(3/2)} - 48*b^3*c^3*d^6*(b^2 - 4*a*c)^{(\\
& 3/2)} - 68*b^2*d^3*e^3*(b^2 - 4*a*c)^{(7/2)} - 28*b^4*d^3*e^3*(b^2 - 4*a*c)^{(5 \\
& /2)} + 20*b^6*d^3*e^3*(b^2 - 4*a*c)^{(3/2)} + 4*a^2*e^6*x^2*(b^2 - 4*a*c)^{(7/2} \\
&) + 144*c^4*d^6*x^2*(b^2 - 4*a*c)^{(5/2)} + 39*d^2*e^4*x^2*(b^2 - 4*a*c)^{(9/2} \\
&) - 2432*a^2*b^2*c^5*d^6 + 1152*a^5*b^2*c^2*e^6 - 40448*a^4*c^5*d^4*e^2 + 1 \\
& 9968*a^5*c^4*d^2*e^4 + 64*a^2*b^7*e^6*x^2 + 64*b^5*c^4*d^6*x^2 + 64*b^9*d^2 \\
& *e^4*x^2 + 32*a^3*b*e^6*(b^2 - 4*a*c)^{(5/2)} + 48*b*c^3*d^6*(b^2 - 4*a*c)^{(5 \\
& /2)} + 40*a^2*d*e^5*(b^2 - 4*a*c)^{(7/2)} + 168*c^2*d^5*e*(b^2 - 4*a*c)^{(7/2)} \\
& + 40*a^2*b^2*e^6*x^2*(b^2 - 4*a*c)^{(5/2)} + 20*a^2*b^4*e^6*x^2*(b^2 - 4*a*c) \\
& ^{(3/2)} - 80*b^2*c^4*d^6*x^2*(b^2 - 4*a*c)^{(3/2)} + 155*b^2*d^2*e^4*x^2*(b^2 \\
& - 4*a*c)^{(7/2)} - 155*b^4*d^2*e^4*x^2*(b^2 - 4*a*c)^{(5/2)} + 25*b^6*d^2*e^4*x \\
& ^2*(b^2 - 4*a*c)^{(3/2)} + 316*c^2*d^4*e^2*x^2*(b^2 - 4*a*c)^{(7/2)} - 5120*a^2 \\
& *b^4*c^3*d^4*e^2 + 4096*a^2*b^5*c^2*d^3*e^3 + 24448*a^3*b^2*c^4*d^4*e^2 - 2 \\
& 1760*a^3*b^3*c^3*d^3*e^3 + 9920*a^3*b^4*c^2*d^2*e^4 - 26240*a^4*b^2*c^3*d^2 \\
& *e^4 + 1600*a^4*b^3*c^2*e^6*x^2 - 38912*a^4*c^5*d^3*e^3*x^2 + 384*b^7*c^2*d \\
& ^4*e^2*x^2 + 212*a*b*d^2*e^4*(b^2 - 4*a*c)^{(7/2)} - 176*b*c*d^4*e^2*(b^2 - 4 \\
& *a*c)^{(7/2)} - 256*a*b^5*c^3*d^5*e - 256*a*b^7*c*d^3*e^3 - 2560*a^3*b*c^5*d^ \\
& 5*e - 1664*a^3*b^5*c*d*e^5 - 8704*a^5*b*c^3*d*e^5 + 128*a*b^8*d*e^5*x^2 - 1 \\
& 68*a*b^3*d^2*e^4*(b^2 - 4*a*c)^{(5/2)} + 20*a*b^5*d^2*e^4*(b^2 - 4*a*c)^{(3/2)} \\
& + 144*a^2*b^2*d*e^5*(b^2 - 4*a*c)^{(5/2)} - 56*a^2*b^4*d*e^5*(b^2 - 4*a*c)^{(\\
& 3/2)} - 272*b^2*c^2*d^5*e*(b^2 - 4*a*c)^{(5/2)} + 256*b^3*c*d^4*e^2*(b^2 - 4*a \\
& *c)^{(5/2)} + 104*b^4*c^2*d^5*e*(b^2 - 4*a*c)^{(3/2)} - 80*b^5*c*d^4*e^2*(b^2 - \\
& 4*a*c)^{(3/2)} + 384*a*b^6*c^2*d^4*e^2 + 1664*a^2*b^3*c^4*d^5*e - 1408*a^2*b \\
& ^6*c*d^2*e^4 + 37888*a^4*b*c^4*d^3*e^3 + 6784*a^4*b^3*c^2*d*e^5 - 448*a*b^3 \\
& *c^5*d^6*x^2 + 768*a^2*b*c^6*d^6*x^2 - 576*a^3*b^5*c*e^6*x^2 - 1280*a^5*b*c \\
& ^3*e^6*x^2 + 21504*a^3*c^6*d^5*e*x^2 + 5120*a^5*c^4*d*e^5*x^2 - 256*b^6*c^3 \\
& *d^5*e*x^2 - 256*b^8*c*d^3*e^3*x^2 + 26560*a^2*b^3*c^4*d^4*e^2*x^2 - 25600* \\
& a^2*b^4*c^3*d^3*e^3*x^2 + 11264*a^2*b^5*c^2*d^2*e^4*x^2 + 58880*a^3*b^2*c^4 \\
& *d^3*e^3*x^2 - 34880*a^3*b^3*c^3*d^2*e^4*x^2 + 80*a*b^3*d*e^5*x^2*(b^2 - 4* \\
& a*c)^{(5/2)} - 40*a*b^5*d*e^5*x^2*(b^2 - 4*a*c)^{(3/2)} - 448*b*c*d^3*e^3*x^2*(\\
& b^2 - 4*a*c)^{(7/2)} - 416*b*c^3*d^5*e*x^2*(b^2 - 4*a*c)^{(5/2)} + 3200*a*b^4*c \\
& ^4*d^5*e*x^2 - 1472*a*b^7*c*d^2*e^4*x^2 - 1792*a^2*b^6*c*d*e^5*x^2 + 192*b^ \\
& 3*c*d^3*e^3*x^2*(b^2 - 4*a*c)^{(5/2)} + 160*b^3*c^3*d^5*e*x^2*(b^2 - 4*a*c)^{(\\
& 3/2)} - 5504*a*b^5*c^3*d^4*e^2*x^2 + 4352*a*b^6*c^2*d^3*e^3*x^2 - 14080*a^2*
\end{aligned}$$

$$b^2*c^5*d^5*e*x^2 - 42752*a^3*b*c^5*d^4*e^2*x^2 + 8320*a^3*b^4*c^2*d*e^5*x^2 + 37120*a^4*b*c^4*d^2*e^4*x^2 - 14080*a^4*b^2*c^3*d*e^5*x^2 + 88*a*b*d*e^5*x^2*(b^2 - 4*a*c)^{(7/2)} + 168*b^2*c^2*d^4*e^2*x^2*(b^2 - 4*a*c)^{(5/2)} - 100*b^4*c^2*d^4*e^2*x^2*(b^2 - 4*a*c)^{(3/2)}*(d*(a*c + (b*(b^2 - 4*a*c)^{(1/2)}))/4 - b^2/4) - (a*e*(b^2 - 4*a*c)^{(1/2}))/2))/(a*b^2*e^2 - 4*a*c^2*d^2 - 4*a^2*c*e^2 + b^2*c*d^2 - b^3*d*e + 4*a*b*c*d*e) - (d*log(d + e*x^2))/(2*(a*e^2 + c*d^2 - b*d*e))$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.299 \quad \int \frac{x}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=133

$$-\frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2\sqrt{b^2-4ac} (ae^2 - bde + cd^2)} + \frac{e \log(d + ex^2)}{2(ae^2 - bde + cd^2)} - \frac{e \log(a + bx^2 + cx^4)}{4(ae^2 - bde + cd^2)}$$

[Out] $1/2*e*\ln(e*x^2+d)/(a*e^2-b*d*e+c*d^2)-1/4*e*\ln(c*x^4+b*x^2+a)/(a*e^2-b*d*e+c*d^2)-1/2*(-b*e+2*c*d)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {1247, 705, 31, 634, 618, 206, 628}

$$-\frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2\sqrt{b^2-4ac} (ae^2 - bde + cd^2)} + \frac{e \log(d + ex^2)}{2(ae^2 - bde + cd^2)} - \frac{e \log(a + bx^2 + cx^4)}{4(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] $-((2*c*d - b*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*\operatorname{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) + (e*\operatorname{Log}[d + e*x^2])/(2*(c*d^2 - b*d*e + a*e^2)) - (e*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*(c*d^2 - b*d*e + a*e^2))$

Rule 31

Int[((a_) + (b_.)*(x_)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x, x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 705

```
Int[1/(((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)), x_Symbol]
:= Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d
^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x)/(a + b*x + c*x^2), x], x] /; F
reeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^
2, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 1247

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(
p_), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x],
x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{cd-be-cex}{a+bx+cx^2} dx, x, x^2 \right)}{2(cd^2-bde+ae^2)} + \frac{e^2 \text{Subst} \left(\int \frac{1}{d+ex} dx, x, x^2 \right)}{2(cd^2-bde+ae^2)} \\
&= \frac{e \log(d+ex^2)}{2(cd^2-bde+ae^2)} - \frac{e \text{Subst} \left(\int \frac{b+2cx}{a+bx+cx^2} dx, x, x^2 \right)}{4(cd^2-bde+ae^2)} + \frac{(2cd-be) \text{Subst} \left(\int \frac{1}{a+bx+cx^2} dx, x, x^2 \right)}{4(cd^2-bde+ae^2)} \\
&= \frac{e \log(d+ex^2)}{2(cd^2-bde+ae^2)} - \frac{e \log(a+bx^2+cx^4)}{4(cd^2-bde+ae^2)} - \frac{(2cd-be) \text{Subst} \left(\int \frac{1}{b^2-4ac-x^2} dx, x, x^2 \right)}{2(cd^2-bde+ae^2)} \\
&= \frac{(2cd-be) \tanh^{-1} \left(\frac{b+2cx}{\sqrt{b^2-4ac}} \right)}{2\sqrt{b^2-4ac}(cd^2-bde+ae^2)} + \frac{e \log(d+ex^2)}{2(cd^2-bde+ae^2)} - \frac{e \log(a+bx^2+cx^4)}{4(cd^2-bde+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 112, normalized size = 0.84

$$\frac{(2be - 4cd) \tan^{-1} \left(\frac{b+2cx^2}{\sqrt{4ac-b^2}} \right) + e\sqrt{4ac-b^2} (\log(a+bx^2+cx^4) - 2\log(d+ex^2))}{4\sqrt{4ac-b^2} (e(bd-ae) - cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] ((-4*c*d + 2*b*e)*ArcTan[(b + 2*c*x^2)/Sqrt[-b^2 + 4*a*c]] + Sqrt[-b^2 + 4*a*c]*e*(-2*Log[d + e*x^2] + Log[a + b*x^2 + c*x^4]))/(4*Sqrt[-b^2 + 4*a*c]*(-(c*d^2) + e*(b*d - a*e)))

fricas [A] time = 19.13, size = 321, normalized size = 2.41

$$\left[\frac{(b^2 - 4ac)e \log(cx^4 + bx^2 + a) - 2(b^2 - 4ac)e \log(ex^2 + d) + \sqrt{b^2 - 4ac} (2cd - be) \log \left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac}{cx^4 + bx^2} \right)}{4((b^2c - 4ac^2)d^2 - (b^3 - 4abc)de + (ab^2 - 4a^2c)e^2)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] $[-1/4*((b^2 - 4*a*c)*e*\log(c*x^4 + b*x^2 + a) - 2*(b^2 - 4*a*c)*e*\log(e*x^2 + d) + \sqrt{b^2 - 4*a*c}*(2*c*d - b*e)*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c}))/((c*x^4 + b*x^2 + a)))/((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2), -1/4*((b^2 - 4*a*c)*e*\log(c*x^4 + b*x^2 + a) - 2*(b^2 - 4*a*c)*e*\log(e*x^2 + d) + 2*\sqrt{-b^2 + 4*a*c}*(2*c*d - b*e)*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c}))/((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2)]$

giac [A] time = 1.91, size = 134, normalized size = 1.01

$$-\frac{e \log(cx^4 + bx^2 + a)}{4(cd^2 - bde + ae^2)} + \frac{e^2 \log(|x^2e + d|)}{2(cd^2e - bde^2 + ae^3)} + \frac{(2cd - be) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2(cd^2 - bde + ae^2)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] $-1/4*e*\log(c*x^4 + b*x^2 + a)/(c*d^2 - b*d*e + a*e^2) + 1/2*e^2*\log(\text{abs}(x^2*e + d))/(c*d^2*e - b*d*e^2 + a*e^3) + 1/2*(2*c*d - b*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((c*d^2 - b*d*e + a*e^2)*\sqrt{-b^2 + 4*a*c})$

maple [A] time = 0.01, size = 176, normalized size = 1.32

$$-\frac{be \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac - b^2}} + \frac{cd \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right)}{(ae^2 - deb + cd^2)\sqrt{4ac - b^2}} + \frac{e \ln(ex^2 + d)}{2ae^2 - 2deb + 2cd^2} - \frac{e \ln(cx^4 + bx^2 + a)}{4(ae^2 - deb + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(e*x^2+d)/(c*x^4+b*x^2+a),x)`

[Out] $-1/4*e*\ln(c*x^4 + b*x^2 + a)/(a*e^2 - b*d*e + c*d^2) - 1/2/(a*e^2 - b*d*e + c*d^2)/(4*a*c - b^2)^{(1/2)}*\arctan((2*c*x^2 + b)/(4*a*c - b^2)^{(1/2)})*b*e + 1/(a*e^2 - b*d*e + c*d^2)/(4*a*c - b^2)^{(1/2)}*\arctan((2*c*x^2 + b)/(4*a*c - b^2)^{(1/2)})*c*d + 1/2*e*\ln(e*x^2 + d)/(a*e^2 - b*d*e + c*d^2)$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 8.71, size = 2434, normalized size = 18.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x/((d + e*x^2)*(a + b*x^2 + c*x^4)), x)$

[Out]
$$\frac{(e \log(d + e x^2))}{(2 a^2 e^2 + 2 c^2 d^2 - 2 b d e)} - \frac{\log(36 a^4 c^3 e^5 - 4 a^5 b^6 e^5 - 4 b^7 e^5 x^2 + 32 a^2 b^4 c^2 e^5 + 36 a^2 c^5 d^4 e - 4 a^3 c^6 d^5 x^2 - 4 b^6 e^5 x^2 (b^2 - 4 a c)^{1/2} - 73 a^3 b^2 c^2 e^5 - 184 a^3 c^4 d^2 e^3 + b^2 c^5 d^5 x^2 - 4 a b^5 e^5 (b^2 - 4 a c)^{1/2} + 2 a^2 c^5 d^5 (b^2 - 4 a c)^{1/2} + 16 a^2 b^5 c^2 d^2 e^4 - 60 a^2 c^4 d^3 e^2 (b^2 - 4 a c)^{1/2} + 18 a^3 c^3 e^5 x^2 (b^2 - 4 a c)^{1/2} + 146 a^2 b^2 c^3 d^2 e^3 - 101 a^2 b^3 c^2 e^5 x^2 + 120 a^2 c^5 d^3 e^2 x^2 + 19 b^4 c^3 d^3 e^2 x^2 - 25 b^5 c^2 d^2 e^3 x^2 - 9 a b^2 c^4 d^4 e + 184 a^3 b c^3 d e^4 + 36 a^5 b^5 c^2 e^5 x^2 + 16 b^6 c^2 d^2 e^4 x^2 + 24 a^2 b^3 c^2 e^5 (b^2 - 4 a c)^{1/2} - 33 a^3 b^2 c^2 e^5 (b^2 - 4 a c)^{1/2} + 66 a^3 c^3 d^2 e^4 (b^2 - 4 a c)^{1/2} + b^2 c^5 d^5 x^2 (b^2 - 4 a c)^{1/2} + 18 a^2 b^3 c^3 d^3 e^2 - 25 a^2 b^4 c^2 d^2 e^3 - 72 a^2 b^2 c^4 d^3 e^2 - 110 a^2 b^3 c^2 d^2 e^4 + 84 a^3 b^2 c^3 e^5 x^2 - 132 a^3 c^4 d^2 e^4 x^2 - 7 b^3 c^4 d^4 e x^2 + 28 a^2 b^4 c^2 e^5 x^2 (b^2 - 4 a c)^{1/2} + 18 a^2 c^5 d^4 e x^2 (b^2 - 4 a c)^{1/2} + 16 b^5 c^2 d^2 e^4 x^2 (b^2 - 4 a c)^{1/2} - 126 a^2 b^4 c^2 d^2 e^4 x^2 + 20 a^2 b^2 c^3 d^3 e^2 (b^2 - 4 a c)^{1/2} - 25 a^2 b^3 c^2 d^2 e^3 (b^2 - 4 a c)^{1/2} + 90 a^2 b^2 c^3 d^2 e^3 (b^2 - 4 a c)^{1/2} - 78 a^2 b^2 c^2 d^2 e^4 (b^2 - 4 a c)^{1/2} - 7 b^2 c^4 d^4 e x^2 (b^2 - 4 a c)^{1/2} - 106 a^2 b^2 c^4 d^3 e^2 x^2 + 168 a^2 b^3 c^3 d^2 e^3 x^2 - 272 a^2 b^2 c^4 d^2 e^3 x^2 + 281 a^2 b^2 c^3 d^2 e^4 x^2 - 5 a^2 b^2 c^4 d^4 e (b^2 - 4 a c)^{1/2} + 16 a^2 b^4 c^2 d^2 e^4 (b^2 - 4 a c)^{1/2} - 53 a^2 b^2 c^2 e^5 x^2 (b^2 - 4 a c)^{1/2} + 28 a^2 b^2 c^5 d^4 e x^2 - 92 a^2 c^4 d^2 e^3 x^2 (b^2 - 4 a c)^{1/2} + 19 b^3 c^3 d^3 e^2 x^2 (b^2 - 4 a c)^{1/2} - 25 b^4 c^2 d^2 e^3 x^2 (b^2 - 4 a c)^{1/2} + 118 a^2 b^2 c^3 d^2 e^3 x^2 (b^2 - 4 a c)^{1/2} - 66 a^2 b^2 c^4 d^3 e^2 x^2 (b^2 - 4 a c)^{1/2} - 94 a^2 b^3 c^2 d^2 e^4 x^2 (b^2 - 4 a c)^{1/2} + 125 a^2 b^2 c^3 d^2 e^4 x^2 (b^2 - 4 a c)^{1/2}) * (e * ((b * (b^2 - 4 a c)^{1/2}) / 4 - a * c + b^2 / 4) - (c * d * (b^2 - 4 a c)^{1/2}) / 2) / (a * b^2 * e^2 - 4 * a * c^2 * d^2 - 4 * a^2 * c * e^2 + b^2 * c * d^2 - b^3 * d * e + 4 * a * b * c * d * e) + \log(4 * a * b^6 * e^5 - 36 * a^4 * c^3 * e^5 + 4 * b^7 * e^5 * x^2 - 32 * a^2 * b^4 * c^2 * e^5 - 36 * a^2 * c^5 * d^4 * e + 4 * a^3 * c^6 * d^5 * x^2 - 4 * b^6 * e^5 * x^2 * (b^2 - 4 * a * c)^{1/2} + 73 * a^3 * b^2 * c^2 * e^5 + 184 * a^3 * c^4 * d^2 * e^3 - b^2 * c^5 * d^5 * x^2 - 4 * a * b^5 * e^5 * (b^2 - 4 * a * c)^{1/2} + 2 * a^2 * c^5 * d^5 * (b^2 - 4 * a * c)^{1/2} - 16 * a^2 * b^5 * c^2 * d^2 * e^4 - 60 * a^2 * c^4 * d^3 * e^2 * (b^2 - 4 * a * c)^{1/2} + 18 * a^3 * c^3 * e^5 * x^2 * (b^2 - 4 * a * c)^{1/2} - 146 * a^2 * b^2 * c^3 * d^2 * e^3 + 101 * a^2 * b^3 * c^2 * e^5 * x^2 - 120 *$$

$$\begin{aligned}
& a^2c^5d^3e^2x^2 - 19b^4c^3d^3e^2x^2 + 25b^5c^2d^2e^3x^2 + 9a \\
& *b^2c^4d^4e - 184a^3b^3c^3d^3e^4 - 36a*b^5c^2d^2e^3x^2 - 16b^6c^3d^3e^4x \\
& x^2 + 24a^2b^3c^3e^5(b^2 - 4ac)^{1/2} - 33a^3b^3c^2e^5(b^2 - 4ac) \\
& ^{1/2} + 66a^3c^3d^3e^4(b^2 - 4ac)^{1/2} + b^6c^5d^5x^2(b^2 - 4ac) \\
& ^{1/2} - 18a*b^3c^3d^3e^2 + 25a*b^4c^2d^2e^3 + 72a^2b^3c^4d^3e^2 \\
& + 110a^2b^3c^2d^3e^4 - 84a^3b^3c^3e^5x^2 + 132a^3c^4d^4e^4x^2 + 7 \\
& *b^3c^4d^4e^4x^2 + 28a*b^4c^3e^5x^2(b^2 - 4ac)^{1/2} + 18a*c^5d^4e \\
& *x^2(b^2 - 4ac)^{1/2} + 16b^5c^3d^4e^4x^2(b^2 - 4ac)^{1/2} + 126a*a \\
& b^4c^2d^3e^4x^2 + 20a*b^2c^3d^3e^2(b^2 - 4ac)^{1/2} - 25a*b^3c^2 \\
& *d^2e^3(b^2 - 4ac)^{1/2} + 90a^2b^3c^3d^2e^3(b^2 - 4ac)^{1/2} - 7 \\
& 8a^2b^2c^2d^3e^4(b^2 - 4ac)^{1/2} - 7*b^2c^4d^4e^4x^2(b^2 - 4ac) \\
& ^{1/2} + 106a*b^2c^4d^3e^2x^2 - 168a*b^3c^3d^2e^3x^2 + 272a^2b^3c \\
& ^4d^2e^3x^2 - 281a^2b^2c^3d^3e^4x^2 - 5a*b^3c^4d^4e^4(b^2 - 4ac) \\
& ^{1/2} + 16a*b^4c^3d^3e^4(b^2 - 4ac)^{1/2} - 53a^2b^2c^2e^5x^2(b^2 \\
& - 4ac)^{1/2} - 28a*b^3c^5d^4e^4x^2 - 92a^2c^4d^2e^3x^2(b^2 - 4ac) \\
& ^{1/2} + 19b^3c^3d^3e^2x^2(b^2 - 4ac)^{1/2} - 25b^4c^2d^2e^3x \\
& x^2(b^2 - 4ac)^{1/2} + 118a*b^2c^3d^2e^3x^2(b^2 - 4ac)^{1/2} - 6 \\
& 6a*b^3c^4d^3e^2x^2(b^2 - 4ac)^{1/2} - 94a*b^3c^2d^3e^4x^2(b^2 - 4 \\
& *ac)^{1/2} + 125a^2b^3c^3d^3e^4x^2(b^2 - 4ac)^{1/2})*(e*(ac + (b*(b^ \\
& 2 - 4ac)^{1/2}))/4 - b^2/4) - (c*d*(b^2 - 4ac)^{1/2}))/2))/(a*b^2e^2 - 4 \\
& *ac^2d^2 - 4a^2c^3e^2 + b^2c^3d^2 - b^3d^3e + 4a*b^3c^3d^3e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.300 \quad \int \frac{1}{x(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=167

$$\frac{(2ace + b^2(-e) + bcd) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a\sqrt{b^2-4ac} (ae^2 - bde + cd^2)} - \frac{e^2 \log(d + ex^2)}{2d (ae^2 - bde + cd^2)} - \frac{(cd - be) \log(a + bx^2 + cx^4)}{4a (ae^2 - bde + cd^2)} + \frac{\log(x)}{ad}$$

[Out] ln(x)/a/d-1/2*e^2*ln(e*x^2+d)/d/(a*e^2-b*d*e+c*d^2)-1/4*(-b*e+c*d)*ln(c*x^4+b*x^2+a)/a/(a*e^2-b*d*e+c*d^2)+1/2*(2*a*c*e-b^2*e+b*c*d)*arctanh((2*c*x^2+b)/(-4*a*c+b^2)^(1/2))/a/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^(1/2)

Rubi [A] time = 0.31, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 893, 634, 618, 206, 628}

$$\frac{(2ace + b^2(-e) + bcd) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a\sqrt{b^2-4ac} (ae^2 - bde + cd^2)} - \frac{e^2 \log(d + ex^2)}{2d (ae^2 - bde + cd^2)} - \frac{(cd - be) \log(a + bx^2 + cx^4)}{4a (ae^2 - bde + cd^2)} + \frac{\log(x)}{ad}$$

Antiderivative was successfully verified.

[In] Int[1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] ((b*c*d - b^2*e + 2*a*c*e)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]]/(2*a*Sqrt[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) + Log[x]/(a*d) - (e^2*Log[d + e*x^2])/(2*d*(c*d^2 - b*d*e + a*e^2)) - ((c*d - b*e)*Log[a + b*x^2 + c*x^4])/(4*a*(c*d^2 - b*d*e + a*e^2))

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 893

```
Int[((d_.) + (e_.)*(x_)^m)*((f_.) + (g_.)*(x_)^n)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^p, x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))
```

Rule 1251

```
Int[(x_)^m*((d_) + (e_.)*(x_)^2)^q*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^p, x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{adx} - \frac{e^3}{d(cd^2 - bde + ae^2)(d+ex)} + \frac{-bcd + b^2e - ace - c(cd-be)x}{a(cd^2 - bde + ae^2)(a+bx+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2 - bde + ae^2)} + \frac{\text{Subst} \left(\int \frac{-bcd + b^2e - ace - c(cd-be)x}{a+bx+cx^2} dx, x, x^2 \right)}{2a(cd^2 - bde + ae^2)} \\
&= \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2 - bde + ae^2)} - \frac{(cd-be) \text{Subst} \left(\int \frac{b+2cx}{a+bx+cx^2} dx, x, x^2 \right)}{4a(cd^2 - bde + ae^2)} - \frac{(bcd - b^2e - ace)}{2a\sqrt{b^2 - 4ac}} \\
&= \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2 - bde + ae^2)} - \frac{(cd-be) \log(a+bx^2+cx^4)}{4a(cd^2 - bde + ae^2)} + \frac{(bcd - b^2e - ace)}{2a\sqrt{b^2 - 4ac}} \\
&= \frac{(bcd - b^2e + 2ace) \tanh^{-1} \left(\frac{b+2cx}{\sqrt{b^2-4ac}} \right)}{2a\sqrt{b^2 - 4ac} (cd^2 - bde + ae^2)} + \frac{\log(x)}{ad} - \frac{e^2 \log(d+ex^2)}{2d(cd^2 - bde + ae^2)} - \frac{(cd-be) \log(a+bx^2+cx^4)}{4a(cd^2 - bde + ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 242, normalized size = 1.45

$$\frac{4 \log(x) \sqrt{b^2 - 4ac} (e(ae - bd) + cd^2) - 2ae^2 \sqrt{b^2 - 4ac} \log(d + ex^2) - d (cd \sqrt{b^2 - 4ac} - be \sqrt{b^2 - 4ac} + 2ace + \dots)}{4ad \sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] (4*sqrt[b^2 - 4*a*c]*(c*d^2 + e*(-(b*d) + a*e))*Log[x] - d*(b*c*d + c*sqrt[b^2 - 4*a*c]*d - b^2*e + 2*a*c*e - b*sqrt[b^2 - 4*a*c]*e)*Log[b - sqrt[b^2 - 4*a*c] + 2*c*x^2] + d*(b*c*d - c*sqrt[b^2 - 4*a*c]*d - b^2*e + 2*a*c*e + b*sqrt[b^2 - 4*a*c]*e)*Log[b + sqrt[b^2 - 4*a*c] + 2*c*x^2] - 2*a*sqrt[b^2 - 4*a*c]*e^2*Log[d + e*x^2])/(4*a*sqrt[b^2 - 4*a*c]*d*(c*d^2 + e*(-(b*d) + a*e)))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 1.92, size = 172, normalized size = 1.03

$$\frac{(cd - be) \log(cx^4 + bx^2 + a)}{4(acd^2 - abde + a^2e^2)} - \frac{e^3 \log(|x^2e + d|)}{2(cd^3e - bd^2e^2 + ade^3)} - \frac{(bcd - b^2e + 2ace) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{2(acd^2 - abde + a^2e^2)\sqrt{-b^2+4ac}} + \frac{\log(x^2)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/4*(c*d - b*e)*log(c*x^4 + b*x^2 + a)/(a*c*d^2 - a*b*d*e + a^2*e^2) - 1/2*e^3*log(abs(x^2*e + d))/(c*d^3*e - b*d^2*e^2 + a*d*e^3) - 1/2*(b*c*d - b^2*e + 2*a*c*e)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/((a*c*d^2 - a*b*d*e + a^2*e^2)*sqrt(-b^2 + 4*a*c)) + 1/2*log(x^2)/(a*d)

maple [A] time = 0.01, size = 298, normalized size = 1.78

$$\frac{b^2e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac-b^2}} - \frac{bcd \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac-b^2}} - \frac{ce \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2)\sqrt{4ac-b^2}} + \frac{be \ln(cx^4 + a)}{4(ae^2 - deb + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] 1/a/d*ln(x)+1/4/(a*e^2-b*d*e+c*d^2)/a*ln(c*x^4+b*x^2+a)*b*e-1/4/(a*e^2-b*d*e+c*d^2)/a*c*ln(c*x^4+b*x^2+a)*d-1/(a*e^2-b*d*e+c*d^2)/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*c*e+1/2/(a*e^2-b*d*e+c*d^2)/a/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^2*e-1/2/(a*e^2-b*d*e+c*d^2)/a/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*c*d-1/2*e^2*ln(e*x^2+d)/d/(a*e^2-b*d*e+c*d^2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 17.20, size = 6285, normalized size = 37.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)),x)$

[Out] $(\log(256*a^4*e^8*(4*a*c - b^2)^4 - 80*c^4*d^8*(4*a*c - b^2)^4 - 61*d^4*e^4*(4*a*c - b^2)^6 + 160*b^3*c^4*d^8*(b^2 - 4*a*c)^{(5/2)} + 16*b^5*c^4*d^8*(b^2 - 4*a*c)^{(3/2)} - 184*b^3*d^4*e^4*(b^2 - 4*a*c)^{(9/2)} + 370*b^5*d^4*e^4*(b^2 - 4*a*c)^{(7/2)} + 128*b^7*d^4*e^4*(b^2 - 4*a*c)^{(5/2)} + 5*b^9*d^4*e^4*(b^2 - 4*a*c)^{(3/2)} + 128*a^3*e^8*x^2*(b^2 - 4*a*c)^{(9/2)} + 160*c^5*d^8*x^2*(b^2 - 4*a*c)^{(7/2)} - 256*a^4*b^2*e^8*(4*a*c - b^2)^3 + 32*b^2*c^4*d^8*(4*a*c - b^2)^3 + 112*b^4*c^4*d^8*(4*a*c - b^2)^2 - 144*a^2*d^2*e^6*(4*a*c - b^2)^5 + 544*b^2*d^4*e^4*(4*a*c - b^2)^5 + 382*b^4*d^4*e^4*(4*a*c - b^2)^4 - 152*b^6*d^4*e^4*(4*a*c - b^2)^3 + 71*b^8*d^4*e^4*(4*a*c - b^2)^2 + 200*c^2*d^6*e^2*(4*a*c - b^2)^5 - 13*d^3*e^5*x^2*(4*a*c - b^2)^6 + 512*a^4*b*e^8*(b^2 - 4*a*c)^{(7/2)} - 176*b*c^4*d^8*(b^2 - 4*a*c)^{(7/2)} - 26*a*d^3*e^5*(b^2 - 4*a*c)^{(11/2)} + 352*a^3*d*e^7*(b^2 - 4*a*c)^{(9/2)} - 319*b*d^4*e^4*(b^2 - 4*a*c)^{(11/2)} + 148*c*d^5*e^3*(b^2 - 4*a*c)^{(11/2)} + 168*c^3*d^7*e*(b^2 - 4*a*c)^{(9/2)} - 768*a*b^3*d^3*e^5*(4*a*c - b^2)^4 - 368*a*b^5*d^3*e^5*(4*a*c - b^2)^3 + 128*a^3*b^3*d*e^7*(4*a*c - b^2)^3 - 32*a*b^7*d^3*e^5*(4*a*c - b^2)^2 - 672*a^2*b^3*d^2*e^6*(b^2 - 4*a*c)^{(7/2)} - 272*a^2*b^5*d^2*e^6*(b^2 - 4*a*c)^{(5/2)} + 408*b^3*c*d^5*e^3*(4*a*c - b^2)^4 + 256*b^3*c^3*d^7*e*(4*a*c - b^2)^3 + 792*b^5*c*d^5*e^3*(4*a*c - b^2)^3 - 352*b^5*c^3*d^7*e*(4*a*c - b^2)^2 - 248*b^7*c*d^5*e^3*(4*a*c - b^2)^2 - 328*b^3*c^2*d^6*e^2*(b^2 - 4*a*c)^{(7/2)} + 1064*b^5*c^2*d^6*e^2*(b^2 - 4*a*c)^{(5/2)} + 40*b^7*c^2*d^6*e^2*(b^2 - 4*a*c)^{(3/2)} + 384*a^3*b*e^8*x^2*(4*a*c - b^2)^4 + 384*a^3*b^2*e^8*x^2*(b^2 - 4*a*c)^{(7/2)} - 512*b*c^5*d^8*x^2*(4*a*c - b^2)^3 + 576*b^2*c^5*d^8*x^2*(b^2 - 4*a*c)^{(5/2)} + 32*b^4*c^5*d^8*x^2*(b^2 - 4*a*c)^{(3/2)} - 176*a^2*d*e^7*x^2*(4*a*c - b^2)^5 - 800*b^3*d^3*e^5*x^2*(b^2 - 4*a*c)^{(9/2)} + 158*b^5*d^3*e^5*x^2*(b^2 - 4*a*c)^{(7/2)} + 56*b^7*d^3*e^5*x^2*(b^2 - 4*a*c)^{(5/2)} - b^9*d^3*e^5*x^2*(b^2 - 4*a*c)^{(3/2)} - 336*c^4*d^7*e*x^2*(4*a*c - b^2)^4 + 400*c^3*d^6*e^2*x^2*(b^2 - 4*a*c)^{(9/2)} - 608*a^2*b^2*d^2*e^6*(4*a*c - b^2)^4 + 560*a^2*b^4*d^2*e^6*(4*a*c - b^2)^3 - 1096*b^2*c^2*d^6*e^2*(4*a*c - b^2)^4 - 872*b^4*c^2*d^6*e^2*(4*a*c - b^2)^3 + 424*b^6*c^2*d^6*e^2*(4*a*c - b^2)^2 - 128*a^3*b^3*e^8*x^2*(4*a*c - b^2)^3 + 256*b^3*c^5*d^8*x^2*(4*a*c - b^2)^2 + 584*b^2*d^3*e^5*x^2*(4*a*c - b^2)^5 - 410*b^4*d^3*e^5*x^2*(4*a*c - b^2)^4 - 256*b^6*d^3*e^5*x^2*(4*a*c - b^2)^3 - 17*b^8*d^3*e^5*x^2*(4*a*c - b^2)^2 + 296*c^2*d^5*e^3*x^2*(4*a*c - b^2)^5 + 336*a*b*d^3*e^5*(4*a*c - b^2)^5 + 384*a^3*b*d*e^7*(4*a*c - b^2)^4 - 832*a*b^2*d^3*e^5*(b^2 - 4*a*c)^{(9/2)} - 52*a*b^4*d^3*e^5*(b^2 - 4*a*c)^{(7/2)} + 144*a*b^6*d^3*e^5*(b^2 - 4*a*c)^{(5/2)} - 2*a*b^8*d^3*e^5*(b^2 - 4*a*c)^{(3/2)} - 80*a^2*b*d^2*e^6*(b^2 - 4*a*c)^{(9/2)} - 192*a^3*b^2*d*e^7*(b^2 - 4*a*c)^{(7/2)} + 96*a^3*b^4*d*e^7*(b^2 -$

$$\begin{aligned}
& 4*a*c)^{(5/2)} - 632*b*c*d^5*e^3*(4*a*c - b^2)^5 + 608*b*c^3*d^7*e*(4*a*c - \\
& b^2)^4 - 776*b*c^2*d^6*e^2*(b^2 - 4*a*c)^{(9/2)} + 920*b^2*c*d^5*e^3*(b^2 - 4 \\
& *a*c)^{(9/2)} + 584*b^2*c^3*d^7*e*(b^2 - 4*a*c)^{(7/2)} - 384*b^4*c*d^5*e^3*(b^ \\
& 2 - 4*a*c)^{(7/2)} - 712*b^4*c^3*d^7*e*(b^2 - 4*a*c)^{(5/2)} - 664*b^6*c*d^5*e^ \\
& 3*(b^2 - 4*a*c)^{(5/2)} - 40*b^6*c^3*d^7*e*(b^2 - 4*a*c)^{(3/2)} - 20*b^8*c*d^5 \\
& *e^3*(b^2 - 4*a*c)^{(3/2)} + 72*a*d^2*e^6*x^2*(b^2 - 4*a*c)^{(11/2)} - 181*b*d^ \\
& 3*e^5*x^2*(b^2 - 4*a*c)^{(11/2)} + 122*c*d^4*e^4*x^2*(b^2 - 4*a*c)^{(11/2)} + 3 \\
& 68*a^2*b*d*e^7*x^2*(b^2 - 4*a*c)^{(9/2)} - 1552*b*c^4*d^7*e*x^2*(b^2 - 4*a*c) \\
& ^{(7/2)} - 3400*b^2*c^2*d^5*e^3*x^2*(4*a*c - b^2)^4 - 4800*b^3*c^3*d^6*e^2*x^ \\
& 2*(4*a*c - b^2)^3 + 3448*b^4*c^2*d^5*e^3*x^2*(4*a*c - b^2)^3 + 928*b^5*c^3* \\
& d^6*e^2*x^2*(4*a*c - b^2)^2 - 536*b^6*c^2*d^5*e^3*x^2*(4*a*c - b^2)^2 - 32* \\
& a*b*d^2*e^6*x^2*(4*a*c - b^2)^5 - 344*a*b^2*d^2*e^6*x^2*(b^2 - 4*a*c)^{(9/2)} \\
& - 616*a*b^4*d^2*e^6*x^2*(b^2 - 4*a*c)^{(7/2)} - 136*a*b^6*d^2*e^6*x^2*(b^2 - \\
& 4*a*c)^{(5/2)} - 160*a^2*b^3*d*e^7*x^2*(b^2 - 4*a*c)^{(7/2)} + 48*a^2*b^5*d*e^ \\
& 7*x^2*(b^2 - 4*a*c)^{(5/2)} - 760*b*c*d^4*e^4*x^2*(4*a*c - b^2)^5 - 1560*b*c^ \\
& 2*d^5*e^3*x^2*(b^2 - 4*a*c)^{(9/2)} + 1848*b^2*c*d^4*e^4*x^2*(b^2 - 4*a*c)^{(9 \\
& /2)} - 2208*b^3*c^4*d^7*e*x^2*(b^2 - 4*a*c)^{(5/2)} + 1452*b^4*c*d^4*e^4*x^2*(\\
& b^2 - 4*a*c)^{(7/2)} - 80*b^5*c^4*d^7*e*x^2*(b^2 - 4*a*c)^{(3/2)} + 408*b^6*c*d \\
& ^4*e^4*x^2*(b^2 - 4*a*c)^{(5/2)} + 10*b^8*c*d^4*e^4*x^2*(b^2 - 4*a*c)^{(3/2)} - \\
& 640*a*b^3*d^2*e^6*x^2*(4*a*c - b^2)^4 + 96*a^2*b^2*d*e^7*x^2*(4*a*c - b^2) \\
& ^4 + 416*a*b^5*d^2*e^6*x^2*(4*a*c - b^2)^3 + 16*a^2*b^4*d*e^7*x^2*(4*a*c - \\
& b^2)^3 + 1952*b*c^3*d^6*e^2*x^2*(4*a*c - b^2)^4 + 2216*b^3*c*d^4*e^4*x^2*(4 \\
& *a*c - b^2)^4 + 2720*b^2*c^4*d^7*e*x^2*(4*a*c - b^2)^3 - 712*b^5*c*d^4*e^4* \\
& x^2*(4*a*c - b^2)^3 - 784*b^4*c^4*d^7*e*x^2*(4*a*c - b^2)^2 + 152*b^7*c*d^4 \\
& *e^4*x^2*(4*a*c - b^2)^2 + 4144*b^2*c^3*d^6*e^2*x^2*(b^2 - 4*a*c)^{(7/2)} - 4 \\
& 216*b^3*c^2*d^5*e^3*x^2*(b^2 - 4*a*c)^{(7/2)} + 3056*b^4*c^3*d^6*e^2*x^2*(b^2 \\
& - 4*a*c)^{(5/2)} - 1864*b^5*c^2*d^5*e^3*x^2*(b^2 - 4*a*c)^{(5/2)} + 80*b^6*c^3 \\
& *d^6*e^2*x^2*(b^2 - 4*a*c)^{(3/2)} - 40*b^7*c^2*d^5*e^3*x^2*(b^2 - 4*a*c)^{(3/ \\
& 2))* (d*((b^2*c)/4 - a*c^2 + (b*c*(b^2 - 4*a*c)^(1/2))/4) - (b^3*e)/4 - (b^2 \\
& *e*(b^2 - 4*a*c)^(1/2))/4 + (a*c*e*(b^2 - 4*a*c)^(1/2))/2 + a*b*c*e))/(4*a^ \\
& 3*c*e^2 - a^2*b^2*e^2 + 4*a^2*c^2*d^2 + a*b^3*d*e - a*b^2*c*d^2 - 4*a^2*b*c \\
& *d*e) - (log(80*c^4*d^8*(4*a*c - b^2)^4 - 256*a^4*e^8*(4*a*c - b^2)^4 + 61* \\
& d^4*e^4*(4*a*c - b^2)^6 + 160*b^3*c^4*d^8*(b^2 - 4*a*c)^{(5/2)} + 16*b^5*c^4* \\
& d^8*(b^2 - 4*a*c)^{(3/2)} - 184*b^3*d^4*e^4*(b^2 - 4*a*c)^{(9/2)} + 370*b^5*d^4 \\
& *e^4*(b^2 - 4*a*c)^{(7/2)} + 128*b^7*d^4*e^4*(b^2 - 4*a*c)^{(5/2)} + 5*b^9*d^4* \\
& e^4*(b^2 - 4*a*c)^{(3/2)} + 128*a^3*e^8*x^2*(b^2 - 4*a*c)^{(9/2)} + 160*c^5*d^8 \\
& *x^2*(b^2 - 4*a*c)^{(7/2)} + 256*a^4*b^2*e^8*(4*a*c - b^2)^3 - 32*b^2*c^4*d^8 \\
& *(4*a*c - b^2)^3 - 112*b^4*c^4*d^8*(4*a*c - b^2)^2 + 144*a^2*d^2*e^6*(4*a*c \\
& - b^2)^5 - 544*b^2*d^4*e^4*(4*a*c - b^2)^5 - 382*b^4*d^4*e^4*(4*a*c - b^2) \\
& ^4 + 152*b^6*d^4*e^4*(4*a*c - b^2)^3 - 71*b^8*d^4*e^4*(4*a*c - b^2)^2 - 200 \\
& *c^2*d^6*e^2*(4*a*c - b^2)^5 + 13*d^3*e^5*x^2*(4*a*c - b^2)^6 + 512*a^4*b*e \\
& ^8*(b^2 - 4*a*c)^{(7/2)} - 176*b*c^4*d^8*(b^2 - 4*a*c)^{(7/2)} - 26*a*d^3*e^5*(\\
& b^2 - 4*a*c)^{(11/2)} + 352*a^3*d*e^7*(b^2 - 4*a*c)^{(9/2)} - 319*b*d^4*e^4*(b^ \\
& 2 - 4*a*c)^{(11/2)} + 148*c*d^5*e^3*(b^2 - 4*a*c)^{(11/2)} + 168*c^3*d^7*e*(b^2 \\
& - 4*a*c)^{(9/2)} + 768*a*b^3*d^3*e^5*(4*a*c - b^2)^4 + 368*a*b^5*d^3*e^5*(4
\end{aligned}$$

$$\begin{aligned}
& a^3c - b^2)^3 - 128a^3b^3d^3e^7(4a^3c - b^2)^3 + 32a^3b^7d^3e^5(4a^3c \\
& - b^2)^2 - 672a^2b^3d^2e^6(b^2 - 4a^3c)^{(7/2)} - 272a^2b^5d^2e^6(b \\
& ^2 - 4a^3c)^{(5/2)} - 408b^3c^3d^5e^3(4a^3c - b^2)^4 - 256b^3c^3d^7e^6(\\
& 4a^3c - b^2)^3 - 792b^5c^3d^5e^3(4a^3c - b^2)^3 + 352b^5c^3d^7e^6(4a \\
& ^3c - b^2)^2 + 248b^7c^3d^5e^3(4a^3c - b^2)^2 - 328b^3c^2d^6e^2(b^2 \\
& - 4a^3c)^{(7/2)} + 1064b^5c^2d^6e^2(b^2 - 4a^3c)^{(5/2)} + 40b^7c^2d^6e \\
& ^2(b^2 - 4a^3c)^{(3/2)} - 384a^3b^2e^8x^2(4a^3c - b^2)^4 + 384a^3b^2e \\
& ^8x^2(b^2 - 4a^3c)^{(7/2)} + 512b^3c^5d^8x^2(4a^3c - b^2)^3 + 576b^2c^5 \\
& d^8x^2(b^2 - 4a^3c)^{(5/2)} + 32b^4c^5d^8x^2(b^2 - 4a^3c)^{(3/2)} + 17 \\
& 6a^2d^7x^2(4a^3c - b^2)^5 - 800b^3d^3e^5x^2(b^2 - 4a^3c)^{(9/2)} + \\
& 158b^5d^3e^5x^2(b^2 - 4a^3c)^{(7/2)} + 56b^7d^3e^5x^2(b^2 - 4a^3c) \\
& ^{(5/2)} - b^9d^3e^5x^2(b^2 - 4a^3c)^{(3/2)} + 336c^4d^7e^5x^2(4a^3c - b \\
& ^2)^4 + 400c^3d^6e^2x^2(b^2 - 4a^3c)^{(9/2)} + 608a^2b^2d^2e^6(4a^3c \\
& - b^2)^4 - 560a^2b^4d^2e^6(4a^3c - b^2)^3 + 1096b^2c^2d^6e^2(4a \\
& ^3c - b^2)^4 + 872b^4c^2d^6e^2(4a^3c - b^2)^3 - 424b^6c^2d^6e^2(4 \\
& ^3c - b^2)^2 + 128a^3b^3e^8x^2(4a^3c - b^2)^3 - 256b^3c^5d^8x^2(\\
& 4a^3c - b^2)^2 - 584b^2d^3e^5x^2(4a^3c - b^2)^5 + 410b^4d^3e^5x^2(\\
& 4a^3c - b^2)^4 + 256b^6d^3e^5x^2(4a^3c - b^2)^3 + 17b^8d^3e^5x^2(\\
& 4a^3c - b^2)^2 - 296c^2d^5e^3x^2(4a^3c - b^2)^5 - 336a^3b^3d^3e^5(4a \\
& ^3c - b^2)^5 - 384a^3b^3d^3e^5(4a^3c - b^2)^4 - 832a^3b^2d^3e^5(b^2 - 4 \\
& ^3c)^{(9/2)} - 52a^3b^4d^3e^5(b^2 - 4a^3c)^{(7/2)} + 144a^3b^6d^3e^5(b^2 \\
& - 4a^3c)^{(5/2)} - 2a^3b^8d^3e^5(b^2 - 4a^3c)^{(3/2)} - 80a^2b^3d^2e^6(b \\
& ^2 - 4a^3c)^{(9/2)} - 192a^3b^2d^2e^7(b^2 - 4a^3c)^{(7/2)} + 96a^3b^4d^2e^ \\
& 7(b^2 - 4a^3c)^{(5/2)} + 632b^3c^3d^5e^3(4a^3c - b^2)^5 - 608b^3c^3d^7e^6(\\
& 4a^3c - b^2)^4 - 776b^3c^2d^6e^2(b^2 - 4a^3c)^{(9/2)} + 920b^2c^3d^5e^3 \\
& (b^2 - 4a^3c)^{(9/2)} + 584b^2c^3d^7e^6(b^2 - 4a^3c)^{(7/2)} - 384b^4c^3d^5 \\
& e^3(b^2 - 4a^3c)^{(7/2)} - 712b^4c^3d^7e^6(b^2 - 4a^3c)^{(5/2)} - 664b^6c \\
& ^3d^5e^3(b^2 - 4a^3c)^{(5/2)} - 40b^6c^3d^7e^6(b^2 - 4a^3c)^{(3/2)} - 20b \\
& ^8c^3d^5e^3(b^2 - 4a^3c)^{(3/2)} + 72a^2d^2e^6x^2(b^2 - 4a^3c)^{(11/2)} - \\
& 181b^3d^3e^5x^2(b^2 - 4a^3c)^{(11/2)} + 122c^4d^4e^4x^2(b^2 - 4a^3c)^{(1 \\
& 1/2)} + 368a^2b^3d^2e^7x^2(b^2 - 4a^3c)^{(9/2)} - 1552b^3c^4d^7e^6x^2(b^2 \\
& - 4a^3c)^{(7/2)} + 3400b^2c^2d^5e^3x^2(4a^3c - b^2)^4 + 4800b^3c^3d^ \\
& 6e^2x^2(4a^3c - b^2)^3 - 3448b^4c^2d^5e^3x^2(4a^3c - b^2)^3 - 928b \\
& ^5c^3d^6e^2x^2(4a^3c - b^2)^2 + 536b^6c^2d^5e^3x^2(4a^3c - b^2) \\
& ^2 + 32a^3b^3d^2e^6x^2(4a^3c - b^2)^5 - 344a^3b^2d^2e^6x^2(b^2 - 4a^3c \\
& ^3)^{(9/2)} - 616a^3b^4d^2e^6x^2(b^2 - 4a^3c)^{(7/2)} - 136a^3b^6d^2e^6x^ \\
& 2(b^2 - 4a^3c)^{(5/2)} - 160a^2b^3d^2e^7x^2(b^2 - 4a^3c)^{(7/2)} + 48a^2b \\
& ^5d^2e^7x^2(b^2 - 4a^3c)^{(5/2)} + 760b^3c^4d^4e^4x^2(4a^3c - b^2)^5 - 1 \\
& 560b^3c^2d^5e^3x^2(b^2 - 4a^3c)^{(9/2)} + 1848b^2c^3d^4e^4x^2(b^2 - 4 \\
& ^3c)^{(9/2)} - 2208b^3c^4d^7e^6x^2(b^2 - 4a^3c)^{(5/2)} + 1452b^4c^3d^4e \\
& ^4x^2(b^2 - 4a^3c)^{(7/2)} - 80b^5c^4d^7e^6x^2(b^2 - 4a^3c)^{(3/2)} + 408 \\
& b^6c^3d^4e^4x^2(b^2 - 4a^3c)^{(5/2)} + 10b^8c^3d^4e^4x^2(b^2 - 4a^3c) \\
& ^{(3/2)} + 640a^3b^3d^2e^6x^2(4a^3c - b^2)^4 - 96a^2b^2d^2e^7x^2(4a^3c \\
& - b^2)^4 - 416a^3b^5d^2e^6x^2(4a^3c - b^2)^3 - 16a^2b^4d^2e^7x^2(\\
& 4a^3c - b^2)^3 - 1952b^3c^3d^6e^2x^2(4a^3c - b^2)^4 - 2216b^3c^3d^4e^
\end{aligned}$$

$$4x^2(4ac - b^2)^4 - 2720b^2c^4d^7e^2x^2(4ac - b^2)^3 + 712b^5c^4d^4e^4x^2(4ac - b^2)^2 + 784b^4c^4d^7e^2x^2(4ac - b^2)^2 - 152b^7c^4d^4e^4x^2(4ac - b^2)^2 + 4144b^2c^3d^6e^2x^2(b^2 - 4ac)^{(7/2)} - 4216b^3c^2d^5e^3x^2(b^2 - 4ac)^{(7/2)} + 3056b^4c^3d^6e^2x^2(b^2 - 4ac)^{(5/2)} - 1864b^5c^2d^5e^3x^2(b^2 - 4ac)^{(5/2)} + 80b^6c^3d^6e^2x^2(b^2 - 4ac)^{(3/2)} - 40b^7c^2d^5e^3x^2(b^2 - 4ac)^{(3/2)} * ((b^3e)/4 + d*(ac^2 - (b^2c)/4 + (b*c*(b^2 - 4ac)^{(1/2)))/4) - (b^2e*(b^2 - 4ac)^{(1/2)))/4 + (ac*e*(b^2 - 4ac)^{(1/2)))/2 - a*b*c*e)/(4a^3c^2e^2 - a^2b^2e^2 + 4a^2c^2d^2 + a*b^3d*e - a*b^2c*d^2 - 4a^2*b*c*d*e) - (e^2*log(d + e*x^2))/(2*c*d^3 + 2*a*d*e^2 - 2*b*d^2*e) + log(x)/(a*d)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x**2+d)/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.301 \quad \int \frac{1}{x^3(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=205

$$\frac{(ace + b^2(-e) + bcd) \log(a + bx^2 + cx^4)}{4a^2(ae^2 - bde + cd^2)} - \frac{(3abce - 2ac^2d + b^3(-e) + b^2cd) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^2\sqrt{b^2-4ac}(ae^2 - bde + cd^2)} - \frac{\log(x)(ae + bd)}{a^2d^2} +$$

[Out] $-1/2/a/d/x^2 - (a*e+b*d)*\ln(x)/a^2/d^2 + 1/2*e^3*\ln(e*x^2+d)/d^2/(a*e^2-b*d*e+c*d^2) + 1/4*(a*c*e-b^2*e+b*c*d)*\ln(c*x^4+b*x^2+a)/a^2/(a*e^2-b*d*e+c*d^2) - 1/2*(3*a*b*c*e-2*a*c^2*d-b^3*e+b^2*c*d)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2))^{(1/2)}/a^2/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.47, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 893, 634, 618, 206, 628}

$$\frac{(3abce - 2ac^2d + b^2cd + b^3(-e)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^2\sqrt{b^2-4ac}(ae^2 - bde + cd^2)} + \frac{(ace + b^2(-e) + bcd) \log(a + bx^2 + cx^4)}{4a^2(ae^2 - bde + cd^2)} - \frac{\log(x)(ae + bd)}{a^2d^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] $-1/(2*a*d*x^2) - ((b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*a^2*\operatorname{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) - ((b*d + a*e)*\operatorname{Log}[x])/(a^2*d^2) + (e^3*\operatorname{Log}[d + e*x^2])/(2*d^2*(c*d^2 - b*d*e + a*e^2)) + ((b*c*d - b^2*e + a*c*e)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*a^2*(c*d^2 - b*d*e + a*e^2))$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 893

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && I
ntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0])
)
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^2(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{adx^2} + \frac{-bd-ae}{a^2d^2x} + \frac{e^4}{d^2(cd^2-bde+ae^2)(d+ex)} + \frac{b^2cd-ac^2d-b^3e}{a^2d^2} \right) dx, x, x^2 \right) \\
&= -\frac{1}{2adx^2} - \frac{(bd+ae)\log(x)}{a^2d^2} + \frac{e^3 \log(d+ex^2)}{2d^2(cd^2-bde+ae^2)} + \frac{\text{Subst} \left(\int \frac{b^2cd-ac^2d-b^3e}{a^2d^2} dx, x, x^2 \right)}{2a^2d^2} \\
&= -\frac{1}{2adx^2} - \frac{(bd+ae)\log(x)}{a^2d^2} + \frac{e^3 \log(d+ex^2)}{2d^2(cd^2-bde+ae^2)} + \frac{(bcd-b^2e+ace)\text{Subst} \left(\int \frac{1}{a^2d^2} dx, x, x^2 \right)}{4a^2d^2} \\
&= -\frac{1}{2adx^2} - \frac{(bd+ae)\log(x)}{a^2d^2} + \frac{e^3 \log(d+ex^2)}{2d^2(cd^2-bde+ae^2)} + \frac{(bcd-b^2e+ace)\log(x)}{4a^2d^2} \\
&= -\frac{1}{2adx^2} - \frac{(b^2cd-2ac^2d-b^3e+3abce) \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2a^2\sqrt{b^2-4ac}(cd^2-bde+ae^2)} - \frac{(bd+ae)\log(x)}{a^2d^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 331, normalized size = 1.61

$$\frac{1}{4} \left(\frac{(b^2(e\sqrt{b^2-4ac}-cd) - bc(d\sqrt{b^2-4ac}+3ae) + ac(2cd-e\sqrt{b^2-4ac}) + b^3e) \log(-\sqrt{b^2-4ac}+b+2cx^2)}{a^2\sqrt{b^2-4ac}(e(bd-ae)-cd^2)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(d+e*x^2)*(a+b*x^2+c*x^4)),x]

[Out] (-2/(a*d*x^2) - (4*(b*d+a*e)*Log[x])/(a^2*d^2) + ((b^3*e - b*c*(Sqrt[b^2 - 4*a*c]*d + 3*a*e) + a*c*(2*c*d - Sqrt[b^2 - 4*a*c]*e) + b^2*(-(c*d) + Sqrt[b^2 - 4*a*c]*e))*Log[b - Sqrt[b^2 - 4*a*c] + 2*c*x^2])/(a^2*Sqrt[b^2 - 4*a*c]*(-(c*d^2) + e*(b*d - a*e))) + ((-(b^3*e) + b*c*(-(Sqrt[b^2 - 4*a*c]*d + 3*a*e) + b^2*(c*d + Sqrt[b^2 - 4*a*c]*e) - a*c*(2*c*d + Sqrt[b^2 - 4*a*c]*e))*Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x^2])/(a^2*Sqrt[b^2 - 4*a*c]*(-(c*d^2) + e*(b*d - a*e))) + (2*e^3*Log[d + e*x^2])/(c*d^4 + d^2*e*(-(b*d) + a*e))/4

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 1.96, size = 237, normalized size = 1.16

$$\frac{(bcd - b^2e + ace) \log(cx^4 + bx^2 + a)}{4(a^2cd^2 - a^2bde + a^3e^2)} + \frac{e^4 \log(|x^2e + d|)}{2(cd^4e - bd^3e^2 + ad^2e^3)} + \frac{(b^2cd - 2ac^2d - b^3e + 3abce) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{2(a^2cd^2 - a^2bde + a^3e^2)\sqrt{-b^2+4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/4*(b*c*d - b^2*e + a*c*e)*log(c*x^4 + b*x^2 + a)/(a^2*c*d^2 - a^2*b*d*e + a^3*e^2) + 1/2*e^4*log(abs(x^2*e + d))/(c*d^4*e - b*d^3*e^2 + a*d^2*e^3) + 1/2*(b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*sqrt(-b^2 + 4*a*c) - 1/2*(b*d + a*e)*log(x^2)/(a^2*d^2) + 1/2*(b*d*x^2 + a*x^2*e - a*d)/(a^2*d^2*x^2)

maple [B] time = 0.02, size = 430, normalized size = 2.10

$$\frac{3bce \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac-b^2}} - \frac{c^2d \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2)\sqrt{4ac-b^2}} - \frac{b^3e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac-b^2}} + \frac{b^2cd}{2(ae^2 - deb + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] -1/2/a/d/x^2-1/a/d^2*e*ln(x)-1/d/a^2*ln(x)*b+1/4/(a*e^2-b*d*e+c*d^2)/a*c*ln(c*x^4+b*x^2+a)*e-1/4/(a*e^2-b*d*e+c*d^2)/a^2*ln(c*x^4+b*x^2+a)*b^2*e+1/4/(a*e^2-b*d*e+c*d^2)/a^2*c*ln(c*x^4+b*x^2+a)*b*d+3/2/(a*e^2-b*d*e+c*d^2)/a/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*c*e-1/(a*e^2-b*d*e+c*d^2)/a/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*c^2*d-1/2/(a*e^2-b*d*e+c*d^2)/a^2/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^3*e+1/2/(a*e^2-b*d*e+c*d^2)/a^2/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^2*c*d+1/2*e^3*ln(e*x^2+d)/d^2/(a*e^2-b*d*e+c*d^2)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 62.95, size = 5368, normalized size = 26.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out]
$$\left(\log\left(\frac{\left(\left(\left(\left(4c^2e^2(a^6d^7 - 4a^2b^5e^7 - 4b^2c^5d^7 - 4b^7d^2e^5 + 28a^3b^3c^7 - 48a^4b^2c^2e^7 + 8b^3c^4d^6e + 8b^6c^3d^3e^4 - 16a^2c^5d^5e^2 + 16a^3c^4d^3e^4 - 4b^4c^3d^5e^2 - 4b^5c^2d^4e^3 - 7ab^6d^6e - 20ab^5c^5d^6e + 56a^2b^2c^3d^3e^4 - 76a^2b^3c^2d^2e^5 + 32ab^5c^4d^2e^5 + 46a^2b^4c^3d^4e^6 + 20ab^2c^4d^5e^2 + 6ab^3c^3d^4e^3 - 44ab^4c^2d^3e^4 + 22a^2b^2c^4d^4e^3 + 48a^3b^2c^3d^2e^5 - 75a^3b^2c^2d^6e^6)\right)\right)\right)\right)/(a^2d^2) + \left(\frac{16c^2e^2(a^3b^4e^7 + 16a^5c^2e^7 + b^3c^4d^7 + b^7d^3e^4 - 8a^4b^2c^7 + 2ab^6d^2e^5 + 2a^2b^5d^6e - 4a^2c^5d^6e - 4b^4c^3d^6e - 4b^6c^3d^4e^3 + 20a^3c^4d^4e^3 - 32a^4c^3d^2e^5 + 6b^5c^2d^5e^2 - abc^5d^7 - 52a^2b^2c^3d^4e^3 + 45a^2b^3c^2d^3e^4 + 48a^3b^2c^2d^2e^5 + 11ab^2c^4d^6e - 12ab^5c^3d^3e^4 - 15a^3b^3c^3d^6e + 28a^4b^2c^2d^6e - 27ab^3c^3d^5e^2 + 27ab^4c^2d^4e^3 + 27a^2b^2c^4d^5e^2 - 18a^2b^4c^3d^2e^5 - 52a^3b^2c^3d^3e^4)\right)\right)/(ad) + (8c^2e^2x^2(10a^6d^7 + a^2b^5e^7 + b^2c^5d^7 + b^7d^2e^5 - 11a^3b^3c^7 + 28a^4b^2c^2e^7 - 88a^4c^3d^6e - 6b^3c^4d^6e - 6b^6c^3d^3e^4 + 26a^2c^5d^5e^2 + 88a^3c^4d^3e^4 + 5b^4c^3d^5e^2 + 5b^5c^2d^4e^3 + 12ab^6d^6e - 3abc^5d^6e - 110a^2b^2c^3d^3e^4 + 155a^2b^3c^2d^2e^5 - 28ab^5c^3d^2e^5 - 93a^2b^4c^3d^6e - 10ab^2c^4d^5e^2 - 27ab^3c^3d^4e^3 + 46ab^4c^2d^3e^4 + 15a^2b^2c^4d^4e^3 - 236a^3b^2c^3d^2e^5 + 202a^3b^2c^2d^6e^6)\right)\right)/(ad) + (4c^2e^2(ab^2e^3 + b^2d^3 - 4a^2c^3 + b^3d^2e^2 + 4ac^2d^2e - 2b^2cd^2e - 3abc^2d^2e)(b^4e + b^3e(b^2 - 4ac))^{1/2} + 4a^2c^2e - b^3cd + 4abc^2d - 5ab^2ce + 2ac^2d(b^2 - 4ac))^{1/2} - b^2cd(b^2 - 4ac)^{1/2} - 3abc^2e(b^2 - 4ac)^{1/2})(ab^3d^2e^2 + a^2b^2d^3e + 4a^2c^2d^3e - 10ac^3d^4x^2 - 12a^3c^4x^2 + 3a^2b^2e^4x^2 + 3b^2c^2d^4x^2 + 3b^4d^2e^2x^2 + abc^2d^4 - 4a^3cd^3e - 2ab^2cd^3e - 14a^2c^2d^2e^2x^2 - 3a^2b^2cd^2e^2 - 4ab^3d^3e^3x^2 - 6b^3cd^3e^3x^2 - 8ab^2cd^2e^2x^2 + 22abc^2d^3e^3x^2 + 16a^2b^2cd^3e^3x^2)\right)\right)/(a^2(4ac - b^2)(ae^2 + cd^2 - bde)))(b^4e + b^3e(b^2 - 4ac))^{1/2} + 4a^2c^2e - b^3cd$$

$$\begin{aligned}
& + 4*a*b*c^2*d - 5*a*b^2*c*e + 2*a*c^2*d*(b^2 - 4*a*c)^{(1/2)} - b^2*c*d*(b^2 \\
& - 4*a*c)^{(1/2)} - 3*a*b*c*e*(b^2 - 4*a*c)^{(1/2)))/(4*a^2*(4*a*c - b^2)*(a*e^ \\
& 2 + c*d^2 - b*d*e)) - (4*c^2*e^2*x^2*(6*a*b^6*e^7 + 6*b*c^6*d^7 + 6*b^7*d*e \\
& ^6 - 16*a^4*c^3*e^7 - 44*a^2*b^4*c*e^7 - 8*b^2*c^5*d^6*e - 8*b^6*c*d^2*e^5 \\
& + 84*a^3*b^2*c^2*e^7 + 30*a^2*c^5*d^4*e^3 - 2*b^3*c^4*d^5*e^2 + 8*b^4*c^3*d \\
& ^4*e^3 - 2*b^5*c^2*d^3*e^4 + 11*a*c^6*d^6*e - 47*a*b^5*c*d*e^6 - 96*a^2*b^2 \\
& *c^3*d^2*e^5 + 14*a*b*c^5*d^5*e^2 - 94*a^3*b*c^3*d*e^6 - 35*a*b^2*c^4*d^4*e \\
& ^3 + 7*a*b^3*c^3*d^3*e^4 + 56*a*b^4*c^2*d^2*e^5 - 17*a^2*b*c^4*d^3*e^4 + 11 \\
& 7*a^2*b^3*c^2*d*e^6))/(a^2*d^2)*(b^4*e + b^3*e*(b^2 - 4*a*c)^{(1/2)} + 4*a^2 \\
& *c^2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e + 2*a*c^2*d*(b^2 - 4*a*c)^{(1/2} \\
&) - b^2*c*d*(b^2 - 4*a*c)^{(1/2)} - 3*a*b*c*e*(b^2 - 4*a*c)^{(1/2)))/(4*a^2*(4 \\
& *a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) + (4*c^2*e^2*x^2*(b^7*e^7 + c^7*d^7 - \\
& 6*a^3*b*c^3*e^7 + 2*a*c^6*d^5*e^2 - 4*a^3*c^4*d*e^6 + 14*a^2*b^3*c^2*e^7 + \\
& 6*a^2*c^5*d^3*e^4 + b^3*c^4*d^4*e^3 + b^4*c^3*d^3*e^4 - 7*a*b^5*c*e^7 + 2*a \\
& *b^4*c^2*d*e^6 - 6*a*b^2*c^4*d^3*e^4 + 3*a*b^3*c^3*d^2*e^5 - 9*a^2*b*c^4*d^ \\
& 2*e^5 - 5*a^2*b^2*c^3*d*e^6))/(a^3*d^3) + (4*c^2*e^2*(a*e + b*d)*(b^3*e^3 + \\
& c^3*d^3 - 3*a*b*c*e^3)^2)/(a^3*d^3)*(b^4*e + b^3*e*(b^2 - 4*a*c)^{(1/2)} + \\
& 4*a^2*c^2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e + 2*a*c^2*d*(b^2 - 4*a*c) \\
& ^{(1/2)} - b^2*c*d*(b^2 - 4*a*c)^{(1/2)} - 3*a*b*c*e*(b^2 - 4*a*c)^{(1/2)))/(4*a \\
& ^2*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) - (2*c^5*e^5*x^2*(b^3*e^3 + c^3*d \\
& ^3 - 3*a*b*c*e^3))/(a^3*d^3)*(b^4*e + b^3*e*(b^2 - 4*a*c)^{(1/2)} + 4*a^2*c^ \\
& 2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e + 2*a*c^2*d*(b^2 - 4*a*c)^{(1/2)} - \\
& b^2*c*d*(b^2 - 4*a*c)^{(1/2)} - 3*a*b*c*e*(b^2 - 4*a*c)^{(1/2)))/(4*(4*a^4*c* \\
& e^2 - a^3*b^2*e^2 + 4*a^3*c^2*d^2 - a^2*b^2*c*d^2 + a^2*b^3*d*e - 4*a^3*b*c \\
& *d*e)) + (log(((((((4*c^2*e^2*(a*c^6*d^7 - 4*a^2*b^5*e^7 - 4*b^2*c^5*d^7 - 4 \\
& *b^7*d^2*e^5 + 28*a^3*b^3*c*e^7 - 48*a^4*b*c^2*e^7 + 8*b^3*c^4*d^6*e + 8*b^ \\
& 6*c*d^3*e^4 - 16*a^2*c^5*d^5*e^2 + 16*a^3*c^4*d^3*e^4 - 4*b^4*c^3*d^5*e^2 - \\
& 4*b^5*c^2*d^4*e^3 - 7*a*b^6*d*e^6 - 20*a*b*c^5*d^6*e + 56*a^2*b^2*c^3*d^3* \\
& e^4 - 76*a^2*b^3*c^2*d^2*e^5 + 32*a*b^5*c*d^2*e^5 + 46*a^2*b^4*c*d*e^6 + 20 \\
& *a*b^2*c^4*d^5*e^2 + 6*a*b^3*c^3*d^4*e^3 - 44*a*b^4*c^2*d^3*e^4 + 22*a^2*b* \\
& c^4*d^4*e^3 + 48*a^3*b*c^3*d^2*e^5 - 75*a^3*b^2*c^2*d*e^6)))/(a^2*d^2) + (((\\
& 16*c^2*e^2*(a^3*b^4*e^7 + 16*a^5*c^2*e^7 + b^3*c^4*d^7 + b^7*d^3*e^4 - 8*a^ \\
& 4*b^2*c*e^7 + 2*a*b^6*d^2*e^5 + 2*a^2*b^5*d*e^6 - 4*a^2*c^5*d^6*e - 4*b^4*c \\
& ^3*d^6*e - 4*b^6*c*d^4*e^3 + 20*a^3*c^4*d^4*e^3 - 32*a^4*c^3*d^2*e^5 + 6*b^ \\
& 5*c^2*d^5*e^2 - a*b*c^5*d^7 - 52*a^2*b^2*c^3*d^4*e^3 + 45*a^2*b^3*c^2*d^3*e \\
& ^4 + 48*a^3*b^2*c^2*d^2*e^5 + 11*a*b^2*c^4*d^6*e - 12*a*b^5*c*d^3*e^4 - 15* \\
& a^3*b^3*c*d*e^6 + 28*a^4*b*c^2*d*e^6 - 27*a*b^3*c^3*d^5*e^2 + 27*a*b^4*c^2* \\
& d^4*e^3 + 27*a^2*b*c^4*d^5*e^2 - 18*a^2*b^4*c*d^2*e^5 - 52*a^3*b*c^3*d^3*e^ \\
& 4)))/(a*d) + (8*c^2*e^2*x^2*(10*a*c^6*d^7 + a^2*b^5*e^7 + b^2*c^5*d^7 + b^7* \\
& d^2*e^5 - 11*a^3*b^3*c*e^7 + 28*a^4*b*c^2*e^7 - 88*a^4*c^3*d*e^6 - 6*b^3*c^ \\
& 4*d^6*e - 6*b^6*c*d^3*e^4 + 26*a^2*c^5*d^5*e^2 + 88*a^3*c^4*d^3*e^4 + 5*b^4 \\
& *c^3*d^5*e^2 + 5*b^5*c^2*d^4*e^3 + 12*a*b^6*d*e^6 - 3*a*b*c^5*d^6*e - 110*a \\
& ^2*b^2*c^3*d^3*e^4 + 155*a^2*b^3*c^2*d^2*e^5 - 28*a*b^5*c*d^2*e^5 - 93*a^2* \\
& b^4*c*d*e^6 - 10*a*b^2*c^4*d^5*e^2 - 27*a*b^3*c^3*d^4*e^3 + 46*a*b^4*c^2*d^ \\
& 3*e^4 + 15*a^2*b*c^4*d^4*e^3 - 236*a^3*b*c^3*d^2*e^5 + 202*a^3*b^2*c^2*d*e^
\end{aligned}$$

$$\begin{aligned}
& 6)) / (a*d) + (4*c^2*e^2*(a*b^2*e^3 + b*c^2*d^3 - 4*a^2*c*e^3 + b^3*d*e^2 + 4 \\
& *a*c^2*d^2*e - 2*b^2*c*d^2*e - 3*a*b*c*d*e^2)*(b^4*e - b^3*e*(b^2 - 4*a*c)^(\\
& (1/2) + 4*a^2*c^2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e - 2*a*c^2*d*(b^2 \\
& - 4*a*c)^(1/2) + b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a*b*c*e*(b^2 - 4*a*c)^(1/2 \\
&))*(a*b^3*d^2*e^2 + a^2*b^2*d*e^3 + 4*a^2*c^2*d^3*e - 10*a*c^3*d^4*x^2 - 12 \\
& *a^3*c*e^4*x^2 + 3*a^2*b^2*e^4*x^2 + 3*b^2*c^2*d^4*x^2 + 3*b^4*d^2*e^2*x^2 \\
& + a*b*c^2*d^4 - 4*a^3*c*d*e^3 - 2*a*b^2*c*d^3*e - 14*a^2*c^2*d^2*e^2*x^2 - \\
& 3*a^2*b*c*d^2*e^2 - 4*a*b^3*d*e^3*x^2 - 6*b^3*c*d^3*e*x^2 - 8*a*b^2*c*d^2*e \\
& ^2*x^2 + 22*a*b*c^2*d^3*e*x^2 + 16*a^2*b*c*d*e^3*x^2)) / (a^2*(4*a*c - b^2)*(\\
& a*e^2 + c*d^2 - b*d*e)) * (b^4*e - b^3*e*(b^2 - 4*a*c)^(1/2) + 4*a^2*c^2*e - \\
& b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e - 2*a*c^2*d*(b^2 - 4*a*c)^(1/2) + b^2* \\
& c*d*(b^2 - 4*a*c)^(1/2) + 3*a*b*c*e*(b^2 - 4*a*c)^(1/2)) / (4*a^2*(4*a*c - b \\
& ^2)*(a*e^2 + c*d^2 - b*d*e)) - (4*c^2*e^2*x^2*(6*a*b^6*e^7 + 6*b*c^6*d^7 + \\
& 6*b^7*d*e^6 - 16*a^4*c^3*e^7 - 44*a^2*b^4*c*e^7 - 8*b^2*c^5*d^6*e - 8*b^6*c \\
& *d^2*e^5 + 84*a^3*b^2*c^2*e^7 + 30*a^2*c^5*d^4*e^3 - 2*b^3*c^4*d^5*e^2 + 8* \\
& b^4*c^3*d^4*e^3 - 2*b^5*c^2*d^3*e^4 + 11*a*c^6*d^6*e - 47*a*b^5*c*d*e^6 - 9 \\
& 6*a^2*b^2*c^3*d^2*e^5 + 14*a*b*c^5*d^5*e^2 - 94*a^3*b*c^3*d*e^6 - 35*a*b^2* \\
& c^4*d^4*e^3 + 7*a*b^3*c^3*d^3*e^4 + 56*a*b^4*c^2*d^2*e^5 - 17*a^2*b*c^4*d^3 \\
& *e^4 + 117*a^2*b^3*c^2*d*e^6)) / (a^2*d^2) * (b^4*e - b^3*e*(b^2 - 4*a*c)^(1/2 \\
&) + 4*a^2*c^2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e - 2*a*c^2*d*(b^2 - 4* \\
& a*c)^(1/2) + b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a*b*c*e*(b^2 - 4*a*c)^(1/2)) / \\
& (4*a^2*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) + (4*c^2*e^2*x^2*(b^7*e^7 + c \\
& ^7*d^7 - 6*a^3*b*c^3*e^7 + 2*a*c^6*d^5*e^2 - 4*a^3*c^4*d*e^6 + 14*a^2*b^3*c \\
& ^2*e^7 + 6*a^2*c^5*d^3*e^4 + b^3*c^4*d^4*e^3 + b^4*c^3*d^3*e^4 - 7*a*b^5*c* \\
& e^7 + 2*a*b^4*c^2*d*e^6 - 6*a*b^2*c^4*d^3*e^4 + 3*a*b^3*c^3*d^2*e^5 - 9*a^2 \\
& *b*c^4*d^2*e^5 - 5*a^2*b^2*c^3*d*e^6)) / (a^3*d^3) + (4*c^2*e^2*(a*e + b*d)*(\\
& b^3*e^3 + c^3*d^3 - 3*a*b*c*e^3)^2) / (a^3*d^3) * (b^4*e - b^3*e*(b^2 - 4*a*c) \\
& ^{(1/2) + 4*a^2*c^2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e - 2*a*c^2*d*(b^2 \\
& - 4*a*c)^(1/2) + b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a*b*c*e*(b^2 - 4*a*c)^(1/2 \\
& 2)) / (4*a^2*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) - (2*c^5*e^5*x^2*(b^3*e^ \\
& 3 + c^3*d^3 - 3*a*b*c*e^3)) / (a^3*d^3) * (b^4*e - b^3*e*(b^2 - 4*a*c)^(1/2) + \\
& 4*a^2*c^2*e - b^3*c*d + 4*a*b*c^2*d - 5*a*b^2*c*e - 2*a*c^2*d*(b^2 - 4*a*c) \\
&)^(1/2) + b^2*c*d*(b^2 - 4*a*c)^(1/2) + 3*a*b*c*e*(b^2 - 4*a*c)^(1/2)) / (4* \\
& (4*a^4*c*e^2 - a^3*b^2*e^2 + 4*a^3*c^2*d^2 - a^2*b^2*c*d^2 + a^2*b^3*d*e - \\
& 4*a^3*b*c*d*e)) + (e^3*log(d + e*x^2)) / (2*c*d^4 + 2*a*d^2*e^2 - 2*b*d^3*e) \\
& - 1/(2*a*d*x^2) - (log(x)*(a*e + b*d)) / (a^2*d^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.302 \quad \int \frac{1}{x^5(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=268

$$\frac{\log(x) \left(abde - a(cd^2 - ae^2) + b^2d^2 \right)}{a^3d^3} - \frac{(2abce - ac^2d + b^3(-e) + b^2cd) \log(a + bx^2 + cx^4)}{4a^3(ae^2 - bde + cd^2)} + \frac{ae + bd}{2a^2d^2x^2} + \frac{(-2a^2c^2e + \dots)}{\dots}$$

[Out] $-1/4/a/d/x^4 + 1/2*(a*e+b*d)/a^2/d^2/x^2 + (b^2*d^2+a*b*d*e-a*(-a*e^2+c*d^2))*\ln(x)/a^3/d^3 - 1/2*e^4*\ln(e*x^2+d)/d^3/(a*e^2-b*d*e+c*d^2) - 1/4*(2*a*b*c*e-a*c^2*d-b^3*e+b^2*c*d)*\ln(c*x^4+b*x^2+a)/a^3/(a*e^2-b*d*e+c*d^2) + 1/2*(-2*a^2*c^2*e+4*a*b^2*c*e-3*a*b*c^2*d-b^4*e+b^3*c*d)*\operatorname{arctanh}((2*c*x^2+b)/(-4*a*c+b^2))^{(1/2)}/a^3/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.60, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1251, 893, 634, 618, 206, 628}

$$-\frac{(2abce - ac^2d + b^2cd + b^3(-e)) \log(a + bx^2 + cx^4)}{4a^3(ae^2 - bde + cd^2)} + \frac{(-2a^2c^2e + 4ab^2ce - 3abc^2d + b^3cd + b^4(-e)) \tanh^{-1}\left(\frac{b+2c*x^2}{\sqrt{b^2-4ac}}\right)}{2a^3\sqrt{b^2-4ac}(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] `Int[1/(x^5*(d + e*x^2)*(a + b*x^2 + c*x^4)),x]`

[Out] $-1/(4*a*d*x^4) + (b*d + a*e)/(2*a^2*d^2*x^2) + ((b^3*c*d - 3*a*b*c^2*d - b^4*e + 4*a*b^2*c*e - 2*a^2*c^2*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/\operatorname{Sqrt}[b^2 - 4*a*c]])/(2*a^3*\operatorname{Sqrt}[b^2 - 4*a*c]*(c*d^2 - b*d*e + a*e^2)) + ((b^2*d^2 + a*b*d*e - a*(c*d^2 - a*e^2))*\operatorname{Log}[x])/(a^3*d^3) - (e^4*\operatorname{Log}[d + e*x^2])/(2*d^3*(c*d^2 - b*d*e + a*e^2)) - ((b^2*c*d - a*c^2*d - b^3*e + 2*a*b*c*e)*\operatorname{Log}[a + b*x^2 + c*x^4])/(4*a^3*(c*d^2 - b*d*e + a*e^2))$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 618

`Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 893

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && I
ntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0])
)
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^5(d+ex^2)(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^3(d+ex)(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{adx^3} + \frac{-bd-ae}{a^2d^2x^2} + \frac{b^2d^2+abde-a(cd^2-ae^2)}{a^3d^3x} - \frac{e^4}{d^3(cd^2-bde+ae^2)} \right) dx, x, x^2 \right) \\
&= -\frac{1}{4adx^4} + \frac{bd+ae}{2a^2d^2x^2} + \frac{(b^2d^2+abde-a(cd^2-ae^2)) \log(x)}{a^3d^3} - \frac{e^4 \log(d+ex^2)}{2d^3(cd^2-bde+ae^2)} \\
&= -\frac{1}{4adx^4} + \frac{bd+ae}{2a^2d^2x^2} + \frac{(b^2d^2+abde-a(cd^2-ae^2)) \log(x)}{a^3d^3} - \frac{e^4 \log(d+ex^2)}{2d^3(cd^2-bde+ae^2)} \\
&= -\frac{1}{4adx^4} + \frac{bd+ae}{2a^2d^2x^2} + \frac{(b^2d^2+abde-a(cd^2-ae^2)) \log(x)}{a^3d^3} - \frac{e^4 \log(d+ex^2)}{2d^3(cd^2-bde+ae^2)} \\
&= -\frac{1}{4adx^4} + \frac{bd+ae}{2a^2d^2x^2} + \frac{(b^3cd-3abc^2d-b^4e+4ab^2ce-2a^2c^2e) \tanh^{-1}\left(\frac{b+2ex}{\sqrt{b^2-4ac}}\right)}{2a^3\sqrt{b^2-4ac}(cd^2-bde+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 426, normalized size = 1.59

$$\frac{1}{4} \left(\frac{4 \log(x) (abde + a(ae^2 - cd^2) + b^2d^2)}{a^3d^3} - \frac{(ac^2(d\sqrt{b^2-4ac} + 2ae) - b^2c(d\sqrt{b^2-4ac} + 4ae) + abc(3cd - 2e\sqrt{b^2-4ac}))}{a^3\sqrt{b^2-4ac}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^5*(d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] $(-1/(a*d*x^4)) + (2*(b*d + a*e))/(a^2*d^2*x^2) + (4*(b^2*d^2 + a*b*d*e + a*(-(c*d^2) + a*e^2))*\text{Log}[x])/(a^3*d^3) - ((b^4*e + a*c^2*(\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) - b^2*c*(\text{Sqrt}[b^2 - 4*a*c]*d + 4*a*e) + a*b*c*(3*c*d - 2*\text{Sqrt}[b^2 - 4*a*c]*e) + b^3*(-(c*d) + \text{Sqrt}[b^2 - 4*a*c]*e))*\text{Log}[b - \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2])/(a^3*\text{Sqrt}[b^2 - 4*a*c]*(-(c*d^2) + e*(b*d - a*e))) - (((-b^4*e) + a*c^2*(\text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e) + b^2*c*(-(\text{Sqrt}[b^2 - 4*a*c]*d + 4*a*e) + b^3*(c*d + \text{Sqrt}[b^2 - 4*a*c]*e) - a*b*c*(3*c*d + 2*\text{Sqrt}[b^2 - 4*a*c]*e))*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2])/(a^3*\text{Sqrt}[b^2 - 4*a*c]*(-(c*d^2) + e*(b*d - a*e))) - (2*e^4*\text{Log}[d + e*x^2])/(c*d^5 + d^3*e*(-(b*d) + a*e)))/4$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 1.46, size = 332, normalized size = 1.24

$$\frac{(b^2cd - ac^2d - b^3e + 2abce) \log(cx^4 + bx^2 + a)}{4(a^3cd^2 - a^3bde + a^4e^2)} - \frac{e^5 \log(|x^2e + d|)}{2(cd^5e - bd^4e^2 + ad^3e^3)} - \frac{(b^3cd - 3abc^2d - b^4e + 4ab^2ce - a^4e^2)}{2(a^3cd^2 - a^3bde + a^4e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out]
$$-1/4*(b^2*c*d - a*c^2*d - b^3*e + 2*a*b*c*e)*\log(c*x^4 + b*x^2 + a)/(a^3*c*d^2 - a^3*b*d*e + a^4*e^2) - 1/2*e^5*\log(\text{abs}(x^2*e + d))/(c*d^5*e - b*d^4*e^2 + a*d^3*e^3) - 1/2*(b^3*c*d - 3*a*b*c^2*d - b^4*e + 4*a*b^2*c*e - 2*a^2*c^2*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((a^3*c*d^2 - a^3*b*d*e + a^4*e^2)*\sqrt{-b^2 + 4*a*c}) + 1/2*(b^2*d^2 - a*c*d^2 + a*b*d*e + a^2*e^2)*\log(x^2)/(a^3*d^3) - 1/4*(3*b^2*d^2*x^4 - 3*a*c*d^2*x^4 + 3*a*b*d*x^4*e + 3*a^2*x^4*e^2 - 2*a*b*d^2*x^2 - 2*a^2*d*x^2*e + a^2*d^2)/(a^3*d^3*x^4)$$

maple [B] time = 0.02, size = 584, normalized size = 2.18

$$\frac{c^2e \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2)\sqrt{4ac-b^2}a} - \frac{2b^2ce \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{(ae^2 - deb + cd^2)\sqrt{4ac-b^2}a^2} + \frac{3bc^2d \arctan\left(\frac{2cx^2+b}{\sqrt{4ac-b^2}}\right)}{2(ae^2 - deb + cd^2)\sqrt{4ac-b^2}a^2} + \frac{b^4e}{2(ae^2 - deb + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out]
$$-1/4/a/d/x^4+1/2/a/d^2*e/x^2+1/2/d/a^2/x^2*b+1/a/d^3*e^2*\ln(x)+1/d^2/a^2*\ln(x)*b*e-1/a^2*c/d*\ln(x)+1/d/a^3*\ln(x)*b^2-1/2/(a*e^2-b*d*e+c*d^2)/a^2*c*\ln(c*x^4+b*x^2+a)*b*e+1/4/(a*e^2-b*d*e+c*d^2)/a^2*c^2*\ln(c*x^4+b*x^2+a)*d+1/4/(a*e^2-b*d*e+c*d^2)/a^3*\ln(c*x^4+b*x^2+a)*b^3*e-1/4/(a*e^2-b*d*e+c*d^2)/a^3*c*\ln(c*x^4+b*x^2+a)*b^2*d+1/(a*e^2-b*d*e+c*d^2)/a/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*e*c^2-2/(a*e^2-b*d*e+c*d^2)/a^2/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^2*c*e+3/2/(a*e^2-b*d*e+c*d^2)/a^2/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*d*b*c^2+1/2/($$

$$\frac{a^2e^{-b^4e^{-1/2}} + c^2d^2}{a^3(4ac - b^2)^{1/2}} \arctan\left(\frac{2cx^2 + b}{(4ac - b^2)^{1/2}}\right) - \frac{b^4e^{-1/2}}{a^3(4ac - b^2)^{1/2}} \arctan\left(\frac{2cx^2 + b}{(4ac - b^2)^{1/2}}\right) + \frac{b^3cd - 1/2e^{4\ln(ex^2+d)}}{d^3(a^2e^{-b^4e^{-1/2}} + c^2d^2)}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^5/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 144.76, size = 10300, normalized size = 38.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^5*(d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out]
$$\begin{aligned} & \left(\frac{\log((c^8e^8(a^2e^2 + b^2d^2 - acd^2 + abde)) / (a^6d^6) - (c^9e^9x^2) / (a^5d^5) - (((c^5e^5(4a^3b^3e^6 + 4b^3c^3d^6 + 4b^6d^3e^3 + 8ab^5d^2e^4 + 8a^2b^4de^5 + 4a^2c^4d^5e + 16a^4c^2de^5 - 19a^3c^3d^3e^3 - 4ab^2c^4d^6 - 12a^4b^2c^2d^3e^3 - 24a^3b^4cd^3e^3 - 32a^3b^2c^2de^5 - 36a^2b^3cd^2e^4 + 28a^3b^2c^2d^2e^4)) / (a^6d^6) - (((4a^4b^6c^2e^{12} - 24a^5b^4c^3e^{12} + 36a^6b^2c^4e^{12} - 4a^3c^9d^8e^4 + 64a^4c^8d^6e^6 - 144a^5c^7d^4e^8 + 96a^6c^6d^2e^{10} + 4b^4c^8d^{10}e^2 + 8b^7c^5d^7e^5 + 4b^{10}c^2d^4e^8 + 64a^2b^3c^7d^7e^5 - 8a^2b^4c^6d^6e^6 - 8a^2b^5c^5d^5e^7 + 172a^2b^6c^4d^4e^8 - 112a^2b^7c^3d^3e^9 + 16a^2b^8c^2d^2e^{10} - 72a^3b^2c^7d^6e^6 + 56a^3b^3c^6d^5e^7 - 312a^3b^4c^5d^4e^8 + 348a^3b^5c^4d^3e^9 - 132a^3b^6c^3d^2e^{10} + 324a^4b^2c^6d^4e^8 - 428a^4b^3c^5d^3e^9 + 344a^4b^4c^4d^2e^{10} - 300a^5b^2c^5d^2e^{10} - 96a^6b^2c^5d^2e^{11} - 4ab^2c^9d^{10}e^2 - 4ab^3c^8d^9e^3 - 48ab^5c^6d^7e^5 + 8ab^6c^5d^6e^6 - 44ab^8c^3d^4e^8 + 12ab^9c^2d^3e^9 + 8a^2b^3c^9d^9e^3 - 24a^3b^3c^8d^7e^5 + 12a^3b^7c^2d^5e^{11} - 88a^4b^2c^7d^5e^7 - 88a^4b^5c^3d^5e^{11} + 228a^5b^2c^6d^3e^9 + 188a^5b^3c^4d^5e^{11})) / (a^6d^6) + (x^2(32a^6c^6d^5e^{11} - 24a^6b^2c^5e^{12} + 4a^3b^7c^2e^{12} - 28a^4b^5c^3e^{12} + 56a^5b^3c^4e^{12} + 2a^3c^9d^7e^5 + 104a^4c^8d^5e^7 - 156a^5c^7d^3e^9 + 4b^3c^9d^{10}e^2 + 4b^6c^6d^7e^5 + 4b^7c^5d^6e^6 + 4b^{10}c^2d^3e^9 + 8a^2b^2c^8d^7e^5 + 40a^2b^3c^7d^6e^6 - 12a^2b^4c^6d^5e^7 - 12a^2b^5c^5d^4e^8 + 12a^2b^6c^4d^3e^9 - 12a^2b^7c^3d^2e^{10} + 12a^2b^8c^2d^2e^{10} - 12a^2b^9c^2d^2e^{10} - 12a^2b^{10}c^2d^2e^{10}))}{(a^6d^6)^2} \right) \end{aligned}$$

$$\begin{aligned}
& 2*b^5*c^5*d^4*e^8 + 180*a^2*b^6*c^4*d^3*e^9 - 116*a^2*b^7*c^3*d^2*e^{10} - 9 \\
& 2*a^3*b^2*c^7*d^5*e^7 + 84*a^3*b^3*c^6*d^4*e^8 - 350*a^3*b^4*c^5*d^3*e^9 + \\
& 388*a^3*b^5*c^4*d^2*e^{10} + 348*a^4*b^2*c^6*d^3*e^9 - 524*a^4*b^3*c^5*d^2*e^{10} \\
& - 4*a*b^2*c^9*d^9*e^3 - 20*a*b^4*c^7*d^7*e^5 - 20*a*b^5*c^6*d^6*e^6 + 4* \\
& a*b^6*c^5*d^5*e^7 - 44*a*b^8*c^3*d^3*e^9 + 12*a*b^9*c^2*d^2*e^{10} + 8*a^2*b* \\
& c^9*d^8*e^4 + 12*a^2*b^8*c^2*d*e^{11} - 36*a^3*b*c^8*d^6*e^6 - 100*a^3*b^6*c^ \\
& 3*d*e^{11} - 132*a^4*b*c^7*d^4*e^8 + 264*a^4*b^4*c^4*d*e^{11} + 264*a^5*b*c^6*d \\
& ^2*e^{10} - 224*a^5*b^2*c^5*d*e^{11}))/ (a^6*d^6) + (((192*a^6*b*c^4*e^{11} - 256* \\
& a^6*c^5*d*e^{10} + 16*a^4*b^5*c^2*e^{11} - 112*a^5*b^3*c^3*e^{11} + 60*a^3*c^8*d^ \\
& 7*e^4 - 320*a^4*c^7*d^5*e^6 + 480*a^5*c^6*d^3*e^8 + 16*b^4*c^7*d^9*e^2 - 32 \\
& *b^5*c^6*d^8*e^3 + 16*b^6*c^5*d^7*e^4 + 16*b^7*c^4*d^6*e^5 - 32*b^8*c^3*d^5 \\
& *e^6 + 16*b^9*c^2*d^4*e^7 + 16*a^2*b^2*c^7*d^7*e^4 + 120*a^2*b^3*c^6*d^6*e^ \\
& 5 - 816*a^2*b^4*c^5*d^5*e^6 + 880*a^2*b^5*c^4*d^4*e^7 - 424*a^2*b^6*c^3*d^3 \\
& *e^8 + 56*a^2*b^7*c^2*d^2*e^9 + 832*a^3*b^2*c^6*d^5*e^6 - 1424*a^3*b^3*c^5* \\
& d^4*e^7 + 1340*a^3*b^4*c^4*d^3*e^8 - 464*a^3*b^5*c^3*d^2*e^9 - 1512*a^4*b^2 \\
& *c^5*d^3*e^8 + 1144*a^4*b^3*c^4*d^2*e^9 - 20*a*b^2*c^8*d^9*e^2 + 96*a*b^3*c \\
& ^7*d^8*e^3 - 64*a*b^4*c^6*d^7*e^4 - 88*a*b^5*c^5*d^6*e^5 + 288*a*b^6*c^4*d^ \\
& 5*e^6 - 208*a*b^7*c^3*d^4*e^7 + 44*a*b^8*c^2*d^3*e^8 - 40*a^2*b*c^8*d^8*e^3 \\
& - 88*a^3*b*c^7*d^6*e^5 + 44*a^3*b^6*c^2*d*e^{10} + 704*a^4*b*c^6*d^4*e^7 - 3 \\
& 28*a^4*b^4*c^3*d*e^{10} - 736*a^5*b*c^5*d^2*e^9 + 684*a^5*b^2*c^4*d*e^{10}))/ (a^ \\
& 4*d^4) + (((256*a^6*c^4*e^{10} + 16*a^4*b^4*c^2*e^{10} - 128*a^5*b^2*c^3*e^{10} - \\
& 192*a^3*c^7*d^6*e^4 + 448*a^4*c^6*d^4*e^6 - 512*a^5*c^5*d^2*e^8 + 16*b^4*c \\
& ^6*d^8*e^2 - 64*b^5*c^5*d^7*e^3 + 96*b^6*c^4*d^6*e^4 - 64*b^7*c^3*d^5*e^5 + \\
& 16*b^8*c^2*d^4*e^6 + 768*a^2*b^2*c^6*d^6*e^4 - 1200*a^2*b^3*c^5*d^5*e^5 + \\
& 896*a^2*b^4*c^4*d^4*e^6 - 320*a^2*b^5*c^3*d^3*e^7 + 32*a^2*b^6*c^2*d^2*e^8 \\
& - 1392*a^3*b^2*c^5*d^4*e^6 + 1024*a^3*b^3*c^4*d^3*e^7 - 288*a^3*b^4*c^3*d^2 \\
& *e^8 + 768*a^4*b^2*c^4*d^2*e^8 + 448*a^5*b*c^4*d*e^9 - 32*a*b^2*c^7*d^8*e^2 \\
& + 240*a*b^3*c^6*d^7*e^3 - 528*a*b^4*c^5*d^6*e^4 + 496*a*b^5*c^4*d^5*e^5 - \\
& 208*a*b^6*c^3*d^4*e^6 + 32*a*b^7*c^2*d^3*e^7 - 176*a^2*b*c^7*d^7*e^3 + 848* \\
& a^3*b*c^6*d^5*e^5 + 32*a^3*b^5*c^2*d*e^9 - 1024*a^4*b*c^5*d^3*e^7 - 240*a^4 \\
& *b^3*c^3*d*e^9))/ (a^2*d^2) + (8*c^2*e^2*x^2*(a^3*b^5*e^8 + b^3*c^5*d^8 + b^8 \\
& *d^3*e^5 - 11*a^4*b^3*c*e^8 + 28*a^5*b*c^2*e^8 + 8*a*b^7*d^2*e^6 + 8*a^2*b^ \\
& 6*d*e^7 - 30*a^2*c^6*d^7*e - 24*a^5*c^3*d*e^7 - 6*b^4*c^4*d^7*e - 6*b^7*c*d \\
& ^4*e^4 - 18*a^3*c^5*d^5*e^3 + 180*a^4*c^4*d^3*e^5 + 5*b^5*c^3*d^6*e^2 + 5*b \\
& ^6*c^2*d^5*e^3 + 5*a*b*c^6*d^8 + 13*a^2*b^2*c^4*d^5*e^3 - 82*a^2*b^3*c^3*d^ \\
& 4*e^4 + 110*a^2*b^4*c^2*d^3*e^5 - 277*a^3*b^2*c^3*d^3*e^5 + 328*a^3*b^3*c^2 \\
& *d^2*e^6 + 15*a*b^2*c^5*d^7*e - 17*a*b^6*c*d^3*e^5 - 57*a^3*b^4*c*d*e^7 - 2 \\
& 7*a*b^3*c^4*d^6*e^2 - 24*a*b^4*c^3*d^5*e^3 + 40*a*b^5*c^2*d^4*e^4 + 67*a^2* \\
& b*c^5*d^6*e^2 - 92*a^2*b^5*c*d^2*e^6 + 72*a^3*b*c^4*d^4*e^4 - 352*a^4*b*c^3 \\
& *d^2*e^6 + 106*a^4*b^2*c^2*d*e^7))/ (a^2*d^2) - (4*c^2*e^2*(a*b^2*e^3 + b*c^ \\
& 2*d^3 - 4*a^2*c*e^3 + b^3*d*e^2 + 4*a*c^2*d^2*e - 2*b^2*c*d^2*e - 3*a*b*c*d \\
& *e^2)*(b^4*e*(b^2 - 4*a*c)^(1/2) - b^5*e + 4*a^2*c^3*d + b^4*c*d + 6*a*b^3* \\
& c*e - b^3*c*d*(b^2 - 4*a*c)^(1/2) - 5*a*b^2*c^2*d - 8*a^2*b*c^2*e + 2*a^2*c \\
& ^2*e*(b^2 - 4*a*c)^(1/2) + 3*a*b*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*e*(b \\
& ^2 - 4*a*c)^(1/2))*(a*b^3*d^2*e^2 + a^2*b^2*d*e^3 + 4*a^2*c^2*d^3*e - 10*a*
\end{aligned}$$

$$\begin{aligned}
& c^3d^4x^2 - 12a^3c^2e^4x^2 + 3a^2b^2e^4x^2 + 3b^2c^2d^4x^2 + 3b^4d^2e^2x^2 + abc^2d^4 - 4a^3c^2de^3 - 2ab^2c^2d^3e - 14a^2c^2d^2e^2x^2 - 3a^2b^2c^2d^2e^2 - 4a^2b^3d^2e^3x^2 - 6b^3c^2d^3e^2x^2 - 8a^2b^2c^2d^2e^2x^2 + 22abc^2d^3e^2x^2 + 16a^2b^2c^2d^3e^2x^2) / (a^3(4ac - b^2)(ae^2 + cd^2 - bde)) * (b^4e(b^2 - 4ac)^{1/2} - b^5e + 4a^2c^3d + b^4cd + 6ab^3ce - b^3cd(b^2 - 4ac)^{1/2} - 5ab^2c^2d - 8a^2b^2c^2e + 2a^2c^2e(b^2 - 4ac)^{1/2} + 3ab^2c^2d(b^2 - 4ac)^{1/2} - 4ab^2c^2e(b^2 - 4ac)^{1/2})) / (4a^3(4ac - b^2)(ae^2 + cd^2 - bde)) + (4c^2e^2x^2(6a^3b^6e^9 - 16a^6c^3e^9 + 6b^3c^6d^9 + 6b^9d^3e^6 - 44a^4b^4c^2e^9 + 13ab^8d^2e^7 + 13a^2b^7d^2e^8 + 5a^2c^7d^8e - 8b^4c^5d^8e - 8b^8c^4d^4e^5 + 84a^5b^2c^2e^9 + 2a^3c^6d^6e^3 - 160a^4c^5d^4e^5 + 124a^5c^4d^2e^7 - 2b^5c^4d^7e^2 + 8b^6c^3d^6e^3 - 2b^7c^2d^5e^4 - 5abc^7d^9 + 40a^2b^2c^5d^6e^3 - 45a^2b^3c^4d^5e^4 - 220a^2b^4c^3d^4e^5 + 316a^2b^5c^2d^3e^6 + 264a^3b^2c^4d^4e^5 - 546a^3b^3c^3d^3e^6 + 388a^3b^4c^2d^2e^7 - 447a^4b^2c^3d^2e^7 + 12ab^2c^6d^8e - 74ab^7c^3d^3e^6 - 111a^3b^5c^2d^2e^8 - 210a^5b^2c^3d^2e^8 + 18ab^3c^5d^7e^2 - 43ab^4c^4d^6e^3 + 19ab^5c^3d^5e^4 + 72ab^6c^2d^4e^5 - 20a^2b^2c^6d^7e^2 - 123a^2b^6c^2d^2e^7 + 31a^3b^2c^5d^5e^4 + 328a^4b^2c^4d^3e^6 + 290a^4b^3c^2d^2e^8) / (a^4d^4) * (b^4e(b^2 - 4ac)^{1/2} - b^5e + 4a^2c^3d + b^4cd + 6ab^3ce - b^3cd(b^2 - 4ac)^{1/2} - 5ab^2c^2d - 8a^2b^2c^2e + 2a^2c^2e(b^2 - 4ac)^{1/2} + 3ab^2c^2d(b^2 - 4ac)^{1/2} - 4ab^2c^2e(b^2 - 4ac)^{1/2})) / (4a^3(4ac - b^2)(ae^2 + cd^2 - bde)) * (b^4e(b^2 - 4ac)^{1/2} - b^5e + 4a^2c^3d + b^4cd + 6ab^3ce - b^3cd(b^2 - 4ac)^{1/2} - 5ab^2c^2d - 8a^2b^2c^2e + 2a^2c^2e(b^2 - 4ac)^{1/2} + 3ab^2c^2d(b^2 - 4ac)^{1/2} - 4ab^2c^2e(b^2 - 4ac)^{1/2})) / (4a^3(4ac - b^2)(ae^2 + cd^2 - bde)) + (2c^5e^5x^2(a^2b^4e^6 + 2a^4c^2e^6 + b^2c^4d^6 + b^6d^2e^4 - 4a^3b^2c^2e^6 + 3a^2c^4d^4e^2 - 10a^3c^3d^2e^4 + 2ab^5d^5e - abc^4d^5e + 16a^2b^2c^2d^2e^4 - 7ab^4c^2d^2e^4 - 11a^2b^3c^2d^2e^5 + 13a^3b^2c^2d^2e^5)) / (a^6d^6) * (b^4e(b^2 - 4ac)^{1/2} - b^5e + 4a^2c^3d + b^4cd + 6ab^3ce - b^3cd(b^2 - 4ac)^{1/2} - 5ab^2c^2d - 8a^2b^2c^2e + 2a^2c^2e(b^2 - 4ac)^{1/2} + 3ab^2c^2d(b^2 - 4ac)^{1/2} - 4ab^2c^2e(b^2 - 4ac)^{1/2})) / (4(4a^5c^2e^2 - a^4b^2e^2 + 4a^4c^2d^2 - a^3b^2c^2d^2 + a^3b^3d^2e - 4a^4b^2c^2d^2e)) - (log((c^8e^8(a^2e^2 + b^2d^2 - acd^2 + abde)) / (a^6d^6) - (c^9e^9x^2) / (a^5d^5) + (((4a^4b^6c^2e^12 - 24a^5b^4c^3e^12 + 36a^6b^2c^4e^12 - 4a^3c^9d^8e^4 + 64a^4c^8d^6e^6 - 144a^5c^7d^4e^8 + 96a^6c^6d^2e^10 + 4b^4c^8d^10e^2 + 8b^7c^5d^7e^5 + 4b^10c^2d^4e^8 + 64a^2b^3c^7d^7e^5 - 8a^2b^4c^6d^6e^6 - 8a^2b^5c^5d^5e^7 + 172a^2b^6c^4d^4e^8 - 112a^2b^7c^3
\end{aligned}$$

$$\begin{aligned}
& d^3e^9 + 16a^2b^8c^2d^2e^{10} - 72a^3b^2c^7d^6e^6 + 56a^3b^3c^6d^5e^7 - 312a^3b^4c^5d^4e^8 + 348a^3b^5c^4d^3e^9 - 132a^3b^6c^3d^2e^{10} + 324a^4b^2c^6d^4e^8 - 428a^4b^3c^5d^3e^9 + 344a^4b^4c^4d^2e^{10} - 300a^5b^2c^5d^2e^{10} - 96a^6b^3c^5d^6e^{11} - 4a^2b^2c^9d^{10}e^2 - 4a^2b^3c^8d^9e^3 - 48a^2b^5c^6d^7e^5 + 8a^2b^6c^5d^6e^6 - 44a^2b^8c^3d^4e^8 + 12a^2b^9c^2d^3e^9 + 8a^2b^2c^9d^9e^3 - 24a^3b^2c^8d^7e^5 + 12a^3b^7c^2d^6e^{11} - 88a^4b^2c^7d^5e^7 - 88a^4b^5c^3d^6e^{11} + 228a^5b^2c^6d^3e^9 + 188a^5b^3c^4d^6e^{11})/(a^6d^6) + (x^2(32a^6c^6d^6e^{11} - 24a^6b^2c^5e^{12} + 4a^3b^7c^2e^{12} - 28a^4b^5c^3e^{12} + 56a^5b^3c^4e^{12} + 2a^3c^9d^7e^5 + 104a^4c^8d^5e^7 - 156a^5c^7d^3e^9 + 4b^3c^9d^{10}e^2 + 4b^6c^6d^7e^5 + 4b^7c^5d^6e^6 + 4b^{10}c^2d^3e^9 + 8a^2b^2c^8d^7e^5 + 40a^2b^3c^7d^6e^6 - 12a^2b^5c^5d^4e^8 + 180a^2b^6c^4d^3e^9 - 116a^2b^7c^3d^2e^{10} - 92a^3b^2c^7d^5e^7 + 84a^3b^3c^6d^4e^8 - 350a^3b^4c^5d^3e^9 + 388a^3b^5c^4d^2e^{10} + 348a^4b^2c^6d^3e^9 - 524a^4b^3c^5d^2e^{10} - 4a^2b^2c^9d^9e^3 - 20a^2b^4c^7d^7e^5 - 20a^2b^5c^6d^6e^6 + 4a^2b^6c^5d^5e^7 - 44a^2b^8c^3d^3e^9 + 12a^2b^9c^2d^2e^{10} + 8a^2b^2c^9d^8e^4 + 12a^2b^8c^2d^6e^{11} - 36a^3b^2c^8d^6e^6 - 100a^3b^6c^3d^6e^{11} - 132a^4b^2c^7d^4e^8 + 264a^4b^4c^4d^6e^{11} + 264a^5b^2c^6d^2e^{10} - 224a^5b^2c^5d^6e^{11}))/((192a^6b^2c^4e^{11} - 256a^6c^5d^6e^{10} + 16a^4b^5c^2e^{11} - 112a^5b^3c^3e^{11} + 60a^3c^8d^7e^4 - 320a^4c^7d^5e^6 + 480a^5c^6d^3e^8 + 16b^4c^7d^9e^2 - 32b^5c^6d^8e^3 + 16b^6c^5d^7e^4 + 16b^7c^4d^6e^5 - 32b^8c^3d^5e^6 + 16b^9c^2d^4e^7 + 16a^2b^2c^7d^7e^4 + 120a^2b^3c^6d^6e^5 - 816a^2b^4c^5d^5e^6 + 880a^2b^5c^4d^4e^7 - 424a^2b^6c^3d^3e^8 + 56a^2b^7c^2d^2e^9 + 832a^3b^2c^6d^5e^6 - 1424a^3b^3c^5d^4e^7 + 1340a^3b^4c^4d^3e^8 - 464a^3b^5c^3d^2e^9 - 1512a^4b^2c^5d^3e^8 + 1144a^4b^3c^4d^2e^9 - 20a^2b^2c^8d^9e^2 + 96a^2b^3c^7d^8e^3 - 64a^2b^4c^6d^7e^4 - 88a^2b^5c^5d^6e^5 + 288a^2b^6c^4d^5e^6 - 208a^2b^7c^3d^4e^7 + 44a^2b^8c^2d^3e^8 - 40a^2b^2c^8d^8e^3 - 88a^3b^2c^7d^6e^5 + 44a^3b^6c^2d^6e^{10} + 704a^4b^2c^6d^4e^7 - 328a^4b^4c^3d^6e^{10} - 736a^5b^2c^5d^2e^9 + 684a^5b^2c^4d^6e^{10}))/((256a^6c^4e^{10} + 16a^4b^4c^2e^{10} - 128a^5b^2c^3e^{10} - 192a^3c^7d^6e^4 + 448a^4c^6d^4e^6 - 512a^5c^5d^2e^8 + 16b^4c^6d^8e^2 - 64b^5c^5d^7e^3 + 96b^6c^4d^6e^4 - 64b^7c^3d^5e^5 + 16b^8c^2d^4e^6 + 768a^2b^2c^6d^6e^4 - 1200a^2b^3c^5d^5e^5 + 896a^2b^4c^4d^4e^6 - 320a^2b^5c^3d^3e^7 + 32a^2b^6c^2d^2e^8 - 1392a^3b^2c^5d^4e^6 + 1024a^3b^3c^4d^3e^7 - 288a^3b^4c^3d^2e^8 + 768a^4b^2c^4d^2e^8 + 448a^5b^2c^4d^6e^9 - 32a^2b^2c^7d^8e^2 + 240a^2b^3c^6d^7e^3 - 528a^2b^4c^5d^6e^4 + 496a^2b^5c^4d^5e^5 - 208a^2b^6c^3d^4e^6 + 32a^2b^7c^2d^3e^7 - 176a^2b^2c^7d^7e^3 + 848a^3b^2c^6d^5e^5 + 32a^3b^5c^2d^6e^9 - 1024a^4b^2c^5d^3e^7 - 240a^4b^3c^3d^6e^9)/(a^2d^2) + (8c^2e^2x^2(a^3b^5e^8 + b^3c^5d^8 + b^8d^3e^5 - 11a^4b^3c^8e^8 + 28a^5b^2c^2e^8 + 8a^2b^7d^2e^6 + 8a^2b^6d^6e^7 - 30a^2c^6d^7e - 24a^5c^3d^6e^7 - 6b^4c^4d
\end{aligned}$$

$$\begin{aligned}
& ^7e - 6*b^7*c*d^4*e^4 - 18*a^3*c^5*d^5*e^3 + 180*a^4*c^4*d^3*e^5 + 5*b^5*c^3*d^6*e^2 + 5*b^6*c^2*d^5*e^3 + 5*a*b*c^6*d^8 + 13*a^2*b^2*c^4*d^5*e^3 - 8 \\
& 2*a^2*b^3*c^3*d^4*e^4 + 110*a^2*b^4*c^2*d^3*e^5 - 277*a^3*b^2*c^3*d^3*e^5 + 328*a^3*b^3*c^2*d^2*e^6 + 15*a*b^2*c^5*d^7*e - 17*a*b^6*c*d^3*e^5 - 57*a^3 \\
& *b^4*c*d*e^7 - 27*a*b^3*c^4*d^6*e^2 - 24*a*b^4*c^3*d^5*e^3 + 40*a*b^5*c^2*d^4*e^4 + 67*a^2*b*c^5*d^6*e^2 - 92*a^2*b^5*c*d^2*e^6 + 72*a^3*b*c^4*d^4*e^4 \\
& - 352*a^4*b*c^3*d^2*e^6 + 106*a^4*b^2*c^2*d*e^7)/(a^2*d^2) + (4*c^2*e^2*(\\
& a*b^2*e^3 + b*c^2*d^3 - 4*a^2*c*e^3 + b^3*d*e^2 + 4*a*c^2*d^2*e - 2*b^2*c*d^2*e - 3*a*b*c*d*e^2)*(b^5*e + b^4*e*(b^2 - 4*a*c)^(1/2) - 4*a^2*c^3*d - b^4 \\
& *c*d - 6*a*b^3*c*e - b^3*c*d*(b^2 - 4*a*c)^(1/2) + 5*a*b^2*c^2*d + 8*a^2*b*c^2*e + 2*a^2*c^2*e*(b^2 - 4*a*c)^(1/2) + 3*a*b*c^2*d*(b^2 - 4*a*c)^(1/2) \\
& - 4*a*b^2*c*e*(b^2 - 4*a*c)^(1/2))*(a*b^3*d^2*e^2 + a^2*b^2*d*e^3 + 4*a^2*c^2*d^3*e - 10*a*c^3*d^4*x^2 - 12*a^3*c*e^4*x^2 + 3*a^2*b^2*e^4*x^2 + 3*b^2*c^2*d^4*x^2 + 3*b^4*d^2*e^2*x^2 + a*b*c^2*d^4 - 4*a^3*c*d*e^3 - 2*a*b^2*c*d^3*e - 14*a^2*c^2*d^2*e^2*x^2 - 3*a^2*b*c*d^2*e^2 - 4*a*b^3*d*e^3*x^2 - 6*b^3*c*d^3*e*x^2 - 8*a*b^2*c*d^2*e^2*x^2 + 22*a*b*c^2*d^3*e*x^2 + 16*a^2*b*c*d*e^3*x^2))/(a^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)))*(b^5*e + b^4*e*(b^2 - 4*a*c)^(1/2) - 4*a^2*c^3*d - b^4*c*d - 6*a*b^3*c*e - b^3*c*d*(b^2 - 4*a*c)^(1/2) + 5*a*b^2*c^2*d + 8*a^2*b*c^2*e + 2*a^2*c^2*e*(b^2 - 4*a*c)^(1/2) + 3*a*b*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*e*(b^2 - 4*a*c)^(1/2)))/(4*a^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) + (4*c^2*e^2*x^2*(6*a^3*b^6*e^9 - 16*a^6*c^3*e^9 + 6*b^3*c^6*d^9 + 6*b^9*d^3*e^6 - 44*a^4*b^4*c*e^9 + 13*a*b^8*d^2*e^7 + 13*a^2*b^7*d*e^8 + 5*a^2*c^7*d^8*e - 8*b^4*c^5*d^8*e - 8*b^8*c*d^4*e^5 + 84*a^5*b^2*c^2*e^9 + 2*a^3*c^6*d^6*e^3 - 160*a^4*c^5*d^4*e^5 + 124*a^5*c^4*d^2*e^7 - 2*b^5*c^4*d^7*e^2 + 8*b^6*c^3*d^6*e^3 - 2*b^7*c^2*d^5*e^4 - 5*a*b*c^7*d^9 + 40*a^2*b^2*c^5*d^6*e^3 - 45*a^2*b^3*c^4*d^5*e^4 - 220*a^2*b^4*c^3*d^4*e^5 + 316*a^2*b^5*c^2*d^3*e^6 + 264*a^3*b^2*c^4*d^4*e^5 - 546*a^3*b^3*c^3*d^3*e^6 + 388*a^3*b^4*c^2*d^2*e^7 - 447*a^4*b^2*c^3*d^2*e^7 + 12*a*b^2*c^6*d^8*e - 74*a*b^7*c*d^3*e^6 - 111*a^3*b^5*c*d*e^8 - 210*a^5*b*c^3*d*e^8 + 18*a*b^3*c^5*d^7*e^2 - 43*a*b^4*c^4*d^6*e^3 + 19*a*b^5*c^3*d^5*e^4 + 72*a*b^6*c^2*d^4*e^5 - 20*a^2*b*c^6*d^7*e^2 - 123*a^2*b^6*c*d^2*e^7 + 31*a^3*b*c^5*d^5*e^4 + 328*a^4*b*c^4*d^3*e^6 + 290*a^4*b^3*c^2*d*e^8))/(a^4*d^4)*(b^5*e + b^4*e*(b^2 - 4*a*c)^(1/2) - 4*a^2*c^3*d - b^4*c*d - 6*a*b^3*c*e - b^3*c*d*(b^2 - 4*a*c)^(1/2) + 5*a*b^2*c^2*d + 8*a^2*b*c^2*e + 2*a^2*c^2*e*(b^2 - 4*a*c)^(1/2) + 3*a*b*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*e*(b^2 - 4*a*c)^(1/2)))/(4*a^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)))*(b^5*e + b^4*e*(b^2 - 4*a*c)^(1/2) - 4*a^2*c^3*d - b^4*c*d - 6*a*b^3*c*e - b^3*c*d*(b^2 - 4*a*c)^(1/2) + 5*a*b^2*c^2*d + 8*a^2*b*c^2*e + 2*a^2*c^2*e*(b^2 - 4*a*c)^(1/2) + 3*a*b*c^2*d*(b^2 - 4*a*c)^(1/2) - 4*a*b^2*c*e*(b^2 - 4*a*c)^(1/2)))/(4*a^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e)) + (c^5*e^5*(4*a^3*b^3*e^6 + 4*b^3*c^3*d^6 + 4*b^6*d^3*e^3 + 8*a*b^5*d^2*e^4 + 8*a^2*b^4*d*e^5 + 4*a^2*c^4*d^5*e + 16*a^4*c^2*d*e^5 - 19*a^3*c^3*d^3*e^3 - 4*a*b*c^4*d^6 - 12*a^4*b*c*e^6 + 36*a^2*b^2*c^2*d^3*e^3 - 24*a*b^4*c*d^3*e^3 - 32*a^3*b^2*c*d*e^5 - 36*a^2*b^3*c*d^2*e^4 + 28*a^3*b*c^2*d^2*e^4))/(a^6*d^6) + (2*c^5*e^5*x^2*(a^2*b^4*e^6 + 2*a^4*c^2*e^6 + b^2*c^4*d^6 + b^6*d^2*e^4 - 4*a^3*b^
\end{aligned}$$

$$\begin{aligned}
& 2*c*e^6 + 3*a^2*c^4*d^4*e^2 - 10*a^3*c^3*d^2*e^4 + 2*a*b^5*d*e^5 - a*b*c^4*d^5*e + 16*a^2*b^2*c^2*d^2*e^4 - 7*a*b^4*c*d^2*e^4 - 11*a^2*b^3*c*d*e^5 + 13*a^3*b*c^2*d*e^5)/(a^6*d^6))*(b^5*e + b^4*e*(b^2 - 4*a*c)^{(1/2)} - 4*a^2*c^3*d - b^4*c*d - 6*a*b^3*c*e - b^3*c*d*(b^2 - 4*a*c)^{(1/2)} + 5*a*b^2*c^2*d + 8*a^2*b*c^2*e + 2*a^2*c^2*e*(b^2 - 4*a*c)^{(1/2)} + 3*a*b*c^2*d*(b^2 - 4*a*c)^{(1/2)} - 4*a*b^2*c*e*(b^2 - 4*a*c)^{(1/2)))/(4*a^3*(4*a*c - b^2)*(a*e^2 + c*d^2 - b*d*e))*(b^5*e + b^4*e*(b^2 - 4*a*c)^{(1/2)} - 4*a^2*c^3*d - b^4*c*d - 6*a*b^3*c*e - b^3*c*d*(b^2 - 4*a*c)^{(1/2)} + 5*a*b^2*c^2*d + 8*a^2*b*c^2*e + 2*a^2*c^2*e*(b^2 - 4*a*c)^{(1/2)} + 3*a*b*c^2*d*(b^2 - 4*a*c)^{(1/2)} - 4*a*b^2*c*e*(b^2 - 4*a*c)^{(1/2)))/(4*(4*a^5*c*e^2 - a^4*b^2*e^2 + 4*a^4*c^2*d^2 - a^3*b^2*c*d^2 + a^3*b^3*d*e - 4*a^4*b*c*d*e)) - (1/(4*a*d) - (x^2*(a*e + b*d))/(2*a^2*d^2))/x^4 - (e^4*log(d + e*x^2))/(2*(c*d^5 + a*d^3*e^2 - b*d^4*e)) + (log(x)*(a^2*e^2 + b^2*d^2 - a*c*d^2 + a*b*d*e))/(a^3*d^3)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**5/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.303 \quad \int \frac{x^8}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=387

$$\frac{\left(\frac{3a^2bce+2a^2c^2d-ab^3e-4ab^2cd+b^4d}{\sqrt{b^2-4ac}} + a^2ce - ab^2e - 2abcd + b^3d \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right) \left(\frac{3a^2bce+2a^2c^2d-ab^3e-4ab^2cd+b^4d}{\sqrt{b^2-4ac}} + a \right)}{\sqrt{2} c^{5/2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2)} - \frac{\sqrt{2} c^{5/2} \sqrt{\sqrt{b^2 - 4ac}}}{\sqrt{2} c^{5/2} \sqrt{\sqrt{b^2 - 4ac}}}$$

[Out] $-(b*e+c*d)*x/c^2/e^2+1/3*x^3/c/e+d^{(7/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/e^{(5/2)}/(a*e^2-b*d*e+c*d^2)-1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^3*d-2*a*b*c*d-a*b^2*e+a^2*c*e+(-3*a^2*b*c*e-2*a^2*c^2*d+a*b^3*e+4*a*b^2*c*d-b^4*d)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)}/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^3*d-2*a*b*c*d-a*b^2*e+a^2*c*e+(3*a^2*b*c*e+2*a^2*c^2*d-a*b^3*e-4*a*b^2*c*d+b^4*d)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)}/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 4.03, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1287, 205, 1166}

$$\frac{\left(\frac{3a^2bce+2a^2c^2d-4ab^2cd-ab^3e+b^4d}{\sqrt{b^2-4ac}} + a^2ce - ab^2e - 2abcd + b^3d \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right) \left(\frac{3a^2bce+2a^2c^2d-4ab^2cd-ab^3e+b^4d}{\sqrt{b^2-4ac}} + a \right)}{\sqrt{2} c^{5/2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2)} - \frac{\sqrt{2} c^{5/2} \sqrt{\sqrt{b^2 - 4ac}}}{\sqrt{2} c^{5/2} \sqrt{\sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[x^8/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-\left(\frac{(c*d + b*e)*x}{c^2*e^2} + \frac{x^3}{3*c*e} - \frac{(b^3*d - 2*a*b*c*d - a*b^2*e + a^2*c*e - (b^4*d - 4*a*b^2*c*d + 2*a^2*c^2*d - a*b^3*e + 3*a^2*b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]]}{(\text{Sqrt}[2]*c^{(5/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2)} - \frac{(b^3*d - 2*a*b*c*d - a*b^2*e + a^2*c*e + (b^4*d - 4*a*b^2*c*d + 2*a^2*c^2*d - a*b^3*e + 3*a^2*b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]}{(\text{Sqrt}[2]*c^{(5/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2)} + \frac{d^{(7/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]}{e^{(5/2)}*(c*d^2 - b*d*e + a*e^2)}\right)$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1287

Int[(((f_)*(x_)^m)*((d_) + (e_)*(x_)^2)^q)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^8}{(d+ex^2)(a+bx^2+cx^4)} dx &= \int \left(\frac{-cd-be}{c^2e^2} + \frac{x^2}{ce} + \frac{d^4}{e^2(cd^2-bde+ae^2)(d+ex^2)} + \frac{-a(b^2d-acd-abe)}{c^2(cd^2-bde+ae^2)} \right) dx \\ &= -\frac{(cd+be)x}{c^2e^2} + \frac{x^3}{3ce} + \frac{\int \frac{-a(b^2d-acd-abe)+(-b^3d+2abcd+ab^2e-a^2ce)x^2}{a+bx^2+cx^4} dx}{c^2(cd^2-bde+ae^2)} + \frac{d^4 \int \frac{1}{d+ex^2} dx}{e^2(cd^2-bde+ae^2)} \\ &= -\frac{(cd+be)x}{c^2e^2} + \frac{x^3}{3ce} + \frac{d^{7/2} \tan^{-1}\left(\frac{\sqrt{ex}}{\sqrt{a}}\right)}{e^{5/2}(cd^2-bde+ae^2)} - \frac{(b^3d-2abcd-ab^2e+a^2ce-\frac{b^4}{d})}{2c^2} \\ &= -\frac{(cd+be)x}{c^2e^2} + \frac{x^3}{3ce} - \frac{(b^3d-2abcd-ab^2e+a^2ce-\frac{b^4d-4ab^2cd+2a^2c^2d-ab^3e+3a^2bce}{\sqrt{b^2-4ac}})}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}(cd^2-bde+ae^2)} \end{aligned}$$

Mathematica [A] time = 0.61, size = 463, normalized size = 1.20

$$\frac{(a^2c(e\sqrt{b^2-4ac}-2cd) + ab^2(4cd-e\sqrt{b^2-4ac}) - abc(2d\sqrt{b^2-4ac}+3ae) + b^3(d\sqrt{b^2-4ac}+ae) + b^4(-d\sqrt{b^2-4ac}))}{\sqrt{2}c^{5/2}\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}(e(bd-ae)-cd^2)}$$

$$\begin{aligned}
& *a*c)*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^4*c^2 - \sqrt{2})*\sqrt{b^2 - 4*a*c} \\
& *\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*b^5*c^2 + 32*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& t(b*c - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^3 + 16*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& (b*c - \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^3 + 6*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& (b*c - \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^3 - 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c \\
& - \sqrt{b^2 - 4*a*c}*c)*a^2*b*c^4 - 2*(b^2 - 4*a*c)*b^5*c^2 + 12*(b^2 - 4*a* \\
& c)*a*b^3*c^3 - 16*(b^2 - 4*a*c)*a^2*b*c^4)*(c^3*d^2 - b*c^2*d*e + a*c^2*e^2 \\
&)^2*d - (6*a*b^8*c^6 - 42*a^2*b^6*c^7 + 68*a^3*b^4*c^8 + 16*a^4*b^2*c^9 - 3 \\
& *\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^8*c^4 + 21*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^6*c^5 + 6*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^7*c^5 - 34*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b^4*c^6 - 18*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^5*c^6 - 3*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^6*c^6 - 8*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^4*b^2*c^7 - 4*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b^3*c^7 + 9*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^4*c^7 + 2*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b^2*c^8 - 6*(b^2 - 4*a*c \\
&)*a*b^6*c^6 + 18*(b^2 - 4*a*c)*a^2*b^4*c^7 + 4*(b^2 - 4*a*c)*a^3*b^2*c^8)*d \\
& ^2*e^3 - 2*(2*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^6*c^3 - 17*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b^4*c^4 - 4*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^5*c^4 + 4*a^2*b^6*c^4 + 40*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^4*b^2*c^5 + 18*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3 \\
& *b^3*c^5 + 2*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^4*c^5 - 34*a^3*b \\
& ^4*c^5 - 16*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^5*c^6 - 8*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^4*b*c^6 - 9*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4* \\
& a*c})*c})*a^3*b^2*c^6 + 80*a^4*b^2*c^6 + 4*s \\
& \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a* \\
& c})*c})*a^4*c^7 - 32*a^5*c^7 - 4*(b^2 - 4*a*c)*a^2*b^4*c^4 + 18*(b^2 - 4*a*c) \\
& *a^3*b^2*c^5 - 8*(b^2 - 4*a*c)*a^4*c^6)*d*abs(-c^3*d^2 + b*c^2*d*e - a*c^2* \\
& e^2)*e^2 + (2*a*b^6*c^2 - 18*a^2*b^4*c^3 + 48*a^3*b^2*c^4 - 32*a^4*c^5 - s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^6 + 9*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^4*c + 2*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^5*c - 24*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b^2*c^2 - 10*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^3*c^2 - \sqrt{2})*\sqrt{b^2 - \\
& 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a*b^4*c^2 + 16*s \\
& \sqrt{2})*\sqrt{b^2 - 4* \\
& a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^4*c^3 + 8*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b*c^3 + 5*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& t(b*c - \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^3 - 4*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& (b*c - \sqrt{b^2 - 4*a*c}*c)*a^3*c^4 - 2*(b^2 - 4*a*c)*a*b^4*c^2 + 10*(b^2 - \\
& 4*a*c)*a^2*b^2*c^3 - 8*(b^2 - 4*a*c)*a^3*c^4)*(c^3*d^2 - b*c^2*d*e + a*c^2 \\
& *e^2)^2*e + (6*a^2*b^7*c^6 - 44*a^3*b^5*c^7 + 84*a^4*b^3*c^8 - 16*a^5*b*c^9 \\
& - 3*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^7*c^4 \\
& + 22*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^3*b^5*c^5 \\
& + 6*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}*c})*a^2*b^6*c^5 -
\end{aligned}$$

$$\begin{aligned}
&)*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2*b^2*c^9 + 4*\sqrt{2} \\
& *\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a*b^3*c^9 - 2*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2*b*c^{10} - 2*(b^2 - 4ac) \\
&)*b^5*c^8 + 8*(b^2 - 4ac)*a*b^3*c^9 - 4*(b^2 - 4ac)*a^2*b*c^{10}*d^5 - (\\
& 4*b^8*c^7 - 30*a*b^6*c^8 + 58*a^2*b^4*c^9 - 8*a^3*b^2*c^{10} - 2*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*b^8*c^5 + 15*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a*b^6*c^6 + 4*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*b^7*c^6 - 29*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2*b^4*c^7 - 14*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a*b^5*c^7 - 2*\sqrt{2}*\sqrt{b^2 - 4ac} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*b^6*c^7 + 4*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^3*b^2*c^8 + 2*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^3*c^8 + 7*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a*b^4*c^8 - \sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^2*c^9 - 4*(b^2 - 4ac)*b^6*c^7 + 14*(b^2 - 4ac) \\
&)*a*b^4*c^8 - 2*(b^2 - 4ac)*a^2*b^2*c^9)*d^4*e + 2*(\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a*b^6*c^4 - 9*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2 \\
& *b^4*c^5 - 2*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a*b^5*c^5 - 2*a*b^6*c^5 \\
& + 24*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^3*b^2*c^6 + 10*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^3*c^6 + \sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a*b^4*c^6 + 18*a^2*b^4*c^6 - 16*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^4*c^7 - 8*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^3*b*c^7 - 5*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^2*c^7 - 48*a^3*b^2*c^7 + 4*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^3*c^8 + 32*a^4*c^8 + 2*(b^2 - 4ac)*a \\
& *b^4*c^5 - 10*(b^2 - 4ac)*a^2*b^2*c^6 + 8*(b^2 - 4ac)*a^3*c^7)*d^3*abs(\\
& -c^3*d^2 + b*c^2*d*e - a*c^2*e^2) + (2*b^9*c^6 - 8*a*b^7*c^7 - 24*a^2*b^5*c^8 \\
& + 104*a^3*b^3*c^9 - 32*a^4*b*c^{10} - \sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *b^9*c^4 + 4*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a*b^7*c^5 + 2*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *b^8*c^5 + 12*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^5*c^6 - \sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *b^7*c^6 - 52*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^3*b^3*c^7 - 24*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^4*c^7 + 16*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^4*b*c^8 + 8*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^3*b^2*c^8 + 12*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^2*b^3*c^8 - 4*\sqrt{2}*\sqrt{b^2 - 4ac}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^3*b*c^9 - 2*(b^2 - 4ac)*b^7*c^6 + 24*(b^2 - 4ac)*a^2*b^3*c^8 - 8*(b^2 - 4ac) \\
& *a^3*b*c^9)*d^3*e^2 - 2*(\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a \\
& *b^7*c^3 - 8*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2*b^5*c^4 - 2*\sqrt{2} \\
& *\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a*b^6*c^4 - 2*a*b^7*c^4 + 16*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a^3*b^3*c^5 + 8*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2*b^4*c^5 + \sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c}) \\
& *a*b^5*c^5 + 16*a^2*b^5*c^5 - 4*\sqrt{2}*\sqrt{bc + \sqrt{b^2 - 4ac}*c})*a^2*b^3*c^6 - 32 \\
& *a^3*b^3*c^6 + 2*(b^2 - 4ac)*a*b^5*c^4 - 8*(b^2 - 4ac)*a^2*b^3*c^5)*d^2*
\end{aligned}$$

$$\begin{aligned}
& \text{abs}(-c^3d^2 + b^2c^2de - a^2c^2e^2) * e - (2b^7c^2 - 20ab^5c^3 + 64a^2b^3c^4 - 64a^3b^2c^5 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^7 + 10 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^5c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^6 * c - 32 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^3c^2 - 12 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^4c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^5c^2 + 32 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^2c^3 + 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^2c^3 + 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^3c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^2c^4 - 2 * (b^2 - 4ac) * b^5c^2 + 12 * (b^2 - 4ac) * ab^3c^3 - 16 * (b^2 - 4ac) * a^2b^2c^4) * (c^3 * d^2 - b^2c^2de + a^2c^2e^2) * d - (6ab^8c^6 - 42a^2b^6c^7 + 68a^3b^4c^8 + 16a^4b^2c^9 - 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^8c^4 + 21 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^6c^5 + 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^7c^5 - 34 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^4c^6 - 18 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^5c^6 - 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^6c^6 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^4b^2c^7 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^3c^7 + 9 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^4c^7 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^2c^8 - 6 * (b^2 - 4ac) * ab^6c^6 + 18 * (b^2 - 4ac) * a^2b^4c^7 + 4 * (b^2 - 4ac) * a^3b^2c^8) * d^2 * e^3 + 2 * (2 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^6c^3 - 17 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^4c^4 - 4 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^5c^4 - 4a^2b^6c^4 + 40 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^4b^2c^5 + 18 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^3c^5 + 2 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^4c^5 + 34a^3b^4c^5 - 16 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^5c^6 - 8 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^4b^2c^6 - 9 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^2c^6 - 80a^4b^2c^6 + 4 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^4c^7 + 32a^5c^7 + 4 * (b^2 - 4ac) * a^2b^4c^4 - 18 * (b^2 - 4ac) * a^3b^2c^5 + 8 * (b^2 - 4ac) * a^4c^6) * d * \text{abs}(-c^3d^2 + b^2c^2de - a^2c^2e^2) * e^2 + (2ab^6c^2 - 18a^2b^4c^3 + 48a^3b^2c^4 - 32a^4c^5 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^6 + 9 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^4c^2 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^5c - 24 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^2c^2 - 10 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^3c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * ab^4c^2 + 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^4c^3 + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3b^2c^3 + 5 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2b^2c^3 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3c^4 - 2 * (b^2 -
\end{aligned}$$

$$\begin{aligned}
& 4*a*c)*a*b^4*c^2 + 10*(b^2 - 4*a*c)*a^2*b^2*c^3 - 8*(b^2 - 4*a*c)*a^3*c^4)* \\
& (c^3*d^2 - b*c^2*d*e + a*c^2*e^2)^2*e + (6*a^2*b^7*c^6 - 44*a^3*b^5*c^7 + 8 \\
& 4*a^4*b^3*c^8 - 16*a^5*b*c^9 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(\\
& b^2 - 4*a*c))*c)*a^2*b^7*c^4 + 22*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(\\
& b^2 - 4*a*c))*c)*a^3*b^5*c^5 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b \\
& ^2 - 4*a*c))*c)*a^2*b^6*c^5 - 42*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b \\
& ^2 - 4*a*c))*c)*a^4*b^3*c^6 - 20*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b \\
& ^2 - 4*a*c))*c)*a^3*b^4*c^6 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^ \\
& 2 - 4*a*c))*c)*a^2*b^5*c^6 + 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 \\
& - 4*a*c))*c)*a^5*b*c^7 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - \\
& 4*a*c))*c)*a^4*b^2*c^7 + 10*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - \\
& 4*a*c))*c)*a^3*b^3*c^7 - 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4 \\
& *a*c))*c)*a^4*b*c^8 - 6*(b^2 - 4*a*c)*a^2*b^5*c^6 + 20*(b^2 - 4*a*c)*a^3*b^3 \\
& *c^7 - 4*(b^2 - 4*a*c)*a^4*b*c^8)*d*e^4 - 2*(sqrt(2)*sqrt(b*c + sqrt(b^2 - \\
& 4*a*c))*c)*a^3*b^5*c^3 - 8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*c)*a^4*b^3*c \\
& ^4 - 2*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*c)*a^3*b^4*c^4 - 2*a^3*b^5*c^4 \\
& + 16*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*c)*a^5*b*c^5 + 8*sqrt(2)*sqrt(b*c \\
& + sqrt(b^2 - 4*a*c))*c)*a^4*b^2*c^5 + sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))* \\
& c)*a^3*b^3*c^5 + 16*a^4*b^3*c^5 - 4*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*c) \\
& *a^4*b*c^6 - 32*a^5*b*c^6 + 2*(b^2 - 4*a*c)*a^3*b^3*c^4 - 8*(b^2 - 4*a*c)*a \\
& ^4*b*c^5)*abs(-c^3*d^2 + b*c^2*d*e - a*c^2*e^2)*e^3 - (2*a^3*b^6*c^6 - 14*a \\
& ^4*b^4*c^7 + 24*a^5*b^2*c^8 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 \\
& - 4*a*c))*c)*a^3*b^6*c^4 + 7*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 \\
& - 4*a*c))*c)*a^4*b^4*c^5 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - \\
& 4*a*c))*c)*a^3*b^5*c^5 - 12*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - \\
& 4*a*c))*c)*a^5*b^2*c^6 - 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - \\
& 4*a*c))*c)*a^4*b^3*c^6 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a \\
& *c))*c)*a^3*b^4*c^6 + 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a* \\
& c))*c)*a^4*b^2*c^7 - 2*(b^2 - 4*a*c)*a^3*b^4*c^6 + 6*(b^2 - 4*a*c)*a^4*b^2*c \\
& ^7)*e^5)*arctan(2*sqrt(1/2)*x/sqrt((b*c^3*d^2 - b^2*c^2*d*e + a*b*c^2*e^2 - \\
& sqrt((b*c^3*d^2 - b^2*c^2*d*e + a*b*c^2*e^2)^2 - 4*(a*c^3*d^2 - a*b*c^2*d* \\
& e + a^2*c^2*e^2)*(c^4*d^2 - b*c^3*d*e + a*c^3*e^2)))/(c^4*d^2 - b*c^3*d*e + \\
& a*c^3*e^2)))/((a*b^4*c^7 - 8*a^2*b^2*c^8 - 2*a*b^3*c^8 + 16*a^3*c^9 + 8*a^ \\
& 2*b*c^9 + a*b^2*c^9 - 4*a^2*c^10)*d^4*abs(-c^3*d^2 + b*c^2*d*e - a*c^2*e^2) \\
& *abs(c) - 2*(a*b^5*c^6 - 8*a^2*b^3*c^7 - 2*a*b^4*c^7 + 16*a^3*b*c^8 + 8*a^2 \\
& *b^2*c^8 + a*b^3*c^8 - 4*a^2*b*c^9)*d^3*abs(-c^3*d^2 + b*c^2*d*e - a*c^2*e^ \\
& 2)*abs(c)*e + (a*b^6*c^5 - 6*a^2*b^4*c^6 - 2*a*b^5*c^6 + 4*a^2*b^3*c^7 + a* \\
& b^4*c^7 + 32*a^4*c^8 + 16*a^3*b*c^8 - 2*a^2*b^2*c^8 - 8*a^3*c^9)*d^2*abs(-c \\
& ^3*d^2 + b*c^2*d*e - a*c^2*e^2)*abs(c)*e^2 - 2*(a^2*b^5*c^5 - 8*a^3*b^3*c^6 \\
& - 2*a^2*b^4*c^6 + 16*a^4*b*c^7 + 8*a^3*b^2*c^7 + a^2*b^3*c^7 - 4*a^3*b*c^8 \\
&)*d*abs(-c^3*d^2 + b*c^2*d*e - a*c^2*e^2)*abs(c)*e^3 + (a^3*b^4*c^5 - 8*a^4 \\
& *b^2*c^6 - 2*a^3*b^3*c^6 + 16*a^5*c^7 + 8*a^4*b*c^7 + a^3*b^2*c^7 - 4*a^4*c \\
& ^8)*abs(-c^3*d^2 + b*c^2*d*e - a*c^2*e^2)*abs(c)*e^4 + 1/3*(c^2*x^3*e^2 - \\
& 3*c^2*d*x*e - 3*b*c*x*e^2)*e^(-3)/c^3
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{d^4 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2e^2 - bde^3 + ae^4)\sqrt{de}} - \int \frac{a^2be - ((b^3 - 2abc)d - (ab^2 - a^2c)e)x^2 - (ab^2 - a^2c)d}{cx^4 + bx^2 + a} dx + \frac{cex^3 - 3(cd + be)x}{3c^2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] d^4*arctan(e*x/sqrt(d*e))/((c*d^2*e^2 - b*d*e^3 + a*e^4)*sqrt(d*e)) - integrate(-(a^2*b*e - ((b^3 - 2*a*b*c)*d - (a*b^2 - a^2*c)*e)*x^2 - (a*b^2 - a^2*c)*d)/(c*x^4 + b*x^2 + a), x)/(c^3*d^2 - b*c^2*d*e + a*c^2*e^2) + 1/3*(c*e*x^3 - 3*(c*d + b*e)*x)/(c^2*e^2)

mupad [B] time = 7.13, size = 41755, normalized size = 107.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] atan((((((((192*a^3*c^8*d^6*e^5 + 384*a^4*c^7*d^4*e^7 + 192*a^5*c^6*d^2*e^9 - 48*a^2*b^2*c^7*d^6*e^5 + 96*a^2*b^3*c^6*d^5*e^6 - 48*a^2*b^4*c^5*d^4*e^7 + 96*a^3*b^2*c^6*d^4*e^7 + 96*a^3*b^3*c^5*d^3*e^8 - 48*a^4*b^2*c^5*d^2*e^9 - 384*a^3*b*c^7*d^5*e^6 - 384*a^4*b*c^6*d^3*e^8)/(c^3*e^3) - (2*x*(-(b^9*d^2 + a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^(1/2) + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^(1/2) - a^3*c^3*d^2*(-(4*a*c - b^2)^3)^(1/2) + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^(1/2) + 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^(1/2) - 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^(1/2) - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^(1/2) + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^(1/2) - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))))^(1/2)*(128*a^4*b^2*c^6*e^12 - 16*a^3*b^4*c^5*e^12 - 256*a^5*c^7*e^12 + 256*a^2*c^10*d^6*e^6 + 256*a^3*c^9*d^4*e^8 - 256*a^4*c^8*d^2*e^10 - 16*b^3*c^9*d^7*e^5 + 64*b^4*c^8*d^6*e^6 - 96*b^5*c^7*d^5*e^7 + 64*b^6*c^6*d^4*e^8 - 16*b^7*c^5*d^3*e^9 + 256*a^2*b^2*c^8*d^4*e^8 + 144*a^2*b^3*c^7*d^3*e^9 - 96*a^2*b^4*c^6*d^2*e^10 + 192*a^3*b^2*c^7*d^2*e^10 + 64*a*b*c^10*d^7*e^5 + 320*a^4*b*c^7*d*e^11 - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^8*d^5*e^7 - 336*a*b^4*c^7*d^4*e^8 + 48*a*b^5*c^6*d

$$\begin{aligned}
&^3e^9 + 16*a*b^6*c^5*d^2*e^{10} - 576*a^2*b*c^9*d^5*e^7 + 16*a^2*b^5*c^5*d*e \\
&^{11} - 320*a^3*b*c^8*d^3*e^9 - 144*a^3*b^3*c^6*d*e^{11})/(c^3*e^3))*(-(b^9*d^ \\
&2 + a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a \\
&^3*b^5*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c \\
&- b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
&- 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + \\
&20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c \\
&d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3* \\
&a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3) \\
&^{(1/2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16* \\
&a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5 \\
&*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3* \\
&c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6 \\
&*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} + (2*x*(4*a^3*b^7*e^{10} + \\
&4*b^3*c^7*d^{10} + 4*b^{10}*d^3*e^7 - 36*a^4*b^5*c^9*d^4 + 80*a^6*b*c^3*e^{10} - \\
&4*a*b^9*d^2*e^8 - 4*a^2*b^8*d^9*e - 64*a^2*c^8*d^9*e - 56*a^6*c^4*d^9*e - 8 \\
&*b^4*c^6*d^9*e - 8*b^9*c*d^4*e^6 + 100*a^5*b^3*c^2*e^{10} + 8*a^4*c^6*d^5*e^5 \\
&+ 16*a^5*c^5*d^3*e^7 + 4*b^5*c^5*d^8*e^2 + 4*b^8*c^2*d^5*e^5 - 16*a*b*c^8* \\
&d^{10} + 80*a^2*b^4*c^4*d^5*e^5 - 160*a^2*b^5*c^3*d^4*e^6 + 16*a^2*b^6*c^2*d^ \\
&3*e^7 - 64*a^3*b^2*c^5*d^5*e^5 + 128*a^3*b^3*c^4*d^4*e^6 + 96*a^3*b^4*c^3*d \\
&^3*e^7 + 8*a^3*b^5*c^2*d^2*e^8 - 120*a^4*b^2*c^4*d^3*e^7 - 124*a^4*b^3*c^3* \\
&d^2*e^8 + 48*a*b^2*c^7*d^9*e - 24*a*b^8*c^3*d^3*e^7 + 48*a^3*b^6*c*d^9*e - 28 \\
&*a*b^3*c^6*d^8*e^2 - 32*a*b^6*c^3*d^5*e^5 + 64*a*b^7*c^2*d^4*e^6 + 48*a^2*b \\
&*c^7*d^8*e^2 + 20*a^2*b^7*c*d^2*e^8 - 16*a^4*b*c^5*d^4*e^6 - 184*a^4*b^4*c^ \\
&2*d^9 + 96*a^5*b*c^4*d^2*e^8 + 240*a^5*b^2*c^3*d^9*e^9)/(c^3*e^3))*(-(b^9* \\
&d^2 + a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9 \\
&*a^3*b^5*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a* \\
&c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/ \\
&2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&+ 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4* \\
&c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - \\
&3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^ \\
&3)^{(1/2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 1 \\
&6*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^ \\
&^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^ \\
&3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - \\
&6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} - (16*a^3*c^6*d^9 + 4* \\
&a*b^4*c^4*d^9 + 4*a*b^8*d^5*e^4 + 4*a^5*b^4*d^8*e^8 + 4*a^7*c^2*d^8*e^8 - 20*a^ \\
&2*b^2*c^5*d^9 - 4*a^2*b^7*d^4*e^5 - 4*a^4*b^5*d^2*e^7 - 64*a^4*c^5*d^7*e^2 \\
&+ 64*a^5*c^4*d^5*e^4 + 4*a^6*c^3*d^3*e^6 - 36*a^2*b^4*c^3*d^7*e^2 - 40*a^2* \\
&b^5*c^2*d^6*e^3 + 96*a^3*b^2*c^4*d^7*e^2 + 128*a^3*b^3*c^3*d^6*e^3 + 164*a^ \\
&3*b^4*c^2*d^5*e^4 - 224*a^4*b^2*c^3*d^5*e^4 - 104*a^4*b^3*c^2*d^4*e^5 - 20* \\
&a^5*b^2*c^2*d^3*e^6 + 4*a*b^5*c^3*d^8*e + 4*a*b^7*c*d^6*e^3 + 64*a^3*b*c^5*
\end{aligned}$$

$$\begin{aligned}
& d^8e - 12a^6b^2c^2d^8e^8 + 4a^6b^6c^2d^7e^2 - 32a^2b^3c^4d^8e - 4 \\
& 4a^2b^6c^2d^5e^4 + 36a^3b^5c^2d^4e^5 - 128a^4b^3c^4d^6e^3 + 8a^4b^4 \\
& b^4c^2d^3e^6 + 88a^5b^3c^3d^4e^5 + 8a^5b^3c^2d^2e^7 + 4a^6b^3c^2d^2 \\
& 2e^7)/(c^3e^3)) * (- (b^9d^2 + a^2b^7e^2 + b^6d^2 * (- (4ac - b^2)^3)^{1/2} \\
& / 2) + 28a^4b^3c^4d^2 - 9a^3b^5c^2e^2 - 20a^5b^3c^3e^2 - 2ab^8d^2e + \\
& 42a^2b^5c^2d^2 - 63a^3b^3c^3d^2 + a^2b^4e^2 * (- (4ac - b^2)^3)^{1/2} \\
& / 2) - a^3c^3d^2 * (- (4ac - b^2)^3)^{1/2} + 25a^4b^3c^2e^2 + a^4c^2e^2 \\
& * (- (4ac - b^2)^3)^{1/2} - 11ab^7cd^2 - 16a^5c^4d^2e - 2ab^5d^2e \\
& * (- (4ac - b^2)^3)^{1/2} + 20a^2b^6cd^2e + 6a^2b^2c^2d^2 * (- (4ac - \\
& b^2)^3)^{1/2} - 5ab^4cd^2 * (- (4ac - b^2)^3)^{1/2} - 66a^3b^4c^2d^2e \\
& + 76a^4b^2c^3d^2e - 3a^3b^2c^2e^2 * (- (4ac - b^2)^3)^{1/2} + 8a^2b^3 \\
& c^2d^2e * (- (4ac - b^2)^3)^{1/2} - 6a^3b^2c^2d^2e * (- (4ac - b^2)^3)^{1/2} \\
&)) / (8 * (16a^2c^9d^4 + 16a^4c^7e^4 + b^4c^7d^4 - 8ab^2c^8d^4 - 2b^5 \\
& c^6d^3e + a^2b^4c^5e^4 - 8a^3b^2c^6e^4 + 32a^3c^8d^2e^2 + b^6c^5d^2e^2 + \\
& 16ab^3c^7d^3e - 2ab^5c^5d^2e^3 - 32a^2b^3c^8d^3e - 32a^3b^3c^7d^2e^3 - \\
& 6ab^4c^6d^2e^2 + 16a^2b^3c^6d^2e^3)))^{1/2} + (2 * x * (a^8e^8 + b^8d^8 + 2a^4c^4d^8 + \\
& 20a^2b^4c^2d^8 - 16a^3b^2c^3d^8 - 8ab^6cd^8)) / (c^3e^3)) * (- (b^9d^2 + a^2b^7e^2 + \\
& b^6d^2 * (- (4ac - b^2)^3)^{1/2} + 28a^4b^3c^4d^2 - 9a^3b^5c^2e^2 - 20a^5b^3c^3e^2 - \\
& 2ab^8d^2e + 42a^2b^5c^2d^2 - 63a^3b^3c^3d^2 + a^2b^4e^2 * (- (4ac - b^2)^3)^{1/2} \\
& / 2) - a^3c^3d^2 * (- (4ac - b^2)^3)^{1/2} + 25a^4b^3c^2e^2 + a^4c^2e^2 * (- (4ac - \\
& b^2)^3)^{1/2} - 11ab^7cd^2 - 16a^5c^4d^2e - 2ab^5d^2e * (- (4ac - b^2)^3)^{1/2} \\
& + 20a^2b^6cd^2e + 6a^2b^2c^2d^2 * (- (4ac - b^2)^3)^{1/2} - 5ab^4cd^2 * (- (4ac - \\
& b^2)^3)^{1/2} - 66a^3b^4c^2d^2e + 76a^4b^2c^3d^2e - 3a^3b^2c^2e^2 * (- (4ac - \\
& b^2)^3)^{1/2} + 8a^2b^3c^2d^2e * (- (4ac - b^2)^3)^{1/2} - 6a^3b^2c^2d^2e * \\
& (- (4ac - b^2)^3)^{1/2}) / (8 * (16a^2c^9d^4 + 16a^4c^7e^4 + b^4c^7d^4 - 8ab^2c^8d^4 - \\
& 2b^5c^6d^3e + a^2b^4c^5e^4 - 8a^3b^2c^6e^4 + 32a^3c^8d^2e^2 + b^6c^5d^2e^2 + \\
& 16ab^3c^7d^3e - 2ab^5c^5d^2e^3 - 32a^2b^3c^8d^3e - 32a^3b^3c^7d^2e^3 - 6ab^4c^6d^2e^2 + \\
& 16a^2b^3c^6d^2e^3)))^{1/2} * i - ((((((192a^3c^8d^6e^5 + 384a^4c^7d^4e^7 + \\
& 192a^5c^6d^2e^9 - 48a^2b^2c^7d^6e^5 + 96a^2b^3c^6d^5e^6 - 48a^2b^4c^5d^4e^7 + \\
& 96a^3b^2c^6d^4e^7 + 96a^3b^3c^5d^3e^8 - 48a^4b^2c^5d^2e^9 - 384a^3b^3c^7d^5e^6 - \\
& 384a^4b^3c^6d^3e^8)) / (c^3e^3) + (2 * x * (- (b^9d^2 + a^2b^7e^2 + b^6d^2 * (- (4ac - \\
& b^2)^3)^{1/2} + 28a^4b^3c^4d^2 - 9a^3b^5c^2e^2 - 20a^5b^3c^3e^2 - 2ab^8d^2e + 42 \\
& a^2b^5c^2d^2 - 63a^3b^3c^3d^2 + a^2b^4e^2 * (- (4ac - b^2)^3)^{1/2} / 2) - a^3c^3d^2 * \\
& (- (4ac - b^2)^3)^{1/2} + 25a^4b^3c^2e^2 + a^4c^2e^2 * (- (4ac - b^2)^3)^{1/2} - 11ab^7cd^2 - \\
& 16a^5c^4d^2e - 2ab^5d^2e * (- (4ac - b^2)^3)^{1/2} + 20a^2b^6cd^2e + 6a^2b^2c^2d^2 * \\
& (- (4ac - b^2)^3)^{1/2} - 5ab^4cd^2 * (- (4ac - b^2)^3)^{1/2} - 66a^3b^4c^2d^2e \\
& + 76a^4b^2c^3d^2e - 3a^3b^2c^2e^2 * (- (4ac - b^2)^3)^{1/2} + 8a^2b^3c^2d^2e * \\
& (- (4ac - b^2)^3)^{1/2} - 6a^3b^2c^2d^2e * (- (4ac - b^2)^3)^{1/2}) / (8 * (16a^2c^9d^4 + \\
& 16a^4c^7e^4 + b^4c^7d^4 - 8ab^2c^8d^4 - 2b^5c^6d^3e + a^2b^4c^5e^4 - 8a^3b^2c^6e^4 + \\
& 32a^3c^8d^2e^2 + b^6c^5d^2e^2 + 16ab^3c^7d^3e - 2ab^5c^5d^2e^3 - 32a^2b^3c^8d^3e - \\
& 32a^3b^3c^7d^2e^3 - 6ab^4c^6d^2e^2 + 16a^2b^3c^6d^2e^3)))^{1/2}
\end{aligned}$$

$$\begin{aligned}
& 6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e \\
& - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} \\
& *(128*a^4*b^2*c^6*e^{12} - 16*a^3*b^4*c^5*e^{12} - 256*a^5*c^7*e^{12} + 256*a^2*c \\
& ^{10}*d^6*e^6 + 256*a^3*c^9*d^4*e^8 - 256*a^4*c^8*d^2*e^{10} - 16*b^3*c^9*d^7*e \\
& ^5 + 64*b^4*c^8*d^6*e^6 - 96*b^5*c^7*d^5*e^7 + 64*b^6*c^6*d^4*e^8 - 16*b^7*c \\
& ^5*d^3*e^9 + 256*a^2*b^2*c^8*d^4*e^8 + 144*a^2*b^3*c^7*d^3*e^9 - 96*a^2*b^ \\
& 4*c^6*d^2*e^{10} + 192*a^3*b^2*c^7*d^2*e^{10} + 64*a*b*c^{10}*d^7*e^5 + 320*a^4*b \\
& *c^7*d*e^{11} - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^8*d^5*e^7 - 336*a*b^4*c^7 \\
& *d^4*e^8 + 48*a*b^5*c^6*d^3*e^9 + 16*a*b^6*c^5*d^2*e^{10} - 576*a^2*b*c^9*d^5 \\
& *e^7 + 16*a^2*b^5*c^5*d*e^{11} - 320*a^3*b*c^8*d^3*e^9 - 144*a^3*b^3*c^6*d*e^{ \\
& 11}))/ (c^3*e^3))*(- (b^9*d^2 + a^2*b^7*e^2 + b^6*d^2*(- (4*a*c - b^2)^3)^{(1/2)} \\
& + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42 \\
& *a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*e^2*(- (4*a*c - b^2)^3)^{(1/2)} \\
&) - a^3*c^3*d^2*(- (4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2 \\
& *(- (4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(\\
& - (4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(- (4*a*c - b \\
& ^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(- (4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e \\
& + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(- (4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3 \\
& *c*d*e*(- (4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e*(- (4*a*c - b^2)^3)^{(1/2)} \\
&) / (8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^ \\
& 5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^ \\
& 6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e \\
& - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} \\
& - (2*x*(4*a^3*b^7*e^{10} + 4*b^3*c^7*d^{10} + 4*b^{10}*d^3*e^7 - 36*a^4*b^5*c*e^ \\
& 10 - 80*a^6*b*c^3*e^{10} - 4*a*b^9*d^2*e^8 - 4*a^2*b^8*d*e^9 - 64*a^2*c^8*d^9 \\
& *e - 56*a^6*c^4*d*e^9 - 8*b^4*c^6*d^9*e - 8*b^9*c*d^4*e^6 + 100*a^5*b^3*c^2 \\
& *e^{10} + 8*a^4*c^6*d^5*e^5 + 16*a^5*c^5*d^3*e^7 + 4*b^5*c^5*d^8*e^2 + 4*b^8*c \\
& ^2*d^5*e^5 - 16*a*b*c^8*d^{10} + 80*a^2*b^4*c^4*d^5*e^5 - 160*a^2*b^5*c^3*d^ \\
& 4*e^6 + 16*a^2*b^6*c^2*d^3*e^7 - 64*a^3*b^2*c^5*d^5*e^5 + 128*a^3*b^3*c^4*d \\
& ^4*e^6 + 96*a^3*b^4*c^3*d^3*e^7 + 8*a^3*b^5*c^2*d^2*e^8 - 120*a^4*b^2*c^4*d \\
& ^3*e^7 - 124*a^4*b^3*c^3*d^2*e^8 + 48*a*b^2*c^7*d^9*e - 24*a*b^8*c*d^3*e^7 \\
& + 48*a^3*b^6*c*d*e^9 - 28*a*b^3*c^6*d^8*e^2 - 32*a*b^6*c^3*d^5*e^5 + 64*a*b \\
& ^7*c^2*d^4*e^6 + 48*a^2*b*c^7*d^8*e^2 + 20*a^2*b^7*c*d^2*e^8 - 16*a^4*b*c^5 \\
& *d^4*e^6 - 184*a^4*b^4*c^2*d*e^9 + 96*a^5*b*c^4*d^2*e^8 + 240*a^5*b^2*c^3*d \\
& *e^9))/ (c^3*e^3))*(- (b^9*d^2 + a^2*b^7*e^2 + b^6*d^2*(- (4*a*c - b^2)^3)^{(1/ \\
& 2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + \\
& 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*e^2*(- (4*a*c - b^2)^3)^{(1 \\
& /2)} - a^3*c^3*d^2*(- (4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e \\
& ^2*(- (4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e \\
& *(- (4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(- (4*a*c - \\
& b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(- (4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d* \\
& e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(- (4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^ \\
& ^3*c*d*e*(- (4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e*(- (4*a*c - b^2)^3)^{(1/2)} \\
&) / (8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2* \\
& b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 +
\end{aligned}$$

$$\begin{aligned}
& 2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4* \\
& b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^ \\
& 5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2 \\
& *b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 \\
& - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 \\
& + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d \\
& *e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a \\
& ^2*b^3*c^6*d*e^3))^{(1/2)}*(128*a^4*b^2*c^6*e^12 - 16*a^3*b^4*c^5*e^12 - 256 \\
& *a^5*c^7*e^12 + 256*a^2*c^10*d^6*e^6 + 256*a^3*c^9*d^4*e^8 - 256*a^4*c^8*d^ \\
& 2*e^10 - 16*b^3*c^9*d^7*e^5 + 64*b^4*c^8*d^6*e^6 - 96*b^5*c^7*d^5*e^7 + 64* \\
& b^6*c^6*d^4*e^8 - 16*b^7*c^5*d^3*e^9 + 256*a^2*b^2*c^8*d^4*e^8 + 144*a^2*b^ \\
& 3*c^7*d^3*e^9 - 96*a^2*b^4*c^6*d^2*e^10 + 192*a^3*b^2*c^7*d^2*e^10 + 64*a*b \\
& *c^10*d^7*e^5 + 320*a^4*b*c^7*d*e^11 - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^ \\
& 8*d^5*e^7 - 336*a*b^4*c^7*d^4*e^8 + 48*a*b^5*c^6*d^3*e^9 + 16*a*b^6*c^5*d^2 \\
& *e^10 - 576*a^2*b*c^9*d^5*e^7 + 16*a^2*b^5*c^5*d*e^11 - 320*a^3*b*c^8*d^3*e \\
& ^9 - 144*a^3*b^3*c^6*d*e^11)/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 + b^6*d^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c \\
& ^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*e^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4* \\
& b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^ \\
& 5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2 \\
& *b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 \\
& - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 \\
& + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d \\
& *e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a \\
& ^2*b^3*c^6*d*e^3))^{(1/2)} + (2*x*(4*a^3*b^7*e^10 + 4*b^3*c^7*d^10 + 4*b^10* \\
& d^3*e^7 - 36*a^4*b^5*c*e^10 - 80*a^6*b*c^3*e^10 - 4*a*b^9*d^2*e^8 - 4*a^2*b \\
& ^8*d*e^9 - 64*a^2*c^8*d^9*e - 56*a^6*c^4*d*e^9 - 8*b^4*c^6*d^9*e - 8*b^9*c* \\
& d^4*e^6 + 100*a^5*b^3*c^2*e^10 + 8*a^4*c^6*d^5*e^5 + 16*a^5*c^5*d^3*e^7 + 4 \\
& *b^5*c^5*d^8*e^2 + 4*b^8*c^2*d^5*e^5 - 16*a*b*c^8*d^10 + 80*a^2*b^4*c^4*d^5 \\
& *e^5 - 160*a^2*b^5*c^3*d^4*e^6 + 16*a^2*b^6*c^2*d^3*e^7 - 64*a^3*b^2*c^5*d^ \\
& 5*e^5 + 128*a^3*b^3*c^4*d^4*e^6 + 96*a^3*b^4*c^3*d^3*e^7 + 8*a^3*b^5*c^2*d^ \\
& 2*e^8 - 120*a^4*b^2*c^4*d^3*e^7 - 124*a^4*b^3*c^3*d^2*e^8 + 48*a*b^2*c^7*d^ \\
& 9*e - 24*a*b^8*c*d^3*e^7 + 48*a^3*b^6*c*d*e^9 - 28*a*b^3*c^6*d^8*e^2 - 32*a \\
& *b^6*c^3*d^5*e^5 + 64*a*b^7*c^2*d^4*e^6 + 48*a^2*b*c^7*d^8*e^2 + 20*a^2*b^7 \\
& *c*d^2*e^8 - 16*a^4*b*c^5*d^4*e^6 - 184*a^4*b^4*c^2*d*e^9 + 96*a^5*b*c^4*d^ \\
& 2*e^8 + 240*a^5*b^2*c^3*d*e^9))/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 + b^6*d^ \\
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b \\
& *c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*
\end{aligned}$$

$$\begin{aligned}
& e^{2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2))} / (8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} - (16*a^3*c^6*d^9 + 4*a*b^4*c^4*d^9 + 4*a*b^8*d^5*e^4 + 4*a^5*b^4*d*e^8 + 4*a^7*c^2*d*e^8 - 20*a^2*b^2*c^5*d^9 - 4*a^2*b^7*d^4*e^5 - 4*a^4*b^5*d^2*e^7 - 64*a^4*c^5*d^7*e^2 + 64*a^5*c^4*d^5*e^4 + 4*a^6*c^3*d^3*e^6 - 36*a^2*b^4*c^3*d^7*e^2 - 40*a^2*b^5*c^2*d^6*e^3 + 96*a^3*b^2*c^4*d^7*e^2 + 128*a^3*b^3*c^3*d^6*e^3 + 164*a^3*b^4*c^2*d^5*e^4 - 224*a^4*b^2*c^3*d^5*e^4 - 104*a^4*b^3*c^2*d^4*e^5 - 20*a^5*b^2*c^2*d^3*e^6 + 4*a*b^5*c^3*d^8*e + 4*a*b^7*c*d^6*e^3 + 64*a^3*b*c^5*d^8*e - 12*a^6*b^2*c*d*e^8 + 4*a*b^6*c^2*d^7*e^2 - 32*a^2*b^3*c^4*d^8*e - 44*a^2*b^6*c*d^5*e^4 + 36*a^3*b^5*c*d^4*e^5 - 128*a^4*b*c^4*d^6*e^3 + 8*a^4*b^4*c*d^3*e^6 + 88*a^5*b*c^3*d^4*e^5 + 8*a^5*b^3*c*d^2*e^7 + 4*a^6*b*c^2*d^2*e^7) / (c^3*e^3)) * (-(b^9*d^2 + a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2))} / (8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} + (2*x*(a^8*e^8 + b^8*d^8 + 2*a^4*c^4*d^8 + 20*a^2*b^4*c^2*d^8 - 16*a^3*b^2*c^3*d^8 - 8*a*b^6*c*d^8)) / (c^3*e^3)) * (-(b^9*d^2 + a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2))} / (8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + b^
\end{aligned}$$

$$\begin{aligned}
& 6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e \\
& - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} \\
& + ((((((192*a^3*c^8*d^6*e^5 + 384*a^4*c^7*d^4*e^7 + 192*a^5*c^6*d^2*e^9 - 4 \\
& 8*a^2*b^2*c^7*d^6*e^5 + 96*a^2*b^3*c^6*d^5*e^6 - 48*a^2*b^4*c^5*d^4*e^7 + 9 \\
& 6*a^3*b^2*c^6*d^4*e^7 + 96*a^3*b^3*c^5*d^3*e^8 - 48*a^4*b^2*c^5*d^2*e^9 - 3 \\
& 84*a^3*b*c^7*d^5*e^6 - 384*a^4*b*c^6*d^3*e^8)/(c^3*e^3) + (2*x*(-(b^9*d^2 + \\
& a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3* \\
& b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^ \\
& 3*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20 \\
& *a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3 \\
& *b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^9*d^4 + 16*a^4 \\
& *c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^ \\
& 4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7 \\
& *d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a* \\
& b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)}*(128*a^4*b^2*c^6*e^12 - 16* \\
& a^3*b^4*c^5*e^12 - 256*a^5*c^7*e^12 + 256*a^2*c^10*d^6*e^6 + 256*a^3*c^9*d^ \\
& 4*e^8 - 256*a^4*c^8*d^2*e^10 - 16*b^3*c^9*d^7*e^5 + 64*b^4*c^8*d^6*e^6 - 96 \\
& *b^5*c^7*d^5*e^7 + 64*b^6*c^6*d^4*e^8 - 16*b^7*c^5*d^3*e^9 + 256*a^2*b^2*c^ \\
& 8*d^4*e^8 + 144*a^2*b^3*c^7*d^3*e^9 - 96*a^2*b^4*c^6*d^2*e^10 + 192*a^3*b^2 \\
& *c^7*d^2*e^10 + 64*a*b*c^10*d^7*e^5 + 320*a^4*b*c^7*d*e^11 - 320*a*b^2*c^9* \\
& d^6*e^6 + 528*a*b^3*c^8*d^5*e^7 - 336*a*b^4*c^7*d^4*e^8 + 48*a*b^5*c^6*d^3* \\
& e^9 + 16*a*b^6*c^5*d^2*e^10 - 576*a^2*b*c^9*d^5*e^7 + 16*a^2*b^5*c^5*d*e^11 \\
& - 320*a^3*b*c^8*d^3*e^9 - 144*a^3*b^3*c^6*d*e^11))/(c^3*e^3))*(-(b^9*d^2 + \\
& a^2*b^7*e^2 + b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3* \\
& b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^ \\
& 3*c^3*d^2 + a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^3*c^3*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 + a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e - 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20 \\
& *a^2*b^6*c*d*e + 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*d^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e - 3*a^3 \\
& *b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^9*d^4 + 16*a^4 \\
& *c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^ \\
& 4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7 \\
& *d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a* \\
& b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} - (2*x*(4*a^3*b^7*e^10 + 4* \\
& b^3*c^7*d^10 + 4*b^10*d^3*e^7 - 36*a^4*b^5*c*e^10 - 80*a^6*b*c^3*e^10 - 4*a \\
& *b^9*d^2*e^8 - 4*a^2*b^8*d*e^9 - 64*a^2*c^8*d^9*e - 56*a^6*c^4*d*e^9 - 8*b^ \\
& 4*c^6*d^9*e - 8*b^9*c*d^4*e^6 + 100*a^5*b^3*c^2*e^10 + 8*a^4*c^6*d^5*e^5 + \\
& 16*a^5*c^5*d^3*e^7 + 4*b^5*c^5*d^8*e^2 + 4*b^8*c^2*d^5*e^5 - 16*a*b*c^8*d^1 \\
& 0 + 80*a^2*b^4*c^4*d^5*e^5 - 160*a^2*b^5*c^3*d^4*e^6 + 16*a^2*b^6*c^2*d^3*e
\end{aligned}$$

$$\begin{aligned}
& - (4ac - b^2)^3)^{1/2} - a^3c^3d^2(-4ac - b^2)^3)^{1/2} + 25a^4b^3 \\
& *c^2e^2 + a^4c^2e^2(-4ac - b^2)^3)^{1/2} - 11ab^7cd^2 - 16a^5c \\
& ^4d^2e - 2ab^5d^2e(-4ac - b^2)^3)^{1/2} + 20a^2b^6cd^2e + 6a^2b^ \\
& 2c^2d^2(-4ac - b^2)^3)^{1/2} - 5ab^4cd^2(-4ac - b^2)^3)^{1/2} \\
& - 66a^3b^4c^2d^2e + 76a^4b^2c^3d^2e - 3a^3b^2c^2e^2(-4ac - b^2 \\
&)^3)^{1/2} + 8a^2b^3cd^2e(-4ac - b^2)^3)^{1/2} - 6a^3b^2cd^2e(-4 \\
& ac - b^2)^3)^{1/2}) / (8(16a^2c^9d^4 + 16a^4c^7e^4 + b^4c^7d^4 - \\
& 8ab^2c^8d^4 - 2b^5c^6d^3e + a^2b^4c^5e^4 - 8a^3b^2c^6e^4 + 3 \\
& 2a^3c^8d^2e^2 + b^6c^5d^2e^2 + 16ab^3c^7d^3e - 2ab^5c^5d^2e^3 \\
& - 32a^2b^3c^8d^3e - 32a^3b^3c^7d^2e^3 - 6ab^4c^6d^2e^2 + 16a^2b \\
& ^3c^6d^2e^3))^{1/2} + (2(a^4b^3d^7 + a^7d^4e^3 + a^5b^2d^6e + a^ \\
& 6bd^5e^2 - 2a^5b^3cd^7 - a^6cd^6e)) / (c^3e^3)) * (-b^9d^2 + a^2b^ \\
& 7e^2 + b^6d^2(-4ac - b^2)^3)^{1/2} + 28a^4b^3cd^2 - 9a^3b^5c^2e \\
& ^2 - 20a^5b^3c^3e^2 - 2ab^8d^2e + 42a^2b^5c^2d^2 - 63a^3b^3c^3d \\
& ^2 + a^2b^4e^2(-4ac - b^2)^3)^{1/2} - a^3c^3d^2(-4ac - b^2)^3)^ \\
& (1/2) + 25a^4b^3c^2e^2 + a^4c^2e^2(-4ac - b^2)^3)^{1/2} - 11ab^ \\
& 7cd^2 - 16a^5c^4d^2e - 2ab^5d^2e(-4ac - b^2)^3)^{1/2} + 20a^2b^ \\
& 6cd^2e + 6a^2b^2c^2d^2(-4ac - b^2)^3)^{1/2} - 5ab^4cd^2(-4ac \\
& *c - b^2)^3)^{1/2} - 66a^3b^4c^2d^2e + 76a^4b^2c^3d^2e - 3a^3b^2c^2 \\
& e^2(-4ac - b^2)^3)^{1/2} + 8a^2b^3cd^2e(-4ac - b^2)^3)^{1/2} - 6 \\
& a^3b^2cd^2e(-4ac - b^2)^3)^{1/2}) / (8(16a^2c^9d^4 + 16a^4c^7e^ \\
& 4 + b^4c^7d^4 - 8ab^2c^8d^4 - 2b^5c^6d^3e + a^2b^4c^5e^4 - 8a \\
& ^3b^2c^6e^4 + 32a^3c^8d^2e^2 + b^6c^5d^2e^2 + 16ab^3c^7d^3e \\
& - 2ab^5c^5d^2e^3 - 32a^2b^3c^8d^3e - 32a^3b^3c^7d^2e^3 - 6ab^4c^6 \\
& d^2e^2 + 16a^2b^3c^6d^2e^3))^{1/2} * 2i + \operatorname{atan}(\frac{(192a^3c^8d^6e^5 + 384a^4c^7d^4e^7 + 192a^5c^6d^2e^9 - 48a^2b^2c^7d^6e^5 + 96 \\
& a^2b^3c^6d^5e^6 - 48a^2b^4c^5d^4e^7 + 96a^3b^2c^6d^4e^7 + 96 \\
& a^3b^3c^5d^3e^8 - 48a^4b^2c^5d^2e^9 - 384a^3b^3c^7d^5e^6 - 384 \\
& a^4b^3c^6d^3e^8)}{c^3e^3} - (2x * (-b^9d^2 + a^2b^7e^2 - b^6d^2(-4 \\
& ac - b^2)^3)^{1/2} + 28a^4b^3cd^2 - 9a^3b^5c^2e^2 - 20a^5b^3c^3e \\
& ^2 - 2ab^8d^2e + 42a^2b^5c^2d^2 - 63a^3b^3c^3d^2 - a^2b^4e^2(- \\
& (4ac - b^2)^3)^{1/2} + a^3c^3d^2(-4ac - b^2)^3)^{1/2} + 25a^4b^3c \\
& ^2e^2 - a^4c^2e^2(-4ac - b^2)^3)^{1/2} - 11ab^7cd^2 - 16a^5c^4 \\
& d^2e + 2ab^5d^2e(-4ac - b^2)^3)^{1/2} + 20a^2b^6cd^2e - 6a^2b^2 \\
& c^2d^2(-4ac - b^2)^3)^{1/2} + 5ab^4cd^2(-4ac - b^2)^3)^{1/2} \\
& - 66a^3b^4c^2d^2e + 76a^4b^2c^3d^2e + 3a^3b^2c^2e^2(-4ac - b^2) \\
& ^3)^{1/2} - 8a^2b^3cd^2e(-4ac - b^2)^3)^{1/2} + 6a^3b^2cd^2e(-4 \\
& ac - b^2)^3)^{1/2}) / (8(16a^2c^9d^4 + 16a^4c^7e^4 + b^4c^7d^4 - 8 \\
& ab^2c^8d^4 - 2b^5c^6d^3e + a^2b^4c^5e^4 - 8a^3b^2c^6e^4 + 32 \\
& a^3c^8d^2e^2 + b^6c^5d^2e^2 + 16ab^3c^7d^3e - 2ab^5c^5d^2e^3 \\
& - 32a^2b^3c^8d^3e - 32a^3b^3c^7d^2e^3 - 6ab^4c^6d^2e^2 + 16a^2b \\
& ^3c^6d^2e^3))^{1/2} * (128a^4b^2c^6e^12 - 16a^3b^4c^5e^12 - 256a^5 \\
& c^7e^12 + 256a^2c^10d^6e^6 + 256a^3c^9d^4e^8 - 256a^4c^8d^2e^ \\
& 10 - 16b^3c^9d^7e^5 + 64b^4c^8d^6e^6 - 96b^5c^7d^5e^7 + 64b^6c \\
& ^6d^4e^8 - 16b^7c^5d^3e^9 + 256a^2b^2c^8d^4e^8 + 144a^2b^3c^
\end{aligned}$$

$$\begin{aligned}
& 7*d^3*e^9 - 96*a^2*b^4*c^6*d^2*e^{10} + 192*a^3*b^2*c^7*d^2*e^{10} + 64*a*b*c^1 \\
& 0*d^7*e^5 + 320*a^4*b*c^7*d*e^{11} - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^8*d^ \\
& 5*e^7 - 336*a*b^4*c^7*d^4*e^8 + 48*a*b^5*c^6*d^3*e^9 + 16*a*b^6*c^5*d^2*e^1 \\
& 0 - 576*a^2*b*c^9*d^5*e^7 + 16*a^2*b^5*c^5*d*e^{11} - 320*a^3*b*c^8*d^3*e^9 - \\
& 144*a^3*b^3*c^6*d*e^{11}))/ (c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e \\
& ^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3* \\
& c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^ \\
& 4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2 \\
& *c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8 \\
& *a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32 \\
& *a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 \\
& - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b \\
& ^3*c^6*d*e^3)))^{(1/2)} + (2*x*(4*a^3*b^7*e^{10} + 4*b^3*c^7*d^{10} + 4*b^{10}*d^3* \\
& e^7 - 36*a^4*b^5*c*e^{10} - 80*a^6*b*c^3*e^{10} - 4*a*b^9*d^2*e^8 - 4*a^2*b^8*d \\
& *e^9 - 64*a^2*c^8*d^9*e - 56*a^6*c^4*d*e^9 - 8*b^4*c^6*d^9*e - 8*b^9*c*d^4* \\
& e^6 + 100*a^5*b^3*c^2*e^{10} + 8*a^4*c^6*d^5*e^5 + 16*a^5*c^5*d^3*e^7 + 4*b^5 \\
& *c^5*d^8*e^2 + 4*b^8*c^2*d^5*e^5 - 16*a*b*c^8*d^{10} + 80*a^2*b^4*c^4*d^5*e^5 \\
& - 160*a^2*b^5*c^3*d^4*e^6 + 16*a^2*b^6*c^2*d^3*e^7 - 64*a^3*b^2*c^5*d^5*e^ \\
& 5 + 128*a^3*b^3*c^4*d^4*e^6 + 96*a^3*b^4*c^3*d^3*e^7 + 8*a^3*b^5*c^2*d^2*e^ \\
& 8 - 120*a^4*b^2*c^4*d^3*e^7 - 124*a^4*b^3*c^3*d^2*e^8 + 48*a*b^2*c^7*d^9*e \\
& - 24*a*b^8*c*d^3*e^7 + 48*a^3*b^6*c*d*e^9 - 28*a*b^3*c^6*d^8*e^2 - 32*a*b^6 \\
& *c^3*d^5*e^5 + 64*a*b^7*c^2*d^4*e^6 + 48*a^2*b*c^7*d^8*e^2 + 20*a^2*b^7*c*d \\
& ^2*e^8 - 16*a^4*b*c^5*d^4*e^6 - 184*a^4*b^4*c^2*d*e^9 + 96*a^5*b*c^4*d^2*e^ \\
& 8 + 240*a^5*b^2*c^3*d*e^9))/ (c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(\\
& (4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3 \\
& *e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^ \\
& 3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5* \\
& c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b \\
& ^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2) \\
&) - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - \\
& 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + \\
& 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e \\
& ^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2 \\
& *b^3*c^6*d*e^3)))^{(1/2)} - (16*a^3*c^6*d^9 + 4*a*b^4*c^4*d^9 + 4*a*b^8*d^5*e \\
& ^4 + 4*a^5*b^4*d*e^8 + 4*a^7*c^2*d*e^8 - 20*a^2*b^2*c^5*d^9 - 4*a^2*b^7*d^4 \\
& *e^5 - 4*a^4*b^5*d^2*e^7 - 64*a^4*c^5*d^7*e^2 + 64*a^5*c^4*d^5*e^4 + 4*a^6* \\
& c^3*d^3*e^6 - 36*a^2*b^4*c^3*d^7*e^2 - 40*a^2*b^5*c^2*d^6*e^3 + 96*a^3*b^2*
\end{aligned}$$

$$\begin{aligned}
& c^4 d^7 e^2 + 128 a^3 b^3 c^3 d^6 e^3 + 164 a^3 b^4 c^2 d^5 e^4 - 224 a^4 b^2 c^3 d^5 e^4 - 104 a^4 b^3 c^2 d^4 e^5 - 20 a^5 b^2 c^2 d^3 e^6 + 4 a^* b^5 \\
& * c^3 d^8 e + 4 a^* b^7 c^* d^6 e^3 + 64 a^3 b^* c^5 d^8 e - 12 a^6 b^2 c^* d^* e^8 + 4 a^* b^6 c^2 d^7 e^2 - 32 a^2 b^3 c^4 d^8 e - 44 a^2 b^6 c^* d^5 e^4 + 36 a^3 * \\
& b^5 c^* d^4 e^5 - 128 a^4 b^* c^4 d^6 e^3 + 8 a^4 b^4 c^* d^3 e^6 + 88 a^5 b^* c^3 d^4 e^5 + 8 a^5 b^3 c^* d^2 e^7 + 4 a^6 b^* c^2 d^2 e^7) / (c^3 e^3) * (- (b^9 d^2 \\
& + a^2 b^7 e^2 - b^6 d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + 28 a^4 b^* c^4 d^2 - 9 a^3 * \\
& b^5 c^* e^2 - 20 a^5 b^* c^3 e^2 - 2 a^* b^8 d^* e + 42 a^2 b^5 c^2 d^2 - 63 a^3 b^3 \\
& c^3 d^2 - a^2 b^4 e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + a^3 c^3 d^2 * (- (4 a^* c - \\
& b^2)^3)^{(1/2)} + 25 a^4 b^3 c^2 e^2 - a^4 c^2 e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} - \\
& 11 a^* b^7 c^* d^2 - 16 a^5 c^4 d^* e + 2 a^* b^5 d^* e * (- (4 a^* c - b^2)^3)^{(1/2)} + 2 \\
& 0 a^2 b^6 c^* d^* e - 6 a^2 b^2 c^2 d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + 5 a^* b^4 c^* d^ \\
& 2 * (- (4 a^* c - b^2)^3)^{(1/2)} - 66 a^3 b^4 c^2 d^* e + 76 a^4 b^2 c^3 d^* e + 3 a^ \\
& 3 b^2 c^* e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} - 8 a^2 b^3 c^* d^* e * (- (4 a^* c - b^2)^3)^{(\\
& 1/2)} + 6 a^3 b^* c^2 d^* e * (- (4 a^* c - b^2)^3)^{(1/2)) / (8 * (16 a^2 c^9 d^4 + 16 a^ \\
& 4 c^7 e^4 + b^4 c^7 d^4 - 8 a^* b^2 c^8 d^4 - 2 b^5 c^6 d^3 e + a^2 b^4 c^5 e \\
& ^4 - 8 a^3 b^2 c^6 e^4 + 32 a^3 c^8 d^2 e^2 + b^6 c^5 d^2 e^2 + 16 a^* b^3 c^ \\
& 7 d^3 e - 2 a^* b^5 c^5 d^* e^3 - 32 a^2 b^* c^8 d^3 e - 32 a^3 b^* c^7 d^* e^3 - 6 a^ \\
& * b^4 c^6 d^2 e^2 + 16 a^2 b^3 c^6 d^* e^3)))^{(1/2)} + (2 * x * (a^8 e^8 + b^8 d^8 \\
& + 2 a^4 c^4 d^8 + 20 a^2 b^4 c^2 d^8 - 16 a^3 b^2 c^3 d^8 - 8 a^* b^6 c^* d^8)) \\
& / (c^3 e^3) * (- (b^9 d^2 + a^2 b^7 e^2 - b^6 d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + 2 \\
& 8 a^4 b^* c^4 d^2 - 9 a^3 b^5 c^* e^2 - 20 a^5 b^* c^3 e^2 - 2 a^* b^8 d^* e + 42 a^2 \\
& * b^5 c^2 d^2 - 63 a^3 b^3 c^3 d^2 - a^2 b^4 e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + \\
& a^3 c^3 d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + 25 a^4 b^3 c^2 e^2 - a^4 c^2 e^2 * (- (\\
& 4 a^* c - b^2)^3)^{(1/2)} - 11 a^* b^7 c^* d^2 - 16 a^5 c^4 d^* e + 2 a^* b^5 d^* e * (- (4 \\
& a^* c - b^2)^3)^{(1/2)} + 20 a^2 b^6 c^* d^* e - 6 a^2 b^2 c^2 d^2 * (- (4 a^* c - b^2)^ \\
& 3)^{(1/2)} + 5 a^* b^4 c^* d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} - 66 a^3 b^4 c^2 d^* e + 76 \\
& * a^4 b^2 c^3 d^* e + 3 a^3 b^2 c^* e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} - 8 a^2 b^3 c^* d^ \\
& * e * (- (4 a^* c - b^2)^3)^{(1/2)} + 6 a^3 b^* c^2 d^* e * (- (4 a^* c - b^2)^3)^{(1/2)) / (8 * \\
& (16 a^2 c^9 d^4 + 16 a^4 c^7 e^4 + b^4 c^7 d^4 - 8 a^* b^2 c^8 d^4 - 2 b^5 c^6 \\
& d^3 e + a^2 b^4 c^5 e^4 - 8 a^3 b^2 c^6 e^4 + 32 a^3 c^8 d^2 e^2 + b^6 c^5 \\
& d^2 e^2 + 16 a^* b^3 c^7 d^3 e - 2 a^* b^5 c^5 d^* e^3 - 32 a^2 b^* c^8 d^3 e - 3 \\
& 2 a^3 b^* c^7 d^* e^3 - 6 a^* b^4 c^6 d^2 e^2 + 16 a^2 b^3 c^6 d^* e^3)))^{(1/2)} * 1i \\
& - ((((((192 a^3 c^8 d^6 e^5 + 384 a^4 c^7 d^4 e^7 + 192 a^5 c^6 d^2 e^9 - 48 \\
& * a^2 b^2 c^7 d^6 e^5 + 96 a^2 b^3 c^6 d^5 e^6 - 48 a^2 b^4 c^5 d^4 e^7 + 96 \\
& * a^3 b^2 c^6 d^4 e^7 + 96 a^3 b^3 c^5 d^3 e^8 - 48 a^4 b^2 c^5 d^2 e^9 - 38 \\
& 4 a^3 b^* c^7 d^5 e^6 - 384 a^4 b^* c^6 d^3 e^8) / (c^3 e^3) + (2 * x * (- (b^9 d^2 + \\
& a^2 b^7 e^2 - b^6 d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + 28 a^4 b^* c^4 d^2 - 9 a^3 * \\
& b^5 c^* e^2 - 20 a^5 b^* c^3 e^2 - 2 a^* b^8 d^* e + 42 a^2 b^5 c^2 d^2 - 63 a^3 b^3 \\
& c^3 d^2 - a^2 b^4 e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + a^3 c^3 d^2 * (- (4 a^* c - b^ \\
& 2)^3)^{(1/2)} + 25 a^4 b^3 c^2 e^2 - a^4 c^2 e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} - 1 \\
& 1 a^* b^7 c^* d^2 - 16 a^5 c^4 d^* e + 2 a^* b^5 d^* e * (- (4 a^* c - b^2)^3)^{(1/2)} + 20 * \\
& a^2 b^6 c^* d^* e - 6 a^2 b^2 c^2 d^2 * (- (4 a^* c - b^2)^3)^{(1/2)} + 5 a^* b^4 c^* d^2 * \\
& (- (4 a^* c - b^2)^3)^{(1/2)} - 66 a^3 b^4 c^2 d^* e + 76 a^4 b^2 c^3 d^* e + 3 a^3 * \\
& b^2 c^* e^2 * (- (4 a^* c - b^2)^3)^{(1/2)} - 8 a^2 b^3 c^* d^* e * (- (4 a^* c - b^2)^3)^{(1/
\end{aligned}$$

$$\begin{aligned}
& 2) + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 \\
& - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)}*(128*a^4*b^2*c^6*e^{12} - 16*a^3*b^4*c^5*e^{12} - 256*a^5*c^7*e^{12} + 256*a^2*c^{10}*d^6*e^6 + 256*a^3*c^9*d^4*e^8 - 256*a^4*c^8*d^2*e^{10} - 16*b^3*c^9*d^7*e^5 + 64*b^4*c^8*d^6*e^6 - 96*b^5*c^7*d^5*e^7 + 64*b^6*c^6*d^4*e^8 - 16*b^7*c^5*d^3*e^9 + 256*a^2*b^2*c^8*d^4*e^8 + 144*a^2*b^3*c^7*d^3*e^9 - 96*a^2*b^4*c^6*d^2*e^{10} + 192*a^3*b^2*c^7*d^2*e^{10} + 64*a*b*c^{10}*d^7*e^5 + 320*a^4*b*c^7*d*e^{11} - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^8*d^5*e^7 - 336*a*b^4*c^7*d^4*e^8 + 48*a*b^5*c^6*d^3*e^9 + 16*a*b^6*c^5*d^2*e^{10} - 576*a^2*b*c^9*d^5*e^7 + 16*a^2*b^5*c^5*d*e^{11} - 320*a^3*b*c^8*d^3*e^9 - 144*a^3*b^3*c^6*d*e^{11}))/((c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3))^{(1/2)} - (2*x*(4*a^3*b^7*e^{10} + 4*b^3*c^7*d^{10} + 4*b^{10}*d^3*e^7 - 36*a^4*b^5*c*e^{10} - 80*a^6*b*c^3*e^{10} - 4*a*b^9*d^2*e^8 - 4*a^2*b^8*d*e^9 - 64*a^2*c^8*d^9*e - 56*a^6*c^4*d*e^9 - 8*b^4*c^6*d^9*e - 8*b^9*c*d^4*e^6 + 100*a^5*b^3*c^2*e^{10} + 8*a^4*c^6*d^5*e^5 + 16*a^5*c^5*d^3*e^7 + 4*b^5*c^5*d^8*e^2 + 4*b^8*c^2*d^5*e^5 - 16*a*b*c^8*d^{10} + 80*a^2*b^4*c^4*d^5*e^5 - 160*a^2*b^5*c^3*d^4*e^6 + 16*a^2*b^6*c^2*d^3*e^7 - 64*a^3*b^2*c^5*d^5*e^5 + 128*a^3*b^3*c^4*d^4*e^6 + 96*a^3*b^4*c^3*d^3*e^7 + 8*a^3*b^5*c^2*d^2*e^8 - 120*a^4*b^2*c^4*d^3*e^7 - 124*a^4*b^3*c^3*d^2*e^8 + 48*a*b^2*c^7*d^9*e - 24*a*b^8*c*d^3*e^7 + 48*a^3*b^6*c*d*e^9 - 28*a*b^3*c^6*d^8*e^2 - 32*a*b^6*c^3*d^5*e^5 + 64*a*b^7*c^2*d^4*e^6 + 48*a^2*b*c^7*d^8*e^2 + 20*a^2*b^7*c*d^2*e^8 - 16*a^4*b*c^5*d^4*e^6 - 184*a^4*b^4*c^2*d*e^9 + 96*a^5*b*c^4*d^2*e^8 + 240*a^5*b^2*c^3*d*e^9))/((c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 1/2) + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} - (16*a^3*c^6*d^9 + 4*a*b^4*c^4*d^9 + 4*a*b^8*d^5*e^4 + 4*a^5*b^4*d*e^8 + 4*a^7*c^2*d*e^8 - 20*a^2*b^2*c^5*d^9 - 4*a^2*b^7*d^4*e^5 - 4*a^4*b^5*d^2*e^7 - 64*a^4*c^5*d^7*e^2 + 64*a^5*c^4*d^5*e^4 + 4*a^6*c^3*d^3*e^6 - 36*a^2*b^4*c^3*d^7*e^2 - 40*a^2*b^5*c^2*d^6*e^3 + 96*a^3*b^2*c^4*d^7*e^2 + 128*a^3*b^3*c^3*d^6*e^3 + 164*a^3*b^4*c^2*d^5*e^4 - 224*a^4*b^2*c^3*d^5*e^4 - 104*a^4*b^3*c^2*d^4*e^5 - 20*a^5*b^2*c^2*d^3*e^6 + 4*a*b^5*c^3*d^8*e + 4*a*b^7*c*d^6*e^3 + 64*a^3*b*c^5*d^8*e - 12*a^6*b^2*c*d*e^8 + 4*a*b^6*c^2*d^7*e^2 - 32*a^2*b^3*c^4*d^8*e - 44*a^2*b^6*c*d^5*e^4 + 36*a^3*b^5*c*d^4*e^5 - 128*a^4*b*c^4*d^6*e^3 + 8*a^4*b^4*c*d^3*e^6 + 88*a^5*b*c^3*d^4*e^5 + 8*a^5*b^3*c*d^2*e^7 + 4*a^6*b*c^2*d^2*e^7)/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} - (2*x*(a^8*e^8 + b^8*d^8 + 2*a^4*c^4*d^8 + 20*a^2*b^4*c^2*d^8 - 16*a^3*b^2*c^3*d^8 - 8*a*b^6*c*d^8))/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)}*i)/((((192*a^3*c^8*d^6*e^5 + 384*a^4*c^7*d^4*e^7 + 192*a^5*c^6*d^2*e^9 - 48*a^2*b^2*c^7*d^6*e^5 + 96*a^2*b^3*c^6*d^5*e^6 - 48*a^2*b^4*c^5*d^4*e^7 + 96*a^3*b^2*c^6*d^4*e^7 + 96*a^3*b^3*c^5*d^3*e^8 - 48*a^4*b^2*c^5*d^2*e^9 - 384*a^3*b*c^7*d^5*e^6 - 384*a^4*b*c^6*d^3*e^8)/(c^3*
\end{aligned}$$

$$\begin{aligned}
& e^3) - (2*x*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{1/2}) + 2 \\
& 8*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2 \\
& *b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{1/2} + \\
& a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{1/2} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4 \\
& 4*a*c - b^2)^3)^{1/2} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4* \\
& a*c - b^2)^3)^{1/2} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^ \\
& 3)^{1/2} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{1/2} - 66*a^3*b^4*c^2*d*e + 76 \\
& *a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{1/2} - 8*a^2*b^3*c*d \\
& *e*(-(4*a*c - b^2)^3)^{1/2} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{1/2})/(8* \\
& (16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^ \\
& 6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^ \\
& 5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 3 \\
& 2*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{1/2}*(12 \\
& 8*a^4*b^2*c^6*e^12 - 16*a^3*b^4*c^5*e^12 - 256*a^5*c^7*e^12 + 256*a^2*c^10* \\
& d^6*e^6 + 256*a^3*c^9*d^4*e^8 - 256*a^4*c^8*d^2*e^10 - 16*b^3*c^9*d^7*e^5 + \\
& 64*b^4*c^8*d^6*e^6 - 96*b^5*c^7*d^5*e^7 + 64*b^6*c^6*d^4*e^8 - 16*b^7*c^5* \\
& d^3*e^9 + 256*a^2*b^2*c^8*d^4*e^8 + 144*a^2*b^3*c^7*d^3*e^9 - 96*a^2*b^4*c^ \\
& 6*d^2*e^10 + 192*a^3*b^2*c^7*d^2*e^10 + 64*a*b*c^10*d^7*e^5 + 320*a^4*b*c^7 \\
& *d*e^11 - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^8*d^5*e^7 - 336*a*b^4*c^7*d^4 \\
& *e^8 + 48*a*b^5*c^6*d^3*e^9 + 16*a*b^6*c^5*d^2*e^10 - 576*a^2*b*c^9*d^5*e^7 \\
& + 16*a^2*b^5*c^5*d*e^11 - 320*a^3*b*c^8*d^3*e^9 - 144*a^3*b^3*c^6*d*e^11)) \\
& /(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{1/2}) + 2 \\
& 8*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2 \\
& *b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{1/2} + \\
& a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{1/2} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4 \\
& 4*a*c - b^2)^3)^{1/2} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4* \\
& a*c - b^2)^3)^{1/2} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^ \\
& 3)^{1/2} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{1/2} - 66*a^3*b^4*c^2*d*e + 76 \\
& *a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{1/2} - 8*a^2*b^3*c*d \\
& *e*(-(4*a*c - b^2)^3)^{1/2} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{1/2})/(8* \\
& (16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^ \\
& 6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^ \\
& 5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 3 \\
& 2*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{1/2} + (\\
& 2*x*(4*a^3*b^7*e^10 + 4*b^3*c^7*d^10 + 4*b^10*d^3*e^7 - 36*a^4*b^5*c*e^10 - \\
& 80*a^6*b*c^3*e^10 - 4*a*b^9*d^2*e^8 - 4*a^2*b^8*d*e^9 - 64*a^2*c^8*d^9*e - \\
& 56*a^6*c^4*d*e^9 - 8*b^4*c^6*d^9*e - 8*b^9*c*d^4*e^6 + 100*a^5*b^3*c^2*e^1 \\
& 0 + 8*a^4*c^6*d^5*e^5 + 16*a^5*c^5*d^3*e^7 + 4*b^5*c^5*d^8*e^2 + 4*b^8*c^2* \\
& d^5*e^5 - 16*a*b*c^8*d^10 + 80*a^2*b^4*c^4*d^5*e^5 - 160*a^2*b^5*c^3*d^4*e^ \\
& 6 + 16*a^2*b^6*c^2*d^3*e^7 - 64*a^3*b^2*c^5*d^5*e^5 + 128*a^3*b^3*c^4*d^4*e \\
& ^6 + 96*a^3*b^4*c^3*d^3*e^7 + 8*a^3*b^5*c^2*d^2*e^8 - 120*a^4*b^2*c^4*d^3*e \\
& ^7 - 124*a^4*b^3*c^3*d^2*e^8 + 48*a*b^2*c^7*d^9*e - 24*a*b^8*c*d^3*e^7 + 48 \\
& *a^3*b^6*c*d*e^9 - 28*a*b^3*c^6*d^8*e^2 - 32*a*b^6*c^3*d^5*e^5 + 64*a*b^7*c \\
& ^2*d^4*e^6 + 48*a^2*b*c^7*d^8*e^2 + 20*a^2*b^7*c*d^2*e^8 - 16*a^4*b*c^5*d^4 \\
& *e^6 - 184*a^4*b^4*c^2*d*e^9 + 96*a^5*b*c^4*d^2*e^8 + 240*a^5*b^2*c^3*d*e^9
\end{aligned}$$

$$\begin{aligned}
& 2) + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} + (((((192*a^3*c^8*d^6*e^5 + 384*a^4*c^7*d^4*e^7 + 192*a^5*c^6*d^2*e^9 - 48*a^2*b^2*c^7*d^6*e^5 + 96*a^2*b^3*c^6*d^5*e^6 - 48*a^2*b^4*c^5*d^4*e^7 + 96*a^3*b^2*c^6*d^4*e^7 + 96*a^3*b^3*c^5*d^3*e^8 - 48*a^4*b^2*c^5*d^2*e^9 - 384*a^3*b*c^7*d^5*e^6 - 384*a^4*b*c^6*d^3*e^8)/(c^3*e^3) + (2*x*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 6*6*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2}))/((8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)}*(128*a^4*b^2*c^6*e^12 - 16*a^3*b^4*c^5*e^12 - 256*a^5*c^7*e^12 + 256*a^2*c^10*d^6*e^6 + 256*a^3*c^9*d^4*e^8 - 256*a^4*c^8*d^2*e^10 - 16*b^3*c^9*d^7*e^5 + 64*b^4*c^8*d^6*e^6 - 96*b^5*c^7*d^5*e^7 + 64*b^6*c^6*d^4*e^8 - 16*b^7*c^5*d^3*e^9 + 256*a^2*b^2*c^8*d^4*e^8 + 144*a^2*b^3*c^7*d^3*e^9 - 96*a^2*b^4*c^6*d^2*e^10 + 192*a^3*b^2*c^7*d^2*e^10 + 64*a*b*c^10*d^7*e^5 + 320*a^4*b*c^7*d*e^11 - 320*a*b^2*c^9*d^6*e^6 + 528*a*b^3*c^8*d^5*e^7 - 336*a*b^4*c^7*d^4*e^8 + 48*a*b^5*c^6*d^3*e^9 + 16*a*b^6*c^5*d^2*e^10 - 576*a^2*b*c^9*d^5*e^7 + 16*a^2*b^5*c^5*d*e^11 - 320*a^3*b*c^8*d^3*e^9 - 144*a^3*b^3*c^6*d*e^11))/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 6*6*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2}))/((8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} - (2*x*(4*a^3*b^7*e^10 + 4*b^3*c^7*d^10 + 4*b^10*d^3*e^7 - 36*a^4*b^5*c*e^10 - 80*a^6*b*c^3*e^10 - 4*a*b^9*d^2*e^8 - 4*a^2*b^8*d*e^9 - 64*a^2*c^8*d^9*e - 56*a^6*c^4*d*e^9 - 8*b^4*c^6*d^9*e - 8*b^9*c^4*d^4*e^8
\end{aligned}$$

$$\begin{aligned}
& + 100*a^5*b^3*c^2*e^{10} + 8*a^4*c^6*d^5*e^5 + 16*a^5*c^5*d^3*e^7 + 4*b^5*c^5*d^8*e^2 + 4*b^8*c^2*d^5*e^5 - 16*a*b*c^8*d^{10} + 80*a^2*b^4*c^4*d^5*e^5 - \\
& 160*a^2*b^5*c^3*d^4*e^6 + 16*a^2*b^6*c^2*d^3*e^7 - 64*a^3*b^2*c^5*d^5*e^5 + 128*a^3*b^3*c^4*d^4*e^6 + 96*a^3*b^4*c^3*d^3*e^7 + 8*a^3*b^5*c^2*d^2*e^8 - \\
& 120*a^4*b^2*c^4*d^3*e^7 - 124*a^4*b^3*c^3*d^2*e^8 + 48*a*b^2*c^7*d^9*e - 24*a*b^8*c*d^3*e^7 + 48*a^3*b^6*c*d*e^9 - 28*a*b^3*c^6*d^8*e^2 - 32*a*b^6*c^3*d^5*e^5 + 64*a*b^7*c^2*d^4*e^6 + 48*a^2*b*c^7*d^8*e^2 + 20*a^2*b^7*c*d^2*e^8 - \\
& 16*a^4*b*c^5*d^4*e^6 - 184*a^4*b^4*c^2*d*e^9 + 96*a^5*b*c^4*d^2*e^8 + 240*a^5*b^2*c^3*d*e^9)/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} - (16*a^3*c^6*d^9 + 4*a*b^4*c^4*d^9 + 4*a*b^8*d^5*e^4 + 4*a^5*b^4*d*e^8 + 4*a^7*c^2*d*e^8 - 20*a^2*b^2*c^5*d^9 - 4*a^2*b^7*d^4*e^5 - 4*a^4*b^5*d^2*e^7 - 64*a^4*c^5*d^7*e^2 + 64*a^5*c^4*d^5*e^4 + 4*a^6*c^3*d^3*e^6 - 36*a^2*b^4*c^3*d^7*e^2 - 40*a^2*b^5*c^2*d^6*e^3 + 96*a^3*b^2*c^4*d^7*e^2 + 128*a^3*b^3*c^3*d^6*e^3 + 164*a^3*b^4*c^2*d^5*e^4 - 224*a^4*b^2*c^3*d^5*e^4 - 104*a^4*b^3*c^2*d^4*e^5 - 20*a^5*b^2*c^2*d^3*e^6 + 4*a*b^5*c^3*d^8*e + 4*a*b^7*c*d^6*e^3 + 64*a^3*b*c^5*d^8*e - 12*a^6*b^2*c*d*e^8 + 4*a*b^6*c^2*d^7*e^2 - 32*a^2*b^3*c^4*d^8*e - 44*a^2*b^6*c*d^5*e^4 + 36*a^3*b^5*c*d^4*e^5 - 128*a^4*b*c^4*d^6*e^3 + 8*a^4*b^4*c*d^3*e^6 + 88*a^5*b*c^3*d^4*e^5 + 8*a^5*b^3*c*d^2*e^7 + 4*a^6*b*c^2*d^2*e^7)/(c^3*e^3))*(-(b^9*d^2 + a^2*b^7*e^2 - b^6*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 28*a^4*b*c^4*d^2 - 9*a^3*b^5*c*e^2 - 20*a^5*b*c^3*e^2 - 2*a*b^8*d*e + 42*a^2*b^5*c^2*d^2 - 63*a^3*b^3*c^3*d^2 - a^2*b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^3*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 25*a^4*b^3*c^2*e^2 - a^4*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*d^2 - 16*a^5*c^4*d*e + 2*a*b^5*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 20*a^2*b^6*c*d*e - 6*a^2*b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^3*b^4*c^2*d*e + 76*a^4*b^2*c^3*d*e + 3*a^3*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^3*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9*d^4 + 16*a^4*c^7*e^4 + b^4*c^7*d^4 - 8*a*b^2*c^8*d^4 - 2*b^5*c^6*d^3*e + a^2*b^4*c^5*e^4 - 8*a^3*b^2*c^6*e^4 + 32*a^3*c^8*d^2*e^2 + b^6*c^5*d^2*e^2 + 16*a*b^3*c^7*d^3*e - 2*a*b^5*c^5*d*e^3 - 32*a^2*b*c^8*d^3*e - 32*a^3*b*c^7*d*e^3 - 6*a*b^4*c^6*d^2*e^2 + 16*a^2*b^3*c^6*d*e^3)))^{(1/2)} - (2*x*(a^8*e^8 + b^8*d^8 + 2*a^4*c^4*d^8 + 20*a^2*b^4*c^2*d^8 - 16*a^3*b^2*c^3*d^8 - 8*a*b^6*c*d^8))/(c
\end{aligned}$$

$$\begin{aligned}
& -d^7e^5)^{(3/2)} - 63a^3b^3c^3d^2e^{10}x*(-d^7e^5)^{(3/2)}*(-d^7e^5)^{(1/2)})/(2*(a^7e^7 + c*d^2e^5 - b*d^2e^6)) + (\log(a^9d^4e^{26} - b^9d^{13}e^{17} \\
& + 2*a*b^8*d^{12}e^{18} - 2*a^8*b*d^5e^{25} + 2*a^8*c*d^6e^{24} - a^2*b^7*d^{11}e^{19} + a^7*b^2*d^6e^{24} + 16*a^2*c^7*d^{18}e^{12} + 16*a^5*c^4*d^{12}e^{18} + a^7*c \\
& ^2*d^8e^{22} + b^4*c^5*d^{18}e^{12} - 16*a^2*c^7*x*(-d^7e^5)^{(5/2)} - b^4*c^5*x \\
& *(-d^7e^5)^{(5/2)} - a^9e^{24}*x*(-d^7e^5)^{(1/2)} + 8*a*b^2*c^6*x*(-d^7e^5)^{(5/2)} - 42*a^2*b^5*c^2*d^{13}e^{17} + 63*a^3*b^3*c^3*d^{13}e^{17} + 66*a^3*b^4*c^ \\
& 2*d^{12}e^{18} - 76*a^4*b^2*c^3*d^{12}e^{18} - 25*a^4*b^3*c^2*d^{11}e^{19} - a^2*b^7 \\
& *e^{12}*x*(-d^7e^5)^{(3/2)} - b^9*d^2e^{10}*x*(-d^7e^5)^{(3/2)} + 11*a*b^7*c*d^{13}e^{17} - 2*a^7*b*c*d^7e^{23} - 8*a*b^2*c^6*d^{18}e^{12} - 20*a^2*b^6*c*d^{12}e^{18} \\
& + 9*a^3*b^5*c*d^{11}e^{19} - 28*a^4*b*c^4*d^{13}e^{17} + 20*a^5*b*c^3*d^{11}e^{19} \\
& - 25*a^4*b^3*c^2e^{12}*x*(-d^7e^5)^{(3/2)} - a^7*b^2*d^2e^{22}*x*(-d^7e^5)^{(1/2)} - a^7*c^2*d^4e^{20}*x*(-d^7e^5)^{(1/2)} + 2*a*b^8*d^2e^{11}*x*(-d^7e^5)^{(3/2)} \\
& + 2*a^8*b*d^2e^{23}*x*(-d^7e^5)^{(1/2)} + 9*a^3*b^5*c^2e^{12}*x*(-d^7e^5)^{(3/2)} + 20*a^5*b*c^3e^{12}*x*(-d^7e^5)^{(3/2)} + 16*a^5*c^4*d^2e^{11}*x*(-d^7e^5)^{(3/2)} \\
& - 2*a^8*c*d^2e^{22}*x*(-d^7e^5)^{(1/2)} + 11*a*b^7*c*d^2e^{10}*x*(-d^7e^5)^{(3/2)} - 20*a^2*b^6*c*d^2e^{11}*x*(-d^7e^5)^{(3/2)} + 2*a^7*b*c*d^3e^{21}*x*(-d^7e^5)^{(1/2)} \\
& + 66*a^3*b^4*c^2*d^2e^{11}*x*(-d^7e^5)^{(3/2)} - 28*a^4*b*c^4*d^2e^{10}*x*(-d^7e^5)^{(3/2)} - 76*a^4*b^2*c^3*d^2e^{11}*x*(-d^7e^5)^{(3/2)} - 42*a^2*b^5*c^2*d^2e^{10}*x*(-d^7e^5)^{(3/2)} \\
& + 63*a^3*b^3*c^3*d^2e^{10}*x*(-d^7e^5)^{(3/2)}*(-d^7e^5)^{(1/2)})/(2*a^7e^7 + 2*c*d^2e^5 - 2*b*d^2e^6) + x^3/(3*c*e) - (x*(b*e + c*d))/(c^2e^2)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**8/(e*x**2+d)/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.304 \quad \int \frac{x^6}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=323

$$\frac{\left(-\frac{2a^2ce-ab^2e-3abcd+b^3d}{\sqrt{b^2-4ac}} - abe - acd + b^2d\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}(ae^2 - bde + cd^2)} + \frac{\left(\frac{2a^2ce-ab^2e-3abcd+b^3d}{\sqrt{b^2-4ac}} - abe - acd + b^2d\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b+\sqrt{b^2-4ac}}(ae^2 - bde + cd^2)}$$

[Out] x/c/e-d^(5/2)*arctan(x*e^(1/2)/d^(1/2))/e^(3/2)/(a*e^2-b*d*e+c*d^2)+1/2*arctan(x*e^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*(b^2*d-a*c*d-a*b*e+(-2*a^2*c*e+a*b^2*e+3*a*b*c*d-b^3*d)/(-4*a*c+b^2)^(1/2))/c^(3/2)/(a*e^2-b*d*e+c*d^2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)+1/2*arctan(x*e^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*(b^2*d-a*c*d-a*b*e+(2*a^2*c*e-a*b^2*e-3*a*b*c*d+b^3*d)/(-4*a*c+b^2)^(1/2))/c^(3/2)/(a*e^2-b*d*e+c*d^2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)

Rubi [A] time = 1.37, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1287, 205, 1166}

$$\frac{\left(-\frac{2a^2ce-ab^2e-3abcd+b^3d}{\sqrt{b^2-4ac}} - abe - acd + b^2d\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}(ae^2 - bde + cd^2)} + \frac{\left(\frac{2a^2ce-ab^2e-3abcd+b^3d}{\sqrt{b^2-4ac}} - abe - acd + b^2d\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b+\sqrt{b^2-4ac}}(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^6/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] x/(c*e) + ((b^2*d - a*c*d - a*b*e - (b^3*d - 3*a*b*c*d - a*b^2*e + 2*a^2*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*c^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)) + ((b^2*d - a*c*d - a*b*e + (b^3*d - 3*a*b*c*d - a*b^2*e + 2*a^2*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*c^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(c*d^2 - b*d*e + a*e^2)) - (d^(5/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(e^(3/2)*(c*d^2 - b*d*e + a*e^2))

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{x^6}{(d+ex^2)(a+bx^2+cx^4)} dx &= \int \left(\frac{1}{ce} - \frac{d^3}{e(cd^2-bde+ae^2)(d+ex^2)} + \frac{a(bd-ae) + (b^2d-acd-abe)x^2}{c(cd^2-bde+ae^2)(a+bx^2+cx^4)} \right) dx \\ &= \frac{x}{ce} + \frac{\int \frac{a(bd-ae) + (b^2d-acd-abe)x^2}{a+bx^2+cx^4} dx}{c(cd^2-bde+ae^2)} - \frac{d^3 \int \frac{1}{d+ex^2} dx}{e(cd^2-bde+ae^2)} \\ &= \frac{x}{ce} - \frac{d^{5/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{e^{3/2}(cd^2-bde+ae^2)} + \frac{\left(b^2d-acd-abe - \frac{b^3d-3abcd-ab^2e+2a^2ce}{\sqrt{b^2-4ac}}\right) \int \frac{x^{b/2-1} dx}{\sqrt{b^2-4ac}}}{2c(cd^2-bde+ae^2)} \\ &= \frac{x}{ce} + \frac{\left(b^2d-acd-abe - \frac{b^3d-3abcd-ab^2e+2a^2ce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}(cd^2-bde+ae^2)} + \frac{(b^2d-acd-abe)}{\sqrt{b^2-4ac}} \int \frac{x^{b/2-1} dx}{\sqrt{b^2-4ac}} \end{aligned}$$

Mathematica [A] time = 0.52, size = 385, normalized size = 1.19

$$\frac{\left(-b^2\left(d\sqrt{b^2-4ac}+ae\right)+ab\left(e\sqrt{b^2-4ac}-3cd\right)+ac\left(d\sqrt{b^2-4ac}+2ae\right)+b^3d\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)+\left(b^2d-acd-abe-\frac{b^3d-3abcd-ab^2e+2a^2ce}{\sqrt{b^2-4ac}}\right)\int\frac{x^{b/2-1}dx}{\sqrt{b^2-4ac}}}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}(e(bd-ae)-cd^2)} + \frac{(b^2d-acd-abe)}{\sqrt{b^2-4ac}} \int \frac{x^{b/2-1} dx}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^6/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]
```

```
[Out] x/(c*e) + ((b^3*d - b^2*(Sqrt[b^2 - 4*a*c]*d + a*e) + a*c*(Sqrt[b^2 - 4*a*c]*d + 2*a*e) + a*b*(-3*c*d + Sqrt[b^2 - 4*a*c]*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^(3/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(-(c*d^2) + e*(b*d - a*e))) + ((b^3*d + b^2*(Sqrt[b^2 - 4*a*c]*d - a*e) + a*c*(-(Sqrt[b^2 - 4*a*c]*d) + 2*a*e) - a*b*(3*c*d + Sqrt[b^2 - 4*a*c]*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^(3/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(c*d^2 + e*(-(b*d) + a*e))) - (d^(5/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(e^(3/2)*(c*d^2 - b*d*e + a*e^2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 13.87, size = 11030, normalized size = 34.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] -d^(5/2)*arctan(x*e^(1/2)/sqrt(d))*e^(-1/2)/(c*d^2*e - b*d*e^2 + a*e^3) - 1/8*((2*b^6*c^6 - 14*a*b^4*c^7 + 24*a^2*b^2*c^8 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^6*c^4 + 7*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^4*c^5 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^5*c^5 - 12*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^2*c^6 - 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^3*c^6 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^4*c^6 + 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^2*c^7 - 2*(b^2 - 4*a*c)*b^4*c^6 + 6*(b^2 - 4*a*c)*a*b^2*c^7)*d^5 - (4*b^7*c^5 - 26*a*b^5*c^6 + 36*a^2*b^3*c^7 + 16*a^3*b*c^8 - 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^7*c^3 + 13*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^5*c^4 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^6*c^4 - 18*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^3*c^5 - 10*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^4*c^5 - 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*b^5*c^5 - 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b*c^6 - 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^2*c^6 + 5*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a*b^3*c^6 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c
```


$$\begin{aligned}
& - \sqrt{b^2 - 4ac} * c * a^2 * b * c^7 - 4 * (b^2 - 4ac) * b^5 * c^5 + 10 * (b^2 - 4ac) * a * b^3 * c^6 + 4 * (b^2 - 4ac) * a^2 * b * c^7 * d^4 * e - 2 * (\sqrt{2}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^5 * c^3 - 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^3 * c^4 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^4 * c^4 + 2 * a * b^5 * c^4 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^3 * b * c^5 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^2 * c^5 + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^3 * c^5 - 16 * a^2 * b^3 * c^5 - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b * c^6 + 32 * a^3 * b * c^6 - 2 * (b^2 - 4ac) * a * b^3 * c^4 + 8 * (b^2 - 4ac) * a^2 * b * c^5 * d^3 * \text{abs}(-c^2 * d^2 + b * c * d * e - a * c * e^2) + (2 * b^8 * c^4 - 6 * a * b^6 * c^5 - 28 * a^2 * b^4 * c^6 + 80 * a^3 * b^2 * c^7 - \sqrt{2}) * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * b^8 * c^2 + 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^6 * c^3 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * b^7 * c^3 + 14 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^4 * c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^5 * c^4 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * b^6 * c^4 - 40 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^3 * b^2 * c^5 - 20 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^3 * c^5 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^4 * c^5 + 10 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^2 * c^6 - 2 * (b^2 - 4ac) * b^6 * c^4 - 2 * (b^2 - 4ac) * a * b^4 * c^5 + 20 * (b^2 - 4ac) * a^2 * b^2 * c^6 * d^3 * e^2 + 2 * (\sqrt{2}) * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^6 * c^2 - 7 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^4 * c^3 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^5 * c^3 + 2 * a * b^6 * c^3 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^3 * b^2 * c^4 + 6 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^3 * c^4 + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^4 * c^4 - 14 * a^2 * b^4 * c^4 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^4 * c^5 + 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^3 * b * c^5 - 3 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^2 * c^5 + 16 * a^3 * b^2 * c^5 - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^3 * c^6 + 32 * a^4 * c^6 - 2 * (b^2 - 4ac) * a * b^4 * c^3 + 6 * (b^2 - 4ac) * a^2 * b^2 * c^4 + 8 * (b^2 - 4ac) * a^3 * c^5 * d^2 * \text{abs}(-c^2 * d^2 + b * c * d * e - a * c * e^2) * e - (2 * b^6 * c^2 - 18 * a * b^4 * c^3 + 48 * a^2 * b^2 * c^4 - 32 * a^3 * c^5 - \sqrt{2}) * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * b^6 + 9 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^4 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * b^5 * c - 24 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^2 * c^2 - 10 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^3 * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * b^4 * c^2 + 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^3 * c^3 + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b * c^3 + 5 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^2 * c^3 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * c^4 - 2 * (b^2 - 4ac) * b^4 * c^2 + 10 * (b^2 - 4ac) * a * b^2 * c^3 - 8 * (b^2 - 4ac) * a^2 * c^4 * (c^2 * d^2 - b * c * d * e + a * c * e^2)^2 * d - (6 * a * b^7 * c^4 - 36 * a^2 * b^5 * c^5 + 40 * a^3 * b^3 * c^6 + 32 * a^4 * b * c^7 - 3 * \sqrt{2}) * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a * b^7 * c^2 + 18 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c * a^2 * b^5 * c^3 + 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c - \sqrt{b^2 - 4ac}} * c
\end{aligned}$$

$$\begin{aligned}
& b*c - \sqrt{b^2 - 4*a*c}*c)*a*b^6*c^3 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^3*b^3*c^4 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^2*b^4*c^4 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a*b^5*c^4 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^4*b*c^5 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^3*b^2*c^5 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^2*b^3*c^5 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^6 - 6*(b^2 - 4*a*c)*a*b^5*c^4 + 12*(b^2 - 4*a*c)* \\
& a^2*b^3*c^5 + 8*(b^2 - 4*a*c)*a^3*b*c^6)*d^2*e^3 - 4*(\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^2*b^5*c^2 - 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^3*c^3 - 2*\sqrt{2}*\sqrt{b*c} \\
& - \sqrt{b^2 - 4*a*c})*a^2*b^4*c^3 + 2*a^2*b^5*c^3 + 16*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^4*b*c^4 + 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^2*c^4 + \sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^2*b^3*c^4 - 16*a^3*b^3*c^4 - 4*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b*c^5 + 32*a^4*b*c^5 - 2*(b^2 - 4*a*c)* \\
& a^2*b^3*c^3 + 8*(b^2 - 4*a*c)*a^3*b*c^4)*d*abs(-c^2*d^2 + b*c*d*e - a*c*e^2)*e^2 + (2*a*b^5*c^2 - 16*a^2*b^3*c^3 + 32*a^3*b*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})* \\
& \sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a*b^5 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^2*b^3*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a*b^4*c - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^3*b*c^2 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^2*b^2*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a*b^3*c^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^2*b*c^3 - 2*(b^2 - 4*a*c)*a*b^3*c^2 + 8*(b^2 - 4*a*c)*a^2*b*c^3)*(c^2*d^2 - b*c*d*e + a*c*e^2)^2*e + (6*a^2*b^6*c^4 - 38*a^3*b^4*c^5 + 56*a^4*b^2*c^6 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^2*b^6*c^2 + 19*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^4*c^3 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^2*b^5*c^3 - 28*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^4*b^2*c^4 - 14*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^3*c^4 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^2*b^4*c^4 + 7*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^3*b^2*c^5 - 6*(b^2 - 4*a*c)*a^2*b^4*c^4 + 14*(b^2 - 4*a*c)*a^3*b^2*c^5)*d*e^4 + 2*(\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^4*c^2 - 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^4*b^2*c^3 - 2*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^3*c^3 + 2*a^3*b^4*c^3 + 16*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^5*c^4 + 8*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^4*b*c^4 + \sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^3*b^2*c^4 - 16*a^4*b^2*c^4 - 4*\sqrt{2}*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^4*c^5 + 32*a^5*c^5 - 2*(b^2 - 4*a*c)*a^3*b^2*c^3 + 8*(b^2 - 4*a*c)*a^4*c^4)*abs(-c^2*d^2 + b*c*d*e - a*c*e^2)*e^3 - (2*a^3*b^5*c^4 - 12*a^4*b^3*c^5 + 16*a^5*b*c^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^3*b^5*c^2 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^4*b^3*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*a^3*b^4*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})* \\
& a^5*b*c^4 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c} - \sqrt{b^2 - 4*a*c})*
\end{aligned}$$

$$\begin{aligned}
& a^2 c^2) * c) * a^4 b^2 c^4 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
& c) * a^3 b^3 c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} \\
&) * c) * a^4 b^3 c^5 - 2 * (b^2 - 4ac) * a^3 b^3 c^4 + 4 * (b^2 - 4ac) * a^4 b^3 c^5) * e \\
& ^5) * \arctan(2 * \sqrt{1/2} * x / \sqrt{(b^2 c^2 d^2 - b^2 c d e + a b^2 c e^2 + \sqrt{(b^2 \\
& c^2 d^2 - b^2 c d e + a b^2 c e^2)^2 - 4 * (a^2 c^2 d^2 - a b^2 c d e + a^2 c e^2) * \\
& (c^3 d^2 - b^2 c^2 d e + a^2 c^2 e^2)})) / ((c^3 d^2 - b^2 c^2 d e + a^2 c^2 e^2))) / ((a \\
& b^4 c^5 - 8 a^2 b^2 c^6 - 2 a b^3 c^6 + 16 a^3 c^7 + 8 a^2 b^2 c^7 + a b^2 c^7 \\
& ^7 - 4 a^2 c^8) * d^4 * \text{abs}(-c^2 d^2 + b^2 c d e - a^2 c e^2) * \text{abs}(c) - 2 * (a b^5 c^4 \\
& - 8 a^2 b^3 c^5 - 2 a b^4 c^5 + 16 a^3 b^3 c^6 + 8 a^2 b^2 c^6 + a b^3 c^6 - \\
& 4 a^2 b^2 c^7) * d^3 * \text{abs}(-c^2 d^2 + b^2 c d e - a^2 c e^2) * \text{abs}(c) * e + (a b^6 c^3 - \\
& 6 a^2 b^4 c^4 - 2 a b^5 c^4 + 4 a^2 b^3 c^5 + a b^4 c^5 + 32 a^4 c^6 + 16 a^3 \\
& b^2 c^6 - 2 a^2 b^2 c^6 - 8 a^3 c^7) * d^2 * \text{abs}(-c^2 d^2 + b^2 c d e - a^2 c e^2) \\
&) * \text{abs}(c) * e^2 - 2 * (a^2 b^5 c^3 - 8 a^3 b^3 c^4 - 2 a^2 b^4 c^4 + 16 a^4 b^3 c^5 \\
& + 8 a^3 b^2 c^5 + a^2 b^3 c^5 - 4 a^3 b^3 c^6) * d * \text{abs}(-c^2 d^2 + b^2 c d e - a^2 \\
& c e^2) * \text{abs}(c) * e^3 + (a^3 b^4 c^3 - 8 a^4 b^2 c^4 - 2 a^3 b^3 c^4 + 16 a^5 c^5 + 8 a^4 \\
& b^2 c^5 + a^3 b^2 c^5 - 4 a^4 c^6) * \text{abs}(-c^2 d^2 + b^2 c d e - a^2 c e^2) * \text{abs}(c) * e^4) \\
& + 1/8 * ((2 b^6 c^6 - 14 a b^4 c^7 + 24 a^2 b^2 c^8 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * b^6 c^4 + 7 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a b^4 c^5 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} \\
&) * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^5 c^5 - 12 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a^2 b^2 c^6 - 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a b^3 c^6 - \sqrt{2} * \sqrt{b^2 - 4ac} \\
&) * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^4 c^6 + 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a b^2 c^7 - 2 * (b^2 - 4ac) * b^4 c^6 + 6 * (b^2 - 4ac) * a b^2 c^7) * d^5 - (4 b^7 c^5 - 26 a b^5 c^6 + 36 a^2 b^3 c^7 + 16 a^3 \\
& b^2 c^8 - 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^7 c^3 + 13 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a b^5 c^4 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^6 c^4 - 18 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a^2 b^3 c^5 - 10 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a b^4 c^5 - 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * b^5 c^5 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^3 b^3 c^6 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a^2 b^2 c^6 + 5 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a b^3 c^6 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a^2 b^2 c^7 - 4 * (b^2 - 4ac) * b^5 c^5 + 10 * (b^2 - 4ac) * a b^3 c^6 + 4 * (b^2 - 4ac) * a^2 b^2 c^7) * d^4 * e + 2 * (\sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a b^5 c^3 - 8 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2 b^3 c^4 - 2 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a b^4 c^4 - 2 a b^5 c^4 + 16 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a^3 b^3 c^5 + 8 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a^2 b^2 c^5 + \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * a b^3 c^5 + 16 a^2 b^3 c^5 - 4 * \sqrt{2} * \sqrt{bc + \sqrt{b^2 - 4ac}} \\
&) * c) * a^2 b^2 c^6 - 32 a^3 b^3 c^6 + 2 * (b^2 - 4ac) * a b^3 c^4 - 8 * (b^2 - 4ac) * a^2 b^2 c^5) * d^3 * \text{abs}(-c^2 d^2 + b^2 c d e - a^2 c e^2) + (2 b^8 \\
& c^4 - 6 a b^6 c^5 - 28 a^2 b^4 c^6 + 80 a^3 b^2 c^7 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc + \sqrt{b^2 - 4ac}} * c) * b^8 c^2 + 3 * \sqrt{2} * \sqrt{b^2 - 4ac} *
\end{aligned}$$

$$\begin{aligned}
& \sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^6*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^7*c^3 + 14*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^4*c^4 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^5*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^6*c^4 - 40*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^5 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^5 + 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^6 - 2*(b^2 - 4*a*c)*b^6*c^4 - 2*(b^2 - 4*a*c)*a*b^4*c^5 + 20*(b^2 - 4*a*c)*a^2*b^2*c^6)*d^3*e^2 - 2*(\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^6*c^2 - 7*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^4*c^3 - 2*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^5*c^3 - 2*a*b^6*c^3 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^4 + 6*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c^4 + \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^4 + 14*a^2*b^4*c^4 + 16*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*c^5 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b*c^5 - 3*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^5 - 16*a^3*b^2*c^5 - 4*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*c^6 - 32*a^4*c^6 + 2*(b^2 - 4*a*c)*a*b^4*c^3 - 6*(b^2 - 4*a*c)*a^2*b^2*c^4 - 8*(b^2 - 4*a*c)*a^3*c^5)*d^2*abs(-c^2*d^2 + b*c*d*e - a*c*e^2)*e - (2*b^6*c^2 - 18*a*b^4*c^3 + 48*a^2*b^2*c^4 - 32*a^3*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^6 + 9*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^5*c - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^2 - 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^4*c^2 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*c^3 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^3 + 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^3 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^4 - 2*(b^2 - 4*a*c)*b^4*c^2 + 10*(b^2 - 4*a*c)*a*b^2*c^3 - 8*(b^2 - 4*a*c)*a^2*c^4)*(c^2*d^2 - b*c*d*e + a*c*e^2)^2*d - (6*a*b^7*c^4 - 36*a^2*b^5*c^5 + 40*a^3*b^3*c^6 + 32*a^4*b*c^7 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^7*c^2 + 18*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^5*c^3 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^6*c^3 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^4 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^4*c^4 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^5*c^4 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b*c^5 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^5 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c^5 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b*c^6 - 6*(b^2 - 4*a*c)*a*b^5*c^4 + 12*(b^2 - 4*a*c)*a^2*b^3*c^5 + 8*(b^2 - 4*a*c)*a^3*b*c^6)*d^2*e^3 + 4*(\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^5*c^2 - 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^3 - 2*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a
\end{aligned}$$

$$\begin{aligned}
&^2*b^4*c^3 - 2*a^2*b^5*c^3 + 16*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4 \\
&*b*c^4 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^4 + \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c^4 + 16*a^3*b^3*c^4 - 4*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b*c^5 - 32*a^4*b*c^5 + 2*(b^2 - 4*a*c)*a^2*b^3*c^3 - 8*(b^2 - 4*a*c)*a^3*b*c^4)*d*\text{abs}(-c^2*d^2 + b*c*d*e - a*c*e^2)*e^2 + (2*a*b^5*c^2 - 16*a^2*b^3*c^3 + 32*a^3*b*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^5 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b*c^2 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^2 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^3 - 2*(b^2 - 4*a*c)*a*b^3*c^2 + 8*(b^2 - 4*a*c)*a^2*b*c^3)*(c^2*d^2 - b*c*d*e + a*c*e^2)^2*e + (6*a^2*b^6*c^4 - 38*a^3*b^4*c^5 + 56*a^4*b^2*c^6 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^6*c^2 + 19*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^4*c^3 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^5*c^3 - 28*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b^2*c^4 - 14*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^4 - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^4*c^4 + 7*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^5 - 6*(b^2 - 4*a*c)*a^2*b^4*c^4 + 14*(b^2 - 4*a*c)*a^3*b^2*c^5)*d*e^4 - 2*(\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^4*c^2 - 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b^2*c^3 - 2*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^3 - 2*a^3*b^4*c^3 + 16*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^5*c^4 + 8*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b*c^4 + \sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^4 + 16*a^4*b^2*c^4 - 4*\sqrt{2}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*c^5 - 32*a^5*c^5 + 2*(b^2 - 4*a*c)*a^3*b^2*c^3 - 8*(b^2 - 4*a*c)*a^4*c^4)*\text{abs}(-c^2*d^2 + b*c*d*e - a*c*e^2)*e^3 - (2*a^3*b^5*c^4 - 12*a^4*b^3*c^5 + 16*a^5*b*c^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^5*c^2 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b^3*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^4*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^5*b*c^4 - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b^2*c^4 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^4 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*b*c^5 - 2*(b^2 - 4*a*c)*a^3*b^3*c^4 + 4*(b^2 - 4*a*c)*a^4*b*c^5)*e^5)*\arctan(2*\sqrt{1/2}*x/\sqrt{(b*c^2*d^2 - b^2*c*d*e + a*b*c*e^2 - \sqrt{(b*c^2*d^2 - b^2*c*d*e + a*b*c*e^2)^2 - 4*(a*c^2*d^2 - a*b*c*d*e + a^2*c*e^2)}*(c^3*d^2 - b*c^2*d*e + a*c^2*e^2)))/((a*b^4*c^5 - 8*a^2*b^2*c^6 - 2*a*b^3*c^6 + 16*a^3*c^7 + 8*a^2*b*c^7 + a*b^2*c^7 - 4*a^2*c^8)*d^4*\text{abs}(-c^2*d^2 + b*c*d*e - a*c*e^2)*\text{abs}(c)*e + (a*b^6*c^3 - 6*a^2*b^4*c^4 - 2*a*b^5*c^4 + 4*a^2*b^3*c^5 + a*b^4*c^5
\end{aligned}$$

$$\begin{aligned}
& + 32*a^4*c^6 + 16*a^3*b*c^6 - 2*a^2*b^2*c^6 - 8*a^3*c^7)*d^2*abs(-c^2*d^2 \\
& + b*c*d*e - a*c*e^2)*abs(c)*e^2 - 2*(a^2*b^5*c^3 - 8*a^3*b^3*c^4 - 2*a^2*b^4 \\
& *c^4 + 16*a^4*b*c^5 + 8*a^3*b^2*c^5 + a^2*b^3*c^5 - 4*a^3*b*c^6)*d*abs(-c^2 \\
& *d^2 + b*c*d*e - a*c*e^2)*abs(c)*e^3 + (a^3*b^4*c^3 - 8*a^4*b^2*c^4 - 2*a^3 \\
& *b^3*c^4 + 16*a^5*c^5 + 8*a^4*b*c^5 + a^3*b^2*c^5 - 4*a^4*c^6)*abs(-c^2*d^2 \\
& + b*c*d*e - a*c*e^2)*abs(c)*e^4) + x*e^(-1)/c
\end{aligned}$$

maple [B] time = 0.04, size = 1098, normalized size = 3.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^6/(e*x^2+d)/(c*x^4+b*x^2+a), x)$

[Out] $1/c/e*x^{1/2}/(a*e^2-b*d*e+c*d^2)/c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}$
 $*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*b*e^{1/2}/(a*e^2-b*d$
 $*e+c*d^2)*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+$
 $(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*d-1/2/(a*e^2-b*d*e+c*d^2)/c*2^{(1/2)}/((-b$
 $+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{($
 $1/2)*c*x)*b^2*d+1/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a$
 $*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c$
 $*x)*a^2*e-1/2/(a*e^2-b*d*e+c*d^2)/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c$
 $+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x$
 $)*a*b^2*e-3/2/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b$
 $^2)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*$
 $a*b*d+1/2/(a*e^2-b*d*e+c*d^2)/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2$
 $)^{(1/2)})*c)^{(1/2)}*\text{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*b^2$
 $*d-1/2/(a*e^2-b*d*e+c*d^2)/c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}$
 $(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*a*b*e-1/2/(a*e^2-b*d*e+c*d$
 $^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2$
 $)^{(1/2)})*c)^{(1/2)*c*x)*a*d+1/2/(a*e^2-b*d*e+c*d^2)/c*2^{(1/2)}/((b+(-4*a*c+b^2$
 $)^{(1/2)})*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*b^2$
 $*d+1/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})$
 $*c)^{(1/2)}*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*a^2*e-1/2/(a$
 $*e^2-b*d*e+c*d^2)/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{($
 $1/2)*\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*a*b^2*e-3/2/(a*e^2$
 $-b*d*e+c*d^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*$
 $\text{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*a*b*d+1/2/(a*e^2-b*d*e$
 $+c*d^2)/c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}}$
 $(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*b^3*d-1/e*d^3/(a*e^2-b*d*e+$
 $c*d^2)/(d*e)^{(1/2)}*\text{arctan}(1/(d*e)^{(1/2)}*e*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{d^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2e - bde^2 + ae^3)\sqrt{de}} - \frac{\int \frac{abd - a^2e - (abe - (b^2 - ac)d)x^2}{cx^4 + bx^2 + a} dx}{c^2d^2 - bcde + ace^2} + \frac{x}{ce}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] -d^3*arctan(e*x/sqrt(d*e))/((c*d^2*e - b*d*e^2 + a*e^3)*sqrt(d*e)) - integrate(-(a*b*d - a^2*e - (a*b*e - (b^2 - a*c)*d)*x^2)/(c*x^4 + b*x^2 + a), x)/(c^2*d^2 - b*c*d*e + a*c*e^2) + x/(c*e)

mupad [B] time = 6.45, size = 33892, normalized size = 104.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] x/(c*e) - atan((((((((64*a^5*c^4*d*e^8 + 64*a^3*c^6*d^5*e^4 + 128*a^4*c^5*d^3*e^6 - 144*a^2*b^2*c^5*d^5*e^4 + 64*a^2*b^3*c^4*d^4*e^5 + 16*a^2*b^4*c^3*d^3*e^6 - 96*a^3*b^2*c^4*d^3*e^6 + 16*a^3*b^3*c^3*d^2*e^7 - 16*a*b^3*c^5*d^6*e^3 + 32*a*b^4*c^4*d^5*e^4 - 16*a*b^5*c^3*d^4*e^5 + 64*a^2*b*c^6*d^6*e^3 - 64*a^4*b*c^4*d^2*e^7 - 16*a^4*b^2*c^3*d*e^8)/(c*e) - (2*x*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2*(-(4*a*c - b^2)^3)^(1/2) - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - a^2*c^2*d^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^(1/2) + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^(1/2) - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^(1/2)))/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3))))^(1/2)*(128*a^4*b^2*c^4*e^10 - 16*a^3*b^4*c^3*e^10 - 256*a^5*c^5*e^10 + 256*a^2*c^8*d^6*e^4 + 256*a^3*c^7*d^4*e^6 - 256*a^4*c^6*d^2*e^8 - 16*b^3*c^7*d^7*e^3 + 64*b^4*c^6*d^6*e^4 - 96*b^5*c^5*d^5*e^5 + 64*b^6*c^4*d^4*e^6 - 16*b^7*c^3*d^3*e^7 + 256*a^2*b^2*c^6*d^4*e^6 + 144*a^2*b^3*c^5*d^3*e^7 - 96*a^2*b^4*c^4*d^2*e^8 + 192*a^3*b^2*c^5*d^2*e^8 + 64*a*b*c^8*d^7*e^3 + 320*a^4*b*c^5*d*e^9 - 320*a*b^2*c^7*d^6*e^4 + 528*a*b^3*c^6*d^5*e^5 - 336*a*b^4*c^5*d^4*e^6 + 48*a*b^5*c^4*d^3*e^7 + 16*a*b^6*c^3*d^2*e^8 - 576*a^2*b*c^7*d^5*e^5 + 16*a^2*b^5*c^3*d*e^9 - 320*a^3*b*c^6*d^3*e^7 - 144*a^3*b^3*c^4*d*e^9))/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*d^2

$$\begin{aligned}
& - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2* \\
& a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3) \\
& ^{(1/2)})/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 \\
& - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e \\
& ^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^ \\
& 6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)) \\
&)^{(1/2)} + (2*x*(4*a^3*b^5*e^8 + 4*b^3*c^5*d^8 + 4*b^8*d^3*e^5 - 28*a^4*b^3* \\
& c*e^8 + 48*a^5*b*c^2*e^8 - 4*a*b^7*d^2*e^6 - 4*a^2*b^6*d*e^7 - 64*a^2*c^6*d \\
& ^7*e + 56*a^5*c^3*d*e^7 - 8*b^4*c^4*d^7*e - 8*b^7*c*d^4*e^4 - 8*a^3*c^5*d^5 \\
& *e^3 - 16*a^4*c^4*d^3*e^5 + 4*b^5*c^3*d^6*e^2 + 4*b^6*c^2*d^5*e^3 - 16*a*b* \\
& c^6*d^8 + 36*a^2*b^2*c^4*d^5*e^3 - 72*a^2*b^3*c^3*d^4*e^4 - 12*a^2*b^4*c^2* \\
& d^3*e^5 + 64*a^3*b^2*c^3*d^3*e^5 + 28*a^3*b^3*c^2*d^2*e^6 + 48*a*b^2*c^5*d^ \\
& 7*e - 16*a*b^6*c*d^3*e^5 + 40*a^3*b^4*c*d*e^7 - 28*a*b^3*c^4*d^6*e^2 - 24*a \\
& *b^4*c^3*d^5*e^3 + 48*a*b^5*c^2*d^4*e^4 + 48*a^2*b*c^5*d^6*e^2 + 12*a^2*b^5 \\
& *c*d^2*e^6 + 16*a^3*b*c^4*d^4*e^4 - 64*a^4*b*c^3*d^2*e^6 - 108*a^4*b^2*c^2* \\
& d*e^7))/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 1 \\
& 6*a^4*c^3*d*e + 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e + 3 \\
& *a*b^2*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 \\
& - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 \\
& + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d \\
& *e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a \\
& ^2*b^3*c^4*d*e^3)))^{(1/2)} - (4*a*b^3*c^3*d^7 - 16*a^2*b*c^4*d^7 + 4*a*b^6*d \\
& ^4*e^3 + 4*a^4*b^3*d*e^6 + 48*a^3*c^4*d^6*e - 4*a^2*b^5*d^3*e^4 - 4*a^3*b^4 \\
& *d^2*e^5 - 60*a^4*c^3*d^4*e^3 + 4*a^5*c^2*d^2*e^5 - 8*a^5*b*c*d*e^6 - 32*a^ \\
& 2*b^3*c^2*d^5*e^2 + 92*a^3*b^2*c^2*d^4*e^3 + 4*a*b^4*c^2*d^6*e + 4*a*b^5*c* \\
& d^5*e^2 - 28*a^2*b^2*c^3*d^6*e - 36*a^2*b^4*c*d^4*e^3 + 64*a^3*b*c^3*d^5*e^ \\
& 2 + 36*a^3*b^3*c*d^3*e^4 - 60*a^4*b*c^2*d^3*e^4 + 4*a^4*b^2*c*d^2*e^5)/(c*e \\
&))*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c \\
& ^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2*(-(4*a*c - b^2)^3)^ \\
& ^{(1/2)} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} - a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d* \\
& e + 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2 \\
& *(- (4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)})/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c \\
& ^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6 \\
& *d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^ \\
& 2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d \\
& *e^3)))^{(1/2)} + (2*x*(a^6*e^6 + b^6*d^6 - 2*a^3*c^3*d^6 + 9*a^2*b^2*c^2*d^6
\end{aligned}$$

$$\begin{aligned}
& - 6*a*b^4*c*d^6)) / (c*e)) * (- (b^7*d^2 + a^2*b^5*e^2 - b^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - a^2*c^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e * (- (4*a*c - b^2)^3)^{1/2} + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{1/2} * i - ((((((64*a^5*c^4*d*e^8 + 64*a^3*c^6*d^5*e^4 + 128*a^4*c^5*d^3*e^6 - 144*a^2*b^2*c^5*d^5*e^4 + 64*a^2*b^3*c^4*d^4*e^5 + 16*a^2*b^4*c^3*d^3*e^6 - 96*a^3*b^2*c^4*d^3*e^6 + 16*a^3*b^3*c^3*d^2*e^7 - 16*a*b^3*c^5*d^6*e^3 + 32*a*b^4*c^4*d^5*e^4 - 16*a*b^5*c^3*d^4*e^5 + 64*a^2*b*c^6*d^6*e^3 - 64*a^4*b*c^4*d^2*e^7 - 16*a^4*b^2*c^3*d*e^8) / (c*e) + (2*x * (- (b^7*d^2 + a^2*b^5*e^2 - b^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - a^2*c^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e * (- (4*a*c - b^2)^3)^{1/2} + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{1/2} * (128*a^4*b^2*c^4*e^10 - 16*a^3*b^4*c^3*e^10 - 256*a^5*c^5*e^10 + 256*a^2*c^8*d^6*e^4 + 256*a^3*c^7*d^4*e^6 - 256*a^4*c^6*d^2*e^8 - 16*b^3*c^7*d^7*e^3 + 64*b^4*c^6*d^6*e^4 - 96*b^5*c^5*d^5*e^5 + 64*b^6*c^4*d^4*e^6 - 16*b^7*c^3*d^3*e^7 + 256*a^2*b^2*c^6*d^4*e^6 + 144*a^2*b^3*c^5*d^3*e^7 - 96*a^2*b^4*c^4*d^2*e^8 + 192*a^3*b^2*c^5*d^2*e^8 + 64*a*b*c^8*d^7*e^3 + 320*a^4*b*c^5*d*e^9 - 320*a*b^2*c^7*d^6*e^4 + 528*a*b^3*c^6*d^5*e^5 - 336*a*b^4*c^5*d^4*e^6 + 48*a*b^5*c^4*d^3*e^7 + 16*a*b^6*c^3*d^2*e^8 - 576*a^2*b*c^7*d^5*e^5 + 16*a^2*b^5*c^3*d*e^9 - 320*a^3*b*c^6*d^3*e^7 - 144*a^3*b^3*c^4*d*e^9) / (c*e)) * (- (b^7*d^2 + a^2*b^5*e^2 - b^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3*c*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - a^2*c^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e * (- (4*a*c - b^2)^3)^{1/2} + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{1/2} - (2*x * (4*a^3*b^5*e^8 + 4*b^3*c^5*d^8 + 4*b^8*d^3*e^5 - 28*a^4*b^3*c*e^8 + 48*a^5*b*c^2*e^8 - 4*a*b^7*d^2*e^6 - 4*a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^6*d*e^7 - 64*a^2*c^6*d^7*e + 56*a^5*c^3*d*e^7 - 8*b^4*c^4*d^7*e - 8*b^7 \\
& *c*d^4*e^4 - 8*a^3*c^5*d^5*e^3 - 16*a^4*c^4*d^3*e^5 + 4*b^5*c^3*d^6*e^2 + 4 \\
& *b^6*c^2*d^5*e^3 - 16*a*b*c^6*d^8 + 36*a^2*b^2*c^4*d^5*e^3 - 72*a^2*b^3*c^3 \\
& *d^4*e^4 - 12*a^2*b^4*c^2*d^3*e^5 + 64*a^3*b^2*c^3*d^3*e^5 + 28*a^3*b^3*c^2 \\
& *d^2*e^6 + 48*a*b^2*c^5*d^7*e - 16*a*b^6*c*d^3*e^5 + 40*a^3*b^4*c*d*e^7 - 2 \\
& 8*a*b^3*c^4*d^6*e^2 - 24*a*b^4*c^3*d^5*e^3 + 48*a*b^5*c^2*d^4*e^4 + 48*a^2* \\
& b*c^5*d^6*e^2 + 12*a^2*b^5*c*d^2*e^6 + 16*a^3*b*c^4*d^4*e^4 - 64*a^4*b*c^3* \\
& d^2*e^6 - 108*a^4*b^2*c^2*d*e^7)/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2 \\
& *(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c \\
& ^2*e^2 + a^3*c*e^2*(-(4*a*c - b^2)^3)^(1/2) - 2*a*b^6*d*e + 25*a^2*b^3*c^2* \\
& d^2 - a^2*b^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - a^2*c^2*d^2*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^(1 \\
& /2) + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^(1/2) - 36*a^3*b^ \\
& 2*c^2*d*e - 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^2*c^7*d^4 + 16 \\
& *a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^ \\
& 3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3 \\
& *c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - \\
& 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^(1/2) - (4*a*b^3*c^3*d^7 - 16 \\
& *a^2*b*c^4*d^7 + 4*a*b^6*d^4*e^3 + 4*a^4*b^3*d*e^6 + 48*a^3*c^4*d^6*e - 4*a \\
& ^2*b^5*d^3*e^4 - 4*a^3*b^4*d^2*e^5 - 60*a^4*c^3*d^4*e^3 + 4*a^5*c^2*d^2*e^5 \\
& - 8*a^5*b*c*d*e^6 - 32*a^2*b^3*c^2*d^5*e^2 + 92*a^3*b^2*c^2*d^4*e^3 + 4*a* \\
& b^4*c^2*d^6*e + 4*a*b^5*c*d^5*e^2 - 28*a^2*b^2*c^3*d^6*e - 36*a^2*b^4*c*d^4 \\
& *e^3 + 64*a^3*b*c^3*d^5*e^2 + 36*a^3*b^3*c*d^3*e^4 - 60*a^4*b*c^2*d^3*e^4 + \\
& 4*a^4*b^2*c*d^2*e^5)/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2*(-(4*a*c - \\
& b^2)^3)^(1/2) - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 + a^3 \\
& *c*e^2*(-(4*a*c - b^2)^3)^(1/2) - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 - a^2*b^ \\
& 2*e^2*(-(4*a*c - b^2)^3)^(1/2) - a^2*c^2*d^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a \\
& *b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^(1/2) + 16*a^2 \\
& *b^4*c*d*e + 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^(1/2) - 36*a^3*b^2*c^2*d*e - \\
& 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 \\
& + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^ \\
& 3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - \\
& 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4* \\
& d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^(1/2) - (2*x*(a^6*e^6 + b^6*d^6 - 2*a^3*c \\
& ^3*d^6 + 9*a^2*b^2*c^2*d^6 - 6*a*b^4*c*d^6))/(c*e))*(-(b^7*d^2 + a^2*b^5*e^ \\
& 2 - b^4*d^2*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + \\
& 12*a^4*b*c^2*e^2 + a^3*c*e^2*(-(4*a*c - b^2)^3)^(1/2) - 2*a*b^6*d*e + 25*a \\
& ^2*b^3*c^2*d^2 - a^2*b^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - a^2*c^2*d^2*(-(4*a* \\
& c - b^2)^3)^(1/2) - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e + 2*a*b^3*d*e*(-(4*a*c - \\
& b^2)^3)^(1/2) + 16*a^2*b^4*c*d*e + 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^(1/2) \\
& - 36*a^3*b^2*c^2*d*e - 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(16*a^2*c \\
& ^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + \\
& a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 \\
& + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c \\
& ^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^(1/2)*i)/((((((64
\end{aligned}$$

$$\begin{aligned}
& a^5c^4d^8e^8 + 64a^3c^6d^5e^4 + 128a^4c^5d^3e^6 - 144a^2b^2c^5 \\
& d^5e^4 + 64a^2b^3c^4d^4e^5 + 16a^2b^4c^3d^3e^6 - 96a^3b^2c^4 \\
& d^3e^6 + 16a^3b^3c^3d^2e^7 - 16a^2b^3c^5d^6e^3 + 32a^2b^4c^4d^5 \\
& e^4 - 16a^2b^5c^3d^4e^5 + 64a^2b^6c^6d^6e^3 - 64a^4b^6c^4d^2e^7 - \\
& 16a^4b^2c^3d^8e^8)/(c^2e) - (2*x*(-(b^7*d^2 + a^2*b^5*e^2 - b^4*d^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 20a^3*b^3*c^3*d^2 - 7a^3*b^3*c^3*e^2 + 12a^4*b^3*c^2*e^ \\
& 2 + a^3*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2a^2*b^6*d^2e + 25a^2*b^3*c^2*d^2 - \\
& a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) - 9a^2*b^5*c^3*d^2 + 16a^4*c^3*d^2e + 2a^2*b^3*d^2e*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 16a^2*b^4*c^3*d^2e + 3a^2*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36a^3*b^2*c^2 \\
& d^2e - 4a^2*b^6*c^3*d^2e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16a^2*c^7*d^4 + 16a^4*c^ \\
& 5*e^4 + b^4*c^5*d^4 - 8a^2*b^2*c^6*d^4 - 2b^5*c^4*d^3e + a^2*b^4*c^3e^4 \\
& - 8a^3*b^2*c^4e^4 + 32a^3*c^6*d^2e^2 + b^6*c^3*d^2e^2 + 16a^2*b^3*c^5 \\
& d^3e - 2a^2*b^5*c^3*d^2e^3 - 32a^2*b^6*c^6*d^3e - 32a^3*b^6*c^5*d^2e^3 - 6a^2*b \\
& ^4*c^4*d^2e^2 + 16a^2*b^3*c^4*d^2e^3)))^{(1/2)}*(128a^4*b^2*c^4e^10 - 16a^ \\
& ^3*b^4*c^3e^10 - 256a^5*c^5e^10 + 256a^2*c^8*d^6e^4 + 256a^3*c^7*d^4e \\
& e^6 - 256a^4*c^6*d^2e^8 - 16b^3*c^7*d^7e^3 + 64b^4*c^6*d^6e^4 - 96b^ \\
& 5*c^5*d^5e^5 + 64b^6*c^4*d^4e^6 - 16b^7*c^3*d^3e^7 + 256a^2*b^2*c^6*d \\
& ^4e^6 + 144a^2*b^3*c^5*d^3e^7 - 96a^2*b^4*c^4*d^2e^8 + 192a^3*b^2*c^5 \\
& d^2e^8 + 64a^2*b^6*c^8*d^7e^3 + 320a^4*b^6*c^5*d^6e^9 - 320a^2*b^2*c^7*d^6e^4 \\
& + 528a^2*b^3*c^6*d^5e^5 - 336a^2*b^4*c^5*d^4e^6 + 48a^2*b^5*c^4*d^3e^7 + 1 \\
& 6a^2*b^6*c^3*d^2e^8 - 576a^2*b^6*c^7*d^5e^5 + 16a^2*b^5*c^3*d^2e^9 - 320a^ \\
& 3*b^6*c^6*d^3e^7 - 144a^3*b^3*c^4*d^2e^9))/(c^2e))*(-(b^7*d^2 + a^2*b^5*e^2 - \\
& b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20a^3*b^3*c^3*d^2 - 7a^3*b^3*c^3*e^2 + 12 \\
& a^4*b^3*c^2e^2 + a^3*c^2e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2a^2*b^6*d^2e + 25a^2*b^ \\
& ^3*c^2*d^2 - a^2*b^2e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^2*c^2*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 9a^2*b^5*c^3*d^2 + 16a^4*c^3*d^2e + 2a^2*b^3*d^2e*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 16a^2*b^4*c^3*d^2e + 3a^2*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3 \\
& 6a^3*b^2*c^2*d^2e - 4a^2*b^6*c^3*d^2e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16a^2*c^7*d^ \\
& 4 + 16a^4*c^5e^4 + b^4*c^5*d^4 - 8a^2*b^2*c^6*d^4 - 2b^5*c^4*d^3e + a^ \\
& 2*b^4*c^3e^4 - 8a^3*b^2*c^4e^4 + 32a^3*c^6*d^2e^2 + b^6*c^3*d^2e^2 + \\
& 16a^2*b^3*c^5*d^3e - 2a^2*b^5*c^3*d^2e^3 - 32a^2*b^6*c^6*d^3e - 32a^3*b^6*c^5 \\
& d^2e^3 - 6a^2*b^4*c^4*d^2e^2 + 16a^2*b^3*c^4*d^2e^3)))^{(1/2)} + (2*x*(4a^3*b \\
& ^5e^8 + 4b^3*c^5*d^8 + 4b^8*d^3e^5 - 28a^4*b^3*c^3e^8 + 48a^5*b^3*c^2e^ \\
& 8 - 4a^2*b^7*d^2e^6 - 4a^2*b^6*d^2e^7 - 64a^2*c^6*d^7e + 56a^5*c^3*d^2e^7 \\
& - 8b^4*c^4*d^7e - 8b^7*c^4*d^4e^4 - 8a^3*c^5*d^5e^3 - 16a^4*c^4*d^3e \\
& ^5 + 4b^5*c^3*d^6e^2 + 4b^6*c^2*d^5e^3 - 16a^2*b^6*c^6*d^8 + 36a^2*b^2*c^ \\
& 4*d^5e^3 - 72a^2*b^3*c^3*d^4e^4 - 12a^2*b^4*c^2*d^3e^5 + 64a^3*b^2*c^ \\
& 3*d^3e^5 + 28a^3*b^3*c^2*d^2e^6 + 48a^2*b^2*c^5*d^7e - 16a^2*b^6*c^6*d^3e^ \\
& 5 + 40a^3*b^4*c^3*d^2e^7 - 28a^2*b^3*c^4*d^6e^2 - 24a^2*b^4*c^3*d^5e^3 + 48a^ \\
& 2*b^5*c^2*d^4e^4 + 48a^2*b^6*c^5*d^6e^2 + 12a^2*b^5*c^3*d^2e^6 + 16a^3*b^6*c^ \\
& ^4*d^4e^4 - 64a^4*b^6*c^3*d^2e^6 - 108a^4*b^2*c^2*d^2e^7))/(c^2e))*(-(b^7*d \\
& ^2 + a^2*b^5*e^2 - b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20a^3*b^3*c^3*d^2 - 7a^ \\
& ^3*b^3*c^3*e^2 + 12a^4*b^3*c^2e^2 + a^3*c^2e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2a^ \\
& 2*b^6*d^2e + 25a^2*b^3*c^2*d^2 - a^2*b^2e^2*(-(4*a*c - b^2)^3)^{(1/2)} - a^2*
\end{aligned}$$

$$\begin{aligned}
& c^2 d^2 (- (4ac - b^2)^3)^{1/2} - 9a^5 b^5 c^2 d^2 + 16a^4 c^3 d^3 e + 2a^5 b^3 d^3 e^2 \\
& * d^2 e (- (4ac - b^2)^3)^{1/2} + 16a^2 b^4 c^2 d^3 e + 3a^5 b^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} \\
& - 36a^3 b^2 c^2 d^3 e - 4a^2 b^3 c^2 d^3 e (- (4ac - b^2)^3)^{1/2} \\
&) / (8(16a^2 c^7 d^4 + 16a^4 c^5 e^4 + b^4 c^5 d^4 - 8a^5 b^2 c^6 d^4 - 2b^5 c^4 d^3 e \\
& + a^2 b^4 c^3 e^4 - 8a^3 b^2 c^4 e^4 + 32a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16a^5 b^3 c^5 d^3 e \\
& - 2a^5 b^5 c^3 d^3 e^3 - 32a^2 b^3 c^6 d^3 e - 32a^3 b^3 c^5 d^3 e^3 - 6a^5 b^4 c^4 d^2 e^2 \\
& + 16a^2 b^3 c^4 d^3 e^3))^{1/2} - (4a^5 b^3 c^3 d^7 - 16a^2 b^3 c^4 d^7 + 4a^5 b^6 d^4 e^3 + 4a^4 b^3 d^3 e^6 \\
& + 48a^3 c^4 d^6 e - 4a^2 b^5 d^3 e^4 - 4a^3 b^4 d^2 e^5 - 60a^4 c^3 d^4 e^3 + 4a^5 c^2 d^2 e^5 \\
& - 8a^5 b^3 c^2 d^5 e^2 + 92a^3 b^2 c^2 d^4 e^3 + 4a^5 b^4 c^2 d^6 e + 4a^5 b^5 c^2 d^5 e^2 - 28a^2 b^2 c^3 \\
& d^6 e - 36a^2 b^4 c^2 d^4 e^3 + 64a^3 b^3 c^3 d^5 e^2 + 36a^3 b^3 c^3 d^3 e^4 - 60a^4 b^2 c^2 d^3 e^4 \\
& + 4a^4 b^2 c^2 d^2 e^5) / (c^2 e) * (- (b^7 d^2 + a^2 b^5 e^2 - b^4 d^2 (- (4ac - b^2)^3)^{1/2} \\
& - 20a^3 b^3 c^3 d^2 - 7a^3 b^3 c^3 e^2 + 12a^4 b^2 c^2 e^2 + a^3 c^3 e^2 (- (4ac - b^2)^3)^{1/2} \\
& - 2a^5 b^6 d^3 e + 25a^2 b^3 c^2 d^2 - a^2 b^2 e^2 (- (4ac - b^2)^3)^{1/2} - a^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} \\
& - 9a^5 b^5 c^2 d^2 + 16a^4 c^3 d^3 e + 2a^5 b^3 d^3 e (- (4ac - b^2)^3)^{1/2} + 16a^2 b^4 c^2 d^3 e \\
& + 3a^5 b^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} - 36a^3 b^2 c^2 d^3 e - 4a^2 b^3 c^2 d^3 e (- (4ac - b^2)^3)^{1/2} \\
&) / (8(16a^2 c^7 d^4 + 16a^4 c^5 e^4 + b^4 c^5 d^4 - 8a^5 b^2 c^6 d^4 - 2b^5 c^4 d^3 e + a^2 b^4 c^3 e^4 \\
& - 8a^3 b^2 c^4 e^4 + 32a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16a^5 b^3 c^5 d^3 e - 2a^5 b^5 c^3 d^3 e^3 \\
& - 32a^2 b^3 c^6 d^3 e - 32a^3 b^3 c^5 d^3 e^3 - 6a^5 b^4 c^4 d^2 e^2 + 16a^2 b^3 c^4 d^3 e^3))^{1/2} \\
& + (2x^2 (a^6 e^6 + b^6 d^6 - 2a^3 c^3 d^6 + 9a^2 b^2 c^2 d^6 - 6a^5 b^4 c^2 d^6)) / (c^2 e) * (- (b^7 d^2 + a^2 b^5 e^2 \\
& - b^4 d^2 (- (4ac - b^2)^3)^{1/2} - 20a^3 b^3 c^3 d^2 - 7a^3 b^3 c^3 e^2 + 12a^4 b^2 c^2 e^2 + a^3 c^3 e^2 (- (4ac - b^2)^3)^{1/2} \\
& - 2a^5 b^6 d^3 e + 25a^2 b^3 c^2 d^2 - a^2 b^2 e^2 (- (4ac - b^2)^3)^{1/2} - a^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} \\
& - 9a^5 b^5 c^2 d^2 + 16a^4 c^3 d^3 e + 2a^5 b^3 d^3 e (- (4ac - b^2)^3)^{1/2} + 16a^2 b^4 c^2 d^3 e \\
& + 3a^5 b^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} - 36a^3 b^2 c^2 d^3 e - 4a^2 b^3 c^2 d^3 e (- (4ac - b^2)^3)^{1/2} \\
&) / (8(16a^2 c^7 d^4 + 16a^4 c^5 e^4 + b^4 c^5 d^4 - 8a^5 b^2 c^6 d^4 - 2b^5 c^4 d^3 e + a^2 b^4 c^3 e^4 \\
& - 8a^3 b^2 c^4 e^4 + 32a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16a^5 b^3 c^5 d^3 e - 2a^5 b^5 c^3 d^3 e^3 \\
& - 32a^2 b^3 c^6 d^3 e - 32a^3 b^3 c^5 d^3 e^3 - 6a^5 b^4 c^4 d^2 e^2 + 16a^2 b^3 c^4 d^3 e^3))^{1/2} \\
& + (((((64a^5 c^4 d^3 e^8 + 64a^3 c^6 d^5 e^4 + 128a^4 c^5 d^3 e^6 - 144a^2 b^2 c^5 d^5 e^4 \\
& + 64a^2 b^3 c^4 d^4 e^5 + 16a^2 b^4 c^3 d^3 e^6 - 96a^3 b^2 c^4 d^3 e^6 + 16a^3 b^3 c^3 d^2 e^7 \\
& - 16a^5 b^3 c^5 d^6 e^3 + 32a^5 b^4 c^4 d^5 e^4 - 16a^5 b^5 c^3 d^4 e^5 + 64a^2 b^3 c^6 d^6 e^3 - 64a^4 b^3 c^4 d^2 e^7 \\
& - 16a^4 b^2 c^3 d^3 e^8)) / (c^2 e) + (2x^2 (- (b^7 d^2 + a^2 b^5 e^2 - b^4 d^2 (- (4ac - b^2)^3)^{1/2} \\
& - 20a^3 b^3 c^3 d^2 - 7a^3 b^3 c^3 e^2 + 12a^4 b^2 c^2 e^2 + a^3 c^3 e^2 (- (4ac - b^2)^3)^{1/2} \\
& - 2a^5 b^6 d^3 e + 25a^2 b^3 c^2 d^2 - a^2 b^2 e^2 (- (4ac - b^2)^3)^{1/2} - a^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} \\
& - 9a^5 b^5 c^2 d^2 + 16a^4 c^3 d^3 e + 2a^5 b^3 d^3 e (- (4ac - b^2)^3)^{1/2} + 16a^2 b^4 c^2 d^3 e \\
& + 3a^5 b^2 c^2 d^2 (- (4ac - b^2)^3)^{1/2} - 36a^3 b^2 c^2 d^3 e - 4a^2 b^3 c^2 d^3 e (- (4ac - b^2)^3)^{1/2} \\
&) / (8(16a^2 c^7 d^4 + 16a^4 c^5 e^4 + b^4 c^5 d^4 - 8a^5 b^2 c^6 d^4 - 2b^5 c^4 d^3 e + a^2 b^4 c^3 e^4 \\
& - 8a^3 b^2 c^4 e^4 + 32a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16a^5 b^3 c^5 d^3 e - 2a^5 b^5 c^3 d^3 e^3 \\
& - 32a^2 b^3 c^6 d^3 e - 32a^3 b^3 c^5 d^3 e^3 - 6a^5 b^4 c^4 d^2 e^2 + 16a^2 b^3 c^4 d^3 e^3))^{1/2}
\end{aligned}$$

$$\begin{aligned}
& d^5 e^2 - 28 a^2 b^2 c^3 d^6 e - 36 a^2 b^4 c^3 d^4 e^3 + 64 a^3 b^3 c^3 d^5 e^2 + 36 a^3 b^3 c^3 d^3 e^4 - 60 a^4 b^3 c^2 d^3 e^4 + 4 a^4 b^2 c^3 d^2 e^5) / (c e) \\
&) * (- (b^7 d^2 + a^2 b^5 e^2 - b^4 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 20 a^3 b^3 c^3 d^2 - 7 a^3 b^3 c^3 e^2 + 12 a^4 b^3 c^2 e^2 + a^3 c^3 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} \\
&)^{1/2} - 2 a^2 b^6 d e + 25 a^2 b^3 c^2 d^2 - a^2 b^2 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} - a^2 c^2 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 9 a^2 b^5 c^3 d^2 + 16 a^4 c^3 d^2 e \\
& + 2 a^2 b^3 d e * (- (4 a^2 c - b^2)^3)^{1/2} + 16 a^2 b^4 c^3 d e + 3 a^2 b^2 c^3 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 36 a^3 b^2 c^2 d e - 4 a^2 b^3 c^3 d e * (- (4 a^2 c - b^2)^3)^{1/2} \\
&) / (8 * (16 a^2 c^7 d^4 + 16 a^4 c^5 e^4 + b^4 c^5 d^4 - 8 a^2 b^2 c^6 d^4 - 2 b^5 c^4 d^3 e + a^2 b^4 c^3 e^4 - 8 a^3 b^2 c^4 e^4 + 32 a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16 a^2 b^3 c^5 d^3 e - 2 a^2 b^5 c^3 d e^3 - 32 a^2 b^3 c^6 d^3 e - 32 a^3 b^3 c^5 d e^3 - 6 a^2 b^4 c^4 d^2 e^2 + 16 a^2 b^3 c^4 d e^3))^{1/2} - (2 * x * (a^6 e^6 + b^6 d^6 - 2 a^3 c^3 d^6 + 9 a^2 b^2 c^2 d^6 - 6 a^2 b^4 c^3 d^6)) / (c e) * (- (b^7 d^2 + a^2 b^5 e^2 - b^4 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 20 a^3 b^3 c^3 d^2 - 7 a^3 b^3 c^3 e^2 + 12 a^4 b^3 c^2 e^2 + a^3 c^3 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 2 a^2 b^6 d e + 25 a^2 b^3 c^2 d^2 - a^2 b^2 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} - a^2 c^2 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 9 a^2 b^5 c^3 d^2 + 16 a^4 c^3 d^2 e + 2 a^2 b^3 d e * (- (4 a^2 c - b^2)^3)^{1/2} + 16 a^2 b^4 c^3 d e + 3 a^2 b^2 c^3 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 36 a^3 b^2 c^2 d e - 4 a^2 b^3 c^3 d e * (- (4 a^2 c - b^2)^3)^{1/2}) / (8 * (16 a^2 c^7 d^4 + 16 a^4 c^5 e^4 + b^4 c^5 d^4 - 8 a^2 b^2 c^6 d^4 - 2 b^5 c^4 d^3 e + a^2 b^4 c^3 e^4 - 8 a^3 b^2 c^4 e^4 + 32 a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16 a^2 b^3 c^5 d^3 e - 2 a^2 b^5 c^3 d e^3 - 32 a^2 b^3 c^6 d^3 e - 32 a^3 b^3 c^5 d e^3 - 6 a^2 b^4 c^4 d^2 e^2 + 16 a^2 b^3 c^4 d e^3))^{1/2} + (2 * (a^3 b^2 d^5 - a^4 c^3 d^5 + a^5 d^3 e^2 + a^4 b^3 d^4 e)) / (c e) * (- (b^7 d^2 + a^2 b^5 e^2 - b^4 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 20 a^3 b^3 c^3 d^2 - 7 a^3 b^3 c^3 e^2 + 12 a^4 b^3 c^2 e^2 + a^3 c^3 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 2 a^2 b^6 d e + 25 a^2 b^3 c^2 d^2 - a^2 b^2 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} - a^2 c^2 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 9 a^2 b^5 c^3 d^2 + 16 a^4 c^3 d^2 e + 2 a^2 b^3 d e * (- (4 a^2 c - b^2)^3)^{1/2} + 16 a^2 b^4 c^3 d e + 3 a^2 b^2 c^3 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 36 a^3 b^2 c^2 d e - 4 a^2 b^3 c^3 d e * (- (4 a^2 c - b^2)^3)^{1/2}) / (8 * (16 a^2 c^7 d^4 + 16 a^4 c^5 e^4 + b^4 c^5 d^4 - 8 a^2 b^2 c^6 d^4 - 2 b^5 c^4 d^3 e + a^2 b^4 c^3 e^4 - 8 a^3 b^2 c^4 e^4 + 32 a^3 c^6 d^2 e^2 + b^6 c^3 d^2 e^2 + 16 a^2 b^3 c^5 d^3 e - 2 a^2 b^5 c^3 d e^3 - 32 a^2 b^3 c^6 d^3 e - 32 a^3 b^3 c^5 d e^3 - 6 a^2 b^4 c^4 d^2 e^2 + 16 a^2 b^3 c^4 d e^3))^{1/2} * 2i - \operatorname{atan}(((((((64 a^5 c^4 d^8 + 64 a^3 c^6 d^5 e^4 + 128 a^4 c^5 d^3 e^6 - 144 a^2 b^2 c^5 d^5 e^4 + 64 a^2 b^3 c^4 d^4 e^5 + 16 a^2 b^4 c^3 d^3 e^6 - 96 a^3 b^2 c^4 d^3 e^6 + 16 a^3 b^3 c^3 d^2 e^7 - 16 a^2 b^3 c^5 d^6 e^3 + 32 a^2 b^4 c^4 d^5 e^4 - 16 a^2 b^5 c^3 d^4 e^5 + 64 a^2 b^3 c^6 d^6 e^3 - 64 a^4 b^3 c^4 d^2 e^7 - 16 a^4 b^2 c^3 d e^8) / (c e) - (2 * x * (- (b^7 d^2 + a^2 b^5 e^2 + b^4 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 20 a^3 b^3 c^3 d^2 - 7 a^3 b^3 c^3 e^2 + 12 a^4 b^3 c^2 e^2 - a^3 c^3 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 2 a^2 b^6 d e + 25 a^2 b^3 c^2 d^2 + a^2 b^2 e^2 * (- (4 a^2 c - b^2)^3)^{1/2} + a^2 c^2 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 9 a^2 b^5 c^3 d^2 + 16 a^4 c^3 d^2 e - 2 a^2 b^3 d e * (- (4 a^2 c - b^2)^3)^{1/2} + 16 a^2 b^4 c^3 d e - 3 a^2 b^2 c^3 d^2 * (- (4 a^2 c - b^2)^3)^{1/2} - 36 a^3 b^2 c^2 d e + 4 a^2 b^3 c^3 d e
\end{aligned}$$

$$\begin{aligned}
& *d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{(1/2)}*(128*a^4*b^2*c^4*e^{10} - 16*a^3*b^4*c^3*e^{10} - 256*a^5*c^5*e^{10} + 256*a^2*c^8*d^6*e^4 + 256*a^3*c^7*d^4*e^6 - 256*a^4*c^6*d^2*e^8 - 16*b^3*c^7*d^7*e^3 + 64*b^4*c^6*d^6*e^4 - 96*b^5*c^5*d^5*e^5 + 64*b^6*c^4*d^4*e^6 - 16*b^7*c^3*d^3*e^7 + 256*a^2*b^2*c^6*d^4*e^6 + 144*a^2*b^3*c^5*d^3*e^7 - 96*a^2*b^4*c^4*d^2*e^8 + 192*a^3*b^2*c^5*d^2*e^8 + 64*a*b*c^8*d^7*e^3 + 320*a^4*b*c^5*d*e^9 - 320*a*b^2*c^7*d^6*e^4 + 528*a*b^3*c^6*d^5*e^5 - 336*a*b^4*c^5*d^4*e^6 + 48*a*b^5*c^4*d^3*e^7 + 16*a*b^6*c^3*d^2*e^8 - 576*a^2*b*c^7*d^5*e^5 + 16*a^2*b^5*c^3*d*e^9 - 320*a^3*b*c^6*d^3*e^7 - 144*a^3*b^3*c^4*d*e^9)/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{(1/2)} + (2*x*(4*a^3*b^5*e^8 + 4*b^3*c^5*d^8 + 4*b^8*d^3*e^5 - 28*a^4*b^3*c*e^8 + 48*a^5*b*c^2*e^8 - 4*a*b^7*d^2*e^6 - 4*a^2*b^6*d*e^7 - 64*a^2*c^6*d^7*e + 56*a^5*c^3*d*e^7 - 8*b^4*c^4*d^7*e - 8*b^7*c*d^4*e^4 - 8*a^3*c^5*d^5*e^3 - 16*a^4*c^4*d^3*e^5 + 4*b^5*c^3*d^6*e^2 + 4*b^6*c^2*d^5*e^3 - 16*a*b*c^6*d^8 + 36*a^2*b^2*c^4*d^5*e^3 - 72*a^2*b^3*c^3*d^4*e^4 - 12*a^2*b^4*c^2*d^3*e^5 + 64*a^3*b^2*c^3*d^3*e^5 + 28*a^3*b^3*c^2*d^2*e^6 + 48*a*b^2*c^5*d^7*e - 16*a*b^6*c*d^3*e^5 + 40*a^3*b^4*c*d*e^7 - 28*a*b^3*c^4*d^6*e^2 - 24*a*b^4*c^3*d^5*e^3 + 48*a*b^5*c^2*d^4*e^4 + 48*a^2*b*c^5*d^6*e^2 + 12*a^2*b^5*c*d^2*e^6 + 16*a^3*b*c^4*d^4*e^4 - 64*a^4*b*c^3*d^2*e^6 - 108*a^4*b^2*c^2*d*e^7))/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{(1/2)} - (4*a*b^3*c^3*d^7 - 16*a^2*b*c^4*d^7 + 4*a*b^6*d^4*e^3 + 4*a^4*b^3*d*e^6 + 48*a^3*c^4*d^6*e - 4*a^2*b^5*d^3*e^4 - 4*a^3*b^4*d^2*e^5 - 60*a^4*c^3*d^4*e^3 + 4*a^5*c^2*d^2*e^5 - 8*a^5*b*c*d*e^6 - 32*a^2*b^3*c^2*d^5*e^2 + 92*a^3*b^2*c^2*d^4*
\end{aligned}$$

$$\begin{aligned}
& e^3 + 4*a*b^4*c^2*d^6*e + 4*a*b^5*c*d^5*e^2 - 28*a^2*b^2*c^3*d^6*e - 36*a^2 \\
& *b^4*c*d^4*e^3 + 64*a^3*b*c^3*d^5*e^2 + 36*a^3*b^3*c*d^3*e^4 - 60*a^4*b*c^2 \\
& *d^3*e^4 + 4*a^4*b^2*c*d^2*e^5)/(c*e))*(-(b^7*d^2 + a^2*b^5*e^2 + b^4*d^2*(\\
& -(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2 \\
& *e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^ \\
& 2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2} \\
&) + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2* \\
& c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^7*d^4 + 16*a \\
& ^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3* \\
& e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c \\
& ^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6* \\
& a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{(1/2)} + (2*x*(a^6*e^6 + b^6*d^6 \\
& - 2*a^3*c^3*d^6 + 9*a^2*b^2*c^2*d^6 - 6*a*b^4*c*d^6))/(c*e))*(-(b^7*d^2 + \\
& a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^3*b \\
& ^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6* \\
& d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d \\
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8 \\
& *(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c \\
& ^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c \\
& ^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - \\
& 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{(1/2)}*1i \\
& - ((((((64*a^5*c^4*d*e^8 + 64*a^3*c^6*d^5*e^4 + 128*a^4*c^5*d^3*e^6 - 144*a \\
& ^2*b^2*c^5*d^5*e^4 + 64*a^2*b^3*c^4*d^4*e^5 + 16*a^2*b^4*c^3*d^3*e^6 - 96*a \\
& ^3*b^2*c^4*d^3*e^6 + 16*a^3*b^3*c^3*d^2*e^7 - 16*a*b^3*c^5*d^6*e^3 + 32*a*b \\
& ^4*c^4*d^5*e^4 - 16*a*b^5*c^3*d^4*e^5 + 64*a^2*b*c^6*d^6*e^3 - 64*a^4*b*c^4 \\
& *d^2*e^7 - 16*a^4*b^2*c^3*d*e^8))/(c*e) + (2*x*(-(b^7*d^2 + a^2*b^5*e^2 + b^ \\
& 4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^ \\
& 4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e + 25*a^2*b^3 \\
& *c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a \\
& ^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^7*d^4 \\
& + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b \\
& ^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16* \\
& a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32*a^3*b*c^5*d*e \\
& ^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3)))^{(1/2)}*(128*a^4*b^2*c^4*e \\
& ^10 - 16*a^3*b^4*c^3*e^10 - 256*a^5*c^5*e^10 + 256*a^2*c^8*d^6*e^4 + 256*a^ \\
& 3*c^7*d^4*e^6 - 256*a^4*c^6*d^2*e^8 - 16*b^3*c^7*d^7*e^3 + 64*b^4*c^6*d^6*e \\
& ^4 - 96*b^5*c^5*d^5*e^5 + 64*b^6*c^4*d^4*e^6 - 16*b^7*c^3*d^3*e^7 + 256*a^2 \\
& *b^2*c^6*d^4*e^6 + 144*a^2*b^3*c^5*d^3*e^7 - 96*a^2*b^4*c^4*d^2*e^8 + 192*a \\
& ^3*b^2*c^5*d^2*e^8 + 64*a*b*c^8*d^7*e^3 + 320*a^4*b*c^5*d*e^9 - 320*a*b^2*c \\
& ^7*d^6*e^4 + 528*a*b^3*c^6*d^5*e^5 - 336*a*b^4*c^5*d^4*e^6 + 48*a*b^5*c^4*d
\end{aligned}$$

$$\begin{aligned}
&^3e^7 + 16*a*b^6*c^3*d^2*e^8 - 576*a^2*b*c^7*d^5*e^5 + 16*a^2*b^5*c^3*d*e^9 - 320*a^3*b*c^6*d^3*e^7 - 144*a^3*b^3*c^4*d*e^9)/(c*e))*(-(b^7*d^2 + a^2 \\
&*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c \\
&*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e \\
&+ 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2* \\
&(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(\\
&4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b^2)^3) \\
&^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(1 \\
&6*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4* \\
&d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3* \\
&d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e - 32* \\
&a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3))^{(1/2)} - (2* \\
&x*(4*a^3*b^5*e^8 + 4*b^3*c^5*d^8 + 4*b^8*d^3*e^5 - 28*a^4*b^3*c*e^8 + 48*a^ \\
&5*b*c^2*e^8 - 4*a*b^7*d^2*e^6 - 4*a^2*b^6*d*e^7 - 64*a^2*c^6*d^7*e + 56*a^5 \\
&*c^3*d*e^7 - 8*b^4*c^4*d^7*e - 8*b^7*c*d^4*e^4 - 8*a^3*c^5*d^5*e^3 - 16*a^4 \\
&*c^4*d^3*e^5 + 4*b^5*c^3*d^6*e^2 + 4*b^6*c^2*d^5*e^3 - 16*a*b*c^6*d^8 + 36* \\
&a^2*b^2*c^4*d^5*e^3 - 72*a^2*b^3*c^3*d^4*e^4 - 12*a^2*b^4*c^2*d^3*e^5 + 64* \\
&a^3*b^2*c^3*d^3*e^5 + 28*a^3*b^3*c^2*d^2*e^6 + 48*a*b^2*c^5*d^7*e - 16*a*b^ \\
&6*c*d^3*e^5 + 40*a^3*b^4*c*d*e^7 - 28*a*b^3*c^4*d^6*e^2 - 24*a*b^4*c^3*d^5* \\
&e^3 + 48*a*b^5*c^2*d^4*e^4 + 48*a^2*b*c^5*d^6*e^2 + 12*a^2*b^5*c*d^2*e^6 + \\
&16*a^3*b*c^4*d^4*e^4 - 64*a^4*b*c^3*d^2*e^6 - 108*a^4*b^2*c^2*d*e^7)))/(c*e) \\
&)*(-(b^7*d^2 + a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^ \\
&3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(\\
&1/2)} - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1 \\
&/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e \\
&- 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2* \\
&(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^ \\
&2)^3)^{(1/2)))/(8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^ \\
&6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6* \\
&d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2 \\
&*b*c^6*d^3*e - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d* \\
&e^3))^{(1/2)} - (4*a*b^3*c^3*d^7 - 16*a^2*b*c^4*d^7 + 4*a*b^6*d^4*e^3 + 4*a^ \\
&4*b^3*d*e^6 + 48*a^3*c^4*d^6*e - 4*a^2*b^5*d^3*e^4 - 4*a^3*b^4*d^2*e^5 - 60 \\
&*a^4*c^3*d^4*e^3 + 4*a^5*c^2*d^2*e^5 - 8*a^5*b*c*d*e^6 - 32*a^2*b^3*c^2*d^5 \\
&*e^2 + 92*a^3*b^2*c^2*d^4*e^3 + 4*a*b^4*c^2*d^6*e + 4*a*b^5*c*d^5*e^2 - 28* \\
&a^2*b^2*c^3*d^6*e - 36*a^2*b^4*c*d^4*e^3 + 64*a^3*b*c^3*d^5*e^2 + 36*a^3*b^ \\
&3*c*d^3*e^4 - 60*a^4*b*c^2*d^3*e^4 + 4*a^4*b^2*c*d^2*e^5)/(c*e))*(-(b^7*d^2 \\
&+ a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*d^2 - 7*a^ \\
&3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b \\
&^6*d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^ \\
&2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d \\
&*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2*(-(4*a*c - b \\
&^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)) \\
&/ (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^ \\
&5*c^4*d^3*e + a^2*b^4*c^3*e^4 - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^
\end{aligned}$$

$$\begin{aligned}
& 6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e \\
& - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3))^{(1/2)} \\
& - (2*x*(a^6*e^6 + b^6*d^6 - 2*a^3*c^3*d^6 + 9*a^2*b^2*c^2*d^6 - 6*a*b^4*c^4*d^6) \\
& - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2 \\
& - 2*a*b^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& / (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 \\
& - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e \\
& - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3))^{(1/2)} * i) / ((((((64*a^5*c^4*d*e^8 + 64*a^3*c^6*d^5*e^4 + 1 \\
& 28*a^4*c^5*d^3*e^6 - 144*a^2*b^2*c^5*d^5*e^4 + 64*a^2*b^3*c^4*d^4*e^5 + 16*a^2*b^4*c^3*d^3*e^6 - 96*a^3*b^2*c^4*d^3*e^6 \\
& + 16*a^3*b^3*c^3*d^2*e^7 - 16*a*b^3*c^5*d^6*e^3 + 32*a*b^4*c^4*d^5*e^4 - 16*a*b^5*c^3*d^4*e^5 + 64*a^2*b*c^6*d^6*e^3 \\
& - 64*a^4*b*c^4*d^2*e^7 - 16*a^4*b^2*c^3*d*e^8) / (c*e) - (2*x*(-(b^7*d^2 + a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 2*a*b^6*d*e + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2 \\
& - 2*a*b^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& / (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 \\
& - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3 - 32*a^2*b*c^6*d^3*e \\
& - 32*a^3*b*c^5*d*e^3 - 6*a*b^4*c^4*d^2*e^2 + 16*a^2*b^3*c^4*d*e^3))^{(1/2)} * (128*a^4*b^2*c^4*e^10 - 16*a^3*b^4*c^3*e^10 - 256*a^5*c^5*e^10 + 25 \\
& 6*a^2*c^8*d^6*e^4 + 256*a^3*c^7*d^4*e^6 - 256*a^4*c^6*d^2*e^8 - 16*b^3*c^7*d^7*e^3 + 64*b^4*c^6*d^6*e^4 - 96*b^5*c^5*d^5*e^5 \\
& + 64*b^6*c^4*d^4*e^6 - 16*b^7*c^3*d^3*e^7 + 256*a^2*b^2*c^6*d^4*e^6 + 144*a^2*b^3*c^5*d^3*e^7 - 96*a^2*b^4*c^4*d^2*e^8 \\
& + 192*a^3*b^2*c^5*d^2*e^8 + 64*a*b*c^8*d^7*e^3 + 320*a^4*b*c^5*d*e^9 - 320*a*b^2*c^7*d^6*e^4 + 528*a*b^3*c^6*d^5*e^5 \\
& - 336*a*b^4*c^5*d^4*e^6 + 48*a*b^5*c^4*d^3*e^7 + 16*a*b^6*c^3*d^2*e^8 - 576*a^2*b*c^7*d^5*e^5 + 16*a^2*b^5*c^3*d*e^9 \\
& - 320*a^3*b*c^6*d^3*e^7 - 144*a^3*b^3*c^4*d*e^9) / (c*e)) * (- (b^7*d^2 + a^2*b^5*e^2 + b^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 20*a^3*b*c^3*d^2 - 7*a^3*b^3*c*e^2 + 12*a^4*b*c^2*e^2 - a^3*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b^6*d*e \\
& + 25*a^2*b^3*c^2*d^2 + a^2*b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + a^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 9*a*b^5*c*d^2 + 16*a^4*c^3*d*e - 2*a*b^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 16*a^2*b^4*c*d*e - 3*a*b^2*c*d^2 \\
& - 2*a*b^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^3*b^2*c^2*d*e + 4*a^2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& / (8*(16*a^2*c^7*d^4 + 16*a^4*c^5*e^4 + b^4*c^5*d^4 - 8*a*b^2*c^6*d^4 - 2*b^5*c^4*d^3*e + a^2*b^4*c^3*e^4 \\
& - 8*a^3*b^2*c^4*e^4 + 32*a^3*c^6*d^2*e^2 + b^6*c^3*d^2*e^2 + 16*a*b^3*c^5*d^3*e - 2*a*b^5*c^3*d*e^3
\end{aligned}$$

$$\begin{aligned}
& - 32a^2b^3c^6d^3e - 32a^3b^2c^5d^4e^2 - 6a^4b^3c^4d^5e^3 + 16a^5b^4c^3d^6e^4 - 16a^6b^5c^2d^7e^5 \\
& + 16a^7b^6c^1d^8e^6 - 28a^4b^3c^5d^2e^8 + 48a^5b^2c^4d^3e^7 - 4a^6b^1c^3d^4e^6 - 4a^7b^0c^2d^5e^5 - \\
& 64a^2c^6d^7e + 56a^5c^3d^4e^7 - 8b^4c^4d^7e - 8b^7c^1d^4e^4 - 8a^3c^5d^5e^3 - 16a^4c^4d^3e^5 + 4b^5c^3d^6e^2 + 4b^6c^2d^5e^4 \\
& e^3 - 16a^2b^3c^6d^8 + 36a^2b^2c^4d^5e^3 - 72a^2b^3c^3d^4e^4 - 12a^2b^4c^2d^3e^5 + 64a^3b^2c^3d^3e^5 + 28a^3b^3c^2d^2e^6 + 48 \\
& a^4b^2c^5d^7e - 16a^4b^6c^1d^3e^5 + 40a^3b^4c^1d^4e^7 - 28a^4b^3c^4d^6e^2 - 24a^4b^4c^3d^5e^3 + 48a^4b^5c^2d^4e^4 + 48a^4b^6c^1d^6e^2 \\
& + 12a^2b^5c^1d^2e^6 + 16a^3b^2c^4d^4e^4 - 64a^4b^3c^3d^2e^6 - 108a^4b^4c^2d^1e^7)/(c^2e^7)) / (c^2e^7)) * (- (b^7d^2 + a^2b^5e^2 + b^4d^2 * (- (4ac - b^2)^3)^{1/2} - \\
& 20a^3b^3c^3d^2 - 7a^3b^3c^3e^2 + 12a^4b^3c^2e^2 - a^3c^3e^2 * (- (4ac - b^2)^3)^{1/2} - 2a^4b^6d^1e + 25a^2b^3c^2d^2 + a^2b^2 \\
& e^2 * (- (4ac - b^2)^3)^{1/2} + a^2c^2d^2 * (- (4ac - b^2)^3)^{1/2} - 9a^2b^5c^1d^2 + 16a^4c^3d^1e - 2a^4b^3d^1e * (- (4ac - b^2)^3)^{1/2} + 16a^2b^4 \\
& c^1d^1e - 3a^2b^2c^1d^2 * (- (4ac - b^2)^3)^{1/2} - 36a^3b^2c^2d^1e + 4a^2b^3c^1d^1e * (- (4ac - b^2)^3)^{1/2}) / (8 * (16a^2c^7d^4 + 16a^4c^5e^4 \\
& + b^4c^5d^4 - 8a^2b^2c^6d^4 - 2b^5c^4d^3e + a^2b^4c^3e^4 - 8a^3b^2c^4e^4 + 32a^3c^6d^2e^2 + b^6c^3d^2e^2 + 16a^2b^3c^5d^3e - \\
& 2a^2b^5c^3d^1e^3 - 32a^2b^3c^6d^3e - 32a^3b^2c^5d^1e^3 - 6a^4b^3c^4d^2e^2 + 16a^2b^3c^4d^1e^3))^{1/2} - (4a^2b^3c^3d^7 - 16a^2b^3c^4d^7 \\
& + 4a^2b^6d^4e^3 + 4a^4b^3d^1e^6 + 48a^3c^4d^6e - 4a^2b^5d^3e^4 - 4a^3b^4d^2e^5 - 60a^4c^3d^4e^3 + 4a^5c^2d^2e^5 - 8a^5b^3c^1 \\
& d^1e^6 - 32a^2b^3c^2d^5e^2 + 92a^3b^2c^2d^4e^3 + 4a^4b^3c^2d^6e + 4a^4b^5c^1d^5e^2 - 28a^2b^2c^3d^6e - 36a^2b^4c^1d^4e^3 + 64a^3b^3c^3d^5e^2 \\
& + 36a^3b^3c^3d^3e^4 - 60a^4b^2c^2d^3e^4 + 4a^4b^2c^1d^2e^5) / (c^2e^5) * (- (b^7d^2 + a^2b^5e^2 + b^4d^2 * (- (4ac - b^2)^3)^{1/2} - \\
& 20a^3b^3c^3d^2 - 7a^3b^3c^3e^2 + 12a^4b^3c^2e^2 - a^3c^3e^2 * (- (4ac - b^2)^3)^{1/2} - 2a^4b^6d^1e + 25a^2b^3c^2d^2 + a^2b^2e^2 * (- (4ac - \\
& b^2)^3)^{1/2} + a^2c^2d^2 * (- (4ac - b^2)^3)^{1/2} - 9a^2b^5c^1d^2 + 16a^4c^3d^1e - 2a^4b^3d^1e * (- (4ac - b^2)^3)^{1/2} + 16a^2b^4c^1d^1e - \\
& 3a^2b^2c^1d^2 * (- (4ac - b^2)^3)^{1/2} - 36a^3b^2c^2d^1e + 4a^2b^3c^1d^1e * (- (4ac - b^2)^3)^{1/2}) / (8 * (16a^2c^7d^4 + 16a^4c^5e^4 + b^4c^5d^4 \\
& - 8a^2b^2c^6d^4 - 2b^5c^4d^3e + a^2b^4c^3e^4 - 8a^3b^2c^4e^4 + 32a^3c^6d^2e^2 + b^6c^3d^2e^2 + 16a^2b^3c^5d^3e - 2a^2b^5c^3d^1e^3 - \\
& 32a^2b^3c^6d^3e - 32a^3b^2c^5d^1e^3 - 6a^4b^3c^4d^2e^2 + 16a^2b^3c^4d^1e^3))^{1/2} + (2 * x * (a^6e^6 + b^6d^6 - 2a^3c^3d^6 + 9a^2b^2c^2d^6 - \\
& 6a^4b^4c^1d^6)) / (c^2e^6) * (- (b^7d^2 + a^2b^5e^2 + b^4d^2 * (- (4ac - b^2)^3)^{1/2} - 20a^3b^3c^3d^2 - 7a^3b^3c^3e^2 + 12a^4b^3c^2e^2 \\
& e^2 - a^3c^3e^2 * (- (4ac - b^2)^3)^{1/2} - 2a^4b^6d^1e + 25a^2b^3c^2d^2 + a^2b^2e^2 * (- (4ac - b^2)^3)^{1/2} + a^2c^2d^2 * (- (4ac - b^2)^3)^{1/2} - \\
& 9a^2b^5c^1d^2 + 16a^4c^3d^1e - 2a^4b^3d^1e * (- (4ac - b^2)^3)^{1/2} + 16a^2b^4c^1d^1e - 3a^2b^2c^1d^2 * (- (4ac - b^2)^3)^{1/2} - 36a^3b^2c^2d^1e \\
& + 4a^2b^3c^1d^1e * (- (4ac - b^2)^3)^{1/2}) / (8 * (16a^2c^7d^4 + 16a^4c^5e^4 + b^4c^5d^4 - 8a^2b^2c^6d^4 - 2b^5c^4d^3e + a^2b^4c^3e^4 - 8a^3b^2c^4e^4 \\
& + 32a^3c^6d^2e^2 + b^6c^3d^2e^2 + 16a^2b^3c^5d^3e - 2a^2b^5c^3d^1e^3 - 32a^2b^3c^6d^3e - 32a^3b^2c^5d^1e^3 - 6a^4b^3c^4d^2e^2 + 16a^2b^3c^4d^1e^3))^{1/2}
\end{aligned}$$

$$\begin{aligned} &^5c^4d^3e + a^2b^4c^3e^4 - 8a^3b^2c^4e^4 + 32a^3c^6d^2e^2 + b \\ &^6c^3d^2e^2 + 16a^2b^3c^5d^3e - 2a^2b^5c^3d^2e^3 - 32a^2b^3c^6d^3e \\ &e - 32a^3b^2c^5d^2e^3 - 6a^2b^4c^4d^2e^2 + 16a^2b^3c^4d^2e^3))^{(1/2)} \\ &)*2i - (\log(b^7d^{10}e^{10} - a^7d^3e^{17} - 2a^2b^6d^9e^{11} + 2a^6b^2d^4e \\ &^{16} - 2a^6c^2d^5e^{15} + a^2b^5d^8e^{12} - a^5b^2d^5e^{15} - 16a^2c^5d \\ &^{13}e^7 + 16a^4c^3d^9e^{11} - a^5c^2d^7e^{13} - b^4c^3d^{13}e^7 + 16a^ \\ &2c^5x*(-d^5e^3)^{(5/2)} + b^4c^3x*(-d^5e^3)^{(5/2)} + a^7e^{16}x*(-d^5e^ \\ &3)^{(1/2)} - 8a^2b^2c^4x*(-d^5e^3)^{(5/2)} + 25a^2b^3c^2d^{10}e^{10} - 36a \\ &^3b^2c^2d^9e^{11} + a^2b^5e^8x*(-d^5e^3)^{(3/2)} + b^7d^2e^6x*(-d^5e^ \\ &e^3)^{(3/2)} - 9a^2b^5c^2d^{10}e^{10} + 2a^5b^3c^2d^6e^{14} + 8a^2b^2c^4d^{13}e^ \\ &7 + 16a^2b^4c^2d^9e^{11} - 20a^3b^3c^3d^{10}e^{10} - 7a^3b^3c^3d^8e^{12} + \\ &12a^4b^2c^2d^8e^{12} + a^5b^2d^2e^{14}x*(-d^5e^3)^{(1/2)} + a^5c^2d^4e \\ &^{12}x*(-d^5e^3)^{(1/2)} - 2a^2b^6d^2e^7x*(-d^5e^3)^{(3/2)} - 2a^6b^2d^2e^{15} \\ &x*(-d^5e^3)^{(1/2)} - 7a^3b^3c^2e^8x*(-d^5e^3)^{(3/2)} + 12a^4b^2c^2e^8 \\ &x*(-d^5e^3)^{(3/2)} + 16a^4c^3d^2e^7x*(-d^5e^3)^{(3/2)} + 2a^6c^2d^2e^{14} \\ &4x*(-d^5e^3)^{(1/2)} - 9a^2b^5c^2d^2e^6x*(-d^5e^3)^{(3/2)} + 16a^2b^4c^2 \\ &d^2e^7x*(-d^5e^3)^{(3/2)} - 2a^5b^3c^2d^3e^{13}x*(-d^5e^3)^{(1/2)} - 20a^3b \\ &c^3d^2e^6x*(-d^5e^3)^{(3/2)} - 36a^3b^2c^2d^2e^7x*(-d^5e^3)^{(3/2)} + \\ &25a^2b^3c^2d^2e^6x*(-d^5e^3)^{(3/2))}*(-d^5e^3)^{(1/2)})/(2*(a^5 + c \\ &d^2e^3 - b^2d^4e^4)) + (\log(a^7d^3e^{17} - b^7d^{10}e^{10} + 2a^2b^6d^9e^{11} \\ &- 2a^6b^2d^4e^{16} + 2a^6c^2d^5e^{15} - a^2b^5d^8e^{12} + a^5b^2d^5e^{15} \\ &+ 16a^2c^5d^{13}e^7 - 16a^4c^3d^9e^{11} + a^5c^2d^7e^{13} + b^4c^3d^{13}e^7 + 16a^2c^5x \\ &*(-d^5e^3)^{(5/2)} + b^4c^3x*(-d^5e^3)^{(5/2)} + a^7 \\ &e^{16}x*(-d^5e^3)^{(1/2)} - 8a^2b^2c^4x*(-d^5e^3)^{(5/2)} - 25a^2b^3c^2d^{10}e^{10} \\ &+ 36a^3b^2c^2d^9e^{11} + a^2b^5e^8x*(-d^5e^3)^{(3/2)} + b^7d^2e^6x*(-d^5e^3)^{(3/2)} \\ &+ 9a^2b^5c^2d^{10}e^{10} - 2a^5b^3c^2d^6e^{14} - 8a^2b^2c^4d^{13}e^7 - 16a^2b^4c^2d^9e^{11} \\ &+ 20a^3b^3c^3d^{10}e^{10} + 7a^3b^3c^3d^8e^{12} - 12a^4b^2c^2d^8e^{12} + a^5b^2d^2e^{14}x \\ &*(-d^5e^3)^{(1/2)} + a^5c^2d^4e^{12}x*(-d^5e^3)^{(1/2)} - 2a^2b^6d^2e^7x*(-d^5e^3)^{(3/2)} \\ &- 2a^6b^2d^2e^{15}x*(-d^5e^3)^{(1/2)} - 7a^3b^3c^2e^8x*(-d^5e^3)^{(3/2)} + \\ &12a^4b^2c^2e^8x*(-d^5e^3)^{(3/2)} + 16a^4c^3d^2e^7x*(-d^5e^3)^{(3/2)} + \\ &2a^6c^2d^2e^{14}x*(-d^5e^3)^{(1/2)} - 9a^2b^5c^2d^2e^6x*(-d^5e^3)^{(3/2)} \\ &+ 16a^2b^4c^2d^2e^7x*(-d^5e^3)^{(3/2)} - 2a^5b^3c^2d^3e^{13}x*(-d^5e^3)^{(1/2)} \\ &- 20a^3b^3c^3d^2e^6x*(-d^5e^3)^{(3/2)} - 36a^3b^2c^2d^2e^7x*(-d^5e^3)^{(3/2)} \\ &+ 25a^2b^3c^2d^2e^6x*(-d^5e^3)^{(3/2))}*(-d^5e^3)^{(1/2)})/(2*a^5 + 2*c*d^2*e^3 - 2*b*d^4e^4) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6/(e*x**2+d)/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.305 \quad \int \frac{x^4}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=280

$$\frac{\left(-\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}(ae^2 - bde + cd^2) - \sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}(ae^2 - bde + cd^2)} + \frac{d^{3/2} \tan^{-1}\left(\frac{y}{\sqrt{e}(ae^2 - bde + cd^2)}\right)}{\sqrt{e}(ae^2 - bde + cd^2)}$$

[Out] $d^{3/2} \arctan(x \cdot e^{1/2} / d^{1/2}) / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) / e^{1/2} - 1/2 \arctan(x \cdot 2^{1/2} \cdot c^{1/2} / (b - (-4 \cdot a \cdot c + b^2)^{1/2}))^{1/2} \cdot (b \cdot d - a \cdot e + (a \cdot b \cdot e + 2 \cdot a \cdot c \cdot d - b^2 \cdot d) / (-4 \cdot a \cdot c + b^2)^{1/2}) / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) \cdot 2^{1/2} / c^{1/2} / (b - (-4 \cdot a \cdot c + b^2)^{1/2})^{1/2} - 1/2 \arctan(x \cdot 2^{1/2} \cdot c^{1/2} / (b + (-4 \cdot a \cdot c + b^2)^{1/2}))^{1/2} \cdot (b \cdot d - a \cdot e + (-a \cdot b \cdot e - 2 \cdot a \cdot c \cdot d + b^2 \cdot d) / (-4 \cdot a \cdot c + b^2)^{1/2}) / (a \cdot e^2 - b \cdot d \cdot e + c \cdot d^2) \cdot 2^{1/2} / c^{1/2} / (b + (-4 \cdot a \cdot c + b^2)^{1/2})^{1/2}$

Rubi [A] time = 0.89, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1287, 205, 1166}

$$\frac{\left(-\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}(ae^2 - bde + cd^2) - \sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}(ae^2 - bde + cd^2)} + \frac{d^{3/2} \tan^{-1}\left(\frac{y}{\sqrt{e}(ae^2 - bde + cd^2)}\right)}{\sqrt{e}(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4 / ((d + e \cdot x^2) \cdot (a + b \cdot x^2 + c \cdot x^4)), x]$

[Out] $-(((b \cdot d - a \cdot e - (b^2 \cdot d - 2 \cdot a \cdot c \cdot d - a \cdot b \cdot e) / \text{Sqrt}[b^2 - 4 \cdot a \cdot c]) \cdot \text{ArcTan}[(\text{Sqrt}[2] \cdot \text{Sqrt}[c] \cdot x) / \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 \cdot a \cdot c]])] / (\text{Sqrt}[2] \cdot \text{Sqrt}[c] \cdot \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 \cdot a \cdot c]]) \cdot (c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2))) - ((b \cdot d - a \cdot e + (b^2 \cdot d - 2 \cdot a \cdot c \cdot d - a \cdot b \cdot e) / \text{Sqrt}[b^2 - 4 \cdot a \cdot c]) \cdot \text{ArcTan}[(\text{Sqrt}[2] \cdot \text{Sqrt}[c] \cdot x) / \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 \cdot a \cdot c]])] / (\text{Sqrt}[2] \cdot \text{Sqrt}[c] \cdot \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 \cdot a \cdot c]]) \cdot (c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2)) + (d^{3/2} \cdot \text{ArcTan}[(\text{Sqrt}[e] \cdot x) / \text{Sqrt}[d]]) / (\text{Sqrt}[e] \cdot (c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2))$

Rule 205

$\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]]) / a, x] /; \text{FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 1166

$\text{Int}[(d_ + (e_ \cdot x)^2) / ((a_ + (b_ \cdot x)^2 + (c_ \cdot x)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4 \cdot a \cdot c, 2]\}, \text{Dist}[e/2 + (2 \cdot c \cdot d - b \cdot e) / (2 \cdot q), \text{Int}[1 / (b/2$

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1287

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^4}{(d + ex^2)(a + bx^2 + cx^4)} dx &= \int \left(\frac{d^2}{(cd^2 - bde + ae^2)(d + ex^2)} + \frac{-ad - (bd - ae)x^2}{(cd^2 - bde + ae^2)(a + bx^2 + cx^4)} \right) dx \\ &= \frac{\int \frac{-ad + (-bd + ae)x^2}{a + bx^2 + cx^4} dx}{cd^2 - bde + ae^2} + \frac{d^2 \int \frac{1}{d + ex^2} dx}{cd^2 - bde + ae^2} \\ &= \frac{d^{3/2} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{\sqrt{e}(cd^2 - bde + ae^2)} - \frac{\left(bd - ae - \frac{b^2d - 2acd - abe}{\sqrt{b^2 - 4ac}}\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2(cd^2 - bde + ae^2)} - \frac{(bd - ae)}{\sqrt{b^2 - 4ac}} \\ &= \frac{\left(bd - ae - \frac{b^2d - 2acd - abe}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b - \sqrt{b^2 - 4ac}}(cd^2 - bde + ae^2)} - \frac{\left(bd - ae + \frac{b^2d - 2acd - abe}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b + \sqrt{b^2 - 4ac}}(cd^2 - bde + ae^2)} \end{aligned}$$

Mathematica [A] time = 0.33, size = 323, normalized size = 1.15

$$\frac{\left(bd\sqrt{b^2 - 4ac} - ae\sqrt{b^2 - 4ac} + abe + 2acd + b^2(-d)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}(-ae^2 + bde - cd^2)} + \frac{\left(bd\sqrt{b^2 - 4ac} - ae\sqrt{b^2 - 4ac} - abe - 2acd - b^2(-d)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}\sqrt{b + \sqrt{b^2 - 4ac}}(cd^2 - bde + ae^2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((d + e*x^2)*(a + b*x^2 + c*x^4)), x]

[Out] ((-(b^2*d) + 2*a*c*d + b*Sqrt[b^2 - 4*a*c]*d + a*b*e - a*Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(-(c*d^2) + b*d*e - a*e^2))

$$+ ((b^2*d - 2*a*c*d + b*\text{Sqrt}[b^2 - 4*a*c])*d - a*b*e - a*\text{Sqrt}[b^2 - 4*a*c]*e)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*(-(c*d^2) + b*d*e - a*e^2)) + (d^{3/2})*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]]/(\text{Sqrt}[e]*(c*d^2 - b*d*e + a*e^2))$$

fricas [B] time = 9.38, size = 15553, normalized size = 55.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] $\frac{1}{2}(\text{sqrt}(1/2)*(c*d^2 - b*d*e + a*e^2)*\text{sqrt}(-(a^2*b*e^2 + (b^3 - 3*a*b*c)*d^2 - 2*(a*b^2 - 2*a^2*c)*d*e + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*\text{sqrt}(-(4*a^3*b*d*e^3 - a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(3*a^2*b^2 - a^3*c)*d^2*e^2))/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d^3*e^5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8)))/((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4))*\log(-2*(2*a^2*b*d*e - a^3*e^2 - (a*b^2 - a^2*c)*d^2)*x + \text{sqrt}(1/2)*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d^3 - 2*(a*b^3 - 4*a^2*b*c)*d^2*e + (a^2*b^2 - 4*a^3*c)*d*e^2 - ((b^3*c^3 - 4*a*b*c^4)*d^5 - 2*(b^4*c^2 - 3*a*b^2*c^3 - 4*a^2*c^4)*d^4*e + (b^5*c + 2*a*b^3*c^2 - 24*a^2*b*c^3)*d^3*e^2 - 4*(a*b^4*c - 3*a^2*b^2*c^2 - 4*a^3*c^3)*d^2*e^3 + 5*(a^2*b^3*c - 4*a^3*b*c^2)*d*e^4 - 2*(a^3*b^2*c - 4*a^4*c^2)*e^5)*\text{sqrt}(-(4*a^3*b*d*e^3 - a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(3*a^2*b^2 - a^3*c)*d^2*e^2))/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d^3*e^5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))*\text{sqrt}(-(a^2*b*e^2 + (b^3 - 3*a*b*c)*d^2 - 2*(a*b^2 - 2*a^2*c)*d*e + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*\text{sqrt}(-(4*a^3*b*d*e^3 - a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(3*a^2*b^2 - a^3*c)*d^2*e^2))/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^4 - 24*a^3*c^5)*d^4$

$$\begin{aligned}
& 4e^4 - 4*(a^5b^2c^2 - a^2b^3c^3 - 12a^3b^2c^4)*d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)*d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8)/((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2b^2c^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)) - \text{sqrt}(1/2)*(c*d^2 - b*d*e + a*e^2)*\text{sqrt}(-(a^2b^2e^2 + (b^3 - 3a^2b^2c)*d^2 - 2*(a^2b^2 - 2a^2c)*d^2e + ((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2b^2c^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)*\text{sqrt}(-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2b^2c^6)*d^7e + 2*(3b^4c^4 - 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)*d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)*d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8)))/((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2b^2c^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4))*\log(-2*(2a^2b^2d^2e - a^3e^2 - (a^2b^2 - a^2c)*d^2)*x - \text{sqrt}(1/2)*((b^4 - 5a^2b^2c + 4a^2c^2)*d^3 - 2*(a^2b^3 - 4a^2b^2c)*d^2e + (a^2b^2 - 4a^3c)*d^2e^2 - ((b^3c^3 - 4a^2b^2c^3)*d^5 - 2*(b^4c^2 - 3a^2b^2c^3 - 4a^2c^4)*d^4e + (b^5c + 2a^2b^3c^2 - 24a^2b^2c^3)*d^3e^2 - 4*(a^2b^4c - 3a^2b^2c^2 - 4a^3c^3)*d^2e^3 + 5*(a^2b^3c - 4a^3b^2c^2)*d^2e^4 - 2*(a^3b^2c - 4a^4c^2)*e^5)*\text{sqrt}(-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2b^2c^6)*d^7e + 2*(3b^4c^4 - 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)*d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)*d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8)))*\text{sqrt}(-(a^2b^2e^2 + (b^3 - 3a^2b^2c)*d^2 - 2*(a^2b^2 - 2a^2c)*d^2e + ((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2b^2c^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)*\text{sqrt}(-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2b^2c^6)*d^7e + 2*(3b^4c^4 - 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)*d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)*d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8)))/((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2b^2c^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)) + \text{sqrt}(1/2)*(c*d^2 - b*d*e + a*e^2)*\text{sqrt}(-(a^2b^2e^2 + (b^3 - 3a^2b^2c)*d^2 - 2*(a^2b^2 - 2a^2c)*d^2e - ((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2b^2c^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4))
\end{aligned}$$

$$\begin{aligned}
& *c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e \\
& ^4)*\sqrt{-(4*a^3*b*d*e^3 - a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a \\
& *b^3 - a^2*b*c)*d^3*e - 2*(3*a^2*b^2 - a^3*c)*d^2*e^2)/((b^2*c^6 - 4*a*c^7) \\
& *d^8 - 4*(b^3*c^5 - 4*a*b*c^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2* \\
& c^6)*d^6*e^2 - 4*(b^5*c^3 - a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + \\
& 8*a*b^4*c^3 - 42*a^2*b^2*c^4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3 \\
& *c^3 - 12*a^3*b*c^4)*d^3*e^5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^ \\
& 4)*d^2*e^6 - 4*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3 \\
&)*e^8))/((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c \\
& - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2 \\
& *b^2*c - 4*a^3*c^2)*e^4))*\log(-2*(2*a^2*b*d*e - a^3*e^2 - (a*b^2 - a^2*c)*d \\
& ^2)*x + \sqrt{1/2}*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d^3 - 2*(a*b^3 - 4*a^2*b*c \\
&)*d^2*e + (a^2*b^2 - 4*a^3*c)*d*e^2 + ((b^3*c^3 - 4*a*b*c^4)*d^5 - 2*(b^4*c \\
& ^2 - 3*a*b^2*c^3 - 4*a^2*c^4)*d^4*e + (b^5*c + 2*a*b^3*c^2 - 24*a^2*b*c^3)* \\
& d^3*e^2 - 4*(a*b^4*c - 3*a^2*b^2*c^2 - 4*a^3*c^3)*d^2*e^3 + 5*(a^2*b^3*c - \\
& 4*a^3*b*c^2)*d*e^4 - 2*(a^3*b^2*c - 4*a^4*c^2)*e^5)*\sqrt{-(4*a^3*b*d*e^3 - \\
& a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(\\
& 3*a^2*b^2 - a^3*c)*d^2*e^2)/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c \\
& ^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - \\
& a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^ \\
& 4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d^3*e^ \\
& 5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^3*c^2 \\
& - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))*\sqrt{-(a^2*b*e^2 + \\
& (b^3 - 3*a*b*c)*d^2 - 2*(a*b^2 - 2*a^2*c)*d*e - ((b^2*c^3 - 4*a*c^4)*d^4 - \\
& 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 \\
& - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*\sqrt{-(4*a \\
& ^3*b*d*e^3 - a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c \\
&)*d^3*e - 2*(3*a^2*b^2 - a^3*c)*d^2*e^2)/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c \\
& ^5 - 4*a*b*c^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - \\
& 4*(b^5*c^3 - a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - \\
& 42*a^2*b^2*c^4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3* \\
& b*c^4)*d^3*e^5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4 \\
& *(a^3*b^3*c^2 - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))/((b^2 \\
& *c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 \\
& - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3 \\
& *c^2)*e^4))) - \sqrt{1/2}*(c*d^2 - b*d*e + a*e^2)*\sqrt{-(a^2*b*e^2 + (b^3 - \\
& 3*a*b*c)*d^2 - 2*(a*b^2 - 2*a^2*c)*d*e - ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3* \\
& c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b \\
& ^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*\sqrt{-(4*a^3*b*d*e \\
& ^3 - a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e \\
& - 2*(3*a^2*b^2 - a^3*c)*d^2*e^2)/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4* \\
& a*b*c^6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5* \\
& c^3 - a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b \\
& ^2*c^4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d \\
& ^3*e^5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^
\end{aligned}$$

$$\begin{aligned}
& 3*c^2 - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))/((b^2*c^3 - 4 \\
& *a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2* \\
& c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4) \\
& *log(-2*(2*a^2*b*d*e - a^3*e^2 - (a*b^2 - a^2*c)*d^2)*x - sqrt(1/2)*((b^4 \\
& - 5*a*b^2*c + 4*a^2*c^2)*d^3 - 2*(a*b^3 - 4*a^2*b*c)*d^2*e + (a^2*b^2 - 4 \\
& *a^3*c)*d*e^2 + ((b^3*c^3 - 4*a*b*c^4)*d^5 - 2*(b^4*c^2 - 3*a*b^2*c^3 - 4*a \\
& ^2*c^4)*d^4*e + (b^5*c + 2*a*b^3*c^2 - 24*a^2*b*c^3)*d^3*e^2 - 4*(a*b^4*c - \\
& 3*a^2*b^2*c^2 - 4*a^3*c^3)*d^2*e^3 + 5*(a^2*b^3*c - 4*a^3*b*c^2)*d*e^4 - 2 \\
& *(a^3*b^2*c - 4*a^4*c^2)*e^5)*sqrt(-(4*a^3*b*d*e^3 - a^4*e^4 - (b^4 - 2*a*b \\
& ^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(3*a^2*b^2 - a^3*c)*d^2 \\
& *e^2)/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c^6)*d^7*e + 2*(3*b^4*c \\
& ^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - a*b^3*c^4 - 12*a^2*b* \\
& c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^4 - 24*a^3*c^5)*d^4*e^4 \\
& - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d^3*e^5 + 2*(3*a^2*b^4*c^2 - \\
& 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d*e^7 \\
& + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))*sqrt(-(a^2*b*e^2 + (b^3 - 3*a*b*c)*d^2 - \\
& 2*(a*b^2 - 2*a^2*c)*d*e - ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^ \\
& 3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b \\
& *c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*sqrt(-(4*a^3*b*d*e^3 - a^4*e^4 - \\
& (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(3*a^2*b^2 \\
& - a^3*c)*d^2*e^2)/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c^6)*d^7*e \\
& + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - a*b^3*c^ \\
& 4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^4 - 24*a^ \\
& 3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d^3*e^5 + 2*(3* \\
& a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^3*c^2 - 4*a^4* \\
& b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))/((b^2*c^3 - 4*a*c^4)*d^4 - \\
& 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - \\
& 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4))) + d*sqrt(\\
& -d/e)*log((e*x^2 + 2*e*x*sqrt(-d/e) - d)/(e*x^2 + d))/(c*d^2 - b*d*e + a*e \\
& ^2), 1/2*(sqrt(1/2)*(c*d^2 - b*d*e + a*e^2)*sqrt(-(a^2*b*e^2 + (b^3 - 3*a*b \\
& *c)*d^2 - 2*(a*b^2 - 2*a^2*c)*d*e + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - \\
& 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c \\
& - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*sqrt(-(4*a^3*b*d*e^3 - \\
& a^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(a*b^3 - a^2*b*c)*d^3*e - 2*(\\
& 3*a^2*b^2 - a^3*c)*d^2*e^2)/((b^2*c^6 - 4*a*c^7)*d^8 - 4*(b^3*c^5 - 4*a*b*c^ \\
& 6)*d^7*e + 2*(3*b^4*c^4 - 10*a*b^2*c^5 - 8*a^2*c^6)*d^6*e^2 - 4*(b^5*c^3 - \\
& a*b^3*c^4 - 12*a^2*b*c^5)*d^5*e^3 + (b^6*c^2 + 8*a*b^4*c^3 - 42*a^2*b^2*c^ \\
& 4 - 24*a^3*c^5)*d^4*e^4 - 4*(a*b^5*c^2 - a^2*b^3*c^3 - 12*a^3*b*c^4)*d^3*e^ \\
& 5 + 2*(3*a^2*b^4*c^2 - 10*a^3*b^2*c^3 - 8*a^4*c^4)*d^2*e^6 - 4*(a^3*b^3*c^2 \\
& - 4*a^4*b*c^3)*d*e^7 + (a^4*b^2*c^2 - 4*a^5*c^3)*e^8))/((b^2*c^3 - 4*a*c^ \\
& 4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)* \\
& d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4))*1 \\
& og(-2*(2*a^2*b*d*e - a^3*e^2 - (a*b^2 - a^2*c)*d^2)*x + sqrt(1/2)*((b^4 - 5 \\
& *a*b^2*c + 4*a^2*c^2)*d^3 - 2*(a*b^3 - 4*a^2*b*c)*d^2*e + (a^2*b^2 - 4*a^3* \\
& c)*d*e^2 - ((b^3*c^3 - 4*a*b*c^4)*d^5 - 2*(b^4*c^2 - 3*a*b^2*c^3 - 4*a^2*c^
\end{aligned}$$

$$\begin{aligned}
& 4)d^4e + (b^5c + 2ab^3c^2 - 24a^2b^2c^3)d^3e^2 - 4(a^4b^2c - 3a^2b^2c^2 - 4a^3c^3)d^2e^3 + 5(a^2b^3c - 4a^3b^2c^2)d^2e^4 - 2(a^3b^2c - 4a^4c^2)e^5) \sqrt{-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(a^2b^3 - a^2b^2c)d^3e - 2(3a^2b^2 - a^3c)d^2e^2)} \\
& /((b^2c^6 - 4a^2c^7)d^8 - 4(b^3c^5 - 4ab^2c^6)d^7e + 2(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4 \\
& (ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8)) \sqrt{-(a^2b^2e^2 + (b^3 - 3ab^2c)d^2 - 2(a^2b^2 - 2a^2c)d^2e + ((b^2c^3 - 4a^2c^4)d^4 - 2(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)) \sqrt{-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(a^2b^3 - a^2b^2c)d^3e - 2(3a^2b^2 - a^3c)d^2e^2)} \\
& /((b^2c^6 - 4a^2c^7)d^8 - 4(b^3c^5 - 4ab^2c^6)d^7e + 2(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8)) /((b^2c^3 - 4a^2c^4)d^4 - 2(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)) - \sqrt{1/2}(cd^2 - bde + ae^2) \sqrt{-(a^2b^2e^2 + (b^3 - 3ab^2c)d^2 - 2(a^2b^2 - 2a^2c)d^2e + ((b^2c^3 - 4a^2c^4)d^4 - 2(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)) \sqrt{-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(a^2b^3 - a^2b^2c)d^3e - 2(3a^2b^2 - a^3c)d^2e^2)} \\
& /((b^2c^6 - 4a^2c^7)d^8 - 4(b^3c^5 - 4ab^2c^6)d^7e + 2(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8)) /((b^2c^3 - 4a^2c^4)d^4 - 2(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)) \log(-2(2a^2b^2d^2e - a^3e^2 - (ab^2 - a^2c)d^2)x - \sqrt{1/2}((b^4 - 5ab^2c + 4a^2c^2)d^3 - 2(ab^3 - 4a^2b^2c)d^2e + (a^2b^2 - 4a^3c)d^2e^2 - ((b^3c^3 - 4ab^2c^4)d^5 - 2(b^4c^2 - 3ab^2c^3 - 4a^2c^4)d^4e + (b^5c + 2ab^3c^2 - 24a^2b^2c^3)d^3e^2 - 4(ab^4c - 3a^2b^2c^2 - 4a^3c^3)d^2e^3 + 5(a^2b^3c - 4a^3b^2c^2)d^2e^4 - 2(a^3b^2c - 4a^4c^2)e^5) \sqrt{-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(a^2b^3 - a^2b^2c)d^3e - 2(3a^2b^2 - a^3c)d^2e^2)} \\
& /((b^2c^6 - 4a^2c^7)d^8 - 4(b^3c^5 - 4ab^2c^6)d^7e + 2(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8))
\end{aligned}$$

$$\begin{aligned}
& c^3 - 12a^3bc^4)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4) \\
&)d^2e^6 - 4*(a^3b^3c^2 - 4a^4bc^3)*d^2e^7 + (a^4b^2c^2 - 4a^5c^3) \\
& *e^8))\sqrt{-(a^2b^2e^2 + (b^3 - 3a^2bc^2 - 2*(a^2b^2 - 2a^2c^2)*d^2e + \\
& ((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2bc^3)*d^3e + (b^4c - 2a^2b^2c^2 - \\
& 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - \\
& 4a^3c^2)*e^4)*\sqrt{-(4a^3bd^2e^3 - a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2) \\
&)d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/((b^2c^6 - \\
& 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2bc^6)*d^7e + 2*(3b^4c^4 - 10a^2b^2c^5 - \\
& 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + \\
& (b^6c^2 + 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - \\
& a^2b^3c^3 - 12a^3bc^4)*d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4) \\
&)d^2e^6 - 4*(a^3b^3c^2 - 4a^4bc^3)*d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8)))/((b^2c^3 - \\
& 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2bc^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3) \\
&)d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)) + \sqrt{1/2}*(c*d^2 - b*d*e + a*e^2)* \\
& \sqrt{-(a^2b^2e^2 + (b^3 - 3a^2bc^2 - 2*(a^2b^2 - 2a^2c^2)*d^2e - ((b^2c^3 - \\
& 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2bc^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3) \\
&)d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)*\sqrt{-(4a^3bd^2e^3 - \\
& a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - \\
& a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2bc^6)*d^7e + 2*(3b^4c^4 - \\
& 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + \\
& 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3bc^4) \\
&)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4bc^3) \\
&)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8)))/((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2bc^3) \\
&)d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3)*d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + \\
& (a^2b^2c - 4a^3c^2)*e^4))*\log(-2*(2a^2b^2d^2e - a^3e^2 - (a^2b^2 - a^2c) \\
&)d^2)*x + \sqrt{1/2}*((b^4 - 5a^2b^2c + 4a^2c^2)*d^3 - 2*(a^2b^3 - 4a^2b^2c) \\
&)d^2e + (a^2b^2 - 4a^3c)*d^2e^2 + ((b^3c^3 - 4a^2bc^4)*d^5 - 2*(b^4c^2 - 3a^2b^2c^3 - \\
& 4a^2c^4)*d^4e + (b^5c + 2a^2b^3c^2 - 24a^2b^2c^3)*d^3e^2 - 4*(a^2b^4c - 3a^2b^2c^2 - \\
& 4a^3c^3)*d^2e^3 + 5*(a^2b^3c - 4a^3bc^2)*d^2e^4 - 2*(a^3b^2c - 4a^4c^2)*e^5)*\sqrt{-(4a^3bd^2e^3 - \\
& a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - \\
& a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2bc^6)*d^7e + 2*(3b^4c^4 - \\
& 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + \\
& 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3bc^4) \\
&)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4bc^3) \\
&)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8))\sqrt{-(a^2b^2e^2 + (b^3 - 3a^2bc^2 - 2*(a^2b^2 - 2a^2c^2) \\
&)d^2e - ((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2bc^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3) \\
&)d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)*\sqrt{-(4a^3bd^2e^3 - \\
& a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - \\
& a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2bc^6)*d^7e + 2*(3b^4c^4 - \\
& 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + \\
& 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3bc^4) \\
&)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4bc^3) \\
&)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8))\sqrt{-(a^2b^2e^2 + (b^3 - 3a^2bc^2 - 2*(a^2b^2 - 2a^2c^2) \\
&)d^2e - ((b^2c^3 - 4a^2c^4)*d^4 - 2*(b^3c^2 - 4a^2bc^3)*d^3e + (b^4c - 2a^2b^2c^2 - 8a^2c^3) \\
&)d^2e^2 - 2*(a^2b^3c - 4a^2b^2c^2)*d^2e^3 + (a^2b^2c - 4a^3c^2)*e^4)*\sqrt{-(4a^3bd^2e^3 - \\
& a^4e^4 - (b^4 - 2a^2b^2c + a^2c^2)*d^4 + 4*(a^2b^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - \\
& a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)*d^8 - 4*(b^3c^5 - 4a^2bc^6)*d^7e + 2*(3b^4c^4 - \\
& 10a^2b^2c^5 - 8a^2c^6)*d^6e^2 - 4*(b^5c^3 - a^2b^3c^4 - 12a^2b^2c^5)*d^5e^3 + (b^6c^2 + \\
& 8a^2b^4c^3 - 42a^2b^2c^4 - 24a^3c^5)*d^4e^4 - 4*(a^2b^5c^2 - a^2b^3c^3 - 12a^3bc^4) \\
&)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)*d^2e^6 - 4*(a^3b^3c^2 - 4a^4bc^3) \\
&)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)*e^8))
\end{aligned}$$

$$\begin{aligned}
& b^3c^5 - 4ab^2c^6)d^7e + 2*(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4*(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4*(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8)/ \\
& ((b^2c^3 - 4a^2c^4)d^4 - 2*(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2*(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)) - \text{sqrt}(1/2)*(cd^2 - bde + ae^2)*\text{sqrt}(-(a^2b^2e^2 + (b^3 - 3ab^2c)*d^2 - 2*(ab^2 - 2a^2c)*d^2e - ((b^2c^3 - 4a^2c^4)d^4 - 2*(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2*(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)*\text{sqrt}(-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4*(ab^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/(b^2c^6 - 4a^2c^7)d^8 - 4*(b^3c^5 - 4ab^2c^6)d^7e + 2*(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4*(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4*(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8))/((b^2c^3 - 4a^2c^4)d^4 - 2*(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2*(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4))*\log(-2*(2a^2b^2d^2e - a^3e^2 - (ab^2 - a^2c)*d^2)*x - \text{sqrt}(1/2)*((b^4 - 5ab^2c + 4a^2c^2)d^3 - 2*(ab^3 - 4a^2b^2c)*d^2e + (a^2b^2 - 4a^3c)*d^2e^2 + ((b^3c^3 - 4ab^2c^4)d^5 - 2*(b^4c^2 - 3ab^2c^3 - 4a^2c^4)d^4e + (b^5c + 2ab^3c^2 - 24a^2b^2c^3)d^3e^2 - 4*(ab^4c - 3a^2b^2c^2 - 4a^3c^3)d^2e^3 + 5*(a^2b^3c - 4a^3b^2c^2)d^2e^4 - 2*(a^3b^2c - 4a^4c^2)e^5)*\text{sqrt}(-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4*(ab^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)d^8 - 4*(b^3c^5 - 4ab^2c^6)d^7e + 2*(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4*(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4*(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8))*\text{sqrt}(-(a^2b^2e^2 + (b^3 - 3ab^2c)*d^2 - 2*(ab^2 - 2a^2c)*d^2e - ((b^2c^3 - 4a^2c^4)d^4 - 2*(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2*(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)*\text{sqrt}(-(4a^3b^2d^2e^3 - a^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4*(ab^3 - a^2b^2c)*d^3e - 2*(3a^2b^2 - a^3c)*d^2e^2)/((b^2c^6 - 4a^2c^7)d^8 - 4*(b^3c^5 - 4ab^2c^6)d^7e + 2*(3b^4c^4 - 10ab^2c^5 - 8a^2c^6)d^6e^2 - 4*(b^5c^3 - ab^3c^4 - 12a^2b^2c^5)d^5e^3 + (b^6c^2 + 8ab^4c^3 - 42a^2b^2c^4 - 24a^3c^5)d^4e^4 - 4*(ab^5c^2 - a^2b^3c^3 - 12a^3b^2c^4)d^3e^5 + 2*(3a^2b^4c^2 - 10a^3b^2c^3 - 8a^4c^4)d^2e^6 - 4*(a^3b^3c^2 - 4a^4b^2c^3)d^2e^7 + (a^4b^2c^2 - 4a^5c^3)e^8))/((b^2c^3 - 4a^2c^4)d^4 - 2*(b^3c^2 - 4ab^2c^3)d^3e + (b^4c - 2ab^2c^2 - 8a^2c^3)d^2e^2 - 2*(ab^3c - 4a^2b^2c^2)d^2e^3 + (a^2b^2c - 4a^3c^2)e^4)) + 2*d
\end{aligned}$$

$$\begin{aligned}
& \text{qrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^3*c^2 - 2*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - \\
& - 4*a*c))*c)*a*b^4*c^2 - 2*a*b^5*c^2 + 16*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a* \\
& c))*c)*a^3*b*c^3 + 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^2*c^3 + s \\
& \text{qrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^3*c^3 + 16*a^2*b^3*c^3 - 4*\text{sqrt}(\\
& 2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b*c^4 - 32*a^3*b*c^4 + 2*(b^2 - 4*a* \\
& c)*a*b^3*c^2 - 8*(b^2 - 4*a*c)*a^2*b*c^3)*d^2*\text{abs}(c*d^2 - b*d*e + a*e^2)*e \\
& - (2*b^5*c^2 - 16*a*b^3*c^3 + 32*a^2*b*c^4 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt} \\
& (b*c + \text{sqrt}(b^2 - 4*a*c))*c)*b^5 + 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + sq \\
& \text{rt}(b^2 - 4*a*c))*c)*a*b^3*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^ \\
& 2 - 4*a*c))*c)*b^4*c - 16*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4* \\
& a*c))*c)*a^2*b*c^2 - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c \\
&))*c)*a*b^2*c^2 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)* \\
& b^3*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c \\
& ^3 - 2*(b^2 - 4*a*c)*b^3*c^2 + 8*(b^2 - 4*a*c)*a*b*c^3)*(c*d^2 - b*d*e + a* \\
& e^2)^2*d - (6*a*b^6*c^2 - 28*a^2*b^4*c^3 + 16*a^3*b^2*c^4 - 3*\text{sqrt}(2)*\text{sqrt}(\\
& b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^6 + 14*\text{sqrt}(2)*\text{sqrt}(b^2 - \\
& 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^4*c + 6*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a \\
& *c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^5*c - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*s \\
& \text{qrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3*b^2*c^2 - 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*sq \\
& \text{rt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^3*c^2 - 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*sq \\
& \text{rt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^4*c^2 + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b \\
& *c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^2*c^3 - 6*(b^2 - 4*a*c)*a*b^4*c^2 + 4*(b^2 \\
& - 4*a*c)*a^2*b^2*c^3)*d^2*e^3 - 2*(\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)* \\
& a^2*b^4*c - 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3*b^2*c^2 - 2*\text{sqrt}(\\
& 2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^3*c^2 - 2*a^2*b^4*c^2 + 16*\text{sqrt}(2) \\
& *\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^4*c^3 + 8*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - \\
& 4*a*c))*c)*a^3*b*c^3 + \text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^2*c^3 + \\
& 16*a^3*b^2*c^3 - 4*\text{sqrt}(2)*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3*c^4 - 32*a^ \\
& 4*c^4 + 2*(b^2 - 4*a*c)*a^2*b^2*c^2 - 8*(b^2 - 4*a*c)*a^3*c^3)*d*\text{abs}(c*d^2 \\
& - b*d*e + a*e^2)*e^2 + (2*a*b^4*c^2 - 16*a^2*b^2*c^3 + 32*a^3*c^4 - \text{sqrt}(2) \\
& *\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^4 + 8*\text{sqrt}(2)*\text{sqrt}(b \\
& ^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^2*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 \\
& - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^3*c - 16*\text{sqrt}(2)*\text{sqrt}(b^2 - 4* \\
& a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3*c^2 - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))* \\
& \text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b*c^2 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(\\
& b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a*b^2*c^2 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c \\
& + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*c^3 - 2*(b^2 - 4*a*c)*a*b^2*c^2 + 8*(b^2 - 4*a* \\
& c)*a^2*c^3)*(c*d^2 - b*d*e + a*e^2)^2*e + (6*a^2*b^5*c^2 - 28*a^3*b^3*c^3 + \\
& 16*a^4*b*c^4 - 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c) \\
& *a^2*b^5 + 14*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3 \\
& *b^3*c + 6*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^ \\
& 4*c - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b*c^2 \\
& - 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3*b^2*c^2 \\
& - 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^3*c^2 + \\
& 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c))*\text{sqrt}(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*a^3*b*c^3 - 6*
\end{aligned}$$

$$\begin{aligned}
& (b^2 - 4ac) a^2 b^3 c^2 + 4(b^2 - 4ac) a^3 b^2 c^3) d e^4 - (2a^3 b^4 c^2 - 8a^4 b^2 c^3 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \\
& * c) a^3 b^4 + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) a^4 b^2 c + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) a^3 b^3 c - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) a^3 b^2 c^2 \\
& - 2(b^2 - 4ac) a^3 b^2 c^2) e^5) \arctan(2\sqrt{1/2} * x / \sqrt{(b^2 c d^2 - b^2 d^2 e + a b^2 e^2 + \sqrt{(b^2 c d^2 - b^2 d^2 e + a b^2 e^2)^2 - 4(a^2 c d^2 - a b^2 d^2 e + a^2 e^2)} * (c^2 d^2 - b^2 c d^2 e + a^2 c e^2))} / ((a^2 b^4 c^3 - 8a^2 b^2 c^4 - 2a^2 b^3 c^4 + 16a^3 c^5 + 8a^2 b^2 c^5 + a^2 b^2 c^5 - 4a^2 c^6) * d^4 \operatorname{abs}(c d^2 - b d^2 e + a e^2) \operatorname{abs}(c) - 2(a^2 b^5 c^2 - 8a^2 b^3 c^3 - 2a^2 b^4 c^3 + 16a^3 b^2 c^4 + 8a^2 b^2 c^4 + a^2 b^3 c^4 - 4a^2 b^2 c^5) * d^3 \operatorname{abs}(c d^2 - b d^2 e + a e^2) \operatorname{abs}(c) * e + (a^2 b^6 c - 6a^2 b^4 c^2 - 2a^2 b^5 c^2 + 4a^2 b^3 c^3 + a^2 b^4 c^3 + 32a^4 c^4 + 16a^3 b^2 c^4 - 2a^2 b^2 c^4 - 8a^3 c^5) * d^2 \operatorname{abs}(c d^2 - b d^2 e + a e^2) \operatorname{abs}(c) * e^2 - 2(a^2 b^5 c - 8a^3 b^3 c^2 - 2a^2 b^4 c^2 + 16a^4 b^2 c^3 + 8a^3 b^2 c^3 + a^2 b^3 c^3 - 4a^3 b^2 c^4) * d \operatorname{abs}(c d^2 - b d^2 e + a e^2) \operatorname{abs}(c) * e^3 + (a^3 b^4 c - 8a^4 b^2 c^2 - 2a^3 b^3 c^2 + 16a^5 c^3 + 8a^4 b^2 c^3 + a^3 b^2 c^3 - 4a^4 c^4) * \operatorname{abs}(c d^2 - b d^2 e + a e^2) \operatorname{abs}(c) * e^4) - 1/8 * ((2b^5 c^4 - 12a^2 b^3 c^5 + 16a^2 b^2 c^6 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^5 c^2 + 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^4 c^3 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^4 c^3 - 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^3 c^4 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^3 c^4 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^4 - 2(b^2 - 4ac) * b^3 c^4 + 4(b^2 - 4ac) * a^2 b^2 c^4) * d^5 - (4b^6 c^3 - 22a^2 b^4 c^4 + 24a^2 b^2 c^5 - 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^6 c + 11\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^4 c^2 + 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^5 c^2 - 12\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^3 - 6\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^3 c^3 - 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^4 c^3 + 3\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^4 - 4(b^2 - 4ac) * b^4 c^3 + 6(b^2 - 4ac) * a^2 b^2 c^4) * d^4 e + 2(\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^3 - 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^3 c^3 + 2a^2 b^4 c^3 + 16\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^3 c^4 + 8\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^4 + \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^2 c^4 - 16a^2 b^2 c^4 - 4\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 c^5 + 32a^3 c^5 - 2(b^2 - 4ac) * a^2 b^2 c^3 + 8(b^2 - 4ac) * a^2 c^4) * d^3 \operatorname{abs}(c d^2 - b d^2 e + a e^2) + (2b^7 c^2 - 4a^2 b^5 c^3 - 24a^2 b^3 c^4 + 32a^3 b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^7 + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^5 c + 2\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * b^6 c + 12\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} * c) * a^2 b^3 c
\end{aligned}$$

$$\begin{aligned}
& c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^4c^2 \\
& - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^5c^2 - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^3c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^3 - 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^3c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^3 - 2(b^2 - 4ac)b^5c^2 - 4(b^2 - 4ac)a^2b^3c^3 + 8(b^2 - 4ac)a^2b^4c^3)d^3e^2 \\
& - 2(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^5c - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^2 - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^4c^2 + 2ab^5c^2 + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^3c^3 + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^3c^3 - 16a^2b^3c^3 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c^3 + 32a^3b^4c^3 - 2(b^2 - 4ac)a^2b^3c^2 + 8(b^2 - 4ac)a^2b^4c^3)d^2\text{abs}(cd^2 - bde + ae^2)e - (2b^5c^2 - 16ab^3c^3 + 32a^2b^4c^3 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^5 + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^3c + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^4c - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^2 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^2c^2 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)b^3c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^3c^3 - 2(b^2 - 4ac)b^3c^2 + 8(b^2 - 4ac)ab^3c^3)(cd^2 - bde + ae^2)^2d - (6ab^6c^2 - 28a^2b^4c^3 + 16a^3b^2c^4 - 3\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^6 + 14\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c + 6\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^5c - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^2c^2 - 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^2 - 3\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^4c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^3 - 6(b^2 - 4ac)ab^4c^2 + 4(b^2 - 4ac)a^2b^2c^3)d^2e^3 + 2(\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^4c - 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^2c^2 - 2\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^3c^2 + 2a^2b^4c^2 + 16\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^4c^3 + 8\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3b^3c^3 + \sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^3 - 16a^3b^2c^3 - 4\sqrt{2}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3c^4 + 32a^4c^4 - 2(b^2 - 4ac)a^2b^2c^2 + 8(b^2 - 4ac)a^3c^3)d\text{abs}(cd^2 - bde + ae^2)e^2 + (2ab^4c^2 - 16a^2b^2c^3 + 32a^3c^4 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^4 + 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^3c - 16\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^3c^2 - 8\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2b^2c^2 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)ab^2c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc - \sqrt{b^2 - 4ac}}c)a^2c^3 - 2(b^2 - 4ac)ab^2c^2 + 8(b^2 - 4ac)a^2c^3
\end{aligned}$$

```

^3)*(c*d^2 - b*d*e + a*e^2)^2*e + (6*a^2*b^5*c^2 - 28*a^3*b^3*c^3 + 16*a^4*
b*c^4 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^5
+ 14*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^3*c +
6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^4*c - 8*
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b*c^2 - 4*sqrt
t(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^2 - 3*sqrt
(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^2*b^3*c^2 + 2*sqrt(
2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b*c^3 - 6*(b^2 - 4
*a*c)*a^2*b^3*c^2 + 4*(b^2 - 4*a*c)*a^3*b*c^3)*d*e^4 - (2*a^3*b^4*c^2 - 8*a
^4*b^2*c^3 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*
b^4 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b^2*c
+ 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^3*c -
sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^2 - 2*(
b^2 - 4*a*c)*a^3*b^2*c^2)*e^5)*arctan(2*sqrt(1/2)*x/sqrt((b*c*d^2 - b^2*d*e
+ a*b*e^2 - sqrt((b*c*d^2 - b^2*d*e + a*b*e^2)^2 - 4*(a*c*d^2 - a*b*d*e +
a^2*e^2))*(c^2*d^2 - b*c*d*e + a*c*e^2)))/(c^2*d^2 - b*c*d*e + a*c*e^2)))/((
a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16*a^3*c^5 + 8*a^2*b*c^5 + a*b^2*
c^5 - 4*a^2*c^6)*d^4*abs(c*d^2 - b*d*e + a*e^2)*abs(c) - 2*(a*b^5*c^2 - 8*a
^2*b^3*c^3 - 2*a*b^4*c^3 + 16*a^3*b*c^4 + 8*a^2*b^2*c^4 + a*b^3*c^4 - 4*a^2
*b*c^5)*d^3*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e + (a*b^6*c - 6*a^2*b^4*c^2
- 2*a*b^5*c^2 + 4*a^2*b^3*c^3 + a*b^4*c^3 + 32*a^4*c^4 + 16*a^3*b*c^4 - 2*a
^2*b^2*c^4 - 8*a^3*c^5)*d^2*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e^2 - 2*(a^2*
b^5*c - 8*a^3*b^3*c^2 - 2*a^2*b^4*c^2 + 16*a^4*b*c^3 + 8*a^3*b^2*c^3 + a^2*
b^3*c^3 - 4*a^3*b*c^4)*d*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e^3 + (a^3*b^4*c
- 8*a^4*b^2*c^2 - 2*a^3*b^3*c^2 + 16*a^5*c^3 + 8*a^4*b*c^3 + a^3*b^2*c^3 -
4*a^4*c^4)*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e^4)

```

maple [B] time = 0.03, size = 764, normalized size = 2.73

$$\frac{\sqrt{2} a b e \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}\right)}{2\left(a e^2-d e b+c d^2\right) \sqrt{-4 a c+b^2} \sqrt{\left(-b+\sqrt{-4 a c+b^2}\right) c}}+\frac{\sqrt{2} a b e \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}}\right)}{2\left(a e^2-d e b+c d^2\right) \sqrt{-4 a c+b^2} \sqrt{\left(b+\sqrt{-4 a c+b^2}\right) c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e*x^2+d)/(c*x^4+b*x^2+a), x)

[Out] -1/2/(a*e^2-b*d*e+c*d^2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*a*e+1/2/(a*e^2-b*d*e+c*d^2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*d+1/2/(a*e^2-b*d*e+c*d^2)/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*a*b*e+1/(a*e^2-b*d*e+c*d^2)*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((

$$\begin{aligned}
& -b+(-4ac+b^2)^{1/2})c)^{1/2} \operatorname{arctanh}(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}) \\
& \wedge(1/2)*c*x)*a*d-1/2/(a*e^2-b*d*e+c*d^2)/(-4ac+b^2)^{1/2}*2^{1/2}/((-b+(-4 \\
& *a*c+b^2)^{1/2})c)^{1/2} \operatorname{arctanh}(2^{1/2}/((-b+(-4ac+b^2)^{1/2})c)^{1/2}) \\
& *c*x)*b^2*d+1/2/(a*e^2-b*d*e+c*d^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \\
&)*\operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2})c*x)*a*e-1/2/(a*e^2-b*d*e \\
& +c*d^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \operatorname{arctan}(2^{1/2}/((b+(-4ac \\
& +b^2)^{1/2})c)^{1/2})c*x)*b*d+1/2/(a*e^2-b*d*e+c*d^2)/(-4ac+b^2)^{1/2}*2 \\
& ^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2} \\
&))c)^{1/2})c*x)*a*b*e+1/(a*e^2-b*d*e+c*d^2)*c/(-4ac+b^2)^{1/2}*2^{1/2}/ \\
& ((b+(-4ac+b^2)^{1/2})c)^{1/2} \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) \\
&)c*x)*a*d-1/2/(a*e^2-b*d*e+c*d^2)/(-4ac+b^2)^{1/2}*2^{1/2}/((b+(-4ac \\
& +b^2)^{1/2})c)^{1/2} \operatorname{arctan}(2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2})c*x \\
&)*b^2*d+d^2/(a*e^2-b*d*e+c*d^2)/(d*e)^{1/2} \operatorname{arctan}(1/(d*e)^{1/2})e*x)
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{d^2 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^2 - bde + ae^2)\sqrt{de}} + \frac{-\int \frac{(bd-ae)x^2+ad}{cx^4+bx^2+a} dx}{cd^2 - bde + ae^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] d^2*arctan(e*x/sqrt(d*e))/((c*d^2 - b*d*e + a*e^2)*sqrt(d*e)) + integrate(-((b*d - a*e)*x^2 + a*d)/(c*x^4 + b*x^2 + a), x)/(c*d^2 - b*d*e + a*e^2)

mupad [B] time = 5.80, size = 25202, normalized size = 90.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] atan(((((-b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{1/2} + b^2*d^2*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{1/2} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{1/2})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))))^{1/2}*((x*(8*a^3*b^3*c*e^7 - 32*a^4*b*c^2*e^7 - 112*a^4*c^3*d*e^6 + 8*b^3*c^4*d^6*e + 8*b^6*c*d^3*e^4 - 112*a^2*c^5*d^5*e^2 + 32*a^3*c^4*d^3*e^4 - 8*b^4*c^3*d^5*e^2 - 8*b^5*c^2*d^4*e^3 - 32*a*b*c^5*d^6*e - 48*a^2*b^2*c^3*d^3*e^4 + 8*a^2*b^3*c^2*d^2*e^5 - 8*a*b^

$$\begin{aligned}
& 5*c*d^2*e^5 - 8*a^2*b^4*c*d*e^6 + 64*a*b^2*c^4*d^5*e^2 + 8*a*b^3*c^3*d^4*e^3 \\
& - 16*a*b^4*c^2*d^3*e^4 + 64*a^2*b*c^4*d^4*e^3 + 64*a^3*b*c^3*d^2*e^5 + 64 \\
& *a^3*b^2*c^2*d*e^6) + (-(b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e \\
& - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3 \\
& *c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^ \\
& 2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 \\
& - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 \\
& - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3* \\
& d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3)))^{(1/2)}*(64*a^2*c^6*d^6 \\
& *e^2 - x*(-(b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2* \\
& d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d \\
& ^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12 \\
& *a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 1 \\
& 6*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d \\
& ^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d \\
& *e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b \\
& ^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^ \\
& 3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 \\
& - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5 \\
& *c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d \\
& ^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^ \\
& 4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e \\
& ^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 \\
& + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 64 \\
& 0*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 128*a^3*c^5*d^4*e^4 + 64*a^4 \\
& *c^4*d^2*e^6 - 96*a^2*b^2*c^4*d^4*e^4 + 64*a^2*b^3*c^3*d^3*e^5 + 32*a^2*b^4 \\
& *c^2*d^2*e^6 - 144*a^3*b^2*c^3*d^2*e^6 + 64*a^4*b*c^3*d*e^7 - 16*a*b^2*c^5* \\
& d^6*e^2 + 16*a*b^3*c^4*d^5*e^3 + 16*a*b^4*c^3*d^4*e^4 - 16*a*b^5*c^2*d^3*e^ \\
& 5 - 64*a^2*b*c^5*d^5*e^3 - 16*a^3*b^3*c^2*d*e^7))*(-(b^5*d^2 + a^2*b^3*e^2 \\
& + a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12* \\
& a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a* \\
& b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c \\
& ^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2 \\
& *b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d* \\
& e^3)))^{(1/2)} + 16*a^2*c^4*d^5*e + 4*a^4*c^2*d*e^5 - 60*a^3*c^3*d^3*e^3 + 24 \\
& *a^2*b^2*c^2*d^3*e^3 - 4*a*b^2*c^3*d^5*e - 4*a*b^4*c*d^3*e^3 - 4*a^3*b^2*c* \\
& d*e^5 - 4*a*b^3*c^2*d^4*e^2 + 20*a^2*b*c^3*d^4*e^2 + 8*a^2*b^3*c*d^2*e^4 - \\
& 16*a^3*b*c^2*d^2*e^4) + x*(2*a^4*c*e^5 + 4*a^2*c^3*d^4*e + 2*b^4*c*d^4*e - \\
& 8*a*b^2*c^2*d^4*e))*(-(b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - \\
& 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c \\
& ^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*
\end{aligned}$$

$$\begin{aligned}
& - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2* \\
& a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^ \\
& 2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& / (8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2* \\
& b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^ \\
& 4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32* \\
& a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)} - 16* \\
& a^2*c^4*d^5*e - 4*a^4*c^2*d*e^5 + 60*a^3*c^3*d^3*e^3 - 24*a^2*b^2*c^2*d^3*e \\
& ^3 + 4*a*b^2*c^3*d^5*e + 4*a*b^4*c*d^3*e^3 + 4*a^3*b^2*c*d*e^5 + 4*a*b^3*c^ \\
& 2*d^4*e^2 - 20*a^2*b*c^3*d^4*e^2 - 8*a^2*b^3*c*d^2*e^4 + 16*a^3*b*c^2*d^2*e \\
& ^4) + x*(2*a^4*c*e^5 + 4*a^2*c^3*d^4*e + 2*b^4*c*d^4*e - 8*a*b^2*c^2*d^4*e) \\
&)*(-(b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a* \\
& c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^ \\
& 2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c \\
& ^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + \\
& b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + \\
& 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2* \\
& d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)}*ii)/(((-(b^5*d^2 + a^2*b^3*e^2 + a^ \\
& 2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2* \\
& b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2* \\
& c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e \\
& ^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c \\
& ^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3) \\
&))^{(1/2)}*((x*(8*a^3*b^3*c*e^7 - 32*a^4*b*c^2*e^7 - 112*a^4*c^3*d*e^6 + 8*b^ \\
& 3*c^4*d^6*e + 8*b^6*c*d^3*e^4 - 112*a^2*c^5*d^5*e^2 + 32*a^3*c^4*d^3*e^4 - \\
& 8*b^4*c^3*d^5*e^2 - 8*b^5*c^2*d^4*e^3 - 32*a*b*c^5*d^6*e - 48*a^2*b^2*c^3*d \\
& ^3*e^4 + 8*a^2*b^3*c^2*d^2*e^5 - 8*a*b^5*c*d^2*e^5 - 8*a^2*b^4*c*d*e^6 + 64 \\
& *a*b^2*c^4*d^5*e^2 + 8*a*b^3*c^3*d^4*e^3 - 16*a*b^4*c^2*d^3*e^4 + 64*a^2*b* \\
& c^4*d^4*e^3 + 64*a^3*b*c^3*d^2*e^5 + 64*a^3*b^2*c^2*d*e^6) + (-(b^5*d^2 + a \\
& ^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b* \\
& d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3 \\
& *d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - \\
& 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3 \\
& *e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2 \\
& *b^3*c^2*d*e^3))^{(1/2)}*(64*a^2*c^6*d^6*e^2 - x*(-(b^5*d^2 + a^2*b^3*e^2 + \\
& a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^ \\
& 2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^ \\
& 2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2
\end{aligned}$$

$$\begin{aligned}
& e^4 + 32a^3c^4d^2e^2 - 2a^2b^5c^3d^3e^3 + 16a^2b^3c^3d^3e^4 - 32a^2b^2c^4d^3e^5 - 32a^3b^2c^3d^3e^6 - 6a^2b^4c^2d^2e^7 + 16a^2b^3c^2d^2e^8 \\
& 3)))^{(1/2)} \cdot (256a^4b^2c^3e^9 - 32a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4e^5 - 512a^4c^5d^2e^7 - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192b^5c^4d^5e^4 + 128b^6c^3d^4e^5 - \\
& 32b^7c^2d^3e^6 + 512a^2b^2c^5d^4e^5 + 288a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^2c^4d^2e^7 + 128a^2b^3c^7d^7e^2 + 640a^4b^2c^4d^4e^8 - 640a^2b^2c^6d^6e^3 + 1056a^2b^3c^5d^5e^4 - 672a^2b^4c^4d^4e^5 + 96a^2b^5c^3d^3e^6 + 32a^2b^6c^2d^2e^7 - 1152a^2b^3c^6d^5e^4 + 32a^2b^5c^2d^2e^8 - 640a^3b^2c^5d^3e^6 - 288a^3b^3c^3d^3e^8) + 128a^3c^5d^4e^4 + 64a^4c^4d^2e^6 - 96a^2b^2c^4d^4e^4 + 64a^2b^3c^3d^3e^5 + 32a^2b^4c^2d^2e^6 - 144a^3b^2c^3d^2e^6 + 64a^4b^2c^3d^2e^7 - 16a^2b^2c^5d^6e^2 + 16a^2b^3c^4d^5e^3 + 16a^2b^4c^3d^4e^4 - 16a^2b^5c^2d^3e^5 - 64a^2b^2c^5d^5e^3 - 16a^3b^3c^2d^2e^7) \cdot (- (b^5d^2 + a^2b^3e^2 + a^2e^2 \cdot (- (4ac - b^2)^3)^{(1/2)} + b^2d^2 \cdot (- (4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2 - 2a^2b^4d^2e - 7a^2b^3c^2d^2 - ac^2d^2 \cdot (- (4ac - b^2)^3)^{(1/2)} - 4a^3b^2c^2e^2 - 16a^3c^2d^2e + 12a^2b^2c^2d^2e - 2a^2b^4d^2e \cdot (- (4ac - b^2)^3)^{(1/2)}) / (8 \cdot (16a^2c^5d^4 + 16a^4c^3e^4 + b^4c^3d^4 - 8a^2b^2c^4d^4 + a^2b^4c^4e^4 - 2b^5c^2d^3e + b^6c^2d^2e^2 - 8a^3b^2c^2e^4 + 32a^3c^4d^2e^2 - 2a^2b^5c^2d^3e + 16a^2b^3c^3d^3e - 32a^2b^2c^4d^3e - 32a^3b^2c^3d^3e - 6a^2b^4c^2d^2e^2 + 16a^2b^3c^2d^2e^3)))^{(1/2)} + 16a^2c^4d^5e + 4a^4c^2d^5e - 60a^3c^3d^3e^3 + 24a^2b^2c^2d^3e^3 - 4a^2b^2c^3d^5e - 4a^2b^4c^3d^3e^3 - 4a^3b^2c^2d^5e - 4a^2b^3c^2d^4e^2 + 20a^2b^2c^3d^4e^2 + 8a^2b^3c^2d^2e^4 - 16a^3b^2c^2d^2e^4) + x \cdot (2a^4c^5e^5 + 4a^2c^3d^4e + 2b^4c^2d^4e - 8a^2b^2c^2d^4e) \cdot (- (b^5d^2 + a^2b^3e^2 + a^2e^2 \cdot (- (4ac - b^2)^3)^{(1/2)} + b^2d^2 \cdot (- (4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2 - 2a^2b^4d^2e - 7a^2b^3c^2d^2 - ac^2d^2 \cdot (- (4ac - b^2)^3)^{(1/2)} - 4a^3b^2c^2e^2 - 16a^3c^2d^2e + 12a^2b^2c^2d^2e - 2a^2b^4d^2e \cdot (- (4ac - b^2)^3)^{(1/2)}) / (8 \cdot (16a^2c^5d^4 + 16a^4c^3e^4 + b^4c^3d^4 - 8a^2b^2c^4d^4 + a^2b^4c^4e^4 - 2b^5c^2d^3e + b^6c^2d^2e^2 - 8a^3b^2c^2e^4 + 32a^3c^4d^2e^2 - 2a^2b^5c^2d^3e + 16a^2b^3c^3d^3e - 32a^2b^2c^4d^3e - 32a^3b^2c^3d^3e - 6a^2b^4c^2d^2e^2 + 16a^2b^3c^2d^2e^3)))^{(1/2)} - ((- (b^5d^2 + a^2b^3e^2 + a^2e^2 \cdot (- (4ac - b^2)^3)^{(1/2)} + b^2d^2 \cdot (- (4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2d^2 - 2a^2b^4d^2e - 7a^2b^3c^2d^2 - ac^2d^2 \cdot (- (4ac - b^2)^3)^{(1/2)} - 4a^3b^2c^2e^2 - 16a^3c^2d^2e + 12a^2b^2c^2d^2e - 2a^2b^4d^2e \cdot (- (4ac - b^2)^3)^{(1/2)}) / (8 \cdot (16a^2c^5d^4 + 16a^4c^3e^4 + b^4c^3d^4 - 8a^2b^2c^4d^4 + a^2b^4c^4e^4 - 2b^5c^2d^3e + b^6c^2d^2e^2 - 8a^3b^2c^2e^4 + 32a^3c^4d^2e^2 - 2a^2b^5c^2d^3e + 16a^2b^3c^3d^3e - 32a^2b^2c^4d^3e - 32a^3b^2c^3d^3e - 6a^2b^4c^2d^2e^2 + 16a^2b^3c^2d^2e^3)))^{(1/2)} \cdot ((x \cdot (8a^3b^3c^3e^7 - 32a^4b^2c^2e^7 - 112a^4c^3d^3e^6 + 8b^3c^4d^6e + 8b^6c^2d^3e^4 - 112a^2c^5d^5e^2 + 32a^3c^4d^3e^4 - 8b^4c^3d^5e^2 - 8b^5c^2d^4e^3 - 32a^2b^2c^5d^6e - 48a^2b^2c^3d^3e^4 + 8a^2b^3c^2d^2e^5 - 8a^2b^5c^2d^2e^5 - 8a^2b^4c^2d^2e^6 + 64a^2b^2c^4d^5e^2 +
\end{aligned}$$

$$\begin{aligned}
& 8*a*b^3*c^3*d^4*e^3 - 16*a*b^4*c^2*d^3*e^4 + 64*a^2*b*c^4*d^4*e^3 + 64*a^3* \\
& b*c^3*d^2*e^5 + 64*a^3*b^2*c^2*d*e^6) - ((b^5*d^2 + a^2*b^3*e^2 + a^2*e^2* \\
& (-4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2* \\
& d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^ \\
& 3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3 \\
&)^{(1/2)}))/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^ \\
& 4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 3 \\
& 2*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3 \\
& *e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/ \\
& 2)}*(x*(-(b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 \\
& - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^ \\
& 2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^5*d^4 + 16*a \\
& ^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3* \\
& e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^ \\
& 3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4* \\
& c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b \\
& ^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - \\
& 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^ \\
& 4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4* \\
& e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d \\
& ^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 \\
& + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 3 \\
& 2*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a \\
& ^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 64*a^2*c^6*d^6*e^2 + 128*a^3*c^ \\
& 5*d^4*e^4 + 64*a^4*c^4*d^2*e^6 - 96*a^2*b^2*c^4*d^4*e^4 + 64*a^2*b^3*c^3*d^ \\
& 3*e^5 + 32*a^2*b^4*c^2*d^2*e^6 - 144*a^3*b^2*c^3*d^2*e^6 + 64*a^4*b*c^3*d*e \\
& ^7 - 16*a*b^2*c^5*d^6*e^2 + 16*a*b^3*c^4*d^5*e^3 + 16*a*b^4*c^3*d^4*e^4 - 1 \\
& 6*a*b^5*c^2*d^3*e^5 - 64*a^2*b*c^5*d^5*e^3 - 16*a^3*b^3*c^2*d*e^7))*(-(b^5* \\
& d^2 + a^2*b^3*e^2 + a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - \\
& 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + \\
& b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2 \\
& *e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3* \\
& c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + \\
& 16*a^2*b^3*c^2*d*e^3))^{(1/2)} - 16*a^2*c^4*d^5*e - 4*a^4*c^2*d*e^5 + 60*a^ \\
& 3*c^3*d^3*e^3 - 24*a^2*b^2*c^2*d^3*e^3 + 4*a*b^2*c^3*d^5*e + 4*a*b^4*c*d^3* \\
& e^3 + 4*a^3*b^2*c*d*e^5 + 4*a*b^3*c^2*d^4*e^2 - 20*a^2*b*c^3*d^4*e^2 - 8*a^ \\
& 2*b^3*c*d^2*e^4 + 16*a^3*b*c^2*d^2*e^4) + x*(2*a^4*c*e^5 + 4*a^2*c^3*d^4*e \\
& + 2*b^4*c*d^4*e - 8*a*b^2*c^2*d^4*e))*(-(b^5*d^2 + a^2*b^3*e^2 + a^2*e^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^ \\
& 2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3* \\
& b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e - 2*a*b*d*e*(-(4*a*c - b^2)^3)^ \\
& (1/2)))/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4
\end{aligned}$$

$$\begin{aligned}
& + a^2 b^4 c^4 e^4 - 2 b^5 c^2 d^3 e + b^6 c d^2 e^2 - 8 a^3 b^2 c^2 e^4 + 32 a^3 c^4 d^2 e^2 - 2 a b^5 c d e^3 + 16 a b^3 c^3 d^3 e - 32 a^2 b c^4 d^3 e \\
& - 32 a^3 b c^3 d e^3 - 6 a b^4 c^2 d^2 e^2 + 16 a^2 b^3 c^2 d e^3))^{(1/2)} \\
& + 2 a^3 c d^2 e^2 + 2 a^2 b c d^3 e)) * (- (b^5 d^2 + a^2 b^3 e^2 + a^2 e^2 * \\
& - (4 a c - b^2)^3)^{(1/2)} + b^2 d^2 * (- (4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 d \\
& ^2 - 2 a b^4 d e - 7 a b^3 c d^2 - a c d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 4 a^3 \\
& * b c e^2 - 16 a^3 c^2 d e + 12 a^2 b^2 c d e - 2 a b d e * (- (4 a c - b^2)^3)^{(1/2)}) / (8 * (16 a^2 c^5 d^4 + 16 a^4 c^3 e^4 + b^4 c^3 d^4 - 8 a b^2 c^4 d^4 \\
& + a^2 b^4 c e^4 - 2 b^5 c^2 d^3 e + b^6 c d^2 e^2 - 8 a^3 b^2 c^2 e^4 + 32 a^3 c^4 d^2 e^2 - 2 a b^5 c d e^3 + 16 a b^3 c^3 d^3 e - 32 a^2 b c^4 d^3 e \\
& e - 32 a^3 b c^3 d e^3 - 6 a b^4 c^2 d^2 e^2 + 16 a^2 b^3 c^2 d e^3))^{(1/2)} * 2i + \operatorname{atan}(((- (b^5 d^2 + a^2 b^3 e^2 - a^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - \\
& b^2 d^2 * (- (4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 d^2 - 2 a b^4 d e - 7 a b^3 \\
& c d^2 + a c d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 4 a^3 b c e^2 - 16 a^3 c^2 d e \\
& + 12 a^2 b^2 c d e + 2 a b d e * (- (4 a c - b^2)^3)^{(1/2)}) / (8 * (16 a^2 c^5 d^4 \\
& + 16 a^4 c^3 e^4 + b^4 c^3 d^4 - 8 a b^2 c^4 d^4 + a^2 b^4 c e^4 - 2 b^5 c^2 d^3 e + b^6 c d^2 e^2 - 8 a^3 b^2 c^2 e^4 + 32 a^3 c^4 d^2 e^2 - 2 a b^5 \\
& c^2 d^3 e + b^6 c d^2 e^2 - 8 a^3 b^2 c^2 e^4 + 32 a^3 c^4 d^2 e^2 - 2 a b^5 \\
& c^2 d^3 e + 16 a b^3 c^3 d^3 e - 32 a^2 b c^4 d^3 e - 32 a^3 b c^3 d e^3 - \\
& 6 a b^4 c^2 d^2 e^2 + 16 a^2 b^3 c^2 d e^3)))^{(1/2)} * ((x * (8 a^3 b^3 c e^7 - \\
& 32 a^4 b c^2 e^7 - 112 a^4 c^3 d e^6 + 8 b^3 c^4 d^6 e + 8 b^6 c d^3 e^4 - \\
& 112 a^2 c^5 d^5 e^2 + 32 a^3 c^4 d^3 e^4 - 8 b^4 c^3 d^5 e^2 - 8 b^5 c^2 d^4 \\
& e^3 - 32 a b c^5 d^6 e - 48 a^2 b^2 c^3 d^3 e^4 + 8 a^2 b^3 c^2 d^2 e^5 - \\
& 8 a b^5 c d^2 e^5 - 8 a^2 b^4 c d e^6 + 64 a b^2 c^4 d^5 e^2 + 8 a b^3 c^3 \\
& d^4 e^3 - 16 a b^4 c^2 d^3 e^4 + 64 a^2 b c^4 d^4 e^3 + 64 a^3 b c^3 d^2 e^5 \\
& ^5 + 64 a^3 b^2 c^2 d e^6) + (- (b^5 d^2 + a^2 b^3 e^2 - a^2 e^2 * (- (4 a c - \\
& b^2)^3)^{(1/2)} - b^2 d^2 * (- (4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 d^2 - 2 a b \\
& ^4 d e - 7 a b^3 c d^2 + a c d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 4 a^3 b c e^2 - \\
& 16 a^3 c^2 d e + 12 a^2 b^2 c d e + 2 a b d e * (- (4 a c - b^2)^3)^{(1/2)}) / (8 \\
& * (16 a^2 c^5 d^4 + 16 a^4 c^3 e^4 + b^4 c^3 d^4 - 8 a b^2 c^4 d^4 + a^2 b^4 c \\
& * e^4 - 2 b^5 c^2 d^3 e + b^6 c d^2 e^2 - 8 a^3 b^2 c^2 e^4 + 32 a^3 c^4 d^2 \\
& ^2 e^2 - 2 a b^5 c d e^3 + 16 a b^3 c^3 d^3 e - 32 a^2 b c^4 d^3 e - 32 a^3 \\
& * b c^3 d e^3 - 6 a b^4 c^2 d^2 e^2 + 16 a^2 b^3 c^2 d e^3)))^{(1/2)} * (64 a^2 c^6 \\
& d^6 e^2 - x * (- (b^5 d^2 + a^2 b^3 e^2 - a^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} \\
& - b^2 d^2 * (- (4 a c - b^2)^3)^{(1/2)} + 12 a^2 b c^2 d^2 - 2 a b^4 d e - 7 a b^3 \\
& c d^2 + a c d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 4 a^3 b c e^2 - 16 a^3 c^2 d \\
& * e + 12 a^2 b^2 c d e + 2 a b d e * (- (4 a c - b^2)^3)^{(1/2)}) / (8 * (16 a^2 c^5 d^4 \\
& + 16 a^4 c^3 e^4 + b^4 c^3 d^4 - 8 a b^2 c^4 d^4 + a^2 b^4 c e^4 - 2 b^5 c^2 d^3 e + b^6 c d^2 e^2 - 8 a^3 b^2 c^2 e^4 + 32 a^3 c^4 d^2 e^2 - 2 a b^5 \\
& c^2 d^3 e + 16 a b^3 c^3 d^3 e - 32 a^2 b c^4 d^3 e - 32 a^3 b c^3 d e^3 - \\
& 6 a b^4 c^2 d^2 e^2 + 16 a^2 b^3 c^2 d e^3)))^{(1/2)} * (256 a^4 b^2 c^3 e^9 \\
& - 32 a^3 b^4 c^2 e^9 - 512 a^5 c^4 e^9 + 512 a^2 c^7 d^6 e^3 + 512 a^3 c^6 d^4 e^5 \\
& - 512 a^4 c^5 d^2 e^7 - 32 b^3 c^6 d^7 e^2 + 128 b^4 c^5 d^6 e^3 - \\
& 192 b^5 c^4 d^5 e^4 + 128 b^6 c^3 d^4 e^5 - 32 b^7 c^2 d^3 e^6 + 512 a^2 b^2 \\
& c^5 d^4 e^5 + 288 a^2 b^3 c^4 d^3 e^6 - 192 a^2 b^4 c^3 d^2 e^7 + 384 a^3 \\
& * b^2 c^4 d^2 e^7 + 128 a b c^7 d^7 e^2 + 640 a^4 b c^4 d e^8 - 640 a b^2 c^
\end{aligned}$$

$$\begin{aligned}
& 6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 \\
& - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 128*a^3*c^5*d^4*e^4 + 64*a^4*c^4*d^2*e^6 - 96*a^2*b^2*c^4*d^4*e^4 + 64*a^2*b^3*c^3*d^3*e^5 + 32*a^2*b^4*c^2*d^2*e^6 \\
& - 144*a^3*b^2*c^3*d^2*e^6 + 64*a^4*b*c^3*d*e^7 - 16*a*b^2*c^5*d^6*e^2 + 16*a*b^3*c^4*d^5*e^3 + 16*a*b^4*c^3*d^4*e^4 - 16*a*b^5*c^2*d^3*e^5 - 64*a^2*b*c^5*d^5*e^3 - 16*a^3*b^3*c^2*d*e^7) * (- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - b^2*d^2 * (- (4*a*c - b^2)^3)^{1/2}) + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8 * (16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{1/2} + 16*a^2*c^4*d^5*e + 4*a^4*c^2*d*e^5 - 60*a^3*c^3*d^3*e^3 + 24*a^2*b^2*c^2*d^3*e^3 - 4*a*b^2*c^3*d^5*e - 4*a*b^4*c*d^3*e^3 - 4*a^3*b^2*c*d*e^5 - 4*a*b^3*c^2*d^4*e^2 + 20*a^2*b*c^3*d^4*e^2 + 8*a^2*b^3*c*d^2*e^4 - 16*a^3*b*c^2*d^2*e^4) + x * (2*a^4*c*e^5 + 4*a^2*c^3*d^4*e + 2*b^4*c*d^4*e - 8*a*b^2*c^2*d^4*e) * (- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - b^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8 * (16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{1/2} * i + (- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - b^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8 * (16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{1/2} * (x * (8*a^3*b^3*c*e^7 - 32*a^4*b*c^2*e^7 - 112*a^4*c^3*d*e^6 + 8*b^3*c^4*d^6*e + 8*b^6*c*d^3*e^4 - 112*a^2*c^5*d^5*e^2 + 32*a^3*c^4*d^3*e^4 - 8*b^4*c^3*d^5*e^2 - 8*b^5*c^2*d^4*e^3 - 32*a*b*c^5*d^6*e - 48*a^2*b^2*c^3*d^3*e^4 + 8*a^2*b^3*c^2*d^2*e^5 - 8*a*b^5*c*d^2*e^5 - 8*a^2*b^4*c*d*e^6 + 64*a*b^2*c^4*d^5*e^2 + 8*a*b^3*c^3*d^4*e^3 - 16*a*b^4*c^2*d^3*e^4 + 64*a^2*b*c^4*d^4*e^3 + 64*a^3*b*c^3*d^2*e^5 + 64*a^3*b^2*c^2*d*e^6) - (- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - b^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8 * (16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c
\end{aligned}$$

$$\begin{aligned}
& *d^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d^3*e^3 - 6*a \\
& *b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d^3*e^3))^{(1/2)}*(x*(-(b^5*d^2 + a^2*b^3*e^2 \\
& - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 2*a^2*b*c^2*d^2 - 2*a*b^4*d^3*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 4*a^3*b*c*e^2 - 16*a^3*c^2*d^3*e + 12*a^2*b^2*c*d^3*e + 2*a*b*d^3*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)))/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8* \\
& a*b^2*c^4*d^4 + a^2*b^4*c^3*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2 \\
& *c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d^3*e^3 + 16*a*b^3*c^3*d^3*e - 32*a \\
& ^2*b*c^4*d^3*e - 32*a^3*b*c^3*d^3*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d^3 \\
& *e^3))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 \\
& + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6 \\
& *d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 \\
& - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 \\
& - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 \\
& + 640*a^4*b*c^4*d^4*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 67 \\
& 2*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2 \\
& *b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d^3*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3 \\
& *c^3*d^3*e^8) + 64*a^2*c^6*d^6*e^2 + 128*a^3*c^5*d^4*e^4 + 64*a^4*c^4*d^2*e^6 \\
& - 96*a^2*b^2*c^4*d^4*e^4 + 64*a^2*b^3*c^3*d^3*e^5 + 32*a^2*b^4*c^2*d^2*e^6 \\
& - 144*a^3*b^2*c^3*d^2*e^6 + 64*a^4*b*c^3*d^2*e^7 - 16*a*b^2*c^5*d^6*e^2 + 1 \\
& 6*a*b^3*c^4*d^5*e^3 + 16*a*b^4*c^3*d^4*e^4 - 16*a*b^5*c^2*d^3*e^5 - 64*a^2*b \\
& *c^5*d^5*e^3 - 16*a^3*b^3*c^2*d^3*e^7))*(-(b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 \\
& - 2*a*b^4*d^3*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3 \\
& *b*c^2*d^2*e^2 - 16*a^3*c^2*d^3*e + 12*a^2*b^2*c*d^3*e + 2*a*b*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^5*d^4 \\
& + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c^3*e^4 - 2*b^5*c^2*d^3*e \\
& + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32 \\
& *a^3*c^4*d^2*e^2 - 2*a*b^5*c*d^3*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e \\
& - 32*a^3*b*c^3*d^3*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d^3*e^3))^{(1/2)} \\
&) - 16*a^2*c^4*d^5*e - 4*a^4*c^2*d^3*e^5 + 60*a^3*c^3*d^3*e^3 - 24*a^2*b^2*c^2 \\
& *d^3*e^3 + 4*a*b^2*c^3*d^5*e + 4*a*b^4*c*d^3*e^3 + 4*a^3*b^2*c*d^5*e + 4*a \\
& *b^3*c^2*d^4*e^2 - 20*a^2*b*c^3*d^4*e^2 - 8*a^2*b^3*c*d^2*e^4 + 16*a^3*b*c^2 \\
& *d^2*e^4) + x*(2*a^4*c^5 + 4*a^2*c^3*d^4*e + 2*b^4*c*d^4*e - 8*a*b^2*c^2 \\
& *d^4*e))*(-(b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2 \\
& *(-4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d^3*e - 7*a*b^3*c*d^2 \\
& + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c^2*d^2*e^2 - 16*a^3*c^2*d^3*e + 12 \\
& *a^2*b^2*c*d^3*e + 2*a*b*d^3*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^5*d^4 + 1 \\
& 6*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c^3*e^4 - 2*b^5*c^2*d^3 \\
& *e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d^3 \\
& *e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d^3*e^3 - 6*a*b \\
& ^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d^3*e^3))^{(1/2)}*1i)/(((-(b^5*d^2 + a^2*b^3*e^2 \\
& - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 12*a^2*b*c^2*d^2 - 2*a*b^4*d^3*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 4*a^3*b*c^2*d^2*e^2 - 16*a^3*c^2*d^3*e + 12*a^2*b^2*c*d^3*e + 2*a*b*d^3*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)))/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8
\end{aligned}$$

$$\begin{aligned}
& *a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)}*((x*(8*a^3*b^3*c*e^7 - 32*a^4*b*b*c^2*e^7 - 112*a^4*c^3*d*e^6 + 8*b^3*c^4*d^6*e + 8*b^6*c*d^3*e^4 - 112*a^2*c^5*d^5*e^2 + 32*a^3*c^4*d^3*e^4 - 8*b^4*c^3*d^5*e^2 - 8*b^5*c^2*d^4*e^3 - 32*a*b*c^5*d^6*e - 48*a^2*b^2*c^3*d^3*e^4 + 8*a^2*b^3*c^2*d^2*e^5 - 8*a*b^5*c*d^2*e^5 - 8*a^2*b^4*c*d*e^6 + 64*a*b^2*c^4*d^5*e^2 + 8*a*b^3*c^3*d^4*e^3 - 16*a*b^4*c^2*d^3*e^4 + 64*a^2*b*b*c^4*d^4*e^3 + 64*a^3*b*b*c^3*d^2*e^5 + 64*a^3*b^2*c^2*d*e^6) + (- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*b*c^4*d^3*e - 32*a^3*b*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)}*(64*a^2*c^6*d^6*e^2 - x*(-(b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*b*c^4*d^3*e - 32*a^3*b*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 128*a^3*c^5*d^4*e^4 + 64*a^4*c^4*d^2*e^6 - 96*a^2*b^2*c^4*d^4*e^4 + 64*a^2*b^3*c^3*d^3*e^5 + 32*a^2*b^4*c^2*d^2*e^6 - 144*a^3*b^2*c^3*d^2*e^6 + 64*a^4*b*b*c^3*d*e^7 - 16*a*b^2*c^5*d^6*e^2 + 16*a*b^3*c^4*d^5*e^3 + 16*a*b^4*c^3*d^4*e^4 - 16*a*b^5*c^2*d^3*e^5 - 64*a^2*b*b*c^5*d^5*e^3 - 16*a^3*b^3*c^2*d*e^7))*(-(b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*b*c^4*d^3*e - 32*a^3*b*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3))^{(1/2)} + 16*a^2*c^4*d^5*e + 4*a^4*c^2*d*e^5 - 60*a^3*c^3*d^3*e^3 + 24*a^2*b^2*c^2*d^3*e^3 - 4*a*b^
\end{aligned}$$

$$\begin{aligned}
& 2*c^3*d^5*e - 4*a*b^4*c*d^3*e^3 - 4*a^3*b^2*c*d*e^5 - 4*a*b^3*c^2*d^4*e^2 + \\
& 20*a^2*b*c^3*d^4*e^2 + 8*a^2*b^3*c*d^2*e^4 - 16*a^3*b*c^2*d^2*e^4) + x*(2* \\
& a^4*c*e^5 + 4*a^2*c^3*d^4*e + 2*b^4*c*d^4*e - 8*a*b^2*c^2*d^4*e))*(-(b^5*d^ \\
& 2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2 \\
& *a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^ \\
& 4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e \\
& ^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^ \\
& 3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 1 \\
& 6*a^2*b^3*c^2*d*e^3)))^{(1/2)} - (((- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2* \\
& a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^ \\
& 2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& / (8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2* \\
& b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^ \\
& 4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32* \\
& a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3)))^{(1/2)}*((x*(\\
& 8*a^3*b^3*c*e^7 - 32*a^4*b*c^2*e^7 - 112*a^4*c^3*d*e^6 + 8*b^3*c^4*d^6*e + \\
& 8*b^6*c*d^3*e^4 - 112*a^2*c^5*d^5*e^2 + 32*a^3*c^4*d^3*e^4 - 8*b^4*c^3*d^5* \\
& e^2 - 8*b^5*c^2*d^4*e^3 - 32*a*b*c^5*d^6*e - 48*a^2*b^2*c^3*d^3*e^4 + 8*a^2 \\
& *b^3*c^2*d^2*e^5 - 8*a*b^5*c*d^2*e^5 - 8*a^2*b^4*c*d*e^6 + 64*a*b^2*c^4*d^5 \\
& *e^2 + 8*a*b^3*c^3*d^4*e^3 - 16*a*b^4*c^2*d^3*e^4 + 64*a^2*b*c^4*d^4*e^3 + \\
& 64*a^3*b*c^3*d^2*e^5 + 64*a^3*b^2*c^2*d*e^6) - (- (b^5*d^2 + a^2*b^3*e^2 - a \\
& ^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2 \\
& *b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2 \\
& *c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2* \\
& e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b* \\
& c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3 \\
&)))^{(1/2)}*(x*(-(b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3 \\
& *c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e \\
& + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5*d^4 \\
& + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c \\
& ^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5 \\
& *c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6 \\
& *a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 3 \\
& 2*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4 \\
& *e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192 \\
& *b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c \\
& ^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^ \\
& 2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d \\
& ^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*
\end{aligned}$$

$$\begin{aligned}
& e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 \\
& - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 64*a^2*c^6*d^6*e^2 + 128 \\
& *a^3*c^5*d^4*e^4 + 64*a^4*c^4*d^2*e^6 - 96*a^2*b^2*c^4*d^4*e^4 + 64*a^2*b^3 \\
& *c^3*d^3*e^5 + 32*a^2*b^4*c^2*d^2*e^6 - 144*a^3*b^2*c^3*d^2*e^6 + 64*a^4*b* \\
& c^3*d*e^7 - 16*a*b^2*c^5*d^6*e^2 + 16*a*b^3*c^4*d^5*e^3 + 16*a*b^4*c^3*d^4* \\
& e^4 - 16*a*b^5*c^2*d^3*e^5 - 64*a^2*b*c^5*d^5*e^3 - 16*a^3*b^3*c^2*d*e^7)) * \\
& (- (b^5*d^2 + a^2*b^3*e^2 - a^2*e^2*(-(4*a*c - b^2)^3)^(1/2) - b^2*d^2*(-(4* \\
& a*c - b^2)^3)^(1/2) + 12*a^2*b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c* \\
& d^2*(-(4*a*c - b^2)^3)^(1/2) - 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2* \\
& c*d*e + 2*a*b*d*e*(-(4*a*c - b^2)^3)^(1/2)) / (8*(16*a^2*c^5*d^4 + 16*a^4*c^3 \\
& *e^4 + b^4*c^3*d^4 - 8*a*b^2*c^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^ \\
& 6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16 \\
& *a*b^3*c^3*d^3*e - 32*a^2*b*c^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^ \\
& 2*e^2 + 16*a^2*b^3*c^2*d*e^3)))^(1/2) - 16*a^2*c^4*d^5*e - 4*a^4*c^2*d*e^5 \\
& + 60*a^3*c^3*d^3*e^3 - 24*a^2*b^2*c^2*d^3*e^3 + 4*a*b^2*c^3*d^5*e + 4*a*b^4 \\
& *c*d^3*e^3 + 4*a^3*b^2*c*d*e^5 + 4*a*b^3*c^2*d^4*e^2 - 20*a^2*b*c^3*d^4*e^2 \\
& - 8*a^2*b^3*c*d^2*e^4 + 16*a^3*b*c^2*d^2*e^4) + x*(2*a^4*c*e^5 + 4*a^2*c^3 \\
& *d^4*e + 2*b^4*c*d^4*e - 8*a*b^2*c^2*d^4*e)) * (- (b^5*d^2 + a^2*b^3*e^2 - a^2 \\
& *e^2*(-(4*a*c - b^2)^3)^(1/2) - b^2*d^2*(-(4*a*c - b^2)^3)^(1/2) + 12*a^2*b \\
& *c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^(1/2) - \\
& 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b \\
& ^2)^3)^(1/2)) / (8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c \\
& ^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^ \\
& 4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^ \\
& 4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3) \\
&))^(1/2) + 2*a^3*c*d^2*e^2 + 2*a^2*b*c*d^3*e)) * (- (b^5*d^2 + a^2*b^3*e^2 - a^ \\
& 2*e^2*(-(4*a*c - b^2)^3)^(1/2) - b^2*d^2*(-(4*a*c - b^2)^3)^(1/2) + 12*a^2* \\
& b*c^2*d^2 - 2*a*b^4*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^(1/2) - \\
& 4*a^3*b*c*e^2 - 16*a^3*c^2*d*e + 12*a^2*b^2*c*d*e + 2*a*b*d*e*(-(4*a*c - b \\
& ^2)^3)^(1/2)) / (8*(16*a^2*c^5*d^4 + 16*a^4*c^3*e^4 + b^4*c^3*d^4 - 8*a*b^2*c \\
& ^4*d^4 + a^2*b^4*c*e^4 - 2*b^5*c^2*d^3*e + b^6*c*d^2*e^2 - 8*a^3*b^2*c^2*e^ \\
& ^4 + 32*a^3*c^4*d^2*e^2 - 2*a*b^5*c*d*e^3 + 16*a*b^3*c^3*d^3*e - 32*a^2*b*c^ \\
& ^4*d^3*e - 32*a^3*b*c^3*d*e^3 - 6*a*b^4*c^2*d^2*e^2 + 16*a^2*b^3*c^2*d*e^3) \\
&))^(1/2) * 2i - (\log(a^5*d^2*e^8 - b^5*d^7*e^3 + 2*a*b^4*d^6*e^4 - 2*a^4*b*d^ \\
& 3*e^7 + 2*a^4*c*d^4*e^6 + b^4*c*d^8*e^2 + 16*a^2*c^3*x*(-d^3*e)^(5/2) + a^5 \\
& *e^8*x*(-d^3*e)^(1/2) - a^2*b^3*d^5*e^5 + a^3*b^2*d^4*e^6 + 16*a^2*c^3*d^8* \\
& e^2 + 17*a^3*c^2*d^6*e^4 + b^4*c*x*(-d^3*e)^(5/2) + a^2*b^3*e^4*x*(-d^3*e)^(\\
& 3/2) + b^5*d^2*e^2*x*(-d^3*e)^(3/2) + 7*a*b^3*c*d^7*e^3 + 2*a^3*b*c*d^5*e^ \\
& 5 - 8*a*b^2*c^2*x*(-d^3*e)^(5/2) - 8*a*b^2*c^2*d^8*e^2 - 12*a^2*b*c^2*d^7*e \\
& ^3 - 12*a^2*b^2*c*d^6*e^4 - 2*a^3*b*c*e^4*x*(-d^3*e)^(3/2) - 2*a*b^4*d*e^3* \\
& x*(-d^3*e)^(3/2) - 2*a^4*b*d*e^7*x*(-d^3*e)^(1/2) - 17*a^3*c^2*d*e^3*x*(-d^ \\
& 3*e)^(3/2) + 2*a^4*c*d^2*e^6*x*(-d^3*e)^(1/2) + a^3*b^2*d^2*e^6*x*(-d^3*e)^(\\
& 1/2) + 12*a^2*b*c^2*d^2*e^2*x*(-d^3*e)^(3/2) - 7*a*b^3*c*d^2*e^2*x*(-d^3*e \\
&)^(3/2) + 12*a^2*b^2*c*d*e^3*x*(-d^3*e)^(3/2)) * (-d^3*e)^(1/2)) / (2*(a*e^3 - \\
& b*d*e^2 + c*d^2*e)) + (\log(a^5*d^2*e^8 - b^5*d^7*e^3 + 2*a*b^4*d^6*e^4 - 2*
\end{aligned}$$

$$\begin{aligned}
& a^4 b d^3 e^7 + 2 a^4 c d^4 e^6 + b^4 c d^8 e^2 - 16 a^2 c^3 x (-d^3 e)^{(5/2)} - a^5 e^8 x (-d^3 e)^{(1/2)} - a^2 b^3 d^5 e^5 + a^3 b^2 d^4 e^6 + 16 a^2 c^3 d^8 e^2 + 17 a^3 c^2 d^6 e^4 - b^4 c x (-d^3 e)^{(5/2)} - a^2 b^3 e^4 x (-d^3 e)^{(3/2)} - b^5 d^2 e^2 x (-d^3 e)^{(3/2)} + 7 a b^3 c d^7 e^3 + 2 a^3 b c d^5 e^5 + 8 a b^2 c^2 x (-d^3 e)^{(5/2)} - 8 a b^2 c^2 d^8 e^2 - 12 a^2 b c^2 d^7 e^3 - 12 a^2 b^2 c d^6 e^4 + 2 a^3 b c e^4 x (-d^3 e)^{(3/2)} + 2 a b^4 d e^3 x (-d^3 e)^{(3/2)} + 2 a^4 b d e^7 x (-d^3 e)^{(1/2)} + 17 a^3 c^2 d e^3 x (-d^3 e)^{(3/2)} - 2 a^4 c d^2 e^6 x (-d^3 e)^{(1/2)} - a^3 b^2 d^2 e^6 x (-d^3 e)^{(1/2)} - 12 a^2 b c^2 d^2 e^2 x (-d^3 e)^{(3/2)} + 7 a b^3 c d^2 e^2 x (-d^3 e)^{(3/2)} - 12 a^2 b^2 c d e^3 x (-d^3 e)^{(3/2)} * (-d^3 e)^{(1/2)} / (2 a e^3 - 2 b d e^2 + 2 c d^2 e)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.306 \quad \int \frac{x^2}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=251

$$\frac{\sqrt{c} \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) + \sqrt{c} \left(\frac{bd-2ae}{\sqrt{b^2-4ac}} + d \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right) - \frac{\sqrt{d} \sqrt{e} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{ae^2 - bde + cd^2}}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2) + \sqrt{2} \sqrt{\sqrt{b^2 - 4ac} + b} (ae^2 - bde + cd^2)}$$

[Out] $-\arctan(xe^{(1/2)}/d^{(1/2)}) * d^{(1/2)} * e^{(1/2)} / (ae^2 - b * d * e + c * d^2) + 1/2 * \arctan(x * 2^{(1/2)} * c^{(1/2)} / (b - (-4 * a * c + b^2)^{(1/2)})^{(1/2)}) * c^{(1/2)} * (d + (2 * a * e - b * d) / (-4 * a * c + b^2)^{(1/2)}) / (ae^2 - b * d * e + c * d^2) * 2^{(1/2)} / (b - (-4 * a * c + b^2)^{(1/2)})^{(1/2)} + 1/2 * \arctan(x * 2^{(1/2)} * c^{(1/2)} / (b + (-4 * a * c + b^2)^{(1/2)})^{(1/2)}) * c^{(1/2)} * (d + (-2 * a * e + b * d) / (-4 * a * c + b^2)^{(1/2)}) / (ae^2 - b * d * e + c * d^2) * 2^{(1/2)} / (b + (-4 * a * c + b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.45, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1287, 205, 1166}

$$\frac{\sqrt{c} \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) + \sqrt{c} \left(\frac{bd-2ae}{\sqrt{b^2-4ac}} + d \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right) - \frac{\sqrt{d} \sqrt{e} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{ae^2 - bde + cd^2}}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2) + \sqrt{2} \sqrt{\sqrt{b^2 - 4ac} + b} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $(\text{Sqrt}[c] * (d - (b * d - 2 * a * e) / \text{Sqrt}[b^2 - 4 * a * c]) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 * a * c]]]) / (\text{Sqrt}[2] * \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 * a * c]] * (c * d^2 - b * d * e + a * e^2)) + (\text{Sqrt}[c] * (d + (b * d - 2 * a * e) / \text{Sqrt}[b^2 - 4 * a * c]) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]]]) / (\text{Sqrt}[2] * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]] * (c * d^2 - b * d * e + a * e^2)) - (\text{Sqrt}[d] * \text{Sqrt}[e] * \text{ArcTan}[(\text{Sqrt}[e] * x) / \text{Sqrt}[d]]) / (c * d^2 - b * d * e + a * e^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1287

Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(d+ex^2)(a+bx^2+cx^4)} dx &= \int \left(-\frac{de}{(cd^2-bde+ae^2)(d+ex^2)} + \frac{ae+cdx^2}{(cd^2-bde+ae^2)(a+bx^2+cx^4)} \right) dx \\ &= \frac{\int \frac{ae+cdx^2}{a+bx^2+cx^4} dx}{cd^2-bde+ae^2} - \frac{(de) \int \frac{1}{d+ex^2} dx}{cd^2-bde+ae^2} \\ &= -\frac{\sqrt{d} \sqrt{e} \tan^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d}}\right)}{cd^2-bde+ae^2} + \frac{\left(c\left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}}\right)\right) \int \frac{1}{\frac{b}{2}-\frac{1}{2}\sqrt{b^2-4ac}+cx^2} dx}{2(cd^2-bde+ae^2)} + \frac{c\left(d + \frac{bd-2ae}{\sqrt{b^2-4ac}}\right)}{2(cd^2-bde+ae^2)} \\ &= \frac{\sqrt{c} \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{b-\sqrt{b^2-4ac}}(cd^2-bde+ae^2)} + \frac{\sqrt{c} \left(d + \frac{bd-2ae}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{b+\sqrt{b^2-4ac}}(cd^2-bde+ae^2)} \end{aligned}$$

Mathematica [A] time = 0.50, size = 277, normalized size = 1.10

$$\frac{\sqrt{c} \left(d\sqrt{b^2-4ac} + 2ae - bd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \sqrt{c} \left(d\sqrt{b^2-4ac} - 2ae + bd\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}(-ae^2+bde-cd^2) - \sqrt{2}\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}(-ae^2+bde-cd^2)} - \frac{\sqrt{d}\sqrt{e}}{ae^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] -((Sqrt[c]*(-(b*d) + Sqrt[b^2 - 4*a*c]*d + 2*a*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])/(Sqrt[2]*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(-(c*d^2) + b*d*e - a*e^2)) - (Sqrt[c]*(b*d + Sqrt[b^2 - 4*a*c]

$$\begin{aligned}
& b^5 - a^2 b^3 c - 12 a^3 b^2 c^2) d^3 e^5 + 2(3 a^2 b^4 - 10 a^3 b^2 c - 8 a^4 c^2) d^2 e^6 - 4(a^3 b^3 - 4 a^4 b^2 c) d e^7 + (a^4 b^2 - 4 a^5 c) e^8) \\
&) \sqrt{-(b^2 c^2 - 4 a^2 c^3) d^4 - 2(b^3 c - 4 a^2 b^2 c) d^3 e + (b^4 - 2 a^2 b^2 c - 8 a^2 c^2) d^2 e^2 - 2(a^2 b^3 - 4 a^2 b^2 c) d e^3 + (a^2 b^2 - 4 a^3 c) e^4) \sqrt{(c^2 d^4 - 2 a^2 c d^2 e^2 + a^2 e^4) / ((b^2 c^4 - 4 a^2 c^5) d^8 - 4(b^3 c^3 - 4 a^2 b^2 c^2) d^7 e + 2(3 b^4 c^2 - 10 a^2 b^2 c^3 - 8 a^2 c^4) d^6 e^2 - 4(b^5 c - a^2 b^3 c^2 - 12 a^2 b^2 c^3) d^5 e^3 + (b^6 + 8 a^2 b^4 c - 42 a^2 b^2 c^2 - 24 a^3 c^3) d^4 e^4 - 4(a^2 b^5 - a^2 b^3 c - 12 a^3 b^2 c^2) d^3 e^5 + 2(3 a^2 b^4 - 10 a^3 b^2 c - 8 a^4 c^2) d^2 e^6 - 4(a^3 b^3 - 4 a^4 b^2 c) d e^7 + (a^4 b^2 - 4 a^5 c) e^8)) / ((b^2 c^2 - 4 a^2 c^3) d^4 - 2(b^3 c - 4 a^2 b^2 c) d^3 e + (b^4 - 2 a^2 b^2 c - 8 a^2 c^2) d^2 e^2 - 2(a^2 b^3 - 4 a^2 b^2 c) d e^3 + (a^2 b^2 - 4 a^3 c) e^4)) - \sqrt{1/2} (c d^2 - b d e + a e^2) \sqrt{-(b^2 c^2 - 4 a^2 c^3) d^4 - 2(b^3 c - 4 a^2 b^2 c) d^3 e + (b^4 - 2 a^2 b^2 c - 8 a^2 c^2) d^2 e^2 - 2(a^2 b^3 - 4 a^2 b^2 c) d e^3 + (a^2 b^2 - 4 a^3 c) e^4) \sqrt{(c^2 d^4 - 2 a^2 c d^2 e^2 + a^2 e^4) / ((b^2 c^4 - 4 a^2 c^5) d^8 - 4(b^3 c^3 - 4 a^2 b^2 c^2) d^7 e + 2(3 b^4 c^2 - 10 a^2 b^2 c^3 - 8 a^2 c^4) d^6 e^2 - 4(b^5 c - a^2 b^3 c^2 - 12 a^2 b^2 c^3) d^5 e^3 + (b^6 + 8 a^2 b^4 c - 42 a^2 b^2 c^2 - 24 a^3 c^3) d^4 e^4 - 4(a^2 b^5 - a^2 b^3 c - 12 a^3 b^2 c^2) d^3 e^5 + 2(3 a^2 b^4 - 10 a^3 b^2 c - 8 a^4 c^2) d^2 e^6 - 4(a^3 b^3 - 4 a^4 b^2 c) d e^7 + (a^4 b^2 - 4 a^5 c) e^8)) / ((b^2 c^2 - 4 a^2 c^3) d^4 - 2(b^3 c - 4 a^2 b^2 c) d^3 e + (b^4 - 2 a^2 b^2 c - 8 a^2 c^2) d^2 e^2 - 2(a^2 b^3 - 4 a^2 b^2 c) d e^3 + (a^2 b^2 - 4 a^3 c) e^4) * \log(-2(c^2 d^2 - a c e^2) * x - \sqrt{1/2} ((b^2 c - 4 a^2 c^2) d^2 e - (a^2 b^2 - 4 a^2 c) e^3 + (2(b^2 c^3 - 4 a^2 c^4) d^5 - 5(b^3 c^2 - 4 a^2 b^2 c^3) d^4 e + 4(b^4 c - 3 a^2 b^2 c^2 - 4 a^2 c^3) d^3 e^2 - (b^5 + 2 a^2 b^3 c - 24 a^2 b^2 c^2) d^2 e^3 + 2(a^2 b^4 - 3 a^2 b^2 c - 4 a^3 c^2) d e^4 - (a^2 b^3 - 4 a^3 b^2 c) e^5) \sqrt{(c^2 d^4 - 2 a^2 c d^2 e^2 + a^2 e^4) / ((b^2 c^4 - 4 a^2 c^5) d^8 - 4(b^3 c^3 - 4 a^2 b^2 c^2) d^7 e + 2(3 b^4 c^2 - 10 a^2 b^2 c^3 - 8 a^2 c^4) d^6 e^2 - 4(b^5 c - a^2 b^3 c^2 - 12 a^2 b^2 c^3) d^5 e^3 + (b^6 + 8 a^2 b^4 c - 42 a^2 b^2 c^2 - 24 a^3 c^3) d^4 e^4 - 4(a^2 b^5 - a^2 b^3 c - 12 a^3 b^2 c^2) d^3 e^5 + 2(3 a^2 b^4 - 10 a^3 b^2 c - 8 a^4 c^2) d^2 e^6 - 4(a^3 b^3 - 4 a^4 b^2 c) d e^7 + (a^4 b^2 - 4 a^5 c) e^8)) \sqrt{-(b^2 c^2 - 4 a^2 c^3) d^4 - 2(b^3 c - 4 a^2 b^2 c) d^3 e + (b^4 - 2 a^2 b^2 c - 8 a^2 c^2) d^2 e^2 - 2(a^2 b^3 - 4 a^2 b^2 c) d e^3 + (a^2 b^2 - 4 a^3 c) e^4) \sqrt{(c^2 d^4 - 2 a^2 c d^2 e^2 + a^2 e^4) / ((b^2 c^4 - 4 a^2 c^5) d^8 - 4(b^3 c^3 - 4 a^2 b^2 c^2) d^7 e + 2(3 b^4 c^2 - 10 a^2 b^2 c^3 - 8 a^2 c^4) d^6 e^2 - 4(b^5 c - a^2 b^3 c^2 - 12 a^2 b^2 c^3) d^5 e^3 + (b^6 + 8 a^2 b^4 c - 42 a^2 b^2 c^2 - 24 a^3 c^3) d^4 e^4 - 4(a^2 b^5 - a^2 b^3 c - 12 a^3 b^2 c^2) d^3 e^5 + 2(3 a^2 b^4 - 10 a^3 b^2 c - 8 a^4 c^2) d^2 e^6 - 4(a^3 b^3 - 4 a^4 b^2 c) d e^7 + (a^4 b^2 - 4 a^5 c) e^8)) / ((b^2 c^2 - 4 a^2 c^3) d^4 - 2(b^3 c - 4 a^2 b^2 c) d^3 e + (b^4 - 2 a^2 b^2 c - 8 a^2 c^2) d^2 e^2 - 2(a^2 b^3 - 4 a^2 b^2 c) d e^3 + (a^2 b^2 - 4 a^3 c) e^4)) + \sqrt{-d e} * \log((e x^2 - 2 \sqrt{-d e}) * x - d) / (e x^2 + d)) / (c d^2 - b d e + a e^2), 1/2 (\sqrt{1/2} (c d^2 - b d e + a e^2) \sqrt{-(b^2 c^2 - 4 a^2 c^3) d^4
\end{aligned}$$

$$\begin{aligned}
& - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(\\
& a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)*\text{sqrt}((c^2*d^4 - 2*a*c*d \\
& ^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e \\
& + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - \\
& 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^ \\
& 4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^ \\
& 3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4 \\
& *a^5*c)*e^8))/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^ \\
& 4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 \\
& - 4*a^3*c)*e^4))*\log(-2*(c^2*d^2 - a*c*e^2)*x + \text{sqrt}(1/2)*((b^2*c - 4*a*c^ \\
& 2)*d^2*e - (a*b^2 - 4*a^2*c)*e^3 - (2*(b^2*c^3 - 4*a*c^4)*d^5 - 5*(b^3*c^2 \\
& - 4*a*b*c^3)*d^4*e + 4*(b^4*c - 3*a*b^2*c^2 - 4*a^2*c^3)*d^3*e^2 - (b^5 + 2 \\
& *a*b^3*c - 24*a^2*b*c^2)*d^2*e^3 + 2*(a*b^4 - 3*a^2*b^2*c - 4*a^3*c^2)*d*e^ \\
& 4 - (a^2*b^3 - 4*a^3*b*c)*e^5)*\text{sqrt}((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/((b \\
& ^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - 10*a \\
& *b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^ \\
& 3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^ \\
& 2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)* \\
& d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8))*\text{sqrt}(- \\
& (b*c*d^2 - 4*a*c*d*e + a*b*e^2 + ((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a* \\
& b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c \\
&)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4))*\text{sqrt}((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4) \\
& /((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - \\
& 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^ \\
& 5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 \\
& - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^ \\
& ^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)))/((\\
& b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8 \\
& *a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) \\
&) - \text{sqrt}(1/2)*(c*d^2 - b*d*e + a*e^2)*\text{sqrt}(-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 \\
& + ((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c \\
& - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e \\
& ^4))*\text{sqrt}((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(\\
& b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e \\
& ^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a \\
& ^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3 \\
& *e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^ \\
& 4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)))/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3 \\
& *c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - \\
& 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4))*\log(-2*(c^2*d^2 - a*c*e^2)*x - \\
& \text{sqrt}(1/2)*((b^2*c - 4*a*c^2)*d^2*e - (a*b^2 - 4*a^2*c)*e^3 - (2*(b^2*c^3 - \\
& 4*a*c^4)*d^5 - 5*(b^3*c^2 - 4*a*b*c^3)*d^4*e + 4*(b^4*c - 3*a*b^2*c^2 - 4* \\
& a^2*c^3)*d^3*e^2 - (b^5 + 2*a*b^3*c - 24*a^2*b*c^2)*d^2*e^3 + 2*(a*b^4 - 3* \\
& a^2*b^2*c - 4*a^3*c^2)*d*e^4 - (a^2*b^3 - 4*a^3*b*c)*e^5)*\text{sqrt}((c^2*d^4 - 2 \\
& *a*c*d^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*
\end{aligned}$$

$$\begin{aligned}
& d^7 e + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)) * \sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 + ((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) * \sqrt{((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)))/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) + \sqrt{1/2}*(c*d^2 - b*d*e + a*e^2)*\sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 - ((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) * \sqrt{((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)))/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) * \log(-2*(c^2*d^2 - a*c*e^2)*x + \sqrt{1/2}*((b^2*c - 4*a*c^2)*d^2*e - (a*b^2 - 4*a^2*c)*e^3 + (2*(b^2*c^3 - 4*a*c^4)*d^5 - 5*(b^3*c^2 - 4*a*b*c^3)*d^4*e + 4*(b^4*c - 3*a*b^2*c^2 - 4*a^2*c^3)*d^3*e^2 - (b^5 + 2*a*b^3*c - 24*a^2*b*c^2)*d^2*e^3 + 2*(a*b^4 - 3*a^2*b^2*c - 4*a^3*c^2)*d*e^4 - (a^2*b^3 - 4*a^3*b*c)*e^5)) * \sqrt{((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)) * \sqrt{-(b*c*d^2 - 4*a*c*d*e + a*b*e^2 - ((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) * \sqrt{((c^2*d^4 - 2*a*c*d^2*e^2 + a^2*e^4)/((b^2*c^4 - 4*a*c^5)*d^8 - 4*(b^3*c^3 - 4*a*b*c^4)*d^7*e + 2*(3*b^4*c^2 - 10*a*b^2*c^3 - 8*a^2*c^4)*d^6*e^2 - 4*(b^5*c - a*b^3*c^2 - 12*a^2*b*c^3)*d^5*e^3 + (b^6 + 8*a*b^4*c - 42*a^2*b^2*c^2 - 24*a^3*c^3)*d^4*e^4 - 4*(a*b^5 - a^2*b^3*c - 12*a^3*b*c^2)*d^3*e^5 + 2*(3*a^2*b^4 - 10*a^3*b^2*c - 8*a^4*c^2)*d^2*e^6 - 4*(a^3*b^3 - 4*a^4*b*c)*d*e^7 + (a^4*b^2 - 4*a^5*c)*e^8)))/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)) - \sqrt{1/2}*(c*d^2
\end{aligned}$$

$$\begin{aligned}
&^4c^2 - 8a^3b^2c^3 - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^2b^4 + 4\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&c)a^3b^2c + 2\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^2b^3c - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^2 - 2(b^2 - 4ac)a^2b^2c^2)d^4e - 2(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&2 - 4ac)c)a^2b^4 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^3b^2c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^2b^3c - 2a^2b^4c + 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^4c^2 + 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^3b^2c^2 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^2 + 16a^3b^2c^2 - 4\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^3c^3 - 32a^4c^3 + 2(b^2 - 4ac)a^2b^2c - 8(b^2 - 4ac)a^3c^2) \\
&abs(cd^2 - bde + ae^2)e^3 - 2(2a^3b^3c^2 - 8a^4b^2c^3 - \sqrt{2}\sqrt{b^2 - 4ac}) \\
&\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^3b^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}) \\
&\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^4b^2c + 2\sqrt{2}\sqrt{b^2 - 4ac}) \\
&\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^3b^2c - \sqrt{2}\sqrt{b^2 - 4ac}) \\
&\sqrt{bc + \sqrt{b^2 - 4ac}} \\
&ac)a^3b^2c^2 - 2(b^2 - 4ac)a^3b^2c^2)e^5) \\
&arctan(2\sqrt{1/2})x/\sqrt{(bc^2d^2 - b^2d^2e + ab^2e^2 + \sqrt{(bc^2d^2 - b^2d^2e + ab^2e^2)^2 - 4(ac^2d^2 - ab^2d^2e + a^2e^2)(c^2d^2 - b^2d^2e + ac^2e^2)})} \\
&)/((ab^4c^2 - 8a^2b^2c^3 - 2ab^3c^3 + 16a^3c^4 + 8a^2b^2c^4 + ab^2c^4 - 4a^2c^5)d^4abs(cd^2 - bde + ae^2)abs(c) - 2(ab^5c - 8a^2b^3c^2 - 2ab^4c^2 + 16a^3b^2c^3 + 8a^2b^2c^3 + ab^3c^3 - 4a^2b^2c^4)d^3abs(cd^2 - bde + ae^2)abs(c)e + (ab^6 - 6a^2b^4c - 2ab^5c + 4a^2b^3c^2 + ab^4c^2 + 32a^4c^3 + 16a^3b^2c^3 - 2a^2b^2c^3 - 8a^3c^4)d^2abs(cd^2 - bde + ae^2)abs(c)e^2 - 2(a^2b^5 - 8a^3b^3c - 2a^2b^4c + 16a^4b^2c^2 + 8a^3b^2c^2 + a^2b^3c^2 - 4a^3b^2c^3)dabs(cd^2 - bde + ae^2)abs(c)e^3 + (a^3b^4 - 8a^4b^2c - 2a^3b^3c + 16a^5c^2 + 8a^4b^2c^2 + a^3b^2c^2 - 4a^4c^3)abs(cd^2 - bde + ae^2)abs(c)e^4) + 1/8 \\
&*((2b^4c^4 - 8ab^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&2 - 4ac)c)b^4c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^3 + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^3c^3 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^4 - 2(b^2 - 4ac)b^2c^4)d^5 - 2(2b^5c^3 - 6ab^3c^4 - 8a^2b^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^5c + 3\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^3c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^4c^2 + 4\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^3 + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^3 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^3c^3 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^3c^4 - 2(b^2 - 4ac)b^3c^4)d^4e + (2b^6c^2 + 4ab^4c^3 - 48a^2b^2c^4 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^6 - 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^4c + 2\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^5c + 24\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}} \\
&ac)a^2b^2c^2 + 12\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{bc - \sqrt{b^2 - 4ac}}
\end{aligned}$$

$$\begin{aligned} &^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^3 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - \\ &4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^4*b*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c) \\ &)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b^2*c - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt} \\ &\text{t}(b*c - \text{sqrt}(b^2 - 4*a*c)*c)*a^3*b*c^2 - 2*(b^2 - 4*a*c)*a^3*b*c^2)*e^5)*\text{ar} \\ &\text{ctan}(2*\text{sqrt}(1/2)*x/\text{sqrt}((b*c*d^2 - b^2*d*e + a*b*e^2 - \text{sqrt}((b*c*d^2 - b^2*d \\ &d*e + a*b*e^2)^2 - 4*(a*c*d^2 - a*b*d*e + a^2*e^2))*(c^2*d^2 - b*c*d*e + a*c \\ &*e^2)))/(c^2*d^2 - b*c*d*e + a*c*e^2)))/((a*b^4*c^2 - 8*a^2*b^2*c^3 - 2*a*b \\ &^3*c^3 + 16*a^3*c^4 + 8*a^2*b*c^4 + a*b^2*c^4 - 4*a^2*c^5)*d^4*\text{abs}(c*d^2 - \\ &b*d*e + a*e^2)*\text{abs}(c) - 2*(a*b^5*c - 8*a^2*b^3*c^2 - 2*a*b^4*c^2 + 16*a^3*b \\ &*c^3 + 8*a^2*b^2*c^3 + a*b^3*c^3 - 4*a^2*b*c^4)*d^3*\text{abs}(c*d^2 - b*d*e + a*e \\ &^2)*\text{abs}(c)*e + (a*b^6 - 6*a^2*b^4*c - 2*a*b^5*c + 4*a^2*b^3*c^2 + a*b^4*c^2 \\ &+ 32*a^4*c^3 + 16*a^3*b*c^3 - 2*a^2*b^2*c^3 - 8*a^3*c^4)*d^2*\text{abs}(c*d^2 - b \\ &d*e + a*e^2)*\text{abs}(c)*e^2 - 2*(a^2*b^5 - 8*a^3*b^3*c - 2*a^2*b^4*c + 16*a^4* \\ &b*c^2 + 8*a^3*b^2*c^2 + a^2*b^3*c^2 - 4*a^3*b*c^3)*d*\text{abs}(c*d^2 - b*d*e + a* \\ &e^2)*\text{abs}(c)*e^3 + (a^3*b^4 - 8*a^4*b^2*c - 2*a^3*b^3*c + 16*a^5*c^2 + 8*a^4 \\ &*b*c^2 + a^3*b^2*c^2 - 4*a^4*c^3)*\text{abs}(c*d^2 - b*d*e + a*e^2)*\text{abs}(c)*e^4) \end{aligned}$$

maple [B] time = 0.02, size = 478, normalized size = 1.90

$$\frac{\sqrt{2} ace \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{(ae^2 - deb + cd^2)\sqrt{-4ac + b^2}\sqrt{(-b + \sqrt{-4ac + b^2})c}} - \frac{\sqrt{2} ace \operatorname{arctan}\left(\frac{\sqrt{2} cx}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{(ae^2 - deb + cd^2)\sqrt{-4ac + b^2}\sqrt{(b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(e*x^2+d)/(c*x^4+b*x^2+a),x)`

[Out]
$$\begin{aligned} &-1/2/(a*e^2-b*d*e+c*d^2)*c*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan} \\ &h(2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*d-1/(a*e^2-b*d*e+c*d^2)*c/ \\ &(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2) \\ &)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*a*e+1/2/(a*e^2-b*d*e+c*d^2)*c/(-4* \\ &a*c+b^2)^{(1/2)}*2^{(1/2)/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)/((- \\ &-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d+1/2/(a*e^2-b*d*e+c*d^2)*c*2^{(1/2)/ \\ &((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^ \\ &(1/2)*c*x)*d-1/(a*e^2-b*d*e+c*d^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c \\ &+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)* \\ &a*e+1/2/(a*e^2-b*d*e+c*d^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)/((b+(-4*a*c+b^2)^{(\\ &1/2)})*c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b*d-d*e \\ &/ (a*e^2-b*d*e+c*d^2)/(d*e)^{(1/2)}*\operatorname{arctan}(1/(d*e)^{(1/2)}*e*x) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] -d*e*arctan(e*x/sqrt(d*e))/((c*d^2 - b*d*e + a*e^2)*sqrt(d*e)) + integrate(
(c*d*x^2 + a*e)/(c*x^4 + b*x^2 + a), x)/(c*d^2 - b*d*e + a*e^2)
```

mupad [B] time = 4.96, size = 19401, normalized size = 77.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)
```

```
[Out] (log(b^4*d^3*e^5 - a*b^3*d^2*e^6 + a*c^3*d^5*e^3 - b^3*c*d^4*e^4 + 2*a^2*c^
2*d^3*e^5 + a^3*c*d*e^7 + b^4*e^3*x*(-d*e)^(5/2) + a*b^3*e^5*x*(-d*e)^(3/2)
+ a^3*c*e^7*x*(-d*e)^(1/2) + 2*a*b*c^2*d^4*e^4 - 3*a*b^2*c*d^3*e^5 + 2*a^2
*b*c*d^2*e^6 + 2*a^2*c^2*e^3*x*(-d*e)^(5/2) - a*c^3*d*x*(-d*e)^(7/2) + b^3*
c*e*x*(-d*e)^(7/2) - 2*a*b*c^2*e*x*(-d*e)^(7/2) - 3*a*b^2*c*e^3*x*(-d*e)^(5
/2) - 2*a^2*b*c*e^5*x*(-d*e)^(3/2))*(-d*e)^(1/2))/(2*a*e^2 + 2*c*d^2 - 2*b*
d*e) - atan(((x*(2*a^2*c^3*e^5 - 4*a*c^4*d^2*e^3 + 2*b^2*c^3*d^2*e^3) - (-
a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3)^(1/2) + b^3*c*d^2 + c*d^2*(-(4*a*c - b
^2)^3)^(1/2) - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d
*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d
^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d
*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^
3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^(1/2))*((x*(32*a^3*b*c^
3*e^7 + 16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 - 8*a^2*b^3*c^2*e^7 + 160*a^2*
c^5*d^3*e^4 - 8*b^2*c^5*d^5*e^2 + 8*b^3*c^4*d^4*e^3 + 8*b^4*c^3*d^3*e^4 - 8
*b^5*c^2*d^2*e^5 - 96*a*b^2*c^4*d^3*e^4 + 64*a*b^3*c^3*d^2*e^5 - 96*a^2*b*c
^4*d^2*e^5 + 24*a^2*b^2*c^3*d*e^6) + (- (a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3
)^(1/2) + b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^(1/2) - 4*a*b*c^2*d^2 - 4*a^
2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^
4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^
2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2
*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a
^3*b*c^2*d*e^3)))^(1/2))*((x*(-(a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3)^(1/2) +
b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^(1/2) - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2
+ 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4
*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 +
32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6
*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d
e^3)))^(1/2))*((256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 +
512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c
^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^
```

$$\begin{aligned}
& 5 - 32b^7c^2d^3e^6 + 512a^2b^2c^5d^4e^5 + 288a^2b^3c^4d^3e^6 \\
& - 192a^2b^4c^3d^2e^7 + 384a^3b^2c^4d^2e^7 + 128a^2b^3c^4d^3e^6 + 640a^4b^2c^4d^2e^8 - 640a^2b^2c^6d^6e^3 + 1056a^2b^3c^5d^5e^4 - 672 \\
& *a^2b^4c^4d^4e^5 + 96a^2b^5c^3d^3e^6 + 32a^2b^6c^2d^2e^7 - 1152a^2 \\
& *b^2c^6d^5e^4 + 32a^2b^5c^2d^2e^8 - 640a^3b^2c^5d^3e^6 - 288a^3b^3 \\
& *c^3d^2e^8) - 192a^4c^4d^2e^7 - 192a^2c^6d^5e^3 - 384a^3c^5d^3e^5 \\
& - 96a^2b^2c^4d^3e^5 - 96a^2b^3c^3d^2e^6 + 48a^2b^2c^5d^5e^3 - \\
& 96a^2b^3c^4d^4e^4 + 48a^2b^4c^3d^3e^5 + 384a^2b^2c^5d^4e^4 + 384a \\
& a^3b^2c^4d^2e^6 + 48a^3b^2c^3d^2e^7)) * (- (a^2b^3e^2 - a^2e^2 * (- (4ac - \\
& b^2)^3)^{1/2} + b^3cd^2 + cd^2 * (- (4ac - b^2)^3)^{1/2} - 4a^2b^2c^2d^2 \\
& - 4a^2b^2c^2e^2 + 16a^2c^2d^2e - 4a^2b^2c^2d^2e) / (8(a^2b^4e^4 + 16a^2c^4d^4 + 16a^4c^2e^4 + b^4c^2d^4 + b^6d^2e^2 - 8a^2b^2c^3d^4 - 8a \\
& a^3b^2c^3e^4 + 32a^3c^3d^2e^2 - 2a^2b^5d^2e^3 - 2b^5c^3d^3e + 16a^2b \\
& ^3c^2d^3e - 6a^2b^4c^2d^2e^2 - 32a^2b^2c^3d^3e + 16a^2b^3c^3d^2e^3 \\
& - 32a^3b^2c^2d^2e^3)))^{1/2} - 4a^2c^5d^4e^2 - 52a^2c^4d^2e^4 + 8a^2 \\
& b^2c^4d^3e^3 - 4a^2b^3c^2d^2e^5 + 20a^2b^2c^3d^2e^5 + 8a^2b^2c^3d^2e^4) * (- (a^2b^3e^2 - a^2e^2 * (- (4ac - b^2)^3)^{1/2} + b^3cd^2 + cd^2 * (- (4 \\
& ac - b^2)^3)^{1/2} - 4a^2b^2c^2d^2 - 4a^2b^2c^2e^2 + 16a^2c^2d^2e - 4a^2 \\
& b^2c^2d^2e) / (8(a^2b^4e^4 + 16a^2c^4d^4 + 16a^4c^2e^4 + b^4c^2d^4 + b^6d^2e^2 - 8a^2b^2c^3d^4 - 8a^3b^2c^3e^4 + 32a^3c^3d^2e^2 - 2a \\
& a^2b^5d^2e^3 - 2b^5c^3d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2 - 32a \\
& ^2b^2c^3d^3e + 16a^2b^3c^3d^2e^3 - 32a^3b^2c^2d^2e^3)))^{1/2} * i + (x * (\\
& 2a^2c^3e^5 - 4a^2c^4d^2e^3 + 2b^2c^3d^2e^3) - (- (a^2b^3e^2 - a^2e^2 * (- (4ac - b^2)^3)^{1/2} + b^3cd^2 + cd^2 * (- (4ac - b^2)^3)^{1/2} - 4a \\
& a^2b^2c^2d^2 - 4a^2b^2c^2e^2 + 16a^2c^2d^2e - 4a^2b^2c^2d^2e) / (8(a^2b^4e^4 + 16a^2c^4d^4 + 16a^4c^2e^4 + b^4c^2d^4 + b^6d^2e^2 - 8a^2b^2c^3d^4 - 8a^3b^2c^3e^4 + 32a^3c^3d^2e^2 - 2a \\
& a^2b^5d^2e^3 - 2b^5c^3d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2 - 32a \\
& ^2b^2c^3d^3e + 16a^2b^3c^3d^2e^3 - 32a^3b^2c^2d^2e^3)))^{1/2} * ((x * (32a^3b^2c^3e^7 + 16a^2c^6d^5e^2 - 112a^3c^4d^2e^6 - 8a^2b^3c^2e^7 + 160a^2c^5d^3e^4 - 8b \\
& ^2c^5d^5e^2 + 8b^3c^4d^4e^3 + 8b^4c^3d^3e^4 - 8b^5c^2d^2e^5 - 96a^2b^2c^4d^3e^4 + 64a^2b^3c^3d^2e^5 - 96a^2b^2c^4d^2e^5 + 24a^2b^2c^3d^2e^6) + (- (a^2b^3e^2 - a^2e^2 * (- (4ac - b^2)^3)^{1/2} + b^3cd^2 + cd^2 * (- (4ac - b^2)^3)^{1/2} - 4a^2b^2c^2d^2 - 4a^2b^2c^2e^2 + 16a^2c^2d^2e - 4a^2b^2c^2d^2e) / (8(a^2b^4e^4 + 16a^2c^4d^4 + 16a^4c^2e^4 + b^4c^2d^4 + b^6d^2e^2 - 8a^2b^2c^3d^4 - 8a^3b^2c^3e^4 + 32a^3c^3d^2e^2 - 2a^2b^5d^2e^3 - 2b^5c^3d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2 - 32a^2b^2c^3d^3e + 16a^2b^3c^3d^2e^3 - 32a^3b^2c^2d^2e^3)))^{1/2} * (x * (- (a^2b^3e^2 - a^2e^2 * (- (4ac - b^2)^3)^{1/2} + b^3cd^2 + cd^2 * (- (4ac - b^2)^3)^{1/2} - 4a^2b^2c^2d^2 - 4a^2b^2c^2e^2 + 16a^2c^2d^2e - 4a^2b^2c^2d^2e) / (8(a^2b^4e^4 + 16a^2c^4d^4 + 16a^4c^2e^4 + b^4c^2d^4 + b^6d^2e^2 - 8a^2b^2c^3d^4 - 8a^3b^2c^3e^4 + 32a^3c^3d^2e^2 - 2a^2b^5d^2e^3 - 2b^5c^3d^3e + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2 - 32a^2b^2c^3d^3e + 16a^2b^3c^3d^2e^3 - 32a^3b^2c^2d^2e^3)))^{1/2} * (25 \\
& 6a^4b^2c^3e^9 - 32a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6
\end{aligned}$$

$$\begin{aligned}
& 3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3))^{(1/2)}*(256*a^4*b^2*c^3*e^9 \\
& - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6 \\
& *d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - \\
& 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b \\
& ^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^ \\
& 3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c \\
& ^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3* \\
& d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d* \\
& e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) - 192*a^4*c^4*d*e^7 - \\
& 192*a^2*c^6*d^5*e^3 - 384*a^3*c^5*d^3*e^5 - 96*a^2*b^2*c^4*d^3*e^5 - 96*a^2 \\
& *b^3*c^3*d^2*e^6 + 48*a*b^2*c^5*d^5*e^3 - 96*a*b^3*c^4*d^4*e^4 + 48*a*b^4*c \\
& ^3*d^3*e^5 + 384*a^2*b*c^5*d^4*e^4 + 384*a^3*b*c^4*d^2*e^6 + 48*a^3*b^2*c^3 \\
& *d*e^7))*(-(a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 + c*d^2* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - \\
& 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2 \\
& *d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 \\
& - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - \\
& 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)} - 4* \\
& a*c^5*d^4*e^2 - 52*a^2*c^4*d^2*e^4 + 8*a*b*c^4*d^3*e^3 - 4*a*b^3*c^2*d*e^5 \\
& + 20*a^2*b*c^3*d*e^5 + 8*a*b^2*c^3*d^2*e^4))*(-(a*b^3*e^2 - a*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^ \\
& 2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^ \\
& 2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - \\
& 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a \\
& *b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^ \\
& 3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)} - (x*(2*a^2*c^3*e^5 - 4*a*c^4*d^2*e^3 + 2*b \\
& ^2*c^3*d^2*e^3) - ((a*b^3*e^2 - a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 \\
& + c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2* \\
& c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 \\
& + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^ \\
& 3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c* \\
& d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(\\
& 1/2)}*((x*(32*a^3*b*c^3*e^7 + 16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 - 8*a^2*b \\
& ^3*c^2*e^7 + 160*a^2*c^5*d^3*e^4 - 8*b^2*c^5*d^5*e^2 + 8*b^3*c^4*d^4*e^3 + \\
& 8*b^4*c^3*d^3*e^4 - 8*b^5*c^2*d^2*e^5 - 96*a*b^2*c^4*d^3*e^4 + 64*a*b^3*c^3 \\
& *d^2*e^5 - 96*a^2*b*c^4*d^2*e^5 + 24*a^2*b^2*c^3*d*e^6) + ((a*b^3*e^2 - a* \\
& e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^ \\
& 4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b \\
& ^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c \\
& *d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a \\
& ^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*((x*(-(a*b^3*e^2 - a*e^2*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + b^3*c*d^2 + c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2 \\
& *d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16 \\
& *a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4
\end{aligned}$$

$$\begin{aligned}
& 6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3))^{(1/2)}*((x*(32*a^3*b*c^3*e^7 + 16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 - 8*a^2*b^3*c^2*e^7 + 160*a^2*c^5*d^3*e^4 - 8*b^2*c^5*d^5*e^2 + 8*b^3*c^4*d^4*e^3 + 8*b^4*c^3*d^3*e^4 - 8*b^5*c^2*d^2*e^5 - 96*a*b^2*c^4*d^3*e^4 + 64*a*b^3*c^3*d^2*e^5 - 96*a^2*b*c^4*d^2*e^5 + 24*a^2*b^2*c^3*d*e^6) + (-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*(x*(-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 192*a^4*c^4*d*e^7 + 192*a^2*c^6*d^5*e^3 + 384*a^3*c^5*d^3*e^5 + 96*a^2*b^2*c^4*d^3*e^5 + 96*a^2*b^3*c^3*d^2*e^6 - 48*a*b^2*c^5*d^5*e^3 + 96*a*b^3*c^4*d^4*e^4 - 48*a*b^4*c^3*d^3*e^5 - 384*a^2*b*c^5*d^4*e^4 - 384*a^3*b*c^4*d^2*e^6 - 48*a^3*b^2*c^3*d*e^7))*(-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)} + 4*a*c^5*d^4*e^2 + 52*a^2*c^4*d^2*e^4 - 8*a*b*c^4*d^3*e^3 + 4*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - 8*a*b^2*c^3*d^2*e^4))*(-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*1i)/((x*(2*a^2*c^3*e^5 - 4*a*c^4*d^2*e^3 + 2*b^2*c^3*d^2*e^3) - (-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} -
\end{aligned}$$

$$\begin{aligned}
& 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4 \\
& 4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b \\
& ^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c \\
& *d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a \\
& ^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*((x*(32*a^3*b*c^3*e^7 + 16*a*c \\
& ^6*d^5*e^2 - 112*a^3*c^4*d*e^6 - 8*a^2*b^3*c^2*e^7 + 160*a^2*c^5*d^3*e^4 - \\
& 8*b^2*c^5*d^5*e^2 + 8*b^3*c^4*d^4*e^3 + 8*b^4*c^3*d^3*e^4 - 8*b^5*c^2*d^2*e \\
& ^5 - 96*a*b^2*c^4*d^3*e^4 + 64*a*b^3*c^3*d^2*e^5 - 96*a^2*b*c^4*d^2*e^5 + 2 \\
& 4*a^2*b^2*c^3*d*e^6) + ((-a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c \\
& *d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16 \\
& *a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2 \\
& *e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a \\
& ^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b \\
& ^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3 \\
&)))^{(1/2)}*(x*(-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c \\
& *d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d \\
& *e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4 \\
& *c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2 \\
& *e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e \\
& ^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}* \\
& (256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d \\
& ^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 1 \\
& 28*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2 \\
& *d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4* \\
& c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4 \\
& *d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4 \\
& *e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 \\
& + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) - \\
& 192*a^4*c^4*d*e^7 - 192*a^2*c^6*d^5*e^3 - 384*a^3*c^5*d^3*e^5 - 96*a^2*b^2* \\
& c^4*d^3*e^5 - 96*a^2*b^3*c^3*d^2*e^6 + 48*a*b^2*c^5*d^5*e^3 - 96*a*b^3*c^4* \\
& d^4*e^4 + 48*a*b^4*c^3*d^3*e^5 + 384*a^2*b*c^5*d^4*e^4 + 384*a^3*b*c^4*d^2* \\
& e^6 + 48*a^3*b^2*c^3*d*e^7))*((-a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 \\
& + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a \\
& ^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 \\
& + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - \\
& 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2 \\
& *d*e^3)))^{(1/2)} - 4*a*c^5*d^4*e^2 - 52*a^2*c^4*d^2*e^4 + 8*a*b*c^4*d^3*e^3 \\
& - 4*a*b^3*c^2*d*e^5 + 20*a^2*b*c^3*d*e^5 + 8*a*b^2*c^3*d^2*e^4))*((-a*b^3*e \\
& ^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^ \\
& (1/2) - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8* \\
& (a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 \\
& - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - \\
& 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e \\
& + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)} - (x*(2*a^2*c^3*e^5 - 4
\end{aligned}$$

$$\begin{aligned}
& *a*c^4*d^2*e^3 + 2*b^2*c^3*d^2*e^3) - ((a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*((x*(32*a^3*b*c^3*e^7 + 16*a*c^6*d^5*e^2 - 112*a^3*c^4*d*e^6 - 8*a^2*b^3*c^2*e^7 + 160*a^2*c^5*d^3*e^4 - 8*b^2*c^5*d^5*e^2 + 8*b^3*c^4*d^4*e^3 + 8*b^4*c^3*d^3*e^4 - 8*b^5*c^2*d^2*e^5 - 96*a*b^2*c^4*d^3*e^4 + 64*a*b^3*c^3*d^2*e^5 - 96*a^2*b*c^4*d^2*e^5 + 24*a^2*b^2*c^3*d*e^6) + (-a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*((x*(-a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) + 192*a^4*c^4*d*e^7 + 192*a^2*c^6*d^5*e^3 + 384*a^3*c^5*d^3*e^5 + 96*a^2*b^2*c^4*d^3*e^5 + 96*a^2*b^3*c^3*d^2*e^6 - 48*a*b^2*c^5*d^5*e^3 + 96*a*b^3*c^4*d^4*e^4 - 48*a*b^4*c^3*d^3*e^5 - 384*a^2*b*c^5*d^4*e^4 - 384*a^3*b*c^4*d^2*e^6 - 48*a^3*b^2*c^3*d*e^7))*(-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 - 32*a^3*b*c^2*d*e^3)))^{(1/2)} + 4*a*c^5*d^4*e^2 + 52*a^2*c^4*d^2*e^4 - 8*a*b*c^4*d^3*e^3 + 4*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - 8*a*b^2*c^3*d^2*e^4))*(-(a*b^3*e^2 + a*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e)/(8*(a^2*b^4*e^4 + 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + 16*a
\end{aligned}$$

$$\begin{aligned} & *b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c*d*e^3 \\ & - 32*a^3*b*c^2*d*e^3))^{(1/2)} + 2*a*c^3*d*e^3)) * (- (a*b^3*e^2 + a*e^2 * (- (4 \\ & *a*c - b^2)^3)^{(1/2)} + b^3*c*d^2 - c*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c \\ & ^2*d^2 - 4*a^2*b*c*e^2 + 16*a^2*c^2*d*e - 4*a*b^2*c*d*e) / (8*(a^2*b^4*e^4 + \\ & 16*a^2*c^4*d^4 + 16*a^4*c^2*e^4 + b^4*c^2*d^4 + b^6*d^2*e^2 - 8*a*b^2*c^3*d \\ & ^4 - 8*a^3*b^2*c*e^4 + 32*a^3*c^3*d^2*e^2 - 2*a*b^5*d*e^3 - 2*b^5*c*d^3*e + \\ & 16*a*b^3*c^2*d^3*e - 6*a*b^4*c*d^2*e^2 - 32*a^2*b*c^3*d^3*e + 16*a^2*b^3*c \\ & *d*e^3 - 32*a^3*b*c^2*d*e^3))^{(1/2)} * 2i \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.307 \quad \int \frac{1}{(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=254

$$\frac{\sqrt{c} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right) + \frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{\sqrt{d} (ae^2 - bde + cd^2)}}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2) - \sqrt{2} \sqrt{\sqrt{b^2 - 4ac} + b} (ae^2 - bde + cd^2)}$$

[Out] $e^{3/2} \arctan(x e^{1/2} / d^{1/2}) / (a e^2 - b d e + c d^2) / d^{1/2} - 1/2 \arctan(x 2^{1/2} c^{1/2} / (b - (-4 a c + b^2)^{1/2}))^{1/2} c^{1/2} (e + (b e - 2 c d) / (-4 a c + b^2)^{1/2}) / (a e^2 - b d e + c d^2) 2^{1/2} / (b - (-4 a c + b^2)^{1/2})^{1/2} - 1/2 \arctan(x 2^{1/2} c^{1/2} / (b + (-4 a c + b^2)^{1/2}))^{1/2} c^{1/2} (e + (-b e + 2 c d) / (-4 a c + b^2)^{1/2}) / (a e^2 - b d e + c d^2) 2^{1/2} / (b + (-4 a c + b^2)^{1/2})^{1/2}$

Rubi [A] time = 0.52, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1170, 205, 1166}

$$\frac{\sqrt{c} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right) + \frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{\sqrt{d} (ae^2 - bde + cd^2)}}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (ae^2 - bde + cd^2) - \sqrt{2} \sqrt{\sqrt{b^2 - 4ac} + b} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-((\text{Sqrt}[c] * (e - (2 * c * d - b * e) / \text{Sqrt}[b^2 - 4 * a * c]) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 * a * c]])] / (\text{Sqrt}[2] * \text{Sqrt}[b - \text{Sqrt}[b^2 - 4 * a * c]]) * (c * d^2 - b * d * e + a * e^2)) - (\text{Sqrt}[c] * (e + (2 * c * d - b * e) / \text{Sqrt}[b^2 - 4 * a * c]) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]])] / (\text{Sqrt}[2] * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]]) * (c * d^2 - b * d * e + a * e^2)) + (e^{3/2} * \text{ArcTan}[(\text{Sqrt}[e] * x) / \text{Sqrt}[d]]) / (\text{Sqrt}[d] * (c * d^2 - b * d * e + a * e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2

- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1170

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^2)(a + bx^2 + cx^4)} dx &= \int \left(\frac{e^2}{(cd^2 - bde + ae^2)(d + ex^2)} + \frac{cd - be - cex^2}{(cd^2 - bde + ae^2)(a + bx^2 + cx^4)} \right) dx \\ &= \frac{\int \frac{cd - be - cex^2}{a + bx^2 + cx^4} dx}{cd^2 - bde + ae^2} + \frac{e^2 \int \frac{1}{d + ex^2} dx}{cd^2 - bde + ae^2} \\ &= \frac{e^{3/2} \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{\sqrt{d} (cd^2 - bde + ae^2)} - \frac{\left(c \left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{2 (cd^2 - bde + ae^2)} - \frac{c \left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{2 (cd^2 - bde + ae^2)} \\ &= -\frac{\sqrt{c} \left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} \sqrt{b - \sqrt{b^2 - 4ac}} (cd^2 - bde + ae^2)} - \frac{\sqrt{c} \left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} \sqrt{b + \sqrt{b^2 - 4ac}} (cd^2 - bde + ae^2)} \end{aligned}$$

Mathematica [A] time = 0.25, size = 274, normalized size = 1.08

$$\frac{\sqrt{c} \left(e\sqrt{b^2 - 4ac} + be - 2cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) + \sqrt{c} \left(e\sqrt{b^2 - 4ac} - be + 2cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2 - 4ac} + b}} \right) + e^{3/2} \sqrt{d} \operatorname{ArcTan} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{\sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} (-ae^2 + bde - cd^2) + \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b} (-ae^2 + bde - cd^2) + \sqrt{d} (a^2 + b^2 d + c d^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] (Sqrt[c]*(-2*c*d + b*e + Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]])*(-(c*d^2) + b*d*e - a*e^2) + (Sqrt[c]*(2*c*d - b*e + Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]])] + e^{3/2} * Sqrt[d] * ArcTan[Sqrt[e]*x/Sqrt[d]])/(Sqrt[2]*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])*(-(c*d^2) + b*d*e - a*e^2)

$$\begin{aligned}
& c + \sqrt{b^2 - 4ac} * c * b^4 * c^2 - 2 * b^5 * c^2 + 16 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b * c^3 + 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^2 * c^3 + \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^3 * c^3 + 16 * a * b^3 * c^3 - 4 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b * c^4 - 32 * a^2 * b * c^4 + 2 * (b^2 - 4ac) * b^3 * c^2 - 8 * (b^2 - 4ac) * a * b * c^3) * d^2 * \text{abs}(c * d^2 - b * d * e + a * e^2) * e - (2 * b^6 * c^2 + 4 * a * b^4 * c^3 - 48 * a^2 * b^2 * c^4 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^6 - 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^4 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^5 * c + 24 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b^2 * c^2 + 12 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^3 * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^4 * c^2 - 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^2 * c^3 - 2 * (b^2 - 4ac) * b^4 * c^2 - 12 * (b^2 - 4ac) * a * b^2 * c^3) * d^2 * e^3 + 2 * (\sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^6 - 7 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^4 * c - 2 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^5 * c - 2 * b^6 * c + 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b^2 * c^2 + 6 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^3 * c^2 + \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^4 * c^2 + 14 * a * b^4 * c^2 + 16 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^3 * c^3 + 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b * c^3 - 3 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^2 * c^3 - 16 * a^2 * b^2 * c^3 - 4 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * c^4 - 32 * a^3 * c^4 + 2 * (b^2 - 4ac) * b^4 * c - 6 * (b^2 - 4ac) * a * b^2 * c^2 - 8 * (b^2 - 4ac) * a^2 * c^3) * d * \text{abs}(c * d^2 - b * d * e + a * e^2) * e^2 - (2 * b^4 * c^2 - 16 * a * b^2 * c^3 + 32 * a^2 * c^4 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^4 + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^2 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^3 * c - 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * c^2 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * b^2 * c^2 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * c^3 - 2 * (b^2 - 4ac) * b^2 * c^2 + 8 * (b^2 - 4ac) * a * c^3) * (c * d^2 - b * d * e + a * e^2)^2 * e + 2 * (2 * a * b^5 * c^2 - 6 * a^2 * b^3 * c^3 - 8 * a^3 * b * c^4 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^5 + 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b^3 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^4 * c + 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^3 * b * c^2 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b^2 * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^3 * c^2 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b * c^3 - 2 * (b^2 - 4ac) * a * b^3 * c^2 - 2 * (b^2 - 4ac) * a^2 * b * c^3) * d * e^4 - 2 * (\sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^5 - 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b^3 * c - 2 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^4 * c - 2 * a * b^5 * c + 16 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^3 * b * c^2 + 8 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b^2 * c^2 + \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a * b^3 * c^2 + 16 * a^2 * b^3 * c^2 - 4 * \sqrt{2} * \sqrt{b * c + \sqrt{b^2 - 4ac} * c} * a^2 * b * c^3 - 32 * a^3 * b * c^3 + 2 * (b^2 - 4ac) * a * b^3 * c - 8 * (b^2 - 4ac) * a^2 * b * c^2) * \text{abs}(c * d^2 - b * d * e + a * e^2) * e^3 - (2 * a^
\end{aligned}$$

$$\begin{aligned}
& 2*b^4*c^2 - 8*a^3*b^2*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
& *c)*a^2*b^4 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
& *c)*a^3*b^2*c + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
& *c)*a^2*b^3*c - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
& *c)*a^2*b^2*c^2 - 2*(b^2 - 4*a*c)*a^2*b^2*c^2)*e^5)*\arctan(2*\sqrt{1/2}*x/\sqrt{(b* \\
& c*d^2 - b^2*d*e + a*b*e^2 + \sqrt{(b*c*d^2 - b^2*d*e + a*b*e^2)^2 - 4*(a*c*d \\
& ^2 - a*b*d*e + a^2*e^2)}*(c^2*d^2 - b*c*d*e + a*c*e^2)))/(c^2*d^2 - b*c*d*e \\
& + a*c*e^2)))/((a*b^4*c^2 - 8*a^2*b^2*c^3 - 2*a*b^3*c^3 + 16*a^3*c^4 + 8*a^2 \\
& *b*c^4 + a*b^2*c^4 - 4*a^2*c^5)*d^4*abs(c*d^2 - b*d*e + a*e^2)*abs(c) - 2*(\\
& a*b^5*c - 8*a^2*b^3*c^2 - 2*a*b^4*c^2 + 16*a^3*b*c^3 + 8*a^2*b^2*c^3 + a*b^ \\
& 3*c^3 - 4*a^2*b*c^4)*d^3*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e + (a*b^6 - 6*a \\
& ^2*b^4*c - 2*a*b^5*c + 4*a^2*b^3*c^2 + a*b^4*c^2 + 32*a^4*c^3 + 16*a^3*b*c^ \\
& 3 - 2*a^2*b^2*c^3 - 8*a^3*c^4)*d^2*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e^2 - \\
& 2*(a^2*b^5 - 8*a^3*b^3*c - 2*a^2*b^4*c + 16*a^4*b*c^2 + 8*a^3*b^2*c^2 + a^2 \\
& *b^3*c^2 - 4*a^3*b*c^3)*d*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e^3 + (a^3*b^4 \\
& - 8*a^4*b^2*c - 2*a^3*b^3*c + 16*a^5*c^2 + 8*a^4*b*c^2 + a^3*b^2*c^2 - 4*a^ \\
& 4*c^3)*abs(c*d^2 - b*d*e + a*e^2)*abs(c)*e^4 - 1/8*(2*(2*b^3*c^5 - 8*a*b*c \\
& ^6 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^3*c^3 + 4* \\
& \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b*c^4 + 2*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^2*c^4 - \sqrt{2}*\sqrt{2} \\
& *\sqrt{b^2 - 4*a*c}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b*c^5 - 2*(b^2 - 4*a*c)*b*c^5 \\
&)*d^5 - 5*(2*b^4*c^4 - 8*a*b^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - s \\
& qrt(b^2 - 4*a*c)}*c)*b^4*c^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - sqrt(b \\
& ^2 - 4*a*c)}*c)*a*b^2*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - sqrt(b^2 \\
& - 4*a*c)}*c)*b^3*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - sqrt(b^2 - 4*a*c} \\
&)*c)*b^2*c^4 - 2*(b^2 - 4*a*c)*b^2*c^4)*d^4*e - 2*(\sqrt{2}*\sqrt{b*c - sqrt(\\
& b^2 - 4*a*c)}*c)*b^4*c^2 - 8*\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*a*b^2*c \\
& ^3 - 2*\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*b^3*c^3 + 2*b^4*c^3 + 16*sqrt \\
& (2)*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*a^2*c^4 + 8*\sqrt{2}*\sqrt{b*c - sqrt(b^ \\
& 2 - 4*a*c)}*c)*a*b*c^4 + \sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*b^2*c^4 - 1 \\
& 6*a*b^2*c^4 - 4*\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*a*c^5 + 32*a^2*c^5 \\
& - 2*(b^2 - 4*a*c)*b^2*c^3 + 8*(b^2 - 4*a*c)*a*c^4)*d^3*abs(c*d^2 - b*d*e + \\
& a*e^2) + 4*(2*b^5*c^3 - 6*a*b^3*c^4 - 8*a^2*b*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a* \\
& c}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*b^5*c + 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{ \\
& b*c - sqrt(b^2 - 4*a*c)}*c)*a*b^3*c^2 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b* \\
& c - sqrt(b^2 - 4*a*c)}*c)*b^4*c^2 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - s \\
& qrt(b^2 - 4*a*c)}*c)*a^2*b*c^3 + 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - sqrt \\
& (b^2 - 4*a*c)}*c)*a*b^2*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - sqrt(b^2 \\
& - 4*a*c)}*c)*b^3*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{b*c - sqrt(b^2 - 4*a*c} \\
&)*c)*a*b*c^4 - 2*(b^2 - 4*a*c)*b^3*c^3 - 2*(b^2 - 4*a*c)*a*b*c^4)*d^3*e^2 + \\
& 4*(\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*b^5*c - 8*\sqrt{2}*\sqrt{b*c - sq \\
& rt(b^2 - 4*a*c)}*c)*a*b^3*c^2 - 2*\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*b^ \\
& 4*c^2 + 2*b^5*c^2 + 16*\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*a^2*b*c^3 + \\
& 8*\sqrt{2}*\sqrt{b*c - sqrt(b^2 - 4*a*c)}*c)*a*b^2*c^3 + \sqrt{2}*\sqrt{b*c - sq \\
& rt(b^2 - 4*a*c)}*c)*b^3*c^3 - 16*a*b^3*c^3 - 4*\sqrt{2}*\sqrt{b*c - sqrt(b^2 -
\end{aligned}$$

$(b^2 - 4ac) \sqrt{bc - \sqrt{b^2 - 4ac}c} a^2 b^2 c^2 - 2(b^2 - 4ac) a^2 b^2 c^2 e^5 \arctan(2 \sqrt{1/2} x / \sqrt{(b^2 d^2 - b^2 d e + a b e^2 - \sqrt{(b^2 d^2 - b^2 d e + a b e^2)^2 - 4(a^2 d^2 - a b d e + a^2 e^2)(c^2 d^2 - b^2 d e + a c e^2)}) / (c^2 d^2 - b^2 d e + a c e^2)}) / ((a^2 b^4 c^2 - 8 a^2 b^2 c^3 - 2 a b^3 c^3 + 16 a^3 c^4 + 8 a^2 b c^4 + a b^2 c^4 - 4 a^2 c^5) d^4 \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) - 2(a b^5 c - 8 a^2 b^3 c^2 - 2 a b^4 c^2 + 16 a^3 b c^3 + 8 a^2 b^2 c^3 + a b^3 c^3 - 4 a^2 b c^4) d^3 \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e + (a b^6 - 6 a^2 b^4 c - 2 a b^5 c + 4 a^2 b^3 c^2 + a b^4 c^2 + 32 a^4 c^3 + 16 a^3 b c^3 - 2 a^2 b^2 c^3 - 8 a^3 c^4) d^2 \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e^2 - 2(a^2 b^5 - 8 a^3 b^3 c - 2 a^2 b^4 c + 16 a^4 b c^2 + 8 a^3 b^2 c^2 + a^2 b^3 c^2 - 4 a^3 b c^3) d \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e^3 + (a^3 b^4 - 8 a^4 b^2 c - 2 a^3 b^3 c + 16 a^5 c^2 + 8 a^4 b c^2 + a^3 b^2 c^2 - 4 a^4 c^3) \text{abs}(c d^2 - b d e + a e^2) \text{abs}(c) e^4) + \arctan(x e^{1/2} / \sqrt{d}) e^{3/2} / ((c d^2 - b d e + a e^2) \sqrt{d})$

maple [B] time = 0.03, size = 480, normalized size = 1.89

$$\frac{\sqrt{2} b c e \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{2(ae^2 - deb + cd^2)\sqrt{-4ac + b^2}\sqrt{(-b + \sqrt{-4ac + b^2})c}} + \frac{\sqrt{2} b c e \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{2(ae^2 - deb + cd^2)\sqrt{-4ac + b^2}\sqrt{(b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] $1/2/(a e^2 - b d e + c d^2) c^2^{1/2} / ((-b + (-4 a c + b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b + (-4 a c + b^2)^{1/2}) c)^{1/2} c x) e + 1/2/(a e^2 - b d e + c d^2) c / (-4 a c + b^2)^{1/2} 2^{1/2} / ((-b + (-4 a c + b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b + (-4 a c + b^2)^{1/2}) c)^{1/2} c x) b e - 1/(a e^2 - b d e + c d^2) c^2 / (-4 a c + b^2)^{1/2} 2^{1/2} / ((-b + (-4 a c + b^2)^{1/2}) c)^{1/2} \operatorname{arctanh}(2^{1/2} / ((-b + (-4 a c + b^2)^{1/2}) c)^{1/2} c x) d - 1/2/(a e^2 - b d e + c d^2) c^2^{1/2} / (b + (-4 a c + b^2)^{1/2}) c)^{1/2} \operatorname{arctan}(2^{1/2} / ((b + (-4 a c + b^2)^{1/2}) c)^{1/2} c x) e + 1/2/(a e^2 - b d e + c d^2) c / (-4 a c + b^2)^{1/2} 2^{1/2} / ((b + (-4 a c + b^2)^{1/2}) c)^{1/2} \operatorname{arctan}(2^{1/2} / ((b + (-4 a c + b^2)^{1/2}) c)^{1/2} c x) b e - 1/(a e^2 - b d e + c d^2) c^2 / (-4 a c + b^2)^{1/2} 2^{1/2} / ((b + (-4 a c + b^2)^{1/2}) c)^{1/2} \operatorname{arctan}(2^{1/2} / ((b + (-4 a c + b^2)^{1/2}) c)^{1/2} c x) d + e^2 / (a e^2 - b d e + c d^2) / (d e)^{1/2} \operatorname{arctan}(1 / (d e)^{1/2} e x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $e^2 \arctan(e*x/\sqrt{d*e})/((c*d^2 - b*d*e + a*e^2)*\sqrt{d*e}) - \int (c*e*x^2 - c*d + b*e)/(c*x^4 + b*x^2 + a), x)/(c*d^2 - b*d*e + a*e^2)$

mupad [B] time = 5.61, size = 23640, normalized size = 93.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] $\operatorname{atan}\left(\frac{\left(\left(-b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac - b^2)^3\right)^{1/2} + c^2d^2\right)^2 \left(-4ac - b^2\right)^3^{1/2} + 12a^2b^2c^2e^2 - 2b^4c^2d^2e - 4a^2b^2c^3d^2 - 7a^2b^3c^2e^2 - ac^2e^2(-4ac - b^2)^3^{1/2} - 16a^2c^3d^2e + 12a^2b^2c^2d^2e - 2b^2c^2d^2e(-4ac - b^2)^3^{1/2}}{8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4b^2c^2e^4 + ab^6d^2e^2 - 2a^2b^5d^2e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^2b^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^2d^3e - 32a^4b^2c^2d^2e^3 + 16a^2b^3c^2d^3e - 6a^2b^4c^2d^2e^2)}\right)^{1/2} \left(\frac{x(16b^5c^2e^7 + 16c^7d^5e^2 - 112ab^3c^3e^7 + 192a^2b^4c^4e^7 + 32a^6c^6d^3e^4 - 240a^2c^5d^6e^6 - 32b^2c^6d^4e^3 - 32b^4c^3d^2e^6 + 16b^2c^5d^3e^4 + 16b^3c^4d^2e^5 - 96a^2b^2c^5d^2e^5 + 192a^2b^2c^4d^2e^6) - (-b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac - b^2)^3)^{1/2} + c^2d^2(-4ac - b^2)^3)^{1/2} + 12a^2b^2c^2e^2 - 2b^4c^2d^2e - 4a^2b^2c^3d^2 - 7a^2b^3c^2e^2 - ac^2e^2(-4ac - b^2)^3)^{1/2} - 16a^2c^3d^2e + 12a^2b^2c^2d^2e - 2b^2c^2d^2e(-4ac - b^2)^3)^{1/2}}{8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4b^2c^2e^4 + ab^6d^2e^2 - 2a^2b^5d^2e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^2b^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^2d^3e - 6a^2b^4c^2d^2e^2)}\right)^{1/2} \left(\frac{x(-b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac - b^2)^3)^{1/2} + c^2d^2(-4ac - b^2)^3)^{1/2} + 12a^2b^2c^2e^2 - 2b^4c^2d^2e - 4a^2b^2c^3d^2 - 7a^2b^3c^2e^2 - ac^2e^2(-4ac - b^2)^3)^{1/2} - 16a^2c^3d^2e + 12a^2b^2c^2d^2e - 2b^2c^2d^2e(-4ac - b^2)^3)^{1/2}}{8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4b^2c^2e^4 + ab^6d^2e^2 - 2a^2b^5d^2e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^2b^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^2d^3e - 6a^2b^4c^2d^2e^2)}\right)^{1/2} (256a^4b^2c^3e^9 - 32a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4e^5 - 512a^4c^5d^2e^7 - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192b^5c^4d^5e^4 + 128b^6c^3d^4e^5 - 32b^7c^2d^3e^6 + 512a^2b^2c^5d^4e^5 + 288a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^2c^4d^2e^7 + 128a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 640a^4b^2c^4d^4e^8 - 640a^2b^2c^6d^6e^3 + 1056a^2b^3c^5d^5e^4 - 672a^2b^4c^4d^4e^5 + 96a^2b^5c^3d^3e^6 + 32a^2b^6c^2d^2e^7 - 1152a^2b^2c^6d^5e^4 + 32a^2$

$$\begin{aligned}
& *b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) - 256*a^4*c^4*e^8 + 64*a*c^7*d^6*e^2 - 16*a^2*b^4*c^2*e^8 + 128*a^3*b^2*c^3*e^8 - 128*a^2*c^6*d^4*e^4 - 448*a^3*c^5*d^2*e^6 - 16*b^2*c^6*d^6*e^2 + 64*b^3*c^5*d^5*e^3 - 96*b^4*c^4*d^4*e^4 + 64*b^5*c^3*d^3*e^5 - 16*b^6*c^2*d^2*e^6 + 240*a^2*b^2*c^4*d^2*e^6 - 256*a*b*c^6*d^5*e^3 + 32*a*b^5*c^2*d*e^7 + 384*a^3*b*c^4*d*e^7 + 416*a*b^2*c^5*d^4*e^4 - 288*a*b^3*c^4*d^3*e^5 + 32*a*b^4*c^3*d^2*e^6 + 128*a^2*b*c^5*d^3*e^5 - 224*a^2*b^3*c^3*d*e^7)) * (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} - 4*b^3*c^3*e^6 - 4*c^6*d^3*e^3 + 4*b*c^5*d^2*e^4 + 4*b^2*c^4*d*e^5 + 16*a*b*c^4*e^6 - 20*a*c^5*d*e^5) + 6*c^5*e^5*x) * (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * i + ((- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * ((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a*b^3*c^3*e^7 + 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32*b*c^6*d^4*e^3 - 32*b^4*c^3*d*e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 - 96*a*b*c^5*d^2*e^5 + 192*a*b^2*c^4*d*e^6) - (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * (256*a^4*c^4*e^8 + x * (- (b^5*e^2 + b^3*c^2*d^2 + b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e
\end{aligned}$$

$$\begin{aligned}
& - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16 \\
& *a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5* \\
& d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b \\
& *c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e \\
& - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - \\
& 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5* \\
& d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + \\
& 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^ \\
& 2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128 \\
& *a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3 \\
& *c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2* \\
& d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3 \\
& *e^6 - 288*a^3*b^3*c^3*d*e^8) - 64*a*c^7*d^6*e^2 + 16*a^2*b^4*c^2*e^8 - 128 \\
& *a^3*b^2*c^3*e^8 + 128*a^2*c^6*d^4*e^4 + 448*a^3*c^5*d^2*e^6 + 16*b^2*c^6*d \\
& ^6*e^2 - 64*b^3*c^5*d^5*e^3 + 96*b^4*c^4*d^4*e^4 - 64*b^5*c^3*d^3*e^5 + 16* \\
& b^6*c^2*d^2*e^6 - 240*a^2*b^2*c^4*d^2*e^6 + 256*a*b*c^6*d^5*e^3 - 32*a*b^5* \\
& c^2*d*e^7 - 384*a^3*b*c^4*d*e^7 - 416*a*b^2*c^5*d^4*e^4 + 288*a*b^3*c^4*d^3 \\
& *e^5 - 32*a*b^4*c^3*d^2*e^6 - 128*a^2*b*c^5*d^3*e^5 + 224*a^2*b^3*c^3*d*e^7 \\
&))*(-(b^5*e^2 + b^3*c^2*d^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2*d^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7 \\
& *a*b^3*c*e^2 - a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2 \\
& *c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4 \\
& *d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2 \\
& *a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - \\
& 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3* \\
& c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)} + 4*b^3*c^3*e^6 + 4*c^6*d^3*e^3 - \\
& 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 - 16*a*b*c^4*e^6 + 20*a*c^5*d*e^5) + 6*c^ \\
& 5*e^5*x)*(-(b^5*e^2 + b^3*c^2*d^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2* \\
& d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d \\
& ^2 - 7*a*b^3*c*e^2 - a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12 \\
& *a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a \\
& ^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e \\
& ^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d \\
& ^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^ \\
& 2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2))^{(1/2)}*1i)/(((-(b^5*e^2 + b^3*c^2*d \\
& ^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a \\
& *b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^ \\
& 2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16* \\
& a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d \\
& ^2*e^2))^{(1/2)}*((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a*b^3*c^3*e^7 + \\
& 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32*b*c^6*d^4*e^3 \\
& - 32*b^4*c^3*d*e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 - 96*a*b*c^5*
\end{aligned}$$

$$\begin{aligned}
& d^2e^5 + 192ab^2c^4de^6) - ((b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac - b^2)^3)^{(1/2)} + c^2d^2(-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 - 2 \\
& *b^4c^2de - 4ab^3c^3d^2 - 7ab^3c^3e^2 - ac^2e^2(-4ac - b^2)^3)^{(1/2)} - 16a^2c^3d^2e + 12ab^2c^2d^2e - 2b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} \\
&) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4 \\
& *b^2c^2e^4 + ab^6d^2e^2 - 2a^2b^5d^3e^3 - 8a^2b^2c^3d^4 + 32a^4c \\
& ^3d^2e^2 - 2ab^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^3d^3e^3 - 32 \\
& *a^4b^3c^2d^3e^3 + 16a^2b^3c^2d^3e^3 - 6a^2b^4c^3d^2e^2))^{(1/2)} * (x * \\
& (-b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac - b^2)^3)^{(1/2)} + c^2d^2(-4ac \\
& *c - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 - 2b^4c^2de - 4ab^3c^3d^2 - 7ab \\
& ^3c^3e^2 - ac^2e^2(-4ac - b^2)^3)^{(1/2)} - 16a^2c^3d^2e + 12ab^2c^2 \\
& *d^2e - 2b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} / (8(a^3b^4e^4 + 16a^3c^4d^4 \\
& + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4b^2c^2e^4 + ab^6d^2e^2 - 2a^2 \\
& *b^5d^3e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2ab^5c^3d^3e - 32 \\
& *a^3b^3c^3d^3e + 16a^3b^3c^3d^3e^3 - 32a^4b^3c^2d^3e^3 + 16a^2b^3c^2 \\
& *d^3e^3 - 6a^2b^4c^3d^2e^2))^{(1/2)} * (256a^4b^2c^3e^9 - 32a^3b^4c^2e \\
& ^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4e^5 - 512a^4 \\
& *c^5d^2e^7 - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192b^5c^4d^5e \\
& ^4 + 128b^6c^3d^4e^5 - 32b^7c^2d^3e^6 + 512a^2b^2c^5d^4e^5 + 2 \\
& 88a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^2c^4d^2e^7 \\
& + 128ab^3c^7d^7e^2 + 640a^4b^3c^4d^2e^8 - 640ab^2c^6d^6e^3 + 1056 \\
& *ab^3c^5d^5e^4 - 672ab^4c^4d^4e^5 + 96ab^5c^3d^3e^6 + 32ab^6 \\
& *c^2d^2e^7 - 1152a^2b^3c^6d^5e^4 + 32a^2b^5c^2d^2e^8 - 640a^3b^3c^ \\
& ^5d^3e^6 - 288a^3b^3c^3d^3e^8) - 256a^4c^4e^8 + 64ac^7d^6e^2 - 1 \\
& 6a^2b^4c^2e^8 + 128a^3b^2c^3e^8 - 128a^2c^6d^4e^4 - 448a^3c^5 \\
& *d^2e^6 - 16b^2c^6d^6e^2 + 64b^3c^5d^5e^3 - 96b^4c^4d^4e^4 + 6 \\
& 4b^5c^3d^3e^5 - 16b^6c^2d^2e^6 + 240a^2b^2c^4d^2e^6 - 256ab^2c^6 \\
& *d^5e^3 + 32ab^5c^2d^2e^7 + 384a^3b^3c^4d^2e^7 + 416ab^2c^5d^4 \\
& *e^4 - 288ab^3c^4d^3e^5 + 32ab^4c^3d^2e^6 + 128a^2b^3c^5d^3e^5 \\
& - 224a^2b^3c^3d^2e^7)) * (-b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac - b^2 \\
&)^3)^{(1/2)} + c^2d^2(-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 - 2b^4c^2 \\
& *de - 4ab^3c^3d^2 - 7ab^3c^3e^2 - ac^2e^2(-4ac - b^2)^3)^{(1/2)} - 16 \\
& *a^2c^3d^2e + 12ab^2c^2d^2e - 2b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} / (8(a \\
& ^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4b^2c^2 \\
& *e^4 + ab^6d^2e^2 - 2a^2b^5d^3e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2 \\
& *e^2 - 2ab^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^3d^3e^3 - 32a^4b^3 \\
& *c^2d^3e^3 + 16a^2b^3c^2d^3e^3 - 6a^2b^4c^3d^2e^2))^{(1/2)} - 4b^3c^3 \\
& *e^6 - 4c^6d^3e^3 + 4b^2c^5d^2e^4 + 4b^2c^4d^2e^5 + 16ab^2c^4e^6 - \\
& 20ac^5d^2e^5) + 6c^5e^5x) * (-b^5e^2 + b^3c^2d^2 + b^2e^2(-4ac \\
& - b^2)^3)^{(1/2)} + c^2d^2(-4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 - 2 \\
& b^4c^2de - 4ab^3c^3d^2 - 7ab^3c^3e^2 - ac^2e^2(-4ac - b^2)^3)^{(1/2)} \\
&) - 16a^2c^3d^2e + 12ab^2c^2d^2e - 2b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)} \\
& / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + ab^4c^2d^4 - 8a^4b^2c^2 \\
& *e^4 + ab^6d^2e^2 - 2a^2b^5d^3e^3 - 8a^2b^2c^3d^4 + 32a^4c^3 \\
& *d^2e^2 - 2ab^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^3d^3e^3 - 32
\end{aligned}$$

$$\begin{aligned}
& 2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d \\
& ^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3 \\
& *c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2) \\
&)^{(1/2)} + 4*b^3*c^3*e^6 + 4*c^6*d^3*e^3 - 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 \\
& - 16*a*b*c^4*e^6 + 20*a*c^5*d*e^5) + 6*c^5*e^5*x)*(-(b^5*e^2 + b^3*c^2*d^2 \\
& + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 1 \\
& 2*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4* \\
& a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a* \\
& b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2 \\
& *c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a \\
& ^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2 \\
& *e^2)))^{(1/2)})*(-(b^5*e^2 + b^3*c^2*d^2 + b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) + c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a \\
& *b*c^3*d^2 - 7*a*b^3*c*e^2 - a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3* \\
& d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 \\
& + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b \\
& ^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a \\
& *b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 \\
& + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*2i + \operatorname{atan}((((-(b^5*e \\
& ^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^ \\
& ^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^ \\
& 2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + \\
& 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a \\
& ^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d* \\
& e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c \\
& ^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - \\
& 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a* \\
& b^3*c^3*e^7 + 192*a^2*b*c^4*e^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32 \\
& *b*c^6*d^4*e^3 - 32*b^4*c^3*d*e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 \\
& - 96*a*b*c^5*d^2*e^5 + 192*a*b^2*c^4*d*e^6) - (-(b^5*e^2 + b^3*c^2*d^2 - b \\
& ^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2 \\
& *b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c \\
& ^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3* \\
& d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^ \\
& 3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2 \\
&)))^{(1/2)}*(x*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c \\
& ^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e \\
& + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^3*b^4*e^4 + \\
& 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2 \\
& ^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5 \\
& *c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 1
\end{aligned}$$

$$\begin{aligned}
& (6a^2b^3c^2d^3e - 6a^2b^4cd^2e^2))^{(1/2)} * (256a^4b^2c^3e^9 - 3 \\
& 2a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4 \\
& *e^5 - 512a^4c^5d^2e^7 - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192 \\
& *b^5c^4d^5e^4 + 128b^6c^3d^4e^5 - 32b^7c^2d^3e^6 + 512a^2b^2c \\
& ^5d^4e^5 + 288a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^ \\
& 2c^4d^2e^7 + 128a*b*c^7d^7e^2 + 640a^4b*c^4d*e^8 - 640a*b^2*c^6d \\
& ^6e^3 + 1056a*b^3*c^5d^5e^4 - 672a*b^4*c^4d^4e^5 + 96a*b^5*c^3d^3* \\
& e^6 + 32a*b^6*c^2d^2e^7 - 1152a^2*b*c^6d^5e^4 + 32a^2*b^5*c^2d*e^8 \\
& - 640a^3*b*c^5d^3e^6 - 288a^3*b^3*c^3d*e^8) - 256a^4*c^4e^8 + 64a*c \\
& ^7d^6e^2 - 16a^2*b^4*c^2e^8 + 128a^3*b^2*c^3e^8 - 128a^2*c^6d^4e^4 \\
& - 448a^3*c^5d^2e^6 - 16b^2*c^6d^6e^2 + 64b^3*c^5d^5e^3 - 96b^4*c \\
& ^4d^4e^4 + 64b^5*c^3d^3e^5 - 16b^6*c^2d^2e^6 + 240a^2*b^2*c^4d^2* \\
& e^6 - 256a*b*c^6d^5e^3 + 32a*b^5*c^2d*e^7 + 384a^3*b*c^4d*e^7 + 416* \\
& a*b^2*c^5d^4e^4 - 288a*b^3*c^4d^3e^5 + 32a*b^4*c^3d^2e^6 + 128a^2* \\
& b*c^5d^3e^5 - 224a^2*b^3*c^3d*e^7)) * ((- (b^5e^2 + b^3c^2d^2 - b^2e^2 * \\
& (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2 * b * c^2 * \\
& e^2 - 2b^4 * c * d * e - 4a * b * c^3 * d^2 - 7a * b^3 * c * e^2 + a * c * e^2 * (- (4a * c - b^2) \\
& ^3)^{(1/2)} - 16a^2 * c^3 * d * e + 12a * b^2 * c^2 * d * e + 2 * b * c * d * e * (- (4a * c - b^2) ^3 \\
&)^{(1/2)}) / (8 * (a^3 * b^4 * e^4 + 16a^3 * c^4 * d^4 + 16a^5 * c^2 * e^4 + a * b^4 * c^2 * d^4 \\
& - 8a^4 * b^2 * c * e^4 + a * b^6 * d^2 * e^2 - 2a^2 * b^5 * d * e^3 - 8a^2 * b^2 * c^3 * d^4 + 3 \\
& 2a^4 * c^3 * d^2 * e^2 - 2a * b^5 * c * d^3 * e - 32a^3 * b * c^3 * d^3 * e + 16a^3 * b^3 * c * d * e \\
& ^3 - 32a^4 * b * c^2 * d * e^3 + 16a^2 * b^3 * c^2 * d^3 * e - 6a^2 * b^4 * c * d^2 * e^2))^{(1/ \\
& 2)} - 4b^3 * c^3 * e^6 - 4c^6 * d^3 * e^3 + 4b * c^5 * d^2 * e^4 + 4b^2 * c^4 * d * e^5 + 16 \\
& * a * b * c^4 * e^6 - 20a * c^5 * d * e^5) + 6c^5 * e^5 * x) * ((- (b^5e^2 + b^3c^2d^2 - b^ \\
& 2e^2 * (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2 * \\
& b * c^2 * e^2 - 2b^4 * c * d * e - 4a * b * c^3 * d^2 - 7a * b^3 * c * e^2 + a * c * e^2 * (- (4a * c \\
& - b^2)^3)^{(1/2)} - 16a^2 * c^3 * d * e + 12a * b^2 * c^2 * d * e + 2 * b * c * d * e * (- (4a * c - \\
& b^2)^3)^{(1/2)}) / (8 * (a^3 * b^4 * e^4 + 16a^3 * c^4 * d^4 + 16a^5 * c^2 * e^4 + a * b^4 * c^ \\
& 2 * d^4 - 8a^4 * b^2 * c * e^4 + a * b^6 * d^2 * e^2 - 2a^2 * b^5 * d * e^3 - 8a^2 * b^2 * c^3 * d \\
& ^4 + 32a^4 * c^3 * d^2 * e^2 - 2a * b^5 * c * d^3 * e - 32a^3 * b * c^3 * d^3 * e + 16a^3 * b^3 \\
& * c * d * e^3 - 32a^4 * b * c^2 * d * e^3 + 16a^2 * b^3 * c^2 * d^3 * e - 6a^2 * b^4 * c * d^2 * e^2) \\
&))^{(1/2)} * 1i + ((- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} \\
& - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2 * b * c^2 * e^2 - 2b^4 * c * d * e - 4a * b \\
& * c^3 * d^2 - 7a * b^3 * c * e^2 + a * c * e^2 * (- (4a * c - b^2)^3)^{(1/2)} - 16a^2 * c^3 * d * \\
& e + 12a * b^2 * c^2 * d * e + 2 * b * c * d * e * (- (4a * c - b^2)^3)^{(1/2)}) / (8 * (a^3 * b^4 * e^4 \\
& + 16a^3 * c^4 * d^4 + 16a^5 * c^2 * e^4 + a * b^4 * c^2 * d^4 - 8a^4 * b^2 * c * e^4 + a * b^6 \\
& * d^2 * e^2 - 2a^2 * b^5 * d * e^3 - 8a^2 * b^2 * c^3 * d^4 + 32a^4 * c^3 * d^2 * e^2 - 2a * b \\
& ^5 * c * d^3 * e - 32a^3 * b * c^3 * d^3 * e + 16a^3 * b^3 * c * d * e^3 - 32a^4 * b * c^2 * d * e^3 + \\
& 16a^2 * b^3 * c^2 * d^3 * e - 6a^2 * b^4 * c * d^2 * e^2))^{(1/2)} * ((x * (16b^5 * c^2 * e^7 + \\
& 16c^7 * d^5 * e^2 - 112a * b^3 * c^3 * e^7 + 192a^2 * b * c^4 * e^7 + 32a * c^6 * d^3 * e^4 - \\
& 240a^2 * c^5 * d * e^6 - 32b * c^6 * d^4 * e^3 - 32b^4 * c^3 * d * e^6 + 16b^2 * c^5 * d^3 * e \\
& ^4 + 16b^3 * c^4 * d^2 * e^5 - 96a * b * c^5 * d^2 * e^5 + 192a * b^2 * c^4 * d * e^6) - (- (b^ \\
& 5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4a * c - \\
& b^2)^3)^{(1/2)} + 12a^2 * b * c^2 * e^2 - 2b^4 * c * d * e - 4a * b * c^3 * d^2 - 7a * b^3 * c \\
& * e^2 + a * c * e^2 * (- (4a * c - b^2)^3)^{(1/2)} - 16a^2 * c^3 * d * e + 12a * b^2 * c^2 * d * e
\end{aligned}$$

$$\begin{aligned}
& + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*(256*a^4*c^4*e^8 + x*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4*d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288*a^3*b^3*c^3*d*e^8) - 64*a*c^7*d^6*e^2 + 16*a^2*b^4*c^2*e^8 - 128*a^3*b^2*c^3*e^8 + 128*a^2*c^6*d^4*e^4 + 448*a^3*c^5*d^2*e^6 + 16*b^2*c^6*d^6*e^2 - 64*b^3*c^5*d^5*e^3 + 96*b^4*c^4*d^4*e^4 - 64*b^5*c^3*d^3*e^5 + 16*b^6*c^2*d^2*e^6 - 240*a^2*b^2*c^4*d^2*e^6 + 256*a*b*c^6*d^5*e^3 - 32*a*b^5*c^2*d*e^7 - 384*a^3*b*c^4*d*e^7 - 416*a*b^2*c^5*d^4*e^4 + 288*a*b^3*c^4*d^3*e^5 - 32*a*b^4*c^3*d^2*e^6 - 128*a^2*b*c^5*d^3*e^5 + 224*a^2*b^3*c^3*d*e^7))*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} + 4*b^3*c^3*e^6 + 4*c^6*d^3*e^3 - 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 - 16*a*b*c^4*e^6 + 20*a*c^5*d*e^5) + 6*c^5*e^5*x))*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*1i)/(((-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*1i)
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{1/2} \\
&)^{(1/2)}/(8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - \\
& 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32* \\
& a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 \\
& - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} \\
& *((x*(16*b^5*c^2*e^7 + 16*c^7*d^5*e^2 - 112*a*b^3*c^3*e^7 + 192*a^2*b*c^4*e \\
& ^7 + 32*a*c^6*d^3*e^4 - 240*a^2*c^5*d*e^6 - 32*b*c^6*d^4*e^3 - 32*b^4*c^3*d \\
& *e^6 + 16*b^2*c^5*d^3*e^4 + 16*b^3*c^4*d^2*e^5 - 96*a*b*c^5*d^2*e^5 + 192*a \\
& *b^2*c^4*d*e^6) - ((b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{1/2} \\
&)^{(1/2)} - c^2*d^2*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4* \\
& a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{1/2} - 16*a^2*c^3 \\
& *d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{1/2}))/((8*(a^3*b^4*e \\
& ^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a* \\
& b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2* \\
& a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 \\
& + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}*(x*(-(b^5*e^2 + b^3 \\
& *c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{1/2} - c^2*d^2*(-(4*a*c - b^2)^3)^{1/2} \\
&)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c \\
& *e^2*(-(4*a*c - b^2)^3)^{1/2} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d* \\
& e*(-(4*a*c - b^2)^3)^{1/2}))/((8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e \\
& ^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8* \\
& a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e \\
& + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b \\
& ^4*c*d^2*e^2)))^{(1/2)}*(256*a^4*b^2*c^3*e^9 - 32*a^3*b^4*c^2*e^9 - 512*a^5*c \\
& ^4*e^9 + 512*a^2*c^7*d^6*e^3 + 512*a^3*c^6*d^4*e^5 - 512*a^4*c^5*d^2*e^7 - \\
& 32*b^3*c^6*d^7*e^2 + 128*b^4*c^5*d^6*e^3 - 192*b^5*c^4*d^5*e^4 + 128*b^6*c^ \\
& 3*d^4*e^5 - 32*b^7*c^2*d^3*e^6 + 512*a^2*b^2*c^5*d^4*e^5 + 288*a^2*b^3*c^4* \\
& d^3*e^6 - 192*a^2*b^4*c^3*d^2*e^7 + 384*a^3*b^2*c^4*d^2*e^7 + 128*a*b*c^7*d \\
& ^7*e^2 + 640*a^4*b*c^4*d*e^8 - 640*a*b^2*c^6*d^6*e^3 + 1056*a*b^3*c^5*d^5*e \\
& ^4 - 672*a*b^4*c^4*d^4*e^5 + 96*a*b^5*c^3*d^3*e^6 + 32*a*b^6*c^2*d^2*e^7 - \\
& 1152*a^2*b*c^6*d^5*e^4 + 32*a^2*b^5*c^2*d*e^8 - 640*a^3*b*c^5*d^3*e^6 - 288 \\
& *a^3*b^3*c^3*d*e^8) - 256*a^4*c^4*e^8 + 64*a*c^7*d^6*e^2 - 16*a^2*b^4*c^2*e \\
& ^8 + 128*a^3*b^2*c^3*e^8 - 128*a^2*c^6*d^4*e^4 - 448*a^3*c^5*d^2*e^6 - 16*b \\
& ^2*c^6*d^6*e^2 + 64*b^3*c^5*d^5*e^3 - 96*b^4*c^4*d^4*e^4 + 64*b^5*c^3*d^3*e \\
& ^5 - 16*b^6*c^2*d^2*e^6 + 240*a^2*b^2*c^4*d^2*e^6 - 256*a*b*c^6*d^5*e^3 + 3 \\
& 2*a*b^5*c^2*d*e^7 + 384*a^3*b*c^4*d*e^7 + 416*a*b^2*c^5*d^4*e^4 - 288*a*b^3 \\
& *c^4*d^3*e^5 + 32*a*b^4*c^3*d^2*e^6 + 128*a^2*b*c^5*d^3*e^5 - 224*a^2*b^3*c \\
& ^3*d*e^7))*(-(b^5*e^2 + b^3*c^2*d^2 - b^2*e^2*(-(4*a*c - b^2)^3)^{1/2} - c^ \\
& 2*d^2*(-(4*a*c - b^2)^3)^{1/2} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3 \\
& *d^2 - 7*a*b^3*c*e^2 + a*c*e^2*(-(4*a*c - b^2)^3)^{1/2} - 16*a^2*c^3*d*e + \\
& 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{1/2}))/((8*(a^3*b^4*e^4 + 16 \\
& *a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2 \\
& *e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c \\
& *d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16* \\
& a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} - 4*b^3*c^3*e^6 - 4*c^6*d^
\end{aligned}$$

$$\begin{aligned}
& 3e^3 + 4b^5c^5d^2e^4 + 4b^2c^4d^4e^5 + 16a^5b^5c^4e^6 - 20a^5c^5d^2e^5 \\
&) + 6c^5e^5x) * (- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} \\
&) - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 - 2b^4c^4d^4e - 4a \\
& * b^5c^3d^2 - 7a^2b^3c^3e^2 + a^5c^5e^2 * (- (4ac - b^2)^3)^{(1/2)} - 16a^2c^3 * \\
& d^4e + 12a^2b^2c^2d^4e + 2b^5c^4d^4e * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^3b^4e^4 \\
& + 16a^3c^4d^4 + 16a^5c^2e^4 + a^2b^4c^2d^4 - 8a^4b^2c^2e^4 + a^2b \\
& ^6d^2e^2 - 2a^2b^5d^4e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a \\
& * b^5c^3d^3e - 32a^3b^3c^3d^3e + 16a^3b^3c^3d^3e^3 - 32a^4b^3c^2d^3e^3 \\
& + 16a^2b^3c^2d^3e^3 - 6a^2b^4c^2d^3e^2))^{(1/2)} - ((- (b^5e^2 + b^3c^2 \\
& d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} \\
&) + 12a^2b^2c^2e^2 - 2b^4c^4d^4e - 4a^2b^3c^3d^2 - 7a^2b^3c^3e^2 + a^5c^5 \\
& e^2 * (- (4ac - b^2)^3)^{(1/2)} - 16a^2c^3d^4e + 12a^2b^2c^2d^4e + 2b^5c^4d^4e \\
& * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 \\
& + a^2b^4c^2d^4 - 8a^4b^2c^2e^4 + a^2b^6d^2e^2 - 2a^2b^5d^4e^3 - 8a^2 \\
& ^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^2b^5c^3d^3e - 32a^3b^3c^3d^3e \\
& + 16a^3b^3c^3d^3e^3 - 32a^4b^3c^2d^3e^3 + 16a^2b^3c^2d^3e^3 - 6a^2b^4 \\
& c^2d^3e^2))^{(1/2)} * ((x(16b^5c^2e^7 + 16c^7d^5e^2 - 112a^2b^3c^3e^7 \\
& + 192a^2b^3c^4e^7 + 32a^5c^6d^3e^4 - 240a^2c^5d^4e^6 - 32b^3c^6d^4 \\
& e^3 - 32b^4c^3d^4e^6 + 16b^2c^5d^3e^4 + 16b^3c^4d^2e^5 - 96a^2b \\
& * c^5d^2e^5 + 192a^2b^2c^4d^4e^6) - (- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- \\
& (4ac - b^2)^3)^{(1/2)} - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 \\
& - 2b^4c^4d^4e - 4a^2b^3c^3d^2 - 7a^2b^3c^3e^2 + a^5c^5e^2 * (- (4ac - b^2)^3 \\
&)^{(1/2)} - 16a^2c^3d^4e + 12a^2b^2c^2d^4e + 2b^5c^4d^4e * (- (4ac - b^2)^3)^{(1/2)}) \\
&) / (8(a^3b^4e^4 + 16a^3c^4d^4 + 16a^5c^2e^4 + a^2b^4c^2d^4 - 8a^4b^2c^2e^4 \\
& + a^2b^6d^2e^2 - 2a^2b^5d^4e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^2b^5c^3d^3e \\
& - 32a^3b^3c^3d^3e + 16a^3b^3c^3d^3e^3 - 32a^4b^3c^2d^3e^3 + 16a^2b^3c^2d^3e^3 \\
& - 6a^2b^4c^2d^3e^2))^{(1/2)} * (256a^4c^4e^8 + x(- (b^5e^2 + b^3c^2d^2 - b^2e^2 * (- (4ac - b^2)^3)^{(1/2)} \\
& - c^2d^2 * (- (4ac - b^2)^3)^{(1/2)} + 12a^2b^2c^2e^2 - 2b^4c^4d^4e - 4a^2b^3c^3d^2 \\
& - 7a^2b^3c^3e^2 + a^5c^5e^2 * (- (4ac - b^2)^3)^{(1/2)} - 16a^2c^3d^4e \\
& + 12a^2b^2c^2d^4e + 2b^5c^4d^4e * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^3b^4e^4 \\
& + 16a^3c^4d^4 + 16a^5c^2e^4 + a^2b^4c^2d^4 - 8a^4b^2c^2e^4 + a^2b^6d^2e^2 - 2a^2b^5 \\
& d^4e^3 - 8a^2b^2c^3d^4 + 32a^4c^3d^2e^2 - 2a^2b^5c^3d^3e - 32a^3b^3c^3d^3e \\
& + 16a^3b^3c^3d^3e^3 - 32a^4b^3c^2d^3e^3 + 16a^2b^3c^2d^3e^3 - 6a^2b^4c^2d^3e^2))^{(1/2)} * (256a^4b^2c^3 \\
& e^9 - 32a^3b^4c^2e^9 - 512a^5c^4e^9 + 512a^2c^7d^6e^3 + 512a^3c^6d^4e^5 - 512a^4c^5d^2e^7 \\
& - 32b^3c^6d^7e^2 + 128b^4c^5d^6e^3 - 192b^5c^4d^5e^4 + 128b^6c^3d^4e^5 - 32b^7c^2d^3e^6 \\
& + 512a^2b^2c^5d^4e^5 + 288a^2b^3c^4d^3e^6 - 192a^2b^4c^3d^2e^7 + 384a^3b^2c^4d^2e^7 \\
& + 128a^2b^3c^7d^7e^2 + 640a^4b^3c^4d^4e^8 - 640a^2b^2c^6d^6e^3 + 1056a^2b^3c^5d^5e^4 \\
& - 672a^2b^4c^4d^4e^5 + 96a^2b^5c^3d^3e^6 + 32a^2b^6c^2d^2e^7 - 1152a^2b^3c^6d^5e^4 \\
& + 32a^2b^5c^2d^5e^8 - 640a^3b^3c^5d^3e^6 - 288a^3b^3c^3d^3e^8) - 64a^2c^7d^6e^2 \\
& + 16a^2b^4c^2e^8 - 128a^3b^2c^3e^8 + 128a^2c^6d^4e^4 + 448a^3c^5d^2e^6 + 16b^2c^6d^6e^2 \\
& - 64b^3c^5d^5e^3 + 96b^4c^4d^4e^4
\end{aligned}$$

$$\begin{aligned}
& 4 - 64*b^5*c^3*d^3*e^5 + 16*b^6*c^2*d^2*e^6 - 240*a^2*b^2*c^4*d^2*e^6 + 256 \\
& *a*b*c^6*d^5*e^3 - 32*a*b^5*c^2*d*e^7 - 384*a^3*b*c^4*d*e^7 - 416*a*b^2*c^5 \\
& *d^4*e^4 + 288*a*b^3*c^4*d^3*e^5 - 32*a*b^4*c^3*d^2*e^6 - 128*a^2*b*c^5*d^3 \\
& *e^5 + 224*a^2*b^3*c^3*d*e^7)) * (- (b^5*e^2 + b^3*c^2*d^2 - b^2*e^2 * (- (4*a*c \\
& - b^2)^3)^{(1/2)} - c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b \\
& ^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} \\
& - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / \\
& (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b \\
& ^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3 \\
& *d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a \\
& ^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} + 4*b^ \\
& 3*c^3*e^6 + 4*c^6*d^3*e^3 - 4*b*c^5*d^2*e^4 - 4*b^2*c^4*d*e^5 - 16*a*b*c^4 \\
& e^6 + 20*a*c^5*d*e^5) + 6*c^5*e^5*x) * (- (b^5*e^2 + b^3*c^2*d^2 - b^2*e^2 * (- (\\
& 4*a*c - b^2)^3)^{(1/2)} - c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 \\
& - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7*a*b^3*c*e^2 + a*c*e^2 * (- (4*a*c - b^2)^3) \\
& ^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(\\
& 1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4*d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8 \\
& *a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2*a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a \\
& ^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 \\
& - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)}) \\
&) * (- (b^5*e^2 + b^3*c^2*d^2 - b^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - c^2*d^2 * (- (\\
& 4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*e^2 - 2*b^4*c*d*e - 4*a*b*c^3*d^2 - 7* \\
& a*b^3*c*e^2 + a*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^3*d*e + 12*a*b^2* \\
& c^2*d*e + 2*b*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)}) / (8*(a^3*b^4*e^4 + 16*a^3*c^4* \\
& d^4 + 16*a^5*c^2*e^4 + a*b^4*c^2*d^4 - 8*a^4*b^2*c*e^4 + a*b^6*d^2*e^2 - 2* \\
& a^2*b^5*d*e^3 - 8*a^2*b^2*c^3*d^4 + 32*a^4*c^3*d^2*e^2 - 2*a*b^5*c*d^3*e - \\
& 32*a^3*b*c^3*d^3*e + 16*a^3*b^3*c*d*e^3 - 32*a^4*b*c^2*d*e^3 + 16*a^2*b^3*c \\
& ^2*d^3*e - 6*a^2*b^4*c*d^2*e^2)))^{(1/2)} * 2i - (\log(b^5*d*(-d*e^3)^{(5/2)} - b^ \\
& 5*d^3*e^8*x + c^5*d^8*e^3*x + 2*a*c^4*d^5*(-d*e^3)^{(3/2)} - 16*a^3*c^2*e*(-d \\
& *e^3)^{(5/2)} - c^5*d^8*e*(-d*e^3)^{(1/2)} + b^2*c^3*d^5*(-d*e^3)^{(3/2)} - a*b^4 \\
& *e*(-d*e^3)^{(5/2)} - 7*a*b^3*c*d*(-d*e^3)^{(5/2)} + 17*a^2*c^3*d^3*e^2*(-d*e^3 \\
&)^{(3/2)} + a*b^4*d^2*e^9*x + 2*a*c^4*d^6*e^5*x - 2*b*c^4*d^7*e^4*x + 2*b^4*c \\
& *d^4*e^7*x + 12*a^2*b*c^2*d*(-d*e^3)^{(5/2)} + 8*a^2*b^2*c*e*(-d*e^3)^{(5/2)} + \\
& 17*a^2*c^3*d^4*e^7*x + 16*a^3*c^2*d^2*e^9*x + b^2*c^3*d^6*e^5*x - b^3*c^2* \\
& d^5*e^6*x - b^3*c^2*d^4*e*(-d*e^3)^{(3/2)} + 2*b^4*c*d^3*e^2*(-d*e^3)^{(3/2)} + \\
& 2*b*c^4*d^7*e^2*(-d*e^3)^{(1/2)} - 12*a*b^2*c^2*d^4*e^7*x - 12*a^2*b*c^2*d^3 \\
& *e^8*x - 8*a^2*b^2*c*d^2*e^9*x - 12*a*b^2*c^2*d^3*e^2*(-d*e^3)^{(3/2)} + 2*a* \\
& b*c^3*d^5*e^6*x + 7*a*b^3*c*d^3*e^8*x + 2*a*b*c^3*d^4*e*(-d*e^3)^{(3/2)}) * (-d \\
& *e^3)^{(1/2)}) / (2*(c*d^3 + a*d*e^2 - b*d^2*e)) + (\log(b^5*d*(-d*e^3)^{(5/2)} + \\
& b^5*d^3*e^8*x - c^5*d^8*e^3*x + 2*a*c^4*d^5*(-d*e^3)^{(3/2)} - 16*a^3*c^2*e*(- \\
& -d*e^3)^{(5/2)} - c^5*d^8*e*(-d*e^3)^{(1/2)} + b^2*c^3*d^5*(-d*e^3)^{(3/2)} - a*b \\
& ^4*e*(-d*e^3)^{(5/2)} - 7*a*b^3*c*d*(-d*e^3)^{(5/2)} + 17*a^2*c^3*d^3*e^2*(-d*e \\
& ^3)^{(3/2)} - a*b^4*d^2*e^9*x - 2*a*c^4*d^6*e^5*x + 2*b*c^4*d^7*e^4*x - 2*b^4 \\
& *c*d^4*e^7*x + 12*a^2*b*c^2*d*(-d*e^3)^{(5/2)} + 8*a^2*b^2*c*e*(-d*e^3)^{(5/2)} \\
& - 17*a^2*c^3*d^4*e^7*x - 16*a^3*c^2*d^2*e^9*x - b^2*c^3*d^6*e^5*x + b^3*c^
\end{aligned}$$

$$2*d^5*e^6*x - b^3*c^2*d^4*e*(-d*e^3)^{(3/2)} + 2*b^4*c*d^3*e^2*(-d*e^3)^{(3/2)} + 2*b*c^4*d^7*e^2*(-d*e^3)^{(1/2)} + 12*a*b^2*c^2*d^4*e^7*x + 12*a^2*b*c^2*d^3*e^8*x + 8*a^2*b^2*c*d^2*e^9*x - 12*a*b^2*c^2*d^3*e^2*(-d*e^3)^{(3/2)} - 2*a*b*c^3*d^5*e^6*x - 7*a*b^3*c*d^3*e^8*x + 2*a*b*c^3*d^4*e*(-d*e^3)^{(3/2)}*(-d*e^3)^{(1/2)}/(2*c*d^3 + 2*a*d*e^2 - 2*b*d^2*e)$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.308 \quad \int \frac{1}{x^2(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=298

$$\frac{\sqrt{c} \left(\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} \left(-\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2} a \sqrt{b-\sqrt{b^2-4ac}} (ae^2 - bde + cd^2) - \sqrt{2} a \sqrt{\sqrt{b^2-4ac}+b} (ae^2 - bde + cd^2)} e^{5/2} d^{3/2} (c)$$

[Out] $-1/a/d/x-e^{(5/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(3/2)}/(a*e^2-b*d*e+c*d^2)-1/2*\arctan(x^2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(c*d-b*e+(2*a*c*e-b^2*e+b*c*d)/(-4*a*c+b^2)^{(1/2)})/a/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-1/2*\arctan(x^2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(c*d-b*e+(-2*a*c*e+b^2*e-b*c*d)/(-4*a*c+b^2)^{(1/2)})/a/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.96, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1287, 205, 1166}

$$\frac{\sqrt{c} \left(\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right) - \sqrt{c} \left(-\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2} a \sqrt{b-\sqrt{b^2-4ac}} (ae^2 - bde + cd^2) - \sqrt{2} a \sqrt{\sqrt{b^2-4ac}+b} (ae^2 - bde + cd^2)} e^{5/2} d^{3/2} (c)$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-(1/(a*d*x)) - (\text{Sqrt}[c]*(c*d - b*e + (b*c*d - b^2*e + 2*a*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2) - (\text{Sqrt}[c]*(c*d - b*e - (b*c*d - b^2*e + 2*a*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2) - (e^{(5/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(d^{(3/2)}*(c*d^2 - b*d*e + a*e^2))$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2 (d + ex^2) (a + bx^2 + cx^4)} dx &= \int \left(\frac{1}{adx^2} - \frac{e^3}{d (cd^2 - bde + ae^2) (d + ex^2)} + \frac{-bcd + b^2e - ace - c(cd - be)x}{a (cd^2 - bde + ae^2) (a + bx^2 + cx^4)} \right) dx \\ &= -\frac{1}{adx} + \frac{\int \frac{-bcd + b^2e - ace - c(cd - be)x^2}{a + bx^2 + cx^4} dx}{a (cd^2 - bde + ae^2)} - \frac{e^3 \int \frac{1}{d + ex^2} dx}{d (cd^2 - bde + ae^2)} \\ &= -\frac{1}{adx} - \frac{e^{5/2} \tan^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d}} \right)}{d^{3/2} (cd^2 - bde + ae^2)} - \frac{\left(c \left(cd - be - \frac{bcd - b^2e + 2ace}{\sqrt{b^2 - 4ac}} \right) \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{2a (cd^2 - bde + ae^2)} \\ &= -\frac{1}{adx} - \frac{\sqrt{c} \left(cd - be + \frac{bcd - b^2e + 2ace}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a \sqrt{b - \sqrt{b^2 - 4ac}} (cd^2 - bde + ae^2)} - \frac{\sqrt{c} \left(cd - be - \frac{bcd - b^2e + 2ace}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a \sqrt{b + \sqrt{b^2 - 4ac}} (cd^2 - bde + ae^2)} \end{aligned}$$

Mathematica [A] time = 0.40, size = 340, normalized size = 1.14

$$\frac{\sqrt{c} \left(cd \sqrt{b^2 - 4ac} - be \sqrt{b^2 - 4ac} + 2ace + b^2(-e) + bcd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) + \sqrt{c} \left(-cd \sqrt{b^2 - 4ac} + be \sqrt{b^2 - 4ac} - bcd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} (e(ae - bd) + cd^2) + \sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}} (e(ae - bd) + cd^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(x^2*(d + e*x^2)*(a + b*x^2 + c*x^4)), x]
```

```
[Out] -(1/(a*d*x)) - (Sqrt[c]*(b*c*d + c*Sqrt[b^2 - 4*a*c]*d - b^2*e + 2*a*c*e -
b*Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c
]]])/(Sqrt[2]*a*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(c*d^2 + e*(-
(b*d) + a*e))) + (Sqrt[c]*(b*c*d - c*Sqrt[b^2 - 4*a*c]*d - b^2*e + 2*a*c*e
+ b*Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a
*c]]])/(Sqrt[2]*a*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(c*d^2 + e*
(-(b*d) + a*e))) - (e^(5/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(3/2)*(c*d^2 -
b*d*e + a*e^2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 12.82, size = 10058, normalized size = 33.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] -1/8*((2*a^2*b^4*c^5 - 8*a^3*b^2*c^6 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c +
sqrt(b^2 - 4*a*c)*c)*a^2*b^4*c^3 + 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c +
sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^4 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + s
qrt(b^2 - 4*a*c)*c)*a^2*b^3*c^4 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt
(b^2 - 4*a*c)*c)*a^2*b^2*c^5 - 2*(b^2 - 4*a*c)*a^2*b^2*c^5)*d^5 - (6*a^2*b^
5*c^4 - 28*a^3*b^3*c^5 + 16*a^4*b*c^6 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*
c + sqrt(b^2 - 4*a*c)*c)*a^2*b^5*c^2 + 14*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*
c + sqrt(b^2 - 4*a*c)*c)*a^3*b^3*c^3 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c
+ sqrt(b^2 - 4*a*c)*c)*a^4*b*c^4 - 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c
+ sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^4 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sq
rt(b^2 - 4*a*c)*c)*a^2*b^3*c^4 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqr
t(b^2 - 4*a*c)*c)*a^3*b*c^5 - 6*(b^2 - 4*a*c)*a^2*b^3*c^4 + 4*(b^2 - 4*a*c)
*a^3*b*c^5)*d^4*e + 2*(sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a*b^5*c^2 -
8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^2*b^3*c^3 - 2*sqrt(2)*sqrt(b*c
+ sqrt(b^2 - 4*a*c)*c)*a*b^4*c^3 - 2*a*b^5*c^3 + 16*sqrt(2)*sqrt(b*c + sqrt
(b^2 - 4*a*c)*c)*a^3*b*c^4 + 8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^2*
b^2*c^4 + sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a*b^3*c^4 + 16*a^2*b^3*c^
4 - 4*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^2*b*c^5 - 32*a^3*b*c^5 + 2*
(b^2 - 4*a*c)*a*b^3*c^3 - 8*(b^2 - 4*a*c)*a^2*b*c^4)*d^3*abs(a*c*d^2 - a*b*
```


$$\begin{aligned}
& c*d^2 - a*b*d*e + a^2*e^2)*e^2 - (2*b^5*c^2 - 16*a*b^3*c^3 + 32*a^2*b*c^4 - \\
& \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*b^5 + 8*\sqrt{2})* \\
& \sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*a*b^3*c + 2*\sqrt{2})*\sqrt{ \\
& b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*b^4*c - 16*\sqrt{2})*\sqrt{b^2 - 4*a* \\
& c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*a^2*b*c^2 - 8*\sqrt{2})*\sqrt{b^2 - 4*a* \\
& c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*a*b^2*c^2 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*s \\
& \sqrt{b*c + \sqrt{b^2 - 4*a*c}}*b^3*c^2 + 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b \\
& *c + \sqrt{b^2 - 4*a*c}}*a*b*c^3 - 2*(b^2 - 4*a*c)*b^3*c^2 + 8*(b^2 - 4*a* \\
& c)*a*b*c^3)*(a*c*d^2 - a*b*d*e + a^2*e^2)^2*e + (4*a^3*b^6*c^2 - 22*a^4*b^4 \\
& *c^3 + 24*a^5*b^2*c^4 - 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4 \\
& *a*c}}*a^3*b^6 + 11*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c} \\
& }*a^4*b^4*c + 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a^3*b^5*c - 12*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)* \\
& a^5*b^2*c^2 - 6*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
& ^4*b^3*c^2 - 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^ \\
& 3*b^4*c^2 + 3*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4 \\
& *b^2*c^3 - 4*(b^2 - 4*a*c)*a^3*b^4*c^2 + 6*(b^2 - 4*a*c)*a^4*b^2*c^3)*d*e^4 \\
& - 2*(\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^6 - 9*\sqrt{2})*\sqrt{b*c \\
& + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^4*c - 2*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a^2*b^5*c - 2*a^2*b^6*c + 24*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4* \\
& b^2*c^2 + 10*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^3*c^2 + \sqrt{2})* \\
& \sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^4*c^2 + 18*a^3*b^4*c^2 - 16*\sqrt{2})*s \\
& \sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^5*c^3 - 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4* \\
& a*c}}*c)*a^4*b*c^3 - 5*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*b^2*c^3 - \\
& 48*a^4*b^2*c^3 + 4*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4*c^4 + 32*a^ \\
& 5*c^4 + 2*(b^2 - 4*a*c)*a^2*b^4*c - 10*(b^2 - 4*a*c)*a^3*b^2*c^2 + 8*(b^2 - \\
& 4*a*c)*a^4*c^3)*\text{abs}(a*c*d^2 - a*b*d*e + a^2*e^2)*e^3 - (2*a^4*b^5*c^2 - 12 \\
& *a^5*b^3*c^3 + 16*a^6*b*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 \\
& - 4*a*c}}*c)*a^4*b^5 + 6*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4* \\
& a*c}}*c)*a^5*b^3*c + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c} \\
& }*c)*a^4*b^4*c - 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a^6*b*c^2 - 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
& ^5*b^2*c^2 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^4* \\
& b^3*c^2 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^5*b \\
& *c^3 - 2*(b^2 - 4*a*c)*a^4*b^3*c^2 + 4*(b^2 - 4*a*c)*a^5*b*c^3)*e^5)*\arctan \\
& (2*\sqrt{1/2})*x/\sqrt{((a*b*c*d^2 - a*b^2*d*e + a^2*b*e^2 + \sqrt{((a*b*c*d^2 - \\
& a*b^2*d*e + a^2*b*e^2)^2 - 4*(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*(a*c^2*d^2 - \\
& a*b*c*d*e + a^2*c*e^2)))/(a*c^2*d^2 - a*b*c*d*e + a^2*c*e^2)))/(a^3*b^4*c \\
& ^2 - 8*a^4*b^2*c^3 - 2*a^3*b^3*c^3 + 16*a^5*c^4 + 8*a^4*b*c^4 + a^3*b^2*c^4 \\
& - 4*a^4*c^5)*d^4*\text{abs}(a*c*d^2 - a*b*d*e + a^2*e^2)*\text{abs}(c) - 2*(a^3*b^5*c - \\
& 8*a^4*b^3*c^2 - 2*a^3*b^4*c^2 + 16*a^5*b*c^3 + 8*a^4*b^2*c^3 + a^3*b^3*c^3 \\
& - 4*a^4*b*c^4)*d^3*\text{abs}(a*c*d^2 - a*b*d*e + a^2*e^2)*\text{abs}(c)*e + (a^3*b^6 - 6 \\
& *a^4*b^4*c - 2*a^3*b^5*c + 4*a^4*b^3*c^2 + a^3*b^4*c^2 + 32*a^6*c^3 + 16*a^ \\
& 5*b*c^3 - 2*a^4*b^2*c^3 - 8*a^5*c^4)*d^2*\text{abs}(a*c*d^2 - a*b*d*e + a^2*e^2)*a \\
& \text{bs}(c)*e^2 - 2*(a^4*b^5 - 8*a^5*b^3*c - 2*a^4*b^4*c + 16*a^6*b*c^2 + 8*a^5*b
\end{aligned}$$

$$\begin{aligned}
& ^2c^2 + a^4b^3c^2 - 4a^5b^2c^3) * d * \text{abs}(a * c * d^2 - a * b * d * e + a^2 * e^2) * \text{abs}(c) * e^3 + (a^5b^4 - 8a^6b^2c - 2a^5b^3c + 16a^7c^2 + 8a^6b^2c^2 + \\
& a^5b^2c^2 - 4a^6c^3) * \text{abs}(a * c * d^2 - a * b * d * e + a^2 * e^2) * \text{abs}(c) * e^4 + 1/8 \\
& * ((2a^2b^4c^5 - 8a^3b^2c^6 - \sqrt{2}) * \sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^4c^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^3c^4 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^2c^5 - 2 * (b^2 - 4ac) * a^2b^2c^5) * d^5 - (6a^2b^5c^4 - 28a^3b^3c^5 + 16a^4b^2c^6 - 3 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^5c^2 + 14 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^3c^3 + 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^4c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^4b^2c^4 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^4 - 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^3c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^5 - 6 * (b^2 - 4ac) * a^2b^3c^4 + 4 * (b^2 - 4ac) * a^3b^2c^5) * d^4 * e - 2 * (\sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^5c^2 - 8 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^3c^3 - 2 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^4c^3 + 2 * a * b^5c^3 + 16 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^4 + 8 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^2c^4 + \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^3c^4 - 16 * a^2b^3c^4 - 4 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^2c^5 + 32 * a^3b^2c^5 - 2 * (b^2 - 4ac) * a * b^3c^3 + 8 * (b^2 - 4ac) * a^2b^2c^4) * d^3 * \text{abs}(a * c * d^2 - a * b * d * e + a^2 * e^2) + (6a^2b^6c^3 - 28a^3b^4c^4 + 16a^4b^2c^5 - 3 * \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^6c + 14 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^4c^2 + 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^5c^2 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^4b^2c^3 - 4 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^3c^3 - 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^4c^3 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^4 - 6 * (b^2 - 4ac) * a^2b^4c^3 + 4 * (b^2 - 4ac) * a^3b^2c^4) * d^3 * e^2 + 2 * (2 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^6c - 17 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^4c^2 - 4 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^5c^2 + 4 * a * b^6c^2 + 40 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^3 + 18 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^3c^3 + 2 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^4c^3 - 34 * a^2b^4c^3 - 16 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3b^2c^4 - 9 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^2b^2c^4 + 80 * a^3b^2c^4 + 4 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a^3c^5 - 32 * a^4c^5 - 4 * (b^2 - 4ac) * a * b^4c^2 + 18 * (b^2 - 4ac) * a^2b^2c^3 - 8 * (b^2 - 4ac) * a^3c^4) * d^2 * \text{abs}(a * c * d^2 - a * b * d * e + a^2 * e^2) * e + (2 * b^4c^3 - 16 * a * b^2c^4 + 32 * a^2c^5 - \sqrt{2} * \sqrt{b^2 - 4ac}) * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * b^4c + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * a * b^2c^2 + 2 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) * b^3c^2 - 16 * \sqrt{2} * \sqrt{bc - \sqrt{b^2 - 4ac}} * c) *
\end{aligned}$$


```

b*c - sqrt(b^2 - 4*a*c)*c)*a^5*c^3 - 8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)
*c)*a^4*b*c^3 - 5*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^2*c^3 + 48*
a^4*b^2*c^3 + 4*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*c^4 - 32*a^5*c^
4 - 2*(b^2 - 4*a*c)*a^2*b^4*c + 10*(b^2 - 4*a*c)*a^3*b^2*c^2 - 8*(b^2 - 4*a
*c)*a^4*c^3)*abs(a*c*d^2 - a*b*d*e + a^2*e^2)*e^3 - (2*a^4*b^5*c^2 - 12*a^5
*b^3*c^3 + 16*a^6*b*c^4 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4
*a*c)*c)*a^4*b^5 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)
*c)*a^5*b^3*c + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)
*a^4*b^4*c - 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^
6*b*c^2 - 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^5*b
^2*c^2 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b^3*
c^2 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^5*b*c^3
- 2*(b^2 - 4*a*c)*a^4*b^3*c^2 + 4*(b^2 - 4*a*c)*a^5*b*c^3)*e^5)*arctan(2*s
qrt(1/2)*x/sqrt((a*b*c*d^2 - a*b^2*d*e + a^2*b*e^2 - sqrt((a*b*c*d^2 - a*b^
2*d*e + a^2*b*e^2)^2 - 4*(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*(a*c^2*d^2 - a*b
*c*d*e + a^2*c*e^2)))/(a*c^2*d^2 - a*b*c*d*e + a^2*c*e^2)))/((a^3*b^4*c^2 -
8*a^4*b^2*c^3 - 2*a^3*b^3*c^3 + 16*a^5*c^4 + 8*a^4*b*c^4 + a^3*b^2*c^4 - 4
*a^4*c^5)*d^4*abs(a*c*d^2 - a*b*d*e + a^2*e^2)*abs(c) - 2*(a^3*b^5*c - 8*a^
4*b^3*c^2 - 2*a^3*b^4*c^2 + 16*a^5*b*c^3 + 8*a^4*b^2*c^3 + a^3*b^3*c^3 - 4*
a^4*b*c^4)*d^3*abs(a*c*d^2 - a*b*d*e + a^2*e^2)*abs(c)*e + (a^3*b^6 - 6*a^4
*b^4*c - 2*a^3*b^5*c + 4*a^4*b^3*c^2 + a^3*b^4*c^2 + 32*a^6*c^3 + 16*a^5*b*
c^3 - 2*a^4*b^2*c^3 - 8*a^5*c^4)*d^2*abs(a*c*d^2 - a*b*d*e + a^2*e^2)*abs(c)
)*e^2 - 2*(a^4*b^5 - 8*a^5*b^3*c - 2*a^4*b^4*c + 16*a^6*b*c^2 + 8*a^5*b^2*c
^2 + a^4*b^3*c^2 - 4*a^5*b*c^3)*d*abs(a*c*d^2 - a*b*d*e + a^2*e^2)*abs(c)*e
^3 + (a^5*b^4 - 8*a^6*b^2*c - 2*a^5*b^3*c + 16*a^7*c^2 + 8*a^6*b*c^2 + a^5*
b^2*c^2 - 4*a^6*c^3)*abs(a*c*d^2 - a*b*d*e + a^2*e^2)*abs(c)*e^4) - arctan(
x*e^(1/2)/sqrt(d))*e^(5/2)/((c*d^3 - b*d^2*e + a*d*e^2)*sqrt(d)) - 1/(a*d*x
)

```

maple [B] time = 0.03, size = 817, normalized size = 2.74

$$\frac{\sqrt{2} b^2 c e \operatorname{arctanh}\left(\frac{\sqrt{2} c x}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{2(ae^2 - deb + cd^2)\sqrt{-4ac + b^2}\sqrt{(-b + \sqrt{-4ac + b^2})c}} \quad \frac{\sqrt{2} b^2 c e \operatorname{arctan}\left(\frac{\sqrt{2} c x}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right)}{2(ae^2 - deb + cd^2)\sqrt{-4ac + b^2}\sqrt{(b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out] -1/a/d/x-1/2/(a*e^2-b*d*e+c*d^2)/a*c*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*e+1/2/(a*e^2-b*d*e+c*d^2)/a*c^2*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*d+1/(a*e^2-b*d*e+c*d^2)*c^2/(-4*a*c

$$\begin{aligned}
& +b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * e^{-1/2} / (a * e^2 - b * d * e + c * d^2) / a * c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b^2 * e + 1/2 / (a * e^2 - b * d * e + c * d^2) / a * c^2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctanh}(2^{(1/2)} / ((-b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b * d + 1/2 / (a * e^2 - b * d * e + c * d^2) / a * c * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b * e^{-1/2} / (a * e^2 - b * d * e + c * d^2) / a * c^2 * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * d + 1 / (a * e^2 - b * d * e + c * d^2) * c^2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * e^{-1/2} / (a * e^2 - b * d * e + c * d^2) / a * c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b^2 * e + 1/2 / (a * e^2 - b * d * e + c * d^2) / a * c^2 / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * c * x) * b * d - 1 / d * e^3 / (a * e^2 - b * d * e + c * d^2) / (d * e)^{(1/2)} * \operatorname{arctan}(1 / (d * e)^{(1/2)} * e * x)
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{e^3 \arctan\left(\frac{ex}{\sqrt{de}}\right)}{(cd^3 - bd^2e + ade^2)\sqrt{de}} + \frac{-\int \frac{bcd + (c^2d - bce)x^2 - (b^2 - ac)e}{cx^4 + bx^2 + a} dx}{acd^2 - abde + a^2e^2} - \frac{1}{adx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] $-e^{-3} \arctan(e * x / \sqrt{d * e}) / ((c * d^3 - b * d^2 * e + a * d * e^2) * \sqrt{d * e}) + \operatorname{integrate}(- (b * c * d + (c^2 * d - b * c * e) * x^2 - (b^2 - a * c) * e) / (c * x^4 + b * x^2 + a), x) / (a * c * d^2 - a * b * d * e + a^2 * e^2) - 1 / (a * d * x)$

mupad [B] time = 5.89, size = 33644, normalized size = 112.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] $\operatorname{atan}\left(\frac{(((-b^7 * e^2 + b^5 * c^2 * d^2 + b^4 * e^2 * (-4 * a * c - b^2)^3)^{(1/2)} - 7 * a * b^3 * c^3 * d^2 + 12 * a^2 * b * c^4 * d^2 - a * c^3 * d^2 * (-4 * a * c - b^2)^3)^{(1/2)} - 20 * a^3 * b * c^3 * e^2 - 2 * b^6 * c * d * e + 25 * a^2 * b^3 * c^2 * e^2 + a^2 * c^2 * e^2 * (-4 * a * c - b^2)^3)^{(1/2)} + b^2 * c^2 * d^2 * (-4 * a * c - b^2)^3)^{(1/2)} - 9 * a * b^5 * c * e^2 + 16 * a^3 * c^4 * d * e + 16 * a * b^4 * c^2 * d * e - 2 * b^3 * c * d * e * (-4 * a * c - b^2)^3)^{(1/2)} - 3 * a * b^2 * c * e^2 * (-4 * a * c - b^2)^3)^{(1/2)} - 36 * a^2 * b^2 * c^3 * d * e + 4 * a * b * c^2 * d * e * (-4 * a * c - b^2)^3)^{(1/2)}}{(8 * (a^5 * b^4 * e^4 + 16 * a^5 * c^4 * d^4 + 16 * a^7 * c^2 * e^4 - 8 * a^6$

$$\begin{aligned}
& *b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 1 \\
& 6*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2))^{(1/2)} * (((-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2))^{(1/2)} * (192*a^10*c^7*d^14*e^3 - x*(-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2))^{(1/2)} * (512*a^11*c^7*d^15*e^3 + 512*a^12*c^6*d^13*e^5 - 512*a^13*c^5*d^11*e^7 - 512*a^14*c^4*d^9*e^9 - 32*a^9*b^3*c^6*d^16*e^2 + 128*a^9*b^4*c^5*d^15*e^3 - 192*a^9*b^5*c^4*d^14*e^4 + 128*a^9*b^6*c^3*d^13*e^5 - 32*a^9*b^7*c^2*d^12*e^6 - 640*a^10*b^2*c^6*d^15*e^3 + 1056*a^10*b^3*c^5*d^14*e^4 - 672*a^10*b^4*c^4*d^13*e^5 + 96*a^10*b^5*c^3*d^12*e^6 + 32*a^10*b^6*c^2*d^11*e^7 + 512*a^11*b^2*c^5*d^13*e^5 + 288*a^11*b^3*c^4*d^12*e^6 - 192*a^11*b^4*c^3*d^11*e^7 + 32*a^11*b^5*c^2*d^10*e^8 + 384*a^12*b^2*c^4*d^11*e^7 - 288*a^12*b^3*c^3*d^10*e^8 - 32*a^12*b^4*c^2*d^9*e^9 + 256*a^13*b^2*c^3*d^9*e^9 + 128*a^10*b*c^7*d^16*e^2 - 1152*a^11*b*c^6*d^14*e^4 - 640*a^12*b*c^5*d^12*e^6 + 640*a^13*b*c^4*d^10*e^8) + 128*a^11*c^6*d^12*e^5 - 320*a^12*c^5*d^10*e^7 - 256*a^13*c^4*d^8*e^9 - 16*a^8*b^3*c^6*d^15*e^2 + 64*a^8*b^4*c^5*d^14*e^3 - 96*a^8*b^5*c^4*d^13*e^4 + 64*a^8*b^6*c^3*d^12*e^5 - 16*a^8*b^7*c^2*d^11*e^6 - 304*a^9*b^2*c^6*d^14*e^3 + 512*a^9*b^3*c^5*d^13*e^4 - 352*a^9*b^4*c^4*d^12*e^5 + 64*a^9*b^5*c^3*d^11*e^6 + 16*a^9*b^6*c^2*d^10*e^7 + 352*a^10*b^2*c^5*d^12*e^5 + 80*a^10*b^3*c^4*d^11*e^6 - 128*a^10*b^4*c^3*d^10*e^7 + 16*a^10*b^5*c^2*d^9*e^8 + 336*a^11*b^2*c^4*d^10*e^7 - 128*a^11*b^3*c^3*d^9*e^8 - 16*a^11*b^4*c^2*d^8*e^9 + 128*a^12*b^2*c^3*d^8*e^9 + 64*a^9*b*c^7*d^15*e^2 - 512*a^10*b*c^6*d^13*e^4 - 320*a^11*b*c^5*d^11*e^6 + 256*a^12*b*c^4*d^9*e^8) + x*(112*a^10*c^6*d^10*e^6 - 32*a^9*c^7*d^12*e^4 - 16*a^8*c^8*d^14*e^2 - 128*a^11*c^5*d^8*e^8 + 8*a^7*b^2*c^7*d^14*e^2 - 16*a^7*b^3*c^6*d^13*e^3 + 8*a^7*b^4*c^5*d^12*e^4 + 8*a^7*b^5*c^4*d^11*e^5 - 16*a^7*b^6*c^3*d^10*e^6 + 8*a^7*b^7*c^2
\end{aligned}$$

$$\begin{aligned}
& a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8* \\
& a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3 \\
& *b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e \\
& + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^ \\
& 4*c*d^2*e^2)))^{(1/2)}*(x*(-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5* \\
& c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{ \\
& (1/2)} - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e + 4*a*b \\
& *c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^ \\
& 7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2 \\
& *c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^ \\
& 5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^ \\
& 3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)}*(512*a^11*c^7*d^15*e^3 + 512*a^12*c^6*d^ \\
& 13*e^5 - 512*a^13*c^5*d^11*e^7 - 512*a^14*c^4*d^9*e^9 - 32*a^9*b^3*c^6*d^16 \\
& *e^2 + 128*a^9*b^4*c^5*d^15*e^3 - 192*a^9*b^5*c^4*d^14*e^4 + 128*a^9*b^6*c^ \\
& 3*d^13*e^5 - 32*a^9*b^7*c^2*d^12*e^6 - 640*a^10*b^2*c^6*d^15*e^3 + 1056*a^1 \\
& 0*b^3*c^5*d^14*e^4 - 672*a^10*b^4*c^4*d^13*e^5 + 96*a^10*b^5*c^3*d^12*e^6 + \\
& 32*a^10*b^6*c^2*d^11*e^7 + 512*a^11*b^2*c^5*d^13*e^5 + 288*a^11*b^3*c^4*d^ \\
& 12*e^6 - 192*a^11*b^4*c^3*d^11*e^7 + 32*a^11*b^5*c^2*d^10*e^8 + 384*a^12*b^ \\
& 2*c^4*d^11*e^7 - 288*a^12*b^3*c^3*d^10*e^8 - 32*a^12*b^4*c^2*d^9*e^9 + 256* \\
& a^13*b^2*c^3*d^9*e^9 + 128*a^10*b*c^7*d^16*e^2 - 1152*a^11*b*c^6*d^14*e^4 - \\
& 640*a^12*b*c^5*d^12*e^6 + 640*a^13*b*c^4*d^10*e^8) + 192*a^10*c^7*d^14*e^3 \\
& + 128*a^11*c^6*d^12*e^5 - 320*a^12*c^5*d^10*e^7 - 256*a^13*c^4*d^8*e^9 - 1 \\
& 6*a^8*b^3*c^6*d^15*e^2 + 64*a^8*b^4*c^5*d^14*e^3 - 96*a^8*b^5*c^4*d^13*e^4 \\
& + 64*a^8*b^6*c^3*d^12*e^5 - 16*a^8*b^7*c^2*d^11*e^6 - 304*a^9*b^2*c^6*d^14* \\
& e^3 + 512*a^9*b^3*c^5*d^13*e^4 - 352*a^9*b^4*c^4*d^12*e^5 + 64*a^9*b^5*c^3* \\
& d^11*e^6 + 16*a^9*b^6*c^2*d^10*e^7 + 352*a^10*b^2*c^5*d^12*e^5 + 80*a^10*b^ \\
& 3*c^4*d^11*e^6 - 128*a^10*b^4*c^3*d^10*e^7 + 16*a^10*b^5*c^2*d^9*e^8 + 336* \\
& a^11*b^2*c^4*d^10*e^7 - 128*a^11*b^3*c^3*d^9*e^8 - 16*a^11*b^4*c^2*d^8*e^9 \\
& + 128*a^12*b^2*c^3*d^8*e^9 + 64*a^9*b*c^7*d^15*e^2 - 512*a^10*b*c^6*d^13*e^ \\
& 4 - 320*a^11*b*c^5*d^11*e^6 + 256*a^12*b*c^4*d^9*e^8) - x*(112*a^10*c^6*d^1 \\
& 0*e^6 - 32*a^9*c^7*d^12*e^4 - 16*a^8*c^8*d^14*e^2 - 128*a^11*c^5*d^8*e^8 + \\
& 8*a^7*b^2*c^7*d^14*e^2 - 16*a^7*b^3*c^6*d^13*e^3 + 8*a^7*b^4*c^5*d^12*e^4 + \\
& 8*a^7*b^5*c^4*d^11*e^5 - 16*a^7*b^6*c^3*d^10*e^6 + 8*a^7*b^7*c^2*d^9*e^7 - \\
& 72*a^8*b^3*c^5*d^11*e^5 + 128*a^8*b^4*c^4*d^10*e^6 - 72*a^8*b^5*c^3*d^9*e^ \\
& 7 - 280*a^9*b^2*c^5*d^10*e^6 + 208*a^9*b^3*c^4*d^9*e^7 - 16*a^9*b^4*c^3*d^8 \\
& *e^8 + 8*a^9*b^5*c^2*d^7*e^9 + 96*a^10*b^2*c^4*d^8*e^8 - 56*a^10*b^3*c^3*d^ \\
& 7*e^9 + 32*a^8*b*c^7*d^13*e^3 + 128*a^9*b*c^6*d^11*e^5 - 192*a^10*b*c^5*d^9 \\
& *e^7 + 96*a^11*b*c^4*d^7*e^9))*(-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c \\
& ^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9 \\
& *a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b
\end{aligned}$$

$$\begin{aligned}
& ^2)^3)^{(1/2)} - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e \\
& + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 \\
& + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8* \\
& a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e \\
& - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3 \\
& *c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)} + 4*a^7*c^8*d^13*e^2 + 4*a^8*c^7* \\
& d^11*e^4 - 16*a^10*c^5*d^7*e^8 - 4*a^7*b^5*c^3*d^8*e^7 + 4*a^7*b^6*c^2*d^7* \\
& e^8 + 24*a^8*b^3*c^4*d^8*e^7 - 28*a^8*b^4*c^3*d^7*e^8 + 52*a^9*b^2*c^4*d^7* \\
& e^8 - 4*a^7*b*c^7*d^12*e^3 - 32*a^9*b*c^5*d^8*e^7) - x*(2*a^7*c^7*d^9*e^5 - \\
& 4*a^8*c^6*d^7*e^7 + 2*a^7*b^2*c^5*d^7*e^7))*(-(b^7*e^2 + b^5*c^2*d^2 + b^4 \\
& *e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3* \\
& d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3* \\
& c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^ \\
& 2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 1 \\
& 6*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^ \\
& 4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^ \\
& 3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^ \\
& 3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)}*1i)/(((-(b^7*e^2 + \\
& b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b \\
& *c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c* \\
& d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d \\
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2 \\
& *d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8 \\
& *(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b \\
& ^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c \\
& ^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - \\
& 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)}*((\\
& (-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d \\
& ^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e \\
& ^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2) \\
&) + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + \\
& 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c* \\
& e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e \\
& ^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b \\
& ^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^ \\
& 2)))^{(1/2)}*(192*a^10*c^7*d^14*e^3 - x*(-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 \\
& + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*
\end{aligned}$$

$$\begin{aligned}
& a^2c - b^2)^3)^{(1/2)} - 3ab^2c^2e^2(-4a^2c - b^2)^3)^{(1/2)} - 36a^2b^2c^3d^2e + 4a^2b^2c^2d^2e(-4a^2c - b^2)^3)^{(1/2)} / (8(a^5b^4e^4 + 16a^5c^4d^4 + 16a^7c^2e^4 - 8a^6b^2c^2e^4 - 2a^4b^5d^2e^3 + a^3b^4c^2d^4 - 8a^4b^2c^3d^4 + a^3b^6d^2e^2 + 32a^6c^3d^2e^2 - 2a^3b^5c^2d^3e - 32a^5b^3c^3d^3e + 16a^5b^3c^2d^3e - 32a^6b^2c^2d^3e + 16a^4b^3c^2d^3e - 6a^4b^4c^2d^2e^2))^{(1/2)} * (512a^{11}c^7d^{15}e^3 + 512a^{12}c^6d^{13}e^5 - 512a^{13}c^5d^{11}e^7 - 512a^{14}c^4d^9e^9 - 32a^9b^3c^6d^{16}e^2 + 128a^9b^4c^5d^{15}e^3 - 192a^9b^5c^4d^{14}e^4 + 128a^9b^6c^3d^{13}e^5 - 32a^9b^7c^2d^{12}e^6 - 640a^{10}b^2c^6d^{15}e^3 + 1056a^{10}b^3c^5d^{14}e^4 - 672a^{10}b^4c^4d^{13}e^5 + 96a^{10}b^5c^3d^{12}e^6 + 32a^{10}b^6c^2d^{11}e^7 + 512a^{11}b^2c^5d^{13}e^5 + 288a^{11}b^3c^4d^{12}e^6 - 192a^{11}b^4c^3d^{11}e^7 + 32a^{11}b^5c^2d^{10}e^8 + 384a^{12}b^2c^4d^{11}e^7 - 288a^{12}b^3c^3d^{10}e^8 - 32a^{12}b^4c^2d^9e^9 + 256a^{13}b^2c^3d^9e^9 + 128a^{10}b^2c^7d^{16}e^2 - 1152a^{11}b^2c^6d^{14}e^4 - 640a^{12}b^2c^5d^{12}e^6 + 640a^{13}b^2c^4d^{10}e^8) + 128a^{11}c^6d^{12}e^5 - 320a^{12}c^5d^{10}e^7 - 256a^{13}c^4d^8e^9 - 16a^8b^3c^6d^{15}e^2 + 64a^8b^4c^5d^{14}e^3 - 96a^8b^5c^4d^{13}e^4 + 64a^8b^6c^3d^{12}e^5 - 16a^8b^7c^2d^{11}e^6 - 304a^9b^2c^6d^{14}e^3 + 512a^9b^3c^5d^{13}e^4 - 352a^9b^4c^4d^{12}e^5 + 64a^9b^5c^3d^{11}e^6 + 16a^9b^6c^2d^{10}e^7 + 352a^{10}b^2c^5d^{12}e^5 + 80a^{10}b^3c^4d^{11}e^6 - 128a^{10}b^4c^3d^{10}e^7 + 16a^{10}b^5c^2d^9e^8 + 336a^{11}b^2c^4d^{10}e^7 - 128a^{11}b^3c^3d^9e^8 - 16a^{11}b^4c^2d^8e^9 + 128a^{12}b^2c^3d^8e^9 + 64a^9b^2c^7d^{15}e^2 - 512a^{10}b^2c^6d^{13}e^4 - 320a^{11}b^2c^5d^{11}e^6 + 256a^{12}b^2c^4d^9e^8) + x((112a^{10}c^6d^{10}e^6 - 32a^9c^7d^{12}e^4 - 16a^8c^8d^{14}e^2 - 128a^{11}c^5d^8e^8 + 8a^7b^2c^7d^{14}e^2 - 16a^7b^3c^6d^{13}e^3 + 8a^7b^4c^5d^{12}e^4 + 8a^7b^5c^4d^{11}e^5 - 16a^7b^6c^3d^{10}e^6 + 8a^7b^7c^2d^9e^7 - 72a^8b^3c^5d^{11}e^5 + 128a^8b^4c^4d^{10}e^6 - 72a^8b^5c^3d^9e^7 - 280a^9b^2c^5d^{10}e^6 + 208a^9b^3c^4d^9e^7 - 16a^9b^4c^3d^8e^8 + 8a^9b^5c^2d^7e^9 + 96a^{10}b^2c^4d^8e^8 - 56a^{10}b^3c^3d^7e^9 + 32a^8b^2c^7d^{13}e^3 + 128a^9b^2c^6d^{11}e^5 - 192a^{10}b^2c^5d^9e^7 + 96a^{11}b^2c^4d^7e^9)) * (-b^7e^2 + b^5c^2d^2 + b^4e^2(-4a^2c - b^2)^3)^{(1/2)} - 7a^2b^3c^3d^2 + 12a^2b^2c^4d^2 - a^2c^3d^2(-4a^2c - b^2)^3)^{(1/2)} - 20a^3b^2c^3e^2 - 2b^6c^2d^2e + 25a^2b^3c^2e^2 + a^2c^2e^2(-4a^2c - b^2)^3)^{(1/2)} + b^2c^2d^2(-4a^2c - b^2)^3)^{(1/2)} - 9a^2b^5c^2e^2 + 16a^3c^4d^2e + 16a^2b^4c^2d^2e - 2b^3c^2d^2e(-4a^2c - b^2)^3)^{(1/2)} - 3a^2b^2c^2e^2(-4a^2c - b^2)^3)^{(1/2)} - 36a^2b^2c^3d^2e + 4a^2b^2c^2d^2e(-4a^2c - b^2)^3)^{(1/2)} / (8(a^5b^4e^4 + 16a^5c^4d^4 + 16a^7c^2e^4 - 8a^6b^2c^2e^4 - 2a^4b^5d^2e^3 + a^3b^4c^2d^4 - 8a^4b^2c^3d^4 + a^3b^6d^2e^2 + 32a^6c^3d^2e^2 - 2a^3b^5c^2d^3e - 32a^5b^3c^3d^3e + 16a^5b^3c^2d^3e - 32a^6b^2c^2d^3e + 16a^4b^3c^2d^3e - 6a^4b^4c^2d^2e^2))^{(1/2)} + 4a^7c^8d^{13}e^2 + 4a^8c^7d^{11}e^4 - 16a^{10}c^5d^7e^8 - 4a^7b^5c^3d^8e^7 + 4a^7b^6c^2d^7e^8 + 24a^8b^3c^4d^8e^7 - 28a^8b^4c^3d^7e^8 + 52a^9b^2c^4d^7e^8 - 4a^7b^2c^7d^{12}e^3 - 32a^9b^2c^5d^8e^7) + x(2a^7c^7d^9e^5 - 4a^8c^6
\end{aligned}$$

$$\begin{aligned}
& d^7 e^7 + 2 a^7 b^2 c^5 d^7 e^7) * (- (b^7 e^2 + b^5 c^2 d^2 + b^4 e^2 * (- (4 a c - b^2)^3)^{1/2} - 7 a b^3 c^3 d^2 + 12 a^2 b c^4 d^2 - a c^3 d^2 * (- (4 a c - b^2)^3)^{1/2} - 20 a^3 b c^3 e^2 - 2 b^6 c d e + 25 a^2 b^3 c^2 e^2 + a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{1/2} + b^2 c^2 d^2 * (- (4 a c - b^2)^3)^{1/2} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + 16 a b^4 c^2 d e - 2 b^3 c d e * (- (4 a c - b^2)^3)^{1/2} - 3 a b^2 c e^2 * (- (4 a c - b^2)^3)^{1/2} - 36 a^2 b^2 c^3 d e + 4 a b c^2 d e * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c e^4 - 2 a^4 b^5 d e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 32 a^6 b c^2 d e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{1/2} + ((- (b^7 e^2 + b^5 c^2 d^2 + b^4 e^2 * (- (4 a c - b^2)^3)^{1/2} - 7 a b^3 c^3 d^2 + 12 a^2 b c^4 d^2 - a c^3 d^2 * (- (4 a c - b^2)^3)^{1/2} - 20 a^3 b c^3 e^2 - 2 b^6 c d e + 25 a^2 b^3 c^2 e^2 + a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{1/2} + b^2 c^2 d^2 * (- (4 a c - b^2)^3)^{1/2} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + 16 a b^4 c^2 d e - 2 b^3 c d e * (- (4 a c - b^2)^3)^{1/2} - 3 a b^2 c e^2 * (- (4 a c - b^2)^3)^{1/2} - 36 a^2 b^2 c^3 d e + 4 a b c^2 d e * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c e^4 - 2 a^4 b^5 d e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 32 a^6 b c^2 d e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{1/2} * (((- (b^7 e^2 + b^5 c^2 d^2 + b^4 e^2 * (- (4 a c - b^2)^3)^{1/2} - 7 a b^3 c^3 d^2 + 12 a^2 b c^4 d^2 - a c^3 d^2 * (- (4 a c - b^2)^3)^{1/2} - 20 a^3 b c^3 e^2 - 2 b^6 c d e + 25 a^2 b^3 c^2 e^2 + a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{1/2} + b^2 c^2 d^2 * (- (4 a c - b^2)^3)^{1/2} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + 16 a b^4 c^2 d e - 2 b^3 c d e * (- (4 a c - b^2)^3)^{1/2} - 3 a b^2 c e^2 * (- (4 a c - b^2)^3)^{1/2} - 36 a^2 b^2 c^3 d e + 4 a b c^2 d e * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c e^4 - 2 a^4 b^5 d e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 32 a^6 b c^2 d e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{1/2} * (x * (- (b^7 e^2 + b^5 c^2 d^2 + b^4 e^2 * (- (4 a c - b^2)^3)^{1/2} - 7 a b^3 c^3 d^2 + 12 a^2 b c^4 d^2 - a c^3 d^2 * (- (4 a c - b^2)^3)^{1/2} - 20 a^3 b c^3 e^2 - 2 b^6 c d e + 25 a^2 b^3 c^2 e^2 + a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{1/2} + b^2 c^2 d^2 * (- (4 a c - b^2)^3)^{1/2} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + 16 a b^4 c^2 d e - 2 b^3 c d e * (- (4 a c - b^2)^3)^{1/2} - 3 a b^2 c e^2 * (- (4 a c - b^2)^3)^{1/2} - 36 a^2 b^2 c^3 d e + 4 a b c^2 d e * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c e^4 - 2 a^4 b^5 d e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 32 a^6 b c^2 d e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{1/2} * (512 a^11 c^7 d^15 e^3 + 512 a^12 c^6 d^13 e^5 - 512 a^13 c^5 d^11 e^7 - 512 a^14 c^4 d^9 e^9 - 32 a^9 b^3 c^6 d^16 e^2 + 128 a^9 b^4 c^5 d^15 e^3 - 192 a^9 b^5 c^4 d^14 e^4 + 128 a^9 b^6 c^3 d^13 e^5 - 32 a^9 b^7 c^2 d^12 e^6 - 640 a^10 b^2 c^6 d^15 e^3 + 1056 a^10 b^3 c^5 d^14 e^4 - 67
\end{aligned}$$

$$\begin{aligned}
& 2*a^{10}*b^4*c^4*d^{13}*e^5 + 96*a^{10}*b^5*c^3*d^{12}*e^6 + 32*a^{10}*b^6*c^2*d^{11}*e^7 + 512*a^{11}*b^2*c^5*d^{13}*e^5 + 288*a^{11}*b^3*c^4*d^{12}*e^6 - 192*a^{11}*b^4*c^3*d^{11}*e^7 + 32*a^{11}*b^5*c^2*d^{10}*e^8 + 384*a^{12}*b^2*c^4*d^{11}*e^7 - 288*a^{12}*b^3*c^3*d^{10}*e^8 - 32*a^{12}*b^4*c^2*d^9*e^9 + 256*a^{13}*b^2*c^3*d^9*e^9 + 128*a^{10}*b*c^7*d^{16}*e^2 - 1152*a^{11}*b*c^6*d^{14}*e^4 - 640*a^{12}*b*c^5*d^{12}*e^6 + 640*a^{13}*b*c^4*d^{10}*e^8) + 192*a^{10}*c^7*d^{14}*e^3 + 128*a^{11}*c^6*d^{12}*e^5 - 320*a^{12}*c^5*d^{10}*e^7 - 256*a^{13}*c^4*d^8*e^9 - 16*a^8*b^3*c^6*d^{15}*e^2 + 64*a^8*b^4*c^5*d^{14}*e^3 - 96*a^8*b^5*c^4*d^{13}*e^4 + 64*a^8*b^6*c^3*d^{12}*e^5 - 16*a^8*b^7*c^2*d^{11}*e^6 - 304*a^9*b^2*c^6*d^{14}*e^3 + 512*a^9*b^3*c^5*d^{13}*e^4 - 352*a^9*b^4*c^4*d^{12}*e^5 + 64*a^9*b^5*c^3*d^{11}*e^6 + 16*a^9*b^6*c^2*d^{10}*e^7 + 352*a^{10}*b^2*c^5*d^{12}*e^5 + 80*a^{10}*b^3*c^4*d^{11}*e^6 - 128*a^{10}*b^4*c^3*d^{10}*e^7 + 16*a^{10}*b^5*c^2*d^9*e^8 + 336*a^{11}*b^2*c^4*d^{10}*e^7 - 128*a^{11}*b^3*c^3*d^9*e^8 - 16*a^{11}*b^4*c^2*d^8*e^9 + 128*a^{12}*b^2*c^3*d^8*e^9 + 64*a^9*b*c^7*d^{15}*e^2 - 512*a^{10}*b*c^6*d^{13}*e^4 - 320*a^{11}*b*c^5*d^{11}*e^6 + 256*a^{12}*b*c^4*d^9*e^8) - x*(112*a^{10}*c^6*d^{10}*e^6 - 32*a^9*c^7*d^{12}*e^4 - 16*a^8*c^8*d^{14}*e^2 - 128*a^{11}*c^5*d^8*e^8 + 8*a^7*b^2*c^7*d^{14}*e^2 - 16*a^7*b^3*c^6*d^{13}*e^3 + 8*a^7*b^4*c^5*d^{12}*e^4 + 8*a^7*b^5*c^4*d^{11}*e^5 - 16*a^7*b^6*c^3*d^{10}*e^6 + 8*a^7*b^7*c^2*d^9*e^7 - 72*a^8*b^3*c^5*d^{11}*e^5 + 128*a^8*b^4*c^4*d^{10}*e^6 - 72*a^8*b^5*c^3*d^9*e^7 - 280*a^9*b^2*c^5*d^{10}*e^6 + 208*a^9*b^3*c^4*d^9*e^7 - 16*a^9*b^4*c^3*d^8*e^8 + 8*a^9*b^5*c^2*d^7*e^9 + 96*a^{10}*b^2*c^4*d^8*e^8 - 56*a^{10}*b^3*c^3*d^7*e^9 + 32*a^8*b*c^7*d^{13}*e^3 + 128*a^9*b*c^6*d^{11}*e^5 - 192*a^{10}*b*c^5*d^9*e^7 + 96*a^{11}*b*c^4*d^7*e^9))*(-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^3)^(1/2) - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^(1/2) - 36*a^2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^(1/2) + 4*a^7*c^8*d^{13}*e^2 + 4*a^8*c^7*d^{11}*e^4 - 16*a^{10}*c^5*d^7*e^8 - 4*a^7*b^5*c^3*d^8*e^7 + 4*a^7*b^6*c^2*d^7*e^8 + 24*a^8*b^3*c^4*d^8*e^7 - 28*a^8*b^4*c^3*d^7*e^8 + 52*a^9*b^2*c^4*d^7*e^8 - 4*a^7*b*c^7*d^{12}*e^3 - 32*a^9*b*c^5*d^8*e^7) - x*(2*a^7*c^7*d^9*e^5 - 4*a^8*c^6*d^7*e^7 + 2*a^7*b^2*c^5*d^7*e^7))*(-(b^7*e^2 + b^5*c^2*d^2 + b^4*e^2*(-(4*a*c - b^2)^3)^(1/2) - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 - a*c^3*d^2*(-(4*a*c - b^2)^3)^(1/2) - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 + a^2*c^2*e^2*(-(4*a*c - b^2)^3)^(1/2) + b^2*c^2*d^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e - 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^(1/2) - 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^(1/2) - 36*a^2*b^2*c^3*d*e + 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e
\end{aligned}$$

$$\begin{aligned}
& b^3 c^3 d^3 e + 16 a^5 b^3 c^3 d^3 e - 32 a^6 b^3 c^2 d^3 e + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c^3 d^2 e^2)^{(1/2)}) * (- (b^7 e^2 + b^5 c^2 d^2 + b^4 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 7 a^2 b^3 c^3 d^2 + 12 a^2 b^3 c^4 d^2 - a^3 c^3 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 20 a^3 b^3 c^3 e^2 - 2 b^6 c^3 d^2 e + 25 a^2 b^3 c^2 e^2 + a^2 c^2 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} + b^2 c^2 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^2 + 16 a^3 c^4 d^2 e + 16 a^2 b^4 c^2 d^2 e - 2 b^3 c^3 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)} - 3 a^2 b^2 c^3 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 36 a^2 b^2 c^3 d^2 e + 4 a^2 b^3 c^2 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c^2 e^4 - 2 a^4 b^5 d^2 e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c^3 d^3 e - 32 a^5 b^3 c^3 d^3 e + 16 a^5 b^3 c^3 d^3 e - 32 a^6 b^3 c^2 d^3 e + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c^3 d^2 e^2)))^{(1/2)} * 2i + \operatorname{atan}(\frac{(- (b^7 e^2 + b^5 c^2 d^2 - b^4 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 7 a^2 b^3 c^3 d^2 + 12 a^2 b^3 c^4 d^2 + a^3 c^3 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 20 a^3 b^3 c^3 e^2 - 2 b^6 c^3 d^2 e + 25 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - b^2 c^2 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^2 + 16 a^3 c^4 d^2 e + 16 a^2 b^4 c^2 d^2 e + 2 b^3 c^3 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)} + 3 a^2 b^2 c^3 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 36 a^2 b^2 c^3 d^2 e - 4 a^2 b^3 c^2 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c^2 e^4 - 2 a^4 b^5 d^2 e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c^3 d^3 e - 32 a^5 b^3 c^3 d^3 e + 16 a^5 b^3 c^3 d^3 e - 32 a^6 b^3 c^2 d^3 e + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c^3 d^2 e^2)))^{(1/2)} * ((- (b^7 e^2 + b^5 c^2 d^2 - b^4 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 7 a^2 b^3 c^3 d^2 + 12 a^2 b^3 c^4 d^2 + a^3 c^3 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 20 a^3 b^3 c^3 e^2 - 2 b^6 c^3 d^2 e + 25 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - b^2 c^2 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^2 + 16 a^3 c^4 d^2 e + 16 a^2 b^4 c^2 d^2 e + 2 b^3 c^3 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)} + 3 a^2 b^2 c^3 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 36 a^2 b^2 c^3 d^2 e - 4 a^2 b^3 c^2 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c^2 e^4 - 2 a^4 b^5 d^2 e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c^3 d^3 e - 32 a^5 b^3 c^3 d^3 e + 16 a^5 b^3 c^3 d^3 e - 32 a^6 b^3 c^2 d^3 e + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c^3 d^2 e^2)))^{(1/2)} * (192 a^{10} c^7 d^{14} e^3 - x * (- (b^7 e^2 + b^5 c^2 d^2 - b^4 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 7 a^2 b^3 c^3 d^2 + 12 a^2 b^3 c^4 d^2 + a^3 c^3 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 20 a^3 b^3 c^3 e^2 - 2 b^6 c^3 d^2 e + 25 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - b^2 c^2 d^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 9 a^2 b^5 c^2 e^2 + 16 a^3 c^4 d^2 e + 16 a^2 b^4 c^2 d^2 e + 2 b^3 c^3 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)} + 3 a^2 b^2 c^3 e^2 * (- (4 a^3 c - b^2)^3)^{(1/2)} - 36 a^2 b^2 c^3 d^2 e - 4 a^2 b^3 c^2 d^2 e * (- (4 a^3 c - b^2)^3)^{(1/2)}) / (8 (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c^2 e^4 - 2 a^4 b^5 d^2 e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c^3 d^3 e - 32 a^5 b^3 c^3 d^3 e + 16 a^5 b^3 c^3 d^3 e - 32 a^6 b^3 c^2 d^3 e + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c^3 d^2 e^2)))^{(1/2)} * (512 a^{11} c^7 d^{15} e^3 + 512 a^{12} c^6 d^{13} e^5 - 512 a^{13} c^5 d^{11} e^7 - 512 a^{14} c^4 d^9 e^9 - 32 a^9 b^3 c^6 d^{16} e^2 + 128 a^9 b^4 c^5 d^{15} e^3 - 192 a^9 b^5 c^4 d^{14} e^4 + 128 a
\end{aligned}$$

$$\begin{aligned}
& a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c d^3 e \\
& - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 32 a^6 b c^2 d e^3 + 16 a^4 b^3 \\
& c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{(1/2)} * 1i - (((- (b^7 e^2 + b^5 c^2 d^2 - \\
& b^4 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - 7 a b^3 c^3 d^2 + 12 a^2 b c^4 d^2 + a c \\
& ^3 d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 20 a^3 b c^3 e^2 - 2 b^6 c d e + 25 a^2 b \\
& ^3 c^2 e^2 - a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - b^2 c^2 d^2 * (- (4 a c - \\
& b^2)^3)^{(1/2)} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + 16 a b^4 c^2 d e + 2 b^3 c \\
& * d e * (- (4 a c - b^2)^3)^{(1/2)} + 3 a b^2 c e^2 * (- (4 a c - b^2)^3)^{(1/2)} - 36 \\
& a^2 b^2 c^3 d e - 4 a b c^2 d e * (- (4 a c - b^2)^3)^{(1/2)}) / (8 * (a^5 b^4 e^4 \\
& + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c e^4 - 2 a^4 b^5 d e^3 + a^3 \\
& * b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 d^2 e^2 - 2 \\
& * a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 32 a^6 b c^2 d \\
& * e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{(1/2)} * (((- (b^7 e^2 + b \\
& ^5 c^2 d^2 - b^4 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - 7 a b^3 c^3 d^2 + 12 a^2 b c \\
& ^4 d^2 + a c^3 d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 20 a^3 b c^3 e^2 - 2 b^6 c d \\
& * e + 25 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - b^2 c^2 d^2 \\
& * (- (4 a c - b^2)^3)^{(1/2)} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + 16 a b^4 c^2 d \\
& e + 2 b^3 c d e * (- (4 a c - b^2)^3)^{(1/2)} + 3 a b^2 c e^2 * (- (4 a c - b^2)^3 \\
& ^{(1/2)} - 36 a^2 b^2 c^3 d e - 4 a b c^2 d e * (- (4 a c - b^2)^3)^{(1/2)}) / (8 * \\
& (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c e^4 - 2 a^4 b^5 \\
& d e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e^2 + 32 a^6 c^3 \\
& d^2 e^2 - 2 a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b^3 c d e^3 - 3 \\
& 2 a^6 b c^2 d e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2))^{(1/2)} * (x \\
& (- (b^7 e^2 + b^5 c^2 d^2 - b^4 e^2 * (- (4 a c - b^2)^3)^{(1/2)} - 7 a b^3 c^3 d \\
& ^2 + 12 a^2 b c^4 d^2 + a c^3 d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 20 a^3 b c^3 e \\
& ^2 - 2 b^6 c d e + 25 a^2 b^3 c^2 e^2 - a^2 c^2 e^2 * (- (4 a c - b^2)^3)^{(1/2)} \\
&) - b^2 c^2 d^2 * (- (4 a c - b^2)^3)^{(1/2)} - 9 a b^5 c e^2 + 16 a^3 c^4 d e + \\
& 16 a b^4 c^2 d e + 2 b^3 c d e * (- (4 a c - b^2)^3)^{(1/2)} + 3 a b^2 c e^2 * (- \\
& (4 a c - b^2)^3)^{(1/2)} - 36 a^2 b^2 c^3 d e - 4 a b c^2 d e * (- (4 a c - b^2) \\
& ^3)^{(1/2)}) / (8 * (a^5 b^4 e^4 + 16 a^5 c^4 d^4 + 16 a^7 c^2 e^4 - 8 a^6 b^2 c \\
& e^4 - 2 a^4 b^5 d e^3 + a^3 b^4 c^2 d^4 - 8 a^4 b^2 c^3 d^4 + a^3 b^6 d^2 e \\
& ^2 + 32 a^6 c^3 d^2 e^2 - 2 a^3 b^5 c d^3 e - 32 a^5 b c^3 d^3 e + 16 a^5 b \\
& ^3 c d e^3 - 32 a^6 b c^2 d e^3 + 16 a^4 b^3 c^2 d^3 e - 6 a^4 b^4 c d^2 e^2 \\
&))^{(1/2)} * (512 a^{11} c^7 d^{15} e^3 + 512 a^{12} c^6 d^{13} e^5 - 512 a^{13} c^5 d^{11} \\
& e^7 - 512 a^{14} c^4 d^9 e^9 - 32 a^9 b^3 c^6 d^{16} e^2 + 128 a^9 b^4 c^5 d^{15} \\
& e^3 - 192 a^9 b^5 c^4 d^{14} e^4 + 128 a^9 b^6 c^3 d^{13} e^5 - 32 a^9 b^7 c^2 \\
& d^{12} e^6 - 640 a^{10} b^2 c^6 d^{15} e^3 + 1056 a^{10} b^3 c^5 d^{14} e^4 - 672 \\
& a^{10} b^4 c^4 d^{13} e^5 + 96 a^{10} b^5 c^3 d^{12} e^6 + 32 a^{10} b^6 c^2 d^{11} e^7 + \\
& 512 a^{11} b^2 c^5 d^{13} e^5 + 288 a^{11} b^3 c^4 d^{12} e^6 - 192 a^{11} b^4 c^3 \\
& d^{11} e^7 + 32 a^{11} b^5 c^2 d^{10} e^8 + 384 a^{12} b^2 c^4 d^{11} e^7 - 288 a^{12} \\
& b^3 c^3 d^{10} e^8 - 32 a^{12} b^4 c^2 d^9 e^9 + 256 a^{13} b^2 c^3 d^9 e^9 + 1 \\
& 28 a^{10} b c^7 d^{16} e^2 - 1152 a^{11} b c^6 d^{14} e^4 - 640 a^{12} b c^5 d^{12} e^6 \\
& + 640 a^{13} b c^4 d^{10} e^8) + 192 a^{10} c^7 d^{14} e^3 + 128 a^{11} c^6 d^{12} e^5 \\
& - 320 a^{12} c^5 d^{10} e^7 - 256 a^{13} c^4 d^8 e^9 - 16 a^8 b^3 c^6 d^{15} e^2 + \\
& 64 a^8 b^4 c^5 d^{14} e^3 - 96 a^8 b^5 c^4 d^{13} e^4 + 64 a^8 b^6 c^3 d^{12} e^
\end{aligned}$$

$$\begin{aligned}
&^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d \\
&^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c \\
&*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16* \\
&a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2))^{(1/2)}*((-(b^7*e^2 + b^5*c^2*d^2 \\
&- b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 + \\
&a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^ \\
&2*b^3*c^2*e^2 - a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*c^2*d^2*(-(4*a*c \\
&- b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e + 2*b^ \\
&3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
&36*a^2*b^2*c^3*d*e - 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e \\
&^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + \\
&a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 \\
&- 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^ \\
&2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2))^{(1/2)}*(192*a^10*c^7 \\
&*d^14*e^3 - x*(-(b^7*e^2 + b^5*c^2*d^2 - b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
&7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 + a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
&20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 - a^2*c^2*e^2*(-(4*a*c \\
&- b^2)^3)^{(1/2)} - b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16 \\
&a^3*c^4*d*e + 16*a*b^4*c^2*d*e + 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3* \\
&a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e - 4*a*b*c^2*d*e*(- \\
&-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 \\
&- 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + \\
&a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^ \\
&3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^ \\
&4*b^4*c*d^2*e^2))^{(1/2)}*(512*a^11*c^7*d^15*e^3 + 512*a^12*c^6*d^13*e^5 - 5 \\
&12*a^13*c^5*d^11*e^7 - 512*a^14*c^4*d^9*e^9 - 32*a^9*b^3*c^6*d^16*e^2 + 128 \\
&a^9*b^4*c^5*d^15*e^3 - 192*a^9*b^5*c^4*d^14*e^4 + 128*a^9*b^6*c^3*d^13*e^5 \\
&- 32*a^9*b^7*c^2*d^12*e^6 - 640*a^10*b^2*c^6*d^15*e^3 + 1056*a^10*b^3*c^5* \\
&d^14*e^4 - 672*a^10*b^4*c^4*d^13*e^5 + 96*a^10*b^5*c^3*d^12*e^6 + 32*a^10*b \\
&^6*c^2*d^11*e^7 + 512*a^11*b^2*c^5*d^13*e^5 + 288*a^11*b^3*c^4*d^12*e^6 - 1 \\
&92*a^11*b^4*c^3*d^11*e^7 + 32*a^11*b^5*c^2*d^10*e^8 + 384*a^12*b^2*c^4*d^11 \\
&*e^7 - 288*a^12*b^3*c^3*d^10*e^8 - 32*a^12*b^4*c^2*d^9*e^9 + 256*a^13*b^2*c \\
&^3*d^9*e^9 + 128*a^10*b*c^7*d^16*e^2 - 1152*a^11*b*c^6*d^14*e^4 - 640*a^12* \\
&b*c^5*d^12*e^6 + 640*a^13*b*c^4*d^10*e^8) + 128*a^11*c^6*d^12*e^5 - 320*a^1 \\
&2*c^5*d^10*e^7 - 256*a^13*c^4*d^8*e^9 - 16*a^8*b^3*c^6*d^15*e^2 + 64*a^8*b^ \\
&4*c^5*d^14*e^3 - 96*a^8*b^5*c^4*d^13*e^4 + 64*a^8*b^6*c^3*d^12*e^5 - 16*a^8 \\
&*b^7*c^2*d^11*e^6 - 304*a^9*b^2*c^6*d^14*e^3 + 512*a^9*b^3*c^5*d^13*e^4 - 3 \\
&52*a^9*b^4*c^4*d^12*e^5 + 64*a^9*b^5*c^3*d^11*e^6 + 16*a^9*b^6*c^2*d^10*e^7 \\
&+ 352*a^10*b^2*c^5*d^12*e^5 + 80*a^10*b^3*c^4*d^11*e^6 - 128*a^10*b^4*c^3* \\
&d^10*e^7 + 16*a^10*b^5*c^2*d^9*e^8 + 336*a^11*b^2*c^4*d^10*e^7 - 128*a^11*b \\
&^3*c^3*d^9*e^8 - 16*a^11*b^4*c^2*d^8*e^9 + 128*a^12*b^2*c^3*d^8*e^9 + 64*a^ \\
&9*b*c^7*d^15*e^2 - 512*a^10*b*c^6*d^13*e^4 - 320*a^11*b*c^5*d^11*e^6 + 256* \\
&a^12*b*c^4*d^9*e^8) + x*(112*a^10*c^6*d^10*e^6 - 32*a^9*c^7*d^12*e^4 - 16*a \\
&^8*c^8*d^14*e^2 - 128*a^11*c^5*d^8*e^8 + 8*a^7*b^2*c^7*d^14*e^2 - 16*a^7*b^ \\
&3*c^6*d^13*e^3 + 8*a^7*b^4*c^5*d^12*e^4 + 8*a^7*b^5*c^4*d^11*e^5 - 16*a^7*b
\end{aligned}$$

$$\begin{aligned}
& ^6c^3d^{10}e^6 + 8a^7b^7c^2d^9e^7 - 72a^8b^3c^5d^{11}e^5 + 128a^8 \\
& *b^4c^4d^{10}e^6 - 72a^8b^5c^3d^9e^7 - 280a^9b^2c^5d^{10}e^6 + 208 \\
& *a^9b^3c^4d^9e^7 - 16a^9b^4c^3d^8e^8 + 8a^9b^5c^2d^7e^9 + 96a \\
& ^{10}b^2c^4d^8e^8 - 56a^{10}b^3c^3d^7e^9 + 32a^8b^3c^7d^{13}e^3 + 12 \\
& 8a^9b^3c^6d^{11}e^5 - 192a^{10}b^3c^5d^9e^7 + 96a^{11}b^3c^4d^7e^9) * (- \\
& (b^7e^2 + b^5c^2d^2 - b^4e^2 * (-4ac - b^2)^3)^{(1/2)} - 7a^3b^3c^3d^2 \\
& + 12a^2b^3c^4d^2 + ac^3d^2 * (-4ac - b^2)^3)^{(1/2)} - 20a^3b^3c^3e^2 \\
& - 2b^6c^3d^2e + 25a^2b^3c^2e^2 - a^2c^2e^2 * (-4ac - b^2)^3)^{(1/2)} - \\
& b^2c^2d^2 * (-4ac - b^2)^3)^{(1/2)} - 9a^3b^5c^3e^2 + 16a^3c^4d^2e + 16 \\
& *a^3b^4c^2d^2e + 2b^3c^3d^2e * (-4ac - b^2)^3)^{(1/2)} + 3a^3b^2c^3e^2 * (-4 \\
& ac - b^2)^3)^{(1/2)} - 36a^2b^2c^3d^2e - 4a^3b^2c^2d^2e * (-4ac - b^2)^3) \\
& ^{(1/2)}) / (8(a^5b^4e^4 + 16a^5c^4d^4 + 16a^7c^2e^4 - 8a^6b^2c^3e^4 \\
& - 2a^4b^5d^2e^3 + a^3b^4c^2d^4 - 8a^4b^2c^3d^4 + a^3b^6d^2e^2 \\
& + 32a^6c^3d^2e^2 - 2a^3b^5c^3d^3e - 32a^5b^3c^3d^3e + 16a^5b^3c \\
& *d^2e^3 - 32a^6b^3c^2d^2e^3 + 16a^4b^3c^2d^3e - 6a^4b^4c^3d^2e^2)) \\
&)^{(1/2)} + 4a^7c^8d^{13}e^2 + 4a^8c^7d^{11}e^4 - 16a^{10}c^5d^7e^8 - 4 \\
& *a^7b^5c^3d^8e^7 + 4a^7b^6c^2d^7e^8 + 24a^8b^3c^4d^8e^7 - 28a \\
& ^8b^4c^3d^7e^8 + 52a^9b^2c^4d^7e^8 - 4a^7b^3c^7d^{12}e^3 - 32a^ \\
& 9b^3c^5d^8e^7) + x(2a^7c^7d^9e^5 - 4a^8c^6d^7e^7 + 2a^7b^2c^5 \\
& *d^7e^7)) * (- (b^7e^2 + b^5c^2d^2 - b^4e^2 * (-4ac - b^2)^3)^{(1/2)} - 7a \\
& ^3b^3c^3d^2 + 12a^2b^3c^4d^2 + ac^3d^2 * (-4ac - b^2)^3)^{(1/2)} - 20a \\
& ^3b^3c^3e^2 - 2b^6c^3d^2e + 25a^2b^3c^2e^2 - a^2c^2e^2 * (-4ac - b \\
& ^2)^3)^{(1/2)} - b^2c^2d^2 * (-4ac - b^2)^3)^{(1/2)} - 9a^3b^5c^3e^2 + 16a^ \\
& 3c^4d^2e + 16a^3b^4c^2d^2e + 2b^3c^3d^2e * (-4ac - b^2)^3)^{(1/2)} + 3a^3b \\
& ^2c^3e^2 * (-4ac - b^2)^3)^{(1/2)} - 36a^2b^2c^3d^2e - 4a^3b^2c^2d^2e * (-4 \\
& ac - b^2)^3)^{(1/2)}) / (8(a^5b^4e^4 + 16a^5c^4d^4 + 16a^7c^2e^4 - 8 \\
& *a^6b^2c^3e^4 - 2a^4b^5d^2e^3 + a^3b^4c^2d^4 - 8a^4b^2c^3d^4 + a^ \\
& 3b^6d^2e^2 + 32a^6c^3d^2e^2 - 2a^3b^5c^3d^3e - 32a^5b^3c^3d^3e \\
& + 16a^5b^3c^3d^2e^3 - 32a^6b^3c^2d^2e^3 + 16a^4b^3c^2d^3e - 6a^4b \\
& ^4c^3d^2e^2))^{(1/2)} + (((- (b^7e^2 + b^5c^2d^2 - b^4e^2 * (-4ac - b^2) \\
& ^3)^{(1/2)} - 7a^3b^3c^3d^2 + 12a^2b^3c^4d^2 + ac^3d^2 * (-4ac - b^2) \\
& ^3)^{(1/2)} - 20a^3b^3c^3e^2 - 2b^6c^3d^2e + 25a^2b^3c^2e^2 - a^2c^2e^2 \\
& * (-4ac - b^2)^3)^{(1/2)} - b^2c^2d^2 * (-4ac - b^2)^3)^{(1/2)} - 9a^3b^5 \\
& *c^3e^2 + 16a^3c^4d^2e + 16a^3b^4c^2d^2e + 2b^3c^3d^2e * (-4ac - b^2)^3) \\
& ^{(1/2)} + 3a^3b^2c^3e^2 * (-4ac - b^2)^3)^{(1/2)} - 36a^2b^2c^3d^2e - 4a^3 \\
& b^2c^2d^2e * (-4ac - b^2)^3)^{(1/2)}) / (8(a^5b^4e^4 + 16a^5c^4d^4 + 16a \\
& ^7c^2e^4 - 8a^6b^2c^3e^4 - 2a^4b^5d^2e^3 + a^3b^4c^2d^4 - 8a^4b^ \\
& 2c^3d^4 + a^3b^6d^2e^2 + 32a^6c^3d^2e^2 - 2a^3b^5c^3d^3e - 32a \\
& ^5b^3c^3d^3e + 16a^5b^3c^3d^2e^3 - 32a^6b^3c^2d^2e^3 + 16a^4b^3c^2d \\
& ^3e - 6a^4b^4c^3d^2e^2))^{(1/2)} * (((- (b^7e^2 + b^5c^2d^2 - b^4e^2 * (- \\
& 4ac - b^2)^3)^{(1/2)} - 7a^3b^3c^3d^2 + 12a^2b^3c^4d^2 + ac^3d^2 * (- \\
& 4ac - b^2)^3)^{(1/2)} - 20a^3b^3c^3e^2 - 2b^6c^3d^2e + 25a^2b^3c^2e^2 \\
& - a^2c^2e^2 * (-4ac - b^2)^3)^{(1/2)} - b^2c^2d^2 * (-4ac - b^2)^3)^{(1 \\
& /2)} - 9a^3b^5c^3e^2 + 16a^3c^4d^2e + 16a^3b^4c^2d^2e + 2b^3c^3d^2e * (-4 \\
& ac - b^2)^3)^{(1/2)} + 3a^3b^2c^3e^2 * (-4ac - b^2)^3)^{(1/2)} - 36a^2b^2c^3
\end{aligned}$$

$$\begin{aligned}
&^3*d*e - 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)}*(x*(-(b^7*e^2 + b^5*c^2*d^2 - b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 + a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 - a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e + 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e - 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)}*(512*a^11*c^7*d^15*e^3 + 512*a^12*c^6*d^13*e^5 - 512*a^13*c^5*d^11*e^7 - 512*a^14*c^4*d^9*e^9 - 32*a^9*b^3*c^6*d^16*e^2 + 128*a^9*b^4*c^5*d^15*e^3 - 192*a^9*b^5*c^4*d^14*e^4 + 128*a^9*b^6*c^3*d^13*e^5 - 32*a^9*b^7*c^2*d^12*e^6 - 640*a^10*b^2*c^6*d^15*e^3 + 1056*a^10*b^3*c^5*d^14*e^4 - 672*a^10*b^4*c^4*d^13*e^5 + 96*a^10*b^5*c^3*d^12*e^6 + 32*a^10*b^6*c^2*d^11*e^7 + 512*a^11*b^2*c^5*d^13*e^5 + 288*a^11*b^3*c^4*d^12*e^6 - 192*a^11*b^4*c^3*d^11*e^7 + 32*a^11*b^5*c^2*d^10*e^8 + 384*a^12*b^2*c^4*d^11*e^7 - 288*a^12*b^3*c^3*d^10*e^8 - 32*a^12*b^4*c^2*d^9*e^9 + 256*a^13*b^2*c^3*d^9*e^9 + 128*a^10*b*c^7*d^16*e^2 - 1152*a^11*b*c^6*d^14*e^4 - 640*a^12*b*c^5*d^12*e^6 + 640*a^13*b*c^4*d^10*e^8) + 192*a^10*c^7*d^14*e^3 + 128*a^11*c^6*d^12*e^5 - 320*a^12*c^5*d^10*e^7 - 256*a^13*c^4*d^8*e^9 - 16*a^8*b^3*c^6*d^15*e^2 + 64*a^8*b^4*c^5*d^14*e^3 - 96*a^8*b^5*c^4*d^13*e^4 + 64*a^8*b^6*c^3*d^12*e^5 - 16*a^8*b^7*c^2*d^11*e^6 - 304*a^9*b^2*c^6*d^14*e^3 + 512*a^9*b^3*c^5*d^13*e^4 - 352*a^9*b^4*c^4*d^12*e^5 + 64*a^9*b^5*c^3*d^11*e^6 + 16*a^9*b^6*c^2*d^10*e^7 + 352*a^10*b^2*c^5*d^12*e^5 + 80*a^10*b^3*c^4*d^11*e^6 - 128*a^10*b^4*c^3*d^10*e^7 + 16*a^10*b^5*c^2*d^9*e^8 + 336*a^11*b^2*c^4*d^10*e^7 - 128*a^11*b^3*c^3*d^9*e^8 - 16*a^11*b^4*c^2*d^8*e^9 + 128*a^12*b^2*c^3*d^8*e^9 + 64*a^9*b*c^7*d^15*e^2 - 512*a^10*b*c^6*d^13*e^4 - 320*a^11*b*c^5*d^11*e^6 + 256*a^12*b*c^4*d^9*e^8) - x*(112*a^10*c^6*d^10*e^6 - 32*a^9*c^7*d^12*e^4 - 16*a^8*c^8*d^14*e^2 - 128*a^11*c^5*d^8*e^8 + 8*a^7*b^2*c^7*d^14*e^2 - 16*a^7*b^3*c^6*d^13*e^3 + 8*a^7*b^4*c^5*d^12*e^4 + 8*a^7*b^5*c^4*d^11*e^5 - 16*a^7*b^6*c^3*d^10*e^6 + 8*a^7*b^7*c^2*d^9*e^7 - 72*a^8*b^3*c^5*d^11*e^5 + 128*a^8*b^4*c^4*d^10*e^6 - 72*a^8*b^5*c^3*d^9*e^7 - 280*a^9*b^2*c^5*d^10*e^6 + 208*a^9*b^3*c^4*d^9*e^7 - 16*a^9*b^4*c^3*d^8*e^8 + 8*a^9*b^5*c^2*d^7*e^9 + 96*a^10*b^2*c^4*d^8*e^8 - 56*a^10*b^3*c^3*d^7*e^9 + 32*a^8*b*c^7*d^13*e^3 + 128*a^9*b*c^6*d^11*e^5 - 192*a^10*b*c^5*d^9*e^7 + 96*a^11*b*c^4*d^7*e^9))*(-(b^7*e^2 + b^5*c^2*d^2 - b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 + a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 - a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*
\end{aligned}$$

$$\begin{aligned}
& e + 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 36*a^2*b^2*c^3*d*e - 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)} + 4*a^7*c^8*d^13*e^2 + 4*a^8*c^7*d^11*e^4 - 16*a^10*c^5*d^7*e^8 - 4*a^7*b^5*c^3*d^8*e^7 + 4*a^7*b^6*c^2*d^7*e^8 + 24*a^8*b^3*c^4*d^8*e^7 - 28*a^8*b^4*c^3*d^7*e^8 + 52*a^9*b^2*c^4*d^7*e^8 - 4*a^7*b*c^7*d^12*e^3 - 32*a^9*b*c^5*d^8*e^7) - x*(2*a^7*c^7*d^9*e^5 - 4*a^8*c^6*d^7*e^7 + 2*a^7*b^2*c^5*d^7*e^7))*(- (b^7*e^2 + b^5*c^2*d^2 - b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 + a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 - a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e + 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e - 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/ (8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2))^{(1/2)))*(- (b^7*e^2 + b^5*c^2*d^2 - b^4*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 7*a*b^3*c^3*d^2 + 12*a^2*b*c^4*d^2 + a*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 20*a^3*b*c^3*e^2 - 2*b^6*c*d*e + 25*a^2*b^3*c^2*e^2 - a^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^2*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e^2 + 16*a^3*c^4*d*e + 16*a*b^4*c^2*d*e + 2*b^3*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a*b^2*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 36*a^2*b^2*c^3*d*e - 4*a*b*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)))/ (8*(a^5*b^4*e^4 + 16*a^5*c^4*d^4 + 16*a^7*c^2*e^4 - 8*a^6*b^2*c*e^4 - 2*a^4*b^5*d*e^3 + a^3*b^4*c^2*d^4 - 8*a^4*b^2*c^3*d^4 + a^3*b^6*d^2*e^2 + 32*a^6*c^3*d^2*e^2 - 2*a^3*b^5*c*d^3*e - 32*a^5*b*c^3*d^3*e + 16*a^5*b^3*c*d*e^3 - 32*a^6*b*c^2*d*e^3 + 16*a^4*b^3*c^2*d^3*e - 6*a^4*b^4*c*d^2*e^2)))^{(1/2)}*2i - (\log(c^6*d^11*(-d^3*e^5)^{(1/2)} + b^6*d^6*e^9*x + c^6*d^12*e^3*x + b^5*c*d^3*(-d^3*e^5)^{(3/2)} - b^6*d^2*e*(-d^3*e^5)^{(3/2)} - a^2*b^4*e^3*(-d^3*e^5)^{(3/2)} - 16*a^4*c^2*e^3*(-d^3*e^5)^{(3/2)} - 7*a*b^3*c^2*d^3*(-d^3*e^5)^{(3/2)} + 12*a^2*b*c^3*d^3*(-d^3*e^5)^{(3/2)} + 8*a^3*b^2*c*e^3*(-d^3*e^5)^{(3/2)} + 16*a^3*c^3*d^2*e*(-d^3*e^5)^{(3/2)} + a*c^5*d^9*e^2*(-d^3*e^5)^{(1/2)} + a*b^5*d^5*e^10*x + a*c^5*d^10*e^5*x - b*c^5*d^11*e^4*x - b^5*c*d^7*e^8*x + a^2*b^4*d^4*e^11*x - 16*a^3*c^3*d^6*e^9*x + 16*a^4*c^2*d^4*e^11*x - a*b^5*d*e^2*(-d^3*e^5)^{(3/2)} - b*c^5*d^10*e*(-d^3*e^5)^{(1/2)} - 24*a^2*b^2*c^2*d^2*e*(-d^3*e^5)^{(3/2)} + 7*a*b^3*c^2*d^7*e^8*x - 12*a^2*b*c^3*d^7*e^8*x - 8*a^2*b^3*c*d^5*e^10*x + 16*a^3*b*c^2*d^5*e^10*x - 8*a^3*b^2*c*d^4*e^11*x + 9*a*b^4*c*d^2*e*(-d^3*e^5)^{(3/2)} + 24*a^2*b^2*c^2*d^6*e^9*x + 8*a^2*b^3*c*d*e^2*(-d^3*e^5)^{(3/2)} - 16*a^3*b*c^2*d*e^2*(-d^3*e^5)^{(3/2)} - 9*a*b^4*c*d^6*e^9*x)*(-d^3*e^5)^{(1/2)))/(2*(c*d^5 + a*d^3*e^2 - b*d^4*e)) + (\log(b^6*d^6*e^9*x - c^6*d^11*(-d^3*e^5)^{(1/2)} + c^6*d^12*e^3*x - b^5*c*d^3*(-d^3*e^5)^{(3/2)} + b^6*d^2*e*(-d^3*e^5)^{(3/2)} + a^2*b^4*e^3*(-d^3*e^5)^{(3/2)}
\end{aligned}$$

$$\begin{aligned}
&) + 16*a^4*c^2*e^3*(-d^3*e^5)^{(3/2)} + 7*a*b^3*c^2*d^3*(-d^3*e^5)^{(3/2)} - 12 \\
& *a^2*b*c^3*d^3*(-d^3*e^5)^{(3/2)} - 8*a^3*b^2*c*e^3*(-d^3*e^5)^{(3/2)} - 16*a^3 \\
& *c^3*d^2*e*(-d^3*e^5)^{(3/2)} - a*c^5*d^9*e^2*(-d^3*e^5)^{(1/2)} + a*b^5*d^5*e^ \\
& 10*x + a*c^5*d^10*e^5*x - b*c^5*d^11*e^4*x - b^5*c*d^7*e^8*x + a^2*b^4*d^4* \\
& e^11*x - 16*a^3*c^3*d^6*e^9*x + 16*a^4*c^2*d^4*e^11*x + a*b^5*d*e^2*(-d^3*e \\
& ^5)^{(3/2)} + b*c^5*d^10*e*(-d^3*e^5)^{(1/2)} + 24*a^2*b^2*c^2*d^2*e*(-d^3*e^5) \\
& ^{(3/2)} + 7*a*b^3*c^2*d^7*e^8*x - 12*a^2*b*c^3*d^7*e^8*x - 8*a^2*b^3*c*d^5*e \\
& ^10*x + 16*a^3*b*c^2*d^5*e^10*x - 8*a^3*b^2*c*d^4*e^11*x - 9*a*b^4*c*d^2*e* \\
& (-d^3*e^5)^{(3/2)} + 24*a^2*b^2*c^2*d^6*e^9*x - 8*a^2*b^3*c*d*e^2*(-d^3*e^5)^ \\
& (3/2) + 16*a^3*b*c^2*d*e^2*(-d^3*e^5)^{(3/2)} - 9*a*b^4*c*d^6*e^9*x*(-d^3*e^ \\
& 5)^{(1/2))/(2*c*d^5 + 2*a*d^3*e^2 - 2*b*d^4*e) - 1/(a*d*x)
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(e*x**2+d)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.309 \quad \int \frac{1}{x^4(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=348

$$\frac{\sqrt{c} \left(\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2} a^2 \sqrt{b-\sqrt{b^2-4ac}} (ae^2 - bde + cd^2)} + \frac{\sqrt{c} \left(-\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) \right)}{\sqrt{2} a^2 \sqrt{\sqrt{b^2-4ac} + b} (ae^2 - bde + cd^2)}$$

[Out] $-1/3/a/d/x^3+(a*e+b*d)/a^2/d^2/x+e^{(7/2)}*\arctan(x*e^{(1/2)}/d^{(1/2)})/d^{(5/2)}/(a*e^2-b*d*e+c*d^2)+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(b*c*d-b^2*e+a*c*e+(3*a*b*c*e-2*a*c^2*d-b^3*e+b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/a^2/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*c^{(1/2)}*(b*c*d-b^2*e+a*c*e+(-3*a*b*c*e+2*a*c^2*d+b^3*e-b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/a^2/(a*e^2-b*d*e+c*d^2)*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.55, antiderivative size = 348, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1287, 205, 1166}

$$\frac{\sqrt{c} \left(\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2} a^2 \sqrt{b-\sqrt{b^2-4ac}} (ae^2 - bde + cd^2)} + \frac{\sqrt{c} \left(-\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) \right)}{\sqrt{2} a^2 \sqrt{\sqrt{b^2-4ac} + b} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(d + e*x^2)*(a + b*x^2 + c*x^4)),x]

[Out] $-1/(3*a*d*x^3) + (b*d + a*e)/(a^2*d^2*x) + (\text{Sqrt}[c]*(b*c*d - b^2*e + a*c*e + (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2) + (\text{Sqrt}[c]*(b*c*d - b^2*e + a*c*e - (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])*(c*d^2 - b*d*e + a*e^2) + (e^{(7/2)}*\text{ArcTan}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d]])/(d^{(5/2)}*(c*d^2 - b*d*e + a*e^2))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{x^4 (d + ex^2) (a + bx^2 + cx^4)} dx &= \int \left(\frac{1}{adx^4} + \frac{-bd - ae}{a^2 d^2 x^2} + \frac{e^4}{d^2 (cd^2 - bde + ae^2) (d + ex^2)} + \frac{b^2 cd - ac^2 d - b^3 e}{a^2 (cd^2 - bde + ae^2)} \right) dx \\ &= -\frac{1}{3adx^3} + \frac{bd + ae}{a^2 d^2 x} + \frac{\int \frac{b^2 cd - ac^2 d - b^3 e + 2abce + c(bcd - b^2 e + ace)x^2}{a + bx^2 + cx^4} dx}{a^2 (cd^2 - bde + ae^2)} + \frac{e^4 \int \frac{1}{d + ex^2} dx}{d^2 (cd^2 - bde + ae^2)} \\ &= -\frac{1}{3adx^3} + \frac{bd + ae}{a^2 d^2 x} + \frac{e^{7/2} \tan^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d}} \right)}{d^{5/2} (cd^2 - bde + ae^2)} + \frac{\left(c (bcd - b^2 e + ace - \frac{b^2 cd - 2ac^2 d - b^3 e + 3abce}{\sqrt{b^2 - 4ac}}) \right)}{2a^2 (cd^2 - bde + ae^2)} \\ &= -\frac{1}{3adx^3} + \frac{bd + ae}{a^2 d^2 x} + \frac{\sqrt{c} \left(bcd - b^2 e + ace + \frac{b^2 cd - 2ac^2 d - b^3 e + 3abce}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a^2 \sqrt{b - \sqrt{b^2 - 4ac}} (cd^2 - bde + ae^2)} \end{aligned}$$

Mathematica [A] time = 0.52, size = 410, normalized size = 1.18

$$\frac{\sqrt{c} \left(b^2 (cd - e\sqrt{b^2 - 4ac}) + bc (d\sqrt{b^2 - 4ac} + 3ae) + ac (e\sqrt{b^2 - 4ac} - 2cd) + b^3(-e) \right) \tan^{-1} \left(\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) + \sqrt{c} \left(bcd - b^2 e + ace + \frac{b^2 cd - 2ac^2 d - b^3 e + 3abce}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left(\frac{\sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} (e(ae - bd) + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(d + e*x^2)*(a + b*x^2 + c*x^4)),x]

```
[Out] -1/3*1/(a*d*x^3) + (b*d + a*e)/(a^2*d^2*x) + (Sqrt[c]*(-(b^3*e) + b*c*(Sqrt[b^2 - 4*a*c]*d + 3*a*e) + b^2*(c*d - Sqrt[b^2 - 4*a*c]*e) + a*c*(-2*c*d + Sqrt[b^2 - 4*a*c]*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*a^2*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]*(c*d^2 + e*(-(b*d) + a*e))) + (Sqrt[c]*(b^3*e + b*c*(Sqrt[b^2 - 4*a*c]*d - 3*a*e) - b^2*(c*d + Sqrt[b^2 - 4*a*c]*e) + a*c*(2*c*d + Sqrt[b^2 - 4*a*c]*e))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*a^2*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]]*(c*d^2 + e*(-(b*d) + a*e))) + (e^(7/2)*ArcTan[(Sqrt[e]*x)/Sqrt[d]])/(d^(5/2)*(c*d^2 - b*d*e + a*e^2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 12.00, size = 12268, normalized size = 35.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/8*((2*a^4*b^5*c^5 - 12*a^5*b^3*c^6 + 16*a^6*b*c^7 - sqrt(2)*sqrt(b^2 - 4*a*c))*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^4*b^5*c^3 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^5*b^3*c^4 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^4*b^4*c^4 - 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^6*b*c^5 - 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^5*b^2*c^5 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^4*b^3*c^5 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^5*b*c^6 - 2*(b^2 - 4*a*c)*a^4*b^3*c^5 + 4*(b^2 - 4*a*c)*a^5*b*c^6)*d^5 - (6*a^4*b^6*c^4 - 38*a^5*b^4*c^5 + 56*a^6*b^2*c^6 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^4*b^6*c^2 + 19*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^5*b^4*c^3 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^4*b^5*c^3 - 28*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^6*b^2*c^4 - 14*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^5*b^3*c^4 - 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^4*b^4*c^4 + 7*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^5*b^2*c^5 - 6*(b^2 - 4*a*c)*a^4*b^4*c^4 + 14*(b^2 - 4*a*c)*a^5*b^2*c^5)*d^4*e + 2*(sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^2*b^6*c^2 - 9*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^3*b^4*c^3 - 2*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)*c)*a^2
```

$$\begin{aligned}
& b^5c^3 - 2a^2b^6c^3 + 24\sqrt{2}\sqrt{b^2 - 4ac}c)a^4b^2c^4 + 10\sqrt{2}\sqrt{b^2 - 4ac}c)a^3b^3c^4 + \sqrt{2}\sqrt{b^2 - 4ac}c)a^2b^4c^4 + 18a^3b^4c^4 - 16\sqrt{2}\sqrt{b^2 - 4ac}c)a^5c^5 - 8\sqrt{2}\sqrt{b^2 - 4ac}c)a^4b^2c^5 - 5\sqrt{2}\sqrt{b^2 - 4ac}c)a^3b^2c^5 - 48a^4b^2c^5 + 4\sqrt{2}\sqrt{b^2 - 4ac}c)a^4c^6 + 32a^5c^6 + 2(b^2 - 4ac)a^2b^4c^3 - 10(b^2 - 4ac)a^3b^2c^4 + 8(b^2 - 4ac)a^4c^5)d^3\text{abs}(a^2cd^2 - a^2bde + a^3e^2) + (6a^4b^7c^3 - 36a^5b^5c^4 + 40a^6b^3c^5 + 32a^7b^2c^6 - 3\sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}c)a^4b^7c + 18\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^5b^5c^2 + 6\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^4b^6c^2 - 20\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^6b^3c^3 - 12\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^5b^4c^3 - 3\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^4b^5c^3 - 16\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^7b^2c^4 - 8\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^6b^2c^4 + 6\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^5b^3c^4 + 4\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^6b^2c^5 - 6(b^2 - 4ac)a^4b^5c^3 + 12(b^2 - 4ac)a^5b^3c^4 + 8(b^2 - 4ac)a^6b^2c^5)d^3e^2 - 2(2\sqrt{2}\sqrt{b^2 - 4ac}c)a^2b^7c - 19\sqrt{2}\sqrt{b^2 - 4ac}c)a^3b^5c^2 - 4\sqrt{2}\sqrt{b^2 - 4ac}c)a^2b^6c^2 - 4a^2b^7c^2 + 56\sqrt{2}\sqrt{b^2 - 4ac}c)a^4b^3c^3 + 22\sqrt{2}\sqrt{b^2 - 4ac}c)a^3b^4c^3 + 2\sqrt{2}\sqrt{b^2 - 4ac}c)a^2b^5c^3 + 38a^3b^5c^3 - 48\sqrt{2}\sqrt{b^2 - 4ac}c)a^5b^2c^4 - 24\sqrt{2}\sqrt{b^2 - 4ac}c)a^4b^2c^4 - 11\sqrt{2}\sqrt{b^2 - 4ac}c)a^3b^3c^4 - 112a^4b^3c^4 + 12\sqrt{2}\sqrt{b^2 - 4ac}c)a^4b^2c^5 + 96a^5b^2c^5 + 4(b^2 - 4ac)a^2b^5c^2 - 22(b^2 - 4ac)a^3b^3c^3 + 24(b^2 - 4ac)a^4b^2c^4)d^2\text{abs}(a^2cd^2 - a^2bde + a^3e^2)e + (2b^5c^3 - 16a^2b^3c^4 + 32a^2b^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}c)b^5c + 8\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^2b^3c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)b^4c^2 - 16\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^2b^2c^3 - 8\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^2b^2c^3 - \sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)b^3c^3 + 4\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^2b^2c^4 - 2(b^2 - 4ac)b^3c^3 + 8(b^2 - 4ac)a^2b^2c^4)(a^2cd^2 - a^2bde + a^3e^2)^2d - (2a^4b^8c^2 - 6a^5b^6c^3 - 28a^6b^4c^4 + 80a^7b^2c^5 - \sqrt{2}\sqrt{b^2 - 4ac})\sqrt{b^2 - 4ac}c)a^4b^8 + 3\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^5b^6c + 2\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^4b^7c + 14\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^6b^4c^2 + 2\sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^5b^5c^2 - \sqrt{2}\sqrt{b^2 - 4ac}c)\sqrt{b^2 - 4ac}c)a^4b^6c^2
\end{aligned}$$

$$\begin{aligned}
& - 40\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c^3 \\
& - 20\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c^3 \\
& - \sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c^3 + 1 \\
& 0\sqrt{2}\sqrt{b^2 - 4ac}\sqrt{bc + \sqrt{b^2 - 4ac}}c^4 - 2 \\
& *(b^2 - 4ac)a^4b^6c^2 - 2*(b^2 - 4ac)a^5b^4c^3 + 20*(b^2 - 4ac) \\
& *a^6b^2c^4)d^2e^3 + 2*(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^2b^8 \\
& - 9\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^6c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c \\
& + \sqrt{b^2 - 4ac}}c)a^2b^7c - 2a^2b^8c + 23\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c \\
& (b^2 - 4ac)c)a^4b^4c^2 + 10\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a \\
& ^3b^5c^2 + \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^2b^6c^2 + 18a^3b \\
& ^6c^2 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^2c^3 - 6\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^3c^3 - 5\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c \\
& - 4ac)c)a^3b^4c^3 - 46a^4b^4c^3 - 16\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c \\
& - 4ac)c)a^6c^4 - 8\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^3c^4 + \\
& 3\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^2c^4 + 16a^5b^2c^4 + 4 \\
& * \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5c^5 + 32a^6c^5 + 2*(b^2 - 4a \\
& ac)a^2b^6c - 10*(b^2 - 4ac)a^3b^4c^2 + 6*(b^2 - 4ac)a^4b^2c^3 \\
& + 8*(b^2 - 4ac)a^5c^4)d*abs(a^2c*d^2 - a^2b*d*e + a^3*e^2)*e^2 - (\\
& *b^6c^2 - 18a*b^4c^3 + 48a^2b^2c^4 - 32a^3c^5 - \sqrt{2}\sqrt{b^2 - 4ac} \\
& * \sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^6 + 9\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a*b^4c + 2\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^5c - 24\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^2b^2c^2 - 10\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a*b^3c^2 - \sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)*b^4c^2 + 16\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3c^3 + 8\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^2b^2c^3 + 5\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a*b^2c^3 - 4\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^2c^4 - 2*(b^2 - 4ac)*b^4c^2 + 10*(b^2 - 4ac) \\
& *a*b^2c^3 - 8*(b^2 - 4ac)a^2c^4)*(a^2c*d^2 - a^2b*d*e + a^3*e^2)^2*e + (4a^5b^7c^2 - 26a \\
& ^6b^5c^3 + 36a^7b^3c^4 + 16a^8b^3c^5 - 2\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^7 + 13\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^6b^5c + 4\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^6c - 18\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^7b^3c^2 - 10\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^6b^4c^2 - 2\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^5c^2 - 8\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^8b^3c^3 - 4\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^7b^2c^3 + 5\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^6b^3c^3 + 2\sqrt{2}\sqrt{b^2 - 4ac} \\
& \sqrt{bc + \sqrt{b^2 - 4ac}}c)a^7b^3c^4 - 4*(b^2 - 4ac)a^5b^5c^2 + 10*(b^2 - 4ac) \\
& a^6b^3c^3 + 4*(b^2 - 4ac)a^7b^3c^4)d*e^4 - 2*(\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c) \\
& a^3b^7 - 10\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^4b^5 \\
& *c - 2\sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^3b^6c - 2a^3b^7c + 32 \\
& * \sqrt{2}\sqrt{bc + \sqrt{b^2 - 4ac}}c)a^5b^3c^2 + 12\sqrt{2}\sqrt{bc}
\end{aligned}$$

$$\begin{aligned}
& + \sqrt{b^2 - 4ac} \cdot c \cdot a^4 b^4 c^2 + \sqrt{2} \sqrt{b^2 - 4ac} \cdot c \\
& \cdot a^3 b^5 c^2 + 20 a^4 b^5 c^2 - 32 \sqrt{2} \sqrt{b^2 - 4ac} \cdot c \\
& \cdot a^6 b^3 c^3 - 16 \sqrt{2} \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^2 c^3 - 6 \sqrt{2} \\
& \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^4 b^3 c^3 - 64 a^5 b^3 c^3 + 8 \sqrt{2} \\
& \cdot \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^4 c^4 + 64 a^6 b^4 c^4 + 2(b^2 - 4ac) \\
& \cdot a^3 b^5 c - 12(b^2 - 4ac) \cdot a^4 b^3 c^2 + 16(b^2 - 4ac) \cdot a^5 b^3 c^3 \cdot a \\
& b^5 (a^2 c^2 d^2 - a^2 b^2 d^2 e + a^3 e^2) e^3 - (2 a^6 b^6 c^2 - 14 a^7 b^4 c^3 + \\
& 24 a^8 b^2 c^4 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c) \\
& \cdot a^6 b^6 + 7 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^7 \\
& b^4 c + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^6 b^5 \\
& \cdot c - 12 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^8 b^2 c \\
& \cdot c^2 - 6 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^7 b^3 c^2 \\
& - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^6 b^4 c^2 + \\
& 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^7 b^2 c^3 - \\
& 2(b^2 - 4ac) \cdot a^6 b^4 c^2 + 6(b^2 - 4ac) \cdot a^7 b^2 c^3 \cdot e^5 \cdot \arctan(2 \sqrt{2} \\
& \sqrt{1/2} \cdot x / \sqrt{(a^2 b^2 c^2 d^2 - a^2 b^2 d^2 e + a^3 b^2 e^2 + \sqrt{(a^2 b^2 c^2 d^2 - \\
& a^2 b^2 d^2 e + a^3 b^2 e^2)^2 - 4(a^3 c^2 d^2 - a^3 b^2 d^2 e + a^4 e^2) \cdot (a^2 c^2 d^2 \\
& d^2 - a^2 b^2 c^2 d^2 e + a^3 c^2 e^2)) / (a^2 c^2 d^2 - a^2 b^2 c^2 d^2 e + a^3 c^2 e^2)) / \\
& ((a^5 b^4 c^2 - 8 a^6 b^2 c^3 - 2 a^5 b^3 c^3 + 16 a^7 c^4 + 8 a^6 b^3 c^4 + \\
& a^5 b^2 c^4 - 4 a^6 c^5) \cdot d^4 \cdot \text{abs}(a^2 c^2 d^2 - a^2 b^2 d^2 e + a^3 e^2) \cdot \text{abs}(c) - \\
& 2(a^5 b^5 c - 8 a^6 b^3 c^2 - 2 a^5 b^4 c^2 + 16 a^7 b^3 c^3 + 8 a^6 b^2 c^3 \\
& + a^5 b^3 c^3 - 4 a^6 b^3 c^4) \cdot d^3 \cdot \text{abs}(a^2 c^2 d^2 - a^2 b^2 d^2 e + a^3 e^2) \cdot \text{abs}(\\
& c) \cdot e + (a^5 b^6 - 6 a^6 b^4 c - 2 a^5 b^5 c + 4 a^6 b^3 c^2 + a^5 b^4 c^2 + \\
& 32 a^8 c^3 + 16 a^7 b^3 c^3 - 2 a^6 b^2 c^3 - 8 a^7 c^4) \cdot d^2 \cdot \text{abs}(a^2 c^2 d^2 - \\
& a^2 b^2 d^2 e + a^3 e^2) \cdot \text{abs}(c) \cdot e^2 - 2(a^6 b^5 - 8 a^7 b^3 c - 2 a^6 b^4 c + \\
& 16 a^8 b^3 c^2 + 8 a^7 b^2 c^2 + a^6 b^3 c^2 - 4 a^7 b^3 c^3) \cdot d \cdot \text{abs}(a^2 c^2 d^2 - \\
& a^2 b^2 d^2 e + a^3 e^2) \cdot \text{abs}(c) \cdot e^3 + (a^7 b^4 - 8 a^8 b^2 c - 2 a^7 b^3 c + \\
& 16 a^9 c^2 + 8 a^8 b^3 c^2 + a^7 b^2 c^2 - 4 a^8 c^3) \cdot \text{abs}(a^2 c^2 d^2 - a^2 b^2 d^2 \\
& e + a^3 e^2) \cdot \text{abs}(c) \cdot e^4) - 1/8 \cdot ((2 a^4 b^5 c^5 - 12 a^5 b^3 c^6 + 16 a^6 b^3 \\
& \cdot c^7 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^4 b^5 c^3 \\
& + 6 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^3 c^4 \\
& + 2 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^4 b^4 c^4 \\
& - 8 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^6 b^3 c^5 - 4 \\
& \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^2 c^5 - \sqrt{2} \\
& \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^4 b^3 c^5 + 2 \sqrt{2} \\
& \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^3 c^6 - 2(b^2 - \\
& 4ac) \cdot a^4 b^3 c^5 + 4(b^2 - 4ac) \cdot a^5 b^3 c^6) \cdot d^5 - (6 a^4 b^6 c^4 - 38 a^5 \\
& b^4 c^5 + 56 a^6 b^2 c^6 - 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \\
& \cdot a^4 b^6 c^2 + 19 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^4 c^3 \\
& + 6 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^4 b^5 c^3 - 28 \sqrt{2} \sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^6 b^2 c^4 - 14 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \\
& \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^3 c^4 - 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \\
& \cdot a^4 b^4 c^4 + 7 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} \cdot c \cdot a^5 b^2 c^5 - \\
& 6(b^2 - 4ac) \cdot a^4 b^4 c^4 + 14(b^2 - 4ac) \cdot a
\end{aligned}$$

$$\begin{aligned}
& ^5b^2c^5)d^4e - 2*(\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^6*c^2 \\
& - 9*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^3*b^4*c^3 - 2*\text{sqrt}(2)*\text{sqrt}(b* \\
& c - \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^5*c^3 + 2*a^2*b^6*c^3 + 24*\text{sqrt}(2)*\text{sqrt}(b*c \\
& - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^2*c^4 + 10*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c) \\
&)*c)*a^3*b^3*c^4 + \text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^4*c^4 - 18 \\
& *a^3*b^4*c^4 - 16*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^5*c^5 - 8*\text{sqrt}(\\
& 2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b*c^5 - 5*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^ \\
& 2 - 4*a*c))*c)*a^3*b^2*c^5 + 48*a^4*b^2*c^5 + 4*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 \\
& - 4*a*c))*c)*a^4*c^6 - 32*a^5*c^6 - 2*(b^2 - 4*a*c)*a^2*b^4*c^3 + 10*(b^2 - \\
& 4*a*c)*a^3*b^2*c^4 - 8*(b^2 - 4*a*c)*a^4*c^5)*d^3*abs(a^2*c*d^2 - a^2*b*d*e \\
& + a^3*e^2) + (6*a^4*b^7*c^3 - 36*a^5*b^5*c^4 + 40*a^6*b^3*c^5 + 32*a^7*b*c \\
& ^6 - 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^7*c \\
& + 18*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^5*b^5*c^2 \\
& + 6*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^6*c^2 - \\
& 20*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^6*b^3*c^3 - \\
& 12*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^5*b^4*c^3 - \\
& 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^5*c^3 - \\
& 16*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^7*b*c^4 - 8* \\
& \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^6*b^2*c^4 + 6*s \\
& \text{qrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^5*b^3*c^4 + 4*s \\
& \text{qrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^6*b*c^5 - 6*(b^2 \\
& - 4*a*c)*a^4*b^5*c^3 + 12*(b^2 - 4*a*c)*a^5*b^3*c^4 + 8*(b^2 - 4*a*c)*a^6*b \\
& *c^5)*d^3*e^2 + 2*(2*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^7*c - 19 \\
& *\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^3*b^5*c^2 - 4*\text{sqrt}(2)*\text{sqrt}(b*c - \\
& \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^6*c^2 + 4*a^2*b^7*c^2 + 56*\text{sqrt}(2)*\text{sqrt}(b*c - s \\
& \text{qrt}(b^2 - 4*a*c))*c)*a^4*b^3*c^3 + 22*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c \\
&)*a^3*b^4*c^3 + 2*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b^5*c^3 - 38* \\
& a^3*b^5*c^3 - 48*\text{sqrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^5*b*c^4 - 24*s \\
& \text{qrt}(2)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^2*c^4 - 11*\text{sqrt}(2)*\text{sqrt}(b*c - s \\
& \text{qrt}(b^2 - 4*a*c))*c)*a^3*b^3*c^4 + 112*a^4*b^3*c^4 + 12*\text{sqrt}(2)*\text{sqrt}(b*c - s \\
& \text{qrt}(b^2 - 4*a*c))*c)*a^4*b*c^5 - 96*a^5*b*c^5 - 4*(b^2 - 4*a*c)*a^2*b^5*c^2 + \\
& 22*(b^2 - 4*a*c)*a^3*b^3*c^3 - 24*(b^2 - 4*a*c)*a^4*b*c^4)*d^2*abs(a^2*c*d \\
& ^2 - a^2*b*d*e + a^3*e^2)*e + (2*b^5*c^3 - 16*a*b^3*c^4 + 32*a^2*b*c^5 - s \\
& \text{qrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*b^5*c + 8*\text{sqrt}(2)*s \\
& \text{qrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a*b^3*c^2 + 2*\text{sqrt}(2)*\text{sqrt} \\
& (b^2 - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*b^4*c^2 - 16*\text{sqrt}(2)*\text{sqrt}(b^2 \\
& - 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^2*b*c^3 - 8*\text{sqrt}(2)*\text{sqrt}(b^2 - \\
& 4*a*c)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a*b^2*c^3 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c \\
&)*\text{sqrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*b^3*c^3 + 4*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*s \\
& \text{qrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a*b*c^4 - 2*(b^2 - 4*a*c)*b^3*c^3 + 8*(b^2 - 4 \\
& *a*c)*a*b*c^4)*(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)^2*d - (2*a^4*b^8*c^2 - 6*a \\
& ^5*b^6*c^3 - 28*a^6*b^4*c^4 + 80*a^7*b^2*c^5 - \text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*s \\
& \text{qrt}(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^8 + 3*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b* \\
& c - \text{sqrt}(b^2 - 4*a*c))*c)*a^5*b^6*c + 2*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - \\
& \text{sqrt}(b^2 - 4*a*c))*c)*a^4*b^7*c + 14*\text{sqrt}(2)*\text{sqrt}(b^2 - 4*a*c)*\text{sqrt}(b*c - s
\end{aligned}$$


```

sqrt(b^2 - 4*a*c)*c)*a^4*b^5*c - 2*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*
a^3*b^6*c + 2*a^3*b^7*c + 32*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^5*b^
3*c^2 + 12*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b^4*c^2 + sqrt(2)*sq
rt(b*c - sqrt(b^2 - 4*a*c)*c)*a^3*b^5*c^2 - 20*a^4*b^5*c^2 - 32*sqrt(2)*sq
rt(b*c - sqrt(b^2 - 4*a*c)*c)*a^6*b*c^3 - 16*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4
*a*c)*c)*a^5*b^2*c^3 - 6*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^4*b^3*c^
3 + 64*a^5*b^3*c^3 + 8*sqrt(2)*sqrt(b*c - sqrt(b^2 - 4*a*c)*c)*a^5*b*c^4 -
64*a^6*b*c^4 - 2*(b^2 - 4*a*c)*a^3*b^5*c + 12*(b^2 - 4*a*c)*a^4*b^3*c^2 - 1
6*(b^2 - 4*a*c)*a^5*b*c^3)*abs(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*e^3 - (2*a^
6*b^6*c^2 - 14*a^7*b^4*c^3 + 24*a^8*b^2*c^4 - sqrt(2)*sqrt(b^2 - 4*a*c)*sq
rt(b*c - sqrt(b^2 - 4*a*c)*c)*a^6*b^6 + 7*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c
- sqrt(b^2 - 4*a*c)*c)*a^7*b^4*c + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c -
sqrt(b^2 - 4*a*c)*c)*a^6*b^5*c - 12*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sq
rt(b^2 - 4*a*c)*c)*a^8*b^2*c^2 - 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqr
t(b^2 - 4*a*c)*c)*a^7*b^3*c^2 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b
^2 - 4*a*c)*c)*a^6*b^4*c^2 + 3*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c - sqrt(b^
2 - 4*a*c)*c)*a^7*b^2*c^3 - 2*(b^2 - 4*a*c)*a^6*b^4*c^2 + 6*(b^2 - 4*a*c)*a
^7*b^2*c^3)*e^5)*arctan(2*sqrt(1/2)*x/sqrt((a^2*b*c*d^2 - a^2*b^2*d*e + a^3
*b*e^2 - sqrt((a^2*b*c*d^2 - a^2*b^2*d*e + a^3*b*e^2)^2 - 4*(a^3*c*d^2 - a^
3*b*d*e + a^4*e^2)*(a^2*c^2*d^2 - a^2*b*c*d*e + a^3*c*e^2)))/(a^2*c^2*d^2 -
a^2*b*c*d*e + a^3*c*e^2)))/((a^5*b^4*c^2 - 8*a^6*b^2*c^3 - 2*a^5*b^3*c^3 +
16*a^7*c^4 + 8*a^6*b*c^4 + a^5*b^2*c^4 - 4*a^6*c^5)*d^4*abs(a^2*c*d^2 - a^
2*b*d*e + a^3*e^2)*abs(c) - 2*(a^5*b^5*c - 8*a^6*b^3*c^2 - 2*a^5*b^4*c^2 +
16*a^7*b*c^3 + 8*a^6*b^2*c^3 + a^5*b^3*c^3 - 4*a^6*b*c^4)*d^3*abs(a^2*c*d^2
- a^2*b*d*e + a^3*e^2)*abs(c)*e + (a^5*b^6 - 6*a^6*b^4*c - 2*a^5*b^5*c + 4
*a^6*b^3*c^2 + a^5*b^4*c^2 + 32*a^8*c^3 + 16*a^7*b*c^3 - 2*a^6*b^2*c^3 - 8*
a^7*c^4)*d^2*abs(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*abs(c)*e^2 - 2*(a^6*b^5 -
8*a^7*b^3*c - 2*a^6*b^4*c + 16*a^8*b*c^2 + 8*a^7*b^2*c^2 + a^6*b^3*c^2 - 4
*a^7*b*c^3)*d*abs(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*abs(c)*e^3 + (a^7*b^4 -
8*a^8*b^2*c - 2*a^7*b^3*c + 16*a^9*c^2 + 8*a^8*b*c^2 + a^7*b^2*c^2 - 4*a^8*
c^3)*abs(a^2*c*d^2 - a^2*b*d*e + a^3*e^2)*abs(c)*e^4) + arctan(x*e^(1/2)/sq
rt(d))*e^(7/2)/((c*d^4 - b*d^3*e + a*d^2*e^2)*sqrt(d)) + 1/3*(3*b*d*x^2 + 3
*a*x^2*e - a*d)/(a^2*d^2*x^3)

```

maple [B] time = 0.04, size = 1160, normalized size = 3.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(e*x^2+d)/(c*x^4+b*x^2+a),x)

[Out]
$$-1/3/a/d/x^3+1/a/d^2*e/x+1/d/a^2/x*b-1/2/(a*e^2-b*d*e+c*d^2)/a*c^2*2^{(1/2)}/$$

$$((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*arctanh(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})$$

$$c)^{(1/2)}*c*x)*e+1/2/(a*e^2-b*d*e+c*d^2)/a^2*c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})$$

$$c)^{(1/2)}*arctanh(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*c*x)*b^2*e-1$$

$$\begin{aligned} & /2/(a^2e^{-b^2d+cd^2})/a^2c^22^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctanh}(2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2d - 3/2/(a^2e^{-b^2d+cd^2})/a^2c^2/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctanh}(2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2e + 1/(a^2e^{-b^2d+cd^2})/a^2c^3/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctanh}(2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * d + 1/2/(a^2e^{-b^2d+cd^2})/a^2c/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctanh}(2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^3e - 1/2/(a^2e^{-b^2d+cd^2})/a^2c^2/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctanh}(2^{(1/2)}/((-b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2d + 1/2/(a^2e^{-b^2d+cd^2})/a^2c^22^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * e - 1/2/(a^2e^{-b^2d+cd^2})/a^2c^22^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2e + 1/2/(a^2e^{-b^2d+cd^2})/a^2c^22^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2d - 3/2/(a^2e^{-b^2d+cd^2})/a^2c^2/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2e + 1/(a^2e^{-b^2d+cd^2})/a^2c^3/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * d + 1/2/(a^2e^{-b^2d+cd^2})/a^2c/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^3e - 1/2/(a^2e^{-b^2d+cd^2})/a^2c^2/(-4ac+b^2)^{(1/2)}2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}\operatorname{arctan}(2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})c)^{(1/2)}c^2x) * b^2d + 1/d^2e^4/(a^2e^{-b^2d+cd^2})/(d^2e)^{(1/2)}\operatorname{arctan}(1/(d^2e)^{(1/2)}e^2x) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] $e^4 \operatorname{arctan}(e^2x/\sqrt{d^2e}) / ((c^2d^4 - b^2d^3e + a^2d^2e^2) \sqrt{d^2e}) + \operatorname{integrate}(((b^2c^2d - (b^2c - a^2c^2)e)x^2 + (b^2c - a^2c^2)d - (b^3 - 2ab^2c)e) / (c^2x^4 + b^2x^2 + a), x) / (a^2cd^2 - a^2bd^2e + a^3e^2) + 1/3(3(b^2d + a^2e)x^2 - a^2d) / (a^2d^2x^3)$

mupad [B] time = 6.73, size = 42882, normalized size = 123.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(d + e*x^2)*(a + b*x^2 + c*x^4)), x)

$$\begin{aligned}
& *b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)}*(x*(-(b^9*e^2 + b^7*c^2*d^2 - \\
& b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28 \\
& *a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 + a^3*c^3*e^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 \\
& - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b* \\
& c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9 \\
& *c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2* \\
& c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7 \\
& *b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3 \\
& *e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)}*(512*a^20*c^7*d^24*e^3 + 512*a^21*c^6*d^2 \\
& 2*e^5 - 512*a^22*c^5*d^20*e^7 - 512*a^23*c^4*d^18*e^9 - 32*a^18*b^3*c^6*d^2 \\
& 5*e^2 + 128*a^18*b^4*c^5*d^24*e^3 - 192*a^18*b^5*c^4*d^23*e^4 + 128*a^18*b^ \\
& 6*c^3*d^22*e^5 - 32*a^18*b^7*c^2*d^21*e^6 - 640*a^19*b^2*c^6*d^24*e^3 + 105 \\
& 6*a^19*b^3*c^5*d^23*e^4 - 672*a^19*b^4*c^4*d^22*e^5 + 96*a^19*b^5*c^3*d^21* \\
& e^6 + 32*a^19*b^6*c^2*d^20*e^7 + 512*a^20*b^2*c^5*d^22*e^5 + 288*a^20*b^3*c \\
& ^4*d^21*e^6 - 192*a^20*b^4*c^3*d^20*e^7 + 32*a^20*b^5*c^2*d^19*e^8 + 384*a^ \\
& 21*b^2*c^4*d^20*e^7 - 288*a^21*b^3*c^3*d^19*e^8 - 32*a^21*b^4*c^2*d^18*e^9 \\
& + 256*a^22*b^2*c^3*d^18*e^9 + 128*a^19*b*c^7*d^25*e^2 - 1152*a^20*b*c^6*d^2 \\
& 3*e^4 - 640*a^21*b*c^5*d^21*e^6 + 640*a^22*b*c^4*d^19*e^8) - 64*a^18*c^8*d^ \\
& 24*e^2 + 128*a^19*c^7*d^22*e^4 + 192*a^20*c^6*d^20*e^6 - 256*a^21*c^5*d^18* \\
& e^8 - 256*a^22*c^4*d^16*e^10 - 16*a^16*b^4*c^6*d^24*e^2 + 64*a^16*b^5*c^5*d \\
& ^23*e^3 - 96*a^16*b^6*c^4*d^22*e^4 + 64*a^16*b^7*c^3*d^21*e^5 - 16*a^16*b^8 \\
& *c^2*d^20*e^6 + 80*a^17*b^2*c^7*d^24*e^2 - 368*a^17*b^3*c^6*d^23*e^3 + 608* \\
& a^17*b^4*c^5*d^22*e^4 - 416*a^17*b^5*c^4*d^21*e^5 + 80*a^17*b^6*c^3*d^20*e^ \\
& 6 + 16*a^17*b^7*c^2*d^19*e^7 - 928*a^18*b^2*c^6*d^22*e^4 + 640*a^18*b^3*c^5 \\
& *d^21*e^5 + 32*a^18*b^4*c^4*d^20*e^6 - 128*a^18*b^5*c^3*d^19*e^7 - 432*a^19 \\
& *b^2*c^5*d^20*e^6 + 304*a^19*b^3*c^4*d^19*e^7 - 16*a^19*b^4*c^3*d^18*e^8 + \\
& 16*a^19*b^5*c^2*d^17*e^9 + 128*a^20*b^2*c^4*d^18*e^8 - 128*a^20*b^3*c^3*d^1 \\
& 7*e^9 - 16*a^20*b^4*c^2*d^16*e^10 + 128*a^21*b^2*c^3*d^16*e^10 + 448*a^18*b \\
& *c^7*d^23*e^3 - 192*a^20*b*c^5*d^19*e^7 + 256*a^21*b*c^4*d^17*e^9) - x*(16* \\
& a^16*c^9*d^23*e^2 + 32*a^17*c^8*d^21*e^4 - 112*a^18*c^7*d^19*e^6 - 128*a^20 \\
& *c^5*d^15*e^10 + 8*a^14*b^4*c^7*d^23*e^2 - 16*a^14*b^5*c^6*d^22*e^3 + 8*a^1 \\
& 4*b^6*c^5*d^21*e^4 + 8*a^14*b^7*c^4*d^20*e^5 - 16*a^14*b^8*c^3*d^19*e^6 + 8 \\
& *a^14*b^9*c^2*d^18*e^7 - 32*a^15*b^2*c^8*d^23*e^2 + 64*a^15*b^3*c^7*d^22*e^ \\
& 3 - 16*a^15*b^4*c^6*d^21*e^4 - 88*a^15*b^5*c^5*d^20*e^5 + 160*a^15*b^6*c^4* \\
& d^19*e^6 - 88*a^15*b^7*c^3*d^18*e^7 - 48*a^16*b^2*c^7*d^21*e^4 + 264*a^16*b \\
& ^3*c^6*d^20*e^5 - 520*a^16*b^4*c^5*d^19*e^6 + 336*a^16*b^5*c^4*d^18*e^7 + 5 \\
& 76*a^17*b^2*c^6*d^19*e^6 - 504*a^17*b^3*c^5*d^18*e^7 + 8*a^18*b^3*c^4*d^16* \\
& e^9 - 16*a^18*b^4*c^3*d^15*e^10 + 8*a^18*b^5*c^2*d^14*e^11 + 96*a^19*b^2*c^ \\
& 4*d^15*e^10 - 56*a^19*b^3*c^3*d^14*e^11 - 32*a^16*b*c^8*d^22*e^3 - 192*a^17 \\
& *b*c^7*d^20*e^5 + 224*a^18*b*c^6*d^18*e^7 - 32*a^19*b*c^5*d^16*e^9 + 96*a^2
\end{aligned}$$

$$\begin{aligned}
& 0*b*c^4*d^14*e^11)) * (- (b^9*e^2 + b^7*c^2*d^2 - b^6*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e \\
& + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 + a^3*c^3*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - b^4*c^2 \\
& *d^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e^2 * (- (4*a*c \\
& - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 8*a*b \\
& ^3*c^2*d*e * (- (4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b*c^3*d*e * (- (4*a*c - b^2)^3)^{(1/2)) / (8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - \\
& 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d \\
& *e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)} - 4*a^15*c^9*d^21*e^3 - 4*a^16*c^8*d^19*e^5 + 48*a^18*c^6*d^15*e^9 - 4 \\
& *a^14*b^2*c^8*d^21*e^3 - 4*a^14*b^7*c^3*d^16*e^8 + 4*a^14*b^8*c^2*d^15*e^9 + 36*a^15*b^5*c^4*d^16*e^8 - 44*a^15*b^6*c^3*d^15*e^9 + 4*a^15*b^7*c^2*d^14 \\
& *e^10 - 100*a^16*b^3*c^5*d^16*e^8 + 160*a^16*b^4*c^4*d^15*e^9 - 32*a^16*b^5*c^3*d^14*e^10 - 204*a^17*b^2*c^5*d^15*e^9 + 76*a^17*b^3*c^4*d^14*e^10 + 4* \\
& a^14*b*c^9*d^22*e^2 + 8*a^15*b*c^8*d^20*e^4 + 80*a^17*b*c^6*d^16*e^8 - 48*a^18*b*c^5*d^14*e^10) - x * (2*a^14*c^9*d^18*e^5 + 4*a^16*c^7*d^14*e^9 + 2*a^1 \\
& 4*b^4*c^5*d^14*e^9 - 8*a^15*b^2*c^6*d^14*e^9)) * (- (b^9*e^2 + b^7*c^2*d^2 - b^6*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a \\
& ^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 + a^3*c^3*e^2 * (- (4*a*c \\
& - b^2)^3)^{(1/2)} - b^4*c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)} - \\
& 6*a^2*b^2*c^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2 * (- (4* \\
& a*c - b^2)^3)^{(1/2)} - 8*a*b^3*c^2*d*e * (- (4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b*c^3*d*e * (- (4*a*c - b^2)^3)^{(1/2)) / (8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - \\
& 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b \\
& *c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)} * i + ((- (b^9*e^2 + b^7*c^2*d^2 - b^6*e^2 * (- \\
& (4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2 * (- (4*a*c - b^2)^3)^{(1/ \\
& 2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 + a^3*c^3*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} - b^4*c^2*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c \\
& ^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e * (- (4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2 * (- (4*a*c - b^2)^3)^{(1/2)} \\
& - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2 * (- (4*a*c - b^2)^3)^{(1/2)} - 8*a*b^3*c^2*d*e * (- (4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b*c^3*d*e * (- \\
& (4*a*c - b^2)^3)^{(1/2)) / (8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a \\
& ^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*
\end{aligned}$$

$$\begin{aligned}
& e + 16a^7b^3c^2d^3e^3 - 32a^8b^3c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2)^{(1/2)} * (((-b^9e^2 + b^7c^2d^2 - b^6e^2(-4ac - b^2)^3)^{(1/2)} - 9a^5b^5c^3d^2 - 20a^3b^5c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^2d^2e + 25a^2b^3c^4d^2 - a^2c^4d^2(-4ac - b^2)^3)^{(1/2)} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2(-4ac - b^2)^3)^{(1/2)} - b^4c^2d^2(-4ac - b^2)^3)^{(1/2)} - 11a^7c^5d^2e - 16a^4c^5d^2e + 20a^2b^6c^2d^2e + 2b^5c^2d^2e(-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2e^2(-4ac - b^2)^3)^{(1/2)} + 5a^2b^4c^2e^2(-4ac - b^2)^3)^{(1/2)} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e + 3a^2b^2c^3d^2(-4ac - b^2)^3)^{(1/2)} - 8a^2b^3c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6a^2b^3c^3d^2e(-4ac - b^2)^3)^{(1/2)}) / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^2d^3e^3 - 32a^8b^3c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2))^{(1/2)} * (x(-b^9e^2 + b^7c^2d^2 - b^6e^2(-4ac - b^2)^3)^{(1/2)} - 9a^5b^5c^3d^2 - 20a^3b^5c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^2d^2e + 25a^2b^3c^4d^2 - a^2c^4d^2(-4ac - b^2)^3)^{(1/2)} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2(-4ac - b^2)^3)^{(1/2)} - b^4c^2d^2(-4ac - b^2)^3)^{(1/2)} - 11a^7c^5d^2e - 16a^4c^5d^2e + 20a^2b^6c^2d^2e + 2b^5c^2d^2e(-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2e^2(-4ac - b^2)^3)^{(1/2)} + 5a^2b^4c^2e^2(-4ac - b^2)^3)^{(1/2)} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e + 3a^2b^2c^3d^2(-4ac - b^2)^3)^{(1/2)} - 8a^2b^3c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6a^2b^3c^3d^2e(-4ac - b^2)^3)^{(1/2)}) / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^2d^3e^3 - 32a^8b^3c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2))^{(1/2)} * (512a^20c^7d^24e^3 + 512a^21c^6d^22e^5 - 512a^22c^5d^20e^7 - 512a^23c^4d^18e^9 - 32a^18b^3c^6d^25e^2 + 128a^18b^4c^5d^24e^3 - 192a^18b^5c^4d^23e^4 + 128a^18b^6c^3d^22e^5 - 32a^18b^7c^2d^21e^6 - 640a^19b^2c^6d^24e^3 + 1056a^19b^3c^5d^23e^4 - 672a^19b^4c^4d^22e^5 + 96a^19b^5c^3d^21e^6 + 32a^19b^6c^2d^20e^7 + 512a^20b^2c^5d^22e^5 + 288a^20b^3c^4d^21e^6 - 192a^20b^4c^3d^20e^7 + 32a^20b^5c^2d^19e^8 + 384a^21b^2c^4d^20e^7 - 288a^21b^3c^3d^19e^8 - 32a^21b^4c^2d^18e^9 + 256a^22b^2c^3d^18e^9 + 128a^19b^3c^7d^25e^2 - 1152a^20b^3c^6d^23e^4 - 640a^21b^3c^5d^21e^6 + 640a^22b^3c^4d^19e^8) + 64a^18c^8d^24e^2 - 128a^19c^7d^22e^4 - 192a^20c^6d^20e^6 + 256a^21c^5d^18e^8 + 256a^22c^4d^16e^10 + 16a^16b^4c^6d^24e^2 - 64a^16b^5c^5d^23e^3 + 96a^16b^6c^4d^22e^4 - 64a^16b^7c^3d^21e^5 + 16a^16b^8c^2d^20e^6 - 80a^17b^2c^7d^24e^2 + 368a^17b^3c^6d^23e^3 - 608a^17b^4c^5d^22e^4 + 416a^17b^5c^4d^21e^5 - 80a^17b^6c^3d^20e^6 - 16a^17b^7c^2d^19e^7 + 928a^18b^2c^6d^22e^4 - 640a^18b^3c^5d^21e^5 - 32a^18b^4c^4d^20e^6 + 128a^18b^5c^3d^19e^7 + 432a^19b^2c^5d^20e^6 - 304a^19b^3c^4d^19e^7 + 16a^19b^4c^3d^18e^8 - 16a^19b^5c^2d^17e^9 - 128a^20b^6c^2d^17e^9 - 128a^20b^7c^2d^17e^9 - 128a^20b^8c^2d^17e^9 - 128a^20b^9c^2d^17e^9)
\end{aligned}$$

$$\begin{aligned}
& *d^2e^2 - 2*a^5*b^5*c*d^3e - 32*a^7*b*c^3*d^3e + 16*a^7*b^3*c*d*e^3 - 32 \\
& *a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3e - 6*a^6*b^4*c*d^2e^2))^{\frac{1}{2}}*i)/ \\
& (((- (b^9e^2 + b^7*c^2*d^2 - b^6e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 9*a*b^5*c^3 \\
& *d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d \\
& ^2 - a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} + 42*a^2*b^5*c^2e^2 - 63*a^3*b^3 \\
& *c^3e^2 + a^3*c^3e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - b^4*c^2*d^2*(-(4*a*c - b^ \\
& 2)^3)^{\frac{1}{2}} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c* \\
& d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 6*a^2*b^2*c^2e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} + \\
& 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c \\
& ^4*d*e + 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 8*a*b^3*c^2*d*e*(-(4*a* \\
& c - b^2)^3)^{\frac{1}{2}} + 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}})/(8*(a^7*b^4e \\
& ^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + \\
& a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2e^2 + 32*a^8*c^3*d^2e^2 \\
& - 2*a^5*b^5*c*d^3e - 32*a^7*b*c^3*d^3e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^ \\
& 2*d*e^3 + 16*a^6*b^3*c^2*d^3e - 6*a^6*b^4*c*d^2e^2))^{\frac{1}{2}}*(((- (b^9e^2 \\
& + b^7*c^2*d^2 - b^6e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 9*a*b^5*c^3*d^2 - 20*a^3 \\
& *b*c^5*d^2 + 28*a^4*b*c^4e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4* \\
& d^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} + 42*a^2*b^5*c^2e^2 - 63*a^3*b^3*c^3e^2 + a^ \\
& 3*c^3e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - \\
& 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e*(-(4*a*c \\
& - b^2)^3)^{\frac{1}{2}} - 6*a^2*b^2*c^2e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} + 5*a*b^4*c*e^ \\
& 2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a* \\
& b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}} \\
& (1/2) + 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}})/(8*(a^7*b^4e^4 + 16*a^7*c \\
& ^4*d^4 + 16*a^9*c^2e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d \\
& ^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2e^2 + 32*a^8*c^3*d^2e^2 - 2*a^5*b^5*c \\
& *d^3e - 32*a^7*b*c^3*d^3e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16* \\
& a^6*b^3*c^2*d^3e - 6*a^6*b^4*c*d^2e^2))^{\frac{1}{2}}*(x*(-(b^9e^2 + b^7*c^2*d^ \\
& 2 - b^6e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + \\
& 28*a^4*b*c^4e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2*(-(4*a*c \\
& - b^2)^3)^{\frac{1}{2}} + 42*a^2*b^5*c^2e^2 - 63*a^3*b^3*c^3e^2 + a^3*c^3e^2*(- \\
& (4*a*c - b^2)^3)^{\frac{1}{2}} - b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} - 11*a*b^7*c* \\
& e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}} \\
& - 6*a^2*b^2*c^2e^2*(-(4*a*c - b^2)^3)^{\frac{1}{2}} + 5*a*b^4*c*e^2*(-(4*a*c - \\
& b^2)^3)^{\frac{1}{2}} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2* \\
& (- (4*a*c - b^2)^3)^{\frac{1}{2}} - 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}} + 6*a^2 \\
& *b*c^3*d*e*(-(4*a*c - b^2)^3)^{\frac{1}{2}})/(8*(a^7*b^4e^4 + 16*a^7*c^4*d^4 + 16* \\
& a^9*c^2e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b \\
& ^2*c^3*d^4 + a^5*b^6*d^2e^2 + 32*a^8*c^3*d^2e^2 - 2*a^5*b^5*c*d^3e - 32* \\
& a^7*b*c^3*d^3e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2* \\
& d^3e - 6*a^6*b^4*c*d^2e^2))^{\frac{1}{2}}*(512*a^20*c^7*d^24e^3 + 512*a^21*c^6* \\
& d^22e^5 - 512*a^22*c^5*d^20e^7 - 512*a^23*c^4*d^18e^9 - 32*a^18*b^3*c^6* \\
& d^25e^2 + 128*a^18*b^4*c^5*d^24e^3 - 192*a^18*b^5*c^4*d^23e^4 + 128*a^18 \\
& *b^6*c^3*d^22e^5 - 32*a^18*b^7*c^2*d^21e^6 - 640*a^19*b^2*c^6*d^24e^3 + \\
& 1056*a^19*b^3*c^5*d^23e^4 - 672*a^19*b^4*c^4*d^22e^5 + 96*a^19*b^5*c^3*d^
\end{aligned}$$

$$\begin{aligned}
& 21e^6 + 32a^{19}b^6c^2d^{20}e^7 + 512a^{20}b^2c^5d^{22}e^5 + 288a^{20}b^3c^4d^{21}e^6 - 192a^{20}b^4c^3d^{20}e^7 + 32a^{20}b^5c^2d^{19}e^8 + 384 \\
& *a^{21}b^2c^4d^{20}e^7 - 288a^{21}b^3c^3d^{19}e^8 - 32a^{21}b^4c^2d^{18}e^9 + 256a^{22}b^2c^3d^{18}e^9 + 128a^{19}b^6c^7d^{25}e^2 - 1152a^{20}b^6c^6 \\
& d^{23}e^4 - 640a^{21}b^6c^5d^{21}e^6 + 640a^{22}b^6c^4d^{19}e^8) + 64a^{18}c^8 \\
& *d^{24}e^2 - 128a^{19}c^7d^{22}e^4 - 192a^{20}c^6d^{20}e^6 + 256a^{21}c^5d^{18}e^8 + 256a^{22}c^4d^{16}e^{10} + 16a^{16}b^4c^6d^{24}e^2 - 64a^{16}b^5c^5 \\
& d^{23}e^3 + 96a^{16}b^6c^4d^{22}e^4 - 64a^{16}b^7c^3d^{21}e^5 + 16a^{16}b^8c^2d^{20}e^6 - 80a^{17}b^2c^7d^{24}e^2 + 368a^{17}b^3c^6d^{23}e^3 - 6 \\
& 08a^{17}b^4c^5d^{22}e^4 + 416a^{17}b^5c^4d^{21}e^5 - 80a^{17}b^6c^3d^{20}e^6 - 16a^{17}b^7c^2d^{19}e^7 + 928a^{18}b^2c^6d^{22}e^4 - 640a^{18}b^3c^5 \\
& d^{21}e^5 - 32a^{18}b^4c^4d^{20}e^6 + 128a^{18}b^5c^3d^{19}e^7 + 432a^{19}b^2c^5d^{20}e^6 - 304a^{19}b^3c^4d^{19}e^7 + 16a^{19}b^4c^3d^{18}e^8 \\
& - 16a^{19}b^5c^2d^{17}e^9 - 128a^{20}b^2c^4d^{18}e^8 + 128a^{20}b^3c^3d^{17}e^9 + 16a^{20}b^4c^2d^{16}e^{10} - 128a^{21}b^2c^3d^{16}e^{10} - 448a^{18} \\
& 8b^6c^7d^{23}e^3 + 192a^{20}b^6c^5d^{19}e^7 - 256a^{21}b^6c^4d^{17}e^9) - x*(\\
& 16a^{16}c^9d^{23}e^2 + 32a^{17}c^8d^{21}e^4 - 112a^{18}c^7d^{19}e^6 - 128a^{20}c^5d^{15}e^{10} + 8a^{14}b^4c^7d^{23}e^2 - 16a^{14}b^5c^6d^{22}e^3 + 8 \\
& a^{14}b^6c^5d^{21}e^4 + 8a^{14}b^7c^4d^{20}e^5 - 16a^{14}b^8c^3d^{19}e^6 \\
& + 8a^{14}b^9c^2d^{18}e^7 - 32a^{15}b^2c^8d^{23}e^2 + 64a^{15}b^3c^7d^{22}e^3 - 16a^{15}b^4c^6d^{21}e^4 - 88a^{15}b^5c^5d^{20}e^5 + 160a^{15}b^6c^4 \\
& d^{19}e^6 - 88a^{15}b^7c^3d^{18}e^7 - 48a^{16}b^2c^7d^{21}e^4 + 264a^{16}b^3c^6d^{20}e^5 - 520a^{16}b^4c^5d^{19}e^6 + 336a^{16}b^5c^4d^{18}e^7 \\
& + 576a^{17}b^2c^6d^{19}e^6 - 504a^{17}b^3c^5d^{18}e^7 + 8a^{18}b^3c^4d^{16}e^9 - 16a^{18}b^4c^3d^{15}e^{10} + 8a^{18}b^5c^2d^{14}e^{11} + 96a^{19}b^2 \\
& c^4d^{15}e^{10} - 56a^{19}b^3c^3d^{14}e^{11} - 32a^{16}b^6c^8d^{22}e^3 - 192a^{17}b^6c^7d^{20}e^5 + 224a^{18}b^6c^6d^{18}e^7 - 32a^{19}b^6c^5d^{16}e^9 + 96 \\
& a^{20}b^6c^4d^{14}e^{11})) * (- (b^9e^2 + b^7c^2d^2 - b^6e^2 * (- (4ac - b^2)^3)^{1/2}) - 9ab^5c^3d^2 - 20a^3b^3c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^3d \\
& *e + 25a^2b^3c^4d^2 - a^2c^4d^2 * (- (4ac - b^2)^3)^{1/2}) + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2 * (- (4ac - b^2)^3)^{1/2} - b^4c^2 \\
& d^2 * (- (4ac - b^2)^3)^{1/2} - 11ab^7c^3e^2 - 16a^4c^5d^2e + 20ab^6c^2d^2e + 2b^5c^3d^2e * (- (4ac - b^2)^3)^{1/2} - 6a^2b^2c^2e^2 * (- (4ac - b^2)^3)^{1/2} \\
& + 5ab^4c^3e^2 * (- (4ac - b^2)^3)^{1/2} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e + 3ab^2c^3d^2 * (- (4ac - b^2)^3)^{1/2} - 8ab^3c^2d^2e * (- (4ac - b^2)^3)^{1/2} \\
& + 6a^2b^3c^3d^2e * (- (4ac - b^2)^3)^{1/2}) / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^4e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 \\
& + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^3d^3e^3 - 32a^8b^3c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2)) \\
&)^{1/2} + 4a^{15}c^9d^{21}e^3 + 4a^{16}c^8d^{19}e^5 - 48a^{18}c^6d^{15}e^9 \\
& + 4a^{14}b^2c^8d^{21}e^3 + 4a^{14}b^7c^3d^{16}e^8 - 4a^{14}b^8c^2d^{15}e^9 - 36a^{15}b^5c^4d^{16}e^8 + 44a^{15}b^6c^3d^{15}e^9 - 4a^{15}b^7c^2d^{14}e^{10} \\
& + 100a^{16}b^3c^5d^{16}e^8 - 160a^{16}b^4c^4d^{15}e^9 + 32a^{16}b^5c^3d^{14}e^{10} + 204a^{17}b^2c^5d^{15}e^9 - 76a^{17}b^3c^4d^{14}e^{10} -
\end{aligned}$$

$$\begin{aligned}
& 4a^{14}b^9c^9d^{22}e^2 - 8a^{15}b^8c^8d^{20}e^4 - 80a^{17}b^6c^6d^{16}e^8 + 4 \\
& 8a^{18}b^5c^5d^{14}e^{10}) - x(2a^{14}c^9d^{18}e^5 + 4a^{16}c^7d^{14}e^9 + 2 \\
& a^{14}b^4c^5d^{14}e^9 - 8a^{15}b^2c^6d^{14}e^9)) * (-b^9e^2 + b^7c^2d^2 \\
& - b^6e^2 * (-4ac - b^2)^3)^{(1/2)} - 9a^5b^5c^3d^2 - 20a^3b^5c^5d^2 + 2 \\
& 8a^4b^4c^4e^2 - 2b^8c^4d^2e + 25a^2b^3c^4d^2 - a^2c^4d^2 * (-4ac - \\
& b^2)^3)^{(1/2)} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2 * (-4 \\
& ac - b^2)^3)^{(1/2)} - b^4c^2d^2 * (-4ac - b^2)^3)^{(1/2)} - 11a^5b^7c^2e^2 \\
& - 16a^4c^5d^2e + 20a^5b^6c^2d^2e + 2b^5c^4d^2e * (-4ac - b^2)^3)^{(1/2)} \\
&) - 6a^2b^2c^2e^2 * (-4ac - b^2)^3)^{(1/2)} + 5a^5b^4c^2e^2 * (-4ac - b \\
& ^2)^3)^{(1/2)} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e + 3a^5b^2c^3d^2 * (- \\
& 4ac - b^2)^3)^{(1/2)} - 8a^5b^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 6a^2b \\
& ^3c^3d^2e * (-4ac - b^2)^3)^{(1/2)) / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^ \\
& 9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2 \\
& ^3c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^ \\
& 7b^3c^3d^3e + 16a^7b^3c^3d^3e^3 - 32a^8b^2c^2d^3e^3 + 16a^6b^3c^2d^ \\
& 3e - 6a^6b^4c^2d^2e^2))^{(1/2)} - (((-b^9e^2 + b^7c^2d^2 - b^6e^2 * (- \\
& 4ac - b^2)^3)^{(1/2)} - 9a^5b^5c^3d^2 - 20a^3b^5c^5d^2 + 28a^4b^4c^4 \\
& e^2 - 2b^8c^4d^2e + 25a^2b^3c^4d^2 - a^2c^4d^2 * (-4ac - b^2)^3)^{(1/ \\
& 2)} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2 * (-4ac - b^2)^ \\
& 3)^{(1/2)} - b^4c^2d^2 * (-4ac - b^2)^3)^{(1/2)} - 11a^5b^7c^2e^2 - 16a^4c \\
& ^5d^2e + 20a^5b^6c^2d^2e + 2b^5c^4d^2e * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^ \\
& ^2c^2e^2 * (-4ac - b^2)^3)^{(1/2)} + 5a^5b^4c^2e^2 * (-4ac - b^2)^3)^{(1/2)} \\
& - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e + 3a^5b^2c^3d^2 * (-4ac - b^2 \\
&)^3)^{(1/2)} - 8a^5b^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 6a^2b^3c^3d^2e * (- \\
& 4ac - b^2)^3)^{(1/2)) / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - \\
& 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a \\
& ^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e \\
& e + 16a^7b^3c^3d^3e^3 - 32a^8b^2c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6 \\
& b^4c^2d^2e^2))^{(1/2)} * (((-b^9e^2 + b^7c^2d^2 - b^6e^2 * (-4ac - b^2) \\
& ^3)^{(1/2)} - 9a^5b^5c^3d^2 - 20a^3b^5c^5d^2 + 28a^4b^4c^4e^2 - 2b^8c \\
& ^4d^2e + 25a^2b^3c^4d^2 - a^2c^4d^2 * (-4ac - b^2)^3)^{(1/2)} + 42a^2b \\
& ^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2 * (-4ac - b^2)^3)^{(1/2)} - b^ \\
& 4c^2d^2 * (-4ac - b^2)^3)^{(1/2)} - 11a^5b^7c^2e^2 - 16a^4c^5d^2e + 20a \\
& ^5b^6c^2d^2e + 2b^5c^4d^2e * (-4ac - b^2)^3)^{(1/2)} - 6a^2b^2c^2e^2 * (- \\
& 4ac - b^2)^3)^{(1/2)} + 5a^5b^4c^2e^2 * (-4ac - b^2)^3)^{(1/2)} - 66a^2b^4 \\
& ^3c^3d^2e + 76a^3b^2c^4d^2e + 3a^5b^2c^3d^2 * (-4ac - b^2)^3)^{(1/2)} - \\
& 8a^5b^3c^2d^2e * (-4ac - b^2)^3)^{(1/2)} + 6a^2b^3c^3d^2e * (-4ac - b^2) \\
& ^3)^{(1/2)) / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e \\
& ^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 \\
& - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^7b^ \\
& 3c^3d^3e^3 - 32a^8b^2c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2 \\
&))^{(1/2)} * (x * (-b^9e^2 + b^7c^2d^2 - b^6e^2 * (-4ac - b^2)^3)^{(1/2)} - \\
& 9a^5b^5c^3d^2 - 20a^3b^5c^5d^2 + 28a^4b^4c^4e^2 - 2b^8c^4d^2e + 25a^ \\
& 2b^3c^4d^2 - a^2c^4d^2 * (-4ac - b^2)^3)^{(1/2)} + 42a^2b^5c^2e^2 - \\
& 63a^3b^3c^3e^2 + a^3c^3e^2 * (-4ac - b^2)^3)^{(1/2)} - b^4c^2d^2 * (-
\end{aligned}$$

$$\begin{aligned}
& (4ac - b^2)^3)^{1/2} - 11ab^7c^2e^2 - 16a^4c^5d^2e + 20ab^6c^2d^2e \\
& + 2b^5c^2d^2e(-4ac - b^2)^3)^{1/2} - 6a^2b^2c^2e^2(-4ac - b^2)^3)^{1/2} + 5ab^4c^2e^2(-4ac - b^2)^3)^{1/2} - 66a^2b^4c^3d^2e + 7 \\
& 6a^3b^2c^4d^2e + 3ab^2c^3d^2e(-4ac - b^2)^3)^{1/2} - 8ab^3c^2d^2e(-4ac - b^2)^3)^{1/2} + 6a^2b^3c^3d^2e(-4ac - b^2)^3)^{1/2} / (8 \\
& *(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^3d^3e - \\
& 32a^8b^2c^2d^3e + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2))^{1/2} * (5 \\
& 12a^20c^7d^24e^3 + 512a^21c^6d^22e^5 - 512a^22c^5d^20e^7 - 512a^23c^4d^18e^9 - 32a^18b^3c^6d^25e^2 + 128a^18b^4c^5d^24e^3 - \\
& 192a^18b^5c^4d^23e^4 + 128a^18b^6c^3d^22e^5 - 32a^18b^7c^2d^21e^6 - 640a^19b^2c^6d^24e^3 + 1056a^19b^3c^5d^23e^4 - 672a^19b^4c^4d^22e^5 + 96a^19b^5c^3d^21e^6 + 32a^19b^6c^2d^20e^7 + 512 \\
& a^20b^2c^5d^22e^5 + 288a^20b^3c^4d^21e^6 - 192a^20b^4c^3d^20e^7 + 32a^20b^5c^2d^19e^8 + 384a^21b^2c^4d^20e^7 - 288a^21b^3c^3d^19e^8 - 32a^21b^4c^2d^18e^9 + 256a^22b^2c^3d^18e^9 + 128a^19b^3c^7d^25e^2 - 1152a^20b^3c^6d^23e^4 - 640a^21b^3c^5d^21e^6 + 64 \\
& 0a^22b^3c^4d^19e^8) - 64a^18c^8d^24e^2 + 128a^19c^7d^22e^4 + 192a^20c^6d^20e^6 - 256a^21c^5d^18e^8 - 256a^22c^4d^16e^10 - 16a^16b^4c^6d^24e^2 + 64a^16b^5c^5d^23e^3 - 96a^16b^6c^4d^22e^4 + \\
& 64a^16b^7c^3d^21e^5 - 16a^16b^8c^2d^20e^6 + 80a^17b^2c^7d^24e^2 - 368a^17b^3c^6d^23e^3 + 608a^17b^4c^5d^22e^4 - 416a^17b^5c^4d^21e^5 + 80a^17b^6c^3d^20e^6 + 16a^17b^7c^2d^19e^7 - 928a^18b^2c^6d^22e^4 + 640a^18b^3c^5d^21e^5 + 32a^18b^4c^4d^20e^6 \\
& - 128a^18b^5c^3d^19e^7 - 432a^19b^2c^5d^20e^6 + 304a^19b^3c^4d^19e^7 - 16a^19b^4c^3d^18e^8 + 16a^19b^5c^2d^17e^9 + 128a^20b^2c^4d^18e^8 - 128a^20b^3c^3d^17e^9 - 16a^20b^4c^2d^16e^10 + \\
& 128a^21b^2c^3d^16e^10 + 448a^18b^3c^7d^23e^3 - 192a^20b^3c^5d^19e^7 + 256a^21b^3c^4d^17e^9) - x*(16a^16c^9d^23e^2 + 32a^17c^8d^21e^4 - 112a^18c^7d^19e^6 - 128a^20c^5d^15e^10 + 8a^14b^4c^7d^23e^2 - 16a^14b^5c^6d^22e^3 + 8a^14b^6c^5d^21e^4 + 8a^14b^7c^4d^20e^5 - 16a^14b^8c^3d^19e^6 + 8a^14b^9c^2d^18e^7 - 32a^15b^2c^8d^23e^2 + 64a^15b^3c^7d^22e^3 - 16a^15b^4c^6d^21e^4 - 88a^15b^5c^5d^20e^5 + 160a^15b^6c^4d^19e^6 - 88a^15b^7c^3d^18e^7 - 48a^16b^2c^7d^21e^4 + 264a^16b^3c^6d^20e^5 - 520a^16b^4c^5d^19e^6 + 336a^16b^5c^4d^18e^7 + 576a^17b^2c^6d^19e^6 - 504a^17b^3c^5d^18e^7 + 8a^18b^3c^4d^16e^9 - 16a^18b^4c^3d^15e^10 + 8a^18b^5c^2d^14e^11 + 96a^19b^2c^4d^15e^10 - 56a^19b^3c^3d^14e^11 - 32a^16b^3c^8d^22e^3 - 192a^17b^3c^7d^20e^5 + 224a^18b^3c^6d^18e^7 - 32a^19b^3c^5d^16e^9 + 96a^20b^3c^4d^14e^11)) * (-b^9e^2 + b^7c^2d^2 - b^6e^2(-4ac - b^2)^3)^{1/2} - 9ab^5c^3d^2 - 20a^3b^3c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^2d^2e + 25a^2b^3c^4d^2 - a^2c^4d^2(-4ac - b^2)^3)^{1/2} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 + a^3c^3e^2(-4ac - b^2)^3)^{1/2} - b^4c^2d^2(-4ac - b^2)^3)^{1/2} - 11a
\end{aligned}$$

$$\begin{aligned}
& *b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)} - 4*a^15*c^9*d^21*e^3 - 4*a^16*c^8*d^19*e^5 + 48*a^18*c^6*d^15*e^9 - 4*a^14*b^2*c^8*d^21*e^3 - 4*a^14*b^7*c^3*d^16*e^8 + 4*a^14*b^8*c^2*d^15*e^9 + 36*a^15*b^5*c^4*d^16*e^8 - 44*a^15*b^6*c^3*d^15*e^9 + 4*a^15*b^7*c^2*d^14*e^10 - 100*a^16*b^3*c^5*d^16*e^8 + 160*a^16*b^4*c^4*d^15*e^9 - 32*a^16*b^5*c^3*d^14*e^10 - 204*a^17*b^2*c^5*d^15*e^9 + 76*a^17*b^3*c^4*d^14*e^10 + 4*a^14*b*c^9*d^22*e^2 + 8*a^15*b*c^8*d^20*e^4 + 80*a^17*b*c^6*d^16*e^8 - 48*a^18*b*c^5*d^14*e^10) - x*(2*a^14*c^9*d^18*e^5 + 4*a^16*c^7*d^14*e^9 + 2*a^14*b^4*c^5*d^14*e^9 - 8*a^15*b^2*c^6*d^14*e^9))*(-(b^9*e^2 + b^7*c^2*d^2 - b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 + a^3*c^3*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)} + 2*a^14*c^8*d^14*e^8))*(-(b^9*e^2 + b^7*c^2*d^2 - b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 - a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 + a^3*c^3*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e + 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e + 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)}*2i - (1/(3*a*d) - (x^2*(a*e + b*d))/(a^2*d^2))/x^3 - (log(c^9*d^27*e^6 - b^9*d^18*e^15 + 2*a*c^8*d^25*e^8 - 2*b*c^8*d^26*e^7 + 2*b^8*c*d^19*e^14 + a^5*b^4*d^13*e^20 + a^2*c^7*d^23*e^10 + 16*a^4*c^5*d^19*e^14 + 16*a^7*c^2
\end{aligned}$$

$$\begin{aligned}
& *d^{13}e^{20} + b^2c^7d^{25}e^8 - b^7c^2d^{20}e^{13} - 25a^2b^3c^4d^{20}e^{13} \\
& + 66a^2b^4c^3d^{19}e^{14} - 42a^2b^5c^2d^{18}e^{15} - 76a^3b^2c^4d^{19}e^{14} \\
& + 63a^3b^3c^3d^{18}e^{15} + a^5b^4e^3x*(-d^5e^7)^{(5/2)} - a^2c^7d^{15}x*(-d^5e^7)^{(3/2)} \\
& + 16a^7c^2e^3x*(-d^5e^7)^{(5/2)} + b^9d^{10}e^5x*(-d^5e^7)^{(3/2)} + c^9d^{24}e^3x*(-d^5e^7)^{(1/2)} \\
& - 2a*b*c^7d^{24}e^9 + 11a*b^7c*d^{18}e^{15} + 9a*b^5c^3d^{20}e^{13} - 20a*b^6c^2d^{19}e^{14} + \\
& 20a^3b*c^5d^{20}e^{13} - 28a^4b*c^4d^{18}e^{15} - 8a^6b^2c*d^{13}e^{20} - 16a^4c^5d^{11}e^4x*(-d^5e^7)^{(3/2)} \\
& + b^7c^2d^{12}e^3x*(-d^5e^7)^{(3/2)} + b^2c^7d^{22}e^5x*(-d^5e^7)^{(1/2)} - 8a^6b^2c*e^3x*(-d^5e^7)^{(5/2)} \\
& + 2a*c^8d^{22}e^5x*(-d^5e^7)^{(1/2)} - 2b^8c*d^{11}e^4x*(-d^5e^7)^{(3/2)} - 2b*c^8d^{23}e^4x*(-d^5e^7)^{(1/2)} \\
& - 11a*b^7c*d^{10}e^5x*(-d^5e^7)^{(3/2)} - 2a*b*c^7d^{21}e^6x*(-d^5e^7)^{(1/2)} - 9a*b^5c^3d^{12}e^3x*(-d^5e^7)^{(3/2)} \\
& + 20a*b^6c^2d^{11}e^4x*(-d^5e^7)^{(3/2)} - 20a^3b*c^5d^{12}e^3x*(-d^5e^7)^{(3/2)} + 28a^4b*c^4d^{10}e^5x*(-d^5e^7)^{(3/2)} \\
& + 25a^2b^3c^4d^{12}e^3x*(-d^5e^7)^{(3/2)} - 66a^2b^4c^3d^{11}e^4x*(-d^5e^7)^{(3/2)} + 42a^2b^5c^2d^{10}e^5x*(-d^5e^7)^{(3/2)} \\
& + 76a^3b^2c^4d^{11}e^4x*(-d^5e^7)^{(3/2)} - 63a^3b^3c^3d^{10}e^5x*(-d^5e^7)^{(3/2)}*(-d^5e^7)^{(1/2)} \\
& / (2*(c*d^7 + a*d^5e^2 - b*d^6e)) - \operatorname{atan}\left(\frac{(-(b^9e^2 + b^7c^2d^2 + b^6e^2*(-(4ac - b^2)^3)^{1/2} - 9a^2b^5c^3d^2 - 20a^3b^2c^5d^2 + 28a^4b^2c^4e^2 - 2b^8c^2d^2 + 25a^2b^3c^4d^2 + a^2c^4d^2*(-(4ac - b^2)^3)^{1/2} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 - a^3c^3e^2*(-(4ac - b^2)^3)^{1/2} + b^4c^2d^2*(-(4ac - b^2)^3)^{1/2} - 11a^2b^7c^2e^2 - 16a^4c^5d^2e + 20a^2b^6c^2d^2e - 2b^5c^2d^2e*(-(4ac - b^2)^3)^{1/2} + 6a^2b^2c^2e^2*(-(4ac - b^2)^3)^{1/2} - 5a^2b^4c^2e^2*(-(4ac - b^2)^3)^{1/2} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e - 3a^2b^2c^3d^2*(-(4ac - b^2)^3)^{1/2} + 8a^2b^3c^2d^2e*(-(4ac - b^2)^3)^{1/2} - 6a^2b^3c^3d^2e*(-(4ac - b^2)^3)^{1/2}}{(8*(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^2d^3e^3 - 32a^8b^2c^2d^3e^3 + 16a^6b^3c^2d^3e^3 - 6a^6b^4c^2d^3e^2))^{1/2}}{((-b^9e^2 + b^7c^2d^2 + b^6e^2*(-(4ac - b^2)^3)^{1/2} - 9a^2b^5c^3d^2 - 20a^3b^2c^5d^2 + 28a^4b^2c^4e^2 - 2b^8c^2d^2 + 25a^2b^3c^4d^2 + a^2c^4d^2*(-(4ac - b^2)^3)^{1/2} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 - a^3c^3e^2*(-(4ac - b^2)^3)^{1/2} + b^4c^2d^2*(-(4ac - b^2)^3)^{1/2} - 11a^2b^7c^2e^2 - 16a^4c^5d^2e + 20a^2b^6c^2d^2e - 2b^5c^2d^2e*(-(4ac - b^2)^3)^{1/2} + 6a^2b^2c^2e^2*(-(4ac - b^2)^3)^{1/2} - 5a^2b^4c^2e^2*(-(4ac - b^2)^3)^{1/2} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e - 3a^2b^2c^3d^2*(-(4ac - b^2)^3)^{1/2} + 8a^2b^3c^2d^2e*(-(4ac - b^2)^3)^{1/2} - 6a^2b^3c^3d^2e*(-(4ac - b^2)^3)^{1/2}}{(8*(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^2d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^2d^3e^3 - 32a^8b^2c^2d^3e^3 + 16a^6b^3c^2d^3e^3 - 6a^6b^4c^2d^3e^2))^{1/2}}\right) * (x*(-(b^9e^2 + b^7c^2d^2 + b^6e^2*(-(4ac - b^2)^3)^{1/2} - 9a^2b^5c^3d^2 - 20a^3b^2c^5d^2 + 28a^4b^2c^4e^2 - 2b^8c^2d^2 + 25a^2b^3c^4d^2 + a^2c^4d^2*(-(4ac - b^2)^3)^{1/2} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 - a^3c^3e^2*(-(4ac - b^2)^3)^{1/2} + b^4c^2d^2*(-(4ac - b^2)^3)^{1/2} - 11a^2b^7c^2e^2 - 16a^4c^5d^2e + 20a^2b^6c^2d^2e - 2b^5c^2d^2e*(-(4ac - b^2)^3)^{1/2} + 6a^2b^2c^2e^2*(-(4ac - b^2)^3)^{1/2} - 5a^2b^4c^2e^2*(-(4ac - b^2)^3)^{1/2} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e - 3a^2b^2c^3d^2*(-(4ac - b^2)^3)^{1/2} + 8a^2b^3c^2d^2e*(-(4ac - b^2)^3)^{1/2} - 6a^2b^3c^3d^2e*(-(4ac - b^2)^3)^{1/2}})
\end{aligned}$$

$$\begin{aligned}
& b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 42* \\
& a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + \\
& 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b^2*c^2*e^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^ \\
& 2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b*c^3*d*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^ \\
& 2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d \\
& ^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a \\
& ^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^ \\
& 2*e^2))^{(1/2)}*(512*a^20*c^7*d^24*e^3 + 512*a^21*c^6*d^22*e^5 - 512*a^22*c^ \\
& 5*d^20*e^7 - 512*a^23*c^4*d^18*e^9 - 32*a^18*b^3*c^6*d^25*e^2 + 128*a^18*b^ \\
& 4*c^5*d^24*e^3 - 192*a^18*b^5*c^4*d^23*e^4 + 128*a^18*b^6*c^3*d^22*e^5 - 32 \\
& *a^18*b^7*c^2*d^21*e^6 - 640*a^19*b^2*c^6*d^24*e^3 + 1056*a^19*b^3*c^5*d^23 \\
& *e^4 - 672*a^19*b^4*c^4*d^22*e^5 + 96*a^19*b^5*c^3*d^21*e^6 + 32*a^19*b^6*c \\
& ^2*d^20*e^7 + 512*a^20*b^2*c^5*d^22*e^5 + 288*a^20*b^3*c^4*d^21*e^6 - 192*a \\
& ^20*b^4*c^3*d^20*e^7 + 32*a^20*b^5*c^2*d^19*e^8 + 384*a^21*b^2*c^4*d^20*e^7 \\
& - 288*a^21*b^3*c^3*d^19*e^8 - 32*a^21*b^4*c^2*d^18*e^9 + 256*a^22*b^2*c^3* \\
& d^18*e^9 + 128*a^19*b*c^7*d^25*e^2 - 1152*a^20*b*c^6*d^23*e^4 - 640*a^21*b* \\
& c^5*d^21*e^6 + 640*a^22*b*c^4*d^19*e^8) - 64*a^18*c^8*d^24*e^2 + 128*a^19*c \\
& ^7*d^22*e^4 + 192*a^20*c^6*d^20*e^6 - 256*a^21*c^5*d^18*e^8 - 256*a^22*c^4* \\
& d^16*e^10 - 16*a^16*b^4*c^6*d^24*e^2 + 64*a^16*b^5*c^5*d^23*e^3 - 96*a^16*b \\
& ^6*c^4*d^22*e^4 + 64*a^16*b^7*c^3*d^21*e^5 - 16*a^16*b^8*c^2*d^20*e^6 + 80* \\
& a^17*b^2*c^7*d^24*e^2 - 368*a^17*b^3*c^6*d^23*e^3 + 608*a^17*b^4*c^5*d^22*e \\
& ^4 - 416*a^17*b^5*c^4*d^21*e^5 + 80*a^17*b^6*c^3*d^20*e^6 + 16*a^17*b^7*c^2 \\
& *d^19*e^7 - 928*a^18*b^2*c^6*d^22*e^4 + 640*a^18*b^3*c^5*d^21*e^5 + 32*a^18 \\
& *b^4*c^4*d^20*e^6 - 128*a^18*b^5*c^3*d^19*e^7 - 432*a^19*b^2*c^5*d^20*e^6 + \\
& 304*a^19*b^3*c^4*d^19*e^7 - 16*a^19*b^4*c^3*d^18*e^8 + 16*a^19*b^5*c^2*d^1 \\
& 7*e^9 + 128*a^20*b^2*c^4*d^18*e^8 - 128*a^20*b^3*c^3*d^17*e^9 - 16*a^20*b^4 \\
& *c^2*d^16*e^10 + 128*a^21*b^2*c^3*d^16*e^10 + 448*a^18*b*c^7*d^23*e^3 - 192 \\
& *a^20*b*c^5*d^19*e^7 + 256*a^21*b*c^4*d^17*e^9) - x*(16*a^16*c^9*d^23*e^2 + \\
& 32*a^17*c^8*d^21*e^4 - 112*a^18*c^7*d^19*e^6 - 128*a^20*c^5*d^15*e^10 + 8* \\
& a^14*b^4*c^7*d^23*e^2 - 16*a^14*b^5*c^6*d^22*e^3 + 8*a^14*b^6*c^5*d^21*e^4 \\
& + 8*a^14*b^7*c^4*d^20*e^5 - 16*a^14*b^8*c^3*d^19*e^6 + 8*a^14*b^9*c^2*d^18* \\
& e^7 - 32*a^15*b^2*c^8*d^23*e^2 + 64*a^15*b^3*c^7*d^22*e^3 - 16*a^15*b^4*c^6 \\
& *d^21*e^4 - 88*a^15*b^5*c^5*d^20*e^5 + 160*a^15*b^6*c^4*d^19*e^6 - 88*a^15* \\
& b^7*c^3*d^18*e^7 - 48*a^16*b^2*c^7*d^21*e^4 + 264*a^16*b^3*c^6*d^20*e^5 - 5 \\
& 20*a^16*b^4*c^5*d^19*e^6 + 336*a^16*b^5*c^4*d^18*e^7 + 576*a^17*b^2*c^6*d^1 \\
& 9*e^6 - 504*a^17*b^3*c^5*d^18*e^7 + 8*a^18*b^3*c^4*d^16*e^9 - 16*a^18*b^4*c \\
& ^3*d^15*e^10 + 8*a^18*b^5*c^2*d^14*e^11 + 96*a^19*b^2*c^4*d^15*e^10 - 56*a^ \\
& 19*b^3*c^3*d^14*e^11 - 32*a^16*b*c^8*d^22*e^3 - 192*a^17*b*c^7*d^20*e^5 + 2 \\
& 24*a^18*b*c^6*d^18*e^7 - 32*a^19*b*c^5*d^16*e^9 + 96*a^20*b*c^4*d^14*e^11)) \\
& *(-(b^9*e^2 + b^7*c^2*d^2 + b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3* \\
& d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^
\end{aligned}$$

$$\begin{aligned}
& c^3 d^2 - 20 a^3 b c^5 d^2 + 28 a^4 b^2 c^4 e^2 - 2 b^8 c d e + 25 a^2 b^3 c^4 d^2 + a^2 c^4 d^2 (-4 a c - b^2)^3)^{(1/2)} + 42 a^2 b^5 c^2 e^2 - 63 a^3 b^3 c^3 e^2 - a^3 c^3 e^2 (-4 a c - b^2)^3)^{(1/2)} + b^4 c^2 d^2 (-4 a c - b^2)^3)^{(1/2)} - 11 a b^7 c e^2 - 16 a^4 c^5 d e + 20 a b^6 c^2 d e - 2 b^5 c d e (-4 a c - b^2)^3)^{(1/2)} + 6 a^2 b^2 c^2 e^2 (-4 a c - b^2)^3)^{(1/2)} - 5 a b^4 c e^2 (-4 a c - b^2)^3)^{(1/2)} - 66 a^2 b^4 c^3 d e + 76 a^3 b^2 c^4 d e - 3 a b^2 c^3 d^2 (-4 a c - b^2)^3)^{(1/2)} + 8 a b^3 c^2 d e (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b c^3 d e (-4 a c - b^2)^3)^{(1/2)} / (8 (a^7 b^4 e^4 + 16 a^7 c^4 d^4 + 16 a^9 c^2 e^4 - 8 a^8 b^2 c e^4 - 2 a^6 b^5 d e^3 + a^5 b^4 c^2 d^4 - 8 a^6 b^2 c^3 d^4 + a^5 b^6 d^2 e^2 + 32 a^8 c^3 d^2 e^2 - 2 a^5 b^5 c d^3 e - 32 a^7 b c^3 d^3 e + 16 a^7 b^3 c d e^3 - 32 a^8 b c^2 d e^3 + 16 a^6 b^3 c^2 d^3 e - 6 a^6 b^4 c d^2 e^2)))^{(1/2)} * (x (-b^9 e^2 + b^7 c^2 d^2 + b^6 e^2 (-4 a c - b^2)^3)^{(1/2)} - 9 a b^5 c^3 d^2 - 20 a^3 b c^5 d^2 + 28 a^4 b^2 c^4 e^2 - 2 b^8 c d e + 25 a^2 b^3 c^4 d^2 + a^2 c^4 d^2 (-4 a c - b^2)^3)^{(1/2)} + 42 a^2 b^5 c^2 e^2 - 63 a^3 b^3 c^3 e^2 - a^3 c^3 e^2 (-4 a c - b^2)^3)^{(1/2)} + b^4 c^2 d^2 (-4 a c - b^2)^3)^{(1/2)} - 11 a b^7 c e^2 - 16 a^4 c^5 d e + 20 a b^6 c^2 d e - 2 b^5 c d e (-4 a c - b^2)^3)^{(1/2)} + 6 a^2 b^2 c^2 e^2 (-4 a c - b^2)^3)^{(1/2)} - 5 a b^4 c e^2 (-4 a c - b^2)^3)^{(1/2)} - 66 a^2 b^4 c^3 d e + 76 a^3 b^2 c^4 d e - 3 a b^2 c^3 d^2 (-4 a c - b^2)^3)^{(1/2)} + 8 a b^3 c^2 d e (-4 a c - b^2)^3)^{(1/2)} - 6 a^2 b c^3 d e (-4 a c - b^2)^3)^{(1/2)} / (8 (a^7 b^4 e^4 + 16 a^7 c^4 d^4 + 16 a^9 c^2 e^4 - 8 a^8 b^2 c e^4 - 2 a^6 b^5 d e^3 + a^5 b^4 c^2 d^4 - 8 a^6 b^2 c^3 d^4 + a^5 b^6 d^2 e^2 + 32 a^8 c^3 d^2 e^2 - 2 a^5 b^5 c d^3 e - 32 a^7 b c^3 d^3 e + 16 a^7 b^3 c d e^3 - 32 a^8 b c^2 d e^3 + 16 a^6 b^3 c^2 d^3 e - 6 a^6 b^4 c d^2 e^2)))^{(1/2)} * (512 a^20 c^7 d^24 e^3 + 512 a^21 c^6 d^22 e^5 - 512 a^22 c^5 d^20 e^7 - 512 a^23 c^4 d^18 e^9 - 32 a^18 b^3 c^6 d^25 e^2 + 128 a^18 b^4 c^5 d^24 e^3 - 192 a^18 b^5 c^4 d^23 e^4 + 128 a^18 b^6 c^3 d^22 e^5 - 32 a^18 b^7 c^2 d^21 e^6 - 640 a^19 b^2 c^6 d^24 e^3 + 1056 a^19 b^3 c^5 d^23 e^4 - 672 a^19 b^4 c^4 d^22 e^5 + 96 a^19 b^5 c^3 d^21 e^6 + 32 a^19 b^6 c^2 d^20 e^7 + 512 a^20 b^2 c^5 d^22 e^5 + 288 a^20 b^3 c^4 d^21 e^6 - 192 a^20 b^4 c^3 d^20 e^7 + 32 a^20 b^5 c^2 d^19 e^8 + 384 a^21 b^2 c^4 d^20 e^7 - 288 a^21 b^3 c^3 d^19 e^8 - 32 a^21 b^4 c^2 d^18 e^9 + 256 a^22 b^2 c^3 d^18 e^9 + 128 a^19 b^3 c^7 d^25 e^2 - 1152 a^20 b c^6 d^23 e^4 - 640 a^21 b c^5 d^21 e^6 + 640 a^22 b c^4 d^19 e^8) + 64 a^18 c^8 d^24 e^2 - 128 a^19 c^7 d^22 e^4 - 192 a^20 c^6 d^20 e^6 + 256 a^21 c^5 d^18 e^8 + 256 a^22 c^4 d^16 e^10 + 16 a^16 b^4 c^6 d^24 e^2 - 64 a^16 b^5 c^5 d^23 e^3 + 96 a^16 b^6 c^4 d^22 e^4 - 64 a^16 b^7 c^3 d^21 e^5 + 16 a^16 b^8 c^2 d^20 e^6 - 80 a^17 b^2 c^7 d^24 e^2 + 368 a^17 b^3 c^6 d^23 e^3 - 608 a^17 b^4 c^5 d^22 e^4 + 416 a^17 b^5 c^4 d^21 e^5 - 80 a^17 b^6 c^3 d^20 e^6 - 16 a^17 b^7 c^2 d^19 e^7 + 928 a^18 b^2 c^6 d^22 e^4 - 640 a^18 b^3 c^5 d^21 e^5 - 32 a^18 b^4 c^4 d^20 e^6 + 128 a^18 b^5 c^3 d^19 e^7 + 432 a^19 b^2 c^5 d^20 e^6 - 304 a^19 b^3 c^4 d^19 e^7 + 16 a^19 b^4 c^3 d^18 e^8 - 16 a^19 b^5 c^2 d^17 e^9 - 128 a^20 b^2 c^4 d^18 e^8 + 128 a^20 b^3 c^3 d^17 e^9 + 16 a^20 b^4 c^2 d^16 e^10 - 128 a^21 b^2 c^3 d^16 e^10 - 448 a^18 b c^7 d^23 e^3 + 192 a^20 b c^5 d^19 e^7 - 256 a^21 b c^
\end{aligned}$$

$$\begin{aligned}
& 4*d^{17}*e^9) - x*(16*a^{16}*c^9*d^{23}*e^2 + 32*a^{17}*c^8*d^{21}*e^4 - 112*a^{18}*c^7* \\
& *d^{19}*e^6 - 128*a^{20}*c^5*d^{15}*e^{10} + 8*a^{14}*b^4*c^7*d^{23}*e^2 - 16*a^{14}*b^5* \\
& c^6*d^{22}*e^3 + 8*a^{14}*b^6*c^5*d^{21}*e^4 + 8*a^{14}*b^7*c^4*d^{20}*e^5 - 16*a^{14}* \\
& b^8*c^3*d^{19}*e^6 + 8*a^{14}*b^9*c^2*d^{18}*e^7 - 32*a^{15}*b^2*c^8*d^{23}*e^2 + 64* \\
& a^{15}*b^3*c^7*d^{22}*e^3 - 16*a^{15}*b^4*c^6*d^{21}*e^4 - 88*a^{15}*b^5*c^5*d^{20}*e^5 \\
& + 160*a^{15}*b^6*c^4*d^{19}*e^6 - 88*a^{15}*b^7*c^3*d^{18}*e^7 - 48*a^{16}*b^2*c^7*d \\
& ^{21}*e^4 + 264*a^{16}*b^3*c^6*d^{20}*e^5 - 520*a^{16}*b^4*c^5*d^{19}*e^6 + 336*a^{16}* \\
& b^5*c^4*d^{18}*e^7 + 576*a^{17}*b^2*c^6*d^{19}*e^6 - 504*a^{17}*b^3*c^5*d^{18}*e^7 + \\
& 8*a^{18}*b^3*c^4*d^{16}*e^9 - 16*a^{18}*b^4*c^3*d^{15}*e^{10} + 8*a^{18}*b^5*c^2*d^{14}*e \\
& ^{11} + 96*a^{19}*b^2*c^4*d^{15}*e^{10} - 56*a^{19}*b^3*c^3*d^{14}*e^{11} - 32*a^{16}*b*c^8 \\
& *d^{22}*e^3 - 192*a^{17}*b*c^7*d^{20}*e^5 + 224*a^{18}*b*c^6*d^{18}*e^7 - 32*a^{19}*b*c \\
& ^5*d^{16}*e^9 + 96*a^{20}*b*c^4*d^{14}*e^{11}))*(-(b^9*e^2 + b^7*c^2*d^2 + b^6*e^2* \\
& (-4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^ \\
& 4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4 \\
& *c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2* \\
& b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/ \\
& 2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^3*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b*c^3*d*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 \\
& - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + \\
& a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^ \\
& 3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^ \\
& 6*b^4*c*d^2*e^2)))^{(1/2)} + 4*a^{15}*c^9*d^{21}*e^3 + 4*a^{16}*c^8*d^{19}*e^5 - 48*a \\
& ^{18}*c^6*d^{15}*e^9 + 4*a^{14}*b^2*c^8*d^{21}*e^3 + 4*a^{14}*b^7*c^3*d^{16}*e^8 - 4*a^ \\
& ^{14}*b^8*c^2*d^{15}*e^9 - 36*a^{15}*b^5*c^4*d^{16}*e^8 + 44*a^{15}*b^6*c^3*d^{15}*e^9 - \\
& 4*a^{15}*b^7*c^2*d^{14}*e^{10} + 100*a^{16}*b^3*c^5*d^{16}*e^8 - 160*a^{16}*b^4*c^4*d^ \\
& ^{15}*e^9 + 32*a^{16}*b^5*c^3*d^{14}*e^{10} + 204*a^{17}*b^2*c^5*d^{15}*e^9 - 76*a^{17}*b^ \\
& 3*c^4*d^{14}*e^{10} - 4*a^{14}*b*c^9*d^{22}*e^2 - 8*a^{15}*b*c^8*d^{20}*e^4 - 80*a^{17}*b \\
& *c^6*d^{16}*e^8 + 48*a^{18}*b*c^5*d^{14}*e^{10}) - x*(2*a^{14}*c^9*d^{18}*e^5 + 4*a^{16}* \\
& c^7*d^{14}*e^9 + 2*a^{14}*b^4*c^5*d^{14}*e^9 - 8*a^{15}*b^2*c^6*d^{14}*e^9))*(-(b^9*e \\
& ^2 + b^7*c^2*d^2 + b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20* \\
& a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^ \\
& ^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - \\
& a^3*c^3*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2 \\
&) - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c \\
& *e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3 \\
& *a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^ \\
& 7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^ \\
& 2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^ \\
& 5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + \\
& 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2)))^{(1/2)}*i)/(((b^9*e^2 + b^7*c
\end{aligned}$$

$$\begin{aligned}
& c^2*d^2 + b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5 \\
& *d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3* \\
& e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a* \\
& b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^ \\
& 3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 \\
& + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8 \\
& *a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e \\
& - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^ \\
& 3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2)))^{(1/2)}*(((b^9*e^2 + b^7*c^2*d^2 + b^6 \\
& *e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4 \\
& *b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 1 \\
& 6*a^4*c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6 \\
& *a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^3*d^2*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b*c^3* \\
& d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2 \\
& *e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3* \\
& d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c \\
& ^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - \\
& 6*a^6*b^4*c*d^2*e^2)))^{(1/2)}*(x*(-(b^9*e^2 + b^7*c^2*d^2 + b^6*e^2*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - \\
& 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d* \\
& e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b^2*c^2 \\
& *e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66 \\
& *a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b*c^3*d*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)})/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8 \\
& *b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^ \\
& 6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 1 \\
& 6*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c \\
& *d^2*e^2)))^{(1/2)}*(512*a^20*c^7*d^24*e^3 + 512*a^21*c^6*d^22*e^5 - 512*a^22 \\
& *c^5*d^20*e^7 - 512*a^23*c^4*d^18*e^9 - 32*a^18*b^3*c^6*d^25*e^2 + 128*a^18 \\
& *b^4*c^5*d^24*e^3 - 192*a^18*b^5*c^4*d^23*e^4 + 128*a^18*b^6*c^3*d^22*e^5 - \\
& 32*a^18*b^7*c^2*d^21*e^6 - 640*a^19*b^2*c^6*d^24*e^3 + 1056*a^19*b^3*c^5*d \\
& ^23*e^4 - 672*a^19*b^4*c^4*d^22*e^5 + 96*a^19*b^5*c^3*d^21*e^6 + 32*a^19*b^ \\
& 6*c^2*d^20*e^7 + 512*a^20*b^2*c^5*d^22*e^5 + 288*a^20*b^3*c^4*d^21*e^6 - 19 \\
& 2*a^20*b^4*c^3*d^20*e^7 + 32*a^20*b^5*c^2*d^19*e^8 + 384*a^21*b^2*c^4*d^20*
\end{aligned}$$

$$\begin{aligned}
& e^7 - 288a^{21}b^3c^3d^{19}e^8 - 32a^{21}b^4c^2d^{18}e^9 + 256a^{22}b^2c^3d^{18}e^9 + 128a^{19}b^3c^7d^{25}e^2 - 1152a^{20}b^3c^6d^{23}e^4 - 640a^{21} \\
& *b^3c^5d^{21}e^6 + 640a^{22}b^3c^4d^{19}e^8) + 64a^{18}c^8d^{24}e^2 - 128a^{19}c^7d^{22}e^4 - 192a^{20}c^6d^{20}e^6 + 256a^{21}c^5d^{18}e^8 + 256a^{22}c^4d^{16}e^{10} + 16a^{16}b^4c^6d^{24}e^2 - 64a^{16}b^5c^5d^{23}e^3 + 96a^{16} \\
& b^6c^4d^{22}e^4 - 64a^{16}b^7c^3d^{21}e^5 + 16a^{16}b^8c^2d^{20}e^6 - 80a^{17}b^2c^7d^{24}e^2 + 368a^{17}b^3c^6d^{23}e^3 - 608a^{17}b^4c^5d^{22}e^4 + 416a^{17}b^5c^4d^{21}e^5 - 80a^{17}b^6c^3d^{20}e^6 - 16a^{17}b^7c^2d^{19}e^7 + 928a^{18}b^2c^6d^{22}e^4 - 640a^{18}b^3c^5d^{21}e^5 - 32a^{18}b^4c^4d^{20}e^6 + 128a^{18}b^5c^3d^{19}e^7 + 432a^{19}b^2c^5d^{20}e^6 - 304a^{19}b^3c^4d^{19}e^7 + 16a^{19}b^4c^3d^{18}e^8 - 16a^{19}b^5c^2d^{17}e^9 - 128a^{20}b^2c^4d^{18}e^8 + 128a^{20}b^3c^3d^{17}e^9 + 16a^{20}b^4c^2d^{16}e^{10} - 128a^{21}b^2c^3d^{16}e^{10} - 448a^{18}b^3c^7d^{23}e^3 + 192a^{20}b^3c^5d^{19}e^7 - 256a^{21}b^3c^4d^{17}e^9) - x*(16a^{16}c^9d^{23}e^2 + 32a^{17}c^8d^{21}e^4 - 112a^{18}c^7d^{19}e^6 - 128a^{20}c^5d^{15}e^{10} + 8a^{14}b^4c^7d^{23}e^2 - 16a^{14}b^5c^6d^{22}e^3 + 8a^{14}b^6c^5d^{21}e^4 + 8a^{14}b^7c^4d^{20}e^5 - 16a^{14}b^8c^3d^{19}e^6 + 8a^{14}b^9c^2d^{18}e^7 - 32a^{15}b^2c^8d^{23}e^2 + 64a^{15}b^3c^7d^{22}e^3 - 16a^{15}b^4c^6d^{21}e^4 - 88a^{15}b^5c^5d^{20}e^5 + 160a^{15}b^6c^4d^{19}e^6 - 88a^{15}b^7c^3d^{18}e^7 - 48a^{16}b^2c^7d^{21}e^4 + 264a^{16}b^3c^6d^{20}e^5 - 520a^{16}b^4c^5d^{19}e^6 + 336a^{16}b^5c^4d^{18}e^7 + 576a^{17}b^2c^6d^{19}e^6 - 504a^{17}b^3c^5d^{18}e^7 + 8a^{18}b^3c^4d^{16}e^9 - 16a^{18}b^4c^3d^{15}e^{10} + 8a^{18}b^5c^2d^{14}e^{11} + 96a^{19}b^2c^4d^{15}e^{10} - 56a^{19}b^3c^3d^{14}e^{11} - 32a^{16}b^3c^8d^{22}e^3 - 192a^{17}b^3c^7d^{20}e^5 + 224a^{18}b^3c^6d^{18}e^7 - 32a^{19}b^3c^5d^{16}e^9 + 96a^{20}b^3c^4d^{14}e^{11})*(-(b^9e^2 + b^7c^2d^2 + b^6e^2*(-(4ac - b^2)^3)^{1/2} - 9ab^5c^3d^2 - 20a^3b^3c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^2d^2 + 25a^2b^3c^4d^2 + a^2c^4d^2*(-(4ac - b^2)^3)^{1/2} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 - a^3c^3e^2*(-(4ac - b^2)^3)^{1/2} + b^4c^2d^2*(-(4ac - b^2)^3)^{1/2} - 11a^2b^7c^2e^2 - 16a^4c^5d^2 + 20a^2b^6c^2d^2 - 2b^5c^2d^2*(-(4ac - b^2)^3)^{1/2} + 6a^2b^2c^2e^2*(-(4ac - b^2)^3)^{1/2} - 5a^2b^4c^2e^2*(-(4ac - b^2)^3)^{1/2} - 66a^2b^4c^3d^2 + 76a^3b^2c^4d^2 - 3a^2b^2c^3d^2*(-(4ac - b^2)^3)^{1/2} + 8a^2b^3c^2d^2*(-(4ac - b^2)^3)^{1/2} - 6a^2b^3c^3d^2*(-(4ac - b^2)^3)^{1/2})/(8*(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^7b^3c^3d^3e^3 - 32a^8b^3c^2d^3e^3 + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2)))^{1/2} + 4a^{15}c^9d^{21}e^3 + 4a^{16}c^8d^{19}e^5 - 48a^{18}c^6d^{15}e^9 + 4a^{14}b^2c^8d^{21}e^3 + 4a^{14}b^7c^3d^{16}e^8 - 4a^{14}b^8c^2d^{15}e^9 - 36a^{15}b^5c^4d^{16}e^8 + 44a^{15}b^6c^3d^{15}e^9 - 4a^{15}b^7c^2d^{14}e^{10} + 100a^{16}b^3c^5d^{16}e^8 - 160a^{16}b^4c^4d^{15}e^9 + 32a^{16}b^5c^3d^{14}e^{10} + 204a^{17}b^2c^5d^{15}e^9 - 76a^{17}b^3c^4d^{14}e^{10} - 4a^{14}b^3c^9d^{22}e^2 - 8a^{15}b^3c^8d^{20}e^4 - 80a^{17}b^3c^6d^{16}e^8 + 48a^{18}b^3c^5d^{14}e^{10} - x*(2a^{14}c^9d^{18}e^5 + 4a^{16}c^7d^{14}e^9 + 2a^{14}b^4c^5d^{14}e
\end{aligned}$$

$$\begin{aligned}
&^9 - 8*a^{15}*b^2*c^6*d^{14}*e^9)) * (- (b^9*e^2 + b^7*c^2*d^2 + b^6*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2 \\
&*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 42 \\
&*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2 * (- (4*a*c - b^2)^3)^{1/2} \\
&+ b^4*c^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e \\
&+ 20*a*b^6*c^2*d*e - 2*b^5*c*d*e * (- (4*a*c - b^2)^3)^{1/2} + 6*a^2*b^2*c^2*e \\
&^2 * (- (4*a*c - b^2)^3)^{1/2} - 5*a*b^4*c*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 66*a \\
&^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^3*d^2 * (- (4*a*c - b^2)^3)^{1/2} \\
&+ 8*a*b^3*c^2*d*e * (- (4*a*c - b^2)^3)^{1/2} - 6*a^2*b*c^3*d*e * (- (4*a*c - \\
&b^2)^3)^{1/2}) / (8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b \\
&^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6* \\
&d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16* \\
&a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d \\
&^2*e^2)) ^{1/2} - ((- (b^9*e^2 + b^7*c^2*d^2 + b^6*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + \\
&25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 42*a^2*b^5*c^2 \\
&*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2 * (- (4*a*c - b^2)^3)^{1/2} + b^4*c^2*d^2 \\
&* (- (4*a*c - b^2)^3)^{1/2} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d \\
&*e - 2*b^5*c*d*e * (- (4*a*c - b^2)^3)^{1/2} + 6*a^2*b^2*c^2*e^2 * (- (4*a*c \\
&- b^2)^3)^{1/2} - 5*a*b^4*c*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 66*a^2*b^4*c^3*d \\
&*e + 76*a^3*b^2*c^4*d*e - 3*a*b^2*c^3*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 8*a*b^3 \\
&*c^2*d*e * (- (4*a*c - b^2)^3)^{1/2} - 6*a^2*b*c^3*d*e * (- (4*a*c - b^2)^3)^{1/2} \\
&+ 8*a*b^3*c^2*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2 \\
&*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32 \\
&*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d* \\
&e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2)) ^{1/2} * ((- (b^9*e^2 + b^7*c^2*d^2 + b^6*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5 \\
&*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4 \\
&^4*d^2 + a^2*c^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 42*a^2*b^5*c^2*e^2 - 63*a^3 \\
&*b^3*c^3*e^2 - a^3*c^3*e^2 * (- (4*a*c - b^2)^3)^{1/2} + b^4*c^2*d^2 * (- (4*a*c \\
&- b^2)^3)^{1/2} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5 \\
&*c*d*e * (- (4*a*c - b^2)^3)^{1/2} + 6*a^2*b^2*c^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} \\
&- 5*a*b^4*c*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 66*a^2*b^4*c^3*d*e + 76*a^3*b \\
&^2*c^4*d*e - 3*a*b^2*c^3*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 8*a*b^3*c^2*d*e * (- (\\
&4*a*c - b^2)^3)^{1/2} - 6*a^2*b*c^3*d*e * (- (4*a*c - b^2)^3)^{1/2}) / (8*(a^7*b \\
&^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 \\
&+ a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2* \\
&e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8* \\
&b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2)) ^{1/2} * (x * (- (b^9 \\
&*e^2 + b^7*c^2*d^2 + b^6*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 9*a*b^5*c^3*d^2 - 2 \\
&0*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2 \\
&*c^4*d^2 * (- (4*a*c - b^2)^3)^{1/2} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 \\
&- a^3*c^3*e^2 * (- (4*a*c - b^2)^3)^{1/2} + b^4*c^2*d^2 * (- (4*a*c - b^2)^3)^{1/2} \\
&- 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e * (- (4 \\
&*a*c - b^2)^3)^{1/2} + 6*a^2*b^2*c^2*e^2 * (- (4*a*c - b^2)^3)^{1/2} - 5*a*b^4
\end{aligned}$$

$$\begin{aligned}
& *c^2*(-(4*a*c - b^2)^3)^{(1/2)} - 66*a^2*b^4*c^3*d*e + 76*a^3*b^2*c^4*d*e - \\
& 3*a*b^2*c^3*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 8*a*b^3*c^2*d*e*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b*c^3*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&)/(8*(a^7*b^4*e^4 + 16*a^7*c^4*d^4 + 16*a^9*c^2*e^4 - 8*a^8*b^2*c*e^4 - 2*a^6*b^5*d*e^3 + a^5*b^4*c^2*d^4 - 8*a^6*b^2*c^3*d^4 + a^5*b^6*d^2*e^2 + 32*a^8*c^3*d^2*e^2 - 2*a^5*b^5*c*d^3*e - 32*a^7*b*c^3*d^3*e + 16*a^7*b^3*c*d*e^3 - 32*a^8*b*c^2*d*e^3 + 16*a^6*b^3*c^2*d^3*e - 6*a^6*b^4*c*d^2*e^2))^{(1/2)} \\
& *(512*a^20*c^7*d^24*e^3 + 512*a^21*c^6*d^22*e^5 - 512*a^22*c^5*d^20*e^7 - 512*a^23*c^4*d^18*e^9 - 32*a^18*b^3*c^6*d^25*e^2 + 128*a^18*b^4*c^5*d^24*e^3 - 192*a^18*b^5*c^4*d^23*e^4 + 128*a^18*b^6*c^3*d^22*e^5 - 32*a^18*b^7*c^2*d^21*e^6 - 640*a^19*b^2*c^6*d^24*e^3 + 1056*a^19*b^3*c^5*d^23*e^4 - 672*a^19*b^4*c^4*d^22*e^5 + 96*a^19*b^5*c^3*d^21*e^6 + 32*a^19*b^6*c^2*d^20*e^7 + 512*a^20*b^2*c^5*d^22*e^5 + 288*a^20*b^3*c^4*d^21*e^6 - 192*a^20*b^4*c^3*d^20*e^7 + 32*a^20*b^5*c^2*d^19*e^8 + 384*a^21*b^2*c^4*d^20*e^7 - 288*a^21*b^3*c^3*d^19*e^8 - 32*a^21*b^4*c^2*d^18*e^9 + 256*a^22*b^2*c^3*d^18*e^9 + 128*a^19*b*c^7*d^25*e^2 - 1152*a^20*b*c^6*d^23*e^4 - 640*a^21*b*c^5*d^21*e^6 + 640*a^22*b*c^4*d^19*e^8) - 64*a^18*c^8*d^24*e^2 + 128*a^19*c^7*d^22*e^4 + 192*a^20*c^6*d^20*e^6 - 256*a^21*c^5*d^18*e^8 - 256*a^22*c^4*d^16*e^10 - 16*a^16*b^4*c^6*d^24*e^2 + 64*a^16*b^5*c^5*d^23*e^3 - 96*a^16*b^6*c^4*d^22*e^4 + 64*a^16*b^7*c^3*d^21*e^5 - 16*a^16*b^8*c^2*d^20*e^6 + 80*a^17*b^2*c^7*d^24*e^2 - 368*a^17*b^3*c^6*d^23*e^3 + 608*a^17*b^4*c^5*d^22*e^4 - 416*a^17*b^5*c^4*d^21*e^5 + 80*a^17*b^6*c^3*d^20*e^6 + 16*a^17*b^7*c^2*d^19*e^7 - 928*a^18*b^2*c^6*d^22*e^4 + 640*a^18*b^3*c^5*d^21*e^5 + 32*a^18*b^4*c^4*d^20*e^6 - 128*a^18*b^5*c^3*d^19*e^7 - 432*a^19*b^2*c^5*d^20*e^6 + 304*a^19*b^3*c^4*d^19*e^7 - 16*a^19*b^4*c^3*d^18*e^8 + 16*a^19*b^5*c^2*d^17*e^9 + 128*a^20*b^2*c^4*d^18*e^8 - 128*a^20*b^3*c^3*d^17*e^9 - 16*a^20*b^4*c^2*d^16*e^10 + 128*a^21*b^2*c^3*d^16*e^10 + 448*a^18*b*c^7*d^23*e^3 - 192*a^20*b*c^5*d^19*e^7 + 256*a^21*b*c^4*d^17*e^9) - x*(16*a^16*c^9*d^23*e^2 + 32*a^17*c^8*d^21*e^4 - 112*a^18*c^7*d^19*e^6 - 128*a^20*c^5*d^15*e^10 + 8*a^14*b^4*c^7*d^23*e^2 - 16*a^14*b^5*c^6*d^22*e^3 + 8*a^14*b^6*c^5*d^21*e^4 + 8*a^14*b^7*c^4*d^20*e^5 - 16*a^14*b^8*c^3*d^19*e^6 + 8*a^14*b^9*c^2*d^18*e^7 - 32*a^15*b^2*c^8*d^23*e^2 + 64*a^15*b^3*c^7*d^22*e^3 - 16*a^15*b^4*c^6*d^21*e^4 - 88*a^15*b^5*c^5*d^20*e^5 + 160*a^15*b^6*c^4*d^19*e^6 - 88*a^15*b^7*c^3*d^18*e^7 - 48*a^16*b^2*c^7*d^21*e^4 + 264*a^16*b^3*c^6*d^20*e^5 - 520*a^16*b^4*c^5*d^19*e^6 + 336*a^16*b^5*c^4*d^18*e^7 + 576*a^17*b^2*c^6*d^19*e^6 - 504*a^17*b^3*c^5*d^18*e^7 + 8*a^18*b^3*c^4*d^16*e^9 - 16*a^18*b^4*c^3*d^15*e^10 + 8*a^18*b^5*c^2*d^14*e^11 + 96*a^19*b^2*c^4*d^15*e^10 - 56*a^19*b^3*c^3*d^14*e^11 - 32*a^16*b*c^8*d^22*e^3 - 192*a^17*b*c^7*d^20*e^5 + 224*a^18*b*c^6*d^18*e^7 - 32*a^19*b*c^5*d^16*e^9 + 96*a^20*b*c^4*d^14*e^11))*(-(b^9*e^2 + b^7*c^2*d^2 + b^6*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c^3*d^2 - 20*a^3*b*c^5*d^2 + 28*a^4*b*c^4*e^2 - 2*b^8*c*d*e + 25*a^2*b^3*c^4*d^2 + a^2*c^4*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + 42*a^2*b^5*c^2*e^2 - 63*a^3*b^3*c^3*e^2 - a^3*c^3*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^4*c^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e^2 - 16*a^4*c^5*d*e + 20*a*b^6*c^2*d*e - 2*b^5*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a^2*b^2*c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 5*a*b^4*c*e^2*(-(4*a*c - b^2)^3)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& 2) - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e - 3ab^2c^3d^2(-4ac - b^2)^3)^{(1/2)} + 8ab^3c^2d^2e(-4ac - b^2)^3)^{(1/2)} - 6a^2b^3c^3d^2e(-4ac - b^2)^3)^{(1/2)} \\
& / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2))^{(1/2)} \\
& - 4a^{15}c^9d^{21}e^3 - 4a^{16}c^8d^{19}e^5 + 48a^{18}c^6d^{15}e^9 - 4a^{14}b^2c^8d^{21}e^3 - 4a^{14}b^7c^3d^{16}e^8 + 4a^{14}b^8c^2d^{15}e^9 + 36a^{15}b^5c^4d^{16}e^8 \\
& - 44a^{15}b^6c^3d^{15}e^9 + 4a^{15}b^7c^2d^{14}e^{10} - 100a^{16}b^3c^5d^{16}e^8 + 160a^{16}b^4c^4d^{15}e^9 - 32a^{16}b^5c^3d^{14}e^{10} - 204a^{17}b^2c^5d^{15}e^9 + 76a^{17}b^3c^4d^{14}e^{10} \\
& + 4a^{14}b^3c^9d^{22}e^2 + 8a^{15}b^3c^8d^{20}e^4 + 80a^{17}b^3c^6d^{16}e^8 - 48a^{18}b^3c^5d^{14}e^{10} - x(2a^{14}c^9d^{18}e^5 + 4a^{16}c^7d^{14}e^9 + 2a^{14}b^4c^5d^{14}e^9 - 8a^{15}b^2c^6d^{14}e^9) \\
& * (-b^9e^2 + b^7c^2d^2 + b^6e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^5c^3d^2 - 20a^3b^3c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^2d^2 + 25a^2b^3c^4d^2 + a^2c^4d^2(-4ac - b^2)^3)^{(1/2)} \\
& + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 - a^3c^3e^2(-4ac - b^2)^3)^{(1/2)} + b^4c^2d^2(-4ac - b^2)^3)^{(1/2)} - 11ab^7c^2e^2 - 16a^4c^5d^2e + 20ab^6c^2d^2e - 2b^5c^2d^2e(-4ac - b^2)^3)^{(1/2)} \\
& + 6a^2b^2c^2e^2(-4ac - b^2)^3)^{(1/2)} - 5ab^4c^2e^2(-4ac - b^2)^3)^{(1/2)} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e - 3ab^2c^3d^2(-4ac - b^2)^3)^{(1/2)} + 8ab^3c^2d^2e(-4ac - b^2)^3)^{(1/2)} \\
& - 6a^2b^3c^3d^2e(-4ac - b^2)^3)^{(1/2)} / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2))^{(1/2)} + 2a^{14}c^8d^{14}e^8) \\
& * (-b^9e^2 + b^7c^2d^2 + b^6e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^5c^3d^2 - 20a^3b^3c^5d^2 + 28a^4b^3c^4e^2 - 2b^8c^2d^2 + 25a^2b^3c^4d^2 + a^2c^4d^2(-4ac - b^2)^3)^{(1/2)} + 42a^2b^5c^2e^2 - 63a^3b^3c^3e^2 - a^3c^3e^2(-4ac - b^2)^3)^{(1/2)} + b^4c^2d^2(-4ac - b^2)^3)^{(1/2)} - 11ab^7c^2e^2 - 16a^4c^5d^2e + 20ab^6c^2d^2e - 2b^5c^2d^2e(-4ac - b^2)^3)^{(1/2)} + 6a^2b^2c^2e^2(-4ac - b^2)^3)^{(1/2)} - 5ab^4c^2e^2(-4ac - b^2)^3)^{(1/2)} - 66a^2b^4c^3d^2e + 76a^3b^2c^4d^2e - 3ab^2c^3d^2(-4ac - b^2)^3)^{(1/2)} + 8ab^3c^2d^2e(-4ac - b^2)^3)^{(1/2)} - 6a^2b^3c^3d^2e(-4ac - b^2)^3)^{(1/2)} / (8(a^7b^4e^4 + 16a^7c^4d^4 + 16a^9c^2e^4 - 8a^8b^2c^2e^4 - 2a^6b^5d^2e^3 + a^5b^4c^2d^4 - 8a^6b^2c^3d^4 + a^5b^6d^2e^2 + 32a^8c^3d^2e^2 - 2a^5b^5c^3d^3e - 32a^7b^3c^3d^3e + 16a^6b^3c^2d^3e - 6a^6b^4c^2d^2e^2))^{(1/2)} * 2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**4/(e*x**2+d)/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.310 \quad \int \frac{1}{\sqrt{fx}(d+ex^2)(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=866

$$\frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{e} \sqrt{fx}}{\sqrt[4]{a} \sqrt{f}}\right) e^{7/4}}{\sqrt{2} d^{3/4} (cd^2 - bed + ae^2) \sqrt{f}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{e} \sqrt{fx}}{\sqrt[4]{a} \sqrt{f}} + 1\right) e^{7/4}}{\sqrt{2} d^{3/4} (cd^2 - bed + ae^2) \sqrt{f}} - \frac{\log\left(\sqrt{e} \sqrt{fx} + \sqrt{d} \sqrt{f} - \sqrt{2} \sqrt[4]{d} \sqrt[4]{e} \sqrt{fx}\right) e^{7/4}}{2\sqrt{2} d^{3/4} (cd^2 - bed + ae^2) \sqrt{f}}$$

[Out] $-1/2 * e^{7/4} * \arctan(1 - e^{1/4} * 2^{1/2} * (f * x)^{1/2} / d^{1/4} / f^{1/2}) / d^{3/4} / (a * e^2 - b * d * e + c * d^2) * 2^{1/2} / f^{1/2} + 1/2 * e^{7/4} * \arctan(1 + e^{1/4} * 2^{1/2} * (f * x)^{1/2} / d^{1/4} / f^{1/2}) / d^{3/4} / (a * e^2 - b * d * e + c * d^2) * 2^{1/2} / f^{1/2} - 1/4 * e^{7/4} * \ln(d^{1/2} * f^{1/2} + x * e^{1/2} * f^{1/2} - d^{1/4} * e^{1/4} * 2^{1/2} * (f * x)^{1/2}) / d^{3/4} / (a * e^2 - b * d * e + c * d^2) * 2^{1/2} / f^{1/2} + 1/4 * e^{7/4} * \ln(d^{1/2} * f^{1/2} + x * e^{1/2} * f^{1/2} + d^{1/4} * e^{1/4} * 2^{1/2} * (f * x)^{1/2}) / d^{3/4} / (a * e^2 - b * d * e + c * d^2) * 2^{1/2} / f^{1/2} + 1/2 * c^{3/4} * \arctan(2^{1/4} * c^{1/4} * (f * x)^{1/2}) / (-b - (-4 * a * c + b^2)^{1/2})^{1/4} / f^{1/2} * (2 * c * d - e * (b - (-4 * a * c + b^2)^{1/2})) * 2^{3/4} / (a * e^2 - b * d * e + c * d^2) / (-b - (-4 * a * c + b^2)^{1/2})^{3/4} / (-4 * a * c + b^2)^{1/2} / f^{1/2} + 1/2 * c^{3/4} * \operatorname{arctanh}(2^{1/4} * c^{1/4} * (f * x)^{1/2}) / (-b - (-4 * a * c + b^2)^{1/2})^{1/4} / f^{1/2} * (2 * c * d - e * (b - (-4 * a * c + b^2)^{1/2})) * 2^{3/4} / (a * e^2 - b * d * e + c * d^2) / (-b - (-4 * a * c + b^2)^{1/2})^{3/4} / (-4 * a * c + b^2)^{1/2} / f^{1/2} - 1/2 * c^{3/4} * \arctan(2^{1/4} * c^{1/4} * (f * x)^{1/2}) / (-b + (-4 * a * c + b^2)^{1/2})^{1/4} / f^{1/2} * (2 * c * d - e * (b + (-4 * a * c + b^2)^{1/2})) * 2^{3/4} / (a * e^2 - b * d * e + c * d^2) / (-4 * a * c + b^2)^{1/2} / (-b + (-4 * a * c + b^2)^{1/2})^{3/4} / f^{1/2} - 1/2 * c^{3/4} * \operatorname{arctanh}(2^{1/4} * c^{1/4} * (f * x)^{1/2}) / (-b + (-4 * a * c + b^2)^{1/2})^{1/4} / f^{1/2} * (2 * c * d - e * (b + (-4 * a * c + b^2)^{1/2})) * 2^{3/4} / (a * e^2 - b * d * e + c * d^2) / (-4 * a * c + b^2)^{1/2} / (-b + (-4 * a * c + b^2)^{1/2})^{3/4} / f^{1/2}$

Rubi [A] time = 2.51, antiderivative size = 866, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 12, integrand size = 31, $\frac{\text{number of rules}}{\text{integrand size}} = 0.387$, Rules used = {1269, 1424, 211, 1165, 628, 1162, 617, 204, 1422, 212, 208, 205}

$$\frac{\tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt[4]{e} \sqrt{fx}}{\sqrt[4]{a} \sqrt{f}}\right) e^{7/4}}{\sqrt{2} d^{3/4} (cd^2 - bed + ae^2) \sqrt{f}} + \frac{\tan^{-1}\left(\frac{\sqrt{2} \sqrt[4]{e} \sqrt{fx}}{\sqrt[4]{a} \sqrt{f}} + 1\right) e^{7/4}}{\sqrt{2} d^{3/4} (cd^2 - bed + ae^2) \sqrt{f}} - \frac{\log\left(\sqrt{e} \sqrt{fx} + \sqrt{d} \sqrt{f} - \sqrt{2} \sqrt[4]{d} \sqrt[4]{e} \sqrt{fx}\right) e^{7/4}}{2\sqrt{2} d^{3/4} (cd^2 - bed + ae^2) \sqrt{f}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[1/(\text{Sqrt}[f * x] * (d + e * x^2) * (a + b * x^2 + c * x^4)), x]$

[Out] $(c^{3/4} * (2 * c * d - (b - \text{Sqrt}[b^2 - 4 * a * c]) * e) * \text{ArcTan}[(2^{1/4} * c^{1/4} * \text{Sqrt}[f * x]) / ((-b - \text{Sqrt}[b^2 - 4 * a * c])^{1/4} * \text{Sqrt}[f])]) / (2^{1/4} * \text{Sqrt}[b^2 - 4 * a * c] *$

$$\begin{aligned}
& (-b - \sqrt{b^2 - 4ac})^{3/4} (cd^2 - bde + ae^2) \sqrt{f} - (c^{3/4} * \\
& (2cd - (b + \sqrt{b^2 - 4ac})e) \operatorname{ArcTan}[(2^{1/4} c^{1/4} \sqrt{fx}) / ((-b \\
& + \sqrt{b^2 - 4ac})^{1/4} \sqrt{f})]) / (2^{1/4} \sqrt{b^2 - 4ac} (-b + \sqrt{ \\
& b^2 - 4ac})^{3/4} (cd^2 - bde + ae^2) \sqrt{f}) - (e^{7/4} \operatorname{ArcTan}[1 \\
& - (\sqrt{2} e^{1/4} \sqrt{fx}) / (d^{1/4} \sqrt{f})]) / (\sqrt{2} d^{3/4} (cd^2 - \\
& bde + ae^2) \sqrt{f}) + (e^{7/4} \operatorname{ArcTan}[1 + (\sqrt{2} e^{1/4} \sqrt{fx}) / \\
& (d^{1/4} \sqrt{f})]) / (\sqrt{2} d^{3/4} (cd^2 - bde + ae^2) \sqrt{f}) + (c^{ \\
& 3/4} (2cd - (b - \sqrt{b^2 - 4ac})e) \operatorname{ArcTanh}[(2^{1/4} c^{1/4} \sqrt{fx}) \\
&] / ((-b - \sqrt{b^2 - 4ac})^{1/4} \sqrt{f})) / (2^{1/4} \sqrt{b^2 - 4ac} (-b \\
& - \sqrt{b^2 - 4ac})^{3/4} (cd^2 - bde + ae^2) \sqrt{f}) - (c^{3/4} (2 \\
& cd - (b + \sqrt{b^2 - 4ac})e) \operatorname{ArcTanh}[(2^{1/4} c^{1/4} \sqrt{fx}) / ((-b \\
& + \sqrt{b^2 - 4ac})^{1/4} \sqrt{f})]) / (2^{1/4} \sqrt{b^2 - 4ac} (-b + \sqrt{ \\
& b^2 - 4ac})^{3/4} (cd^2 - bde + ae^2) \sqrt{f}) - (e^{7/4} \operatorname{Log}[\sqrt{d} \\
&] \sqrt{f} + \sqrt{e} \sqrt{f} x - \sqrt{2} d^{1/4} e^{1/4} \sqrt{fx}]) / (2 \sqrt{2} \\
& d^{3/4} (cd^2 - bde + ae^2) \sqrt{f}) + (e^{7/4} \operatorname{Log}[\sqrt{d} \sqrt{f} \\
& + \sqrt{e} \sqrt{f} x + \sqrt{2} d^{1/4} e^{1/4} \sqrt{fx}]) / (2 \sqrt{2} d^{3/4} \\
& (cd^2 - bde + ae^2) \sqrt{f})
\end{aligned}$$

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
```

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}\{a, b\}, x] \&\& \text{!GtQ}[a/b, 0]$

Rule 617

$\text{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2]^{-1}, x_Symbol] \text{:> With}\{q = 1 - 4*S\text{implify}[(a*c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; \text{RationalQ}[q] \&\& (\text{EqQ}[q^2, 1] \|\ \text{!RationalQ}[b^2 - 4*a*c]) /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[(d_) + (e_)*(x_)] / [(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] \text{:> S}\text{imp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[(d_) + (e_)*(x_)^2] / [(a_) + (c_)*(x_)^4], x_Symbol] \text{:> With}\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[(d_) + (e_)*(x_)^2] / [(a_) + (c_)*(x_)^4], x_Symbol] \text{:> With}\{q = \text{Rt}[-(2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x]] /; \text{FreeQ}\{a, c, d, e\}, x] \&\& \text{EqQ}[c*d^2 - a*e^2, 0] \&\& \text{NegQ}[d*e]$

Rule 1269

$\text{Int}[(f_)*(x_)^m] * [(d_) + (e_)*(x_)^2]^{(q_)} * [(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]^{(p_)}, x_Symbol] \text{:> With}\{k = \text{Denominator}[m]\}, \text{Dist}[k/f, \text{Subst}[\text{Int}[x^{(k*(m+1) - 1)} * (d + (e*x^{(2*k)})/f^2)^{q*} * (a + (b*x^{(2*k)})/f^k + (c*x^{(4*k)})/f^4)^p, x], x, (f*x)^{(1/k)}], x]] /; \text{FreeQ}\{a, b, c, d, e, f, p, q\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{FractionQ}[m] \&\& \text{IntegerQ}[p]$

Rule 1422

$\text{Int}[(d_) + (e_)*(x_)^n] / [(a_) + (b_)*(x_)^n + (c_)*(x_)^{(2*n)}], x_Symbol] \text{:> With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^n), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^n), x], x]] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[n^2, 2*n] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& (\text{PosQ}[b^2 - 4*a$

*c] || !IGtQ[n/2, 0])

Rule 1424

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)),
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{fx} (d + ex^2) (a + bx^2 + cx^4)} dx &= \frac{2 \operatorname{Subst} \left(\int \frac{1}{\left(d + \frac{ex^4}{f^2}\right) \left(a + \frac{bx^4}{f^2} + \frac{cx^8}{f^4}\right)} dx, x, \sqrt{fx} \right)}{f} \\
&= \frac{2 \operatorname{Subst} \left(\int \left(\frac{e^2 f^2}{(cd^2 - bde + ae^2)(df^2 + ex^4)} + \frac{cdf^4 - bef^4 - cef^2 x^4}{(cd^2 - bde + ae^2)(af^4 + bf^2 x^4 + cx^8)} \right) dx, x, \sqrt{fx} \right)}{f} \\
&= \frac{2 \operatorname{Subst} \left(\int \frac{cdf^4 - bef^4 - cef^2 x^4}{af^4 + bf^2 x^4 + cx^8} dx, x, \sqrt{fx} \right)}{(cd^2 - bde + ae^2) f} + \frac{(2e^2 f) \operatorname{Subst} \left(\int \frac{1}{df^2 + ex^4} dx, x, \sqrt{fx} \right)}{cd^2 - bde + ae^2} \\
&= \frac{e^2 \operatorname{Subst} \left(\int \frac{\sqrt{d} f - \sqrt{e} x^2}{df^2 + ex^4} dx, x, \sqrt{fx} \right)}{\sqrt{d} (cd^2 - bde + ae^2)} + \frac{e^2 \operatorname{Subst} \left(\int \frac{\sqrt{d} f + \sqrt{e} x^2}{df^2 + ex^4} dx, x, \sqrt{fx} \right)}{\sqrt{d} (cd^2 - bde + ae^2)} \\
&= \frac{e^{3/2} \operatorname{Subst} \left(\int \frac{1}{\frac{\sqrt{d} f}{\sqrt{e}} - \frac{\sqrt{2} \sqrt[4]{d} \sqrt{fx}}{\sqrt[4]{e}} + x^2} dx, x, \sqrt{fx} \right)}{2\sqrt{d} (cd^2 - bde + ae^2)} + \frac{e^{3/2} \operatorname{Subst} \left(\int \frac{1}{\frac{\sqrt{d} f}{\sqrt{e}} + \frac{\sqrt{2} \sqrt[4]{d} \sqrt{fx}}{\sqrt[4]{e}} + x^2} dx, x, \sqrt{fx} \right)}{2\sqrt{d} (cd^2 - bde + ae^2)} \\
&= \frac{c^{3/4} \left(2cd - (b - \sqrt{b^2 - 4ac}) e \right) \tan^{-1} \left(\frac{\sqrt[4]{2} \sqrt[4]{c} \sqrt{fx}}{\sqrt{-b - \sqrt{b^2 - 4ac}} \sqrt{f}} \right)}{\sqrt[4]{2} \sqrt{b^2 - 4ac} (-b - \sqrt{b^2 - 4ac})^{3/4} (cd^2 - bde + ae^2) \sqrt{f}} - \frac{c^{3/4} \left(2cd - (b + \sqrt{b^2 - 4ac}) e \right) \tan^{-1} \left(\frac{\sqrt[4]{2} \sqrt[4]{c} \sqrt{fx}}{\sqrt{-b + \sqrt{b^2 - 4ac}} \sqrt{f}} \right)}{\sqrt[4]{2} \sqrt{b^2 - 4ac} (-b + \sqrt{b^2 - 4ac})^{3/4} (cd^2 - bde + ae^2) \sqrt{f}}
\end{aligned}$$

Mathematica [C] time = 0.38, size = 267, normalized size = 0.31

$$\frac{\sqrt{x} \left(\sqrt{2} e^{7/4} \left(-\log \left(-\sqrt{2} \sqrt[4]{d} \sqrt[4]{e} \sqrt{x} + \sqrt{d} + \sqrt{e} x \right) + \log \left(\sqrt{2} \sqrt[4]{d} \sqrt[4]{e} \sqrt{x} + \sqrt{d} + \sqrt{e} x \right) - 2 \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[4]{e} \sqrt{x}}{\sqrt[4]{d}} \right) \right)}{4d^{3/4} \sqrt{fx} (e(ae^2 + bfx + dx^2))}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[f*x]*(d + e*x^2)*(a + b*x^2 + c*x^4)), x]

```
[Out] (Sqrt[x]*(Sqrt[2]*e^(7/4)*(-2*ArcTan[1 - (Sqrt[2]*e^(1/4)*Sqrt[x])/d^(1/4)]
+ 2*ArcTan[1 + (Sqrt[2]*e^(1/4)*Sqrt[x])/d^(1/4)] - Log[Sqrt[d] - Sqrt[2]*
d^(1/4)*e^(1/4)*Sqrt[x] + Sqrt[e]*x] + Log[Sqrt[d] + Sqrt[2]*d^(1/4)*e^(1/4
)*Sqrt[x] + Sqrt[e]*x]) - 2*d^(3/4)*RootSum[a + b*#1^4 + c*#1^8 & , (-c*d*
Log[Sqrt[x] - #1]) + b*e*Log[Sqrt[x] - #1] + c*e*Log[Sqrt[x] - #1]*#1^4)/(b
*#1^3 + 2*c*#1^7) & ])/(4*d^(3/4)*(c*d^2 + e*(-(b*d) + a*e))*Sqrt[f*x])
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)/(f*x)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

sage2

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)/(f*x)^(1/2),x, algorithm="giac")
```

[Out] sage2

maple [C] time = 0.10, size = 336, normalized size = 0.39

$$\frac{f \left(-\text{RootOf} \left(c_Z^8 + b f^2_Z^4 + a f^4 \right)^4 c e - b e f^2 + c d f^2 \right) \ln \left(-\text{RootOf} \left(c_Z^8 + b f^2_Z^4 + a f^4 \right) + \sqrt{f x} \right)}{2 \left(a e^2 - d e b + c d^2 \right) \left(2 \text{RootOf} \left(c_Z^8 + b f^2_Z^4 + a f^4 \right)^7 c + \text{RootOf} \left(c_Z^8 + b f^2_Z^4 + a f^4 \right)^3 b f^2 \right)} + \frac{\left(\frac{d f^2}{e} \right)}{e}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(e*x^2+d)/(c*x^4+b*x^2+a)/(f*x)^(1/2),x)
```

```
[Out] 1/2*f/(a*e^2-b*d*e+c*d^2)*sum((-_R^4*c*e-b*e*f^2+c*d*f^2)/(2*_R^7*c+_R^3*b*
f^2)*ln((f*x)^(1/2)-_R),_R=RootOf(_Z^8*c+_Z^4*b*f^2+a*f^4))+1/4/f*e^2/(a*e^
2-b*d*e+c*d^2)*(d*f^2/e)^(1/4)/d*2^(1/2)*ln((f*x+(d*f^2/e)^(1/4)*(f*x)^(1/2
))*2^(1/2)+(d*f^2/e)^(1/2))/(f*x-(d*f^2/e)^(1/4)*(f*x)^(1/2))*2^(1/2)+(d*f^2/
e)^(1/2)))+1/2/f*e^2/(a*e^2-b*d*e+c*d^2)*(d*f^2/e)^(1/4)/d*2^(1/2)*arctan(2
^(1/2)/(d*f^2/e)^(1/4)*(f*x)^(1/2)+1)+1/2/f*e^2/(a*e^2-b*d*e+c*d^2)*(d*f^2/
e)^(1/4)/d*2^(1/2)*arctan(2^(1/2)/(d*f^2/e)^(1/4)*(f*x)^(1/2)-1)
```


maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2e^2\sqrt{x}}{cd^3\sqrt{f} - bd^2e\sqrt{f} + ade^2\sqrt{f}} + \frac{2\sqrt{2}e^2 \arctan\left(\frac{\sqrt{2}\left(\sqrt{2}d^{\frac{1}{4}}e^{\frac{1}{4}} + 2\sqrt{e}\sqrt{x}\right)}{2\sqrt{\sqrt{d}\sqrt{e}}}\right)}{\sqrt{d}\sqrt{\sqrt{d}\sqrt{e}}} + \frac{2\sqrt{2}e^2 \arctan\left(\frac{\sqrt{2}\left(\sqrt{2}d^{\frac{1}{4}}e^{\frac{1}{4}} - 2\sqrt{e}\sqrt{x}\right)}{2\sqrt{\sqrt{d}\sqrt{e}}}\right)}{\sqrt{d}\sqrt{\sqrt{d}\sqrt{e}}} + \frac{\sqrt{2}e^{\frac{7}{4}} \log\left(\sqrt{2}d^{\frac{1}{4}}e^{\frac{1}{4}}\sqrt{x} + \sqrt{e}x + \sqrt{d}\right)}{4\left(cd^2\sqrt{f} - bde\sqrt{f} + ae^2\sqrt{f}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)/(c*x^4+b*x^2+a)/(f*x)^(1/2),x, algorithm="maxima")

[Out] $-2e^2\sqrt{x}/(cd^3\sqrt{f} - bd^2e\sqrt{f} + ade^2\sqrt{f}) + 1/4*(2\sqrt{2}e^2\arctan(1/2\sqrt{2}*(\sqrt{2}d^{1/4}e^{1/4} + 2\sqrt{e}\sqrt{x}))/\sqrt{\sqrt{d}\sqrt{e}})/(\sqrt{d}\sqrt{\sqrt{d}\sqrt{e}}) + 2\sqrt{2}e^2\arctan(-1/2\sqrt{2}*(\sqrt{2}d^{1/4}e^{1/4} - 2\sqrt{e}\sqrt{x}))/\sqrt{\sqrt{d}\sqrt{e}})/(\sqrt{d}\sqrt{\sqrt{d}\sqrt{e}}) + \sqrt{2}e^{7/4}\log(\sqrt{2}d^{1/4}e^{1/4}\sqrt{x} + \sqrt{e}x + \sqrt{d})/d^{3/4} - \sqrt{2}e^{7/4}\log(-\sqrt{2}d^{1/4}e^{1/4}\sqrt{x} + \sqrt{e}x + \sqrt{d})/d^{3/4})/(cd^2\sqrt{f} - bd^2e\sqrt{f} + ade^2\sqrt{f}) + 2\sqrt{x}/(ade^2\sqrt{f}) + \int(-((c^2d - b^2e)*x^{7/2} + (b^2cd - b^2e + a^2c^2)*x^{3/2}))/((c^2d^2\sqrt{f} + (a^2c^2e^2\sqrt{f} + (c^2d^2\sqrt{f} - b^2c^2d^2e\sqrt{f})*a)*x^4 + (c^2d^2\sqrt{f} - b^2c^2d^2e\sqrt{f})*a^2 + (a^2b^2e^2\sqrt{f} + (b^2c^2d^2\sqrt{f} - b^2d^2e\sqrt{f})*a)*x^2), x)$

mupad [B] time = 6.84, size = 43112, normalized size = 49.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((f*x)^(1/2)*(d + e*x^2)*(a + b*x^2 + c*x^4)),x)

[Out] $\text{symsum}(\log(-\text{root}(8388608*a^7*b*c^{11}*d^{18}*e*f^6*h^{12} - 513802240*a^{10}*b^2*c^7*d^{11}*e^8*f^6*h^{12} - 381681664*a^{11}*b^2*c^6*d^9*e^{10}*f^6*h^{12} - 381681664*a^9*b^2*c^8*d^{13}*e^6*f^6*h^{12} - 300941312*a^9*b^5*c^5*d^{10}*e^9*f^6*h^{12} - 300941312*a^8*b^5*c^6*d^{12}*e^7*f^6*h^{12} + 293601280*a^{10}*b^3*c^6*d^{10}*e^9*f^6*h^{12} + 293601280*a^9*b^3*c^7*d^{12}*e^7*f^6*h^{12} - 168820736*a^{10}*b^5*c^4*d^8*e^{11}*f^6*h^{12} - 168820736*a^7*b^5*c^7*d^{14}*e^5*f^6*h^{12} + 166068224*a^8*b^6*c^5*d^{11}*e^8*f^6*h^{12} - 146800640*a^{12}*b^2*c^5*d^7*e^{12}*f^6*h^{12} - 146800640*a^8*b^2*c^9*d^{15}*e^4*f^6*h^{12} + 124780544*a^{10}*b^4*c^5*d^9*e^{10}*f^6*h^{12} + 124780544*a^8*b^4*c^7*d^{13}*e^6*f^6*h^{12} + 119275520*a^9*b^4*c^6*d^{11}*e^8*f^6*h^{12} + 117440512*a^{11}*b^3*c^5*d^8*e^{11}*f^6*h^{12} + 117440512*a^8*b^3*c^8*d^{14}*e^5*f^6*h^{12} + 102760448*a^9*b^6*c^4*d^9*e^{10}*f^6*h^{12} + 102760448*a^7*b^6*c^6*d^{13}*e^6*f^6*h^{12} + 91750400*a^{11}*b^4*c^4*d^7*e^{12}*f^6*h^{12} +$

$91750400a^7b^4c^8d^{15}e^4f^6h^{12} - 71065600a^7b^8c^4d^{11}e^8f^6h^{12} - 53444608a^8b^8c^3d^9e^{10}f^6h^{12} - 53444608a^6b^8c^5d^{13}e^6f^6h^{12} + 40370176a^9b^7c^3d^8e^{11}f^6h^{12} + 40370176a^6b^7c^6d^{14}e^5f^6h^{12} - 36700160a^{11}b^5c^3d^6e^{13}f^6h^{12} - 36700160a^6b^5c^8d^{16}e^3f^6h^{12} + 34078720a^8b^7c^4d^{10}e^9f^6h^{12} + 34078720a^7b^7c^5d^{12}e^7f^6h^{12} + 26214400a^{12}b^4c^3d^5e^{14}f^6h^{12} + 26214400a^6b^4c^9d^{17}e^2f^6h^{12} + 22118400a^7b^9c^3d^{10}e^9f^6h^{12} + 22118400a^6b^9c^4d^{12}e^7f^6h^{12} - 20971520a^{13}b^2c^4d^5e^{14}f^6h^{12} - 20971520a^7b^2c^{10}d^{17}e^2f^6h^{12} + 18350080a^{10}b^7c^2d^6e^{13}f^6h^{12} + 18350080a^5b^7c^7d^{16}e^3f^6h^{12} - 16629760a^9b^8c^2d^7e^{12}f^6h^{12} - 16629760a^5b^8c^6d^{15}e^4f^6h^{12} - 10485760a^{11}b^6c^2d^5e^{14}f^6h^{12} - 10485760a^5b^6c^8d^{17}e^2f^6h^{12} + 9175040a^{10}b^6c^3d^7e^{12}f^6h^{12} + 9175040a^6b^6c^7d^{15}e^4f^6h^{12} - 8388608a^{13}b^3c^3d^4e^{15}f^6h^{12} + 5619712a^7b^{10}c^2d^9e^{10}f^6h^{12} + 5619712a^5b^{10}c^4d^{13}e^6f^6h^{12} - 5570560a^6b^{11}c^2d^{10}e^9f^6h^{12} - 5570560a^5b^{11}c^3d^{12}e^7f^6h^{12} + 4358144a^8b^9c^2d^8e^{11}f^6h^{12} + 4358144a^5b^9c^5d^{14}e^5f^6h^{12} + 4259840a^6b^{10}c^3d^{11}e^8f^6h^{12} + 3899392a^4b^{10}c^5d^{15}e^4f^6h^{12} - 3440640a^4b^9c^6d^{16}e^3f^6h^{12} + 3145728a^{12}b^5c^2d^4e^{15}f^6h^{12} - 2523136a^4b^{11}c^4d^{14}e^5f^6h^{12} + 1802240a^4b^8c^7d^{17}e^2f^6h^{12} + 1556480a^5b^{12}c^2d^{11}e^8f^6h^{12} + 1048576a^{14}b^2c^3d^3e^{16}f^6h^{12} + 688128a^4b^{12}c^3d^{13}e^6f^6h^{12} - 393216a^{13}b^4c^2d^3e^{16}f^6h^{12} - 286720a^3b^{12}c^4d^{15}e^4f^6h^{12} + 229376a^3b^{13}c^3d^{14}e^5f^6h^{12} + 229376a^3b^{11}c^5d^{16}e^3f^6h^{12} + 163840a^4b^{13}c^2d^{12}e^7f^6h^{12} - 114688a^3b^{14}c^2d^{13}e^6f^6h^{12} - 114688a^3b^{10}c^6d^{17}e^2f^6h^{12} + 293601280a^{11}b^6c^7d^{10}e^9f^6h^{12} + 293601280a^{10}b^6c^8d^{12}e^7f^6h^{12} + 176160768a^{12}b^6c^6d^8e^{11}f^6h^{12} + 176160768a^9b^6c^9d^{14}e^5f^6h^{12} + 58720256a^{13}b^6c^5d^6e^{13}f^6h^{12} + 58720256a^8b^6c^{10}d^{16}e^3f^6h^{12} + 8388608a^{14}b^6c^4d^4e^{15}f^6h^{12} - 8388608a^6b^3c^{10}d^{18}e^6f^6h^{12} + 3899392a^8b^{10}c^d^7e^{12}f^6h^{12} - 3440640a^9b^9c^d^6e^{13}f^6h^{12} + 3145728a^5b^5c^9d^{18}e^6f^6h^{12} - 2523136a^7b^{11}c^d^8e^{11}f^6h^{12} + 1802240a^{10}b^8c^d^5e^{14}f^6h^{12} + 688128a^6b^{12}c^d^9e^{10}f^6h^{12} - 524288a^{11}b^7c^d^4e^{15}f^6h^{12} - 524288a^4b^7c^8d^{18}e^6f^6h^{12} + 163840a^5b^{13}c^d^{10}e^9f^6h^{12} - 163840a^4b^{14}c^d^{11}e^8f^6h^{12} + 65536a^{12}b^6c^d^3e^{16}f^6h^{12} + 32768a^3b^{15}c^d^{12}e^7f^6h^{12} + 32768a^3b^9c^7d^{18}e^6f^6h^{12} - 73400320a^{11}c^8d^{11}e^8f^6h^{12} - 58720256a^{12}c^7d^9e^{10}f^6h^{12} - 58720256a^{10}c^9d^{13}e^6f^6h^{12} - 29360128a^{13}c^6d^7e^{12}f^6h^{12} - 29360128a^9c^{10}d^{15}e^4f^6h^{12} - 8388608a^{14}c^5d^5e^{14}f^6h^{12} - 8388608a^8c^{11}d^{17}e^2f^6h^{12} - 1048576a^{15}c^4d^3e^{16}f^6h^{12} - 286720a^7b^{12}d^7e^{12}f^6h^{12} + 229376a^8b^{11}d^6e^{13}f^6h^{12} + 229376a^6b^{13}d^8e^{11}f^6h^{12} - 114688a^9b^{10}d^5e^{14}f^6h^{12} - 114688a^5b^{14}d^9e^{10}f^6h^{12} + 32768a^{10}b^9d^4e^{15}f^6h^{12} + 32768a^4b^{15}d^{10}e^9f^6h^{12} - 4096a^{11}b^8d^3e^{16}f^6h^{12} - 4096a^3b^{16}d^{11}e^8f^6h^{12} + 1048576a^6b^2c^{11}d$

$$\begin{aligned}
& ^{19}f^6h^{12} - 393216a^5b^4c^{10}d^{19}f^6h^{12} + 65536a^4b^6c^9d^{19}f^6h^{12} - 4096a^3b^8c^8d^{19}f^6h^{12} - 1048576a^7c^{12}d^{19}f^6h^{12} + \\
& 262144a^{10}b^2c^4d^8e^{14}f^4h^8 - 23552a^6b^6c^8d^{14}e^8f^4h^8 - 16384a^7b^7c^4d^8e^{14}f^4h^8 - 3328a^8b^13c^4d^7e^8f^4h^8 + 2429952a^4b^5c^6d^9e^6f^4h^8 - 1865728a^6b^3c^6d^7e^8f^4h^8 - 1716224a^4b^4c^7d^{10}e^5f^4h^8 + 1605632a^6b^2c^7d^8e^7f^4h^8 + 1584384a^5b^5c^5d^7e^8f^4h^8 + 1572864a^5b^2c^8d^{10}e^5f^4h^8 - 1433600a^5b^3c^7d^9e^6f^4h^8 - 1261568a^4b^6c^5d^8e^7f^4h^8 - 1124352a^3b^4c^8d^{12}e^3f^4h^8 - 1110016a^7b^3c^5d^5e^{10}f^4h^8 + 1106176a^3b^5c^7d^{11}e^4f^4h^8 - 936960a^5b^6c^4d^6e^9f^4h^8 - 838656a^2b^7c^6d^{11}e^4f^4h^8 - 795648a^3b^7c^5d^9e^6f^4h^8 + 730880a^3b^8c^4d^8e^7f^4h^8 + 714752a^2b^6c^7d^{12}e^3f^4h^8 + 686080a^7b^4c^4d^4e^{11}f^4h^8 + 641024a^6b^4c^5d^6e^9f^4h^8 - 595968a^8b^3c^4d^3e^{12}f^4h^8 + 544768a^3b^3c^9d^{13}e^2f^4h^8 + 516096a^2b^8c^5d^{10}e^5f^4h^8 + 441856a^6b^5c^4d^5e^{10}f^4h^8 + 393216a^7b^2c^6d^6e^9f^4h^8 + 376832a^4b^2c^9d^{12}e^3f^4h^8 - 366592a^6b^6c^3d^4e^{11}f^4h^8 + 363520a^4b^8c^3d^6e^9f^4h^8 - 356352a^5b^4c^6d^8e^7f^4h^8 - 348672a^2b^5c^8d^{13}e^2f^4h^8 - 344064a^8b^2c^5d^4e^{11}f^4h^8 + 294912a^8b^4c^3d^2e^{13}f^4h^8 + 210944a^4b^3c^8d^{11}e^4f^4h^8 - 198400a^3b^9c^3d^7e^8f^4h^8 - 144640a^4b^7c^4d^7e^8f^4h^8 - 131072a^9b^2c^4d^2e^{13}f^4h^8 - 131072a^7b^6c^2d^2e^{13}f^4h^8 - 129024a^3b^6c^6d^{10}e^5f^4h^8 - 104448a^2b^{10}c^3d^8e^7f^4h^8 + 96768a^5b^8c^2d^4e^{11}f^4h^8 + 91904a^7b^5c^3d^3e^{12}f^4h^8 - 74240a^4b^9c^2d^5e^{10}f^4h^8 - 71680a^2b^9c^4d^9e^6f^4h^8 + 58368a^2b^{11}c^2d^7e^8f^4h^8 + 36864a^5b^7c^3d^5e^{10}f^4h^8 - 35328a^3b^{10}c^2d^6e^9f^4h^8 + 27136a^6b^7c^2d^3e^{12}f^4h^8 + 909312a^8b^3c^6d^5e^{10}f^4h^8 + 815104a^9b^3c^5d^3e^{12}f^4h^8 - 651264a^5b^3c^9d^{11}e^4f^4h^8 - 573440a^6b^3c^8d^9e^6f^4h^8 - 262144a^9b^3c^3d^8e^{14}f^4h^8 + 217088a^7b^3c^7d^7e^8f^4h^8 + 211456a^8b^9c^5d^{11}e^4f^4h^8 - 204800a^4b^3c^{10}d^{13}e^2f^4h^8 - 172032a^8b^8c^6d^{12}e^3f^4h^8 - 157696a^8b^{10}c^4d^{10}e^5f^4h^8 - 131072a^3b^2c^{10}d^{14}e^8f^4h^8 + 98304a^8b^5c^2d^8e^{14}f^4h^8 + 92160a^2b^4c^9d^{14}e^8f^4h^8 + 84992a^8b^7c^7d^{13}e^2f^4h^8 + 64512a^8b^{11}c^3d^9e^6f^4h^8 + 23552a^6b^8c^4d^2e^{13}f^4h^8 + 18944a^3b^{11}c^3d^5e^{10}f^4h^8 - 13312a^4b^{10}c^4d^4e^{11}f^4h^8 - 9472a^5b^9c^3d^3e^{12}f^4h^8 - 8192a^8b^{12}c^2d^8e^7f^4h^8 - 6144a^2b^{12}c^4d^6e^9f^4h^8 - 17920b^{11}c^4d^{11}e^4f^4h^8 + 14336b^{12}c^3d^{10}e^5f^4h^8 + 14336b^{10}c^5d^{12}e^3f^4h^8 - 7168b^{13}c^2d^9e^6f^4h^8 - 7168b^9c^6d^{13}e^2f^4h^8 - 425984a^9c^6d^4e^{11}f^4h^8 - 360448a^8c^7d^6e^9f^4h^8 - 262144a^{10}c^5d^2e^{13}f^4h^8 - 131072a^7c^8d^8e^7f^4h^8 + 98304a^5c^{10}d^{12}e^3f^4h^8 + 65536a^6c^9d^{10}e^5f^4h^8 - 1536a^5b^{10}d^2e^{13}f^4h^8 - 1536a^2b^{13}d^5e^{10}f^4h^8 + 768a^4b^{11}d^3e^{12}f^4h^8 + 768a^3b^{12}d^4e^{11}f^4h^8 + 65536a^{10}b^2c^3e^{15}f^4h^8 - 24576a^9b^4c^2e^{15}f^4h^8 - 10240a^2b^3c^{10}d^{15}f^4h^8 + 2048b^{14}c^4d^8e^7f^4h^8 + 2048b^8c^7d^{14}e
\end{aligned}$$

$$\begin{aligned}
& *f^4*h^8 + 32768*a^4*c^{11}*d^{14}*e*f^4*h^8 + 1024*a^6*b^9*d*e^{14}*f^4*h^8 + 10 \\
& 24*a*b^{14}*d^6*e^9*f^4*h^8 + 4096*a^8*b^6*c*e^{15}*f^4*h^8 + 12288*a^3*b*c^{11}* \\
& d^{15}*f^4*h^8 + 2816*a*b^5*c^9*d^{15}*f^4*h^8 - 256*b^{15}*d^7*e^8*f^4*h^8 - 655 \\
& 36*a^{11}*c^4*e^{15}*f^4*h^8 - 256*b^7*c^8*d^{15}*f^4*h^8 - 256*a^7*b^8*e^{15}*f^4* \\
& h^8 - 896*a*b^8*c^2*d*e^{10}*f^2*h^4 + 192*a*b*c^9*d^8*e^3*f^2*h^4 + 11520*a^ \\
& 3*b^3*c^5*d^2*e^9*f^2*h^4 - 5856*a^2*b^5*c^4*d^2*e^9*f^2*h^4 - 5120*a^3*b^2 \\
& *c^6*d^3*e^8*f^2*h^4 + 3200*a^2*b^4*c^5*d^3*e^8*f^2*h^4 - 640*a^2*b^3*c^6*d \\
& ^4*e^7*f^2*h^4 - 96*a^2*b^2*c^7*d^5*e^6*f^2*h^4 - 10880*a^3*b^4*c^4*d*e^{10}* \\
& f^2*h^4 + 10240*a^4*b^2*c^5*d*e^{10}*f^2*h^4 - 7680*a^4*b*c^6*d^2*e^9*f^2*h^4 \\
& + 4672*a^2*b^6*c^3*d*e^{10}*f^2*h^4 + 1248*a*b^7*c^3*d^2*e^9*f^2*h^4 + 832*a \\
& ^3*b*c^7*d^4*e^7*f^2*h^4 - 768*a*b^6*c^4*d^3*e^8*f^2*h^4 + 192*a^2*b*c^8*d^ \\
& 6*e^5*f^2*h^4 - 192*a*b^2*c^8*d^7*e^4*f^2*h^4 + 176*a*b^5*c^5*d^4*e^7*f^2*h \\
& ^4 + 64*a*b^3*c^7*d^6*e^5*f^2*h^4 - 96*b^9*c^2*d^2*e^9*f^2*h^4 - 96*b^2*c^9 \\
& *d^9*e^2*f^2*h^4 + 64*b^8*c^3*d^3*e^8*f^2*h^4 + 64*b^3*c^8*d^8*e^3*f^2*h^4 \\
& - 16*b^7*c^4*d^4*e^7*f^2*h^4 - 16*b^4*c^7*d^7*e^4*f^2*h^4 + 2032*a^4*c^7*d^ \\
& 3*e^8*f^2*h^4 - 96*a^2*c^9*d^7*e^4*f^2*h^4 - 64*a^3*c^8*d^5*e^6*f^2*h^4 - 4 \\
& 480*a^4*b^3*c^4*e^{11}*f^2*h^4 + 3696*a^3*b^5*c^3*e^{11}*f^2*h^4 - 1376*a^2*b^7 \\
& *c^2*e^{11}*f^2*h^4 - 2048*a^5*c^6*d*e^{10}*f^2*h^4 - 64*a*c^{10}*d^9*e^2*f^2*h^4 \\
& + 1792*a^5*b*c^5*e^{11}*f^2*h^4 + 64*b^{10}*c*d*e^{10}*f^2*h^4 + 64*b*c^{10}*d^{10} \\
& *e*f^2*h^4 + 240*a*b^9*c*e^{11}*f^2*h^4 - 16*c^{11}*d^{11}*f^2*h^4 - 16*b^{11}*e^{11} \\
& f^2*h^4 - c^7*e^7, h, k)*(root(8388608*a^7*b*c^{11}*d^{18}*e*f^6*h^{12} - 5138022 \\
& 40*a^{10}*b^2*c^7*d^{11}*e^8*f^6*h^{12} - 381681664*a^{11}*b^2*c^6*d^9*e^{10}*f^6*h^{1 \\
& 2} - 381681664*a^9*b^2*c^8*d^{13}*e^6*f^6*h^{12} - 300941312*a^9*b^5*c^5*d^{10}*e^ \\
& 9*f^6*h^{12} - 300941312*a^8*b^5*c^6*d^{12}*e^7*f^6*h^{12} + 293601280*a^{10}*b^3*c \\
& ^6*d^{10}*e^9*f^6*h^{12} + 293601280*a^9*b^3*c^7*d^{12}*e^7*f^6*h^{12} - 168820736* \\
& a^{10}*b^5*c^4*d^8*e^{11}*f^6*h^{12} - 168820736*a^7*b^5*c^7*d^{14}*e^5*f^6*h^{12} + \\
& 166068224*a^8*b^6*c^5*d^{11}*e^8*f^6*h^{12} - 146800640*a^{12}*b^2*c^5*d^7*e^{12}*f \\
& ^6*h^{12} - 146800640*a^8*b^2*c^9*d^{15}*e^4*f^6*h^{12} + 124780544*a^{10}*b^4*c^5* \\
& d^9*e^{10}*f^6*h^{12} + 124780544*a^8*b^4*c^7*d^{13}*e^6*f^6*h^{12} + 119275520*a^9 \\
& *b^4*c^6*d^{11}*e^8*f^6*h^{12} + 117440512*a^{11}*b^3*c^5*d^8*e^{11}*f^6*h^{12} + 117 \\
& 440512*a^8*b^3*c^8*d^{14}*e^5*f^6*h^{12} + 102760448*a^9*b^6*c^4*d^9*e^{10}*f^6*h \\
& ^{12} + 102760448*a^7*b^6*c^6*d^{13}*e^6*f^6*h^{12} + 91750400*a^{11}*b^4*c^4*d^7*e \\
& ^{12}*f^6*h^{12} + 91750400*a^7*b^4*c^8*d^{15}*e^4*f^6*h^{12} - 71065600*a^7*b^8*c^ \\
& 4*d^{11}*e^8*f^6*h^{12} - 53444608*a^8*b^8*c^3*d^9*e^{10}*f^6*h^{12} - 53444608*a^6 \\
& *b^8*c^5*d^{13}*e^6*f^6*h^{12} + 40370176*a^9*b^7*c^3*d^8*e^{11}*f^6*h^{12} + 40370 \\
& 176*a^6*b^7*c^6*d^{14}*e^5*f^6*h^{12} - 36700160*a^{11}*b^5*c^3*d^6*e^{13}*f^6*h^{12} \\
& - 36700160*a^6*b^5*c^8*d^{16}*e^3*f^6*h^{12} + 34078720*a^8*b^7*c^4*d^{10}*e^9*f \\
& ^6*h^{12} + 34078720*a^7*b^7*c^5*d^{12}*e^7*f^6*h^{12} + 26214400*a^{12}*b^4*c^3*d^ \\
& 5*e^{14}*f^6*h^{12} + 26214400*a^6*b^4*c^9*d^{17}*e^2*f^6*h^{12} + 22118400*a^7*b^9 \\
& *c^3*d^{10}*e^9*f^6*h^{12} + 22118400*a^6*b^9*c^4*d^{12}*e^7*f^6*h^{12} - 20971520* \\
& a^{13}*b^2*c^4*d^5*e^{14}*f^6*h^{12} - 20971520*a^7*b^2*c^{10}*d^{17}*e^2*f^6*h^{12} + \\
& 18350080*a^{10}*b^7*c^2*d^6*e^{13}*f^6*h^{12} + 18350080*a^5*b^7*c^7*d^{16}*e^3*f^6 \\
& *h^{12} - 16629760*a^9*b^8*c^2*d^7*e^{12}*f^6*h^{12} - 16629760*a^5*b^8*c^6*d^{15} \\
& e^4*f^6*h^{12} - 10485760*a^{11}*b^6*c^2*d^5*e^{14}*f^6*h^{12} - 10485760*a^5*b^6*c \\
& ^8*d^{17}*e^2*f^6*h^{12} + 9175040*a^{10}*b^6*c^3*d^7*e^{12}*f^6*h^{12} + 9175040*a^6
\end{aligned}$$

$$\begin{aligned}
& b^6 c^7 d^{15} e^4 f^6 h^{12} - 8388608 a^{13} b^3 c^3 d^4 e^{15} f^6 h^{12} + 56197 \\
& 12 a^7 b^{10} c^2 d^9 e^{10} f^6 h^{12} + 5619712 a^5 b^{10} c^4 d^{13} e^6 f^6 h^{12} \\
& - 5570560 a^6 b^{11} c^2 d^{10} e^9 f^6 h^{12} - 5570560 a^5 b^{11} c^3 d^{12} e^7 f^6 \\
& h^{12} + 4358144 a^8 b^9 c^2 d^8 e^{11} f^6 h^{12} + 4358144 a^5 b^9 c^5 d^{14} e \\
& ^5 f^6 h^{12} + 4259840 a^6 b^{10} c^3 d^{11} e^8 f^6 h^{12} + 3899392 a^4 b^{10} c^5 \\
& d^{15} e^4 f^6 h^{12} - 3440640 a^4 b^9 c^6 d^{16} e^3 f^6 h^{12} + 3145728 a^{12} b \\
& ^5 c^2 d^4 e^{15} f^6 h^{12} - 2523136 a^4 b^{11} c^4 d^{14} e^5 f^6 h^{12} + 1802240 \\
& a^4 b^8 c^7 d^{17} e^2 f^6 h^{12} + 1556480 a^5 b^{12} c^2 d^{11} e^8 f^6 h^{12} + 1 \\
& 048576 a^{14} b^2 c^3 d^3 e^{16} f^6 h^{12} + 688128 a^4 b^{12} c^3 d^{13} e^6 f^6 h^{12} \\
& - 393216 a^{13} b^4 c^2 d^3 e^{16} f^6 h^{12} - 286720 a^3 b^{12} c^4 d^{15} e^4 f^6 \\
& h^{12} + 229376 a^3 b^{13} c^3 d^{14} e^5 f^6 h^{12} + 229376 a^3 b^{11} c^5 d^{16} e \\
& ^3 f^6 h^{12} + 163840 a^4 b^{13} c^2 d^{12} e^7 f^6 h^{12} - 114688 a^3 b^{14} c^2 d \\
& ^{13} e^6 f^6 h^{12} - 114688 a^3 b^{10} c^6 d^{17} e^2 f^6 h^{12} + 293601280 a^{11} b \\
& c^7 d^{10} e^9 f^6 h^{12} + 293601280 a^{10} b^2 c^8 d^{12} e^7 f^6 h^{12} + 17616076 \\
& 8 a^{12} b^2 c^6 d^8 e^{11} f^6 h^{12} + 176160768 a^9 b^2 c^9 d^{14} e^5 f^6 h^{12} + 58 \\
& 720256 a^{13} b^2 c^5 d^6 e^{13} f^6 h^{12} + 58720256 a^8 b^2 c^{10} d^{16} e^3 f^6 h^{12} \\
& + 8388608 a^{14} b^2 c^4 d^4 e^{15} f^6 h^{12} - 8388608 a^6 b^3 c^{10} d^{18} e^2 f^6 h \\
& ^{12} + 3899392 a^8 b^{10} c^4 d^7 e^{12} f^6 h^{12} - 3440640 a^9 b^9 c^6 d^6 e^{13} f^6 \\
& h^{12} + 3145728 a^5 b^5 c^9 d^{18} e^2 f^6 h^{12} - 2523136 a^7 b^{11} c^8 d^8 e^{11} f^6 \\
& h^{12} + 1802240 a^{10} b^8 c^5 d^5 e^{14} f^6 h^{12} + 688128 a^6 b^{12} c^4 d^9 e^{10} \\
& f^6 h^{12} - 524288 a^{11} b^7 c^4 d^4 e^{15} f^6 h^{12} - 524288 a^4 b^7 c^8 d^{18} e \\
& f^6 h^{12} + 163840 a^5 b^{13} c^3 d^{10} e^9 f^6 h^{12} - 163840 a^4 b^{14} c^3 d^{11} e^8 \\
& f^6 h^{12} + 65536 a^{12} b^6 c^3 d^3 e^{16} f^6 h^{12} + 32768 a^3 b^{15} c^3 d^{12} e^7 \\
& f^6 h^{12} + 32768 a^3 b^9 c^7 d^{18} e^2 f^6 h^{12} - 73400320 a^{11} c^8 d^{11} e^8 f^6 \\
& h^{12} - 58720256 a^{12} c^7 d^9 e^{10} f^6 h^{12} - 58720256 a^{10} c^9 d^{13} e^6 f^6 \\
& h^{12} - 29360128 a^{13} c^6 d^7 e^{12} f^6 h^{12} - 29360128 a^9 c^{10} d^{15} e^4 f^6 \\
& h^{12} - 8388608 a^{14} c^5 d^5 e^{14} f^6 h^{12} - 8388608 a^8 c^{11} d^{17} e^2 f^6 h^{12} \\
& - 1048576 a^{15} c^4 d^3 e^{16} f^6 h^{12} - 286720 a^7 b^{12} d^7 e^{12} f^6 h^{12} + \\
& 229376 a^8 b^{11} d^6 e^{13} f^6 h^{12} + 229376 a^6 b^{13} d^8 e^{11} f^6 h^{12} - 114688 a^9 \\
& b^{10} d^5 e^{14} f^6 h^{12} - 114688 a^5 b^{14} d^9 e^{10} f^6 h^{12} + 32768 a^{10} b^9 d^4 e^{15} \\
& f^6 h^{12} + 32768 a^4 b^{15} d^{10} e^9 f^6 h^{12} - 4096 a^{11} b^8 d^3 e^{16} f^6 h^{12} - \\
& 4096 a^3 b^{16} d^{11} e^8 f^6 h^{12} + 1048576 a^6 b^2 c^{11} d^{19} f^6 h^{12} - 393216 a^5 b^4 \\
& c^{10} d^{19} f^6 h^{12} + 65536 a^4 b^6 c^9 d^{19} f^6 h^{12} - 4096 a^3 b^8 c^8 d^{19} f^6 h^{12} - \\
& 1048576 a^7 c^{12} d^{19} f^6 h^{12} + 262144 a^{10} b^2 c^4 d^4 e^{14} f^4 h^8 - 23552 a^2 b^6 c^8 \\
& d^{14} e^2 f^4 h^8 - 16384 a^7 b^7 c^4 d^4 e^{14} f^4 h^8 - 3328 a^2 b^{13} c^4 d^7 e^8 f^4 h^8 + \\
& 2429952 a^4 b^5 c^6 d^9 e^6 f^4 h^8 - 1865728 a^6 b^3 c^6 d^7 e^8 f^4 h^8 - 1716224 a^4 \\
& b^4 c^7 d^{10} e^5 f^4 h^8 + 1605632 a^6 b^2 c^7 d^8 e^7 f^4 h^8 + 1584384 a^5 b^5 c^5 d^7 \\
& e^8 f^4 h^8 + 1572864 a^5 b^2 c^8 d^{10} e^5 f^4 h^8 - 1433600 a^5 b^3 c^7 d^9 e^6 f^4 h^8 - \\
& 1261568 a^4 b^6 c^5 d^8 e^7 f^4 h^8 - 1124352 a^3 b^4 c^8 d^{12} e^3 f^4 h^8 - 1110016 a^7 b^3 \\
& c^5 d^5 e^{10} f^4 h^8 + 1106176 a^3 b^5 c^7 d^{11} e^4 f^4 h^8 - 936960 a^5 b^6 c^4 d^6 e^9 f^4 \\
& h^8 - 838656 a^2 b^7 c^6 d^{11} e^4 f^4 h^8 - 795648 a^3 b^7 c^5 d^9 e^6 f^4 h^8 + \\
& 730880 a^3 b^8 c^4 d^8 e^7 f^4 h^8 + 714752 a^2 b^6 c^7 d^{12} e^3 f^4 h^8 + 686080 a^7 b^4 \\
& c^4 d^4 e^{11} f^4 h^8 + 641024 a^6 b^4 c^5 d^6 e^9 f^4 h^8
\end{aligned}$$

$$\begin{aligned}
& 4*h^8 - 595968*a^8*b^3*c^4*d^3*e^{12}*f^4*h^8 + 544768*a^3*b^3*c^9*d^{13}*e^{2*f^4*h^8} + 516096*a^2*b^8*c^5*d^{10}*e^{5*f^4*h^8} + 441856*a^6*b^5*c^4*d^5*e^{10*f^4*h^8} + 393216*a^7*b^2*c^6*d^6*e^9*f^4*h^8 + 376832*a^4*b^2*c^9*d^{12}*e^3*f^4*h^8 - 366592*a^6*b^6*c^3*d^4*e^{11}*f^4*h^8 + 363520*a^4*b^8*c^3*d^6*e^9*f^4*h^8 - 356352*a^5*b^4*c^6*d^8*e^7*f^4*h^8 - 348672*a^2*b^5*c^8*d^{13}*e^2*f^4*h^8 - 344064*a^8*b^2*c^5*d^4*e^{11}*f^4*h^8 + 294912*a^8*b^4*c^3*d^2*e^{13}*f^4*h^8 + 210944*a^4*b^3*c^8*d^{11}*e^4*f^4*h^8 - 198400*a^3*b^9*c^3*d^7*e^8*f^4*h^8 - 144640*a^4*b^7*c^4*d^7*e^8*f^4*h^8 - 131072*a^9*b^2*c^4*d^2*e^{13}*f^4*h^8 - 131072*a^7*b^6*c^2*d^2*e^{13}*f^4*h^8 - 129024*a^3*b^6*c^6*d^{10}*e^{5*f^4*h^8} - 104448*a^2*b^{10}*c^3*d^8*e^7*f^4*h^8 + 96768*a^5*b^8*c^2*d^4*e^11*f^4*h^8 + 91904*a^7*b^5*c^3*d^3*e^{12}*f^4*h^8 - 74240*a^4*b^9*c^2*d^5*e^{10}*f^4*h^8 - 71680*a^2*b^9*c^4*d^9*e^6*f^4*h^8 + 58368*a^2*b^{11}*c^2*d^7*e^8*f^4*h^8 + 36864*a^5*b^7*c^3*d^5*e^{10}*f^4*h^8 - 35328*a^3*b^{10}*c^2*d^6*e^9*f^4*h^8 + 27136*a^6*b^7*c^2*d^3*e^{12}*f^4*h^8 + 909312*a^8*b*c^6*d^5*e^{10}*f^4*h^8 + 815104*a^9*b*c^5*d^3*e^{12}*f^4*h^8 - 651264*a^5*b*c^9*d^{11}*e^4*f^4*h^8 - 573440*a^6*b*c^8*d^9*e^6*f^4*h^8 - 262144*a^9*b^3*c^3*d*e^{14}*f^4*h^8 + 217088*a^7*b*c^7*d^7*e^8*f^4*h^8 + 211456*a*b^9*c^5*d^{11}*e^4*f^4*h^8 - 204800*a^4*b*c^{10}*d^{13}*e^2*f^4*h^8 - 172032*a*b^8*c^6*d^{12}*e^3*f^4*h^8 - 157696*a*b^{10}*c^4*d^{10}*e^5*f^4*h^8 - 131072*a^3*b^2*c^{10}*d^{14}*e*f^4*h^8 + 98304*a^8*b^5*c^2*d*e^{14}*f^4*h^8 + 92160*a^2*b^4*c^9*d^{14}*e*f^4*h^8 + 84992*a*b^7*c^7*d^{13}*e^2*f^4*h^8 + 64512*a*b^{11}*c^3*d^9*e^6*f^4*h^8 + 23552*a^6*b^8*c*d^2*e^{13}*f^4*h^8 + 18944*a^3*b^{11}*c*d^5*e^{10}*f^4*h^8 - 13312*a^4*b^{10}*c*d^4*e^{11}*f^4*h^8 - 9472*a^5*b^9*c*d^3*e^{12}*f^4*h^8 - 8192*a*b^{12}*c^2*d^8*e^7*f^4*h^8 - 6144*a^2*b^{12}*c*d^6*e^9*f^4*h^8 - 17920*b^{11}*c^4*d^{11}*e^4*f^4*h^8 + 14336*b^{12}*c^3*d^{10}*e^5*f^4*h^8 + 14336*b^{10}*c^5*d^{12}*e^3*f^4*h^8 - 7168*b^{13}*c^2*d^9*e^6*f^4*h^8 - 7168*b^9*c^6*d^{13}*e^2*f^4*h^8 - 425984*a^9*c^6*d^4*e^{11}*f^4*h^8 - 360448*a^8*c^7*d^6*e^9*f^4*h^8 - 262144*a^{10}*c^5*d^2*e^{13}*f^4*h^8 - 131072*a^7*c^8*d^8*e^7*f^4*h^8 + 98304*a^5*c^{10}*d^{12}*e^3*f^4*h^8 + 65536*a^6*c^9*d^{10}*e^5*f^4*h^8 - 1536*a^5*b^{10}*d^2*e^{13}*f^4*h^8 - 1536*a^2*b^{13}*d^5*e^{10}*f^4*h^8 + 768*a^4*b^{11}*d^3*e^{12}*f^4*h^8 + 768*a^3*b^{12}*d^4*e^{11}*f^4*h^8 + 65536*a^{10}*b^2*c^3*e^{15}*f^4*h^8 - 24576*a^9*b^4*c^2*e^{15}*f^4*h^8 - 10240*a^2*b^3*c^{10}*d^{15}*f^4*h^8 + 2048*b^{14}*c*d^8*e^7*f^4*h^8 + 2048*b^8*c^7*d^{14}*e*f^4*h^8 + 32768*a^4*c^{11}*d^{14}*e*f^4*h^8 + 1024*a^6*b^9*d*e^{14}*f^4*h^8 + 1024*a*b^{14}*d^6*e^9*f^4*h^8 + 4096*a^8*b^6*c*e^{15}*f^4*h^8 + 12288*a^3*b*c^{11}*d^{15}*f^4*h^8 + 2816*a*b^5*c^9*d^{15}*f^4*h^8 - 256*b^{15}*d^7*e^8*f^4*h^8 - 65536*a^{11}*c^4*e^{15}*f^4*h^8 - 256*b^7*c^8*d^{15}*f^4*h^8 - 256*a^7*b^8*e^{15}*f^4*h^8 - 896*a*b^8*c^2*d*e^{10}*f^2*h^4 + 192*a*b*c^9*d^8*e^3*f^2*h^4 + 11520*a^3*b^3*c^5*d^2*e^9*f^2*h^4 - 5856*a^2*b^5*c^4*d^2*e^9*f^2*h^4 - 5120*a^3*b^2*c^6*d^3*e^8*f^2*h^4 + 3200*a^2*b^4*c^5*d^3*e^8*f^2*h^4 - 640*a^2*b^3*c^6*d^4*e^7*f^2*h^4 - 96*a^2*b^2*c^7*d^5*e^6*f^2*h^4 - 10880*a^3*b^4*c^4*d*e^{10}*f^2*h^4 + 10240*a^4*b^2*c^5*d*e^{10}*f^2*h^4 - 7680*a^4*b*c^6*d^2*e^9*f^2*h^4 + 4672*a^2*b^6*c^3*d*e^{10}*f^2*h^4 + 1248*a*b^7*c^3*d^2*e^9*f^2*h^4 + 832*a^3*b*c^7*d^4*e^7*f^2*h^4 - 768*a*b^6*c^4*d^3*e^8*f^2*h^4 + 192*a^2*b*c^8*d^6*e^5*f^2*h^4 - 192*a*b^2*c^8*d^7*e^4*f^2*h^4 + 176*a*b^5*c^5*d^4*e^7*f^2*h^4 + 64*a*b^3*c^7*d^6*e^5*f^2*h^4 - 96*b^9*c^2*d^2*e^9*f^2*h^4
\end{aligned}$$

$$\begin{aligned}
& 4 - 96b^2c^9d^9e^2f^2h^4 + 64b^8c^3d^3e^8f^2h^4 + 64b^3c^8d^8e^3f^2h^4 - 16b^7c^4d^4e^7f^2h^4 - 16b^4c^7d^7e^4f^2h^4 + 2 \\
& 032a^4c^7d^3e^8f^2h^4 - 96a^2c^9d^7e^4f^2h^4 - 64a^3c^8d^5e^6f^2h^4 - 4480a^4b^3c^4e^11f^2h^4 + 3696a^3b^5c^3e^11f^2h^4 \\
& - 1376a^2b^7c^2e^11f^2h^4 - 2048a^5c^6d^6e^10f^2h^4 - 64a^*c^10d^9e^2f^2h^4 + 1792a^5b^*c^5e^11f^2h^4 + 64b^10*c*d^10*f^2h^4 + 6 \\
& 4*b*c^10*d^10*e*f^2h^4 + 240*a*b^9*c*e^11f^2h^4 - 16*c^11*d^11*f^2h^4 - 16*b^11*e^11*f^2h^4 - c^7e^7, h, k)*(root(8388608*a^7*b*c^11*d^18*e*f^6* \\
& h^12 - 513802240*a^10*b^2*c^7*d^11*e^8*f^6*h^12 - 381681664*a^11*b^2*c^6*d^9*e^10*f^6*h^12 - 381681664*a^9*b^2*c^8*d^13*e^6*f^6*h^12 - 300941312*a^9*b^5*c^5*d^10*e^9*f^6*h^12 - 300941312*a^8*b^5*c^6*d^12*e^7*f^6*h^12 + 293601 \\
& 280*a^10*b^3*c^6*d^10*e^9*f^6*h^12 + 293601280*a^9*b^3*c^7*d^12*e^7*f^6*h^12 - 168820736*a^10*b^5*c^4*d^8*e^11*f^6*h^12 - 168820736*a^7*b^5*c^7*d^14*e^5*f^6*h^12 + 166068224*a^8*b^6*c^5*d^11*e^8*f^6*h^12 - 146800640*a^12*b^2*c^5*d^7*e^12*f^6*h^12 - 146800640*a^8*b^2*c^9*d^15*e^4*f^6*h^12 + 124780544 \\
& *a^10*b^4*c^5*d^9*e^10*f^6*h^12 + 124780544*a^8*b^4*c^7*d^13*e^6*f^6*h^12 + 119275520*a^9*b^4*c^6*d^11*e^8*f^6*h^12 + 117440512*a^11*b^3*c^5*d^8*e^11*f^6*h^12 + 117440512*a^8*b^3*c^8*d^14*e^5*f^6*h^12 + 102760448*a^9*b^6*c^4*d^9*e^10*f^6*h^12 + 102760448*a^7*b^6*c^6*d^13*e^6*f^6*h^12 + 91750400*a^11*b^4*c^4*d^7*e^12*f^6*h^12 + 91750400*a^7*b^4*c^8*d^15*e^4*f^6*h^12 - 71065 \\
& 600*a^7*b^8*c^4*d^11*e^8*f^6*h^12 - 53444608*a^8*b^8*c^3*d^9*e^10*f^6*h^12 - 53444608*a^6*b^8*c^5*d^13*e^6*f^6*h^12 + 40370176*a^9*b^7*c^3*d^8*e^11*f^6*h^12 + 40370176*a^6*b^7*c^6*d^14*e^5*f^6*h^12 - 36700160*a^11*b^5*c^3*d^6*e^13*f^6*h^12 - 36700160*a^6*b^5*c^8*d^16*e^3*f^6*h^12 + 34078720*a^8*b^7*c^4*d^10*e^9*f^6*h^12 + 34078720*a^7*b^7*c^5*d^12*e^7*f^6*h^12 + 26214400*a^12*b^4*c^3*d^5*e^14*f^6*h^12 + 26214400*a^6*b^4*c^9*d^17*e^2*f^6*h^12 + 22 \\
& 118400*a^7*b^9*c^3*d^10*e^9*f^6*h^12 + 22118400*a^6*b^9*c^4*d^12*e^7*f^6*h^12 - 20971520*a^13*b^2*c^4*d^5*e^14*f^6*h^12 - 20971520*a^7*b^2*c^10*d^17*e^2*f^6*h^12 + 18350080*a^10*b^7*c^2*d^6*e^13*f^6*h^12 + 18350080*a^5*b^7*c^7*d^16*e^3*f^6*h^12 - 16629760*a^9*b^8*c^2*d^7*e^12*f^6*h^12 - 16629760*a^5*b^8*c^6*d^15*e^4*f^6*h^12 - 10485760*a^11*b^6*c^2*d^5*e^14*f^6*h^12 - 1048 \\
& 5760*a^5*b^6*c^8*d^17*e^2*f^6*h^12 + 9175040*a^10*b^6*c^3*d^7*e^12*f^6*h^12 + 9175040*a^6*b^6*c^7*d^15*e^4*f^6*h^12 - 8388608*a^13*b^3*c^3*d^4*e^15*f^6*h^12 + 5619712*a^7*b^10*c^2*d^9*e^10*f^6*h^12 + 5619712*a^5*b^10*c^4*d^13*e^6*f^6*h^12 - 5570560*a^6*b^11*c^2*d^10*e^9*f^6*h^12 - 5570560*a^5*b^11*c^3*d^12*e^7*f^6*h^12 + 4358144*a^8*b^9*c^2*d^8*e^11*f^6*h^12 + 4358144*a^5*b^9*c^5*d^14*e^5*f^6*h^12 + 4259840*a^6*b^10*c^3*d^11*e^8*f^6*h^12 + 389939 \\
& 2*a^4*b^10*c^5*d^15*e^4*f^6*h^12 - 3440640*a^4*b^9*c^6*d^16*e^3*f^6*h^12 + 3145728*a^12*b^5*c^2*d^4*e^15*f^6*h^12 - 2523136*a^4*b^11*c^4*d^14*e^5*f^6*h^12 + 1802240*a^4*b^8*c^7*d^17*e^2*f^6*h^12 + 1556480*a^5*b^12*c^2*d^11*e^8*f^6*h^12 + 1048576*a^14*b^2*c^3*d^3*e^16*f^6*h^12 + 688128*a^4*b^12*c^3*d^13*e^6*f^6*h^12 - 393216*a^13*b^4*c^2*d^3*e^16*f^6*h^12 - 286720*a^3*b^12*c^4*d^15*e^4*f^6*h^12 + 229376*a^3*b^13*c^3*d^14*e^5*f^6*h^12 + 229376*a^3*b^11*c^5*d^16*e^3*f^6*h^12 + 163840*a^4*b^13*c^2*d^12*e^7*f^6*h^12 - 114688 \\
& *a^3*b^14*c^2*d^13*e^6*f^6*h^12 - 114688*a^3*b^10*c^6*d^17*e^2*f^6*h^12 + 2
\end{aligned}$$

$$\begin{aligned}
& 93601280*a^{11}*b*c^7*d^{10}*e^9*f^6*h^{12} + 293601280*a^{10}*b*c^8*d^{12}*e^7*f^6*h^{12} \\
& + 176160768*a^{12}*b*c^6*d^8*e^{11}*f^6*h^{12} + 176160768*a^9*b*c^9*d^{14}*e^5 \\
& *f^6*h^{12} + 58720256*a^{13}*b*c^5*d^6*e^{13}*f^6*h^{12} + 58720256*a^8*b*c^{10}*d^{11} \\
& *e^3*f^6*h^{12} + 8388608*a^{14}*b*c^4*d^4*e^{15}*f^6*h^{12} - 8388608*a^6*b^3*c^{10} \\
& *d^{18}*e*f^6*h^{12} + 3899392*a^8*b^{10}*c*d^7*e^{12}*f^6*h^{12} - 3440640*a^9*b^9*c \\
& *d^6*e^{13}*f^6*h^{12} + 3145728*a^5*b^5*c^9*d^{18}*e*f^6*h^{12} - 2523136*a^7*b^{11} \\
& *c*d^8*e^{11}*f^6*h^{12} + 1802240*a^{10}*b^8*c*d^5*e^{14}*f^6*h^{12} + 688128*a^6*b^{12} \\
& *c*d^9*e^{10}*f^6*h^{12} - 524288*a^{11}*b^7*c*d^4*e^{15}*f^6*h^{12} - 524288*a^4*b^7 \\
& *c^8*d^{18}*e*f^6*h^{12} + 163840*a^5*b^{13}*c*d^{10}*e^9*f^6*h^{12} - 163840*a^4*b^{14} \\
& *c*d^{11}*e^8*f^6*h^{12} + 65536*a^{12}*b^6*c*d^3*e^{16}*f^6*h^{12} + 32768*a^3*b^{15} \\
& *c*d^{12}*e^7*f^6*h^{12} + 32768*a^3*b^9*c^7*d^{18}*e*f^6*h^{12} - 73400320*a^{11} \\
& *c^8*d^{11}*e^8*f^6*h^{12} - 58720256*a^{12}*c^7*d^9*e^{10}*f^6*h^{12} - 58720256*a^{10} \\
& *c^9*d^{13}*e^6*f^6*h^{12} - 29360128*a^{13}*c^6*d^7*e^{12}*f^6*h^{12} - 29360128*a^9 \\
& *c^{10}*d^{15}*e^4*f^6*h^{12} - 8388608*a^{14}*c^5*d^5*e^{14}*f^6*h^{12} - 8388608*a^8 \\
& *c^{11}*d^{17}*e^2*f^6*h^{12} - 1048576*a^{15}*c^4*d^3*e^{16}*f^6*h^{12} - 286720*a^7*b^{12} \\
& *d^7*e^{12}*f^6*h^{12} + 229376*a^8*b^{11}*d^6*e^{13}*f^6*h^{12} + 229376*a^6*b^{13} \\
& *d^8*e^{11}*f^6*h^{12} - 114688*a^9*b^{10}*d^5*e^{14}*f^6*h^{12} - 114688*a^5*b^{14}*d^9 \\
& *e^{10}*f^6*h^{12} + 32768*a^{10}*b^9*d^4*e^{15}*f^6*h^{12} + 32768*a^4*b^{15}*d^{10}*e^9 \\
& *f^6*h^{12} - 4096*a^{11}*b^8*d^3*e^{16}*f^6*h^{12} - 4096*a^3*b^{16}*d^{11}*e^8*f^6*h^{12} \\
& + 1048576*a^6*b^2*c^{11}*d^{19}*f^6*h^{12} - 393216*a^5*b^4*c^{10}*d^{19}*f^6*h^{12} \\
& + 65536*a^4*b^6*c^9*d^{19}*f^6*h^{12} - 4096*a^3*b^8*c^8*d^{19}*f^6*h^{12} - 1048 \\
& 576*a^7*c^{12}*d^{19}*f^6*h^{12} + 262144*a^{10}*b*c^4*d*e^{14}*f^4*h^8 - 23552*a*b^6 \\
& *c^8*d^{14}*e*f^4*h^8 - 16384*a^7*b^7*c*d*e^{14}*f^4*h^8 - 3328*a*b^{13}*c*d^7*e^8 \\
& *f^4*h^8 + 2429952*a^4*b^5*c^6*d^9*e^6*f^4*h^8 - 1865728*a^6*b^3*c^6*d^7*e^8 \\
& *f^4*h^8 - 1716224*a^4*b^4*c^7*d^{10}*e^5*f^4*h^8 + 1605632*a^6*b^2*c^7*d^8 \\
& *e^7*f^4*h^8 + 1584384*a^5*b^5*c^5*d^7*e^8*f^4*h^8 + 1572864*a^5*b^2*c^8*d^{10} \\
& *e^5*f^4*h^8 - 1433600*a^5*b^3*c^7*d^9*e^6*f^4*h^8 - 1261568*a^4*b^6*c^5*d^8 \\
& *e^7*f^4*h^8 - 1124352*a^3*b^4*c^8*d^{12}*e^3*f^4*h^8 - 1110016*a^7*b^3*c^5 \\
& *d^5*e^{10}*f^4*h^8 + 1106176*a^3*b^5*c^7*d^{11}*e^4*f^4*h^8 - 936960*a^5*b^6*c^4 \\
& *d^6*e^9*f^4*h^8 - 838656*a^2*b^7*c^6*d^{11}*e^4*f^4*h^8 - 795648*a^3*b^7*c^5 \\
& *d^9*e^6*f^4*h^8 + 730880*a^3*b^8*c^4*d^8*e^7*f^4*h^8 + 714752*a^2*b^6*c^7 \\
& *d^{12}*e^3*f^4*h^8 + 686080*a^7*b^4*c^4*d^4*e^{11}*f^4*h^8 + 641024*a^6*b^4*c^5 \\
& *d^6*e^9*f^4*h^8 - 595968*a^8*b^3*c^4*d^3*e^{12}*f^4*h^8 + 544768*a^3*b^3*c^9 \\
& *d^{13}*e^2*f^4*h^8 + 516096*a^2*b^8*c^5*d^{10}*e^5*f^4*h^8 + 441856*a^6*b^5*c^4 \\
& *d^5*e^{10}*f^4*h^8 + 393216*a^7*b^2*c^6*d^6*e^9*f^4*h^8 + 376832*a^4*b^2*c^9 \\
& *d^{12}*e^3*f^4*h^8 - 366592*a^6*b^6*c^3*d^4*e^{11}*f^4*h^8 + 363520*a^4*b^8 \\
& *c^3*d^6*e^9*f^4*h^8 - 356352*a^5*b^4*c^6*d^8*e^7*f^4*h^8 - 348672*a^2*b^5*c^8 \\
& *d^{13}*e^2*f^4*h^8 - 344064*a^8*b^2*c^5*d^4*e^{11}*f^4*h^8 + 294912*a^8*b^4 \\
& *c^3*d^2*e^{13}*f^4*h^8 + 210944*a^4*b^3*c^8*d^{11}*e^4*f^4*h^8 - 198400*a^3*b^9 \\
& *c^3*d^7*e^8*f^4*h^8 - 144640*a^4*b^7*c^4*d^7*e^8*f^4*h^8 - 131072*a^9*b^2 \\
& *c^4*d^2*e^{13}*f^4*h^8 - 131072*a^7*b^6*c^2*d^2*e^{13}*f^4*h^8 - 129024*a^3*b^6 \\
& *c^6*d^{10}*e^5*f^4*h^8 - 104448*a^2*b^{10}*c^3*d^8*e^7*f^4*h^8 + 96768*a^5*b^8 \\
& *c^2*d^4*e^{11}*f^4*h^8 + 91904*a^7*b^5*c^3*d^3*e^{12}*f^4*h^8 - 74240*a^4*b^9 \\
& *c^2*d^5*e^{10}*f^4*h^8 - 71680*a^2*b^9*c^4*d^9*e^6*f^4*h^8 + 58368*a^2*b^{11} \\
& *c^2*d^7*e^8*f^4*h^8 + 36864*a^5*b^7*c^3*d^5*e^{10}*f^4*h^8 - 35328*a^3*b^{10}
\end{aligned}$$

$$\begin{aligned}
& c^2d^6e^9f^4h^8 + 27136a^6b^7c^2d^3e^{12}f^4h^8 + 909312a^8b^6c^6 \\
& d^5e^{10}f^4h^8 + 815104a^9b^6c^5d^3e^{12}f^4h^8 - 651264a^5b^6c^9d^ \\
& 11e^4f^4h^8 - 573440a^6b^6c^8d^9e^6f^4h^8 - 262144a^9b^3c^3d^e^ \\
& 14f^4h^8 + 217088a^7b^6c^7d^7e^8f^4h^8 + 211456a^8b^9c^5d^{11}e^4f^ \\
& ^4h^8 - 204800a^4b^6c^{10}d^{13}e^2f^4h^8 - 172032a^8b^8c^6d^{12}e^3f^4 \\
& h^8 - 157696a^8b^{10}c^4d^{10}e^5f^4h^8 - 131072a^3b^2c^{10}d^{14}e^4f^4 \\
& h^8 + 98304a^8b^5c^2d^e^{14}f^4h^8 + 92160a^2b^4c^9d^{14}e^4f^4h^8 + \\
& 84992a^8b^7c^7d^{13}e^2f^4h^8 + 64512a^8b^{11}c^3d^9e^6f^4h^8 + 2355 \\
& 2a^6b^8c^6d^2e^{13}f^4h^8 + 18944a^3b^{11}c^5d^5e^{10}f^4h^8 - 13312a^ \\
& 4b^{10}c^6d^4e^{11}f^4h^8 - 9472a^5b^9c^6d^3e^{12}f^4h^8 - 8192a^8b^{12}c^ \\
& ^2d^8e^7f^4h^8 - 6144a^2b^{12}c^6d^6e^9f^4h^8 - 17920b^{11}c^4d^{11} \\
& e^4f^4h^8 + 14336b^{12}c^3d^{10}e^5f^4h^8 + 14336b^{10}c^5d^{12}e^3f^4 \\
& h^8 - 7168b^{13}c^2d^9e^6f^4h^8 - 7168b^9c^6d^{13}e^2f^4h^8 - 4259 \\
& 84a^9c^6d^4e^{11}f^4h^8 - 360448a^8c^7d^6e^9f^4h^8 - 262144a^{10} \\
& c^5d^2e^{13}f^4h^8 - 131072a^7c^8d^8e^7f^4h^8 + 98304a^5c^{10}d^{12} \\
& e^3f^4h^8 + 65536a^6c^9d^{10}e^5f^4h^8 - 1536a^5b^{10}d^2e^{13}f^4 \\
& h^8 - 1536a^2b^{13}d^5e^{10}f^4h^8 + 768a^4b^{11}d^3e^{12}f^4h^8 + 768 \\
& a^3b^{12}d^4e^{11}f^4h^8 + 65536a^{10}b^2c^3e^{15}f^4h^8 - 24576a^9b^4 \\
& c^2e^{15}f^4h^8 - 10240a^2b^3c^{10}d^{15}f^4h^8 + 2048b^{14}c^6d^8e^7f^ \\
& ^4h^8 + 2048b^8c^7d^{14}e^4f^4h^8 + 32768a^4c^{11}d^{14}e^4f^4h^8 + 1024 \\
& a^6b^9d^4e^{14}f^4h^8 + 1024a^8b^{14}d^6e^9f^4h^8 + 4096a^8b^6c^6e^{15} \\
& f^4h^8 + 12288a^3b^6c^{11}d^{15}f^4h^8 + 2816a^8b^5c^9d^{15}f^4h^8 - 25 \\
& 6b^{15}d^7e^8f^4h^8 - 65536a^{11}c^4e^{15}f^4h^8 - 256b^7c^8d^{15}f^4 \\
& h^8 - 256a^7b^8e^{15}f^4h^8 - 896a^8b^8c^2d^e^{10}f^2h^4 + 192a^8b^6c^ \\
& 9d^8e^3f^2h^4 + 11520a^3b^3c^5d^2e^9f^2h^4 - 5856a^2b^5c^4d^ \\
& 2e^9f^2h^4 - 5120a^3b^2c^6d^3e^8f^2h^4 + 3200a^2b^4c^5d^3e^8 \\
& f^2h^4 - 640a^2b^3c^6d^4e^7f^2h^4 - 96a^2b^2c^7d^5e^6f^2h^4 \\
& - 10880a^3b^4c^4d^4e^{10}f^2h^4 + 10240a^4b^2c^5d^4e^{10}f^2h^4 - 76 \\
& 80a^4b^6c^6d^2e^9f^2h^4 + 4672a^2b^6c^3d^4e^{10}f^2h^4 + 1248a^8b^7 \\
& c^3d^2e^9f^2h^4 + 832a^3b^6c^7d^4e^7f^2h^4 - 768a^8b^6c^4d^3e^ \\
& 8f^2h^4 + 192a^2b^6c^8d^6e^5f^2h^4 - 192a^8b^2c^8d^7e^4f^2h^4 + \\
& 176a^8b^5c^5d^4e^7f^2h^4 + 64a^8b^3c^7d^6e^5f^2h^4 - 96b^9c^2d^ \\
& ^2e^9f^2h^4 - 96b^2c^9d^9e^2f^2h^4 + 64b^8c^3d^3e^8f^2h^4 + \\
& 64b^3c^8d^8e^3f^2h^4 - 16b^7c^4d^4e^7f^2h^4 - 16b^4c^7d^7e^ \\
& ^4f^2h^4 + 2032a^4c^7d^3e^8f^2h^4 - 96a^2c^9d^7e^4f^2h^4 - 64 \\
& a^3c^8d^5e^6f^2h^4 - 4480a^4b^3c^4e^{11}f^2h^4 + 3696a^3b^5c^3 \\
& e^{11}f^2h^4 - 1376a^2b^7c^2e^{11}f^2h^4 - 2048a^5c^6d^e^{10}f^2h^4 \\
& - 64a^c^{10}d^9e^2f^2h^4 + 1792a^5b^6c^5e^{11}f^2h^4 + 64b^{10}c^6d^e^ \\
& ^{10}f^2h^4 + 64b^6c^{10}d^{10}e^4f^2h^4 + 240a^8b^9c^6e^{11}f^2h^4 - 16c^{11} \\
& d^{11}f^2h^4 - 16b^{11}e^{11}f^2h^4 - c^7e^7, h, k)^3(\text{root}(8388608a^7b^6 \\
& c^{11}d^{18}e^6f^6h^{12} - 513802240a^{10}b^2c^7d^{11}e^8f^6h^{12} - 381681664 \\
& a^{11}b^2c^6d^9e^{10}f^6h^{12} - 381681664a^9b^2c^8d^{13}e^6f^6h^{12} - \\
& 300941312a^9b^5c^5d^{10}e^9f^6h^{12} - 300941312a^8b^5c^6d^{12}e^7f^ \\
& ^6h^{12} + 293601280a^{10}b^3c^6d^{10}e^9f^6h^{12} + 293601280a^9b^3c^7 \\
& d^{12}e^7f^6h^{12} - 168820736a^{10}b^5c^4d^8e^{11}f^6h^{12} - 168820736a^
\end{aligned}$$

$$\begin{aligned}
& 7*b^5*c^7*d^14*e^5*f^6*h^12 + 166068224*a^8*b^6*c^5*d^11*e^8*f^6*h^12 - 146800640*a^12*b^2*c^5*d^7*e^12*f^6*h^12 - 146800640*a^8*b^2*c^9*d^15*e^4*f^6* \\
& h^12 + 124780544*a^10*b^4*c^5*d^9*e^10*f^6*h^12 + 124780544*a^8*b^4*c^7*d^13*e^6*f^6*h^12 + 119275520*a^9*b^4*c^6*d^11*e^8*f^6*h^12 + 117440512*a^11*b \\
& ^3*c^5*d^8*e^11*f^6*h^12 + 117440512*a^8*b^3*c^8*d^14*e^5*f^6*h^12 + 102760448*a^9*b^6*c^4*d^9*e^10*f^6*h^12 + 102760448*a^7*b^6*c^6*d^13*e^6*f^6*h^12 \\
& + 91750400*a^11*b^4*c^4*d^7*e^12*f^6*h^12 + 91750400*a^7*b^4*c^8*d^15*e^4*f^6*h^12 - 71065600*a^7*b^8*c^4*d^11*e^8*f^6*h^12 - 53444608*a^8*b^8*c^3*d^9 \\
& *e^10*f^6*h^12 - 53444608*a^6*b^8*c^5*d^13*e^6*f^6*h^12 + 40370176*a^9*b^7*c^3*d^8*e^11*f^6*h^12 + 40370176*a^6*b^7*c^6*d^14*e^5*f^6*h^12 - 36700160* \\
& a^11*b^5*c^3*d^6*e^13*f^6*h^12 - 36700160*a^6*b^5*c^8*d^16*e^3*f^6*h^12 + 34078720*a^8*b^7*c^4*d^10*e^9*f^6*h^12 + 34078720*a^7*b^7*c^5*d^12*e^7*f^6*h^12 \\
& + 26214400*a^12*b^4*c^3*d^5*e^14*f^6*h^12 + 26214400*a^6*b^4*c^9*d^17*e^2*f^6*h^12 + 22118400*a^7*b^9*c^3*d^10*e^9*f^6*h^12 + 22118400*a^6*b^9*c^4 \\
& *d^12*e^7*f^6*h^12 - 20971520*a^13*b^2*c^4*d^5*e^14*f^6*h^12 - 20971520*a^7*b^2*c^10*d^17*e^2*f^6*h^12 + 18350080*a^10*b^7*c^2*d^6*e^13*f^6*h^12 + 183 \\
& 50080*a^5*b^7*c^7*d^16*e^3*f^6*h^12 - 16629760*a^9*b^8*c^2*d^7*e^12*f^6*h^12 - 16629760*a^5*b^8*c^6*d^15*e^4*f^6*h^12 - 10485760*a^11*b^6*c^2*d^5*e^14 \\
& *f^6*h^12 - 10485760*a^5*b^6*c^8*d^17*e^2*f^6*h^12 + 9175040*a^10*b^6*c^3*d^7*e^12*f^6*h^12 + 9175040*a^6*b^6*c^7*d^15*e^4*f^6*h^12 - 8388608*a^13*b^3 \\
& *c^3*d^4*e^15*f^6*h^12 + 5619712*a^7*b^10*c^2*d^9*e^10*f^6*h^12 + 5619712*a^5*b^10*c^4*d^13*e^6*f^6*h^12 - 5570560*a^6*b^11*c^2*d^10*e^9*f^6*h^12 - 55 \\
& 70560*a^5*b^11*c^3*d^12*e^7*f^6*h^12 + 4358144*a^8*b^9*c^2*d^8*e^11*f^6*h^12 + 4358144*a^5*b^9*c^5*d^14*e^5*f^6*h^12 + 4259840*a^6*b^10*c^3*d^11*e^8*f^6 \\
& *h^12 + 3899392*a^4*b^10*c^5*d^15*e^4*f^6*h^12 - 3440640*a^4*b^9*c^6*d^16 \\
& *e^3*f^6*h^12 + 3145728*a^12*b^5*c^2*d^4*e^15*f^6*h^12 - 2523136*a^4*b^11*c^4*d^14*e^5*f^6*h^12 + 1802240*a^4*b^8*c^7*d^17*e^2*f^6*h^12 + 1556480*a^5*b^12*c^2*d^11 \\
& *e^8*f^6*h^12 + 1048576*a^14*b^2*c^3*d^3*e^16*f^6*h^12 + 688128*a^4*b^12*c^3*d^13*e^6*f^6*h^12 - 393216*a^13*b^4*c^2*d^3*e^16*f^6*h^12 - 286720*a^3*b^12*c^4*d^15 \\
& *e^4*f^6*h^12 + 229376*a^3*b^13*c^3*d^14*e^5*f^6*h^12 + 229376*a^3*b^11*c^5*d^16*e^3*f^6*h^12 + 163840*a^4*b^13*c^2*d^12*e^7*f^6*h^12 - 114688*a^3*b^14*c^2*d^13 \\
& *e^6*f^6*h^12 - 114688*a^3*b^10*c^6*d^17*e^2*f^6*h^12 + 293601280*a^11*b*c^7*d^10*e^9*f^6*h^12 + 293601280*a^10*b*c^8*d^12*e^7*f^6*h^12 + 176160768*a^12*b*c^6 \\
& *d^8*e^11*f^6*h^12 + 176160768*a^9*b*c^9*d^14*e^5*f^6*h^12 + 58720256*a^13*b*c^5*d^6*e^13*f^6*h^12 + 58720256*a^8*b*c^10*d^16*e^3*f^6*h^12 + 8388608*a^14*b*c^4*d^4 \\
& *e^15*f^6*h^12 - 8388608*a^6*b^3*c^10*d^18*e*f^6*h^12 + 3899392*a^8*b^10*c*d^7*e^12*f^6*h^12 - 3440640*a^9*b^9*c*d^6*e^13*f^6*h^12 + 3145728*a^5*b^5*c^9*d^18 \\
& *e*f^6*h^12 - 2523136*a^7*b^11*c*d^8*e^11*f^6*h^12 + 1802240*a^10*b^8*c*d^5*e^14*f^6*h^12 + 688128*a^6*b^12*c*d^9*e^10*f^6*h^12 - 524288*a^11*b^7*c*d^4*e^15*f^6*h^12 \\
& - 524288*a^4*b^7*c^8*d^18*e*f^6*h^12 + 163840*a^5*b^13*c*d^10*e^9*f^6*h^12 - 163840*a^4*b^14*c*d^11*e^8*f^6*h^12 + 65536*a^12*b^6*c*d^3*e^16*f^6*h^12 \\
& + 32768*a^3*b^15*c*d^12*e^7*f^6*h^12 + 32768*a^3*b^9*c^7*d^18*e*f^6*h^12 - 73400320*a^11*c^8*d^11*e^8*f^6*h^12 - 58720256*a^12*c^7*d^9*e^10*f^6*h^12 \\
& - 58720256*a^10*c^9*d^13*e^6*f^6*h^12 - 29360128*a^13*c^6*d^7*e^12*f^6*h^12
\end{aligned}$$

$$\begin{aligned}
& 12 - 29360128*a^9*c^10*d^15*e^4*f^6*h^12 - 8388608*a^14*c^5*d^5*e^14*f^6*h^12 \\
& 12 - 8388608*a^8*c^11*d^17*e^2*f^6*h^12 - 1048576*a^15*c^4*d^3*e^16*f^6*h^12 \\
& 2 - 286720*a^7*b^12*d^7*e^12*f^6*h^12 + 229376*a^8*b^11*d^6*e^13*f^6*h^12 + \\
& 229376*a^6*b^13*d^8*e^11*f^6*h^12 - 114688*a^9*b^10*d^5*e^14*f^6*h^12 - 11 \\
& 4688*a^5*b^14*d^9*e^10*f^6*h^12 + 32768*a^10*b^9*d^4*e^15*f^6*h^12 + 32768* \\
& a^4*b^15*d^10*e^9*f^6*h^12 - 4096*a^11*b^8*d^3*e^16*f^6*h^12 - 4096*a^3*b^1 \\
& 6*d^11*e^8*f^6*h^12 + 1048576*a^6*b^2*c^11*d^19*f^6*h^12 - 393216*a^5*b^4*c \\
& ^10*d^19*f^6*h^12 + 65536*a^4*b^6*c^9*d^19*f^6*h^12 - 4096*a^3*b^8*c^8*d^19 \\
& *f^6*h^12 - 1048576*a^7*c^12*d^19*f^6*h^12 + 262144*a^10*b*c^4*d*e^14*f^4*h \\
& ^8 - 23552*a*b^6*c^8*d^14*e*f^4*h^8 - 16384*a^7*b^7*c*d*e^14*f^4*h^8 - 3328 \\
& *a*b^13*c*d^7*e^8*f^4*h^8 + 2429952*a^4*b^5*c^6*d^9*e^6*f^4*h^8 - 1865728*a \\
& ^6*b^3*c^6*d^7*e^8*f^4*h^8 - 1716224*a^4*b^4*c^7*d^10*e^5*f^4*h^8 + 1605632 \\
& *a^6*b^2*c^7*d^8*e^7*f^4*h^8 + 1584384*a^5*b^5*c^5*d^7*e^8*f^4*h^8 + 157286 \\
& 4*a^5*b^2*c^8*d^10*e^5*f^4*h^8 - 1433600*a^5*b^3*c^7*d^9*e^6*f^4*h^8 - 1261 \\
& 568*a^4*b^6*c^5*d^8*e^7*f^4*h^8 - 1124352*a^3*b^4*c^8*d^12*e^3*f^4*h^8 - 11 \\
& 10016*a^7*b^3*c^5*d^5*e^10*f^4*h^8 + 1106176*a^3*b^5*c^7*d^11*e^4*f^4*h^8 - \\
& 936960*a^5*b^6*c^4*d^6*e^9*f^4*h^8 - 838656*a^2*b^7*c^6*d^11*e^4*f^4*h^8 - \\
& 795648*a^3*b^7*c^5*d^9*e^6*f^4*h^8 + 730880*a^3*b^8*c^4*d^8*e^7*f^4*h^8 + \\
& 714752*a^2*b^6*c^7*d^12*e^3*f^4*h^8 + 686080*a^7*b^4*c^4*d^4*e^11*f^4*h^8 + \\
& 641024*a^6*b^4*c^5*d^6*e^9*f^4*h^8 - 595968*a^8*b^3*c^4*d^3*e^12*f^4*h^8 + \\
& 544768*a^3*b^3*c^9*d^13*e^2*f^4*h^8 + 516096*a^2*b^8*c^5*d^10*e^5*f^4*h^8 \\
& + 441856*a^6*b^5*c^4*d^5*e^10*f^4*h^8 + 393216*a^7*b^2*c^6*d^6*e^9*f^4*h^8 \\
& + 376832*a^4*b^2*c^9*d^12*e^3*f^4*h^8 - 366592*a^6*b^6*c^3*d^4*e^11*f^4*h^8 \\
& + 363520*a^4*b^8*c^3*d^6*e^9*f^4*h^8 - 356352*a^5*b^4*c^6*d^8*e^7*f^4*h^8 \\
& - 348672*a^2*b^5*c^8*d^13*e^2*f^4*h^8 - 344064*a^8*b^2*c^5*d^4*e^11*f^4*h^8 \\
& + 294912*a^8*b^4*c^3*d^2*e^13*f^4*h^8 + 210944*a^4*b^3*c^8*d^11*e^4*f^4*h^ \\
& 8 - 198400*a^3*b^9*c^3*d^7*e^8*f^4*h^8 - 144640*a^4*b^7*c^4*d^7*e^8*f^4*h^8 \\
& - 131072*a^9*b^2*c^4*d^2*e^13*f^4*h^8 - 131072*a^7*b^6*c^2*d^2*e^13*f^4*h^ \\
& 8 - 129024*a^3*b^6*c^6*d^10*e^5*f^4*h^8 - 104448*a^2*b^10*c^3*d^8*e^7*f^4*h \\
& ^8 + 96768*a^5*b^8*c^2*d^4*e^11*f^4*h^8 + 91904*a^7*b^5*c^3*d^3*e^12*f^4*h^ \\
& 8 - 74240*a^4*b^9*c^2*d^5*e^10*f^4*h^8 - 71680*a^2*b^9*c^4*d^9*e^6*f^4*h^8 \\
& + 58368*a^2*b^11*c^2*d^7*e^8*f^4*h^8 + 36864*a^5*b^7*c^3*d^5*e^10*f^4*h^8 - \\
& 35328*a^3*b^10*c^2*d^6*e^9*f^4*h^8 + 27136*a^6*b^7*c^2*d^3*e^12*f^4*h^8 + \\
& 909312*a^8*b*c^6*d^5*e^10*f^4*h^8 + 815104*a^9*b*c^5*d^3*e^12*f^4*h^8 - 651 \\
& 264*a^5*b*c^9*d^11*e^4*f^4*h^8 - 573440*a^6*b*c^8*d^9*e^6*f^4*h^8 - 262144* \\
& a^9*b^3*c^3*d*e^14*f^4*h^8 + 217088*a^7*b*c^7*d^7*e^8*f^4*h^8 + 211456*a*b^ \\
& 9*c^5*d^11*e^4*f^4*h^8 - 204800*a^4*b*c^10*d^13*e^2*f^4*h^8 - 172032*a*b^8* \\
& c^6*d^12*e^3*f^4*h^8 - 157696*a*b^10*c^4*d^10*e^5*f^4*h^8 - 131072*a^3*b^2* \\
& c^10*d^14*e*f^4*h^8 + 98304*a^8*b^5*c^2*d*e^14*f^4*h^8 + 92160*a^2*b^4*c^9* \\
& d^14*e*f^4*h^8 + 84992*a*b^7*c^7*d^13*e^2*f^4*h^8 + 64512*a*b^11*c^3*d^9*e^ \\
& 6*f^4*h^8 + 23552*a^6*b^8*c*d^2*e^13*f^4*h^8 + 18944*a^3*b^11*c*d^5*e^10*f^ \\
& 4*h^8 - 13312*a^4*b^10*c*d^4*e^11*f^4*h^8 - 9472*a^5*b^9*c*d^3*e^12*f^4*h^8 \\
& - 8192*a*b^12*c^2*d^8*e^7*f^4*h^8 - 6144*a^2*b^12*c*d^6*e^9*f^4*h^8 - 1792 \\
& 0*b^11*c^4*d^11*e^4*f^4*h^8 + 14336*b^12*c^3*d^10*e^5*f^4*h^8 + 14336*b^10* \\
& c^5*d^12*e^3*f^4*h^8 - 7168*b^13*c^2*d^9*e^6*f^4*h^8 - 7168*b^9*c^6*d^13*e^
\end{aligned}$$

$$\begin{aligned}
& 2*f^4*h^8 - 425984*a^9*c^6*d^4*e^{11}*f^4*h^8 - 360448*a^8*c^7*d^6*e^9*f^4*h^8 \\
& - 262144*a^{10}*c^5*d^2*e^{13}*f^4*h^8 - 131072*a^7*c^8*d^8*e^7*f^4*h^8 + 983 \\
& 04*a^5*c^{10}*d^{12}*e^3*f^4*h^8 + 65536*a^6*c^9*d^{10}*e^5*f^4*h^8 - 1536*a^5*b^ \\
& 10*d^2*e^{13}*f^4*h^8 - 1536*a^2*b^{13}*d^5*e^{10}*f^4*h^8 + 768*a^4*b^{11}*d^3*e^1 \\
& 2*f^4*h^8 + 768*a^3*b^{12}*d^4*e^{11}*f^4*h^8 + 65536*a^{10}*b^2*c^3*e^{15}*f^4*h^8 \\
& - 24576*a^9*b^4*c^2*e^{15}*f^4*h^8 - 10240*a^2*b^3*c^{10}*d^{15}*f^4*h^8 + 2048* \\
& b^{14}*c*d^8*e^7*f^4*h^8 + 2048*b^8*c^7*d^{14}*e*f^4*h^8 + 32768*a^4*c^{11}*d^{14}* \\
& e*f^4*h^8 + 1024*a^6*b^9*d*e^{14}*f^4*h^8 + 1024*a*b^{14}*d^6*e^9*f^4*h^8 + 409 \\
& 6*a^8*b^6*c*e^{15}*f^4*h^8 + 12288*a^3*b*c^{11}*d^{15}*f^4*h^8 + 2816*a*b^5*c^9*d \\
& ^{15}*f^4*h^8 - 256*b^{15}*d^7*e^8*f^4*h^8 - 65536*a^{11}*c^4*e^{15}*f^4*h^8 - 256* \\
& b^7*c^8*d^{15}*f^4*h^8 - 256*a^7*b^8*e^{15}*f^4*h^8 - 896*a*b^8*c^2*d*e^{10}*f^2* \\
& h^4 + 192*a*b*c^9*d^8*e^3*f^2*h^4 + 11520*a^3*b^3*c^5*d^2*e^9*f^2*h^4 - 585 \\
& 6*a^2*b^5*c^4*d^2*e^9*f^2*h^4 - 5120*a^3*b^2*c^6*d^3*e^8*f^2*h^4 + 3200*a^2 \\
& *b^4*c^5*d^3*e^8*f^2*h^4 - 640*a^2*b^3*c^6*d^4*e^7*f^2*h^4 - 96*a^2*b^2*c^7 \\
& *d^5*e^6*f^2*h^4 - 10880*a^3*b^4*c^4*d*e^{10}*f^2*h^4 + 10240*a^4*b^2*c^5*d*e \\
& ^{10}*f^2*h^4 - 7680*a^4*b*c^6*d^2*e^9*f^2*h^4 + 4672*a^2*b^6*c^3*d*e^{10}*f^2* \\
& h^4 + 1248*a*b^7*c^3*d^2*e^9*f^2*h^4 + 832*a^3*b*c^7*d^4*e^7*f^2*h^4 - 768* \\
& a*b^6*c^4*d^3*e^8*f^2*h^4 + 192*a^2*b*c^8*d^6*e^5*f^2*h^4 - 192*a*b^2*c^8*d \\
& ^7*e^4*f^2*h^4 + 176*a*b^5*c^5*d^4*e^7*f^2*h^4 + 64*a*b^3*c^7*d^6*e^5*f^2*h \\
& ^4 - 96*b^9*c^2*d^2*e^9*f^2*h^4 - 96*b^2*c^9*d^9*e^2*f^2*h^4 + 64*b^8*c^3*d \\
& ^3*e^8*f^2*h^4 + 64*b^3*c^8*d^8*e^3*f^2*h^4 - 16*b^7*c^4*d^4*e^7*f^2*h^4 - \\
& 16*b^4*c^7*d^7*e^4*f^2*h^4 + 2032*a^4*c^7*d^3*e^8*f^2*h^4 - 96*a^2*c^9*d^7* \\
& e^4*f^2*h^4 - 64*a^3*c^8*d^5*e^6*f^2*h^4 - 4480*a^4*b^3*c^4*e^{11}*f^2*h^4 + \\
& 3696*a^3*b^5*c^3*e^{11}*f^2*h^4 - 1376*a^2*b^7*c^2*e^{11}*f^2*h^4 - 2048*a^5*c^ \\
& 6*d*e^{10}*f^2*h^4 - 64*a*c^{10}*d^9*e^2*f^2*h^4 + 1792*a^5*b*c^5*e^{11}*f^2*h^4 \\
& + 64*b^{10}*c*d*e^{10}*f^2*h^4 + 64*b*c^{10}*d^{10}*e*f^2*h^4 + 240*a*b^9*c*e^{11}*f^ \\
& 2*h^4 - 16*c^{11}*d^{11}*f^2*h^4 - 16*b^{11}*e^{11}*f^2*h^4 - c^7*e^7, h, k)*(root(\\
& 8388608*a^7*b*c^{11}*d^{18}*e*f^6*h^{12} - 513802240*a^{10}*b^2*c^7*d^{11}*e^8*f^6*h^ \\
& 12 - 381681664*a^{11}*b^2*c^6*d^9*e^{10}*f^6*h^{12} - 381681664*a^9*b^2*c^8*d^{13}* \\
& e^6*f^6*h^{12} - 300941312*a^9*b^5*c^5*d^{10}*e^9*f^6*h^{12} - 300941312*a^8*b^5* \\
& c^6*d^{12}*e^7*f^6*h^{12} + 293601280*a^{10}*b^3*c^6*d^{10}*e^9*f^6*h^{12} + 29360128 \\
& 0*a^9*b^3*c^7*d^{12}*e^7*f^6*h^{12} - 168820736*a^{10}*b^5*c^4*d^8*e^{11}*f^6*h^{12} \\
& - 168820736*a^7*b^5*c^7*d^{14}*e^5*f^6*h^{12} + 166068224*a^8*b^6*c^5*d^{11}*e^8* \\
& f^6*h^{12} - 146800640*a^{12}*b^2*c^5*d^7*e^{12}*f^6*h^{12} - 146800640*a^8*b^2*c^9 \\
& *d^{15}*e^4*f^6*h^{12} + 124780544*a^{10}*b^4*c^5*d^9*e^{10}*f^6*h^{12} + 124780544*a \\
& ^8*b^4*c^7*d^{13}*e^6*f^6*h^{12} + 119275520*a^9*b^4*c^6*d^{11}*e^8*f^6*h^{12} + 11 \\
& 7440512*a^{11}*b^3*c^5*d^8*e^{11}*f^6*h^{12} + 117440512*a^8*b^3*c^8*d^{14}*e^5*f^6 \\
& *h^{12} + 102760448*a^9*b^6*c^4*d^9*e^{10}*f^6*h^{12} + 102760448*a^7*b^6*c^6*d^1 \\
& 3*e^6*f^6*h^{12} + 91750400*a^{11}*b^4*c^4*d^7*e^{12}*f^6*h^{12} + 91750400*a^7*b^4 \\
& *c^8*d^{15}*e^4*f^6*h^{12} - 71065600*a^7*b^8*c^4*d^{11}*e^8*f^6*h^{12} - 53444608* \\
& a^8*b^8*c^3*d^9*e^{10}*f^6*h^{12} - 53444608*a^6*b^8*c^5*d^{13}*e^6*f^6*h^{12} + 40 \\
& 370176*a^9*b^7*c^3*d^8*e^{11}*f^6*h^{12} + 40370176*a^6*b^7*c^6*d^{14}*e^5*f^6*h^ \\
& 12 - 36700160*a^{11}*b^5*c^3*d^6*e^{13}*f^6*h^{12} - 36700160*a^6*b^5*c^8*d^{16}*e^ \\
& 3*f^6*h^{12} + 34078720*a^8*b^7*c^4*d^{10}*e^9*f^6*h^{12} + 34078720*a^7*b^7*c^5* \\
& d^{12}*e^7*f^6*h^{12} + 26214400*a^{12}*b^4*c^3*d^5*e^{14}*f^6*h^{12} + 26214400*a^6*
\end{aligned}$$

$$\begin{aligned}
& b^4c^9d^{17}e^{2f^6h^{12}} + 22118400a^7b^9c^3d^{10}e^9f^6h^{12} + 22118400a^6b^9c^4d^{12}e^7f^6h^{12} - 20971520a^{13}b^2c^4d^5e^{14}f^6h^{12} \\
& - 20971520a^7b^2c^{10}d^{17}e^{2f^6h^{12}} + 18350080a^{10}b^7c^2d^6e^{13}f^6h^{12} + 18350080a^5b^7c^7d^{16}e^3f^6h^{12} - 16629760a^9b^8c^2d^7e^{12}f^6h^{12} \\
& - 16629760a^5b^8c^6d^{15}e^4f^6h^{12} - 10485760a^{11}b^6c^2d^5e^{14}f^6h^{12} - 10485760a^5b^6c^8d^{17}e^{2f^6h^{12}} + 9175040a^{10}b^6c^3d^7e^{12}f^6h^{12} \\
& + 9175040a^6b^6c^7d^{15}e^4f^6h^{12} - 8388608a^{13}b^3c^3d^4e^{15}f^6h^{12} + 5619712a^7b^{10}c^2d^9e^{10}f^6h^{12} + 5619712a^5b^{10}c^4d^{13}e^6f^6h^{12} \\
& - 5570560a^6b^{11}c^2d^{10}e^9f^6h^{12} - 5570560a^5b^{11}c^3d^{12}e^7f^6h^{12} + 4358144a^8b^9c^2d^8e^{11}f^6h^{12} + 4358144a^5b^9c^5d^{14}e^5f^6h^{12} \\
& + 4259840a^6b^{10}c^3d^{11}e^8f^6h^{12} + 3899392a^4b^{10}c^5d^{15}e^4f^6h^{12} - 3440640a^4b^9c^6d^{16}e^3f^6h^{12} + 3145728a^{12}b^5c^2d^4e^{15}f^6h^{12} \\
& - 2523136a^4b^{11}c^4d^{14}e^5f^6h^{12} + 1802240a^4b^8c^7d^{17}e^{2f^6h^{12}} + 1556480a^5b^{12}c^2d^{11}e^8f^6h^{12} + 1048576a^{14}b^2c^3d^3e^{16}f^6h^{12} \\
& + 688128a^4b^{12}c^3d^{13}e^6f^6h^{12} - 393216a^{13}b^4c^2d^3e^{16}f^6h^{12} - 286720a^3b^{12}c^4d^{15}e^4f^6h^{12} + 229376a^3b^{13}c^3d^{14}e^5f^6h^{12} \\
& + 229376a^3b^{11}c^5d^{16}e^3f^6h^{12} + 163840a^4b^{13}c^2d^{12}e^7f^6h^{12} - 114688a^3b^{14}c^2d^{13}e^6f^6h^{12} - 114688a^3b^{10}c^6d^{17}e^{2f^6h^{12}} \\
& + 293601280a^{11}b^6c^7d^{10}e^9f^6h^{12} + 293601280a^{10}b^6c^8d^{12}e^7f^6h^{12} + 176160768a^{12}b^6c^6d^8e^{11}f^6h^{12} + 176160768a^9b^6c^9d^{14}e^5f^6h^{12} \\
& + 58720256a^{13}b^6c^5d^6e^{13}f^6h^{12} + 58720256a^8b^6c^{10}d^{16}e^3f^6h^{12} + 8388608a^{14}b^6c^4d^4e^{15}f^6h^{12} - 8388608a^6b^3c^{10}d^{18}e^6f^6h^{12} \\
& + 3899392a^8b^{10}c^d^7e^{12}f^6h^{12} - 3440640a^9b^9c^d^6e^{13}f^6h^{12} + 3145728a^5b^5c^9d^18e^6f^6h^{12} - 2523136a^7b^{11}c^d^8e^{11}f^6h^{12} \\
& + 1802240a^{10}b^8c^d^5e^{14}f^6h^{12} + 688128a^6b^{12}c^d^9e^{10}f^6h^{12} - 524288a^{11}b^7c^d^4e^{15}f^6h^{12} - 524288a^4b^7c^8d^{18}e^6f^6h^{12} \\
& + 163840a^5b^{13}c^d^{10}e^9f^6h^{12} - 163840a^4b^{14}c^d^{11}e^8f^6h^{12} + 65536a^{12}b^6c^d^3e^{16}f^6h^{12} + 32768a^3b^{15}c^d^{12}e^7f^6h^{12} \\
& + 32768a^3b^9c^7d^{18}e^6f^6h^{12} - 73400320a^{11}c^8d^{11}e^8f^6h^{12} - 58720256a^{12}c^7d^9e^{10}f^6h^{12} - 58720256a^{10}c^9d^{13}e^6f^6h^{12} \\
& - 29360128a^{13}c^6d^7e^{12}f^6h^{12} - 29360128a^9c^{10}d^{15}e^4f^6h^{12} - 8388608a^{14}c^5d^5e^{14}f^6h^{12} - 8388608a^8c^{11}d^{17}e^{2f^6h^{12}} \\
& - 1048576a^{15}c^4d^3e^{16}f^6h^{12} - 286720a^7b^{12}d^7e^{12}f^6h^{12} + 229376a^8b^{11}d^6e^{13}f^6h^{12} + 229376a^6b^{13}d^8e^{11}f^6h^{12} \\
& - 114688a^9b^{10}d^5e^{14}f^6h^{12} - 114688a^5b^{14}d^9e^{10}f^6h^{12} + 32768a^{10}b^9d^4e^{15}f^6h^{12} + 32768a^4b^{15}d^{10}e^9f^6h^{12} \\
& - 4096a^{11}b^8d^3e^{16}f^6h^{12} - 4096a^3b^{16}d^{11}e^8f^6h^{12} + 1048576a^6b^2c^{11}d^{19}f^6h^{12} - 393216a^5b^4c^{10}d^{19}f^6h^{12} \\
& + 65536a^4b^6c^9d^{19}f^6h^{12} - 4096a^3b^8c^8d^{19}f^6h^{12} - 1048576a^7c^{12}d^{19}f^6h^{12} + 262144a^{10}b^6c^4d^4e^{14}f^4h^8 \\
& - 23552a^6b^6c^8d^{14}e^6f^4h^8 - 16384a^7b^7c^d^e^{14}f^4h^8 - 3328a^6b^{13}c^d^7e^8f^4h^8 + 2429952a^4b^5c^6d^9e^6f^4h^8 \\
& - 1865728a^6b^3c^6d^7e^8f^4h^8 - 1716224a^4b^4c^7d^{10}e^5f^4h^8 + 1605632a^6b^2c^7d^8e^7f^4h^8 + 1584384a^5b^5c^5d^7e^8f^4h^8
\end{aligned}$$

$$\begin{aligned}
& 4*h^8 + 1572864*a^5*b^2*c^8*d^10*e^5*f^4*h^8 - 1433600*a^5*b^3*c^7*d^9*e^6* \\
& f^4*h^8 - 1261568*a^4*b^6*c^5*d^8*e^7*f^4*h^8 - 1124352*a^3*b^4*c^8*d^12*e^ \\
& 3*f^4*h^8 - 1110016*a^7*b^3*c^5*d^5*e^10*f^4*h^8 + 1106176*a^3*b^5*c^7*d^11 \\
& *e^4*f^4*h^8 - 936960*a^5*b^6*c^4*d^6*e^9*f^4*h^8 - 838656*a^2*b^7*c^6*d^11 \\
& *e^4*f^4*h^8 - 795648*a^3*b^7*c^5*d^9*e^6*f^4*h^8 + 730880*a^3*b^8*c^4*d^8* \\
& e^7*f^4*h^8 + 714752*a^2*b^6*c^7*d^12*e^3*f^4*h^8 + 686080*a^7*b^4*c^4*d^4* \\
& e^11*f^4*h^8 + 641024*a^6*b^4*c^5*d^6*e^9*f^4*h^8 - 595968*a^8*b^3*c^4*d^3* \\
& e^12*f^4*h^8 + 544768*a^3*b^3*c^9*d^13*e^2*f^4*h^8 + 516096*a^2*b^8*c^5*d^1 \\
& 0*e^5*f^4*h^8 + 441856*a^6*b^5*c^4*d^5*e^10*f^4*h^8 + 393216*a^7*b^2*c^6*d^ \\
& 6*e^9*f^4*h^8 + 376832*a^4*b^2*c^9*d^12*e^3*f^4*h^8 - 366592*a^6*b^6*c^3*d^ \\
& 4*e^11*f^4*h^8 + 363520*a^4*b^8*c^3*d^6*e^9*f^4*h^8 - 356352*a^5*b^4*c^6*d^ \\
& 8*e^7*f^4*h^8 - 348672*a^2*b^5*c^8*d^13*e^2*f^4*h^8 - 344064*a^8*b^2*c^5*d^ \\
& 4*e^11*f^4*h^8 + 294912*a^8*b^4*c^3*d^2*e^13*f^4*h^8 + 210944*a^4*b^3*c^8*d \\
& ^11*e^4*f^4*h^8 - 198400*a^3*b^9*c^3*d^7*e^8*f^4*h^8 - 144640*a^4*b^7*c^4*d \\
& ^7*e^8*f^4*h^8 - 131072*a^9*b^2*c^4*d^2*e^13*f^4*h^8 - 131072*a^7*b^6*c^2*d \\
& ^2*e^13*f^4*h^8 - 129024*a^3*b^6*c^6*d^10*e^5*f^4*h^8 - 104448*a^2*b^10*c^3 \\
& *d^8*e^7*f^4*h^8 + 96768*a^5*b^8*c^2*d^4*e^11*f^4*h^8 + 91904*a^7*b^5*c^3*d \\
& ^3*e^12*f^4*h^8 - 74240*a^4*b^9*c^2*d^5*e^10*f^4*h^8 - 71680*a^2*b^9*c^4*d^ \\
& 9*e^6*f^4*h^8 + 58368*a^2*b^11*c^2*d^7*e^8*f^4*h^8 + 36864*a^5*b^7*c^3*d^5* \\
& e^10*f^4*h^8 - 35328*a^3*b^10*c^2*d^6*e^9*f^4*h^8 + 27136*a^6*b^7*c^2*d^3*e \\
& ^12*f^4*h^8 + 909312*a^8*b*c^6*d^5*e^10*f^4*h^8 + 815104*a^9*b*c^5*d^3*e^12 \\
& *f^4*h^8 - 651264*a^5*b*c^9*d^11*e^4*f^4*h^8 - 573440*a^6*b*c^8*d^9*e^6*f^4 \\
& *h^8 - 262144*a^9*b^3*c^3*d*e^14*f^4*h^8 + 217088*a^7*b*c^7*d^7*e^8*f^4*h^8 \\
& + 211456*a*b^9*c^5*d^11*e^4*f^4*h^8 - 204800*a^4*b*c^10*d^13*e^2*f^4*h^8 - \\
& 172032*a*b^8*c^6*d^12*e^3*f^4*h^8 - 157696*a*b^10*c^4*d^10*e^5*f^4*h^8 - 1 \\
& 31072*a^3*b^2*c^10*d^14*e*f^4*h^8 + 98304*a^8*b^5*c^2*d*e^14*f^4*h^8 + 9216 \\
& 0*a^2*b^4*c^9*d^14*e*f^4*h^8 + 84992*a*b^7*c^7*d^13*e^2*f^4*h^8 + 64512*a*b \\
& ^11*c^3*d^9*e^6*f^4*h^8 + 23552*a^6*b^8*c*d^2*e^13*f^4*h^8 + 18944*a^3*b^11 \\
& *c*d^5*e^10*f^4*h^8 - 13312*a^4*b^10*c*d^4*e^11*f^4*h^8 - 9472*a^5*b^9*c*d^ \\
& 3*e^12*f^4*h^8 - 8192*a*b^12*c^2*d^8*e^7*f^4*h^8 - 6144*a^2*b^12*c*d^6*e^9* \\
& f^4*h^8 - 17920*b^11*c^4*d^11*e^4*f^4*h^8 + 14336*b^12*c^3*d^10*e^5*f^4*h^8 \\
& + 14336*b^10*c^5*d^12*e^3*f^4*h^8 - 7168*b^13*c^2*d^9*e^6*f^4*h^8 - 7168*b \\
& ^9*c^6*d^13*e^2*f^4*h^8 - 425984*a^9*c^6*d^4*e^11*f^4*h^8 - 360448*a^8*c^7* \\
& d^6*e^9*f^4*h^8 - 262144*a^10*c^5*d^2*e^13*f^4*h^8 - 131072*a^7*c^8*d^8*e^7 \\
& *f^4*h^8 + 98304*a^5*c^10*d^12*e^3*f^4*h^8 + 65536*a^6*c^9*d^10*e^5*f^4*h^8 \\
& - 1536*a^5*b^10*d^2*e^13*f^4*h^8 - 1536*a^2*b^13*d^5*e^10*f^4*h^8 + 768*a^ \\
& 4*b^11*d^3*e^12*f^4*h^8 + 768*a^3*b^12*d^4*e^11*f^4*h^8 + 65536*a^10*b^2*c^ \\
& 3*e^15*f^4*h^8 - 24576*a^9*b^4*c^2*e^15*f^4*h^8 - 10240*a^2*b^3*c^10*d^15*f \\
& ^4*h^8 + 2048*b^14*c*d^8*e^7*f^4*h^8 + 2048*b^8*c^7*d^14*e*f^4*h^8 + 32768* \\
& a^4*c^11*d^14*e*f^4*h^8 + 1024*a^6*b^9*d*e^14*f^4*h^8 + 1024*a*b^14*d^6*e^9 \\
& *f^4*h^8 + 4096*a^8*b^6*c*e^15*f^4*h^8 + 12288*a^3*b*c^11*d^15*f^4*h^8 + 28 \\
& 16*a*b^5*c^9*d^15*f^4*h^8 - 256*b^15*d^7*e^8*f^4*h^8 - 65536*a^11*c^4*e^15* \\
& f^4*h^8 - 256*b^7*c^8*d^15*f^4*h^8 - 256*a^7*b^8*e^15*f^4*h^8 - 896*a*b^8*c \\
& ^2*d*e^10*f^2*h^4 + 192*a*b*c^9*d^8*e^3*f^2*h^4 + 11520*a^3*b^3*c^5*d^2*e^9 \\
& *f^2*h^4 - 5856*a^2*b^5*c^4*d^2*e^9*f^2*h^4 - 5120*a^3*b^2*c^6*d^3*e^8*f^2*
\end{aligned}$$

$$\begin{aligned}
& h^4 + 3200a^2b^4c^5d^3e^8f^2h^4 - 640a^2b^3c^6d^4e^7f^2h^4 - \\
& 96a^2b^2c^7d^5e^6f^2h^4 - 10880a^3b^4c^4d^5e^10f^2h^4 + 10240a^4b^2c^5d^6e^10f^2h^4 - 7680a^4b^3c^6d^2e^9f^2h^4 + 4672a^2b^6c^3d^7e^10f^2h^4 + 1248a^2b^7c^3d^2e^9f^2h^4 + 832a^3b^3c^7d^4e^7f^2h^4 - 768a^2b^6c^4d^3e^8f^2h^4 + 192a^2b^3c^8d^6e^5f^2h^4 - 192a^2b^2c^8d^7e^4f^2h^4 + 176a^2b^5c^5d^4e^7f^2h^4 + 64a^2b^3c^7d^6e^5f^2h^4 - 96b^9c^2d^2e^9f^2h^4 - 96b^2c^9d^9e^2f^2h^4 + 64b^8c^3d^3e^8f^2h^4 + 64b^3c^8d^8e^3f^2h^4 - 16b^7c^4d^4e^7f^2h^4 - 16b^4c^7d^7e^4f^2h^4 + 2032a^4c^7d^3e^8f^2h^4 - 96a^2c^9d^7e^4f^2h^4 - 64a^3c^8d^5e^6f^2h^4 - 4480a^4b^3c^4e^11f^2h^4 + 3696a^3b^5c^3e^11f^2h^4 - 1376a^2b^7c^2e^11f^2h^4 - 2048a^5c^6d^6e^10f^2h^4 - 64a^2c^10d^9e^2f^2h^4 + 1792a^5b^3c^5e^11f^2h^4 + 64b^10c^4d^10e^10f^2h^4 + 64b^3c^10d^10e^10f^2h^4 + 240a^2b^9c^5e^11f^2h^4 - 16c^11d^11e^11f^2h^4 - 16b^11e^11f^2h^4 - c^7e^7, h, k)^3(\text{root}(8388608a^7b^3c^11d^18e^6f^6h^12 - 513802240a^10b^2c^7d^11e^8f^6h^12 - 381681664a^11b^2c^6d^9e^10f^6h^12 - 381681664a^9b^2c^8d^13e^6f^6h^12 - 300941312a^9b^5c^5d^10e^9f^6h^12 - 300941312a^8b^5c^6d^12e^7f^6h^12 + 293601280a^10b^3c^6d^10e^9f^6h^12 + 293601280a^9b^3c^7d^12e^7f^6h^12 - 168820736a^10b^5c^4d^8e^11f^6h^12 - 168820736a^7b^5c^7d^14e^5f^6h^12 + 166068224a^8b^6c^5d^11e^8f^6h^12 - 146800640a^12b^2c^5d^7e^12f^6h^12 - 146800640a^8b^2c^9d^15e^4f^6h^12 + 124780544a^10b^4c^5d^9e^10f^6h^12 + 124780544a^8b^4c^7d^13e^6f^6h^12 + 119275520a^9b^4c^6d^11e^8f^6h^12 + 117440512a^11b^3c^5d^8e^11f^6h^12 + 117440512a^8b^3c^8d^14e^5f^6h^12 + 102760448a^9b^6c^4d^9e^10f^6h^12 + 102760448a^7b^6c^6d^13e^6f^6h^12 + 91750400a^11b^4c^4d^7e^12f^6h^12 + 91750400a^7b^4c^8d^15e^4f^6h^12 - 71065600a^7b^8c^4d^11e^8f^6h^12 - 53444608a^8b^8c^3d^9e^10f^6h^12 - 53444608a^6b^8c^5d^13e^6f^6h^12 + 40370176a^9b^7c^3d^8e^11f^6h^12 + 40370176a^6b^7c^6d^14e^5f^6h^12 - 36700160a^11b^5c^3d^6e^13f^6h^12 - 36700160a^6b^5c^8d^16e^3f^6h^12 + 34078720a^8b^7c^4d^10e^9f^6h^12 + 34078720a^7b^7c^5d^12e^7f^6h^12 + 26214400a^12b^4c^3d^5e^14f^6h^12 + 26214400a^6b^4c^9d^17e^2f^6h^12 + 22118400a^7b^9c^3d^10e^9f^6h^12 + 22118400a^6b^9c^4d^12e^7f^6h^12 - 20971520a^13b^2c^4d^5e^14f^6h^12 - 20971520a^7b^2c^10d^17e^2f^6h^12 + 18350080a^10b^7c^2d^6e^13f^6h^12 + 18350080a^5b^7c^7d^16e^3f^6h^12 - 16629760a^9b^8c^2d^7e^12f^6h^12 - 16629760a^5b^8c^6d^15e^4f^6h^12 - 10485760a^11b^6c^2d^5e^14f^6h^12 - 10485760a^5b^6c^8d^17e^2f^6h^12 + 9175040a^10b^6c^3d^7e^12f^6h^12 + 9175040a^6b^6c^7d^15e^4f^6h^12 - 8388608a^13b^3c^3d^4e^15f^6h^12 + 5619712a^7b^10c^2d^9e^10f^6h^12 + 5619712a^5b^10c^4d^13e^6f^6h^12 - 5570560a^6b^11c^2d^10e^9f^6h^12 - 5570560a^5b^11c^3d^12e^7f^6h^12 + 4358144a^8b^9c^2d^8e^11f^6h^12 + 4358144a^5b^9c^5d^14e^5f^6h^12 + 4259840a^6b^10c^3d^11e^8f^6h^12 + 3899392a^4b^10c^5d^15e^4f^6h^12 - 3440640a^4b^9c^6d^16e^3f^6h^12 + 3145728a^12b^5c^2d^4e^15
\end{aligned}$$

$$\begin{aligned}
& *f^6h^{12} - 2523136a^4b^{11}c^4d^{14}e^5f^6h^{12} + 1802240a^4b^8c^7d^{17}e^2f^6h^{12} + 1556480a^5b^{12}c^2d^{11}e^8f^6h^{12} + 1048576a^{14}b^2 \\
& *c^3d^3e^{16}f^6h^{12} + 688128a^4b^{12}c^3d^{13}e^6f^6h^{12} - 393216a^{13}b^4c^2d^3e^{16}f^6h^{12} - 286720a^3b^{12}c^4d^{15}e^4f^6h^{12} + 22937 \\
& 6a^3b^{13}c^3d^{14}e^5f^6h^{12} + 229376a^3b^{11}c^5d^{16}e^3f^6h^{12} + 163840a^4b^{13}c^2d^{12}e^7f^6h^{12} - 114688a^3b^{14}c^2d^{13}e^6f^6h^{12} \\
& - 114688a^3b^{10}c^6d^{17}e^2f^6h^{12} + 293601280a^{11}b^7c^7d^{10}e^9f^6h^{12} + 293601280a^{10}b^7c^8d^{12}e^7f^6h^{12} + 176160768a^{12}b^7c^6d^8 \\
& e^{11}f^6h^{12} + 176160768a^9b^7c^9d^{14}e^5f^6h^{12} + 58720256a^{13}b^7c^5d^6e^{13}f^6h^{12} + 58720256a^8b^7c^{10}d^{16}e^3f^6h^{12} + 8388608a^{14} \\
& *b^7c^4d^4e^{15}f^6h^{12} - 8388608a^6b^3c^{10}d^{18}e^5f^6h^{12} + 3899392a^8b^{10}c^4d^7e^{12}f^6h^{12} - 3440640a^9b^9c^4d^6e^{13}f^6h^{12} + 3145728 \\
& *a^5b^5c^9d^{18}e^5f^6h^{12} - 2523136a^7b^{11}c^4d^8e^{11}f^6h^{12} + 1802240a^{10}b^8c^4d^5e^{14}f^6h^{12} + 688128a^6b^{12}c^4d^9e^{10}f^6h^{12} - 524 \\
& 288a^{11}b^7c^4d^4e^{15}f^6h^{12} - 524288a^4b^7c^8d^{18}e^5f^6h^{12} + 163840a^5b^{13}c^4d^{10}e^9f^6h^{12} - 163840a^4b^{14}c^4d^{11}e^8f^6h^{12} + 65 \\
& 536a^{12}b^6c^4d^3e^{16}f^6h^{12} + 32768a^3b^{15}c^4d^{12}e^7f^6h^{12} + 32768a^3b^9c^7d^{18}e^5f^6h^{12} - 73400320a^{11}c^8d^{11}e^8f^6h^{12} - 5872 \\
& 0256a^{12}c^7d^9e^{10}f^6h^{12} - 58720256a^{10}c^9d^{13}e^6f^6h^{12} - 29360128a^{13}c^6d^7e^{12}f^6h^{12} - 29360128a^9c^{10}d^{15}e^4f^6h^{12} - 83 \\
& 88608a^{14}c^5d^5e^{14}f^6h^{12} - 8388608a^8c^{11}d^{17}e^2f^6h^{12} - 1048576a^{15}c^4d^3e^{16}f^6h^{12} - 286720a^7b^{12}d^7e^{12}f^6h^{12} + 22937 \\
& 6a^8b^{11}d^6e^{13}f^6h^{12} + 229376a^6b^{13}d^8e^{11}f^6h^{12} - 114688a^9b^{10}d^5e^{14}f^6h^{12} - 114688a^5b^{14}d^9e^{10}f^6h^{12} + 32768a^{10}b^9 \\
& d^4e^{15}f^6h^{12} + 32768a^4b^{15}d^{10}e^9f^6h^{12} - 4096a^{11}b^8d^3e^{16}f^6h^{12} - 4096a^3b^{16}d^{11}e^8f^6h^{12} + 1048576a^6b^2c^{11}d^{19} \\
& f^6h^{12} - 393216a^5b^4c^{10}d^{19}f^6h^{12} + 65536a^4b^6c^9d^{19}f^6h^{12} - 4096a^3b^8c^8d^{19}f^6h^{12} - 1048576a^7c^{12}d^{19}f^6h^{12} + \\
& 262144a^{10}b^7c^4d^4e^{14}f^4h^8 - 23552a^6b^6c^8d^{14}e^5f^4h^8 - 16384a^7b^7c^4d^4e^{14}f^4h^8 - 3328a^6b^{13}c^4d^7e^8f^4h^8 + 2429952a^4b^5c^6 \\
& d^9e^6f^4h^8 - 1865728a^6b^3c^6d^7e^8f^4h^8 - 1716224a^4b^4c^7d^{10}e^5f^4h^8 + 1605632a^6b^2c^7d^8e^7f^4h^8 + 1584384a^5b^5c^5 \\
& d^7e^8f^4h^8 + 1572864a^5b^2c^8d^{10}e^5f^4h^8 - 1433600a^5b^3c^7d^9e^6f^4h^8 - 1261568a^4b^6c^5d^8e^7f^4h^8 - 1124352a^3b^4c^8 \\
& d^{12}e^3f^4h^8 - 1110016a^7b^3c^5d^5e^{10}f^4h^8 + 1106176a^3b^5c^7d^{11}e^4f^4h^8 - 936960a^5b^6c^4d^6e^9f^4h^8 - 838656a^2b^7c^6 \\
& d^{11}e^4f^4h^8 - 795648a^3b^7c^5d^9e^6f^4h^8 + 730880a^3b^8c^4d^8e^7f^4h^8 + 714752a^2b^6c^7d^{12}e^3f^4h^8 + 686080a^7b^4c^4d^4e^{11} \\
& f^4h^8 + 641024a^6b^4c^5d^6e^9f^4h^8 - 595968a^8b^3c^4d^3e^{12}f^4h^8 + 544768a^3b^3c^9d^{13}e^2f^4h^8 + 516096a^2b^8c^5d^{10}e^5f^4h^8 \\
& + 441856a^6b^5c^4d^5e^{10}f^4h^8 + 393216a^7b^2c^6d^6e^9f^4h^8 + 376832a^4b^2c^9d^{12}e^3f^4h^8 - 366592a^6b^6c^3d^4e^{11}f^4h^8 \\
& + 363520a^4b^8c^3d^6e^9f^4h^8 - 356352a^5b^4c^6d^8e^7f^4h^8 - 348672a^2b^5c^8d^{13}e^2f^4h^8 - 344064a^8b^2c^5d^4e^{11}f^4h^8 \\
& + 294912a^8b^4c^3d^2e^{13}f^4h^8 + 2109
\end{aligned}$$

$$\begin{aligned}
& 44a^4b^3c^8d^{11}e^4f^4h^8 - 198400a^3b^9c^3d^7e^8f^4h^8 - 1446 \\
& 40a^4b^7c^4d^7e^8f^4h^8 - 131072a^9b^2c^4d^2e^{13}f^4h^8 - 1310 \\
& 72a^7b^6c^2d^2e^{13}f^4h^8 - 129024a^3b^6c^6d^{10}e^5f^4h^8 - 104 \\
& 448a^2b^{10}c^3d^8e^7f^4h^8 + 96768a^5b^8c^2d^4e^{11}f^4h^8 + 919 \\
& 04a^7b^5c^3d^3e^{12}f^4h^8 - 74240a^4b^9c^2d^5e^{10}f^4h^8 - 7168 \\
& 0a^2b^9c^4d^9e^6f^4h^8 + 58368a^2b^{11}c^2d^7e^8f^4h^8 + 36864a^5 \\
& b^7c^3d^5e^{10}f^4h^8 - 35328a^3b^{10}c^2d^6e^9f^4h^8 + 27136a^6 \\
& b^7c^2d^3e^{12}f^4h^8 + 909312a^8b^6c^6d^5e^{10}f^4h^8 + 815104a^9 \\
& b^6c^5d^3e^{12}f^4h^8 - 651264a^5b^6c^9d^{11}e^4f^4h^8 - 573440a^6b^8 \\
& c^8d^9e^6f^4h^8 - 262144a^9b^3c^3d^6e^{14}f^4h^8 + 217088a^7b^6c^7 \\
& d^7e^8f^4h^8 + 211456a^8b^9c^5d^{11}e^4f^4h^8 - 204800a^4b^6c^{10}d^{13} \\
& e^2f^4h^8 - 172032a^8b^8c^6d^{12}e^3f^4h^8 - 157696a^8b^{10}c^4d^{10} \\
& e^5f^4h^8 - 131072a^3b^2c^{10}d^{14}e^4f^4h^8 + 98304a^8b^5c^2d^6e^{14} \\
& f^4h^8 + 92160a^2b^4c^9d^{14}e^4f^4h^8 + 84992a^8b^7c^7d^{13}e^2f^4 \\
& h^8 + 64512a^8b^{11}c^3d^9e^6f^4h^8 + 23552a^6b^8c^6d^2e^{13}f^4h^8 \\
& + 18944a^3b^{11}c^5d^5e^{10}f^4h^8 - 13312a^4b^{10}c^4d^4e^{11}f^4h^8 - 9 \\
& 472a^5b^9c^3d^3e^{12}f^4h^8 - 8192a^8b^{12}c^2d^8e^7f^4h^8 - 6144a^2 \\
& b^{12}c^6d^6e^9f^4h^8 - 17920b^{11}c^4d^{11}e^4f^4h^8 + 14336b^{12}c^3 \\
& d^{10}e^5f^4h^8 + 14336b^{10}c^5d^{12}e^3f^4h^8 - 7168b^{13}c^2d^9e^6 \\
& f^4h^8 - 7168b^9c^6d^{13}e^2f^4h^8 - 425984a^9c^6d^4e^{11}f^4h^8 - \\
& 360448a^8c^7d^6e^9f^4h^8 - 262144a^{10}c^5d^2e^{13}f^4h^8 - 131072 \\
& a^7c^8d^8e^7f^4h^8 + 98304a^5c^{10}d^{12}e^3f^4h^8 + 65536a^6c^9 \\
& d^{10}e^5f^4h^8 - 1536a^5b^{10}d^2e^{13}f^4h^8 - 1536a^2b^{13}d^5e^{10} \\
& f^4h^8 + 768a^4b^{11}d^3e^{12}f^4h^8 + 768a^3b^{12}d^4e^{11}f^4h^8 + 6 \\
& 5536a^{10}b^2c^3e^{15}f^4h^8 - 24576a^9b^4c^2e^{15}f^4h^8 - 10240a^2 \\
& b^3c^{10}d^{15}f^4h^8 + 2048b^{14}c^8d^8e^7f^4h^8 + 2048b^8c^7d^{14}e^8 \\
& f^4h^8 + 32768a^4c^{11}d^{14}e^4f^4h^8 + 1024a^6b^9d^6e^{14}f^4h^8 + 102 \\
& 4a^8b^{14}d^6e^9f^4h^8 + 4096a^8b^6c^8e^{15}f^4h^8 + 12288a^3b^6c^{11}d^{15} \\
& f^4h^8 + 2816a^8b^5c^9d^{15}f^4h^8 - 256b^{15}d^7e^8f^4h^8 - 6553 \\
& 6a^{11}c^4e^{15}f^4h^8 - 256b^7c^8d^{15}f^4h^8 - 256a^7b^8e^{15}f^4h^8 \\
& - 896a^8b^8c^2d^6e^{10}f^2h^4 + 192a^8b^8c^9d^8e^3f^2h^4 + 11520a^3 \\
& b^3c^5d^2e^9f^2h^4 - 5856a^2b^5c^4d^2e^9f^2h^4 - 5120a^3b^2c^6 \\
& d^3e^8f^2h^4 + 3200a^2b^4c^5d^3e^8f^2h^4 - 640a^2b^3c^6d^4e^7f^2h^4 \\
& - 96a^2b^2c^7d^5e^6f^2h^4 - 10880a^3b^4c^4d^4e^{10}f^2h^4 + 10240a^4 \\
& b^2c^5d^4e^{10}f^2h^4 - 7680a^4b^6c^6d^2e^9f^2h^4 + 4672a^2b^6c^3 \\
& d^4e^{10}f^2h^4 + 1248a^8b^7c^3d^2e^9f^2h^4 + 832a^3b^6c^7d^4e^7f^2h^4 \\
& - 768a^8b^6c^4d^3e^8f^2h^4 + 192a^2b^6c^8d^6e^5f^2h^4 - 192a^8b^2 \\
& c^8d^7e^4f^2h^4 + 176a^8b^5c^5d^4e^7f^2h^4 + 64a^8b^3c^7d^6e^5f^2h^4 \\
& - 96b^9c^2d^2e^9f^2h^4 - 96b^2c^9d^9e^2f^2h^4 + 64b^8c^3d^3e^8f^2h^4 \\
& + 64b^3c^8d^8e^3f^2h^4 - 16b^7c^4d^4e^7f^2h^4 - 16b^4c^7d^7e^4f^2h^4 \\
& + 2032a^4c^7d^3e^8f^2h^4 - 96a^2c^9d^7e^4f^2h^4 - 64a^3c^8d^5e^6f^2h^4 \\
& - 4480a^4b^3c^4e^{11}f^2h^4 + 3696a^3b^5c^3e^{11}f^2h^4 - 1376a^2b^7c^2 \\
& e^{11}f^2h^4 - 2048a^5c^6d^6e^{10}f^2h^4 - 64a^8c^{10}d^9e^2f^2h^4 + \\
& 1792a^5b^6c^5e^{11}f^2h^4 + 64b^{10}c^6d^6e^{10}f^2h^4 + 64b^6c^{10}d^{10}e
\end{aligned}$$

$$\begin{aligned}
& *f^2*h^4 + 240*a*b^9*c*e^{11*f^2*h^4} - 16*c^{11*d^{11}*f^2*h^4} - 16*b^{11}*e^{11*f^2*h^4} - c^7*e^7, h, k) * (4697620480*a^9*c^{11*d^7*e^{13*f^55}} - 1879048192*a^6 \\
& *c^{14*d^{13}*e^7*f^55} - 2818572288*a^7*c^{13*d^{11}*e^9*f^55} - 402653184*a^5*c^{1 \\
& 5*d^{15}*e^5*f^55} + 5637144576*a^{10*c^{10*d^5*e^{15*f^55}} + 2818572288*a^{11*c^9* \\
& d^3*e^{17*f^55} + 536870912*a^{12*c^8*d*e^{19*f^55} + 2097152*a*b^7*c^{12*d^{16}*e^4 \\
& 4*f^55} - 16777216*a*b^8*c^{11*d^{15}*e^5*f^55} + 58720256*a*b^9*c^{10*d^{14}*e^6*f^55} \\
& - 117440512*a*b^{10*c^9*d^{13}*e^7*f^55} + 146800640*a*b^{11*c^8*d^{12}*e^8*f^55} \\
& - 117440512*a*b^{12*c^7*d^{11}*e^9*f^55} + 58720256*a*b^{13*c^6*d^{10}*e^{10*f^55}} - \\
& 16777216*a*b^{14*c^5*d^9*e^{11*f^55}} + 2097152*a*b^{15*c^4*d^8*e^{12*f^55}} - \\
& 134217728*a^4*b*c^{15*d^{16}*e^4*f^55} + 2147483648*a^5*b*c^{14*d^{14}*e^6*f^55} + \\
& 10066329600*a^6*b*c^{13*d^{12}*e^8*f^55} + 13421772800*a^7*b*c^{12*d^{10}*e^{10*f^55}} \\
& + 671088640*a^8*b*c^{11*d^8*e^{12*f^55}} + 2097152*a^8*b^8*c^4*d*e^{19*f^55} - \\
& 12884901888*a^9*b*c^{10*d^6*e^{14*f^55}} - 33554432*a^9*b^6*c^5*d*e^{19*f^55} - 1 \\
& 0603200512*a^{10}*b*c^9*d^4*e^{16*f^55} + 201326592*a^{10}*b^4*c^6*d*e^{19*f^55} - \\
& 2684354560*a^{11}*b*c^8*d^2*e^{18*f^55} - 536870912*a^{11}*b^2*c^7*d*e^{19*f^55} - \\
& 25165824*a^2*b^5*c^{13*d^{16}*e^4*f^55} + 207618048*a^2*b^6*c^{12*d^{15}*e^5*f^55} \\
& - 738197504*a^2*b^7*c^{11*d^{14}*e^6*f^55} + 1468006400*a^2*b^8*c^{10*d^{13}*e^7*f^55} \\
& - 1761607680*a^2*b^9*c^9*d^{12}*e^8*f^55 + 1262485504*a^2*b^{10}*c^8*d^{11}*e^9 \\
& *f^55 - 469762048*a^2*b^{11}*c^7*d^{10}*e^{10*f^55} + 25165824*a^2*b^{12}*c^6*d^9 \\
& *e^{11*f^55} + 41943040*a^2*b^{13}*c^5*d^8*e^{12*f^55} - 10485760*a^2*b^{14}*c^4*d^7 \\
& *e^{13*f^55} + 100663296*a^3*b^3*c^{14*d^{16}*e^4*f^55} - 880803840*a^3*b^4*c^{13 \\
& *d^{15}*e^5*f^55} + 3221225472*a^3*b^5*c^{12*d^{14}*e^6*f^55} - 6312427520*a^3*b^6 \\
& *c^{11*d^{13}*e^7*f^55} + 6889144320*a^3*b^7*c^{10*d^{12}*e^8*f^55} - 3548381184*a^3 \\
& *b^8*c^9*d^{11}*e^9*f^55 - 304087040*a^3*b^9*c^8*d^{10}*e^{10*f^55} + 1371537408 \\
& *a^3*b^{10}*c^7*d^9*e^{11*f^55} - 597688320*a^3*b^{11}*c^6*d^8*e^{12*f^55} + 419430 \\
& 40*a^3*b^{12}*c^5*d^7*e^{13*f^55} + 18874368*a^3*b^{13}*c^4*d^6*e^{14*f^55} + 13757 \\
& 31712*a^4*b^2*c^{14*d^{15}*e^5*f^55} - 5368709120*a^4*b^3*c^{13*d^{14}*e^6*f^55} + \\
& 9982443520*a^4*b^4*c^{12*d^{13}*e^7*f^55} - 7507804160*a^4*b^5*c^{11*d^{12}*e^8*f^55} \\
& - 3412066304*a^4*b^6*c^{10*d^{11}*e^9*f^55} + 10955522048*a^4*b^7*c^9*d^{10}*e^{10*f^55} \\
& - 7748976640*a^4*b^8*c^8*d^9*e^{11*f^55} + 1468006400*a^4*b^9*c^7*d^8 \\
& *e^{12*f^55} + 618659840*a^4*b^{10}*c^6*d^7*e^{13*f^55} - 218103808*a^4*b^{11}*c^5 \\
& *d^6*e^{14*f^55} - 10485760*a^4*b^{12}*c^4*d^5*e^{15*f^55} - 2348810240*a^5*b^2*c^{13 \\
& *d^{13}*e^7*f^55} - 7549747200*a^5*b^3*c^{12*d^{12}*e^8*f^55} + 24570232832*a^5 \\
& *b^4*c^{11*d^{11}*e^9*f^55} - 27111981056*a^5*b^5*c^{10*d^{10}*e^{10*f^55}} + 9638510 \\
& 592*a^5*b^6*c^9*d^9*e^{11*f^55} + 4854906880*a^5*b^7*c^8*d^8*e^{12*f^55} - 4697 \\
& 620480*a^5*b^8*c^7*d^7*e^{13*f^55} + 742391808*a^5*b^9*c^6*d^6*e^{14*f^55} + 16 \\
& 7772160*a^5*b^{10}*c^5*d^5*e^{15*f^55} - 10485760*a^5*b^{11}*c^4*d^4*e^{16*f^55} - \\
& 18824036352*a^6*b^2*c^{12*d^{11}*e^9*f^55} + 9395240960*a^6*b^3*c^{11*d^{10}*e^{10*f^55}} \\
& + 14596177920*a^6*b^4*c^{10*d^9*e^{11*f^55}} - 22825402368*a^6*b^5*c^9*d^8 \\
& *e^{12*f^55} + 10328473600*a^6*b^6*c^8*d^7*e^{13*f^55} + 150994944*a^6*b^7*c^7*d^6 \\
& *e^{14*f^55} - 1170210816*a^6*b^8*c^6*d^5*e^{15*f^55} + 142606336*a^6*b^9*c^5 \\
& *d^4*e^{16*f^55} + 18874368*a^6*b^{10}*c^4*d^3*e^{17*f^55} - 24830279680*a^7*b^2 \\
& *c^{11*d^9*e^{11*f^55}} + 20971520000*a^7*b^3*c^{10*d^8*e^{12*f^55}} - 4487905280*a^7 \\
& *b^4*c^9*d^7*e^{13*f^55} - 5972688896*a^7*b^5*c^8*d^6*e^{14*f^55} + 455920844 \\
& 8*a^7*b^6*c^7*d^5*e^{15*f^55} - 538968064*a^7*b^7*c^6*d^4*e^{16*f^55} - 2936012
\end{aligned}$$

$$\begin{aligned}
& 80*a^7*b^8*c^5*d^3*e^{17*f^55} - 10485760*a^7*b^9*c^4*d^2*e^{18*f^55} - 6207569 \\
& 920*a^8*b^2*c^{10*d^7*e^{13*f^55}} + 13690208256*a^8*b^3*c^9*d^6*e^{14*f^55} - 94 \\
& 79127040*a^8*b^4*c^8*d^5*e^{15*f^55} - 511705088*a^8*b^5*c^7*d^4*e^{16*f^55} + \\
& 1667235840*a^8*b^6*c^6*d^3*e^{17*f^55} + 167772160*a^8*b^7*c^5*d^2*e^{18*f^55} \\
& + 6241124352*a^9*b^2*c^9*d^5*e^{15*f^55} + 6878658560*a^9*b^3*c^8*d^4*e^{16*f^55} \\
& - 3900702720*a^9*b^4*c^7*d^3*e^{17*f^55} - 1006632960*a^9*b^5*c^6*d^2*e^{18} \\
& *f^55 + 2181038080*a^{10*b^2*c^8*d^3*e^{17*f^55}} + 2684354560*a^{10*b^3*c^7*d^2} \\
& *e^{18*f^55} + (f*x)^{(1/2)}*(268435456*a^{11*c^8*e^{19*f^54}} + 1048576*a^7*b^8*c \\
& ^4*e^{19*f^54} - 16777216*a^8*b^6*c^5*e^{19*f^54} + 100663296*a^9*b^4*c^6*e^{19*} \\
& f^54 - 268435456*a^{10*b^2*c^7*e^{19*f^54}} - 134217728*a^4*c^{15*d^14*e^5*f^54} \\
& - 402653184*a^5*c^{14*d^12*e^7*f^54} - 268435456*a^6*c^{13*d^10*e^9*f^54} + 536 \\
& 870912*a^7*c^{12*d^8*e^{11*f^54}} + 1476395008*a^8*c^{11*d^6*e^{13*f^54}} + 1744830 \\
& 464*a^9*c^{10*d^4*e^{15*f^54}} + 1073741824*a^{10*c^9*d^2*e^{17*f^54}} + 1048576*b^ \\
& 7*c^{12*d^15*e^4*f^54} - 8388608*b^8*c^{11*d^14*e^5*f^54} + 29360128*b^9*c^{10*d} \\
& ^{13*e^6*f^54} - 58720256*b^{10*c^9*d^12*e^7*f^54} + 73400320*b^{11*c^8*d^11*e^8} \\
& *f^54 - 58720256*b^{12*c^7*d^10*e^9*f^54} + 29360128*b^{13*c^6*d^9*e^{10*f^54}} - \\
& 8388608*b^{14*c^5*d^8*e^{11*f^54}} + 1048576*b^{15*c^4*d^7*e^{12*f^54}} - 10737418 \\
& 24*a^{10*b*c^8*d*e^{18*f^54}} - 11534336*a*b^5*c^{13*d^15*e^4*f^54} + 96468992*a* \\
& b^6*c^{12*d^14*e^5*f^54} - 348127232*a*b^7*c^{11*d^13*e^6*f^54} + 704643072*a*b \\
& ^8*c^{10*d^12*e^7*f^54} - 866123776*a*b^9*c^9*d^11*e^8*f^54 + 645922816*a*b^1 \\
& 0*c^8*d^10*e^9*f^54 - 264241152*a*b^11*c^7*d^9*e^{10*f^54} + 33554432*a*b^12* \\
& c^6*d^8*e^{11*f^54} + 13631488*a*b^13*c^5*d^7*e^{12*f^54} - 4194304*a*b^14*c^4* \\
& d^6*e^{13*f^54} - 50331648*a^3*b*c^{15*d^15*e^4*f^54} + 838860800*a^4*b*c^{14*d^} \\
& 13*e^6*f^54 + 2667577344*a^5*b*c^{13*d^11*e^8*f^54} + 2348810240*a^6*b*c^{12*d} \\
& ^9*e^{10*f^54} - 4194304*a^6*b^9*c^4*d*e^{18*f^54} - 889192448*a^7*b*c^{11*d^7*e} \\
& ^{12*f^54} + 67108864*a^7*b^7*c^5*d*e^{18*f^54} - 3724541952*a^8*b*c^{10*d^5*e^1} \\
& 4*f^54 - 402653184*a^8*b^5*c^6*d*e^{18*f^54} - 3338665984*a^9*b*c^9*d^3*e^{16*} \\
& f^54 + 1073741824*a^9*b^3*c^7*d*e^{18*f^54} + 41943040*a^2*b^3*c^{14*d^15*e^4*} \\
& f^54 - 377487360*a^2*b^4*c^{13*d^14*e^5*f^54} + 1428160512*a^2*b^5*c^{12*d^13*} \\
& e^6*f^54 - 2927624192*a^2*b^6*c^{11*d^12*e^7*f^54} + 3435134976*a^2*b^7*c^{10*} \\
& d^{11*e^8*f^54} - 2113929216*a^2*b^8*c^9*d^10*e^9*f^54 + 293601280*a^2*b^9*c^ \\
& 8*d^9*e^{10*f^54} + 427819008*a^2*b^{10*c^7*d^8*e^{11*f^54}} - 239075328*a^2*b^{11} \\
& *c^6*d^7*e^{12*f^54} + 25165824*a^2*b^{12*c^5*d^6*e^{13*f^54}} + 6291456*a^2*b^{13} \\
& *c^4*d^5*e^{14*f^54} + 536870912*a^3*b^2*c^{14*d^14*e^5*f^54} - 2231369728*a^3* \\
& b^3*c^{13*d^13*e^6*f^54} + 4605345792*a^3*b^4*c^{12*d^12*e^7*f^54} - 4530896896 \\
& *a^3*b^5*c^{11*d^11*e^8*f^54} + 528482304*a^3*b^6*c^{10*d^10*e^9*f^54} + 325897 \\
& 4208*a^3*b^7*c^9*d^9*e^{10*f^54} - 2993684480*a^3*b^8*c^8*d^8*e^{11*f^54} + 812 \\
& 646400*a^3*b^9*c^7*d^7*e^{12*f^54} + 144703488*a^3*b^{10*c^6*d^6*e^{13*f^54}} - 7 \\
& 7594624*a^3*b^{11*c^5*d^5*e^{14*f^54}} - 3145728*a^3*b^{12*c^4*d^4*e^{15*f^54}} - 1 \\
& 543503872*a^4*b^2*c^{13*d^12*e^7*f^54} - 864026624*a^4*b^3*c^{12*d^11*e^8*f^54} \\
& + 7029653504*a^4*b^4*c^{11*d^10*e^9*f^54} - 9953083392*a^4*b^5*c^{10*d^9*e^{10} \\
& *f^54} + 5167382528*a^4*b^6*c^9*d^8*e^{11*f^54} + 592445440*a^4*b^7*c^8*d^7*e^ \\
& ^{12*f^54} - 1488977920*a^4*b^8*c^7*d^6*e^{13*f^54} + 304087040*a^4*b^9*c^6*d^5* \\
& e^{14*f^54} + 54525952*a^4*b^{10*c^5*d^4*e^{15*f^54}} - 3145728*a^4*b^{11*c^4*d^3*} \\
& e^{16*f^54} - 6442450944*a^5*b^2*c^{12*d^10*e^9*f^54} + 5872025600*a^5*b^3*c^{11}
\end{aligned}$$

$$\begin{aligned}
& *d^9e^{10}f^{54} + 1459617792a^5b^4c^{10}d^8e^{11}f^{54} - 6489636864a^5b^5 \\
& *c^9d^7e^{12}f^{54} + 3837788160a^5b^6c^8d^6e^{13}f^{54} - 1509949444a^5b \\
& ^7c^7d^5e^{14}f^{54} - 396361728a^5b^8c^6d^4e^{15}f^{54} + 38797312a^5b \\
& ^9c^5d^3e^{16}f^{54} + 6291456a^5b^{10}c^4d^2e^{17}f^{54} - 6576668672a^6* \\
& b^2c^{11}d^8e^{11}f^{54} + 7642021888a^6b^3c^{10}d^7e^{12}f^{54} - 2625634304 \\
& *a^6b^4c^9d^6e^{13}f^{54} - 1809842176a^6b^5c^8d^5e^{14}f^{54} + 1501560 \\
& 832a^6b^6c^7d^4e^{15}f^{54} - 111149056a^6b^7c^6d^3e^{16}f^{54} - 96468 \\
& 992a^6b^8c^5d^2e^{17}f^{54} - 1610612736a^7b^2c^{10}d^6e^{13}f^{54} + 454 \\
& 6625536a^7b^3c^9d^5e^{14}f^{54} - 2810183680a^7b^4c^8d^4e^{15}f^{54} - \\
& 376438784a^7b^5c^7d^3e^{16}f^{54} + 536870912a^7b^6c^6d^2e^{17}f^{54} + \\
& 1409286144a^8b^2c^9d^4e^{15}f^{54} + 2441084928a^8b^3c^8d^3e^{16}f^{54} \\
& 4 - 1207959552a^8b^4c^7d^2e^{17}f^{54} + 536870912a^9b^2c^8d^2e^{17}f \\
& ^{54})) + 8388608a^7c^9e^{16}f^{53} - 131072a^2b^{10}c^4e^{16}f^{53} + 1966080 \\
& *a^3b^8c^5e^{16}f^{53} - 11141120a^4b^6c^6e^{16}f^{53} + 28835840a^5b^4* \\
& c^7e^{16}f^{53} - 31457280a^6b^2c^8e^{16}f^{53} + 2097152a^2c^{14}d^{10}e^6* \\
& f^{53} + 3145728a^3c^{13}d^8e^8f^{53} - 14680064a^4c^{12}d^6e^{10}f^{53} - 24 \\
& 641536a^5c^{11}d^4e^{12}f^{53} - 131072b^2c^{14}d^{12}e^4f^{53} + 655360b^3* \\
& c^{13}d^{11}e^5f^{53} - 1310720b^4c^{12}d^{10}e^6f^{53} + 1310720b^5c^{11}d^9* \\
& e^7f^{53} - 655360b^6c^{10}d^8e^8f^{53} + 262144b^7c^9d^7e^9f^{53} - 655 \\
& 360b^8c^8d^6e^{10}f^{53} + 1310720b^9c^7d^5e^{11}f^{53} - 1310720b^{10}c^ \\
& 6d^4e^{12}f^{53} + 655360b^{11}c^5d^3e^{13}f^{53} - 131072b^{12}c^4d^2e^{14} \\
& f^{53} + 524288a^c^{15}d^{12}e^4f^{53} - 2621440a^b^c^{14}d^{11}e^5f^{53} + 26214 \\
& 4a^a^b^{11}c^4d^e^{15}f^{53} + 27262976a^6b^c^9d^e^{15}f^{53} + 4718592a^b^2c \\
& ^{13}d^{10}e^6f^{53} - 3145728a^a^b^3c^{12}d^9e^7f^{53} - 524288a^a^b^4c^{11}d^8 \\
& *e^8f^{53} + 131072a^a^b^5c^{10}d^7e^9f^{53} + 7208960a^a^b^6c^9d^6e^{10}f^5 \\
& 3 - 16252928a^a^b^7c^8d^5e^{11}f^{53} + 16515072a^a^b^8c^7d^4e^{12}f^{53} - 7 \\
& 733248a^a^b^9c^6d^3e^{13}f^{53} + 917504a^a^b^{10}c^5d^2e^{14}f^{53} - 8388608* \\
& a^2b^c^{13}d^9e^7f^{53} - 3538944a^2b^9c^5d^e^{15}f^{53} - 15728640a^3b* \\
& c^{12}d^7e^9f^{53} + 16908288a^3b^7c^6d^e^{15}f^{53} + 60817408a^4b^c^{11} \\
& d^5e^{11}f^{53} - 30801920a^4b^5c^7d^e^{15}f^{53} + 98041856a^5b^c^{10}d^3* \\
& e^{13}f^{53} + 5242880a^5b^3c^8d^e^{15}f^{53} + 11796480a^2b^2c^{12}d^8e^8 \\
& *f^{53} - 786432a^2b^3c^{11}d^7e^9f^{53} - 31719424a^2b^4c^{10}d^6e^{10}f \\
& ^{53} + 71958528a^2b^5c^9d^5e^{11}f^{53} - 73269248a^2b^6c^8d^4e^{12}f^ \\
& 53 + 28835840a^2b^7c^7d^3e^{13}f^{53} + 3145728a^2b^8c^6d^2e^{14}f^53 \\
& + 57147392a^3b^2c^{11}d^6e^{10}f^{53} - 126877696a^3b^3c^{10}d^5e^{11}f^ \\
& 53 + 126877696a^3b^4c^9d^4e^{12}f^{53} - 21102592a^3b^5c^8d^3e^{13}f^ \\
& 53 - 42336256a^3b^6c^7d^2e^{14}f^{53} - 50462720a^4b^2c^{10}d^4e^{12}f^ \\
& 53 - 74317824a^4b^3c^9d^3e^{13}f^{53} + 120586240a^4b^4c^8d^2e^{14}f^ \\
& 53 - 106954752a^5b^2c^9d^2e^{14}f^{53}) + (fx)^{(1/2)}*(131072b^{11}c^4e^ \\
& 15f^{52} + 131072c^{15}d^{11}e^4f^{52} + 11272192a^2b^7c^6e^{15}f^{52} - 3027 \\
& 7632a^3b^5c^7e^{15}f^{52} + 36700160a^4b^3c^8e^{15}f^{52} + 786432a^2c^ \\
& 13d^7e^8f^{52} + 524288a^3c^{12}d^5e^{10}f^{52} - 16646144a^4c^{11}d^3e^1 \\
& 2f^{52} + 786432b^2c^{13}d^9e^6f^{52} - 524288b^3c^{12}d^8e^7f^{52} + 1310 \\
& 72b^4c^{11}d^7e^8f^{52} + 131072b^7c^8d^4e^{11}f^{52} - 524288b^8c^7d^ \\
& 3e^{12}f^{52} + 786432b^9c^6d^2e^{13}f^{52} - 1966080a^b^9c^5e^{15}f^{52} -
\end{aligned}$$

$$\begin{aligned}
& 14680064*a^5*b*c^9*e^{15*f^52} + 524288*a*c^{14*d^9*e^6*f^52} + 16777216*a^5*c^{10*d*e^{14*f^52}} - 524288*b*c^{14*d^{10}*e^5*f^52} - 524288*b^{10}*c^5*d*e^{14*f^52} \\
& - 1572864*a*b*c^{13*d^8*e^7*f^52} + 7340032*a*b^8*c^6*d*e^{14*f^52} + 1572864*a*b^2*c^{12*d^7*e^8*f^52} - 524288*a*b^3*c^{11*d^6*e^9*f^52} - 1441792*a*b^5*c^9*d^4*e^{11*f^52} \\
& + 6291456*a*b^6*c^8*d^3*e^{12*f^52} - 10223616*a*b^7*c^7*d^2*e^{13*f^52} - 1572864*a^2*b*c^{12*d^6*e^9*f^52} - 38273024*a^2*b^6*c^7*d*e^{14*f^52} \\
& - 6815744*a^3*b*c^{11*d^4*e^{11*f^52}} + 89128960*a^3*b^4*c^8*d*e^{14*f^52} + 62914560*a^4*b*c^{10*d^2*e^{13*f^52}} - 83886080*a^4*b^2*c^9*d*e^{14*f^52} + 786432*a^2*b^2*c^{11*d^5*e^{10*f^52}} \\
& + 5242880*a^2*b^3*c^{10*d^4*e^{11*f^52}} - 26214400*a^2*b^4*c^9*d^3*e^{12*f^52} + 47972352*a^2*b^5*c^8*d^2*e^{13*f^52} + 41943040*a^3*b^2*c^{10*d^3*e^{12*f^52}} \\
& - 94371840*a^3*b^3*c^9*d^2*e^{13*f^52})) + 8192*b^3*c^9*e^{12*f^51} + 8192*c^{12*d^3*e^9*f^51} - 32768*a*b*c^{10*e^{12*f^51}} + 40960*a*c^{11*d*e^{11*f^51}} \\
& - 8192*b*c^{11*d^2*e^{10*f^51}} - 8192*b^2*c^{10*d*e^{11*f^51}} + 12288*c^{11*e^{11*f^50}}*(f*x)^{(1/2)))*\text{root}(8388608*a^7*b*c^{11*d^{18}*e*f^6*h^{12}} \\
& - 513802240*a^{10}*b^2*c^7*d^{11}*e^8*f^6*h^{12} - 381681664*a^{11}*b^2*c^6*d^9*e^{10*f^6*h^{12}} - 381681664*a^9*b^2*c^8*d^{13}*e^6*f^6*h^{12} \\
& - 300941312*a^9*b^5*c^5*d^{10}*e^9*f^6*h^{12} - 300941312*a^8*b^5*c^6*d^{12}*e^7*f^6*h^{12} + 293601280*a^{10}*b^3*c^6*d^{10}*e^9*f^6*h^{12} \\
& + 293601280*a^9*b^3*c^7*d^{12}*e^7*f^6*h^{12} - 168820736*a^{10}*b^5*c^4*d^8*e^{11*f^6*h^{12}} - 168820736*a^7*b^5*c^7*d^{14}*e^5*f^6*h^{12} \\
& + 166068224*a^8*b^6*c^5*d^{11}*e^8*f^6*h^{12} - 146800640*a^{12}*b^2*c^5*d^7*e^{12*f^6*h^{12}} - 146800640*a^8*b^2*c^9*d^{15}*e^4*f^6*h^{12} \\
& + 124780544*a^{10}*b^4*c^5*d^9*e^{10*f^6*h^{12}} + 124780544*a^8*b^4*c^7*d^{13}*e^6*f^6*h^{12} + 119275520*a^9*b^4*c^6*d^{11}*e^8*f^6*h^{12} \\
& + 117440512*a^{11}*b^3*c^5*d^8*e^{11*f^6*h^{12}} + 117440512*a^8*b^3*c^8*d^{14}*e^5*f^6*h^{12} + 102760448*a^9*b^6*c^4*d^9*e^{10*f^6*h^{12}} \\
& + 102760448*a^7*b^6*c^6*d^{13}*e^6*f^6*h^{12} + 91750400*a^{11}*b^4*c^4*d^7*e^{12*f^6*h^{12}} + 91750400*a^7*b^4*c^8*d^{15}*e^4*f^6*h^{12} - 71065600*a^7*b^8*c^4*d^{11}*e^8*f^6*h^{12} \\
& - 53444608*a^8*b^8*c^3*d^9*e^{10*f^6*h^{12}} - 53444608*a^6*b^8*c^5*d^{13}*e^6*f^6*h^{12} + 40370176*a^9*b^7*c^3*d^8*e^{11*f^6*h^{12}} \\
& + 40370176*a^6*b^7*c^6*d^{14}*e^5*f^6*h^{12} - 36700160*a^{11}*b^5*c^3*d^6*e^{13*f^6*h^{12}} - 36700160*a^6*b^5*c^8*d^{16}*e^3*f^6*h^{12} \\
& + 34078720*a^8*b^7*c^4*d^{10}*e^9*f^6*h^{12} + 34078720*a^7*b^7*c^5*d^{12}*e^7*f^6*h^{12} + 26214400*a^{12}*b^4*c^3*d^5*e^{14*f^6*h^{12}} \\
& + 26214400*a^6*b^4*c^9*d^{17}*e^2*f^6*h^{12} + 22118400*a^7*b^9*c^3*d^{10}*e^9*f^6*h^{12} + 22118400*a^6*b^9*c^4*d^{12}*e^7*f^6*h^{12} \\
& - 20971520*a^{13}*b^2*c^4*d^5*e^{14*f^6*h^{12}} - 20971520*a^7*b^2*c^{10*d^{17}*e^2*f^6*h^{12}} + 18350080*a^{10}*b^7*c^2*d^6*e^{13*f^6*h^{12}} \\
& + 18350080*a^5*b^7*c^7*d^{16}*e^3*f^6*h^{12} - 16629760*a^9*b^8*c^2*d^7*e^{12*f^6*h^{12}} - 16629760*a^5*b^8*c^6*d^{15}*e^4*f^6*h^{12} \\
& - 10485760*a^{11}*b^6*c^2*d^5*e^{14*f^6*h^{12}} - 10485760*a^5*b^6*c^8*d^{17}*e^2*f^6*h^{12} + 9175040*a^{10}*b^6*c^3*d^7*e^{12*f^6*h^{12}} \\
& + 9175040*a^6*b^6*c^7*d^{15}*e^4*f^6*h^{12} - 8388608*a^{13}*b^3*c^3*d^4*e^{15*f^6*h^{12}} + 5619712*a^7*b^{10}*c^2*d^9*e^{10*f^6*h^{12}} \\
& + 5619712*a^5*b^{10}*c^4*d^13*e^6*f^6*h^{12} - 5570560*a^6*b^{11}*c^2*d^{10}*e^9*f^6*h^{12} - 5570560*a^5*b^{11}*c^3*d^{12}*e^7*f^6*h^{12} \\
& + 4358144*a^8*b^9*c^2*d^8*e^{11*f^6*h^{12}} + 4358144*a^5*b^9*c^5*d^{14}*e^5*f^6*h^{12} + 4259840*a^6*b^{10}*c^3*d^{11}*e^8*f^6*h^{12} \\
& + 3899392*a^4*b^{10}*c^5*d^{15}*e^4*f^6*h^{12} - 3440640*a^4*b^9*c^6*d^{16}*e^3*f^6*h^{12} + 3145728*a^{12}*b^5*c^2*d^4*e^{15*f^6*h^{12}} \\
& - 2523136*a^4*b^{11}*c^4*d^{14}*e^5*f^6
\end{aligned}$$

$$\begin{aligned}
& h^{12} + 1802240a^4b^8c^7d^{17}e^2f^6h^{12} + 1556480a^5b^{12}c^2d^{11}e^8f^6h^{12} + 1048576a^{14}b^2c^3d^3e^{16}f^6h^{12} + 688128a^4b^{12}c^3d^{13}e^6f^6h^{12} - 393216a^{13}b^4c^2d^3e^{16}f^6h^{12} - 286720a^3b^{12}c^4d^{15}e^4f^6h^{12} + 229376a^3b^{13}c^3d^{14}e^5f^6h^{12} + 229376a^3b^{11}c^5d^{16}e^3f^6h^{12} + 163840a^4b^{13}c^2d^{12}e^7f^6h^{12} - 114688a^3b^{14}c^2d^{13}e^6f^6h^{12} - 114688a^3b^{10}c^6d^{17}e^2f^6h^{12} + 293601280a^{11}b^8c^7d^{10}e^9f^6h^{12} + 293601280a^{10}b^8c^8d^{12}e^7f^6h^{12} + 176160768a^{12}b^8c^6d^8e^{11}f^6h^{12} + 176160768a^9b^8c^9d^{14}e^5f^6h^{12} + 58720256a^{13}b^8c^5d^6e^{13}f^6h^{12} + 58720256a^8b^8c^{10}d^{16}e^3f^6h^{12} + 8388608a^{14}b^8c^4d^4e^{15}f^6h^{12} - 8388608a^6b^3c^{10}d^{18}e^3f^6h^{12} + 3899392a^8b^{10}c^4d^7e^{12}f^6h^{12} - 3440640a^9b^9c^4d^6e^{13}f^6h^{12} + 3145728a^5b^5c^9d^{18}e^3f^6h^{12} - 2523136a^7b^{11}c^4d^8e^{11}f^6h^{12} + 1802240a^{10}b^8c^4d^5e^{14}f^6h^{12} + 688128a^6b^{12}c^4d^9e^{10}f^6h^{12} - 524288a^{11}b^7c^4d^4e^{15}f^6h^{12} - 524288a^4b^7c^8d^{18}e^3f^6h^{12} + 163840a^5b^{13}c^4d^{10}e^9f^6h^{12} - 163840a^4b^{14}c^4d^{11}e^8f^6h^{12} + 65536a^{12}b^6c^3d^3e^{16}f^6h^{12} + 32768a^3b^{15}c^4d^{12}e^7f^6h^{12} + 32768a^3b^9c^7d^{18}e^3f^6h^{12} - 73400320a^{11}c^8d^{11}e^8f^6h^{12} - 58720256a^{12}c^7d^9e^{10}f^6h^{12} - 58720256a^{10}c^9d^{13}e^6f^6h^{12} - 29360128a^{13}c^6d^7e^{12}f^6h^{12} - 29360128a^9c^{10}d^{15}e^4f^6h^{12} - 8388608a^{14}c^5d^5e^{14}f^6h^{12} - 8388608a^8c^{11}d^{17}e^2f^6h^{12} - 1048576a^{15}c^4d^3e^{16}f^6h^{12} - 286720a^7b^{12}d^7e^{12}f^6h^{12} + 229376a^8b^{11}d^6e^{13}f^6h^{12} + 229376a^6b^{13}d^8e^{11}f^6h^{12} - 114688a^9b^{10}d^5e^{14}f^6h^{12} - 114688a^5b^{14}d^9e^{10}f^6h^{12} + 32768a^{10}b^9d^4e^{15}f^6h^{12} + 32768a^4b^{15}d^{10}e^9f^6h^{12} - 4096a^{11}b^8d^3e^{16}f^6h^{12} - 4096a^3b^{16}d^{11}e^8f^6h^{12} + 1048576a^6b^2c^{11}d^{19}f^6h^{12} - 393216a^5b^4c^{10}d^{19}f^6h^{12} + 65536a^4b^6c^9d^{19}f^6h^{12} - 4096a^3b^8c^8d^{19}f^6h^{12} - 1048576a^7c^{12}d^{19}f^6h^{12} + 262144a^{10}b^8c^4d^4e^{14}f^4h^8 - 23552a^6b^6c^8d^{14}e^4f^4h^8 - 16384a^7b^7c^4d^4e^{14}f^4h^8 - 3328a^6b^{13}c^4d^7e^8f^4h^8 + 2429952a^4b^5c^6d^9e^6f^4h^8 - 1865728a^6b^3c^6d^7e^8f^4h^8 - 1716224a^4b^4c^7d^{10}e^5f^4h^8 + 1605632a^6b^2c^7d^8e^7f^4h^8 + 1584384a^5b^5c^5d^7e^8f^4h^8 + 1572864a^5b^2c^8d^{10}e^5f^4h^8 - 1433600a^5b^3c^7d^9e^6f^4h^8 - 1261568a^4b^6c^5d^8e^7f^4h^8 - 1124352a^3b^4c^8d^{12}e^3f^4h^8 - 1110016a^7b^3c^5d^5e^{10}f^4h^8 + 1106176a^3b^5c^7d^{11}e^4f^4h^8 - 936960a^5b^6c^4d^6e^9f^4h^8 - 838656a^2b^7c^6d^{11}e^4f^4h^8 - 795648a^3b^7c^5d^9e^6f^4h^8 + 730880a^3b^8c^4d^8e^7f^4h^8 + 714752a^2b^6c^7d^{12}e^3f^4h^8 + 686080a^7b^4c^4d^4e^{11}f^4h^8 + 641024a^6b^4c^5d^6e^9f^4h^8 - 595968a^8b^3c^4d^3e^{12}f^4h^8 + 544768a^3b^3c^9d^{13}e^2f^4h^8 + 516096a^2b^8c^5d^{10}e^5f^4h^8 + 441856a^6b^5c^4d^5e^{10}f^4h^8 + 393216a^7b^2c^6d^6e^9f^4h^8 + 376832a^4b^2c^9d^{12}e^3f^4h^8 - 366592a^6b^6c^3d^4e^{11}f^4h^8 + 363520a^4b^8c^3d^6e^9f^4h^8 - 356352a^5b^4c^6d^8e^7f^4h^8 - 348672a^2b^5c^8d^{13}e^2f^4h^8 - 344064a^8b^2c^5d^4e^{11}f^4h^8 + 294912a^8b^4c^3d^2e^{13}f^4h^8 + 210944a^4b^3c^8d^{11}e^4f^4h^8 - 198400a^3b^4c^3d^2e^{13}f^4h^8
\end{aligned}$$

$$\begin{aligned}
& b^9 c^3 d^7 e^8 f^4 h^8 - 144640 a^4 b^7 c^4 d^7 e^8 f^4 h^8 - 131072 a^9 b^2 c^4 d^2 e^{13} f^4 h^8 - 131072 a^7 b^6 c^2 d^2 e^{13} f^4 h^8 - 129024 a^3 b^6 c^6 d^{10} e^5 f^4 h^8 - 104448 a^2 b^{10} c^3 d^8 e^7 f^4 h^8 + 96768 a^5 b^8 c^2 d^4 e^{11} f^4 h^8 + 91904 a^7 b^5 c^3 d^3 e^{12} f^4 h^8 - 74240 a^4 b^9 c^2 d^5 e^{10} f^4 h^8 - 71680 a^2 b^9 c^4 d^9 e^6 f^4 h^8 + 58368 a^2 b^11 c^2 d^7 e^8 f^4 h^8 + 36864 a^5 b^7 c^3 d^5 e^{10} f^4 h^8 - 35328 a^3 b^{10} c^2 d^6 e^9 f^4 h^8 + 27136 a^6 b^7 c^2 d^3 e^{12} f^4 h^8 + 909312 a^8 b^6 c^6 d^5 e^{10} f^4 h^8 + 815104 a^9 b^5 c^5 d^3 e^{12} f^4 h^8 - 651264 a^5 b^6 c^9 d^{11} e^4 f^4 h^8 - 573440 a^6 b^6 c^8 d^9 e^6 f^4 h^8 - 262144 a^9 b^3 c^3 d^6 e^{14} f^4 h^8 + 217088 a^7 b^6 c^7 d^7 e^8 f^4 h^8 + 211456 a^8 b^9 c^5 d^{11} e^4 f^4 h^8 - 204800 a^4 b^6 c^{10} d^{13} e^2 f^4 h^8 - 172032 a^6 b^8 c^6 d^{12} e^3 f^4 h^8 - 157696 a^8 b^{10} c^4 d^{10} e^5 f^4 h^8 - 131072 a^3 b^2 c^{10} d^{14} e^4 f^4 h^8 + 98304 a^8 b^5 c^2 d^6 e^{14} f^4 h^8 + 92160 a^2 b^4 c^9 d^{14} e^4 f^4 h^8 + 84992 a^8 b^7 c^7 d^{13} e^2 f^4 h^8 + 64512 a^8 b^{11} c^3 d^9 e^6 f^4 h^8 + 23552 a^6 b^8 c^6 d^2 e^{13} f^4 h^8 + 18944 a^3 b^{11} c^5 d^5 e^{10} f^4 h^8 - 13312 a^4 b^{10} c^4 d^4 e^{11} f^4 h^8 - 9472 a^5 b^9 c^3 d^3 e^{12} f^4 h^8 - 8192 a^8 b^{12} c^2 d^8 e^7 f^4 h^8 - 6144 a^2 b^{12} c^6 d^6 e^9 f^4 h^8 - 17920 b^{11} c^4 d^{11} e^4 f^4 h^8 + 14336 b^{12} c^3 d^{10} e^5 f^4 h^8 + 14336 b^{10} c^5 d^{12} e^3 f^4 h^8 - 7168 b^{13} c^2 d^9 e^6 f^4 h^8 - 7168 b^9 c^6 d^{13} e^2 f^4 h^8 - 425984 a^9 c^6 d^4 e^{11} f^4 h^8 - 360448 a^8 c^7 d^6 e^9 f^4 h^8 - 262144 a^{10} c^5 d^2 e^{13} f^4 h^8 - 131072 a^7 c^8 d^8 e^7 f^4 h^8 + 98304 a^5 c^{10} d^{12} e^3 f^4 h^8 + 65536 a^6 c^9 d^{10} e^5 f^4 h^8 - 1536 a^5 b^{10} d^2 e^{13} f^4 h^8 - 1536 a^2 b^{13} d^5 e^{10} f^4 h^8 + 768 a^4 b^{11} d^3 e^{12} f^4 h^8 + 768 a^3 b^{12} d^4 e^{11} f^4 h^8 + 65536 a^{10} b^2 c^3 e^{15} f^4 h^8 - 24576 a^9 b^4 c^2 e^{15} f^4 h^8 - 10240 a^2 b^3 c^{10} d^{15} f^4 h^8 + 2048 b^{14} c^4 d^8 e^7 f^4 h^8 + 2048 b^8 c^7 d^{14} e^4 f^4 h^8 + 32768 a^4 c^{11} d^{14} e^4 f^4 h^8 + 1024 a^6 b^9 d^4 e^{14} f^4 h^8 + 1024 a^8 b^{14} d^6 e^9 f^4 h^8 + 4096 a^8 b^6 c^5 e^{15} f^4 h^8 + 12288 a^3 b^6 c^{11} d^{15} f^4 h^8 + 2816 a^8 b^5 c^9 d^{15} f^4 h^8 - 256 b^{15} d^7 e^8 f^4 h^8 - 65536 a^{11} c^4 e^{15} f^4 h^8 - 256 b^7 c^8 d^{15} f^4 h^8 - 256 a^7 b^8 e^{15} f^4 h^8 - 896 a^8 b^8 c^2 d^2 e^{10} f^2 h^4 + 192 a^8 b^9 c^9 d^8 e^3 f^2 h^4 + 11520 a^3 b^3 c^5 d^2 e^9 f^2 h^4 - 5856 a^2 b^5 c^4 d^2 e^9 f^2 h^4 - 5120 a^3 b^2 c^6 d^3 e^8 f^2 h^4 + 3200 a^2 b^4 c^5 d^3 e^8 f^2 h^4 - 640 a^2 b^3 c^6 d^4 e^7 f^2 h^4 - 96 a^2 b^2 c^7 d^5 e^6 f^2 h^4 - 10880 a^3 b^4 c^4 d^4 e^{10} f^2 h^4 + 10240 a^4 b^2 c^5 d^4 e^{10} f^2 h^4 - 7680 a^4 b^6 c^6 d^2 e^9 f^2 h^4 + 4672 a^2 b^6 c^3 d^2 e^{10} f^2 h^4 + 1248 a^8 b^7 c^3 d^2 e^9 f^2 h^4 + 832 a^3 b^6 c^7 d^4 e^7 f^2 h^4 - 768 a^8 b^6 c^4 d^3 e^8 f^2 h^4 + 192 a^2 b^6 c^8 d^6 e^5 f^2 h^4 - 192 a^8 b^2 c^8 d^7 e^4 f^2 h^4 + 176 a^8 b^5 c^5 d^4 e^7 f^2 h^4 + 64 a^8 b^3 c^7 d^6 e^5 f^2 h^4 - 96 b^9 c^2 d^2 e^9 f^2 h^4 - 96 b^2 c^9 d^9 e^2 f^2 h^4 + 64 b^8 c^3 d^3 e^8 f^2 h^4 + 64 b^3 c^8 d^8 e^3 f^2 h^4 - 16 b^7 c^4 d^4 e^7 f^2 h^4 - 16 b^4 c^7 d^7 e^4 f^2 h^4 + 2032 a^4 c^7 d^3 e^8 f^2 h^4 - 96 a^2 c^9 d^7 e^4 f^2 h^4 - 64 a^3 c^8 d^5 e^6 f^2 h^4 - 4480 a^4 b^3 c^4 e^{11} f^2 h^4 + 3696 a^3 b^5 c^3 e^{11} f^2 h^4 - 1376 a^2 b^7 c^2 e^{11} f^2 h^4 - 2048 a^5 c^6 d^2 e^{10} f^2 h^4 - 64 a^8 c^{10} d^9 e^2 f^2 h^4 + 1792 a^5 b^6 c^5 e^{11} f^2 h^4 + 64 b^{10} c^4 d^2 e^{10} f^2 h^4 + 64 b^6 c^{10} d^{10} e^4 f^2 h^4 + 240 a^8 b^9 c^5 e^{11} f^2 h^4 - 16 c^{11}
\end{aligned}$$

`*d11*f2*h4 - 16*b11*e11*f2*h4 - c7*e7, h, k), k, 1, 12)`

`sympy [F] time = 0.00, size = 0, normalized size = 0.00`

$$\int \frac{1}{\sqrt{fx} (d + ex^2) (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate(1/(e*x**2+d)/(c*x**4+b*x**2+a)/(f*x)**(1/2), x)`

`[Out] Integral(1/(sqrt(f*x)*(d + e*x**2)*(a + b*x**2 + c*x**4)), x)`

$$3.311 \quad \int \frac{x^5 \sqrt{a+bx^2+cx^4}}{d+ex^2} dx$$

Optimal. Leaf size=272

$$\frac{(-8c^2de(bd - ae) - 2bce^2(bd - 2ae) - b^3e^3 + 16c^3d^3) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right) + \sqrt{a+bx^2+cx^4} \left((2cd - be)(be - cd) + 16c^2e^3\right)}{32c^{5/2}e^4}$$

[Out] $1/6*(c*x^4+b*x^2+a)^{(3/2)}/c/e-1/32*(16*c^3*d^3-b^3*e^3-2*b*c*e^2*(-2*a*e+b*d)-8*c^2*d*e*(-a*e+b*d))*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/c^{(5/2)}/e^4+1/2*d^2*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}*(a*e^2-b*d*e+c*d^2)^{(1/2)}/e^4+1/16*((-b*e+2*c*d)*(b*e+4*c*d)-2*c*e*(b*e+2*c*d)*x^2)*(c*x^4+b*x^2+a)^{(1/2)}/c^2/e^3$

Rubi [A] time = 0.57, antiderivative size = 272, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1251, 1653, 814, 843, 621, 206, 724}

$$\frac{(-8c^2de(bd - ae) - 2bce^2(bd - 2ae) - b^3e^3 + 16c^3d^3) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right) + \sqrt{a+bx^2+cx^4} \left((2cd - be)(be - cd) + 16c^2e^3\right)}{32c^{5/2}e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^5*sqrt[a + b*x^2 + c*x^4])/(d + e*x^2), x]

[Out] $((2*c*d - b*e)*(4*c*d + b*e) - 2*c*e*(2*c*d + b*e)*x^2)*\operatorname{sqrt}[a + b*x^2 + c*x^4]/(16*c^2*e^3) + (a + b*x^2 + c*x^4)^{(3/2)}/(6*c*e) - ((16*c^3*d^3 - b^3*e^3 - 2*b*c*e^2*(b*d - 2*a*e) - 8*c^2*d*e*(b*d - a*e))*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{sqrt}[c]*\operatorname{sqrt}[a + b*x^2 + c*x^4])])/(32*c^{(5/2)}*e^4) + (d^2*\operatorname{sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{sqrt}[a + b*x^2 + c*x^4])])/(2*e^4)$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 814

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1653

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b

$$+ 4*c^2*(6*d^2 - 3*d*e*x^2 + 2*e^2*x^4) + 24*c^2*d^2*\text{Sqrt}[c*d^2 + e*(-(b*d) + a*e)]*\text{ArcTanh}[(-2*a*e + 2*c*d*x^2 + b*(d - e*x^2))/(2*\text{Sqrt}[c*d^2 + e*(-(b*d) + a*e)])*\text{Sqrt}[a + b*x^2 + c*x^4]])))/(96*c^(5/2)*e^4)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d), x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Error: Bad Argument Type

maple [B] time = 0.04, size = 1049, normalized size = 3.86

$$\frac{a d^2 \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} e^3} - \frac{b d^3 \ln \left(\frac{\sqrt{cx^4+bx^2+a} b x^2}{8ce} \right)}{+}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d), x)

[Out] $\frac{1}{6}*(c*x^4+b*x^2+a)^(3/2)/c/e-1/8/e*b/c*x^2*(c*x^4+b*x^2+a)^(1/2)-1/16/e*b^2/c^2*(c*x^4+b*x^2+a)^(1/2)-1/8/e*b/c^(3/2)*\ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))*a+1/32/e*b^3/c^(5/2)*\ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))-1/4/e^2*d*(c*x^4+b*x^2+a)^(1/2)*x^2-1/8/e^2*d/c*(c*x^4+b*x^2+a)^(1/2)*b-1/4/e^2*d/c^(1/2)*\ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))*a+1/16/e^2*d/c^(3/2)*\ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))*b^2+1/2*d^2/e^3*(c*(x^2+d/e)^2+(b*e-2*c*d)/e*(x^2+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)+1/4*d^2/e^3*\ln((1/2*(b*e-2*c*d)/e+c*(x^2+d/e))/c^(1/2)+(c*(x^2+d/e)^2+(b*e-2*c*d)/e*(x^2+d/e)+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/c^(1/2)*b-1/2*d^3/e^$

$$4 \ln\left(\frac{1}{2} \frac{(b e^{-2} c d) / e + c (x^2 + d/e)}{c^{1/2}} + \frac{c (x^2 + d/e)^2 + (b e^{-2} c d) / e}{e (x^2 + d/e) + (a e^{-2} - b d e + c d^2) / e^2}\right)^{1/2} - \frac{1}{2} \frac{d^2 / e^3}{((a e^{-2} - b d e + c d^2) / e^2)^{1/2}} \ln\left(\frac{2 (a e^{-2} - b d e + c d^2) / e^2 + (b e^{-2} c d) / e (x^2 + d/e) + 2 ((a e^{-2} - b d e + c d^2) / e^2)^{1/2}}{(c (x^2 + d/e)^2 + (b e^{-2} c d) / e (x^2 + d/e) + (a e^{-2} - b d e + c d^2) / e^2)}\right) / (x^2 + d/e) + a + \frac{1}{2} \frac{d^3 / e^4}{((a e^{-2} - b d e + c d^2) / e^2)^{1/2}} \ln\left(\frac{2 (a e^{-2} - b d e + c d^2) / e^2 + (b e^{-2} c d) / e (x^2 + d/e) + 2 ((a e^{-2} - b d e + c d^2) / e^2)^{1/2}}{(c (x^2 + d/e)^2 + (b e^{-2} c d) / e (x^2 + d/e) + (a e^{-2} - b d e + c d^2) / e^2)}\right) / (x^2 + d/e) + b - \frac{1}{2} \frac{d^4 / e^5}{((a e^{-2} - b d e + c d^2) / e^2)^{1/2}} \ln\left(\frac{2 (a e^{-2} - b d e + c d^2) / e^2 + (b e^{-2} c d) / e (x^2 + d/e) + 2 ((a e^{-2} - b d e + c d^2) / e^2)^{1/2}}{(c (x^2 + d/e)^2 + (b e^{-2} c d) / e (x^2 + d/e) + (a e^{-2} - b d e + c d^2) / e^2)}\right) / (x^2 + d/e) + c$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁵*(c*x⁴+b*x²+a)^(1/2)/(e*x²+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* h elp (example of legal syntax is 'assume(b*e-2*c*d>0)', see `assume?` for mo re details)Is b*e-2*c*d zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 \sqrt{c x^4 + b x^2 + a}}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x⁵*(a + b*x² + c*x⁴)^(1/2))/(d + e*x²),x)

[Out] int((x⁵*(a + b*x² + c*x⁴)^(1/2))/(d + e*x²), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 \sqrt{a + b x^2 + c x^4}}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(c*x**4+b*x**2+a)**(1/2)/(e*x**2+d),x)

[Out] Integral(x**5*sqrt(a + b*x**2 + c*x**4)/(d + e*x**2), x)

$$3.312 \quad \int \frac{x^3 \sqrt{a+bx^2+cx^4}}{d+ex^2} dx$$

Optimal. Leaf size=208

$$\frac{(-4ce(bd - ae) - b^2e^2 + 8c^2d^2) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right) d\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{16c^{3/2}e^3} \sqrt{\quad}$$

[Out] 1/16*(8*c^2*d^2-b^2*e^2-4*c*e*(-a*e+b*d))*arctanh(1/2*(2*c*x^2+b)/c^(1/2)/(c*x^4+b*x^2+a)^(1/2))/c^(3/2)/e^3-1/2*d*arctanh(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2))*(a*e^2-b*d*e+c*d^2)^(1/2)/e^3-1/8*(-2*c*e*x^2-b*e+4*c*d)*(c*x^4+b*x^2+a)^(1/2)/c/e^2

Rubi [A] time = 0.31, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 814, 843, 621, 206, 724}

$$\frac{(-4ce(bd - ae) - b^2e^2 + 8c^2d^2) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right) d\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{16c^{3/2}e^3} \sqrt{\quad}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sqrt[a + b*x^2 + c*x^4])/(d + e*x^2), x]

[Out] -((4*c*d - b*e - 2*c*e*x^2)*Sqrt[a + b*x^2 + c*x^4])/(8*c*e^2) + ((8*c^2*d^2 - b^2*e^2 - 4*c*e*(b*d - a*e))*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(16*c^(3/2)*e^3) - (d*Sqrt[c*d^2 - b*d*e + a*e^2]*ArcTanh[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4])])/(2*e^3)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 814

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{a + bx^2 + cx^4}}{d + ex^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x \sqrt{a + bx + cx^2}}{d + ex} dx, x, x^2 \right) \\
&= -\frac{(4cd - be - 2cex^2) \sqrt{a + bx^2 + cx^4}}{8ce^2} - \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}d(4bcd - b^2e - 4ace) - \frac{1}{2}(8c^2d^2 - b^2e^2 - 4ce(bd - ae))}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{8ce^2} \\
&= -\frac{(4cd - be - 2cex^2) \sqrt{a + bx^2 + cx^4}}{8ce^2} - \frac{(d(cd^2 - bde + ae^2)) \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2e^3} \\
&= -\frac{(4cd - be - 2cex^2) \sqrt{a + bx^2 + cx^4}}{8ce^2} + \frac{(d(cd^2 - bde + ae^2)) \text{Subst} \left(\int \frac{1}{4cd^2 - 4bde + 4ae^2 - x^2} dx, x, x^2 \right)}{e^3} \\
&= -\frac{(4cd - be - 2cex^2) \sqrt{a + bx^2 + cx^4}}{8ce^2} + \frac{(8c^2d^2 - b^2e^2 - 4ce(bd - ae)) \tanh^{-1} \left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}} \right)}{16c^{3/2}e^3}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 205, normalized size = 0.99

$$\frac{(4ce(ae - bd) - b^2e^2 + 8c^2d^2) \tanh^{-1} \left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}} \right) + 2\sqrt{c} \left(4cd\sqrt{ae^2 - bde + cd^2} \tanh^{-1} \left(\frac{2ae - bd + bex^2 - 2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2 - bde + cd^2}} \right) \right)}{16c^{3/2}e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*Sqrt[a + b*x^2 + c*x^4])/(d + e*x^2), x]

[Out] ((8*c^2*d^2 - b^2*e^2 + 4*c*e*(-(b*d) + a*e))*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4]]) + 2*Sqrt[c]*(e*(-4*c*d + b*e + 2*c*e*x^2)*Sqrt[a + b*x^2 + c*x^4] + 4*c*d*Sqrt[c*d^2 - b*d*e + a*e^2]*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4])))/(16*c^(3/2)*e^3)

fricas [A] time = 46.63, size = 1231, normalized size = 5.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d), x, algorithm="fricas")

[Out] [1/32*(8*sqrt(c*d^2 - b*d*e + a*e^2)*c^2*d*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sq


```

rt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/(e^2*x^4 + 2*d
*e*x^2 + d^2) + (8*c^2*d^2 - 4*b*c*d*e - (b^2 - 4*a*c)*e^2)*sqrt(c)*log(-8
*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c
) - 4*a*c) + 4*(2*c^2*e^2*x^2 - 4*c^2*d*e + b*c*e^2)*sqrt(c*x^4 + b*x^2 + a
))/(c^2*e^3), -1/32*(16*sqrt(-c*d^2 + b*d*e - a*e^2)*c^2*d*arctan(-1/2*sqrt
(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d -
2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 +
(b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - (8*c^2*d^2 - 4*b*c*d*e - (b^2 - 4*a*c
)*e^2)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)
*(2*c*x^2 + b)*sqrt(c) - 4*a*c) - 4*(2*c^2*e^2*x^2 - 4*c^2*d*e + b*c*e^2)*s
qrt(c*x^4 + b*x^2 + a))/(c^2*e^3), 1/16*(4*sqrt(c*d^2 - b*d*e + a*e^2)*c^2*
d*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2
*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*
x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2))*((2*c*d - b*e)*
x^2 + b*d - 2*a*e)/(e^2*x^4 + 2*d*e*x^2 + d^2)) - (8*c^2*d^2 - 4*b*c*d*e -
(b^2 - 4*a*c)*e^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 +
b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)) + 2*(2*c^2*e^2*x^2 - 4*c^2*d*e + b*c
*e^2)*sqrt(c*x^4 + b*x^2 + a))/(c^2*e^3), -1/16*(8*sqrt(-c*d^2 + b*d*e - a*
e^2)*c^2*d*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)
)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c
*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) + (8*c^2*d^2
- 4*b*c*d*e - (b^2 - 4*a*c)*e^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 +
a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)) - 2*(2*c^2*e^2*x^2 - 4
*c^2*d*e + b*c*e^2)*sqrt(c*x^4 + b*x^2 + a))/(c^2*e^3)]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

maple [B] time = 0.01, size = 887, normalized size = 4.26

$$\frac{ad \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} e^2} - \frac{bd^2 \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(c*x**4+b*x**2+a)**(1/2)/(e*x**2+d), x)
```

```
[Out] Integral(x**3*sqrt(a + b*x**2 + c*x**4)/(d + e*x**2), x)
```

$$3.313 \quad \int \frac{x\sqrt{a+bx^2+cx^4}}{d+ex^2} dx$$

Optimal. Leaf size=168

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e^2} - \frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{4\sqrt{c}e^2} + \frac{\sqrt{a + bx^2 + cx^4}}{2e}$$

[Out] $-1/4*(-b*e+2*c*d)*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}/e^{2/c^{(1/2)}+1/2*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}*(a*e^2-b*d*e+c*d^2)^{(1/2)}/e^{2+1/2*(c*x^4+b*x^2+a)^{(1/2)}/e}$

Rubi [A] time = 0.22, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1247, 734, 843, 621, 206, 724}

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e^2} - \frac{(2cd - be) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{4\sqrt{c}e^2} + \frac{\sqrt{a + bx^2 + cx^4}}{2e}$$

Antiderivative was successfully verified.

[In] `Int[(x*Sqrt[a + b*x^2 + c*x^4])/(d + e*x^2), x]`

[Out] $\operatorname{Sqrt}[a + b*x^2 + c*x^4]/(2*e) - ((2*c*d - b*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(4*\operatorname{Sqrt}[c]*e^2) + (\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*e^2)$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 621

`Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 734

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]
&& GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0]
&& IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x\sqrt{a+bx^2+cx^4}}{d+ex^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx, x, x^2 \right) \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2e} - \frac{\text{Subst} \left(\int \frac{bd-2ae+(2cd-be)x}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4e} \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2e} - \frac{(2cd-be) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4e^2} + \frac{(cd^2-bde+ae^2) \text{Subst} \left(\int \frac{1}{d+ex} dx, x, x^2 \right)}{2e^2} \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2e} - \frac{(2cd-be) \text{Subst} \left(\int \frac{1}{4c-x^2} dx, x, \frac{b+2cx^2}{\sqrt{a+bx^2+cx^4}} \right)}{2e^2} - \frac{(cd^2-bde+ae^2) \text{Subst} \left(\int \frac{1}{d+ex} dx, x, x^2 \right)}{2e^2} \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2e} - \frac{(2cd-be) \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right)}{4\sqrt{c}e^2} + \frac{\sqrt{cd^2-bde+ae^2} \tanh^{-1} \left(\frac{d+ex}{2\sqrt{c}} \right)}{2e^2}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 167, normalized size = 0.99

$$\frac{2\sqrt{c} \left(e\sqrt{a+bx^2+cx^4} - \sqrt{ae^2-bde+cd^2} \tanh^{-1} \left(\frac{2ae-bd+bex^2-2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}} \right) \right) + (be-2cd) \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right)}{4\sqrt{c}e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x*Sqrt[a + b*x^2 + c*x^4])/(d + e*x^2), x]

[Out] ((-2*c*d + b*e)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4]]) + 2*Sqrt[c]*(e*Sqrt[a + b*x^2 + c*x^4] - Sqrt[c*d^2 - b*d*e + a*e^2]*ArcTan h[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqr t[a + b*x^2 + c*x^4])))/(4*Sqrt[c]*e^2)

fricas [A] time = 3.69, size = 1050, normalized size = 6.25

$$\left[\frac{4\sqrt{cx^4+bx^2+ace} - (2cd-be)\sqrt{c} \log \left(-8c^2x^4 - 8bcx^2 - b^2 - 4\sqrt{cx^4+bx^2+a}(2cx^2+b)\sqrt{c} - 4ac \right) + 2\sqrt{cd^2-bde+ae^2} \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right)}{4\sqrt{c}e^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d), x, algorithm="fricas")

```
[Out] [1/8*(4*sqrt(c*x^4 + b*x^2 + a)*c*e - (2*c*d - b*e)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) - 4*a*c) + 2*sqrt(c*d^2 - b*d*e + a*e^2)*c*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)))/(c*e^2), 1/4*(2*sqrt(c*x^4 + b*x^2 + a)*c*e + (2*c*d - b*e)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)) + sqrt(c*d^2 - b*d*e + a*e^2)*c*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)))/(c*e^2), 1/8*(4*sqrt(c*x^4 + b*x^2 + a)*c*e + 4*sqrt(-c*d^2 + b*d*e - a*e^2)*c*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - (2*c*d - b*e)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) - 4*a*c))/(c*e^2), 1/4*(2*sqrt(c*x^4 + b*x^2 + a)*c*e + 2*sqrt(-c*d^2 + b*d*e - a*e^2)*c*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) + (2*c*d - b*e)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)))/(c*e^2)]
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type
```

maple [B] time = 0.00, size = 757, normalized size = 4.51

$$\frac{a \ln \left(\frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} e} + \frac{bd \ln \left(\frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + \frac{2ae^2-2deb+2cd^2}{e^2}}{e} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d),x)`

[Out] $\frac{1}{2} \frac{1}{e} \left(\frac{x^2+d}{e} \right)^2 c + (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \left(\frac{x^2+d}{e} \right)^{1/2} + \frac{1}{4} \frac{1}{e} \ln \left(\left(\frac{x^2+d}{e} \right)^2 c + \frac{1}{2} (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} + \left(\frac{x^2+d}{e} \right)^2 c + (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \left(\frac{x^2+d}{e} \right)^{1/2} \right) / c^{1/2} + b^{-1/2} e^{-2} \ln \left(\left(\frac{x^2+d}{e} \right)^2 c + \frac{1}{2} (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \right) / c^{1/2} + b^{-1/2} e^{-2} \ln \left(\left(\frac{x^2+d}{e} \right)^2 c + (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \right) / c^{1/2} + d^{-1/2} e / \left((a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \right) \ln \left((b e - 2 c d) \frac{x^2+d}{e} + 2 (a e^2 - b d e + c d^2) e^{-2} + 2 \left((a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \left(\frac{x^2+d}{e} \right)^2 c + (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \right) / \left(\frac{x^2+d}{e} \right) + a + \frac{1}{2} e^{-2} / \left((a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \ln \left((b e - 2 c d) \frac{x^2+d}{e} + 2 (a e^2 - b d e + c d^2) e^{-2} + 2 \left((a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \left(\frac{x^2+d}{e} \right)^2 c + (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \right) / \left(\frac{x^2+d}{e} \right) + d^{-1/2} e^{-3} / \left((a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \ln \left((b e - 2 c d) \frac{x^2+d}{e} + 2 (a e^2 - b d e + c d^2) e^{-2} + 2 \left((a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \left(\frac{x^2+d}{e} \right)^2 c + (b e - 2 c d) \frac{x^2+d}{e} + (a e^2 - b d e + c d^2) e^{-2} \right)^{1/2} \right) / \left(\frac{x^2+d}{e} \right) + c d^{-2}$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^4+b*x^2+a)^(1/2)/(e*x^2+d),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(a*e^2-b*d*e>0)', see 'assume?' for more details) Is a*e^2-b*d*e +c*d^2 zero or nonzero?

mapad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \sqrt{c x^4 + b x^2 + a}}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(a + b*x^2 + c*x^4)^(1/2))/(d + e*x^2),x)`

[Out] `int((x*(a + b*x^2 + c*x^4)^(1/2))/(d + e*x^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sqrt{a + b x^2 + c x^4}}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x*(c*x**4+b*x**2+a)**(1/2)/(e*x**2+d),x)
```

```
[Out] Integral(x*sqrt(a + b*x**2 + c*x**4)/(d + e*x**2), x)
```

$$3.314 \quad \int \frac{\sqrt{a+bx^2+cx^4}}{x(d+ex^2)} dx$$

Optimal. Leaf size=186

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}}\right)}{2de} - \frac{\sqrt{a} \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a} \sqrt{a+bx^2+cx^4}}\right)}{2d} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c} \sqrt{a+bx^2+cx^4}}\right)}{2e}$$

[Out] $-1/2*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}*a^{(1/2)/d+1/2*a}$
 $\operatorname{rctanh}(1/2*(2*c*x^2+b)/c^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}*c^{(1/2)/e}-1/2*\operatorname{arctanh}$
 $(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)/(c*x^4+b*x^2+a)}$
 $^{(1/2)})*(a*e^2-b*d*e+c*d^2)^{(1/2)/d}/e$

Rubi [A] time = 0.26, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 895, 724, 206, 843, 621}

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}}\right)}{2de} - \frac{\sqrt{a} \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a} \sqrt{a+bx^2+cx^4}}\right)}{2d} + \frac{\sqrt{c} \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c} \sqrt{a+bx^2+cx^4}}\right)}{2e}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^2 + c*x^4]/(x*(d + e*x^2)), x]

[Out] $-(\operatorname{Sqrt}[a]*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*d)$
 $+ (\operatorname{Sqrt}[c]*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*e)$
 $- (\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*d*e)$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 895

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/(((d_.) + (e_.)*(x_))*((f_.) + (g_.)*(x_))), x_Symbol]
:> Dist[(c*d^2 - b*d*e + a*e^2)/(e*(e*f - d*g)), Int[(a + b*x + c*x^2)^(p - 1)/(d + e*x), x], x] - Dist[1/(e*(e*f - d*g)), Int[(Simp[c*d*f - b*e*f + a*e*g - c*(e*f - d*g)*x, x]*(a + b*x + c*x^2)^(p - 1))/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]
&& NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && FractionQ[p] && GtQ[p, 0]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+bx^2+cx^4}}{x(d+ex^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a+bx+cx^2}}{x(d+ex)} dx, x, x^2 \right) \\
&= -\frac{\text{Subst} \left(\int \frac{-bd+ae-cdx}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d} + \frac{a \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d} \\
&= -\frac{a \text{Subst} \left(\int \frac{1}{4a-x^2} dx, x, \frac{2a+bx^2}{\sqrt{a+bx^2+cx^4}} \right)}{d} + \frac{c \text{Subst} \left(\int \frac{1}{\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2e} - \frac{1}{2} \left(-b + \frac{cd}{e} + \frac{ae}{d} \right) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx+cx^2}} dx, x, x^2 \right) \\
&= -\frac{\sqrt{a} \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2d} + \frac{c \text{Subst} \left(\int \frac{1}{4c-x^2} dx, x, \frac{b+2cx^2}{\sqrt{a+bx^2+cx^4}} \right)}{e} - \left(b - \frac{cd}{e} - \frac{ae}{d} \right) \text{Subst} \left(\int \frac{1}{\sqrt{a+bx+cx^2}} dx, x, x^2 \right) \\
&= -\frac{\sqrt{a} \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2d} + \frac{\sqrt{c} \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right)}{2e} - \frac{\sqrt{cd^2 - bde + ae^2} \tanh^{-1} \left(\frac{b+2cx^2}{\sqrt{cd^2 - bde + ae^2}} \right)}{2e}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 179, normalized size = 0.96

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1} \left(\frac{-2ae+bd-bex^2+2cdx^2}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}} \right) - \sqrt{c} d \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right) + \sqrt{a} e \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2de}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x^2 + c*x^4]/(x*(d + e*x^2)), x]

[Out] $-1/2*(\text{Sqrt}[a]*e*\text{ArcTanh}[(2*a + b*x^2)/(2*\text{Sqrt}[a]*\text{Sqrt}[a + b*x^2 + c*x^4])) - \text{Sqrt}[c]*d*\text{ArcTanh}[(b + 2*c*x^2)/(2*\text{Sqrt}[c]*\text{Sqrt}[a + b*x^2 + c*x^4])) + \text{Sqrt}[c*d^2 - b*d*e + a*e^2]*\text{ArcTanh}[(b*d - 2*a*e + 2*c*d*x^2 - b*e*x^2)/(2*\text{Sqrt}[c*d^2 - b*d*e + a*e^2]*\text{Sqrt}[a + b*x^2 + c*x^4]))]/(d*e)$

fricas [A] time = 162.64, size = 2367, normalized size = 12.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(1/2)/x/(e*x^2+d), x, algorithm="fricas")

[Out] $[1/4*(\text{sqrt}(c)*d*\log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*\text{sqrt}(c*x^4 + b*x^2 + a))*(2*c*x^2 + b)*\text{sqrt}(c) - 4*a*c) + \text{sqrt}(a)*e*\log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*\text{sqrt}(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a))*\text{sqrt}(a) + 8*a^2)/x^4) + \text{sqrt}(a)*e*\text{atanh}(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}) - d*\text{sqrt}(c)*\text{atanh}(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}) - \frac{\sqrt{cd^2 - bde + ae^2} \text{atanh}(\frac{b+2cx^2}{\sqrt{cd^2 - bde + ae^2}})}{2e]$

+ a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)) - sqrt(-c*d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2))/(d*e)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(1/2)/x/(e*x^2+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT>Error: Bad Argument Type

maple [B] time = 0.02, size = 851, normalized size = 4.58

$$\frac{a \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} d} - \frac{b \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^(1/2)/x/(e*x^2+d),x)

[Out] 1/2/d*(c*x^4+b*x^2+a)^(1/2)+1/4/d*b*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)-1/2/d*a^(1/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)-1/2/d*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2)-1/4/d*ln(((x^2+d/e)*c+1/2*(b*e-2*c*d)/e)/c^(1/2)+((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/c^(1/2)*b+1/2/e*ln(((x^2+d/e)*c+1/2*(b*e-2*c*d)/e)/c^(1/2)+((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*c^(1/2)+1/2/d/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e)*a-1/2/e/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e)*b+1/2/e^2*d/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e)*c

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a}}{(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(1/2)/x/(e*x^2+d),x, algorithm="maxima")

[Out] integrate(sqrt(c*x^4 + b*x^2 + a)/((e*x^2 + d)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{cx^4 + bx^2 + a}}{x(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)^(1/2)/(x*(d + e*x^2)),x)

[Out] int((a + b*x^2 + c*x^4)^(1/2)/(x*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx^2 + cx^4}}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**(1/2)/x/(e*x**2+d),x)

[Out] Integral(sqrt(a + b*x**2 + c*x**4)/(x*(d + e*x**2)), x)

$$3.315 \quad \int \frac{\sqrt{a+bx^2+cx^4}}{x^3(d+ex^2)} dx$$

Optimal. Leaf size=361

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}}\right)}{2d^2} + \frac{\sqrt{a} e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a} \sqrt{a+bx^2+cx^4}}\right)}{2d^2} - \frac{be \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c} \sqrt{a+bx^2+cx^4}}\right)}{4\sqrt{c} d^2}$$

[Out] $-1/4*b*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d/a^{(1/2)+1/2}$
 $*e*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})*a^{(1/2)}/d^2-1/4*b$
 $*e*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d^2/c^{(1/2)}-1/4*($
 $-b*e+2*c*d)*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d^2/c^{(1$
 $/2)+1/2*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})*c^{(1/2)}/d+1/$
 $2*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)}/(c*x^4$
 $+b*x^2+a)^{(1/2)})*(a*e^2-b*d*e+c*d^2)^{(1/2)}/d^2-1/2*(c*x^4+b*x^2+a)^{(1/2)}/d/$
 x^2

Rubi [A] time = 0.51, antiderivative size = 361, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1251, 960, 732, 843, 621, 206, 724, 734}

$$\frac{\sqrt{ae^2 - bde + cd^2} \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}}\right)}{2d^2} + \frac{\sqrt{a} e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a} \sqrt{a+bx^2+cx^4}}\right)}{2d^2} - \frac{be \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c} \sqrt{a+bx^2+cx^4}}\right)}{4\sqrt{c} d^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b*x^2 + c*x^4]/(x^3*(d + e*x^2)), x]

[Out] $-\operatorname{Sqrt}[a + b*x^2 + c*x^4]/(2*d*x^2) - (b*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]))/(4*\operatorname{Sqrt}[a]*d) + (\operatorname{Sqrt}[a]*e*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]))/(2*d^2) + (\operatorname{Sqrt}[c]*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]))/(2*d) - (b*e*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]))/(4*\operatorname{Sqrt}[c]*d^2) - ((2*c*d - b*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]))/(4*\operatorname{Sqrt}[c]*d^2) + (\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]))/(2*d^2)$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 724

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 732

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 1)), x] - Dist[p/(e*(m + 1)), Int[(d + e*x)^(m + 1)*(b + 2*c*x)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && (IntegerQ[p] || LtQ[m, -1]) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 734

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 843

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 960

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
```

$x)^n (a + b x + c x^2)^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, g}, x] && NeQ [e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + bx^2 + cx^4}}{x^3(d + ex^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{a + bx + cx^2}}{x^2(d + ex)} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{\sqrt{a + bx + cx^2}}{dx^2} - \frac{e\sqrt{a + bx + cx^2}}{d^2x} + \frac{e^2\sqrt{a + bx + cx^2}}{d^2(d + ex)} \right) dx, x, x^2 \right) \\
 &= \frac{\text{Subst} \left(\int \frac{\sqrt{a+bx+cx^2}}{x^2} dx, x, x^2 \right)}{2d} - \frac{e \text{Subst} \left(\int \frac{\sqrt{a+bx+cx^2}}{x} dx, x, x^2 \right)}{2d^2} + \frac{e^2 \text{Subst} \left(\int \frac{\sqrt{a+bx+cx^2}}{d+ex} dx, x, x^2 \right)}{2d^2} \\
 &= -\frac{\sqrt{a + bx^2 + cx^4}}{2dx^2} + \frac{\text{Subst} \left(\int \frac{b+2cx}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4d} + \frac{e \text{Subst} \left(\int \frac{-2a-bx}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4d^2} \\
 &= -\frac{\sqrt{a + bx^2 + cx^4}}{2dx^2} + \frac{b \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4d} + \frac{c \text{Subst} \left(\int \frac{1}{\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d} \\
 &= -\frac{\sqrt{a + bx^2 + cx^4}}{2dx^2} - \frac{b \text{Subst} \left(\int \frac{1}{4a-x^2} dx, x, \frac{2a+bx^2}{\sqrt{a+bx^2+cx^4}} \right)}{2d} + \frac{c \text{Subst} \left(\int \frac{1}{4c-x^2} dx, x, \frac{b+2cx}{\sqrt{a+bx^2+cx^4}} \right)}{d} \\
 &= -\frac{\sqrt{a + bx^2 + cx^4}}{2dx^2} - \frac{b \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{4\sqrt{a}d} + \frac{\sqrt{a}e \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2d^2} + \frac{\sqrt{c} \text{Subst} \left(\int \frac{1}{\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.32, size = 165, normalized size = 0.46

$$\frac{2\sqrt{ae^2 - bde + cd^2} \tanh^{-1} \left(\frac{-2ae+bd-bex^2+2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}} \right) + \frac{(2ae-bd) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{\sqrt{a}} - \frac{2d\sqrt{a+bx^2+cx^4}}{x^2}}{4d^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b*x^2 + c*x^4]/(x^3*(d + e*x^2)),x]

[Out] $\left(\frac{-2*d*\sqrt{a + b*x^2 + c*x^4}}{x^2} + \left(\frac{-(b*d) + 2*a*e}{2*\sqrt{a}*\sqrt{a + b*x^2 + c*x^4}}\right)\right)/\sqrt{a} + 2*\sqrt{c*d^2 - b*d*e + a*e^2}*\operatorname{ArcTanh}\left[\frac{b*d - 2*a*e + 2*c*d*x^2 - b*e*x^2}{2*\sqrt{c*d^2 - b*d*e + a*e^2}*\sqrt{a + b*x^2 + c*x^4}}\right]\right)/(4*d^2)$

fricas [A] time = 1.49, size = 1094, normalized size = 3.03

$$\left[\frac{2\sqrt{cd^2 - bde + ae^2} ax^2 \log\left(-\frac{(8c^2d^2 - 8bcde + (b^2 + 4ac)e^2)x^4 - 8abde + 8a^2e^2 + (b^2 + 4ac)d^2 + 2(4bcd^2 + 4abe^2 - (3b^2 + 4ac)de)x^2 + 4\sqrt{cx^4 + b}}{e^2x^4 + 2dex^2 + d^2}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(1/2)/x^3/(e*x^2+d),x, algorithm="fricas")

[Out] $\left[\frac{1}{8}*(2*\sqrt{c*d^2 - b*d*e + a*e^2})*a*x^2*\log\left(-\left(\frac{8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2}{x^4} - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)\right)*x^2 + 4*\sqrt{c*x^4 + b*x^2 + a}*\sqrt{c*d^2 - b*d*e + a*e^2}*\left(\frac{(2*c*d - b*e)*x^2 + b*d - 2*a*e}{e^2*x^4 + 2*d*e*x^2 + d^2}\right) - (b*d - 2*a*e)*\sqrt{a}*x^2*\log\left(-\left(\frac{b^2 + 4*a*c}{x^4} + \frac{8*a*b*x^2 + 4*\sqrt{c*x^4 + b*x^2 + a}*(b*x^2 + 2*a)*\sqrt{a} + 8*a^2}{x^4}\right) - 4*\sqrt{c*x^4 + b*x^2 + a}*a*d\right)/(a*d^2*x^2), \frac{1}{8}*(4*\sqrt{-c*d^2 + b*d*e - a*e^2})*a*x^2*\arctan\left(-\frac{1}{2}*\sqrt{c*x^4 + b*x^2 + a}*\sqrt{-c*d^2 + b*d*e - a*e^2}*\left(\frac{(2*c*d - b*e)*x^2 + b*d - 2*a*e}{(c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2}\right) - (b*d - 2*a*e)*\sqrt{a}*x^2*\log\left(-\left(\frac{b^2 + 4*a*c}{x^4} + \frac{8*a*b*x^2 + 4*\sqrt{c*x^4 + b*x^2 + a}*(b*x^2 + 2*a)*\sqrt{a} + 8*a^2}{x^4}\right) - 4*\sqrt{c*x^4 + b*x^2 + a}*a*d\right)/(a*d^2*x^2), \frac{1}{4}*\left(\frac{(b*d - 2*a*e)*\sqrt{-a}*x^2*\arctan\left(\frac{1}{2}*\sqrt{c*x^4 + b*x^2 + a}*(b*x^2 + 2*a)*\sqrt{-a}}{(a*c*x^4 + a*b*x^2 + a^2)}\right) + \sqrt{c*d^2 - b*d*e + a*e^2}\right)*a*x^2*\log\left(-\left(\frac{8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2}{x^4} - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)\right)*x^2 + 4*\sqrt{c*x^4 + b*x^2 + a}*\sqrt{c*d^2 - b*d*e + a*e^2}*\left(\frac{(2*c*d - b*e)*x^2 + b*d - 2*a*e}{e^2*x^4 + 2*d*e*x^2 + d^2}\right) - 2*\sqrt{c*x^4 + b*x^2 + a}*a*d\right)/(a*d^2*x^2), \frac{1}{4}*(2*\sqrt{-c*d^2 + b*d*e - a*e^2})*a*x^2*\arctan\left(-\frac{1}{2}*\sqrt{c*x^4 + b*x^2 + a}*\sqrt{-c*d^2 + b*d*e - a*e^2}*\left(\frac{(2*c*d - b*e)*x^2 + b*d - 2*a*e}{(c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2}\right) + (b*d - 2*a*e)*\sqrt{-a}*x^2*\arctan\left(\frac{1}{2}*\sqrt{c*x^4 + b*x^2 + a}*(b*x^2 + 2*a)*\sqrt{-a}}{(a*c*x^4 + a*b*x^2 + a^2)}\right) - 2*\sqrt{c*x^4 + b*x^2 + a}*a*d\right)/(a*d^2*x^2)]$

$$\begin{aligned} &)^{(1/2)})/(x^2+d/e)*c-1/2/d/a/x^2*(c*x^4+b*x^2+a)^{(3/2)}+1/2/d*b/a*(c*x^4+b* \\ &x^2+a)^{(1/2)}-1/4/d*b/a^{(1/2)}*\ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^{(1/2)}*a^{(1/2)}) \\ &/x^2)+1/2/d/a*c*(c*x^4+b*x^2+a)^{(1/2)}*x^2+1/2/d*c^{(1/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a}}{(ex^2 + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(1/2)/x^3/(e*x^2+d),x, algorithm="maxima")

[Out] integrate(sqrt(c*x^4 + b*x^2 + a)/((e*x^2 + d)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{cx^4 + bx^2 + a}}{x^3 (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)^(1/2)/(x^3*(d + e*x^2)),x)

[Out] int((a + b*x^2 + c*x^4)^(1/2)/(x^3*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + bx^2 + cx^4}}{x^3 (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**(1/2)/x**3/(e*x**2+d),x)

[Out] Integral(sqrt(a + b*x**2 + c*x**4)/(x**3*(d + e*x**2)), x)

$$3.316 \quad \int \frac{x^4 \sqrt{1+2x^2+2x^4}}{3+2x^2} dx$$

Optimal. Leaf size=424

$$-\frac{1}{60} (13 - 6x^2) \sqrt{2x^4 + 2x^2 + 1} x + \frac{109\sqrt{2x^4 + 2x^2 + 1} x}{60\sqrt{2} (\sqrt{2}x^2 + 1)} + \frac{3}{16} \sqrt{15} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{2x^4 + 2x^2 + 1}} \right) + \frac{(263\sqrt{2} - 70)(\sqrt{2}x)}{60}$$

[Out] 3/16*arctan(1/3*x*15^(1/2)/(2*x^4+2*x^2+1)^(1/2))*15^(1/2)-1/60*x*(-6*x^2+13)*(2*x^4+2*x^2+1)^(1/2)+109/120*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))-109/120*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)+15/32*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2-11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(3+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2-3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)+1/120*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(-70+263*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(-2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.56, antiderivative size = 619, normalized size of antiderivative = 1.46, number of steps used = 17, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1335, 1091, 1197, 1103, 1195, 1116, 1208, 1216, 1706}

$$\frac{1}{30} (3x^2 + 1) \sqrt{2x^4 + 2x^2 + 1} x + \frac{109\sqrt{2x^4 + 2x^2 + 1} x}{60\sqrt{2} (\sqrt{2}x^2 + 1)} - \frac{1}{4} \sqrt{2x^4 + 2x^2 + 1} x + \frac{3}{16} \sqrt{15} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{2x^4 + 2x^2 + 1}} \right) + \frac{45}{60}$$

Antiderivative was successfully verified.

[In] Int[(x^4*Sqrt[1 + 2*x^2 + 2*x^4])/(3 + 2*x^2), x]

[Out] -(x*Sqrt[1 + 2*x^2 + 2*x^4])/4 + (x*(1 + 3*x^2)*Sqrt[1 + 2*x^2 + 2*x^4])/30 + (109*x*Sqrt[1 + 2*x^2 + 2*x^4])/(60*Sqrt[2]*(1 + Sqrt[2]*x^2)) + (3*Sqrt[15]*ArcTan[(Sqrt[5/3]*x)/Sqrt[1 + 2*x^2 + 2*x^4]])/16 - (109*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticE[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(60*2^(3/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - (139*(1 - Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(240*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - ((1 + Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2])/(60*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])

$$\sqrt{2}x^2)^2 * \text{EllipticF}[2 * \text{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (4 * 2^{3/4} * \sqrt{1 + 2x^2 + 2x^4}) + (45 * (3 + \sqrt{2})) * (1 + \sqrt{2}x^2) * \sqrt{(1 + 2x^2 + 2x^4) / (1 + \sqrt{2}x^2)^2} * \text{EllipticF}[2 * \text{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (112 * 2^{1/4} * \sqrt{1 + 2x^2 + 2x^4}) - (15 * (3 + \sqrt{2}))^2 * (1 + \sqrt{2}x^2) * \sqrt{(1 + 2x^2 + 2x^4) / (1 + \sqrt{2}x^2)^2} * \text{EllipticPi}[(12 - 11 * \sqrt{2})/24, 2 * \text{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (224 * 2^{1/4} * \sqrt{1 + 2x^2 + 2x^4})$$

Rule 1091

$$\text{Int}[(a_ + (b_.) * (x_)^2 + (c_.) * (x_)^4)^{p_}, x_Symbol] \rightarrow \text{Simp}[(x * (a + b * x^2 + c * x^4)^p) / (4 * p + 1), x] + \text{Dist}[(2 * p) / (4 * p + 1), \text{Int}[(2 * a + b * x^2) * (a + b * x^2 + c * x^4)^{p - 1}, x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4 * a * c, 0] \&\& \text{GtQ}[p, 0] \&\& \text{IntegerQ}[2 * p]$$

Rule 1103

$$\text{Int}[1 / \sqrt{(a_ + (b_.) * (x_)^2 + (c_.) * (x_)^4)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[(1 + q^2 * x^2) * \sqrt{(a + b * x^2 + c * x^4) / (a * (1 + q^2 * x^2)^2)} * \text{EllipticF}[2 * \text{ArcTan}[q * x], 1/2 - (b * q^2) / (4 * c)] / (2 * q * \sqrt{a + b * x^2 + c * x^4}), x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4 * a * c, 0] \&\& \text{PosQ}[c/a]$$

Rule 1116

$$\text{Int}[(d_.) * (x_)^{m_} * ((a_ + (b_.) * (x_)^2 + (c_.) * (x_)^4)^{p_}), x_Symbol] \rightarrow \text{Simp}[(d * (d * x)^{m - 1} * (a + b * x^2 + c * x^4)^p * (2 * b * p + c * (m + 4 * p - 1) * x^2)) / (c * (m + 4 * p + 1) * (m + 4 * p - 1)), x] - \text{Dist}[(2 * p * d^2) / (c * (m + 4 * p + 1) * (m + 4 * p - 1)), \text{Int}[(d * x)^{m - 2} * (a + b * x^2 + c * x^4)^{p - 1} * \text{Simp}[a * b * (m - 1) - (2 * a * c * (m + 4 * p - 1) - b^2 * (m + 2 * p - 1)) * x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[b^2 - 4 * a * c, 0] \&\& \text{GtQ}[p, 0] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[2 * p] \&\& (\text{IntegerQ}[p] \mid \mid \text{IntegerQ}[m])$$

Rule 1195

$$\text{Int}[(d_ + (e_.) * (x_)^2) / \sqrt{(a_ + (b_.) * (x_)^2 + (c_.) * (x_)^4)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d * x * \sqrt{a + b * x^2 + c * x^4}) / (a * (1 + q^2 * x^2)), x] + \text{Simp}[(d * (1 + q^2 * x^2) * \sqrt{(a + b * x^2 + c * x^4) / (a * (1 + q^2 * x^2)^2)} * \text{EllipticE}[2 * \text{ArcTan}[q * x], 1/2 - (b * q^2) / (4 * c)] / (q * \sqrt{a + b * x^2 + c * x^4}), x] /; \text{EqQ}[e + d * q^2, 0] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4 * a * c, 0] \&\& \text{PosQ}[c/a]$$

Rule 1197

$$\text{Int}[(d_ + (e_.) * (x_)^2) / \sqrt{(a_ + (b_.) * (x_)^2 + (c_.) * (x_)^4)}, x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d * q) / q, \text{Int}[1 / \sqrt{a + b * x^2 + c * x^4}], x], x] - \text{Dist}[e / q, \text{Int}[(1 - q * x^2) / \sqrt{a + b * x^2 + c * x^4}], x], x] /; \text{NeQ}[d + e * q, 0] \&\& \text{PosQ}[c/a]$$

$Q[e + d*q, 0] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1208

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] :> -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]

Rule 1216

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1335

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && NeQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sqrt{1+2x^2+2x^4}}{3+2x^2} dx &= \int \left(-\frac{3}{4} \sqrt{1+2x^2+2x^4} + \frac{1}{2} x^2 \sqrt{1+2x^2+2x^4} + \frac{9\sqrt{1+2x^2+2x^4}}{4(3+2x^2)} \right) dx \\
&= \frac{1}{2} \int x^2 \sqrt{1+2x^2+2x^4} dx - \frac{3}{4} \int \sqrt{1+2x^2+2x^4} dx + \frac{9}{4} \int \frac{\sqrt{1+2x^2+2x^4}}{3+2x^2} dx \\
&= -\frac{1}{4} x \sqrt{1+2x^2+2x^4} + \frac{1}{30} x (1+3x^2) \sqrt{1+2x^2+2x^4} - \frac{1}{60} \int \frac{2-4x^2}{\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{1}{4} x \sqrt{1+2x^2+2x^4} + \frac{1}{30} x (1+3x^2) \sqrt{1+2x^2+2x^4} - \frac{\int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx}{15\sqrt{2}} + \frac{\int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx}{2\sqrt{2}} \\
&= -\frac{1}{4} x \sqrt{1+2x^2+2x^4} + \frac{1}{30} x (1+3x^2) \sqrt{1+2x^2+2x^4} + \frac{109x\sqrt{1+2x^2+2x^4}}{60\sqrt{2}(1+\sqrt{2}x^2)} + \frac{3}{16}
\end{aligned}$$

Mathematica [C] time = 0.26, size = 209, normalized size = 0.49

$$48x^7 - 56x^5 - 80x^3 - (199 - 417i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}F\left(i\sinh^{-1}(\sqrt{1-ix})\middle|i\right) - 218i\sqrt{1-i}\sqrt{1+i}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4*Sqrt[1+2*x^2+2*x^4])/(3+2*x^2),x]

[Out] (-52*x - 80*x^3 - 56*x^5 + 48*x^7 - (218*I)*Sqrt[1-I]*Sqrt[1+(1-I)*x^2]*Sqrt[1+(1+I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1-I]*x],I] - (199-417*I)*Sqrt[1-I]*Sqrt[1+(1-I)*x^2]*Sqrt[1+(1+I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1-I]*x],I] + 225*(1-I)^(3/2)*Sqrt[1+(1-I)*x^2]*Sqrt[1+(1+I)*x^2]*EllipticPi[1/3+I/3,I*ArcSinh[Sqrt[1-I]*x],I])/(240*Sqrt[1+2*x^2+2*x^4])

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4+2x^2+1x^4}}{2x^2+3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)*x^4/(2*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}x^4}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="giac")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)*x^4/(2*x^2 + 3), x)

maple [C] time = 0.10, size = 528, normalized size = 1.25

$$\frac{\sqrt{2x^4 + 2x^2 + 1}x^3}{10} - \frac{13\sqrt{2x^4 + 2x^2 + 1}x}{60} + \frac{9\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}\operatorname{EllipticE}\left(\sqrt{-1 + i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{8\sqrt{-1 + i}\sqrt{2x^4 + 2x^2 + 1}} - 9i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x)

[Out] 1/10*x^3*(2*x^4+2*x^2+1)^(1/2)-13/60*x*(2*x^4+2*x^2+1)^(1/2)-8/15/(-1+I)^(1/2)*(1+(1-I)*x^2)^(1/2)*(1+(1+I)*x^2)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))+(13/60-13/60*I)/(-1+I)^(1/2)*(1+(1-I)*x^2)^(1/2)*(1+(1+I)*x^2)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))) -9/4/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))+9/8*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))+9/8/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))-9/8*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE(x*(-1+I)^(1/2),1/2*2^(1/2)+1/2*I*2^(1/2))+15/8/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi(x*(-1+I)^(1/2),1/3+1/3*I,(-1-I)^(1/2))/(-1+I)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}x^4}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="maxima")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)*x^4/(2*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(2*x^2 + 2*x^4 + 1)^(1/2))/(2*x^2 + 3), x)

[Out] int((x^4*(2*x^2 + 2*x^4 + 1)^(1/2))/(2*x^2 + 3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(2*x**4+2*x**2+1)**(1/2)/(2*x**2+3), x)

[Out] Integral(x**4*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**2 + 3), x)

$$3.317 \quad \int \frac{x^2 \sqrt{1+2x^2+2x^4}}{3+2x^2} dx$$

Optimal. Leaf size=417

$$-\frac{7\sqrt{2x^4+2x^2+1}x}{6\sqrt{2}(\sqrt{2}x^2+1)} + \frac{1}{6}\sqrt{2x^4+2x^2+1}x - \frac{1}{8}\sqrt{15} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{(17\sqrt{2}-4)(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{6 \cdot 2^{3/4}(3\sqrt{2}-2)\sqrt{2}}$$

[Out] $-1/8*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}+1/6*x*(2*x^4+2*x^2+1)^{(1/2)}-7/12*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})+7/12*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}-5/16*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}-1/12*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(-4+17*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(-2+3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 591, normalized size of antiderivative = 1.42, number of steps used = 13, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1335, 1091, 1197, 1103, 1195, 1208, 1216, 1706}

$$-\frac{7\sqrt{2x^4+2x^2+1}x}{6\sqrt{2}(\sqrt{2}x^2+1)} + \frac{1}{6}\sqrt{2x^4+2x^2+1}x - \frac{1}{8}\sqrt{15} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{15(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{56\sqrt{2}\sqrt{2x^4+1}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sqrt[1 + 2*x^2 + 2*x^4])/(3 + 2*x^2), x]

[Out] $(x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/6 - (7*x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(6*\text{Sqrt}[2]*(1 + \text{Sqrt}[2]*x^2)) - (\text{Sqrt}[15]*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4]])/8 + (7*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(6*2^{(3/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + (3*(1 - \text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(8*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + ((1 + \text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])$

$$\frac{1}{4}) / (6 \cdot 2^{3/4} \sqrt{1 + 2x^2 + 2x^4}) - (15(3 + \sqrt{2})(1 + \sqrt{2}x^2) \sqrt{(1 + 2x^2 + 2x^4)/(1 + \sqrt{2}x^2)^2} \text{EllipticF}[2 \text{ArcTan}[2^{1/4}]x], (2 - \sqrt{2})/4) / (56 \cdot 2^{1/4} \sqrt{1 + 2x^2 + 2x^4}) + (5(3 + \sqrt{2})^2(1 + \sqrt{2}x^2) \sqrt{(1 + 2x^2 + 2x^4)/(1 + \sqrt{2}x^2)^2} \text{EllipticPi}[(12 - 11\sqrt{2})/24, 2 \text{ArcTan}[2^{1/4}]x], (2 - \sqrt{2})/4) / (112 \cdot 2^{1/4} \sqrt{1 + 2x^2 + 2x^4})$$

Rule 1091

$$\text{Int}[(a + (b \cdot x^2 + c \cdot x^4)^p), x] \text{Symbol} \rightarrow \text{Simp}[(x(a + b \cdot x^2 + c \cdot x^4)^p) / (4p + 1), x] + \text{Dist}[(2p) / (4p + 1), \text{Int}[(2a + b \cdot x^2)(a + b \cdot x^2 + c \cdot x^4)^{p-1}], x], x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{IntegerQ}[2p]$$

Rule 1103

$$\text{Int}[1/\sqrt{(a + (b \cdot x^2 + c \cdot x^4))}, x] \text{Symbol} \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[(1 + q^2 x^2) \sqrt{(a + b \cdot x^2 + c \cdot x^4)} / (a(1 + q^2 x^2)^2)] * \text{EllipticF}[2 \text{ArcTan}[q \cdot x], 1/2 - (b \cdot q^2) / (4c)] / (2q \sqrt{a + b \cdot x^2 + c \cdot x^4}), x] /; \text{FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{PosQ}[c/a]$$

Rule 1195

$$\text{Int}[(d + (e \cdot x^2) / \sqrt{(a + (b \cdot x^2 + c \cdot x^4))}, x] \text{Symbol} \rightarrow \text{With}\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d \cdot x \sqrt{a + b \cdot x^2 + c \cdot x^4}) / (a(1 + q^2 x^2)), x] + \text{Simp}[(d(1 + q^2 x^2) \sqrt{(a + b \cdot x^2 + c \cdot x^4)}) / (a(1 + q^2 x^2)^2)] * \text{EllipticE}[2 \text{ArcTan}[q \cdot x], 1/2 - (b \cdot q^2) / (4c)] / (q \sqrt{a + b \cdot x^2 + c \cdot x^4}), x] /; \text{EqQ}[e + d \cdot q^2, 0] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{PosQ}[c/a]$$

Rule 1197

$$\text{Int}[(d + (e \cdot x^2) / \sqrt{(a + (b \cdot x^2 + c \cdot x^4))}, x] \text{Symbol} \rightarrow \text{With}\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d \cdot q) / q, \text{Int}[1/\sqrt{a + b \cdot x^2 + c \cdot x^4}], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q \cdot x^2) / \sqrt{a + b \cdot x^2 + c \cdot x^4}], x], x] /; \text{NeQ}[e + d \cdot q, 0] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{PosQ}[c/a]$$

Rule 1208

$$\text{Int}[(a + (b \cdot x^2 + c \cdot x^4)^p) / ((d + (e \cdot x^2))), x] \text{Symbol} \rightarrow -\text{Dist}[(e^2)^{-1}, \text{Int}[(c \cdot d - b \cdot e - c \cdot e \cdot x^2)(a + b \cdot x^2 + c \cdot x^4)^{p-1}], x], x] + \text{Dist}[(c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2) / e^2, \text{Int}[(a + b \cdot x^2 + c \cdot x^4)^{p-1} / (d + e \cdot x^2)], x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] \ \&\& \ \text{IGtQ}[p + 1/2, 0]$$

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1335

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && NeQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegersQ[m, q])
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[B/A, 2]}, -Simp[(B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x]/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{1+2x^2+2x^4}}{3+2x^2} dx &= \int \left(\frac{1}{2} \sqrt{1+2x^2+2x^4} - \frac{3\sqrt{1+2x^2+2x^4}}{2(3+2x^2)} \right) dx \\
&= \frac{1}{2} \int \sqrt{1+2x^2+2x^4} dx - \frac{3}{2} \int \frac{\sqrt{1+2x^2+2x^4}}{3+2x^2} dx \\
&= \frac{1}{6} x \sqrt{1+2x^2+2x^4} + \frac{1}{6} \int \frac{2+2x^2}{\sqrt{1+2x^2+2x^4}} dx + \frac{3}{8} \int \frac{2-4x^2}{\sqrt{1+2x^2+2x^4}} dx - \frac{15}{4} \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx \\
&= \frac{1}{6} x \sqrt{1+2x^2+2x^4} - \frac{\int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx}{3\sqrt{2}} + \frac{3 \int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx}{2\sqrt{2}} + \frac{1}{4} (3(1-\sqrt{2})) \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx \\
&= \frac{1}{6} x \sqrt{1+2x^2+2x^4} - \frac{7x \sqrt{1+2x^2+2x^4}}{6\sqrt{2}(1+\sqrt{2}x^2)} - \frac{1}{8} \sqrt{15} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{1+2x^2+2x^4}} \right) + \frac{7(1+\sqrt{2})}{8} \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx
\end{aligned}$$

Mathematica [C] time = 0.20, size = 204, normalized size = 0.49

$$\frac{8x^5 + 8x^3 + (13 - 27i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} F(i \sinh^{-1}(\sqrt{1-ix})|i) + 14i\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} \operatorname{EllipticE}(i \operatorname{ArcSinh}(\sqrt{1-ix})|i) + 14i\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} \operatorname{EllipticF}(i \operatorname{ArcSinh}(\sqrt{1-ix})|i) - 15(1-i)^{3/2}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} \operatorname{EllipticPi}(1/3 + I/3, I \operatorname{ArcSinh}(\sqrt{1-ix})|i)}{24\sqrt{2}x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*Sqrt[1 + 2*x^2 + 2*x^4])/(3 + 2*x^2), x]

[Out] (4*x + 8*x^3 + 8*x^5 + (14*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] + (13 - 27*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] - 15*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(24*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 0.99, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{\sqrt{2x^4 + 2x^2 + 1x^2}}{2x^2 + 3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3), x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)*x^2/(2*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}x^2}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="giac")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)*x^2/(2*x^2 + 3), x)

maple [C] time = 0.01, size = 509, normalized size = 1.22

$$\frac{\sqrt{2x^4 + 2x^2 + 1} x}{6} - \frac{3\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \operatorname{EllipticE}\left(\sqrt{-1+i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{4\sqrt{-1+i} \sqrt{2x^4 + 2x^2 + 1}} + \frac{3i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1}}{4\sqrt{-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x)

[Out] $\frac{1}{6}(2x^4+2x^2+1)^{1/2}x + \frac{1}{3}(-1+i)^{1/2}((1-i)x^2+1)^{1/2}((1+i)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + (-1/6 + 1/6 \cdot I)/(-1+i)^{1/2}((1-i)x^2+1)^{1/2}((1+i)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - \operatorname{EllipticE}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + 3/2(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - 3/4 I/(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - 3/4(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticE}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + 3/4 I/(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticE}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - 5/4(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticPi}((-1+i)^{1/2}x, 1/3 + 1/3 \cdot I, (-1-i)^{1/2}/(-1+i)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}x^2}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="maxima")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)*x^2/(2*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(2*x^2 + 2*x^4 + 1)^(1/2))/(2*x^2 + 3), x)

[Out] int((x^2*(2*x^2 + 2*x^4 + 1)^(1/2))/(2*x^2 + 3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(2*x**4+2*x**2+1)**(1/2)/(2*x**2+3), x)

[Out] Integral(x**2*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**2 + 3), x)

$$3.318 \quad \int \frac{\sqrt{1+2x^2+2x^4}}{3+2x^2} dx$$

Optimal. Leaf size=381

$$\frac{\sqrt{2x^4+2x^2+1}x}{\sqrt{2}(\sqrt{2}x^2+1)} + \frac{1}{4}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{2^{3/4}(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\middle|\frac{1}{4}(2-\sqrt{2})\right)}{(3\sqrt{2}-2)\sqrt{2x^4+2x^2+1}}$$

[Out] 1/12*arctan(1/3*x*15^(1/2)/(2*x^4+2*x^2+1)^(1/2))*15^(1/2)+1/2*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))-1/2*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2)))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)+5/24*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2-11/24*2^(1/2),1/2*(2-2^(1/2)))^(1/2))*(3+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)*2^(1/4)/(2-3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)+2^(3/4)*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2)))^(1/2)*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)/(-2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.20, antiderivative size = 470, normalized size of antiderivative = 1.23, number of steps used = 7, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1208, 1197, 1103, 1195, 1216, 1706}

$$\frac{\sqrt{2x^4+2x^2+1}x}{\sqrt{2}(\sqrt{2}x^2+1)} + \frac{1}{4}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{5(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\middle|\frac{1}{4}(2-\sqrt{2})\right)}{28\sqrt[4]{2}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + 2*x^2 + 2*x^4]/(3 + 2*x^2), x]

[Out] (x*Sqrt[1 + 2*x^2 + 2*x^4])/(Sqrt[2]*(1 + Sqrt[2]*x^2)) + (Sqrt[5/3]*ArcTan[(Sqrt[5/3]*x)/Sqrt[1 + 2*x^2 + 2*x^4]])/4 - ((1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)]^2*EllipticE[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(2^(3/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - ((1 - Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)]^2*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(4*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) + (5*(3 + Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)]^2*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(28*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - (5*(3 + Sqrt[2])^2*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqr

$t[2]*x^2)^2]*\text{EllipticPi}[(12 - 11*\text{Sqrt}[2])/24, 2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4)]/(168*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4])$

Rule 1103

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[\frac{(1 + q^2*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]}{a*(1 + q^2*x^2)^2}]*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]]/(2*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x]] /;$ $\text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1195

$\text{Int}[\frac{(d_) + (e_)*(x_)^2}{\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[\frac{d*x*\text{Sqrt}[a + b*x^2 + c*x^4]}{a*(1 + q^2*x^2)}, x] + \text{Simp}[\frac{d*(1 + q^2*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]}{a*(1 + q^2*x^2)^2}]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]]/(q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /;$ $\text{EqQ}[e + d*q^2, 0] /;$ $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[\frac{(d_) + (e_)*(x_)^2}{\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /;$ $\text{NeQ}[e + d*q, 0] /;$ $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1208

$\text{Int}[\frac{(a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}{\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]}, x_Symbol] \rightarrow -\text{Dist}[(e^2)^{-1}, \text{Int}[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^{(p-1)}, x], x] + \text{Dist}[(c*d^2 - b*d*e + a*e^2)/e^2, \text{Int}[(a + b*x^2 + c*x^4)^{(p-1)}/(d + e*x^2), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IGtQ}[p + 1/2, 0]$

Rule 1216

$\text{Int}[1/\frac{(d_) + (e_)*(x_)^2}{\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[\frac{c*d + a*e*q}{c*d^2 - a*e^2}, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[\frac{a*e*(e + d*q)}{c*d^2 - a*e^2}, \text{Int}[\frac{(1 + q*x^2)}{(d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]}, x], x]] /;$ $\text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
(c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*Arc
Tan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-
b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)])/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1+2x^2+2x^4}}{3+2x^2} dx &= -\left(\frac{1}{4} \int \frac{2-4x^2}{\sqrt{1+2x^2+2x^4}} dx\right) + \frac{5}{2} \int \frac{1}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\ &= -\frac{\int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx}{\sqrt{2}} - \frac{1}{2}(1-\sqrt{2}) \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx + \frac{1}{14}(5(3+\sqrt{2})) \int \frac{1}{\sqrt{1+2x^2}} dx \\ &= \frac{x\sqrt{1+2x^2+2x^4}}{\sqrt{2}(1+\sqrt{2}x^2)} + \frac{1}{4}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) - \frac{(1+\sqrt{2}x^2)\sqrt{\frac{1+2x^2+2x^4}{(1+\sqrt{2}x^2)^2}} E\left(2 \tan^{-1}\left(\frac{\sqrt{1+2x^2+2x^4}}{1+\sqrt{2}x^2}\right)\right)}{2^{3/4}\sqrt{1+2x^2+2x^4}} \end{aligned}$$

Mathematica [C] time = 0.11, size = 127, normalized size = 0.33

$$\frac{\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}\left(-(3+6i)F\left(i\sinh^{-1}(\sqrt{1-ix})\middle|i\right)+(3+3i)E\left(i\sinh^{-1}(\sqrt{1-ix})\middle|i\right)+5i\Pi\left(\frac{1}{3}+\frac{i}{3}\middle|\frac{1-ix}{1+i}\right)\right)}{6\sqrt{1-i}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + 2*x^2 + 2*x^4]/(3 + 2*x^2), x]

[Out] -1/6*(Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*((3 + 3*I)*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (3 + 6*I)*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] + (5*I)*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I))/(Sqrt[1 - I]*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4+2x^2+1}}{2x^2+3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(2*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="giac")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/(2*x^2 + 3), x)

maple [C] time = 0.01, size = 341, normalized size = 0.90

$$\frac{\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \operatorname{EllipticE}\left(\sqrt{-1+i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{2\sqrt{-1+i} \sqrt{2x^4 + 2x^2 + 1}} - \frac{i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \operatorname{EllipticE}\left(\sqrt{-1-i} x, \frac{\sqrt{2}}{2} - \frac{i\sqrt{2}}{2}\right)}{2\sqrt{-1-i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x)

[Out]
$$\begin{aligned} & -1/(-1+I)^{(1/2)} * (-I*x^2+x^2+1)^{(1/2)} * (I*x^2+x^2+1)^{(1/2)} / (2*x^4+2*x^2+1)^{(1/2)} * \operatorname{EllipticF}((-1+I)^{(1/2)} * x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)}) + 1/2*I/(-1+I)^{(1/2)} * \\ & (-I*x^2+x^2+1)^{(1/2)} * (I*x^2+x^2+1)^{(1/2)} / (2*x^4+2*x^2+1)^{(1/2)} * \operatorname{EllipticF}((-1+I)^{(1/2)} * x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)}) + 1/2/(-1+I)^{(1/2)} * (-I*x^2+x^2+1)^{(1/2)} * \\ & (I*x^2+x^2+1)^{(1/2)} / (2*x^4+2*x^2+1)^{(1/2)} * \operatorname{EllipticE}((-1+I)^{(1/2)} * x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)}) - 1/2*I/(-1+I)^{(1/2)} * (-I*x^2+x^2+1)^{(1/2)} * \\ & (I*x^2+x^2+1)^{(1/2)} / (2*x^4+2*x^2+1)^{(1/2)} * \operatorname{EllipticE}((-1+I)^{(1/2)} * x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)}) + 5/6/(-1+I)^{(1/2)} * (-I*x^2+x^2+1)^{(1/2)} * \\ & (I*x^2+x^2+1)^{(1/2)} / (2*x^4+2*x^2+1)^{(1/2)} * \operatorname{EllipticPi}((-1+I)^{(1/2)} * x, 1/3+1/3*I, (-1-I)^{(1/2)}/(-1+I)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/(2*x^2+3),x, algorithm="maxima")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/(2*x^2 + 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^2 + 2*x^4 + 1)^(1/2)/(2*x^2 + 3), x)`

[Out] `int((2*x^2 + 2*x^4 + 1)^(1/2)/(2*x^2 + 3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x**4+2*x**2+1)**(1/2)/(2*x**2+3), x)`

[Out] `Integral(sqrt(2*x**4 + 2*x**2 + 1)/(2*x**2 + 3), x)`

$$3.319 \quad \int \frac{\sqrt{1+2x^2+2x^4}}{x^2(3+2x^2)} dx$$

Optimal. Leaf size=399

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} - \frac{\sqrt{2x^4+2x^2+1}}{3x} - \frac{1}{6}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(\right)}{21\sqrt{2}\sqrt{2x^4+2x^2+1}}$$

[Out] $-1/18*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}-1/3*(2*x^4+2*x^2+1)^{(1/2)}/x+1/3*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})-1/3*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}+1/42*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(3/4)}/(2*x^4+2*x^2+1)^{(1/2)}+5/504*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})^2*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(3/4)}/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.24, antiderivative size = 399, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1311, 1281, 1197, 1103, 1195, 1216, 1706}

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} - \frac{\sqrt{2x^4+2x^2+1}}{3x} - \frac{1}{6}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(\right)}{21\sqrt{2}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + 2*x^2 + 2*x^4]/(x^2*(3 + 2*x^2)),x]

[Out] $-\text{Sqrt}[1 + 2*x^2 + 2*x^4]/(3*x) + (\text{Sqrt}[2]*x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(3*(1 + \text{Sqrt}[2]*x^2)) - (\text{Sqrt}[5/3]*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4]])/6 - (2^{(1/4)}*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(3*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + ((3 + \text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(21*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + (5*(3 + \text{Sqrt}[2])^2*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticPi}[(12 - 11*\text{Sqrt}[2])/24, 2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(252*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4])$

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1216

```
Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1281

```
Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1311

```
Int[(((f_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.))/((d_.)
```



```

+ (e._)*(x_)^2), x_Symbol] := Dist[1/(d*e), Int[(f*x)^m*(a*e + c*d*x^2)*(a
+ b*x^2 + c*x^4)^(p - 1), x], x] - Dist[(c*d^2 - b*d*e + a*e^2)/(d*e*f^2),
Int[((f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] /; Free
Q[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, 0]

```

Rule 1706

```

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e._)*(x_)^2)*Sqrt[(a_) + (b._)*(x_)^2 +
(c._)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*Arc
Tan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-
b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2])*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1+2x^2+2x^4}}{x^2(3+2x^2)} dx &= \frac{1}{6} \int \frac{2+6x^2}{x^2\sqrt{1+2x^2+2x^4}} dx - \frac{5}{3} \int \frac{1}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{3x} - \frac{1}{6} \int \frac{-6-4x^2}{\sqrt{1+2x^2+2x^4}} dx - \frac{1}{21} \left(5(3+\sqrt{2})\right) \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{3x} - \frac{1}{6} \sqrt{\frac{5}{3}} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{1+2x^2+2x^4}} \right) - \frac{5(3+\sqrt{2})(1+\sqrt{2}x^2) \sqrt{\frac{1+2x^2}{(1+\sqrt{2}x^2)^2}}}{42^{\frac{4}{3}} \sqrt{2} \sqrt{1+2x^2+2x^4}} \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{3x} + \frac{\sqrt{2} x \sqrt{1+2x^2+2x^4}}{3(1+\sqrt{2}x^2)} - \frac{1}{6} \sqrt{\frac{5}{3}} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{1+2x^2+2x^4}} \right) - \frac{\sqrt[4]{2} (1+\sqrt{2}x^2)}{42^{\frac{4}{3}} \sqrt{2} \sqrt{1+2x^2+2x^4}}
\end{aligned}$$

Mathematica [C] time = 0.19, size = 208, normalized size = 0.52

$$\frac{-12x^4 - 12x^2 + (9 - 3i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} x F\left(i \sinh^{-1}(\sqrt{1-ix}) \middle| i\right) - 6i\sqrt{1-i}\sqrt{1+(1-i)x^2}}{18x\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + 2*x^2 + 2*x^4]/(x^2*(3 + 2*x^2)),x]

[Out] (-6 - 12*x^2 - 12*x^4 - (6*I)*Sqrt[1 - I]*x*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] + (9 - 3*I)*Sqrt[1 - I]*x*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] - 5*(1 - I)^(3/2)*x*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(18*x*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^4 + 3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^2/(2*x^2+3),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(2*x^4 + 3*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{(2x^2 + 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^2/(2*x^2+3),x, algorithm="giac")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/((2*x^2 + 3)*x^2), x)

maple [C] time = 0.01, size = 511, normalized size = 1.28

$$\frac{\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{3\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} + \frac{i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{3\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^4+2*x^2+1)^(1/2)/x^2/(2*x^2+3),x)

[Out] -1/3*(2*x^4+2*x^2+1)^(1/2)/x+2/3/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+(-2/3+2/3*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2)))+2/3/(-1+I)^(1/2)*(-I*

$x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-1/3*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-1/3/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+1/3*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-5/9/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticPi((-1+I)^{(1/2)}*x,1/3+1/3*I,(-1-I)^{(1/2)}/(-1+I)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{(2x^2 + 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^2/(2*x^2+3),x, algorithm="maxima")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/((2*x^2 + 3)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{x^2 (2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 2*x^4 + 1)^(1/2)/(x^2*(2*x^2 + 3)),x)

[Out] int((2*x^2 + 2*x^4 + 1)^(1/2)/(x^2*(2*x^2 + 3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{x^2 (2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(1/2)/x**2/(2*x**2+3),x)

[Out] Integral(sqrt(2*x**4 + 2*x**2 + 1)/(x**2*(2*x**2 + 3)), x)

$$3.320 \quad \int \frac{\sqrt{1+2x^2+2x^4}}{x^4(3+2x^2)} dx$$

Optimal. Leaf size=360

$$\frac{1}{9}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{5(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2 \tan^{-1}\left(\sqrt[4]{2}x\right)\middle|\frac{1}{4}(2-\sqrt{2})\right)}{63\sqrt[4]{2}\sqrt{2x^4+2x^2+1}} (\sqrt{2}x^2+1)$$

[Out] $\frac{1}{27} \arctan\left(\frac{1}{3}x\sqrt{15}\right) / \sqrt{2x^4+2x^2+1} - \frac{1}{9} \sqrt{15} / \sqrt{2x^4+2x^2+1} - \frac{1}{18} \cos(2 \arctan(2^{1/4}x)) / \cos(2 \arctan(2^{1/4}x)) * \text{EllipticF}(\sin(2 \arctan(2^{1/4}x)), 1/2, (2-2^{1/2})^{1/2}) * (1+x^2)^{1/2} / ((2x^4+2x^2+1)/(1+x^2)^{1/2})^{1/2} * 2^{3/4} / \sqrt{2x^4+2x^2+1} + \frac{5}{126} \cos(2 \arctan(2^{1/4}x)) / \cos(2 \arctan(2^{1/4}x)) * \text{EllipticF}(\sin(2 \arctan(2^{1/4}x)), 1/2, (2-2^{1/2})^{1/2}) * (3+2^{1/2}) * (1+x^2)^{1/2} / ((2x^4+2x^2+1)/(1+x^2)^{1/2})^{1/2} * 2^{3/4} / \sqrt{2x^4+2x^2+1} - \frac{5}{756} \cos(2 \arctan(2^{1/4}x)) / \cos(2 \arctan(2^{1/4}x)) * \text{EllipticPi}(\sin(2 \arctan(2^{1/4}x)), 1/2 - 11/24 * 2^{1/2}, 1/2 * (2-2^{1/2})^{1/2}) * (3+2^{1/2})^{1/2} * (1+x^2)^{1/2} / ((2x^4+2x^2+1)/(1+x^2)^{1/2})^{1/2} * 2^{3/4} / \sqrt{2x^4+2x^2+1}$

Rubi [A] time = 0.19, antiderivative size = 360, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1309, 1281, 12, 1103, 1216, 1706}

$$-\frac{\sqrt{2x^4+2x^2+1}}{9x^3} + \frac{1}{9}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{5(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2 \tan^{-1}\left(\sqrt[4]{2}x\right)\middle|\frac{1}{4}(2-\sqrt{2})\right)}{63\sqrt[4]{2}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + 2*x^2 + 2*x^4]/(x^4*(3 + 2*x^2)), x]

[Out] $-\sqrt{1+2x^2+2x^4}/(9x^3) + (\sqrt{5/3} \text{ArcTan}[\sqrt{5/3}x]/\sqrt{1+2x^2+2x^4})/9 - ((1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2}) * \text{EllipticF}[2 \text{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4] / (9 * 2^{1/4} \sqrt{1+2x^2+2x^4}) + (5(3+\sqrt{2})*(1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2}) * \text{EllipticF}[2 \text{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4] / (63 * 2^{1/4} \sqrt{1+2x^2+2x^4}) - (5(3+\sqrt{2})^2 * (1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2}) * \text{EllipticPi}[(12-11\sqrt{2})/24, 2 \text{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4] / (378 * 2^{1/4} \sqrt{1+2x^2+2x^4})$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1281

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x]] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1309

Int[(((f_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_))/((d_) + (e_)*(x_)^2), x_Symbol] := Dist[1/d^2, Int[(f*x)^m*(a*d + (b*d - a*e)*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/(d^2*f^4), Int[((f*x)^(m + 4)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -2]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a

+ b*x^2 + c*x^4)/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1+2x^2+2x^4}}{x^4(3+2x^2)} dx &= \frac{1}{9} \int \frac{3+4x^2}{x^4\sqrt{1+2x^2+2x^4}} dx + \frac{10}{9} \int \frac{1}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\ &= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} - \frac{1}{27} \int \frac{6}{\sqrt{1+2x^2+2x^4}} dx + \frac{1}{63} \left(10(3+\sqrt{2})\right) \int \frac{1}{\sqrt{1+2x^2+2x^4}} \\ &= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{1}{9}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) + \frac{5(3+\sqrt{2})(1+\sqrt{2}x^2)\sqrt{\frac{1+2x^2+2x^4}{(1+\sqrt{2}x^2)^2}}}{63^4\sqrt{2}\sqrt{1+2x^2+2x^4}} \\ &= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{1}{9}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) - \frac{(1+\sqrt{2}x^2)\sqrt{\frac{1+2x^2+2x^4}{(1+\sqrt{2}x^2)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right)\right)}{9^4\sqrt{2}\sqrt{1+2x^2+2x^4}} \end{aligned}$$

Mathematica [C] time = 0.17, size = 154, normalized size = 0.43

$$\frac{6x^4 + 6x^2 + 3(1-i)^{3/2}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}x^3F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right) - 5(1-i)^{3/2}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}}{27x^3\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + 2*x^2 + 2*x^4]/(x^4*(3 + 2*x^2)), x]

[Out] -1/27*(3 + 6*x^2 + 6*x^4 + 3*(1 - I)^(3/2)*x^3*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] - 5*(1 - I)^(3/2)*x^3*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I]/(x^3*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4+2x^2+1}}{2x^6+3x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^4/(2*x^2+3),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(2*x^6 + 3*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{(2x^2 + 3)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^4/(2*x^2+3),x, algorithm="giac")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/((2*x^2 + 3)*x^4), x)

maple [C] time = 0.02, size = 448, normalized size = 1.24

$$\frac{2\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \operatorname{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{9\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} - \frac{2i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \operatorname{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{9\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^4+2*x^2+1)^(1/2)/x^4/(2*x^2+3),x)

[Out] (2/9-2/9*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2)))-4/9/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+2/9*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+2/9/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-2/9*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+10/27/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi((-1+I)^(1/2)*x,1/3+1/3*I,(-1-I)^(1/2)/(-1+I)^(1/2))-1/9*(2*x^4+2*x^2+1)^(1/2)/x^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{(2x^2 + 3)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^4/(2*x^2+3),x, algorithm="maxima")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/((2*x^2 + 3)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{x^4(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 2*x^4 + 1)^(1/2)/(x^4*(2*x^2 + 3)),x)

[Out] int((2*x^2 + 2*x^4 + 1)^(1/2)/(x^4*(2*x^2 + 3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{x^4(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(1/2)/x**4/(2*x**2+3),x)

[Out] Integral(sqrt(2*x**4 + 2*x**2 + 1)/(x**4*(2*x**2 + 3)), x)

$$3.321 \quad \int \frac{\sqrt{1+2x^2+2x^4}}{x^6(3+2x^2)} dx$$

Optimal. Leaf size=546

$$\frac{4\sqrt{2}\sqrt{2x^4+2x^2+1}x}{45(\sqrt{2}x^2+1)} - \frac{4\sqrt{2x^4+2x^2+1}}{45x} - \frac{2}{27}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{\sqrt[4]{2}(19-2\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4}{\sqrt{2x^4+2x^2+1}}}}{135\sqrt{2}x}$$

[Out] $-2/81*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}-1/15*(2*x^4+2*x^2+1)^{(1/2)}/x^5+4/135*(2*x^4+2*x^2+1)^{(1/2)}/x^3-4/45*(2*x^4+2*x^2+1)^{(1/2)}/x+4/45*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})-4/45*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}+5/189*2^{(1/4)}*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(5-3*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}-1/135*2^{(1/4)}*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(19-2*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}+5/1134*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})^2*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}*2^{(3/4)}/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.54, antiderivative size = 546, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1309, 1281, 1197, 1103, 1195, 1329, 1714, 1708, 1706}

$$\frac{4\sqrt{2}\sqrt{2x^4+2x^2+1}x}{45(\sqrt{2}x^2+1)} - \frac{4\sqrt{2x^4+2x^2+1}}{45x} + \frac{4\sqrt{2x^4+2x^2+1}}{135x^3} - \frac{\sqrt{2x^4+2x^2+1}}{15x^5} - \frac{2}{27}\sqrt{\frac{5}{3}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 + 2*x^2 + 2*x^4]/(x^6*(3 + 2*x^2)),x]

[Out] $-\text{Sqrt}[1 + 2*x^2 + 2*x^4]/(15*x^5) + (4*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(135*x^3) - (4*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(45*x) + (4*\text{Sqrt}[2]*x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(45*(1 + \text{Sqrt}[2]*x^2)) - (2*\text{Sqrt}[5/3]*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4]])/27 - (4*2^{(1/4)}*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(45*\text{Sqrt}[1$

$$+ 2*x^2 + 2*x^4]) + (5*2^{(1/4)}*(5 - 3*\text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(189*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - (2^{(1/4)}*(19 - 2*\text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(135*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + (5*(3 + \text{Sqrt}[2])^2*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticPi}[(12 - 11*\text{Sqrt}[2])/24, 2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(567*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4])$$

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1281

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1309

```
Int[((f_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := Dist[1/d^2, Int[(f*x)^m*(a*d + (b*d - a*e)*x^2 + (c*d - a*e*x^2 + b*d*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[d, 0] && NeQ[b*d - a*e, 0] && NeQ[c*d - a*e*x^2 + b*d*x^4, 0]
```

2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/(d^2*f^4), Int[((f*x)^(m + 4)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] / ; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -2]

Rule 1329

Int[(x_)^(m_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> Simp[(x^(m + 1)*Sqrt[a + b*x^2 + c*x^4])/(a*d*(m + 1)), x] - Dist[1/(a*d*(m + 1)), Int[(x^(m + 2)*Simp[a*e*(m + 1) + b*d*(m + 2) + (b*e*(m + 2) + c*d*(m + 3))*x^2 + c*e*(m + 3)*x^4, x])/(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4], x], x] / ; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[m/2, 0]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] / ; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rule 1708

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] / ; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1714

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] / ; FreeQ[{a, b, c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,

0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1+2x^2+2x^4}}{x^6(3+2x^2)} dx &= \frac{1}{9} \int \frac{3+4x^2}{x^6\sqrt{1+2x^2+2x^4}} dx + \frac{10}{9} \int \frac{1}{x^2(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{15x^5} - \frac{10\sqrt{1+2x^2+2x^4}}{27x} - \frac{1}{45} \int \frac{4+18x^2}{x^4\sqrt{1+2x^2+2x^4}} dx + \frac{10}{27} \int \frac{-2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{15x^5} + \frac{4\sqrt{1+2x^2+2x^4}}{135x^3} - \frac{10\sqrt{1+2x^2+2x^4}}{27x} + \frac{1}{135} \int \frac{-38+8x^2}{x^2\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{15x^5} + \frac{4\sqrt{1+2x^2+2x^4}}{135x^3} - \frac{4\sqrt{1+2x^2+2x^4}}{45x} + \frac{10\sqrt{2}x\sqrt{1+2x^2+2x^4}}{27(1+\sqrt{2}x^2)} - \frac{2}{27} \int \frac{1}{1+\sqrt{2}x^2} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{15x^5} + \frac{4\sqrt{1+2x^2+2x^4}}{135x^3} - \frac{4\sqrt{1+2x^2+2x^4}}{45x} + \frac{10\sqrt{2}x\sqrt{1+2x^2+2x^4}}{27(1+\sqrt{2}x^2)} - \frac{2}{27} \operatorname{arctan}\left(\frac{\sqrt{2}x}{1}\right) \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{15x^5} + \frac{4\sqrt{1+2x^2+2x^4}}{135x^3} - \frac{4\sqrt{1+2x^2+2x^4}}{45x} + \frac{4\sqrt{2}x\sqrt{1+2x^2+2x^4}}{45(1+\sqrt{2}x^2)} - \frac{2}{27} \operatorname{arctan}\left(\frac{\sqrt{2}x}{1}\right)
\end{aligned}$$

Mathematica [C] time = 0.24, size = 224, normalized size = 0.41

$$72x^8 + 48x^6 + 66x^4 + 42x^2 - (12 + 24i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}x^5F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right) + 36i\sqrt{1-i}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + 2*x^2 + 2*x^4]/(x^6*(3 + 2*x^2)), x]

[Out] $-1/405*(27 + 42*x^2 + 66*x^4 + 48*x^6 + 72*x^8 + (36*I)*\operatorname{Sqrt}[1 - I]*x^5*\operatorname{Sqrt}[1 + (1 - I)*x^2]*\operatorname{Sqrt}[1 + (1 + I)*x^2]*\operatorname{EllipticE}[I*\operatorname{ArcSinh}[\operatorname{Sqrt}[1 - I]*x], I] - (12 + 24*I)*\operatorname{Sqrt}[1 - I]*x^5*\operatorname{Sqrt}[1 + (1 - I)*x^2]*\operatorname{Sqrt}[1 + (1 + I)*x^2]*\operatorname{EllipticF}[I*\operatorname{ArcSinh}[\operatorname{Sqrt}[1 - I]*x], I] + 50*(1 - I)^{(3/2)}*x^5*\operatorname{Sqrt}[1 +$

$(1 - I)*x^2)*\text{Sqrt}[1 + (1 + I)*x^2]*\text{EllipticPi}[1/3 + I/3, I*\text{ArcSinh}[\text{Sqrt}[1 - I]*x], I)]/(x^5*\text{Sqrt}[1 + 2*x^2 + 2*x^4])$

fricas [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^8 + 3x^6}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^4+2*x^2+1)^(1/2)/x^6/(2*x^2+3),x, algorithm="fricas")`

[Out] `integral(sqrt(2*x^4 + 2*x^2 + 1)/(2*x^8 + 3*x^6), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{(2x^2 + 3)x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^4+2*x^2+1)^(1/2)/x^6/(2*x^2+3),x, algorithm="giac")`

[Out] `integrate(sqrt(2*x^4 + 2*x^2 + 1)/((2*x^2 + 3)*x^6), x)`

maple [C] time = 0.02, size = 549, normalized size = 1.01

$$\frac{4i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{27\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} - \frac{4\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{27\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^4+2*x^2+1)^(1/2)/x^6/(2*x^2+3),x)`

[Out] `-4/45*(2*x^4+2*x^2+1)^(1/2)/x-4/45/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+4/27*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+8/27/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-4/27*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-4/27/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+(-32/135+32/135*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))`

$1/2)+1/2*I*2^{(1/2)}-EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-20$
 $/81/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{($
 $1/2)*EllipticPi((-1+I)^{(1/2)}*x,1/3+1/3*I,(-1-I)^{(1/2)}/(-1+I)^{(1/2)}+4/135*($
 $2*x^4+2*x^2+1)^{(1/2)}/x^3-1/15*(2*x^4+2*x^2+1)^{(1/2)}/x^5$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{(2x^2 + 3)x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(1/2)/x^6/(2*x^2+3),x, algorithm="maxima")

[Out] integrate(sqrt(2*x^4 + 2*x^2 + 1)/((2*x^2 + 3)*x^6), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{x^6(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^2 + 2*x^4 + 1)^(1/2)/(x^6*(2*x^2 + 3)),x)

[Out] int((2*x^2 + 2*x^4 + 1)^(1/2)/(x^6*(2*x^2 + 3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{x^6(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(1/2)/x**6/(2*x**2+3),x)

[Out] Integral(sqrt(2*x**4 + 2*x**2 + 1)/(x**6*(2*x**2 + 3)), x)

$$3.322 \quad \int \frac{x^5(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx$$

Optimal. Leaf size=482

$$\frac{(16bc^2e^3(3a^2e^2 - 3abde + b^2d^2) + 6b^3ce^4(bd - 4ae) - 384c^4d^3e(bd - ae) + 96c^3de^2(bd - ae)^2 + 3b^5e^5 + 256c^5a^2)}{512c^{7/2}e^6}$$

[Out] $1/96*(16*c^2*d^2-6*b*c*d*e-3*b^2*e^2-6*c*e*(b*e+2*c*d)*x^2)*(c*x^4+b*x^2+a)^{(3/2)}/c^2/e^3+1/10*(c*x^4+b*x^2+a)^{(5/2)}/c/e-1/512*(256*c^5*d^5+3*b^5*e^5+6*b^3*c*e^4*(-4*a*e+b*d)-384*c^4*d^3*e*(-a*e+b*d)+96*c^3*d*e^2*(-a*e+b*d)^2+16*b*c^2*e^3*(3*a^2*e^2-3*a*b*d*e+b^2*d^2))*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)})/c^{(7/2)}/e^6+1/2*d^2*(a*e^2-b*d*e+c*d^2)^{(3/2)*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)})/e^6+1/256*(128*c^4*d^4+3*b^4*e^4-32*c^3*d^2*e*(-4*a*e+5*b*d)+8*b*c^2*d*e^2*(-3*a*e+2*b*d)+6*b^2*c*e^3*(-2*a*e+b*d)-2*c*e*(32*c^3*d^3-3*b^3*e^3-e^3-8*c^2*d*e*(-3*a*e+2*b*d)-6*b*c*e^2*(-2*a*e+b*d))*x^2)*(c*x^4+b*x^2+a)^{(1/2)}/c^3/e^5$

Rubi [A] time = 1.10, antiderivative size = 482, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1251, 1653, 814, 843, 621, 206, 724}

$$\frac{(16bc^2e^3(3a^2e^2 - 3abde + b^2d^2) + 6b^3ce^4(bd - 4ae) - 384c^4d^3e(bd - ae) + 96c^3de^2(bd - ae)^2 + 3b^5e^5 + 256c^5a^2)}{512c^{7/2}e^6}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*(a + b*x^2 + c*x^4)^{(3/2)})/(d + e*x^2), x]$

[Out] $((128*c^4*d^4 + 3*b^4*e^4 - 32*c^3*d^2*e*(5*b*d - 4*a*e) + 8*b*c^2*d*e^2*(2*b*d - 3*a*e) + 6*b^2*c*e^3*(b*d - 2*a*e) - 2*c*e*(32*c^3*d^3 - 3*b^3*e^3 - 8*c^2*d*e*(2*b*d - 3*a*e) - 6*b*c*e^2*(b*d - 2*a*e))*x^2)*\operatorname{Sqrt}[a + b*x^2 + c*x^4]/(256*c^3*e^5) + ((16*c^2*d^2 - 6*b*c*d*e - 3*b^2*e^2 - 6*c*e*(2*c*d + b*e)*x^2)*(a + b*x^2 + c*x^4)^{(3/2)})/(96*c^2*e^3) + (a + b*x^2 + c*x^4)^{(5/2)}/(10*c*e) - ((256*c^5*d^5 + 3*b^5*e^5 + 6*b^3*c*e^4*(b*d - 4*a*e) - 384*c^4*d^3*e*(b*d - a*e) + 96*c^3*d*e^2*(b*d - a*e)^2 + 16*b*c^2*e^3*(b^2*d^2 - 3*a*b*d*e + 3*a^2*e^2))*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]/(512*c^{(7/2)}*e^6) + (d^2*(c*d^2 - b*d*e + a*e^2)^{(3/2)*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2]/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])})/(2*e^6)$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 814

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 843

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte

gerQ[(m - 1)/2]

Rule 1653

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, S
imp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q
+ 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b
*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p +
1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*
d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x] /; GtQ[q
, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && Poly
Q[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ
[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{x^5 (a + bx^2 + cx^4)^{3/2}}{d + ex^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2 (a + bx + cx^2)^{3/2}}{d + ex} dx, x, x^2 \right) \\
 &= \frac{(a + bx^2 + cx^4)^{5/2}}{10ce} + \frac{\text{Subst} \left(\int \frac{\left(-\frac{5}{2}bde - \frac{5}{2}e(2cd + be)x\right)(a + bx + cx^2)^{3/2}}{d + ex} dx, x, x^2 \right)}{10ce^2} \\
 &= \frac{(16c^2d^2 - 6bcde - 3b^2e^2 - 6ce(2cd + be)x^2)(a + bx^2 + cx^4)^{3/2}}{96c^2e^3} + \frac{(a + bx^2 + cx^4)^5}{10ce} \\
 &= \frac{(128c^4d^4 + 3b^4e^4 - 32c^3d^2e(5bd - 4ae) + 8bc^2de^2(2bd - 3ae) + 6b^2ce^3(bd - 2ae) - 256c^2d^2e^2}{256c^2e^3} \\
 &= \frac{(128c^4d^4 + 3b^4e^4 - 32c^3d^2e(5bd - 4ae) + 8bc^2de^2(2bd - 3ae) + 6b^2ce^3(bd - 2ae) - 256c^2d^2e^2}{256c^2e^3} \\
 &= \frac{(128c^4d^4 + 3b^4e^4 - 32c^3d^2e(5bd - 4ae) + 8bc^2de^2(2bd - 3ae) + 6b^2ce^3(bd - 2ae) - 256c^2d^2e^2}{256c^2e^3} \\
 &= \frac{(128c^4d^4 + 3b^4e^4 - 32c^3d^2e(5bd - 4ae) + 8bc^2de^2(2bd - 3ae) + 6b^2ce^3(bd - 2ae) - 256c^2d^2e^2}{256c^2e^3}
 \end{aligned}$$

Mathematica [A] time = 0.98, size = 545, normalized size = 1.13

$$\frac{90de(b^2-4ac)\left((b^2-4ac)\tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)-2\sqrt{c}(b+2cx^2)\sqrt{a+bx^2+cx^4}\right)-240d^2\left((2cd-be)(4ce(3ae-2bd)-b^2e^2+8c^2d^2)\tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)\right)}{c^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2),x]

[Out] (1280*d^2*(a + b*x^2 + c*x^4)^(3/2) - (480*d*e*(b + 2*c*x^2)*(a + b*x^2 + c*x^4)^(3/2))/c + (768*e^2*(a + b*x^2 + c*x^4)^(5/2))/c - (90*(b^2 - 4*a*c)*d*e*(-2*Sqrt[c]*(b + 2*c*x^2)*Sqrt[a + b*x^2 + c*x^4] + (b^2 - 4*a*c)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])]))/c^(5/2) + (15*b*e^2*(-16*(b + 2*c*x^2)*(a + b*x^2 + c*x^4)^(3/2) + 3*(b^2 - 4*a*c)*((2*(b + 2*c*x^2)*Sqrt[a + b*x^2 + c*x^4])/c + ((-b^2 + 4*a*c)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/c^(3/2))))/c^2 - (240*d^2*((2*c*d - b*e)*(8*c^2*d^2 - b^2*e^2 + 4*c*e*(-2*b*d + 3*a*e))*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])]) + 2*Sqrt[c]*(e*Sqrt[a + b*x^2 + c*x^4]*(-(b^2*e^2) + 4*c^2*d*(-2*d + e*x^2) - 2*c*e*(-5*b*d + 4*a*e + b*e*x^2)) + 8*c*(c*d^2 + e*(-(b*d) + a*e))^(3/2)*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + b*x^2 + c*x^4])])))/c^(3/2)*e^3)/(7680*e^3)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type

maple [B] time = 0.06, size = 2068, normalized size = 4.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^5*(c*x^4+b*x^2+a)^{(3/2)}/(e*x^2+d), x)$

[Out]
$$\begin{aligned} & 11/80/e*b*x^6*(c*x^4+b*x^2+a)^{(1/2)}-5/8*d^3/e^4*b*(c*x^4+b*x^2+a)^{(1/2)}+1/2 \\ & *d^4/e^5*c*(c*x^4+b*x^2+a)^{(1/2)}+2/3*d^2/e^3*a*(c*x^4+b*x^2+a)^{(1/2)}-1/2*d^ \\ & 5/e^6*c^{(3/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})+1/10/e*a^2/c* \\ & (c*x^4+b*x^2+a)^{(1/2)}-3/512/e*b^5/c^{(7/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b \\ & *x^2+a)^{(1/2)})+1/5/e*a*x^4*(c*x^4+b*x^2+a)^{(1/2)}+3/256/e*b^4/c^3*(c*x^4+b*x \\ & ^2+a)^{(1/2)}+1/10/e*c*x^8*(c*x^4+b*x^2+a)^{(1/2)}-3/32/e*a^2*b/c^{(3/2)}*\ln((c*x \\ & ^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})+1/160/e*b^2*x^4/c*(c*x^4+b*x^2+a)^ \\ & (1/2)-1/128/e*b^3/c^2*x^2*(c*x^4+b*x^2+a)^{(1/2)}-5/64/e*a*b^2/c^2*(c*x^4+b*x \\ & ^2+a)^{(1/2)}+3/64/e*a*b^3/c^{(5/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(\\ & 1/2)})-3/16/e^2*d*a^2*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})/c^{(1/2)} \\ &)-5/16/e^2*d*a*x^2*(c*x^4+b*x^2+a)^{(1/2)}+3/128/e^2*d*b^3/c^2*(c*x^4+b*x^2+a \\ &)^{(1/2)}-3/256/e^2*d*b^4/c^{(5/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1 \\ & /2)})-3/16/e^2*d*b*x^4*(c*x^4+b*x^2+a)^{(1/2)}-1/8/e^2*d*c*x^6*(c*x^4+b*x^2+a) \\ & ^{(1/2)}+1/6*d^2/e^3*c*x^4*(c*x^4+b*x^2+a)^{(1/2)}+7/24*d^2/e^3*b*x^2*(c*x^4+b* \\ & x^2+a)^{(1/2)}+1/16*d^2/e^3/c*b^2*(c*x^4+b*x^2+a)^{(1/2)}-1/32*d^2/e^3*b^3/c^{(3 \\ & /2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})-3/4*d^3/e^4*a*c^{(1/2)}*\ln \\ & ((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})-3/16*d^3/e^4*b^2*\ln((c*x^2+1 \\ & /2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})/c^{(1/2)}+3/4*d^4/e^5*b*c^{(1/2)}*\ln((c*x^ \\ & 2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})-1/4*d^3/e^4*x^2*c*(c*x^4+b*x^2+a)^{(\\ & 1/2)}-1/2*d^2/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/ \\ & e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c \\ & +(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e)*a^2-1/ \\ & 2*d^4/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a* \\ & e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e- \\ & 2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e)*b^2-1/2*d^6/e \\ & ^7/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d \\ & *e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e-2*c*d)* \\ & (x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e)*c^2+7/160/e*a*b*x^2/ \\ & c*(c*x^4+b*x^2+a)^{(1/2)}-1/64/e^2*d*b^2*x^2/c*(c*x^4+b*x^2+a)^{(1/2)}-5/32/e^2 \\ & *d*a*b/c*(c*x^4+b*x^2+a)^{(1/2)}+3/32/e^2*d*a*b^2/c^{(3/2)}*\ln((c*x^2+1/2*b)/c^{(\\ & 1/2)}+(c*x^4+b*x^2+a)^{(1/2)})+3/8*d^2/e^3*a*b*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^ \\ & 4+b*x^2+a)^{(1/2)})/c^{(1/2)}+d^3/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e- \\ & 2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1 \\ & /2)}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/ \\ & (x^2+d/e)*a*b-d^4/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2 \\ & +d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d \\ & /e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e)* \end{aligned}$$

$a*c*d^5/e^6/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}}/(x^2+d/e))*b*c$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(b*e-2*c*d>0)', see 'assume?' for more details)Is b*e-2*c*d zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (c x^4 + b x^2 + a)^{3/2}}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2),x)`

[Out] `int((x^5*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 (a + b x^2 + c x^4)^{\frac{3}{2}}}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(c*x**4+b*x**2+a)**(3/2)/(e*x**2+d),x)`

[Out] `Integral(x**5*(a + b*x**2 + c*x**4)**(3/2)/(d + e*x**2), x)`

$$3.323 \quad \int \frac{x^3(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx$$

Optimal. Leaf size=360

$$\frac{(8b^2ce^3(bd-3ae) - 192c^3d^2e(bd-ae) + 48c^2e^2(bd-ae)^2 + 3b^4e^4 + 128c^4d^4) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right) \sqrt{a+bx^2+cx^4}}{256c^{5/2}e^5}$$

[Out] $-1/48*(-6*c*e*x^2-3*b*e+8*c*d)*(c*x^4+b*x^2+a)^{(3/2)}/c/e^2+1/256*(128*c^4*d^4+3*b^4*e^4+8*b^2*c*e^3*(-3*a*e+b*d)-192*c^3*d^2*e*(-a*e+b*d)+48*c^2*e^2*(-a*e+b*d)^2)*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/c^{(5/2)}/e^5-1/2*d*(a*e^2-b*d*e+c*d^2)^{(3/2)*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/e^5-1/128*(64*c^3*d^3+3*b^3*e^3-16*c^2*d*e*(-4*a*e+5*b*d)+4*b*c*e^2*(-3*a*e+2*b*d)-2*c*e*(16*c^2*d^2-3*b^2*e^2-4*c*e*(-3*a*e+2*b*d))*x^2)*(c*x^4+b*x^2+a)^{(1/2)}/c^2/e^4$

Rubi [A] time = 0.70, antiderivative size = 360, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 814, 843, 621, 206, 724}

$$\frac{\sqrt{a+bx^2+cx^4}(-2cex^2(-4ce(2bd-3ae)-3b^2e^2+16c^2d^2)-16c^2de(5bd-4ae)+4bce^2(2bd-3ae)+3b^3e^3-128c^2e^4)}{128c^2e^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2), x]

[Out] $-((64*c^3*d^3 + 3*b^3*e^3 - 16*c^2*d*e*(5*b*d - 4*a*e) + 4*b*c*e^2*(2*b*d - 3*a*e) - 2*c*e*(16*c^2*d^2 - 3*b^2*e^2 - 4*c*e*(2*b*d - 3*a*e))*x^2)*\operatorname{Sqrt}[a + b*x^2 + c*x^4]/(128*c^2*e^4) - ((8*c*d - 3*b*e - 6*c*e*x^2)*(a + b*x^2 + c*x^4)^{(3/2)})/(48*c*e^2) + ((128*c^4*d^4 + 3*b^4*e^4 + 8*b^2*c*e^3*(b*d - 3*a*e) - 192*c^3*d^2*e*(b*d - a*e) + 48*c^2*e^2*(b*d - a*e)^2)*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]/(256*c^{(5/2)}*e^5) - (d*(c*d^2 - b*d*e + a*e^2)^{(3/2)*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2]/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])})/(2*e^5)$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 724

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 814

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 843

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (a + bx^2 + cx^4)^{3/2}}{d + ex^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x (a + bx + cx^2)^{3/2}}{d + ex} dx, x, x^2 \right) \\
&= -\frac{(8cd - 3be - 6cex^2) (a + bx^2 + cx^4)^{3/2}}{48ce^2} - \frac{\text{Subst} \left(\int \frac{\left(\frac{1}{2}d(4ace - 2b(4cd - \frac{3be}{2})) - \frac{1}{2}(16c^2d^2 - 3b^2e^2 - 3d^2e^2)\right)}{d + ex} dx, x, x^2 \right)}{16ce^2} \\
&= -\frac{(64c^3d^3 + 3b^3e^3 - 16c^2de(5bd - 4ae) + 4bce^2(2bd - 3ae) - 2ce(16c^2d^2 - 3b^2e^2 - 3d^2e^2))}{128c^2e^4} \\
&= -\frac{(64c^3d^3 + 3b^3e^3 - 16c^2de(5bd - 4ae) + 4bce^2(2bd - 3ae) - 2ce(16c^2d^2 - 3b^2e^2 - 3d^2e^2))}{128c^2e^4} \\
&= -\frac{(64c^3d^3 + 3b^3e^3 - 16c^2de(5bd - 4ae) + 4bce^2(2bd - 3ae) - 2ce(16c^2d^2 - 3b^2e^2 - 3d^2e^2))}{128c^2e^4} \\
&= -\frac{(64c^3d^3 + 3b^3e^3 - 16c^2de(5bd - 4ae) + 4bce^2(2bd - 3ae) - 2ce(16c^2d^2 - 3b^2e^2 - 3d^2e^2))}{128c^2e^4}
\end{aligned}$$

Mathematica [A] time = 0.60, size = 344, normalized size = 0.96

$$2\sqrt{c} \left(e\sqrt{a + bx^2 + cx^4} (8c^2e (ae(15ex^2 - 32d) + b(30d^2 - 14dex^2 + 9e^2x^4)) + 6bce^2(10ae - 4bd + bex^2) - 9b^3e^3) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2),x]

[Out] (3*(128*c^4*d^4 + 3*b^4*e^4 + 8*b^2*c*e^3*(b*d - 3*a*e) - 192*c^3*d^2*e*(b*d - a*e) + 48*c^2*e^2*(b*d - a*e)^2)*ArcTanh[(b + 2*c*x^2)/(2*sqrt[c]*sqrt[a + b*x^2 + c*x^4])] + 2*sqrt[c]*(e*sqrt[a + b*x^2 + c*x^4]*(-9*b^3*e^3 + 6*b*c*e^2*(-4*b*d + 10*a*e + b*e*x^2) - 16*c^3*(12*d^3 - 6*d^2*e*x^2 + 4*d*e^2*x^4 - 3*e^3*x^6) + 8*c^2*e*(a*e*(-32*d + 15*e*x^2) + b*(30*d^2 - 14*d*e*x^2 + 9*e^2*x^4))) + 192*c^2*d*(c*d^2 + e*(-(b*d) + a*e))^(3/2)*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*sqrt[c*d^2 + e*(-(b*d) + a*e)]*sqrt[a + b*x^2 + c*x^4])])/(768*c^(5/2)*e^5)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Error: Bad Argument Type
```

```
maple [B] time = 0.01, size = 1696, normalized size = 4.71
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x)
```

```
[Out] 1/64/e*b^2*x^2/c*(c*x^4+b*x^2+a)^(1/2)+5/32/e*a*b/c*(c*x^4+b*x^2+a)^(1/2)+1
/2*d^4/e^5*c^(3/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+5/8*d^2/
e^3*b*(c*x^4+b*x^2+a)^(1/2)-1/2*d^3/e^4*c*(c*x^4+b*x^2+a)^(1/2)-2/3*d/e^2*a
*(c*x^4+b*x^2+a)^(1/2)+3/16/e*a^2*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(
1/2))/c^(1/2)+5/16/e*a*x^2*(c*x^4+b*x^2+a)^(1/2)-3/128/e*b^3/c^2*(c*x^4+b*
x^2+a)^(1/2)+3/256/e*b^4/c^(5/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(
1/2))+3/16/e*b*x^4*(c*x^4+b*x^2+a)^(1/2)+1/8/e*c*x^6*(c*x^4+b*x^2+a)^(1/2)+
1/2*d^5/e^6/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(
a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*
e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e)*c^2-1/6*d/e
^2*c*x^4*(c*x^4+b*x^2+a)^(1/2)-7/24*d/e^2*b*x^2*(c*x^4+b*x^2+a)^(1/2)-3/4*d
^3/e^4*b*c^(1/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+1/4*d^2/e^
3*x^2*c*(c*x^4+b*x^2+a)^(1/2)+1/2*d/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(
((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e
^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(
1/2))/(x^2+d/e))*a^2+1/2*d^3/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2
*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/
2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(
x^2+d/e))*b^2-1/16*d/e^2/c*b^2*(c*x^4+b*x^2+a)^(1/2)+1/32*d/e^2*b^3/c^(3/2)
*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+3/4*d^2/e^3*a*c^(1/2)*ln((
c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+3/16*d^2/e^3*b^2*ln((c*x^2+1/2*
b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)-3/32/e*a*b^2/c^(3/2)*ln((c*x^2+1/
```


$$2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)}-3/8*d/e^2*a*b*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/2)})/c^{(1/2)}-d^2/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e))*a*b+d^3/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e))*a*c-d^4/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e))*b*c$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(b*e-2*c*d>0)', see `assume?` for more details)Is b*e-2*c*d zero or nonzero?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (c x^4 + b x^2 + a)^{3/2}}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2),x)

[Out] int((x^3*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 (a + b x^2 + c x^4)^{3/2}}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(c*x**4+b*x**2+a)**(3/2)/(e*x**2+d),x)

[Out] Integral(x**3*(a + b*x**2 + c*x**4)**(3/2)/(d + e*x**2), x)

$$3.324 \quad \int \frac{x(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx$$

Optimal. Leaf size=269

$$\frac{\sqrt{a+bx^2+cx^4} \left(-2ce(5bd-4ae) + b^2e^2 - 2cex^2(2cd-be) + 8c^2d^2 \right)}{16ce^3} - \frac{(2cd-be) \left(-4ce(2bd-3ae) - b^2e^2 + 8c^2d^2 \right)}{32c^{3/2}e^4}$$

[Out] 1/6*(c*x^4+b*x^2+a)^(3/2)/e-1/32*(-b*e+2*c*d)*(8*c^2*d^2-b^2*e^2-4*c*e*(-3*a*e+2*b*d))*arctanh(1/2*(2*c*x^2+b)/c^(1/2)/(c*x^4+b*x^2+a)^(1/2))/c^(3/2)/e^4+1/2*(a*e^2-b*d*e+c*d^2)^(3/2)*arctanh(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2))/e^4+1/16*(8*c^2*d^2+b^2*e^2-2*c*e*(-4*a*e+5*b*d)-2*c*e*(-b*e+2*c*d)*x^2)*(c*x^4+b*x^2+a)^(1/2)/c/e^3

Rubi [A] time = 0.46, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {1247, 734, 814, 843, 621, 206, 724}

$$\frac{\sqrt{a+bx^2+cx^4} \left(-2ce(5bd-4ae) + b^2e^2 - 2cex^2(2cd-be) + 8c^2d^2 \right)}{16ce^3} - \frac{(2cd-be) \left(-4ce(2bd-3ae) - b^2e^2 + 8c^2d^2 \right)}{32c^{3/2}e^4}$$

Antiderivative was successfully verified.

[In] Int[(x*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2), x]

[Out] ((8*c^2*d^2 + b^2*e^2 - 2*c*e*(5*b*d - 4*a*e) - 2*c*e*(2*c*d - b*e)*x^2)*Sqrt[a + b*x^2 + c*x^4]/(16*c*e^3) + (a + b*x^2 + c*x^4)^(3/2)/(6*e) - ((2*c*d - b*e)*(8*c^2*d^2 - b^2*e^2 - 4*c*e*(2*b*d - 3*a*e))*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])]/(32*c^(3/2)*e^4) + ((c*d^2 - b*d*e + a*e^2)^(3/2)*ArcTanh[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4])]/(2*e^4)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 734

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]

Rule 814

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

Rule 843

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1247

Int[(x_)*((d_.) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned}
\int \frac{x(a+bx^2+cx^4)^{3/2}}{d+ex^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(a+bx+cx^2)^{3/2}}{d+ex} dx, x, x^2 \right) \\
&= \frac{(a+bx^2+cx^4)^{3/2}}{6e} - \frac{\text{Subst} \left(\int \frac{(bd-2ae+(2cd-be)x)\sqrt{a+bx+cx^2}}{d+ex} dx, x, x^2 \right)}{4e} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x^2) \sqrt{a+bx^2+cx^4}}{16ce^3} + \frac{(a+bx^2+cx^4)}{6e} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x^2) \sqrt{a+bx^2+cx^4}}{16ce^3} + \frac{(a+bx^2+cx^4)}{6e} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x^2) \sqrt{a+bx^2+cx^4}}{16ce^3} + \frac{(a+bx^2+cx^4)}{6e} \\
&= \frac{(8c^2d^2 + b^2e^2 - 2ce(5bd - 4ae) - 2ce(2cd - be)x^2) \sqrt{a+bx^2+cx^4}}{16ce^3} + \frac{(a+bx^2+cx^4)}{6e}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 255, normalized size = 0.95

$$\frac{2\sqrt{c} \left(e\sqrt{a+bx^2+cx^4} \left(2ce(16ae-15bd+7bex^2) + 3b^2e^2 + 4c^2(6d^2-3dex^2+2e^2x^4) \right) - 24c(e(ae-bd)+cd^2) \right)}{96c^{3/2}e}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2), x]

[Out] (-3*(2*c*d - b*e)*(8*c^2*d^2 - b^2*e^2 + 4*c*e*(-2*b*d + 3*a*e))*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])] + 2*Sqrt[c]*(e*Sqrt[a + b*x^2 + c*x^4]*(3*b^2*e^2 + 2*c*e*(-15*b*d + 16*a*e + 7*b*e*x^2) + 4*c^2*(6*d^2 - 3*d*e*x^2 + 2*e^2*x^4)) - 24*c*(c*d^2 + e*(-(b*d) + a*e))^(3/2)*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + b*x^2 + c*x^4])])/(96*c^(3/2)*e^4)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT>Error: Bad Argument Type
```

```
maple [B] time = 0.01, size = 1411, normalized size = 5.25
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x)
```

```
[Out] 1/6/e*c*x^4*(c*x^4+b*x^2+a)^(1/2)+7/24/e*b*x^2*(c*x^4+b*x^2+a)^(1/2)+1/16/e
/c*b^2*(c*x^4+b*x^2+a)^(1/2)-5/8/e^2*b*(c*x^4+b*x^2+a)^(1/2)*d+1/2/e^3*c*(c
*x^4+b*x^2+a)^(1/2)*d^2-1/32/e*b^3/c^(3/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+
b*x^2+a)^(1/2))-3/4/e^2*a*d*c^(1/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a
)^(1/2))-3/16/e^2*b^2*d*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(
1/2)+3/4/e^3*b*c^(1/2)*d^2*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+
2/3/e*a*(c*x^4+b*x^2+a)^(1/2)-1/4/e^2*x^2*c*(c*x^4+b*x^2+a)^(1/2)*d+3/8/e*a
*b*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)-1/2/e^4*c^(3/2)*
d^3*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))-1/2/e/((a*e^2-b*d*e+c*d
^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*
e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b
*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*a^2+1/e^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2
)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d
^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e
^2)^(1/2))/(x^2+d/e))*a*b*d-1/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-
2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1
/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/
(x^2+d/e))*a*c*d^2-1/2/e^3/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*
(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x
^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/
e))*b^2*d^2+1/e^4/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)
/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2
```

```
*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*b*c*d
^3-1/2/e^5/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a
*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e
-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*c^2*d^4
```

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x^4+b*x^2+a)^(3/2)/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested a
dditional constraints; using the 'assume' command before evaluation *may* h
elp (example of legal syntax is 'assume(a*e^2-b*d*e>0)', see `assume?` for
more details)Is a*e^2-b*d*e                                +c*d^2 zero or nonze
ro?
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x(c x^4 + b x^2 + a)^{3/2}}{e x^2 + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2),x)
```

```
[Out] int((x*(a + b*x^2 + c*x^4)^(3/2))/(d + e*x^2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(a + b x^2 + c x^4)^{\frac{3}{2}}}{d + e x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*x**4+b*x**2+a)**(3/2)/(e*x**2+d),x)
```

```
[Out] Integral(x*(a + b*x**2 + c*x**4)**(3/2)/(d + e*x**2), x)
```

$$3.325 \quad \int \frac{(a+bx^2+cx^4)^{3/2}}{x(d+ex^2)} dx$$

Optimal. Leaf size=350

$$\frac{a^{3/2} \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2d} + \frac{(-12cde(bd-ae) + be^2(3bd-4ae) + 8c^2d^3) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{16\sqrt{c}de^3} - \frac{\sqrt{a+bx^2}}{d}$$

[Out] $-1/2*a^{(3/2)}*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d-1/2*(a*e^2-b*d*e+c*d^2)^{(3/2)}*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d/e^3+1/4*a*b*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d/c^{(1/2)}+1/16*(8*c^2*d^3+b*e^2*(-4*a*e+3*b*d)-12*c*d*e*(-a*e+b*d))*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d/e^3/c^{(1/2)}+1/2*a*(c*x^4+b*x^2+a)^{(1/2)}/d-1/8*(4*c*d^2-e*(-4*a*e+5*b*d)-2*c*d*e*x^2)*(c*x^4+b*x^2+a)^{(1/2)}/d/e^2$

Rubi [A] time = 0.57, antiderivative size = 350, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, integrand size = 29, number of rules / integrand size = 0.276, Rules used = {1251, 895, 734, 843, 621, 206, 724, 814}

$$\frac{a^{3/2} \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2d} + \frac{(-12cde(bd-ae) + be^2(3bd-4ae) + 8c^2d^3) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{16\sqrt{c}de^3} - \frac{\sqrt{a+bx^2}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*x^2 + c*x^4)^{(3/2)}/(x*(d + e*x^2)), x]$

[Out] $(a*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(2*d) - ((4*c*d^2 - e*(5*b*d - 4*a*e) - 2*c*d*e*x^2)*\operatorname{Sqrt}[a + b*x^2 + c*x^4])/(8*d*e^2) - (a^{(3/2)}*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*d) + (a*b*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(4*\operatorname{Sqrt}[c]*d) + ((8*c^2*d^3 + b*e^2*(3*b*d - 4*a*e) - 12*c*d*e*(b*d - a*e))*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(16*\operatorname{Sqrt}[c]*d*e^3) - ((c*d^2 - b*d*e + a*e^2)^{(3/2)}*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*d*e^3)$

Rule 206

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \operatorname{LtQ}[b, 0])$

Rule 621

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 724

```
Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 734

```
Int[(((d_) + (e_)*(x_))^(m_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 814

```
Int[(((d_) + (e_)*(x_))^(m_))*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])
```

Rule 843

```
Int[(((d_) + (e_)*(x_))^(m_))*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```


Rule 895

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_)/(((d_.) + (e_.)*(x_))*((f_.) +
(g_.)*(x_))), x_Symbol] := Dist[(c*d^2 - b*d*e + a*e^2)/(e*(e*f - d*g)), I
nt[(a + b*x + c*x^2)^(p - 1)/(d + e*x), x], x] - Dist[1/(e*(e*f - d*g)), In
t[(Simp[c*d*f - b*e*f + a*e*g - c*(e*f - d*g)*x, x]*(a + b*x + c*x^2)^(p -
1))/(f + g*x), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g,
0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && FractionQ[p]
&& GtQ[p, 0]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_
)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2 + cx^4)^{3/2}}{x(d + ex^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(a + bx + cx^2)^{3/2}}{x(d + ex)} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{(-bd + ae - cdx)\sqrt{a + bx + cx^2}}{d + ex} dx, x, x^2 \right)}{2d} + \frac{a \text{Subst} \left(\int \frac{\sqrt{a + bx + cx^2}}{x} dx, x, x^2 \right)}{2d} \\
&= \frac{a\sqrt{a + bx^2 + cx^4}}{2d} - \frac{(4cd^2 - e(5bd - 4ae) - 2cdex^2)\sqrt{a + bx^2 + cx^4}}{8de^2} - \frac{a \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{2d} \\
&= \frac{a\sqrt{a + bx^2 + cx^4}}{2d} - \frac{(4cd^2 - e(5bd - 4ae) - 2cdex^2)\sqrt{a + bx^2 + cx^4}}{8de^2} + \frac{a^2 \text{Subst} \left(\int \frac{1}{x\sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{2d} \\
&= \frac{a\sqrt{a + bx^2 + cx^4}}{2d} - \frac{(4cd^2 - e(5bd - 4ae) - 2cdex^2)\sqrt{a + bx^2 + cx^4}}{8de^2} - \frac{a^2 \text{Subst} \left(\int \frac{1}{4x\sqrt{a + bx + cx^2}} dx, x, x^2 \right)}{2d} \\
&= \frac{a\sqrt{a + bx^2 + cx^4}}{2d} - \frac{(4cd^2 - e(5bd - 4ae) - 2cdex^2)\sqrt{a + bx^2 + cx^4}}{8de^2} - \frac{a^{3/2} \tanh^{-1} \left(\frac{2\sqrt{a + bx + cx^2}}{2\sqrt{a + bx^2 + cx^4}} \right)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.53, size = 251, normalized size = 0.72

$$\frac{1}{16} \left(-\frac{8a^{3/2} \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{d} + \frac{(12ce(ae-bd) + 3b^2e^2 + 8c^2d^2) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{\sqrt{c}e^3} + \frac{2\left(4(e(ae-bd) - \dots)\right)}{\dots} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^(3/2)/(x*(d + e*x^2)), x]

[Out] ((-8*a^(3/2)*ArcTanh[(2*a + b*x^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])])/d + ((8*c^2*d^2 + 3*b^2*e^2 + 12*c*e*(-(b*d) + a*e))*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/(Sqrt[c]*e^3) + (2*(d*e*(-4*c*d + 5*b*e + 2*c*e*x^2))*Sqrt[a + b*x^2 + c*x^4] + 4*(c*d^2 + e*(-(b*d) + a*e))^(3/2)*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)])*Sqrt[a + b*x^2 + c*x^4])])/(d*e^3))/16

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(3/2)/x/(e*x^2+d), x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(3/2)/x/(e*x^2+d), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:Error: Bad Argument Type

maple [B] time = 0.04, size = 1270, normalized size = 3.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^4+b*x^2+a)^(3/2)/x/(e*x^2+d), x)

```
[Out] 5/8/e*b*(c*x^4+b*x^2+a)^(1/2)-1/2/d*a^(3/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)-1/2/e^2*d*c*(c*x^4+b*x^2+a)^(1/2)+3/4/e*a*c^(1/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+3/16/e*b^2*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)+1/4/e*x^2*c*(c*x^4+b*x^2+a)^(1/2)+1/2/e^3*d^2*c^(3/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))+1/2/d/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*a^2+1/e^2*d/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*a*c-1/e^3*d^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*b*c-3/4/e^2*d*b*c^(1/2)*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))-1/e/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*a*b+1/2/e^2*d/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*b^2+1/2/e^4*d^3/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))*c^2
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^4 + bx^2 + a)^{\frac{3}{2}}}{(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)^(3/2)/x/(e*x^2+d),x, algorithm="maxima")
```

```
[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)/((e*x^2 + d)*x), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^4 + bx^2 + a)^{3/2}}{x(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^2 + c*x^4)^(3/2)/(x*(d + e*x^2)),x)
```

```
[Out] int((a + b*x^2 + c*x^4)^(3/2)/(x*(d + e*x^2)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2 + cx^4)^{\frac{3}{2}}}{x(d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**(3/2)/x/(e*x**2+d), x)

[Out] Integral((a + b*x**2 + c*x**4)**(3/2)/(x*(d + e*x**2)), x)

$$3.326 \quad \int \frac{(a+bx^2+cx^4)^{3/2}}{x^3(d+ex^2)} dx$$

Optimal. Leaf size=562

$$\frac{a^{3/2}e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2d^2} + \frac{be(b^2-12ac) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{32c^{3/2}d^2} + \frac{\sqrt{a+bx^2+cx^4}(-2ce(5bd-4ae)+b^2e^2)}{16cd^2e}$$

[Out] $-1/2*(c*x^4+b*x^2+a)^{(3/2)}/d/x^2+1/2*a^{(3/2)}*e*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/d^2+1/32*b*(-12*a*c+b^2)*e*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/c^{(3/2)}/d^2-1/32*(-b*e+2*c*d)*(8*c^2*d^2-b^2*e^2-4*c*e*(-3*a*e+2*b*d))*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/c^{(3/2)}/d^2/e^2+1/2*(a*e^2-b*d*e+c*d^2)^{(3/2)}*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/d^2/e^2-3/4*b*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}*a^{(1/2)}/d+3/16*(4*a*c+b^2)*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/d/c^{(1/2)}+3/8*(2*c*x^2+3*b)*(c*x^4+b*x^2+a)^{(1/2)}/d-1/16*e*(2*b*c*x^2+8*a*c+b^2)*(c*x^4+b*x^2+a)^{(1/2)}/c/d^2+1/16*(8*c^2*d^2+b^2*e^2-2*c*e*(-4*a*e+5*b*d)-2*c*e*(-b*e+2*c*d)*x^2)*(c*x^4+b*x^2+a)^{(1/2)}/c/d^2/e$

Rubi [A] time = 0.92, antiderivative size = 562, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1251, 960, 732, 814, 843, 621, 206, 724, 734}

$$\frac{a^{3/2}e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2d^2} + \frac{\sqrt{a+bx^2+cx^4}(-2ce(5bd-4ae)+b^2e^2-2cex^2(2cd-be)+8c^2d^2)}{16cd^2e} - \frac{(2cd-be)}{16cd^2e}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2 + c*x^4)^(3/2)/(x^3*(d + e*x^2)), x]

[Out] $(3*(3*b+2*c*x^2)*\operatorname{Sqrt}[a+b*x^2+c*x^4])/(8*d) - (e*(b^2+8*a*c+2*b*c*x^2)*\operatorname{Sqrt}[a+b*x^2+c*x^4])/(16*c*d^2) + ((8*c^2*d^2+b^2*e^2-2*c*e*(5*b*d-4*a*e)-2*c*e*(2*c*d-b*e)*x^2)*\operatorname{Sqrt}[a+b*x^2+c*x^4])/(16*c*d^2*e) - (a+b*x^2+c*x^4)^{(3/2)}/(2*d*x^2) - (3*\operatorname{Sqrt}[a]*b*\operatorname{ArcTanH}[(2*a+b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a+b*x^2+c*x^4])])/(4*d) + (a^{(3/2)}*e*\operatorname{ArcTanH}[(2*a+b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a+b*x^2+c*x^4])])/(2*d^2) + (3*(b^2+4*a*c)*\operatorname{ArcTanH}[(b+2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a+b*x^2+c*x^4])])/(16*\operatorname{Sqrt}[c]*d) + (b*(b^2-12*a*c)*e*\operatorname{ArcTanH}[(b+2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a+b*x^2+c*x^4])])/(32*c^{(3/2)}*d^2) - ((2*c*d-b*e)*(8*c^2*d^2-b^2*e^2-4*c*e*(2*b*d-3*a*e))*\operatorname{ArcTanH}[(b+2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a+b*x^2+c*x^4])])/(32*$

$$c^{(3/2)*d^2*e^2} + ((c*d^2 - b*d*e + a*e^2)^{(3/2)*ArcTanh[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*sqrt[c*d^2 - b*d*e + a*e^2]*sqrt[a + b*x^2 + c*x^4])]) / (2*d^2*e^2)$$

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 621

```
Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 724

```
Int[1/(((d_) + (e_)*(x_))*sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 732

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 1)), x] - Dist[p/(e*(m + 1)), Int[(d + e*x)^(m + 1)*(b + 2*c*x)*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && (IntegerQ[p] || LtQ[m, -1]) && NeQ[m, -1] && !ILtQ[m + 2*p + 1, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 734

```
Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(a + b*x + c*x^2)^p)/(e*(m + 2*p + 1)), x] - Dist[p/(e*(m + 2*p + 1)), Int[(d + e*x)^m*Simp[b*d - 2*a*e + (2*c*d - b*e)*x, x]*(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[p, 0] && NeQ[m + 2*p + 1, 0] && (!RationalQ[m] || LtQ[m, 1]) && !ILtQ[m + 2*p, 0] && IntQuadraticQ[a, b, c, d, e, m, p, x]
```

Rule 814

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(c*e*f*(m + 2*p + 2) - g*(c*d + 2*c*d*p - b*e*p) + g*c*e*(m + 2*p + 1)*x)*(a + b*x + c*x^2)^p)/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), x] - Dist[p/(c*e^2*(m + 2*p + 1)*(m + 2*p + 2)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p - 1)*Simp[c*e*f*(b*d - 2*a*e)*(m + 2*p + 2) + g*(a*e*(b*e - 2*c*d*m + b*e*m) + b*d*(b*e*p - c*d - 2*c*d*p)) + (c*e*f*(2*c*d - b*e)*(m + 2*p + 2) + g*(b^2*e^2*(p + m + 1) - 2*c^2*d^2*(1 + 2*p) - c*e*(b*d*(m - 2*p) + 2*a*e*(m + 2*p + 1)))]*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && GtQ[p, 0] && (IntegerQ[p] || !RationalQ[m] || (GeQ[m, -1] && LtQ[m, 0])) && !ILtQ[m + 2*p, 0] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

Rule 843

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

```

Rule 960

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

```

Rule 1251

```

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2 + cx^4)^{3/2}}{x^3(d + ex^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(a + bx + cx^2)^{3/2}}{x^2(d + ex)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{(a + bx + cx^2)^{3/2}}{dx^2} - \frac{e(a + bx + cx^2)^{3/2}}{d^2x} + \frac{e^2(a + bx + cx^2)^{3/2}}{d^2(d + ex)} \right) dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{(a+bx+cx^2)^{3/2}}{x^2} dx, x, x^2 \right)}{2d} - \frac{e \text{Subst} \left(\int \frac{(a+bx+cx^2)^{3/2}}{x} dx, x, x^2 \right)}{2d^2} + \frac{e^2 \text{Subst} \left(\int \frac{(a+bx+cx^2)^{3/2}}{d+ex} dx, x, x^2 \right)}{2d^2} \\
&= -\frac{(a + bx^2 + cx^4)^{3/2}}{2dx^2} + \frac{3 \text{Subst} \left(\int \frac{(b+2cx)\sqrt{a+bx+cx^2}}{x} dx, x, x^2 \right)}{4d} + \frac{e \text{Subst} \left(\int \frac{(-2a-bx)\sqrt{a+bx+cx^2}}{d+ex} dx, x, x^2 \right)}{4d^2} \\
&= \frac{3(3b + 2cx^2)\sqrt{a + bx^2 + cx^4}}{8d} - \frac{e(b^2 + 8ac + 2bcx^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} + \frac{(8c^2d^2 + b^2e^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} \\
&= \frac{3(3b + 2cx^2)\sqrt{a + bx^2 + cx^4}}{8d} - \frac{e(b^2 + 8ac + 2bcx^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} + \frac{(8c^2d^2 + b^2e^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} \\
&= \frac{3(3b + 2cx^2)\sqrt{a + bx^2 + cx^4}}{8d} - \frac{e(b^2 + 8ac + 2bcx^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} + \frac{(8c^2d^2 + b^2e^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} \\
&= \frac{3(3b + 2cx^2)\sqrt{a + bx^2 + cx^4}}{8d} - \frac{e(b^2 + 8ac + 2bcx^2)\sqrt{a + bx^2 + cx^4}}{16cd^2} + \frac{(8c^2d^2 + b^2e^2)\sqrt{a + bx^2 + cx^4}}{16cd^2}
\end{aligned}$$

Mathematica [A] time = 0.50, size = 240, normalized size = 0.43

$$\frac{1}{4} \left(\frac{2 \left(x^2 (e(ae - bd) + cd^2) \right)^{3/2} \tanh^{-1} \left(\frac{2ae - bd + bex^2 - 2cdx^2}{2\sqrt{a+bx^2+cx^4} \sqrt{e(ae-bd)+cd^2}} \right) + de\sqrt{a + bx^2 + cx^4} (ae - cdx^2)}{d^2e^2x^2} + \frac{\sqrt{a} (2ae - 3bd)}{4d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2 + c*x^4)^(3/2)/(x^3*(d + e*x^2)), x]

[Out] ((Sqrt[a]*(-3*b*d + 2*a*e)*ArcTanh[(2*a + b*x^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])])/d^2 - (Sqrt[c]*(2*c*d - 3*b*e)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])])/e^2 - (2*(d*e*(a*e - c*d*x^2)*Sqrt[a + b*x^2 + c*x^4] + (c*d^2 + e*(-(b*d) + a*e))^(3/2)*x^2*ArcTanh[(-(b*d) + 2*a*e - 2*c

$$\frac{+d/e}{e+(a*e^2-b*d*e+c*d^2)/e^2}^{(1/2)}/(x^2+d/e)*a*c-1/2/e^3*d^2/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e))*c^2+1/e^2*d/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2))*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e))*b*c$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^4 + bx^2 + a)^{\frac{3}{2}}}{(ex^2 + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x^4+b*x^2+a)^(3/2)/x^3/(e*x^2+d),x, algorithm="maxima")

[Out] integrate((c*x^4 + b*x^2 + a)^(3/2)/((e*x^2 + d)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(cx^4 + bx^2 + a)^{3/2}}{x^3 (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^2 + c*x^4)^(3/2)/(x^3*(d + e*x^2)),x)

[Out] int((a + b*x^2 + c*x^4)^(3/2)/(x^3*(d + e*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2 + cx^4)^{\frac{3}{2}}}{x^3 (d + ex^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*x**4+b*x**2+a)**(3/2)/x**3/(e*x**2+d),x)

[Out] Integral((a + b*x**2 + c*x**4)**(3/2)/(x**3*(d + e*x**2)), x)

$$3.327 \quad \int \frac{x^2(1+2x^2+2x^4)^{3/2}}{3-2x^2} dx$$

Optimal. Leaf size=463

$$-\frac{1}{14}(2x^4+2x^2+1)^{3/2}x - \frac{2211\sqrt{2x^4+2x^2+1}x}{140\sqrt{2}(\sqrt{2}x^2+1)} - \frac{213}{140}\sqrt{2x^4+2x^2+1}x + \frac{17}{16}\sqrt{51}\tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \dots$$

[Out] $-1/14*x*(2*x^4+2*x^2+1)^(3/2)+17/16*\operatorname{arctanh}(1/3*x*\sqrt{51}^(1/2)/(2*x^4+2*x^2+1)^(1/2))*\sqrt{51}^(1/2)-213/140*x*(2*x^4+2*x^2+1)^(1/2)-27/70*x^3*(2*x^4+2*x^2+1)^(1/2)-2211/280*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))+2211/280*(\cos(2*\arctan(2^(1/4)*x))^2)^(1/2)/\cos(2*\arctan(2^(1/4)*x))*\operatorname{EllipticE}(\sin(2*\arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)-289/32*(\cos(2*\arctan(2^(1/4)*x))^2)^(1/2)/\cos(2*\arctan(2^(1/4)*x))*\operatorname{EllipticPi}(\sin(2*\arctan(2^(1/4)*x)),1/2+11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(3-2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)-3/280*(\cos(2*\arctan(2^(1/4)*x))^2)^(1/2)/\cos(2*\arctan(2^(1/4)*x))*\operatorname{EllipticF}(\sin(2*\arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(514+2717*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)$

Rubi [A] time = 0.67, antiderivative size = 875, normalized size of antiderivative = 1.89, number of steps used = 19, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1335, 1091, 1176, 1197, 1103, 1195, 1208, 1216, 1706}

$$-\frac{1}{14}x(2x^4+2x^2+1)^{3/2} - \frac{3}{35}x(x^2+2)\sqrt{2x^4+2x^2+1} - \frac{3}{20}x(2x^2+9)\sqrt{2x^4+2x^2+1} - \frac{6\sqrt{2}x\sqrt{2x^4+2x^2+1}}{35(\sqrt{2}x^2+1)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^2*(1+2*x^2+2*x^4)^(3/2))/(3-2*x^2),x]$

[Out] $(-3*x*(2+x^2)*\operatorname{Sqrt}[1+2*x^2+2*x^4])/35 - (3*x*(9+2*x^2)*\operatorname{Sqrt}[1+2*x^2+2*x^4])/20 - (309*x*\operatorname{Sqrt}[1+2*x^2+2*x^4])/(20*\operatorname{Sqrt}[2]*(1+\operatorname{Sqrt}[2]*x^2)) - (6*\operatorname{Sqrt}[2]*x*\operatorname{Sqrt}[1+2*x^2+2*x^4])/(35*(1+\operatorname{Sqrt}[2]*x^2)) - (x*(1+2*x^2+2*x^4)^(3/2))/14 + (17*\operatorname{Sqrt}[51]*\operatorname{ArcTanh}[\operatorname{Sqrt}[17/3]*x]/\operatorname{Sqrt}[1+2*x^2+2*x^4])/16 + (309*(1+\operatorname{Sqrt}[2]*x^2)*\operatorname{Sqrt}[(1+2*x^2+2*x^4)/(1+\operatorname{Sqrt}[2]*x^2)^2]*\operatorname{EllipticE}[2*\operatorname{ArcTan}[2^(1/4)*x],(2-\operatorname{Sqrt}[2])/4])/ (20*2^(3/4)*\operatorname{Sqrt}[1+2*x^2+2*x^4]) + (6*2^(1/4)*(1+\operatorname{Sqrt}[2]*x^2)*\operatorname{Sqrt}[(1+2*x^2$

```

+ 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticE[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/
4]/(35*Sqrt[1 + 2*x^2 + 2*x^4]) + (867*(3 - Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqr
t[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (
2 - Sqrt[2])/4])/((112*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - (51*(5 + Sqrt[2])*
(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2
*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/((16*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])
- (3*(3 + 2*Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2
]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/((70*2^(1/4)*Sqrt
[1 + 2*x^2 + 2*x^4]) - (3*(9 + 8*Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2
+ 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])
/4])/((20*2^(3/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - (289*(11 - 6*Sqrt[2])*(1 + Sqrt
[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticPi[(12 + 11*
Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/((224*2^(1/4)*Sqrt[1 + 2
*x^2 + 2*x^4])

```

Rule 1091

```

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a + b*
x^2 + c*x^4)^p)/(4*p + 1), x] + Dist[(2*p)/(4*p + 1), Int[(2*a + b*x^2)*(a
+ b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c,
0] && GtQ[p, 0] && IntegerQ[2*p]

```

Rule 1103

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c
/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*
EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]
), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

```

Rule 1176

```

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]

```

Rule 1195

```

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -

```

$4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1197

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)^2}{\text{Sqrt}[(a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4]}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] /; \text{NeQ}[e + d*q, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$

Rule 1208

$\text{Int}[\frac{(a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4)^{(p_.)}}{(d_.) + (e_.)*(x_.)^2}, x_Symbol] \rightarrow -\text{Dist}[(e^2)^{-1}, \text{Int}[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^{(p-1)}, x], x] + \text{Dist}[(c*d^2 - b*d*e + a*e^2)/e^2, \text{Int}[(a + b*x^2 + c*x^4)^{(p-1)}/(d + e*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IGtQ}[p + 1/2, 0]$

Rule 1216

$\text{Int}[1/\frac{(d_.) + (e_.)*(x_.)^2}{\text{Sqrt}[(a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4]}], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(c*d + a*e*q)/(c*d^2 - a*e^2), \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[(a*e*(e + d*q))/(c*d^2 - a*e^2), \text{Int}[(1 + q*x^2)/\frac{(d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]}], x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[c/a]$

Rule 1335

$\text{Int}[\frac{(f_.)*(x_.)^{(m_.)}*((d_.) + (e_.)*(x_.)^2)^{(q_.)}*((a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4)^{(p_.)}}{x_Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, p, q\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& (\text{IGtQ}[p, 0] \parallel \text{IGtQ}[q, 0] \parallel \text{IntegersQ}[m, q])$

Rule 1706

$\text{Int}[\frac{(A_.) + (B_.)*(x_.)^2}{\frac{(d_.) + (e_.)*(x_.)^2}{\text{Sqrt}[(a_.) + (b_.)*(x_.)^2 + (c_.)*(x_.)^4]}}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[\frac{(B*d - A*e)*\text{ArcTan}[\frac{\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x}{\text{Sqrt}[a + b*x^2 + c*x^4]}]}{(2*d*e*\text{Rt}[-b + (c*d)/e + (a*e)/d, 2])}, x] + \text{Simp}[\frac{(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-\frac{(B*d - A*e)^2}{(4*d*e*A*B)}], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]}{(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4])}, x] /; \text{FreeQ}[\{a, b, c, d, e, A, B\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[c/a] \&\& \text{EqQ}$

[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^2 (1 + 2x^2 + 2x^4)^{3/2}}{3 - 2x^2} dx &= \int \left(-\frac{1}{2} (1 + 2x^2 + 2x^4)^{3/2} + \frac{3 (1 + 2x^2 + 2x^4)^{3/2}}{2(3 - 2x^2)} \right) dx \\
&= -\left(\frac{1}{2} \int (1 + 2x^2 + 2x^4)^{3/2} dx \right) + \frac{3}{2} \int \frac{(1 + 2x^2 + 2x^4)^{3/2}}{3 - 2x^2} dx \\
&= -\frac{1}{14} x (1 + 2x^2 + 2x^4)^{3/2} - \frac{3}{14} \int (2 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} dx - \frac{3}{8} \int (10 + 4x^2) \sqrt{1 + 2x^2 + 2x^4} dx \\
&= -\frac{3}{35} x (2 + x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{3}{20} x (9 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{1}{14} x (1 + 2x^2 + 2x^4) \sqrt{1 + 2x^2 + 2x^4} \\
&= -\frac{3}{35} x (2 + x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{3}{20} x (9 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{1}{14} x (1 + 2x^2 + 2x^4) \sqrt{1 + 2x^2 + 2x^4} \\
&= -\frac{3}{35} x (2 + x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{3}{20} x (9 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{309x \sqrt{1 + 2x^2 + 2x^4}}{20\sqrt{2} (1 + \sqrt{2})}
\end{aligned}$$

Mathematica [C] time = 0.27, size = 214, normalized size = 0.46

$$-160x^9 - 752x^7 - 2456x^5 - 2080x^3 - (9669 - 5247i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}F\left(i\sinh^{-1}(\sqrt{1-ix})\right) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*(1 + 2*x^2 + 2*x^4)^(3/2))/(3 - 2*x^2), x]

```
[Out] (-892*x - 2080*x^3 - 2456*x^5 - 752*x^7 - 160*x^9 + (4422*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (9669 - 5247*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] + 10115*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[-1/3 - I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(560*Sqrt[1 + 2*x^2 + 2*x^4])
```

fricas [F] time = 1.32, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(2x^6 + 2x^4 + x^2)\sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3),x, algorithm="fricas")

[Out] integral(-(2*x^6 + 2*x^4 + x^2)*sqrt(2*x^4 + 2*x^2 + 1)/(2*x^2 - 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}x^2}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3),x, algorithm="giac")

[Out] integrate(-(2*x^4 + 2*x^2 + 1)^(3/2)*x^2/(2*x^2 - 3), x)

maple [C] time = 0.04, size = 547, normalized size = 1.18

$$\frac{\sqrt{2x^4 + 2x^2 + 1} x^5}{7} - \frac{37\sqrt{2x^4 + 2x^2 + 1} x^3}{70} - \frac{223\sqrt{2x^4 + 2x^2 + 1} x}{140} - \frac{309\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}(\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1})}{40\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3),x)

[Out]
$$-1/7*x^5*(2*x^4+2*x^2+1)^{(1/2)}-37/70*(2*x^4+2*x^2+1)^{(1/2)}*x^3-223/140*(2*x^4+2*x^2+1)^{(1/2)}*x-9/35/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticF}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+(6/35-6/35*I)/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*(\text{EllipticF}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-\text{EllipticE}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)}))-531/20/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticF}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-309/40*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticF}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-309/40/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticE}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+309/40*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticE}((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+289/8/(-1$$

$+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*E$
 $lipticPi((-1+I)^{(1/2)}*x, -1/3-1/3*I, (-1-I)^{(1/2)}/(-1+I)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}} x^2}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3), x, algorithm="maxima")

[Out] -integrate((2*x^4 + 2*x^2 + 1)^(3/2)*x^2/(2*x^2 - 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{x^2 (2x^4 + 2x^2 + 1)^{3/2}}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^2*(2*x^2 + 2*x^4 + 1)^(3/2))/(2*x^2 - 3), x)

[Out] -int((x^2*(2*x^2 + 2*x^4 + 1)^(3/2))/(2*x^2 - 3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^2 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3} dx - \int \frac{2x^4 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3} dx - \int \frac{2x^6 \sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(2*x**4+2*x**2+1)**(3/2)/(-2*x**2+3), x)

[Out] -Integral(x**2*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**2 - 3), x) - Integral(2*x**4*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**2 - 3), x) - Integral(2*x**6*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**2 - 3), x)

$$3.328 \quad \int \frac{(1+2x^2+2x^4)^{3/2}}{3-2x^2} dx$$

Optimal. Leaf size=428

$$-\frac{1}{10} (2x^2 + 9) \sqrt{2x^4 + 2x^2 + 1} x - \frac{103\sqrt{2x^4 + 2x^2 + 1} x}{10\sqrt{2} (\sqrt{2}x^2 + 1)} + \frac{17}{8} \sqrt{\frac{17}{3}} \tanh^{-1} \left(\frac{\sqrt{\frac{17}{3}} x}{\sqrt{2x^4 + 2x^2 + 1}} \right) - \frac{(66 + 383\sqrt{2})(\sqrt{2}x^2 + 9)}{10\sqrt{2} (\sqrt{2}x^2 + 1)}$$

[Out] 17/24*arctanh(1/3*x*51^(1/2)/(2*x^4+2*x^2+1)^(1/2))*51^(1/2)-1/10*x*(2*x^2+9)*(2*x^4+2*x^2+1)^(1/2)-103/20*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))+103/20*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)-289/48*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2+11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(3-2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)-1/20*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(66+383*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.35, antiderivative size = 602, normalized size of antiderivative = 1.41, number of steps used = 12, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1208, 1176, 1197, 1103, 1195, 1216, 1706}

$$-\frac{1}{10} (2x^2 + 9) \sqrt{2x^4 + 2x^2 + 1} x - \frac{103\sqrt{2x^4 + 2x^2 + 1} x}{10\sqrt{2} (\sqrt{2}x^2 + 1)} + \frac{17}{8} \sqrt{\frac{17}{3}} \tanh^{-1} \left(\frac{\sqrt{\frac{17}{3}} x}{\sqrt{2x^4 + 2x^2 + 1}} \right) - \frac{(9 + 8\sqrt{2})(\sqrt{2}x^2 + 9)}{10\sqrt{2} (\sqrt{2}x^2 + 1)}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2 + 2*x^4)^(3/2)/(3 - 2*x^2), x]

[Out] -(x*(9 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4])/10 - (103*x*Sqrt[1 + 2*x^2 + 2*x^4])/(10*Sqrt[2]*(1 + Sqrt[2]*x^2)) + (17*Sqrt[17/3]*ArcTanh[(Sqrt[17/3]*x)/Sqrt[1 + 2*x^2 + 2*x^4]])/8 + (103*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticE[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(10*2^(3/4)*Sqrt[1 + 2*x^2 + 2*x^4]) + (289*(3 - Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(56*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - (17*(5 + Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2

```
*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4))/(8*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) -
((9 + 8*Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x
^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(10*2^(3/4)*Sqrt[1
+ 2*x^2 + 2*x^4]) - (289*(11 - 6*Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2
+ 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticPi[(12 + 11*Sqrt[2])/24, 2*ArcTan[2^
(1/4)*x], (2 - Sqrt[2])/4])/(336*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])
```

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c
/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*
EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]
), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1176

```
Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(2*b*e*p + c*d*(4*p + 3) + c*e*(4*p + 1)*x^2)*(a + b*x^2 + c
*x^4)^p)/(c*(4*p + 1)*(4*p + 3)), x] + Dist[(2*p)/(c*(4*p + 1)*(4*p + 3)),
Int[Simp[2*a*c*d*(4*p + 3) - a*b*e + (2*a*c*e*(4*p + 1) + b*c*d*(4*p + 3) -
b^2*e*(2*p + 1))*x^2, x]*(a + b*x^2 + c*x^4)^(p - 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
GtQ[p, 0] && FractionQ[p] && IntegerQ[2*p]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^
2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^
2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c
*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 -
4*a*c, 0] && PosQ[c/a]
```

Rule 1197

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbo
l] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4]
], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; Ne
Q[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[
c/a]
```

Rule 1208

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_)/((d_) + (e_.)*(x_)^2), x_Symb
ol] := -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p -
1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p
```

- 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]

Rule 1216

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(1 + 2x^2 + 2x^4)^{3/2}}{3 - 2x^2} dx &= -\left(\frac{1}{4} \int (10 + 4x^2) \sqrt{1 + 2x^2 + 2x^4} dx\right) + \frac{17}{2} \int \frac{\sqrt{1 + 2x^2 + 2x^4}}{3 - 2x^2} dx \\
 &= -\frac{1}{10}x(9 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{1}{120} \int \frac{192 + 216x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx - \frac{17}{8} \int \frac{10 + 4x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx \\
 &= -\frac{1}{10}x(9 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} + \frac{9}{5\sqrt{2}} \int \frac{1 - \sqrt{2}x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx + \frac{17}{2\sqrt{2}} \int \frac{1 - \sqrt{2}x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx - \frac{1}{28} \left(28 \int \frac{10 + 4x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx\right) \\
 &= -\frac{1}{10}x(9 + 2x^2) \sqrt{1 + 2x^2 + 2x^4} - \frac{103x\sqrt{1 + 2x^2 + 2x^4}}{10\sqrt{2}(1 + \sqrt{2}x^2)} + \frac{17}{8} \sqrt{\frac{17}{3}} \tanh^{-1} \left(\frac{\sqrt{1 + 2x^2 + 2x^4}}{\sqrt{1 + 2x^2 + 2x^4}} \right)
 \end{aligned}$$

Mathematica [C] time = 0.15, size = 209, normalized size = 0.49

$$-48x^7 - 264x^5 - 240x^3 - (1371 - 753i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right) + 618i\sqrt{1-i}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2 + 2*x^4)^(3/2)/(3 - 2*x^2), x]

[Out] (-108*x - 240*x^3 - 264*x^5 - 48*x^7 + (618*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (1371 - 753*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] + 1445*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[-1/3 - I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(120*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.28, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{2x^2 - 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3), x, algorithm="fricas")

[Out] integral(-(2*x^4 + 2*x^2 + 1)^(3/2)/(2*x^2 - 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3), x, algorithm="giac")

[Out] integrate(-(2*x^4 + 2*x^2 + 1)^(3/2)/(2*x^2 - 3), x)

maple [C] time = 0.01, size = 377, normalized size = 0.88

$$\frac{\sqrt{2x^4 + 2x^2 + 1} x^3}{5} - \frac{9\sqrt{2x^4 + 2x^2 + 1} x}{10} - \frac{103\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1+i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{20\sqrt{-1+i} \sqrt{2x^4 + 2x^2 + 1}} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3), x)

[Out] $-1/5*(2*x^4+2*x^2+1)^{(1/2)}*x^3-9/10*(2*x^4+2*x^2+1)^{(1/2)}*x-177/10/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-103/20*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-103/20/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+103/20*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+289/12/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticPi((-1+I)^{(1/2)}*x, -1/3-1/3*I, (-1-I)^{(1/2)}/(-1+I)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/(-2*x^2+3), x, algorithm="maxima")

[Out] -integrate((2*x^4 + 2*x^2 + 1)^(3/2)/(2*x^2 - 3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{3/2}}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 + 2*x^4 + 1)^(3/2)/(2*x^2 - 3), x)

[Out] -int((2*x^2 + 2*x^4 + 1)^(3/2)/(2*x^2 - 3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3} dx - \int \frac{2x^2\sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3} dx - \int \frac{2x^4\sqrt{2x^4 + 2x^2 + 1}}{2x^2 - 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(3/2)/(-2*x**2+3), x)

[Out] $-\text{Integral}(\text{sqrt}(2*x**4 + 2*x**2 + 1)/(2*x**2 - 3), x) - \text{Integral}(2*x**2*\text{sqrt}(2*x**4 + 2*x**2 + 1)/(2*x**2 - 3), x) - \text{Integral}(2*x**4*\text{sqrt}(2*x**4 + 2*x**2 + 1)/(2*x**2 - 3), x)$

$$3.329 \quad \int \frac{(1+2x^2+2x^4)^{3/2}}{x^2(3-2x^2)} dx$$

Optimal. Leaf size=722

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} - \frac{17\sqrt{2x^4+2x^2+1}x}{3\sqrt{2}(\sqrt{2}x^2+1)} - \frac{(x^2+1)\sqrt{2x^4+2x^2+1}}{3x} + \frac{17}{12}\sqrt{\frac{17}{3}} \tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{17}{12}\sqrt{\frac{17}{3}}$$

[Out] 17/36*arctanh(1/3*x*51^(1/2)/(2*x^4+2*x^2+1)^(1/2))*51^(1/2)-1/3*(x^2+1)*(2*x^4+2*x^2+1)^(1/2)/x-5/2*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))+5/2*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)+1/6*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)-289/1008*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2+11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(11-6*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)+289/168*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(3-2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)-17/24*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(5+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.37, antiderivative size = 722, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$, Rules used = {1311, 1271, 12, 1139, 1103, 1195, 1208, 1197, 1216, 1706}

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} - \frac{17\sqrt{2x^4+2x^2+1}x}{3\sqrt{2}(\sqrt{2}x^2+1)} - \frac{(x^2+1)\sqrt{2x^4+2x^2+1}}{3x} + \frac{17}{12}\sqrt{\frac{17}{3}} \tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{17}{12}\sqrt{\frac{17}{3}}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2 + 2*x^4)^(3/2)/(x^2*(3 - 2*x^2)), x]

[Out] -((1 + x^2)*Sqrt[1 + 2*x^2 + 2*x^4])/(3*x) - (17*x*Sqrt[1 + 2*x^2 + 2*x^4])/(3*Sqrt[2]*(1 + Sqrt[2]*x^2)) + (Sqrt[2]*x*Sqrt[1 + 2*x^2 + 2*x^4])/(3*(1

$$\begin{aligned}
& + \sqrt{2}x^2) + (17\sqrt{17/3}\operatorname{ArcTanh}[(\sqrt{17/3}x)/\sqrt{1+2x^2+2x^4}]/12 + (17(1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2})\operatorname{EllipticE}[2\operatorname{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4]/(3\cdot 2^{3/4}\sqrt{1+2x^2+2x^4}) - (2^{1/4}(1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2})\operatorname{EllipticE}[2\operatorname{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4]/(3\sqrt{1+2x^2+2x^4}) + ((1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2})\operatorname{EllipticF}[2\operatorname{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4]/(3\cdot 2^{3/4}\sqrt{1+2x^2+2x^4}) + (289(3-\sqrt{2}))(1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2})\operatorname{EllipticF}[2\operatorname{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4]/(84\cdot 2^{1/4}\sqrt{1+2x^2+2x^4}) - (17(5+\sqrt{2}))(1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2})\operatorname{EllipticF}[2\operatorname{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4]/(12\cdot 2^{1/4}\sqrt{1+2x^2+2x^4}) - (289(11-6\sqrt{2}))(1+\sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1+\sqrt{2}x^2)^2})\operatorname{EllipticPi}[(12+11\sqrt{2})/24, 2\operatorname{ArcTan}[2^{1/4}x], (2-\sqrt{2})/4]/(504\cdot 2^{1/4}\sqrt{1+2x^2+2x^4})
\end{aligned}$$

Rule 12

$$\operatorname{Int}[(a_)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_)(v_)] /; \operatorname{FreeQ}[b, x]$$

Rule 1103

$$\operatorname{Int}[1/\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[c/a, 4]\}, \operatorname{Simp}[\operatorname{((1+q^2x^2)\sqrt{(a+bx^2+cx^4)/(a(1+q^2x^2)^2)})\operatorname{EllipticF}[2\operatorname{ArcTan}[qx], 1/2-(bq^2)/(4c)]/(2q\sqrt{a+bx^2+cx^4})}, x]] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{NeQ}[b^2-4ac, 0] \&\& \operatorname{PosQ}[c/a]$$

Rule 1139

$$\operatorname{Int}[(x_)^2/\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[c/a, 2]\}, \operatorname{Dist}[1/q, \operatorname{Int}[1/\sqrt{a+bx^2+cx^4}, x], x] - \operatorname{Dist}[1/q, \operatorname{Int}[(1-qx^2)/\sqrt{a+bx^2+cx^4}, x], x]] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{NeQ}[b^2-4ac, 0] \&\& \operatorname{PosQ}[c/a]$$

Rule 1195

$$\operatorname{Int}[\operatorname{((d_)+(e_)(x_)^2)/\sqrt{(a_)+(b_)(x_)^2+(c_)(x_)^4}}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[c/a, 4]\}, -\operatorname{Simp}[(d*x\sqrt{a+bx^2+cx^4})/(a(1+q^2x^2)), x] + \operatorname{Simp}[(d(1+q^2x^2)\sqrt{(a+bx^2+cx^4)})/(a(1+q^2x^2)^2)]\operatorname{EllipticE}[2\operatorname{ArcTan}[qx], 1/2-(bq^2)/(4c)]/(q\sqrt{a+bx^2+cx^4}), x] /; \operatorname{EqQ}[e+dq^2, 0]] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{NeQ}[b^2-4ac, 0] \&\& \operatorname{PosQ}[c/a]$$

Rule 1197

```
Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol]
:= With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1208

```
Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol]
:= -Dist[(e^2)^(-1), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/e^2, Int[(a + b*x^2 + c*x^4)^(p - 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[p + 1/2, 0]
```

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:= With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1271

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:= Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1311

```
Int[(((f_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_))/((d_) + (e_)*(x_)^2), x_Symbol]
:= Dist[1/(d*e), Int[(f*x)^m*(a*e + c*d*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] - Dist[(c*d^2 - b*d*e + a*e^2)/(d*e*f^2), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, 0]
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
```



```
(c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*Arc
Tan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-
b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(1 + 2x^2 + 2x^4)^{3/2}}{x^2(3 - 2x^2)} dx &= -\left(\frac{1}{6} \int \frac{(-2 + 6x^2) \sqrt{1 + 2x^2 + 2x^4}}{x^2} dx\right) + \frac{17}{3} \int \frac{\sqrt{1 + 2x^2 + 2x^4}}{3 - 2x^2} dx \\
&= -\frac{(1 + x^2) \sqrt{1 + 2x^2 + 2x^4}}{3x} + \frac{1}{18} \int \frac{12x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx - \frac{17}{12} \int \frac{10 + 4x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx \\
&= -\frac{(1 + x^2) \sqrt{1 + 2x^2 + 2x^4}}{3x} + \frac{2}{3} \int \frac{x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx + \frac{17}{3\sqrt{2}} \int \frac{1 - \sqrt{2}x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx - \frac{1}{42} \left(2 \int \frac{1}{\sqrt{1 + 2x^2 + 2x^4}} dx\right) \\
&= -\frac{(1 + x^2) \sqrt{1 + 2x^2 + 2x^4}}{3x} - \frac{17x\sqrt{1 + 2x^2 + 2x^4}}{3\sqrt{2}(1 + \sqrt{2}x^2)} + \frac{17}{12} \sqrt{\frac{17}{3}} \tanh^{-1} \left(\frac{\sqrt{\frac{17}{3}} x}{\sqrt{1 + 2x^2 + 2x^4}} \right) \\
&= -\frac{(1 + x^2) \sqrt{1 + 2x^2 + 2x^4}}{3x} - \frac{17x\sqrt{1 + 2x^2 + 2x^4}}{3\sqrt{2}(1 + \sqrt{2}x^2)} + \frac{\sqrt{2}x\sqrt{1 + 2x^2 + 2x^4}}{3(1 + \sqrt{2}x^2)} + \frac{17}{12} \sqrt{\frac{17}{3}} \tanh^{-1} \left(\frac{\sqrt{\frac{17}{3}} x}{\sqrt{1 + 2x^2 + 2x^4}} \right)
\end{aligned}$$

Mathematica [C] time = 0.21, size = 213, normalized size = 0.30

$$-24x^6 - 48x^4 - 36x^2 - (255 - 165i)\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2} x F\left(i \sinh^{-1}(\sqrt{1 - i}x) \middle| i\right) + 90i\sqrt{1 - i}\sqrt{1 + (1 + i)x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2 + 2*x^4)^(3/2)/(x^2*(3 - 2*x^2)),x]

[Out] (-12 - 36*x^2 - 48*x^4 - 24*x^6 + (90*I)*Sqrt[1 - I]*x*Sqrt[1 + (1 - I)*x^2])*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (255 - 165

`*I)*Sqrt[1 - I]*x*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] + 289*(1 - I)^(3/2)*x*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[-1/3 - I/3, I*ArcSinh[Sqrt[1 - I]*x], I]/(36*x*Sqrt[1 + 2*x^2 + 2*x^4])`

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{2x^4 - 3x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^4+2*x^2+1)^(3/2)/x^2/(-2*x^2+3),x, algorithm="fricas")`

[Out] `integral(-(2*x^4 + 2*x^2 + 1)^(3/2)/(2*x^4 - 3*x^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{(2x^2 - 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((2*x^4+2*x^2+1)^(3/2)/x^2/(-2*x^2+3),x, algorithm="giac")`

[Out] `integrate(-(2*x^4 + 2*x^2 + 1)^(3/2)/((2*x^2 - 3)*x^2), x)`

maple [C] time = 0.02, size = 528, normalized size = 0.73

$$-\frac{\sqrt{2x^4 + 2x^2 + 1} x}{3} - \frac{103\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{30\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} + \frac{103i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1}}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((2*x^4+2*x^2+1)^(3/2)/x^2/(-2*x^2+3),x)`

[Out] `-1/3*(2*x^4+2*x^2+1)^(1/2)*x-59/5/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-103/30*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-103/30/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+103/30*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))`

icE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+289/18/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi((-1+I)^(1/2)*x,-1/3-1/3*I,(-1-I)^(1/2)/(-1+I)^(1/2))-1/3*(2*x^4+2*x^2+1)^(1/2)/x+16/15/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+(-14/15+14/15*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{(2x^2 - 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^2/(-2*x^2+3),x, algorithm="maxima")

[Out] -integrate((2*x^4 + 2*x^2 + 1)^(3/2)/((2*x^2 - 3)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{3/2}}{x^2(2x^2 - 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 + 2*x^4 + 1)^(3/2)/(x^2*(2*x^2 - 3)),x)

[Out] -int((2*x^2 + 2*x^4 + 1)^(3/2)/(x^2*(2*x^2 - 3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^4 - 3x^2} dx - \int \frac{2x^2\sqrt{2x^4 + 2x^2 + 1}}{2x^4 - 3x^2} dx - \int \frac{2x^4\sqrt{2x^4 + 2x^2 + 1}}{2x^4 - 3x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(3/2)/x**2/(-2*x**2+3),x)

[Out] -Integral(sqrt(2*x**4 + 2*x**2 + 1)/(2*x**4 - 3*x**2), x) - Integral(2*x**2*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**4 - 3*x**2), x) - Integral(2*x**4*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**4 - 3*x**2), x)

$$3.330 \quad \int \frac{(1+2x^2+2x^4)^{3/2}}{x^4(3-2x^2)} dx$$

Optimal. Leaf size=625

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{9(\sqrt{2}x^2+1)} - \frac{2\sqrt{2x^4+2x^2+1}}{x} + \frac{17\sqrt{17}}{18} \sqrt{\frac{17}{3}} \tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{\sqrt[4]{2}(9+5\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{9\sqrt{2}x^4}$$

[Out] 17/54*arctanh(1/3*x*51^(1/2)/(2*x^4+2*x^2+1)^(1/2))*51^(1/2)-2*(2*x^4+2*x^2+1)^(1/2)/x-1/9*(-8*x^2+1)*(2*x^4+2*x^2+1)^(1/2)/x^3+1/9*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/((1+x^2*2^(1/2))-1/9*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)-289/1512*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2+11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(11-6*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)+289/252*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(3-2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)-17/36*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(5+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)+1/9*2^(1/4)*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(9+5*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2)))^(1/2)/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.37, antiderivative size = 625, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1309, 1271, 1281, 1197, 1103, 1195, 1208, 1216, 1706}

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{9(\sqrt{2}x^2+1)} - \frac{2\sqrt{2x^4+2x^2+1}}{x} - \frac{(1-8x^2)\sqrt{2x^4+2x^2+1}}{9x^3} + \frac{17\sqrt{17}}{18} \sqrt{\frac{17}{3}} \tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{\sqrt[4]{2}(9+5\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{9\sqrt{2}x^4}$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2 + 2*x^4)^(3/2)/(x^4*(3 - 2*x^2)), x]

[Out] (-2*Sqrt[1 + 2*x^2 + 2*x^4])/x - ((1 - 8*x^2)*Sqrt[1 + 2*x^2 + 2*x^4])/(9*x^3) + (Sqrt[2]*x*Sqrt[1 + 2*x^2 + 2*x^4])/(9*(1 + Sqrt[2]*x^2)) + (17*Sqrt[

$$\frac{17\sqrt{3}}{3} \operatorname{ArcTanh}\left[\frac{\sqrt{17/3}x}{\sqrt{1+2x^2+2x^4}}\right] / 18 - (2^{1/4})(1 + \sqrt{2}x^2)\sqrt{1+2x^2+2x^4} / (1 + \sqrt{2}x^2)^2 \operatorname{EllipticE}[2\operatorname{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (9\sqrt{1+2x^2+2x^4}) + (289(3 - \sqrt{2}))(1 + \sqrt{2}x^2)\sqrt{1+2x^2+2x^4} / (1 + \sqrt{2}x^2)^2 \operatorname{EllipticF}[2\operatorname{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (126 \cdot 2^{1/4}\sqrt{1+2x^2+2x^4}) - (17(5 + \sqrt{2}))(1 + \sqrt{2}x^2)\sqrt{1+2x^2+2x^4} / (1 + \sqrt{2}x^2)^2 \operatorname{EllipticF}[2\operatorname{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (18 \cdot 2^{1/4}\sqrt{1+2x^2+2x^4}) + (2^{1/4})(9 + 5\sqrt{2})(1 + \sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1 + \sqrt{2}x^2)^2} \operatorname{EllipticF}[2\operatorname{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (9\sqrt{1+2x^2+2x^4}) - (289(11 - 6\sqrt{2}))(1 + \sqrt{2}x^2)\sqrt{(1+2x^2+2x^4)/(1 + \sqrt{2}x^2)^2} \operatorname{EllipticPi}[(12 + 11\sqrt{2})/24, 2\operatorname{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4] / (756 \cdot 2^{1/4}\sqrt{1+2x^2+2x^4})$$

Rule 1103

$$\operatorname{Int}[1/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[c/a, 4]\}, \operatorname{Simp}[\frac{(1 + q^2x^2)\sqrt{(a + bx^2 + cx^4)}}{(a(1 + q^2x^2)^2)} \operatorname{EllipticF}[2\operatorname{ArcTan}[qx], 1/2 - (bq^2)/(4c)] / (2q\sqrt{a + bx^2 + cx^4}), x] /; \operatorname{FreeQ}\{a, b, c\}, x] \&\& \operatorname{NeQ}[b^2 - 4ac, 0] \&\& \operatorname{PosQ}[c/a]$$

Rule 1195

$$\operatorname{Int}[\frac{(d_+) + (e_+)(x_+)^2}{\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[c/a, 4]\}, -\operatorname{Simp}[\frac{d\sqrt{a + bx^2 + cx^4}}{a(1 + q^2x^2)}, x] + \operatorname{Simp}[\frac{d(1 + q^2x^2)\sqrt{(a + bx^2 + cx^4)}}{a(1 + q^2x^2)^2} \operatorname{EllipticE}[2\operatorname{ArcTan}[qx], 1/2 - (bq^2)/(4c)] / (q\sqrt{a + bx^2 + cx^4}), x] /; \operatorname{EqQ}[e + dq^2, 0] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{NeQ}[b^2 - 4ac, 0] \&\& \operatorname{PosQ}[c/a]$$

Rule 1197

$$\operatorname{Int}[\frac{(d_+) + (e_+)(x_+)^2}{\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}}, x_Symbol] \rightarrow \operatorname{With}[\{q = \operatorname{Rt}[c/a, 2]\}, \operatorname{Dist}[(e + dq)/q, \operatorname{Int}[1/\sqrt{a + bx^2 + cx^4}], x], x] - \operatorname{Dist}[e/q, \operatorname{Int}[(1 - qx^2)/\sqrt{a + bx^2 + cx^4}], x], x] /; \operatorname{NeQ}[e + dq, 0] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{NeQ}[b^2 - 4ac, 0] \&\& \operatorname{PosQ}[c/a]$$

Rule 1208

$$\operatorname{Int}[\frac{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4)^{(p_+)}}{(d_+) + (e_+)(x_+)^2}, x_Symbol] \rightarrow -\operatorname{Dist}[(e^2)^{-1}, \operatorname{Int}[(cd - b^2e - c^2e^2x^2)(a + bx^2 + cx^4)^{(p-1)}, x], x] + \operatorname{Dist}[(cd^2 - b^2d^2e + a^2e^2)/e^2, \operatorname{Int}[(a + bx^2 + cx^4)^{(p-1)} / (d + e^2x^2)], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& \operatorname{NeQ}[b^2 - 4ac, 0] \&\& \operatorname{NeQ}[cd^2 - b^2d^2e + a^2e^2, 0] \&\& \operatorname{IGtQ}[p + 1/2, 0]$$

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1271

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m + 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Simp[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1309

```
Int((((f_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_))/((d_) + (e_)*(x_)^2), x_Symbol]
:> Dist[1/d^2, Int[(f*x)^m*(a*d + (b*d - a*e)*x^2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/(d^2*f^4), Int[((f*x)^(m + 4)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, -2]
```

Rule 1706

```
Int(((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[B/A, 2]}, -Simp[(B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x]/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
```

$d \cdot e \cdot A \cdot B$), $2 \cdot \text{ArcTan}[q \cdot x]$, $1/2 - (b \cdot A)/(4 \cdot a \cdot B)$)] / $(4 \cdot d \cdot e \cdot A \cdot q \cdot \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4])$, x] /; $\text{FreeQ}\{a, b, c, d, e, A, B\}, x$] && $\text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$ && $\text{NeQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0]$ && $\text{NeQ}[c \cdot d^2 - a \cdot e^2, 0]$ && $\text{PosQ}[c/a]$ && $\text{EqQ}[c \cdot A^2 - a \cdot B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(1 + 2x^2 + 2x^4)^{3/2}}{x^4(3 - 2x^2)} dx &= \frac{1}{9} \int \frac{(3 + 8x^2) \sqrt{1 + 2x^2 + 2x^4}}{x^4} dx + \frac{34}{9} \int \frac{\sqrt{1 + 2x^2 + 2x^4}}{3 - 2x^2} dx \\ &= -\frac{(1 - 8x^2) \sqrt{1 + 2x^2 + 2x^4}}{9x^3} - \frac{1}{27} \int \frac{-54 - 60x^2}{x^2 \sqrt{1 + 2x^2 + 2x^4}} dx - \frac{17}{18} \int \frac{10 + 4x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx \\ &= -\frac{2\sqrt{1 + 2x^2 + 2x^4}}{x} - \frac{(1 - 8x^2) \sqrt{1 + 2x^2 + 2x^4}}{9x^3} + \frac{1}{27} \int \frac{60 + 108x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx + \frac{1}{9} (1) \\ &= -\frac{2\sqrt{1 + 2x^2 + 2x^4}}{x} - \frac{(1 - 8x^2) \sqrt{1 + 2x^2 + 2x^4}}{9x^3} - \frac{17\sqrt{2} x \sqrt{1 + 2x^2 + 2x^4}}{9(1 + \sqrt{2} x^2)} + \frac{17}{18} \sqrt{\frac{1}{3}} \\ &= -\frac{2\sqrt{1 + 2x^2 + 2x^4}}{x} - \frac{(1 - 8x^2) \sqrt{1 + 2x^2 + 2x^4}}{9x^3} + \frac{\sqrt{2} x \sqrt{1 + 2x^2 + 2x^4}}{9(1 + \sqrt{2} x^2)} + \frac{17}{18} \sqrt{\frac{1}{3}} \end{aligned}$$

Mathematica [C] time = 0.22, size = 219, normalized size = 0.35

$$-120x^6 - 132x^4 - 72x^2 - (195 - 201i)\sqrt{1 - i}\sqrt{1 + (1 - i)x^2} \sqrt{1 + (1 + i)x^2} x^3 F\left(i \sinh^{-1}(\sqrt{1 - i}x) \middle| i\right) - 6i\sqrt{1 - i}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2 + 2*x^4)^(3/2)/(x^4*(3 - 2*x^2)), x]

[Out] $(-6 - 72x^2 - 132x^4 - 120x^6 - (6I) \cdot \text{Sqrt}[1 - I] \cdot x^3 \cdot \text{Sqrt}[1 + (1 - I) \cdot x^2] \cdot \text{Sqrt}[1 + (1 + I) \cdot x^2] \cdot \text{EllipticE}[I \cdot \text{ArcSinh}[\text{Sqrt}[1 - I] \cdot x], I] - (195 - 201I) \cdot \text{Sqrt}[1 - I] \cdot x^3 \cdot \text{Sqrt}[1 + (1 - I) \cdot x^2] \cdot \text{Sqrt}[1 + (1 + I) \cdot x^2] \cdot \text{EllipticF}[I \cdot \text{ArcSinh}[\text{Sqrt}[1 - I] \cdot x], I] + 289 \cdot (1 - I)^{(3/2)} \cdot x^3 \cdot \text{Sqrt}[1 + (1 - I) \cdot x^2] \cdot \text{Sqrt}[1 + (1 + I) \cdot x^2] \cdot \text{EllipticPi}[-1/3 - I/3, I \cdot \text{ArcSinh}[\text{Sqrt}[1 - I] \cdot x], I]) / (54 \cdot x^3 \cdot \text{Sqrt}[1 + 2 \cdot x^2 + 2 \cdot x^4])$

fricas [F] time = 1.26, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{2x^6 - 3x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^4/(-2*x^2+3),x, algorithm="fricas")

[Out] integral(-(2*x^4 + 2*x^2 + 1)^(3/2)/(2*x^6 - 3*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{(2x^2 - 3)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^4/(-2*x^2+3),x, algorithm="giac")

[Out] integrate(-(2*x^4 + 2*x^2 + 1)^(3/2)/((2*x^2 - 3)*x^4), x)

maple [C] time = 0.02, size = 530, normalized size = 0.85

$$\frac{103i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{45\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} - \frac{103\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i} x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{45\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^4+2*x^2+1)^(3/2)/x^4/(-2*x^2+3),x)

[Out] -118/15/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+103/45*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-103/45/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-103/45*I/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+289/27/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi((-1+I)^(1/2)*x,-1/3-1/3*I,(-1-I)^(1/2)/(-1+I)^(1/2))-10/9*(2*x^4+2*x^2+1)^(1/2)/x+44/15/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))+(-12/5+12/5*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)

)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2)))-1/9*(2*x^4+2*x^2+1)^(1/2)/x^3

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{(2x^2 - 3)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^4/(-2*x^2+3),x, algorithm="maxima")

[Out] -integrate((2*x^4 + 2*x^2 + 1)^(3/2)/((2*x^2 - 3)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{3/2}}{x^4(2x^2 - 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 + 2*x^4 + 1)^(3/2)/(x^4*(2*x^2 - 3)),x)

[Out] -int((2*x^2 + 2*x^4 + 1)^(3/2)/(x^4*(2*x^2 - 3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^6 - 3x^4} dx - \int \frac{2x^2\sqrt{2x^4 + 2x^2 + 1}}{2x^6 - 3x^4} dx - \int \frac{2x^4\sqrt{2x^4 + 2x^2 + 1}}{2x^6 - 3x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(3/2)/x**4/(-2*x**2+3),x)

[Out] -Integral(sqrt(2*x**4 + 2*x**2 + 1)/(2*x**6 - 3*x**4), x) - Integral(2*x**2*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**6 - 3*x**4), x) - Integral(2*x**4*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**6 - 3*x**4), x)

$$3.331 \quad \int \frac{(1+2x^2+2x^4)^{3/2}}{x^6(3-2x^2)} dx$$

Optimal. Leaf size=553

$$\frac{262\sqrt{2}\sqrt{2x^4+2x^2+1}x}{135(\sqrt{2}x^2+1)} - \frac{262\sqrt{2x^4+2x^2+1}}{135x} + \frac{17}{27}\sqrt{\frac{17}{3}} \tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{2^{3/4}(37+23\sqrt{2})(\sqrt{2}x^2+1)}{135}$$

[Out] 17/81*arctanh(1/3*x*51^(1/2)/(2*x^4+2*x^2+1)^(1/2))*51^(1/2)+74/135*(2*x^4+2*x^2+1)^(1/2)/x^3-262/135*(2*x^4+2*x^2+1)^(1/2)/x-1/45*(40*x^2+3)*(2*x^4+2*x^2+1)^(1/2)/x^5+262/135*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))-262/135*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)-289/2268*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2+11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(11-6*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)+85/189*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(3-2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)+1/135*2^(3/4)*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(37+23*2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.49, antiderivative size = 553, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1309, 1271, 1281, 1197, 1103, 1195, 1311, 1216, 1706}

$$\frac{262\sqrt{2}\sqrt{2x^4+2x^2+1}x}{135(\sqrt{2}x^2+1)} - \frac{262\sqrt{2x^4+2x^2+1}}{135x} + \frac{74\sqrt{2x^4+2x^2+1}}{135x^3} - \frac{(40x^2+3)\sqrt{2x^4+2x^2+1}}{45x^5} + \frac{17}{27}\sqrt{\frac{17}{3}} \tanh^{-1}\left(\frac{\sqrt{\frac{17}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + 2*x^2 + 2*x^4)^(3/2)/(x^6*(3 - 2*x^2)), x]

[Out] (74*Sqrt[1 + 2*x^2 + 2*x^4])/(135*x^3) - (262*Sqrt[1 + 2*x^2 + 2*x^4])/(135*x) - ((3 + 40*x^2)*Sqrt[1 + 2*x^2 + 2*x^4])/(45*x^5) + (262*Sqrt[2]*x*Sqrt[1 + 2*x^2 + 2*x^4])/(135*(1 + Sqrt[2]*x^2)) + (17*Sqrt[17/3]*ArcTanh[(Sqrt

$$\begin{aligned} & [17/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4])/27 - (262*2^{(1/4)}*(1 + \text{Sqrt}[2]*x^2)*\text{Sqr} \\ & \text{t}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (\\ & 2 - \text{Sqrt}[2])/4])/ (135*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + (85*2^{(3/4)}*(3 - \text{Sqrt}[2])* \\ & (1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2 \\ & *\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/ (189*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + (2^{(3 \\ & /4)}*(37 + 23*\text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[\\ & 2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/ (135*\text{Sqrt}[1 + 2 \\ & *x^2 + 2*x^4]) - (289*(11 - 6*\text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + \\ & 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticPi}[(12 + 11*\text{Sqrt}[2])/24, 2*\text{ArcTan}[2^{(1/ \\ & 4)*x], (2 - \text{Sqrt}[2])/4])/ (1134*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) \end{aligned}$$

Rule 1103

$$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[\{(1 + q^2*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]/(a*(1 + q^2*x^2)^2)*\text{EllipticF}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]\}/(2*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x]] \text{ /; FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$$

Rule 1195

$$\text{Int}[\{(d_) + (e_)*(x_)^2\}/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + b*x^2 + c*x^4])/a*(1 + q^2*x^2), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4])/a*(1 + q^2*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]\}/(q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] \text{ /; EqQ}[e + d*q^2, 0] \text{ /; FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$$

Rule 1197

$$\text{Int}[\{(d_) + (e_)*(x_)^2\}/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + d*q)/q, \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[e/q, \text{Int}[(1 - q*x^2)/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] \text{ /; NeQ}[e + d*q, 0] \text{ /; FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a]$$

Rule 1216

$$\text{Int}[1/\{(d_) + (e_)*(x_)^2\}*\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(c*d + a*e*q)/(c*d^2 - a*e^2), \text{Int}[1/\text{Sqrt}[a + b*x^2 + c*x^4], x], x] - \text{Dist}[(a*e*(e + d*q))/(c*d^2 - a*e^2), \text{Int}[(1 + q*x^2)/\{(d + e*x^2)*\text{Sqrt}[a + b*x^2 + c*x^4]\}, x], x]] \text{ /; FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[c/a]$$

Rule 1271

```

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^p*(d*(m
+ 4*p + 3) + e*(m + 1)*x^2))/(f*(m + 1)*(m + 4*p + 3)), x] + Dist[(2*p)/(f^
2*(m + 1)*(m + 4*p + 3)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1)*Sim
p[2*a*e*(m + 1) - b*d*(m + 4*p + 3) + (b*e*(m + 1) - 2*c*d*(m + 4*p + 3))*x
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && Gt
Q[p, 0] && LtQ[m, -1] && m + 4*p + 3 != 0 && IntegerQ[2*p] && (IntegerQ[p]
|| IntegerQ[m])

```

Rule 1281

```

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)
)/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2
+ c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m
, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

```

Rule 1309

```

Int[(((f_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_))/((d_)
+ (e_)*(x_)^2), x_Symbol] := Dist[1/d^2, Int[(f*x)^m*(a*d + (b*d - a*e)*x^
2)*(a + b*x^2 + c*x^4)^(p - 1), x], x] + Dist[(c*d^2 - b*d*e + a*e^2)/(d^2*
f^4), Int[(f*x)^(m + 4)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] /
; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m
, -2]

```

Rule 1311

```

Int[(((f_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_))/((d_)
+ (e_)*(x_)^2), x_Symbol] := Dist[1/(d*e), Int[(f*x)^m*(a*e + c*d*x^2)*(a
+ b*x^2 + c*x^4)^(p - 1), x], x] - Dist[(c*d^2 - b*d*e + a*e^2)/(d*e*f^2),
Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^(p - 1))/(d + e*x^2), x], x] /; Free
Q[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[p, 0] && LtQ[m, 0]

```

Rule 1706

```

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 +
(c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[(B*d - A*e)*Arc
Tan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-
b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a
+ b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*
d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ

```

[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(1 + 2x^2 + 2x^4)^{3/2}}{x^6(3 - 2x^2)} dx &= \frac{1}{9} \int \frac{(3 + 8x^2) \sqrt{1 + 2x^2 + 2x^4}}{x^6} dx + \frac{34}{9} \int \frac{\sqrt{1 + 2x^2 + 2x^4}}{x^2(3 - 2x^2)} dx \\
 &= -\frac{(3 + 40x^2) \sqrt{1 + 2x^2 + 2x^4}}{45x^5} + \frac{1}{45} \int \frac{-74 - 68x^2}{x^4 \sqrt{1 + 2x^2 + 2x^4}} dx - \frac{17}{27} \int \frac{-2 + 6x^2}{x^2 \sqrt{1 + 2x^2 + 2x^4}} dx \\
 &= \frac{74\sqrt{1 + 2x^2 + 2x^4}}{135x^3} - \frac{34\sqrt{1 + 2x^2 + 2x^4}}{27x} - \frac{(3 + 40x^2) \sqrt{1 + 2x^2 + 2x^4}}{45x^5} - \frac{1}{135} \int \frac{1}{x^2} dx \\
 &= \frac{74\sqrt{1 + 2x^2 + 2x^4}}{135x^3} - \frac{262\sqrt{1 + 2x^2 + 2x^4}}{135x} - \frac{(3 + 40x^2) \sqrt{1 + 2x^2 + 2x^4}}{45x^5} + \frac{17}{27} \sqrt{\frac{17}{3}} \\
 &= \frac{74\sqrt{1 + 2x^2 + 2x^4}}{135x^3} - \frac{262\sqrt{1 + 2x^2 + 2x^4}}{135x} - \frac{(3 + 40x^2) \sqrt{1 + 2x^2 + 2x^4}}{45x^5} + \frac{34\sqrt{2} \sqrt{17}}{27} \\
 &= \frac{74\sqrt{1 + 2x^2 + 2x^4}}{135x^3} - \frac{262\sqrt{1 + 2x^2 + 2x^4}}{135x} - \frac{(3 + 40x^2) \sqrt{1 + 2x^2 + 2x^4}}{45x^5} + \frac{262\sqrt{2} \sqrt{17}}{135}
 \end{aligned}$$

Mathematica [C] time = 0.24, size = 224, normalized size = 0.41

$$\frac{1572x^8 + 1848x^6 + 1116x^4 + 192x^2 + (543 - 1329i)\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2} x^5 F\left(i \sinh^{-1}\left(\sqrt{1 - i}x\right)\right)}{135}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + 2*x^2 + 2*x^4)^(3/2)/(x^6*(3 - 2*x^2)),x]

[Out] -1/405*(27 + 192*x^2 + 1116*x^4 + 1848*x^6 + 1572*x^8 + (786*I)*Sqrt[1 - I]*x^5*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] + (543 - 1329*I)*Sqrt[1 - I]*x^5*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] - 1445*(1 - I)^(3/2)*

$x^5 \sqrt{1 + (1 - i)x^2} \sqrt{1 + (1 + i)x^2} \text{EllipticPi}[-1/3 - i/3, i \text{ArcSinh}[\sqrt{1 - i}x], i] / (x^5 \sqrt{1 + 2x^2 + 2x^4})$

fricas [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{2x^8 - 3x^6}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^6/(-2*x^2+3),x, algorithm="fricas")

[Out] integral(-(2*x^4 + 2*x^2 + 1)^(3/2)/(2*x^8 - 3*x^6), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{(2x^2 - 3)x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^6/(-2*x^2+3),x, algorithm="giac")

[Out] integrate(-(2*x^4 + 2*x^2 + 1)^(3/2)/((2*x^2 - 3)*x^6), x)

maple [C] time = 0.02, size = 549, normalized size = 0.99

$$\frac{206i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{135\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} - \frac{206\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{135\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((2*x^4+2*x^2+1)^(3/2)/x^6/(-2*x^2+3),x)

[Out]
$$-236/45/(-1+i)^{(1/2)}*(-i*x^2+x^2+1)^{(1/2)}*(i*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticF}((-1+i)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*i*2^{(1/2)})+206/135*i/(-1+i)^{(1/2)}*(-i*x^2+x^2+1)^{(1/2)}*(i*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticE}((-1+i)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*i*2^{(1/2)})-206/135/(-1+i)^{(1/2)}*(-i*x^2+x^2+1)^{(1/2)}*(i*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticE}((-1+i)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*i*2^{(1/2)})-206/135*i/(-1+i)^{(1/2)}*(-i*x^2+x^2+1)^{(1/2)}*(i*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticF}((-1+i)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*i*2^{(1/2)})+578/81/(-1+i)^{(1/2)}*(-i*x^2+x^2+1)^{(1/2)}*(i*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\text{EllipticPi}((-1+i)^{(1/2)}*x, -1/3-1/3*i, (-1-i)^{(1/2)})$$

$(1/2)/(-1+I)^{(1/2)}-262/135*(2*x^4+2*x^2+1)^{(1/2)}/x+184/45/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+(-52/15+52/15*I)/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*(EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)}))-46/135*(2*x^4+2*x^2+1)^{(1/2)}/x^3-1/15*(2*x^4+2*x^2+1)^{(1/2)}/x^5$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}}{(2x^2 - 3)x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x^4+2*x^2+1)^(3/2)/x^6/(-2*x^2+3),x, algorithm="maxima")

[Out] -integrate((2*x^4 + 2*x^2 + 1)^(3/2)/((2*x^2 - 3)*x^6), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$-\int \frac{(2x^4 + 2x^2 + 1)^{3/2}}{x^6 (2x^2 - 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(2*x^2 + 2*x^4 + 1)^(3/2)/(x^6*(2*x^2 - 3)),x)

[Out] -int((2*x^2 + 2*x^4 + 1)^(3/2)/(x^6*(2*x^2 - 3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{\sqrt{2x^4 + 2x^2 + 1}}{2x^8 - 3x^6} dx - \int \frac{2x^2 \sqrt{2x^4 + 2x^2 + 1}}{2x^8 - 3x^6} dx - \int \frac{2x^4 \sqrt{2x^4 + 2x^2 + 1}}{2x^8 - 3x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((2*x**4+2*x**2+1)**(3/2)/x**6/(-2*x**2+3),x)

[Out] -Integral(sqrt(2*x**4 + 2*x**2 + 1)/(2*x**8 - 3*x**6), x) - Integral(2*x**2 *sqrt(2*x**4 + 2*x**2 + 1)/(2*x**8 - 3*x**6), x) - Integral(2*x**4*sqrt(2*x**4 + 2*x**2 + 1)/(2*x**8 - 3*x**6), x)

$$3.332 \quad \int \frac{x^5}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=173

$$-\frac{(be + 2cd) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{4c^{3/2}e^2} + \frac{d^2 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e^2\sqrt{ae^2-bde+cd^2}} + \frac{\sqrt{a+bx^2+cx^4}}{2ce}$$

[Out] $-1/4*(b*e+2*c*d)*\operatorname{arctanh}(1/2*(2*c*x^2+b)/c^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}/c^{(3/2)}/e^2+1/2*d^2*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})}/e^2/(a*e^2-b*d*e+c*d^2)^{(1/2)}+1/2*(c*x^4+b*x^2+a)^{(1/2)}/c/e$

Rubi [A] time = 0.31, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 1653, 843, 621, 206, 724}

$$-\frac{(be + 2cd) \tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{4c^{3/2}e^2} + \frac{d^2 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e^2\sqrt{ae^2-bde+cd^2}} + \frac{\sqrt{a+bx^2+cx^4}}{2ce}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5/((d + e*x^2)*\operatorname{Sqrt}[a + b*x^2 + c*x^4]), x]$

[Out] $\operatorname{Sqrt}[a + b*x^2 + c*x^4]/(2*c*e) - ((2*c*d + b*e)*\operatorname{ArcTanh}[(b + 2*c*x^2)/(2*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(4*c^{(3/2)}*e^2) + (d^2*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*e^2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2])$

Rule 206

$\operatorname{Int}[(a_) + (b_)*(x_)^2)^{-1}, x_Symbol] := \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$

Rule 621

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := \operatorname{Dist}[2, \operatorname{Subst}[\operatorname{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\operatorname{Sqrt}[a + b*x + c*x^2]], x] /; \operatorname{FreeQ}[\{a, b, c\}, x] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$

Rule 724


```
Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol]
:> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]
```

Rule 843

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
&& IntegerQ[(m - 1)/2]
```

Rule 1653

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> With[{q = Expon[Pq, x], f = Coeff[Pq, x, Expon[Pq, x]]}, Simp[(f*(d + e*x)^(m + q - 1)*(a + b*x + c*x^2)^(p + 1))/(c*e^(q - 1)*(m + q + 2*p + 1)), x] + Dist[1/(c*e^q*(m + q + 2*p + 1)), Int[(d + e*x)^m*(a + b*x + c*x^2)^p*ExpandToSum[c*e^q*(m + q + 2*p + 1)*Pq - c*f*(m + q + 2*p + 1)*(d + e*x)^q - f*(d + e*x)^(q - 2)*(b*d*e*(p + 1) + a*e^2*(m + q - 1) - c*d^2*(m + q + 2*p + 1) - e*(2*c*d - b*e)*(m + q + p)*x), x], x], x] /; GtQ[q, 1] && NeQ[m + q + 2*p + 1, 0] /; FreeQ[{a, b, c, d, e, m, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right) \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2ce} + \frac{\text{Subst} \left(\int \frac{-\frac{1}{2}bde - \frac{1}{2}e(2cd+be)x}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2ce^2} \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2ce} + \frac{d^2 \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2e^2} - \frac{(2cd+be) \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4e^2} \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2ce} - \frac{d^2 \text{Subst} \left(\int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx, x, \frac{-bd+2ae-(2cd-be)x^2}{\sqrt{a+bx^2+cx^4}} \right)}{e^2} - \frac{(2cd+be) \text{Subst} \left(\int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx, x, \frac{-bd+2ae-(2cd-be)x^2}{\sqrt{a+bx^2+cx^4}} \right)}{4e^2} \\
&= \frac{\sqrt{a+bx^2+cx^4}}{2ce} - \frac{(2cd+be) \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right)}{4c^{3/2}e^2} + \frac{d^2 \tanh^{-1} \left(\frac{bd-2ae}{2\sqrt{cd^2-bde+ae^2}} \right)}{2e^2\sqrt{cd^2-bde+ae^2}}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 171, normalized size = 0.99

$$\frac{2\sqrt{c} \left(\frac{cd^2 \tanh^{-1} \left(\frac{-2ae+bd-bx^2+2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}} \right) + e\sqrt{a+bx^2+cx^4}}{\sqrt{ae^2-bde+cd^2}} \right) - (be+2cd) \tanh^{-1} \left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}} \right)}{4c^{3/2}e^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] (-((2*c*d + b*e)*ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])]) + 2*Sqrt[c]*(e*Sqrt[a + b*x^2 + c*x^4] + (c*d^2*ArcTanh[(b*d - 2*a*e + 2*c*d*x^2 - b*e*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4])])/Sqrt[c*d^2 - b*d*e + a*e^2]))/(4*c^(3/2)*e^2)

fricas [B] time = 54.25, size = 1364, normalized size = 7.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/8*(2*sqrt(c*d^2 - b*d*e + a*e^2)*c^2*d^2*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b

```

*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*s
qrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*
d*e*x^2 + d^2)) + (2*c^2*d^3 - b*c*d^2*e + a*b*e^3 - (b^2 - 2*a*c)*d*e^2)*s
qrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 + 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^
2 + b)*sqrt(c) - 4*a*c) + 4*(c^2*d^2*e - b*c*d*e^2 + a*c*e^3)*sqrt(c*x^4 +
b*x^2 + a))/(c^3*d^2*e^2 - b*c^2*d*e^3 + a*c^2*e^4), 1/8*(4*sqrt(-c*d^2 + b
*d*e - a*e^2)*c^2*d^2*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d
*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2
)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) +
(2*c^2*d^3 - b*c*d^2*e + a*b*e^3 - (b^2 - 2*a*c)*d*e^2)*sqrt(c)*log(-8*c^2
*x^4 - 8*b*c*x^2 - b^2 + 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) -
4*a*c) + 4*(c^2*d^2*e - b*c*d*e^2 + a*c*e^3)*sqrt(c*x^4 + b*x^2 + a))/(c^3*
d^2*e^2 - b*c^2*d*e^3 + a*c^2*e^4), 1/4*(sqrt(c*d^2 - b*d*e + a*e^2)*c^2*d^
2*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2
*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*
x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2))*((2*c*d - b*e)*
x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + (2*c^2*d^3 - b*c*d^2*e +
a*b*e^3 - (b^2 - 2*a*c)*d*e^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)
*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)) + 2*(c^2*d^2*e - b*c*d*e
^2 + a*c*e^3)*sqrt(c*x^4 + b*x^2 + a))/(c^3*d^2*e^2 - b*c^2*d*e^3 + a*c^2*e
^4), 1/4*(2*sqrt(-c*d^2 + b*d*e - a*e^2)*c^2*d^2*arctan(-1/2*sqrt(c*x^4 + b
*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((
c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 -
b^2*d*e + a*b*e^2)*x^2)) + (2*c^2*d^3 - b*c*d^2*e + a*b*e^3 - (b^2 - 2*a*c
)*d*e^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)
/(c^2*x^4 + b*c*x^2 + a*c)) + 2*(c^2*d^2*e - b*c*d*e^2 + a*c*e^3)*sqrt(c*x^
4 + b*x^2 + a))/(c^3*d^2*e^2 - b*c^2*d*e^3 + a*c^2*e^4)]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

maple [A] time = 0.02, size = 267, normalized size = 1.54

$$\frac{d^2 \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} e^3} - \frac{b \ln \left(\frac{cx^2+\frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4+bx^2+a} \right)}{4c^{\frac{3}{2}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)`

[Out] $\frac{1}{2} \cdot (c x^4 + b x^2 + a)^{1/2} / c e^{-1/4} e^{b/c^{3/2}} \ln\left(\frac{c x^2 + 1/2 b}{c^{1/2}} + (c x^4 + b x^2 + a)^{1/2}\right) - \frac{1}{2} e^{-2} d \ln\left(\frac{c x^2 + 1/2 b}{c^{1/2}} + (c x^4 + b x^2 + a)^{1/2}\right) / c^{1/2} - \frac{1}{2} d^2 e^{-3} \left(\frac{a e^2 - b d e + c d^2}{e^2}\right)^{1/2} \ln\left(\frac{(b e - 2 c d)(x^2 + d/e)}{e + 2(a e^2 - b d e + c d^2)/e^2} + \frac{(a e^2 - b d e + c d^2)/e^2}{(x^2 + d/e)^2 c + (b e - 2 c d)(x^2 + d/e) + (a e^2 - b d e + c d^2)/e^2}\right) / (x^2 + d/e)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{\sqrt{c x^4 + b x^2 + a} (e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^5/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{(e x^2 + d) \sqrt{c x^4 + b x^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)),x)`

[Out] `int(x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(d + e x^2) \sqrt{a + b x^2 + c x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral(x**5/((d + e*x**2)*sqrt(a + b*x**2 + c*x**4)), x)`

$$3.333 \quad \int \frac{x^3}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=137

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{c}e} - \frac{d \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e\sqrt{ae^2-bde+cd^2}}$$

[Out] 1/2*arctanh(1/2*(2*c*x^2+b)/c^(1/2)/(c*x^4+b*x^2+a)^(1/2))/e/c^(1/2)-1/2*d*arctanh(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2))/e/(a*e^2-b*d*e+c*d^2)^(1/2)

Rubi [A] time = 0.16, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 843, 621, 206, 724}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{c}e} - \frac{d \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e\sqrt{ae^2-bde+cd^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])]/(2*Sqrt[c]*e) - (d*ArcTanh[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4]))/(2*e*Sqrt[c*d^2 - b*d*e + a*e^2])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0]$

Rule 843

$\text{Int}[\text{((d_.) + (e_.)*(x_))}^{\text{(m_.)}}*\text{((f_.) + (g_.)*(x_))*\text{((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)}^{\text{(p_.)}}, x_Symbol] \text{:>} \text{Dist}[g/e, \text{Int}[(d + e*x)^{\text{(m + 1)}}*(a + b*x + c*x^2)^{\text{p}}, x], x] + \text{Dist}[(e*f - d*g)/e, \text{Int}[(d + e*x)^{\text{m}}*(a + b*x + c*x^2)^{\text{p}}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m, p\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ !\text{IGtQ}[m, 0]$

Rule 1251

$\text{Int}[(x_)^{\text{(m_.)}}*\text{((d_) + (e_.)*(x_)^2)}^{\text{(q_.)}}*\text{((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)}^{\text{(p_.)}}, x_Symbol] \text{:>} \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{\text{(m - 1)}/2}*(d + e*x)^{\text{q}}*(a + b*x + c*x^2)^{\text{p}}, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m - 1)/2]$

Rubi steps

$$\begin{aligned} \int \frac{x^3}{(d + ex^2)\sqrt{a + bx^2 + cx^4}} dx &= \frac{1}{2} \text{Subst}\left(\int \frac{x}{(d + ex)\sqrt{a + bx + cx^2}} dx, x, x^2\right) \\ &= \frac{\text{Subst}\left(\int \frac{1}{\sqrt{a + bx + cx^2}} dx, x, x^2\right)}{2e} - \frac{d \text{Subst}\left(\int \frac{1}{(d + ex)\sqrt{a + bx + cx^2}} dx, x, x^2\right)}{2e} \\ &= \frac{\text{Subst}\left(\int \frac{1}{4c - x^2} dx, x, \frac{b + 2cx^2}{\sqrt{a + bx^2 + cx^4}}\right)}{e} + \frac{d \text{Subst}\left(\int \frac{1}{4cd^2 - 4bde + 4ae^2 - x^2} dx, x, \frac{-bd + 2ae - (b + 2cx^2)}{\sqrt{a + bx^2 + cx^4}}\right)}{e} \\ &= \frac{\tanh^{-1}\left(\frac{b + 2cx^2}{2\sqrt{c}\sqrt{a + bx^2 + cx^4}}\right)}{2\sqrt{c}e} - \frac{d \tanh^{-1}\left(\frac{bd - 2ae + (2cd - be)x^2}{2\sqrt{cd^2 - bde + ae^2}\sqrt{a + bx^2 + cx^4}}\right)}{2e\sqrt{cd^2 - bde + ae^2}} \end{aligned}$$

Mathematica [A] time = 0.12, size = 133, normalized size = 0.97

$$\frac{d \tanh^{-1}\left(\frac{2ae - bd + bex^2 - 2cdx^2}{2\sqrt{a + bx^2 + cx^4}\sqrt{e(ae - bd) + cd^2}}\right)}{\sqrt{e(ae - bd) + cd^2}} + \frac{\tanh^{-1}\left(\frac{b + 2cx^2}{2\sqrt{c}\sqrt{a + bx^2 + cx^4}}\right)}{\sqrt{c}}}{2e}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] (ArcTanh[(b + 2*c*x^2)/(2*Sqrt[c]*Sqrt[a + b*x^2 + c*x^4])]/Sqrt[c] + (d*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)])]*Sqrt[a + b*x^2 + c*x^4]))/Sqrt[c*d^2 + e*(-(b*d) + a*e)]/(2*e)

fricas [B] time = 3.57, size = 1084, normalized size = 7.91

$$\frac{\sqrt{cd^2 - bde + ae^2} cd \log\left(-\frac{(8c^2d^2 - 8bcde + (b^2 + 4ac)e^2)x^4 - 8abde + 8a^2e^2 + (b^2 + 4ac)d^2 + 2(4bcd^2 + 4abe^2 - (3b^2 + 4ac)de)x^2 - 4\sqrt{cx^4 + bx^2 + a}}{e^2x^4 + 2dex^2 + d^2}\right)}{4(c^2d^2 + e^2x^2 + d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/4*(sqrt(c*d^2 - b*d*e + a*e^2)*c*d*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + (c*d^2 - b*d*e + a*e^2)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) - 4*a*c))/(c^2*d^2*e - b*c*d*e^2 + a*c*e^3), -1/4*(2*sqrt(-c*d^2 + b*d*e - a*e^2)*c*d*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - (c*d^2 - b*d*e + a*e^2)*sqrt(c)*log(-8*c^2*x^4 - 8*b*c*x^2 - b^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(c) - 4*a*c))/(c^2*d^2*e - b*c*d*e^2 + a*c*e^3), 1/4*(sqrt(c*d^2 - b*d*e + a*e^2)*c*d*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) - 2*(c*d^2 - b*d*e + a*e^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)))/(c^2*d^2*e - b*c*d*e^2 + a*c*e^3), -1/2*(sqrt(-c*d^2 + b*d*e - a*e^2)*c*d*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) + (c*d^2 - b*d*e + a*e^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(2*c*x^2 + b)*sqrt(-c)/(c^2*x^4 + b*c*x^2 + a*c)))/(c^2*d^2*e - b*c*d*e^2 + a*c*e^3)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:Error: Bad Argument Type

maple [A] time = 0.01, size = 204, normalized size = 1.49

$$d \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right) + \frac{\ln\left(\frac{cx^2+\frac{b}{2}}{\sqrt{c}} + \sqrt{cx^4+bx^2+a}\right)}{2\sqrt{c}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] 1/2/e*ln((c*x^2+1/2*b)/c^(1/2)+(c*x^4+b*x^2+a)^(1/2))/c^(1/2)+1/2*d/e^2/((a
*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d
^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d
/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{cx^4+bx^2+a}(ex^2+d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(x^3/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{(ex^2+d)\sqrt{cx^4+bx^2+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)),x)

[Out] int(x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3/(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral(x**3/((d + e*x**2)*sqrt(a + b*x**2 + c*x**4)), x)
```

$$3.334 \quad \int \frac{x}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=86

$$\frac{\tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2\sqrt{ae^2-bde+cd^2}}$$

[Out] 1/2*arctanh(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^(1/2)/(c*x^4+b*x^2+a)^(1/2))/(a*e^2-b*d*e+c*d^2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1247, 724, 206}

$$\frac{\tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2\sqrt{ae^2-bde+cd^2}}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] ArcTanh[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4])]/(2*Sqrt[c*d^2 - b*d*e + a*e^2])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\int \frac{x}{(d+ex^2)\sqrt{a+bx^2+cx^4}} dx = \frac{1}{2} \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)$$

$$= -\text{Subst} \left(\int \frac{1}{4cd^2 - 4bde + 4ae^2 - x^2} dx, x, \frac{-bd + 2ae - (2cd - be)x^2}{\sqrt{a+bx^2+cx^4}} \right)$$

$$= -\frac{\tanh^{-1} \left(\frac{-bd+2ae-(2cd-be)x^2}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx^2+cx^4}} \right)}{2\sqrt{cd^2-bde+ae^2}}$$

Mathematica [A] time = 0.02, size = 87, normalized size = 1.01

$$-\frac{\tanh^{-1} \left(\frac{2ae-bd+bex^2-2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{e(ae-bd)+cd^2}} \right)}{2\sqrt{e(ae-bd)+cd^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x]

[Out] -1/2*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + b*x^2 + c*x^4])]/Sqrt[c*d^2 + e*(-(b*d) + a*e)]

fricas [B] time = 1.32, size = 357, normalized size = 4.15

$$\left[\log \left(-\frac{(8c^2d^2 - 8bcde + (b^2 + 4ac)e^2)x^4 - 8abde + 8a^2e^2 + (b^2 + 4ac)d^2 + 2(4bcd^2 + 4abe^2 - (3b^2 + 4ac)de)x^2 + 4\sqrt{cx^4 + bx^2 + a}\sqrt{cd^2 - bde + ae^2}(2cd - be)}{e^2x^4 + 2dex^2 + d^2} \right) \right]$$

$$4\sqrt{cd^2 - bde + ae^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="fricas")

[Out] [1/4*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2))/sqrt(c*d^2 - b*d*e + a*e^2), 1/2*sqrt(-c*d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2))/(c*d^2 - b*d*e + a*e^2)]

giac [A] time = 0.49, size = 75, normalized size = 0.87

$$\frac{\arctan\left(-\frac{(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})e + \sqrt{cd}}{\sqrt{-cd^2 + bde - ae^2}}\right)}{\sqrt{-cd^2 + bde - ae^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] arctan(-((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*e + sqrt(c)*d)/sqrt(-c*d^2 + b*d*e - a*e^2))/sqrt(-c*d^2 + b*d*e - a*e^2)

maple [B] time = 0.01, size = 165, normalized size = 1.92

$$\frac{\ln\left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}}\sqrt{\left(x^2+\frac{d}{e}\right)^2c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}}\right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}}e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x)

[Out] -1/2/e/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="maxima")

[Out] integrate(x/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(ex^2 + d)\sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)),x)`

[Out] `int(x/((d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(d + ex^2) \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)`

[Out] `Integral(x/((d + e*x**2)*sqrt(a + b*x**2 + c*x**4)), x)`

$$3.335 \quad \int \frac{1}{x(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=138

$$-\frac{e \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2d\sqrt{ae^2-bde+cd^2}} - \frac{\tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{a}d}$$

[Out] $-1/2*\operatorname{arctanh}(1/2*(b*x^2+2*a)/a^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d/a^{(1/2)}-1/2*e*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)}/(c*x^4+b*x^2+a)^{(1/2)})/d/(a*e^2-b*d*e+c*d^2)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1251, 960, 724, 206}

$$-\frac{e \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2d\sqrt{ae^2-bde+cd^2}} - \frac{\tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[1/(x*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $-\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]/(2*\operatorname{Sqrt}[a]*d) - (e*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])])/(2*d*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] :> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 960

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g

$x)^n(a + bx + cx^2)^p, x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ (\text{ILtQ}[m, 0] \ \&\& \ \text{ILtQ}[n, 0])) \ \&\& \ !(\text{IGtQ}[m, 0] \ || \ \text{IGtQ}[n, 0])$

Rule 1251

$\text{Int}[(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(q_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] :> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

Rubi steps

$$\begin{aligned} \int \frac{1}{x(d+ex^2)\sqrt{a+bx^2+cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{dx\sqrt{a+bx+cx^2}} - \frac{e}{d(d+ex)\sqrt{a+bx+cx^2}} \right) dx, x, x^2 \right) \\ &= \frac{\text{Subst} \left(\int \frac{1}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d} - \frac{e \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d} \\ &= -\frac{\text{Subst} \left(\int \frac{1}{4a-x^2} dx, x, \frac{2a+bx^2}{\sqrt{a+bx^2+cx^4}} \right)}{d} + \frac{e \text{Subst} \left(\int \frac{1}{4cd^2-4bde+4ae^2-x^2} dx, x, \frac{-bd+bx^2}{\sqrt{a+bx^2+cx^4}} \right)}{d} \\ &= -\frac{\tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2\sqrt{a}d} - \frac{e \tanh^{-1} \left(\frac{bd-2ae+(2cd-be)x^2}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx^2+cx^4}} \right)}{2d\sqrt{cd^2-bde+ae^2}} \end{aligned}$$

Mathematica [A] time = 0.14, size = 134, normalized size = 0.97

$$\frac{e \tanh^{-1} \left(\frac{-2ae+b(d-cx^2)+2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{e(ae-bd)+cd^2}} \right)}{\sqrt{e(ae-bd)+cd^2}} + \frac{\tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $-1/2*(\text{ArcTanh}[(2*a + b*x^2)/(2*\text{Sqrt}[a]*\text{Sqrt}[a + b*x^2 + c*x^4])]/\text{Sqrt}[a] + (e*\text{ArcTanh}[(-2*a*e + 2*c*d*x^2 + b*(d - e*x^2))/(2*\text{Sqrt}[c*d^2 + e*(-(b*d) + a*e)]]*\text{Sqrt}[a + b*x^2 + c*x^4]))/\text{Sqrt}[c*d^2 + e*(-(b*d) + a*e)]/d$

fricas [B] time = 1.39, size = 1097, normalized size = 7.95

$$\frac{\sqrt{cd^2 - bde + ae^2} \operatorname{ae} \log\left(-\frac{(8c^2d^2 - 8bcde + (b^2 + 4ac)e^2)x^4 - 8abde + 8a^2e^2 + (b^2 + 4ac)d^2 + 2(4bcd^2 + 4abe^2 - (3b^2 + 4ac)de)x^2 - 4\sqrt{cx^4 + bx^2 + a}}{e^2x^4 + 2dex^2 + d^2}\right)}{4(acd^3 - abd^2e + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

[Out] [1/4*(sqrt(c*d^2 - b*d*e + a*e^2)*a*e*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + (c*d^2 - b*d*e + a*e^2)*sqrt(a)*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4)/(a*c*d^3 - a*b*d^2*e + a^2*d*e^2), -1/4*(2*sqrt(-c*d^2 + b*d*e - a*e^2)*a*e*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - (c*d^2 - b*d*e + a*e^2)*sqrt(a)*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4)/(a*c*d^3 - a*b*d^2*e + a^2*d*e^2), 1/4*(sqrt(c*d^2 - b*d*e + a*e^2)*a*e*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + 2*(c*d^2 - b*d*e + a*e^2)*sqrt(-a)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)))/(a*c*d^3 - a*b*d^2*e + a^2*d*e^2), -1/2*(sqrt(-c*d^2 + b*d*e - a*e^2)*a*e*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - (c*d^2 - b*d*e + a*e^2)*sqrt(-a)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)))/(a*c*d^3 - a*b*d^2*e + a^2*d*e^2)]

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::;OUTPUT:Error: Bad Argument Type

maple [A] time = 0.01, size = 207, normalized size = 1.50

$$\frac{\ln\left(\frac{\left(\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}}\right)\sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}}\right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} d} - \frac{\ln\left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2}\right)}{2\sqrt{a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2), x)

[Out] $-1/2/d/a^{1/2}*\ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^{1/2}*a^{1/2})/x^2)+1/2/d/((a*e^2-b*d*e+c*d^2)/e^2)^{1/2}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{1/2}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{1/2})/(x^2+d/e)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 + a}(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{x(e x^2 + d) \sqrt{c x^4 + b x^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)

[Out] int(1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(d + ex^2) \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2), x)

[Out] Integral(1/(x*(d + e*x**2)*sqrt(a + b*x**2 + c*x**4)), x)

$$3.336 \quad \int \frac{1}{x^3(d+ex^2)\sqrt{a+bx^2+cx^4}} dx$$

Optimal. Leaf size=218

$$\frac{b \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{4a^{3/2}d} + \frac{e^2 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2d^2\sqrt{ae^2-bde+cd^2}} + \frac{e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{a}d^2} - \frac{\sqrt{a+bx^2+cx^4}}{2adx^2}$$

[Out] $\frac{1}{4}b \operatorname{arctanh}\left(\frac{1}{2} \frac{(b*x^2+2*a)/a^{1/2}}{(c*x^4+b*x^2+a)^{1/2}}\right) / a^{3/2} / d + \frac{1}{2} e \operatorname{arctanh}\left(\frac{1}{2} \frac{(b*x^2+2*a)/a^{1/2}}{(c*x^4+b*x^2+a)^{1/2}}\right) / d^2 / a^{1/2} + \frac{1}{2} e^2 \operatorname{arctanh}\left(\frac{1}{2} \frac{(b*d-2*a*e+(-b*e+2*c*d)*x^2)}{(a*e^2-b*d*e+c*d^2)^{1/2}}\right) / (c*x^4+b*x^2+a)^{1/2} / d^2 / (a*e^2-b*d*e+c*d^2)^{1/2} - \frac{1}{2} \frac{(c*x^4+b*x^2+a)^{1/2}}{a} / d / x^2$

Rubi [A] time = 0.27, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 960, 730, 724, 206}

$$\frac{b \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{4a^{3/2}d} + \frac{e^2 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2d^2\sqrt{ae^2-bde+cd^2}} + \frac{e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2\sqrt{a}d^2} - \frac{\sqrt{a+bx^2+cx^4}}{2adx^2}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]),x]

[Out] $-\operatorname{Sqrt}[a + b*x^2 + c*x^4] / (2*a*d*x^2) + (b*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]) / (4*a^{3/2}*d) + (e*\operatorname{ArcTanh}[(2*a + b*x^2)/(2*\operatorname{Sqrt}[a]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]) / (2*\operatorname{Sqrt}[a]*d^2) + (e^2*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]) / (2*d^2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2])$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 730

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(e*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/((m + 1)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[(2*c*d - b*e)/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && EqQ[m + 2*p + 3, 0]
```

Rule 960

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3(d+ex^2)\sqrt{a+bx^2+cx^4}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^2(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{dx^2\sqrt{a+bx+cx^2}} - \frac{e}{d^2x\sqrt{a+bx+cx^2}} + \frac{e^2}{d^2(d+ex)\sqrt{a+bx+cx^2}} \right) dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{x^2\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d} - \frac{e \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d^2} + \frac{e^2 \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2d^2} \\
&= -\frac{\sqrt{a+bx^2+cx^4}}{2adx^2} - \frac{b \text{Subst} \left(\int \frac{1}{x\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{4ad} + \frac{e \text{Subst} \left(\int \frac{1}{4a-x^2} dx, x, x^2 \right)}{d^2} \\
&= -\frac{\sqrt{a+bx^2+cx^4}}{2adx^2} + \frac{e \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2\sqrt{a}d^2} + \frac{e^2 \tanh^{-1} \left(\frac{bd-2ae+(2cd-x^2)\sqrt{a+bx^2+cx^4}}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx^2+cx^4}} \right)}{2d^2\sqrt{cd^2-bde+ae^2}} \\
&= -\frac{\sqrt{a+bx^2+cx^4}}{2adx^2} + \frac{b \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{4a^{3/2}d} + \frac{e \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{2\sqrt{a}d^2}
\end{aligned}$$

Mathematica [A] time = 0.37, size = 175, normalized size = 0.80

$$\frac{2\sqrt{a} \left(\frac{ae^2 \tanh^{-1} \left(\frac{-2ae+bd-bex^2+2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}} \right) - \frac{d\sqrt{a+bx^2+cx^4}}{x^2}}{\sqrt{ae^2-bde+cd^2}} \right) + (2ae+bd) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{4a^{3/2}d^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(d+e*x^2)*Sqrt[a+b*x^2+c*x^4]),x]

[Out] ((b*d+2*a*e)*ArcTanh[(2*a+b*x^2)/(2*Sqrt[a]*Sqrt[a+b*x^2+c*x^4])] + 2*Sqrt[a]*(-(d*Sqrt[a+b*x^2+c*x^4])/x^2) + (a*e^2*ArcTanh[(b*d-2*a*e+2*c*d*x^2-b*e*x^2)/(2*Sqrt[cd^2-b*d*e+a*e^2]*Sqrt[a+b*x^2+c*x^4])])/Sqrt[cd^2-b*d*e+a*e^2]))/(4*a^(3/2)*d^2)

fricas [A] time = 2.93, size = 1414, normalized size = 6.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="fricas")

```
[Out] [1/8*(2*sqrt(c*d^2 - b*d*e + a*e^2)*a^2*e^2*x^2*log(-((8*c^2*d^2 - 8*b*c*d*
e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*
(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 +
a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4
+ 2*d*e*x^2 + d^2)) + (b*c*d^3 - a*b*d*e^2 + 2*a^2*e^3 - (b^2 - 2*a*c)*d^2*
e)*sqrt(a)*x^2*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 + 4*sqrt(c*x^4 + b*x^2 +
a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) - 4*(a*c*d^3 - a*b*d^2*e + a^2*d*e^
2)*sqrt(c*x^4 + b*x^2 + a))/((a^2*c*d^4 - a^2*b*d^3*e + a^3*d^2*e^2)*x^2),
1/8*(4*sqrt(-c*d^2 + b*d*e - a*e^2)*a^2*e^2*x^2*arctan(-1/2*sqrt(c*x^4 + b*
x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/((c
^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 -
b^2*d*e + a*b*e^2)*x^2)) + (b*c*d^3 - a*b*d*e^2 + 2*a^2*e^3 - (b^2 - 2*a*c)
*d^2*e)*sqrt(a)*x^2*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 + 4*sqrt(c*x^4 + b*
x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) - 4*(a*c*d^3 - a*b*d^2*e + a^2
*d*e^2)*sqrt(c*x^4 + b*x^2 + a))/((a^2*c*d^4 - a^2*b*d^3*e + a^3*d^2*e^2)*x
^2), 1/4*(sqrt(c*d^2 - b*d*e + a*e^2)*a^2*e^2*x^2*log(-((8*c^2*d^2 - 8*b*c*
d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 +
2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2
+ a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^
4 + 2*d*e*x^2 + d^2)) - (b*c*d^3 - a*b*d*e^2 + 2*a^2*e^3 - (b^2 - 2*a*c)*d^
2*e)*sqrt(-a)*x^2*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)
/(a*c*x^4 + a*b*x^2 + a^2)) - 2*(a*c*d^3 - a*b*d^2*e + a^2*d*e^2)*sqrt(c*x^
4 + b*x^2 + a))/((a^2*c*d^4 - a^2*b*d^3*e + a^3*d^2*e^2)*x^2), 1/4*(2*sqrt(
-c*d^2 + b*d*e - a*e^2)*a^2*e^2*x^2*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqr
t(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/((c^2*d^2 - b*c
*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*
b*e^2)*x^2)) - (b*c*d^3 - a*b*d*e^2 + 2*a^2*e^3 - (b^2 - 2*a*c)*d^2*e)*sqrt
(-a)*x^2*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4
+ a*b*x^2 + a^2)) - 2*(a*c*d^3 - a*b*d^2*e + a^2*d*e^2)*sqrt(c*x^4 + b*x^2
+ a))/((a^2*c*d^4 - a^2*b*d^3*e + a^3*d^2*e^2)*x^2)]
```

giac [A] time = 0.49, size = 208, normalized size = 0.95

$$\frac{\arctan\left(-\frac{(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})e + \sqrt{cd}}{\sqrt{-cd^2 + bde - ae^2}}\right)e^2}{\sqrt{-cd^2 + bde - ae^2}d^2} - \frac{(bd + 2ae)\arctan\left(-\frac{\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}}{\sqrt{-a}}\right)}{2\sqrt{-a}ad^2} + \frac{(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})b + 2ae}{2\left((\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})^2 - \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2),x, algorithm="giac")
```

```
[Out] arctan(-((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*e + sqrt(c)*d)/sqrt(-c*d^2
+ b*d*e - a*e^2))*e^2/(sqrt(-c*d^2 + b*d*e - a*e^2)*d^2) - 1/2*(b*d + 2*a*
e)*arctan(-sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))/sqrt(-a))/(sqrt(-a)*a*d^
```

2) + 1/2*((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*b + 2*a*sqrt(c))/(((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))^2 - a)*a*d)

maple [A] time = 0.01, size = 276, normalized size = 1.27

$$\frac{e \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} d^2} + \frac{e \ln \left(\frac{bx^2+2a+2\sqrt{cx^4+bx^2+a}\sqrt{a}}{x^2} \right)}{2\sqrt{a} d^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2), x)

[Out] 1/2/d^2*e/a^(1/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)-1/2*e/d^2/((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))-1/2*(c*x^4+b*x^2+a)^(1/2)/a/d/x^2+1/4/d*b/a^(3/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^4 + bx^2 + a} (ex^2 + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(c*x^4 + b*x^2 + a)*(e*x^2 + d)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^3 (ex^2 + d) \sqrt{cx^4 + bx^2 + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)

[Out] int(1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (d + ex^2) \sqrt{a + bx^2 + cx^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**3/(e*x**2+d)/(c*x**4+b*x**2+a)**(1/2),x)
```

```
[Out] Integral(1/(x**3*(d + e*x**2)*sqrt(a + b*x**2 + c*x**4)), x)
```

$$3.337 \quad \int \frac{x^4}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$$

Optimal. Leaf size=418

$$\frac{\sqrt{2x^4+2x^2+1} x}{2\sqrt{2}(\sqrt{2}x^2+1)} - \frac{3\sqrt{\frac{3}{10}}(3-\sqrt{2})\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{4(2-3\sqrt{2})} + \frac{(1-3\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\right)\frac{1}{4}}{2^{2^{3/4}}(2-3\sqrt{2})\sqrt{2x^4+2x^2+1}}$$

[Out] $-3/40*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*30^{(1/2)}*(3-2^{(1/2)})/(2-3*2^{(1/2)})+1/4*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})-1/4*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}+1/4*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1-3*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}+3/16*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 418, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {1325, 1103, 1195, 1706}

$$\frac{\sqrt{2x^4+2x^2+1} x}{2\sqrt{2}(\sqrt{2}x^2+1)} - \frac{3\sqrt{\frac{3}{10}}(3-\sqrt{2})\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{4(2-3\sqrt{2})} + \frac{(1-3\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\right)\frac{1}{4}}{2^{2^{3/4}}(2-3\sqrt{2})\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[x^4/((3+2*x^2)*Sqrt[1+2*x^2+2*x^4]),x]

[Out] $(x*\text{Sqrt}[1+2*x^2+2*x^4])/(2*\text{Sqrt}[2]*(1+\text{Sqrt}[2]*x^2)) - (3*\text{Sqrt}[3/10]*(3-\text{Sqrt}[2])*ArcTan[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1+2*x^2+2*x^4]])/(4*(2-3*\text{Sqrt}[2])) - ((1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*ArcTan[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/(2*2^{(3/4)}*\text{Sqrt}[1+2*x^2+2*x^4]) + ((1-3*\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*ArcTan[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/(2*2^{(3/4)}*(2-3*\text{Sqrt}[2])*Sqrt[1+2*x^2+2*x^4]) + (3*(3+\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticPi}[(12-11*\text{Sqrt}[2]$

)/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4)]/(8*2^(3/4)*(2 - 3*Sqrt[2])*Sqrt[1 + 2*x^2 + 2*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1325

Int[(x_)^4/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> With[{q = Rt[c/a, 2]}, -Dist[(2*c*d - a*e*q)/(c*e*(e - d*q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + (-Dist[1/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[d^2/(e*(e - d*q)), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a] && NeQ[c*d^2 - a*e^2, 0]

Rule 1706

Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] :> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\int \frac{x^4}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx = -\frac{\int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx}{2\sqrt{2}} + \frac{9 \int \frac{1+\sqrt{2}x^2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx}{2(2-3\sqrt{2})} - \frac{(12-2\sqrt{2}) \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx}{4(2-3\sqrt{2})}$$

$$= \frac{x\sqrt{1+2x^2+2x^4}}{2\sqrt{2}(1+\sqrt{2}x^2)} - \frac{3\sqrt{\frac{3}{10}}(3-\sqrt{2})\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right)}{4(2-3\sqrt{2})} - \frac{(1+\sqrt{2}x^2)\sqrt{\frac{1+2x^2+2x^4}{1+2x^2+2x^4}}}{2}$$

Mathematica [C] time = 0.21, size = 127, normalized size = 0.30

$$\frac{\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}\left(- (1+4i)F\left(i\sinh^{-1}(\sqrt{1-ix})\middle| i\right) + (1+i)E\left(i\sinh^{-1}(\sqrt{1-ix})\middle| i\right) + 3i\Pi\left(\frac{1}{3} + \frac{i}{3}\right)\right)}{4\sqrt{1-i}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((3+2*x^2)*Sqrt[1+2*x^2+2*x^4]),x]

[Out] -1/4*(Sqrt[1+(1-I)*x^2]*Sqrt[1+(1+I)*x^2]*((1+I)*EllipticE[I*ArcSinh[Sqrt[1-I]*x], I] - (1+4*I)*EllipticF[I*ArcSinh[Sqrt[1-I]*x], I] + (3*I)*EllipticPi[1/3+I/3, I*ArcSinh[Sqrt[1-I]*x], I))/(Sqrt[1-I]*Sqrt[1+2*x^2+2*x^4])

fricas [F] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4+2x^2+1}x^4}{4x^6+10x^4+8x^2+3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4+2*x^2+1)*x^4/(4*x^6+10*x^4+8*x^2+3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{2x^4+2x^2+1}(2x^2+3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(x^4/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)), x)

maple [C] time = 0.02, size = 222, normalized size = 0.53

$$\frac{3\sqrt{(1-i)x^2+1}\sqrt{(1+i)x^2+1}\operatorname{EllipticF}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{4\sqrt{-1+i}\sqrt{2x^4+2x^2+1}} + \frac{3\sqrt{-ix^2+x^2+1}\sqrt{ix^2+x^2+1}\operatorname{EllipticPi}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{4\sqrt{-1+i}\sqrt{2x^4+2x^2+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2), x)

[Out] $(-1/4+1/4*I)/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*(\operatorname{EllipticF}((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-\operatorname{EllipticE}((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)}))-3/4/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\operatorname{EllipticF}((-1+I)^{(1/2)}*x, 1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+3/4/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*\operatorname{EllipticPi}((-1+I)^{(1/2)}*x, 1/3+1/3*I, (-1-I)^{(1/2)}/(-1+I)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{2x^4 + 2x^2 + 1}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2), x, algorithm="maxima")

[Out] integrate(x^4/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{(2x^2 + 3)\sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)

[Out] int(x^4/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(2x^2 + 3)\sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/(2*x**2+3)/(2*x**4+2*x**2+1)**(1/2),x)
```

```
[Out] Integral(x**4/((2*x**2 + 3)*sqrt(2*x**4 + 2*x**2 + 1)), x)
```

$$3.338 \quad \int \frac{x^2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$$

Optimal. Leaf size=247

$$-\frac{1}{4}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2 \tan^{-1}(\sqrt[4]{2}x) \middle| \frac{1}{4}(2-\sqrt{2})\right)}{14 \cdot 2^{3/4} \sqrt{2x^4+2x^2+1}} + \dots$$

[Out] $-1/20 \cdot \arctan(1/3 \cdot x \cdot 15^{1/2} / (2 \cdot x^4 + 2 \cdot x^2 + 1)^{1/2}) \cdot 15^{1/2} - 1/28 \cdot (\cos(2 \cdot \arctan(2^{1/4} \cdot x))^2)^{1/2} / \cos(2 \cdot \arctan(2^{1/4} \cdot x)) \cdot \text{EllipticF}(\sin(2 \cdot \arctan(2^{1/4} \cdot x)), 1/2 \cdot (2 - 2^{1/2}))^{1/2}) \cdot (3 + 2^{1/2}) \cdot (1 + x^2 \cdot 2^{1/2}) \cdot ((2 \cdot x^4 + 2 \cdot x^2 + 1) / (1 + x^2 \cdot 2^{1/2}))^{1/2} \cdot 2^{1/4} / (2 \cdot x^4 + 2 \cdot x^2 + 1)^{1/2} + 1/112 \cdot (\cos(2 \cdot \arctan(2^{1/4} \cdot x))^2)^{1/2} / \cos(2 \cdot \arctan(2^{1/4} \cdot x)) \cdot \text{EllipticPi}(\sin(2 \cdot \arctan(2^{1/4} \cdot x)), 1/2 - 11/24 \cdot 2^{1/2}, 1/2 \cdot (2 - 2^{1/2}))^{1/2}) \cdot (3 + 2^{1/2})^2 \cdot (1 + x^2 \cdot 2^{1/2}) \cdot ((2 \cdot x^4 + 2 \cdot x^2 + 1) / (1 + x^2 \cdot 2^{1/2}))^{1/2} \cdot 2^{3/4} / (2 \cdot x^4 + 2 \cdot x^2 + 1)^{1/2}$

Rubi [A] time = 0.13, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1319, 1103, 1706}

$$-\frac{1}{4}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2 \tan^{-1}(\sqrt[4]{2}x) \middle| \frac{1}{4}(2-\sqrt{2})\right)}{14 \cdot 2^{3/4} \sqrt{2x^4+2x^2+1}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2 / ((3 + 2 \cdot x^2) \cdot \text{Sqrt}[1 + 2 \cdot x^2 + 2 \cdot x^4]), x]$

[Out] $-(\text{Sqrt}[3/5] \cdot \text{ArcTan}[(\text{Sqrt}[5/3] \cdot x) / \text{Sqrt}[1 + 2 \cdot x^2 + 2 \cdot x^4]]) / 4 - ((3 + \text{Sqrt}[2]) \cdot (1 + \text{Sqrt}[2] \cdot x^2) \cdot \text{Sqrt}[(1 + 2 \cdot x^2 + 2 \cdot x^4) / (1 + \text{Sqrt}[2] \cdot x^2)^2] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[2^{1/4} \cdot x], (2 - \text{Sqrt}[2]) / 4]) / (14 \cdot 2^{3/4} \cdot \text{Sqrt}[1 + 2 \cdot x^2 + 2 \cdot x^4]) + ((3 + \text{Sqrt}[2])^2 \cdot (1 + \text{Sqrt}[2] \cdot x^2) \cdot \text{Sqrt}[(1 + 2 \cdot x^2 + 2 \cdot x^4) / (1 + \text{Sqrt}[2] \cdot x^2)^2] \cdot \text{EllipticPi}[(12 - 11 \cdot \text{Sqrt}[2]) / 24, 2 \cdot \text{ArcTan}[2^{1/4} \cdot x], (2 - \text{Sqrt}[2]) / 4]) / (56 \cdot 2^{1/4} \cdot \text{Sqrt}[1 + 2 \cdot x^2 + 2 \cdot x^4])$

Rule 1103

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)(x_)^2 + (c_.)(x_)^4], x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[\frac{(1 + q^2 \cdot x^2) \cdot \text{Sqrt}[(a + b \cdot x^2 + c \cdot x^4) / (a \cdot (1 + q^2 \cdot x^2)^2)] \cdot \text{EllipticF}[2 \cdot \text{ArcTan}[q \cdot x], 1/2 - (b \cdot q^2) / (4 \cdot c)]}{(2 \cdot q \cdot \text{Sqrt}[a + b \cdot x^2 + c \cdot x^4])}]$

), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1319

Int[(x_)^2/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, -Dist[(a*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*d*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && PosQ[c/a] && NeQ[c*d^2 - a*e^2, 0]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\int \frac{x^2}{(3 + 2x^2)\sqrt{1 + 2x^2 + 2x^4}} dx = -\left(\frac{1}{14}(2 + 3\sqrt{2})\int \frac{1}{\sqrt{1 + 2x^2 + 2x^4}} dx\right) + \frac{1}{14}(3(2 + 3\sqrt{2}))\int \frac{1 + x^2}{(3 + 2x^2)\sqrt{1 + 2x^2 + 2x^4}} dx$$

$$= -\frac{1}{4}\sqrt{\frac{3}{5}}\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1 + 2x^2 + 2x^4}}\right) - \frac{(3 + \sqrt{2})(1 + \sqrt{2}x^2)\sqrt{\frac{1 + 2x^2 + 2x^4}{(1 + \sqrt{2}x^2)^2}}F\left(2\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1 + 2x^2 + 2x^4}}\right)\right)}{14\cdot 2^{3/4}\sqrt{1 + 2x^2 + 2x^4}}$$

Mathematica [C] time = 0.12, size = 99, normalized size = 0.40

$$\frac{(1 - i)^{3/2}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}\left(F\left(i\sinh^{-1}(\sqrt{1 - ix})\middle|i\right) - \Pi\left(\frac{1}{3} + \frac{i}{3}; i\sinh^{-1}(\sqrt{1 - ix})\middle|i\right)\right)}{4\sqrt{2x^4 + 2x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]),x]

[Out] $((1 - I)^{3/2} \sqrt{1 + (1 - I)x^2} \sqrt{1 + (1 + I)x^2} (\text{EllipticF}[I \cdot \text{ArcSinh}[\sqrt{1 - I}x], I] - \text{EllipticPi}[1/3 + I/3, I \cdot \text{ArcSinh}[\sqrt{1 - I}x], I])) / (4 \sqrt{1 + 2x^2 + 2x^4})$

fricas [F] time = 1.38, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{2x^4 + 2x^2 + 1} x^2}{4x^6 + 10x^4 + 8x^2 + 3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(2*x^4 + 2*x^2 + 1)*x^2/(4*x^6 + 10*x^4 + 8*x^2 + 3), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{2x^4 + 2x^2 + 1} (2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="giac")`

[Out] `integrate(x^2/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)), x)`

maple [C] time = 0.01, size = 134, normalized size = 0.54

$$\frac{\sqrt{(1-i)x^2+1} \sqrt{(1+i)x^2+1} \text{EllipticF}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{2\sqrt{-1+i} \sqrt{2x^4+2x^2+1}} - \frac{\sqrt{-ix^2+x^2+1} \sqrt{ix^2+x^2+1} \text{EllipticPi}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{2\sqrt{-1+i} \sqrt{2x^4+2x^2+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x)`

[Out] $1/2/(-1+I)^{1/2} * ((-1-I)x^2+1)^{1/2} * ((1+I)x^2+1)^{1/2} / (2x^4+2x^2+1)^{1/2} * \text{EllipticF}((-1+I)^{1/2}x, 1/2*2^{1/2}+1/2*I*2^{1/2}) - 1/2/(-1+I)^{1/2} * (-I*x^2+x^2+1)^{1/2} * (I*x^2+x^2+1)^{1/2} / (2x^4+2x^2+1)^{1/2} * \text{EllipticPi}((-1+I)^{1/2}x, 1/3+1/3*I, (-1-I)^{1/2}/(-1+I)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{2x^4 + 2x^2 + 1} (2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)),x)

[Out] int(x^2/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(2*x**2+3)/(2*x**4+2*x**2+1)**(1/2),x)

[Out] Integral(x**2/((2*x**2 + 3)*sqrt(2*x**4 + 2*x**2 + 1)), x)

$$3.339 \quad \int \frac{1}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$$

Optimal. Leaf size=245

$$\frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{2\sqrt{15}} + \frac{(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\middle|\frac{1}{4}(2-\sqrt{2})\right)}{14\sqrt[4]{2}\sqrt{2x^4+2x^2+1}} \frac{(3+\sqrt{2})^2(\sqrt{2}x^2+1)}{1}$$

[Out] 1/30*arctan(1/3*x*15^(1/2)/(2*x^4+2*x^2+1)^(1/2))*15^(1/2)+1/28*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(3+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)-1/168*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2-11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(3+2^(1/2))^2*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(3/4)/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.11, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1216, 1103, 1706}

$$\frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{2\sqrt{15}} + \frac{(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\middle|\frac{1}{4}(2-\sqrt{2})\right)}{14\sqrt[4]{2}\sqrt{2x^4+2x^2+1}} \frac{(3+\sqrt{2})^2(\sqrt{2}x^2+1)}{1}$$

Antiderivative was successfully verified.

[In] Int[1/((3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]),x]

[Out] ArcTan[(Sqrt[5/3]*x)/Sqrt[1 + 2*x^2 + 2*x^4]]/(2*Sqrt[15]) + ((3 + Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(14*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - ((3 + Sqrt[2])^2*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticPi[(12 - 11*Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(84*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

```
Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]
```

Rule 1706

```
Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol]
:> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)])/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rubi steps

$$\int \frac{1}{(3 + 2x^2)\sqrt{1 + 2x^2 + 2x^4}} dx = \frac{1}{7}(3 + \sqrt{2}) \int \frac{1}{\sqrt{1 + 2x^2 + 2x^4}} dx - \frac{1}{7}(2 + 3\sqrt{2}) \int \frac{1 + \sqrt{2}x^2}{(3 + 2x^2)\sqrt{1 + 2x^2 + 2x^4}} dx$$

$$= \frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right)}{2\sqrt{15}} + \frac{(3 + \sqrt{2})(1 + \sqrt{2}x^2)\sqrt{\frac{1+2x^2+2x^4}{(1+\sqrt{2}x^2)^2}} F\left(2 \tan^{-1}(\sqrt{2}x)\right) \frac{1}{4}}{14\sqrt{2}\sqrt{1 + 2x^2 + 2x^4}}$$

Mathematica [C] time = 0.06, size = 80, normalized size = 0.33

$$\frac{i\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}\Pi\left(\frac{1}{3} + \frac{i}{3}; i \sinh^{-1}(\sqrt{1 - i}x)\right)}{3\sqrt{1 - i}\sqrt{2x^4 + 2x^2 + 1}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]), x]
```

```
[Out] ((-1/3*I)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(Sqrt[1 - I]*Sqrt[1 + 2*x^2 + 2*x^4])
```

fricas [F] time = 1.25, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}}{4x^6 + 10x^4 + 8x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(4*x^6 + 10*x^4 + 8*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2x^4 + 2x^2 + 1}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)), x)

maple [C] time = 0.01, size = 70, normalized size = 0.29

$$\frac{\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticPi}\left(\sqrt{-1 + i} x, \frac{1}{3} + \frac{i}{3}, \frac{\sqrt{-1-i}}{\sqrt{-1+i}}\right)}{3\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x)

[Out] 1/3/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi((-1+I)^(1/2)*x,1/3+1/3*I,(-1-I)^(1/2)/(-1+I)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2x^4 + 2x^2 + 1}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)

[Out] int(1/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x**2+3)/(2*x**4+2*x**2+1)**(1/2), x)

[Out] Integral(1/((2*x**2 + 3)*sqrt(2*x**4 + 2*x**2 + 1)), x)

$$3.340 \quad \int \frac{1}{x^2(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$$

Optimal. Leaf size=399

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} - \frac{\sqrt{2x^4+2x^2+1}}{3x} - \frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{3\sqrt{15}} + \frac{(5-3\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\tan^{-1}\left(\frac{\sqrt{2}x^2+1}{\sqrt{2x^4+2x^2+1}}\right)\right)}{21\cdot 2^{3/4}\sqrt{2x^4+2x^2+1}}$$

[Out] $-1/45*\arctan(1/3*x*15^{(1/2)/(2*x^4+2*x^2+1)^{(1/2)}}*15^{(1/2)}-1/3*(2*x^4+2*x^2+1)^{(1/2)}/x+1/3*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)/(1+x^2*2^{(1/2)})}-1/3*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)/(2*x^4+2*x^2+1)^{(1/2)}+1/42*2^{(1/4)}*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(5-3*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)/(2*x^4+2*x^2+1)^{(1/2)}+1/252*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)}*(3+2^{(1/2)})^2*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(3/4)/(2*x^4+2*x^2+1)^{(1/2)})$

Rubi [A] time = 0.35, antiderivative size = 399, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1329, 1714, 1195, 1708, 1103, 1706}

$$\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} - \frac{\sqrt{2x^4+2x^2+1}}{3x} - \frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{3\sqrt{15}} + \frac{(5-3\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\tan^{-1}\left(\frac{\sqrt{2}x^2+1}{\sqrt{2x^4+2x^2+1}}\right)\right)}{21\cdot 2^{3/4}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]),x]

[Out] $-\text{Sqrt}[1 + 2*x^2 + 2*x^4]/(3*x) + (\text{Sqrt}[2]*x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(3*(1 + \text{Sqrt}[2]*x^2)) - \text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4]]/(3*\text{Sqrt}[15]) - (2^{(1/4)}*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(3*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + ((5 - 3*\text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(21*2^{(3/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + ((3 + \text{Sqrt}[2])^2*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticPi}[(12 - 11*\text{Sqrt}[2])/24, 2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(126*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4])$

Rule 1103

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1195

```
Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]
```

Rule 1329

```
Int[(x_)^(m_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := Simp[(x^(m + 1)*Sqrt[a + b*x^2 + c*x^4])/(a*d*(m + 1)), x] - Dist[1/(a*d*(m + 1)), Int[(x^(m + 2)*Simp[a*e*(m + 1) + b*d*(m + 2) + (b*e*(m + 2) + c*d*(m + 3))*x^2 + c*e*(m + 3)*x^4, x])/(d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[m/2, 0]
```

Rule 1706

```
Int[((A_) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2)/(4*d*e*A*B)], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]
```

Rule 1708

```
Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q) - a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0]
```

] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]

Rule 1714

Int[(P4x_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4])
, x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2]/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]

Rubi steps

$$\begin{aligned} \int \frac{1}{x^2(3+2x^2)\sqrt{1+2x^2+2x^4}} dx &= -\frac{\sqrt{1+2x^2+2x^4}}{3x} + \frac{1}{3} \int \frac{-2+6x^2+4x^4}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\ &= -\frac{\sqrt{1+2x^2+2x^4}}{3x} + \frac{1}{12} \int \frac{-8+12\sqrt{2}+(24-4(6-2\sqrt{2}))x^2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx - \frac{1}{3}\sqrt{2} \\ &= -\frac{\sqrt{1+2x^2+2x^4}}{3x} + \frac{\sqrt{2}x\sqrt{1+2x^2+2x^4}}{3(1+\sqrt{2}x^2)} - \frac{\sqrt{2}(1+\sqrt{2}x^2)\sqrt{\frac{1+2x^2+2x^4}{(1+\sqrt{2}x^2)^2}}}{3\sqrt{1+2x^2+2x^4}} \\ &= -\frac{\sqrt{1+2x^2+2x^4}}{3x} + \frac{\sqrt{2}x\sqrt{1+2x^2+2x^4}}{3(1+\sqrt{2}x^2)} - \frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right)}{3\sqrt{15}} - \frac{\sqrt{2}(1+\sqrt{2}x^2)}{3\sqrt{1+2x^2+2x^4}} \end{aligned}$$

Mathematica [C] time = 0.22, size = 147, normalized size = 0.37

$$\frac{i\left(\sqrt{1-ix}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}\left(-3F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right)+3E\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right)-(1+i)\Pi\left(\frac{1}{3}\right)\right)\right)}{9x\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]),x]

[Out] ((-1/9*I)*((-3*I)*(1 + 2*x^2 + 2*x^4) + Sqrt[1 - I]*x*Sqrt[1 + (1 - I)*x^2]
*Sqrt[1 + (1 + I)*x^2]*(3*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - 3*Ellipt

`icF[I*ArcSinh[Sqrt[1 - I]*x], I] - (1 + I)*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I]]/(x*Sqrt[1 + 2*x^2 + 2*x^4])`

fricas [F] time = 1.31, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}}{4x^8 + 10x^6 + 8x^4 + 3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="fricas")`

[Out] `integral(sqrt(2*x^4 + 2*x^2 + 1)/(4*x^8 + 10*x^6 + 8*x^4 + 3*x^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2x^4 + 2x^2 + 1}(2x^2 + 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="giac")`

[Out] `integrate(1/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)*x^2), x)`

maple [C] time = 0.02, size = 178, normalized size = 0.45

$$\frac{2\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticPi}\left(\sqrt{-1 + i} x, \frac{1}{3} + \frac{i}{3}, \frac{\sqrt{-1-i}}{\sqrt{-1+i}}\right)}{9\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} - \frac{\sqrt{2x^4 + 2x^2 + 1}}{3x} + \frac{\left(-\frac{1}{3} + \frac{i}{3}\right) \sqrt{(1 - i)x^2 + 1}}{3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x)`

[Out] `-1/3*(2*x^4+2*x^2+1)^(1/2)/x+(-1/3+1/3*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2)))-2/9/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi((-1+I)^(1/2)*x,1/3+1/3*I,(-1-I)^(1/2)/(-1+I)^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2x^4 + 2x^2 + 1}(2x^2 + 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 (2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)),x)

[Out] int(1/(x^2*(2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(2*x**2+3)/(2*x**4+2*x**2+1)**(1/2),x)

[Out] Integral(1/(x**2*(2*x**2 + 3)*sqrt(2*x**4 + 2*x**2 + 1)), x)

$$3.341 \quad \int \frac{1}{x^4(3+2x^2)\sqrt{1+2x^2+2x^4}} dx$$

Optimal. Leaf size=422

$$\frac{2\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} + \frac{2\sqrt{2x^4+2x^2+1}}{3x} + \frac{2 \tan^{-1}\left(\frac{\sqrt{5}x}{\sqrt{2x^4+2x^2+1}}\right)}{9\sqrt{15}} - \frac{(1+19\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2 \tan^{-1}\left(\frac{\sqrt{5}x}{\sqrt{2x^4+2x^2+1}}\right)\right)}{63\sqrt[4]{2}\sqrt{2x^4+2x^2+1}}$$

[Out] $2/135*\arctan(1/3*x*15^{(1/2)/(2*x^4+2*x^2+1)^{(1/2)}}*15^{(1/2)}-1/9*(2*x^4+2*x^2+1)^{(1/2)}/x^3+2/3*(2*x^4+2*x^2+1)^{(1/2)}/x-2/3*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})+2/3*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}-1/378*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})^2*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(3/4)}/(2*x^4+2*x^2+1)^{(1/2)}-1/126*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+19*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(3/4)}/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.52, antiderivative size = 422, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1329, 1683, 1714, 1195, 1708, 1103, 1706}

$$\frac{2\sqrt{2}\sqrt{2x^4+2x^2+1}x}{3(\sqrt{2}x^2+1)} + \frac{2\sqrt{2x^4+2x^2+1}}{3x} - \frac{\sqrt{2x^4+2x^2+1}}{9x^3} + \frac{2 \tan^{-1}\left(\frac{\sqrt{5}x}{\sqrt{2x^4+2x^2+1}}\right)}{9\sqrt{15}} - \frac{(1+19\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{63\sqrt[4]{2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]),x]

[Out] $-\text{Sqrt}[1 + 2*x^2 + 2*x^4]/(9*x^3) + (2*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(3*x) - (2*\text{Sqrt}[2]*x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(3*(1 + \text{Sqrt}[2]*x^2)) + (2*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4]])/(9*\text{Sqrt}[15]) + (2*2^{(1/4)}*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(3*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - ((1 + 19*\text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(63*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - ((3 + \text{Sqrt}[2])^2*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2])$

2]*EllipticPi[(12 - 11*Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/ (189*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] :> With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1329

Int[(x_)^(m_)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> Simp[(x^(m + 1)*Sqrt[a + b*x^2 + c*x^4])/(a*d*(m + 1)), x] - Dist[1/(a*d*(m + 1)), Int[(x^(m + 2)*Simp[a*e*(m + 1) + b*d*(m + 2) + (b*e*(m + 2) + c*d*(m + 3))*x^2 + c*e*(m + 3)*x^4, x])/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && ILtQ[m/2, 0]

Rule 1683

Int[((Px_)*(x_)^(m_))/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{A = Coeff[Px, x, 0], B = Coeff[Px, x, 2], C = Coeff[Px, x, 4]}, Simp[(A*x^(m + 1)*Sqrt[a + b*x^2 + c*x^4])/(a*d*(m + 1)), x] + Dist[1/(a*d*(m + 1)), Int[(x^(m + 2))/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4])*Simp[a*B*d*(m + 1) - A*(a*e*(m + 1) + b*d*(m + 2)) + (a*C*d*(m + 1) - A*(b*e*(m + 2) + c*d*(m + 3)))*x^2 - A*c*e*(m + 3)*x^4, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Px, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && ILtQ[m/2, 0]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] :> With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]])/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))]/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*

```
d*e*A*B)), 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2
+ c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] &&
NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ
[c*A^2 - a*B^2, 0]
```

Rule 1708

```
Int[((A_.) + (B_.)*(x_)^2)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2
+ (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(A*(c*d + a*e*q)
- a*B*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] +
Dist[(a*(B*d - A*e)*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)
)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && N
eQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0
] && PosQ[c/a] && NeQ[c*A^2 - a*B^2, 0]
```

Rule 1714

```
Int[(P4x_)/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4])
, x_Symbol] := With[{q = Rt[c/a, 2], A = Coeff[P4x, x, 0], B = Coeff[P4x, x
, 2], C = Coeff[P4x, x, 4]}, -Dist[C/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2
+ c*x^4], x], x] + Dist[1/(c*e), Int[(A*c*e + a*C*d*q + (B*c*e - C*(c*d - a
*e*q))*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b,
c, d, e}, x] && PolyQ[P4x, x^2, 2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*
d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && !GtQ[b^2 - 4*a*c,
0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4(3+2x^2)\sqrt{1+2x^2+2x^4}} dx &= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{1}{9} \int \frac{-18-14x^2-4x^4}{x^2(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{2\sqrt{1+2x^2+2x^4}}{3x} - \frac{1}{27} \int \frac{6+120x^2+72x^4}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{2\sqrt{1+2x^2+2x^4}}{3x} - \frac{1}{108} \int \frac{24+216\sqrt{2}+(480-72\sqrt{2})x^2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{2\sqrt{1+2x^2+2x^4}}{3x} - \frac{2\sqrt{2}x\sqrt{1+2x^2+2x^4}}{3(1+\sqrt{2}x^2)} + \frac{2\sqrt[4]{2}}{3} \operatorname{arctan}\left(\frac{\sqrt{2}x}{1+\sqrt{2}x^2}\right) \\
&= -\frac{\sqrt{1+2x^2+2x^4}}{9x^3} + \frac{2\sqrt{1+2x^2+2x^4}}{3x} - \frac{2\sqrt{2}x\sqrt{1+2x^2+2x^4}}{3(1+\sqrt{2}x^2)} + \frac{2 \tan^{-1}\left(\frac{\sqrt{2}x}{1+\sqrt{2}x^2}\right)}{3}
\end{aligned}$$

Mathematica [C] time = 0.18, size = 219, normalized size = 0.52

$$\frac{36x^6 + 30x^4 + 12x^2 - (3 + 15i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}x^3F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right) + 18i\sqrt{1-i}\sqrt{1+(1+i)x^2}}{2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*(3 + 2*x^2)*Sqrt[1 + 2*x^2 + 2*x^4]),x]

[Out] $(-3 + 12x^2 + 30x^4 + 36x^6 + (18I)\sqrt{1-I}x^3\sqrt{1+(1-I)x^2})\sqrt{1+(1+I)x^2}\operatorname{EllipticE}[I\operatorname{ArcSinh}[\sqrt{1-I}x], I] - (3 + 15I)\sqrt{1-I}x^3\sqrt{1+(1-I)x^2}\sqrt{1+(1+I)x^2}\operatorname{EllipticF}[I\operatorname{ArcSinh}[\sqrt{1-I}x], I] + 2(1-I)^{3/2}x^3\sqrt{1+(1-I)x^2}\sqrt{1+(1+I)x^2}\operatorname{EllipticPi}[1/3 + I/3, I\operatorname{ArcSinh}[\sqrt{1-I}x], I]/(27x^3\sqrt{1+2x^2+2x^4})$

fricas [F] time = 1.36, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{2x^4+2x^2+1}}{4x^{10}+10x^8+8x^6+3x^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="fricas")
 [Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(4*x^10 + 10*x^8 + 8*x^6 + 3*x^4), x)
giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2x^4 + 2x^2 + 1} (2x^2 + 3)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="giac")
 [Out] integrate(1/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)*x^4), x)
maple [C] time = 0.01, size = 260, normalized size = 0.62

$$\frac{2\sqrt{(1-i)x^2+1} \sqrt{(1+i)x^2+1} \operatorname{EllipticF}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{9\sqrt{-1+i} \sqrt{2x^4+2x^2+1}} + \frac{4\sqrt{-ix^2+x^2+1} \sqrt{ix^2+x^2+1} \operatorname{EllipticPi}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{27\sqrt{-1+i} \sqrt{2x^4+2x^2+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x)
 [Out] 2/3*(2*x^4+2*x^2+1)^(1/2)/x+(2/3-2/3*I)/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*(EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))-EllipticE((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2)))+4/27/(-1+I)^(1/2)*(-I*x^2+x^2+1)^(1/2)*(I*x^2+x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticPi((-1+I)^(1/2)*x,1/3+1/3*I,(-1-I)^(1/2)/(-1+I)^(1/2))-1/9*(2*x^4+2*x^2+1)^(1/2)/x^3-2/9/(-1+I)^(1/2)*((1-I)*x^2+1)^(1/2)*((1+I)*x^2+1)^(1/2)/(2*x^4+2*x^2+1)^(1/2)*EllipticF((-1+I)^(1/2)*x,1/2*2^(1/2)+1/2*I*2^(1/2))
maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2x^4 + 2x^2 + 1} (2x^2 + 3)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(1/2),x, algorithm="maxima")
 [Out] integrate(1/(sqrt(2*x^4 + 2*x^2 + 1)*(2*x^2 + 3)*x^4), x)
mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4 (2x^2 + 3) \sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^4*(2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)`

[Out] `int(1/(x^4*(2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4(2x^2 + 3)\sqrt{2x^4 + 2x^2 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**4/(2*x**2+3)/(2*x**4+2*x**2+1)**(1/2), x)`

[Out] `Integral(1/(x**4*(2*x**2 + 3)*sqrt(2*x**4 + 2*x**2 + 1)), x)`

$$3.342 \quad \int \frac{x^7}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=236

$$\frac{x^2(2a^2ce - ab^2e - 3abcd + b^3d) + a(-abe - 2acd + b^2d)}{c(b^2 - 4ac)\sqrt{a + bx^2 + cx^4}(ae^2 - bde + cd^2)} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{2c^{3/2}e} - \frac{d^3 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e(ae^2 - bde + cd^2)^{3/2}}$$

[Out] $\frac{1}{2} \arctanh\left(\frac{1}{2} \frac{(2cx^2+b)/c^{1/2}}{(cx^4+bx^2+a)^{1/2}}\right) / c^{3/2} / e - \frac{1}{2} d^3 \arctanh\left(\frac{1}{2} \frac{(bd-2ae+(-b^2e+2cd)*x^2)/(ae^2-bde+cd^2)^{1/2}}{(cx^4+bx^2+a)^{1/2}}\right) / e / (ae^2-bde+cd^2)^{3/2} + \frac{a(-abe-2acd+b^2d) + (2a^2ce-ab^2e-3abcd+b^3d)}{c(b^2-4ac)\sqrt{a+bx^2+cx^4}(ae^2-bde+cd^2)} / (-4ac+b^2) / (ae^2-bde+cd^2) / (cx^4+bx^2+a)^{1/2}$

Rubi [A] time = 0.47, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 1646, 843, 621, 206, 724}

$$\frac{x^2(2a^2ce - ab^2e - 3abcd + b^3d) + a(-abe - 2acd + b^2d)}{c(b^2 - 4ac)\sqrt{a + bx^2 + cx^4}(ae^2 - bde + cd^2)} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{2\sqrt{c}\sqrt{a+bx^2+cx^4}}\right)}{2c^{3/2}e} - \frac{d^3 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2e(ae^2 - bde + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^7/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x]

[Out] $\frac{(a(b^2d - 2ac*d - ab^2e) + (b^3d - 3ab^2cd - ab^2e + 2a^2c^2e)*x^2)/(c(b^2 - 4ac)*(cd^2 - bde + ae^2)*\sqrt{a + bx^2 + cx^4}) + \text{ArcTanh}[(b + 2cx^2)/(2\sqrt{c}\sqrt{a + bx^2 + cx^4})]/(2c^{3/2}e) - (d^3 * \text{ArcTanh}[(bd - 2ae + (2cd - b^2e)*x^2)/(2\sqrt{cd^2 - bde + ae^2}*\sqrt{a + bx^2 + cx^4})])/(2e*(cd^2 - bde + ae^2)^{3/2})$

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 621

Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Dist[2, Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a,

b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 724

Int[1/(((d_.) + (e_.)*(x_.))*Sqrt[(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 843

Int[((d_.) + (e_.)*(x_.))^(m_.)*((f_.) + (g_.)*(x_.))*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] := Dist[g/e, Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] + Dist[(e*f - d*g)/e, Int[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IGtQ[m, 0]

Rule 1251

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1646

Int[(Pq_)*((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m - ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

[In] integrate(x^7/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out]
$$\frac{1}{4} \left((a^3 b^2 c^2 - 4 a^2 b^2 c^3) d^4 - 2 (a^3 b^3 c - 4 a^2 b^2 c^2) d^3 e + (a^4 b^4 - 2 a^2 b^2 c^2 - 8 a^3 c^2) d^2 e^2 - 2 (a^2 b^3 - 4 a^3 b^2 c) d e^3 + (a^3 b^2 - 4 a^4 c) e^4 + ((b^2 c^3 - 4 a c^4) d^4 - 2 (b^3 c^2 - 4 a b^2 c^3) d^3 e + (b^4 c - 2 a b^2 c^2 - 8 a^2 c^3) d^2 e^2 - 2 (a b^3 c - 4 a^2 b^2 c^2) d e^3 + (a^2 b^2 c - 4 a^3 c^2) e^4 \right) x^4 + ((b^3 c^2 - 4 a b^2 c^3) d^4 - 2 (b^4 c - 4 a b^2 c^2) d^3 e + (b^5 - 2 a b^3 c - 8 a^2 b^2 c^2) d^2 e^2 - 2 (a b^4 - 4 a^2 b^2 c) d e^3 + (a^2 b^3 - 4 a^3 b^2 c) e^4) x^2 \sqrt{c} \log(-8 c^2 x^4 - 8 b c x^2 - b^2 - 4 \sqrt{c x^4 + b x^2 + a} (2 c x^2 + b) \sqrt{c} - 4 a c) + ((b^2 c^3 - 4 a c^4) d^3 x^4 + (b^3 c^2 - 4 a b^2 c^3) d^3 x^2 + (a b^2 c^2 - 4 a^2 c^3) d^3) \sqrt{c d^2 - b d e + a e^2} \log(-((8 c^2 d^2 - 8 b c d e + (b^2 + 4 a c) e^2) x^4 - 8 a b d e + 8 a^2 e^2 + (b^2 + 4 a c) d^2 + 2 (4 b c d^2 + 4 a b e^2 - (3 b^2 + 4 a c) d e) x^2 - 4 \sqrt{c x^4 + b x^2 + a} \sqrt{c d^2 - b d e + a e^2} ((2 c d - b e) x^2 + b d - 2 a e)) / (e^2 x^4 + 2 d e x^2 + d^2)) - 4 (a^3 b^2 c^2 e^4 - (a b^2 c^2 - 2 a^2 c^3) d^3 e + (a b^3 c - a^2 b^2 c^2) d^2 e^2 - 2 (a^2 b^2 c - a^3 c^2) d e^3 - ((b^3 c^2 - 3 a b^2 c^3) d^3 e - (b^4 c - 2 a b^2 c^2 - 2 a^2 c^3) d^2 e^2 + (2 a b^3 c - 5 a^2 b^2 c^2) d e^3 - (a^2 b^2 c - 2 a^3 c^2) e^4) x^2) \sqrt{c x^4 + b x^2 + a} / ((a b^2 c^4 - 4 a^2 c^5) d^4 e - 2 (a b^3 c^3 - 4 a^2 b^2 c^4) d^3 e^2 + (a b^4 c^2 - 2 a^2 b^2 c^3 - 8 a^3 c^4) d^2 e^3 - 2 (a^2 b^3 c^2 - 4 a^3 b^2 c^3) d e^4 + (a^3 b^2 c^2 - 4 a^4 c^3) e^5 + ((b^2 c^5 - 4 a c^6) d^4 e - 2 (b^3 c^4 - 4 a b^2 c^5) d^3 e^2 + (b^4 c^3 - 2 a b^2 c^4 - 8 a^2 c^5) d^2 e^3 - 2 (a b^3 c^3 - 4 a^2 b^2 c^4) d e^4 + (a^2 b^2 c^3 - 4 a^3 c^4) e^5) x^4 + ((b^3 c^4 - 4 a b^2 c^5) d^4 e - 2 (b^4 c^3 - 4 a b^2 c^4) d^3 e^2 + (b^5 c^2 - 2 a b^3 c^3 - 8 a^2 b^2 c^4) d^2 e^3 - 2 (a b^4 c^2 - 4 a^2 b^2 c^3) d e^4 + (a^2 b^3 c^2 - 4 a^3 b^2 c^3) e^5) x^2, -1/4 (2 ((b^2 c^3 - 4 a c^4) d^3 x^4 + (b^3 c^2 - 4 a b^2 c^3) d^3 x^2 + (a b^2 c^2 - 4 a^2 c^3) d^3) \sqrt{-c d^2 + b d e - a e^2} \arctan(-1/2 \sqrt{c x^4 + b x^2 + a} \sqrt{-c d^2 + b d e - a e^2} ((2 c d - b e) x^2 + b d - 2 a e) / ((c^2 d^2 - b c d e + a c e^2) x^4 + a c d^2 - a b d e + a^2 e^2 + (b c d^2 - b^2 d e + a b e^2) x^2)) - ((a b^2 c^2 - 4 a^2 c^3) d^4 - 2 (a b^3 c - 4 a^2 b^2 c^2) d^3 e + (a b^4 - 2 a^2 b^2 c - 8 a^3 c^2) d^2 e^2 - 2 (a^2 b^3 - 4 a^3 b^2 c) d e^3 + (a^3 b^2 - 4 a^4 c) e^4 + ((b^2 c^3 - 4 a c^4) d^4 - 2 (b^3 c^2 - 4 a b^2 c^3) d^3 e + (b^4 c - 2 a b^2 c^2 - 8 a^2 c^3) d^2 e^2 - 2 (a b^3 c - 4 a^2 b^2 c^2) d e^3 + (a^2 b^2 c - 4 a^3 c^2) e^4) x^4 + ((b^3 c^2 - 4 a b^2 c^3) d^4 - 2 (b^4 c - 4 a b^2 c^2) d^3 e + (b^5 - 2 a b^3 c - 8 a^2 b^2 c^2) d^2 e^2 - 2 (a b^4 - 4 a^2 b^2 c) d e^3 + (a^2 b^3 - 4 a^3 b^2 c) e^4) x^2) \sqrt{c} \log(-8 c^2 x^4 - 8 b c x^2 - b^2 - 4 \sqrt{c x^4 + b x^2 + a} (2 c x^2 + b) \sqrt{c} - 4 a c) + 4 (a^3 b^2 c^2 e^4 - (a b^2 c^2 - 2 a^2 c^3) d^3 e + (a b^3 c - a^2 b^2 c^2) d^2 e^2 - 2 (a^2 b^2 c - a^3 c^2) d e^3 - ((b^3 c^2 - 3 a b^2 c^3) d^3 e - (b^4 c - 2 a b^2 c^2 - 2 a^2 c^3) d^2 e^2 + (2 a b^3 c - 5 a^2 b^2 c^2) d e^3 - (a^2 b^2 c - 2 a^3 c^2) e^4) x^2) \sqrt{c x^4 + b x^2 + a} / ((a b^2 c^4 - 4 a^2 c^5) d^4 e - 2 (a b^3 c^3 - 4 a^2 b^2 c^4) d^3 e^2 + (a b^4 c^2 - 2 a^2 b^2 c^3 - 8 a^3 c^4) d^2 e^3 - 2 (a^2 b^3 c^2 - 4 a^3 b^2 c^3) d e^4 + (a^3 b^2 c^2 - 4 a^4 c^3) e^5 + ((b^2 c^5 - 4 a c^6) d^4 e - 2 (b^3 c^4 - 4 a b^2 c^5) d^3 e^2 + (b^4 c^3 - 2 a b^2 c^4 - 8 a^2 c^5) d^2 e^3 - 2 (a b^3 c^3 - 4 a^2 b^2 c^4) d e^4 + (a^2 b^2 c^3 - 4 a^3 c^4) e^5) x^4 + ((b^3 c^4 - 4 a b^2 c^5) d^4 e - 2 (b^4 c^3 - 4 a b^2 c^4) d^3 e^2 + (b^5 c^2 - 2 a b^3 c^3 - 8 a^2 b^2 c^4) d^2 e^3 - 2 (a b^4 c^2 - 4 a^2 b^2 c^3) d e^4 + (a^2 b^3 c^2 - 4 a^3 b^2 c^3) e^5) x^2$$

$$\begin{aligned}
&) * d * e^4 + (a^3 * b^2 * c^2 - 4 * a^4 * c^3) * e^5 + ((b^2 * c^5 - 4 * a * c^6) * d^4 * e - 2 * (b^3 * c^4 - 4 * a * b * c^5) * d^3 * e^2 + (b^4 * c^3 - 2 * a * b^2 * c^4 - 8 * a^2 * c^5) * d^2 * e^3 - \\
& 2 * (a * b^3 * c^3 - 4 * a^2 * b * c^4) * d * e^4 + (a^2 * b^2 * c^3 - 4 * a^3 * c^4) * e^5) * x^4 + (\\
& (b^3 * c^4 - 4 * a * b * c^5) * d^4 * e - 2 * (b^4 * c^3 - 4 * a * b^2 * c^4) * d^3 * e^2 + (b^5 * c^2 - \\
& 2 * a * b^3 * c^3 - 8 * a^2 * b * c^4) * d^2 * e^3 - 2 * (a * b^4 * c^2 - 4 * a^2 * b^2 * c^3) * d * e^4 + \\
& (a^2 * b^3 * c^2 - 4 * a^3 * b * c^3) * e^5) * x^2), -1/4 * (2 * ((a * b^2 * c^2 - 4 * a^2 * c^3) * d^4 \\
& - 2 * (a * b^3 * c - 4 * a^2 * b * c^2) * d^3 * e + (a * b^4 - 2 * a^2 * b^2 * c - 8 * a^3 * c^2) * d^2 \\
& * e^2 - 2 * (a^2 * b^3 - 4 * a^3 * b * c) * d * e^3 + (a^3 * b^2 - 4 * a^4 * c) * e^4 + ((b^2 * c^3 - \\
& 4 * a * c^4) * d^4 - 2 * (b^3 * c^2 - 4 * a * b * c^3) * d^3 * e + (b^4 * c - 2 * a * b^2 * c^2 - 8 * \\
& a^2 * c^3) * d^2 * e^2 - 2 * (a * b^3 * c - 4 * a^2 * b * c^2) * d * e^3 + (a^2 * b^2 * c - 4 * a^3 * c^2) * \\
& e^4) * x^4 + ((b^3 * c^2 - 4 * a * b * c^3) * d^4 - 2 * (b^4 * c - 4 * a * b^2 * c^2) * d^3 * e + (\\
& b^5 - 2 * a * b^3 * c - 8 * a^2 * b * c^2) * d^2 * e^2 - 2 * (a * b^4 - 4 * a^2 * b^2 * c) * d * e^3 + (a^2 * b^3 - \\
& 4 * a^3 * b * c) * e^4) * x^2) * \text{sqrt}(-c) * \text{arctan}(1/2 * \text{sqrt}(c * x^4 + b * x^2 + a) * (\\
& 2 * c * x^2 + b) * \text{sqrt}(-c) / (c^2 * x^4 + b * c * x^2 + a * c)) - ((b^2 * c^3 - 4 * a * c^4) * d^3 \\
& * x^4 + (b^3 * c^2 - 4 * a * b * c^3) * d^3 * x^2 + (a * b^2 * c^2 - 4 * a^2 * c^3) * d^3) * \text{sqrt}(c * \\
& d^2 - b * d * e + a * e^2) * \log(-((8 * c^2 * d^2 - 8 * b * c * d * e + (b^2 + 4 * a * c) * e^2) * x^4 \\
& - 8 * a * b * d * e + 8 * a^2 * e^2 + (b^2 + 4 * a * c) * d^2 + 2 * (4 * b * c * d^2 + 4 * a * b * e^2 - (3 * \\
& b^2 + 4 * a * c) * d * e) * x^2 - 4 * \text{sqrt}(c * x^4 + b * x^2 + a) * \text{sqrt}(c * d^2 - b * d * e + a * e^2) * \\
& ((2 * c * d - b * e) * x^2 + b * d - 2 * a * e)) / (e^2 * x^4 + 2 * d * e * x^2 + d^2)) + 4 * (a^3 * b * c * e^4 - \\
& (a * b^2 * c^2 - 2 * a^2 * c^3) * d^3 * e + (a * b^3 * c - a^2 * b * c^2) * d^2 * e^2 - \\
& 2 * (a^2 * b^2 * c - a^3 * c^2) * d * e^3 - ((b^3 * c^2 - 3 * a * b * c^3) * d^3 * e - (b^4 * c - 2 * \\
& a * b^2 * c^2 - 2 * a^2 * c^3) * d^2 * e^2 + (2 * a * b^3 * c - 5 * a^2 * b * c^2) * d * e^3 - (a^2 * b^2 * \\
& c - 2 * a^3 * c^2) * e^4) * x^2) * \text{sqrt}(c * x^4 + b * x^2 + a) / ((a * b^2 * c^4 - 4 * a^2 * c^5) \\
& * d^4 * e - 2 * (a * b^3 * c^3 - 4 * a^2 * b * c^4) * d^3 * e^2 + (a * b^4 * c^2 - 2 * a^2 * b^2 * c^3 - \\
& 8 * a^3 * c^4) * d^2 * e^3 - 2 * (a^2 * b^3 * c^2 - 4 * a^3 * b * c^3) * d * e^4 + (a^3 * b^2 * c^2 - \\
& 4 * a^4 * c^3) * e^5 + ((b^2 * c^5 - 4 * a * c^6) * d^4 * e - 2 * (b^3 * c^4 - 4 * a * b * c^5) * d^3 * e^2 + \\
& (b^4 * c^3 - 2 * a * b^2 * c^4 - 8 * a^2 * c^5) * d^2 * e^3 - 2 * (a * b^3 * c^3 - 4 * a^2 * b * c^4) * d * e^4 + \\
& (a^2 * b^2 * c^3 - 4 * a^3 * c^4) * e^5) * x^4 + ((b^3 * c^4 - 4 * a * b * c^5) * d^4 \\
& * e - 2 * (b^4 * c^3 - 4 * a * b^2 * c^4) * d^3 * e^2 + (b^5 * c^2 - 2 * a * b^3 * c^3 - 8 * a^2 * b * c^4) * d^2 * e^3 - \\
& 2 * (a * b^4 * c^2 - 4 * a^2 * b^2 * c^3) * d * e^4 + (a^2 * b^3 * c^2 - 4 * a^3 * b * c^3) * e^5) * x^2), -1/2 * (((b^2 * c^3 - 4 * a * c^4) * d^3 * x^4 + \\
& (b^3 * c^2 - 4 * a * b * c^3) * d^3 * x^2 + (a * b^2 * c^2 - 4 * a^2 * c^3) * d^3) * \text{sqrt}(-c * d^2 + b * d * e - a * e^2) * \text{arctan} \\
& (-1/2 * \text{sqrt}(c * x^4 + b * x^2 + a) * \text{sqrt}(-c * d^2 + b * d * e - a * e^2) * ((2 * c * d - b * e) * x^2 + \\
& b * d - 2 * a * e) / ((c^2 * d^2 - b * c * d * e + a * c * e^2) * x^4 + a * c * d^2 - a * b * d * e + a^2 * e^2 + \\
& (b * c * d^2 - b^2 * d * e + a * b * e^2) * x^2)) + ((a * b^2 * c^2 - 4 * a^2 * c^3) * d^4 \\
& - 2 * (a * b^3 * c - 4 * a^2 * b * c^2) * d^3 * e + (a * b^4 - 2 * a^2 * b^2 * c - 8 * a^3 * c^2) * d^2 * \\
& e^2 - 2 * (a^2 * b^3 - 4 * a^3 * b * c) * d * e^3 + (a^3 * b^2 - 4 * a^4 * c) * e^4 + ((b^2 * c^3 - 4 * a * c^4) * d^4 - \\
& 2 * (b^3 * c^2 - 4 * a * b * c^3) * d^3 * e + (b^4 * c - 2 * a * b^2 * c^2 - 8 * a^2 * c^3) * d^2 * e^2 - \\
& 2 * (a * b^3 * c - 4 * a^2 * b * c^2) * d * e^3 + (a^2 * b^2 * c - 4 * a^3 * c^2) * e^4) * x^4 + ((b^3 * c^2 - 4 * a * b * c^3) * d^4 - \\
& 2 * (b^4 * c - 4 * a * b^2 * c^2) * d^3 * e + (b^5 - 2 * a * b^3 * c - 8 * a^2 * b * c^2) * d^2 * e^2 - 2 * (a * b^4 - 4 * a^2 * b^2 * c) * d * e^3 + \\
& (a^2 * b^3 - 4 * a^3 * b * c) * e^4) * x^2) * \text{sqrt}(-c) * \text{arctan}(1/2 * \text{sqrt}(c * x^4 + b * x^2 + a) * (2 * \\
& c * x^2 + b) * \text{sqrt}(-c) / (c^2 * x^4 + b * c * x^2 + a * c)) + 2 * (a^3 * b * c * e^4 - (a * b^2 * c^2 - 2 * a^2 * c^3) * d^3 * e + \\
& (a * b^3 * c - a^2 * b * c^2) * d^2 * e^2 - 2 * (a^2 * b^2 * c - a^3 * c^2) * d * e^3 - ((b^3 * c^2 - 3 * a * b * c^3) * d^3 * e - (b^4 * c - 2 * a * b^2 * c^2 - 2 * a^2 * c^3)
\end{aligned}$$

```

)*d^2*e^2 + (2*a*b^3*c - 5*a^2*b*c^2)*d*e^3 - (a^2*b^2*c - 2*a^3*c^2)*e^4)*
x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^4 - 4*a^2*c^5)*d^4*e - 2*(a*b^3*c^3
- 4*a^2*b*c^4)*d^3*e^2 + (a*b^4*c^2 - 2*a^2*b^2*c^3 - 8*a^3*c^4)*d^2*e^3 -
2*(a^2*b^3*c^2 - 4*a^3*b*c^3)*d*e^4 + (a^3*b^2*c^2 - 4*a^4*c^3)*e^5 + ((b^
2*c^5 - 4*a*c^6)*d^4*e - 2*(b^3*c^4 - 4*a*b*c^5)*d^3*e^2 + (b^4*c^3 - 2*a*b
^2*c^4 - 8*a^2*c^5)*d^2*e^3 - 2*(a*b^3*c^3 - 4*a^2*b*c^4)*d*e^4 + (a^2*b^2*
c^3 - 4*a^3*c^4)*e^5)*x^4 + ((b^3*c^4 - 4*a*b*c^5)*d^4*e - 2*(b^4*c^3 - 4*a
*b^2*c^4)*d^3*e^2 + (b^5*c^2 - 2*a*b^3*c^3 - 8*a^2*b*c^4)*d^2*e^3 - 2*(a*b^
4*c^2 - 4*a^2*b^2*c^3)*d*e^4 + (a^2*b^3*c^2 - 4*a^3*b*c^3)*e^5)*x^2)]

```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

maple [B] time = 0.06, size = 720, normalized size = 3.05

$$\frac{2c d^3 \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{\left(-be+2cd+\sqrt{-4ac+b^2}e\right)\left(be-2cd+\sqrt{-4ac+b^2}e\right)\sqrt{\frac{ae^2-deb+cd^2}{e^2}}e^2} + \frac{b^2x^2}{2(4ac-b^2)\sqrt{cx^4+bx^2+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x)

[Out]
$$\begin{aligned}
& -1/2/e*x^2/c/(c*x^4+b*x^2+a)^{(1/2)}+1/4/e*b/c^2/(c*x^4+b*x^2+a)^{(1/2)}+1/2/e* \\
& b^2/c/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)}*x^2+1/4/e*b^3/c^2/(4*a*c-b^2)/(c*x^ \\
& 4+b*x^2+a)^{(1/2)}+1/2/e/c^{(3/2)}*\ln((c*x^2+1/2*b)/c^{(1/2)}+(c*x^4+b*x^2+a)^{(1/ \\
& 2)))+d/e^2/(c*x^4+b*x^2+a)^{(1/2)}*(b*x^2+2*a)/(4*a*c-b^2)+d^2/e^3*(2*c*x^2+b \\
&)/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)}-2*d^3/e^3*c/(e*(-4*a*c+b^2)^{(1/2)}+b*e-2* \\
& c*d)/(-4*a*c+b^2)/(x^2+1/2*b/c+1/2*(-4*a*c+b^2)^{(1/2)}/c)*(c*(x^2+1/2*(b+(-4 \\
& *a*c+b^2)^{(1/2)}/c)^2-(-4*a*c+b^2)^{(1/2)}*(x^2+1/2*(b+(-4*a*c+b^2)^{(1/2)}/c) \\
&)^{(1/2)}-2*d^3/e^2*c/(e*(-4*a*c+b^2)^{(1/2)}-b*e+2*c*d)/(e*(-4*a*c+b^2)^{(1/2)}+ \\
& b*e-2*c*d)/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a \\
& *e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e \\
& -2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e))+2*d^3/e^3*c/ \\
& (e*(-4*a*c+b^2)^{(1/2)}-b*e+2*c*d)/(-4*a*c+b^2)/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)
\end{aligned}$$

$$\frac{1}{c} \left(\frac{c(x^2 - 1/2(-b + (-4ac + b^2)^{1/2}))}{c} \right)^2 + (-4ac + b^2)^{1/2} (x^2 - 1/2(-b + (-4ac + b^2)^{1/2})) \right)^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7}{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate(x^7/((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^7}{(ex^2 + d)(cx^4 + bx^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x)

[Out] int(x^7/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^7}{(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**7/(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2),x)

[Out] Integral(x**7/((d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)), x)

$$3.343 \quad \int \frac{x^5}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=167

$$\frac{d^2 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2(ae^2-bde+cd^2)^{3/2}} - \frac{x^2(-abe-2acd+b^2d)+a(bd-2ae)}{(b^2-4ac)\sqrt{a+bx^2+cx^4}(ae^2-bde+cd^2)}$$

[Out] $1/2*d^2*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)/(c*x^4+b*x^2+a)^{(1/2)})/(a*e^2-b*d*e+c*d^2)^{(3/2)+(-a*(-2*a*e+b*d)-(-a*b*e-2*a*c*d+b^2*d)*x^2)/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 1646, 12, 724, 206}

$$\frac{d^2 \tanh^{-1}\left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4}\sqrt{ae^2-bde+cd^2}}\right)}{2(ae^2-bde+cd^2)^{3/2}} - \frac{x^2(-abe-2acd+b^2d)+a(bd-2ae)}{(b^2-4ac)\sqrt{a+bx^2+cx^4}(ae^2-bde+cd^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5/((d+e*x^2)*(a+b*x^2+c*x^4)^{(3/2)}),x]$

[Out] $-((a*(b*d-2*a*e)+(b^2*d-2*a*c*d-a*b*e)*x^2)/((b^2-4*a*c)*(c*d^2-b*d*e+a*e^2)*\operatorname{Sqrt}[a+b*x^2+c*x^4]))+(d^2*\operatorname{ArcTanh}[(b*d-2*a*e+(2*c*d-b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2-b*d*e+a*e^2]*\operatorname{Sqrt}[a+b*x^2+c*x^4]))/(2*(c*d^2-b*d*e+a*e^2)^{(3/2)})$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 206

$\operatorname{Int}[(a_)+(b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt} Q[a, 0] \parallel \operatorname{Lt} Q[b, 0])$

Rule 724

$\operatorname{Int}[1/(((d_.)+(e_.)*(x_))*\operatorname{Sqrt}[(a_.)+(b_.)*(x_)+(c_.)*(x_)^2]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2-4*b*d*e+4*a*e^2-x^2), x], x, (2$

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 1251

$\text{Int}[(x_)^{(m_.)}*((d_) + (e_.)*(x_)^2)^{(q_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] := \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /;$ FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1646

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x_Symbol] := \text{With}[\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p+1)}\}/\{(p+1)*(b^2 - 4*a*c)\}, x] + \text{Dist}[1/\{(p+1)*(b^2 - 4*a*c)\}, \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^{(p+1)}*\text{ExpandToSum}[\{(p+1)*(b^2 - 4*a*c)*Q\}/(d + e*x)^m - \{(2*p+3)*(2*c*f - b*g)\}/(d + e*x)^m, x], x], x]] /;$ FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{(d+ex)(a+bx+cx^2)^{3/2}} dx, x, x^2 \right) \\
&= -\frac{a(bd-2ae) + (b^2d-2acd-abe)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} - \frac{\text{Subst} \left(\int -\frac{(b^2-4a)}{2(cd^2-bde+ae^2)(d+ex)} dx, x, x^2 \right)}{b^2-4ac} \\
&= -\frac{a(bd-2ae) + (b^2d-2acd-abe)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} + \frac{d^2 \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2(cd^2-bde+ae^2)} \\
&= -\frac{a(bd-2ae) + (b^2d-2acd-abe)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} - \frac{d^2 \text{Subst} \left(\int \frac{1}{4cd^2-4bde+4ae^2} dx, x, x^2 \right)}{cd^2-bde+ae^2} \\
&= -\frac{a(bd-2ae) + (b^2d-2acd-abe)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} + \frac{d^2 \tanh^{-1} \left(\frac{bd-2ae+(2cd+e)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx^2+cx^4}} \right)}{2(cd^2-bde+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.62, size = 204, normalized size = 1.22

$$\frac{1}{2} \left(\frac{2(-2a^2e + ab(d - ex^2) - 2acdx^2 + b^2dx^2)}{(b^2 - 4ac)\sqrt{a + bx^2 + cx^4}(e(bd - ae) - cd^2)} - \frac{d^2 \log \left(2\sqrt{a + bx^2 + cx^4} \sqrt{ae^2 - bde + cd^2} + 2ae - bd + bex^2 \right)}{(e(ae - bd) + cd^2)^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] ((2*(-2*a^2*e + b^2*d*x^2 - 2*a*c*d*x^2 + a*b*(d - e*x^2)))/((b^2 - 4*a*c)*(-c*d^2 + e*(b*d - a*e))*Sqrt[a + b*x^2 + c*x^4]) + (d^2*Log[d + e*x^2])/(c*d^2 + e*(-(b*d) + a*e))^(3/2) - (d^2*Log[-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2 + 2*Sqrt[c*d^2 - b*d*e + a*e^2]*Sqrt[a + b*x^2 + c*x^4]])/(c*d^2 + e*(-(b*d) + a*e))^(3/2))/2

fricas [B] time = 1.97, size = 1381, normalized size = 8.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

```
[Out] [1/4*(((b^2*c - 4*a*c^2)*d^2*x^4 + (b^3 - 4*a*b*c)*d^2*x^2 + (a*b^2 - 4*a^2*c)*d^2)*sqrt(c*d^2 - b*d*e + a*e^2)*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) - 4*(a*b*c*d^3 + 3*a^2*b*d*e^2 - 2*a^3*e^3 - (a*b^2 + 2*a^2*c)*d^2*e - (a^2*b*e^3 - (b^2*c - 2*a*c^2)*d^3 + (b^3 - a*b*c)*d^2*e - 2*(a*b^2 - a^2*c)*d*e^2)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2), 1/2*(((b^2*c - 4*a*c^2)*d^2*x^4 + (b^3 - 4*a*b*c)*d^2*x^2 + (a*b^2 - 4*a^2*c)*d^2)*sqrt(-c*d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - 2*(a*b*c*d^3 + 3*a^2*b*d*e^2 - 2*a^3*e^3 - (a*b^2 + 2*a^2*c)*d^2*e - (a^2*b*e^3 - (b^2*c - 2*a*c^2)*d^3 + (b^3 - a*b*c)*d^2*e - 2*(a*b^2 - a^2*c)*d*e^2)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2)]
```

giac [B] time = 0.72, size = 458, normalized size = 2.74

$$\frac{d^2 \arctan\left(-\frac{(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a})e + \sqrt{c}d}{\sqrt{-cd^2 + bde - ae^2}}\right)}{(cd^2 - bde + ae^2)\sqrt{-cd^2 + bde - ae^2}} - \frac{(b^2cd^3 - 2ac^2d^3 - b^3d^2e + abcd^2e + 2ab^2de^2 - 2a^2cde^2 - a^2be^3)x^2}{b^2c^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abcd^2e + b^4d^2e^2 - 2ab^2cd^2e^2 - 8a^2c^2d^2e^2 - 2ab^3de^3 + 8a^2bcde^3 + a^2b^2e^4 - 4a^3c^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")
```

```
[Out] d^2*arctan(-((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*e + sqrt(c)*d)/sqrt(-c*d^2 + b*d*e - a*e^2))/((c*d^2 - b*d*e + a*e^2)*sqrt(-c*d^2 + b*d*e - a*e^2)) - ((b^2*c*d^3 - 2*a*c^2*d^3 - b^3*d^2*e + a*b*c*d^2*e + 2*a*b^2*d*e^2 - 2*a^2*c*d*e^2 - a^2*b*e^3)*x^2/(b^2*c^2*d^4 - 4*a*c^3*d^4 - 2*b^3*c*d^3*e + 8*a*b*c^2*d^3*e + b^4*d^2*e^2 - 2*a*b^2*c*d^2*e^2 - 8*a^2*c^2*d^2*e^2 - 2*a*b^3*d*e^3 + 8*a^2*b*c*d*e^3 + a^2*b^2*e^4 - 4*a^3*c*e^4) + (a*b*c*d^3 - a
```

$$\frac{b^2 d^2 e - 2 a^2 c d^2 e + 3 a^2 b d e^2 - 2 a^3 e^3}{(b^2 c^2 d^4 - 4 a c^3 d^4 - 2 b^3 c d^3 e + 8 a b c^2 d^3 e + b^4 d^2 e^2 - 2 a b^2 c d^2 e^2 - 8 a^2 c^2 d^2 e^2 - 2 a b^3 d e^3 + 8 a^2 b c d e^3 + a^2 b^2 e^4 - 4 a^3 c e^4)} \sqrt{c x^4 + b x^2 + a}$$

maple [B] time = 0.02, size = 613, normalized size = 3.67

$$\frac{2 c d^2 \ln \left(\frac{\frac{(b e - 2 c d) \left(x^2 + \frac{d}{e} \right)}{e} + \frac{2 a e^2 - 2 d e b + 2 c d^2}{e^2} + 2 \sqrt{\frac{a e^2 - d e b + c d^2}{e^2}} \sqrt{\left(x^2 + \frac{d}{e} \right)^2 c + \frac{(b e - 2 c d) \left(x^2 + \frac{d}{e} \right) + a e^2 - d e b + c d^2}{e^2}}}{x^2 + \frac{d}{e}} \right)}{\left(-b e + 2 c d + \sqrt{-4 a c + b^2} e \right) \left(b e - 2 c d + \sqrt{-4 a c + b^2} e \right) \sqrt{\frac{a e^2 - d e b + c d^2}{e^2}} e} \frac{b x^2}{\sqrt{c x^4 + b x^2 + a} (4 a c - b^2) e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x)

[Out]
$$\begin{aligned} & -1/e/(c*x^4+b*x^2+a)^{(1/2)}/(4*a*c-b^2)*x^2*b-2/e/(c*x^4+b*x^2+a)^{(1/2)}/(4*a \\ & *c-b^2)*a-2/e^2*d/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)}*c*x^2-1/e^2*d/(4*a*c-b^2) \\ & 2)/(c*x^4+b*x^2+a)^{(1/2)}*b+2*d^2/e^2*c/(b*e-2*c*d+(-4*a*c+b^2)^{(1/2)}*e)/(-4 \\ & *a*c+b^2)/(x^2+1/2*b/c+1/2*(-4*a*c+b^2)^{(1/2)}/c)*((x^2+1/2*(b+(-4*a*c+b^2)^{(1/2)}/c) \\ &)^2*c-(-4*a*c+b^2)^{(1/2)}*(x^2+1/2*(b+(-4*a*c+b^2)^{(1/2)}/c))^2)^{(1/2)}+ \\ & 2*d^2/e*c/(-b*e+2*c*d+(-4*a*c+b^2)^{(1/2)}*e)/(b*e-2*c*d+(-4*a*c+b^2)^{(1/2)}*e) \\ &)/((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*\ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{(1/2)})/(x^2+d/e)-2*d^2/e^2*c/(-b*e+2*c*d+(-4*a*c+b^2)^{(1/2)}*e)/(-4*a*c+b^2)/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*((x^2-1/2*(-b+(-4*a*c+b^2)^{(1/2)}/c))^2*c+(-4*a*c+b^2)^{(1/2)}*(x^2-1/2*(-b+(-4*a*c+b^2)^{(1/2)}/c)))^{(1/2)} \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(c x^4 + b x^2 + a)^{\frac{3}{2}} (e x^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x, algorithm="maxima")

[Out] integrate(x^5/((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^5}{(e x^2 + d) (c x^4 + b x^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

[Out] `int(x^5/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2), x)`

[Out] `Integral(x**5/((d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)), x)`

$$3.344 \quad \int \frac{x^3}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=159

$$\frac{cx^2(bd - 2ae) + a(2cd - be)}{(b^2 - 4ac) \sqrt{a + bx^2 + cx^4} (ae^2 - bde + cd^2)} - \frac{de \tanh^{-1} \left(\frac{-2ae + x^2(2cd - be) + bd}{2\sqrt{a + bx^2 + cx^4} \sqrt{ae^2 - bde + cd^2}} \right)}{2(ae^2 - bde + cd^2)^{3/2}}$$

[Out] $-1/2*d*e*\operatorname{arctanh}(1/2*(b*d-2*a*e+(-b*e+2*c*d)*x^2)/(a*e^2-b*d*e+c*d^2)^{(1/2)})/(c*x^4+b*x^2+a)^{(1/2)}/(a*e^2-b*d*e+c*d^2)^{(3/2)}+(a*(-b*e+2*c*d)+c*(-2*a*e+b*d)*x^2)/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/(c*x^4+b*x^2+a)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 822, 12, 724, 206}

$$\frac{cx^2(bd - 2ae) + a(2cd - be)}{(b^2 - 4ac) \sqrt{a + bx^2 + cx^4} (ae^2 - bde + cd^2)} - \frac{de \tanh^{-1} \left(\frac{-2ae + x^2(2cd - be) + bd}{2\sqrt{a + bx^2 + cx^4} \sqrt{ae^2 - bde + cd^2}} \right)}{2(ae^2 - bde + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)^{(3/2)}), x]$

[Out] $(a*(2*c*d - b*e) + c*(b*d - 2*a*e)*x^2)/((b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)*\operatorname{Sqrt}[a + b*x^2 + c*x^4]) - (d*e*\operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2)/(2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4]])/(2*(c*d^2 - b*d*e + a*e^2)^{(3/2)})$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 206

$\operatorname{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt} Q[a, 0] \operatorname{||} \operatorname{Lt} Q[b, 0])$

Rule 724

$\operatorname{Int}[1/(((d_*) + (e_*)(x_*))*\operatorname{Sqrt}[(a_*) + (b_*)(x_*) + (c_*)(x_*)^2]), x_Symbol] \rightarrow \operatorname{Dist}[-2, \operatorname{Subst}[\operatorname{Int}[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x], (2$

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0]$

Rule 822

$\text{Int}[(d + e*x)^m * (f + g*x) * (a + b*x + c*x^2)^p, x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{m+1} * (f*(b*c*d - b^2*e + 2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x] * (a + b*x + c*x^2)^{p+1} / ((p+1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + \text{Dist}[1/((p+1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), \text{Int}[(d + e*x)^m * (a + b*x + c*x^2)^{p+1} * \text{Simp}[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m + b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ (\text{IntegerQ}[m] \ || \ \text{IntegerQ}[p] \ || \ \text{IntegersQ}[2*m, 2*p])$

Rule 1251

$\text{Int}[x^m * (d + e*x^2)^q * (a + b*x + c*x^2)^p, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2} * (d + e*x)^q * (a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(d+ex)(a+bx+cx^2)^{3/2}} dx, x, x^2 \right) \\
&= \frac{a(2cd-be) + c(bd-2ae)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} - \frac{\text{Subst} \left(\int \frac{(b^2-4ac)de}{2(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{(b^2-4ac)(cd^2-bde+ae^2)} \\
&= \frac{a(2cd-be) + c(bd-2ae)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} - \frac{(de) \text{Subst} \left(\int \frac{1}{(d+ex)\sqrt{a+bx+cx^2}} dx, x, x^2 \right)}{2(cd^2-bde+ae^2)} \\
&= \frac{a(2cd-be) + c(bd-2ae)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} + \frac{(de) \text{Subst} \left(\int \frac{1}{4cd^2-4bde+4ae^2} dx, x, x^2 \right)}{cd^2-bde+ae^2} \\
&= \frac{a(2cd-be) + c(bd-2ae)x^2}{(b^2-4ac)(cd^2-bde+ae^2)\sqrt{a+bx^2+cx^4}} - \frac{de \tanh^{-1} \left(\frac{bd-2ae+(2cd-bd)x}{2\sqrt{cd^2-bde+ae^2}\sqrt{a+bx^2+cx^4}} \right)}{2(cd^2-bde+ae^2)^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 162, normalized size = 1.02

$$\frac{a(be-2cd+2cex^2) - bcdx^2}{(b^2-4ac)\sqrt{a+bx^2+cx^4}(e(bd-ae)-cd^2)} + \frac{de \tanh^{-1} \left(\frac{2ae-bd+bex^2-2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{e(ae-bd)+cd^2}} \right)}{2(e(ae-bd)+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] $(-(b*c*d*x^2) + a*(-2*c*d + b*e + 2*c*e*x^2))/((b^2 - 4*a*c)*(-(c*d^2) + e*(b*d - a*e))*\text{Sqrt}[a + b*x^2 + c*x^4]) + (d*e*\text{ArcTanh}[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*\text{Sqrt}[c*d^2 + e*(-(b*d) + a*e)]]*\text{Sqrt}[a + b*x^2 + c*x^4])]/(2*(c*d^2 + e*(-(b*d) + a*e))^(3/2))$

fricas [B] time = 2.14, size = 1349, normalized size = 8.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

```
[Out] [1/4*((b^2*c - 4*a*c^2)*d*e*x^4 + (b^3 - 4*a*b*c)*d*e*x^2 + (a*b^2 - 4*a^2*c)*d*e)*sqrt(c*d^2 - b*d*e + a*e^2)*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + 4*(2*a*c^2*d^3 - 3*a*b*c*d^2*e - a^2*b*e^3 + (a*b^2 + 2*a^2*c)*d*e^2 + (b*c^2*d^3 + 3*a*b*c*d*e^2 - 2*a^2*c*e^3 - (b^2*c + 2*a*c^2)*d^2*e)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2), -1/2*((b^2*c - 4*a*c^2)*d*e*x^4 + (b^3 - 4*a*b*c)*d*e*x^2 + (a*b^2 - 4*a^2*c)*d*e)*sqrt(-c*d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/(c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - 2*(2*a*c^2*d^3 - 3*a*b*c*d^2*e - a^2*b*e^3 + (a*b^2 + 2*a^2*c)*d*e^2 + (b*c^2*d^3 + 3*a*b*c*d*e^2 - 2*a^2*c*e^3 - (b^2*c + 2*a*c^2)*d^2*e)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2)]
```

giac [B] time = 0.64, size = 441, normalized size = 2.77

$$\frac{d \arctan\left(\frac{\left(\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}\right)e + \sqrt{cd}}{\sqrt{-cd^2 + bde - ae^2}}\right)e}{(cd^2 - bde + ae^2)\sqrt{-cd^2 + bde - ae^2}} + \frac{(bc^2d^3 - b^2cd^2e - 2ac^2d^2e + 3abcde^2 - 2a^2ce^3)x^2}{b^2c^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abc^2d^3e + b^4d^2e^2 - 2ab^2cd^2e^2 - 8a^2c^2d^2e^2 - 2ab^3de^3 + 8a^2bcde^3 + a^2b^2e^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")
```

```
[Out] -d*arctan(-((sqrt(c)*x^2 - sqrt(c*x^4 + b*x^2 + a))*e + sqrt(c)*d)/sqrt(-c*d^2 + b*d*e - a*e^2))*e/((c*d^2 - b*d*e + a*e^2)*sqrt(-c*d^2 + b*d*e - a*e^2)) + ((b*c^2*d^3 - b^2*c*d^2*e - 2*a*c^2*d^2*e + 3*a*b*c*d*e^2 - 2*a^2*c*e^3)*x^2/(b^2*c^2*d^4 - 4*a*c^3*d^4 - 2*b^3*c*d^3*e + 8*a*b*c^2*d^3*e + b^4*d^2*e^2 - 2*a*b^2*c*d^2*e^2 - 8*a^2*c^2*d^2*e^2 - 2*a*b^3*d*e^3 + 8*a^2*b*c*d*e^3 + a^2*b^2*e^4) + (2*a*c^2*d^3 - 3*a*b*c*d^2*e + a*b^2*c
```


$$\frac{d^2 e^2 + 2a^2 c d e^2 - a^2 b e^3}{(b^2 c^2 d^4 - 4a^3 c^3 d^4 - 2b^3 c d^3 e + 8a^2 b c^2 d^3 e + b^4 d^2 e^2 - 2a^2 b^2 c d^2 e^2 - 8a^2 c^2 d^2 e^2 - 2a^2 b^3 d e^3 + 8a^2 b c d e^3 + a^2 b^2 e^4 - 4a^3 c e^4)} \sqrt{c x^4 + b x^2 + a}$$

maple [B] time = 0.01, size = 506, normalized size = 3.18

$$\frac{2cd \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right) + ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{\left(-be+2cd+\sqrt{-4ac+b^2}e\right)\left(be-2cd+\sqrt{-4ac+b^2}e\right)\sqrt{\frac{ae^2-deb+cd^2}{e^2}}} \frac{2\sqrt{\left(x^2+\frac{b+\sqrt{-4ac+b^2}}{2c}\right)^2 c - \sqrt{-4ac+b^2}}}{\left(be-2cd+\sqrt{-4ac+b^2}e\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x)

[Out] $\frac{1}{e} \frac{(2cx^2+b)}{(4ac-b^2)} \frac{1}{(cx^4+bx^2+a)^{1/2}} - \frac{2d}{e} \frac{c}{(be-2cd+(-4ac+b^2)^{1/2}e)} \frac{1}{(-4ac+b^2)} \frac{1}{(x^2+1/2*b/c+1/2*(-4ac+b^2)^{1/2}/c)} \left((x^2+1/2*(b+(-4ac+b^2)^{1/2})/c) \right)^{1/2} - \frac{2d}{e} \frac{c}{(be-2cd+(-4ac+b^2)^{1/2}e)} \frac{1}{(be-2cd+(-4ac+b^2)^{1/2}e)} \frac{1}{((ae^2-bde+cd^2)/e^2)^{1/2}} \ln \left(\frac{(be-2cd)(x^2+d/e)}{e+2*(ae^2-bde+cd^2)/e+2*((ae^2-bde+cd^2)/e^2)^{1/2}} \frac{(x^2+d/e)^2 c + (be-2cd)(x^2+d/e)}{e+((ae^2-bde+cd^2)/e^2)^{1/2}} \right) \frac{1}{(x^2+d/e)} + \frac{2d}{e} \frac{c}{(-be+2cd+(-4ac+b^2)^{1/2}e)} \frac{1}{(-4ac+b^2)} \frac{1}{(x^2+1/2*b/c-1/2*(-4ac+b^2)^{1/2}/c)} \left((x^2-1/2*(-b+(-4ac+b^2)^{1/2})/c) \right)^{1/2} - \frac{2d}{e} \frac{c}{(-be+2cd+(-4ac+b^2)^{1/2}e)} \frac{1}{(-4ac+b^2)} \frac{1}{(x^2+1/2*b/c+1/2*(-4ac+b^2)^{1/2}/c)} \left((x^2-1/2*(-b+(-4ac+b^2)^{1/2})/c) \right)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(cx^4 + bx^2 + a)^{3/2} (ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x, algorithm="maxima")

[Out] integrate(x^3/((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3}{(ex^2 + d) (cx^4 + bx^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

[Out] `int(x^3/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2), x)`

[Out] `Integral(x**3/((d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)), x)`

$$3.345 \quad \int \frac{x}{(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=166

$$\frac{e^2 \tanh^{-1} \left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}} \right)}{2(ae^2 - bde + cd^2)^{3/2}} - \frac{2ace + b^2(-e) + cx^2(2cd - be) + bcd}{(b^2 - 4ac) \sqrt{a + bx^2 + cx^4} (ae^2 - bde + cd^2)}$$

[Out] $1/2 * e^2 * \operatorname{arctanh}(1/2 * (b*d - 2*a*e + (-b*e + 2*c*d) * x^2) / (a*e^2 - b*d*e + c*d^2)^{(1/2)} / (c*x^4 + b*x^2 + a)^{(1/2)}) / (a*e^2 - b*d*e + c*d^2)^{(3/2)} + (-b*c*d + b^2*e - 2*a*c*e - c*(-b*e + 2*c*d) * x^2) / (-4*a*c + b^2) / (a*e^2 - b*d*e + c*d^2) / (c*x^4 + b*x^2 + a)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1247, 740, 12, 724, 206}

$$\frac{e^2 \tanh^{-1} \left(\frac{-2ae+x^2(2cd-be)+bd}{2\sqrt{a+bx^2+cx^4} \sqrt{ae^2-bde+cd^2}} \right)}{2(ae^2 - bde + cd^2)^{3/2}} - \frac{2ace + b^2(-e) + cx^2(2cd - be) + bcd}{(b^2 - 4ac) \sqrt{a + bx^2 + cx^4} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] $-((b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x^2) / ((b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)*\operatorname{Sqrt}[a + b*x^2 + c*x^4])) + (e^2 * \operatorname{ArcTanh}[(b*d - 2*a*e + (2*c*d - b*e)*x^2) / (2*\operatorname{Sqrt}[c*d^2 - b*d*e + a*e^2]*\operatorname{Sqrt}[a + b*x^2 + c*x^4])]) / (2*(c*d^2 - b*d*e + a*e^2)^{(3/2)})$

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] :> Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2

$*a*e - b*d - (2*c*d - b*e)*x)/\text{Sqrt}[a + b*x + c*x^2]], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[2*c*d - b*e, 0]$

Rule 740

$\text{Int}[\text{((d_.) + (e_.)*(x_))}^{\text{(m_.)}} * \text{((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)}^{\text{(p_.)}}, x_Symbol] \text{:> } \text{Simp}[\text{((d + e*x)}^{\text{(m + 1)}} * \text{(b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x)} * \text{(a + b*x + c*x^2)}^{\text{(p + 1)}}) / \text{((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2))}, x] + \text{Dist}[1 / \text{((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2))}, \text{Int}[\text{(d + e*x)}^{\text{m}} * \text{Simp}[b*c*d*e*(2*p - m + 2) + b^2*e^2*(m + p + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3) - c*e*(2*c*d - b*e)*(m + 2*p + 4)*x, x] * \text{(a + b*x + c*x^2)}^{\text{(p + 1)}}], x] /; \text{FreeQ}[\{a, b, c, d, e, m\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntQuadraticQ}[a, b, c, d, e, m, p, x]$

Rule 1247

$\text{Int}[(x_)*\text{((d_.) + (e_.)*(x_)^2)}^{\text{(q_.)}} * \text{((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)}^{\text{(p_.)}}, x_Symbol] \text{:> } \text{Dist}[1/2, \text{Subst}[\text{Int}[\text{(d + e*x)}^{\text{q}} * \text{(a + b*x + c*x^2)}^{\text{p}}, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{x}{(d + ex^2)(a + bx^2 + cx^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(d + ex)(a + bx + cx^2)^{3/2}} dx, x, x^2 \right) \\ &= -\frac{bcd - b^2e + 2ace + c(2cd - be)x^2}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx^2 + cx^4}} - \frac{\text{Subst} \left(\int -\frac{(b^2 - 4ac)e^2}{2(d + ex)\sqrt{a + bx + cx^2}} \right)}{(b^2 - 4ac)(cd^2 - bde + ae^2)} \\ &= -\frac{bcd - b^2e + 2ace + c(2cd - be)x^2}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx^2 + cx^4}} + \frac{e^2 \text{Subst} \left(\int \frac{1}{(d + ex)\sqrt{a + bx + cx^2}} \right)}{2(cd^2 - bde + ae^2)} \\ &= -\frac{bcd - b^2e + 2ace + c(2cd - be)x^2}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx^2 + cx^4}} - \frac{e^2 \text{Subst} \left(\int \frac{1}{4cd^2 - 4bde + 4ae^2 - x^2} \right)}{cd^2 - bde + ae^2} \\ &= -\frac{bcd - b^2e + 2ace + c(2cd - be)x^2}{(b^2 - 4ac)(cd^2 - bde + ae^2)\sqrt{a + bx^2 + cx^4}} + \frac{e^2 \tanh^{-1} \left(\frac{bd - 2ae + (2cd - b)}{2\sqrt{cd^2 - bde + ae^2}} \sqrt{a + bx^2 + cx^4} \right)}{2(cd^2 - bde + ae^2)^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.15, size = 167, normalized size = 1.01

$$\frac{2ace + b^2(-e) + cx^2(2cd - be) + bcd}{(b^2 - 4ac)\sqrt{a + bx^2 + cx^4} (e(ae - bd) + cd^2)} - \frac{e^2 \tanh^{-1}\left(\frac{2ae - bd + bex^2 - 2cdx^2}{2\sqrt{a + bx^2 + cx^4} \sqrt{e(ae - bd) + cd^2}}\right)}{2(e(ae - bd) + cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] -((b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x^2)/((b^2 - 4*a*c)*(c*d^2 + e*(-(b*d) + a*e))*Sqrt[a + b*x^2 + c*x^4])) - (e^2*ArcTanh[(-(b*d) + 2*a*e - 2*c*d*x^2 + b*e*x^2)/(2*Sqrt[c*d^2 + e*(-(b*d) + a*e)]*Sqrt[a + b*x^2 + c*x^4])])/(2*(c*d^2 + e*(-(b*d) + a*e))^(3/2))

fricas [B] time = 2.16, size = 1379, normalized size = 8.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] [1/4*(((b^2*c - 4*a*c^2)*e^2*x^4 + (b^3 - 4*a*b*c)*e^2*x^2 + (a*b^2 - 4*a^2*c)*e^2)*sqrt(c*d^2 - b*d*e + a*e^2)*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) - 4*(b*c^2*d^3 - 2*(b^2*c - a*c^2)*d^2*e + (b^3 - a*b*c)*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 + (2*c^3*d^3 - 3*b*c^2*d^2*e - a*b*c*e^3 + (b^2*c + 2*a*c^2)*d*e^2)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2), 1/2*(((b^2*c - 4*a*c^2)*e^2*x^4 + (b^3 - 4*a*b*c)*e^2*x^2 + (a*b^2 - 4*a^2*c)*e^2)*sqrt(-c*d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - 2*(b*c^2*d^3 - 2*(b^2*c - a*c^2)*d^2*e + (b^3 - a*b*c)*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 + (2*c^3*d^3 - 3*b*c^2*d^2*e - a*b*c*e^3 + (b^2*c + 2*a*c^2)*d*e^2)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2

$$\begin{aligned} & *a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 \\ & - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + \\ & (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 \\ & + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c \\ & - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 \\ & - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2)] \end{aligned}$$

giac [B] time = 0.62, size = 454, normalized size = 2.73

$$\frac{(2c^3d^3 - 3bc^2d^2e + b^2cde^2 + 2ac^2de^2 - abce^3)x^2}{b^2c^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abc^2d^3e + b^4d^2e^2 - 2ab^2cd^2e^2 - 8a^2c^2d^2e^2 - 2ab^3de^3 + 8a^2bcde^3 + a^2b^2e^4 - 4a^3ce^4} + \frac{bc^2d^3 - 2b^2cd^2e}{b^2c^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abc^2d^3e + b^4d^2e^2 - 2ab^2cd^2e^2 - 8a^2c^2d^2e^2 - 2ab^3de^3 + 8a^2bcde^3 + a^2b^2e^4 - 4a^3ce^4} \sqrt{cx^4 + bx^2 + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] $-\left(\frac{2c^3d^3 - 3b^2c^2d^2e + b^4d^2e^2 + 2ac^2d^2e^2 - ab^2c^2e^3}{b^2c^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abc^2d^3e + b^4d^2e^2 - 2a^2b^2c^2d^2e^2 - 8a^2c^2d^2e^2 - 2a^2b^3cd^2e^2 + 8a^2b^2c^2d^2e^2 - 2a^2b^3cd^2e^2 + 8a^2b^2c^2d^2e^2} + \frac{b^3cd^2e^3 - 2b^2c^2d^2e^2 + 2ac^2d^2e^2 + b^4d^2e^2 - ab^2c^2e^3}{b^2c^2d^4 - 4ac^3d^4 - 2b^3cd^3e + 8abc^2d^3e + b^4d^2e^2 - 2a^2b^2c^2d^2e^2 - 8a^2c^2d^2e^2 - 2a^2b^3cd^2e^2 + 8a^2b^2c^2d^2e^2 - 2a^2b^3cd^2e^2 + 8a^2b^2c^2d^2e^2}\right) \sqrt{cx^4 + bx^2 + a} + \arctan\left(\frac{\sqrt{c}x^2 - \sqrt{cx^4 + bx^2 + a}}{\sqrt{c}d + \sqrt{-cd^2 + bde - ae^2}}\right) e^2 / ((cd^2 - bde + ae^2) \sqrt{-cd^2 + bde - ae^2})$

maple [B] time = 0.01, size = 454, normalized size = 2.73

$$\frac{2ce \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{\left(-be+2cd+\sqrt{-4ac+b^2}\right) e} \left(be-2cd+\sqrt{-4ac+b^2}\right) e \sqrt{\frac{ae^2-deb+cd^2}{e^2}} + \frac{2\sqrt{\left(x^2+\frac{b+\sqrt{-4ac+b^2}}{2c}\right)^2 c - \sqrt{-4ac+b^2}}}{\left(be-2cd+\sqrt{-4ac+b^2}\right) e} \left(-4ac+b^2 \right) e^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x)

[Out] $2c/(b^2e-2c^2d+(-4ac+b^2)^{1/2}e)/(-4ac+b^2)/(x^2+1/2*(b+(-4ac+b^2)^{1/2}))/c * ((x^2+1/2*(b+(-4ac+b^2)^{1/2}))/c)^{1/2} * (-4ac+b^2)^{1/2} * (x^2+1/2*(b+(-4ac+b^2)^{1/2}))/c)^{1/2} + 2c*e/(-b^2e+2c^2d+(-4ac+b^2)^{1/2}e)/(b^2e-2c^2d+(-4ac+b^2)^{1/2}e)/((a^2e^2-b^2d^2+cd^2)/e^2)^{1/2} * \ln\left(\frac{b^2e-2c^2d+(-4ac+b^2)^{1/2}e}{(a^2e^2-b^2d^2+cd^2)/e^2}\right)$

$$2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^(1/2)*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^(1/2))/(x^2+d/e))-2*c/(-b*e+2*c*d+(-4*a*c+b^2)^(1/2)*e)/(-4*a*c+b^2)/(x^2-1/2*(-b+(-4*a*c+b^2)^(1/2))/c)*((x^2-1/2*(-b+(-4*a*c+b^2)^(1/2))/c)^2*c+(-4*a*c+b^2)^(1/2)*(x^2-1/2*(-b+(-4*a*c+b^2)^(1/2))/c))^(1/2)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate(x/((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(ex^2 + d)(cx^4 + bx^2 + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x)

[Out] int(x/((d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2),x)

[Out] Integral(x/((d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)), x)

$$3.346 \quad \int \frac{1}{x(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=266

$$-\frac{\tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2a^{3/2}d} + \frac{e(2ace + b^2(-e) + cx^2(2cd - be) + bcd)}{d(b^2 - 4ac)\sqrt{a+bx^2+cx^4}(ae^2 - bde + cd^2)} + \frac{-2ac + b^2 + bcx^2}{ad(b^2 - 4ac)\sqrt{a+bx^2+cx^4}} - \frac{e^3 \tan^{-1}\left(\frac{b^2 - 2ac + bcx^2}{d(b^2 - 4ac)\sqrt{a+bx^2+cx^4}}\right)}{d(b^2 - 4ac)\sqrt{a+bx^2+cx^4}}$$

[Out] $-\frac{1}{2} \operatorname{arctanh}\left(\frac{1}{2} \frac{(b^2 - 2ac + bcx^2)/a^{1/2}}{(c^2 x^4 + b^2 x^2 + a)^{1/2}}\right) / a^{3/2} d - \frac{1}{2} \operatorname{arctanh}\left(\frac{1}{2} \frac{(b^2 - 2ac + bcx^2)/a^{1/2}}{(c^2 x^4 + b^2 x^2 + a)^{1/2}}\right) / d / (a^2 - b^2 d e + c^2 d^2)^{1/2} / (c^2 x^4 + b^2 x^2 + a)^{1/2} / d / (a^2 - b^2 d e + c^2 d^2)^{3/2} + \frac{(b^2 - 2ac + bcx^2)/a}{(-4ac + b^2 + bcx^2)/d} / (c^2 x^4 + b^2 x^2 + a)^{1/2} + \frac{e(b^2 - 2ac + bcx^2)/d}{(a^2 - b^2 d e + c^2 d^2)^{1/2}} / (c^2 x^4 + b^2 x^2 + a)^{1/2}$

Rubi [A] time = 0.39, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 960, 740, 12, 724, 206}

$$-\frac{\tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2a^{3/2}d} + \frac{e(2ace + b^2(-e) + cx^2(2cd - be) + bcd)}{d(b^2 - 4ac)\sqrt{a+bx^2+cx^4}(ae^2 - bde + cd^2)} + \frac{-2ac + b^2 + bcx^2}{ad(b^2 - 4ac)\sqrt{a+bx^2+cx^4}} - \frac{e^3 \tan^{-1}\left(\frac{b^2 - 2ac + bcx^2}{d(b^2 - 4ac)\sqrt{a+bx^2+cx^4}}\right)}{d(b^2 - 4ac)\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{1}{x(d + e x^2)(a + b x^2 + c x^4)^{3/2}}, x\right]$

[Out] $\frac{(b^2 - 2ac + bcx^2)/(a(b^2 - 4ac)d\sqrt{a + bx^2 + cx^4}) + (e(bc^2 d - b^2 e + 2ac^2 e + c(2cd - be)x^2))/((b^2 - 4ac)d(c^2 d^2 - b^2 d e + a^2 e^2)\sqrt{a + bx^2 + cx^4}) - \operatorname{ArcTanh}\left[\frac{(2a + bx^2)/(2\sqrt{a}\sqrt{a + bx^2 + cx^4})}{(2a^2 - b^2 d e + c^2 d^2)^{1/2}}\right]}{(2a^2 - b^2 d e + c^2 d^2)^{3/2}}$

Rule 12

$\operatorname{Int}[(a_*) (u_*) , x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[u, (b_*) (v_*) /; \operatorname{FreeQ}[b, x]]$

Rule 206

$\operatorname{Int}[(a_*) + (b_*) (x_*)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}\left[\frac{(1 \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] x] / \operatorname{Rt}[a, 2])}{\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2]}, x\right] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& \operatorname{Gt}$

Q[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_.) + (e_.)*(x_))*Sqrt[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 740

Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*Simp[b*c*d*e*(2*p - m + 2) + b^2*e^2*(m + p + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3) - c*e*(2*c*d - b*e)*(m + 2*p + 4)*x, x]*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]

Rule 960

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

Rule 1251

Int[(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rubi steps

$$\begin{aligned}
\int \frac{1}{x(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x(d+ex)(a+bx+cx^2)^{3/2}} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{dx(a+bx+cx^2)^{3/2}} - \frac{e}{d(d+ex)(a+bx+cx^2)^{3/2}} \right) dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{x(a+bx+cx^2)^{3/2}} dx, x, x^2 \right)}{2d} - \frac{e \text{Subst} \left(\int \frac{1}{(d+ex)(a+bx+cx^2)^{3/2}} dx, x, x^2 \right)}{2d} \\
&= \frac{b^2 - 2ac + bcx^2}{a(b^2 - 4ac)d\sqrt{a+bx^2+cx^4}} + \frac{e(bcd - b^2e + 2ace + c(2cd - be)x^2)}{(b^2 - 4ac)d(cd^2 - bde + ae^2)\sqrt{a+bx^2+cx^4}} \\
&= \frac{b^2 - 2ac + bcx^2}{a(b^2 - 4ac)d\sqrt{a+bx^2+cx^4}} + \frac{e(bcd - b^2e + 2ace + c(2cd - be)x^2)}{(b^2 - 4ac)d(cd^2 - bde + ae^2)\sqrt{a+bx^2+cx^4}} \\
&= \frac{b^2 - 2ac + bcx^2}{a(b^2 - 4ac)d\sqrt{a+bx^2+cx^4}} + \frac{e(bcd - b^2e + 2ace + c(2cd - be)x^2)}{(b^2 - 4ac)d(cd^2 - bde + ae^2)\sqrt{a+bx^2+cx^4}} \\
&= \frac{b^2 - 2ac + bcx^2}{a(b^2 - 4ac)d\sqrt{a+bx^2+cx^4}} + \frac{e(bcd - b^2e + 2ace + c(2cd - be)x^2)}{(b^2 - 4ac)d(cd^2 - bde + ae^2)\sqrt{a+bx^2+cx^4}}
\end{aligned}$$

Mathematica [A] time = 0.73, size = 236, normalized size = 0.89

$$\frac{\frac{\tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{a^{3/2}} + \frac{2d(bc(3ae+cdx^2)-2ac^2(d-ex^2)+b^3(-e)+b^2c(d-ex^2))}{a(4ac-b^2)\sqrt{a+bx^2+cx^4}(e(ae-bd)+cd^2)}}{2d} + \frac{e^3 \tanh^{-1}\left(\frac{-2ae+b(d-ex^2)+2cdx^2}{2\sqrt{a+bx^2+cx^4}\sqrt{e(ae-bd)+cd^2}}\right)}{(e(ae-bd)+cd^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x]

[Out] -1/2*((2*d*(-(b^3*e) + b*c*(3*a*e + c*d*x^2) + b^2*c*(d - e*x^2) - 2*a*c^2*(d - e*x^2)))/(a*(-b^2 + 4*a*c)*(c*d^2 + e*(-(b*d) + a*e))*Sqrt[a + b*x^2 + c*x^4]) + ArcTanh[(2*a + b*x^2)/(2*Sqrt[a]*Sqrt[a + b*x^2 + c*x^4])]/a^(3/2) + (e^3*ArcTanh[(-2*a*e + 2*c*d*x^2 + b*(d - e*x^2))/(2*Sqrt[c*d^2 + e*(-

$(b*d + a*e)]*Sqrt[a + b*x^2 + c*x^4]]]/(c*d^2 + e*(-(b*d) + a*e))^(3/2))/d$

fricas [B] time = 9.53, size = 4909, normalized size = 18.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out] $[1/4*((a^2*b^2*c - 4*a^3*c^2)*e^3*x^4 + (a^2*b^3 - 4*a^3*b*c)*e^3*x^2 + (a^3*b^2 - 4*a^4*c)*e^3)*sqrt(c*d^2 - b*d*e + a*e^2)*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + ((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2)*sqrt(a)*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) + 4*((a*b^2*c^2 - 2*a^2*c^3)*d^4 - (2*a*b^3*c - 5*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 2*a^3*c^2)*d^2*e^2 - (a^2*b^3 - 3*a^3*b*c)*d*e^3 + (a*b*c^3*d^4 - 2*(a*b^2*c^2 - a^2*c^3)*d^3*e + (a*b^3*c - a^2*b*c^2)*d^2*e^2 - (a^2*b^2*c - 2*a^3*c^2)*d*e^3)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a^3*b^2*c^2 - 4*a^4*c^3)*d^5 - 2*(a^3*b^3*c - 4*a^4*b*c^2)*d^4*e + (a^3*b^4 - 2*a^4*b^2*c - 8*a^5*c^2)*d^3*e^2 - 2*(a^4*b^3 - 4*a^5*b*c)*d^2*e^3 + (a^5*b^2 - 4*a^6*c)*d*e^4 + ((a^2*b^2*c^3 - 4*a^3*c^4)*d^5 - 2*(a^2*b^3*c^2 - 4*a^3*b*c^3)*d^4*e + (a^2*b^4*c - 2*a^3*b^2*c^2 - 8*a^4*c^3)*d^3*e^2 - 2*(a^3*b^3*c - 4*a^4*b*c^2)*d^2*e^3 + (a^4*b^2*c - 4*a^5*c^2)*d*e^4)*x^4 + ((a^2*b^3*c^2 - 4*a^3*b*c^3)*d^5 - 2*(a^2*b^4*c - 4*a^3*b^2*c^2)*d^4*e + (a^2*b^5 - 2*a^3*b^3*c - 8*a^4*b*c^2)*d^3*e^2 - 2*(a^3*b^4 - 4*a^4*b^2*c)*d^2*e^3 + (a^4*b^3 - 4*a^5*b*c)*d*e^4)*x^2), -1/4*(2*((a^2*b^2*c - 4*a^3*c^2)*e^3*x^4 + (a^2*b^3 - 4*a^3*b*c)*e^3*x^2 + (a^3*b^2 - 4*a^4*c)*e^3)*sqrt(-c*d^2 + b*d*e - a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - ((a*b^2*c^2 - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)$

$$\begin{aligned}
&)d^2e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2) \\
& *sqrt(a)*log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*(b \\
& *x^2 + 2*a)*sqrt(a) + 8*a^2)/x^4) - 4*((a*b^2*c^2 - 2*a^2*c^3)*d^4 - (2*a*b \\
& ^3*c - 5*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 2*a^3*c^2)*d^2*e^2 - (a^ \\
& 2*b^3 - 3*a^3*b*c)*d*e^3 + (a*b*c^3*d^4 - 2*(a*b^2*c^2 - a^2*c^3)*d^3*e + (\\
& a*b^3*c - a^2*b*c^2)*d^2*e^2 - (a^2*b^2*c - 2*a^3*c^2)*d*e^3)*x^2)*sqrt(c*x \\
& ^4 + b*x^2 + a))/((a^3*b^2*c^2 - 4*a^4*c^3)*d^5 - 2*(a^3*b^3*c - 4*a^4*b*c^ \\
& 2)*d^4*e + (a^3*b^4 - 2*a^4*b^2*c - 8*a^5*c^2)*d^3*e^2 - 2*(a^4*b^3 - 4*a^5 \\
& *b*c)*d^2*e^3 + (a^5*b^2 - 4*a^6*c)*d*e^4 + ((a^2*b^2*c^3 - 4*a^3*c^4)*d^5 \\
& - 2*(a^2*b^3*c^2 - 4*a^3*b*c^3)*d^4*e + (a^2*b^4*c - 2*a^3*b^2*c^2 - 8*a^4* \\
& c^3)*d^3*e^2 - 2*(a^3*b^3*c - 4*a^4*b*c^2)*d^2*e^3 + (a^4*b^2*c - 4*a^5*c^2 \\
&)*d*e^4)*x^4 + ((a^2*b^3*c^2 - 4*a^3*b*c^3)*d^5 - 2*(a^2*b^4*c - 4*a^3*b^2* \\
& c^2)*d^4*e + (a^2*b^5 - 2*a^3*b^3*c - 8*a^4*b*c^2)*d^3*e^2 - 2*(a^3*b^4 - 4 \\
& *a^4*b^2*c)*d^2*e^3 + (a^4*b^3 - 4*a^5*b*c)*d*e^4)*x^2), 1/4*(2*((a*b^2*c^2 \\
& - 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c \\
& - 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)* \\
& e^4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2 \\
& *a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^ \\
& 2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2 \\
& *c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^ \\
& 2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2)*sqrt(-a)*arctan(1/2*sqrt(c*x^4 \\
& + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)) + ((a^2*b^2 \\
& *c - 4*a^3*c^2)*e^3*x^4 + (a^2*b^3 - 4*a^3*b*c)*e^3*x^2 + (a^3*b^2 - 4*a^4* \\
& c)*e^3)*sqrt(c*d^2 - b*d*e + a*e^2)*log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4 \\
& *a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + \\
& 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 - 4*sqrt(c*x^4 + b*x^2 + a)*sqrt(c*d^ \\
& 2 - b*d*e + a*e^2))*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 \\
& + d^2)) + 4*((a*b^2*c^2 - 2*a^2*c^3)*d^4 - (2*a*b^3*c - 5*a^2*b*c^2)*d^3*e \\
& + (a*b^4 - 2*a^2*b^2*c - 2*a^3*c^2)*d^2*e^2 - (a^2*b^3 - 3*a^3*b*c)*d*e^3 + \\
& (a*b*c^3*d^4 - 2*(a*b^2*c^2 - a^2*c^3)*d^3*e + (a*b^3*c - a^2*b*c^2)*d^2*e \\
& ^2 - (a^2*b^2*c - 2*a^3*c^2)*d*e^3)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a^3*b^2 \\
& *c^2 - 4*a^4*c^3)*d^5 - 2*(a^3*b^3*c - 4*a^4*b*c^2)*d^4*e + (a^3*b^4 - 2*a^ \\
& 4*b^2*c - 8*a^5*c^2)*d^3*e^2 - 2*(a^4*b^3 - 4*a^5*b*c)*d^2*e^3 + (a^5*b^2 - \\
& 4*a^6*c)*d*e^4 + ((a^2*b^2*c^3 - 4*a^3*c^4)*d^5 - 2*(a^2*b^3*c^2 - 4*a^3*b \\
& *c^3)*d^4*e + (a^2*b^4*c - 2*a^3*b^2*c^2 - 8*a^4*c^3)*d^3*e^2 - 2*(a^3*b^3* \\
& c - 4*a^4*b*c^2)*d^2*e^3 + (a^4*b^2*c - 4*a^5*c^2)*d*e^4)*x^4 + ((a^2*b^3*c \\
& ^2 - 4*a^3*b*c^3)*d^5 - 2*(a^2*b^4*c - 4*a^3*b^2*c^2)*d^4*e + (a^2*b^5 - 2* \\
& a^3*b^3*c - 8*a^4*b*c^2)*d^3*e^2 - 2*(a^3*b^4 - 4*a^4*b^2*c)*d^2*e^3 + (a^4 \\
& *b^3 - 4*a^5*b*c)*d*e^4)*x^2), -1/2*((a^2*b^2*c - 4*a^3*c^2)*e^3*x^4 + (a^ \\
& 2*b^3 - 4*a^3*b*c)*e^3*x^2 + (a^3*b^2 - 4*a^4*c)*e^3)*sqrt(-c*d^2 + b*d*e - \\
& a*e^2)*arctan(-1/2*sqrt(c*x^4 + b*x^2 + a)*sqrt(-c*d^2 + b*d*e - a*e^2))*((\\
& 2*c*d - b*e)*x^2 + b*d - 2*a*e)/((c^2*d^2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^ \\
& 2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d*e + a*b*e^2)*x^2)) - ((a*b^2*c^2 - \\
& 4*a^2*c^3)*d^4 - 2*(a*b^3*c - 4*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - \\
& 8*a^3*c^2)*d^2*e^2 - 2*(a^2*b^3 - 4*a^3*b*c)*d*e^3 + (a^3*b^2 - 4*a^4*c)*e^
\end{aligned}$$

$$4 + ((b^2*c^3 - 4*a*c^4)*d^4 - 2*(b^3*c^2 - 4*a*b*c^3)*d^3*e + (b^4*c - 2*a*b^2*c^2 - 8*a^2*c^3)*d^2*e^2 - 2*(a*b^3*c - 4*a^2*b*c^2)*d*e^3 + (a^2*b^2*c - 4*a^3*c^2)*e^4)*x^4 + ((b^3*c^2 - 4*a*b*c^3)*d^4 - 2*(b^4*c - 4*a*b^2*c^2)*d^3*e + (b^5 - 2*a*b^3*c - 8*a^2*b*c^2)*d^2*e^2 - 2*(a*b^4 - 4*a^2*b^2*c)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x^2)*sqrt(-a)*arctan(1/2*sqrt(c*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*sqrt(-a)/(a*c*x^4 + a*b*x^2 + a^2)) - 2*((a*b^2*c^2 - 2*a^2*c^3)*d^4 - (2*a*b^3*c - 5*a^2*b*c^2)*d^3*e + (a*b^4 - 2*a^2*b^2*c - 2*a^3*c^2)*d^2*e^2 - (a^2*b^3 - 3*a^3*b*c)*d*e^3 + (a*b*c^3*d^4 - 2*(a*b^2*c^2 - a^2*c^3)*d^3*e + (a*b^3*c - a^2*b*c^2)*d^2*e^2 - (a^2*b^2*c - 2*a^3*c^2)*d*e^3)*x^2)*sqrt(c*x^4 + b*x^2 + a))/((a^3*b^2*c^2 - 4*a^4*c^3)*d^5 - 2*(a^3*b^3*c - 4*a^4*b*c^2)*d^4*e + (a^3*b^4 - 2*a^4*b^2*c - 8*a^5*c^2)*d^3*e^2 - 2*(a^4*b^3 - 4*a^5*b*c)*d^2*e^3 + (a^5*b^2 - 4*a^6*c)*d*e^4 + ((a^2*b^2*c^3 - 4*a^3*c^4)*d^5 - 2*(a^2*b^3*c^2 - 4*a^3*b*c^3)*d^4*e + (a^2*b^4*c - 2*a^3*b^2*c^2 - 8*a^4*c^3)*d^3*e^2 - 2*(a^3*b^3*c - 4*a^4*b*c^2)*d^2*e^3 + (a^4*b^2*c - 4*a^5*c^2)*d*e^4)*x^4 + ((a^2*b^3*c^2 - 4*a^3*b*c^3)*d^5 - 2*(a^2*b^4*c - 4*a^3*b^2*c^2)*d^4*e + (a^2*b^5 - 2*a^3*b^3*c - 8*a^4*b*c^2)*d^3*e^2 - 2*(a^3*b^4 - 4*a^4*b^2*c)*d^2*e^3 + (a^4*b^3 - 4*a^5*b*c)*d*e^4)*x^2)]$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Error: Bad Argument Type

maple [B] time = 0.02, size = 612, normalized size = 2.30

$$\frac{2c e^2 \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{\left(-be+2cd+\sqrt{-4ac+b^2}e\right)\left(be-2cd+\sqrt{-4ac+b^2}e\right)\sqrt{\frac{ae^2-deb+cd^2}{e^2}}d} \frac{bcx^2}{(4ac-b^2)\sqrt{cx^4+bx^2+a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x)

[Out] 1/2/d/a/(c*x^4+b*x^2+a)^(1/2)-1/d*b/a/(4*a*c-b^2)/(c*x^4+b*x^2+a)^(1/2)*c*x^2-1/2/d*b^2/a/(4*a*c-b^2)/(c*x^4+b*x^2+a)^(1/2)-1/2/d/a^(3/2)*ln((b*x^2+2*a+2*(c*x^4+b*x^2+a)^(1/2)*a^(1/2))/x^2)-2*e/d*c/(b*e-2*c*d+(-4*a*c+b^2)^(1/2))

$$2)e)/(-4ac+b^2)/(x^2+1/2b/c+1/2(-4ac+b^2)^{1/2}/c)*((x^2+1/2(b+(-4ac+b^2)^{1/2}))/c)^2*c-(-4ac+b^2)^{1/2}*(x^2+1/2(b+(-4ac+b^2)^{1/2}))/c)^{1/2}-2e^2/d*c/(-b*e+2*c*d+(-4ac+b^2)^{1/2}*e)/(b*e-2*c*d+(-4ac+b^2)^{1/2}*e)/((a*e^2-b*d*e+c*d^2)/e^2)^{1/2}*ln(((b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*((a*e^2-b*d*e+c*d^2)/e^2)^{1/2}*((x^2+d/e)^2*c+(b*e-2*c*d)*(x^2+d/e)/e+(a*e^2-b*d*e+c*d^2)/e^2)^{1/2}))/((x^2+d/e))+2e/d*c/(-b*e+2*c*d+(-4ac+b^2)^{1/2}*e)/(-4ac+b^2)/(x^2+1/2b/c-1/2(-4ac+b^2)^{1/2}/c)*((x^2-1/2(-b+(-4ac+b^2)^{1/2}))/c)^2*c+(-4ac+b^2)^{1/2}*(x^2-1/2(-b+(-4ac+b^2)^{1/2}))/c)^{1/2}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x(e x^2 + d)(c x^4 + b x^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x)

[Out] int(1/(x*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(d + ex^2)(a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2),x)

[Out] Integral(1/(x*(d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)), x)

$$3.347 \quad \int \frac{1}{x^3(d+ex^2)(a+bx^2+cx^4)^{3/2}} dx$$

Optimal. Leaf size=419

$$\frac{e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2a^{3/2}d^2} + \frac{3b \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{4a^{5/2}d} - \frac{(3b^2 - 8ac)\sqrt{a+bx^2+cx^4}}{2a^2dx^2(b^2 - 4ac)} - \frac{e^2(2ace + b^2(-e) + cx^4)}{d^2(b^2 - 4ac)\sqrt{a+bx^2+cx^4}}$$

[Out] $\frac{3}{4}b \operatorname{arctanh}\left(\frac{1}{2} \frac{(b^2 x^2 + 2a)^{1/2}}{(c^2 x^4 + b^2 x^2 + a)^{1/2}}\right) / a^{5/2} d^{1/2} + e \operatorname{arctanh}\left(\frac{1}{2} \frac{(b^2 x^2 + 2a)^{1/2}}{(c^2 x^4 + b^2 x^2 + a)^{1/2}}\right) / a^{3/2} d^{2+1/2} + e^4 \operatorname{arctanh}\left(\frac{1}{2} \frac{(b^2 d - 2a^2 e + (-b^2 e + 2c^2 d) x^2)}{(a^2 e^2 - b^2 d e + c^2 d^2)^{1/2}}\right) / (c^2 x^4 + b^2 x^2 + a)^{1/2} / d^2 / (a^2 e^2 - b^2 d e + c^2 d^2)^{3/2} - e (b^2 c x^2 - 2a^2 c + b^2) / a / (-4a^2 c + b^2) / d^2 / (c^2 x^4 + b^2 x^2 + a)^{1/2} + (b^2 c x^2 - 2a^2 c + b^2) / a / (-4a^2 c + b^2) / d / x^2 / (c^2 x^4 + b^2 x^2 + a)^{1/2} - e^2 (b^2 c d - b^2 e + 2a^2 c e + c^2 (2c^2 d - b^2 e) x^2) / (-4a^2 c + b^2) / d^2 / (a^2 e^2 - b^2 d e + c^2 d^2) / (c^2 x^4 + b^2 x^2 + a)^{1/2} - 1/2 (-8a^2 c + 3b^2) (c^2 x^4 + b^2 x^2 + a)^{1/2} / a^2 / (-4a^2 c + b^2) / d / x^2$

Rubi [A] time = 0.56, antiderivative size = 419, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1251, 960, 740, 806, 724, 206, 12}

$$-\frac{(3b^2 - 8ac)\sqrt{a+bx^2+cx^4}}{2a^2dx^2(b^2 - 4ac)} + \frac{e \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{2a^{3/2}d^2} + \frac{3b \tanh^{-1}\left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}}\right)}{4a^{5/2}d} - \frac{e^2(2ace + b^2(-e) + cx^4)}{d^2(b^2 - 4ac)\sqrt{a+bx^2+cx^4}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out] $-\left(\frac{e(b^2 - 2a^2c + b^2cx^2)}{a(b^2 - 4a^2c)d^2\sqrt{a+bx^2+cx^4}}\right) + \frac{(b^2 - 2a^2c + b^2cx^2)}{a(b^2 - 4a^2c)d^2x^2\sqrt{a+bx^2+cx^4}} - \frac{(e^2(b^2cd - b^2e + 2a^2ce + c^2(2c^2d - b^2e)x^2))}{(b^2 - 4a^2c)d^2(c^2d^2 - b^2de + a^2e^2)\sqrt{a+bx^2+cx^4}} - \frac{((3b^2 - 8a^2c)\sqrt{a+bx^2+cx^4})}{(2a^2(b^2 - 4a^2c)d^2x^2) + (3b^2\operatorname{ArcTanh}[(2a+bx^2)/(2\sqrt{a}\sqrt{a+bx^2+cx^4})])}{(4a^{5/2}d) + (e^2\operatorname{ArcTanh}[(2a+bx^2)/(2\sqrt{a}\sqrt{a+bx^2+cx^4})])}{(2a^{3/2}d^2) + (e^4\operatorname{ArcTanh}[(b^2d - 2a^2e + (2c^2d - b^2e)x^2)/(2\sqrt{c^2d^2 - b^2de + a^2e^2}]\sqrt{a+bx^2+cx^4})}{(2d^2(c^2d^2 - b^2de + a^2e^2)^{3/2})}$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 724

Int[1/(((d_) + (e_)*(x_))*Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2]), x_Symbol] := Dist[-2, Subst[Int[1/(4*c*d^2 - 4*b*d*e + 4*a*e^2 - x^2), x], x, (2*a*e - b*d - (2*c*d - b*e)*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[2*c*d - b*e, 0]

Rule 740

Int[((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(b*c*d - b^2*e + 2*a*c*e + c*(2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*Simp[b*c*d*e*(2*p - m + 2) + b^2*e^2*(m + p + 2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3) - c*e*(2*c*d - b*e)*(m + 2*p + 4)*x, x]*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]

Rule 806

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((e*f - d*g)*(d + e*x)^(m + 1)*(a + b*x + c*x^2)^(p + 1))/(2*(p + 1)*(c*d^2 - b*d*e + a*e^2)), x] - Dist[(b*(e*f + d*g) - 2*(c*d*f + a*e*g))/(2*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^(m + 1)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, p}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && EqQ[Simplify[m + 2*p + 3], 0]

Rule 960

Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])

Rule 1251


```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^3 (d + ex^2) (a + bx^2 + cx^4)^{3/2}} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{x^2 (d + ex) (a + bx + cx^2)^{3/2}} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{1}{dx^2 (a + bx + cx^2)^{3/2}} - \frac{e}{d^2 x (a + bx + cx^2)^{3/2}} + \frac{e}{d^2 (d + ex)} \right) dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{x^2 (a + bx + cx^2)^{3/2}} dx, x, x^2 \right)}{2d} - \frac{e \text{Subst} \left(\int \frac{1}{x (a + bx + cx^2)^{3/2}} dx, x, x^2 \right)}{2d^2} + \frac{e}{2d^2} \int \frac{1}{d + ex} dx \\
&= -\frac{e (b^2 - 2ac + bcx^2)}{a (b^2 - 4ac) d^2 \sqrt{a + bx^2 + cx^4}} + \frac{b^2 - 2ac + bcx^2}{a (b^2 - 4ac) dx^2 \sqrt{a + bx^2 + cx^4}} - \frac{e}{2d^2} \ln \left| \frac{d + ex}{\sqrt{a + bx^2 + cx^4}} \right| \\
&= -\frac{e (b^2 - 2ac + bcx^2)}{a (b^2 - 4ac) d^2 \sqrt{a + bx^2 + cx^4}} + \frac{b^2 - 2ac + bcx^2}{a (b^2 - 4ac) dx^2 \sqrt{a + bx^2 + cx^4}} - \frac{e}{2d^2} \ln \left| \frac{d + ex}{\sqrt{a + bx^2 + cx^4}} \right| \\
&= -\frac{e (b^2 - 2ac + bcx^2)}{a (b^2 - 4ac) d^2 \sqrt{a + bx^2 + cx^4}} + \frac{b^2 - 2ac + bcx^2}{a (b^2 - 4ac) dx^2 \sqrt{a + bx^2 + cx^4}} - \frac{e}{2d^2} \ln \left| \frac{d + ex}{\sqrt{a + bx^2 + cx^4}} \right| \\
&= -\frac{e (b^2 - 2ac + bcx^2)}{a (b^2 - 4ac) d^2 \sqrt{a + bx^2 + cx^4}} + \frac{b^2 - 2ac + bcx^2}{a (b^2 - 4ac) dx^2 \sqrt{a + bx^2 + cx^4}} - \frac{e}{2d^2} \ln \left| \frac{d + ex}{\sqrt{a + bx^2 + cx^4}} \right|
\end{aligned}$$

Mathematica [A] time = 1.48, size = 350, normalized size = 0.84

$$\frac{(2ae+3bd) \tanh^{-1} \left(\frac{2a+bx^2}{2\sqrt{a}\sqrt{a+bx^2+cx^4}} \right)}{a^{5/2}} + \frac{2d(-4a^3ce^2+a^2(b^2e^2+4bce(d-ex^2))-4c^2(d^2+dex^2+e^2x^4))+a(b^3e(ex^2-d)+b^2c(d^2+12dex^2+e^2x^4))-10bc^2dx^2(d+ex)}{a^2x^2(b^2-4ac)\sqrt{a+bx^2+cx^4}(e(bd-ae)-cd^2)}$$

$$4d^2$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)),x]

[Out]
$$\frac{\begin{aligned} &((2*d*(-4*a^3*c*e^2 + 3*b^2*d*(c*d - b*e))*x^2*(b + c*x^2) + a^2*(b^2*e^2 + \\ &4*b*c*e*(d - e*x^2) - 4*c^2*(d^2 + d*e*x^2 + e^2*x^4)) + a*(-8*c^3*d^2*x^4 \\ &- 10*b*c^2*d*x^2*(d - e*x^2) + b^3*e*(-d + e*x^2) + b^2*c*(d^2 + 12*d*e*x^2 \\ &+ e^2*x^4))))/(a^2*(b^2 - 4*a*c)*(-(c*d^2) + e*(b*d - a*e))*x^2*\text{Sqrt}[a + b \\ &*x^2 + c*x^4]) + (((3*b*d + 2*a*e)*\text{ArcTanh}[(2*a + b*x^2)/(2*\text{Sqrt}[a]*\text{Sqrt}[a + \\ &b*x^2 + c*x^4)]))/a^{5/2} + (2*e^4*\text{ArcTanh}[(-2*a*e + 2*c*d*x^2 + b*(d - e \\ &x^2))/(2*\text{Sqrt}[c*d^2 + e*(-(b*d) + a*e)]*\text{Sqrt}[a + b*x^2 + c*x^4)]))/(c*d^2 + \\ &e*(-(b*d) + a*e))^{3/2})/(4*d^2) \end{aligned}}$$

fricas [B] time = 22.07, size = 6486, normalized size = 15.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} &[1/8*(2*((a^3*b^2*c - 4*a^4*c^2)*e^4*x^6 + (a^3*b^3 - 4*a^4*b*c)*e^4*x^4 + \\ &(a^4*b^2 - 4*a^5*c)*e^4*x^2)*\text{sqrt}(c*d^2 - b*d*e + a*e^2)*\log(-((8*c^2*d^2 - \\ &8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c) \\ &*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b^2 + 4*a*c)*d*e)*x^2 + 4*\text{sqrt}(c*x^4 + \\ &b*x^2 + a)*\text{sqrt}(c*d^2 - b*d*e + a*e^2)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/ \\ &(e^2*x^4 + 2*d*e*x^2 + d^2)) + ((3*(b^3*c^3 - 4*a*b*c^4)*d^5 - 2*(3*b^4*c^2 \\ &- 13*a*b^2*c^3 + 4*a^2*c^4)*d^4*e + (3*b^5*c - 10*a*b^3*c^2 - 8*a^2*b*c^3) \\ &*d^3*e^2 - 4*(a*b^4*c - 5*a^2*b^2*c^2 + 4*a^3*c^3)*d^2*e^3 - (a^2*b^3*c - 4 \\ &*a^3*b*c^2)*d*e^4 + 2*(a^3*b^2*c - 4*a^4*c^2)*e^5)*x^6 + (3*(b^4*c^2 - 4*a* \\ &b^2*c^3)*d^5 - 2*(3*b^5*c - 13*a*b^3*c^2 + 4*a^2*b*c^3)*d^4*e + (3*b^6 - 10 \\ &*a*b^4*c - 8*a^2*b^2*c^2)*d^3*e^2 - 4*(a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*d \\ &^2*e^3 - (a^2*b^4 - 4*a^3*b^2*c)*d*e^4 + 2*(a^3*b^3 - 4*a^4*b*c)*e^5)*x^4 + \\ &(3*(a*b^3*c^2 - 4*a^2*b*c^3)*d^5 - 2*(3*a*b^4*c - 13*a^2*b^2*c^2 + 4*a^3*c \\ &^3)*d^4*e + (3*a*b^5 - 10*a^2*b^3*c - 8*a^3*b*c^2)*d^3*e^2 - 4*(a^2*b^4 - 5 \\ &*a^3*b^2*c + 4*a^4*c^2)*d^2*e^3 - (a^3*b^3 - 4*a^4*b*c)*d*e^4 + 2*(a^4*b^2 \\ &- 4*a^5*c)*e^5)*x^2)*\text{sqrt}(a)*\log(-((b^2 + 4*a*c)*x^4 + 8*a*b*x^2 + 4*\text{sqrt}(c \\ &*x^4 + b*x^2 + a)*(b*x^2 + 2*a)*\text{sqrt}(a) + 8*a^2)/x^4) - 4*((a^2*b^2*c^2 - 4 \\ &*a^3*c^3)*d^5 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^4*e + (a^2*b^4 - 2*a^3*b^2*c \\ &- 8*a^4*c^2)*d^3*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d^2*e^3 + (a^4*b^2 - 4*a^5*c) \\ &)*d*e^4 + ((3*a*b^2*c^3 - 8*a^2*c^4)*d^5 - 6*(a*b^3*c^2 - 3*a^2*b*c^3)*d^4* \\ &e + 3*(a*b^4*c - 2*a^2*b^2*c^2 - 4*a^3*c^3)*d^3*e^2 - 2*(2*a^2*b^3*c - 7*a^ \\ &3*b*c^2)*d^2*e^3 + (a^3*b^2*c - 4*a^4*c^2)*d*e^4)*x^4 + (((3*a*b^3*c^2 - 10* \\ &a^2*b*c^3)*d^5 - 2*(3*a*b^4*c - 11*a^2*b^2*c^2 + 2*a^3*c^3)*d^4*e + (3*a*b^ \\ &5 - 8*a^2*b^3*c - 10*a^3*b*c^2)*d^3*e^2 - 4*(a^2*b^4 - 4*a^3*b^2*c + a^4*c^ \\ &2)*d^2*e^3 + (a^3*b^3 - 4*a^4*b*c)*d*e^4)*x^2)*\text{sqrt}(c*x^4 + b*x^2 + a))/(((\\ &a^3*b^2*c^3 - 4*a^4*c^4)*d^6 - 2*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d^5*e + (a^3*b \\ &^4*c - 2*a^4*b^2*c^2 - 8*a^5*c^3)*d^4*e^2 - 2*(a^4*b^3*c - 4*a^5*b*c^2)*d^3 \end{aligned}}$$

$$\begin{aligned}
& 3*c^3)*d^4*e + (3*a*b^5 - 10*a^2*b^3*c - 8*a^3*b*c^2)*d^3*e^2 - 4*(a^2*b^4 \\
& - 5*a^3*b^2*c + 4*a^4*c^2)*d^2*e^3 - (a^3*b^3 - 4*a^4*b*c)*d*e^4 + 2*(a^4*b \\
& ^2 - 4*a^5*c)*e^5)*x^2)*\sqrt{-a}*\arctan(1/2*\sqrt{c*x^4 + b*x^2 + a})*(b*x^2 \\
& + 2*a)*\sqrt{-a}/(a*c*x^4 + a*b*x^2 + a^2)) - ((a^3*b^2*c - 4*a^4*c^2)*e^4*x \\
& ^6 + (a^3*b^3 - 4*a^4*b*c)*e^4*x^4 + (a^4*b^2 - 4*a^5*c)*e^4*x^2)*\sqrt{c*d^ \\
& 2 - b*d*e + a*e^2}*\log(-((8*c^2*d^2 - 8*b*c*d*e + (b^2 + 4*a*c)*e^2)*x^4 - \\
& 8*a*b*d*e + 8*a^2*e^2 + (b^2 + 4*a*c)*d^2 + 2*(4*b*c*d^2 + 4*a*b*e^2 - (3*b \\
& ^2 + 4*a*c)*d*e)*x^2 + 4*\sqrt{c*x^4 + b*x^2 + a}*\sqrt{c*d^2 - b*d*e + a*e^2} \\
&)*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/(e^2*x^4 + 2*d*e*x^2 + d^2)) + 2*((a^2 \\
& *b^2*c^2 - 4*a^3*c^3)*d^5 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^4*e + (a^2*b^4 - \\
& 2*a^3*b^2*c - 8*a^4*c^2)*d^3*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d^2*e^3 + (a^4*b \\
& ^2 - 4*a^5*c)*d*e^4 + ((3*a*b^2*c^3 - 8*a^2*c^4)*d^5 - 6*(a*b^3*c^2 - 3*a^2 \\
& *b*c^3)*d^4*e + 3*(a*b^4*c - 2*a^2*b^2*c^2 - 4*a^3*c^3)*d^3*e^2 - 2*(2*a^2* \\
& b^3*c - 7*a^3*b*c^2)*d^2*e^3 + (a^3*b^2*c - 4*a^4*c^2)*d*e^4)*x^4 + ((3*a*b \\
& ^3*c^2 - 10*a^2*b*c^3)*d^5 - 2*(3*a*b^4*c - 11*a^2*b^2*c^2 + 2*a^3*c^3)*d^4 \\
& *e + (3*a*b^5 - 8*a^2*b^3*c - 10*a^3*b*c^2)*d^3*e^2 - 4*(a^2*b^4 - 4*a^3*b^ \\
& 2*c + a^4*c^2)*d^2*e^3 + (a^3*b^3 - 4*a^4*b*c)*d*e^4)*x^2)*\sqrt{c*x^4 + b*x \\
& ^2 + a))/(((a^3*b^2*c^3 - 4*a^4*c^4)*d^6 - 2*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d^ \\
& 5*e + (a^3*b^4*c - 2*a^4*b^2*c^2 - 8*a^5*c^3)*d^4*e^2 - 2*(a^4*b^3*c - 4*a^ \\
& 5*b*c^2)*d^3*e^3 + (a^5*b^2*c - 4*a^6*c^2)*d^2*e^4)*x^6 + ((a^3*b^3*c^2 - 4 \\
& *a^4*b*c^3)*d^6 - 2*(a^3*b^4*c - 4*a^4*b^2*c^2)*d^5*e + (a^3*b^5 - 2*a^4*b^ \\
& 3*c - 8*a^5*b*c^2)*d^4*e^2 - 2*(a^4*b^4 - 4*a^5*b^2*c)*d^3*e^3 + (a^5*b^3 - \\
& 4*a^6*b*c)*d^2*e^4)*x^4 + ((a^4*b^2*c^2 - 4*a^5*c^3)*d^6 - 2*(a^4*b^3*c - \\
& 4*a^5*b*c^2)*d^5*e + (a^4*b^4 - 2*a^5*b^2*c - 8*a^6*c^2)*d^4*e^2 - 2*(a^5*b \\
& ^3 - 4*a^6*b*c)*d^3*e^3 + (a^6*b^2 - 4*a^7*c)*d^2*e^4)*x^2), 1/4*(2*((a^3*b \\
& ^2*c - 4*a^4*c^2)*e^4*x^6 + (a^3*b^3 - 4*a^4*b*c)*e^4*x^4 + (a^4*b^2 - 4*a^ \\
& 5*c)*e^4*x^2)*\sqrt{-c*d^2 + b*d*e - a*e^2}*\arctan(-1/2*\sqrt{c*x^4 + b*x^2 + \\
& a}*\sqrt{-c*d^2 + b*d*e - a*e^2})*((2*c*d - b*e)*x^2 + b*d - 2*a*e))/((c^2*d^ \\
& 2 - b*c*d*e + a*c*e^2)*x^4 + a*c*d^2 - a*b*d*e + a^2*e^2 + (b*c*d^2 - b^2*d \\
& *e + a*b*e^2)*x^2)) - ((3*(b^3*c^3 - 4*a*b*c^4)*d^5 - 2*(3*b^4*c^2 - 13*a*b \\
& ^2*c^3 + 4*a^2*c^4)*d^4*e + (3*b^5*c - 10*a*b^3*c^2 - 8*a^2*b*c^3)*d^3*e^2 \\
& - 4*(a*b^4*c - 5*a^2*b^2*c^2 + 4*a^3*c^3)*d^2*e^3 - (a^2*b^3*c - 4*a^3*b*c^ \\
& 2)*d*e^4 + 2*(a^3*b^2*c - 4*a^4*c^2)*e^5)*x^6 + (3*(b^4*c^2 - 4*a*b^2*c^3)* \\
& d^5 - 2*(3*b^5*c - 13*a*b^3*c^2 + 4*a^2*b*c^3)*d^4*e + (3*b^6 - 10*a*b^4*c \\
& - 8*a^2*b^2*c^2)*d^3*e^2 - 4*(a*b^5 - 5*a^2*b^3*c + 4*a^3*b*c^2)*d^2*e^3 - \\
& (a^2*b^4 - 4*a^3*b^2*c)*d*e^4 + 2*(a^3*b^3 - 4*a^4*b*c)*e^5)*x^4 + (3*(a*b^ \\
& 3*c^2 - 4*a^2*b*c^3)*d^5 - 2*(3*a*b^4*c - 13*a^2*b^2*c^2 + 4*a^3*c^3)*d^4*e \\
& + (3*a*b^5 - 10*a^2*b^3*c - 8*a^3*b*c^2)*d^3*e^2 - 4*(a^2*b^4 - 5*a^3*b^2* \\
& c + 4*a^4*c^2)*d^2*e^3 - (a^3*b^3 - 4*a^4*b*c)*d*e^4 + 2*(a^4*b^2 - 4*a^5*c \\
&)*e^5)*x^2)*\sqrt{-a}*\arctan(1/2*\sqrt{c*x^4 + b*x^2 + a})*(b*x^2 + 2*a)*\sqrt{ \\
& -a}/(a*c*x^4 + a*b*x^2 + a^2)) - 2*((a^2*b^2*c^2 - 4*a^3*c^3)*d^5 - 2*(a^2* \\
& b^3*c - 4*a^3*b*c^2)*d^4*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^3*e^2 - \\
& 2*(a^3*b^3 - 4*a^4*b*c)*d^2*e^3 + (a^4*b^2 - 4*a^5*c)*d*e^4 + ((3*a*b^2*c^3 \\
& - 8*a^2*c^4)*d^5 - 6*(a*b^3*c^2 - 3*a^2*b*c^3)*d^4*e + 3*(a*b^4*c - 2*a^2* \\
& b^2*c^2 - 4*a^3*c^3)*d^3*e^2 - 2*(2*a^2*b^3*c - 7*a^3*b*c^2)*d^2*e^3 + (a^3
\end{aligned}$$

$$\begin{aligned} & *b^2*c - 4*a^4*c^2)*d*e^4)*x^4 + ((3*a*b^3*c^2 - 10*a^2*b*c^3)*d^5 - 2*(3*a \\ & *b^4*c - 11*a^2*b^2*c^2 + 2*a^3*c^3)*d^4*e + (3*a*b^5 - 8*a^2*b^3*c - 10*a^ \\ & 3*b*c^2)*d^3*e^2 - 4*(a^2*b^4 - 4*a^3*b^2*c + a^4*c^2)*d^2*e^3 + (a^3*b^3 - \\ & 4*a^4*b*c)*d*e^4)*x^2)*\text{sqrt}(c*x^4 + b*x^2 + a))/(((a^3*b^2*c^3 - 4*a^4*c^4 \\ &)*d^6 - 2*(a^3*b^3*c^2 - 4*a^4*b*c^3)*d^5*e + (a^3*b^4*c - 2*a^4*b^2*c^2 - \\ & 8*a^5*c^3)*d^4*e^2 - 2*(a^4*b^3*c - 4*a^5*b*c^2)*d^3*e^3 + (a^5*b^2*c - 4*a \\ & ^6*c^2)*d^2*e^4)*x^6 + ((a^3*b^3*c^2 - 4*a^4*b*c^3)*d^6 - 2*(a^3*b^4*c - 4* \\ & a^4*b^2*c^2)*d^5*e + (a^3*b^5 - 2*a^4*b^3*c - 8*a^5*b*c^2)*d^4*e^2 - 2*(a^4 \\ & *b^4 - 4*a^5*b^2*c)*d^3*e^3 + (a^5*b^3 - 4*a^6*b*c)*d^2*e^4)*x^4 + ((a^4*b^ \\ & 2*c^2 - 4*a^5*c^3)*d^6 - 2*(a^4*b^3*c - 4*a^5*b*c^2)*d^5*e + (a^4*b^4 - 2*a \\ & ^5*b^2*c - 8*a^6*c^2)*d^4*e^2 - 2*(a^5*b^3 - 4*a^6*b*c)*d^3*e^3 + (a^6*b^2 \\ & - 4*a^7*c)*d^2*e^4)*x^2)] \end{aligned}$$

giac [B] time = 2.74, size = 762, normalized size = 1.82

$$\frac{(a^2b^2c^3d^3 - 2a^3c^4d^3 - 2a^2b^3c^2d^2e + 5a^3bc^3d^2e + a^2b^4cde - 2a^3b^2c^2de - 2a^4c^3de - a^3b^3ce^3 + 3a^4bc^2e^3)x^2}{a^4b^2c^2d^4 - 4a^5c^3d^4 - 2a^4b^3cd^3e + 8a^5bc^2d^3e + a^4b^4d^2e^2 - 2a^5b^2cd^2e^2 - 8a^6c^2d^2e^2 - 2a^5b^3de^3 + 8a^6bcde^3 + a^6b^2e^4 - 4a^7ce^4} + \frac{a^2b^3c^2d^3 - 3a^3bc^3d^3 - 2a^4b^2c^2d^3}{a^4b^2c^2d^4 - 4a^5c^3d^4 - 2a^4b^3cd^3e + 8a^5bc^2d^3e + a^4b^4d^2e^2 - 2a^5b^2cd^2e^2 - 8a^6c^2d^2e^2 - 2a^5b^3de^3 + 8a^6bcde^3 + a^6b^2e^4 - 4a^7ce^4} + \frac{a^2b^3c^2d^3 - 3a^3bc^3d^3 - 2a^4b^2c^2d^3}{\sqrt{cx^4 + bx^2 + a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -((a^2*b^2*c^3*d^3 - 2*a^3*c^4*d^3 - 2*a^2*b^3*c^2*d^2*e + 5*a^3*b*c^3*d^2* \\ & e + a^2*b^4*c*d*e^2 - 2*a^3*b^2*c^2*d*e^2 - 2*a^4*c^3*d*e^2 - a^3*b^3*c*e^3 \\ & + 3*a^4*b*c^2*e^3)*x^2/(a^4*b^2*c^2*d^4 - 4*a^5*c^3*d^4 - 2*a^4*b^3*c*d^3* \\ & e + 8*a^5*b*c^2*d^3*e + a^4*b^4*d^2*e^2 - 2*a^5*b^2*c*d^2*e^2 - 8*a^6*c^2*d \\ & ^2*e^2 - 2*a^5*b^3*d*e^3 + 8*a^6*b*c*d*e^3 + a^6*b^2*e^4 - 4*a^7*c*e^4) + (\\ & a^2*b^3*c^2*d^3 - 3*a^3*b*c^3*d^3 - 2*a^2*b^4*c*d^2*e + 7*a^3*b^2*c^2*d^2*e \\ & - 2*a^4*c^3*d^2*e + a^2*b^5*d*e^2 - 3*a^3*b^3*c*d*e^2 - a^4*b*c^2*d*e^2 - \\ & a^3*b^4*e^3 + 4*a^4*b^2*c*e^3 - 2*a^5*c^2*e^3)/(a^4*b^2*c^2*d^4 - 4*a^5*c^3 \\ & *d^4 - 2*a^4*b^3*c*d^3*e + 8*a^5*b*c^2*d^3*e + a^4*b^4*d^2*e^2 - 2*a^5*b^2* \\ & c*d^2*e^2 - 8*a^6*c^2*d^2*e^2 - 2*a^5*b^3*d*e^3 + 8*a^6*b*c*d*e^3 + a^6*b^2 \\ & *e^4 - 4*a^7*c*e^4))/\text{sqrt}(c*x^4 + b*x^2 + a) + \arctan(-(\text{sqrt}(c)*x^2 - \text{sqrt} \\ & (c*x^4 + b*x^2 + a))*e + \text{sqrt}(c)*d)/\text{sqrt}(-c*d^2 + b*d*e - a*e^2))*e^4/((c*d \\ & ^4 - b*d^3*e + a*d^2*e^2)*\text{sqrt}(-c*d^2 + b*d*e - a*e^2)) - 1/2*(3*b*d + 2*a* \\ & e)*\arctan(-(\text{sqrt}(c)*x^2 - \text{sqrt}(c*x^4 + b*x^2 + a))/\text{sqrt}(-a))/(\text{sqrt}(-a)*a^2* \\ & d^2) + 1/2*((\text{sqrt}(c)*x^2 - \text{sqrt}(c*x^4 + b*x^2 + a))*b + 2*a*\text{sqrt}(c))/((\text{sqr} \\ & t(c)*x^2 - \text{sqrt}(c*x^4 + b*x^2 + a))^2 - a)*a^2*d) \end{aligned}$$

maple [B] time = 0.03, size = 863, normalized size = 2.06

$$\frac{2c e^3 \ln \left(\frac{\frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{2ae^2-2deb+2cd^2}{e^2} + 2\sqrt{\frac{ae^2-deb+cd^2}{e^2}} \sqrt{\left(x^2+\frac{d}{e}\right)^2 c + \frac{(be-2cd)\left(x^2+\frac{d}{e}\right)}{e} + \frac{ae^2-deb+cd^2}{e^2}}}{x^2+\frac{d}{e}} \right)}{\left(-be+2cd+\sqrt{-4ac+b^2}e\right)\left(be-2cd+\sqrt{-4ac+b^2}e\right)\sqrt{\frac{ae^2-deb+cd^2}{e^2}}d^2} + \frac{bce x^2}{(4ac-b^2)\sqrt{cx^4+bx^2+a}ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x)

[Out]
$$\begin{aligned} & -1/2/d^2*e/a/(c*x^4+b*x^2+a)^{(1/2)}+1/d^2*e*b/a/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)} \\ & +1/2/d^2*e/a^{(3/2)}*c*x^2+1/2/d^2*e*b^2/a/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)}+1/2/d^2*e/a^{(3/2)} \\ & * \ln\left(\frac{(b*x^2+2*a+2*(c*x^4+b*x^2+a)^{(1/2)}*a^{(1/2)})/x^2+2*e^2/d^2*c/(b*e-2*c*d+(-4*a*c+b^2)^{(1/2)}*e)}{(-4*a*c+b^2)/(x^2+1/2*b/c+1/2*(-4*a*c+b^2)^{(1/2)})/c}\right) \\ & * \left(\frac{x^2+1/2*(b+(-4*a*c+b^2)^{(1/2)})/c}{-4*a*c+b^2}\right)^{(1/2)} * \left(\frac{x^2+1/2*(b+(-4*a*c+b^2)^{(1/2)})/c}{-4*a*c+b^2}\right)^{(1/2)} \\ & + 2*e^3/d^2*c/(-b*e+2*c*d+(-4*a*c+b^2)^{(1/2)}*e)/(b*e-2*c*d+(-4*a*c+b^2)^{(1/2)}*e) \\ & / \left(\frac{a*e^2-b*d*e+c*d^2}{e^2}\right)^{(1/2)} * \ln\left(\frac{(b*e-2*c*d)*(x^2+d/e)/e+2*(a*e^2-b*d*e+c*d^2)/e^2+2*\left(\frac{a*e^2-b*d*e+c*d^2}{e^2}\right)^{(1/2)}* \left(\frac{x^2+d/e}{e}\right)^2*c+(b*e-2*c*d)*(x^2+d/e)/e}{(a*e^2-b*d*e+c*d^2)/e^2}\right)^{(1/2)} \\ & / \left(\frac{x^2+d/e}{e}\right)^2 * \frac{e^2/d^2*c/(-b*e+2*c*d+(-4*a*c+b^2)^{(1/2)}*e)/(-4*a*c+b^2)/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)})/c}{(x^2-1/2*(-b+(-4*a*c+b^2)^{(1/2)})/c)^2*c+(-4*a*c+b^2)^{(1/2)}*(x^2-1/2*(-b+(-4*a*c+b^2)^{(1/2)})/c)} \\ & / \left(\frac{x^2-1/2*(-b+(-4*a*c+b^2)^{(1/2)})/c}{-4*a*c+b^2}\right)^{(1/2)} - 1/2/d/a/x^2/(c*x^4+b*x^2+a)^{(1/2)} \\ & - 3/4/d*b/a^2/(c*x^4+b*x^2+a)^{(1/2)} + 3/2/d*b^2/a^2/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)} \\ & + 3/4/d*b/a^{(5/2)} * \ln\left(\frac{(b*x^2+2*a+2*(c*x^4+b*x^2+a)^{(1/2)}*a^{(1/2)})/x^2-4/d*c^2/a/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)}*x^2-2/d*c/a/(4*a*c-b^2)/(c*x^4+b*x^2+a)^{(1/2)}*b}{(b*x^2+2*a+2*(c*x^4+b*x^2+a)^{(1/2)}*a^{(1/2)})/x^2}\right) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)^{\frac{3}{2}}(ex^2 + d)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(e*x^2+d)/(c*x^4+b*x^2+a)^(3/2), x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)^(3/2)*(e*x^2 + d)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^3 (ex^2 + d) (cx^4 + bx^2 + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

[Out] `int(1/(x^3*(d + e*x^2)*(a + b*x^2 + c*x^4)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (d + ex^2) (a + bx^2 + cx^4)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(e*x**2+d)/(c*x**4+b*x**2+a)**(3/2), x)`

[Out] `Integral(1/(x**3*(d + e*x**2)*(a + b*x**2 + c*x**4)**(3/2)), x)`

$$3.348 \quad \int \frac{x^8}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$$

Optimal. Leaf size=449

$$\frac{\sqrt{2x^4+2x^2+1}x}{10\sqrt{2}(\sqrt{2}x^2+1)} + \frac{1}{20}\sqrt{2x^4+2x^2+1}x + \frac{27}{80}\sqrt{\frac{3}{5}}\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{(7\sqrt{2}-2)(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{8^{3/4}(3\sqrt{2}-2)\sqrt{2}}$$

[Out] $27/400*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}+1/20*x^3*(-2*x^2+1)/(2*x^4+2*x^2+1)^{(1/2)}+1/20*x*(2*x^4+2*x^2+1)^{(1/2)}+1/20*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})-1/20*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)}))^{(1/2)}*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}+27/160*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)}))^{(1/2)}*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}+1/16*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)}))^{(1/2)}*(-2+7*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(-2+3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 566, normalized size of antiderivative = 1.26, number of steps used = 10, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1313, 1275, 1279, 1197, 1103, 1195, 1325, 1706}

$$\frac{(1-2x^2)x^3}{20\sqrt{2x^4+2x^2+1}} + \frac{\sqrt{2x^4+2x^2+1}x}{10\sqrt{2}(\sqrt{2}x^2+1)} + \frac{1}{20}\sqrt{2x^4+2x^2+1}x - \frac{27\sqrt{\frac{3}{10}}(3-\sqrt{2})\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{40(2-3\sqrt{2})} - \frac{(7+\sqrt{2})}{8^{3/4}(3\sqrt{2}-2)\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[x^8/((3+2*x^2)*(1+2*x^2+2*x^4)^(3/2)),x]

[Out] $(x^3*(1-2*x^2))/(20*\text{Sqrt}[1+2*x^2+2*x^4])+(x*\text{Sqrt}[1+2*x^2+2*x^4])/20+(x*\text{Sqrt}[1+2*x^2+2*x^4])/(10*\text{Sqrt}[2]*(1+\text{Sqrt}[2]*x^2))- (27*\text{Sqrt}[3/10]*(3-\text{Sqrt}[2])*ArcTan[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1+2*x^2+2*x^4]])/(40*(2-3*\text{Sqrt}[2]))-((1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*ArcTan[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/(10*2^{(3/4)}*\text{Sqrt}[1+2*x^2+2*x^4])+(9*(1-3*\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*ArcTan[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/(20*2^{(3/4)}*(2-3*\text{Sqrt}[2])* \text{Sqrt}[1+2*x^2+2*x^4]) - ((7+\text{Sqrt}[2])*(1$

+ Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4]]/(40*2^(3/4)*Sqrt[1 + 2*x^2 + 2*x^4]) + (27*(3 + Sqrt[2])*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticPi[(12 - 11*Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(80*2^(3/4)*(2 - 3*Sqrt[2])*Sqrt[1 + 2*x^2 + 2*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1275

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1279

Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p +

3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1313

Int[(((f_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_))/((d_) + (e_)*(x_)^2), x_Symbol] := -Dist[f^4/(c*d^2 - b*d*e + a*e^2), Int[(f*x)^(m - 4)*(a*d + (b*d - a*e)*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + Dist[(d^2*f^4)/(c*d^2 - b*d*e + a*e^2), Int[((f*x)^(m - 4)*(a + b*x^2 + c*x^4)^(p + 1))/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 2]

Rule 1325

Int[(x_)^4/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, -Dist[(2*c*d - a*e*q)/(c*e*(e - d*q)), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + (-Dist[1/(e*q), Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[d^2/(e*(e - d*q)), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]]) /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a] && NeQ[c*d^2 - a*e^2, 0]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^8}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx &= -\left(\frac{1}{10} \int \frac{x^4(3+4x^2)}{(1+2x^2+2x^4)^{3/2}} dx\right) + \frac{9}{10} \int \frac{x^4}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\
&= \frac{x^3(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} + \frac{1}{40} \int \frac{x^2(-6+12x^2)}{\sqrt{1+2x^2+2x^4}} dx - \frac{9}{20\sqrt{2}} \int \frac{1-\sqrt{2}x^2}{\sqrt{1+2x^2+2x^4}} dx + \frac{81}{20\sqrt{2}} \\
&= \frac{x^3(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} + \frac{1}{20} x\sqrt{1+2x^2+2x^4} + \frac{9x\sqrt{1+2x^2+2x^4}}{20\sqrt{2}(1+\sqrt{2}x^2)} - \frac{27\sqrt{\frac{3}{10}}}{20\sqrt{2}} \\
&= \frac{x^3(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} + \frac{1}{20} x\sqrt{1+2x^2+2x^4} + \frac{9x\sqrt{1+2x^2+2x^4}}{20\sqrt{2}(1+\sqrt{2}x^2)} - \frac{27\sqrt{\frac{3}{10}}}{20\sqrt{2}} \\
&= \frac{x^3(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} + \frac{1}{20} x\sqrt{1+2x^2+2x^4} + \frac{x\sqrt{1+2x^2+2x^4}}{10\sqrt{2}(1+\sqrt{2}x^2)} - \frac{27\sqrt{\frac{3}{10}}}{20\sqrt{2}}
\end{aligned}$$

Mathematica [C] time = 0.28, size = 199, normalized size = 0.44

$$\frac{12x^3 - (29 - 33i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} F\left(i \sinh^{-1}(\sqrt{1-ix}) \middle| i\right) - 4i\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} \operatorname{EllipticE}\left(i \operatorname{ArcSinh}(\sqrt{1-ix}) \middle| i\right) + 27(1-i)^{3/2}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2} \operatorname{EllipticPi}\left(\frac{1}{3} + \frac{i}{3}, i \operatorname{ArcSinh}(\sqrt{1-ix}) \middle| i\right)}{80\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^8/((3+2*x^2)*(1+2*x^2+2*x^4)^(3/2)),x]

[Out] (4*x + 12*x^3 - (4*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (29 - 33*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] + 27*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(80*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.15, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{2x^4+2x^2+1}x^8}{8x^{10}+28x^8+40x^6+32x^4+14x^2+3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)*x^8/(8*x^10 + 28*x^8 + 40*x^6 + 32*x^4 + 14*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(x^8/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

maple [C] time = 0.05, size = 603, normalized size = 1.34

$$\frac{27x^3}{16\sqrt{2x^4 + 2x^2 + 1}} + \frac{x}{8\sqrt{2x^4 + 2x^2 + 1}} - \frac{243i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \operatorname{EllipticE}\left(\sqrt{-1 + ix}, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{160\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x)

[Out] $\frac{1}{8}x/(2x^4+2x^2+1)^{1/2} - \frac{11}{4}(-1+i)^{1/2}((1-i)x^2+1)^{1/2}((1+i)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - \frac{243}{160}I(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticE}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + 3 \cdot (1/8x^3 + 1/8x)/(2x^4+2x^2+1)^{1/2} + \frac{243}{160}I(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - \frac{9}{2}(-1/4x^3 - 1/8x)/(2x^4+2x^2+1)^{1/2} + \frac{47}{32} - \frac{47}{32}I(-1+i)^{1/2}((1-i)x^2+1)^{1/2}((1+i)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - \operatorname{EllipticE}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + \frac{27}{16}x^3/(2x^4+2x^2+1)^{1/2} - \frac{81}{4} \cdot (3/20x^3 + 1/20x)/(2x^4+2x^2+1)^{1/2} + \frac{81}{160}(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticF}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + \frac{243}{160}(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticE}((-1+i)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + \frac{27}{40}(-1+i)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \operatorname{EllipticPi}((-1+i)^{1/2}x, 1/3 + 1/3 \cdot I, (-1-i)^{1/2}/(-1+i)^{1/2})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^8/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^8}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^8/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)),x)`

[Out] `int(x^8/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**8/(2*x**2+3)/(2*x**4+2*x**2+1)**(3/2),x)`

[Out] `Integral(x**8/((2*x**2 + 3)*(2*x**4 + 2*x**2 + 1)**(3/2)), x)`

$$3.349 \quad \int \frac{x^6}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$$

Optimal. Leaf size=423

$$\frac{\sqrt{2x^4+2x^2+1}x}{10\sqrt{2}(\sqrt{2}x^2+1)} + \frac{(1-2x^2)x}{20\sqrt{2x^4+2x^2+1}} - \frac{9}{40}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{(\sqrt[4]{2}+2^{3/4})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{8(3\sqrt{2}-2)\sqrt{2x^4+1}}$$

[Out] $-9/200*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}+1/20*x*(-2*x^2+1)/(2*x^4+2*x^2+1)^{(1/2)}+1/20*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})-1/20*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}-9/80*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}-1/8*(2^{(1/4)}+2^{(3/4)})*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}/(-2+3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 503, normalized size of antiderivative = 1.19, number of steps used = 8, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1313, 1275, 1197, 1103, 1195, 1319, 1706}

$$\frac{\sqrt{2x^4+2x^2+1}x}{10\sqrt{2}(\sqrt{2}x^2+1)} + \frac{(1-2x^2)x}{20\sqrt{2x^4+2x^2+1}} - \frac{9}{40}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{9(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}}{140*2^{3/4}\sqrt{2x^4+1}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^6/((3+2*x^2)*(1+2*x^2+2*x^4)^{(3/2)}),x]$

[Out] $(x*(1-2*x^2))/(20*\text{Sqrt}[1+2*x^2+2*x^4])+(x*\text{Sqrt}[1+2*x^2+2*x^4])/(10*\text{Sqrt}[2]*(1+\text{Sqrt}[2]*x^2))-(9*\text{Sqrt}[3/5]*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1+2*x^2+2*x^4]])/40-((1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/(10*2^{(3/4)}*\text{Sqrt}[1+2*x^2+2*x^4])-((1-\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/(40*2^{(1/4)}*\text{Sqrt}[1+2*x^2+2*x^4])-(9*(3+\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}$

$x]$, $(2 - \sqrt{2})/4$)]/(140*2^(3/4)*Sqrt[1 + 2*x² + 2*x⁴]) + (9*(3 + Sqrt[2])²*(1 + Sqrt[2]*x²)*Sqrt[(1 + 2*x² + 2*x⁴)/(1 + Sqrt[2]*x²)²]*EllipticPi[(12 - 11*Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(560*2^(1/4)*Sqrt[1 + 2*x² + 2*x⁴])

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q²*x²)*Sqrt[(a + b*x² + c*x⁴)/(a*(1 + q²*x²)²])*EllipticF[2*ArcTan[q*x], 1/2 - (b*q²)/(4*c)]/(2*q*Sqrt[a + b*x² + c*x⁴]), x]] /; FreeQ[{a, b, c}, x] && NeQ[b² - 4*a*c, 0] && PosQ[c/a]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x² + c*x⁴])/(a*(1 + q²*x²)), x] + Simp[(d*(1 + q²*x²)*Sqrt[(a + b*x² + c*x⁴)/(a*(1 + q²*x²)²])*EllipticE[2*ArcTan[q*x], 1/2 - (b*q²)/(4*c)]/(q*Sqrt[a + b*x² + c*x⁴]), x] /; EqQ[e + d*q², 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b² - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x² + c*x⁴], x], x] - Dist[e/q, Int[(1 - q*x²)/Sqrt[a + b*x² + c*x⁴], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b² - 4*a*c, 0] && PosQ[c/a]

Rule 1275

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x² + c*x⁴)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x²))/(2*(p + 1)*(b² - 4*a*c)), x] - Dist[f²/(2*(p + 1)*(b² - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x² + c*x⁴)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x², x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b² - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1313

Int[((f_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)]/((d_) + (e_)*(x_)^2), x_Symbol] := -Dist[f⁴/(c*d² - b*d*e + a*e²), Int[(f*x)^(m - 4)*(a*d + (b*d - a*e)*x²)*(a + b*x² + c*x⁴)^p, x], x] + Dist[(d²*f⁴)/(c*d² - b*d*e + a*e²), Int[((f*x)^(m - 4)*(a + b*x² + c*x⁴)^(p + 1))/(d + e*x²), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b² - 4*a*c, 0]

] && LtQ[p, -1] && GtQ[m, 2]

Rule 1319

Int[(x_)^2/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, -Dist[(a*(e + d*q))/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] + Dist[(a*d*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && PosQ[c/a] && NeQ[c*d^2 - a*e^2, 0]

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[((B*d - A*e)*ArcTan[(Rt[-b + (c*d)/e + (a*e)/d, 2]*x)/Sqrt[a + b*x^2 + c*x^4]]/(2*d*e*Rt[-b + (c*d)/e + (a*e)/d, 2]), x] + Simp[((B*d + A*e)*(A + B*x^2)*Sqrt[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*EllipticPi[Cancel[-((B*d - A*e)^2/(4*d*e*A*B))], 2*ArcTan[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*Sqrt[a + b*x^2 + c*x^4]), x]] /; FreeQ[{a, b, c, d, e, A, B}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a] && EqQ[c*A^2 - a*B^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{x^6}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx &= -\left(\frac{1}{10} \int \frac{x^2(3+4x^2)}{(1+2x^2+2x^4)^{3/2}} dx\right) + \frac{9}{10} \int \frac{x^2}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\ &= \frac{x(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} + \frac{1}{40} \int \frac{-2+4x^2}{\sqrt{1+2x^2+2x^4}} dx - \frac{1}{140} \left(9(2+3\sqrt{2})\right) \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx \\ &= \frac{x(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} - \frac{9}{40} \sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) - \frac{9(3+\sqrt{2})(1+\sqrt{2})}{140\sqrt{1+2x^2+2x^4}} \\ &= \frac{x(1-2x^2)}{20\sqrt{1+2x^2+2x^4}} + \frac{x\sqrt{1+2x^2+2x^4}}{10\sqrt{2}(1+\sqrt{2}x^2)} - \frac{9}{40} \sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) \end{aligned}$$

Mathematica [C] time = 0.21, size = 199, normalized size = 0.47

$$\frac{-4x^3 + (8 - 6i)\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}F\left(i\sinh^{-1}\left(\sqrt{1 - ix}\right)\middle|i\right) - 2i\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}}{40\sqrt{2x^4 + 2x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^6/((3 + 2*x^2)*(1 + 2*x^2 + 2*x^4)^(3/2)),x]

[Out] (2*x - 4*x^3 - (2*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] + (8 - 6*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] - 9*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(40*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}x^6}{8x^{10} + 28x^8 + 40x^6 + 32x^4 + 14x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)*x^6/(8*x^10 + 28*x^8 + 40*x^6 + 32*x^4 + 14*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(x^6/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

maple [C] time = 0.01, size = 586, normalized size = 1.39

$$\frac{9x^3}{8\sqrt{2x^4 + 2x^2 + 1}} - \frac{81\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}\text{EllipticE}\left(\sqrt{-1 + ix}, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{80\sqrt{-1 + i}\sqrt{2x^4 + 2x^2 + 1}} + \frac{81i\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}}{80}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x)`

[Out]
$$-2*(1/8*x^3+1/8*x)/(2*x^4+2*x^2+1)^{(1/2)}+7/4/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+(-17/16+17/16*I)/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*(EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)}))+3*(-1/4*x^3-1/8*x)/(2*x^4+2*x^2+1)^{(1/2)}-9/8/(2*x^4+2*x^2+1)^{(1/2)}*x^3+27/2*(3/20*x^3+1/20*x)/(2*x^4+2*x^2+1)^{(1/2)}-27/80/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-81/80*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-81/80/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+81/80*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-9/20/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticPi((-1+I)^{(1/2)}*x,1/3+1/3*I,(-1-I)^{(1/2)}/(-1+I)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^6/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^6}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)),x)`

[Out] `int(x^6/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6/(2*x**2+3)/(2*x**4+2*x**2+1)**(3/2),x)
```

```
[Out] Integral(x**6/((2*x**2 + 3)*(2*x**4 + 2*x**2 + 1)**(3/2)), x)
```

$$3.350 \quad \int \frac{x^4}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$$

Optimal. Leaf size=422

$$\frac{\sqrt{2x^4+2x^2+1}x}{10\sqrt{2}(\sqrt{2}x^2+1)} - \frac{(x^2+2)x}{10\sqrt{2x^4+2x^2+1}} + \frac{3}{20}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{(2+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\right)}{4 \cdot 2^{3/4}(3\sqrt{2}-2)\sqrt{2x^4+2x^2+1}}$$

[Out] 3/100*arctan(1/3*x*15^(1/2)/(2*x^4+2*x^2+1)^(1/2))*15^(1/2)-1/10*x*(x^2+2)/(2*x^4+2*x^2+1)^(1/2)+1/20*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))-1/20*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)+3/40*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2-11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(3+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2-3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)+1/8*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(2+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(-2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.24, antiderivative size = 501, normalized size of antiderivative = 1.19, number of steps used = 8, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1313, 1178, 1197, 1103, 1195, 1216, 1706}

$$\frac{\sqrt{2x^4+2x^2+1}x}{10\sqrt{2}(\sqrt{2}x^2+1)} - \frac{(x^2+2)x}{10\sqrt{2x^4+2x^2+1}} + \frac{3}{20}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) + \frac{9(3+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}}F\left(2\right)}{140\sqrt{2}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[x^4/((3+2*x^2)*(1+2*x^2+2*x^4)^(3/2)),x]

[Out] -(x*(2+x^2))/(10*Sqrt[1+2*x^2+2*x^4])+(x*Sqrt[1+2*x^2+2*x^4])/(10*Sqrt[2]*(1+Sqrt[2]*x^2))+(3*Sqrt[3/5]*ArcTan[(Sqrt[5/3]*x)/Sqrt[1+2*x^2+2*x^4]])/20-((1+Sqrt[2]*x^2)*Sqrt[(1+2*x^2+2*x^4)/(1+Sqrt[2]*x^2)^2]*EllipticE[2*ArcTan[2^(1/4)*x],(2-Sqrt[2])/4])/(10*2^(3/4)*Sqrt[1+2*x^2+2*x^4])+((1-Sqrt[2])*(1+Sqrt[2]*x^2)*Sqrt[(1+2*x^2+2*x^4)/(1+Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x],(2-Sqrt[2])/4])/(20*2^(3/4)*Sqrt[1+2*x^2+2*x^4])+(9*(3+Sqrt[2])*(1+Sqrt[2]*x^2)*Sqrt[(1+2*x^2+2*x^4)/(1+Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x],(2-Sqrt[2])/4])/(140*2^(3/4)*Sqrt[1+2*x^2+2*x^4])

$x], (2 - \sqrt{2})/4)/(140 \cdot 2^{1/4} \sqrt{1 + 2x^2 + 2x^4}) - (3(3 + \sqrt{2})^2(1 + \sqrt{2}x^2)\sqrt{(1 + 2x^2 + 2x^4)/(1 + \sqrt{2}x^2)^2}) \text{EllipticPi}[(12 - 11\sqrt{2})/24, 2\text{ArcTan}[2^{1/4}x], (2 - \sqrt{2})/4]/(280 \cdot 2^{1/4} \sqrt{1 + 2x^2 + 2x^4})$

Rule 1103

$\text{Int}[1/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, \text{Simp}[(1 + q^2x^2)\sqrt{(a + bx^2 + cx^4)/(a(1 + q^2x^2)^2)}] \text{EllipticF}[2\text{ArcTan}[qx], 1/2 - (bq^2)/(4c)]/(2q\sqrt{a + bx^2 + cx^4}), x] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$

Rule 1178

$\text{Int}(((d_+) + (e_+)(x_+)^2)((a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4)^{p_+}, x_Symbol) \rightarrow \text{Simp}[(x(a_+b_+e_+ - d_+(b_+^2 - 2a_+c_+) - c_+(b_+d_+ - 2a_+e_+)x^2)(a_+ + b_+x^2 + c_+x^4)^{p_+ + 1})/(2a_+(p_+ + 1)(b_+^2 - 4a_+c_+)), x] + \text{Dist}[1/(2a_+(p_+ + 1)(b_+^2 - 4a_+c_+)), \text{Int}[\text{Simp}[(2p_+ + 3)d_+b_+^2 - a_+b_+e_+ - 2a_+c_+d_+(4p_+ + 5) + (4p_+ + 7)(d_+b_+ - 2a_+e_+)cx^2, x](a_+ + b_+x^2 + c_+x^4)^{p_+ + 1}, x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{NeQ}[c^2d^2 - b^2d^2e_+ + a^2e_+^2, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntegerQ}[2p]$

Rule 1195

$\text{Int}(((d_+) + (e_+)(x_+)^2)/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol) \rightarrow \text{With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d_+x\sqrt{a + bx^2 + cx^4})/(a(1 + q^2x^2)), x] + \text{Simp}[(d_+(1 + q^2x^2)\sqrt{(a + bx^2 + cx^4)/(a(1 + q^2x^2)^2)}] \text{EllipticE}[2\text{ArcTan}[qx], 1/2 - (bq^2)/(4c)]/(q\sqrt{a + bx^2 + cx^4}), x] /; \text{EqQ}[e + dq^2, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$

Rule 1197

$\text{Int}(((d_+) + (e_+)(x_+)^2)/\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol) \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(e + dq)/q, \text{Int}[1/\sqrt{a + bx^2 + cx^4}], x], x] - \text{Dist}[e/q, \text{Int}[(1 - qx^2)/\sqrt{a + bx^2 + cx^4}], x], x] /; \text{NeQ}[e + dq, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{PosQ}[c/a]$

Rule 1216

$\text{Int}[1/(((d_+) + (e_+)(x_+)^2)\sqrt{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 2]\}, \text{Dist}[(cd + aeq)/(c^2d - a^2e), \text{Int}[1/\sqrt{a + bx^2 + cx^4}], x], x] - \text{Dist}[(a^2e(e + dq))/(c^2d - a^2e), \text{Int}[(1 + qx^2)/((d + ex^2)\sqrt{a + bx^2 + cx^4}), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4ac, 0] \&\& \text{NeQ}[c^2d^2 - b^2d^2e_+ + a^2e_+^2, 0] \&\& \text{NeQ}[c/a]$

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1313

$\text{Int}[((f_.)*(x_))^{\text{(m_.)}}*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{\text{(p_.)}}/((d_.) + (e_.)*(x_)^2), x_Symbol] := -\text{Dist}[f^4/(c*d^2 - b*d*e + a*e^2), \text{Int}[(f*x)^{\text{(m - 4)}}*(a*d + (b*d - a*e)*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + \text{Dist}[(d^2*f^4)/(c*d^2 - b*d*e + a*e^2), \text{Int}[(f*x)^{\text{(m - 4)}}*(a + b*x^2 + c*x^4)^{\text{(p + 1)}}/(d + e*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 2]$

Rule 1706

$\text{Int}(((A_.) + (B_.)*(x_)^2)/(((d_.) + (e_.)*(x_)^2)*\text{Sqrt}[(a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := \text{With}\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(B*d - A*e)*\text{ArcTan}[\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x]/\text{Sqrt}[a + b*x^2 + c*x^4]]/(2*d*e*\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]), x] + \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-(B*d - A*e)^2/(4*d*e*A*B)], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]]/(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*A^2 - a*B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^4}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx &= -\left(\frac{1}{10} \int \frac{3+4x^2}{(1+2x^2+2x^4)^{3/2}} dx\right) + \frac{9}{10} \int \frac{1}{(3+2x^2)\sqrt{1+2x^2+2x^4}} dx \\ &= -\frac{x(2+x^2)}{10\sqrt{1+2x^2+2x^4}} - \frac{1}{40} \int \frac{4-4x^2}{\sqrt{1+2x^2+2x^4}} dx + \frac{1}{70} \left(9(3+\sqrt{2})\right) \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx \\ &= -\frac{x(2+x^2)}{10\sqrt{1+2x^2+2x^4}} + \frac{3}{20} \sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) + \frac{9(3+\sqrt{2})(1+\sqrt{2})}{10\sqrt{2}(1+\sqrt{2}x^2)} \\ &= -\frac{x(2+x^2)}{10\sqrt{1+2x^2+2x^4}} + \frac{x\sqrt{1+2x^2+2x^4}}{10\sqrt{2}(1+\sqrt{2}x^2)} + \frac{3}{20} \sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{1+2x^2+2x^4}}\right) \end{aligned}$$

Mathematica [C] time = 0.21, size = 199, normalized size = 0.47

$$\frac{2x^3 + (1 - 2i)\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}F\left(i\sinh^{-1}\left(\sqrt{1 - i}x\right)\middle| i\right) + i\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}}{20\sqrt{2x^4 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4/((3 + 2*x^2)*(1 + 2*x^2 + 2*x^4)^(3/2)),x]

[Out]
$$-1/20*(4*x + 2*x^3 + I*\text{Sqrt}[1 - I]*\text{Sqrt}[1 + (1 - I)*x^2]*\text{Sqrt}[1 + (1 + I)*x^2]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[1 - I]*x], I] + (1 - 2*I)*\text{Sqrt}[1 - I]*\text{Sqrt}[1 + (1 - I)*x^2]*\text{Sqrt}[1 + (1 + I)*x^2]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[1 - I]*x], I] - 3*(1 - I)^(3/2)*\text{Sqrt}[1 + (1 - I)*x^2]*\text{Sqrt}[1 + (1 + I)*x^2]*\text{EllipticPi}[1/3 + I/3, I*\text{ArcSinh}[\text{Sqrt}[1 - I]*x], I])/ \text{Sqrt}[1 + 2*x^2 + 2*x^4]$$

fricas [F] time = 1.38, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}x^4}{8x^{10} + 28x^8 + 40x^6 + 32x^4 + 14x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)*x^4/(8*x^10 + 28*x^8 + 40*x^6 + 32*x^4 + 14*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(x^4/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

maple [C] time = 0.01, size = 561, normalized size = 1.33

$$\frac{3x^3}{4\sqrt{2x^4 + 2x^2 + 1}} + \frac{27\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}\text{EllipticE}\left(\sqrt{-1 + i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{40\sqrt{-1 + i}\sqrt{2x^4 + 2x^2 + 1}} - \frac{27i\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}}{40\sqrt{-1 + i}\sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x)

[Out]
$$\begin{aligned} & -2*(-1/4*x^3-1/8*x)/(2*x^4+2*x^2+1)^{(1/2)}-1/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)} \\ & *((1+I)*x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)} \\ & +1/2*I*2^{(1/2)})+(5/8-5/8*I)/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2 \\ & +1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*(EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2* \\ & I*2^{(1/2)})-EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)}))+3/4/(2*x^4+ \\ & 2*x^2+1)^{(1/2)}*x^3-9*(3/20*x^3+1/20*x)/(2*x^4+2*x^2+1)^{(1/2)}+9/40/(-1+I)^{(1/2)} \\ & *(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*Elliptic \\ & F((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+27/40*I/(-1+I)^{(1/2)}*(-I*x^2+x^2 \\ & +1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)} \\ & *x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+27/40/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2 \\ & +x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1 \\ & /2*I*2^{(1/2)})-27/40*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)} \\ & /(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+ \\ & 3/10/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)} \\ & *EllipticPi((-1+I)^{(1/2)}*x,1/3+1/3*I,(-1-I)^{(1/2)}/(-1+I)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate(x^4/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)),x)

[Out] int(x^4/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4/(2*x**2+3)/(2*x**4+2*x**2+1)**(3/2),x)
```

```
[Out] Integral(x**4/((2*x**2 + 3)*(2*x**4 + 2*x**2 + 1)**(3/2)), x)
```

$$3.351 \quad \int \frac{x^2}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$$

Optimal. Leaf size=423

$$-\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{5(\sqrt{2}x^2+1)} + \frac{(4x^2+3)x}{10\sqrt{2x^4+2x^2+1}} - \frac{1}{10}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{(\sqrt[4]{2}+2^{3/4})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)}}}{4(3\sqrt{2}-2)\sqrt{2}}$$

[Out] $-1/50*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}+1/10*x*(4*x^2+3)/(2*x^4+2*x^2+1)^{(1/2)}-1/5*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})+1/5*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}-1/20*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}-1/4*(2^{(1/4)}+2^{(3/4)})*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)})^2)^{(1/2)}/(-2+3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.24, antiderivative size = 503, normalized size of antiderivative = 1.19, number of steps used = 8, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1315, 1178, 1197, 1103, 1195, 1216, 1706}

$$-\frac{\sqrt{2}\sqrt{2x^4+2x^2+1}x}{5(\sqrt{2}x^2+1)} + \frac{(4x^2+3)x}{10\sqrt{2x^4+2x^2+1}} - \frac{1}{10}\sqrt{\frac{3}{5}} \tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right) - \frac{(1+2\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)}}}{20\sqrt[4]{2}\sqrt{2x^4}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2/((3+2*x^2)*(1+2*x^2+2*x^4)^{(3/2)}),x]$

[Out] $(x*(3+4*x^2))/(10*\text{Sqrt}[1+2*x^2+2*x^4]) - (\text{Sqrt}[2]*x*\text{Sqrt}[1+2*x^2+2*x^4])/(5*(1+\text{Sqrt}[2]*x^2)) - (\text{Sqrt}[3/5]*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1+2*x^2+2*x^4]])/10 + (2^{(1/4)}*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/5*\text{Sqrt}[1+2*x^2+2*x^4] - (3*(3+\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x],(2-\text{Sqrt}[2])/4])/70*2^{(1/4)}*\text{Sqrt}[1+2*x^2+2*x^4] - ((1+2*\text{Sqrt}[2])*(1+\text{Sqrt}[2]*x^2)*\text{Sqrt}[(1+2*x^2+2*x^4)/(1+\text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x,$

], (2 - Sqrt[2])/4))/(20*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4]) + ((3 + Sqrt[2])^2*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticPi[(12 - 11*Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(140*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1178

Int[((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1195

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_.)*(x_)^2)/Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

Int[1/(((d_) + (e_.)*(x_)^2)*Sqrt[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && Ne

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1315

$\text{Int}[((f_.)*(x_))^{\text{m}_}*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{\text{p}_}]/((d_.) + (e_.)*(x_)^2), x_Symbol] := \text{Dist}[f^2/(c*d^2 - b*d*e + a*e^2), \text{Int}[(f*x)^{\text{m} - 2}*(a*e + c*d*x^2)*(a + b*x^2 + c*x^4)^p, x], x] - \text{Dist}[(d*e*f^2)/(c*d^2 - b*d*e + a*e^2), \text{Int}[(f*x)^{\text{m} - 2}*(a + b*x^2 + c*x^4)^{(p + 1)}]/(d + e*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1] \ \&\& \ \text{GtQ}[m, 0]$

Rule 1706

$\text{Int}(((A_.) + (B_.)*(x_)^2)/(((d_.) + (e_.)*(x_)^2)*\text{Sqrt}[(a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4]), x_Symbol] := \text{With}\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(B*d - A*e)*\text{ArcTan}[\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x]/\text{Sqrt}[a + b*x^2 + c*x^4]]/(2*d*e*\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]), x] + \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-(B*d - A*e)^2/(4*d*e*A*B)], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]]/(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*A^2 - a*B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{x^2}{(3 + 2x^2)(1 + 2x^2 + 2x^4)^{3/2}} dx &= \frac{1}{10} \int \frac{2 + 6x^2}{(1 + 2x^2 + 2x^4)^{3/2}} dx - \frac{3}{5} \int \frac{1}{(3 + 2x^2)\sqrt{1 + 2x^2 + 2x^4}} dx \\ &= \frac{x(3 + 4x^2)}{10\sqrt{1 + 2x^2 + 2x^4}} + \frac{1}{40} \int \frac{-4 - 16x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx - \frac{1}{35} (3(3 + \sqrt{2})) \int \frac{1}{\sqrt{1 + 2x^2 + 2x^4}} dx \\ &= \frac{x(3 + 4x^2)}{10\sqrt{1 + 2x^2 + 2x^4}} - \frac{1}{10} \sqrt{\frac{3}{5}} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{1 + 2x^2 + 2x^4}} \right) - \frac{3(3 + \sqrt{2})(1 + \sqrt{2})}{10\sqrt{5}} \int \frac{1}{\sqrt{1 + 2x^2 + 2x^4}} dx \\ &= \frac{x(3 + 4x^2)}{10\sqrt{1 + 2x^2 + 2x^4}} - \frac{\sqrt{2} x \sqrt{1 + 2x^2 + 2x^4}}{5(1 + \sqrt{2} x^2)} - \frac{1}{10} \sqrt{\frac{3}{5}} \tan^{-1} \left(\frac{\sqrt{\frac{5}{3}} x}{\sqrt{1 + 2x^2 + 2x^4}} \right) \end{aligned}$$

Mathematica [C] time = 0.18, size = 199, normalized size = 0.47

$$\frac{8x^3 - (1 + 3i)\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}F\left(i \sinh^{-1}\left(\sqrt{1 - i}x\right)\middle| i\right) + 4i\sqrt{1 - i}\sqrt{1 + (1 - i)x^2}\sqrt{1 + (1 + i)x^2}}{20\sqrt{2x^4 + 2x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/((3 + 2*x^2)*(1 + 2*x^2 + 2*x^4)^(3/2)),x]

[Out] (6*x + 8*x^3 + (4*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (1 + 3*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] - 2*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(20*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}x^2}{8x^{10} + 28x^8 + 40x^6 + 32x^4 + 14x^2 + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)*x^2/(8*x^10 + 28*x^8 + 40*x^6 + 32*x^4 + 14*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(x^2/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

maple [C] time = 0.01, size = 536, normalized size = 1.27

$$\frac{x^3}{2\sqrt{2x^4 + 2x^2 + 1}} - \frac{9\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}\text{EllipticE}\left(\sqrt{-1 + i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{20\sqrt{-1 + i}\sqrt{2x^4 + 2x^2 + 1}} + \frac{9i\sqrt{-ix^2 + x^2 + 1}\sqrt{ix^2 + x^2 + 1}}{20\sqrt{2x^4 + 2x^2 + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x)`

[Out]
$$\begin{aligned} & -1/2/(2*x^4+2*x^2+1)^{(1/2)}*x^3+1/2/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)* \\ & x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2 \\ & *I*2^{(1/2)})+(-1/4+1/4*I)/(-1+I)^{(1/2)}*((1-I)*x^2+1)^{(1/2)}*((1+I)*x^2+1)^{(1/2)} \\ & /2)/(2*x^4+2*x^2+1)^{(1/2)}*(EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)} \\ &))-EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+6*(3/20*x^3+1/20*x) \\ & /2)/(2*x^4+2*x^2+1)^{(1/2)}-3/20/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1) \\ & ^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)} \\ &))-9/20*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2 \\ & *x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-9/20/(-1+ \\ & I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*Ell \\ & ipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+9/20*I/(-1+I)^{(1/2)}*(-I*x^ \\ & 2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)} \\ & *x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-1/5/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I* \\ & x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticPi((-1+I)^{(1/2)}*x,1/3+1/3*I, \\ & (-1-I)^{(1/2)}/(-1+I)^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^2/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)),x)`

[Out] `int(x^2/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(2*x**2+3)/(2*x**4+2*x**2+1)**(3/2),x)
```

```
[Out] Integral(x**2/((2*x**2 + 3)*(2*x**4 + 2*x**2 + 1)**(3/2)), x)
```

$$3.352 \quad \int \frac{1}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$$

Optimal. Leaf size=422

$$\frac{3\sqrt{2x^4+2x^2+1}x}{5\sqrt{2}(\sqrt{2}x^2+1)} - \frac{(3x^2+1)x}{5\sqrt{2x^4+2x^2+1}} + \frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{5\sqrt{15}} + \frac{(2+\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\right)}{2^{23/4}(3\sqrt{2}-2)\sqrt{2x^4+2x^2+1}}$$

[Out] 1/75*arctan(1/3*x*15^(1/2)/(2*x^4+2*x^2+1)^(1/2))*15^(1/2)-1/5*x*(3*x^2+1)/(2*x^4+2*x^2+1)^(1/2)+3/10*x*(2*x^4+2*x^2+1)^(1/2)*2^(1/2)/(1+x^2*2^(1/2))-3/10*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticE(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2*x^4+2*x^2+1)^(1/2)+1/30*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticPi(sin(2*arctan(2^(1/4)*x)),1/2-11/24*2^(1/2),1/2*(2-2^(1/2))^(1/2))*(3+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(2-3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)+1/4*(cos(2*arctan(2^(1/4)*x))^2)^(1/2)/cos(2*arctan(2^(1/4)*x))*EllipticF(sin(2*arctan(2^(1/4)*x)),1/2*(2-2^(1/2))^(1/2))*(2+2^(1/2))*(1+x^2*2^(1/2))*((2*x^4+2*x^2+1)/(1+x^2*2^(1/2))^2)^(1/2)*2^(1/4)/(-2+3*2^(1/2))/(2*x^4+2*x^2+1)^(1/2)

Rubi [A] time = 0.23, antiderivative size = 501, normalized size of antiderivative = 1.19, number of steps used = 8, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1221, 1178, 1197, 1103, 1195, 1216, 1706}

$$\frac{3\sqrt{2x^4+2x^2+1}x}{5\sqrt{2}(\sqrt{2}x^2+1)} - \frac{(3x^2+1)x}{5\sqrt{2x^4+2x^2+1}} + \frac{\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{5\sqrt{15}} + \frac{(3+2\sqrt{2})(\sqrt{2}x^2+1)\sqrt{\frac{2x^4+2x^2+1}{(\sqrt{2}x^2+1)^2}} F\left(2\tan^{-1}\left(\sqrt[4]{2}x\right)\right)}{10^{23/4}\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Int[1/((3+2*x^2)*(1+2*x^2+2*x^4)^(3/2)),x]

[Out] -(x*(1+3*x^2))/(5*Sqrt[1+2*x^2+2*x^4])+(3*x*Sqrt[1+2*x^2+2*x^4])/(5*Sqrt[2]*(1+Sqrt[2]*x^2))+ArcTan[(Sqrt[5/3]*x)/Sqrt[1+2*x^2+2*x^4]]/(5*Sqrt[15])-(3*(1+Sqrt[2]*x^2)*Sqrt[(1+2*x^2+2*x^4)/(1+Sqrt[2]*x^2)^2]*EllipticE[2*ArcTan[2^(1/4)*x],(2-Sqrt[2])/4])/(5*2^(3/4)*Sqrt[1+2*x^2+2*x^4])+((3+Sqrt[2])*(1+Sqrt[2]*x^2)*Sqrt[(1+2*x^2+2*x^4)/(1+Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x],(2-Sqrt[2])/4])/(35*2^(1/4)*Sqrt[1+2*x^2+2*x^4])+((3+2*Sqrt[2])*(1+Sqrt[2]*x^2)*Sqrt[(1+2*x^2+2*x^4)/(1+Sqrt[2]*x^2)^2]*EllipticF[2*ArcTan[2^(1/4)*x]

], (2 - Sqrt[2])/4))/(10*2^(3/4)*Sqrt[1 + 2*x^2 + 2*x^4]) - ((3 + Sqrt[2])^2*(1 + Sqrt[2]*x^2)*Sqrt[(1 + 2*x^2 + 2*x^4)/(1 + Sqrt[2]*x^2)^2]*EllipticPi[(12 - 11*Sqrt[2])/24, 2*ArcTan[2^(1/4)*x], (2 - Sqrt[2])/4])/(210*2^(1/4)*Sqrt[1 + 2*x^2 + 2*x^4])

Rule 1103

Int[1/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, Simp[((1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticF[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)])/(2*q*Sqrt[a + b*x^2 + c*x^4]), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1178

Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && IntegerQ[2*p]

Rule 1195

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 4]}, -Simp[(d*x*Sqrt[a + b*x^2 + c*x^4])/(a*(1 + q^2*x^2)), x] + Simp[(d*(1 + q^2*x^2)*Sqrt[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2)]*EllipticE[2*ArcTan[q*x], 1/2 - (b*q^2)/(4*c)]/(q*Sqrt[a + b*x^2 + c*x^4]), x] /; EqQ[e + d*q^2, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && Ne

$Q[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1221

$\text{Int}[(a_ + (b_ \cdot)(x_)^2 + (c_ \cdot)(x_)^4)^{(p_)}/((d_) + (e_ \cdot)(x_)^2), x_Symbol] \rightarrow \text{Dist}[1/(c*d^2 - b*d*e + a*e^2), \text{Int}[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + \text{Dist}[e^2/(c*d^2 - b*d*e + a*e^2), \text{Int}[(a + b*x^2 + c*x^4)^{(p + 1)}/(d + e*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{ILtQ}[p + 1/2, 0]$

Rule 1706

$\text{Int}[(A_ + (B_ \cdot)(x_)^2)/(((d_) + (e_ \cdot)(x_)^2)*\text{Sqrt}[(a_ + (b_ \cdot)(x_)^2 + (c_ \cdot)(x_)^4)]), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[B/A, 2]\}, -\text{Simp}[(B*d - A*e)*\text{ArcTan}[(\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x)/\text{Sqrt}[a + b*x^2 + c*x^4]]/(2*d*e*\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]), x] + \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-(B*d - A*e)^2/(4*d*e*A*B)]], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]/(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[c/a] \ \&\& \ \text{EqQ}[c*A^2 - a*B^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(3 + 2x^2)(1 + 2x^2 + 2x^4)^{3/2}} dx &= \frac{1}{10} \int \frac{2 - 4x^2}{(1 + 2x^2 + 2x^4)^{3/2}} dx + \frac{2}{5} \int \frac{1}{(3 + 2x^2)\sqrt{1 + 2x^2 + 2x^4}} dx \\ &= -\frac{x(1 + 3x^2)}{5\sqrt{1 + 2x^2 + 2x^4}} + \frac{1}{40} \int \frac{16 + 24x^2}{\sqrt{1 + 2x^2 + 2x^4}} dx + \frac{1}{35} (2(3 + \sqrt{2})) \int \frac{1}{\sqrt{1 + 2x^2 + 2x^4}} dx \\ &= -\frac{x(1 + 3x^2)}{5\sqrt{1 + 2x^2 + 2x^4}} + \frac{\tan^{-1}\left(\frac{\sqrt{5}x}{\sqrt{1 + 2x^2 + 2x^4}}\right)}{5\sqrt{15}} + \frac{(3 + \sqrt{2})(1 + \sqrt{2}x^2)\sqrt{\frac{1 + 2x^2 + 2x^4}{(1 + \sqrt{2}x^2)^2}}}{35\sqrt[4]{2}\sqrt{1 + 2x^2 + 2x^4}} \\ &= -\frac{x(1 + 3x^2)}{5\sqrt{1 + 2x^2 + 2x^4}} + \frac{3x\sqrt{1 + 2x^2 + 2x^4}}{5\sqrt{2}(1 + \sqrt{2}x^2)} + \frac{\tan^{-1}\left(\frac{\sqrt{5}x}{\sqrt{1 + 2x^2 + 2x^4}}\right)}{5\sqrt{15}} - \frac{3(1 + \sqrt{2})}{35\sqrt[4]{2}\sqrt{1 + 2x^2 + 2x^4}} \end{aligned}$$

Mathematica [C] time = 0.14, size = 199, normalized size = 0.47

$$\frac{-18x^3 + (6 + 3i)\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right) - 9i\sqrt{1-i}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}}{30\sqrt{2x^4+2x^2+1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((3 + 2*x^2)*(1 + 2*x^2 + 2*x^4)^(3/2)),x]

[Out] (-6*x - 18*x^3 - (9*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] + (6 + 3*I)*Sqrt[1 - I]*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticF[I*ArcSinh[Sqrt[1 - I]*x], I] + 2*(1 - I)^(3/2)*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticPi[1/3 + I/3, I*ArcSinh[Sqrt[1 - I]*x], I])/(30*Sqrt[1 + 2*x^2 + 2*x^4])

fricas [F] time = 1.21, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4+2x^2+1}}{8x^{10}+28x^8+40x^6+32x^4+14x^2+3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(8*x^10 + 28*x^8 + 40*x^6 + 32*x^4 + 14*x^2 + 3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(1/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

maple [C] time = 0.01, size = 366, normalized size = 0.87

$$\frac{3\sqrt{-ix^2+x^2+1}\sqrt{ix^2+x^2+1}\text{EllipticE}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{10\sqrt{-1+i}\sqrt{2x^4+2x^2+1}} - \frac{3i\sqrt{-ix^2+x^2+1}\sqrt{ix^2+x^2+1}\text{EllipticE}\left(\sqrt{-1+i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{10\sqrt{-1+i}\sqrt{2x^4+2x^2+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x)

[Out]
$$-4*(3/20*x^3+1/20*x)/(2*x^4+2*x^2+1)^{(1/2)}+1/10/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+3/10*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticF((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+3/10/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})-3/10*I/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticE((-1+I)^{(1/2)}*x,1/2*2^{(1/2)}+1/2*I*2^{(1/2)})+2/15/(-1+I)^{(1/2)}*(-I*x^2+x^2+1)^{(1/2)}*(I*x^2+x^2+1)^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)}*EllipticPi((-1+I)^{(1/2)}*x,1/3+1/3*I,(-1-I)^{(1/2)}/(-1+I)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)),x)

[Out] int(1/((2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(2x^2 + 3)(2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2*x**2+3)/(2*x**4+2*x**2+1)**(3/2),x)

[Out] Integral(1/((2*x**2 + 3)*(2*x**4 + 2*x**2 + 1)**(3/2)), x)

$$3.353 \quad \int \frac{1}{x^2(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx$$

Optimal. Leaf size=468

$$\frac{2\sqrt{2}\sqrt{2x^4+2x^2+1}x}{15(\sqrt{2}x^2+1)} + \frac{2(3x^2+1)x}{15\sqrt{2x^4+2x^2+1}} - \frac{x}{3\sqrt{2x^4+2x^2+1}} - \frac{\sqrt{2x^4+2x^2+1}}{3x} - \frac{2\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{15\sqrt{15}} + \dots$$

[Out] $-2/225*\arctan(1/3*x*15^{(1/2)}/(2*x^4+2*x^2+1)^{(1/2)})*15^{(1/2)}-1/3*x/(2*x^4+2*x^2+1)^{(1/2)}+2/15*x*(3*x^2+1)/(2*x^4+2*x^2+1)^{(1/2)}-1/3*(2*x^4+2*x^2+1)^{(1/2)}/x+2/15*x*(2*x^4+2*x^2+1)^{(1/2)}*2^{(1/2)}/(1+x^2*2^{(1/2)})-2/15*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticE}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}*2^{(1/4)}/(2*x^4+2*x^2+1)^{(1/2)}-1/45*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticPi}(\sin(2*\arctan(2^{(1/4)}*x)),1/2-11/24*2^{(1/2)},1/2*(2-2^{(1/2)})^{(1/2)})*(3+2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}*2^{(1/4)}/(2-3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}+1/6*(\cos(2*\arctan(2^{(1/4)}*x))^2)^{(1/2)}/\cos(2*\arctan(2^{(1/4)}*x))*\text{EllipticF}(\sin(2*\arctan(2^{(1/4)}*x)),1/2*(2-2^{(1/2)})^{(1/2)})*(-7+3*2^{(1/2)})*(1+x^2*2^{(1/2)})*((2*x^4+2*x^2+1)/(1+x^2*2^{(1/2)}))^2)^{(1/2)}*2^{(1/4)}/(-2+3*2^{(1/2)})/(2*x^4+2*x^2+1)^{(1/2)}$

Rubi [A] time = 0.45, antiderivative size = 644, normalized size of antiderivative = 1.38, number of steps used = 15, number of rules used = 10, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$, Rules used = {1335, 1121, 1281, 1197, 1103, 1195, 1221, 1178, 1216, 1706}

$$\frac{2\sqrt{2}\sqrt{2x^4+2x^2+1}x}{15(\sqrt{2}x^2+1)} + \frac{2(3x^2+1)x}{15\sqrt{2x^4+2x^2+1}} - \frac{x}{3\sqrt{2x^4+2x^2+1}} - \frac{\sqrt{2x^4+2x^2+1}}{3x} - \frac{2\tan^{-1}\left(\frac{\sqrt{\frac{5}{3}}x}{\sqrt{2x^4+2x^2+1}}\right)}{15\sqrt{15}} - \dots$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(3 + 2*x^2)*(1 + 2*x^2 + 2*x^4)^(3/2)),x]

[Out] $-x/(3*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + (2*x*(1 + 3*x^2))/(15*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - \text{Sqrt}[1 + 2*x^2 + 2*x^4]/(3*x) + (2*\text{Sqrt}[2]*x*\text{Sqrt}[1 + 2*x^2 + 2*x^4])/(15*(1 + \text{Sqrt}[2]*x^2)) - (2*\text{ArcTan}[(\text{Sqrt}[5/3]*x)/\text{Sqrt}[1 + 2*x^2 + 2*x^4]])/(15*\text{Sqrt}[15]) - (2*2^{(1/4)}*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticE}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(15*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - ((1 - \text{Sqrt}[2])*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2])/(15*\text{Sqrt}[1 + 2*x^2 + 2*x^4])$

$$\begin{aligned} & *x^4)/(1 + \text{Sqrt}[2]*x^2)^2*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4]) \\ & /((6*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - (2^{(3/4)}*(3 + \text{Sqrt}[2])*(1 + \text{Sqrt}[2]* \\ & x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2*\text{ArcTan}[2^{(1/4)}*x], \\ & (2 - \text{Sqrt}[2])/4])/(105*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) - ((3 + 2*\text{Sqrt}[2])*(\\ & 1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x^2)^2]*\text{EllipticF}[2* \\ & \text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/4])/(15*2^{(3/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) + \\ & ((3 + \text{Sqrt}[2])^2*(1 + \text{Sqrt}[2]*x^2)*\text{Sqrt}[(1 + 2*x^2 + 2*x^4)/(1 + \text{Sqrt}[2]*x \\ & ^2)^2]*\text{EllipticPi}[(12 - 11*\text{Sqrt}[2])/24, 2*\text{ArcTan}[2^{(1/4)}*x], (2 - \text{Sqrt}[2])/ \\ & 4])/(315*2^{(1/4)}*\text{Sqrt}[1 + 2*x^2 + 2*x^4]) \end{aligned}$$
Rule 1103

$$\begin{aligned} & \text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] \text{ :> With}[\{q = \text{Rt}[c \\ & /a, 4]\}, \text{Simp}[\text{((1 + q^2*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^2)^2])} \\ & \text{EllipticF}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]/(2*q*\text{Sqrt}[a + b*x^2 + c*x^4] \\ &), x]] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{PosQ}[c/a] \end{aligned}$$
Rule 1121

$$\begin{aligned} & \text{Int}[\text{((d_)*(x_))}^{(m_)}*\text{((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)}^{(p_)}, x_Symbol] \\ & \text{ :> -Simp}[\text{((d*x)}^{(m+1)}*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^{(p+1)} \\ &)/(2*a*d*(p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p+1)*(b^2 - 4*a*c)), \\ & \text{Int}[(d*x)^m*(a + b*x^2 + c*x^4)^{(p+1)}*\text{Simp}[b^2*(m+2*p+3) - 2*a*c*(m+ \\ & 4*p+5) + b*c*(m+4*p+7)*x^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \\ & \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] \text{ || } \text{In} \\ & \text{tegerQ}[m]) \end{aligned}$$
Rule 1178

$$\begin{aligned} & \text{Int}[\text{((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)}^{(p_)}, x_Symb \\ & ol] \text{ :> Simp}[\text{(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 + } \\ & c*x^4)^{(p+1))}/(2*a*(p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p+1)*(b^2 \\ & - 4*a*c)), \text{Int}[\text{Simp}[(2*p+3)*d*b^2 - a*b*e - 2*a*c*d*(4*p+5) + (4*p+7) \\ &)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, \\ & b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \\ & \text{LtQ}[p, -1] \&\& \text{IntegerQ}[2*p] \end{aligned}$$
Rule 1195

$$\begin{aligned} & \text{Int}[\text{((d_) + (e_)*(x_)^2)/\text{Sqrt}[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]}, x_Symbo \\ & l] \text{ :> With}[\{q = \text{Rt}[c/a, 4]\}, -\text{Simp}[(d*x*\text{Sqrt}[a + b*x^2 + c*x^4])/(a*(1 + q^ \\ & 2*x^2)), x] + \text{Simp}[(d*(1 + q^2*x^2)*\text{Sqrt}[(a + b*x^2 + c*x^4)/(a*(1 + q^2*x^ \\ & 2)^2)]*\text{EllipticE}[2*\text{ArcTan}[q*x], 1/2 - (b*q^2)/(4*c)]/(q*\text{Sqrt}[a + b*x^2 + c \\ & *x^4]), x] /; \text{EqQ}[e + d*q^2, 0] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - \\ & 4*a*c, 0] \&\& \text{PosQ}[c/a] \end{aligned}$$

Rule 1197

Int[((d_) + (e_)*(x_)^2)/Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4], x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(e + d*q)/q, Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[e/q, Int[(1 - q*x^2)/Sqrt[a + b*x^2 + c*x^4], x], x] /; NeQ[e + d*q, 0] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[c/a]

Rule 1216

Int[1/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[c/a, 2]}, Dist[(c*d + a*e*q)/(c*d^2 - a*e^2), Int[1/Sqrt[a + b*x^2 + c*x^4], x], x] - Dist[(a*e*(e + d*q))/(c*d^2 - a*e^2), Int[(1 + q*x^2)/((d + e*x^2)*Sqrt[a + b*x^2 + c*x^4]), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[c/a]

Rule 1221

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := Dist[1/(c*d^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x^2)*(a + b*x^2 + c*x^4)^p, x], x] + Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[(a + b*x^2 + c*x^4)^(p + 1)/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ILtQ[p + 1/2, 0]

Rule 1281

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1335

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, p, q}, x] && NeQ[b^2 - 4*a*c, 0] && (IGtQ[p, 0] || IGtQ[q, 0] || IntegerQ[m, q])

Rule 1706

Int[((A_) + (B_)*(x_)^2)/(((d_) + (e_)*(x_)^2)*Sqrt[(a_) + (b_)*(x_)^2 + (c_)*(x_)^4]), x_Symbol] := With[{q = Rt[B/A, 2]}, -Simp[(B*d - A*e)*Arc

$\text{Tan}[(\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]*x)/\text{Sqrt}[a + b*x^2 + c*x^4]]/(2*d*e*\text{Rt}[-b + (c*d)/e + (a*e)/d, 2]), x] + \text{Simp}[(B*d + A*e)*(A + B*x^2)*\text{Sqrt}[(A^2*(a + b*x^2 + c*x^4))/(a*(A + B*x^2)^2)]*\text{EllipticPi}[\text{Cancel}[-((B*d - A*e)^2/(4*d*e*A*B))], 2*\text{ArcTan}[q*x], 1/2 - (b*A)/(4*a*B)]]/(4*d*e*A*q*\text{Sqrt}[a + b*x^2 + c*x^4]), x] /; \text{FreeQ}\{a, b, c, d, e, A, B\}, x \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[c/a] \&\& \text{EqQ}[c*A^2 - a*B^2, 0]$

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^2(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx &= \int \left(\frac{1}{3x^2(1+2x^2+2x^4)^{3/2}} - \frac{2}{3(3+2x^2)(1+2x^2+2x^4)^{3/2}} \right) dx \\
 &= \frac{1}{3} \int \frac{1}{x^2(1+2x^2+2x^4)^{3/2}} dx - \frac{2}{3} \int \frac{1}{(3+2x^2)(1+2x^2+2x^4)^{3/2}} dx \\
 &= -\frac{x}{3\sqrt{1+2x^2+2x^4}} - \frac{1}{15} \int \frac{2-4x^2}{(1+2x^2+2x^4)^{3/2}} dx + \frac{1}{12} \int \frac{4-4x^2}{x^2\sqrt{1+2x^2+2x^4}} dx \\
 &= -\frac{x}{3\sqrt{1+2x^2+2x^4}} + \frac{2x(1+3x^2)}{15\sqrt{1+2x^2+2x^4}} - \frac{\sqrt{1+2x^2+2x^4}}{3x} - \frac{1}{60} \int \frac{1}{\sqrt{1+2x^2+2x^4}} dx \\
 &= -\frac{x}{3\sqrt{1+2x^2+2x^4}} + \frac{2x(1+3x^2)}{15\sqrt{1+2x^2+2x^4}} - \frac{\sqrt{1+2x^2+2x^4}}{3x} - \frac{2 \tan^{-1}\left(\frac{\sqrt{1+2x^2+2x^4}}{x}\right)}{15\sqrt{1+2x^2+2x^4}} \\
 &= -\frac{x}{3\sqrt{1+2x^2+2x^4}} + \frac{2x(1+3x^2)}{15\sqrt{1+2x^2+2x^4}} - \frac{\sqrt{1+2x^2+2x^4}}{3x} + \frac{2\sqrt{2}x\sqrt{1+2x^2+2x^4}}{15(1+2x^2+2x^4)}
 \end{aligned}$$

Mathematica [C] time = 0.23, size = 211, normalized size = 0.45

$$\frac{-(27-39i)\sqrt{1-ix}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}F\left(i\sinh^{-1}\left(\sqrt{1-ix}\right)\middle|i\right)-12i\sqrt{1-ix}\sqrt{1+(1-i)x^2}\sqrt{1+(1+i)x^2}}{90x}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*(3 + 2*x^2)*(1 + 2*x^2 + 2*x^4)^(3/2)),x]

[Out] ((-12*I)*Sqrt[1 - I]*x*Sqrt[1 + (1 - I)*x^2]*Sqrt[1 + (1 + I)*x^2]*EllipticE[I*ArcSinh[Sqrt[1 - I]*x], I] - (27 - 39*I)*Sqrt[1 - I]*x*Sqrt[1 + (1 - I)

$x^2 \sqrt{1 + (1 + I)x^2} \text{EllipticF}[I \text{ArcSinh}[\sqrt{1 - I}x], I] - 2(15 + 39x^2 + 12x^4 + 2(1 - I)^{3/2}x \sqrt{1 + (1 - I)x^2} \sqrt{1 + (1 + I)x^2} \text{EllipticPi}[1/3 + I/3, I \text{ArcSinh}[\sqrt{1 - I}x], I]) / (90x \sqrt{1 + 2x^2 + 2x^4})$

fricas [F] time = 1.31, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2x^4 + 2x^2 + 1}}{8x^{12} + 28x^{10} + 40x^8 + 32x^6 + 14x^4 + 3x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(2*x^4 + 2*x^2 + 1)/(8*x^12 + 28*x^10 + 40*x^8 + 32*x^6 + 14*x^4 + 3*x^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}}(2x^2 + 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="giac")

[Out] integrate(1/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)*x^2), x)

maple [C] time = 0.02, size = 553, normalized size = 1.18

$$\frac{x}{3\sqrt{2x^4 + 2x^2 + 1}} - \frac{\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1} \text{EllipticE}\left(\sqrt{-1 + i}x, \frac{\sqrt{2}}{2} + \frac{i\sqrt{2}}{2}\right)}{5\sqrt{-1 + i} \sqrt{2x^4 + 2x^2 + 1}} + \frac{i\sqrt{-ix^2 + x^2 + 1} \sqrt{ix^2 + x^2 + 1}}{5\sqrt{-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x)

[Out] $-1/3(2x^4+2x^2+1)^{1/2}/x - 1/3(2x^4+2x^2+1)^{1/2}x - 1/3(-1+I)^{1/2}((1-I)x^2+1)^{1/2}((1+I)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \text{EllipticF}((-1+I)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) + (-1/3 + 1/3 \cdot I)/(-1+I)^{1/2}((1-I)x^2+1)^{1/2}((1+I)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} (\text{EllipticF}((-1+I)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - \text{EllipticE}((-1+I)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2})) + 8/3(3/20x^3 + 1/20x)/(2x^4+2x^2+1)^{1/2} - 1/15(-1+I)^{1/2}(-Ix^2+x^2+1)^{1/2}(Ix^2+x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \text{EllipticF}((-1+I)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - 1/5 \cdot I/(-1+I)^{1/2}(-Ix^2+x^2+1)^{1/2}((1-I)x^2+1)^{1/2}((1+I)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \text{EllipticF}((-1+I)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2}) - 1/5 \cdot I/(-1+I)^{1/2}(-Ix^2+x^2+1)^{1/2}((1-I)x^2+1)^{1/2}((1+I)x^2+1)^{1/2}/(2x^4+2x^2+1)^{1/2} \text{EllipticE}((-1+I)^{1/2}x, 1/2 \cdot 2^{1/2} + 1/2 \cdot I \cdot 2^{1/2})$

$$\frac{I x^2 + x^2 + 1)^{1/2}}{(2 x^4 + 2 x^2 + 1)^{1/2}} \text{EllipticF}((-1+I)^{1/2} x, 1/2 \sqrt{2}^{1/2} + 1/2 I \sqrt{2}^{1/2}) - 1/5 / (-1+I)^{1/2} * (-I x^2 + x^2 + 1)^{1/2} * (I x^2 + x^2 + 1)^{1/2} / (2 x^4 + 2 x^2 + 1)^{1/2} \text{EllipticE}((-1+I)^{1/2} x, 1/2 \sqrt{2}^{1/2} + 1/2 I \sqrt{2}^{1/2}) + 1/5 I / (-1+I)^{1/2} * (-I x^2 + x^2 + 1)^{1/2} * (I x^2 + x^2 + 1)^{1/2} / (2 x^4 + 2 x^2 + 1)^{1/2} \text{EllipticE}((-1+I)^{1/2} x, 1/2 \sqrt{2}^{1/2} + 1/2 I \sqrt{2}^{1/2}) - 4/45 / (-1+I)^{1/2} * (-I x^2 + x^2 + 1)^{1/2} * (I x^2 + x^2 + 1)^{1/2} / (2 x^4 + 2 x^2 + 1)^{1/2} \text{EllipticPi}((-1+I)^{1/2} x, 1/3 + 1/3 I, (-1-I)^{1/2} / (-1+I)^{1/2})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(2x^4 + 2x^2 + 1)^{\frac{3}{2}} (2x^2 + 3)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(2*x^2+3)/(2*x^4+2*x^2+1)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((2*x^4 + 2*x^2 + 1)^(3/2)*(2*x^2 + 3)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 (2x^2 + 3) (2x^4 + 2x^2 + 1)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)),x)

[Out] int(1/(x^2*(2*x^2 + 3)*(2*x^2 + 2*x^4 + 1)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (2x^2 + 3) (2x^4 + 2x^2 + 1)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(2*x**2+3)/(2*x**4+2*x**2+1)**(3/2),x)

[Out] Integral(1/(x**2*(2*x**2 + 3)*(2*x**4 + 2*x**2 + 1)**(3/2)), x)

$$3.354 \quad \int \frac{x^7 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=406

$$\left(\frac{-2a^2c^2e+4ab^2ce-3abc^2d+b^4(-e)+b^3cd}{\sqrt{b^2-4ac}} + 2abce - ac^2d + b^3(-e) + b^2cd \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) \left(\frac{-2a^2c^2e+4ab^2ce-3abc^2d+b^4(-e)+b^3cd}{\sqrt{b^2-4ac}} + 2abce - ac^2d + b^3(-e) + b^2cd \right) \sqrt{2} c^{7/2} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}$$

[Out] $-1/3*(b*e+c*d)*(e*x^2+d)^{(3/2)}/c^2/e^2+1/5*(e*x^2+d)^{(5/2)}/c/e^2+(-a*c+b^2)*(e*x^2+d)^{(1/2)}/c^3-1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2))})}^{(1/2)})*(b^2*c*d-a*c^2*d-b^3*e+2*a*b*c*e+(2*a^2*c^2*e-4*a*b^2*c*e+3*a*b*c^2*d+b^4*e-b^3*c*d)/(-4*a*c+b^2)^{(1/2)})/c^{(7/2)*2^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2))})}^{(1/2)}-1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2))})}^{(1/2)})*(b^2*c*d-a*c^2*d-b^3*e+2*a*b*c*e+(-2*a^2*c^2*e+4*a*b^2*c*e-3*a*b*c^2*d-b^4*e+b^3*c*d)/(-4*a*c+b^2)^{(1/2)})/c^{(7/2)*2^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2))})}^{(1/2)}$

Rubi [A] time = 8.59, antiderivative size = 406, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 897, 1287, 1166, 208}

$$\left(\frac{-2a^2c^2e+4ab^2ce-3abc^2d+b^3cd+b^4(-e)}{\sqrt{b^2-4ac}} + 2abce - ac^2d + b^2cd + b^3(-e) \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) \left(\frac{-2a^2c^2e+4ab^2ce-3abc^2d+b^3cd+b^4(-e)}{\sqrt{b^2-4ac}} + 2abce - ac^2d + b^2cd + b^3(-e) \right) \sqrt{2} c^{7/2} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^7*\operatorname{Sqrt}[d+e*x^2])/(a+b*x^2+c*x^4),x]$

[Out] $((b^2-a*c)*\operatorname{Sqrt}[d+e*x^2])/c^3 - ((c*d+b*e)*(d+e*x^2)^{(3/2)})/(3*c^2*e^2) + (d+e*x^2)^{(5/2)}/(5*c*e^2) - ((b^2*c*d-a*c^2*d-b^3*e+2*a*b*c*e - (b^3*c*d-3*a*b*c^2*d-b^4*e+4*a*b^2*c*e-2*a^2*c^2*e)/\operatorname{Sqrt}[b^2-4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/\operatorname{Sqrt}[2*c*d-(b-\operatorname{Sqrt}[b^2-4*a*c])*e]])/(\operatorname{Sqrt}[2]*c^{(7/2)}*\operatorname{Sqrt}[2*c*d-(b-\operatorname{Sqrt}[b^2-4*a*c])*e]]) - ((b^2*c*d-a*c^2*d-b^3*e+2*a*b*c*e+(b^3*c*d-3*a*b*c^2*d-b^4*e+4*a*b^2*c*e-2*a^2*c^2*e)/\operatorname{Sqrt}[b^2-4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/\operatorname{Sqrt}[2*c*d-(b+\operatorname{Sqrt}[b^2-4*a*c])*e]])/(\operatorname{Sqrt}[2]*c^{(7/2)}*\operatorname{Sqrt}[2*c*d-(b+\operatorname{Sqrt}[b^2-4*a*c])*e]])$

Rule 208

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 897

```
Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ
[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 1287

```
Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3 \sqrt{d+ex}}{a+bx+cx^2} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{x^2 \left(-\frac{d}{e} + \frac{x^2}{e} \right)^3}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \left(\frac{(b^2-ac)e}{c^3} - \frac{(cd+be)x^2}{c^2e} + \frac{x^4}{ce} - \frac{(b^2-ac)(cd^2-bde+ae^2) - (b^2cd-ac^2d-b^3e+2abce)x^2}{c^3e \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2} \right)} \right) dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{(b^2-ac)\sqrt{d+ex^2}}{c^3} - \frac{(cd+be)(d+ex^2)^{3/2}}{3c^2e^2} + \frac{(d+ex^2)^{5/2}}{5ce^2} - \frac{\text{Subst} \left(\int \frac{(b^2-ac)(cd^2-bde+ae^2)}{\frac{cd^2-bde+ae^2}{e^2}} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{(b^2-ac)\sqrt{d+ex^2}}{c^3} - \frac{(cd+be)(d+ex^2)^{3/2}}{3c^2e^2} + \frac{(d+ex^2)^{5/2}}{5ce^2} + \frac{(b^2cd-ac^2d-b^3e+2abce)\sqrt{d+ex^2}}{e^2} \\
&= \frac{(b^2-ac)\sqrt{d+ex^2}}{c^3} - \frac{(cd+be)(d+ex^2)^{3/2}}{3c^2e^2} + \frac{(d+ex^2)^{5/2}}{5ce^2} - \frac{(b^2cd-ac^2d-b^3e+2abce)\sqrt{d+ex^2}}{e^2}
\end{aligned}$$

Mathematica [B] time = 10.84, size = 943, normalized size = 2.32

$$\frac{c \left(105(-b^3 + \sqrt{b^2-4ac} b^2 + 3acb - ac \sqrt{b^2-4ac}) \tanh^{-1} \left(\sqrt{2} \sqrt{\frac{c(ex^2+d)}{2cd-be+\sqrt{b^2-4ac}e}} \right) e^3 + \sqrt{2} \sqrt{\frac{c(ex^2+d)}{2cd-be+\sqrt{b^2-4ac}e}} \left(105b^3e^3 - 35b^2 \left(3\sqrt{b^2-4ac}e + c(ex^2+d) \right) e^2 + 7 \right) \right)}{210\sqrt{2}\sqrt{b^2-4ac}e^4 \left(2cd + \sqrt{b^2-4ac}e \right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^7*sqrt[d + e*x^2])/(a + b*x^2 + c*x^4), x]

```
[Out] ((c*(d + e*x^2)^(9/2)*(Sqrt[2]*Sqrt[(c*(d + e*x^2))/(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)]*(105*b^3*e^3 - 35*b^2*e^2*(3*Sqrt[b^2 - 4*a*c]*e + c*(d + e*x^2)) + 7*b*c*e*(-45*a*e^2 + (d + e*x^2)*(-5*c*d + 5*Sqrt[b^2 - 4*a*c]*e + 3*c*(d + e*x^2))) + c*(35*a*e^2*(3*Sqrt[b^2 - 4*a*c]*e + 2*c*(d + e*x^2)) + c*(d + e*x^2)*(7*Sqrt[b^2 - 4*a*c]*e*(5*d - 3*(d + e*x^2)) + c*(-70*d^2 + 84*d*(d + e*x^2) - 30*(d + e*x^2)^2)))) + 105*(-b^3 + 3*a*b*c + b^2*Sqrt[b^2 - 4*a*c] - a*c*Sqrt[b^2 - 4*a*c])*e^3*ArcTanh[Sqrt[2]*Sqrt[(c*(d + e*x^2))/(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)]])/(210*Sqrt[2]*Sqrt[b^2 - 4*a*c]*e^4*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)^3*(-(Sqrt[b^2 - 4*a*c]/e) - (2*c*d - b*e)/e^2)*((c*(d + e*x^2))/(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e))^(9/2)) + (2*c*d^3*(d + e*x^2)^(3/2)*(((2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)*(-105*b^3*e^3 + 35*b^2*e^2*(-3*Sqrt[b^2 - 4*a*c]*e + c*(d + e*x^2)) - 7*b*c*e*(-45*a*e^2 + (d + e*x^2)*(-5*c*d - 5*Sqrt[b^2 - 4*a*c]*e + 3*c*(d + e*x^2))) + c*(35*a*e^2*(3*Sqrt[b^2 - 4*a*c]*e - 2*c*(d + e*x^2)) + c*(d + e*x^2)*(7*Sqrt[b^2 - 4*a*c]*e*(5*d - 3*(d + e*x^2)) + c*(70*d^2 - 84*d*(d + e*x^2) + 30*(d + e*x^2)^2)))))/(140*c^4*d^3*(d + e*x^2)) + (3*(b^3 - 3*a*b*c + b^2*Sqrt[b^2 - 4*a*c] - a*c*Sqrt[b^2 - 4*a*c])*e^3*(d + e*x^2)^3*ArcTanh[Sqrt[2]*Sqrt[(c*(d + e*x^2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)]])/(4*Sqrt[2]*d^3*(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)^3*((c*(d + e*x^2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e))^(9/2)))/(3*Sqrt[b^2 - 4*a*c]*e^4*(Sqrt[b^2 - 4*a*c]/e - (2*c*d - b*e)/e^2)))/e
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [B] time = 0.65, size = 928, normalized size = 2.29

$$\left((b^4c - 5ab^2c^2 + 4a^2c^3)de - (b^5 - 6ab^3c + 8a^2bc^2)e^2 \right) c^2 + 2(b^3c^4 - 3abc^5)d^2 - (3b^4c^3 - 11ab^2c^4 + 4a^2c^5)d$$

(2

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^7*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] -(((b^4*c - 5*a*b^2*c^2 + 4*a^2*c^3)*d*e - (b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*
e^2)*c^2 + 2*(b^3*c^4 - 3*a*b*c^5)*d^2 - (3*b^4*c^3 - 11*a*b^2*c^4 + 4*a^2*
c^5)*d*e - 2*((b^2*c^3 - a*c^4)*sqrt(b^2 - 4*a*c)*d^2 - (b^3*c^2 - a*b*c^3)
*sqrt(b^2 - 4*a*c)*d*e + (a*b^2*c^2 - a^2*c^3)*sqrt(b^2 - 4*a*c)*e^2)*abs(c
) + (b^5*c^2 - 4*a*b^3*c^3 + 2*a^2*b*c^4)*e^2)*arctan(2*sqrt(1/2)*sqrt(x^2*
e + d)/sqrt(-(2*c^6*d*e^12 - b*c^5*e^13 + sqrt(-4*(c^6*d^2*e^12 - b*c^5*d*e
^13 + a*c^5*e^14)*c^6*e^12 + (2*c^6*d*e^12 - b*c^5*e^13)^2))*e^(-12)/c^6))/
((2*sqrt(b^2 - 4*a*c)*c^4*d + (b^2*c^3 - 4*a*c^4 - sqrt(b^2 - 4*a*c)*b*c^3)
*e)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e)*c^2) + (((b^4*c - 5*a*
b^2*c^2 + 4*a^2*c^3)*d*e - (b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*e^2)*c^2 + 2*(b^
3*c^4 - 3*a*b*c^5)*d^2 - (3*b^4*c^3 - 11*a*b^2*c^4 + 4*a^2*c^5)*d*e + 2*((b
^2*c^3 - a*c^4)*sqrt(b^2 - 4*a*c)*d^2 - (b^3*c^2 - a*b*c^3)*sqrt(b^2 - 4*a*
c)*d*e + (a*b^2*c^2 - a^2*c^3)*sqrt(b^2 - 4*a*c)*e^2)*abs(c) + (b^5*c^2 - 4
*a*b^3*c^3 + 2*a^2*b*c^4)*e^2)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*
c^6*d*e^12 - b*c^5*e^13 - sqrt(-4*(c^6*d^2*e^12 - b*c^5*d*e^13 + a*c^5*e^14
)*c^6*e^12 + (2*c^6*d*e^12 - b*c^5*e^13)^2))*e^(-12)/c^6))/((2*sqrt(b^2 - 4
*a*c)*c^4*d - (b^2*c^3 - 4*a*c^4 + sqrt(b^2 - 4*a*c)*b*c^3)*e)*sqrt(-4*c^2*
d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*c^2) + 1/15*(3*(x^2*e + d)^(5/2)*c^4*e
^8 - 5*(x^2*e + d)^(3/2)*c^4*d*e^8 - 5*(x^2*e + d)^(3/2)*b*c^3*e^9 + 15*sqr
t(x^2*e + d)*b^2*c^2*e^10 - 15*sqrt(x^2*e + d)*a*c^3*e^10)*e^(-10)/c^5
```

maple [C] time = 0.06, size = 496, normalized size = 1.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^7*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a), x)
```

```
[Out] 1/5/c*x^2*(e*x^2+d)^(3/2)/e-2/15/c*d/e^2*(e*x^2+d)^(3/2)-1/3/c^2*b*(e*x^2+d)
)^(3/2)/e+1/2/c^2*e^(1/2)*x*a-1/2/c^3*e^(1/2)*x*b^2-1/2/c^2*(e*x^2+d)^(1/2)
*a+1/2/c^3*(e*x^2+d)^(1/2)*b^2-1/4/c^3*sum((( -2*a*b*c*e+a*c^2*d+b^3*e-b^2*c
*d)*_R^6+(-4*a^2*c*e^2+4*a*b^2*e^2+2*a*b*c*d*e-3*a*c^2*d^2-3*b^3*d*e+3*b^2*
c*d^2)*_R^4+d*(4*a^2*c*e^2-4*a*b^2*e^2-2*a*b*c*d*e+3*a*c^2*d^2+3*b^3*d*e-3*
b^2*c*d^2)*_R^2+2*a*b*c*d^3*e-a*c^2*d^4-b^3*d^3*e+b^2*c*d^4)/(_R^7*c+3*_R^5
*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3)
)*ln((e*x^2+d)^(1/2)-e^(1/2)*x-_R), _R=RootOf(c*_Z^8+(4*b*e-4*c*d)*_Z^6+(16*a
*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z^2+c*d^4))-1/2/c^2*d/((e*x
^2+d)^(1/2)-e^(1/2)*x)*a+1/2/c^3*d/((e*x^2+d)^(1/2)-e^(1/2)*x)*b^2
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d} x^7}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5* \\
& a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&)/(8*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} + (((16*a^3*c^6* \\
& e^4 + 4*a*b^4*c^4*e^4 - 4*b^5*c^4*d*e^3 - 20*a^2*b^2*c^5*e^4 + 16*a^2*c^7*d \\
& ^2*e^2 + 4*b^4*c^5*d^2*e^2 + 20*a*b^3*c^5*d*e^3 - 16*a^2*b*c^6*d*e^3 - 20*a \\
& *b^2*c^6*d^2*e^2)/c^5 + (2*(d + e*x^2)^{(1/2)}*(-(b^9*e - 8*a^4*c^5*d - b^6*e \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c^3*d + 38*a^3*b^2*c^4*d + \\
& 42*a^2*b^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 11*a*b^7*c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(\\
& 4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(4*b \\
& ^3*c^7*e^3 - 8*b^2*c^8*d*e^2 - 16*a*b*c^8*e^3 + 32*a*c^9*d*e^2))/c^5)*(-(b^ \\
& 9*e - 8*a^4*c^5*d - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c \\
& ^3*d + 38*a^3*b^2*c^4*d + 42*a^2*b^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(\\
& -(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + \\
& b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4 \\
& *a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^9 + b^4*c^7 - \\
& 8*a*b^2*c^8))^{(1/2)} + (2*(d + e*x^2)^{(1/2)}*(b^8*e^4 + 2*a^4*c^4*e^4 + 20*a \\
& ^2*b^4*c^2*e^4 - 16*a^3*b^2*c^3*e^4 - 2*a^3*c^5*d^2*e^2 + b^6*c^2*d^2*e^2 - \\
& 8*a*b^6*c*e^4 - 2*b^7*c*d*e^3 + 9*a^2*b^2*c^4*d^2*e^2 + 14*a*b^5*c^2*d*e^3 \\
& + 14*a^3*b*c^4*d*e^3 - 6*a*b^4*c^3*d^2*e^2 - 28*a^2*b^3*c^3*d*e^3))/c^5)*(\\
& -(b^9*e - 8*a^4*c^5*d - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b \\
& ^4*c^3*d + 38*a^3*b^2*c^4*d + 42*a^2*b^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3 \\
& *e*(-(4*a*c - b^2)^3)^{(1/2)} - 11*a*b^7*c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4* \\
& e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^9 + b^4*c^ \\
& 7 - 8*a*b^2*c^8))^{(1/2)} - (2*(a^4*b^3*e^5 - a^3*b^4*d*e^4 + a^5*c^2*d*e^4 \\
& + a^4*c^3*d^3*e^2 - 2*a^5*b*c*e^5 - a^3*b^2*c^2*d^3*e^2 + a^4*b^2*c*d*e^4 + \\
& 2*a^3*b^3*c*d^2*e^3 - 3*a^4*b*c^2*d^2*e^3))/c^5)*(-(b^9*e - 8*a^4*c^5*d - \\
& b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^8*c*d - 33*a^2*b^4*c^3*d + 38*a^3*b^2*c \\
& ^4*d + 42*a^2*b^5*c^2*e - 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} - 11*a*b^7*c*e + 10*a*b^6*c^2*d + 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2 \\
& *e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} \\
&)*2i + \operatorname{atan}((((16*a^3*c^6*e^4 + 4*a*b^4*c^4*e^4 - 4*b^5*c^4*d*e^3 - 20*a^2 \\
& *b^2*c^5*e^4 + 16*a^2*c^7*d^2*e^2 + 4*b^4*c^5*d^2*e^2 + 20*a*b^3*c^5*d*e^3 \\
& - 16*a^2*b*c^6*d*e^3 - 20*a*b^2*c^6*d^2*e^2)/c^5 - (2*(d + e*x^2)^{(1/2)}*((8 \\
& *a^4*c^5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4* \\
& c^3*d - 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e* \\
& (-4*a*c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e +
\end{aligned}$$

$$\begin{aligned}
& b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9 + b^4*c^7 - \\
& 8*a*b^2*c^8))^{(1/2)}*(4*b^3*c^7*e^3 - 8*b^2*c^8*d*e^2 - 16*a*b*c^8*e^3 + 3 \\
& 2*a*c^9*d*e^2)/c^5)*((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + b^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^ \\
& 3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6* \\
& c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(\\
& 4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^ \\
& 3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8 \\
& *(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)} - (2*(d + e*x^2)^{(1/2)}*(b^8*e \\
& ^4 + 2*a^4*c^4*e^4 + 20*a^2*b^4*c^2*e^4 - 16*a^3*b^2*c^3*e^4 - 2*a^3*c^5*d^ \\
& 2*e^2 + b^6*c^2*d^2*e^2 - 8*a*b^6*c*e^4 - 2*b^7*c*d*e^3 + 9*a^2*b^2*c^4*d^2 \\
& *e^2 + 14*a*b^5*c^2*d*e^3 + 14*a^3*b*c^4*d*e^3 - 6*a*b^4*c^3*d^2*e^2 - 28*a \\
& ^2*b^3*c^3*d*e^3))/c^5)*((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + b^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63 \\
& *a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b \\
& ^6*c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b \\
& *c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& /((8*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*i - (((16*a^3*c^6*e^4 + 4 \\
& *a*b^4*c^4*e^4 - 4*b^5*c^4*d*e^3 - 20*a^2*b^2*c^5*e^4 + 16*a^2*c^7*d^2*e^2 \\
& + 4*b^4*c^5*d^2*e^2 + 20*a*b^3*c^5*d*e^3 - 16*a^2*b*c^6*d*e^3 - 20*a*b^2*c^ \\
& 6*d^2*e^2)/c^5 + (2*(d + e*x^2)^{(1/2)}*((8*a^4*c^5*d - b^9*e - b^6*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - 38*a^3*b^2*c^4*d - 42*a^2* \\
& b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - b^2)^3)^{(1/2)} + 11*a*b^ \\
& 7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^2*d*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a^2*b^2*c^2*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)})/(8*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c^8))^{(1/2)}*(4*b^3*c^7*e \\
& ^3 - 8*b^2*c^8*d*e^2 - 16*a*b*c^8*e^3 + 32*a*c^9*d*e^2)/c^5)*((8*a^4*c^5*d \\
& - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - 38 \\
& *a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c*d*(\\
& -(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3*c^ \\
& 2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^3*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a \\
& ^2*b^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^9 + b^4*c^7 - 8*a*b^2*c \\
& ^8))^{(1/2)} + (2*(d + e*x^2)^{(1/2)}*(b^8*e^4 + 2*a^4*c^4*e^4 + 20*a^2*b^4*c^ \\
& 2*e^4 - 16*a^3*b^2*c^3*e^4 - 2*a^3*c^5*d^2*e^2 + b^6*c^2*d^2*e^2 - 8*a*b^6* \\
& c*e^4 - 2*b^7*c*d*e^3 + 9*a^2*b^2*c^4*d^2*e^2 + 14*a*b^5*c^2*d*e^3 + 14*a^3 \\
& *b*c^4*d*e^3 - 6*a*b^4*c^3*d^2*e^2 - 28*a^2*b^3*c^3*d*e^3))/c^5)*((8*a^4*c^ \\
& 5*d - b^9*e - b^6*e*(-(4*a*c - b^2)^3)^{(1/2)} + b^8*c*d + 33*a^2*b^4*c^3*d - \\
& 38*a^3*b^2*c^4*d - 42*a^2*b^5*c^2*e + 63*a^3*b^3*c^3*e + a^3*c^3*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 11*a*b^7*c*e - 10*a*b^6*c^2*d - 28*a^4*b*c^4*e + b^5*c* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} + 5*a*b^4*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b^3
\end{aligned}$$

$$3.355 \quad \int \frac{x^5 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=324

$$\frac{\left(-\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right) + \left(\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e)\right)}{\sqrt{2}c^{5/2}\sqrt{2cd-e(b-\sqrt{b^2-4ac})} + \sqrt{2}c^{5/2}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

[Out] $1/3*(e*x^2+d)^{(3/2)}/c/e-b*(e*x^2+d)^{(1/2)}/c^2+1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)*}(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2))})^{(1/2)}}*(b*c*d-b^2*e+a*c*e+(-3*a*b*c*e+2*a*c^2*d+b^3*e-b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)*2^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2))})^{(1/2)}}+1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)*}(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2))})^{(1/2)}}*(b*c*d-b^2*e+a*c*e+(3*a*b*c*e-2*a*c^2*d-b^3*e+b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)*2^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2))})^{(1/2)})}$

Rubi [A] time = 3.53, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 897, 1287, 1166, 208}

$$\frac{\left(-\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right) + \left(\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e)\right)}{\sqrt{2}c^{5/2}\sqrt{2cd-e(b-\sqrt{b^2-4ac})} + \sqrt{2}c^{5/2}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*\operatorname{Sqrt}[d + e*x^2])/(a + b*x^2 + c*x^4), x]$

[Out] $-(b*\operatorname{Sqrt}[d + e*x^2])/c^2 + (d + e*x^2)^{(3/2)}/(3*c*e) + ((b*c*d - b^2*e + a*c*e - (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\operatorname{Sqrt}[b^2 - 4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]]/(\operatorname{Sqrt}[2]*c^{(5/2)*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]} + ((b*c*d - b^2*e + a*c*e + (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\operatorname{Sqrt}[b^2 - 4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]]/(\operatorname{Sqrt}[2]*c^{(5/2)*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]})$

Rule 208

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] := \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)
^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 1287

```
Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2 \sqrt{d+ex}}{a+bx+cx^2} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{x^2 \left(-\frac{d}{e} + \frac{x^2}{e} \right)^2}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \left(-\frac{be}{c^2} + \frac{x^2}{c} + \frac{b(cd^2-bde+ae^2) - (bcd-b^2e+ace)x^2}{c^2 e \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2} \right)} \right) dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= -\frac{b\sqrt{d+ex^2}}{c^2} + \frac{(d+ex^2)^{3/2}}{3ce} + \frac{\text{Subst} \left(\int \frac{b(cd^2-bde+ae^2) + (-bcd+b^2e-ace)x^2}{\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}} dx, x, \sqrt{d+ex^2} \right)}{c^2 e^2} \\
&= -\frac{b\sqrt{d+ex^2}}{c^2} + \frac{(d+ex^2)^{3/2}}{3ce} - \frac{\left(bcd - b^2e + ace - \frac{b^2cd - 2ac^2d - b^3e + 3abce}{\sqrt{b^2 - 4ac}} \right) \text{Subst} \left(\int \frac{1}{-\frac{\sqrt{b^2-4ac}}{2e} - \frac{2cd}{2e}} \right)}{2c^2 e^2} \\
&= -\frac{b\sqrt{d+ex^2}}{c^2} + \frac{(d+ex^2)^{3/2}}{3ce} + \frac{\left(bcd - b^2e + ace - \frac{b^2cd - 2ac^2d - b^3e + 3abce}{\sqrt{b^2 - 4ac}} \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})}} \right)}{\sqrt{2} c^{5/2} \sqrt{2cd - (b - \sqrt{b^2 - 4ac})} e}
\end{aligned}$$

Mathematica [A] time = 7.25, size = 591, normalized size = 1.82

$$c(d+ex^2)^{7/2} \frac{e^2 \left(\sqrt{2} \sqrt{\frac{c(d+ex^2)}{e(\sqrt{b^2-4ac}-b)+2cd}} (5be(3e\sqrt{b^2-4ac}+c(d+ex^2))+c(d+ex^2)(-5e\sqrt{b^2-4ac}+4cd-6cex^2)+30ace^2-15b^2e^2)-15e^2(b\sqrt{b^2-4ac}+ \right)}{\left(e(b-\sqrt{b^2-4ac})-2cd \right) \left(e(\sqrt{b^2-4ac}-b)+2cd \right)^2 \left(\frac{c(d+ex^2)}{e(\sqrt{b^2-4ac}-b)+2cd} \right)^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*Sqrt[d + e*x^2])/(a + b*x^2 + c*x^4), x]

[Out] (c*(d + e*x^2)^(7/2)*((e^2*(Sqrt[2]*Sqrt[(c*(d + e*x^2))/(2*c*d + (-b + Sqrt[b^2 - 4*a*c]))*e]))*(-15*b^2*e^2 + 30*a*c*e^2 + c*(d + e*x^2)*(4*c*d - 5*Sqrt[2]*Sqrt[c*(d + e*x^2)/(e*(sqrt[b^2 - 4*a*c] - b) + 2*c*d)])))/((e*(b - sqrt[b^2 - 4*a*c]) - 2*c*d)*(e*(sqrt[b^2 - 4*a*c] - b) + 2*c*d)^2*(c*(d + e*x^2)/(e*(sqrt[b^2 - 4*a*c] - b) + 2*c*d))^(7/2))


```

rt[b^2 - 4*a*c]*e - 6*c*e*x^2) + 5*b*e*(3*Sqrt[b^2 - 4*a*c]*e + c*(d + e*x^
2))) - 15*(-b^2 + 2*a*c + b*Sqrt[b^2 - 4*a*c])*e^2*ArcTanh[Sqrt[2]*Sqrt[(c*
(d + e*x^2))/(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)]])]/((-2*c*d + (b - Sqrt[b
^2 - 4*a*c])*e)*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)^2*((c*(d + e*x^2))/(2*
c*d + (-b + Sqrt[b^2 - 4*a*c])*e))^(7/2)) - (e^2*(Sqrt[2]*Sqrt[(c*(d + e*x^
2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)]*(-15*b^2*e^2 + 30*a*c*e^2 + c*(d +
e*x^2)*(4*c*d + 5*Sqrt[b^2 - 4*a*c]*e - 6*c*e*x^2) - 5*b*e*(3*Sqrt[b^2 - 4
*a*c]*e - c*(d + e*x^2))) + 15*(b^2 - 2*a*c + b*Sqrt[b^2 - 4*a*c])*e^2*ArcT
anh[Sqrt[2]*Sqrt[(c*(d + e*x^2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)]])]/((
-2*c*d + (b + Sqrt[b^2 - 4*a*c])*e)^3*((c*(d + e*x^2))/(2*c*d - (b + Sqrt[b
^2 - 4*a*c])*e))^(7/2)))/(30*Sqrt[2]*Sqrt[b^2 - 4*a*c]*e^4)

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 0.82, size = 745, normalized size = 2.30

$$\frac{\left(\left(x^2e + d\right)^{\frac{3}{2}}c^2e^2 - 3\sqrt{x^2e + d}bce^3\right)e^{(-3)}}{3c^3} + \frac{\left(\left(b^3c - 4abc^2\right)de - \left(b^4 - 5ab^2c + 4a^2c^2\right)e^2\right)c^2 + 2\left(b^2c^4 - 2ac^5\right)d^2 - \dots}{3c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

```

[Out] 1/3*((x^2*e + d)^(3/2)*c^2*e^2 - 3*sqrt(x^2*e + d)*b*c*e^3)*e^(-3)/c^3 + ((
(b^3*c - 4*a*b*c^2)*d*e - (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^2)*c^2 + 2*(b^2*c
^4 - 2*a*c^5)*d^2 - (3*b^3*c^3 - 8*a*b*c^4)*d*e - 2*(sqrt(b^2 - 4*a*c)*b*c^
3*d^2 - sqrt(b^2 - 4*a*c)*b^2*c^2*d*e + sqrt(b^2 - 4*a*c)*a*b*c^2*e^2)*abs(
c) + (b^4*c^2 - 3*a*b^2*c^3)*e^2)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-
(2*c^4*d*e^4 - b*c^3*e^5 + sqrt(-4*(c^4*d^2*e^4 - b*c^3*d*e^5 + a*c^3*e^6)*
c^4*e^4 + (2*c^4*d*e^4 - b*c^3*e^5)^2))*e^(-4)/c^4)/((2*sqrt(b^2 - 4*a*c)*
c^3*d + (b^2*c^2 - 4*a*c^3 - sqrt(b^2 - 4*a*c)*b*c^2)*e)*sqrt(-4*c^2*d + 2*
(b*c + sqrt(b^2 - 4*a*c)*c)*e)*c^2) - (((b^3*c - 4*a*b*c^2)*d*e - (b^4 - 5*
a*b^2*c + 4*a^2*c^2)*e^2)*c^2 + 2*(b^2*c^4 - 2*a*c^5)*d^2 - (3*b^3*c^3 - 8*

```

$a*b*c^4*d*e + 2*(\sqrt{b^2 - 4*a*c})*b*c^3*d^2 - \sqrt{b^2 - 4*a*c}*b^2*c^2*d$
 $*e + \sqrt{b^2 - 4*a*c}*a*b*c^2*e^2)*\text{abs}(c) + (b^4*c^2 - 3*a*b^2*c^3)*e^2)*a$
 $\text{rctan}(2*\sqrt{1/2}*\sqrt{x^2*e + d}/\sqrt{-(2*c^4*d*e^4 - b*c^3*e^5 - \sqrt{-4*$
 $(c^4*d^2*e^4 - b*c^3*d*e^5 + a*c^3*e^6)*c^4*e^4 + (2*c^4*d*e^4 - b*c^3*e^5)$
 $^2))*e^{(-4)/c^4})/((2*\sqrt{b^2 - 4*a*c})*c^3*d - (b^2*c^2 - 4*a*c^3 + \sqrt{b^2$
 $- 4*a*c})*b*c^2)*e)*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c})*c)*e)*c^2)$

maple [C] time = 0.03, size = 332, normalized size = 1.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^5*(e*x^2+d)^{(1/2)}/(c*x^4+b*x^2+a), x)$

[Out] $1/3*(e*x^2+d)^{(3/2)}/c/e^{1/2}/c^2*b*e^{(1/2)}*x^{-1/2}*b*(e*x^2+d)^{(1/2)}/c^2-1/4/c$
 $^2*\text{sum}(((a*c*e-b^2*e+b*c*d)*_R^6+(-4*a*b*e^2+a*c*d*e+3*b^2*d*e-3*b*c*d^2)*_R$
 $^4+d*(4*a*b*e^2-a*c*d*e-3*b^2*d*e+3*b*c*d^2)*_R^2-a*c*d^3*e+b^2*d^3*e-c*d^$
 $4*b)/(_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R$
 $*b*d^2*e-_R*c*d^3)*\ln(-e^{(1/2)}*x-_R+(e*x^2+d)^{(1/2)}), _R=\text{RootOf}(_Z^8*c+(4*b$
 $*e-4*c*d)*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z$
 $^2))-1/2/c^2*b*d/(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d} x^5}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^5*(e*x^2+d)^{(1/2)}/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(\sqrt{e*x^2 + d}*x^5/(c*x^4 + b*x^2 + a), x)$

mupad [B] time = 1.99, size = 8222, normalized size = 25.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^5*(d + e*x^2)^{(1/2)})/(a + b*x^2 + c*x^4), x)$

[Out] $(d + e*x^2)^{(3/2)}/(3*c*e) - \text{atan}((((4*a*b^3*c^3*e^4 - 16*a^2*b*c^4*e^4 - 4$
 $*b^4*c^3*d*e^3 + 4*b^3*c^4*d^2*e^2 - 16*a*b*c^5*d^2*e^2 + 16*a*b^2*c^4*d*e^$
 $3)/c^3 - (2*(d + e*x^2)^{(1/2)}*(-(b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2$
 $)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4$
 $*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c$

$$\begin{aligned}
& *d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} \\
& *(4*b^3*c^5*e^3 - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d*e^2))/c^3 * (-b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d \\
& + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (2*(d + e*x^2)^{(1/2)} \\
&)*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 \\
& - 4*a*b^2*c^3*d^2*e^2))/c^3 * (-b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e \\
& *(- (4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} * 1i - (((4*a*b^3*c^3*e^4 - 16*a^2*b*c^4*e^4 - 4*b^4*c^3*d*e^3 + 4*b^3*c^4*d^2*e^2 \\
& - 16*a*b*c^5*d^2*e^2 + 16*a*b^2*c^4*d*e^3)/c^3 + (2*(d + e*x^2)^{(1/2)} * (-b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d \\
& - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} * (4*b^3*c^5*e^3 \\
& - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d*e^2))/c^3 * (-b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d \\
& + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d \\
& *(- (4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (2*(d + e*x^2)^{(1/2)} * (b^6*e^4 - 2*a^3*c^3*e^4 \\
& + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3 \\
& * (-b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e \\
& + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 \\
& + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} * 1i) / (((2*(a^4*c*e^5 - a^3*b^2*e^5 + a^2*b^3*d*e^4 + a^3*c^2*d^2*e^3 + a^2*b*c^2*d^3*e^2 - 2*a^2*b^2*c*d^2*e^3))/c^3 + (((4*a*b^3*c^3*e^4 \\
& - 16*a^2*b*c^4*e^4 - 4*b^4*c^3*d*e^3 + 4*b^3*c^4*d^2*e^2 - 16*a*b*c^5*d^2*e^2 + 16*a*b^2*c^4*d*e^3)/c^3 - (2*(d + e*x^2)^{(1/2)} * (-b^7*e + 8*a^3*c^4*d + b^4*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - b^6*c*d - 18*a^2*b^2*c^3*d + 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d \\
& *(- (4*a*c - b^2)^3)^{(1/2)} - 9*a*b^5*c*e + 8*a*b^4*c^2*d - 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3 \\
& *a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} * (4*b^3*c^5*e^3 - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d*e^2))/c^3 * (-b^7*e \\
& + 8*a^3*c^4*d + b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^6*c*d
\end{aligned}$$

$$\begin{aligned}
& - 18a^2b^2c^3d + 25a^2b^3c^2e + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
& - 9ab^5c^2e + 8ab^4c^2d - 20a^3b^3c^3e - b^3cd*(-(4ac - b^2)^3)^{(1/2)} \\
& + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)} - (2(d + ex^2))^{(1/2)} \\
& *(b^6e^4 - 2a^3c^3e^4 + 9a^2b^2c^2e^4 + 2a^2c^4d^2e^2 + b^4c^2d^2e^2 \\
& - 6ab^4c^2e^4 - 2b^5c^2de^3 + 10ab^3c^2de^3 - 10a^2b^3c^3de^3 - 4ab^2c^3d^2e^2) \\
&)/c^3*(-(b^7e + 8a^3c^4d + b^4e*(-(4ac - b^2)^3)^{(1/2)} - b^6cd - 18a^2b^2c^3d \\
& + 25a^2b^3c^2e + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} - 9ab^5c^2e + 8ab^4c^2d - 20a^3b^3c^3e \\
& - b^3cd*(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e \\
& *(-(4ac - b^2)^3)^{(1/2)})/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)} + (((4ab^3c^3e^4 - 16a^2b^3c^4e^4 \\
& - 4b^4c^3d^2e^3 + 4b^3c^4d^2e^2 - 16ab^3c^5d^2e^2 + 16ab^2c^4d^2e^3)/c^3 + (2(d + ex^2))^{(1/2)} \\
& *(-(b^7e + 8a^3c^4d + b^4e*(-(4ac - b^2)^3)^{(1/2)} - b^6cd - 18a^2b^2c^3d + 25a^2b^3c^2e \\
& + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} - 9ab^5c^2e + 8ab^4c^2d - 20a^3b^3c^3e - b^3cd \\
& *(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)}*(4b^3c^5e^3 - 8b^2c^6d^2e^2 - 16ab^3c^6e^3 + 32a^3c^7d^2e^2) \\
&)/c^3*(-(b^7e + 8a^3c^4d + b^4e*(-(4ac - b^2)^3)^{(1/2)} - b^6cd - 18a^2b^2c^3d + 25a^2b^3c^2e \\
& + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} - 9ab^5c^2e + 8ab^4c^2d - 20a^3b^3c^3e - b^3cd \\
& *(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)} + (2(d + ex^2))^{(1/2)}*(b^6e^4 - 2a^3c^3e^4 \\
& + 9a^2b^2c^2e^4 + 2a^2c^4d^2e^2 + b^4c^2d^2e^2 - 6ab^4c^2e^4 - 2b^5c^2de^3 + 10ab^3c^2de^3 \\
& - 10a^2b^3c^3de^3 - 4ab^2c^3d^2e^2)/c^3*(-(b^7e + 8a^3c^4d + b^4e*(-(4ac - b^2)^3)^{(1/2)} \\
& - b^6cd - 18a^2b^2c^3d + 25a^2b^3c^2e + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} - 9ab^5c^2e \\
& + 8ab^4c^2d - 20a^3b^3c^3e - b^3cd*(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} \\
& - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)})/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)})) \\
& *(-(b^7e + 8a^3c^4d + b^4e*(-(4ac - b^2)^3)^{(1/2)} - b^6cd - 18a^2b^2c^3d + 25a^2b^3c^2e \\
& + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} - 9ab^5c^2e + 8ab^4c^2d - 20a^3b^3c^3e - b^3cd \\
& *(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)}*2i - \operatorname{atan}((((4ab^3c^3e^4 - 16a^2b^3c^4e^4 \\
& - 4b^4c^3d^2e^3 + 4b^3c^4d^2e^2 - 16ab^3c^5d^2e^2 + 16ab^2c^4d^2e^3)/c^3 - (2(d + ex^2))^{(1/2)} \\
& *((b^4e*(-(4ac - b^2)^3)^{(1/2)} - 8a^3c^4d - b^7e + b^6cd + 18a^2b^2c^3d - 25a^2b^3c^2e \\
& + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} + 9ab^5c^2e - 8ab^4c^2d + 20a^3b^3c^3e - b^3cd \\
& *(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)}*(4b^3c^5e^3 - 8b^2c^6d^2e^2 - 16ab^3c^6e^3 \\
& + 32a^3c^7d^2e^2)/c^3*((b^4e*(-(4ac - b^2)^3)^{(1/2)} - 8a^3c^4d - b^7e + b^6cd + 18a^2b^2c^3d \\
& - 25a^2b^3c^2e + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} + 9ab^5c^2e - 8ab^4c^2d + 20a^3b^3c^3e \\
& - b^3cd*(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)}*(4b^3c^5e^3 - 8b^2c^6d^2e^2 - 16ab^3c^6e^3 + 32a^3c^7d^2e^2) \\
&)/c^3*((b^4e*(-(4ac - b^2)^3)^{(1/2)} - 8a^3c^4d - b^7e + b^6cd + 18a^2b^2c^3d - 25a^2b^3c^2e \\
& + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} + 9ab^5c^2e - 8ab^4c^2d + 20a^3b^3c^3e - b^3cd \\
& *(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
&)/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)}*2i - \operatorname{atan}((((4ab^3c^3e^4 - 16a^2b^3c^4e^4 - 4b^4c^3d^2e^3 \\
& + 4b^3c^4d^2e^2 - 16ab^3c^5d^2e^2 + 16ab^2c^4d^2e^3)/c^3 - (2(d + ex^2))^{(1/2)}*((b^4e*(-(4ac - b^2)^3)^{(1/2)} \\
& - 8a^3c^4d - b^7e + b^6cd + 18a^2b^2c^3d - 25a^2b^3c^2e + a^2c^2e*(-(4ac - b^2)^3)^{(1/2)} \\
& + 9ab^5c^2e - 8ab^4c^2d + 20a^3b^3c^3e - b^3cd*(-(4ac - b^2)^3)^{(1/2)} + 2ab^2c^2d*(-(4ac - b^2)^3)^{(1/2)} \\
& - 3ab^2c^2e*(-(4ac - b^2)^3)^{(1/2)})/(8(16a^2c^7 + b^4c^5 - 8ab^2c^6))^{(1/2)}))
\end{aligned}$$

$$\begin{aligned}
& *a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c \\
& *d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^ \\
& 2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (2*(d + e*x^2)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + \\
& 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a* \\
& b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3)*((b^4*e*(-(4 \\
& 4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - \\
& 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b \\
& ^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2 \\
& *c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*1i - (((4*a*b^3*c^3*e^4 - 16*a^2*b*c^ \\
& 4*e^4 - 4*b^4*c^3*d*e^3 + 4*b^3*c^4*d^2*e^2 - 16*a*b*c^5*d^2*e^2 + 16*a*b^2 \\
& *c^4*d*e^3)/c^3 + (2*(d + e*x^2)^{(1/2)}*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8 \\
& *a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^ \\
& 2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e \\
& - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2* \\
& c^6))^{(1/2)}*(4*b^3*c^5*e^3 - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d \\
& *e^2))/c^3)*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c* \\
& d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} + (2*(d + e*x^ \\
& 2)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + \\
& b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10* \\
& a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3)*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + \\
& a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b \\
& *c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^ \\
& (1/2) - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8* \\
& a*b^2*c^6))^{(1/2)}*1i)/((2*(a^4*c*e^5 - a^3*b^2*e^5 + a^2*b^3*d*e^4 + a^3*c \\
& ^2*d^2*e^3 + a^2*b*c^2*d^3*e^2 - 2*a^2*b^2*c*d^2*e^3))/c^3 + (((4*a*b^3*c^3 \\
& *e^4 - 16*a^2*b*c^4*e^4 - 4*b^4*c^3*d*e^3 + 4*b^3*c^4*d^2*e^2 - 16*a*b*c^5* \\
& d^2*e^2 + 16*a*b^2*c^4*d*e^3)/c^3 - (2*(d + e*x^2)^{(1/2)}*((b^4*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2* \\
& b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2* \\
& d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + \\
& b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*(4*b^3*c^5*e^3 - 8*b^2*c^6*d*e^2 - 16*a*b*c^ \\
& 6*e^3 + 32*a*c^7*d*e^2))/c^3)*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4* \\
& d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2 \\
& *c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1 \\
& /2)} - (2*(d + e*x^2)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2
\end{aligned}$$

$$\begin{aligned}
& *a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2)/c^3)*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} + (((4*a*b^3*c^3*e^4 - 16*a^2*b*c^4*e^4 - 4*b^4*c^3*d*e^3 + 4*b^3*c^4*d^2*e^2 - 16*a*b*c^5*d^2*e^2 + 16*a*b^2*c^4*d*d*e^3)/c^3 + (2*(d + e*x^2)^{(1/2)}*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)}*(4*b^3*c^5*e^3 - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d*e^2))/c^3)*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} + (2*(d + e*x^2)^{(1/2)}*(b^6*e^4 - 2*a^3*c^3*e^4 + 9*a^2*b^2*c^2*e^4 + 2*a^2*c^4*d^2*e^2 + b^4*c^2*d^2*e^2 - 6*a*b^4*c*e^4 - 2*b^5*c*d*e^3 + 10*a*b^3*c^2*d*e^3 - 10*a^2*b*c^3*d*e^3 - 4*a*b^2*c^3*d^2*e^2))/c^3)*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)})*((b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} - 8*a^3*c^4*d - b^7*e + b^6*c*d + 18*a^2*b^2*c^3*d - 25*a^2*b^3*c^2*e + a^2*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b^5*c*e - 8*a*b^4*c^2*d + 20*a^3*b*c^3*e - b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 2*a*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)}*2i - ((2*d)/(c*e) + (b*e^2 - 2*c*d*e)/(c^2*e^2))*(d + e*x^2)^{(1/2)}
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d)**(1/2)/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.356 \quad \int \frac{x^3 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=292

$$\frac{\left(-\sqrt{b^2-4ac}(cd-be) + 2ace + b^2(-e) + bcd\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right) \left(\sqrt{b^2-4ac}(cd-be) + 2ace + b^2(-e)\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e(b-\sqrt{b^2-4ac})} \quad \sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

[Out] $(e*x^2+d)^{(1/2)}/c+1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))^{(1/2)}*(b*c*d-b^2*e+2*a*c*e-(-b*e+c*d)*(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))^{(1/2)}-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))^{(1/2)}*(b*c*d-b^2*e+2*a*c*e+(-b*e+c*d)*(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))^{(1/2)}$

Rubi [A] time = 3.60, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 824, 826, 1166, 208}

$$\frac{\left(-\sqrt{b^2-4ac}(cd-be) + 2ace + b^2(-e) + bcd\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}\right) \left(\sqrt{b^2-4ac}(cd-be) + 2ace + b^2(-e)\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e(b-\sqrt{b^2-4ac})} \quad \sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^3*\operatorname{Sqrt}[d + e*x^2])/(a + b*x^2 + c*x^4), x]$

[Out] $\operatorname{Sqrt}[d + e*x^2]/c + ((b*c*d - b^2*e + 2*a*c*e - \operatorname{Sqrt}[b^2 - 4*a*c]*(c*d - b*e))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/(\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e])]) / (\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]) - ((b*c*d - b^2*e + 2*a*c*e + \operatorname{Sqrt}[b^2 - 4*a*c]*(c*d - b*e))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/(\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])]) / (\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])$

Rule 208

$\operatorname{Int}(((a_) + (b_)*(x_)^2)^{-1}, x_Symbol) \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b]$

Rule 824

```
Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2), x_Symbol] := Simp[(g*(d + e*x)^m)/(c*m), x] + Dist[1/c, Int[
((d + e*x)^(m - 1)*Simp[c*d*f - a*e*g + (g*c*d - b*e*g + c*e*f)*x, x]]/(a +
b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c
, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && FractionQ[m] && GtQ[m, 0]
```

Rule 826

```
Int[(((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)])*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)), x_Symbol] := Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 - b
*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; Fre
eQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e +
a*e^2, 0]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x
_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x \sqrt{d+ex}}{a+bx+cx^2} dx, x, x^2 \right) \\
&= \frac{\sqrt{d+ex^2}}{c} + \frac{\text{Subst} \left(\int \frac{-ae+(cd-be)x}{\sqrt{d+ex}(a+bx+cx^2)} dx, x, x^2 \right)}{2c} \\
&= \frac{\sqrt{d+ex^2}}{c} + \frac{\text{Subst} \left(\int \frac{-ae^2-d(cd-be)+(cd-be)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex^2} \right)}{c} \\
&= \frac{\sqrt{d+ex^2}}{c} - \frac{(bcd-b^2e+2ace-\sqrt{b^2-4ac}(cd-be)) \text{Subst} \left(\int \frac{1}{-\frac{1}{2}\sqrt{b^2-4ac}e+\frac{1}{2}(-2cd+be)+cx^2} \right)}{2c\sqrt{b^2-4ac}} \\
&= \frac{\sqrt{d+ex^2}}{c} + \frac{(bcd-b^2e+2ace-\sqrt{b^2-4ac}(cd-be)) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-(b-\sqrt{b^2-4ac})e}} \right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-(b-\sqrt{b^2-4ac})e}} - \frac{(bcd-b^2e+2ace-\sqrt{b^2-4ac}(cd-be))}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}
\end{aligned}$$

Mathematica [A] time = 0.55, size = 308, normalized size = 1.05

$$\frac{(-cd\sqrt{b^2-4ac}+be\sqrt{b^2-4ac}+2ace+b^2(-e)+bcd) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{e\sqrt{b^2-4ac}-be+2cd}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} + \frac{(-cd\sqrt{b^2-4ac}+be\sqrt{b^2-4ac}-2ace+b^2e-bcd) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*Sqrt[d + e*x^2])/(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[d + e*x^2] + ((b*c*d - c*Sqrt[b^2 - 4*a*c]*d - b^2*e + 2*a*c*e + b*Sqrt[b^2 - 4*a*c]*e)*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) + ((-(b*c*d) - c*Sqrt[b^2 - 4*a*c]*d + b^2*e - 2*a*c*e + b*Sqrt[b^2 - 4*a*c]*e)*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/c

fricas [B] time = 134.69, size = 2435, normalized size = 8.34

result too large to display

$$+ 4*a^2*b*c^2)*e + (b^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*\sqrt{(b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))*\sqrt{((b^2*c - 2*a*c^2)*d - (b^3 - 3*a*b*c)*e - (b^2*c^3 - 4*a*c^4)*\sqrt{(b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))/(b^2*c^3 - 4*a*c^4))} + ((a*b^2*c^3 - 4*a^2*c^4)*e*x^2 + 2*(a*b^2*c^3 - 4*a^2*c^4)*d)*\sqrt{(b^2*c^2*d^2 - 2*(b^3*c - a*b*c^2)*d*e + (b^4 - 2*a*b^2*c + a^2*c^2)*e^2)/(b^2*c^6 - 4*a*c^7)))/x^2) + 4*\sqrt{(e*x^2 + d))/c$$

giac [B] time = 0.78, size = 619, normalized size = 2.12

$$\frac{\sqrt{x^2e + d}}{c} \frac{\left(2bc^4d^2 + ((b^2c - 4ac^2)de - (b^3 - 4abc)e^2)c^2 - (3b^2c^3 - 4ac^4)de - 2\left(\sqrt{b^2 - 4ac}c^3d^2 - \sqrt{b^2 - 4ac}\right)\right)}{\left(2\sqrt{b^2 - 4ac}c^2d - (b^2c - 4ac^2 + \sqrt{b^2 - 4ac})\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] sqrt(x^2*e + d)/c - (2*b*c^4*d^2 + ((b^2*c - 4*a*c^2)*d*e - (b^3 - 4*a*b*c)*e^2)*c^2 - (3*b^2*c^3 - 4*a*c^4)*d*e - 2*(sqrt(b^2 - 4*a*c)*c^3*d^2 - sqrt(b^2 - 4*a*c)*b*c^2*d*e + sqrt(b^2 - 4*a*c)*a*c^2*e^2)*abs(c) + (b^3*c^2 - 2*a*b*c^3)*e^2)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*c^2*d - b*c*e + sqrt(-4*(c^2*d^2 - b*c*d*e + a*c*e^2)*c^2 + (2*c^2*d - b*c*e)^2))/c^2))/((2*sqrt(b^2 - 4*a*c)*c^2*d - (b^2*c - 4*a*c^2 + sqrt(b^2 - 4*a*c)*b*c)*e)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*c^2) + (2*b*c^4*d^2 + ((b^2*c - 4*a*c^2)*d*e - (b^3 - 4*a*b*c)*e^2)*c^2 - (3*b^2*c^3 - 4*a*c^4)*d*e + 2*(sqrt(b^2 - 4*a*c)*c^3*d^2 - sqrt(b^2 - 4*a*c)*b*c^2*d*e + sqrt(b^2 - 4*a*c)*a*c^2*e^2)*abs(c) + (b^3*c^2 - 2*a*b*c^3)*e^2)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*c^2*d - b*c*e - sqrt(-4*(c^2*d^2 - b*c*d*e + a*c*e^2)*c^2 + (2*c^2*d - b*c*e)^2))/c^2))/((2*sqrt(b^2 - 4*a*c)*c^2*d + (b^2*c - 4*a*c^2 - sqrt(b^2 - 4*a*c)*b*c)*e)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e)*c^2)

maple [C] time = 0.03, size = 275, normalized size = 0.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x)

```
[Out] -1/2/c*e^(1/2)*x+1/2*(e*x^2+d)^(1/2)/c+1/4/c*sum((( -b*e+c*d)*_R^6+(-4*a*e^2
+3*b*d*e-3*c*d^2)*_R^4+d*(4*a*e^2-3*b*d*e+3*c*d^2)*_R^2+b*d^3*e-c*d^4)/(_R^
7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e
-_R*c*d^3)*ln(-e^(1/2)*x-_R+(e*x^2+d)^(1/2)),_R=RootOf(_Z^8*c+(4*b*e-4*c*d)
*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z^2))+1/2/
c*d/(-e^(1/2)*x+(e*x^2+d)^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d} x^3}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(e*x^2 + d)*x^3/(c*x^4 + b*x^2 + a), x)
```

mupad [B] time = 2.34, size = 5705, normalized size = 19.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(d + e*x^2)^(1/2))/(a + b*x^2 + c*x^4),x)
```

```
[Out] (d + e*x^2)^(1/2)/c - atan((((16*a^2*c^3*e^4 - 4*a*b^2*c^2*e^4 + 16*a*c^4*d^2*e^2 + 4*b^3*c^2*d*e^3 - 4*b^2*c^3*d^2*e^2 - 16*a*b*c^3*d*e^3)/c - (2*(d + e*x^2)^(1/2)*((8*a^2*c^3*d - b^5*e - b^2*e*(-(4*a*c - b^2)^3)^(1/2) + b^4*c*d + 7*a*b^3*c*e + a*c*e*(-(4*a*c - b^2)^3)^(1/2) + b*c*d*(-(4*a*c - b^2)^3)^(1/2) - 6*a*b^2*c^2*d - 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))))^(1/2)*(4*b^3*c^3*e^3 - 8*b^2*c^4*d*e^2 - 16*a*b*c^4*e^3 + 32*a*c^5*d*e^2))/c)*((8*a^2*c^3*d - b^5*e - b^2*e*(-(4*a*c - b^2)^3)^(1/2) + b^4*c*d + 7*a*b^3*c*e + a*c*e*(-(4*a*c - b^2)^3)^(1/2) + b*c*d*(-(4*a*c - b^2)^3)^(1/2) - 6*a*b^2*c^2*d - 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))))^(1/2) - (2*(d + e*x^2)^(1/2)*(b^4*e^4 + 2*a^2*c^2*e^4 - 2*a*c^3*d^2*e^2 + b^2*c^2*d^2*e^2 - 4*a*b^2*c*e^4 - 2*b^3*c*d*e^3 + 6*a*b*c^2*d*e^3))/c)*((8*a^2*c^3*d - b^5*e - b^2*e*(-(4*a*c - b^2)^3)^(1/2) + b^4*c*d + 7*a*b^3*c*e + a*c*e*(-(4*a*c - b^2)^3)^(1/2) + b*c*d*(-(4*a*c - b^2)^3)^(1/2) - 6*a*b^2*c^2*d - 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))))^(1/2)*1i - (((16*a^2*c^3*e^4 - 4*a*b^2*c^2*e^4 + 16*a*c^4*d^2*e^2 + 4*b^3*c^2*d*e^3 - 4*b^2*c^3*d^2*e^2 - 16*a*b*c^3*d*e^3)/c + (2*(d + e*x^2)^(1/2)*((8*a^2*c^3*d - b^5*e - b^2*e*(-(4*a*c - b^2)^3)^(1/2) + b^4*c*d + 7*a*b^3*c*e + a*c*e*(-(4*a*c - b^2)^3)^(1/2) + b*c*d*(-(4*a*c - b^2)^3)^(1/2) - 6*a*b^2*c^2*d - 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))))^(1/2)*(4*b^3*c^3*e^3 - 8*b^2*c^4*d*e^2 - 16*a*b*c^4*e^3 + 32*a*c^5*d*e^2))/c)*
```

$$\begin{aligned}
& \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} \\
& + (2(d + ex^2)^{1/2}(b^4e^4 + 2a^2c^2e^4 - 2ac^3d^2e^2 + b^2c^2d^2e^2 - 4ab^2c^2e^4 - 2b^3cd^2e^3 + 6ab^2c^2d^2e^3)) / c * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} * i \\
& / \left((16a^2c^3e^4 - 4ab^2c^2e^4 + 16ac^4d^2e^2 + 4b^3c^2d^2e^3 - 4b^2c^3d^2e^2 - 16ab^2c^3d^2e^3) / c - (2(d + ex^2)^{1/2} * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} * (4b^3c^3e^3 - 8b^2c^4d^2e^2 - 16ab^2c^4e^3 + 32ac^5d^2e^2)) / c * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} - (2(d + ex^2)^{1/2} * (b^4e^4 + 2a^2c^2e^4 - 2ac^3d^2e^2 + b^2c^2d^2e^2 - 4ab^2c^2e^4 - 2b^3cd^2e^3 + 6ab^2c^2d^2e^3)) / c * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} - (2(a^2d^3e^2 - a^2b^2e^5 + ab^2d^2e^4 + a^2cd^2e^4 - 2ab^2cd^2e^3)) / c + \left((16a^2c^3e^4 - 4ab^2c^2e^4 + 16ac^4d^2e^2 + 4b^3c^2d^2e^3 - 4b^2c^3d^2e^2 - 16ab^2c^3d^2e^3) / c + (2(d + ex^2)^{1/2} * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} * (4b^3c^3e^3 - 8b^2c^4d^2e^2 - 16ab^2c^4e^3 + 32ac^5d^2e^2)) / c * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} + (2(d + ex^2)^{1/2} * (b^4e^4 + 2a^2c^2e^4 - 2ac^3d^2e^2 + b^2c^2d^2e^2 - 4ab^2c^2e^4 - 2b^3cd^2e^3 + 6ab^2c^2d^2e^3)) / c * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} * i \\
& - \operatorname{atan}\left(\left((16a^2c^3e^4 - 4ab^2c^2e^4 + 16ac^4d^2e^2 + 4b^3c^2d^2e^3 - 4b^2c^3d^2e^2 - 16ab^2c^3d^2e^3) / c - (2(d + ex^2)^{1/2} * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} * (4b^3c^3e^3 - 8b^2c^4d^2e^2 - 16ab^2c^4e^3 + 32ac^5d^2e^2)) / c - (2(d + ex^2)^{1/2} * \left((8a^2c^3d - b^5e - b^2e(-4ac - b^2)^3)^{1/2} + b^4cd + 7ab^3c^2e + ac^2e(-4ac - b^2)^3)^{1/2} + b^2e(-4ac - b^2)^3)^{1/2} - 6ab^2c^2d - 12a^2b^2c^2e \right) / (8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} * 2i \right)
\end{aligned}$$

$$\begin{aligned}
& d^2e^2 - 16abc^4e^3 + 32a^2c^5de^2)/c) * (- (b^5e - 8a^2c^3d - b^2e \\
& * (- (4ac - b^2)^3)^{1/2} - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3 \\
&)^{1/2} + b^2cd * (- (4ac - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / \\
& (8 * (16a^2c^5 + b^4c^3 - 8ab^2c^4)))^{1/2} - (2 * (d + ex^2)^{1/2} * (b^4 \\
& * e^4 + 2a^2c^2e^4 - 2a^2c^3d^2e^2 + b^2c^2d^2e^2 - 4ab^2c^2e^4 - \\
& 2b^3c^2de^3 + 6ab^2c^2de^3)) / c) * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac \\
& - b^2)^3)^{1/2} - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} \\
& + b^2cd * (- (4ac - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a \\
& ^2c^5 + b^4c^3 - 8ab^2c^4)))^{1/2} * i - (((16a^2c^3e^4 - 4ab^2c^2 \\
& e^4 + 16a^2c^4d^2e^2 + 4b^3c^2de^3 - 4b^2c^3d^2e^2 - 16ab^2c^3 \\
& * de^3) / c + (2 * (d + ex^2)^{1/2} * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac \\
& - b^2)^3)^{1/2} - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b \\
& * cd * (- (4ac - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c \\
& ^5 + b^4c^3 - 8ab^2c^4)))^{1/2} * (4b^3c^3e^3 - 8b^2c^4de^2 - 16a \\
& * b^2c^4e^3 + 32a^2c^5de^2)) / c) * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac \\
& - b^2)^3)^{1/2} - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b \\
& * cd * (- (4ac - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c \\
& ^5 + b^4c^3 - 8ab^2c^4)))^{1/2} * (2 * (d + ex^2)^{1/2} * (b^4e^4 + 2a^2 \\
& * c^2e^4 - 2a^2c^3d^2e^2 + b^2c^2d^2e^2 - 4ab^2c^2e^4 - 2b^3c^2de^3 \\
& + 6ab^2c^2de^3)) / c) * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac - b^2)^3)^{1/2} \\
& - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b^2cd * (- (4 \\
& * ac - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c^5 + b^4 \\
& * c^3 - 8ab^2c^4)))^{1/2} * i) / (((16a^2c^3e^4 - 4ab^2c^2e^4 + 16a \\
& * c^4d^2e^2 + 4b^3c^2de^3 - 4b^2c^3d^2e^2 - 16ab^2c^3de^3) / c - \\
& (2 * (d + ex^2)^{1/2} * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac - b^2)^3)^{1/2} \\
&) - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b^2cd * (- (4ac \\
& - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c^5 + b^4c^3 \\
& - 8ab^2c^4)))^{1/2} * (4b^3c^3e^3 - 8b^2c^4de^2 - 16ab^2c^4e^3 + \\
& 32a^2c^5de^2)) / c) * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac - b^2)^3)^{1/2} \\
&) - b^4cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b^2cd * (- (4ac \\
& - b^2)^3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c^5 + b^4c^3 \\
& - 8ab^2c^4)))^{1/2} - (2 * (d + ex^2)^{1/2} * (b^4e^4 + 2a^2c^2e^4 - 2 \\
& * a^2c^3d^2e^2 + b^2c^2d^2e^2 - 4ab^2c^2e^4 - 2b^3c^2de^3 + 6ab^2c^2 \\
& * de^3)) / c) * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac - b^2)^3)^{1/2} - b^4 \\
& * cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b^2cd * (- (4ac - b^2)^ \\
& 3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c^5 + b^4c^3 - 8ab^2 \\
& * c^4)))^{1/2} - (2 * (a^2c^2d^3e^2 - a^2b^2e^5 + ab^2d^2e^4 + a^2c^2de^4 \\
& - 2ab^2c^2de^3)) / c + (((16a^2c^3e^4 - 4ab^2c^2e^4 + 16a^2c^4d^2 \\
& * e^2 + 4b^3c^2de^3 - 4b^2c^3d^2e^2 - 16ab^2c^3de^3) / c + (2 * (d + \\
& ex^2)^{1/2} * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac - b^2)^3)^{1/2} - b^4 \\
& * cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b^2cd * (- (4ac - b^2)^ \\
& 3)^{1/2} + 6ab^2c^2d + 12a^2b^2c^2e) / (8 * (16a^2c^5 + b^4c^3 - 8ab^2 \\
& * c^4)))^{1/2} * (4b^3c^3e^3 - 8b^2c^4de^2 - 16ab^2c^4e^3 + 32a^2c^5 \\
& * de^2)) / c) * (- (b^5e - 8a^2c^3d - b^2e * (- (4ac - b^2)^3)^{1/2} - b^4 \\
& * cd - 7ab^3c^2e + ac * (- (4ac - b^2)^3)^{1/2} + b^2cd * (- (4ac - b^2)^
\end{aligned}$$

$$3)^{(1/2)} + 6*a*b^2*c^2*d + 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} + (2*(d + e*x^2)^{(1/2)}*(b^4*e^4 + 2*a^2*c^2*e^4 - 2*a*c^3*d^2*e^2 + b^2*c^2*d^2*e^2 - 4*a*b^2*c*e^4 - 2*b^3*c*d*e^3 + 6*a*b*c^2*d*e^3)/c)*(-(b^5*e - 8*a^2*c^3*d - b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3*c*e + a*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^2*d + 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})))*(-(b^5*e - 8*a^2*c^3*d - b^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - b^4*c*d - 7*a*b^3*c*e + a*c*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 6*a*b^2*c^2*d + 12*a^2*b*c^2*e)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})*2i$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sqrt{d + ex^2}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)**(1/2)/(c*x**4+b*x**2+a), x)

[Out] Integral(x**3*sqrt(d + e*x**2)/(a + b*x**2 + c*x**4), x)

$$3.357 \quad \int \frac{x\sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=202

$$\frac{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}} - \frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}}$$

[Out] $-1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)*2^{(1/2)}/c^{(1/2)}/(-4*a*c+b^2)^{(1/2)}+1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)*2^{(1/2)}/c^{(1/2)}/(-4*a*c+b^2)^{(1/2)})}$

Rubi [A] time = 0.36, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1247, 699, 1130, 208}

$$\frac{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}} - \frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*\operatorname{Sqrt}[d + e*x^2])/(a + b*x^2 + c*x^4), x]$

[Out] $-((\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])]*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])]*e])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[b^2 - 4*a*c])) + (\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])]*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])]*e])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[b^2 - 4*a*c])$

Rule 208

$\operatorname{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 699

$\operatorname{Int}[\operatorname{Sqrt}[(d + (e \cdot x))/((a + (b \cdot x) + (c \cdot x)^2)], x_Symbol] \rightarrow \operatorname{Dist}[2*e, \operatorname{Subst}[\operatorname{Int}[x^2/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, \operatorname{Sqrt}[d + e*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \operatorname{NeQ}[b^2 - 4$

*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]

Rule 1130

Int[((d_.)*(x_))^(m_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(d^2*(b/q + 1))/2, Int[(d*x)^(m - 2)/(b/2 + q/2 + c*x^2), x], x] - Dist[(d^2*(b/q - 1))/2, Int[(d*x)^(m - 2)/(b/2 - q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4*a*c, 0] && GeQ[m, 2]

Rule 1247

Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned} \int \frac{x\sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{d+ex}}{a+bx+cx^2} dx, x, x^2 \right) \\ &= e \text{Subst} \left(\int \frac{x^2}{cd^2 - bde + ae^2 + (-2cd + be)x^2 + cx^4} dx, x, \sqrt{d+ex^2} \right) \\ &= - \left(\frac{1}{2} \left(-e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \text{Subst} \left(\int \frac{1}{-\frac{1}{2}\sqrt{b^2 - 4ac}e + \frac{1}{2}(-2cd + be) + cx^2} dx, x, \sqrt{d+ex^2} \right) \right) \\ &\quad - \frac{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})}e \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})}e} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}} + \frac{\sqrt{2cd - (b + \sqrt{b^2 - 4ac})}e \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - (b + \sqrt{b^2 - 4ac})}e} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}} \end{aligned}$$

Mathematica [A] time = 0.33, size = 179, normalized size = 0.89

$$\frac{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}} \right) - \sqrt{e\sqrt{b^2 - 4ac} - be + 2cd} \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{e\sqrt{b^2 - 4ac} - be + 2cd}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*Sqrt[d + e*x^2])/(a + b*x^2 + c*x^4), x]

[Out] $(-\text{ArcTanh}\left[\frac{\sqrt{2cd - b^2e + \sqrt{b^2 - 4ac}}e}{\sqrt{2cd - b^2e + \sqrt{b^2 - 4ac}}e}\right] + \text{ArcTanh}\left[\frac{\sqrt{2cd - b^2e + \sqrt{b^2 - 4ac}}e}{\sqrt{2cd - b^2e + \sqrt{b^2 - 4ac}}e}\right]) / \sqrt{2cd - b^2e + \sqrt{b^2 - 4ac}}e$

fricas [B] time = 19.82, size = 1085, normalized size = 5.37

$$-\frac{1}{4} \sqrt{\frac{1}{2}} \sqrt{\frac{2cd - be + (b^2c - 4ac^2) \sqrt{\frac{e^2}{b^2c^2 - 4ac^3}}}{b^2c - 4ac^2}} \log \left(\frac{be^2x^2 + 2bde - 2ae^2 + 2\sqrt{\frac{1}{2}} \sqrt{ex^2 + d} \left((b^2 - 4ac)e + (b^3c - \dots \right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] $-1/4 \sqrt{1/2} \sqrt{(2cd - b^2e + (b^2c - 4ac^2) \sqrt{e^2/(b^2c^2 - 4ac^3)})} / (b^2c - 4ac^2) \log((b^2e^2x^2 + 2b^2d^2e - 2a^2e^2 + 2\sqrt{1/2} \sqrt{e^2/(b^2c^2 - 4ac^3)}) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / (b^2c - 4ac^2) + ((b^2c - 4ac^2) e^2x^2 + 2(b^2c - 4ac^2) d) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / x^2 + 1/4 \sqrt{1/2} \sqrt{(2cd - b^2e + (b^2c - 4ac^2) \sqrt{e^2/(b^2c^2 - 4ac^3)})} / (b^2c - 4ac^2) \log((b^2e^2x^2 + 2b^2d^2e - 2a^2e^2 - 2\sqrt{1/2} \sqrt{e^2/(b^2c^2 - 4ac^3)}) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / (b^2c - 4ac^2) + ((b^2c - 4ac^2) e^2x^2 + 2(b^2c - 4ac^2) d) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / x^2 - 1/4 \sqrt{1/2} \sqrt{(2cd - b^2e - (b^2c - 4ac^2) \sqrt{e^2/(b^2c^2 - 4ac^3)})} / (b^2c - 4ac^2) \log((b^2e^2x^2 + 2b^2d^2e - 2a^2e^2 + 2\sqrt{1/2} \sqrt{e^2/(b^2c^2 - 4ac^3)}) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / (b^2c - 4ac^2) - ((b^2c - 4ac^2) e^2x^2 + 2(b^2c - 4ac^2) d) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / x^2 + 1/4 \sqrt{1/2} \sqrt{(2cd - b^2e - (b^2c - 4ac^2) \sqrt{e^2/(b^2c^2 - 4ac^3)})} / (b^2c - 4ac^2) \log((b^2e^2x^2 + 2b^2d^2e - 2a^2e^2 - 2\sqrt{1/2} \sqrt{e^2/(b^2c^2 - 4ac^3)}) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / (b^2c - 4ac^2) - ((b^2c - 4ac^2) e^2x^2 + 2(b^2c - 4ac^2) d) \sqrt{e^2/(b^2c^2 - 4ac^3)}) / x^2$

giac [A] time = 0.55, size = 228, normalized size = 1.13

$$\frac{\sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac}c)}e \arctan\left(\frac{2\sqrt{\frac{1}{2}}\sqrt{x^2e+d}}{\sqrt{-\frac{2cd-be + \sqrt{(2cd-be)^2 - 4(cd^2-bde+ae^2)c}}{c}}}\right)}{2\sqrt{b^2 - 4ac}|c|} + \frac{\sqrt{-4c^2d + 2(bc + \sqrt{b^2 - 4ac}c)}e}{2\sqrt{b^2 - 4ac}|c|}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $-1/2*\sqrt{-4*c^2*d + 2*(b*c - \sqrt{b^2 - 4*a*c}*c)*e}*\arctan(2*\sqrt{1/2}*\sqrt{x^2*e + d}/\sqrt{-(2*c*d - b*e + \sqrt{(2*c*d - b*e)^2 - 4*(c*d^2 - b*d*e + a*e^2)*c})}/(\sqrt{b^2 - 4*a*c}*abs(c))) + 1/2*\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c}*c)*e}*\arctan(2*\sqrt{1/2}*\sqrt{x^2*e + d}/\sqrt{-(2*c*d - b*e - \sqrt{(2*c*d - b*e)^2 - 4*(c*d^2 - b*d*e + a*e^2)*c})}/(\sqrt{b^2 - 4*a*c}*abs(c)))$

maple [C] time = 0.02, size = 177, normalized size = 0.88

$$4\text{RootOf}(_Z^8c + (4be - 4cd)_Z^6 + cd^4 + (16ae^2 - 8deb + 6cd^2)_Z^4 + (4bd^2e - 4cd^3)_Z^2)^7c + 12\text{RootOf}(_Z^8c + (4be - 4cd)_Z^6 + cd^4 + (16ae^2 - 8deb + 6cd^2)_Z^4 + (4bd^2e - 4cd^3)_Z^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x)

[Out] $1/4*e*\sum((_R^6 + _R^4*d - _R^2*d^2 - d^3)/(_R^7*c + 3*_R^5*b*e - 3*_R^5*c*d + 8*_R^3*a*e^2 - 4*_R^3*b*d*e + 3*_R^3*c*d^2 + _R*b*d^2*e - _R*c*d^3)*\ln(-e^{(1/2)}*x - _R + (e*x^2 + d)^{(1/2)}), _R = \text{RootOf}(_Z^8*c + (4*b*e - 4*c*d)*_Z^6 + c*d^4 + (16*a*e^2 - 8*b*d*e + 6*c*d^2)*_Z^4 + (4*b*d^2*e - 4*c*d^3)*_Z^2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}x}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)*x/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 1.72, size = 717, normalized size = 3.55

$$-2 \operatorname{atanh} \left(\frac{2 \left(\sqrt{e x^2 + d} \left(-2 b^2 c e^4 + 4 b c^2 d e^3 - 4 c^3 d^2 e^2 + 4 a c^2 e^4 \right) + \frac{\sqrt{e x^2 + d} \left(8 b^3 c^2 e^3 - 16 d b^2 c^3 e^2 - 32 a b c^3 e^3 + 64 a d c^3 \right)}{8 \left(16 a^2 c^3 - 8 a b c^2 + b^3 \right)} \right)}{2 c^2 d^2 e^3 - 2 b c d e^4 + 2 a c^2 e^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d + e*x^2)^(1/2))/(a + b*x^2 + c*x^4), x)`

[Out]
$$-2 \operatorname{atanh} \left(\frac{2 \left((d + e x^2)^{1/2} (4 a^2 c^2 e^4 - 2 b^2 c^2 e^4 - 4 c^3 d^2 e^2 + 4 b^2 c^2 d e^3) + ((d + e x^2)^{1/2} (8 b^3 c^2 e^3 - 16 b^2 c^3 d e^2 - 32 a b c^3 e^3 + 64 a^2 c^4 d e^2) * (b^3 e + e * (-4 a c - b^2)^3)^{1/2} + 8 a^2 c^2 d - 2 b^2 c^2 d - 4 a b c^2 e) \right)}{(8 (b^4 c + 16 a^2 c^3 - 8 a b^2 c^2)) * (- (b^3 e + e * (-4 a c - b^2)^3)^{1/2} + 8 a^2 c^2 d - 2 b^2 c^2 d - 4 a b c^2 e) / (8 (b^4 c + 16 a^2 c^3 - 8 a b^2 c^2))^{1/2}} \right) - 2 \operatorname{atanh} \left(\frac{2 \left((d + e x^2)^{1/2} (4 a^2 c^2 e^4 - 2 b^2 c^2 e^4 - 4 c^3 d^2 e^2 + 4 b^2 c^2 d e^3) - ((d + e x^2)^{1/2} (8 b^3 c^2 e^3 - 16 b^2 c^3 d e^2 - 32 a b c^3 e^3 + 64 a^2 c^4 d e^2) * (e * (-4 a c - b^2)^3)^{1/2} - b^3 e - 8 a^2 c^2 d + 2 b^2 c^2 d + 4 a b c^2 e) \right)}{(8 (b^4 c + 16 a^2 c^3 - 8 a b^2 c^2)) * ((e * (-4 a c - b^2)^3)^{1/2} - b^3 e - 8 a^2 c^2 d + 2 b^2 c^2 d + 4 a b c^2 e) / (8 (b^4 c + 16 a^2 c^3 - 8 a b^2 c^2))^{1/2}} \right) / (2 c^2 d^2 e^3 + 2 a^2 c^2 e^5 - 2 b^2 c^2 d e^4) * ((e * (-4 a c - b^2)^3)^{1/2} - b^3 e - 8 a^2 c^2 d + 2 b^2 c^2 d + 4 a b c^2 e) / (8 (b^4 c + 16 a^2 c^3 - 8 a b^2 c^2))^{1/2}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sqrt{d + e x^2}}{a + b x^2 + c x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)**(1/2)/(c*x**4+b*x**2+a), x)`

[Out] `Integral(x*sqrt(d + e*x**2)/(a + b*x**2 + c*x**4), x)`

$$3.358 \quad \int \frac{\sqrt{d+ex^2}}{x(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=281

$$\frac{\sqrt{c} \left(d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) - \sqrt{c} \left(-d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{\sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{2cd - e} \left(b - \sqrt{b^2 - 4ac} \right) - \sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{2cd - e} \left(\sqrt{b^2 - 4ac} + b \right)}$$

[Out] $-\operatorname{arctanh}\left(\frac{(e*x^2+d)^{(1/2)}/d^{(1/2)}*d^{(1/2)}/a+1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})*c^{(1/2)}*(b*d-2*a*e+d*(-4*a*c+b^2)^{(1/2)})/a*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})*c^{(1/2)}*(b*d-2*a*e-d*(-4*a*c+b^2)^{(1/2)})/a*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})\right)$

Rubi [A] time = 1.35, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 897, 1287, 206, 1166, 208}

$$\frac{\sqrt{c} \left(d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) - \sqrt{c} \left(-d\sqrt{b^2 - 4ac} - 2ae + bd \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{\sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{2cd - e} \left(b - \sqrt{b^2 - 4ac} \right) - \sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{2cd - e} \left(\sqrt{b^2 - 4ac} + b \right)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[d + e*x^2]/(x*(a + b*x^2 + c*x^4)), x]$

[Out] $-\left(\frac{\operatorname{Sqrt}[d]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/\operatorname{Sqrt}[d]]}{a} + \frac{\operatorname{Sqrt}[c]*(b*d + \operatorname{Sqrt}[b^2 - 4*a*c]*d - 2*a*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]]}{(\operatorname{Sqrt}[2]*a*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e])} - \frac{\operatorname{Sqrt}[c]*(b*d - \operatorname{Sqrt}[b^2 - 4*a*c]*d - 2*a*e)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d + e*x^2])/\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]]}{(\operatorname{Sqrt}[2]*a*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])}\right)$

Rule 206

$\operatorname{Int}[(a_+ + (b_-)*(x_-)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt}[a, 0] \parallel \operatorname{Lt}[b, 0])$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 897

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1287

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{x(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{d+ex}}{x(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{x^2}{\left(\frac{-d}{e} + \frac{x^2}{e}\right) \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \left(-\frac{de}{a(d-x^2)} + \frac{e(cd^2-bde+ae^2-cdx^2)}{a(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \frac{cd^2-bde+ae^2-cdx^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex^2} \right)}{a} - \frac{d \text{Subst} \left(\int \frac{1}{d-x^2} dx, x, \sqrt{d+ex^2} \right)}{a} \\
&= -\frac{\sqrt{d} \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a} + \frac{\left(c \left(bd - \sqrt{b^2 - 4ac} d - 2ae \right) \right) \text{Subst} \left(\int \frac{1}{\frac{1}{2}\sqrt{b^2-4ac}e + \frac{1}{2}(-2cd+be) + \dots} dx \right)}{2a\sqrt{b^2-4ac}} \\
&= -\frac{\sqrt{d} \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a} + \frac{\sqrt{c} \left(bd + \sqrt{b^2 - 4ac} d - 2ae \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \right)}{\sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}
\end{aligned}$$

Mathematica [A] time = 0.81, size = 241, normalized size = 0.86

$$\frac{\sqrt{2} \left(\left(\sqrt{b^2-4ac} + b \right) \sqrt{e\sqrt{b^2-4ac} - be + 2cd} \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{e\sqrt{b^2-4ac} - be + 2cd}} \right) + \left(\sqrt{b^2-4ac} - b \right) \sqrt{2cd - e\left(\sqrt{b^2-4ac} + b\right)} \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd - e\left(\sqrt{b^2-4ac} + b\right)}} \right) \right)}{\sqrt{c} \sqrt{b^2-4ac}} - 4\sqrt{a}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x^2]/(x*(a + b*x^2 + c*x^4)), x]

[Out] (-4*Sqrt[d]*ArcTanh[Sqrt[d + e*x^2]/Sqrt[d]] + (Sqrt[2]*((b + Sqrt[b^2 - 4*a*c])*Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]] + (-b + Sqrt[b^2 - 4*a*c])*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]]))/(Sqrt[c]*Sqrt[b^2 - 4*a*c]))/(4*a)

$$\begin{aligned} & a^2 e^2 / (a^4 b^2 - 4 a^5 c) / (a^2 b^2 - 4 a^3 c) - ((a^2 b^2 - 4 a^3 c) * \\ & e * x^2 + 2 * (a^2 b^2 - 4 a^3 c) * d) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)) / x^2 - \text{sqrt}(1/2) * a * \text{sqrt}(-(a b e - (b^2 - 2 a c) * d + (a^2 b^2 - 4 a^3 c) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)))) / (a^2 b^2 - 4 a^3 c) * \log(-(2 b^2 d^2 - 4 a b d e + 2 a^2 e^2 + (b^2 d e - a b e^2) * x^2 - 4 * \text{sqrt}(1/2) * (a^3 b^2 - 4 a^4 c) * \text{sqrt}(e * x^2 + d) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c))) * \text{sqrt}(-(a b e - (b^2 - 2 a c) * d + (a^2 b^2 - 4 a^3 c) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)))) / (a^2 b^2 - 4 a^3 c) - ((a^2 b^2 - 4 a^3 c) * e * x^2 + 2 * (a^2 b^2 - 4 a^3 c) * d) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)) / x^2 - \text{sqrt}(1/2) * a * \text{sqrt}(-(a b e - (b^2 - 2 a c) * d - (a^2 b^2 - 4 a^3 c) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)))) / (a^2 b^2 - 4 a^3 c) * \log(-(2 b^2 d^2 - 4 a b d e + 2 a^2 e^2 + (b^2 d e - a b e^2) * x^2 + 4 * \text{sqrt}(1/2) * (a^3 b^2 - 4 a^4 c) * \text{sqrt}(e * x^2 + d) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c))) * \text{sqrt}(-(a b e - (b^2 - 2 a c) * d - (a^2 b^2 - 4 a^3 c) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)))) / (a^2 b^2 - 4 a^3 c) + ((a^2 b^2 - 4 a^3 c) * e * x^2 + 2 * (a^2 b^2 - 4 a^3 c) * d) * \text{sqrt}((b^2 d^2 - 2 a b d e + a^2 e^2) / (a^4 b^2 - 4 a^5 c)) / x^2 - 4 * \text{sqrt}(-d) * \arctan(\text{sqrt}(-d) / \text{sqrt}(e * x^2 + d)) / a \end{aligned}$$

giac [B] time = 0.68, size = 717, normalized size = 2.55

$$\frac{d \arctan\left(\frac{\sqrt{x^2 e + d}}{\sqrt{-d}}\right)}{a \sqrt{-d}} - \frac{\left(\sqrt{-4 c^2 d + 2(bc - \sqrt{b^2 - 4 ac} c)} e (b^2 - 4 ac) a^2 d e - 2\left(\sqrt{b^2 - 4 ac} a c d^2 - \sqrt{b^2 - 4 ac} a b d e + \sqrt{b^2 - 4 ac} a^2 d^2\right)\right)}{a \sqrt{-d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] d*arctan(sqrt(x^2*e + d)/sqrt(-d))/(a*sqrt(-d)) - 1/8*(sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*(b^2 - 4*a*c)*a^2*d*e - 2*(sqrt(b^2 - 4*a*c)*a*c*d^2 - sqrt(b^2 - 4*a*c)*a*b*d*e + sqrt(b^2 - 4*a*c)*a^2*e^2)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*abs(a) - (2*a^2*b*c*d^2 + 2*a^3*b*e^2 - (a^2*b^2 + 4*a^3*c)*d*e)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*a*c*d - a*b*e + sqrt(-4*(a*c

$$\begin{aligned} & *d^2 - a*b*d*e + a^2*e^2)*a*c + (2*a*c*d - a*b*e)^2)/(a*c)))/((\sqrt{b^2 - 4*a*c}) * a^2*c*d^2 - \sqrt{b^2 - 4*a*c}) * a^2*b*d*e + \sqrt{b^2 - 4*a*c}) * a^3*e^2) \\ & * \text{abs}(a) * \text{abs}(c)) + 1/8 * (\sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c}) * c} * e) * (b^2 - 4*a*c) * a^2*d*e \\ & + 2 * (\sqrt{b^2 - 4*a*c}) * a*c*d^2 - \sqrt{b^2 - 4*a*c}) * a*b*d*e + \sqrt{b^2 - 4*a*c}) * a^2*e^2) * \sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c}) * c} * e) * \text{abs}(a) \\ & - (2*a^2*b*c*d^2 + 2*a^3*b*e^2 - (a^2*b^2 + 4*a^3*c) * d*e) * \sqrt{-4*c^2*d + 2*(b*c + \sqrt{b^2 - 4*a*c}) * c} * e) * \arctan(2*\sqrt{1/2}*\sqrt{x^2*e + d}) / \sqrt{-(2*a*c*d - a*b*e - \sqrt{-4*(a*c*d^2 - a*b*d*e + a^2*e^2)*a*c + (2*a*c*d - a*b*e)^2}) / (a*c)) / ((\sqrt{b^2 - 4*a*c}) * a^2*c*d^2 - \sqrt{b^2 - 4*a*c}) * a^2*b*d*e + \sqrt{b^2 - 4*a*c}) * a^3*e^2) * \text{abs}(a) * \text{abs}(c)) \end{aligned}$$

maple [C] time = 0.03, size = 294, normalized size = 1.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^(1/2)/x/(c*x^4+b*x^2+a),x)`

[Out]
$$-1/a*d^{1/2}*\ln((2*d+2*d^{1/2}*(e*x^2+d)^{1/2})/x)+1/2/a*(e*x^2+d)^{1/2}+1/2/a*e^{1/2}*x-1/4/a*\sum((_R^6*c*d+(-4*a*e^2+4*b*d*e-3*c*d^2)*_R^4+d*(4*a*e^2-4*b*d*e+3*c*d^2)*_R^2-c*d^4)/(_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3)*\ln(-e^{1/2}*x-_R+(e*x^2+d)^{1/2}),_R=\text{RootOf}(_Z^8*c+(4*b*e-4*c*d)*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z^2))-1/2/a*d/(-e^{1/2}*x+(e*x^2+d)^{1/2})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}}{(cx^4 + bx^2 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^(1/2)/x/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `integrate(sqrt(e*x^2 + d)/((c*x^4 + b*x^2 + a)*x), x)`

mupad [B] time = 6.87, size = 10964, normalized size = 39.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^(1/2)/(x*(a + b*x^2 + c*x^4)),x)`

[Out]
$$\text{atan}(\frac{((d + e*x^2)^{1/2} * (2*a^2*c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) + ((b^4*d + 8*a^2*c^2*d - a*b^3*e$$

$$\begin{aligned}
& + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d \\
& + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}*(((b^4*d + \\
& 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}* \\
& ((d + e*x^2)^{(1/2)}*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - \\
& 8*a^3*b^2*c))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2 \\
& *e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) - 192*a^4*c^4*d*e^{10} - 192*a^3*c^5*d^3*e^8 \\
& + 48*a^2*b^2*c^4*d^3*e^8 - 48*a^2*b^3*c^3*d^2*e^9 + 192*a^3*b*c^4*d^2*e^9 + 48*a^3*b^2*c^3*d*e^{10}) - (d + e*x^2)^{(1/2)}*(32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + 144*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - \\
& 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c^2*d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2*e^9 - 72*a^2*b^2*c^3*d*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)} + 12*a*c^5*d^4*e^8 + 12*a^2*c^4*d^2*e^{10} - 4*b^2*c^4*d^4*e^8 + 4*b^4*c^2*d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d*e^{11} + 20*a^2*b*c^3*d*e^{11} - 24*a*b^2*c^3*d^2*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}*1i + ((d + e*x^2)^{(1/2)}*(2*a^2*c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) - ((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}*(12*a*c^5*d^4*e^8 - ((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}*((d + e*x^2)^{(1/2)}*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) + 192*a^4*c^4*d*e^{10} + 192*a^3*c^5*d^3*e^8 - 48*a^2*b^2*c^4*d^3*e^8 + 48*a^2*b^3*c^3*d^2*e^9 - 192*a^3*b*c^4*d^2*e^9 - 48*a^3*b^2*c^3*d*e^{10}) - (d + e*x^2)^{(1/2)}*(32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + 144*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c^2*d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2*e^9 - 72*a^2*b^2*c^3*d*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)} + 12*a^2*c^4*d^2*e^{10} - 4*b^2*c^4*d^4*e^8 + 4*b^4*c^2*d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d*e^{11} + 20*a^2*b*c^3*d*e^{11} - 24*a*b^2*c^3*d^2*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c))^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - 8*a^3*b^2*c))^{(1/2)*1i)/(((d + e*x^2)^{(1/2)}*(2*a^2*c^3*e^{12} + 6*c^5*d^4 \\
& *e^8 - 8*b*c^4*d^3*e^9 + 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) - ((b^4*d + \\
& 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2 \\
& *c)))^{(1/2)}*(12*a*c^5*d^4*e^8 - (((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b \\
& *c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*((d + e*x^2)^{(1/2)}*((\\
& b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8* \\
& a^3*b^2*c)))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2*c^ \\
& 3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2 \\
& *e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) \\
& + 192*a^4*c^4*d*e^{10} + 192*a^3*c^5*d^3*e^8 - 48*a^2*b^2*c^4*d^3*e^8 + 48*a^ \\
& 2*b^3*c^3*d^2*e^9 - 192*a^3*b*c^4*d^2*e^9 - 48*a^3*b^2*c^3*d*e^{10}) - (d + e \\
& *x^2)^{(1/2)}*(32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + 1 \\
& 44*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c^2 \\
& *d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2*e \\
& ^9 - 72*a^2*b^2*c^3*d*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e \\
&)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} + 12*a^2*c^4*d^2*e^{10} - 4 \\
& *b^2*c^4*d^4*e^8 + 4*b^4*c^2*d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d*e \\
& ^{11} + 20*a^2*b*c^3*d*e^{11} - 24*a*b^2*c^3*d^2*e^{10}))*((b^4*d + 8*a^2*c^2*d - \\
& a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6* \\
& a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} - \\
& ((d + e*x^2)^{(1/2)}*(2*a^2*c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + 4*b^ \\
& 2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) + ((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e* \\
& (- (4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a \\
& ^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*(((b^4*d + 8*a^2 \\
& *c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{ \\
& (1/2)}*((d + e*x^2)^{(1/2)}*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8 \\
& *(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^ \\
& 4*c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^ \\
& 2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^ \\
& 9 + 480*a^3*b^3*c^3*d*e^9) - 192*a^4*c^4*d*e^{10} - 192*a^3*c^5*d^3*e^8 + 48* \\
& a^2*b^2*c^4*d^3*e^8 - 48*a^2*b^3*c^3*d^2*e^9 + 192*a^3*b*c^4*d^2*e^9 + 48*a \\
& ^3*b^2*c^3*d*e^{10}) - (d + e*x^2)^{(1/2)}*(32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^ \\
& ^{10} - 8*a^2*b^3*c^2*e^{11} + 144*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - 16*b^5 \\
& *c^2*d^2*e^9 + 16*a*b^4*c^2*d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^ \\
& 2*e^9 - 144*a^2*b*c^4*d^2*e^9 - 72*a^2*b^2*c^3*d*e^{10}))*((b^4*d + 8*a^2*c^2 \\
& *d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} \\
& + 12*a*c^5*d^4*e^8 + 12*a^2*c^4*d^2*e^{10} - 4*b^2*c^4*d^4*e^8 + 4*b^4*c^2* \\
& d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d*e^{11} + 20*a^2*b*c^3*d*e^{11} - 2
\end{aligned}$$

$$\begin{aligned}
& 4*a*b^2*c^3*d^2*e^{10})*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} + 2*c^4*d^3*e^{10} - 2*b*c^3*d^2*e^{11} + 2*a*c^3*d*e^{12})*((b^4*d + 8*a^2*c^2*d - a*b^3*e + a*e*(-(4*a*c - b^2)^3)^{(1/2)} - b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*2i + \operatorname{atan}(((d + e*x^2)^{(1/2)}*(2*a^2*c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) + ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*((d + e*x^2)^{(1/2)}*((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) - 192*a^4*c^4*d*e^{10} - 192*a^3*c^5*d^3*e^8 + 48*a^2*b^2*c^4*d^3*e^8 - 48*a^2*b^3*c^3*d^2*e^9 + 192*a^3*b*c^4*d^2*e^9 + 48*a^3*b^2*c^3*d*e^{10}) - (d + e*x^2)^{(1/2)}*(32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + 144*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c^2*d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2*e^9 - 72*a^2*b^2*c^3*d*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} + 12*a*c^5*d^4*e^8 + 12*a^2*c^4*d^2*e^{10} - 4*b^2*c^4*d^4*e^8 + 4*b^4*c^2*d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d*e^{11} + 20*a^2*b*c^3*d*e^{11} - 24*a*b^2*c^3*d^2*e^{10}))*((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*1i + ((d + e*x^2)^{(1/2)}*(2*a^2*c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) - ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*(12*a*c^5*d^4*e^8 - (((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*((d + e*x^2)^{(1/2)}*((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) + 192*a^4*c^4*d*e^{10} + 192*a^3*c^5*d^3*e^8 - 48*a^2*b^2*c^4*d^3*e^8 + 48*a^2*b^3*c^3*d^2*e^9 - 192*a^3*b*c^4*d^2*e^9 - 48*a^3*b^2*c^3*d*e^{10}) - (d + e*x^2)^{(1/2)}*(32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + 144*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c^
\end{aligned}$$

$$\begin{aligned}
& 2*d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2* \\
& e^9 - 72*a^2*b^2*c^3*d*e^{10}) * ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c* \\
& e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} + 12*a^2*c^4*d^2*e^{10} - \\
& 4*b^2*c^4*d^4*e^8 + 4*b^4*c^2*d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d* \\
& e^{11} + 20*a^2*b*c^3*d*e^{11} - 24*a*b^2*c^3*d^2*e^{10}) * ((b^4*d + 8*a^2*c^2*d \\
& - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6 \\
& *a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} * i \\
& i)/(((d + e*x^2)^{(1/2)} * (2*a^2*c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + \\
& 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^3*d*e^{11}) - ((b^4*d + 8*a^2*c^2*d - a*b^3*e - \\
& a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + \\
& 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} * (12*a*c^5*d^4 \\
& *e^8 - (((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^ \\
& 4*c^2 - 8*a^3*b^2*c)))^{(1/2)} * ((d + e*x^2)^{(1/2)} * ((b^4*d + 8*a^2*c^2*d - a*b \\
& ^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^ \\
& 2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} * (512*a \\
& ^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2* \\
& e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^ \\
& 9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) + 192*a^4*c^4*d*e^{10} + 19 \\
& 2*a^3*c^5*d^3*e^8 - 48*a^2*b^2*c^4*d^3*e^8 + 48*a^2*b^3*c^3*d^2*e^9 - 192*a \\
& ^3*b*c^4*d^2*e^9 - 48*a^3*b^2*c^3*d*e^{10}) - (d + e*x^2)^{(1/2)} * (32*a^3*b*c^3 \\
& *e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + 144*a^2*c^5*d^3*e^8 + 16*b \\
& ^4*c^3*d^3*e^8 - 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c^2*d*e^{10} - 96*a*b^2*c^4*d^ \\
& 3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2*e^9 - 72*a^2*b^2*c^3*d*e^{1 \\
& 0}) * ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(- \\
& (4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^ \\
& 2 - 8*a^3*b^2*c)))^{(1/2)} + 12*a^2*c^4*d^2*e^{10} - 4*b^2*c^4*d^4*e^8 + 4*b^4* \\
& c^2*d^2*e^{10} + 8*a*b*c^4*d^3*e^9 - 4*a*b^3*c^2*d*e^{11} + 20*a^2*b*c^3*d*e^{11} \\
& - 24*a*b^2*c^3*d^2*e^{10}) * ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/ \\
& (8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} - ((d + e*x^2)^{(1/2)} * (2*a^2 \\
& *c^3*e^{12} + 6*c^5*d^4*e^8 - 8*b*c^4*d^3*e^9 + 4*b^2*c^3*d^2*e^{10} - 4*a*b*c^ \\
& 3*d*e^{11}) + ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 1 \\
& 6*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} * (((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2 \\
& *b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} * ((d + e*x^2)^{(1/2)} * \\
& ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a \\
& *c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - \\
& 8*a^3*b^2*c)))^{(1/2)} * (512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^4*b^2* \\
& c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^ \\
& ^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9 \\
&) - 192*a^4*c^4*d*e^{10} - 192*a^3*c^5*d^3*e^8 + 48*a^2*b^2*c^4*d^3*e^8 - 48* \\
& a^2*b^3*c^3*d^2*e^9 + 192*a^3*b*c^4*d^2*e^9 + 48*a^3*b^2*c^3*d*e^{10}) - (d +
\end{aligned}$$

$$\begin{aligned}
& e^x)^2)^{(1/2)} * (32*a^3*b*c^3*e^{11} + 48*a^3*c^4*d*e^{10} - 8*a^2*b^3*c^2*e^{11} + \\
& 144*a^2*c^5*d^3*e^8 + 16*b^4*c^3*d^3*e^8 - 16*b^5*c^2*d^2*e^9 + 16*a*b^4*c \\
& ^2*d*e^{10} - 96*a*b^2*c^4*d^3*e^8 + 96*a*b^3*c^3*d^2*e^9 - 144*a^2*b*c^4*d^2 \\
& *e^9 - 72*a^2*b^2*c^3*d*e^{10})) * ((b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a \\
& *c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c \\
& *e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8*a^3*b^2*c)))^{(1/2)} + 12*a*c^5*d^4*e^8 + 12 \\
& *a^2*c^4*d^2*e^{10} - 4*b^2*c^4*d^4*e^8 + 4*b^4*c^2*d^2*e^{10} + 8*a*b*c^4*d^3 \\
& e^9 - 4*a*b^3*c^2*d*e^{11} + 20*a^2*b*c^3*d*e^{11} - 24*a*b^2*c^3*d^2*e^{10})) * ((\\
& b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8 \\
& a^3*b^2*c)))^{(1/2)} + 2*c^4*d^3*e^{10} - 2*b*c^3*d^2*e^{11} + 2*a*c^3*d*e^{12})) * (\\
& (b^4*d + 8*a^2*c^2*d - a*b^3*e - a*e*(-(4*a*c - b^2)^3)^{(1/2)} + b*d*(-(4*a* \\
& c - b^2)^3)^{(1/2)} - 6*a*b^2*c*d + 4*a^2*b*c*e)/(8*(a^2*b^4 + 16*a^4*c^2 - 8 \\
& *a^3*b^2*c)))^{(1/2)} * 2i - (d^{(1/2)} * atanh((20*c^4*d^{(5/2)}*e^{10}*(d + e^x)^2)^{(1 \\
& /2)))/(20*c^4*d^3*e^{10} - 12*b*c^3*d^2*e^{11} + (18*c^5*d^5*e^8)/a + 2*a*c^3*d* \\
& e^{12} + (6*b^2*c^3*d^3*e^{10})/a + (2*b^3*c^2*d^2*e^{11})/a - (4*b^2*c^4*d^5*e^8 \\
&)/a^2 + (6*b^3*c^3*d^4*e^9)/a^2 - (2*b^4*c^2*d^3*e^{10})/a^2 - (28*b*c^4*d^4* \\
& e^9)/a + (18*c^5*d^{(9/2)}*e^8*(d + e^x)^2)^{(1/2)})/(18*c^5*d^5*e^8 + 20*a*c^4 \\
& *d^3*e^{10} + 2*a^2*c^3*d*e^{12} - 28*b*c^4*d^4*e^9 + 6*b^2*c^3*d^3*e^{10} + 2*b^ \\
& 3*c^2*d^2*e^{11} - (4*b^2*c^4*d^5*e^8)/a + (6*b^3*c^3*d^4*e^9)/a - (2*b^4*c^2 \\
& *d^3*e^{10})/a - 12*a*b*c^3*d^2*e^{11}) - (28*b*c^4*d^{(7/2)}*e^9*(d + e^x)^2)^{(1/ \\
& 2)})/(18*c^5*d^5*e^8 + 20*a*c^4*d^3*e^{10} + 2*a^2*c^3*d*e^{12} - 28*b*c^4*d^4*e \\
& ^9 + 6*b^2*c^3*d^3*e^{10} + 2*b^3*c^2*d^2*e^{11} - (4*b^2*c^4*d^5*e^8)/a + (6*b \\
& ^3*c^3*d^4*e^9)/a - (2*b^4*c^2*d^3*e^{10})/a - 12*a*b*c^3*d^2*e^{11}) + (2*b^3* \\
& c^2*d^{(3/2)}*e^{11}*(d + e^x)^2)^{(1/2)})/(18*c^5*d^5*e^8 + 20*a*c^4*d^3*e^{10} + 2 \\
& *a^2*c^3*d*e^{12} - 28*b*c^4*d^4*e^9 + 6*b^2*c^3*d^3*e^{10} + 2*b^3*c^2*d^2*e^1 \\
& 1 - (4*b^2*c^4*d^5*e^8)/a + (6*b^3*c^3*d^4*e^9)/a - (2*b^4*c^2*d^3*e^{10})/a \\
& - 12*a*b*c^3*d^2*e^{11}) + (6*b^2*c^3*d^{(5/2)}*e^{10}*(d + e^x)^2)^{(1/2)})/(18*c^5 \\
& *d^5*e^8 + 20*a*c^4*d^3*e^{10} + 2*a^2*c^3*d*e^{12} - 28*b*c^4*d^4*e^9 + 6*b^2* \\
& c^3*d^3*e^{10} + 2*b^3*c^2*d^2*e^{11} - (4*b^2*c^4*d^5*e^8)/a + (6*b^3*c^3*d^4* \\
& e^9)/a - (2*b^4*c^2*d^3*e^{10})/a - 12*a*b*c^3*d^2*e^{11}) - (2*b^4*c^2*d^{(5/2)} \\
& *e^{10}*(d + e^x)^2)^{(1/2)})/(18*a*c^5*d^5*e^8 + 2*a^3*c^3*d*e^{12} + 20*a^2*c^4* \\
& d^3*e^{10} - 4*b^2*c^4*d^5*e^8 + 6*b^3*c^3*d^4*e^9 - 2*b^4*c^2*d^3*e^{10} - 28* \\
& a*b*c^4*d^4*e^9 + 6*a*b^2*c^3*d^3*e^{10} + 2*a*b^3*c^2*d^2*e^{11} - 12*a^2*b*c^ \\
& 3*d^2*e^{11}) + (6*b^3*c^3*d^{(7/2)}*e^9*(d + e^x)^2)^{(1/2)})/(18*a*c^5*d^5*e^8 + \\
& 2*a^3*c^3*d*e^{12} + 20*a^2*c^4*d^3*e^{10} - 4*b^2*c^4*d^5*e^8 + 6*b^3*c^3*d^4 \\
& *e^9 - 2*b^4*c^2*d^3*e^{10} - 28*a*b*c^4*d^4*e^9 + 6*a*b^2*c^3*d^3*e^{10} + 2*a \\
& *b^3*c^2*d^2*e^{11} - 12*a^2*b*c^3*d^2*e^{11}) - (4*b^2*c^4*d^{(9/2)}*e^8*(d + e \\
& x)^2)^{(1/2)})/(18*a*c^5*d^5*e^8 + 2*a^3*c^3*d*e^{12} + 20*a^2*c^4*d^3*e^{10} - 4* \\
& b^2*c^4*d^5*e^8 + 6*b^3*c^3*d^4*e^9 - 2*b^4*c^2*d^3*e^{10} - 28*a*b*c^4*d^4*e \\
& ^9 + 6*a*b^2*c^3*d^3*e^{10} + 2*a*b^3*c^2*d^2*e^{11} - 12*a^2*b*c^3*d^2*e^{11}) + \\
& (2*a*c^3*d^{(1/2)}*e^{12}*(d + e^x)^2)^{(1/2)})/(20*c^4*d^3*e^{10} - 12*b*c^3*d^2*e \\
& ^{11} + (18*c^5*d^5*e^8)/a + 2*a*c^3*d*e^{12} + (6*b^2*c^3*d^3*e^{10})/a + (2*b^3 \\
& *c^2*d^2*e^{11})/a - (4*b^2*c^4*d^5*e^8)/a^2 + (6*b^3*c^3*d^4*e^9)/a^2 - (2*b \\
& ^4*c^2*d^3*e^{10})/a^2 - (28*b*c^4*d^4*e^9)/a - (12*b*c^3*d^{(3/2)}*e^{11}*(d +
\end{aligned}$$

$$\frac{e*x^2)^{(1/2)}}{(20*c^4*d^3*e^{10} - 12*b*c^3*d^2*e^{11} + (18*c^5*d^5*e^8)/a + 2*a*c^3*d*e^{12} + (6*b^2*c^3*d^3*e^{10})/a + (2*b^3*c^2*d^2*e^{11})/a - (4*b^2*c^4*d^5*e^8)/a^2 + (6*b^3*c^3*d^4*e^9)/a^2 - (2*b^4*c^2*d^3*e^{10})/a^2 - (28*b*c^4*d^4*e^9)/a))/a$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2}}{x(a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/x/(c*x**4+b*x**2+a), x)

[Out] Integral(sqrt(d + e*x**2)/(x*(a + b*x**2 + c*x**4)), x)

$$3.359 \quad \int \frac{\sqrt{d+ex^2}}{x^3(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=382

$$\frac{\sqrt{c} \left(\sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{c} \left(-b \left(d\sqrt{b^2 - 4ac} + ae \right) - a \left(2cd - e(b - \sqrt{b^2 - 4ac}) \right) \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left(b - \sqrt{b^2 - 4ac} \right)} + \sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left(b + \sqrt{b^2 - 4ac} \right)}}$$

[Out] $1/2 * e * \operatorname{arctanh}((e * x^2 + d)^{(1/2)} / d^{(1/2)}) / a / d^{(1/2)} + (-a * e + b * d) * \operatorname{arctanh}((e * x^2 + d)^{(1/2)} / d^{(1/2)}) / a^2 / d^{(1/2)} - 1/2 * (e * x^2 + d)^{(1/2)} / a / x^2 - 1/2 * \operatorname{arctanh}(2^{(1/2)} * c^{(1/2)} * (e * x^2 + d)^{(1/2)} / (2 * c * d - e * (b - (-4 * a * c + b^2)^{(1/2)})))^{(1/2)} * c^{(1/2)} * (b^2 * d - 2 * a * c * d - a * b * e + (-a * e + b * d) * (-4 * a * c + b^2)^{(1/2)}) / a^2 * 2^{(1/2)} / (-4 * a * c + b^2)^{(1/2)} / (2 * c * d - e * (b - (-4 * a * c + b^2)^{(1/2)}))^{(1/2)} + 1/2 * \operatorname{arctanh}(2^{(1/2)} * c^{(1/2)} * (e * x^2 + d)^{(1/2)} / (2 * c * d - e * (b + (-4 * a * c + b^2)^{(1/2)})))^{(1/2)} * c^{(1/2)} * (b^2 * d - 2 * a * c * d - a * b * e - (-a * e + b * d) * (-4 * a * c + b^2)^{(1/2)}) / a^2 * 2^{(1/2)} / (-4 * a * c + b^2)^{(1/2)} / (2 * c * d - e * (b + (-4 * a * c + b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 4.13, antiderivative size = 370, normalized size of antiderivative = 0.97, number of steps used = 10, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1251, 897, 1287, 199, 206, 1166, 208}

$$\frac{\sqrt{c} \left(\sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} \right) + \sqrt{c} \left(-\sqrt{b^2 - 4ac} (bd - ae) - abe - 2acd + b^2d \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd-e(b+\sqrt{b^2-4ac})}} \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left(b - \sqrt{b^2 - 4ac} \right)} + \sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e \left(b + \sqrt{b^2 - 4ac} \right)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x^2]/(x^3*(a + b*x^2 + c*x^4)),x]

[Out] $-\operatorname{Sqrt}[d + e * x^2] / (2 * a * x^2) + (e * \operatorname{ArcTanh}[\operatorname{Sqrt}[d + e * x^2] / \operatorname{Sqrt}[d]] / (2 * a * \operatorname{Sqrt}[d]) + ((b * d - a * e) * \operatorname{ArcTanh}[\operatorname{Sqrt}[d + e * x^2] / \operatorname{Sqrt}[d]] / (a^2 * \operatorname{Sqrt}[d]) - (\operatorname{Sqrt}[c] * (b^2 * d - 2 * a * c * d - a * b * e + \operatorname{Sqrt}[b^2 - 4 * a * c] * (b * d - a * e)) * \operatorname{ArcTanh}[(\operatorname{Sqrt}[2] * \operatorname{Sqrt}[c] * \operatorname{Sqrt}[d + e * x^2]) / \operatorname{Sqrt}[2 * c * d - (b - \operatorname{Sqrt}[b^2 - 4 * a * c]) * e]]) / (\operatorname{Sqrt}[2] * a^2 * \operatorname{Sqrt}[b^2 - 4 * a * c] * \operatorname{Sqrt}[2 * c * d - (b - \operatorname{Sqrt}[b^2 - 4 * a * c]) * e]) + (\operatorname{Sqrt}[c] * (b^2 * d - 2 * a * c * d - a * b * e - \operatorname{Sqrt}[b^2 - 4 * a * c] * (b * d - a * e)) * \operatorname{ArcTanh}[(\operatorname{Sqrt}[2] * \operatorname{Sqrt}[c] * \operatorname{Sqrt}[d + e * x^2]) / \operatorname{Sqrt}[2 * c * d - (b + \operatorname{Sqrt}[b^2 - 4 * a * c]) * e]]) / (\operatorname{Sqrt}[2] * a^2 * \operatorname{Sqrt}[b^2 - 4 * a * c] * \operatorname{Sqrt}[2 * c * d - (b + \operatorname{Sqrt}[b^2 - 4 * a * c]) * e])$

Rule 199

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Simp[(x*(a + b*x^n)^(p + 1)
)/ (a*n*(p + 1)), x] + Dist[(n*(p + 1) + 1)/(a*n*(p + 1)), Int[(a + b*x^n)^(
p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (Integer
Q[2*p] || (n == 2 && IntegerQ[4*p]) || (n == 2 && IntegerQ[3*p]) || Denomin
ator[p + 1/n] < Denominator[p])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)
^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 1287

```
Int[(((f_)*(x_))^(m_))*((d_) + (e_)*(x_)^2)^(q_)]/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{x^3(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{d+ex}}{x^2(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{x^2}{\left(-\frac{d}{e} + \frac{x^2}{e}\right)^2 \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \left(\frac{de^2}{a(d-x^2)^2} - \frac{e(-bd+ae)}{a^2(d-x^2)} + \frac{e(-b(cd^2-bde+ae^2)+c(bd-ae)x^2)}{a^2(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \frac{-b(cd^2-bde+ae^2)+c(bd-ae)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex^2} \right)}{a^2} + \frac{(de) \text{Subst} \left(\int \frac{1}{(d-x^2)^2} dx, x, \sqrt{d+ex^2} \right)}{a} \\
&= -\frac{\sqrt{d+ex^2}}{2ax^2} + \frac{(bd-ae) \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a^2 \sqrt{d}} + \frac{e \text{Subst} \left(\int \frac{1}{d-x^2} dx, x, \sqrt{d+ex^2} \right)}{2a} - \frac{c(bd-ae)}{\sqrt{2}a} \\
&= -\frac{\sqrt{d+ex^2}}{2ax^2} + \frac{e \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{2a \sqrt{d}} + \frac{(bd-ae) \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a^2 \sqrt{d}} - \frac{\sqrt{c} (b^2d - 2acd - a^2c)}{\sqrt{2}a}
\end{aligned}$$

Mathematica [A] time = 1.39, size = 349, normalized size = 0.91

$$\frac{\sqrt{2} \sqrt{c} \left(\frac{(-bd \sqrt{b^2-4ac} + ae \sqrt{b^2-4ac} + abe + 2acd + b^2(-d)) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{e \sqrt{b^2-4ac} - be + 2cd}} \right) + (bd \sqrt{b^2-4ac} - ae \sqrt{b^2-4ac} + abe + 2acd + b^2(-d)) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd - e(\sqrt{b^2-4ac} + b)}} \right)}{\sqrt{e(\sqrt{b^2-4ac} - b) + 2cd} \sqrt{2cd - e(\sqrt{b^2-4ac} + b)}} \right)}{\sqrt{b^2-4ac} 2a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[d + e*x^2]/(x^3*(a + b*x^2 + c*x^4)),x]
```

```
[Out] (-(a*Sqrt[d + e*x^2])/x^2) + (Sqrt[2]*Sqrt[c]*(((-(b^2*d) + 2*a*c*d - b*Sqrt[b^2 - 4*a*c])*d + a*b*e + a*Sqrt[b^2 - 4*a*c]*e)*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]])/Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e] - (((-(b^2*d) + 2*a*c*d + b*Sqrt[b^2 - 4*a*c])*d + a*b*e - a*Sqrt[b^2 - 4*a*c]*e)*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/Sqrt[b^2 - 4*a*c] + ((-2*b*d + a*e)*Log[x])/Sqrt[d] + ((2*b*d - a*e)*Log[d + Sqrt[d]*Sqrt[d + e*x^2]])/Sqrt[d])/(2*a^2)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(1/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(1/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x);OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument Valuesym2poly/r2sym(const gen & e,const index_m & i,const vecteur & l) Error: Bad Argument ValueDone
```

maple [C] time = 0.03, size = 401, normalized size = 1.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^(1/2)/x^3/(c*x^4+b*x^2+a),x)
```

```
[Out] 1/a^2*b*d^(1/2)*ln((2*d+2*(e*x^2+d)^(1/2)*d^(1/2))/x)-1/2/a^2*b*(e*x^2+d)^(1/2)-1/2/a^2*e^(1/2)*x*b+1/4/a^2*sum((c*(-a*e+b*d)*_R^6+(-4*a*b*e^2-a*c*d*e+4*b^2*d*e-3*b*c*d^2)*_R^4+d*(4*a*b*e^2+a*c*d*e-4*b^2*d*e+3*b*c*d^2)*_R^2+a*c*d^3*e-b*c*d^4)/(_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3
```

```
*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3)*ln(-e^(1/2)*x-_R+(e*x^2+d)^(1/2)),_R=RootOf
f(_Z^8*c+(4*b*e-4*c*d)*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*
e-4*c*d^3)*_Z^2))+1/2/a^2*b*d/(-e^(1/2)*x+(e*x^2+d)^(1/2))-1/2/a/d/x^2*(e*x
^2+d)^(3/2)-1/2/a*e/d^(1/2)*ln((2*d+2*(e*x^2+d)^(1/2)*d^(1/2))/x)+1/2/a*e/d
*(e*x^2+d)^(1/2)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}}{(cx^4 + bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(1/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] integrate(sqrt(e*x^2 + d)/((c*x^4 + b*x^2 + a)*x^3), x)
```

mupad [B] time = 5.46, size = 19959, normalized size = 52.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^2)^(1/2)/(x^3*(a + b*x^2 + c*x^4)),x)
```

```
[Out] (atan((((a*e - 2*b*d)*(((d + e*x^2)^(1/2)*(6*a^4*c^5*e^12 + 4*a^2*c^7*d^4*e
^8 + 6*a^3*c^6*d^2*e^10 + 4*b^4*c^5*d^4*e^8 + 21*a^2*b^2*c^5*d^2*e^10 - 18*
a^3*b*c^5*d*e^11 - 8*a*b^2*c^6*d^4*e^8 - 12*a*b^3*c^5*d^3*e^9)))/(2*a^4) - (
((16*a^5*b*c^4*e^12 + 20*a^5*c^5*d*e^11 + a^3*b^5*c^2*e^12 - 8*a^4*b^3*c^3*
e^12 + 20*a^4*c^6*d^3*e^9 + 40*a^2*b^3*c^5*d^4*e^8 - 20*a^2*b^4*c^4*d^3*e^9
- 27*a^2*b^5*c^3*d^2*e^10 - 20*a^3*b^2*c^5*d^3*e^9 + 84*a^3*b^3*c^4*d^2*e^
10 - 8*a*b^5*c^4*d^4*e^8 + 6*a*b^6*c^3*d^3*e^9 + 2*a*b^7*c^2*d^2*e^10 - 3*a
^2*b^6*c^2*d*e^11 - 32*a^3*b*c^6*d^4*e^8 + 28*a^3*b^4*c^3*d*e^11 - 36*a^4*b
*c^5*d^2*e^10 - 68*a^4*b^2*c^4*d*e^11)/a^4 - ((a*e - 2*b*d)*(((d + e*x^2)^(
1/2)*(240*a^6*b*c^4*e^11 + 64*a^6*c^5*d*e^10 + 20*a^4*b^5*c^2*e^11 - 140*a^
5*b^3*c^3*e^11 + 160*a^5*c^6*d^3*e^8 - 32*a^2*b^6*c^3*d^3*e^8 + 32*a^2*b^7*
c^2*d^2*e^9 + 224*a^3*b^4*c^4*d^3*e^8 - 208*a^3*b^5*c^3*d^2*e^9 - 432*a^4*b
^2*c^5*d^3*e^8 + 272*a^4*b^3*c^4*d^2*e^9 - 48*a^3*b^6*c^2*d*e^10 + 348*a^4*
b^4*c^3*d*e^10 + 224*a^5*b*c^5*d^2*e^9 - 648*a^5*b^2*c^4*d*e^10)))/(2*a^4) -
((a*e - 2*b*d)*((128*a^8*c^4*e^11 + 8*a^6*b^4*c^2*e^11 - 64*a^7*b^2*c^3*e^
11 + 128*a^7*c^5*d^2*e^9 + 32*a^5*b^3*c^4*d^3*e^8 - 24*a^5*b^4*c^3*d^2*e^9
+ 64*a^6*b^2*c^4*d^2*e^9 - 256*a^7*b*c^4*d*e^10 - 8*a^5*b^5*c^2*d*e^10 - 12
8*a^6*b*c^5*d^3*e^8 + 96*a^6*b^3*c^3*d*e^10)/a^4 - ((d + e*x^2)^(1/2)*(a*e
- 2*b*d)*(1024*a^9*c^4*e^10 + 64*a^7*b^4*c^2*e^10 - 512*a^8*b^2*c^3*e^10 +
1536*a^8*c^5*d^2*e^8 + 128*a^6*b^4*c^3*d^2*e^8 - 896*a^7*b^2*c^4*d^2*e^8 -
1792*a^8*b*c^4*d*e^9 - 128*a^6*b^5*c^2*d*e^9 + 960*a^7*b^3*c^3*d*e^9)))/(8*a
```


$$\begin{aligned}
& \left. \right)^2)^{3/2} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{1/2})/(8*(a^4*b^4 + 16*a^6*c^2 \\
& - 8*a^5*b^2*c)))^{1/2} - ((d + e*x^2)^{1/2}*(240*a^6*b*c^4*e^{11} + 64*a^6*c \\
& ^5*d*e^{10} + 20*a^4*b^5*c^2*e^{11} - 140*a^5*b^3*c^3*e^{11} + 160*a^5*c^6*d^3*e^ \\
& ^8 - 32*a^2*b^6*c^3*d^3*e^8 + 32*a^2*b^7*c^2*d^2*e^9 + 224*a^3*b^4*c^4*d^3*e \\
& ^8 - 208*a^3*b^5*c^3*d^2*e^9 - 432*a^4*b^2*c^5*d^3*e^8 + 272*a^4*b^3*c^4*d^ \\
& ^2*e^9 - 48*a^3*b^6*c^2*d*e^{10} + 348*a^4*b^4*c^3*d*e^{10} + 224*a^5*b*c^5*d^2* \\
& e^9 - 648*a^5*b^2*c^4*d*e^{10}))/((2*a^4))*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4 \\
& *a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(\\
& -(4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c \\
& - b^2)^3)^{1/2} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{1/2})/(8*(a^4*b^4 + 16*a^6 \\
& *c^2 - 8*a^5*b^2*c)))^{1/2})*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2) \\
& ^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b \\
& ^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^ \\
& ^{1/2} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{1/2})/(8*(a^4*b^4 + 16*a^6*c^2 - 8*a^ \\
& 5*b^2*c)))^{1/2} - ((d + e*x^2)^{1/2}*(6*a^4*c^5*e^{12} + 4*a^2*c^7*d^4*e^8 + \\
& 6*a^3*c^6*d^2*e^{10} + 4*b^4*c^5*d^4*e^8 + 21*a^2*b^2*c^5*d^2*e^{10} - 18*a^3* \\
& b*c^5*d*e^{11} - 8*a*b^2*c^6*d^4*e^8 - 12*a*b^3*c^5*d^3*e^9))/((2*a^4))*(-(8*a \\
& ^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^ \\
& ^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a \\
& ^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{1/2} + 2*a*b*c*d*(-(4*a*c - b^2)^3 \\
&)^{1/2}))/((8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{1/2}*1i - (((64*a^5*b*c \\
& ^4*e^{12} + 80*a^5*c^5*d*e^{11} + 4*a^3*b^5*c^2*e^{12} - 32*a^4*b^3*c^3*e^{12} + 80 \\
& *a^4*c^6*d^3*e^9 + 160*a^2*b^3*c^5*d^4*e^8 - 80*a^2*b^4*c^4*d^3*e^9 - 108*a \\
& ^2*b^5*c^3*d^2*e^{10} - 80*a^3*b^2*c^5*d^3*e^9 + 336*a^3*b^3*c^4*d^2*e^{10} - 3 \\
& 2*a*b^5*c^4*d^4*e^8 + 24*a*b^6*c^3*d^3*e^9 + 8*a*b^7*c^2*d^2*e^{10} - 12*a^2* \\
& b^6*c^2*d*e^{11} - 128*a^3*b*c^6*d^4*e^8 + 112*a^3*b^4*c^3*d*e^{11} - 144*a^4*b \\
& *c^5*d^2*e^{10} - 272*a^4*b^2*c^4*d*e^{11}))/((4*a^4) + (((512*a^8*c^4*e^{11} + 32* \\
& a^6*b^4*c^2*e^{11} - 256*a^7*b^2*c^3*e^{11} + 512*a^7*c^5*d^2*e^9 + 128*a^5*b^3 \\
& *c^4*d^3*e^8 - 96*a^5*b^4*c^3*d^2*e^9 + 256*a^6*b^2*c^4*d^2*e^9 - 1024*a^7* \\
& b*c^4*d*e^{10} - 32*a^5*b^5*c^2*d*e^{10} - 512*a^6*b*c^5*d^3*e^8 + 384*a^6*b^3* \\
& c^3*d*e^{10}))/((4*a^4) + ((d + e*x^2)^{1/2})*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(\\
& 4*a*c - b^2)^3)^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e* \\
& (- (4*a*c - b^2)^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a* \\
& c - b^2)^3)^{1/2} + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{1/2}))/((8*(a^4*b^4 + 16*a^ \\
& 6*c^2 - 8*a^5*b^2*c)))^{1/2}*(1024*a^9*c^4*e^{10} + 64*a^7*b^4*c^2*e^{10} - 512 \\
& *a^8*b^2*c^3*e^{10} + 1536*a^8*c^5*d^2*e^8 + 128*a^6*b^4*c^3*d^2*e^8 - 896*a^ \\
& 7*b^2*c^4*d^2*e^8 - 1792*a^8*b*c^4*d*e^9 - 128*a^6*b^5*c^2*d*e^9 + 960*a^7* \\
& b^3*c^3*d*e^9))/((2*a^4))*(-(8*a^3*c^3*d - b^6*d - b^3*d*(-(4*a*c - b^2)^3)^ \\
& ^{1/2} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d + a*b^2*e*(-(4*a*c - b^2)^ \\
& ^3)^{1/2} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e - a^2*c*e*(-(4*a*c - b^2)^3)^{1/2} \\
&) + 2*a*b*c*d*(-(4*a*c - b^2)^3)^{1/2}))/((8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^ \\
& 2*c)))^{1/2} + ((d + e*x^2)^{1/2}*(240*a^6*b*c^4*e^{11} + 64*a^6*c^5*d*e^{10} + \\
& 20*a^4*b^5*c^2*e^{11} - 140*a^5*b^3*c^3*e^{11} + 160*a^5*c^6*d^3*e^8 - 32*a^2* \\
& b^6*c^3*d^3*e^8 + 32*a^2*b^7*c^2*d^2*e^9 + 224*a^3*b^4*c^4*d^3*e^8 - 208*a^ \\
& 3*b^5*c^3*d^2*e^9 - 432*a^4*b^2*c^5*d^3*e^8 + 272*a^4*b^3*c^4*d^2*e^9 - 48*
\end{aligned}$$

$$\begin{aligned}
& a^3 b^6 c^2 d e^{10} + 348 a^4 b^4 c^3 d e^{10} + 224 a^5 b^3 c^4 d e^9 - 648 a^5 b^2 c^4 d e^{10}) / (2 a^4) * (- (8 a^3 c^3 d - b^6 d - b^3 d * (- (4 a c - b^2)^3)^{1/2} + a b^5 e - 18 a^2 b^2 c^2 d + 8 a b^4 c d + a b^2 e * (- (4 a c - b^2)^3)^{1/2} - 7 a^2 b^3 c e + 12 a^3 b c^2 e - a^2 c e * (- (4 a c - b^2)^3)^{1/2} + 2 a b c d * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^4 b^4 + 16 a^6 c^2 - 8 a^5 b^2 c))^{1/2} * (- (8 a^3 c^3 d - b^6 d - b^3 d * (- (4 a c - b^2)^3)^{1/2} + a b^5 e - 18 a^2 b^2 c^2 d + 8 a b^4 c d + a b^2 e * (- (4 a c - b^2)^3)^{1/2} - 7 a^2 b^3 c e + 12 a^3 b c^2 e - a^2 c e * (- (4 a c - b^2)^3)^{1/2} + 2 a b c d * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^4 b^4 + 16 a^6 c^2 - 8 a^5 b^2 c))^{1/2} + ((d + e x^2)^{1/2} * (6 a^4 c^5 e^{12} + 4 a^2 c^7 d^4 e^8 + 6 a^3 c^6 d^2 e^{10} + 4 b^4 c^5 d^4 e^8 + 21 a^2 b^2 c^5 d^2 e^{10} - 18 a^3 b c^5 d e^{11} - 8 a b^2 c^6 d^4 e^8 - 12 a b^3 c^5 d^3 e^9)) / (2 a^4) * (- (8 a^3 c^3 d - b^6 d - b^3 d * (- (4 a c - b^2)^3)^{1/2} + a b^5 e - 18 a^2 b^2 c^2 d + 8 a b^4 c d + a b^2 e * (- (4 a c - b^2)^3)^{1/2} - 7 a^2 b^3 c e + 12 a^3 b c^2 e - a^2 c e * (- (4 a c - b^2)^3)^{1/2} + 2 a b c d * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^4 b^4 + 16 a^6 c^2 - 8 a^5 b^2 c))^{1/2} * 1) / ((a^3 c^5 e^{13} + 2 a c^7 d^4 e^9 - 4 b c^7 d^5 e^8 + 3 a^2 c^6 d^2 e^{11} + 4 b^2 c^6 d^4 e^9 - 8 a b c^6 d^3 e^{10} - 3 a^2 b c^5 d e^{12} + 2 a b^2 c^5 d^2 e^{11}) / (2 a^4) + (((64 a^5 b^3 c^4 e^{12} + 80 a^5 c^5 d e^{11} + 4 a^3 b^5 c^2 e^{12} - 32 a^4 b^3 c^3 e^{11} + 2 + 80 a^4 c^6 d^3 e^9 + 160 a^2 b^3 c^5 d^4 e^8 - 80 a^2 b^4 c^4 d^3 e^9 - 108 a^2 b^5 c^3 d^2 e^{10} - 80 a^3 b^2 c^5 d^3 e^9 + 336 a^3 b^3 c^4 d^2 e^{10} - 32 a b^5 c^4 d^4 e^8 + 24 a b^6 c^3 d^3 e^9 + 8 a b^7 c^2 d^2 e^{10} - 12 a^2 b^6 c^2 d e^{11} - 128 a^3 b c^6 d^4 e^8 + 112 a^3 b^4 c^3 d e^{11} - 144 a^4 b c^5 d^2 e^{10} - 272 a^4 b^2 c^4 d e^{11}) / (4 a^4) + (((512 a^8 c^4 e^{11} + 32 a^6 b^4 c^2 e^{11} - 256 a^7 b^2 c^3 e^{11} + 512 a^7 c^5 d^2 e^9 + 128 a^5 b^3 c^4 d^3 e^8 - 96 a^5 b^4 c^3 d^2 e^9 + 256 a^6 b^2 c^4 d^2 e^9 - 1024 a^7 b c^4 d e^{10} - 32 a^5 b^5 c^2 d e^{10} - 512 a^6 b c^5 d^3 e^8 + 384 a^6 b^3 c^3 d e^{10}) / (4 a^4) - ((d + e x^2)^{1/2} * (- (8 a^3 c^3 d - b^6 d - b^3 d * (- (4 a c - b^2)^3)^{1/2} + a b^5 e - 18 a^2 b^2 c^2 d + 8 a b^4 c d + a b^2 e * (- (4 a c - b^2)^3)^{1/2} - 7 a^2 b^3 c e + 12 a^3 b c^2 e - a^2 c e * (- (4 a c - b^2)^3)^{1/2} + 2 a b c d * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^4 b^4 + 16 a^6 c^2 - 8 a^5 b^2 c))^{1/2} * (1024 a^9 c^4 e^{10} + 64 a^7 b^4 c^2 e^{10} - 512 a^8 b^2 c^3 e^{10} + 1536 a^8 c^5 d^2 e^8 + 128 a^6 b^4 c^3 d^2 e^8 - 896 a^7 b^2 c^4 d^2 e^8 - 1792 a^8 b c^4 d e^9 - 128 a^6 b^5 c^2 d e^9 + 960 a^7 b^3 c^3 d e^9)) / (2 a^4) * (- (8 a^3 c^3 d - b^6 d - b^3 d * (- (4 a c - b^2)^3)^{1/2} + a b^5 e - 18 a^2 b^2 c^2 d + 8 a b^4 c d + a b^2 e * (- (4 a c - b^2)^3)^{1/2} - 7 a^2 b^3 c e + 12 a^3 b c^2 e - a^2 c e * (- (4 a c - b^2)^3)^{1/2} + 2 a b c d * (- (4 a c - b^2)^3)^{1/2}) / (8 (a^4 b^4 + 16 a^6 c^2 - 8 a^5 b^2 c))^{1/2} - ((d + e x^2)^{1/2} * (240 a^6 b c^4 e^{11} + 64 a^6 c^5 d e^{10} + 20 a^4 b^5 c^2 e^{11} - 140 a^5 b^3 c^3 e^{11} + 160 a^5 c^6 d^3 e^8 - 32 a^2 b^6 c^3 d^3 e^8 + 32 a^2 b^7 c^2 d^2 e^9 + 224 a^3 b^4 c^4 d^3 e^8 - 208 a^3 b^5 c^3 d^2 e^9 - 432 a^4 b^2 c^5 d^3 e^8 + 272 a^4 b^3 c^4 d^2 e^9 - 48 a^3 b^6 c^2 d e^{10} + 348 a^4 b^4 c^3 d e^{10} + 224 a^5 b^3 c^4 d^2 e^9 - 648 a^5 b^2 c^4 d e^{10}) / (2 a^4) * (- (8 a^3 c^3 d - b^6 d - b^3 d * (- (4 a c - b^2)^3)^{1/2} + a b^5 e - 18 a^2 b^2 c^2 d + 8 a b^4 c d + a b^2 e * (- (4 a
\end{aligned}$$

$$\begin{aligned}
& - (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{(1/2)} + \\
& ((d + ex^2)^{(1/2)} * (6a^4c^5e^{12} + 4a^2c^7d^4e^8 + 6a^3c^6d^2e^{10} \\
& + 4b^4c^5d^4e^8 + 21a^2b^2c^5d^2e^{10} - 18a^3b^3c^5d^2e^{11} - 8a^* \\
& b^2c^6d^4e^8 - 12a^*b^3c^5d^3e^9)) / (2a^4)) * (- (8a^3c^3d - b^6d - \\
& b^3d * (- (4ac - b^2)^3)^{(1/2)} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d + \\
& a^*b^2e * (- (4ac - b^2)^3)^{(1/2)} - 7a^2b^3c^*e + 12a^3b^*c^2e - a^2c^* \\
& e * (- (4ac - b^2)^3)^{(1/2)} + 2a^*b^*c^*d * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^ \\
& 4 + 16a^6c^2 - 8a^5b^2c))^{(1/2)}) * (- (8a^3c^3d - b^6d - b^3d * (- (4 \\
& *ac - b^2)^3)^{(1/2)} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d + a^*b^2e * (\\
& - (4ac - b^2)^3)^{(1/2)} - 7a^2b^3c^*e + 12a^3b^*c^2e - a^2c^*e * (- (4ac \\
& - b^2)^3)^{(1/2)} + 2a^*b^*c^*d * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^4 + 16a^6 \\
& *c^2 - 8a^5b^2c))^{(1/2)} * 2i - (d + ex^2)^{(1/2)} / (2ax^2) - \operatorname{atan}((((64 \\
& a^5b^3c^4e^{12} + 80a^5c^5d^3e^{11} + 4a^3b^5c^2e^{12} - 32a^4b^3c^3e^ \\
& 12 + 80a^4c^6d^3e^9 + 160a^2b^3c^5d^4e^8 - 80a^2b^4c^4d^3e^9 \\
& - 108a^2b^5c^3d^2e^{10} - 80a^3b^2c^5d^3e^9 + 336a^3b^3c^4d^2e \\
& ^{10} - 32a^*b^5c^4d^4e^8 + 24a^*b^6c^3d^3e^9 + 8a^*b^7c^2d^2e^{10} - \\
& 12a^2b^6c^2d^2e^{11} - 128a^3b^*c^6d^4e^8 + 112a^3b^4c^3d^2e^{11} - 14 \\
& 4a^4b^*c^5d^2e^{10} - 272a^4b^2c^4d^2e^{11}) / (4a^4) + (((512a^8c^4e^1 \\
& 1 + 32a^6b^4c^2e^{11} - 256a^7b^2c^3e^{11} + 512a^7c^5d^2e^9 + 128 \\
& a^5b^3c^4d^3e^8 - 96a^5b^4c^3d^2e^9 + 256a^6b^2c^4d^2e^9 - 10 \\
& 24a^7b^*c^4d^2e^{10} - 32a^5b^5c^2d^2e^{10} - 512a^6b^*c^5d^3e^8 + 384a \\
& ^6b^3c^3d^2e^{10}) / (4a^4) - ((d + ex^2)^{(1/2)} * (- (8a^3c^3d - b^6d + b^ \\
& 3d * (- (4ac - b^2)^3)^{(1/2)} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d - a \\
& *b^2e * (- (4ac - b^2)^3)^{(1/2)} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e * (\\
& - (4ac - b^2)^3)^{(1/2)} - 2a^*b^*c^*d * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^4 \\
& + 16a^6c^2 - 8a^5b^2c))^{(1/2)} * (1024a^9c^4e^{10} + 64a^7b^4c^2e^1 \\
& 0 - 512a^8b^2c^3e^{10} + 1536a^8c^5d^2e^8 + 128a^6b^4c^3d^2e^8 - \\
& 896a^7b^2c^4d^2e^8 - 1792a^8b^*c^4d^2e^9 - 128a^6b^5c^2d^2e^9 + 9 \\
& 60a^7b^3c^3d^2e^9)) / (2a^4)) * (- (8a^3c^3d - b^6d + b^3d * (- (4ac - b \\
& ^2)^3)^{(1/2)} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d - a^*b^2e * (- (4ac \\
& - b^2)^3)^{(1/2)} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e * (- (4ac - b^2)^ \\
& 3)^{(1/2)} - 2a^*b^*c^*d * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^4 + 16a^6c^2 - 8 \\
& *a^5b^2c))^{(1/2)} - ((d + ex^2)^{(1/2)} * (240a^6b^*c^4e^{11} + 64a^6c^5d \\
& *e^{10} + 20a^4b^5c^2e^{11} - 140a^5b^3c^3e^{11} + 160a^5c^6d^3e^8 - \\
& 32a^2b^6c^3d^3e^8 + 32a^2b^7c^2d^2e^9 + 224a^3b^4c^4d^3e^8 - \\
& 208a^3b^5c^3d^2e^9 - 432a^4b^2c^5d^3e^8 + 272a^4b^3c^4d^2e^ \\
& 9 - 48a^3b^6c^2d^2e^{10} + 348a^4b^4c^3d^2e^{10} + 224a^5b^*c^5d^2e^9 \\
& - 648a^5b^2c^4d^2e^{10})) / (2a^4)) * (- (8a^3c^3d - b^6d + b^3d * (- (4ac \\
& - b^2)^3)^{(1/2)} + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d - a^*b^2e * (- (4 \\
& ac - b^2)^3)^{(1/2)} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e * (- (4ac - b \\
& ^2)^3)^{(1/2)} - 2a^*b^*c^*d * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^4 + 16a^6c^2 \\
& - 8a^5b^2c))^{(1/2)} * (- (8a^3c^3d - b^6d + b^3d * (- (4ac - b^2)^3)^ \\
& (1/2) + a^*b^5e - 18a^2b^2c^2d + 8a^*b^4c^*d - a^*b^2e * (- (4ac - b^2)^ \\
& 3)^{(1/2)} - 7a^2b^3c^*e + 12a^3b^*c^2e + a^2c^*e * (- (4ac - b^2)^3)^{(1/2} \\
&) - 2a^*b^*c^*d * (- (4ac - b^2)^3)^{(1/2)}) / (8(a^4b^4 + 16a^6c^2 - 8a^5b^
\end{aligned}$$

$$\begin{aligned}
& 2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c*d*(-(4*a*c - b^2)^3)^{(1/2)} / (8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} * i) / ((a^3*c^5*e^{13} + 2*a*c^7*d^4*e^9 - 4*b*c^7*d^5*e^8 + 3*a^2*c^6*d^2*e^{11} + 4*b^2*c^6*d^4*e^9 - 8*a*b*c^6*d^3*e^{10} - 3*a^2*b*c^5*d*e^{12} + 2*a*b^2*c^5*d^2*e^{11}) / (2*a^4) + (((64*a^5*b*c^4*e^{12} + 80*a^5*c^5*d*e^{11} + 4*a^3*b^5*c^2*e^{12} - 32*a^4*b^3*c^3*e^{12} + 80*a^4*c^6*d^3*e^9 + 160*a^2*b^3*c^5*d^4*e^8 - 80*a^2*b^4*c^4*d^3*e^9 - 108*a^2*b^5*c^3*d^2*e^{10} - 80*a^3*b^2*c^5*d^3*e^9 + 336*a^3*b^3*c^4*d^2*e^{10} - 32*a*b^5*c^4*d^4*e^8 + 24*a*b^6*c^3*d^3*e^9 + 8*a*b^7*c^2*d^2*e^{10} - 12*a^2*b^6*c^2*d*e^{11} - 128*a^3*b*c^6*d^4*e^8 + 112*a^3*b^4*c^3*d*e^{11} - 144*a^4*b*c^5*d^2*e^{10} - 272*a^4*b^2*c^4*d*e^{11}) / (4*a^4) + (((512*a^8*c^4*e^{11} + 32*a^6*b^4*c^2*e^{11} - 256*a^7*b^2*c^3*e^{11} + 512*a^7*c^5*d^2*e^9 + 128*a^5*b^3*c^4*d^3*e^8 - 96*a^5*b^4*c^3*d^2*e^9 + 256*a^6*b^2*c^4*d^2*e^9 - 1024*a^7*b*c^4*d*e^{10} - 32*a^5*b^5*c^2*d*e^{10} - 512*a^6*b*c^5*d^3*e^8 + 384*a^6*b^3*c^3*d*e^{10}) / (4*a^4) - ((d + e*x^2)^{(1/2)} * (-8*a^3*c^3*d - b^6*d + b^3*d * (-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2*e * (-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c*d * (-(4*a*c - b^2)^3)^{(1/2)}) / (8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} * (1024*a^9*c^4*e^{10} + 64*a^7*b^4*c^2*e^{10} - 512*a^8*b^2*c^3*e^{10} + 1536*a^8*c^5*d^2*e^8 + 128*a^6*b^4*c^3*d^2*e^8 - 896*a^7*b^2*c^4*d^2*e^8 - 1792*a^8*b*c^4*d*e^9 - 128*a^6*b^5*c^2*d*e^9 + 960*a^7*b^3*c^3*d*e^9) / (2*a^4)) * (-8*a^3*c^3*d - b^6*d + b^3*d * (-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2*e * (-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c*d * (-(4*a*c - b^2)^3)^{(1/2)}) / (8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} - ((d + e*x^2)^{(1/2)} * (240*a^6*b*c^4*e^{11} + 64*a^6*c^5*d*e^{10} + 20*a^4*b^5*c^2*e^{11} - 140*a^5*b^3*c^3*e^{11} + 160*a^5*c^6*d^3*e^8 - 32*a^2*b^6*c^3*d^3*e^8 + 32*a^2*b^7*c^2*d^2*e^9 + 224*a^3*b^4*c^4*d^3*e^8 - 208*a^3*b^5*c^3*d^2*e^9 - 432*a^4*b^2*c^5*d^3*e^8 + 272*a^4*b^3*c^4*d^2*e^9 - 48*a^3*b^6*c^2*d*e^{10} + 348*a^4*b^4*c^3*d*e^{10} + 224*a^5*b*c^5*d^2*e^9 - 648*a^5*b^2*c^4*d*e^{10}) / (2*a^4)) * (-8*a^3*c^3*d - b^6*d + b^3*d * (-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2*e * (-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c*d * (-(4*a*c - b^2)^3)^{(1/2)}) / (8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} * (-8*a^3*c^3*d - b^6*d + b^3*d * (-(4*a*c - b^2)^3)^{(1/2)} + a*b^5*e - 18*a^2*b^2*c^2*d + 8*a*b^4*c*d - a*b^2*e * (-(4*a*c - b^2)^3)^{(1/2)} - 7*a^2*b^3*c*e + 12*a^3*b*c^2*e + a^2*c*e * (-(4*a*c - b^2)^3)^{(1/2)} - 2*a*b*c*d * (-(4*a*c - b^2)^3)^{(1/2)}) / (8*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (((64*a^5*b*c^4*e^{12} + 80*a^5*c^5*d*e^{11} + 4*a^3*b^5*c^2*e^{12} - 32*a^4*b^3*c^3*e^{12} + 80*a^4*c^6*d^3
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2}}{x^3 (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/x**3/(c*x**4+b*x**2+a),x)

[Out] Integral(sqrt(d + e*x**2)/(x**3*(a + b*x**2 + c*x**4)), x)

$$3.360 \quad \int \frac{\sqrt{d+ex^2}}{x^5(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=552

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)(-abe - acd + b^2d)}{a^3\sqrt{d}} + \frac{\sqrt{c}\left(b^2\left(d\sqrt{b^2-4ac} - ae\right) - ab\left(e\sqrt{b^2-4ac} + 3cd\right) - ac\left(d\sqrt{b^2-4ac} - 2\right)\right)}{\sqrt{2}a^3\sqrt{b^2-4ac}\sqrt{2cd-e}\left(b-\sqrt{b^2-4ac}\right)}$$

[Out] $-3/8*e^2*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)})/a/d^{(3/2)}-1/2*e*(-a*e+b*d)*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)})/a^2/d^{(3/2)}-(-a*b*e-a*c*d+b^2*d)*\operatorname{arctanh}((e*x^2+d)^{(1/2)}/d^{(1/2)})/a^3/d^{(1/2)}-1/4*(e*x^2+d)^{(1/2)}/a/x^4+3/8*e*(e*x^2+d)^{(1/2)}/a/d/x^2+1/2*(-a*e+b*d)*(e*x^2+d)^{(1/2)}/a^2/d/x^2+1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))^{(1/2)}*c^{(1/2)}*(b^3*d-a*c*(-2*a*e+d*(-4*a*c+b^2)^{(1/2)})+b^2*(-a*e+d*(-4*a*c+b^2)^{(1/2)})-a*b*(3*c*d+e*(-4*a*c+b^2)^{(1/2)}))/a^3*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))^{(1/2)}-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))^{(1/2)}*c^{(1/2)}*(b^3*d-b^2*(a*e+d*(-4*a*c+b^2)^{(1/2)})+a*c*(2*a*e+d*(-4*a*c+b^2)^{(1/2)})-a*b*(3*c*d-e*(-4*a*c+b^2)^{(1/2)}))/a^3*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))^{(1/2)}$

Rubi [A] time = 4.24, antiderivative size = 552, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1251, 897, 1287, 199, 206, 1166, 208}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)(-abe - acd + b^2d)}{a^3\sqrt{d}} + \frac{\sqrt{c}\left(b^2\left(d\sqrt{b^2-4ac} - ae\right) - ab\left(e\sqrt{b^2-4ac} + 3cd\right) - ac\left(d\sqrt{b^2-4ac} - 2\right)\right)}{\sqrt{2}a^3\sqrt{b^2-4ac}\sqrt{2cd-e}\left(b-\sqrt{b^2-4ac}\right)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x^2]/(x^5*(a + b*x^2 + c*x^4)), x]

[Out] $-\operatorname{Sqrt}[d + e*x^2]/(4*a*x^4) + (3*e*\operatorname{Sqrt}[d + e*x^2])/(8*a*d*x^2) + ((b*d - a*e)*\operatorname{Sqrt}[d + e*x^2])/(2*a^2*d*x^2) - (3*e^2*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/\operatorname{Sqrt}[d]])/(8*a*d^{(3/2)}) - (e*(b*d - a*e)*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/\operatorname{Sqrt}[d]])/(2*a^2*d^{(3/2)}) - ((b^2*d - a*c*d - a*b*e)*\operatorname{ArcTanh}[\operatorname{Sqrt}[d + e*x^2]/\operatorname{Sqrt}[d]])/(a^3*\operatorname{Sqrt}[d]) + (\operatorname{Sqrt}[c]*(b^3*d - a*c*(\operatorname{Sqrt}[b^2 - 4*a*c]*d - 2*a*e) + b^2*(\operatorname{Sqrt}[b^2 - 4*a*c]*d - a*e) - a*b*(3*c*d + \operatorname{Sqrt}[b^2 - 4*a*c]*e))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*$

$$\frac{\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-(b-\sqrt{b^2-4ac})e}} \Big/ \left(\sqrt{2}a^3\sqrt{b^2-4ac}\sqrt{2cd-(b-\sqrt{b^2-4ac})e} - (\sqrt{c}(b^3d-b^2(\sqrt{b^2-4ac}d+ae)+ac(\sqrt{b^2-4ac}d+2ae)-ab(3cd-\sqrt{b^2-4ac}e))\operatorname{ArcTanh}(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-(b+\sqrt{b^2-4ac})e}})) \right) \Big/ (\sqrt{2}a^3\sqrt{b^2-4ac}\sqrt{2cd-(b+\sqrt{b^2-4ac})e})$$

Rule 199

$$\operatorname{Int}[(a_+ + (b_-)(x_-)^{n_-})^{p_+}, x_Symbol] \rightarrow -\operatorname{Simp}[(x*(a + b*x^n)^{p+1})/(a*n*(p+1)), x] + \operatorname{Dist}[(n*(p+1)+1)/(a*n*(p+1)), \operatorname{Int}[(a + b*x^n)^{p+1}, x], x] /;$$

$$\text{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{IGtQ}[n, 0] \ \&\& \ \operatorname{LtQ}[p, -1] \ \&\& \ (\operatorname{IntegerQ}[2*p] \ || \ (n == 2 \ \&\& \ \operatorname{IntegerQ}[4*p]) \ || \ (n == 2 \ \&\& \ \operatorname{IntegerQ}[3*p]) \ || \ \operatorname{Denominator}[p + 1/n] < \operatorname{Denominator}[p])$$

Rule 206

$$\operatorname{Int}[(a_+ + (b_-)(x_-)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$$

$$\text{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$$

Rule 208

$$\operatorname{Int}[(a_+ + (b_-)(x_-)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /;$$

$$\text{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b]$$

Rule 897

$$\operatorname{Int}[(d_+ + (e_-)(x_-))^m * ((f_+ + (g_-)(x_-))^n * ((a_+ + (b_-)(x_-) + (c_-)(x_-)^2)^{p_+}), x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Denominator}[m]\}, \operatorname{Dist}[q/e, \operatorname{Subst}[\operatorname{Int}[x^{q*(m+1)-1} * ((e*f - d*g)/e + (g*x^q)/e)^n * ((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{2*q})/e^2)^p, x], x, (d + e*x)^{(1/q)}], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, g\}, x \ \&\& \ \operatorname{NeQ}[e*f - d*g, 0] \ \&\& \ \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \operatorname{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \operatorname{IntegerQ}[n, p] \ \&\& \ \operatorname{FractionQ}[m]$$

Rule 1166

$$\operatorname{Int}[(d_+ + (e_-)(x_-)^2)/((a_+ + (b_-)(x_-)^2 + (c_-)(x_-)^4), x_Symbol] \rightarrow \operatorname{With}\{q = \operatorname{Rt}[b^2 - 4*a*c, 2]\}, \operatorname{Dist}[e/2 + (2*c*d - b*e)/(2*q), \operatorname{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \operatorname{Dist}[e/2 - (2*c*d - b*e)/(2*q), \operatorname{Int}[1/(b/2 + q/2 + c*x^2), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \operatorname{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \operatorname{PosQ}[b^2 - 4*a*c]$$

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rule 1287

```
Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{x^5(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{d+ex}}{x^3(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{x^2}{\left(-\frac{d}{e} + \frac{x^2}{e}\right)^3 \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \left(-\frac{de^3}{a(d-x^2)^3} + \frac{e^2(-bd+ae)}{a^2(d-x^2)^2} + \frac{e(-b^2d+acd+abe)}{a^3(d-x^2)} + \frac{e((b^2-ac)(cd^2-bde+ae^2)-c(b^2d-acd-abe)x^2)}{a^3(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \frac{(b^2-ac)(cd^2-bde+ae^2)-c(b^2d-acd-abe)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex^2} \right)}{a^3} - \frac{(de^2) \text{Subst} \left(\int \frac{1}{(d-x^2)^3} dx, x, \sqrt{d+ex^2} \right)}{a} \\
&= -\frac{\sqrt{d+ex^2}}{4ax^4} + \frac{(bd-ae)\sqrt{d+ex^2}}{2a^2dx^2} - \frac{(b^2d-acd-abe) \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)}{a^3\sqrt{d}} - \frac{(3e^2) \text{Subst} \left(\int \frac{1}{(d-x^2)^3} dx, x, \sqrt{d+ex^2} \right)}{a} \\
&= -\frac{\sqrt{d+ex^2}}{4ax^4} + \frac{3e\sqrt{d+ex^2}}{8adx^2} + \frac{(bd-ae)\sqrt{d+ex^2}}{2a^2dx^2} - \frac{e(bd-ae) \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)}{2a^2d^{3/2}} - \frac{(b^2d-acd-abe) \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)}{a^3\sqrt{d}} \\
&= -\frac{\sqrt{d+ex^2}}{4ax^4} + \frac{3e\sqrt{d+ex^2}}{8adx^2} + \frac{(bd-ae)\sqrt{d+ex^2}}{2a^2dx^2} - \frac{3e^2 \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)}{8ad^{3/2}} - \frac{e(bd-ae) \tanh^{-1}\left(\frac{\sqrt{d+ex^2}}{\sqrt{d}}\right)}{a^3\sqrt{d}}
\end{aligned}$$

Mathematica [A] time = 1.97, size = 466, normalized size = 0.84

$$\frac{\log(\sqrt{d}\sqrt{d+ex^2}+d)(4abde+a(ae^2+8cd^2)-8b^2d^2)}{d^{3/2}} - \frac{\log(x)(4abde+a(ae^2+8cd^2)-8b^2d^2)}{d^{3/2}} - \frac{4\sqrt{2}\sqrt{c} \left(\frac{(b^2(ae-d\sqrt{b^2-4ac})+ab(e\sqrt{b^2-4ac}+3cd)+ac(d\sqrt{b^2-4ac}+e\sqrt{d+ex^2}))}{\sqrt{e(\sqrt{b^2-4ac}+d\sqrt{d+ex^2})}} \right)}{d^{3/2}}$$

Antiderivative was successfully verified.


```

qrt(b^2 - 4*a*c)*c)*e)*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d*e - (a*b^3 - 4*a^2*
b*c)*e^2)*a^2 + 2*((a*b^2*c - a^2*c^2)*sqrt(b^2 - 4*a*c)*d^2 - (a*b^3 - a^2
*b*c)*sqrt(b^2 - 4*a*c)*d*e + (a^2*b^2 - a^3*c)*sqrt(b^2 - 4*a*c)*e^2)*sqrt
(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e)*abs(a) - sqrt(-4*c^2*d + 2*(b*
c + sqrt(b^2 - 4*a*c)*c)*e)*(2*(a^2*b^3*c - 3*a^3*b*c^2)*d^2 - (a^2*b^4 - a
^3*b^2*c - 4*a^4*c^2)*d*e + (a^3*b^3 - 2*a^4*b*c)*e^2))*arctan(2*sqrt(1/2)*
sqrt(x^2*e + d)/sqrt(-(2*a^3*c*d - a^3*b*e - sqrt(-4*(a^3*c*d^2 - a^3*b*d*e
+ a^4*e^2))*a^3*c + (2*a^3*c*d - a^3*b*e)^2))/(a^3*c)))/((sqrt(b^2 - 4*a*c)
*a^4*c*d^2 - sqrt(b^2 - 4*a*c)*a^4*b*d*e + sqrt(b^2 - 4*a*c)*a^5*e^2)*abs(a
)*abs(c)) + 1/8*(8*b^2*d^2 - 8*a*c*d^2 - 4*a*b*d*e - a^2*e^2)*arctan(sqrt(x
^2*e + d)/sqrt(-d))/(a^3*sqrt(-d)*d) + 1/8*(4*(x^2*e + d)^(3/2)*b*d*e - 4*s
qrt(x^2*e + d)*b*d^2*e - (x^2*e + d)^(3/2)*a*e^2 - sqrt(x^2*e + d)*a*d*e^2)
*e^(-2))/(a^2*d*x^4)

```

maple [C] time = 0.04, size = 655, normalized size = 1.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(1/2)/x^5/(c*x^4+b*x^2+a), x)

[Out] $\frac{1}{a^2 d^{1/2}} \ln\left(\frac{(2d+2(e^2 x^2+d)^{1/2})d^{1/2}}{x}\right) c - \frac{1}{a^3 d^{1/2}} \ln\left(\frac{(2d+2(e^2 x^2+d)^{1/2})d^{1/2}}{x}\right) b^2 - \frac{1}{2a^2} (e^2 x^2+d)^{1/2} c + \frac{1}{2a^3} (e^2 x^2+d)^{1/2} b^2 - \frac{1}{2a^2} e^{1/2} x^2 c + \frac{1}{2a^3} e^{1/2} x^2 b^2 + \frac{1}{4a^3} \sum\left((c(a b e+a c d-b^2 d)) _R^6 + (-4 a^2 c e^2+4 a a b^2 e^2+5 a b c d e-3 a c^2 d^2-4 b^3 d e+3 b^2 c d^2) _R^4 + d(4 a^2 c e^2-4 a a b^2 e^2-5 a b c d e+3 a c^2 d^2+4 b^3 d e-3 b^2 c d^2) _R^2 - a b c d^3 e-a c^2 d^4+b^2 c d^4\right) /(_R^7 c+3 _R^5 b e-3 _R^5 c d+8 _R^3 a e^2-4 _R^3 b d e+3 _R^3 c d^2+_R b d^2 e-_R c d^3) \ln\left(-e^{1/2} x-_R+(e^2 x^2+d)^{1/2}\right), _R=\text{RootOf}\left(_Z^8 c+(4 b e-4 c d) _Z^6+c d^4+(16 a e^2-8 b d e+6 c d^2) _Z^4+(4 b d^2 e-4 c d^3) _Z^2\right)+\frac{1}{2} a^2 d /(-e^{1/2} x+(e^2 x^2+d)^{1/2}) c - \frac{1}{2 a^3} d /(-e^{1/2} x+(e^2 x^2+d)^{1/2}) b^2 - \frac{1}{4} a / d x^4 (e^2 x^2+d)^{3/2} + \frac{1}{8} a e / d^2 x^2 (e^2 x^2+d)^{3/2} + \frac{1}{8} a e^2 / d^{3/2} \ln\left(\frac{(2 d+2(e^2 x^2+d)^{1/2}) d^{1/2}}{x}\right) - \frac{1}{8} a e^2 / d^2 (e^2 x^2+d)^{1/2} + \frac{1}{2} a^2 b / d x^2 (e^2 x^2+d)^{3/2} + \frac{1}{2} a^2 b e / d^{1/2} \ln\left(\frac{(2 d+2(e^2 x^2+d)^{1/2}) d^{1/2}}{x}\right) - \frac{1}{2} a^2 b e / d (e^2 x^2+d)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}}{(cx^4 + bx^2 + a)x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^5/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)/((c*x^4 + b*x^2 + a)*x^5), x)

mupad [B] time = 7.30, size = 33925, normalized size = 61.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)/(x^5*(a + b*x^2 + c*x^4)),x)

[Out] atan(((((((2048*a^12*c^4*d*e^12 + 12288*a^10*c^6*d^5*e^8 + 14336*a^11*c^5*d^3*e^10 + 2048*a^8*b^4*c^4*d^5*e^8 - 1536*a^8*b^5*c^3*d^4*e^9 - 512*a^8*b^6*c^2*d^3*e^10 - 11264*a^9*b^2*c^5*d^5*e^8 + 7168*a^9*b^3*c^4*d^4*e^9 + 6272*a^9*b^4*c^3*d^3*e^10 + 384*a^9*b^5*c^2*d^2*e^11 - 20480*a^10*b^2*c^4*d^3*e^10 - 3072*a^10*b^3*c^3*d^2*e^11 - 4096*a^10*b*c^5*d^4*e^9 + 128*a^10*b^4*c^2*d*e^12 + 6144*a^11*b*c^4*d^2*e^11 - 1024*a^11*b^2*c^3*d*e^12)/(64*a^8*d^2) - ((d + e*x^2)^(1/2)*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2)*(24576*a^12*c^5*d^4*e^8 + 16384*a^13*c^4*d^2*e^10 + 2048*a^10*b^4*c^3*d^4*e^8 - 2048*a^10*b^5*c^2*d^3*e^9 - 14336*a^11*b^2*c^4*d^4*e^8 + 15360*a^11*b^3*c^3*d^3*e^9 + 1024*a^11*b^4*c^2*d^2*e^10 - 8192*a^12*b^2*c^3*d^2*e^10 - 28672*a^12*b*c^4*d^3*e^9)/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2) + ((d + e*x^2)^(1/2)*(32*a^10*c^5*d*e^12 - 48*a^10*b*c^4*e^13 - 4*a^8*b^5*c^2*e^13 + 28*a^9*b^3*c^3*e^13 + 4608*a^8*c^7*d^5*e^8 + 2048*a^9*c^6*d^3*e^10 + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^10 + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3*d^3*e^10 - 256*a^6*b^7*c^2*d^2*e^11 - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^10 + 2272*a^7*b^5*c^3*d^2*e^11 - 18048*a^8*b^2*c^5*d^3*e^10 - 6144*a^8*b^3*c^4*d^2*e^11 - 32*a^7*b^6*c^2*d*e^12 + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^12 + 4608*a^9*b*c^5*d^2*e^11 - 408*a^9*b^2*c^4*d*e^12))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2) + (16*a^9*c^5*e^14

$$\begin{aligned}
& - 4*a^6*b^6*c^2*e^14 + 28*a^7*b^4*c^3*e^14 - 52*a^8*b^2*c^4*e^14 - 768*a^6*c^8*d^6*e^8 - 768*a^7*c^7*d^4*e^10 + 16*a^8*c^6*d^2*e^12 - 512*a^2*b^8*c^4*d^6*e^8 + 384*a^2*b^9*c^3*d^5*e^9 + 128*a^2*b^10*c^2*d^4*e^10 + 3840*a^3*b^6*c^5*d^6*e^8 - 2048*a^3*b^7*c^4*d^5*e^9 - 2208*a^3*b^8*c^3*d^4*e^10 - 224*a^3*b^9*c^2*d^3*e^11 - 8704*a^4*b^4*c^6*d^6*e^8 + 896*a^4*b^5*c^5*d^5*e^9 + 10752*a^4*b^6*c^4*d^4*e^10 + 2688*a^4*b^7*c^3*d^3*e^11 + 96*a^4*b^8*c^2*d^2*e^12 + 6400*a^5*b^2*c^7*d^6*e^8 + 5632*a^5*b^3*c^6*d^5*e^9 - 18144*a^5*b^4*c^5*d^4*e^10 - 10464*a^5*b^5*c^4*d^3*e^11 - 836*a^5*b^6*c^3*d^2*e^12 + 9344*a^6*b^2*c^6*d^4*e^10 + 14592*a^6*b^3*c^5*d^3*e^11 + 2236*a^6*b^4*c^4*d^2*e^12 - 1716*a^7*b^2*c^5*d^2*e^12 - 528*a^8*b*c^5*d*e^13 + 4*a^5*b^7*c^2*d*e^13 - 4352*a^6*b*c^7*d^5*e^9 - 92*a^6*b^5*c^3*d*e^13 - 5632*a^7*b*c^6*d^3*e^11 + 436*a^7*b^3*c^4*d*e^13)/(64*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2) - ((d + e*x^2)^(1/2)*(a^6*b^2*c^5*e^14 - 2*a^7*c^6*e^14 + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^10 + 34*a^6*c^7*d^2*e^12 + 64*b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^10 - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^10 - 56*a^3*b^5*c^5*d^3*e^11 + 704*a^4*b^2*c^7*d^4*e^10 + 128*a^4*b^3*c^6*d^3*e^11 - 15*a^4*b^4*c^5*d^2*e^12 + 60*a^5*b^2*c^6*d^2*e^12 - 10*a^6*b*c^6*d*e^13 - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^11 + 6*a^5*b^3*c^5*d*e^13))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2)*1i - (((((2048*a^12*c^4*d*e^12 + 12288*a^10*c^6*d^5*e^8 + 14336*a^11*c^5*d^3*e^10 + 2048*a^8*b^4*c^4*d^5*e^8 - 1536*a^8*b^5*c^3*d^4*e^9 - 512*a^8*b^6*c^2*d^3*e^10 - 11264*a^9*b^2*c^5*d^5*e^8 + 7168*a^9*b^3*c^4*d^4*e^9 + 6272*a^9*b^4*c^3*d^3*e^10 + 384*a^9*b^5*c^2*d^2*e^11 - 20480*a^10*b^2*c^4*d^3*e^10 - 3072*a^10*b^3*c^3*d^2*e^11 - 4096*a^10*b*c^5*d^4*e^9 + 128*a^10*b^4*c^2*d*e^12 + 6144*a^11*b*c^4*d^2*e^11 - 1024*a^11*b^2*c^3*d*e^12)/(64*a^8*d^2) + ((d + e*x^2)^(1/2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2)*(24576*a^12*c^5*d^4*e^8 + 16384*a^13*c^4*d^2*e^10 + 2048*a^10*b^4*c^3*d^4*e^8 - 2048*a^10*b^5*c^2*d^3*e^9 - 14336*a^11*b^2*c^4*d^4*e^8 + 15360*a^11*b^3*c^3*d^3*e^9 + 1024*a^11*b^4*c^2*d^2*e^10 - 8192*a^12
\end{aligned}$$

$$\begin{aligned}
& *b^2*c^3*d^2*e^{10} - 28672*a^{12}*b*c^4*d^3*e^9)/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} - ((d + e*x^2)^{(1/2)}*(32*a^{10}*c^5*d*e^{12} - 48*a^{10}*b*c^4*e^{13} - 4*a^8*b^5*c^2*e^{13} + 28*a^9*b^3*c^3*e^{13} + 4608*a^8*c^7*d^5*e^8 + 2048*a^9*c^6*d^3*e^{10} + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^{10} + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3*d^3*e^{10} - 256*a^6*b^7*c^2*d^2*e^{11} - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^{10} + 2272*a^7*b^5*c^3*d^2*e^{11} - 18048*a^8*b^2*c^5*d^3*e^{10} - 6144*a^8*b^3*c^4*d^2*e^{11} - 32*a^7*b^6*c^2*d*e^{12} + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^{12} + 4608*a^9*b*c^5*d^2*e^{11} - 408*a^9*b^2*c^4*d*e^{12)))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + (16*a^9*c^5*e^{14} - 4*a^6*b^6*c^2*e^{14} + 28*a^7*b^4*c^3*e^{14} - 52*a^8*b^2*c^4*e^{14} - 768*a^6*c^8*d^6*e^8 - 768*a^7*c^7*d^4*e^{10} + 16*a^8*c^6*d^2*e^{12} - 512*a^2*b^8*c^4*d^6*e^8 + 384*a^2*b^9*c^3*d^5*e^9 + 128*a^2*b^10*c^2*d^4*e^{10} + 3840*a^3*b^6*c^5*d^6*e^8 - 2048*a^3*b^7*c^4*d^5*e^9 - 2208*a^3*b^8*c^3*d^4*e^{10} - 224*a^3*b^9*c^2*d^3*e^{11} - 8704*a^4*b^4*c^6*d^6*e^8 + 896*a^4*b^5*c^5*d^5*e^9 + 10752*a^4*b^6*c^4*d^4*e^{10} + 2688*a^4*b^7*c^3*d^3*e^{11} + 96*a^4*b^8*c^2*d^2*e^{12} + 6400*a^5*b^2*c^7*d^6*e^8 + 5632*a^5*b^3*c^6*d^5*e^9 - 18144*a^5*b^4*c^5*d^4*e^{10} - 10464*a^5*b^5*c^4*d^3*e^{11} - 836*a^5*b^6*c^3*d^2*e^{12} + 9344*a^6*b^2*c^6*d^4*e^{10} + 14592*a^6*b^3*c^5*d^3*e^{11} + 2236*a^6*b^4*c^4*d^2*e^{12} - 1716*a^7*b^2*c^5*d^2*e^{12} - 528*a^8*b*c^5*d*e^{13} + 4*a^5*b^7*c^2*d*e^{13} - 4352*a^6*b*c^7*d^5*e^9 - 92*a^6*b^5*c^3*d*e^{13} - 5632*a^7*b*c^6*d^3*e^{11} + 436*a^7*b^3*c^4*d*e^{13))/(64*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^{14} + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d^2*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 1
\end{aligned}$$

$$\begin{aligned}
& 92*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^11 + 6*a^5*b^3*c^5*d*e^13)/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)}*i1)/((((((2048*a^12*c^4*d*e^12 + 12288*a^10*c^6*d^5*e^8 + 14336*a^11*c^5*d^3*e^10 + 2048*a^8*b^4*c^4*d^5*e^8 - 1536*a^8*b^5*c^3*d^4*e^9 - 512*a^8*b^6*c^2*d^3*e^10 - 11264*a^9*b^2*c^5*d^5*e^8 + 7168*a^9*b^3*c^4*d^4*e^9 + 6272*a^9*b^4*c^3*d^3*e^10 + 384*a^9*b^5*c^2*d^2*e^11 - 20480*a^10*b^2*c^4*d^3*e^10 - 3072*a^10*b^3*c^3*d^2*e^11 - 4096*a^10*b*c^5*d^4*e^9 + 128*a^10*b^4*c^2*d*e^12 + 6144*a^11*b*c^4*d^2*e^11 - 1024*a^11*b^2*c^3*d*e^12)/(64*a^8*d^2) - ((d + e*x^2)^{(1/2)}*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)}*(24576*a^12*c^5*d^4*e^8 + 16384*a^13*c^4*d^2*e^10 + 2048*a^10*b^4*c^3*d^4*e^8 - 2048*a^10*b^5*c^2*d^3*e^9 - 14336*a^11*b^2*c^4*d^4*e^8 + 15360*a^11*b^3*c^3*d^3*e^9 + 1024*a^11*b^4*c^2*d^2*e^10 - 8192*a^12*b^2*c^3*d^2*e^10 - 28672*a^12*b*c^4*d^3*e^9))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(32*a^10*c^5*d*e^12 - 48*a^10*b*c^4*e^13 - 4*a^8*b^5*c^2*e^13 + 28*a^9*b^3*c^3*e^13 + 4608*a^8*c^7*d^5*e^8 + 2048*a^9*c^6*d^3*e^10 + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^10 + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3*d^3*e^10 - 256*a^6*b^7*c^2*d^2*e^11 - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^10 + 2272*a^7*b^5*c^3*d^2*e^11 - 18048*a^8*b^2*c^5*d^3*e^10 - 6144*a^8*b^3*c^4*d^2*e^11 - 32*a^7*b^6*c^2*d*e^12 + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^12 + 4608*a^9*b*c^5*d^2*e^11 - 408*a^9*b^2*c^4*d*e^12))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} + (16*a^9*c^5*e^14 - 4*a^6*b^6*c^2*e^14 + 28*a^7*b^4*c^3*e^14 - 52*a^8*b^2*c^4*e^14 - 768*a^6*c^8*d^6*e^8 - 768*a^7*c^7*d^4*e^10 + 16*a^8*c^6*d^2*e^12 - 512*a^2*b^8*c^4*d^6*e
\end{aligned}$$

$$\begin{aligned}
&^8 + 384*a^2*b^9*c^3*d^5*e^9 + 128*a^2*b^10*c^2*d^4*e^10 + 3840*a^3*b^6*c^5 \\
&*d^6*e^8 - 2048*a^3*b^7*c^4*d^5*e^9 - 2208*a^3*b^8*c^3*d^4*e^10 - 224*a^3*b \\
&^9*c^2*d^3*e^11 - 8704*a^4*b^4*c^6*d^6*e^8 + 896*a^4*b^5*c^5*d^5*e^9 + 1075 \\
&2*a^4*b^6*c^4*d^4*e^10 + 2688*a^4*b^7*c^3*d^3*e^11 + 96*a^4*b^8*c^2*d^2*e^1 \\
&2 + 6400*a^5*b^2*c^7*d^6*e^8 + 5632*a^5*b^3*c^6*d^5*e^9 - 18144*a^5*b^4*c^5 \\
&*d^4*e^10 - 10464*a^5*b^5*c^4*d^3*e^11 - 836*a^5*b^6*c^3*d^2*e^12 + 9344*a^ \\
&6*b^2*c^6*d^4*e^10 + 14592*a^6*b^3*c^5*d^3*e^11 + 2236*a^6*b^4*c^4*d^2*e^12 \\
&- 1716*a^7*b^2*c^5*d^2*e^12 - 528*a^8*b*c^5*d*e^13 + 4*a^5*b^7*c^2*d*e^13 \\
&- 4352*a^6*b*c^7*d^5*e^9 - 92*a^6*b^5*c^3*d*e^13 - 5632*a^7*b*c^6*d^3*e^11 \\
&+ 436*a^7*b^3*c^4*d*e^13)/(64*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4* \\
&a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^ \\
&3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d + a*b^4*e*(- \\
&-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4 \\
&*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b^2*c \\
&*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2 \\
&) - ((d + e*x^2)^(1/2)*(a^6*b^2*c^5*e^14 - 2*a^7*c^6*e^14 + 192*a^4*c^9*d^6 \\
&*e^8 + 32*a^5*c^8*d^4*e^10 + 34*a^6*c^7*d^2*e^12 + 64*b^8*c^5*d^6*e^8 + 704 \\
&*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^10 - \\
&512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e \\
&^10 - 56*a^3*b^5*c^5*d^3*e^11 + 704*a^4*b^2*c^7*d^4*e^10 + 128*a^4*b^3*c^6* \\
&d^3*e^11 - 15*a^4*b^4*c^5*d^2*e^12 + 60*a^5*b^2*c^6*d^2*e^12 - 10*a^6*b*c^6 \\
&*d*e^13 - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5 \\
&*e^9 - 144*a^5*b*c^7*d^3*e^11 + 6*a^5*b^3*c^5*d*e^13))/(32*a^8*d^2))*((b^8* \\
&d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2 \\
&*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/ \\
&2) - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a \\
&^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c \\
&- b^2)^3)^(1/2) - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16* \\
&a^8*c^2 - 8*a^7*b^2*c)))^(1/2) + (((((2048*a^12*c^4*d*e^12 + 12288*a^10*c^6 \\
&*d^5*e^8 + 14336*a^11*c^5*d^3*e^10 + 2048*a^8*b^4*c^4*d^5*e^8 - 1536*a^8*b^ \\
&5*c^3*d^4*e^9 - 512*a^8*b^6*c^2*d^3*e^10 - 11264*a^9*b^2*c^5*d^5*e^8 + 7168 \\
&*a^9*b^3*c^4*d^4*e^9 + 6272*a^9*b^4*c^3*d^3*e^10 + 384*a^9*b^5*c^2*d^2*e^11 \\
&- 20480*a^10*b^2*c^4*d^3*e^10 - 3072*a^10*b^3*c^3*d^2*e^11 - 4096*a^10*b*c \\
&^5*d^4*e^9 + 128*a^10*b^4*c^2*d*e^12 + 6144*a^11*b*c^4*d^2*e^11 - 1024*a^11 \\
&*b^2*c^3*d*e^12)/(64*a^8*d^2) + ((d + e*x^2)^(1/2))*((b^8*d + 8*a^4*c^4*d - \\
&b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^ \\
&3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d \\
&+ a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b \\
&^3*c*d*(-(4*a*c - b^2)^3)^(1/2) - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) - \\
&3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^ \\
&2*c)))^(1/2)*(24576*a^12*c^5*d^4*e^8 + 16384*a^13*c^4*d^2*e^10 + 2048*a^10* \\
&b^4*c^3*d^4*e^8 - 2048*a^10*b^5*c^2*d^3*e^9 - 14336*a^11*b^2*c^4*d^4*e^8 + \\
&15360*a^11*b^3*c^3*d^3*e^9 + 1024*a^11*b^4*c^2*d^2*e^10 - 8192*a^12*b^2*c^3 \\
&*d^2*e^10 - 28672*a^12*b*c^4*d^3*e^9))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d \\
&- b^5*d*(-(4*a*c - b^2)^3)^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*
\end{aligned}$$

$$\begin{aligned}
& c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a \\
& *b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} - ((d + e*x^2)^{(1/2)}*(32*a^10*c^5*d*e^12 - 48*a^10*b*c^4*e^1 \\
& 3 - 4*a^8*b^5*c^2*e^13 + 28*a^9*b^3*c^3*e^13 + 4608*a^8*c^7*d^5*e^8 + 2048* \\
& a^9*c^6*d^3*e^10 + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608 \\
& *a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^10 \\
& + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3* \\
& d^3*e^10 - 256*a^6*b^7*c^2*d^2*e^11 - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7* \\
& b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^10 + 2272*a^7*b^5*c^3*d^2*e^11 - \\
& 18048*a^8*b^2*c^5*d^3*e^10 - 6144*a^8*b^3*c^4*d^2*e^11 - 32*a^7*b^6*c^2*d*e \\
& ^12 + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^12 + 4608*a^9*b*c^5*d^2* \\
& e^11 - 408*a^9*b^2*c^4*d*e^12))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - \\
& 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b \\
& ^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c* \\
& d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2 \\
& *b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)) \\
&)^{(1/2)} + (16*a^9*c^5*e^14 - 4*a^6*b^6*c^2*e^14 + 28*a^7*b^4*c^3*e^14 - 52* \\
& a^8*b^2*c^4*e^14 - 768*a^6*c^8*d^6*e^8 - 768*a^7*c^7*d^4*e^10 + 16*a^8*c^6* \\
& d^2*e^12 - 512*a^2*b^8*c^4*d^6*e^8 + 384*a^2*b^9*c^3*d^5*e^9 + 128*a^2*b^10 \\
& *c^2*d^4*e^10 + 3840*a^3*b^6*c^5*d^6*e^8 - 2048*a^3*b^7*c^4*d^5*e^9 - 2208* \\
& a^3*b^8*c^3*d^4*e^10 - 224*a^3*b^9*c^2*d^3*e^11 - 8704*a^4*b^4*c^6*d^6*e^8 \\
& + 896*a^4*b^5*c^5*d^5*e^9 + 10752*a^4*b^6*c^4*d^4*e^10 + 2688*a^4*b^7*c^3*d \\
& ^3*e^11 + 96*a^4*b^8*c^2*d^2*e^12 + 6400*a^5*b^2*c^7*d^6*e^8 + 5632*a^5*b^3 \\
& *c^6*d^5*e^9 - 18144*a^5*b^4*c^5*d^4*e^10 - 10464*a^5*b^5*c^4*d^3*e^11 - 83 \\
& 6*a^5*b^6*c^3*d^2*e^12 + 9344*a^6*b^2*c^6*d^4*e^10 + 14592*a^6*b^3*c^5*d^3* \\
& e^11 + 2236*a^6*b^4*c^4*d^2*e^12 - 1716*a^7*b^2*c^5*d^2*e^12 - 528*a^8*b*c^ \\
& 5*d*e^13 + 4*a^5*b^7*c^2*d*e^13 - 4352*a^6*b*c^7*d^5*e^9 - 92*a^6*b^5*c^3*d \\
& *e^13 - 5632*a^7*b*c^6*d^3*e^11 + 436*a^7*b^3*c^4*d*e^13)/(64*a^8*d^2))*((b \\
& ^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4* \\
& c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{ \\
& (1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 2 \\
& 0*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a \\
& *c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6*b^4 + \\
& 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(a^6*b^2*c^5*e^14 - \\
& 2*a^7*c^6*e^14 + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^10 + 34*a^6*c^7*d^2 \\
& *e^12 + 64*b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5* \\
& e^9 + 192*a^2*b^6*c^5*d^4*e^10 - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7 \\
& *d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^10 - 56*a^3*b^5*c^5*d^3*e^11 + 704*a^4*b^2 \\
& *c^7*d^4*e^10 + 128*a^4*b^3*c^6*d^3*e^11 - 15*a^4*b^4*c^5*d^2*e^12 + 60*a^5 \\
& *b^2*c^6*d^2*e^12 - 10*a^6*b*c^6*d*e^13 - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7 \\
& *c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^11 + 6*a^5*b^3*c \\
& ^5*d*e^13))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{
\end{aligned}$$

$$\begin{aligned}
& (1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e + \\
& a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} + (7*a^5*c^7 \\
& *d*e^{14} + 56*a^3*c^9*d^5*e^{10} + 63*a^4*c^8*d^3*e^{12} - 64*b^4*c^8*d^7*e^8 + \\
& 64*b^5*c^7*d^6*e^9 + 64*a^2*b^2*c^8*d^5*e^{10} + 224*a^2*b^3*c^7*d^4*e^{11} - 1 \\
& 12*a^3*b^2*c^7*d^3*e^{12} + 64*a*b^2*c^9*d^7*e^8 + 64*a*b^3*c^8*d^6*e^9 - 192 \\
& *a*b^4*c^7*d^5*e^{10} - 96*a^2*b*c^9*d^6*e^9 - 136*a^3*b*c^8*d^4*e^{11} + 9*a^4 \\
& *b*c^7*d^2*e^{13})/(32*a^8*d^2)) * ((b^8*d + 8*a^4*c^4*d - b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2 \\
& *e + a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d + a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e + 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} - 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} * 2i + a \\
& \tan(((((((2048*a^12*c^4*d*e^{12} + 12288*a^10*c^6*d^5*e^8 + 14336*a^11*c^5*d^3 \\
& *e^{10} + 2048*a^8*b^4*c^4*d^5*e^8 - 1536*a^8*b^5*c^3*d^4*e^9 - 512*a^8*b^6*c^2*d^3*e^{10} - 11264*a^9*b^2*c^5*d^5*e^8 + 7168*a^9*b^3*c^4*d^4*e^9 + 6272*a^9*b^4*c^3*d^3*e^{10} + 384*a^9*b^5*c^2*d^2*e^{11} - 20480*a^10*b^2*c^4*d^3*e^{10} - 3072*a^10*b^3*c^3*d^2*e^{11} - 4096*a^10*b*c^5*d^4*e^9 + 128*a^10*b^4*c^2*d^2*e^{12} + 6144*a^11*b*c^4*d^2*e^{11} - 1024*a^11*b^2*c^3*d*e^{12})/(64*a^8*d^2) - ((d + e*x^2)^{(1/2)} * ((b^8*d + 8*a^4*c^4*d + b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} * (24576*a^12*c^5*d^4*e^8 + 16384*a^13*c^4*d^2*e^{10} + 2048*a^10*b^4*c^3*d^4*e^8 - 2048*a^10*b^5*c^2*d^3*e^9 - 14336*a^11*b^2*c^4*d^4*e^8 + 15360*a^11*b^3*c^3*d^3*e^9 + 1024*a^11*b^4*c^2*d^2*e^{10} - 8192*a^12*b^2*c^3*d^2*e^{10} - 28672*a^12*b*c^4*d^3*e^9)/(32*a^8*d^2)) * ((b^8*d + 8*a^4*c^4*d + b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c))^{(1/2)} + ((d + e*x^2)^{(1/2)} * (32*a^10*c^5*d*e^{12} - 48*a^10*b*c^4*e^{13} - 4*a^8*b^5*c^2*e^{13} + 28*a^9*b^3*c^3*e^{13} + 4608*a^8*c^7*d^5*e^8 + 2048*a^9*c^6*d^3*e^{10} + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^{10} + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3*d^3*e^{10} - 256*a^6*b^7*c^2*d^2*e^{11} - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^{10} + 2272*a^7*b^5*c^3*d^2*e^{11} - 18048*a^8*b^2*c^5*d^3*e^{10} - 6144*a^8*b^3*c^4*d^2*e^{11} - 32*a^7*b^6*c^2*d*e^{12} + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^{12} + 4608*a^9*b*c^5*d^2*e^{11} - 408*a^9*b^2*c^4*d*e^{11}
\end{aligned}$$

$$\begin{aligned}
& 2)) / (32a^8d^2) * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - \\
& a^7e + 33a^2b^4c^2d - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6bcd - a^4b^4e * (-4ac - b^2)^3)^{1/2} \\
&) + 9a^2b^5c^3e + 20a^4b^3c^3e - 4a^2b^3c^3d * (-4ac - b^2)^3)^{1/2} + \\
& 3a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^3e * (-4ac - b^2)^3)^{1/2} \\
& (1/2)) / (8(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} + (16a^9c^5e^{14} - \\
& 4a^6b^6c^2e^{14} + 28a^7b^4c^3e^{14} - 52a^8b^2c^4e^{14} - 768a^6c^8d^6e^8 - 768a^7c^7d^4e^{10} + 16a^8c^6d^2e^{12} - 512a^2b^8c^4d^6e^8 \\
& + 384a^2b^9c^3d^5e^9 + 128a^2b^10c^2d^4e^{10} + 3840a^3b^6c^5d^6e^8 - 2048a^3b^7c^4d^5e^9 - 2208a^3b^8c^3d^4e^{10} - 224a^3b^9c^2d^3e^{11} \\
& - 8704a^4b^4c^6d^6e^8 + 896a^4b^5c^5d^5e^9 + 10752a^4b^6c^4d^4e^{10} + 2688a^4b^7c^3d^3e^{11} + 96a^4b^8c^2d^2e^{12} + 6400a^5b^2c^7d^6e^8 \\
& + 5632a^5b^3c^6d^5e^9 - 18144a^5b^4c^5d^4e^{10} - 10464a^5b^5c^4d^3e^{11} - 836a^5b^6c^3d^2e^{12} + 9344a^6b^2c^6d^4e^{10} + 14592a^6b^3c^5d^3e^{11} \\
& + 2236a^6b^4c^4d^2e^{12} - 1716a^7b^2c^5d^2e^{12} - 528a^8b^3c^5d^3e^{13} + 4a^5b^7c^2d^2e^{13} - 4352a^6b^3c^7d^5e^9 - 92a^6b^5c^3d^3e^{13} \\
& - 5632a^7b^3c^6d^3e^{11} + 436a^7b^3c^4d^3e^{13}) / (64a^8d^2) * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - a^7e + 33a^2b^4c^2d \\
& - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6bcd - a^4b^4e * (-4ac - b^2)^3)^{1/2} + 9a^2b^5c^3e + 20a^4b^3c^3e \\
& - 4a^2b^3c^3d * (-4ac - b^2)^3)^{1/2} + 3a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^3e * (-4ac - b^2)^3)^{1/2} \\
& (1/2)) / (8(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} - ((d + e*x^2)^{1/2} * (a^6b^2c^5e^{14} - 2a^7c^6e^{14} + 192a^4c^9d^6e^8 + 32a^5c^8d^4e^{10} \\
& + 34a^6c^7d^2e^{12} + 64b^8c^5d^6e^8 + 704a^2b^4c^7d^6e^8 + 960a^2b^5c^6d^5e^9 + 192a^2b^6c^5d^4e^{10} - 512a^3b^2c^8d^6e^8 \\
& - 1280a^3b^3c^7d^5e^9 - 752a^3b^4c^6d^4e^{10} - 56a^3b^5c^5d^3e^{11} + 704a^4b^2c^7d^4e^{10} + 128a^4b^3c^6d^3e^{11} - 15a^4b^4c^5d^2e^{12} \\
& + 60a^5b^2c^6d^2e^{12} - 10a^6b^3c^6d^3e^{13} - 384a^6b^6c^6d^6e^8 - 192a^6b^7c^5d^5e^9 + 384a^4b^3c^8d^5e^9 - 144a^5b^3c^7d^3e^{11} \\
& + 6a^5b^3c^5d^3e^{13})) / (32a^8d^2) * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - a^7e + 33a^2b^4c^2d - 38a^3b^2c^3d \\
& - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6bcd - a^4b^4e * (-4ac - b^2)^3)^{1/2} + 9a^2b^5c^3e + 20a^4b^3c^3e \\
& - 4a^2b^3c^3d * (-4ac - b^2)^3)^{1/2} + 3a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^3e * (-4ac - b^2)^3)^{1/2} \\
& (1/2)) / (8(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2} * i - (((((2048a^12c^4d^5e^{12} + 12288a^10c^6d^5e^8 + 14336a^11c^5d^3e^{10} \\
& + 2048a^8b^4c^4d^5e^8 - 1536a^8b^5c^3d^4e^9 - 512a^8b^6c^2d^3e^{10} - 11264a^9b^2c^5d^5e^8 + 7168a^9b^3c^4d^4e^9 + 6272a^9b^4c^3d^3e^{10} \\
& + 384a^9b^5c^2d^2e^{11} - 20480a^10b^2c^4d^3e^{10} - 3072a^10b^3c^3d^2e^{11} - 4096a^10b^4c^2d^2e^{11} - 1024a^11b^2c^3d^2e^{11} \\
& - 1024a^11b^2c^3d^2e^{12}) / (64a^8d^2) + ((d + e*x^2)^{1/2} * ((b^8d + 8a^4c^4d + b^5d * (-4ac - b^2)^3)^{1/2} - a^7e + 33a^2b^4c^2d \\
& - 38a^3b^2c^3d - 25a^3b^3c^2e - a^3c^2e * (-4ac - b^2)^3)^{1/2} - 10a^6bcd - a^4b^4e * (-4ac - b^2)^3)^{1/2} + 9a^2b^5c^3e + 20a^4b^3c^3e \\
& - 4a^2b^3c^3d * (-4ac - b^2)^3)^{1/2} + 3a^2b^3c^2d * (-4ac - b^2)^3)^{1/2} + 3a^2b^2c^3e * (-4ac - b^2)^3)^{1/2} \\
& (1/2)) / (8(a^6b^4 + 16a^8c^2 - 8a^7b^2c))^{1/2}
\end{aligned}$$

$$\begin{aligned}
& ^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e \\
& - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6*b^4 + 16*a^8*c^2 - 8 \\
& *a^7*b^2*c)))^{(1/2)}*(24576*a^12*c^5*d^4*e^8 + 16384*a^13*c^4*d^2*e^10 + 204 \\
& 8*a^10*b^4*c^3*d^4*e^8 - 2048*a^10*b^5*c^2*d^3*e^9 - 14336*a^11*b^2*c^4*d^4 \\
& *e^8 + 15360*a^11*b^3*c^3*d^3*e^9 + 1024*a^11*b^4*c^2*d^2*e^10 - 8192*a^12* \\
& b^2*c^3*d^2*e^10 - 28672*a^12*b*c^4*d^3*e^9))/(32*a^8*d^2))*((b^8*d + 8*a^4 \\
& *c^4*d + b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a \\
& ^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a \\
& *b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3* \\
& e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3) \\
& ^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6*b^4 + 16*a^8*c^2 - \\
& 8*a^7*b^2*c)))^{(1/2)} - ((d + e*x^2)^{(1/2)}*(32*a^10*c^5*d*e^12 - 48*a^10*b* \\
& c^4*e^13 - 4*a^8*b^5*c^2*e^13 + 28*a^9*b^3*c^3*e^13 + 4608*a^8*c^7*d^5*e^8 \\
& + 2048*a^9*c^6*d^3*e^10 + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 \\
& - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^ \\
& 3*e^10 + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b \\
& ^6*c^3*d^3*e^10 - 256*a^6*b^7*c^2*d^2*e^11 - 16384*a^7*b^2*c^6*d^5*e^8 + 71 \\
& 68*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^10 + 2272*a^7*b^5*c^3*d^2* \\
& e^11 - 18048*a^8*b^2*c^5*d^3*e^10 - 6144*a^8*b^3*c^4*d^2*e^11 - 32*a^7*b^6* \\
& c^2*d*e^12 + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^12 + 4608*a^9*b*c \\
& ^5*d^2*e^11 - 408*a^9*b^2*c^4*d*e^12))/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d \\
& + b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2* \\
& c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c* \\
& d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a \\
& *b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7* \\
& b^2*c)))^{(1/2)} + (16*a^9*c^5*e^14 - 4*a^6*b^6*c^2*e^14 + 28*a^7*b^4*c^3*e^1 \\
& 4 - 52*a^8*b^2*c^4*e^14 - 768*a^6*c^8*d^6*e^8 - 768*a^7*c^7*d^4*e^10 + 16*a \\
& ^8*c^6*d^2*e^12 - 512*a^2*b^8*c^4*d^6*e^8 + 384*a^2*b^9*c^3*d^5*e^9 + 128*a \\
& ^2*b^10*c^2*d^4*e^10 + 3840*a^3*b^6*c^5*d^6*e^8 - 2048*a^3*b^7*c^4*d^5*e^9 \\
& - 2208*a^3*b^8*c^3*d^4*e^10 - 224*a^3*b^9*c^2*d^3*e^11 - 8704*a^4*b^4*c^6*d \\
& ^6*e^8 + 896*a^4*b^5*c^5*d^5*e^9 + 10752*a^4*b^6*c^4*d^4*e^10 + 2688*a^4*b^ \\
& 7*c^3*d^3*e^11 + 96*a^4*b^8*c^2*d^2*e^12 + 6400*a^5*b^2*c^7*d^6*e^8 + 5632* \\
& a^5*b^3*c^6*d^5*e^9 - 18144*a^5*b^4*c^5*d^4*e^10 - 10464*a^5*b^5*c^4*d^3*e^ \\
& 11 - 836*a^5*b^6*c^3*d^2*e^12 + 9344*a^6*b^2*c^6*d^4*e^10 + 14592*a^6*b^3*c \\
& ^5*d^3*e^11 + 2236*a^6*b^4*c^4*d^2*e^12 - 1716*a^7*b^2*c^5*d^2*e^12 - 528*a \\
& ^8*b*c^5*d*e^13 + 4*a^5*b^7*c^2*d*e^13 - 4352*a^6*b*c^7*d^5*e^9 - 92*a^6*b^ \\
& 5*c^3*d*e^13 - 5632*a^7*b*c^6*d^3*e^11 + 436*a^7*b^3*c^4*d*e^13)/(64*a^8*d^ \\
& 2))*((b^8*d + 8*a^4*c^4*d + b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a \\
& ^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5* \\
& c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d \\
& *(-4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)}/(8*(a^6 \\
& *b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(a^6*b^2*c^5*
\end{aligned}$$

$$\begin{aligned}
& 4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9 \\
& *a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^ \\
& 2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&)/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + (16*a^9*c^5*e^14 - 4*a^ \\
& 6*b^6*c^2*e^14 + 28*a^7*b^4*c^3*e^14 - 52*a^8*b^2*c^4*e^14 - 768*a^6*c^8*d^ \\
& 6*e^8 - 768*a^7*c^7*d^4*e^10 + 16*a^8*c^6*d^2*e^12 - 512*a^2*b^8*c^4*d^6*e^ \\
& 8 + 384*a^2*b^9*c^3*d^5*e^9 + 128*a^2*b^10*c^2*d^4*e^10 + 3840*a^3*b^6*c^5* \\
& d^6*e^8 - 2048*a^3*b^7*c^4*d^5*e^9 - 2208*a^3*b^8*c^3*d^4*e^10 - 224*a^3*b^ \\
& 9*c^2*d^3*e^11 - 8704*a^4*b^4*c^6*d^6*e^8 + 896*a^4*b^5*c^5*d^5*e^9 + 10752 \\
& *a^4*b^6*c^4*d^4*e^10 + 2688*a^4*b^7*c^3*d^3*e^11 + 96*a^4*b^8*c^2*d^2*e^12 \\
& + 6400*a^5*b^2*c^7*d^6*e^8 + 5632*a^5*b^3*c^6*d^5*e^9 - 18144*a^5*b^4*c^5* \\
& d^4*e^10 - 10464*a^5*b^5*c^4*d^3*e^11 - 836*a^5*b^6*c^3*d^2*e^12 + 9344*a^6 \\
& *b^2*c^6*d^4*e^10 + 14592*a^6*b^3*c^5*d^3*e^11 + 2236*a^6*b^4*c^4*d^2*e^12 \\
& - 1716*a^7*b^2*c^5*d^2*e^12 - 528*a^8*b*c^5*d*e^13 + 4*a^5*b^7*c^2*d*e^13 - \\
& 4352*a^6*b*c^7*d^5*e^9 - 92*a^6*b^5*c^3*d*e^13 - 5632*a^7*b*c^6*d^3*e^11 + \\
& 436*a^7*b^3*c^4*d*e^13)/(64*a^8*d^2))*((b^8*d + 8*a^4*c^4*d + b^5*d*(-(4*a \\
& *c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3 \\
& *b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d - a*b^4*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4* \\
& a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b^2*c* \\
& e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} \\
& - ((d + e*x^2)^{(1/2)}*(a^6*b^2*c^5*e^14 - 2*a^7*c^6*e^14 + 192*a^4*c^9*d^6* \\
& e^8 + 32*a^5*c^8*d^4*e^10 + 34*a^6*c^7*d^2*e^12 + 64*b^8*c^5*d^6*e^8 + 704* \\
& a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^10 - \\
& 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^ \\
& 10 - 56*a^3*b^5*c^5*d^3*e^11 + 704*a^4*b^2*c^7*d^4*e^10 + 128*a^4*b^3*c^6*d \\
& ^3*e^11 - 15*a^4*b^4*c^5*d^2*e^12 + 60*a^5*b^2*c^6*d^2*e^12 - 10*a^6*b*c^6* \\
& d*e^13 - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5* \\
& e^9 - 144*a^5*b*c^7*d^3*e^11 + 6*a^5*b^3*c^5*d*e^13))/(32*a^8*d^2))*((b^8*d \\
& + 8*a^4*c^4*d + b^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2* \\
& d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&) - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^ \\
& 4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^{(1/2)))/(8*(a^6*b^4 + 16*a \\
& ^8*c^2 - 8*a^7*b^2*c)))^{(1/2)} + (((((2048*a^12*c^4*d*e^12 + 12288*a^10*c^6* \\
& d^5*e^8 + 14336*a^11*c^5*d^3*e^10 + 2048*a^8*b^4*c^4*d^5*e^8 - 1536*a^8*b^5 \\
& *c^3*d^4*e^9 - 512*a^8*b^6*c^2*d^3*e^10 - 11264*a^9*b^2*c^5*d^5*e^8 + 7168* \\
& a^9*b^3*c^4*d^4*e^9 + 6272*a^9*b^4*c^3*d^3*e^10 + 384*a^9*b^5*c^2*d^2*e^11 \\
& - 20480*a^10*b^2*c^4*d^3*e^10 - 3072*a^10*b^3*c^3*d^2*e^11 - 4096*a^10*b*c^ \\
& 5*d^4*e^9 + 128*a^10*b^4*c^2*d*e^12 + 6144*a^11*b*c^4*d^2*e^11 - 1024*a^11* \\
& b^2*c^3*d*e^12)/(64*a^8*d^2) + ((d + e*x^2)^{(1/2)}*((b^8*d + 8*a^4*c^4*d + b \\
& ^5*d*(-(4*a*c - b^2)^3)^{(1/2)} - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3 \\
& *d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^6*c*d - \\
& a*b^4*e*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^ \\
& 3*c*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^{(1/2)} + 3
\end{aligned}$$

$$\begin{aligned}
& a^2 b^2 c^2 e^2 (-4ac - b^2)^3)^{1/2} / (8(a^6 b^4 + 16a^8 c^2 - 8a^7 b^2 c))^{1/2} * (24576a^{12} c^5 d^4 e^8 + 16384a^{13} c^4 d^2 e^{10} + 2048a^{10} b^4 c^3 d^4 e^8 - 2048a^{10} b^5 c^2 d^3 e^9 - 14336a^{11} b^2 c^4 d^4 e^8 + 15360a^{11} b^3 c^3 d^3 e^9 + 1024a^{11} b^4 c^2 d^2 e^{10} - 8192a^{12} b^2 c^3 d^2 e^{10} - 28672a^{12} b^3 c^4 d^3 e^9) / (32a^8 d^2) * ((b^8 d + 8a^4 c^4 d + b^5 d * (-4ac - b^2)^3)^{1/2} - a^7 b^7 e + 33a^2 b^4 c^2 d - 38a^3 b^2 c^3 d - 25a^3 b^3 c^2 e - a^3 c^2 e * (-4ac - b^2)^3)^{1/2} - 10a^6 b^6 c^2 d - a^7 b^4 e * (-4ac - b^2)^3)^{1/2} + 9a^2 b^5 c^2 e + 20a^4 b^3 c^3 e - 4a^3 b^3 c^2 d * (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 c^2 d * (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 c^2 e * (-4ac - b^2)^3)^{1/2} / (8(a^6 b^4 + 16a^8 c^2 - 8a^7 b^2 c))^{1/2} - ((d + e^2 x^2)^{1/2} * (32a^{10} c^5 d^5 e^{12} - 48a^{10} b^4 c^4 e^{13} - 4a^8 b^5 c^2 e^{13} + 28a^9 b^3 c^3 e^{13} + 4608a^8 c^7 d^5 e^8 + 2048a^9 c^6 d^3 e^{10} + 512a^4 b^8 c^3 d^5 e^8 - 512a^4 b^9 c^2 d^4 e^9 - 4608a^5 b^6 c^4 d^5 e^8 + 4352a^5 b^7 c^3 d^4 e^9 + 768a^5 b^8 c^2 d^3 e^{10} + 14080a^6 b^4 c^5 d^5 e^8 - 11264a^6 b^5 c^4 d^4 e^9 - 6912a^6 b^6 c^3 d^3 e^{10} - 256a^6 b^7 c^2 d^2 e^{11} - 16384a^7 b^2 c^6 d^5 e^8 + 7168a^7 b^3 c^5 d^4 e^9 + 19776a^7 b^4 c^4 d^3 e^{10} + 2272a^7 b^5 c^3 d^2 e^{11} - 18048a^8 b^2 c^5 d^3 e^{10} - 6144a^8 b^3 c^4 d^2 e^{11} - 32a^7 b^6 c^2 d^2 e^{12} + 3584a^8 b^3 c^6 d^4 e^9 + 228a^8 b^4 c^3 d^2 e^{12} + 4608a^9 b^3 c^5 d^2 e^{11} - 408a^9 b^2 c^4 d^2 e^{12})) / (32a^8 d^2) * ((b^8 d + 8a^4 c^4 d + b^5 d * (-4ac - b^2)^3)^{1/2} - a^7 b^7 e + 33a^2 b^4 c^2 d - 38a^3 b^2 c^3 d - 25a^3 b^3 c^2 e - a^3 c^2 e * (-4ac - b^2)^3)^{1/2} - 10a^6 b^6 c^2 d - a^7 b^4 e * (-4ac - b^2)^3)^{1/2} + 9a^2 b^5 c^2 e + 20a^4 b^3 c^3 e - 4a^3 b^3 c^2 d * (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 c^2 d * (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 c^2 e * (-4ac - b^2)^3)^{1/2} / (8(a^6 b^4 + 16a^8 c^2 - 8a^7 b^2 c))^{1/2} + (16a^9 c^5 e^{14} - 4a^6 b^6 c^2 e^{14} + 28a^7 b^4 c^3 e^{14} - 52a^8 b^2 c^4 e^{14} - 768a^6 c^8 d^6 e^8 - 768a^7 c^7 d^4 e^{10} + 16a^8 c^6 d^2 e^{12} - 512a^2 b^8 c^4 d^6 e^8 + 384a^2 b^9 c^3 d^5 e^9 + 128a^2 b^{10} c^2 d^4 e^{10} + 3840a^3 b^6 c^5 d^6 e^8 - 2048a^3 b^7 c^4 d^5 e^9 - 2208a^3 b^8 c^3 d^4 e^{10} - 224a^3 b^9 c^2 d^3 e^{11} - 8704a^4 b^4 c^6 d^6 e^8 + 896a^4 b^5 c^5 d^5 e^9 + 10752a^4 b^6 c^4 d^4 e^{10} + 2688a^4 b^7 c^3 d^3 e^{11} + 96a^4 b^8 c^2 d^2 e^{12} + 6400a^5 b^2 c^7 d^6 e^8 + 5632a^5 b^3 c^6 d^5 e^9 - 18144a^5 b^4 c^5 d^4 e^{10} - 10464a^5 b^5 c^4 d^3 e^{11} - 836a^5 b^6 c^3 d^2 e^{12} + 9344a^6 b^2 c^6 d^4 e^{10} + 14592a^6 b^3 c^5 d^3 e^{11} + 2236a^6 b^4 c^4 d^2 e^{12} - 1716a^7 b^2 c^5 d^2 e^{12} - 528a^8 b^3 c^5 d^2 e^{13} + 4a^5 b^7 c^2 d^2 e^{13} - 4352a^6 b^3 c^7 d^5 e^9 - 92a^6 b^5 c^3 d^2 e^{13} - 5632a^7 b^3 c^6 d^3 e^{11} + 436a^7 b^3 c^4 d^2 e^{13}) / (64a^8 d^2) * ((b^8 d + 8a^4 c^4 d + b^5 d * (-4ac - b^2)^3)^{1/2} - a^7 b^7 e + 33a^2 b^4 c^2 d - 38a^3 b^2 c^3 d - 25a^3 b^3 c^2 e - a^3 c^2 e * (-4ac - b^2)^3)^{1/2} - 10a^6 b^6 c^2 d - a^7 b^4 e * (-4ac - b^2)^3)^{1/2} + 9a^2 b^5 c^2 e + 20a^4 b^3 c^3 e - 4a^3 b^3 c^2 d * (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 c^2 d * (-4ac - b^2)^3)^{1/2} + 3a^2 b^2 c^2 e * (-4ac - b^2)^3)^{1/2} / (8(a^6 b^4 + 16a^8 c^2 - 8a^7 b^2 c))^{1/2} + ((d + e^2 x^2)^{1/2} * (a^6 b^2 c^5 e^{14} - 2a^7 c^6 e^{14} + 192a^4 c^9 d^6 e^8 + 32a^5 c^8 d^4 e^{10} + 34a^6 c^7 d^2 e^{12} + 64b^8 c^5 d^6 e^8 + 704a^2 b^4 c^7 d^6 e^8 + 960a^2 b^5 c^6 d^5 e
\end{aligned}$$

$$\begin{aligned}
&^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13})/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d + b^5*d*(-(4*a*c - b^2)^3))^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2) + (7*a^5*c^7*d*e^{14} + 56*a^3*c^9*d^5*e^{10} + 63*a^4*c^8*d^3*e^{12} - 64*b^4*c^8*d^7*e^8 + 64*b^5*c^7*d^6*e^9 + 64*a^2*b^2*c^8*d^5*e^{10} + 224*a^2*b^3*c^7*d^4*e^{11} - 112*a^3*b^2*c^7*d^3*e^{12} + 64*a*b^2*c^9*d^7*e^8 + 64*a*b^3*c^8*d^6*e^9 - 192*a*b^4*c^7*d^5*e^{10} - 96*a^2*b*c^9*d^6*e^9 - 136*a^3*b*c^8*d^4*e^{11} + 9*a^4*b*c^7*d^2*e^{13})/(32*a^8*d^2))*((b^8*d + 8*a^4*c^4*d + b^5*d*(-(4*a*c - b^2)^3))^(1/2) - a*b^7*e + 33*a^2*b^4*c^2*d - 38*a^3*b^2*c^3*d - 25*a^3*b^3*c^2*e - a^3*c^2*e*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^6*c*d - a*b^4*e*(-(4*a*c - b^2)^3)^(1/2) + 9*a^2*b^5*c*e + 20*a^4*b*c^3*e - 4*a*b^3*c*d*(-(4*a*c - b^2)^3)^(1/2) + 3*a^2*b*c^2*d*(-(4*a*c - b^2)^3)^(1/2) + 3*a^2*b^2*c*e*(-(4*a*c - b^2)^3)^(1/2))/(8*(a^6*b^4 + 16*a^8*c^2 - 8*a^7*b^2*c)))^(1/2)*2i - (((d + e*x^2)^(1/2)*(a*e^2 + 4*b*d*e))/(8*a^2) + ((d + e*x^2)^(3/2)*(a*e^2 - 4*b*d*e))/(8*a^2*d))/((d + e*x^2)^2 - 2*d*(d + e*x^2) + d^2) + (atan(-(((d + e*x^2)^(1/2)*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^{14} + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13}))/((32*a^8*d^2) - (((a^9*c^5*e^{14})/4 - (a^6*b^6*c^2*e^{14})/16 + (7*a^7*b^4*c^3*e^{14})/16 - (13*a^8*b^2*c^4*e^{14})/16 - 12*a^6*c^8*d^6*e^8 - 12*a^7*c^7*d^4*e^{10} + (a^8*c^6*d^2*e^{12})/4 - 8*a^2*b^8*c^4*d^6*e^8 + 6*a^2*b^9*c^3*d^5*e^9 + 2*a^2*b^10*c^2*d^4*e^{10} + 60*a^3*b^6*c^5*d^6*e^8 - 32*a^3*b^7*c^4*d^5*e^9 - (69*a^3*b^8*c^3*d^4*e^{10})/2 - (7*a^3*b^9*c^2*d^3*e^{11})/2 - 136*a^4*b^4*c^6*d^6*e^8 + 14*a^4*b^5*c^5*d^5*e^9 + 168*a^4*b^6*c^4*d^4*e^{10} + 42*a^4*b^7*c^3*d^3*e^{11} + (3*a^4*b^8*c^2*d^2*e^{12})/2 + 100*a^5*b^2*c^7*d^6*e^8 + 88*a^5*b^3*c^6*d^5*e^9 - (567*a^5*b^4*c^5*d^4*e^{10})/2 - (327*a^5*b^5*c^4*d^3*e^{11})/2 - (209*a^5*b^6*c^3*d^2*e^{12})/16 + 146*a^6*b^2*c^6*d^4*e^{10} + 228*a^6*b^3*c^5*d^3*e^{11} + (559*a^6*b^4*c^4*d^2*e^{12})/16 - (429*a^7*b^2*c^5*d^2*e^{12})/16 - (33*a^8*b*c^5*d*e^{13})/4 + (a^5*b^7*c^2*d*e^{13})/16 - 68*a^6*b*c^7*d^5*e^9 - (23*a^6*b^5*c^3*d*e^{13})/16 - 88*a^7*b*c^6*d^3*e^{11} + (109*a^7*b^3*c^4*d*e^{13})/16))/(a^8*d^2) + (((((32*a^12*c^4*d*e^{12} + 192*a^10*c^6*d^5*e^8 + 224*a^11*c^5*d^3*e^{10} + 32*a^8*b^4*c^4*d^5*e^8 - 24*a^8*b^5*c^3*d^4*e^9 - 8*a^8*b^6*c^2*d^3*e^{10} -
\end{aligned}$$

$$\begin{aligned}
& 176*a^9*b^2*c^5*d^5*e^8 + 112*a^9*b^3*c^4*d^4*e^9 + 98*a^9*b^4*c^3*d^3*e^{10} \\
& + 6*a^9*b^5*c^2*d^2*e^{11} - 320*a^{10}*b^2*c^4*d^3*e^{10} - 48*a^{10}*b^3*c^3*d^2 \\
& *e^{11} - 64*a^{10}*b*c^5*d^4*e^9 + 2*a^{10}*b^4*c^2*d*e^{12} + 96*a^{11}*b*c^4*d^2*e \\
& ^{11} - 16*a^{11}*b^2*c^3*d*e^{12})/(a^8*d^2) - ((d + e*x^2)^{(1/2)}*(a^2*e^2 - 8*b \\
& ^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*(24576*a^{12}*c^5*d^4*e^8 + 16384*a^{13}*c^4*d^ \\
& 2*e^{10} + 2048*a^{10}*b^4*c^3*d^4*e^8 - 2048*a^{10}*b^5*c^2*d^3*e^9 - 14336*a^{11} \\
& *b^2*c^4*d^4*e^8 + 15360*a^{11}*b^3*c^3*d^3*e^9 + 1024*a^{11}*b^4*c^2*d^2*e^{10} \\
& - 8192*a^{12}*b^2*c^3*d^2*e^{10} - 28672*a^{12}*b*c^4*d^3*e^9))/(512*a^{11}*d^2*(d^ \\
& 3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/ \\
& 2)) + ((d + e*x^2)^{(1/2)}*(32*a^{10}*c^5*d*e^{12} - 48*a^{10}*b*c^4*e^{13} - 4*a^8*b \\
& ^5*c^2*e^{13} + 28*a^9*b^3*c^3*e^{13} + 4608*a^8*c^7*d^5*e^8 + 2048*a^9*c^6*d^3 \\
& *e^{10} + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608*a^5*b^6*c^ \\
& 4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^{10} + 14080*a^6 \\
& *b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3*d^3*e^{10} - \\
& 256*a^6*b^7*c^2*d^2*e^{11} - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7*b^3*c^5*d^4 \\
& *e^9 + 19776*a^7*b^4*c^4*d^3*e^{10} + 2272*a^7*b^5*c^3*d^2*e^{11} - 18048*a^8*b \\
& ^2*c^5*d^3*e^{10} - 6144*a^8*b^3*c^4*d^2*e^{11} - 32*a^7*b^6*c^2*d*e^{12} + 3584*a \\
& ^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^{12} + 4608*a^9*b*c^5*d^2*e^{11} - 408* \\
& a^9*b^2*c^4*d*e^{12}))/((32*a^8*d^2))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b \\
& *d*e))/(16*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e) \\
&)/(16*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*1i)/(1 \\
& 6*a^3*(d^3)^{(1/2)) + (((((d + e*x^2)^{(1/2)}*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e^1 \\
& 4 + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64*b^ \\
& 8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a^2 \\
& *b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - 75 \\
& 2*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^{10} \\
& + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^2* \\
& e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^9 \\
& + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13}))/((\\
& 32*a^8*d^2) + (((((a^9*c^5*e^{14})/4 - (a^6*b^6*c^2*e^{14})/16 + (7*a^7*b^4*c^3* \\
& e^{14})/16 - (13*a^8*b^2*c^4*e^{14})/16 - 12*a^6*c^8*d^6*e^8 - 12*a^7*c^7*d^4*e \\
& ^{10} + (a^8*c^6*d^2*e^{12})/4 - 8*a^2*b^8*c^4*d^6*e^8 + 6*a^2*b^9*c^3*d^5*e^9 \\
& + 2*a^2*b^10*c^2*d^4*e^{10} + 60*a^3*b^6*c^5*d^6*e^8 - 32*a^3*b^7*c^4*d^5*e^9 \\
& - (69*a^3*b^8*c^3*d^4*e^{10})/2 - (7*a^3*b^9*c^2*d^3*e^{11})/2 - 136*a^4*b^4*c \\
& ^6*d^6*e^8 + 14*a^4*b^5*c^5*d^5*e^9 + 168*a^4*b^6*c^4*d^4*e^{10} + 42*a^4*b^7 \\
& *c^3*d^3*e^{11} + (3*a^4*b^8*c^2*d^2*e^{12})/2 + 100*a^5*b^2*c^7*d^6*e^8 + 88*a \\
& ^5*b^3*c^6*d^5*e^9 - (567*a^5*b^4*c^5*d^4*e^{10})/2 - (327*a^5*b^5*c^4*d^3*e^ \\
& 11)/2 - (209*a^5*b^6*c^3*d^2*e^{12})/16 + 146*a^6*b^2*c^6*d^4*e^{10} + 228*a^6* \\
& b^3*c^5*d^3*e^{11} + (559*a^6*b^4*c^4*d^2*e^{12})/16 - (429*a^7*b^2*c^5*d^2*e^1 \\
& 2)/16 - (33*a^8*b*c^5*d*e^{13})/4 + (a^5*b^7*c^2*d*e^{13})/16 - 68*a^6*b*c^7*d^ \\
& 5*e^9 - (23*a^6*b^5*c^3*d*e^{13})/16 - 88*a^7*b*c^6*d^3*e^{11} + (109*a^7*b^3*c \\
& ^4*d*e^{13})/16)/(a^8*d^2) + (((((32*a^{12}*c^4*d*e^{12} + 192*a^{10}*c^6*d^5*e^8 + \\
& 224*a^{11}*c^5*d^3*e^{10} + 32*a^8*b^4*c^4*d^5*e^8 - 24*a^8*b^5*c^3*d^4*e^9 - \\
& 8*a^8*b^6*c^2*d^3*e^{10} - 176*a^9*b^2*c^5*d^5*e^8 + 112*a^9*b^3*c^4*d^4*e^9 \\
& + 98*a^9*b^4*c^3*d^3*e^{10} + 6*a^9*b^5*c^2*d^2*e^{11} - 320*a^{10}*b^2*c^4*d^3*e
\end{aligned}$$

$$\begin{aligned}
& ^{10} - 48*a^{10}*b^3*c^3*d^2*e^{11} - 64*a^{10}*b*c^5*d^4*e^9 + 2*a^{10}*b^4*c^2*d*e \\
& ^{12} + 96*a^{11}*b*c^4*d^2*e^{11} - 16*a^{11}*b^2*c^3*d*e^{12})/(a^8*d^2) + ((d + e* \\
& x^2)^{(1/2)}*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*(24576*a^{12}*c^5*d^ \\
& 4*e^8 + 16384*a^{13}*c^4*d^2*e^{10} + 2048*a^{10}*b^4*c^3*d^4*e^8 - 2048*a^{10}*b^5 \\
& *c^2*d^3*e^9 - 14336*a^{11}*b^2*c^4*d^4*e^8 + 15360*a^{11}*b^3*c^3*d^3*e^9 + 10 \\
& 24*a^{11}*b^4*c^2*d^2*e^{10} - 8192*a^{12}*b^2*c^3*d^2*e^{10} - 28672*a^{12}*b*c^4*d^ \\
& 3*e^9))/(512*a^{11}*d^2*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a* \\
& b*d*e))/(16*a^3*(d^3)^{(1/2)}) - ((d + e*x^2)^{(1/2)}*(32*a^{10}*c^5*d*e^{12} - 48* \\
& a^{10}*b*c^4*e^{13} - 4*a^8*b^5*c^2*e^{13} + 28*a^9*b^3*c^3*e^{13} + 4608*a^8*c^7*d \\
& ^5*e^8 + 2048*a^9*c^6*d^3*e^{10} + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2* \\
& d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8 \\
& *c^2*d^3*e^{10} + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 691 \\
& 2*a^6*b^6*c^3*d^3*e^{10} - 256*a^6*b^7*c^2*d^2*e^{11} - 16384*a^7*b^2*c^6*d^5*e \\
& ^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^{10} + 2272*a^7*b^5*c \\
& ^3*d^2*e^{11} - 18048*a^8*b^2*c^5*d^3*e^{10} - 6144*a^8*b^3*c^4*d^2*e^{11} - 32*a \\
& ^7*b^6*c^2*d*e^{12} + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^{12} + 4608* \\
& a^9*b*c^5*d^2*e^{11} - 408*a^9*b^2*c^4*d*e^{12}))/((32*a^8*d^2))*(a^2*e^2 - 8*b^ \\
& 2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 \\
& + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a* \\
& c*d^2 + 4*a*b*d*e)*i)/((7*a^5*c^7*d*e^{14})/32 + (7*a \\
& ^3*c^9*d^5*e^{10})/4 + (63*a^4*c^8*d^3*e^{12})/32 - 2*b^4*c^8*d^7*e^8 + 2*b^5*c \\
& ^7*d^6*e^9 + 2*a^2*b^2*c^8*d^5*e^{10} + 7*a^2*b^3*c^7*d^4*e^{11} - (7*a^3*b^2*c \\
& ^7*d^3*e^{12})/2 + 2*a*b^2*c^9*d^7*e^8 + 2*a*b^3*c^8*d^6*e^9 - 6*a*b^4*c^7*d^ \\
& 5*e^{10} - 3*a^2*b*c^9*d^6*e^9 - (17*a^3*b*c^8*d^4*e^{11})/4 + (9*a^4*b*c^7*d^2 \\
& *e^{13})/32)/(a^8*d^2) - (((d + e*x^2)^{(1/2)}*(a^6*b^2*c^5*e^{14} - 2*a^7*c^6*e \\
& ^{14} + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34*a^6*c^7*d^2*e^{12} + 64* \\
& b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b^5*c^6*d^5*e^9 + 192*a \\
& ^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280*a^3*b^3*c^7*d^5*e^9 - \\
& 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + 704*a^4*b^2*c^7*d^4*e^ \\
& ^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^{12} + 60*a^5*b^2*c^6*d^ \\
& 2*e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 - 192*a*b^7*c^5*d^5*e^ \\
& ^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + 6*a^5*b^3*c^5*d*e^{13}))/ \\
& ((32*a^8*d^2) - (((a^9*c^5*e^{14})/4 - (a^6*b^6*c^2*e^{14})/16 + (7*a^7*b^4*c^ \\
& 3*e^{14})/16 - (13*a^8*b^2*c^4*e^{14})/16 - 12*a^6*c^8*d^6*e^8 - 12*a^7*c^7*d^4 \\
& *e^{10} + (a^8*c^6*d^2*e^{12})/4 - 8*a^2*b^8*c^4*d^6*e^8 + 6*a^2*b^9*c^3*d^5*e^ \\
& ^9 + 2*a^2*b^10*c^2*d^4*e^{10} + 60*a^3*b^6*c^5*d^6*e^8 - 32*a^3*b^7*c^4*d^5*e \\
& ^9 - (69*a^3*b^8*c^3*d^4*e^{10})/2 - (7*a^3*b^9*c^2*d^3*e^{11})/2 - 136*a^4*b^4 \\
& *c^6*d^6*e^8 + 14*a^4*b^5*c^5*d^5*e^9 + 168*a^4*b^6*c^4*d^4*e^{10} + 42*a^4*b \\
& ^7*c^3*d^3*e^{11} + (3*a^4*b^8*c^2*d^2*e^{12})/2 + 100*a^5*b^2*c^7*d^6*e^8 + 88 \\
& *a^5*b^3*c^6*d^5*e^9 - (567*a^5*b^4*c^5*d^4*e^{10})/2 - (327*a^5*b^5*c^4*d^3* \\
& e^{11})/2 - (209*a^5*b^6*c^3*d^2*e^{12})/16 + 146*a^6*b^2*c^6*d^4*e^{10} + 228*a^ \\
& 6*b^3*c^5*d^3*e^{11} + (559*a^6*b^4*c^4*d^2*e^{12})/16 - (429*a^7*b^2*c^5*d^2*e \\
& ^{12})/16 - (33*a^8*b*c^5*d*e^{13})/4 + (a^5*b^7*c^2*d*e^{13})/16 - 68*a^6*b*c^7* \\
& d^5*e^9 - (23*a^6*b^5*c^3*d*e^{13})/16 - 88*a^7*b*c^6*d^3*e^{11} + (109*a^7*b^3 \\
& *c^4*d*e^{13})/16)/(a^8*d^2) + (((((32*a^{12}*c^4*d*e^{12} + 192*a^{10}*c^6*d^5*e^8
\end{aligned}$$

$$\begin{aligned}
& + 224*a^{11}*c^5*d^3*e^{10} + 32*a^8*b^4*c^4*d^5*e^8 - 24*a^8*b^5*c^3*d^4*e^9 \\
& - 8*a^8*b^6*c^2*d^3*e^{10} - 176*a^9*b^2*c^5*d^5*e^8 + 112*a^9*b^3*c^4*d^4*e^9 \\
& + 98*a^9*b^4*c^3*d^3*e^{10} + 6*a^9*b^5*c^2*d^2*e^{11} - 320*a^{10}*b^2*c^4*d^3 \\
& *e^{10} - 48*a^{10}*b^3*c^3*d^2*e^{11} - 64*a^{10}*b*c^5*d^4*e^9 + 2*a^{10}*b^4*c^2*d \\
& *e^{12} + 96*a^{11}*b*c^4*d^2*e^{11} - 16*a^{11}*b^2*c^3*d*e^{12})/(a^8*d^2) - ((d + \\
& e*x^2)^{(1/2)}*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*(24576*a^{12}*c^5* \\
& d^4*e^8 + 16384*a^{13}*c^4*d^2*e^{10} + 2048*a^{10}*b^4*c^3*d^4*e^8 - 2048*a^{10}*b \\
& ^5*c^2*d^3*e^9 - 14336*a^{11}*b^2*c^4*d^4*e^8 + 15360*a^{11}*b^3*c^3*d^3*e^9 + \\
& 1024*a^{11}*b^4*c^2*d^2*e^{10} - 8192*a^{12}*b^2*c^3*d^2*e^{10} - 28672*a^{12}*b*c^4* \\
& d^3*e^9))/(512*a^{11}*d^2*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4* \\
& a*b*d*e))/(16*a^3*(d^3)^{(1/2)}) + (((d + e*x^2)^{(1/2)}*(32*a^{10}*c^5*d*e^{12} - 4 \\
& 8*a^{10}*b*c^4*e^{13} - 4*a^8*b^5*c^2*e^{13} + 28*a^9*b^3*c^3*e^{13} + 4608*a^8*c^7 \\
& *d^5*e^8 + 2048*a^9*c^6*d^3*e^{10} + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^ \\
& 2*d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b \\
& ^8*c^2*d^3*e^{10} + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6 \\
& 912*a^6*b^6*c^3*d^3*e^{10} - 256*a^6*b^7*c^2*d^2*e^{11} - 16384*a^7*b^2*c^6*d^5 \\
& *e^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^{10} + 2272*a^7*b^5 \\
& *c^3*d^2*e^{11} - 18048*a^8*b^2*c^5*d^3*e^{10} - 6144*a^8*b^3*c^4*d^2*e^{11} - 32 \\
& *a^7*b^6*c^2*d*e^{12} + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^{12} + 460 \\
& 8*a^9*b*c^5*d^2*e^{11} - 408*a^9*b^2*c^4*d*e^{12}))/((32*a^8*d^2))*(a^2*e^2 - 8* \\
& b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^ \\
& 2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8* \\
& a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}) + (((((d + e*x^2)^{(1/2)}*(a^6*b^2* \\
& c^5*e^{14} - 2*a^7*c^6*e^{14} + 192*a^4*c^9*d^6*e^8 + 32*a^5*c^8*d^4*e^{10} + 34* \\
& a^6*c^7*d^2*e^{12} + 64*b^8*c^5*d^6*e^8 + 704*a^2*b^4*c^7*d^6*e^8 + 960*a^2*b \\
& ^5*c^6*d^5*e^9 + 192*a^2*b^6*c^5*d^4*e^{10} - 512*a^3*b^2*c^8*d^6*e^8 - 1280* \\
& a^3*b^3*c^7*d^5*e^9 - 752*a^3*b^4*c^6*d^4*e^{10} - 56*a^3*b^5*c^5*d^3*e^{11} + \\
& 704*a^4*b^2*c^7*d^4*e^{10} + 128*a^4*b^3*c^6*d^3*e^{11} - 15*a^4*b^4*c^5*d^2*e^ \\
& 12 + 60*a^5*b^2*c^6*d^2*e^{12} - 10*a^6*b*c^6*d*e^{13} - 384*a*b^6*c^6*d^6*e^8 \\
& - 192*a*b^7*c^5*d^5*e^9 + 384*a^4*b*c^8*d^5*e^9 - 144*a^5*b*c^7*d^3*e^{11} + \\
& 6*a^5*b^3*c^5*d*e^{13}))/((32*a^8*d^2) + (((((a^9*c^5*e^{14})/4 - (a^6*b^6*c^2*e^ \\
& 14)/16 + (7*a^7*b^4*c^3*e^{14})/16 - (13*a^8*b^2*c^4*e^{14})/16 - 12*a^6*c^8*d^ \\
& 6*e^8 - 12*a^7*c^7*d^4*e^{10} + (a^8*c^6*d^2*e^{12})/4 - 8*a^2*b^8*c^4*d^6*e^8 \\
& + 6*a^2*b^9*c^3*d^5*e^9 + 2*a^2*b^10*c^2*d^4*e^{10} + 60*a^3*b^6*c^5*d^6*e^8 \\
& - 32*a^3*b^7*c^4*d^5*e^9 - (69*a^3*b^8*c^3*d^4*e^{10})/2 - (7*a^3*b^9*c^2*d^3 \\
& *e^{11})/2 - 136*a^4*b^4*c^6*d^6*e^8 + 14*a^4*b^5*c^5*d^5*e^9 + 168*a^4*b^6*c \\
& ^4*d^4*e^{10} + 42*a^4*b^7*c^3*d^3*e^{11} + (3*a^4*b^8*c^2*d^2*e^{12})/2 + 100*a^ \\
& 5*b^2*c^7*d^6*e^8 + 88*a^5*b^3*c^6*d^5*e^9 - (567*a^5*b^4*c^5*d^4*e^{10})/2 - \\
& (327*a^5*b^5*c^4*d^3*e^{11})/2 - (209*a^5*b^6*c^3*d^2*e^{12})/16 + 146*a^6*b^2 \\
& *c^6*d^4*e^{10} + 228*a^6*b^3*c^5*d^3*e^{11} + (559*a^6*b^4*c^4*d^2*e^{12})/16 - \\
& (429*a^7*b^2*c^5*d^2*e^{12})/16 - (33*a^8*b*c^5*d*e^{13})/4 + (a^5*b^7*c^2*d*e^ \\
& 13)/16 - 68*a^6*b*c^7*d^5*e^9 - (23*a^6*b^5*c^3*d*e^{13})/16 - 88*a^7*b*c^6*d \\
& ^3*e^{11} + (109*a^7*b^3*c^4*d*e^{13})/16))/(a^8*d^2) + (((((32*a^{12}*c^4*d*e^{12} \\
& + 192*a^{10}*c^6*d^5*e^8 + 224*a^{11}*c^5*d^3*e^{10} + 32*a^8*b^4*c^4*d^5*e^8 - 2 \\
& 4*a^8*b^5*c^3*d^4*e^9 - 8*a^8*b^6*c^2*d^3*e^{10} - 176*a^9*b^2*c^5*d^5*e^8 +
\end{aligned}$$

$$\begin{aligned}
& 112*a^9*b^3*c^4*d^4*e^9 + 98*a^9*b^4*c^3*d^3*e^{10} + 6*a^9*b^5*c^2*d^2*e^{11} \\
& - 320*a^{10}*b^2*c^4*d^3*e^{10} - 48*a^{10}*b^3*c^3*d^2*e^{11} - 64*a^{10}*b*c^5*d^4* \\
& e^9 + 2*a^{10}*b^4*c^2*d*e^{12} + 96*a^{11}*b*c^4*d^2*e^{11} - 16*a^{11}*b^2*c^3*d*e^{12})/(a^8*d^2) + ((d + e*x^2)^{(1/2)}*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*(24576*a^{12}*c^5*d^4*e^8 + 16384*a^{13}*c^4*d^2*e^{10} + 2048*a^{10}*b^4*c^3*d^4*e^8 - 2048*a^{10}*b^5*c^2*d^3*e^9 - 14336*a^{11}*b^2*c^4*d^4*e^8 + 15360*a^{11}*b^3*c^3*d^3*e^9 + 1024*a^{11}*b^4*c^2*d^2*e^{10} - 8192*a^{12}*b^2*c^3*d^2*e^{10} - 28672*a^{12}*b*c^4*d^3*e^9))/(512*a^{11}*d^2*(d^3)^{(1/2)}))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}) - ((d + e*x^2)^{(1/2)}*(32*a^{10}*c^5*d*e^{12} - 48*a^{10}*b*c^4*e^{13} - 4*a^8*b^5*c^2*e^{13} + 28*a^9*b^3*c^3*e^{13} + 4608*a^8*c^7*d^5*e^8 + 2048*a^9*c^6*d^3*e^{10} + 512*a^4*b^8*c^3*d^5*e^8 - 512*a^4*b^9*c^2*d^4*e^9 - 4608*a^5*b^6*c^4*d^5*e^8 + 4352*a^5*b^7*c^3*d^4*e^9 + 768*a^5*b^8*c^2*d^3*e^{10} + 14080*a^6*b^4*c^5*d^5*e^8 - 11264*a^6*b^5*c^4*d^4*e^9 - 6912*a^6*b^6*c^3*d^3*e^{10} - 256*a^6*b^7*c^2*d^2*e^{11} - 16384*a^7*b^2*c^6*d^5*e^8 + 7168*a^7*b^3*c^5*d^4*e^9 + 19776*a^7*b^4*c^4*d^3*e^{10} + 2272*a^7*b^5*c^3*d^2*e^{11} - 18048*a^8*b^2*c^5*d^3*e^{10} - 6144*a^8*b^3*c^4*d^2*e^{11} - 32*a^7*b^6*c^2*d*e^{12} + 3584*a^8*b*c^6*d^4*e^9 + 228*a^8*b^4*c^3*d*e^{12} + 4608*a^9*b*c^5*d^2*e^{11} - 408*a^9*b^2*c^4*d*e^{12}))/((32*a^8*d^2))*(a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)}) * (a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)})) * (a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e))/(16*a^3*(d^3)^{(1/2)})) * (a^2*e^2 - 8*b^2*d^2 + 8*a*c*d^2 + 4*a*b*d*e)*1i)/(8*a^3*(d^3)^{(1/2)})
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/x**5/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.361 \quad \int \frac{x^4 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=390

$$\frac{\left(-\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} - \frac{\left(\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

[Out] $1/2*(-2*b*e+c*d)*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/c^2/e^{(1/2)}+1/2*x*(e*x^2+d)^{(1/2)}/c-\operatorname{arctan}(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(e*x^2+d)^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b*c*d-b^2*e+a*c*e+(-3*a*b*c*e+2*a*c^2*d+b^3*e-b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/c^2/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-\operatorname{arctan}(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(e*x^2+d)^{(1/2)})/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b*c*d-b^2*e+a*c*e+(3*a*b*c*e-2*a*c^2*d-b^3*e+b^2*c*d)/(-4*a*c+b^2)^{(1/2)})/c^2/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 2.92, antiderivative size = 390, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1291, 388, 217, 206, 1692, 377, 205}

$$\frac{\left(-\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} - \frac{\left(\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^4\sqrt{d+ex^2})/(a+bx^2+cx^4),x]$

[Out] $(x*\sqrt{d+ex^2})/(2*c) - ((b*c*d - b^2*e + a*c*e - (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\sqrt{b^2 - 4*a*c})*\operatorname{ArcTan}[(\sqrt{2*c*d - (b - \sqrt{b^2 - 4*a*c})*e})*x]/(\sqrt{b - \sqrt{b^2 - 4*a*c}}*\sqrt{d+ex^2}))/((c^2*\sqrt{b - \sqrt{b^2 - 4*a*c}}*\sqrt{2*c*d - (b - \sqrt{b^2 - 4*a*c})*e}) - ((b*c*d - b^2*e + a*c*e + (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\sqrt{b^2 - 4*a*c})*\operatorname{ArcTan}[(\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e})*x]/(\sqrt{b + \sqrt{b^2 - 4*a*c}}*\sqrt{d+ex^2}))/((c^2*\sqrt{b + \sqrt{b^2 - 4*a*c}}*\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}) + ((c*d - 2*b*e)*\operatorname{ArcTanh}[(\sqrt{e})*x]/\sqrt{d+ex^2}))/((2*c^2*\sqrt{e}))$

Rule 205

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{(x_+)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 206

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{(x_+)^2}, x_Symbol] \rightarrow \text{Simp}[\frac{1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[a, 2]}{\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]}, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[\frac{1}{\sqrt{(a_+) + (b_+)(x_+)^2}}, x_Symbol] \rightarrow \text{Subst}[\text{Int}[\frac{1}{1 - b \cdot x^2}, x], x, x/\sqrt{a + b \cdot x^2}] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ !\text{GtQ}[a, 0]$

Rule 377

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^{n_+}}{(x_+)^{p_+}} / ((c_+) + (d_+)(x_+)^{n_+}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[\frac{1}{c - (b \cdot c - a \cdot d) \cdot x^n}, x], x, x/(a + b \cdot x^n)^{1/n}] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{EqQ}[n \cdot p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 388

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^{n_+}}{(x_+)^{p_+}} \cdot ((c_+) + (d_+)(x_+)^{n_+}), x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot x \cdot (a + b \cdot x^n)^{p+1}}{b \cdot (n \cdot (p+1) + 1)}, x] - \text{Dist}[\frac{a \cdot d - b \cdot c \cdot (n \cdot (p+1) + 1)}{b \cdot (n \cdot (p+1) + 1)}, \text{Int}[(a + b \cdot x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{NeQ}[n \cdot (p+1) + 1, 0]$

Rule 1291

$\text{Int}[\frac{((f_+) \cdot (x_+))^{m_+} \cdot ((d_+) + (e_+) \cdot (x_+)^2)^{q_+}}{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{Dist}[f^4/c^2, \text{Int}[(f \cdot x)^{m-4} \cdot (c \cdot d - b \cdot e + c \cdot e \cdot x^2) \cdot (d + e \cdot x^2)^{q-1}, x], x] - \text{Dist}[f^4/c^2, \text{Int}[(f \cdot x)^{m-4} \cdot (d + e \cdot x^2)^{q-1} \cdot \text{Simp}[a \cdot (c \cdot d - b \cdot e) + (b \cdot c \cdot d - b^2 \cdot e + a \cdot c \cdot e) \cdot x^2, x]] / (a + b \cdot x^2 + c \cdot x^4), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \ \&\& \ !\text{IntegerQ}[q] \ \&\& \ \text{GtQ}[q, 0] \ \&\& \ \text{GtQ}[m, 3]$

Rule 1692

$\text{Int}[(P_x) \cdot ((d_+) + (e_+) \cdot (x_+)^2)^{q_+} \cdot ((a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4)^{p_+}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_x \cdot (d + e \cdot x^2)^q \cdot (a + b \cdot x^2 + c \cdot x^4)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, q\}, x] \ \&\& \ \text{PolyQ}[P_x, x^2] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= \frac{\int \frac{cd-be+cx^2}{\sqrt{d+ex^2}} dx}{c^2} - \frac{\int \frac{a(cd-be)+(bcd-b^2e+ace)x^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2c} - \frac{\int \left(\frac{bcd-b^2e+ace+\frac{-b^2cd+2ac^2d+b^3e-3abce}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{bcd-b^2e+ace-\frac{-b^2cd+2ac^2d+b^3e-3abce}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{c^2} + \frac{(cd-2be)}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2c} + \frac{(cd-2be) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c^2} - \frac{\left(bcd-b^2e+ace-\frac{b^2cd-2ac^2d-b^3e+3abce}{\sqrt{b^2-4ac}}\right)}{2c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2c} + \frac{(cd-2be) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c^2\sqrt{e}} - \frac{\left(bcd-b^2e+ace-\frac{b^2cd-2ac^2d-b^3e+3abce}{\sqrt{b^2-4ac}}\right) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c^2\sqrt{e}} \\
&= \frac{x\sqrt{d+ex^2}}{2c} - \frac{\left(bcd-b^2e+ace-\frac{b^2cd-2ac^2d-b^3e+3abce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})ex}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-(b-\sqrt{b^2-4ac})e}} - \frac{(bcd-2be)}{c^2}
\end{aligned}$$

Mathematica [B] time = 6.40, size = 10915, normalized size = 27.99

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*sqrt[d + e*x^2])/(a + b*x^2 + c*x^4), x]

[Out] Result too large to show

fricas [B] time = 62.65, size = 6534, normalized size = 16.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] [1/4*(sqrt(1/2)*c^2*e*sqrt(-((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e + (b^2*c^4 - 4*a*c^5)*sqrt(((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2


```

^9)) - ((b^5*c - 5*a*b^3*c^2 + 4*a^2*b*c^3)*d - (b^6 - 6*a*b^4*c + 8*a^2*b^
2*c^2)*e)*x)*sqrt(-((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e
+ (b^2*c^4 - 4*a*c^5)*sqrt(((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5
*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2
))/(b^2*c^8 - 4*a*c^9)))/(b^2*c^4 - 4*a*c^5))/x^2) + sqrt(1/2)*c^2*e*sqrt(-
((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - (b^2*c^4 - 4*a*c
^5)*sqrt(((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 +
2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c
^9)))/(b^2*c^4 - 4*a*c^5))*log(-((a*b^2*c^4 - 4*a^2*c^5)*d*x^2*sqrt(((b^4*c^
2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e
+ (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c^9)) - 2*(a^2*b^2*
c - a^3*c^2)*d^2 + 2*(a^2*b^3 - 2*a^3*b*c)*d*e + ((a*b^3*c - a^2*b*c^2)*d^2
- (a*b^4 + 2*a^2*b^2*c - 4*a^3*c^2)*d*e + 4*(a^2*b^3 - 2*a^3*b*c)*e^2)*x^2
+ 2*sqrt(1/2)*sqrt(e*x^2 + d)*((b^4*c^4 - 6*a*b^2*c^5 + 8*a^2*c^6)*x*sqrt(
((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c
^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c^9)) + ((b
^5*c - 5*a*b^3*c^2 + 4*a^2*b*c^3)*d - (b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*e)*
x)*sqrt(-((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - (b^2*c^
4 - 4*a*c^5)*sqrt(((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b
^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8
- 4*a*c^9)))/(b^2*c^4 - 4*a*c^5))/x^2) - sqrt(1/2)*c^2*e*sqrt(-((b^3*c -
3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - (b^2*c^4 - 4*a*c^5)*sqrt((
(b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^
3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c^9)))/(b^2*
c^4 - 4*a*c^5))*log(-((a*b^2*c^4 - 4*a^2*c^5)*d*x^2*sqrt(((b^4*c^2 - 2*a*b^
2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4
*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c^9)) - 2*(a^2*b^2*c - a^3*c^
2)*d^2 + 2*(a^2*b^3 - 2*a^3*b*c)*d*e + ((a*b^3*c - a^2*b*c^2)*d^2 - (a*b^4
+ 2*a^2*b^2*c - 4*a^3*c^2)*d*e + 4*(a^2*b^3 - 2*a^3*b*c)*e^2)*x^2 - 2*sqrt(
1/2)*sqrt(e*x^2 + d)*((b^4*c^4 - 6*a*b^2*c^5 + 8*a^2*c^6)*x*sqrt(((b^4*c^2
- 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e +
(b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c^9)) + ((b^5*c - 5*a
*b^3*c^2 + 4*a^2*b*c^3)*d - (b^6 - 6*a*b^4*c + 8*a^2*b^2*c^2)*e)*x)*sqrt(-
(b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - (b^2*c^4 - 4*a*c^
5)*sqrt(((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2
*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2))/(b^2*c^8 - 4*a*c^9
)))/(b^2*c^4 - 4*a*c^5))/x^2) + 2*sqrt(e*x^2 + d)*c*e*x - 2*(c*d - 2*b*e)*
sqrt(-e)*arctan(sqrt(-e)*x/sqrt(e*x^2 + d)))/(c^2*e)]

```

giac [A] time = 2.04, size = 53, normalized size = 0.14

$$-\frac{(cd - 2be)e^{\left(-\frac{1}{2}\right)} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{4c^2} + \frac{\sqrt{x^2e + dx}}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $-\frac{1}{4}(cd - 2be)e^{-1/2} \log((xe^{1/2} - \sqrt{x^2e + d})^2)/c^2 + \frac{1}{2} \sqrt{x^2e + d} x/c$

maple [C] time = 0.04, size = 290, normalized size = 0.74

$$\frac{b\sqrt{e} \ln\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)}{c^2} + \frac{d \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{2c\sqrt{e}} + \frac{\sqrt{ex^2 + d}x}{2c} + \frac{1}{2c^2} \left(\text{RootOf}\left(-Z^4c + cd^4 + (4be - 4cd)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x)

[Out] $\frac{1}{2}x(e*x^2+d)^{1/2}/c + \frac{1}{2}c/d/e^{1/2} \ln(e^{1/2}x + (e*x^2+d)^{1/2}) + \frac{1}{2}/c^2 e^{1/2} \sum\left(\left((a*c*e - b^2*e + b*c*d) * _R^2 + 2*(-2*a*b*e^2 + a*c*d*e + b^2*d*e - b*c*d^2) * _R + e*c*d^2*a - b^2*d^2*e + b*c*d^3\right) / \left(_R^3*c + 3*_R^2*b*e - 3*_R^2*c*d + 8*_R*a*e^2 - 4*_R*b*d*e + 3*_R*c*d^2 + b*d^2*e - c*d^3\right) * \ln\left(\left(-e^{1/2}x + (e*x^2+d)^{1/2}\right)^2 - _R\right), _R = \text{RootOf}\left(c*_Z^4 + (4*b*e - 4*c*d)*_Z^3 + (16*a*e^2 - 8*b*d*e + 6*c*d^2)*_Z^2 + (4*b*d^2*e - 4*c*d^3)*_Z + c*d^4\right) + 1/c^2 e^{1/2} * b * \ln\left(-e^{1/2}x + (e*x^2+d)^{1/2}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d} x^4}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)*x^4/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sqrt{ex^2 + d}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(d + e*x^2)^(1/2))/(a + b*x^2 + c*x^4),x)

[Out] int((x^4*(d + e*x^2)^(1/2))/(a + b*x^2 + c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sqrt{d + ex^2}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x**2+d)**(1/2)/(c*x**4+b*x**2+a), x)
```

```
[Out] Integral(x**4*sqrt(d + e*x**2)/(a + b*x**2 + c*x**4), x)
```

$$3.362 \quad \int \frac{x^2 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=324

$$\frac{\left(-\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\left(\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right)}{c\sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

[Out] $\operatorname{arctanh}(x\sqrt{d+ex^2}/(e\sqrt{d+ex^2}))\sqrt{d+ex^2}/c + \operatorname{arctan}(x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}/(\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}))\sqrt{d+ex^2}/(b-\sqrt{b^2-4ac}) + \operatorname{arctan}(x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}/(\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}))\sqrt{d+ex^2}/(b+\sqrt{b^2-4ac})$

Rubi [A] time = 1.52, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1293, 217, 206, 1692, 377, 205}

$$\frac{\left(-\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\left(\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right)}{c\sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^2\sqrt{d+ex^2})/(a+bx^2+cx^4), x]$

[Out] $((c*d - b*e - (b*c*d - b^2*e + 2*a*c*e)/\sqrt{b^2 - 4*a*c}) * \operatorname{ArcTan}[(\sqrt{2*c*d - (b - \sqrt{b^2 - 4*a*c})} * x) / (\sqrt{b - \sqrt{b^2 - 4*a*c}} * \sqrt{d + e*x^2})]) / (c * \sqrt{b - \sqrt{b^2 - 4*a*c}} * \sqrt{2*c*d - (b - \sqrt{b^2 - 4*a*c})} * e) + ((c*d - b*e + (b*c*d - b^2*e + 2*a*c*e)/\sqrt{b^2 - 4*a*c}) * \operatorname{ArcTan}[(\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})} * x) / (\sqrt{b + \sqrt{b^2 - 4*a*c}} * \sqrt{d + e*x^2})]) / (c * \sqrt{b + \sqrt{b^2 - 4*a*c}} * \sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})} * e) + (\sqrt{e} * \operatorname{ArcTanh}[(\sqrt{e} * x) / \sqrt{d + e*x^2}]) / c$

Rule 205

$\operatorname{Int}[(a + b*x^2)^(n-1), x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] * \operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1293

```
Int[(((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Dist[(e*f^2)/c, Int[(f*x)^(m - 2)*(d + e*x^2)^(
q - 1), x], x] - Dist[f^2/c, Int[((f*x)^(m - 2)*(d + e*x^2)^(q - 1)*Simp[a
*e - (c*d - b*e)*x^2, x]]/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d,
e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && GtQ[m, 1
] && LeQ[m, 3]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= -\frac{\int \frac{ae-(cd-be)x^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{c} + \frac{e \int \frac{1}{\sqrt{d+ex^2}} dx}{c} \\
&= -\frac{\int \left(\frac{-cd+be+\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{-cd+be-\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{c} + \frac{e \operatorname{Subst} \left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right)}{c} \\
&= \frac{\sqrt{e} \tanh^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d+ex^2}} \right)}{c} + \frac{\left(cd-be + \frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}} \right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{c} - \frac{(-cd+be + \frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{c} \\
&= \frac{\sqrt{e} \tanh^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d+ex^2}} \right)}{c} + \frac{\left(cd-be + \frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}} \right) \operatorname{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac}-(-2cd+(b+\sqrt{b^2-4ac})e)x^2} dx \right)}{c} - \frac{\left(-cd+be + \frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}} \right) \operatorname{Subst} \left(\int \frac{1}{b-\sqrt{b^2-4ac}-(-2cd+(b-\sqrt{b^2-4ac})e)x^2} dx \right)}{c} \\
&= \frac{\left(cd-be - \frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})ex}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-(b-\sqrt{b^2-4ac})e}} + \frac{\left(cd-be + \frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b+\sqrt{b^2-4ac})ex}}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c\sqrt{b+\sqrt{b^2-4ac}} \sqrt{2cd-(b+\sqrt{b^2-4ac})e}}
\end{aligned}$$

Mathematica [B] time = 6.17, size = 7768, normalized size = 23.98

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*sqrt[d + e*x^2])/(a + b*x^2 + c*x^4),x]

[Out] Result too large to show

fricas [B] time = 10.79, size = 3260, normalized size = 10.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] [-1/4*(sqrt(1/2)*c*sqrt(-(b*c*d - (b^2 - 2*a*c)*e + (b^2*c^2 - 4*a*c^3)*sqrt((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c^2 - 4*a*c^3))*log(-((b^2*c^2 - 4*a*c^3)*d*x^2*sqrt((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)) + 2*a*c*d^2 - 2*a*b*d*e - (b*c*d^2 + 4*a*b*e^2 - (b^2 + 4*

$$\begin{aligned}
& a*c)*d*e)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((b^3*c^2 - 4*a*b*c^3)*x*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} - ((b^2*c - 4*a*c^2)*d \\
& - (b^3 - 4*a*b*c)*e)*x)*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c^2 - 4*a \\
& *c^3))/x^2) - \sqrt{1/2}*c*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c^2 - \\
& 4*a*c^3))*\log(-((b^2*c^2 - 4*a*c^3)*d*x^2*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} + 2*a*c*d^2 - 2*a*b*d*e - (b*c*d^2 + 4*a*b*e^2 - (\\
& b^2 + 4*a*c)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((b^3*c^2 - 4*a*b*c^3)*x*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} - ((b^2*c - 4*a \\
& *c^2)*d - (b^3 - 4*a*b*c)*e)*x)*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c \\
& ^2 - 4*a*c^3))/x^2) + \sqrt{1/2}*c*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e - (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^ \\
& 2*c^2 - 4*a*c^3))*\log(((b^2*c^2 - 4*a*c^3)*d*x^2*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} - 2*a*c*d^2 + 2*a*b*d*e + (b*c*d^2 + 4*a*b \\
& e^2 - (b^2 + 4*a*c)*d*e)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((b^3*c^2 - 4*a*b*c^3)*x*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} + ((b^2*c \\
& - 4*a*c^2)*d - (b^3 - 4*a*b*c)*e)*x)*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e - (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)) \\
&)/(b^2*c^2 - 4*a*c^3))/x^2) - \sqrt{1/2}*c*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e - (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5 \\
&)))/(b^2*c^2 - 4*a*c^3))*\log(((b^2*c^2 - 4*a*c^3)*d*x^2*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} - 2*a*c*d^2 + 2*a*b*d*e + (b*c*d^2 + \\
& 4*a*b*e^2 - (b^2 + 4*a*c)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((b^3*c^2 - 4*a*b*c^3)*x*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} + \\
& ((b^2*c - 4*a*c^2)*d - (b^3 - 4*a*b*c)*e)*x)*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e - (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a \\
& *c^5)))/(b^2*c^2 - 4*a*c^3))/x^2) - 2*\sqrt{e}*\log(-2*e*x^2 - 2*\sqrt{e*x^2 + d}*\sqrt{e}*x - d)/c, -1/4*(\sqrt{1/2})*c*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + \\
& (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c^2 - 4*a*c^3))*\log(-((b^2*c^2 - 4*a*c^3)*d*x^2*\sqrt{(c^2*d^2 - 2* \\
& b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} + 2*a*c*d^2 - 2*a*b*d*e - (b*c*d^2 + 4*a*b*e^2 - (b^2 + 4*a*c)*d*e)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((b^3*c^ \\
& 2 - 4*a*b*c^3)*x*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} - ((b^2*c - 4*a*c^2)*d - (b^3 - 4*a*b*c)*e)*x)*\sqrt{-(b*c*d - (b^2 - 2*a*c) \\
& *e + (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c^2 - 4*a*c^3))/x^2) - \sqrt{1/2}*c*\sqrt{-(b*c*d - (b^2 - 2*a \\
& *c)*e + (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)))/(b^2*c^2 - 4*a*c^3))*\log(-((b^2*c^2 - 4*a*c^3)*d*x^2*\sqrt{(c^2* \\
& d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4*a*c^5)} + 2*a*c*d^2 - 2*a*b*d*e - (\\
& b*c*d^2 + 4*a*b*e^2 - (b^2 + 4*a*c)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((b^3*c^2 - 4*a*b*c^3)*x*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2*c^4 - 4* \\
& a*c^5)} - ((b^2*c - 4*a*c^2)*d - (b^3 - 4*a*b*c)*e)*x)*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + (b^2*c^2 - 4*a*c^3))}*\sqrt{(c^2*d^2 - 2*b*c*d*e + b^2*e^2)/(b^2* \\
& c^4 - 4*a*c^5)))/(b^2*c^2 - 4*a*c^3))
\end{aligned}$$

$$\frac{c^4 - 4ac^5}{(b^2c^2 - 4a^2c^3)} \frac{1}{x^2} + \frac{\sqrt{1/2}c\sqrt{-(b^2c^2 - 4a^2c^3)}\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5)}}{(b^2c^2 - 4a^2c^3)} \log\left(\frac{(b^2c^2 - 4a^2c^3)d^2x^2\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5)} - 2a^2cd^2 + 2a^2bd + (b^2cd^2 + 4ab^2e^2 - (b^2 + 4a^2c)d^2)x^2 + 2\sqrt{1/2}\sqrt{(ex^2 + d)}((b^3c^2 - 4a^2bc^3)x\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5)} + ((b^2c - 4a^2c^2)d - (b^3 - 4a^2bc)e)x)\sqrt{-(b^2cd - (b^2 - 2a^2c)e - (b^2c^2 - 4a^2c^3)\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5))}}}{(b^2c^2 - 4a^2c^3)}\right) \frac{1}{x^2} - \frac{\sqrt{1/2}c\sqrt{-(b^2cd - (b^2 - 2a^2c)e - (b^2c^2 - 4a^2c^3)\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5))}}}{(b^2c^2 - 4a^2c^3)} \log\left(\frac{(b^2c^2 - 4a^2c^3)d^2x^2\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5)} - 2a^2cd^2 + 2a^2bd + (b^2cd^2 + 4ab^2e^2 - (b^2 + 4a^2c)d^2)x^2 - 2\sqrt{1/2}\sqrt{(ex^2 + d)}((b^3c^2 - 4a^2bc^3)x\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5)} + ((b^2c - 4a^2c^2)d - (b^3 - 4a^2bc)e)x)\sqrt{-(b^2cd - (b^2 - 2a^2c)e - (b^2c^2 - 4a^2c^3)\sqrt{(c^2d^2 - 2b^2cd + b^2e^2)/(b^2c^4 - 4a^2c^5))}}}{(b^2c^2 - 4a^2c^3)}\right) \frac{1}{x^2} + 4\sqrt{-e}\arctan\left(\frac{\sqrt{-e}x}{\sqrt{ex^2 + d}}\right) \frac{1}{c}$$

giac [A] time = 1.83, size = 27, normalized size = 0.08

$$\frac{e^{\frac{1}{2}} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/2*e^(1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c

maple [C] time = 0.03, size = 224, normalized size = 0.69

$$\frac{\sqrt{e} \ln\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)}{c} + \frac{2c \left(\text{RootOf}\left(-Z^4c + cd^4 + (4be - 4cd)_Z^3 + (16ae^2 - 8deb + 6cd^2)_Z^2 + (4b\right)} \right)}{2c \left(\text{RootOf}\left(-Z^4c + cd^4 + (4be - 4cd)_Z^3 + (16ae^2 - 8deb + 6cd^2)_Z^2 + (4b\right)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x)

[Out] 1/2*e^(1/2)/c*sum(((b^2e-c^2d)*_R^2+2*(2*a*e^2-b*d*e+c*d^2)*_R+b*d^2*e-c*d^3)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(-Z^4*c+cd^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z)-e^(1/2)/c*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d} x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)*x^2/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sqrt{ex^2 + d}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(d + e*x^2)^(1/2))/(a + b*x^2 + c*x^4),x)

[Out] int((x^2*(d + e*x^2)^(1/2))/(a + b*x^2 + c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{d + ex^2}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)**(1/2)/(c*x**4+b*x**2+a),x)

[Out] Integral(x**2*sqrt(d + e*x**2)/(a + b*x**2 + c*x**4), x)

$$3.363 \quad \int \frac{\sqrt{d+ex^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=240

$$\frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tan^{-1} \left(\frac{x \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}{\sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b}}$$

[Out] arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(-4*a*c+b^2)^(1/2)/(b-(-4*a*c+b^2)^(1/2)))^(1/2)-arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b+(-4*a*c+b^2)^(1/2)))^(1/2)*(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)/(-4*a*c+b^2)^(1/2)/(b+(-4*a*c+b^2)^(1/2)))^(1/2)

Rubi [A] time = 0.32, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1174, 402, 217, 206, 377, 205}

$$\frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \tan^{-1} \left(\frac{x \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}{\sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x^2]/(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]*ArcTan[(Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])])/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*ArcTan[(Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])])/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

Rule 1174

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symb
ol] := With[{r = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/r, Int[(d + e*x^2)^q/(b -
r + 2*c*x^2), x], x] - Dist[(2*c)/r, Int[(d + e*x^2)^q/(b + r + 2*c*x^2), x
], x]] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2
- b*d*e + a*e^2, 0] && !IntegerQ[q]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{a+bx^2+cx^4} dx &= \frac{(2c) \int \frac{\sqrt{d+ex^2}}{b-\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{\sqrt{d+ex^2}}{b+\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} \\
&= \frac{\left(2cd - (b - \sqrt{b^2-4ac})e\right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{\sqrt{b^2-4ac}} + \frac{\left(-2cd + (b + \sqrt{b^2-4ac})e\right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{\sqrt{b^2-4ac}} \\
&= \frac{\left(2cd - (b - \sqrt{b^2-4ac})e\right) \text{Subst}\left(\int \frac{1}{b-\sqrt{b^2-4ac} - (-2cd+(b-\sqrt{b^2-4ac})e)x^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}} + \frac{\left(-2cd + (b + \sqrt{b^2-4ac})e\right) \text{Subst}\left(\int \frac{1}{b+\sqrt{b^2-4ac} - (-2cd+(b+\sqrt{b^2-4ac})e)x^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}} \\
&= \frac{\sqrt{2cd - (b - \sqrt{b^2-4ac})e} \tan^{-1}\left(\frac{\sqrt{2cd - (b - \sqrt{b^2-4ac})e} x}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac} \sqrt{b - \sqrt{b^2-4ac}}} - \frac{\sqrt{2cd - (b + \sqrt{b^2-4ac})e} \tan^{-1}\left(\frac{\sqrt{2cd - (b + \sqrt{b^2-4ac})e} x}{\sqrt{b + \sqrt{b^2-4ac}} \sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac} \sqrt{b + \sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [B] time = 5.12, size = 2585, normalized size = 10.77

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d + e*x^2]/(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c])*e)/c]*Log[-(Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2]) + x] - Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c])*e)/c]*Log[Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2] + x] - 2*c*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*d*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[-(Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2]) + x] + b*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*e*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[-(Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2]) + x] + Sqrt[b^2 - 4*a*c]*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*e*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[-(Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2]) + x] + 2*c*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*d*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2] + x] - b*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*e*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2] + x] - Sqrt[b^2 - 4*a*c]*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*e*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c])/Sqrt[2] + x] + 2*c*Sqrt[-(b + Sqrt[b^2 - 4*a*c])/c]*d*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c])*e)/c]*L

```

og[2*d - Sqrt[2]*Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c]*e*x + Sqrt[(4*c*d - 2*b*e
+ 2*Sqrt[b^2 - 4*a*c]*e)/c]*Sqrt[d + e*x^2]] - b*Sqrt[-((b + Sqrt[b^2 - 4*
a*c])/c)]*e*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c])*e)/c]*Log[2*d - Sqrt[2]*Sqr
t[(-b + Sqrt[b^2 - 4*a*c])/c]*e*x + Sqrt[(4*c*d - 2*b*e + 2*Sqrt[b^2 - 4*a*
c]*e)/c]*Sqrt[d + e*x^2]] + Sqrt[b^2 - 4*a*c]*Sqrt[-((b + Sqrt[b^2 - 4*a*c]
)/c)]*e*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c])*e)/c]*Log[2*d - Sqrt[2]*Sqrt[(-
b + Sqrt[b^2 - 4*a*c])/c]*e*x + Sqrt[(4*c*d - 2*b*e + 2*Sqrt[b^2 - 4*a*c]*e
)/c]*Sqrt[d + e*x^2]] - 2*c*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*d*Sqrt[2*d -
((b + Sqrt[b^2 - 4*a*c])*e)/c]*Log[2*d + Sqrt[2]*Sqrt[(-b + Sqrt[b^2 - 4*a
*c])/c]*e*x + Sqrt[(4*c*d - 2*b*e + 2*Sqrt[b^2 - 4*a*c]*e)/c]*Sqrt[d + e*x^
2]] + b*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*e*Sqrt[2*d - ((b + Sqrt[b^2 - 4*
a*c])*e)/c]*Log[2*d + Sqrt[2]*Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c]*e*x + Sqrt[(
4*c*d - 2*b*e + 2*Sqrt[b^2 - 4*a*c]*e)/c]*Sqrt[d + e*x^2]] - Sqrt[b^2 - 4*a
*c]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*e*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c]
)*e)/c]*Log[2*d + Sqrt[2]*Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c]*e*x + Sqrt[(4*c*
d - 2*b*e + 2*Sqrt[b^2 - 4*a*c]*e)/c]*Sqrt[d + e*x^2]] - 2*c*Sqrt[(-b + Sqr
t[b^2 - 4*a*c])/c]*d*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[2*d -
Sqrt[2]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*e*x + Sqrt[4*d - (2*(b + Sqrt[b^
2 - 4*a*c])*e)/c]*Sqrt[d + e*x^2]] + b*Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c]*e*S
qrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[2*d - Sqrt[2]*Sqrt[-((b + Sq
rt[b^2 - 4*a*c])/c)]*e*x + Sqrt[4*d - (2*(b + Sqrt[b^2 - 4*a*c])*e)/c]*Sqrt
[d + e*x^2]] + Sqrt[b^2 - 4*a*c]*Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c]*e*Sqrt[(2
*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[2*d - Sqrt[2]*Sqrt[-((b + Sqrt[b^2
- 4*a*c])/c)]*e*x + Sqrt[4*d - (2*(b + Sqrt[b^2 - 4*a*c])*e)/c]*Sqrt[d + e
*x^2]] + 2*c*Sqrt[(-b + Sqrt[b^2 - 4*a*c])/c]*d*Sqrt[(2*c*d - b*e + Sqrt[b^
2 - 4*a*c]*e)/c]*Log[2*d + Sqrt[2]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*e*x +
Sqrt[4*d - (2*(b + Sqrt[b^2 - 4*a*c])*e)/c]*Sqrt[d + e*x^2]] - b*Sqrt[(-b
+ Sqrt[b^2 - 4*a*c])/c]*e*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[2
*d + Sqrt[2]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*e*x + Sqrt[4*d - (2*(b + Sq
rt[b^2 - 4*a*c])*e)/c]*Sqrt[d + e*x^2]] - Sqrt[b^2 - 4*a*c]*Sqrt[(-b + Sqrt
[b^2 - 4*a*c])/c]*e*Sqrt[(2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e)/c]*Log[2*d + S
qrt[2]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*e*x + Sqrt[4*d - (2*(b + Sqrt[b^2
- 4*a*c])*e)/c]*Sqrt[d + e*x^2]])/(2*c*Sqrt[b^2 - 4*a*c]*Sqrt[(-b + Sqrt[b
^2 - 4*a*c])/c]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*Sqrt[(2*c*d - b*e + Sqrt
[b^2 - 4*a*c]*e)/c]*Sqrt[2*d - ((b + Sqrt[b^2 - 4*a*c])*e)/c])

```

fricas [B] time = 2.98, size = 985, normalized size = 4.10

$$\frac{1}{4} \sqrt{\frac{1}{2}} \sqrt{-\frac{bd - 2ae + (ab^2 - 4a^2c) \sqrt{\frac{d^2}{a^2b^2 - 4a^3c}}}{ab^2 - 4a^2c}} \log \left(\frac{(ab^2 - 4a^2c) d \sqrt{\frac{d^2}{a^2b^2 - 4a^3c}} x^2 + 4 \sqrt{\frac{1}{2}} (a^2b^2 - 4a^3c) \sqrt{ex^2 + c}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] 1/4*sqrt(1/2)*sqrt(-(b*d - 2*a*e + (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b^2 - 4*
a^3*c)))/(a*b^2 - 4*a^2*c))*log(-((a*b^2 - 4*a^2*c)*d*sqrt(d^2/(a^2*b^2 - 4
*a^3*c))*x^2 + 4*sqrt(1/2)*(a^2*b^2 - 4*a^3*c)*sqrt(e*x^2 + d)*sqrt(d^2/(a^
2*b^2 - 4*a^3*c))*x*sqrt(-(b*d - 2*a*e + (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b^
2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)) - 2*a*d^2 + (b*d^2 - 4*a*d*e)*x^2)/x^2) -
1/4*sqrt(1/2)*sqrt(-(b*d - 2*a*e + (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b^2 - 4
*a^3*c)))/(a*b^2 - 4*a^2*c))*log(-((a*b^2 - 4*a^2*c)*d*sqrt(d^2/(a^2*b^2 -
4*a^3*c))*x^2 - 4*sqrt(1/2)*(a^2*b^2 - 4*a^3*c)*sqrt(e*x^2 + d)*sqrt(d^2/(a
^2*b^2 - 4*a^3*c))*x*sqrt(-(b*d - 2*a*e + (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b
^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)) - 2*a*d^2 + (b*d^2 - 4*a*d*e)*x^2)/x^2)
+ 1/4*sqrt(1/2)*sqrt(-(b*d - 2*a*e - (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b^2 -
4*a^3*c)))/(a*b^2 - 4*a^2*c))*log(((a*b^2 - 4*a^2*c)*d*sqrt(d^2/(a^2*b^2 -
4*a^3*c))*x^2 + 4*sqrt(1/2)*(a^2*b^2 - 4*a^3*c)*sqrt(e*x^2 + d)*sqrt(d^2/(a
^2*b^2 - 4*a^3*c))*x*sqrt(-(b*d - 2*a*e - (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b
^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)) + 2*a*d^2 - (b*d^2 - 4*a*d*e)*x^2)/x^2)
- 1/4*sqrt(1/2)*sqrt(-(b*d - 2*a*e - (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b^2 -
4*a^3*c)))/(a*b^2 - 4*a^2*c))*log(((a*b^2 - 4*a^2*c)*d*sqrt(d^2/(a^2*b^2 -
4*a^3*c))*x^2 - 4*sqrt(1/2)*(a^2*b^2 - 4*a^3*c)*sqrt(e*x^2 + d)*sqrt(d^2/(a
^2*b^2 - 4*a^3*c))*x*sqrt(-(b*d - 2*a*e - (a*b^2 - 4*a^2*c)*sqrt(d^2/(a^2*b
^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)) + 2*a*d^2 - (b*d^2 - 4*a*d*e)*x^2)/x^2)
```

```
giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);;OUTPUT:Warning, need to choose a branch for the roo
t of a polynomial with parameters. This might be wrong.The choice was done
assuming [a,b,c]=[44,93,-37]Warning, need to choose a branch for the root o
f a polynomial with parameters. This might be wrong.The choice was done ass
uming [a,b,c]=[-72,-7,6]Evaluation time: 0.44Unable to divide, perhaps due
to rounding error%%{18446744069414584320, [4,7,8,2,3,14,2]%%}+%%{-2147483
648, [3,8,10,8,3,10,1]%%}+%%{-12884901888, [3,8,10,7,2,12,2]%%}+%%{463856
467968, [3,8,10,6,1,14,3]%%}+%%{1924145348608, [3,8,10,5,0,16,4]%%}+%%{53
6870912, [3,8,9,8,5,10,0]%%}+%%{20401094656, [3,8,9,7,4,12,1]%%}+%%{-1503
23855360, [3,8,9,6,3,14,2]%%}+%%{-3135326126080, [3,8,9,5,2,16,3]%%}+%%{-
4672924418048, [3,8,9,4,1,18,4]%%}+%%{6047313952768, [3,8,9,3,0,20,5]%%}+
%%{-4294967296, [3,8,8,7,6,12,0]%%}+%%{-42412802048, [3,8,8,6,5,14,1]%%}+
%%{1046898278400, [3,8,8,5,4,16,2]%%}+%%{6210522710016, [3,8,8,4,3,18,3]%%
}+%%{-1786706395136, [3,8,8,3,2,20,4]%%}+%%{-11544872091648, [3,8,8,2,1,22
```

,5]%%}+%%{4398046511104, [3,8,8,1,0,24,6]%%}+%%{12750684160, [3,8,7,6,7,1
4,0]%%}+%%{-23890755584, [3,8,7,5,6,16,1]%%}+%%{-2103460233216, [3,8,7,4,
5,18,2]%%}+%%{-3324304687104, [3,8,7,3,4,20,3]%%}+%%{9758165696512, [3,8,
7,2,3,22,4]%%}+%%{1649267441664, [3,8,7,1,2,24,5]%%}+%%{-4398046511104, [
3,8,7,0,1,26,6]%%}+%%{-17985175552, [3,8,6,5,8,16,0]%%}+%%{161866579968,
[3,8,6,4,7,18,1]%%}+%%{1586990415872, [3,8,6,3,6,20,2]%%}+%%{-1795296329
728, [3,8,6,2,5,22,3]%%}+%%{-4123168604160, [3,8,6,1,4,24,4]%%}+%%{384829
0697216, [3,8,6,0,3,26,5]%%}+%%{12213813248, [3,8,5,4,9,18,0]%%}+%%{-1717
98691840, [3,8,5,3,8,20,1]%%}+%%{-212600881152, [3,8,5,2,7,22,2]%%}+%%{14
77468749824, [3,8,5,1,6,24,3]%%}+%%{-1099511627776, [3,8,5,0,5,26,4]%%}+%%
{-3221225472, [3,8,4,3,10,20,0]%%}+%%{57982058496, [3,8,4,2,9,22,1]%%}+%%
{-154618822656, [3,8,4,1,8,24,2]%%}+%%{103079215104, [3,8,4,0,7,26,3]%%}+
%%{1048576, [3,6,10,4,2,4,0]%%}+%%{8388608, [3,6,10,3,1,6,1]%%}+%%{16777
216, [3,6,10,2,0,8,2]%%}+%%{-5242880, [3,6,9,3,3,6,0]%%}+%%{-29360128, [3,
6,9,2,2,8,1]%%}+%%{-33554432, [3,6,9,1,1,10,2]%%}+%%{9699328, [3,6,8,2,4,
8,0]%%}+%%{33554432, [3,6,8,1,3,10,1]%%}+%%{16777216, [3,6,8,0,2,12,2]%%
}+%%{-7864320, [3,6,7,1,5,10,0]%%}+%%{-12582912, [3,6,7,0,4,12,1]%%}+%%{
2359296, [3,6,6,0,6,12,0]%%}+%%{536870912, [2,7,10,6,2,8,1]%%}+%%{6710886
400, [2,7,10,5,1,10,2]%%}+%%{18253611008, [2,7,10,4,0,12,3]%%}+%%{-134217
728, [2,7,9,6,4,8,0]%%}+%%{-5502926848, [2,7,9,5,3,10,1]%%}+%%{-369098752
00, [2,7,9,4,2,12,2]%%}+%%{-42949672960, [2,7,9,3,1,14,3]%%}+%%{429496729
60, [2,7,9,2,0,16,4]%%}+%%{956301312, [2,7,8,5,5,10,0]%%}+%%{18656264192,
[2,7,8,4,4,12,1]%%}+%%{64961380352, [2,7,8,3,3,14,2]%%}+%%{-8589934592, [
2,7,8,2,2,16,3]%%}+%%{-85899345920, [2,7,8,1,1,18,4]%%}+%%{-2642411520, [
2,7,7,4,6,12,0]%%}+%%{-27783069696, [2,7,7,3,5,14,1]%%}+%%{-33957085184,
[2,7,7,2,4,16,2]%%}+%%{73014444032, [2,7,7,1,3,18,3]%%}+%%{42949672960, [
2,7,7,0,2,20,4]%%}+%%{3556769792, [2,7,6,3,7,14,0]%%}+%%{17716740096, [2,
7,6,2,6,16,1]%%}+%%{-12884901888, [2,7,6,1,5,18,2]%%}+%%{-39728447488, [2,
7,6,0,4,20,3]%%}+%%{-2340421632, [2,7,5,2,8,16,0]%%}+%%{-2415919104, [2,
7,5,1,7,18,1]%%}+%%{12079595520, [2,7,5,0,6,20,2]%%}+%%{603979776, [2,7,4
1,9,18,0]%%}+%%{-1207959552, [2,7,4,0,8,20,1]%%}+%%{2147483648, [1,8,10,
9,3,10,1]%%}+%%{38654705664, [1,8,10,8,2,12,2]%%}+%%{51539607552, [1,8,10
7,1,14,3]%%}+%%{-274877906944, [1,8,10,6,0,16,4]%%}+%%{-536870912, [1,8,
9,9,5,10,0]%%}+%%{-26843545600, [1,8,9,8,4,12,1]%%}+%%{-188978561024, [1,
8,9,7,3,14,2]%%}+%%{146028888064, [1,8,9,6,2,16,3]%%}+%%{962072674304, [1
8,9,5,1,18,4]%%}+%%{-549755813888, [1,8,9,4,0,20,5]%%}+%%{4294967296, [1
8,8,8,6,12,0]%%}+%%{95026151424, [1,8,8,7,5,14,1]%%}+%%{239444426752, [1
8,8,6,4,16,2]%%}+%%{-858993459200, [1,8,8,5,3,18,3]%%}+%%{-618475290624
, [1,8,8,4,2,20,4]%%}+%%{1099511627776, [1,8,8,3,1,22,5]%%}+%%{-127506841
60, [1,8,7,7,7,14,0]%%}+%%{-136633647104, [1,8,7,6,6,16,1]%%}+%%{62277025
792, [1,8,7,5,5,18,2]%%}+%%{936302870528, [1,8,7,4,4,20,3]%%}+%%{-5497558
13888, [1,8,7,3,3,22,4]%%}+%%{-549755813888, [1,8,7,2,2,24,5]%%}+%%{17985
175552, [1,8,6,6,8,16,0]%%}+%%{71940702208, [1,8,6,5,7,18,1]%%}+%%{-26736
1714176, [1,8,6,4,6,20,2]%%}+%%{-137438953472, [1,8,6,3,5,22,3]%%}+%%{481
036337152, [1,8,6,2,4,24,4]%%}+%%{-12213813248, [1,8,5,5,9,18,0]%%}+%%{72

```

47757312, [1, 8, 5, 4, 8, 20, 1]%%}+%%{103079215104, [1, 8, 5, 3, 7, 22, 2]%%}+%%{-13
7438953472, [1, 8, 5, 2, 6, 24, 3]%%}+%%{3221225472, [1, 8, 4, 4, 10, 20, 0]%%}+%%{-1
2884901888, [1, 8, 4, 3, 9, 22, 1]%%}+%%{12884901888, [1, 8, 4, 2, 8, 24, 2]%%}+%%{-1
048576, [1, 6, 10, 5, 2, 4, 0]%%}+%%{-8388608, [1, 6, 10, 4, 1, 6, 1]%%}+%%{-16777216
, [1, 6, 10, 3, 0, 8, 2]%%}+%%{8388608, [1, 6, 9, 4, 3, 6, 0]%%}+%%{62914560, [1, 6, 9, 3
, 2, 8, 1]%%}+%%{150994944, [1, 6, 9, 2, 1, 10, 2]%%}+%%{134217728, [1, 6, 9, 1, 0, 12,
3]%%}+%%{-26476544, [1, 6, 8, 3, 4, 8, 0]%%}+%%{-163577856, [1, 6, 8, 2, 3, 10, 1]%%
}+%%{-301989888, [1, 6, 8, 1, 2, 12, 2]%%}+%%{-134217728, [1, 6, 8, 0, 1, 14, 3]%%}+
%%{41156608, [1, 6, 7, 2, 5, 10, 0]%%}+%%{178257920, [1, 6, 7, 1, 4, 12, 1]%%}+%%{167
772160, [1, 6, 7, 0, 3, 14, 2]%%}+%%{-31457280, [1, 6, 6, 1, 6, 12, 0]%%}+%%{-6920601
6, [1, 6, 6, 0, 5, 14, 1]%%}+%%{9437184, [1, 6, 5, 0, 7, 14, 0]%%}+%%{-402653184, [0, 7
, 10, 7, 2, 8, 1]%%}+%%{-5637144576, [0, 7, 10, 6, 1, 10, 2]%%}+%%{-16106127360, [0,
7, 10, 5, 0, 12, 3]%%}+%%{100663296, [0, 7, 9, 7, 4, 8, 0]%%}+%%{4160749568, [0, 7, 9,
6, 3, 10, 1]%%}+%%{30198988800, [0, 7, 9, 5, 2, 12, 2]%%}+%%{28991029248, [0, 7, 9, 4
, 1, 14, 3]%%}+%%{-68719476736, [0, 7, 9, 3, 0, 16, 4]%%}+%%{-687865856, [0, 7, 8, 6,
5, 10, 0]%%}+%%{-13925089280, [0, 7, 8, 5, 4, 12, 1]%%}+%%{-48184164352, [0, 7, 8, 4
, 3, 14, 2]%%}+%%{49392123904, [0, 7, 8, 3, 2, 16, 3]%%}+%%{120259084288, [0, 7, 8, 2
, 1, 18, 4]%%}+%%{-68719476736, [0, 7, 8, 1, 0, 20, 5]%%}+%%{1845493760, [0, 7, 7, 5,
6, 12, 0]%%}+%%{19964887040, [0, 7, 7, 4, 5, 14, 1]%%}+%%{11542724608, [0, 7, 7, 3, 4
, 16, 2]%%}+%%{-113816633344, [0, 7, 7, 2, 3, 18, 3]%%}+%%{8589934592, [0, 7, 7, 1, 2
, 20, 4]%%}+%%{68719476736, [0, 7, 7, 0, 1, 22, 5]%%}+%%{-2432696320, [0, 7, 6, 4, 7,
14, 0]%%}+%%{-11207180288, [0, 7, 6, 3, 6, 16, 1]%%}+%%{28185722880, [0, 7, 6, 2, 5,
18, 2]%%}+%%{34359738368, [0, 7, 6, 1, 4, 20, 3]%%}+%%{-60129542144, [0, 7, 6, 0, 3,
22, 4]%%}+%%{1577058304, [0, 7, 5, 3, 8, 16, 0]%%}+%%{-201326592, [0, 7, 5, 2, 7, 18,
1]%%}+%%{-14495514624, [0, 7, 5, 1, 6, 20, 2]%%}+%%{17179869184, [0, 7, 5, 0, 5, 22,
3]%%}+%%{-402653184, [0, 7, 4, 2, 9, 18, 0]%%}+%%{1610612736, [0, 7, 4, 1, 8, 20, 1]
%%}+%%{-1610612736, [0, 7, 4, 0, 7, 22, 2]%%} / %%{-1024, [0, 3, 4, 2, 1, 2, 0]%%}+%%
{-4096, [0, 3, 4, 1, 0, 4, 1]%%}+%%{2560, [0, 3, 3, 1, 2, 4, 0]%%}+%%{4096, [0, 3, 3, 0,
1, 6, 1]%%}+%%{-1536, [0, 3, 2, 0, 3, 6, 0]%%} Error: Bad Argument Value

```

maple [C] time = 0.02, size = 161, normalized size = 0.67

$$2 \left(\text{RootOf} \left(-Z^4 c + c d^4 + (4be - 4cd) - Z^3 + (16a e^2 - 8deb + 6c d^2) - Z^2 + (4b d^2 e - 4c d^3) - Z \right)^3 c + 3 \text{RootOf} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)^{(1/2)}/(c*x^4+b*x^2+a), x)$

[Out] $-1/2*e^{(3/2)}*\text{sum}((_R^2+2*_R*d+d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2), _R=\text{RootOf}(-Z^4*c+c*d^4+(4*b*e-4*c*d)*-Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*-Z^2+(4*b*d^2*e-4*c*d^3)*-Z)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{ex^2 + d}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)/(a + b*x^2 + c*x^4),x)

[Out] int((d + e*x^2)^(1/2)/(a + b*x^2 + c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/(c*x**4+b*x**2+a),x)

[Out] Integral(sqrt(d + e*x**2)/(a + b*x**2 + c*x**4), x)

$$3.364 \quad \int \frac{\sqrt{d+ex^2}}{x^2(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=291

$$\frac{c \left(\frac{bd-2ae}{\sqrt{b^2-4ac}} + d \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) - c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} - a \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \frac{\sqrt{d+ex^2}}{ax}$$

[Out] $-(e*x^2+d)^{(1/2)}/a/x-c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(d+(-2*a*e+b*d)/(-4*a*c+b^2)^{(1/2)})/a/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(d+(2*a*e-b*d)/(-4*a*c+b^2)^{(1/2)})/a/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.67, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1295, 264, 1692, 377, 205}

$$\frac{c \left(\frac{bd-2ae}{\sqrt{b^2-4ac}} + d \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) - c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} - a \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \frac{\sqrt{d+ex^2}}{ax}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x^2]/(x^2*(a + b*x^2 + c*x^4)),x]

[Out] $-(\text{Sqrt}[d + e*x^2]/(a*x)) - (c*(d + (b*d - 2*a*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e) - (c*(d - (b*d - 2*a*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 264

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1295

Int[(((f_.)*(x_)^(m_))*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Dist[d/a, Int[(f*x)^m*(d + e*x^2)^(q - 1), x], x] - Dist[1/(a*f^2), Int[((f*x)^(m + 2)*(d + e*x^2)^(q - 1)*Simp[b*d - a*e + c*d*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && LtQ[m, 0]

Rule 1692

Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{x^2(a+bx^2+cx^4)} dx &= -\frac{\int \frac{bd-ae+cdx^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{a} + \frac{d \int \frac{1}{x^2\sqrt{d+ex^2}} dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{ax} - \frac{\int \left(\frac{cd+\frac{c(bd-2ae)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{cd-\frac{c(bd-2ae)}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{ax} - \frac{\left(c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{a} - \frac{\left(c \left(d + \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{ax} - \frac{\left(c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac} - (-2cd+(b+\sqrt{b^2-4ac})e)x^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right)}{a} \\
&= -\frac{\sqrt{d+ex^2}}{ax} - \frac{c \left(d + \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})e} x}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-(b-\sqrt{b^2-4ac})e}} - \frac{c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b+\sqrt{b^2-4ac})e} x}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a\sqrt{b+\sqrt{b^2-4ac}} \sqrt{2cd-(b+\sqrt{b^2-4ac})e}}
\end{aligned}$$

Mathematica [B] time = 6.32, size = 4644, normalized size = 15.96

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[d + e*x^2]/(x^2*(a + b*x^2 + c*x^4)), x]

[Out] $-\frac{\sqrt{d+ex^2}}{ax} - \frac{(-1/2*(b*d*(\text{Log}[\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 - 4*a*c]/c]/\text{Sqrt}[2] + x)/\text{Sqrt}[d + ((-b/c) - \text{Sqrt}[b^2 - 4*a*c]/c)*e]/2) - \text{Log}[2*d - \text{Sqrt}[2]*\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 - 4*a*c]/c]*e*x + 2*\text{Sqrt}[d + ((-b/c) - \text{Sqrt}[b^2 - 4*a*c]/c)*e]/2]*\text{Sqrt}[d + e*x^2]]/\text{Sqrt}[d + ((-b/c) - \text{Sqrt}[b^2 - 4*a*c]/c)*e]/2)}{\text{Sqrt}[2]*c*\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 - 4*a*c]/c]*(-(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 - 4*a*c]/c]/\text{Sqrt}[2]) - \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 - 4*a*c]/c]/\text{Sqrt}[2])} + \frac{(\text{Sqrt}[-(b/c) - \text{Sqrt}[b^2 - 4*a*c]/c]/\text{Sqrt}[2]) + \text{Sqrt}[-(b/c) + \text{Sqrt}[b^2 - 4*a*c]/c]/\text{Sqrt}[2])}{\text{Sqrt}[2]}}$

$$\begin{aligned}
& c/\sqrt{2}) * (-(\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c)/\sqrt{2}) + \sqrt{-(b/c)} + \\
& \sqrt{b^2 - 4ac}/c/\sqrt{2})) + (a * (\log[\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] / \\
& \sqrt{2} + x)/\sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d - \\
& \sqrt{2} * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] * e * x + 2 * \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac} \\
& /c)*e}/2} * \sqrt{d + e * x^2}] / \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac} \\
& /c)*e}/2})) / (\sqrt{2} * c * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c) * (-\sqrt{-(b/c)} \\
& - \sqrt{b^2 - 4ac}/c)/\sqrt{2}) - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c/\sqrt{2} \\
&) * (-\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c)/\sqrt{2}) + \sqrt{-(b/c)} + \sqrt{b^2 - \\
& 4ac}/c/\sqrt{2})) + (b * d * (\log[-\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] / \sqrt{2} \\
& + x)/\sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d + \sqrt{2} \\
& * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] * e * x + 2 * \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac} \\
& /c)*e}/2} * \sqrt{d + e * x^2}] / \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac}/c)* \\
& e}/2})) / (2 * \sqrt{2} * c * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c) * (\sqrt{-(b/c)} - \sqrt{ \\
& b^2 - 4ac}/c)/\sqrt{2} - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2}) * (\sqrt{ \\
& -(b/c)} - \sqrt{b^2 - 4ac}/c)/\sqrt{2} + \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c \\
& / \sqrt{2})) - (\sqrt{b^2 - 4ac} * d * (\log[-\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] / \sqrt{2} \\
& + x)/\sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d + \\
& \sqrt{2} * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] * e * x + 2 * \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac} \\
& /c)*e}/2} * \sqrt{d + e * x^2}] / \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac} \\
& /c)*e}/2})) / (2 * \sqrt{2} * c * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c) * (\sqrt{-(b/c)} \\
& - \sqrt{b^2 - 4ac}/c)/\sqrt{2} - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2} \\
&) * (\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c)/\sqrt{2} + \sqrt{-(b/c)} + \sqrt{b^2 - 4ac} \\
& /c)/\sqrt{2})) - (a * (\log[-\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c] / \sqrt{2} \\
& + x)/\sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d + \sqrt{2} * \sqrt{ \\
& -(b/c)} - \sqrt{b^2 - 4ac}/c] * e * x + 2 * \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac} \\
& /c)*e}/2} * \sqrt{d + e * x^2}] / \sqrt{d + ((-b/c) - \sqrt{b^2 - 4ac}/c)*e} \\
& / 2})) / (\sqrt{2} * c * \sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c) * (\sqrt{-(b/c)} - \sqrt{b^2 - \\
& 4ac}/c)/\sqrt{2} - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2}) * (\sqrt{-(b/ \\
& c)} - \sqrt{b^2 - 4ac}/c)/\sqrt{2} + \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2} \\
&)) - (b * d * (\log[\sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c] / \sqrt{2} + x)/\sqrt{d + \\
& ((-b/c) + \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d - \sqrt{2} * \sqrt{-(b/c)} + \sqrt{ \\
& b^2 - 4ac}/c] * e * x + 2 * \sqrt{d + ((-b/c) + \sqrt{b^2 - 4ac}/c)*e}/2} * \sqrt{ \\
& d + e * x^2}] / \sqrt{d + ((-b/c) + \sqrt{b^2 - 4ac}/c)*e}/2})) / (2 * \sqrt{2} * \\
& c * \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c) * (-\sqrt{-(b/c)} - \sqrt{b^2 - 4ac}/c) / \\
& \sqrt{2}) - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2}) * (\sqrt{-(b/c)} - \sqrt{b^2 - \\
& 4ac}/c)/\sqrt{2} - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2})) - (\sqrt{ \\
& b^2 - 4ac} * d * (\log[\sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c] / \sqrt{2} + x)/\sqrt{ \\
& d + ((-b/c) + \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d - \sqrt{2} * \sqrt{-(b/c)} \\
& + \sqrt{b^2 - 4ac}/c] * e * x + 2 * \sqrt{d + ((-b/c) + \sqrt{b^2 - 4ac}/c)*e} \\
& / 2} * \sqrt{d + e * x^2}] / \sqrt{d + ((-b/c) + \sqrt{b^2 - 4ac}/c)*e}/2})) / (2 * \sqrt{ \\
& 2} * c * \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c) * (-\sqrt{-(b/c)} - \sqrt{b^2 - 4ac} \\
& /c)/\sqrt{2}) - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2}) * (\sqrt{-(b/c)} - \\
& \sqrt{b^2 - 4ac}/c)/\sqrt{2} - \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c)/\sqrt{2})) + (a * (\log[\sqrt{-(b/c)} + \sqrt{b^2 - 4ac}/c] / \sqrt{2} \\
& + x)/\sqrt{d + ((-b/c) + \sqrt{b^2 - 4ac}/c)*e}/2} - \log[2*d - \sqrt{2} * \sqrt{-(b/c)} + \sqrt{b^2 - 4ac}
\end{aligned}$$

$$\begin{aligned}
& 2 - 4*a*c]/c]*e*x + 2*sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]*sqrt[d \\
& + e*x^2]]/sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]))/(sqrt[2]*c*sqrt \\
& [-(b/c) + sqrt[b^2 - 4*a*c]/c]*(-(sqrt[-(b/c) - sqrt[b^2 - 4*a*c]/c]/sqrt[2] \\
&]) - sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]))*(sqrt[-(b/c) - sqrt[b^2 - \\
& 4*a*c]/c]/sqrt[2] - sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2])) + (b*d*(Lo \\
& g[-(sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]) + x]/sqrt[d + ((-(b/c) + sq \\
& rt[b^2 - 4*a*c]/c)*e)/2] - log[2*d + sqrt[2]*sqrt[-(b/c) + sqrt[b^2 - 4*a*c \\
&]/c]*e*x + 2*sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]*sqrt[d + e*x^2 \\
&]/sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]))/(2*sqrt[2]*c*sqrt[-(b/c) \\
& + sqrt[b^2 - 4*a*c]/c]*(-(sqrt[-(b/c) - sqrt[b^2 - 4*a*c]/c]/sqrt[2]) + sq \\
& rt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]))*(sqrt[-(b/c) - sqrt[b^2 - 4*a*c]/ \\
& c]/sqrt[2] + sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2])) + (sqrt[b^2 - 4*a \\
& *c]*d*(log[-(sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]) + x]/sqrt[d + ((- \\
& b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2] - log[2*d + sqrt[2]*sqrt[-(b/c) + sqrt[b^ \\
& 2 - 4*a*c]/c]*e*x + 2*sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]*sqrt[d \\
& + e*x^2]]/sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]))/(2*sqrt[2]*c*sq \\
& rt[-(b/c) + sqrt[b^2 - 4*a*c]/c]*(-(sqrt[-(b/c) - sqrt[b^2 - 4*a*c]/c]/sqrt \\
& [2]) + sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]))*(sqrt[-(b/c) - sqrt[b^2 \\
& - 4*a*c]/c]/sqrt[2] + sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2])) - (a*e*(\\
& log[-(sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]) + x]/sqrt[d + ((-(b/c) + \\
& sqrt[b^2 - 4*a*c]/c)*e)/2] - log[2*d + sqrt[2]*sqrt[-(b/c) + sqrt[b^2 - 4*a \\
& *c]/c]*e*x + 2*sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]*sqrt[d + e*x^ \\
& 2]]/sqrt[d + ((-(b/c) + sqrt[b^2 - 4*a*c]/c)*e)/2]))/(sqrt[2]*c*sqrt[-(b/c) \\
& + sqrt[b^2 - 4*a*c]/c]*(-(sqrt[-(b/c) - sqrt[b^2 - 4*a*c]/c]/sqrt[2]) + sq \\
& rt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2]))*(sqrt[-(b/c) - sqrt[b^2 - 4*a*c]/ \\
& c]/sqrt[2] + sqrt[-(b/c) + sqrt[b^2 - 4*a*c]/c]/sqrt[2])))/a
\end{aligned}$$

fricas [B] time = 5.06, size = 2402, normalized size = 8.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^2/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/4*(sqrt(1/2)*a*x*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + (a^3*b \\
& ^2 - 4*a^4*c)*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 \\
& ^3 - a^2*b*c)*d*e)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c))*log((2*a^2*b*c \\
& *d*e + (a^3*b^2*c - 4*a^4*c^2)*d*x^2*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + \\
& a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/(a^6*b^2 - 4*a^7*c)) - 2*(a*b^2*c \\
& - a^2*c^2)*d^2 + (4*a^2*b*c*e^2 + (b^3*c - a*b*c^2)*d^2 - (5*a*b^2*c - 4*a^ \\
& 2*c^2)*d*e)*x^2 + 2*sqrt(1/2)*sqrt(e*x^2 + d)*((a^4*b^3 - 4*a^5*b*c)*x*sqrt \\
& ((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/ \\
& (a^6*b^2 - 4*a^7*c)) - ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4* \\
& a^3*b*c)*e)*x)*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + (a^3*b^2 - \\
& 4*a^4*c)*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a
\end{aligned}$$

$$\begin{aligned} & \frac{2*b*c*d*e}{(a^6*b^2 - 4*a^7*c)} \Big/ \frac{(a^3*b^2 - 4*a^4*c)}{(a^3*b^2 - 4*a^4*c)} \Big/ x^2 - \sqrt{1/2} * \\ & * x * \sqrt{-(b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + (a^3*b^2 - 4*a^4*c)*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}} \\ & / (a^6*b^2 - 4*a^7*c) \Big/ \frac{(a^3*b^2 - 4*a^4*c)}{(a^3*b^2 - 4*a^4*c)} * \log\left(\frac{2*a^2*b*c*d*e + (a^3*b^2*c - 4*a^4*c^2)*d*x^2*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}}{(a^6*b^2 - 4*a^7*c)} - 2*(a*b^2*c - a^2*c^2)*d^2 + (4*a^2*b*c*e^2 + (b^3*c - a*b*c^2)*d^2 - (5*a*b^2*c - 4*a^2*c^2)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(a^4*b^3 - 4*a^5*b*c)*x*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}\right) - ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4*a^3*b*c)*e)*x*\sqrt{-(b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + (a^3*b^2 - 4*a^4*c)*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}} / (a^6*b^2 - 4*a^7*c) - ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4*a^3*b*c)*e)*x*\sqrt{-(b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - (a^3*b^2 - 4*a^4*c)*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}} / (a^6*b^2 - 4*a^7*c) \Big/ \frac{(a^3*b^2 - 4*a^4*c)}{(a^3*b^2 - 4*a^4*c)} * \log\left(\frac{2*a^2*b*c*d*e - (a^3*b^2*c - 4*a^4*c^2)*d*x^2*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}}{(a^6*b^2 - 4*a^7*c)} - 2*(a*b^2*c - a^2*c^2)*d^2 + (4*a^2*b*c*e^2 + (b^3*c - a*b*c^2)*d^2 - (5*a*b^2*c - 4*a^2*c^2)*d*e)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(a^4*b^3 - 4*a^5*b*c)*x*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}\right) + ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4*a^3*b*c)*e)*x*\sqrt{-(b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - (a^3*b^2 - 4*a^4*c)*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}} / (a^6*b^2 - 4*a^7*c) \Big/ \frac{(a^3*b^2 - 4*a^4*c)}{(a^3*b^2 - 4*a^4*c)} \Big/ x^2 + \sqrt{1/2} * a * x * \sqrt{-(b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - (a^3*b^2 - 4*a^4*c)*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}} / (a^6*b^2 - 4*a^7*c) \Big/ \frac{(a^3*b^2 - 4*a^4*c)}{(a^3*b^2 - 4*a^4*c)} * \log\left(\frac{2*a^2*b*c*d*e - (a^3*b^2*c - 4*a^4*c^2)*d*x^2*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}}{(a^6*b^2 - 4*a^7*c)} - 2*(a*b^2*c - a^2*c^2)*d^2 + (4*a^2*b*c*e^2 + (b^3*c - a*b*c^2)*d^2 - (5*a*b^2*c - 4*a^2*c^2)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(a^4*b^3 - 4*a^5*b*c)*x*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}\right) + ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4*a^3*b*c)*e)*x*\sqrt{-(b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - (a^3*b^2 - 4*a^4*c)*\sqrt{(a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)}} / (a^6*b^2 - 4*a^7*c) \Big/ \frac{(a^3*b^2 - 4*a^4*c)}{(a^3*b^2 - 4*a^4*c)} \Big/ x^2 + 4*\sqrt{e*x^2 + d} / (a*x) \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^2/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.03, size = 272, normalized size = 0.93

$$\frac{\sqrt{e} \ln\left(-\sqrt{e} x + \sqrt{e x^2 + d}\right)}{a} + \frac{\sqrt{e} \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{a} + \frac{1}{2a \left(\text{RootOf}\left(-Z^4 c + c d^4 + (4be - 4cd) Z^3 + (16a e^2 - 8bd^2) Z^2 + (4b^2 d^2 e - 4c^2 d^3) Z + (4b^2 d^2 e - 4c^2 d^3)\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(1/2)/x^2/(c*x^4+b*x^2+a), x)

[Out] $-1/a/d/x*(e*x^2+d)^{(3/2)}+1/a*e/d*x*(e*x^2+d)^{(1/2)}+1/a*e^{(1/2)}*\ln(e^{(1/2)}*x+(e*x^2+d)^{(1/2)})+1/2/a*e^{(1/2)}*\text{sum}((_R^2*c*d+2*(-2*a*e^2+2*b*d*e-c*d^2)*_R+c*d^3)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2), _R=\text{RootOf}(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))+1/a*e^{(1/2)}*\ln(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e x^2 + d}}{(c x^4 + b x^2 + a) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^2/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)/((c*x^4 + b*x^2 + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e x^2 + d}}{x^2 (c x^4 + b x^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)/(x^2*(a + b*x^2 + c*x^4)), x)

[Out] int((d + e*x^2)^(1/2)/(x^2*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + e x^2}}{x^2 (a + b x^2 + c x^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(1/2)/x**2/(c*x**4+b*x**2+a),x)
```

```
[Out] Integral(sqrt(d + e*x**2)/(x**2*(a + b*x**2 + c*x**4)), x)
```

$$3.365 \quad \int \frac{\sqrt{d+ex^2}}{x^4(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=373

$$\frac{c \left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{c \left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

[Out] $-1/3*(e*x^2+d)^{(1/2)}/a/x^3+2/3*e*(e*x^2+d)^{(1/2)}/a/d/x+(-a*e+b*d)*(e*x^2+d)^{(1/2)}/a^2/d/x+c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b*d-a*e+(-a*b*e-2*a*c*d+b^2*d)/(-4*a*c+b^2)^{(1/2)})/a^2/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b*d-a*e+(a*b*e+2*a*c*d-b^2*d)/(-4*a*c+b^2)^{(1/2)})/a^2/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 2.53, antiderivative size = 373, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1295, 271, 264, 6728, 1692, 377, 205}

$$\frac{c \left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{c \left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[d + e*x^2]/(x^4*(a + b*x^2 + c*x^4)), x]

[Out] $-Sqrt[d + e*x^2]/(3*a*x^3) + (2*e*Sqrt[d + e*x^2])/(3*a*d*x) + ((b*d - a*e)*Sqrt[d + e*x^2])/(a^2*d*x) + (c*(b*d - a*e + (b^2*d - 2*a*c*d - a*b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])]/(a^2*Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]) + (c*(b*d - a*e - (b^2*d - 2*a*c*d - a*b*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])]/(a^2*Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 264

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m+1)*(a+b*x^n)^(p+1))/(a*c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n+p+1, 0] && NeQ[m, -1]

Rule 271

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m+1)*(a+b*x^n)^(p+1))/(a*(m+1)), x] - Dist[(b*(m+n*(p+1)+1))/(a*(m+1)), Int[x^(m+n)*(a+b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && IntegerQ[(m+1)/n+p+1] && NeQ[m, -1]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1295

Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Dist[d/a, Int[(f*x)^m*(d+e*x^2)^(q-1), x], x] - Dist[1/(a*f^2), Int[((f*x)^(m+2)*(d+e*x^2)^(q-1)*Simp[b*d - a*e + c*d*x^2, x])/(a+b*x^2+c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && LtQ[m, 0]

Rule 1692

Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[Px*(d+e*x^2)^q*(a+b*x^2+c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rule 6728

Int[(u_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(2*n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a+b*x^n+c*x^(2*n)), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{x^4(a+bx^2+cx^4)} dx &= -\frac{\int \frac{bd-ae+cdx^2}{x^2\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{a} + \frac{d \int \frac{1}{x^4\sqrt{d+ex^2}} dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{3ax^3} - \frac{\int \left(\frac{bd-ae}{ax^2\sqrt{d+ex^2}} + \frac{-b^2d+acd+abe-c(bd-ae)x^2}{a\sqrt{d+ex^2}(a+bx^2+cx^4)} \right) dx}{3a} - \frac{(2e) \int \frac{1}{x^2\sqrt{d+ex^2}} dx}{3a} \\
&= -\frac{\sqrt{d+ex^2}}{3ax^3} + \frac{2e\sqrt{d+ex^2}}{3adx} - \frac{\int \frac{-b^2d+acd+abe-c(bd-ae)x^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{a^2} - \frac{(bd-ae) \int \frac{1}{x^2\sqrt{d+ex^2}} dx}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3ax^3} + \frac{2e\sqrt{d+ex^2}}{3adx} + \frac{(bd-ae)\sqrt{d+ex^2}}{a^2 dx} - \frac{\int \left(\frac{-c(bd-ae) - \frac{c(b^2d-2acd-abe)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{-c(bd-ae)}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3ax^3} + \frac{2e\sqrt{d+ex^2}}{3adx} + \frac{(bd-ae)\sqrt{d+ex^2}}{a^2 dx} + \frac{\left(c \left(bd-ae - \frac{b^2d-2acd-abe}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3ax^3} + \frac{2e\sqrt{d+ex^2}}{3adx} + \frac{(bd-ae)\sqrt{d+ex^2}}{a^2 dx} + \frac{\left(c \left(bd-ae - \frac{b^2d-2acd-abe}{\sqrt{b^2-4ac}} \right) \right) \text{Subst}\left(\frac{1}{b+\sqrt{b^2-4ac}+2cx^2}\right)}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3ax^3} + \frac{2e\sqrt{d+ex^2}}{3adx} + \frac{(bd-ae)\sqrt{d+ex^2}}{a^2 dx} + \frac{c \left(bd-ae + \frac{b^2d-2acd-abe}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{b+\sqrt{b^2-4ac}+2cx^2}{\sqrt{2cd-b^2-4ac}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-b^2-4ac}}
\end{aligned}$$

Mathematica [B] time = 6.39, size = 7777, normalized size = 20.85

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[d + e*x^2]/(x^4*(a + b*x^2 + c*x^4)), x]

[Out] Result too large to show

fricas [B] time = 23.17, size = 4095, normalized size = 10.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
& - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)de + (a^2b^6 - 4a^3b^4c + \\
& 4a^4b^2c^2)e^2)/(a^{10}b^2 - 4a^{11}c))/(a^5b^2 - 4a^6c)*\log(-((a^5b^2c^2 - 4a^6c^3)*d*x^2*\sqrt{((b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^2 - 2*(a*b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)*d*e + (a^2b^6 - 4a^3b^4c + 4a^4b^2c^2)*e^2)/(a^{10}b^2 - 4a^{11}c)) - 2*(a*b^4c^2 - 3a^2b^2c^3 + a^3c^4)*d^2 + 2*(a^2b^3c^2 - 2a^3b^2c^3)*d*e + ((b^5c^2 - 3a*b^3c^3 + a^2b^2c^4)*d^2 - (5a*b^4c^2 - 14a^2b^2c^3 + 4a^3c^4)*d*e + 4*(a^2b^3c^2 - 2a^3b^2c^3)*e^2)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((a^6b^4 - 6a^7b^2c + 8a^8c^2)*x*\sqrt{((b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^2 - 2*(a*b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)*d*e + (a^2b^6 - 4a^3b^4c + 4a^4b^2c^2)*e^2)/(a^{10}b^2 - 4a^{11}c)) - ((a*b^7 - 7a^2b^5c + 13a^3b^3c^2 - 4a^4b^2c^3)*d - (a^2b^6 - 6a^3b^4c + 8a^4b^2c^2)*e)*x)*\sqrt{(-(b^5 - 5a*b^3c + 5a^2b^2c^2)*d - (a*b^4 - 4a^2b^2c + 2a^3c^2)*e + (a^5b^2 - 4a^6c)*\sqrt{((b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^2 - 2*(a*b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)*d*e + (a^2b^6 - 4a^3b^4c + 4a^4b^2c^2)*e^2)/(a^{10}b^2 - 4a^{11}c)))/x^2) - 3*\sqrt{1/2}*a^2*d*x^3*\sqrt{(-(b^5 - 5a*b^3c + 5a^2b^2c^2)*d - (a*b^4 - 4a^2b^2c + 2a^3c^2)*e + (a^5b^2 - 4a^6c)*\sqrt{((b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^2 - 2*(a*b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)*d*e + (a^2b^6 - 4a^3b^4c + 4a^4b^2c^2)*e^2)/(a^{10}b^2 - 4a^{11}c)))/x^2) + 4*((3*b*d - a*e)*x^2 - a*d)*\sqrt{e*x^2 + d})/(a^2*d*x^3)
\end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^4/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 322, normalized size = 0.86

$$\frac{b\sqrt{e} \ln\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)}{a^2} - \frac{b\sqrt{e} \ln\left(\sqrt{e}x + \sqrt{ex^2 + d}\right)}{a^2} - \frac{\sqrt{ex^2 + d} bex}{a^2d} + \frac{\text{RootOf}\left(-Z^4c + cd^4 + (4be - \dots)\right)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(1/2)/x^4/(c*x^4+b*x^2+a),x)

[Out] 1/a^2*b/d/x*(e*x^2+d)^(3/2)-1/a^2*b*e/d*x*(e*x^2+d)^(1/2)-1/a^2*b*e^(1/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))+1/2/a^2*e^(1/2)*sum((c*(a*e-b*d)*_R^2+2*(2*a*b*e^2+a*c*d*e-2*b^2*d*e+b*c*d^2)*_R+a*c*d^2*e-b*c*d^3)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(-Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))-1/a^2*e^(1/2)*b*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))-1/3/a/d/x^3*(e*x^2+d)^(3/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{ex^2 + d}}{(cx^4 + bx^2 + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^4/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(e*x^2 + d)/((c*x^4 + b*x^2 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{ex^2 + d}}{x^4 (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(1/2)/(x^4*(a + b*x^2 + c*x^4)),x)

[Out] int((d + e*x^2)^(1/2)/(x^4*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + ex^2}}{x^4 (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(1/2)/x**4/(c*x**4+b*x**2+a),x)

[Out] Integral(sqrt(d + e*x**2)/(x**4*(a + b*x**2 + c*x**4)), x)

$$2*d - a*c*d - a*b*e - (b^3*d - 3*a*b*c*d - a*b^2*e + 2*a^2*c*e)/\text{Sqrt}[b^2 - 4*a*c]*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]*x)/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])]/(a^3*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$$
Rule 205

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$$
Rule 264

$$\text{Int}[(c_)*(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(c*x)^{(m+1)}*(a + b*x^n)^{(p+1)}/(a*c*(m+1)), x] /; \text{FreeQ}[\{a, b, c, m, n, p\}, x] \ \&\& \ \text{EqQ}[(m+1)/n + p + 1, 0] \ \&\& \ \text{NeQ}[m, -1]$$
Rule 271

$$\text{Int}[(x_)^{(m_)}*((a_ + (b_)*(x_)^{(n_)})^{(p_)}), x_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1)}/(a*(m+1)), x] - \text{Dist}[(b*(m + n*(p+1) + 1))/(a*(m+1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, m, n, p\}, x] \ \&\& \ \text{ILtQ}[\text{Simplify}[(m+1)/n + p + 1], 0] \ \&\& \ \text{NeQ}[m, -1]$$
Rule 377

$$\text{Int}[(a_ + (b_)*(x_)^{(n_)})^{(p_)}]/((c_ + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$
Rule 1295

$$\text{Int}[(f_)*(x_)^{(m_)}*((d_ + (e_)*(x_)^2)^{(q_)}]/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] \rightarrow \text{Dist}[d/a, \text{Int}[(f*x)^m*(d + e*x^2)^{(q-1)}, x], x] - \text{Dist}[1/(a*f^2), \text{Int}[(f*x)^{(m+2)}*(d + e*x^2)^{(q-1)}*\text{Simp}[b*d - a*e + c*d*x^2, x]]/(a + b*x^2 + c*x^4), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!IntegerQ}[q] \ \&\& \ \text{GtQ}[q, 0] \ \&\& \ \text{LtQ}[m, 0]$$
Rule 1692

$$\text{Int}[(P_x)*((d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_x*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, q\}, x] \ \&\& \ \text{PolyQ}[P_x, x^2] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegerQ}[p]$$
Rule 6728

```
Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] :> With[
{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; Su
mQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{d+ex^2}}{x^6(a+bx^2+cx^4)} dx &= -\frac{\int \frac{bd-ae+cdx^2}{x^4\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{a} + \frac{d \int \frac{1}{x^6\sqrt{d+ex^2}} dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{5ax^5} - \frac{\int \left(\frac{bd-ae}{ax^4\sqrt{d+ex^2}} + \frac{-b^2d+acd+abe}{a^2x^2\sqrt{d+ex^2}} + \frac{b^3d-2abcd-ab^2e+a^2ce+c(b^2d-acd-abe)x^2}{a^2\sqrt{d+ex^2}(a+bx^2+cx^4)} \right) dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{5ax^5} + \frac{4e\sqrt{d+ex^2}}{15adx^3} - \frac{\int \frac{b^3d-2abcd-ab^2e+a^2ce+c(b^2d-acd-abe)x^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{a^3} + \frac{(8e^2) \int \frac{1}{x^2\sqrt{d+ex^2}} dx}{15ad} \\
&= -\frac{\sqrt{d+ex^2}}{5ax^5} + \frac{4e\sqrt{d+ex^2}}{15adx^3} + \frac{(bd-ae)\sqrt{d+ex^2}}{3a^2dx^3} - \frac{8e^2\sqrt{d+ex^2}}{15ad^2x} - \frac{(b^2d-acd-abe)\sqrt{d+ex^2}}{a^3dx} \\
&= -\frac{\sqrt{d+ex^2}}{5ax^5} + \frac{4e\sqrt{d+ex^2}}{15adx^3} + \frac{(bd-ae)\sqrt{d+ex^2}}{3a^2dx^3} - \frac{8e^2\sqrt{d+ex^2}}{15ad^2x} - \frac{2e(bd-ae)\sqrt{d+ex^2}}{3a^2d^2x} \\
&= -\frac{\sqrt{d+ex^2}}{5ax^5} + \frac{4e\sqrt{d+ex^2}}{15adx^3} + \frac{(bd-ae)\sqrt{d+ex^2}}{3a^2dx^3} - \frac{8e^2\sqrt{d+ex^2}}{15ad^2x} - \frac{2e(bd-ae)\sqrt{d+ex^2}}{3a^2d^2x} \\
&= -\frac{\sqrt{d+ex^2}}{5ax^5} + \frac{4e\sqrt{d+ex^2}}{15adx^3} + \frac{(bd-ae)\sqrt{d+ex^2}}{3a^2dx^3} - \frac{8e^2\sqrt{d+ex^2}}{15ad^2x} - \frac{2e(bd-ae)\sqrt{d+ex^2}}{3a^2d^2x}
\end{aligned}$$

Mathematica [B] time = 6.59, size = 10933, normalized size = 21.35

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[d + e*x^2]/(x^6*(a + b*x^2 + c*x^4)), x]
```

[Out] Result too large to show

fricas [B] time = 53.96, size = 5773, normalized size = 11.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^6/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/60*(15*\sqrt{1/2})*a^3*d^2*x^5*\sqrt{-((b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*d - (a*b^6 - 6*a^2*b^4*c + 9*a^3*b^2*c^2 - 2*a^4*c^3)*e - (a^7*b^2 - 4*a^8*c)*\sqrt{((b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^2 - 2*(a*b^{11} - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d*e + (a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4)*e^2)/(a^{14}*b^2 - 4*a^{15}*c)))/(a^7*b^2 - 4*a^8*c))*\log(-((a^7*b^2*c^3 - 4*a^8*c^4)*d*x^2*\sqrt{((b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^2 - 2*(a*b^{11} - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d*e + (a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4)*e^2)/(a^{14}*b^2 - 4*a^{15}*c))} + 2*(a*b^6*c^3 - 5*a^2*b^4*c^4 + 6*a^3*b^2*c^5 - a^4*c^6)*d^2 - 2*(a^2*b^5*c^3 - 4*a^3*b^3*c^4 + 3*a^4*b*c^5)*d*e - ((b^7*c^3 - 5*a*b^5*c^4 + 6*a^2*b^3*c^5 - a^3*b*c^6)*d^2 - (5*a*b^6*c^3 - 24*a^2*b^4*c^4 + 27*a^3*b^2*c^5 - 4*a^4*c^6)*d*e + 4*(a^2*b^5*c^3 - 4*a^3*b^3*c^4 + 3*a^4*b*c^5)*e^2)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((a^8*b^5 - 7*a^9*b^3*c + 12*a^{10}*b*c^2)*x*\sqrt{((b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^2 - 2*(a*b^{11} - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d*e + (a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4)*e^2})/(a^{14}*b^2 - 4*a^{15}*c)) + ((a*b^{10} - 10*a^2*b^8*c + 35*a^3*b^6*c^2 - 51*a^4*b^4*c^3 + 29*a^5*b^2*c^4 - 4*a^6*c^5)*d - (a^2*b^9 - 9*a^3*b^7*c + 27*a^4*b^5*c^2 - 31*a^5*b^3*c^3 + 12*a^6*b*c^4)*e)*x)*\sqrt{-((b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*d - (a*b^6 - 6*a^2*b^4*c + 9*a^3*b^2*c^2 - 2*a^4*c^3)*e - (a^7*b^2 - 4*a^8*c)*\sqrt{((b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^2 - 2*(a*b^{11} - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d*e + (a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4)*e^2)/(a^{14}*b^2 - 4*a^{15}*c)))/(a^7*b^2 - 4*a^8*c)))/x^2) - 15*\sqrt{1/2}*a^3*d^2*x^5*\sqrt{-((b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*d - (a*b^6 - 6*a^2*b^4*c + 9*a^3*b^2*c^2 - 2*a^4*c^3)*e - (a^7*b^2 - 4*a^8*c)*\sqrt{((b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^2 - 2*(a*b^{11} - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d*e + (a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4)*e^2)/(a^{14}*b^2 - 4*a^{15}*c)))/(a^7*b^2 - 4*a^8*c))*\log(-((a^7*b^2*c^3 - 4*a^8*c^4)*d*x^2$$

$$\begin{aligned}
& *b^3c^3)d - (a^7b^2 - 4a^8c) \sqrt{((b^{12} - 10a^2b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)d^2 - 2(a^7b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)d^2 + (a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4)e^2)/(a^{14}b^2 - 4a^{15}c)))/(a^7b^2 - 4a^8c))/x^2) - 15\sqrt{1/2}a^3d^2x^5 \\
& * \sqrt{-((b^7 - 7a^2b^5c + 14a^2b^3c^2 - 7a^3b^2c^3)d - (a^7b^2 - 4a^8c) \sqrt{((b^{12} - 10a^2b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)d^2 - 2(a^7b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)d^2 + (a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4)e^2)/(a^{14}b^2 - 4a^{15}c)))/(a^7b^2 - 4a^8c))} \log(((a^7b^2c^3 - 4a^8c^4)d^2x^2 \sqrt{((b^{12} - 10a^2b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)d^2 - 2(a^7b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)d^2 + (a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4)e^2)/(a^{14}b^2 - 4a^{15}c))} - 2(a^7b^2c^3 - 5a^2b^4c^4 + 6a^3b^2c^5 - a^4c^6)d^2 + 2(a^2b^5c^3 - 4a^3b^3c^4 + 3a^4b^2c^5)d^2 + ((b^7c^3 - 5a^2b^5c^4 + 6a^2b^3c^5 - a^3b^2c^6)d^2 - (5a^2b^6c^3 - 24a^2b^4c^4 + 27a^3b^2c^5 - 4a^4c^6)d^2 + 4(a^2b^5c^3 - 4a^3b^3c^4 + 3a^4b^2c^5)e^2)x^2 - 2\sqrt{1/2} \sqrt{e^2x^2 + d} * ((a^8b^5 - 7a^9b^3c + 12a^{10}b^2c^2)x \sqrt{((b^{12} - 10a^2b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)d^2 - 2(a^7b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)d^2 + (a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4)e^2)/(a^{14}b^2 - 4a^{15}c))} - ((a^7b^{10} - 10a^2b^8c + 35a^3b^6c^2 - 51a^4b^4c^3 + 29a^5b^2c^4 - 4a^6c^5)d - (a^2b^9 - 9a^3b^7c + 27a^4b^5c^2 - 31a^5b^3c^3 + 12a^6b^2c^4)e)x) \sqrt{-((b^7 - 7a^2b^5c + 14a^2b^3c^2 - 7a^3b^2c^3)d - (a^7b^2 - 4a^8c) \sqrt{((b^{12} - 10a^2b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)d^2 - 2(a^7b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)d^2 + (a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4)e^2)/(a^{14}b^2 - 4a^{15}c)))/(a^7b^2 - 4a^8c)))/x^2) - 4((5a^2bd^2 + 2a^2e^2 - 15(b^2 - ac)d^2)x^4 - 3a^2d^2 + (5a^2bd^2 - a^2d^2e)x^2) \sqrt{e^2x^2 + d})/(a^3d^2x^5)
\end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(1/2)/x^6/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 503, normalized size = 0.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e^{x^2+d})^{1/2}/x^6/(c x^4+b x^2+a), x)$

[Out] $\frac{1}{a^2 d x} (e^{x^2+d})^{3/2} c - \frac{1}{a^3 d x} (e^{x^2+d})^{3/2} b^2 - \frac{1}{a^2 e d x} (e^{x^2+d})^{1/2} c + \frac{1}{a^3 e d x} (e^{x^2+d})^{1/2} b^2 - \frac{1}{a^2 e} \ln(e^{1/2} x + (e^{x^2+d})^{1/2}) c + \frac{1}{a^3 e} \ln(e^{1/2} x + (e^{x^2+d})^{1/2}) b^2 - \frac{1}{2 a^3 e} \sum((c(a b e + a c d - b^2 d) \sqrt{R^2 + 2(-2 a^2 c e^2 + 2 a b^2 e^2 + 3 a b c d e - a c^2 d^2 - 2 b^3 d e + b^2 c d^2)} \sqrt{R + a b c d^2 e + a c^2 d^3 - b^2 c d^3}) / (\sqrt{R^3 c + 3 \sqrt{R^2 b e - 3 \sqrt{R^2 c d + 8 \sqrt{R a e^2 - 4 \sqrt{R b d e + 3 \sqrt{R c d^2 + b d^2 e - c d^3}}}} \ln(-\sqrt{R} + (-e^{1/2} x + (e^{x^2+d})^{1/2})^2), \sqrt{R} = \text{RootOf}(\sqrt{Z^4 c + c d^4 + (4 b e - 4 c d)} \sqrt{Z^3 + (16 a e^2 - 8 b d e + 6 c d^2)} \sqrt{Z^2 + (4 b d^2 e - 4 c d^3)} \sqrt{Z})) - \frac{1}{a^2 e} \ln(-e^{1/2} x + (e^{x^2+d})^{1/2}) c + \frac{1}{a^3 e} \ln(-e^{1/2} x + (e^{x^2+d})^{1/2}) b^2 + \frac{1}{3 a^2 b d x^3} (e^{x^2+d})^{3/2} - \frac{1}{5 a d x^5} (e^{x^2+d})^{3/2} + \frac{2}{15 a e d^2 x^3} (e^{x^2+d})^{3/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e x^2 + d}}{(c x^4 + b x^2 + a) x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e^{x^2+d})^{1/2}/x^6/(c x^4+b x^2+a), x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(\text{sqrt}(e^{x^2+d})/((c x^4+b x^2+a) x^6), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e x^2 + d}}{x^6 (c x^4 + b x^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d + e^{x^2})^{1/2}/(x^6(a + b x^2 + c x^4)), x)$

[Out] $\text{int}((d + e^{x^2})^{1/2}/(x^6(a + b x^2 + c x^4)), x)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{d + e x^2}}{x^6 (a + b x^2 + c x^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**(1/2)/x**6/(c*x**4+b*x**2+a),x)
```

```
[Out] Integral(sqrt(d + e*x**2)/(x**6*(a + b*x**2 + c*x**4)), x)
```

$$3.367 \quad \int \frac{x^3(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=460

$$\left(bc\left(e\left(2d\sqrt{b^2-4ac}-3ae\right)+cd^2\right)+c\left(ae^2\sqrt{b^2-4ac}-cd\left(d\sqrt{b^2-4ac}-4ae\right)\right)-b^2e\left(e\sqrt{b^2-4ac}+2cd\right)+b^3e^2\right)$$

$$\sqrt{2}c^{5/2}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}$$

[Out] $\frac{1}{3}(ex^2+d)^{3/2}/c+(-b^2e+cd)(ex^2+d)^{1/2}/c^2+1/2\operatorname{arctanh}\left(\frac{2^{1/2}(ex^2+d)^{1/2}}{2cd-e(b-\sqrt{b^2-4ac})}\right)(b^3e^2-b^2e(2cd+e\sqrt{b^2-4ac})+c(ae^2\sqrt{b^2-4ac}-cd(d\sqrt{b^2-4ac}-4ae)))-b^2e(e\sqrt{b^2-4ac}+2cd)+b^3e^2$

Rubi [A] time = 5.08, antiderivative size = 460, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 824, 826, 1166, 208}

$$\left(bc\left(e\left(2d\sqrt{b^2-4ac}-3ae\right)+cd^2\right)+c\left(ae^2\sqrt{b^2-4ac}-cd\left(d\sqrt{b^2-4ac}-4ae\right)\right)-b^2e\left(e\sqrt{b^2-4ac}+2cd\right)+b^3e^2\right)$$

$$\sqrt{2}c^{5/2}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{x^3(d+ex^2)^{3/2}}{a+bx^2+cx^4}, x\right]$

[Out] $\frac{(cd-be)\sqrt{d+ex^2}}{c^2}+(d+ex^2)^{3/2}/(3c)+\frac{(b^3e^2-b^2e(2cd+e\sqrt{b^2-4ac})+c(ae^2\sqrt{b^2-4ac}-cd(d\sqrt{b^2-4ac}-4ae)))-b^2e(e\sqrt{b^2-4ac}+2cd)+b^3e^2}{\sqrt{2}c^{5/2}\sqrt{b^2-4ac}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}$

$$\frac{[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]}{(\text{Sqrt}[2]*c^{(5/2)}*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])}$$

Rule 208

$$\text{Int}[\frac{((a_) + (b_)*(x_)^2)^{-1}}{x_Symbol}] \text{ :> } \text{Simp}[\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]]/a, x] \text{ /; } \text{FreeQ}\{a, b\}, x \text{ \&\& } \text{NegQ}[a/b]$$

Rule 824

$$\text{Int}[\frac{((d_) + (e_)*(x_)^m)*((f_) + (g_)*(x_))}{((a_) + (b_)*(x_) + (c_)*(x_)^2)}, x_Symbol] \text{ :> } \text{Simp}[(g*(d + e*x)^m)/(c*m), x] + \text{Dist}[1/c, \text{Int}[(d + e*x)^{m-1}*\text{Simp}[c*d*f - a*e*g + (g*c*d - b*e*g + c*e*f)*x, x]]/(a + b*x + c*x^2), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f, g\}, x \text{ \&\& } \text{NeQ}[b^2 - 4*a*c, 0] \text{ \&\& } \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \text{ \&\& } \text{FractionQ}[m] \text{ \&\& } \text{GtQ}[m, 0]$$

Rule 826

$$\text{Int}[\frac{((f_) + (g_)*(x_))}{(\text{Sqrt}[(d_) + (e_)*(x_)]*((a_) + (b_)*(x_) + (c_)*(x_)^2))}, x_Symbol] \text{ :> } \text{Dist}[2, \text{Subst}[\text{Int}[(e*f - d*g + g*x^2)/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, \text{Sqrt}[d + e*x]], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f, g\}, x \text{ \&\& } \text{NeQ}[b^2 - 4*a*c, 0] \text{ \&\& } \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0]$$

Rule 1166

$$\text{Int}[\frac{(d_) + (e_)*(x_)^2}{(a_) + (b_)*(x_)^2 + (c_)*(x_)^4}, x_Symbol] \text{ :> } \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] \text{ /; } \text{FreeQ}\{a, b, c, d, e\}, x \text{ \&\& } \text{NeQ}[b^2 - 4*a*c, 0] \text{ \&\& } \text{NeQ}[c*d^2 - a*e^2, 0] \text{ \&\& } \text{PosQ}[b^2 - 4*a*c]$$

Rule 1251

$$\text{Int}[(x_)^{(m_)*((d_) + (e_)*(x_)^2)^{(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}}, x_Symbol] \text{ :> } \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p}, x], x, x^2], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, p, q\}, x \text{ \&\& } \text{IntegerQ}[(m-1)/2]$$

Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d + ex^2)^{3/2}}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(d + ex)^{3/2}}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{(d + ex^2)^{3/2}}{3c} + \frac{\text{Subst} \left(\int \frac{\sqrt{d+ex} (-ae + (cd-be)x)}{a+bx+cx^2} dx, x, x^2 \right)}{2c} \\
&= \frac{(cd - be)\sqrt{d + ex^2}}{c^2} + \frac{(d + ex^2)^{3/2}}{3c} + \frac{\text{Subst} \left(\int \frac{-ae(2cd-be) + (c^2d^2 + b^2e^2 - ce(2bd+ae))x}{\sqrt{d+ex}(a+bx+cx^2)} dx, x, x^2 \right)}{2c^2} \\
&= \frac{(cd - be)\sqrt{d + ex^2}}{c^2} + \frac{(d + ex^2)^{3/2}}{3c} + \frac{\text{Subst} \left(\int \frac{-ae^2(2cd-be) - d(c^2d^2 + b^2e^2 - ce(2bd+ae)) + (c^2d^2 + b^2e^2 - ce(2bd+ae))x}{cd^2 - bde + ae^2 + (-2cd+be)x^2 + cx^4} dx, x, x^2 \right)}{c^2} \\
&= \frac{(cd - be)\sqrt{d + ex^2}}{c^2} + \frac{(d + ex^2)^{3/2}}{3c} - \frac{(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ac}e) + c(a\sqrt{b^2 - 4ac}e^2 - b^2e))}{c^2} \\
&= \frac{(cd - be)\sqrt{d + ex^2}}{c^2} + \frac{(d + ex^2)^{3/2}}{3c} + \frac{(b^3e^2 - b^2e(2cd + \sqrt{b^2 - 4ac}e) + c(a\sqrt{b^2 - 4ac}e^2 - b^2e))}{\sqrt{2}c^2}
\end{aligned}$$

Mathematica [A] time = 0.97, size = 457, normalized size = 0.99

$$\frac{(-bc(e(2d\sqrt{b^2 - 4ac} - 3ae) + cd^2) + c(cd(d\sqrt{b^2 - 4ac} - 4ae) - ae^2\sqrt{b^2 - 4ac}) + b^2e(e\sqrt{b^2 - 4ac} + 2cd) + b^2e^2)}{\sqrt{2}c^{5/2}\sqrt{b^2 - 4ac}\sqrt{e(\sqrt{b^2 - 4ac} - b) + 2cd}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x]

[Out] ((c*d - b*e)*Sqrt[d + e*x^2])/c^2 + (d + e*x^2)^(3/2)/(3*c) - ((- (b^3*e^2) + b^2*e*(2*c*d + Sqrt[b^2 - 4*a*c]*e) + c*(-(a*Sqrt[b^2 - 4*a*c]*e^2) + c*d*(Sqrt[b^2 - 4*a*c]*d - 4*a*e)) - b*c*(c*d^2 + e*(2*Sqrt[b^2 - 4*a*c]*d - 3*a*e)))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]]/(Sqrt[2]*c^(5/2)*Sqrt[b^2 - 4*a*c]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) - ((b^3*e^2 + b^2*e*(-2*c*d + Sqrt[b^2 - 4*a*c]*e) + b*c

```
*(c*d^2 - e*(2*Sqrt[b^2 - 4*a*c]*d + 3*a*e)) + c*(-(a*Sqrt[b^2 - 4*a*c]*e^2
) + c*d*(Sqrt[b^2 - 4*a*c]*d + 4*a*e))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e
*x^2])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]]/(Sqrt[2]*c^(5/2)*Sqrt[b^2
- 4*a*c]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e])
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

[Out] Timed out

giac [B] time = 1.25, size = 857, normalized size = 1.86

$$\left(2bc^5d^3 - (5b^2c^4 - 8ac^5)d^2e + ((b^2c^2 - 4ac^3)d^2e - 2(b^3c - 4abc^2)de^2 + (b^4 - 5ab^2c + 4a^2c^2)e^3)c^2 + 2(2b^3c^2 - 5b^2c^3 + 4abc^4)d^2e + (b^4 - 5ab^2c + 4a^2c^2)e^3\right)c^2 + 2(2b^3c^2 - 5b^2c^3 + 4abc^4)d^2e + (b^4 - 5ab^2c + 4a^2c^2)e^3$$

$$\left(2\sqrt{b^2 - 4ac}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] -(2*b*c^5*d^3 - (5*b^2*c^4 - 8*a*c^5)*d^2*e + ((b^2*c^2 - 4*a*c^3)*d^2*e -
2*(b^3*c - 4*a*b*c^2)*d*e^2 + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*e^3)*c^2 + 2*(2
*b^3*c^3 - 5*a*b*c^4)*d*e^2 - 2*(sqrt(b^2 - 4*a*c)*c^4*d^3 - 2*sqrt(b^2 - 4
*a*c)*b*c^3*d^2*e - sqrt(b^2 - 4*a*c)*a*b*c^2*e^3 + (b^2*c^2 + a*c^3)*sqrt(
b^2 - 4*a*c)*d*e^2)*abs(c) - (b^4*c^2 - 3*a*b^2*c^3)*e^3)*arctan(2*sqrt(1/2
)*sqrt(x^2*e + d)/sqrt(-(2*c^4*d - b*c^3*e + sqrt(-4*(c^4*d^2 - b*c^3*d*e +
a*c^3*e^2)*c^4 + (2*c^4*d - b*c^3*e)^2))/c^4))/((2*sqrt(b^2 - 4*a*c)*c^3*d
- (b^2*c^2 - 4*a*c^3 + sqrt(b^2 - 4*a*c)*b*c^2)*e)*sqrt(-4*c^2*d + 2*(b*c
- sqrt(b^2 - 4*a*c)*c)*e)*c^2) + (2*b*c^5*d^3 - (5*b^2*c^4 - 8*a*c^5)*d^2*e
+ ((b^2*c^2 - 4*a*c^3)*d^2*e - 2*(b^3*c - 4*a*b*c^2)*d*e^2 + (b^4 - 5*a*b^
2*c + 4*a^2*c^2)*e^3)*c^2 + 2*(2*b^3*c^3 - 5*a*b*c^4)*d*e^2 + 2*(sqrt(b^2 -
4*a*c)*c^4*d^3 - 2*sqrt(b^2 - 4*a*c)*b*c^3*d^2*e - sqrt(b^2 - 4*a*c)*a*b*c
^2*e^3 + (b^2*c^2 + a*c^3)*sqrt(b^2 - 4*a*c)*d*e^2)*abs(c) - (b^4*c^2 - 3*a
*b^2*c^3)*e^3)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*c^4*d - b*c^3*e
- sqrt(-4*(c^4*d^2 - b*c^3*d*e + a*c^3*e^2)*c^4 + (2*c^4*d - b*c^3*e)^2))/c
^4))/((2*sqrt(b^2 - 4*a*c)*c^3*d + (b^2*c^2 - 4*a*c^3 - sqrt(b^2 - 4*a*c)*b
*c^2)*e)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e)*c^2) + 1/3*((x^2
e + d)^(3/2)*c^2 + 3*sqrt(x^2*e + d)*c^2*d - 3*sqrt(x^2*e + d)*b*c*e)/c^3
```

maple [C] time = 0.03, size = 490, normalized size = 1.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3*(e*x^2+d)^{(3/2)}/(c*x^4+b*x^2+a), x)$

[Out] $-1/6/c*e^{(3/2)}*x^3+1/8/c*e*(e*x^2+d)^{(1/2)}*x^2-3/4/c*e^{(1/2)}*x*d+1/24*(e*x^2+d)^{(3/2)}/c+1/2/c^2*e^{(3/2)}*x*b-1/2/c^2*(e*x^2+d)^{(1/2)}*b*e+5/8/c*(e*x^2+d)^{(1/2)}*d+1/4/c^2*\text{sum}(((-a*c*e^2+b^2*e^2-2*b*c*d*e+c^2*d^2)*_R^6+(4*a*b*e^3-5*a*c*d*e^2-3*b^2*d*e^2+6*b*c*d^2*e-3*c^2*d^3)*_R^4+d*(-4*a*b*e^3+5*a*c*d*e^2+3*b^2*d*e^2-6*b*c*d^2*e+3*c^2*d^3)*_R^2+a*c*d^3*e^2-b^2*d^3*e^2+2*b*c*d^4*e-c^2*d^5)/(_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3)*\ln(-e^{(1/2)}*x-_R+(e*x^2+d)^{(1/2)}), _R=\text{RootOf}(_Z^8*c+(4*b*e-4*c*d)*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z^2))-1/2/c^2*d/(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})*b*e+5/8/c*d^2/(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})+1/24/c*d^3/(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^3$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}} x^3}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^3*(e*x^2+d)^{(3/2)}/(c*x^4+b*x^2+a), x, \text{algorithm}=\text{"maxima"})$

[Out] $\text{integrate}((e*x^2 + d)^{(3/2)}*x^3/(c*x^4 + b*x^2 + a), x)$

mupad [B] time = 3.41, size = 16951, normalized size = 36.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((x^3*(d + e*x^2)^{(3/2)})/(a + b*x^2 + c*x^4), x)$

[Out] $(d + e*x^2)^{(3/2)}/(3*c) - \text{atan}((((4*a*b^3*c^3*e^5 - 16*a^2*b*c^4*e^5 + 16*a*c^6*d^3*e^2 + 16*a^2*c^5*d*e^4 - 4*b^4*c^3*d*e^4 - 4*b^2*c^5*d^3*e^2 + 8*b^3*c^4*d^2*e^3 - 32*a*b*c^5*d^2*e^3 + 12*a*b^2*c^4*d*e^4)/c^3 - (2*(d + e*x^2)^{(1/2)}*(-(((4*b^7*e^3 - 32*a^2*c^5*d^3 - 4*b^4*c^3*d^3 + 24*a*b^2*c^4*d^3 - 80*a^3*b*c^3*e^3 + 96*a^3*c^4*d*e^2 + 12*b^5*c^2*d^2*e + 100*a^2*b^3*c^2*e^3 - 36*a*b^5*c*e^3 - 12*b^6*c*d*e^2 - 84*a*b^3*c^3*d^2*e + 96*a*b^4*c^2*d*e^2 + 144*a^2*b*c^4*d^2*e - 216*a^2*b^2*c^3*d*e^2)^2/4 - (256*a^2*c^7 + 16*b^4*c^5 - 128*a*b^2*c^6)*(a^5*e^6 + a^2*c^3*d^6 + 3*a^4*c*d^2*e^4 - a^2$

$$\begin{aligned}
& *b^3*d^3*e^3 + 3*a^3*b^2*d^2*e^4 + 3*a^3*c^2*d^4*e^2 - 3*a^4*b*d*e^5 - 3*a^2*b*c^2*d^5*e - 6*a^3*b*c*d^3*e^3 + 3*a^2*b^2*c*d^4*e^2))^{(1/2)} + 2*b^7*e^3 \\
& - 16*a^2*c^5*d^3 - 2*b^4*c^3*d^3 + 12*a*b^2*c^4*d^3 - 40*a^3*b*c^3*e^3 + 4 \\
& 8*a^3*c^4*d*e^2 + 6*b^5*c^2*d^2*e + 50*a^2*b^3*c^2*e^3 - 18*a*b^5*c*e^3 - 6 \\
& *b^6*c*d*e^2 - 42*a*b^3*c^3*d^2*e + 48*a*b^4*c^2*d*e^2 + 72*a^2*b*c^4*d^2*e \\
& - 108*a^2*b^2*c^3*d*e^2)/(16*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}* \\
& (4*b^3*c^5*e^3 - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d*e^2)/c^3)*(- \\
& (((4*b^7*e^3 - 32*a^2*c^5*d^3 - 4*b^4*c^3*d^3 + 24*a*b^2*c^4*d^3 - 80*a^3* \\
& b*c^3*e^3 + 96*a^3*c^4*d*e^2 + 12*b^5*c^2*d^2*e + 100*a^2*b^3*c^2*e^3 - 36* \\
& a*b^5*c*e^3 - 12*b^6*c*d*e^2 - 84*a*b^3*c^3*d^2*e + 96*a*b^4*c^2*d*e^2 + 14 \\
& 4*a^2*b*c^4*d^2*e - 216*a^2*b^2*c^3*d*e^2)^2/4 - (256*a^2*c^7 + 16*b^4*c^5 \\
& - 128*a*b^2*c^6)*(a^5*e^6 + a^2*c^3*d^6 + 3*a^4*c*d^2*e^4 - a^2*b^3*d^3*e^3 \\
& + 3*a^3*b^2*d^2*e^4 + 3*a^3*c^2*d^4*e^2 - 3*a^4*b*d*e^5 - 3*a^2*b*c^2*d^5* \\
& e - 6*a^3*b*c*d^3*e^3 + 3*a^2*b^2*c*d^4*e^2))^{(1/2)} + 2*b^7*e^3 - 16*a^2*c^5*d^3 \\
& - 2*b^4*c^3*d^3 + 12*a*b^2*c^4*d^3 - 40*a^3*b*c^3*e^3 + 48*a^3*c^4*d* \\
& e^2 + 6*b^5*c^2*d^2*e + 50*a^2*b^3*c^2*e^3 - 18*a*b^5*c*e^3 - 6*b^6*c*d*e^2 \\
& - 42*a*b^3*c^3*d^2*e + 48*a*b^4*c^2*d*e^2 + 72*a^2*b*c^4*d^2*e - 108*a^2*b \\
& ^2*c^3*d*e^2)/(16*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)} - (2*(d + e* \\
& x^2)^{(1/2)}*(b^6*e^6 - 2*a^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + \\
& 12*a^2*c^4*d^2*e^4 + b^2*c^4*d^4*e^2 - 4*b^3*c^3*d^3*e^3 + 6*b^4*c^2*d^2*e \\
& ^4 - 6*a*b^4*c*e^6 - 4*b^5*c*d*e^5 + 12*a*b*c^4*d^3*e^3 + 20*a*b^3*c^2*d*e^ \\
& 5 - 20*a^2*b*c^3*d*e^5 - 24*a*b^2*c^3*d^2*e^4))/c^3)*(-(((4*b^7*e^3 - 32*a^ \\
& 2*c^5*d^3 - 4*b^4*c^3*d^3 + 24*a*b^2*c^4*d^3 - 80*a^3*b*c^3*e^3 + 96*a^3*c^ \\
& 4*d*e^2 + 12*b^5*c^2*d^2*e + 100*a^2*b^3*c^2*e^3 - 36*a*b^5*c*e^3 - 12*b^6* \\
& c*d*e^2 - 84*a*b^3*c^3*d^2*e + 96*a*b^4*c^2*d*e^2 + 144*a^2*b*c^4*d^2*e - 2 \\
& 16*a^2*b^2*c^3*d*e^2)^2/4 - (256*a^2*c^7 + 16*b^4*c^5 - 128*a*b^2*c^6)*(a^5 \\
& *e^6 + a^2*c^3*d^6 + 3*a^4*c*d^2*e^4 - a^2*b^3*d^3*e^3 + 3*a^3*b^2*d^2*e^4 \\
& + 3*a^3*c^2*d^4*e^2 - 3*a^4*b*d*e^5 - 3*a^2*b*c^2*d^5*e - 6*a^3*b*c*d^3*e^3 \\
& + 3*a^2*b^2*c*d^4*e^2))^{(1/2)} + 2*b^7*e^3 - 16*a^2*c^5*d^3 - 2*b^4*c^3*d^3 \\
& + 12*a*b^2*c^4*d^3 - 40*a^3*b*c^3*e^3 + 48*a^3*c^4*d*e^2 + 6*b^5*c^2*d^2*e \\
& + 50*a^2*b^3*c^2*e^3 - 18*a*b^5*c*e^3 - 6*b^6*c*d*e^2 - 42*a*b^3*c^3*d^2*e \\
& + 48*a*b^4*c^2*d*e^2 + 72*a^2*b*c^4*d^2*e - 108*a^2*b^2*c^3*d*e^2)/(16*(16 \\
& *a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6))^{(1/2)}*1i - (((4*a*b^3*c^3*e^5 - 16*a^2* \\
& b*c^4*e^5 + 16*a*c^6*d^3*e^2 + 16*a^2*c^5*d*e^4 - 4*b^4*c^3*d*e^4 - 4*b^2*c \\
& ^5*d^3*e^2 + 8*b^3*c^4*d^2*e^3 - 32*a*b*c^5*d^2*e^3 + 12*a*b^2*c^4*d*e^4)/c \\
& ^3 + (2*(d + e*x^2)^{(1/2)}*(-(((4*b^7*e^3 - 32*a^2*c^5*d^3 - 4*b^4*c^3*d^3 + \\
& 24*a*b^2*c^4*d^3 - 80*a^3*b*c^3*e^3 + 96*a^3*c^4*d*e^2 + 12*b^5*c^2*d^2*e \\
& + 100*a^2*b^3*c^2*e^3 - 36*a*b^5*c*e^3 - 12*b^6*c*d*e^2 - 84*a*b^3*c^3*d^2* \\
& e + 96*a*b^4*c^2*d*e^2 + 144*a^2*b*c^4*d^2*e - 216*a^2*b^2*c^3*d*e^2)^2/4 - \\
& (256*a^2*c^7 + 16*b^4*c^5 - 128*a*b^2*c^6)*(a^5*e^6 + a^2*c^3*d^6 + 3*a^4* \\
& c*d^2*e^4 - a^2*b^3*d^3*e^3 + 3*a^3*b^2*d^2*e^4 + 3*a^3*c^2*d^4*e^2 - 3*a^4 \\
& *b*d*e^5 - 3*a^2*b*c^2*d^5*e - 6*a^3*b*c*d^3*e^3 + 3*a^2*b^2*c*d^4*e^2))^{(1 \\
& /2)} + 2*b^7*e^3 - 16*a^2*c^5*d^3 - 2*b^4*c^3*d^3 + 12*a*b^2*c^4*d^3 - 40*a^ \\
& 3*b*c^3*e^3 + 48*a^3*c^4*d*e^2 + 6*b^5*c^2*d^2*e + 50*a^2*b^3*c^2*e^3 - 18* \\
& a*b^5*c*e^3 - 6*b^6*c*d*e^2 - 42*a*b^3*c^3*d^2*e + 48*a*b^4*c^2*d*e^2 + 72*
\end{aligned}$$

$$\begin{aligned}
& c^4 d^3 - 40 a^3 b^3 c^3 e^3 + 48 a^3 c^4 d e^2 + 6 b^5 c^2 d^2 e + 50 a^2 b^3 c^2 e^3 - 18 a b^5 c^3 e^3 - 6 b^6 c d e^2 - 42 a b^3 c^3 d^2 e + 48 a b^4 c^2 d e^2 + 72 a^2 b^3 c^4 d^2 e - 108 a^2 b^2 c^3 d e^2) / (16 (16 a^2 c^7 + b^4 c^5 - 8 a b^2 c^6))^{1/2} + (2 (d + e x^2)^{1/2} (b^6 e^6 - 2 a^3 c^3 e^6 - 2 a c^5 d^4 e^2 + 9 a^2 b^2 c^2 e^6 + 12 a^2 c^4 d^2 e^4 + b^2 c^4 d^4 e^2 - 4 b^3 c^3 d^3 e^3 + 6 b^4 c^2 d^2 e^4 - 6 a b^4 c e^6 - 4 b^5 c d e^5 + 12 a b c^4 d^3 e^3 + 20 a b^3 c^2 d e^5 - 20 a^2 b c^3 d e^5 - 24 a b^2 c^3 d^2 e^4)) / c^3 * (-(((4 b^7 e^3 - 32 a^2 c^5 d^3 - 4 b^4 c^3 d^3 + 24 a b^2 c^4 d^3 - 80 a^3 b^3 c^3 e^3 + 96 a^3 c^4 d e^2 + 12 b^5 c^2 d^2 e + 100 a^2 b^3 c^2 e^3 - 36 a b^5 c^3 e^3 - 12 b^6 c d e^2 - 84 a b^3 c^3 d^2 e + 96 a b^4 c^2 d e^2 + 144 a^2 b^3 c^4 d^2 e - 216 a^2 b^2 c^3 d e^2)^{2/4} - (256 a^2 c^7 + 16 b^4 c^5 - 128 a b^2 c^6) (a^5 e^6 + a^2 c^3 d^6 + 3 a^4 c d^2 e^4 - a^2 b^3 d^3 e^3 + 3 a^3 b^2 d^2 e^4 + 3 a^3 c^2 d^4 e^2 - 3 a^4 b d e^5 - 3 a^2 b c^2 d^5 e - 6 a^3 b c d^3 e^3 + 3 a^2 b^2 c d^4 e^2))^{1/2} + 2 b^7 e^3 - 16 a^2 c^5 d^3 - 2 b^4 c^3 d^3 + 12 a b^2 c^4 d^3 - 40 a^3 b^3 c^3 e^3 + 48 a^3 c^4 d e^2 + 6 b^5 c^2 d^2 e + 50 a^2 b^3 c^2 e^3 - 18 a b^5 c^3 e^3 - 6 b^6 c d e^2 - 42 a b^3 c^3 d^2 e + 48 a b^4 c^2 d e^2 + 72 a^2 b^3 c^4 d^2 e - 108 a^2 b^2 c^3 d e^2) / (16 (16 a^2 c^7 + b^4 c^5 - 8 a b^2 c^6))^{1/2} + (2 (a^4 c e^8 - a^3 b^2 e^8 - a b^4 d^2 e^6 + 2 a^2 b^3 d e^7 - a c^4 d^6 e^2 - a^2 c^3 d^4 e^4 + a^3 c^2 d^2 e^6 + 4 a b^3 c^3 d^5 e^3 + 4 a b^3 c d^3 e^5 - 6 a b^2 c^2 d^4 e^4 + 4 a^2 b c^2 d^3 e^5 - 5 a^2 b^2 c d^2 e^6)) / c^3) * (-(((4 b^7 e^3 - 32 a^2 c^5 d^3 - 4 b^4 c^3 d^3 + 24 a b^2 c^4 d^3 - 80 a^3 b^3 c^3 e^3 + 96 a^3 c^4 d e^2 + 12 b^5 c^2 d^2 e + 100 a^2 b^3 c^2 e^3 - 36 a b^5 c^3 e^3 - 12 b^6 c d e^2 - 84 a b^3 c^3 d^2 e + 96 a b^4 c^2 d e^2 + 144 a^2 b^3 c^4 d^2 e - 216 a^2 b^2 c^3 d e^2)^{2/4} - (256 a^2 c^7 + 16 b^4 c^5 - 128 a b^2 c^6) (a^5 e^6 + a^2 c^3 d^6 + 3 a^4 c d^2 e^4 - a^2 b^3 d^3 e^3 + 3 a^3 b^2 d^2 e^4 + 3 a^3 c^2 d^4 e^2 - 3 a^4 b d e^5 - 3 a^2 b c^2 d^5 e - 6 a^3 b c d^3 e^3 + 3 a^2 b^2 c d^4 e^2))^{1/2} + 2 b^7 e^3 - 16 a^2 c^5 d^3 - 2 b^4 c^3 d^3 + 12 a b^2 c^4 d^3 - 40 a^3 b^3 c^3 e^3 + 48 a^3 c^4 d e^2 + 6 b^5 c^2 d^2 e + 50 a^2 b^3 c^2 e^3 - 18 a b^5 c^3 e^3 - 6 b^6 c d e^2 - 42 a b^3 c^3 d^2 e + 48 a b^4 c^2 d e^2 + 72 a^2 b^3 c^4 d^2 e - 108 a^2 b^2 c^3 d e^2) / (16 (16 a^2 c^7 + b^4 c^5 - 8 a b^2 c^6))^{1/2} * 2i - (d + e x^2)^{1/2} (d/c + (b e - 2 c d) / c^2) - \operatorname{atan}((((4 a b^3 c^3 e^5 - 16 a^2 b^3 c^4 e^5 + 16 a c^6 d^3 e^2 + 16 a^2 c^5 d e^4 - 4 b^4 c^3 d e^4 - 4 b^2 c^5 d^3 e^2 + 8 b^3 c^4 d^2 e^3 - 32 a b^3 c^5 d^2 e^3 + 12 a b^2 c^4 d e^4) / c^3 - (2 (d + e x^2)^{1/2} * (((4 b^7 e^3 - 32 a^2 c^5 d^3 - 4 b^4 c^3 d^3 + 24 a b^2 c^4 d^3 - 80 a^3 b^3 c^3 e^3 + 96 a^3 c^4 d e^2 + 12 b^5 c^2 d^2 e + 100 a^2 b^3 c^2 e^3 - 36 a b^5 c^3 e^3 - 12 b^6 c d e^2 - 84 a b^3 c^3 d^2 e + 96 a b^4 c^2 d e^2 + 144 a^2 b^3 c^4 d^2 e - 216 a^2 b^2 c^3 d e^2)^{2/4} - (256 a^2 c^7 + 16 b^4 c^5 - 128 a b^2 c^6) (a^5 e^6 + a^2 c^3 d^6 + 3 a^4 c d^2 e^4 - a^2 b^3 d^3 e^3 + 3 a^3 b^2 d^2 e^4 + 3 a^3 c^2 d^4 e^2 - 3 a^4 b d e^5 - 3 a^2 b c^2 d^5 e - 6 a^3 b c d^3 e^3 + 3 a^2 b^2 c d^4 e^2))^{1/2} - 2 b^7 e^3 + 16 a^2 c^5 d^3 + 2 b^4 c^3 d^3 - 12 a b^2 c^4 d^3 + 40 a^3 b^3 c^3 e^3 - 48 a^3 c^4 d e^2 - 6 b^5 c^2 d^2 e - 50 a^2 b^3 c^2 e^3 + 18 a b^5 c^3 e^3 + 6 b^6 c d e^2 + 42 a b^3 c^3 d^2 e - 48 a b^4 c^2
\end{aligned}$$

$$\begin{aligned}
& 2*a*b^2*c^4*d^3 + 40*a^3*b*c^3*e^3 - 48*a^3*c^4*d*e^2 - 6*b^5*c^2*d^2*e - 5 \\
& 0*a^2*b^3*c^2*e^3 + 18*a*b^5*c*e^3 + 6*b^6*c*d*e^2 + 42*a*b^3*c^3*d^2*e - 4 \\
& 8*a*b^4*c^2*d*e^2 - 72*a^2*b*c^4*d^2*e + 108*a^2*b^2*c^3*d*e^2)/(16*(16*a^2 \\
& *c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} - (2*(d + e*x^2)^{(1/2)}*(b^6*e^6 - 2*a \\
& ^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 12*a^2*c^4*d^2*e^4 + b^2 \\
& *c^4*d^4*e^2 - 4*b^3*c^3*d^3*e^3 + 6*b^4*c^2*d^2*e^4 - 6*a*b^4*c*e^6 - 4*b^ \\
& 5*c*d*e^5 + 12*a*b*c^4*d^3*e^3 + 20*a*b^3*c^2*d*e^5 - 20*a^2*b*c^3*d*e^5 - \\
& 24*a*b^2*c^3*d^2*e^4))/c^3)*(((4*b^7*e^3 - 32*a^2*c^5*d^3 - 4*b^4*c^3*d^3 \\
& + 24*a*b^2*c^4*d^3 - 80*a^3*b*c^3*e^3 + 96*a^3*c^4*d*e^2 + 12*b^5*c^2*d^2*e \\
& + 100*a^2*b^3*c^2*e^3 - 36*a*b^5*c*e^3 - 12*b^6*c*d*e^2 - 84*a*b^3*c^3*d^2 \\
& *e + 96*a*b^4*c^2*d*e^2 + 144*a^2*b*c^4*d^2*e - 216*a^2*b^2*c^3*d*e^2)^2/4 \\
& - (256*a^2*c^7 + 16*b^4*c^5 - 128*a*b^2*c^6)*(a^5*e^6 + a^2*c^3*d^6 + 3*a^4 \\
& *c*d^2*e^4 - a^2*b^3*d^3*e^3 + 3*a^3*b^2*d^2*e^4 + 3*a^3*c^2*d^4*e^2 - 3*a^ \\
& 4*b*d*e^5 - 3*a^2*b*c^2*d^5*e - 6*a^3*b*c*d^3*e^3 + 3*a^2*b^2*c*d^4*e^2))^{(\\
& 1/2)} - 2*b^7*e^3 + 16*a^2*c^5*d^3 + 2*b^4*c^3*d^3 - 12*a*b^2*c^4*d^3 + 40*a \\
& ^3*b*c^3*e^3 - 48*a^3*c^4*d*e^2 - 6*b^5*c^2*d^2*e - 50*a^2*b^3*c^2*e^3 + 18 \\
& *a*b^5*c*e^3 + 6*b^6*c*d*e^2 + 42*a*b^3*c^3*d^2*e - 48*a*b^4*c^2*d*e^2 - 72 \\
& *a^2*b*c^4*d^2*e + 108*a^2*b^2*c^3*d*e^2)/(16*(16*a^2*c^7 + b^4*c^5 - 8*a*b \\
& ^2*c^6)))^{(1/2)} + (((4*a*b^3*c^3*e^5 - 16*a^2*b*c^4*e^5 + 16*a*c^6*d^3*e^2 \\
& + 16*a^2*c^5*d*e^4 - 4*b^4*c^3*d*e^4 - 4*b^2*c^5*d^3*e^2 + 8*b^3*c^4*d^2*e^ \\
& 3 - 32*a*b*c^5*d^2*e^3 + 12*a*b^2*c^4*d*e^4)/c^3 + (2*(d + e*x^2)^{(1/2)}*((\\
& (4*b^7*e^3 - 32*a^2*c^5*d^3 - 4*b^4*c^3*d^3 + 24*a*b^2*c^4*d^3 - 80*a^3*b*c \\
& ^3*e^3 + 96*a^3*c^4*d*e^2 + 12*b^5*c^2*d^2*e + 100*a^2*b^3*c^2*e^3 - 36*a*b \\
& ^5*c*e^3 - 12*b^6*c*d*e^2 - 84*a*b^3*c^3*d^2*e + 96*a*b^4*c^2*d*e^2 + 144*a \\
& ^2*b*c^4*d^2*e - 216*a^2*b^2*c^3*d*e^2)^2/4 - (256*a^2*c^7 + 16*b^4*c^5 - 1 \\
& 28*a*b^2*c^6)*(a^5*e^6 + a^2*c^3*d^6 + 3*a^4*c*d^2*e^4 - a^2*b^3*d^3*e^3 + \\
& 3*a^3*b^2*d^2*e^4 + 3*a^3*c^2*d^4*e^2 - 3*a^4*b*d*e^5 - 3*a^2*b*c^2*d^5*e - \\
& 6*a^3*b*c*d^3*e^3 + 3*a^2*b^2*c*d^4*e^2))^{(1/2)} - 2*b^7*e^3 + 16*a^2*c^5*d \\
& ^3 + 2*b^4*c^3*d^3 - 12*a*b^2*c^4*d^3 + 40*a^3*b*c^3*e^3 - 48*a^3*c^4*d*e^2 \\
& - 6*b^5*c^2*d^2*e - 50*a^2*b^3*c^2*e^3 + 18*a*b^5*c*e^3 + 6*b^6*c*d*e^2 + \\
& 42*a*b^3*c^3*d^2*e - 48*a*b^4*c^2*d*e^2 - 72*a^2*b*c^4*d^2*e + 108*a^2*b^2* \\
& c^3*d*e^2)/(16*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)}*(4*b^3*c^5*e^3 \\
& - 8*b^2*c^6*d*e^2 - 16*a*b*c^6*e^3 + 32*a*c^7*d*e^2))/c^3)*(((4*b^7*e^3 - \\
& 32*a^2*c^5*d^3 - 4*b^4*c^3*d^3 + 24*a*b^2*c^4*d^3 - 80*a^3*b*c^3*e^3 + 96*a \\
& ^3*c^4*d*e^2 + 12*b^5*c^2*d^2*e + 100*a^2*b^3*c^2*e^3 - 36*a*b^5*c*e^3 - 12 \\
& *b^6*c*d*e^2 - 84*a*b^3*c^3*d^2*e + 96*a*b^4*c^2*d*e^2 + 144*a^2*b*c^4*d^2* \\
& e - 216*a^2*b^2*c^3*d*e^2)^2/4 - (256*a^2*c^7 + 16*b^4*c^5 - 128*a*b^2*c^6) \\
& *(a^5*e^6 + a^2*c^3*d^6 + 3*a^4*c*d^2*e^4 - a^2*b^3*d^3*e^3 + 3*a^3*b^2*d^2 \\
& *e^4 + 3*a^3*c^2*d^4*e^2 - 3*a^4*b*d*e^5 - 3*a^2*b*c^2*d^5*e - 6*a^3*b*c*d^ \\
& 3*e^3 + 3*a^2*b^2*c*d^4*e^2))^{(1/2)} - 2*b^7*e^3 + 16*a^2*c^5*d^3 + 2*b^4*c^ \\
& 3*d^3 - 12*a*b^2*c^4*d^3 + 40*a^3*b*c^3*e^3 - 48*a^3*c^4*d*e^2 - 6*b^5*c^2* \\
& d^2*e - 50*a^2*b^3*c^2*e^3 + 18*a*b^5*c*e^3 + 6*b^6*c*d*e^2 + 42*a*b^3*c^3* \\
& d^2*e - 48*a*b^4*c^2*d*e^2 - 72*a^2*b*c^4*d^2*e + 108*a^2*b^2*c^3*d*e^2)/(1 \\
& 6*(16*a^2*c^7 + b^4*c^5 - 8*a*b^2*c^6)))^{(1/2)} + (2*(d + e*x^2)^{(1/2)}*(b^6* \\
& e^6 - 2*a^3*c^3*e^6 - 2*a*c^5*d^4*e^2 + 9*a^2*b^2*c^2*e^6 + 12*a^2*c^4*d^2*
\end{aligned}$$

$$\begin{aligned}
& e^4 + b^2c^4d^4e^2 - 4b^3c^3d^3e^3 + 6b^4c^2d^2e^4 - 6ab^4c^2e^6 - 4b^5c^2de^5 + 12ab^3c^4d^3e^3 + 20ab^3c^2de^5 - 20a^2b^3c^3 \\
& *d^2e^5 - 24a^2b^2c^3d^2e^4)/c^3)*(((4b^7e^3 - 32a^2c^5d^3 - 4b^4c^3d^3 \\
& *c^3d^3 + 24ab^2c^4d^3 - 80a^3b^3c^3e^3 + 96a^3c^4d^2e^2 + 12b^5c^2d^2e \\
& + 100a^2b^3c^2e^3 - 36ab^5c^2e^3 - 12b^6c^2de^2 - 84ab^3c^3d^2e \\
& + 96ab^4c^2de^2 + 144a^2b^3c^4d^2e - 216a^2b^2c^3d^2e^2)^{2/4} - (256a^2c^7 + 16b^4c^5 - 128ab^2c^6)*(a^5e^6 + a^2c^3d^6 \\
& + 3a^4c^2d^2e^4 - a^2b^3d^3e^3 + 3a^3b^2d^2e^4 + 3a^3c^2d^4e^2 - 3a^4b^2de^5 - 3a^2b^3c^2d^5e - 6a^3b^3c^2d^3e^3 + 3a^2b^2c^2d^4e^2) \\
&)^{(1/2)} - 2b^7e^3 + 16a^2c^5d^3 + 2b^4c^3d^3 - 12ab^2c^4d^3 + 40a^3b^3c^3e^3 - 48a^3c^4d^2e^2 - 6b^5c^2d^2e - 50a^2b^3c^2e^3 + 18ab^5c^2e^3 + 6b^6c^2de^2 + 42ab^3c^3d^2e - 48ab^4c^2de^2 - 72a^2b^2c^4d^2e + 108a^2b^2c^3d^2e^2)/(16*(16a^2c^7 + b^4c^5 - 8ab^2c^6)))^{(1/2)} + (2*(a^4c^2e^8 - a^3b^2e^8 - ab^4d^2e^6 + 2a^2b^3de^7 - ac^4d^6e^2 - a^2c^3d^4e^4 + a^3c^2d^2e^6 + 4ab^3c^3d^5e^3 + 4ab^3c^2d^3e^5 - 6ab^2c^2d^4e^4 + 4a^2b^2c^2d^3e^5 - 5a^2b^2c^2d^2e^6))/c^3)*(((4b^7e^3 - 32a^2c^5d^3 - 4b^4c^3d^3 + 24ab^2c^4d^3 - 80a^3b^3c^3e^3 + 96a^3c^4d^2e^2 + 12b^5c^2d^2e^2 + 100a^2b^3c^2e^3 - 36ab^5c^2e^3 - 12b^6c^2de^2 - 84ab^3c^3d^2e + 96ab^4c^2de^2 + 144a^2b^3c^4d^2e - 216a^2b^2c^3d^2e^2)^{2/4} - (256a^2c^7 + 16b^4c^5 - 128ab^2c^6)*(a^5e^6 + a^2c^3d^6 + 3a^4c^2d^2e^4 - a^2b^3d^3e^3 + 3a^3b^2d^2e^4 + 3a^3c^2d^4e^2 - 3a^4b^2de^5 - 3a^2b^3c^2d^5e - 6a^3b^3c^2d^3e^3 + 3a^2b^2c^2d^4e^2))^{(1/2)} - 2b^7e^3 + 16a^2c^5d^3 + 2b^4c^3d^3 - 12ab^2c^4d^3 + 40a^3b^3c^3e^3 - 48a^3c^4d^2e^2 - 6b^5c^2d^2e - 50a^2b^3c^2e^3 + 18ab^5c^2e^3 + 6b^6c^2de^2 + 42ab^3c^3d^2e - 48ab^4c^2de^2 - 72a^2b^2c^4d^2e + 108a^2b^2c^3d^2e^2)/(16*(16a^2c^7 + b^4c^5 - 8ab^2c^6)))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.368 \quad \int \frac{x(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=327

$$\frac{\left(-2ce\left(-d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(b-\sqrt{b^2-4ac}\right)+2c^2d^2\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}\right)\left(-2ce\left(d\sqrt{b^2-4ac}\right)+be^2\left(b+\sqrt{b^2-4ac}\right)+2c^2d^2\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}}\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}+\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}}$$

[Out] $e*(e*x^2+d)^{(1/2)}/c-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))^{(1/2)}*(2*c^2*d^2+b*e^2*(b-(-4*a*c+b^2)^{(1/2)})-2*c*e*(b*d+a*e-d*(-4*a*c+b^2)^{(1/2)}))/c^{(3/2)}*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))^{(1/2)}+1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))^{(1/2)}*(2*c^2*d^2+b*e^2*(b+(-4*a*c+b^2)^{(1/2)})-2*c*e*(b*d+a*e+d*(-4*a*c+b^2)^{(1/2)}))/c^{(3/2)}*2^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))^{(1/2)}$

Rubi [A] time = 1.46, antiderivative size = 327, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1247, 703, 826, 1166, 208}

$$\frac{\left(-2ce\left(-d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(b-\sqrt{b^2-4ac}\right)+2c^2d^2\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}\right)\left(-2ce\left(d\sqrt{b^2-4ac}\right)+be^2\left(b+\sqrt{b^2-4ac}\right)+2c^2d^2\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}}\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}+\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*(d+e*x^2)^{(3/2)})/(a+b*x^2+c*x^4),x]$

[Out] $(e*\operatorname{Sqrt}[d+e*x^2])/c - ((2*c^2*d^2 + b*(b - \operatorname{Sqrt}[b^2 - 4*a*c]))*e^2 - 2*c*e*(b*d - \operatorname{Sqrt}[b^2 - 4*a*c]*d + a*e))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/(\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e])] / (\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]) + ((2*c^2*d^2 + b*(b + \operatorname{Sqrt}[b^2 - 4*a*c]))*e^2 - 2*c*e*(b*d + \operatorname{Sqrt}[b^2 - 4*a*c]*d + a*e))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/(\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])] / (\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])$

Rule 208

$\operatorname{Int}[(a_+ + (b_-)*(x_-)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 703

```
Int[((d_.) + (e_.)*(x_))^(m_)/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol]
:= Simp[(e*(d + e*x)^(m - 1))/(c*(m - 1)), x] + Dist[1/c, Int[((d + e*x)^(m - 2)*Simp[c*d^2 - a*e^2 + e*(2*c*d - b*e)*x, x])/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[m, 1]
```

Rule 826

```
Int[((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)]*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)), x_Symbol]
:= Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol]
:= Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^{3/2}}{a+bx+cx^2} dx, x, x^2 \right) \\
&= \frac{e\sqrt{d+ex^2}}{c} + \frac{\text{Subst} \left(\int \frac{cd^2-ae^2+e(2cd-be)x}{\sqrt{d+ex}(a+bx+cx^2)} dx, x, x^2 \right)}{2c} \\
&= \frac{e\sqrt{d+ex^2}}{c} + \frac{\text{Subst} \left(\int \frac{-de(2cd-be)+e(cd^2-ae^2)+e(2cd-be)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex^2} \right)}{c} \\
&= \frac{e\sqrt{d+ex^2}}{c} + \frac{\left(2c^2d^2 + b(b - \sqrt{b^2 - 4ac})e^2 - 2ce(bd - \sqrt{b^2 - 4ac}d + ae)\right) \text{Subst} \left(\int \frac{1}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \right)}{2c\sqrt{b^2 - 4ac}} \\
&= \frac{e\sqrt{d+ex^2}}{c} - \frac{\left(2c^2d^2 + b(b - \sqrt{b^2 - 4ac})e^2 - 2ce(bd - \sqrt{b^2 - 4ac}d + ae)\right) \tanh^{-1} \left(\frac{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}} \right)}{\sqrt{2}c^{3/2}\sqrt{b^2 - 4ac}\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}
\end{aligned}$$

Mathematica [A] time = 0.57, size = 324, normalized size = 0.99

$$\frac{\left(2ce\left(-d\sqrt{b^2 - 4ac} + ae + bd\right) + be^2\left(\sqrt{b^2 - 4ac} - b\right) - 2c^2d^2\right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{e\sqrt{b^2-4ac}-be+2cd}} \right) \left(-2ce\left(d\sqrt{b^2 - 4ac} + \dots\right)\right)}{\sqrt{2}c^{3/2}\sqrt{b^2 - 4ac}\sqrt{e\left(\sqrt{b^2 - 4ac} - b\right) + 2cd}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x]

[Out] (e*sqrt[d + e*x^2])/c + ((-2*c^2*d^2 + b*(-b + sqrt[b^2 - 4*a*c]))*e^2 + 2*c*e*(b*d - sqrt[b^2 - 4*a*c]*d + a*e))*ArcTanh[(sqrt[2]*sqrt[c]*sqrt[d + e*x^2])/sqrt[2*c*d - b*e + sqrt[b^2 - 4*a*c]*e]]/(sqrt[2]*c^(3/2)*sqrt[b^2 - 4*a*c]*sqrt[2*c*d + (-b + sqrt[b^2 - 4*a*c])*e]) + ((2*c^2*d^2 + b*(b + sqrt[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d + sqrt[b^2 - 4*a*c]*d + a*e))*ArcTanh[(sqrt[2]*sqrt[c]*sqrt[d + e*x^2])/sqrt[2*c*d - (b + sqrt[b^2 - 4*a*c])*e]]/(sqrt[2]*c^(3/2)*sqrt[b^2 - 4*a*c]*sqrt[2*c*d - (b + sqrt[b^2 - 4*a*c])*e])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 1.09, size = 649, normalized size = 1.98

$$\frac{\sqrt{x^2e + de}}{c} + \frac{(4c^5d^3 - 6bc^4d^2e - (2(b^2c - 4ac^2)de^2 - (b^3 - 4abc)e^3)c^2 + 4(b^2c^3 - ac^4)de^2 + 2(\sqrt{b^2 - 4ac}c^3d^2e - (2\sqrt{b^2 - 4ac}c^2d - (b^2c - 4ac^2 + \sqrt{b^2 - 4ac}c^2d)))}{c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] sqrt(x^2*e + d)*e/c + (4*c^5*d^3 - 6*b*c^4*d^2*e - (2*(b^2*c - 4*a*c^2)*d*e^2 - (b^3 - 4*a*b*c)*e^3)*c^2 + 4*(b^2*c^3 - a*c^4)*d*e^2 + 2*(sqrt(b^2 - 4*a*c)*c^3*d^2*e - sqrt(b^2 - 4*a*c)*b*c^2*d*e^2 + sqrt(b^2 - 4*a*c)*a*c^2*e^3)*abs(c) - (b^3*c^2 - 2*a*b*c^3)*e^3)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*c^2*d - b*c*e + sqrt(-4*(c^2*d^2 - b*c*d*e + a*c*e^2)*c^2 + (2*c^2*d - b*c*e)^2))/c^2))/((2*sqrt(b^2 - 4*a*c)*c^2*d - (b^2*c - 4*a*c^2 + sqrt(b^2 - 4*a*c)*b*c)*e)*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*c^2) - (4*c^5*d^3 - 6*b*c^4*d^2*e - (2*(b^2*c - 4*a*c^2)*d*e^2 - (b^3 - 4*a*b*c)*e^3)*c^2 + 4*(b^2*c^3 - a*c^4)*d*e^2 - 2*(sqrt(b^2 - 4*a*c)*c^3*d^2*e - sqrt(b^2 - 4*a*c)*b*c^2*d*e^2 + sqrt(b^2 - 4*a*c)*a*c^2*e^3)*abs(c) - (b^3*c^2 - 2*a*b*c^3)*e^3)*arctan(2*sqrt(1/2)*sqrt(x^2*e + d)/sqrt(-(2*c^2*d - b*c*e - sqrt(-4*(c^2*d^2 - b*c*d*e + a*c*e^2)*c^2 + (2*c^2*d - b*c*e)^2))/c^2))/((2*sqrt(b^2 - 4*a*c)*c^2*d + (b^2*c - 4*a*c^2 - sqrt(b^2 - 4*a*c)*b*c)*e)*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e)*c^2)

maple [C] time = 0.02, size = 279, normalized size = 0.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] -1/2*e^(3/2)/c*x+1/2*e*(e*x^2+d)^(1/2)/c+1/4*e/c*sum(((-b*e+2*c*d)*_R^6+(-4*a*e^2+3*b*d*e-2*c*d^2)*_R^4+d*(4*a*e^2-3*b*d*e+2*c*d^2)*_R^2+b*d^3*e-2*c*d^4)/(_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3)*ln(-e^(1/2)*x-_R+(e*x^2+d)^(1/2)),_R=RootOf(_Z^8*c+(4*b*

$e^{-4* c * d} * _Z^6 + c * d^4 + (16 * a * e^2 - 8 * b * d * e + 6 * c * d^2) * _Z^4 + (4 * b * d^2 * e^{-4 * c * d^3}) * _Z^2 + 1/2 * e / c * d / (-e^{(1/2)} * x + (e * x^2 + d)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}} x}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)*x/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 4.13, size = 12392, normalized size = 37.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4),x)

[Out] $(e*(d + e*x^2)^{(1/2)})/c - \operatorname{atan}\left(\frac{(16*a^2*c^3*e^5 - 4*a*b^2*c^2*e^5 + 16*a*c^4*d^2*e^3 + 4*b^3*c^2*d*e^4 - 4*b^2*c^3*d^2*e^3 - 16*a*b*c^3*d*e^4)/c - (2*(d + e*x^2)^{(1/2)}*(-((4*b^5*e^3 + 32*a*c^4*d^3 - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 96*a^2*c^3*d*e^2 + 12*b^3*c^2*d^2*e - 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a*b*c^3*d^2*e + 72*a*b^2*c^2*d*e^2)^2/4 - (256*a^2*c^5 + 16*b^4*c^3 - 128*a*b^2*c^4)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^5*e^3 + 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b*c^2*e^3 - 48*a^2*c^3*d*e^2 + 6*b^3*c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d*e^2 - 24*a*b*c^3*d^2*e + 36*a*b^2*c^2*d*e^2)/(16*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}*(4*b^3*c^3*e^3 - 8*b^2*c^4*d*e^2 - 16*a*b*c^4*e^3 + 32*a*c^5*d*e^2)/c - ((4*b^5*e^3 + 32*a*c^4*d^3 - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 96*a^2*c^3*d*e^2 + 12*b^3*c^2*d^2*e - 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a*b*c^3*d^2*e + 72*a*b^2*c^2*d*e^2)^2/4 - (256*a^2*c^5 + 16*b^4*c^3 - 128*a*b^2*c^4)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^5*e^3 + 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b*c^2*e^3 - 48*a^2*c^3*d*e^2 + 6*b^3*c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d*e^2 - 24*a*b*c^3*d^2*e + 36*a*b^2*c^2*d*e^2)/(16*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*(d + e*x^2)^{(1/2)}*(b^4*e^6 + 2*a^2*c^2*e^6 + 2*c^4*d^4*e^2 - 12*a*c^3*d^2*e^4 - 4*b*c^3*d^3*e^3 + 6*b^2*c^2*d^2*e^4 - 4*a*b^2*c*e^6 - 4*b^3*c*d*e^5 + 12*a*b*c^2*d*e^5))/c - ((4*b^5*e^3 + 32*a*c^4*d^3 - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 96*a^2*c^3*d*e^2 + 12*b^3*c^2*d^2*e - 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a*b*c^3*d^2*e +$

$$\begin{aligned}
& 72*a*b^2*c^2*d*e^2)^{2/4} - (256*a^2*c^5 + 16*b^4*c^3 - 128*a*b^2*c^4)*(a^3* \\
& e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d \\
& ^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3) \\
&)^{(1/2)} + 2*b^5*e^3 + 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b*c^2*e^3 - 48* \\
& a^2*c^3*d*e^2 + 6*b^3*c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d*e^2 - 24*a*b*c \\
& ^3*d^2*e + 36*a*b^2*c^2*d*e^2)/(16*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(\\
& 1/2)}*1i - (((16*a^2*c^3*e^5 - 4*a*b^2*c^2*e^5 + 16*a*c^4*d^2*e^3 + 4*b^3*c^ \\
& 2*d*e^4 - 4*b^2*c^3*d^2*e^3 - 16*a*b*c^3*d*e^4)/c + (2*(d + e*x^2)^{(1/2)}*(- \\
& (((4*b^5*e^3 + 32*a*c^4*d^3 - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 96*a^2*c^3 \\
& *d*e^2 + 12*b^3*c^2*d^2*e - 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a*b*c^3*d^ \\
& 2*e + 72*a*b^2*c^2*d*e^2)^{2/4} - (256*a^2*c^5 + 16*b^4*c^3 - 128*a*b^2*c^4)* \\
& (a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^ \\
& 2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3 \\
& *e^3))^{(1/2)} + 2*b^5*e^3 + 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b*c^2*e^3 \\
& - 48*a^2*c^3*d*e^2 + 6*b^3*c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d*e^2 - 24* \\
& a*b*c^3*d^2*e + 36*a*b^2*c^2*d*e^2)/(16*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4 \\
&)))^{(1/2)}*(4*b^3*c^3*e^3 - 8*b^2*c^4*d*e^2 - 16*a*b*c^4*e^3 + 32*a*c^5*d*e^ \\
& 2))/c)*(-(((4*b^5*e^3 + 32*a*c^4*d^3 - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 9 \\
& 6*a^2*c^3*d*e^2 + 12*b^3*c^2*d^2*e - 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a \\
& *b*c^3*d^2*e + 72*a*b^2*c^2*d*e^2)^{2/4} - (256*a^2*c^5 + 16*b^4*c^3 - 128*a* \\
& b^2*c^4)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e \\
& ^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6* \\
& a*b*c*d^3*e^3))^{(1/2)} + 2*b^5*e^3 + 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b \\
& *c^2*e^3 - 48*a^2*c^3*d*e^2 + 6*b^3*c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d* \\
& e^2 - 24*a*b*c^3*d^2*e + 36*a*b^2*c^2*d*e^2)/(16*(16*a^2*c^5 + b^4*c^3 - 8* \\
& a*b^2*c^4))^{(1/2)} + (2*(d + e*x^2)^{(1/2)}*(b^4*e^6 + 2*a^2*c^2*e^6 + 2*c^4* \\
& d^4*e^2 - 12*a*c^3*d^2*e^4 - 4*b*c^3*d^3*e^3 + 6*b^2*c^2*d^2*e^4 - 4*a*b^2* \\
& c*e^6 - 4*b^3*c*d*e^5 + 12*a*b*c^2*d*e^5))/c)*(-(((4*b^5*e^3 + 32*a*c^4*d^3 \\
& - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 96*a^2*c^3*d*e^2 + 12*b^3*c^2*d^2*e - \\
& 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a*b*c^3*d^2*e + 72*a*b^2*c^2*d*e^2)^{2 \\
& /4} - (256*a^2*c^5 + 16*b^4*c^3 - 128*a*b^2*c^4)*(a^3*e^6 + c^3*d^6 - b^3*d^ \\
& 3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e \\
& ^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^5*e^3 + \\
& 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b*c^2*e^3 - 48*a^2*c^3*d*e^2 + 6*b^3* \\
& c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d*e^2 - 24*a*b*c^3*d^2*e + 36*a*b^2*c^ \\
& 2*d*e^2)/(16*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}*1i)/((((16*a^2*c^ \\
& 3*e^5 - 4*a*b^2*c^2*e^5 + 16*a*c^4*d^2*e^3 + 4*b^3*c^2*d*e^4 - 4*b^2*c^3*d^ \\
& 2*e^3 - 16*a*b*c^3*d*e^4)/c - (2*(d + e*x^2)^{(1/2)}*(-(((4*b^5*e^3 + 32*a*c^ \\
& 4*d^3 - 8*b^2*c^3*d^3 + 48*a^2*b*c^2*e^3 - 96*a^2*c^3*d*e^2 + 12*b^3*c^2*d^ \\
& 2*e - 28*a*b^3*c*e^3 - 12*b^4*c*d*e^2 - 48*a*b*c^3*d^2*e + 72*a*b^2*c^2*d*e \\
& ^2)^{2/4} - (256*a^2*c^5 + 16*b^4*c^3 - 128*a*b^2*c^4)*(a^3*e^6 + c^3*d^6 - b \\
& ^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c* \\
& d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^5*e \\
& ^3 + 16*a*c^4*d^3 - 4*b^2*c^3*d^3 + 24*a^2*b*c^2*e^3 - 48*a^2*c^3*d*e^2 + 6 \\
& *b^3*c^2*d^2*e - 14*a*b^3*c*e^3 - 6*b^4*c*d*e^2 - 24*a*b*c^3*d^2*e + 36*a*b
\end{aligned}$$

$$\begin{aligned}
& (3b^2cd^4e^2 - 3a^2bde^5 - 3b^2c^2d^5e - 6abc^2d^3e^3)^{(1/2)} \\
& - 2b^5e^3 - 16ac^4d^3 + 4b^2c^3d^3 - 24a^2b^2c^2e^3 + 48a^2c^3d^3 \\
& de^2 - 6b^3c^2d^2e + 14ab^3c^2e^3 + 6b^4cd^2e^2 + 24ab^2c^3d^2e \\
& - 36ab^2c^2d^2e^2)/(16(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{(1/2)} - (\\
& 2(d + ex^2)^{(1/2)}(b^4e^6 + 2a^2c^2e^6 + 2c^4d^4e^2 - 12ac^3d^2 \\
& e^4 - 4b^2c^3d^3e^3 + 6b^2c^2d^2e^4 - 4ab^2c^2e^6 - 4b^3cd^2e^5 \\
& + 12abc^2d^2e^5)/c)*(((4b^5e^3 + 32ac^4d^3 - 8b^2c^3d^3 + 48a^2 \\
& b^2c^2e^3 - 96a^2c^3d^2e^2 + 12b^3c^2d^2e - 28ab^3c^2e^3 - 12b^4 \\
& c^2d^2e^2 - 48abc^3d^2e + 72ab^2c^2d^2e^2)^{2/4} - (256a^2c^5 + 16 \\
& b^4c^3 - 128ab^2c^4)*(a^3e^6 + c^3d^6 - b^3d^3e^3 + 3ab^2d^2e^4 \\
& + 3ac^2d^4e^2 + 3a^2cd^2e^4 + 3b^2cd^4e^2 - 3a^2bde^5 - 3 \\
& b^2c^2d^5e - 6abc^2d^3e^3))^{(1/2)} - 2b^5e^3 - 16ac^4d^3 + 4b^2c^3 \\
& d^3 - 24a^2b^2c^2e^3 + 48a^2c^3d^2e^2 - 6b^3c^2d^2e + 14ab^3c^2 \\
& e^3 + 6b^4cd^2e^2 + 24ab^2c^3d^2e - 36ab^2c^2d^2e^2)/(16(16a^2c^5 \\
& + b^4c^3 - 8ab^2c^4))^{(1/2)} + (((16a^2c^3e^5 - 4ab^2c^2e^5 + \\
& 16ac^4d^2e^3 + 4b^3c^2d^2e^4 - 4b^2c^3d^2e^3 - 16abc^3d^2e^4)/ \\
& c + (2(d + ex^2)^{(1/2)}*(((4b^5e^3 + 32ac^4d^3 - 8b^2c^3d^3 + 48a^2 \\
& b^2c^2e^3 - 96a^2c^3d^2e^2 + 12b^3c^2d^2e - 28ab^3c^2e^3 - 12b^4 \\
& c^2d^2e^2 - 48abc^3d^2e + 72ab^2c^2d^2e^2)^{2/4} - (256a^2c^5 + 16 \\
& b^4c^3 - 128ab^2c^4)*(a^3e^6 + c^3d^6 - b^3d^3e^3 + 3ab^2d^2e^4 \\
& + 3ac^2d^4e^2 + 3a^2cd^2e^4 + 3b^2cd^4e^2 - 3a^2bde^5 - 3 \\
& b^2c^2d^5e - 6abc^2d^3e^3))^{(1/2)} - 2b^5e^3 - 16ac^4d^3 + 4b^2c^3 \\
& d^3 - 24a^2b^2c^2e^3 + 48a^2c^3d^2e^2 - 6b^3c^2d^2e + 14ab^3c^2 \\
& e^3 + 6b^4cd^2e^2 + 24ab^2c^3d^2e - 36ab^2c^2d^2e^2)/(16(16a^2c^5 \\
& + b^4c^3 - 8ab^2c^4))^{(1/2)}*(4b^3c^3e^3 - 8b^2c^4d^2e^2 - 16a \\
& abc^4e^3 + 32ac^5d^2e^2))/c)*(((4b^5e^3 + 32ac^4d^3 - 8b^2c^3d^3 \\
& + 48a^2b^2c^2e^3 - 96a^2c^3d^2e^2 + 12b^3c^2d^2e - 28ab^3c^2e^3 \\
& - 12b^4c^2d^2e^2 - 48abc^3d^2e + 72ab^2c^2d^2e^2)^{2/4} - (256a^2c^5 \\
& + 16b^4c^3 - 128ab^2c^4)*(a^3e^6 + c^3d^6 - b^3d^3e^3 + 3ab^2 \\
& d^2e^4 + 3ac^2d^4e^2 + 3a^2cd^2e^4 + 3b^2cd^4e^2 - 3a^2bde^5 - 3 \\
& b^2c^2d^5e - 6abc^2d^3e^3))^{(1/2)} - 2b^5e^3 - 16ac^4d^3 + \\
& 4b^2c^3d^3 - 24a^2b^2c^2e^3 + 48a^2c^3d^2e^2 - 6b^3c^2d^2e + 14 \\
& ab^3c^2e^3 + 6b^4cd^2e^2 + 24ab^2c^3d^2e - 36ab^2c^2d^2e^2)/(16(\\
& 16a^2c^5 + b^4c^3 - 8ab^2c^4))^{(1/2)} + (2(d + ex^2)^{(1/2)}(b^4e^6 \\
& + 2a^2c^2e^6 + 2c^4d^4e^2 - 12ac^3d^2e^4 - 4b^2c^3d^3e^3 + 6b^2 \\
& c^2d^2e^4 - 4ab^2c^2e^6 - 4b^3cd^2e^5 + 12abc^2d^2e^5))/c)*(((\\
& 4b^5e^3 + 32ac^4d^3 - 8b^2c^3d^3 + 48a^2b^2c^2e^3 - 96a^2c^3d^2 \\
& e^2 + 12b^3c^2d^2e - 28ab^3c^2e^3 - 12b^4c^2d^2e^2 - 48abc^3d^2e \\
& + 72ab^2c^2d^2e^2)^{2/4} - (256a^2c^5 + 16b^4c^3 - 128ab^2c^4)*(a^3 \\
& e^6 + c^3d^6 - b^3d^3e^3 + 3ab^2d^2e^4 + 3ac^2d^4e^2 + 3a^2cd^2 \\
& e^4 + 3b^2cd^4e^2 - 3a^2bde^5 - 3b^2c^2d^5e - 6abc^2d^3e^3))^{(1/2)} \\
& - 2b^5e^3 - 16ac^4d^3 + 4b^2c^3d^3 - 24a^2b^2c^2e^3 + 4 \\
& 8a^2c^3d^2e^2 - 6b^3c^2d^2e + 14ab^3c^2e^3 + 6b^4cd^2e^2 + 24ab \\
& c^3d^2e - 36ab^2c^2d^2e^2)/(16(16a^2c^5 + b^4c^3 - 8ab^2c^4)) \\
& ^{(1/2)} - (2(2c^3d^5e^3 - b^3d^2e^6 - a^2b^2e^8 + 4ac^2d^3e^5 - 5
\end{aligned}$$

$$\frac{b^2 c^2 d^4 e^4 + 4 b^2 c d^3 e^5 + 2 a b^2 d e^7 + 2 a^2 c d e^7 - 6 a b c d^2 e^6}{c} \left(\frac{(4 b^5 e^3 + 32 a c^4 d^3 - 8 b^2 c^3 d^3 + 48 a^2 b c^2 e^3 - 96 a^2 c^3 d e^2 + 12 b^3 c^2 d^2 e - 28 a b^3 c e^3 - 12 b^4 c d e^2 - 48 a b c^3 d^2 e + 72 a b^2 c^2 d e^2)^{2/4} - (256 a^2 c^5 + 16 b^4 c^3 - 128 a b^2 c^4) (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a b^2 d^2 e^4 + 3 a c^2 d^4 e^2 + 3 a^2 c d^2 e^4 + 3 b^2 c d^4 e^2 - 3 a^2 b d e^5 - 3 b c^2 d^5 e - 6 a b c d^3 e^3)^{1/2} - 2 b^5 e^3 - 16 a c^4 d^3 + 4 b^2 c^3 d^3 - 24 a^2 b c^2 e^3 + 48 a^2 c^3 d e^2 - 6 b^3 c^2 d^2 e + 14 a b^3 c e^3 + 6 b^4 c d e^2 + 24 a b c^3 d^2 e - 36 a b^2 c^2 d e^2}{16 (16 a^2 c^5 + b^4 c^3 - 8 a b^2 c^4)} \right)^{1/2} \cdot 2i$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.369 \quad \int \frac{(d+ex^2)^{3/2}}{x(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=346

$$\frac{\left(-cd\left(d\sqrt{b^2-4ac}-4ae\right)+ae^2\sqrt{b^2-4ac}-b\left(ae^2+cd^2\right)\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}\right)\left(-cd\left(d\sqrt{b^2-4ac}+4ae\right)+ae^2\sqrt{b^2-4ac}-b\left(ae^2+cd^2\right)\right)}{\sqrt{2}a\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}} \sqrt{2}a\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}$$

[Out] $-d^{(3/2)}*\operatorname{arctanh}\left(\frac{(e*x^2+d)^{(1/2)}}{d^{(1/2)}}\right)/a-1/2*\operatorname{arctanh}\left(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}\right)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2))})^{(1/2)}*(-b*(a*e^2+c*d^2)+a*e^2*(-4*a*c+b^2)^{(1/2)}-c*d*(-4*a*e+d*(-4*a*c+b^2)^{(1/2))})/a*2^{(1/2)}/c^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2))})^{(1/2)}-1/2*\operatorname{arctanh}\left(2^{(1/2)}*c^{(1/2)}*(e*x^2+d)^{(1/2)}\right)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2))})^{(1/2)}*(b*(a*e^2+c*d^2)+a*e^2*(-4*a*c+b^2)^{(1/2)}-c*d*(4*a*e+d*(-4*a*c+b^2)^{(1/2))})/a*2^{(1/2)}/c^{(1/2)}/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2))})^{(1/2)}$

Rubi [A] time = 1.74, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 897, 1287, 206, 1166, 208}

$$\frac{\left(-cd\left(d\sqrt{b^2-4ac}-4ae\right)+ae^2\sqrt{b^2-4ac}-b\left(ae^2+cd^2\right)\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}\right)\left(-cd\left(d\sqrt{b^2-4ac}+4ae\right)+ae^2\sqrt{b^2-4ac}-b\left(ae^2+cd^2\right)\right)}{\sqrt{2}a\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}} \sqrt{2}a\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^(3/2)/(x*(a + b*x^2 + c*x^4)), x]

[Out] $-((d^{(3/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[d+e*x^2]/\operatorname{Sqrt}[d]])/a)-((a*\operatorname{Sqrt}[b^2-4*a*c]*e^2-c*d*(\operatorname{Sqrt}[b^2-4*a*c]*d-4*a*e)-b*(c*d^2+a*e^2))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/(\operatorname{Sqrt}[2*c*d-(b-\operatorname{Sqrt}[b^2-4*a*c])*e])])-(a*\operatorname{Sqrt}[b^2-4*a*c]*e^2-c*d*(\operatorname{Sqrt}[b^2-4*a*c]*d+4*a*e)+b*(c*d^2+a*e^2))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/(\operatorname{Sqrt}[2*c*d-(b+\operatorname{Sqrt}[b^2-4*a*c])*e])])-(a*\operatorname{Sqrt}[b^2-4*a*c]*e^2-c*d*(\operatorname{Sqrt}[b^2-4*a*c]*d-4*a*e)-b*(c*d^2+a*e^2))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/(\operatorname{Sqrt}[2*c*d-(b-\operatorname{Sqrt}[b^2-4*a*c])*e])])-(a*\operatorname{Sqrt}[b^2-4*a*c]*e^2-c*d*(\operatorname{Sqrt}[b^2-4*a*c]*d+4*a*e)+b*(c*d^2+a*e^2))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[d+e*x^2])/(\operatorname{Sqrt}[2*c*d-(b+\operatorname{Sqrt}[b^2-4*a*c])*e])])$

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 897

Int[((d_) + (e_)*(x_)^m)*((f_) + (g_)*(x_)^n)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^p, x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[n, p] && FractionQ[m]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^p, x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1287

Int[(((f_)*(x_)^m)*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2}}{x(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^{3/2}}{x(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{x^4}{\left(-\frac{d}{e} + \frac{x^2}{e}\right) \left(\frac{cd^2-bde+ae^2}{e^2} - \frac{(2cd-be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \left(-\frac{d^2e}{a(d-x^2)} + \frac{e(d(cd^2-bde+ae^2)-(cd^2-ae^2)x^2)}{a(cd^2-bde+ae^2-(2cd-be)x^2+cx^4)} \right) dx, x, \sqrt{d+ex^2} \right)}{e} \\
&= \frac{\text{Subst} \left(\int \frac{d(cd^2-bde+ae^2)+(-cd^2+ae^2)x^2}{cd^2-bde+ae^2+(-2cd+be)x^2+cx^4} dx, x, \sqrt{d+ex^2} \right)}{e} - \frac{d^2 \text{Subst} \left(\int \frac{1}{d-x^2} dx, x, \sqrt{d+ex^2} \right)}{a} \\
&= -\frac{d^{3/2} \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a} + \frac{\left(a\sqrt{b^2-4ac}e^2 - cd \left(\sqrt{b^2-4ac}d - 4ae \right) - b(cd^2+ae^2) \right) \text{Subst} \left(\int \frac{1}{d-x^2} dx, x, \sqrt{d+ex^2} \right)}{2a\sqrt{b^2-4ac}} \\
&= -\frac{d^{3/2} \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a} - \frac{\left(a\sqrt{b^2-4ac}e^2 - cd \left(\sqrt{b^2-4ac}d - 4ae \right) - b(cd^2+ae^2) \right) \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{\sqrt{2}a\sqrt{c}\sqrt{b^2-4ac}\sqrt{2cd-(b-\sqrt{b^2-4ac})}}
\end{aligned}$$

Mathematica [A] time = 1.38, size = 333, normalized size = 0.96

$$\frac{\left(-cd\left(d\sqrt{b^2-4ac}+4ae\right)+ae^2\sqrt{b^2-4ac}+b\left(ae^2+cd^2\right)\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{2cd-e\left(\sqrt{b^2-4ac}+b\right)}}\right)}{\sqrt{2cd-e\left(\sqrt{b^2-4ac}+b\right)}} - \frac{\left(cd\left(d\sqrt{b^2-4ac}-4ae\right)-ae^2\sqrt{b^2-4ac}+b\left(ae^2+cd^2\right)\right)\tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{e\left(\sqrt{b^2-4ac}-b\right)+2cd}}\right)}{\sqrt{e\left(\sqrt{b^2-4ac}-b\right)+2cd}}}{\sqrt{2}a\sqrt{c}\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^(3/2)/(x*(a + b*x^2 + c*x^4)), x]

[Out] -((((-(a*Sqrt[b^2 - 4*a*c]*e^2) + c*d*(Sqrt[b^2 - 4*a*c]*d - 4*a*e) + b*(c*d^2 + a*e^2))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]]/Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) + ((a*Sqrt[b^2 - 4*a*c]*e^2 - c*d*(Sqrt[b^2 - 4*a*c]*d + 4*a*e) + b*(c*d^2 + a*e^2))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[d + e*x^2])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]]/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/(\sqrt{2}a\sqrt{c}\sqrt{b^2 - 4ac})

$a*c])e]])/\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])e]])/(\text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b^2 - 4*a*c])) + (d^{(3/2)}*\text{Log}[x])/a - (d^{(3/2)}*\text{Log}[d + \text{Sqrt}[d]*\text{Sqrt}[d + e*x^2]])/a$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [B] time = 1.02, size = 827, normalized size = 2.39

$$\frac{d^2 \arctan\left(\frac{\sqrt{x^2e+d}}{\sqrt{-d}}\right) \left(\left((b^2c - 4ac^2)d^2e - (ab^2 - 4a^2c)e^3 \right) \sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac})e} a^2 - 2(\sqrt{b^2 - 4ac} a \right)}{a\sqrt{-d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $d^2*\arctan(\text{sqrt}(x^2*e + d)/\text{sqrt}(-d))/(\text{a}*\text{sqrt}(-d)) - 1/8*((b^2*c - 4*a*c^2)*d^2*e - (\text{a}*b^2 - 4*a^2*c)*e^3)*\text{sqrt}(-4*c^2*d + 2*(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*e)*a^2 - 2*(\text{sqrt}(b^2 - 4*a*c))*a*c^2*d^3 - \text{sqrt}(b^2 - 4*a*c))*a*b*c*d^2*e + \text{sqrt}(b^2 - 4*a*c))*a^2*c*d*e^2)*\text{sqrt}(-4*c^2*d + 2*(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*e)*\text{abs}(a) - (2*a^2*b*c^2*d^3 + 6*a^3*b*c*d*e^2 - a^3*b^2*e^3 - (a^2*b^2*c + 8*a^3*c^2)*d^2*e)*\text{sqrt}(-4*c^2*d + 2*(b*c - \text{sqrt}(b^2 - 4*a*c))*c)*e))*\arctan(2*\text{sqrt}(1/2)*\text{sqrt}(x^2*e + d)/\text{sqrt}(-(2*a*c*d - a*b*e + \text{sqrt}(-4*(a*c*d^2 - a*b*d*e + a^2*e^2))*a*c + (2*a*c*d - a*b*e)^2))/(\text{a}*\text{c}))/((\text{sqrt}(b^2 - 4*a*c))*a^2*c^2*d^2 - \text{sqrt}(b^2 - 4*a*c))*a^2*b*c*d*e + \text{sqrt}(b^2 - 4*a*c))*a^3*c*e^2)*\text{abs}(a)*\text{abs}(c)) + 1/8*((b^2*c - 4*a*c^2)*d^2*e - (\text{a}*b^2 - 4*a^2*c)*e^3)*\text{sqrt}(-4*c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*e)*a^2 + 2*(\text{sqrt}(b^2 - 4*a*c))*a*c^2*d^3 - \text{sqrt}(b^2 - 4*a*c))*a*b*c*d^2*e + \text{sqrt}(b^2 - 4*a*c))*a^2*c*d*e^2)*\text{sqrt}(-4*c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*e)*\text{abs}(a) - (2*a^2*b*c^2*d^3 + 6*a^3*b*c*d*e^2 - a^3*b^2*e^3 - (a^2*b^2*c + 8*a^3*c^2)*d^2*e)*\text{sqrt}(-4*c^2*d + 2*(b*c + \text{sqrt}(b^2 - 4*a*c))*c)*e))*\arctan(2*\text{sqrt}(1/2)*\text{sqrt}(x^2*e + d)/\text{sqrt}(-(2*a*c*d - a*b*e - \text{sqrt}(-4*(a*c*d^2 - a*b*d*e + a^2*e^2))*a*c + (2*a*c*d - a*b*e)^2))/(\text{a}*\text{c}))/((\text{sqrt}(b^2 - 4*a*c))*a^2*c^2*d^2 - \text{sqrt}(b^2 - 4*a*c))*a^2*b*c*d*e + \text{sqrt}(b^2 - 4*a*c))*a^3*c*e^2)*\text{abs}(a)*\text{abs}(c))$

maple [C] time = 0.03, size = 388, normalized size = 1.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*x^2+d)^{(3/2)}/x/(c*x^4+b*x^2+a), x)$

[Out] $\frac{7}{24} \frac{1}{a} (e*x^2+d)^{(3/2)} - \frac{1}{a} d^{(3/2)} * \ln\left(\frac{(2*d+2*(e*x^2+d)^{(1/2)}*d^{(1/2)})}{x}\right) + \frac{3}{8} \frac{1}{a} (e*x^2+d)^{(1/2)} * d + \frac{1}{6} \frac{1}{a} e^{(3/2)} * x^3 - \frac{1}{8} \frac{1}{a} e * (e*x^2+d)^{(1/2)} * x^2 + \frac{3}{4} \frac{1}{a} e^{(1/2)} * x * d - \frac{1}{4} \frac{1}{a} \sum\left(\frac{(-a*e^2+c*d^2)*_R^6+d*(-5*a*e^2+4*b*d*e-3*c*d^2)*_R^4+d^2*(5*a*e^2-4*b*d*e+3*c*d^2)*_R^2+a*d^3*e^2-c*d^5}{_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3}\right) * \ln\left(-e^{(1/2)} * x - _R + (e*x^2+d)^{(1/2)}\right), _R = \text{RootOf}(_Z^8*c+(4*b*e-4*c*d)*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z^2)-5/8/a*d^2/(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^3$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}}{(cx^4 + bx^2 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x^2+d)^{(3/2)}/x/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((e*x^2 + d)^{(3/2)}/((c*x^4 + b*x^2 + a)*x), x)$

mupad [B] time = 7.67, size = 28434, normalized size = 82.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d + e*x^2)^{(3/2)}/(x*(a + b*x^2 + c*x^4)), x)$

[Out] $\text{atan}\left(\frac{((d + e*x^2)^{(1/2)} * (2*a^4*c*e^{16} + 6*c^5*d^8*e^8 - 16*a*c^4*d^6*e^{10} - 16*b*c^4*d^7*e^9 + 4*b^4*c*d^4*e^{12} + 16*a^2*c^3*d^4*e^{12} + 8*a^3*c^2*d^2*e^{14} + 24*b^2*c^3*d^6*e^{10} - 16*b^3*c^2*d^5*e^{11} - 8*a^3*b*c*d*e^{15} - 8*a*b^3*c*d^3*e^{13} + 16*a*b^2*c^2*d^4*e^{12} - 24*a^2*b*c^2*d^3*e^{13} + 12*a^2*b^2*c*d^2*e^{14}) + (-(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*$

$$\begin{aligned}
& a^2 b^2 c^2 d^3 + 48 a^3 c^2 d e^2 - 8 a^3 b^2 c e^3 + 6 a^2 b^3 c d^2 e - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d e^2) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} * (((-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d e^2 + 16 a^3 b^2 c e^3 - 12 a^2 b^3 c d^2 e + 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d e^2)^2/4 - (256 a^4 c^3 + 16 a^2 b^4 c - 128 a^3 b^2 c^2) * (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 c^2 d^4 e^2 + 3 a^2 c d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b d e^5 - 3 b^2 c^2 d^5 e - 6 a^2 b^2 c^2 d^3 e^3)))^{1/2} - 2 b^4 c^2 d^3 + 2 a^2 b^3 e^3 - 16 a^2 c^3 d^3 + 12 a^2 b^2 c^2 d^3 + 48 a^3 c^2 d e^2 - 8 a^3 b^2 c e^3 + 6 a^2 b^3 c d^2 e - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d e^2) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} * ((d + e x^2)^{1/2} * (-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d e^2 + 16 a^3 b^2 c e^3 - 12 a^2 b^3 c d^2 e + 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d e^2)^2/4 - (256 a^4 c^3 + 16 a^2 b^4 c - 128 a^3 b^2 c^2) * (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 c^2 d^4 e^2 + 3 a^2 c d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b d e^5 - 3 b^2 c^2 d^5 e - 6 a^2 b^2 c^2 d^3 e^3)))^{1/2} - 2 b^4 c^2 d^3 + 2 a^2 b^3 e^3 - 16 a^2 c^3 d^3 + 12 a^2 b^2 c^2 d^3 + 48 a^3 c^2 d e^2 - 8 a^3 b^2 c e^3 + 6 a^2 b^3 c d^2 e - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d e^2) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} * (512 a^5 c^4 e^{10} + 32 a^3 b^4 c^2 e^{10} - 256 a^4 b^2 c^3 e^{10} + 768 a^4 c^5 d^2 e^8 + 64 a^2 b^4 c^3 d^2 e^8 - 448 a^3 b^2 c^4 d^2 e^8 - 896 a^4 b^2 c^4 d e^9 - 64 a^2 b^5 c^2 d e^9 + 480 a^3 b^3 c^3 d e^9) - 192 a^3 c^5 d^4 e^8 - 192 a^4 c^4 d^2 e^{10} + 48 a^2 b^2 c^4 d^4 e^8 - 64 a^2 b^3 c^3 d^3 e^9 + 16 a^2 b^4 c^2 d^2 e^{10} - 16 a^3 b^2 c^3 d^2 e^{10} + 64 a^4 b^2 c^3 d e^{11} + 256 a^3 b^2 c^4 d^3 e^9 - 16 a^3 b^3 c^2 d e^{11}) + (d + e x^2)^{1/2} * (8 a^3 b^3 c e^{13} - 32 a^4 b^2 c^2 e^{13} + 176 a^4 c^3 d e^{12} - 144 a^2 c^5 d^5 e^8 + 224 a^3 c^4 d^3 e^{10} - 16 b^4 c^3 d^5 e^8 + 16 b^5 c^2 d^4 e^9 + 48 a^2 b^2 c^3 d^3 e^{10} + 112 a^2 b^3 c^2 d^2 e^{11} - 16 a^2 b^4 c^2 d e^{12} + 96 a^2 b^2 c^4 d^5 e^8 - 80 a^2 b^3 c^3 d^4 e^9 - 32 a^2 b^4 c^2 d^3 e^{10} + 96 a^2 b^2 c^4 d^4 e^9 - 416 a^3 b^2 c^3 d^2 e^{11} + 16 a^3 b^2 c^2 d e^{12})) * (-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d e^2 + 16 a^3 b^2 c e^3 - 12 a^2 b^3 c d^2 e + 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d e^2)^2/4 - (256 a^4 c^3 + 16 a^2 b^4 c - 128 a^3 b^2 c^2) * (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 c^2 d^4 e^2 + 3 a^2 c d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b d e^5 - 3 b^2 c^2 d^5 e - 6 a^2 b^2 c^2 d^3 e^3)))^{1/2} - 2 b^4 c^2 d^3 + 2 a^2 b^3 e^3 - 16 a^2 c^3 d^3 + 12 a^2 b^2 c^2 d^3 + 48 a^3 c^2 d e^2 - 8 a^3 b^2 c e^3 + 6 a^2 b^3 c d^2 e - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d e^2) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2))^{1/2} + 12 a^2 c^5 d^7 e^8 + 4 a^4 c^2 d e^{14} - 84 a^2 c^4 d^5 e^{10} - 92 a^3 c^3 d^3 e^{12} - 4 b^2 c^4 d^7 e^8 - 4 b^3 c^3 d^6 e^9 + 8 b^4 c^2 d^5 e^{10} - 12 a^2 b^2 c^2 d^3 e^{12} + 32 a^2 b^2 c^4 d^6 e^9 - 4 a^3 b^2 c^2 d e^{14} - 36 a^2 b^2 c^3 d^5 e^{10} - 20 a^2 b^3 c^2 d^4 e^{11} + 160 a^2 b^2 c^3 d^4 e^{11} + 4 a^2 b^3 c^2 d^2 e^{13} + 16 a^3 b^2 c^2 d^2 e^{13})) * (-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d e^2 + 16 a^3 b^2 c e^3 - 12 a^2 b^3 c d^2 e + 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d e^2)^2/4 - (256 a^4 c^3 + 16 a^2 b^4 c - 128 a^3 b^2 c^2) * (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 +
\end{aligned}$$

$$\begin{aligned}
& 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*1i + ((d + e*x^2)^{(1/2)}*(2*a^4*c*e^16 + 6*c^5*d^8*e^8 - 16*a*c^4*d^6*e^10 - 16*b*c^4*d^7*e^9 + 4*b^4*c*d^4*e^12 + 16*a^2*c^3*d^4*e^12 + 8*a^3*c^2*d^2*e^14 + 24*b^2*c^3*d^6*e^10 - 16*b^3*c^2*d^5*e^11 - 8*a^3*b*c*d*e^15 - 8*a*b^3*c*d^3*e^13 + 16*a*b^2*c^2*d^4*e^12 - 24*a^2*b*c^2*d^3*e^13 + 12*a^2*b^2*c*d^2*e^14) + (-(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12*a^2*b^2*c*d*e^2))/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12*a^2*b^2*c*d*e^2))/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*((d + e*x^2)^{(1/2)}*(-(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12*a^2*b^2*c*d*e^2))/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*(512*a^5*c^4*e^10 + 32*a^3*b^4*c^2*e^10 - 256*a^4*b^2*c^3*e^10 + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) + 192*a^3*c^5*d^4*e^8 + 192*a^4*c^4*d^2*e^10 - 48*a^2*b^2*c^4*d^4*e^8 + 64*a^2*b^3*c^3*d^3*e^9 - 16*a^2*b^4*c^2*d^2*e^10 + 16*a^3*b^2*c^3*d^2*e^10 - 64*a^4*b*c^3*d*e^11 - 256*a^3*b*c^4*d^3*e^9 + 16*a^3*b^3*c^2*d*e^11) + (d + e*x^2)^{(1/2)}*(8*a^3*b^3*c*e^13 - 32*a^4*b*c^2*e^13 + 176*a^4*c^3*d*e^12 - 144*a^2*c^5*d^5*e^8 + 224*a^3*c^4*d^3*e^10 - 16*b^4*c^3*d^5*e^8 + 16*b^5*c^2*d^4*e^9 + 48*a^2*b^2*c^3*d^3*e^10 + 112*a^2*b^3*c^2*d^2*e^11 - 16*a^2*b^4*c*d*e^12 + 96*a*b^2*c^4*d^5*e^8 - 80*a*b^3*c^3*d^4*e^9 - 32*a*b^4*c^2*d^3*e^10 + 96*a^2*b*c^4*d^4*e^9 - 416*a^3*b*c^3*d^2*e^11 + 16*a^3*b^2*c^2*d*e^12))*(-(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a
\end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{b^3 c^3 e^3 - 12 a^2 b^3 c^2 d^2 e + 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d^2 e^2} / \\
& 4 - (256 a^4 c^3 + 16 a^2 b^4 c - 128 a^3 b^2 c^2) (a^3 e^6 + c^3 d^6 - b^3 \\
& d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 c^2 d^4 e^2 + 3 a^2 c^2 d^2 e^4 + 3 b^2 c^2 d^4 \\
& e^2 - 3 a^2 b^2 d^2 e^5 - 3 b^2 c^2 d^5 e - 6 a^2 b^2 c^2 d^3 e^3) ^{(1/2)} - 2 b^4 c^2 d^3 \\
& + 2 a^2 b^3 e^3 - 16 a^2 c^3 d^3 + 12 a^2 b^2 c^2 d^3 + 48 a^3 c^2 d^2 e^2 - \\
& 8 a^3 b^2 c^2 e^3 + 6 a^2 b^3 c^2 d^2 e - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d^2 e^2) \\
& / (16 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2)) ^{(1/2)} - 12 a^2 c^5 d^7 e^8 - \\
& 4 a^4 c^2 d^2 e^{14} + 84 a^2 c^4 d^5 e^{10} + 92 a^3 c^3 d^3 e^{12} + 4 b^2 c^4 d^7 \\
& e^8 + 4 b^3 c^3 d^6 e^9 - 8 b^4 c^2 d^5 e^{10} + 12 a^2 b^2 c^2 d^3 e^{12} - \\
& 32 a^2 b^2 c^4 d^6 e^9 + 4 a^3 b^2 c^2 d^2 e^{14} + 36 a^2 b^2 c^3 d^5 e^{10} + 20 a^2 b^3 c^2 \\
& d^4 e^{11} - 160 a^2 b^2 c^3 d^4 e^{11} - 4 a^2 b^3 c^2 d^2 e^{13} - 16 a^3 b^2 c^2 \\
& d^2 e^{13}) * (-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - 24 a^2 b^2 c^2 \\
& d^3 - 96 a^3 c^2 d^2 e^2 + 16 a^3 b^2 c^2 e^3 - 12 a^2 b^3 c^2 d^2 e + 48 a^2 b^2 c^2 \\
& d^2 e + 24 a^2 b^2 c^2 d^2 e^2) ^{2/4} - (256 a^4 c^3 + 16 a^2 b^4 c - 128 a^3 b^2 \\
& c^2) (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 c^2 d^4 e^2 \\
& + 3 a^2 c^2 d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b^2 d^2 e^5 - 3 b^2 c^2 d^5 e - 6 a^2 \\
& b^2 c^2 d^3 e^3) ^{(1/2)} - 2 b^4 c^2 d^3 + 2 a^2 b^3 e^3 - 16 a^2 c^3 d^3 + 12 a^2 b^2 \\
& c^2 d^3 + 48 a^3 c^2 d^2 e^2 - 8 a^3 b^2 c^2 e^3 + 6 a^2 b^3 c^2 d^2 e - 24 a^2 b^2 \\
& c^2 d^2 e - 12 a^2 b^2 c^2 d^2 e) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 a^3 b^2 c^2) \\
&)) ^{(1/2)} * i) / (((d + e x^2) ^{(1/2)} * (2 a^4 c^2 e^{16} + 6 c^5 d^8 e^8 - 16 a^2 c^4 \\
& d^6 e^{10} - 16 b^2 c^4 d^7 e^9 + 4 b^4 c^2 d^4 e^{12} + 16 a^2 c^3 d^4 e^{12} + 8 a^3 \\
& c^2 d^2 e^{14} + 24 b^2 c^3 d^6 e^{10} - 16 b^3 c^2 d^5 e^{11} - 8 a^3 b^2 c^2 d^2 e^{15} - \\
& 8 a^2 b^3 c^2 d^3 e^{13} + 16 a^2 b^2 c^2 d^4 e^{12} - 24 a^2 b^2 c^2 d^3 e^{13} + 1 \\
& 2 a^2 b^2 c^2 d^2 e^{14}) + (-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - \\
& 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d^2 e^2 + 16 a^3 b^2 c^2 e^3 - 12 a^2 b^3 c^2 d^2 e + \\
& 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d^2 e^2) ^{2/4} - (256 a^4 c^3 + 16 a^2 b^4 c \\
& - 128 a^3 b^2 c^2) (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 \\
& c^2 d^4 e^2 + 3 a^2 c^2 d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b^2 d^2 e^5 - 3 b^2 c^2 \\
& d^5 e - 6 a^2 b^2 c^2 d^3 e^3) ^{(1/2)} - 2 b^4 c^2 d^3 + 2 a^2 b^3 e^3 - 16 a^2 c^3 \\
& d^3 + 12 a^2 b^2 c^2 d^3 + 48 a^3 c^2 d^2 e^2 - 8 a^3 b^2 c^2 e^3 + 6 a^2 b^3 c^2 d^2 e \\
& - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d^2 e) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 \\
& a^3 b^2 c^2) ^{(1/2)} * (((-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + 32 a^2 c^3 d^3 - \\
& 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d^2 e^2 + 16 a^3 b^2 c^2 e^3 - 12 a^2 b^3 c^2 d^2 e + \\
& 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d^2 e^2) ^{2/4} - (256 a^4 c^3 + 16 a^2 b^4 c \\
& - 128 a^3 b^2 c^2) (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 b^2 d^2 e^4 + 3 a^2 \\
& c^2 d^4 e^2 + 3 a^2 c^2 d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b^2 d^2 e^5 - 3 b^2 c^2 \\
& d^5 e - 6 a^2 b^2 c^2 d^3 e^3) ^{(1/2)} - 2 b^4 c^2 d^3 + 2 a^2 b^3 e^3 - 16 a^2 c^3 \\
& d^3 + 12 a^2 b^2 c^2 d^3 + 48 a^3 c^2 d^2 e^2 - 8 a^3 b^2 c^2 e^3 + 6 a^2 b^3 c^2 d^2 e \\
& - 24 a^2 b^2 c^2 d^2 e - 12 a^2 b^2 c^2 d^2 e) / (16 (16 a^4 c^3 + a^2 b^4 c - 8 \\
& a^3 b^2 c^2) ^{(1/2)} * ((d + e x^2) ^{(1/2)} * (-(((4 b^4 c^2 d^3 - 4 a^2 b^3 e^3 + \\
& 32 a^2 c^3 d^3 - 24 a^2 b^2 c^2 d^3 - 96 a^3 c^2 d^2 e^2 + 16 a^3 b^2 c^2 e^3 - 12 \\
& a^2 b^3 c^2 d^2 e + 48 a^2 b^2 c^2 d^2 e + 24 a^2 b^2 c^2 d^2 e^2) ^{2/4} - (256 a^4 c^3 \\
& + 16 a^2 b^4 c - 128 a^3 b^2 c^2) (a^3 e^6 + c^3 d^6 - b^3 d^3 e^3 + 3 a^2 \\
& b^2 d^2 e^4 + 3 a^2 c^2 d^4 e^2 + 3 a^2 c^2 d^2 e^4 + 3 b^2 c^2 d^4 e^2 - 3 a^2 b^2 \\
& d^2 e^5 - 3 b^2 c^2 d^5 e - 6 a^2 b^2 c^2 d^3 e^3) ^{(1/2)} - 2 b^4 c^2 d^3 + 2 a^2 b^3 \\
& e^3
\end{aligned}$$

$$\begin{aligned}
& e^3 - 16a^2c^3d^3 + 12ab^2c^2d^3 + 48a^3c^2d^2e^2 - 8a^3b^2c^2e^3 \\
& + 6ab^3c^2d^2e - 24a^2b^2c^2d^2e - 12a^2b^2c^2d^2e^2)/(16(16a^4c^3 \\
& + a^2b^4c - 8a^3b^2c^2))^{(1/2)}*(512a^5c^4e^{10} + 32a^3b^4c^2e \\
& ^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - \\
& 448a^3b^2c^4d^2e^8 - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480 \\
& a^3b^3c^3d^2e^9) + 192a^3c^5d^4e^8 + 192a^4c^4d^2e^{10} - 48a^2b \\
& ^2c^4d^4e^8 + 64a^2b^3c^3d^3e^9 - 16a^2b^4c^2d^2e^{10} + 16a^3b \\
& ^2c^3d^2e^{10} - 64a^4b^2c^3d^2e^{11} - 256a^3b^2c^4d^3e^9 + 16a^3b^3 \\
& c^2d^2e^{11}) + (d + ex^2)^{(1/2)}*(8a^3b^3c^2e^{13} - 32a^4b^2c^2e^{13} + 17 \\
& 6a^4c^3d^2e^{12} - 144a^2c^5d^5e^8 + 224a^3c^4d^3e^{10} - 16b^4c^3d \\
& ^5e^8 + 16b^5c^2d^4e^9 + 48a^2b^2c^3d^3e^{10} + 112a^2b^3c^2d^ \\
& ^2e^{11} - 16a^2b^4c^2d^2e^{12} + 96ab^2c^4d^5e^8 - 80ab^3c^3d^4e^9 \\
& - 32ab^4c^2d^3e^{10} + 96a^2b^2c^4d^4e^9 - 416a^3b^2c^3d^2e^{11} + 1 \\
& 6a^3b^2c^2d^2e^{12}))*(-(((4b^4c^2d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - \\
& 24ab^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^2c^2e^3 - 12ab^3c^2d^2e + 4 \\
& 8a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^{2/4} - (256a^4c^3 + 16a^2b^4c - \\
& 128a^3b^2c^2)*(a^3e^6 + c^3d^6 - b^3d^3e^3 + 3ab^2d^2e^4 + 3ac^2 \\
& d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d \\
& ^5e - 6ab^2c^2d^3e^3))^{(1/2)} - 2b^4c^2d^3 + 2a^2b^3e^3 - 16a^2c^3d^ \\
& ^3 + 12ab^2c^2d^3 + 48a^3c^2d^2e^2 - 8a^3b^2c^2e^3 + 6ab^3c^2d^2e \\
& - 24a^2b^2c^2d^2e - 12a^2b^2c^2d^2e^2)/(16(16a^4c^3 + a^2b^4c - 8 \\
& a^3b^2c^2))^{(1/2)} - 12a^2c^5d^7e^8 - 4a^4c^2d^2e^{14} + 84a^2c^4d^5 \\
& e^{10} + 92a^3c^3d^3e^{12} + 4b^2c^4d^7e^8 + 4b^3c^3d^6e^9 - 8b^4 \\
& c^2d^5e^{10} + 12a^2b^2c^2d^3e^{12} - 32ab^2c^4d^6e^9 + 4a^3b^2c^2 \\
& d^2e^{14} + 36ab^2c^3d^5e^{10} + 20ab^3c^2d^4e^{11} - 160a^2b^2c^3d^4 \\
& e^{11} - 4a^2b^3c^2d^2e^{13} - 16a^3b^2c^2d^2e^{13}))*(-(((4b^4c^2d^3 - 4 \\
& a^2b^3e^3 + 32a^2c^3d^3 - 24ab^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3 \\
& b^2c^2e^3 - 12ab^3c^2d^2e + 48a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^{2/4} \\
& - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2)*(a^3e^6 + c^3d^6 - b^3d \\
& ^3e^3 + 3ab^2d^2e^4 + 3ac^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4 \\
& e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6ab^2c^2d^3e^3))^{(1/2)} - 2b^4c^2d^3 \\
& + 2a^2b^3e^3 - 16a^2c^3d^3 + 12ab^2c^2d^3 + 48a^3c^2d^2e^2 - 8 \\
& a^3b^2c^2e^3 + 6ab^3c^2d^2e - 24a^2b^2c^2d^2e - 12a^2b^2c^2d^2e^2)/(\\
& 16(16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{(1/2)} - ((d + ex^2)^{(1/2)}*(2 \\
& a^4c^2e^{16} + 6c^5d^8e^8 - 16a^2c^4d^6e^{10} - 16b^2c^4d^7e^9 + 4b^4 \\
& c^4d^4e^{12} + 16a^2c^3d^4e^{12} + 8a^3c^2d^2e^{14} + 24b^2c^3d^6e^{10} \\
& - 16b^3c^2d^5e^{11} - 8a^3b^2c^2d^2e^{15} - 8ab^3c^2d^3e^{13} + 16ab^2c^2 \\
& ^2d^4e^{12} - 24a^2b^2c^2d^3e^{13} + 12a^2b^2c^2d^2e^{14}) + (-(((4b^4c^2 \\
& d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24ab^2c^2d^3 - 96a^3c^2d^2e^2 \\
& + 16a^3b^2c^2e^3 - 12ab^3c^2d^2e + 48a^2b^2c^2d^2e + 24a^2b^2c^2d^2 \\
& e^2)^{2/4} - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2)*(a^3e^6 + c^3d^6 \\
& - b^3d^3e^3 + 3ab^2d^2e^4 + 3ac^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2 \\
& ^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6ab^2c^2d^3e^3))^{(1/2)} - 2 \\
& b^4c^2d^3 + 2a^2b^3e^3 - 16a^2c^3d^3 + 12ab^2c^2d^3 + 48a^3c^2d^2 \\
& d^2e^2 - 8a^3b^2c^2e^3 + 6ab^3c^2d^2e - 24a^2b^2c^2d^2e - 12a^2b^2c^2
\end{aligned}$$

$$\begin{aligned}
& *d^2)/((16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)}*((-(((4*b^4*c \\
& *d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 \\
& + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d* \\
& e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 \\
& - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b \\
& ^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3)))^{(1/2)} - 2* \\
& b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d \\
& *e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12*a^2*b^2*c \\
& *d*e^2)/((16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)}*((d + e*x^2)^{(\\
& 1/2)}*(-(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - \\
& 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e \\
& + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)* \\
& (a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^ \\
& 2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3 \\
& *e^3)))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2* \\
& d^3 + 48*a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2 \\
& *e - 12*a^2*b^2*c*d*e^2)/((16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/ \\
& 2)}*(512*a^5*c^4*e^10 + 32*a^3*b^4*c^2*e^10 - 256*a^4*b^2*c^3*e^10 + 768*a^4 \\
& *c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b \\
& *c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) - 192*a^3*c^5*d^ \\
& 4*e^8 - 192*a^4*c^4*d^2*e^10 + 48*a^2*b^2*c^4*d^4*e^8 - 64*a^2*b^3*c^3*d^3* \\
& e^9 + 16*a^2*b^4*c^2*d^2*e^10 - 16*a^3*b^2*c^3*d^2*e^10 + 64*a^4*b*c^3*d*e^ \\
& 11 + 256*a^3*b*c^4*d^3*e^9 - 16*a^3*b^3*c^2*d*e^11) + (d + e*x^2)^{(1/2)}*(8* \\
& a^3*b^3*c*e^13 - 32*a^4*b*c^2*e^13 + 176*a^4*c^3*d*e^12 - 144*a^2*c^5*d^5*e \\
& ^8 + 224*a^3*c^4*d^3*e^10 - 16*b^4*c^3*d^5*e^8 + 16*b^5*c^2*d^4*e^9 + 48*a^ \\
& 2*b^2*c^3*d^3*e^10 + 112*a^2*b^3*c^2*d^2*e^11 - 16*a^2*b^4*c*d*e^12 + 96*a* \\
& b^2*c^4*d^5*e^8 - 80*a*b^3*c^3*d^4*e^9 - 32*a*b^4*c^2*d^3*e^10 + 96*a^2*b*c \\
& ^4*d^4*e^9 - 416*a^3*b*c^3*d^2*e^11 + 16*a^3*b^2*c^2*d*e^12))*(-(((4*b^4*c* \\
& d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 \\
& + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e \\
& ^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 \\
& - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^ \\
& 2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3)))^{(1/2)} - 2*b \\
& ^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d \\
& *e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12*a^2*b^2*c* \\
& d*e^2)/((16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2)))^{(1/2)} + 12*a*c^5*d^7* \\
& e^8 + 4*a^4*c^2*d*e^14 - 84*a^2*c^4*d^5*e^10 - 92*a^3*c^3*d^3*e^12 - 4*b^2*c \\
& ^4*d^7*e^8 - 4*b^3*c^3*d^6*e^9 + 8*b^4*c^2*d^5*e^10 - 12*a^2*b^2*c^2*d^3*e \\
& ^12 + 32*a*b*c^4*d^6*e^9 - 4*a^3*b^2*c*d*e^14 - 36*a*b^2*c^3*d^5*e^10 - 20* \\
& a*b^3*c^2*d^4*e^11 + 160*a^2*b*c^3*d^4*e^11 + 4*a^2*b^3*c*d^2*e^13 + 16*a^3 \\
& *b*c^2*d^2*e^13))*(-(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a* \\
& b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2 \\
& *b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128* \\
& a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d \\
& ^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e
\end{aligned}$$

$$\begin{aligned}
& - 6*a*b*c*d^3*e^3))^{(1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + \\
& 12*a*b^2*c^2*d^3 + 48*a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24* \\
& a^2*b*c^2*d^2*e - 12*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} + 6*c^4*d^8*e^{10} + 14*a*c^3*d^6*e^{12} + 2*a^3*c*d^2*e^{16} - 1 \\
& 6*b*c^3*d^7*e^{11} - 4*b^3*c*d^5*e^{13} + 10*a^2*c^2*d^4*e^{14} + 14*b^2*c^2*d^6* \\
& e^{12} - 24*a*b*c^2*d^5*e^{13} + 10*a*b^2*c*d^4*e^{14} - 8*a^2*b*c*d^3*e^{15}))*(-(\\
& ((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3* \\
& c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2 \\
& *b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 \\
& + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2* \\
& e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(\\
& 1/2)} - 2*b^4*c*d^3 + 2*a^2*b^3*e^3 - 16*a^2*c^3*d^3 + 12*a*b^2*c^2*d^3 + 48 \\
& *a^3*c^2*d*e^2 - 8*a^3*b*c*e^3 + 6*a*b^3*c*d^2*e - 24*a^2*b*c^2*d^2*e - 12* \\
& a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*2i + \\
& atan((((d + e*x^2)^{(1/2)}*(2*a^4*c*e^{16} + 6*c^5*d^8*e^8 - 16*a*c^4*d^6*e^{10} \\
& - 16*b*c^4*d^7*e^9 + 4*b^4*c*d^4*e^{12} + 16*a^2*c^3*d^4*e^{12} + 8*a^3*c^2*d^2 \\
& *e^{14} + 24*b^2*c^3*d^6*e^{10} - 16*b^3*c^2*d^5*e^{11} - 8*a^3*b*c*d*e^{15} - 8*a* \\
& b^3*c*d^3*e^{13} + 16*a*b^2*c^2*d^4*e^{12} - 24*a^2*b*c^2*d^3*e^{13} + 12*a^2*b^2 \\
& *c*d^2*e^{14}) + (((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2* \\
& c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^ \\
& ^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b \\
& ^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e \\
& ^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6* \\
& a*b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - 2*a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a \\
& *b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^3*b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2* \\
& b*c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^ \\
& ^2))^{(1/2)}*((((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^ \\
& ^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^ \\
& ^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b \\
& ^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e \\
& ^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a \\
& *b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - 2*a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a* \\
& b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^3*b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b \\
& *c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^ \\
& ^2))^{(1/2)}*((d + e*x^2)^{(1/2)}*(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3* \\
& d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2 \\
& *e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b \\
& ^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 \\
& + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b \\
& *c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - 2*a^2*b^3*e^3 + 16*a^2 \\
& *c^3*d^3 - 12*a*b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^3*b*c*e^3 - 6*a*b^3*c* \\
& d^2*e + 24*a^2*b*c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4* \\
& c - 8*a^3*b^2*c^2))^{(1/2)}*(512*a^5*c^4*e^{10} + 32*a^3*b^4*c^2*e^{10} - 256*a^ \\
& 4*b^2*c^3*e^{10} + 768*a^4*c^5*d^2*e^8 + 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2 \\
& *c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 64*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3
\end{aligned}$$

$$\begin{aligned}
& - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - 2 \\
& *a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^3 \\
& *b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16*(\\
& 16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*((d + e*x^2)^{(1/2)}*(((4*b^ \\
& 4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d* \\
& e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c \\
& *d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3 \\
& *d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + \\
& 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + \\
& 2*b^4*c*d^3 - 2*a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 - 48*a^3*c \\
& ^2*d*e^2 + 8*a^3*b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e + 12*a^2*b^ \\
& 2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*(512*a^5*c^ \\
& 4*e^10 + 32*a^3*b^4*c^2*e^10 - 256*a^4*b^2*c^3*e^10 + 768*a^4*c^5*d^2*e^8 + \\
& 64*a^2*b^4*c^3*d^2*e^8 - 448*a^3*b^2*c^4*d^2*e^8 - 896*a^4*b*c^4*d*e^9 - 6 \\
& 4*a^2*b^5*c^2*d*e^9 + 480*a^3*b^3*c^3*d*e^9) + 192*a^3*c^5*d^4*e^8 + 192*a^ \\
& 4*c^4*d^2*e^10 - 48*a^2*b^2*c^4*d^4*e^8 + 64*a^2*b^3*c^3*d^3*e^9 - 16*a^2*b \\
& ^4*c^2*d^2*e^10 + 16*a^3*b^2*c^3*d^2*e^10 - 64*a^4*b*c^3*d*e^11 - 256*a^3*b \\
& *c^4*d^3*e^9 + 16*a^3*b^3*c^2*d*e^11) + (d + e*x^2)^{(1/2)}*(8*a^3*b^3*c*e^13 \\
& - 32*a^4*b*c^2*e^13 + 176*a^4*c^3*d*e^12 - 144*a^2*c^5*d^5*e^8 + 224*a^3*c \\
& ^4*d^3*e^10 - 16*b^4*c^3*d^5*e^8 + 16*b^5*c^2*d^4*e^9 + 48*a^2*b^2*c^3*d^3* \\
& e^10 + 112*a^2*b^3*c^2*d^2*e^11 - 16*a^2*b^4*c*d*e^12 + 96*a*b^2*c^4*d^5*e^ \\
& 8 - 80*a*b^3*c^3*d^4*e^9 - 32*a*b^4*c^2*d^3*e^10 + 96*a^2*b*c^4*d^4*e^9 - 4 \\
& 16*a^3*b*c^3*d^2*e^11 + 16*a^3*b^2*c^2*d*e^12))*(((4*b^4*c*d^3 - 4*a^2*b^3 \\
& *e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^ \\
& 3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^2/4 - (256* \\
& a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 \\
& + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3 \\
& *a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - 2*a^ \\
& 2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^3*b* \\
& c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16*(16* \\
& a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} - 12*a*c^5*d^7*e^8 - 4*a^4*c^2 \\
& *d*e^14 + 84*a^2*c^4*d^5*e^10 + 92*a^3*c^3*d^3*e^12 + 4*b^2*c^4*d^7*e^8 + 4 \\
& *b^3*c^3*d^6*e^9 - 8*b^4*c^2*d^5*e^10 + 12*a^2*b^2*c^2*d^3*e^12 - 32*a*b*c^ \\
& 4*d^6*e^9 + 4*a^3*b^2*c*d*e^14 + 36*a*b^2*c^3*d^5*e^10 + 20*a*b^3*c^2*d^4*e \\
& ^11 - 160*a^2*b*c^3*d^4*e^11 - 4*a^2*b^3*c*d^2*e^13 - 16*a^3*b*c^2*d^2*e^13 \\
&))*(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96 \\
& *a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 2 \\
& 4*a^2*b^2*c*d*e^2)^2/4 - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^ \\
& 3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c \\
& *d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^ \\
& 3))^{(1/2)} + 2*b^4*c*d^3 - 2*a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 \\
& - 48*a^3*c^2*d*e^2 + 8*a^3*b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e \\
& + 12*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}* \\
& 1i)/(((d + e*x^2)^{(1/2)}*(2*a^4*c*e^16 + 6*c^5*d^8*e^8 - 16*a*c^4*d^6*e^10 - \\
& 16*b*c^4*d^7*e^9 + 4*b^4*c*d^4*e^12 + 16*a^2*c^3*d^4*e^12 + 8*a^3*c^2*d^2*
\end{aligned}$$

$$\begin{aligned}
& e^{14} + 24b^2c^3d^6e^{10} - 16b^3c^2d^5e^{11} - 8a^3b^2c^2d^3e^{15} - 8a^2b^3c^2d^3e^{13} + 16a^2b^2c^2d^4e^{12} - 24a^2b^2c^2d^3e^{13} + 12a^2b^2c^2d^2e^{14} + (((4b^4c^2d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^2b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^2c^2e^3 - 12a^2b^3c^2d^2e + 48a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^2/4 - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2)* (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^2b^2d^2e^4 + 3a^2c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^2b^2c^2d^3e^3))^{1/2} + 2b^4c^2d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^2b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^2c^2e^3 - 6a^2b^3c^2d^2e + 24a^2b^2c^2d^2e + 12a^2b^2c^2d^2e^2)/(16*(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)))^{1/2} * (((((4b^4c^2d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^2b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^2c^2e^3 - 12a^2b^3c^2d^2e + 48a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^2/4 - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2)* (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^2b^2d^2e^4 + 3a^2c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^2b^2c^2d^3e^3))^{1/2} + 2b^4c^2d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^2b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^2c^2e^3 - 6a^2b^3c^2d^2e + 24a^2b^2c^2d^2e + 12a^2b^2c^2d^2e^2)/(16*(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)))^{1/2} * ((d + e*x^2)^{1/2} * (((((4b^4c^2d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^2b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^2c^2e^3 - 12a^2b^3c^2d^2e + 48a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^2/4 - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2)* (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^2b^2d^2e^4 + 3a^2c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^2b^2c^2d^3e^3))^{1/2} + 2b^4c^2d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^2b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^2c^2e^3 - 6a^2b^3c^2d^2e + 24a^2b^2c^2d^2e + 12a^2b^2c^2d^2e^2)/(16*(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)))^{1/2} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^2c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) + 192a^3c^5d^4e^8 + 192a^4c^4d^2e^{10} - 48a^2b^2c^4d^4e^8 + 64a^2b^3c^3d^3e^9 - 16a^2b^4c^2d^2e^{10} + 16a^3b^2c^3d^2e^{10} - 64a^4b^2c^3d^2e^{11} - 256a^3b^2c^4d^3e^9 + 16a^3b^3c^2d^2e^{11}) + (d + e*x^2)^{1/2} * (8a^3b^3c^2e^{13} - 32a^4b^2c^2e^{13} + 176a^4c^3d^2e^{12} - 144a^2c^5d^5e^8 + 224a^3c^4d^3e^{10} - 16b^4c^3d^5e^8 + 16b^5c^2d^4e^9 + 48a^2b^2c^3d^3e^{10} + 112a^2b^3c^2d^2e^{11} - 16a^2b^4c^2d^2e^{12} + 96a^2b^2c^4d^5e^8 - 80a^2b^3c^3d^4e^9 - 32a^2b^4c^2d^3e^{10} + 96a^2b^2c^4d^4e^9 - 416a^3b^2c^3d^2e^{11} + 16a^3b^2c^2d^2e^{12})) * (((((4b^4c^2d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^2b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^2c^2e^3 - 12a^2b^3c^2d^2e + 48a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^2/4 - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2)* (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^2b^2d^2e^4 + 3a^2c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^2b^2c^2d^3e^3))^{1/2} + 2b^4c^2d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^2b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^2c^2e^3 - 6a^2b^3c^2d^2e + 24a^2b^2c^2d^2e + 12a^2b^2c^2d^2e^2)/(16*(16a^4c^3 + a^2b^4c - 8a^3b^2c^2)))
\end{aligned}$$

$$\begin{aligned}
& \sqrt{\frac{1}{2}} - 12a^5c^5d^7e^8 - 4a^4c^2d^2e^{14} + 84a^2c^4d^5e^{10} + 92a^3c^3d^3e^{12} + 4b^2c^4d^7e^8 + 4b^3c^3d^6e^9 - 8b^4c^2d^5e^{10} \\
& + 12a^2b^2c^2d^3e^{12} - 32a^3b^2c^4d^6e^9 + 4a^3b^2c^2d^4e^{14} + 36a^3b^2c^3d^5e^{10} + 20a^3b^3c^2d^4e^{11} - 160a^2b^2c^3d^4e^{11} - 4a^2b^3c^3d^2e^{13} \\
& - 16a^3b^3c^2d^2e^{13})) * (((4b^4c^3d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^3b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^3c^2e^3 - 12a^3b^3c^2d^2e \\
& + 48a^2b^3c^2d^2e + 24a^2b^2c^2d^2e + 24a^2b^2c^2d^2e^2)^{2/4} - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2) * (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^3b^2d^2e^4 \\
& + 3a^3c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^3b^2c^2d^3e^3))^{1/2} + 2b^4c^3d^3 - 2a^2b^3e^3 \\
& + 16a^2c^3d^3 - 12a^3b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^3c^2e^3 - 6a^3b^3c^2d^2e + 24a^2b^3c^2d^2e + 12a^2b^2c^2d^2e^2) / (16 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{1/2} - ((d + e^2x^2)^{1/2} * (2a^4c^3e^{16} + 6c^5d^8e^8 - 16a^3c^4d^6e^{10} - 16b^3c^4d^7e^9 + 4b^4c^3d^4e^{12} + 16a^2c^3d^4e^{12} + 8a^3c^2d^2e^{14} + 24b^2c^3d^6e^{10} - 16b^3c^2d^5e^{11} - 8a^3b^3c^2d^3e^{13} + 16a^3b^2c^2d^4e^{12} - 24a^2b^3c^2d^3e^{13} + 12a^2b^2c^2d^2e^{14})) + (((4b^4c^3d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^3b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^3c^2e^3 - 12a^3b^3c^2d^2e + 48a^2b^3c^2d^2e + 24a^2b^2c^2d^2e^2)^{2/4} - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2) * (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^3b^2d^2e^4 + 3a^3c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^3b^2c^2d^3e^3))^{1/2} + 2b^4c^3d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^3b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^3c^2e^3 - 6a^3b^3c^2d^2e + 24a^2b^3c^2d^2e + 12a^2b^2c^2d^2e^2) / (16 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{1/2} * (((4b^4c^3d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^3b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^3c^2e^3 - 12a^3b^3c^2d^2e + 48a^2b^3c^2d^2e + 24a^2b^2c^2d^2e^2)^{2/4} - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2) * (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^3b^2d^2e^4 + 3a^3c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^3b^2c^2d^3e^3))^{1/2} + 2b^4c^3d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^3b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^3c^2e^3 - 6a^3b^3c^2d^2e + 24a^2b^3c^2d^2e + 12a^2b^2c^2d^2e^2) / (16 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{1/2} * (((4b^4c^3d^3 - 4a^2b^3e^3 + 32a^2c^3d^3 - 24a^3b^2c^2d^3 - 96a^3c^2d^2e^2 + 16a^3b^3c^2e^3 - 12a^3b^3c^2d^2e + 48a^2b^3c^2d^2e + 24a^2b^2c^2d^2e^2)^{2/4} - (256a^4c^3 + 16a^2b^4c - 128a^3b^2c^2) * (a^3e^6 + c^3d^6 - b^3d^3e^3 + 3a^3b^2d^2e^4 + 3a^3c^2d^4e^2 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3a^2b^2d^2e^5 - 3b^2c^2d^5e - 6a^3b^2c^2d^3e^3))^{1/2} + 2b^4c^3d^3 - 2a^2b^3e^3 + 16a^2c^3d^3 - 12a^3b^2c^2d^3 - 48a^3c^2d^2e^2 + 8a^3b^3c^2e^3 - 6a^3b^3c^2d^2e + 24a^2b^3c^2d^2e + 12a^2b^2c^2d^2e^2) / (16 * (16a^4c^3 + a^2b^4c - 8a^3b^2c^2))^{1/2} * (512a^5c^4e^{10} + 32a^3b^4c^2e^{10} - 256a^4b^2c^3e^{10} + 768a^4c^5d^2e^8 + 64a^2b^4c^3d^2e^8 - 448a^3b^2c^4d^2e^8 - 896a^4b^3c^4d^2e^9 - 64a^2b^5c^2d^2e^9 + 480a^3b^3c^3d^2e^9) - 192a^3c^5d^4e^8 - 192a^4c^4d^2e^{10} + 48a^2b^2c^4d^4e^8 - 64a^2b^3c^3d^3e^9 + 16a^2b^4c^3d^2e^8)
\end{aligned}$$

$$\begin{aligned}
&^2*d^2*e^{10} - 16*a^3*b^2*c^3*d^2*e^{10} + 64*a^4*b*c^3*d*e^{11} + 256*a^3*b*c^4 \\
&*d^3*e^9 - 16*a^3*b^3*c^2*d*e^{11}) + (d + e*x^2)^{(1/2)}*(8*a^3*b^3*c*e^{13} - 3 \\
&2*a^4*b*c^2*e^{13} + 176*a^4*c^3*d*e^{12} - 144*a^2*c^5*d^5*e^8 + 224*a^3*c^4*d \\
&^3*e^{10} - 16*b^4*c^3*d^5*e^8 + 16*b^5*c^2*d^4*e^9 + 48*a^2*b^2*c^3*d^3*e^{10} \\
&+ 112*a^2*b^3*c^2*d^2*e^{11} - 16*a^2*b^4*c*d*e^{12} + 96*a*b^2*c^4*d^5*e^8 - \\
&80*a*b^3*c^3*d^4*e^9 - 32*a*b^4*c^2*d^3*e^{10} + 96*a^2*b*c^4*d^4*e^9 - 416*a \\
&^3*b*c^3*d^2*e^{11} + 16*a^3*b^2*c^2*d*e^{12}))*(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 \\
&+ 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b*c*e^3 - \\
&12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^{2/4} - (256*a^4* \\
&c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3*e^3 + 3* \\
&a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2 \\
&*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - 2*a^2*b^ \\
&3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^3*b*c*e^ \\
&3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16*(16*a^4* \\
&c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} + 12*a*c^5*d^7*e^8 + 4*a^4*c^2*d*e \\
&^14 - 84*a^2*c^4*d^5*e^{10} - 92*a^3*c^3*d^3*e^{12} - 4*b^2*c^4*d^7*e^8 - 4*b^3 \\
&*c^3*d^6*e^9 + 8*b^4*c^2*d^5*e^{10} - 12*a^2*b^2*c^2*d^3*e^{12} + 32*a*b*c^4*d^ \\
&6*e^9 - 4*a^3*b^2*c*d*e^{14} - 36*a*b^2*c^3*d^5*e^{10} - 20*a*b^3*c^2*d^4*e^{11} \\
&+ 160*a^2*b*c^3*d^4*e^{11} + 4*a^2*b^3*c*d^2*e^{13} + 16*a^3*b*c^2*d^2*e^{13}))*((\\
&(((4*b^4*c*d^3 - 4*a^2*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3 \\
&*c^2*d*e^2 + 16*a^3*b*c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^ \\
&2*b^2*c*d*e^2)^{2/4} - (256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^ \\
&6 + c^3*d^6 - b^3*d^3*e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2 \\
&*e^4 + 3*b^2*c*d^4*e^2 - 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(\\
&1/2)} + 2*b^4*c*d^3 - 2*a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 - 4 \\
&8*a^3*c^2*d*e^2 + 8*a^3*b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e + 12 \\
&*a^2*b^2*c*d*e^2)/(16*(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)} + 6* \\
&c^4*d^8*e^{10} + 14*a*c^3*d^6*e^{12} + 2*a^3*c*d^2*e^{16} - 16*b*c^3*d^7*e^{11} - 4 \\
&*b^3*c*d^5*e^{13} + 10*a^2*c^2*d^4*e^{14} + 14*b^2*c^2*d^6*e^{12} - 24*a*b*c^2*d^ \\
&5*e^{13} + 10*a*b^2*c*d^4*e^{14} - 8*a^2*b*c*d^3*e^{15}))*(((4*b^4*c*d^3 - 4*a^2 \\
&*b^3*e^3 + 32*a^2*c^3*d^3 - 24*a*b^2*c^2*d^3 - 96*a^3*c^2*d*e^2 + 16*a^3*b* \\
&c*e^3 - 12*a*b^3*c*d^2*e + 48*a^2*b*c^2*d^2*e + 24*a^2*b^2*c*d*e^2)^{2/4} - (\\
&256*a^4*c^3 + 16*a^2*b^4*c - 128*a^3*b^2*c^2)*(a^3*e^6 + c^3*d^6 - b^3*d^3* \\
&e^3 + 3*a*b^2*d^2*e^4 + 3*a*c^2*d^4*e^2 + 3*a^2*c*d^2*e^4 + 3*b^2*c*d^4*e^2 \\
&- 3*a^2*b*d*e^5 - 3*b*c^2*d^5*e - 6*a*b*c*d^3*e^3))^{(1/2)} + 2*b^4*c*d^3 - \\
&2*a^2*b^3*e^3 + 16*a^2*c^3*d^3 - 12*a*b^2*c^2*d^3 - 48*a^3*c^2*d*e^2 + 8*a^ \\
&3*b*c*e^3 - 6*a*b^3*c*d^2*e + 24*a^2*b*c^2*d^2*e + 12*a^2*b^2*c*d*e^2)/(16* \\
&(16*a^4*c^3 + a^2*b^4*c - 8*a^3*b^2*c^2))^{(1/2)}*2i - (\operatorname{atanh}((72*c^4*d^6*e^ \\
&10*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(72*c^4*d^8*e^{10} + 60*a*c^3*d^6*e^{12} + 2* \\
&a^3*c*d^2*e^{16} - 104*b*c^3*d^7*e^{11} - 6*b^3*c*d^5*e^{13} + 8*a^2*c^2*d^4*e^{14} \\
&+ (18*c^5*d^{10}*e^8)/a + 20*b^2*c^2*d^6*e^{12} + (20*b^2*c^3*d^8*e^{10})/a + (1 \\
&2*b^3*c^2*d^7*e^{11})/a - (4*b^2*c^4*d^{10}*e^8)/a^2 + (10*b^3*c^3*d^9*e^9)/a^2 \\
&- (6*b^4*c^2*d^8*e^{10})/a^2 - 32*a*b*c^2*d^5*e^{13} + 12*a*b^2*c*d^4*e^{14} - 8 \\
&*a^2*b*c*d^3*e^{15} - (48*b*c^4*d^9*e^9)/a) + (2*a^3*c*e^{16}*(d + e*x^2)^{(1/2)} \\
&)*(d^3)^{(1/2)})/(72*c^4*d^8*e^{10} + 60*a*c^3*d^6*e^{12} + 2*a^3*c*d^2*e^{16} - 104
\end{aligned}$$

$$\begin{aligned}
& *b*c^3*d^7*e^{11} - 6*b^3*c*d^5*e^{13} + 8*a^2*c^2*d^4*e^{14} + (18*c^5*d^{10}*e^8) \\
& /a + 20*b^2*c^2*d^6*e^{12} + (20*b^2*c^3*d^8*e^{10})/a + (12*b^3*c^2*d^7*e^{11})/ \\
& a - (4*b^2*c^4*d^{10}*e^8)/a^2 + (10*b^3*c^3*d^9*e^9)/a^2 - (6*b^4*c^2*d^8*e^ \\
& 10)/a^2 - 32*a*b*c^2*d^5*e^{13} + 12*a*b^2*c*d^4*e^{14} - 8*a^2*b*c*d^3*e^{15} - \\
& (48*b*c^4*d^9*e^9)/a + (18*c^5*d^8*e^8*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(18* \\
& c^5*d^{10}*e^8 + 72*a*c^4*d^8*e^{10} + 2*a^4*c*d^2*e^{16} - 48*b*c^4*d^9*e^9 + 60 \\
& *a^2*c^3*d^6*e^{12} + 8*a^3*c^2*d^4*e^{14} + 20*b^2*c^3*d^8*e^{10} + 12*b^3*c^2*d \\
& ^7*e^{11} - (4*b^2*c^4*d^{10}*e^8)/a + (10*b^3*c^3*d^9*e^9)/a - (6*b^4*c^2*d^8* \\
& e^{10})/a - 104*a*b*c^3*d^7*e^{11} - 6*a*b^3*c*d^5*e^{13} - 8*a^3*b*c*d^3*e^{15} + \\
& 20*a*b^2*c^2*d^6*e^{12} - 32*a^2*b*c^2*d^5*e^{13} + 12*a^2*b^2*c*d^4*e^{14}) + (8 \\
& *a^2*c^2*d^2*e^{14}*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(72*c^4*d^8*e^{10} + 60*a*c^ \\
& 3*d^6*e^{12} + 2*a^3*c*d^2*e^{16} - 104*b*c^3*d^7*e^{11} - 6*b^3*c*d^5*e^{13} + 8*a \\
& ^2*c^2*d^4*e^{14} + (18*c^5*d^{10}*e^8)/a + 20*b^2*c^2*d^6*e^{12} + (20*b^2*c^3*d \\
& ^8*e^{10})/a + (12*b^3*c^2*d^7*e^{11})/a - (4*b^2*c^4*d^{10}*e^8)/a^2 + (10*b^3*c \\
& ^3*d^9*e^9)/a^2 - (6*b^4*c^2*d^8*e^{10})/a^2 - 32*a*b*c^2*d^5*e^{13} + 12*a*b^2 \\
& *c*d^4*e^{14} - 8*a^2*b*c*d^3*e^{15} - (48*b*c^4*d^9*e^9)/a + (20*b^2*c^2*d^4* \\
& e^{12}*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(72*c^4*d^8*e^{10} + 60*a*c^3*d^6*e^{12} + \\
& 2*a^3*c*d^2*e^{16} - 104*b*c^3*d^7*e^{11} - 6*b^3*c*d^5*e^{13} + 8*a^2*c^2*d^4*e^ \\
& 14 + (18*c^5*d^{10}*e^8)/a + 20*b^2*c^2*d^6*e^{12} + (20*b^2*c^3*d^8*e^{10})/a + \\
& (12*b^3*c^2*d^7*e^{11})/a - (4*b^2*c^4*d^{10}*e^8)/a^2 + (10*b^3*c^3*d^9*e^9)/a \\
& ^2 - (6*b^4*c^2*d^8*e^{10})/a^2 - 32*a*b*c^2*d^5*e^{13} + 12*a*b^2*c*d^4*e^{14} - \\
& 8*a^2*b*c*d^3*e^{15} - (48*b*c^4*d^9*e^9)/a - (48*b*c^4*d^7*e^9*(d + e*x^2) \\
& ^{(1/2)}*(d^3)^{(1/2)})/(18*c^5*d^{10}*e^8 + 72*a*c^4*d^8*e^{10} + 2*a^4*c*d^2*e^{16} \\
& - 48*b*c^4*d^9*e^9 + 60*a^2*c^3*d^6*e^{12} + 8*a^3*c^2*d^4*e^{14} + 20*b^2*c^3 \\
& *d^8*e^{10} + 12*b^3*c^2*d^7*e^{11} - (4*b^2*c^4*d^{10}*e^8)/a + (10*b^3*c^3*d^9* \\
& e^9)/a - (6*b^4*c^2*d^8*e^{10})/a - 104*a*b*c^3*d^7*e^{11} - 6*a*b^3*c*d^5*e^{13} \\
& - 8*a^3*b*c*d^3*e^{15} + 20*a*b^2*c^2*d^6*e^{12} - 32*a^2*b*c^2*d^5*e^{13} + 12* \\
& a^2*b^2*c*d^4*e^{14}) - (4*b^2*c^4*d^8*e^8*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(18 \\
& *a*c^5*d^{10}*e^8 + 2*a^5*c*d^2*e^{16} + 72*a^2*c^4*d^8*e^{10} + 60*a^3*c^3*d^6*e \\
& ^{12} + 8*a^4*c^2*d^4*e^{14} - 4*b^2*c^4*d^{10}*e^8 + 10*b^3*c^3*d^9*e^9 - 6*b^4* \\
& c^2*d^8*e^{10} + 20*a^2*b^2*c^2*d^6*e^{12} - 48*a*b*c^4*d^9*e^9 - 8*a^4*b*c*d^3 \\
& *e^{15} + 20*a*b^2*c^3*d^8*e^{10} + 12*a*b^3*c^2*d^7*e^{11} - 104*a^2*b*c^3*d^7*e \\
& ^{11} - 6*a^2*b^3*c*d^5*e^{13} - 32*a^3*b*c^2*d^5*e^{13} + 12*a^3*b^2*c*d^4*e^{14}) \\
& + (10*b^3*c^3*d^7*e^9*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(18*a*c^5*d^{10}*e^8 + \\
& 2*a^5*c*d^2*e^{16} + 72*a^2*c^4*d^8*e^{10} + 60*a^3*c^3*d^6*e^{12} + 8*a^4*c^2*d^ \\
& 4*e^{14} - 4*b^2*c^4*d^{10}*e^8 + 10*b^3*c^3*d^9*e^9 - 6*b^4*c^2*d^8*e^{10} + 20* \\
& a^2*b^2*c^2*d^6*e^{12} - 48*a*b*c^4*d^9*e^9 - 8*a^4*b*c*d^3*e^{15} + 20*a*b^2*c \\
& ^3*d^8*e^{10} + 12*a*b^3*c^2*d^7*e^{11} - 104*a^2*b*c^3*d^7*e^{11} - 6*a^2*b^3*c* \\
& d^5*e^{13} - 32*a^3*b*c^2*d^5*e^{13} + 12*a^3*b^2*c*d^4*e^{14}) - (6*b^4*c^2*d^6* \\
& e^{10}*(d + e*x^2)^{(1/2)}*(d^3)^{(1/2)})/(18*a*c^5*d^{10}*e^8 + 2*a^5*c*d^2*e^{16} + \\
& 72*a^2*c^4*d^8*e^{10} + 60*a^3*c^3*d^6*e^{12} + 8*a^4*c^2*d^4*e^{14} - 4*b^2*c^4 \\
& *d^{10}*e^8 + 10*b^3*c^3*d^9*e^9 - 6*b^4*c^2*d^8*e^{10} + 20*a^2*b^2*c^2*d^6*e^ \\
& 12 - 48*a*b*c^4*d^9*e^9 - 8*a^4*b*c*d^3*e^{15} + 20*a*b^2*c^3*d^8*e^{10} + 12*a \\
& *b^3*c^2*d^7*e^{11} - 104*a^2*b*c^3*d^7*e^{11} - 6*a^2*b^3*c*d^5*e^{13} - 32*a^3* \\
& b*c^2*d^5*e^{13} + 12*a^3*b^2*c*d^4*e^{14}) + (60*a*c^3*d^4*e^{12}*(d + e*x^2)^{(1
\end{aligned}$$

$$\frac{b^2 c d^4 e^{14} - 8 a^2 b c d^3 e^{15} - (48 b c^4 d^9 e^9 / a) (d^3)^{(1/2)}}{a}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)/x/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.370 \quad \int \frac{(d+ex^2)^{3/2}}{x^3(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=417

$$\frac{\sqrt{c} \left(-2a \left(e \left(d\sqrt{b^2 - 4ac} - ae \right) + cd^2 \right) + bd \left(d\sqrt{b^2 - 4ac} - 2ae \right) + b^2 d^2 \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}} \right) \sqrt{c} \left(-2a \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}$$

[Out] $\frac{1}{2} e \operatorname{arctanh} \left(\frac{(e x^2 + d)^{1/2}}{d^{1/2}} \right) d^{1/2} / a + (-2 a e + b d) \operatorname{arctanh} \left(\frac{(e x^2 + d)^{1/2}}{d^{1/2}} \right) d^{1/2} / a^2 - \frac{1}{2} d \operatorname{arctanh} \left(\frac{(e x^2 + d)^{1/2}}{d^{1/2}} \right) / a x^2 - \frac{1}{2} \operatorname{arctanh} \left(\frac{(e x^2 + d)^{1/2}}{d^{1/2}} \right) c^{1/2} (e x^2 + d)^{1/2} / (2 c d - e (b - (-4 a^2 c + b^2)^{1/2}))^{1/2} c^{1/2} (b^2 d^2 + b d (-2 a e + d (-4 a^2 c + b^2)^{1/2}) - 2 a (c d^2 + e (-a e + d (-4 a^2 c + b^2)^{1/2}))) / a^2 2^{1/2} / (-4 a^2 c + b^2)^{1/2} / (2 c d - e (b - (-4 a^2 c + b^2)^{1/2}))^{1/2} + \frac{1}{2} \operatorname{arctanh} \left(\frac{(e x^2 + d)^{1/2}}{d^{1/2}} \right) c^{1/2} (e x^2 + d)^{1/2} / (2 c d - e (b + (-4 a^2 c + b^2)^{1/2}))^{1/2} c^{1/2} (b^2 d^2 - b d (2 a e + d (-4 a^2 c + b^2)^{1/2}) - 2 a (c d^2 - e (a e + d (-4 a^2 c + b^2)^{1/2}))) / a^2 2^{1/2} / (-4 a^2 c + b^2)^{1/2} / (2 c d - e (b + (-4 a^2 c + b^2)^{1/2}))^{1/2}$

Rubi [A] time = 3.24, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1251, 897, 1287, 199, 206, 1166, 208}

$$\frac{\sqrt{c} \left(bd \left(d\sqrt{b^2 - 4ac} - 2ae \right) - 2ae \left(d\sqrt{b^2 - 4ac} - ae \right) - 2acd^2 + b^2 d^2 \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{d+ex^2}}{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}} \right) \sqrt{c} \left(-bd \right)}{\sqrt{2} a^2 \sqrt{b^2 - 4ac} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^(3/2)/(x^3*(a + b*x^2 + c*x^4)),x]

[Out] $-\frac{d \sqrt{d + e x^2}}{2 a x^2} + \frac{\sqrt{d} e \operatorname{ArcTanh} \left[\frac{\sqrt{d + e x^2}}{\sqrt{d}} \right]}{(2 a)} + \frac{\sqrt{d} (b d - 2 a e) \operatorname{ArcTanh} \left[\frac{\sqrt{d + e x^2}}{\sqrt{d}} \right]}{a^2} - \frac{\sqrt{c} (b^2 d^2 - 2 a c d^2 + b d (\sqrt{b^2 - 4 a c} d - 2 a e) - 2 a e (\sqrt{b^2 - 4 a c} d + a e)) \operatorname{ArcTanh} \left[\frac{\sqrt{2} \sqrt{c} \sqrt{d + e x^2}}{\sqrt{2 c d - e (b - \sqrt{b^2 - 4 a c})}} \right]}{\sqrt{2} a^2 \sqrt{b^2 - 4 a c} \sqrt{2 c d - e (b - \sqrt{b^2 - 4 a c})}} + \frac{\sqrt{c} (b^2 d^2 - 2 a c d^2 + 2 a e (\sqrt{b^2 - 4 a c} d + a e) - b d (\sqrt{b^2 - 4 a c} d + 2 a e)) \operatorname{ArcTanh} \left[\frac{\sqrt{2} \sqrt{c} \sqrt{d + e x^2}}{\sqrt{2 c d - e (b + \sqrt{b^2 - 4 a c})}} \right]}{\sqrt{2} a^2 \sqrt{b^2 - 4 a c} \sqrt{2 c d - e (b + \sqrt{b^2 - 4 a c})}}$

$$\frac{t[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x^2]}{\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]} / (\text{Sqrt}[2]*a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$$
Rule 199

$$\text{Int}[(a_) + (b_)*(x_)^{(n_)}]^{(p_)}, x_Symbol] \rightarrow -\text{Simp}[(x*(a + b*x^n)^{(p+1)}) / (a*n*(p+1)), x] + \text{Dist}[(n*(p+1) + 1) / (a*n*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[p, -1] \&\& (\text{IntegerQ}[2*p] \parallel (n == 2 \&\& \text{IntegerQ}[4*p]) \parallel (n == 2 \&\& \text{IntegerQ}[3*p]) \parallel \text{Denominator}[p + 1/n] < \text{Denominator}[p])$$
Rule 206

$$\text{Int}[(a_) + (b_)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$
Rule 208

$$\text{Int}[(a_) + (b_)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x / \text{Rt}[-(a/b), 2]]) / a, x] /; \text{FreeQ}\{a, b, x\} \&\& \text{NegQ}[a/b]$$
Rule 897

$$\text{Int}[(d_ + (e_)*(x_)^{(m_)}*((f_ + (g_)*(x_)^{(n_)}*(a_ + (b_)*(x_ + (c_)*(x_)^2)^{(p_)}), x_Symbol] \rightarrow \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q/e, \text{Subst}[\text{Int}[x^{(q*(m+1) - 1)}*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{(1/q)}], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, x\} \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IntegersQ}[n, p] \&\& \text{FractionQ}[m]$$
Rule 1166

$$\text{Int}[(d_ + (e_)*(x_)^2) / ((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$$
Rule 1251

$$\text{Int}[(x_)^{(m_)}*((d_ + (e_)*(x_)^2)^{(q_)}*((a_ + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}), x_Symbol] \rightarrow \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)}*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, d, e, p, q, x\} \&\& \text{Inte}$$

gerQ[(m - 1)/2]

Rule 1287

Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)^{3/2}}{x^3 (a + bx^2 + cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d + ex)^{3/2}}{x^2 (a + bx + cx^2)} dx, x, x^2 \right) \\
 &= \frac{\text{Subst} \left(\int \frac{x^4}{\left(-\frac{d}{e} + \frac{x^2}{e}\right)^2 \left(\frac{cd^2 - bde + ae^2}{e^2} - \frac{(2cd - be)x^2}{e^2} + \frac{cx^4}{e^2}\right)} dx, x, \sqrt{d + ex^2} \right)}{e} \\
 &= \frac{\text{Subst} \left(\int \left(\frac{d^2 e^2}{a(d-x^2)^2} - \frac{de(-bd+2ae)}{a^2(d-x^2)} + \frac{e(-(bd-ae)(cd^2 - bde + ae^2) + cd(bd - 2ae)x^2)}{a^2(cd^2 - bde + ae^2 - (2cd - be)x^2 + cx^4)} \right) dx, x, \sqrt{d + ex^2} \right)}{e} \\
 &= \frac{\text{Subst} \left(\int \frac{-(bd-ae)(cd^2 - bde + ae^2) + cd(bd - 2ae)x^2}{cd^2 - bde + ae^2 + (-2cd + be)x^2 + cx^4} dx, x, \sqrt{d + ex^2} \right)}{a^2} + \frac{(d^2 e) \text{Subst} \left(\int \frac{1}{(d-x^2)^2} dx \right)}{a} \\
 &= -\frac{d\sqrt{d + ex^2}}{2ax^2} + \frac{\sqrt{d} (bd - 2ae) \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a^2} + \frac{(de) \text{Subst} \left(\int \frac{1}{d-x^2} dx, x, \sqrt{d + ex^2} \right)}{2a} \\
 &= -\frac{d\sqrt{d + ex^2}}{2ax^2} + \frac{\sqrt{d} e \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{2a} + \frac{\sqrt{d} (bd - 2ae) \tanh^{-1} \left(\frac{\sqrt{d+ex^2}}{\sqrt{d}} \right)}{a^2} - \frac{\sqrt{c} (b^2 d^2)}{a^2}
 \end{aligned}$$

Mathematica [A] time = 1.60, size = 380, normalized size = 0.91

$$\frac{\sqrt{2} \sqrt{c} \left(\frac{(2a(e(d\sqrt{b^2-4ac}-ae)+cd^2)+bd(2ae-d\sqrt{b^2-4ac})-b^2d^2) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{d+ex^2}}{\sqrt{e\sqrt{b^2-4ac}-be+2cd}}\right) - (bd(d\sqrt{b^2-4ac}+2ae)-2ae(d\sqrt{b^2-4ac}+ae)+2acd^2-b^2d^2) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}\right)}{\sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} - \frac{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{b^2-4ac}} \right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^(3/2)/(x^3*(a + b*x^2 + c*x^4)), x]

[Out]
$$\frac{-((a*d*\text{Sqrt}[d + e*x^2])/x^2) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(((-(b^2*d^2) + b*d*(-(\text{Sqrt}[b^2 - 4*a*c]*d) + 2*a*e) + 2*a*(c*d^2 + e*(\text{Sqrt}[b^2 - 4*a*c]*d - a*e))))* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x^2])/(\text{Sqrt}[2*c*d - b*e + \text{Sqrt}[b^2 - 4*a*c]*e]])/\text{Sqrt}[2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e] - (((-(b^2*d^2) + 2*a*c*d^2 - 2*a*e*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e) + b*d*(\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e))* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[d + e*x^2])/(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]])/\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]))/\text{Sqrt}[b^2 - 4*a*c] - \text{Sqrt}[d]*(2*b*d - 3*a*e)*\text{Log}[x] + \text{Sqrt}[d]*(2*b*d - 3*a*e)*\text{Log}[d + \text{Sqrt}[d]*\text{Sqrt}[d + e*x^2]])/(2*a^2)$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^3/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 0.72, size = 433, normalized size = 1.04

$$\frac{(2bd^2 - 3ade) \arctan\left(\frac{\sqrt{x^2e+d}}{\sqrt{-d}}\right) \sqrt{-4c^2d + 2(bc - \sqrt{b^2 - 4ac}c)e} \left((b^2 - 2ac + \sqrt{b^2 - 4ac}b)d - (ab + \sqrt{b^2 - 4ac}a^2|c| \right)}{2a^2\sqrt{-d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^3/(c*x^4+b*x^2+a), x, algorithm="giac")

```
[Out] -1/2*(2*b*d^2 - 3*a*d*e)*arctan(sqrt(x^2*e + d)/sqrt(-d))/(a^2*sqrt(-d)) -
1/4*sqrt(-4*c^2*d + 2*(b*c - sqrt(b^2 - 4*a*c)*c)*e)*((b^2 - 2*a*c + sqrt(b
^2 - 4*a*c)*b)*d - (a*b + sqrt(b^2 - 4*a*c)*a)*e)*arctan(2*sqrt(1/2)*sqrt(x
^2*e + d)/sqrt(-(2*a^2*c*d - a^2*b*e + sqrt(-4*(a^2*c*d^2 - a^2*b*d*e + a^3
*e^2)*a^2*c + (2*a^2*c*d - a^2*b*e)^2))/(a^2*c)))/(sqrt(b^2 - 4*a*c)*a^2*ab
s(c)) + 1/4*sqrt(-4*c^2*d + 2*(b*c + sqrt(b^2 - 4*a*c)*c)*e)*((b^2 - 2*a*c
- sqrt(b^2 - 4*a*c)*b)*d - (a*b - sqrt(b^2 - 4*a*c)*a)*e)*arctan(2*sqrt(1/2
)*sqrt(x^2*e + d)/sqrt(-(2*a^2*c*d - a^2*b*e - sqrt(-4*(a^2*c*d^2 - a^2*b*d
*e + a^3*e^2)*a^2*c + (2*a^2*c*d - a^2*b*e)^2))/(a^2*c)))/(sqrt(b^2 - 4*a*c
)*a^2*abs(c)) - 1/2*sqrt(x^2*e + d)*d/(a*x^2)
```

maple [C] time = 0.04, size = 555, normalized size = 1.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^2+d)^(3/2)/x^3/(c*x^4+b*x^2+a), x)
```

```
[Out] -7/24/a^2*b*(e*x^2+d)^(3/2)+1/a^2*b*d^(3/2)*ln((2*d+2*(e*x^2+d)^(1/2)*d^(1/
2))/x)-3/8/a^2*b*(e*x^2+d)^(1/2)*d-1/6/a^2*e^(3/2)*x^3*b+1/8/a^2*e*(e*x^2+d
)^(1/2)*x^2*b-3/4/a^2*e^(1/2)*x*b*d+1/2/a*e^(3/2)*x+1/a*(e*x^2+d)^(1/2)*e+1
/4/a^2*sum((c*d*(-2*a*e+b*d)*_R^6+(4*a^2*e^3-8*a*b*d*e^2+2*a*c*d^2*e+4*b^2*
d^2*e-3*b*c*d^3)*_R^4+d*(-4*a^2*e^3+8*a*b*d*e^2-2*a*c*d^2*e-4*b^2*d^2*e+3*b
*c*d^3)*_R^2+2*a*c*d^4*e-b*c*d^5)/(_R^7*c+3*_R^5*b*e-3*_R^5*c*d+8*_R^3*a*e^
2-4*_R^3*b*d*e+3*_R^3*c*d^2+_R*b*d^2*e-_R*c*d^3)*ln(-e^(1/2)*x-_R+(e*x^2+d)
^(1/2)),_R=RootOf(_Z^8*c+(4*b*e-4*c*d)*_Z^6+c*d^4+(16*a*e^2-8*b*d*e+6*c*d^2
)*_Z^4+(4*b*d^2*e-4*c*d^3)*_Z^2))-1/2/a*d/(-e^(1/2)*x+(e*x^2+d)^(1/2))*e+5/
8/a^2*d^2/(-e^(1/2)*x+(e*x^2+d)^(1/2))*b+1/24/a^2*b*d^3/(-e^(1/2)*x+(e*x^2+
d)^(1/2))^3-1/2/a/d/x^2*(e*x^2+d)^(5/2)+1/2/a*e/d*(e*x^2+d)^(3/2)-3/2/a*e*d
^(1/2)*ln((2*d+2*(e*x^2+d)^(1/2)*d^(1/2))/x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}}{(cx^4 + bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^2+d)^(3/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] integrate((e*x^2 + d)^(3/2)/((c*x^4 + b*x^2 + a)*x^3), x)
```

mupad [B] time = 6.10, size = 35855, normalized size = 85.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d + e*x^2)^{(3/2)}/(x^3*(a + b*x^2 + c*x^4)),x)$

[Out] $(d^{(1/2)}*\text{atan}(((d^{(1/2)}*(3*a*e - 2*b*d)*((d + e*x^2)^{(1/2)}*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^{10} + 132*a^4*c^5*d^4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^{10} - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 88*a^3*b^2*c^4*d^4*e^{12} - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} - 16*a^5*b*c^3*d*e^{15} - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/ (2*a^4) - (d^{(1/2)}*((56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^{11} - 100*a^6*c^4*d^2*e^{13} + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^{10} - 11*a^2*b^6*c^2*d^4*e^{11} - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^{10} + 111*a^3*b^4*c^3*d^4*e^{11} + 22*a^3*b^5*c^2*d^3*e^{12} - 237*a^4*b^2*c^4*d^4*e^{11} - 161*a^4*b^3*c^3*d^3*e^{12} - 19*a^4*b^4*c^2*d^2*e^{13} + 111*a^5*b^2*c^3*d^2*e^{13} - 28*a^6*b*c^3*d*e^{14} - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2*d^5*e^{10} - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^{10} + 252*a^5*b*c^4*d^3*e^{12} + 6*a^5*b^3*c^2*d*e^{14}))/a^4 + (d^{(1/2)}*(3*a*e - 2*b*d)*((d + e*x^2)^{(1/2)}*(64*a^7*b*c^3*e^{13} + 352*a^7*c^4*d*e^{12} - 16*a^6*b^3*c^2*e^{13} - 160*a^5*c^6*d^5*e^8 + 736*a^6*c^5*d^3*e^{10} + 32*a^2*b^6*c^3*d^5*e^8 - 32*a^2*b^7*c^2*d^4*e^9 - 224*a^3*b^4*c^4*d^5*e^8 + 144*a^3*b^5*c^3*d^4*e^9 + 112*a^3*b^6*c^2*d^3*e^{10} + 432*a^4*b^2*c^5*d^5*e^8 + 144*a^4*b^3*c^4*d^4*e^9 - 716*a^4*b^4*c^3*d^3*e^{10} - 132*a^4*b^5*c^2*d^2*e^{11} + 936*a^5*b^2*c^4*d^3*e^{10} + 860*a^5*b^3*c^3*d^2*e^{11} - 896*a^5*b*c^5*d^4*e^9 + 64*a^5*b^4*c^2*d*e^{12} - 1392*a^6*b*c^4*d^2*e^{11} - 336*a^6*b^2*c^3*d*e^{12}))/ (2*a^4) + (d^{(1/2)}*((320*a^8*c^4*d*e^{11} + 320*a^7*c^5*d^3*e^9 + 32*a^5*b^3*c^4*d^4*e^8 - 24*a^5*b^4*c^3*d^3*e^9 - 8*a^5*b^5*c^2*d^2*e^{10} + 16*a^6*b^2*c^4*d^3*e^9 + 144*a^6*b^3*c^3*d^2*e^{10} - 128*a^6*b*c^5*d^4*e^8 + 8*a^6*b^4*c^2*d*e^{11} - 448*a^7*b*c^4*d^2*e^{10} - 112*a^7*b^2*c^3*d*e^{11}))/a^4 - (d^{(1/2)}*(d + e*x^2)^{(1/2)}*(3*a*e - 2*b*d)*(1024*a^9*c^4*e^{10} + 64*a^7*b^4*c^2*e^{10} - 512*a^8*b^2*c^3*e^{10} + 1536*a^8*c^5*d^2*e^8 + 128*a^6*b^4*c^3*d^2*e^8 - 896*a^7*b^2*c^4*d^2*e^8 - 1792*a^8*b*c^4*d*e^9 - 128*a^6*b^5*c^2*d*e^9 + 960*a^7*b^3*c^3*d*e^9))/ (8*a^6))*(3*a*e - 2*b*d))/ (4*a^2)))/ (4*a^2))*(3*a*e - 2*b*d))/ (4*a^2))*1i)/ (4*a^2) + (d^{(1/2)}*(3*a*e - 2*b*d)*((d + e*x^2)^{(1/2)}*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^{10} + 132*a^4*c^5*d^4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^{10} - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 88*a^3*b^2*c^4*d^4*e^{12} - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} - 16*a^5*b*c^3*d*e^{15} - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/ (2*a^4) + (d^{(1/2)}*((56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^{11} - 100*a^6*c^4*d^2*e^{13} + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^{10} - 11*a^2*b^6*c^2*d^4*e^{11} - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^{10} + 111*a^3*b^4*c^3*d^4*e^{11} + 22*a^3*b^5*c^2*d^3*e^{12} - 237*a^4*b^2*c^4*d^4*e^{11} - 161*a^4*b^3*c^3*d^3*e^{12} - 19*a^4*b^4*c^2*d^2*e^{13} + 111*a^5*b^2*c^3*d^2*e^{13} - 28*a^6*b*c^3*d*e^{14}$

$$\begin{aligned}
& - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7*c^2*d^5*e^{10} - 32*a^3 \\
& *b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^{10} + 252*a^5*b*c^4*d^3*e^{12} + 6*a^5*b^3 \\
& *c^2*d*e^{14})/a^4 - (d^{(1/2)}*(3*a*e - 2*b*d)*(((d + e*x^2)^{(1/2)}*(64*a^7*b*c \\
& ^3*e^{13} + 352*a^7*c^4*d*e^{12} - 16*a^6*b^3*c^2*e^{13} - 160*a^5*c^6*d^5*e^8 + \\
& 736*a^6*c^5*d^3*e^{10} + 32*a^2*b^6*c^3*d^5*e^8 - 32*a^2*b^7*c^2*d^4*e^9 - 22 \\
& 4*a^3*b^4*c^4*d^5*e^8 + 144*a^3*b^5*c^3*d^4*e^9 + 112*a^3*b^6*c^2*d^3*e^{10} \\
& + 432*a^4*b^2*c^5*d^5*e^8 + 144*a^4*b^3*c^4*d^4*e^9 - 716*a^4*b^4*c^3*d^3*e \\
& ^{10} - 132*a^4*b^5*c^2*d^2*e^{11} + 936*a^5*b^2*c^4*d^3*e^{10} + 860*a^5*b^3*c^3 \\
& *d^2*e^{11} - 896*a^5*b*c^5*d^4*e^9 + 64*a^5*b^4*c^2*d*e^{12} - 1392*a^6*b*c^4* \\
& d^2*e^{11} - 336*a^6*b^2*c^3*d*e^{12}))/ (2*a^4) - (d^{(1/2)}*((320*a^8*c^4*d*e^{11} \\
& + 320*a^7*c^5*d^3*e^9 + 32*a^5*b^3*c^4*d^4*e^8 - 24*a^5*b^4*c^3*d^3*e^9 - \\
& 8*a^5*b^5*c^2*d^2*e^{10} + 16*a^6*b^2*c^4*d^3*e^9 + 144*a^6*b^3*c^3*d^2*e^{10} \\
& - 128*a^6*b*c^5*d^4*e^8 + 8*a^6*b^4*c^2*d*e^{11} - 448*a^7*b*c^4*d^2*e^{10} - 1 \\
& 12*a^7*b^2*c^3*d*e^{11})/a^4 + (d^{(1/2)}*(d + e*x^2)^{(1/2)}*(3*a*e - 2*b*d)*(10 \\
& 24*a^9*c^4*e^{10} + 64*a^7*b^4*c^2*e^{10} - 512*a^8*b^2*c^3*e^{10} + 1536*a^8*c^5 \\
& *d^2*e^8 + 128*a^6*b^4*c^3*d^2*e^8 - 896*a^7*b^2*c^4*d^2*e^8 - 1792*a^8*b*c \\
& ^4*d*e^9 - 128*a^6*b^5*c^2*d*e^9 + 960*a^7*b^3*c^3*d*e^9))/ (8*a^6))*(3*a*e \\
& - 2*b*d))/(4*a^2)))/(4*a^2))*(3*a*e - 2*b*d))/(4*a^2))*i)/(4*a^2))/((3*a*c \\
& ^7*d^9*e^9 + 3*a^5*c^3*d*e^{17} - 2*b*c^7*d^{10}*e^8 + 3*a^2*c^6*d^7*e^{11} + 3*a \\
& ^4*c^4*d^3*e^{15} + 4*b^2*c^6*d^9*e^9 - 2*b^3*c^5*d^8*e^{10} + 2*a^2*b^2*c^4*d^ \\
& 5*e^{13} - (11*a^2*b^3*c^3*d^4*e^{14})/2 + 11*a^3*b^2*c^3*d^3*e^{15} - 8*a*b*c^6* \\
& d^8*e^{10} + 4*a*b^2*c^5*d^7*e^{11} + a*b^4*c^3*d^5*e^{13} - (3*a^2*b*c^5*d^6*e^1 \\
& 2)/2 - 5*a^3*b*c^4*d^4*e^{14} - (19*a^4*b*c^3*d^2*e^{16})/2)/a^4 - (d^{(1/2)}*(3* \\
& a*e - 2*b*d)*(((d + e*x^2)^{(1/2)}*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^ \\
& 3*c^6*d^6*e^{10} + 132*a^4*c^5*d^4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8* \\
& e^8 + 129*a^2*b^2*c^5*d^6*e^{10} - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^ \\
& 4*e^{12} + 88*a^3*b^2*c^4*d^4*e^{12} - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3 \\
& *d^2*e^{14} - 16*a^5*b*c^3*d*e^{15} - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^ \\
& 9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/ \\
& (2*a^4) - (d^{(1/2)}*((56*a^4*c^6*d^6*e^9 - 44*a^5*c^5*d^4*e^{11} - 100*a^6*c^4 \\
& *d^2*e^{13} + 40*a^2*b^3*c^5*d^7*e^8 - 39*a^2*b^5*c^3*d^5*e^{10} - 11*a^2*b^6*c \\
& ^2*d^4*e^{11} - 108*a^3*b^2*c^5*d^6*e^9 + 96*a^3*b^3*c^4*d^5*e^{10} + 111*a^3*b \\
& ^4*c^3*d^4*e^{11} + 22*a^3*b^5*c^2*d^3*e^{12} - 237*a^4*b^2*c^4*d^4*e^{11} - 161* \\
& a^4*b^3*c^3*d^3*e^{12} - 19*a^4*b^4*c^2*d^2*e^{13} + 111*a^5*b^2*c^3*d^2*e^{13} - \\
& 28*a^6*b*c^3*d*e^{14} - 8*a*b^5*c^4*d^7*e^8 + 6*a*b^6*c^3*d^6*e^9 + 2*a*b^7* \\
& c^2*d^5*e^{10} - 32*a^3*b*c^6*d^7*e^8 + 92*a^4*b*c^5*d^5*e^{10} + 252*a^5*b*c^4 \\
& *d^3*e^{12} + 6*a^5*b^3*c^2*d*e^{14})/a^4 + (d^{(1/2)}*(3*a*e - 2*b*d)*(((d + e*x \\
& ^2)^{(1/2)}*(64*a^7*b*c^3*e^{13} + 352*a^7*c^4*d*e^{12} - 16*a^6*b^3*c^2*e^{13} - 1 \\
& 60*a^5*c^6*d^5*e^8 + 736*a^6*c^5*d^3*e^{10} + 32*a^2*b^6*c^3*d^5*e^8 - 32*a^2 \\
& *b^7*c^2*d^4*e^9 - 224*a^3*b^4*c^4*d^5*e^8 + 144*a^3*b^5*c^3*d^4*e^9 + 112* \\
& a^3*b^6*c^2*d^3*e^{10} + 432*a^4*b^2*c^5*d^5*e^8 + 144*a^4*b^3*c^4*d^4*e^9 - \\
& 716*a^4*b^4*c^3*d^3*e^{10} - 132*a^4*b^5*c^2*d^2*e^{11} + 936*a^5*b^2*c^4*d^3*e \\
& ^{10} + 860*a^5*b^3*c^3*d^2*e^{11} - 896*a^5*b*c^5*d^4*e^9 + 64*a^5*b^4*c^2*d*e \\
& ^{12} - 1392*a^6*b*c^4*d^2*e^{11} - 336*a^6*b^2*c^3*d*e^{12}))/ (2*a^4) + (d^{(1/2)} \\
& *((320*a^8*c^4*d*e^{11} + 320*a^7*c^5*d^3*e^9 + 32*a^5*b^3*c^4*d^4*e^8 - 24*a
\end{aligned}$$

$$\begin{aligned}
& ^5b^4c^3d^3e^9 - 8a^5b^5c^2d^2e^{10} + 16a^6b^2c^4d^3e^9 + 144a^6b^3c^3d^2e^{10} - 128a^6b^4c^2d^2e^8 + 8a^6b^4c^2d^2e^{11} - 448a^7b^3c^4d^2e^{10} - 112a^7b^2c^3d^2e^{11})/a^4 - (d^{(1/2)}(d + e^x^2)^{(1/2)} \\
&)*(3a^5e - 2b^4d)*(1024a^9c^4e^{10} + 64a^7b^4c^2e^{10} - 512a^8b^2c^3e^{10} + 1536a^8c^5d^2e^8 + 128a^6b^4c^3d^2e^8 - 896a^7b^2c^4d^2e^8 - 1792a^8b^3c^4d^2e^9 - 128a^6b^5c^2d^2e^9 + 960a^7b^3c^3d^2e^9))/ \\
& (8a^6))*(3a^5e - 2b^4d)/(4a^2)))/(4a^2))*(3a^5e - 2b^4d)/(4a^2)))/(4a^2) + (d^{(1/2)}(3a^5e - 2b^4d)*(((d + e^x^2)^{(1/2)}(4a^6c^3e^{16} + 4a^2c^7d^8e^8 - 2a^3c^6d^6e^{10} + 132a^4c^5d^4e^{12} - 2a^5c^4d^2e^{14} + 4b^4c^5d^8e^8 + 129a^2b^2c^5d^6e^{10} - 32a^2b^3c^4d^5e^{11} + 8a^2b^4c^3d^4e^{12} + 88a^3b^2c^4d^4e^{12} - 28a^3b^3c^3d^3e^{13} + 33a^4b^2c^3d^2e^{14} - 16a^5b^3c^3d^2e^{15} - 8a^4b^2c^6d^8e^8 - 28a^4b^3c^5d^7e^9 + 8a^2b^3c^6d^7e^9 - 228a^3b^3c^5d^5e^{11} - 60a^4b^3c^4d^3e^{13}))/ \\
& (2a^4) + (d^{(1/2)}*((56a^4c^6d^6e^9 - 44a^5c^5d^4e^{11} - 100a^6c^4d^2e^{13} + 40a^2b^3c^5d^7e^8 - 39a^2b^5c^3d^5e^{10} - 11a^2b^6c^2d^4e^{11} - 108a^3b^2c^5d^6e^9 + 96a^3b^3c^4d^5e^{10} + 111a^3b^4c^3d^4e^{11} + 22a^3b^5c^2d^3e^{12} - 237a^4b^2c^4d^4e^{11} - 161a^4b^3c^3d^3e^{12} - 19a^4b^4c^2d^2e^{13} + 111a^5b^2c^3d^2e^{13} - 28a^6b^3c^3d^2e^{14} - 8a^4b^5c^4d^7e^8 + 6a^4b^6c^3d^6e^9 + 2a^4b^7c^2d^5e^{10} - 32a^3b^3c^6d^7e^8 + 92a^4b^3c^5d^5e^{10} + 252a^5b^3c^4d^3e^{12} + 6a^5b^3c^2d^2e^{14}))/a^4 - (d^{(1/2)}(3a^5e - 2b^4d)*(((d + e^x^2)^{(1/2)}(64a^7b^3c^3e^{13} + 352a^7c^4d^2e^{12} - 16a^6b^3c^2e^{13} - 160a^5c^6d^5e^8 + 736a^6c^5d^3e^{10} + 32a^2b^6c^3d^5e^8 - 32a^2b^7c^2d^4e^9 - 224a^3b^4c^4d^5e^8 + 144a^3b^5c^3d^4e^9 + 112a^3b^6c^2d^3e^{10} + 432a^4b^2c^5d^5e^8 + 144a^4b^3c^4d^4e^9 - 716a^4b^4c^3d^3e^{10} - 132a^4b^5c^2d^2e^{11} + 936a^5b^2c^4d^3e^{10} + 860a^5b^3c^3d^2e^{11} - 896a^5b^3c^5d^4e^9 + 64a^5b^4c^2d^2e^{12} - 1392a^6b^3c^4d^2e^{11} - 336a^6b^2c^3d^2e^{12}))/ \\
& (2a^4) - (d^{(1/2)}*((320a^8c^4d^2e^{11} + 320a^7c^5d^3e^9 + 32a^5b^3c^4d^4e^8 - 24a^5b^4c^3d^3e^9 - 8a^5b^5c^2d^2e^{10} + 16a^6b^2c^4d^3e^9 + 144a^6b^3c^3d^2e^{10} - 128a^6b^4c^2d^2e^8 + 8a^6b^4c^2d^2e^{11} - 448a^7b^3c^4d^2e^{10} - 112a^7b^2c^3d^2e^{11}))/a^4 + (d^{(1/2)}(d + e^x^2)^{(1/2)}(3a^5e - 2b^4d)*(1024a^9c^4e^{10} + 64a^7b^4c^2e^{10} - 512a^8b^2c^3e^{10} + 1536a^8c^5d^2e^8 + 128a^6b^4c^3d^2e^8 - 896a^7b^2c^4d^2e^8 - 1792a^8b^3c^4d^2e^9 - 128a^6b^5c^2d^2e^9 + 960a^7b^3c^3d^2e^9))/ \\
& (8a^6))*(3a^5e - 2b^4d)/(4a^2)))/(4a^2))*(3a^5e - 2b^4d)/(4a^2)))/(4a^2)) + atan((((224a^4c^6d^6e^9 - 176a^5c^5d^4e^{11} - 400a^6c^4d^2e^{13} + 160a^2b^3c^5d^7e^8 - 156a^2b^5c^3d^5e^{10} - 44a^2b^6c^2d^4e^{11} - 432a^3b^2c^5d^6e^9 + 384a^3b^3c^4d^5e^{10} + 444a^3b^4c^3d^4e^{11} + 88a^3b^5c^2d^3e^{12} - 948a^4b^2c^4d^4e^{11} - 644a^4b^3c^3d^3e^{12} - 76a^4b^4c^2d^2e^{13} + 444a^5b^2c^3d^2e^{13} - 112a^6b^3c^3d^2e^{14} - 32a^4b^5c^4d^7e^8 + 24a^4b^6c^3d^6e^9 + 8a^4b^7c^2d^5e^{10} - 128a^3b^3c^6d^7e^8 + 368a^4b^3c^5d^5e^{10} + 1008a^5b^3c^4d^3e^{12} + 24a^5b^3c^2d^2e^{14}))/ \\
& (4a^4) + (((1280a^8c^4d^2e^{11} + 1280a^7c^5d^
\end{aligned}$$

$$\begin{aligned}
& /4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a^* \\
& c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^* \\
& ^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} \\
& + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16*a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + 48*a^4*c^2 \\
& *d*e^2 + 36*a^2*b^2*c^2*d^3 - 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2* \\
& e + 42*a^2*b^3*c*d^2*e - 72*a^3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4* \\
& b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} - ((d + e*x^2)^{(1/2)}*(4*a^6*c^3*e^1 \\
& 6 + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^* \\
& ^4*d^2*e^14 + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4 \\
& *d^5*e^11 + 8*a^2*b^4*c^3*d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^* \\
& ^3*d^3*e^13 + 33*a^4*b^2*c^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^* \\
& ^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^1 \\
& 1 - 60*a^4*b*c^4*d^3*e^13))/(2*a^4)*(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3 \\
& *c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a* \\
& b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3* \\
& b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5 \\
& *b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2* \\
& d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^* \\
& ^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16*a^3*c^3 \\
& *d^3 + 6*a^2*b^4*d*e^2 + 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - 16*a*b^4*c^* \\
& *d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^3*b*c^2*d^* \\
& ^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)}* \\
& 1i - (((224*a^4*c^6*d^6*e^9 - 176*a^5*c^5*d^4*e^11 - 400*a^6*c^4*d^2*e^13 + \\
& 160*a^2*b^3*c^5*d^7*e^8 - 156*a^2*b^5*c^3*d^5*e^10 - 44*a^2*b^6*c^2*d^4*e^ \\
& 11 - 432*a^3*b^2*c^5*d^6*e^9 + 384*a^3*b^3*c^4*d^5*e^10 + 444*a^3*b^4*c^3*d^* \\
& ^4*e^11 + 88*a^3*b^5*c^2*d^3*e^12 - 948*a^4*b^2*c^4*d^4*e^11 - 644*a^4*b^3* \\
& c^3*d^3*e^12 - 76*a^4*b^4*c^2*d^2*e^13 + 444*a^5*b^2*c^3*d^2*e^13 - 112*a^6 \\
& *b*c^3*d*e^14 - 32*a*b^5*c^4*d^7*e^8 + 24*a*b^6*c^3*d^6*e^9 + 8*a*b^7*c^2*d^* \\
& ^5*e^10 - 128*a^3*b*c^6*d^7*e^8 + 368*a^4*b*c^5*d^5*e^10 + 1008*a^5*b*c^4*d^* \\
& ^3*e^12 + 24*a^5*b^3*c^2*d*e^14)/(4*a^4) + (((1280*a^8*c^4*d*e^11 + 1280*a^ \\
& 7*c^5*d^3*e^9 + 128*a^5*b^3*c^4*d^4*e^8 - 96*a^5*b^4*c^3*d^3*e^9 - 32*a^5*b^* \\
& ^5*c^2*d^2*e^10 + 64*a^6*b^2*c^4*d^3*e^9 + 576*a^6*b^3*c^3*d^2*e^10 - 512*a^ \\
& ^6*b*c^5*d^4*e^8 + 32*a^6*b^4*c^2*d*e^11 - 1792*a^7*b*c^4*d^2*e^10 - 448*a^ \\
& 7*b^2*c^3*d*e^11)/(4*a^4) + ((d + e*x^2)^{(1/2)}*(((4*b^6*d^3 - 4*a^3*b^3*e^ \\
& 3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^* \\
& ^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e \\
& - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 \\
& - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + \\
& 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6 \\
& *a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - \\
& 16*a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - \\
& 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^ \\
& 3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c \\
&))^{(1/2)}*(1024*a^9*c^4*e^10 + 64*a^7*b^4*c^2*e^10 - 512*a^8*b^2*c^3*e^10 + \\
& 1536*a^8*c^5*d^2*e^8 + 128*a^6*b^4*c^3*d^2*e^8 - 896*a^7*b^2*c^4*d^2*e^8 -
\end{aligned}$$

$$\begin{aligned}
& (1792a^8b^4c^4d^4e^9 - 128a^6b^5c^2d^4e^9 + 960a^7b^3c^3d^4e^9) / (2a^4) * (((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^4e^2 + 96a^4c^2d^4e^2 + 72a^2b^2c^2d^3 - 32ab^4c^3d^3 + 16a^4b^3c^3e^3 - 12a^2b^5d^2e + 84a^2b^3c^3d^2e - 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^2/4 - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) * (c^4d^6 + a^3c^3e^6 + 3a^2c^3d^4e^2 - b^3c^3d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^3d^5e - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4))^(1/2) + 2b^6d^3 - 2a^3b^3e^3 - 16a^3c^3d^3 + 6a^2b^4d^4e^2 + 48a^4c^2d^4e^2 + 36a^2b^2c^2d^3 - 16ab^4c^3d^3 + 8a^4b^3c^3e^3 - 6a^2b^5d^2e + 42a^2b^3c^3d^2e - 72a^3b^2c^2d^2e - 36a^3b^2c^2d^2e^2) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^(1/2) - ((d + e*x^2)^(1/2) * (64a^7b^3c^3e^13 + 352a^7c^4d^4e^12 - 16a^6b^3c^2e^13 - 160a^5c^6d^5e^8 + 736a^6c^5d^3e^10 + 32a^2b^6c^3d^5e^8 - 32a^2b^7c^2d^4e^9 - 224a^3b^4c^4d^5e^8 + 144a^3b^5c^3d^4e^9 + 112a^3b^6c^2d^3e^10 + 432a^4b^2c^5d^5e^8 + 144a^4b^3c^4d^4e^9 - 716a^4b^4c^3d^3e^10 - 132a^4b^5c^2d^2e^11 + 936a^5b^2c^4d^3e^10 + 860a^5b^3c^3d^2e^11 - 896a^5b^3c^5d^4e^9 + 64a^5b^4c^2d^4e^12 - 1392a^6b^3c^4d^2e^11 - 336a^6b^2c^3d^4e^12)) / (2a^4) * (((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^4e^2 + 96a^4c^2d^4e^2 + 72a^2b^2c^2d^3 - 32ab^4c^3d^3 + 16a^4b^3c^3e^3 - 12a^2b^5d^2e + 84a^2b^3c^3d^2e - 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^2/4 - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) * (c^4d^6 + a^3c^3e^6 + 3a^2c^3d^4e^2 - b^3c^3d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^3d^5e - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4))^(1/2) + 2b^6d^3 - 2a^3b^3e^3 - 16a^3c^3d^3 + 6a^2b^4d^4e^2 + 48a^4c^2d^4e^2 + 36a^2b^2c^2d^3 - 16ab^4c^3d^3 + 8a^4b^3c^3e^3 - 6a^2b^5d^2e + 42a^2b^3c^3d^2e - 72a^3b^2c^2d^2e - 36a^3b^2c^2d^2e^2) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^(1/2) * (((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^4e^2 + 96a^4c^2d^4e^2 + 72a^2b^2c^2d^3 - 32ab^4c^3d^3 + 16a^4b^3c^3e^3 - 12a^2b^5d^2e + 84a^2b^3c^3d^2e - 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^2/4 - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) * (c^4d^6 + a^3c^3e^6 + 3a^2c^3d^4e^2 - b^3c^3d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^3d^5e - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4))^(1/2) + 2b^6d^3 - 2a^3b^3e^3 - 16a^3c^3d^3 + 6a^2b^4d^4e^2 + 48a^4c^2d^4e^2 + 36a^2b^2c^2d^3 - 16ab^4c^3d^3 + 8a^4b^3c^3e^3 - 6a^2b^5d^2e + 42a^2b^3c^3d^2e - 72a^3b^2c^2d^2e - 36a^3b^2c^2d^2e^2) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^(1/2) + ((d + e*x^2)^(1/2) * (4a^6c^3e^16 + 4a^2c^7d^8e^8 - 2a^3c^6d^6e^10 + 132a^4c^5d^4e^12 - 2a^5c^4d^2e^14 + 4b^4c^5d^8e^8 + 129a^2b^2c^5d^6e^10 - 32a^2b^3c^4d^5e^11 + 8a^2b^4c^3d^4e^12 + 88a^3b^2c^4d^4e^12 - 28a^3b^3c^3d^3e^13 + 33a^4b^2c^3d^2e^14 - 16a^5b^3c^3d^2e^15 - 8a^2b^2c^6d^8e^8 - 28a^2b^3c^5d^7e^9 + 8a^2b^3c^6d^7e^9 - 228a^3b^3c^5d^5e^11 - 60a^4b^3c^4d^3e^13)) / (2a^4) * (((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^4e^2 + 96a^4c^2d^4e^2 + 72a^2b^2c^2d^3 - 32ab^4c^3d^3 + 16a^4b^3c^3e^3 - 12a^2b^5d^2e + 84a^2b^3c^3d^2e -
\end{aligned}$$

$$\begin{aligned}
& 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^4b^4 + 256a^6c^2 - \\
& 128a^5b^2c) \cdot (c^4d^6 + a^3c^2e^6 + 3a^3c^3d^4e^2 - b^3c^2d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^2c^3d^5e - 3a^2b^2c^2d^2e^5 - 6a \\
& b^2c^2d^3e^3 + 3a^2b^2c^2d^2e^4) \cdot (1/2) + 2b^6d^3 - 2a^3b^3e^3 - 16 \\
& a^3c^3d^3 + 6a^2b^4d^2e^2 + 48a^4c^2d^2e^2 + 36a^2b^2c^2d^3 - 16 \\
& a^2b^4c^2d^3 + 8a^4b^2c^2e^3 - 6a^2b^5d^2e + 42a^2b^3c^2d^2e - 72a^3b^2c^2d^2e - 36a^3b^2c^2d^2e^2) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c)) \\
&)^{1/2} \cdot i) / ((6a^7c^2d^9e^9 + 6a^5c^3d^2e^17 - 4b^7c^7d^10e^8 + 6a^2 \\
& c^6d^7e^11 + 6a^4c^4d^3e^15 + 8b^2c^6d^9e^9 - 4b^3c^5d^8e^10 \\
& + 4a^2b^2c^4d^5e^13 - 11a^2b^3c^3d^4e^14 + 22a^3b^2c^3d^3e^15 - 16a^2b^2c^6d^8e^10 + 8a^2b^2c^5d^7e^11 + 2a^2b^4c^3d^5e^13 - 3a \\
& a^2b^2c^5d^6e^12 - 10a^3b^2c^4d^4e^14 - 19a^4b^2c^3d^2e^16) / (2a^4) \\
& + (((224a^4c^6d^6e^9 - 176a^5c^5d^4e^11 - 400a^6c^4d^2e^13 + 1 \\
& 60a^2b^3c^5d^7e^8 - 156a^2b^5c^3d^5e^10 - 44a^2b^6c^2d^4e^11 \\
& - 432a^3b^2c^5d^6e^9 + 384a^3b^3c^4d^5e^10 + 444a^3b^4c^3d^4 \\
& e^11 + 88a^3b^5c^2d^3e^12 - 948a^4b^2c^4d^4e^11 - 644a^4b^3c^3d^3e^12 - 76a^4b^4c^2d^2e^13 + 444a^5b^2c^3d^2e^13 - 112a^6b^2c^3d^2e^14 - 32a^2b^5c^4d^7e^8 + 24a^2b^6c^3d^6e^9 + 8a^2b^7c^2d^5 \\
& e^10 - 128a^3b^2c^6d^7e^8 + 368a^4b^2c^5d^5e^10 + 1008a^5b^2c^4d^3 \\
& e^12 + 24a^5b^3c^2d^2e^14) / (4a^4) + (((1280a^8c^4d^2e^11 + 1280a^7c^5d^3e^9 + 128a^5b^3c^4d^4e^8 - 96a^5b^4c^3d^3e^9 - 32a^5b^5c^2d^2e^10 + 64a^6b^2c^4d^3e^9 + 576a^6b^3c^3d^2e^10 - 512a^6 \\
& b^2c^5d^4e^8 + 32a^6b^4c^2d^2e^11 - 1792a^7b^2c^4d^2e^10 - 448a^7b^2c^3d^2e^11) / (4a^4) - ((d + ex^2)^{1/2}) \cdot (((4b^6d^3 - 4a^3b^3e^3 \\
& - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^4c^2d^2e^2 + 72a^2b^2c^2d^3 \\
& - 32a^2b^4c^2d^3 + 16a^4b^2c^2e^3 - 12a^2b^5d^2e + 84a^2b^3c^2d^2e - \\
& 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^4b^4 + 256a^6c^2 - \\
& 128a^5b^2c) \cdot (c^4d^6 + a^3c^2e^6 + 3a^3c^3d^4e^2 - b^3c^2d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^2c^3d^5e - 3a^2b^2c^2d^2e^5 - 6a \\
& b^2c^2d^3e^3 + 3a^2b^2c^2d^2e^4) \cdot (1/2) + 2b^6d^3 - 2a^3b^3e^3 - 16 \\
& a^3c^3d^3 + 6a^2b^4d^2e^2 + 48a^4c^2d^2e^2 + 36a^2b^2c^2d^3 - 16 \\
& a^2b^4c^2d^3 + 8a^4b^2c^2e^3 - 6a^2b^5d^2e + 42a^2b^3c^2d^2e - 72a^3b^2c^2d^2e - 36a^3b^2c^2d^2e^2) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c)) \\
&)^{1/2} \cdot (1024a^9c^4e^10 + 64a^7b^4c^2e^10 - 512a^8b^2c^3e^10 + 1 \\
& 536a^8c^5d^2e^8 + 128a^6b^4c^3d^2e^8 - 896a^7b^2c^4d^2e^8 - 1 \\
& 792a^8b^2c^4d^2e^9 - 128a^6b^5c^2d^2e^9 + 960a^7b^3c^3d^2e^9) / (2a^4) \\
&) \cdot (((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^4c^2d^2e^2 + 72a^2b^2c^2d^3 - 32a^2b^4c^2d^3 + 16a^4b^2c^2e^3 - 12a^2b^5d^2e + 84a^2b^3c^2d^2e - 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2) \\
&)^{2/4} - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) \cdot (c^4d^6 + a^3c^2e^6 + 3a^3c^3d^4e^2 - b^3c^2d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^2c^3d^5e - 3a^2b^2c^2d^2e^5 - 6a^2b^2c^2d^3e^3 + 3a^2b^2c^2d^2e^4) \cdot (1/2) \\
&) + 2b^6d^3 - 2a^3b^3e^3 - 16a^3c^3d^3 + 6a^2b^4d^2e^2 + 48a^4c^2d^2e^2 + 36a^2b^2c^2d^3 - 16a^2b^4c^2d^3 + 8a^4b^2c^2e^3 - 6a^2b^5d^2e + 42a^2b^3c^2d^2e - 72a^3b^2c^2d^2e - 36a^3b^2c^2d^2e^2) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c))
\end{aligned}$$

$$\begin{aligned}
& (4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(64*a^7*b*c^3*e^{13} + 352*a^7*c^4*d*e^{12} - 16*a^6*b^3*c^2*e^{13} - 160*a^5*c^6*d^5*e^8 + 7 \\
& 36*a^6*c^5*d^3*e^{10} + 32*a^2*b^6*c^3*d^5*e^8 - 32*a^2*b^7*c^2*d^4*e^9 - 224 \\
& *a^3*b^4*c^4*d^5*e^8 + 144*a^3*b^5*c^3*d^4*e^9 + 112*a^3*b^6*c^2*d^3*e^{10} + \\
& 432*a^4*b^2*c^5*d^5*e^8 + 144*a^4*b^3*c^4*d^4*e^9 - 716*a^4*b^4*c^3*d^3*e^{10} - 132*a^4*b^5*c^2*d^2*e^{11} + 936*a^5*b^2*c^4*d^3*e^{10} + 860*a^5*b^3*c^3* \\
& d^2*e^{11} - 896*a^5*b*c^5*d^4*e^9 + 64*a^5*b^4*c^2*d*e^{12} - 1392*a^6*b*c^4*d \\
& ^2*e^{11} - 336*a^6*b^2*c^3*d*e^{12}))/((2*a^4))*(((4*b^6*d^3 - 4*a^3*b^3*e^3 - \\
& 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 \\
& - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 1 \\
& 44*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - \\
& 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a \\
& ^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a* \\
& b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16* \\
& a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - 16* \\
& a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^3*b \\
& *c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)) \\
& ^{(1/2))*(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + \\
& 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - \\
& 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d* \\
& e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 \\
& + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - \\
& 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16*a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + 48*a \\
& ^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5 \\
& *d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16 \\
& *(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} - ((d + e*x^2)^{(1/2)}*(4*a^6*c \\
& ^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^{10} + 132*a^4*c^5*d^4*e^{12} - 2 \\
& *a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^{10} - 32*a^2*b \\
& ^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 88*a^3*b^2*c^4*d^4*e^{12} - 28*a^3 \\
& *b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} - 16*a^5*b*c^3*d*e^{15} - 8*a*b^2 \\
& *c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d \\
& ^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/((2*a^4))*(((4*b^6*d^3 - 4*a^3*b^3*e^3 - \\
& 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - \\
& 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 14 \\
& 4*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 1 \\
& 28*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a \\
& ^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a* \\
& b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16*a \\
& ^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - 16*a \\
& *b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^3*b* \\
& c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^{(1/2)} + (((224*a^4*c^6*d^6*e^9 - 176*a^5*c^5*d^4*e^{11} - 400*a^6*c^4*d^2*e^{13} \\
& + 160*a^2*b^3*c^5*d^7*e^8 - 156*a^2*b^5*c^3*d^5*e^{10} - 44*a^2*b^6*c^2*d^4 \\
& *e^{11} - 432*a^3*b^2*c^5*d^6*e^9 + 384*a^3*b^3*c^4*d^5*e^{10} + 444*a^3*b^4*c^
\end{aligned}$$

$$\begin{aligned}
& - 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72* \\
& a^3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2 \\
& *c)))^{(1/2)}*(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d* \\
& e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e \\
& ^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2 \\
& *c*d*e^2)^{2/4} - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c \\
& *e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4* \\
& e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e \\
& ^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16*a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + \\
& 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6 \\
& *a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2 \\
&)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(4* \\
& a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^1 \\
& 2 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32* \\
& a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4*c^3*d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 2 \\
& 8*a^3*b^3*c^3*d^3*e^13 + 33*a^4*b^2*c^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8* \\
& a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b* \\
& c^5*d^5*e^11 - 60*a^4*b*c^4*d^3*e^13))/(2*a^4)*(((4*b^6*d^3 - 4*a^3*b^3*e \\
& ^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2* \\
& d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e \\
& - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^{2/4} - (16*a^4*b^4 + 256*a^6*c^ \\
& 2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + \\
& 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - \\
& 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - \\
& 16*a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - \\
& 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6*a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a \\
& ^3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2* \\
& c)))^{(1/2)}*(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d* \\
& e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e \\
& ^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2 \\
& *c*d*e^2)^{2/4} - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c \\
& *e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4* \\
& e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e \\
& ^4))^{(1/2)} + 2*b^6*d^3 - 2*a^3*b^3*e^3 - 16*a^3*c^3*d^3 + 6*a^2*b^4*d*e^2 + \\
& 48*a^4*c^2*d*e^2 + 36*a^2*b^2*c^2*d^3 - 16*a*b^4*c*d^3 + 8*a^4*b*c*e^3 - 6 \\
& *a*b^5*d^2*e + 42*a^2*b^3*c*d^2*e - 72*a^3*b*c^2*d^2*e - 36*a^3*b^2*c*d*e^2 \\
&)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*2i - (d*(d + e*x^2)^{(1/2)} \\
&))/(2*a*x^2) - atan((((224*a^4*c^6*d^6*e^9 - 176*a^5*c^5*d^4*e^11 - 400*a^ \\
& 6*c^4*d^2*e^13 + 160*a^2*b^3*c^5*d^7*e^8 - 156*a^2*b^5*c^3*d^5*e^10 - 44*a^ \\
& 2*b^6*c^2*d^4*e^11 - 432*a^3*b^2*c^5*d^6*e^9 + 384*a^3*b^3*c^4*d^5*e^10 + 4 \\
& 44*a^3*b^4*c^3*d^4*e^11 + 88*a^3*b^5*c^2*d^3*e^12 - 948*a^4*b^2*c^4*d^4*e^1 \\
& 1 - 644*a^4*b^3*c^3*d^3*e^12 - 76*a^4*b^4*c^2*d^2*e^13 + 444*a^5*b^2*c^3*d^ \\
& 2*e^13 - 112*a^6*b*c^3*d*e^14 - 32*a*b^5*c^4*d^7*e^8 + 24*a*b^6*c^3*d^6*e^9 \\
& + 8*a*b^7*c^2*d^5*e^10 - 128*a^3*b*c^6*d^7*e^8 + 368*a^4*b*c^5*d^5*e^10 + \\
& 1008*a^5*b*c^4*d^3*e^12 + 24*a^5*b^3*c^2*d*e^14)/(4*a^4) + (((1280*a^8*c^4*
\end{aligned}$$

$$\begin{aligned}
&^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) \\
&*(c^4d^6 + a^3c^2e^6 + 3a^3c^3d^4e^2 - b^3c^2d^3e^3 + 3a^2c^2d^2e^4 \\
&+ 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^2d^3e^5 - 6a^2b^3c^2d^3e^3 \\
&+ 3a^2b^2c^2d^2e^4))^{(1/2)} - 2b^6d^3 + 2a^3b^3e^3 + 16a^3c^3d^3 - \\
&6a^2b^4d^2e^2 - 48a^4c^2d^2e^2 - 36a^2b^2c^2d^3 + 16a^2b^4c^2d^3 - \\
&8a^4b^3c^2e^3 + 6a^2b^5d^2e - 42a^2b^3c^2d^2e + 72a^3b^2c^2d^2e + 3 \\
&6a^3b^2c^2d^2e^2)/(16*(a^4b^4 + 16a^6c^2 - 8a^5b^2c))^{(1/2)} - ((d + \\
&e*x^2)^{(1/2)}*(4a^6c^3e^16 + 4a^2c^7d^8e^8 - 2a^3c^6d^6e^10 + 13 \\
&2a^4c^5d^4e^12 - 2a^5c^4d^2e^14 + 4b^4c^5d^8e^8 + 129a^2b^2c^ \\
&^5d^6e^10 - 32a^2b^3c^4d^5e^11 + 8a^2b^4c^3d^4e^12 + 88a^3b^2 \\
&*c^4d^4e^12 - 28a^3b^3c^3d^3e^13 + 33a^4b^2c^3d^2e^14 - 16a^5 \\
&b^3c^3d^2e^15 - 8a^2b^2c^6d^8e^8 - 28a^2b^3c^5d^7e^9 + 8a^2b^2c^6d^7 \\
&*e^9 - 228a^3b^2c^5d^5e^11 - 60a^4b^2c^4d^3e^13))/(2a^4)*(-(((4b^6 \\
&d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^4c^2d^2e^2 \\
&+ 72a^2b^2c^2d^3 - 32a^2b^4c^2d^3 + 16a^4b^3c^2e^3 - 12a^2b^5d^2e + \\
&84a^2b^3c^2d^2e - 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^ \\
&4b^4 + 256a^6c^2 - 128a^5b^2c)*(c^4d^6 + a^3c^2e^6 + 3a^3c^3d^4e^2 \\
&- b^3c^2d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - \\
&3a^2b^3c^2d^2e^5 - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4))^{(1/2)} - 2b^6d^3 \\
&+ 2a^3b^3e^3 + 16a^3c^3d^3 - 6a^2b^4d^2e^2 - 48a^4c^2d^2e^2 - 36 \\
&a^2b^2c^2d^3 + 16a^2b^4c^2d^3 - 8a^4b^3c^2e^3 + 6a^2b^5d^2e - 42a^2 \\
&b^3c^2d^2e + 72a^3b^2c^2d^2e + 36a^3b^2c^2d^2e^2)/(16*(a^4b^4 + 16a^ \\
&6c^2 - 8a^5b^2c))^{(1/2)}*i - (((224a^4c^6d^6e^9 - 176a^5c^5d^4 \\
&e^11 - 400a^6c^4d^2e^13 + 160a^2b^3c^5d^7e^8 - 156a^2b^5c^3d^5 \\
&*e^10 - 44a^2b^6c^2d^4e^11 - 432a^3b^2c^5d^6e^9 + 384a^3b^3c^4 \\
&d^5e^10 + 444a^3b^4c^3d^4e^11 + 88a^3b^5c^2d^3e^12 - 948a^4b^ \\
&2c^4d^4e^11 - 644a^4b^3c^3d^3e^12 - 76a^4b^4c^2d^2e^13 + 444a^ \\
&^5b^2c^3d^2e^13 - 112a^6b^3c^3d^2e^14 - 32a^2b^5c^4d^7e^8 + 24a^2b^ \\
&6c^3d^6e^9 + 8a^2b^7c^2d^5e^10 - 128a^3b^2c^6d^7e^8 + 368a^4b^2c^ \\
&5d^5e^10 + 1008a^5b^2c^4d^3e^12 + 24a^5b^3c^2d^2e^14)/(4a^4) + (((\\
&1280a^8c^4d^2e^11 + 1280a^7c^5d^3e^9 + 128a^5b^3c^4d^4e^8 - 96a^ \\
&^5b^4c^3d^3e^9 - 32a^5b^5c^2d^2e^10 + 64a^6b^2c^4d^3e^9 + 576 \\
&a^6b^3c^3d^2e^10 - 512a^6b^3c^5d^4e^8 + 32a^6b^4c^2d^2e^11 - 179 \\
&2a^7b^2c^4d^2e^10 - 448a^7b^2c^3d^2e^11)/(4a^4) + ((d + e*x^2)^{(1/2)} \\
&*(-(((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^ \\
&4c^2d^2e^2 + 72a^2b^2c^2d^3 - 32a^2b^4c^2d^3 + 16a^4b^3c^2e^3 - 12a^2b \\
&^5d^2e + 84a^2b^3c^2d^2e - 144a^3b^2c^2d^2e - 72a^3b^2c^2d^2e^2)^{2} \\
&/4 - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c)*(c^4d^6 + a^3c^2e^6 + 3a^3 \\
&c^3d^4e^2 - b^3c^2d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^ \\
&^3d^5e - 3a^2b^3c^2d^2e^5 - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4))^{(1/2)} \\
&- 2b^6d^3 + 2a^3b^3e^3 + 16a^3c^3d^3 - 6a^2b^4d^2e^2 - 48a^4c^2 \\
&d^2e^2 - 36a^2b^2c^2d^3 + 16a^2b^4c^2d^3 - 8a^4b^3c^2e^3 + 6a^2b^5d^2 \\
&e - 42a^2b^3c^2d^2e + 72a^3b^2c^2d^2e + 36a^3b^2c^2d^2e^2)/(16*(a^4 \\
&b^4 + 16a^6c^2 - 8a^5b^2c))^{(1/2)}*(1024a^9c^4e^10 + 64a^7b^4c^2 \\
&*e^10 - 512a^8b^2c^3e^10 + 1536a^8c^5d^2e^8 + 128a^6b^4c^3d^2e
\end{aligned}$$

$$\begin{aligned}
&^8 - 896*a^7*b^2*c^4*d^2*e^8 - 1792*a^8*b*c^4*d*e^9 - 128*a^6*b^5*c^2*d*e^9 \\
&+ 960*a^7*b^3*c^3*d*e^9)/(2*a^4))*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3 \\
&*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a* \\
&b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3* \\
&b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5 \\
&*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2* \\
&d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d \\
&^3*e^3 + 3*a*b^2*c*d^2*e^4))^(1/2) - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3 \\
&*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c \\
&*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^ \\
&2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^(1/2) \\
&- ((d + e*x^2)^(1/2))*(64*a^7*b*c^3*e^13 + 352*a^7*c^4*d*e^12 - 16*a^6*b^3*c \\
&^2*e^13 - 160*a^5*c^6*d^5*e^8 + 736*a^6*c^5*d^3*e^10 + 32*a^2*b^6*c^3*d^5*e \\
&^8 - 32*a^2*b^7*c^2*d^4*e^9 - 224*a^3*b^4*c^4*d^5*e^8 + 144*a^3*b^5*c^3*d^4 \\
&*e^9 + 112*a^3*b^6*c^2*d^3*e^10 + 432*a^4*b^2*c^5*d^5*e^8 + 144*a^4*b^3*c^4 \\
&*d^4*e^9 - 716*a^4*b^4*c^3*d^3*e^10 - 132*a^4*b^5*c^2*d^2*e^11 + 936*a^5*b^ \\
&2*c^4*d^3*e^10 + 860*a^5*b^3*c^3*d^2*e^11 - 896*a^5*b*c^5*d^4*e^9 + 64*a^5* \\
&b^4*c^2*d*e^12 - 1392*a^6*b*c^4*d^2*e^11 - 336*a^6*b^2*c^3*d*e^12))/(2*a^4) \\
&)*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a \\
&^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a* \\
&b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^ \\
&2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a \\
&*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b* \\
&c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^(1/2) \\
&- 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^ \\
&2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2 \\
&*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4 \\
&*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^(1/2))*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - \\
&32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - \\
&32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 14 \\
&4*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 1 \\
&28*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^ \\
&2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b \\
&*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^(1/2) - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a \\
&^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a \\
&*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b* \\
&c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^(\\
&1/2) + ((d + e*x^2)^(1/2))*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6* \\
&d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c^5*d^8*e^8 + \\
&129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4*c^3*d^4*e^12 \\
&+ 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^3*d^3*e^13 + 33*a^4*b^2*c^3*d^2*e \\
&^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8* \\
&a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - 60*a^4*b*c^4*d^3*e^13))/(2*a^4) \\
&))*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96* \\
&a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a
\end{aligned}$$

$$\begin{aligned}
& *b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2) \\
& ^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3* \\
& a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b \\
& *c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^(1/2) \\
&) - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c \\
& ^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^ \\
& ^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^ \\
& ^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^(1/2)*i)/((6*a*c^7*d^9*e^9 + 6*a^5*c^3 \\
& *d*e^17 - 4*b*c^7*d^10*e^8 + 6*a^2*c^6*d^7*e^11 + 6*a^4*c^4*d^3*e^15 + 8*b^ \\
& ^2*c^6*d^9*e^9 - 4*b^3*c^5*d^8*e^10 + 4*a^2*b^2*c^4*d^5*e^13 - 11*a^2*b^3*c^ \\
& ^3*d^4*e^14 + 22*a^3*b^2*c^3*d^3*e^15 - 16*a*b*c^6*d^8*e^10 + 8*a*b^2*c^5*d^ \\
& ^7*e^11 + 2*a*b^4*c^3*d^5*e^13 - 3*a^2*b*c^5*d^6*e^12 - 10*a^3*b*c^4*d^4*e^1 \\
& ^4 - 19*a^4*b*c^3*d^2*e^16)/(2*a^4) + (((224*a^4*c^6*d^6*e^9 - 176*a^5*c^5*d \\
& ^4*e^11 - 400*a^6*c^4*d^2*e^13 + 160*a^2*b^3*c^5*d^7*e^8 - 156*a^2*b^5*c^3* \\
& d^5*e^10 - 44*a^2*b^6*c^2*d^4*e^11 - 432*a^3*b^2*c^5*d^6*e^9 + 384*a^3*b^3* \\
& c^4*d^5*e^10 + 444*a^3*b^4*c^3*d^4*e^11 + 88*a^3*b^5*c^2*d^3*e^12 - 948*a^4 \\
& *b^2*c^4*d^4*e^11 - 644*a^4*b^3*c^3*d^3*e^12 - 76*a^4*b^4*c^2*d^2*e^13 + 44 \\
& 4*a^5*b^2*c^3*d^2*e^13 - 112*a^6*b*c^3*d*e^14 - 32*a*b^5*c^4*d^7*e^8 + 24*a \\
& *b^6*c^3*d^6*e^9 + 8*a*b^7*c^2*d^5*e^10 - 128*a^3*b*c^6*d^7*e^8 + 368*a^4*b \\
& *c^5*d^5*e^10 + 1008*a^5*b*c^4*d^3*e^12 + 24*a^5*b^3*c^2*d*e^14)/(4*a^4) + \\
& (((1280*a^8*c^4*d*e^11 + 1280*a^7*c^5*d^3*e^9 + 128*a^5*b^3*c^4*d^4*e^8 - 9 \\
& 6*a^5*b^4*c^3*d^3*e^9 - 32*a^5*b^5*c^2*d^2*e^10 + 64*a^6*b^2*c^4*d^3*e^9 + \\
& 576*a^6*b^3*c^3*d^2*e^10 - 512*a^6*b*c^5*d^4*e^8 + 32*a^6*b^4*c^2*d*e^11 - \\
& 1792*a^7*b*c^4*d^2*e^10 - 448*a^7*b^2*c^3*d*e^11)/(4*a^4) - ((d + e*x^2)^(1 \\
& /2))*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96 \\
& *a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*b*c*e^3 - 12* \\
& a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2) \\
&)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3 \\
& *a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3* \\
& b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^(1/ \\
& 2) - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4* \\
& c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^ \\
& ^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a \\
& ^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c))^(1/2)*(1024*a^9*c^4*e^10 + 64*a^7*b^4* \\
& c^2*e^10 - 512*a^8*b^2*c^3*e^10 + 1536*a^8*c^5*d^2*e^8 + 128*a^6*b^4*c^3*d^ \\
& ^2*e^8 - 896*a^7*b^2*c^4*d^2*e^8 - 1792*a^8*b*c^4*d*e^9 - 128*a^6*b^5*c^2*d* \\
& e^9 + 960*a^7*b^3*c^3*d*e^9)/(2*a^4))*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32* \\
& a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32 \\
& *a*b^4*c*d^3 + 16*a^4*b*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a \\
& ^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128* \\
& a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c \\
& ^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^ \\
& ^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^(1/2) - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3* \\
& c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^ \\
& ^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2
\end{aligned}$$

$$\begin{aligned}
& *d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} \\
& + ((d + e*x^2)^{(1/2)}*(64*a^7*b*c^3*e^{13} + 352*a^7*c^4*d*e^{12} - 16*a^6*b^3*c^2*e^{13} - 160*a^5*c^6*d^5*e^8 + 736*a^6*c^5*d^3*e^{10} + 32*a^2*b^6*c^3*d^5*e^8 - 32*a^2*b^7*c^2*d^4*e^9 - 224*a^3*b^4*c^4*d^5*e^8 + 144*a^3*b^5*c^3*d^4*e^9 + 112*a^3*b^6*c^2*d^3*e^{10} + 432*a^4*b^2*c^5*d^5*e^8 + 144*a^4*b^3*c^4*d^4*e^9 - 716*a^4*b^4*c^3*d^3*e^{10} - 132*a^4*b^5*c^2*d^2*e^{11} + 936*a^5*b^2*c^4*d^3*e^{10} + 860*a^5*b^3*c^3*d^2*e^{11} - 896*a^5*b*c^5*d^4*e^9 + 64*a^5*b^4*c^2*d*e^{12} - 1392*a^6*b*c^4*d^2*e^{11} - 336*a^6*b^2*c^3*d*e^{12}))/((2*a^4)) * (-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} * (-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} - ((d + e*x^2)^{(1/2)}*(4*a^6*c^3*e^{16} + 4*a^2*c^7*d^8*e^8 - 2*a^3*c^6*d^6*e^{10} + 132*a^4*c^5*d^4*e^{12} - 2*a^5*c^4*d^2*e^{14} + 4*b^4*c^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^{10} - 32*a^2*b^3*c^4*d^5*e^{11} + 8*a^2*b^4*c^3*d^4*e^{12} + 88*a^3*b^2*c^4*d^4*e^{12} - 28*a^3*b^3*c^3*d^3*e^{13} + 33*a^4*b^2*c^3*d^2*e^{14} - 16*a^5*b*c^3*d*e^{15} - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5*d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^{11} - 60*a^4*b*c^4*d^3*e^{13}))/((2*a^4)) * (-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)} + (((224*a^4*c^6*d^6*e^9 - 176*a^5*c^5*d^4*e^{11} - 400*a^6*c^4*d^2*e^{13} + 160*a^2*b^3*c^5*d^7*e^8 - 156*a^2*b^5*c^3*d^5*e^{10} - 44*a^2*b^6*c^2*d^4*e^{11} - 432*a^3*b^2*c^5*d^6*e^9 + 38
\end{aligned}$$

$$\begin{aligned}
& 4a^3b^3c^4d^5e^{10} + 444a^3b^4c^3d^4e^{11} + 88a^3b^5c^2d^3e^{12} \\
& - 948a^4b^2c^4d^4e^{11} - 644a^4b^3c^3d^3e^{12} - 76a^4b^4c^2d^2e^{13} + 444a^5b^2c^3d^2e^{13} - 112a^6b^3c^3d^3e^{14} - 32a^5b^5c^4d^7e^8 \\
& + 24a^6b^6c^3d^6e^9 + 8a^7b^7c^2d^5e^{10} - 128a^3b^6c^6d^7e^8 + 368a^4b^5c^5d^5e^{10} + 1008a^5b^4c^4d^3e^{12} + 24a^5b^3c^2d^2e^{14}) / \\
& (4a^4) + (((1280a^8c^4d^4e^{11} + 1280a^7c^5d^3e^9 + 128a^5b^3c^4d^4e^8 - 96a^5b^4c^3d^3e^9 - 32a^5b^5c^2d^2e^{10} + 64a^6b^2c^4d^3e^9 \\
& + 576a^6b^3c^3d^2e^{10} - 512a^6b^4c^5d^4e^8 + 32a^6b^4c^2d^2e^{11} - 1792a^7b^3c^4d^2e^{10} - 448a^7b^2c^3d^3e^{11})) / (4a^4) + ((d + \\
& ex^2)^{1/2}) * (-(((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^4c^2d^2e^2 + 72a^2b^2c^2d^3 - 32a^3b^4c^3d^3 + 16a^4b^3c^3e^3 \\
& - 12a^3b^5d^2e + 84a^2b^3c^3d^2e - 144a^3b^3c^2d^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) * (c^4d^6 + a^3c^3e^6 \\
& + 3a^2c^3d^4e^2 - b^3c^3d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^3d^2e^5 - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4) \\
&)^{1/2} - 2b^6d^3 + 2a^3b^3e^3 + 16a^3c^3d^3 - 6a^2b^4d^2e^2 - 48a^4c^2d^2e^2 - 36a^2b^2c^2d^3 + 16a^3b^4c^3d^3 - 8a^4b^3c^3e^3 + \\
& 6a^3b^5d^2e - 42a^2b^3c^3d^2e + 72a^3b^3c^2d^2e + 36a^3b^2c^3d^2e) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c)))^{1/2} * (1024a^9c^4e^{10} + 6 \\
& 4a^7b^4c^2e^{10} - 512a^8b^2c^3e^{10} + 1536a^8c^5d^2e^8 + 128a^6b^4c^3d^2e^8 - 896a^7b^2c^4d^2e^8 - 1792a^8b^3c^4d^2e^9 - 128a^6b^5c^2d^2e^9 \\
& + 960a^7b^3c^3d^2e^9)) / (2a^4) * (-(((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^4c^2d^2e^2 + 72a^2b^2c^2d^3 - 32a^3b^4c^3d^3 \\
& + 16a^4b^3c^3e^3 - 12a^3b^5d^2e + 84a^2b^3c^3d^2e - 144a^3b^3c^2d^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^4b^4 + 256a^6c^2 - 128a^5b^2c) * (c^4d^6 + a^3c^3e^6 \\
& + 3a^2c^3d^4e^2 - b^3c^3d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^3d^2e^5 - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4) \\
&)^{1/2} - 2b^6d^3 + 2a^3b^3e^3 + 16a^3c^3d^3 - 6a^2b^4d^2e^2 - 48a^4c^2d^2e^2 - 36a^2b^2c^2d^3 + 16a^3b^4c^3d^3 - 8a^4b^3c^3e^3 + 6a^3b^5d^2e - 42a^2b^3c^3d^2e \\
& + 72a^3b^3c^2d^2e + 36a^3b^2c^3d^2e) / (16(a^4b^4 + 16a^6c^2 - 8a^5b^2c)))^{1/2} - ((d + ex^2)^{1/2}) * (64a^7b^3c^3e^{13} + 352a^7c^4d^4e^{12} - 16a^6b^3c^2e^{13} \\
& - 160a^5c^6d^5e^8 + 736a^6c^5d^3e^{10} + 32a^2b^6c^3d^5e^8 - 32a^2b^7c^2d^4e^9 - 224a^3b^4c^4d^5e^8 + 144a^3b^5c^3d^4e^9 + 112a^3b^6c^2d^3e^{10} \\
& + 432a^4b^2c^5d^5e^8 + 144a^4b^3c^4d^4e^9 - 716a^4b^4c^3d^3e^{10} - 132a^4b^5c^2d^2e^{11} + 936a^5b^2c^4d^3e^{10} + 860a^5b^3c^3d^2e^{11} - 896a^5b^4c^5d^4e^9 \\
& + 64a^5b^4c^2d^2e^{12} - 1392a^6b^3c^4d^2e^{11} - 336a^6b^2c^3d^2e^{12})) / (2a^4) * (-(((4b^6d^3 - 4a^3b^3e^3 - 32a^3c^3d^3 + 12a^2b^4d^2e^2 + 96a^4c^2d^2e^2 \\
& + 72a^2b^2c^2d^3 - 32a^3b^4c^3d^3 + 16a^4b^3c^3e^3 - 12a^3b^5d^2e + 84a^2b^3c^3d^2e - 144a^3b^3c^2d^2e - 72a^3b^2c^2d^2e^2)^{2/4} - (16a^4b^4 \\
& + 256a^6c^2 - 128a^5b^2c) * (c^4d^6 + a^3c^3e^6 + 3a^2c^3d^4e^2 - b^3c^3d^3e^3 + 3a^2c^2d^2e^4 + 3b^2c^2d^4e^2 - 3b^3c^3d^5e - 3a^2b^3c^3d^2e^5 \\
& - 6a^2b^3c^2d^3e^3 + 3a^2b^2c^2d^2e^4) \\
&)^{1/2} - 2b^6d^3 + 2a^3b^3e^3 + 16a^3c^3d^3 - 6a^2b^4d^2e^2)
\end{aligned}$$

$$\begin{aligned}
& 2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 \\
& + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d* \\
& e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}*(-(((4*b^6*d^3 - 4*a \\
& ^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2* \\
& b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3 \\
& *c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 25 \\
& 6*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d \\
& ^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c* \\
& d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} - 2*b^6*d^3 + 2*a^3*b \\
& ^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c \\
& ^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2* \\
& e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8* \\
& a^5*b^2*c)))^{(1/2)} + ((d + e*x^2)^{(1/2)}*(4*a^6*c^3*e^16 + 4*a^2*c^7*d^8*e^8 \\
& - 2*a^3*c^6*d^6*e^10 + 132*a^4*c^5*d^4*e^12 - 2*a^5*c^4*d^2*e^14 + 4*b^4*c \\
& ^5*d^8*e^8 + 129*a^2*b^2*c^5*d^6*e^10 - 32*a^2*b^3*c^4*d^5*e^11 + 8*a^2*b^4 \\
& *c^3*d^4*e^12 + 88*a^3*b^2*c^4*d^4*e^12 - 28*a^3*b^3*c^3*d^3*e^13 + 33*a^4* \\
& b^2*c^3*d^2*e^14 - 16*a^5*b*c^3*d*e^15 - 8*a*b^2*c^6*d^8*e^8 - 28*a*b^3*c^5 \\
& *d^7*e^9 + 8*a^2*b*c^6*d^7*e^9 - 228*a^3*b*c^5*d^5*e^11 - 60*a^4*b*c^4*d^3* \\
& e^13))/(2*a^4)*(-(((4*b^6*d^3 - 4*a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^ \\
& 4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b \\
& *c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3 \\
& *b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a \\
& ^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c*d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2* \\
& d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b*c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d \\
& ^2*e^4))^{(1/2)} - 2*b^6*d^3 + 2*a^3*b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e \\
& ^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2*c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 \\
& + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d \\
& *e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - 8*a^5*b^2*c)))^{(1/2)}))*(-(((4*b^6*d^3 - 4 \\
& *a^3*b^3*e^3 - 32*a^3*c^3*d^3 + 12*a^2*b^4*d*e^2 + 96*a^4*c^2*d*e^2 + 72*a^ \\
& 2*b^2*c^2*d^3 - 32*a*b^4*c*d^3 + 16*a^4*b*c*e^3 - 12*a*b^5*d^2*e + 84*a^2*b \\
& ^3*c*d^2*e - 144*a^3*b*c^2*d^2*e - 72*a^3*b^2*c*d*e^2)^2/4 - (16*a^4*b^4 + \\
& 256*a^6*c^2 - 128*a^5*b^2*c)*(c^4*d^6 + a^3*c*e^6 + 3*a*c^3*d^4*e^2 - b^3*c \\
& *d^3*e^3 + 3*a^2*c^2*d^2*e^4 + 3*b^2*c^2*d^4*e^2 - 3*b*c^3*d^5*e - 3*a^2*b* \\
& c*d*e^5 - 6*a*b*c^2*d^3*e^3 + 3*a*b^2*c*d^2*e^4))^{(1/2)} - 2*b^6*d^3 + 2*a^3 \\
& *b^3*e^3 + 16*a^3*c^3*d^3 - 6*a^2*b^4*d*e^2 - 48*a^4*c^2*d*e^2 - 36*a^2*b^2 \\
& *c^2*d^3 + 16*a*b^4*c*d^3 - 8*a^4*b*c*e^3 + 6*a*b^5*d^2*e - 42*a^2*b^3*c*d^ \\
& 2*e + 72*a^3*b*c^2*d^2*e + 36*a^3*b^2*c*d*e^2)/(16*(a^4*b^4 + 16*a^6*c^2 - \\
& 8*a^5*b^2*c)))^{(1/2)}*2i
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)/x**3/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.371 \quad \int \frac{x^4(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=595

$$\frac{\sqrt{2cd-e}\left(b-\sqrt{b^2-4ac}\right)\left(-\frac{3abce-2ac^2d+b^3(-e)+b^2cd}{\sqrt{b^2-4ac}}+ace+b^2(-e)+bcd\right)\tan^{-1}\left(\frac{x\sqrt{2cd-e}\left(b-\sqrt{b^2-4ac}\right)}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)\sqrt{2cd-e}}{2c^3\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out] $\frac{1}{4}xx(e^2x^2+d)^{3/2}/c+1/8d(-4b^2e+3c^2d)\operatorname{arctanh}(xe^{1/2}/(e^2x^2+d)^{1/2})/c^2/e^{1/2}-1/2\operatorname{arctanh}(xe^{1/2}/(e^2x^2+d)^{1/2})\cdot(b^2cd-b^2e+ac^2e+(-3abce+2ac^2d+b^3e-b^2cd)/(-4ac+b^2)^{1/2})e^{1/2}/c^3-1/2\operatorname{arctanh}(xe^{1/2}/(e^2x^2+d)^{1/2})\cdot(b^2cd-b^2e+ac^2e+(3abce-2ac^2d-b^3e+b^2cd)/(-4ac+b^2)^{1/2})e^{1/2}/c^3+1/8(-4b^2e+3c^2d)xx(e^2x^2+d)^{1/2}/c^2-1/2\operatorname{arctan}(x(2cd-e(b-(-4ac+b^2)^{1/2}))^{1/2}/(e^2x^2+d)^{1/2})/(b-(-4ac+b^2)^{1/2})^{1/2})\cdot(b^2cd-b^2e+ac^2e+(-3abce+2ac^2d+b^3e-b^2cd)/(-4ac+b^2)^{1/2})\cdot(2cd-e(b-(-4ac+b^2)^{1/2}))^{1/2}/c^3/(b-(-4ac+b^2)^{1/2})^{1/2}-1/2\operatorname{arctan}(x(2cd-e(b+(-4ac+b^2)^{1/2}))^{1/2}/(e^2x^2+d)^{1/2})/(b+(-4ac+b^2)^{1/2})^{1/2})\cdot(b^2cd-b^2e+ac^2e+(3abce-2ac^2d-b^3e+b^2cd)/(-4ac+b^2)^{1/2})\cdot(2cd-e(b+(-4ac+b^2)^{1/2}))^{1/2}/c^3/(b+(-4ac+b^2)^{1/2})^{1/2}$

Rubi [A] time = 3.28, antiderivative size = 595, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 9, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.310$, Rules used = {1291, 388, 195, 217, 206, 1692, 402, 377, 205}

$$\frac{\sqrt{2cd-e}\left(b-\sqrt{b^2-4ac}\right)\left(-\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}}+ace+b^2(-e)+bcd\right)\tan^{-1}\left(\frac{x\sqrt{2cd-e}\left(b-\sqrt{b^2-4ac}\right)}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)\sqrt{2cd-e}}{2c^3\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x]

[Out] $((3cd-4b^2e)xx\sqrt{d+e^2x^2})/(8c^2)+(x(d+e^2x^2)^{3/2})/(4c)-(\sqrt{2cd-(b-\sqrt{b^2-4ac})}e)\cdot(b^2cd-b^2e+ac^2e-(b^2cd-2ac^2d-b^3e+3abce)/\sqrt{b^2-4ac})\cdot\operatorname{ArcTan}[(\sqrt{2cd-(b-\sqrt{b^2-4ac})}e)x]/(\sqrt{b-\sqrt{b^2-4ac}})\sqrt{d+e^2x^2})/(2c^3\sqrt{b-\sqrt{b^2-4ac}})-(\sqrt{2cd-(b+\sqrt{b^2-4ac})}e)\cdot(b^2cd-b^2e+ac^2e+(b^2cd-2ac^2d-b^3e+3abce)/\sqrt{b^2-4ac})\cdot\operatorname{ArcTan}[(\sqrt{2cd-(b+\sqrt{b^2-4ac})}e)x]/(\sqrt{b+\sqrt{b^2-4ac}})\sqrt{d+e^2x^2})/(2c^3\sqrt{b+\sqrt{b^2-4ac}})$

$$\begin{aligned} & \text{rt}[b^2 - 4*a*c]) * \text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]*x) / (\text{Sqrt}[b \\ & + \text{Sqrt}[b^2 - 4*a*c]] * \text{Sqrt}[d + e*x^2])]) / (2*c^3 * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]] \\ &) + (d * (3*c*d - 4*b*e) * \text{ArcTanh}[(\text{Sqrt}[e]*x) / \text{Sqrt}[d + e*x^2]]) / (8*c^2 * \text{Sqrt}[e] \\ &) - (\text{Sqrt}[e] * (b*c*d - b^2*e + a*c*e - (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e) / \text{Sqrt}[b^2 - 4*a*c]) * \text{ArcTanh}[(\text{Sqrt}[e]*x) / \text{Sqrt}[d + e*x^2]]) / (2*c^3) - (\text{Sqrt}[e] * (b*c*d - b^2*e + a*c*e + (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e) / \text{Sqrt}[b^2 - 4*a*c]) * \text{ArcTanh}[(\text{Sqrt}[e]*x) / \text{Sqrt}[d + e*x^2]]) / (2*c^3) \end{aligned}$$
Rule 195

$$\text{Int}[(a + b*x^n)^p, x_Symbol] \rightarrow \text{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \text{Dist}[(a*n*p)/(n*p + 1), \text{Int}[(a + b*x^n)^{p-1}, x], x] /; \text{FreeQ}\{a, b, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& (\text{IntegerQ}[2*p] \parallel (\text{EqQ}[n, 2] \&\& \text{IntegerQ}[4*p]) \parallel (\text{EqQ}[n, 2] \&\& \text{IntegerQ}[3*p]) \parallel \text{LtQ}[\text{Denominator}[p + 1/n], \text{Denominator}[p]])$$
Rule 205

$$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b, x\} \&\& \text{PosQ}[a/b]$$
Rule 206

$$\text{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$
Rule 217

$$\text{Int}[1/\text{Sqrt}[a + b*x^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}\{a, b, x\} \&\& !\text{GtQ}[a, 0]$$
Rule 377

$$\text{Int}[(a + b*x^n)^p / ((c + d*x^n)), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{1/n}] /; \text{FreeQ}\{a, b, c, d, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*p + 1, 0] \&\& \text{IntegerQ}[n]$$
Rule 388

$$\text{Int}[(a + b*x^n)^p * (c + d*x^n), x_Symbol] \rightarrow \text{Simp}[(d*x*(a + b*x^n)^{p+1}) / (b*(n*(p+1) + 1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1)) / (b*(n*(p+1) + 1)), \text{Int}[(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d, n, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[n*(p+1) + 1, 0]$$

Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

Rule 1291

```
Int[(((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Dist[f^4/c^2, Int[(f*x)^(m - 4)*(c*d - b*e + c
*e*x^2)*(d + e*x^2)^(q - 1), x], x] - Dist[f^4/c^2, Int[((f*x)^(m - 4)*(d +
e*x^2)^(q - 1)*Simp[a*(c*d - b*e) + (b*c*d - b^2*e + a*c*e)*x^2, x])/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c,
0] && !IntegerQ[q] && GtQ[q, 0] && GtQ[m, 3]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (d + ex^2)^{3/2}}{a + bx^2 + cx^4} dx &= \frac{\int \sqrt{d + ex^2} (cd - be + cex^2) dx}{c^2} - \frac{\int \frac{\sqrt{d+ex^2} (a(cd-be)+(bcd-b^2e+ace)x^2)}{a+bx^2+cx^4} dx}{c^2} \\
&= \frac{x(d + ex^2)^{3/2}}{4c} - \frac{\int \left(\frac{(bcd-b^2e+ace + \frac{-b^2cd+2ac^2d+b^3e-3abce}{\sqrt{b^2-4ac}}) \sqrt{d+ex^2}}{b-\sqrt{b^2-4ac}+2cx^2} + \frac{(bcd-b^2e+ace - \frac{-b^2cd+2ac^2d+b^3e-3abce}{\sqrt{b^2-4ac}})}{b+\sqrt{b^2-4ac}+2cx^2} \right) dx}{c^2} \\
&= \frac{(3cd - 4be)x\sqrt{d + ex^2}}{8c^2} + \frac{x(d + ex^2)^{3/2}}{4c} + \frac{(d(3cd - 4be)) \int \frac{1}{\sqrt{d+ex^2}} dx}{8c^2} - \frac{(bcd - b^2e + ace)}{c^2} \\
&= \frac{(3cd - 4be)x\sqrt{d + ex^2}}{8c^2} + \frac{x(d + ex^2)^{3/2}}{4c} + \frac{(d(3cd - 4be)) \text{Subst} \left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right)}{8c^2} \\
&= \frac{(3cd - 4be)x\sqrt{d + ex^2}}{8c^2} + \frac{x(d + ex^2)^{3/2}}{4c} + \frac{d(3cd - 4be) \tanh^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}} \right)}{8c^2\sqrt{e}} - \frac{e(bcd - b^2e + ace)}{c^2} \\
&= \frac{(3cd - 4be)x\sqrt{d + ex^2}}{8c^2} + \frac{x(d + ex^2)^{3/2}}{4c} - \frac{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e} (bcd - b^2e + ace)}{c^2} - \frac{2c^3\sqrt{b - 4ac}}{c^2}
\end{aligned}$$

Mathematica [B] time = 6.49, size = 18689, normalized size = 31.41

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x]

[Out] Result too large to show

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] Timed out

giac [A] time = 1.87, size = 104, normalized size = 0.17

$$\frac{1}{8} \sqrt{x^2 e + d} \left(\frac{2 x^2 e}{c} + \frac{(5 c^5 d e^2 - 4 b c^4 e^3) e^{(-2)}}{c^6} \right) x - \frac{(3 c^2 d^2 - 12 b c d e + 8 b^2 e^2 - 8 a c e^2) e^{(-\frac{1}{2})} \log \left(\left(x e^{\frac{1}{2}} - \sqrt{x^2 e + d} \right)^2 \right)}{16 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/8*sqrt(x^2*e + d)*(2*x^2*e/c + (5*c^5*d*e^2 - 4*b*c^4*e^3)*e^(-2)/c^6)*x - 1/16*(3*c^2*d^2 - 12*b*c*d*e + 8*b^2*e^2 - 8*a*c*e^2)*e^(-1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c^3

maple [C] time = 0.04, size = 516, normalized size = 0.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] 1/4*x*(e*x^2+d)^(3/2)/c+3/8/c*d*x*(e*x^2+d)^(1/2)+3/8/c*d^2/e^(1/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))+1/4/c^2*e^(3/2)*b*x^2-1/4/c^2*e*b*(e*x^2+d)^(1/2)*x+1/8/c^2*e^(1/2)*b*d-1/2/c^3*e^(1/2)*sum(((2*a*b*c*e^2-2*a*c^2*d*e-b^3*e^2+2*b^2*c*d*e-b*c^2*d^2)*_R^2+2*(2*a^2*c*e^3-2*a*b^2*e^3+2*a*b*c*d*e^2+b^3*d*e^2-2*b^2*c*d^2*e+b*c^2*d^3)*_R+2*a*b*c*d^2*e^2-2*a*c^2*d^3*e-b^3*d^2*e^2+2*b^2*c*d^3*e-b*c^2*d^4)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))+1/c^2*e^(3/2)*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))*a-1/c^3*e^(3/2)*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))*b^2+3/2/c^2*e^(1/2)*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))*b*d-1/8/c^2*e^(1/2)*b*d^2/(-e^(1/2)*x+(e*x^2+d)^(1/2))^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}} x^4}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)*x^4/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (e x^2 + d)^{3/2}}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x)`

[Out] `int((x^4*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 (d + e x^2)^{3/2}}{a + b x^2 + c x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a), x)`

[Out] `Integral(x**4*(d + e*x**2)**(3/2)/(a + b*x**2 + c*x**4), x)`

$$3.372 \quad \int \frac{x^2(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=491

$$\frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \left(-\frac{2ace + b^2(-e) + bcd}{\sqrt{b^2 - 4ac}} - be + cd \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right) + \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \left(\frac{2c^2 \sqrt{b - \sqrt{b^2 - 4ac}}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{2c^2 \sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] $\frac{1}{2}d \operatorname{arctanh}\left(\frac{x e^{1/2}}{(e x^2 + d)^{1/2}}\right) e^{1/2} / c + \frac{1}{2} \operatorname{arctanh}\left(\frac{x e^{1/2}}{(e x^2 + d)^{1/2}}\right) (c d - b e + (-2 a c e + b^2 e - b c d) / (-4 a c + b^2)^{1/2}) e^{1/2} / c^2 + \frac{1}{2} \operatorname{arctanh}\left(\frac{x e^{1/2}}{(e x^2 + d)^{1/2}}\right) (c d - b e + (2 a c e - b^2 e + b c d) / (-4 a c + b^2)^{1/2}) e^{1/2} / c^2 + \frac{1}{2} e x x (e x^2 + d)^{1/2} / c + \frac{1}{2} \operatorname{arctan}\left(\frac{x (2 c d - e (b - (-4 a c + b^2)^{1/2}))^{1/2}}{(e x^2 + d)^{1/2} (b - (-4 a c + b^2)^{1/2})^{1/2}}\right) (c d - b e + (-2 a c e + b^2 e - b c d) / (-4 a c + b^2)^{1/2}) (2 c d - e (b - (-4 a c + b^2)^{1/2}))^{1/2} / c^2 / (b - (-4 a c + b^2)^{1/2})^{1/2} + \frac{1}{2} \operatorname{arctan}\left(\frac{x (2 c d - e (b + (-4 a c + b^2)^{1/2}))^{1/2}}{(e x^2 + d)^{1/2} (b + (-4 a c + b^2)^{1/2})^{1/2}}\right) (c d - b e + (2 a c e - b^2 e + b c d) / (-4 a c + b^2)^{1/2}) (2 c d - e (b + (-4 a c + b^2)^{1/2}))^{1/2} / c^2 / (b + (-4 a c + b^2)^{1/2})^{1/2}$

Rubi [A] time = 1.80, antiderivative size = 491, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1293, 195, 217, 206, 1692, 402, 377, 205}

$$\frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \left(-\frac{2ace + b^2(-e) + bcd}{\sqrt{b^2 - 4ac}} - be + cd \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right) + \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \left(\frac{2c^2 \sqrt{b - \sqrt{b^2 - 4ac}}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{2c^2 \sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x]

[Out] $\frac{e x \sqrt{d + e x^2}}{2 c} + \frac{(\sqrt{2 c d - (b - \sqrt{b^2 - 4 a c})} e) (c d - b e - (b c d - b^2 e + 2 a c e) / \sqrt{b^2 - 4 a c}) \operatorname{ArcTan}\left[\frac{(\sqrt{2 c d - (b - \sqrt{b^2 - 4 a c})} e) x}{(\sqrt{b - \sqrt{b^2 - 4 a c}}) \sqrt{d + e x^2}}\right]}{(2 c^2 \sqrt{b - \sqrt{b^2 - 4 a c}})} + \frac{(\sqrt{2 c d - (b + \sqrt{b^2 - 4 a c})} e) (c d - b e + (b c d - b^2 e + 2 a c e) / \sqrt{b^2 - 4 a c}) \operatorname{ArcTan}\left[\frac{(\sqrt{2 c d - (b + \sqrt{b^2 - 4 a c})} e) x}{(\sqrt{b + \sqrt{b^2 - 4 a c}}) \sqrt{d + e x^2}}\right]}{(2 c^2 \sqrt{b + \sqrt{b^2 - 4 a c}})} + \frac{(d \sqrt{e} \operatorname{ArcTanh}\left[\frac{\sqrt{e} x}{\sqrt{d + e x^2}}\right])}{2 c} + \frac{(\sqrt{e} (c d - b e - (b c d - b^2 e + 2 a c e) / \sqrt{b^2 - 4 a c}))}{2 c}$

$a*c*e)/\text{Sqrt}[b^2 - 4*a*c]*\text{ArcTanh}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d + e*x^2]]/(2*c^2) + (\text{Sqrt}[e]*(c*d - b*e + (b*c*d - b^2*e + 2*a*c*e)/\text{Sqrt}[b^2 - 4*a*c]*\text{ArcTanh}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d + e*x^2]])/(2*c^2)$

Rule 195

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[(x*(a + b*x^n)^p)/(n*p + 1), x] + \text{Dist}[(a*n*p)/(n*p + 1), \text{Int}[(a + b*x^n)^(p - 1), x], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[p, 0] \&\& (\text{IntegerQ}[2*p] \parallel (\text{EqQ}[n, 2] \&\& \text{IntegerQ}[4*p]) \parallel (\text{EqQ}[n, 2] \&\& \text{IntegerQ}[3*p]) \parallel \text{LtQ}[\text{Denominator}[p + 1/n], \text{Denominator}[p]])$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 206

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_ + (b_)*(x_)^2)], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b*x^2), x], x, x/\text{Sqrt}[a + b*x^2]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a, 0]$

Rule 377

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_)/((c_ + (d_)*(x_)^(n_))), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*p + 1, 0] \&\& \text{IntegerQ}[n]$

Rule 402

$\text{Int}[(a_ + (b_)*(x_)^2)^(p_)/((c_ + (d_)*(x_)^2), x_Symbol] \rightarrow \text{Dist}[b/d, \text{Int}[(a + b*x^2)^(p - 1), x], x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{GtQ}[p, 0] \&\& (\text{EqQ}[p, 1/2] \parallel \text{EqQ}[\text{Denominator}[p], 4])$

Rule 1293

$\text{Int}[(f_*(x_)^(m_)*((d_ + (e_)*(x_)^2)^(q_)))/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] \rightarrow \text{Dist}[(e*f^2)/c, \text{Int}[(f*x)^(m - 2)*(d + e*x^2)^(q - 1), x], x] - \text{Dist}[f^2/c, \text{Int}[(f*x)^(m - 2)*(d + e*x^2)^(q - 1)*\text{Simp}[a$

*e - (c*d - b*e)*x^2, x] / (a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && GtQ[m, 1] && LeQ[m, 3]

Rule 1692

Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 (d + ex^2)^{3/2}}{a + bx^2 + cx^4} dx &= -\frac{\int \frac{\sqrt{d+ex^2} (ae-(cd-be)x^2)}{a+bx^2+cx^4} dx}{c} + \frac{e \int \sqrt{d+ex^2} dx}{c} \\
 &= \frac{ex\sqrt{d+ex^2}}{2c} - \frac{\int \left(\frac{\left(-cd+be+\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right)\sqrt{d+ex^2}}{b-\sqrt{b^2-4ac}+2cx^2} + \frac{\left(-cd+be-\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right)\sqrt{d+ex^2}}{b+\sqrt{b^2-4ac}+2cx^2} \right) dx}{c} + \frac{(de) \int \frac{1}{\sqrt{d+ex^2}} dx}{2c} \\
 &= \frac{ex\sqrt{d+ex^2}}{2c} + \frac{(de) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c} + \frac{\left(cd-be+\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right) \int \frac{\sqrt{d+ex^2}}{b+\sqrt{b^2-4ac}+2cx^2} dx}{c} \\
 &= \frac{ex\sqrt{d+ex^2}}{2c} + \frac{d\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c} + \frac{\left(e\left(cd-be-\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right)\right) \int \frac{1}{\sqrt{d+ex^2}} dx}{2c^2} + \frac{\left(2cd-\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right) \int \frac{\sqrt{d+ex^2}}{b-\sqrt{b^2-4ac}+2cx^2} dx}{2c^2} \\
 &= \frac{ex\sqrt{d+ex^2}}{2c} + \frac{d\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c} + \frac{\left(e\left(cd-be-\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right)\right) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c^2} \\
 &= \frac{ex\sqrt{d+ex^2}}{2c} + \frac{\sqrt{2cd-\left(b-\sqrt{b^2-4ac}\right)} e \left(cd-be-\frac{bcd-b^2e+2ace}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2cd-\left(b-\sqrt{b^2-4ac}\right)}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}}\right)}{2c^2 \sqrt{b-\sqrt{b^2-4ac}}}
 \end{aligned}$$

Mathematica [B] time = 6.26, size = 14032, normalized size = 28.58

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4),x]

[Out] Result too large to show

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 1.97, size = 58, normalized size = 0.12

$$\frac{\sqrt{x^2e + d} xe}{2c} - \frac{(3cde - 2be^2)e^{\left(-\frac{1}{2}\right)} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] 1/2*sqrt(x^2*e + d)*x*e/c - 1/4*(3*c*d*e - 2*b*e^2)*e^(-1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c^2

maple [C] time = 0.03, size = 382, normalized size = 0.78

$$\frac{e^{\frac{3}{2}}x^2}{4c} + \frac{be^{\frac{3}{2}} \ln\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)}{c^2} + \frac{d^2\sqrt{e}}{8\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)^2c} - \frac{3d\sqrt{e} \ln\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)}{2c} + \frac{\sqrt{ex^2 + d} ex}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] $-1/4*e^{(3/2)}/c*x^2+1/4*e*x*(e*x^2+d)^{(1/2)}/c-1/8*e^{(1/2)}/c*d+1/2*e^{(1/2)}/c^2*\text{sum}\left(\left(a*c*e^2-b^2*e^2+2*b*c*d*e-c^2*d^2\right)*_R^2+2*\left(-2*a*b*e^3+3*a*c*d*e^2+b^2*d*e^2-2*b*c*d^2*e+c^2*d^3\right)*_R+a*c*d^2*e^2-b^2*d^2*e^2+2*b*c*d^3*e-c^2*d^4\right)/\left(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3\right)*\ln\left(-_R+\left(-e^{(1/2)}*x+\left(e*x^2+d\right)^{(1/2)}\right)^2\right),_R=\text{RootOf}\left(_Z^4*c+c*d^4+\left(4*b*e-4*c*d\right)*_Z^3+\left(16*a*e^2-8*b*d*e+6*c*d^2\right)*_Z^2+\left(4*b*d^2*e-4*c*d^3\right)*_Z\right)+1/8*e^{(1/2)}/c*d^2/\left(-e^{(1/2)}*x+\left(e*x^2+d\right)^{(1/2)}\right)^2+e^{(3/2)}/c^2*\ln\left(-e^{(1/2)}*x+\left(e*x^2+d\right)^{(1/2)}\right)*b-3/2*e^{(1/2)}/c*\ln\left(-e^{(1/2)}*x+\left(e*x^2+d\right)^{(1/2)}\right)*d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}} x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)*x^2/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 (ex^2 + d)^{3/2}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x)

[Out] int((x^2*(d + e*x^2)^(3/2))/(a + b*x^2 + c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (d + ex^2)^{\frac{3}{2}}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a), x)

[Out] Integral(x**2*(d + e*x**2)**(3/2)/(a + b*x**2 + c*x**4), x)

$$3.373 \quad \int \frac{(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=487

$$\frac{\left(-2ce\left(-d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(b-\sqrt{b^2-4ac}\right)+2c^2d^2\right)\tan^{-1}\left(\frac{x\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)\left(-2ce\left(d\sqrt{b^2-4ac}\right)\right)}{c\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}$$

[Out] $\frac{1}{2}\operatorname{arctanh}\left(\frac{x\sqrt{d+ex^2}}{\sqrt{e\left(x^2+d\right)}\sqrt{b-\sqrt{b^2-4ac}}}\right)\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}+1/2\operatorname{arctanh}\left(\frac{x\sqrt{d+ex^2}}{\sqrt{e\left(x^2+d\right)}\sqrt{b+\sqrt{b^2-4ac}}}\right)\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}+\operatorname{arctan}\left(\frac{x\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}-\operatorname{arctan}\left(\frac{x\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}\right)$

Rubi [A] time = 1.57, antiderivative size = 487, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {1174, 416, 523, 217, 206, 377, 205}

$$\frac{\left(-2ce\left(-d\sqrt{b^2-4ac}+ae+bd\right)+be^2\left(b-\sqrt{b^2-4ac}\right)+2c^2d^2\right)\tan^{-1}\left(\frac{x\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)\left(-2ce\left(d\sqrt{b^2-4ac}\right)\right)}{c\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^(3/2)/(a + b*x^2 + c*x^4), x]

[Out] $\frac{\left(\left(2c^2d^2+b\left(b-\sqrt{b^2-4ac}\right)\right)e^2-2c\sqrt{b^2-4ac}\left(bd+\sqrt{b^2-4ac}\right)\right)\operatorname{ArcTan}\left[\frac{\sqrt{2cd-\left(b-\sqrt{b^2-4ac}\right)}e}{\sqrt{b-\sqrt{b^2-4ac}}}\right]\sqrt{d+ex^2}+\left(2c^2d^2+b\left(b+\sqrt{b^2-4ac}\right)\right)e^2-2c\sqrt{b^2-4ac}\left(bd+\sqrt{b^2-4ac}\right)\right)\operatorname{ArcTan}\left[\frac{\sqrt{2cd-\left(b+\sqrt{b^2-4ac}\right)}e}{\sqrt{b+\sqrt{b^2-4ac}}}\right]\sqrt{d+ex^2}}{c\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b-\sqrt{b^2-4ac}\right)}+c\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e\left(b+\sqrt{b^2-4ac}\right)}}$

$$(b + \sqrt{b^2 - 4ac})e) + (\sqrt{e}(3cd - (b - \sqrt{b^2 - 4ac})e) * \operatorname{ArcTanh}[(\sqrt{e}x)/\sqrt{d + ex^2}]) / (2c\sqrt{b^2 - 4ac}) - (\sqrt{e}(3cd - (b + \sqrt{b^2 - 4ac})e) * \operatorname{ArcTanh}[(\sqrt{e}x)/\sqrt{d + ex^2}]) / (2c\sqrt{b^2 - 4ac})$$
Rule 205

$$\operatorname{Int}[(a_ + (b_.)x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] * \operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] \text{ /; FreeQ}\{a, b, x\} \ \&\& \ \operatorname{PosQ}[a/b]$$
Rule 206

$$\operatorname{Int}[(a_ + (b_.)x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1 * \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]x] / \operatorname{Rt}[a, 2]) / (\operatorname{Rt}[a, 2] * \operatorname{Rt}[-b, 2]), x] \text{ /; FreeQ}\{a, b, x\} \ \&\& \ \operatorname{NegQ}[a/b] \ \&\& \ (\operatorname{GtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$$
Rule 217

$$\operatorname{Int}[1/\sqrt{(a_ + (b_.)x^2)}, x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(1 - bx^2), x], x, x/\sqrt{a + bx^2}] \text{ /; FreeQ}\{a, b, x\} \ \&\& \ \operatorname{!GtQ}[a, 0]$$
Rule 377

$$\operatorname{Int}[(a_ + (b_.)x^{n_})^{p_} / ((c_ + (d_.)x^{n_})^{q_}), x_Symbol] \rightarrow \operatorname{Subst}[\operatorname{Int}[1/(c - (bc - ad)x^n), x], x, x/(a + bx^n)^{1/n}] \text{ /; FreeQ}\{a, b, c, d, x\} \ \&\& \ \operatorname{NeQ}[bc - ad, 0] \ \&\& \ \operatorname{EqQ}[n * p + 1, 0] \ \&\& \ \operatorname{IntegerQ}[n]$$
Rule 416

$$\operatorname{Int}[(a_ + (b_.)x^{n_})^{p_} * ((c_ + (d_.)x^{n_})^{q_}), x_Symbol] \rightarrow \operatorname{Simp}[(d * x * (a + bx^n)^{p+1} * (c + dx^n)^{q-1} / (b * (n * (p + q) + 1)), x] + \operatorname{Dist}[1 / (b * (n * (p + q) + 1)), \operatorname{Int}[(a + bx^n)^p * (c + dx^n)^{q-2} * \operatorname{Simp}[c * (b * c * (n * (p + q) + 1) - a * d] + d * (b * c * (n * (p + 2 * q - 1) + 1) - a * d * (n * (q - 1) + 1)) * x^n, x], x] \text{ /; FreeQ}\{a, b, c, d, n, p\}, x\} \ \&\& \ \operatorname{NeQ}[bc - ad, 0] \ \&\& \ \operatorname{GtQ}[q, 1] \ \&\& \ \operatorname{NeQ}[n * (p + q) + 1, 0] \ \&\& \ \operatorname{!IGtQ}[p, 1] \ \&\& \ \operatorname{IntBinomialQ}[a, b, c, d, n, p, q, x]$$
Rule 523

$$\operatorname{Int}[(e_ + (f_.)x^{n_}) / ((a_ + (b_.)x^{n_}) * \sqrt{(c_ + (d_.)x^{n_})}), x_Symbol] \rightarrow \operatorname{Dist}[f/b, \operatorname{Int}[1/\sqrt{c + dx^n}, x], x] + \operatorname{Dist}[(b * e - a * f) / b, \operatorname{Int}[1 / ((a + bx^n) * \sqrt{c + dx^n}), x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, n\}, x\}$$
Rule 1174

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol]
:> With[{r = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/r, Int[(d + e*x^2)^q/(b - r + 2*c*x^2), x], x] - Dist[(2*c)/r, Int[(d + e*x^2)^q/(b + r + 2*c*x^2), x], x]] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[q]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2}}{a+bx^2+cx^4} dx &= \frac{(2c) \int \frac{(d+ex^2)^{3/2}}{b-\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{(d+ex^2)^{3/2}}{b+\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} \\
&= \frac{\int \frac{d(4cd-(b-\sqrt{b^2-4ac})e)+2e(3cd-(b-\sqrt{b^2-4ac})e)x^2}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{2\sqrt{b^2-4ac}} - \frac{\int \frac{d(4cd-(b+\sqrt{b^2-4ac})e)+2e(3cd-(b+\sqrt{b^2-4ac})e)x^2}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{2\sqrt{b^2-4ac}} \\
&= \frac{\left(e(3cd-(b-\sqrt{b^2-4ac})e)\right) \int \frac{1}{\sqrt{d+ex^2}} dx}{2c\sqrt{b^2-4ac}} - \frac{\left(e(3cd-(b+\sqrt{b^2-4ac})e)\right) \int \frac{1}{\sqrt{d+ex^2}} dx}{2c\sqrt{b^2-4ac}} \\
&= \frac{\left(e(3cd-(b-\sqrt{b^2-4ac})e)\right) \text{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c\sqrt{b^2-4ac}} - \frac{\left(e(3cd-(b+\sqrt{b^2-4ac})e)\right) \text{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{2c\sqrt{b^2-4ac}} \\
&= \frac{\left(2c^2d^2 + b(b-\sqrt{b^2-4ac})e^2 - 2ce(bd - \sqrt{b^2-4ac}d + ae)\right) \tan^{-1}\left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})e}x}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-(b-\sqrt{b^2-4ac})e}}
\end{aligned}$$

Mathematica [B] time = 6.16, size = 9290, normalized size = 19.08

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^2)^(3/2)/(a + b*x^2 + c*x^4), x]

[Out] Result too large to show

fricas [B] time = 57.45, size = 7721, normalized size = 15.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [1/4*(\sqrt{1/2}*c*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5))})/(a*b^2*c^2 - 4*a^2*c^3))*\log((2*a*c^3*d^6 - 2*a*b*c^2*d^5*e - 4*a^2*c^2*d^4*e^2 + 8*a^2*b*c*d^3*e^3 + 2*a^3*b*d*e^5 - 2*(a^2*b^2 + 3*a^3*c)*d^2*e^4 + ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) - (b*c^3*d^6 + 2*a*b*c^2*d^4*e^2 - 4*a^3*b*e^6 - (b^2*c^2 + 4*a*c^3)*d^5*e + 4*(a*b^2*c + 2*a^2*c^2)*d^3*e^3 - (a*b^3 + 19*a^2*b*c)*d^2*e^4 + (5*a^2*b^2 + 12*a^3*c)*d*e^5)*x^2 + 2*\sqrt{1/2}*sqr\sqrt{(e*x^2 + d)*((2*(a^2*b^2*c^3 - 4*a^3*c^4)*d - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e)*x*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) + ((a*b^2*c^2 - 4*a^2*c^3)*d^3*e - 3*(a^2*b^2*c - 4*a^3*c^2)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x)*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5))})/(a*b^2*c^2 - 4*a^2*c^3)))/x^2) - \sqrt{1/2}*c*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5))})/(a*b^2*c^2 - 4*a^2*c^3))*\log((2*a*c^3*d^6 - 2*a*b*c^2*d^5*e - 4*a^2*c^2*d^4*e^2 + 8*a^2*b*c*d^3*e^3 + 2*a^3*b*d*e^5 - 2*(a^2*b^2 + 3*a^3*c)*d^2*e^4 + ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) - (b*c^3*d^6 + 2*a*b*c^2*d^4*e^2 - 4*a^3*b*e^6 - (b^2*c^2 + 4*a*c^3)*d^5*e + 4*(a*b^2*c + 2*a^2*c^2)*d^3*e^3 - (a*b^3 + 19*a^2*b*c)*d^2*e^4 + (5*a^2*b^2 + 12*a^3*c)*d*e^5)*x^2 - 2*\sqrt{1/2}*sqr\sqrt{(e*x^2 + d)*((2*(a^2*b^2*c^3 - 4*a^3*c^4)*d - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e)*x*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) + ((a*b^2*c^2 - 4*a^2*c^3)*d^3*e - 3*(a^2*b^2*c - 4*a^3*c^2)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x)*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5))})/(a*b^2*c^2 - 4*a^2*c^3)))/x^2) - \sqrt{1/2}*c*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{(c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5))})/(a*b^2*c^2 - 4*a^2*c^3))*\log((2$$

$$\begin{aligned}
& a^3 c^3 d^6 - 2 a^2 b c^2 d^5 e - 4 a^2 c^2 d^4 e^2 + 8 a^2 b c d^3 e^3 + 2 a^3 b d e^5 - 2 (a^2 b^2 + 3 a^3 c) d^2 e^4 - ((a b^2 c^3 - 4 a^2 c^4) d^3 - \\
& (a b^3 c^2 - 4 a^2 b c^3) d^2 e + (a^2 b^2 c^2 - 4 a^3 c^3) d e^2) x^2 \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 \\
& b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))} - (b c^3 d^6 + 2 a^2 b c^2 d^4 e^2 - 4 a^3 b e^6 - (b^2 c^2 + 4 a^2 c^3) d^5 e + 4 (a b^2 c + 2 a^2 c^2) \\
& d^3 e^3 - (a b^3 + 19 a^2 b c) d^2 e^4 + (5 a^2 b^2 + 12 a^3 c) d e^5) x^2 + 2 \sqrt{1/2} \sqrt{e x^2 + d} ((2 (a^2 b^2 c^3 - 4 a^3 c^4) d - (a^2 b^3 c^2 - 4 a^3 b c^3) e) x \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))} - ((a b^2 c^2 - 4 a^2 c^3) d^3 e - 3 (a^2 b^2 c - 4 a^3 c^2) d e^3 + (a^2 b^3 - 4 a^3 b c) e^4) x) \sqrt{-(b c^2 d^3 - 6 a^2 c^2 d^2 e + 3 a^2 b c d e^2 - (a b^2 - 2 a^2 c) e^3 + (a b^2 c^2 - 4 a^2 c^3) \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))})} / x^2) + \sqrt{1/2} c \sqrt{-(b c^2 d^3 - 6 a^2 c^2 d^2 e + 3 a^2 b c d e^2 - (a b^2 - 2 a^2 c) e^3 + (a b^2 c^2 - 4 a^2 c^3) \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))})} / (a b^2 c^2 - 4 a^2 c^3)) \log((2 a^2 c^3 d^6 - 2 a^2 b c^2 d^5 e - 4 a^2 c^2 d^4 e^2 + 8 a^2 b c d^3 e^3 + 2 a^3 b d e^5 - 2 (a^2 b^2 + 3 a^3 c) d^2 e^4 - ((a b^2 c^3 - 4 a^2 c^4) d^3 - (a b^3 c^2 - 4 a^2 b c^3) d^2 e + (a^2 b^2 c^2 - 4 a^3 c^3) d e^2) x^2 \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))} - (b c^3 d^6 + 2 a^2 b c^2 d^4 e^2 - 4 a^3 b e^6 - (b^2 c^2 + 4 a^2 c^3) d^5 e + 4 (a b^2 c + 2 a^2 c^2) d^3 e^3 - (a b^3 + 19 a^2 b c) d^2 e^4 + (5 a^2 b^2 + 12 a^3 c) d e^5) x^2 - 2 \sqrt{1/2} \sqrt{e x^2 + d} ((2 (a^2 b^2 c^3 - 4 a^3 c^4) d - (a^2 b^3 c^2 - 4 a^3 b c^3) e) x \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))} - ((a b^2 c^2 - 4 a^2 c^3) d^3 e - 3 (a^2 b^2 c - 4 a^3 c^2) d e^3 + (a^2 b^3 - 4 a^3 b c) e^4) x) \sqrt{-(b c^2 d^3 - 6 a^2 c^2 d^2 e + 3 a^2 b c d e^2 - (a b^2 - 2 a^2 c) e^3 + (a b^2 c^2 - 4 a^2 c^3) \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))})} / x^2) + 2 e^{3/2} \log(-2 e x^2 - 2 \sqrt{e x^2 + d} \sqrt{e} x - d) / c, 1/4 (\sqrt{1/2} c \sqrt{-(b c^2 d^3 - 6 a^2 c^2 d^2 e + 3 a^2 b c d e^2 - (a b^2 - 2 a^2 c) e^3 - (a b^2 c^2 - 4 a^2 c^3) \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))})} / (a b^2 c^2 - 4 a^2 c^3)) \log((2 a^2 c^3 d^6 - 2 a^2 b c^2 d^5 e - 4 a^2 c^2 d^4 e^2 + 8 a^2 b c d^3 e^3 + 2 a^3 b d e^5 - 2 (a^2 b^2 + 3 a^3 c) d^2 e^4 + ((a b^2 c^3 - 4 a^2 c^4) d^3 - (a b^3 c^2 - 4 a^2 b c^3) d^2 e + (a^2 b^2 c^2 - 4 a^3 c^3) d e^2) x^2 \sqrt{((c^4 d^6 - 6 a^2 c^3 d^4 e^2 + 2 a^2 b c^2 d^3 e^3 + 9 a^2 c^2 d^2 e^4 - 6 a^2 b c d e^5 + a^2 b^2 e^6) / (a^2 b^2 c^4 - 4 a^3 c^5))} - (b c^3 d^6 + 2 a^2 b c^2 d^4 e^2 - 4 a^3 b e^6 - (b^2 c^2 + 4 a^2 c^3) d^5 e + 4 (a b^2 c + 2 a^2 c^2) d^3 e^3 - (a b^3 + 19 a^2 b c) d^2 e^4 + (5 a^2 b^2 + 12 a^3 c)
\end{aligned}$$

$$\begin{aligned}
& *c)*d*e^5)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((2*(a^2*b^2*c^3 - 4*a^3*c^4)* \\
& d - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e)*x*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a* \\
& b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2 \\
& *c^4 - 4*a^3*c^5)) + ((a*b^2*c^2 - 4*a^2*c^3)*d^3*e - 3*(a^2*b^2*c - 4*a^3* \\
& c^2)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x)*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e \\
& + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{((c^ \\
& 4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c \\
& *d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)))/(a*b^2*c^2 - 4*a^2*c^3))} \\
& /x^2) - \sqrt{1/2}*c*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b \\
& ^2 - 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 \\
& + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(\\
& a^2*b^2*c^4 - 4*a^3*c^5)))/(a*b^2*c^2 - 4*a^2*c^3))*\log((2*a*c^3*d^6 - 2*a* \\
& b*c^2*d^5*e - 4*a^2*c^2*d^4*e^2 + 8*a^2*b*c*d^3*e^3 + 2*a^3*b*d*e^5 - 2*(a^ \\
& 2*b^2 + 3*a^3*c)*d^2*e^4 + ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^ \\
& 2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*\sqrt{((c^4*d^6 - 6*a*c \\
& ^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2* \\
& b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) - (b*c^3*d^6 + 2*a*b*c^2*d^4*e^2 - 4*a^ \\
& 3*b*e^6 - (b^2*c^2 + 4*a*c^3)*d^5*e + 4*(a*b^2*c + 2*a^2*c^2)*d^3*e^3 - (a \\
& b^3 + 19*a^2*b*c)*d^2*e^4 + (5*a^2*b^2 + 12*a^3*c)*d*e^5)*x^2 - 2*\sqrt{1/2} \\
& *\sqrt{e*x^2 + d}*((2*(a^2*b^2*c^3 - 4*a^3*c^4)*d - (a^2*b^3*c^2 - 4*a^3*b*c \\
& ^3)*e)*x*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^ \\
& 2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) + ((a*b^2 \\
& *c^2 - 4*a^2*c^3)*d^3*e - 3*(a^2*b^2*c - 4*a^3*c^2)*d*e^3 + (a^2*b^3 - 4*a^ \\
& 3*b*c)*e^4)*x)*\sqrt{-(b*c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - \\
& 2*a^2*c)*e^3 - (a*b^2*c^2 - 4*a^2*c^3)*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 + 2* \\
& a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b \\
& ^2*c^4 - 4*a^3*c^5)))/(a*b^2*c^2 - 4*a^2*c^3))}/x^2) - \sqrt{1/2}*c*\sqrt{-(b \\
& *c^2*d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 + (a*b^2*c \\
& ^2 - 4*a^2*c^3)*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2 \\
& *c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)))/(\\
& a*b^2*c^2 - 4*a^2*c^3))*\log((2*a*c^3*d^6 - 2*a*b*c^2*d^5*e - 4*a^2*c^2*d^4* \\
& e^2 + 8*a^2*b*c*d^3*e^3 + 2*a^3*b*d*e^5 - 2*(a^2*b^2 + 3*a^3*c)*d^2*e^4 - (\\
& (a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^ \\
& 2 - 4*a^3*c^3)*d*e^2)*x^2*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e \\
& ^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^ \\
& 3*c^5)) - (b*c^3*d^6 + 2*a*b*c^2*d^4*e^2 - 4*a^3*b*e^6 - (b^2*c^2 + 4*a*c^3 \\
&)*d^5*e + 4*(a*b^2*c + 2*a^2*c^2)*d^3*e^3 - (a*b^3 + 19*a^2*b*c)*d^2*e^4 + \\
& (5*a^2*b^2 + 12*a^3*c)*d*e^5)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((2*(a^2*b^ \\
& 2*c^3 - 4*a^3*c^4)*d - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e)*x*\sqrt{((c^4*d^6 - 6*a \\
& *c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2*d^2*e^4 - 6*a^2*b*c*d*e^5 + a^ \\
& 2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)) - ((a*b^2*c^2 - 4*a^2*c^3)*d^3*e - 3* \\
& (a^2*b^2*c - 4*a^3*c^2)*d*e^3 + (a^2*b^3 - 4*a^3*b*c)*e^4)*x)*\sqrt{-(b*c^2* \\
& d^3 - 6*a*c^2*d^2*e + 3*a*b*c*d*e^2 - (a*b^2 - 2*a^2*c)*e^3 + (a*b^2*c^2 - \\
& 4*a^2*c^3)*\sqrt{((c^4*d^6 - 6*a*c^3*d^4*e^2 + 2*a*b*c^2*d^3*e^3 + 9*a^2*c^2* \\
& d^2*e^4 - 6*a^2*b*c*d*e^5 + a^2*b^2*e^6)/(a^2*b^2*c^4 - 4*a^3*c^5)))/(a*b^2}
\end{aligned}$$

$$\frac{c^2 - 4a^2c^3}{x^2} + \sqrt{\frac{1}{2}}c\sqrt{-(bc^2d^3 - 6a^2c^2d^2e + 3ab^2c^2d^2e^2 - (ab^2 - 2a^2c)e^3 + (ab^2c^2 - 4a^2c^3)\sqrt{(c^4d^6 - 6a^2c^3d^4e^2 + 2ab^2c^2d^3e^3 + 9a^2c^2d^2e^4 - 6a^2b^2c^2d^2e^5 + a^2b^2e^6)/(a^2b^2c^4 - 4a^3c^5)))/(a^2b^2c^2 - 4a^2c^3))} \log\left(\frac{(2a^2c^3d^6 - 2ab^2c^2d^5e - 4a^2c^2d^4e^2 + 8a^2b^2c^2d^3e^3 + 2a^3b^2d^2e^5 - 2(a^2b^2 + 3a^3c)d^2e^4 - ((ab^2c^3 - 4a^2c^4)d^3 - (ab^3c^2 - 4a^2b^2c^3)d^2e + (a^2b^2c^2 - 4a^3c^3)d^2e^2)x^2\sqrt{(c^4d^6 - 6a^2c^3d^4e^2 + 2ab^2c^2d^3e^3 + 9a^2c^2d^2e^4 - 6a^2b^2c^2d^2e^5 + a^2b^2e^6)/(a^2b^2c^4 - 4a^3c^5)) - (b^2c^3d^6 + 2ab^2c^2d^4e^2 - 4a^3b^2e^6 - (b^2c^2 + 4a^2c^3)d^5e + 4(ab^2c + 2a^2c^2)d^3e^3 - (ab^3 + 19a^2b^2c)d^2e^4 + (5a^2b^2 + 12a^3c)d^2e^5)x^2 - 2\sqrt{\frac{1}{2}}\sqrt{ex^2 + d}((2(a^2b^2c^3 - 4a^3c^4)d - (a^2b^3c^2 - 4a^3b^2c^3)e)x\sqrt{(c^4d^6 - 6a^2c^3d^4e^2 + 2ab^2c^2d^3e^3 + 9a^2c^2d^2e^4 - 6a^2b^2c^2d^2e^5 + a^2b^2e^6)/(a^2b^2c^4 - 4a^3c^5)) - ((ab^2c^2 - 4a^2c^3)d^3e - 3(a^2b^2c - 4a^3c^2)d^2e^3 + (a^2b^3 - 4a^3b^2c)e^4)x)\sqrt{-(bc^2d^3 - 6a^2c^2d^2e + 3ab^2c^2d^2e^2 - (ab^2 - 2a^2c)e^3 + (ab^2c^2 - 4a^2c^3)\sqrt{(c^4d^6 - 6a^2c^3d^4e^2 + 2ab^2c^2d^3e^3 + 9a^2c^2d^2e^4 - 6a^2b^2c^2d^2e^5 + a^2b^2e^6)/(a^2b^2c^4 - 4a^3c^5)))/(a^2b^2c^2 - 4a^2c^3)))/x^2} - 4\sqrt{-e}e\arctan(\sqrt{-e}x/\sqrt{ex^2 + d})/c\right)$$

giac [A] time = 1.97, size = 27, normalized size = 0.06

$$\frac{e^{\frac{3}{2}} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] -1/2*e^(3/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c

maple [C] time = 0.03, size = 217, normalized size = 0.45

$$\frac{e^{\frac{3}{2}} \ln\left(-\sqrt{e}x + \sqrt{ex^2 + d}\right)}{c} + \frac{1}{2c} \left(\text{RootOf}\left(-Z^4c + cd^4 + (4be - 4cd)Z^3 + (16ae^2 - 8deb + 6cd^2)Z^2 + (4bd^3 - 4cd^2)e + d^3\right)Z^3 + (16ae^2 - 8deb + 6cd^2)Z^2 + (4bd^3 - 4cd^2)e + d^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] 1/2*e^(3/2)/c*sum(((b*e-2*c*d)*_R^2+2*e*(2*a*e-b*d)*_R+b*d^2*e-2*c*d^3)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*

$\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2), _R=\text{RootOf}(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z)-e^{(3/2)}/c*\ln(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^{3/2}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(3/2)/(a + b*x^2 + c*x^4),x)

[Out] int((d + e*x^2)^(3/2)/(a + b*x^2 + c*x^4), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^{\frac{3}{2}}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)/(c*x**4+b*x**2+a),x)

[Out] Integral((d + e*x**2)**(3/2)/(a + b*x**2 + c*x**4), x)

$$3.374 \quad \int \frac{(d+ex^2)^{3/2}}{x^2(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=260

$$\frac{\left(2cd - e\left(b - \sqrt{b^2 - 4ac}\right)\right)^{3/2} \tan^{-1}\left(\frac{x\sqrt{2cd - e\left(b - \sqrt{b^2 - 4ac}\right)}}{\sqrt{b - \sqrt{b^2 - 4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b^2 - 4ac}\left(b - \sqrt{b^2 - 4ac}\right)^{3/2}} + \frac{\left(2cd - e\left(\sqrt{b^2 - 4ac} + b\right)\right)^{3/2} \tan^{-1}\left(\frac{x\sqrt{2cd - e\left(\sqrt{b^2 - 4ac}\right)}}{\sqrt{\sqrt{b^2 - 4ac} + b}\sqrt{d+ex^2}}\right)}{\sqrt{b^2 - 4ac}\left(\sqrt{b^2 - 4ac} + b\right)^{3/2}}$$

[Out] $-\arctan\left(x\sqrt{2cd - e\left(b - \sqrt{b^2 - 4ac}\right)}\right)^{1/2} / \left(e\sqrt{x^2 + d}\right)^{1/2} / \left(b - \sqrt{b^2 - 4ac}\right)^{1/2} \left(2cd - e\left(b - \sqrt{b^2 - 4ac}\right)\right)^{3/2} / \left(b - \sqrt{b^2 - 4ac}\right)^{3/2} / \left(-4ac + b^2\right)^{1/2} + \arctan\left(x\sqrt{2cd - e\left(b + \sqrt{b^2 - 4ac}\right)}\right)^{1/2} / \left(e\sqrt{x^2 + d}\right)^{1/2} / \left(b + \sqrt{b^2 - 4ac}\right)^{1/2} \left(2cd - e\left(b + \sqrt{b^2 - 4ac}\right)\right)^{3/2} / \left(b + \sqrt{b^2 - 4ac}\right)^{3/2} - d\sqrt{e\sqrt{x^2 + d}}^{1/2} / a/x$

Rubi [A] time = 0.85, antiderivative size = 432, normalized size of antiderivative = 1.66, number of steps used = 16, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1295, 277, 217, 206, 1692, 402, 377, 205}

$$\frac{\sqrt{2cd - e\left(b - \sqrt{b^2 - 4ac}\right)}\left(\frac{bd - 2ae}{\sqrt{b^2 - 4ac}} + d\right) \tan^{-1}\left(\frac{x\sqrt{2cd - e\left(b - \sqrt{b^2 - 4ac}\right)}}{\sqrt{b - \sqrt{b^2 - 4ac}}\sqrt{d+ex^2}}\right)}{2a\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2cd - e\left(\sqrt{b^2 - 4ac} + b\right)}\left(d - \frac{bd - 2ae}{\sqrt{b^2 - 4ac}}\right)}{2a\sqrt{\sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] $\text{Int}\left[\frac{(d + ex^2)^{3/2}}{x^2(a + bx^2 + cx^4)}, x\right]$

[Out] $-\left(\frac{d\sqrt{d + ex^2}}{ax}\right) - \left(\frac{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}}{\sqrt{b^2 - 4ac}}\right) \left(\frac{bd - 2ae}{\sqrt{b^2 - 4ac}} + d\right) \frac{\text{ArcTan}\left[\frac{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})e}x}{\sqrt{b - \sqrt{b^2 - 4ac}}\sqrt{d + ex^2}}\right]}{2a\sqrt{b - \sqrt{b^2 - 4ac}}}$
 $-\left(\frac{\sqrt{2cd - (b + \sqrt{b^2 - 4ac})e}}{\sqrt{b^2 - 4ac}}\right) \left(d - \frac{bd - 2ae}{\sqrt{b^2 - 4ac}}\right) \frac{\text{ArcTan}\left[\frac{\sqrt{2cd - (b + \sqrt{b^2 - 4ac})e}x}{\sqrt{b + \sqrt{b^2 - 4ac}}\sqrt{d + ex^2}}\right]}{2a\sqrt{b + \sqrt{b^2 - 4ac}}}$
 $+ \frac{d\sqrt{e}\text{ArcTanh}\left[\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right]}{a} - \frac{\sqrt{e}\left(d - \frac{bd - 2ae}{\sqrt{b^2 - 4ac}}\right) \text{ArcTanh}\left[\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right]}{2a} - \frac{\sqrt{e}\left(d + \frac{bd - 2ae}{\sqrt{b^2 - 4ac}}\right) \text{ArcTanh}\left[\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right]}{2a}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 277

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^p)/(c*(m + 1)), x] - Dist[(b*n*p)/(c^n*(m + 1)), Int[(c*x)^(m + n)*(a + b*x^n)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + n*p + n + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 402

Int[((a_) + (b_.)*(x_)^2)^(p_.)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p - 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])

Rule 1295

Int[(((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Dist[d/a, Int[(f*x)^m*(d + e*x^2)^(q - 1), x], x] - Dist[1/(a*f^2), Int[((f*x)^(m + 2)*(d + e*x^2)^(q - 1)*Simp[b*d - a*e + c*d*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && LtQ[m, 0]

Rule 1692

```
Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^2)^{3/2}}{x^2(a + bx^2 + cx^4)} dx &= -\frac{\int \frac{(bd - ae + cdx^2)\sqrt{d+ex^2}}{a+bx^2+cx^4} dx}{a} + \frac{d \int \frac{\sqrt{d+ex^2}}{x^2} dx}{a} \\
 &= -\frac{d\sqrt{d+ex^2}}{ax} - \frac{\int \left(\frac{\left(cd + \frac{c(bd-2ae)}{\sqrt{b^2-4ac}} \right) \sqrt{d+ex^2}}{b - \sqrt{b^2-4ac} + 2cx^2} + \frac{\left(cd - \frac{c(bd-2ae)}{\sqrt{b^2-4ac}} \right) \sqrt{d+ex^2}}{b + \sqrt{b^2-4ac} + 2cx^2} \right) dx}{a} + \frac{(de) \int \frac{1}{\sqrt{d+ex^2}} dx}{a} \\
 &= -\frac{d\sqrt{d+ex^2}}{ax} + \frac{(de) \text{Subst} \left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right)}{a} - \frac{\left(c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \int \frac{\sqrt{d+ex^2}}{b + \sqrt{b^2-4ac} + 2cx^2} dx}{a} \\
 &= -\frac{d\sqrt{d+ex^2}}{ax} + \frac{d\sqrt{e} \tanh^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}} \right)}{a} - \frac{\left(e \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{\sqrt{d+ex^2}} dx}{2a} - \frac{\left((2cd - (b - \sqrt{b^2-4ac})e) \int \frac{\sqrt{d+ex^2}}{b + \sqrt{b^2-4ac} + 2cx^2} dx \right)}{2a} \\
 &= -\frac{d\sqrt{d+ex^2}}{ax} + \frac{d\sqrt{e} \tanh^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}} \right)}{a} - \frac{\left(e \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}} \right)}{2a} - \frac{\left((2cd - (b - \sqrt{b^2-4ac})e) \int \frac{\sqrt{d+ex^2}}{b + \sqrt{b^2-4ac} + 2cx^2} dx \right)}{2a} \\
 &= -\frac{d\sqrt{d+ex^2}}{ax} - \frac{\sqrt{2cd - (b - \sqrt{b^2-4ac})e} \left(d + \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd - (b - \sqrt{b^2-4ac})e} x}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{2a\sqrt{b - \sqrt{b^2-4ac}}}
 \end{aligned}$$

Mathematica [B] time = 6.30, size = 7789, normalized size = 29.96

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^2)^(3/2)/(x^2*(a + b*x^2 + c*x^4)),x]

[Out] Result too large to show

fricas [B] time = 29.11, size = 4059, normalized size = 15.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^2/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$-1/4*(\sqrt{1/2}*a*x*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e + (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}})/(a^3*b^2 - 4*a^4*c))\log(-(12*a^3*b*d^3*e^3 - 6*a^4*d^2*e^4 - 2*(a*b^2*c - a^2*c^2)*d^6 + 2*(a*b^3 + 2*a^2*b*c)*d^5*e - 4*(2*a^2*b^2 + a^3*c)*d^4*e^2 + ((a^3*b^2*c - 4*a^4*c^2)*d^3 - (a^3*b^3 - 4*a^4*b*c)*d^2*e + (a^4*b^2 - 4*a^5*c)*d*e^2)*x^2*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}) + (27*a^3*b*d^2*e^4 - 12*a^4*d*e^5 + (b^3*c - a*b*c^2)*d^6 - (b^4 + 6*a*b^2*c - 4*a^2*c^2)*d^5*e + 2*(4*a*b^3 + 5*a^2*b*c)*d^4*e^2 - 2*(11*a^2*b^2 + 4*a^3*c)*d^3*e^3)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4*b^3 - 4*a^5*b*c)*d - 2*(a^5*b^2 - 4*a^6*c)*e)*x*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}) - ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d^4 - 3*(a^2*b^3 - 4*a^3*b*c)*d^3*e + 3*(a^3*b^2 - 4*a^4*c)*d^2*e^2)*x*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e + (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}})/(a^3*b^2 - 4*a^4*c)))/x^2) - \sqrt{1/2}*a*x*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e + (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}})/(a^3*b^2 - 4*a^4*c))\log(-(12*a^3*b*d^3*e^3 - 6*a^4*d^2*e^4 - 2*(a*b^2*c - a^2*c^2)*d^6 + 2*(a*b^3 + 2*a^2*b*c)*d^5*e - 4*(2*a^2*b^2 + a^3*c)*d^4*e^2 + ((a^3*b^2*c - 4*a^4*c^2)*d^3 - (a^3*b^3 - 4*a^4*b*c)*d^2*e + (a^4*b^2 - 4*a^5*c)*d*e^2)*x^2*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}) + (27*a^3*b*d^2*e^4 - 12*a^4*d*e^5 + (b^3*c - a*b*c^2)*d^6 - (b^4 + 6*a*b^2*c - 4*a^2*c^2)*d^5*e + 2*(4*a*b^3 + 5*a^2*b*c)*d^4*e^2 - 2*(11*a^2*b^2 + 4*a^3*c)*d^3*e^3)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4*b^3 - 4*a^5*b*c)*d - 2*(a^5*b^2 - 4*a^6*c)*e)*x*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}) - ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d^4 - 3*(a^2*b^3 - 4*a^3*b*c)*d^3*e + 3*(a^3*b^2 - 4*a^4*c)*d^2*e^2)*x*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e + (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}})/(a^3*b^2 - 4*a^4*c)))/x^2) - \sqrt{1/2}*a*x*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e + (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)}})/(a^3*b^2 - 4*a^4*c))$$

$$\begin{aligned}
&^2 - 2*a^2*c)*d^2*e - (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c))*\log \\
&(-(12*a^3*b*d^3*e^3 - 6*a^4*d^2*e^4 - 2*(a*b^2*c - a^2*c^2)*d^6 + 2*(a*b^3 + 2*a^2*b*c)*d^5*e - 4*(2*a^2*b^2 + a^3*c)*d^4*e^2 - ((a^3*b^2*c - 4*a^4*c^2)*d^3 - (a^3*b^3 - 4*a^4*b*c)*d^2*e + (a^4*b^2 - 4*a^5*c)*d*e^2)*x^2*\sqrt{ \\
&-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)) \\
&)+ (27*a^3*b*d^2*e^4 - 12*a^4*d*e^5 + (b^3*c - a*b*c^2)*d^6 - (b^4 + 6*a*b^2*c - 4*a^2*c^2)*d^5*e + 2*(4*a*b^3 + 5*a^2*b*c)*d^4*e^2 - 2*(11*a^2*b^2 + 4*a^3*c)*d^3*e^3)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4*b^3 - 4*a^5*b*c)*d - 2*(a^5*b^2 - 4*a^6*c)*e)*x*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)) + ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d^4 - 3*(a^2*b^3 - 4*a^3*b*c)*d^3*e + 3*(a^3*b^2 - 4*a^4*c)*d^2*e^2)*x) \\
&)*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e - (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c)))/x^2) + \sqrt{1/2})*a*x*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e - (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c))*\log(-(12*a^3*b*d^3*e^3 - 6*a^4*d^2*e^4 - 2*(a*b^2*c - a^2*c^2)*d^6 + 2*(a*b^3 + 2*a^2*b*c)*d^5*e - 4*(2*a^2*b^2 + a^3*c)*d^4*e^2 - ((a^3*b^2*c - 4*a^4*c^2)*d^3 - (a^3*b^3 - 4*a^4*b*c)*d^2*e + (a^4*b^2 - 4*a^5*c)*d*e^2)*x^2*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)) + (27*a^3*b*d^2*e^4 - 12*a^4*d*e^5 + (b^3*c - a*b*c^2)*d^6 - (b^4 + 6*a*b^2*c - 4*a^2*c^2)*d^5*e + 2*(4*a*b^3 + 5*a^2*b*c)*d^4*e^2 - 2*(11*a^2*b^2 + 4*a^3*c)*d^3*e^3)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4*b^3 - 4*a^5*b*c)*d - 2*(a^5*b^2 - 4*a^6*c)*e)*x*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)) + ((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d^4 - 3*(a^2*b^3 - 4*a^3*b*c)*d^3*e + 3*(a^3*b^2 - 4*a^4*c)*d^2*e^2)*x)*\sqrt{-(3*a^2*b*d*e^2 - 2*a^3*e^3 + (b^3 - 3*a*b*c)*d^3 - 3*(a*b^2 - 2*a^2*c)*d^2*e - (a^3*b^2 - 4*a^4*c)*\sqrt{-(18*a^3*b*d^3*e^3 - 9*a^4*d^2*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^6 + 6*(a*b^3 - a^2*b*c)*d^5*e - 3*(5*a^2*b^2 - 2*a^3*c)*d^4*e^2)/(a^6*b^2 - 4*a^7*c)))/(a^3*b^2 - 4*a^4*c)))/x^2) + 4*\sqrt{e*x^2 + d})*d)/(a*x)
\end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^2/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 360, normalized size = 1.38

$$\frac{e^{\frac{3}{2}}x^2}{4a} - \frac{d^2\sqrt{e}}{8\left(-\sqrt{e}x + \sqrt{ex^2+d}\right)^2} + \frac{3d\sqrt{e} \ln\left(-\sqrt{e}x + \sqrt{ex^2+d}\right)}{2a} + \frac{3d\sqrt{e} \ln\left(\sqrt{e}x + \sqrt{ex^2+d}\right)}{2a} + \frac{5\sqrt{ex^2+d}ex}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)/x^2/(c*x^4+b*x^2+a),x)

[Out] $-1/a/d/x*(e*x^2+d)^{(5/2)}+1/a*e/d*x*(e*x^2+d)^{(3/2)}+5/4/a*e*x*(e*x^2+d)^{(1/2)}$
 $+3/2/a*e^{(1/2)}*d*\ln(e^{(1/2)}*x+(e*x^2+d)^{(1/2)})+1/4/a*e^{(3/2)}*x^2+1/8/a*e^{(1/2)}$
 $*d-1/2/a*e^{(1/2)}*\text{sum}(((a*e^2-c*d^2)*_R^2+2*d*(3*a*e^2-2*b*d*e+c*d^2)*_R$
 $+a*d^2*e^2-c*d^4)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*$
 $c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2),_R=\text{RootOf}(_Z^4*$
 $c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d$
 $^3)*_Z))-1/8/a*e^{(1/2)}*d^2/(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2+3/2/a*e^{(1/2)}*d*\ln$
 $(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}}{(cx^4 + bx^2 + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^2/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)/((c*x^4 + b*x^2 + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^{3/2}}{x^2 (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(3/2)/(x^2*(a + b*x^2 + c*x^4)),x)

[Out] int((d + e*x^2)^(3/2)/(x^2*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^{\frac{3}{2}}}{x^2 (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)/x**2/(c*x**4+b*x**2+a), x)

[Out] Integral((d + e*x**2)**(3/2)/(x**2*(a + b*x**2 + c*x**4)), x)

$$3.375 \quad \int \frac{(d+ex^2)^{3/2}}{x^4(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=523

$$\frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \left(\frac{-abe - 2acd + b^2d}{\sqrt{b^2 - 4ac}} - ae + bd \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right) \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \left(-\frac{1}{2} \right)}{2a^2 \sqrt{b - \sqrt{b^2 - 4ac}}} + \dots$$

[Out] $-1/3*(e*x^2+d)^{(3/2)}/a/x^3-(-a*e+b*d)*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})*e^{(1/2)}/a^2+1/2*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})*(b*d-a*e+(a*b*e+2*a*c*d-b^2*d)/(-4*a*c+b^2)^{(1/2)})*e^{(1/2)}/a^2+1/2*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})*(b*d-a*e+(-a*b*e-2*a*c*d+b^2*d)/(-4*a*c+b^2)^{(1/2)})*e^{(1/2)}/a^2+(-a*e+b*d)*(e*x^2+d)^{(1/2)}/a^2/x+1/2*\operatorname{arctan}(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^((1/2)/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)}))^((1/2))*(b*d-a*e+(-a*b*e-2*a*c*d+b^2*d)/(-4*a*c+b^2)^{(1/2)})*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^((1/2)/a^2/(b-(-4*a*c+b^2)^{(1/2)}))^((1/2))+1/2*\operatorname{arctan}(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^((1/2)/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)}))^((1/2))*e^{(1/2)}/a^2/(b+(-4*a*c+b^2)^{(1/2)}))^((1/2))$

Rubi [A] time = 2.62, antiderivative size = 523, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$, Rules used = {1295, 264, 6728, 277, 217, 206, 1692, 402, 377, 205}

$$\frac{\sqrt{2cd - e(b - \sqrt{b^2 - 4ac})} \left(\frac{-abe - 2acd + b^2d}{\sqrt{b^2 - 4ac}} - ae + bd \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right) \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)} \left(-\frac{1}{2} \right)}{2a^2 \sqrt{b - \sqrt{b^2 - 4ac}}} + \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + e*x^2)^{(3/2)}/(x^4*(a + b*x^2 + c*x^4)), x]$

[Out] $((b*d - a*e)*\operatorname{Sqrt}[d + e*x^2])/(a^2*x) - (d + e*x^2)^{(3/2)}/(3*a*x^3) + (\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]*(b*d - a*e + (b^2*d - 2*a*c*d - a*b*e)/\operatorname{Sqrt}[b^2 - 4*a*c])* \operatorname{ArcTan}[(\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]*x)/(\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[d + e*x^2])])/(2*a^2*\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4*a*c]]) + (\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]*(b*d - a*e - (b^2*d - 2*a*c*d - a*b*e)/\operatorname{Sqrt}[b^2 - 4*a*c])* \operatorname{ArcTan}[(\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]*x)/(\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[d + e*x^2])])/(2*a^2*\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4*a*c]])$

$$\frac{b^2 - 4ac}{a^2} - \frac{\sqrt{e}(bd - ae) \operatorname{ArcTanh}\left(\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right)}{\sqrt{b^2 - 4ac}} + \frac{\sqrt{e}(bd - ae - (b^2d - 2acd - abe)) \operatorname{ArcTanh}\left(\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right)}{(2a^2) \sqrt{b^2 - 4ac}} + \frac{\sqrt{e}(bd - ae + (b^2d - 2acd - abe)) \operatorname{ArcTanh}\left(\frac{\sqrt{e}x}{\sqrt{d + ex^2}}\right)}{(2a^2) \sqrt{b^2 - 4ac}}$$
Rule 205

$$\operatorname{Int}\left[\frac{(a_1 + b_1 x^2)^{-1}}{a}, x\right] \rightarrow \operatorname{Simp}\left[\frac{\operatorname{Rt}[a/b, 2] \operatorname{ArcTan}\left[\frac{x}{\operatorname{Rt}[a/b, 2]}\right]}{a}, x\right] \text{ ; FreeQ}\{a, b\}, x \text{ \&\& PosQ}[a/b]$$
Rule 206

$$\operatorname{Int}\left[\frac{(a_1 + b_1 x^2)^{-1}}{\operatorname{Rt}[a, 2]} \operatorname{ArcTanh}\left[\frac{\operatorname{Rt}[-b, 2] x}{\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2]}\right], x\right] \text{ ; FreeQ}\{a, b\}, x \text{ \&\& NegQ}[a/b] \text{ \&\& (GtQ}[a, 0] \text{ || LtQ}[b, 0])$$
Rule 217

$$\operatorname{Int}\left[\frac{1}{\sqrt{a_1 + b_1 x^2}}, x\right] \rightarrow \operatorname{Subst}\left[\operatorname{Int}\left[\frac{1}{1 - bx^2}, x\right], x, \frac{x}{\sqrt{a + bx^2}}\right] \text{ ; FreeQ}\{a, b\}, x \text{ \&\& !GtQ}[a, 0]$$
Rule 264

$$\operatorname{Int}\left[\frac{(c_1 x)^{m_1} (a_1 + b_1 x^n)^{p_1}}{(cx)^{m+1} (a + bx^n)^{p+1}}, x\right] \text{ ; FreeQ}\{a, b, c, m, n, p\}, x \text{ \&\& EqQ}\left[\frac{m+1}{n+p+1}, 0\right] \text{ \&\& NeQ}[m, -1]$$
Rule 277

$$\operatorname{Int}\left[\frac{(c_1 x)^{m_1} (a_1 + b_1 x^n)^{p_1}}{(cx)^{m+1} (a + bx^n)^p}, x\right] - \operatorname{Dist}\left[\frac{b^n p}{c^{n(m+1)}}, \operatorname{Int}\left[\frac{(cx)^{m+n} (a + bx^n)^{p-1}}{c^{n(m+1)}}, x\right], x\right] \text{ ; FreeQ}\{a, b, c\}, x \text{ \&\& IGtQ}[n, 0] \text{ \&\& GtQ}[p, 0] \text{ \&\& LtQ}[m, -1] \text{ \&\& !ILtQ}\left[\frac{m+np+n+1}{n}, 0\right] \text{ \&\& IntBinomialQ}[a, b, c, n, m, p, x]$$
Rule 377

$$\operatorname{Int}\left[\frac{(a_1 + b_1 x^n)^{p_1}}{(c_1 + d_1 x^n)}, x\right] \rightarrow \operatorname{Subst}\left[\operatorname{Int}\left[\frac{1}{c - (bc - ad)x^n}, x\right], x, \frac{x}{(a + bx^n)^{1/n}}\right] \text{ ; FreeQ}\{a, b, c, d\}, x \text{ \&\& NeQ}[bc - ad, 0] \text{ \&\& EqQ}[np + 1, 0] \text{ \&\& IntegerQ}[n]$$
Rule 402

$$\operatorname{Int}\left[\frac{(a_1 + b_1 x^2)^{p_1}}{(c_1 + d_1 x^2)}, x\right] \rightarrow \operatorname{Dist}\left[\frac{b}{d}, \operatorname{Int}\left[\frac{(a + bx^2)^{p-1}}{d}, x\right] - \operatorname{Dist}\left[\frac{bc - ad}{d}, \operatorname{Int}\left[\frac{(a + bx^2)^p}{d}, x\right]\right]$$

- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])

Rule 1295

Int[(((f_.)*(x_)^(m_))*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Dist[d/a, Int[(f*x)^m*(d + e*x^2)^(q - 1), x], x] - Dist[1/(a*f^2), Int[((f*x)^(m + 2)*(d + e*x^2)^(q - 1)*Simp[b*d - a*e + c*d*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && LtQ[m, 0]

Rule 1692

Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rule 6728

Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^{3/2}}{x^4(a+bx^2+cx^4)} dx &= -\frac{\int \frac{(bd-ae+cdx^2)\sqrt{d+ex^2}}{x^2(a+bx^2+cx^4)} dx}{a} + \frac{d \int \frac{\sqrt{d+ex^2}}{x^4} dx}{a} \\
&= -\frac{(d+ex^2)^{3/2}}{3ax^3} - \frac{\int \left(\frac{(bd-ae)\sqrt{d+ex^2}}{ax^2} + \frac{\sqrt{d+ex^2}(-b^2d+acd+abe-c(bd-ae)x^2)}{a(a+bx^2+cx^4)} \right) dx}{a} \\
&= -\frac{(d+ex^2)^{3/2}}{3ax^3} - \frac{\int \frac{\sqrt{d+ex^2}(-b^2d+acd+abe-c(bd-ae)x^2)}{a+bx^2+cx^4} dx}{a^2} - \frac{(bd-ae) \int \frac{\sqrt{d+ex^2}}{x^2} dx}{a^2} \\
&= \frac{(bd-ae)\sqrt{d+ex^2}}{a^2x} - \frac{(d+ex^2)^{3/2}}{3ax^3} - \frac{\int \left(\frac{\left(-c(bd-ae) - \frac{c(b^2d-2acd-abe)}{\sqrt{b^2-4ac}}\right)\sqrt{d+ex^2}}{b-\sqrt{b^2-4ac}+2cx^2} + \frac{-c(bd-ae) + \frac{c(b^2d-2acd-abe)}{\sqrt{b^2-4ac}}}{b+\sqrt{b^2-4ac}} \right) dx}{a^2} \\
&= \frac{(bd-ae)\sqrt{d+ex^2}}{a^2x} - \frac{(d+ex^2)^{3/2}}{3ax^3} - \frac{(e(bd-ae)) \operatorname{Subst}\left(\int \frac{1}{1-ex^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{a^2} + \frac{c}{a^2} \\
&= \frac{(bd-ae)\sqrt{d+ex^2}}{a^2x} - \frac{(d+ex^2)^{3/2}}{3ax^3} - \frac{\sqrt{e}(bd-ae) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{a^2} + \frac{e\left(bd-ae - \frac{b^2d-2acd-abe}{\sqrt{b^2-4ac}}\right)}{a^2} \\
&= \frac{(bd-ae)\sqrt{d+ex^2}}{a^2x} - \frac{(d+ex^2)^{3/2}}{3ax^3} - \frac{\sqrt{e}(bd-ae) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{a^2} + \frac{e\left(bd-ae - \frac{b^2d-2acd-abe}{\sqrt{b^2-4ac}}\right)}{a^2} \\
&= \frac{(bd-ae)\sqrt{d+ex^2}}{a^2x} - \frac{(d+ex^2)^{3/2}}{3ax^3} + \frac{\sqrt{2cd - (b - \sqrt{b^2 - 4ac})} e \left(bd - ae + \frac{b^2d - 2acd - abc}{\sqrt{b^2 - 4ac}}\right)}{2a^2\sqrt{b - \sqrt{b^2 - 4ac}}}
\end{aligned}$$

Mathematica [B] time = 6.41, size = 9321, normalized size = 17.82

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^2)^(3/2)/(x^4*(a + b*x^2 + c*x^4)), x]

[Out] Result too large to show

fricas [B] time = 144.24, size = 7830, normalized size = 14.97

result too large to display

$$\begin{aligned}
& b^2c^3 + a^3c^4)d^6 + 2*(a*b^5c - 5*a^3*b*c^3)*d^5e - 4*(2*a^2*b^4c - \\
& 3*a^3*b^2*c^2 - a^4*c^3)*d^4e^2 + 4*(3*a^3*b^3c - 4*a^4*b*c^2)*d^3e^3 - \\
& 2*(4*a^4*b^2c - 3*a^5*c^2)*d^2e^4 - ((a^5*b^2*c^2 - 4*a^6*c^3)*d^3 - (a^5 \\
& 5*b^3*c - 4*a^6*b*c^2)*d^2e + (a^6*b^2*c - 4*a^7*c^2)*d*e^2)*x^2*\sqrt{((a^6 \\
& *b^2*e^6 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^6 \\
& - 6*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^5e + 3*(5*a^2*b \\
& ^6 - 20*a^3*b^4*c + 20*a^4*b^2*c^2 - 2*a^5*c^3)*d^4e^2 - 2*(10*a^3*b^5 - 3 \\
& 0*a^4*b^3*c + 19*a^5*b*c^2)*d^3e^3 + 3*(5*a^4*b^4 - 10*a^5*b^2*c + 3*a^6*c \\
& ^2)*d^2e^4 - 6*(a^5*b^3 - a^6*b*c)*d*e^5)/(a^10*b^2 - 4*a^11*c)) + (4*a^5* \\
& b*c*e^6 + (b^5*c^2 - 3*a*b^3*c^3 + a^2*b*c^4)*d^6 - (b^6*c + 4*a*b^4*c^2 - \\
& 17*a^2*b^2*c^3 + 4*a^3*c^4)*d^5e + 2*(4*a*b^5*c - 3*a^2*b^3*c^2 - 11*a^3*b \\
& *c^3)*d^4e^2 - 2*(11*a^2*b^4*c - 16*a^3*b^2*c^2 - 4*a^4*c^3)*d^3e^3 + 7*(\\
& 4*a^3*b^3*c - 5*a^4*b*c^2)*d^2e^4 - (17*a^4*b^2*c - 12*a^5*c^2)*d*e^5)*x^2 \\
& + 2*\sqrt{1/2}*\sqrt{e*x^2 + d)*((a^6*b^4 - 6*a^7*b^2*c + 8*a^8*c^2)*d - (a \\
& ^7*b^3 - 4*a^8*b*c)*e)*x*\sqrt{((a^6*b^2*e^6 + (b^8 - 6*a*b^6*c + 11*a^2*b^4* \\
& c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^6 - 6*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 \\
& - 2*a^4*b*c^3)*d^5e + 3*(5*a^2*b^6 - 20*a^3*b^4*c + 20*a^4*b^2*c^2 - 2*a^ \\
& 5*c^3)*d^4e^2 - 2*(10*a^3*b^5 - 30*a^4*b^3*c + 19*a^5*b*c^2)*d^3e^3 + 3*(\\
& 5*a^4*b^4 - 10*a^5*b^2*c + 3*a^6*c^2)*d^2e^4 - 6*(a^5*b^3 - a^6*b*c)*d*e^5 \\
&)/(a^10*b^2 - 4*a^11*c)) + ((a*b^7 - 7*a^2*b^5*c + 13*a^3*b^3*c^2 - 4*a^4*b \\
& *c^3)*d^4 - (4*a^2*b^6 - 25*a^3*b^4*c + 37*a^4*b^2*c^2 - 4*a^5*c^3)*d^3e + \\
& 3*(2*a^3*b^5 - 11*a^4*b^3*c + 12*a^5*b*c^2)*d^2e^2 - (4*a^4*b^4 - 19*a^5* \\
& b^2*c + 12*a^6*c^2)*d*e^3 + (a^5*b^3 - 4*a^6*b*c)*e^4)*x)*\sqrt{-((b^5 - 5*a \\
& *b^3*c + 5*a^2*b*c^2)*d^3 - 3*(a*b^4 - 4*a^2*b^2*c + 2*a^3*c^2)*d^2e + 3*(\\
& a^2*b^3 - 3*a^3*b*c)*d*e^2 - (a^3*b^2 - 2*a^4*c)*e^3 - (a^5*b^2 - 4*a^6*c)* \\
& \sqrt{((a^6*b^2*e^6 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4 \\
& *c^4)*d^6 - 6*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^5e + 3 \\
& *(5*a^2*b^6 - 20*a^3*b^4*c + 20*a^4*b^2*c^2 - 2*a^5*c^3)*d^4e^2 - 2*(10*a^ \\
& 3*b^5 - 30*a^4*b^3*c + 19*a^5*b*c^2)*d^3e^3 + 3*(5*a^4*b^4 - 10*a^5*b^2*c \\
& + 3*a^6*c^2)*d^2e^4 - 6*(a^5*b^3 - a^6*b*c)*d*e^5)/(a^10*b^2 - 4*a^11*c))} \\
& /((a^5*b^2 - 4*a^6*c))/x^2) + 3*\sqrt{1/2}*a^2*x^3*\sqrt{-((b^5 - 5*a*b^3*c + \\
& 5*a^2*b*c^2)*d^3 - 3*(a*b^4 - 4*a^2*b^2*c + 2*a^3*c^2)*d^2e + 3*(a^2*b^3 \\
& - 3*a^3*b*c)*d*e^2 - (a^3*b^2 - 2*a^4*c)*e^3 - (a^5*b^2 - 4*a^6*c)*\sqrt{((a^ \\
& 6*b^2*e^6 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^ \\
& 6 - 6*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^5e + 3*(5*a^2* \\
& b^6 - 20*a^3*b^4*c + 20*a^4*b^2*c^2 - 2*a^5*c^3)*d^4e^2 - 2*(10*a^3*b^5 - \\
& 30*a^4*b^3*c + 19*a^5*b*c^2)*d^3e^3 + 3*(5*a^4*b^4 - 10*a^5*b^2*c + 3*a^6* \\
& c^2)*d^2e^4 - 6*(a^5*b^3 - a^6*b*c)*d*e^5)/(a^10*b^2 - 4*a^11*c)))/(a^5*b^ \\
& 2 - 4*a^6*c))*\log((2*a^5*b*c*d*e^5 - 2*(a*b^4*c^2 - 3*a^2*b^2*c^3 + a^3*c^4) \\
&)*d^6 + 2*(a*b^5*c - 5*a^3*b*c^3)*d^5e - 4*(2*a^2*b^4*c - 3*a^3*b^2*c^2 - \\
& a^4*c^3)*d^4e^2 + 4*(3*a^3*b^3*c - 4*a^4*b*c^2)*d^3e^3 - 2*(4*a^4*b^2*c - \\
& 3*a^5*c^2)*d^2e^4 - ((a^5*b^2*c^2 - 4*a^6*c^3)*d^3 - (a^5*b^3*c - 4*a^6*b \\
& *c^2)*d^2e + (a^6*b^2*c - 4*a^7*c^2)*d*e^2)*x^2*\sqrt{((a^6*b^2*e^6 + (b^8 - \\
& 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^6 - 6*(a*b^7 - 5*a \\
& ^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^5e + 3*(5*a^2*b^6 - 20*a^3*b^4*c
\end{aligned}$$

$$\begin{aligned}
& + 20a^4b^2c^2 - 2a^5c^3)d^4e^2 - 2(10a^3b^5 - 30a^4b^3c + 19a^5b^2c^2)d^3e^3 + 3(5a^4b^4 - 10a^5b^2c + 3a^6c^2)d^2e^4 - 6(a^5b^3 - a^6bc)d^2e^5)/(a^{10}b^2 - 4a^{11}c) + (4a^5b^2c^2 - 3a^6b^3c^3 + a^7b^4c^4)d^6 - (b^6c + 4a^2b^4c^2 - 17a^2b^2c^3 + 4a^3c^4)d^5e + 2(4a^2b^5c - 3a^2b^3c^2 - 11a^3b^2c^3)d^4e^2 - 2(11a^2b^4c - 16a^3b^2c^2 - 4a^4c^3)d^3e^3 + 7(4a^3b^3c - 5a^4b^2c^2)d^2e^4 - (17a^4b^2c - 12a^5c^2)d^2e^5)x^2 - 2\sqrt{1/2}\sqrt{ex^2 + d}((a^6b^4 - 6a^7b^2c + 8a^8c^2)d - (a^7b^3 - 4a^8bc)c)e)x\sqrt{(a^6b^2e^6 + (b^8 - 6a^2b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)d^6 - 6(a^2b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)d^5e + 3(5a^2b^6 - 20a^3b^4c + 20a^4b^2c^2 - 2a^5c^3)d^4e^2 - 2(10a^3b^5 - 30a^4b^3c + 19a^5b^2c^2)d^3e^3 + 3(5a^4b^4 - 10a^5b^2c + 3a^6c^2)d^2e^4 - 6(a^5b^3 - a^6bc)d^2e^5)/(a^{10}b^2 - 4a^{11}c) + ((a^2b^7 - 7a^2b^5c + 13a^3b^3c^2 - 4a^4b^2c^3)d^4 - (4a^2b^6 - 25a^3b^4c + 37a^4b^2c^2 - 4a^5c^3)d^3e + 3(2a^3b^5 - 11a^4b^3c + 12a^5b^2c^2)d^2e^2 - (4a^4b^4 - 19a^5b^2c + 12a^6c^2)d^2e^3 + (a^5b^3 - 4a^6bc)e^4)x}\sqrt{-((b^5 - 5a^2b^3c + 5a^2b^2c^2)d^3 - 3(a^2b^4 - 4a^2b^2c + 2a^3c^2)d^2e + 3(a^2b^3 - 3a^3bc)d^2e^2 - (a^3b^2 - 2a^4c)e^3 - (a^5b^2 - 4a^6c)\sqrt{(a^6b^2e^6 + (b^8 - 6a^2b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)d^6 - 6(a^2b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)d^5e + 3(5a^2b^6 - 20a^3b^4c + 20a^4b^2c^2 - 2a^5c^3)d^4e^2 - 2(10a^3b^5 - 30a^4b^3c + 19a^5b^2c^2)d^3e^3 + 3(5a^4b^4 - 10a^5b^2c + 3a^6c^2)d^2e^4 - 6(a^5b^3 - a^6bc)d^2e^5)/(a^{10}b^2 - 4a^{11}c)))/(a^5b^2 - 4a^6c)))/x^2) + 4((3bd - 4ae)x^2 - ad)\sqrt{ex^2 + d})/(a^2x^3)
\end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^4/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 511, normalized size = 0.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^(3/2)/x^4/(c*x^4+b*x^2+a),x)

[Out] $1/a^2b/d/x*(e*x^2+d)^{(5/2)} - 1/a^2b*e/d*x*(e*x^2+d)^{(3/2)} - 5/4/a^2b*e*x*(e*x^2+d)^{(1/2)} - 3/2/a^2b*e^{(1/2)}*d*\ln(e^{(1/2)}*x + (e*x^2+d)^{(1/2)}) - 1/4/a^2e^{(3/2)}$

/2)*x^2*b-1/8/a^2*e^(1/2)*b*d+1/2/a^2*e^(1/2)*sum((c*d*(2*a*e-b*d)*_R^2+2*(-2*a^2*e^3+4*a*b*d*e^2-2*b^2*d^2*e+b*c*d^3)*_R+2*a*c*d^3*e-b*c*d^4)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))+1/a*e^(3/2)*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))-3/2/a^2*e^(1/2)*ln(-e^(1/2)*x+(e*x^2+d)^(1/2))*b*d+1/8/a^2*e^(1/2)*b*d^2/(-e^(1/2)*x+(e*x^2+d)^(1/2))^2-1/3/a/d/x^3*(e*x^2+d)^(5/2)-2/3/a*e/d^2/x*(e*x^2+d)^(5/2)+2/3/a*e^2/d^2*x*(e*x^2+d)^(3/2)+1/a*e^2/d*x*(e*x^2+d)^(1/2)+1/a*e^(3/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^{\frac{3}{2}}}{(cx^4 + bx^2 + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^(3/2)/x^4/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^(3/2)/((c*x^4 + b*x^2 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^{3/2}}{x^4 (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^(3/2)/(x^4*(a + b*x^2 + c*x^4)),x)

[Out] int((d + e*x^2)^(3/2)/(x^4*(a + b*x^2 + c*x^4)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**(3/2)/x**4/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.376 \quad \int \frac{x^5 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=281

$$\frac{\left(\frac{-3abc-2ac^2+b^3+b^2c}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{5/2}\sqrt{-\sqrt{b^2-4ac}+b+2c}} + \frac{\left(\frac{-3abc-2ac^2+b^3+b^2c}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{5/2}\sqrt{\sqrt{b^2-4ac}+b+2c}}$$

[Out] $-1/3*(-x^2+1)^{(3/2)}/c-b*(-x^2+1)^{(1/2)}/c^2+1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}}*(-x^2+1)^{(1/2)})/(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^2-a*c+b*c+(3*a*b*c+2*a*c^2-b^3-b^2*c)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)*2^{(1/2)}}/(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}}*(-x^2+1)^{(1/2)})/(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^2-a*c+b*c+(-3*a*b*c-2*a*c^2+b^3+b^2*c)/(-4*a*c+b^2)^{(1/2)})/c^{(5/2)*2^{(1/2)}}/(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 7.34, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 897, 1287, 1166, 208}

$$\frac{\left(\frac{-3abc-2ac^2+b^2c+b^3}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{5/2}\sqrt{-\sqrt{b^2-4ac}+b+2c}} + \frac{\left(\frac{-3abc-2ac^2+b^2c+b^3}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{5/2}\sqrt{\sqrt{b^2-4ac}+b+2c}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x^5*\operatorname{Sqrt}[1-x^2])/(a+b*x^2+c*x^4),x]$

[Out] $-((b*\operatorname{Sqrt}[1-x^2])/c^2) - (1-x^2)^{(3/2)}/(3*c) + ((b^2-a*c+b*c-(b^3-3*a*b*c+b^2*c-2*a*c^2)/\operatorname{Sqrt}[b^2-4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1-x^2])/\operatorname{Sqrt}[b+2*c-\operatorname{Sqrt}[b^2-4*a*c]])]/(\operatorname{Sqrt}[2]*c^{(5/2)}*\operatorname{Sqrt}[b+2*c-\operatorname{Sqrt}[b^2-4*a*c]]) + ((b^2-a*c+b*c+(b^3-3*a*b*c+b^2*c-2*a*c^2)/\operatorname{Sqrt}[b^2-4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1-x^2])/\operatorname{Sqrt}[b+2*c+\operatorname{Sqrt}[b^2-4*a*c]])]/(\operatorname{Sqrt}[2]*c^{(5/2)}*\operatorname{Sqrt}[b+2*c+\operatorname{Sqrt}[b^2-4*a*c]])$

Rule 208

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)
^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rule 1287

```
Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a
+ b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4
*a*c, 0] && IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5 \sqrt{1-x^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{1-x} x^2}{a+bx+cx^2} dx, x, x^2 \right) \\
&= -\text{Subst} \left(\int \frac{x^2 (1-x^2)^2}{a+b+c+(-b-2c)x^2+cx^4} dx, x, \sqrt{1-x^2} \right) \\
&= -\text{Subst} \left(\int \left(\frac{b}{c^2} + \frac{x^2}{c} - \frac{b(a+b+c) - (b^2-ac+bc)x^2}{c^2(a+b+c+(-b-2c)x^2+cx^4)} \right) dx, x, \sqrt{1-x^2} \right) \\
&= -\frac{b\sqrt{1-x^2}}{c^2} - \frac{(1-x^2)^{3/2}}{3c} + \frac{\text{Subst} \left(\int \frac{b(a+b+c)+(-b^2+ac-bc)x^2}{a+b+c+(-b-2c)x^2+cx^4} dx, x, \sqrt{1-x^2} \right)}{c^2} \\
&= -\frac{b\sqrt{1-x^2}}{c^2} - \frac{(1-x^2)^{3/2}}{3c} - \frac{\left(b^2-ac+bc - \frac{b^3-3abc+b^2c-2ac^2}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{\frac{1}{2}(-b-2c)+\frac{1}{2}\sqrt{b^2-4ac}+cx} \right)}{2c^2} \\
&= -\frac{b\sqrt{1-x^2}}{c^2} - \frac{(1-x^2)^{3/2}}{3c} + \frac{\left(b^2-ac+bc - \frac{b^3-3abc+b^2c-2ac^2}{\sqrt{b^2-4ac}} \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c-\sqrt{b^2-4ac}}} \right)}{\sqrt{2}c^{5/2}\sqrt{b+2c-\sqrt{b^2-4ac}}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.54, size = 354, normalized size = 1.26

$$\frac{3\sqrt{2} \left(b^2 \left(\sqrt{b^2-4ac}+c \right) + bc \left(\sqrt{b^2-4ac}-3a \right) - ac \left(\sqrt{b^2-4ac}+2c \right) + b^3 \right) \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}-b-2c}} \right) - 3\sqrt{2} \left(b^2 \left(\sqrt{b^2-4ac}-c \right) + bc \left(\sqrt{b^2-4ac}+3a \right) + ac \left(2c-\sqrt{b^2-4ac} \right) \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c-\sqrt{b^2-4ac}}} \right)}{\sqrt{b^2-4ac} \sqrt{-\sqrt{b^2-4ac}-b-2c} - \sqrt{b^2-4ac} \sqrt{b^2-4ac}}$$

$6c^{5/2}$

Antiderivative was successfully verified.

[In] Integrate[(x^5*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] $(-6*b*\text{Sqrt}[c]*\text{Sqrt}[1 - x^2] - 2*c^{(3/2)}*(1 - x^2)^{(3/2)} - (3*\text{Sqrt}[2]*(b^3 + b*c*(-3*a + \text{Sqrt}[b^2 - 4*a*c]) + b^2*(c + \text{Sqrt}[b^2 - 4*a*c]) - a*c*(2*c + \text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[1 - x^2])/\text{Sqrt}[-b - 2*c - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-b - 2*c - \text{Sqrt}[b^2 - 4*a*c]]) - (3*\text{Sqrt}[2]*(-b^3 + a*c*(2*c - \text{Sqrt}[b^2 - 4*a*c]) + b*c*(3*a + \text{Sqrt}[b^2 - 4*a*c]) + b^2*(-c + \text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*\text{Sqrt}[1 - x^2])/\text{Sqrt}[-b - 2*c + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-b - 2*c + \text{Sqrt}[b^2 - 4*a*c]]))/ (6*c^{(5/2)})$

fricas [B] time = 16.52, size = 3615, normalized size = 12.86

result too large to display

$$\begin{aligned}
& t(2) \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^2 b^2 c^4 \\
& + 26 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^* \\
& b^3 c^4 - 13 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
&) c) b^4 c^4 - 32 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^2 b^2 c^5 + 43 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^2 c^5 - 19 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& b^3 c^5 - 16 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^2 c^6 + 48 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^2 c^6 - 10 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& b^2 c^6 + 20 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* c^7 - 2(b^2 - 4ac) b^4 c^4 \\
& + 6(b^2 - 4ac) a^* b^2 c^5 - 6(b^2 - 4ac) b^3 c^5 + 16(b^2 - 4ac) a^* \\
& b^2 c^6 - 4(b^2 - 4ac) b^2 c^6 + 8(b^2 - 4ac) a^* c^7 - (2b^6 c^2 - 18 \\
& a^* b^4 c^3 + 2b^5 c^3 + 48a^2 b^2 c^4 - 16a^* b^3 c^4 - 32a^3 c^5 + 32a^2 \\
& b^2 c^5 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
&) b^6 + 9 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^4 c - 3 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
&) c) b^5 c - 24 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^2 b^2 c^2 + 18 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^3 c^2 - 7 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& b^4 c^2 + 16 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^3 c^3 - 24 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^2 b^2 c^3 + 33 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^2 c^3 - 5 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^2 c^4 + 20 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^2 c^4 - 2(b^2 - 4ac) b^4 c^2 + 10(b^2 - 4ac) a^* b^2 c^3 - 2(b^2 - 4ac) b^3 c^3 - 8(\\
& b^2 - 4ac) a^2 c^4 + 8(b^2 - 4ac) a^* b^2 c^4) c^2 - 2(\sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^* b^5 c^2 + \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
&) b^6 c^2 - 8 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& a^2 b^3 c^3 - 6 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^* b^4 c^3 \\
& + 3 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} b^5 c^3 + 2a^* b^5 c^3 \\
& + 2b^6 c^3 + 16 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^3 b^* \\
& c^4 + 8 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^2 b^2 c^4 - 11 \sqrt{2} \\
& \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^* b^3 c^4 - 16a^2 b^3 c^4 \\
& + 7 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} b^4 c^4 - 16a^* b^4 c^4 \\
& + 2b^5 c^4 - 4 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^2 b^2 c^5 \\
& + 32a^3 b^2 c^5 - 28 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} a^* b^2 \\
& c^5 + 32a^2 b^2 c^5 + 5 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
& b^3 c^5 - 16a^* b^3 c^5 - 20 \sqrt{2} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac}c} \\
&) a^* b^2 c^6 + 32a^2 b^2 c^6 - 2(b^2 - 4ac) a^* b^3 c^3 - 2(b^2 - 4ac) b^4 \\
& c^3 + 8(b^2 - 4ac) a^2 b^2 c^4 + 8(b^2 - 4ac) a^* b^2 c^4 - 2(b^2 - 4ac) \\
&) b^3 c^4 + 8(b^2 - 4ac) a^* b^2 c^5) \operatorname{arctan}(2\sqrt{1/2} \sqrt{-x^2 \\
& + 1}) / \sqrt{-(b^3 c^3 + 2c^4 + \sqrt{-4(a^3 c^3 + b^3 c^3 + c^4)} c^4 + (b^3 c^3 + 2
\end{aligned}$$

$$\begin{aligned}
& c^4)^2)/c^4))/((a*b^4*c^4 + b^5*c^4 - 8*a^2*b^2*c^5 - 6*a*b^3*c^5 + 3*b^4*c^5 + 16*a^3*c^6 + 8*a^2*b*c^6 - 11*a*b^2*c^6 + 7*b^3*c^6 - 4*a^2*c^7 - 28*a*b*c^7 + 5*b^2*c^7 - 20*a*c^8)*c^2) + 1/8*(2*b^6*c^4 - 14*a*b^4*c^5 + 6*b^5*c^5 + 24*a^2*b^2*c^6 - 40*a*b^3*c^6 + 4*b^4*c^6 + 64*a^2*b*c^7 - 24*a*b^2*c^7 + 32*a^2*c^8 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^6*c^2 + 7*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^3 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^5*c^3 - 12*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^4 + 26*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^4 - 13*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^4*c^4 - 32*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^5 + 43*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^5 - 19*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^5 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^6 + 48*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^6 - 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^2*c^6 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*c^7 - 2*(b^2 - 4*a*c)*b^4*c^4 + 6*(b^2 - 4*a*c)*a*b^2*c^5 - 6*(b^2 - 4*a*c)*b^3*c^5 + 16*(b^2 - 4*a*c)*a*b*c^6 - 4*(b^2 - 4*a*c)*b^2*c^6 + 8*(b^2 - 4*a*c)*a*c^7 - (2*b^6*c^2 - 18*a*b^4*c^3 + 2*b^5*c^3 + 48*a^2*b^2*c^4 - 16*a*b^3*c^4 - 32*a^3*c^5 + 32*a^2*b*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^6 + 9*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^5*c - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^2 + 18*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^2 - 7*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^4*c^2 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^3*c^3 - 24*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^3 + 33*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^3 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^3 - 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^4 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^4 - 2*(b^2 - 4*a*c)*b^4*c^2 + 10*(b^2 - 4*a*c)*a*b^2*c^3 - 2*(b^2 - 4*a*c)*b^3*c^3 - 8*(b^2 - 4*a*c)*a^2*c^4 + 8*(b^2 - 4*a*c)*a*b*c^4)*c^2 + 2*(\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^5*c^2 + \sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^6*c^2 - 8*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^3*c^3 - 6*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^3 + 3*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^5*c^3 - 2*a*b^5*c^3 - 2*b^6*c^3 + 16*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^3*b*c^4 + 8*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^4 - 11*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^4 + 16*a^2*b^3*c^4 + 7*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}}*c)*b^4*c^4 + 16*a*b^4*c^4 - 2*b^5*c^4 - 4*\sqrt{2}*\sqrt{-b*c -
\end{aligned}$$

$$b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * (-4 * a * c + b^2)^{(1/2)} - 2 / c^2 * a / (8 * a * c - 2 * b^2) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * \arctan(1/2 * (2 * ((-x^2 + 1)^{(1/2)} - 1)^2 / x^2 * a + 2 * (-4 * a * c + b^2)^{(1/2)} + 2 * a + 2 * b) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)}) * b^2 * (-4 * a * c + b^2)^{(1/2)} - 2 / c * a / (8 * a * c - 2 * b^2) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * \arctan(1/2 * (2 * ((-x^2 + 1)^{(1/2)} - 1)^2 / x^2 * a + 2 * (-4 * a * c + b^2)^{(1/2)} + 2 * a + 2 * b) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)}) * (-4 * a * c + b^2)^{(1/2)} * b - 8 / c * a^2 / (8 * a * c - 2 * b^2) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * \arctan(1/2 * (2 * ((-x^2 + 1)^{(1/2)} - 1)^2 / x^2 * a + 2 * (-4 * a * c + b^2)^{(1/2)} + 2 * a + 2 * b) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)}) * b - 8 * a^2 / (8 * a * c - 2 * b^2) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * \arctan(1/2 * (2 * ((-x^2 + 1)^{(1/2)} - 1)^2 / x^2 * a + 2 * (-4 * a * c + b^2)^{(1/2)} + 2 * a + 2 * b) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)}) + 2 / c^2 * a / (8 * a * c - 2 * b^2) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * \arctan(1/2 * (2 * ((-x^2 + 1)^{(1/2)} - 1)^2 / x^2 * a + 2 * (-4 * a * c + b^2)^{(1/2)} + 2 * a + 2 * b) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)}) * b^3 + 2 / c * a / (8 * a * c - 2 * b^2) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)} * \arctan(1/2 * (2 * ((-x^2 + 1)^{(1/2)} - 1)^2 / x^2 * a + 2 * (-4 * a * c + b^2)^{(1/2)} + 2 * a + 2 * b) / (4 * a * c - 2 * b^2 - 2 * (-4 * a * c + b^2)^{(1/2)} * a - 2 * b * (-4 * a * c + b^2)^{(1/2)} - 2 * a * b)^{(1/2)}) * b^2 - 2 / c^2 * b / (2 / x^2 - 2 / x^2 * (-x^2 + 1)^{(1/2)})$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2 + 1} x^5}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)*x^5/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 1.45, size = 917, normalized size = 3.26

$$\sqrt{1-x^2} \left(\frac{2}{3c} - \frac{b}{c} + 1 + \frac{x^2}{3c} \right) - \frac{\ln \left(\frac{\left(x \sqrt{-\frac{b-\sqrt{b^2-4ac}}{2c}} - 1 \right) i i}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1} - \sqrt{1-x^2} i i \right)}{x - \sqrt{-\frac{b-\sqrt{b^2-4ac}}{2c}}} \left(b^3 c + b^4 - b^3 \sqrt{b^2 - 4ac} + 4a^2 c^2 + 2a c^2 \sqrt{b^2 - 4ac} \right)}{4c^3 \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1} (4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^5*(1 - x^2)^(1/2))/(a + b*x^2 + c*x^4),x)`

[Out] $(1 - x^2)^{1/2} * (2/(3*c) - (b/c + 1)/c + x^2/(3*c)) - (\log(\frac{(x * (-b - (b^2 - 4*a*c)^{1/2})) / (2*c))^{1/2} - 1}{(b - (b^2 - 4*a*c)^{1/2}) / (2*c) + 1})^{1/2} - (1 - x^2)^{1/2} * 1i) / ((b - (b^2 - 4*a*c)^{1/2}) / (2*c))^{1/2} + 1) * (b^3*c + b^4 - b^3*(b^2 - 4*a*c)^{1/2} + 4*a^2*c^2 + 2*a*c^2*(b^2 - 4*a*c)^{1/2} - b^2*c*(b^2 - 4*a*c)^{1/2} - 4*a*b*c^2 - 5*a*b^2*c + 3*a*b*c*(b^2 - 4*a*c)^{1/2}) / (4*c^3 * ((b - (b^2 - 4*a*c)^{1/2}) / (2*c) + 1)^{1/2} * (4*a*c - b^2)) - (\log(\frac{(x * (-b + (b^2 - 4*a*c)^{1/2})) / (2*c))^{1/2} + 1}{(b + (b^2 - 4*a*c)^{1/2}) / (2*c) + 1})^{1/2} + (1 - x^2)^{1/2} * 1i) / (x + (-b + (b^2 - 4*a*c)^{1/2}) / (2*c))^{1/2}) * (b^3*c + b^4 + b^3*(b^2 - 4*a*c)^{1/2} + 4*a^2*c^2 - 2*a*c^2*(b^2 - 4*a*c)^{1/2} + b^2*c*(b^2 - 4*a*c)^{1/2} - 4*a*b*c^2 - 5*a*b^2*c - 3*a*b*c*(b^2 - 4*a*c)^{1/2}) / (4*c^3 * (4*a*c - b^2) * ((b + (b^2 - 4*a*c)^{1/2}) / (2*c) + 1)^{1/2}) - (\log(\frac{(x * (-b + (b^2 - 4*a*c)^{1/2})) / (2*c))^{1/2} - 1}{(b + (b^2 - 4*a*c)^{1/2}) / (2*c) + 1})^{1/2} - (1 - x^2)^{1/2} * 1i) / (x - (-b + (b^2 - 4*a*c)^{1/2}) / (2*c))^{1/2}) * (b^3*c + b^4 + b^3*(b^2 - 4*a*c)^{1/2} + 4*a^2*c^2 - 2*a*c^2*(b^2 - 4*a*c)^{1/2} + b^2*c*(b^2 - 4*a*c)^{1/2} - 4*a*b*c^2 - 5*a*b^2*c - 3*a*b*c*(b^2 - 4*a*c)^{1/2}) / (4*c^3 * (4*a*c - b^2) * ((b + (b^2 - 4*a*c)^{1/2}) / (2*c) + 1)^{1/2}) - (\log(\frac{(x * (-b - (b^2 - 4*a*c)^{1/2})) / (2*c))^{1/2} + 1}{(b - (b^2 - 4*a*c)^{1/2}) / (2*c) + 1})^{1/2} + (1 - x^2)^{1/2} * 1i) / (x + (-b - (b^2 - 4*a*c)^{1/2}) / (2*c))^{1/2}) * (b^3*c + b^4 - b^3*(b^2 - 4*a*c)^{1/2} + 4*a^2*c^2 + 2*a*c^2*(b^2 - 4*a*c)^{1/2} - b^2*c*(b^2 - 4*a*c)^{1/2} - 4*a*b*c^2 - 5*a*b^2*c + 3*a*b*c*(b^2 - 4*a*c)^{1/2}) / (4*c^3 * ((b - (b^2 - 4*a*c)^{1/2}) / (2*c) + 1)^{1/2} * (4*a*c - b^2))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5 \sqrt{-(x-1)(x+1)}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5*(-x**2+1)**(1/2)/(c*x**4+b*x**2+a),x)`

[Out] `Integral(x**5*sqrt(-(x - 1)*(x + 1))/(a + b*x**2 + c*x**4), x)`

$$3.377 \quad \int \frac{x^3 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=229

$$\frac{\left(-\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{3/2}\sqrt{-\sqrt{b^2-4ac}+b+2c}} - \frac{\left(-\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b+2c}} + \frac{\sqrt{1-x^2}}{c}$$

[Out] $(-x^2+1)^{(1/2)}/c-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(-x^2+1)^{(1/2)}/(b+2*c-(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(b+c+(2*a*c-b^2-b*c)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)}/(b+2*c-(-4*a*c+b^2)^{(1/2}))^{(1/2)}-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(-x^2+1)^{(1/2)}/(b+2*c+(-4*a*c+b^2)^{(1/2}))^{(1/2)})*(b+c+(-2*a*c+b^2+b*c)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)}/(b+2*c+(-4*a*c+b^2)^{(1/2}))^{(1/2)}$

Rubi [A] time = 1.75, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1251, 824, 826, 1166, 208}

$$\frac{\left(-\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{3/2}\sqrt{-\sqrt{b^2-4ac}+b+2c}} - \frac{\left(-\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b+2c}} + \frac{\sqrt{1-x^2}}{c}$$

Antiderivative was successfully verified.

[In] Int[(x^3*sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] $\operatorname{Sqrt}[1 - x^2]/c - ((b + c - (b^2 - 2*a*c + b*c))/\operatorname{Sqrt}[b^2 - 4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1 - x^2])/\operatorname{Sqrt}[b + 2*c - \operatorname{Sqrt}[b^2 - 4*a*c]]]/(\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b + 2*c - \operatorname{Sqrt}[b^2 - 4*a*c]]) - ((b + c + (b^2 - 2*a*c + b*c))/\operatorname{Sqrt}[b^2 - 4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1 - x^2])/\operatorname{Sqrt}[b + 2*c + \operatorname{Sqrt}[b^2 - 4*a*c]]]/(\operatorname{Sqrt}[2]*c^{(3/2)}*\operatorname{Sqrt}[b + 2*c + \operatorname{Sqrt}[b^2 - 4*a*c]])$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 824

Int[((d_) + (e_)*(x_)^m)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(g*(d + e*x)^m)/(c*m), x] + Dist[1/c, Int[(d + e*x)^(m - 1)*Simp[c*d*f - a*e*g + (g*c*d - b*e*g + c*e*f)*x, x]]/(a +

```
b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && FractionQ[m] && GtQ[m, 0]
```

Rule 826

```
Int[((f_.) + (g_.)*(x_))/(Sqrt[(d_.) + (e_.)*(x_)]*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)), x_Symbol] :> Dist[2, Subst[Int[(e*f - d*g + g*x^2)/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x]], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sqrt{1-x^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{1-x} x}{a+bx+cx^2} dx, x, x^2 \right) \\
&= \frac{\sqrt{1-x^2}}{c} + \frac{\text{Subst} \left(\int \frac{a+(b+c)x}{\sqrt{1-x}(a+bx+cx^2)} dx, x, x^2 \right)}{2c} \\
&= \frac{\sqrt{1-x^2}}{c} + \frac{\text{Subst} \left(\int \frac{-a-b-c+(b+c)x^2}{a+b+c+(-b-2c)x^2+cx^4} dx, x, \sqrt{1-x^2} \right)}{c} \\
&= \frac{\sqrt{1-x^2}}{c} + \frac{\left(b+c - \frac{b^2-2ac+bc}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{\frac{1}{2}(-b-2c) + \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx, x, \sqrt{1-x^2} \right)}{2c} + \frac{\left(b+c + \frac{b^2-2ac+bc}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{\frac{1}{2}(-b-2c) + \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx, x, \sqrt{1-x^2} \right)}{2c} \\
&= \frac{\sqrt{1-x^2}}{c} - \frac{\left(b+c - \frac{b^2-2ac+bc}{\sqrt{b^2-4ac}} \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c-\sqrt{b^2-4ac}}} \right)}{\sqrt{2}c^{3/2}\sqrt{b+2c-\sqrt{b^2-4ac}}} - \frac{\left(b+c + \frac{b^2-2ac+bc}{\sqrt{b^2-4ac}} \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}c^{3/2}\sqrt{b+2c+\sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 276, normalized size = 1.21

$$\frac{\left(b(c-\sqrt{b^2-4ac})-c(\sqrt{b^2-4ac}+2a)+b^2 \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{-\sqrt{b^2-4ac}+b+2c}} - \frac{\left(b(\sqrt{b^2-4ac}+c)+c(\sqrt{b^2-4ac}-2a)+b^2 \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b+2c}} + \sqrt{1-x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[1 - x^2] + ((b^2 + b*(c - Sqrt[b^2 - 4*a*c]) - c*(2*a + Sqrt[b^2 - 4*a*c]))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[1 - x^2])/Sqrt[b + 2*c - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[b + 2*c - Sqrt[b^2 - 4*a*c]]) - ((b^2 + c*(-2*a + Sqrt[b^2 - 4*a*c]) + b*(c + Sqrt[b^2 - 4*a*c]))*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[1 - x^2])/Sqrt[b + 2*c + Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c]*Sqrt[b + 2*c + Sqrt[b^2 - 4*a*c]]))/c

fricas [B] time = 6.33, size = 2053, normalized size = 8.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="fricas")

```
[Out] 1/2*(sqrt(1/2)*c*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c - (b^2*c^3 - 4*a*c^4)
)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c
^7)))/(b^2*c^3 - 4*a*c^4))*log((2*a^2*b^2 + (a*b^2*c^3 - 4*a^2*c^4)*x^2*sq
rt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c^7))
+ (a*b^3 - (a^2*b - a*b^2)*c)*x^2 - 2*(a^3 - a^2*b)*c + sqrt(1/2)*((b^4*c^3
- 6*a*b^2*c^4 + 8*a^2*c^5)*x^2*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a
b^2 - b^3)*c)/(b^2*c^6 - 4*a*c^7)) + (b^5 + 4*(a^2*b - a*b^2)*c^2 - (5*a*b
^3 - b^4)*c)*x^2)*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c - (b^2*c^3 - 4*a*c
^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c
^7)))/(b^2*c^3 - 4*a*c^4)) - 2*(a^2*b^2 - (a^3 - a^2*b)*c)*sqrt(-x^2 + 1))/
x^2) - sqrt(1/2)*c*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c - (b^2*c^3 - 4*a*c
^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a
*c^7)))/(b^2*c^3 - 4*a*c^4))*log((2*a^2*b^2 + (a*b^2*c^3 - 4*a^2*c^4)*x^2*s
qrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c^7)
) + (a*b^3 - (a^2*b - a*b^2)*c)*x^2 - 2*(a^3 - a^2*b)*c - sqrt(1/2)*((b^4*c
^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*x^2*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(
a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c^7)) + (b^5 + 4*(a^2*b - a*b^2)*c^2 - (5*a*
b^3 - b^4)*c)*x^2)*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c - (b^2*c^3 - 4*a*c
^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a
*c^7)))/(b^2*c^3 - 4*a*c^4)) - 2*(a^2*b^2 - (a^3 - a^2*b)*c)*sqrt(-x^2 + 1)
)/x^2) - sqrt(1/2)*c*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c + (b^2*c^3 - 4*a
*c^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4
*a*c^7)))/(b^2*c^3 - 4*a*c^4))*log((2*a^2*b^2 - (a*b^2*c^3 - 4*a^2*c^4)*x^2
*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c
^7)) + (a*b^3 - (a^2*b - a*b^2)*c)*x^2 - 2*(a^3 - a^2*b)*c + sqrt(1/2)*((b^4
*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*x^2*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2
*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c^7)) - (b^5 + 4*(a^2*b - a*b^2)*c^2 - (5*
a*b^3 - b^4)*c)*x^2)*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c + (b^2*c^3 - 4*a
*c^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4
*a*c^7)))/(b^2*c^3 - 4*a*c^4)) - 2*(a^2*b^2 - (a^3 - a^2*b)*c)*sqrt(-x^2 +
1))/x^2) + sqrt(1/2)*c*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c + (b^2*c^3 - 4
*a*c^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 -
4*a*c^7)))/(b^2*c^3 - 4*a*c^4))*log((2*a^2*b^2 - (a*b^2*c^3 - 4*a^2*c^4)*x
^2*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*
c^7)) + (a*b^3 - (a^2*b - a*b^2)*c)*x^2 - 2*(a^3 - a^2*b)*c - sqrt(1/2)*((b
^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*x^2*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 -
2*(a*b^2 - b^3)*c)/(b^2*c^6 - 4*a*c^7)) - (b^5 + 4*(a^2*b - a*b^2)*c^2 - (
5*a*b^3 - b^4)*c)*x^2)*sqrt((b^3 - 2*a*c^2 - (3*a*b - b^2)*c + (b^2*c^3 - 4
*a*c^4)*sqrt((b^4 + (a^2 - 2*a*b + b^2)*c^2 - 2*(a*b^2 - b^3)*c)/(b^2*c^6 -
4*a*c^7)))/(b^2*c^3 - 4*a*c^4)) - 2*(a^2*b^2 - (a^3 - a^2*b)*c)*sqrt(-x^2
+ 1))/x^2) + 2*sqrt(-x^2 + 1))/c
```

giac [B] time = 4.10, size = 4060, normalized size = 17.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\sqrt{-x^2 + 1}/c + 1/8*(2*b^5*c^4 - 12*a*b^3*c^5 + 6*b^4*c^5 + 16*a^2*b*c^6 - 32*a*b^2*c^6 + 4*b^3*c^6 + 32*a^2*c^7 - 16*a*b*c^7 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^5*c^2 + 6*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^3 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^4*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*b*c^4 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^4 - 13*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^3*c^4 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*c^5 + 26*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b*c^5 - 19*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^2*c^5 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*c^6 - 10*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b*c^6 - 2*(b^2 - 4*a*c)*b^3*c^4 + 4*(b^2 - 4*a*c)*a*b*c^5 - 6*(b^2 - 4*a*c)*b^2*c^5 + 8*(b^2 - 4*a*c)*a*c^6 - 4*(b^2 - 4*a*c)*b*c^6 - (2*b^5*c^2 - 16*a*b^3*c^3 + 2*b^4*c^3 + 32*a^2*b*c^4 - 16*a*b^2*c^4 + 32*a^2*c^5 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^5 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c - 3*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^4*c - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*b*c^2 + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^2 - 7*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^3*c^2 - 16*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*c^3 + 28*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b*c^3 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^2*c^3 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*c^4 - 2*(b^2 - 4*a*c)*b^3*c^2 + 8*(b^2 - 4*a*c)*a*b*c^3 - 2*(b^2 - 4*a*c)*b^2*c^3 + 8*(b^2 - 4*a*c)*a*c^4)*c^2 - 2*(\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c^2 + \sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^5*c^2 - 8*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c^3 - 6*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^3 + 3*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^4*c^3 + 2*a*b^4*c^3 + 2*b^5*c^3 + 16*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^3*c^4 + 8*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*b*c^4 - 11*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c^4 - 16*a^2*b^2*c^4 + 7*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^3*c^4 - 16*a*b^3*c^4 + 2*b^4*c^4 - 4*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*c^5 + 32*a^3*c^5 - 28*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b*c^5 + 32*a^2*b*c^5 + 5*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^2*c^5 - 16*a*b^2*c^5 - 20*\sqrt{2}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*c^6 + 32*a^2*c^6 - 2*(b^2 - 4*a*c)*a*b^2*c^3 - 2*($

$$\begin{aligned}
& b^2 - 4ac) * b^3 * c^3 + 8 * (b^2 - 4ac) * a^2 * c^4 + 8 * (b^2 - 4ac) * a * b * c^4 - \\
& 2 * (b^2 - 4ac) * b^2 * c^4 + 8 * (b^2 - 4ac) * a * c^5) * \text{abs}(c) * \arctan(2 * \sqrt{1/2} \\
& * \sqrt{-x^2 + 1} / \sqrt{-(b * c + 2 * c^2 + \sqrt{-4 * (a * c + b * c + c^2) * c^2 + (b * c + \\
& 2 * c^2)^2}) / c^2}) / ((a * b^4 * c^3 + b^5 * c^3 - 8 * a^2 * b^2 * c^4 - 6 * a * b^3 * c^4 + 3 * b \\
& ^4 * c^4 + 16 * a^3 * c^5 + 8 * a^2 * b * c^5 - 11 * a * b^2 * c^5 + 7 * b^3 * c^5 - 4 * a^2 * c^6 - \\
& 28 * a * b * c^6 + 5 * b^2 * c^6 - 20 * a * c^7) * c^2) - 1/8 * (2 * b^5 * c^4 - 12 * a * b^3 * c^5 + 6 \\
& * b^4 * c^5 + 16 * a^2 * b * c^6 - 32 * a * b^2 * c^6 + 4 * b^3 * c^6 + 32 * a^2 * c^7 - 16 * a * b * c^ \\
& 7 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^5 * \\
& c^2 + 6 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * \\
& a * b^3 * c^3 - 5 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} \\
& c) * c) * b^4 * c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - \\
& 4ac}} * c) * a^2 * b * c^4 + 20 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{ \\
& (b^2 - 4ac) * c} * a * b^2 * c^4 - 13 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 \\
& + \sqrt{b^2 - 4ac}} * c) * b^3 * c^4 - 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - \\
& 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^2 * c^5 + 26 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b \\
& * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * b * c^5 - 19 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{ \\
& -b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^2 * c^5 + 20 * \sqrt{2} * \sqrt{b^2 - 4ac} \\
& c) * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * c^6 - 10 * \sqrt{2} * \sqrt{b^2 - 4 \\
& * ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b * c^6 - 2 * (b^2 - 4ac) * b^3 * \\
& c^4 + 4 * (b^2 - 4ac) * a * b * c^5 - 6 * (b^2 - 4ac) * b^2 * c^5 + 8 * (b^2 - 4ac) * a \\
& * c^6 - 4 * (b^2 - 4ac) * b * c^6 - (2 * b^5 * c^2 - 16 * a * b^3 * c^3 + 2 * b^4 * c^3 + 32 * a \\
& ^2 * b * c^4 - 16 * a * b^2 * c^4 + 32 * a^2 * c^5 - \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c \\
& - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^5 + 8 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c \\
& - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * b^3 * c - 3 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{- \\
& b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^4 * c - 16 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{ \\
& -b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^2 * b * c^2 + 16 * \sqrt{2} * \sqrt{b^2 - 4ac} \\
& c) * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * b^2 * c^2 - 7 * \sqrt{2} * \sqrt{b^2 \\
& - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^3 * c^2 - 16 * \sqrt{2} * \sqrt{ \\
& (b^2 - 4ac) * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^2 * c^3 + 28 * \sqrt{2} \\
&) * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * b * c^3 - 5 * \sqrt{ \\
& 2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^2 * c^3 + \\
& 20 * \sqrt{2} * \sqrt{b^2 - 4ac} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * c^4 \\
& - 2 * (b^2 - 4ac) * b^3 * c^2 + 8 * (b^2 - 4ac) * a * b * c^3 - 2 * (b^2 - 4ac) * b^2 * \\
& c^3 + 8 * (b^2 - 4ac) * a * c^4) * c^2 + 2 * (\sqrt{2} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 \\
& - 4ac}} * c) * a * b^4 * c^2 + \sqrt{2} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^ \\
& 5 * c^2 - 8 * \sqrt{2} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^2 * b^2 * c^3 - 6 * \\
& \sqrt{2} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * b^3 * c^3 + 3 * \sqrt{2} * \sqrt{ \\
& -b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^4 * c^3 - 2 * a * b^4 * c^3 - 2 * b^5 * c^3 + 16 \\
& * \sqrt{2} * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^3 * c^4 + 8 * \sqrt{2} * \sqrt{ \\
& -b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^2 * b * c^4 - 11 * \sqrt{2} * \sqrt{-b * c - 2 * c^ \\
& 2 + \sqrt{b^2 - 4ac}} * c) * a * b^2 * c^4 + 16 * a^2 * b^2 * c^4 + 7 * \sqrt{2} * \sqrt{-b * c - \\
& 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^3 * c^4 + 16 * a * b^3 * c^4 - 2 * b^4 * c^4 - 4 * \sqrt{2} \\
&) * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a^2 * c^5 - 32 * a^3 * c^5 - 28 * \sqrt{2} \\
&) * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * a * b * c^5 - 32 * a^2 * b * c^5 + 5 * \sqrt{2} \\
&) * \sqrt{-b * c - 2 * c^2 + \sqrt{b^2 - 4ac}} * c) * b^2 * c^5 + 16 * a * b^2 * c^5 - 20 * \sqrt{2}
\end{aligned}$$

$t(2) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c \cdot a \cdot c^6 - 32 \cdot a^2 \cdot c^6 + 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b^2 \cdot c^3 + 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^3 \cdot c^3 - 8 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a^2 \cdot c^4 - 8 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot b \cdot c^4 + 2 \cdot (b^2 - 4 \cdot a \cdot c) \cdot b^2 \cdot c^4 - 8 \cdot (b^2 - 4 \cdot a \cdot c) \cdot a \cdot c^5 \cdot \text{abs}(c) \cdot \arctan\left(\frac{2 \cdot \sqrt{1/2} \cdot \sqrt{-x^2 + 1}}{\sqrt{-(b \cdot c + 2 \cdot c^2 - \sqrt{-4 \cdot (a \cdot c + b \cdot c + c^2)} \cdot c^2 + (b \cdot c + 2 \cdot c^2)^2)) / c^2}}\right) / ((a \cdot b^4 \cdot c^3 + b^5 \cdot c^3 - 8 \cdot a^2 \cdot b^2 \cdot c^4 - 6 \cdot a \cdot b^3 \cdot c^4 + 3 \cdot b^4 \cdot c^4 + 16 \cdot a^3 \cdot c^5 + 8 \cdot a^2 \cdot b \cdot c^5 - 11 \cdot a \cdot b^2 \cdot c^5 + 7 \cdot b^3 \cdot c^5 - 4 \cdot a^2 \cdot c^6 - 28 \cdot a \cdot b \cdot c^6 + 5 \cdot b^2 \cdot c^6 - 20 \cdot a \cdot c^7) \cdot c^2)$

maple [B] time = 0.06, size = 1223, normalized size = 5.34

$$\frac{8a^2 \arctan\left(\frac{-2a-2b-\frac{2(\sqrt{-x^2+1}-1)^2}{x^2}a+2\sqrt{-4ac+b^2}}{2\sqrt{-2ab+4ac-2b^2+2\sqrt{-4ac+b^2}}a+2\sqrt{-4ac+b^2}b}\right)}{(8ac-2b^2)\sqrt{-2ab+4ac-2b^2+2\sqrt{-4ac+b^2}}a+2\sqrt{-4ac+b^2}b} + \frac{8a^2 \arctan\left(\frac{2a+2b+\frac{2(\sqrt{-x^2+1}-1)^2}{x^2}a+2\sqrt{-4ac+b^2}}{2\sqrt{-2ab+4ac-2b^2-2\sqrt{-4ac+b^2}}a+2\sqrt{-4ac+b^2}b}\right)}{(8ac-2b^2)\sqrt{-2ab+4ac-2b^2-2\sqrt{-4ac+b^2}}a+2\sqrt{-4ac+b^2}b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^3 \cdot (-x^2+1)^{(1/2)} / (c \cdot x^4 + b \cdot x^2 + a), x)$

[Out] $\frac{2}{(8 \cdot a \cdot c - 2 \cdot b^2)} / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a \cdot b / c \cdot \arctan\left(\frac{1/2 \cdot (-2 \cdot a - 2 \cdot b - 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) + 4 \cdot a / (8 \cdot a \cdot c - 2 \cdot b^2) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot \arctan\left(\frac{1/2 \cdot (-2 \cdot a - 2 \cdot b - 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) - 8 / (8 \cdot a \cdot c - 2 \cdot b^2) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot a^2 \cdot \arctan\left(\frac{1/2 \cdot (-2 \cdot a - 2 \cdot b - 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) + 2 / (8 \cdot a \cdot c - 2 \cdot b^2) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot a \cdot b^2 / c \cdot \arctan\left(\frac{1/2 \cdot (-2 \cdot a - 2 \cdot b - 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) + 2 / (8 \cdot a \cdot c - 2 \cdot b^2) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot a \cdot b / c \cdot \arctan\left(\frac{1/2 \cdot (2 \cdot a + 2 \cdot b + 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot \arctan\left(\frac{1/2 \cdot (2 \cdot a + 2 \cdot b + 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) + 8 / (8 \cdot a \cdot c - 2 \cdot b^2) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)} \cdot a^2 \cdot \arctan\left(\frac{1/2 \cdot (2 \cdot a + 2 \cdot b + 2 \cdot ((-x^2+1)^{(1/2)} - 1)^2 \cdot a / x^2 + 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)})}{(-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b}\right) - 2 / (8 \cdot a \cdot c - 2 \cdot b^2) / (-2 \cdot a \cdot b + 4 \cdot a \cdot c - 2 \cdot b^2 - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)}) \cdot a - 2 \cdot (-4 \cdot a \cdot c + b^2)^{(1/2)} \cdot b)^{(1/2)}$

$$\begin{aligned} & \sqrt{1-x^2} \cdot a - 2 \cdot (-4ac + b^2)^{1/2} \cdot b \sqrt{1-x^2} \cdot a \cdot b^2 / c \cdot \arctan\left(\frac{1}{2} \cdot (2a + 2b + 2 \cdot (-x^2 + 1)^{1/2} - 1) \sqrt{a/x^2 + 2 \cdot (-4ac + b^2)^{1/2}} / (-2ab + 4ac - 2b^2 - 2 \cdot (-4ac + b^2)^{1/2}) \cdot a - 2 \cdot (-4ac + b^2)^{1/2} \cdot b \sqrt{1-x^2}\right) + 2/c \cdot (1/x^2 \cdot (-x^2 + 1) - 2 \cdot (-x^2 + 1)^{1/2}) / x^2 + 1/x^2 + 1 \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1} x^3}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)*x^3/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 1.31, size = 776, normalized size = 3.39

$$\frac{\sqrt{1-x^2}}{c} \cdot \ln \left(\frac{\left(x \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} - 1 \right) i i}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1} - \sqrt{1-x^2} i i \right)}{x - \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}} \left(4ac^2 - b^2c - b^3 + b^2 \sqrt{b^2 - 4ac} + 4abc - 2ac \sqrt{b^2 - 4ac} + bc \sqrt{b^2 - 4ac} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*(1 - x^2)^(1/2))/(a + b*x^2 + c*x^4),x)

[Out] $(1 - x^2)^{1/2} / c - (\log(\frac{(x \cdot (-b - (b^2 - 4ac)^{1/2}) / (2c))^{1/2} - 1}{(b - (b^2 - 4ac)^{1/2}) / (2c) + 1})^{1/2} - (1 - x^2)^{1/2} \cdot i i) / (x - (-b - (b^2 - 4ac)^{1/2}) / (2c))^{1/2}) \cdot (4ac^2 - b^2c - b^3 + b^2 \cdot (b^2 - 4ac)^{1/2} + 4ab \cdot c - 2ac \cdot (b^2 - 4ac)^{1/2} + b \cdot c \cdot (b^2 - 4ac)^{1/2}) / (4c^2 \cdot ((b - (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2} \cdot (4ac - b^2)) + (\log(\frac{(x \cdot (-b + (b^2 - 4ac)^{1/2}) / (2c))^{1/2} - 1}{(b + (b^2 - 4ac)^{1/2}) / (2c) + 1})^{1/2} - (1 - x^2)^{1/2} \cdot i i) / (x - (-b + (b^2 - 4ac)^{1/2}) / (2c))^{1/2}) \cdot (b^2c - 4ac^2 + b^3 + b^2 \cdot (b^2 - 4ac)^{1/2} - 4ab \cdot c - 2ac \cdot (b^2 - 4ac)^{1/2} + b \cdot c \cdot (b^2 - 4ac)^{1/2}) / (4c^2 \cdot (4ac - b^2) \cdot ((b + (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2}) - (\log(\frac{(x \cdot (-b - (b^2 - 4ac)^{1/2}) / (2c))^{1/2} + 1}{(b - (b^2 - 4ac)^{1/2}) / (2c) + 1})^{1/2} - (1 - x^2)^{1/2} \cdot i i) / (x + (-b - (b^2 - 4ac)^{1/2}) / (2c))^{1/2}) \cdot (4ac^2 - b^2c - b^3 + b^2 \cdot (b^2 - 4ac)^{1/2} + 4ab \cdot c - 2ac \cdot (b^2 - 4ac)^{1/2} + b \cdot c \cdot (b^2 - 4ac)^{1/2}) / (4c^2 \cdot ((b - (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2} \cdot (4ac - b^2)) + (\log(\frac{(x \cdot (-b + (b^2 - 4ac)^{1/2}) / (2c))^{1/2} + 1}{(b + (b^2 - 4ac)^{1/2}) / (2c) + 1})^{1/2} - (1 - x^2)^{1/2} \cdot i i) / (x + (-b + (b^2 - 4ac)^{1/2}) / (2c))^{1/2}) \cdot (b^2c - 4ac^2 + b^3 + b^2 \cdot (b^2 - 4ac)^{1/2} - 4ab \cdot c - 2ac \cdot (b^2 - 4ac)^{1/2} + b \cdot c \cdot (b^2 - 4ac)^{1/2}) / (4c^2 \cdot (4ac - b^2) \cdot ((b + (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2})$

$$\frac{2)) / (2*c))^{(1/2)} + 1) * 1i) / ((b + (b^2 - 4*a*c)^{(1/2)}) / (2*c) + 1)^{(1/2)} + (1 - x^2)^{(1/2)} * 1i) / (x + (-(b + (b^2 - 4*a*c)^{(1/2)}) / (2*c))^{(1/2)}) * (b^2*c - 4*a*c^2 + b^3 + b^2*(b^2 - 4*a*c)^{(1/2)} - 4*a*b*c - 2*a*c*(b^2 - 4*a*c)^{(1/2)} + b*c*(b^2 - 4*a*c)^{(1/2)}) / (4*c^2*(4*a*c - b^2) * ((b + (b^2 - 4*a*c)^{(1/2)}) / (2*c) + 1)^{(1/2)})$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sqrt{-(x-1)(x+1)}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(-x**2+1)**(1/2)/(c*x**4+b*x**2+a), x)

[Out] Integral(x**3*sqrt(-(x - 1)*(x + 1))/(a + b*x**2 + c*x**4), x)

$$3.378 \quad \int \frac{x\sqrt{1-x^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=182

$$\frac{\sqrt{\sqrt{b^2-4ac}+b+2c} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} - \frac{\sqrt{-\sqrt{b^2-4ac}+b+2c} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}}$$

[Out] $-1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}*(-x^2+1)^{(1/2)}/(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}}))*(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*2^{(1/2)}/c^{(1/2)}/(-4*a*c+b^2)^{(1/2)}+1/2*\operatorname{arctanh}(2^{(1/2)*c^{(1/2)}*(-x^2+1)^{(1/2)}/(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}})*(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*2^{(1/2)}/c^{(1/2)}/(-4*a*c+b^2)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1247, 699, 1130, 208}

$$\frac{\sqrt{\sqrt{b^2-4ac}+b+2c} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} - \frac{\sqrt{-\sqrt{b^2-4ac}+b+2c} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[(x*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] $-\left(\frac{\left(\sqrt{b+2*c}-\sqrt{b^2-4*a*c}\right)*\operatorname{ArcTanh}\left[\frac{\sqrt{2}*\sqrt{c}*\sqrt{1-x^2}}{\sqrt{b+2*c}-\sqrt{b^2-4*a*c}}\right]}{\left(\sqrt{2}*\sqrt{c}*\sqrt{b^2-4*a*c}\right)}\right)+\left(\frac{\left(\sqrt{b+2*c}+\sqrt{b^2-4*a*c}\right)*\operatorname{ArcTanh}\left[\frac{\sqrt{2}*\sqrt{c}*\sqrt{1-x^2}}{\sqrt{b+2*c}+\sqrt{b^2-4*a*c}}\right]}{\left(\sqrt{2}*\sqrt{c}*\sqrt{b^2-4*a*c}\right)}\right)$

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 699

Int[Sqrt[(d_.) + (e_.)*(x_)]/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[2*e, Subst[Int[x^2/(c*d^2 - b*d*e + a*e^2 - (2*c*d - b*e)*x^2 + c*x^4), x], x, Sqrt[d + e*x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0]

Rule 1130

```
Int[((d_.)*(x_))^(m_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(d^2*(b/q + 1))/2, Int[(d*x)^(m - 2)/(b/2 + q/2 + c*x^2), x], x] - Dist[(d^2*(b/q - 1))/2, Int[(d*x)^(m - 2)/(b/2 - q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4*a*c, 0] && GeQ[m, 2]
```

Rule 1247

```
Int[(x_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{x\sqrt{1-x^2}}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{1-x}}{a+bx+cx^2} dx, x, x^2 \right) \\ &= -\text{Subst} \left(\int \frac{x^2}{a+b+c+(-b-2c)x^2+cx^4} dx, x, \sqrt{1-x^2} \right) \\ &= \frac{1}{2} \left(-1 - \frac{b+2c}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{\frac{1}{2}(-b-2c) - \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx, x, \sqrt{1-x^2} \right) - \frac{1}{2} \left(1 - \frac{\sqrt{b+2c-\sqrt{b^2-4ac}} \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c-\sqrt{b^2-4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{\sqrt{b+2c+\sqrt{b^2-4ac}} \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} \right) \end{aligned}$$

Mathematica [A] time = 0.24, size = 169, normalized size = 0.93

$$\frac{\sqrt{-\sqrt{b^2-4ac}-b-2c} \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}-b-2c}} \right) - \sqrt{\sqrt{b^2-4ac}-b-2c} \tan^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}-b-2c}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]
```

```
[Out] (Sqrt[-b - 2*c - Sqrt[b^2 - 4*a*c]]*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[1 - x^2])/Sqrt[-b - 2*c - Sqrt[b^2 - 4*a*c]]] - Sqrt[-b - 2*c + Sqrt[b^2 - 4*a*c]]*ArcTan[(Sqrt[2]*Sqrt[c]*Sqrt[1 - x^2])/Sqrt[-b - 2*c + Sqrt[b^2 - 4*a*c]]])/(Sqrt[2]*Sqrt[c]*Sqrt[b^2 - 4*a*c])
```

fricas [B] time = 2.84, size = 871, normalized size = 4.79

$$-\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}} \log \left(\frac{bx^2 + \frac{(b^2c-4ac^2)x^2}{\sqrt{b^2c^2-4ac^3}} + \sqrt{\frac{1}{2}} \left((b^2-4ac)x^2 + \frac{(b^3c-4abc^2)x^2}{\sqrt{b^2c^2-4ac^3}} \right) \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}}}{x^2} - 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$-\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}} \log\left(\frac{bx^2 + \frac{(b^2c-4ac^2)x^2}{\sqrt{b^2c^2-4ac^3}} + \sqrt{\frac{1}{2}} \left((b^2-4ac)x^2 + \frac{(b^3c-4abc^2)x^2}{\sqrt{b^2c^2-4ac^3}} \right) \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}}}{x^2} - 2\right) + \sqrt{\frac{1}{2}} \left((b^2-4ac)x^2 + \frac{(b^3c-4abc^2)x^2}{\sqrt{b^2c^2-4ac^3}} \right) \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}} - 2 \sqrt{-x^2+1} a + 2a/x^2 + \frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}} \log\left(\frac{bx^2 + \frac{(b^2c-4ac^2)x^2}{\sqrt{b^2c^2-4ac^3}} - \sqrt{\frac{1}{2}} \left((b^2-4ac)x^2 + \frac{(b^3c-4abc^2)x^2}{\sqrt{b^2c^2-4ac^3}} \right) \sqrt{\frac{b+2c-\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}}}{x^2} - 2\right) - \frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{b+2c+\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}} \log\left(\frac{bx^2 - \frac{(b^2c-4ac^2)x^2}{\sqrt{b^2c^2-4ac^3}} + \sqrt{\frac{1}{2}} \left((b^2-4ac)x^2 - \frac{(b^3c-4abc^2)x^2}{\sqrt{b^2c^2-4ac^3}} \right) \sqrt{\frac{b+2c+\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}}}{x^2} - 2\right) + \frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{b+2c+\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}} \log\left(\frac{bx^2 - \frac{(b^2c-4ac^2)x^2}{\sqrt{b^2c^2-4ac^3}} - \sqrt{\frac{1}{2}} \left((b^2-4ac)x^2 - \frac{(b^3c-4abc^2)x^2}{\sqrt{b^2c^2-4ac^3}} \right) \sqrt{\frac{b+2c+\frac{b^2c-4ac^2}{\sqrt{b^2c^2-4ac^3}}}{b^2c-4ac^2}}}{x^2} - 2\right) - 2 \sqrt{-x^2+1} a + 2a/x^2$$

giac [B] time = 4.24, size = 591, normalized size = 3.25

$$\frac{\left(2b^2c^2 - 8ac^3 - \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac} c} b^2 + 4 \sqrt{2} \sqrt{b^2 - 4ac} \sqrt{-bc - 2c^2 - \sqrt{b^2 - 4ac} c} ac - \dots\right)}{2(b^4 - 8ab^2c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

$$\frac{(2+1)^{(1/2)-1} \cdot 2a/x^2 + 2(-4ac+b^2)^{(1/2)}}{(-2ab+4ac-2b^2-2(-4ac+b^2)^{(1/2)}) \cdot a - 2(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)} \cdot \frac{(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)}{(-2ab+4ac-2b^2-2(-4ac+b^2)^{(1/2)}) \cdot a - 2(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)} \cdot \arctan\left(\frac{1/2(2a+2b+2((-x^2+1)^{(1/2)-1} \cdot 2a/x^2 + 2(-4ac+b^2)^{(1/2)})}{(-2ab+4ac-2b^2-2(-4ac+b^2)^{(1/2)}) \cdot a - 2(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)}\right) \cdot \frac{(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)}{(-2ab+4ac-2b^2-2(-4ac+b^2)^{(1/2)}) \cdot a - 2(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)} \cdot \arctan\left(\frac{1/2(2a+2b+2((-x^2+1)^{(1/2)-1} \cdot 2a/x^2 + 2(-4ac+b^2)^{(1/2)})}{(-2ab+4ac-2b^2-2(-4ac+b^2)^{(1/2)}) \cdot a - 2(-4ac+b^2)^{(1/2)} \cdot b + 4a/(4ac-b^2)}\right) \cdot b^2$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1} x}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)*x/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 1.29, size = 649, normalized size = 3.57

$$\frac{\ln\left(\frac{\left(x\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}-1\right)^{1i}}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}+1}-\sqrt{1-x^2} 1i\right)}{x-\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}}\left(4ac+b\sqrt{b^2-4ac}+2c\sqrt{b^2-4ac}-b^2\right)}{4c\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}+1(4ac-b^2)} \quad \frac{\ln\left(\frac{\left(x\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}}-1\right)^{1i}}{\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}}+1}-\sqrt{1-x^2} 1i\right)}{x-\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}}}\left(b\right)}{4c(4ac-b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*(1-x^2)^(1/2))/(a+b*x^2+c*x^4), x)

[Out] (log((((x*(-(b-(b^2-4ac)^(1/2)))/(2c))^(1/2)-1)*1i)/((b-(b^2-4ac)^(1/2))/(2c)+1)^(1/2)-(1-x^2)^(1/2)*1i)/(x-(-(b-(b^2-4ac)^(1/2))/(2c))^(1/2)))*(4ac+b*(b^2-4ac)^(1/2)+2c*(b^2-4ac)^(1/2)-b^2)/(4c*((b-(b^2-4ac)^(1/2))/(2c)+1)^(1/2)*(4ac-b^2))-(log((((x*(-(b+(b^2-4ac)^(1/2)))/(2c))^(1/2)-1)*1i)/((b+(b^2-4ac)^(1/2))/(2c)+1)^(1/2)-(1-x^2)^(1/2)*1i)/(x-(-(b+(b^2-4ac)^(1/2))/(2c))^(1/2)))*(b*(b^2-4ac)^(1/2)-4ac+2c*(b^2-4ac)^(1/2)+b^2)/(4c*(4ac-b^2)*((b+(b^2-4ac)^(1/2))/(2c)+1)^(1/2))+log((((x*(-(b-(b^2-4ac)^(1/2)))/(2c))^(1/2)+1)*1i)/((b-(b^2-4ac)^(1/2))/(2c)+1)^(1/2)+(1-x^2)^(1/2)*1i)/(x+(-(b-(b^2-4ac)^(1/2))/(2c))^(1/2))

$$\frac{(b^2 - 4ac)^{1/2}}{(2c)^{1/2}}) * (4ac + b(b^2 - 4ac)^{1/2} + 2c(b^2 - 4ac)^{1/2} - b^2) / (4c * ((b - (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2}) * (4ac - b^2) - (\log(((x * (-b + (b^2 - 4ac)^{1/2}) / (2c))^{1/2} + 1) * 1i) / ((b + (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2} + (1 - x^2)^{1/2} * 1i) / (x + (-b + (b^2 - 4ac)^{1/2}) / (2c))^{1/2})) * (b(b^2 - 4ac)^{1/2} - 4ac + 2c * (b^2 - 4ac)^{1/2} + b^2) / (4c * (4ac - b^2) * ((b + (b^2 - 4ac)^{1/2}) / (2c) + 1)^{1/2}))$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sqrt{-(x-1)(x+1)}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(-x**2+1)**(1/2)/(c*x**4+b*x**2+a),x)

[Out] Integral(x*sqrt(-(x - 1)*(x + 1))/(a + b*x**2 + c*x**4), x)

$$3.379 \quad \int \frac{\sqrt{1-x^2}}{x(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=241

$$\frac{\sqrt{c} \left(\sqrt{b^2 - 4ac} + 2a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right) - \sqrt{c} \left(-\sqrt{b^2 - 4ac} + 2a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{-\sqrt{b^2 - 4ac} + b + 2c} - \sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b + 2c}} \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)$$

[Out] $-\operatorname{arctanh}\left(\frac{-x^2+1}{a+1/2*2*arctanh(2^{1/2}*c^{1/2}*(-x^2+1)^{1/2}/(b+2*c-(-4*a*c+b^2)^{1/2})^{1/2})} \right) / a + 1/2*arctanh(2^{1/2}*c^{1/2}*(-x^2+1)^{1/2}/(b+2*c-(-4*a*c+b^2)^{1/2})^{1/2}) / a + 1/2*arctanh(2^{1/2}*c^{1/2}*(-x^2+1)^{1/2}/(b+2*c+(-4*a*c+b^2)^{1/2})^{1/2}) / a - 1/2*arctanh(2^{1/2}*c^{1/2}*(-x^2+1)^{1/2}/(b+2*c+(-4*a*c+b^2)^{1/2})^{1/2}) / a$

Rubi [A] time = 1.65, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 897, 1287, 207, 1166, 208}

$$\frac{\sqrt{c} \left(\sqrt{b^2 - 4ac} + 2a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right) - \sqrt{c} \left(-\sqrt{b^2 - 4ac} + 2a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{-\sqrt{b^2 - 4ac} + b + 2c} - \sqrt{2} a \sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b + 2c}} \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - x^2]/(x*(a + b*x^2 + c*x^4)),x]

[Out] $-(\operatorname{ArcTanh}[\operatorname{Sqrt}[1 - x^2]]/a) + (\operatorname{Sqrt}[c]*(2*a + b + \operatorname{Sqrt}[b^2 - 4*a*c]))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1 - x^2])/\operatorname{Sqrt}[b + 2*c - \operatorname{Sqrt}[b^2 - 4*a*c]]]/(\operatorname{Sqrt}[2]*a*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[b + 2*c - \operatorname{Sqrt}[b^2 - 4*a*c]]) - (\operatorname{Sqrt}[c]*(2*a + b - \operatorname{Sqrt}[b^2 - 4*a*c]))*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1 - x^2])/\operatorname{Sqrt}[b + 2*c + \operatorname{Sqrt}[b^2 - 4*a*c]]]/(\operatorname{Sqrt}[2]*a*\operatorname{Sqrt}[b^2 - 4*a*c]*\operatorname{Sqrt}[b + 2*c + \operatorname{Sqrt}[b^2 - 4*a*c]])$

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 897

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1287

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-x^2}}{x(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{1-x}}{x(a+bx+cx^2)} dx, x, x^2 \right) \\
&= -\text{Subst} \left(\int \frac{x^2}{(1-x^2)(a+b+c+(-b-2c)x^2+cx^4)} dx, x, \sqrt{1-x^2} \right) \\
&= -\text{Subst} \left(\int \left(-\frac{1}{a(-1+x^2)} + \frac{-a-b-c+cx^2}{a(a+b+c-(b+2c)x^2+cx^4)} \right) dx, x, \sqrt{1-x^2} \right) \\
&= \frac{\text{Subst} \left(\int \frac{1}{-1+x^2} dx, x, \sqrt{1-x^2} \right)}{a} - \frac{\text{Subst} \left(\int \frac{-a-b-c+cx^2}{a+b+c+(-b-2c)x^2+cx^4} dx, x, \sqrt{1-x^2} \right)}{a} \\
&= \frac{\tanh^{-1}(\sqrt{1-x^2})}{a} + \frac{\left(c(2a+b-\sqrt{b^2-4ac}) \right) \text{Subst} \left(\int \frac{1}{\frac{1}{2}(-b-2c)-\frac{1}{2}\sqrt{b^2-4ac}+cx^2} dx, x, \sqrt{1-x^2} \right)}{2a\sqrt{b^2-4ac}} \\
&= \frac{\tanh^{-1}(\sqrt{1-x^2})}{a} + \frac{\sqrt{c} \left(2a+b+\sqrt{b^2-4ac} \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c-\sqrt{b^2-4ac}}} \right)}{\sqrt{2}a\sqrt{b^2-4ac}\sqrt{b+2c-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left(2a+b-\sqrt{b^2-4ac} \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{b+2c+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}a\sqrt{b^2-4ac}\sqrt{b+2c+\sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 212, normalized size = 0.88

$$\frac{\sqrt{2} \left(\sqrt{-\sqrt{b^2-4ac}+b+2c} \left(\sqrt{b^2-4ac}+b \right) \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right) + \left(\sqrt{b^2-4ac}-b \right) \sqrt{\sqrt{b^2-4ac}+b+2c} \tanh^{-1} \left(\frac{\sqrt{2}\sqrt{c}\sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right) \right)}{\sqrt{c}\sqrt{b^2-4ac}} - 4 \tanh^{-1}(\sqrt{1-x^2})$$

4a

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - x^2]/(x*(a + b*x^2 + c*x^4)), x]

[Out] (-4*ArcTanh[Sqrt[1 - x^2]] + (Sqrt[2]*(Sqrt[b + 2*c - Sqrt[b^2 - 4*a*c]]*(b + Sqrt[b^2 - 4*a*c])*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[1 - x^2])/Sqrt[b + 2*c - Sqrt[b^2 - 4*a*c]]) + (-b + Sqrt[b^2 - 4*a*c])*Sqrt[b + 2*c + Sqrt[b^2 - 4*a*c]]*ArcTanh[(Sqrt[2]*Sqrt[c]*Sqrt[1 - x^2])/Sqrt[b + 2*c + Sqrt[b^2 - 4*a*c]]]))/(Sqrt[c]*Sqrt[b^2 - 4*a*c])/(4*a)

fricas [B] time = 13.25, size = 1232, normalized size = 5.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] $\frac{1}{2} \cdot \frac{\sqrt{\frac{1}{2}} \cdot a \cdot \sqrt{(a \cdot b + b^2 - 2 \cdot a \cdot c + (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \log\left(\frac{2 \cdot \sqrt{\frac{1}{2}} \cdot (a^3 \cdot b^2 - 4 \cdot a^4 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2 - 2 \cdot a \cdot c + (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} + (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)} + (a \cdot b + b^2) \cdot x^2 + 2 \cdot a^2 + 2 \cdot a \cdot b - 2 \cdot (a^2 + a \cdot b) \cdot \sqrt{-x^2 + 1} / x^2 - \sqrt{\frac{1}{2}} \cdot a \cdot \sqrt{(a \cdot b + b^2 - 2 \cdot a \cdot c + (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \log\left(\frac{-2 \cdot \sqrt{\frac{1}{2}} \cdot (a^3 \cdot b^2 - 4 \cdot a^4 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2 - 2 \cdot a \cdot c + (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} - (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)} - (a \cdot b + b^2) \cdot x^2 - 2 \cdot a^2 - 2 \cdot a \cdot b + 2 \cdot (a^2 + a \cdot b) \cdot \sqrt{-x^2 + 1} / x^2 + \sqrt{\frac{1}{2}} \cdot a \cdot \sqrt{(a \cdot b + b^2 - 2 \cdot a \cdot c - (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \log\left(\frac{-2 \cdot \sqrt{\frac{1}{2}} \cdot (a^3 \cdot b^2 - 4 \cdot a^4 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2 - 4 \cdot a^3 \cdot c) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} + (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)} - (a \cdot b + b^2) \cdot x^2 - 2 \cdot a^2 - 2 \cdot a \cdot b + 2 \cdot (a^2 + a \cdot b) \cdot \sqrt{-x^2 + 1} / x^2 - \sqrt{\frac{1}{2}} \cdot a \cdot \sqrt{(a \cdot b + b^2 - 2 \cdot a \cdot c - (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \log\left(\frac{2 \cdot \sqrt{\frac{1}{2}} \cdot (a^3 \cdot b^2 - 4 \cdot a^4 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2 - 4 \cdot a^3 \cdot c) \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)}}}{(a^2 \cdot b^2 - 4 \cdot a^3 \cdot c)} - (a^2 \cdot b^2 - 4 \cdot a^3 \cdot c) \cdot x^2 \cdot \sqrt{(a^2 + 2 \cdot a \cdot b + b^2) / (a^4 \cdot b^2 - 4 \cdot a^5 \cdot c)} + (a \cdot b + b^2) \cdot x^2 + 2 \cdot a^2 + 2 \cdot a \cdot b - 2 \cdot (a^2 + a \cdot b) \cdot \sqrt{-x^2 + 1} / x^2 + 2 \cdot \log\left(\frac{\sqrt{-x^2 + 1} - 1}{x}\right) / a$

giac [B] time = 3.67, size = 3639, normalized size = 15.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $-1/2 \cdot \log(\sqrt{-x^2 + 1} + 1) / a + 1/2 \cdot \log(-\sqrt{-x^2 + 1} + 1) / a + 1/8 \cdot (4 \cdot a^3 \cdot b^3 \cdot c^2 + 2 \cdot a^2 \cdot b^4 \cdot c^2 - 16 \cdot a^4 \cdot b \cdot c^3 + 4 \cdot a^2 \cdot b^3 \cdot c^3 - 32 \cdot a^4 \cdot c^4 - 16 \cdot a^3 \cdot b \cdot c^4 - 2 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b^3 - \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^4 + 8 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^4 \cdot b \cdot c - 4 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^3 \cdot b^2 \cdot c - 4 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^2 \cdot b^3 \cdot c + 16 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b \cdot c - 2 \cdot c^2 + \sqrt{b^2 - 4 \cdot a \cdot c}} \cdot c) \cdot a^4 \cdot c^2 - 10 \cdot \sqrt{2} \cdot \sqrt{b^2 - 4 \cdot a \cdot c}) \cdot \sqrt{-b$

$$\begin{aligned}
& *c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^2 - 9*\sqrt{2}*\sqrt{b^2 - 4*a*c}*s \\
& \text{qrt}(-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^2 - 20*\sqrt{2}*\sqrt{b^2 -} \\
& 4*a*c)*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^3*c^3 - 10*\sqrt{2}*\sqrt{(} \\
& b^2 - 4*a*c)*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^2*b*c^3 - 4*(b^2 -} \\
& 4*a*c)*a^3*b*c^2 - 2*(b^2 - 4*a*c)*a^2*b^2*c^2 - 8*(b^2 - 4*a*c)*a^3*c^3 - \\
& 4*(b^2 - 4*a*c)*a^2*b*c^3 + (2*b^4*c^2 - 16*a*b^2*c^3 + 32*a^2*c^4 - \sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*b^4 + 8*\sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a*b^2*c - 2*s \\
& \text{qrt}(2)*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*b^3*c - 16 \\
& *\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^2*c^2 \\
& + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a*b \\
& *c^2 - 5*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c) \\
& *b^2*c^2 + 20*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*} \\
& c)*c)*a*c^3 - 2*(b^2 - 4*a*c)*b^2*c^2 + 8*(b^2 - 4*a*c)*a*c^3)*a^2 + 2*(\sqrt{ \\
& \text{t}(2)*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^2*b^4 + \sqrt{2}*\sqrt{-b*c -} \\
& 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a*b^5 - 8*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^} \\
& 2 - 4*a*c)*c)*a^3*b^2*c - 6*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c} \\
&)*a^2*b^3*c + 3*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a*b^4*c - \\
& 2*a^2*b^4*c - 2*a*b^5*c + 16*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*} \\
& c)*a^4*c^2 + 8*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^2 - \\
& 11*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^2 + 16*a^3*b \\
& ^2*c^2 + 7*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c}*c)*a*b^3*c^2 + 16* \\
& a^2*b^3*c^2 - 2*a*b^4*c^2 - 4*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c} \\
& *c)*a^3*c^3 - 32*a^4*c^3 - 28*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a*c} \\
& *c)*a^2*b*c^3 - 32*a^3*b*c^3 + 5*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2 - 4*a} \\
& *c)*c)*a*b^2*c^3 + 16*a^2*b^2*c^3 - 20*\sqrt{2}*\sqrt{-b*c - 2*c^2 + \sqrt{b^2} \\
& - 4*a*c)*c)*a^2*c^4 - 32*a^3*c^4 + 2*(b^2 - 4*a*c)*a^2*b^2*c + 2*(b^2 - 4* \\
& a*c)*a*b^3*c - 8*(b^2 - 4*a*c)*a^3*c^2 - 8*(b^2 - 4*a*c)*a^2*b*c^2 + 2*(b^2 \\
& - 4*a*c)*a*b^2*c^2 - 8*(b^2 - 4*a*c)*a^2*c^3)*\text{abs}(a)*\text{arctan}(2*\sqrt{1/2}*s \\
& \text{qrt}(-x^2 + 1)/\sqrt{-(a*b + 2*a*c + \sqrt{-4*(a^2 + a*b + a*c)*a*c + (a*b + 2} \\
& *a*c)^2})/(a*c)))/((a^3*b^4 + a^2*b^5 - 8*a^4*b^2*c - 6*a^3*b^3*c + 3*a^2*b \\
& ^4*c + 16*a^5*c^2 + 8*a^4*b*c^2 - 11*a^3*b^2*c^2 + 7*a^2*b^3*c^2 - 4*a^4*c^ \\
& 3 - 28*a^3*b*c^3 + 5*a^2*b^2*c^3 - 20*a^3*c^4)*\text{abs}(a)*\text{abs}(c)) - 1/8*(4*a^3* \\
& b^3*c^2 + 2*a^2*b^4*c^2 - 16*a^4*b*c^3 + 4*a^2*b^3*c^3 - 32*a^4*c^4 - 16*a^ \\
& 3*b*c^4 - 2*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c} \\
& *c)*a^3*b^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*} \\
& c)*c)*a^2*b^4 + 8*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 -} \\
& 4*a*c)*c)*a^4*b*c - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 - \sqrt{b^} \\
& 2 - 4*a*c)*c)*a^3*b^2*c - 4*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*c^2 - s \\
& \text{qrt}(b^2 - 4*a*c)*c)*a^2*b^3*c + 16*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c - 2*} \\
& c^2 - \sqrt{b^2 - 4*a*c}*c)*a^4*c^2 - 10*\sqrt{2}*\sqrt{b^2 - 4*a*c}*\sqrt{-b*c} \\
& - 2*c^2 - \sqrt{b^2 - 4*a*c}*c)*a^3*b*c^2 - 9*\sqrt{2}*\sqrt{b^2 - 4*a*c}*s \\
& \text{qrt}(-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}*c)*a^2*b^2*c^2 - 20*\sqrt{2}*\sqrt{b^2 - 4} \\
& *a*c)*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}*c)*a^3*c^3 - 10*\sqrt{2}*\sqrt{b^} \\
& 2 - 4*a*c)*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}*c)*a^2*b*c^3 - 4*(b^2 - 4*
\end{aligned}$$

$$\begin{aligned}
& a*c)*a^3*b*c^2 - 2*(b^2 - 4*a*c)*a^2*b^2*c^2 - 8*(b^2 - 4*a*c)*a^3*c^3 - 4* \\
& (b^2 - 4*a*c)*a^2*b*c^3 + (2*b^4*c^2 - 16*a*b^2*c^3 + 32*a^2*c^4 - \sqrt{2})* \\
& \sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b^4 + 8*\sqrt{2})* \\
& \sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^2*c - 2*\sqrt{2})* \\
& \sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*c^2 + \\
& 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b*c \\
& ^2 - 5*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*b \\
& ^2*c^2 + 20*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})* \\
& c)*a*c^3 - 2*(b^2 - 4*a*c)*b^2*c^2 + 8*(b^2 - 4*a*c)*a*c^3)*a^2 - 2*(\sqrt{2})* \\
& \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*b^4 + \sqrt{2})*\sqrt{-b*c - 2* \\
& c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^5 - 8*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - \\
& 4*a*c})*c)*a^3*b^2*c - 6*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)* \\
& a^2*b^3*c + 3*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^4*c + 2* \\
& a^2*b^4*c + 2*a*b^5*c + 16*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)* \\
& a^4*c^2 + 8*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^3*b*c^2 - 1 \\
& 1*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a^2*b^2*c^2 - 16*a^3*b^2 \\
& *c^2 + 7*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c)*a*b^3*c^2 - 16*a^ \\
& 2*b^3*c^2 + 2*a*b^4*c^2 - 4*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c) \\
&)*a^3*c^3 + 32*a^4*c^3 - 28*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c})*c) \\
&)*a^2*b*c^3 + 32*a^3*b*c^3 + 5*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c} \\
&)*c)*a*b^2*c^3 - 16*a^2*b^2*c^3 - 20*\sqrt{2})*\sqrt{-b*c - 2*c^2 - \sqrt{b^2 - \\
& 4*a*c})*c)*a^2*c^4 + 32*a^3*c^4 - 2*(b^2 - 4*a*c)*a^2*b^2*c - 2*(b^2 - 4*a* \\
& c)*a*b^3*c + 8*(b^2 - 4*a*c)*a^3*c^2 + 8*(b^2 - 4*a*c)*a^2*b*c^2 - 2*(b^2 - \\
& 4*a*c)*a*b^2*c^2 + 8*(b^2 - 4*a*c)*a^2*c^3)*\text{abs}(a))*\arctan(2*\sqrt{1/2})*\sqrt{ \\
& t(-x^2 + 1)/\sqrt{-(a*b + 2*a*c - \sqrt{-4*(a^2 + a*b + a*c)*a*c + (a*b + 2*a \\
& *c)^2})/(a*c)))/((a^3*b^4 + a^2*b^5 - 8*a^4*b^2*c - 6*a^3*b^3*c + 3*a^2*b^4 \\
& *c + 16*a^5*c^2 + 8*a^4*b*c^2 - 11*a^3*b^2*c^2 + 7*a^2*b^3*c^2 - 4*a^4*c^3 \\
& - 28*a^3*b*c^3 + 5*a^2*b^2*c^3 - 20*a^3*c^4)*\text{abs}(a)*\text{abs}(c))
\end{aligned}$$

maple [B] time = 0.06, size = 2099, normalized size = 8.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((-x^2+1)^{(1/2)}/x/(c*x^4+b*x^2+a), x)$

[Out] $\begin{aligned}
& 1/a*(-x^2+1)^{(1/2)}-1/a*\arctanh(1/(-x^2+1)^{(1/2)})+1/(4*a*c-b^2)/(-2*a*b+4*a* \\
& c-2*b^2+2*(-4*a*c+b^2)^{(1/2)})*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*(-4*a*c+b^2)^{(\\
& 1/2)}*b*\arctan(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/ \\
& 2)})/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)})*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)} \\
&)-2/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)})*a+2*(-4*a*c+b^2)^{(\\
& 1/2)}*b)^{(1/2)}*\arctan(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+ \\
& b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)})*a+2*(-4*a*c+b^2)^{(1/2)} \\
& *b)^{(1/2)})*c*(-4*a*c+b^2)^{(1/2)}+1/a/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a
\end{aligned}$

$$\begin{aligned}
& *c+b^2)^{(1/2)} *a+2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} * \arctan(1/2*(-2*a-2*b-2*((-x^2 \\
& +1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^ \\
& 2)^{(1/2)} *a+2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)}) *b^2*(-4*a*c+b^2)^{(1/2)}+4/(4*a*c-b \\
& ^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)} *a+2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} \\
&) *a*c * \arctan(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)} \\
&))/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)} *a+2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} \\
&) -1/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)} *a+2*(-4*a*c+b^2)^{(\\
& 1/2)} *b)^{(1/2)} *b^2 * \arctan(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a \\
& *c+b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)} *a+2*(-4*a*c+b^2)^{(1 \\
& /2)} *b)^{(1/2)})+4/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)} *a+2*(- \\
& 4*a*c+b^2)^{(1/2)} *b)^{(1/2)} * \arctan(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2 \\
& +2*(-4*a*c+b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)} *a+2*(-4*a*c \\
& +b^2)^{(1/2)} *b)^{(1/2)}) *b*c-1/a/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2 \\
&)^{(1/2)} *a+2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} * \arctan(1/2*(-2*a-2*b-2*((-x^2+1)^{(1 \\
& /2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/ \\
& 2)} *a+2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)}) *b^3+1/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2-2 \\
& *(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} *(-4*a*c+b^2)^{(1/2)} *b * \ar \\
& ctan(1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)})/(-2*a* \\
& b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)}) -2/(4*a* \\
& c-b^2)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(\\
& 1/2)} * \arctan(1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)}) \\
&)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)}) * \\
& c*(-4*a*c+b^2)^{(1/2)}+1/a/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/ \\
& 2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} * \arctan(1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1) \\
& ^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2 \\
& *(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)}) *b^2*(-4*a*c+b^2)^{(1/2)}-4/(4*a*c-b^2)/(-2*a*b+ \\
& 4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} *a*c * \arctan \\
& (1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)})/(-2*a*b+4* \\
& a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)})+1/(4*a*c-b^ \\
& 2)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)} \\
& *b^2 * \arctan(1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)}) \\
&)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(1/2)}) - \\
& 4/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/ \\
& 2)} *b)^{(1/2)} * \arctan(1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2) \\
& ^{(1/2)})/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b^2)^{(1/2)} *b)^{(\\
& 1/2)}) *b*c+1/a/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4 \\
& *a*c+b^2)^{(1/2)} *b)^{(1/2)} * \arctan(1/2*(2*a+2*b+2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2 \\
& *(-4*a*c+b^2)^{(1/2)})/(-2*a*b+4*a*c-2*b^2-2*(-4*a*c+b^2)^{(1/2)} *a-2*(-4*a*c+b \\
& ^2)^{(1/2)} *b)^{(1/2)}) *b^3-2/a/(2/x^2-2*(-x^2+1)^{(1/2)}/x^2)
\end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1}}{(cx^4+bx^2+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)/((c*x^4 + b*x^2 + a)*x), x)

mupad [B] time = 1.30, size = 669, normalized size = 2.78

$$\frac{\ln\left(\sqrt{\frac{1}{x^2}-1}-\sqrt{\frac{1}{x^2}}\right)}{a} + \frac{\ln\left(\frac{\left(x\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}+1}\right)^{1i} + \sqrt{1-x^2} 1i}{\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}+1}}}{x+\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}}}\right)}{4a(4ac-b^2)\sqrt{\frac{b+\sqrt{b^2-4ac}}{2c}+1}} \left(4ac+2a\sqrt{b^2-4ac}+b\sqrt{b^2-4ac}-b^2\right) \ln\left(\frac{\left(x\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}+1}\right)^{1i} + \sqrt{1-x^2} 1i}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}+1}}}{x+\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-x^2)^(1/2)/(x*(a+b*x^2+c*x^4)),x)

[Out] log((1/x^2-1)^(1/2)-(1/x^2)^(1/2))/a + (log((((x*(-(b+(b^2-4*a*c))^(1/2)))/(2*c))^(1/2)+1)*1i)/((b+(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)+(1-x^2)^(1/2)*1i)/(x+(-(b+(b^2-4*a*c)^(1/2))/(2*c))^(1/2))*(4*a*c+2*a*(b^2-4*a*c)^(1/2)+b*(b^2-4*a*c)^(1/2)-b^2))/(4*a*(4*a*c-b^2)*((b+(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)) - (log((((x*(-(b-(b^2-4*a*c)^(1/2)))/(2*c))^(1/2)+1)*1i)/((b-(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)+(1-x^2)^(1/2)*1i)/(x+(-(b-(b^2-4*a*c)^(1/2))/(2*c))^(1/2))*(2*a*(b^2-4*a*c)^(1/2)-4*a*c+b*(b^2-4*a*c)^(1/2)+b^2))/(4*a*((b-(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)*(4*a*c-b^2)) + (log((((x*(-(b+(b^2-4*a*c)^(1/2)))/(2*c))^(1/2)-1)*1i)/((b+(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)-(1-x^2)^(1/2)*1i)/(x-(-(b+(b^2-4*a*c)^(1/2))/(2*c))^(1/2))*(4*a*c+2*a*(b^2-4*a*c)^(1/2)+b*(b^2-4*a*c)^(1/2)-b^2))/(4*a*(4*a*c-b^2)*((b+(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)) - (log((((x*(-(b-(b^2-4*a*c)^(1/2)))/(2*c))^(1/2)-1)*1i)/((b-(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)-(1-x^2)^(1/2)*1i)/(x-(-(b-(b^2-4*a*c)^(1/2))/(2*c))^(1/2))*(2*a*(b^2-4*a*c)^(1/2)-4*a*c+b*(b^2-4*a*c)^(1/2)+b^2))/(4*a*((b-(b^2-4*a*c)^(1/2))/(2*c)+1)^(1/2)*(4*a*c-b^2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x-1)(x+1)}}{x(a+bx^2+cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**2+1)**(1/2)/x/(c*x**4+b*x**2+a),x)
```

```
[Out] Integral(sqrt(-(x - 1)*(x + 1))/(x*(a + b*x**2 + c*x**4)), x)
```

$$3.380 \quad \int \frac{\sqrt{1-x^2}}{x^3(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=290

$$\frac{\sqrt{c} \left(\frac{a(b-2c)+b^2}{\sqrt{b^2-4ac}} + a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right) + \sqrt{c} \left(-\frac{a(b-2c)+b^2}{\sqrt{b^2-4ac}} + a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right) (a+2b)}{\sqrt{2} a^2 \sqrt{-\sqrt{b^2-4ac}+b+2c} + \sqrt{2} a^2 \sqrt{\sqrt{b^2-4ac}+b+2c}}$$

[Out] $1/2*(a+2*b)*\operatorname{arctanh}((-x^2+1)^{(1/2)})/a^2-1/4/a/(1-(-x^2+1)^{(1/2)})+1/4/a/(1+(-x^2+1)^{(1/2)})-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(-x^2+1)^{(1/2)})/(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*c^{(1/2)}*(a+b+(b^2+a*(b-2*c)))/(-4*a*c+b^2)^{(1/2)})/a^2*2^{(1/2)}/(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-1/2*\operatorname{arctanh}(2^{(1/2)}*c^{(1/2)}*(-x^2+1)^{(1/2)})/(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*c^{(1/2)}*(a+b+(-b^2-a*(b-2*c)))/(-4*a*c+b^2)^{(1/2)})/a^2*2^{(1/2)}/(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 2.36, antiderivative size = 290, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1251, 897, 1287, 207, 1166, 208}

$$\frac{\sqrt{c} \left(\frac{a(b-2c)+b^2}{\sqrt{b^2-4ac}} + a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} \right) + \sqrt{c} \left(-\frac{a(b-2c)+b^2}{\sqrt{b^2-4ac}} + a + b \right) \tanh^{-1} \left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right) (a+2b)}{\sqrt{2} a^2 \sqrt{-\sqrt{b^2-4ac}+b+2c} + \sqrt{2} a^2 \sqrt{\sqrt{b^2-4ac}+b+2c}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[1-x^2]/(x^3*(a+b*x^2+c*x^4)),x]$

[Out] $-1/(4*a*(1-\operatorname{Sqrt}[1-x^2]))+1/(4*a*(1+\operatorname{Sqrt}[1-x^2]))+((a+2*b)*\operatorname{ArcTanh}[\operatorname{Sqrt}[1-x^2]])/(2*a^2)-(\operatorname{Sqrt}[c]*(a+b+(b^2+a*(b-2*c)))/\operatorname{Sqrt}[b^2-4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1-x^2])/\operatorname{Sqrt}[b+2*c-\operatorname{Sqrt}[b^2-4*a*c]])]/(\operatorname{Sqrt}[2]*a^2*\operatorname{Sqrt}[b+2*c-\operatorname{Sqrt}[b^2-4*a*c]])-(\operatorname{Sqrt}[c]*(a+b-(b^2+a*(b-2*c)))/\operatorname{Sqrt}[b^2-4*a*c])*\operatorname{ArcTanh}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[c]*\operatorname{Sqrt}[1-x^2])/\operatorname{Sqrt}[b+2*c+\operatorname{Sqrt}[b^2-4*a*c]])]/(\operatorname{Sqrt}[2]*a^2*\operatorname{Sqrt}[b+2*c+\operatorname{Sqrt}[b^2-4*a*c]])$

Rule 207

$\operatorname{Int}[(a_+ + (b_-)*(x_-)^2)^{-1}, x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2]*x)/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{LtQ}[a, 0] \ \|\ \operatorname{GtQ}[b, 0])$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 897

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_)^(n_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2]^p, x], x, (d + e*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

Rule 1166

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1287

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[q] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-x^2}}{x^3(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{\sqrt{1-x}}{x^2(a+bx+cx^2)} dx, x, x^2 \right) \\
&= -\text{Subst} \left(\int \frac{x^2}{(1-x^2)^2(a+b+c+(-b-2c)x^2+cx^4)} dx, x, \sqrt{1-x^2} \right) \\
&= -\text{Subst} \left(\int \left(\frac{1}{4a(-1+x)^2} + \frac{1}{4a(1+x)^2} + \frac{a+2b}{2a^2(-1+x)^2} + \frac{b(a+b+c)-(a+b)}{a^2(a+b+c-(b+2c)x^2} \right) dx, x, \sqrt{1-x^2} \right) \\
&= -\frac{1}{4a(1-\sqrt{1-x^2})} + \frac{1}{4a(1+\sqrt{1-x^2})} - \frac{\text{Subst} \left(\int \frac{b(a+b+c)-(a+b)cx^2}{a+b+c+(-b-2c)x^2+cx^4} dx, x, \sqrt{1-x^2} \right)}{a^2} \\
&= -\frac{1}{4a(1-\sqrt{1-x^2})} + \frac{1}{4a(1+\sqrt{1-x^2})} + \frac{(a+2b) \tanh^{-1}(\sqrt{1-x^2})}{2a^2} + \frac{c(a+b-\sqrt{c(a+b)})}{\sqrt{c(a+b)}} \\
&= -\frac{1}{4a(1-\sqrt{1-x^2})} + \frac{1}{4a(1+\sqrt{1-x^2})} + \frac{(a+2b) \tanh^{-1}(\sqrt{1-x^2})}{2a^2} - \frac{\sqrt{c}(a+b)}{\sqrt{c(a+b)}}
\end{aligned}$$

Mathematica [A] time = 0.76, size = 292, normalized size = 1.01

$$\frac{\sqrt{2} \sqrt{c} \left(\frac{(b(\sqrt{b^2-4ac}+b)+a(\sqrt{b^2-4ac}+b-2c)) \tanh^{-1}\left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{-\sqrt{b^2-4ac}+b+2c}} - \frac{(b(\sqrt{b^2-4ac}-b)+a(\sqrt{b^2-4ac}-b+2c)) \tanh^{-1}\left(\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}\right)}{\sqrt{\sqrt{b^2-4ac}+b+2c}} \right)}{\sqrt{b^2-4ac}} + (a+2b) \log \frac{\sqrt{2} \sqrt{c}}{2a^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - x^2]/(x^3*(a + b*x^2 + c*x^4)), x]

[Out] $(-(a \sqrt{1-x^2})/x^2) + (\sqrt{2} \sqrt{c} \sqrt{1-x^2} \operatorname{ArcTanh}[\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{-\sqrt{b^2-4ac}+b+2c}}] - \sqrt{2} \sqrt{c} \sqrt{1-x^2} \operatorname{ArcTanh}[\frac{\sqrt{2} \sqrt{c} \sqrt{1-x^2}}{\sqrt{\sqrt{b^2-4ac}+b+2c}}]) / \sqrt{b^2-4ac} + (a+2b) \log \frac{\sqrt{2} \sqrt{c}}{2a^2}$

fricas [B] time = 38.36, size = 2799, normalized size = 9.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$-1/2*(\sqrt{1/2}*a^2*x^2*\sqrt{(a*b^3 + b^4 + 2*a^2*c^2 - (3*a^2*b + 4*a*b^2)*c - (a^4*b^2 - 4*a^5*c)*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)))/((a^4*b^2 - 4*a^5*c))*\log(((a^4*b^2*c - 4*a^5*c^2)*x^2*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)) + 2*(a^3 + 2*a^2*b)*c^2 + ((a^2*b + 2*a*b^2)*c^2 - (a*b^3 + b^4)*c)*x^2 - 2*(a^2*b^2 + a*b^3)*c + \sqrt{1/2}*((a^5*b^3 - 4*a^6*b*c)*x^2*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)) + (a^2*b^4 + a*b^5 + 4*(a^4 + 2*a^3*b)*c^2 - (5*a^3*b^2 + 6*a^2*b^3)*c)*x^2)*\sqrt{(a*b^3 + b^4 + 2*a^2*c^2 - (3*a^2*b + 4*a*b^2)*c - (a^4*b^2 - 4*a^5*c)*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)) - 2*((a^3 + 2*a^2*b)*c^2 - (a^2*b^2 + a*b^3)*c)*\sqrt{-x^2 + 1))/x^2) - \sqrt{1/2}*a^2*x^2*\sqrt{(a*b^3 + b^4 + 2*a^2*c^2 - (3*a^2*b + 4*a*b^2)*c - (a^4*b^2 - 4*a^5*c)*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c))*\log(((a^4*b^2*c - 4*a^5*c^2)*x^2*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)) + 2*(a^3 + 2*a^2*b)*c^2 + ((a^2*b + 2*a*b^2)*c^2 - (a*b^3 + b^4)*c)*x^2 - 2*(a^2*b^2 + a*b^3)*c - \sqrt{1/2}*((a^5*b^3 - 4*a^6*b*c)*x^2*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)) + (a^2*b^4 + a*b^5 + 4*(a^4 + 2*a^3*b)*c^2 - (5*a^3*b^2 + 6*a^2*b^3)*c)*x^2)*\sqrt{(a*b^3 + b^4 + 2*a^2*c^2 - (3*a^2*b + 4*a*b^2)*c - (a^4*b^2 - 4*a^5*c)*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c)) - 2*((a^3 + 2*a^2*b)*c^2 - (a^2*b^2 + a*b^3)*c)*\sqrt{-x^2 + 1))/x^2) + \sqrt{1/2}*a^2*x^2*\sqrt{(a*b^3 + b^4 + 2*a^2*c^2 - (3*a^2*b + 4*a*b^2)*c + (a^4*b^2 - 4*a^5*c)*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)))/(a^4*b^2 - 4*a^5*c))*\log(-((a^4*b^2*c - 4*a^5*c^2)*x^2*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)) - 2*(a^3 + 2*a^2*b)*c^2 - ((a^2*b + 2*a*b^2)*c^2 - (a*b^3 + b^4)*c)*x^2 + 2*(a^2*b^2 + a*b^3)*c + \sqrt{1/2}*((a^5*b^3 - 4*a^6*b*c)*x^2*\sqrt{(a^2*b^4 + 2*a*b^5 + b^6 + (a^4 + 4*a^3*b + 4*a^2*b^2)*c^2 - 2*(a^3*b^2 + 3*a^2*b^3 + 2*a*b^4)*c})/(a^8*b^2 - 4*a^9*c)) - (a^2*b^4 + a*b^5 + 4*(a^4 + 2*a^3*b)*c^2 - (5*a^3*b^2 + 6*$$

$$\begin{aligned}
& a^2 b^3 c) x^2) \sqrt{(a b^3 + b^4 + 2 a^2 c^2 - (3 a^2 b + 4 a b^2) c + (a^4 b^2 - 4 a^5 c) \sqrt{(a^2 b^4 + 2 a b^5 + b^6 + (a^4 + 4 a^3 b + 4 a^2 b^2) c^2 - 2 (a^3 b^2 + 3 a^2 b^3 + 2 a b^4) c) / (a^8 b^2 - 4 a^9 c))} / (a^4 b^2 - 4 a^5 c) + 2 ((a^3 + 2 a^2 b) c^2 - (a^2 b^2 + a b^3) c) \sqrt{-x^2 + 1} / x^2) - \sqrt{1/2} a^2 x^2 \sqrt{(a b^3 + b^4 + 2 a^2 c^2 - (3 a^2 b + 4 a b^2) c + (a^4 b^2 - 4 a^5 c) \sqrt{(a^2 b^4 + 2 a b^5 + b^6 + (a^4 + 4 a^3 b + 4 a^2 b^2) c^2 - 2 (a^3 b^2 + 3 a^2 b^3 + 2 a b^4) c) / (a^8 b^2 - 4 a^9 c))} / (a^4 b^2 - 4 a^5 c) * \log(-((a^4 b^2 c - 4 a^5 c^2) x^2 \sqrt{(a^2 b^4 + 2 a b^5 + b^6 + (a^4 + 4 a^3 b + 4 a^2 b^2) c^2 - 2 (a^3 b^2 + 3 a^2 b^3 + 2 a b^4) c) / (a^8 b^2 - 4 a^9 c)) - 2 (a^3 + 2 a^2 b) c^2 - ((a^2 b + 2 a b^2) c^2 - (a b^3 + b^4) c) x^2 + 2 (a^2 b^2 + a b^3) c - \sqrt{1/2} ((a^5 b^3 - 4 a^6 b c) x^2 \sqrt{(a^2 b^4 + 2 a b^5 + b^6 + (a^4 + 4 a^3 b + 4 a^2 b^2) c^2 - 2 (a^3 b^2 + 3 a^2 b^3 + 2 a b^4) c) / (a^8 b^2 - 4 a^9 c)) - (a^2 b^4 + a b^5 + 4 (a^4 + 2 a^3 b) c^2 - (5 a^3 b^2 + 6 a^2 b^3) c) x^2) \sqrt{(a b^3 + b^4 + 2 a^2 c^2 - (3 a^2 b + 4 a b^2) c + (a^4 b^2 - 4 a^5 c) \sqrt{(a^2 b^4 + 2 a b^5 + b^6 + (a^4 + 4 a^3 b + 4 a^2 b^2) c^2 - 2 (a^3 b^2 + 3 a^2 b^3 + 2 a b^4) c) / (a^8 b^2 - 4 a^9 c))} / (a^4 b^2 - 4 a^5 c) + 2 ((a^3 + 2 a^2 b) c^2 - (a^2 b^2 + a b^3) c) \sqrt{-x^2 + 1} / x^2) + (a + 2 b) x^2 * \log((\sqrt{-x^2 + 1} - 1) / x) + \sqrt{-x^2 + 1} a / (a^2 x^2)
\end{aligned}$$

giac [B] time = 7.12, size = 1675, normalized size = 5.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out]
$$\begin{aligned}
& -1/4 * (\sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * b^5 - 8 * \sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a * b^3 * c + 2 * \sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * b^4 * c + 2 * b^5 * c + 16 * \sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a^2 * b * c^2 - 8 * \sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a * b^2 * c^2 + 5 * \sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * b^3 * c^2 - 16 * a * b^3 * c^2 + 2 * b^4 * c^2 - 20 * \sqrt{2} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a * b * c^3 + 32 * a^2 * b * c^3 - 12 * a * b^2 * c^3 + 16 * a^2 * c^4 - \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * b^4 + 6 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a * b^2 * c - 2 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * b^3 * c - 8 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a^2 * c^2 + 4 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a * b * c^2 - 5 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * b^2 * c^2 + 10 * \sqrt{2} * \sqrt{b^2 - 4*a*c} * \sqrt{-b*c - 2*c^2 - \sqrt{b^2 - 4*a*c}} * c) * a * c^3 - 2 * (b^2 - 4*a*c) * b^3 * c + 8 * (b^2 - 4*a*c) * a * b * c^2 - 2 * (b^2 - 4*a*c) * b^2 * c^2 + 4 * (b^2 - 4*a*c) * a * c^3) * \arctan(2 * \sqrt{1/2} * \sqrt{-x^2 + 1} / \sqrt{-(a^2 * b + 2 * a^2 * c + \sqrt{-4 * (a^3 + a^2 * b + a^2 * c) * a^2 * c + (a^2 * b + 2 * a^2 * c)^2})} / (a^2 * c)) / ((a^2 * b^4 - 8 * a^3 * b^2 * c + 2 * a^2 * b^3 * c + 16 * a^4 * c^2 - 8 * a^3 * b * c^2 +
\end{aligned}$$

$$5*a^2*b^2*c^2 - 20*a^3*c^3)*abs(c)) - 1/4*(sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*b^5 - 8*sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a*b^3*c + 2*sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*b^4*c - 2*b^5*c + 16*sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a^2*b*c^2 - 8*sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a*b^2*c^2 + 5*sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*b^3*c^2 + 16*a*b^3*c^2 - 2*b^4*c^2 - 20*sqrt(2)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a*b*c^3 - 32*a^2*b*c^3 + 12*a*b^2*c^3 - 16*a^2*c^4 + sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*b^4 - 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a*b^2*c + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*b^3*c + 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a^2*c^2 - 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a*b*c^2 + 5*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*b^2*c^2 - 10*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(-b*c - 2*c^2 + sqrt(b^2 - 4*a*c)*c)*a*c^3 + 2*(b^2 - 4*a*c)*b^3*c - 8*(b^2 - 4*a*c)*a*b*c^2 + 2*(b^2 - 4*a*c)*b^2*c^2 - 4*(b^2 - 4*a*c)*a*c^3)*arctan(2*sqrt(1/2)*sqrt(-x^2 + 1)/sqrt(-(a^2*b + 2*a^2*c - sqrt(-4*(a^3 + a^2*b + a^2*c)*a^2*c + (a^2*b + 2*a^2*c)^2))/(a^2*c)))/((a^2*b^4 - 8*a^3*b^2*c + 2*a^2*b^3*c + 16*a^4*c^2 - 8*a^3*b*c^2 + 5*a^2*b^2*c^2 - 20*a^3*c^3)*abs(c)) + 1/4*(a + 2*b)*log(sqrt(-x^2 + 1) + 1)/a^2 - 1/4*(a + 2*b)*log(-sqrt(-x^2 + 1) + 1)/a^2 - 1/2*sqrt(-x^2 + 1)/(a*x^2)$$

maple [B] time = 0.08, size = 2770, normalized size = 9.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((-x^2+1)^{(1/2)}/x^3/(c*x^4+b*x^2+a), x)$

[Out] $-1/a^2*b*(-x^2+1)^{(1/2)}+1/a^2*b*\text{arctanh}(1/(-x^2+1)^{(1/2)})+2/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*(-4*a*c+b^2)^{(1/2)}*c*\text{arctan}(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)}))/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}-1/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*(-4*a*c+b^2)^{(1/2)}/a*b^2*\text{arctan}(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)}))/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}+3/a/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*\text{arctan}(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)}))/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*b*c*(-4*a*c+b^2)^{(1/2)}-1/a^2/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*\text{arctan}(1/2*(-2*a-2*b-2*((-x^2+1)^{(1/2)}-1)^2*a/x^2+2*(-4*a*c+b^2)^{(1/2)}))/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*b^3*(-4*a*c+b^2)^{(1/2)}-4/(4*a*c-b^2)/(-2*a*b+4*a*c-2*b^2+2*(-4*a*c+b^2)^{(1/2)}*a+2*(-4*a*c+b^2)^{(1/2)}*b)^{(1/2)}*b*c*\text{arctan}(1/2*(-2*a-2*b-$

1/2)/a+1/2/a*arctanh(1/(-x^2+1)^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2 + 1}}{(cx^4 + bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x^3/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)/((c*x^4 + b*x^2 + a)*x^3), x)

mupad [B] time = 1.41, size = 825, normalized size = 2.84

$$\frac{\ln\left(\sqrt{\frac{1}{x^2}-1}-\sqrt{\frac{1}{x^2}}\right)}{2a} - \frac{\ln\left(\sqrt{\frac{1}{x^2}-1}-\sqrt{\frac{1}{x^2}}\right)(a+b)}{a^2} - \frac{\sqrt{1-x^2}}{2ax^2} - \frac{\ln\left(\frac{\left(x\sqrt{\frac{-b+\sqrt{b^2-4ac}}{2c}+1}\right)^{1i} + \sqrt{1-x^2} 1i}{\sqrt{\frac{-b+\sqrt{b^2-4ac}}{2c}+1}}}{x + \sqrt{\frac{-b+\sqrt{b^2-4ac}}{2c}}}\right)}{4a^2c - ab^2 - b^3} \left(4a^2c - ab^2 - b^3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((1 - x^2)^(1/2))/(x^3*(a + b*x^2 + c*x^4)),x)

[Out] log((1/x^2 - 1)^(1/2) - (1/x^2)^(1/2))/(2*a) - (log((1/x^2 - 1)^(1/2) - (1/x^2)^(1/2))*(a + b))/a^2 - (1 - x^2)^(1/2)/(2*a*x^2) - (log((((x*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 1)*1i)/((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + (-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*(4*a^2*c - a*b^2 - b^3 + b^2*(b^2 - 4*a*c)^(1/2) + 4*a*b*c + a*b*(b^2 - 4*a*c)^(1/2) - 2*a*c*(b^2 - 4*a*c)^(1/2)))/(4*a^2*(4*a*c - b^2)*((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (log((((x*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 1)*1i)/((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + (-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*(a*b^2 - 4*a^2*c + b^3 + b^2*(b^2 - 4*a*c)^(1/2) - 4*a*b*c + a*b*(b^2 - 4*a*c)^(1/2) - 2*a*c*(b^2 - 4*a*c)^(1/2)))/(4*a^2*((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2))*((4*a*c - b^2) - (log((((x*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 1)*1i)/((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - (-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*(4*a^2*c - a*b^2 - b^3 + b^2*(b^2 - 4*a*c)^(1/2) + 4*a*b*c + a*b*(b^2 - 4*a*c)^(1/2) - 2*a*c*(b^2 - 4*a*c)^(1/2)))/(4*a^2*(4*a*c - b^2)*((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (log((((x*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 1)*1i)/((b - (b^2 - 4

$$\frac{a^2c^{1/2}}{(2c+1)^{1/2}} - \frac{(1-x^2)^{1/2} \cdot 1i}{x - \frac{-(b - (b^2 - 4ac)^{1/2})}{(2c)^{1/2}}}$$

$$\frac{(ab^2 - 4a^2c + b^3 + b^2(b^2 - 4ac)^{1/2} - 4ab^2c + ab(b^2 - 4ac)^{1/2} - 2ac(b^2 - 4ac)^{1/2})}{4a^2((b - (b^2 - 4ac)^{1/2})/(2c) + 1)^{1/2}(4ac - b^2)}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)**(1/2)/x**3/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.381 \quad \int \frac{x^4 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=325

$$\frac{\left(\frac{-3abc-2ac^2+b^3+b^2c}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tan^{-1}\left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{-\sqrt{b^2-4ac}+b+2c}} - \frac{\left(\frac{-3abc-2ac^2+b^3+b^2c}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tan^{-1}\left(\frac{x\sqrt{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}\sqrt{b+\sqrt{b^2-4ac}}}\right)}{c^2\sqrt{\sqrt{b^2-4ac}+b}\sqrt{\sqrt{b^2-4ac}+b+2c}}$$

[Out] $1/2*(2*b+c)*\arcsin(x)/c^2+1/2*x*(-x^2+1)^{(1/2)}/c-\arctan(x*(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(-x^2+1)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^2-a*c+b*c+(3*a*b*c+2*a*c^2-b^3-b^2*c)/(-4*a*c+b^2)^{(1/2)})/c^2/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(b+2*c-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-\arctan(x*(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(-x^2+1)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^2-a*c+b*c+(-3*a*b*c-2*a*c^2+b^3+b^2*c)/(-4*a*c+b^2)^{(1/2)})/c^2/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(b+2*c+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 5.39, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1291, 388, 216, 1692, 377, 205}

$$\frac{\left(\frac{-3abc-2ac^2+b^2c+b^3}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tan^{-1}\left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{-\sqrt{b^2-4ac}+b+2c}} - \frac{\left(\frac{-3abc-2ac^2+b^2c+b^3}{\sqrt{b^2-4ac}} - ac + b^2 + bc\right) \tan^{-1}\left(\frac{x\sqrt{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}\sqrt{b+\sqrt{b^2-4ac}}}\right)}{c^2\sqrt{\sqrt{b^2-4ac}+b}\sqrt{\sqrt{b^2-4ac}+b+2c}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] $(x*\text{Sqrt}[1 - x^2])/(2*c) + ((2*b + c)*\text{ArcSin}[x])/(2*c^2) - ((b^2 - a*c + b*c - (b^3 - 3*a*b*c + b^2*c - 2*a*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[b + 2*c - \text{Sqrt}[b^2 - 4*a*c]]*x)/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[1 - x^2])])/(c^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[b + 2*c - \text{Sqrt}[b^2 - 4*a*c]]) - ((b^2 - a*c + b*c + (b^3 - 3*a*b*c + b^2*c - 2*a*c^2)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[b + 2*c + \text{Sqrt}[b^2 - 4*a*c]]*x)/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[1 - x^2])])/(c^2*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[b + 2*c + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 388

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]

Rule 1291

Int[(((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Dist[f^4/c^2, Int[(f*x)^(m - 4)*(c*d - b*e + c*e*x^2)*(d + e*x^2)^(q - 1), x], x] - Dist[f^4/c^2, Int[((f*x)^(m - 4)*(d + e*x^2)^(q - 1)*Simp[a*(c*d - b*e) + (b*c*d - b^2*e + a*c*e)*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && GtQ[m, 3]

Rule 1692

Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sqrt{1-x^2}}{a+bx^2+cx^4} dx &= \frac{\int \frac{b+c-cx^2}{\sqrt{1-x^2}} dx}{c^2} - \frac{\int \frac{a(b+c)+(b^2-ac+bc)x^2}{\sqrt{1-x^2}(a+bx^2+cx^4)} dx}{c^2} \\
&= \frac{x\sqrt{1-x^2}}{2c} - \frac{\int \left(\frac{b^2-ac+bc+\frac{-b^3+3abc-b^2c+2ac^2}{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} + \frac{b^2-ac+bc-\frac{-b^3+3abc-b^2c+2ac^2}{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}(b+\sqrt{b^2-4ac}+2cx^2)} \right) dx}{c^2} + \frac{(2b+c) \int \frac{1}{\sqrt{1-x^2}} dx}{2c^2} \\
&= \frac{x\sqrt{1-x^2}}{2c} + \frac{(2b+c) \sin^{-1}(x)}{2c^2} - \frac{\left(b^2-ac+bc - \frac{b^3-3abc+b^2c-2ac^2}{\sqrt{b^2-4ac}} \right) \int \frac{1}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} dx}{c^2} \\
&= \frac{x\sqrt{1-x^2}}{2c} + \frac{(2b+c) \sin^{-1}(x)}{2c^2} - \frac{\left(b^2-ac+bc - \frac{b^3-3abc+b^2c-2ac^2}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{b-\sqrt{b^2-4ac}-(-b-2c)x} dx \right)}{c^2} \\
&= \frac{x\sqrt{1-x^2}}{2c} + \frac{(2b+c) \sin^{-1}(x)}{2c^2} - \frac{\left(b^2-ac+bc - \frac{b^3-3abc+b^2c-2ac^2}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{b+2c-\sqrt{b^2-4ac}} x}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{1-x^2}} \right)}{c^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{b+2c-\sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [B] time = 6.31, size = 10606, normalized size = 32.63

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] Result too large to show

fricas [B] time = 5.75, size = 2860, normalized size = 8.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/2*(\text{sqrt}(1/2)*c^2*\text{sqrt}(-(b^4 + (2*a^2 - 3*a*b)*c^2 - (4*a*b^2 - b^3)*c + \\
& (b^2*c^4 - 4*a*c^5)*\text{sqrt}((b^6 + a^2*c^4 + 2*(2*a^2*b - a*b^2)*c^3 + (4*a^2* \\
& b^2 - 6*a*b^3 + b^4)*c^2 - 2*(2*a*b^4 - b^5)*c)/(b^2*c^8 - 4*a*c^9)))/(b^2* \\
& c^4 - 4*a*c^5))*\log(-(2*a^2*b^3 - 2*a^3*c^2 - 2*(a^2*b^3 - a^3*c^2 - (2*a^3 \\
& *b - a^2*b^2)*c)*x^2 - 2*(2*a^3*b - a^2*b^2)*c + \text{sqrt}(1/2)*((b^6 + 4*a^2*b*
\end{aligned}$$

$$6*a*b^3 + b^4)*c^2 - 2*(2*a*b^4 - b^5)*c)/(b^2*c^8 - 4*a*c^9)))\sqrt{-(b^4 + (2*a^2 - 3*a*b)*c^2 - (4*a*b^2 - b^3)*c - (b^2*c^4 - 4*a*c^5))\sqrt{(b^6 + a^2*c^4 + 2*(2*a^2*b - a*b^2)*c^3 + (4*a^2*b^2 - 6*a*b^3 + b^4)*c^2 - 2*(a*b^4 - b^5)*c)/(b^2*c^8 - 4*a*c^9)))/(b^2*c^4 - 4*a*c^5)) - 2*(a^2*b^3 - a^3*c^2 - (2*a^3*b - a^2*b^2)*c)\sqrt{-x^2 + 1))/x^2) - \sqrt{-x^2 + 1)*c*x + 2*(2*b + c)*\arctan((\sqrt{-x^2 + 1} - 1)/x))/c^2$$

giac [B] time = 6.69, size = 1710, normalized size = 5.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $\frac{1}{4}*(3*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*a^2*b^3 + 2*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*a*b^4 - 2*a^2*b^4 - \sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*b^5 + 2*a*b^5 - 12*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*a^3*b*c - 8*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*a^2*b^2*c + 12*a^3*b^2*c + 8*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*a*b^3*c - 16*a^2*b^3*c - 16*a^4*c^2 - 16*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*a^2*b*c^2 + 32*a^3*b*c^2 - 3*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2*b^2 - 2*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a*b^3 + \sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*b^4 + 6*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^3*c + 4*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2*b*c - 6*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a*b^2*c + 8*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2*c^2 + 2*(b^2 - 4*a*c)*a^2*b^2 - 2*(b^2 - 4*a*c)*a*b^3 - 4*(b^2 - 4*a*c)*a^3*c + 8*(b^2 - 4*a*c)*a^2*b*c)*\text{abs}(a)*\arctan(-1/2*\sqrt{2}*(x/(\sqrt{-x^2 + 1} - 1) - (\sqrt{-x^2 + 1} - 1)/x)/\sqrt{((2*a*c^2 + b*c^2 + \sqrt{-4*(a*c^2 + b*c^2 + c^3)*a*c^2 + (2*a*c^2 + b*c^2)^2}))/a*c^2}))/((3*a^4*b^2*c^2 + 2*a^3*b^3*c^2 - a^2*b^4*c^2 - 12*a^5*c^3 - 8*a^4*b*c^3 + 8*a^3*b^2*c^3 - 16*a^4*c^4) + 1/4*(3*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*a^2*b^3 + 2*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*a*b^4 + 2*a^2*b^4 - \sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*b^5 - 2*a*b^5 - 12*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*a^3*b*c - 8*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*a^2*b^2*c - 12*a^3*b^2*c + 8*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*a*b^3*c + 16*a^2*b^3*c + 16*a^4*c^2 - 16*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*a^2*b*c^2 - 32*a^3*b*c^2 + 3*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2*b^2 + 2*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a*b^3 - \sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*b^4 - 6*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^3*c - 4*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2*b*c + 6*\sqrt{2}*\sqrt{2*a^2 + a*b -$

$\sqrt{b^2 - 4ac} \cdot a \cdot \sqrt{b^2 - 4ac} \cdot a \cdot b^2 \cdot c - 8 \cdot \sqrt{2} \cdot \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac} \cdot a} \cdot \sqrt{b^2 - 4ac} \cdot a^2 \cdot c^2 - 2 \cdot (b^2 - 4ac) \cdot a^2 \cdot b^2 + 2 \cdot (b^2 - 4ac) \cdot a \cdot b^3 + 4 \cdot (b^2 - 4ac) \cdot a^3 \cdot c - 8 \cdot (b^2 - 4ac) \cdot a^2 \cdot b \cdot c) \cdot \text{abs}(a) \cdot \arctan(-1/2 \cdot \sqrt{2} \cdot (x / (\sqrt{-x^2 + 1}) - 1) - (\sqrt{-x^2 + 1}) - 1) / x) / \sqrt{((2ac^2 + bc^2 - \sqrt{-4(a^2c^2 + bc^2 + c^3)}) \cdot ac^2 + (2ac^2 + bc^2)^2) / (ac^2))} / (3a^4b^2c^2 + 2a^3b^3c^2 - a^2b^4c^2 - 12a^5c^3 - 8a^4b^2c^3 + 8a^3b^2c^3 - 16a^4c^4) + 1/2 \cdot \sqrt{-x^2 + 1} \cdot x / c + 1/4 \cdot (\pi \cdot \text{sgn}(x) + 2 \cdot \arctan(-1/2 \cdot x \cdot ((\sqrt{-x^2 + 1}) - 1)^2 / x^2 - 1) / (\sqrt{-x^2 + 1} - 1)) \cdot (2b + c) / c^2$

maple [C] time = 0.04, size = 222, normalized size = 0.68

$$-\frac{2b \arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right)}{c^2} + \frac{\sqrt{-x^2+1} x}{2c} + \frac{\arcsin(x)}{2c} + \frac{\text{RootOf}(-Z^8 a + (4a + 4b) Z^6 + (6a + 8b + 16c) Z^4 + \dots)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a), x)

[Out] 1/2*x*(-x^2+1)^(1/2)/c+1/2*arcsin(x)/c+1/4/c^2*sum((a*(b+c)*_R^6+(3*a*b-a*c+4*b^2+4*b*c)*_R^4+(3*a*b-a*c+4*b^2+4*b*c)*_R^2+a*b+a*c)/(_R^7*a+3*_R^5*a+3*_R^5*b+3*_R^3*a+4*_R^3*b+8*_R^3*c+_R*a+_R*b)*ln(((x^2+1)^(1/2)-1)/x-_R), _R=RootOf(a*_Z^8+(4*a+4*b)*_Z^6+(6*a+8*b+16*c)*_Z^4+(4*a+4*b)*_Z^2+a))-2/c^2*b*arctan(((x^2+1)^(1/2)-1)/x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1} x^4}{cx^4+bx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(sqrt(-x^2+1)*x^4/(c*x^4+b*x^2+a), x)

mupad [B] time = 1.30, size = 1024, normalized size = 3.15

$$\text{asin}(x) \left(\frac{b}{c} + 1 - \frac{1}{2c} \right) + \frac{x \sqrt{1-x^2}}{2c} - \frac{\ln \left(\frac{\left(x \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} - 1 \right) i - \sqrt{1-x^2} i}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1}}{x - \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}} \right)}{2c \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c} + 1}} \left(b^2 \left(-\frac{b-\sqrt{b^2-4ac}}{2c} \right)^{3/2} + ab \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*(1 - x^2)^(1/2))/(a + b*x^2 + c*x^4), x)`

[Out] `asin(x)*((b/c + 1)/c - 1/(2*c)) + (x*(1 - x^2)^(1/2))/(2*c) - (log(((x*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 1)*1i)/((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - ((b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*((b^2*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + a*b*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 2*a*c*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 2*a*c*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + b*c*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2))/((2*c*((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2)*(4*a*c - b^2)) + (log(((x*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 1)*1i)/((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + ((b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*((b^2*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + a*b*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 2*a*c*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 2*a*c*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + b*c*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2))/((2*c*(4*a*c - b^2)*((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2)) + (log(((x*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 1)*1i)/((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + ((b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*((b^2*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + a*b*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 2*a*c*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 2*a*c*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + b*c*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2))/((2*c*((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2)*(4*a*c - b^2)) - (log(((x*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 1)*1i)/((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - ((b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2)))*((b^2*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + a*b*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 2*a*c*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 2*a*c*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2) + b*c*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(3/2))/((2*c*(4*a*c - b^2)*((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sqrt{-(x-1)(x+1)}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(-x**2+1)**(1/2)/(c*x**4+b*x**2+a), x)`

[Out] `Integral(x**4*sqrt(-(x - 1)*(x + 1))/(a + b*x**2 + c*x**4), x)`

$$3.382 \quad \int \frac{x^2 \sqrt{1-x^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=263

$$\frac{\left(\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tan^{-1}\left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{c\sqrt{b-\sqrt{b^2-4ac}}\sqrt{-\sqrt{b^2-4ac}+b+2c}} + \frac{\left(\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tan^{-1}\left(\frac{x\sqrt{\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{\sqrt{b^2-4ac}+b}}\right)}{c\sqrt{\sqrt{b^2-4ac}+b}\sqrt{\sqrt{b^2-4ac}+b+2c}} - \frac{\sin^{-1}(x)}{c}$$

[Out] $-\arcsin(x)/c + \arctan(x*(b+2*c - (-4*a*c+b^2)^{(1/2)})^{(1/2)}/(-x^2+1)^{(1/2)}/(b - (-4*a*c+b^2)^{(1/2)})^{(1/2)}) * (b+c + (2*a*c-b^2-b*c)/(-4*a*c+b^2)^{(1/2)})/c / (b - (-4*a*c+b^2)^{(1/2)})^{(1/2)}/(b+2*c - (-4*a*c+b^2)^{(1/2)})^{(1/2)} + \arctan(x*(b+2*c + (-4*a*c+b^2)^{(1/2)})^{(1/2)}/(-x^2+1)^{(1/2)}/(b + (-4*a*c+b^2)^{(1/2)})^{(1/2)}) * (b+c + (-2*a*c+b^2+b*c)/(-4*a*c+b^2)^{(1/2)})/c / (b + (-4*a*c+b^2)^{(1/2)})^{(1/2)}/(b+2*c + (-4*a*c+b^2)^{(1/2)})^{(1/2)})$

Rubi [A] time = 2.13, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1293, 216, 1692, 377, 205}

$$\frac{\left(\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tan^{-1}\left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{c\sqrt{b-\sqrt{b^2-4ac}}\sqrt{-\sqrt{b^2-4ac}+b+2c}} + \frac{\left(\frac{-2ac+b^2+bc}{\sqrt{b^2-4ac}} + b + c\right) \tan^{-1}\left(\frac{x\sqrt{\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{\sqrt{b^2-4ac}+b}}\right)}{c\sqrt{\sqrt{b^2-4ac}+b}\sqrt{\sqrt{b^2-4ac}+b+2c}} - \frac{\sin^{-1}(x)}{c}$$

Antiderivative was successfully verified.

[In] Int[(x^2*sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] $-(\text{ArcSin}[x]/c) + ((b + c - (b^2 - 2*a*c + b*c)/\text{Sqrt}[b^2 - 4*a*c]) * \text{ArcTan}[(\text{Sqrt}[b + 2*c - \text{Sqrt}[b^2 - 4*a*c]] * x) / (\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]] * \text{Sqrt}[1 - x^2])]) / (c * \text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]] * \text{Sqrt}[b + 2*c - \text{Sqrt}[b^2 - 4*a*c]]) + ((b + c + (b^2 - 2*a*c + b*c)/\text{Sqrt}[b^2 - 4*a*c]) * \text{ArcTan}[(\text{Sqrt}[b + 2*c + \text{Sqrt}[b^2 - 4*a*c]] * x) / (\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]] * \text{Sqrt}[1 - x^2])]) / (c * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]] * \text{Sqrt}[b + 2*c + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1293

```
Int[(((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_.))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Dist[(e*f^2)/c, Int[(f*x)^(m - 2)*(d + e*x^2)^(q - 1), x], x] - Dist[f^2/c, Int[((f*x)^(m - 2)*(d + e*x^2)^(q - 1)*Simp[a*e - (c*d - b*e)*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && GtQ[m, 1] && LeQ[m, 3]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2 \sqrt{1-x^2}}{a+bx^2+cx^4} dx &= -\frac{\int \frac{1}{\sqrt{1-x^2}} dx}{c} - \frac{\int \frac{-a-(b+c)x^2}{\sqrt{1-x^2}(a+bx^2+cx^4)} dx}{c} \\
&= -\frac{\sin^{-1}(x)}{c} - \frac{\int \left(\frac{-b-c+\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} + \frac{-b-c-\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}(b+\sqrt{b^2-4ac}+2cx^2)} \right) dx}{c} \\
&= -\frac{\sin^{-1}(x)}{c} + \frac{\left(b+c-\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} dx}{c} + \frac{\left(b+c+\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{1-x^2}(b+\sqrt{b^2-4ac}+2cx^2)} dx}{c} \\
&= -\frac{\sin^{-1}(x)}{c} + \frac{\left(b+c-\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}\right) \text{Subst}\left(\int \frac{1}{b-\sqrt{b^2-4ac}-(-b-2c+\sqrt{b^2-4ac})x^2} dx, x, \frac{x}{\sqrt{1-x^2}}\right)}{c} + \frac{\left(b+c+\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}\right) \text{Subst}\left(\int \frac{1}{b+\sqrt{b^2-4ac}-(-b-2c+\sqrt{b^2-4ac})x^2} dx, x, \frac{x}{\sqrt{1-x^2}}\right)}{c} \\
&= -\frac{\sin^{-1}(x)}{c} + \frac{\left(b+c-\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{b+2c-\sqrt{b^2-4ac}} x}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{1-x^2}}\right)}{c\sqrt{b-\sqrt{b^2-4ac}} \sqrt{b+2c-\sqrt{b^2-4ac}}} + \frac{\left(b+c+\frac{b^2-2ac+bc}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{b+2c+\sqrt{b^2-4ac}} x}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{1-x^2}}\right)}{c\sqrt{b+\sqrt{b^2-4ac}} \sqrt{b+2c+\sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [B] time = 6.14, size = 7543, normalized size = 28.68

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(x^2*Sqrt[1 - x^2])/(a + b*x^2 + c*x^4), x]

[Out] Result too large to show

fricas [B] time = 2.72, size = 1430, normalized size = 5.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out]
$$-\frac{1}{2} \frac{(\sqrt{1/2} c \sqrt{-(b^2 - (2a - b)c + (b^2 c^2 - 4ac^3) \sqrt{(b^2 + 2bc + c^2)/(b^2 c^4 - 4ac^5)}}) / (b^2 c^2 - 4ac^3)) \log(-2(ab + ac)x^2 - 2ab - 2ac + \sqrt{1/2}((b^3 - 4ac^2 - (4ab - b^2)c) \sqrt{(-x^2 + 1)x - (b^3 - 4ac^2 - (4ab - b^2)c)x - ((b^3 c^2 - 4abbc^3) \sqrt{(-x^2 + 1)x - (b^3 c^2 - 4abbc^3)x}) \sqrt{(b^2 + 2bc + c^2)/(b^2 c^4 - 4ac^5)}})}{b^2 c^2 - 4ac^3}$$

$$\begin{aligned}
&^2 - 4*a*c)*a)*a*b^4*c + 2*a^2*b^4*c - \text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 \\
&- 4*a*c)*a)*b^5*c + 2*a*b^5*c - 12*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4* \\
&a*c)*a)*a^4*c^2 - 20*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a^3*b* \\
&c^2 + 3*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a^2*b^2*c^2 - 16*a^ \\
&3*b^2*c^2 + 10*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a*b^3*c^2 - \\
&16*a^2*b^3*c^2 - \text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*b^4*c^2 + \\
&2*a*b^4*c^2 - 28*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a^3*c^3 + \\
&32*a^4*c^3 - 24*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a^2*b*c^3 + \\
&32*a^3*b*c^3 + 8*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a*b^2*c^3 \\
&- 16*a^2*b^2*c^3 - 16*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*a^2* \\
&c^4 + 32*a^3*c^4 - 2*(b^2 - 4*a*c)*a^2*b^2*c - 2*(b^2 - 4*a*c)*a*b^3*c + 8* \\
&(b^2 - 4*a*c)*a^3*c^2 + 8*(b^2 - 4*a*c)*a^2*b*c^2 - 2*(b^2 - 4*a*c)*a*b^2*c \\
&^2 + 8*(b^2 - 4*a*c)*a^2*c^3)*\text{abs}(a)*\text{abs}(c) + (4*a^3*b^3*c^2 + 2*a^2*b^4*c^ \\
&2 - 16*a^4*b*c^3 + 4*a^2*b^3*c^3 - 32*a^4*c^4 - 16*a^3*b*c^4 + 6*\text{sqrt}(2)*\text{sq} \\
&\text{rt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 - 4*a*c)*a^3*b*c^2 + 7*\text{sqrt}(\\
&2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 - 4*a*c)*a^2*b^2*c^2 - \\
&\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 - 4*a*c)*b^4*c^2 + \\
&12*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 - 4*a*c)*a^3*c \\
&^3 + 22*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 - 4*a*c)*a \\
&^2*b*c^3 + 4*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 - 4*a \\
&c)*a*b^2*c^3 - 2*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 \\
&- 4*a*c)*b^3*c^3 + 16*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(\\
&b^2 - 4*a*c)*a^2*c^4 + 8*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b + \text{sqrt}(b^2 - 4*a*c)*a)*\text{sq} \\
&\text{rt}(b^2 - 4*a*c)*a*b*c^4 - 4*(b^2 - 4*a*c)*a^3*b*c^2 - 2*(b^2 - 4*a*c)*a^2*b \\
&^2*c^2 - 8*(b^2 - 4*a*c)*a^3*c^3 - 4*(b^2 - 4*a*c)*a^2*b*c^3)*\text{abs}(a))*\text{arcta} \\
&\text{n}(-1/2*\text{sqrt}(2)*(x/(\text{sqrt}(-x^2 + 1) - 1) - (\text{sqrt}(-x^2 + 1) - 1)/x)/\text{sqrt}((2*a* \\
&c + b*c + \text{sqrt}(-4*(a*c + b*c + c^2)*a*c + (2*a*c + b*c)^2))/(a*c)))/((3*a^5 \\
&*b^2*c^2 + 5*a^4*b^3*c^2 + a^3*b^4*c^2 - a^2*b^5*c^2 - 12*a^6*c^3 - 20*a^5* \\
&b*c^3 + 3*a^4*b^2*c^3 + 10*a^3*b^3*c^3 - a^2*b^4*c^3 - 28*a^5*c^4 - 24*a^4* \\
&b*c^4 + 8*a^3*b^2*c^4 - 16*a^4*c^5)*\text{abs}(c)) - 1/8*((2*a^2*b^4 - 16*a^3*b^2* \\
&c + 32*a^4*c^2 + 3*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b^2 \\
&- 4*a*c)*a^2*b^2 + 2*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(\\
&b^2 - 4*a*c)*a*b^3 - \text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b \\
&^2 - 4*a*c)*b^4 - 12*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(b \\
&^2 - 4*a*c)*a^3*c - 8*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*\text{sqrt}(\\
&b^2 - 4*a*c)*a^2*b*c + 8*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*\text{sq} \\
&\text{rt}(b^2 - 4*a*c)*a*b^2*c - 16*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a \\
&)*\text{sqrt}(b^2 - 4*a*c)*a^2*c^2 - 2*(b^2 - 4*a*c)*a^2*b^2 + 8*(b^2 - 4*a*c)*a^3 \\
&*c)*c^2*\text{abs}(a) + 2*(3*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*a^3*b \\
&^2*c + 5*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*a^2*b^3*c + \text{sqrt}(2 \\
&)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*a*b^4*c - 2*a^2*b^4*c - \text{sqrt}(2)*\text{s} \\
&\text{qrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*b^5*c - 2*a*b^5*c - 12*\text{sqrt}(2)*\text{sqrt}(\\
&2*a^2 + a*b - \text{sqrt}(b^2 - 4*a*c)*a)*a^4*c^2 - 20*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \\
&\text{sqrt}(b^2 - 4*a*c)*a)*a^3*b*c^2 + 3*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b^2 - 4* \\
&a*c)*a)*a^2*b^2*c^2 + 16*a^3*b^2*c^2 + 10*\text{sqrt}(2)*\text{sqrt}(2*a^2 + a*b - \text{sqrt}(b
\end{aligned}$$

$$\begin{aligned}
&^2 - 4ac) a) a^3 b^3 c^2 + 16a^2 b^3 c^2 - \sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) b^4 c^2 - 2a^2 b^4 c^2 - 28\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) a^3 c^3 - 32a^4 c^3 - 24\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) a^2 b^3 c^3 - 32a^3 b^3 c^3 + 8\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) a^2 b^2 c^3 + 16a^2 b^2 c^3 - 16\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) a^2 c^4 - 32a^3 c^4 + 2(b^2 - 4ac) a^2 b^2 c + 2(b^2 - 4ac) a^2 b^3 c - 8(b^2 - 4ac) a^3 c^2 - 8(b^2 - 4ac) a^2 b^3 c^2 + 2(b^2 - 4ac) a^2 b^2 c^2 - 8(b^2 - 4ac) a^2 c^3) \text{abs}(a) \text{abs}(c) + (4a^3 b^3 c^2 + 2a^2 b^4 c^2 - 16a^4 b^3 c^3 + 4a^2 b^3 c^3 - 32a^4 c^4 - 16a^3 b^3 c^4 + 6\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^3 b^3 c^2 + 7\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^2 b^2 c^2 - \sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} b^4 c^2 + 12\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^3 c^3 + 22\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^2 b^3 c^3 + 4\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^2 b^2 c^3 - 2\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} b^3 c^3 + 16\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^2 c^4 + 8\sqrt{2} \sqrt{2a^2 + ab - \sqrt{b^2 - 4ac}} a) \sqrt{b^2 - 4ac} a^2 b^3 c^4 - 4(b^2 - 4ac) a^3 b^3 c^2 - 2(b^2 - 4ac) a^2 b^2 c^2 - 8(b^2 - 4ac) a^3 c^3 - 4(b^2 - 4ac) a^2 b^3 c^3) \text{abs}(a) \arctan(-1/2\sqrt{2})(x/(\sqrt{-x^2 + 1}) - 1) - (\sqrt{-x^2 + 1})/x) / \sqrt{(2ac + bc - \sqrt{-4(ac + bc + c^2)ac + (2ac + bc)^2})/(ac)}) / ((3a^5 b^2 c^2 + 5a^4 b^3 c^2 + a^3 b^4 c^2 - a^2 b^5 c^2 - 12a^6 c^3 - 20a^5 b^3 c^3 + 3a^4 b^2 c^3 + 10a^3 b^3 c^3 - a^2 b^4 c^3 - 28a^5 c^4 - 24a^4 b^3 c^4 + 8a^3 b^2 c^4 - 16a^4 c^5) \text{abs}(c))
\end{aligned}$$

maple [C] time = 0.02, size = 175, normalized size = 0.67

$$\frac{2 \arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right)}{c} \frac{1}{4c \left(\text{RootOf}\left(_Z^8 a + (4a + 4b) _Z^6 + (6a + 8b + 16c) _Z^4 + (4a + 4b) _Z^2 + a \right)^7 a + 3 \text{RootOf}\left(_Z^8 a + (4a + 4b) _Z^6 + (6a + 8b + 16c) _Z^4 + (4a + 4b) _Z^2 + a \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x)

[Out] -1/4/c*sum((_R^6*a+(4*c+3*a+4*b)*_R^4+(4*c+3*a+4*b)*_R^2+a)/(_R^7*a+3*_R^5*a+3*_R^5*b+3*_R^3*a+4*_R^3*b+8*_R^3*c+_R*a+_R*b)*ln(-_R+((-x^2+1)^(1/2)-1)/x),_R=RootOf(_Z^8*a+(4*a+4*b)*_Z^6+(6*a+8*b+16*c)*_Z^4+(4*a+4*b)*_Z^2+a))+2/c*arctan(((x^2+1)^(1/2)-1)/x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1} x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)*x^2/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 1.27, size = 870, normalized size = 3.31

$$\frac{\operatorname{asin}(x)}{c} \frac{\ln \left(\frac{\left(x \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1 \right)^{1i} + \sqrt{1-x^2} \, 1i}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1} \right)}{x + \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}} \left(2a \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + b \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + b \left(-\frac{b-\sqrt{b^2-4ac}}{2c} \right)^{3/2} + 2c \left(-\frac{b-\sqrt{b^2-4ac}}{2c} \right)^{3/2} \right) \sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}} + 1 (8ac - 2b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(1 - x^2)^(1/2))/(a + b*x^2 + c*x^4),x)

[Out] (log((((x*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 1)*1i)/((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - (-b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2))*(2*a*(-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2) + b*(-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2) + 2*c*(-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2)))/(((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2)*(8*a*c - 2*b^2)) - (log((((x*(-(b - (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 1)*1i)/((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + (-b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2))*(2*a*(-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2) + b*(-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2) + 2*c*(-(b - (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2)))/(((b - (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2)*(8*a*c - 2*b^2)) - (log((((x*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) + 1)*1i)/((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + (-b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2))*(2*a*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2) + b*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2) + b*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2) + 2*c*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2)))/(((8*a*c - 2*b^2)*((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2)) - asin(x)/c + (log((((x*(-(b + (b^2 - 4*a*c)^(1/2)))/(2*c))^(1/2) - 1)*1i)/((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - (-b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2))*(2*a*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2) + b*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(1/2) + b*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2) + 2*c*(-(b + (b^2 - 4*a*c)^(1/2))/(2*c))^(3/2)))/((8*a*c - 2*b^2)*((b + (b^2 - 4*a*c)^(1/2))/(2*c) + 1)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{-(x-1)(x+1)}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(-x**2+1)**(1/2)/(c*x**4+b*x**2+a), x)

[Out] Integral(x**2*sqrt(-(x - 1)*(x + 1))/(a + b*x**2 + c*x**4), x)

$$3.383 \quad \int \frac{\sqrt{1-x^2}}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=220

$$\frac{\sqrt{-\sqrt{b^2-4ac}+b+2c} \tan^{-1}\left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{\sqrt{b^2-4ac}+b+2c} \tan^{-1}\left(\frac{x\sqrt{\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] arctan(x*(b+2*c-(-4*a*c+b^2)^(1/2))^(1/2)/(-x^2+1)^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*(b+2*c-(-4*a*c+b^2)^(1/2))^(1/2)/(-4*a*c+b^2)^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-arctan(x*(b+2*c+(-4*a*c+b^2)^(1/2))^(1/2)/(-x^2+1)^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*(b+2*c+(-4*a*c+b^2)^(1/2))^(1/2)/(-4*a*c+b^2)^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)

Rubi [A] time = 0.29, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1174, 402, 216, 377, 205}

$$\frac{\sqrt{-\sqrt{b^2-4ac}+b+2c} \tan^{-1}\left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{\sqrt{b^2-4ac}+b+2c} \tan^{-1}\left(\frac{x\sqrt{\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2}\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - x^2]/(a + b*x^2 + c*x^4), x]

[Out] (Sqrt[b + 2*c - Sqrt[b^2 - 4*a*c]]*ArcTan[(Sqrt[b + 2*c - Sqrt[b^2 - 4*a*c]]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[1 - x^2]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[b + 2*c + Sqrt[b^2 - 4*a*c]]*ArcTan[(Sqrt[b + 2*c + Sqrt[b^2 - 4*a*c]]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[1 - x^2]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 216

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 402

```
Int[((a_) + (b_.)*(x_)^2)^(p_)/((c_) + (d_.)*(x_)^2), x_Symbol] := Dist[b/
d, Int[(a + b*x^2)^(p - 1), x], x] - Dist[(b*c - a*d)/d, Int[(a + b*x^2)^(p
- 1)/(c + d*x^2), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] &&
GtQ[p, 0] && (EqQ[p, 1/2] || EqQ[Denominator[p], 4])
```

Rule 1174

```
Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symb
ol] := With[{r = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/r, Int[(d + e*x^2)^q/(b -
r + 2*c*x^2), x], x] - Dist[(2*c)/r, Int[(d + e*x^2)^q/(b + r + 2*c*x^2), x
], x]] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2
- b*d*e + a*e^2, 0] && !IntegerQ[q]
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-x^2}}{a+bx^2+cx^4} dx &= \frac{(2c) \int \frac{\sqrt{1-x^2}}{b-\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{\sqrt{1-x^2}}{b+\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} \\ &= \frac{(b+2c-\sqrt{b^2-4ac}) \int \frac{1}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} dx}{\sqrt{b^2-4ac}} - \frac{(b+2c+\sqrt{b^2-4ac}) \int \frac{1}{\sqrt{1-x^2}(b+\sqrt{b^2-4ac}+2cx^2)} dx}{\sqrt{b^2-4ac}} \\ &= \frac{(b+2c-\sqrt{b^2-4ac}) \operatorname{Subst}\left(\int \frac{1}{b-\sqrt{b^2-4ac}-(-b-2c+\sqrt{b^2-4ac})x^2} dx, x, \frac{x}{\sqrt{1-x^2}}\right)}{\sqrt{b^2-4ac}} - \frac{(b+2c+\sqrt{b^2-4ac}) \operatorname{Subst}\left(\int \frac{1}{b+\sqrt{b^2-4ac}-(-b+2c+\sqrt{b^2-4ac})x^2} dx, x, \frac{x}{\sqrt{1-x^2}}\right)}{\sqrt{b^2-4ac}} \\ &= \frac{\sqrt{b+2c-\sqrt{b^2-4ac}} \tan^{-1}\left(\frac{\sqrt{b+2c-\sqrt{b^2-4ac}} x}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{1-x^2}}\right)}{\sqrt{b^2-4ac} \sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{b+2c+\sqrt{b^2-4ac}} \tan^{-1}\left(\frac{\sqrt{b+2c+\sqrt{b^2-4ac}} x}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{1-x^2}}\right)}{\sqrt{b^2-4ac} \sqrt{b+\sqrt{b^2-4ac}}} \end{aligned}$$

Mathematica [B] time = 5.42, size = 2266, normalized size = 10.30

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[1 - x^2]/(a + b*x^2 + c*x^4), x]

[Out]
$$-1/2*(\text{Sqrt}[2]*(-b - 2*c + \text{Sqrt}[b^2 - 4*a*c])*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2)]*\text{Log}[-(\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2]) + x] + \text{Sqrt}[2]*(-((-b - 2*c + \text{Sqrt}[b^2 - 4*a*c])*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2)]*\text{Log}[\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2] + x]) + (b + 2*c + \text{Sqrt}[b^2 - 4*a*c])*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[-(\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2]) + x] - b*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2] + x] - 2*c*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2] + x] - \text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2] + x] + b*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 - \text{Sqrt}[2]*\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] + 2*c*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 - \text{Sqrt}[2]*\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] - \text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 - \text{Sqrt}[2]*\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] - b*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] - 2*c*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] + \text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] - b*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 - \text{Sqrt}[2]*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] - 2*c*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 - \text{Sqrt}[2]*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] - \text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] + b*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]*x + \text{Sqrt}[2]*\text{Sqrt}[1 - x^2]] + 2*c*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c]) + b*(-c + \text{Sqrt}[b^2 - 4*a*c]))/c^2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]*x$$

+ Sqrt[2]*Sqrt[(b + 2*c + Sqrt[b^2 - 4*a*c])/c]*Sqrt[1 - x^2]] + Sqrt[b^2 - 4*a*c]*Sqrt[(-b^2 + c*(2*a + Sqrt[b^2 - 4*a*c]) + b*(-c + Sqrt[b^2 - 4*a*c]))/c^2]*Log[2 + Sqrt[2]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])/c)]*x + Sqrt[2]*Sqrt[(b + 2*c + Sqrt[b^2 - 4*a*c])/c]*Sqrt[1 - x^2]])/(c*Sqrt[b^2 - 4*a*c]*Sqrt[((b + 2*c - Sqrt[b^2 - 4*a*c])*(-b + Sqrt[b^2 - 4*a*c]))/c^2]*Sqrt[-((b + Sqrt[b^2 - 4*a*c])*(b + 2*c + Sqrt[b^2 - 4*a*c]))/c^2]))

fricas [B] time = 1.26, size = 759, normalized size = 3.45

$$\frac{1}{2} \sqrt{\frac{1}{2}} \sqrt{\frac{2a + b + \frac{ab^2 - 4a^2c}{\sqrt{a^2b^2 - 4a^3c}}}{ab^2 - 4a^2c}} \log \left(\frac{x^2 + \frac{\sqrt{\frac{1}{2}} \left((ab^2 - 4a^2c) \sqrt{-x^2 + 1} x - (ab^2 - 4a^2c) x \right) \sqrt{\frac{2a + b + \frac{ab^2 - 4a^2c}{\sqrt{a^2b^2 - 4a^3c}}}{ab^2 - 4a^2c}}}{\sqrt{a^2b^2 - 4a^3c}} + \sqrt{-x^2 + 1} - 1}{x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] 1/2*sqrt(1/2)*sqrt(-(2*a + b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)*log(-(x^2 + sqrt(1/2)*((a*b^2 - 4*a^2*c)*sqrt(-x^2 + 1)*x - (a*b^2 - 4*a^2*c)*x)*sqrt(-(2*a + b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))/sqrt(a^2*b^2 - 4*a^3*c) + sqrt(-x^2 + 1) - 1)/x^2) - 1/2*sqrt(1/2)*sqrt(-(2*a + b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)*log(-(x^2 - sqrt(1/2)*((a*b^2 - 4*a^2*c)*sqrt(-x^2 + 1)*x - (a*b^2 - 4*a^2*c)*x)*sqrt(-(2*a + b + (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))/sqrt(a^2*b^2 - 4*a^3*c) + sqrt(-x^2 + 1) - 1)/x^2) - 1/2*sqrt(1/2)*sqrt(-(2*a + b - (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)*log(-(x^2 + sqrt(1/2)*((a*b^2 - 4*a^2*c)*sqrt(-x^2 + 1)*x - (a*b^2 - 4*a^2*c)*x)*sqrt(-(2*a + b - (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))/sqrt(a^2*b^2 - 4*a^3*c) + sqrt(-x^2 + 1) - 1)/x^2) + 1/2*sqrt(1/2)*sqrt(-(2*a + b - (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c)*log(-(x^2 - sqrt(1/2)*((a*b^2 - 4*a^2*c)*sqrt(-x^2 + 1)*x - (a*b^2 - 4*a^2*c)*x)*sqrt(-(2*a + b - (a*b^2 - 4*a^2*c)/sqrt(a^2*b^2 - 4*a^3*c)))/(a*b^2 - 4*a^2*c))/sqrt(a^2*b^2 - 4*a^3*c) + sqrt(-x^2 + 1) - 1)/x^2)

giac [B] time = 5.12, size = 641, normalized size = 2.91

$$\left(2a^2b^2 - 8a^3c + 3\sqrt{2} \sqrt{2a^2 + ab + \sqrt{b^2 - 4ac}} a \sqrt{b^2 - 4ac} a^2 + 2\sqrt{2} \sqrt{2a^2 + ab + \sqrt{b^2 - 4ac}} a \sqrt{b^2 - 4ac} ab \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out]
$$-1/2*(2*a^2*b^2 - 8*a^3*c + 3*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2 + 2*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a*\sqrt{b^2 - 4*a*c}*a*b - \sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a*\sqrt{b^2 - 4*a*c}*b^2 + 4*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}}*a*\sqrt{b^2 - 4*a*c}*a*c - 2*(b^2 - 4*a*c)*a^2)*\text{abs}(a)*\arctan(-1/2*\sqrt{2}*(x/(\sqrt{-x^2 + 1}) - 1) - (\sqrt{-x^2 + 1})/x)/\sqrt{((2*a + b + \sqrt{(2*a + b)^2 - 4*(a + b + c)*a})/a)})/(3*a^4*b^2 + 2*a^3*b^3 - a^2*b^4 - 12*a^5*c - 8*a^4*b*c + 8*a^3*b^2*c - 16*a^4*c^2) + 1/2*(2*a^2*b^2 - 8*a^3*c + 3*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a)*\sqrt{b^2 - 4*a*c}*a^2 + 2*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a*\sqrt{b^2 - 4*a*c}*a*b - \sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a*\sqrt{b^2 - 4*a*c}*b^2 + 4*\sqrt{2}*\sqrt{2*a^2 + a*b - \sqrt{b^2 - 4*a*c}}*a*\sqrt{b^2 - 4*a*c}*a*c - 2*(b^2 - 4*a*c)*a^2)*\text{abs}(a)*\arctan(-1/2*\sqrt{2}*(x/(\sqrt{-x^2 + 1}) - 1) - (\sqrt{-x^2 + 1})/x)/\sqrt{((2*a + b - \sqrt{(2*a + b)^2 - 4*(a + b + c)*a})/a)})/(3*a^4*b^2 + 2*a^3*b^3 - a^2*b^4 - 12*a^5*c - 8*a^4*b*c + 8*a^3*b^2*c - 16*a^4*c^2)$$

maple [C] time = 0.01, size = 130, normalized size = 0.59

$$4 \left(\text{RootOf} \left(_Z^8 a + (4a + 4b) _Z^6 + (6a + 8b + 16c) _Z^4 + (4a + 4b) _Z^2 + a \right)^7 a + 3 \text{RootOf} \left(_Z^8 a + (4a + 4b) _Z^6 + (6a + 8b + 16c) _Z^4 + (4a + 4b) _Z^2 + a \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x)

[Out]
$$-1/4*\text{sum}((_R^6 - _R^4 - _R^2 + 1)/(_R^7*a + 3*_R^5*a + 3*_R^5*b + 3*_R^3*a + 4*_R^3*b + 8*_R^3*c + _R*a + _R*b)*\ln(-_R + ((-x^2+1)^(1/2)-1)/x), _R = \text{RootOf}(_Z^8*a + (4*a+4*b)*_Z^6 + (6*a+8*b+16*c)*_Z^4 + (4*a+4*b)*_Z^2 + a))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2 + 1}}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)/(c*x^4 + b*x^2 + a), x)

mupad [B] time = 1.27, size = 989, normalized size = 4.50

$$\frac{\ln\left(\frac{\left(x\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}-1\right)i}{\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}+1}-\sqrt{1-x^2}i\right)}{x-\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}}\left(b^2\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}+ab\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}-2ac\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}+2ac\left(-\frac{b-\sqrt{b^2-4ac}}{2c}\right)\right)}{2a\sqrt{\frac{b-\sqrt{b^2-4ac}}{2c}}+1(4ac-b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1 - x^2)^(1/2)/(a + b*x^2 + c*x^4), x)`

[Out] $(\log(\frac{((x(-b + (b^2 - 4ac)^{1/2}))/2c)^{1/2} + 1)i}{(b + (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} + (1 - x^2)^{1/2}i}{(x + (-b + (b^2 - 4ac)^{1/2}))/2c)^{1/2}}) * (b^2 * (-b + (b^2 - 4ac)^{1/2}))/2c + a * b * (-b + (b^2 - 4ac)^{1/2}))/2c - 2 * a * c * (-b + (b^2 - 4ac)^{1/2}))/2c + 2 * a * c * (-b + (b^2 - 4ac)^{1/2}))/2c^3/2 + b * c * (-b + (b^2 - 4ac)^{1/2}))/2c^3/2) / (2 * a * (4 * a * c - b^2) * ((b + (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} - (\log(\frac{((x(-b - (b^2 - 4ac)^{1/2}))/2c)^{1/2} - 1)i}{(b - (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} - (1 - x^2)^{1/2}i}{(x - (-b - (b^2 - 4ac)^{1/2}))/2c)^{1/2}}) * (b^2 * (-b - (b^2 - 4ac)^{1/2}))/2c + a * b * (-b - (b^2 - 4ac)^{1/2}))/2c - 2 * a * c * (-b - (b^2 - 4ac)^{1/2}))/2c + 2 * a * c * (-b - (b^2 - 4ac)^{1/2}))/2c^3/2 + b * c * (-b - (b^2 - 4ac)^{1/2}))/2c^3/2) / (2 * a * (b - (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} * (4 * a * c - b^2) + (\log(\frac{((x(-b - (b^2 - 4ac)^{1/2}))/2c)^{1/2} + 1)i}{(b - (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} + (1 - x^2)^{1/2}i}{(x + (-b - (b^2 - 4ac)^{1/2}))/2c)^{1/2}}) * (b^2 * (-b - (b^2 - 4ac)^{1/2}))/2c + a * b * (-b - (b^2 - 4ac)^{1/2}))/2c - 2 * a * c * (-b - (b^2 - 4ac)^{1/2}))/2c + 2 * a * c * (-b - (b^2 - 4ac)^{1/2}))/2c^3/2 + b * c * (-b - (b^2 - 4ac)^{1/2}))/2c^3/2) / (2 * a * (b - (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} * (4 * a * c - b^2) - (\log(\frac{((x(-b + (b^2 - 4ac)^{1/2}))/2c)^{1/2} - 1)i}{(b + (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2} - (1 - x^2)^{1/2}i}{(x - (-b + (b^2 - 4ac)^{1/2}))/2c)^{1/2}}) * (b^2 * (-b + (b^2 - 4ac)^{1/2}))/2c + a * b * (-b + (b^2 - 4ac)^{1/2}))/2c - 2 * a * c * (-b + (b^2 - 4ac)^{1/2}))/2c + 2 * a * c * (-b + (b^2 - 4ac)^{1/2}))/2c^3/2 + b * c * (-b + (b^2 - 4ac)^{1/2}))/2c^3/2) / (2 * a * (4 * a * c - b^2) * ((b + (b^2 - 4ac)^{1/2}))/2c + 1)^{1/2})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x-1)(x+1)}}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**2+1)**(1/2)/(c*x**4+b*x**2+a),x)
```

```
[Out] Integral(sqrt(-(x - 1)*(x + 1))/(a + b*x**2 + c*x**4), x)
```

$$3.384 \quad \int \frac{\sqrt{1-x^2}}{x^2(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=265

$$\frac{c \left(\frac{2a+b}{\sqrt{b^2-4ac}} + 1 \right) \tan^{-1} \left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2} \sqrt{b-\sqrt{b^2-4ac}}} \right) - c \left(1 - \frac{2a+b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x\sqrt{\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2} \sqrt{\sqrt{b^2-4ac}+b}} \right)}{a\sqrt{b-\sqrt{b^2-4ac}} \sqrt{-\sqrt{b^2-4ac}+b+2c} - a\sqrt{\sqrt{b^2-4ac}+b} \sqrt{\sqrt{b^2-4ac}+b+2c}} - \frac{\sqrt{1-x^2}}{ax}$$

[Out] $-(x^2+1)^{(1/2)}/a/x-c*\arctan(x*(b+2*c-(-4*a*c+b^2)^{(1/2}))^{(1/2)}/(-x^2+1)^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)}*(1+(2*a+b)/(-4*a*c+b^2)^{(1/2)})/a/(b-(-4*a*c+b^2)^{(1/2}))^{(1/2)}/(b+2*c-(-4*a*c+b^2)^{(1/2}))^{(1/2)}-c*\arctan(x*(b+2*c+(-4*a*c+b^2)^{(1/2}))^{(1/2)}/(-x^2+1)^{(1/2)})/(b+(-4*a*c+b^2)^{(1/2}))^{(1/2)}*(1+(-2*a-b)/(-4*a*c+b^2)^{(1/2)})/a/(b+(-4*a*c+b^2)^{(1/2}))^{(1/2)}/(b+2*c+(-4*a*c+b^2)^{(1/2}))^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.78, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1295, 264, 1692, 377, 205}

$$\frac{c \left(\frac{2a+b}{\sqrt{b^2-4ac}} + 1 \right) \tan^{-1} \left(\frac{x\sqrt{-\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2} \sqrt{b-\sqrt{b^2-4ac}}} \right) - c \left(1 - \frac{2a+b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x\sqrt{\sqrt{b^2-4ac}+b+2c}}{\sqrt{1-x^2} \sqrt{\sqrt{b^2-4ac}+b}} \right)}{a\sqrt{b-\sqrt{b^2-4ac}} \sqrt{-\sqrt{b^2-4ac}+b+2c} - a\sqrt{\sqrt{b^2-4ac}+b} \sqrt{\sqrt{b^2-4ac}+b+2c}} - \frac{\sqrt{1-x^2}}{ax}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - x^2]/(x^2*(a + b*x^2 + c*x^4)), x]

[Out] $-(\text{Sqrt}[1 - x^2]/(a*x)) - (c*(1 + (2*a + b)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[b + 2*c - \text{Sqrt}[b^2 - 4*a*c]]*x)/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[1 - x^2])])/(a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[b + 2*c - \text{Sqrt}[b^2 - 4*a*c]]) - (c*(1 - (2*a + b)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[b + 2*c + \text{Sqrt}[b^2 - 4*a*c]]*x)/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[1 - x^2])])/(a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[b + 2*c + \text{Sqrt}[b^2 - 4*a*c]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1295

```
Int[(((f_.)*(x_))^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Dist[d/a, Int[(f*x)^m*(d + e*x^2)^(q - 1), x],
x] - Dist[1/(a*f^2), Int[((f*x)^(m + 2)*(d + e*x^2)^(q - 1)*Simp[b*d - a*e
+ c*d*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && LtQ[m, 0]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{1-x^2}}{x^2(a+bx^2+cx^4)} dx &= \frac{\int \frac{1}{x^2\sqrt{1-x^2}} dx}{a} - \frac{\int \frac{a+b+cx^2}{\sqrt{1-x^2}(a+bx^2+cx^4)} dx}{a} \\
&= -\frac{\sqrt{1-x^2}}{ax} - \frac{\int \left(\frac{c+\frac{(2a+b)c}{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} + \frac{c-\frac{(2a+b)c}{\sqrt{b^2-4ac}}}{\sqrt{1-x^2}(b+\sqrt{b^2-4ac}+2cx^2)} \right) dx}{a} \\
&= -\frac{\sqrt{1-x^2}}{ax} - \frac{\left(c\left(1-\frac{2a+b}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{1-x^2}(b+\sqrt{b^2-4ac}+2cx^2)} dx \right)}{a} - \frac{\left(c\left(1+\frac{2a+b}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{1-x^2}(b-\sqrt{b^2-4ac}+2cx^2)} dx \right)}{a} \\
&= -\frac{\sqrt{1-x^2}}{ax} - \frac{\left(c\left(1-\frac{2a+b}{\sqrt{b^2-4ac}}\right) \text{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac}-(-b-2c-\sqrt{b^2-4ac})x^2} dx, x, \frac{x}{\sqrt{1-x^2}} \right) \right)}{a} - \frac{\left(c\left(1+\frac{2a+b}{\sqrt{b^2-4ac}}\right) \text{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac}+(-b+2c+\sqrt{b^2-4ac})x^2} dx, x, \frac{x}{\sqrt{1-x^2}} \right) \right)}{a} \\
&= -\frac{\sqrt{1-x^2}}{ax} - \frac{c\left(1+\frac{2a+b}{\sqrt{b^2-4ac}}\right) \tan^{-1} \left(\frac{\sqrt{b+2c-\sqrt{b^2-4ac}} x}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{1-x^2}} \right)}{a\sqrt{b-\sqrt{b^2-4ac}} \sqrt{b+2c-\sqrt{b^2-4ac}}} - \frac{c\left(1-\frac{2a+b}{\sqrt{b^2-4ac}}\right) \tan^{-1} \left(\frac{\sqrt{b+2c+\sqrt{b^2-4ac}} x}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{1-x^2}} \right)}{a\sqrt{b+\sqrt{b^2-4ac}} \sqrt{b+2c+\sqrt{b^2-4ac}}}
\end{aligned}$$

Mathematica [B] time = 4.95, size = 2661, normalized size = 10.04

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[1 - x^2]/(x^2*(a + b*x^2 + c*x^4)), x]

[Out]
$$\begin{aligned}
& -1/2*(4*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(-c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(c + \text{Sqrt}[b^2 - 4*a*c])]/c^2]*\text{Sqrt}[1 - x^2] + \text{Sqrt}[2]*(2*a + b + \text{Sqrt}[b^2 - 4*a*c])*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[-(\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2]) + x] - \text{Sqrt}[2]*(2*a + b + \text{Sqrt}[b^2 - 4*a*c])*\text{Sqrt}[-(b^2 + c*(-2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[\text{Sqrt}[(-b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2] + x] - 2*\text{Sqrt}[2]*a*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(-c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[-(\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2]) + x] - \text{Sqrt}[2]*b*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(-c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[-(\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c]/\text{Sqrt}[2]) + x] + \text{Sqrt}[2]*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(-c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[-(\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c])/\text{Sqrt}[2]) + x] + 2*\text{Sqrt}[2]*a*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(-c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[-(\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c])/\text{Sqrt}[2]) + x] + 2*\text{Sqrt}[2]*b*\text{Sqrt}[(-b^2 + c*(2*a + \text{Sqrt}[b^2 - 4*a*c])) + b*(-c + \text{Sqrt}[b^2 - 4*a*c])]/c^2)*x*\text{Log}[-(\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])/c])/\text{Sqrt}[2]) + x]
\end{aligned}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x^2/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out]
$$\frac{1}{2} \left(\frac{\sqrt{1/2} a x \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c + (a^3 b^2 - 4 a^4 c))}}{x^2} \frac{\sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} \log\left(\frac{(2 a c^2 - 2(a c^2 - (a b + b^2) c) x^2 - 2(a b + b^2) c + \sqrt{1/2}((a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c)) \sqrt{-x^2 + 1} x - (a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c) x - ((a^3 b^3 - 4 a^4 b c) \sqrt{-x^2 + 1} x - (a^3 b^3 - 4 a^4 b c) x) \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)}\right) \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c + (a^3 b^2 - 4 a^4 c))} \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} \right) / (a^3 b^2 - 4 a^4 c) - 2(a c^2 - (a b + b^2) c) \sqrt{-x^2 + 1} / x^2 - \sqrt{1/2} a x \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c + (a^3 b^2 - 4 a^4 c))} \frac{\sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} \log\left(\frac{(2 a c^2 - 2(a c^2 - (a b + b^2) c) x^2 - 2(a b + b^2) c - \sqrt{1/2}((a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c)) \sqrt{-x^2 + 1} x - (a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c) x - ((a^3 b^3 - 4 a^4 b c) \sqrt{-x^2 + 1} x - (a^3 b^3 - 4 a^4 b c) x) \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)}\right) \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c + (a^3 b^2 - 4 a^4 c))} \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} - 2(a c^2 - (a b + b^2) c) \sqrt{-x^2 + 1} / x^2 + \sqrt{1/2} a x \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c - (a^3 b^2 - 4 a^4 c))} \frac{\sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} \log\left(\frac{(2 a c^2 - 2(a c^2 - (a b + b^2) c) x^2 - 2(a b + b^2) c + \sqrt{1/2}((a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c)) \sqrt{-x^2 + 1} x - (a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c) x + ((a^3 b^3 - 4 a^4 b c) \sqrt{-x^2 + 1} x - (a^3 b^3 - 4 a^4 b c) x) \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)}\right) \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c - (a^3 b^2 - 4 a^4 c))} \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} - 2(a c^2 - (a b + b^2) c) \sqrt{-x^2 + 1} / x^2 - \sqrt{1/2} a x \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c - (a^3 b^2 - 4 a^4 c))} \frac{\sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} \log\left(\frac{(2 a c^2 - 2(a c^2 - (a b + b^2) c) x^2 - 2(a b + b^2) c - \sqrt{1/2}((a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c)) \sqrt{-x^2 + 1} x - (a b^3 + b^4 + 4 a^2 c^2 - (4 a^2 b + 5 a b^2) c) x + ((a^3 b^3 - 4 a^4 b c) \sqrt{-x^2 + 1} x - (a^3 b^3 - 4 a^4 b c) x) \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)}\right) \sqrt{-(a b^2 + b^3 - (2 a^2 + 3 a b) c - (a^3 b^2 - 4 a^4 c))} \sqrt{(a^2 b^2 + 2 a b^3 + b^4 + a^2 c^2 - 2(a^2 b + a b^2) c)}}{(a^6 b^2 - 4 a^7 c)} - 2(a c^2 - (a b + b^2) c) \sqrt{-x^2 + 1} / x^2 - 2 \sqrt{-x^2 + 1} / (a x)$$

$a*b + \sqrt{b^2 - 4*a*c}*a)*a^3*b^2*c^2 - 16*a^4*b^2*c^2 - 16*\sqrt{2}*\sqrt{2*a^2 + a*b + \sqrt{b^2 - 4*a*c}*a)*a^4*c^3 + 32*a^5*c^3 - 2*(b^2 - 4*a*c)*a^4*b^2 - 2*(b^2 - 4*a*c)*a^3*b^3 + 8*(b^2 - 4*a*c)*a^5*c + 8*(b^2 - 4*a*c)*a^4*b*c - 2*(b^2 - 4*a*c)*a^3*b^2*c + 8*(b^2 - 4*a*c)*a^4*c^2)*\text{abs}(a))*\arctan(-1/2*\sqrt{2}*(x/(\sqrt{-x^2 + 1}) - 1) - (\sqrt{-x^2 + 1}) - 1)/x)/\sqrt{(2*a^2 + a*b - \sqrt{-4*(a^2 + a*b + a*c)*a^2 + (2*a^2 + a*b)^2})/a^2}))/((3*a^8*b^2 + 5*a^7*b^3 + a^6*b^4 - a^5*b^5 - 12*a^9*c - 20*a^8*b*c + 3*a^7*b^2*c + 10*a^6*b^3*c - a^5*b^4*c - 28*a^8*c^2 - 24*a^7*b*c^2 + 8*a^6*b^2*c^2 - 16*a^7*c^3) + 1/2*(x/(\sqrt{-x^2 + 1}) - 1) - (\sqrt{-x^2 + 1}) - 1)/x)/a$

maple [C] time = 0.03, size = 217, normalized size = 0.82

$$\frac{\frac{\sqrt{-x^2+1} x}{a} - \frac{\arcsin(x)}{a} - \frac{2 \arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right)}{a}}{4a \left(\text{RootOf}\left(-Z^8 a + (4a + 4b) Z^6 + (6a + 8b + 16c) Z^4 + (4a^2 + 4ab + 4ac) Z^2 + a^2\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^2+1)^(1/2)/x^2/(c*x^4+b*x^2+a), x)

[Out] -1/a/x*(-x^2+1)^(3/2)-1/a*x*(-x^2+1)^(1/2)-1/a*arcsin(x)+1/4/a*sum(((a+b)*_R^6+(3*a+3*b+4*c)*_R^4+(3*a+3*b+4*c)*_R^2+a+b)/(_R^7*a+3*_R^5*a+3*_R^5*b+3*_R^3*a+4*_R^3*b+8*_R^3*c+_R*a+_R*b)*ln(-_R+((-x^2+1)^(1/2)-1)/x), _R=RootOf(-Z^8*a+(4*a+4*b)*_Z^6+(6*a+8*b+16*c)*_Z^4+(4*a+4*b)*_Z^2+a))-2/a*arctan(((x^2+1)^(1/2)-1)/x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1}}{(cx^4+bx^2+a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^2+1)^(1/2)/x^2/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)/((c*x^4 + b*x^2 + a)*x^2), x)

$$\frac{(b - (b^2 - 4ac)^{1/2})/(2c)^{3/2} - 3abc(-(b - (b^2 - 4ac)^{1/2})/(2c))^{1/2} + abc(-(b - (b^2 - 4ac)^{1/2})/(2c))^{3/2})/(2a^2((b - (b^2 - 4ac)^{1/2})/(2c) + 1)^{1/2}(4ac - b^2))}{}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-(x-1)(x+1)}}{x^2(a+bx^2+cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**2+1)**(1/2)/x**2/(c*x**4+b*x**2+a),x)

[Out] Integral(sqrt(-(x - 1)*(x + 1))/(x**2*(a + b*x**2 + c*x**4)), x)

$$3.385 \quad \int \frac{x^2 \sqrt{1-x^2}}{-1+x^2+x^4} dx$$

Optimal. Leaf size=96

$$\sqrt{\frac{1}{5}(2+\sqrt{5})} \tan^{-1}\left(\frac{\sqrt{\frac{1}{2}(1+\sqrt{5})}x}{\sqrt{1-x^2}}\right) - \sqrt{\frac{1}{5}(\sqrt{5}-2)} \tanh^{-1}\left(\frac{\sqrt{\frac{1}{2}(\sqrt{5}-1)}x}{\sqrt{1-x^2}}\right) - \sin^{-1}(x)$$

[Out] $-\arcsin(x) - 1/5 \cdot \arctanh(1/2 \cdot x \cdot (-2 + 2 \cdot 5^{(1/2)})^{(1/2)} / (-x^2 + 1)^{(1/2)}) \cdot (-10 + 5 \cdot 5^{(1/2)})^{(1/2)} + 1/5 \cdot \arctan(1/2 \cdot x \cdot (2 + 2 \cdot 5^{(1/2)})^{(1/2)} / (-x^2 + 1)^{(1/2)}) \cdot (10 + 5 \cdot 5^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1293, 216, 1692, 377, 207, 203}

$$\sqrt{\frac{1}{5}(2+\sqrt{5})} \tan^{-1}\left(\frac{\sqrt{\frac{1}{2}(1+\sqrt{5})}x}{\sqrt{1-x^2}}\right) - \sqrt{\frac{1}{5}(\sqrt{5}-2)} \tanh^{-1}\left(\frac{\sqrt{\frac{1}{2}(\sqrt{5}-1)}x}{\sqrt{1-x^2}}\right) - \sin^{-1}(x)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2 \cdot \text{Sqrt}[1 - x^2]) / (-1 + x^2 + x^4), x]$

[Out] $-\text{ArcSin}[x] + \text{Sqrt}[(2 + \text{Sqrt}[5])/5] \cdot \text{ArcTan}[(\text{Sqrt}[(1 + \text{Sqrt}[5])/2] \cdot x) / \text{Sqrt}[1 - x^2]] - \text{Sqrt}[(-2 + \text{Sqrt}[5])/5] \cdot \text{ArcTanh}[(\text{Sqrt}[(-1 + \text{Sqrt}[5])/2] \cdot x) / \text{Sqrt}[1 - x^2]]$

Rule 203

$\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTan}[(\text{Rt}[b, 2] \cdot x) / \text{Rt}[a, 2]]) / (\text{Rt}[a, 2] \cdot \text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

$\text{Int}[(a_ + (b_ \cdot x)^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[(\text{Rt}[b, 2] \cdot x) / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2] \cdot \text{Rt}[b, 2]), x] /;$ FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_ + (b_ \cdot x)^2)], x_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2] \cdot x) / \text{Sqrt}[a]] / \text{Rt}[-b, 2], x] /;$ FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1293

Int[(((f_)*(x_))^(m_)*((d_.) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Dist[(e*f^2)/c, Int[(f*x)^(m-2)*(d + e*x^2)^(q-1), x], x] - Dist[f^2/c, Int[((f*x)^(m-2)*(d + e*x^2)^(q-1)*Simp[a*e - (c*d - b*e)*x^2, x])/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && GtQ[q, 0] && GtQ[m, 1] && LeQ[m, 3]

Rule 1692

Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 \sqrt{1-x^2}}{-1+x^2+x^4} dx &= - \int \frac{1}{\sqrt{1-x^2}} dx - \int \frac{1-2x^2}{\sqrt{1-x^2}(-1+x^2+x^4)} dx \\
 &= -\sin^{-1}(x) - \int \left(\frac{-2 + \frac{4}{\sqrt{5}}}{\sqrt{1-x^2}(1-\sqrt{5}+2x^2)} + \frac{-2 - \frac{4}{\sqrt{5}}}{\sqrt{1-x^2}(1+\sqrt{5}+2x^2)} \right) dx \\
 &= -\sin^{-1}(x) + \frac{1}{5}(2(5-2\sqrt{5})) \int \frac{1}{\sqrt{1-x^2}(1-\sqrt{5}+2x^2)} dx + \frac{1}{5}(2(5+2\sqrt{5})) \int \frac{1}{\sqrt{1-x^2}(1+\sqrt{5}+2x^2)} dx \\
 &= -\sin^{-1}(x) + \frac{1}{5}(2(5-2\sqrt{5})) \text{Subst} \left(\int \frac{1}{1-\sqrt{5}-(-3+\sqrt{5})x^2} dx, x, \frac{x}{\sqrt{1-x^2}} \right) + \frac{1}{5}(2(5+2\sqrt{5})) \text{Subst} \left(\int \frac{1}{1+\sqrt{5}-(-3+\sqrt{5})x^2} dx, x, \frac{x}{\sqrt{1-x^2}} \right) \\
 &= -\sin^{-1}(x) + \sqrt{\frac{1}{5}(2+\sqrt{5})} \tan^{-1} \left(\frac{\sqrt{\frac{1}{2}(1+\sqrt{5})}x}{\sqrt{1-x^2}} \right) - \sqrt{\frac{1}{5}(-2+\sqrt{5})} \tanh^{-1} \left(\frac{\sqrt{\frac{1}{2}(-1+\sqrt{5})}x}{\sqrt{1-x^2}} \right)
 \end{aligned}$$

Mathematica [C] time = 0.50, size = 743, normalized size = 7.74

$$i\sqrt{5(\sqrt{5}-2)} \log\left(\sqrt{2(3+\sqrt{5})}\sqrt{1-x^2} - i\sqrt{2(1+\sqrt{5})}x + 2\right) + 2i\sqrt{\sqrt{5}-2} \log\left(\sqrt{2(3+\sqrt{5})}\sqrt{1-x^2} - i\sqrt{2(1+\sqrt{5})}x + 2\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*Sqrt[1 - x^2])/(-1 + x^2 + x^4), x]

[Out] (-2*Sqrt[5]*ArcSin[x] + (-2 + Sqrt[5])*Sqrt[2 + Sqrt[5]]*Log[-Sqrt[(-1 + Sqrt[5])/2] + x] + 2*Sqrt[2 + Sqrt[5]]*Log[Sqrt[(-1 + Sqrt[5])/2] + x] - Sqrt[5*(2 + Sqrt[5])]*Log[Sqrt[(-1 + Sqrt[5])/2] + x] - (2*I)*Sqrt[-2 + Sqrt[5]]*Log[(-I)*Sqrt[(1 + Sqrt[5])/2] + x] - I*Sqrt[5*(-2 + Sqrt[5])]*Log[(-I)*Sqrt[(1 + Sqrt[5])/2] + x] + (2*I)*Sqrt[-2 + Sqrt[5]]*Log[I*Sqrt[(1 + Sqrt[5])/2] + x] + I*Sqrt[5*(-2 + Sqrt[5])]*Log[I*Sqrt[(1 + Sqrt[5])/2] + x] + (2*I)*Sqrt[-2 + Sqrt[5]]*Log[2 - I*Sqrt[2*(1 + Sqrt[5])]]*x + Sqrt[2*(3 + Sqrt[5])]*Sqrt[1 - x^2]] + I*Sqrt[5*(-2 + Sqrt[5])]*Log[2 - I*Sqrt[2*(1 + Sqrt[5])]]*x + Sqrt[2*(3 + Sqrt[5])]*Sqrt[1 - x^2]] - (2*I)*Sqrt[-2 + Sqrt[5]]*Log[2 + I*Sqrt[2*(1 + Sqrt[5])]]*x + Sqrt[2*(3 + Sqrt[5])]*Sqrt[1 - x^2]] - I*Sqrt[5*(-2 + Sqrt[5])]*Log[2 + I*Sqrt[2*(1 + Sqrt[5])]]*x + Sqrt[2*(3 + Sqrt[5])]*Sqrt[1 - x^2]] + 2*Sqrt[2 + Sqrt[5]]*Log[2 - Sqrt[2*(-1 + Sqrt[5])]]*x + Sqrt[2]*Sqrt[(-3 + Sqrt[5])*(-1 + x^2)]] - Sqrt[5*(2 + Sqrt[5])]*Log[2 - Sqrt[2*(-1 + Sqrt[5])]]*x + Sqrt[2]*Sqrt[(-3 + Sqrt[5])*(-1 + x^2)]] - 2*Sqrt[2 + Sqrt[5]]*Log[2 + Sqrt[2*(-1 + Sqrt[5])]]*x + Sqrt[2]*Sqrt[(-3 + Sqrt[5])*(-1 + x^2)]] + Sqrt[5*(2 + Sqrt[5])]*Log[2 + Sqrt[2*(-1 + Sqrt[5])]]*x + Sqrt[2]*Sqrt[(-3 + Sqrt[5])*(-1 + x^2)]])/(2*Sqrt[5])

fricas [B] time = 1.09, size = 290, normalized size = 3.02

$$\frac{2}{5} \sqrt{5} \sqrt{\sqrt{5} + 2} \arctan \left(\frac{\sqrt{2} \left(\sqrt{-x^2 + 1} (\sqrt{5} - 3) + \sqrt{5} - 3 \right) \sqrt{\sqrt{5} + 2} \sqrt{\frac{x^4 - 4x^2 - \sqrt{5}(x^4 - 2x^2) - 2(\sqrt{5}x^2 - x^2 + 2)\sqrt{-x^2 + 1} + 4}{x^4}}}{4x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(-x^2+1)^(1/2)/(x^4+x^2-1), x, algorithm="fricas")

[Out] 2/5*sqrt(5)*sqrt(sqrt(5) + 2)*arctan(1/4*(sqrt(2)*(sqrt(-x^2 + 1))*(sqrt(5) - 3) + sqrt(5) - 3)*sqrt(sqrt(5) + 2)*sqrt((x^4 - 4*x^2 - sqrt(5)*(x^4 - 2*x^2) - 2*(sqrt(5)*x^2 - x^2 + 2)*sqrt(-x^2 + 1) + 4)/x^4) + 2*sqrt(-x^2 + 1)*sqrt(sqrt(5) + 2)*(sqrt(5) - 3)/x) + 1/10*sqrt(5)*sqrt(sqrt(5) - 2)*log(-(2*x^2 + (sqrt(-x^2 + 1)*(sqrt(5)*x + x) - sqrt(5)*x - x)*sqrt(sqrt(5) - 2) + 2*sqrt(-x^2 + 1) - 2)/x^2) - 1/10*sqrt(5)*sqrt(sqrt(5) - 2)*log(-(2*x^2 + (sqrt(-x^2 + 1)*(sqrt(5)*x + x) - sqrt(5)*x - x)*sqrt(sqrt(5) - 2) + 2*sqrt(-x^2 + 1) - 2)/x^2) - 1/10*sqrt(5)*sqrt(sqrt(5) - 2)*log(-(2*x^2 + (sqrt(-x^2 + 1)*(sqrt(5)*x + x) - sqrt(5)*x - x)*sqrt(sqrt(5) - 2) + 2*sqrt(-x^2 + 1) - 2)/x^2) - 1/10*sqrt(5)*sqrt(sqrt(5) - 2)*log(-(2*x^2 + (sqrt(-x^2 + 1)*(sqrt(5)*x + x) - sqrt(5)*x - x)*sqrt(sqrt(5) - 2) + 2*sqrt(-x^2 + 1) - 2)/x^2)

$-\left(\sqrt{-x^2+1}\right)\left(\sqrt{5}\right)x+x-\sqrt{5}\left(x-x\right)\sqrt{\sqrt{5}-2}+2\sqrt{-x^2+1}-2/x^2)+2\arctan\left(\left(\sqrt{-x^2+1}-1\right)/x\right)$

giac [B] time = 0.72, size = 209, normalized size = 2.18

$$-\frac{1}{2}\pi\operatorname{sgn}(x)-\frac{1}{5}\sqrt{5}\sqrt{5+10}\arctan\left(-\frac{\frac{x}{\sqrt{-x^2+1}-1}-\frac{\sqrt{-x^2+1}-1}{x}}{\sqrt{2}\sqrt{5}+2}\right)-\frac{1}{10}\sqrt{5}\sqrt{5}-10\log\left(\left|\sqrt{2}\sqrt{5}-2-\frac{x}{\sqrt{-x^2+1}}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(-x^2+1)^(1/2)/(x^4+x^2-1),x, algorithm="giac")

[Out] $-\frac{1}{2}\pi\operatorname{sgn}(x)-\frac{1}{5}\sqrt{5}\sqrt{5+10}\arctan\left(-\frac{x}{\left(\sqrt{-x^2+1}-1\right)-\left(\sqrt{-x^2+1}-1\right)/x}\right)-\frac{1}{10}\sqrt{5}\sqrt{5}-10\log\left(\left|\sqrt{2}\sqrt{5}-2-\frac{x}{\sqrt{-x^2+1}}\right|\right)+\frac{1}{10}\sqrt{5}\sqrt{5}-10\log\left(\left|\sqrt{2}\sqrt{5}-2-\frac{x}{\sqrt{-x^2+1}}\right|\right)-\arctan\left(-\frac{1}{2}x\left(\frac{\sqrt{-x^2+1}-1}{x^2-1}\right)\right)$

maple [B] time = 0.09, size = 160, normalized size = 1.67

$$-\frac{\sqrt{5}\operatorname{arctanh}\left(\frac{\sqrt{-x^2+1}-1}{\sqrt{2+\sqrt{5}}x}\right)+\sqrt{\sqrt{5}-2}\sqrt{5}\operatorname{arctanh}\left(\frac{\sqrt{-x^2+1}-1}{\sqrt{\sqrt{5}-2}x}\right)+2\arctan\left(\frac{\sqrt{-x^2+1}-1}{x}\right)-\frac{\sqrt{2+\sqrt{5}}\sqrt{5}\operatorname{arctanh}\left(\frac{\sqrt{-x^2+1}-1}{\sqrt{2+\sqrt{5}}x}\right)}{5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(-x^2+1)^(1/2)/(x^4+x^2-1),x)

[Out] $-\frac{1}{5}\left(2+5^{1/2}\right)^{1/2}5^{1/2}\arctan\left(\frac{\left(-x^2+1\right)^{1/2}-1}{x\left(2+5^{1/2}\right)^{1/2}}\right)+\frac{1}{5}\left(5^{1/2}-2\right)^{1/2}5^{1/2}\operatorname{arctanh}\left(\frac{\left(-x^2+1\right)^{1/2}-1}{x\left(5^{1/2}-2\right)^{1/2}}\right)-\frac{1}{5}5^{1/2}\left(2+5^{1/2}\right)^{1/2}\operatorname{arctanh}\left(\frac{\left(-x^2+1\right)^{1/2}-1}{x\left(2+5^{1/2}\right)^{1/2}}\right)-\frac{1}{5}5^{1/2}\left(5^{1/2}-2\right)^{1/2}\arctan\left(\frac{\left(-x^2+1\right)^{1/2}-1}{x\left(5^{1/2}-2\right)^{1/2}}\right)+2\arctan\left(\frac{\left(-x^2+1\right)^{1/2}-1}{x}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-x^2+1}x^2}{x^4+x^2-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(-x^2+1)^(1/2)/(x^4+x^2-1),x, algorithm="maxima")

[Out] integrate(sqrt(-x^2 + 1)*x^2/(x^4 + x^2 - 1), x)

mupad [B] time = 1.50, size = 383, normalized size = 3.99

$$-\operatorname{asin}(x) - \frac{\ln\left(\frac{\left(x\sqrt{\frac{\sqrt{5}-1}{2}-\frac{1}{2}}\right)^{1i} - \sqrt{1-x^2} 1i}{\sqrt{\frac{3-\sqrt{5}}{2}}}\right)}{x - \sqrt{\frac{\sqrt{5}-1}{2}}}\left(\sqrt{5}-2\right) + \frac{\ln\left(\frac{\left(x\sqrt{-\frac{\sqrt{5}-1}{2}-\frac{1}{2}}\right)^{1i} - \sqrt{1-x^2} 1i}{\sqrt{\frac{\sqrt{5}+3}{2}}}\right)}{x - \sqrt{-\frac{\sqrt{5}-1}{2}}}\left(\sqrt{5}+2\right) + \frac{\ln\left(\frac{\left(x\sqrt{\frac{\sqrt{5}}{2}}\right)^{1i} - \sqrt{1-x^2} 1i}{\sqrt{\frac{3}{2}}}\right)}{x - \sqrt{\frac{\sqrt{5}}{2}}}\left(\sqrt{5}+2\right)$$

$$\frac{-\operatorname{asin}(x) - \frac{\ln\left(\frac{\left(x\sqrt{\frac{\sqrt{5}-1}{2}-\frac{1}{2}}\right)^{1i} - \sqrt{1-x^2} 1i}{\sqrt{\frac{3-\sqrt{5}}{2}}}\right)}{x - \sqrt{\frac{\sqrt{5}-1}{2}}}\left(\sqrt{5}-2\right) + \frac{\ln\left(\frac{\left(x\sqrt{-\frac{\sqrt{5}-1}{2}-\frac{1}{2}}\right)^{1i} - \sqrt{1-x^2} 1i}{\sqrt{\frac{\sqrt{5}+3}{2}}}\right)}{x - \sqrt{-\frac{\sqrt{5}-1}{2}}}\left(\sqrt{5}+2\right) + \frac{\ln\left(\frac{\left(x\sqrt{\frac{\sqrt{5}}{2}}\right)^{1i} - \sqrt{1-x^2} 1i}{\sqrt{\frac{3}{2}}}\right)}{x - \sqrt{\frac{\sqrt{5}}{2}}}\left(\sqrt{5}+2\right)}{\left(2\sqrt{\frac{\sqrt{5}-1}{2}} + 4\left(\frac{\sqrt{5}-1}{2}\right)^{3/2}\right)\sqrt{\frac{3-\sqrt{5}}{2}} + \left(2\sqrt{-\frac{\sqrt{5}-1}{2}} + 4\left(-\frac{\sqrt{5}-1}{2}\right)^{3/2}\right)\sqrt{\frac{\sqrt{5}+3}{2}} + \left(2\sqrt{\frac{\sqrt{5}}{2}} + 4\left(\frac{\sqrt{5}}{2}\right)^{3/2}\right)\sqrt{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(1 - x^2)^(1/2))/(x^2 + x^4 - 1),x)

[Out] (log((((x*(-5^(1/2)/2 - 1/2)^(1/2) - 1)*1i)/(5^(1/2)/2 + 3/2)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - (-5^(1/2)/2 - 1/2)^(1/2)))*(5^(1/2) + 2))/((2*(-5^(1/2)/2 - 1/2)^(1/2) + 4*(-5^(1/2)/2 - 1/2)^(3/2))*(5^(1/2)/2 + 3/2)^(1/2)) - (log((((x*(5^(1/2)/2 - 1/2)^(1/2) - 1)*1i)/(3/2 - 5^(1/2)/2)^(1/2) - (1 - x^2)^(1/2)*1i)/(x - (5^(1/2)/2 - 1/2)^(1/2)))*(5^(1/2) - 2))/((2*(5^(1/2)/2 - 1/2)^(1/2) + 4*(5^(1/2)/2 - 1/2)^(3/2))*(3/2 - 5^(1/2)/2)^(1/2)) - asin(x) + (log((((x*(5^(1/2)/2 - 1/2)^(1/2) + 1)*1i)/(3/2 - 5^(1/2)/2)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + (5^(1/2)/2 - 1/2)^(1/2)))*(5^(1/2) - 2))/((2*(5^(1/2)/2 - 1/2)^(1/2) + 4*(5^(1/2)/2 - 1/2)^(3/2))*(3/2 - 5^(1/2)/2)^(1/2)) - (log((((x*(-5^(1/2)/2 - 1/2)^(1/2) + 1)*1i)/(5^(1/2)/2 + 3/2)^(1/2) + (1 - x^2)^(1/2)*1i)/(x + (-5^(1/2)/2 - 1/2)^(1/2)))*(5^(1/2) + 2))/((2*(-5^(1/2)/2 - 1/2)^(1/2) + 4*(-5^(1/2)/2 - 1/2)^(3/2))*(5^(1/2)/2 + 3/2)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sqrt{-(x-1)(x+1)}}{x^4 + x^2 - 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(-x**2+1)**(1/2)/(x**4+x**2-1),x)

[Out] Integral(x**2*sqrt(-(x - 1)*(x + 1))/(x**4 + x**2 - 1), x)

$$3.386 \quad \int \frac{x^8}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=479

$$\frac{\left(\frac{2a^2c^2-4ab^2c+b^4}{\sqrt{b^2-4ac}} - 2abc + b^3 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c^3 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} - \frac{\left(\frac{2a^2c^2-4ab^2c+b^4}{\sqrt{b^2-4ac}} - 2abc + b^3 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{c^3 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

[Out] $3/8*d^2*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/c/e^{(5/2)}+1/2*b*d*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/c^2/e^{(3/2)}+(-a*c+b^2)*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/c^3/e^{(1/2)}-3/8*d*x*(e*x^2+d)^{(1/2)}/c/e^2-1/2*b*x*(e*x^2+d)^{(1/2)}/c^2/e+1/4*x^3*(e*x^2+d)^{(1/2)}/c/e-\operatorname{arctan}(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^3-2*a*b*c+(-2*a^2*c^2+4*a*b^2*c-b^4)/(-4*a*c+b^2)^{(1/2)})/c^3/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-\operatorname{arctan}(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^3-2*a*b*c+(2*a^2*c^2-4*a*b^2*c+b^4)/(-4*a*c+b^2)^{(1/2)})/c^3/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 1.86, antiderivative size = 479, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1303, 217, 206, 321, 1692, 377, 205}

$$\frac{\left(\frac{2a^2c^2-4ab^2c+b^4}{\sqrt{b^2-4ac}} - 2abc + b^3 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c^3 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} - \frac{\left(\frac{2a^2c^2-4ab^2c+b^4}{\sqrt{b^2-4ac}} - 2abc + b^3 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{c^3 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^8/(\operatorname{Sqrt}[d + e*x^2]*(a + b*x^2 + c*x^4)), x]$

[Out] $(-3*d*x*\operatorname{Sqrt}[d + e*x^2])/(8*c*e^2) - (b*x*\operatorname{Sqrt}[d + e*x^2])/(2*c^2*e) + (x^3*\operatorname{Sqrt}[d + e*x^2])/(4*c*e) - ((b^3 - 2*a*b*c - (b^4 - 4*a*b^2*c + 2*a^2*c^2))/\operatorname{Sqrt}[b^2 - 4*a*c])*ArcTan[(\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]*x)/(\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[d + e*x^2])]/(c^3*\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]) - ((b^3 - 2*a*b*c + (b^4 - 4*a*b^2*c + 2*a^2*c^2))/\operatorname{Sqrt}[b^2 - 4*a*c])*ArcTan[(\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]*x)/(\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[d + e*x^2])]/(c^3*\operatorname{Sqrt}[b +$

$$\text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]) + (3*d^2*\text{ArcTan} \\ \text{h}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d + e*x^2]])/(8*c*e^{(5/2)}) + (b*d*\text{ArcTanh}[(\text{Sqrt}[e]*x)/\text{S} \\ \text{qrt}[d + e*x^2]])/(2*c^2*e^{(3/2)}) + ((b^2 - a*c)*\text{ArcTanh}[(\text{Sqrt}[e]*x)/\text{Sqrt}[d + \\ e*x^2]])/(c^3*\text{Sqrt}[e])$$
Rule 205

$$\text{Int}[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \text{ :> } \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a \\ /b, 2]])/a, x] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$$
Rule 206

$$\text{Int}[((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \text{ :> } \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/ \\ \text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{Gt} \\ \text{Q}[a, 0] \ || \ \text{LtQ}[b, 0])$$
Rule 217

$$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x_Symbol] \text{ :> } \text{Subst}[\text{Int}[1/(1 - b*x^2), x], \\ x, x/\text{Sqrt}[a + b*x^2]] \text{ /; } \text{FreeQ}\{a, b\}, x\} \ \&\& \ \text{!GtQ}[a, 0]$$
Rule 321

$$\text{Int}(((c_.)*(x_))^{(m_)}*((a_) + (b_.)*(x_)^{(n_)})^{(p_)}, x_Symbol] \text{ :> } \text{Simp}[(c^{(\\ n - 1)}*(c*x)^{(m - n + 1)}*(a + b*x^n)^{(p + 1)})/(b*(m + n*p + 1)), x] - \text{Dist} \\ [(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), \text{Int}[(c*x)^{(m - n)}*(a + b*x^n)^p, x], \\ x] \text{ /; } \text{FreeQ}\{a, b, c, p\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n - 1] \ \&\& \ \text{NeQ}[m + n*p \\ + 1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$$
Rule 377

$$\text{Int}(((a_) + (b_.)*(x_)^{(n_)})^{(p_)}/((c_) + (d_.)*(x_)^{(n_)}), x_Symbol] \text{ :> } \text{Su} \\ \text{bst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] \text{ /; } \text{FreeQ}\{a, b \\ , c, d\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$
Rule 1303

$$\text{Int}((((f_.)*(x_))^{(m_)}*((d_) + (e_.)*(x_)^2)^{(q_)})/((a_) + (b_.)*(x_)^2 + \\ (c_.)*(x_)^4), x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^q, (f*x)^m/(a + \\ b*x^2 + c*x^4), x], x] \text{ /; } \text{FreeQ}\{a, b, c, d, e, f, q\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4*a \\ *c, 0] \ \&\& \ \text{!IntegerQ}[q] \ \&\& \ \text{IntegerQ}[m]$$
Rule 1692

$$\text{Int}[(\text{Px}_.)*((d_) + (e_.)*(x_)^2)^{(q_)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(\\ p_.)}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[\text{Px}*(d + e*x^2)^q*(a + b*x^2 + c*x^4$$

)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{x^8}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx &= \int \left(\frac{b^2-ac}{c^3\sqrt{d+ex^2}} - \frac{bx^2}{c^2\sqrt{d+ex^2}} + \frac{x^4}{c\sqrt{d+ex^2}} - \frac{a(b^2-ac)+b(b^2-2ac)x^2}{c^3\sqrt{d+ex^2} (a+bx^2+cx^4)} \right) dx \\
 &= -\frac{\int \frac{a(b^2-ac)+b(b^2-2ac)x^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{c^3} - \frac{b \int \frac{x^2}{\sqrt{d+ex^2}} dx}{c^2} + \frac{\int \frac{x^4}{\sqrt{d+ex^2}} dx}{c} + \frac{(b^2-ac) \int \frac{1}{\sqrt{d+ex^2}} dx}{c^3} \\
 &= -\frac{bx\sqrt{d+ex^2}}{2c^2e} + \frac{x^3\sqrt{d+ex^2}}{4ce} - \frac{\int \left(\frac{b(b^2-2ac)+\frac{-b^4+4ab^2c-2a^2c^2}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{b(b^2-2ac)-\frac{-b^4+4ab^2c-2a^2c^2}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{c^3} \\
 &= -\frac{3dx\sqrt{d+ex^2}}{8ce^2} - \frac{bx\sqrt{d+ex^2}}{2c^2e} + \frac{x^3\sqrt{d+ex^2}}{4ce} + \frac{(b^2-ac) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c^3\sqrt{e}} \\
 &= -\frac{3dx\sqrt{d+ex^2}}{8ce^2} - \frac{bx\sqrt{d+ex^2}}{2c^2e} + \frac{x^3\sqrt{d+ex^2}}{4ce} + \frac{bd \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2c^2e^{3/2}} + \frac{(b^2-ac) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c^3\sqrt{e}} \\
 &= -\frac{3dx\sqrt{d+ex^2}}{8ce^2} - \frac{bx\sqrt{d+ex^2}}{2c^2e} + \frac{x^3\sqrt{d+ex^2}}{4ce} - \frac{\left(b^3-2abc-\frac{b^4-4ab^2c+2a^2c^2}{\sqrt{b^2-4ac}}\right) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c^3\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2ce}}
 \end{aligned}$$

Mathematica [A] time = 1.87, size = 461, normalized size = 0.96

$$\frac{8\left(-\frac{2a^2c^2-4ab^2c+b^4}{\sqrt{b^2-4ac}}-2abc+b^3\right) \tan^{-1}\left(\frac{x\sqrt{e\sqrt{b^2-4ac}-be+2cd}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right) - 8\left(\frac{2a^2c^2-4ab^2c+b^4}{\sqrt{b^2-4ac}}-2abc+b^3\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right) + \frac{8(b^2-ac) \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{\sqrt{e}}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{e(\sqrt{b^2-4ac}-b)+2cd} - \sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \cdot \frac{1}{8c^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^8/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)), x]

```
[Out] ((-4*b*c*x*Sqrt[d + e*x^2])/e + (2*c^2*x^3*Sqrt[d + e*x^2])/e - (8*(b^3 - 2*a*b*c - (b^4 - 4*a*b^2*c + 2*a^2*c^2)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])))/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) - (8*(b^3 - 2*a*b*c + (b^4 - 4*a*b^2*c + 2*a^2*c^2)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])))/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]) + (4*b*c*d*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]])/e^(3/2) + (8*(b^2 - a*c)*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]])/Sqrt[e] + (3*c^2*d*(-(Sqrt[e]*x*Sqrt[d + e*x^2]) + d*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]]))/e^(5/2))/(8*c^3)
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^8/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

[Out] Timed out

giac [A] time = 2.03, size = 105, normalized size = 0.22

$$\frac{1}{8} \sqrt{x^2 e + d} \left(\frac{2 x^2 e^{-1}}{c} - \frac{(3 c^5 d e + 4 b c^4 e^2) e^{-3}}{c^6} \right) x - \frac{(3 c^2 d^2 + 4 b c d e + 8 b^2 e^2 - 8 a c e^2) e^{\left(-\frac{5}{2}\right)} \log\left(\left(x e^{\frac{1}{2}} - \sqrt{x^2 e + d}\right)\right)}{16 c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^8/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] 1/8*sqrt(x^2*e + d)*(2*x^2*e^(-1)/c - (3*c^5*d*e + 4*b*c^4*e^2)*e^(-3)/c^6)*x - 1/16*(3*c^2*d^2 + 4*b*c*d*e + 8*b^2*e^2 - 8*a*c*e^2)*e^(-5/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c^3
```

maple [C] time = 0.03, size = 377, normalized size = 0.79

$$\frac{\sqrt{e x^2 + d} x^3}{4 c e} - \frac{a \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{c^2 \sqrt{e}} + \frac{b^2 \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{c^3 \sqrt{e}} + \frac{b d \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{2 c^2 e^{\frac{3}{2}}} + \frac{3 d^2 \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{8 c e^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^8/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)
```

[Out] $\frac{1}{4}x^3(e^{x^2+d})^{1/2}/c/e^{-3/8}d^{1/2}(e^{x^2+d})^{1/2}/c/e^{2+3/8}/cd^{2/e^{5/2}}$
 $\cdot \ln(e^{1/2}x+(e^{x^2+d})^{1/2}) - 1/2b^{1/2}(e^{x^2+d})^{1/2}/c^2/e^{1/2}/c^2bd/e^{3/2}$
 $\cdot \ln(e^{1/2}x+(e^{x^2+d})^{1/2}) - 1/c^2a \ln(e^{1/2}x+(e^{x^2+d})^{1/2})/e^{1/2}$
 $+ 1/c^3b^2 \ln(e^{1/2}x+(e^{x^2+d})^{1/2})/e^{1/2} - 1/2/c^3e^{1/2} \cdot \text{sum}(\dots)$
 $(b(2ac-b^2) \cdot R^2 + 2(2a^2ce - 2ab^2e - 2abc^2d + b^3d) \cdot R + 2abc^2d^2 - b^3d^2)$
 $/ (R^3c + 3R^2be - 3R^2cd + 8Rae^2 - 4Rbd^2e + 3Rcd^2 + b^2d^2e - cd^3) \cdot \ln(-R + (-e^{1/2}x + (e^{x^2+d})^{1/2})^2)$
 $, R = \text{RootOf}(-Z^4c + cd^4 + (4be - 4cd) \cdot Z^3 + (16ae^2 - 8bd^2e + 6cd^2) \cdot Z^2 + (4bd^2e - 4cd^3) \cdot Z)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^8/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^8}{\sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^8/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)),x)`

[Out] `int(x^8/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^8}{\sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**8/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2),x)`

[Out] `Integral(x**8/(sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)`

$$3.387 \quad \int \frac{x^6}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=366

$$\frac{\left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right)}{c^2\sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{b \tanh^{-1}\left(\frac{x}{\sqrt{e}}\right)}{c^2\sqrt{e}}$$

[Out] $-1/2*d*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/c/e^{(3/2)}-b*\operatorname{arctanh}(x*e^{(1/2)}/(e*x^2+d)^{(1/2)})/c^2/e^{(1/2)}+1/2*x*(e*x^2+d)^{(1/2)}/c/e+\operatorname{arctan}(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(e*x^2+d)^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^2-a*c-b*(-3*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/c^2/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+\operatorname{arctan}(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(e*x^2+d)^{(1/2)})/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b^2-a*c+b*(-3*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/c^2/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.17, antiderivative size = 366, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1303, 217, 206, 321, 1692, 377, 205}

$$\frac{\left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{\left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right)}{c^2\sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{b \tanh^{-1}\left(\frac{x}{\sqrt{e}}\right)}{c^2\sqrt{e}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^6/(\operatorname{Sqrt}[d + e*x^2]*(a + b*x^2 + c*x^4)), x]$

[Out] $(x*\operatorname{Sqrt}[d + e*x^2])/(2*c*e) + ((b^2 - a*c - (b*(b^2 - 3*a*c)))/\operatorname{Sqrt}[b^2 - 4*a*c])* \operatorname{ArcTan}[(\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e])*x]/(\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[d + e*x^2])]/(c^2*\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[2*c*d - (b - \operatorname{Sqrt}[b^2 - 4*a*c])*e]) + ((b^2 - a*c + (b*(b^2 - 3*a*c)))/\operatorname{Sqrt}[b^2 - 4*a*c])* \operatorname{ArcTan}[(\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e])*x]/(\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[d + e*x^2])]/(c^2*\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4*a*c]]*\operatorname{Sqrt}[2*c*d - (b + \operatorname{Sqrt}[b^2 - 4*a*c])*e]) - (d*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e])*x]/\operatorname{Sqrt}[d + e*x^2])/(2*c*e^{(3/2)}) - (b*\operatorname{ArcTanh}[(\operatorname{Sqrt}[e])*x]/\operatorname{Sqrt}[d + e*x^2])/(c^2*\operatorname{Sqrt}[e])$

Rule 205

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{a, x}]^{-1} \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a, x}] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

Rule 206

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^2}{a, x}]^{-1} \rightarrow \text{Simp}[\frac{(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[a, 2])}{\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]}, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rule 217

$\text{Int}[1/\text{Sqrt}[(a_+) + (b_+)(x_+)^2], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(1 - b \cdot x^2), x], x, x/\text{Sqrt}[a + b \cdot x^2]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a, 0]$

Rule 321

$\text{Int}[(c_+)(x_+)^{m_+}((a_+) + (b_+)(x_+)^{n_+})^{p_+}, x_Symbol] \rightarrow \text{Simp}[(c^{(n-1)}(c \cdot x)^{m-n+1}(a + b \cdot x^n)^{p+1}) / (b(m + n \cdot p + 1)), x] - \text{Dist}[(a \cdot c^n (m - n + 1)) / (b(m + n \cdot p + 1)), \text{Int}[(c \cdot x)^{m-n}(a + b \cdot x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n - 1] \ \&\& \ \text{NeQ}[m + n \cdot p + 1, 0] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 377

$\text{Int}[\frac{(a_+) + (b_+)(x_+)^{n_+}}{(c_+) + (d_+)(x_+)^{n_+}}]^{p_+}, x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b \cdot c - a \cdot d) \cdot x^n), x], x, x/(a + b \cdot x^n)^{1/n}] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{NeQ}[b \cdot c - a \cdot d, 0] \ \&\& \ \text{EqQ}[n \cdot p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 1303

$\text{Int}[\frac{((f_+)(x_+)^{m_+})((d_+) + (e_+)(x_+)^2)^{q_+}}{(a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e \cdot x^2)^q, (f \cdot x)^m / (a + b \cdot x^2 + c \cdot x^4)], x, x] /; \text{FreeQ}\{a, b, c, d, e, f, q\}, x \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \ \&\& \ !\text{IntegerQ}[q] \ \&\& \ \text{IntegerQ}[m]$

Rule 1692

$\text{Int}[(P_x) \cdot ((d_+) + (e_+)(x_+)^2)^{q_+} \cdot ((a_+) + (b_+)(x_+)^2 + (c_+)(x_+)^4)^{p_+}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_x \cdot (d + e \cdot x^2)^q \cdot (a + b \cdot x^2 + c \cdot x^4)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, q\}, x \ \&\& \ \text{PolyQ}[P_x, x^2] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0] \ \&\& \ \text{NeQ}[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{x^6}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx &= \int \left(-\frac{b}{c^2\sqrt{d+ex^2}} + \frac{x^2}{c\sqrt{d+ex^2}} + \frac{ab+(b^2-ac)x^2}{c^2\sqrt{d+ex^2}(a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{ab+(b^2-ac)x^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{c^2} - \frac{b \int \frac{1}{\sqrt{d+ex^2}} dx}{c^2} + \frac{\int \frac{x^2}{\sqrt{d+ex^2}} dx}{c} \\
&= \frac{x\sqrt{d+ex^2}}{2ce} + \frac{\int \left(\frac{b^2-ac+\frac{b(-b^2+3ac)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{b^2-ac-\frac{b(-b^2+3ac)}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{c^2} - \frac{b \operatorname{Subst} \int \frac{1}{\sqrt{d+ex^2}} dx}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2ce} - \frac{b \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c^2\sqrt{e}} + \frac{\left(b^2-ac-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}}\right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2ce} - \frac{d \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{2ce^{3/2}} - \frac{b \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c^2\sqrt{e}} + \frac{\left(b^2-ac-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}}\right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{c^2} \\
&= \frac{x\sqrt{d+ex^2}}{2ce} + \frac{\left(b^2-ac-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})ex}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-(b-\sqrt{b^2-4ac})e}} + \frac{\left(b^2-ac+\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2cd-(b+\sqrt{b^2-4ac})ex}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{c^2\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-(b+\sqrt{b^2-4ac})e}}
\end{aligned}$$

Mathematica [A] time = 1.03, size = 355, normalized size = 0.97

$$\frac{2\left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}}-ac+b^2\right) \tan^{-1}\left(\frac{x\sqrt{e\sqrt{b^2-4ac}-be+2cd}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} + \frac{2\left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}}-ac+b^2\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{2b \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{\sqrt{e}} - \frac{cd \tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{e^{3/2}}$$

$2c^2$

Antiderivative was successfully verified.

[In] Integrate[x^6/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)), x]

[Out] ((c*x*Sqrt[d + e*x^2])/e + (2*(b^2 - a*c - (b*(b^2 - 3*a*c)))/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2]))/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]) + (2*(b^2 - a*c + (b*(b^2 - 3*a*c)))/Sqrt[b^2 - 4*a*c])

*c])*ArcTan[(Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])]/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]) - (c*d*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]])/e^(3/2) - (2*b*ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]])/Sqrt[e])/((2*c^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 2.14, size = 55, normalized size = 0.15

$$\frac{\sqrt{x^2e+d}xe^{(-1)}}{2c} + \frac{(cd+2be)e^{(-\frac{3}{2})}\log\left(\left(xe^{\frac{1}{2}}-\sqrt{x^2e+d}\right)^2\right)}{4c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] 1/2*sqrt(x^2*e + d)*x*e^(-1)/c + 1/4*(c*d + 2*b*e)*e^(-3/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c^2

maple [C] time = 0.03, size = 269, normalized size = 0.73

$$\frac{b \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{c^2 \sqrt{e}} - \frac{d \ln\left(\sqrt{e} x + \sqrt{e x^2 + d}\right)}{2 c e^{\frac{3}{2}}} + \frac{1}{2 c^2 \left(\text{RootOf}\left(-Z^4 c + c d^4 + (4 b e - 4 c d) Z^3 + (16 a e^2 - 8\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)

[Out] 1/2*x*(e*x^2+d)^(1/2)/c/e-1/2/c*d/e^(3/2)*ln(e^(1/2)*x+(e*x^2+d)^(1/2))-1/c^2*b*ln(e^(1/2)*x+(e*x^2+d)^(1/2))/e^(1/2)+1/2/c^2*e^(1/2)*sum(((a*c-b^2)*_R^2+2*(-2*a*b*e-a*c*d+b^2*d)*_R+a*c*d^2-b^2*d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(-Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate(x^6/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^6}{\sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(x^6/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{\sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2),x)

[Out] Integral(x**6/(sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)

$$3.388 \quad \int \frac{x^4}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=298

$$\frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right) - \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right) + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c\sqrt{e}}}{c\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})} - c\sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

[Out] arctanh(x*e^(1/2)/(e*x^2+d)^(1/2))/c/e^(1/2)-arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b-(-4*a*c+b^2)^(1/2)))^(1/2)*(b+(2*a*c-b^2)/(-4*a*c+b^2)^(1/2))/c/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b+(-4*a*c+b^2)^(1/2)))^(1/2)*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^(1/2))/c/(b+(-4*a*c+b^2)^(1/2))^(1/2)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)

Rubi [A] time = 0.72, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 29, number of rules / integrand size = 0.207, Rules used = {1303, 217, 206, 1692, 377, 205}

$$\frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right) - \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right) + \frac{\tanh^{-1}\left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}}\right)}{c\sqrt{e}}}{c\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})} - c\sqrt{\sqrt{b^2-4ac}+b}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}$$

Antiderivative was successfully verified.

[In] Int[x^4/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] -(((b - (b^2 - 2*a*c)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])])/(c*Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b - Sqrt[b^2 - 4*a*c])*e])) - ((b + (b^2 - 2*a*c)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])])/(c*Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]) + ArcTanh[(Sqrt[e]*x)/Sqrt[d + e*x^2]]/(c*Sqrt[e])

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1303

Int[(((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && IntegerQ[m]

Rule 1692

Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{x^4}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx &= \int \left(\frac{1}{c\sqrt{d+ex^2}} - \frac{a+bx^2}{c\sqrt{d+ex^2}(a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{1}{\sqrt{d+ex^2}} dx}{c} - \frac{\int \frac{a+bx^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{c} \\
&= -\frac{\int \left(\frac{b+\frac{-b^2+2ac}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{b-\frac{-b^2+2ac}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{c} + \text{Subst} \left(\int \frac{1}{1-ex^2} dx \right) \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}} \right)}{c\sqrt{e}} - \frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{c} - \frac{\left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{c} \\
&= \frac{\tanh^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}} \right)}{c\sqrt{e}} - \frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{b-\sqrt{b^2-4ac} - (-2cd+(b-\sqrt{b^2-4ac})e)x^2} dx \right)}{c} - \frac{\left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \text{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac} + (-2cd+(b+\sqrt{b^2-4ac})e)x^2} dx \right)}{c} \\
&= -\frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})ex}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-(b-\sqrt{b^2-4ac})e}} - \frac{\left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b+\sqrt{b^2-4ac})ex}}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c\sqrt{b+\sqrt{b^2-4ac}} \sqrt{2cd-(b+\sqrt{b^2-4ac})e}}
\end{aligned}$$

Mathematica [A] time = 0.59, size = 292, normalized size = 0.98

$$\frac{\left(\frac{2ac-b^2}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{e} \sqrt{b^2-4ac} - be + 2cd}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} - \frac{\left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} + \frac{\tanh^{-1} \left(\frac{\sqrt{e}x}{\sqrt{d+ex^2}} \right)}{\sqrt{e}}$$

c

Antiderivative was successfully verified.

[In] Integrate[x^4/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)), x]

[Out] (-(((b + (-b^2 + 2*a*c)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]*e]*x)/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])])/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e])) - ((b + (b^2 - 2*a*c)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])])/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/Sqrt[e]

$$\begin{aligned}
& 2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - 2*(a^2*b^2 - a^3*c)*d^2 + (4*a^3*b*e^2 + (a*b^3 - a^2*b*c)*d^2 - (5*a^2*b^2 - 4*a^3*c)*d*e)*x^2 - 2*sqrt(1/2)*sqrt(e*x^2 + d)*(((b^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*d^3 - (b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d^2*e + 2*(a*b^4*c^2 - 5*a^2*b^2*c^3 + 4*a^3*c^4)*d*e^2 - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e^3)*x*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) + ((b^5 - 5*a*b^3*c + 4*a^2*b*c^2)*d^2 - (2*a*b^4 - 9*a^2*b^2*c + 4*a^3*c^2)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x)*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2)))/x^2) - sqrt(1/2)*e*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2)))*log(((2*a^3*b*d*e - ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - 2*(a^2*b^2 - a^3*c)*d^2 + (4*a^3*b*e^2 + (a*b^3 - a^2*b*c)*d^2 - (5*a^2*b^2 - 4*a^3*c)*d*e)*x^2 + 2*sqrt(1/2)*sqrt(e*x^2 + d)*(((b^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*d^3 - (b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d^2*e + 2*(a*b^4*c^2 - 5*a^2*b^2*c^3 + 4*a^3*c^4)*d*e^2 - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e^3)*x*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - ((b^5 - 5*a*b^3*c + 4*a^2*b*c^2)*d^2 - (2*a*b^4 - 9*a^2*b^2*c + 4*a^3*c^2)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x)*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2)))/x^2)
\end{aligned}$$

$$\begin{aligned}
& - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) + ((b^5 - 5*a*b^3*c + 4*a^2*b*c^2)*d^2 - (2*a*b^4 - 9*a^2*b^2*c + 4*a^3*c^2)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x)*\sqrt{-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))/x^2) - \sqrt{1/2}*c*e*\sqrt{-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*\log((2*a^3*b*d*e + ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - 2*(a^2*b^2 - a^3*c)*d^2 + (4*a^3*b*e^2 + (a*b^3 - a^2*b*c)*d^2 - (5*a^2*b^2 - 4*a^3*c)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d})*((b^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*d^3 - (b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d^2*e + 2*(a*b^4*c^2 - 5*a^2*b^2*c^3 + 4*a^3*c^4)*d*e^2 - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e^3)*x*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) + ((b^5 - 5*a*b^3*c + 4*a^2*b*c^2)*d^2 - (2*a*b^4 - 9*a^2*b^2*c + 4*a^3*c^2)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x)*\sqrt{-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e - ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))/x^2) - \sqrt{1/2}*c*e*\sqrt{-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*\log((2*a^3*b*d*e - ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*\sqrt{((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c
\end{aligned}$$

$$\begin{aligned}
& + a^2c^2)d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - 2*(a^2*b^2 - a^3*c)*d^2 + (4*a^3*b*e^2 + (a*b^3 - a^2*b*c)*d^2 - (5*a^2*b^2 - 4*a^3*c)*d*e)*x^2 + 2*sqrt(1/2)*sqrt(e*x^2 + d)*(((b^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*d^3 - (b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d^2*e + 2*(a*b^4*c^2 - 5*a^2*b^2*c^3 + 4*a^3*c^4)*d*e^2 - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e^3)*x*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - ((b^5 - 5*a*b^3*c + 4*a^2*b*c^2)*d^2 - (2*a*b^4 - 9*a^2*b^2*c + 4*a^3*c^2)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x)*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2)))/x^2) + sqrt(1/2)*c*e*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*log((2*a^3*b*d*e - ((a*b^2*c^3 - 4*a^2*c^4)*d^3 - (a*b^3*c^2 - 4*a^2*b*c^3)*d^2*e + (a^2*b^2*c^2 - 4*a^3*c^3)*d*e^2)*x^2*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - 2*(a^2*b^2 - a^3*c)*d^2 + (4*a^3*b*e^2 + (a*b^3 - a^2*b*c)*d^2 - (5*a^2*b^2 - 4*a^3*c)*d*e)*x^2 - 2*sqrt(1/2)*sqrt(e*x^2 + d)*(((b^4*c^3 - 6*a*b^2*c^4 + 8*a^2*c^5)*d^3 - (b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d^2*e + 2*(a*b^4*c^2 - 5*a^2*b^2*c^3 + 4*a^3*c^4)*d*e^2 - (a^2*b^3*c^2 - 4*a^3*b*c^3)*e^3)*x*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)) - ((b^5 - 5*a*b^3*c + 4*a^2*b*c^2)*d^2 - (2*a*b^4 - 9*a^2*b^2*c + 4*a^3*c^2)*d*e + (a^2*b^3 - 4*a^3*b*c)*e^2)*x)*sqrt(-((b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e + ((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2))*sqrt((a^2*b^2*e^2 + (b^4 - 2*a*b^2*c + a^2*c^2)*d^2 - 2*(a*b^3 - a^2*b*c)*d*e)/((b^2*c^6 - 4*a*c^7)*d^4 - 2*(b^3*c^5 - 4*a*b*c^6)*d^3*e + (b^4*c^4 - 2*a*b^2*c^5 - 8*a^2*c^6)*d^2*e^2 - 2*(a*b^3*c^4 - 4*a^2*b*c^5)*d*e^3 + (a^2*b^2*c^4 - 4*a^3*c^5)*e^4)))/((b^2*c^3 - 4*a*c^4)*d^2 - (b^3*c^2 - 4*a*b*c^3)*d*e + (a*b^2*c^2 - 4*a^2*c^3)*e^2)))/x^2) - 4*sqrt(-
\end{aligned}$$

$e) \cdot \arctan(\sqrt{-e} \cdot x / \sqrt{e \cdot x^2 + d}) / (c \cdot e)]$

giac [A] time = 2.05, size = 27, normalized size = 0.09

$$-\frac{e^{\left(-\frac{1}{2}\right)} \log\left(\left(xe^{\frac{1}{2}} - \sqrt{x^2e + d}\right)^2\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] -1/2*e^(-1/2)*log((x*e^(1/2) - sqrt(x^2*e + d))^2)/c

maple [C] time = 0.02, size = 200, normalized size = 0.67

$$2c \left(\text{RootOf} \left(_Z^4 c + c d^4 + (4be - 4cd) _Z^3 + (16a e^2 - 8deb + 6c d^2) _Z^2 + (4b d^2 e - 4c d^3) _Z \right)^3 c + 3 \text{RootOf} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)

[Out] 1/c*ln(e^(1/2)*x+(e*x^2+d)^(1/2))/e^(1/2)+1/2/c*e^(1/2)*sum((_R^2*b+2*(2*a*e-b*d)*_R+b*d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate(x^4/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{\sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)`

[Out] `int(x^4/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{\sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2), x)`

[Out] `Integral(x**4/(sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)`

$$3.389 \quad \int \frac{x^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=240

$$\frac{\sqrt{\sqrt{b^2-4ac}+b} \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{\sqrt{b-\sqrt{b^2-4ac}} \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}$$

[Out] $-\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))* (b-(-4*a*c+b^2)^(1/2))^(1/2)/(-4*a*c+b^2)^(1/2)/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)+\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))* (b+(-4*a*c+b^2)^(1/2))^(1/2)/(-4*a*c+b^2)^(1/2)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)$

Rubi [A] time = 0.30, antiderivative size = 240, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1303, 377, 205}

$$\frac{\sqrt{\sqrt{b^2-4ac}+b} \tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b}\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{\sqrt{b-\sqrt{b^2-4ac}} \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}$$

Antiderivative was successfully verified.

[In] Int[x^2/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] $-\left(\left(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{ArcTan}[\left(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e\right)*x]/\left(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]\right)\right)/\left(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]\right)\right) + \left(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{ArcTan}[\left(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e\right)*x]/\left(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]\right)\right)/\left(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]\right)$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1303

```
Int[(((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a
*c, 0] && !IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx &= \int \left(\frac{1 - \frac{b}{\sqrt{b^2-4ac}}}{\left(b - \sqrt{b^2-4ac} + 2cx^2\right) \sqrt{d+ex^2}} + \frac{1 + \frac{b}{\sqrt{b^2-4ac}}}{\left(b + \sqrt{b^2-4ac} + 2cx^2\right) \sqrt{d+ex^2}} \right) dx \\ &= \left(1 - \frac{b}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\left(b - \sqrt{b^2-4ac} + 2cx^2\right) \sqrt{d+ex^2}} dx + \left(1 + \frac{b}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\left(b + \sqrt{b^2-4ac} + 2cx^2\right) \sqrt{d+ex^2}} dx \\ &= \left(1 - \frac{b}{\sqrt{b^2-4ac}}\right) \text{Subst} \left(\int \frac{1}{b - \sqrt{b^2-4ac} - \left(-2cd + \left(b - \sqrt{b^2-4ac}\right)e\right)x^2} dx, \sqrt{b - \sqrt{b^2-4ac}} \tan^{-1} \left(\frac{\sqrt{2cd - \left(b - \sqrt{b^2-4ac}\right)ex}}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) \right) \\ &= -\frac{\sqrt{b - \sqrt{b^2-4ac}} \tan^{-1} \left(\frac{\sqrt{2cd - \left(b - \sqrt{b^2-4ac}\right)ex}}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd - \left(b - \sqrt{b^2-4ac}\right)e}} + \frac{\sqrt{b + \sqrt{b^2-4ac}} \tan^{-1} \left(\frac{\sqrt{2cd - \left(b + \sqrt{b^2-4ac}\right)ex}}{\sqrt{b + \sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b^2-4ac} \sqrt{2cd - \left(b + \sqrt{b^2-4ac}\right)e}} \end{aligned}$$

Mathematica [A] time = 0.48, size = 227, normalized size = 0.95

$$\frac{\frac{\sqrt{\sqrt{b^2-4ac}+b} \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{\sqrt{\sqrt{b^2-4ac}-b} \tan^{-1} \left(\frac{x \sqrt{e\sqrt{b^2-4ac}-be+2cd}}{\sqrt{\sqrt{b^2-4ac}-b} \sqrt{d+ex^2}} \right)}{\sqrt{e(\sqrt{b^2-4ac}-b)+2cd}}}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)), x]
```

```
[Out] (-((Sqrt[b - Sqrt[b^2 - 4*a*c]]*ArcTan[(Sqrt[2*c*d - b*e + Sqrt[b^2 - 4*a*c]
]*e)*x]/(Sqrt[b - Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])))/Sqrt[2*c*d + (-b +
Sqrt[b^2 - 4*a*c])*e]) + (Sqrt[b + Sqrt[b^2 - 4*a*c]]*ArcTan[(Sqrt[2*c*d -
(b + Sqrt[b^2 - 4*a*c])*e]*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2])
])/Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e])/Sqrt[b^2 - 4*a*c]
```

fricas [B] time = 10.22, size = 3395, normalized size = 14.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")
```

```
[Out] 1/4*sqrt(1/2)*sqrt(-(b*d - 2*a*e + ((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)
*d*e + (a*b^2 - 4*a^2*c)*e^2)*sqrt(d^2/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c
- 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a
^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)))/((b^2*c - 4*a*c^2)*d^2 - (b^3 -
4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2))*log((((b^2*c - 4*a*c^2)*d^3 - (b^3 -
4*a*b*c)*d^2*e + (a*b^2 - 4*a^2*c)*d*e^2)*sqrt(d^2/((b^2*c^2 - 4*a*c^3)*d^
4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2
*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4))*x^2 + 2*a*d^2 - (b*d
^2 - 4*a*d*e)*x^2 + 2*sqrt(1/2)*((b^2 - 4*a*c)*d^2*x - ((b^3*c - 4*a*b*c^2)
*d^3 - (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e + 3*(a*b^3 - 4*a^2*b*c)*d*e^2 -
2*(a^2*b^2 - 4*a^3*c)*e^3)*sqrt(d^2/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4
*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*
b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4))*x)*sqrt(e*x^2 + d)*sqrt(-(b*d - 2*a*
e + ((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2))*s
qrt(d^2/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a
*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^
3*c)*e^4)))/((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c
)*e^2))/x^2) - 1/4*sqrt(1/2)*sqrt(-(b*d - 2*a*e + ((b^2*c - 4*a*c^2)*d^2 -
(b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2)*sqrt(d^2/((b^2*c^2 - 4*a*c^3)
*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2
- 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4)))/((b^2*c - 4*a*c^
2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 - 4*a^2*c)*e^2))*log((((b^2*c - 4*a*c
^2)*d^3 - (b^3 - 4*a*b*c)*d^2*e + (a*b^2 - 4*a^2*c)*d*e^2)*sqrt(d^2/((b^2*c
^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*
c^2)*d^2*e^2 - 2*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4))*x^2
+ 2*a*d^2 - (b*d^2 - 4*a*d*e)*x^2 - 2*sqrt(1/2)*((b^2 - 4*a*c)*d^2*x - ((b^
3*c - 4*a*b*c^2)*d^3 - (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e + 3*(a*b^3 - 4*a
^2*b*c)*d*e^2 - 2*(a^2*b^2 - 4*a^3*c)*e^3)*sqrt(d^2/((b^2*c^2 - 4*a*c^3)*d^
4 - 2*(b^3*c - 4*a*b*c^2)*d^3*e + (b^4 - 2*a*b^2*c - 8*a^2*c^2)*d^2*e^2 - 2
*(a*b^3 - 4*a^2*b*c)*d*e^3 + (a^2*b^2 - 4*a^3*c)*e^4))*x)*sqrt(e*x^2 + d)*s
qrt(-(b*d - 2*a*e + ((b^2*c - 4*a*c^2)*d^2 - (b^3 - 4*a*b*c)*d*e + (a*b^2 -
4*a^2*c)*e^2)*sqrt(d^2/((b^2*c^2 - 4*a*c^3)*d^4 - 2*(b^3*c - 4*a*b*c^2)*d^
```

$$\begin{aligned}
& 3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4) / ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2) / x^2 - 1/4\sqrt{1/2}\sqrt{-(bd - 2ae - ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2))} \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4))} / ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2) * \log(-((b^2c - 4ac^2)d^3 - (b^3 - 4abc)d^2e + (a^2b^2 - 4a^2c)d^2e^2) \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4)}) * x^2 - 2ad^2 + (bd^2 - 4ade) * x^2 + 2\sqrt{1/2} * ((b^2 - 4ac)d^2 * x + ((b^3c - 4abc^2)d^3 - (b^4 - 2ab^2c - 8a^2c^2)d^2e + 3(ab^3 - 4a^2bc)d^3e - 2(a^2b^2 - 4a^3c)e^3) \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4)}) * x) * \sqrt{e * x^2 + d} * \sqrt{-(bd - 2ae - ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2))} \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4))} / ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2) / x^2 + 1/4\sqrt{1/2}\sqrt{-(bd - 2ae - ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2))} \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4))} / ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2) * \log(-((b^2c - 4ac^2)d^3 - (b^3 - 4abc)d^2e + (a^2b^2 - 4a^2c)d^2e^2) \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4)}) * x) * \sqrt{e * x^2 + d} * \sqrt{-(bd - 2ae - ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2))} \sqrt{d^2 / ((b^2c^2 - 4ac^3)d^4 - 2(b^3c - 4abc^2)d^3e + (b^4 - 2ab^2c - 8a^2c^2)d^2e^2 - 2(ab^3 - 4a^2bc)d^3e + (a^2b^2 - 4a^3c)e^4))} / ((b^2c - 4ac^2)d^2 - (b^3 - 4abc)d^3e + (a^2b^2 - 4a^2c)e^2) / x^2)
\end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")


```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x);OUTPUT:Warning, need to choose a branch for the roo
t of a polynomial with parameters. This might be wrong.The choice was done
assuming [a,b,c]=[44,93,-37]Warning, need to choose a branch for the root o
f a polynomial with parameters. This might be wrong.The choice was done ass
uming [a,b,c]=[-72,-7,6]Evaluation time: 0.44Unable to divide, perhaps due
to rounding error%%{18446744069414584320, [4,7,8,2,3,14,2]%%}+%%{-2147483
648, [3,8,10,8,3,10,1]%%}+%%{-12884901888, [3,8,10,7,2,12,2]%%}+%%{463856
467968, [3,8,10,6,1,14,3]%%}+%%{1924145348608, [3,8,10,5,0,16,4]%%}+%%{53
6870912, [3,8,9,8,5,10,0]%%}+%%{20401094656, [3,8,9,7,4,12,1]%%}+%%{-1503
23855360, [3,8,9,6,3,14,2]%%}+%%{-3135326126080, [3,8,9,5,2,16,3]%%}+%%{-
4672924418048, [3,8,9,4,1,18,4]%%}+%%{6047313952768, [3,8,9,3,0,20,5]%%}+
%%{-4294967296, [3,8,8,7,6,12,0]%%}+%%{-42412802048, [3,8,8,6,5,14,1]%%}+
%%{1046898278400, [3,8,8,5,4,16,2]%%}+%%{6210522710016, [3,8,8,4,3,18,3]%%
}+%%{-1786706395136, [3,8,8,3,2,20,4]%%}+%%{-11544872091648, [3,8,8,2,1,22
,5]%%}+%%{4398046511104, [3,8,8,1,0,24,6]%%}+%%{12750684160, [3,8,7,6,7,1
4,0]%%}+%%{-23890755584, [3,8,7,5,6,16,1]%%}+%%{-2103460233216, [3,8,7,4,
5,18,2]%%}+%%{-3324304687104, [3,8,7,3,4,20,3]%%}+%%{9758165696512, [3,8,
7,2,3,22,4]%%}+%%{1649267441664, [3,8,7,1,2,24,5]%%}+%%{-4398046511104, [
3,8,7,0,1,26,6]%%}+%%{-17985175552, [3,8,6,5,8,16,0]%%}+%%{161866579968,
[3,8,6,4,7,18,1]%%}+%%{1586990415872, [3,8,6,3,6,20,2]%%}+%%{-1795296329
728, [3,8,6,2,5,22,3]%%}+%%{-4123168604160, [3,8,6,1,4,24,4]%%}+%%{384829
0697216, [3,8,6,0,3,26,5]%%}+%%{12213813248, [3,8,5,4,9,18,0]%%}+%%{-1717
98691840, [3,8,5,3,8,20,1]%%}+%%{-212600881152, [3,8,5,2,7,22,2]%%}+%%{14
77468749824, [3,8,5,1,6,24,3]%%}+%%{-1099511627776, [3,8,5,0,5,26,4]%%}+
%%{-3221225472, [3,8,4,3,10,20,0]%%}+%%{57982058496, [3,8,4,2,9,22,1]%%}+
%%{-154618822656, [3,8,4,1,8,24,2]%%}+%%{103079215104, [3,8,4,0,7,26,3]%%}+
%%{1048576, [3,6,10,4,2,4,0]%%}+%%{8388608, [3,6,10,3,1,6,1]%%}+%%{16777
216, [3,6,10,2,0,8,2]%%}+%%{-5242880, [3,6,9,3,3,6,0]%%}+%%{-29360128, [3,
6,9,2,2,8,1]%%}+%%{-33554432, [3,6,9,1,1,10,2]%%}+%%{9699328, [3,6,8,2,4,
8,0]%%}+%%{33554432, [3,6,8,1,3,10,1]%%}+%%{16777216, [3,6,8,0,2,12,2]%%
}+%%{-7864320, [3,6,7,1,5,10,0]%%}+%%{-12582912, [3,6,7,0,4,12,1]%%}+%%{
2359296, [3,6,6,0,6,12,0]%%}+%%{536870912, [2,7,10,6,2,8,1]%%}+%%{6710886
400, [2,7,10,5,1,10,2]%%}+%%{18253611008, [2,7,10,4,0,12,3]%%}+%%{-134217
728, [2,7,9,6,4,8,0]%%}+%%{-5502926848, [2,7,9,5,3,10,1]%%}+%%{-369098752
00, [2,7,9,4,2,12,2]%%}+%%{-42949672960, [2,7,9,3,1,14,3]%%}+%%{429496729
60, [2,7,9,2,0,16,4]%%}+%%{956301312, [2,7,8,5,5,10,0]%%}+%%{18656264192,
[2,7,8,4,4,12,1]%%}+%%{64961380352, [2,7,8,3,3,14,2]%%}+%%{-8589934592, [
2,7,8,2,2,16,3]%%}+%%{-85899345920, [2,7,8,1,1,18,4]%%}+%%{-2642411520, [
2,7,7,4,6,12,0]%%}+%%{-27783069696, [2,7,7,3,5,14,1]%%}+%%{-33957085184,
[2,7,7,2,4,16,2]%%}+%%{73014444032, [2,7,7,1,3,18,3]%%}+%%{42949672960, [
2,7,7,0,2,20,4]%%}+%%{3556769792, [2,7,6,3,7,14,0]%%}+%%{17716740096, [2,
7,6,2,6,16,1]%%}+%%{-12884901888, [2,7,6,1,5,18,2]%%}+%%{-39728447488, [2
,7,6,0,4,20,3]%%}+%%{-2340421632, [2,7,5,2,8,16,0]%%}+%%{-2415919104, [2,
7,5,1,7,18,1]%%}+%%{12079595520, [2,7,5,0,6,20,2]%%}+%%{603979776, [2,7,4
```

,1,9,18,0]%%}+%%{-1207959552,[2,7,4,0,8,20,1]%%}+%%{2147483648,[1,8,10,9,3,10,1]%%}+%%{38654705664,[1,8,10,8,2,12,2]%%}+%%{51539607552,[1,8,10,7,1,14,3]%%}+%%{-274877906944,[1,8,10,6,0,16,4]%%}+%%{-536870912,[1,8,9,9,5,10,0]%%}+%%{-26843545600,[1,8,9,8,4,12,1]%%}+%%{-188978561024,[1,8,9,7,3,14,2]%%}+%%{146028888064,[1,8,9,6,2,16,3]%%}+%%{962072674304,[1,8,9,5,1,18,4]%%}+%%{-549755813888,[1,8,9,4,0,20,5]%%}+%%{4294967296,[1,8,8,8,6,12,0]%%}+%%{95026151424,[1,8,8,7,5,14,1]%%}+%%{239444426752,[1,8,8,6,4,16,2]%%}+%%{-858993459200,[1,8,8,5,3,18,3]%%}+%%{-618475290624,[1,8,8,4,2,20,4]%%}+%%{1099511627776,[1,8,8,3,1,22,5]%%}+%%{-12750684160,[1,8,7,7,7,14,0]%%}+%%{-136633647104,[1,8,7,6,6,16,1]%%}+%%{62277025792,[1,8,7,5,5,18,2]%%}+%%{936302870528,[1,8,7,4,4,20,3]%%}+%%{-549755813888,[1,8,7,3,3,22,4]%%}+%%{-549755813888,[1,8,7,2,2,24,5]%%}+%%{17985175552,[1,8,6,6,8,16,0]%%}+%%{71940702208,[1,8,6,5,7,18,1]%%}+%%{-267361714176,[1,8,6,4,6,20,2]%%}+%%{-137438953472,[1,8,6,3,5,22,3]%%}+%%{481036337152,[1,8,6,2,4,24,4]%%}+%%{-12213813248,[1,8,5,5,9,18,0]%%}+%%{7247757312,[1,8,5,4,8,20,1]%%}+%%{103079215104,[1,8,5,3,7,22,2]%%}+%%{-137438953472,[1,8,5,2,6,24,3]%%}+%%{3221225472,[1,8,4,4,10,20,0]%%}+%%{-12884901888,[1,8,4,3,9,22,1]%%}+%%{12884901888,[1,8,4,2,8,24,2]%%}+%%{-1048576,[1,6,10,5,2,4,0]%%}+%%{-8388608,[1,6,10,4,1,6,1]%%}+%%{-16777216,[1,6,10,3,0,8,2]%%}+%%{8388608,[1,6,9,4,3,6,0]%%}+%%{62914560,[1,6,9,3,2,8,1]%%}+%%{150994944,[1,6,9,2,1,10,2]%%}+%%{134217728,[1,6,9,1,0,12,3]%%}+%%{-26476544,[1,6,8,3,4,8,0]%%}+%%{-163577856,[1,6,8,2,3,10,1]%%}+%%{-301989888,[1,6,8,1,2,12,2]%%}+%%{-134217728,[1,6,8,0,1,14,3]%%}+%%{41156608,[1,6,7,2,5,10,0]%%}+%%{178257920,[1,6,7,1,4,12,1]%%}+%%{167772160,[1,6,7,0,3,14,2]%%}+%%{-31457280,[1,6,6,1,6,12,0]%%}+%%{-69206016,[1,6,6,0,5,14,1]%%}+%%{9437184,[1,6,5,0,7,14,0]%%}+%%{-402653184,[0,7,10,7,2,8,1]%%}+%%{-5637144576,[0,7,10,6,1,10,2]%%}+%%{-16106127360,[0,7,10,5,0,12,3]%%}+%%{100663296,[0,7,9,7,4,8,0]%%}+%%{4160749568,[0,7,9,6,3,10,1]%%}+%%{30198988800,[0,7,9,5,2,12,2]%%}+%%{28991029248,[0,7,9,4,1,14,3]%%}+%%{-68719476736,[0,7,9,3,0,16,4]%%}+%%{-687865856,[0,7,8,6,5,10,0]%%}+%%{-13925089280,[0,7,8,5,4,12,1]%%}+%%{-48184164352,[0,7,8,4,3,14,2]%%}+%%{49392123904,[0,7,8,3,2,16,3]%%}+%%{120259084288,[0,7,8,2,1,18,4]%%}+%%{-68719476736,[0,7,8,1,0,20,5]%%}+%%{1845493760,[0,7,7,5,6,12,0]%%}+%%{19964887040,[0,7,7,4,5,14,1]%%}+%%{11542724608,[0,7,7,3,4,16,2]%%}+%%{-113816633344,[0,7,7,2,3,18,3]%%}+%%{8589934592,[0,7,7,1,2,20,4]%%}+%%{68719476736,[0,7,7,0,1,22,5]%%}+%%{-2432696320,[0,7,6,4,7,14,0]%%}+%%{-11207180288,[0,7,6,3,6,16,1]%%}+%%{28185722880,[0,7,6,2,5,18,2]%%}+%%{34359738368,[0,7,6,1,4,20,3]%%}+%%{-60129542144,[0,7,6,0,3,22,4]%%}+%%{1577058304,[0,7,5,3,8,16,0]%%}+%%{-201326592,[0,7,5,2,7,18,1]%%}+%%{-14495514624,[0,7,5,1,6,20,2]%%}+%%{17179869184,[0,7,5,0,5,22,3]%%}+%%{-402653184,[0,7,4,2,9,18,0]%%}+%%{1610612736,[0,7,4,1,8,20,1]%%}+%%{-1610612736,[0,7,4,0,7,22,2]%%} / %%{-1024,[0,3,4,2,1,2,0]%%}+%%{-4096,[0,3,4,1,0,4,1]%%}+%%{2560,[0,3,3,1,2,4,0]%%}+%%{4096,[0,3,3,0,1,6,1]%%}+%%{-1536,[0,3,2,0,3,6,0]%%} Error: Bad Argument Value

maple [C] time = 0.02, size = 161, normalized size = 0.67

$$2 \left(\text{RootOf} \left(-Z^4 c + c d^4 + (4be - 4cd) Z^3 + (16a e^2 - 8deb + 6c d^2) Z^2 + (4b d^2 e - 4c d^3) Z \right)^3 c + 3 \text{RootOf} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)`

[Out] `-1/2*e^(1/2)*sum((_R^2-2*_R*d+d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^2/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{\sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)),x)`

[Out] `int(x^2/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2),x)`

[Out] `Integral(x**2/(sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)`

$$3.390 \quad \int \frac{1}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=243

$$\frac{2c \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}} - \frac{2c \tan^{-1} \left(\frac{x \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}{\sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}$$

[Out] $2*c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))/(-4*a*c+b^2)^(1/2)/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-2*c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)/(e*x^2+d)^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))/(-4*a*c+b^2)^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))^(1/2)$

Rubi [A] time = 0.18, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1174, 377, 205}

$$\frac{2c \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}} - \frac{2c \tan^{-1} \left(\frac{x \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}{\sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{d + ex^2}} \right)}{\sqrt{b^2 - 4ac} \sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{2cd - e(\sqrt{b^2 - 4ac} + b)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] $(2*c*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]) - (2*c*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]*x)/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1174

```
Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symb
ol] := With[{r = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/r, Int[(d + e*x^2)^q/(b -
r + 2*c*x^2), x], x] - Dist[(2*c)/r, Int[(d + e*x^2)^q/(b + r + 2*c*x^2), x
], x]] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2
- b*d*e + a*e^2, 0] && !IntegerQ[q]
```

Rubi steps

$$\int \frac{1}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx = \frac{(2c) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{\sqrt{b^2-4ac}}$$

$$= \frac{(2c) \operatorname{Subst}\left(\int \frac{1}{b-\sqrt{b^2-4ac}-(-2cd+(b-\sqrt{b^2-4ac})e)x^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}} - \frac{(2c) \operatorname{Subst}\left(\int \frac{1}{b+\sqrt{b^2-4ac}-(-2cd+(b+\sqrt{b^2-4ac})e)x^2} dx, x, \frac{x}{\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}}$$

$$= \frac{2c \tan^{-1}\left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})ex}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-(b-\sqrt{b^2-4ac})e}} - \frac{2c \tan^{-1}\left(\frac{\sqrt{2cd-(b+\sqrt{b^2-4ac})ex}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-(b+\sqrt{b^2-4ac})e}}$$

Mathematica [A] time = 0.41, size = 229, normalized size = 0.94

$$2c \frac{\left(\frac{\tan^{-1}\left(\frac{x\sqrt{e\sqrt{b^2-4ac}-be+2cd}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} - \frac{\tan^{-1}\left(\frac{x\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{b^2-4ac}+b\sqrt{d+ex^2}}\right)}{\sqrt{b^2-4ac}+b\sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)), x]
```


$$\begin{aligned}
& *d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)) - (b*c^2*d^2 + 4*a*b*c*e^2 - (b^2*c + 4* \\
& a*c^2)*d*e)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((2*(a^2*b^2*c^2 - 4*a^3*c^3) \\
& *d^3 - 3*(a^2*b^3*c - 4*a^3*b*c^2)*d^2*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c \\
& ^2)*d*e^2 - (a^3*b^3 - 4*a^4*b*c)*e^3))*x*\sqrt{((c^2*d^2 - 2*b*c*d*e + b^2*e^ \\
& 2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3*e + (a^ \\
& 2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d*e^3 + \\
& (a^4*b^2 - 4*a^5*c)*e^4)) - ((a*b^2*c - 4*a^2*c^2)*d*e - (a*b^3 - 4*a^2*b*c) \\
&)*e^2)*x*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e - ((a*b^2*c - 4*a^2*c^2)*d^2 - (a* \\
& b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))*\sqrt{((c^2*d^2 - 2*b*c*d*e + \\
& b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3*e \\
& + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d \\
& *e^3 + (a^4*b^2 - 4*a^5*c)*e^4)))/((a*b^2*c - 4*a^2*c^2)*d^2 - (a*b^3 - 4*a \\
& ^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))/x^2) - 1/4*\sqrt{1/2}*\sqrt{-(b*c*d \\
& - (b^2 - 2*a*c)*e + ((a*b^2*c - 4*a^2*c^2)*d^2 - (a*b^3 - 4*a^2*b*c)*d*e + \\
& (a^2*b^2 - 4*a^3*c)*e^2))*\sqrt{((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 \\
& - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^ \\
& 2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5 \\
& *c)*e^4)))/((a*b^2*c - 4*a^2*c^2)*d^2 - (a*b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 \\
& - 4*a^3*c)*e^2))*\log(-(2*a*c^2*d^2 - 2*a*b*c*d*e - ((a*b^2*c^2 - 4*a^2*c^3) \\
& *d^3 - (a*b^3*c - 4*a^2*b*c^2)*d^2*e + (a^2*b^2*c - 4*a^3*c^2)*d*e^2))*x^2*s \\
& \sqrt{((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2 \\
& *b^3*c - 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - \\
& 2*(a^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)) - (b*c^2*d^2 + 4 \\
& *a*b*c*e^2 - (b^2*c + 4*a*c^2)*d*e)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*((2*(\\
& a^2*b^2*c^2 - 4*a^3*c^3)*d^3 - 3*(a^2*b^3*c - 4*a^3*b*c^2)*d^2*e + (a^2*b^4 \\
& - 2*a^3*b^2*c - 8*a^4*c^2)*d*e^2 - (a^3*b^3 - 4*a^4*b*c)*e^3))*x*\sqrt{((c^2* \\
& d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - \\
& 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b \\
& ^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)) + ((a*b^2*c - 4*a^2*c^2)* \\
& d*e - (a*b^3 - 4*a^2*b*c)*e^2)*x*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + ((a*b^2*c \\
& - 4*a^2*c^2)*d^2 - (a*b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))*\sqrt{ \\
& t((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b \\
& ^3*c - 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2 \\
& *(a^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)))/((a*b^2*c - 4*a^2 \\
& *c^2)*d^2 - (a*b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))/x^2) + 1/4 \\
& *\sqrt{1/2}*\sqrt{-(b*c*d - (b^2 - 2*a*c)*e + ((a*b^2*c - 4*a^2*c^2)*d^2 - (a \\
& *b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))*\sqrt{((c^2*d^2 - 2*b*c*d*e \\
& + b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3 \\
& *e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)* \\
& d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)))/((a*b^2*c - 4*a^2*c^2)*d^2 - (a*b^3 - 4* \\
& a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))*\log(-(2*a*c^2*d^2 - 2*a*b*c*d*e - \\
& ((a*b^2*c^2 - 4*a^2*c^3)*d^3 - (a*b^3*c - 4*a^2*b*c^2)*d^2*e + (a^2*b^2*c - \\
& 4*a^3*c^2)*d*e^2))*x^2*\sqrt{((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 - \\
& 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^2* \\
& c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c
\end{aligned}$$

```
) * e^4)) - (b*c^2*d^2 + 4*a*b*c*e^2 - (b^2*c + 4*a*c^2)*d*e)*x^2 - 2*sqrt(1/2)*sqrt(e*x^2 + d)*((2*(a^2*b^2*c^2 - 4*a^3*c^3)*d^3 - 3*(a^2*b^3*c - 4*a^3*b*c^2)*d^2*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d*e^2 - (a^3*b^3 - 4*a^4*b*c)*e^3)*x*sqrt((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)) + ((a*b^2*c - 4*a^2*c^2)*d*e - (a*b^3 - 4*a^2*b*c)*e^2)*x)*sqrt(-(b*c*d - (b^2 - 2*a*c)*e + ((a*b^2*c - 4*a^2*c^2)*d^2 - (a*b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))*sqrt((c^2*d^2 - 2*b*c*d*e + b^2*e^2)/((a^2*b^2*c^2 - 4*a^3*c^3)*d^4 - 2*(a^2*b^3*c - 4*a^3*b*c^2)*d^3*e + (a^2*b^4 - 2*a^3*b^2*c - 8*a^4*c^2)*d^2*e^2 - 2*(a^3*b^3 - 4*a^4*b*c)*d*e^3 + (a^4*b^2 - 4*a^5*c)*e^4)))/((a*b^2*c - 4*a^2*c^2)*d^2 - (a*b^3 - 4*a^2*b*c)*d*e + (a^2*b^2 - 4*a^3*c)*e^2))/x^2)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [C] time = 0.02, size = 151, normalized size = 0.62

$$\text{RootOf} \left(_Z^4 c + c d^4 + (4 b e - 4 c d) _Z^3 + (16 a e^2 - 8 d e b + 6 c d^2) _Z^2 + (4 b d^2 e - 4 c d^3) _Z \right)^3 c + 3 \text{RootOf} \left(_Z^4 c + c d^4 + (4 b e - 4 c d) _Z^3 + (16 a e^2 - 8 d e b + 6 c d^2) _Z^2 + (4 b d^2 e - 4 c d^3) _Z \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)
```

```
[Out] -2*e^(3/2)*sum(_R/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=RootOf(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(1/((d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2),x)

[Out] Integral(1/(sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)

$$3.391 \quad \int \frac{1}{x^2 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=280

$$\frac{c \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) - c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} - a \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \frac{\sqrt{d+ex^2}}{adx}$$

[Out] $-(e*x^2+d)^{(1/2)}/a/d/x-c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(1+b/(-4*a*c+b^2)^{(1/2)})/a/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(1-b/(-4*a*c+b^2)^{(1/2)})/a/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.60, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1303, 264, 1692, 377, 205}

$$\frac{c \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) - c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} - a \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} \frac{\sqrt{d+ex^2}}{adx}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*Sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] $-(\text{Sqrt}[d + e*x^2]/(a*d*x)) - (c*(1 + b/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]*x)/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])])/(a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]) - (c*(1 - b/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]*x)/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])])/(a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1303

```
Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a
*c, 0] && !IntegerQ[q] && IntegerQ[m]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(
p_), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^2 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx &= \int \left(\frac{1}{ax^2 \sqrt{d+ex^2}} + \frac{-b-cx^2}{a \sqrt{d+ex^2} (a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{1}{x^2 \sqrt{d+ex^2}} dx}{a} + \frac{\int \frac{-b-cx^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{adx} + \frac{\int \left(\frac{-c-\frac{bc}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2) \sqrt{d+ex^2}} + \frac{-c+\frac{bc}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2) \sqrt{d+ex^2}} \right) dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{adx} - \frac{\left(c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2) \sqrt{d+ex^2}} dx}{a} - \frac{\left(c \left(1 + \frac{b}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2) \sqrt{d+ex^2}} dx}{a} \\
&= -\frac{\sqrt{d+ex^2}}{adx} - \frac{\left(c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac} - (-2cd+(b+\sqrt{b^2-4ac})e)x^2} dx, \right)}{a} \\
&= -\frac{\sqrt{d+ex^2}}{adx} - \frac{c \left(1 + \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})ex}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-(b-\sqrt{b^2-4ac})e}} - \frac{c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b+\sqrt{b^2-4ac})ex}}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a \sqrt{b+\sqrt{b^2-4ac}} \sqrt{2cd-(b+\sqrt{b^2-4ac})e}}
\end{aligned}$$

Mathematica [A] time = 1.01, size = 271, normalized size = 0.97

$$\frac{c \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) \tan^{-1} \left(\frac{x \sqrt{e \sqrt{b^2-4ac} - be + 2cd}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} + \frac{c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b+\sqrt{b^2-4ac}} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} + \frac{\sqrt{d+ex^2}}{dx}$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^2*sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] -((sqrt[d + e*x^2]/(d*x) + (c*(1 + b/sqrt[b^2 - 4*a*c])*ArcTan[(sqrt[2*c*d - b*e + sqrt[b^2 - 4*a*c]*e]*x)/(sqrt[b - sqrt[b^2 - 4*a*c]]*sqrt[d + e*x^2])]))/(sqrt[b - sqrt[b^2 - 4*a*c]]*sqrt[2*c*d + (-b + sqrt[b^2 - 4*a*c])*e]) + (c*(1 - b/sqrt[b^2 - 4*a*c])*ArcTan[(sqrt[2*c*d - (b + sqrt[b^2 - 4*a*c])*e]*x)/(sqrt[b + sqrt[b^2 - 4*a*c]]*sqrt[d + e*x^2])]))/(sqrt[b + sqrt[b^2 - 4*a*c]]*sqrt[2*c*d - (b + sqrt[b^2 - 4*a*c])*e]))/a

fricas [B] time = 46.07, size = 6431, normalized size = 22.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out]
$$-1/4*(\sqrt{1/2})*a*d*x*\sqrt{-((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - ((a^3*b^2*c - 4*a^4*c^2)*d^2 - (a^3*b^3 - 4*a^4*b*c)*d*e + (a^4*b^2 - 4*a^5*c)*e^2)*\sqrt{((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2)}/((a^6*b^2*c^2 - 4*a^7*c^3)*d^4 - 2*(a^6*b^3*c - 4*a^7*b*c^2)*d^3*e + (a^6*b^4 - 2*a^7*b^2*c - 8*a^8*c^2)*d^2*e^2 - 2*(a^7*b^3 - 4*a^8*b*c)*d*e^3 + (a^8*b^2 - 4*a^9*c)*e^4))/((a^3*b^2*c - 4*a^4*c^2)*d^2 - (a^3*b^3 - 4*a^4*b*c)*d*e + (a^4*b^2 - 4*a^5*c)*e^2))*\log((((a^3*b^2*c^3 - 4*a^4*c^4)*d^3 - (a^3*b^3*c^2 - 4*a^4*b*c^3)*d^2*e + (a^4*b^2*c^2 - 4*a^5*c^3)*d*e^2)*x^2*\sqrt{((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2)}/((a^6*b^2*c^2 - 4*a^7*c^3)*d^4 - 2*(a^6*b^3*c - 4*a^7*b*c^2)*d^3*e + (a^6*b^4 - 2*a^7*b^2*c - 8*a^8*c^2)*d^2*e^2 - 2*(a^7*b^3 - 4*a^8*b*c)*d*e^3 + (a^8*b^2 - 4*a^9*c)*e^4)) + 2*(a*b^2*c^3 - a^2*c^4)*d^2 - 2*(a*b^3*c^2 - 2*a^2*b*c^3)*d*e - ((b^3*c^3 - a*b*c^4)*d^2 - (b^4*c^2 + 2*a*b^2*c^3 - 4*a^2*c^4)*d*e + 4*(a*b^3*c^2 - 2*a^2*b*c^3)*e^2)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4*b^3*c^2 - 4*a^5*b*c^3)*d^3 - 2*(a^4*b^4*c - 5*a^5*b^2*c^2 + 4*a^6*c^3)*d^2*e + (a^4*b^5 - 5*a^5*b^3*c + 4*a^6*b*c^2)*d*e^2 - (a^5*b^4 - 6*a^6*b^2*c + 8*a^7*c^2)*e^3)*x*\sqrt{((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2)}/((a^6*b^2*c^2 - 4*a^7*c^3)*d^4 - 2*(a^6*b^3*c - 4*a^7*b*c^2)*d^3*e + (a^6*b^4 - 2*a^7*b^2*c - 8*a^8*c^2)*d^2*e^2 - 2*(a^7*b^3 - 4*a^8*b*c)*d*e^3 + (a^8*b^2 - 4*a^9*c)*e^4)) + ((a*b^4*c^2 - 5*a^2*b^2*c^3 + 4*a^3*c^4)*d^2 - (2*a*b^5*c - 11*a^2*b^3*c^2 + 12*a^3*b*c^3)*d*e + (a*b^6 - 6*a^2*b^4*c + 8*a^3*b^2*c^2)*e^2)*x)*\sqrt{-((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - ((a^3*b^2*c - 4*a^4*c^2)*d^2 - (a^3*b^3 - 4*a^4*b*c)*d*e + (a^4*b^2 - 4*a^5*c)*e^2)*\sqrt{((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2)}/((a^6*b^2*c^2 - 4*a^7*c^3)*d^4 - 2*(a^6*b^3*c - 4*a^7*b*c^2)*d^3*e + (a^6*b^4 - 2*a^7*b^2*c - 8*a^8*c^2)*d^2*e^2 - 2*(a^7*b^3 - 4*a^8*b*c)*d*e^3 + (a^8*b^2 - 4*a^9*c)*e^4)))/((a^3*b^2*c - 4*a^4*c^2)*d^2 - (a^3*b^3 - 4*a^4*b*c)*d*e + (a^4*b^2 - 4*a^5*c)*e^2)))/x^2) - \sqrt{1/2}*a*d*x*\sqrt{-((b^3*c - 3*a*b*c^2)*d - (b^4 - 4*a*b^2*c + 2*a^2*c^2)*e - ((a^3*b^2*c - 4*a^4*c^2)*d^2 - (a^3*b^3 - 4*a^4*b*c)*d*e + (a^4*b^2 - 4*a^5*c)*e^2)*\sqrt{((b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^2 - 2*(b^5*c - 3*a*b^3*c^2 + 2*a^2*b*c^3)*d*e + (b^6 - 4*a*b^4*c + 4*a^2*b^2*c^2)*e^2)}/((a^6*b^2*c^2 - 4*a^7*c^3)*d^4 - 2*(a^6*b^3*c - 4*a^7*b*c^2)*d^3*e + (a^6*b^4 - 2*a^7*b^2*c - 8*a^8*c^2)*d^2*e^2 - 2*(a^7*b^3 - 4*a^8*b*c)*d$$

$$\begin{aligned}
& *e^3 + (a^8b^2 - 4a^9c)*e^4)))/((a^3b^2c - 4a^4c^2)*d^2 - (a^3b^3 - \\
& 4a^4b*c)*d*e + (a^4b^2 - 4a^5c)*e^2))*\log(((a^3b^2c^3 - 4a^4c^4) \\
& *d^3 - (a^3b^3c^2 - 4a^4b*c^3)*d^2*e + (a^4b^2c^2 - 4a^5c^3)*d*e^2) \\
& *x^2*\sqrt{((b^4c^2 - 2a*b^2c^3 + a^2c^4)*d^2 - 2*(b^5c - 3a*b^3c^2 + \\
& 2a^2b*c^3)*d*e + (b^6 - 4a*b^4c + 4a^2b^2c^2)*e^2)/((a^6b^2c^2 - \\
& 4a^7c^3)*d^4 - 2*(a^6b^3c - 4a^7b*c^2)*d^3*e + (a^6b^4 - 2a^7b^2c \\
& - 8a^8c^2)*d^2*e^2 - 2*(a^7b^3 - 4a^8b*c)*d*e^3 + (a^8b^2 - 4a^9c) \\
& *e^4)) + 2*(a*b^2c^3 - a^2c^4)*d^2 - 2*(a*b^3c^2 - 2a^2b*c^3)*d*e - ((\\
& b^3c^3 - a*b*c^4)*d^2 - (b^4c^2 + 2a*b^2c^3 - 4a^2c^4)*d*e + 4*(a*b^3 \\
& *c^2 - 2a^2b*c^3)*e^2)*x^2 - 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4b^3c^2 - \\
& 4a^5b*c^3)*d^3 - 2*(a^4b^4c - 5a^5b^2c^2 + 4a^6c^3)*d^2*e + (a^4b \\
& b^5 - 5a^5b^3c + 4a^6b*c^2)*d*e^2 - (a^5b^4 - 6a^6b^2c + 8a^7c^2) \\
&)*e^3)*x*\sqrt{((b^4c^2 - 2a*b^2c^3 + a^2c^4)*d^2 - 2*(b^5c - 3a*b^3c \\
& ^2 + 2a^2b*c^3)*d*e + (b^6 - 4a*b^4c + 4a^2b^2c^2)*e^2)/((a^6b^2c^2 \\
& - 4a^7c^3)*d^4 - 2*(a^6b^3c - 4a^7b*c^2)*d^3*e + (a^6b^4 - 2a^7b^2c \\
& ^2c - 8a^8c^2)*d^2*e^2 - 2*(a^7b^3 - 4a^8b*c)*d*e^3 + (a^8b^2 - 4a^9 \\
& c)*e^4)) + ((a*b^4c^2 - 5a^2b^2c^3 + 4a^3c^4)*d^2 - (2a*b^5c - 11 \\
& a^2b^3c^2 + 12a^3b*c^3)*d*e + (a*b^6 - 6a^2b^4c + 8a^3b^2c^2)*e^2) \\
& *x)*\sqrt{-((b^3c - 3a*b*c^2)*d - (b^4 - 4a*b^2c + 2a^2c^2)*e - ((a^3 \\
& b^2c - 4a^4c^2)*d^2 - (a^3b^3 - 4a^4b*c)*d*e + (a^4b^2 - 4a^5c)* \\
& e^2)*\sqrt{((b^4c^2 - 2a*b^2c^3 + a^2c^4)*d^2 - 2*(b^5c - 3a*b^3c^2 + \\
& 2a^2b*c^3)*d*e + (b^6 - 4a*b^4c + 4a^2b^2c^2)*e^2)/((a^6b^2c^2 - \\
& 4a^7c^3)*d^4 - 2*(a^6b^3c - 4a^7b*c^2)*d^3*e + (a^6b^4 - 2a^7b^2c \\
& - 8a^8c^2)*d^2*e^2 - 2*(a^7b^3 - 4a^8b*c)*d*e^3 + (a^8b^2 - 4a^9c) \\
& *e^4)))/((a^3b^2c - 4a^4c^2)*d^2 - (a^3b^3 - 4a^4b*c)*d*e + (a^4b^2 \\
& - 4a^5c)*e^2))/x^2) + \sqrt{1/2}*a*d*x*\sqrt{-((b^3c - 3a*b*c^2)*d - (b \\
& ^4 - 4a*b^2c + 2a^2c^2)*e + ((a^3b^2c - 4a^4c^2)*d^2 - (a^3b^3 - 4 \\
& a^4b*c)*d*e + (a^4b^2 - 4a^5c)*e^2)*\sqrt{((b^4c^2 - 2a*b^2c^3 + a^2 \\
& c^4)*d^2 - 2*(b^5c - 3a*b^3c^2 + 2a^2b*c^3)*d*e + (b^6 - 4a*b^4c + \\
& 4a^2b^2c^2)*e^2)/((a^6b^2c^2 - 4a^7c^3)*d^4 - 2*(a^6b^3c - 4a^7b \\
& *c^2)*d^3*e + (a^6b^4 - 2a^7b^2c - 8a^8c^2)*d^2*e^2 - 2*(a^7b^3 - 4a \\
& a^8b*c)*d*e^3 + (a^8b^2 - 4a^9c)*e^4)))/((a^3b^2c - 4a^4c^2)*d^2 - \\
& (a^3b^3 - 4a^4b*c)*d*e + (a^4b^2 - 4a^5c)*e^2))*\log(-(((a^3b^2c^3 - \\
& 4a^4c^4)*d^3 - (a^3b^3c^2 - 4a^4b*c^3)*d^2*e + (a^4b^2c^2 - 4a^5c \\
& c^3)*d*e^2)*x^2*\sqrt{((b^4c^2 - 2a*b^2c^3 + a^2c^4)*d^2 - 2*(b^5c - 3a \\
& a*b^3c^2 + 2a^2b*c^3)*d*e + (b^6 - 4a*b^4c + 4a^2b^2c^2)*e^2)/((a^6 \\
& b^2c^2 - 4a^7c^3)*d^4 - 2*(a^6b^3c - 4a^7b*c^2)*d^3*e + (a^6b^4 - \\
& 2a^7b^2c - 8a^8c^2)*d^2*e^2 - 2*(a^7b^3 - 4a^8b*c)*d*e^3 + (a^8b^2 \\
& - 4a^9c)*e^4)) - 2*(a*b^2c^3 - a^2c^4)*d^2 + 2*(a*b^3c^2 - 2a^2b*c^3) \\
& *d*e + ((b^3c^3 - a*b*c^4)*d^2 - (b^4c^2 + 2a*b^2c^3 - 4a^2c^4)*d*e \\
& + 4*(a*b^3c^2 - 2a^2b*c^3)*e^2)*x^2 + 2*\sqrt{1/2}*\sqrt{e*x^2 + d}*(((a^4 \\
& b^3c^2 - 4a^5b*c^3)*d^3 - 2*(a^4b^4c - 5a^5b^2c^2 + 4a^6c^3)*d^2 \\
& *e + (a^4b^5 - 5a^5b^3c + 4a^6b*c^2)*d*e^2 - (a^5b^4 - 6a^6b^2c \\
& + 8a^7c^2)*e^3)*x*\sqrt{((b^4c^2 - 2a*b^2c^3 + a^2c^4)*d^2 - 2*(b^5c \\
& - 3a*b^3c^2 + 2a^2b*c^3)*d*e + (b^6 - 4a*b^4c + 4a^2b^2c^2)*e^2)/((
\end{aligned}$$

$$\begin{aligned}
& (a^6 b^2 c^2 - 4 a^7 c^3) d^4 - 2(a^6 b^3 c - 4 a^7 b c^2) d^3 e + (a^6 b^4 - 2 a^7 b^2 c - 8 a^8 c^2) d^2 e^2 - 2(a^7 b^3 - 4 a^8 b c) d e^3 + (a^8 b^2 - 4 a^9 c) e^4) - ((a b^4 c^2 - 5 a^2 b^2 c^3 + 4 a^3 c^4) d^2 - (2 a b^5 c - 11 a^2 b^3 c^2 + 12 a^3 b c^3) d e + (a b^6 - 6 a^2 b^4 c + 8 a^3 b^2 c^2) e^2) * x) * \sqrt{-(b^3 c - 3 a b c^2) d - (b^4 - 4 a b^2 c + 2 a^2 c^2) e + ((a^3 b^2 c - 4 a^4 c^2) d^2 - (a^3 b^3 - 4 a^4 b c) d e + (a^4 b^2 - 4 a^5 c) e^2)} * \sqrt{((b^4 c^2 - 2 a b^2 c^3 + a^2 c^4) d^2 - 2(b^5 c - 3 a b^3 c^2 + 2 a^2 b c^3) d e + (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) e^2) / ((a^6 b^2 c^2 - 4 a^7 c^3) d^4 - 2(a^6 b^3 c - 4 a^7 b c^2) d^3 e + (a^6 b^4 - 2 a^7 b^2 c - 8 a^8 c^2) d^2 e^2 - 2(a^7 b^3 - 4 a^8 b c) d e^3 + (a^8 b^2 - 4 a^9 c) e^4)) / ((a^3 b^2 c - 4 a^4 c^2) d^2 - (a^3 b^3 - 4 a^4 b c) d e + (a^4 b^2 - 4 a^5 c) e^2)) / x^2) - \sqrt{1/2} * a * d * x * \sqrt{-(b^3 c - 3 a b c^2) d - (b^4 - 4 a b^2 c + 2 a^2 c^2) e + ((a^3 b^2 c - 4 a^4 c^2) d^2 - (a^3 b^3 - 4 a^4 b c) d e + (a^4 b^2 - 4 a^5 c) e^2)} * \sqrt{((b^4 c^2 - 2 a b^2 c^3 + a^2 c^4) d^2 - 2(b^5 c - 3 a b^3 c^2 + 2 a^2 b c^3) d e + (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) e^2) / ((a^6 b^2 c^2 - 4 a^7 c^3) d^4 - 2(a^6 b^3 c - 4 a^7 b c^2) d^3 e + (a^6 b^4 - 2 a^7 b^2 c - 8 a^8 c^2) d^2 e^2 - 2(a^7 b^3 - 4 a^8 b c) d e^3 + (a^8 b^2 - 4 a^9 c) e^4)) / ((a^3 b^2 c - 4 a^4 c^2) d^2 - (a^3 b^3 - 4 a^4 b c) d e + (a^4 b^2 - 4 a^5 c) e^2)) * \log(-(((a^3 b^2 c^3 - 4 a^4 c^4) d^3 - (a^3 b^3 c^2 - 4 a^4 b c^3) d^2 e + (a^4 b^2 c^2 - 4 a^5 c^3) d e^2) * x^2 * \sqrt{((b^4 c^2 - 2 a b^2 c^3 + a^2 c^4) d^2 - 2(b^5 c - 3 a b^3 c^2 + 2 a^2 b c^3) d e + (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) e^2) / ((a^6 b^2 c^2 - 4 a^7 c^3) d^4 - 2(a^6 b^3 c - 4 a^7 b c^2) d^3 e + (a^6 b^4 - 2 a^7 b^2 c - 8 a^8 c^2) d^2 e^2 - 2(a^7 b^3 - 4 a^8 b c) d e^3 + (a^8 b^2 - 4 a^9 c) e^4)) - 2(a b^2 c^3 - a^2 c^4) d^2 + 2(a b^3 c^2 - 2 a^2 b c^3) d e + ((b^3 c^3 - a b c^4) d^2 - (b^4 c^2 + 2 a b^2 c^3 - 4 a^2 c^4) d e + 4(a b^3 c^2 - 2 a^2 b c^3) e^2) * x^2 - 2 * \sqrt{1/2} * \sqrt{e * x^2 + d} * (((a^4 b^3 c^2 - 4 a^5 b c^3) d^3 - 2(a^4 b^4 c - 5 a^5 b^2 c^2 + 4 a^6 c^3) d^2 e + (a^4 b^5 - 5 a^5 b^3 c + 4 a^6 b c^2) d e^2 - (a^5 b^4 - 6 a^6 b^2 c + 8 a^7 c^2) e^3) * x * \sqrt{((b^4 c^2 - 2 a b^2 c^3 + a^2 c^4) d^2 - 2(b^5 c - 3 a b^3 c^2 + 2 a^2 b c^3) d e + (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) e^2) / ((a^6 b^2 c^2 - 4 a^7 c^3) d^4 - 2(a^6 b^3 c - 4 a^7 b c^2) d^3 e + (a^6 b^4 - 2 a^7 b^2 c - 8 a^8 c^2) d^2 e^2 - 2(a^7 b^3 - 4 a^8 b c) d e^3 + (a^8 b^2 - 4 a^9 c) e^4)) - ((a b^4 c^2 - 5 a^2 b^2 c^3 + 4 a^3 c^4) d^2 - (2 a b^5 c - 11 a^2 b^3 c^2 + 12 a^3 b c^3) d e + (a b^6 - 6 a^2 b^4 c + 8 a^3 b^2 c^2) e^2) * x) * \sqrt{-(b^3 c - 3 a b c^2) d - (b^4 - 4 a b^2 c + 2 a^2 c^2) e + ((a^3 b^2 c - 4 a^4 c^2) d^2 - (a^3 b^3 - 4 a^4 b c) d e + (a^4 b^2 - 4 a^5 c) e^2)} * \sqrt{((b^4 c^2 - 2 a b^2 c^3 + a^2 c^4) d^2 - 2(b^5 c - 3 a b^3 c^2 + 2 a^2 b c^3) d e + (b^6 - 4 a b^4 c + 4 a^2 b^2 c^2) e^2) / ((a^6 b^2 c^2 - 4 a^7 c^3) d^4 - 2(a^6 b^3 c - 4 a^7 b c^2) d^3 e + (a^6 b^4 - 2 a^7 b^2 c - 8 a^8 c^2) d^2 e^2 - 2(a^7 b^3 - 4 a^8 b c) d e^3 + (a^8 b^2 - 4 a^9 c) e^4)) / ((a^3 b^2 c - 4 a^4 c^2) d^2 - (a^3 b^3 - 4 a^4 b c) d e + (a^4 b^2 - 4 a^5 c) e^2)) / x^2) + 4 * \sqrt{e * x^2 + d} / (a * d * x)
\end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.02, size = 197, normalized size = 0.70

$$2a \left(\text{RootOf} \left(_Z^4 c + c d^4 + (4be - 4cd) _Z^3 + (16a e^2 - 8deb + 6c d^2) _Z^2 + (4b d^2 e - 4c d^3) _Z \right)^3 c + 3 \text{RootOf} \left(_Z^4 c + c d^4 + (4be - 4cd) _Z^3 + (16a e^2 - 8deb + 6c d^2) _Z^2 + (4b d^2 e - 4c d^3) _Z \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)

[Out] $-(e*x^2+d)^{(1/2)}/a/d/x+1/2/a*e^{(1/2)}*\text{sum}((c*_R^2+2*(2*b*e-c*d)*_R+c*d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2),_R=\text{RootOf}(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 \sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(1/(x^2*(d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2),x)

[Out] Integral(1/(x**2*sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)

$$3.392 \quad \int \frac{1}{x^4 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=341

$$\frac{c \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} + \frac{b\sqrt{d+ex^2}}{a^2 dx} + \frac{2e\sqrt{d+ex^2}}{a^2 dx}$$

[Out] $-1/3*(e*x^2+d)^{(1/2)}/a/d/x^3+b*(e*x^2+d)^{(1/2)}/a^2/d/x+2/3*e*(e*x^2+d)^{(1/2)}/a/d^2/x+c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/a^2/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b+(2*a*c-b^2)/(-4*a*c+b^2)^{(1/2)})/a^2/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.74, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1303, 271, 264, 1692, 377, 205}

$$\frac{c \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})}} + \frac{c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} + \frac{b\sqrt{d+ex^2}}{a^2 dx} + \frac{2e\sqrt{d+ex^2}}{a^2 dx}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)), x]

[Out] $-\text{sqrt}[d + e*x^2]/(3*a*d*x^3) + (b*\text{sqrt}[d + e*x^2])/(a^2*d*x) + (2*e*\text{sqrt}[d + e*x^2])/(3*a*d^2*x) + (c*(b + (b^2 - 2*a*c))/\text{sqrt}[b^2 - 4*a*c])*ArcTan[(\text{sqrt}[2*c*d - (b - \text{sqrt}[b^2 - 4*a*c])*e]*x)/(\text{sqrt}[b - \text{sqrt}[b^2 - 4*a*c]]*\text{sqrt}[d + e*x^2])]/(a^2*\text{sqrt}[b - \text{sqrt}[b^2 - 4*a*c]]*\text{sqrt}[2*c*d - (b - \text{sqrt}[b^2 - 4*a*c])*e]) + (c*(b - (b^2 - 2*a*c))/\text{sqrt}[b^2 - 4*a*c])*ArcTan[(\text{sqrt}[2*c*d - (b + \text{sqrt}[b^2 - 4*a*c])*e]*x)/(\text{sqrt}[b + \text{sqrt}[b^2 - 4*a*c]]*\text{sqrt}[d + e*x^2])]/(a^2*\text{sqrt}[b + \text{sqrt}[b^2 - 4*a*c]]*\text{sqrt}[2*c*d - (b + \text{sqrt}[b^2 - 4*a*c])*e])$

Rule 205

$\text{Int}[\frac{((a_) + (b_)*(x_)^2)^{-1}}{a}, x_Symbol] \rightarrow \text{Simp}[\frac{\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]]}{a}, x] \text{ ; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

Rule 264

$\text{Int}[\frac{((c_)*(x_))^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}}{c*x^{(m+1)}*(a + b*x^n)^{(p+1)}}}{a*c*(m+1)}, x_Symbol] \rightarrow \text{Simp}[\frac{((c*x)^{(m+1)}*(a + b*x^n)^{(p+1))}}{a*c*(m+1)}, x] \text{ ; FreeQ}\{a, b, c, m, n, p\}, x] \ \&\& \ \text{EqQ}[(m+1)/n + p + 1, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 271

$\text{Int}[(x_)^{(m_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(x^{(m+1)}*(a + b*x^n)^{(p+1))}/(a*(m+1)), x] - \text{Dist}[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), \text{Int}[x^{(m+n)}*(a + b*x^n)^p, x], x] \text{ ; FreeQ}\{a, b, m, n, p\}, x] \ \&\& \ \text{ILtQ}[\text{Simplify}[(m+1)/n + p + 1], 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 377

$\text{Int}[\frac{((a_) + (b_)*(x_)^{(n_)})^{(p_)}}{((c_) + (d_)*(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^{(1/n)}] \text{ ; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[n*p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$

Rule 1303

$\text{Int}[\frac{((f_)*(x_))^{(m_)}*((d_) + (e_)*(x_)^2)^{(q_)}}{((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^q, (f*x)^m/(a + b*x^2 + c*x^4), x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, q\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ \text{IntegerQ}[m]$

Rule 1692

$\text{Int}[(P_x)*((d_) + (e_)*(x_)^2)^{(q_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_x*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] \text{ ; FreeQ}\{a, b, c, d, e, q\}, x] \ \&\& \ \text{PolyQ}[P_x, x^2] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx &= \int \left(\frac{1}{ax^4 \sqrt{d+ex^2}} - \frac{b}{a^2 x^2 \sqrt{d+ex^2}} + \frac{b^2-ac+bcx^2}{a^2 \sqrt{d+ex^2} (a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{b^2-ac+bcx^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{a^2} + \frac{\int \frac{1}{x^4 \sqrt{d+ex^2}} dx}{a} - \frac{b \int \frac{1}{x^2 \sqrt{d+ex^2}} dx}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3adx^3} + \frac{b\sqrt{d+ex^2}}{a^2 dx} + \frac{\int \left(\frac{bc+\frac{c(b^2-2ac)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{bc-\frac{c(b^2-2ac)}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3adx^3} + \frac{b\sqrt{d+ex^2}}{a^2 dx} + \frac{2e\sqrt{d+ex^2}}{3ad^2 x} + \frac{\left(c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3adx^3} + \frac{b\sqrt{d+ex^2}}{a^2 dx} + \frac{2e\sqrt{d+ex^2}}{3ad^2 x} + \frac{\left(c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{1}{b+\sqrt{b^2-4ac}+2cx^2} dx \right)}{a^2} \\
&= -\frac{\sqrt{d+ex^2}}{3adx^3} + \frac{b\sqrt{d+ex^2}}{a^2 dx} + \frac{2e\sqrt{d+ex^2}}{3ad^2 x} + \frac{c \left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})\sqrt{d+ex^2}}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-(b-\sqrt{b^2-4ac})\sqrt{d+ex^2}}}
\end{aligned}$$

Mathematica [A] time = 0.69, size = 320, normalized size = 0.94

$$\frac{3c \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{e \sqrt{b^2-4ac} - be + 2cd}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) + 3c \left(\frac{2ac-b^2}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{e(\sqrt{b^2-4ac}-b)+2cd}} + \frac{a(d-2ex^2)\sqrt{d+ex^2}}{d^2 x^3} + \frac{3b\sqrt{d+ex^2}}{dx}$$

$$3a^2$$

Antiderivative was successfully verified.

[In] Integrate[1/(x^4*sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] ((3*b*sqrt[d + e*x^2])/(d*x) - (a*(d - 2*e*x^2)*sqrt[d + e*x^2])/(d^2*x^3) + (3*c*(b + (b^2 - 2*a*c)/sqrt[b^2 - 4*a*c])*ArcTan[(sqrt[2*c*d - b*e + sqrt[b^2 - 4*a*c]*e]*x)/(sqrt[b - sqrt[b^2 - 4*a*c]]*sqrt[d + e*x^2])])/(sqrt[b - sqrt[b^2 - 4*a*c]]*sqrt[2*c*d + (-b + sqrt[b^2 - 4*a*c])*e]) + (3*c*(b + (-b^2 + 2*a*c)/sqrt[b^2 - 4*a*c])*ArcTan[(sqrt[2*c*d - (b + sqrt[b^2 - 4*a*c])*e])/(sqrt[b + sqrt[b^2 - 4*a*c]]*sqrt[d + e*x^2])])/(sqrt[b + sqrt[b^2 - 4*a*c]]*sqrt[2*c*d - (b + sqrt[b^2 - 4*a*c])*e]))/sqrt[b^2 - 4*a*c]

$a*c))*e)*x)/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[d + e*x^2]))/(Sqrt[b + Sqrt[b^2 - 4*a*c]]*Sqrt[2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]))/(3*a^2)$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.03, size = 248, normalized size = 0.73

$$2a^2 \left(\text{RootOf} \left(_Z^4 c + c d^4 + (4be - 4cd) _Z^3 + (16a e^2 - 8deb + 6c d^2) _Z^2 + (4b d^2 e - 4c d^3) _Z \right)^3 c + 3 \text{RootOf} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)

[Out] $b*(e*x^2+d)^(1/2)/a^2/d/x-1/2/a^2*e^(1/2)*\text{sum}((b*c*_R^2+2*(-2*a*c*e+2*b^2*e-b*c*d)*_R+b*c*d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^(1/2)*x+(e*x^2+d)^(1/2))^2),_R=\text{RootOf}(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))-1/3*(e*x^2+d)^(1/2)/a/d/x^3+2/3*e*(e*x^2+d)^(1/2)/a/d^2/x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d}x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4 \sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)

[Out] int(1/(x^4*(d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 \sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2), x)

[Out] Integral(1/(x**4*sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)

$$3.393 \quad \int \frac{1}{x^6 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx$$

Optimal. Leaf size=443

$$\frac{(b^2 - ac) \sqrt{d + ex^2}}{a^3 dx} - \frac{c \left(\frac{b(b^2 - 3ac)}{\sqrt{b^2 - 4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right)}{a^3 \sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}} - \frac{c \left(-\frac{b(b^2 - 3ac)}{\sqrt{b^2 - 4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e}}{\sqrt{b^2 - 4ac}} \right)}{a^3 \sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{2cd - e} \left(\sqrt{b^2 - 4ac} \right)}$$

[Out] $-1/5*(e*x^2+d)^{(1/2)}/a/d/x^5+1/3*b*(e*x^2+d)^{(1/2)}/a^2/d/x^3+4/15*e*(e*x^2+d)^{(1/2)}/a/d^2/x^3-(a*c+b^2)*(e*x^2+d)^{(1/2)}/a^3/d/x-2/3*b*e*(e*x^2+d)^{(1/2)}/a^2/d^2/x-8/15*e^2*(e*x^2+d)^{(1/2)}/a/d^3/x-c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^2-a*c+b*(-3*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/a^3/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b^2-a*c-b*(-3*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/a^3/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 1.43, antiderivative size = 443, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {1303, 271, 264, 1692, 377, 205}

$$\frac{(b^2 - ac) \sqrt{d + ex^2}}{a^3 dx} - \frac{c \left(\frac{b(b^2 - 3ac)}{\sqrt{b^2 - 4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}}{\sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{d + ex^2}} \right)}{a^3 \sqrt{b - \sqrt{b^2 - 4ac}} \sqrt{2cd - e(b - \sqrt{b^2 - 4ac})}} - \frac{c \left(-\frac{b(b^2 - 3ac)}{\sqrt{b^2 - 4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{2cd - e}}{\sqrt{b^2 - 4ac}} \right)}{a^3 \sqrt{\sqrt{b^2 - 4ac} + b} \sqrt{2cd - e} \left(\sqrt{b^2 - 4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^6*sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] $-\text{Sqrt}[d + e*x^2]/(5*a*d*x^5) + (b*\text{Sqrt}[d + e*x^2])/(3*a^2*d*x^3) + (4*e*\text{Sqrt}[d + e*x^2])/(15*a*d^2*x^3) - ((b^2 - a*c)*\text{Sqrt}[d + e*x^2])/(a^3*d*x) - (2*b*e*\text{Sqrt}[d + e*x^2])/(3*a^2*d^2*x) - (8*e^2*\text{Sqrt}[d + e*x^2])/(15*a*d^3*x) - (c*(b^2 - a*c + (b*(b^2 - 3*a*c)))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])]/(a^3*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e) - (c*(b^2 - a*c - (b*(b^2 - 3*a*c)))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])]$

$$\frac{\int \frac{dx}{(a^3 \sqrt{b + \sqrt{b^2 - 4ac}}) \sqrt{2cd - (b + \sqrt{b^2 - 4ac})e}}$$

Rule 205

$$\text{Int}[(a_ + (b_)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[\text{Rt}[a/b, 2] \text{ArcTan}[x/\text{Rt}[a/b, 2]]/a, x] \text{ /; FreeQ}\{a, b\}, x\} \ \&\& \ \text{PosQ}[a/b]$$

Rule 264

$$\text{Int}[(c_)(x_)^{m_}((a_ + (b_)(x_)^{n_})^{p_}), x_Symbol] \rightarrow \text{Simp}[(c_ x_)^{m+1} (a + b x_^{n_})^{p+1} / (a c_ (m+1)), x] \text{ /; FreeQ}\{a, b, c, m, n, p\}, x\} \ \&\& \ \text{EqQ}[(m+1)/n + p + 1, 0] \ \&\& \ \text{NeQ}[m, -1]$$

Rule 271

$$\text{Int}(x_)^{m_}((a_ + (b_)(x_)^{n_})^{p_}), x_Symbol] \rightarrow \text{Simp}[(x_)^{m+1} (a + b x_^{n_})^{p+1} / (a (m+1)), x] - \text{Dist}[(b (m + n (p + 1) + 1)) / (a (m + 1)), \text{Int}[x_^{m+n} (a + b x_^{n_})^p, x], x] \text{ /; FreeQ}\{a, b, m, n, p\}, x\} \ \&\& \ \text{ILtQ}[\text{Simplify}[(m+1)/n + p + 1], 0] \ \&\& \ \text{NeQ}[m, -1]$$

Rule 377

$$\text{Int}[(a_ + (b_)(x_)^{n_})^{p_} / ((c_ + (d_)(x_)^{n_})], x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b c - a d) x^n), x], x, x/(a + b x^n)^{1/n}] \text{ /; FreeQ}\{a, b, c, d\}, x\} \ \&\& \ \text{NeQ}[b c - a d, 0] \ \&\& \ \text{EqQ}[n p + 1, 0] \ \&\& \ \text{IntegerQ}[n]$$

Rule 1303

$$\text{Int}[(f_)(x_)^{m_}((d_ + (e_)(x_)^2)^{q_}) / ((a_ + (b_)(x_)^2 + (c_)(x_)^4), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e x^2)^q, (f x)^m / (a + b x^2 + c x^4), x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, q\}, x\} \ \&\& \ \text{NeQ}[b^2 - 4 a c, 0] \ \&\& \ \text{!IntegerQ}[q] \ \&\& \ \text{IntegerQ}[m]$$

Rule 1692

$$\text{Int}[(P x_)((d_ + (e_)(x_)^2)^{q_})((a_ + (b_)(x_)^2 + (c_)(x_)^4)^{p_}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P x (d + e x^2)^q (a + b x^2 + c x^4)^p, x], x] \text{ /; FreeQ}\{a, b, c, d, e, q\}, x\} \ \&\& \ \text{PolyQ}[P x, x^2] \ \&\& \ \text{NeQ}[b^2 - 4 a c, 0] \ \&\& \ \text{NeQ}[c d^2 - b d e + a e^2, 0] \ \&\& \ \text{IntegerQ}[p]$$

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^6 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx &= \int \left(\frac{1}{ax^6 \sqrt{d+ex^2}} - \frac{b}{a^2 x^4 \sqrt{d+ex^2}} + \frac{b^2-ac}{a^3 x^2 \sqrt{d+ex^2}} + \frac{-b(b^2-2ac)-c(b^2-ac)}{a^3 \sqrt{d+ex^2} (a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{-b(b^2-2ac)-c(b^2-ac)x^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{a^3} + \frac{\int \frac{1}{x^6 \sqrt{d+ex^2}} dx}{a} - \frac{b \int \frac{1}{x^4 \sqrt{d+ex^2}} dx}{a^2} + \frac{(b^2-ac) \int \frac{1}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{a^3} \\
&= -\frac{\sqrt{d+ex^2}}{5adx^5} + \frac{b\sqrt{d+ex^2}}{3a^2 dx^3} - \frac{(b^2-ac)\sqrt{d+ex^2}}{a^3 dx} + \frac{\int \left(\frac{-\frac{bc(b^2-3ac)-c(b^2-ac)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{a^3} \\
&= -\frac{\sqrt{d+ex^2}}{5adx^5} + \frac{b\sqrt{d+ex^2}}{3a^2 dx^3} + \frac{4e\sqrt{d+ex^2}}{15ad^2 x^3} - \frac{(b^2-ac)\sqrt{d+ex^2}}{a^3 dx} - \frac{2be\sqrt{d+ex^2}}{3a^2 d^2} \\
&= -\frac{\sqrt{d+ex^2}}{5adx^5} + \frac{b\sqrt{d+ex^2}}{3a^2 dx^3} + \frac{4e\sqrt{d+ex^2}}{15ad^2 x^3} - \frac{(b^2-ac)\sqrt{d+ex^2}}{a^3 dx} - \frac{2be\sqrt{d+ex^2}}{3a^2 d^2} \\
&= -\frac{\sqrt{d+ex^2}}{5adx^5} + \frac{b\sqrt{d+ex^2}}{3a^2 dx^3} + \frac{4e\sqrt{d+ex^2}}{15ad^2 x^3} - \frac{(b^2-ac)\sqrt{d+ex^2}}{a^3 dx} - \frac{2be\sqrt{d+ex^2}}{3a^2 d^2}
\end{aligned}$$

Mathematica [A] time = 1.64, size = 383, normalized size = 0.86

$$\frac{a^2 \sqrt{d+ex^2} (3d^2 - 4dex^2 + 8e^2 x^4)}{d^3 x^5} + \frac{15(b^2-ac)\sqrt{d+ex^2}}{dx} + \frac{15c \left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{e \sqrt{b^2-4ac} - be + 2cd}}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{e(\sqrt{b^2-4ac} - b) + 2cd}} + \frac{15c \left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x}{\sqrt{b - \sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{\sqrt{b^2-4ac} + b} \sqrt{2cd - e(\sqrt{b^2-4ac} + b)}}$$

$15a^3$

Antiderivative was successfully verified.

[In] Integrate[1/(x^6*sqrt[d + e*x^2]*(a + b*x^2 + c*x^4)),x]

[Out] -1/15*((15*(b^2 - a*c)*sqrt[d + e*x^2])/(d*x) - (5*a*b*(d - 2*e*x^2)*sqrt[d + e*x^2])/(d^2*x^3) + (a^2*sqrt[d + e*x^2]*(3*d^2 - 4*d*e*x^2 + 8*e^2*x^4))/(d^3*x^5) + (15*c*(b^2 - a*c + (b*(b^2 - 3*a*c))/sqrt[b^2 - 4*a*c])*ArcTan[(sqrt[2*c*d - b*e + sqrt[b^2 - 4*a*c]*e]*x)/(sqrt[b - sqrt[b^2 - 4*a*c]]*sqrt[d + e*x^2]))/(sqrt[b - sqrt[b^2 - 4*a*c]]*sqrt[2*c*d + (-b + sqrt[b^2 - 4*a*c])])

$- 4*a*c)) * e)) + (15*c*(b^2 - a*c - (b*(b^2 - 3*a*c))/\text{Sqrt}[b^2 - 4*a*c]) * \text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e]) * x] / (\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) * \text{Sqrt}[d + e*x^2])) / (\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) * \text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e])) / a^3$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 350, normalized size = 0.79

$$2a^3 \left(\text{RootOf}(_Z^4 c + c d^4 + (4be - 4cd) _Z^3 + (16a e^2 - 8deb + 6c d^2) _Z^2 + (4b d^2 e - 4c d^3) _Z) \right)^3 c + 3 \text{RootOf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x)

[Out] $-(-a*c+b^2)*(e*x^2+d)^{(1/2)}/a^3/d/x-1/2/a^3*e^{(1/2)}*\text{sum}((c*(a*c-b^2)*_R^2+2*(4*a*b*c*e-a*c^2*d-2*b^3*e+b^2*c*d)*_R+a*c^2*d^2-b^2*c*d^2)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2), _R=\text{RootOf}(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))+1/3*b*(e*x^2+d)^{(1/2)}/a^2/d/x^3-2/3*b*e*(e*x^2+d)^{(1/2)}/a^2/d^2/x-1/5*(e*x^2+d)^{(1/2)}/a/d/x^5+4/15*e*(e*x^2+d)^{(1/2)}/a/d^2/x^3-8/15*e^2*(e*x^2+d)^{(1/2)}/a/d^3/x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)\sqrt{ex^2 + d} x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x^6/(c*x^4+b*x^2+a)/(e*x^2+d)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/((c*x^4 + b*x^2 + a)*sqrt(e*x^2 + d)*x^6), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^6 \sqrt{ex^2 + d} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^6*(d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)),x)`

[Out] `int(1/(x^6*(d + e*x^2)^(1/2)*(a + b*x^2 + c*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^6 \sqrt{d + ex^2} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**6/(c*x**4+b*x**2+a)/(e*x**2+d)**(1/2),x)`

[Out] `Integral(1/(x**6*sqrt(d + e*x**2)*(a + b*x**2 + c*x**4)), x)`

$$3.394 \quad \int \frac{x^6}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=350

$$\frac{2 \left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c \sqrt{b-\sqrt{b^2-4ac}} \left(2cd-e(b-\sqrt{b^2-4ac}) \right)^{3/2}} + \frac{2 \left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{c \sqrt{\sqrt{b^2-4ac}+b} \left(2cd-e(\sqrt{b^2-4ac}+b) \right)^{3/2}} - \frac{e \sqrt{d+ex^2}}{e \sqrt{d+ex^2}}$$

[Out] $\operatorname{arctanh}(x e^{1/2} / (e x^2 + d)^{1/2}) / c e^{3/2} - d^2 x / e / (a e^2 - b d e + c d^2) / (e x^2 + d)^{1/2} + 2 \operatorname{arctan}(x (2 c d - e (b - (-4 a^2 c + b^2)^{1/2}))^{1/2} / (e x^2 + d)^{1/2}) / (b - (-4 a^2 c + b^2)^{1/2})^{1/2} * (b^2 - a^2 c - b (-3 a^2 c + b^2) / (-4 a^2 c + b^2)^{1/2}) / c / (2 c d - e (b - (-4 a^2 c + b^2)^{1/2}))^{3/2} / (b - (-4 a^2 c + b^2)^{1/2})^{1/2} + 2 \operatorname{arctan}(x (2 c d - e (b + (-4 a^2 c + b^2)^{1/2}))^{1/2} / (e x^2 + d)^{1/2}) / (b + (-4 a^2 c + b^2)^{1/2})^{1/2} * (b^2 - a^2 c + b (-3 a^2 c + b^2) / (-4 a^2 c + b^2)^{1/2}) / c / (2 c d - e (b + (-4 a^2 c + b^2)^{1/2}))^{3/2} / (b + (-4 a^2 c + b^2)^{1/2})^{1/2}$

Rubi [A] time = 4.33, antiderivative size = 507, normalized size of antiderivative = 1.45, number of steps used = 14, number of rules used = 7, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {1297, 288, 217, 206, 1692, 377, 205}

$$\frac{\left(-\frac{2a^2ce-ab^2e-3abcd+b^3d}{\sqrt{b^2-4ac}} - abe - acd + b^2d \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{c \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2)} + \frac{\left(\frac{2a^2ce-ab^2e-3abcd+b^3d}{\sqrt{b^2-4ac}} - abe - acd + b^2d \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{c \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} - \frac{e \sqrt{d+ex^2}}{e \sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^6 / ((d + e x^2)^{3/2} (a + b x^2 + c x^4)), x]$

[Out] $-(d^2 x) / (e (c d^2 - b d e + a e^2) \operatorname{Sqrt}[d + e x^2]) + ((b^2 d - a c d - a b e - (b^3 d - 3 a b c d - a b^2 e + 2 a^2 c e) / \operatorname{Sqrt}[b^2 - 4 a c]) * \operatorname{ArcTan}[(\operatorname{Sqrt}[2 c d - (b - \operatorname{Sqrt}[b^2 - 4 a c]) * e] * x) / (\operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4 a c]] * \operatorname{Sqrt}[d + e x^2])]) / (c * \operatorname{Sqrt}[b - \operatorname{Sqrt}[b^2 - 4 a c]] * \operatorname{Sqrt}[2 c d - (b - \operatorname{Sqrt}[b^2 - 4 a c]) * e] * (c d^2 - b d e + a e^2)) + ((b^2 d - a c d - a b e + (b^3 d - 3 a b c d - a b^2 e + 2 a^2 c e) / \operatorname{Sqrt}[b^2 - 4 a c]) * \operatorname{ArcTan}[(\operatorname{Sqrt}[2 c d - (b + \operatorname{Sqrt}[b^2 - 4 a c]) * e] * x) / (\operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4 a c]] * \operatorname{Sqrt}[d + e x^2])]) / (c * \operatorname{Sqrt}[b + \operatorname{Sqrt}[b^2 - 4 a c]] * \operatorname{Sqrt}[2 c d - (b + \operatorname{Sqrt}[b^2 - 4 a c]) * e] * (c d^2 - b d e + a e^2)) + (d^2 * \operatorname{ArcTanh}[(\operatorname{Sqrt}[e] * x) / \operatorname{Sqrt}[d + e x^2]]) / (e^{3/2} * (c d^2 - b d e + a e^2)) - ((b d - a e) * \operatorname{ArcTanh}[(\operatorname{Sqrt}[e] * x) / \operatorname{Sqrt}[d + e x^2]]) / (c * \operatorname{Sqrt}[e] * (c d^2 - b d e + a e^2))$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 217

Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

Rule 288

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*n*(p + 1)), x] - Dist[(c^n*(m - n + 1))/(b*n*(p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0] && LtQ[p, -1] && GtQ[m + 1, n] && !LtQ[(m + n*(p + 1) + 1)/n, 0] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 377

Int[((a_) + (b_)*(x_)^(n_))^(p_)/((c_) + (d_)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1297

Int[(((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Dist[(d^2*f^4)/(c*d^2 - b*d*e + a*e^2), Int[(f*x)^(m - 4)*(d + e*x^2)^q, x], x] - Dist[f^4/(c*d^2 - b*d*e + a*e^2), Int[(f*x)^(m - 4)*(d + e*x^2)^(q + 1)*Simp[a*d + (b*d - a*e)*x^2, x]]/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && LtQ[q, -1] && GtQ[m, 3]

Rule 1692

Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -

$4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
 \int \frac{x^6}{(d+ex^2)^{3/2} (a+bx^2+cx^4)} dx &= -\frac{\int \frac{x^2(ad+(bd-ae)x^2)}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{cd^2 - bde + ae^2} + \frac{d^2 \int \frac{x^2}{(d+ex^2)^{3/2}} dx}{cd^2 - bde + ae^2} \\
 &= -\frac{d^2 x}{e (cd^2 - bde + ae^2) \sqrt{d+ex^2}} - \frac{\int \left(\frac{bd-ae}{c\sqrt{d+ex^2}} - \frac{a(bd-ae)+(b^2d-acd-abe)x^2}{c\sqrt{d+ex^2} (a+bx^2+cx^4)} \right) dx}{cd^2 - bde + ae^2} + \dots \\
 &= -\frac{d^2 x}{e (cd^2 - bde + ae^2) \sqrt{d+ex^2}} + \frac{\int \frac{a(bd-ae)+(b^2d-acd-abe)x^2}{\sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{c (cd^2 - bde + ae^2)} + \frac{d^2 \text{Subst} \left(\int \dots \right)}{e (cd^2 - bde + ae^2)} \\
 &= -\frac{d^2 x}{e (cd^2 - bde + ae^2) \sqrt{d+ex^2}} + \frac{d^2 \tanh^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d+ex^2}} \right)}{e^{3/2} (cd^2 - bde + ae^2)} + \frac{\int \left(\frac{b^2d-acd-abe+\frac{-b^3d}{\sqrt{d+ex^2}}}{(b-\sqrt{b^2-4ac}+\dots)} \right) dx}{\dots} \\
 &= -\frac{d^2 x}{e (cd^2 - bde + ae^2) \sqrt{d+ex^2}} + \frac{d^2 \tanh^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d+ex^2}} \right)}{e^{3/2} (cd^2 - bde + ae^2)} - \frac{(bd-ae) \tanh^{-1} \left(\dots \right)}{c\sqrt{e} (cd^2 - bde - \dots)} \\
 &= -\frac{d^2 x}{e (cd^2 - bde + ae^2) \sqrt{d+ex^2}} + \frac{d^2 \tanh^{-1} \left(\frac{\sqrt{e} x}{\sqrt{d+ex^2}} \right)}{e^{3/2} (cd^2 - bde + ae^2)} - \frac{(bd-ae) \tanh^{-1} \left(\dots \right)}{c\sqrt{e} (cd^2 - bde - \dots)} \\
 &= -\frac{d^2 x}{e (cd^2 - bde + ae^2) \sqrt{d+ex^2}} + \frac{\left(b^2d - acd - abe - \frac{b^3d - 3abcd - ab^2e + 2a^2ce}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\dots \right)}{c\sqrt{b - \sqrt{b^2-4ac}} \sqrt{2cd - \left(b - \sqrt{b^2-4ac} \right)}}
 \end{aligned}$$

Mathematica [B] time = 11.26, size = 10968, normalized size = 31.34

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[x^6/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] Result too large to show

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [A] time = 2.25, size = 75, normalized size = 0.21

$$-\frac{c^2 d^2 x}{(c^3 d^2 e - b c^2 d e^2 + a c^2 e^3) \sqrt{x^2 e + d}} - \frac{e^{\left(-\frac{3}{2}\right)} \log\left(\left(x e^{\frac{1}{2}} - \sqrt{x^2 e + d}\right)^2\right)}{2 c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] $-c^2 d^2 x / ((c^3 d^2 e - b c^2 d e^2 + a c^2 e^3) \sqrt{x^2 e + d}) - 1/2 e^{(-3/2)} \log((x e^{(1/2)} - \sqrt{x^2 e + d})^2) / c$

maple [C] time = 0.04, size = 480, normalized size = 1.37

$$\frac{8 a b e^{\frac{3}{2}}}{(4 a e^2 - 4 d e b + 4 c d^2) \left(2 e x^2 - 2 \sqrt{e x^2 + d} \sqrt{e} x + 2 d\right) c^2} + \frac{8 a d \sqrt{e}}{(4 a e^2 - 4 d e b + 4 c d^2) \left(2 e x^2 - 2 \sqrt{e x^2 + d} \sqrt{e} x + 2 d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] $-1/c x/e/(e x^2+d)^{(1/2)}+1/c/e^{(3/2)}*\ln(e^{(1/2)}*x+(e x^2+d)^{(1/2)})-1/c^2*b*x/d/(e x^2+d)^{(1/2)}+2/c*e^{(1/2)}/(4*a*e^2-4*b*d*e+4*c*d^2)*\sum(((a*b*e+a*c*d-b^2*d)*_R^2+2*(2*a^2*e^2-3*a*b*d*e-a*c*d^2+b^2*d^2)*_R+a*b*d^2*e+a*c*d^3-b^2*d^3)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e x^2+d)^{(1/2)})^2),_R=RootOf(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))+8/c^2*e^{(3/2)}/(4*a*e^2-4*b*d*e+4*c*d^2)/(2*e*x^2-2*e^{(1/2)}*(e x^2+d)^{(1/2)}*x+2*d)*a*b+8/c*e^{(1/2)}/(4*a*e^2-4*b*d*e+4*c*d^2)/(2*e*x^2-2*e^{(1/2)}*(e x^2+d$

$)^{1/2} * x + 2 * d) * a * d - 8 / c^2 * e^{1/2} / (4 * a * e^2 - 4 * b * d * e + 4 * c * d^2) / (2 * e * x^2 - 2 * e^{1/2} * (e * x^2 + d)^{1/2} * x + 2 * d) * b^2 * d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(cx^4 + bx^2 + a)(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(x^6/((c*x^4 + b*x^2 + a)*(e*x^2 + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^6}{(ex^2 + d)^{3/2} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)

[Out] int(x^6/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^6}{(d + ex^2)^{\frac{3}{2}} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**6/(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a),x)

[Out] Integral(x**6/((d + e*x**2)**(3/2)*(a + b*x**2 + c*x**4)), x)

$$3.395 \quad \int \frac{x^4}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=360

$$\frac{\left(-\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}(ae^2-bde+cd^2)} - \frac{\left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}(ae^2-bde+cd^2)}$$

[Out] $d*x/(a*e^2-b*d*e+c*d^2)/(e*x^2+d)^{(1/2)}-\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b*d-a*e+(a*b*e+2*a*c*d-b^2*d)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b*d-a*e+(-a*b*e-2*a*c*d+b^2*d)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.27, antiderivative size = 360, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1297, 191, 1692, 377, 205}

$$\frac{\left(-\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b-\sqrt{b^2-4ac}}\sqrt{2cd-e(b-\sqrt{b^2-4ac})}(ae^2-bde+cd^2)} - \frac{\left(\frac{-abe-2acd+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right) \tan^{-1}\left(\frac{x\sqrt{2cd-e(b+\sqrt{b^2-4ac})}}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{d+ex^2}}\right)}{\sqrt{b+\sqrt{b^2-4ac}}\sqrt{2cd-e(b+\sqrt{b^2-4ac})}(ae^2-bde+cd^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4/((d + e*x^2)^{(3/2)}*(a + b*x^2 + c*x^4)),x]$

[Out] $(d*x)/((c*d^2 - b*d*e + a*e^2)*\text{Sqrt}[d + e*x^2]) - ((b*d - a*e - (b^2*d - 2*a*c*d - a*b*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*(c*d^2 - b*d*e + a*e^2)) - ((b*d - a*e + (b^2*d - 2*a*c*d - a*b*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)*(c*d^2 - b*d*e + a*e^2))$

Rule 191

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1)
)/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 377

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Su
bst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b
, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]
```

Rule 1297

```
Int[(((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Dist[(d^2*f^4)/(c*d^2 - b*d*e + a*e^2), Int[(f
*x)^(m - 4)*(d + e*x^2)^q, x], x] - Dist[f^4/(c*d^2 - b*d*e + a*e^2), Int[(
(f*x)^(m - 4)*(d + e*x^2)^(q + 1)*Simp[a*d + (b*d - a*e)*x^2, x]]/(a + b*x^
2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] &
& !IntegerQ[q] && LtQ[q, -1] && GtQ[m, 3]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^
(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
&)) - (30*e*(2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^4*\text{ArcSin}[\text{Sqrt}[-(((2*c*d + \\
&(-b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))]] \\
&)/(d^2*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)) + 4*(-(((2*c*d + (-b + \text{Sqrt}[b^2 \\
&- 4*a*c]))*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^{(5/2)}*\text{Sqrt}[((-b \\
&+ \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))] *H \\
&ypergeometric2F1[2, 2, 7/2, -(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d \\
&*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))] + (4*e*x^2*(-(((2*c*d + (-b + \text{Sqrt}[b^2 \\
&- 4*a*c]))*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^{(5/2)}*\text{Sqrt}[((\\
&-b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)) \\
&]*\text{Hypergeometric2F1}[2, 2, 7/2, -(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2) \\
&/((d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))]/d)/(15*c*(b - \text{Sqrt}[b^2 - 4*a*c] \\
&)*d*(-(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] \\
&- 2*c*x^2))))^{(3/2)}*(1 - (2*c*x^2)/(-b + \text{Sqrt}[b^2 - 4*a*c]))*\text{Sqrt}[d + e*x \\
&^2]*\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] \\
&- 2*c*x^2)))] - ((b - (-b^2 + 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*x*(45*\text{Sqrt}[-(((b + \\
&\text{Sqrt}[b^2 - 4*a*c])*(-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2*(d + e*x^2))/(d \\
&^2*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)] + (30*e*x^2*\text{Sqrt}[-(((b + \text{Sqrt}[b^2 \\
&- 4*a*c])*(-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2*(d + e*x^2))/(d^2*(b + \\
&\text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)]/d - 45*\text{ArcSin}[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 \\
&- 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))]] - (30*e*x^2*Ar \\
&cSin[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a* \\
&c] + 2*c*x^2))]]/d + (45*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2*\text{ArcSin}[\text{Sq \\
&rt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2* \\
&c*x^2))]]/((d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)) - (30*e*(-2*c*d + (b + \text{Sqr \\
&t}[b^2 - 4*a*c]))*e)*x^4*\text{ArcSin}[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2 \\
&)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))]]/((d^2*(b + \text{Sqrt}[b^2 - 4*a*c] + 2* \\
&c*x^2)) + 4*(((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4 \\
&a*c] + 2*c*x^2))))^{(5/2)}*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(b + \\
&\text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))] *Hypergeometric2F1[2, 2, 7/2, ((2*c*d - (b + \\
&\text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))] + (4*e*x \\
&^2*(((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2 \\
&*c*x^2))))^{(5/2)}*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(b + \text{Sqrt}[b^2 \\
&- 4*a*c] + 2*c*x^2))] *Hypergeometric2F1[2, 2, 7/2, ((2*c*d - (b + \text{Sqrt}[b^2 \\
&- 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]/d)/(15*c*(b + S \\
&qrt[b^2 - 4*a*c])*d*(((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x^2)/(d*(b + \text{Sqrt} \\
&[b^2 - 4*a*c] + 2*c*x^2))))^{(3/2)}*(1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c]))*Sq \\
&rt[d + e*x^2]*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(b + \text{Sqrt}[b^2 - \\
&4*a*c] + 2*c*x^2)))]
\end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate($x^4/(e*x^2+d)^{(3/2)/(c*x^4+b*x^2+a)}$, x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP
 UT:sage2:=int(sage0,x); OUTPUT:Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [a,b,c]=[44,93,-37]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [a,b,c]=[-72,-7,6]Evaluation time: 0.6Unable to divide, perhaps due to rounding error%%{-2147483648, [3,8,10,8,3,10,1]%%}+%%{-12884901888, [3,8,10,7,2,12,2]%%}+%%{463856467968, [3,8,10,6,1,14,3]%%}+%%{1924145348608, [3,8,10,5,0,16,4]%%}+%%{536870912, [3,8,9,8,5,10,0]%%}+%%{20401094656, [3,8,9,7,4,12,1]%%}+%%{-150323855360, [3,8,9,6,3,14,2]%%}+%%{-3135326126080, [3,8,9,5,2,16,3]%%}+%%{-4672924418048, [3,8,9,4,1,18,4]%%}+%%{6047313952768, [3,8,9,3,0,20,5]%%}+%%{-4294967296, [3,8,8,7,6,12,0]%%}+%%{-42412802048, [3,8,8,6,5,14,1]%%}+%%{1046898278400, [3,8,8,5,4,16,2]%%}+%%{6210522710016, [3,8,8,4,3,18,3]%%}+%%{-1786706395136, [3,8,8,3,2,20,4]%%}+%%{-11544872091648, [3,8,8,2,1,22,5]%%}+%%{4398046511104, [3,8,8,1,0,24,6]%%}+%%{12750684160, [3,8,7,6,7,14,0]%%}+%%{-23890755584, [3,8,7,5,6,16,1]%%}+%%{-2103460233216, [3,8,7,4,5,18,2]%%}+%%{-3324304687104, [3,8,7,3,4,20,3]%%}+%%{9758165696512, [3,8,7,2,3,22,4]%%}+%%{1649267441664, [3,8,7,1,2,24,5]%%}+%%{-4398046511104, [3,8,7,0,1,26,6]%%}+%%{-17985175552, [3,8,6,5,8,16,0]%%}+%%{161866579968, [3,8,6,4,7,18,1]%%}+%%{1586990415872, [3,8,6,3,6,20,2]%%}+%%{-1795296329728, [3,8,6,2,5,22,3]%%}+%%{-4123168604160, [3,8,6,1,4,24,4]%%}+%%{3848290697216, [3,8,6,0,3,26,5]%%}+%%{12213813248, [3,8,5,4,9,18,0]%%}+%%{-171798691840, [3,8,5,3,8,20,1]%%}+%%{-212600881152, [3,8,5,2,7,22,2]%%}+%%{1477468749824, [3,8,5,1,6,24,3]%%}+%%{-1099511627776, [3,8,5,0,5,26,4]%%}+%%{-3221225472, [3,8,4,3,10,20,0]%%}+%%{57982058496, [3,8,4,2,9,22,1]%%}+%%{-154618822656, [3,8,4,1,8,24,2]%%}+%%{103079215104, [3,8,4,0,7,26,3]%%}+%%{1048576, [3,6,10,4,2,4,0]%%}+%%{8388608, [3,6,10,3,1,6,1]%%}+%%{16777216, [3,6,10,2,0,8,2]%%}+%%{-5242880, [3,6,9,3,3,6,0]%%}+%%{-29360128, [3,6,9,2,2,8,1]%%}+%%{-33554432, [3,6,9,1,1,10,2]%%}+%%{9699328, [3,6,8,2,4,8,0]%%}+%%{33554432, [3,6,8,1,3,10,1]%%}+%%{16777216, [3,6,8,0,2,12,2]%%}+%%{-7864320, [3,6,7,1,5,10,0]%%}+%%{-12582912, [3,6,7,0,4,12,1]%%}+%%{2359296, [3,6,6,0,6,12,0]%%}+%%{-536870912, [2,7,10,6,2,8,1]%%}+%%{18446744062703697920, [2,7,10,5,1,10,2]%%}+%%{-18253611008, [2,7,10,4,0,12,3]%%}+%%{134217728, [2,7,9,6,4,8,0]%%}+%%{5502926848, [2,7,9,5,3,10,1]%%}+%%{36909875200, [2,7,9,4,2,12,2]%%}+%%{42949672960, [2,7,9,3,1,14,3]%%}+%%{-42949672960, [2,7,9,2,0,16,4]%%}+%%{-956301312

, [2,7,8,5,5,10,0]%%}+%%{-18656264192, [2,7,8,4,4,12,1]%%}+%%{-6496138035
2, [2,7,8,3,3,14,2]%%}+%%{8589934592, [2,7,8,2,2,16,3]%%}+%%{85899345920,
[2,7,8,1,1,18,4]%%}+%%{2642411520, [2,7,7,4,6,12,0]%%}+%%{27783069696, [2
,7,7,3,5,14,1]%%}+%%{33957085184, [2,7,7,2,4,16,2]%%}+%%{-73014444032, [2
,7,7,1,3,18,3]%%}+%%{-42949672960, [2,7,7,0,2,20,4]%%}+%%{-3556769792, [2
,7,6,3,7,14,0]%%}+%%{-17716740096, [2,7,6,2,6,16,1]%%}+%%{12884901888, [2
,7,6,1,5,18,2]%%}+%%{39728447488, [2,7,6,0,4,20,3]%%}+%%{2340421632, [2,7
,5,2,8,16,0]%%}+%%{2415919104, [2,7,5,1,7,18,1]%%}+%%{-12079595520, [2,7,
5,0,6,20,2]%%}+%%{-603979776, [2,7,4,1,9,18,0]%%}+%%{1207959552, [2,7,4,0
,8,20,1]%%}+%%{2147483648, [1,8,10,9,3,10,1]%%}+%%{38654705664, [1,8,10,8
,2,12,2]%%}+%%{51539607552, [1,8,10,7,1,14,3]%%}+%%{-274877906944, [1,8,1
0,6,0,16,4]%%}+%%{-536870912, [1,8,9,9,5,10,0]%%}+%%{-26843545600, [1,8,9
,8,4,12,1]%%}+%%{-188978561024, [1,8,9,7,3,14,2]%%}+%%{146028888064, [1,8
,9,6,2,16,3]%%}+%%{962072674304, [1,8,9,5,1,18,4]%%}+%%{-549755813888, [1
,8,9,4,0,20,5]%%}+%%{4294967296, [1,8,8,8,6,12,0]%%}+%%{95026151424, [1,8
,8,7,5,14,1]%%}+%%{239444426752, [1,8,8,6,4,16,2]%%}+%%{-858993459200, [1
,8,8,5,3,18,3]%%}+%%{-618475290624, [1,8,8,4,2,20,4]%%}+%%{1099511627776
, [1,8,8,3,1,22,5]%%}+%%{-12750684160, [1,8,7,7,7,14,0]%%}+%%{-1366336471
04, [1,8,7,6,6,16,1]%%}+%%{62277025792, [1,8,7,5,5,18,2]%%}+%%{9363028705
28, [1,8,7,4,4,20,3]%%}+%%{-549755813888, [1,8,7,3,3,22,4]%%}+%%{-5497558
13888, [1,8,7,2,2,24,5]%%}+%%{17985175552, [1,8,6,6,8,16,0]%%}+%%{7194070
2208, [1,8,6,5,7,18,1]%%}+%%{-267361714176, [1,8,6,4,6,20,2]%%}+%%{-13743
8953472, [1,8,6,3,5,22,3]%%}+%%{481036337152, [1,8,6,2,4,24,4]%%}+%%{-122
13813248, [1,8,5,5,9,18,0]%%}+%%{7247757312, [1,8,5,4,8,20,1]%%}+%%{10307
9215104, [1,8,5,3,7,22,2]%%}+%%{-137438953472, [1,8,5,2,6,24,3]%%}+%%{322
1225472, [1,8,4,4,10,20,0]%%}+%%{-12884901888, [1,8,4,3,9,22,1]%%}+%%{128
84901888, [1,8,4,2,8,24,2]%%}+%%{-1048576, [1,6,10,5,2,4,0]%%}+%%{-838860
8, [1,6,10,4,1,6,1]%%}+%%{-16777216, [1,6,10,3,0,8,2]%%}+%%{8388608, [1,6,
9,4,3,6,0]%%}+%%{62914560, [1,6,9,3,2,8,1]%%}+%%{150994944, [1,6,9,2,1,10
,2]%%}+%%{134217728, [1,6,9,1,0,12,3]%%}+%%{-26476544, [1,6,8,3,4,8,0]%%
}+%%{-163577856, [1,6,8,2,3,10,1]%%}+%%{-301989888, [1,6,8,1,2,12,2]%%}+%%
{-134217728, [1,6,8,0,1,14,3]%%}+%%{41156608, [1,6,7,2,5,10,0]%%}+%%{17
8257920, [1,6,7,1,4,12,1]%%}+%%{167772160, [1,6,7,0,3,14,2]%%}+%%{-314572
80, [1,6,6,1,6,12,0]%%}+%%{-69206016, [1,6,6,0,5,14,1]%%}+%%{9437184, [1,6
,5,0,7,14,0]%%}+%%{402653184, [0,7,10,7,2,8,1]%%}+%%{5637144576, [0,7,10,
6,1,10,2]%%}+%%{16106127360, [0,7,10,5,0,12,3]%%}+%%{-100663296, [0,7,9,7
,4,8,0]%%}+%%{-4160749568, [0,7,9,6,3,10,1]%%}+%%{-30198988800, [0,7,9,5,
2,12,2]%%}+%%{-28991029248, [0,7,9,4,1,14,3]%%}+%%{68719476736, [0,7,9,3,
0,16,4]%%}+%%{687865856, [0,7,8,6,5,10,0]%%}+%%{13925089280, [0,7,8,5,4,1
2,1]%%}+%%{48184164352, [0,7,8,4,3,14,2]%%}+%%{-49392123904, [0,7,8,3,2,1
6,3]%%}+%%{-120259084288, [0,7,8,2,1,18,4]%%}+%%{68719476736, [0,7,8,1,0,
20,5]%%}+%%{-1845493760, [0,7,7,5,6,12,0]%%}+%%{-19964887040, [0,7,7,4,5,
14,1]%%}+%%{-11542724608, [0,7,7,3,4,16,2]%%}+%%{113816633344, [0,7,7,2,3
,18,3]%%}+%%{-8589934592, [0,7,7,1,2,20,4]%%}+%%{-68719476736, [0,7,7,0,1
,22,5]%%}+%%{2432696320, [0,7,6,4,7,14,0]%%}+%%{11207180288, [0,7,6,3,6,1

6,1]%%}+%%{-28185722880, [0,7,6,2,5,18,2]%%}+%%{-34359738368, [0,7,6,1,4,20,3]%%}+%%{60129542144, [0,7,6,0,3,22,4]%%}+%%{-1577058304, [0,7,5,3,8,16,0]%%}+%%{201326592, [0,7,5,2,7,18,1]%%}+%%{14495514624, [0,7,5,1,6,20,2]%%}+%%{-17179869184, [0,7,5,0,5,22,3]%%}+%%{402653184, [0,7,4,2,9,18,0]%%}+%%{-1610612736, [0,7,4,1,8,20,1]%%}+%%{1610612736, [0,7,4,0,7,22,2]%%} / %%{1024, [0,3,4,2,1,2,0]%%}+%%{4096, [0,3,4,1,0,4,1]%%}+%%{-2560, [0,3,3,1,2,4,0]%%}+%%{-4096, [0,3,3,0,1,6,1]%%}+%%{1536, [0,3,2,0,3,6,0]%%}

Error: Bad Argument Value

maple [C] time = 0.03, size = 338, normalized size = 0.94

$$\frac{8ae^{\frac{3}{2}}}{(4ae^2 - 4deb + 4cd^2) \left(2ex^2 - 2\sqrt{ex^2 + d} \sqrt{e} x + 2d \right) c} + \frac{8bd\sqrt{e}}{(4ae^2 - 4deb + 4cd^2) \left(2ex^2 - 2\sqrt{ex^2 + d} \sqrt{e} x + 2d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a), x)

[Out] $1/c*x/d/(e*x^2+d)^{(1/2)} - 2*e^{(1/2)}/(4*a*e^2 - 4*b*d*e + 4*c*d^2) * \text{sum}((a*e - b*d) * _R^2 + 2*d*(-3*a*e + b*d) * _R + a*d^2*e - b*d^3) / (_R^3*c + 3*_R^2*b*e - 3*_R^2*c*d + 8*_R*a*e^2 - 4*_R*b*d*e + 3*_R*c*d^2 + b*d^2*e - c*d^3) * \ln(-_R + (-e^{(1/2)}*x + (e*x^2+d)^{(1/2)})^2), _R = \text{RootOf}(_Z^4*c + c*d^4 + (4*b*e - 4*c*d) * _Z^3 + (16*a*e^2 - 8*b*d*e + 6*c*d^2) * _Z^2 + (4*b*d^2*e - 4*c*d^3) * _Z) - 8/c*e^{(3/2)}/(4*a*e^2 - 4*b*d*e + 4*c*d^2) / (2*e*x^2 - 2*(e*x^2+d)^{(1/2)}*e^{(1/2)}*x + 2*d) * a + 8/c*e^{(1/2)}/(4*a*e^2 - 4*b*d*e + 4*c*d^2) / (2*e*x^2 - 2*(e*x^2+d)^{(1/2)}*e^{(1/2)}*x + 2*d) * b*d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(cx^4 + bx^2 + a)(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate(x^4/((c*x^4 + b*x^2 + a)*(e*x^2 + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4}{(ex^2 + d)^{3/2} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)`

[Out] `int(x^4/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4}{(d + ex^2)^{\frac{3}{2}} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4/(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a), x)`

[Out] `Integral(x**4/((d + e*x**2)**(3/2)*(a + b*x**2 + c*x**4)), x)`

$$3.396 \quad \int \frac{x^2}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=333

$$\frac{c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2)} + \frac{c \left(\frac{bd-2ae}{\sqrt{b^2-4ac}} + d \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac})}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} (ae^2 - bde + cd^2)}$$

[Out] $-e*x/(a*e^2-b*d*e+c*d^2)/(e*x^2+d)^{(1/2)}+c*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(d+(2*a*e-b*d)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+c*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(d+(-2*a*e+b*d)/(-4*a*c+b^2)^{(1/2)})/(a*e^2-b*d*e+c*d^2)/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.66, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$, Rules used = {1299, 191, 1692, 377, 205}

$$\frac{c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2)} + \frac{c \left(\frac{bd-2ae}{\sqrt{b^2-4ac}} + d \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac})}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[x^2/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] $-((e*x)/((c*d^2 - b*d*e + a*e^2)*\text{Sqrt}[d + e*x^2])) + (c*(d - (b*d - 2*a*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*(c*d^2 - b*d*e + a*e^2)) + (c*(d + (b*d - 2*a*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])]*e)*(c*d^2 - b*d*e + a*e^2))$

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1299

Int[(((f_.)*(x_)^(m_.)*((d_.) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := -Dist[(d*e*f^2)/(c*d^2 - b*d*e + a*e^2), Int[(f*x)^(m - 2)*(d + e*x^2)^q, x], x] + Dist[f^2/(c*d^2 - b*d*e + a*e^2), Int[(f*x)^(m - 2)*(d + e*x^2)^(q + 1)*Simp[a*e + c*d*x^2, x]/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && LtQ[q, -1] && GtQ[m, 1] && LeQ[m, 3]

Rule 1692

Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx &= \frac{\int \frac{ae+cdx^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{cd^2 - bde + ae^2} - \frac{(de) \int \frac{1}{(d+ex^2)^{3/2}} dx}{cd^2 - bde + ae^2} \\
&= -\frac{ex}{(cd^2 - bde + ae^2)\sqrt{d+ex^2}} + \frac{\int \left(\frac{cd + \frac{c(-bd+2ae)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{cd - \frac{c(-bd+2ae)}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{cd^2 - bde + ae^2} \\
&= -\frac{ex}{(cd^2 - bde + ae^2)\sqrt{d+ex^2}} + \frac{\left(c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{cd^2 - bde + ae^2} \\
&= -\frac{ex}{(cd^2 - bde + ae^2)\sqrt{d+ex^2}} + \frac{\left(c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{1}{b-\sqrt{b^2-4ac} - (-2cd + \sqrt{2cd - (b-\sqrt{b^2-4ac})})} dx \right)}{cd^2 - bde + ae^2} \\
&= -\frac{ex}{(cd^2 - bde + ae^2)\sqrt{d+ex^2}} + \frac{c \left(d - \frac{bd-2ae}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd - (b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd - (b-\sqrt{b^2-4ac})}}
\end{aligned}$$

Mathematica [C] time = 6.72, size = 2119, normalized size = 6.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[x^2/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] ((1 - b/Sqrt[b^2 - 4*a*c])*x*(45*Sqrt[-(((-b + Sqrt[b^2 - 4*a*c]))*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2*(d + e*x^2))/(d^2*(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)^2)]) + (30*e*x^2*Sqrt[-(((-b + Sqrt[b^2 - 4*a*c]))*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2*(d + e*x^2))/(d^2*(b - Sqrt[b^2 - 4*a*c] + 2*c*x^2)^2)])/d - 45*ArcSin[Sqrt[-(((2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x^2)))]]) - (30*e*x^2*ArcSin[Sqrt[-(((2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x^2)))]]) /d - (45*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2*ArcSin[Sqrt[-(((2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x^2)))]]) / (d*(-b + Sqrt[b^2 - 4*a*c] - 2*c*x^2)) - (30*e*(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^4*ArcSin[Sqrt[-(((2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-

$$\begin{aligned}
& b + \text{Sqrt}[b^2 - 4ac] - 2cx^2)))]/(d^2(-b + \text{Sqrt}[b^2 - 4ac] - 2cx^2) \\
& + 4(-(((2cd + (-b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d(-b + \text{Sqrt}[b^2 - 4 \\
& ac] - 2cx^2))))^{(5/2)}\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4ac])*(d + ex^2))/(d(- \\
& b + \text{Sqrt}[b^2 - 4ac] - 2cx^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, -(((2cd + \\
& (-b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d(-b + \text{Sqrt}[b^2 - 4ac] - 2cx^2)))] \\
& + (4ex^2(-(((2cd + (-b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d(-b + \text{Sqrt}[b^2 \\
& - 4ac] - 2cx^2))))^{(5/2)}\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4ac])*(d + ex^2))/(d \\
& (-b + \text{Sqrt}[b^2 - 4ac] - 2cx^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, -(((2cd \\
& d + (-b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d(-b + \text{Sqrt}[b^2 - 4ac] - 2cx^2) \\
&))]/d))/(15*(b - \text{Sqrt}[b^2 - 4ac])*d(-(((2cd + (-b + \text{Sqrt}[b^2 - 4ac]) \\
& e)x^2)/(d(-b + \text{Sqrt}[b^2 - 4ac] - 2cx^2))))^{(3/2)}*(1 - (2cx^2)/(-b \\
& + \text{Sqrt}[b^2 - 4ac]))*\text{Sqrt}[d + ex^2]*\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4ac])*(d + e \\
& x^2))/(d(-b + \text{Sqrt}[b^2 - 4ac] - 2cx^2)))] + ((1 + b/\text{Sqrt}[b^2 - 4ac] \\
&)x*(45*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4ac])*(-2cd + (b + \text{Sqrt}[b^2 - 4ac])e \\
&)x^2*(d + ex^2))/(d^2*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2)^2)] + (30ex^2* \\
& \text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4ac])*(-2cd + (b + \text{Sqrt}[b^2 - 4ac])e)x^2*(d \\
& + ex^2))/(d^2*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2)^2)]/d - 45*\text{ArcSin}[\text{Sqrt}[\\
& ((2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx \\
& ^2))] - (30ex^2*\text{ArcSin}[\text{Sqrt}[((2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d \\
& *(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2)))]/d + (45*(2cd - (b + \text{Sqrt}[b^2 - 4a \\
& c])e)x^2*\text{ArcSin}[\text{Sqrt}[((2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d*(b + S \\
& qrt}[b^2 - 4ac] + 2cx^2)))]/d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2)) - (30 \\
& e*(-2cd + (b + \text{Sqrt}[b^2 - 4ac])e)x^4*\text{ArcSin}[\text{Sqrt}[((2cd - (b + \text{Sqrt} \\
& [b^2 - 4ac])e)x^2)/(d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2)))]/d^2*(b + S \\
& qrt}[b^2 - 4ac] + 2cx^2)) + 4(((2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2) \\
& /d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2))^{(5/2)}\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4ac]) \\
& *(d + ex^2))/(d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2))]*\text{Hypergeometric2F1}[2, 2 \\
& , 7/2, ((2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d*(b + \text{Sqrt}[b^2 - 4ac] \\
& + 2cx^2))] + (4ex^2(((2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d*(b + \\
& \text{Sqrt}[b^2 - 4ac] + 2cx^2))^{(5/2)}\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4ac])*(d + ex \\
& ^2))/(d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, ((\\
& 2cd - (b + \text{Sqrt}[b^2 - 4ac])e)x^2)/(d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2 \\
&))]/d))/(15*(b + \text{Sqrt}[b^2 - 4ac])*d(((2cd - (b + \text{Sqrt}[b^2 - 4ac])e \\
&)x^2)/(d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2))^{(3/2)}*(1 + (2cx^2)/(b + \text{Sqr \\
& t}[b^2 - 4ac]))*\text{Sqrt}[d + ex^2]*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4ac])*(d + ex^2)) \\
& /d*(b + \text{Sqrt}[b^2 - 4ac] + 2cx^2)))]
\end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [a,b,c]=[44,93,-37]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [a,b,c]=[-72,-7,6]Evaluation time: 0.57Unable to divide, perhaps due to rounding error%%{-2147483648, [3,8,10,8,3,10,1]%%}+%%{-12884901888, [3,8,10,7,2,12,2]%%}+%%{463856467968, [3,8,10,6,1,14,3]%%}+%%{1924145348608, [3,8,10,5,0,16,4]%%}+%%{536870912, [3,8,9,8,5,10,0]%%}+%%{20401094656, [3,8,9,7,4,12,1]%%}+%%{-150323855360, [3,8,9,6,3,14,2]%%}+%%{-3135326126080, [3,8,9,5,2,16,3]%%}+%%{-4672924418048, [3,8,9,4,1,18,4]%%}+%%{6047313952768, [3,8,9,3,0,20,5]%%}+%%{-4294967296, [3,8,8,7,6,12,0]%%}+%%{-42412802048, [3,8,8,6,5,14,1]%%}+%%{1046898278400, [3,8,8,5,4,16,2]%%}+%%{6210522710016, [3,8,8,4,3,18,3]%%}+%%{-1786706395136, [3,8,8,3,2,20,4]%%}+%%{-11544872091648, [3,8,8,2,1,22,5]%%}+%%{4398046511104, [3,8,8,1,0,24,6]%%}+%%{12750684160, [3,8,7,6,7,14,0]%%}+%%{-23890755584, [3,8,7,5,6,16,1]%%}+%%{-2103460233216, [3,8,7,4,5,18,2]%%}+%%{-3324304687104, [3,8,7,3,4,20,3]%%}+%%{9758165696512, [3,8,7,2,3,22,4]%%}+%%{1649267441664, [3,8,7,1,2,24,5]%%}+%%{-4398046511104, [3,8,7,0,1,26,6]%%}+%%{-17985175552, [3,8,6,5,8,16,0]%%}+%%{161866579968, [3,8,6,4,7,18,1]%%}+%%{1586990415872, [3,8,6,3,6,20,2]%%}+%%{-1795296329728, [3,8,6,2,5,22,3]%%}+%%{-4123168604160, [3,8,6,1,4,24,4]%%}+%%{3848290697216, [3,8,6,0,3,26,5]%%}+%%{12213813248, [3,8,5,4,9,18,0]%%}+%%{-171798691840, [3,8,5,3,8,20,1]%%}+%%{-212600881152, [3,8,5,2,7,22,2]%%}+%%{1477468749824, [3,8,5,1,6,24,3]%%}+%%{-1099511627776, [3,8,5,0,5,26,4]%%}+%%{-3221225472, [3,8,4,3,10,20,0]%%}+%%{57982058496, [3,8,4,2,9,22,1]%%}+%%{-154618822656, [3,8,4,1,8,24,2]%%}+%%{103079215104, [3,8,4,0,7,26,3]%%}+%%{1048576, [3,6,10,4,2,4,0]%%}+%%{8388608, [3,6,10,3,1,6,1]%%}+%%{16777216, [3,6,10,2,0,8,2]%%}+%%{-5242880, [3,6,9,3,3,6,0]%%}+%%{-29360128, [3,6,9,2,2,8,1]%%}+%%{-33554432, [3,6,9,1,1,10,2]%%}+%%{9699328, [3,6,8,2,4,8,0]%%}+%%{33554432, [3,6,8,1,3,10,1]%%}+%%{16777216, [3,6,8,0,2,12,2]%%}+%%{-7864320, [3,6,7,1,5,10,0]%%}+%%{-12582912, [3,6,7,0,4,12,1]%%}+%%{2359296, [3,6,6,0,6,12,0]%%}+%%{-536870912, [2,7,10,6,2,8,1]%%}+%%{18446744062703697920, [2,7,10,5,1,10,2]%%}+%%{-18253611008, [2,7,10,4,0,12,3]%%}+%%{134217728, [2,7,9,6,4,8,0]%%}+%%{5502926848, [2,7,9,5,3,10,1]%%}+%%{36909875200, [2,7,9,4,2,12,2]%%}+%%{42949672960, [2,7,9,3,1,14,3]%%}+%%{-42949672960, [2,7,9,2,0,16,4]%%}+%%{-956301312, [2,7,8,5,5,10,0]%%}+%%{-18656264192, [2,7,8,4,4,12,1]%%}+%%{-649613803

52, [2,7,8,3,3,14,2]%%}+%%{8589934592, [2,7,8,2,2,16,3]%%}+%%{85899345920, [2,7,8,1,1,18,4]%%}+%%{2642411520, [2,7,7,4,6,12,0]%%}+%%{27783069696, [2,7,7,3,5,14,1]%%}+%%{33957085184, [2,7,7,2,4,16,2]%%}+%%{-73014444032, [2,7,7,1,3,18,3]%%}+%%{-42949672960, [2,7,7,0,2,20,4]%%}+%%{-3556769792, [2,7,6,3,7,14,0]%%}+%%{-17716740096, [2,7,6,2,6,16,1]%%}+%%{12884901888, [2,7,6,1,5,18,2]%%}+%%{39728447488, [2,7,6,0,4,20,3]%%}+%%{2340421632, [2,7,5,2,8,16,0]%%}+%%{2415919104, [2,7,5,1,7,18,1]%%}+%%{-12079595520, [2,7,5,0,6,20,2]%%}+%%{-603979776, [2,7,4,1,9,18,0]%%}+%%{1207959552, [2,7,4,0,8,20,1]%%}+%%{-2147483648, [1,8,10,9,3,10,1]%%}+%%{-38654705664, [1,8,10,8,2,12,2]%%}+%%{51539607552, [1,8,10,7,1,14,3]%%}+%%{-274877906944, [1,8,10,6,0,16,4]%%}+%%{-536870912, [1,8,9,9,5,10,0]%%}+%%{-26843545600, [1,8,9,8,4,12,1]%%}+%%{-188978561024, [1,8,9,7,3,14,2]%%}+%%{146028888064, [1,8,9,6,2,16,3]%%}+%%{962072674304, [1,8,9,5,1,18,4]%%}+%%{-549755813888, [1,8,9,4,0,20,5]%%}+%%{4294967296, [1,8,8,8,6,12,0]%%}+%%{95026151424, [1,8,8,7,5,14,1]%%}+%%{239444426752, [1,8,8,6,4,16,2]%%}+%%{-858993459200, [1,8,8,5,3,18,3]%%}+%%{-618475290624, [1,8,8,4,2,20,4]%%}+%%{1099511627776, [1,8,8,3,1,22,5]%%}+%%{-12750684160, [1,8,7,7,7,14,0]%%}+%%{-136633647104, [1,8,7,6,6,16,1]%%}+%%{62277025792, [1,8,7,5,5,18,2]%%}+%%{936302870528, [1,8,7,4,4,20,3]%%}+%%{-549755813888, [1,8,7,3,3,22,4]%%}+%%{-549755813888, [1,8,7,2,2,24,5]%%}+%%{17985175552, [1,8,6,6,8,16,0]%%}+%%{71940702208, [1,8,6,5,7,18,1]%%}+%%{-267361714176, [1,8,6,4,6,20,2]%%}+%%{-137438953472, [1,8,6,3,5,22,3]%%}+%%{481036337152, [1,8,6,2,4,24,4]%%}+%%{-12213813248, [1,8,5,5,9,18,0]%%}+%%{7247757312, [1,8,5,4,8,20,1]%%}+%%{103079215104, [1,8,5,3,7,22,2]%%}+%%{-137438953472, [1,8,5,2,6,24,3]%%}+%%{3221225472, [1,8,4,4,10,20,0]%%}+%%{-12884901888, [1,8,4,3,9,22,1]%%}+%%{12884901888, [1,8,4,2,8,24,2]%%}+%%{-1048576, [1,6,10,5,2,4,0]%%}+%%{-8388608, [1,6,10,4,1,6,1]%%}+%%{-16777216, [1,6,10,3,0,8,2]%%}+%%{8388608, [1,6,9,4,3,6,0]%%}+%%{62914560, [1,6,9,3,2,8,1]%%}+%%{150994944, [1,6,9,2,1,10,2]%%}+%%{134217728, [1,6,9,1,0,12,3]%%}+%%{-26476544, [1,6,8,3,4,8,0]%%}+%%{-163577856, [1,6,8,2,3,10,1]%%}+%%{-301989888, [1,6,8,1,2,12,2]%%}+%%{-134217728, [1,6,8,0,1,14,3]%%}+%%{41156608, [1,6,7,2,5,10,0]%%}+%%{178257920, [1,6,7,1,4,12,1]%%}+%%{167772160, [1,6,7,0,3,14,2]%%}+%%{-31457280, [1,6,6,1,6,12,0]%%}+%%{-69206016, [1,6,6,0,5,14,1]%%}+%%{9437184, [1,6,5,0,7,14,0]%%}+%%{402653184, [0,7,10,7,2,8,1]%%}+%%{5637144576, [0,7,10,6,1,10,2]%%}+%%{16106127360, [0,7,10,5,0,12,3]%%}+%%{-100663296, [0,7,9,7,4,8,0]%%}+%%{-4160749568, [0,7,9,6,3,10,1]%%}+%%{-30198988800, [0,7,9,5,2,12,2]%%}+%%{-28991029248, [0,7,9,4,1,14,3]%%}+%%{68719476736, [0,7,9,3,0,16,4]%%}+%%{687865856, [0,7,8,6,5,10,0]%%}+%%{13925089280, [0,7,8,5,4,12,1]%%}+%%{48184164352, [0,7,8,4,3,14,2]%%}+%%{-49392123904, [0,7,8,3,2,16,3]%%}+%%{-120259084288, [0,7,8,2,1,18,4]%%}+%%{68719476736, [0,7,8,1,0,20,5]%%}+%%{-1845493760, [0,7,7,5,6,12,0]%%}+%%{-19964887040, [0,7,7,4,5,14,1]%%}+%%{-11542724608, [0,7,7,3,4,16,2]%%}+%%{113816633344, [0,7,7,2,3,18,3]%%}+%%{-8589934592, [0,7,7,1,2,20,4]%%}+%%{-68719476736, [0,7,7,0,1,22,5]%%}+%%{2432696320, [0,7,6,4,7,14,0]%%}+%%{11207180288, [0,7,6,3,6,16,1]%%}+%%{-28185722880, [0,7,6,2,5,18,2]%%}+%%{-34359738368, [0,7,6,1,4

```
,20,3]%%}+%%{60129542144,[0,7,6,0,3,22,4]%%}+%%{-1577058304,[0,7,5,3,8,
16,0]%%}+%%{201326592,[0,7,5,2,7,18,1]%%}+%%{14495514624,[0,7,5,1,6,20,
2]%%}+%%{-17179869184,[0,7,5,0,5,22,3]%%}+%%{402653184,[0,7,4,2,9,18,0]
%%}+%%{-1610612736,[0,7,4,1,8,20,1]%%}+%%{1610612736,[0,7,4,0,7,22,2]%%
%} / %%{-1024,[0,3,4,2,1,2,0]%%}+%%{4096,[0,3,4,1,0,4,1]%%}+%%{-2560,[0
,3,3,1,2,4,0]%%}+%%{-4096,[0,3,3,0,1,6,1]%%}+%%{1536,[0,3,2,0,3,6,0]%%
} Error: Bad Argument Value
```

maple [C] time = 0.03, size = 252, normalized size = 0.76

$$\frac{8d\sqrt{e}}{(4ae^2 - 4deb + 4cd^2) \left(2ex^2 - 2\sqrt{ex^2 + d} \sqrt{e} x + 2d \right) \left(4ae^2 - 4deb + 4cd^2 \right) \left(\text{RootOf} \left(-Z^4c + cd^4 + (4be - \dots \right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] $-2e^{(1/2)}/(4*a*e^2-4*b*d*e+4*c*d^2)*\text{sum}((_R^2*c*d+2*(2*a*e^2-c*d^2)*_R+c*d^3)/(_R^3*c+3*_R^2*b*e-3*_R^2*c*d+8*_R*a*e^2-4*_R*b*d*e+3*_R*c*d^2+b*d^2*e-c*d^3)*\ln(-_R+(-e^{(1/2)}*x+(e*x^2+d)^{(1/2)})^2),_R=\text{RootOf}(_Z^4*c+c*d^4+(4*b*e-4*c*d)*_Z^3+(16*a*e^2-8*b*d*e+6*c*d^2)*_Z^2+(4*b*d^2*e-4*c*d^3)*_Z))-8*e^{(1/2)*d}/(4*a*e^2-4*b*d*e+4*c*d^2)/(2*e*x^2-2*(e*x^2+d)^{(1/2)}*e^{(1/2)}*x+2*d)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(cx^4 + bx^2 + a)(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(x^2/((c*x^4 + b*x^2 + a)*(e*x^2 + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(ex^2 + d)^{3/2} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(x^2/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(d + ex^2)^{\frac{3}{2}} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a), x)

[Out] Integral(x**2/((d + e*x**2)**(3/2)*(a + b*x**2 + c*x**4)), x)

$$3.397 \quad \int \frac{1}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=341

$$c \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) \quad c \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)$$

$$\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2) \quad \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} (ae^2 - bde + cd^2)$$

[Out] $e^2 x/d/(a e^2 - b d e + c d^2)/(e x^2 + d)^{(1/2)} - c \arctan(x(2 c d - e(b - (-4 a^2 c + b^2)^{(1/2)}))^{(1/2)})/(e x^2 + d)^{(1/2)}/(b - (-4 a^2 c + b^2)^{(1/2)})^{(1/2)} * (e + (b e - 2 c d)/(-4 a^2 c + b^2)^{(1/2)})/(a e^2 - b d e + c d^2)/(2 c d - e(b - (-4 a^2 c + b^2)^{(1/2)})^{(1/2)})/(b - (-4 a^2 c + b^2)^{(1/2)})^{(1/2)} - c \arctan(x(2 c d - e(b + (-4 a^2 c + b^2)^{(1/2)}))^{(1/2)})/(e x^2 + d)^{(1/2)}/(b + (-4 a^2 c + b^2)^{(1/2)})^{(1/2)} * (e + (-b e + 2 c d)/(-4 a^2 c + b^2)^{(1/2)})/(a e^2 - b d e + c d^2)/(b + (-4 a^2 c + b^2)^{(1/2)})^{(1/2)}/(2 c d - e(b + (-4 a^2 c + b^2)^{(1/2)})^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.77, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1172, 191, 1692, 377, 205}

$$c \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right) \quad c \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)$$

$$\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2) \quad \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} (ae^2 - bde + cd^2)$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] $(e^2 x)/(d(c d^2 - b d e + a e^2) \sqrt{d + e x^2}) - (c(e - (2 c d - b e)/\sqrt{b^2 - 4 a c}) \operatorname{ArcTan}[(\sqrt{2 c d - (b - \sqrt{b^2 - 4 a c})} e) x]/(\sqrt{b - \sqrt{b^2 - 4 a c}} \sqrt{d + e x^2}))/(\sqrt{b - \sqrt{b^2 - 4 a c}} \sqrt{2 c d - (b - \sqrt{b^2 - 4 a c})} e) * (c d^2 - b d e + a e^2) - (c(e + (2 c d - b e)/\sqrt{b^2 - 4 a c}) \operatorname{ArcTan}[(\sqrt{2 c d - (b + \sqrt{b^2 - 4 a c})} e) x]/(\sqrt{b + \sqrt{b^2 - 4 a c}} \sqrt{d + e x^2}))/(\sqrt{b + \sqrt{b^2 - 4 a c}} \sqrt{2 c d - (b + \sqrt{b^2 - 4 a c})} e) * (c d^2 - b d e + a e^2)$

Rule 191

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x*(a + b*x^n)^(p + 1))/a, x] /; FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 377

Int[((a_) + (b_.)*(x_)^(n_))^(p_)/((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Subst[Int[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && EqQ[n*p + 1, 0] && IntegerQ[n]

Rule 1172

Int[((d_) + (e_.)*(x_)^2)^(q_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[(d + e*x^2)^q, x], x] + Dist[1/(c*d^2 - b*d*e + a*e^2), Int[((d + e*x^2)^(q + 1)*(c*d - b*e - c*e*x^2))/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[q] && LtQ[q, -1]

Rule 1692

Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx &= \frac{\int \frac{cd-be-cex^2}{\sqrt{d+ex^2}(a+bx^2+cx^4)} dx}{cd^2-bde+ae^2} + \frac{e^2 \int \frac{1}{(d+ex^2)^{3/2}} dx}{cd^2-bde+ae^2} \\
&= \frac{e^2 x}{d(cd^2-bde+ae^2)\sqrt{d+ex^2}} + \frac{\int \left(\frac{-ce-\frac{c(-2cd+be)}{\sqrt{b^2-4ac}}}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} + \frac{-ce+\frac{c(-2cd+be)}{\sqrt{b^2-4ac}}}{(b+\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} \right) dx}{cd^2-bde+ae^2} \\
&= \frac{e^2 x}{d(cd^2-bde+ae^2)\sqrt{d+ex^2}} - \frac{\left(c \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{(b-\sqrt{b^2-4ac}+2cx^2)\sqrt{d+ex^2}} dx}{cd^2-bde+ae^2} \\
&= \frac{e^2 x}{d(cd^2-bde+ae^2)\sqrt{d+ex^2}} - \frac{\left(c \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{1}{b-\sqrt{b^2-4ac}-(2cd-be-2cx^2)} dx \right)}{cd^2-bde+ae^2} \\
&= \frac{e^2 x}{d(cd^2-bde+ae^2)\sqrt{d+ex^2}} - \frac{c \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{\sqrt{2cd-(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-(b-\sqrt{b^2-4ac})}}
\end{aligned}$$

Mathematica [C] time = 7.15, size = 2112, normalized size = 6.19

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] (2*c*x*(45*sqrt[-((-b + sqrt[b^2 - 4*a*c])*(2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2*(d + e*x^2)))/(d^2*(b - sqrt[b^2 - 4*a*c] + 2*c*x^2)^2))] + (30*e*x^2*sqrt[-((-b + sqrt[b^2 - 4*a*c])*(2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2*(d + e*x^2)))/(d^2*(b - sqrt[b^2 - 4*a*c] + 2*c*x^2)^2)]/d - 45*ArcSin[sqrt[-((2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + sqrt[b^2 - 4*a*c] - 2*c*x^2))]] - (30*e*x^2*ArcSin[sqrt[-((2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + sqrt[b^2 - 4*a*c] - 2*c*x^2))]])/d - (45*(2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2*ArcSin[sqrt[-((2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + sqrt[b^2 - 4*a*c] - 2*c*x^2))]])/(d*(-b + sqrt[b^2 - 4*a*c] - 2*c*x^2)) - (30*e*(2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^4*ArcSin[sqrt[-((2*c*d + (-b + sqrt[b^2 - 4*a*c])*e)*x^2)/(d*(-b + sqrt[b^2 - 4*a*c] - 2*c*x^2))]])/(d*(-b + sqrt[b^2 - 4*a*c] - 2*c*x^2))

$$\begin{aligned}
& - 2*c*x^2)))]/(d^2*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)) + 4*(-(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^{(5/2)}*\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, -(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))] + (4*e*x^2*(-(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^{(5/2)}*\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, -(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))]/d)/(15*\text{Sqrt}[b^2 - 4*a*c]*(b - \text{Sqrt}[b^2 - 4*a*c])*d*(-(((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^{(3/2)}*(1 - (2*c*x^2)/(-b + \text{Sqrt}[b^2 - 4*a*c]))*\text{Sqrt}[d + e*x^2]*\text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))] - (2*c*x*(45*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])*(-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2*(d + e*x^2))/(d^2*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2))] + (30*e*x^2*\text{Sqrt}[-(b + \text{Sqrt}[b^2 - 4*a*c])*(-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2*(d + e*x^2))/(d^2*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)]/d - 45*\text{ArcSin}[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))] - (30*e*x^2*\text{ArcSin}[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]/d + (45*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2*\text{ArcSin}[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]/d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)) - (30*e*(-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^4*\text{ArcSin}[\text{Sqrt}[((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]/d^2*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)) + 4*(((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))^{(5/2)}*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, ((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))] + (4*e*x^2*(((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))^{(5/2)}*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))]*\text{Hypergeometric2F1}[2, 2, 7/2, ((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]/d)/(15*\text{Sqrt}[b^2 - 4*a*c]*(b + \text{Sqrt}[b^2 - 4*a*c])*d*(((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*x^2)/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))^{(3/2)}*(1 + (2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c]))*\text{Sqrt}[d + e*x^2]*\text{Sqrt}[((b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2))/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]
\end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP
 UT:sage2:=int(sage0,x);OUTPUT:Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [a,b,c]=[44,93,-37]Warning, need to choose a branch for the root of a polynomial with parameters. This might be wrong.The choice was done assuming [a,b,c]=[-72,-7,6]Evaluation time: 0.58Unable to divide, perhaps due to rounding error%%{-2147483648, [3,8,10,8,3,10,1]%%}+%%{-12884901888, [3,8,10,7,2,12,2]%%}+%%{463856467968, [3,8,10,6,1,14,3]%%}+%%{1924145348608, [3,8,10,5,0,16,4]%%}+%%{536870912, [3,8,9,8,5,10,0]%%}+%%{20401094656, [3,8,9,7,4,12,1]%%}+%%{-150323855360, [3,8,9,6,3,14,2]%%}+%%{-3135326126080, [3,8,9,5,2,16,3]%%}+%%{-4672924418048, [3,8,9,4,1,18,4]%%}+%%{6047313952768, [3,8,9,3,0,20,5]%%}+%%{-4294967296, [3,8,8,7,6,12,0]%%}+%%{-42412802048, [3,8,8,6,5,14,1]%%}+%%{1046898278400, [3,8,8,5,4,16,2]%%}+%%{6210522710016, [3,8,8,4,3,18,3]%%}+%%{-1786706395136, [3,8,8,3,2,20,4]%%}+%%{-11544872091648, [3,8,8,2,1,22,5]%%}+%%{4398046511104, [3,8,8,1,0,24,6]%%}+%%{12750684160, [3,8,7,6,7,14,0]%%}+%%{-23890755584, [3,8,7,5,6,16,1]%%}+%%{-2103460233216, [3,8,7,4,5,18,2]%%}+%%{-3324304687104, [3,8,7,3,4,20,3]%%}+%%{9758165696512, [3,8,7,2,3,22,4]%%}+%%{1649267441664, [3,8,7,1,2,24,5]%%}+%%{-4398046511104, [3,8,7,0,1,26,6]%%}+%%{-17985175552, [3,8,6,5,8,16,0]%%}+%%{161866579968, [3,8,6,4,7,18,1]%%}+%%{1586990415872, [3,8,6,3,6,20,2]%%}+%%{-1795296329728, [3,8,6,2,5,22,3]%%}+%%{-4123168604160, [3,8,6,1,4,24,4]%%}+%%{3848290697216, [3,8,6,0,3,26,5]%%}+%%{12213813248, [3,8,5,4,9,18,0]%%}+%%{-171798691840, [3,8,5,3,8,20,1]%%}+%%{-212600881152, [3,8,5,2,7,22,2]%%}+%%{1477468749824, [3,8,5,1,6,24,3]%%}+%%{-1099511627776, [3,8,5,0,5,26,4]%%}+%%{-3221225472, [3,8,4,3,10,20,0]%%}+%%{57982058496, [3,8,4,2,9,22,1]%%}+%%{-154618822656, [3,8,4,1,8,24,2]%%}+%%{103079215104, [3,8,4,0,7,26,3]%%}+%%{1048576, [3,6,10,4,2,4,0]%%}+%%{8388608, [3,6,10,3,1,6,1]%%}+%%{16777216, [3,6,10,2,0,8,2]%%}+%%{-5242880, [3,6,9,3,3,6,0]%%}+%%{-29360128, [3,6,9,2,2,8,1]%%}+%%{-33554432, [3,6,9,1,1,10,2]%%}+%%{9699328, [3,6,8,2,4,8,0]%%}+%%{33554432, [3,6,8,1,3,10,1]%%}+%%{16777216, [3,6,8,0,2,12,2]%%}+%%{-7864320, [3,6,7,1,5,10,0]%%}+%%{-12582912, [3,6,7,0,4,12,1]%%}+%%{2359296, [3,6,6,0,6,12,0]%%}+%%{-536870912, [2,7,10,6,2,8,1]%%}+%%{18446744062703697920, [2,7,10,5,1,10,2]%%}+%%{-18253611008, [2,7,10,4,0,12,3]%%}+%%{134217728, [2,7,9,6,4,8,0]%%}+%%{5502926848, [2,7,9,5,3,10,1]%%}+%%{36909875200, [2,7,9,4,2,12,2]%%}+%%{42949672960, [2,7,9,3,1,14,3]%%}+%%{-42949672960, [2,7,9,2,0,16,4]%%}+%%{-956301312, [2,7,8,5,5,10,0]%%}+%%{-18656264192, [2,7,8,4,4,12,1]%%}+%%{-649613803

52, [2,7,8,3,3,14,2]%%}+%%{8589934592, [2,7,8,2,2,16,3]%%}+%%{85899345920
 , [2,7,8,1,1,18,4]%%}+%%{2642411520, [2,7,7,4,6,12,0]%%}+%%{27783069696, [2,7,7,3,5,14,1]%%}+%%{33957085184, [2,7,7,2,4,16,2]%%}+%%{-73014444032, [2,7,7,1,3,18,3]%%}+%%{-42949672960, [2,7,7,0,2,20,4]%%}+%%{-3556769792, [2,7,6,3,7,14,0]%%}+%%{-17716740096, [2,7,6,2,6,16,1]%%}+%%{12884901888, [2,7,6,1,5,18,2]%%}+%%{39728447488, [2,7,6,0,4,20,3]%%}+%%{2340421632, [2,7,5,2,8,16,0]%%}+%%{2415919104, [2,7,5,1,7,18,1]%%}+%%{-12079595520, [2,7,5,0,6,20,2]%%}+%%{-603979776, [2,7,4,1,9,18,0]%%}+%%{1207959552, [2,7,4,0,8,20,1]%%}+%%{-2147483648, [1,8,10,9,3,10,1]%%}+%%{-38654705664, [1,8,10,8,2,12,2]%%}+%%{51539607552, [1,8,10,7,1,14,3]%%}+%%{-274877906944, [1,8,10,6,0,16,4]%%}+%%{-536870912, [1,8,9,9,5,10,0]%%}+%%{-26843545600, [1,8,9,8,4,12,1]%%}+%%{-188978561024, [1,8,9,7,3,14,2]%%}+%%{146028888064, [1,8,9,6,2,16,3]%%}+%%{962072674304, [1,8,9,5,1,18,4]%%}+%%{-549755813888, [1,8,9,4,0,20,5]%%}+%%{4294967296, [1,8,8,8,6,12,0]%%}+%%{95026151424, [1,8,8,7,5,14,1]%%}+%%{239444426752, [1,8,8,6,4,16,2]%%}+%%{-858993459200, [1,8,8,5,3,18,3]%%}+%%{-618475290624, [1,8,8,4,2,20,4]%%}+%%{1099511627776, [1,8,8,3,1,22,5]%%}+%%{-12750684160, [1,8,7,7,7,14,0]%%}+%%{-136633647104, [1,8,7,6,6,16,1]%%}+%%{62277025792, [1,8,7,5,5,18,2]%%}+%%{936302870528, [1,8,7,4,4,20,3]%%}+%%{-549755813888, [1,8,7,3,3,22,4]%%}+%%{-549755813888, [1,8,7,2,2,24,5]%%}+%%{17985175552, [1,8,6,6,8,16,0]%%}+%%{71940702208, [1,8,6,5,7,18,1]%%}+%%{-267361714176, [1,8,6,4,6,20,2]%%}+%%{-137438953472, [1,8,6,3,5,22,3]%%}+%%{481036337152, [1,8,6,2,4,24,4]%%}+%%{-12213813248, [1,8,5,5,9,18,0]%%}+%%{7247757312, [1,8,5,4,8,20,1]%%}+%%{103079215104, [1,8,5,3,7,22,2]%%}+%%{-137438953472, [1,8,5,2,6,24,3]%%}+%%{3221225472, [1,8,4,4,10,20,0]%%}+%%{-12884901888, [1,8,4,3,9,22,1]%%}+%%{12884901888, [1,8,4,2,8,24,2]%%}+%%{-1048576, [1,6,10,5,2,4,0]%%}+%%{-8388608, [1,6,10,4,1,6,1]%%}+%%{-16777216, [1,6,10,3,0,8,2]%%}+%%{8388608, [1,6,9,4,3,6,0]%%}+%%{62914560, [1,6,9,3,2,8,1]%%}+%%{150994944, [1,6,9,2,1,10,2]%%}+%%{134217728, [1,6,9,1,0,12,3]%%}+%%{-26476544, [1,6,8,3,4,8,0]%%}+%%{-163577856, [1,6,8,2,3,10,1]%%}+%%{-301989888, [1,6,8,1,2,12,2]%%}+%%{-134217728, [1,6,8,0,1,14,3]%%}+%%{41156608, [1,6,7,2,5,10,0]%%}+%%{178257920, [1,6,7,1,4,12,1]%%}+%%{167772160, [1,6,7,0,3,14,2]%%}+%%{-31457280, [1,6,6,1,6,12,0]%%}+%%{-69206016, [1,6,6,0,5,14,1]%%}+%%{9437184, [1,6,5,0,7,14,0]%%}+%%{402653184, [0,7,10,7,2,8,1]%%}+%%{5637144576, [0,7,10,6,1,10,2]%%}+%%{16106127360, [0,7,10,5,0,12,3]%%}+%%{-100663296, [0,7,9,7,4,8,0]%%}+%%{-4160749568, [0,7,9,6,3,10,1]%%}+%%{-30198988800, [0,7,9,5,2,12,2]%%}+%%{-28991029248, [0,7,9,4,1,14,3]%%}+%%{68719476736, [0,7,9,3,0,16,4]%%}+%%{687865856, [0,7,8,6,5,10,0]%%}+%%{13925089280, [0,7,8,5,4,12,1]%%}+%%{48184164352, [0,7,8,4,3,14,2]%%}+%%{-49392123904, [0,7,8,3,2,16,3]%%}+%%{-120259084288, [0,7,8,2,1,18,4]%%}+%%{68719476736, [0,7,8,1,0,20,5]%%}+%%{-1845493760, [0,7,7,5,6,12,0]%%}+%%{-19964887040, [0,7,7,4,5,14,1]%%}+%%{-11542724608, [0,7,7,3,4,16,2]%%}+%%{113816633344, [0,7,7,2,3,18,3]%%}+%%{-8589934592, [0,7,7,1,2,20,4]%%}+%%{-68719476736, [0,7,7,0,1,22,5]%%}+%%{2432696320, [0,7,6,4,7,14,0]%%}+%%{11207180288, [0,7,6,3,6,16,1]%%}+%%{-28185722880, [0,7,6,2,5,18,2]%%}+%%{-34359738368, [0,7,6,1,4

```
,20,3]%%}+%%{60129542144,[0,7,6,0,3,22,4]%%}+%%{-1577058304,[0,7,5,3,8,
16,0]%%}+%%{201326592,[0,7,5,2,7,18,1]%%}+%%{14495514624,[0,7,5,1,6,20,
2]%%}+%%{-17179869184,[0,7,5,0,5,22,3]%%}+%%{402653184,[0,7,4,2,9,18,0]
%%}+%%{-1610612736,[0,7,4,1,8,20,1]%%}+%%{1610612736,[0,7,4,0,7,22,2]%%
%} / %%{-1024,[0,3,4,2,1,2,0]%%}+%%{4096,[0,3,4,1,0,4,1]%%}+%%{-2560,[0
,3,3,1,2,4,0]%%}+%%{-4096,[0,3,3,0,1,6,1]%%}+%%{1536,[0,3,2,0,3,6,0]%%
} Error: Bad Argument Value
```

maple [C] time = 0.02, size = 246, normalized size = 0.72

$$(16ae^2 - 16deb + 16cd^2) \left(\text{RootOf}(-Z^4c + cd^4 + (4be - 4cd)Z^3 + (16ae^2 - 8deb + 6cd^2)Z^2 + (4bd^2e - 4cd^3)Z + d^4) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] $8e^{3/2}/(16ae^2-16bde+16cd^2)*\text{sum}((_R^2c+2*(2be-3cd)*_R+cd^2)/(_R^3c+3_R^2be-3_R^2cd+8_Rae^2-4_Rbd+3_Rcd^2+bd^2e-cd^3)*\ln(-_R+(-e^{1/2})x+(e^2+d)^{1/2}))^2, _R=\text{RootOf}(_Z^4c+cd^4+(4be-4cd)*_Z^3+(16ae^2-8bde+6cd^2)*_Z^2+(4bd^2e-4cd^3)*_Z)+32e^{3/2}/(16ae^2-16bde+16cd^2)/(2e^2-2*(e^2+d)^{1/2})e^{1/2}x+2d)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)(ex^2 + d)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)*(e*x^2 + d)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(ex^2 + d)^{3/2} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(1/((d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^2)^{\frac{3}{2}} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a), x)

[Out] Integral(1/((d + e*x**2)**(3/2)*(a + b*x**2 + c*x**4)), x)

$$3.398 \quad \int \frac{1}{x^2(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=339

$$\frac{2c^2 \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \left(2cd-e(b-\sqrt{b^2-4ac}) \right)^{3/2}} - \frac{2c^2 \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a \sqrt{\sqrt{b^2-4ac}+b} \left(2cd-e(\sqrt{b^2-4ac}+b) \right)^{3/2}} + \frac{e}{ad \sqrt{d+ex^2}}$$

[Out] $e*(-b*e+c*d)*x/a/d/(c*d^2+e*(a*e-b*d))/(e*x^2+d)^{(1/2)}+(-2*e*x^2-d)/a/d^2/x/(e*x^2+d)^{(1/2)}-2*c^2*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(1+b/(-4*a*c+b^2)^{(1/2)})/a/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})^{(3/2)})/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}-2*c^2*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(1-b/(-4*a*c+b^2)^{(1/2)})/a/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})^{(3/2)})/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 2.84, antiderivative size = 462, normalized size of antiderivative = 1.36, number of steps used = 12, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1301, 271, 191, 6728, 264, 1692, 377, 205}

$$\frac{c \left(\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2)} - \frac{c \left(-\frac{2ace+b^2(-e)+bcd}{\sqrt{b^2-4ac}} - be + cd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}} + \frac{e}{ad \sqrt{d+ex^2}}$$

Antiderivative was successfully verified.

[In] Int[1/(x^2*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] $-(e^2/(d*(c*d^2 - b*d*e + a*e^2)*x*\text{Sqrt}[d + e*x^2])) - (2*e^3*x)/(d^2*(c*d^2 - b*d*e + a*e^2)*\text{Sqrt}[d + e*x^2]) - ((c*d - b*e)*\text{Sqrt}[d + e*x^2])/(a*d*(c*d^2 - b*d*e + a*e^2)*x) - (c*(c*d - b*e + (b*c*d - b^2*e + 2*a*c*e))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]*x)/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])]/(a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]*(c*d^2 - b*d*e + a*e^2)) - (c*(c*d - b*e - (b*c*d - b^2*e + 2*a*c*e))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]*x)/(\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2])]/(a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]*(c*d^2 - b*d*e + a*e^2))$

Rule 191

$\text{Int}[(a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(x \cdot (a + b \cdot x^n)^{(p+1)})/a, x] /;$ FreeQ[{a, b, n, p}, x] && EqQ[1/n + p + 1, 0]

Rule 205

$\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{(-1)}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 264

$\text{Int}[(c_ \cdot)(x_)^{(m_)} \cdot (a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(c \cdot x)^{(m+1)} \cdot (a + b \cdot x^n)^{(p+1)} / (a \cdot c \cdot (m+1)), x] /;$ FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m+1)/n + p + 1, 0] && NeQ[m, -1]

Rule 271

$\text{Int}[(x_)^{(m_)} \cdot (a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[(x^{(m+1)} \cdot (a + b \cdot x^n)^{(p+1)}) / (a \cdot (m+1)), x] - \text{Dist}[(b \cdot (m+n \cdot (p+1)+1)) / (a \cdot (m+1)), \text{Int}[x^{(m+n)} \cdot (a + b \cdot x^n)^p, x], x] /;$ FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m+1)/n + p + 1], 0] && NeQ[m, -1]

Rule 377

$\text{Int}[(a_ + (b_ \cdot)(x_)^{(n_)})^{(p_)} / ((c_) + (d_ \cdot)(x_)^{(n_)}), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b \cdot c - a \cdot d) \cdot x^n), x], x, x/(a + b \cdot x^n)^{(1/n)}] /;$ FreeQ[{a, b, c, d}, x] && NeQ[b \cdot c - a \cdot d, 0] && EqQ[n \cdot p + 1, 0] && IntegerQ[n]

Rule 1301

$\text{Int}[(f_ \cdot)(x_)^{(m_)} \cdot ((d_) + (e_ \cdot)(x_)^2)^{(q_)} / ((a_ + (b_ \cdot)(x_)^2 + (c_ \cdot)(x_)^4), x_Symbol] \rightarrow \text{Dist}[e^2 / (c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2), \text{Int}[(f \cdot x)^m \cdot (d + e \cdot x^2)^q, x], x] + \text{Dist}[1 / (c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2), \text{Int}[(f \cdot x)^m \cdot (d + e \cdot x^2)^{(q+1)} \cdot \text{Simp}[c \cdot d - b \cdot e - c \cdot e \cdot x^2, x]) / (a + b \cdot x^2 + c \cdot x^4), x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4 \cdot a \cdot c, 0] && !IntegerQ[q] && LtQ[q, -1]

Rule 1692

$\text{Int}[(P_x) \cdot ((d_) + (e_ \cdot)(x_)^2)^{(q_)} \cdot ((a_ + (b_ \cdot)(x_)^2 + (c_ \cdot)(x_)^4)^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[P_x \cdot (d + e \cdot x^2)^q \cdot (a + b \cdot x^2 + c \cdot x^4)^p, x], x] /;$ FreeQ[{a, b, c, d, e, q}, x] && PolyQ[P_x, x^2] && NeQ[b^2 - 4 \cdot a \cdot c, 0] && NeQ[c \cdot d^2 - b \cdot d \cdot e + a \cdot e^2, 0] && IntegerQ[p]

Rule 6728

Int[(u_)/((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.)), x_Symbol] := With[
 {v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; Su
 mQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{x^2 (d + ex^2)^{3/2} (a + bx^2 + cx^4)} dx &= \frac{\int \frac{cd-be-cex^2}{x^2 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{cd^2 - bde + ae^2} + \frac{e^2 \int \frac{1}{x^2 (d+ex^2)^{3/2}} dx}{cd^2 - bde + ae^2} \\
 &= -\frac{e^2}{d (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} + \frac{\int \left(\frac{cd-be}{ax^2 \sqrt{d+ex^2}} + \frac{-bcd+b^2e-ace-c(cd-be)x^2}{a \sqrt{d+ex^2} (a+bx^2+cx^4)} \right) dx}{cd^2 - bde + ae^2} \\
 &= -\frac{e^2}{d (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} - \frac{2e^3 x}{d^2 (cd^2 - bde + ae^2) \sqrt{d + ex^2}} + \frac{\int \frac{cd-be}{ax^2 \sqrt{d+ex^2}} dx}{cd^2 - bde + ae^2} \\
 &= -\frac{e^2}{d (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} - \frac{2e^3 x}{d^2 (cd^2 - bde + ae^2) \sqrt{d + ex^2}} - \frac{cd-be}{ad (cd^2 - bde + ae^2) \sqrt{d + ex^2}} \\
 &= -\frac{e^2}{d (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} - \frac{2e^3 x}{d^2 (cd^2 - bde + ae^2) \sqrt{d + ex^2}} - \frac{cd-be}{ad (cd^2 - bde + ae^2) \sqrt{d + ex^2}} \\
 &= -\frac{e^2}{d (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} - \frac{2e^3 x}{d^2 (cd^2 - bde + ae^2) \sqrt{d + ex^2}} - \frac{cd-be}{ad (cd^2 - bde + ae^2) \sqrt{d + ex^2}} \\
 &= -\frac{e^2}{d (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} - \frac{2e^3 x}{d^2 (cd^2 - bde + ae^2) \sqrt{d + ex^2}} - \frac{cd-be}{ad (cd^2 - bde + ae^2) \sqrt{d + ex^2}}
 \end{aligned}$$

Mathematica [C] time = 6.77, size = 2158, normalized size = 6.37

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(x^2*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out]
$$-\left(\frac{d + 2ex^2}{a^2 d \sqrt{d + ex^2}}\right) - \left(\frac{c + (bc)/\sqrt{b^2 - 4ac}}{\sqrt{b^2 - 4ac}}\right) * x * (45 \sqrt{-(((-b + \sqrt{b^2 - 4ac})*(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2*(d + ex^2))/(d^2*(b - \sqrt{b^2 - 4ac} + 2cx^2)^2))} + (30ex^2 \sqrt{-(((-b + \sqrt{b^2 - 4ac})*(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2*(d + ex^2))/(d^2*(b - \sqrt{b^2 - 4ac} + 2cx^2)^2))})/d - 45 \operatorname{ArcSin}\left[\sqrt{-\left(\frac{(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2}{d(-b + \sqrt{b^2 - 4ac} - 2cx^2)}\right)}\right] - (30ex^2 \operatorname{ArcSin}\left[\sqrt{-\left(\frac{(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2}{d(-b + \sqrt{b^2 - 4ac} - 2cx^2)}\right)}\right])/d - (45(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2 \operatorname{ArcSin}\left[\sqrt{-\left(\frac{(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2}{d(-b + \sqrt{b^2 - 4ac} - 2cx^2)}\right)}\right])/d * (-b + \sqrt{b^2 - 4ac} - 2cx^2) - (30e(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^4 \operatorname{ArcSin}\left[\sqrt{-\left(\frac{(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2}{d(-b + \sqrt{b^2 - 4ac} - 2cx^2)}\right)}\right])/d^2 * (-b + \sqrt{b^2 - 4ac} - 2cx^2) + 4 * (-((2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(-b + \sqrt{b^2 - 4ac} - 2cx^2)))^{5/2} * \sqrt{(((-b + \sqrt{b^2 - 4ac})*(d + ex^2))/(d(-b + \sqrt{b^2 - 4ac} - 2cx^2)))} * \operatorname{Hypergeometric2F1}\left[2, 2, 7/2, -\left(\frac{(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2}{d(-b + \sqrt{b^2 - 4ac} - 2cx^2)}\right)\right] + (4ex^2 * (-((2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(-b + \sqrt{b^2 - 4ac} - 2cx^2)))^{5/2} * \sqrt{(((-b + \sqrt{b^2 - 4ac})*(d + ex^2))/(d(-b + \sqrt{b^2 - 4ac} - 2cx^2)))} * \operatorname{Hypergeometric2F1}\left[2, 2, 7/2, -\left(\frac{(2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2}{d(-b + \sqrt{b^2 - 4ac} - 2cx^2)}\right)\right])/d) / (15a(b - \sqrt{b^2 - 4ac}) * d * (-((2cd + (-b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(-b + \sqrt{b^2 - 4ac} - 2cx^2)))^{3/2} * (1 - (2cx^2)/(-b + \sqrt{b^2 - 4ac})) * \sqrt{d + ex^2} * \sqrt{(((-b + \sqrt{b^2 - 4ac})*(d + ex^2))/(d(-b + \sqrt{b^2 - 4ac} - 2cx^2)))} + ((-c + (bc)/\sqrt{b^2 - 4ac})*x * (45 \sqrt{-((b + \sqrt{b^2 - 4ac})*(-2cd + (b + \sqrt{b^2 - 4ac})*e)*x^2*(d + ex^2))/(d^2*(b + \sqrt{b^2 - 4ac} + 2cx^2)^2)} + (30ex^2 \sqrt{-((b + \sqrt{b^2 - 4ac})*(-2cd + (b + \sqrt{b^2 - 4ac})*e)*x^2*(d + ex^2))/(d^2*(b + \sqrt{b^2 - 4ac} + 2cx^2)^2))})/d - 45 \operatorname{ArcSin}\left[\sqrt{((2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(b + \sqrt{b^2 - 4ac} + 2cx^2))}\right] - (30ex^2 \operatorname{ArcSin}\left[\sqrt{((2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(b + \sqrt{b^2 - 4ac} + 2cx^2))}\right])/d + (45(2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2 \operatorname{ArcSin}\left[\sqrt{((2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(b + \sqrt{b^2 - 4ac} + 2cx^2))}\right])/d * (b + \sqrt{b^2 - 4ac} + 2cx^2) - (30e * (-2cd + (b + \sqrt{b^2 - 4ac})*e)*x^4 \operatorname{ArcSin}\left[\sqrt{((2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(b + \sqrt{b^2 - 4ac} + 2cx^2))}\right])/d^2 * (b + \sqrt{b^2 - 4ac} + 2cx^2) + 4 * ((2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(b + \sqrt{b^2 - 4ac} + 2cx^2)))^{5/2} * \sqrt{((b + \sqrt{b^2 - 4ac})*(d + ex^2))/(d(b + \sqrt{b^2 - 4ac} + 2cx^2))} * \operatorname{Hypergeometric2F1}\left[2, 2, 7/2, \left(\frac{(2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2}{d(b + \sqrt{b^2 - 4ac} + 2cx^2)}\right)\right] + (4ex^2 * ((2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2)/(d(b + \sqrt{b^2 - 4ac} + 2cx^2)))^{5/2} * \sqrt{((b + \sqrt{b^2 - 4ac})*(d + ex^2))/(d(b + \sqrt{b^2 - 4ac} + 2cx^2))} * \operatorname{Hypergeometric2F1}\left[2, 2, 7/2, \left(\frac{(2cd - (b + \sqrt{b^2 - 4ac})*e)*x^2}{d(b + \sqrt{b^2 - 4ac} + 2cx^2)}\right)\right]$$

$$\left(2cx^2\right)^{5/2} \sqrt{\left(\left(b + \sqrt{b^2 - 4ac}\right)\left(d + ex^2\right)\right) / \left(d\left(b + \sqrt{b^2 - 4ac}\right) + 2cx^2\right)} \operatorname{Hypergeometric2F1}\left[2, 2, 7/2, \left(\left(2cd - \left(b + \sqrt{b^2 - 4ac}\right)e\right)x^2\right) / \left(d\left(b + \sqrt{b^2 - 4ac}\right) + 2cx^2\right)\right] / d\right) / \left(15a\left(b + \sqrt{b^2 - 4ac}\right) d \left(\left(2cd - \left(b + \sqrt{b^2 - 4ac}\right)e\right)x^2\right) / \left(d\left(b + \sqrt{b^2 - 4ac}\right) + 2cx^2\right)\right)^{3/2} \left(1 + \left(2cx^2\right) / \left(b + \sqrt{b^2 - 4ac}\right)\right) \sqrt{d + ex^2} \sqrt{\left(\left(b + \sqrt{b^2 - 4ac}\right)\left(d + ex^2\right)\right) / \left(d\left(b + \sqrt{b^2 - 4ac}\right) + 2cx^2\right)}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 387, normalized size = 1.14

$$\frac{8be^{\frac{3}{2}}}{\left(4ae^2 - 4deb + 4cd^2\right)\left(2ex^2 - 2\sqrt{ex^2 + d}\sqrt{ex + 2d}\right)a} + \frac{8cd\sqrt{e}}{\left(4ae^2 - 4deb + 4cd^2\right)\left(2ex^2 - 2\sqrt{ex^2 + d}\sqrt{ex + 2d}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] $-1/a/d/x/(e*x^2+d)^{1/2} - 2/a*e/d^2*x/(e*x^2+d)^{1/2} - 2/a*e^{1/2}/(4*a*e^2 - 4*b*d*e + 4*c*d^2) * \operatorname{sum}\left(\left(c*(b*e - c*d) * _R^2 + 2*(-2*a*c*e^2 + 2*b^2*e^2 - 3*b*c*d*e + c^2*d^2) * _R + b*c*d^2*e - c^2*d^3\right) / \left(_R^3*c + 3*_R^2*b*e - 3*_R^2*c*d + 8*_R*a*e^2 - 4*_R*b*d*e + 3*_R*c*d^2 + b*d^2*e - c*d^3\right) * \ln\left(-_R + \left(-e^{1/2}*x + (e*x^2+d)^{1/2}\right)^2\right), _R = \operatorname{RootOf}\left(_Z^4*c + c*d^4 + (4*b*e - 4*c*d) * _Z^3 + (16*a*e^2 - 8*b*d*e + 6*c*d^2) * _Z^2 + (4*b*d^2*e - 4*c*d^3) * _Z\right) - 8/a*e^{3/2} / (4*a*e^2 - 4*b*d*e + 4*c*d^2) / (2*e*x^2 - 2*(e*x^2+d)^{1/2})*e^{1/2}*x + 2*d)*b + 8/a*e^{1/2} / (4*a*e^2 - 4*b*d*e + 4*c*d^2) / (2*e*x^2 - 2*(e*x^2+d)^{1/2})*e^{1/2}*x + 2*d)*c*d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)(ex^2 + d)^{\frac{3}{2}}x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)*(e*x^2 + d)^(3/2)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^2 (ex^2 + d)^{\frac{3}{2}} (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(1/(x^2*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (d + ex^2)^{\frac{3}{2}} (a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a),x)

[Out] Integral(1/(x**2*(d + e*x**2)**(3/2)*(a + b*x**2 + c*x**4)), x)

$$3.399 \quad \int \frac{1}{x^4(d+ex^2)^{3/2}(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=419

$$\frac{2c^2 \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \left(2cd-e(b-\sqrt{b^2-4ac}) \right)^{3/2}} + \frac{2c^2 \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{\sqrt{b^2-4ac}+b} \left(2cd-e(\sqrt{b^2-4ac}+b) \right)^{3/2}} - \frac{ex(acd+e^2d^2)}{a^2 d \sqrt{d+ex^2}}$$

[Out] $-1/3/a/d/x^3/(e*x^2+d)^{(1/2)}+1/3*(4*a*e+3*b*d)/a^2/d^2/x/(e*x^2+d)^{(1/2)}+2/3*e*(4*a*e+3*b*d)*x/a^2/d^3/(e*x^2+d)^{(1/2)}-e*(a*c*e-b^2*e+b*c*d)*x/a^2/d/(c*d^2+e*(a*e-b*d))/(e*x^2+d)^{(1/2)}+2*c^2*\arctan(x*(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/a^2/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))^{(3/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)}+2*c^2*\arctan(x*(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)})/(e*x^2+d)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}*(b+(2*a*c-b^2)/(-4*a*c+b^2)^{(1/2)})/a^2/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))^{(3/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

Rubi [A] time = 5.57, antiderivative size = 647, normalized size of antiderivative = 1.54, number of steps used = 15, number of rules used = 8, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$, Rules used = {1301, 271, 191, 6728, 264, 1692, 377, 205}

$$\frac{c \left(\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(b-\sqrt{b^2-4ac})}}{\sqrt{b-\sqrt{b^2-4ac}} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{b-\sqrt{b^2-4ac}} \sqrt{2cd-e(b-\sqrt{b^2-4ac})} (ae^2 - bde + cd^2)} + \frac{c \left(-\frac{3abce-2ac^2d+b^2cd+b^3(-e)}{\sqrt{b^2-4ac}} + ace + b^2(-e) + bcd \right) \tan^{-1} \left(\frac{x \sqrt{2cd-e(\sqrt{b^2-4ac}+b)}}{\sqrt{\sqrt{b^2-4ac}+b} \sqrt{d+ex^2}} \right)}{a^2 \sqrt{\sqrt{b^2-4ac}+b} \sqrt{2cd-e(\sqrt{b^2-4ac}+b)} (ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(x^4*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] $-e^2/(3*d*(c*d^2 - b*d*e + a*e^2)*x^3*\text{Sqrt}[d + e*x^2]) + (4*e^3)/(3*d^2*(c*d^2 - b*d*e + a*e^2)*x*\text{Sqrt}[d + e*x^2]) + (8*e^4*x)/(3*d^3*(c*d^2 - b*d*e + a*e^2)*\text{Sqrt}[d + e*x^2]) - ((c*d - b*e)*\text{Sqrt}[d + e*x^2])/(3*a*d*(c*d^2 - b*d*e + a*e^2)*x^3) + (2*e*(c*d - b*e)*\text{Sqrt}[d + e*x^2])/(3*a*d^2*(c*d^2 - b*d*e + a*e^2)*x) + ((b*c*d - b^2*e + a*c*e)*\text{Sqrt}[d + e*x^2])/(a^2*d*(c*d^2 - b*d*e + a*e^2)*x) + (c*(b*c*d - b^2*e + a*c*e + (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])]*e)*x]/(\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[d + e*x^2]))/(a^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]*\text{Sqrt}[2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]*(c*d^2 - b*d*e + a*e^2))$

$e^2)) + (c*(b*c*d - b^2*e + a*c*e - (b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e)/\sqrt{b^2 - 4*a*c})*\text{ArcTan}[(\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e})*x]/(\sqrt{b + \sqrt{b^2 - 4*a*c}}*\sqrt{d + e*x^2}))/ (a^2*\sqrt{b + \sqrt{b^2 - 4*a*c}})*\sqrt{2*c*d - (b + \sqrt{b^2 - 4*a*c})*e}*(c*d^2 - b*d*e + a*e^2))$

Rule 191

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_), x_Symbol] \rightarrow \text{Simp}[(x*(a + b*x^n)^(p + 1))/a, x] /; \text{FreeQ}\{a, b, n, p\}, x\} \&\& \text{EqQ}[1/n + p + 1, 0]$

Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^(-1), x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$

Rule 264

$\text{Int}[(c_)*(x_)^(m_)*((a_ + (b_)*(x_)^(n_))^(p_)), x_Symbol] \rightarrow \text{Simp}[(c*x)^(m + 1)*(a + b*x^n)^(p + 1)/(a*c*(m + 1)), x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x\} \&\& \text{EqQ}[(m + 1)/n + p + 1, 0] \&\& \text{NeQ}[m, -1]$

Rule 271

$\text{Int}[(x_)^(m_)*((a_ + (b_)*(x_)^(n_))^(p_)), x_Symbol] \rightarrow \text{Simp}[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - \text{Dist}[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), \text{Int}[x^(m + n)*(a + b*x^n)^p, x], x] /; \text{FreeQ}\{a, b, m, n, p\}, x\} \&\& \text{ILtQ}[\text{Simplify}[(m + 1)/n + p + 1], 0] \&\& \text{NeQ}[m, -1]$

Rule 377

$\text{Int}[(a_ + (b_)*(x_)^(n_))^(p_)/((c_ + (d_)*(x_)^(n_))), x_Symbol] \rightarrow \text{Subst}[\text{Int}[1/(c - (b*c - a*d)*x^n), x], x, x/(a + b*x^n)^(1/n)] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[n*p + 1, 0] \&\& \text{IntegerQ}[n]$

Rule 1301

$\text{Int}[(f_)*(x_)^(m_)*((d_ + (e_)*(x_)^2)^(q_))/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] \rightarrow \text{Dist}[e^2/(c*d^2 - b*d*e + a*e^2), \text{Int}[(f*x)^(m*(d + e*x^2)^q, x], x] + \text{Dist}[1/(c*d^2 - b*d*e + a*e^2), \text{Int}[(f*x)^(m*(d + e*x^2)^(q + 1)*\text{Simp}[c*d - b*e - c*e*x^2, x]]/(a + b*x^2 + c*x^4), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!IntegerQ}[q] \&\& \text{LtQ}[q, -1]$

Rule 1692


```
Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rule 6728

```
Int[(u_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] :> With[{v = RationalFunctionExpand[u/(a + b*x^n + c*x^(2*n)), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{x^4 (d + ex^2)^{3/2} (a + bx^2 + cx^4)} dx &= \int \frac{\frac{cd-be-cex^2}{x^4 \sqrt{d+ex^2} (a+bx^2+cx^4)} dx}{cd^2 - bde + ae^2} + \frac{e^2 \int \frac{1}{x^4 (d+ex^2)^{3/2}} dx}{cd^2 - bde + ae^2} \\
&= -\frac{e^2}{3d (cd^2 - bde + ae^2) x^3 \sqrt{d + ex^2}} + \frac{\int \left(\frac{cd-be}{ax^4 \sqrt{d+ex^2}} + \frac{-bcd+b^2e-ace}{a^2 x^2 \sqrt{d+ex^2}} + \frac{b^2 cd-ac^2}{a^3 \sqrt{d+ex^2}} \right) dx}{cd^2 - bde + ae^2} \\
&= -\frac{e^2}{3d (cd^2 - bde + ae^2) x^3 \sqrt{d + ex^2}} + \frac{4e^3}{3d^2 (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} + \dots \\
&= -\frac{e^2}{3d (cd^2 - bde + ae^2) x^3 \sqrt{d + ex^2}} + \frac{4e^3}{3d^2 (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} + \dots \\
&= -\frac{e^2}{3d (cd^2 - bde + ae^2) x^3 \sqrt{d + ex^2}} + \frac{4e^3}{3d^2 (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} + \dots \\
&= -\frac{e^2}{3d (cd^2 - bde + ae^2) x^3 \sqrt{d + ex^2}} + \frac{4e^3}{3d^2 (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} + \dots \\
&= -\frac{e^2}{3d (cd^2 - bde + ae^2) x^3 \sqrt{d + ex^2}} + \frac{4e^3}{3d^2 (cd^2 - bde + ae^2) x \sqrt{d + ex^2}} + \dots
\end{aligned}$$

Mathematica [C] time = 6.80, size = 2218, normalized size = 5.29

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(x^4*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x]

[Out] (b*(d + 2*e*x^2))/(a^2*d^2*x*Sqrt[d + e*x^2]) - (d^2 - 4*d*e*x^2 - 8*e^2*x^4)/(3*a*d^3*x^3*Sqrt[d + e*x^2]) + ((b*c + (c*(b^2 - 2*a*c)))/Sqrt[b^2 - 4*a

$$\begin{aligned}
& *c]) * x * (45 * \text{Sqrt}[-(((-b + \text{Sqrt}[b^2 - 4*a*c]) * (2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c] \\
&])) * e) * x^2 * (d + e * x^2)) / (d^2 * (b - \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)]) + (30 * e * \\
& x^2 * \text{Sqrt}[-(((-b + \text{Sqrt}[b^2 - 4*a*c]) * (2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x \\
& ^2 * (d + e * x^2)) / (d^2 * (b - \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)))] / d - 45 * \text{ArcSin}[\\
& \text{Sqrt}[-((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] \\
&] - 2*c*x^2)))] - (30 * e * x^2 * \text{ArcSin}[\text{Sqrt}[-((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c] \\
&] * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))]]) / d - (45 * (2*c*d + (-b \\
& + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2 * \text{ArcSin}[\text{Sqrt}[-((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c] \\
&) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))]]) / (d * (-b + \text{Sqrt}[b^2 - 4* \\
& a*c] - 2*c*x^2)) - (30 * e * (2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^4 * \text{ArcSin}[\text{Sq} \\
& \text{rt}[-((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] \\
& - 2*c*x^2)))]]) / (d^2 * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)) + 4 * (-((2*c*d + (- \\
& -b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^(5 \\
& / 2) * \text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c]) * (d + e * x^2)) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] \\
& - 2*c*x^2))] * \text{Hypergeometric2F1}[2, 2, 7/2, -((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a* \\
& c]) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))] + (4 * e * x^2 * (-((2*c*d \\
& + (-b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))) \\
& ^{(5/2)} * \text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c]) * (d + e * x^2)) / (d * (-b + \text{Sqrt}[b^2 - 4*a* \\
& c] - 2*c*x^2))] * \text{Hypergeometric2F1}[2, 2, 7/2, -((2*c*d + (-b + \text{Sqrt}[b^2 - 4 \\
& *a*c]) * e) * x^2) / (d * (-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2)))] / d) / (15 * a^2 * (b - \text{S} \\
& \text{qrt}[b^2 - 4*a*c]) * d * (-((2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (-b + \\
& \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2))))^(3/2) * (1 - (2*c*x^2) / (-b + \text{Sqrt}[b^2 - 4*a*c] \\
&])) * \text{Sqrt}[d + e * x^2] * \text{Sqrt}[((-b + \text{Sqrt}[b^2 - 4*a*c]) * (d + e * x^2)) / (d * (-b + \text{S} \\
& \text{qrt}[b^2 - 4*a*c] - 2*c*x^2))] + ((b*c - (c * (b^2 - 2*a*c)) / \text{Sqrt}[b^2 - 4*a*c] \\
&) * x * (45 * \text{Sqrt}[-(((b + \text{Sqrt}[b^2 - 4*a*c]) * (-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c]) * e) \\
&) * x^2 * (d + e * x^2)) / (d^2 * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)]) + (30 * e * x^2 * \\
& \text{Sqrt}[-(((b + \text{Sqrt}[b^2 - 4*a*c]) * (-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2 * (d \\
& + e * x^2)) / (d^2 * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)^2)))] / d - 45 * \text{ArcSin}[\text{Sqrt}[\\
& ((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x \\
& ^2)))] - (30 * e * x^2 * \text{ArcSin}[\text{Sqrt}[(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d \\
& * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]]) / d + (45 * (2*c*d - (b + \text{Sqrt}[b^2 - 4*a \\
& *c]) * e) * x^2 * \text{ArcSin}[\text{Sqrt}[(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (b + \text{S} \\
& \text{qrt}[b^2 - 4*a*c] + 2*c*x^2)))]]) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)) - (30 \\
& * e * (-2*c*d + (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^4 * \text{ArcSin}[\text{Sqrt}[(2*c*d - (b + \text{Sqrt} \\
& [b^2 - 4*a*c]) * e) * x^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)))]]) / (d^2 * (b + \text{S} \\
& \text{qrt}[b^2 - 4*a*c] + 2*c*x^2)) + 4 * (((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) \\
& / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))))^(5/2) * \text{Sqrt}[(b + \text{Sqrt}[b^2 - 4*a*c]) \\
& * (d + e * x^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))] * \text{Hypergeometric2F1}[2, 2 \\
& , 7/2, ((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] \\
& + 2*c*x^2))] + (4 * e * x^2 * (((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (b + \\
& \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))))^(5/2) * \text{Sqrt}[(b + \text{Sqrt}[b^2 - 4*a*c]) * (d + e * x \\
& ^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))] * \text{Hypergeometric2F1}[2, 2, 7/2, ((\\
& 2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e) * x^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2 \\
&))] / d) / (15 * a^2 * (b + \text{Sqrt}[b^2 - 4*a*c]) * d * (((2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c] \\
&] * e) * x^2) / (d * (b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))))^(3/2) * (1 + (2*c*x^2) / (b +
\end{aligned}$$

$\text{Sqrt}[b^2 - 4*a*c])*\text{Sqrt}[d + e*x^2]*\text{Sqrt}[(b + \text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)]/(d*(b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2))]$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.04, size = 541, normalized size = 1.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x)

[Out] $\frac{1}{a^2 b d x} (e x^2 + d)^{1/2} + \frac{2}{a^2 b e d^2 x} (e x^2 + d)^{1/2} - \frac{2}{a^2 e} (e^{1/2}) / (4 a e^2 - 4 b d e + 4 c d^2) \sum((c(a c e - b^2 e + b c d) _R^2 + 2(4 a b c e^2 - 3 a c^2 d e - 2 b^3 e^2 + 3 b^2 c d e - b c^2 d^2) _R + a c^2 d^2 e - b^2 d^2 e c + b c^2 d^3) / (_R^3 c + 3 _R^2 b e - 3 _R^2 c d + 8 _R a e^2 - 4 _R b d e + 3 _R c d^2 + b d^2 e - c d^3) \ln(- _R + (-e^{1/2} x + (e x^2 + d)^{1/2})^2), _R = \text{RootOf}(_Z^4 c + c d^4 + (4 b e - 4 c d) _Z^3 + (16 a e^2 - 8 b d e + 6 c d^2) _Z^2 + (4 b d^2 e - 4 c d^3) _Z)) - \frac{8}{a e^{3/2}} / (4 a e^2 - 4 b d e + 4 c d^2) / (2 e x^2 - 2 (e x^2 + d)^{1/2} e^{1/2} x + 2 d) * c + \frac{8}{a^2 e^{3/2}} / (4 a e^2 - 4 b d e + 4 c d^2) / (2 e x^2 - 2 (e x^2 + d)^{1/2} e^{1/2} x + 2 d) * b^2 - \frac{8}{a^2 e^{1/2}} / (4 a e^2 - 4 b d e + 4 c d^2) / (2 e x^2 - 2 (e x^2 + d)^{1/2} e^{1/2} x + 2 d) * b c d - \frac{1}{3} / a d x^3 / (e x^2 + d)^{1/2} + \frac{4}{3} / a e d^2 x / (e x^2 + d)^{1/2} + \frac{8}{3} / a e^2 d^3 x / (e x^2 + d)^{1/2}$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^4 + bx^2 + a)(ex^2 + d)^{\frac{3}{2}} x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(e*x^2+d)^(3/2)/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate(1/((c*x^4 + b*x^2 + a)*(e*x^2 + d)^(3/2)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{x^4 (e x^2 + d)^{3/2} (c x^4 + b x^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)),x)

[Out] int(1/(x^4*(d + e*x^2)^(3/2)*(a + b*x^2 + c*x^4)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (d + e x^2)^{\frac{3}{2}} (a + b x^2 + c x^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(e*x**2+d)**(3/2)/(c*x**4+b*x**2+a),x)

[Out] Integral(1/(x**4*(d + e*x**2)**(3/2)*(a + b*x**2 + c*x**4)), x)

$$3.400 \quad \int \frac{(fx)^m (d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=243

$$\frac{2c(fx)^{m+1} (d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{m+1}{2}; 1, -q; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{f(m+1)\sqrt{b^2-4ac} (b-\sqrt{b^2-4ac})} - \frac{2c(fx)^{m+1} (d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{m+1}{2}; 1, -q; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{f(m+1)\sqrt{b^2-4ac} (b+\sqrt{b^2-4ac})}$$

[Out] $2*c*(f*x)^{(1+m)}*(e*x^2+d)^q*AppellF1(1/2+1/2*m, 1, -q, 3/2+1/2*m, -2*c*x^2/(b-(-4*a*c+b^2)^{(1/2)}), -e*x^2/d)/f/(1+m)/((1+e*x^2/d)^q)/(b-(-4*a*c+b^2)^{(1/2)})/(-4*a*c+b^2)^{(1/2)}-2*c*(f*x)^{(1+m)}*(e*x^2+d)^q*AppellF1(1/2+1/2*m, 1, -q, 3/2+1/2*m, -2*c*x^2/(b+(-4*a*c+b^2)^{(1/2)}), -e*x^2/d)/f/(1+m)/((1+e*x^2/d)^q)/(-4*a*c+b^2)^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})$

Rubi [A] time = 0.65, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {1305, 511, 510}

$$\frac{2c(fx)^{m+1} (d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{m+1}{2}; 1, -q; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{f(m+1)\sqrt{b^2-4ac} (b-\sqrt{b^2-4ac})} - \frac{2c(fx)^{m+1} (d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{m+1}{2}; 1, -q; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{f(m+1)\sqrt{b^2-4ac} (b+\sqrt{b^2-4ac})}$$

Antiderivative was successfully verified.

[In] Int[((f*x)^m*(d+e*x^2)^q)/(a+b*x^2+c*x^4),x]

[Out] $(2*c*(f*x)^{(1+m)}*(d+e*x^2)^q*AppellF1[(1+m)/2, 1, -q, (3+m)/2, (-2*c*x^2)/(b-Sqrt[b^2-4*a*c]), -(e*x^2/d)]/(Sqrt[b^2-4*a*c]*(b-Sqrt[b^2-4*a*c]))*f*(1+m)*(1+(e*x^2/d)^q) - (2*c*(f*x)^{(1+m)}*(d+e*x^2)^q*AppellF1[(1+m)/2, 1, -q, (3+m)/2, (-2*c*x^2)/(b+Sqrt[b^2-4*a*c]), -(e*x^2/d)]/(Sqrt[b^2-4*a*c]*(b+Sqrt[b^2-4*a*c]))*f*(1+m)*(1+(e*x^2/d)^q)$

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_.)+(b_.)*(x_)^(n_.))^(p_.)*((c_.)+(d_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1+(m+1)/n, -(b*x^n)/a, -(d*x^n)/c]]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c-a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 1305

```
Int[(((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(f*x)^m*(d + e*x^2)^q, 1/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[q] && !IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{(fx)^m (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \int \left(\frac{2c(fx)^m (d + ex^2)^q}{\sqrt{b^2 - 4ac} (b - \sqrt{b^2 - 4ac} + 2cx^2)} - \frac{2c(fx)^m (d + ex^2)^q}{\sqrt{b^2 - 4ac} (b + \sqrt{b^2 - 4ac} + 2cx^2)} \right) dx \\ &= \frac{(2c) \int \frac{(fx)^m (d + ex^2)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} dx}{\sqrt{b^2 - 4ac}} - \frac{(2c) \int \frac{(fx)^m (d + ex^2)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} dx}{\sqrt{b^2 - 4ac}} \\ &= \frac{\left(2c (d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} \right) \int \frac{(fx)^m \left(1 + \frac{ex^2}{d} \right)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} dx}{\sqrt{b^2 - 4ac}} - \frac{\left(2c (d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} \right) \int \frac{(fx)^m}{b + \sqrt{b^2 - 4ac} + 2cx^2} dx}{\sqrt{b^2 - 4ac}} \\ &= \frac{2c(fx)^{1+m} (d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} F_1 \left(\frac{1+m}{2}; 1, -q; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d} \right)}{\sqrt{b^2 - 4ac} (b - \sqrt{b^2 - 4ac})} f(1+m) \end{aligned}$$

Mathematica [F] time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (d + ex^2)^q}{a + bx^2 + cx^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] Integrate[((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

fricas [F] time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)^q (fx)^m}{cx^4 + bx^2 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*(f*x)^m/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q (fx)^m}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*(f*x)^m/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(fx)^m (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x)^m*(e*x^2+d)^q/(c*x^4+b*x^2+a), x)

[Out] int((f*x)^m*(e*x^2+d)^q/(c*x^4+b*x^2+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q (fx)^m}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x)^m*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q*(f*x)^m/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(fx)^m (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)
```

```
[Out] int(((f*x)^m*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x)**m*(e*x**2+d)**q/(c*x**4+b*x**2+a), x)
```

```
[Out] Timed out
```

$$3.401 \quad \int \frac{x^7(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=313

$$\frac{\left(\frac{b(b^2-3ac)}{c\sqrt{b^2-4ac}} + a - \frac{b^2}{c}\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd-e\left(b-\sqrt{b^2-4ac}\right)\right)} + \frac{\left(-\frac{b(b^2-3ac)}{c\sqrt{b^2-4ac}} + a - \frac{b^2}{c}\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd-e\left(b+\sqrt{b^2-4ac}\right)\right)}$$

[Out] $-1/2*(b*e+c*d)*(e*x^2+d)^(1+q)/c^2/e^2/(1+q)+1/2*(e*x^2+d)^(2+q)/c/e^2/(2+q)+1/2*(e*x^2+d)^(1+q)*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2))))*(a-1/c*b^2+b*(-3*a*c+b^2)/c/(-4*a*c+b^2)^(1/2))/c/(1+q)/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))+1/2*(e*x^2+d)^(1+q)*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2))))*(a-1/c*b^2-b*(-3*a*c+b^2)/c/(-4*a*c+b^2)^(1/2))/c/(1+q)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))$

Rubi [A] time = 0.94, antiderivative size = 313, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1251, 1628, 68}

$$\frac{\left(\frac{b(b^2-3ac)}{c\sqrt{b^2-4ac}} + a - \frac{b^2}{c}\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd-e\left(b-\sqrt{b^2-4ac}\right)\right)} + \frac{\left(-\frac{b(b^2-3ac)}{c\sqrt{b^2-4ac}} + a - \frac{b^2}{c}\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd-e\left(b+\sqrt{b^2-4ac}\right)\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^7*(d+e*x^2)^q)/(a+b*x^2+c*x^4), x]$

[Out] $-((c*d+b*e)*(d+e*x^2)^(1+q))/(2*c^2*e^2*(1+q))+(d+e*x^2)^(2+q)/(2*c*e^2*(2+q))+((a-b^2/c+(b*(b^2-3*a*c))/(c*\text{Sqrt}[b^2-4*a*c]))*(d+e*x^2)^(1+q)*\text{Hypergeometric2F1}[1, 1+q, 2+q, (2*c*(d+e*x^2))/(2*c*d-(b-\text{Sqrt}[b^2-4*a*c])*e)]/(2*c*(2*c*d-(b-\text{Sqrt}[b^2-4*a*c])*e)*(1+q))+((a-b^2/c-(b*(b^2-3*a*c))/(c*\text{Sqrt}[b^2-4*a*c]))*(d+e*x^2)^(1+q)*\text{Hypergeometric2F1}[1, 1+q, 2+q, (2*c*(d+e*x^2))/(2*c*d-(b+\text{Sqrt}[b^2-4*a*c])*e)]/(2*c*(2*c*d-(b+\text{Sqrt}[b^2-4*a*c])*e)*(1+q))$

Rule 68

$\text{Int}[(a_+ + (b_+)*(x_+))^(m_+)*((c_+ + (d_+)*(x_+))^(n_+), x_Symbol] :> \text{Simp}[(b*c - a*d)^(n+1)*(a + b*x)^(m+1)*\text{Hypergeometric2F1}[-n, m+1, m+2, -(d*(a + b*x)/(b*c - a*d))]/(b^(n+1)*(m+1)), x] /; \text{FreeQ}\{a, b, c, d, m\}, x]$

&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rule 1251

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 1628

Int[(Pq_)*((d_) + (e_)*(x_)^m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\begin{aligned}
 \int \frac{x^7 (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^3 (d + ex)^q}{a + bx + cx^2} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left[\int \left(\frac{(-cd - be)(d + ex)^q}{c^2 e} + \frac{\left(\frac{b^2}{c^2} - \frac{a}{c} - \frac{b(b^2 - 3ac)}{c^2 \sqrt{b^2 - 4ac}} \right) (d + ex)^q}{b - \sqrt{b^2 - 4ac} + 2cx} + \frac{\left(\frac{b^2}{c^2} - \frac{a}{c} + \frac{b(b^2 - 3ac)}{c^2 \sqrt{b^2 - 4ac}} \right) (d + ex)^q}{b + \sqrt{b^2 - 4ac}} \right) dx, x, x^2 \right] \\
 &= -\frac{(cd + be)(d + ex^2)^{1+q}}{2c^2 e^2 (1 + q)} + \frac{(d + ex^2)^{2+q}}{2ce^2 (2 + q)} - \frac{\left(a - \frac{b^2}{c} - \frac{b(b^2 - 3ac)}{c \sqrt{b^2 - 4ac}} \right) \text{Subst} \left(\int \frac{(d + ex)^q}{b + \sqrt{b^2 - 4ac} + 2cx} dx, x, x^2 \right)}{2c} \\
 &= -\frac{(cd + be)(d + ex^2)^{1+q}}{2c^2 e^2 (1 + q)} + \frac{(d + ex^2)^{2+q}}{2ce^2 (2 + q)} + \frac{\left(a - \frac{b^2}{c} + \frac{b(b^2 - 3ac)}{c \sqrt{b^2 - 4ac}} \right) (d + ex^2)^{1+q} {}_2F_1 \left(1, 1 + q; 2, 1 + q; \frac{2c(d + ex^2)}{2cd - (b - \sqrt{b^2 - 4ac})e} \right)}{2c \left(2cd - (b - \sqrt{b^2 - 4ac})e \right)}
 \end{aligned}$$

Mathematica [A] time = 0.79, size = 272, normalized size = 0.87

$$\frac{(d + ex^2)^{q+1} \left(\frac{c \left(\frac{b(b^2 - 3ac)}{c \sqrt{b^2 - 4ac}} + a - \frac{b^2}{c} \right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2 + d)}{2cd + (\sqrt{b^2 - 4ac} - b)e} \right)}{(q+1) \left(e(\sqrt{b^2 - 4ac} - b) + 2cd \right)} + \frac{c \left(-\frac{b(b^2 - 3ac)}{c \sqrt{b^2 - 4ac}} + a - \frac{b^2}{c} \right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2 + d)}{2cd - (b + \sqrt{b^2 - 4ac})e} \right)}{(q+1) \left(2cd - e(\sqrt{b^2 - 4ac} + b) \right)} - \frac{be + cd}{e^2 (q+1)} \right)}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] ((d + e*x^2)^(1 + q)*(-(c*d + b*e)/(e^2*(1 + q))) + (c*(d + e*x^2))/(e^2*(2 + q)) + (c*(a - b^2/c + (b*(b^2 - 3*a*c))/(c*Sqrt[b^2 - 4*a*c]))*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)])/((2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)*(1 + q)) + (c*(a - b^2/c - (b*(b^2 - 3*a*c))/(c*Sqrt[b^2 - 4*a*c]))*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)])/((2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)*(1 + q))))/(2*c^2)

fricas [F] time = 1.59, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)^q x^7}{cx^4 + bx^2 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*x^7/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^7}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*x^7/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{x^7 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7*(e*x^2+d)^q/(c*x^4+b*x^2+a), x)

[Out] int(x^7*(e*x^2+d)^q/(c*x^4+b*x^2+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^7}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^q*x^7/(c*x^4 + b*x^2 + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^7 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^7*(d + e*x^2)^q)/(a + b*x^2 + c*x^4),x)`

[Out] `int((x^7*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**7*(e*x**2+d)**q/(c*x**4+b*x**2+a),x)`

[Out] Timed out

$$3.402 \quad \int \frac{x^5(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=256

$$\frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd - e\left(b - \sqrt{b^2-4ac}\right)\right)} + \frac{\left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd - e\left(\sqrt{b^2-4ac} + b\right)\right)}$$

[Out] $1/2*(e*x^2+d)^(1+q)/c/e/(1+q)+1/2*(e*x^2+d)^(1+q)*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2))))*(b+(2*a*c-b^2)/(-4*a*c+b^2)^(1/2))/c/(1+q)/(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))+1/2*(e*x^2+d)^(1+q)*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2))))*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^(1/2))/c/(1+q)/(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))$

Rubi [A] time = 0.54, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1251, 1628, 68}

$$\frac{\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd - e\left(b - \sqrt{b^2-4ac}\right)\right)} + \frac{\left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2c(q+1)\left(2cd - e\left(\sqrt{b^2-4ac} + b\right)\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^5*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]$

[Out] $(d + e*x^2)^(1 + q)/(2*c*e*(1 + q)) + ((b - (b^2 - 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^(1 + q)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)])/((2*c*(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)) + ((b + (b^2 - 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^(1 + q)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)])/((2*c*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)))$

Rule 68

$\text{Int}[(a + (b_*)*(x))^(m_*)*((c + (d_*)*(x))^(n_*)], x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)^(n_*)*(a + b*x)^(m_*)*\text{Hypergeometric2F1}[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n_*)*(m_*)], x] /; \text{FreeQ}\{a, b, c, d, m\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rule 1628

```
Int[(Pq_)*((d_) + (e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rubi steps

$$\begin{aligned} \int \frac{x^5 (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2 (d + ex)^q}{a + bx + cx^2} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{(d + ex)^q}{c} + \frac{\left(-\frac{b}{c} + \frac{b^2 - 2ac}{c\sqrt{b^2 - 4ac}}\right) (d + ex)^q}{b - \sqrt{b^2 - 4ac} + 2cx} + \frac{\left(-\frac{b}{c} - \frac{b^2 - 2ac}{c\sqrt{b^2 - 4ac}}\right) (d + ex)^q}{b + \sqrt{b^2 - 4ac} + 2cx} \right) dx, x, x^2 \right) \\ &= \frac{(d + ex^2)^{1+q}}{2ce(1+q)} - \frac{\left(b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) \text{Subst} \left(\int \frac{(d + ex)^q}{b - \sqrt{b^2 - 4ac} + 2cx} dx, x, x^2 \right)}{2c} - \frac{\left(b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) \text{Subst} \left(\int \frac{(d + ex)^q}{b + \sqrt{b^2 - 4ac} + 2cx} dx, x, x^2 \right)}{2c} \\ &= \frac{(d + ex^2)^{1+q}}{2ce(1+q)} + \frac{\left(b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^{1+q} {}_2F_1 \left(1, 1 + q; 2 + q; \frac{2c(d + ex^2)}{2cd - (b - \sqrt{b^2 - 4ac})e} \right)}{2c \left(2cd - (b - \sqrt{b^2 - 4ac})e \right) (1 + q)} + \frac{\left(b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^{1+q} {}_2F_1 \left(1, 1 + q; 2 + q; \frac{2c(d + ex^2)}{2cd - (b + \sqrt{b^2 - 4ac})e} \right)}{2c \left(2cd - (b + \sqrt{b^2 - 4ac})e \right) (1 + q)} \end{aligned}$$

Mathematica [A] time = 0.34, size = 211, normalized size = 0.82

$$\frac{(d + ex^2)^{q+1} \left(\frac{\left(\frac{2ac - b^2}{\sqrt{b^2 - 4ac}} + b\right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2 + d)}{2cd + (\sqrt{b^2 - 4ac} - b)e} \right)}{e(\sqrt{b^2 - 4ac} - b) + 2cd} + \frac{\left(\frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} + b\right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2 + d)}{2cd - (b + \sqrt{b^2 - 4ac})e} \right)}{2cd - e(\sqrt{b^2 - 4ac} + b)} + \frac{1}{e} \right)}{2c(q + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] ((d + e*x^2)^(1 + q)*(e^(-1) + ((b + (-b^2 + 2*a*c)/Sqrt[b^2 - 4*a*c]))*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d + (-b + Sqrt[b^2 -

$$\frac{4ac)e]}{(2cd + (-b + \sqrt{b^2 - 4ac})e) + ((b + (b^2 - 2ac)/\sqrt{b^2 - 4ac})\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2c(d + ex^2))/(2cd - (b + \sqrt{b^2 - 4ac})e)]/(2cd - (b + \sqrt{b^2 - 4ac})e)))/(2c(1 + q))$$

fricas [F] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)^q x^5}{cx^4 + bx^2 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*x^5/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^5}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*x^5/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{x^5 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

[Out] int(x^5*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^5}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q*x^5/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^5*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)

[Out] int((x^5*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(e*x**2+d)**q/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.403 \quad \int \frac{x^3(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=210

$$\frac{\left(1 - \frac{b}{\sqrt{b^2-4ac}}\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2(q+1)\left(2cd - e\left(b - \sqrt{b^2-4ac}\right)\right)} - \frac{\left(\frac{b}{\sqrt{b^2-4ac}} + 1\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2(q+1)\left(2cd - e\left(b + \sqrt{b^2-4ac}\right)\right)}$$

[Out] $-1/2*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))*(1-b/(-4*a*c+b^2)^{(1/2)})/(1+q)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))-1/2*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))*(1+b/(-4*a*c+b^2)^{(1/2)})/(1+q)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))$

Rubi [A] time = 0.33, antiderivative size = 210, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1251, 830, 68}

$$\frac{\left(1 - \frac{b}{\sqrt{b^2-4ac}}\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2(q+1)\left(2cd - e\left(b - \sqrt{b^2-4ac}\right)\right)} - \frac{\left(\frac{b}{\sqrt{b^2-4ac}} + 1\right) (d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2(q+1)\left(2cd - e\left(b + \sqrt{b^2-4ac}\right)\right)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]$

[Out] $-((1 - b/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)]/(2*(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)) - ((1 + b/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)]/(2*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q))$

Rule 68

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d)^n*(a + b*x)^{(m+1)}*\text{Hypergeometric2F1}[-n, m+1, m+2, -((d*(a + b*x))/(b*c - a*d))]/(b^{(n+1)}*(m+1)), x] /;$ FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rule 830

$\text{Int}[(d_ + (e_)*(x_))^{(m_)}*((f_ + (g_)*(x_)))/((a_ + (b_)*(x_ + (c_)*(x_)^2)), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m, (f + g*x)/(a + (b*x + c*x^2))], x]$

$b*x + c*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{!RationalQ}[m]$

Rule 1251

$\text{Int}[(x_)^{(m_.)*((d_) + (e_.)*(x_)^2)^{(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x_Symbol] :> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p}, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, d, e, p, q\}, x] \ \&\& \ \text{IntegerQ}[(m - 1)/2]$

Rubi steps

$$\begin{aligned} \int \frac{x^3 (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x(d + ex)^q}{a + bx + cx^2} dx, x, x^2 \right) \\ &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{\left(1 - \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex)^q}{b - \sqrt{b^2 - 4ac} + 2cx} + \frac{\left(1 + \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex)^q}{b + \sqrt{b^2 - 4ac} + 2cx} \right) dx, x, x^2 \right) \\ &= \frac{1}{2} \left(1 - \frac{b}{\sqrt{b^2 - 4ac}}\right) \text{Subst} \left(\int \frac{(d + ex)^q}{b - \sqrt{b^2 - 4ac} + 2cx} dx, x, x^2 \right) + \frac{1}{2} \left(1 + \frac{b}{\sqrt{b^2 - 4ac}}\right) \text{Subst} \left(\int \frac{(d + ex)^q}{b + \sqrt{b^2 - 4ac} + 2cx} dx, x, x^2 \right) \\ &= \frac{\left(1 - \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^{1+q} {}_2F_1 \left(1, 1 + q; 2 + q; \frac{2c(d + ex^2)}{2cd - (b - \sqrt{b^2 - 4ac})e}\right) + \left(1 + \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^{1+q} {}_2F_1 \left(1, 1 + q; 2 + q; \frac{2c(d + ex^2)}{2cd + (b + \sqrt{b^2 - 4ac})e}\right)}{2 \left(2cd - (b - \sqrt{b^2 - 4ac})e\right) (1 + q) - 2 \left(2cd + (b + \sqrt{b^2 - 4ac})e\right) (1 + q)} \end{aligned}$$

Mathematica [A] time = 0.20, size = 183, normalized size = 0.87

$$\frac{(d + ex^2)^{q+1} \left(\left(d\sqrt{b^2 - 4ac} + 2ae - bd \right) {}_2F_1 \left(1, q + 1; q + 2; \frac{2c(ex^2 + d)}{2cd + (\sqrt{b^2 - 4ac} - b)e} \right) + \left(d\sqrt{b^2 - 4ac} - 2ae + bd \right) {}_2F_1 \left(1, q + 1; q + 2; \frac{2c(ex^2 + d)}{2cd - (\sqrt{b^2 - 4ac} + b)e} \right) \right)}{4(q + 1)\sqrt{b^2 - 4ac} (e(ae - bd) + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] $-1/4*((d + e*x^2)^{(1 + q)*((-b*d) + \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d + (-b + \text{Sqrt}[b^2 - 4*a*c])*e)] + (b*d + \text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e])]/(\text{Sqrt}[b^2 - 4*a*c]*(c*d^2 + e*(-b*d) + a*e))*(1 + q))$

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)^q x^3}{cx^4 + bx^2 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*x^3/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^3}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*x^3/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{x^3 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

[Out] int(x^3*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^3}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q*x^3/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)
```

```
[Out] int((x^3*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(e*x**2+d)**q/(c*x**4+b*x**2+a), x)
```

```
[Out] Timed out
```

$$3.404 \quad \int \frac{x(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=198

$$\frac{c(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{(q+1)\sqrt{b^2-4ac} \left(2cd-e\left(\sqrt{b^2-4ac}+b\right)\right)} - \frac{c(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{(q+1)\sqrt{b^2-4ac} \left(2cd-e\left(b-\sqrt{b^2-4ac}\right)\right)}$$

[Out] $-c*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))/(1+q)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))/(-4*a*c+b^2)^{(1/2)}+c*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))/(1+q)/(-4*a*c+b^2)^{(1/2)}/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))$

Rubi [A] time = 0.36, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {1247, 711, 68}

$$\frac{c(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{(q+1)\sqrt{b^2-4ac} \left(2cd-e\left(\sqrt{b^2-4ac}+b\right)\right)} - \frac{c(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{(q+1)\sqrt{b^2-4ac} \left(2cd-e\left(b-\sqrt{b^2-4ac}\right)\right)}$$

Antiderivative was successfully verified.

[In] Int[(x*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] $-((c*(d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]))/(\text{Sqrt}[b^2 - 4*a*c]*(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q))) + (c*(d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]))/(\text{Sqrt}[b^2 - 4*a*c]*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q))$

Rule 68

Int[((a_) + (b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a + b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]

Rule 711

Int[((d_.) + (e_.)*(x_))^(m_)/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m, 1/(a + b*x + c*x^2), x], x] /; FreeQ[

{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && !IntegerQ[m]

Rule 1247

Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{x(d+ex^2)^q}{a+bx^2+cx^4} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^q}{a+bx+cx^2} dx, x, x^2 \right) \\
 &= \frac{1}{2} \text{Subst} \left(\int \left(\frac{2c(d+ex)^q}{\sqrt{b^2-4ac} (b-\sqrt{b^2-4ac}+2cx)} - \frac{2c(d+ex)^q}{\sqrt{b^2-4ac} (b+\sqrt{b^2-4ac}+2cx)} \right) dx, x, x^2 \right) \\
 &= \frac{c \text{Subst} \left(\int \frac{(d+ex)^q}{b-\sqrt{b^2-4ac}+2cx} dx, x, x^2 \right)}{\sqrt{b^2-4ac}} - \frac{c \text{Subst} \left(\int \frac{(d+ex)^q}{b+\sqrt{b^2-4ac}+2cx} dx, x, x^2 \right)}{\sqrt{b^2-4ac}} \\
 &= -\frac{c(d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; \frac{2c(d+ex^2)}{2cd-(b-\sqrt{b^2-4ac})e} \right)}{\sqrt{b^2-4ac} (2cd-(b-\sqrt{b^2-4ac})e) (1+q)} + \frac{c(d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; \frac{2c(d+ex^2)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{\sqrt{b^2-4ac} (2cd-(b+\sqrt{b^2-4ac})e) (1+q)}
 \end{aligned}$$

Mathematica [A] time = 0.26, size = 168, normalized size = 0.85

$$\frac{c(d+ex^2)^{q+1} \left(\frac{{}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2cd-e(\sqrt{b^2-4ac}+b)} - \frac{{}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd+(\sqrt{b^2-4ac}-b)e} \right)}{e(\sqrt{b^2-4ac}-b)+2cd} \right)}{(q+1)\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(x*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] (c*(d + e*x^2)^(1 + q)*(-(Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)]/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)) + Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + S

$\text{qrt}[b^2 - 4*a*c]) * e)] / (2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]) * e)) / (\text{Sqrt}[b^2 - 4*a*c]) * (1 + q))$

fricas [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)^q x}{cx^4 + bx^2 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out] `integral((e*x^2 + d)^q*x/(c*x^4 + b*x^2 + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^q*x/(c*x^4 + b*x^2 + a), x)`

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{x(e x^2 + d)^q}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)`

[Out] `int(x*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^q*x/(c*x^4 + b*x^2 + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x(e x^2 + d)^q}{c x^4 + b x^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)`

[Out] `int((x*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(e*x**2+d)**q/(c*x**4+b*x**2+a), x)`

[Out] Timed out

$$3.405 \quad \int \frac{(d+ex^2)^q}{x(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=262

$$\frac{c\left(\frac{b}{\sqrt{b^2-4ac}}+1\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2a(q+1)\left(2cd-e\left(b-\sqrt{b^2-4ac}\right)\right)} + \frac{c\left(1-\frac{b}{\sqrt{b^2-4ac}}\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2a(q+1)\left(2cd-e\left(b+\sqrt{b^2-4ac}\right)\right)}$$

[Out] $-1/2*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 1+e*x^2/d)/a/d/(1+q)+1/2*c*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})))/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))$
 $+ (1+b/(-4*a*c+b^2)^{(1/2)})/a/(1+q)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)})) + 1/2*c*(e*x^2+d)^{(1+q)}*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)})))/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))$
 $+ (1-b/(-4*a*c+b^2)^{(1/2)})/a/(1+q)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))$

Rubi [A] time = 0.50, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1251, 960, 65, 830, 68}

$$\frac{c\left(\frac{b}{\sqrt{b^2-4ac}}+1\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e}\right)}{2a(q+1)\left(2cd-e\left(b-\sqrt{b^2-4ac}\right)\right)} + \frac{c\left(1-\frac{b}{\sqrt{b^2-4ac}}\right)(d+ex^2)^{q+1} {}_2F_1\left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e}\right)}{2a(q+1)\left(2cd-e\left(b+\sqrt{b^2-4ac}\right)\right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^q/(x*(a + b*x^2 + c*x^4)), x]

[Out] $(c*(1 + b/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)])/((2*a*(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)) + (c*(1 - b/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)])/((2*a*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)) - ((d + e*x^2)^{(1 + q)}*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, 1 + (e*x^2/d)]/(2*a*d*(1 + q)))$

Rule 65

Int[((b_.)*(x_))^(m_)*((c_) + (d_.)*(x_))^(n_), x_Symbol] :> Simp[((c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c])/(d*(n + 1)*(-(d/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[m] || GtQ[-(d/(b*c)), 0])

Rule 68

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[(((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))])/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rule 830

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) +
(c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m, (f + g*x)/(a +
b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c
, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !RationalQ[m]
```

Rule 960

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (
IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^q}{x(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^q}{x(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{(d+ex)^q}{ax} + \frac{(-b-cx)(d+ex)^q}{a(a+bx+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{(d+ex)^q}{x} dx, x, x^2 \right)}{2a} + \frac{\text{Subst} \left(\int \frac{(-b-cx)(d+ex)^q}{a+bx+cx^2} dx, x, x^2 \right)}{2a} \\
&= -\frac{(d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; 1+\frac{ex^2}{d} \right)}{2ad(1+q)} + \frac{\text{Subst} \left(\int \left(\frac{\left(-c-\frac{bc}{\sqrt{b^2-4ac}}\right)(d+ex)^q}{b-\sqrt{b^2-4ac}+2cx} + \frac{\left(-c+\frac{bc}{\sqrt{b^2-4ac}}\right)(d+ex)^q}{b+\sqrt{b^2-4ac}+2cx} \right) dx, x, x^2 \right)}{2a} \\
&= -\frac{(d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; 1+\frac{ex^2}{d} \right)}{2ad(1+q)} - \frac{\left(c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) \right) \text{Subst} \left(\int \frac{(d+ex)^q}{b+\sqrt{b^2-4ac}+2cx} dx, x, x^2 \right)}{2a} \\
&= \frac{c \left(1 + \frac{b}{\sqrt{b^2-4ac}} \right) (d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; \frac{2c(d+ex^2)}{2cd-(b-\sqrt{b^2-4ac})e} \right)}{2a \left(2cd - (b-\sqrt{b^2-4ac})e \right) (1+q)} + \frac{c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) (d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; \frac{2c(d+ex^2)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2a \left(2cd - (b+\sqrt{b^2-4ac})e \right) (1+q)}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 218, normalized size = 0.83

$$\frac{(d+ex^2)^{q+1} \left(\frac{c \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd+(\sqrt{b^2-4ac}-b)e} \right)}{e(\sqrt{b^2-4ac}-b)+2cd} + \frac{c \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2cd-e(\sqrt{b^2-4ac}+b)} - \frac{{}_2F_1 \left(1, q+1; q+2; \frac{ex^2}{d} + 1 \right)}{d} \right)}{2a(q+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^q/(x*(a + b*x^2 + c*x^4)), x]

[Out] ((d + e*x^2)^(1 + q)*((c*(1 + b/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e]])/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e) + (c*(1 - b/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e]])/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e) - Hypergeometric2F1[1, 1 + q, 2 + q, 1 + (e*x^2)/d]/d))/(2*a*(1 + q))

fricas [F] time = 1.33, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)^q}{cx^5 + bx^3 + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q/(c*x^5 + b*x^3 + a*x), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^q/x/(c*x^4+b*x^2+a),x)

[Out] int((e*x^2+d)^q/x/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^q}{x(cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^q/(x*(a + b*x^2 + c*x^4)), x)`

[Out] `int((d + e*x^2)^q/(x*(a + b*x^2 + c*x^4)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^q}{x(a + bx^2 + cx^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**2+d)**q/x/(c*x**4+b*x**2+a), x)`

[Out] `Integral((d + e*x**2)**q/(x*(a + b*x**2 + c*x**4)), x)`

$$3.406 \quad \int \frac{(d+ex^2)^q}{x^3(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=322

$$\frac{c \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) (d+ex^2)^{q+1} {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e} \right)}{2a^2(q+1) \left(2cd - e \left(b - \sqrt{b^2-4ac} \right) \right)} - \frac{c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^{q+1} {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2a^2(q+1) \left(2cd - e \left(\sqrt{b^2-4ac} - b \right) \right)}$$

[Out] $1/2*b*(e*x^2+d)^{(1+q)*\text{hypergeom}([1, 1+q], [2+q], 1+e*x^2/d)/a^2/d/(1+q)+1/2*e*(e*x^2+d)^{(1+q)*\text{hypergeom}([2, 1+q], [2+q], 1+e*x^2/d)/a/d^2/(1+q)-1/2*c*(e*x^2+d)^{(1+q)*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))}*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^{(1/2)})/a^2/(1+q)/(2*c*d-e*(b-(-4*a*c+b^2)^{(1/2)}))-1/2*c*(e*x^2+d)^{(1+q)*\text{hypergeom}([1, 1+q], [2+q], 2*c*(e*x^2+d)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))}*(b+(2*a*c-b^2)/(-4*a*c+b^2)^{(1/2)})/a^2/(1+q)/(2*c*d-e*(b+(-4*a*c+b^2)^{(1/2)}))}$

Rubi [A] time = 0.66, antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {1251, 960, 65, 830, 68}

$$\frac{c \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) (d+ex^2)^{q+1} {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b-\sqrt{b^2-4ac})e} \right)}{2a^2(q+1) \left(2cd - e \left(b - \sqrt{b^2-4ac} \right) \right)} - \frac{c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^{q+1} {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2a^2(q+1) \left(2cd - e \left(\sqrt{b^2-4ac} - b \right) \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^q/(x^3*(a + b*x^2 + c*x^4)), x]

[Out] $-(c*(b + (b^2 - 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^{(1 + q)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e]})/(2*a^2*(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)) - (c*(b - (b^2 - 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*(d + e*x^2)^{(1 + q)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e]})/(2*a^2*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c])*e)*(1 + q)) + (b*(d + e*x^2)^{(1 + q)*\text{Hypergeometric2F1}[1, 1 + q, 2 + q, 1 + (e*x^2)/d]})/(2*a^2*d*(1 + q)) + (e*(d + e*x^2)^{(1 + q)*\text{Hypergeometric2F1}[2, 1 + q, 2 + q, 1 + (e*x^2)/d]})/(2*a*d^2*(1 + q))$

Rule 65

Int[((b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] :> Simp[((c + d*x)^(n + 1)*Hypergeometric2F1[-m, n + 1, n + 2, 1 + (d*x)/c])/(d*(n + 1)*(-(d

```
/(b*c)))^m), x] /; FreeQ[{b, c, d, m, n}, x] && !IntegerQ[n] && (IntegerQ[
m] || GtQ[-(d/(b*c)), 0])
```

Rule 68

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Simp[((
b*c - a*d)^n*(a + b*x)^(m + 1)*Hypergeometric2F1[-n, m + 1, m + 2, -((d*(a
+ b*x))/(b*c - a*d))]/(b^(n + 1)*(m + 1)), x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b*c - a*d, 0] && !IntegerQ[m] && IntegerQ[n]
```

Rule 830

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) +
(c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m, (f + g*x)/(a +
b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c
, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !RationalQ[m]
```

Rule 960

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))^(n_)*((a_) + (b_)*(x_)
+ (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g
*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ
[e*f - d*g, 0] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (
IntegerQ[p] || (ILtQ[m, 0] && ILtQ[n, 0])) && !(IGtQ[m, 0] || IGtQ[n, 0])
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)
^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^q}{x^3(a+bx^2+cx^4)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{(d+ex)^q}{x^2(a+bx+cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int \left(\frac{(d+ex)^q}{ax^2} - \frac{b(d+ex)^q}{a^2x} + \frac{(b^2-ac+bcx)(d+ex)^q}{a^2(a+bx+cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{\text{Subst} \left(\int \frac{(b^2-ac+bcx)(d+ex)^q}{a+bx+cx^2} dx, x, x^2 \right)}{2a^2} + \frac{\text{Subst} \left(\int \frac{(d+ex)^q}{x^2} dx, x, x^2 \right)}{2a} - \frac{b \text{Subst} \left(\int \frac{(d+ex)^q}{x} dx, x, x^2 \right)}{2a^2} \\
&= \frac{b(d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; 1+\frac{ex^2}{d} \right)}{2a^2d(1+q)} + \frac{e(d+ex^2)^{1+q} {}_2F_1 \left(2, 1+q; 2+q; 1+\frac{ex^2}{d} \right)}{2ad^2(1+q)} \\
&= \frac{b(d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; 1+\frac{ex^2}{d} \right)}{2a^2d(1+q)} + \frac{e(d+ex^2)^{1+q} {}_2F_1 \left(2, 1+q; 2+q; 1+\frac{ex^2}{d} \right)}{2ad^2(1+q)} \\
&= \frac{c \left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; \frac{2c(d+ex^2)}{2cd-(b-\sqrt{b^2-4ac})e} \right)}{2a^2 \left(2cd - (b - \sqrt{b^2-4ac})e \right) (1+q)} - \frac{c \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^{1+q} {}_2F_1 \left(1, 1+q; 2+q; \frac{2c(d+ex^2)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2a^2 \left(2cd - (b + \sqrt{b^2-4ac})e \right) (1+q)}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 259, normalized size = 0.80

$$\frac{(d+ex^2)^{q+1} \left(-\frac{c \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd+(\sqrt{b^2-4ac}-b)e} \right)}{e(\sqrt{b^2-4ac}-b)+2cd} - \frac{c \left(\frac{2ac-b^2}{\sqrt{b^2-4ac}} + b \right) {}_2F_1 \left(1, q+1; q+2; \frac{2c(ex^2+d)}{2cd-(b+\sqrt{b^2-4ac})e} \right)}{2cd-e(\sqrt{b^2-4ac}+b)} + \frac{ae {}_2F_1 \left(2, q+1; q+2; \frac{ex^2}{d} \right)}{d^2} \right)}{2a^2(q+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^2)^q/(x^3*(a + b*x^2 + c*x^4)), x]

[Out] ((d + e*x^2)^(1 + q)*(-(c*(b + (b^2 - 2*a*c)/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)]/(2*c*d + (-b + Sqrt[b^2 - 4*a*c])*e)) - (c*(b + (-b^2 + 2*a*c)/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, 1 + q, 2 + q, (2*c*(d + e*x^2))/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)]/(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e) + (b*Hypergeometric2F1[1, 1 + q, 2 + q, 1 + (e*x^2)/d])/d + (a*e*Hypergeometric2F1[2, 1 + q, 2 + q, 1 + (e*x^2)/d])/d^2))/(2*a^2*(1 + q))

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)^q}{cx^7 + bx^5 + ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^3/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q/(c*x^7 + b*x^5 + a*x^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^3/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x^3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^q/x^3/(c*x^4+b*x^2+a),x)

[Out] int((e*x^2+d)^q/x^3/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^3/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^q}{x^3 (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^q/(x^3*(a + b*x^2 + c*x^4)), x)

[Out] int((d + e*x^2)^q/(x^3*(a + b*x^2 + c*x^4)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**q/x**3/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.407 \quad \int \frac{x^6(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=339

$$\frac{x \left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right) + x \left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) (d+ex^2)^q}{c^2 \left(b - \sqrt{b^2-4ac} \right) c^2}$$

[Out] -b*x*(e*x^2+d)^q*hypergeom([1/2, -q], [3/2], -e*x^2/d)/c^2/((1+e*x^2/d)^q)+1/3*x^3*(e*x^2+d)^q*hypergeom([3/2, -q], [5/2], -e*x^2/d)/c/((1+e*x^2/d)^q)+x*(e*x^2+d)^q*AppellF1(1/2, 1, -q, 3/2, -2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(b^2-a*c-b*(-3*a*c+b^2)/(-4*a*c+b^2)^(1/2))/c^2/((1+e*x^2/d)^q)/(b-(-4*a*c+b^2)^(1/2))+x*(e*x^2+d)^q*AppellF1(1/2, 1, -q, 3/2, -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(b^2-a*c+b*(-3*a*c+b^2)/(-4*a*c+b^2)^(1/2))/c^2/((1+e*x^2/d)^q)/(b+(-4*a*c+b^2)^(1/2))

Rubi [A] time = 0.63, antiderivative size = 339, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {1303, 246, 245, 365, 364, 1692, 430, 429}

$$\frac{x \left(-\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right) + x \left(\frac{b(b^2-3ac)}{\sqrt{b^2-4ac}} - ac + b^2 \right) (d+ex^2)^q}{c^2 \left(b - \sqrt{b^2-4ac} \right) c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^6*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] ((b^2 - a*c - (b*(b^2 - 3*a*c)))/Sqrt[b^2 - 4*a*c])*x*(d + e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), -((e*x^2)/d)]/(c^2*(b - Sqrt[b^2 - 4*a*c]))*(1 + (e*x^2)/d)^q + ((b^2 - a*c + (b*(b^2 - 3*a*c)))/Sqrt[b^2 - 4*a*c])*x*(d + e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), -((e*x^2)/d)]/(c^2*(b + Sqrt[b^2 - 4*a*c]))*(1 + (e*x^2)/d)^q - (b*x*(d + e*x^2)^q*Hypergeometric2F1[1/2, -q, 3/2, -((e*x^2)/d)])/(c^2*(1 + (e*x^2)/d)^q) + (x^3*(d + e*x^2)^q*Hypergeometric2F1[3/2, -q, 5/2, -((e*x^2)/d)])/(3*c*(1 + (e*x^2)/d)^q)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||

GtQ[a, 0])

Rule 246

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x
^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x]
/; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simp
lify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 364

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

Rule 365

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 1303

```
Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a
*c, 0] && !IntegerQ[q] && IntegerQ[m]
```

Rule 1692

Int[(Px_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{x^6 (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \int \left(-\frac{b(d + ex^2)^q}{c^2} + \frac{x^2 (d + ex^2)^q}{c} + \frac{(ab + (b^2 - ac)x^2)(d + ex^2)^q}{c^2(a + bx^2 + cx^4)} \right) dx \\
 &= \frac{\int \frac{(ab + (b^2 - ac)x^2)(d + ex^2)^q}{a + bx^2 + cx^4} dx}{c^2} - \frac{b \int (d + ex^2)^q dx}{c^2} + \frac{\int x^2 (d + ex^2)^q dx}{c} \\
 &= \frac{\int \left(\frac{(b^2 - ac + \frac{b(-b^2 + 3ac)}{\sqrt{b^2 - 4ac}})(d + ex^2)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} + \frac{(b^2 - ac - \frac{b(-b^2 + 3ac)}{\sqrt{b^2 - 4ac}})(d + ex^2)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} \right) dx}{c^2} - \frac{\left(b(d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} \right) \int \left(1 + \frac{ex^2}{d} \right)^{-q} dx}{c^2} \\
 &= -\frac{bx(d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} {}_2F_1\left(\frac{1}{2}, -q; \frac{3}{2}; -\frac{ex^2}{d}\right)}{c^2} + \frac{x^3(d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} {}_2F_1\left(\frac{3}{2}, -q; \frac{5}{2}; -\frac{ex^2}{d}\right)}{3c} \\
 &= -\frac{bx(d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} {}_2F_1\left(\frac{1}{2}, -q; \frac{3}{2}; -\frac{ex^2}{d}\right)}{c^2} + \frac{x^3(d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} {}_2F_1\left(\frac{3}{2}, -q; \frac{5}{2}; -\frac{ex^2}{d}\right)}{3c} \\
 &= \frac{\left(b^2 - ac - \frac{b(b^2 - 3ac)}{\sqrt{b^2 - 4ac}} \right) x (d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d}\right)}{c^2 (b - \sqrt{b^2 - 4ac})} + \frac{\left(b^2 - ac + \frac{b(b^2 - 3ac)}{\sqrt{b^2 - 4ac}} \right) x (d + ex^2)^q \left(1 + \frac{ex^2}{d} \right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d}\right)}{c^2 (b + \sqrt{b^2 - 4ac})}
 \end{aligned}$$

Mathematica [F] time = 0.49, size = 0, normalized size = 0.00

$$\int \frac{x^6 (d + ex^2)^q}{a + bx^2 + cx^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^6*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] Integrate[(x^6*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)^q x^6}{cx^4 + bx^2 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*x^6/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^6}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*x^6/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{x^6 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

[Out] int(x^6*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^6}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q*x^6/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^6 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^6*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)
```

```
[Out] int((x^6*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(e*x**2+d)**q/(c*x**4+b*x**2+a), x)
```

```
[Out] Timed out
```


$$3.408 \quad \int \frac{x^4(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=273

$$\frac{x \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right)}{c \left(b - \sqrt{b^2-4ac} \right)} - \frac{x \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q}}{c \left(\sqrt{b^2-4ac} \right)}$$

[Out] x*(e*x^2+d)^q*hypergeom([1/2, -q], [3/2], -e*x^2/d)/c/((1+e*x^2/d)^q)-x*(e*x^2+d)^q*AppellF1(1/2, 1, -q, 3/2, -2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(b+(2*a*c-b^2)/(-4*a*c+b^2)^(1/2))/c/((1+e*x^2/d)^q)/(b-(-4*a*c+b^2)^(1/2))-x*(e*x^2+d)^q*AppellF1(1/2, 1, -q, 3/2, -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^(1/2))/c/((1+e*x^2/d)^q)/(b+(-4*a*c+b^2)^(1/2))

Rubi [A] time = 0.53, antiderivative size = 273, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1303, 246, 245, 1692, 430, 429}

$$\frac{x \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right)}{c \left(b - \sqrt{b^2-4ac} \right)} - \frac{x \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q}}{c \left(\sqrt{b^2-4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(x^4*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] -(((b - (b^2 - 2*a*c)/Sqrt[b^2 - 4*a*c])*x*(d + e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), -(e*x^2/d)])/(c*(b - Sqrt[b^2 - 4*a*c])*(1 + (e*x^2/d)^q)) - ((b + (b^2 - 2*a*c)/Sqrt[b^2 - 4*a*c])*x*(d + e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), -(e*x^2/d)])/(c*(b + Sqrt[b^2 - 4*a*c])*(1 + (e*x^2/d)^q)) + (x*(d + e*x^2)^q*Hypergeometric2F1[1/2, -q, 3/2, -(e*x^2/d)])/(c*(1 + (e*x^2/d)^q))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x
^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x]
/; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Sim
plify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:= Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 1303

```
Int[(((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a
*c, 0] && !IntegerQ[q] && IntegerQ[m]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^
(p_), x_Symbol] := Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \int \left(\frac{(d + ex^2)^q}{c} - \frac{(a + bx^2)(d + ex^2)^q}{c(a + bx^2 + cx^4)} \right) dx \\
&= \frac{\int (d + ex^2)^q dx}{c} - \frac{\int \frac{(a + bx^2)(d + ex^2)^q}{a + bx^2 + cx^4} dx}{c} \\
&= -\frac{\int \left(\frac{\left(b + \frac{-b^2 + 2ac}{\sqrt{b^2 - 4ac}}\right)(d + ex^2)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} + \frac{\left(b - \frac{-b^2 + 2ac}{\sqrt{b^2 - 4ac}}\right)(d + ex^2)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} \right) dx}{c} + \frac{\left((d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} \right) \int \left(1 + \frac{ex^2}{d}\right)^q dx}{c} \\
&= \frac{x (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} {}_2F_1\left(\frac{1}{2}, -q; \frac{3}{2}; -\frac{ex^2}{d}\right)}{c} - \frac{\left(b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) \int \frac{(d + ex^2)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} dx}{c} - \frac{\left(b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) \int \frac{(d + ex^2)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} dx}{c} \\
&= \frac{x (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} {}_2F_1\left(\frac{1}{2}, -q; \frac{3}{2}; -\frac{ex^2}{d}\right)}{c} - \frac{\left(b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} \int \frac{dx}{b - \sqrt{b^2 - 4ac} + 2cx^2}}{c} - \frac{\left(b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} \int \frac{dx}{b + \sqrt{b^2 - 4ac} + 2cx^2}}{c} \\
&= -\frac{\left(b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) x (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d}\right)}{c \left(b - \sqrt{b^2 - 4ac}\right)} - \frac{\left(b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}}\right) x (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d}\right)}{c \left(b + \sqrt{b^2 - 4ac}\right)}
\end{aligned}$$

Mathematica [F] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{x^4 (d + ex^2)^q}{a + bx^2 + cx^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^4*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] Integrate[(x^4*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

fricas [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)^q x^4}{cx^4 + bx^2 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*x^4/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^4}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*x^4/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{x^4 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

[Out] int(x^4*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^4}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q*x^4/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(d + e*x^2)^q)/(a + b*x^2 + c*x^4),x)

[Out] int((x^4*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(e*x**2+d)**q/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.409 \quad \int \frac{x^2(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=162

$$\frac{x(d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{\sqrt{b^2-4ac}} - \frac{x(d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{\sqrt{b^2-4ac}}$$

[Out] -x*(e*x^2+d)^q*AppellF1(1/2,1,-q,3/2,-2*c*x^2/(b-(-4*a*c+b^2)^(1/2)),-e*x^2/d)/((1+e*x^2/d)^q)/(-4*a*c+b^2)^(1/2)+x*(e*x^2+d)^q*AppellF1(1/2,1,-q,3/2,-2*c*x^2/(b+(-4*a*c+b^2)^(1/2)),-e*x^2/d)/((1+e*x^2/d)^q)/(-4*a*c+b^2)^(1/2)

Rubi [A] time = 0.31, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1303, 430, 429}

$$\frac{x(d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{\sqrt{b^2-4ac}} - \frac{x(d+ex^2)^q \left(\frac{ex^2}{d} + 1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*(d + e*x^2)^q)/(a + b*x^2 + c*x^4),x]

[Out] -((x*(d + e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b - Sqrt[b^2 - 4*a*c]), -(e*x^2)/d])/(Sqrt[b^2 - 4*a*c]*(1 + (e*x^2)/d)^q) + (x*(d + e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b + Sqrt[b^2 - 4*a*c]), -(e*x^2)/d])/(Sqrt[b^2 - 4*a*c]*(1 + (e*x^2)/d)^q)

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
 := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1303

```
Int[(((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)^(q_))/((a_) + (b_)*(x_)^2 +
(c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a
*c, 0] && !IntegerQ[q] && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 (d + ex^2)^q}{a + bx^2 + cx^4} dx &= \int \left(\frac{\left(1 - \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} + \frac{\left(1 + \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} \right) dx \\ &= \left(1 - \frac{b}{\sqrt{b^2 - 4ac}}\right) \int \frac{(d + ex^2)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} dx + \left(1 + \frac{b}{\sqrt{b^2 - 4ac}}\right) \int \frac{(d + ex^2)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} dx \\ &= \left(\left(1 - \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} \right) \int \frac{\left(1 + \frac{ex^2}{d}\right)^q}{b - \sqrt{b^2 - 4ac} + 2cx^2} dx + \left(\left(1 + \frac{b}{\sqrt{b^2 - 4ac}}\right) (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} \right) \int \frac{\left(1 + \frac{ex^2}{d}\right)^q}{b + \sqrt{b^2 - 4ac} + 2cx^2} dx \\ &= -\frac{x (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d}\right)}{\sqrt{b^2 - 4ac}} + \frac{x (d + ex^2)^q \left(1 + \frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}}, -\frac{ex^2}{d}\right)}{\sqrt{b^2 - 4ac}} \end{aligned}$$

Mathematica [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{x^2 (d + ex^2)^q}{a + bx^2 + cx^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[(x^2*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

[Out] Integrate[(x^2*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x]

fricas [F] time = 1.21, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex^2 + d)^q x^2}{cx^4 + bx^2 + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^q/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q*x^2/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q*x^2/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{x^2 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

[Out] int(x^2*(e*x^2+d)^q/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q x^2}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q*x^2/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 (ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*(d + e*x^2)^q)/(a + b*x^2 + c*x^4),x)

[Out] int((x^2*(d + e*x^2)^q)/(a + b*x^2 + c*x^4), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(e*x**2+d)**q/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.410 \quad \int \frac{(d+ex^2)^q}{a+bx^2+cx^4} dx$$

Optimal. Leaf size=190

$$\frac{2cx(d+ex^2)^q \left(\frac{ex^2}{d}+1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{-b\sqrt{b^2-4ac}-4ac+b^2} - \frac{2cx(d+ex^2)^q \left(\frac{ex^2}{d}+1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{b\sqrt{b^2-4ac}-4ac+b^2}$$

[Out] $-2*c*x*(e*x^2+d)^q*AppellF1(1/2, 1, -q, 3/2, -2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -e*x^2/d)/((1+e*x^2/d)^q)/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))-2*c*x*(e*x^2+d)^q*AppellF1(1/2, 1, -q, 3/2, -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)), -e*x^2/d)/((1+e*x^2/d)^q)/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 0.29, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1174, 430, 429}

$$\frac{2cx(d+ex^2)^q \left(\frac{ex^2}{d}+1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{-b\sqrt{b^2-4ac}-4ac+b^2} - \frac{2cx(d+ex^2)^q \left(\frac{ex^2}{d}+1\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{b\sqrt{b^2-4ac}-4ac+b^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x]

[Out] $(-2*c*x*(d+e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b-Sqrt[b^2-4*a*c]), -(e*x^2/d)]/((b^2-4*a*c-b*Sqrt[b^2-4*a*c])*(1+(e*x^2/d)^q) - (2*c*x*(d+e*x^2)^q*AppellF1[1/2, 1, -q, 3/2, (-2*c*x^2)/(b+Sqrt[b^2-4*a*c]), -(e*x^2/d)]/((b^2-4*a*c+b*Sqrt[b^2-4*a*c])*(1+(e*x^2/d)^q))$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -(d*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1174

Int[((d_) + (e_)*(x_)^2)^(q_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{r = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/r, Int[(d + e*x^2)^q/(b - r + 2*c*x^2), x], x] - Dist[(2*c)/r, Int[(d + e*x^2)^q/(b + r + 2*c*x^2), x], x]] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && !IntegerQ[q]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^2)^q}{a + bx^2 + cx^4} dx &= \frac{(2c) \int \frac{(d+ex^2)^q}{b-\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} - \frac{(2c) \int \frac{(d+ex^2)^q}{b+\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} \\ &= \frac{\left(2c(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q}\right) \int \frac{\left(1+\frac{ex^2}{d}\right)^q}{b-\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} - \frac{\left(2c(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q}\right) \int \frac{\left(1+\frac{ex^2}{d}\right)^q}{b+\sqrt{b^2-4ac}+2cx^2} dx}{\sqrt{b^2-4ac}} \\ &= -\frac{2cx(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{b^2-4ac-b\sqrt{b^2-4ac}} - \frac{2cx(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q}}{b^2-4ac} \end{aligned}$$

Mathematica [F] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^2)^q}{a + bx^2 + cx^4} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x]

[Out] Integrate[(d + e*x^2)^q/(a + b*x^2 + c*x^4), x]

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2 + d)^q}{cx^4 + bx^2 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q/(c*x^4 + b*x^2 + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q/(c*x^4 + b*x^2 + a), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^q/(c*x^4+b*x^2+a),x)

[Out] int((e*x^2+d)^q/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q/(c*x^4 + b*x^2 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(ex^2 + d)^q}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^q/(a + b*x^2 + c*x^4),x)

[Out] int((d + e*x^2)^q/(a + b*x^2 + c*x^4), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**2+d)**q/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

$$3.411 \quad \int \frac{(d+ex^2)^q}{x^2(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=264

$$\frac{cx \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right)}{a \left(b - \sqrt{b^2-4ac} \right)} - \frac{cx \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q}}{a \left(\sqrt{b^2-4ac} \right)}$$

[Out] $-(e*x^2+d)^q*\text{hypergeom}([-1/2, -q], [1/2], -e*x^2/d)/a/x/((1+e*x^2/d)^q)-c*x*(e*x^2+d)^q*\text{AppellF1}(1/2, 1, -q, 3/2, -2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(1+b/(-4*a*c+b^2)^(1/2))/a/((1+e*x^2/d)^q)/(b-(-4*a*c+b^2)^(1/2))-c*x*(e*x^2+d)^q*\text{AppellF1}(1/2, 1, -q, 3/2, -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(1-b/(-4*a*c+b^2)^(1/2))/a/((1+e*x^2/d)^q)/(b+(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 0.55, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1303, 365, 364, 1692, 430, 429}

$$\frac{cx \left(\frac{b}{\sqrt{b^2-4ac}} + 1 \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right)}{a \left(b - \sqrt{b^2-4ac} \right)} - \frac{cx \left(1 - \frac{b}{\sqrt{b^2-4ac}} \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q}}{a \left(\sqrt{b^2-4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^q/(x^2*(a + b*x^2 + c*x^4)), x]

[Out] $-((c*(1 + b/\text{Sqrt}[b^2 - 4*a*c]))*x*(d + e*x^2)^q*\text{AppellF1}[1/2, 1, -q, 3/2, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), -((e*x^2)/d)])/(a*(b - \text{Sqrt}[b^2 - 4*a*c]))*(1 + (e*x^2)/d)^q) - (c*(1 - b/\text{Sqrt}[b^2 - 4*a*c]))*x*(d + e*x^2)^q*\text{AppellF1}[1/2, 1, -q, 3/2, (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c]), -((e*x^2)/d)])/(a*(b + \text{Sqrt}[b^2 - 4*a*c]))*(1 + (e*x^2)/d)^q) - ((d + e*x^2)^q*\text{Hypergeometric2F1}[-1/2, -q, 1/2, -((e*x^2)/d)])/(a*x*(1 + (e*x^2)/d)^q)$

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^p*IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n+1, -((b*x^n)/a)]]/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

```
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

Rule 429

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)
], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 1303

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_))/((a_) + (b_.)*(x_)^2 +
(c_.)*(x_)^4), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^2)^q, (f*x)^m/(a +
b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a
*c, 0] && !IntegerQ[q] && IntegerQ[m]
```

Rule 1692

```
Int[(Px_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^
(p_.), x_Symbol] :> Int[ExpandIntegrand[Px*(d + e*x^2)^q*(a + b*x^2 + c*x^4
)^p, x], x] /; FreeQ[{a, b, c, d, e, q}, x] && PolyQ[Px, x^2] && NeQ[b^2 -
4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^q}{x^2(a+bx^2+cx^4)} dx &= \int \left(\frac{(d+ex^2)^q}{ax^2} + \frac{(-b-cx^2)(d+ex^2)^q}{a(a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{(d+ex^2)^q}{x^2} dx}{a} + \frac{\int \frac{(-b-cx^2)(d+ex^2)^q}{a+bx^2+cx^4} dx}{a} \\
&= \frac{\int \left(\frac{\left(-c-\frac{bc}{\sqrt{b^2-4ac}}\right)(d+ex^2)^q}{b-\sqrt{b^2-4ac}+2cx^2} + \frac{\left(-c+\frac{bc}{\sqrt{b^2-4ac}}\right)(d+ex^2)^q}{b+\sqrt{b^2-4ac}+2cx^2} \right) dx}{a} + \frac{\left((d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q}\right) \int \frac{\left(1+\frac{ex^2}{d}\right)^q}{x^2} dx}{a} \\
&= -\frac{(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} {}_2F_1\left(-\frac{1}{2}, -q; \frac{1}{2}; -\frac{ex^2}{d}\right)}{ax} - \frac{\left(c\left(1-\frac{b}{\sqrt{b^2-4ac}}\right)\right) \int \frac{(d+ex^2)^q}{b+\sqrt{b^2-4ac}+2cx^2} dx}{a} \\
&= -\frac{(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} {}_2F_1\left(-\frac{1}{2}, -q; \frac{1}{2}; -\frac{ex^2}{d}\right)}{ax} - \frac{\left(c\left(1-\frac{b}{\sqrt{b^2-4ac}}\right)\right) (d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q}}{a} \\
&= -\frac{c\left(1+\frac{b}{\sqrt{b^2-4ac}}\right) x (d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{a\left(b-\sqrt{b^2-4ac}\right)} - \frac{c\left(1-\frac{b}{\sqrt{b^2-4ac}}\right) (d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q}}{a}
\end{aligned}$$

Mathematica [F] time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^q}{x^2(a+bx^2+cx^4)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^2)^q/(x^2*(a + b*x^2 + c*x^4)), x]

[Out] Integrate[(d + e*x^2)^q/(x^2*(a + b*x^2 + c*x^4)), x]

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2+d)^q}{cx^6+bx^4+ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^2/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] `integral((e*x^2 + d)^q/(c*x^6 + b*x^4 + a*x^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^q/x^2/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] `integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x^2), x)`

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^2+d)^q/x^2/(c*x^4+b*x^2+a),x)`

[Out] `int((e*x^2+d)^q/x^2/(c*x^4+b*x^2+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^2+d)^q/x^2/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^q}{x^2 (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^2)^q/(x^2*(a + b*x^2 + c*x^4)),x)`

[Out] `int((d + e*x^2)^q/(x^2*(a + b*x^2 + c*x^4)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**q/x**2/(c*x**4+b*x**2+a),x)

[Out] Timed out

$$3.412 \quad \int \frac{(d+ex^2)^q}{x^4(a+bx^2+cx^4)} dx$$

Optimal. Leaf size=328

$$\frac{cx \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right)}{a^2 (b - \sqrt{b^2 - 4ac})} + \frac{cx \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q}}{a^2 (\sqrt{b^2 - 4ac})}$$

[Out] $-1/3*(e*x^2+d)^q*\text{hypergeom}([-3/2, -q], [-1/2], -e*x^2/d)/a/x^3/((1+e*x^2/d)^q) + b*(e*x^2+d)^q*\text{hypergeom}([-1/2, -q], [1/2], -e*x^2/d)/a^2/x/((1+e*x^2/d)^q) + c*x*(e*x^2+d)^q*\text{AppellF1}(1/2, 1, -q, 3/2, -2*c*x^2/(b-(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(b+(-2*a*c+b^2)/(-4*a*c+b^2)^(1/2))/a^2/((1+e*x^2/d)^q)/(b-(-4*a*c+b^2)^(1/2)) + c*x*(e*x^2+d)^q*\text{AppellF1}(1/2, 1, -q, 3/2, -2*c*x^2/(b+(-4*a*c+b^2)^(1/2)), -e*x^2/d)*(b+(2*a*c-b^2)/(-4*a*c+b^2)^(1/2))/a^2/((1+e*x^2/d)^q)/(b+(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 0.62, antiderivative size = 328, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1303, 365, 364, 1692, 430, 429}

$$\frac{cx \left(\frac{b^2-2ac}{\sqrt{b^2-4ac}} + b \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q} F_1 \left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d} \right)}{a^2 (b - \sqrt{b^2 - 4ac})} + \frac{cx \left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}} \right) (d+ex^2)^q \left(\frac{ex^2}{d} + 1 \right)^{-q}}{a^2 (\sqrt{b^2 - 4ac})}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^2)^q/(x^4*(a + b*x^2 + c*x^4)), x]

[Out] $(c*(b + (b^2 - 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*x*(d + e*x^2)^q*\text{AppellF1}[1/2, 1, -q, 3/2, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c]), -((e*x^2)/d)])/ (a^2*(b - \text{Sqrt}[b^2 - 4*a*c])*(1 + (e*x^2)/d)^q) + (c*(b - (b^2 - 2*a*c)/\text{Sqrt}[b^2 - 4*a*c])*x*(d + e*x^2)^q*\text{AppellF1}[1/2, 1, -q, 3/2, (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c]), -((e*x^2)/d)])/ (a^2*(b + \text{Sqrt}[b^2 - 4*a*c])*(1 + (e*x^2)/d)^q) - ((d + e*x^2)^q*\text{Hypergeometric2F1}[-3/2, -q, -1/2, -((e*x^2)/d)])/ (3*a*x^3*(1 + (e*x^2)/d)^q) + (b*(d + e*x^2)^q*\text{Hypergeometric2F1}[-1/2, -q, 1/2, -((e*x^2)/d)])/ (a^2*x*(1 + (e*x^2)/d)^q)$

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

$Q[p, 0] \parallel GtQ[a, 0]$

Rule 365

$\text{Int}[(c_*)(x_)^{(m_*)}((a_) + (b_*)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]} \text{IntPart}[p] * (a + b*x^n)^{\text{FracPart}[p]}) / (1 + (b*x^n)/a)^{\text{FracPart}[p]}, \text{Int}[(c*x)^m * (1 + (b*x^n)/a)^p, x], x] /;$ $\text{FreeQ}\{a, b, c, m, n, p\}, x \ \&\& \ !GtQ[p, 0] \ \&\& \ !(ILtQ[p, 0] \parallel GtQ[a, 0])$

Rule 429

$\text{Int}[(a_) + (b_*)(x_)^{(n_)})^{(p_*)}((c_) + (d_*)(x_)^{(n_)})^{(q_)}, x_Symbol] \rightarrow \text{Simp}[a^p c^q x * \text{AppellF1}[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /;$ $\text{FreeQ}\{a, b, c, d, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n, -1] \ \&\& \ (\text{IntegerQ}[p] \parallel GtQ[a, 0]) \ \&\& \ (\text{IntegerQ}[q] \parallel GtQ[c, 0])$

Rule 430

$\text{Int}[(a_) + (b_*)(x_)^{(n_)})^{(p_*)}((c_) + (d_*)(x_)^{(n_)})^{(q_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]} \text{IntPart}[p] * (a + b*x^n)^{\text{FracPart}[p]}) / (1 + (b*x^n)/a)^{\text{FracPart}[p]}, \text{Int}[(1 + (b*x^n)/a)^p * (c + d*x^n)^q, x], x] /;$ $\text{FreeQ}\{a, b, c, d, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n, -1] \ \&\& \ !(\text{IntegerQ}[p] \parallel GtQ[a, 0])$

Rule 1303

$\text{Int}[(f_*)(x_)^{(m_*)}((d_) + (e_*)(x_)^2)^{(q_*)} / ((a_) + (b_*)(x_)^2 + (c_*)(x_)^4), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(d + e*x^2)^q, (f*x)^m / (a + b*x^2 + c*x^4), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, q\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{IntegerQ}[q] \ \&\& \ \text{IntegerQ}[m]$

Rule 1692

$\text{Int}[(Px_*) * ((d_) + (e_*)(x_)^2)^{(q_*)} * ((a_) + (b_*)(x_)^2 + (c_*)(x_)^4)^{(p_*)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[Px * (d + e*x^2)^q * (a + b*x^2 + c*x^4)^p, x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, q\}, x \ \&\& \ \text{PolyQ}[Px, x^2] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{(d+ex^2)^q}{x^4(a+bx^2+cx^4)} dx &= \int \left(\frac{(d+ex^2)^q}{ax^4} - \frac{b(d+ex^2)^q}{a^2x^2} + \frac{(b^2-ac+bcx^2)(d+ex^2)^q}{a^2(a+bx^2+cx^4)} \right) dx \\
&= \frac{\int \frac{(b^2-ac+bcx^2)(d+ex^2)^q}{a+bx^2+cx^4} dx}{a^2} + \frac{\int \frac{(d+ex^2)^q}{x^4} dx}{a} - \frac{b \int \frac{(d+ex^2)^q}{x^2} dx}{a^2} \\
&= \frac{\int \left(\frac{(bc+\frac{c(b^2-2ac)}{\sqrt{b^2-4ac}})(d+ex^2)^q}{b-\sqrt{b^2-4ac}+2cx^2} + \frac{(bc-\frac{c(b^2-2ac)}{\sqrt{b^2-4ac}})(d+ex^2)^q}{b+\sqrt{b^2-4ac}+2cx^2} \right) dx}{a^2} + \frac{\left((d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} \right) \int \frac{\left(1+\frac{ex^2}{d}\right)}{x^4}}{a} \\
&= -\frac{(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} {}_2F_1\left(-\frac{3}{2}, -q; -\frac{1}{2}; -\frac{ex^2}{d}\right)}{3ax^3} + \frac{b(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} {}_2F_1\left(-\frac{1}{2}, -\right)}{a^2x} \\
&= -\frac{(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} {}_2F_1\left(-\frac{3}{2}, -q; -\frac{1}{2}; -\frac{ex^2}{d}\right)}{3ax^3} + \frac{b(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} {}_2F_1\left(-\frac{1}{2}, -\right)}{a^2x} \\
&= \frac{c\left(b+\frac{b^2-2ac}{\sqrt{b^2-4ac}}\right)x(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{a^2\left(b-\sqrt{b^2-4ac}\right)} + \frac{c\left(b-\frac{b^2-2ac}{\sqrt{b^2-4ac}}\right)x(d+ex^2)^q \left(1+\frac{ex^2}{d}\right)^{-q} F_1\left(\frac{1}{2}; 1, -q; \frac{3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, -\frac{ex^2}{d}\right)}{a^2\left(b+\sqrt{b^2-4ac}\right)}
\end{aligned}$$

Mathematica [F] time = 0.50, size = 0, normalized size = 0.00

$$\int \frac{(d+ex^2)^q}{x^4(a+bx^2+cx^4)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^2)^q/(x^4*(a + b*x^2 + c*x^4)), x]

[Out] Integrate[(d + e*x^2)^q/(x^4*(a + b*x^2 + c*x^4)), x]

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex^2+d)^q}{cx^8+bx^6+ax^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^4/(c*x^4+b*x^2+a), x, algorithm="fricas")

[Out] integral((e*x^2 + d)^q/(c*x^8 + b*x^6 + a*x^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^4/(c*x^4+b*x^2+a),x, algorithm="giac")

[Out] integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x^4), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^2+d)^q/x^4/(c*x^4+b*x^2+a),x)

[Out] int((e*x^2+d)^q/x^4/(c*x^4+b*x^2+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^2 + d)^q}{(cx^4 + bx^2 + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^2+d)^q/x^4/(c*x^4+b*x^2+a),x, algorithm="maxima")

[Out] integrate((e*x^2 + d)^q/((c*x^4 + b*x^2 + a)*x^4), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(ex^2 + d)^q}{x^4 (cx^4 + bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^2)^q/(x^4*(a + b*x^2 + c*x^4)),x)

[Out] int((d + e*x^2)^q/(x^4*(a + b*x^2 + c*x^4)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**2+d)**q/x**4/(c*x**4+b*x**2+a), x)

[Out] Timed out

$$3.413 \quad \int \frac{\sqrt{1 + \frac{1}{c^2 x^2}}}{\sqrt{1 - c^4 x^4}} dx$$

Optimal. Leaf size=40

$$\frac{\tanh^{-1}\left(\frac{\sqrt{1 - c^4 x^4}}{c x \sqrt{\frac{1}{c^2 x^2} + 1}}\right)}{c}$$

[Out] $-\operatorname{arctanh}\left(\frac{(-c^4 x^4 + 1)^{1/2}}{c x (1 + 1/c^2/x^2)^{1/2}}\right)/c$

Rubi [A] time = 0.07, antiderivative size = 44, normalized size of antiderivative = 1.10, number of steps used = 5, number of rules used = 5, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {1448, 1252, 848, 63, 208}

$$\frac{x \sqrt{\frac{1}{c^2 x^2} + 1} \tanh^{-1}\left(\sqrt{1 - c^2 x^2}\right)}{\sqrt{c^2 x^2 + 1}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{\operatorname{Sqrt}\left[1 + 1/(c^2 x^2)\right]}{\operatorname{Sqrt}\left[1 - c^4 x^4\right]}, x\right]$

[Out] $-\left(\frac{\operatorname{Sqrt}\left[1 + 1/(c^2 x^2)\right] x \operatorname{ArcTanh}\left[\operatorname{Sqrt}\left[1 - c^2 x^2\right]\right]}{\operatorname{Sqrt}\left[1 + c^2 x^2\right]}\right)$

Rule 63

$\operatorname{Int}\left[\left((a_.) + (b_.)(x_)^m\right)\left((c_.) + (d_.)(x_)^n\right), x_Symbol\right] \rightarrow \operatorname{With}\left[\{p = \operatorname{Denominator}[m]\}, \operatorname{Dist}\left[p/b, \operatorname{Subst}\left[\operatorname{Int}\left[x^{(p(m+1)-1)}(c - (a*d)/b + (d*x^p)/b)^n, x\right], x, (a + b*x)^{1/p}\right], x\right] /; \operatorname{FreeQ}\left[\{a, b, c, d\}, x\right] \&\& \operatorname{NeQ}\left[b*c - a*d, 0\right] \&\& \operatorname{LtQ}\left[-1, m, 0\right] \&\& \operatorname{LeQ}\left[-1, n, 0\right] \&\& \operatorname{LeQ}\left[\operatorname{Denominator}[n], \operatorname{Denominator}[m]\right] \&\& \operatorname{IntLinearQ}\left[a, b, c, d, m, n, x\right]$

Rule 208

$\operatorname{Int}\left[\left((a_.) + (b_.)(x_)^2\right)^{-1}, x_Symbol\right] \rightarrow \operatorname{Simp}\left[\left(\operatorname{Rt}\left[-(a/b), 2\right] \operatorname{ArcTanh}\left[x/\operatorname{Rt}\left[-(a/b), 2\right]\right]\right)/a, x\right] /; \operatorname{FreeQ}\left[\{a, b\}, x\right] \&\& \operatorname{NegQ}\left[a/b\right]$

Rule 848

$\operatorname{Int}\left[\left((d_.) + (e_.)(x_)^m\right)\left((f_.) + (g_.)(x_)^n\right)\left((a_.) + (c_.)(x_)^2\right)^{p_.}, x_Symbol\right] \rightarrow \operatorname{Int}\left[\left(d + e*x\right)^{m+p}\left(f + g*x\right)^n\left(a/d + (c*x)/e\right)^p, x\right] /; \operatorname{FreeQ}\left[\{a, c, d, e, f, g, m, n\}, x\right] \&\& \operatorname{NeQ}\left[e*f - d*g, 0\right] \&\& \operatorname{EqQ}\left[c*d^2 + a*e^2, 0\right] \&\& \left(\operatorname{IntegerQ}[p] \mid\mid \left(\operatorname{GtQ}[a, 0] \&\& \operatorname{GtQ}[d, 0] \&\& \operatorname{EqQ}[m + p, 0]\right)\right)$

Rule 1252

Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, c, d, e, p, q}, x] && IntegerQ[(m + 1)/2]

Rule 1448

Int[((d_) + (e_.)*(x_)^(mn_.))^(q_.)*((a_) + (c_.)*(x_)^(n2_.))^(p_.), x_Symbol] :> Dist[(e^IntPart[q]*(d + e*x^mn)^FracPart[q])/(x^(mn*FracPart[q])*(1 + d/(x^mn*e))^FracPart[q]), Int[x^(mn*q)*(1 + d/(x^mn*e))^q*(a + c*x^n2)^p, x], x] /; FreeQ[{a, c, d, e, mn, p, q}, x] && EqQ[n2, -2*mn] && !IntegerQ[p] && !IntegerQ[q] && PosQ[n2]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{1 + \frac{1}{c^2x^2}}}{\sqrt{1 - c^4x^4}} dx &= \frac{\left(\sqrt{1 + \frac{1}{c^2x^2}} x\right) \int \frac{\sqrt{1+c^2x^2}}{x\sqrt{1-c^4x^4}} dx}{\sqrt{1 + c^2x^2}} \\
 &= \frac{\left(\sqrt{1 + \frac{1}{c^2x^2}} x\right) \text{Subst}\left(\int \frac{\sqrt{1+c^2x}}{x\sqrt{1-c^4x^2}} dx, x, x^2\right)}{2\sqrt{1 + c^2x^2}} \\
 &= \frac{\left(\sqrt{1 + \frac{1}{c^2x^2}} x\right) \text{Subst}\left(\int \frac{1}{x\sqrt{1-c^2x}} dx, x, x^2\right)}{2\sqrt{1 + c^2x^2}} \\
 &= -\frac{\left(\sqrt{1 + \frac{1}{c^2x^2}} x\right) \text{Subst}\left(\int \frac{1}{\frac{1}{c^2} - \frac{x^2}{c^2}} dx, x, \sqrt{1 - c^2x^2}\right)}{c^2\sqrt{1 + c^2x^2}} \\
 &= -\frac{\sqrt{1 + \frac{1}{c^2x^2}} x \tanh^{-1}\left(\sqrt{1 - c^2x^2}\right)}{\sqrt{1 + c^2x^2}}
 \end{aligned}$$

Mathematica [A] time = 0.05, size = 44, normalized size = 1.10

$$-\frac{x\sqrt{\frac{1}{c^2x^2} + 1} \tanh^{-1}\left(\sqrt{1 - c^2x^2}\right)}{\sqrt{c^2x^2 + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 + 1/(c^2*x^2)]/Sqrt[1 - c^4*x^4], x]

[Out] -((Sqrt[1 + 1/(c^2*x^2)]*x*ArcTanh[Sqrt[1 - c^2*x^2]])/Sqrt[1 + c^2*x^2])

fricas [B] time = 1.41, size = 120, normalized size = 3.00

$$\frac{\log\left(\frac{c^2x^2 + \sqrt{-c^4x^4 + 1}cx\sqrt{\frac{c^2x^2 + 1}{c^2x^2}} + 1}{c^2x^2 + 1}\right) - \log\left(\frac{c^2x^2 - \sqrt{-c^4x^4 + 1}cx\sqrt{\frac{c^2x^2 + 1}{c^2x^2}} + 1}{c^2x^2 + 1}\right)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/c^2/x^2)^(1/2)/(-c^4*x^4+1)^(1/2), x, algorithm="fricas")

[Out] -1/2*(log((c^2*x^2 + sqrt(-c^4*x^4 + 1)*c*x*sqrt((c^2*x^2 + 1)/(c^2*x^2)) + 1)/(c^2*x^2 + 1)) - log(-(c^2*x^2 - sqrt(-c^4*x^4 + 1)*c*x*sqrt((c^2*x^2 + 1)/(c^2*x^2)) + 1)/(c^2*x^2 + 1)))/c

giac [A] time = 0.22, size = 42, normalized size = 1.05

$$\frac{\left(\log\left(\sqrt{-c^2x^2 + 1} + 1\right) - \log\left(-\sqrt{-c^2x^2 + 1} + 1\right)\right)|c|}{2c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/c^2/x^2)^(1/2)/(-c^4*x^4+1)^(1/2), x, algorithm="giac")

[Out] -1/2*(log(sqrt(-c^2*x^2 + 1) + 1) - log(-sqrt(-c^2*x^2 + 1) + 1))*abs(c)/c^2

maple [C] time = 0.06, size = 101, normalized size = 2.52

$$\frac{\sqrt{\frac{c^2x^2 + 1}{c^2x^2}} \sqrt{-c^4x^4 + 1} x \operatorname{csgn}\left(\frac{1}{c}\right) \ln\left(\frac{2\sqrt{-\frac{c^2x^2 - 1}{c^2}} c \operatorname{csgn}\left(\frac{1}{c}\right) + 2}{c^2x}\right)}{(c^2x^2 + 1) \sqrt{-\frac{c^2x^2 - 1}{c^2}} c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+1/c^2/x^2)^(1/2)/(-c^4*x^4+1)^(1/2), x)

[Out] -((c^2*x^2+1)/c^2/x^2)^(1/2)*x*(-c^4*x^4+1)^(1/2)*csgn(1/c)*ln(2*(csgn(1/c)*c*(-1/c^2*(c^2*x^2-1))^(1/2)+1)/x/c^2)/(c^2*x^2+1)/(-1/c^2*(c^2*x^2-1))^(1/2)/c

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\frac{1}{c^2 x^2} + 1}}{\sqrt{-c^4 x^4 + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/c^2/x^2)^(1/2)/(-c^4*x^4+1)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(1/(c^2*x^2) + 1)/sqrt(-c^4*x^4 + 1), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\frac{1}{c^2 x^2} + 1}}{\sqrt{1 - c^4 x^4}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/(c^2*x^2) + 1)^(1/2)/(1 - c^4*x^4)^(1/2),x)

[Out] int((1/(c^2*x^2) + 1)^(1/2)/(1 - c^4*x^4)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1 + \frac{1}{c^2 x^2}}}{\sqrt{-(cx - 1)(cx + 1)(c^2 x^2 + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+1/c**2/x**2)**(1/2)/(-c**4*x**4+1)**(1/2),x)

[Out] Integral(sqrt(1 + 1/(c**2*x**2))/sqrt(-(c*x - 1)*(c*x + 1)*(c**2*x**2 + 1)), x)

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
  If[Head[expn]===Plus || Head[expn]===Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],

```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```



```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```



```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```