

# Computer algebra independent integration tests

1-Algebraic-functions/1.2-Trinomial-products/1.2.3-General/1.2.3.3-d+e-x^n-q-a+b-x^n+c-x^-2-n-p

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 11:27am

## Contents

<b>1</b>	<b>Introduction</b>	<b>7</b>
1.1	Listing of CAS systems tested . . . . .	7
1.2	Results . . . . .	8
1.3	Performance . . . . .	12
1.4	list of integrals that has no closed form antiderivative . . . . .	13
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	14
1.6	list of integrals solved by CAS but failed verification . . . . .	14
1.7	Timing . . . . .	15
1.8	Verification . . . . .	15
1.9	Important notes about some of the results . . . . .	15
1.9.1	Important note about Maxima results . . . . .	15
1.9.2	Important note about FriCAS and Giac/XCAS results . . . . .	16
1.9.3	Important note about finding leaf size of antiderivative . . . . .	16
1.9.4	Important note about Mupad results . . . . .	17
1.10	Design of the test system . . . . .	18
<b>2</b>	<b>detailed summary tables of results</b>	<b>19</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	19
2.1.1	Rubi . . . . .	19
2.1.2	Mathematica . . . . .	19
2.1.3	Maple . . . . .	19

2.1.4	Maxima	20
2.1.5	FriCAS	20
2.1.6	Sympy	20
2.1.7	Giac	20
2.1.8	Mupad	21
2.2	Detailed conclusion table per each integral for all CAS systems	22
2.3	Detailed conclusion table specific for Rubi results	41
<b>3</b>	<b>Listing of integrals</b>	<b>47</b>
3.1	$\int \frac{d+ex^3}{a+cx^6} dx$	47
3.2	$\int \frac{d+ex^3}{a-cx^6} dx$	55
3.3	$\int \frac{d+ex^4}{a+cx^8} dx$	63
3.4	$\int \frac{d+ex^4}{a-cx^8} dx$	71
3.5	$\int \frac{d+ex^4}{d^2+bx^4+e^2x^8} dx$	79
3.6	$\int \frac{d+ex^4}{d^2+fx^4+e^2x^8} dx$	91
3.7	$\int \frac{d+ex^4}{d^2-bx^4+e^2x^8} dx$	103
3.8	$\int \frac{d+ex^4}{d^2-fx^4+e^2x^8} dx$	114
3.9	$\int \frac{1+x^4}{1+bx^4+x^8} dx$	126
3.10	$\int \frac{1+x^4}{1+3x^4+x^8} dx$	135
3.11	$\int \frac{1+x^4}{1+2x^4+x^8} dx$	141
3.12	$\int \frac{1+x^4}{1+x^4+x^8} dx$	145
3.13	$\int \frac{1+x^4}{1+x^8} dx$	150
3.14	$\int \frac{1+x^4}{1-x^4+x^8} dx$	156
3.15	$\int \frac{1+x^4}{1-2x^4+x^8} dx$	161
3.16	$\int \frac{1+x^4}{1-3x^4+x^8} dx$	165
3.17	$\int \frac{1+x^4}{1-4x^4+x^8} dx$	169
3.18	$\int \frac{1+x^4}{1-5x^4+x^8} dx$	173
3.19	$\int \frac{1+x^4}{1-6x^4+x^8} dx$	178
3.20	$\int \frac{1-x^4}{1+bx^4+x^8} dx$	182
3.21	$\int \frac{1-x^4}{1+3x^4+x^8} dx$	191
3.22	$\int \frac{1-x^4}{1+2x^4+x^8} dx$	197
3.23	$\int \frac{1-x^4}{1+x^4+x^8} dx$	202

3.24	$\int \frac{1-x^4}{1+x^8} dx$	206
3.25	$\int \frac{1-x^4}{1-x^4+x^8} dx$	212
3.26	$\int \frac{1-x^4}{1-2x^4+x^8} dx$	218
3.27	$\int \frac{1-x^4}{1-3x^4+x^8} dx$	221
3.28	$\int \frac{1-x^4}{1-4x^4+x^8} dx$	225
3.29	$\int \frac{1-x^4}{1-5x^4+x^8} dx$	229
3.30	$\int \frac{1-x^4}{1-6x^4+x^8} dx$	234
3.31	$\int \frac{-1+\sqrt{3}+2x^4}{1-x^4+x^8} dx$	238
3.32	$\int \frac{1+(1+\sqrt{3})x^4}{1-x^4+x^8} dx$	243
3.33	$\int \frac{3-2\sqrt{3}+(-3+\sqrt{3})x^4}{1-x^4+x^8} dx$	248
3.34	$\int \frac{d+\frac{e}{x}}{c+\frac{x}{x^2}} dx$	253
3.35	$\int \frac{d+\frac{e}{x}}{c+\frac{a}{x^2}+\frac{b}{x}} dx$	257
3.36	$\int \frac{d+\frac{e}{x^2}}{c+\frac{a}{x^4}} dx$	262
3.37	$\int \frac{d+\frac{e}{x^2}}{c+\frac{a}{x^4}+\frac{b}{x^2}} dx$	268
3.38	$\int \frac{d+\frac{e}{x^3}}{c+\frac{a}{x^6}} dx$	278
3.39	$\int \frac{d+\frac{e}{x^3}}{c+\frac{a}{x^6}+\frac{b}{x^3}} dx$	286
3.40	$\int \frac{d+\frac{e}{x^4}}{c+\frac{a}{x^8}} dx$	297
3.41	$\int \frac{d+\frac{e}{x^4}}{c+\frac{a}{x^8}+\frac{b}{x^4}} dx$	306
3.42	$\int \frac{(d+ex^n)^3}{a+cx^{2n}} dx$	334
3.43	$\int \frac{(d+ex^n)^2}{a+cx^{2n}} dx$	338
3.44	$\int \frac{d+ex^n}{a+cx^{2n}} dx$	342
3.45	$\int \frac{1}{(d+ex^n)(a+cx^{2n})} dx$	345
3.46	$\int \frac{1}{(d+ex^n)^2(a+cx^{2n})} dx$	349
3.47	$\int \frac{d+ex^n}{a-cx^{2n}} dx$	353

3.48	$\int \frac{(d+ex^n)^3}{(a+cx^{2n})^2} dx$	356
3.49	$\int \frac{(d+ex^n)^2}{(a+cx^{2n})^2} dx$	361
3.50	$\int \frac{d+ex^n}{(a+cx^{2n})^2} dx$	366
3.51	$\int \frac{1}{(d+ex^n)(a+cx^{2n})^2} dx$	370
3.52	$\int \frac{1}{(d+ex^n)^2(a+cx^{2n})^2} dx$	375
3.53	$\int \frac{(d+ex^n)^3}{(a+cx^{2n})^3} dx$	380
3.54	$\int \frac{(d+ex^n)^2}{(a+cx^{2n})^3} dx$	385
3.55	$\int \frac{d+ex^n}{(a+cx^{2n})^3} dx$	390
3.56	$\int \frac{1}{(d+ex^n)(a+cx^{2n})^3} dx$	394
3.57	$\int \frac{1}{(d+ex^n)^2(a+cx^{2n})^3} dx$	399
3.58	$\int \frac{1}{(d+ex^n)\sqrt{a+cx^{2n}}} dx$	405
3.59	$\int (d+ex^n)^q (a+cx^{2n})^p dx$	409
3.60	$\int (d+ex^n)^3 (a+cx^{2n})^p dx$	411
3.61	$\int (d+ex^n)^2 (a+cx^{2n})^p dx$	415
3.62	$\int (d+ex^n) (a+cx^{2n})^p dx$	419
3.63	$\int \frac{(a+cx^{2n})^p}{d+ex^n} dx$	423
3.64	$\int \frac{(a+cx^{2n})^p}{(d+ex^n)^2} dx$	427
3.65	$\int \frac{(a+cx^{2n})^p}{(d+ex^n)^3} dx$	431
3.66	$\int (d+ex^n) (a+bx^n+cx^{2n}) dx$	435
3.67	$\int (d+ex^n) (a+bx^n+cx^{2n})^2 dx$	439
3.68	$\int (d+ex^n) (a+bx^n+cx^{2n})^3 dx$	445
3.69	$\int \frac{(d+ex^n)^3}{a+bx^n+cx^{2n}} dx$	456
3.70	$\int \frac{(d+ex^n)^2}{a+bx^n+cx^{2n}} dx$	460
3.71	$\int \frac{d+ex^n}{a+bx^n+cx^{2n}} dx$	464
3.72	$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})} dx$	467

3.73	$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})} dx$	471
3.74	$\int \frac{1}{(d+ex^n)^3(a+bx^n+cx^{2n})} dx$	475
3.75	$\int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^2} dx$	480
3.76	$\int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^2} dx$	485
3.77	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^2} dx$	491
3.78	$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^2} dx$	495
3.79	$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^2} dx$	500
3.80	$\int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^3} dx$	506
3.81	$\int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^3} dx$	512
3.82	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^3} dx$	518
3.83	$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^3} dx$	523
3.84	$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^3} dx$	531
3.85	$\int (d+ex^n) \sqrt{a+bx^n+cx^{2n}} dx$	541
3.86	$\int (d+ex^n) (a+bx^n+cx^{2n})^{3/2} dx$	546
3.87	$\int \frac{d+ex^n}{\sqrt{a+bx^n+cx^{2n}}} dx$	551
3.88	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{3/2}} dx$	555
3.89	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{5/2}} dx$	560
3.90	$\int (d+ex^n)^q (a+bx^n+cx^{2n})^p dx$	564
3.91	$\int (d+ex^n)^3 (a+bx^n+cx^{2n})^p dx$	566
3.92	$\int (d+ex^n)^2 (a+bx^n+cx^{2n})^p dx$	572
3.93	$\int (d+ex^n) (a+bx^n+cx^{2n})^p dx$	577
3.94	$\int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$	581
3.95	$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^2} dx$	584
3.96	$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$	587

<b>4</b>	<b>Listing of Grading functions</b>	<b>591</b>
4.0.1	Mathematica and Rubi grading function . . . . .	591
4.0.2	Maple grading function . . . . .	593
4.0.3	Sympy grading function . . . . .	598
4.0.4	SageMath grading function . . . . .	601

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 96 ]. This is test number [ 47 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 ( 96 )	% 0.00 ( 0 )
Mathematica	% 95.83 ( 92 )	% 4.17 ( 4 )
Maple	% 51.04 ( 49 )	% 48.96 ( 47 )
Maxima	% 17.71 ( 17 )	% 82.29 ( 79 )
Fricas	% 48.96 ( 47 )	% 51.04 ( 49 )
Sympy	% 41.67 ( 40 )	% 58.33 ( 56 )
Giac	% 38.54 ( 37 )	% 61.46 ( 59 )
Mupad	% 51.04 ( 49 )	% 48.96 ( 47 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.



grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	62.50	11.46	21.88	4.17
Maple	25.00	1.04	25.00	48.96
Maxima	17.71	0.00	0.00	82.29
Fricas	16.67	32.29	0.00	51.04
Sympy	32.29	3.12	6.25	58.33
Giac	32.29	6.25	0.00	61.46
Mupad	5.21	45.83	0.00	48.96

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	4	100.00 %	0.00 %	0.00 %
Maple	47	100.00 %	0.00 %	0.00 %
Maxima	79	98.73 %	0.00 %	1.27 %
Fricas	49	85.71 %	4.08 %	10.20 %
Sympy	56	10.71 %	76.79 %	12.50 %
Giac	59	74.58 %	6.78 %	18.64 %
Mupad	47	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



## 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.64	361.82	0.95	288.00	1.00
Mathematica	1.13	2078.37	2.21	134.50	0.84
Maple	0.03	89.80	0.51	53.00	0.25
Maxima	0.91	120.35	0.78	72.00	0.92
Fricas	1.03	1040.77	3.19	377.00	2.18
Sympy	5.12	420.05	2.63	95.50	0.42
Giac	0.57	332.00	1.63	147.00	0.85
Mupad	2.33	2813.37	6.49	269.00	1.48

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.

**Normalized mean size of antiderivative****Mean time used (seconds)**

## 1.4 list of integrals that has no closed form antiderivative

{59, 90, 94, 95, 96}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {}

**Maple** {}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {}

**Mupad** {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {12, 23, 78, 79, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>



[ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](http://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

## 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. This is description of each record**

1. integer, the problem number.
  2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
  3. integer. Leaf size of result.
  4. integer. Leaf size of the optimal antiderivative.
  5. number. CPU time used to solve this integral. 0 if failed.
  6. string. The integral in Latex format
  7. string. The input used in CAS own syntax.
  8. string. The result (antiderivative) produced by CAS in Latex format
  9. string. The optimal antiderivative in Latex format.
  10. integer. 0 or 1. Indicates if problem has known antiderivative or not
  11. String. The result (antiderivative) in CAS own syntax.
  12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
  15. integer. Integrand leaf size.
  16. real number. Ratio of field 14 over field 15
  17. integer. 1 if result was verified or 0 if not verified.
  18. String of form "{n,n,...}" which is list of the rules used by Rubi

**High level overview of the CAS independent integration test build system**

# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96 }

B grade: { }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 11, 13, 15, 16, 19, 22, 24, 26, 27, 30, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 59, 60, 61, 62, 66, 67, 68, 69, 70, 71, 72, 73, 74, 77, 85, 87, 88, 90, 91, 92, 93, 94, 95, 96 }

B grade: { 75, 76, 78, 79, 80, 81, 82, 83, 84, 86, 89 }

C grade: { 5, 6, 7, 8, 9, 10, 12, 14, 17, 18, 20, 21, 23, 25, 28, 29, 31, 32, 33, 39, 41 }

F grade: { 58, 63, 64, 65 }

#### 2.1.3 Maple

A grade: { 1, 2, 11, 12, 15, 16, 19, 22, 23, 26, 27, 30, 34, 35, 36, 38, 59, 66, 67, 68, 90, 94, 95, 96 }

B grade: { 37 }

C grade: { 3, 4, 5, 6, 7, 8, 9, 10, 13, 14, 17, 18, 20, 21, 24, 25, 28, 29, 31, 32, 33, 39, 40, 41 }

F grade: { 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

## 2.1.4 Maxima

A grade: { 1, 2, 11, 15, 22, 26, 34, 36, 38, 59, 66, 67, 68, 90, 94, 95, 96 }

B grade: { }

C grade: { }

F grade: { 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 16, 17, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 35, 37, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

## 2.1.5 FriCAS

A grade: { 11, 12, 14, 22, 23, 26, 31, 32, 33, 34, 35, 59, 90, 94, 95, 96 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17, 18, 19, 20, 21, 24, 25, 27, 28, 29, 30, 36, 37, 38, 40, 66, 67, 68 }

C grade: { }

F grade: { 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

## 2.1.6 Sympy

A grade: { 1, 2, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 27, 28, 29, 30, 31, 36, 38, 66, 67, 68 }

B grade: { 26, 34, 35 }

C grade: { 12, 23, 42, 43, 44, 47 }

F grade: { 3, 4, 32, 33, 37, 39, 40, 41, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96 }

## 2.1.7 Giac

A grade: { 1, 2, 3, 10, 11, 12, 13, 14, 15, 16, 19, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 34, 35, 36, 38, 40, 59, 90, 94, 95, 96 }

B grade: { 4, 26, 37, 66, 67, 68 }

C grade: { }

F grade: { 5, 6, 7, 8, 9, 17, 18, 20, 28, 29, 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

## 2.1.8 Mupad

A grade: { 59, 90, 94, 95, 96 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 66, 67, 68 }

C grade: { }

F grade: { 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	334	329	282	3224	165	288	1331
normalized size	1	1.00	1.10	1.08	0.92	10.57	0.54	0.94	4.36
time (sec)	N/A	0.249	0.100	0.115	1.494	1.315	3.111	0.429	1.542
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	337	386	313	3178	168	308	1293
normalized size	1	1.00	1.04	1.20	0.97	9.84	0.52	0.95	4.00
time (sec)	N/A	0.189	0.116	0.110	1.341	1.321	3.123	0.379	2.973
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	754	754	534	34	0	3406	0	601	2510
normalized size	1	1.00	0.71	0.05	0.00	4.52	0.00	0.80	3.33
time (sec)	N/A	1.247	0.628	0.018	0.000	1.710	0.000	0.737	2.780

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	329	329	425	39	0	3385	0	633	2438
normalized size	1	1.00	1.29	0.12	0.00	10.29	0.00	1.92	7.41
time (sec)	N/A	0.209	0.134	0.013	0.000	1.776	0.000	0.753	2.719

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	67	53	0	3059	136	0	10409
normalized size	1	1.00	0.08	0.07	0.00	3.87	0.17	0.00	13.16
time (sec)	N/A	0.863	0.045	0.049	0.000	1.328	8.503	0.000	3.825

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	67	53	0	3059	136	0	10411
normalized size	1	1.00	0.08	0.07	0.00	3.87	0.17	0.00	13.16
time (sec)	N/A	0.805	0.035	0.049	0.000	1.367	7.139	0.000	4.030

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	349	349	69	55	0	3048	136	0	10337
normalized size	1	1.00	0.20	0.16	0.00	8.73	0.39	0.00	29.62
time (sec)	N/A	0.422	0.045	0.033	0.000	1.152	8.251	0.000	4.035

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	751	751	69	55	0	3051	136	0	10343
normalized size	1	1.00	0.09	0.07	0.00	4.06	0.18	0.00	13.77
time (sec)	N/A	0.925	0.039	0.034	0.000	1.239	7.255	0.000	4.204

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	411	411	55	42	0	1443	75	0	5341
normalized size	1	1.00	0.13	0.10	0.00	3.51	0.18	0.00	13.00
time (sec)	N/A	0.292	0.026	0.056	0.000	1.179	3.669	0.000	3.683

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	451	451	55	42	0	951	24	239	459
normalized size	1	1.00	0.12	0.09	0.00	2.11	0.05	0.53	1.02
time (sec)	N/A	0.407	0.015	0.010	0.000	1.051	1.475	0.931	0.176

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	64	58	72	95	73	72	33
normalized size	1	1.00	0.75	0.68	0.85	1.12	0.86	0.85	0.39
time (sec)	N/A	0.045	0.020	0.003	1.587	0.909	0.154	0.388	1.562

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	135	109	0	211	190	108	95
normalized size	1	1.00	0.96	0.78	0.00	1.51	1.36	0.77	0.68
time (sec)	N/A	0.095	0.174	0.018	0.000	0.898	0.702	0.420	0.144

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	347	258	27	0	991	19	247	311
normalized size	1	1.00	0.74	0.08	0.00	2.86	0.05	0.71	0.90
time (sec)	N/A	0.247	0.188	0.008	0.000	0.866	2.784	0.875	2.284



Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	55	42	0	377	20	245	145
normalized size	1	1.00	0.17	0.13	0.00	1.14	0.06	0.74	0.44
time (sec)	N/A	0.235	0.016	0.013	0.000	0.931	3.100	0.498	0.225

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	31	42	27	43	26	29	21
normalized size	1	1.00	1.15	1.56	1.00	1.59	0.96	1.07	0.78
time (sec)	N/A	0.008	0.013	0.012	1.326	0.613	0.147	0.518	0.047

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	131	96	0	247	49	147	269
normalized size	1	1.00	1.00	0.73	0.00	1.89	0.37	1.12	2.05
time (sec)	N/A	0.086	0.077	0.040	0.000	0.950	1.189	0.960	0.200

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	53	40	0	331	24	0	399
normalized size	1	1.00	0.34	0.25	0.00	2.11	0.15	0.00	2.54
time (sec)	N/A	0.087	0.013	0.013	0.000	0.826	0.192	0.000	1.721

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	55	42	0	574	24	0	483
normalized size	1	1.00	0.32	0.25	0.00	3.36	0.14	0.00	2.82
time (sec)	N/A	0.151	0.013	0.013	0.000	0.939	0.195	0.000	1.758

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	111	78	0	181	49	123	233
normalized size	1	1.00	0.95	0.67	0.00	1.55	0.42	1.05	1.99
time (sec)	N/A	0.057	0.054	0.062	0.000	0.756	1.157	0.907	0.190

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	511	511	57	44	0	1443	76	0	5341
normalized size	1	1.00	0.11	0.09	0.00	2.82	0.15	0.00	10.45
time (sec)	N/A	0.359	0.025	0.003	0.000	0.850	3.632	0.000	3.743

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	411	411	57	44	0	894	26	223	447
normalized size	1	1.00	0.14	0.11	0.00	2.18	0.06	0.54	1.09
time (sec)	N/A	0.321	0.015	0.012	0.000	0.973	1.455	0.685	1.677

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	90	68	82	126	82	82	44
normalized size	1	1.00	0.93	0.70	0.85	1.30	0.85	0.85	0.45
time (sec)	N/A	0.052	0.065	0.007	1.557	0.826	0.176	0.300	1.616

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	129	109	0	137	148	108	109
normalized size	1	1.00	0.92	0.78	0.00	0.98	1.06	0.77	0.78
time (sec)	N/A	0.099	0.173	0.013	0.000	0.841	0.621	0.371	0.185

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	347	257	29	0	991	20	247	312
normalized size	1	1.00	0.74	0.08	0.00	2.86	0.06	0.71	0.90
time (sec)	N/A	0.270	0.164	0.008	0.000	0.974	2.746	0.719	1.956

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	355	355	57	44	0	715	26	253	208
normalized size	1	1.00	0.16	0.12	0.00	2.01	0.07	0.71	0.59
time (sec)	N/A	0.277	0.016	0.009	0.000	1.016	3.103	0.462	1.666

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	25	10	17	17	17	19	9
normalized size	1	1.00	1.92	0.77	1.31	1.31	1.31	1.46	0.69
time (sec)	N/A	0.005	0.005	0.001	1.596	0.828	0.130	0.449	0.025

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	129	110	0	255	51	147	269
normalized size	1	1.00	1.00	0.85	0.00	1.98	0.40	1.14	2.09
time (sec)	N/A	0.118	0.077	0.026	0.000	0.907	1.172	0.746	1.709

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	55	42	0	302	26	0	399
normalized size	1	1.00	0.33	0.25	0.00	1.83	0.16	0.00	2.42
time (sec)	N/A	0.104	0.013	0.010	0.000	0.897	0.198	0.000	0.181

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	57	44	0	546	26	0	483
normalized size	1	1.00	0.34	0.26	0.00	3.23	0.15	0.00	2.86
time (sec)	N/A	0.142	0.014	0.012	0.000	0.941	0.194	0.000	1.787

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	114	90	0	199	51	135	245
normalized size	1	1.00	0.91	0.72	0.00	1.59	0.41	1.08	1.96
time (sec)	N/A	0.067	0.054	0.031	0.000	0.889	1.165	0.633	0.199

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	71	47	0	104	163	107	133
normalized size	1	1.00	0.53	0.35	0.00	0.77	1.21	0.79	0.99
time (sec)	N/A	0.124	0.034	0.056	0.000	0.885	0.904	0.494	2.235

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	F(-2)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	72	62	0	111	0	123	1
normalized size	1	1.00	0.44	0.38	0.00	0.68	0.00	0.75	0.01
time (sec)	N/A	0.095	0.038	0.045	0.000	0.911	0.000	0.432	2.190

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	F(-2)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	89	62	0	141	0	131	1
normalized size	1	1.00	0.49	0.34	0.00	0.78	0.00	0.73	0.01
time (sec)	N/A	0.122	0.046	0.014	0.000	0.877	0.000	0.448	2.230

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	49	43	42	108	112	43	39
normalized size	1	1.00	1.00	0.88	0.86	2.20	2.29	0.88	0.80
time (sec)	N/A	0.030	0.024	0.006	1.619	0.876	0.283	0.268	1.594

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	86	161	0	291	423	85	127
normalized size	1	1.00	1.00	1.87	0.00	3.38	4.92	0.99	1.48
time (sec)	N/A	0.081	0.090	0.003	0.000	0.835	1.372	0.324	1.772

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	253	253	293	266	240	754	109	247	555
normalized size	1	1.00	1.16	1.05	0.95	2.98	0.43	0.98	2.19
time (sec)	N/A	0.211	0.096	0.006	1.298	0.881	0.704	0.352	0.313

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	251	560	0	2540	0	3183	6366
normalized size	1	1.00	1.21	2.69	0.00	12.21	0.00	15.30	30.61
time (sec)	N/A	0.543	0.173	0.027	0.000	1.051	0.000	3.756	2.854

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	311	311	346	334	295	3169	167	295	1308
normalized size	1	1.00	1.11	1.07	0.95	10.19	0.54	0.95	4.21
time (sec)	N/A	0.290	0.112	0.084	1.525	1.296	2.981	0.534	3.100

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	716	716	88	67	0	0	0	0	11453
normalized size	1	1.00	0.12	0.09	0.00	0.00	0.00	0.00	16.00
time (sec)	N/A	1.634	0.054	0.016	0.000	0.000	0.000	0.000	29.420

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	753	753	551	45	0	3378	0	647	2520
normalized size	1	1.00	0.73	0.06	0.00	4.49	0.00	0.86	3.35
time (sec)	N/A	1.436	0.903	0.004	0.000	1.945	0.000	0.808	1.220

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	433	433	88	67	0	0	0	0	50213
normalized size	1	1.00	0.20	0.15	0.00	0.00	0.00	0.00	115.97
time (sec)	N/A	0.989	0.075	0.007	0.000	0.000	0.000	0.000	9.242

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	127	0	0	0	337	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	2.39	0.00	-0.01
time (sec)	N/A	0.145	0.242	0.105	0.000	0.923	10.965	0.000	0.000

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	107	0	0	0	207	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.93	0.00	-0.01
time (sec)	N/A	0.097	0.150	0.089	0.000	0.968	7.651	0.000	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	0	0	0	153	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.84	0.00	-0.01
time (sec)	N/A	0.027	0.039	0.084	0.000	1.019	5.543	0.000	0.000

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	131	0	0	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.111	0.137	0.104	0.000	1.175	0.000	0.000	0.000

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	186	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.174	0.255	0.167	0.000	1.158	0.000	0.000	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	81	0	0	0	158	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.95	0.00	-0.01
time (sec)	N/A	0.028	0.059	0.083	0.000	1.039	5.703	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	188	0	0	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.252	0.271	0.087	0.000	1.108	0.000	0.000	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	136	0	0	0	0	0	-1
normalized size	1	1.00	0.67	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.167	0.157	0.086	0.000	0.590	0.000	0.000	0.000

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	83	0	0	0	0	0	-1
normalized size	1	1.00	0.62	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.054	0.042	0.089	0.000	1.007	0.000	0.000	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	227	0	0	0	0	0	-1
normalized size	1	1.00	0.68	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.224	0.267	0.156	0.000	1.068	0.000	0.000	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	410	410	298	0	0	0	0	0	-1
normalized size	1	1.00	0.73	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.379	0.475	0.178	0.000	1.362	0.000	0.000	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	188	0	0	0	0	0	-1
normalized size	1	1.00	0.44	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.383	0.291	0.103	0.000	1.068	0.000	0.000	0.000



Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	272	272	136	0	0	0	0	0	-1
normalized size	1	1.00	0.50	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.247	0.165	0.102	0.000	1.114	0.000	0.000	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	83	0	0	0	0	0	-1
normalized size	1	1.00	0.45	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.101	0.044	0.098	0.000	1.054	0.000	0.000	0.000

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	582	582	346	0	0	0	0	0	-1
normalized size	1	1.00	0.59	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.416	0.429	0.202	0.000	1.624	0.000	0.000	0.000

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	701	701	426	0	0	0	0	0	-1
normalized size	1	1.00	0.61	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.692	0.704	0.234	0.000	2.909	0.000	0.000	0.000

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.166	0.152	0.099	0.000	1.051	0.000	0.000	0.000

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	24	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.008	0.155	0.155	0.000	0.886	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	213	0	0	0	0	0	-1
normalized size	1	1.00	0.71	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.160	0.198	0.127	0.000	0.982	0.000	0.000	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	171	0	0	0	0	0	-1
normalized size	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.101	0.104	0.108	0.000	0.990	0.000	0.000	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	110	0	0	0	0	0	-1
normalized size	1	1.00	0.81	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.060	0.047	0.111	0.000	1.190	0.000	0.000	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.142	0.070	0.112	0.000	1.145	0.000	0.000	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.235	0.101	0.103	0.000	1.387	0.000	0.000	0.000

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	357	357	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.338	0.316	0.102	0.000	1.490	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	57	66	82	137	656	207	59
normalized size	1	1.00	0.92	1.06	1.32	2.21	10.58	3.34	0.95
time (sec)	N/A	0.039	0.152	0.013	0.550	1.099	1.320	0.351	1.662

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	123	138	208	495	3128	828	131
normalized size	1	1.00	0.93	1.05	1.58	3.75	23.70	6.27	0.99
time (sec)	N/A	0.102	0.248	0.015	0.695	0.921	10.968	0.453	1.711

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	205	226	386	1209	9190	2134	227
normalized size	1	1.00	0.94	1.04	1.77	5.55	42.16	9.79	1.04
time (sec)	N/A	0.201	0.426	0.020	0.882	0.798	89.545	0.779	1.850

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	295	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.699	0.843	0.067	0.000	1.065	0.000	0.000	0.000

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	216	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.476	0.524	0.043	0.000	0.890	0.000	0.000	0.000

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	134	0	0	0	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.120	0.074	0.026	0.000	0.796	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	200	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.469	0.438	0.092	0.000	0.915	0.000	0.000	0.000

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	368	368	327	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.707	0.893	0.174	0.000	1.239	0.000	0.000	0.000

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	552	552	509	0	0	0	0	0	-1
normalized size	1	1.00	0.92	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.023	1.744	0.200	0.000	4.528	0.000	0.000	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	750	750	5537	0	0	0	0	0	-1
normalized size	1	1.00	7.38	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.938	6.957	0.075	0.000	1.097	0.000	0.000	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	543	543	2980	0	0	0	0	0	-1
normalized size	1	1.00	5.49	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.818	4.517	0.072	0.000	1.047	0.000	0.000	0.000

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	362	328	603	0	0	0	0	0	-1
normalized size	1	0.91	1.67	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.630	5.690	0.065	0.000	1.156	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	726	726	11767	0	0	0	0	0	-1
normalized size	1	1.00	16.21	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.927	7.223	0.197	0.000	2.021	0.000	0.000	0.000

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1129	1129	16855	0	0	0	0	0	-1
normalized size	1	1.00	14.93	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.341	8.022	0.256	0.000	6.746	0.000	0.000	0.000

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1707	1707	13018	0	0	0	0	0	-1
normalized size	1	1.00	7.63	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	5.253	7.791	0.127	0.000	1.202	0.000	0.000	0.000

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1191	1191	10910	0	0	0	0	0	-1
normalized size	1	1.00	9.16	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.010	6.869	0.122	0.000	1.053	0.000	0.000	0.000

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	713	713	8593	0	0	0	0	0	-1
normalized size	1	1.00	12.05	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.663	6.596	0.112	0.000	0.806	0.000	0.000	0.000

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1708	1708	43535	0	0	0	0	0	-1
normalized size	1	1.00	25.49	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	5.074	8.532	0.394	0.000	20.854	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	2446	2446	56566	0	0	0	0	0	-1
normalized size	1	1.00	23.13	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	8.935	9.930	0.531	0.000	71.248	0.000	0.000	0.000

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	424	0	0	0	0	0	-1
normalized size	1	1.00	1.45	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.355	1.610	0.066	0.000	0.000	0.000	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	294	294	690	0	0	0	0	0	-1
normalized size	1	1.00	2.35	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.348	4.525	0.066	0.000	0.000	0.000	0.000	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	245	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.338	0.330	0.025	0.000	0.000	0.000	0.000	0.000

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	414	0	0	0	0	0	-1
normalized size	1	1.00	1.39	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.346	1.479	0.014	0.000	0.000	0.000	0.000	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	6752	0	0	0	0	0	-1
normalized size	1	1.00	22.66	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.347	6.566	0.013	0.000	0.000	0.000	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.010	0.286	0.137	0.000	0.856	0.000	0.000	0.000

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	606	606	438	0	0	0	0	0	-1
normalized size	1	1.00	0.72	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.622	1.069	0.128	0.000	1.156	0.000	0.000	0.000

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	447	447	338	0	0	0	0	0	-1
normalized size	1	1.00	0.76	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.461	0.745	0.099	0.000	1.036	0.000	0.000	0.000

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	243	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.287	0.458	0.109	0.000	0.891	0.000	0.000	0.000



Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.011	0.151	0.105	0.000	0.912	0.000	0.000	0.000

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.011	0.189	0.088	0.000	1.001	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.012	0.728	0.083	0.000	1.148	0.000	0.000	0.000

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [38] had the largest ratio of [.5882]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	12	8	1.00	17	0.471
2	A	13	7	1.00	18	0.389
3	A	19	6	1.00	17	0.353
4	A	13	10	1.00	18	0.556
5	A	19	6	1.00	26	0.231
6	A	19	6	1.00	26	0.231
7	A	7	4	1.00	27	0.148
8	A	19	6	1.00	27	0.222
9	A	19	6	1.00	18	0.333
10	A	19	7	1.00	18	0.389
11	A	10	7	1.00	18	0.389
12	A	19	6	1.00	16	0.375
13	A	19	6	1.00	13	0.462
14	A	19	6	1.00	18	0.333
15	A	5	5	1.00	18	0.278
16	A	7	4	1.00	18	0.222
17	A	7	4	1.00	18	0.222
18	A	7	4	1.00	18	0.222
19	A	7	4	1.00	18	0.222
20	A	19	6	1.00	20	0.300
21	A	19	7	1.00	20	0.350
22	A	11	8	1.00	20	0.400
23	A	19	6	1.00	18	0.333
24	A	19	6	1.00	15	0.400
25	A	19	6	1.00	20	0.300

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
26	A	5	5	1.00	20	0.250
27	A	7	4	1.00	20	0.200
28	A	7	4	1.00	20	0.200
29	A	7	4	1.00	20	0.200
30	A	7	4	1.00	20	0.200
31	A	9	6	1.00	25	0.240
32	A	9	6	1.00	26	0.231
33	A	9	6	1.00	33	0.182
34	A	5	5	1.00	17	0.294
35	A	6	6	1.00	22	0.273
36	A	11	8	1.00	17	0.471
37	A	5	4	1.00	22	0.182
38	A	14	10	1.00	17	0.588
39	A	15	9	1.00	22	0.409
40	A	21	8	1.00	17	0.471
41	A	9	6	1.00	22	0.273
42	A	5	4	1.00	21	0.190
43	A	5	4	1.00	21	0.190
44	A	3	3	1.00	19	0.158
45	A	6	4	1.00	21	0.190
46	A	7	4	1.00	21	0.190
47	A	3	3	1.00	20	0.150
48	A	9	5	1.00	21	0.238
49	A	7	5	1.00	21	0.238
50	A	4	4	1.00	19	0.210
51	A	10	5	1.00	21	0.238

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
52	A	11	5	1.00	21	0.238
53	A	11	5	1.00	21	0.238
54	A	8	5	1.00	21	0.238
55	A	5	4	1.00	19	0.210
56	A	15	5	1.00	21	0.238
57	A	16	5	1.00	21	0.238
58	A	6	5	1.00	23	0.217
59	A	0	0	0.00	0	0.000
60	A	10	5	1.00	21	0.238
61	A	8	5	1.00	21	0.238
62	A	6	5	1.00	19	0.263
63	A	6	5	1.00	21	0.238
64	A	8	5	1.00	21	0.238
65	A	10	5	1.00	21	0.238
66	A	2	1	1.00	22	0.045
67	A	2	1	1.00	24	0.042
68	A	2	1	1.00	24	0.042
69	A	5	3	1.00	26	0.115
70	A	5	3	1.00	26	0.115
71	A	3	2	1.00	24	0.083
72	A	6	3	1.00	26	0.115
73	A	7	3	1.00	26	0.115
74	A	8	3	1.00	26	0.115
75	A	9	4	1.00	26	0.154
76	A	9	5	1.00	26	0.192
77	A	4	3	0.91	24	0.125

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
78	A	10	4	1.00	26	0.154
79	A	11	4	1.00	26	0.154
80	A	11	4	1.00	26	0.154
81	A	11	5	1.00	26	0.192
82	A	5	3	1.00	24	0.125
83	A	15	4	1.00	26	0.154
84	A	16	4	1.00	26	0.154
85	A	6	5	1.00	26	0.192
86	A	6	5	1.00	26	0.192
87	A	6	5	1.00	26	0.192
88	A	6	5	1.00	26	0.192
89	A	6	5	1.00	26	0.192
90	A	0	0	0.00	0	0.000
91	A	10	5	1.00	26	0.192
92	A	8	5	1.00	26	0.192
93	A	6	5	1.00	24	0.208
94	A	0	0	0.00	0	0.000
95	A	0	0	0.00	0	0.000
96	A	0	0	0.00	0	0.000



# Chapter 3

## Listing of integrals

### 3.1 $\int \frac{d+ex^3}{a+cx^6} dx$

**Optimal.** Leaf size=305

$$\frac{(\sqrt{3}\sqrt{cd}-\sqrt{ae})\log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x+\sqrt[3]{a}+\sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{ae}+\sqrt{3}\sqrt{cd})\log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x+\sqrt[3]{a}+\sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}}$$

[Out]  $\frac{1}{3}d*\arctan(c^{(1/6)}*x/a^{(1/6)})/a^{(5/6)}/c^{(1/6)}-1/6*e*\ln(a^{(1/3)}+c^{(1/3)}*x^2)/a^{(1/3)}/c^{(2/3)}+1/6*\arctan(2*c^{(1/6)}*x/a^{(1/6)}+3^{(1/2)})*(-e*3^{(1/2)}*a^{(1/2)}+d*c^{(1/2)})/a^{(5/6)}/c^{(2/3)}+1/6*\arctan(2*c^{(1/6)}*x/a^{(1/6)}-3^{(1/2)})*(e*3^{(1/2)}*a^{(1/2)}+d*c^{(1/2)})/a^{(5/6)}/c^{(2/3)}-1/12*\ln(a^{(1/3)}+c^{(1/3)}*x^2-a^{(1/6)}*c^{(1/6)}*x*3^{(1/2)})*(-e*a^{(1/2)}+d*3^{(1/2)}*c^{(1/2)})/a^{(5/6)}/c^{(2/3)}+1/12*\ln(a^{(1/3)}+c^{(1/3)}*x^2+a^{(1/6)}*c^{(1/6)}*x*3^{(1/2)})*(e*a^{(1/2)}+d*3^{(1/2)}*c^{(1/2)})/a^{(5/6)}/c^{(2/3)}$

**Rubi [A]** time = 0.25, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {1416, 635, 203, 260, 634, 617, 204, 628}

$$\frac{(\sqrt{3}\sqrt{cd}-\sqrt{ae})\log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x+\sqrt[3]{a}+\sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{ae}+\sqrt{3}\sqrt{cd})\log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x+\sqrt[3]{a}+\sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^3)/(a + c\*x^6), x]

[Out]  $(d*\text{ArcTan}[(c^{(1/6)}*x)/a^{(1/6)}])/(3*a^{(5/6)}*c^{(1/6)}) - ((\text{Sqrt}[c]*d + \text{Sqrt}[3]*\text{Sqrt}[a]*e)*\text{ArcTan}[\text{Sqrt}[3] - (2*c^{(1/6)}*x)/a^{(1/6)}])/(6*a^{(5/6)}*c^{(2/3)}) +$

$$\frac{((\sqrt{c}d - \sqrt{3}\sqrt{a}e)\operatorname{ArcTan}[\sqrt{3} + (2c^{1/6}x)/a^{1/6}])/(6a^{5/6}c^{2/3}) - (e\operatorname{Log}[a^{1/3} + c^{1/3}x^2])/(6a^{1/3}c^{2/3}) - ((\sqrt{3}\sqrt{c}d - \sqrt{a}e)\operatorname{Log}[a^{1/3} - \sqrt{3}a^{1/6}c^{1/6}x + c^{1/3}x^2])/(12a^{5/6}c^{2/3}) + ((\sqrt{3}\sqrt{c}d + \sqrt{a}e)\operatorname{Log}[a^{1/3} + \sqrt{3}a^{1/6}c^{1/6}x + c^{1/3}x^2])/(12a^{5/6}c^{2/3})}{1}$$
Rule 203

$$\operatorname{Int}[(a_ + (b_)(x_)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTan}[\operatorname{Rt}[b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[b, 2]), x] \text{ /; FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \ \operatorname{GtQ}[b, 0])$$
Rule 204

$$\operatorname{Int}[(a_ + (b_)(x_)^2)^{-1}, x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTan}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[-a, 2]]/(\operatorname{Rt}[-a, 2]*\operatorname{Rt}[-b, 2]), x] \text{ /; FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[a/b] \ \&\& (\operatorname{LtQ}[a, 0] \ || \ \operatorname{LtQ}[b, 0])$$
Rule 260

$$\operatorname{Int}(x_)^{m_}/((a_ + (b_)(x_)^n), x\_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x^n, x]]/(b*n), x] \text{ /; FreeQ}\{a, b, m, n\}, x \ \&\& \operatorname{EqQ}[m, n - 1]$$
Rule 617

$$\operatorname{Int}[(a_ + (b_)(x_ + (c_)(x_)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{With}\{q = 1 - 4*Simplify[(a*c)/b^2]\}, \operatorname{Dist}[-2/b, \operatorname{Subst}[\operatorname{Int}[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] \text{ /; RationalQ}[q] \ \&\& (\operatorname{EqQ}[q^2, 1] \ || \ !\operatorname{RationalQ}[b^2 - 4*a*c]) \text{ /; FreeQ}\{a, b, c\}, x \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0]$$
Rule 628

$$\operatorname{Int}[(d_ + (e_)(x_))/((a_ + (b_)(x_ + (c_)(x_)^2), x\_Symbol] \rightarrow \operatorname{Simp}[(d*\operatorname{Log}[\operatorname{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \text{ /; FreeQ}\{a, b, c, d, e\}, x \ \&\& \operatorname{EqQ}[2*c*d - b*e, 0]$$
Rule 634

$$\operatorname{Int}[(d_ + (e_)(x_))/((a_ + (b_)(x_ + (c_)(x_)^2), x\_Symbol] \rightarrow \operatorname{Dist}[(2*c*d - b*e)/(2*c), \operatorname{Int}[1/(a + b*x + c*x^2), x], x] + \operatorname{Dist}[e/(2*c), \operatorname{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \text{ /; FreeQ}\{a, b, c, d, e\}, x \ \&\& \operatorname{NeQ}[2*c*d - b*e, 0] \ \&\& \operatorname{NeQ}[b^2 - 4*a*c, 0] \ \&\& !\operatorname{NiceSqrtQ}[b^2 - 4*a*c]$$
Rule 635



```
Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]
```

### Rule 1416

```
Int[((d_) + (e_.)*(x_)^3)/((a_) + (c_.)*(x_)^6), x_Symbol] := With[{q = Rt[c/a, 6]}, Dist[1/(3*a*q^2), Int[(q^2*d - e*x)/(1 + q^2*x^2), x], x] + (Dist[1/(6*a*q^2), Int[(2*q^2*d - (Sqrt[3]*q^3*d - e)*x)/(1 - Sqrt[3]*q*x + q^2*x^2), x], x] + Dist[1/(6*a*q^2), Int[(2*q^2*d + (Sqrt[3]*q^3*d + e)*x)/(1 + Sqrt[3]*q*x + q^2*x^2), x], x))] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && PosQ[c/a]
```

### Rubi steps

$$\int \frac{d + ex^3}{a + cx^6} dx = \frac{\int \frac{\frac{2\sqrt[3]{c}d - \left(\frac{\sqrt{3}\sqrt{c}d - e}{\sqrt{a}}\right)x}{\sqrt[3]{a}}}{1 - \frac{\sqrt{3}\sqrt[6]{c}x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{6a^{2/3}\sqrt[3]{c}} + \frac{\int \frac{\frac{2\sqrt[3]{c}d + \left(\frac{\sqrt{3}\sqrt{c}d + e}{\sqrt{a}}\right)x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3}\sqrt[6]{c}x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{6a^{2/3}\sqrt[3]{c}} + \frac{\int \frac{\frac{\sqrt[3]{c}d - ex}{\sqrt[3]{a}}}{1 + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{3a^{2/3}\sqrt[3]{c}}$$

$$= \frac{d \int \frac{1}{1 + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{3a} - \frac{e \int \frac{x}{1 + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{3a^{2/3}\sqrt[3]{c}} - \frac{(\sqrt{3}\sqrt{c}d - \sqrt{a}e) \int \frac{-\frac{\sqrt{3}\sqrt[6]{c}}{\sqrt[6]{a}} + \frac{2\sqrt[3]{c}x}{\sqrt[3]{a}}}{1 - \frac{\sqrt{3}\sqrt[6]{c}x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{3}\sqrt{c}d + \sqrt{a}e) \int \frac{-\frac{\sqrt{3}\sqrt[6]{c}}{\sqrt[6]{a}} + \frac{2\sqrt[3]{c}x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3}\sqrt[6]{c}x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c}x^2}{\sqrt[3]{a}}} dx}{12a^{5/6}c^{2/3}}$$

$$= \frac{d \tan^{-1}\left(\frac{\sqrt[6]{c}x}{\sqrt[6]{a}}\right)}{3a^{5/6}\sqrt[6]{c}} - \frac{e \log\left(\sqrt[3]{a} + \sqrt[3]{c}x^2\right)}{6\sqrt[3]{a}c^{2/3}} - \frac{(\sqrt{3}\sqrt{c}d - \sqrt{a}e) \log\left(\sqrt[3]{a} - \sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{c}x^2\right)}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{3}\sqrt{c}d + \sqrt{a}e) \log\left(\sqrt[3]{a} + \sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{c}x^2\right)}{12a^{5/6}c^{2/3}}$$

$$= \frac{d \tan^{-1}\left(\frac{\sqrt[6]{c}x}{\sqrt[6]{a}}\right)}{3a^{5/6}\sqrt[6]{c}} - \frac{(\sqrt{c}d + \sqrt{3}\sqrt{a}e) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[6]{c}x}{\sqrt[6]{a}}\right)}{6a^{5/6}c^{2/3}} + \frac{(\sqrt{c}d - \sqrt{3}\sqrt{a}e) \tan^{-1}\left(\sqrt{3} + \frac{2\sqrt[6]{c}x}{\sqrt[6]{a}}\right)}{6a^{5/6}c^{2/3}}$$

**Mathematica [A]** time = 0.10, size = 334, normalized size = 1.10

$$\frac{(\sqrt{3}\sqrt[6]{a}\sqrt{c}d - a^{2/3}e) \log\left(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2\right)}{12ac^{2/3}} - \frac{(-a^{2/3}e - \sqrt{3}\sqrt[6]{a}\sqrt{c}d) \log\left(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2\right)}{12ac^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^3)/(a + c\*x^6), x]

```
[Out] (d*ArcTan[(c^(1/6)*x)/a^(1/6)]/(3*a^(5/6)*c^(1/6)) + ((a^(1/6)*Sqrt[c]*d +
  Sqrt[3]*a^(2/3)*e)*ArcTan[(-(Sqrt[3]*a^(1/6)) + 2*c^(1/6)*x)/a^(1/6)]/(6*
  a*c^(2/3)) + ((a^(1/6)*Sqrt[c]*d - Sqrt[3]*a^(2/3)*e)*ArcTan[(Sqrt[3]*a^(1/
  6) + 2*c^(1/6)*x)/a^(1/6)]/(6*a*c^(2/3)) - (e*Log[a^(1/3) + c^(1/3)*x^2])/
  (6*a^(1/3)*c^(2/3)) - ((Sqrt[3]*a^(1/6)*Sqrt[c]*d - a^(2/3)*e)*Log[a^(1/3)
  - Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a*c^(2/3)) - (((-Sqrt[3]*a^
  (1/6)*Sqrt[c]*d - a^(2/3)*e)*Log[a^(1/3) + Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(
  1/3)*x^2])/(12*a*c^(2/3))
```

**fricas [B]** time = 1.31, size = 3224, normalized size = 10.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^3+d)/(c*x^6+a),x, algorithm="fricas")
```

```
[Out] 1/3*sqrt(3)*((a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^
  3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(1/3)*arctan(1/3*(2*(sqrt(3)*(a^4*c^4
  *d^2 - a^5*c^3*e^2)*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^
  3)) - 2*sqrt(3)*(a^2*c^3*d^4*e - 3*a^3*c^2*d^2*e^3))*sqrt(((c^3*d^7 - a*c^2
  *d^5*e^2 - 5*a^2*c*d^3*e^4 - 3*a^3*d*e^6)*x^2 + (2*a^5*c^3*d*e*sqrt(-(c^2*d
  ^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + a^2*c^3*d^5 - 4*a^3*c^2*d^
  3*e^2 + 3*a^4*c*d*e^4)*(a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2
  *e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(2/3) - ((a^4*c^3*d^2*e +
  a^5*c^2*e^3)*x*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) +
  (a*c^3*d^6 - 2*a^2*c^2*d^4*e^2 - 3*a^3*c*d^2*e^4)*x)*((a^2*c^2*sqrt(-(c^2*
  d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c
  ^2))^(1/3))/(c^3*d^7 - a*c^2*d^5*e^2 - 5*a^2*c*d^3*e^4 - 3*a^3*d*e^6))*((a^
  2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*
  e - a*e^3)/(a^2*c^2))^(2/3) - 2*(sqrt(3)*(a^4*c^4*d^2 - a^5*c^3*e^2)*x*sqrt
  (-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) - 2*sqrt(3)*(a^2*c^3
  *d^4*e - 3*a^3*c^2*d^2*e^3)*x)*((a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9
  *a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(2/3) - sqrt(3)*(c
  ^3*d^7 - a*c^2*d^5*e^2 - 5*a^2*c*d^3*e^4 - 3*a^3*d*e^6))/(c^3*d^7 - a*c^2*d
  ^5*e^2 - 5*a^2*c*d^3*e^4 - 3*a^3*d*e^6)) - 1/3*sqrt(3)*(-(a^2*c^2*sqrt(-(c^
  2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) - 3*c*d^2*e + a*e^3)/(a^2
  *c^2))^(1/3)*arctan(1/3*(2*(sqrt(3)*(a^4*c^4*d^2 - a^5*c^3*e^2)*sqrt(-(c^2*
  d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 2*sqrt(3)*(a^2*c^3*d^4*e
  - 3*a^3*c^2*d^2*e^3))*sqrt(((c^3*d^7 - a*c^2*d^5*e^2 - 5*a^2*c*d^3*e^4 - 3*
  a^3*d*e^6)*x^2 - (2*a^5*c^3*d*e*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*
  e^4)/(a^5*c^3)) - a^2*c^3*d^5 + 4*a^3*c^2*d^3*e^2 - 3*a^4*c*d*e^4)*(-(a^2*c
  ^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) - 3*c*d^2*e +
  a*e^3)/(a^2*c^2))^(2/3) + ((a^4*c^3*d^2*e + a^5*c^2*e^3)*x*sqrt(-(c^2*d^6
  - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) - (a*c^3*d^6 - 2*a^2*c^2*d^4*e^
  2 - 3*a^3*c*d^2*e^4)*x)*(-(a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d
```

$$\begin{aligned}
& \frac{2e^4}{(a^5c^3)} - 3cd^2e + ae^3 / (a^2c^2)^{1/3} / (c^3d^7 - a^2c^2d^5e^2 - 5a^2c^2d^3e^4 - 3a^3d^2e^6) * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{2/3} \\
& - 2(\sqrt{3}(a^4c^4d^2 - a^5c^3e^2) * x \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + 2\sqrt{3}(a^2c^3d^4e - 3a^3c^2d^2e^3) * x * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{2/3} + \sqrt{3}(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^2d^3e^4 - 3a^3d^2e^6) / (c^3d^7 - a^2c^2d^5e^2 - 5a^2c^2d^3e^4 - 3a^3d^2e^6) - 1/12 * ((a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + 3cd^2e - ae^3 / (a^2c^2)^{1/3}) * \log(-(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^2d^3e^4 - 3a^3d^2e^6) * x^2 - (2a^5c^3d^2e \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + a^2c^3d^5 - 4a^3c^2d^3e^2 + 3a^4cd^2e^4) * ((a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + 3cd^2e - ae^3 / (a^2c^2)^{2/3}) + ((a^4c^3d^2e + a^5c^2e^3) * x \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + (a^2c^3d^6 - 2a^2c^2d^4e^2 - 3a^3cd^2e^4) * x * ((a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + 3cd^2e - ae^3 / (a^2c^2)^{1/3}) - 1/12 * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{1/3}) * \log(-(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^2d^3e^4 - 3a^3d^2e^6) * x^2 + (2a^5c^3d^2e \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - a^2c^3d^5 + 4a^3c^2d^3e^2 - 3a^4cd^2e^4) * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{2/3} - ((a^4c^3d^2e + a^5c^2e^3) * x \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - (a^2c^3d^6 - 2a^2c^2d^4e^2 - 3a^3cd^2e^4) * x * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{1/3}) + 1/6 * ((a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + 3cd^2e - ae^3 / (a^2c^2)^{1/3}) * \log(-(c^2d^5 - 2a^2cd^3e^2 - 3a^2d^2e^4) * x - (a^4c^2e \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + a^2c^2d^4 - 3a^2cd^2e^2) * ((a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) + 3cd^2e - ae^3 / (a^2c^2)^{1/3}) + 1/6 * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{1/3}) * \log(-(c^2d^5 - 2a^2cd^3e^2 - 3a^2d^2e^4) * x + (a^4c^2e \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - a^2c^2d^4 + 3a^2cd^2e^2) * (-a^2c^2 \sqrt{-(c^2d^6 - 6a^2cd^4e^2 + 9a^2d^2e^4)} / (a^5c^3)) - 3cd^2e + ae^3 / (a^2c^2)^{1/3})
\end{aligned}$$

**giac [A]** time = 0.43, size = 288, normalized size = 0.94

$$\frac{|c|e \log\left(x^2 + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{6(ac^5)^{\frac{1}{3}}} + \frac{(ac^5)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3ac} + \frac{\left(\left(ac^5\right)^{\frac{1}{6}} c^3 d - \sqrt{3} \left(ac^5\right)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x + \sqrt{3}\left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^3+d)/(c\*x^6+a),x, algorithm="giac")

[Out]  $-1/6*\text{abs}(c)*e*\log(x^2 + (a/c)^{(1/3)})/(a*c^5)^{(1/3)} + 1/3*(a*c^5)^{(1/6)}*d*\arctan(x/(a/c)^{(1/6)})/(a*c) + 1/6*((a*c^5)^{(1/6)}*c^3*d - \sqrt{3}*(a*c^5)^{(2/3)}*e)*\arctan((2*x + \sqrt{3}*(a/c)^{(1/6)})/(a/c)^{(1/6)})/(a*c^4) + 1/6*((a*c^5)^{(1/6)}*c^3*d + \sqrt{3}*(a*c^5)^{(2/3)}*e)*\arctan((2*x - \sqrt{3}*(a/c)^{(1/6)})/(a/c)^{(1/6)})/(a*c^4) + 1/12*(\sqrt{3}*(a*c^5)^{(1/6)}*c^3*d + (a*c^5)^{(2/3)}*e)*\log(x^2 + \sqrt{3}*x*(a/c)^{(1/6)} + (a/c)^{(1/3)})/(a*c^4) - 1/12*(\sqrt{3}*(a*c^5)^{(1/6)}*c^3*d - (a*c^5)^{(2/3)}*e)*\log(x^2 - \sqrt{3}*x*(a/c)^{(1/6)} + (a/c)^{(1/3)})/(a*c^4)$

**maple** [A] time = 0.12, size = 329, normalized size = 1.08

$$\frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \sqrt{3}\right)}{6a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} + \sqrt{3}\right)}{6a} - \frac{\sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}} d \ln\left(x^2 - \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}} x - \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^3+d)/(c\*x^6+a),x)

[Out]  $1/12*c*(a/c)^{(7/6)}/a^2*\ln(x^2+3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)})*3^{(1/2)}*d + 1/12*(a/c)^{(2/3)}/a*\ln(x^2+3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)})*e + 1/6*(a/c)^{(1/6)}/a*\arctan(2*x/(a/c)^{(1/6)}+3^{(1/2)})*d - 1/6*(a/c)^{(2/3)}/a*\arctan(2*x/(a/c)^{(1/6)}+3^{(1/2)})*3^{(1/2)}*e + 1/12/a*\ln(x^2-3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)})*(a/c)^{(2/3)}*e - 1/12/a*\ln(x^2-3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)})*3^{(1/2)}*(a/c)^{(1/6)}*d + 1/6/a*(a/c)^{(2/3)}*\arctan(2*x/(a/c)^{(1/6)}-3^{(1/2)})*3^{(1/2)}*e + 1/6/a*(a/c)^{(1/6)}*\arctan(2*x/(a/c)^{(1/6)}-3^{(1/2)})*d - 1/6*(a/c)^{(2/3)}/a*e*\ln(x^2+(a/c)^{(1/3)}) + 1/3*(a/c)^{(1/6)}/a*d*\arctan(x/(a/c)^{(1/6)})$

**maxima** [A] time = 1.49, size = 282, normalized size = 0.92

$$\frac{e \log\left(c^{\frac{1}{3}}x^2 + a^{\frac{1}{3}}\right)}{6a^{\frac{1}{3}}c^{\frac{2}{3}}} + \frac{d \arctan\left(\frac{c^{\frac{1}{3}}x}{\sqrt{a^{\frac{1}{3}}c^{\frac{1}{3}}}}\right)}{3a^{\frac{2}{3}}\sqrt{a^{\frac{1}{3}}c^{\frac{1}{3}}}} + \frac{\left(\sqrt{3}a^{\frac{1}{6}}\sqrt{c}d + a^{\frac{2}{3}}e\right) \log\left(c^{\frac{1}{3}}x^2 + \sqrt{3}a^{\frac{1}{6}}c^{\frac{1}{6}}x + a^{\frac{1}{3}}\right)}{12ac^{\frac{2}{3}}} - \frac{\left(\sqrt{3}a^{\frac{1}{6}}\sqrt{c}d - a^{\frac{2}{3}}e\right) \log\left(c^{\frac{1}{3}}x^2 - \sqrt{3}a^{\frac{1}{6}}c^{\frac{1}{6}}x + a^{\frac{1}{3}}\right)}{12ac^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^3+d)/(c\*x^6+a),x, algorithm="maxima")

[Out]  $-1/6*e*\log(c^{(1/3)}*x^2 + a^{(1/3)})/(a^{(1/3)}*c^{(2/3)}) + 1/3*d*\arctan(c^{(1/3)}*x/\sqrt{a^{(1/3)}*c^{(1/3)}})/(a^{(2/3)}*\sqrt{a^{(1/3)}*c^{(1/3)}}) + 1/12*(\sqrt{3})*a^{(1/6)}*\sqrt{c}*d + a^{(2/3)}*e)*\log(c^{(1/3)}*x^2 + \sqrt{3}*a^{(1/6)}*c^{(1/6)}*x +$

$$a^{(1/3)}/(a*c^{(2/3)}) - 1/12*(\text{sqrt}(3)*a^{(1/6)}*\text{sqrt}(c)*d - a^{(2/3)*e})*\log(c^{(1/3)}*x^2 - \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)}*x + a^{(1/3)}/(a*c^{(2/3)}) - 1/6*(\text{sqrt}(3)*a^{(5/6)}*c^{(1/6)}*e - a^{(1/3)*c^{(2/3)}*d})*\arctan((2*c^{(1/3)}*x + \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)})/\text{sqrt}(a^{(1/3)*c^{(1/3)}}))/(a*c^{(2/3)*\text{sqrt}(a^{(1/3)*c^{(1/3)}})}) + 1/6*(\text{sqrt}(3)*a^{(5/6)}*c^{(1/6)}*e + a^{(1/3)*c^{(2/3)}*d})*\arctan((2*c^{(1/3)}*x - \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)})/\text{sqrt}(a^{(1/3)*c^{(1/3)}}))/(a*c^{(2/3)*\text{sqrt}(a^{(1/3)*c^{(1/3)}})})$$

**mupad [B]** time = 1.54, size = 1331, normalized size = 4.36

$$\ln\left(a^3 c^3 \left(-\frac{a^4 c^2 e^3 + c d^3 \sqrt{-a^5 c^5} - 3 a^3 c^3 d^2 e - 3 a d e^2 \sqrt{-a^5 c^5}}{a^5 c^4}\right)^{1/3} + e x \sqrt{-a^5 c^5} + a^2 c^3 d x\right) \left(-\frac{a^4 c^2 e^3 + c d^3 \sqrt{-a^5 c^5} - 3 a^3 c^3 d^2 e - 3 a d e^2 \sqrt{-a^5 c^5}}{a^5 c^4}\right)^{1/3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^3)/(a + c\*x^6),x)

[Out]  $\log(a^3 c^3 * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} + e x * (-a^5 c^5)^{(1/2)} + a^2 c^3 d x * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (216 a^5 c^4))^{(1/3)} + \log(a^3 c^3 * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} - e x * (-a^5 c^5)^{(1/2)} + a^2 c^3 d x * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (216 a^5 c^4))^{(1/3)} - \log(a^3 c^3 * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} - 2 * e x * (-a^5 c^5)^{(1/2)} + 3^{(1/2)} * a^3 c^3 * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} * 1i - 2 * a^2 c^3 d x * ((3^{(1/2)} * 1i) / 2 + 1/2) * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (216 a^5 c^4))^{(1/3)} + \log(e x * (-a^5 c^5)^{(1/2)} - (a^3 c^3 * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)}) / 2 + (3^{(1/2)} * a^3 c^3 * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} * 1i) / 2 + a^2 c^3 d x * ((3^{(1/2)} * 1i) / 2 - 1/2) * (-a^4 c^2 e^3 + c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e - 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (216 a^5 c^4))^{(1/3)} + \log(a^3 c^3 * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} + 2 * e x * (-a^5 c^5)^{(1/2)} - 3^{(1/2)} * a^3 c^3 * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} * 1i - 2 * a^2 c^3 d x * ((3^{(1/2)} * 1i) / 2 - 1/2) * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (216 a^5 c^4))^{(1/3)} - \log(a^3 c^3 * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)} + 2 * e x * (-a^5 c^5)^{(1/2)} + 3^{(1/2)} * a^3 c^3 * (-a^4 c^2 e^3 - c d^3 * (-a^5 c^5)^{(1/2)} - 3 a^3 c^3 d^2 e + 3 a d e^2 * (-a^5 c^5)^{(1/2)}) / (a^5 c^4))^{(1/3)}$

$$\frac{a^5 c^5 \sqrt{a^5 c^4}}{(a^5 c^4)^{1/3}} i - 2 a^2 c^3 d x \left( \frac{3^{1/2} i}{2} + \frac{1}{2} \right) \frac{-(a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2}) - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}}{(216 a^5 c^4)^{1/3}}$$

**sympy [A]** time = 3.11, size = 165, normalized size = 0.54

$$\text{RootSum}\left(46656 t^6 a^5 c^4 + t^3 (432 a^4 c^2 e^3 - 1296 a^3 c^3 d^2 e) + a^3 e^6 + 3 a^2 c d^2 e^4 + 3 a c^2 d^4 e^2 + c^3 d^6, \left(t \mapsto t \log\left(x + \frac{-1}{t}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*3+d)/(c\*x\*\*6+a),x)

[Out] RootSum(46656\*\_t\*\*6\*a\*\*5\*c\*\*4 + \_t\*\*3\*(432\*a\*\*4\*c\*\*2\*e\*\*3 - 1296\*a\*\*3\*c\*\*3\*d\*\*2\*e) + a\*\*3\*e\*\*6 + 3\*a\*\*2\*c\*d\*\*2\*e\*\*4 + 3\*a\*c\*\*2\*d\*\*4\*e\*\*2 + c\*\*3\*d\*\*6, Lambda(\_t, \_t\*log(x + (-1296\*\_t\*\*4\*a\*\*4\*c\*\*2\*e - 6\*\_t\*a\*\*3\*e\*\*4 + 36\*\_t\*a\*\*2\*c\*d\*\*2\*e\*\*2 - 6\*\_t\*a\*c\*\*2\*d\*\*4)/(3\*a\*\*2\*d\*e\*\*4 + 2\*a\*c\*d\*\*3\*e\*\*2 - c\*\*2\*d\*\*5))))

## 3.2 $\int \frac{d+ex^3}{a-cx^6} dx$

**Optimal.** Leaf size=323

$$\frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} \sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} - \frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{(\sqrt{a}e + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt[6]{a} + 2\sqrt[6]{c}x}{\sqrt{3}\sqrt[6]{a}}\right)}{2\sqrt{3}a^{5/6}c^{2/3}}$$

[Out]  $\frac{1}{6} \ln(a^{1/6} + c^{1/6}x) * (d - e * a^{1/2} / c^{1/2}) / a^{5/6} / c^{1/6} - \frac{1}{12} \ln(a^{1/3} - a^{1/6} * c^{1/6} * x + c^{1/3} * x^2) * (d - e * a^{1/2} / c^{1/2}) / a^{5/6} / c^{1/6} - \frac{1}{6} \arctan(1/3 * (a^{1/6} - 2 * c^{1/6} * x) / a^{1/6} * 3^{1/2}) * (d - e * a^{1/2} / c^{1/2}) / a^{5/6} / c^{1/6} * 3^{1/2} - \frac{1}{6} \ln(a^{1/6} - c^{1/6} * x) * (e * a^{1/2} + d * c^{1/2}) / a^{5/6} / c^{2/3} + \frac{1}{12} \ln(a^{1/3} + a^{1/6} * c^{1/6} * x + c^{1/3} * x^2) * (e * a^{1/2} + d * c^{1/2}) / a^{5/6} / c^{2/3} + \frac{1}{6} \arctan(1/3 * (a^{1/6} + 2 * c^{1/6} * x) / a^{1/6} * 3^{1/2}) * (e * a^{1/2} + d * c^{1/2}) / a^{5/6} / c^{2/3} * 3^{1/2}$

**Rubi [A]** time = 0.19, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {1417, 200, 31, 634, 617, 204, 628}

$$\frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} \sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} - \frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{(\sqrt{a}e + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt[6]{a} + 2\sqrt[6]{c}x}{\sqrt{3}\sqrt[6]{a}}\right)}{2\sqrt{3}a^{5/6}c^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^3)/(a - c\*x^6), x]

[Out]  $-\left(\frac{d - (\text{Sqrt}[a] * e) / \text{Sqrt}[c]}{2 * \text{Sqrt}[3] * a^{5/6} * c^{1/6}}\right) * \text{ArcTan}\left[\frac{a^{1/6} - 2 * c^{1/6} * x}{\text{Sqrt}[3] * a^{1/6}}\right] + \left(\frac{(\text{Sqrt}[c] * d + \text{Sqrt}[a] * e) * \text{ArcTan}\left[\frac{a^{1/6} + 2 * c^{1/6} * x}{\text{Sqrt}[3] * a^{1/6}}\right]}{2 * \text{Sqrt}[3] * a^{5/6} * c^{2/3}}\right) - \left(\frac{(\text{Sqrt}[c] * d + \text{Sqrt}[a] * e) * \text{Log}[a^{1/6} - c^{1/6} * x]}{6 * a^{5/6} * c^{2/3}}\right) + \left(\frac{(\text{Sqrt}[c] * d + \text{Sqrt}[a] * e) * \text{Log}[a^{1/6} + c^{1/6} * x]}{6 * a^{5/6} * c^{1/6}}\right) - \left(\frac{d - (\text{Sqrt}[a] * e) / \text{Sqrt}[c]}{12 * a^{5/6} * c^{1/6}}\right) * \text{Log}[a^{1/3} - a^{1/6} * c^{1/6} * x + c^{1/3} * x^2] + \left(\frac{d - (\text{Sqrt}[a] * e) / \text{Sqrt}[c]}{12 * a^{5/6} * c^{2/3}}\right) * \text{Log}[a^{1/3} + a^{1/6} * c^{1/6} * x + c^{1/3} * x^2]$

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^-1, x\_Symbol] := Simp[Log[RemoveContent[a + b\*x, x]]/b, x] /; FreeQ[{a, b}, x]

### Rule 200

Int[((a\_) + (b\_)\*(x\_)^3)^-1, x\_Symbol] := Dist[1/(3\*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]\*x), x], x] + Dist[1/(3\*Rt[a, 3]^2), Int[(2\*Rt[a, 3] - R

$t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[\{a, b\}, x]$

### Rule 204

$Int[((a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (LtQ[a, 0] || LtQ[b, 0])$

### Rule 617

$Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x\_Symbol] := With[\{q = 1 - 4*Simplify[(a*c)/b^2]\}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] \&\& (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[\{a, b, c\}, x] \&\& NeQ[b^2 - 4*a*c, 0]$

### Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

### Rule 634

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& NeQ[2*c*d - b*e, 0] \&\& NeQ[b^2 - 4*a*c, 0] \&\& !NiceSqrtQ[b^2 - 4*a*c]$

### Rule 1417

$Int[((d_) + (e_)*(x_)^n)/((a_) + (c_)*(x_)^n), x\_Symbol] := With[\{q = Rt[-(a/c), 2]\}, Dist[(d + e*q)/2, Int[1/(a + c*q*x^n), x], x] + Dist[(d - e*q)/2, Int[1/(a - c*q*x^n), x], x]] /; FreeQ[\{a, c, d, e, n\}, x] \&\& EqQ[n2, 2*n] \&\& NeQ[c*d^2 + a*e^2, 0] \&\& NegQ[a*c] \&\& IntegerQ[n]$

### Rubi steps



$$\begin{aligned}
\int \frac{d + ex^3}{a - cx^6} dx &= \frac{1}{2} \left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a + \sqrt{a} \sqrt{c} x^3} dx + \frac{1}{2} \left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a - \sqrt{a} \sqrt{c} x^3} dx \\
&= \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[3]{a} + \sqrt[6]{a} \sqrt[6]{c} x} dx}{6a^{2/3}} + \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{2\sqrt[3]{a} - \sqrt[6]{a} \sqrt[6]{c} x}{a^{2/3} - \sqrt{a} \sqrt[6]{c} x + \sqrt[3]{a} \sqrt[6]{c} x^2} dx}{6a^{2/3}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[3]{a} - \sqrt[6]{a} \sqrt[6]{c} x} dx}{6a^{2/3}} \\
&= -\frac{(\sqrt{c}d + \sqrt{ae}) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log(\sqrt[6]{a} + \sqrt[6]{c}x)}{6a^{5/6}\sqrt[6]{c}} + \frac{(\sqrt{c}d + \sqrt{ae}) \int \frac{\sqrt{a} \sqrt[6]{c} + 2\sqrt[3]{a}}{a^{2/3} + \sqrt{a} \sqrt[6]{c} x}}{12a^{5/6}c^{2/3}} \\
&= -\frac{(\sqrt{c}d + \sqrt{ae}) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log(\sqrt[6]{a} + \sqrt[6]{c}x)}{6a^{5/6}\sqrt[6]{c}} - \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log(\sqrt[3]{a} - \sqrt[6]{a} \sqrt[6]{c}x)}{12a^{5/6}\sqrt[6]{c}} \\
&= -\frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1}\left(\frac{\sqrt[6]{a} - 2\sqrt[6]{c}x}{\sqrt{3} \sqrt[6]{a}}\right)}{2\sqrt{3} a^{5/6} \sqrt[6]{c}} + \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1}\left(\frac{\sqrt[6]{a} + 2\sqrt[6]{c}x}{\sqrt{3} \sqrt[6]{a}}\right)}{2\sqrt{3} a^{5/6} c^{2/3}} - \frac{(\sqrt{c}d + \sqrt{ae}) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}}
\end{aligned}$$

**Mathematica [A]** time = 0.12, size = 337, normalized size = 1.04

$$-2\sqrt{3} (\sqrt{c}d - \sqrt{ae}) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[6]{c}x}{\sqrt[6]{a}}}{\sqrt{3}}\right) + 2\sqrt{3} (\sqrt{ae} + \sqrt{c}d) \tan^{-1}\left(\frac{\frac{2\sqrt[6]{c}x}{\sqrt[6]{a}} + 1}{\sqrt{3}}\right) - \sqrt{c}d \log(-\sqrt[6]{a} \sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[6]{c}x^2)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^3)/(a - c\*x^6), x]

[Out]  $(-2*\text{Sqrt}[3]*(\text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[(1 - (2*c^{(1/6)}*x)/a^{(1/6)})/\text{Sqrt}[3]] + 2*\text{Sqrt}[3]*(\text{Sqrt}[c]*d + \text{Sqrt}[a]*e)*\text{ArcTan}[(1 + (2*c^{(1/6)}*x)/a^{(1/6)})/\text{Sqrt}[3]] - 2*\text{Sqrt}[c]*d*\text{Log}[a^{(1/6)} - c^{(1/6)}*x] - 2*\text{Sqrt}[a]*e*\text{Log}[a^{(1/6)} - c^{(1/6)}*x] + 2*\text{Sqrt}[c]*d*\text{Log}[a^{(1/6)} + c^{(1/6)}*x] - 2*\text{Sqrt}[a]*e*\text{Log}[a^{(1/6)} + c^{(1/6)}*x] - \text{Sqrt}[c]*d*\text{Log}[a^{(1/3)} - a^{(1/6)}*c^{(1/6)}*x + c^{(1/3)}*x^2] + \text{Sqrt}[a]*e*\text{Log}[a^{(1/3)} - a^{(1/6)}*c^{(1/6)}*x + c^{(1/3)}*x^2] + \text{Sqrt}[c]*d*\text{Log}[a^{(1/3)} + a^{(1/6)}*c^{(1/6)}*x + c^{(1/3)}*x^2] + \text{Sqrt}[a]*e*\text{Log}[a^{(1/3)} + a^{(1/6)}*c^{(1/6)}*x + c^{(1/3)}*x^2])/(12*a^{(5/6)}*c^{(2/3)})$

**fricas [B]** time = 1.32, size = 3178, normalized size = 9.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



$$\begin{aligned}
& c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3) - (a^3 c^3 d^6 + 2 a^2 c^2 d^4 e^2 - 3 a^3 c^2 d^2 e^4) x) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} + 3 c^2 d^2 e + a e^3) / (a^2 c^2))^{1/3} - 1/12 * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} - 3 c^2 d^2 e - a e^3) / (a^2 c^2))^{1/3} * \log((c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c^2 d^3 e^4 + 3 a^3 d e^6) x^2 + (2 a^5 c^3 d e \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} + a^2 c^3 d^5 + 4 a^3 c^2 d^3 e^2 + 3 a^4 c d e^4) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} - 3 c^2 d^2 e - a e^3) / (a^2 c^2))^{2/3} - ((a^4 c^3 d^2 e - a^5 c^2 e^3) x \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} + (a^3 c^3 d^6 + 2 a^2 c^2 d^4 e^2 - 3 a^3 c^2 d^2 e^4) x) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} - 3 c^2 d^2 e - a e^3) / (a^2 c^2))^{1/3}) + 1/6 * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} + 3 c^2 d^2 e + a e^3) / (a^2 c^2))^{1/3} * \log(- (c^2 d^5 + 2 a^2 c^2 d^3 e^2 - 3 a^2 d e^4) x + (a^4 c^2 e \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} - a c^2 d^4 - 3 a^2 c^2 d^2 e^2) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} + 3 c^2 d^2 e + a e^3) / (a^2 c^2))^{1/3}) + 1/6 * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} - 3 c^2 d^2 e - a e^3) / (a^2 c^2))^{1/3} * \log(- (c^2 d^5 + 2 a^2 c^2 d^3 e^2 - 3 a^2 d e^4) x - (a^4 c^2 e \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} + a c^2 d^4 + 3 a^2 c^2 d^2 e^2) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a^3 c^2 d^4 e^2 + 9 a^2 d^2 e^4) / (a^5 c^3)} - 3 c^2 d^2 e - a e^3) / (a^2 c^2))^{1/3}))
\end{aligned}$$

**giac** [A] time = 0.38, size = 308, normalized size = 0.95

$$\frac{|c|e \log\left(x^2 + \left(-\frac{a}{c}\right)^{\frac{1}{3}}\right)}{6(-ac^5)^{\frac{1}{3}}} + \frac{(-ac^5)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(-\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3ac} + \frac{\left(\left(-ac^5\right)^{\frac{1}{6}} c^3 d - \sqrt{3} \left(-ac^5\right)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x + \sqrt{3} \left(-\frac{a}{c}\right)^{\frac{1}{6}}}{\left(-\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^3+d)/(-c\*x^6+a),x, algorithm="giac")

[Out] 1/6\*abs(c)\*e\*log(x^2 + (-a/c)^(1/3))/(-a\*c^5)^(1/3) + 1/3\*(-a\*c^5)^(1/6)\*d\*arctan(x/(-a/c)^(1/6))/(a\*c) + 1/6\*((-a\*c^5)^(1/6)\*c^3\*d - sqrt(3)\*(-a\*c^5)^(2/3)\*e)\*arctan((2\*x + sqrt(3)\*(-a/c)^(1/6))/(-a/c)^(1/6))/(a\*c^4) + 1/6\*((-a\*c^5)^(1/6)\*c^3\*d + sqrt(3)\*(-a\*c^5)^(2/3)\*e)\*arctan((2\*x - sqrt(3)\*(-a/c)^(1/6))/(-a/c)^(1/6))/(a\*c^4) + 1/12\*(sqrt(3)\*(-a\*c^5)^(1/6)\*c^3\*d + (-a\*c^5)^(2/3)\*e)\*log(x^2 + sqrt(3)\*x\*(-a/c)^(1/6) + (-a/c)^(1/3))/(a\*c^4) - 1/12\*(sqrt(3)\*(-a\*c^5)^(1/6)\*c^3\*d - (-a\*c^5)^(2/3)\*e)\*log(x^2 - sqrt(3)\*x\*(-a/c)^(1/6) + (-a/c)^(1/3))/(a\*c^4)

**maple [A]** time = 0.11, size = 386, normalized size = 1.20

$$\frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} \sqrt{3} d \arctan\left(\frac{2\sqrt{3}x}{3\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \frac{\sqrt{3}}{3}\right)}{6a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} \sqrt{3} d \arctan\left(\frac{2\sqrt{3}x}{3\left(\frac{a}{c}\right)^{\frac{1}{6}}} + \frac{\sqrt{3}}{3}\right)}{6a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \ln\left(x^2 + \left(\frac{a}{c}\right)^{\frac{1}{6}} x + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{12a} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \ln\left(-x\right)}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^3+d)/(-c\*x^6+a),x)

[Out] -1/6/c/(a/c)^(1/3)\*ln(x+(a/c)^(1/6))\*e+1/6/c/(a/c)^(5/6)\*ln(x+(a/c)^(1/6))\*d+1/12\*(a/c)^(2/3)/a\*ln((a/c)^(1/6)\*x-x^2-(a/c)^(1/3))\*e-1/12\*(a/c)^(1/6)/a\*ln((a/c)^(1/6)\*x-x^2-(a/c)^(1/3))\*d-1/6\*(a/c)^(2/3)/a\*3^(1/2)\*e\*arctan(-1/3\*3^(1/2)+2/3\*x\*3^(1/2)/(a/c)^(1/6))+1/6\*(a/c)^(1/6)/a\*3^(1/2)\*d\*arctan(-1/3\*3^(1/2)+2/3\*x\*3^(1/2)/(a/c)^(1/6))-1/6/c/(a/c)^(1/3)\*ln(-x+(a/c)^(1/6))\*e-1/6/c/(a/c)^(5/6)\*ln(-x+(a/c)^(1/6))\*d+1/12/a\*(a/c)^(2/3)\*e\*ln(x^2+(a/c)^(1/6)\*x+(a/c)^(1/3))+1/6/a\*(a/c)^(2/3)\*e\*3^(1/2)\*arctan(2/3\*x\*3^(1/2)/(a/c)^(1/6)+1/3\*3^(1/2))+1/12/a\*d\*(a/c)^(1/6)\*ln(x^2+(a/c)^(1/6)\*x+(a/c)^(1/3))+1/6/a\*d\*(a/c)^(1/6)\*3^(1/2)\*arctan(2/3\*x\*3^(1/2)/(a/c)^(1/6)+1/3\*3^(1/2))

**maxima [A]** time = 1.34, size = 313, normalized size = 0.97

$$\frac{\sqrt{3}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}\right)}{3\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}}\right)}{6\sqrt{a}c\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}}} + \frac{\sqrt{3}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}\right)}{3\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}}\right)}{6\sqrt{a}c\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}}} + \frac{(\sqrt{c}d + \sqrt{a}e) \log\left(x^2 + x\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}} + \left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}}\right)}{12\sqrt{a}c\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^3+d)/(-c\*x^6+a),x, algorithm="maxima")

[Out] 1/6\*sqrt(3)\*(sqrt(c)\*d + sqrt(a)\*e)\*arctan(1/3\*sqrt(3)\*(2\*x + (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)\*c\*(sqrt(a)/sqrt(c))^(2/3)) + 1/6\*sqrt(3)\*(sqrt(c)\*d - sqrt(a)\*e)\*arctan(1/3\*sqrt(3)\*(2\*x - (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)\*c\*(sqrt(a)/sqrt(c))^(2/3)) + 1/12\*(sqrt(c)\*d + sqrt(a)\*e)\*log(x^2 + x\*(sqrt(a)/sqrt(c))^(1/3) + (sqrt(a)/sqrt(c))^(2/3))/(sqrt(a)\*c\*(sqrt(a)/sqrt(c))^(2/3)) - 1/12\*(sqrt(c)\*d - sqrt(a)\*e)\*log(x^2 - x\*(sqrt(a)/sqrt(c))^(1/3) + (sqrt(a)/sqrt(c))^(2/3))/(sqrt(a)\*c\*(sqrt(a)/sqrt(c))^(2/3)) + 1/6\*(sqrt(c)\*d - sqrt(a)\*e)\*log(x + (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)\*c\*(sqrt(a)/sqrt(c))^(2/3)) - 1/6\*(sqrt(c)\*d +

$\sqrt{a}e \cdot \log(x - (\sqrt{a}/\sqrt{c})^{1/3}) / (\sqrt{a}c \cdot (\sqrt{a}/\sqrt{c})^{2/3})$

**mupad [B]** time = 2.97, size = 1293, normalized size = 4.00

$$\ln \left( a^3 c^3 \left( -\frac{a^4 c^2 e^3 + c d^3 \sqrt{a^5 c^5} + 3 a^3 c^3 d^2 e + 3 a d e^2 \sqrt{a^5 c^5}}{a^5 c^4} \right)^{1/3} + e x \sqrt{a^5 c^5} + a^2 c^3 d x \right) \left( -\frac{a^4 c^2 e^3 + c d^3 \sqrt{a^5 c^5}}{a^5 c^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^3)/(a - c*x^6),x)`

[Out]  $\log(a^3 c^3 \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} + e x (a^5 c^5)^{1/2} + a^2 c^3 d x \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} + \log(a^3 c^3 \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} - e x (a^5 c^5)^{1/2} + a^2 c^3 d x \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} - \log(a^3 c^3 \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} - 2 e x (a^5 c^5)^{1/2} + 3^{1/2} a^3 c^3 \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * 1i - 2 a^2 c^3 d x \cdot ((3^{1/2} * 1i) / 2 + 1/2) \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} + \log(e x (a^5 c^5)^{1/2} - (a^3 c^3 \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3}) / 2 + (3^{1/2} a^3 c^3 \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * 1i) / 2 + a^2 c^3 d x \cdot ((3^{1/2} * 1i) / 2 - 1/2) \cdot (-a^4 c^2 e^3 + c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e + 3 a d e^2 (a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} + \log(a^3 c^3 \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} + 2 e x (a^5 c^5)^{1/2} - 3^{1/2} a^3 c^3 \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * 1i - 2 a^2 c^3 d x \cdot ((3^{1/2} * 1i) / 2 - 1/2) \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} - \log(a^3 c^3 \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} + 2 e x (a^5 c^5)^{1/2} + 3^{1/2} a^3 c^3 \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * 1i - 2 a^2 c^3 d x \cdot ((3^{1/2} * 1i) / 2 + 1/2) \cdot (-a^4 c^2 e^3 - c d^3 (a^5 c^5)^{1/2} + 3 a^3 c^3 d^2 e - 3 a d e^2 (a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3}$

sympy [A] time = 3.12, size = 168, normalized size = 0.52

$$-\text{RootSum}\left(46656t^6a^5c^4 + t^3(-432a^4c^2e^3 - 1296a^3c^3d^2e) + a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6, \left(t \mapsto t \log\left(x + \right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*3+d)/(-c\*x\*\*6+a),x)

[Out] -RootSum(46656\*\_t\*\*6\*a\*\*5\*c\*\*4 + \_t\*\*3\*(-432\*a\*\*4\*c\*\*2\*e\*\*3 - 1296\*a\*\*3\*c\*\*3\*d\*\*2\*e) + a\*\*3\*e\*\*6 - 3\*a\*\*2\*c\*d\*\*2\*e\*\*4 + 3\*a\*c\*\*2\*d\*\*4\*e\*\*2 - c\*\*3\*d\*\*6, Lambda(\_t, \_t\*log(x + (-1296\*\_t\*\*4\*a\*\*4\*c\*\*2\*e + 6\*\_t\*a\*\*3\*e\*\*4 + 36\*\_t\*a\*\*2\*c\*d\*\*2\*e\*\*2 + 6\*\_t\*a\*c\*\*2\*d\*\*4)/(3\*a\*\*2\*d\*e\*\*4 - 2\*a\*c\*d\*\*3\*e\*\*2 - c\*\*2\*d\*\*5))))

### 3.3 $\int \frac{d+ex^4}{a+cx^8} dx$

**Optimal.** Leaf size=754

$$\frac{\left( (1 - \sqrt{2}) \sqrt{c} d - \sqrt{a} e \right) \log \left( -\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2(2 - \sqrt{2})} a^{7/8} c^{5/8}} - \frac{\left( (1 - \sqrt{2}) \sqrt{c} d - \sqrt{a} e \right) \log \left( \sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2(2 - \sqrt{2})} a^{7/8} c^{5/8}}$$

[Out]  $-1/8*\arctan((-2*c^(1/8)*x+a^(1/8)*(2-2^(1/2))^(1/2))/a^(1/8)/(2+2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1+2^(1/2))*c^(1/2))*(2-2^(1/2))^(1/2)/a^(7/8)/c^(5/8)+1/8*\arctan((2*c^(1/8)*x+a^(1/8)*(2-2^(1/2))^(1/2))/a^(1/8)/(2+2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1+2^(1/2))*c^(1/2))*(2-2^(1/2))^(1/2)/a^(7/8)/c^(5/8)+1/4*\arctan((-2*c^(1/8)*x+a^(1/8)*(2+2^(1/2))^(1/2))/a^(1/8)/(2-2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1-2^(1/2))*c^(1/2))/a^(7/8)/c^(5/8)/(4-2*2^(1/2))^(1/2)-1/4*\arctan((2*c^(1/8)*x+a^(1/8)*(2+2^(1/2))^(1/2))/a^(1/8)/(2-2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1-2^(1/2))*c^(1/2))/a^(7/8)/c^(5/8)/(4-2*2^(1/2))^(1/2)+1/8*\ln(a^(1/4)+c^(1/4)*x^2-a^(1/8)*c^(1/8)*x*(2-2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1-2^(1/2))*c^(1/2))/a^(7/8)/c^(5/8)/(4-2*2^(1/2))^(1/2)-1/8*\ln(a^(1/4)+c^(1/4)*x^2+a^(1/8)*c^(1/8)*x*(2-2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1-2^(1/2))*c^(1/2))/a^(7/8)/c^(5/8)/(4-2*2^(1/2))^(1/2)+1/8*\ln(a^(1/4)+c^(1/4)*x^2+a^(1/8)*c^(1/8)*x*(2+2^(1/2))^(1/2))*(d+d*2^(1/2)-e*a^(1/2)/c^(1/2))/a^(7/8)/c^(1/8)/(4+2*2^(1/2))^(1/2)-1/8*\ln(a^(1/4)+c^(1/4)*x^2-a^(1/8)*c^(1/8)*x*(2+2^(1/2))^(1/2))*(-e*a^(1/2)+d*(1+2^(1/2))*c^(1/2))/a^(7/8)/c^(5/8)/(4+2*2^(1/2))^(1/2)$

**Rubi [A]** time = 1.25, antiderivative size = 754, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$ , Rules used = {1415, 1169, 634, 618, 204, 628}

$$\frac{\left( (1 - \sqrt{2}) \sqrt{c} d - \sqrt{a} e \right) \log \left( -\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2(2 - \sqrt{2})} a^{7/8} c^{5/8}} - \frac{\left( (1 - \sqrt{2}) \sqrt{c} d - \sqrt{a} e \right) \log \left( \sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2(2 - \sqrt{2})} a^{7/8} c^{5/8}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^4)/(a + c\*x^8), x]

[Out]  $-(\text{Sqrt}[2 - \text{Sqrt}[2]] * ((1 + \text{Sqrt}[2]) * \text{Sqrt}[c] * d - \text{Sqrt}[a] * e) * \text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] * a^(1/8) - 2 * c^(1/8) * x) / (\text{Sqrt}[2 + \text{Sqrt}[2]] * a^(1/8))]) / (8 * a^(7/8) * c^(5/8)) + (\text{Sqrt}[2 + \text{Sqrt}[2]] * ((1 - \text{Sqrt}[2]) * \text{Sqrt}[c] * d - \text{Sqrt}[a] * e) * \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] * a^(1/8) - 2 * c^(1/8) * x) / (\text{Sqrt}[2 - \text{Sqrt}[2]] * a^(1/8))]) / (8 * a^(7/8) * c^(5/8))$

$$\begin{aligned} & (7/8)*c^{(5/8)} + (\text{Sqrt}[2 - \text{Sqrt}[2]]*((1 + \text{Sqrt}[2])* \text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)} + 2*c^{(1/8)*x}/(\text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)})])]/(8*a^{(7/8)*c^{(5/8)}}) - (\text{Sqrt}[2 + \text{Sqrt}[2]]*((1 - \text{Sqrt}[2])* \text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)} + 2*c^{(1/8)*x}/(\text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)})])]/(8*a^{(7/8)*c^{(5/8)}}) + (((1 - \text{Sqrt}[2])* \text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)} - \text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}]/(8*\text{Sqrt}[2*(2 - \text{Sqrt}[2])])]*a^{(7/8)*c^{(5/8)}}) - (((1 - \text{Sqrt}[2])* \text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)} + \text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}]/(8*\text{Sqrt}[2*(2 - \text{Sqrt}[2])])]*a^{(7/8)*c^{(5/8)}}) - (((1 + \text{Sqrt}[2])* \text{Sqrt}[c]*d - \text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)} - \text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}]/(8*\text{Sqrt}[2*(2 + \text{Sqrt}[2])])]*a^{(7/8)*c^{(5/8)}}) + ((d + \text{Sqrt}[2]*d - (\text{Sqrt}[a]*e)/\text{Sqrt}[c])* \text{Log}[a^{(1/4)} + \text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}]/(8*\text{Sqrt}[2*(2 + \text{Sqrt}[2])])]*a^{(7/8)*c^{(1/8)}}) \end{aligned}$$

#### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

#### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

#### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

#### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

#### Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
```



$[b^2 - 4ac, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{NegQ}[b^2 - 4ac]$

### Rule 1415

$\text{Int}[\frac{(d_.) + (e_.)*(x_.)^{(n_.)}}{(a_.) + (c_.)*(x_.)^{(n2_.)}}, x\_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[a/c, 4]\}, \text{Dist}[1/(2*\text{Sqrt}[2]*c*q^3), \text{Int}[(\text{Sqrt}[2]*d*q - (d - e*q^2)*x^{(n/2)})/(q^2 - \text{Sqrt}[2]*q*x^{(n/2)} + x^n), x], x] + \text{Dist}[1/(2*\text{Sqrt}[2]*c*q^3), \text{Int}[(\text{Sqrt}[2]*d*q + (d - e*q^2)*x^{(n/2)})/(q^2 + \text{Sqrt}[2]*q*x^{(n/2)} + x^n), x], x]] \ /; \ \text{FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NeQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{PosQ}[a*c]$

### Rubi steps

$$\int \frac{d + ex^4}{a + cx^8} dx = \frac{\int \frac{\frac{\sqrt{2} \sqrt[4]{ad}}{\sqrt{c}} + (-d + \frac{\sqrt{ae}}{\sqrt{c}})x^2}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2} \sqrt[4]{a}x^2}{\sqrt{c}} + x^4} dx}{2\sqrt{2} a^{3/4} \sqrt[4]{c}} + \frac{\int \frac{\frac{\sqrt{2} \sqrt[4]{ad}}{\sqrt{c}} + (d - \frac{\sqrt{ae}}{\sqrt{c}})x^2}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2} \sqrt[4]{a}x^2}{\sqrt{c}} + x^4} dx}{2\sqrt{2} a^{3/4} \sqrt[4]{c}}$$

$$= \frac{\sqrt[8]{c} \int \frac{\frac{\sqrt{2(2-\sqrt{2})} a^{3/8} d}{c^{3/8}} \left( \frac{\sqrt{2} \sqrt[4]{ad}}{\sqrt{c}} - \frac{\sqrt[4]{a} (d - \frac{\sqrt{ae}}{\sqrt{c}})}{\sqrt{c}} \right) x}{\frac{\sqrt[4]{a}}{\sqrt{c}} - \frac{\sqrt{2-\sqrt{2}} \sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2} (2-\sqrt{2}) a^{9/8}} + \frac{\sqrt[8]{c} \int \frac{\frac{\sqrt{2(2-\sqrt{2})} a^{3/8} d}{c^{3/8}} \left( \frac{\sqrt{2} \sqrt[4]{ad}}{\sqrt{c}} + \frac{\sqrt[4]{a} (d - \frac{\sqrt{ae}}{\sqrt{c}})}{\sqrt{c}} \right) x}{\frac{\sqrt[4]{a}}{\sqrt{c}} + \frac{\sqrt{2-\sqrt{2}} \sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2} (2-\sqrt{2}) a^{9/8}} + \dots$$

$$= \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt{c}} - \frac{\sqrt{2+\sqrt{2}} \sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2} a^{3/4} c^{3/4}} - \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt{c}} + \frac{\sqrt{2+\sqrt{2}} \sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2} a^{3/4} c^{3/4}}$$

$$= \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \log\left(\sqrt[4]{a} - \sqrt{2-\sqrt{2}} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{c}x^2\right)}{8\sqrt{2} (2-\sqrt{2}) a^{7/8} c^{5/8}} - \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \log\left(\sqrt[4]{a} + \sqrt{2-\sqrt{2}} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{c}x^2\right)}{8\sqrt{2} (2-\sqrt{2}) a^{7/8} c^{5/8}}$$

$$= -\frac{((1+\sqrt{2})\sqrt{c}d - \sqrt{ae}) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}} \sqrt[8]{a} - 2\sqrt[8]{c}x}{\sqrt{2+\sqrt{2}} \sqrt[8]{a}}\right)}{4\sqrt{2} (2+\sqrt{2}) a^{7/8} c^{5/8}} + \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}} \sqrt[8]{a} - \sqrt{2-\sqrt{2}} \sqrt[8]{a}x}{\sqrt{2-\sqrt{2}} \sqrt[8]{a}}\right)}{4\sqrt{2} (2-\sqrt{2}) a^{7/8} c^{5/8}}$$

**Mathematica [A]** time = 0.63, size = 534, normalized size = 0.71

$$2 \tan^{-1} \left( \frac{\sqrt[8]{c} x \sec\left(\frac{\pi}{8}\right)}{\sqrt[8]{a}} - \tan\left(\frac{\pi}{8}\right) \right) \left( \sqrt[8]{a} \sqrt{c} d \cos\left(\frac{\pi}{8}\right) - a^{5/8} e \sin\left(\frac{\pi}{8}\right) \right) + 2 \tan^{-1} \left( \frac{\sqrt[8]{c} x \sec\left(\frac{\pi}{8}\right)}{\sqrt[8]{a}} + \tan\left(\frac{\pi}{8}\right) \right) \left( \sqrt[8]{a} \sqrt{c} d \cos\left(\frac{\pi}{8}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^4)/(a + c\*x^8),x]

[Out]  $(-2a^{1/8} \text{ArcTan}[\text{Cot}[\text{Pi}/8] - (c^{1/8})x \text{Csc}[\text{Pi}/8]]/a^{1/8}) * (\text{Sqrt}[a] * e * \text{Cos}[\text{Pi}/8] + \text{Sqrt}[c] * d * \text{Sin}[\text{Pi}/8]) + 2a^{1/8} \text{ArcTan}[\text{Cot}[\text{Pi}/8] + (c^{1/8})x \text{Csc}[\text{Pi}/8]]/a^{1/8} * (\text{Sqrt}[a] * e * \text{Cos}[\text{Pi}/8] + \text{Sqrt}[c] * d * \text{Sin}[\text{Pi}/8]) - a^{1/8} \text{Log}[a^{1/4} + c^{1/4} * x^2 - 2a^{1/8} * c^{1/8} * x * \text{Sin}[\text{Pi}/8]] * (\text{Sqrt}[a] * e * \text{Cos}[\text{Pi}/8] + \text{Sqrt}[c] * d * \text{Sin}[\text{Pi}/8]) + a^{1/8} \text{Log}[a^{1/4} + c^{1/4} * x^2 + 2a^{1/8} * c^{1/8} * x * \text{Sin}[\text{Pi}/8]] * (\text{Sqrt}[a] * e * \text{Cos}[\text{Pi}/8] + \text{Sqrt}[c] * d * \text{Sin}[\text{Pi}/8]) + a^{1/8} \text{Log}[a^{1/4} + c^{1/4} * x^2 - 2a^{1/8} * c^{1/8} * x * \text{Cos}[\text{Pi}/8]] * (-\text{Sqrt}[c] * d * \text{Cos}[\text{Pi}/8]) + \text{Sqrt}[a] * e * \text{Sin}[\text{Pi}/8]) - a^{1/8} \text{Log}[a^{1/4} + c^{1/4} * x^2 + 2a^{1/8} * c^{1/8} * x * \text{Cos}[\text{Pi}/8]] * (-\text{Sqrt}[c] * d * \text{Cos}[\text{Pi}/8]) + \text{Sqrt}[a] * e * \text{Sin}[\text{Pi}/8]) + 2 * \text{ArcTan}[(c^{1/8})x \text{Sec}[\text{Pi}/8]]/a^{1/8} - \text{Tan}[\text{Pi}/8]] * (a^{1/8} * \text{Sqrt}[c] * d * \text{Cos}[\text{Pi}/8] - a^{5/8} * e * \text{Sin}[\text{Pi}/8]) + 2 * \text{ArcTan}[(c^{1/8})x \text{Sec}[\text{Pi}/8]]/a^{1/8} + \text{Tan}[\text{Pi}/8]] * (a^{1/8} * \text{Sqrt}[c] * d * \text{Cos}[\text{Pi}/8] - a^{5/8} * e * \text{Sin}[\text{Pi}/8])) / (8 * a * c^{5/8})$

**fricas [B]** time = 1.71, size = 3406, normalized size = 4.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(c\*x^8+a),x, algorithm="fricas")

[Out]  $-1/2 * ((a^3 * c^2 * \text{sqrt}(-(c^4 * d^8 - 12 * a * c^3 * d^6 * e^2 + 38 * a^2 * c^2 * d^4 * e^4 - 12 * a^3 * c * d^2 * e^6 + a^4 * e^8)) / (a^7 * c^5)) - 4 * c * d^3 * e + 4 * a * d * e^3) / (a^3 * c^2)^{(1/4)} * \text{arctan}(-((3 * a^3 * c^5 * d^6 * e - 19 * a^4 * c^4 * d^4 * e^3 + 9 * a^5 * c^3 * d^2 * e^5 - a^6 * c^2 * e^7 + (a^6 * c^6 * d^3 - 3 * a^7 * c^5 * d * e^2)) * \text{sqrt}(-(c^4 * d^8 - 12 * a * c^3 * d^6 * e^2 + 38 * a^2 * c^2 * d^4 * e^4 - 12 * a^3 * c * d^2 * e^6 + a^4 * e^8)) / (a^7 * c^5))) * \text{sqrt}(((c^4 * d^8 - 4 * a * c^3 * d^6 * e^2 - 10 * a^2 * c^2 * d^4 * e^4 - 4 * a^3 * c * d^2 * e^6 + a^4 * e^8)) * x^2 - (2 * a^6 * c^4 * d * e * \text{sqrt}(-(c^4 * d^8 - 12 * a * c^3 * d^6 * e^2 + 38 * a^2 * c^2 * d^4 * e^4 - 12 * a^3 * c * d^2 * e^6 + a^4 * e^8)) / (a^7 * c^5)) - a^2 * c^4 * d^6 + 7 * a^3 * c^3 * d^4 * e^2 - 7 * a^4 * c^2 * d^2 * e^4 + a^5 * c * e^6) * \text{sqrt}((a^3 * c^2 * \text{sqrt}(-(c^4 * d^8 - 12 * a * c^3 * d^6 * e^2 + 38 * a^2 * c^2 * d^4 * e^4 - 12 * a^3 * c * d^2 * e^6 + a^4 * e^8)) / (a^7 * c^5)) - 4 * c * d^3 * e + 4 * a * d * e^3) / (a^3 * c^2))) / (c^4 * d^8 - 4 * a * c^3 * d^6 * e^2 - 10 * a^2 * c^2 * d^4 * e^4 - 4 * a^3 * c * d^2 * e^6 + a^4 * e^8) * \text{sqrt}((a^3 * c^2 * \text{sqrt}(-(c^4 * d^8 - 12 * a * c^3 * d^6 * e^2 + 38 * a^2 * c^2 * d^4 * e^4 - 12 * a^3 * c * d^2 * e^6 + a^4 * e^8)) / (a^7 * c^5)) - 4 * c * d^3 * e + 4 * a * d * e^3) / (a^3 * c^2)) - ((a^6 * c^6 * d^3 - 3 * a^7 * c^5 * d * e^2) * x * \text{sqrt}(-(c^4 * d^8 - 12 * a * c^3 * d^6 * e^2 + 38 * a^2 * c^2 * d^4 * e^4 - 12 * a^3 * c * d^2 * e^6 + a^4 * e^8)) /$

$$\begin{aligned}
& (a^7c^5)) + (3a^3c^5d^6e - 19a^4c^4d^4e^3 + 9a^5c^3d^2e^5 - a^6c^2e^7)x) \sqrt{(a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} - 4c^3d^3e + 4a^2d^3e^3)/(a^3c^2))} \\
& \cdot ((a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} - 4c^3d^3e + 4a^2d^3e^3)/(a^3c^2))^{1/4} / (c^5d^{10} - 3a^4c^4d^8e^2 - 14a^2c^3d^6e^4 - 14a^3c^2d^4e^6 - 3a^4c^2d^2e^8 + a^5e^{10})) + 1/2 \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{1/4} \cdot \arctan(((3a^3c^5d^6e - 19a^4c^4d^4e^3 + 9a^5c^3d^2e^5 - a^6c^2e^7 - (a^6c^6d^3 - 3a^7c^5d^2e^2)\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)}) \sqrt{((c^4d^8 - 4a^3c^3d^6e^2 - 10a^2c^2d^4e^4 - 4a^3c^3d^2e^6 + a^4e^8))x^2 + (2a^6c^4d^4e^4\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + a^2c^4d^6 - 7a^3c^3d^4e^2 + 7a^4c^2d^2e^4 - a^5c^2e^6)\sqrt{-(a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2)))/(c^4d^8 - 4a^3c^3d^6e^2 - 10a^2c^2d^4e^4 - 4a^3c^3d^2e^6 + a^4e^8)}) \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{3/4} + ((a^6c^6d^3 - 3a^7c^5d^2e^2)x \sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} - (3a^3c^5d^6e - 19a^4c^4d^4e^3 + 9a^5c^3d^2e^5 - a^6c^2e^7)x) \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{3/4}) / (c^5d^{10} - 3a^4c^4d^8e^2 - 14a^2c^3d^6e^4 - 14a^3c^2d^4e^6 - 3a^4c^2d^2e^8 + a^5e^{10})) + 1/8 \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{1/4} \cdot \log((c^3d^6 - 5a^2c^2d^4e^2 - 5a^2c^2d^2e^4 + a^3e^6)x + (a^5c^3e\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + a^3c^3d^5 - 6a^2c^2d^3e^2 + a^3c^3d^4e^4) \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{1/4}) - 1/8 \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{1/4} \cdot \log((c^3d^6 - 5a^2c^2d^4e^2 - 5a^2c^2d^2e^4 + a^3e^6)x - (a^5c^3e\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + a^3c^3d^5 - 6a^2c^2d^3e^2 + a^3c^3d^4e^4) \cdot (-a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} + 4c^3d^3e - 4a^2d^3e^3)/(a^3c^2))^{1/4}) - 1/8 \cdot ((a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} - 4c^3d^3e + 4a^2d^3e^3)/(a^3c^2))^{1/4} \cdot \log(((c^3d^6 - 5a^2c^2d^4e^2 - 5a^2c^2d^2e^4 + a^3e^6)x + (a^5c^3e\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + a^4e^8)/(a^7c^5)} - a^3c^3d^5 + 6a^2c^2d^3e^2 - a^3c^3d^4e^4) \cdot ((
\end{aligned}$$

$$a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^2d^2e^6 + a^4e^8)/(a^7c^5)} - 4c^3d^3e + 4a^3d^3e^3/(a^3c^2)^{(1/4)} + 1/8*((a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^2d^2e^6 + a^4e^8)/(a^7c^5)} - 4c^3d^3e + 4a^3d^3e^3)/(a^3c^2)^{(1/4)} * \log((c^3d^6 - 5a^3c^2d^4e^2 - 5a^2c^2d^2e^4 + a^3e^6)*x - (a^5c^3e\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^2d^2e^6 + a^4e^8)/(a^7c^5)} - a^3c^3d^5 + 6a^2c^2d^3e^2 - a^3c^3d^3e^4)*((a^3c^2\sqrt{-(c^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^2d^2e^6 + a^4e^8)/(a^7c^5)} - 4c^3d^3e + 4a^3d^3e^3)/(a^3c^2)^{(1/4)}))$$

**giac** [A] time = 0.74, size = 601, normalized size = 0.80

$$\frac{\left(\sqrt{-\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{5}{8}}}e - d\sqrt{\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)\arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{1}{8}}}}{\sqrt{\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{1}{8}}}}\right)}{8a} - \frac{\left(\sqrt{-\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{5}{8}}}e - d\sqrt{\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)\arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{1}{8}}}}{\sqrt{\sqrt{2} + 2\left(\frac{a}{c}\right)^{\frac{1}{8}}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(c\*x^8+a),x, algorithm="giac")

[Out]  $-1/8*(\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{5/8}e - d\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8}}{\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8}}\right)/a - 1/8*(\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{5/8}e - d\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8}}{\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8}}\right)/a + 1/8*(\sqrt{\sqrt{2} + 2}\cdot(a/c)^{5/8}e + d\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\arctan\left(\frac{2x + \sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8}}{\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8}}\right)/a + 1/8*(\sqrt{\sqrt{2} + 2}\cdot(a/c)^{5/8}e + d\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\arctan\left(\frac{2x - \sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8}}{\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8}}\right)/a - 1/16*(\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{5/8}e - d\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\log(x^2 + x\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8} + (a/c)^{1/4})/a + 1/16*(\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{5/8}e - d\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\log(x^2 - x\sqrt{\sqrt{2} + 2}\cdot(a/c)^{1/8} + (a/c)^{1/4})/a + 1/16*(\sqrt{\sqrt{2} + 2}\cdot(a/c)^{5/8}e + d\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\log(x^2 + x\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8} + (a/c)^{1/4})/a - 1/16*(\sqrt{\sqrt{2} + 2}\cdot(a/c)^{5/8}e + d\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8})\cdot\log(x^2 - x\sqrt{-\sqrt{2} + 2}\cdot(a/c)^{1/8} + (a/c)^{1/4})/a$

**maple** [C] time = 0.02, size = 34, normalized size = 0.05

$$\frac{\left(\text{RootOf}\left(-Z^8c + a\right)^4 e + d\right)\ln\left(-\text{RootOf}\left(-Z^8c + a\right) + x\right)}{8c\text{RootOf}\left(-Z^8c + a\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^4+d)/(c\*x^8+a),x)

[Out] 1/8/c\*sum((\_R^4\*e+d)/\_R^7\*ln(-\_R+x),\_R=RootOf(\_Z^8\*c+a))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{cx^8 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(c\*x^8+a),x, algorithm="maxima")

[Out] integrate((e\*x^4 + d)/(c\*x^8 + a), x)

**mupad** [B] time = 2.78, size = 2510, normalized size = 3.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^4)/(a + c\*x^8),x)

[Out] (atan((c^3\*d^6\*x - a^3\*e^6\*x + a\*c^2\*d^4\*e^2\*x - a^2\*c\*d^2\*e^4\*x + (2\*d\*e\*x\*(a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) - 4\*a^4\*c^4\*d^3\*e + 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^3\*c^2)))/(a\*c^3\*d^5\*((a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) - 4\*a^4\*c^4\*d^3\*e + 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/4) + a^5\*c^3\*e\*((a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) - 4\*a^4\*c^4\*d^3\*e + 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(5/4) - 2\*a^2\*c^2\*d^3\*e^2\*((a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) - 4\*a^4\*c^4\*d^3\*e + 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/4) - 3\*a^3\*c\*d\*e^4\*((a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) - 4\*a^4\*c^4\*d^3\*e + 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/4)))\*((a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) - 4\*a^4\*c^4\*d^3\*e + 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/4))/4 - (atan((a^3\*e^6\*x - c^3\*d^6\*x - a\*c^2\*d^4\*e^2\*x + a^2\*c\*d^2\*e^4\*x + (2\*d\*e\*x\*(a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) + 4\*a^4\*c^4\*d^3\*e - 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^3\*c^2)))/(a\*c^3\*d^5\*(-(a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) + 4\*a^4\*c^4\*d^3\*e - 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/4) + a^5\*c^3\*e\*(-(a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) + 4\*a^4\*c^4\*d^3\*e - 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(5/4) - 2\*a^2\*c^2\*d^3\*e^2\*(-(a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) + 4\*a^4\*c^4\*d^3\*e - 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/4) - 3\*a^3\*c\*d\*e^4\*(-(a^2\*e^4\*(-a^7\*c^5)^(1/2) + c^2\*d^4\*(-a^7\*c^5)^(1/2) + 4\*a^4\*c^4\*d^3\*e - 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2)))/(a^7\*c^5))^(1/2) + 4\*a^4\*c^4\*d^3\*e - 4\*a^5\*c^3\*d\*e^3 - 6\*a\*c\*d^2\*e^2\*(-a^7\*c^5)^(1/2))

$$\begin{aligned} & ))/(a^7c^5)^{(1/4)}) * (- (a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} \\ & + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) / (a^7c^5)^{(1/4)}) / 4 - \operatorname{atan}((c^3d^6xx1i - a^3e^6xx1i + a^2c^2d^4e^2xx1i - \\ & a^2c^2d^2e^4xx1i + (d^2e^2x(a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} - 4a^4c^4d^3e + 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) * 2i) / (a^3c^2)) / (a^2c^3d^5((a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} - 4a^4c^4d^3e + 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(1/4)} + a^5c^3e * ((a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} - 4a^4c^4d^3e + 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(5/4)} - 2a^2c^2d^3e^2 * ((a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} - 4a^4c^4d^3e + 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(1/4)} - 3a^3c^2d^3e^2 * ((a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} - 4a^4c^4d^3e + 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(1/4)})) * ((a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} - 4a^4c^4d^3e + 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (4096a^7c^5))^{(1/4)} * 2i + \operatorname{atan}((a^3e^6xx1i - c^3d^6xx1i - a^2c^2d^4e^2xx1i + a^2c^2d^2e^4xx1i + (d^2e^2x(a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) * 2i) / (a^3c^2)) / (a^2c^3d^5 * (- (a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(1/4)} + a^5c^3e * (- (a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(5/4)} - 2a^2c^2d^3e^2 * (- (a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(1/4)} - 3a^3c^2d^3e^2 * (- (a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (a^7c^5))^{(1/4)})) * (- (a^2e^4(-a^7c^5)^{(1/2)} + c^2d^4(-a^7c^5)^{(1/2)} + 4a^4c^4d^3e - 4a^5c^3d^2e^3 - 6a^2c^2d^3e^2(-a^7c^5)^{(1/2)}) \\ & ) / (4096a^7c^5))^{(1/4)} * 2i \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*4+d)/(c\*x\*\*8+a),x)

[Out] Timed out

### 3.4 $\int \frac{d+ex^4}{a-cx^8} dx$

**Optimal.** Leaf size=329

$$\frac{(\sqrt{ae} + \sqrt{cd}) \tan^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{ae} + \sqrt{cd}) \tanh^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(-\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}}$$

[Out]  $\frac{1}{8} \arctan\left(-1 + c^{1/8} x^{2^{1/2}} / a^{1/8}\right) * (d - e * a^{1/2} / c^{1/2}) / a^{7/8} / c^{1/8} * 2^{1/2} + \frac{1}{8} \arctan\left(1 + c^{1/8} x^{2^{1/2}} / a^{1/8}\right) * (d - e * a^{1/2} / c^{1/2}) / a^{7/8} / c^{1/8} * 2^{1/2} - \frac{1}{16} \ln\left(a^{1/4} + c^{1/4} x^2 - a^{1/8} * c^{1/8} x^{2^{1/2}}\right) * (d - e * a^{1/2} / c^{1/2}) / a^{7/8} / c^{1/8} * 2^{1/2} + \frac{1}{16} \ln\left(a^{1/4} + c^{1/4} x^2 + a^{1/8} * c^{1/8} x^{2^{1/2}}\right) * (d - e * a^{1/2} / c^{1/2}) / a^{7/8} / c^{1/8} * 2^{1/2} + \frac{1}{4} \arctan\left(c^{1/8} x / a^{1/8}\right) * (e * a^{1/2} + d * c^{1/2}) / a^{7/8} / c^{5/8} + \frac{1}{4} \operatorname{arctanh}\left(c^{1/8} x / a^{1/8}\right) * (e * a^{1/2} + d * c^{1/2}) / a^{7/8} / c^{5/8}$

**Rubi [A]** time = 0.21, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$ , Rules used = {1417, 212, 208, 205, 211, 1165, 628, 1162, 617, 204}

$$\frac{(\sqrt{ae} + \sqrt{cd}) \tan^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{ae} + \sqrt{cd}) \tanh^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(-\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}}\right) \log\left(\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^4)/(a - c\*x^8), x]

[Out]  $\frac{(\sqrt{c}d + \sqrt{a}e) \operatorname{ArcTan}\left[\frac{c^{1/8}x}{a^{1/8}}\right]}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \operatorname{ArcTan}\left[1 - \frac{\sqrt{2}c^{1/8}x}{a^{1/8}}\right]}{4\sqrt{2}a^{7/8}c^{1/8}} + \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \operatorname{ArcTan}\left[1 + \frac{\sqrt{2}c^{1/8}x}{a^{1/8}}\right]}{4\sqrt{2}a^{7/8}c^{1/8}} + \frac{(\sqrt{c}d + \sqrt{a}e) \operatorname{ArcTanh}\left[\frac{c^{1/8}x}{a^{1/8}}\right]}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \operatorname{Log}\left[a^{1/4} - \sqrt{2}a^{1/8}c^{1/8}x + c^{1/4}x^2\right]}{8\sqrt{2}a^{7/8}c^{1/8}} + \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \operatorname{Log}\left[a^{1/4} + \sqrt{2}a^{1/8}c^{1/8}x + c^{1/4}x^2\right]}{8\sqrt{2}a^{7/8}c^{1/8}}$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 205

$\text{Int}[(a_ + (b_ \cdot)(x_ )^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \cdot \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

### Rule 208

$\text{Int}[(a_ + (b_ \cdot)(x_ )^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \cdot \text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b]$

### Rule 211

$\text{Int}[(a_ + (b_ \cdot)(x_ )^4)^{-1}, x\_Symbol] \rightarrow \text{With}\{r = \text{Numerator}[\text{Rt}[a/b, 2]], s = \text{Denominator}[\text{Rt}[a/b, 2]]\}, \text{Dist}[1/(2 \cdot r), \text{Int}[(r - s \cdot x^2)/(a + b \cdot x^4), x], x] + \text{Dist}[1/(2 \cdot r), \text{Int}[(r + s \cdot x^2)/(a + b \cdot x^4), x], x]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ (\text{GtQ}[a/b, 0] \ || \ (\text{PosQ}[a/b] \ \&\& \ \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, a]] \ \&\& \ \text{AtomQ}[\text{SplitProduct}[\text{SumBaseQ}, b]]))$

### Rule 212

$\text{Int}[(a_ + (b_ \cdot)(x_ )^4)^{-1}, x\_Symbol] \rightarrow \text{With}\{r = \text{Numerator}[\text{Rt}[-(a/b), 2]], s = \text{Denominator}[\text{Rt}[-(a/b), 2]]\}, \text{Dist}[r/(2 \cdot a), \text{Int}[1/(r - s \cdot x^2), x], x] + \text{Dist}[r/(2 \cdot a), \text{Int}[1/(r + s \cdot x^2), x], x]] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ !\text{GtQ}[a/b, 0]$

### Rule 617

$\text{Int}[(a_ + (b_ \cdot)(x_ ) + (c_ \cdot)(x_ )^2)^{-1}, x\_Symbol] \rightarrow \text{With}\{q = 1 - 4 \cdot S \text{implify}[(a \cdot c)/b^2]\}, \text{Dist}[-2/b, \text{Subst}[\text{Int}[1/(q - x^2), x], x, 1 + (2 \cdot c \cdot x)/b], x] \text{ /; RationalQ}[q] \ \&\& \ (\text{EqQ}[q^2, 1] \ || \ !\text{RationalQ}[b^2 - 4 \cdot a \cdot c]) \text{ /; FreeQ}\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4 \cdot a \cdot c, 0]$

### Rule 628

$\text{Int}[(d_ + (e_ \cdot)(x_ )) / ((a_ + (b_ \cdot)(x_ ) + (c_ \cdot)(x_ )^2)), x\_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + b \cdot x + c \cdot x^2, x]])/b, x] \text{ /; FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2 \cdot c \cdot d - b \cdot e, 0]$

### Rule 1162

$\text{Int}[(d_ + (e_ \cdot)(x_ )^2) / ((a_ + (c_ \cdot)(x_ )^4)), x\_Symbol] \rightarrow \text{With}\{q = \text{Rt}[(2 \cdot d)/e, 2]\}, \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e + q \cdot x + x^2, x], x], x] + \text{Dist}[e/(2 \cdot c), \text{Int}[1/\text{Simp}[d/e - q \cdot x + x^2, x], x], x]] \text{ /; FreeQ}\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c \cdot d^2 - a \cdot e^2, 0] \ \&\& \ \text{PosQ}[d \cdot e]$

### Rule 1165



Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[(-2\*d)/e, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x)/Simp[d/e + q\*x - x^2, x], x], x] + Dist[e/(2\*c\*q), Int[(q + 2\*x)/Simp[d/e - q\*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && NegQ[d\*e]

### Rule 1417

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[-(a/c), 2]}, Dist[(d + e\*q)/2, Int[1/(a + c\*q\*x^n), x], x] + Dist[(d - e\*q)/2, Int[1/(a - c\*q\*x^n), x], x]] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && NegQ[a\*c] && IntegerQ[n]

### Rubi steps

$$\begin{aligned}
 \int \frac{d + ex^4}{a - cx^8} dx &= \frac{1}{2} \left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a + \sqrt{a} \sqrt{c} x^4} dx + \frac{1}{2} \left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a - \sqrt{a} \sqrt{c} x^4} dx \\
 &= \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{\sqrt[4]{a} - \sqrt[4]{c} x^2}{a + \sqrt{a} \sqrt{c} x^4} dx}{4\sqrt[4]{a}} + \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{\sqrt[4]{a} + \sqrt[4]{c} x^2}{a + \sqrt{a} \sqrt{c} x^4} dx}{4\sqrt[4]{a}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[4]{a} - \sqrt[4]{c} x^2} dx}{4a^{3/4}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[4]{a} + \sqrt[4]{c} x^2} dx}{4a^{3/4}} \\
 &= \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1} \left( \frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{c}d + \sqrt{ae}) \tanh^{-1} \left( \frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} + \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt{c}} - \frac{\sqrt{2} \sqrt[8]{ax}}{\sqrt{c}} + x^2} dx}{8a^{3/4} \sqrt[4]{c}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt{c}} + \frac{\sqrt{2} \sqrt[8]{ax}}{\sqrt{c}} + x^2} dx}{8a^{3/4} \sqrt[4]{c}} \\
 &= \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1} \left( \frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{c}d + \sqrt{ae}) \tanh^{-1} \left( \frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} - \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log \left( \sqrt[4]{a} - \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x \right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \log \left( \sqrt[4]{a} + \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x \right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} \\
 &= \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1} \left( \frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} - \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1} \left( 1 - \frac{\sqrt{2} \sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left( d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1} \left( 1 + \frac{\sqrt{2} \sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \log \left( \sqrt[4]{a} - \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x \right)}{8\sqrt{2} ac^{5/8}} + \frac{\left( d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \log \left( \sqrt[4]{a} + \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x \right)}{8\sqrt{2} ac^{5/8}}
 \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 425, normalized size = 1.29

$$\frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left( -\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2 \right)}{8\sqrt{2} ac^{5/8}} - \frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left( \sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2 \right)}{8\sqrt{2} ac^{5/8}} + \frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left( \sqrt[4]{a} - \sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x \right)}{8\sqrt{2} ac^{5/8}} + \frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left( \sqrt[4]{a} + \sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x \right)}{8\sqrt{2} ac^{5/8}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^4)/(a - c\*x^8), x]

```
[Out] ((a^(1/8)*Sqrt[c]*d + a^(5/8)*e)*ArcTan[(c^(1/8)*x)/a^(1/8)]/(4*a*c^(5/8))
- (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*ArcTan[(-(Sqrt[2]*a^(1/8)) + 2*c^(1/8)*x)/(Sqrt[2]*a^(1/8))]/(4*Sqrt[2]*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*ArcTan[(Sqrt[2]*a^(1/8) + 2*c^(1/8)*x)/(Sqrt[2]*a^(1/8))]/(4*Sqrt[2]*a*c^(5/8)) - ((a^(1/8)*Sqrt[c]*d + a^(5/8)*e)*Log[a^(1/8) - c^(1/8)*x]/(8*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) - a^(5/8)*e)*Log[a^(1/8) + c^(1/8)*x]/(8*a*c^(5/8)) + (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*Log[a^(1/4) - Sqrt[2]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2]/(8*Sqrt[2]*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*Log[a^(1/4) + Sqrt[2]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2]/(8*Sqrt[2]*a*c^(5/8))
```

**fricas** [B] time = 1.78, size = 3385, normalized size = 10.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^4+d)/(-c*x^8+a),x, algorithm="fricas")
```

```
[Out] 1/2*((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)*arctan(((3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7 - (a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)))*sqrt(((c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)*x^2 - (2*a^6*c^4*d*e*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a^2*c^4*d^6 - 7*a^3*c^3*d^4*e^2 - 7*a^4*c^2*d^2*e^4 - a^5*c*e^6)*sqrt((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8))*sqrt((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)) + ((a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*x*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - (3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7)*x)*sqrt((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)))*((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)/(c^5*d^10 + 3*a*c^4*d^8*e^2 - 14*a^2*c^3*d^6*e^4 + 14*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^10)) - 1/2*(-(a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(1/4)*arctan(-((3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7 + (a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)))*sqrt(((c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)*x^2 - (2*a^6*c^4*d*e*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a^2*c^4*d^6 - 7*a^3*c^3*d^4*e^2 - 7*a^4*c^2*d^2*e^4 - a^5*c*e^6)*sqrt((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8))*sqrt((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))
```

$$\begin{aligned}
& 3*c*d^2*e^6 + a^4*e^8)*x^2 + (2*a^6*c^4*d*e*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + a^2*c^4*d^6 + 7*a^3*c^3*d^4*e^2 + 7*a^4*c^2*d^2*e^4 + a^5*c*e^6)*\sqrt{-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8))*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{3/4} - ((a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*x*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + (3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7)*x)*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{3/4})/(c^5*d^10 + 3*a*c^4*d^8*e^2 - 14*a^2*c^3*d^6*e^4 + 14*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^10) + 1/8*((a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x + (a^5*c^3*e*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4))*((a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}) - 1/8*((a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x - (a^5*c^3*e*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4))*((a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}) - 1/8*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x + (a^5*c^3*e*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4))*((a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}) + 1/8*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x - (a^5*c^3*e*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + a*c^3*d^5 + 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4))*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}) + 1/8*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x - (a^5*c^3*e*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} + a*c^3*d^5 + 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4))*(-(a^3*c^2*\sqrt{(c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)} - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4})
\end{aligned}$$

**giac** [B] time = 0.75, size = 633, normalized size = 1.92

$$\frac{\left(\sqrt{-\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{5}{8}}e-d\sqrt{\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{1}{8}}\right)\arctan\left(\frac{2x+\sqrt{-\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(-c\*x^8+a),x, algorithm="giac")

[Out] -1/8\*(sqrt(-sqrt(2) + 2)\*(-a/c)^(5/8)\*e - d\*sqrt(sqrt(2) + 2)\*(-a/c)^(1/8)) \*arctan((2\*x + sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8))/(sqrt(sqrt(2) + 2)\*(-a/c)^(1/8)))/a - 1/8\*(sqrt(-sqrt(2) + 2)\*(-a/c)^(5/8)\*e - d\*sqrt(sqrt(2) + 2)\*(-a/c)^(1/8))\*arctan((2\*x - sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8))/(sqrt(sqrt(2) + 2)\*(-a/c)^(1/8)))/a + 1/8\*(sqrt(sqrt(2) + 2)\*(-a/c)^(5/8)\*e + d\*sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8))\*arctan((2\*x + sqrt(sqrt(2) + 2)\*(-a/c)^(1/8))/(sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8)))/a + 1/8\*(sqrt(sqrt(2) + 2)\*(-a/c)^(5/8)\*e + d\*sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8))\*arctan((2\*x - sqrt(sqrt(2) + 2)\*(-a/c)^(1/8))/(sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8)))/a - 1/16\*(sqrt(-sqrt(2) + 2)\*(-a/c)^(5/8)\*e - d\*sqrt(sqrt(2) + 2)\*(-a/c)^(1/8))\*log(x^2 + x\*sqrt(sqrt(2) + 2)\*(-a/c)^(1/8) + (-a/c)^(1/4))/a + 1/16\*(sqrt(-sqrt(2) + 2)\*(-a/c)^(5/8)\*e - d\*sqrt(sqrt(2) + 2)\*(-a/c)^(1/8))\*log(x^2 - x\*sqrt(sqrt(2) + 2)\*(-a/c)^(1/8) + (-a/c)^(1/4))/a + 1/16\*(sqrt(sqrt(2) + 2)\*(-a/c)^(5/8)\*e + d\*sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8))\*log(x^2 + x\*sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8) + (-a/c)^(1/4))/a - 1/16\*(sqrt(sqrt(2) + 2)\*(-a/c)^(5/8)\*e + d\*sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8))\*log(x^2 - x\*sqrt(-sqrt(2) + 2)\*(-a/c)^(1/8) + (-a/c)^(1/4))/a

**maple** [C] time = 0.01, size = 39, normalized size = 0.12

$$\frac{\left(-\text{RootOf}\left(-Z^8c-a\right)^4e-d\right)\ln\left(-\text{RootOf}\left(-Z^8c-a\right)+x\right)}{8c\text{RootOf}\left(-Z^8c-a\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^4+d)/(-c\*x^8+a),x)

[Out] 1/8/c\*sum((-\_R^4\*e-d)/\_R^7\*ln(-\_R+x),\_R=RootOf(-Z^8\*c-a))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^4 + d}{cx^8 - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.



$$\begin{aligned}
& c^3 d^3 e^3 + 6 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2} / (a^7 c^5)^{1/4} - 3 a^3 c^3 d^3 e^4 \\
& * ((a^2 e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} + 4 a^4 c^4 d^3 e + 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2}) / (a^7 c^5)^{1/4}) * ((a^2 e^4 \\
& * (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} + 4 a^4 c^4 d^3 e + 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2}) / (4096 a^7 c^5)^{1/4} * 2i + \operatorname{atan}((a^5 c^2 \\
& * d^4 e^2 x^{1i} - c^3 d^6 x^{1i} - a^3 e^6 x^{1i} + a^2 c^2 d^2 e^4 x^{1i} + (d e x * ( \\
& a^2 e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} - 4 a^4 c^4 d^3 e - 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2})) * 2i) / (a^3 c^2)) / (a^5 c^3 d^5 * (- (a^2 \\
& e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} - 4 a^4 c^4 d^3 e - 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2})) / (a^7 c^5)^{1/4} + a^5 c^3 e * (- (a^2 \\
& e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} - 4 a^4 c^4 d^3 e - 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2})) / (a^7 c^5)^{5/4} + 2 a^2 c^2 d^3 \\
& e^2 * (- (a^2 e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} - 4 a^4 c^4 d^3 e - 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2})) / (a^7 c^5)^{1/4} - 3 a^3 \\
& c^3 d^3 e^4 * (- (a^2 e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} - 4 a^4 c^4 d^3 e - 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2})) / (a^7 c^5)^{1/4}) \\
& * (- (a^2 e^4 (a^7 c^5)^{1/2} + c^2 d^4 (a^7 c^5)^{1/2} - 4 a^4 c^4 d^3 e - 4 a^5 c^3 d^3 e^3 + 6 a^5 c^3 d^2 e^2 (a^7 c^5)^{1/2})) / (4096 a^7 c^5)^{1/4} * 2i
\end{aligned}$$

**sympy** [F(-1)]    time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x\*\*4+d)/(-c\*x\*\*8+a),x)

[Out] Timed out

$$3.5 \quad \int \frac{d+ex^4}{d^2+bx^4+e^2x^8} dx$$

**Optimal.** Leaf size=791

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} - \frac{\log\left(-x\sqrt{\sqrt{2d}}\right)}{8\sqrt{d}}$$

[Out]  $-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.86, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} - \frac{\log\left(-x\sqrt{\sqrt{2d}}\right)}{8\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^4)/(d^2 + b\*x^4 + e^2\*x^8), x]

[Out]  $-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]])-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]])$

$$\begin{aligned}
& [d]\sqrt{e} - \sqrt{-b + 2de}] + \text{ArcTan}[(\sqrt{2\sqrt{d}\sqrt{e}} - \sqrt{-b + 2de}) \\
& + 2\sqrt{e}x]/\sqrt{2\sqrt{d}\sqrt{e} + \sqrt{-b + 2de}}]/(4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e} + \sqrt{-b + 2de}}) \\
& + \text{ArcTan}[(\sqrt{2\sqrt{d}\sqrt{e}} + \sqrt{-b + 2de}) + 2\sqrt{e}x]/\sqrt{2\sqrt{d}\sqrt{e} - \sqrt{-b + 2de}}] \\
& / (4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e} - \sqrt{-b + 2de}}) - \text{Log}[\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}} \\
& - \sqrt{-b + 2de}]x + \sqrt{e}x^2/(8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e} - \sqrt{-b + 2de}}) \\
& + \text{Log}[\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}} - \sqrt{-b + 2de}]x + \sqrt{e}x^2/(8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e} - \sqrt{-b + 2de}}) \\
& - \text{Log}[\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}} + \sqrt{-b + 2de}]x + \sqrt{e}x^2/(8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e} + \sqrt{-b + 2de}}) \\
& + \text{Log}[\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}} + \sqrt{-b + 2de}]x + \sqrt{e}x^2/(8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e} + \sqrt{-b + 2de}})
\end{aligned}$$

### Rule 204

$$\text{Int}[(a + (b \cdot x)^2)^{-1}, x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

### Rule 618

$$\text{Int}[(a + (b \cdot x) + (c \cdot x)^2)^{-1}, x\_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4ac - x^2, x], x], x, b + 2cx], x] /; \text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$$

### Rule 628

$$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x)^2), x\_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{EqQ}[2cd - be, 0]$$

### Rule 634

$$\text{Int}[(d + (e \cdot x))/(a + (b \cdot x) + (c \cdot x)^2), x\_Symbol] \rightarrow \text{Dist}[(2cd - be)/(2c), \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[(b + 2cx)/(a + bx + cx^2), x], x] /; \text{FreeQ}\{a, b, c, d, e, x\} \ \&\& \ \text{NeQ}[2cd - be, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4ac]$$

### Rule 1094

$$\text{Int}[(a + (b \cdot x)^2 + (c \cdot x)^4)^{-1}, x\_Symbol] \rightarrow \text{With}\{q = \text{Rt}[a/c, 2]\}, \text{With}\{r = \text{Rt}[2q - b/c, 2]\}, \text{Dist}[1/(2cq \cdot r), \text{Int}[(r - x)/(q - rx + x^2), x], x] + \text{Dist}[1/(2cq \cdot r), \text{Int}[(r + x)/(q + rx + x^2), x], x]] /; \text{FreeQ}\{a, b, c, x\} \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{NegQ}[b^2 - 4ac]$$



Rule 1419

Int[((d\_) + (e\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_) + (c\_)\*(x\_)^(n2\_)), x\_Symbol] :> With[{q = Rt[(2\*d)/e - b/c, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x^(n/2) + x^n, x], x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d, e\*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
 \int \frac{d + ex^4}{d^2 + bx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{-b+2de}x^2}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{-b+2de}x^2}{e} + x^4} dx}{2e} \\
 &= \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} x + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} + x}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} x + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}{\sqrt{e}}}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}{\sqrt{e}} x + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}} \\
 &= \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} x + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} x + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}{\sqrt{e}} x + x^2} dx}{8\sqrt{d}\sqrt{e}} \\
 &= -\frac{\log\left(\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}} x + \sqrt{e} x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\log\left(\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}} x + \sqrt{e} x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} \\
 &= -\frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}} - 2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}} - 2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{2\sqrt{d}\sqrt{e}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}}}
 \end{aligned}$$

Mathematica [C] time = 0.04, size = 67, normalized size = 0.08

$$\frac{1}{4} \text{RootSum}\left[\#1^8 e^2 + \#1^4 b + d^2 \&, \frac{\#1^4 e \log(x - \#1) + d \log(x - \#1)}{2\#1^7 e^2 + \#1^3 b} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^4)/(d^2 + b\*x^4 + e^2\*x^8),x]

[Out] RootSum[d^2 + b\*#1^4 + e^2\*#1^8 & , (d\*Log[x - #1] + e\*Log[x - #1]\*#1^4)/(b\*#1^3 + 2\*e^2\*#1^7) & ]/4

**fricas** [B] time = 1.33, size = 3059, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(e^2\*x^8+b\*x^4+d^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -\sqrt{\sqrt{1/2}*\sqrt{-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))*\arctan(-1/4*(2*\sqrt{1/2}*((8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*x*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - (4*d^2*e^2 + 4*b*d*e + b^2)*x)*\sqrt{-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)) + (4*d^2*e^2 + 4*b*d*e + b^2 - (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4))*\sqrt{-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))*\sqrt{(2*e^2*x^2 + \sqrt{1/2}*(2*b*d*e + b^2 - (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)))*\sqrt{-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))/e^2)*\sqrt{\sqrt{1/2}*\sqrt{-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))/e} + \sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))*\arctan(-1/4*(2*\sqrt{1/2}*((8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*x*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + (4*d^2*e^2 + 4*b*d*e + b^2)*x)*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*\sqrt{((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)) - (4*d^2*e^2 + 4*b*d*e + b^2 + (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4))*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*\sqrt{((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))*\sqrt{(2*e^2*x^2 + \sqrt{1/2}*(2*b*d*e + b^2 - (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)))*\sqrt{-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)}/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b}}/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))/e} \end{aligned}$$

$$\begin{aligned} &^2 + (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*\sqrt{-(2*d*e - b)/} \\ &8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4))\sqrt{((4*d^4*e^2 + 4*b* \\ &d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e \\ &+ b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))/e^2)} + 1/4*\sqrt{(\sqrt{ \\ &1/2})*\sqrt{-(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e \\ &^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b \\ &^2*d^2)))*\log(e*x + 1/2*(2*d*e - (4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2 \\ &*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)*\sqrt{(\sqrt{ \\ &1/2})*\sqrt{-(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^ \\ &^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b^ \\ &^2*d^2))} - 1/4*\sqrt{(\sqrt{1/2})*\sqrt{-(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{ \\ &-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d \\ &^4*e^2 + 4*b*d^3*e + b^2*d^2)))*\log(e*x - 1/2*(2*d*e - (4*d^4*e^2 + 4*b*d^ \\ &^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + \\ &b^3*d^4)) + b)*\sqrt{(\sqrt{1/2})*\sqrt{-(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{ \\ &-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d \\ &^4*e^2 + 4*b*d^3*e + b^2*d^2))} + 1/4*\sqrt{(\sqrt{1/2})*\sqrt{((4*d^4*e^2 + 4*b \\ &d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e \\ &+ b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*\log(e*x + 1/2*(2*d*e \\ &+ (4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^ \\ &^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)*\sqrt{(\sqrt{1/2})*\sqrt{((4*d^4*e^2 + 4*b \\ &d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e \\ &+ b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))} - 1/4*\sqrt{(\sqrt{1/2})* \\ &\sqrt{((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b \\ &*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))} \\ &)*\log(e*x - 1/2*(2*d*e + (4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b) \\ &/ (8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)*\sqrt{(\sqrt{1/2})*\sqrt{ \\ &((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*\sqrt{-(2*d*e - b)/(8*d^7*e^3 + 12*b*d \\ &^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))} \\ &)) \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(e^2\*x^8+b\*x^4+d^2),x, algorithm="giac")

[Out] Timed out

**maple** [C] time = 0.05, size = 53, normalized size = 0.07

$$\frac{\left(\text{RootOf}\left(e^2\_Z^8 + b\_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2\_Z^8 + b\_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2\_Z^8 + b\_Z^4 + d^2\right)^7 e^2 + 4 \text{RootOf}\left(e^2\_Z^8 + b\_Z^4 + d^2\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^4+d)/(e^2*x^8+b*x^4+d^2),x)`

[Out] `1/4*sum((R^4*e+d)/(2*R^7*e^2+R^3*b)*ln(-R+x),R=RootOf(Z^8*e^2+Z^4*b+d^2))`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 + bx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^4+d)/(e^2*x^8+b*x^4+d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^4 + d)/(e^2*x^8 + b*x^4 + d^2), x)`

**mupad** [B] time = 3.83, size = 10409, normalized size = 13.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^4)/(b*x^4 + d^2 + e^2*x^8),x)`

[Out] `2*atan(((x*(32*b*d^5*e^13 - 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 - 48*b^2*d^4*e^12) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*b*d^8*e^14 + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 + 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 - 262144*b*d^9*e^14 + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 + 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i)*(-(b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i - 256*d^7*e^14 + 256*b*d^6*e^13 + 16*b^4*d^3*e^10 - 64*b^3*d^4*e^11)*1i)*(-(b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4) + (x*(32*b*d^5*e^13 - 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 - 48*b^2*d^4*e^12) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*b*d^8*e^14 + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 + 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 +`

$$\begin{aligned}
& (16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)} * (262144*d \\
& ^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152* \\
& b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*i) * (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d* \\
& e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2 \\
& )))^{(3/4)} * i + 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} + 64*b^3*d^4 \\
& *e^{11})*i) * (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2 \\
& *d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4* \\
& e^2)))^{(1/4)} / ((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^ \\
& 2*d^4*e^{12}) + (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4* \\
& b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d \\
& ^4*e^2)))^{(1/4)} * ((x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - \\
& 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6 \\
& *e^{12} - 65536*b^2*d^7*e^{13}) - (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + \\
& 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^ \\
& 5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * (262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 409 \\
& 6*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} \\
& + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*i) * (- (b^3 + ((b - 2*d*e)*(b + \\
& 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8* \\
& b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} * i - 256*d^7*e^{14} + 256* \\
& b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11})*i) * (- (b^3 + ((b - 2*d*e)*( \\
& b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + \\
& 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * i - (x*(32*b*d^5*e^{1 \\
& 3} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) + (- (b^3 + ((b - 2* \\
& d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6 \\
& *e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * ((x*(65536*d^9* \\
& e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d \\
& ^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) + ( \\
& - (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*( \\
& b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} \\
& * (262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^ \\
& 9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608* \\
& b^2*d^8*e^{13})*i) * (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 \\
& + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b \\
& ^2*d^4*e^2)))^{(3/4)} * i + 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} + \\
& 64*b^3*d^4*e^{11})*i) * (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e \\
& ^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 2 \\
& 4*b^2*d^4*e^2)))^{(1/4)} * i) * (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4* \\
& b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5* \\
& e^3 + 24*b^2*d^4*e^2)))^{(1/4)} - \operatorname{atan}(((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + \\
& 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (- (b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{( \\
& 1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + \\
& 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * ((x*(65536*d^9*e^{15} - 32768*b*d^8*e^ \\
& 14 + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d \\
& ^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) + (- (b^3 + ((b - 2*d*e)*
\end{aligned}$$

$$\begin{aligned}
& ((b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 \\
& + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(262144*d^{10}*e^{15} - \\
& 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} \\
& 0 + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}))*(-(b^3 \\
& + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 \\
& ^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 25 \\
& 6*d^7*e^{14} + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11}))*(-(b^3 + \\
& ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 \\
& + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i + (x \\
& *(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (- \\
& b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4 \\
& d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*( \\
& (x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 \\
& - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2 \\
& *d^7*e^{13}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b \\
& ^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4 \\
& e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4 \\
& 096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7* \\
& e^{12} - 196608*b^2*d^8*e^{13}))*(-(b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4 \\
& *b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5 \\
& e^3 + 24*b^2*d^4*e^2)))^{(3/4)} + 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3 \\
& *e^{10} + 64*b^3*d^4*e^{11}))*(-(b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b* \\
& d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^ \\
& 3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i)/((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^ \\
& 3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} \\
& + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b* \\
& d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + \\
& 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^ \\
& 11 + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) + (-b^3 + ((b - 2*d*e)*(b + \\
& 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b \\
& ^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 26214 \\
& 4*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 4 \\
& 9152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}))*(-(b^3 + (( \\
& b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7 \\
& *e^{14} + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11}))*(-(b^3 + ((b - \\
& 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16* \\
& d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} - (x*(32*b*d \\
& ^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (-b^3 + (( \\
& b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(6553 \\
& 6*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240 \\
& *b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{1 \\
& 3}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/ \\
& (512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))
\end{aligned}$$



$$\begin{aligned}
& 11 + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}) - x*(65536*d^9*e^{15} - 32768 \\
& *b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20 \\
& 480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*(-(b^3 - ((b - \\
& 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16* \\
& d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} \\
& + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11}))*(-(b^3 - ((b - 2* \\
& d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6 \\
& *e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} - (x*(32*b*d^5* \\
& e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (-(b^3 - ((b - \\
& 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16* \\
& d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(((-(b^3 - ( \\
& (b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144* \\
& d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152 \\
& *b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e \\
& ^{13}) + x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d \\
& ^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 655 \\
& 36*b^2*d^7*e^{13}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 \\
& + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b \\
& ^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64* \\
& b^3*d^4*e^{11}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4 \\
& *b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2* \\
& d^4*e^2)))^{(1/4)}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 \\
& + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24* \\
& b^2*d^4*e^2)))^{(1/4)}*2i - 2*atan(((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b \\
& ^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) + (-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} \\
& + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b \\
& *d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(((-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{( \\
& 1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + \\
& 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{1 \\
& 4} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^ \\
& 6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*1i + x*(65536*d^9*e^{15} \\
& - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} \\
& + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*(-(b^3 - \\
& ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^ \\
& 2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)}*1i + \\
& 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} + 64*b^3*d^4*e^{11})*1i)*(-(b \\
& ^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4 \\
& *d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} + \\
& (x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - ( \\
& -(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*( \\
& b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} \\
& *(((-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(5 \\
& 12*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{( \\
& 1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^
\end{aligned}$$



$$\begin{aligned}
& 4e^9 - 49152b^5d^5e^{10} + 49152b^4d^6e^{11} + 196608b^3d^7e^{12} - 196608b^2d^8e^{13}) * 1i - x * (65536d^9e^{15} - 32768b^2d^8e^{14} + 1024b^7d^2e^8 - 2048b^6d^3e^9 - 10240b^5d^4e^{10} + 20480b^4d^5e^{11} + 32768b^3d^6e^{12} - 65536b^2d^7e^{13})) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(3/4)} * 1i + 256 * d^7 * e^{14} - 256 * b * d^6 * e^{13} - 16 * b^4 * d^3 * e^{10} + 64 * b^3 * d^4 * e^{11}) * 1i) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} / ((x * (32 * b * d^5 * e^{13} - 4 * b^4 * d^2 * e^{10} + 24 * b^3 * d^3 * e^{11} - 48 * b^2 * d^4 * e^{12}) + (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} * (((- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} * (262144 * d^{10} * e^{15} - 262144 * b * d^9 * e^{14} + 4096 * b^7 * d^3 * e^8 - 4096 * b^6 * d^4 * e^9 - 49152 * b^5 * d^5 * e^{10} + 49152 * b^4 * d^6 * e^{11} + 196608 * b^3 * d^7 * e^{12} - 196608 * b^2 * d^8 * e^{13}) * 1i + x * (65536 * d^9 * e^{15} - 32768 * b^2 * d^8 * e^{14} + 1024 * b^7 * d^2 * e^8 - 2048 * b^6 * d^3 * e^9 - 10240 * b^5 * d^4 * e^{10} + 20480 * b^4 * d^5 * e^{11} + 32768 * b^3 * d^6 * e^{12} - 65536 * b^2 * d^7 * e^{13})) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(3/4)} * 1i + 256 * d^7 * e^{14} - 256 * b * d^6 * e^{13} - 16 * b^4 * d^3 * e^{10} + 64 * b^3 * d^4 * e^{11}) * 1i) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} * 1i - (x * (32 * b * d^5 * e^{13} - 4 * b^4 * d^2 * e^{10} + 24 * b^3 * d^3 * e^{11} - 48 * b^2 * d^4 * e^{12}) - (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} * (((- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} * (262144 * d^{10} * e^{15} - 262144 * b * d^9 * e^{14} + 4096 * b^7 * d^3 * e^8 - 4096 * b^6 * d^4 * e^9 - 49152 * b^5 * d^5 * e^{10} + 49152 * b^4 * d^6 * e^{11} + 196608 * b^3 * d^7 * e^{12} - 196608 * b^2 * d^8 * e^{13}) * 1i - x * (65536 * d^9 * e^{15} - 32768 * b^2 * d^8 * e^{14} + 1024 * b^7 * d^2 * e^8 - 2048 * b^6 * d^3 * e^9 - 10240 * b^5 * d^4 * e^{10} + 20480 * b^4 * d^5 * e^{11} + 32768 * b^3 * d^6 * e^{12} - 65536 * b^2 * d^7 * e^{13})) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(3/4)} * 1i + 256 * d^7 * e^{14} - 256 * b * d^6 * e^{13} - 16 * b^4 * d^3 * e^{10} + 64 * b^3 * d^4 * e^{11}) * 1i) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)} * 1i) * (- (b^3 - ((b - 2d * e) * (b + 2d * e))^5)^{(1/2)}) + 4 * b * d^2 * e^2 + 4 * b^2 * d * e) / (512 * (b^4 * d^2 + 16 * d^6 * e^4 + 8 * b^3 * d^3 * e + 32 * b * d^5 * e^3 + 24 * b^2 * d^4 * e^2)))^{(1/4)}
\end{aligned}$$

**sympy [A]** time = 8.50, size = 136, normalized size = 0.17

RootSum  $\left( t^8 (65536b^4d^2 + 524288b^3d^3e + 1572864b^2d^4e^2 + 2097152bd^5e^3 + 1048576d^6e^4) + t^4 (256b^3 + 1024$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**4+d)/(e**2*x**8+b*x**4+d**2),x)
```

```
[Out] RootSum(_t**8*(65536*b**4*d**2 + 524288*b**3*d**3*e + 1572864*b**2*d**4*e**2 + 2097152*b*d**5*e**3 + 1048576*d**6*e**4) + _t**4*(256*b**3 + 1024*b**2*d*e + 1024*b*d**2*e**2) + e**2, Lambda(_t, _t*log(x + (1024*_t**5*b**2*d**2 + 4096*_t**5*b*d**3*e + 4096*_t**5*d**4*e**2 + 4*_t*b + 4*_t*d*e)/e)))
```

$$3.6 \quad \int \frac{d+ex^4}{d^2+fx^4+e^2x^8} dx$$

Optimal. Leaf size=791

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} - \frac{\log\left(-x\sqrt{\sqrt{2d}}\sqrt{\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{\sqrt{2d}}\sqrt{\sqrt{e}-\sqrt{2de-f}}}$$

[Out]  $-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)}-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-f)^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.81, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} - \frac{\log\left(-x\sqrt{\sqrt{2d}}\sqrt{\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{\sqrt{2d}}\sqrt{\sqrt{e}-\sqrt{2de-f}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^4)/(d^2 + f\*x^4 + e^2\*x^8), x]

[Out]  $-\text{ArcTan}[\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e-f]]-2*\text{Sqrt}[e]*x]/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e-f]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e-f]])-\text{ArcTan}[\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e-f]]-2*\text{Sqrt}[e]*x]/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e-f]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e-f]])$

```

qrt[e] - Sqrt[2*d*e - f]]) + ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e -
f]] + 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]]/(4*Sqrt[d]*Sqr
rt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]) + ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] +
Sqrt[2*d*e - f]] + 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]]
/(4*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]) - Log[Sqrt[d] - Sqrt
[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sq
rt[d]*Sqrt[e] - Sqrt[2*d*e - f]]) + Log[Sqrt[d] + Sqrt[2*Sqrt[d]*Sqrt[e] -
Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[
2*d*e - f]]) - Log[Sqrt[d] - Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]*x +
Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]) + Log[Sq
rt[d] + Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[
d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]])

```

### Rule 204

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 618

```

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 628

```

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rule 634

```

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 1094

```

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/
c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x
+ x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /
; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

```

Rule 1419

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e +
q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x
^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4
*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0]
|| (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^4}{d^2 + fx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{2de-f}x^2}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{2de-f}x^2}{e} + x^4} dx}{2e} \\
&= \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}} + x}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}x}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}} \\
&= \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} \\
&= -\frac{\log\left(\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\log\left(\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{2\sqrt{d}\sqrt{e}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}}}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 67, normalized size = 0.08

$$\frac{1}{4}\text{RootSum}\left[\#1^8e^2 + \#1^4f + d^2\&, \frac{\#1^4e\log(x - \#1) + d\log(x - \#1)}{2\#1^7e^2 + \#1^3f}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^4)/(d^2 + f\*x^4 + e^2\*x^8),x]

[Out] RootSum[d^2 + f\*#1^4 + e^2\*#1^8 & , (d\*Log[x - #1] + e\*Log[x - #1]\*#1^4)/(f\*#1^3 + 2\*e^2\*#1^7) & ]/4

**fricas** [B] time = 1.37, size = 3059, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(e^2\*x^8+f\*x^4+d^2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -\sqrt{\sqrt{1/2}*\sqrt{-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)}}*\arctan(-1/4*(2*\sqrt{1/2})*((8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*x*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} - (4*d^2*e^2 + 4*d*e*f + f^2)*x)*\sqrt{-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)} + (4*d^2*e^2 + 4*d*e*f + f^2 - (8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)}))*\sqrt{-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)})*\sqrt{(2*e^2*x^2 + \sqrt{1/2}*(2*d*e*f + f^2 - (8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)})))*\sqrt{-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)})))/e^2)*\sqrt{\sqrt{1/2}*\sqrt{-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)}})/e} + \sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)}}*\arctan(-1/4*(2*\sqrt{1/2})*((8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*x*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + (4*d^2*e^2 + 4*d*e*f + f^2)*x)*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)}})*\sqrt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)} - (4*d^2*e^2 + 4*d*e*f + f^2 + (8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)})))*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)}})*\sqrt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)})*\sqrt{(2*e^2*x^2 + \sqrt{1/2}*(2*d*e*f + f^2 - (8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)})))*\sqrt{-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)} + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)})))/e} \end{aligned}$$

$$\begin{aligned} &^2 + (8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*\sqrt{-(2*d*e - f)/} \\ &8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3))*\sqrt{((4*d^4*e^2 + 4*d^ \\ &3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 \\ &+ d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))/e^2))/e + 1/4*\sqrt{sq \\ &rt(1/2)*\sqrt{-(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e \\ &^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d^4*e^2 + 4*d^3*e*f + d \\ &^2*f^2)))*\log(e*x + 1/2*(2*d*e - (4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2 \\ &*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)*\sqrt{sq \\ &rt(1/2)*\sqrt{-(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e \\ &^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d^4*e^2 + 4*d^3*e*f + d \\ &^2*f^2))} - 1/4*\sqrt{sqrt(1/2)*\sqrt{-(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{ \\ &-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d \\ &^4*e^2 + 4*d^3*e*f + d^2*f^2)))*\log(e*x - 1/2*(2*d*e - (4*d^4*e^2 + 4*d^3* \\ &e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + \\ &d^4*f^3)) + f)*\sqrt{sqrt(1/2)*\sqrt{-(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{ \\ &-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d \\ &^4*e^2 + 4*d^3*e*f + d^2*f^2))} + 1/4*\sqrt{sqrt(1/2)*\sqrt{((4*d^4*e^2 + 4* \\ &d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^ \\ &2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))*\log(e*x + 1/2*(2*d*e \\ &+ (4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6* \\ &e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)*\sqrt{sqrt(1/2)*\sqrt{((4*d^4*e^2 + 4*d^ \\ &3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 \\ &+ d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2))} - 1/4*\sqrt{sqrt(1/2)* \\ &sqrt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d \\ &^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2))} \\ &)*\log(e*x - 1/2*(2*d*e + (4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f) \\ &/ (8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)*\sqrt{sqrt(1/2)*sq \\ &rt{((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e - f)/(8*d^7*e^3 + 12*d^6 \\ &*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2))} \\ &)) \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(e^2\*x^8+f\*x^4+d^2),x, algorithm="giac")

[Out] Timed out

**maple** [C] time = 0.05, size = 53, normalized size = 0.07

$$\frac{\left(\text{RootOf}\left(e^2\_Z^8 + f\_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2\_Z^8 + f\_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2\_Z^8 + f\_Z^4 + d^2\right)^7 e^2 + 4 \text{RootOf}\left(e^2\_Z^8 + f\_Z^4 + d^2\right)^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^4+d)/(e^2*x^8+f*x^4+d^2),x)`

[Out] `1/4*sum((_R^4*e+d)/(2*_R^7*e^2+_R^3*f)*ln(-_R+x),_R=RootOf(_Z^8*e^2+_Z^4*f+d^2))`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 + fx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^4+d)/(e^2*x^8+f*x^4+d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^4 + d)/(e^2*x^8 + f*x^4 + d^2), x)`

**mupad** [B] time = 4.03, size = 10411, normalized size = 13.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^4)/(f*x^4 + d^2 + e^2*x^8),x)`

[Out] `2*atan((((-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) - ((f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*(262144*d^10*e^15 - 262144*d^9*e^14*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i)*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(3/4)*1i - 256*d^7*e^14 + 256*d^6*e^13*f + 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3)*1i + x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2))*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4) + (((-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + ((f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*(262144`



$$\begin{aligned}
& d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 4915 \\
& 2d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13} \\
& f^2) * 1i) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e \\
& f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 24d^4e^2f \\
& ^2)))^{(3/4)} * 1i + 256d^7e^{14} - 256d^6e^{13}f - 16d^3e^{10}f^4 + 64d^4e \\
& ^{11}f^3) * 1i + x*(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e \\
& ^{12}f^2)) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e \\
& *f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 24d^4e^2 \\
& f^2)))^{(1/4)} / (((-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + \\
& 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 24d^4 \\
& e^2f^2)))^{(1/4)} * ((x*(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 \\
& - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e \\
& ^{12}f^3 - 65536d^7e^{13}f^2) - (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} \\
& + 4d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^ \\
& 5e^3f + 24d^4e^2f^2)))^{(1/4)} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4 \\
& 096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^ \\
& 4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) * 1i) * (-f^3 + ((f - 2d*e)*(f \\
& + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + \\
& 8d^3e*f^3 + 32d^5e^3f + 24d^4e^2f^2)))^{(3/4)} * 1i - 256d^7e^{14} + 25 \\
& 6d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) * 1i + x*(32d^5e^{13}f - 4 \\
& d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 + ((f - 2d*e)*( \\
& f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + \\
& 8d^3e*f^3 + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * 1i - ((-f^3 + ((f - \\
& 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d \\
& ^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * ((x*(65536d^ \\
& 9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4 \\
& e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2) + \\
& (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e*f^2) / (512 \\
& *(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 24d^4e^2f^2)))^{(1/ \\
& 4)} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f \\
& ^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 19660 \\
& 8d^8e^{13}f^2) * 1i) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f \\
& + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 24 \\
& d^4e^2f^2)))^{(3/4)} * 1i + 256d^7e^{14} - 256d^6e^{13}f - 16d^3e^{10}f^4 \\
& + 64d^4e^{11}f^3) * 1i + x*(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 \\
& - 48d^4e^{12}f^2)) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2 \\
& *f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3f + 2 \\
& 4d^4e^2f^2)))^{(1/4)} * 1i) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{(1/2)} + 4* \\
& d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^ \\
& 3f + 24d^4e^2f^2)))^{(1/4)} - \operatorname{atan}(((((-f^3 + ((f - 2d*e)*(f + 2d*e))^5) \\
& ^{(1/2)} + 4d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 \\
& + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * ((x*(65536d^9e^{15} - 32768d^8e^ \\
& 14f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5 \\
& e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2) + (-f^3 + ((f - 2d*e) \\
& )*(f + 2d*e))^5)^{(1/2)} + 4d^2e^2f + 4d*e*f^2) / (512*(16d^6e^4 + d^2f^
\end{aligned}$$

$$\begin{aligned}
& 4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))^{(1/4)}*(262144*d^{10}*e^{15} \\
& - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^{10}* \\
& f^5 + 49152*d^6*e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2))*(-(f \\
& ^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16* \\
& d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - \\
& 256*d^7*e^{14} + 256*d^6*e^{13}*f + 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3) - x*(32* \\
& d^5*e^{13}*f - 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 - 48*d^4*e^{12}*f^2))*(-(f^3 + \\
& ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e \\
& ^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*1i + (( \\
& -(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*( \\
& 16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} \\
& *((x*(65536*d^9*e^{15} - 32768*d^8*e^{14}*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f \\
& ^6 - 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 65536*d \\
& ^7*e^{13}*f^2) - (-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4 \\
& *d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4* \\
& e^2*f^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - \\
& 4096*d^4*e^9*f^6 - 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 + 196608*d^7*e^{ \\
& 12}*f^3 - 196608*d^8*e^{13}*f^2))*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + \\
& 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5 \\
& *e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} + 256*d^7*e^{14} - 256*d^6*e^{13}*f - 16*d^3*e \\
& ^{10}*f^4 + 64*d^4*e^{11}*f^3) - x*(32*d^5*e^{13}*f - 4*d^2*e^{10}*f^4 + 24*d^3*e^1 \\
& 1*f^3 - 48*d^4*e^{12}*f^2))*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^ \\
& 2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3* \\
& f + 24*d^4*e^2*f^2)))^{(1/4)}*1i)/((( -(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} \\
& ) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32* \\
& d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*((x*(65536*d^9*e^{15} - 32768*d^8*e^{14}*f \\
& + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11} \\
& *f^4 + 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2) + (-(f^3 + ((f - 2*d*e)*(f \\
& + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8 \\
& *d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262 \\
& 144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^{10}*f^5 + \\
& 49152*d^6*e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2))*(-(f^3 + \\
& ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e \\
& ^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - 256*d \\
& ^7*e^{14} + 256*d^6*e^{13}*f + 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3) - x*(32*d^5*e \\
& ^{13}*f - 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 - 48*d^4*e^{12}*f^2))*(-(f^3 + ((f - \\
& 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + \\
& d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} - (((-(f^3 + \\
& ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e \\
& ^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*((x*(65 \\
& 536*d^9*e^{15} - 32768*d^8*e^{14}*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 102 \\
& 40*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13} \\
& *f^2) - (-(f^3 + ((f - 2*d*e)*(f + 2*d*e)^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2 \\
& )/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2) \\
& ))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - 4096*d^
\end{aligned}$$

$$\begin{aligned}
& 4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - \\
& 196608d^8e^{13}f^2) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e \\
& ^2f + 4d*e*f^2)/(512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + \\
& 24d^4e^2*f^2)))^{3/4} + 256d^7e^{14} - 256d^6e^{13}f - 16d^3e^{10}f^4 \\
& + 64d^4e^{11}f^3) - x*(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - \\
& 48d^4e^{12}f^2) * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f \\
& + 4d*e*f^2)/(512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d \\
& ^4e^2*f^2)))^{1/4} * (-f^3 + ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2 \\
& *f + 4d*e*f^2)/(512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + \\
& 24d^4e^2*f^2)))^{1/4} * 2i - \operatorname{atan}(\frac{(-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)})^{1/4} * \frac{(-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)})^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) + x*(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2) * (-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{3/4} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) - x*(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2) * (-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{1/4} * 1i - \frac{(-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{1/4} * \frac{(-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) - x*(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2) * (-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{3/4} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) + x*(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2) * (-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{1/4} * 1i) / \frac{(-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{1/4} * \frac{(-f^3 - ((f - 2d*e)*(f + 2d*e))^5)^{1/2} + 4d^2e^2*f + 4d*e*f^2}{512*(16d^6e^4 + d^2f^4 + 8d^3e*f^3 + 32d^5e^3*f + 24d^4e^2*f^2)))^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) + x*(65536d^9e^{15} - 327
\end{aligned}$$

$$\begin{aligned}
& 68*d^8*e^{14}*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^{10}*f^5 + \\
& 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2)) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 \\
& + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - 256*d^7* \\
& e^{14} + 256*d^6*e^{13}*f + 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3) - x*(32*d^5*e^{13} \\
& *f - 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 - 48*d^4*e^{12}*f^2)) * (-f^3 - ((f - 2* \\
& d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2 \\
& *f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} + (((-f^3 - ((f - 2* \\
& d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 \\
& + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((-f^3 - \\
& ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6* \\
& e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (26214 \\
& 4*d^{10}*e^{15} - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 491 \\
& 52*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 196608*d^8*e^1 \\
& 3*f^2) - x*(65536*d^9*e^{15} - 32768*d^8*e^{14}*f + 1024*d^2*e^8*f^7 - 2048*d^3 \\
& *e^9*f^6 - 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 6 \\
& 5536*d^7*e^{13}*f^2)) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2* \\
& f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24 \\
& *d^4*e^2*f^2)))^{(3/4)} - 256*d^7*e^{14} + 256*d^6*e^{13}*f + 16*d^3*e^{10}*f^4 - 6 \\
& 4*d^4*e^{11}*f^3) + x*(32*d^5*e^{13}*f - 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 - 48* \\
& d^4*e^{12}*f^2)) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4 \\
& *d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4* \\
& e^2*f^2)))^{(1/4)})) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f \\
& + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24* \\
& d^4*e^2*f^2)))^{(1/4)} * 2i - 2*atan((((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/ \\
& 2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32 \\
& *d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5) \\
& ^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 \\
& + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144*d^{10}*e^{15} - 262144*d^9*e^1 \\
& 4*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^{10}*f^5 + 49152*d^6* \\
& e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2) * i + x*(65536*d^9*e^1 \\
& 5 - 32768*d^8*e^{14}*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^{10} \\
& *f^5 + 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2)) * (-f^ \\
& 3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d \\
& ^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} * i \\
& + 256*d^7*e^{14} - 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 + 64*d^4*e^{11}*f^3) * i + x \\
& *(32*d^5*e^{13}*f - 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 - 48*d^4*e^{12}*f^2)) * (-f \\
& ^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16* \\
& d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} - \\
& (((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/(512 \\
& *(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/ \\
& 4)} * (((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2)/ \\
& (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2))) \\
& ^{(1/4)} * (262144*d^{10}*e^{15} - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - 4096*d^4* \\
& e^9*f^6 - 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 1
\end{aligned}$$

```

96608*d^8*e^13*f^2)*1i - x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^
8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*
d^6*e^12*f^3 - 65536*d^7*e^13*f^2))*(-(f^3 - ((f - 2*d*e)*(f + 2*d*e)^5)^(1
/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 3
2*d^5*e^3*f + 24*d^4*e^2*f^2)))^(3/4)*1i + 256*d^7*e^14 - 256*d^6*e^13*f -
16*d^3*e^10*f^4 + 64*d^4*e^11*f^3)*1i - x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 +
24*d^3*e^11*f^3 - 48*d^4*e^12*f^2))*(-(f^3 - ((f - 2*d*e)*(f + 2*d*e)^5)^(
1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 +
32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4))/(((-(f^3 - ((f - 2*d*e)*(f + 2*d*e)
^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f
^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4))*(((-(f^3 - ((f - 2*d*e)*(f + 2*
d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3
*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4))*(262144*d^10*e^15 - 262144*
d^9*e^14*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 491
52*d^6*e^11*f^4 + 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i + x*(65536*
d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d
^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2)
)*(-(f^3 - ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(51
2*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(3
/4)*1i + 256*d^7*e^14 - 256*d^6*e^13*f - 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3)
*1i + x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2
))*(-(f^3 - ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(5
12*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(
1/4)*1i + (((-(f^3 - ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e
*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*
f^2)))^(1/4))*(((-(f^3 - ((f - 2*d*e)*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4
*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*
e^2*f^2)))^(1/4))*(262144*d^10*e^15 - 262144*d^9*e^14*f + 4096*d^3*e^8*f^7 -
4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^
12*f^3 - 196608*d^8*e^13*f^2)*1i - x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1
024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^
4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2))*(-(f^3 - ((f - 2*d*e)*(f + 2*
d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3
*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(3/4)*1i + 256*d^7*e^14 - 256*d^6
*e^13*f - 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3)*1i - x*(32*d^5*e^13*f - 4*d^2*
e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2))*(-(f^3 - ((f - 2*d*e)*(f + 2
*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^
3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)*1i))*(-(f^3 - ((f - 2*d*e)
*(f + 2*d*e)^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4
+ 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)

```

**sympy [A]** time = 7.14, size = 136, normalized size = 0.17

RootSum  $\left( t^8 (1048576d^6e^4 + 2097152d^5e^3f + 1572864d^4e^2f^2 + 524288d^3ef^3 + 65536d^2f^4) + t^4 (1024d^2e^2f - \right.$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**4+d)/(e**2*x**8+f*x**4+d**2),x)
```

```
[Out] RootSum(_t**8*(1048576*d**6*e**4 + 2097152*d**5*e**3*f + 1572864*d**4*e**2*  
f**2 + 524288*d**3*e*f**3 + 65536*d**2*f**4) + _t**4*(1024*d**2*e**2*f + 10  
24*d*e*f**2 + 256*f**3) + e**2, Lambda(_t, _t*log(x + (4096*_t**5*d**4*e**2  
+ 4096*_t**5*d**3*e*f + 1024*_t**5*d**2*f**2 + 4*_t*d*e + 4*_t*f)/e)))
```



, 0] || GtQ[b, 0])

### Rule 207

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 1093

Int[((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(-1), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c\*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 1419

Int[((d\_) + (e\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_) + (c\_)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[(2\*d)/e - b/c, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x^(n/2) + x^n, x], x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d, e\*Rt[a/c, 2]]))

### Rubi steps

$$\begin{aligned} \int \frac{d + ex^4}{d^2 - bx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{b+2de}x^2}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{b+2de}x^2}{e} + x^4} dx}{2e} \\ &= \frac{\int \frac{1}{-\frac{\sqrt{b-2de}}{2e} - \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} - \frac{\int \frac{1}{\frac{\sqrt{b-2de}}{2e} - \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} + \frac{\int \frac{1}{-\frac{\sqrt{b-2de}}{2e} + \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} - \frac{\int \frac{1}{\frac{\sqrt{b-2de}}{2e} + \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} \\ &= -\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{e}x}{\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}} \end{aligned}$$

**Mathematica** [C] time = 0.04, size = 69, normalized size = 0.20

$$\frac{1}{4}\text{RootSum}\left[\#1^8e^2 - \#1^4b + d^2\&, \frac{\#1^4e \log(x - \#1) + d \log(x - \#1)}{2\#1^7e^2 - \#1^3b}\&\right]$$



Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^4)/(d^2 - b*x^4 + e^2*x^8),x]
```

```
[Out] RootSum[d^2 - b*#1^4 + e^2*#1^8 & , (d*Log[x - #1] + e*Log[x - #1]*#1^4)/(-
(b*#1^3) + 2*e^2*#1^7) & ]/4
```

```
fricas [B] time = 1.15, size = 3048, normalized size = 8.73
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^4+d)/(e^2*x^8-b*x^4+d^2),x, algorithm="fricas")
```

```
[Out] -sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/
(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d
^3*e + b^2*d^2)))*arctan(-1/4*(2*sqrt(1/2)*((8*d^5*e^3 - 12*b*d^4*e^2 + 6*b
^2*d^3*e - b^3*d^2)*x*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d
^5*e - b^3*d^4)) - (4*d^2*e^2 - 4*b*d*e + b^2)*x)*sqrt(-((4*d^4*e^2 - 4*b*d
^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e -
b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)) + (4*d^2*e^2 - 4*b*d*e +
b^2 - (8*d^5*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2)*sqrt(-(2*d*e + b)
/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)))*sqrt(-((4*d^4*e^2 - 4
*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5
*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*sqrt((2*e^2*x^2 - sq
rt(1/2)*(2*b*d*e - b^2 + (8*d^5*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2)
)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)))*sq
rt(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d
^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))/e
^2)*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e +
b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4
*b*d^3*e + b^2*d^2)))/e + sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 - 4*b*d^3*e + b^
2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)
) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))*arctan(-1/4*(2*sqrt(1/2)*((8*d^5
*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2)*x*sqrt(-(2*d*e + b)/(8*d^7*e^3
- 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + (4*d^2*e^2 - 4*b*d*e + b^2)*x)*
sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8
*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3
*e + b^2*d^2)))*sqrt(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(
8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^
3*e + b^2*d^2)) - (4*d^2*e^2 - 4*b*d*e + b^2 + (8*d^5*e^3 - 12*b*d^4*e^2 +
6*b^2*d^3*e - b^3*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*
d^5*e - b^3*d^4)))*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*s
qrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(
4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))*sqrt(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*
```

$$\begin{aligned} & \sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/} \\ & (4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{((2*e^2*x^2 - \sqrt{1/2}*(2*b*d*e - b \\ & ^2 - (8*d^5*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2))*\sqrt{-(2*d*e + b)/(} \\ & 8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)))*\sqrt{((4*d^4*e^2 - 4*b* \\ & d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e \\ & - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))/e^2))/e + 1/4*\sqrt{\text{sq} \\ & \text{rt}(1/2)*\sqrt{((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^} \\ & 3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^} \\ & 2*d^2)))*\log(e*x + 1/2*(2*d*e + (4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*} \\ & d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)*\sqrt{\text{sqrt} \\ & (1/2)*\sqrt{((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3} \\ & - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*} \\ & d^2))} - 1/4*\sqrt{\text{sqrt}(1/2)*\sqrt{((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(} \\ & (2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4} \\ & *e^2 - 4*b*d^3*e + b^2*d^2)))*\log(e*x - 1/2*(2*d*e + (4*d^4*e^2 - 4*b*d^3*e \\ & + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3} \\ & *d^4)) - b)*\sqrt{\text{sqrt}(1/2)*\sqrt{((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2} \\ & *d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e} \\ & ^2 - 4*b*d^3*e + b^2*d^2))} + 1/4*\sqrt{\text{sqrt}(1/2)*\sqrt{-(4*d^4*e^2 - 4*b*d^} \\ & ^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e -} \\ & b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))*\log(e*x + 1/2*(2*d*e -} \\ & (4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e} \\ & ^2 + 6*b^2*d^5*e - b^3*d^4)) - b)*\sqrt{\text{sqrt}(1/2)*\sqrt{-(4*d^4*e^2 - 4*b*d^} \\ & 3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e -} \\ & b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))} - 1/4*\sqrt{\text{sqrt}(1/2)*\text{sq} \\ & \text{rt}(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*} \\ & d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))* \\ & \log(e*x - 1/2*(2*d*e - (4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/} \\ & (8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)*\sqrt{\text{sqrt}(1/2)*\text{sq} \\ & \text{rt}(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*\sqrt{-(2*d*e + b)/(8*d^7*e^3 - 12*b*d} \\ & ^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))} \end{aligned}$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(e^2\*x^8-b\*x^4+d^2),x, algorithm="giac")

[Out] Timed out

**maple** [C] time = 0.03, size = 55, normalized size = 0.16

$$\frac{\left(\text{RootOf}\left(e^2\_Z^8 - b\_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2\_Z^8 - b\_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2\_Z^8 - b\_Z^4 + d^2\right)^7 e^2 - 4 \text{RootOf}\left(e^2\_Z^8 - b\_Z^4 + d^2\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^4+d)/(e^2*x^8-b*x^4+d^2),x)`

[Out] `1/4*sum((_R^4*e+d)/(2*_R^7*e^2-_R^3*b)*ln(-_R+x),_R=RootOf(_Z^8*e^2-_Z^4*b+d^2))`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 - bx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^4+d)/(e^2*x^8-b*x^4+d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^4 + d)/(e^2*x^8 - b*x^4 + d^2), x)`

**mupad** [B] time = 4.03, size = 10337, normalized size = 29.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^4)/(d^2 - b*x^4 + e^2*x^8),x)`

[Out] `2*atan(((x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i)*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i - 256*d^7*e^14 - 256*b*d^6*e^13 + 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11)*1i)*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4) + (x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6`



$$\begin{aligned}
& ) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32* \\
& b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} + 262144*b*d^9*e^{14} - \\
& 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e \\
& ^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}))*((b^3 + ((b - 2*d*e)^5*(b \\
& + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8* \\
& b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} - 256*b*d \\
& ^6*e^{13} + 16*b^4*d^3*e^{10} + 64*b^3*d^4*e^{11}))*((b^3 + ((b - 2*d*e)^5*(b + 2 \\
& *d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3* \\
& d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i + (x*(32*b*d^5*e^{13} + 4*b \\
& ^4*d^2*e^{10} + 24*b^3*d^3*e^{11} + 48*b^2*d^4*e^{12}) + ((b^3 + ((b - 2*d*e)^5*( \\
& b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8 \\
& *b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} + 3 \\
& 2768*b*d^8*e^{14} - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^{10} \\
& + 20480*b^4*d^5*e^{11} - 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) - ((b^3 + ( \\
& (b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144* \\
& d^{10}*e^{15} + 262144*b*d^9*e^{14} - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152 \\
& *b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e \\
& ^{13}))*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/ \\
& (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))) \\
& ^{(3/4)} + 256*d^7*e^{14} + 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11} \\
& )*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512 \\
& *(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/ \\
& 4)}*1i)/((x*(32*b*d^5*e^{13} + 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} + 48*b^2*d^4*e \\
& ^{12}) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e) \\
& / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)) \\
& )^{(1/4)}*((x*(65536*d^9*e^{15} + 32768*b*d^8*e^{14} - 1024*b^7*d^2*e^8 - 2048*b^ \\
& 6*d^3*e^9 + 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} - 32768*b^3*d^6*e^{12} - \\
& 65536*b^2*d^7*e^{13}) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e \\
& ^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 2 \\
& 4*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} + 262144*b*d^9*e^{14} - 4096*b^7*d^3 \\
& *e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} - 196608* \\
& b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}))*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1 \\
& /2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 3 \\
& 2*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} - 256*b*d^6*e^{13} + 16* \\
& b^4*d^3*e^{10} + 64*b^3*d^4*e^{11}))*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} \\
& + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b* \\
& d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} - (x*(32*b*d^5*e^{13} + 4*b^4*d^2*e^{10} + 24 \\
& *b^3*d^3*e^{11} + 48*b^2*d^4*e^{12}) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} \\
& ) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32* \\
& b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} + 32768*b*d^8*e^{14} \\
& - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^{10} + 20480*b^4*d^5* \\
& e^{11} - 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) - ((b^3 + ((b - 2*d*e)^5*(b \\
& + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8* \\
& b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} + 2621
\end{aligned}$$

$$\begin{aligned}
& 44*b*d^9*e^{14} - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^{10} + \\
& 49152*b^4*d^6*e^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*((b^3 + (( \\
& b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} + 256*d^7 \\
& *e^{14} + 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11}))*((b^3 + ((b - \\
& 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d \\
& ^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}))*((b^3 + ((b \\
& - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 1 \\
& 6*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*2i - \operatorname{atan}( \\
& ((x*(32*b*d^5*e^{13} + 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} + 48*b^2*d^4*e^{12}) + \\
& ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*( \\
& b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} \\
& *(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(51 \\
& 2*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1 \\
& /4)}*(262144*d^{10}*e^{15} + 262144*b*d^9*e^{14} - 4096*b^7*d^3*e^8 - 4096*b^6*d^4 \\
& *e^9 + 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} - 196608*b^3*d^7*e^{12} - 1966 \\
& 08*b^2*d^8*e^{13}) + x*(65536*d^9*e^{15} + 32768*b*d^8*e^{14} - 1024*b^7*d^2*e^8 \\
& - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} - 32768*b^3*d^ \\
& 6*e^{12} - 65536*b^2*d^7*e^{13}))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4 \\
& *b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5 \\
& *e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} - 256*b*d^6*e^{13} + 16*b^4*d^3 \\
& *e^{10} + 64*b^3*d^4*e^{11}))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d \\
& ^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 \\
& + 24*b^2*d^4*e^2)))^{(1/4)}*1i + (x*(32*b*d^5*e^{13} + 4*b^4*d^2*e^{10} + 24*b^3 \\
& *d^3*e^{11} + 48*b^2*d^4*e^{12}) - ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + \\
& 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^ \\
& 5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} \\
& + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b \\
& *d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} + 262144*b*d^9*e^{14} - \\
& 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^ \\
& ^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}) - x*(65536*d^9*e^{15} + 32768 \\
& *b*d^8*e^{14} - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^{10} + 20 \\
& 480*b^4*d^5*e^{11} - 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*((b^3 - ((b - \\
& 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d \\
& ^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{1 \\
& 4} - 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} + 64*b^3*d^4*e^{11}))*((b^3 - ((b - 2*d* \\
& e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e \\
& ^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i)/((x*(32*b*d^5 \\
& *e^{13} + 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} + 48*b^2*d^4*e^{12}) + ((b^3 - ((b - \\
& 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16* \\
& d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(((b^3 - (( \\
& b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d \\
& ^{10}*e^{15} + 262144*b*d^9*e^{14} - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152* \\
& b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^
\end{aligned}$$



$$\begin{aligned}
& b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13} * 1i - x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{3/4} * 1i + 256 d^7 e^{14} + 256 b d^6 e^{13} - 16 b^4 d^3 e^{10} - 64 b^3 d^4 e^{11} * 1i) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4}) / ((x * (32 b d^5 e^{13} + 4 b^4 d^2 e^{10} + 24 b^3 d^3 e^{11} + 48 b^2 d^4 e^{12}) - ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4}) * (((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4}) * (262144 d^{10} e^{15} + 262144 b d^9 e^{14} - 4096 b^7 d^3 e^8 - 4096 b^6 d^4 e^9 + 49152 b^5 d^5 e^{10} + 49152 b^4 d^6 e^{11} - 196608 b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13}) * 1i + x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{3/4} * 1i + 256 d^7 e^{14} + 256 b d^6 e^{13} - 16 b^4 d^3 e^{10} - 64 b^3 d^4 e^{11} * 1i) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4} * 1i - (x * (32 b d^5 e^{13} + 4 b^4 d^2 e^{10} + 24 b^3 d^3 e^{11} + 48 b^2 d^4 e^{12}) + ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4}) * (((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4}) * (262144 d^{10} e^{15} + 262144 b d^9 e^{14} - 4096 b^7 d^3 e^8 - 4096 b^6 d^4 e^9 + 49152 b^5 d^5 e^{10} + 49152 b^4 d^6 e^{11} - 196608 b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13}) * 1i - x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{3/4} * 1i + 256 d^7 e^{14} + 256 b d^6 e^{13} - 16 b^4 d^3 e^{10} - 64 b^3 d^4 e^{11} * 1i) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4} * 1i)) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{1/2} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2)))^{1/4}
\end{aligned}$$

**sympy [A]** time = 8.25, size = 136, normalized size = 0.39

$$\text{RootSum}\left(t^8 (65536 b^4 d^2 - 524288 b^3 d^3 e + 1572864 b^2 d^4 e^2 - 2097152 b d^5 e^3 + 1048576 d^6 e^4) + t^4 (-256 b^3 + 1024
\right.$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**4+d)/(e**2*x**8-b*x**4+d**2),x)
```

```
[Out] RootSum(_t**8*(65536*b**4*d**2 - 524288*b**3*d**3*e + 1572864*b**2*d**4*e**  
2 - 2097152*b*d**5*e**3 + 1048576*d**6*e**4) + _t**4*(-256*b**3 + 1024*b**2  
*d*e - 1024*b*d**2*e**2) + e**2, Lambda(_t, _t*log(x + (1024*_t**5*b**2*d**  
2 - 4096*_t**5*b*d**3*e + 4096*_t**5*d**4*e**2 - 4*_t*b + 4*_t*d*e)/e)))
```

$$3.8 \quad \int \frac{d+ex^4}{d^2-fx^4+e^2x^8} dx$$

Optimal. Leaf size=751

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} - \frac{\log\left(-x\sqrt{\sqrt{2de+f}}\right)}{8\sqrt{d}}$$

[Out]  $-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.92, antiderivative size = 751, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} - \frac{\log\left(-x\sqrt{\sqrt{2de+f}}\right)}{8\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^4)/(d^2 - f\*x^4 + e^2\*x^8), x]

[Out]  $-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]])-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]])-\text{ArcTan}[\text{Sqrt}[\sqrt{2de+f}]]/\text{Sqrt}[d]$

```

qrt[e] - Sqrt[2*d*e + f]]) + ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e +
f]] + 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e + f]]]/(4*Sqrt[d]*Sq
rt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e + f]]) + ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] +
Sqrt[2*d*e + f]] + 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e + f]]]
/(4*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e + f]]) - Log[Sqrt[d] - Sqrt
[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e + f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sq
rt[d]*Sqrt[e] - Sqrt[2*d*e + f]]) + Log[Sqrt[d] + Sqrt[2*Sqrt[d]*Sqrt[e] -
Sqrt[2*d*e + f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[
2*d*e + f]]) - Log[Sqrt[d] - Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e + f]]*x +
Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e + f]]) + Log[Sq
rt[d] + Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e + f]]*x + Sqrt[e]*x^2]/(8*Sqrt[
d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e + f]])

```

### Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 618

```

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[
1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 628

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rule 634

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 1094

```

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/
c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x
+ x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /
; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

```

## Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e +
q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x
^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4
*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0]
|| (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

## Rubi steps

$$\begin{aligned}
\int \frac{d + ex^4}{d^2 - fx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{2de+fx^2}}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{2de+fx^2}}{e} + x^4} dx}{2e} \\
&= \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}} \\
&= \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} \\
&= -\frac{\log\left(\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\log\left(\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 69, normalized size = 0.09

$$\frac{1}{4} \text{RootSum}\left[\#1^8 e^2 - \#1^4 f + d^2 \&, \frac{\#1^4 e \log(x - \#1) + d \log(x - \#1)}{2\#1^7 e^2 - \#1^3 f} \&\right]$$

Antiderivative was successfully verified.



```

+ (8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*sqrt(-(2*d*e + f)/(8*
d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3))*sqrt(-((4*d^4*e^2 - 4*d^3
*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 -
d^4*f^3)) - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))/e^2)/e) + 1/4*sqrt(sqr
t(1/2)*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3
- 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2
*f^2)))*log(e*x + 1/2*(2*d*e + (4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d
*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) - f)*sqrt(sqrt(
1/2)*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 -
12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f
^2)))) - 1/4*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-
(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*
e^2 - 4*d^3*e*f + d^2*f^2)))*log(e*x - 1/2*(2*d*e + (4*d^4*e^2 - 4*d^3*e*f
+ d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*
f^3)) - f)*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-
(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*
e^2 - 4*d^3*e*f + d^2*f^2)))) + 1/4*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 - 4*d^3*
e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 -
d^4*f^3)) - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))*log(e*x + 1/2*(2*d*e -
(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*
f + 6*d^5*e*f^2 - d^4*f^3)) - f)*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 - 4*d^3*
e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 -
d^4*f^3)) - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))) - 1/4*sqrt(sqrt(1/2)*sqr
t(-((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6
*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))*l
og(e*x - 1/2*(2*d*e - (4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(
8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) - f)*sqrt(sqrt(1/2)*sqrt
(-((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*
e^2*f + 6*d^5*e*f^2 - d^4*f^3)) - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2))))

```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e\*x^4+d)/(e^2\*x^8-f\*x^4+d^2),x, algorithm="giac")

[Out] Timed out

**maple** [C] time = 0.03, size = 55, normalized size = 0.07

$$\frac{\left(\text{RootOf}\left(e^2\_Z^8 - f\_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2\_Z^8 - f\_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2\_Z^8 - f\_Z^4 + d^2\right)^7 e^2 - 4 \text{RootOf}\left(e^2\_Z^8 - f\_Z^4 + d^2\right)^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^4+d)/(e^2*x^8-f*x^4+d^2),x)`

[Out] `1/4*sum((_R^4*e+d)/(2*_R^7*e^2-_R^3*f)*ln(-_R+x),_R=RootOf(_Z^8*e^2-_Z^4*f+d^2))`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 - fx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x^4+d)/(e^2*x^8-f*x^4+d^2),x, algorithm="maxima")`

[Out] `integrate((e*x^4 + d)/(e^2*x^8 - f*x^4 + d^2), x)`

**mupad** [B] time = 4.20, size = 10343, normalized size = 13.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^4)/(d^2 - f*x^4 + e^2*x^8),x)`

[Out] `2*atan((((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*((x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) - ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*(262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i)*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(3/4)*1i - 256*d^7*e^14 - 256*d^6*e^13*f + 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3)*1i - x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4) + (((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*((x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*(262144*d^10*`







$$\begin{aligned}
& + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2)) * ((f^3 + \\
& ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e \\
& ^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} + 256*d \\
& ^7*e^{14} + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3) + x*(32*d^5*e \\
& ^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2)) * ((f^3 + ((f - \\
& 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d \\
& ^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)) * ((f^3 + ((f \\
& - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 \\
& + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * 2i - \operatorname{atan} \\
& (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512 \\
& *(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/ \\
& 4)} * (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/( \\
& 512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/ \\
& 4)} * (262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e \\
& ^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 19 \\
& 6608*d^8*e^{13}*f^2) + x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^ \\
& 7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 - 32768*d^6* \\
& e^{12}*f^3 - 65536*d^7*e^{13}*f^2)) * ((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + \\
& 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5 \\
& *e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - 256*d^7*e^{14} - 256*d^6*e^{13}*f + 16*d^3*e \\
& ^{10}*f^4 + 64*d^4*e^{11}*f^3) + x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{1 \\
& 1}*f^3 + 48*d^4*e^{12}*f^2)) * ((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2 \\
& *e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f \\
& + 24*d^4*e^2*f^2)))^{(1/4)} * 1i - (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} \\
& + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^ \\
& 5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/ \\
& 2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32 \\
& *d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f \\
& - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11} \\
& *f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2) - x*(65536*d^9*e^{15} + 327 \\
& 68*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + \\
& 20480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2)) * ((f^3 - ((f \\
& - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + \\
& d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - 256*d^7*e \\
& ^{14} - 256*d^6*e^{13}*f + 16*d^3*e^{10}*f^4 + 64*d^4*e^{11}*f^3) - x*(32*d^5*e^{13}* \\
& f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2)) * ((f^3 - ((f - 2*d* \\
& e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f \\
& ^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * 1i) / (((f^3 - ((f \\
& - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 \\
& + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((f^3 - \\
& ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e \\
& ^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144 \\
& *d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 4915 \\
& 2*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13} \\
& *f^2) + x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*
\end{aligned}$$

$$\begin{aligned}
& e^9 f^6 + 10240 d^4 e^{10} f^5 + 20480 d^5 e^{11} f^4 - 32768 d^6 e^{12} f^3 - 65 \\
& 536 d^7 e^{13} f^2) * ((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f \\
& - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 \\
& e^2 f^2)))^{3/4} - 256 d^7 e^{14} - 256 d^6 e^{13} f + 16 d^3 e^{10} f^4 + 64 * \\
& d^4 e^{11} f^3) + x * (32 d^5 e^{13} f + 4 d^2 e^{10} f^4 + 24 d^3 e^{11} f^3 + 48 d^4 \\
& e^{12} f^2) * ((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f - 4 d e \\
& f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 e^2 \\
& f^2)))^{1/4} + (((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f - \\
& 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 \\
& e^2 f^2)))^{1/4} * (((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f \\
& - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 * \\
& d^4 e^2 f^2)))^{1/4} * (262144 d^{10} e^{15} + 262144 d^9 e^{14} f - 4096 d^3 e^8 f^7 \\
& - 4096 d^4 e^9 f^6 + 49152 d^5 e^{10} f^5 + 49152 d^6 e^{11} f^4 - 196608 d^7 \\
& e^{12} f^3 - 196608 d^8 e^{13} f^2) - x * (65536 d^9 e^{15} + 32768 d^8 e^{14} f - \\
& 1024 d^2 e^8 f^7 - 2048 d^3 e^9 f^6 + 10240 d^4 e^{10} f^5 + 20480 d^5 e^{11} f^4 \\
& - 32768 d^6 e^{12} f^3 - 65536 d^7 e^{13} f^2) * ((f^3 - ((f - 2 d e)^5 (f + \\
& 2 d e))^{1/2} + 4 d^2 e^2 f - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 \\
& e f^3 - 32 d^5 e^3 f + 24 d^4 e^2 f^2)))^{3/4} - 256 d^7 e^{14} - 256 d^6 e^{13} f \\
& + 16 d^3 e^{10} f^4 + 64 d^4 e^{11} f^3) - x * (32 d^5 e^{13} f + 4 d^2 e^{10} f^4 \\
& + 24 d^3 e^{11} f^3 + 48 d^4 e^{12} f^2) * ((f^3 - ((f - 2 d e)^5 (f + 2 d e)) \\
& )^{1/2} + 4 d^2 e^2 f - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 \\
& - 32 d^5 e^3 f + 24 d^4 e^2 f^2)))^{1/4} * ((f^3 - ((f - 2 d e)^5 (f + 2 d \\
& e))^{1/2} + 4 d^2 e^2 f - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e e \\
& f^3 - 32 d^5 e^3 f + 24 d^4 e^2 f^2)))^{1/4} * 2i - 2 * \operatorname{atan}((((f^3 - ((f - 2 * \\
& d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 \\
& f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 e^2 f^2)))^{1/4} * (((f^3 - ((f - \\
& 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f - 4 d e f^2) / (512 (16 d^6 e^4 + \\
& d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 e^2 f^2)))^{1/4} * (262144 d^{10} \\
& e^{15} + 262144 d^9 e^{14} f - 4096 d^3 e^8 f^7 - 4096 d^4 e^9 f^6 + 49152 d^5 \\
& e^{10} f^5 + 49152 d^6 e^{11} f^4 - 196608 d^7 e^{12} f^3 - 196608 d^8 e^{13} f^2) \\
& * 1i + x * (65536 d^9 e^{15} + 32768 d^8 e^{14} f - 1024 d^2 e^8 f^7 - 2048 d^3 e^9 \\
& f^6 + 10240 d^4 e^{10} f^5 + 20480 d^5 e^{11} f^4 - 32768 d^6 e^{12} f^3 - 6553 \\
& 6 d^7 e^{13} f^2) * ((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f - \\
& 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 \\
& e^2 f^2)))^{3/4} * 1i + 256 d^7 e^{14} + 256 d^6 e^{13} f - 16 d^3 e^{10} f^4 - 64 \\
& * d^4 e^{11} f^3) * 1i - x * (32 d^5 e^{13} f + 4 d^2 e^{10} f^4 + 24 d^3 e^{11} f^3 + 4 \\
& 8 d^4 e^{12} f^2) * ((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 f - \\
& 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 d^4 \\
& e^2 f^2)))^{1/4} - (((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 * \\
& f - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + 24 \\
& * d^4 e^2 f^2)))^{1/4} * (((f^3 - ((f - 2 d e)^5 (f + 2 d e))^{1/2} + 4 d^2 e^2 \\
& e^2 f - 4 d e f^2) / (512 (16 d^6 e^4 + d^2 f^4 - 8 d^3 e f^3 - 32 d^5 e^3 f + \\
& 24 d^4 e^2 f^2)))^{1/4} * (262144 d^{10} e^{15} + 262144 d^9 e^{14} f - 4096 d^3 e^8 \\
& f^7 - 4096 d^4 e^9 f^6 + 49152 d^5 e^{10} f^5 + 49152 d^6 e^{11} f^4 - 19660 \\
& 8 d^7 e^{12} f^3 - 196608 d^8 e^{13} f^2) * 1i - x * (65536 d^9 e^{15} + 32768 d^8 e^
\end{aligned}$$

$$\begin{aligned}
& 14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5 \\
& *e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2)) * ((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{3/4} * 1i + 256*d^7*e^{14} + \\
& 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3) * 1i + x*(32*d^5*e^{13}*f + \\
& 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2)) * ((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4} / (((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4} * (((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4} * (262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2) * \\
& 1i + x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536 \\
& *d^7*e^{13}*f^2)) * ((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4 \\
& *d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4* \\
& e^2*f^2)))^{3/4} * 1i + 256*d^7*e^{14} + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64* \\
& d^4*e^{11}*f^3) * 1i - x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48 \\
& *d^4*e^{12}*f^2)) * ((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4 \\
& *d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4* \\
& e^2*f^2)))^{1/4} * 1i + (((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + \\
& 24*d^4*e^2*f^2)))^{1/4} * (((f^3 - ((f - 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2* \\
& e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f \\
& + 24*d^4*e^2*f^2)))^{1/4} * (262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3 \\
& *e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196 \\
& 608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2) * 1i - x*(65536*d^9*e^{15} + 32768*d^8* \\
& e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d \\
& ^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2)) * ((f^3 - ((f - 2*d*e) \\
& )^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{3/4} * 1i + 256*d^7*e^{14} \\
& + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3) * 1i + x*(32*d^5*e^{13}*f \\
& + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2)) * ((f^3 - ((f - 2*d*e) \\
& )^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4} * 1i)) * ((f^3 - ((f - \\
& 2*d*e)^5 * (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + \\
& d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}
\end{aligned}$$

**sympy** [A] time = 7.25, size = 136, normalized size = 0.18

$$\text{RootSum} \left( t^8 (1048576d^6e^4 - 2097152d^5e^3f + 1572864d^4e^2f^2 - 524288d^3ef^3 + 65536d^2f^4) + t^4 (-1024d^2e^2f + \dots) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x**4+d)/(e**2*x**8-f*x**4+d**2),x)
```

```
[Out] RootSum(_t**8*(1048576*d**6*e**4 - 2097152*d**5*e**3*f + 1572864*d**4*e**2*  
f**2 - 524288*d**3*e*f**3 + 65536*d**2*f**4) + _t**4*(-1024*d**2*e**2*f + 1  
024*d*e*f**2 - 256*f**3) + e**2, Lambda(_t, _t*log(x + (4096*_t**5*d**4*e**  
2 - 4096*_t**5*d**3*e*f + 1024*_t**5*d**2*f**2 + 4*_t*d*e - 4*_t*f)/e)))
```

### 3.9 $\int \frac{1+x^4}{1+bx^4+x^8} dx$

**Optimal.** Leaf size=411

$$\frac{\log\left(-\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} + \frac{\log\left(\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} - \frac{\log\left(-\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}} + \frac{\log\left(\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}}$$

[Out]  $-1/4*\arctan((-2*x+(2+(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x+(2+(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)}-1/8*\ln(1+x^2-x*(2-(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2+x*(2-(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)}-1/4*\arctan((-2*x+(2-(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x+(2-(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)}-1/8*\ln(1+x^2-x*(2+(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2+x*(2+(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.29, antiderivative size = 411, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} + \frac{\log\left(\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} - \frac{\log\left(-\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}} + \frac{\log\left(\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + b\*x^4 + x^8), x]

[Out]  $-\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2 - b]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2 - b]]]/(4*\text{Sqrt}[2 + \text{Sqrt}[2 - b]]) - \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2 - b]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2 - b]]]/(4*\text{Sqrt}[2 - \text{Sqrt}[2 - b]]) + \text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2 - b]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2 - b]]]/(4*\text{Sqrt}[2 + \text{Sqrt}[2 - b]]) + \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2 - b]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2 - b]]]/(4*\text{Sqrt}[2 - \text{Sqrt}[2 - b]]) - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[2 - b]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[2 - b]]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[2 - b]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[2 - b]]) - \text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[2 - b]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[2 - b]]) + \text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[2 - b]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[2 - b]])$

**Rule 204**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 1094

Int[((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2\*q - b/c, 2]}, Dist[1/(2\*c\*q\*r), Int[(r - x)/(q - r\*x + x^2), x], x] + Dist[1/(2\*c\*q\*r), Int[(r + x)/(q + r\*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && NegQ[b^2 - 4\*a\*c]

### Rule 1419

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(2\*n\_)), x\_Symbol] := With[{q = Rt[(2\*d)/e - b/c, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x^(n/2) + x^n, x], x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x^(n/2) + x^n, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d, e\*Rt[a/c, 2]]))

### Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1+bx^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{2-b}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2-b}x^2+x^4} dx \\
&= \frac{\int \frac{\sqrt{2-\sqrt{2-b}}-x}{1-\sqrt{2-\sqrt{2-b}}x+x^2} dx}{4\sqrt{2-\sqrt{2-b}}} + \frac{\int \frac{\sqrt{2-\sqrt{2-b}}+x}{1+\sqrt{2-\sqrt{2-b}}x+x^2} dx}{4\sqrt{2-\sqrt{2-b}}} + \frac{\int \frac{\sqrt{2+\sqrt{2-b}}-x}{1-\sqrt{2+\sqrt{2-b}}x+x^2} dx}{4\sqrt{2+\sqrt{2-b}}} + \frac{\int \frac{\sqrt{2+\sqrt{2-b}}+x}{1+\sqrt{2+\sqrt{2-b}}x+x^2} dx}{4\sqrt{2+\sqrt{2-b}}} \\
&= \frac{1}{8} \int \frac{1}{1-\sqrt{2-\sqrt{2-b}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2-\sqrt{2-b}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1-\sqrt{2+\sqrt{2-b}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2+\sqrt{2-b}}x+x^2} dx \\
&= -\frac{\log\left(1-\sqrt{2-\sqrt{2-b}}x+x^2\right)}{8\sqrt{2-\sqrt{2-b}}} + \frac{\log\left(1+\sqrt{2-\sqrt{2-b}}x+x^2\right)}{8\sqrt{2-\sqrt{2-b}}} - \frac{\log\left(1-\sqrt{2+\sqrt{2-b}}x+x^2\right)}{8\sqrt{2+\sqrt{2-b}}} + \frac{\log\left(1+\sqrt{2+\sqrt{2-b}}x+x^2\right)}{8\sqrt{2+\sqrt{2-b}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2-b}}-2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2+\sqrt{2-b}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}-2x}{\sqrt{2-\sqrt{2-b}}}\right)}{4\sqrt{2-\sqrt{2-b}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2-b}}+2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2+\sqrt{2-b}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}+2x}{\sqrt{2-\sqrt{2-b}}}\right)}{4\sqrt{2-\sqrt{2-b}}}
\end{aligned}$$

**Mathematica [C]** time = 0.03, size = 55, normalized size = 0.13

$$\frac{1}{4} \text{RootSum}\left[\#1^8 + \#1^4 b + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 + \#1^3 b} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + b\*x^4 + x^8), x]

[Out] RootSum[1 + b\*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]\*#1^4)/(b\*#1^3 + 2\*#1^7) & ]/4

**fricas [B]** time = 1.18, size = 1443, normalized size = 3.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+b\*x^4+1), x, algorithm="fricas")

[Out] sqrt(sqrt(1/2)\*sqrt(((b^2 + 4\*b + 4)\*sqrt((b - 2)/(b^3 + 6\*b^2 + 12\*b + 8)) - b)/(b^2 + 4\*b + 4)))\*arctan(1/2\*sqrt(1/2)\*(b^2 + (b^3 + 6\*b^2 + 12\*b + 8



```

)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + 4*b + 4)*sqrt(x^2 + 1/2*sqrt(1/2
)*(b^2 + (b^3 + 6*b^2 + 12*b + 8)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) +
2*b)*sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) - b)/(b^2
+ 4*b + 4))) *sqrt(sqrt(1/2)*sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^
2 + 12*b + 8)) - b)/(b^2 + 4*b + 4))) *sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b
^3 + 6*b^2 + 12*b + 8)) - b)/(b^2 + 4*b + 4)) - 1/2*sqrt(1/2)*((b^3 + 6*b^2
+ 12*b + 8)*x*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + (b^2 + 4*b + 4)*x)*
sqrt(sqrt(1/2)*sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8))
- b)/(b^2 + 4*b + 4))) *sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 1
2*b + 8)) - b)/(b^2 + 4*b + 4))) - sqrt(sqrt(1/2)*sqrt(-((b^2 + 4*b + 4)*sq
rt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 + 4*b + 4))) *arctan(-1/2*(sq
rt(1/2)*(b^2 - (b^3 + 6*b^2 + 12*b + 8)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b +
8)) + 4*b + 4)*sqrt(x^2 + 1/2*sqrt(1/2)*(b^2 - (b^3 + 6*b^2 + 12*b + 8)*sq
rt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + 2*b)*sqrt(-((b^2 + 4*b + 4)*sqrt((b -
2)/(b^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 + 4*b + 4))) *sqrt(-((b^2 + 4*b + 4)
)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 + 4*b + 4)) + sqrt(1/2)*
(b^3 + 6*b^2 + 12*b + 8)*x*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) - (b^2 +
4*b + 4)*x)*sqrt(-((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) +
b)/(b^2 + 4*b + 4))) *sqrt(sqrt(1/2)*sqrt(-((b^2 + 4*b + 4)*sqrt((b - 2)/(b
^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 + 4*b + 4)))) - 1/4*sqrt(sqrt(1/2)*sqrt(-
((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 + 4*b + 4
))) *log(1/2*((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) - b - 2
)*sqrt(sqrt(1/2)*sqrt(-((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b +
8)) + b)/(b^2 + 4*b + 4))) + x) + 1/4*sqrt(sqrt(1/2)*sqrt(-((b^2 + 4*b + 4)
)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 + 4*b + 4))) *log(-1/2*((b
^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) - b - 2)*sqrt(sqrt(1/2)
)*sqrt(-((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + b)/(b^2 +
4*b + 4))) + x) + 1/4*sqrt(sqrt(1/2)*sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b
^3 + 6*b^2 + 12*b + 8)) - b)/(b^2 + 4*b + 4))) *log(1/2*((b^2 + 4*b + 4)*sq
rt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) + b + 2)*sqrt(sqrt(1/2)*sqrt(((b^2 + 4*
b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b + 8)) - b)/(b^2 + 4*b + 4))) + x) -
1/4*sqrt(sqrt(1/2)*sqrt(((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 + 6*b^2 + 12*b
+ 8)) - b)/(b^2 + 4*b + 4))) *log(-1/2*((b^2 + 4*b + 4)*sqrt((b - 2)/(b^3 +
6*b^2 + 12*b + 8)) + b + 2)*sqrt(sqrt(1/2)*sqrt(((b^2 + 4*b + 4)*sqrt((b -
2)/(b^3 + 6*b^2 + 12*b + 8)) - b)/(b^2 + 4*b + 4))) + x)

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+b\*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 0.75Unable to convert to re

al 1/4 Error: Bad Argument Value

**maple [C]** time = 0.06, size = 42, normalized size = 0.10

$$\frac{\left(\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^7 + 4 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+b\*x^4+1),x)

[Out] 1/4\*sum((\_R^4+1)/(2\*\_R^7+\_R^3\*b)\*ln(-\_R+x),\_R=RootOf(-\_Z^8+\_Z^4\*b+1))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 + bx^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+b\*x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 + b\*x^4 + 1), x)

**mupad [B]** time = 3.68, size = 5341, normalized size = 13.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(b\*x^4 + x^8 + 1),x)

[Out] - atan((((-(4\*b + ((b - 2)\*(b + 2)^5)^(1/2) + 4\*b^2 + b^3)/(512\*(32\*b + 24\*b^2 + 8\*b^3 + b^4 + 16)))^(1/4)\*(((-(4\*b + ((b - 2)\*(b + 2)^5)^(1/2) + 4\*b^2 + b^3)/(512\*(32\*b + 24\*b^2 + 8\*b^3 + b^4 + 16)))^(1/4)\*(262144\*b + 196608\*b^2 - 196608\*b^3 - 49152\*b^4 + 49152\*b^5 + 4096\*b^6 - 4096\*b^7 - 262144) + x\*(32768\*b + 65536\*b^2 - 32768\*b^3 - 20480\*b^4 + 10240\*b^5 + 2048\*b^6 - 1024\*b^7 - 65536))\*(-(4\*b + ((b - 2)\*(b + 2)^5)^(1/2) + 4\*b^2 + b^3)/(512\*(32\*b + 24\*b^2 + 8\*b^3 + b^4 + 16)))^(3/4) - 256\*b + 64\*b^3 - 16\*b^4 + 256) + x\*(32\*b - 48\*b^2 + 24\*b^3 - 4\*b^4))\*(-(4\*b + ((b - 2)\*(b + 2)^5)^(1/2) + 4\*b^2 + b^3)/(512\*(32\*b + 24\*b^2 + 8\*b^3 + b^4 + 16)))^(1/4)\*1i - (((-(4\*b + ((b - 2)\*(b + 2)^5)^(1/2) + 4\*b^2 + b^3)/(512\*(32\*b + 24\*b^2 + 8\*b^3 + b^4 + 16)))^(1/4)\*(((-(4\*b + ((b - 2)\*(b + 2)^5)^(1/2) + 4\*b^2 + b^3)/(512\*(32\*b + 24\*b^2 + 8\*b^3 + b^4 + 16)))^(1/4)\*(262144\*b + 196608\*b^2 - 196608\*b^3 - 49152\*b^4 + 49152\*b^5 + 4096\*b^6 - 4096\*b^7 - 262144) - x\*(32768\*b + 65536\*b^2 - 32768\*b^3 - 20480\*b^4 + 10240\*b^5 + 2048\*b^6 - 1024\*b^7 - 65536))\*(-

$$\begin{aligned}
& (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 \\
& + b^4 + 16))^{3/4} - 256*b + 64*b^3 - 16*b^4 + 256) - x*(32*b - 48*b^2 + \\
& 24*b^3 - 4*b^4))*(-4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32 \\
& *b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4}*1i)/((( -4*b + ((b - 2)*(b + 2)^5)^{1/2} \\
& + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*((( -4 \\
& *b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + \\
& b^4 + 16))^{1/4})*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152* \\
& b^5 + 4096*b^6 - 4096*b^7 - 262144) + x*(32768*b + 65536*b^2 - 32768*b^3 - \\
& 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b \\
& + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{3/4} \\
& ) - 256*b + 64*b^3 - 16*b^4 + 256) + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(- \\
& (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 \\
& + b^4 + 16))^{1/4} + ((( -4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/( \\
& 512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*((( -4*b + ((b - 2)*(b + 2)^ \\
& 5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*(26 \\
& 2144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096* \\
& b^7 - 262144) - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 \\
& + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 \\
& + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{3/4} - 256*b + 64*b^3 - 1 \\
& 6*b^4 + 256) - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(-4*b + ((b - 2)*(b + 2 \\
& )^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})) \\
& *(-4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8* \\
& b^3 + b^4 + 16))^{1/4}*2i - 2*atan(((( -4*b + ((b - 2)*(b + 2)^5)^{1/2} + \\
& 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*(256*b + ((( -4 \\
& *b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + \\
& b^4 + 16))^{1/4})*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152* \\
& b^5 + 4096*b^6 - 4096*b^7 - 262144))*1i + x*(32768*b + 65536*b^2 - 32768*b^3 \\
& - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)* \\
& (b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{( \\
& 3/4)*1i - 64*b^3 + 16*b^4 - 256)*1i - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(- \\
& (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^ \\
& 3 + b^4 + 16))^{1/4} - ((( -4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/ \\
& (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*(256*b + ((( -4*b + ((b - 2) \\
& *(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{ \\
& (1/4})*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^ \\
& 6 - 4096*b^7 - 262144))*1i - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 \\
& + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b + 2)^5)^{(1 \\
& /2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{3/4}*1i - 64* \\
& b^3 + 16*b^4 - 256)*1i + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(-4*b + ((b - \\
& 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16) \\
& ))^{1/4}))/((( -4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3)/(512*(32*b + \\
& 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*(256*b + ((( -4*b + ((b - 2)*(b + 2)^5)^{( \\
& 1/2} + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))^{1/4})*(262144 \\
& *b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 \\
& - 262144))*1i + x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 +
\end{aligned}$$

$$\begin{aligned}
& 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + \\
& b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{3/4} * i - 64*b^3 + 16*b^4 \\
& - 256) * i - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * i + \\
& ((- (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * (256*b + ((- (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * (262144*b + 19660 \\
& 8*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) * \\
& i - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 \\
& - 1024*b^7 - 65536)) * (- (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512 \\
& *(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{3/4} * i - 64*b^3 + 16*b^4 - 256) * i \\
& + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b + ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * i)) * (- (4*b + \\
& ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 \\
& + 16)))^{1/4} - \operatorname{atan}(\frac{(- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * ((- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * (262 \\
& 144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b \\
& ^7 - 262144) + x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + \\
& 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + \\
& b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{3/4} - 256*b + 64*b^3 - 16 \\
& *b^4 + 256) + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2) \\
& ^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * i \\
& - ((- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + \\
& 8*b^3 + b^4 + 16)))^{1/4} * ((- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b \\
& ^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * (262144*b + 196608*b^2 \\
& - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) - x*(3 \\
& 2768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^ \\
& 7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + \\
& 24*b^2 + 8*b^3 + b^4 + 16)))^{3/4} - 256*b + 64*b^3 - 16*b^4 + 256) - x*(32 \\
& *b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + \\
& b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * i) / (((- (4*b - ((b - \\
& 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)) \\
& )^{1/4} * ((- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24 \\
& *b^2 + 8*b^3 + b^4 + 16)))^{1/4} * (262144*b + 196608*b^2 - 196608*b^3 - 4915 \\
& 2*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) + x*(32768*b + 65536*b^2 \\
& - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b \\
& - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^ \\
& 4 + 16)))^{3/4} - 256*b + 64*b^3 - 16*b^4 + 256) + x*(32*b - 48*b^2 + 24*b^ \\
& 3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + \\
& 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} + ((- (4*b - ((b - 2)*(b + 2)^5)^{1/2} + \\
& 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{1/4} * ((- (4*b - ((b \\
& - 2)*(b + 2)^5)^{1/2} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 1 \\
& 6)))^{1/4} * (262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 40 \\
& 96*b^6 - 4096*b^7 - 262144) - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^
\end{aligned}$$

$$\begin{aligned}
& 4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(3/4)} - 256*b + 64*b^3 - 16*b^4 + 256) - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)}) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * 2i - 2*atan((((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (256*b + (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144)*1i + x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(3/4)} * 1i - 64*b^3 + 16*b^4 - 256)*1i - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} - (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (256*b + (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144)*1i - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(3/4)} * 1i - 64*b^3 + 16*b^4 - 256)*1i + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} / (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (256*b + (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144)*1i + x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(3/4)} * 1i - 64*b^3 + 16*b^4 - 256)*1i - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * 1i + (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (256*b + (((-(4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * (262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144)*1i - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536)) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(3/4)} * 1i - 64*b^3 + 16*b^4 - 256)*1i + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)} * 1i)) * (- (4*b - ((b - 2)*(b + 2)^5)^{(1/2)} + 4*b^2 + b^3) / (512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^{(1/4)}
\end{aligned}$$

sympy [A] time = 3.67, size = 75, normalized size = 0.18

$$\text{RootSum}\left(t^8(65536b^4 + 524288b^3 + 1572864b^2 + 2097152b + 1048576) + t^4(256b^3 + 1024b^2 + 1024b) + 1, (t$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8+b\*x\*\*4+1),x)

[Out] RootSum(\_t\*\*8\*(65536\*b\*\*4 + 524288\*b\*\*3 + 1572864\*b\*\*2 + 2097152\*b + 1048576) + \_t\*\*4\*(256\*b\*\*3 + 1024\*b\*\*2 + 1024\*b) + 1, Lambda(\_t, \_t\*log(1024\*\_t\*\*5\*b\*\*2 + 4096\*\_t\*\*5\*b + 4096\*\_t\*\*5 + 4\*\_t\*b + 4\*\_t + x)))

$$3.10 \quad \int \frac{1+x^4}{1+3x^4+x^8} dx$$

**Optimal.** Leaf size=451

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}}$$

[Out] 1/20\*arctan(-1+2^(3/4)\*x/(3+5^(1/2))^(1/4))\*(3-5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)+1/20\*arctan(1+2^(3/4)\*x/(3+5^(1/2))^(1/4))\*(3-5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)-1/40\*ln(2\*x^2-2\*2^(1/4)\*x\*(3+5^(1/2))^(1/4)+5^(1/2)+1)\*(3-5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)+1/40\*ln(2\*x^2+2\*2^(1/4)\*x\*(3+5^(1/2))^(1/4)+5^(1/2)+1)\*(3-5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)+1/20\*arctan(-1+2^(3/4)\*x/(3-5^(1/2))^(1/4))\*(3+5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)+1/20\*arctan(1+2^(3/4)\*x/(3-5^(1/2))^(1/4))\*(3+5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)-1/40\*ln(2\*x^2-2\*2^(1/4)\*x\*(3-5^(1/2))^(1/4)+5^(1/2)-1)\*(3+5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)+1/40\*ln(2\*x^2+2\*2^(1/4)\*x\*(3-5^(1/2))^(1/4)+5^(1/2)-1)\*(3+5^(1/2))^(1/4)\*2^(1/4)\*5^(1/2)

**Rubi [A]** time = 0.41, antiderivative size = 451, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {1420, 211, 1165, 628, 1162, 617, 204}

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + 3\*x^4 + x^8), x]

[Out] -((3 + Sqrt[5])^(1/4)\*ArcTan[1 - (2^(3/4)\*x)/(3 - Sqrt[5])^(1/4)])/(2\*2^(3/4)\*Sqrt[5]) + ((3 + Sqrt[5])^(1/4)\*ArcTan[1 + (2^(3/4)\*x)/(3 - Sqrt[5])^(1/4)])/(2\*2^(3/4)\*Sqrt[5]) - ((3 - Sqrt[5])^(1/4)\*ArcTan[1 - (2^(3/4)\*x)/(3 + Sqrt[5])^(1/4)])/(2\*2^(3/4)\*Sqrt[5]) + ((3 - Sqrt[5])^(1/4)\*ArcTan[1 + (2^(3/4)\*x)/(3 + Sqrt[5])^(1/4)])/(2\*2^(3/4)\*Sqrt[5]) - ((3 + Sqrt[5])^(1/4)\*Log[Sqrt[2\*(3 - Sqrt[5])]] - 2\*(2\*(3 - Sqrt[5]))^(1/4)\*x + 2\*x^2)/(4\*2^(3/4)\*Sqrt[5]) + ((3 + Sqrt[5])^(1/4)\*Log[Sqrt[2\*(3 - Sqrt[5])]] + 2\*(2\*(3 - Sqrt[5]))^(1/4)\*x + 2\*x^2)/(4\*2^(3/4)\*Sqrt[5]) - ((3 - Sqrt[5])^(1/4)\*Log[Sqrt[2\*(3 + Sqrt[5])]] - 2\*(2\*(3 + Sqrt[5]))^(1/4)\*x + 2\*x^2)/(4\*2^(3/4)\*Sqrt[5]) + ((3 - Sqrt[5])^(1/4)\*Log[Sqrt[2\*(3 + Sqrt[5])]] + 2\*(2\*(3 + Sqrt[5]))^(1/4)\*x + 2\*x^2)/(4\*2^(3/4)\*Sqrt[5])

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

### Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

### Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

### Rule 1420

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
```



&& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && GtQ[b^2 - 4\*a\*c, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1+x^4}{1+3x^4+x^8} dx &= \frac{1}{10} (5-\sqrt{5}) \int \frac{1}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx + \frac{1}{10} (5+\sqrt{5}) \int \frac{1}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx \\
 &= \frac{\int \frac{\sqrt{3-\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} + \frac{\int \frac{\sqrt{3-\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} + \frac{\int \frac{\sqrt{3+\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} + \frac{\int \frac{\sqrt{3+\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} \\
 &= \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})}-\sqrt{2(3-\sqrt{5})}x+x^2} dx}{4\sqrt{5}} + \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})}+\sqrt{2(3-\sqrt{5})}x+x^2} dx}{4\sqrt{5}} + \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3+\sqrt{5})}-\sqrt{2(3+\sqrt{5})}x+x^2} dx}{4\sqrt{5}} + \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3+\sqrt{5})}+\sqrt{2(3+\sqrt{5})}x+x^2} dx}{4\sqrt{5}} \\
 &= -\frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})}-2\sqrt[4]{2(3-\sqrt{5})}x+2x^2\right)}{4 \cdot 2^{3/4}\sqrt{5}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})}+2\sqrt[4]{2(3-\sqrt{5})}x+2x^2\right)}{4 \cdot 2^{3/4}\sqrt{5}} \\
 &= -\frac{\tan^{-1}\left(1-\frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3-\sqrt{5})}} + \frac{\tan^{-1}\left(1+\frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3-\sqrt{5})}} - \frac{\tan^{-1}\left(1-\frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3+\sqrt{5})}} + \frac{\tan^{-1}\left(1+\frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3+\sqrt{5})}}
 \end{aligned}$$

**Mathematica** [C] time = 0.02, size = 55, normalized size = 0.12

$$\frac{1}{4} \text{RootSum}\left[\#1^8 + 3\#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 + 3\#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + 3\*x^4 + x^8), x]

[Out] RootSum[1 + 3\*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]\*#1^4)/(3\*#1^3 + 2\*#1^7) & ]/4

**fricas** [B] time = 1.05, size = 951, normalized size = 2.11

result too large to display



[Out]  $\frac{1}{80}(\pi + 4\arctan(x\sqrt{\sqrt{5} + 1} + 1))\sqrt{5\sqrt{5} + 5} - \frac{1}{80}(\pi + 4\arctan(-x\sqrt{\sqrt{5} + 1} + 1))\sqrt{5\sqrt{5} + 5} + \frac{1}{80}(\pi + 4\arctan(x\sqrt{\sqrt{5} - 1} - 1))\sqrt{5\sqrt{5} - 5} - \frac{1}{80}(\pi + 4\arctan(-x\sqrt{\sqrt{5} - 1} - 1))\sqrt{5\sqrt{5} - 5} + \frac{1}{40}\sqrt{5\sqrt{5} - 5} \log(16900(x + \sqrt{\sqrt{5} + 1})^2 + 16900x^2) - \frac{1}{40}\sqrt{5\sqrt{5} - 5} \log(16900(x - \sqrt{\sqrt{5} + 1})^2 + 16900x^2) + \frac{1}{40}\sqrt{5\sqrt{5} + 5} \log(2500(x + \sqrt{\sqrt{5} - 1})^2 + 2500x^2) - \frac{1}{40}\sqrt{5\sqrt{5} + 5} \log(2500(x - \sqrt{\sqrt{5} - 1})^2 + 2500x^2)$

**maple [C]** time = 0.01, size = 42, normalized size = 0.09

$$\frac{\left(\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^7 + 12 \text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+1)/(x^8+3*x^4+1),x)`

[Out] `1/4*sum((R^4+1)/(2*R^7+3*R^3)*ln(-R+x),R=RootOf(-Z^8+3*_Z^4+1))`

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 + 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8+3*x^4+1),x, algorithm="maxima")`

[Out] `integrate((x^4 + 1)/(x^8 + 3*x^4 + 1), x)`

**mupad [B]** time = 0.18, size = 459, normalized size = 1.02

$$\frac{2^{3/4} \sqrt{5} \operatorname{atan}\left(\frac{72^{3/4} x (-\sqrt{5}-3)^{1/4}}{2\left(2\sqrt{2}\sqrt{-\sqrt{5}-3}+\sqrt{2}\sqrt{5}\sqrt{-\sqrt{5}-3}\right)} + \frac{32^{3/4} \sqrt{5} x (-\sqrt{5}-3)^{1/4}}{2\left(2\sqrt{2}\sqrt{-\sqrt{5}-3}+\sqrt{2}\sqrt{5}\sqrt{-\sqrt{5}-3}\right)}\right) (-\sqrt{5}-3)^{1/4} 2^{3/4} \sqrt{5} \operatorname{atan}\left(\frac{-}{2}\right)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(3*x^4 + x^8 + 1),x)`

[Out]  $(2^{(3/4)}*5^{(1/2)}*\operatorname{atan}((7*2^{(3/4)}*x*(-5^{(1/2)} - 3)^{(1/4)})/(2*(2*2^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)} + 2^{(1/2)}*5^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)}))) + (3*2^{(3/4)}*5^{(1/2)}*x*(-5^{(1/2)} - 3)^{(1/4)})/(2*(2*2^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)} + 2^{(1/2)}*5^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)})))*(-5^{(1/2)} - 3)^{(1/4)})/20 - (2^{(3/4)}*5^{(1/2)}*$

$$\begin{aligned} & (1/2)*\operatorname{atan}\left(\frac{2^{3/4}*x*(-5^{1/2}-3)^{1/4}*7i}{2*(2*2^{1/2})*(-5^{1/2}-3)^{1/2}+2^{1/2}*5^{1/2}*(-5^{1/2}-3)^{1/2}}\right) + (2^{3/4}*5^{1/2}*x*(-5^{1/2}-3)^{1/4}*3i) / (2*(2*2^{1/2})*(-5^{1/2}-3)^{1/2}+2^{1/2}*5^{1/2}*(-5^{1/2}-3)^{1/2})) * (-5^{1/2}-3)^{1/4}*1i) / 20 - (2^{3/4}*5^{1/2}) * \\ & \operatorname{atan}\left(\frac{7*2^{3/4}*x*(5^{1/2}-3)^{1/4}}{2*(2*2^{1/2})*(5^{1/2}-3)^{1/2}-2^{1/2}*5^{1/2}*(5^{1/2}-3)^{1/2}}\right) - (3*2^{3/4}*5^{1/2}*x*(5^{1/2}-3)^{1/4}) / (2*(2*2^{1/2})*(5^{1/2}-3)^{1/2}-2^{1/2}*5^{1/2}*(5^{1/2}-3)^{1/2})) * (5^{1/2}-3)^{1/4}) / 20 + (2^{3/4}*5^{1/2}) * \operatorname{atan}\left(\frac{2^{3/4}*x*(5^{1/2}-3)^{1/4}*7i}{2*(2*2^{1/2})*(5^{1/2}-3)^{1/2}-2^{1/2}*5^{1/2}*(5^{1/2}-3)^{1/2}}\right) - (2^{3/4}*5^{1/2}*x*(5^{1/2}-3)^{1/4}*3i) / (2*(2*2^{1/2})*(5^{1/2}-3)^{1/2}-2^{1/2}*5^{1/2}*(5^{1/2}-3)^{1/2})) * (5^{1/2}-3)^{1/4}) * 1i) / 20 \end{aligned}$$

**sympy [A]** time = 1.48, size = 24, normalized size = 0.05

$$\operatorname{RootSum}\left(40960000t^8 + 19200t^4 + 1, \left(t \mapsto t \log(25600t^5 + 16t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8+3\*x\*\*4+1),x)

[Out] RootSum(40960000\*\_t\*\*8 + 19200\*\_t\*\*4 + 1, Lambda(\_t, \_t\*log(25600\*\_t\*\*5 + 16\*\_t + x)))

$$3.11 \quad \int \frac{1+x^4}{1+2x^4+x^8} dx$$

**Optimal.** Leaf size=85

$$-\frac{\log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}}$$

[Out] 1/4\*arctan(-1+x\*2^(1/2))\*2^(1/2)+1/4\*arctan(1+x\*2^(1/2))\*2^(1/2)-1/8\*ln(1+x^2-x\*2^(1/2))\*2^(1/2)+1/8\*ln(1+x^2+x\*2^(1/2))\*2^(1/2)

**Rubi [A]** time = 0.05, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$ , Rules used = {28, 211, 1165, 628, 1162, 617, 204}

$$-\frac{\log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + 2\*x^4 + x^8),x]

[Out] -ArcTan[1 - Sqrt[2]\*x]/(2\*Sqrt[2]) + ArcTan[1 + Sqrt[2]\*x]/(2\*Sqrt[2]) - Log[1 - Sqrt[2]\*x + x^2]/(4\*Sqrt[2]) + Log[1 + Sqrt[2]\*x + x^2]/(4\*Sqrt[2])

#### Rule 28

Int[(u\_.)\*((a\_.) + (c\_.)\*(x\_)^(n2\_.) + (b\_.)\*(x\_)^(n\_.))^(p\_.), x\_Symbol] :=> Dist[1/c^p, Int[u\*(b/2 + c\*x^n)^(2\*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2\*n] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[p]

#### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 211

Int[((a\_.) + (b\_.)\*(x\_)^4)^(-1), x\_Symbol] :=> With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2\*r), Int[(r - s\*x^2)/(a + b\*x^4), x], x] + Dist[1/(2\*r), Int[(r + s\*x^2)/(a + b\*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 1162

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1+2x^4+x^8} dx &= \int \frac{1}{1+x^4} dx \\
&= \frac{1}{2} \int \frac{1-x^2}{1+x^4} dx + \frac{1}{2} \int \frac{1+x^2}{1+x^4} dx \\
&= \frac{1}{4} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{4} \int \frac{1}{1+\sqrt{2}x+x^2} dx - \frac{\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{4\sqrt{2}} - \frac{\int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx}{4\sqrt{2}} \\
&= -\frac{\log(1-\sqrt{2}x+x^2)}{4\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{4\sqrt{2}} + \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt{2}x\right)}{2\sqrt{2}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1+\sqrt{2}x\right)}{2\sqrt{2}} \\
&= -\frac{\tan^{-1}(1-\sqrt{2}x)}{2\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{2\sqrt{2}} - \frac{\log(1-\sqrt{2}x+x^2)}{4\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{4\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.02, size = 64, normalized size = 0.75

$$\frac{-\log(x^2 - \sqrt{2}x + 1) + \log(x^2 + \sqrt{2}x + 1) - 2 \tan^{-1}(1 - \sqrt{2}x) + 2 \tan^{-1}(\sqrt{2}x + 1)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + 2\*x^4 + x^8), x]

[Out] (-2\*ArcTan[1 - Sqrt[2]\*x] + 2\*ArcTan[1 + Sqrt[2]\*x] - Log[1 - Sqrt[2]\*x + x^2] + Log[1 + Sqrt[2]\*x + x^2])/(4\*Sqrt[2])

**fricas [A]** time = 0.91, size = 95, normalized size = 1.12

$$-\frac{1}{2}\sqrt{2} \arctan\left(-\sqrt{2}x + \sqrt{2}\sqrt{x^2 + \sqrt{2}x + 1} - 1\right) - \frac{1}{2}\sqrt{2} \arctan\left(-\sqrt{2}x + \sqrt{2}\sqrt{x^2 - \sqrt{2}x + 1} + 1\right) + \frac{1}{8}\sqrt{2} \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+2\*x^4+1), x, algorithm="fricas")

[Out] -1/2\*sqrt(2)\*arctan(-sqrt(2)\*x + sqrt(2)\*sqrt(x^2 + sqrt(2)\*x + 1) - 1) - 1/2\*sqrt(2)\*arctan(-sqrt(2)\*x + sqrt(2)\*sqrt(x^2 - sqrt(2)\*x + 1) + 1) + 1/8\*sqrt(2)\*log(x^2 + sqrt(2)\*x + 1) - 1/8\*sqrt(2)\*log(x^2 - sqrt(2)\*x + 1)

**giac [A]** time = 0.39, size = 72, normalized size = 0.85

$$\frac{1}{4}\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(2x + \sqrt{2})\right) + \frac{1}{4}\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}(2x - \sqrt{2})\right) + \frac{1}{8}\sqrt{2} \log(x^2 + \sqrt{2}x + 1) - \frac{1}{8}\sqrt{2} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+2\*x^4+1), x, algorithm="giac")

[Out] 1/4\*sqrt(2)\*arctan(1/2\*sqrt(2)\*(2\*x + sqrt(2))) + 1/4\*sqrt(2)\*arctan(1/2\*sqrt(2)\*(2\*x - sqrt(2))) + 1/8\*sqrt(2)\*log(x^2 + sqrt(2)\*x + 1) - 1/8\*sqrt(2)\*log(x^2 - sqrt(2)\*x + 1)

**maple [A]** time = 0.00, size = 58, normalized size = 0.68

$$\frac{\sqrt{2} \arctan(\sqrt{2}x - 1)}{4} + \frac{\sqrt{2} \arctan(\sqrt{2}x + 1)}{4} + \frac{\sqrt{2} \ln\left(\frac{x^2 + \sqrt{2}x + 1}{x^2 - \sqrt{2}x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+2\*x^4+1), x)

[Out]  $\frac{1}{4} \cdot 2^{(1/2)} \cdot \arctan(2^{(1/2)} \cdot x - 1) + \frac{1}{8} \cdot 2^{(1/2)} \cdot \ln\left(\frac{x^2 + 2^{(1/2)} \cdot x + 1}{x^2 - 2^{(1/2)} \cdot x + 1}\right) + \frac{1}{4} \cdot 2^{(1/2)} \cdot \arctan(2^{(1/2)} \cdot x + 1)$

**maxima** [A] time = 1.59, size = 72, normalized size = 0.85

$$\frac{1}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right) + \frac{1}{8} \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - \frac{1}{8} \sqrt{2} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8+2*x^4+1),x, algorithm="maxima")`

[Out]  $\frac{1}{4} \cdot \sqrt{2} \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2x + \sqrt{2})\right) + \frac{1}{4} \cdot \sqrt{2} \cdot \arctan\left(\frac{1}{2} \cdot \sqrt{2} \cdot (2x - \sqrt{2})\right) + \frac{1}{8} \cdot \sqrt{2} \cdot \log(x^2 + \sqrt{2} \cdot x + 1) - \frac{1}{8} \cdot \sqrt{2} \cdot \log(x^2 - \sqrt{2} \cdot x + 1)$

**mupad** [B] time = 1.56, size = 33, normalized size = 0.39

$$\sqrt{2} \operatorname{atan}\left(\sqrt{2} x \left(\frac{1}{2} - \frac{1}{2}i\right)\right) \left(\frac{1}{4} + \frac{1}{4}i\right) + \sqrt{2} \operatorname{atan}\left(\sqrt{2} x \left(\frac{1}{2} + \frac{1}{2}i\right)\right) \left(\frac{1}{4} - \frac{1}{4}i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(2*x^4 + x^8 + 1),x)`

[Out]  $2^{(1/2)} \cdot \operatorname{atan}\left(2^{(1/2)} \cdot x \cdot \left(\frac{1}{2} - \frac{1}{2}i\right)\right) \cdot \left(\frac{1}{4} + \frac{1}{4}i\right) + 2^{(1/2)} \cdot \operatorname{atan}\left(2^{(1/2)} \cdot x \cdot \left(\frac{1}{2} + \frac{1}{2}i\right)\right) \cdot \left(\frac{1}{4} - \frac{1}{4}i\right)$

**sympy** [A] time = 0.15, size = 73, normalized size = 0.86

$$-\frac{\sqrt{2} \log(x^2 - \sqrt{2}x + 1)}{8} + \frac{\sqrt{2} \log(x^2 + \sqrt{2}x + 1)}{8} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2}x - 1)}{4} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2}x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+1)/(x**8+2*x**4+1),x)`

[Out]  $-\sqrt{2} \cdot \log(x^2 - \sqrt{2} \cdot x + 1) / 8 + \sqrt{2} \cdot \log(x^2 + \sqrt{2} \cdot x + 1) / 8 + \sqrt{2} \cdot \operatorname{atan}(\sqrt{2} \cdot x - 1) / 4 + \sqrt{2} \cdot \operatorname{atan}(\sqrt{2} \cdot x + 1) / 4$



### 3.12 $\int \frac{1+x^4}{1+x^4+x^8} dx$

**Optimal.** Leaf size=140

$$-\frac{1}{8} \log(x^2 - x + 1) + \frac{1}{8} \log(x^2 + x + 1) - \frac{\log(x^2 - \sqrt{3}x + 1)}{8\sqrt{3}} + \frac{\log(x^2 + \sqrt{3}x + 1)}{8\sqrt{3}} - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{4\sqrt{3}} - \frac{1}{4} \tan^{-1}(\sqrt{3})$$

[Out] 1/4\*arctan(2\*x-3^(1/2))+1/4\*arctan(2\*x+3^(1/2))-1/8\*ln(x^2-x+1)+1/8\*ln(x^2+x+1)-1/12\*arctan(1/3\*(1-2\*x)\*3^(1/2))\*3^(1/2)+1/12\*arctan(1/3\*(1+2\*x)\*3^(1/2))\*3^(1/2)-1/24\*ln(1+x^2-x\*3^(1/2))\*3^(1/2)+1/24\*ln(1+x^2+x\*3^(1/2))\*3^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 16,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {1419, 1094, 634, 618, 204, 628}

$$-\frac{1}{8} \log(x^2 - x + 1) + \frac{1}{8} \log(x^2 + x + 1) - \frac{\log(x^2 - \sqrt{3}x + 1)}{8\sqrt{3}} + \frac{\log(x^2 + \sqrt{3}x + 1)}{8\sqrt{3}} - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{4\sqrt{3}} - \frac{1}{4} \tan^{-1}(\sqrt{3})$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + x^4 + x^8), x]

[Out] -ArcTan[(1 - 2\*x)/Sqrt[3]]/(4\*Sqrt[3]) - ArcTan[Sqrt[3] - 2\*x]/4 + ArcTan[(1 + 2\*x)/Sqrt[3]]/(4\*Sqrt[3]) + ArcTan[Sqrt[3] + 2\*x]/4 - Log[1 - x + x^2]/8 + Log[1 + x + x^2]/8 - Log[1 - Sqrt[3]\*x + x^2]/(8\*Sqrt[3]) + Log[1 + Sqrt[3]\*x + x^2]/(8\*Sqrt[3])

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 1094

Int[((a\_.) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2\*q - b/c, 2]}, Dist[1/(2\*c\*q\*r), Int[(r - x)/(q - r\*x + x^2), x], x] + Dist[1/(2\*c\*q\*r), Int[(r + x)/(q + r\*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && NegQ[b^2 - 4\*a\*c]

### Rule 1419

Int[((d\_.) + (e\_.)\*(x\_)^(n\_))/((a\_.) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[(2\*d)/e - b/c, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x^(n/2) + x^n, x], x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d, e\*Rt[a/c, 2]]))

### Rubi steps

$$\begin{aligned}
 \int \frac{1+x^4}{1+x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+x^2+x^4} dx \\
 &= \frac{1}{4} \int \frac{1-x}{1-x+x^2} dx + \frac{1}{4} \int \frac{1+x}{1+x+x^2} dx + \frac{\int \frac{\sqrt{3}-x}{1-\sqrt{3}x+x^2} dx}{4\sqrt{3}} + \frac{\int \frac{\sqrt{3}+x}{1+\sqrt{3}x+x^2} dx}{4\sqrt{3}} \\
 &= \frac{1}{8} \int \frac{1}{1-x+x^2} dx - \frac{1}{8} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{8} \int \frac{1}{1+x+x^2} dx + \frac{1}{8} \int \frac{1+2x}{1+x+x^2} dx + \frac{1}{8} \int \frac{1}{1+x+x^2} dx \\
 &= -\frac{1}{8} \log(1-x+x^2) + \frac{1}{8} \log(1+x+x^2) - \frac{\log(1-\sqrt{3}x+x^2)}{8\sqrt{3}} + \frac{\log(1+\sqrt{3}x+x^2)}{8\sqrt{3}} - \frac{1}{4} \operatorname{S} \\
 &= -\frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{4\sqrt{3}} - \frac{1}{4} \tan^{-1}(\sqrt{3}-2x) + \frac{\tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{4\sqrt{3}} + \frac{1}{4} \tan^{-1}(\sqrt{3}+2x) - \frac{1}{8} \log(1-x+x^2)
 \end{aligned}$$

**Mathematica [C]** time = 0.17, size = 135, normalized size = 0.96

$$\frac{1}{48} \left( -6 \log(x^2 - x + 1) + 6 \log(x^2 + x + 1) + 4i\sqrt{-6 - 6i\sqrt{3}} \tan^{-1}\left(\frac{1}{2}(1 - i\sqrt{3})x\right) - 4i\sqrt{-6 + 6i\sqrt{3}} \tan^{-1}\left(\frac{1}{2}(1 + i\sqrt{3})x\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + x^4)/(1 + x^4 + x^8), x]

[Out] ((4\*I)\*Sqrt[-6 - (6\*I)\*Sqrt[3]]\*ArcTan[((1 - I\*Sqrt[3])\*x)/2] - (4\*I)\*Sqrt[-6 + (6\*I)\*Sqrt[3]]\*ArcTan[((1 + I\*Sqrt[3])\*x)/2] + 4\*Sqrt[3]\*ArcTan[(-1 + 2\*x)/Sqrt[3]] + 4\*Sqrt[3]\*ArcTan[(1 + 2\*x)/Sqrt[3]] - 6\*Log[1 - x + x^2] + 6\*Log[1 + x + x^2])/48

**fricas [A]** time = 0.90, size = 211, normalized size = 1.51

$$-\frac{1}{12} \sqrt{6} \sqrt{3} \sqrt{2} \arctan\left(-\frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{2} x + \frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{\sqrt{6} \sqrt{2} x + 2x^2 + 2} - \sqrt{3}\right) - \frac{1}{12} \sqrt{6} \sqrt{3} \sqrt{2} \arctan\left(-\frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{2} x + \frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{\sqrt{6} \sqrt{2} x + 2x^2 + 2} + \sqrt{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+x^4+1), x, algorithm="fricas")

[Out] -1/12\*sqrt(6)\*sqrt(3)\*sqrt(2)\*arctan(-1/3\*sqrt(6)\*sqrt(3)\*sqrt(2)\*x + 1/3\*sqrt(6)\*sqrt(3)\*sqrt(sqrt(6)\*sqrt(2)\*x + 2\*x^2 + 2) - sqrt(3)) - 1/12\*sqrt(6)\*sqrt(3)\*sqrt(2)\*arctan(-1/3\*sqrt(6)\*sqrt(3)\*sqrt(2)\*x + 1/3\*sqrt(6)\*sqrt(3)\*sqrt(-sqrt(6)\*sqrt(2)\*x + 2\*x^2 + 2) + sqrt(3)) + 1/48\*sqrt(6)\*sqrt(2)\*log(sqrt(6)\*sqrt(2)\*x + 2\*x^2 + 2) - 1/48\*sqrt(6)\*sqrt(2)\*log(-sqrt(6)\*sqrt(2)\*x + 2\*x^2 + 2) + 1/12\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x + 1)) + 1/12\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x - 1)) + 1/8\*log(x^2 + x + 1) - 1/8\*log(x^2 - x + 1)

**giac [A]** time = 0.42, size = 108, normalized size = 0.77

$$\frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x + 1)\right) + \frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x - 1)\right) + \frac{1}{24} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{24} \sqrt{3} \log(x^2 - \sqrt{3}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+x^4+1), x, algorithm="giac")

[Out] 1/12\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x + 1)) + 1/12\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x - 1)) + 1/24\*sqrt(3)\*log(x^2 + sqrt(3)\*x + 1) - 1/24\*sqrt(3)\*log(x^2 - sqrt(3)\*x + 1) + 1/4\*arctan(2\*x + sqrt(3)) + 1/4\*arctan(2\*x - sqrt(3)) + 1/8\*log(x^2 + x + 1) - 1/8\*log(x^2 - x + 1)

**maple [A]** time = 0.02, size = 109, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{12} + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{12} + \frac{\arctan(2x - \sqrt{3})}{4} + \frac{\arctan(2x + \sqrt{3})}{4} - \frac{\sqrt{3} \ln(x^2 - \sqrt{3}x + 1)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+x^4+1),x)

[Out] 1/8\*ln(x^2+x+1)+1/12\*3^(1/2)\*arctan(1/3\*(2\*x+1)\*3^(1/2))-1/24\*3^(1/2)\*ln(x^2-3^(1/2)\*x+1)+1/4\*arctan(2\*x-3^(1/2))+1/24\*3^(1/2)\*ln(x^2+3^(1/2)\*x+1)+1/4\*arctan(2\*x+3^(1/2))-1/8\*ln(x^2-x+1)+1/12\*3^(1/2)\*arctan(1/3\*(2\*x-1)\*3^(1/2))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x + 1)\right) + \frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3} (2x - 1)\right) + \frac{1}{2} \int \frac{1}{x^4 - x^2 + 1} dx + \frac{1}{8} \log(x^2 + x + 1) - \frac{1}{8} \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+x^4+1),x, algorithm="maxima")

[Out] 1/12\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x + 1)) + 1/12\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x - 1)) + 1/2\*integrate(1/(x^4 - x^2 + 1), x) + 1/8\*log(x^2 + x + 1) - 1/8\*log(x^2 - x + 1)

**mupad [B]** time = 0.14, size = 95, normalized size = 0.68

$$\operatorname{atan}\left(\frac{2x}{-1 + \sqrt{3}i}\right) \left(-\frac{1}{4} + \frac{\sqrt{3}i}{12}\right) + \operatorname{atan}\left(\frac{2x}{1 + \sqrt{3}i}\right) \left(\frac{1}{4} + \frac{\sqrt{3}i}{12}\right) + \operatorname{atan}\left(\frac{x2i}{-1 + \sqrt{3}i}\right) \left(\frac{\sqrt{3}}{12} + \frac{1}{4}i\right) + \operatorname{atan}\left(\frac{x2i}{1 + \sqrt{3}i}\right) \left(\frac{\sqrt{3}}{12} - \frac{1}{4}i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^4 + x^8 + 1),x)

[Out] atan((2\*x)/(3^(1/2)\*1i - 1))\*((3^(1/2)\*1i)/12 - 1/4) + atan((2\*x)/(3^(1/2)\*1i + 1))\*((3^(1/2)\*1i)/12 + 1/4) + atan((x\*2i)/(3^(1/2)\*1i - 1))\*((3^(1/2)\*1i)/12 - 1/4) + atan((x\*2i)/(3^(1/2)\*1i + 1))\*((3^(1/2)\*1i)/12 + 1/4)

**sympy [C]** time = 0.70, size = 190, normalized size = 1.36

$$\left(-\frac{1}{8} - \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 - \frac{\sqrt{3}i}{3} + 9216\left(-\frac{1}{8} - \frac{\sqrt{3}i}{24}\right)^5\right) + \left(-\frac{1}{8} + \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 + 9216\left(-\frac{1}{8} + \frac{\sqrt{3}i}{24}\right)^5 + \frac{\sqrt{3}i}{3}\right) + \left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 - \frac{\sqrt{3}i}{3} + 9216\left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right)^5\right) + \left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 + 9216\left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right)^5 - \frac{\sqrt{3}i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8+x\*\*4+1),x)

[Out]  $(-1/8 - \sqrt{3}I/24) \log(x - 1 - \sqrt{3}I/3 + 9216(-1/8 - \sqrt{3}I/24) * 5) + (-1/8 + \sqrt{3}I/24) \log(x - 1 + 9216(-1/8 + \sqrt{3}I/24) * 5 + \sqrt{3}I/3) + (1/8 - \sqrt{3}I/24) \log(x + 1 - \sqrt{3}I/3 + 9216(1/8 - \sqrt{3}I/24) * 5) + (1/8 + \sqrt{3}I/24) \log(x + 1 + 9216(1/8 + \sqrt{3}I/24) * 5 + \sqrt{3}I/3) + \text{RootSum}(2304*_t**4 + 48*_t**2 + 1, \text{Lambda}(_t, _t * \log(9216*_t**5 + 8*_t + x)))$

### 3.13 $\int \frac{1+x^4}{1+x^8} dx$

**Optimal.** Leaf size=347

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{2}} x + 1\right)}{8\sqrt{2 - \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{2}} x + 1\right)}{8\sqrt{2 - \sqrt{2}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{2}} x + 1\right)}{8\sqrt{2 + \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{2}} x + 1\right)}{8\sqrt{2 + \sqrt{2}}}$$

[Out]  $-1/8*\arctan((-2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})*(4-2*2^{(1/2)})^{(1/2)} + 1/8*\arctan((2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})*(4-2*2^{(1/2)})^{(1/2)} - 1/8*\ln(1+x^2-x*(2-2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)} + 1/8*\ln(1+x^2+x*(2-2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)} - 1/8*\arctan((-2*x+(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)})*(4+2*2^{(1/2)})^{(1/2)} + 1/8*\arctan((2*x+(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)})*(4+2*2^{(1/2)})^{(1/2)} - 1/8*\ln(1+x^2-x*(2+2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)} + 1/8*\ln(1+x^2+x*(2+2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.25, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 13,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$ , Rules used = {1413, 1094, 634, 618, 204, 628}

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{2}} x + 1\right)}{8\sqrt{2 - \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{2}} x + 1\right)}{8\sqrt{2 - \sqrt{2}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{2}} x + 1\right)}{8\sqrt{2 + \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{2}} x + 1\right)}{8\sqrt{2 + \sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + x^8), x]

[Out]  $-(\text{Sqrt}[2 - \text{Sqrt}[2]]/2)*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2]]]/4 - (\text{Sqrt}[2 + \text{Sqrt}[2]]/2)*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2]]]/4 + (\text{Sqrt}[2 - \text{Sqrt}[2]]/2)*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2]]]/4 + (\text{Sqrt}[2 + \text{Sqrt}[2]]/2)*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2]]]/4 - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[2]]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[2]]) - \text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[2]]) + \text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[2]])$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1094

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1413

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[2*d*e, 2]}, Dist[e^2/(2*c), Int[1/(d + q*x^(n/2) + e*x^n), x], x] + Dist[e^2/(2*c), Int[1/(d - q*x^(n/2) + e*x^n), x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && PosQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{2}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2}x^2+x^4} dx \\
&= \frac{\int \frac{\sqrt{2-\sqrt{2}}-x}{1-\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2-\sqrt{2}}+x}{1+\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}-x}{1-\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}+x}{1+\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} \\
&= \frac{1}{8} \int \frac{1}{1-\sqrt{2-\sqrt{2}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2-\sqrt{2}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1-\sqrt{2+\sqrt{2}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2+\sqrt{2}}x+x^2} dx \\
&= -\frac{\log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} + \frac{\log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} - \frac{\log\left(1-\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} + \frac{\log\left(1+\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right)}{4\sqrt{2+\sqrt{2}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right)}{4\sqrt{2-\sqrt{2}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}+2x}{\sqrt{2+\sqrt{2}}}\right)}{4\sqrt{2+\sqrt{2}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}+2x}{\sqrt{2-\sqrt{2}}}\right)}{4\sqrt{2-\sqrt{2}}} - \frac{\log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} + \frac{\log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} - \frac{\log\left(1-\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} + \frac{\log\left(1+\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 258, normalized size = 0.74

$$\frac{1}{8} \left( -\left( \sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 - 2x \sin\left(\frac{\pi}{8}\right) + 1\right) + \left( \sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 + 2x \sin\left(\frac{\pi}{8}\right) + 1\right) + \left( \sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 - 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left( \sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 + 2x \cos\left(\frac{\pi}{8}\right) + 1\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + x^8), x]

[Out] (2\*ArcTan[Sec[Pi/8]\*(x + Sin[Pi/8])]\*(Cos[Pi/8] - Sin[Pi/8]) + 2\*ArcTan[x\*Sec[Pi/8] - Tan[Pi/8]]\*(Cos[Pi/8] - Sin[Pi/8]) + Log[1 + x^2 + 2\*x\*Cos[Pi/8]]\*(Cos[Pi/8] - Sin[Pi/8]) + Log[1 + x^2 - 2\*x\*Cos[Pi/8]]\*(-Cos[Pi/8] + Sin[Pi/8]) + 2\*ArcTan[(x - Cos[Pi/8])\*Csc[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]) + 2\*ArcTan[(x + Cos[Pi/8])\*Csc[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]) - Log[1 + x^2 - 2\*x\*Sin[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]) + Log[1 + x^2 + 2\*x\*Sin[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]))/8

**fricas [B]** time = 0.87, size = 991, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((x^4+1)/(x^8+1),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/8*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 + x*\sqrt{-\sqrt{2} + 2} + 1} + \sqrt{-\sqrt{2} + 2}))/\sqrt{\sqrt{2} + 2}) - 1/8*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 - x*\sqrt{-\sqrt{2} + 2} + 1} - \sqrt{-\sqrt{2} + 2}))/\sqrt{\sqrt{2} + 2}) - 1/8*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 + x*\sqrt{\sqrt{2} + 2} + 1} + \sqrt{\sqrt{2} + 2}))/\sqrt{-\sqrt{2} + 2}) - 1/8*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 - x*\sqrt{\sqrt{2} + 2} + 1} - \sqrt{\sqrt{2} + 2}))/\sqrt{-\sqrt{2} + 2}) - 1/8*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\arctan(-(2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1} + \sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}))/(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})) - 1/8*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\arctan(-(2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1} - \sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}))/(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})) + 1/8*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\arctan((2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1} + \sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}))/(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})) + 1/8*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\arctan((2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1} - \sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}))/(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})) + 1/32*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\log(x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) + 1/32*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\log(x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) - 1/32*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\log(x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) - 1/32*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\log(x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) + 1/32*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\log(x^2 + x*\sqrt{\sqrt{2} + 2} + 1) - 1/32*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\log(x^2 - x*\sqrt{\sqrt{2} + 2} + 1) + 1/32*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\log(x^2 + x*\sqrt{-\sqrt{2} + 2} + 1) - 1/32*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\log(x^2 - x*\sqrt{-\sqrt{2} + 2} + 1) \end{aligned}$$

**giac** [A] time = 0.88, size = 247, normalized size = 0.71

$$\frac{1}{8} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+1),x, algorithm="giac")

[Out] 
$$1/8*\sqrt{-2*\sqrt{2} + 4}*\arctan((2*x + \sqrt{-\sqrt{2} + 2}))/\sqrt{\sqrt{2} + 2}) + 1/8*\sqrt{-2*\sqrt{2} + 4}*\arctan((2*x - \sqrt{-\sqrt{2} + 2}))/\sqrt{\sqrt{2} + 2}) + 1/8*\sqrt{2*\sqrt{2} + 4}*\arctan((2*x + \sqrt{-\sqrt{2} + 2}))/\sqrt{\sqrt{2} + 2}) + 1/8*\sqrt{2*\sqrt{2} + 4}*\arctan((2*x - \sqrt{-\sqrt{2} + 2}))/\sqrt{\sqrt{2} + 2})$$

) + 2)) + 1/8\*sqrt(2\*sqrt(2) + 4)\*arctan((2\*x + sqrt(sqrt(2) + 2))/sqrt(-sqrt(2) + 2)) + 1/8\*sqrt(2\*sqrt(2) + 4)\*arctan((2\*x - sqrt(sqrt(2) + 2))/sqrt(-sqrt(2) + 2)) + 1/16\*sqrt(-2\*sqrt(2) + 4)\*log(x^2 + x\*sqrt(sqrt(2) + 2) + 1) - 1/16\*sqrt(-2\*sqrt(2) + 4)\*log(x^2 - x\*sqrt(sqrt(2) + 2) + 1) + 1/16\*sqrt(2\*sqrt(2) + 4)\*log(x^2 + x\*sqrt(-sqrt(2) + 2) + 1) - 1/16\*sqrt(2\*sqrt(2) + 4)\*log(x^2 - x\*sqrt(-sqrt(2) + 2) + 1)

**maple [C]** time = 0.01, size = 27, normalized size = 0.08

$$\frac{\left(\text{RootOf}(-Z^8 + 1)^4 + 1\right) \ln\left(-\text{RootOf}(-Z^8 + 1) + x\right)}{8 \text{RootOf}(-Z^8 + 1)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+1),x)

[Out] 1/8\*sum((R^4+1)/R^7\*ln(-R+x),R=RootOf(-Z^8+1))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 + 1), x)

**mupad [B]** time = 2.28, size = 311, normalized size = 0.90

$$-\ln\left(\left(\frac{\sqrt{-2\sqrt{2}-4}}{16} - \frac{\sqrt{4-2\sqrt{2}}}{16}\right)^3 \left(65536x - 16384\sqrt{-2\sqrt{2}-4} + 16384\sqrt{4-2\sqrt{2}}\right) + 256\right) \left(\frac{\sqrt{-2\sqrt{2}-4}}{16} - \frac{\sqrt{4-2\sqrt{2}}}{16}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 + 1),x)

[Out] atan((x\*(2^(1/2) - 2)^(1/2)\*1i)/2 + (x\*(2^(1/2) + 2)^(1/2)\*1i)/2 + (2^(1/2) \*x\*(2^(1/2) - 2)^(1/2)\*1i)/2 - (2^(1/2)\*x\*(2^(1/2) + 2)^(1/2)\*1i)/2)\*((2^(1/2)\*(2^(1/2) - 2)^(1/2)\*1i)/8 + (2^(1/2)\*(2^(1/2) + 2)^(1/2)\*1i)/8) - log((( - 2\*2^(1/2) - 4)^(1/2)/16 - (4 - 2\*2^(1/2))^(1/2)/16)^3\*(65536\*x - 16384\*( - 2\*2^(1/2) - 4)^(1/2) + 16384\*(4 - 2\*2^(1/2))^(1/2)) + 256)\*((- 2\*2^(1/2) - 4)^(1/2)/16 - (4 - 2\*2^(1/2))^(1/2)/16) - (atan(x\*(2^(1/2) + 2)^(3/2)\*1

$$\begin{aligned}
& - \frac{1i}{2} - 2^{(1/2)} * x * (2^{(1/2)} + 2)^{(3/2)} * (3/4 - 1i/4) * (2^{(1/2)} * (1 - 1i) - 2) \\
& * (2^{(1/2)} + 2)^{(1/2)} * 1i) / 8 + (\operatorname{atan}(x * (2^{(1/2)} + 2)^{(3/2)} * (1/2 + 1i) - 2^{(1/2)} * x * (2^{(1/2)} + 2)^{(3/2)} * (1/4 + 3i/4)) * (2^{(1/2)} * (1 + 1i) - 2i) * (2^{(1/2)} + 2)^{(1/2)} * 1i) / 8 + 2^{(1/2)} * \log(x - (2^{(1/2)} + 2)^{(3/2)} * (1/2 + 1i) + 2^{(1/2)} * (2^{(1/2)} + 2)^{(3/2)} * (1/4 + 3i/4)) * ((2^{(1/2)} - 2)^{(1/2)} / 16 + (2^{(1/2)} + 2)^{(1/2)} / 16) * 1i
\end{aligned}$$

**sympy [A]** time = 2.78, size = 19, normalized size = 0.05

$$\operatorname{RootSum}(1048576t^8 + 1, (t \mapsto t \log(4096t^5 + 4t + x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8+1),x)

[Out] RootSum(1048576\*\_t\*\*8 + 1, Lambda(\_t, \_t\*log(4096\*\_t\*\*5 + 4\*\_t + x)))

### 3.14 $\int \frac{1+x^4}{1-x^4+x^8} dx$

**Optimal.** Leaf size=331

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}}x + 1\right)}{8\sqrt{2 - \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}}x + 1\right)}{8\sqrt{2 - \sqrt{3}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{3}}x + 1\right)}{8\sqrt{2 + \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{3}}x + 1\right)}{8\sqrt{2 + \sqrt{3}}}$$

[Out]  $-1/8*\ln(1+x^2-x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))/(1/2*6^{(1/2)}-1/2*2^{(1/2)})+1/8*\ln(1+x^2+x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))/(1/2*6^{(1/2)}-1/2*2^{(1/2)})-1/4*\arctan((-2*x+1/2*6^{(1/2)}-1/2*2^{(1/2)})/(1/2*6^{(1/2)}+1/2*2^{(1/2)}))*(1/2*6^{(1/2)}-1/2*2^{(1/2)})+1/4*\arctan((2*x+1/2*6^{(1/2)}-1/2*2^{(1/2)})/(1/2*6^{(1/2)}+1/2*2^{(1/2)}))*(1/2*6^{(1/2)}-1/2*2^{(1/2)})-1/8*\ln(1+x^2-x*(1/2*6^{(1/2)}+1/2*2^{(1/2)}))/(1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/8*\ln(1+x^2+x*(1/2*6^{(1/2)}+1/2*2^{(1/2)}))/(1/2*6^{(1/2)}+1/2*2^{(1/2)})-1/4*\arctan((-2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/4*\arctan((2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})$

**Rubi [A]** time = 0.23, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}}x + 1\right)}{8\sqrt{2 - \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}}x + 1\right)}{8\sqrt{2 - \sqrt{3}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{3}}x + 1\right)}{8\sqrt{2 + \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{3}}x + 1\right)}{8\sqrt{2 + \sqrt{3}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - x^4 + x^8), x]

[Out]  $-(\text{Sqrt}[2 - \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[3]]])/4 - (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/4 + (\text{Sqrt}[2 - \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[3]]])/4 + (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/4 - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[3]]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[3]]) - \text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[3]]) + \text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[3]])$

**Rule 204**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 1094

Int[((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2\*q - b/c, 2]}, Dist[1/(2\*c\*q\*r), Int[(r - x)/(q - r\*x + x^2), x], x] + Dist[1/(2\*c\*q\*r), Int[(r + x)/(q + r\*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && NegQ[b^2 - 4\*a\*c]

### Rule 1419

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(2\*n\_)), x\_Symbol] := With[{q = Rt[(2\*d)/e - b/c, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x^(n/2) + x^n, x], x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x^(n/2) + x^n, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2\*d)/e - b/c, 0] || (!LtQ[(2\*d)/e - b/c, 0] && EqQ[d, e\*Rt[a/c, 2]]))

### Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1-x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{3}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{3}x^2+x^4} dx \\
&= \frac{\int \frac{\sqrt{2-\sqrt{3}}-x}{1-\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{2-\sqrt{3}}} + \frac{\int \frac{\sqrt{2-\sqrt{3}}+x}{1+\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{2-\sqrt{3}}} + \frac{\int \frac{\sqrt{2+\sqrt{3}}-x}{1-\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{2+\sqrt{3}}} + \frac{\int \frac{\sqrt{2+\sqrt{3}}+x}{1+\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{2+\sqrt{3}}} \\
&= \frac{1}{8} \int \frac{1}{1-\sqrt{2-\sqrt{3}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2-\sqrt{3}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1-\sqrt{2+\sqrt{3}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2+\sqrt{3}}x+x^2} dx \\
&= -\frac{\log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right)}{8\sqrt{2-\sqrt{3}}} + \frac{\log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right)}{8\sqrt{2-\sqrt{3}}} - \frac{\log\left(1-\sqrt{2+\sqrt{3}}x+x^2\right)}{8\sqrt{2+\sqrt{3}}} + \frac{\log\left(1+\sqrt{2+\sqrt{3}}x+x^2\right)}{8\sqrt{2+\sqrt{3}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}-2x}{\sqrt{2+\sqrt{3}}}\right)}{4\sqrt{2+\sqrt{3}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right)}{4\sqrt{2-\sqrt{3}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}+2x}{\sqrt{2+\sqrt{3}}}\right)}{4\sqrt{2+\sqrt{3}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}+2x}{\sqrt{2-\sqrt{3}}}\right)}{4\sqrt{2-\sqrt{3}}} - \frac{\log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right)}{8\sqrt{2-\sqrt{3}}} + \frac{\log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right)}{8\sqrt{2-\sqrt{3}}} - \frac{\log\left(1-\sqrt{2+\sqrt{3}}x+x^2\right)}{8\sqrt{2+\sqrt{3}}} + \frac{\log\left(1+\sqrt{2+\sqrt{3}}x+x^2\right)}{8\sqrt{2+\sqrt{3}}}
\end{aligned}$$

**Mathematica [C]** time = 0.02, size = 55, normalized size = 0.17

$$\frac{1}{4} \text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 - \#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - x^4 + x^8), x]

[Out] RootSum[1 - #1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]\*#1^4)/(-#1^3 + 2\*#1^7) & ]/4

**fricas [A]** time = 0.93, size = 377, normalized size = 1.14

$$-\frac{1}{8} \sqrt{\sqrt{3}+2} (\sqrt{3}-2) \log\left(2x^2+2x\sqrt{\sqrt{3}+2}+2\right) + \frac{1}{8} \sqrt{\sqrt{3}+2} (\sqrt{3}-2) \log\left(2x^2-2x\sqrt{\sqrt{3}+2}+2\right) + \frac{1}{16} \left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-x^4+1), x, algorithm="fricas")

```
[Out] -1/8*sqrt(sqrt(3) + 2)*(sqrt(3) - 2)*log(2*x^2 + 2*x*sqrt(sqrt(3) + 2) + 2)
+ 1/8*sqrt(sqrt(3) + 2)*(sqrt(3) - 2)*log(2*x^2 - 2*x*sqrt(sqrt(3) + 2) +
2) + 1/16*(sqrt(3) + 2)*sqrt(-4*sqrt(3) + 8)*log(2*x^2 + x*sqrt(-4*sqrt(3)
+ 8) + 2) - 1/16*(sqrt(3) + 2)*sqrt(-4*sqrt(3) + 8)*log(2*x^2 - x*sqrt(-4*s
qrt(3) + 8) + 2) - 1/2*sqrt(sqrt(3) + 2)*arctan(sqrt(2)*sqrt(2*x^2 + 2*x*sq
rt(sqrt(3) + 2) + 2)*sqrt(sqrt(3) + 2) - 2*x*sqrt(sqrt(3) + 2) - sqrt(3) -
2) - 1/2*sqrt(sqrt(3) + 2)*arctan(sqrt(2)*sqrt(2*x^2 - 2*x*sqrt(sqrt(3) + 2
) + 2)*sqrt(sqrt(3) + 2) - 2*x*sqrt(sqrt(3) + 2) + sqrt(3) + 2) - 1/4*sqrt(
-4*sqrt(3) + 8)*arctan(1/2*sqrt(2)*sqrt(2*x^2 + x*sqrt(-4*sqrt(3) + 8) + 2)
*sqrt(-4*sqrt(3) + 8) - x*sqrt(-4*sqrt(3) + 8) + sqrt(3) - 2) - 1/4*sqrt(-4
*sqrt(3) + 8)*arctan(1/2*sqrt(2)*sqrt(2*x^2 - x*sqrt(-4*sqrt(3) + 8) + 2)*s
qrt(-4*sqrt(3) + 8) - x*sqrt(-4*sqrt(3) + 8) - sqrt(3) + 2)
```

**giac** [A] time = 0.50, size = 245, normalized size = 0.74

$$\frac{1}{8}(\sqrt{6} - \sqrt{2}) \arctan\left(\frac{4x + \sqrt{6} - \sqrt{2}}{\sqrt{6} + \sqrt{2}}\right) + \frac{1}{8}(\sqrt{6} - \sqrt{2}) \arctan\left(\frac{4x - \sqrt{6} + \sqrt{2}}{\sqrt{6} + \sqrt{2}}\right) + \frac{1}{8}(\sqrt{6} + \sqrt{2}) \arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} + \sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^4+1)/(x^8-x^4+1),x, algorithm="giac")
```

```
[Out] 1/8*(sqrt(6) - sqrt(2))*arctan((4*x + sqrt(6) - sqrt(2))/(sqrt(6) + sqrt(2)
)) + 1/8*(sqrt(6) - sqrt(2))*arctan((4*x - sqrt(6) + sqrt(2))/(sqrt(6) + sq
rt(2))) + 1/8*(sqrt(6) + sqrt(2))*arctan((4*x + sqrt(6) + sqrt(2))/(sqrt(6)
- sqrt(2))) + 1/8*(sqrt(6) + sqrt(2))*arctan((4*x - sqrt(6) - sqrt(2))/(sq
rt(6) - sqrt(2))) + 1/16*(sqrt(6) - sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) + sqr
t(2)) + 1) - 1/16*(sqrt(6) - sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) + sqrt(2)) +
1) + 1/16*(sqrt(6) + sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) - sqrt(2)) + 1) - 1
/16*(sqrt(6) + sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) - sqrt(2)) + 1)
```

**maple** [C] time = 0.01, size = 42, normalized size = 0.13

$$\frac{\left(\text{RootOf}\left(-Z^8 - Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 - Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 - Z^4 + 1\right)^7 - 4 \text{RootOf}\left(-Z^8 - Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^4+1)/(x^8-x^4+1),x)
```

```
[Out] 1/4*sum((R^4+1)/(2*R^7-R^3)*ln(-R+x),_R=RootOf(-Z^8-Z^4+1))
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - x^4 + 1), x)

**mupad [B]** time = 0.22, size = 145, normalized size = 0.44

$$-\operatorname{atan}\left(\frac{\sqrt{6} x (27 - 27i)}{27\sqrt{3} - 81i}\right)\left(\sqrt{2}\left(\frac{1}{8} + \frac{1}{8}i\right) + \sqrt{6}\left(-\frac{1}{8} + \frac{1}{8}i\right)\right) - \operatorname{atan}\left(\frac{\sqrt{6} x (27 + 27i)}{27\sqrt{3} - 81i}\right)\left(\sqrt{2}\left(\frac{1}{8} - \frac{1}{8}i\right) + \sqrt{6}\left(\frac{1}{8} + \frac{1}{8}i\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - x^4 + 1),x)

[Out] - atan((6^(1/2)\*x\*(27 - 27i))/(27\*3^(1/2) - 81i))\*(2^(1/2)\*(1/8 + 1i/8) - 6^(1/2)\*(1/8 - 1i/8)) - atan((6^(1/2)\*x\*(27 + 27i))/(27\*3^(1/2) - 81i))\*(2^(1/2)\*(1/8 - 1i/8) + 6^(1/2)\*(1/8 + 1i/8)) - atan((6^(1/2)\*x\*(27 - 27i))/(27\*3^(1/2) + 81i))\*(2^(1/2)\*(1/8 + 1i/8) + 6^(1/2)\*(1/8 - 1i/8)) - atan((6^(1/2)\*x\*(27 + 27i))/(27\*3^(1/2) + 81i))\*(2^(1/2)\*(1/8 - 1i/8) - 6^(1/2)\*(1/8 + 1i/8))

**sympy [A]** time = 3.10, size = 20, normalized size = 0.06

$$\operatorname{RootSum}\left(65536t^8 - 256t^4 + 1, \left(t \mapsto t \log(1024t^5 + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8-x\*\*4+1),x)

[Out] RootSum(65536\*\_t\*\*8 - 256\*\_t\*\*4 + 1, Lambda(\_t, \_t\*log(1024\*\_t\*\*5 + x)))



$$3.15 \quad \int \frac{1+x^4}{1-2x^4+x^8} dx$$

**Optimal.** Leaf size=27

$$\frac{x}{2(1-x^4)} + \frac{1}{4} \tan^{-1}(x) + \frac{1}{4} \tanh^{-1}(x)$$

[Out] 1/2\*x/(-x^4+1)+1/4\*arctan(x)+1/4\*arctanh(x)

**Rubi [A]** time = 0.01, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$ , Rules used = {28, 385, 212, 206, 203}

$$\frac{x}{2(1-x^4)} + \frac{1}{4} \tan^{-1}(x) + \frac{1}{4} \tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 2\*x^4 + x^8), x]

[Out] x/(2\*(1 - x^4)) + ArcTan[x]/4 + ArcTanh[x]/4

### Rule 28

Int[(u\_)\*((a\_) + (c\_)\*(x\_)^(n2\_)) + (b\_)\*(x\_)^(n\_)]^(p\_), x\_Symbol] :=  
Dist[1/c^p, Int[u\*(b/2 + c\*x^n)^(2\*p), x], x] /; FreeQ[{a, b, c, n}, x] &&  
EqQ[n2, 2\*n] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[p]

### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 212

Int[((a\_) + (b\_)\*(x\_)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2\*a), Int[1/(r - s\*x^2), x], x] + Dist[r/(2\*a), Int[1/(r + s\*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ

[a/b, 0]

### Rule 385

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := -S
imp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b
*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; Fre
eQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n +
p, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-2x^4+x^8} dx &= \int \frac{1+x^4}{(-1+x^4)^2} dx \\ &= \frac{x}{2(1-x^4)} - \frac{1}{2} \int \frac{1}{-1+x^4} dx \\ &= \frac{x}{2(1-x^4)} + \frac{1}{4} \int \frac{1}{1-x^2} dx + \frac{1}{4} \int \frac{1}{1+x^2} dx \\ &= \frac{x}{2(1-x^4)} + \frac{1}{4} \tan^{-1}(x) + \frac{1}{4} \tanh^{-1}(x) \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 31, normalized size = 1.15

$$\frac{1}{8} \left( -\frac{4x}{x^4-1} - \log(1-x) + \log(x+1) + 2 \tan^{-1}(x) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x^4)/(1 - 2*x^4 + x^8), x]
```

```
[Out] ((-4*x)/(-1 + x^4) + 2*ArcTan[x] - Log[1 - x] + Log[1 + x])/8
```

**fricas [B]** time = 0.61, size = 43, normalized size = 1.59

$$\frac{2(x^4-1) \arctan(x) + (x^4-1) \log(x+1) - (x^4-1) \log(x-1) - 4x}{8(x^4-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^4+1)/(x^8-2*x^4+1), x, algorithm="fricas")
```

[Out]  $\frac{1}{8} \cdot (2 \cdot (x^4 - 1) \cdot \arctan(x) + (x^4 - 1) \cdot \log(x + 1) - (x^4 - 1) \cdot \log(x - 1) - 4 \cdot x) / (x^4 - 1)$

**giac** [A] time = 0.52, size = 29, normalized size = 1.07

$$-\frac{x}{2(x^4 - 1)} + \frac{1}{4} \arctan(x) + \frac{1}{8} \log(|x + 1|) - \frac{1}{8} \log(|x - 1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8-2*x^4+1),x, algorithm="giac")`

[Out]  $-1/2 \cdot x / (x^4 - 1) + 1/4 \cdot \arctan(x) + 1/8 \cdot \log(\text{abs}(x + 1)) - 1/8 \cdot \log(\text{abs}(x - 1))$

**maple** [A] time = 0.01, size = 42, normalized size = 1.56

$$\frac{x}{4x^2 + 4} + \frac{\arctan(x)}{4} - \frac{\ln(x - 1)}{8} + \frac{\ln(x + 1)}{8} - \frac{1}{8(x + 1)} - \frac{1}{8(x - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+1)/(x^8-2*x^4+1),x)`

[Out]  $-1/8/(x+1) + 1/8 \cdot \ln(x+1) + 1/4/(x^2+1) \cdot x + 1/4 \cdot \arctan(x) - 1/8/(x-1) - 1/8 \cdot \ln(x-1)$

**maxima** [A] time = 1.33, size = 27, normalized size = 1.00

$$-\frac{x}{2(x^4 - 1)} + \frac{1}{4} \arctan(x) + \frac{1}{8} \log(x + 1) - \frac{1}{8} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8-2*x^4+1),x, algorithm="maxima")`

[Out]  $-1/2 \cdot x / (x^4 - 1) + 1/4 \cdot \arctan(x) + 1/8 \cdot \log(x + 1) - 1/8 \cdot \log(x - 1)$

**mupad** [B] time = 0.05, size = 21, normalized size = 0.78

$$\frac{\text{atan}(x)}{4} + \frac{\text{atanh}(x)}{4} - \frac{x}{2(x^4 - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(x^8 - 2*x^4 + 1),x)`

[Out]  $\text{atan}(x)/4 + \text{atanh}(x)/4 - x/(2 \cdot (x^4 - 1))$

sympy [A] time = 0.15, size = 26, normalized size = 0.96

$$-\frac{x}{2x^4 - 2} - \frac{\log(x - 1)}{8} + \frac{\log(x + 1)}{8} + \frac{\operatorname{atan}(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8-2\*x\*\*4+1),x)

[Out] -x/(2\*x\*\*4 - 2) - log(x - 1)/8 + log(x + 1)/8 + atan(x)/4

$$3.16 \quad \int \frac{1+x^4}{1-3x^4+x^8} dx$$

**Optimal.** Leaf size=131

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}}$$

[Out] arctan(x\*2^(1/2)/(5^(1/2)-1)^(1/2))/(-2+2\*5^(1/2))^(1/2)+arctanh(x\*2^(1/2)/(5^(1/2)-1)^(1/2))/(-2+2\*5^(1/2))^(1/2)-arctan(x\*2^(1/2)/(5^(1/2)+1)^(1/2))/(2+2\*5^(1/2))^(1/2)-arctanh(x\*2^(1/2)/(5^(1/2)+1)^(1/2))/(2+2\*5^(1/2))^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 3\*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]\*x]/Sqrt[2\*(-1 + Sqrt[5])] - ArcTan[Sqrt[2/(1 + Sqrt[5])]\*x]/Sqrt[2\*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]\*x]/Sqrt[2\*(-1 + Sqrt[5])] - ArcTanh[Sqrt[2/(1 + Sqrt[5])]\*x]/Sqrt[2\*(1 + Sqrt[5])]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

### Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-3x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{5}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{5}x^2+x^4} dx \\ &= \frac{1}{2} \int \frac{1}{-\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx - \frac{1}{2} \int \frac{1}{\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx + \frac{1}{2} \int \frac{1}{-\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx - \frac{1}{2} \int \frac{1}{\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx \\ &= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}}x\right)}{\sqrt{2(-1+\sqrt{5})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}}x\right)}{\sqrt{2(-1+\sqrt{5})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} \end{aligned}$$

**Mathematica** [A] time = 0.08, size = 131, normalized size = 1.00

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x^4)/(1 - 3*x^4 + x^8), x]
```

```
[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]x]/Sqrt[2*(-1 + Sqrt[5])] - ArcTan[Sqrt[2/(1 + Sqrt[5])]x]/Sqrt[2*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]x]/Sqrt[2*(-1 + Sqrt[5])] - ArcTanh[Sqrt[2/(1 + Sqrt[5])]x]/Sqrt[2*(1 + Sqrt[5])]
```

**fricas [B]** time = 0.95, size = 247, normalized size = 1.89

$$-\frac{1}{2}\sqrt{2}\sqrt{\sqrt{5}+1}\arctan\left(-\frac{1}{2}\sqrt{2}x\sqrt{\sqrt{5}+1}+\frac{1}{2}\sqrt{2x^2+\sqrt{5}-1}\sqrt{\sqrt{5}+1}\right)+\frac{1}{2}\sqrt{2}\sqrt{\sqrt{5}-1}\arctan\left(-\frac{1}{2}\sqrt{2}x\sqrt{\sqrt{5}-1}+\frac{1}{2}\sqrt{2x^2+\sqrt{5}+1}\sqrt{\sqrt{5}-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-3\*x^4+1),x, algorithm="fricas")

[Out]  $-\frac{1}{2}\sqrt{2}\sqrt{\sqrt{5}+1}\arctan(-\frac{1}{2}\sqrt{2}\sqrt{\sqrt{5}+1}x+\frac{1}{2}\sqrt{2x^2+\sqrt{5}-1}\sqrt{\sqrt{5}+1})+\frac{1}{2}\sqrt{2}\sqrt{\sqrt{5}-1}\arctan(-\frac{1}{2}\sqrt{2}\sqrt{\sqrt{5}-1}x+\frac{1}{2}\sqrt{2x^2+\sqrt{5}+1}\sqrt{\sqrt{5}-1})+\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}+1}\log((\sqrt{5}\sqrt{2}-\sqrt{2})\sqrt{\sqrt{5}+1}+4x)-\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}+1}\log(-(\sqrt{5}\sqrt{2}-\sqrt{2})\sqrt{\sqrt{5}+1}+4x)-\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}-1}\log((\sqrt{5}\sqrt{2}+\sqrt{2})\sqrt{\sqrt{5}-1}+4x)+\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}-1}\log(-(\sqrt{5}\sqrt{2}+\sqrt{2})\sqrt{\sqrt{5}-1}+4x)$

**giac [A]** time = 0.96, size = 147, normalized size = 1.12

$$-\frac{1}{4}\sqrt{2}\sqrt{\sqrt{5}-2}\arctan\left(\frac{x}{\sqrt{\frac{1}{2}\sqrt{5}+\frac{1}{2}}}\right)+\frac{1}{4}\sqrt{2}\sqrt{\sqrt{5}+2}\arctan\left(\frac{x}{\sqrt{\frac{1}{2}\sqrt{5}-\frac{1}{2}}}\right)-\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}-2}\log\left(x+\sqrt{\frac{1}{2}\sqrt{5}+2}\right)+\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}+2}\log\left(x+\sqrt{\frac{1}{2}\sqrt{5}-2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-3\*x^4+1),x, algorithm="giac")

[Out]  $-\frac{1}{4}\sqrt{2}\sqrt{\sqrt{5}-2}\arctan(x/\sqrt{1/2\sqrt{5}+1/2})+\frac{1}{4}\sqrt{2}\sqrt{\sqrt{5}+2}\arctan(x/\sqrt{1/2\sqrt{5}-1/2})-\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}-2}\log(\text{abs}(x+\sqrt{1/2\sqrt{5}+1/2}))+\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}-2}\log(\text{abs}(x-\sqrt{1/2\sqrt{5}+1/2}))+\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}+2}\log(\text{abs}(x+\sqrt{1/2\sqrt{5}-1/2}))+\frac{1}{8}\sqrt{2}\sqrt{\sqrt{5}+2}\log(\text{abs}(x-\sqrt{1/2\sqrt{5}-1/2}))$

**maple [A]** time = 0.04, size = 96, normalized size = 0.73

$$\frac{\operatorname{arctanh}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{\sqrt{-2+2\sqrt{5}}}-\frac{\operatorname{arctanh}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{\sqrt{2+2\sqrt{5}}}+\frac{\operatorname{arctan}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{\sqrt{-2+2\sqrt{5}}}-\frac{\operatorname{arctan}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{\sqrt{2+2\sqrt{5}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-3\*x^4+1),x)

[Out]  $-1/(2+2*5^{(1/2)})^{(1/2)}*\operatorname{arctanh}(2/(2+2*5^{(1/2)})^{(1/2)}*x)+1/(-2+2*5^{(1/2)})^{(1/2)}*\operatorname{arctan}(2/(-2+2*5^{(1/2)})^{(1/2)}*x)+1/(-2+2*5^{(1/2)})^{(1/2)}*\operatorname{arctanh}(2/(-2+2*5^{(1/2)})^{(1/2)}*x)-1/(2+2*5^{(1/2)})^{(1/2)}*\operatorname{arctan}(2/(2+2*5^{(1/2)})^{(1/2)}*x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8-3*x^4+1),x, algorithm="maxima")`

[Out] `integrate((x^4 + 1)/(x^8 - 3*x^4 + 1), x)`

**mupad** [B] time = 0.20, size = 269, normalized size = 2.05

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} x \sqrt{\sqrt{5}-1} 1875i}{2(875 \sqrt{5}-1875)} - \frac{\sqrt{2} \sqrt{5} x \sqrt{\sqrt{5}-1} 875i}{2(875 \sqrt{5}-1875)}\right) \sqrt{\sqrt{5}-1} \operatorname{li} \sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} x \sqrt{\sqrt{5}+1} 1875i}{2(875 \sqrt{5}+1875)} + \frac{\sqrt{2} \sqrt{5} x \sqrt{\sqrt{5}+1} 875i}{2(875 \sqrt{5}+1875)}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(x^8 - 3*x^4 + 1),x)`

[Out]  $(2^{(1/2)}*\operatorname{atan}((2^{(1/2)}*x*(1 - 5^{(1/2)})^{(1/2)}*1875i)/(2*(875*5^{(1/2)} - 1875)) - (2^{(1/2)}*5^{(1/2)}*x*(1 - 5^{(1/2)})^{(1/2)}*875i)/(2*(875*5^{(1/2)} - 1875))) * (1 - 5^{(1/2)})^{(1/2)}*1i)/4 - (2^{(1/2)}*\operatorname{atan}((2^{(1/2)}*x*(5^{(1/2)} + 1)^{(1/2)}*1875i)/(2*(875*5^{(1/2)} + 1875)) + (2^{(1/2)}*5^{(1/2)}*x*(5^{(1/2)} + 1)^{(1/2)}*875i)/(2*(875*5^{(1/2)} + 1875))) * (5^{(1/2)} + 1)^{(1/2)}*1i)/4 - (2^{(1/2)}*\operatorname{atan}((2^{(1/2)}*x*(5^{(1/2)} - 1)^{(1/2)}*1875i)/(2*(875*5^{(1/2)} - 1875)) - (2^{(1/2)}*5^{(1/2)}*x*(5^{(1/2)} - 1)^{(1/2)}*875i)/(2*(875*5^{(1/2)} - 1875))) * (5^{(1/2)} - 1)^{(1/2)}*1i)/4 + (2^{(1/2)}*\operatorname{atan}((2^{(1/2)}*x*(- 5^{(1/2)} - 1)^{(1/2)}*1875i)/(2*(875*5^{(1/2)} + 1875)) + (2^{(1/2)}*5^{(1/2)}*x*(- 5^{(1/2)} - 1)^{(1/2)}*875i)/(2*(875*5^{(1/2)} + 1875))) * (- 5^{(1/2)} - 1)^{(1/2)}*1i)/4$

**sympy** [A] time = 1.19, size = 49, normalized size = 0.37

$\operatorname{RootSum}(256t^4 - 16t^2 - 1, (t \mapsto t \log(1024t^5 - 8t + x))) + \operatorname{RootSum}(256t^4 + 16t^2 - 1, (t \mapsto t \log(1024t^5 - 8t + x)))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+1)/(x**8-3*x**4+1),x)`

[Out] `RootSum(256*_t**4 - 16*_t**2 - 1, Lambda(_t, _t*log(1024*_t**5 - 8*_t + x))) + RootSum(256*_t**4 + 16*_t**2 - 1, Lambda(_t, _t*log(1024*_t**5 - 8*_t + x)))`



$$3.17 \quad \int \frac{1+x^4}{1-4x^4+x^8} dx$$

**Optimal.** Leaf size=157

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}}$$

[Out]  $1/4*\arctan(2^{(1/4)}*x/(3^{(1/2)}-1)^{(1/2)})*2^{(3/4)}/(3^{(1/2)}-1)^{(1/2)}+1/4*\arctan(2^{(1/4)}*x/(3^{(1/2)}-1)^{(1/2)})*2^{(3/4)}/(3^{(1/2)}-1)^{(1/2)}-1/4*\arctan(2^{(1/4)}*x/(1+3^{(1/2)})^{(1/2)})*2^{(3/4)}/(1+3^{(1/2)})^{(1/2)}-1/4*\operatorname{arctanh}(2^{(1/4)}*x/(1+3^{(1/2)})^{(1/2)})*2^{(3/4)}/(1+3^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 4\*x^4 + x^8), x]

[Out]  $\operatorname{ArcTan}\left[\frac{2^{(1/4)}*x}{\operatorname{Sqrt}[-1 + \operatorname{Sqrt}[3]]}\right]/(2*2^{(1/4)}*\operatorname{Sqrt}[-1 + \operatorname{Sqrt}[3]]) - \operatorname{ArcTan}\left[\frac{2^{(1/4)}*x}{\operatorname{Sqrt}[1 + \operatorname{Sqrt}[3]]}\right]/(2*2^{(1/4)}*\operatorname{Sqrt}[1 + \operatorname{Sqrt}[3]]) + \operatorname{ArcTanh}\left[\frac{2^{(1/4)}*x}{\operatorname{Sqrt}[-1 + \operatorname{Sqrt}[3]]}\right]/(2*2^{(1/4)}*\operatorname{Sqrt}[-1 + \operatorname{Sqrt}[3]]) - \operatorname{ArcTanh}\left[\frac{2^{(1/4)}*x}{\operatorname{Sqrt}[1 + \operatorname{Sqrt}[3]]}\right]/(2*2^{(1/4)}*\operatorname{Sqrt}[1 + \operatorname{Sqrt}[3]])$

**Rule 203**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 207**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-4x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{6}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{6}x^2+x^4} dx \\ &= \frac{\int \frac{1}{-\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} + \frac{\int \frac{1}{\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} - \frac{\int \frac{1}{-\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} - \frac{\int \frac{1}{\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{-1+\sqrt{3}}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{-1+\sqrt{3}}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} \end{aligned}$$

Mathematica [C] time = 0.01, size = 53, normalized size = 0.34

$$\frac{1}{8} \text{RootSum} \left[ \#1^8 - 4\#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{\#1^7 - 2\#1^3} \& \right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x^4)/(1 - 4*x^4 + x^8), x]
```

```
[Out] RootSum[1 - 4*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4)/(-2*#1^3 + #1^7) & ]/8
```



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 4x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-4\*x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - 4\*x^4 + 1), x)

**mupad** [B] time = 1.72, size = 399, normalized size = 2.54

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{5184 \sqrt{2} x (\sqrt{3}+2)^{1/4}}{3888 \sqrt{\sqrt{3}+2}+2160 \sqrt{3} \sqrt{\sqrt{3}+2}} + \frac{3024 \sqrt{2} \sqrt{3} x (\sqrt{3}+2)^{1/4}}{3888 \sqrt{\sqrt{3}+2}+2160 \sqrt{3} \sqrt{\sqrt{3}+2}}\right) (\sqrt{3} + 2)^{1/4}}{4} + \frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} x (2-\sqrt{3})^{1/4}}{2160 \sqrt{3} \sqrt{2-\sqrt{3}}}-\frac{5184 \sqrt{2} x (\sqrt{3}+2)^{1/4}}{3888 \sqrt{\sqrt{3}+2}+2160 \sqrt{3} \sqrt{\sqrt{3}+2}}\right) (\sqrt{3} + 2)^{1/4}}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 4\*x^4 + 1),x)

[Out]  $(2^{(1/2)} \operatorname{atan}((2^{(1/2)} x (2 - 3^{(1/2)})^{1/4} * 5184 i) / (2160 * 3^{(1/2)} * (2 - 3^{(1/2)})^{1/2} - 3888 * (2 - 3^{(1/2)})^{1/2}) - (2^{(1/2)} * 3^{(1/2)} x (2 - 3^{(1/2)})^{1/4} * 3024 i) / (2160 * 3^{(1/2)} * (2 - 3^{(1/2)})^{1/2} - 3888 * (2 - 3^{(1/2)})^{1/2})) * (2 - 3^{(1/2)})^{1/4} * i) / 4 - (2^{(1/2)} \operatorname{atan}((5184 * 2^{(1/2)} x (2 - 3^{(1/2)})^{1/4}) / (2160 * 3^{(1/2)} * (2 - 3^{(1/2)})^{1/2} - 3888 * (2 - 3^{(1/2)})^{1/2}) - (3024 * 2^{(1/2)} * 3^{(1/2)} x (2 - 3^{(1/2)})^{1/4}) / (2160 * 3^{(1/2)} * (2 - 3^{(1/2)})^{1/2} - 3888 * (2 - 3^{(1/2)})^{1/2})) * (2 - 3^{(1/2)})^{1/4}) / 4 + (2^{(1/2)} \operatorname{atan}((5184 * 2^{(1/2)} x (3^{(1/2)} + 2)^{1/4}) / (3888 * (3^{(1/2)} + 2)^{1/2} + 2160 * 3^{(1/2)} * (3^{(1/2)} + 2)^{1/2}) + (3024 * 2^{(1/2)} * 3^{(1/2)} x (3^{(1/2)} + 2)^{1/4}) / (3888 * (3^{(1/2)} + 2)^{1/2} + 2160 * 3^{(1/2)} * (3^{(1/2)} + 2)^{1/2})) * (3^{(1/2)} + 2)^{1/4}) / 4 - (2^{(1/2)} \operatorname{atan}((2^{(1/2)} x (3^{(1/2)} + 2)^{1/4} * 5184 i) / (3888 * (3^{(1/2)} + 2)^{1/2} + 2160 * 3^{(1/2)} * (3^{(1/2)} + 2)^{1/2}) + (2^{(1/2)} * 3^{(1/2)} x (3^{(1/2)} + 2)^{1/4} * 3024 i) / (3888 * (3^{(1/2)} + 2)^{1/2} + 2160 * 3^{(1/2)} * (3^{(1/2)} + 2)^{1/2})) * (3^{(1/2)} + 2)^{1/4} * i) / 4$

**sympy** [A] time = 0.19, size = 24, normalized size = 0.15

$$\operatorname{RootSum}\left(1048576t^8 - 4096t^4 + 1, \left(t \mapsto t \log(4096t^5 - 12t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8-4\*x\*\*4+1),x)

[Out] RootSum(1048576\*\_t\*\*8 - 4096\*\_t\*\*4 + 1, Lambda(\_t, \_t\*log(4096\*\_t\*\*5 - 12\*\_t + x)))

$$3.18 \quad \int \frac{1+x^4}{1-5x^4+x^8} dx$$

**Optimal.** Leaf size=171

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}}$$

[Out] arctan(x\*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-6\*3^(1/2)+6\*7^(1/2))^(1/2)+arctanh(x\*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-6\*3^(1/2)+6\*7^(1/2))^(1/2)-arctan(x\*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(6\*3^(1/2)+6\*7^(1/2))^(1/2)-arctanh(x\*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(6\*3^(1/2)+6\*7^(1/2))^(1/2)

**Rubi [A]** time = 0.15, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 5\*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-Sqrt[3] + Sqrt[7])]\*x]/Sqrt[6\*(-Sqrt[3] + Sqrt[7])] - ArcTan[Sqrt[2/(Sqrt[3] + Sqrt[7])]\*x]/Sqrt[6\*(Sqrt[3] + Sqrt[7])] + ArcTanh[Sqrt[2/(-Sqrt[3] + Sqrt[7])]\*x]/Sqrt[6\*(-Sqrt[3] + Sqrt[7])] - ArcTanh[Sqrt[2/(Sqrt[3] + Sqrt[7])]\*x]/Sqrt[6\*(Sqrt[3] + Sqrt[7])]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

### Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-5x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{7}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{7}x^2+x^4} dx \\ &= \frac{\int \frac{1}{-\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} - \frac{\int \frac{1}{\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} + \frac{\int \frac{1}{-\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} - \frac{\int \frac{1}{\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} \\ &= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(-\sqrt{3}+\sqrt{7})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(-\sqrt{3}+\sqrt{7})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} \end{aligned}$$

**Mathematica [C]** time = 0.01, size = 55, normalized size = 0.32

$$\frac{1}{4} \text{RootSum}\left[\#1^8 - 5\#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 - 5\#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 5\*x^4 + x^8), x]

[Out] RootSum[1 - 5\*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]\*#1^4)/(-5\*#1^3 + 2\*#1^7) & ]/4

**fricas [B]** time = 0.94, size = 574, normalized size = 3.36

$$\frac{1}{6} \sqrt{6} \sqrt{\sqrt{2} \sqrt{-\sqrt{7} \sqrt{3} + 5}} \arctan\left(\frac{1}{48} (\sqrt{7} \sqrt{6} \sqrt{3} \sqrt{2} + 3 \sqrt{6} \sqrt{2}) \sqrt{4x^2 + (\sqrt{7} \sqrt{3} \sqrt{2} + 5 \sqrt{2}) \sqrt{-\sqrt{7} \sqrt{3} + 5}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8-5*x^4+1),x, algorithm="fricas")`

[Out]  $\frac{1}{6}\sqrt{6}\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}\arctan\left(\frac{1}{48}(\sqrt{7}\sqrt{6}\sqrt{3}\sqrt{2}+3\sqrt{6}\sqrt{2})\sqrt{4x^2+(\sqrt{7}\sqrt{3}\sqrt{2}+5\sqrt{2})\sqrt{-\sqrt{7}\sqrt{3}+5}}\sqrt{-\sqrt{7}\sqrt{3}+5}\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}\right)-\frac{1}{24}(\sqrt{7}\sqrt{6}\sqrt{3}\sqrt{2}x+3\sqrt{6}\sqrt{2}x)\sqrt{-\sqrt{7}\sqrt{3}+5}\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}\right)-\frac{1}{6}\sqrt{6}\sqrt{\sqrt{2}\sqrt{\sqrt{7}\sqrt{3}+5}}\arctan\left(\frac{1}{48}((\sqrt{7}\sqrt{6}\sqrt{3}\sqrt{2}-3\sqrt{6}\sqrt{2})\sqrt{\sqrt{7}\sqrt{3}+5})\sqrt{\sqrt{7}\sqrt{3}+5}-2(\sqrt{7}\sqrt{6}\sqrt{3}\sqrt{2}x-3\sqrt{6}\sqrt{2}x)\sqrt{\sqrt{7}\sqrt{3}+5})\sqrt{\sqrt{2}\sqrt{\sqrt{7}\sqrt{3}+5}}\right)+\frac{1}{24}\sqrt{6}\sqrt{\sqrt{2}\sqrt{\sqrt{7}\sqrt{3}+5}}\log((\sqrt{7}\sqrt{6}\sqrt{3}-3\sqrt{6})\sqrt{\sqrt{2}\sqrt{\sqrt{7}\sqrt{3}+5}}+12x)-\frac{1}{24}\sqrt{6}\sqrt{\sqrt{2}\sqrt{\sqrt{7}\sqrt{3}+5}}\log(-(\sqrt{7}\sqrt{6}\sqrt{3}-3\sqrt{6})\sqrt{\sqrt{2}\sqrt{\sqrt{7}\sqrt{3}+5}}+12x)-\frac{1}{24}\sqrt{6}\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}\log((\sqrt{7}\sqrt{6}\sqrt{3}+3\sqrt{6})\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}+12x)+\frac{1}{24}\sqrt{6}\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}\log(-(\sqrt{7}\sqrt{6}\sqrt{3}+3\sqrt{6})\sqrt{\sqrt{2}\sqrt{-\sqrt{7}\sqrt{3}+5}}+12x)$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8-5*x^4+1),x, algorithm="giac")`

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INPUT:sage2:=int(sage0,x);;OUTPUT:Unable to convert to real 1/4 Error: Bad Argument ValueUnable to convert to real 1/4 Error: Bad Argument Value

**maple** [C] time = 0.01, size = 42, normalized size = 0.25

$$\frac{\left(\text{RootOf}\left(-Z^8-5Z^4+1\right)^4+1\right)\ln\left(-\text{RootOf}\left(-Z^8-5Z^4+1\right)+x\right)}{8\text{RootOf}\left(-Z^8-5Z^4+1\right)^7-20\text{RootOf}\left(-Z^8-5Z^4+1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+1)/(x^8-5*x^4+1),x)`

[Out]  $\frac{1}{4}\sum\left(\frac{R^4+1}{(2R^7-5R^3)\ln(-R+x)},R=\text{RootOf}\left(-Z^8-5Z^4+1\right)\right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 5x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-5\*x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - 5\*x^4 + 1), x)

**mupad** [B] time = 1.76, size = 483, normalized size = 2.82

$$\frac{2^{3/4} \sqrt{3} \operatorname{atan} \left( \frac{12005 2^{3/4} \sqrt{3} x (5 - \sqrt{21})^{1/4}}{2 \left( 4802 \sqrt{2} \sqrt{5 - \sqrt{21}} - 1029 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}} \right)} - \frac{7889 2^{3/4} \sqrt{3} \sqrt{21} x (5 - \sqrt{21})^{1/4}}{6 \left( 4802 \sqrt{2} \sqrt{5 - \sqrt{21}} - 1029 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}} \right)} \right) (5 - \sqrt{21})^{1/4}}{12} 2^{3/4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 5\*x^4 + 1),x)

[Out] (2^(3/4)\*3^(1/2)\*atan((12005\*2^(3/4)\*3^(1/2)\*x\*(5 - 21^(1/2))^(1/4))/(2\*(4802\*2^(1/2)\*(5 - 21^(1/2))^(1/2) - 1029\*2^(1/2)\*21^(1/2)\*(5 - 21^(1/2))^(1/2))) - (7889\*2^(3/4)\*3^(1/2)\*21^(1/2)\*x\*(5 - 21^(1/2))^(1/4))/(6\*(4802\*2^(1/2)\*(5 - 21^(1/2))^(1/2) - 1029\*2^(1/2)\*21^(1/2)\*(5 - 21^(1/2))^(1/2))))\*(5 - 21^(1/2))^(1/4))/12 - (2^(3/4)\*3^(1/2)\*atan((2^(3/4)\*3^(1/2)\*x\*(5 - 21^(1/2))^(1/4)\*12005i)/(2\*(4802\*2^(1/2)\*(5 - 21^(1/2))^(1/2) - 1029\*2^(1/2)\*21^(1/2)\*(5 - 21^(1/2))^(1/2))) - (2^(3/4)\*3^(1/2)\*21^(1/2)\*x\*(5 - 21^(1/2))^(1/4)\*7889i)/(6\*(4802\*2^(1/2)\*(5 - 21^(1/2))^(1/2) - 1029\*2^(1/2)\*21^(1/2)\*(5 - 21^(1/2))^(1/2))))\*(5 - 21^(1/2))^(1/4)\*1i)/12 + (2^(3/4)\*3^(1/2)\*atan((12005\*2^(3/4)\*3^(1/2)\*x\*(21^(1/2) + 5)^(1/4))/(2\*(4802\*2^(1/2)\*(21^(1/2) + 5)^(1/2) + 1029\*2^(1/2)\*21^(1/2)\*(21^(1/2) + 5)^(1/2))) + (7889\*2^(3/4)\*3^(1/2)\*21^(1/2)\*x\*(21^(1/2) + 5)^(1/4))/(6\*(4802\*2^(1/2)\*(21^(1/2) + 5)^(1/2) + 1029\*2^(1/2)\*21^(1/2)\*(21^(1/2) + 5)^(1/2))))\*(21^(1/2) + 5)^(1/4))/12 - (2^(3/4)\*3^(1/2)\*atan((2^(3/4)\*3^(1/2)\*x\*(21^(1/2) + 5)^(1/4)\*12005i)/(2\*(4802\*2^(1/2)\*(21^(1/2) + 5)^(1/2) + 1029\*2^(1/2)\*21^(1/2)\*(21^(1/2) + 5)^(1/2))) + (2^(3/4)\*3^(1/2)\*21^(1/2)\*x\*(21^(1/2) + 5)^(1/4)\*7889i)/(6\*(4802\*2^(1/2)\*(21^(1/2) + 5)^(1/2) + 1029\*2^(1/2)\*21^(1/2)\*(21^(1/2) + 5)^(1/2))))\*(21^(1/2) + 5)^(1/4)\*1i)/12

**sympy** [A] time = 0.19, size = 24, normalized size = 0.14

$$\operatorname{RootSum} \left( 5308416t^8 - 11520t^4 + 1, \left( t \mapsto t \log \left( 9216t^5 - 16t + x \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((x**4+1)/(x**8-5*x**4+1),x)
```

```
[Out] RootSum(5308416*_t**8 - 11520*_t**4 + 1, Lambda(_t, _t*log(9216*_t**5 - 16*_t + x)))
```

$$3.19 \quad \int \frac{1+x^4}{1-6x^4+x^8} dx$$

**Optimal.** Leaf size=117

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}}$$

[Out]  $1/4*\arctan(x/(2^{(1/2)}-1)^{(1/2)})/(2^{(1/2)}-1)^{(1/2)}+1/4*\operatorname{arctanh}(x/(2^{(1/2)}-1)^{(1/2)})/(2^{(1/2)}-1)^{(1/2)}-1/4*\arctan(x/(1+2^{(1/2)})^{(1/2)})/(1+2^{(1/2)})^{(1/2)}-1/4*\operatorname{arctanh}(x/(1+2^{(1/2)})^{(1/2)})/(1+2^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 6\*x^4 + x^8), x]

[Out] ArcTan[x/Sqrt[-1 + Sqrt[2]]]/(4\*Sqrt[-1 + Sqrt[2]]) - ArcTan[x/Sqrt[1 + Sqrt[2]]]/(4\*Sqrt[1 + Sqrt[2]]) + ArcTanh[x/Sqrt[-1 + Sqrt[2]]]/(4\*Sqrt[-1 + Sqrt[2]]) - ArcTanh[x/Sqrt[1 + Sqrt[2]]]/(4\*Sqrt[1 + Sqrt[2]])

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 207**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

**Rule 1093**

```
Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1419

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(2n_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

### Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-6x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-2\sqrt{2}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+2\sqrt{2}x^2+x^4} dx \\ &= \frac{1}{4} \int \frac{1}{-1-\sqrt{2}+x^2} dx - \frac{1}{4} \int \frac{1}{1-\sqrt{2}+x^2} dx + \frac{1}{4} \int \frac{1}{-1+\sqrt{2}+x^2} dx - \frac{1}{4} \int \frac{1}{1+\sqrt{2}+x^2} dx \\ &= \frac{\tan^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{-1+\sqrt{2}}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{-1+\sqrt{2}}} - \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 111, normalized size = 0.95

$$\frac{1}{4} \left( \sqrt{1+\sqrt{2}} \tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) - \sqrt{\sqrt{2}-1} \tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right) + \sqrt{1+\sqrt{2}} \tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) - \sqrt{\sqrt{2}-1} \tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 6\*x^4 + x^8), x]

[Out] (Sqrt[1 + Sqrt[2]]\*ArcTan[x/Sqrt[-1 + Sqrt[2]]] - Sqrt[-1 + Sqrt[2]]\*ArcTan[x/Sqrt[1 + Sqrt[2]]] + Sqrt[1 + Sqrt[2]]\*ArcTanh[x/Sqrt[-1 + Sqrt[2]]] - Sqrt[-1 + Sqrt[2]]\*ArcTanh[x/Sqrt[1 + Sqrt[2]]])/4

**fricas [B]** time = 0.76, size = 181, normalized size = 1.55

$$-\frac{1}{2} \sqrt{\sqrt{2}+1} \arctan\left(-x\sqrt{\sqrt{2}+1} + \sqrt{x^2 + \sqrt{2}-1}\sqrt{\sqrt{2}+1}\right) + \frac{1}{2} \sqrt{\sqrt{2}-1} \arctan\left(-x\sqrt{\sqrt{2}-1} + \sqrt{x^2 + \sqrt{2}+1}\sqrt{\sqrt{2}-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-6\*x^4+1),x, algorithm="fricas")

[Out]  $-1/2*\sqrt{\sqrt{2} + 1}*\arctan(-x*\sqrt{\sqrt{2} + 1} + \sqrt{x^2 + \sqrt{2} - 1})*\sqrt{\sqrt{2} + 1}) + 1/2*\sqrt{\sqrt{2} - 1}*\arctan(-x*\sqrt{\sqrt{2} - 1} + \sqrt{x^2 + \sqrt{2} + 1})*\sqrt{\sqrt{2} - 1}) - 1/8*\sqrt{\sqrt{2} - 1}*\log((\sqrt{\sqrt{2} + 1}*\sqrt{\sqrt{2} - 1} + x) + 1/8*\sqrt{\sqrt{2} - 1}*\log(-(\sqrt{2} + 1)*\sqrt{\sqrt{2} - 1} + x) + 1/8*\sqrt{\sqrt{2} + 1}*\log(\sqrt{\sqrt{2} + 1}*(\sqrt{2} - 1) + x) - 1/8*\sqrt{\sqrt{2} + 1}*\log(-\sqrt{\sqrt{2} + 1}*(\sqrt{2} - 1) + x)$

**giac** [A] time = 0.91, size = 123, normalized size = 1.05

$$-\frac{1}{4}\sqrt{\sqrt{2}-1}\arctan\left(\frac{x}{\sqrt{\sqrt{2}+1}}\right)+\frac{1}{4}\sqrt{\sqrt{2}+1}\arctan\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)-\frac{1}{8}\sqrt{\sqrt{2}-1}\log\left(\left|x+\sqrt{\sqrt{2}+1}\right|\right)+\frac{1}{8}\sqrt{\sqrt{2}+1}\log\left(\left|x-\sqrt{\sqrt{2}-1}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-6\*x^4+1),x, algorithm="giac")

[Out]  $-1/4*\sqrt{\sqrt{2} - 1}*\arctan(x/\sqrt{\sqrt{2} + 1}) + 1/4*\sqrt{\sqrt{2} + 1}*\arctan(x/\sqrt{\sqrt{2} - 1}) - 1/8*\sqrt{\sqrt{2} - 1}*\log(\text{abs}(x + \sqrt{\sqrt{2} + 1})) + 1/8*\sqrt{\sqrt{2} - 1}*\log(\text{abs}(x - \sqrt{\sqrt{2} + 1})) + 1/8*\sqrt{\sqrt{2} + 1}*\log(\text{abs}(x + \sqrt{\sqrt{2} - 1})) - 1/8*\sqrt{\sqrt{2} + 1}*\log(\text{abs}(x - \sqrt{\sqrt{2} - 1}))$

**maple** [A] time = 0.06, size = 78, normalized size = 0.67

$$-\frac{\operatorname{arctanh}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\operatorname{arctanh}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\operatorname{arctan}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\operatorname{arctan}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-6\*x^4+1),x)

[Out]  $1/4*\arctan(x/(2^{(1/2)}-1)^{(1/2)})/(2^{(1/2)}-1)^{(1/2)}+1/4*\operatorname{arctanh}(x/(2^{(1/2)}-1)^{(1/2)})/(2^{(1/2)}-1)^{(1/2)}-1/4*\arctan(x/(1+2^{(1/2)})^{(1/2)})/(1+2^{(1/2)})^{(1/2)}-1/4*\operatorname{arctanh}(x/(1+2^{(1/2)})^{(1/2)})/(1+2^{(1/2)})^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 6x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-6\*x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - 6\*x^4 + 1), x)

**mupad [B]** time = 0.19, size = 233, normalized size = 1.99

$$\frac{\operatorname{atan}\left(\frac{x\sqrt{\sqrt{2}-1}49152i}{34816\sqrt{2}-49152} - \frac{\sqrt{2}x\sqrt{\sqrt{2}-1}34816i}{34816\sqrt{2}-49152}\right)\sqrt{\sqrt{2}-1}i + \operatorname{atan}\left(\frac{x\sqrt{\sqrt{2}+1}49152i}{34816\sqrt{2}+49152} + \frac{\sqrt{2}x\sqrt{\sqrt{2}+1}34816i}{34816\sqrt{2}+49152}\right)\sqrt{\sqrt{2}+1}i}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 6\*x^4 + 1),x)

[Out] (atan((x\*(1 - 2^(1/2))^(1/2)\*49152i)/(34816\*2^(1/2) - 49152) - (2^(1/2)\*x\*(1 - 2^(1/2))^(1/2)\*34816i)/(34816\*2^(1/2) - 49152))\*(1 - 2^(1/2))^(1/2)\*1i)/4 - (atan((x\*(2^(1/2) + 1)^(1/2)\*49152i)/(34816\*2^(1/2) + 49152) + (2^(1/2)\*x\*(2^(1/2) + 1)^(1/2)\*34816i)/(34816\*2^(1/2) + 49152))\*(2^(1/2) + 1)^(1/2)\*1i)/4 - (atan((x\*(2^(1/2) - 1)^(1/2)\*49152i)/(34816\*2^(1/2) - 49152) - (2^(1/2)\*x\*(2^(1/2) - 1)^(1/2)\*34816i)/(34816\*2^(1/2) - 49152))\*(2^(1/2) - 1)^(1/2)\*1i)/4 + (atan((x\*(- 2^(1/2) - 1)^(1/2)\*49152i)/(34816\*2^(1/2) + 49152) + (2^(1/2)\*x\*(- 2^(1/2) - 1)^(1/2)\*34816i)/(34816\*2^(1/2) + 49152))\*(- 2^(1/2) - 1)^(1/2)\*1i)/4

**sympy [A]** time = 1.16, size = 49, normalized size = 0.42

RootSum(4096t^4 - 128t^2 - 1, (t ↦ t log(16384t^5 - 20t + x))) + RootSum(4096t^4 + 128t^2 - 1, (t ↦ t log(16384t^5 + 20t + x)))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x\*\*4+1)/(x\*\*8-6\*x\*\*4+1),x)

[Out] RootSum(4096\*\_t\*\*4 - 128\*\_t\*\*2 - 1, Lambda(\_t, \_t\*log(16384\*\_t\*\*5 - 20\*\_t + x))) + RootSum(4096\*\_t\*\*4 + 128\*\_t\*\*2 - 1, Lambda(\_t, \_t\*log(16384\*\_t\*\*5 - 20\*\_t + x)))

$$3.20 \quad \int \frac{1-x^4}{1+bx^4+x^8} dx$$

**Optimal.** Leaf size=511

$$\frac{\sqrt{2-\sqrt{2-b}} \log\left(-\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \frac{\sqrt{2-\sqrt{2-b}} \log\left(\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \sqrt{\sqrt{2-b} + 2} \log$$

[Out]  $-1/4*\arctan((-2*x+(2-(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)})*(2+b)^{(1/2)}/(2-b)^{(1/2)}/(2-(2-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x+(2-(2-b)^{(1/2)})^{(1/2)})/(2+(2-b)^{(1/2)})^{(1/2)})*(2+b)^{(1/2)}/(2-b)^{(1/2)}/(2-(2-b)^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2-x*(2-(2-b)^{(1/2)})^{(1/2)})*(2-(2-b)^{(1/2)})^{(1/2)}/(2-b)^{(1/2)}-1/8*\ln(1+x^2+x*(2-(2-b)^{(1/2)})^{(1/2)})*(2-(2-b)^{(1/2)})^{(1/2)}/(2-b)^{(1/2)}+1/4*\arctan((-2*x+(2+(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)})*(2+b)^{(1/2)}/(2-b)^{(1/2)}/(2+(2-b)^{(1/2)})^{(1/2)}-1/4*\arctan((2*x+(2+(2-b)^{(1/2)})^{(1/2)})/(2-(2-b)^{(1/2)})^{(1/2)})*(2+b)^{(1/2)}/(2-b)^{(1/2)}/(2+(2-b)^{(1/2)})^{(1/2)}-1/8*\ln(1+x^2-x*(2+(2-b)^{(1/2)})^{(1/2)})*(2+(2-b)^{(1/2)})^{(1/2)}/(2-b)^{(1/2)}+1/8*\ln(1+x^2+x*(2+(2-b)^{(1/2)})^{(1/2)})*(2+(2-b)^{(1/2)})^{(1/2)}/(2-b)^{(1/2)})$

**Rubi [A]** time = 0.36, antiderivative size = 511, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1421, 1169, 634, 618, 204, 628}

$$\frac{\sqrt{2-\sqrt{2-b}} \log\left(-\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \frac{\sqrt{2-\sqrt{2-b}} \log\left(\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \sqrt{\sqrt{2-b} + 2} \log$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + b\*x^4 + x^8), x]

[Out]  $-(\text{Sqrt}[2 + b]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2 - b]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2 - b]])/(4*\text{Sqrt}[2 - \text{Sqrt}[2 - b]]*\text{Sqrt}[2 - b]) + (\text{Sqrt}[2 + b]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2 - b]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2 - b]])/(4*\text{Sqrt}[2 + \text{Sqrt}[2 - b]]*\text{Sqrt}[2 - b]) + (\text{Sqrt}[2 + b]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2 - b]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2 - b]])/(4*\text{Sqrt}[2 - \text{Sqrt}[2 - b]]*\text{Sqrt}[2 - b]) - (\text{Sqrt}[2 + b]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2 - b]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2 - b]])/(4*\text{Sqrt}[2 + \text{Sqrt}[2 - b]]*\text{Sqrt}[2 - b]) + (\text{Sqrt}[2 - \text{Sqrt}[2 - b]]*\text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[2 - b]]*x + x^2])/(8*\text{Sqrt}[2 - b]) - (\text{Sqrt}[2 - \text{Sqrt}[2 - b]]*\text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[2 - b]]*x + x^2])/(8*\text{Sqrt}[2 - b]) - (\text{Sqrt}[2 + \text{Sqrt}[2 - b]]*\text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[2 - b]]*x + x^2])/(8*\text{Sqrt}[2 - b]) + (\text{Sqrt}[2 + \text{Sqrt}[2 - b]]*\text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[2 - b]]*x + x^2])/(8*\text{Sqrt}[2 - b])$

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1421

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x^(n/2))/Simp[d/e + q*x^(n/2) - x^n, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x^(n/2))/Simp[d/e - q*x^(n/2) - x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1+bx^4+x^8} dx &= \frac{\int \frac{\sqrt{2-b}+2x^2}{-1-\sqrt{2-b}x^2-x^4} dx}{2\sqrt{2-b}} - \frac{\int \frac{\sqrt{2-b}-2x^2}{-1+\sqrt{2-b}x^2-x^4} dx}{2\sqrt{2-b}} \\
&= \frac{\int \frac{\sqrt{2-\sqrt{2-b}} \sqrt{2-b}-(-2+\sqrt{2-b})x}{1-\sqrt{2-\sqrt{2-b}}x+x^2} dx}{4\sqrt{2-\sqrt{2-b}}\sqrt{2-b}} + \frac{\int \frac{\sqrt{2-\sqrt{2-b}} \sqrt{2-b}+(-2+\sqrt{2-b})x}{1+\sqrt{2-\sqrt{2-b}}x+x^2} dx}{4\sqrt{2-\sqrt{2-b}}\sqrt{2-b}} + \frac{\int \frac{\sqrt{2+\sqrt{2-b}} \sqrt{2-b}-(2+\sqrt{2-b})x}{1-\sqrt{2+\sqrt{2-b}}x+x^2} dx}{4\sqrt{2+\sqrt{2-b}}\sqrt{2-b}} \\
&= -\left(\frac{1}{8}\left(-1+\frac{2}{\sqrt{2-b}}\right)\int \frac{1}{1-\sqrt{2+\sqrt{2-b}}x+x^2} dx\right) - \frac{1}{8}\left(-1+\frac{2}{\sqrt{2-b}}\right)\int \frac{1}{1+\sqrt{2+\sqrt{2-b}}x+x^2} dx \\
&= \frac{\sqrt{2-\sqrt{2-b}} \log\left(1-\sqrt{2-\sqrt{2-b}}x+x^2\right)}{8\sqrt{2-b}} - \frac{\sqrt{2-\sqrt{2-b}} \log\left(1+\sqrt{2-\sqrt{2-b}}x+x^2\right)}{8\sqrt{2-b}} \\
&= -\frac{\sqrt{2+\sqrt{2-b}} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2-b}}-2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2-b}} + \frac{\sqrt{2-\sqrt{2-b}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}-2x}{\sqrt{2-\sqrt{2-b}}}\right)}{4\sqrt{2-b}} + \frac{\sqrt{2+\sqrt{2-b}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}-2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2-b}}
\end{aligned}$$

**Mathematica [C]** time = 0.03, size = 57, normalized size = 0.11

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 + \#1^4b + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 + \#1^3b} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + b\*x^4 + x^8), x]

[Out] -1/4\*RootSum[1 + b\*#1^4 + #1^8 &, (-Log[x - #1] + Log[x - #1]\*#1^4)/(b\*#1^3 + 2\*#1^7) & ]

**fricas [B]** time = 0.85, size = 1443, normalized size = 2.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+b\*x^4+1),x, algorithm="fricas")

[Out] -sqrt(sqrt(1/2)\*sqrt((b^2 - 4\*b + 4)\*sqrt((b + 2)/(b^3 - 6\*b^2 + 12\*b - 8) - b)/(b^2 - 4\*b + 4)))\*arctan(1/2\*sqrt(1/2)\*(b^2 + (b^3 - 6\*b^2 + 12\*b -



$$\begin{aligned}
& 8) \sqrt{(b+2)/(b^3-6b^2+12b-8)} - 4b+4) \sqrt{x^2+1/2\sqrt{(1/2)(b^2+(b^3-6b^2+12b-8)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - 2b)\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4))}} \sqrt{\sqrt{1/2}\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4))}} \sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4))} - 1/2\sqrt{1/2}*((b^3-6b^2+12b-8)x\sqrt{(b+2)/(b^3-6b^2+12b-8)} + (b^2-4b+4)x) \sqrt{\sqrt{1/2}\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4))}} \sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4))} + \sqrt{\sqrt{1/2}\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} \arctan(-1/2*(\sqrt{1/2}(b^2-(b^3-6b^2+12b-8)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - 4b+4)\sqrt{x^2+1/2\sqrt{1/2}(b^2-(b^3-6b^2+12b-8)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - 2b)\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} \sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)} + \sqrt{1/2}*((b^3-6b^2+12b-8)x\sqrt{(b+2)/(b^3-6b^2+12b-8)} - (b^2-4b+4)x) \sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} \sqrt{\sqrt{1/2}\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} + 1/4\sqrt{\sqrt{1/2}\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} \log(1/2*((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b+2)\sqrt{\sqrt{1/2}\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} + x) - 1/4\sqrt{\sqrt{1/2}\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} \sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)) \log(-1/2*((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b+2)\sqrt{\sqrt{1/2}\sqrt{-(b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b)/(b^2-4b+4)}} + x) - 1/4\sqrt{\sqrt{1/2}\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4)}} \log(1/2*((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b-2)\sqrt{\sqrt{1/2}\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4)}} + x) + 1/4\sqrt{\sqrt{1/2}\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4)}} \log(-1/2*((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} + b-2)\sqrt{\sqrt{1/2}\sqrt{((b^2-4b+4)\sqrt{(b+2)/(b^3-6b^2+12b-8)} - b)/(b^2-4b+4)}} + x)
\end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+b\*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Evaluation time: 0.75Unable to convert to re

al 1/4 Error: Bad Argument Value

**maple [C]** time = 0.00, size = 44, normalized size = 0.09

$$\frac{\left(-\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^7 + 4 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+b\*x^4+1),x)

[Out] 1/4\*sum((-\_R^4+1)/(2\*\_R^7+\_R^3\*b)\*ln(-\_R+x),\_R=RootOf(-\_Z^8+\_Z^4\*b+1))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 + bx^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+b\*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 + b\*x^4 + 1), x)

**mupad [B]** time = 3.74, size = 5341, normalized size = 10.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(b\*x^4 + x^8 + 1),x)

[Out] - atan((((-(4\*b + ((b - 2)^5\*(b + 2))^(1/2) - 4\*b^2 + b^3)/(512\*(24\*b^2 - 32\*b - 8\*b^3 + b^4 + 16)))^(1/4)\*(256\*b + ((-(4\*b + ((b - 2)^5\*(b + 2))^(1/2) - 4\*b^2 + b^3)/(512\*(24\*b^2 - 32\*b - 8\*b^3 + b^4 + 16)))^(1/4)\*(262144\*b - 196608\*b^2 - 196608\*b^3 + 49152\*b^4 + 49152\*b^5 - 4096\*b^6 - 4096\*b^7 + 262144) + x\*(32768\*b - 65536\*b^2 - 32768\*b^3 + 20480\*b^4 + 10240\*b^5 - 2048\*b^6 - 1024\*b^7 + 65536))\*(-(4\*b + ((b - 2)^5\*(b + 2))^(1/2) - 4\*b^2 + b^3)/(512\*(24\*b^2 - 32\*b - 8\*b^3 + b^4 + 16)))^(3/4) - 64\*b^3 - 16\*b^4 + 256) - x\*(32\*b + 48\*b^2 + 24\*b^3 + 4\*b^4))\*(-(4\*b + ((b - 2)^5\*(b + 2))^(1/2) - 4\*b^2 + b^3)/(512\*(24\*b^2 - 32\*b - 8\*b^3 + b^4 + 16)))^(1/4)\*1i - (((-(4\*b + ((b - 2)^5\*(b + 2))^(1/2) - 4\*b^2 + b^3)/(512\*(24\*b^2 - 32\*b - 8\*b^3 + b^4 + 16)))^(1/4)\*(256\*b + ((-(4\*b + ((b - 2)^5\*(b + 2))^(1/2) - 4\*b^2 + b^3)/(512\*(24\*b^2 - 32\*b - 8\*b^3 + b^4 + 16)))^(1/4)\*(262144\*b - 196608\*b^2 - 196608\*b^3 + 49152\*b^4 + 49152\*b^5 - 4096\*b^6 - 4096\*b^7 + 262144) - x\*(32768\*b - 65536\*b^2 - 32768\*b^3 + 20480\*b^4 + 10240\*b^5 - 2048\*b^6 - 1024\*b^7 + 65

$$\begin{aligned}
& 536)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b \\
& - 8*b^3 + b^4 + 16)))^{3/4} - 64*b^3 - 16*b^4 + 256) + x*(32*b + 48*b^2 + \\
& 24*b^3 + 4*b^4)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24 \\
& *b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * i) / (((- (4*b + ((b - 2)^5*(b + 2))^{1/2} \\
& - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b \\
& + ((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - \\
& 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 \\
& + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) + x*(32768*b - 65536*b^2 - 3276 \\
& 8*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b + ((b \\
& - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16 \\
& )))^{3/4} - 64*b^3 - 16*b^4 + 256) - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- \\
& (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 \\
& + b^4 + 16)))^{1/4} + (((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / ( \\
& 512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b + ((- (4*b + ((b - 2)^ \\
& 5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} \\
& * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 \\
& - 4096*b^7 + 262144) - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10 \\
& 240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} \\
& - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} - 64*b^3 - 1 \\
& 6*b^4 + 256) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b + ((b - 2)^5*(b + \\
& 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4})) \\
& * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8* \\
& b^3 + b^4 + 16)))^{1/4} * 2i - 2*atan((((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - \\
& 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b + ((b \\
& - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 1 \\
& 6)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 40 \\
& 96*b^6 - 4096*b^7 + 262144) * i) + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480 \\
& *b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b + ((b - 2)^5*(b + 2 \\
& ))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i \\
& - 256*b + 64*b^3 + 16*b^4 - 256) * i) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * ( \\
& - (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^ \\
& 3 + b^4 + 16)))^{1/4} - (((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / \\
& (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b + ((b - 2)^5*(b + \\
& 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (2 \\
& 62144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096 \\
& *b^7 + 262144) * i) - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240* \\
& b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4* \\
& b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i) - 256*b + 64* \\
& b^3 + 16*b^4 - 256) * i) - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b + ((b - \\
& 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16) \\
& ))^{1/4} / (((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 \\
& - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4 \\
& *b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196 \\
& 608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144 \\
& ) * i) + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^
\end{aligned}$$

$$\begin{aligned}
& 6 - 1024*b^7 + 65536)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i - 256*b + 64*b^3 + 16*b^4 \\
& - 256) * i + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * i + \\
& ((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * ((- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) * i - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i - 256*b + 64*b^3 + 16*b^4 - 256) * i - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * i)) * (- (4*b + ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} - \operatorname{atan}((((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} - 64*b^3 - 16*b^4 + 256) - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * i - (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} - 64*b^3 - 16*b^4 + 256) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * i) / (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} - 64*b^3 - 16*b^4 + 256) - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) - x*(32768*b - 65536*b^2 - 32768*b^3 +
\end{aligned}$$

$$\begin{aligned}
& 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} \\
& ) - 64*b^3 - 16*b^4 + 256) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} \\
& )) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * 2i - 2*atan((((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * \\
& (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) * 1i + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * 1i - 256*b + 64*b^3 + 16*b^4 - 256) * 1i + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} - (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) * 1i - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * 1i - 256*b + 64*b^3 + 16*b^4 - 256) * 1i - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} / (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) * 1i + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * 1i - 256*b + 64*b^3 + 16*b^4 - 256) * 1i + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * 1i + (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((-(4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) * 1i - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * 1i - 256*b + 64*b^3 + 16*b^4 - 256) * 1i - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * 1i)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4}
\end{aligned}$$

sympy [A] time = 3.63, size = 76, normalized size = 0.15

$$-\text{RootSum}\left(t^8(65536b^4 - 524288b^3 + 1572864b^2 - 2097152b + 1048576) + t^4(256b^3 - 1024b^2 + 1024b) + 1, (\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x\*\*4+1)/(x\*\*8+b\*x\*\*4+1),x)

[Out] -RootSum(\_t\*\*8\*(65536\*b\*\*4 - 524288\*b\*\*3 + 1572864\*b\*\*2 - 2097152\*b + 1048576) + \_t\*\*4\*(256\*b\*\*3 - 1024\*b\*\*2 + 1024\*b) + 1, Lambda(\_t, \_t\*log(1024\*\_t\*  
\*5\*b\*\*2 - 4096\*\_t\*\*5\*b + 4096\*\_t\*\*5 + 4\*\_t\*b - 4\*\_t + x)))

$$3.21 \quad \int \frac{1-x^4}{1+3x^4+x^8} dx$$

**Optimal.** Leaf size=411

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}}$$

[Out]  $-1/4 \cdot \arctan(-1+2^{(3/4)} \cdot x / (3+5^{(1/2)})^{(1/4)}) \cdot (3-5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} - 1/4 \cdot \arctan(1+2^{(3/4)} \cdot x / (3+5^{(1/2)})^{(1/4)}) \cdot (3-5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} + 1/8 \cdot \ln(2 \cdot x^2 - 2 \cdot 2^{(1/4)} \cdot x \cdot (3+5^{(1/2)})^{(1/4)} + 5^{(1/2)} + 1) \cdot (3-5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} - 1/8 \cdot \ln(2 \cdot x^2 + 2 \cdot 2^{(1/4)} \cdot x \cdot (3+5^{(1/2)})^{(1/4)} + 5^{(1/2)} + 1) \cdot (3-5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} + 1/4 \cdot \arctan(-1+2^{(3/4)} \cdot x / (3-5^{(1/2)})^{(1/4)}) \cdot (3+5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} + 1/4 \cdot \arctan(1+2^{(3/4)} \cdot x / (3-5^{(1/2)})^{(1/4)}) \cdot (3+5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} - 1/8 \cdot \ln(2 \cdot x^2 - 2 \cdot 2^{(1/4)} \cdot x \cdot (3-5^{(1/2)})^{(1/4)} + 5^{(1/2)} - 1) \cdot (3+5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)} + 1/8 \cdot \ln(2 \cdot x^2 + 2 \cdot 2^{(1/4)} \cdot x \cdot (3-5^{(1/2)})^{(1/4)} + 5^{(1/2)} - 1) \cdot (3+5^{(1/2)})^{(1/4)} \cdot 2^{(1/4)}$

**Rubi [A]** time = 0.32, antiderivative size = 411, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$ , Rules used = {1420, 211, 1165, 628, 1162, 617, 204}

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + 3\*x^4 + x^8), x]

[Out]  $-\left(\left(3 + \sqrt{5}\right)^{(1/4)} \cdot \text{ArcTan}\left[1 - \left(2^{(3/4)} \cdot x\right) / \left(3 - \sqrt{5}\right)^{(1/4)}\right]\right) / \left(2 \cdot 2^{(3/4)}\right) + \left(\left(3 + \sqrt{5}\right)^{(1/4)} \cdot \text{ArcTan}\left[1 + \left(2^{(3/4)} \cdot x\right) / \left(3 - \sqrt{5}\right)^{(1/4)}\right]\right) / \left(2 \cdot 2^{(3/4)}\right) + \left(\left(3 - \sqrt{5}\right)^{(1/4)} \cdot \text{ArcTan}\left[1 - \left(2^{(3/4)} \cdot x\right) / \left(3 + \sqrt{5}\right)^{(1/4)}\right]\right) / \left(2 \cdot 2^{(3/4)}\right) - \left(\left(3 - \sqrt{5}\right)^{(1/4)} \cdot \text{ArcTan}\left[1 + \left(2^{(3/4)} \cdot x\right) / \left(3 + \sqrt{5}\right)^{(1/4)}\right]\right) / \left(2 \cdot 2^{(3/4)}\right) - \left(\left(3 + \sqrt{5}\right)^{(1/4)} \cdot \text{Log}\left[\sqrt{2 \cdot \left(3 - \sqrt{5}\right)}\right] - 2 \cdot \left(2 \cdot \left(3 - \sqrt{5}\right)\right)^{(1/4)} \cdot x + 2 \cdot x^2\right) / \left(4 \cdot 2^{(3/4)}\right) + \left(\left(3 + \sqrt{5}\right)^{(1/4)} \cdot \text{Log}\left[\sqrt{2 \cdot \left(3 - \sqrt{5}\right)}\right] + 2 \cdot \left(2 \cdot \left(3 - \sqrt{5}\right)\right)^{(1/4)} \cdot x + 2 \cdot x^2\right) / \left(4 \cdot 2^{(3/4)}\right) + \left(\left(3 - \sqrt{5}\right)^{(1/4)} \cdot \text{Log}\left[\sqrt{2 \cdot \left(3 + \sqrt{5}\right)}\right] - 2 \cdot \left(2 \cdot \left(3 + \sqrt{5}\right)\right)^{(1/4)} \cdot x + 2 \cdot x^2\right) / \left(4 \cdot 2^{(3/4)}\right) - \left(\left(3 - \sqrt{5}\right)^{(1/4)} \cdot \text{Log}\left[\sqrt{2 \cdot \left(3 + \sqrt{5}\right)}\right] + 2 \cdot \left(2 \cdot \left(3 + \sqrt{5}\right)\right)^{(1/4)} \cdot x + 2 \cdot x^2\right) / \left(4 \cdot 2^{(3/4)}\right)$

**Rule 204**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :- Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rule 211

Int[((a\_) + (b\_.)\*(x\_)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[a/b, 2]  
], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2\*r), Int[(r - s\*x^2)/(a + b\*x^4),  
x], x] + Dist[1/(2\*r), Int[(r + s\*x^2)/(a + b\*x^4), x], x]] /; FreeQ[{a, b  
}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&  
AtomQ[SplitProduct[SumBaseQ, b]]))

### Rule 617

Int[((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := With[{q = 1 - 4\*S  
implify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b  
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c])] /; Free  
Q[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := S  
imp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 1162

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[  
(2\*d)/e, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x + x^2, x], x] + Dist[e  
/(2\*c), Int[1/Simp[d/e - q\*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &  
& EqQ[c\*d^2 - a\*e^2, 0] && PosQ[d\*e]

### Rule 1165

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[  
(-2\*d)/e, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x)/Simp[d/e + q\*x - x^2, x], x],  
x] + Dist[e/(2\*c\*q), Int[(q + 2\*x)/Simp[d/e - q\*x - x^2, x], x], x]] /; Fre  
eQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && NegQ[d\*e]

### Rule 1420

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x  
\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q),  
Int[1/(b/2 - q/2 + c\*x^n), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(  
b/2 + q/2 + c\*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n]  
&& NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && GtQ[b^2



- 4\*a\*c, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{1-x^4}{1+3x^4+x^8} dx &= \frac{1}{2}(-1-\sqrt{5}) \int \frac{1}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^4} dx + \frac{1}{2}(-1+\sqrt{5}) \int \frac{1}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^4} dx \\
 &= \frac{\int \frac{\sqrt{3-\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^4} dx}{2\sqrt{2}} + \frac{\int \frac{\sqrt{3-\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^4} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{3+\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^4} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{3+\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^4} dx}{2\sqrt{2}} \\
 &= \frac{1}{4} \int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})} - \sqrt[4]{2(3-\sqrt{5})}x + x^2} dx + \frac{1}{4} \int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})} + \sqrt[4]{2(3-\sqrt{5})}x + x^2} dx \\
 &= -\frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})} - 2\sqrt[4]{2(3-\sqrt{5})}x + 2x^2\right)}{4 \cdot 2^{3/4}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})} + 2\sqrt[4]{2(3-\sqrt{5})}x + 2x^2\right)}{4 \cdot 2^3} \\
 &= -\frac{\tan^{-1}\left(1 - \frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt[4]{2(3-\sqrt{5})}} + \frac{\tan^{-1}\left(1 + \frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt[4]{2(3-\sqrt{5})}} + \frac{\tan^{-1}\left(1 - \frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt[4]{2(3+\sqrt{5})}} - \frac{\tan^{-1}\left(1 + \frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt[4]{2(3+\sqrt{5})}}
 \end{aligned}$$

**Mathematica [C]** time = 0.01, size = 57, normalized size = 0.14

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 + 3\#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 + 3\#1^3}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + 3\*x^4 + x^8), x]

[Out] -1/4\*RootSum[1 + 3\*#1^4 + #1^8 & , (-Log[x - #1] + Log[x - #1]\*#1^4)/(3\*#1^3 + 2\*#1^7) & ]

**fricas [B]** time = 0.97, size = 894, normalized size = 2.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+3\*x^4+1),x, algorithm="fricas")

[Out] 1/16\*(sqrt(5)\*sqrt(2) - 3\*sqrt(2))\*(2\*sqrt(5) + 6)^(3/4)\*sqrt(sqrt(5) + 3)\*  
arctan(1/16\*sqrt(4\*x^2 - sqrt(2\*sqrt(5) + 6))\*(sqrt(5) - 3) + 2\*(sqrt(5)\*x -  
x)\*(2\*sqrt(5) + 6)^(1/4))\*(sqrt(5)\*sqrt(2) - 2\*sqrt(2))\*(2\*sqrt(5) + 6)^(5  
/4)\*sqrt(sqrt(5) + 3) - 1/8\*(sqrt(5)\*sqrt(2)\*x - 2\*sqrt(2)\*x)\*(2\*sqrt(5) +  
6)^(5/4)\*sqrt(sqrt(5) + 3) + 1/8\*(sqrt(5)\*sqrt(2) - 3\*sqrt(2))\*sqrt(2\*sqrt(  
5) + 6)\*sqrt(sqrt(5) + 3)) + 1/16\*(sqrt(5)\*sqrt(2) - 3\*sqrt(2))\*(2\*sqrt(5)  
+ 6)^(3/4)\*sqrt(sqrt(5) + 3)\*arctan(1/16\*sqrt(4\*x^2 - sqrt(2\*sqrt(5) + 6))\*  
(sqrt(5) - 3) - 2\*(sqrt(5)\*x - x)\*(2\*sqrt(5) + 6)^(1/4))\*(sqrt(5)\*sqrt(2) -  
2\*sqrt(2))\*(2\*sqrt(5) + 6)^(5/4)\*sqrt(sqrt(5) + 3) - 1/8\*(sqrt(5)\*sqrt(2)\*x  
- 2\*sqrt(2)\*x)\*(2\*sqrt(5) + 6)^(5/4)\*sqrt(sqrt(5) + 3) - 1/8\*(sqrt(5)\*sqrt  
(2) - 3\*sqrt(2))\*sqrt(2\*sqrt(5) + 6)\*sqrt(sqrt(5) + 3)) + 1/16\*(sqrt(5)\*sq  
rt(2) + 3\*sqrt(2))\*sqrt(-sqrt(5) + 3)\*(-2\*sqrt(5) + 6)^(3/4)\*arctan(1/16\*sq  
rt(4\*x^2 + (sqrt(5) + 3)\*sqrt(-2\*sqrt(5) + 6) + 2\*(sqrt(5)\*x + x)\*(-2\*sqrt(5)  
+ 6)^(1/4))\*(sqrt(5)\*sqrt(2) + 2\*sqrt(2))\*sqrt(-sqrt(5) + 3)\*(-2\*sqrt(5)  
+ 6)^(5/4) - 1/8\*((sqrt(5)\*sqrt(2)\*x + 2\*sqrt(2)\*x)\*(-2\*sqrt(5) + 6)^(5/4)  
+ (sqrt(5)\*sqrt(2) + 3\*sqrt(2))\*sqrt(-2\*sqrt(5) + 6))\*sqrt(-sqrt(5) + 3)) +  
1/16\*(sqrt(5)\*sqrt(2) + 3\*sqrt(2))\*sqrt(-sqrt(5) + 3)\*(-2\*sqrt(5) + 6)^(3/  
4)\*arctan(1/16\*sqrt(4\*x^2 + (sqrt(5) + 3)\*sqrt(-2\*sqrt(5) + 6) - 2\*(sqrt(5)  
\*x + x)\*(-2\*sqrt(5) + 6)^(1/4))\*(sqrt(5)\*sqrt(2) + 2\*sqrt(2))\*sqrt(-sqrt(5)  
+ 3)\*(-2\*sqrt(5) + 6)^(5/4) - 1/8\*((sqrt(5)\*sqrt(2)\*x + 2\*sqrt(2)\*x)\*(-2\*s  
qrt(5) + 6)^(5/4) - (sqrt(5)\*sqrt(2) + 3\*sqrt(2))\*sqrt(-2\*sqrt(5) + 6))\*sq  
rt(-sqrt(5) + 3)) + 1/8\*(2\*sqrt(5) + 6)^(1/4)\*log(4\*x^2 - sqrt(2\*sqrt(5) + 6  
))\*(sqrt(5) - 3) + 2\*(sqrt(5)\*x - x)\*(2\*sqrt(5) + 6)^(1/4)) - 1/8\*(2\*sqrt(5)  
+ 6)^(1/4)\*log(4\*x^2 - sqrt(2\*sqrt(5) + 6))\*(sqrt(5) - 3) - 2\*(sqrt(5)\*x -  
x)\*(2\*sqrt(5) + 6)^(1/4)) - 1/8\*(-2\*sqrt(5) + 6)^(1/4)\*log(4\*x^2 + (sqrt(5)  
+ 3)\*sqrt(-2\*sqrt(5) + 6) + 2\*(sqrt(5)\*x + x)\*(-2\*sqrt(5) + 6)^(1/4)) + 1/  
8\*(-2\*sqrt(5) + 6)^(1/4)\*log(4\*x^2 + (sqrt(5) + 3)\*sqrt(-2\*sqrt(5) + 6) - 2  
\*(sqrt(5)\*x + x)\*(-2\*sqrt(5) + 6)^(1/4))

**giac** [A] time = 0.69, size = 223, normalized size = 0.54

$$\frac{1}{16} \left( \pi + 4 \arctan \left( x \sqrt{\sqrt{5} + 1} + 1 \right) \right) \sqrt{\sqrt{5} + 1} - \frac{1}{16} \left( \pi + 4 \arctan \left( -x \sqrt{\sqrt{5} + 1} + 1 \right) \right) \sqrt{\sqrt{5} + 1} - \frac{1}{16} \left( \pi + 4 \arctan \left( x \sqrt{\sqrt{5} + 1} - 1 \right) \right) \sqrt{\sqrt{5} + 1} + \frac{1}{16} \left( \pi + 4 \arctan \left( -x \sqrt{\sqrt{5} + 1} - 1 \right) \right) \sqrt{\sqrt{5} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+3\*x^4+1),x, algorithm="giac")

[Out] 1/16\*(pi + 4\*arctan(x\*sqrt(sqrt(5) + 1) + 1))\*sqrt(sqrt(5) + 1) - 1/16\*(pi  
+ 4\*arctan(-x\*sqrt(sqrt(5) + 1) + 1))\*sqrt(sqrt(5) + 1) - 1/16\*(pi + 4\*arct  
an(x\*sqrt(sqrt(5) - 1) - 1))\*sqrt(sqrt(5) - 1) + 1/16\*(pi + 4\*arctan(-x\*sq  
rt(sqrt(5) - 1) - 1))\*sqrt(sqrt(5) - 1) - 1/8\*sqrt(sqrt(5) - 1)\*log(2500\*(x  
+ sqrt(sqrt(5) + 1))^2 + 2500\*x^2) + 1/8\*sqrt(sqrt(5) - 1)\*log(2500\*(x - sq  
rt(sqrt(5) + 1))^2 + 2500\*x^2) + 1/8\*sqrt(sqrt(5) + 1)\*log(1156\*(x + sqrt(s

$\text{qrt}(5) - 1))^2 + 1156*x^2) - 1/8*\text{sqrt}(\text{sqrt}(5) + 1)*\text{log}(1156*(x - \text{sqrt}(\text{sqrt}(5) - 1))^2 + 1156*x^2)$

**maple [C]** time = 0.01, size = 44, normalized size = 0.11

$$\frac{\left(-\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^7 + 12 \text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+1)/(x^8+3*x^4+1),x)`

[Out] `1/4*sum((-R^4+1)/(2*_R^7+3*_R^3)*ln(-R+x),_R=RootOf(-Z^8+3*_Z^4+1))`

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 + 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8+3*x^4+1),x, algorithm="maxima")`

[Out] `-integrate((x^4 - 1)/(x^8 + 3*x^4 + 1), x)`

**mupad [B]** time = 1.68, size = 447, normalized size = 1.09

$$\frac{2^{3/4} \operatorname{atan}\left(\frac{1875 \cdot 2^{3/4} x (\sqrt{5}-3)^{1/4}}{2 \left(625 \sqrt{2} \sqrt{\sqrt{5}-3} - 250 \sqrt{2} \sqrt{5} \sqrt{\sqrt{5}-3}\right)} - \frac{875 \cdot 2^{3/4} \sqrt{5} x (\sqrt{5}-3)^{1/4}}{2 \left(625 \sqrt{2} \sqrt{\sqrt{5}-3} - 250 \sqrt{2} \sqrt{5} \sqrt{\sqrt{5}-3}\right)}\right) (\sqrt{5}-3)^{1/4} + 2^{3/4} \operatorname{atan}\left(\frac{\dots}{2 \left(625 \sqrt{2} \sqrt{\sqrt{5}-3} - 250 \sqrt{2} \sqrt{5} \sqrt{\sqrt{5}-3}\right)}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(3*x^4 + x^8 + 1),x)`

[Out] `(2^(3/4)*atan((1875*2^(3/4)*x*(5^(1/2) - 3)^(1/4))/(2*(625*2^(1/2)*(5^(1/2) - 3)^(1/2) - 250*2^(1/2)*5^(1/2)*(5^(1/2) - 3)^(1/2)))) - (875*2^(3/4)*5^(1/2)*x*(5^(1/2) - 3)^(1/4))/(2*(625*2^(1/2)*(5^(1/2) - 3)^(1/2) - 250*2^(1/2)*5^(1/2)*(5^(1/2) - 3)^(1/2))))*(5^(1/2) - 3)^(1/4))/4 - (2^(3/4)*atan((2^(3/4)*x*(5^(1/2) - 3)^(1/4)*1875i)/(2*(625*2^(1/2)*(5^(1/2) - 3)^(1/2) - 250*2^(1/2)*5^(1/2)*(5^(1/2) - 3)^(1/2)))) - (2^(3/4)*5^(1/2)*x*(5^(1/2) - 3)^(1/4)*875i)/(2*(625*2^(1/2)*(5^(1/2) - 3)^(1/2) - 250*2^(1/2)*5^(1/2)*(5^(1/2) - 3)^(1/2))))*(5^(1/2) - 3)^(1/4)*1i)/4 + (2^(3/4)*atan((1875*2^(3/4)*x*(-5^(1/2) - 3)^(1/4))/(2*(625*2^(1/2)*(-5^(1/2) - 3)^(1/2) + 250*2^(1/2)*5^(1/2)*(-5^(1/2) - 3)^(1/2)))) + (875*2^(3/4)*5^(1/2)*x*(-5^(1/2) - 3)^(1/4)*875i)/(2*(625*2^(1/2)*(-5^(1/2) - 3)^(1/2) + 250*2^(1/2)*5^(1/2)*(-5^(1/2) - 3)^(1/2))))*(5^(1/2) - 3)^(1/4)*1i)/4`

$$\frac{1/4)}{(2*(625*2^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)} + 250*2^{(1/2)}*5^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)})))*(-5^{(1/2)} - 3)^{(1/4)}/4 - (2^{(3/4)}*\operatorname{atan}((2^{(3/4)}*x*(-5^{(1/2)} - 3)^{(1/4)}*1875i)/(2*(625*2^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)} + 250*2^{(1/2)}*5^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)})) + (2^{(3/4)}*5^{(1/2)}*x*(-5^{(1/2)} - 3)^{(1/4)}*875i)/(2*(625*2^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)} + 250*2^{(1/2)}*5^{(1/2)}*(-5^{(1/2)} - 3)^{(1/2)})))*(-5^{(1/2)} - 3)^{(1/4)}*1i)/4$$

**sympy [A]** time = 1.45, size = 26, normalized size = 0.06

$$-\operatorname{RootSum}(65536t^8 + 768t^4 + 1, (t \mapsto t \log(1024t^5 + 8t + x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x\*\*4+1)/(x\*\*8+3\*x\*\*4+1),x)

[Out] -RootSum(65536\*\_t\*\*8 + 768\*\_t\*\*4 + 1, Lambda(\_t, \_t\*log(1024\*\_t\*\*5 + 8\*\_t + x)))

$$3.22 \quad \int \frac{1-x^4}{1+2x^4+x^8} dx$$

**Optimal.** Leaf size=97

$$\frac{x}{2(x^4+1)} - \frac{\log(x^2 - \sqrt{2}x + 1)}{8\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{8\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{4\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{4\sqrt{2}}$$

[Out] 1/2\*x/(x^4+1)+1/8\*arctan(-1+x\*2^(1/2))\*2^(1/2)+1/8\*arctan(1+x\*2^(1/2))\*2^(1/2)-1/16\*ln(1+x^2-x\*2^(1/2))\*2^(1/2)+1/16\*ln(1+x^2+x\*2^(1/2))\*2^(1/2)

**Rubi [A]** time = 0.05, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {28, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{x}{2(x^4+1)} - \frac{\log(x^2 - \sqrt{2}x + 1)}{8\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{8\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{4\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + 2\*x^4 + x^8), x]

[Out] x/(2\*(1 + x^4)) - ArcTan[1 - Sqrt[2]\*x]/(4\*Sqrt[2]) + ArcTan[1 + Sqrt[2]\*x]/(4\*Sqrt[2]) - Log[1 - Sqrt[2]\*x + x^2]/(8\*Sqrt[2]) + Log[1 + Sqrt[2]\*x + x^2]/(8\*Sqrt[2])

### Rule 28

Int[(u\_)\*((a\_) + (c\_)\*(x\_)^(n2\_)) + (b\_)\*(x\_)^(n\_)]^(p\_), x\_Symbol] := Dist[1/c^p, Int[u\*(b/2 + c\*x^n)^(2\*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2\*n] && EqQ[b^2 - 4\*a\*c, 0] && IntegerQ[p]

### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 211

Int[((a\_) + (b\_)\*(x\_)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2\*r), Int[(r - s\*x^2)/(a + b\*x^4), x], x] + Dist[1/(2\*r), Int[(r + s\*x^2)/(a + b\*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

### Rule 385

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] :> -S  
 imp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b  
 \*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; Fre  
 eQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n +  
 p, 0])

### Rule 617

Int[((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> With[{q = 1 - 4\*S  
 implify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b  
 ], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c])] /; Free  
 Q[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> S  
 imp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
 e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 1162

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[  
 (2\*d)/e, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x + x^2, x], x], x] + Dist[e  
 /(2\*c), Int[1/Simp[d/e - q\*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &  
 & EqQ[c\*d^2 - a\*e^2, 0] && PosQ[d\*e]

### Rule 1165

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[  
 (-2\*d)/e, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x)/Simp[d/e + q\*x - x^2, x], x],  
 x] + Dist[e/(2\*c\*q), Int[(q + 2\*x)/Simp[d/e - q\*x - x^2, x], x], x] /; Fre  
 eQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && NegQ[d\*e]

### Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1+2x^4+x^8} dx &= \int \frac{1-x^4}{(1+x^4)^2} dx \\
&= \frac{x}{2(1+x^4)} + \frac{1}{2} \int \frac{1}{1+x^4} dx \\
&= \frac{x}{2(1+x^4)} + \frac{1}{4} \int \frac{1-x^2}{1+x^4} dx + \frac{1}{4} \int \frac{1+x^2}{1+x^4} dx \\
&= \frac{x}{2(1+x^4)} + \frac{1}{8} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2}x+x^2} dx - \frac{\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{8\sqrt{2}} - \frac{\int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx}{8\sqrt{2}} \\
&= \frac{x}{2(1+x^4)} - \frac{\log(1-\sqrt{2}x+x^2)}{8\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{8\sqrt{2}} + \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt{2}x\right)}{4\sqrt{2}} \\
&= \frac{x}{2(1+x^4)} - \frac{\tan^{-1}(1-\sqrt{2}x)}{4\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{4\sqrt{2}} - \frac{\log(1-\sqrt{2}x+x^2)}{8\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{8\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 90, normalized size = 0.93

$$\frac{1}{16} \left( \frac{8x}{x^4+1} - \sqrt{2} \log(x^2 - \sqrt{2}x + 1) + \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - 2\sqrt{2} \tan^{-1}(1 - \sqrt{2}x) + 2\sqrt{2} \tan^{-1}(\sqrt{2}x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + 2\*x^4 + x^8), x]

[Out] ((8\*x)/(1 + x^4) - 2\*Sqrt[2]\*ArcTan[1 - Sqrt[2]\*x] + 2\*Sqrt[2]\*ArcTan[1 + Sqrt[2]\*x] - Sqrt[2]\*Log[1 - Sqrt[2]\*x + x^2] + Sqrt[2]\*Log[1 + Sqrt[2]\*x + x^2])/16

**fricas [A]** time = 0.83, size = 126, normalized size = 1.30

$$\frac{4\sqrt{2}(x^4+1) \arctan\left(-\sqrt{2}x + \sqrt{2}\sqrt{x^2 + \sqrt{2}x + 1} - 1\right) + 4\sqrt{2}(x^4+1) \arctan\left(-\sqrt{2}x + \sqrt{2}\sqrt{x^2 - \sqrt{2}x + 1}\right)}{16(x^4+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+2\*x^4+1), x, algorithm="fricas")

[Out]  $-1/16*(4*\sqrt{2}*(x^4 + 1)*\arctan(-\sqrt{2}*x + \sqrt{2}*\sqrt{x^2 + \sqrt{2}*x + 1}) - 1) + 4*\sqrt{2}*(x^4 + 1)*\arctan(-\sqrt{2}*x + \sqrt{2}*\sqrt{x^2 - \sqrt{2}*x + 1}) + 1) - \sqrt{2}*(x^4 + 1)*\log(x^2 + \sqrt{2}*x + 1) + \sqrt{2}*(x^4 + 1)*\log(x^2 - \sqrt{2}*x + 1) - 8*x)/(x^4 + 1)$

**giac** [A] time = 0.30, size = 82, normalized size = 0.85

$$\frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right) + \frac{1}{16} \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - \frac{1}{16} \sqrt{2} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+2\*x^4+1),x, algorithm="giac")

[Out]  $1/8*\sqrt{2}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})) + 1/8*\sqrt{2}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})) + 1/16*\sqrt{2}*\log(x^2 + \sqrt{2}*x + 1) - 1/16*\sqrt{2}*\log(x^2 - \sqrt{2}*x + 1) + 1/2*x/(x^4 + 1)$

**maple** [A] time = 0.01, size = 68, normalized size = 0.70

$$\frac{x}{2x^4 + 2} + \frac{\sqrt{2} \arctan(\sqrt{2}x - 1)}{8} + \frac{\sqrt{2} \arctan(\sqrt{2}x + 1)}{8} + \frac{\sqrt{2} \ln\left(\frac{x^2 + \sqrt{2}x + 1}{x^2 - \sqrt{2}x + 1}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+2\*x^4+1),x)

[Out]  $1/2/(x^4+1)*x+1/16*2^{(1/2)}*\ln((x^2+2^{(1/2)}*x+1)/(x^2-2^{(1/2)}*x+1))+1/8*2^{(1/2)}*\arctan(2^{(1/2)}*x-1)+1/8*2^{(1/2)}*\arctan(2^{(1/2)}*x+1)$

**maxima** [A] time = 1.56, size = 82, normalized size = 0.85

$$\frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right) + \frac{1}{16} \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - \frac{1}{16} \sqrt{2} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+2\*x^4+1),x, algorithm="maxima")

[Out]  $1/8*\sqrt{2}*\arctan(1/2*\sqrt{2}*(2*x + \sqrt{2})) + 1/8*\sqrt{2}*\arctan(1/2*\sqrt{2}*(2*x - \sqrt{2})) + 1/16*\sqrt{2}*\log(x^2 + \sqrt{2}*x + 1) - 1/16*\sqrt{2}*\log(x^2 - \sqrt{2}*x + 1) + 1/2*x/(x^4 + 1)$

**mupad** [B] time = 1.62, size = 44, normalized size = 0.45

$$\frac{x}{2(x^4 + 1)} + \sqrt{2} \operatorname{atan}\left(\sqrt{2}x \left(\frac{1}{2} - \frac{1}{2}i\right)\right) \left(\frac{1}{8} + \frac{1}{8}i\right) + \sqrt{2} \operatorname{atan}\left(\sqrt{2}x \left(\frac{1}{2} + \frac{1}{2}i\right)\right) \left(\frac{1}{8} - \frac{1}{8}i\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(2*x^4 + x^8 + 1),x)`

[Out]  $2^{1/2} \operatorname{atan}(2^{1/2} x (1/2 - 1i/2)) (1/8 + 1i/8) + 2^{1/2} \operatorname{atan}(2^{1/2} x (1/2 + 1i/2)) (1/8 - 1i/8) + x/(2*(x^4 + 1))$

**sympy [A]** time = 0.18, size = 82, normalized size = 0.85

$$\frac{x}{2x^4 + 2} - \frac{\sqrt{2} \log(x^2 - \sqrt{2}x + 1)}{16} + \frac{\sqrt{2} \log(x^2 + \sqrt{2}x + 1)}{16} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2}x - 1)}{8} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2}x + 1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8+2*x**4+1),x)`

[Out]  $x/(2*x**4 + 2) - \operatorname{sqrt}(2)*\log(x**2 - \operatorname{sqrt}(2)*x + 1)/16 + \operatorname{sqrt}(2)*\log(x**2 + \operatorname{sqrt}(2)*x + 1)/16 + \operatorname{sqrt}(2)*\operatorname{atan}(\operatorname{sqrt}(2)*x - 1)/8 + \operatorname{sqrt}(2)*\operatorname{atan}(\operatorname{sqrt}(2)*x + 1)/8$

$$3.23 \quad \int \frac{1-x^4}{1+x^4+x^8} dx$$

**Optimal.** Leaf size=140

$$\frac{1}{8} \log(x^2 - x + 1) - \frac{1}{8} \log(x^2 + x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{4} \sqrt{3} \tan^{-1} \left( \frac{1-2x}{\sqrt{3}} \right)$$

[Out]  $-1/4*\arctan(2*x-3^{(1/2)})-1/4*\arctan(2*x+3^{(1/2)})+1/8*\ln(x^2-x+1)-1/8*\ln(x^2+x+1)-1/4*\arctan(1/3*(1-2*x)*3^{(1/2)})*3^{(1/2)}+1/4*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}-1/8*\ln(1+x^2-x*3^{(1/2)})*3^{(1/2)}+1/8*\ln(1+x^2+x*3^{(1/2)})*3^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 18,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1421, 1169, 634, 618, 204, 628}

$$\frac{1}{8} \log(x^2 - x + 1) - \frac{1}{8} \log(x^2 + x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{4} \sqrt{3} \tan^{-1} \left( \frac{1-2x}{\sqrt{3}} \right)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + x^4 + x^8), x]

[Out]  $-(\text{Sqrt}[3]*\text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]])/4 + \text{ArcTan}[\text{Sqrt}[3] - 2*x]/4 + (\text{Sqrt}[3]*\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]])/4 - \text{ArcTan}[\text{Sqrt}[3] + 2*x]/4 + \text{Log}[1 - x + x^2]/8 - \text{Log}[1 + x + x^2]/8 - (\text{Sqrt}[3]*\text{Log}[1 - \text{Sqrt}[3]*x + x^2])/8 + (\text{Sqrt}[3]*\text{Log}[1 + \text{Sqrt}[3]*x + x^2])/8$

#### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

Rule 1169

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2\*q - b/c, 2]}, Dist[1/(2\*c\*q\*r), Int[(d\*r - (d - e\*q)\*x)/(q - r\*x + x^2), x], x] + Dist[1/(2\*c\*q\*r), Int[(d\*r + (d - e\*q)\*x)/(q + r\*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NegQ[b^2 - 4\*a\*c]

Rule 1421

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[(-2\*d)/e - b/c, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x^(n/2))/Simp[d/e + q\*x^(n/2) - x^n, x], x], x] + Dist[e/(2\*c\*q), Int[(q + 2\*x^(n/2))/Simp[d/e - q\*x^(n/2) - x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && !GtQ[b^2 - 4\*a\*c, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1-x^4}{1+x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1+2x^2}{-1-x^2-x^4} dx\right) - \frac{1}{2} \int \frac{1-2x^2}{-1+x^2-x^4} dx \\
 &= \frac{1}{4} \int \frac{1+x}{1-x+x^2} dx + \frac{1}{4} \int \frac{1-x}{1+x+x^2} dx + \frac{\int \frac{\sqrt{3}-3x}{1-\sqrt{3}x+x^2} dx}{4\sqrt{3}} + \frac{\int \frac{\sqrt{3}+3x}{1+\sqrt{3}x+x^2} dx}{4\sqrt{3}} \\
 &= \frac{1}{8} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{8} \int \frac{1+2x}{1+x+x^2} dx - \frac{1}{8} \int \frac{1}{1-\sqrt{3}x+x^2} dx - \frac{1}{8} \int \frac{1}{1+\sqrt{3}x+x^2} dx + \\
 &= \frac{1}{8} \log(1-x+x^2) - \frac{1}{8} \log(1+x+x^2) - \frac{1}{8} \sqrt{3} \log(1-\sqrt{3}x+x^2) + \frac{1}{8} \sqrt{3} \log(1+\sqrt{3}x+x^2) \\
 &= -\frac{1}{4} \sqrt{3} \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right) + \frac{1}{4} \tan^{-1}(\sqrt{3}-2x) + \frac{1}{4} \sqrt{3} \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right) - \frac{1}{4} \tan^{-1}(\sqrt{3}+2x) +
 \end{aligned}$$

**Mathematica [C]** time = 0.17, size = 129, normalized size = 0.92

$$\frac{1}{8} \left( \log(x^2 - x + 1) - \log(x^2 + x + 1) - 2\sqrt{-2 - 2i\sqrt{3}} \tan^{-1} \left( \frac{1}{2} (1 - i\sqrt{3})x \right) - 2\sqrt{-2 + 2i\sqrt{3}} \tan^{-1} \left( \frac{1}{2} (1 + i\sqrt{3})x \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 - x^4)/(1 + x^4 + x^8), x]

[Out] (-2\*Sqrt[-2 - (2\*I)\*Sqrt[3]]\*ArcTan[((1 - I\*Sqrt[3])\*x)/2] - 2\*Sqrt[-2 + (2\*I)\*Sqrt[3]]\*ArcTan[((1 + I\*Sqrt[3])\*x)/2] + 2\*Sqrt[3]\*ArcTan[(-1 + 2\*x)/Sqrt[3]] + 2\*Sqrt[3]\*ArcTan[(1 + 2\*x)/Sqrt[3]] + Log[1 - x + x^2] - Log[1 + x + x^2])/8

**fricas [A]** time = 0.84, size = 137, normalized size = 0.98

$$\frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+x^4+1), x, algorithm="fricas")

[Out] 1/4\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x + 1)) + 1/4\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x - 1)) + 1/8\*sqrt(3)\*log(x^2 + sqrt(3)\*x + 1) - 1/8\*sqrt(3)\*log(x^2 - sqrt(3)\*x + 1) + 1/2\*arctan(-2\*x + sqrt(3) + 2\*sqrt(x^2 - sqrt(3)\*x + 1)) + 1/2\*arctan(-2\*x - sqrt(3) + 2\*sqrt(x^2 + sqrt(3)\*x + 1)) - 1/8\*log(x^2 + x + 1) + 1/8\*log(x^2 - x + 1)

**giac [A]** time = 0.37, size = 108, normalized size = 0.77

$$\frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+x^4+1), x, algorithm="giac")

[Out] 1/4\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x + 1)) + 1/4\*sqrt(3)\*arctan(1/3\*sqrt(3)\*(2\*x - 1)) + 1/8\*sqrt(3)\*log(x^2 + sqrt(3)\*x + 1) - 1/8\*sqrt(3)\*log(x^2 - sqrt(3)\*x + 1) - 1/4\*arctan(2\*x + sqrt(3)) - 1/4\*arctan(2\*x - sqrt(3)) - 1/8\*log(x^2 + x + 1) + 1/8\*log(x^2 - x + 1)

**maple [A]** time = 0.01, size = 109, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{4} + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{4} - \frac{\arctan(2x - \sqrt{3})}{4} - \frac{\arctan(2x + \sqrt{3})}{4} - \frac{\sqrt{3} \ln(x^2 - \sqrt{3}x + 1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+1)/(x^8+x^4+1),x)`

[Out]  $-1/8*\ln(x^2+x+1)+1/4*3^{(1/2)}*\arctan(1/3*(2*x+1)*3^{(1/2)})-1/8*3^{(1/2)}*\ln(x^2-3^{(1/2)}*x+1)-1/4*\arctan(2*x-3^{(1/2)})+1/8*3^{(1/2)}*\ln(x^2+3^{(1/2)}*x+1)-1/4*\arctan(2*x+3^{(1/2)})+1/8*\ln(x^2-x+1)+1/4*3^{(1/2)}*\arctan(1/3*(2*x-1)*3^{(1/2)})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x+1)\right)+\frac{1}{4}\sqrt{3}\arctan\left(\frac{1}{3}\sqrt{3}(2x-1)\right)-\frac{1}{2}\int\frac{2x^2-1}{x^4-x^2+1}dx-\frac{1}{8}\log(x^2+x+1)+\frac{1}{8}\log(x^2-x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8+x^4+1),x, algorithm="maxima")`

[Out]  $1/4*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x+1))+1/4*\sqrt{3}*\arctan(1/3*\sqrt{3}*(2*x-1))-1/2*\integrate((2*x^2-1)/(x^4-x^2+1),x)-1/8*\log(x^2+x+1)+1/8*\log(x^2-x+1)$

**mupad** [B] time = 0.19, size = 109, normalized size = 0.78

$$-\operatorname{atan}\left(\frac{54\sqrt{3}x}{-81+\sqrt{3}27i}\right)\left(\frac{\sqrt{3}}{4}+\frac{1}{4}i\right)+\operatorname{atan}\left(\frac{54\sqrt{3}x}{81+\sqrt{3}27i}\right)\left(\frac{\sqrt{3}}{4}-\frac{1}{4}i\right)+\operatorname{atan}\left(\frac{\sqrt{3}x54i}{-81+\sqrt{3}27i}\right)\left(-\frac{1}{4}+\frac{\sqrt{3}1i}{4}\right)-\operatorname{atan}\left(\frac{\sqrt{3}x54i}{81+\sqrt{3}27i}\right)\left(-\frac{1}{4}+\frac{\sqrt{3}1i}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4-1)/(x^4+x^8+1),x)`

[Out]  $\operatorname{atan}((54*3^{(1/2)}*x)/(3^{(1/2)}*27i+81))*(3^{(1/2)}/4-1i/4)-\operatorname{atan}((54*3^{(1/2)}*x)/(3^{(1/2)}*27i-81))*(3^{(1/2)}/4+1i/4)+\operatorname{atan}((3^{(1/2)}*x*54i)/(3^{(1/2)}*27i-81))*((3^{(1/2)}*1i)/4-1/4)-\operatorname{atan}((3^{(1/2)}*x*54i)/(3^{(1/2)}*27i+81))*((3^{(1/2)}*1i)/4+1/4)$

**sympy** [C] time = 0.62, size = 148, normalized size = 1.06

$$-\left(-\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(-\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)^5\right)-\left(-\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(-\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)^5\right)-\left(\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)^5\right)-\left(\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)^5\right)-\operatorname{RootSum}(256*_t**4-16*_t**2+1,\operatorname{Lambda}(_t,_t*\log(1024*_t**5+x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8+x**4+1),x)`

[Out]  $-(-1/8-\sqrt{3}*I/8)*\log(x+1024*(-1/8-\sqrt{3}*I/8)**5)-(-1/8+\sqrt{3}*I/8)*\log(x+1024*(-1/8+\sqrt{3}*I/8)**5)-(1/8-\sqrt{3}*I/8)*\log(x+1024*(1/8-\sqrt{3}*I/8)**5)-(1/8+\sqrt{3}*I/8)*\log(x+1024*(1/8+\sqrt{3}*I/8)**5)-\operatorname{RootSum}(256*_t**4-16*_t**2+1,\operatorname{Lambda}(_t,_t*\log(1024*_t**5+x)))$

$$3.24 \quad \int \frac{1-x^4}{1+x^8} dx$$

**Optimal.** Leaf size=347

$$\frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 - \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 + \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log\left(x^2 - \sqrt{2+\sqrt{2}}x + 1\right) + \frac{1}{8}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log\left(x^2 + \sqrt{2+\sqrt{2}}x + 1\right)$$

[Out] 1/16\*ln(1+x^2-x\*(2-2^(1/2))^(1/2))\*(4-2\*2^(1/2))^(1/2)-1/16\*ln(1+x^2+x\*(2-2^(1/2))^(1/2))\*(4-2\*2^(1/2))^(1/2)-1/4\*arctan((-2\*x+(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2)+1/4\*arctan((2\*x+(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2)-1/16\*ln(1+x^2-x\*(2+2^(1/2))^(1/2))\*(4+2\*2^(1/2))^(1/2)+1/16\*ln(1+x^2+x\*(2+2^(1/2))^(1/2))\*(4+2\*2^(1/2))^(1/2)+1/4\*arctan((-2\*x+(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2)-1/4\*arctan((2\*x+(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2)

**Rubi [A]** time = 0.27, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$ , Rules used = {1414, 1169, 634, 618, 204, 628}

$$\frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 - \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 + \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log\left(x^2 - \sqrt{2+\sqrt{2}}x + 1\right) + \frac{1}{8}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log\left(x^2 + \sqrt{2+\sqrt{2}}x + 1\right)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + x^8), x]

[Out] -ArcTan[(Sqrt[2 - Sqrt[2]] - 2\*x)/Sqrt[2 + Sqrt[2]]]/(4\*Sqrt[2 - Sqrt[2]]) + ArcTan[(Sqrt[2 + Sqrt[2]] - 2\*x)/Sqrt[2 - Sqrt[2]]]/(4\*Sqrt[2 + Sqrt[2]]) + ArcTan[(Sqrt[2 - Sqrt[2]] + 2\*x)/Sqrt[2 + Sqrt[2]]]/(4\*Sqrt[2 - Sqrt[2]]) - ArcTan[(Sqrt[2 + Sqrt[2]] + 2\*x)/Sqrt[2 - Sqrt[2]]]/(4\*Sqrt[2 + Sqrt[2]]) + (Sqrt[(2 - Sqrt[2])/2]\*Log[1 - Sqrt[2 - Sqrt[2]]\*x + x^2])/8 - (Sqrt[(2 - Sqrt[2])/2]\*Log[1 + Sqrt[2 - Sqrt[2]]\*x + x^2])/8 - (Sqrt[(2 + Sqrt[2])/2]\*Log[1 - Sqrt[2 + Sqrt[2]]\*x + x^2])/8 + (Sqrt[(2 + Sqrt[2])/2]\*Log[1 + Sqrt[2 + Sqrt[2]]\*x + x^2])/8

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1414

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[-2*d*e, 2]}, Dist[d/(2*a), Int[(d - q*x^(n/2))/(d - q*x^(n/2) - e*x^n), x], x] + Dist[d/(2*a), Int[(d + q*x^(n/2))/(d + q*x^(n/2) - e*x^n), x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1+x^8} dx &= \frac{1}{2} \int \frac{1-\sqrt{2}x^2}{1-\sqrt{2}x^2+x^4} dx + \frac{1}{2} \int \frac{1+\sqrt{2}x^2}{1+\sqrt{2}x^2+x^4} dx \\
&= \frac{\int \frac{\sqrt{2-\sqrt{2}}-(1-\sqrt{2})x}{1-\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2-\sqrt{2}}+(1-\sqrt{2})x}{1+\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}-(1+\sqrt{2})x}{1-\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}+(1+\sqrt{2})x}{1+\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} \\
&= -\left(\frac{1}{8}\sqrt{3-2\sqrt{2}} \int \frac{1}{1-\sqrt{2+\sqrt{2}}x+x^2} dx\right) - \frac{1}{8}\sqrt{3-2\sqrt{2}} \int \frac{1}{1+\sqrt{2+\sqrt{2}}x+x^2} dx + \frac{(1-\sqrt{2})}{8} \int \frac{1}{1-\sqrt{2-\sqrt{2}}x+x^2} dx \\
&= \frac{1}{8}\sqrt{1-\frac{1}{\sqrt{2}}} \log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right) - \frac{1}{8}\sqrt{1-\frac{1}{\sqrt{2}}} \log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right) - \frac{1}{8}\sqrt{1+\frac{1}{\sqrt{2}}} \log\left(1-\sqrt{2+\sqrt{2}}x+x^2\right) \\
&= -\frac{1}{4}\sqrt{\frac{1}{2}(2+\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right) + \frac{1}{4}\sqrt{\frac{1}{2}(2-\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{4}\sqrt{\frac{1}{2}(2+\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 257, normalized size = 0.74

$$\frac{1}{8} \left( -\left(\sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right)\right) \log\left(x^2 - 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right)\right) \log\left(x^2 + 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right)\right) \log\left(x^2 - 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right)\right) \log\left(x^2 + 2x \cos\left(\frac{\pi}{8}\right) + 1\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + x^8), x]

[Out] (2\*ArcTan[Cot[Pi/8] - x\*Csc[Pi/8]]\*(Cos[Pi/8] - Sin[Pi/8]) + Log[1 + x^2 - 2\*x\*Sin[Pi/8]]\*(Cos[Pi/8] - Sin[Pi/8]) + 2\*ArcTan[(x + Cos[Pi/8])\*Csc[Pi/8]]\*(-Cos[Pi/8] + Sin[Pi/8]) + Log[1 + x^2 + 2\*x\*Sin[Pi/8]]\*(-Cos[Pi/8] + Sin[Pi/8]) + 2\*ArcTan[Sec[Pi/8]\*(x + Sin[Pi/8])]\*(Cos[Pi/8] + Sin[Pi/8]) + 2\*ArcTan[x\*Sec[Pi/8] - Tan[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]) - Log[1 + x^2 - 2\*x\*Cos[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]) + Log[1 + x^2 + 2\*x\*Cos[Pi/8]]\*(Cos[Pi/8] + Sin[Pi/8]))/8

**fricas [B]** time = 0.97, size = 991, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+1), x, algorithm="fricas")



```
[Out] -1/8*(sqrt(sqrt(2) + 2) + sqrt(-sqrt(2) + 2))*arctan(-(2*x - 2*sqrt(x^2 + x
*sqrt(-sqrt(2) + 2) + 1) + sqrt(-sqrt(2) + 2))/sqrt(sqrt(2) + 2)) - 1/8*(sq
rt(sqrt(2) + 2) + sqrt(-sqrt(2) + 2))*arctan(-(2*x - 2*sqrt(x^2 - x*sqrt(-s
qrt(2) + 2) + 1) - sqrt(-sqrt(2) + 2))/sqrt(sqrt(2) + 2)) + 1/8*(sqrt(sqrt(
2) + 2) - sqrt(-sqrt(2) + 2))*arctan(-(2*x - 2*sqrt(x^2 + x*sqrt(sqrt(2) +
2) + 1) + sqrt(sqrt(2) + 2))/sqrt(-sqrt(2) + 2)) + 1/8*(sqrt(sqrt(2) + 2) -
sqrt(-sqrt(2) + 2))*arctan(-(2*x - 2*sqrt(x^2 - x*sqrt(sqrt(2) + 2) + 1) -
sqrt(sqrt(2) + 2))/sqrt(-sqrt(2) + 2)) - 1/8*sqrt(2)*sqrt(sqrt(2) + 2)*arc
tan(-(2*sqrt(2)*x - 2*sqrt(2)*sqrt(x^2 + 1/2*sqrt(2)*x*sqrt(sqrt(2) + 2) -
1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2) + 1) + sqrt(sqrt(2) + 2) - sqrt(-sqrt(2) +
2))/(sqrt(sqrt(2) + 2) + sqrt(-sqrt(2) + 2))) - 1/8*sqrt(2)*sqrt(sqrt(2) +
2)*arctan(-(2*sqrt(2)*x - 2*sqrt(2)*sqrt(x^2 - 1/2*sqrt(2)*x*sqrt(sqrt(2)
+ 2) + 1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2) + 1) - sqrt(sqrt(2) + 2) + sqrt(-sq
rt(2) + 2))/(sqrt(sqrt(2) + 2) + sqrt(-sqrt(2) + 2))) - 1/8*sqrt(2)*sqrt(-s
qrt(2) + 2)*arctan((2*sqrt(2)*x - 2*sqrt(2)*sqrt(x^2 + 1/2*sqrt(2)*x*sqrt(s
qrt(2) + 2) + 1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2) + 1) + sqrt(sqrt(2) + 2) + s
qrt(-sqrt(2) + 2))/(sqrt(sqrt(2) + 2) - sqrt(-sqrt(2) + 2))) - 1/8*sqrt(2)*
sqrt(-sqrt(2) + 2)*arctan((2*sqrt(2)*x - 2*sqrt(2)*sqrt(x^2 - 1/2*sqrt(2)*x
*sqrt(sqrt(2) + 2) - 1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2) + 1) - sqrt(sqrt(2) +
2) - sqrt(-sqrt(2) + 2))/(sqrt(sqrt(2) + 2) - sqrt(-sqrt(2) + 2))) + 1/32*
sqrt(2)*sqrt(sqrt(2) + 2)*log(x^2 + 1/2*sqrt(2)*x*sqrt(sqrt(2) + 2) + 1/2*s
qrt(2)*x*sqrt(-sqrt(2) + 2) + 1) - 1/32*sqrt(2)*sqrt(-sqrt(2) + 2)*log(x^2
+ 1/2*sqrt(2)*x*sqrt(sqrt(2) + 2) - 1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2) + 1) +
1/32*sqrt(2)*sqrt(-sqrt(2) + 2)*log(x^2 - 1/2*sqrt(2)*x*sqrt(sqrt(2) + 2)
+ 1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2) + 1) - 1/32*sqrt(2)*sqrt(sqrt(2) + 2)*lo
g(x^2 - 1/2*sqrt(2)*x*sqrt(sqrt(2) + 2) - 1/2*sqrt(2)*x*sqrt(-sqrt(2) + 2)
+ 1) + 1/32*(sqrt(sqrt(2) + 2) + sqrt(-sqrt(2) + 2))*log(x^2 + x*sqrt(sqrt(
2) + 2) + 1) - 1/32*(sqrt(sqrt(2) + 2) + sqrt(-sqrt(2) + 2))*log(x^2 - x*sq
rt(sqrt(2) + 2) + 1) - 1/32*(sqrt(sqrt(2) + 2) - sqrt(-sqrt(2) + 2))*log(x^
2 + x*sqrt(-sqrt(2) + 2) + 1) + 1/32*(sqrt(sqrt(2) + 2) - sqrt(-sqrt(2) + 2
))*log(x^2 - x*sqrt(-sqrt(2) + 2) + 1)
```

**giac** [A] time = 0.72, size = 247, normalized size = 0.71

$$\frac{1}{8} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) - \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) - \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^4+1)/(x^8+1),x, algorithm="giac")
```

```
[Out] 1/8*sqrt(2*sqrt(2) + 4)*arctan((2*x + sqrt(-sqrt(2) + 2))/sqrt(sqrt(2) + 2)
) + 1/8*sqrt(2*sqrt(2) + 4)*arctan((2*x - sqrt(-sqrt(2) + 2))/sqrt(sqrt(2)
+ 2)) - 1/8*sqrt(-2*sqrt(2) + 4)*arctan((2*x + sqrt(sqrt(2) + 2))/sqrt(-sqr
```

$t(2) + 2)) - 1/8*\sqrt{-2*\sqrt{2} + 4}*\arctan((2*x - \sqrt{\sqrt{2} + 2})/\sqrt{-\sqrt{2} + 2}) + 1/16*\sqrt{2*\sqrt{2} + 4}*\log(x^2 + x*\sqrt{\sqrt{2} + 2} + 1) - 1/16*\sqrt{2*\sqrt{2} + 4}*\log(x^2 - x*\sqrt{\sqrt{2} + 2} + 1) - 1/16*\sqrt{-2*\sqrt{2} + 4}*\log(x^2 + x*\sqrt{-\sqrt{2} + 2} + 1) + 1/16*\sqrt{-2*\sqrt{2} + 4}*\log(x^2 - x*\sqrt{-\sqrt{2} + 2} + 1)$

**maple [C]** time = 0.01, size = 29, normalized size = 0.08

$$\frac{\left(-\text{RootOf}\left(\_Z^8 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(\_Z^8 + 1\right) + x\right)}{8 \text{RootOf}\left(\_Z^8 + 1\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+1),x)

[Out] 1/8\*sum((-\_R^4+1)/\_R^7\*ln(-\_R+x),\_R=RootOf(\_Z^8+1))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 + 1), x)

**mupad [B]** time = 1.96, size = 312, normalized size = 0.90

$$-\ln\left(\left(\frac{\sqrt{-2\sqrt{2}-4}}{16} - \frac{\sqrt{4-2\sqrt{2}}}{16}\right)^3 \left(65536x - 16384\sqrt{-2\sqrt{2}-4} + 16384\sqrt{4-2\sqrt{2}}\right) - 256\right) \left(\frac{\sqrt{-2\sqrt{2}-4}}{16}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 + 1),x)

[Out] (atan(x\*(2^(1/2) + 2)^(3/2)\*(1/2 + 1i) - 2^(1/2)\*x\*(2^(1/2) + 2)^(3/2)\*(1/4 + 3i/4))\*(2^(1/2)\*(1 - 1i) - 2)\*(2^(1/2) + 2)^(1/2)\*1i)/8 - atan((x\*1i)/(2^(1/2) + 2)^(1/2) - (x\*1i)/(2^(1/2) - 2)^(1/2) + (2^(1/2)\*x\*1i)/(2\*(2^(1/2) - 2)^(1/2))) + (2^(1/2)\*x\*1i)/(2\*(2^(1/2) + 2)^(1/2)))\*((2^(1/2)\*(2^(1/2) - 2)^(1/2)\*1i)/8 + (2^(1/2)\*(2^(1/2) + 2)^(1/2)\*1i)/8) - log((( - 2\*2^(1/2) - 4)^(1/2)/16 - (4 - 2\*2^(1/2))^(1/2)/16)^3\*(65536\*x - 16384\*(- 2\*2^(1/2) - 4)^(1/2) + 16384\*(4 - 2\*2^(1/2))^(1/2)) - 256)\*((- 2\*2^(1/2) - 4)^(1/2)/16

$$- (4 - 2\sqrt{2})^{1/2}/16) + (\operatorname{atan}(x(\sqrt{2} + 2)^{3/2})(1 - i/2) - \sqrt{2}^{1/2} * x * (\sqrt{2} + 2)^{3/2} * (3/4 - i/4)) * (\sqrt{2}^{1/2} * (1 + i) - 2i) * (\sqrt{2}^{1/2} + 2)^{1/2} * i / 8 + \sqrt{2}^{1/2} * \log(x - (\sqrt{2} + 2)^{3/2} * (1 - i/2) + \sqrt{2}^{1/2} * (\sqrt{2} + 2)^{3/2} * (3/4 - i/4)) * ((\sqrt{2}^{1/2} - 2)^{1/2} / 16 + (\sqrt{2}^{1/2} + 2)^{1/2} / 16) * i$$

**sympy [A]** time = 2.75, size = 20, normalized size = 0.06

$$-\operatorname{RootSum}\left(1048576t^8 + 1, \left(t \mapsto t \log(4096t^5 - 4t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x\*\*4+1)/(x\*\*8+1),x)

[Out] -RootSum(1048576\*\_t\*\*8 + 1, Lambda(\_t, \_t\*log(4096\*\_t\*\*5 - 4\*\_t + x)))

$$3.25 \quad \int \frac{1-x^4}{1-x^4+x^8} dx$$

**Optimal.** Leaf size=355

$$\frac{1}{8}\sqrt{\frac{1}{3}(2-\sqrt{3})} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{3}(2-\sqrt{3})} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{3}(2+\sqrt{3})} \log\left(x^2\right)$$

[Out] 1/8\*ln(1+x^2-x\*(1/2\*6^(1/2)-1/2\*2^(1/2)))\*(1/2\*2^(1/2)-1/6\*6^(1/2))-1/8\*ln(1+x^2+x\*(1/2\*6^(1/2)-1/2\*2^(1/2)))\*(1/2\*2^(1/2)-1/6\*6^(1/2))-1/4\*arctan((-2\*x+1/2\*6^(1/2)-1/2\*2^(1/2))/(1/2\*6^(1/2)+1/2\*2^(1/2)))/(3/2\*2^(1/2)-1/2\*6^(1/2))+1/4\*arctan((2\*x+1/2\*6^(1/2)-1/2\*2^(1/2))/(1/2\*6^(1/2)+1/2\*2^(1/2)))/(3/2\*2^(1/2)-1/2\*6^(1/2))-1/8\*ln(1+x^2-x\*(1/2\*6^(1/2)+1/2\*2^(1/2)))\*(1/2\*2^(1/2)+1/6\*6^(1/2))+1/8\*ln(1+x^2+x\*(1/2\*6^(1/2)+1/2\*2^(1/2)))\*(1/2\*2^(1/2)+1/6\*6^(1/2))+1/4\*arctan((-2\*x+1/2\*6^(1/2)+1/2\*2^(1/2))/(1/2\*6^(1/2)-1/2\*2^(1/2)))/(3/2\*2^(1/2)+1/2\*6^(1/2))-1/4\*arctan((2\*x+1/2\*6^(1/2)+1/2\*2^(1/2))/(1/2\*6^(1/2)-1/2\*2^(1/2)))/(3/2\*2^(1/2)+1/2\*6^(1/2))

**Rubi [A]** time = 0.28, antiderivative size = 355, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$ , Rules used = {1421, 1169, 634, 618, 204, 628}

$$\frac{1}{8}\sqrt{\frac{1}{3}(2-\sqrt{3})} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{3}(2-\sqrt{3})} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{3}(2+\sqrt{3})} \log\left(x^2\right)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - x^4 + x^8), x]

[Out] -ArcTan[(Sqrt[2 - Sqrt[3]] - 2\*x)/Sqrt[2 + Sqrt[3]]]/(4\*Sqrt[3\*(2 - Sqrt[3])]) + ArcTan[(Sqrt[2 + Sqrt[3]] - 2\*x)/Sqrt[2 - Sqrt[3]]]/(4\*Sqrt[3\*(2 + Sqrt[3])]) + ArcTan[(Sqrt[2 - Sqrt[3]] + 2\*x)/Sqrt[2 + Sqrt[3]]]/(4\*Sqrt[3\*(2 - Sqrt[3])]) - ArcTan[(Sqrt[2 + Sqrt[3]] + 2\*x)/Sqrt[2 - Sqrt[3]]]/(4\*Sqrt[3\*(2 + Sqrt[3])]) + (Sqrt[(2 - Sqrt[3])/3]\*Log[1 - Sqrt[2 - Sqrt[3]]\*x + x^2])/8 - (Sqrt[(2 - Sqrt[3])/3]\*Log[1 + Sqrt[2 - Sqrt[3]]\*x + x^2])/8 - (Sqrt[(2 + Sqrt[3])/3]\*Log[1 - Sqrt[2 + Sqrt[3]]\*x + x^2])/8 + (Sqrt[(2 + Sqrt[3])/3]\*Log[1 + Sqrt[2 + Sqrt[3]]\*x + x^2])/8

**Rule 204**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 1169

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2\*q - b/c, 2]}, Dist[1/(2\*c\*q\*r), Int[(d\*r - (d - e\*q)\*x)/(q - r\*x + x^2), x], x] + Dist[1/(2\*c\*q\*r), Int[(d\*r + (d - e\*q)\*x)/(q + r\*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NegQ[b^2 - 4\*a\*c]

### Rule 1421

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[(-2\*d)/e - b/c, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x^(n/2))/Simp[d/e + q\*x^(n/2) - x^n, x], x], x] + Dist[e/(2\*c\*q), Int[(q + 2\*x^(n/2))/Simp[d/e - q\*x^(n/2) - x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && EqQ[c\*d^2 - a\*e^2, 0] && IGtQ[n/2, 0] && !GtQ[b^2 - 4\*a\*c, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1-x^4+x^8} dx &= -\frac{\int \frac{\sqrt{3}+2x^2}{-1-\sqrt{3}x^2-x^4} dx}{2\sqrt{3}} - \frac{\int \frac{\sqrt{3}-2x^2}{-1+\sqrt{3}x^2-x^4} dx}{2\sqrt{3}} \\
&= \frac{\int \frac{\sqrt{3(2-\sqrt{3})}-(2+\sqrt{3})x}{1-\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{3(2-\sqrt{3})}} + \frac{\int \frac{\sqrt{3(2-\sqrt{3})}+(2+\sqrt{3})x}{1+\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{3(2-\sqrt{3})}} + \frac{\int \frac{\sqrt{3(2+\sqrt{3})}-(2+\sqrt{3})x}{1-\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{3(2+\sqrt{3})}} + \frac{\int \frac{\sqrt{3(2+\sqrt{3})}+(2+\sqrt{3})x}{1+\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{3(2+\sqrt{3})}} \\
&= -\left(\frac{1}{8}\sqrt{\frac{1}{3}}(7-4\sqrt{3}) \int \frac{1}{1-\sqrt{2+\sqrt{3}}x+x^2} dx\right) - \frac{1}{8}\sqrt{\frac{1}{3}}(7-4\sqrt{3}) \int \frac{1}{1+\sqrt{2+\sqrt{3}}x+x^2} dx \\
&= \frac{1}{8}\sqrt{\frac{1}{3}}(2-\sqrt{3}) \log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right) - \frac{1}{8}\sqrt{\frac{2}{3}-\frac{1}{\sqrt{3}}} \log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right) - \frac{1}{8}\sqrt{\frac{1}{3}}(2+\sqrt{3}) \log\left(1-\sqrt{2+\sqrt{3}}x+x^2\right) \\
&= -\frac{1}{4}\sqrt{\frac{1}{3}}(2+\sqrt{3}) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}-2x}{\sqrt{2+\sqrt{3}}}\right) + \frac{1}{4}\sqrt{\frac{1}{3}}(2-\sqrt{3}) \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right) + \frac{1}{4}\sqrt{\frac{1}{3}}(2-\sqrt{3}) \log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right)
\end{aligned}$$

**Mathematica [C]** time = 0.02, size = 57, normalized size = 0.16

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 - \#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - x^4 + x^8), x]

[Out] -1/4\*RootSum[1 - #1^4 + #1^8 &, (-Log[x - #1] + Log[x - #1]\*#1^4)/(-#1^3 + 2\*#1^7) & ]

**fricas [B]** time = 1.02, size = 715, normalized size = 2.01

$$\frac{1}{48} \sqrt{6} (\sqrt{3} \sqrt{2} - 2 \sqrt{2}) \sqrt{\sqrt{3} + 2} \log\left(12x^2 + 2\sqrt{6}(2\sqrt{3}\sqrt{2}x - 3\sqrt{2}x)\sqrt{\sqrt{3} + 2} + 12\right) - \frac{1}{48} \sqrt{6} (\sqrt{3} \sqrt{2} - 2 \sqrt{2}) \sqrt{\sqrt{3} + 2} \log\left(12x^2 + 2\sqrt{6}(2\sqrt{3}\sqrt{2}x - 3\sqrt{2}x)\sqrt{\sqrt{3} + 2} + 12\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-x^4+1), x, algorithm="fricas")

```
[Out] 1/48*sqrt(6)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3) + 2)*log(12*x^2 + 2
*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12) - 1/48
*sqrt(6)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3) + 2)*log(12*x^2 - 2*sqrt
(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12) + 1/96*sqrt
(6)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8)*log(12*x^2 + sqrt(6)
)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12) - 1/96*sqrt
(6)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8)*log(12*x^2 - sqrt(6)
)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12) + 1/12*sqrt
(6)*sqrt(2)*sqrt(sqrt(3) + 2)*arctan(1/6*sqrt(6)*sqrt(12*x^2 + 2*sqrt(6))*
(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12)*(sqrt(3)*sqrt(2)
- 2*sqrt(2))*sqrt(sqrt(3) + 2) + 1/3*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt
(2)*x)*sqrt(sqrt(3) + 2) - sqrt(3) + 2) + 1/12*sqrt(6)*sqrt(2)*sqrt(sqrt(3)
+ 2)*arctan(1/6*sqrt(6)*sqrt(12*x^2 - 2*sqrt(6))*(2*sqrt(3)*sqrt(2)*x - 3*sqrt
(2)*x)*sqrt(sqrt(3) + 2) + 12)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3)
+ 2) + 1/3*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2)
+ sqrt(3) - 2) + 1/24*sqrt(6)*sqrt(2)*sqrt(-4*sqrt(3) + 8)*arctan(1/12*sqrt
(6)*sqrt(12*x^2 + sqrt(6))*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(
3) + 8) + 12)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8) - 1/6*sqrt
(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) - sqrt(3) - 2)
+ 1/24*sqrt(6)*sqrt(2)*sqrt(-4*sqrt(3) + 8)*arctan(1/12*sqrt(6)*sqrt(12*x^
2 - sqrt(6))*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12)*
(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8) - 1/6*sqrt(6)*(2*sqrt(3)
*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + sqrt(3) + 2)
```

**giac** [A] time = 0.46, size = 253, normalized size = 0.71

$$\frac{1}{24} \left( \sqrt{6} + 3\sqrt{2} \right) \arctan \left( \frac{4x + \sqrt{6} - \sqrt{2}}{\sqrt{6} + \sqrt{2}} \right) + \frac{1}{24} \left( \sqrt{6} + 3\sqrt{2} \right) \arctan \left( \frac{4x - \sqrt{6} + \sqrt{2}}{\sqrt{6} + \sqrt{2}} \right) + \frac{1}{24} \left( \sqrt{6} - 3\sqrt{2} \right) \arctan \left( \frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}} \right) + \frac{1}{24} \left( \sqrt{6} - 3\sqrt{2} \right) \arctan \left( \frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^4+1)/(x^8-x^4+1),x, algorithm="giac")
```

```
[Out] 1/24*(sqrt(6) + 3*sqrt(2))*arctan((4*x + sqrt(6) - sqrt(2))/(sqrt(6) + sqrt
(2))) + 1/24*(sqrt(6) + 3*sqrt(2))*arctan((4*x - sqrt(6) + sqrt(2))/(sqrt(6)
+ sqrt(2))) + 1/24*(sqrt(6) - 3*sqrt(2))*arctan((4*x + sqrt(6) + sqrt(2))
/(sqrt(6) - sqrt(2))) + 1/24*(sqrt(6) - 3*sqrt(2))*arctan((4*x - sqrt(6) -
sqrt(2))/(sqrt(6) - sqrt(2))) + 1/48*(sqrt(6) + 3*sqrt(2))*log(x^2 + 1/2*x*
(sqrt(6) + sqrt(2)) + 1) - 1/48*(sqrt(6) + 3*sqrt(2))*log(x^2 - 1/2*x*(sqrt
(6) + sqrt(2)) + 1) + 1/48*(sqrt(6) - 3*sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) -
sqrt(2)) + 1) - 1/48*(sqrt(6) - 3*sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) - sqrt
(2)) + 1)
```

**maple** [C] time = 0.01, size = 44, normalized size = 0.12

$$\frac{\left(-\operatorname{RootOf}\left(\_Z^8 - \_Z^4 + 1\right)^4 + 1\right) \ln\left(-\operatorname{RootOf}\left(\_Z^8 - \_Z^4 + 1\right) + x\right)}{8 \operatorname{RootOf}\left(\_Z^8 - \_Z^4 + 1\right)^7 - 4 \operatorname{RootOf}\left(\_Z^8 - \_Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-x^4+1),x)

[Out] 1/4\*sum((-\_R^4+1)/(2\*\_R^7-\_R^3)\*ln(-\_R+x),\_R=RootOf(\_Z^8-\_Z^4+1))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 - x^4 + 1), x)

**mupad** [B] time = 1.67, size = 208, normalized size = 0.59

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{x}{(8-\sqrt{3} 8i)^{1/4}} + \frac{\sqrt{3} x 1i}{(8-\sqrt{3} 8i)^{1/4}}\right) (8-\sqrt{3} 8i)^{1/4} 1i - \sqrt{3} \operatorname{atan}\left(\frac{x 1i}{(8-\sqrt{3} 8i)^{1/4}} - \frac{\sqrt{3} x}{(8-\sqrt{3} 8i)^{1/4}}\right) (8-\sqrt{3} 8i)^{1/4} 2^{3/4}}{12} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 - x^4 + 1),x)

[Out] (2^(3/4)\*3^(1/2)\*atan((2^(1/4)\*x)/(2\*(3^(1/2)\*1i + 1)^(1/4)) - (2^(1/4)\*3^(1/2)\*x\*1i)/(2\*(3^(1/2)\*1i + 1)^(1/4)))\*(3^(1/2)\*1i + 1)^(1/4)\*1i)/12 - (3^(1/2)\*atan((x\*1i)/(8 - 3^(1/2)\*8i)^(1/4) - (3^(1/2)\*x)/(8 - 3^(1/2)\*8i)^(1/4)))\*(8 - 3^(1/2)\*8i)^(1/4))/12 - (3^(1/2)\*atan(x/(8 - 3^(1/2)\*8i)^(1/4) + (3^(1/2)\*x\*1i)/(8 - 3^(1/2)\*8i)^(1/4)))\*(8 - 3^(1/2)\*8i)^(1/4)\*1i)/12 + (2^(3/4)\*3^(1/2)\*atan((2^(1/4)\*x\*1i)/(2\*(3^(1/2)\*1i + 1)^(1/4)) + (2^(1/4)\*3^(1/2)\*x)/(2\*(3^(1/2)\*1i + 1)^(1/4)))\*(3^(1/2)\*1i + 1)^(1/4))/12

**sympy** [A] time = 3.10, size = 26, normalized size = 0.07

$$-\operatorname{RootSum}\left(5308416t^8 - 2304t^4 + 1, \left(t \mapsto t \log\left(9216t^5 - 8t + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((-x**4+1)/(x**8-x**4+1),x)
```

```
[Out] -RootSum(5308416*_t**8 - 2304*_t**4 + 1, Lambda(_t, _t*log(9216*_t**5 - 8*_t + x)))
```

$$3.26 \quad \int \frac{1-x^4}{1-2x^4+x^8} dx$$

**Optimal.** Leaf size=13

$$\frac{1}{2} \tan^{-1}(x) + \frac{1}{2} \tanh^{-1}(x)$$

[Out] 1/2\*arctan(x)+1/2\*arctanh(x)

**Rubi [A]** time = 0.00, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {28, 21, 212, 206, 203}

$$\frac{1}{2} \tan^{-1}(x) + \frac{1}{2} \tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 2\*x^4 + x^8), x]

[Out] ArcTan[x]/2 + ArcTanh[x]/2

#### Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

#### Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :=
  Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
  EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

#### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

#### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1-2x^4+x^8} dx &= \int \frac{1-x^4}{(-1+x^4)^2} dx \\ &= - \int \frac{1}{-1+x^4} dx \\ &= \frac{1}{2} \int \frac{1}{1-x^2} dx + \frac{1}{2} \int \frac{1}{1+x^2} dx \\ &= \frac{1}{2} \tan^{-1}(x) + \frac{1}{2} \tanh^{-1}(x) \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 25, normalized size = 1.92

$$-\frac{1}{4} \log(1-x) + \frac{1}{4} \log(x+1) + \frac{1}{2} \tan^{-1}(x)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x^4)/(1 - 2*x^4 + x^8), x]
```

```
[Out] ArcTan[x]/2 - Log[1 - x]/4 + Log[1 + x]/4
```

**fricas [A]** time = 0.83, size = 17, normalized size = 1.31

$$\frac{1}{2} \arctan(x) + \frac{1}{4} \log(x+1) - \frac{1}{4} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^4+1)/(x^8-2*x^4+1), x, algorithm="fricas")
```

```
[Out] 1/2*arctan(x) + 1/4*log(x + 1) - 1/4*log(x - 1)
```

**giac [B]** time = 0.45, size = 19, normalized size = 1.46

$$\frac{1}{2} \arctan(x) + \frac{1}{4} \log(|x+1|) - \frac{1}{4} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^4+1)/(x^8-2*x^4+1),x, algorithm="giac")
[Out] 1/2*arctan(x) + 1/4*log(abs(x + 1)) - 1/4*log(abs(x - 1))
```

maple [A] time = 0.00, size = 10, normalized size = 0.77

$$\frac{\operatorname{arctanh}(x)}{2} + \frac{\operatorname{arctan}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-x^4+1)/(x^8-2*x^4+1),x)
[Out] 1/2*arctan(x)+1/2*arctanh(x)
```

maxima [A] time = 1.60, size = 17, normalized size = 1.31

$$\frac{1}{2} \operatorname{arctan}(x) + \frac{1}{4} \log(x + 1) - \frac{1}{4} \log(x - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x^4+1)/(x^8-2*x^4+1),x, algorithm="maxima")
[Out] 1/2*arctan(x) + 1/4*log(x + 1) - 1/4*log(x - 1)
```

mupad [B] time = 0.02, size = 9, normalized size = 0.69

$$\frac{\operatorname{atan}(x)}{2} + \frac{\operatorname{atanh}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(-(x^4 - 1)/(x^8 - 2*x^4 + 1),x)
[Out] atan(x)/2 + atanh(x)/2
```

sympy [B] time = 0.13, size = 17, normalized size = 1.31

$$-\frac{\log(x - 1)}{4} + \frac{\log(x + 1)}{4} + \frac{\operatorname{atan}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**4+1)/(x**8-2*x**4+1),x)
[Out] -log(x - 1)/4 + log(x + 1)/4 + atan(x)/2
```

$$3.27 \quad \int \frac{1-x^4}{1-3x^4+x^8} dx$$

**Optimal.** Leaf size=129

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10}(\sqrt{5}-1)} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10}(1+\sqrt{5})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10}(\sqrt{5}-1)} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10}(1+\sqrt{5})}$$

[Out] arctan(x\*2^(1/2)/(5^(1/2)-1)^(1/2))/(-10+10\*5^(1/2))^(1/2)+arctanh(x\*2^(1/2)/(5^(1/2)-1)^(1/2))/(-10+10\*5^(1/2))^(1/2)+arctan(x\*2^(1/2)/(5^(1/2)+1)^(1/2))/(10+10\*5^(1/2))^(1/2)+arctanh(x\*2^(1/2)/(5^(1/2)+1)^(1/2))/(10+10\*5^(1/2))^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10}(\sqrt{5}-1)} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10}(1+\sqrt{5})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10}(\sqrt{5}-1)} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10}(1+\sqrt{5})}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 3\*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]\*x]/Sqrt[10\*(-1 + Sqrt[5])] + ArcTan[Sqrt[2/(1 + Sqrt[5])]\*x]/Sqrt[10\*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]\*x]/Sqrt[10\*(-1 + Sqrt[5])] + ArcTanh[Sqrt[2/(1 + Sqrt[5])]\*x]/Sqrt[10\*(1 + Sqrt[5])]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

### Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1-3x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+x^2+x^4} dx \\ &= -\frac{\int \frac{1}{-\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} - \frac{\int \frac{1}{\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} + \frac{\int \frac{1}{-\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} + \frac{\int \frac{1}{\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} \\ &= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}} x\right)}{\sqrt{10(-1+\sqrt{5})}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}} x\right)}{\sqrt{10(-1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}} \end{aligned}$$

**Mathematica** [A] time = 0.08, size = 129, normalized size = 1.00

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}} x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}} x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x^4)/(1 - 3*x^4 + x^8), x]
```

```
[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[10*(-1 + Sqrt[5])] + ArcTan[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[10*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[10*(-1 + Sqrt[5])] + ArcTanh[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[10*(1 + Sqrt[5])]
```

**fricas** [B] time = 0.91, size = 255, normalized size = 1.98

$$-\frac{1}{10} \sqrt{10} \sqrt{\sqrt{5} + 1} \arctan\left(\frac{1}{20} \sqrt{10} \sqrt{5} \sqrt{2} \sqrt{2x^2 + \sqrt{5}} - 1 \sqrt{\sqrt{5} + 1} - \frac{1}{10} \sqrt{10} \sqrt{5} x \sqrt{\sqrt{5} + 1}\right) - \frac{1}{10} \sqrt{10} \sqrt{\sqrt{5}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-3\*x^4+1),x, algorithm="fricas")

[Out] -1/10\*sqrt(10)\*sqrt(sqrt(5) + 1)\*arctan(1/20\*sqrt(10)\*sqrt(5)\*sqrt(2)\*sqrt(2\*x^2 + sqrt(5) - 1)\*sqrt(sqrt(5) + 1) - 1/10\*sqrt(10)\*sqrt(5)\*x\*sqrt(sqrt(5) + 1)) - 1/10\*sqrt(10)\*sqrt(sqrt(5) - 1)\*arctan(1/20\*sqrt(10)\*sqrt(5)\*sqrt(2)\*sqrt(2\*x^2 + sqrt(5) + 1)\*sqrt(sqrt(5) - 1) - 1/10\*sqrt(10)\*sqrt(5)\*x\*sqrt(sqrt(5) - 1)) + 1/40\*sqrt(10)\*sqrt(sqrt(5) - 1)\*log(sqrt(10)\*(sqrt(5) + 5)\*sqrt(sqrt(5) - 1) + 20\*x) - 1/40\*sqrt(10)\*sqrt(sqrt(5) - 1)\*log(-sqrt(10)\*(sqrt(5) + 5)\*sqrt(sqrt(5) - 1) + 20\*x) - 1/40\*sqrt(10)\*sqrt(sqrt(5) + 1)\*log(sqrt(10)\*sqrt(sqrt(5) + 1)\*(sqrt(5) - 5) + 20\*x) + 1/40\*sqrt(10)\*sqrt(sqrt(5) + 1)\*log(-sqrt(10)\*sqrt(sqrt(5) + 1)\*(sqrt(5) - 5) + 20\*x)

**giac** [A] time = 0.75, size = 147, normalized size = 1.14

$$\frac{1}{20} \sqrt{10} \sqrt{5} - 10 \arctan\left(\frac{x}{\sqrt{\frac{1}{2}\sqrt{5} + \frac{1}{2}}}\right) + \frac{1}{20} \sqrt{10} \sqrt{5} + 10 \arctan\left(\frac{x}{\sqrt{\frac{1}{2}\sqrt{5} - \frac{1}{2}}}\right) + \frac{1}{40} \sqrt{10} \sqrt{5} - 10 \log\left(x + \sqrt{\frac{1}{2}\sqrt{5} + \frac{1}{2}}\right) - \frac{1}{40} \sqrt{10} \sqrt{5} + 10 \log\left(x + \sqrt{\frac{1}{2}\sqrt{5} - \frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-3\*x^4+1),x, algorithm="giac")

[Out] 1/20\*sqrt(10\*sqrt(5) - 10)\*arctan(x/sqrt(1/2\*sqrt(5) + 1/2)) + 1/20\*sqrt(10\*sqrt(5) + 10)\*arctan(x/sqrt(1/2\*sqrt(5) - 1/2)) + 1/40\*sqrt(10\*sqrt(5) - 10)\*log(abs(x + sqrt(1/2\*sqrt(5) + 1/2))) - 1/40\*sqrt(10\*sqrt(5) - 10)\*log(abs(x - sqrt(1/2\*sqrt(5) + 1/2))) + 1/40\*sqrt(10\*sqrt(5) + 10)\*log(abs(x + sqrt(1/2\*sqrt(5) - 1/2))) - 1/40\*sqrt(10\*sqrt(5) + 10)\*log(abs(x - sqrt(1/2\*sqrt(5) - 1/2)))

**maple** [A] time = 0.03, size = 110, normalized size = 0.85

$$\frac{\sqrt{5} \operatorname{arctanh}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{5\sqrt{-2+2\sqrt{5}}} + \frac{\sqrt{5} \operatorname{arctanh}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{5\sqrt{2+2\sqrt{5}}} + \frac{\sqrt{5} \operatorname{arctan}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{5\sqrt{-2+2\sqrt{5}}} + \frac{\sqrt{5} \operatorname{arctan}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{5\sqrt{2+2\sqrt{5}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-3\*x^4+1),x)

[Out]  $\frac{1}{5} \cdot 5^{1/2} / (2 + 2 \cdot 5^{1/2})^{1/2} \cdot \operatorname{arctanh}(2 / (2 + 2 \cdot 5^{1/2})^{1/2} \cdot x) + \frac{1}{5} \cdot 5^{1/2} / (-2 + 2 \cdot 5^{1/2})^{1/2} \cdot \arctan(2 / (-2 + 2 \cdot 5^{1/2})^{1/2} \cdot x) + \frac{1}{5} \cdot 5^{1/2} / (2 + 2 \cdot 5^{1/2})^{1/2} \cdot \operatorname{arctanh}(2 / (-2 + 2 \cdot 5^{1/2})^{1/2} \cdot x) + \frac{1}{5} \cdot 5^{1/2} / (2 + 2 \cdot 5^{1/2})^{1/2} \cdot \arctan(2 / (2 + 2 \cdot 5^{1/2})^{1/2} \cdot x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8-3*x^4+1),x, algorithm="maxima")`

[Out] `-integrate((x^4 - 1)/(x^8 - 3*x^4 + 1), x)`

**mupad** [B] time = 1.71, size = 269, normalized size = 2.09

$$\frac{\sqrt{10} \operatorname{atan}\left(\frac{\sqrt{10} x \sqrt{\sqrt{5}-1} 3i}{2(3\sqrt{5}-7)} - \frac{\sqrt{5} \sqrt{10} x \sqrt{\sqrt{5}-1} 7i}{10(3\sqrt{5}-7)}\right) \sqrt{\sqrt{5}-1} 1i}{20} + \frac{\sqrt{10} \operatorname{atan}\left(\frac{\sqrt{10} x \sqrt{\sqrt{5}+1} 3i}{2(3\sqrt{5}+7)} + \frac{\sqrt{5} \sqrt{10} x \sqrt{\sqrt{5}+1} 7i}{10(3\sqrt{5}+7)}\right) \sqrt{\sqrt{5}+1} 1i}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(x^8 - 3*x^4 + 1),x)`

[Out]  $(10^{1/2} \operatorname{atan}((10^{1/2} x (1 - 5^{1/2})^{1/2} 3i) / (2(3 \cdot 5^{1/2} - 7))) - (5^{1/2} 10^{1/2} x (1 - 5^{1/2})^{1/2} 7i) / (10(3 \cdot 5^{1/2} - 7))) \cdot (1 - 5^{1/2})^{1/2} 1i) / 20 - (10^{1/2} \operatorname{atan}((10^{1/2} x (5^{1/2} + 1)^{1/2} 3i) / (2(3 \cdot 5^{1/2} + 7))) + (5^{1/2} 10^{1/2} x (5^{1/2} + 1)^{1/2} 7i) / (10(3 \cdot 5^{1/2} + 7))) \cdot (5^{1/2} + 1)^{1/2} 1i) / 20 - (10^{1/2} \operatorname{atan}((10^{1/2} x (5^{1/2} - 1)^{1/2} 3i) / (2(3 \cdot 5^{1/2} - 7))) - (5^{1/2} 10^{1/2} x (5^{1/2} - 1)^{1/2} 7i) / (10(3 \cdot 5^{1/2} - 7))) \cdot (5^{1/2} - 1)^{1/2} 1i) / 20 + (10^{1/2} \operatorname{atan}((10^{1/2} x (-5^{1/2} - 1)^{1/2} 3i) / (2(3 \cdot 5^{1/2} + 7))) + (5^{1/2} 10^{1/2} x (-5^{1/2} - 1)^{1/2} 7i) / (10(3 \cdot 5^{1/2} + 7))) \cdot (-5^{1/2} - 1)^{1/2} 1i) / 20$

**sympy** [A] time = 1.17, size = 51, normalized size = 0.40

`-RootSum(6400*t^4 - 80*t^2 - 1, (t ↦ t log(25600*t^5 - 16*t + x))) - RootSum(6400*t^4 + 80*t^2 - 1, (t ↦ t log(25600*t^5 - 16*t + x)))`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8-3*x**4+1),x)`

[Out] `-RootSum(6400*_t**4 - 80*_t**2 - 1, Lambda(_t, _t*log(25600*_t**5 - 16*_t + x))) - RootSum(6400*_t**4 + 80*_t**2 - 1, Lambda(_t, _t*log(25600*_t**5 - 16*_t + x)))`



$$3.28 \quad \int \frac{1-x^4}{1-4x^4+x^8} dx$$

**Optimal.** Leaf size=165

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})}$$

[Out]  $1/4*\arctan(2^{(1/4)}*x/(3^{(1/2)}-1)^{(1/2)})*2^{(3/4)/(-3+3*3^{(1/2)})^{(1/2)}+1/4*\arctan(2^{(1/4)}*x/(3^{(1/2)}-1)^{(1/2)})*2^{(3/4)/(-3+3*3^{(1/2)})^{(1/2)}+1/4*\arctan(2^{(1/4)}*x/(1+3^{(1/2)})^{(1/2)})*2^{(3/4)/(3+3*3^{(1/2)})^{(1/2)}+1/4*\operatorname{arctanh}(2^{(1/4)}*x/(1+3^{(1/2)})^{(1/2)})*2^{(3/4)/(3+3*3^{(1/2)})^{(1/2)}}$

**Rubi [A]** time = 0.10, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 4\*x^4 + x^8), x]

[Out] ArcTan[(2^(1/4)\*x)/Sqrt[-1 + Sqrt[3]]]/(2\*2^(1/4)\*Sqrt[3\*(-1 + Sqrt[3])]) + ArcTan[(2^(1/4)\*x)/Sqrt[1 + Sqrt[3]]]/(2\*2^(1/4)\*Sqrt[3\*(1 + Sqrt[3])]) + ArcTanh[(2^(1/4)\*x)/Sqrt[-1 + Sqrt[3]]]/(2\*2^(1/4)\*Sqrt[3\*(-1 + Sqrt[3])]) + ArcTanh[(2^(1/4)\*x)/Sqrt[1 + Sqrt[3]]]/(2\*2^(1/4)\*Sqrt[3\*(1 + Sqrt[3])])

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 207**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1-4x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-\sqrt{2}x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+\sqrt{2}x^2+x^4} dx \\ &= -\frac{\int \frac{1}{-\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} + \frac{\int \frac{1}{\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} - \frac{\int \frac{1}{-\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} + \frac{\int \frac{1}{\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} \\ &= \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(-1+\sqrt{3})} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(-1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} \end{aligned}$$

Mathematica [C] time = 0.01, size = 55, normalized size = 0.33

$$-\frac{1}{8}\text{RootSum}\left[\#1^8 - 4\#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{\#1^7 - 2\#1^3}\&\right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x^4)/(1 - 4*x^4 + x^8), x]
```

```
[Out] -1/8*RootSum[1 - 4*#1^4 + #1^8 &, (-Log[x - #1] + Log[x - #1]*#1^4)/(-2*#1^3 + #1^7) & ]
```

**fricas** [B] time = 0.90, size = 302, normalized size = 1.83

$$-\frac{1}{6}\sqrt{6}(-\sqrt{3}+2)^{\frac{1}{4}}\arctan\left(\frac{1}{6}\sqrt{6}\sqrt{x^2+(\sqrt{3}+2)\sqrt{-\sqrt{3}+2}(\sqrt{3}+3)}(-\sqrt{3}+2)^{\frac{3}{4}}-\frac{1}{6}\sqrt{6}(\sqrt{3}x+3x)(-\sqrt{3}+2)^{\frac{3}{4}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-4\*x^4+1),x, algorithm="fricas")

[Out] 
$$-1/6*\sqrt{6}*(-\sqrt{3}+2)^{(1/4)}*\arctan(1/6*\sqrt{6}*\sqrt{x^2+(\sqrt{3}+2)*\sqrt{-\sqrt{3}+2}}*(\sqrt{3}+3)*(-\sqrt{3}+2)^{(3/4)}-1/6*\sqrt{6}*(\sqrt{3}*x+3*x)*(-\sqrt{3}+2)^{(3/4)})+1/6*\sqrt{6}*(\sqrt{3}+2)^{(1/4)}*\arctan(1/6*(\sqrt{6}*\sqrt{x^2-\sqrt{3}*(\sqrt{3}+2)}*(\sqrt{3}-2))*\sqrt{\sqrt{3}+2}*(\sqrt{3}-3)-\sqrt{6}*(\sqrt{3}*x-3*x)*\sqrt{\sqrt{3}+2}*(\sqrt{3}+2)^{(1/4)})-1/24*\sqrt{6}*(\sqrt{3}+2)^{(1/4)}*\log(\sqrt{6}*(\sqrt{3}+2)^{(1/4)}*(\sqrt{3}-3)+6*x)+1/24*\sqrt{6}*(\sqrt{3}+2)^{(1/4)}*\log(-\sqrt{6}*(\sqrt{3}+2)^{(1/4)}*(\sqrt{3}-3)+6*x)+1/24*\sqrt{6}*(-\sqrt{3}+2)^{(1/4)}*\log(\sqrt{6}*(\sqrt{3}+3)*(-\sqrt{3}+2)^{(1/4)}+6*x)-1/24*\sqrt{6}*(-\sqrt{3}+2)^{(1/4)}*\log(-\sqrt{6}*(\sqrt{3}+3)*(-\sqrt{3}+2)^{(1/4)}+6*x)$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-4\*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to convert to real 1/4 Error: Bad Argument ValueUnable to convert to real 1/4 Error: Bad Argument Value

**maple** [C] time = 0.01, size = 42, normalized size = 0.25

$$\frac{\left(-\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)^4+1\right)\ln\left(-\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)+x\right)}{8\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)^7-16\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-4\*x^4+1),x)

[Out] 
$$1/8*\sum((-R^4+1)/(-R^7-2*R^3)*\ln(-R+x),_R=\operatorname{RootOf}(-Z^8-4*_Z^4+1))$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4-1}{x^8-4x^4+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-4\*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 - 4\*x^4 + 1), x)

**mupad** [B] time = 0.18, size = 399, normalized size = 2.42

$$\frac{\sqrt{6} \operatorname{atan}\left(\frac{64\sqrt{6}x(\sqrt{3}+2)^{1/4}}{80\sqrt{\sqrt{3}+2}+48\sqrt{3}\sqrt{\sqrt{3}+2}} + \frac{112\sqrt{3}\sqrt{6}x(\sqrt{3}+2)^{1/4}}{3(80\sqrt{\sqrt{3}+2}+48\sqrt{3}\sqrt{\sqrt{3}+2})}\right) (\sqrt{3}+2)^{1/4} + \sqrt{6} \operatorname{atan}\left(\frac{\sqrt{6}x(2-\sqrt{3})^{1/4}64i}{48\sqrt{3}\sqrt{2-\sqrt{3}}-80\sqrt{2-\sqrt{3}}}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 - 4\*x^4 + 1),x)

[Out] (6^(1/2)\*atan((6^(1/2)\*x\*(2 - 3^(1/2))^(1/4)\*64i)/(48\*3^(1/2)\*(2 - 3^(1/2))^(1/2) - 80\*(2 - 3^(1/2))^(1/2)) - (3^(1/2)\*6^(1/2)\*x\*(2 - 3^(1/2))^(1/4)\*12i)/(3\*(48\*3^(1/2)\*(2 - 3^(1/2))^(1/2) - 80\*(2 - 3^(1/2))^(1/2))))\*(2 - 3^(1/2))^(1/4)\*1i)/12 - (6^(1/2)\*atan((64\*6^(1/2)\*x\*(2 - 3^(1/2))^(1/4))/(48\*3^(1/2)\*(2 - 3^(1/2))^(1/2) - 80\*(2 - 3^(1/2))^(1/2)) - (112\*3^(1/2)\*6^(1/2)\*x\*(2 - 3^(1/2))^(1/4))/(3\*(48\*3^(1/2)\*(2 - 3^(1/2))^(1/2) - 80\*(2 - 3^(1/2))^(1/2))))\*(2 - 3^(1/2))^(1/4))/12 + (6^(1/2)\*atan((64\*6^(1/2)\*x\*(3^(1/2) + 2)^(1/4))/(80\*(3^(1/2) + 2)^(1/2) + 48\*3^(1/2)\*(3^(1/2) + 2)^(1/2)) + (112\*3^(1/2)\*6^(1/2)\*x\*(3^(1/2) + 2)^(1/4))/(3\*(80\*(3^(1/2) + 2)^(1/2) + 48\*3^(1/2)\*(3^(1/2) + 2)^(1/2))))\*(3^(1/2) + 2)^(1/4))/12 - (6^(1/2)\*atan((6^(1/2)\*x\*(3^(1/2) + 2)^(1/4)\*64i)/(80\*(3^(1/2) + 2)^(1/2) + 48\*3^(1/2)\*(3^(1/2) + 2)^(1/2)) + (3^(1/2)\*6^(1/2)\*x\*(3^(1/2) + 2)^(1/4)\*112i)/(3\*(80\*(3^(1/2) + 2)^(1/2) + 48\*3^(1/2)\*(3^(1/2) + 2)^(1/2))))\*(3^(1/2) + 2)^(1/4)\*1i)/12

**sympy** [A] time = 0.20, size = 26, normalized size = 0.16

$$-\operatorname{RootSum}\left(84934656t^8 - 36864t^4 + 1, \left(t \mapsto t \log\left(36864t^5 - 20t + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x\*\*4+1)/(x\*\*8-4\*x\*\*4+1),x)

[Out] -RootSum(84934656\*\_t\*\*8 - 36864\*\_t\*\*4 + 1, Lambda(\_t, \_t\*log(36864\*\_t\*\*5 - 20\*\_t + x)))

$$3.29 \quad \int \frac{1-x^4}{1-5x^4+x^8} dx$$

**Optimal.** Leaf size=169

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14}(\sqrt{7}-\sqrt{3})} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14}(\sqrt{7}-\sqrt{3})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})}$$

[Out] arctan(x\*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-14\*3^(1/2)+14\*7^(1/2))^(1/2)+arctanh(x\*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-14\*3^(1/2)+14\*7^(1/2))^(1/2)+arctan(x\*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(14\*3^(1/2)+14\*7^(1/2))^(1/2)+arctanh(x\*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(14\*3^(1/2)+14\*7^(1/2))^(1/2)

**Rubi [A]** time = 0.14, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14}(\sqrt{7}-\sqrt{3})} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14}(\sqrt{7}-\sqrt{3})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 5\*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-Sqrt[3] + Sqrt[7])]\*x]/Sqrt[14\*(-Sqrt[3] + Sqrt[7])] + ArcTan[Sqrt[2/(Sqrt[3] + Sqrt[7])]\*x]/Sqrt[14\*(Sqrt[3] + Sqrt[7])] + ArcTanh[Sqrt[2/(-Sqrt[3] + Sqrt[7])]\*x]/Sqrt[14\*(-Sqrt[3] + Sqrt[7])] + ArcTanh[Sqrt[2/(Sqrt[3] + Sqrt[7])]\*x]/Sqrt[14\*(Sqrt[3] + Sqrt[7])]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

### Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1-5x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-\sqrt{3}x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+\sqrt{3}x^2+x^4} dx \\ &= -\frac{\int \frac{1}{-\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} - \frac{\int \frac{1}{\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} + \frac{\int \frac{1}{-\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} + \frac{\int \frac{1}{\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} \\ &= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(-\sqrt{3}+\sqrt{7})} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(-\sqrt{3}+\sqrt{7})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})} \end{aligned}$$

**Mathematica** [C] time = 0.01, size = 57, normalized size = 0.34

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 - 5\#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 - 5\#1^3} \&\right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x^4)/(1 - 5*x^4 + x^8), x]
```

```
[Out] -1/4*RootSum[1 - 5*#1^4 + #1^8 &, (-Log[x - #1] + Log[x - #1]*#1^4)/(-5*#1^3 + 2*#1^7) & ]
```

**fricas** [B] time = 0.94, size = 546, normalized size = 3.23

$$-\frac{1}{14} \sqrt{14} \sqrt{\sqrt{2} \sqrt{-\sqrt{7} \sqrt{3} + 5}} \arctan\left(\frac{1}{112} \sqrt{14} \sqrt{4x^2 + (\sqrt{7} \sqrt{3} \sqrt{2} + 5\sqrt{2}) \sqrt{-\sqrt{7} \sqrt{3} + 5}} (\sqrt{7} \sqrt{3} \sqrt{2} + 7\sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-5\*x^4+1),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/14*\sqrt{14}*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}}*\arctan(1/112*\sqrt{14}*\sqrt{4*x^2 + (\sqrt{7}*\sqrt{3}*\sqrt{2} + 5*\sqrt{2})*\sqrt{-\sqrt{7}*\sqrt{3} + 5}} \\ & + 5))*(\sqrt{7}*\sqrt{3}*\sqrt{2} + 7*\sqrt{2})*\sqrt{-\sqrt{7}*\sqrt{3} + 5}*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}} \\ & - 1/56*\sqrt{14}*(\sqrt{7}*\sqrt{3}*\sqrt{2}*x + 7*\sqrt{2}*x)*\sqrt{-\sqrt{7}*\sqrt{3} + 5}*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}} \\ & + 1/14*\sqrt{14}*\sqrt{\sqrt{2}*\sqrt{\sqrt{7}*\sqrt{3} + 5}}*\arctan(1/112*(\sqrt{14}*\sqrt{4*x^2 - (\sqrt{7}*\sqrt{3}*\sqrt{2} - 5*\sqrt{2})*\sqrt{\sqrt{7}*\sqrt{3} + 5}} \\ & + 5))*(\sqrt{7}*\sqrt{3}*\sqrt{2} - 7*\sqrt{2})*\sqrt{\sqrt{7}*\sqrt{3} + 5} - 2*\sqrt{14}*(\sqrt{7}*\sqrt{3}*\sqrt{2}*x - 7*\sqrt{2}*x)*\sqrt{\sqrt{7}*\sqrt{3} + 5} \\ & + 1/56*\sqrt{14}*\sqrt{\sqrt{2}*\sqrt{\sqrt{7}*\sqrt{3} + 5}}*\log(\sqrt{14}*(\sqrt{7}*\sqrt{3} - 7)*\sqrt{\sqrt{2}*\sqrt{\sqrt{7}*\sqrt{3} + 5}} + 28*x) \\ & + 1/56*\sqrt{14}*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}}*\log(-\sqrt{14}*(\sqrt{7}*\sqrt{3} - 7)*\sqrt{\sqrt{2}*\sqrt{\sqrt{7}*\sqrt{3} + 5}} + 28*x) \\ & + 1/56*\sqrt{14}*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}}*\log(\sqrt{14}*(\sqrt{7}*\sqrt{3} + 7)*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}} + 28*x) \\ & - 1/56*\sqrt{14}*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}}*\log(-\sqrt{14}*(\sqrt{7}*\sqrt{3} + 7)*\sqrt{\sqrt{2}*\sqrt{-\sqrt{7}*\sqrt{3} + 5}} + 28*x) \end{aligned}$$

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-5\*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INPUT:sage2:=int(sage0,x);;OUTPUT:Unable to convert to real 1/4 Error: Bad Argument ValueUnable to convert to real 1/4 Error: Bad Argument Value

**maple** [C] time = 0.01, size = 44, normalized size = 0.26

$$\frac{\left(-\text{RootOf}\left(\_Z^8 - 5\_Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(\_Z^8 - 5\_Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(\_Z^8 - 5\_Z^4 + 1\right)^7 - 20 \text{RootOf}\left(\_Z^8 - 5\_Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-5\*x^4+1),x)

[Out]  $1/4*\sum\left(\left(-\_R^4+1\right)/\left(2*\_R^7-5*\_R^3\right)*\ln\left(-\_R+x\right),\_R=\text{RootOf}\left(\_Z^8-5*\_Z^4+1\right)\right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - 5x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-5\*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 - 5\*x^4 + 1), x)

**mupad** [B] time = 1.79, size = 483, normalized size = 2.86

$$\frac{2^{3/4} \sqrt{7} \operatorname{atan} \left( \frac{405 2^{3/4} \sqrt{7} x (5 - \sqrt{21})^{1/4}}{2 \left( 243 \sqrt{2} \sqrt{5 - \sqrt{21}} - 54 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}} \right)} - \frac{621 2^{3/4} \sqrt{7} \sqrt{21} x (5 - \sqrt{21})^{1/4}}{14 \left( 243 \sqrt{2} \sqrt{5 - \sqrt{21}} - 54 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}} \right)} \right) (5 - \sqrt{21})^{1/4}}{28} 2^{3/4} \sqrt{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 - 5\*x^4 + 1),x)

[Out]  $(2^{(3/4)} * 7^{(1/2)} * \operatorname{atan}((405 * 2^{(3/4)} * 7^{(1/2)} * x * (5 - 21^{(1/2)})^{(1/4)}) / (2 * (243 * 2^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)} - 54 * 2^{(1/2)} * 21^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)})) - (621 * 2^{(3/4)} * 7^{(1/2)} * 21^{(1/2)} * x * (5 - 21^{(1/2)})^{(1/4)}) / (14 * (243 * 2^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)} - 54 * 2^{(1/2)} * 21^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)}))) * (5 - 21^{(1/2)})^{(1/4)}) / 28 - (2^{(3/4)} * 7^{(1/2)} * \operatorname{atan}((2^{(3/4)} * 7^{(1/2)} * x * (5 - 21^{(1/2)})^{(1/4)}) * 405i) / (2 * (243 * 2^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)} - 54 * 2^{(1/2)} * 21^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)}))) - (2^{(3/4)} * 7^{(1/2)} * 21^{(1/2)} * x * (5 - 21^{(1/2)})^{(1/4)}) * 621i) / (14 * (243 * 2^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)} - 54 * 2^{(1/2)} * 21^{(1/2)} * (5 - 21^{(1/2)})^{(1/2)}))) * (5 - 21^{(1/2)})^{(1/4)} * 1i) / 28 + (2^{(3/4)} * 7^{(1/2)} * \operatorname{atan}((405 * 2^{(3/4)} * 7^{(1/2)} * x * (21^{(1/2)} + 5)^{(1/4)}) / (2 * (243 * 2^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)} + 54 * 2^{(1/2)} * 21^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)}))) + (621 * 2^{(3/4)} * 7^{(1/2)} * 21^{(1/2)} * x * (21^{(1/2)} + 5)^{(1/4)}) / (14 * (243 * 2^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)} + 54 * 2^{(1/2)} * 21^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)}))) * (21^{(1/2)} + 5)^{(1/4)}) / 28 - (2^{(3/4)} * 7^{(1/2)} * \operatorname{atan}((2^{(3/4)} * 7^{(1/2)} * x * (21^{(1/2)} + 5)^{(1/4)}) * 405i) / (2 * (243 * 2^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)} + 54 * 2^{(1/2)} * 21^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)}))) + (2^{(3/4)} * 7^{(1/2)} * 21^{(1/2)} * x * (21^{(1/2)} + 5)^{(1/4)}) * 621i) / (14 * (243 * 2^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)} + 54 * 2^{(1/2)} * 21^{(1/2)} * (21^{(1/2)} + 5)^{(1/2)}))) * (21^{(1/2)} + 5)^{(1/4)} * 1i) / 28$

**sympy** [A] time = 0.19, size = 26, normalized size = 0.15

$$-\operatorname{RootSum} \left( 157351936t^8 - 62720t^4 + 1, \left( t \mapsto t \log \left( 50176t^5 - 24t + x \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((-x**4+1)/(x**8-5*x**4+1),x)
```

```
[Out] -RootSum(157351936*_t**8 - 62720*_t**4 + 1, Lambda(_t, _t*log(50176*_t**5 -  
24*_t + x)))
```

$$3.30 \quad \int \frac{1-x^4}{1-6x^4+x^8} dx$$

**Optimal.** Leaf size=125

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})}$$

[Out] 1/4\*arctan(x/(2^(1/2)-1)^(1/2))/(-2+2\*2^(1/2))^(1/2)+1/4\*arctanh(x/(2^(1/2)-1)^(1/2))/(-2+2\*2^(1/2))^(1/2)+1/4\*arctan(x/(1+2^(1/2))^(1/2))/(2+2\*2^(1/2))^(1/2)+1/4\*arctanh(x/(1+2^(1/2))^(1/2))/(2+2\*2^(1/2))^(1/2)

**Rubi [A]** time = 0.07, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 6\*x^4 + x^8), x]

[Out] ArcTan[x/Sqrt[-1 + Sqrt[2]]]/(4\*Sqrt[2\*(-1 + Sqrt[2])]) + ArcTan[x/Sqrt[1 + Sqrt[2]]]/(4\*Sqrt[2\*(1 + Sqrt[2])]) + ArcTanh[x/Sqrt[-1 + Sqrt[2]]]/(4\*Sqrt[2\*(-1 + Sqrt[2])]) + ArcTanh[x/Sqrt[1 + Sqrt[2]]]/(4\*Sqrt[2\*(1 + Sqrt[2])])

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

### Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(2n_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

### Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1-6x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-2x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+2x^2+x^4} dx \\ &= -\frac{\int \frac{1}{-1-\sqrt{2}+x^2} dx}{4\sqrt{2}} - \frac{\int \frac{1}{1-\sqrt{2}+x^2} dx}{4\sqrt{2}} + \frac{\int \frac{1}{-1+\sqrt{2}+x^2} dx}{4\sqrt{2}} + \frac{\int \frac{1}{1+\sqrt{2}+x^2} dx}{4\sqrt{2}} \\ &= \frac{\tan^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{2}(-1+\sqrt{2})} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{2}(-1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 114, normalized size = 0.91

$$\frac{\sqrt{1+\sqrt{2}} \tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) + \sqrt{\sqrt{2}-1} \tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right) + \sqrt{1+\sqrt{2}} \tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) + \sqrt{\sqrt{2}-1} \tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - 6\*x^4 + x^8), x]

[Out] (Sqrt[1 + Sqrt[2]]\*ArcTan[x/Sqrt[-1 + Sqrt[2]]] + Sqrt[-1 + Sqrt[2]]\*ArcTan[x/Sqrt[1 + Sqrt[2]]] + Sqrt[1 + Sqrt[2]]\*ArcTanh[x/Sqrt[-1 + Sqrt[2]]] + Sqrt[-1 + Sqrt[2]]\*ArcTanh[x/Sqrt[1 + Sqrt[2]]])/(4\*Sqrt[2])

**fricas** [B] time = 0.89, size = 199, normalized size = 1.59

$$-\frac{1}{4}\sqrt{2}\sqrt{\sqrt{2}+1}\arctan\left(-x\sqrt{\sqrt{2}+1}+\sqrt{x^2+\sqrt{2}-1}\sqrt{\sqrt{2}+1}\right)-\frac{1}{4}\sqrt{2}\sqrt{\sqrt{2}-1}\arctan\left(-x\sqrt{\sqrt{2}-1}+\sqrt{x^2+\sqrt{2}+1}\sqrt{\sqrt{2}-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-6\*x^4+1),x, algorithm="fricas")

[Out] -1/4\*sqrt(2)\*sqrt(sqrt(2)+1)\*arctan(-x\*sqrt(sqrt(2)+1)+sqrt(x^2+sqrt(2)-1)\*sqrt(sqrt(2)+1))-1/4\*sqrt(2)\*sqrt(sqrt(2)-1)\*arctan(-x\*sqrt(sqrt(2)-1)+sqrt(x^2+sqrt(2)+1)\*sqrt(sqrt(2)-1))+1/16\*sqrt(2)\*sqrt(sqrt(2)-1)\*log((sqrt(2)+1)\*sqrt(sqrt(2)-1)+x)-1/16\*sqrt(2)\*sqrt(sqrt(2)-1)\*log(-(sqrt(2)+1)\*sqrt(sqrt(2)-1)+x)+1/16\*sqrt(2)\*sqrt(sqrt(2)+1)\*log(sqrt(sqrt(2)+1)\*(sqrt(2)-1)+x)-1/16\*sqrt(2)\*sqrt(sqrt(2)+1)\*log(-sqrt(sqrt(2)+1)\*(sqrt(2)-1)+x)

**giac** [A] time = 0.63, size = 135, normalized size = 1.08

$$\frac{1}{8}\sqrt{2}\sqrt{2}-2\arctan\left(\frac{x}{\sqrt{\sqrt{2}+1}}\right)+\frac{1}{8}\sqrt{2}\sqrt{2}+2\arctan\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)+\frac{1}{16}\sqrt{2}\sqrt{2}-2\log\left(\left|x+\sqrt{\sqrt{2}+1}\right|\right)-\frac{1}{16}\sqrt{2}\sqrt{2}+2\log\left(\left|x-\sqrt{\sqrt{2}-1}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-6\*x^4+1),x, algorithm="giac")

[Out] 1/8\*sqrt(2\*sqrt(2)-2)\*arctan(x/sqrt(sqrt(2)+1))+1/8\*sqrt(2\*sqrt(2)+2)\*arctan(x/sqrt(sqrt(2)-1))+1/16\*sqrt(2\*sqrt(2)-2)\*log(abs(x+sqrt(sqrt(2)+1)))-1/16\*sqrt(2\*sqrt(2)-2)\*log(abs(x-sqrt(sqrt(2)+1)))+1/16\*sqrt(2\*sqrt(2)+2)\*log(abs(x+sqrt(sqrt(2)-1)))-1/16\*sqrt(2\*sqrt(2)+2)\*log(abs(x-sqrt(sqrt(2)-1)))

**maple** [A] time = 0.03, size = 90, normalized size = 0.72

$$\frac{\sqrt{2}\operatorname{arctanh}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{8\sqrt{1+\sqrt{2}}}+\frac{\sqrt{2}\operatorname{arctanh}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{8\sqrt{\sqrt{2}-1}}+\frac{\sqrt{2}\operatorname{arctan}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{8\sqrt{1+\sqrt{2}}}+\frac{\sqrt{2}\operatorname{arctan}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{8\sqrt{\sqrt{2}-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-6\*x^4+1),x)

[Out] 1/8\*2^(1/2)/(2^(1/2)-1)^(1/2)\*arctan(1/(2^(1/2)-1)^(1/2)\*x)+1/8\*2^(1/2)/(1+2^(1/2))^(1/2)\*arctanh(1/(1+2^(1/2))^(1/2)\*x)+1/8\*2^(1/2)/(1+2^(1/2))^(1/2)

\*arctan(1/(1+2^(1/2))^(1/2)\*x)+1/8\*2^(1/2)/(2^(1/2)-1)^(1/2)\*arctanh(1/(2^(1/2)-1)^(1/2)\*x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - 6x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-6\*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 - 6\*x^4 + 1), x)

**mupad** [B] time = 0.20, size = 245, normalized size = 1.96

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{1-\sqrt{2}} 4352i}{3072\sqrt{2}-4352} - \frac{\sqrt{2}x\sqrt{1-\sqrt{2}} 3072i}{3072\sqrt{2}-4352}\right) \sqrt{1-\sqrt{2}} \operatorname{li} + \sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{-\sqrt{2}-1} 4352i}{3072\sqrt{2}+4352} + \frac{\sqrt{2}x\sqrt{-\sqrt{2}-1} 3072i}{3072\sqrt{2}+4352}\right) \sqrt{-\sqrt{2}}}{8} + \frac{\sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{1-\sqrt{2}} 4352i}{3072\sqrt{2}-4352} - \frac{\sqrt{2}x\sqrt{1-\sqrt{2}} 3072i}{3072\sqrt{2}-4352}\right) \sqrt{1-\sqrt{2}} \operatorname{li} + \sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{-\sqrt{2}-1} 4352i}{3072\sqrt{2}+4352} + \frac{\sqrt{2}x\sqrt{-\sqrt{2}-1} 3072i}{3072\sqrt{2}+4352}\right) \sqrt{-\sqrt{2}}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 - 6\*x^4 + 1),x)

[Out] (2^(1/2)\*atan((x\*(- 2^(1/2) - 1)^(1/2)\*4352i)/(3072\*2^(1/2) + 4352) + (2^(1/2)\*x\*(- 2^(1/2) - 1)^(1/2)\*3072i)/(3072\*2^(1/2) + 4352))\*(- 2^(1/2) - 1)^(1/2)\*1i)/8 - (2^(1/2)\*atan((x\*(1 - 2^(1/2))^(1/2)\*4352i)/(3072\*2^(1/2) - 4352) - (2^(1/2)\*x\*(1 - 2^(1/2))^(1/2)\*3072i)/(3072\*2^(1/2) - 4352))\*(1 - 2^(1/2))^(1/2)\*1i)/8 + (2^(1/2)\*atan((x\*(2^(1/2) - 1)^(1/2)\*4352i)/(3072\*2^(1/2) - 4352) - (2^(1/2)\*x\*(2^(1/2) - 1)^(1/2)\*3072i)/(3072\*2^(1/2) - 4352))\*(2^(1/2) - 1)^(1/2)\*1i)/8 - (2^(1/2)\*atan((x\*(2^(1/2) + 1)^(1/2)\*4352i)/(3072\*2^(1/2) + 4352) + (2^(1/2)\*x\*(2^(1/2) + 1)^(1/2)\*3072i)/(3072\*2^(1/2) + 4352))\*(2^(1/2) + 1)^(1/2)\*1i)/8

**sympy** [A] time = 1.16, size = 51, normalized size = 0.41

-RootSum(16384t^4 - 256t^2 - 1, (t ↦ t log(65536t^5 - 28t + x))) - RootSum(16384t^4 + 256t^2 - 1, (t ↦ t log(65536t^5 - 28t + x)))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x\*\*4+1)/(x\*\*8-6\*x\*\*4+1),x)

[Out] -RootSum(16384\*\_t\*\*4 - 256\*\_t\*\*2 - 1, Lambda(\_t, \_t\*log(65536\*\_t\*\*5 - 28\*\_t + x))) - RootSum(16384\*\_t\*\*4 + 256\*\_t\*\*2 - 1, Lambda(\_t, \_t\*log(65536\*\_t\*\*5 - 28\*\_t + x)))

$$3.31 \quad \int \frac{-1 + \sqrt{3} + 2x^4}{1 - x^4 + x^8} dx$$

**Optimal.** Leaf size=135

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} - 2x}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{2x + \sqrt{2 + \sqrt{3}}}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}}$$

[Out]  $-1/2*\arctan((-2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}+1/2*\arctan((2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}-1/4*\ln(1+x^2-x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}+1/4*\ln(1+x^2+x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {1423, 1161, 618, 204, 1164, 628}

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} - 2x}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{2x + \sqrt{2 + \sqrt{3}}}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] + 2\*x^4)/(1 - x^4 + x^8), x]

[Out]  $-(\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]])/\text{Sqrt}[2]) + \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]])/\text{Sqrt}[2] - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[3]]]*x + x^2]/(2*\text{Sqrt}[2]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[3]]]*x + x^2]/(2*\text{Sqrt}[2])$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rule 1161

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2
, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; Fre
eQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (
GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],
0]))
```

### Rule 1164

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e
+ q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^
2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c
*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

### Rule 1423

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c
*q*r), Int[(d*r - (d - e*q)*x^(n/2))/(q - r*x^(n/2) + x^n), x], x] + Dist[1
/(2*c*q*r), Int[(d*r + (d - e*q)*x^(n/2))/(q + r*x^(n/2) + x^n), x], x]]] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[n/2, 0] && NegQ[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned}
\int \frac{-1 + \sqrt{3} + 2x^4}{1 - x^4 + x^8} dx &= \frac{\int \frac{\sqrt{3}(-1+\sqrt{3})+(3-\sqrt{3})x^2}{1-\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} + \frac{\int \frac{\sqrt{3}(-1+\sqrt{3})+(-3+\sqrt{3})x^2}{1+\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} \\
&= -\frac{\int \frac{\sqrt{2-\sqrt{3}}+2x}{-1-\sqrt{2-\sqrt{3}}x-x^2} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{2-\sqrt{3}}-2x}{-1+\sqrt{2-\sqrt{3}}x-x^2} dx}{2\sqrt{2}} + \frac{1}{4}(-1+\sqrt{3}) \int \frac{1}{1-\sqrt{2+\sqrt{3}}x+x^2} dx + \\
&= -\frac{\log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right)}{2\sqrt{2}} + \frac{\log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right)}{2\sqrt{2}} + \frac{1}{2}(1-\sqrt{3}) \text{Subst}\left(\int \frac{1}{-2+\sqrt{2+\sqrt{3}}x+x^2} dx\right) \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}+2x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} - \frac{\log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right)}{2\sqrt{2}} + \frac{\log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right)}{2\sqrt{2}}
\end{aligned}$$

**Mathematica [C]** time = 0.03, size = 71, normalized size = 0.53

$$\frac{1}{4} \text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{2\#1^4 \log(x - \#1) + \sqrt{3} \log(x - \#1) - \log(x - \#1)}{2\#1^7 - \#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(-1 + Sqrt[3] + 2\*x^4)/(1 - x^4 + x^8), x]

[Out] RootSum[1 - #1^4 + #1^8 &, (-Log[x - #1] + Sqrt[3]\*Log[x - #1] + 2\*Log[x - #1]\*#1^4)/(-#1^3 + 2\*#1^7) & ]/4

**fricas [A]** time = 0.89, size = 104, normalized size = 0.77

$$\frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2}(\sqrt{3}\sqrt{2} + \sqrt{2})x^3 - \sqrt{2}x\right) + \frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2}(\sqrt{3}\sqrt{2} + \sqrt{2})x\right) + \frac{1}{4} \sqrt{2} \log\left(-\frac{(\sqrt{3}\sqrt{2} - \sqrt{2})x + 1}{(\sqrt{3}\sqrt{2} - \sqrt{2})x - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+2\*x^4+3^(1/2))/(x^8-x^4+1), x, algorithm="fricas")

[Out] 1/2\*sqrt(2)\*arctan(1/2\*(sqrt(3)\*sqrt(2) + sqrt(2))\*x^3 - sqrt(2)\*x) + 1/2\*sqrt(2)\*arctan(1/2\*(sqrt(3)\*sqrt(2) + sqrt(2))\*x) + 1/4\*sqrt(2)\*log(-((sqrt(3)\*sqrt(2) - sqrt(2))\*x + 2\*x^2 + 2)/((sqrt(3)\*sqrt(2) - sqrt(2))\*x - 2\*x^2 - 2))



**giac** [A] time = 0.49, size = 107, normalized size = 0.79

$$\frac{1}{2} \sqrt{2} \arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{2} \sqrt{2} \arctan\left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{4} \sqrt{2} \log\left(x^2 + \frac{1}{2}x(\sqrt{6} - \sqrt{2}) + 1\right) - \frac{1}{4} \sqrt{2} \log\left(x^2 - \frac{1}{2}x(\sqrt{6} - \sqrt{2}) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+2\*x^4+3^(1/2))/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*arctan((4\*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/2\*sqrt(2)\*arctan((4\*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/4\*sqrt(2)\*log(x^2 + 1/2\*x\*(sqrt(6) - sqrt(2)) + 1) - 1/4\*sqrt(2)\*log(x^2 - 1/2\*x\*(sqrt(6) - sqrt(2)) + 1)

**maple** [C] time = 0.06, size = 47, normalized size = 0.35

$$\frac{\left(2 \operatorname{RootOf}(-Z^8 - Z^4 + 1)^4 - 1 + \sqrt{3}\right) \ln\left(-\operatorname{RootOf}(-Z^8 - Z^4 + 1) + x\right)}{8 \operatorname{RootOf}(-Z^8 - Z^4 + 1)^7 - 4 \operatorname{RootOf}(-Z^8 - Z^4 + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+2\*x^4+3^(1/2))/(x^8-x^4+1),x)

[Out] 1/4\*sum(1/(2\*\_R^7-\_R^3)\*(-1+2\*\_R^4+3^(1/2))\*ln(-\_R+x),\_R=RootOf(-Z^8-Z^4+1))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^4 + \sqrt{3} - 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+2\*x^4+3^(1/2))/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((2\*x^4 + sqrt(3) - 1)/(x^8 - x^4 + 1), x)

**mupad** [B] time = 2.24, size = 133, normalized size = 0.99

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{72 \sqrt{2} x}{144 \sqrt{3} - 144 \sqrt{3} x^2 - 288 x^2 + 288} + \frac{72 \sqrt{2} \sqrt{3} x}{144 \sqrt{3} - 144 \sqrt{3} x^2 - 288 x^2 + 288}\right)}{2} + \frac{\sqrt{2} \operatorname{atanh}\left(\frac{72 \sqrt{2} x}{144 \sqrt{3} + 144 \sqrt{3} x^2 + 288 x^2 + 288} + \frac{72 \sqrt{2} \sqrt{3} x}{144 \sqrt{3} + 144 \sqrt{3} x^2 + 288 x^2 + 288}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) + 2\*x^4 - 1)/(x^8 - x^4 + 1),x)

```
[Out] (2^(1/2)*atan((72*2^(1/2)*x)/(144*3^(1/2) - 144*3^(1/2)*x^2 - 288*x^2 + 288)
) + (72*2^(1/2)*3^(1/2)*x)/(144*3^(1/2) - 144*3^(1/2)*x^2 - 288*x^2 + 288))
)/2 + (2^(1/2)*atanh((72*2^(1/2)*x)/(144*3^(1/2) + 144*3^(1/2)*x^2 + 288*x^
2 + 288) + (72*2^(1/2)*3^(1/2)*x)/(144*3^(1/2) + 144*3^(1/2)*x^2 + 288*x^2
+ 288)))/2
```

**sympy [A]** time = 0.90, size = 163, normalized size = 1.21

$$\frac{\sqrt{2} \left( 2 \operatorname{atan} \left( x \left( \frac{\sqrt{6}}{1+\sqrt{3}} + \frac{2\sqrt{2}}{1+\sqrt{3}} \right) \right) + 2 \operatorname{atan} \left( x^3 \left( \frac{\sqrt{6}}{1+\sqrt{3}} + \frac{2\sqrt{2}}{1+\sqrt{3}} \right) - \sqrt{2}x \right) \right)}{4} - \frac{\sqrt{2} \log \left( x^2 - \frac{\sqrt{2}x \left( \frac{2}{\sqrt{3}+2} + \frac{2\sqrt{3}}{\sqrt{3}+2} \right)}{4} + 1 \right)}{4} + \frac{\sqrt{2}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+2*x**4+3**(1/2))/(x**8-x**4+1),x)
```

```
[Out] sqrt(2)*(2*atan(x*(sqrt(6)/(1 + sqrt(3)) + 2*sqrt(2)/(1 + sqrt(3)))) + 2*at
an(x**3*(sqrt(6)/(1 + sqrt(3)) + 2*sqrt(2)/(1 + sqrt(3))) - sqrt(2)*x))/4 -
sqrt(2)*log(x**2 - sqrt(2)*x*(2/(sqrt(3) + 2) + 2*sqrt(3)/(sqrt(3) + 2)))/4
+ 1)/4 + sqrt(2)*log(x**2 + sqrt(2)*x*(2/(sqrt(3) + 2) + 2*sqrt(3)/(sqrt(3)
) + 2))/4 + 1)/4
```

$$3.32 \quad \int \frac{1+(1+\sqrt{3})x^4}{1-x^4+x^8} dx$$

Optimal. Leaf size=164

$$-\frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{2}\sqrt{2+\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}}{\sqrt{2-\sqrt{3}}}\right)$$

[Out]  $-1/2*\arctan((-2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/2*\arctan((2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})-1/4*\ln(1+x^2-x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/4*\ln(1+x^2+x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})$

**Rubi [A]** time = 0.09, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {1423, 1161, 618, 204, 1164, 628}

$$-\frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{2}\sqrt{2+\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}}{\sqrt{2-\sqrt{3}}}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + (1 + Sqrt[3])\*x^4)/(1 - x^4 + x^8), x]

[Out]  $-(\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/2 + (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/2 - (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2])/4 + (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2])/4$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rule 1161

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2
, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; Fre
eQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (
GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],
0]))
```

### Rule 1164

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e
+ q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^
2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c
*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

### Rule 1423

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c
*q*r), Int[(d*r - (d - e*q)*x^(n/2))/(q - r*x^(n/2) + x^n), x], x] + Dist[1
/(2*c*q*r), Int[(d*r + (d - e*q)*x^(n/2))/(q + r*x^(n/2) + x^n), x], x]] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[n/2, 0] && NegQ[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1 + (1 + \sqrt{3})x^4}{1 - x^4 + x^8} dx &= \frac{\int \frac{\sqrt{3} + \sqrt{3}x^2}{1 - \sqrt{3}x^2 + x^4} dx}{2\sqrt{3}} + \frac{\int \frac{\sqrt{3} - \sqrt{3}x^2}{1 + \sqrt{3}x^2 + x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{4} \int \frac{1}{1 - \sqrt{2 + \sqrt{3}}x + x^2} dx + \frac{1}{4} \int \frac{1}{1 + \sqrt{2 + \sqrt{3}}x + x^2} dx - \frac{1}{4} \sqrt{2 + \sqrt{3}} \int \frac{\sqrt{2 - \sqrt{3}}}{-1 - \sqrt{2 - \sqrt{3}}x + x^2} dx \\
&= -\frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right) + \frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 + \sqrt{2 - \sqrt{3}}x + x^2\right) - \frac{1}{2} \\
&\quad \frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} - 2x}{\sqrt{2 - \sqrt{3}}}\right) + \tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} + 2x}{\sqrt{2 - \sqrt{3}}}\right)}{2\sqrt{2 - \sqrt{3}}} - \frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right) +
\end{aligned}$$

**Mathematica [C]** time = 0.04, size = 72, normalized size = 0.44

$$\frac{1}{4} \text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{\sqrt{3}\#1^4 \log(x - \#1) + \#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 - \#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + (1 + Sqrt[3])\*x^4)/(1 - x^4 + x^8), x]

[Out] RootSum[1 - #1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]\*#1^4 + Sqrt[3]\*Log[x - #1]\*#1^4)/(-#1^3 + 2\*#1^7) & ]/4

**fricas [A]** time = 0.91, size = 111, normalized size = 0.68

$$\frac{1}{2} \sqrt{\sqrt{3} + 2} \arctan\left(x^3 \sqrt{\sqrt{3} + 2} - x \sqrt{\sqrt{3} + 2} (\sqrt{3} - 1)\right) + \frac{1}{2} \sqrt{\sqrt{3} + 2} \arctan\left(x \sqrt{\sqrt{3} + 2}\right) + \frac{1}{4} \sqrt{\sqrt{3} + 2} \log$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^4\*(1+3^(1/2)))/(x^8-x^4+1), x, algorithm="fricas")

[Out] 1/2\*sqrt(sqrt(3) + 2)\*arctan(x^3\*sqrt(sqrt(3) + 2) - x\*sqrt(sqrt(3) + 2)\*(sqrt(3) - 1)) + 1/2\*sqrt(sqrt(3) + 2)\*arctan(x\*sqrt(sqrt(3) + 2)) + 1/4\*sqrt(sqrt(3) + 2)\*log(-(x\*sqrt(sqrt(3) + 2)\*(sqrt(3) - 2) - x^2 - 1)/(x\*sqrt(sqrt(3) + 2)\*(sqrt(3) - 2) + x^2 + 1))

**giac** [A] time = 0.43, size = 123, normalized size = 0.75

$$\frac{1}{4}(\sqrt{6} + \sqrt{2}) \arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{4}(\sqrt{6} + \sqrt{2}) \arctan\left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{8}(\sqrt{6} + \sqrt{2}) \log\left(x^2 + \frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^4\*(1+3^(1/2)))/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/4\*(sqrt(6) + sqrt(2))\*arctan((4\*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/4\*(sqrt(6) + sqrt(2))\*arctan((4\*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/8\*(sqrt(6) + sqrt(2))\*log(x^2 + 1/2\*x\*(sqrt(6) - sqrt(2)) + 1) - 1/8\*(sqrt(6) + sqrt(2))\*log(x^2 - 1/2\*x\*(sqrt(6) - sqrt(2)) + 1)

**maple** [C] time = 0.04, size = 62, normalized size = 0.38

$$\frac{\left(2 \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^4 + 2\sqrt{3} \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^4 + \left(1 + \sqrt{3}\right)\left(\sqrt{3} - 1\right)\right) \ln\left(-\operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)\right)}{16 \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^7 - 8 \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x^4\*(1+3^(1/2)))/(x^8-x^4+1),x)

[Out] 1/8\*sum(1/(2\*\_R^7-\_R^3)\*(2\*\_R^4+2\*3^(1/2)\*\_R^4+(1+3^(1/2))\*(3^(1/2)-1))\*ln(-\_R+x),\_R=RootOf(-Z^8-Z^4+1))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(\sqrt{3} + 1) + 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^4\*(1+3^(1/2)))/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((x^4\*(sqrt(3) + 1) + 1)/(x^8 - x^4 + 1), x)

**mupad** [B] time = 2.19, size = 1, normalized size = 0.01

0

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(3^(1/2) + 1) + 1)/(x^8 - x^4 + 1),x)

[Out] 0

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x\*\*4\*(1+3\*\*(1/2)))/(x\*\*8-x\*\*4+1), x)

[Out] Exception raised: PolynomialError

$$3.33 \quad \int \frac{3-2\sqrt{3}+(-3+\sqrt{3})x^4}{1-x^4+x^8} dx$$

Optimal. Leaf size=180

$$\frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{2}\sqrt{3(2-\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}}{x}\right)$$

[Out] 1/2\*arctan((-2\*x+1/2\*6^(1/2)+1/2\*2^(1/2))/(1/2\*6^(1/2)-1/2\*2^(1/2)))\*(3/2\*2^(1/2)-1/2\*6^(1/2))-1/2\*arctan((2\*x+1/2\*6^(1/2)+1/2\*2^(1/2))/(1/2\*6^(1/2)-1/2\*2^(1/2)))\*(3/2\*2^(1/2)-1/2\*6^(1/2))+1/4\*ln(1+x^2-x\*(1/2\*6^(1/2)-1/2\*2^(1/2)))\*(3/2\*2^(1/2)-1/2\*6^(1/2))-1/4\*ln(1+x^2+x\*(1/2\*6^(1/2)-1/2\*2^(1/2)))\*(3/2\*2^(1/2)-1/2\*6^(1/2))

**Rubi [A]** time = 0.12, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1423, 1161, 618, 204, 1164, 628}

$$\frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{2}\sqrt{3(2-\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}}{x}\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - 2\*Sqrt[3] + (-3 + Sqrt[3])\*x^4)/(1 - x^4 + x^8), x]

[Out] (Sqrt[3\*(2 - Sqrt[3])]\*ArcTan[(Sqrt[2 + Sqrt[3]] - 2\*x)/Sqrt[2 - Sqrt[3]]])/2 - (Sqrt[3\*(2 - Sqrt[3])]\*ArcTan[(Sqrt[2 + Sqrt[3]] + 2\*x)/Sqrt[2 - Sqrt[3]]])/2 + (Sqrt[3\*(2 - Sqrt[3])]\*Log[1 - Sqrt[2 - Sqrt[3]]\*x + x^2])/4 - (Sqrt[3\*(2 - Sqrt[3])]\*Log[1 + Sqrt[2 - Sqrt[3]]\*x + x^2])/4

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

#### Rule 628



```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rule 1161

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2
, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; Fre
eQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (
GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2],
0]))
```

### Rule 1164

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e
+ q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^
2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c
*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

### Rule 1423

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c
*q*r), Int[(d*r - (d - e*q)*x^(n/2))/(q - r*x^(n/2) + x^n), x], x] + Dist[1
/(2*c*q*r), Int[(d*r + (d - e*q)*x^(n/2))/(q + r*x^(n/2) + x^n), x], x]]] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[n/2, 0] && NegQ[b^2 - 4*a*c]
```

### Rubi steps

$$\begin{aligned}
\int \frac{3 - 2\sqrt{3} + (-3 + \sqrt{3})x^4}{1 - x^4 + x^8} dx &= \frac{\int \frac{\sqrt{3}(3-2\sqrt{3}) + (-6+3\sqrt{3})x^2}{1-\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} + \frac{\int \frac{\sqrt{3}(3-2\sqrt{3}) + (6-3\sqrt{3})x^2}{1+\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} \\
&= \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \int \frac{\sqrt{2-\sqrt{3}} + 2x}{-1-\sqrt{2-\sqrt{3}}x-x^2} dx + \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \int \frac{\sqrt{2-\sqrt{3}}}{-1+\sqrt{2-\sqrt{3}}x-x^2} dx \\
&= \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right) - \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \log\left(1+\sqrt{2-\sqrt{3}}x-x^2\right) \\
&= \frac{1}{2}\sqrt{6-3\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right) - \frac{1}{2}\sqrt{6-3\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}+2x}{\sqrt{2-\sqrt{3}}}\right)
\end{aligned}$$

**Mathematica** [C] time = 0.05, size = 89, normalized size = 0.49

$$\frac{1}{4}\text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{\sqrt{3}\#1^4 \log(x - \#1) - 3\#1^4 \log(x - \#1) - 2\sqrt{3} \log(x - \#1) + 3 \log(x - \#1)}{2\#1^7 - \#1^3} \& \right]$$

Antiderivative was successfully verified.

[In] Integrate[(3 - 2\*Sqrt[3] + (-3 + Sqrt[3])\*x^4)/(1 - x^4 + x^8), x]

[Out] RootSum[1 - #1^4 + #1^8 &, (3\*Log[x - #1] - 2\*Sqrt[3]\*Log[x - #1] - 3\*Log[x - #1]\*#1^4 + Sqrt[3]\*Log[x - #1]\*#1^4)/(-#1^3 + 2\*#1^7) & ]/4

**fricas** [A] time = 0.88, size = 141, normalized size = 0.78

$$-\frac{1}{2}\sqrt{-3\sqrt{3}+6} \arctan\left(\frac{1}{3}x^3(2\sqrt{3}+3)\sqrt{-3\sqrt{3}+6} - \frac{1}{3}x(\sqrt{3}+3)\sqrt{-3\sqrt{3}+6}\right) - \frac{1}{2}\sqrt{-3\sqrt{3}+6} \arctan\left(\frac{1}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x^4\*(-3+3^(1/2))-2\*3^(1/2))/(x^8-x^4+1),x, algorithm="fricas")

[Out] -1/2\*sqrt(-3\*sqrt(3) + 6)\*arctan(1/3\*x^3\*(2\*sqrt(3) + 3)\*sqrt(-3\*sqrt(3) + 6) - 1/3\*x\*(sqrt(3) + 3)\*sqrt(-3\*sqrt(3) + 6)) - 1/2\*sqrt(-3\*sqrt(3) + 6)\*arctan(1/3\*x\*(2\*sqrt(3) + 3)\*sqrt(-3\*sqrt(3) + 6)) + 1/4\*sqrt(-3\*sqrt(3) + 6)\*log((3\*x^2 - sqrt(3)\*x\*sqrt(-3\*sqrt(3) + 6) + 3)/(3\*x^2 + sqrt(3)\*x\*sqrt(-3\*sqrt(3) + 6) + 3))

**giac [A]** time = 0.45, size = 131, normalized size = 0.73

$$\frac{1}{4}(\sqrt{6} - 3\sqrt{2})\arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{4}(\sqrt{6} - 3\sqrt{2})\arctan\left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{8}(\sqrt{6} - 3\sqrt{2})\log(x^2 + 1) - \frac{1}{8}(\sqrt{6} - 3\sqrt{2})\log(x^2 - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x^4\*(-3+3^(1/2))-2\*3^(1/2))/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/4\*(sqrt(6) - 3\*sqrt(2))\*arctan((4\*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/4\*(sqrt(6) - 3\*sqrt(2))\*arctan((4\*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/8\*(sqrt(6) - 3\*sqrt(2))\*log(x^2 + 1/2\*x\*(sqrt(6) - sqrt(2)) + 1) - 1/8\*(sqrt(6) - 3\*sqrt(2))\*log(x^2 - 1/2\*x\*(sqrt(6) - sqrt(2)) + 1)

**maple [C]** time = 0.01, size = 62, normalized size = 0.34

$$\frac{(-6\operatorname{RootOf}(-Z^8 - Z^4 + 1)^4 + 2\sqrt{3}\operatorname{RootOf}(-Z^8 - Z^4 + 1)^4 + (-3 + \sqrt{3})(\sqrt{3} - 1))\ln(-\operatorname{RootOf}(-Z^8 - Z^4 + 1))}{16\operatorname{RootOf}(-Z^8 - Z^4 + 1)^7 - 8\operatorname{RootOf}(-Z^8 - Z^4 + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3+x^4\*(-3+3^(1/2))-2\*3^(1/2))/(x^8-x^4+1),x)

[Out] 1/8\*sum(1/(2\*\_R^7-\_R^3)\*(-6\*\_R^4+2\*3^(1/2)\*\_R^4+(-3+3^(1/2))\*(3^(1/2)-1))\*ln(-\_R+x),\_R=RootOf(-Z^8-Z^4+1))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(\sqrt{3} - 3) - 2\sqrt{3} + 3}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x^4\*(-3+3^(1/2))-2\*3^(1/2))/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((x^4\*(sqrt(3) - 3) - 2\*sqrt(3) + 3)/(x^8 - x^4 + 1), x)

**mupad [B]** time = 2.23, size = 1, normalized size = 0.01

0

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4\*(3^(1/2) - 3) - 2\*3^(1/2) + 3)/(x^8 - x^4 + 1),x)

[Out] 0

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x\*\*4\*(-3+3\*\*(1/2))-2\*3\*\*(1/2))/(x\*\*8-x\*\*4+1),x)

[Out] Exception raised: PolynomialError

$$3.34 \quad \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2}} dx$$

Optimal. Leaf size=49

$$-\frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} + \frac{dx}{c}$$

[Out]  $d*x/c + 1/2*e*\ln(c*x^2+a)/c - d*\arctan(x*c^{(1/2)}/a^{(1/2)})*a^{(1/2)}/c^{(3/2)}$

**Rubi [A]** time = 0.03, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {1394, 774, 635, 205, 260}

$$-\frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} + \frac{dx}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x)/(c + a/x^2), x]

[Out]  $(d*x)/c - (\text{Sqrt}[a]*d*\text{ArcTan}[(\text{Sqrt}[c]*x)/\text{Sqrt}[a]])/c^{(3/2)} + (e*\text{Log}[a + c*x^2])/ (2*c)$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 260

Int[(x\_)^(m\_.)/((a\_) + (b\_.)\*(x\_)^(n\_.)), x\_Symbol] :> Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

#### Rule 635

Int[((d\_) + (e\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Dist[d, Int[1/(a + c\*x^2), x], x] + Dist[e, Int[x/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a\*c)]

#### Rule 774

Int[((d\_.) + (e\_.)\*(x\_))\*((f\_) + (g\_.)\*(x\_))/((a\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Simp[(e\*g\*x)/c, x] + Dist[1/c, Int[(c\*d\*f - a\*e\*g + c\*(e\*f + d\*g))\*x

)/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

### Rule 1394

Int[((a\_) + (c\_)\*(x\_)^(n2\_))^(p\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[x^(n\*(2\*p + q))\*(e + d/x^n)^q\*(c + a/x^(2\*n))^p, x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && IntegersQ[p, q] && NegQ[n]

### Rubi steps

$$\begin{aligned} \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2}} dx &= \int \frac{x(e + dx)}{a + cx^2} dx \\ &= \frac{dx}{c} + \frac{\int \frac{-ad+cx}{a+cx^2} dx}{c} \\ &= \frac{dx}{c} - \frac{(ad) \int \frac{1}{a+cx^2} dx}{c} + e \int \frac{x}{a + cx^2} dx \\ &= \frac{dx}{c} - \frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} \end{aligned}$$

**Mathematica** [A] time = 0.02, size = 49, normalized size = 1.00

$$-\frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} + \frac{dx}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x)/(c + a/x^2), x]

[Out] (d\*x)/c - (Sqrt[a]\*d\*ArcTan[(Sqrt[c]\*x)/Sqrt[a]])/c^(3/2) + (e\*Log[a + c\*x^2])/(2\*c)

**fricas** [A] time = 0.88, size = 108, normalized size = 2.20

$$\left[ \frac{d\sqrt{-\frac{a}{c}} \log\left(\frac{cx^2 - 2cx\sqrt{-\frac{a}{c}} - a}{cx^2 + a}\right) + 2dx + e \log(cx^2 + a)}{2c}, -\frac{2d\sqrt{\frac{a}{c}} \arctan\left(\frac{cx\sqrt{\frac{a}{c}}}{a}\right) - 2dx - e \log(cx^2 + a)}{2c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2),x, algorithm="fricas")

[Out] [1/2\*(d\*sqrt(-a/c)\*log((c\*x^2 - 2\*c\*x\*sqrt(-a/c) - a)/(c\*x^2 + a)) + 2\*d\*x + e\*log(c\*x^2 + a))/c, -1/2\*(2\*d\*sqrt(a/c)\*arctan(c\*x\*sqrt(a/c)/a) - 2\*d\*x - e\*log(c\*x^2 + a))/c]

**giac** [A] time = 0.27, size = 43, normalized size = 0.88

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{ac} c} + \frac{dx}{c} + \frac{e \log(cx^2 + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2),x, algorithm="giac")

[Out] -a\*d\*arctan(c\*x/sqrt(a\*c))/(sqrt(a\*c)\*c) + d\*x/c + 1/2\*e\*log(c\*x^2 + a)/c

**maple** [A] time = 0.01, size = 43, normalized size = 0.88

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{ac} c} + \frac{dx}{c} + \frac{e \ln(cx^2 + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x)/(c+a/x^2),x)

[Out] d\*x/c+1/2\*e\*ln(c\*x^2+a)/c-1/c\*a\*d/(a\*c)^(1/2)\*arctan(c\*x/(a\*c)^(1/2))

**maxima** [A] time = 1.62, size = 42, normalized size = 0.86

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{ac} c} + \frac{dx}{c} + \frac{e \log(cx^2 + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2),x, algorithm="maxima")

[Out] -a\*d\*arctan(c\*x/sqrt(a\*c))/(sqrt(a\*c)\*c) + d\*x/c + 1/2\*e\*log(c\*x^2 + a)/c

**mupad** [B] time = 1.59, size = 39, normalized size = 0.80

$$\frac{e \ln(cx^2 + a)}{2c} + \frac{dx}{c} - \frac{\sqrt{a} d \operatorname{atan}\left(\frac{\sqrt{c} x}{\sqrt{a}}\right)}{c^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e/x)/(c + a/x^2),x)`

[Out]  $(e \cdot \log(a + c \cdot x^2)) / (2 \cdot c) + (d \cdot x) / c - (a^{1/2} \cdot d \cdot \operatorname{atan}((c^{1/2} \cdot x) / a^{1/2})) / c^{3/2}$

**sympy [B]** time = 0.28, size = 112, normalized size = 2.29

$$\left(\frac{e}{2c} - \frac{d\sqrt{-ac^3}}{2c^3}\right) \log\left(x + \frac{-2c\left(\frac{e}{2c} - \frac{d\sqrt{-ac^3}}{2c^3}\right) + e}{d}\right) + \left(\frac{e}{2c} + \frac{d\sqrt{-ac^3}}{2c^3}\right) \log\left(x + \frac{-2c\left(\frac{e}{2c} + \frac{d\sqrt{-ac^3}}{2c^3}\right) + e}{d}\right) + \frac{dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x)/(c+a/x**2),x)`

[Out]  $(e/(2 \cdot c) - d \cdot \sqrt{-a \cdot c^3} / (2 \cdot c^3)) \cdot \log(x + (-2 \cdot c \cdot (e/(2 \cdot c) - d \cdot \sqrt{-a \cdot c^3} / (2 \cdot c^3)) + e) / d) + (e/(2 \cdot c) + d \cdot \sqrt{-a \cdot c^3} / (2 \cdot c^3)) \cdot \log(x + (-2 \cdot c \cdot (e/(2 \cdot c) + d \cdot \sqrt{-a \cdot c^3} / (2 \cdot c^3)) + e) / d) + d \cdot x / c$



$$3.35 \quad \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2} + \frac{b}{x}} dx$$

**Optimal.** Leaf size=86

$$-\frac{(-2acd + b^2d - bce) \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{c^2\sqrt{b^2-4ac}} - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} + \frac{dx}{c}$$

[Out] d\*x/c-1/2\*(b\*d-c\*e)\*ln(c\*x^2+b\*x+a)/c^2-(-2\*a\*c\*d+b^2\*d-b\*c\*e)\*arctanh((2\*c\*x+b)/(-4\*a\*c+b^2)^(1/2))/c^2/(-4\*a\*c+b^2)^(1/2)

**Rubi [A]** time = 0.08, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1393, 773, 634, 618, 206, 628}

$$-\frac{(-2acd + b^2d - bce) \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{c^2\sqrt{b^2-4ac}} - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} + \frac{dx}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x)/(c + a/x^2 + b/x), x]

[Out] (d\*x)/c - ((b^2\*d - 2\*a\*c\*d - b\*c\*e)\*ArcTanh[(b + 2\*c\*x)/Sqrt[b^2 - 4\*a\*c]])/(c^2\*Sqrt[b^2 - 4\*a\*c]) - ((b\*d - c\*e)\*Log[a + b\*x + c\*x^2])/(2\*c^2)

**Rule 206**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 618**

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

**Rule 628**

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 773

```
Int[(((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (c*e*f + c*d*g - b*e*g)*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 1393

```
Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.)*((d_) + (e_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[x^(n*(2*p + q))*(e + d/x^n)^q*(c + b/x^n + a/x^(2*n))^p, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegersQ[p, q] && NegQ[n]
```

Rubi steps

$$\begin{aligned}
 \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2} + \frac{b}{x}} dx &= \int \frac{x(e + dx)}{a + bx + cx^2} dx \\
 &= \frac{dx}{c} + \frac{\int \frac{-ad + (-bd + ce)x}{a + bx + cx^2} dx}{c} \\
 &= \frac{dx}{c} - \frac{(bd - ce) \int \frac{b + 2cx}{a + bx + cx^2} dx}{2c^2} + \frac{(b^2d - 2acd - bce) \int \frac{1}{a + bx + cx^2} dx}{2c^2} \\
 &= \frac{dx}{c} - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} - \frac{(b^2d - 2acd - bce) \text{Subst}\left(\int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx\right)}{c^2} \\
 &= \frac{dx}{c} - \frac{(b^2d - 2acd - bce) \tanh^{-1}\left(\frac{b + 2cx}{\sqrt{b^2 - 4ac}}\right)}{c^2 \sqrt{b^2 - 4ac}} - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2}
 \end{aligned}$$

**Mathematica** [A] time = 0.09, size = 86, normalized size = 1.00

$$\frac{2(-2acd + b^2d - bce) \tan^{-1}\left(\frac{b + 2cx}{\sqrt{4ac - b^2}}\right) + (ce - bd) \log(a + x(b + cx)) + 2cdx}{2c^2 \sqrt{4ac - b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x)/(c + a/x^2 + b/x), x]

[Out]  $(2cx + (b^2d - 2ac*d - bce) \operatorname{ArcTan}[(b + 2cx)/\sqrt{-b^2 + 4ac}]) / \sqrt{-b^2 + 4ac} + ((-bd) + ce) \operatorname{Log}[a + x(b + cx)] / (2c^2)$

**fricas** [A] time = 0.84, size = 291, normalized size = 3.38

$$\frac{2(b^2c - 4ac^2)dx + (bce - (b^2 - 2ac)d)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^2 + 2bcx + b^2 - 2ac + \sqrt{b^2 - 4ac}(2cx + b)}{cx^2 + bx + a}\right) - ((b^3 - 4abc)d - (b^2c - 4ac^2)e) \operatorname{Log}[a + x(b + cx)]}{2(b^2c^2 - 4ac^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2+b/x), x, algorithm="fricas")

[Out]  $[1/2*(2*(b^2*c - 4*a*c^2)*d*x + (b*c*e - (b^2 - 2*a*c)*d)*\operatorname{sqrt}(b^2 - 4*a*c) * \log((2*c^2*x^2 + 2*b*c*x + b^2 - 2*a*c + \operatorname{sqrt}(b^2 - 4*a*c)*(2*c*x + b))/(c*x^2 + b*x + a)) - ((b^3 - 4*a*b*c)*d - (b^2*c - 4*a*c^2)*e) * \log(c*x^2 + b*x + a)] / (b^2*c^2 - 4*a*c^3), 1/2*(2*(b^2*c - 4*a*c^2)*d*x + 2*(b*c*e - (b^2 - 2*a*c)*d)*\operatorname{sqrt}(-b^2 + 4*a*c) * \operatorname{arctan}(-\operatorname{sqrt}(-b^2 + 4*a*c)*(2*c*x + b)/(b^2 - 4*a*c)) - ((b^3 - 4*a*b*c)*d - (b^2*c - 4*a*c^2)*e) * \log(c*x^2 + b*x + a)] / (b^2*c^2 - 4*a*c^3]$

**giac** [A] time = 0.32, size = 85, normalized size = 0.99

$$\frac{dx}{c} - \frac{(bd - ce) \log(cx^2 + bx + a)}{2c^2} + \frac{(b^2d - 2acd - bce) \operatorname{arctan}\left(\frac{2cx + b}{\sqrt{-b^2 + 4ac}}\right)}{\sqrt{-b^2 + 4ac} c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2+b/x), x, algorithm="giac")

[Out]  $d*x/c - 1/2*(b*d - c*e) * \log(c*x^2 + b*x + a) / c^2 + (b^2*d - 2*a*c*d - b*c*e) * \operatorname{arctan}((2*c*x + b) / \operatorname{sqrt}(-b^2 + 4*a*c)) / (\operatorname{sqrt}(-b^2 + 4*a*c) * c^2)$

**maple** [A] time = 0.00, size = 161, normalized size = 1.87

$$\frac{2ad \operatorname{arctan}\left(\frac{2cx + b}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2} c} + \frac{b^2d \operatorname{arctan}\left(\frac{2cx + b}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2} c^2} - \frac{be \operatorname{arctan}\left(\frac{2cx + b}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2} c} - \frac{bd \ln(cx^2 + bx + a)}{2c^2} + \frac{dx}{c} + \frac{e \ln(cx^2 + bx + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e/x)/(c+a/x^2+b/x),x)`

[Out]  $\frac{1}{c}d*x-1/2/c^2*\ln(c*x^2+b*x+a)*b*d+1/2/c*\ln(c*x^2+b*x+a)*e-2/c/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x+b)/(4*a*c-b^2)^{(1/2)})*a*d+1/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x+b)/(4*a*c-b^2)^{(1/2)})*b^2*d-1/c/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x+b)/(4*a*c-b^2)^{(1/2)})*b*e$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x)/(c+a/x^2+b/x),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a\*c-b^2>0)', see `assume?` for more details)Is 4\*a\*c-b^2 positive or negative?

**mupad** [B] time = 1.77, size = 127, normalized size = 1.48

$$\frac{\ln(cx^2 + bx + a) (db^3 - eb^2c - 4adb c + 4aec^2)}{2(4ac^3 - b^2c^2)} + \frac{dx}{c} - \frac{\operatorname{atan}\left(\frac{b}{\sqrt{4ac-b^2}} + \frac{2cx}{\sqrt{4ac-b^2}}\right) (-db^2 + ceb + 2acd)}{c^2\sqrt{4ac-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e/x)/(c + a/x^2 + b/x),x)`

[Out]  $(\log(a + b*x + c*x^2)*(b^3*d + 4*a*c^2*e - b^2*c*e - 4*a*b*c*d))/(2*(4*a*c^3 - b^2*c^2)) + (d*x)/c - (\operatorname{atan}(b/(4*a*c - b^2)^{(1/2)} + (2*c*x)/(4*a*c - b^2)^{(1/2)})*(2*a*c*d - b^2*d + b*c*e))/(c^2*(4*a*c - b^2)^{(1/2)})$

**sympy** [B] time = 1.37, size = 423, normalized size = 4.92

$$\left( -\frac{\sqrt{-4ac + b^2} (2acd - b^2d + bce)}{2c^2(4ac - b^2)} - \frac{bd - ce}{2c^2} \right) \log \left( x + \frac{-abd - 4ac^2 \left( -\frac{\sqrt{-4ac + b^2} (2acd - b^2d + bce)}{2c^2(4ac - b^2)} - \frac{bd - ce}{2c^2} \right) + 2ace + b^2c}{2acd - b^2d + bce} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x)/(c+a/x**2+b/x),x)`

[Out]  $(-\sqrt{-4*a*c + b**2}*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c*e)/(2*c**2))*\log(x + (-a*b*d - 4*a*c**2*(-\sqrt{-4*a*c + b**2})*(2*a$

$$\begin{aligned}
& *c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c*e)/(2*c**2)) + 2* \\
& a*c*e + b**2*c*(-sqrt(-4*a*c + b**2)*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4* \\
& a*c - b**2)) - (b*d - c*e)/(2*c**2)))/(2*a*c*d - b**2*d + b*c*e) + (sqrt(- \\
& 4*a*c + b**2)*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c \\
& *e)/(2*c**2))*log(x + (-a*b*d - 4*a*c**2*(sqrt(-4*a*c + b**2)*(2*a*c*d - b* \\
& **2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c*e)/(2*c**2)) + 2*a*c*e + b \\
& **2*c*(sqrt(-4*a*c + b**2)*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2 \\
& )) - (b*d - c*e)/(2*c**2)))/(2*a*c*d - b**2*d + b*c*e) + d*x/c
\end{aligned}$$

$$3.36 \quad \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4}} dx$$

**Optimal.** Leaf size=253

$$\frac{(\sqrt{a}d + \sqrt{c}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} - \frac{(\sqrt{a}d + \sqrt{c}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} + \frac{(\sqrt{a}d - \sqrt{c}e)}{2\sqrt{2} \sqrt[4]{a} c^{5/4}}$$

[Out] d\*x/c-1/4\*arctan(-1+c^(1/4)\*x\*2^(1/2)/a^(1/4))\*(d\*a^(1/2)-e\*c^(1/2))/a^(1/4)/c^(5/4)\*2^(1/2)-1/4\*arctan(1+c^(1/4)\*x\*2^(1/2)/a^(1/4))\*(d\*a^(1/2)-e\*c^(1/2))/a^(1/4)/c^(5/4)\*2^(1/2)+1/8\*ln(-a^(1/4)\*c^(1/4)\*x\*2^(1/2)+a^(1/2)+x^2\*c^(1/2))\*(d\*a^(1/2)+e\*c^(1/2))/a^(1/4)/c^(5/4)\*2^(1/2)-1/8\*ln(a^(1/4)\*c^(1/4)\*x\*2^(1/2)+a^(1/2)+x^2\*c^(1/2))\*(d\*a^(1/2)+e\*c^(1/2))/a^(1/4)/c^(5/4)\*2^(1/2)

**Rubi [A]** time = 0.21, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {1394, 1280, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{a}d + \sqrt{c}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} - \frac{(\sqrt{a}d + \sqrt{c}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} + \frac{(\sqrt{a}d - \sqrt{c}e)}{2\sqrt{2} \sqrt[4]{a} c^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^2)/(c + a/x^4), x]

[Out] (d\*x)/c + ((Sqrt[a]\*d - Sqrt[c]\*e)\*ArcTan[1 - (Sqrt[2]\*c^(1/4)\*x)/a^(1/4)])/(2\*Sqrt[2]\*a^(1/4)\*c^(5/4)) - ((Sqrt[a]\*d - Sqrt[c]\*e)\*ArcTan[1 + (Sqrt[2]\*c^(1/4)\*x)/a^(1/4)])/(2\*Sqrt[2]\*a^(1/4)\*c^(5/4)) + ((Sqrt[a]\*d + Sqrt[c]\*e)\*Log[Sqrt[a] - Sqrt[2]\*a^(1/4)\*c^(1/4)\*x + Sqrt[c]\*x^2])/(4\*Sqrt[2]\*a^(1/4)\*c^(5/4)) - ((Sqrt[a]\*d + Sqrt[c]\*e)\*Log[Sqrt[a] + Sqrt[2]\*a^(1/4)\*c^(1/4)\*x + Sqrt[c]\*x^2])/(4\*Sqrt[2]\*a^(1/4)\*c^(5/4))

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 617

Int[((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := With[{q = 1 - 4\*Simplify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b

], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 1162

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[(2\*d)/e, 2]}, Dist[e/(2\*c), Int[1/Simp[d/e + q\*x + x^2, x], x] + Dist[e/(2\*c), Int[1/Simp[d/e - q\*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && PosQ[d\*e]

### Rule 1165

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[(-2\*d)/e, 2]}, Dist[e/(2\*c\*q), Int[(q - 2\*x)/Simp[d/e + q\*x - x^2, x], x] + Dist[e/(2\*c\*q), Int[(q + 2\*x)/Simp[d/e - q\*x - x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[c\*d^2 - a\*e^2, 0] && NegQ[d\*e]

### Rule 1168

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[a\*c, 2]}, Dist[(d\*q + a\*e)/(2\*a\*c), Int[(q + c\*x^2)/(a + c\*x^4), x], x] + Dist[(d\*q - a\*e)/(2\*a\*c), Int[(q - c\*x^2)/(a + c\*x^4), x], x]] /; FreeQ[{a, c, d, e}, x] && NeQ[c\*d^2 + a\*e^2, 0] && NeQ[c\*d^2 - a\*e^2, 0] && NegQ[-(a\*c)]

### Rule 1280

Int[((f\_)\*(x\_)^m)\*((d\_) + (e\_)\*(x\_)^2)\*((a\_) + (c\_)\*(x\_)^4)^p, x\_Symbol] := Simp[(e\*f\*(f\*x)^(m-1)\*(a + c\*x^4)^(p+1))/(c\*(m+4\*p+3)), x] - Dist[f^2/(c\*(m+4\*p+3)), Int[(f\*x)^(m-2)\*(a + c\*x^4)^p\*(a\*e\*(m-1) - c\*d\*(m+4\*p+3)\*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m+4\*p+3, 0] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

### Rule 1394

Int[((a\_) + (c\_)\*(x\_)^(n2\_))^(p\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[x^(n\*(2\*p+q))\*(e + d/x^n)^q\*(c + a/x^(2\*n))^p, x] /; FreeQ[{a,

c, d, e, n}, x] && EqQ[n2, 2\*n] && IntegersQ[p, q] && NegQ[n]

### Rubi steps

$$\begin{aligned}
 \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4}} dx &= \int \frac{x^2(e + dx^2)}{a + cx^4} dx \\
 &= \frac{dx}{c} - \frac{\int \frac{ad - cex^2}{a + cx^4} dx}{c} \\
 &= \frac{dx}{c} - \frac{\left(\frac{\sqrt{a}d}{\sqrt{c}} - e\right) \int \frac{\sqrt{a}\sqrt{c} + cx^2}{a + cx^4} dx}{2c} - \frac{\left(\frac{\sqrt{a}d}{\sqrt{c}} + e\right) \int \frac{\sqrt{a}\sqrt{c} - cx^2}{a + cx^4} dx}{2c} \\
 &= \frac{dx}{c} - \frac{\left(\frac{\sqrt{a}d}{\sqrt{c}} - e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c} - \frac{\left(\frac{\sqrt{a}d}{\sqrt{c}} + e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}} + x^2} dx}{4c} + \frac{(\sqrt{a}d + \sqrt{c}e) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}} + 2x}{-\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x}{\sqrt[4]{c}}} dx}{4\sqrt{2}\sqrt[4]{a}c^{5/4}} \\
 &= \frac{dx}{c} + \frac{(\sqrt{a}d + \sqrt{c}e) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}\sqrt[4]{a}c^{5/4}} - \frac{(\sqrt{a}d + \sqrt{c}e) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}\sqrt[4]{a}c^{5/4}} \\
 &= \frac{dx}{c} + \frac{(\sqrt{a}d - \sqrt{c}e) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}c^{5/4}} - \frac{(\sqrt{a}d - \sqrt{c}e) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}c^{5/4}} + \frac{(\sqrt{a}d + \sqrt{c}e) \log\left(\frac{a^{3/4}}{4\sqrt{2}\sqrt[4]{a}c^{5/4}}\right)}{4}
 \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 293, normalized size = 1.16

$$\frac{(a^{5/4}\sqrt{c}d + a^{3/4}ce) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}ac^{7/4}} - \frac{(a^{5/4}\sqrt{c}d + a^{3/4}ce) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}ac^{7/4}} + \frac{a^{3/4}}{4}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^2)/(c + a/x^4), x]

[Out] (d\*x)/c + ((-(a^(5/4)\*Sqrt[c]\*d) + a^(3/4)\*c\*e)\*ArcTan[(-(Sqrt[2]\*a^(1/4)) + 2\*c^(1/4)\*x)/(Sqrt[2]\*a^(1/4))]/(2\*Sqrt[2]\*a\*c^(7/4)) + ((-(a^(5/4)\*Sqrt[c]\*d) + a^(3/4)\*c\*e)\*ArcTan[(Sqrt[2]\*a^(1/4) + 2\*c^(1/4)\*x)/(Sqrt[2]\*a^(1/4))]/(2\*Sqrt[2]\*a\*c^(7/4)) + ((a^(5/4)\*Sqrt[c]\*d + a^(3/4)\*c\*e)\*Log[Sqrt[a] - Sqrt[2]\*a^(1/4)\*c^(1/4)\*x + Sqrt[c]\*x^2]/(4\*Sqrt[2]\*a\*c^(7/4)) - ((a^(5/4)\*Sqrt[c]\*d + a^(3/4)\*c\*e)\*Log[Sqrt[a] + Sqrt[2]\*a^(1/4)\*c^(1/4)\*x + Sqrt[c]\*x^2]/(4\*Sqrt[2]\*a\*c^(7/4))



**fricas [B]** time = 0.88, size = 754, normalized size = 2.98

$$c \sqrt{\frac{c^2 \sqrt{\frac{-a^2 d^4 - 2acd^2 e^2 + c^2 e^4}{ac^5}} + 2de}{c^2}} \log \left( -(a^2 d^4 - c^2 e^4)x + \left( ac^4 e \sqrt{\frac{-a^2 d^4 - 2acd^2 e^2 + c^2 e^4}{ac^5}} + a^2 cd^3 - ac^2 de^2 \right) \sqrt{\frac{c^2 \sqrt{\frac{-a^2 d^4 - 2acd^2 e^2}{ac^5}}}{c^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4),x, algorithm="fricas")

[Out]  $\frac{1}{4} * (c * \sqrt{c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5)} + 2 * d * e) / c^2 * \log(-(a^2 * d^4 - c^2 * e^4) * x + (a * c^4 * e * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) + a^2 * c * d^3 - a * c^2 * d * e^2) * \sqrt{(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) + 2 * d * e) / c^2}) - c * \sqrt{(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) + 2 * d * e) / c^2} * \log(-(a^2 * d^4 - c^2 * e^4) * x - (a * c^4 * e * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) + a^2 * c * d^3 - a * c^2 * d * e^2) * \sqrt{(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) + 2 * d * e) / c^2}) - c * \sqrt{-(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) - 2 * d * e) / c^2} * \log(-(a^2 * d^4 - c^2 * e^4) * x + (a * c^4 * e * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) - a^2 * c * d^3 + a * c^2 * d * e^2) * \sqrt{-(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) - 2 * d * e) / c^2}) + c * \sqrt{-(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) - 2 * d * e) / c^2} * \log(-(a^2 * d^4 - c^2 * e^4) * x - (a * c^4 * e * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) - a^2 * c * d^3 + a * c^2 * d * e^2) * \sqrt{-(c^2 * \sqrt{-(a^2 * d^4 - 2 * a * c * d^2 * e^2 + c^2 * e^4)} / (a * c^5) - 2 * d * e) / c^2}) + 4 * d * x) / c$

**giac [A]** time = 0.35, size = 247, normalized size = 0.98

$$\frac{dx}{c} - \frac{\sqrt{2} \left( (ac^3)^{\frac{1}{4}} acd - (ac^3)^{\frac{3}{4}} e \right) \arctan \left( \frac{\sqrt{2} \left( 2x + \sqrt{2} \left( \frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left( \frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4ac^3} - \frac{\sqrt{2} \left( (ac^3)^{\frac{1}{4}} acd - (ac^3)^{\frac{3}{4}} e \right) \arctan \left( \frac{\sqrt{2} \left( 2x - \sqrt{2} \left( \frac{a}{c} \right)^{\frac{1}{4}} \right)}{2 \left( \frac{a}{c} \right)^{\frac{1}{4}}} \right)}{4ac^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4),x, algorithm="giac")

[Out]  $d * x / c - \frac{1}{4} * \sqrt{2} * ((a * c^3)^{\frac{1}{4}} * a * c * d - (a * c^3)^{\frac{3}{4}} * e) * \arctan(1/2 * \sqrt{2} * (2 * x + \sqrt{2} * (a / c)^{\frac{1}{4}}) / (a / c)^{\frac{1}{4}}) / (a * c^3) - \frac{1}{4} * \sqrt{2} * ((a * c^3)^{\frac{1}{4}} * a * c * d - (a * c^3)^{\frac{3}{4}} * e) * \arctan(1/2 * \sqrt{2} * (2 * x - \sqrt{2} * (a / c)^{\frac{1}{4}}) / (a / c)^{\frac{1}{4}}) / (a * c^3) - \frac{1}{8} * \sqrt{2} * ((a * c^3)^{\frac{1}{4}} * a * c * d + (a * c^3)^{\frac{3}{4}} * e) * \log(x^2 + \sqrt{2} * x * (a / c)^{\frac{1}{4}} + \sqrt{a / c}) / (a * c^3) + \frac{1}{8} * \sqrt{2} * ((a * c^3)^{\frac{1}{4}} * a * c * d + (a * c^3)^{\frac{3}{4}} * e) * \log(x^2 - \sqrt{2} * x * (a / c)^{\frac{1}{4}} + \sqrt{a / c}) / (a * c^3)$

**maple [A]** time = 0.01, size = 266, normalized size = 1.05

$$\frac{dx}{c} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} - 1\right)}{4c} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} + 1\right)}{4c} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x + \sqrt{\frac{a}{c}}}\right)}{8c} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4\left(\frac{a}{c}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^2)/(c+a/x^4), x)

[Out]  $\frac{1}{c} d x - \frac{1}{4c} d \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} x - 1\right) - \frac{1}{8c} d \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln\left(\frac{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{c}\right)^{\frac{1}{2}}}{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{c}\right)^{\frac{1}{2}}}\right) - \frac{1}{4c} d \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} x + 1\right) + \frac{1}{8c} e \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \ln\left(\frac{x^2 - \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{c}\right)^{\frac{1}{2}}}{x^2 + \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} x + \left(\frac{a}{c}\right)^{\frac{1}{2}}}\right) + \frac{1}{4c} e \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} x + 1\right) + \frac{1}{4c} e \left(\frac{a}{c}\right)^{\frac{1}{4}} 2^{\frac{1}{2}} \arctan\left(\frac{2^{\frac{1}{2}}}{\left(\frac{a}{c}\right)^{\frac{1}{4}}} x - 1\right)$

**maxima [A]** time = 1.30, size = 240, normalized size = 0.95

$$\frac{dx}{c} - \frac{2\sqrt{2}(a\sqrt{c}d - \sqrt{a}ce) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{2\sqrt{2}(a\sqrt{c}d - \sqrt{a}ce) \arctan\left(\frac{\sqrt{2}\left(2\sqrt{c}x - \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}\right)}{2\sqrt{\sqrt{a}\sqrt{c}}}\right)}{\sqrt{a}\sqrt{\sqrt{a}\sqrt{c}\sqrt{c}}} + \frac{\sqrt{2}(a\sqrt{c}d + \sqrt{a}ce) \log\left(\sqrt{c}x^2 + \sqrt{2}a^{\frac{1}{4}}c^{\frac{1}{4}}x + \sqrt{a}\right)}{8c \frac{3}{a^{\frac{3}{4}}c^{\frac{3}{4}}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4), x, algorithm="maxima")

[Out]  $d x / c - \frac{1}{8} \left( 2 \sqrt{2} \left( a \sqrt{c} d - \sqrt{a} c e \right) \arctan\left(\frac{1}{2} \sqrt{2} \left( 2 \sqrt{c} x + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right) / \sqrt{\sqrt{a} \sqrt{c}}\right) + 2 \sqrt{2} \left( a \sqrt{c} d - \sqrt{a} c e \right) \arctan\left(\frac{1}{2} \sqrt{2} \left( 2 \sqrt{c} x - \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} \right) / \sqrt{\sqrt{a} \sqrt{c}}\right) + \sqrt{2} \left( a \sqrt{c} d + \sqrt{a} c e \right) \log\left(\sqrt{c} x^2 + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} x + \sqrt{a}\right) / \left(a^{\frac{3}{4}} c^{\frac{3}{4}}\right) - \sqrt{2} \left( a \sqrt{c} d + \sqrt{a} c e \right) \log\left(\sqrt{c} x^2 - \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} x + \sqrt{a}\right) / \left(a^{\frac{3}{4}} c^{\frac{3}{4}}\right) \right) / c$

**mupad [B]** time = 0.31, size = 555, normalized size = 2.19

$$\frac{dx}{c} - 2 \operatorname{atanh}\left(\frac{8 a^2 c d^2 x \sqrt{\frac{d^2 \sqrt{-a c^5}}{16 c^5} + \frac{d e}{8 c^2} - \frac{e^2 \sqrt{-a c^5}}{16 a c^4}}}{2 a^2 d^2 e - 2 a c e^3 + \frac{2 a^2 d^3 \sqrt{-a c^5}}{c^3} - \frac{2 a d e^2 \sqrt{-a c^5}}{c^2}} - \frac{8 a c^2 e^2 x \sqrt{\frac{d^2 \sqrt{-a c^5}}{16 c^5} + \frac{d e}{8 c^2} - \frac{e^2 \sqrt{-a c^5}}{16 a c^4}}}{2 a^2 d^2 e - 2 a c e^3 + \frac{2 a^2 d^3 \sqrt{-a c^5}}{c^3} - \frac{2 a d e^2 \sqrt{-a c^5}}{c^2}}\right) \sqrt{\frac{d^2 \sqrt{-a c^5}}{16 c^5} + \frac{d e}{8 c^2} - \frac{e^2 \sqrt{-a c^5}}{16 a c^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e/x^2)/(c + a/x^4),x)`

[Out]  $(d*x)/c - 2*\operatorname{atanh}\left(\frac{8*a^2*c*d^2*x*((d^2*(-a*c^5)^{(1/2)})/(16*c^5) + (d*e)/(8*c^2) - (e^2*(-a*c^5)^{(1/2)})/(16*a*c^4))^{(1/2)}}{(2*a^2*d^2*e - 2*a*c*e^3 + (2*a^2*d^3*(-a*c^5)^{(1/2)})/c^3 - (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2) - (8*a*c^2*e^2*x*((d^2*(-a*c^5)^{(1/2)})/(16*c^5) + (d*e)/(8*c^2) - (e^2*(-a*c^5)^{(1/2)})/(16*a*c^4))^{(1/2)})/(2*a^2*d^2*e - 2*a*c*e^3 + (2*a^2*d^3*(-a*c^5)^{(1/2)})/c^3 - (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2)}\right) * ((a*d^2*(-a*c^5)^{(1/2)} - c*e^2*(-a*c^5)^{(1/2)} + 2*a*c^3*d*e)/(16*a*c^5))^{(1/2)} - 2*\operatorname{atanh}\left(\frac{8*a^2*c*d^2*x*((d*e)/(8*c^2) - (d^2*(-a*c^5)^{(1/2)})/(16*c^5) + (e^2*(-a*c^5)^{(1/2)})/(16*a*c^4))^{(1/2)}}{(2*a^2*d^2*e - 2*a*c*e^3 - (2*a^2*d^3*(-a*c^5)^{(1/2)})/c^3 + (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2) - (8*a*c^2*e^2*x*((d*e)/(8*c^2) - (d^2*(-a*c^5)^{(1/2)})/(16*c^5) + (e^2*(-a*c^5)^{(1/2)})/(16*a*c^4))^{(1/2)})/(2*a^2*d^2*e - 2*a*c*e^3 - (2*a^2*d^3*(-a*c^5)^{(1/2)})/c^3 + (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2)}\right) * ((c*e^2*(-a*c^5)^{(1/2)} - a*d^2*(-a*c^5)^{(1/2)} + 2*a*c^3*d*e)/(16*a*c^5))^{(1/2)}$

**sympy** [A] time = 0.70, size = 109, normalized size = 0.43

$$\operatorname{RootSum}\left(256t^4ac^5 - 64t^2ac^3de + a^2d^4 + 2acd^2e^2 + c^2e^4, \left(t \mapsto t \log\left(x + \frac{-64t^3ac^4e - 4ta^2cd^3 + 12tac^2de^2}{a^2d^4 - c^2e^4}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x**2)/(c+a/x**4),x)`

[Out] `RootSum(256*_t**4*a*c**5 - 64*_t**2*a*c**3*d*e + a**2*d**4 + 2*a*c*d**2*e**2 + c**2*e**4, Lambda(_t, _t*log(x + (-64*_t**3*a*c**4*e - 4*_t*a**2*c*d**3 + 12*_t*a*c**2*d*e**2)/(a**2*d**4 - c**2*e**4)))) + d*x/c`

$$3.37 \quad \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4} + \frac{b}{x^2}} dx$$

**Optimal.** Leaf size=208

$$\frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right) + \frac{dx}{c}}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out]  $d*x/c - 1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b*d-c*e + (2*a*c*d-b^2*d+b*c*e)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)}/(b-(-4*a*c+b^2)^{(1/2)})^{(1/2)} - 1/2*\arctan(x*2^{(1/2)}*c^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)})*(b*d-c*e + (-2*a*c*d+b^2*d-b*c*e)/(-4*a*c+b^2)^{(1/2)})/c^{(3/2)}*2^{(1/2)}/(b+(-4*a*c+b^2)^{(1/2)})^{(1/2)}$

**Rubi [A]** time = 0.54, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1393, 1279, 1166, 205}

$$\frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right) + \frac{dx}{c}}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^2)/(c + a/x^4 + b/x^2), x]

[Out]  $(d*x)/c - ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*c^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*c^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 1166**

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2

$-q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

### Rule 1279

$\text{Int}[(f_*)*(x_)^{(m_*)}*((d_*) + (e_*)*(x_)^2)*((a_*) + (b_*)*(x_)^2 + (c_*)*(x_)^4)^{(p_*)}, x\_Symbol] \rightarrow \text{Simp}[(e*f*(f*x)^{(m-1)}*(a + b*x^2 + c*x^4)^{(p+1)})/(c*(m + 4*p + 3)), x] - \text{Dist}[f^2/(c*(m + 4*p + 3)), \text{Int}[(f*x)^{(m-2)}*(a + b*x^2 + c*x^4)^p*\text{Simp}[a*e*(m-1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m + 4*p + 3, 0] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] \parallel \text{IntegerQ}[m])$

### Rule 1393

$\text{Int}[(a_*) + (c_*)*(x_)^{(n2_*)} + (b_*)*(x_)^{(n_*)}]^{(p_*)}*((d_*) + (e_*)*(x_)^{(n_*)})^{(q_*)}, x\_Symbol] \rightarrow \text{Int}[x^{(n*(2*p + q))}*(e + d/x^n)^q*(c + b/x^n + a/x^{(2*n)})^p, x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IntegersQ}[p, q] \&\& \text{NegQ}[n]$

### Rubi steps

$$\begin{aligned} \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4} + \frac{b}{x^2}} dx &= \int \frac{x^2(e + dx^2)}{a + bx^2 + cx^4} dx \\ &= \frac{dx}{c} - \frac{\int \frac{ad+(bd-ce)x^2}{a+bx^2+cx^4} dx}{c} \\ &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}-\frac{1}{2}\sqrt{b^2-4ac}+cx^2} dx}{2c} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}+\frac{1}{2}\sqrt{b^2-4ac}+cx^2} dx}{2c} \\ &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b+\sqrt{b^2-4ac}}} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 251, normalized size = 1.21

$$\frac{\left(bd\sqrt{b^2-4ac} - ce\sqrt{b^2-4ac} + 2acd + b^2(-d) + bce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) \left(bd\sqrt{b^2-4ac} - ce\sqrt{b^2-4ac} - 2acd\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}} \sqrt{2}c^{3/2}\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^2)/(c + a/x^4 + b/x^2), x]

[Out] (d\*x)/c - ((-(b^2\*d) + 2\*a\*c\*d + b\*Sqrt[b^2 - 4\*a\*c]\*d + b\*c\*e - c\*Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(3/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((b^2\*d - 2\*a\*c\*d + b\*Sqrt[b^2 - 4\*a\*c]\*d - b\*c\*e - c\*Sqrt[b^2 - 4\*a\*c]\*e)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(3/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**fricas [B]** time = 1.05, size = 2540, normalized size = 12.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4+b/x^2), x, algorithm="fricas")

[Out] 1/2\*(sqrt(1/2)\*c\*sqrt(-(b\*c^2\*e^2 + (b^3 - 3\*a\*b\*c)\*d^2 - 2\*(b^2\*c - 2\*a\*c^2)\*d\*e + (b^2\*c^3 - 4\*a\*c^4)\*sqrt(-(4\*b\*c^3\*d\*e^3 - c^4\*e^4 - (b^4 - 2\*a\*b^2\*c + a^2\*c^2)\*d^4 + 4\*(b^3\*c - a\*b\*c^2)\*d^3\*e - 2\*(3\*b^2\*c^2 - a\*c^3)\*d^2\*e^2)/(b^2\*c^6 - 4\*a\*c^7)))/(b^2\*c^3 - 4\*a\*c^4))\*log(2\*(3\*b^2\*c\*d^2\*e^2 - 3\*b\*c^2\*d\*e^3 + c^3\*e^4 + (a\*b^2 - a^2\*c)\*d^4 - (b^3 + a\*b\*c)\*d^3\*e)\*x + sqrt(1/2)\*((b^4 - 5\*a\*b^2\*c + 4\*a^2\*c^2)\*d^3 - 2\*(b^3\*c - 4\*a\*b\*c^2)\*d^2\*e + (b^2\*c^2 - 4\*a\*c^3)\*d\*e^2 - ((b^3\*c^3 - 4\*a\*b\*c^4)\*d - 2\*(b^2\*c^4 - 4\*a\*c^5)\*e)\*sqrt(-(4\*b\*c^3\*d\*e^3 - c^4\*e^4 - (b^4 - 2\*a\*b^2\*c + a^2\*c^2)\*d^4 + 4\*(b^3\*c - a\*b\*c^2)\*d^3\*e - 2\*(3\*b^2\*c^2 - a\*c^3)\*d^2\*e^2)/(b^2\*c^6 - 4\*a\*c^7)))\*sqrt(-(b\*c^2\*e^2 + (b^3 - 3\*a\*b\*c)\*d^2 - 2\*(b^2\*c - 2\*a\*c^2)\*d\*e + (b^2\*c^3 - 4\*a\*c^4)\*sqrt(-(4\*b\*c^3\*d\*e^3 - c^4\*e^4 - (b^4 - 2\*a\*b^2\*c + a^2\*c^2)\*d^4 + 4\*(b^3\*c - a\*b\*c^2)\*d^3\*e - 2\*(3\*b^2\*c^2 - a\*c^3)\*d^2\*e^2)/(b^2\*c^6 - 4\*a\*c^7)))/(b^2\*c^3 - 4\*a\*c^4)) - sqrt(1/2)\*c\*sqrt(-(b\*c^2\*e^2 + (b^3 - 3\*a\*b\*c)\*d^2 - 2\*(b^2\*c - 2\*a\*c^2)\*d\*e + (b^2\*c^3 - 4\*a\*c^4)\*sqrt(-(4\*b\*c^3\*d\*e^3 - c^4\*e^4 - (b^4 - 2\*a\*b^2\*c + a^2\*c^2)\*d^4 + 4\*(b^3\*c - a\*b\*c^2)\*d^3\*e - 2\*(3\*b^2\*c^2 - a\*c^3)\*d^2\*e^2)/(b^2\*c^6 - 4\*a\*c^7)))/(b^2\*c^3 - 4\*a\*c^4))\*log(2\*(3\*b^2\*c\*d^2\*e^2 - 3\*b\*c^2\*d\*e^3 + c^3\*e^4 + (a\*b^2 - a^2\*c)\*d^4 - (b^3 + a\*b\*c)\*d^3\*e)\*x - sqrt(1/2)\*((b^4 - 5\*a\*b^2\*c + 4\*a^2\*c^2)\*d^3 - 2\*(b^3\*c - 4\*a\*b\*c^2)\*d^2\*e + (b^2\*c^2 - 4\*a\*c^3)\*d\*e^2 - ((b^3\*c^3 - 4\*a\*b\*c^4)\*d - 2\*(b^2\*c^4 - 4\*a\*c^5)\*e)\*sqrt(-(4\*b\*c^3\*d\*e^3 - c^4\*e^4 - (b^4 - 2\*a\*b^2\*c + a^2\*c^2)\*d^4 + 4\*(b^3\*c - a\*b\*c^2)\*d^3\*e - 2\*(3\*b^2\*c^2 - a\*c^3)\*d^2\*e^2)/(b^2\*c^6 - 4\*a\*c^7)))/(b^2\*c^3 - 4\*a\*c^4))



$$\begin{aligned}
& c) * c) * a * b * c^3 - 2 * (b^2 - 4 * a * c) * b^3 * c^2 + 8 * (b^2 - 4 * a * c) * a * b * c^3) * c^2 * d - \\
& (2 * b^4 * c^3 - 16 * a * b^2 * c^4 + 32 * a^2 * c^5 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c} \\
& - \sqrt{b^2 - 4 * a * c} * c) * b^4 * c + 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b^2 * c^2 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * b^3 * c^2 - 16 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a^2 * c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b * c^3 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * b^2 \\
& * c^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * c^4 - \\
& 2 * (b^2 - 4 * a * c) * b^2 * c^3 + 8 * (b^2 - 4 * a * c) * a * c^4) * c^2 * e - 2 * (\sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b^4 * c^2 - 8 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a^2 * b^2 * c^3 - 2 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b^3 * c^3 + 2 * \\
& a * b^4 * c^3 + 16 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a^3 * c^4 + 8 * \sqrt{2} * \\
& \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a^2 * b * c^4 + \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b^2 * c^4 - 16 * a^2 * b^2 * c^4 - 4 * \sqrt{2} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a^2 * c^5 + 32 * a^3 * c^5 - 2 * (b^2 - 4 * a * c) * a * b^2 * c^3 + 8 * (b^2 - 4 * a * c) * a^2 \\
& * c^4) * d * \text{abs}(c) - (2 * b^5 * c^4 - 12 * a * b^3 * c^5 + 16 * a^2 * b * c^6 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} \\
& * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b^5 * c^2 + 6 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} \\
& * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * a * b^3 * c^3 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} \\
& * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) * b^4 * c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a^2 * b * c^4 - 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b^2 * c^4 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * b^3 * c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b * c^5 - 2 * (b^2 - 4 * a * c) * b^3 * c^4 + 4 * (b^2 - 4 * a * c) * a * b * c^5) * d + \\
& (2 * b^4 * c^5 - 8 * a * b^2 * c^6 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * b^4 * c^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * a * b^2 * c^4 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} \\
& (b^2 - 4 * a * c) * c) * b^3 * c^4 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c - \sqrt{b^2 - 4 * a * c}} * c) \\
& * b^2 * c^5 - 2 * (b^2 - 4 * a * c) * b^2 * c^5) * e) * \arctan(2 * \sqrt{1/2} * x / \sqrt{(b * c + \sqrt{b^2 * c^2 - 4 * a * c^3}) / c^2}) / ((a * b^4 * c^3 - 8 * a^2 * b^2 * c^4 - 2 * a * b^3 * c^4 + 16 * a^3 * c^5 + 8 * a^2 * b * c^5 + a * b^2 * c^5 - 4 * a^2 * c^6) * c^2) + 1/8 * ((2 * b^5 * c^2 - 16 * a * b^3 * c^3 + 32 * a^2 * b * c^4 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^5 + 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * b^3 * c + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^4 * c - 16 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^2 * b * c^2 - 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * b^2 * c^2 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^3 * c^2 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * b * c^3 - 2 * (b^2 - 4 * a * c) * b^3 * c^2 + 8 * (b^2 - 4 * a * c) * a * b * c^3) * c^2 * d - (2 * b^4 * c^3 - 16 * a * b^2 * c^4 + 32 * a^2 * c^5 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^4 * c + 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * b^2 * c^2 + 2 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^3 * c^2 - 16 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a^2 * c^3 - 8 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * b * c^3 - \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * b^2 * c^3 + 4 * \sqrt{2} * \sqrt{b^2 - 4 * a * c} * \sqrt{b * c + \sqrt{b^2 - 4 * a * c}} * c) * a * c^4 - 2 * (b^2 - 4 * a * c) * b^2 * c^3 + 8
\end{aligned}$$



```

*(b^2 - 4*a*c)*a*c^4)*c^2*e - 2*(sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*
b^4*c^2 - 8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*b^2*c^3 - 2*sqrt(2)
*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^3*c^3 - 2*a*b^4*c^3 + 16*sqrt(2)*sqrt(
b*c + sqrt(b^2 - 4*a*c))*a^3*c^4 + 8*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c)
*c)*a^2*b*c^4 + sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^2*c^4 + 16*a^2*
b^2*c^4 - 4*sqrt(2)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a^2*c^5 - 32*a^3*c^5 +
2*(b^2 - 4*a*c)*a*b^2*c^3 - 8*(b^2 - 4*a*c)*a^2*c^4)*d*abs(c) - (2*b^5*c^4
- 12*a*b^3*c^5 + 16*a^2*b*c^6 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b
^2 - 4*a*c))*b^5*c^2 + 6*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 -
4*a*c))*a*b^3*c^3 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a
*c))*b^4*c^3 - 8*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c)*
c)*a^2*b*c^4 - 4*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a
*b^2*c^4 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^3*c^
4 + 2*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b*c^5 - 2
*(b^2 - 4*a*c)*b^3*c^4 + 4*(b^2 - 4*a*c)*a*b*c^5)*d + (2*b^4*c^5 - 8*a*b^2*
c^6 - sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^4*c^3 + 4
*sqrt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*a*b^2*c^4 + 2*sq
rt(2)*sqrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^3*c^4 - sqrt(2)*s
qrt(b^2 - 4*a*c)*sqrt(b*c + sqrt(b^2 - 4*a*c))*b^2*c^5 - 2*(b^2 - 4*a*c)*
b^2*c^5)*e)*arctan(2*sqrt(1/2)*x/sqrt((b*c - sqrt(b^2*c^2 - 4*a*c^3))/c^2))
/((a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16*a^3*c^5 + 8*a^2*b*c^5 + a*b
^2*c^5 - 4*a^2*c^6)*c^2)

```

**maple [B]** time = 0.03, size = 560, normalized size = 2.69

$$\frac{\sqrt{2} ad \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right) + \sqrt{2} ad \operatorname{arctan}\left(\frac{\sqrt{2} cx}{\sqrt{(b + \sqrt{-4ac + b^2})c}}\right) - \sqrt{2} b^2 d \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b + \sqrt{-4ac + b^2})c}}\right)}{\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c} + \sqrt{-4ac + b^2} \sqrt{(b + \sqrt{-4ac + b^2})c} - 2\sqrt{-4ac + b^2} \sqrt{(-b + \sqrt{-4ac + b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^2)/(c+a/x^4+b/x^2), x)

```

[Out] 1/c*d*x+1/2/c*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-
b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*d-1/2*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2)
)*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*e+1/(-4*a
*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-
b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*a*d-1/2/(-4*a*c+b^2)^(1/2)/c*2^(1/2)/((
-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)
^(1/2)*c*x)*b^2*d+1/2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c
)^(1/2)*arctanh(2^(1/2)/((-b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*c*x)*b*e-1/2/c*2^
(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^(1/2)/((b+(-4*a*c+b^2)^(1/2)
))*c)^(1/2)*c*x)*b*d+1/2*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(2^

```

$$\frac{(1/2)/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*e+1/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*arctan(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*a*d-1/2/(-4*a*c+b^2)^{(1/2)}/c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*arctan(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*b^2*d+1/2/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*arctan(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*c*x)*b*e$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{-\int \frac{(bd-ce)x^2+ad}{cx^4+bx^2+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4+b/x^2),x, algorithm="maxima")

[Out] d\*x/c + integrate(-((b\*d - c\*e)\*x^2 + a\*d)/(c\*x^4 + b\*x^2 + a), x)/c

**mupad** [B] time = 2.85, size = 6366, normalized size = 30.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^2)/(c + a/x^4 + b/x^2),x)

[Out] (d\*x)/c - atan((((16\*a^2\*c^3\*d - 4\*a\*b^2\*c^2\*d)/c - (2\*x\*(4\*b^3\*c^3 - 16\*a\*b\*c^4))\*(-(b^5\*d^2 - b^2\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) + b^3\*c^2\*e^2 - c^2\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2 - 2\*b^4\*c\*d\*e - 7\*a\*b^3\*c\*d^2 + a\*c\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) - 4\*a\*b\*c^3\*e^2 - 16\*a^2\*c^3\*d\*e + 12\*a\*b^2\*c^2\*d\*e + 2\*b\*c\*d\*e\*(-(4\*a\*c - b^2)^3)^(1/2)))/(8\*(16\*a^2\*c^5 + b^4\*c^3 - 8\*a\*b^2\*c^4)))^(1/2))/c)\*(-(b^5\*d^2 - b^2\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) + b^3\*c^2\*e^2 - c^2\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2 - 2\*b^4\*c\*d\*e - 7\*a\*b^3\*c\*d^2 + a\*c\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) - 4\*a\*b\*c^3\*e^2 - 16\*a^2\*c^3\*d\*e + 12\*a\*b^2\*c^2\*d\*e + 2\*b\*c\*d\*e\*(-(4\*a\*c - b^2)^3)^(1/2)))/(8\*(16\*a^2\*c^5 + b^4\*c^3 - 8\*a\*b^2\*c^4)))^(1/2) - (2\*x\*(b^4\*d^2 - 2\*a\*c^3\*e^2 + 2\*a^2\*c^2\*d^2 + b^2\*c^2\*e^2 - 2\*b^3\*c\*d\*e - 4\*a\*b^2\*c\*d^2 + 6\*a\*b\*c^2\*d\*e))/c)\*(-(b^5\*d^2 - b^2\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) + b^3\*c^2\*e^2 - c^2\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2 - 2\*b^4\*c\*d\*e - 7\*a\*b^3\*c\*d^2 + a\*c\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) - 4\*a\*b\*c^3\*e^2 - 16\*a^2\*c^3\*d\*e + 12\*a\*b^2\*c^2\*d\*e + 2\*b\*c\*d\*e\*(-(4\*a\*c - b^2)^3)^(1/2)))/(8\*(16\*a^2\*c^5 + b^4\*c^3 - 8\*a\*b^2\*c^4)))^(1/2)\*i - (((16\*a^2\*c^3\*d - 4\*a\*b^2\*c^2\*d)/c + (2\*x\*(4\*b^3\*c^3 - 16\*a\*b\*c^4))\*(-(b^5\*d^2 - b^2\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) + b^3\*c^2\*e^2 - c^2\*e^2\*(-(4\*a\*c - b^2)^3)^(1/2) + 12\*a^2\*b\*c^2\*d^2 - 2\*b^4\*c\*d\*e - 7\*a\*b^3\*c\*d^2 + a\*c\*d^2\*(-(4\*a\*c - b^2)^3)^(1/2) - 4\*a\*b\*c^3\*e^2 - 16\*a^2\*c^3\*d\*e + 12\*a\*b^2\*c^2\*d\*e + 2\*b\*c\*d\*e\*(-(4\*a\*c - b^2)^3)^(1/2)))/(8\*(16\*a^2\*c^5 + b^4\*c^3 - 8\*a\*b^2\*c^4)))^(1/2)

$$\begin{aligned}
& *c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^2 - b^2*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^ \\
& 2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4* \\
& a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} + (2*x*(b^4*d^2 \\
& - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4*a*b^2*c*d^2 + \\
& 6*a*b*c^2*d*e))/c)*(-(b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2 \\
& *e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - \\
& 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c \\
& ^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2* \\
& c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}*ii)/((((16*a^2*c^3*d - 4*a*b^2*c^2*d)/ \\
& c - (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-(b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - \\
& 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3* \\
& e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^2 - b^2*d^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - ( \\
& 2*x*(b^4*d^2 - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4* \\
& a*b^2*c*d^2 + 6*a*b*c^2*d*e))/c)*(-(b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2 \\
& *b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e \\
& ^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
& ))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*(a*c^2*e^3 - a^2*b*d \\
& ^3 + a*b^2*d^2*e + a^2*c*d^2*e - 2*a*b*c*d*e^2))/c + (((16*a^2*c^3*d - 4*a* \\
& b^2*c^2*d)/c + (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-(b^5*d^2 - b^2*d^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b \\
& *c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^ \\
& 2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2 \\
& *b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)) \\
& )^{(1/2)} + (2*x*(b^4*d^2 - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3 \\
& *c*d*e - 4*a*b^2*c*d^2 + 6*a*b*c^2*d*e))/c)*(-(b^5*d^2 - b^2*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b* \\
& c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})))*(-(b^5*d^2 - \\
& b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3 \\
& )^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*
\end{aligned}$$



$$\begin{aligned}
&^2 - 16a^2c^3de + 12ab^2c^2de - 2bcd^2e(-4ac - b^2)^3)^{1/2} \\
&)/(8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} - (2(a^2e^3 - a^2bd^3 + ab^2d^2e + a^2cd^2e - 2ab^2cd^2e^2))/c + (((16a^2c^3d - 4ab^2c^2d)/c + (2x(4b^3c^3 - 16ab^2c^4)*(-b^5d^2 + b^2d^2*(-4ac - b^2)^3)^{1/2} + b^3c^2e^2 + c^2e^2*(-4ac - b^2)^3)^{1/2} + 12a^2b^2cd^2 - 2b^4cd^2e - 7ab^3cd^2 - a^2cd^2*(-4ac - b^2)^3)^{1/2} - 4ab^2c^3e^2 - 16a^2c^3de + 12ab^2c^2de - 2bcd^2e(-4ac - b^2)^3)^{1/2}))/8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2}))/c*(-(b^5d^2 + b^2d^2*(-4ac - b^2)^3)^{1/2} + b^3c^2e^2 + c^2e^2*(-4ac - b^2)^3)^{1/2} + 12a^2b^2cd^2 - 2b^4cd^2e - 7ab^3cd^2 - a^2cd^2*(-4ac - b^2)^3)^{1/2} - 4ab^2c^3e^2 - 16a^2c^3de + 12ab^2c^2de - 2bcd^2e(-4ac - b^2)^3)^{1/2}))/8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2} + (2x(b^4d^2 - 2a^2c^3e^2 + 2a^2c^2d^2 + b^2c^2e^2 - 2b^3cd^2e - 4ab^2cd^2 + 6ab^2cd^2e))/c*(-(b^5d^2 + b^2d^2*(-4ac - b^2)^3)^{1/2} + b^3c^2e^2 + c^2e^2*(-4ac - b^2)^3)^{1/2} + 12a^2b^2cd^2 - 2b^4cd^2e - 7ab^3cd^2 - a^2cd^2*(-4ac - b^2)^3)^{1/2} - 4ab^2c^3e^2 - 16a^2c^3de + 12ab^2c^2de - 2bcd^2e(-4ac - b^2)^3)^{1/2}))/8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2}))*(-(b^5d^2 + b^2d^2*(-4ac - b^2)^3)^{1/2} + b^3c^2e^2 + c^2e^2*(-4ac - b^2)^3)^{1/2} + 12a^2b^2cd^2 - 2b^4cd^2e - 7ab^3cd^2 - a^2cd^2*(-4ac - b^2)^3)^{1/2} - 4ab^2c^3e^2 - 16a^2c^3de + 12ab^2c^2de - 2bcd^2e(-4ac - b^2)^3)^{1/2}))/8(16a^2c^5 + b^4c^3 - 8ab^2c^4))^{1/2})*2i
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x\*\*2)/(c+a/x\*\*4+b/x\*\*2),x)

[Out] Timed out

$$3.38 \quad \int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6}} dx$$

**Optimal.** Leaf size=311

$$\frac{(\sqrt{3} \sqrt{a} d + \sqrt{c} e) \log(-\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12 \sqrt[3]{a} c^{7/6}} - \frac{(\sqrt{3} \sqrt{a} d - \sqrt{c} e) \log(\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12 \sqrt[3]{a} c^{7/6}} + \frac{(\sqrt{a} d + \sqrt{c} e) \log(\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12 \sqrt[3]{a} c^{7/6}}$$

[Out] d\*x/c-1/3\*a^(1/6)\*d\*arctan(c^(1/6)\*x/a^(1/6))/c^(7/6)-1/6\*e\*ln(a^(1/3)+c^(1/3)\*x^2)/a^(1/3)/c^(2/3)-1/12\*ln(a^(1/3)+c^(1/3)\*x^2+a^(1/6)\*c^(1/6)\*x\*3^(1/2))\*(d\*3^(1/2)\*a^(1/2)-e\*c^(1/2))/a^(1/3)/c^(7/6)+1/12\*ln(a^(1/3)+c^(1/3)\*x^2-a^(1/6)\*c^(1/6)\*x\*3^(1/2))\*(d\*3^(1/2)\*a^(1/2)+e\*c^(1/2))/a^(1/3)/c^(7/6)-1/6\*arctan(2\*c^(1/6)\*x/a^(1/6)-3^(1/2))\*(d\*a^(1/2)-e\*3^(1/2)\*c^(1/2))/a^(1/3)/c^(7/6)-1/6\*arctan(2\*c^(1/6)\*x/a^(1/6)+3^(1/2))\*(d\*a^(1/2)+e\*3^(1/2)\*c^(1/2))/a^(1/3)/c^(7/6)

**Rubi [A]** time = 0.29, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$ , Rules used = {1394, 1503, 1416, 635, 203, 260, 634, 617, 204, 628}

$$\frac{(\sqrt{3} \sqrt{a} d + \sqrt{c} e) \log(-\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12 \sqrt[3]{a} c^{7/6}} - \frac{(\sqrt{3} \sqrt{a} d - \sqrt{c} e) \log(\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12 \sqrt[3]{a} c^{7/6}} + \frac{(\sqrt{a} d + \sqrt{c} e) \log(\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12 \sqrt[3]{a} c^{7/6}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^3)/(c + a/x^6), x]

[Out] (d\*x)/c - (a^(1/6)\*d\*ArcTan[(c^(1/6)\*x)/a^(1/6)]/(3\*c^(7/6)) + ((Sqrt[a]\*d - Sqrt[3]\*Sqrt[c]\*e)\*ArcTan[Sqrt[3] - (2\*c^(1/6)\*x)/a^(1/6)]/(6\*a^(1/3)\*c^(7/6)) - ((Sqrt[a]\*d + Sqrt[3]\*Sqrt[c]\*e)\*ArcTan[Sqrt[3] + (2\*c^(1/6)\*x)/a^(1/6)]/(6\*a^(1/3)\*c^(7/6)) - (e\*Log[a^(1/3) + c^(1/3)\*x^2]/(6\*a^(1/3)\*c^(2/3)) + ((Sqrt[3]\*Sqrt[a]\*d + Sqrt[c]\*e)\*Log[a^(1/3) - Sqrt[3]\*a^(1/6)\*c^(1/6)\*x + c^(1/3)\*x^2]/(12\*a^(1/3)\*c^(7/6)) - ((Sqrt[3]\*Sqrt[a]\*d - Sqrt[c]\*e)\*Log[a^(1/3) + Sqrt[3]\*a^(1/6)\*c^(1/6)\*x + c^(1/3)\*x^2]/(12\*a^(1/3)\*c^(7/6)))

**Rule 203**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

**Rule 204**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 260

Int[(x\_)^(m\_)/((a\_) + (b\_)\*(x\_)^(n\_)), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x^n, x]]/(b\*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

### Rule 617

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := With[{q = 1 - 4\*Simplify[(a\*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2\*c\*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4\*a\*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 635

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[d, Int[1/(a + c\*x^2), x], x] + Dist[e, Int[x/(a + c\*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a\*c)]

### Rule 1394

Int[((a\_) + (c\_)\*(x\_)^(n2\_))^(p\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[x^(n\*(2\*p + q))\*(e + d/x^n)^q\*(c + a/x^(2\*n))^p, x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && IntegersQ[p, q] && NegQ[n]

### Rule 1416

Int[((d\_) + (e\_)\*(x\_)^3)/((a\_) + (c\_)\*(x\_)^6), x\_Symbol] := With[{q = Rt[c/a, 6]}, Dist[1/(3\*a\*q^2), Int[(q^2\*d - e\*x)/(1 + q^2\*x^2), x], x] + (Dist

$[1/(6*a*q^2), \text{Int}[(2*q^2*d - (\text{Sqrt}[3]*q^3*d - e)*x)/(1 - \text{Sqrt}[3]*q*x + q^2*x^2), x], x] + \text{Dist}[1/(6*a*q^2), \text{Int}[(2*q^2*d + (\text{Sqrt}[3]*q^3*d + e)*x)/(1 + \text{Sqrt}[3]*q*x + q^2*x^2), x], x]] /; \text{FreeQ}[\{a, c, d, e\}, x] \&\& \text{NeQ}[c*d^2 + a*e^2, 0] \&\& \text{PosQ}[c/a]$

### Rule 1503

$\text{Int}[((f\_.)*(x\_))^m*((d\_)+(e\_)*(x\_)^n)*((a\_)+(c\_)*(x\_)^n)^p, x\_Symbol] :> \text{Simp}[(e*f^{(n-1)}*(f*x)^{(m-n+1)}*(a+c*x^{(2*n)})^{(p+1)})/(c*(m+n*(2*p+1)+1)), x] - \text{Dist}[f^n/(c*(m+n*(2*p+1)+1)), \text{Int}[(f*x)^{(m-n)}*(a+c*x^{(2*n)})^p*(a*e*(m-n+1)-c*d*(m+n*(2*p+1)+1)*x^n), x], x] /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n-1] \&\& \text{NeQ}[m+n*(2*p+1)+1, 0] \&\& \text{IntegerQ}[p]$

### Rubi steps

$$\begin{aligned} \int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6}} dx &= \int \frac{x^3(e + dx^3)}{a + cx^6} dx \\ &= \frac{dx}{c} - \frac{\int \frac{ad - cex^3}{a + cx^6} dx}{c} \\ &= \frac{dx}{c} - \frac{\int \frac{2a^{2/3} \sqrt[3]{c} d - (\sqrt{3} \sqrt{a} \sqrt{c} d + ce)x}{1 - \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{6a^{2/3} c^{4/3}} - \frac{\int \frac{2a^{2/3} \sqrt[3]{c} d + (\sqrt{3} \sqrt{a} \sqrt{c} d - ce)x}{1 + \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{6a^{2/3} c^{4/3}} - \frac{\int \frac{a^{2/3} \sqrt[3]{c} d + cex}{1 + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{3a^{2/3} c^{4/3}} \\ &= \frac{dx}{c} - \frac{d \int \frac{1}{1 + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{3c} - \frac{e \int \frac{x}{1 + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{3a^{2/3} \sqrt[3]{c}} - \frac{(\sqrt{3} \sqrt{a} d - \sqrt{c} e) \int \frac{\frac{\sqrt{3} \sqrt[6]{c}}{\sqrt{a}} + \frac{2\sqrt[3]{c} x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{12\sqrt[3]{a} c^{7/6}} + \frac{(\sqrt{3} \sqrt{a} d + \sqrt{c} e) \int \frac{\frac{\sqrt{3} \sqrt[6]{c}}{\sqrt{a}} + \frac{2\sqrt[3]{c} x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{12\sqrt[3]{a} c^{7/6}} \\ &= \frac{dx}{c} - \frac{\sqrt[6]{a} d \tan^{-1}\left(\frac{\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{3c^{7/6}} - \frac{e \log\left(\sqrt[3]{a} + \sqrt[3]{c} x^2\right)}{6\sqrt[3]{a} c^{2/3}} + \frac{(\sqrt{3} \sqrt{a} d + \sqrt{c} e) \log\left(\sqrt[3]{a} - \sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{c} x^2\right)}{12\sqrt[3]{a} c^{7/6}} \\ &= \frac{dx}{c} - \frac{\sqrt[6]{a} d \tan^{-1}\left(\frac{\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{3c^{7/6}} + \frac{(\sqrt{a} d - \sqrt{3} \sqrt{c} e) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{6\sqrt[3]{a} c^{7/6}} - \frac{(\sqrt{a} d + \sqrt{3} \sqrt{c} e) \tan^{-1}\left(\sqrt{3} + \frac{2\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{6\sqrt[3]{a} c^{7/6}} \end{aligned}$$

**Mathematica** [A] time = 0.11, size = 346, normalized size = 1.11

$$\frac{(-\sqrt{3} a^{7/6} \sqrt{c} d - a^{2/3} ce) \log(-\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12ac^{5/3}} - \frac{(\sqrt{3} a^{7/6} \sqrt{c} d - a^{2/3} ce) \log(\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12ac^{5/3}}$$



Antiderivative was successfully verified.

```
[In] Integrate[(d + e/x^3)/(c + a/x^6),x]
```

```
[Out] (d*x)/c - (a^(1/6)*d*ArcTan[(c^(1/6)*x)/a^(1/6)]/(3*c^(7/6)) + ((-a^(7/6)
*Sqrt[c]*d) + Sqrt[3]*a^(2/3)*c*e)*ArcTan[(-(Sqrt[3]*a^(1/6)) + 2*c^(1/6)*x
)/a^(1/6)]/(6*a*c^(5/3)) + ((-a^(7/6)*Sqrt[c]*d) - Sqrt[3]*a^(2/3)*c*e)*A
rcTan[(Sqrt[3]*a^(1/6) + 2*c^(1/6)*x)/a^(1/6)]/(6*a*c^(5/3)) - (e*Log[a^(1
/3) + c^(1/3)*x^2])/(6*a^(1/3)*c^(2/3)) - ((-Sqrt[3]*a^(7/6)*Sqrt[c]*d) -
a^(2/3)*c*e)*Log[a^(1/3) - Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a*
c^(5/3)) - ((Sqrt[3]*a^(7/6)*Sqrt[c]*d - a^(2/3)*c*e)*Log[a^(1/3) + Sqrt[3]
*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a*c^(5/3))
```

**fricas** [B] time = 1.30, size = 3169, normalized size = 10.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e/x^3)/(c+a/x^6),x, algorithm="fricas")
```

```
[Out] -1/12*(4*sqrt(3)*c*((a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/
(a*c^7)) + 3*a*d^2*e - c*e^3)/(a*c^3))^(1/3)*arctan(1/3*(2*(sqrt(3)*(a^2*c^
6*d^2 - a*c^7*e^2)*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7))
- 2*sqrt(3)*(a^2*c^3*d^4*e - 3*a*c^4*d^2*e^3))*sqrt(((a^3*d^7 - a^2*c*d^5*
e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6))*x^2 + (2*a^2*c^6*d*e*sqrt(-(a^2*d^6 -
6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + a^3*c^2*d^5 - 4*a^2*c^3*d^3*e^2 +
3*a*c^4*d*e^4)*((a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*
c^7)) + 3*a*d^2*e - c*e^3)/(a*c^3))^(2/3) + ((a^2*c^5*d^2*e + a*c^6*e^3))*x*
sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + (a^3*c*d^6 - 2*a
^2*c^2*d^4*e^2 - 3*a*c^3*d^2*e^4)*x)*((a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2
+ 9*c^2*d^2*e^4)/(a*c^7)) + 3*a*d^2*e - c*e^3)/(a*c^3))^(1/3))/(a^3*d^7 -
a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6))*((a*c^3*sqrt(-(a^2*d^6 - 6*
a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + 3*a*d^2*e - c*e^3)/(a*c^3))^(2/3) -
2*(sqrt(3)*(a^2*c^6*d^2 - a*c^7*e^2))*x*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*
c^2*d^2*e^4)/(a*c^7)) - 2*sqrt(3)*(a^2*c^3*d^4*e - 3*a*c^4*d^2*e^3)*x)*((a*
c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + 3*a*d^2*e -
c*e^3)/(a*c^3))^(2/3) + sqrt(3)*(a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4
- 3*c^3*d*e^6))/(a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6))
- 4*sqrt(3)*c*(-(a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c
^7)) - 3*a*d^2*e + c*e^3)/(a*c^3))^(1/3)*arctan(1/3*(2*(sqrt(3)*(a^2*c^6*d^
2 - a*c^7*e^2)*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + 2
*sqrt(3)*(a^2*c^3*d^4*e - 3*a*c^4*d^2*e^3))*sqrt(((a^3*d^7 - a^2*c*d^5*e^2
- 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6))*x^2 - (2*a^2*c^6*d*e*sqrt(-(a^2*d^6 - 6*a*
c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) - a^3*c^2*d^5 + 4*a^2*c^3*d^3*e^2 - 3*a
c^4*d*e^4)*(-(a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7
```

$$\begin{aligned}
&)) - 3*a*d^2*e + c*e^3)/(a*c^3))^{(2/3)} - ((a^2*c^5*d^2*e + a*c^6*e^3)*x*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - (a^3*c*d^6 - 2*a^2*c^2*d^4*e^2 - 3*a*c^3*d^2*e^4)*x)*(-a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(1/3)})/(a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6)))*(-a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(2/3)} - 2*(\sqrt{3}*(a^2*c^6*d^2 - a*c^7*e^2)*x*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + 2*\sqrt{3}*(a^2*c^3*d^4*e - 3*a*c^4*d^2*e^3)*x)*(-a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(2/3)} - \sqrt{3}*(a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6))/(a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6)) + c*((a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + 3*a*d^2*e - c*e^3)/(a*c^3))^{(1/3)}*\log(-a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6)*x^2 - (2*a^2*c^6*d*e*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + a^3*c^2*d^5 - 4*a^2*c^3*d^3*e^2 + 3*a*c^4*d*e^4)*((a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + 3*a*d^2*e - c*e^3)/(a*c^3))^{(2/3)} - ((a^2*c^5*d^2*e + a*c^6*e^3)*x*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + (a^3*c*d^6 - 2*a^2*c^2*d^4*e^2 - 3*a*c^3*d^2*e^4)*x)*((a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + 3*a*d^2*e - c*e^3)/(a*c^3))^{(1/3)}) + c*(-(a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(1/3)}*\log(-a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6)*x^2 + (2*a^2*c^6*d*e*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - a^3*c^2*d^5 + 4*a^2*c^3*d^3*e^2 - 3*a*c^4*d*e^4)*(-a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(2/3)} + ((a^2*c^5*d^2*e + a*c^6*e^3)*x*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - (a^3*c*d^6 - 2*a^2*c^2*d^4*e^2 - 3*a*c^3*d^2*e^4)*x)*(-a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(1/3)} - 2*c*((a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + 3*a*d^2*e - c*e^3)/(a*c^3))^{(1/3)}*\log(-a^2*d^5 - 2*a*c*d^3*e^2 - 3*c^2*d*e^4)*x + (a*c^5*e*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + a^2*c*d^4 - 3*a*c^2*d^2*e^2)*((a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} + 3*a*d^2*e - c*e^3)/(a*c^3))^{(1/3)} - 2*c*(-(a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(1/3)}*\log(-a^2*d^5 - 2*a*c*d^3*e^2 - 3*c^2*d*e^4)*x - (a*c^5*e*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - a^2*c*d^4 + 3*a*c^2*d^2*e^2)*(-a*c^3*\sqrt{(-a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)} - 3*a*d^2*e + c*e^3)/(a*c^3))^{(1/3)} - 12*d*x)/c
\end{aligned}$$

**giac** [A] time = 0.53, size = 295, normalized size = 0.95

$$\frac{|c|e \log\left(x^2 + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{6 \left(ac^5\right)^{\frac{1}{3}}} + \frac{dx}{c} - \frac{\left(ac^5\right)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3c^2} - \frac{\left(\left(ac^5\right)^{\frac{1}{6}} ac^2 d + \sqrt{3} \left(ac^5\right)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x + \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4} - \frac{\left(\left(ac^5\right)^{\frac{1}{6}} ac^2 d - \sqrt{3} \left(ac^5\right)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x - \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6),x, algorithm="giac")

[Out]  $-1/6*\text{abs}(c)*e*\log(x^2 + (a/c)^{(1/3)})/(a*c^5)^{(1/3)} + d*x/c - 1/3*(a*c^5)^{(1/6)}*d*\arctan(x/(a/c)^{(1/6)})/c^2 - 1/6*((a*c^5)^{(1/6)}*a*c^2*d + \text{sqrt}(3)*(a*c^5)^{(2/3)}*e)*\arctan((2*x + \text{sqrt}(3)*(a/c)^{(1/6)})/(a/c)^{(1/6)})/(a*c^4) - 1/6*((a*c^5)^{(1/6)}*a*c^2*d - \text{sqrt}(3)*(a*c^5)^{(2/3)}*e)*\arctan((2*x - \text{sqrt}(3)*(a/c)^{(1/6)})/(a/c)^{(1/6)})/(a*c^4) - 1/12*(\text{sqrt}(3)*(a*c^5)^{(1/6)}*a*c^2*d - (a*c^5)^{(2/3)}*e)*\log(x^2 + \text{sqrt}(3)*x*(a/c)^{(1/6)} + (a/c)^{(1/3)})/(a*c^4) + 1/12*(\text{sqrt}(3)*(a*c^5)^{(1/6)}*a*c^2*d + (a*c^5)^{(2/3)}*e)*\log(x^2 - \text{sqrt}(3)*x*(a/c)^{(1/6)} + (a/c)^{(1/3)})/(a*c^4)$

**maple** [A] time = 0.08, size = 334, normalized size = 1.07

$$\frac{\left(\frac{a}{c}\right)^{\frac{7}{6}} \sqrt{3} d \ln\left(x^2 + \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}} x + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{12a} + \frac{\left(\frac{a}{c}\right)^{\frac{2}{3}} \sqrt{3} e \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \sqrt{3}\right)}{6a} - \frac{\left(\frac{a}{c}\right)^{\frac{2}{3}} \sqrt{3} e \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} + \sqrt{3}\right)}{6a} - \frac{\left(\frac{a}{c}\right)^{\frac{2}{3}} \sqrt{3} e \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \sqrt{3}\right)}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^3)/(c+a/x^6),x)

[Out]  $1/c*d*x - 1/12*(a/c)^{(7/6)}/a*\ln(x^2+3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)})*3^{(1/2)}*d + 1/12*(a/c)^{(2/3)}/a*e*\ln(x^2+3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)}) - 1/6/c*(a/c)^{(1/6)}*\arctan(2/(a/c)^{(1/6)}*x+3^{(1/2)})*d - 1/6*(a/c)^{(2/3)}*3^{(1/2)}/a*e*\arctan(2/(a/c)^{(1/6)}*x+3^{(1/2)}) + 1/12*(a/c)^{(2/3)}/a*e*\ln(x^2-3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)}) + 1/12/c*\ln(x^2-3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3)})*3^{(1/2)}*(a/c)^{(1/6)}*d + 1/6*(a/c)^{(2/3)}*3^{(1/2)}/a*e*\arctan(2/(a/c)^{(1/6)}*x-3^{(1/2)}) - 1/6/c*(a/c)^{(1/6)}*\arctan(2/(a/c)^{(1/6)}*x-3^{(1/2)})*d - 1/6*(a/c)^{(2/3)}/a*e*\ln(x^2+(a/c)^{(1/3)}) - 1/3/c*(a/c)^{(1/6)}*d*\arctan(1/(a/c)^{(1/6)}*x)$

**maxima** [A] time = 1.53, size = 295, normalized size = 0.95

$$\frac{2c^{\frac{1}{3}}e \log\left(c^{\frac{1}{3}}x^2+a^{\frac{1}{3}}\right)}{a^{\frac{1}{3}}} + \frac{4a^{\frac{1}{3}}d \arctan\left(\frac{c^{\frac{1}{3}}x}{\sqrt{\frac{1}{a^{\frac{1}{3}}c^{\frac{1}{3}}}}}\right)}{\sqrt{\frac{1}{a^{\frac{1}{3}}c^{\frac{1}{3}}}}} + \frac{\left(\sqrt{3}a^{\frac{7}{6}}\sqrt{c}d-a^{\frac{2}{3}}ce\right) \log\left(c^{\frac{1}{3}}x^2+\sqrt{3}a^{\frac{1}{6}}c^{\frac{1}{6}}x+a^{\frac{1}{3}}\right)}{ac^{\frac{2}{3}}} - \frac{\left(\sqrt{3}a^{\frac{7}{6}}\sqrt{c}d+a^{\frac{2}{3}}ce\right) \log\left(c^{\frac{1}{3}}x^2-\sqrt{3}a^{\frac{1}{6}}c^{\frac{1}{6}}x+a^{\frac{1}{3}}\right)}{ac^{\frac{2}{3}}}$$

$c$  12c

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6),x, algorithm="maxima")

[Out]  $d*x/c - 1/12*(2*c^{(1/3)}*e*\log(c^{(1/3)}*x^2 + a^{(1/3)})/a^{(1/3)} + 4*a^{(1/3)}*d*\arctan(c^{(1/3)}*x/\sqrt{a^{(1/3)}*c^{(1/3)}})/\sqrt{a^{(1/3)}*c^{(1/3)}} + (\sqrt{3})*a^{(7/6)}*\sqrt{c}*d - a^{(2/3)}*c*e*\log(c^{(1/3)}*x^2 + \sqrt{3})*a^{(1/6)}*c^{(1/6)}*x + a^{(1/3)})/(a*c^{(2/3)}) - (\sqrt{3})*a^{(7/6)}*\sqrt{c}*d + a^{(2/3)}*c*e*\log(c^{(1/3)}*x^2 - \sqrt{3})*a^{(1/6)}*c^{(1/6)}*x + a^{(1/3)})/(a*c^{(2/3)}) + 2*(\sqrt{3})*a^{(5/6)}*c^{(7/6)}*e + a^{(4/3)}*c^{(2/3)}*d)*\arctan((2*c^{(1/3)}*x + \sqrt{3})*a^{(1/6)}*c^{(1/6)})/\sqrt{a^{(1/3)}*c^{(1/3)}})/(a*c^{(2/3)}*\sqrt{a^{(1/3)}*c^{(1/3)}}) - 2*(\sqrt{3})*a^{(5/6)}*c^{(7/6)}*e - a^{(4/3)}*c^{(2/3)}*d)*\arctan((2*c^{(1/3)}*x - \sqrt{3})*a^{(1/6)}*c^{(1/6)})/\sqrt{a^{(1/3)}*c^{(1/3)}})/(a*c^{(2/3)}*\sqrt{a^{(1/3)}*c^{(1/3)}})/c$

**mupad [B]** time = 3.10, size = 1308, normalized size = 4.21

$$\ln\left( ex\sqrt{-a^3c^7} - a^2c^4\left(-\frac{ac^5e^3 + ad^3\sqrt{-a^3c^7} - 3a^2c^4d^2e - 3cde^2\sqrt{-a^3c^7}}{a^2c^7}\right)^{1/3} + a^2c^3dx\right)\left(-\frac{ac^5e^3 + ad^3\sqrt{-a^3c^7}}{a^2c^7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^3)/(c + a/x^6),x)

[Out]  $\log(e*x*(-a^3*c^7)^{(1/2)} - a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} + a^2*c^3*d*x*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} + \log(e*x*(-a^3*c^7)^{(1/2)} + a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} - a^2*c^3*d*x*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} + \log(2*e*x*(-a^3*c^7)^{(1/2)} + a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} - 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i + 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 - 1/2)*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} - \log(2*e*x*(-a^3*c^7)^{(1/2)} + a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} + 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i + 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 + 1/2)*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} - \log(a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} - 2*e*x*(-a^3*c^7)^{(1/2)} + 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i + 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 + 1$

$$\begin{aligned} & /2)*(-a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7)^{(1/3)} + \log(2*e*x*(-a^3*c^7)^{(1/2)} - a^2*c^4* \\ & (-a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7)^{(1/3)} + 3^{(1/2)}*a^2*c^4*(-a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7)^{(1/3)}*1 \\ & i - 2*a^2*c^3*d*x)*((3^{(1/2)}*1i)/2 - 1/2)*(-a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7)^{(1/3)} + \\ & (d*x)/c \end{aligned}$$

**sympy [A]** time = 2.98, size = 167, normalized size = 0.54

$$\text{RootSum}\left(46656t^6a^2c^7 + t^3(-1296a^2c^4d^2e + 432ac^5e^3) + a^3d^6 + 3a^2cd^4e^2 + 3ac^2d^2e^4 + c^3e^6, \left(t \mapsto t \log\left(x + \dots\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x\*\*3)/(c+a/x\*\*6),x)

[Out] RootSum(46656\*\_t\*\*6\*a\*\*2\*c\*\*7 + \_t\*\*3\*(-1296\*a\*\*2\*c\*\*4\*d\*\*2\*e + 432\*a\*c\*\*5\*e\*\*3) + a\*\*3\*d\*\*6 + 3\*a\*\*2\*c\*d\*\*4\*e\*\*2 + 3\*a\*c\*\*2\*d\*\*2\*e\*\*4 + c\*\*3\*e\*\*6, Lambda(\_t, \_t\*log(x + (-1296\*\_t\*\*4\*a\*c\*\*5\*e - 6\*\_t\*a\*\*2\*c\*d\*\*4 + 36\*\_t\*a\*c\*\*2\*d\*\*2\*e\*\*2 - 6\*\_t\*c\*\*3\*e\*\*4)/(a\*\*2\*d\*\*5 - 2\*a\*c\*d\*\*3\*e\*\*2 - 3\*c\*\*2\*d\*e\*\*4))) + d\*x/c

$$3.39 \quad \int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6} + \frac{b}{x^3}} dx$$

**Optimal.** Leaf size=716

$$\frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \log\left(-\sqrt[3]{2} \sqrt[3]{c} x \sqrt[3]{b - \sqrt{b^2 - 4ac}} + \left(b - \sqrt{b^2 - 4ac}\right)^{2/3} + 2^{2/3} c^{2/3} x^2\right)}{6\sqrt[3]{2} c^{4/3} \left(b - \sqrt{b^2 - 4ac}\right)^{2/3}} + \frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right)}{\sqrt{b^2-4ac}}$$

[Out]  $d*x/c - 1/6*\ln(2^{(1/3)}*c^{(1/3)}*x + (b - (-4*a*c + b^2)^{(1/2)})^{(1/3)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b - (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/12*\ln(2^{(2/3)}*c^{(2/3)}*x^2 - 2^{(1/3)}*c^{(1/3)}*x*(b - (-4*a*c + b^2)^{(1/2)})^{(1/3)} + (b - (-4*a*c + b^2)^{(1/2)})^{(2/3)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b - (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/6*\arctan(1/3*(1 - 2*2^{(1/3)}*c^{(1/3)}*x/(b - (-4*a*c + b^2)^{(1/2)})^{(1/3)})*3^{(1/2)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}*3^{(1/2)}/(b - (-4*a*c + b^2)^{(1/2)})^{(2/3)} - 1/6*\ln(2^{(1/3)}*c^{(1/3)}*x + (b + (-4*a*c + b^2)^{(1/2)})^{(1/3)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b + (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/12*\ln(2^{(2/3)}*c^{(2/3)}*x^2 - 2^{(1/3)}*c^{(1/3)}*x*(b + (-4*a*c + b^2)^{(1/2)})^{(1/3)} + (b + (-4*a*c + b^2)^{(1/2)})^{(2/3)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b + (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/6*\arctan(1/3*(1 - 2*2^{(1/3)}*c^{(1/3)}*x/(b + (-4*a*c + b^2)^{(1/2)})^{(1/3)})*3^{(1/2)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}*3^{(1/2)}/(b + (-4*a*c + b^2)^{(1/2)})^{(2/3)}$

**Rubi [A]** time = 1.63, antiderivative size = 716, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$ , Rules used = {1393, 1502, 1422, 200, 31, 634, 617, 204, 628}

$$\frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \log\left(-\sqrt[3]{2} \sqrt[3]{c} x \sqrt[3]{b - \sqrt{b^2 - 4ac}} + \left(b - \sqrt{b^2 - 4ac}\right)^{2/3} + 2^{2/3} c^{2/3} x^2\right)}{6\sqrt[3]{2} c^{4/3} \left(b - \sqrt{b^2 - 4ac}\right)^{2/3}} + \frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^3)/(c + a/x^6 + b/x^3), x]

```
[Out] (d*x)/c + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan
[(1 - (2*2^(1/3)*c^(1/3)*x)/(b - Sqrt[b^2 - 4*a*c])^(1/3))/Sqrt[3]]/(2^(1/
3)*Sqrt[3]*c^(4/3)*(b - Sqrt[b^2 - 4*a*c])^(2/3)) + ((b*d - c*e + (b^2*d -
2*a*c*d - b*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(1 - (2*2^(1/3)*c^(1/3)*x)/(b +
Sqrt[b^2 - 4*a*c])^(1/3))/Sqrt[3]]/(2^(1/3)*Sqrt[3]*c^(4/3)*(b + Sqrt[b^2
- 4*a*c])^(2/3)) - ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/Sqrt[b^2 - 4*a*c
])*Log[(b - Sqrt[b^2 - 4*a*c])^(1/3) + 2^(1/3)*c^(1/3)*x]/(3*2^(1/3)*c^(4/
3)*(b - Sqrt[b^2 - 4*a*c])^(2/3)) - ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)
/Sqrt[b^2 - 4*a*c])*Log[(b + Sqrt[b^2 - 4*a*c])^(1/3) + 2^(1/3)*c^(1/3)*x]
)/(3*2^(1/3)*c^(4/3)*(b + Sqrt[b^2 - 4*a*c])^(2/3)) + ((b*d - c*e - (b^2*d -
2*a*c*d - b*c*e)/Sqrt[b^2 - 4*a*c])*Log[(b - Sqrt[b^2 - 4*a*c])^(2/3) - 2^
(1/3)*c^(1/3)*(b - Sqrt[b^2 - 4*a*c])^(1/3)*x + 2^(2/3)*c^(2/3)*x^2)]/(6*2^
(1/3)*c^(4/3)*(b - Sqrt[b^2 - 4*a*c])^(2/3)) + ((b*d - c*e + (b^2*d - 2*a*c
*d - b*c*e)/Sqrt[b^2 - 4*a*c])*Log[(b + Sqrt[b^2 - 4*a*c])^(2/3) - 2^(1/3)*
c^(1/3)*(b + Sqrt[b^2 - 4*a*c])^(1/3)*x + 2^(2/3)*c^(2/3)*x^2)]/(6*2^(1/3)*
c^(4/3)*(b + Sqrt[b^2 - 4*a*c])^(2/3))
```

### Rule 31

```
Int[((a_) + (b_)*(x_)^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

### Rule 200

```
Int[((a_) + (b_)*(x_)^3)^(-1), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(
Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - R
t[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; F
reeQ[{a, b}, x]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 617

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*S
implify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b
], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
Q[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
```

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 1393

Int[((a\_) + (c\_.)\*(x\_)^(n2\_.) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((d\_) + (e\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Int[x^(n\*(2\*p + q))\*(e + d/x^n)^q\*(c + b/x^n + a/x^(2\*n))^p, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && IntegersQ[p, q] && NegQ[n]

### Rule 1422

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^n), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (PosQ[b^2 - 4\*a\*c] || !IGtQ[n/2, 0])

### Rule 1502

Int[((f\_.)\*(x\_)^(m\_.))\*((d\_) + (e\_.)\*(x\_)^(n\_))\*((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_))^(p\_), x\_Symbol] := Simp[(e\*f^(n - 1)\*(f\*x)^(m - n + 1)\*(a + b\*x^n + c\*x^(2\*n))^(p + 1))/(c\*(m + n\*(2\*p + 1) + 1)), x] - Dist[f^n/(c\*(m + n\*(2\*p + 1) + 1)), Int[(f\*x)^(m - n)\*(a + b\*x^n + c\*x^(2\*n))^p\*Simp[a\*e\*(m - n + 1) + (b\*e\*(m + n\*p + 1) - c\*d\*(m + n\*(2\*p + 1) + 1))\*x^n, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*(2\*p + 1) + 1, 0] && IntegerQ[p]

### Rubi steps



$$\begin{aligned}
\int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6} + \frac{b}{x^3}} dx &= \int \frac{x^3(e + dx^3)}{a + bx^3 + cx^6} dx \\
&= \frac{dx}{c} - \frac{\int \frac{ad+(bd-ce)x^3}{a+bx^3+cx^6} dx}{c} \\
&= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2-4ac} + cx^3} dx}{2c} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2-4ac} + cx^3} dx}{2c} \\
&= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{\sqrt[3]{b-\sqrt{b^2-4ac}}}{\sqrt[3]{2}} + \sqrt[3]{c}x} dx}{3\sqrt[3]{2}c\left(b - \sqrt{b^2-4ac}\right)^{2/3}} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{2^{2/3}\sqrt[3]{b-\sqrt{b^2-4ac}}}{\left(b - \sqrt{b^2-4ac}\right)^{2/3}} dx}{3\sqrt[3]{2}c\left(b - \sqrt{b^2-4ac}\right)^{2/3}} \\
&= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b - \sqrt{b^2-4ac}} + \sqrt[3]{2}\sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b - \sqrt{b^2-4ac}\right)^{2/3}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b + \sqrt{b^2-4ac}} + \sqrt[3]{2}\sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b + \sqrt{b^2-4ac}\right)^{2/3}} \\
&= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b - \sqrt{b^2-4ac}} + \sqrt[3]{2}\sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b - \sqrt{b^2-4ac}\right)^{2/3}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b + \sqrt{b^2-4ac}} + \sqrt[3]{2}\sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b + \sqrt{b^2-4ac}\right)^{2/3}} \\
&= \frac{dx}{c} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{2}\sqrt[3]{c}x}{\sqrt[3]{b-\sqrt{b^2-4ac}}}}{\sqrt{3}}\right)}{\sqrt[3]{2}\sqrt{3}c^{4/3}\left(b - \sqrt{b^2-4ac}\right)^{2/3}} + \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{2}\sqrt[3]{c}x}{\sqrt[3]{b+\sqrt{b^2-4ac}}}}{\sqrt{3}}\right)}{\sqrt[3]{2}\sqrt{3}c^{4/3}\left(b + \sqrt{b^2-4ac}\right)^{2/3}}
\end{aligned}$$

**Mathematica** [C] time = 0.05, size = 88, normalized size = 0.12

$$\frac{dx}{c} - \frac{\text{RootSum}\left[\#1^6c + \#1^3b + a\&, \frac{\#1^3bd \log(x-\#1) - \#1^3ce \log(x-\#1) + ad \log(x-\#1)}{2\#1^5c + \#1^2b}\right] \&}{3c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^3)/(c + a/x^6 + b/x^3), x]

[Out]  $(d*x)/c - \text{RootSum}[a + b*x^3 + c*x^6 \& , (a*d*\text{Log}[x - \#1] + b*d*\text{Log}[x - \#1]*\#1^3 - c*e*\text{Log}[x - \#1]*\#1^3)/(b*\#1^2 + 2*c*\#1^5) \& ]/(3*c)$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x^3)/(c+a/x^6+b/x^3),x, algorithm="fricas")`

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + \frac{e}{x^3}}{c + \frac{b}{x^3} + \frac{a}{x^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x^3)/(c+a/x^6+b/x^3),x, algorithm="giac")`

[Out] `integrate((d + e/x^3)/(c + b/x^3 + a/x^6), x)`

**maple** [C] time = 0.02, size = 67, normalized size = 0.09

$$\frac{dx}{c} + \frac{\left((-bd + ce) \text{RootOf}(\_Z^6c + \_Z^3b + a)^3 - ad\right) \ln\left(-\text{RootOf}(\_Z^6c + \_Z^3b + a) + x\right)}{3c\left(2 \text{RootOf}(\_Z^6c + \_Z^3b + a)^5 c + \text{RootOf}(\_Z^6c + \_Z^3b + a)^2 b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e/x^3)/(c+a/x^6+b/x^3),x)`

[Out]  $1/c*d*x+1/3/c*\text{sum}(((b*d+c*e)*_R^3-a*d)/(2*_R^5*c+_R^2*b)*\ln(-_R+x),\_R=\text{RootOf}(\_Z^6*c+_Z^3*b+a))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{-\int \frac{(bd-ce)x^3+ad}{cx^6+bx^3+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x^3)/(c+a/x^6+b/x^3),x, algorithm="maxima")`

[Out]  $d*x/c + \text{integrate}(-((b*d - c*e)*x^3 + a*d)/(c*x^6 + b*x^3 + a), x)/c$   
**mupad [B]** time = 29.42, size = 11453, normalized size = 16.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((d + e/x^3)/(c + a/x^6 + b/x^3), x)$

[Out]  $\log\left(\frac{(3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 - b^5*d^3*e + 2*a^3*c^2*d^4 + b^2*c^3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3 + 3*b^4*c*d^2*e^2 + 8*a*b*c^3*d*e^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e - 9*a*b^2*c^2*d^2*e^2))/c - (2^{2/3})*((2^{1/3})*(81*a*c^3*e*x*(4*a*c - b^2)^2 - (81*2^{2/3})*a*b*c^3*(4*a*c - b^2)^2*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{1/2}) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{1/2}) - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2}) - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{1/2}) + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{1/2})/(c^4*(4*a*c - b^2)^3)^{1/3})/2)*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{1/2}) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{1/2}) - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2}) - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{1/2}) + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{1/2})/(c^4*(4*a*c - b^2)^3)^{2/3})/18 + (9*a*(4*a*c - b^2)*(b^4*d^3 - b*c^3*e^3 + a^2*c^2*d^3 + 3*b^2*c^2*d*e^2 - 3*a*b^2*c*d^3 - 3*a*c^3*d*e^2 - 3*b^3*c*d^2*e + 6*a*b*c^2*d^2*e))/c)*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{1/2}) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{1/2}) - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{1/2}) - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{1/2}) + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{1/2})/(c^4*(4*a*c - b^2)^3)^{1/3})/6)*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{1/2}) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{1/2}) - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{1/2})$

$$\begin{aligned}
& )^{(1/2)} - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3 \\
& *b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3 \\
& )^{(1/2)})/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a^2*b^2*c^6)))^{(1/3)} \\
& + \log((3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 - b^5*d^3*e + 2*a^3*c^2*d^4 + b^2*c^ \\
& 3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3 + 3*b^4*c*d^2*e^2 + 8*a*b*c^3*d*e \\
& ^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e - 9*a*b^2*c^2*d^2*e^2))/c - (2^{(2/ \\
& 3)}*((2^{(1/3)}*(81*a*c^3*e*x*(4*a*c - b^2)^2 - (81*2^{(2/3)}*a*b*c^3*(4*a*c - b \\
& ^2)^2*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c \\
& ^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 - 2*a^2*c^2 \\
& *d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + 4*a*b^2*c* \\
& d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48 \\
& *a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d^2*e*( \\
& -(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(c^4*(4*a*c - b^ \\
& 2)^3))^{(1/3)})/2)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5* \\
& e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 \\
& - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + \\
& 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2 \\
& *d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^ \\
& 3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(c^4* \\
& (4*a*c - b^2)^3))^{(2/3)}/18 + (9*a*(4*a*c - b^2)*(b^4*d^3 - b*c^3*e^3 + a^2 \\
& *c^2*d^3 + 3*b^2*c^2*d*e^2 - 3*a*b^2*c*d^3 - 3*a*c^3*d*e^2 - 3*b^3*c*d^2*e \\
& + 6*a*b*c^2*d^2*e))/c)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^ \\
& 2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^ \\
& 2*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d \\
& ^2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b \\
& ^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2 \\
& *d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)}) \\
& /(c^4*(4*a*c - b^2)^3))^{(1/3)}/6)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b \\
& *c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32 \\
& *a^2*b^3*c^2*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 \\
& - 3*b^6*c*d^2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e \\
& ^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} + 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e \\
& - 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2 \\
& )^3)^{(1/2)})/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a^2*b^2*c^6)))^{(1 \\
& /3)} + \log((2^{(2/3)}*(3^{(1/2)}*1i - 1)*((2^{(1/3)}*(3^{(1/2)}*1i + 1)*(81*a*c^3*e* \\
& x*(4*a*c - b^2)^2 - (81*2^{(2/3)}*a*b*c^3*(3^{(1/2)}*1i - 1)*(4*a*c - b^2)^2*(( \\
& b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 -
\end{aligned}$$

$$\begin{aligned}
& 32a^3b^3c^3d^3 + 8a^2b^2c^4e^3 - b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + \\
& 48a^3c^4d^2e + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c^2d^3(- \\
& 4ac - b^2)^3)^{(1/2)} - 10a^2b^5c^2d^3 - 3b^6c^2d^2e - 4a^2b^2c^2d^3(-4 \\
& ac - b^2)^3)^{(1/2)} - 24a^2b^3c^3d^2e^2 + 27a^2b^4c^2d^2e + 48a^2b^3c \\
& ^4d^2e^2 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3c^2d^2e(-4ac \\
& - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e + 3b^2c^2d^2e^2(-4ac - b^2)^3 \\
& )^{(1/2)} + 9a^2b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)}/(c^4(4ac - b^2)^3))^{( \\
& 1/3))/4*((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^ \\
& 4c^3e^3 - 32a^3b^3c^3d^3 + 8a^2b^2c^4e^3 - b^3c^3e^3(-4ac - b^2)^ \\
& 3)^{(1/2)} + 48a^3c^4d^2e + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c \\
& ^2d^3(-4ac - b^2)^3)^{(1/2)} - 10a^2b^5c^2d^3 - 3b^6c^2d^2e - 4a^2b^2 \\
& c^2d^3(-4ac - b^2)^3)^{(1/2)} - 24a^2b^3c^3d^2e^2 + 27a^2b^4c^2d^2e + \\
& 48a^2b^3c^4d^2e^2 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3c^2d^2 \\
& e(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e + 3b^2c^2d^2e^2(-4ac \\
& - b^2)^3)^{(1/2)} + 9a^2b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)}/(c^4(4ac - \\
& b^2)^3))^{(2/3)}/36 - (9a(4ac - b^2)(b^4d^3 - b^3c^3e^3 + a^2c^2d^3 \\
& + 3b^2c^2d^2e - 3a^2b^2c^2d^3 - 3a^2c^3d^2e^2 - 3b^3c^2d^2e + 6a^2b^ \\
& c^2d^2e))/c*((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^ \\
& 3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8a^2b^2c^4e^3 - b^3c^3e^3(-4ac - \\
& b^2)^3)^{(1/2)} + 48a^3c^4d^2e + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + \\
& 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10a^2b^5c^2d^3 - 3b^6c^2d^2e - 4 \\
& a^2b^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 24a^2b^3c^3d^2e^2 + 27a^2b^4c^2d^ \\
& ^2e + 48a^2b^3c^4d^2e^2 - 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3c \\
& ^2d^2e(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e + 3b^2c^2d^2e^2(- \\
& 4ac - b^2)^3)^{(1/2)} + 9a^2b^2c^2d^2e(-4ac - b^2)^3)^{(1/2)}/(c^4(4 \\
& ac - b^2)^3))^{(1/3)}/12 + (3ax*(ab^4d^4 - 2a^2c^4e^4 - b^5d^3e + 2 \\
& a^3c^2d^4 + b^2c^3e^4 - 4a^2b^2c^2d^4 - 3b^3c^2d^2e^3 + 3b^4c^2d^ \\
& 2e^2 + 8a^2b^3c^3d^2e^3 + 2a^2b^3c^2d^3e + 4a^2b^2c^2d^3e - 9a^2b^2c^2 \\
& d^2e^2))/c*((3^{(1/2)}*1i)/2 - 1/2)*((b^7d^3 + b^4d^3(-4ac - b^2)^3) \\
& )^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8a^2b^2c^4e^3 \\
& - b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e + 3b^5c^2d^2e^2 + \\
& 32a^2b^3c^2d^3 + 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10a^2b^5c^2d^ \\
& ^3 - 3b^6c^2d^2e - 4a^2b^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 24a^2b^3c^3 \\
& d^2e^2 + 27a^2b^4c^2d^2e + 48a^2b^3c^4d^2e^2 - 6a^2c^3d^2e^2(-4ac - \\
& b^2)^3)^{(1/2)} - 3b^3c^2d^2e(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2 \\
& e + 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 9a^2b^2c^2d^2e(-4ac - \\
& b^2)^3)^{(1/2)}/(54*(64a^3c^7 - b^6c^4 + 12a^2b^4c^5 - 48a^2b^2c^6))) \\
& ^{(1/3)} + \log((2^{(2/3)}*(3^{(1/2)}*1i - 1)*((2^{(1/3)}*(3^{(1/2)}*1i + 1)*(81a^3 \\
& *e*x*(4ac - b^2)^2 - (81*2^{(2/3)}*a^2b^3c^3*(3^{(1/2)}*1i - 1)*(4ac - b^2)^2 \\
& *(b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^ \\
& 3 - 32a^3b^3c^3d^3 + 8a^2b^2c^4e^3 + b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} \\
& + 48a^3c^4d^2e + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(- \\
& 4ac - b^2)^3)^{(1/2)} - 10a^2b^5c^2d^3 - 3b^6c^2d^2e + 4a^2b^2c^2d^3(- \\
& 4ac - b^2)^3)^{(1/2)} - 24a^2b^3c^3d^2e^2 + 27a^2b^4c^2d^2e + 48a^2b^ \\
& c^4d^2e^2 + 6a^2c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3c^2d^2e(-4a
\end{aligned}$$

$$\begin{aligned}
& *c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/(c^4*(4*a*c - b^2)^3) \\
& )^{(1/3))/4)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - \\
& b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c - b^ \\
& 2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 - 2*a \\
& ^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + 4*a* \\
& b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2* \\
& e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d \\
& ^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2*(-(4 \\
& *a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/(c^4*(4*a* \\
& c - b^2)^3))^{(2/3))/36 - (9*a*(4*a*c - b^2)*(b^4*d^3 - b*c^3*e^3 + a^2*c^2* \\
& d^3 + 3*b^2*c^2*d*e^2 - 3*a*b^2*c*d^3 - 3*a*c^3*d*e^2 - 3*b^3*c*d^2*e + 6*a \\
& *b*c^2*d^2*e))/c)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5 \\
& *e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a* \\
& c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 \\
& - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e \\
& + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^ \\
& 2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b \\
& ^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/(c^4 \\
& *(4*a*c - b^2)^3))^{(1/3))/12 + (3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 - b^5*d^3*e \\
& + 2*a^3*c^2*d^4 + b^2*c^3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3 + 3*b^4*c \\
& *d^2*e^2 + 8*a*b*c^3*d*e^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e - 9*a*b^2* \\
& c^2*d^2*e^2))/c)*((3^(1/2)*1i)/2 - 1/2)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2) \\
& ^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e \\
& ^3 + b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^ \\
& 2 + 32*a^2*b^3*c^2*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5* \\
& c*d^3 - 3*b^6*c*d^2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c \\
& ^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3* \\
& d^2*e - 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c \\
& - b^2)^3)^{(1/2))}/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a^2*b^2*c^6 \\
& )))^{(1/3)} - \log(- (2^{(2/3)}*(3^{(1/2)}*1i + 1)*((2^{(1/3)}*(3^{(1/2)}*1i - 1)*(81* \\
& a*c^3*e*x*(4*a*c - b^2)^2 + (81*2^{(2/3)})*a*b*c^3*(3^{(1/2)}*1i + 1)*(4*a*c - b \\
& ^2)^2*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c \\
& ^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^ \\
& (1/2) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2 \\
& *d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c* \\
& d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48 \\
& *a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d^2*e*( \\
& -(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/(c^4*(4*a*c - b^ \\
& 2)^3))^{(1/3))/4)*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5* \\
& e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3
\end{aligned}$$

$$\begin{aligned}
& + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - \\
& 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2 \\
& *d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^ \\
& 3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2 \\
& *(- (4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/(c^4* \\
& (4*a*c - b^2)^3)^{(2/3)}/36 + (9*a*(4*a*c - b^2)*(b^4*d^3 - b*c^3*e^3 + a^2 \\
& *c^2*d^3 + 3*b^2*c^2*d*e^2 - 3*a*b^2*c*d^3 - 3*a*c^3*d*e^2 - 3*b^3*c*d^2*e \\
& + 6*a*b*c^2*d^2*e))/c*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^ \\
& 2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(- \\
& (4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^ \\
& 2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d \\
& ^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b \\
& ^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2 \\
& *d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))} \\
& /(c^4*(4*a*c - b^2)^3)^{(1/3)}/12 - (3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 - b^5*d \\
& ^3*e + 2*a^3*c^2*d^4 + b^2*c^3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3 + 3* \\
& b^4*c*d^2*e^2 + 8*a*b*c^3*d*e^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e - 9*a \\
& *b^2*c^2*d^2*e^2))/c*((3^(1/2)*1i)/2 + 1/2)*((b^7*d^3 + b^4*d^3*(-(4*a*c - \\
& b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2* \\
& c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2 \\
& *d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a \\
& *b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a* \\
& b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2 \\
& *c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-( \\
& 4*a*c - b^2)^3)^{(1/2))}/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a^2*b^ \\
& 2*c^6))^(1/3) - \log(- (2^(2/3)*(3^(1/2)*1i + 1)*((2^(1/3)*(3^(1/2)*1i - 1) \\
& *(81*a*c^3*e*x*(4*a*c - b^2)^2 + (81*2^(2/3))*a*b*c^3*(3^(1/2)*1i + 1)*(4*a* \\
& c - b^2)^2*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - \\
& b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c - b^2 \\
& )^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 - 2*a^ \\
& 2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + 4*a*b \\
& ^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e \\
& + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d^ \\
& 2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/(c^4*(4*a*c \\
& - b^2)^3)^{(1/3)}/4)*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2 \\
& *c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-( \\
& 4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2 \\
& *d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^ \\
& 2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^ \\
& 4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + \\
& 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2* \\
& d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2))}/
\end{aligned}$$

$$\begin{aligned}
& (c^4(4ac - b^2)^3)^{(2/3)}/36 + (9a(4ac - b^2)(b^4d^3 - bc^3e^3 \\
& + a^2c^2d^3 + 3b^2c^2d^2e^2 - 3ab^2cd^3 - 3ac^3d^2e^2 - 3b^3cd^2e^2 + 6ab^2c^2d^2e^2))/c * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - \\
& 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2cd^3 + 8ab^2c^4e^3 + bc^3e^3 \\
& ^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 \\
& - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6 \\
& c^2d^2e^2 + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 2 \\
& 7ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 + 6ac^3d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2 \\
& c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} \\
& )/(c^4(4ac - b^2)^3)^{(1/3)}/12 - (3axx(ab^4d^4 - 2ac^4e^4 - \\
& b^5d^3e^2 + 2a^3c^2d^4 + b^2c^3e^4 - 4a^2b^2cd^4 - 3b^3c^2d^2e^3 \\
& + 3b^4cd^2e^2 + 8ab^3c^3d^2e^3 + 2ab^3cd^3e^2 + 4a^2b^2cd^3e^2 \\
& - 9ab^2c^2d^2e^2))/c * ((3^{(1/2)}*i)/2 + 1/2) * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - \\
& 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2cd^3 + 8ab^2c^4e^3 + bc^3e^3(-4ac - b^2)^3)^{(1/2)} \\
& + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - \\
& 10ab^5cd^3 - 3b^6cd^2e^2 + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - \\
& 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 + 6ac^3d^2e^2 \\
& ^2(-4ac - b^2)^3)^{(1/2)} + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2 \\
& b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^2c^2d^2e^2 \\
& ^2(-4ac - b^2)^3)^{(1/2)})/(54(64a^3c^7 - b^6c^4 + 12ab^4c^5 - 48a^2 \\
& b^2c^6)))^{(1/3)} + (dx)/c
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x\*\*3)/(c+a/x\*\*6+b/x\*\*3),x)

[Out] Timed out



$$3.40 \quad \int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8}} dx$$

**Optimal.** Leaf size=753

$$\frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(-\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}} + \frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(\sqrt{2 - \sqrt{2}} \sqrt[8]{a}\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}}$$

[Out]  $d*x/c + 1/8*\arctan((-2*c^(1/8)*x + a^(1/8)*(2-2^(1/2))^(1/2))/a^(1/8)/(2+2^(1/2))^(1/2))*(d*(1+2^(1/2))*a^(1/2)+e*c^(1/2))*(2-2^(1/2))^(1/2)/a^(3/8)/c^(9/8) - 1/8*\arctan((2*c^(1/8)*x + a^(1/8)*(2-2^(1/2))^(1/2))/a^(1/8)/(2+2^(1/2))^(1/2))*(d*(1+2^(1/2))*a^(1/2)+e*c^(1/2))*(2-2^(1/2))^(1/2)/a^(3/8)/c^(9/8) - 1/8*\ln(a^(1/4)+c^(1/4)*x^2-a^(1/8)*c^(1/8)*x*(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4-2*2^(1/2))^(1/2) + 1/8*\ln(a^(1/4)+c^(1/4)*x^2+a^(1/8)*c^(1/8)*x*(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4-2*2^(1/2))^(1/2) - 1/8*\arctan((-2*c^(1/8)*x + a^(1/8)*(2+2^(1/2))^(1/2))/a^(1/8)/(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))*(2+2^(1/2))^(1/2)/a^(3/8)/c^(9/8) + 1/8*\arctan((2*c^(1/8)*x + a^(1/8)*(2+2^(1/2))^(1/2))/a^(1/8)/(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))*(2+2^(1/2))^(1/2)/a^(3/8)/c^(9/8) + 1/8*\ln(a^(1/4)+c^(1/4)*x^2-a^(1/8)*c^(1/8)*x*(2+2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4+2*2^(1/2))^(1/2) - 1/8*\ln(a^(1/4)+c^(1/4)*x^2+a^(1/8)*c^(1/8)*x*(2+2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4+2*2^(1/2))^(1/2)$

**Rubi [A]** time = 1.44, antiderivative size = 753, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 8, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$ , Rules used = {1394, 1503, 1415, 1169, 634, 618, 204, 628}

$$\frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(-\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}} + \frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(\sqrt{2 - \sqrt{2}} \sqrt[8]{a}\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^4)/(c + a/x^8), x]

[Out]  $(d*x)/c + (\text{Sqrt}[2 - \text{Sqrt}[2]]*((1 + \text{Sqrt}[2])* \text{Sqrt}[a]*d + \text{Sqrt}[c]*e)* \text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]]*a^(1/8) - 2*c^(1/8)*x)/(\text{Sqrt}[2 + \text{Sqrt}[2]]*a^(1/8))])/(8*a^(3/8)*c^(9/8)) - (\text{Sqrt}[2 + \text{Sqrt}[2]]*(\text{Sqrt}[a]*(d - \text{Sqrt}[2]*d) + \text{Sqrt}[c]*e)*$

$$\begin{aligned} & \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)} - 2*c^{(1/8)*x})/(\text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)})] \\ & )]/(8*a^{(3/8)*c^{(9/8)}} - (\text{Sqrt}[2 - \text{Sqrt}[2]]*((1 + \text{Sqrt}[2])* \text{Sqrt}[a]*d + \text{Sqrt}[c]*e)* \\ & \text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)} + 2*c^{(1/8)*x})/(\text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)})])]/(8*a^{(3/8)*c^{(9/8)}}) \\ & + (\text{Sqrt}[2 + \text{Sqrt}[2]]*(\text{Sqrt}[a]*(d - \text{Sqrt}[2]*d) + \text{Sqrt}[c]*e)*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)} + 2*c^{(1/8)*x})/(\text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)})]) \\ & )]/(8*a^{(3/8)*c^{(9/8)}}) - ((\text{Sqrt}[a]*(d - \text{Sqrt}[2]*d) + \text{Sqrt}[c]*e)*\text{Log}[a^{(1/4)} - \text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}}]/(8*\text{Sqrt}[2*(2 - \text{Sqrt}[2])] * a^{(3/8)*c^{(9/8)}}) + ((\text{Sqrt}[a]*(d - \text{Sqrt}[2]*d) + \text{Sqrt}[c]*e)*\text{Log}[a^{(1/4)} + \text{Sqrt}[2 - \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}}]/(8*\text{Sqrt}[2*(2 - \text{Sqrt}[2])] * a^{(3/8)*c^{(9/8)}}) + (((1 + \text{Sqrt}[2])* \text{Sqrt}[a]*d + \text{Sqrt}[c]*e)*\text{Log}[a^{(1/4)} - \text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}}]/(8*\text{Sqrt}[2*(2 + \text{Sqrt}[2])] * a^{(3/8)*c^{(9/8)}}) - (((1 + \text{Sqrt}[2])* \text{Sqrt}[a]*d + \text{Sqrt}[c]*e)*\text{Log}[a^{(1/4)} + \text{Sqrt}[2 + \text{Sqrt}[2]]*a^{(1/8)*c^{(1/8)*x} + c^{(1/4)*x^2}}]/(8*\text{Sqrt}[2*(2 + \text{Sqrt}[2])] * a^{(3/8)*c^{(9/8)}})) \end{aligned}$$

### Rule 204

$$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] \text{ :> } -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2]*x]/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] \text{ /; FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

### Rule 618

$$\text{Int}[(a_ + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x\_Symbol] \text{ :> } \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] \text{ /; FreeQ}\{a, b, c\}, x \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$$

### Rule 628

$$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] \text{ :> } \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \text{ /; FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$$

### Rule 634

$$\text{Int}[(d_ + (e_)*(x_))/((a_ + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] \text{ :> } \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \text{ /; FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4*a*c]$$

### Rule 1169

$$\text{Int}[(d_ + (e_)*(x_)^2)/((a_ + (b_)*(x_)^2 + (c_)*(x_)^4), x\_Symbol] \text{ :> } \text{With}\{q = \text{Rt}[a/c, 2]\}, \text{With}\{r = \text{Rt}[2*q - b/c, 2]\}, \text{Dist}[1/(2*c*q*r), \text{Int}[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + \text{Dist}[1/(2*c*q*r), \text{Int}[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]] \text{ /; FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{NeQ}$$

$[b^2 - 4ac, 0] \&\& \text{NeQ}[c^2d - bde + ae^2, 0] \&\& \text{NegQ}[b^2 - 4ac]$

### Rule 1394

$\text{Int}[(a_ + (c_)(x_)^{n2_})^{p_}((d_ + (e_)(x_)^{n_})^{q_}), x\_Symbol]$   $\rightarrow \text{Int}[x^{n(2p + q)}(e + d/x^n)^q(c + a/x^{2n})^p, x]$   $;/$   $\text{FreeQ}\{a, c, d, e, n\}, x]$   $\&\& \text{EqQ}[n2, 2n]$   $\&\& \text{IntegersQ}[p, q]$   $\&\& \text{NegQ}[n]$

### Rule 1415

$\text{Int}[(d_ + (e_)(x_)^{n_})/(a_ + (c_)(x_)^{n2_}), x\_Symbol]$   $\rightarrow \text{With}\{q = \text{Rt}[a/c, 4]\}, \text{Dist}[1/(2\text{Sqrt}[2]*c*q^3), \text{Int}[(\text{Sqrt}[2]*d*q - (d - e*q^2)*x^{n/2})/(q^2 - \text{Sqrt}[2]*q*x^{n/2} + x^n), x], x] + \text{Dist}[1/(2\text{Sqrt}[2]*c*q^3), \text{Int}[(\text{Sqrt}[2]*d*q + (d - e*q^2)*x^{n/2})/(q^2 + \text{Sqrt}[2]*q*x^{n/2} + x^n), x], x]$   $;/$   $\text{FreeQ}\{a, c, d, e\}, x]$   $\&\& \text{EqQ}[n2, 2n]$   $\&\& \text{NeQ}[c^2d + ae^2, 0]$   $\&\& \text{NeQ}[c^2d - ae^2, 0]$   $\&\& \text{IGtQ}[n/2, 0]$   $\&\& \text{PosQ}[a*c]$

### Rule 1503

$\text{Int}[(f_)(x_)^{m_}((d_ + (e_)(x_)^{n_})((a_ + (c_)(x_)^{n2_}))^{p_}), x\_Symbol]$   $\rightarrow \text{Simp}[(e*f^{n-1})(f*x)^{m-n+1}(a + c*x^{2n})^{p+1})/(c*(m + n*(2p + 1) + 1)), x] - \text{Dist}[f^n/(c*(m + n*(2p + 1) + 1)), \text{Int}[(f*x)^{m-n}(a + c*x^{2n})^p*(a*e*(m - n + 1) - c*d*(m + n*(2p + 1) + 1)*x^n), x], x]$   $;/$   $\text{FreeQ}\{a, c, d, e, f, p\}, x]$   $\&\& \text{EqQ}[n2, 2n]$   $\&\& \text{IGtQ}[n, 0]$   $\&\& \text{GtQ}[m, n - 1]$   $\&\& \text{NeQ}[m + n*(2p + 1) + 1, 0]$   $\&\& \text{IntegerQ}[p]$

### Rubi steps

$$\begin{aligned}
\int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8}} dx &= \int \frac{x^4 (e + dx^4)}{a + cx^8} dx \\
&= \frac{dx}{c} - \frac{\int \frac{ad - cex^4}{a + cx^8} dx}{c} \\
&= \frac{dx}{c} - \frac{\int \frac{\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} + (-ad - \sqrt{a}\sqrt{c}e)x^2}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x^2}{\sqrt[4]{c}} + x^4} dx}{2\sqrt{2}a^{3/4}c^{5/4}} - \frac{\int \frac{\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} + (ad + \sqrt{a}\sqrt{c}e)x^2}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x^2}{\sqrt[4]{c}} + x^4} dx}{2\sqrt{2}a^{3/4}c^{5/4}} \\
&= \frac{dx}{c} - \frac{\int \frac{\frac{\sqrt{2(2-\sqrt{2})}a^{11/8}d}{c^{3/8}} - \left(\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} - \frac{\sqrt[4]{a}(ad + \sqrt{a}\sqrt{c}e)}{\sqrt[4]{c}}\right)x}{\frac{\sqrt[4]{a}}{\sqrt{c}} - \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2}(2-\sqrt{2})a^{9/8}c^{7/8}} - \frac{\int \frac{\frac{\sqrt{2(2-\sqrt{2})}a^{11/8}d}{c^{3/8}} + \left(\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} - \frac{\sqrt[4]{a}(ad + \sqrt{a}\sqrt{c}e)}{\sqrt[4]{c}}\right)x}{\frac{\sqrt[4]{a}}{\sqrt{c}} + \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2}(2-\sqrt{2})a^{9/8}c^{7/8}} \\
&= \frac{dx}{c} - \frac{((1+\sqrt{2})\sqrt{a}d + \sqrt{c}e) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt{c}} - \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2}\sqrt[4]{a}c^{5/4}} - \frac{((1+\sqrt{2})\sqrt{a}d + \sqrt{c}e) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt{c}} + \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2}\sqrt[4]{a}c^{5/4}} \\
&= \frac{dx}{c} - \frac{((1-\sqrt{2})\sqrt{a}d + \sqrt{c}e) \log\left(\frac{\sqrt[4]{a} - \sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x + \sqrt[4]{c}x^2}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}}\right)}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}} + \frac{((1-\sqrt{2})\sqrt{a}d + \sqrt{c}e) \log\left(\frac{\sqrt[4]{a} + \sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x + \sqrt[4]{c}x^2}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}}\right)}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}} \\
&= \frac{dx}{c} + \frac{((1+\sqrt{2})\sqrt{a}d + \sqrt{c}e) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a} - 2\sqrt[8]{c}x}{\sqrt{2+\sqrt{2}}\sqrt[8]{a}}\right)}{4\sqrt{2}(2+\sqrt{2})a^{3/8}c^{9/8}} - \frac{\sqrt{2+\sqrt{2}}((1-\sqrt{2})\sqrt{a}d + \sqrt{c}e) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a} - 2\sqrt[8]{c}x}{\sqrt{2+\sqrt{2}}\sqrt[8]{a}}\right)}{8a^{3/8}c^{9/8}}
\end{aligned}$$

**Mathematica [A]** time = 0.90, size = 551, normalized size = 0.73

$$\log\left(2\sqrt[8]{a}\sqrt[8]{c}x \sin\left(\frac{\pi}{8}\right) + \sqrt[4]{a} + \sqrt[4]{c}x^2\right) \left(a^{5/8}ce \cos\left(\frac{\pi}{8}\right) - a^{9/8}\sqrt{c}d \sin\left(\frac{\pi}{8}\right)\right) + \log\left(-2\sqrt[8]{a}\sqrt[8]{c}x \sin\left(\frac{\pi}{8}\right) + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^4)/(c + a/x^8),x]

[Out]  $(8*a*c^{5/8}*d*x + 2*ArcTan[Cot[Pi/8] + (c^{1/8}*x*Csc[Pi/8])/a^{1/8}]*(a^{5/8}*c*e*Cos[Pi/8] - a^{9/8}*Sqrt[c]*d*Sin[Pi/8]) + Log[a^{1/4} + c^{1/4}*x^2 + 2*a^{1/8}*c^{1/8}*x*Sin[Pi/8]]*(a^{5/8}*c*e*Cos[Pi/8] - a^{9/8}*Sqrt[c]*d*Sin[Pi/8]) + 2*ArcTan[Cot[Pi/8] - (c^{1/8}*x*Csc[Pi/8])/a^{1/8}]*(-(a^{5/8}*c*e*Cos[Pi/8]) + a^{9/8}*Sqrt[c]*d*Sin[Pi/8]) + Log[a^{1/4} + c^{1/4}*x^2 - 2*a^{1/8}*c^{1/8}*x*Sin[Pi/8]]*(-(a^{5/8}*c*e*Cos[Pi/8]) + a^{9/8}*Sqrt[c]*d*Sin[Pi/8]) - 2*ArcTan[(c^{1/8}*x*Sec[Pi/8])/a^{1/8} - Tan[Pi/8]]*(a^{9/8}*Sqrt[c]*d*Cos[Pi/8] + a^{5/8}*c*e*Sin[Pi/8]) - 2*ArcTan[(c^{1/8}*x*Sec[Pi/8])/a^{1/8} + Tan[Pi/8]]*(a^{9/8}*Sqrt[c]*d*Cos[Pi/8] + a^{5/8}*c*e*Sin[Pi/8]) + Log[a^{1/4} + c^{1/4}*x^2 - 2*a^{1/8}*c^{1/8}*x*Cos[Pi/8]]*(a^{9/8}*Sqrt[c]*d*Cos[Pi/8] + a^{5/8}*c*e*Sin[Pi/8]) - Log[a^{1/4} + c^{1/4}*x^2 + 2*a^{1/8}*c^{1/8}*x*Cos[Pi/8]]*(a^{9/8}*Sqrt[c]*d*Cos[Pi/8] + a^{5/8}*c*e*Sin[Pi/8]))/(8*a*c^{13/8})$

**fricas** [B] time = 1.95, size = 3378, normalized size = 4.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8),x, algorithm="fricas")

[Out]  $-1/8*(4*c*(-(a*c^4*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{1/4}*arctan(-((3*a^4*c^4*d^6*e - 19*a^3*c^5*d^4*e^3 + 9*a^2*c^6*d^2*e^5 - a*c^7*e^7 + (a^4*c^8*d^3 - 3*a^3*c^9*d*e^2)*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)))*sqrt(((a^4*d^8 - 4*a^3*c*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a*c^3*d^2*e^6 + c^4*e^8)*x^2 - (2*a^3*c^7*d*e*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) - a^4*c^2*d^6 + 7*a^3*c^3*d^4*e^2 - 7*a^2*c^4*d^2*e^4 + a*c^5*e^6)*sqrt(-(a*c^4*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4)))/(a^4*d^8 - 4*a^3*c*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a*c^3*d^2*e^6 + c^4*e^8))*sqrt(-(a*c^4*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4)) - ((a^4*c^8*d^3 - 3*a^3*c^9*d*e^2)*x*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) + (3*a^4*c^4*d^6*e - 19*a^3*c^5*d^4*e^3 + 9*a^2*c^6*d^2*e^5 - a*c^7*e^7)*x)*sqrt(-(a*c^4*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4)))*(-(a*c^4*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8))/(a^3*c^9)) - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{1/4}/(a^5*d^10 - 3*a^4*c*d^8*e^2 - 14*a^3*c^2*d^6*e^4 - 14*a^2*c^3*d^4*e^6 - 3*a*c^4*d^2*e^8 + c^5*e^10)) - 4*c*((a*c^4*sqrt(-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a$

$$\begin{aligned}
& ^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{1/4} \arctan(((3a^4c^4d^6e - 19a^3c^5d^4e^3 + 9a^2c^6d^2e^5 - a^3c^7e^7 - (a^4c^8d^3 - 3a^3c^9d^2e^2) \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/\sqrt{((a^4d^8 - 4a^3c^3d^6e^2 - 10a^2c^2d^4e^4 - 4a^3c^3d^2e^6 + c^4e^8))x^2 + (2a^3c^7d^2e^2 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + a^4c^2d^6 - 7a^3c^3d^4e^2 + 7a^2c^4d^2e^4 - a^3c^5e^6) \sqrt{(a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9)))/(a^4d^8 - 4a^3c^3d^6e^2 - 10a^2c^2d^4e^4 - 4a^3c^3d^2e^6 + c^4e^8)) * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{3/4} + ((a^4c^8d^3 - 3a^3c^9d^2e^2) x \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - (3a^4c^4d^6e - 19a^3c^5d^4e^3 + 9a^2c^6d^2e^5 - a^3c^7e^7) x) * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{3/4})/(a^5d^{10} - 3a^4c^4d^8e^2 - 14a^3c^2d^6e^4 - 14a^2c^3d^4e^6 - 3a^3c^4d^2e^8 + c^5e^{10})) + c * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{1/4} * \log((a^3d^6 - 5a^2c^2d^4e^2 - 5a^3c^2d^2e^4 + c^3e^6) x + (a^2c^6e \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + a^3c^3d^5 - 6a^2c^2d^3e^2 + a^3c^3d^3e^4) * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{1/4}) - c * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{1/4} * \log((a^3d^6 - 5a^2c^2d^4e^2 - 5a^3c^2d^2e^4 + c^3e^6) x - (a^2c^6e \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + a^3c^3d^5 - 6a^2c^2d^3e^2 + a^3c^3d^3e^4) * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) + 4a^3d^3e - 4c^4d^3e^3)/(a^3c^9))^{1/4}) - c * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - 4a^3d^3e + 4c^4d^3e^3)/(a^3c^9))^{1/4} * \log((a^3d^6 - 5a^2c^2d^4e^2 - 5a^3c^2d^2e^4 + c^3e^6) x + (a^2c^6e \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - a^3c^3d^5 + 6a^2c^2d^3e^2 - a^3c^3d^3e^4) * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - 4a^3d^3e + 4c^4d^3e^3)/(a^3c^9))^{1/4}) + c * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - 4a^3d^3e + 4c^4d^3e^3)/(a^3c^9))^{1/4} * \log((a^3d^6 - 5a^2c^2d^4e^2 - 5a^3c^2d^2e^4 + c^3e^6) x - (a^2c^6e \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - a^3c^3d^5 + 6a^2c^2d^3e^2 - a^3c^3d^3e^4) * ((a^4c^4 \sqrt{-(a^4d^8 - 12a^3c^3d^6e^2 + 38a^2c^2d^4e^4 - 12a^3c^3d^2e^6 + c^4e^8)})/(a^3c^9)) - 4a^3d^3e + 4c^4d^3e^3)/(a^3c^9))^{1/4})
\end{aligned}$$

$$6 + c^4 e^8 / (a^3 c^9) - 4 a d^3 e + 4 c d e^3 / (a c^4)^{1/4} - 8 d x / c$$

**giac [A]** time = 0.81, size = 647, normalized size = 0.86

$$\frac{dx}{c} \frac{\left( c \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{5}{8}} e + ad \sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}} \right) \arctan \left( \frac{2x + \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}} \right) + \left( c \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{5}{8}} e + ad \sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}} \right)}{8ac} \frac{dx}{c} \frac{\left( c \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{5}{8}} e + ad \sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}} \right) \arctan \left( \frac{2x + \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}} \right) + \left( c \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{5}{8}} e + ad \sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}} \right)}{8ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8),x, algorithm="giac")

[Out]  $d*x/c - 1/8*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{5/8}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{1/8})*\arctan((2*x + \sqrt{-\sqrt{2} + 2}*(a/c)^{1/8})/(\sqrt{\sqrt{2} + 2}*(a/c)^{1/8}))/a/c - 1/8*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{5/8}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{1/8})*\arctan((2*x - \sqrt{-\sqrt{2} + 2}*(a/c)^{1/8})/(\sqrt{\sqrt{2} + 2}*(a/c)^{1/8}))/a/c + 1/8*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{5/8}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8})*\arctan((2*x + \sqrt{\sqrt{2} + 2}*(a/c)^{1/8})/(\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8}))/a/c + 1/8*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{5/8}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8})*\arctan((2*x - \sqrt{\sqrt{2} + 2}*(a/c)^{1/8})/(\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8}))/a/c - 1/16*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{5/8}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{1/8})*\log(x^2 + x*\sqrt{\sqrt{2} + 2}*(a/c)^{1/8} + (a/c)^{1/4})/a/c + 1/16*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{5/8}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{1/8})*\log(x^2 - x*\sqrt{\sqrt{2} + 2}*(a/c)^{1/8} + (a/c)^{1/4})/a/c + 1/16*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{5/8}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8})*\log(x^2 + x*\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8} + (a/c)^{1/4})/a/c - 1/16*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{5/8}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8})*\log(x^2 - x*\sqrt{-\sqrt{2} + 2}*(a/c)^{1/8} + (a/c)^{1/4})/a/c$

**maple [C]** time = 0.00, size = 45, normalized size = 0.06

$$\frac{dx}{c} + \frac{\left( \text{RootOf}(-Z^8 c + a)^4 c e - ad \right) \ln \left( -\text{RootOf}(-Z^8 c + a) + x \right)}{8c^2 \text{RootOf}(-Z^8 c + a)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^4)/(c+a/x^8),x)

[Out]  $1/c*d*x + 1/8/c^2*\sum((\_R^4*c*e - a*d)/\_R^7*\ln(-\_R + x), \_R = \text{RootOf}(-Z^8*c + a))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{\left( c\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{5}{8}}e+ad\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}} \right) \arctan\left(\frac{2x+\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8a} - \frac{\left( c\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{5}{8}}e+ad\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}} \right) \arctan\left(\frac{2x-\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8a} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8),x, algorithm="maxima")

[Out] d\*x/c + integrate((c\*e\*x^4 - a\*d)/(c\*x^8 + a), x)/c

**mupad** [B] time = 1.22, size = 2520, normalized size = 3.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^4)/(c + a/x^8),x)

[Out] (atan((a^3\*d^6\*x - c^3\*e^6\*x - a\*c^2\*d^2\*e^4\*x + a^2\*c\*d^4\*e^2\*x + (2\*d\*e\*x\*(a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) + 4\*a^2\*c^6\*d\*e^3 - 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a\*c^4)))/(a^2\*c^6\*e\*(-(a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) + 4\*a^2\*c^6\*d\*e^3 - 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(5/4) - a^3\*c\*d^5\*(-(a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) + 4\*a^2\*c^6\*d\*e^3 - 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(1/4) + 2\*a^2\*c^2\*d^3\*e^2\*(-(a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) + 4\*a^2\*c^6\*d\*e^3 - 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(1/4) + 3\*a\*c^3\*d\*e^4\*(-(a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) + 4\*a^2\*c^6\*d\*e^3 - 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(1/4))) \* (- (atan((c^3\*e^6\*x - a^3\*d^6\*x + a\*c^2\*d^2\*e^4\*x - a^2\*c\*d^4\*e^2\*x + (2\*d\*e\*x\*(a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) - 4\*a^2\*c^6\*d\*e^3 + 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a\*c^4)))/(a^2\*c^6\*e\*((a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) - 4\*a^2\*c^6\*d\*e^3 + 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(5/4) - a^3\*c\*d^5\*((a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) - 4\*a^2\*c^6\*d\*e^3 + 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(1/4) + 2\*a^2\*c^2\*d^3\*e^2\*((a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) - 4\*a^2\*c^6\*d\*e^3 + 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(1/4) + 3\*a\*c^3\*d\*e^4\*((a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) - 4\*a^2\*c^6\*d\*e^3 + 4\*a^3\*c^5\*d^3\*e - 6\*a\*c\*d^2\*e^2\*(-a^3\*c^9)^(1/2)))/(a^3\*c^9))^(1/4))) \* ((a^2\*d^4\*(-a^3\*c^9)^(1/2) + c^2\*e^4\*(-a^3\*c^9)^(1/2) -



$$\begin{aligned}
& 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)} / (a^3*c^9)^{(1/4)} / 4 + \operatorname{atan}\left(\frac{c^3*e^6*x*1i - a^3*d^6*x*1i + a*c^2*d^2*e^4*x*1i - a^2*c*d^4*e^2*x*1i + (d*e*x*(a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)})*2i)}{(a*c^4)}\right) / (a^2*c^6*e*((a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(5/4)} - a^3*c*d^5*((a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(1/4)} + 2*a^2*c^2*d^3*e^2*((a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(1/4)} + 3*a*c^3*d*e^4*((a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(1/4))} * ((a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (4096*a^3*c^9)^{(1/4)} * 2i - \operatorname{atan}\left(\frac{a^3*d^6*x*1i - c^3*e^6*x*1i - a*c^2*d^2*e^4*x*1i + a^2*c*d^4*e^2*x*1i + (d*e*x*(a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)})*2i)}{(a*c^4)}\right) / (a^2*c^6*e*(-(a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(5/4)} - a^3*c*d^5*(-(a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(1/4)} + 2*a^2*c^2*d^3*e^2*(-(a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(1/4)} + 3*a*c^3*d*e^4*(-(a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (a^3*c^9)^{(1/4))} * (- (a^2*d^4*(-a^3*c^9)^{(1/2)} + c^2*e^4*(-a^3*c^9)^{(1/2)} + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^{(1/2)}) / (4096*a^3*c^9)^{(1/4)} * 2i + (d*x)/c
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x\*\*4)/(c+a/x\*\*8),x)

[Out] Timed out

$$3.41 \quad \int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8} + \frac{b}{x^4}} dx$$

**Optimal.** Leaf size=433

$$\frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{-\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(-\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right)}{2\sqrt[4]{2} c^{5/4}}$$

[Out]  $d*x/c + 1/4*\arctan(2^{(1/4)}*c^{(1/4)}*x/(-b - (-4*a*c + b^2)^{(1/2)})^{(1/4)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b - (-4*a*c + b^2)^{(1/2)})^{(3/4)} + 1/4*\operatorname{arctanh}(2^{(1/4)}*c^{(1/4)}*x/(-b - (-4*a*c + b^2)^{(1/2)})^{(1/4)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b - (-4*a*c + b^2)^{(1/2)})^{(3/4)} + 1/4*\arctan(2^{(1/4)}*c^{(1/4)}*x/(-b + (-4*a*c + b^2)^{(1/2)})^{(1/4)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b + (-4*a*c + b^2)^{(1/2)})^{(3/4)} + 1/4*\operatorname{arctanh}(2^{(1/4)}*c^{(1/4)}*x/(-b + (-4*a*c + b^2)^{(1/2)})^{(1/4)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b + (-4*a*c + b^2)^{(1/2)})^{(3/4)}$

**Rubi [A]** time = 0.99, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {1393, 1502, 1422, 212, 208, 205}

$$\frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{-\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(-\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right)}{2\sqrt[4]{2} c^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^4)/(c + a/x^8 + b/x^4), x]

[Out]  $(d*x)/c + ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(2^{(1/4)}*c^{(1/4)}*x)/(-b - \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}])/(2*2^{(1/4)}*c^{(5/4)}*(-b - \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}) + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(2^{(1/4)}*c^{(1/4)}*x)/(-b + \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}])/(2*2^{(1/4)}*c^{(5/4)}*(-b + \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}) + ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTanh}[(2^{(1/4)}*c^{(1/4)}*x)/(-b - \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}])/(2*2^{(1/4)}*c^{(5/4)}*(-b - \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}) + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTanh}[(2^{(1/4)}*c^{(1/4)}*x)/(-b + \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}])/(2*2^{(1/4)}*c^{(5/4)}*(-b + \text{Sqrt}[b^2 - 4*a*c])^{(3/4)})$

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a\_) + (b\_)\*(x\_)^4)^(-1), x\_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2\*a), Int[1/(r - s\*x^2), x], x] + Dist[r/(2\*a), Int[1/(r + s\*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 1393

Int[((a\_) + (c\_)\*(x\_)^(n2\_)) + (b\_)\*(x\_)^(n\_)]^(p\_)\*((d\_) + (e\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Int[x^(n\*(2\*p + q))\*(e + d/x^n)^q\*(c + b/x^n + a/x^(2\*n))^p, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && IntegersQ[p, q] && NegQ[n]

Rule 1422

Int[((d\_) + (e\_)\*(x\_)^(n\_))/((a\_) + (b\_)\*(x\_)^(n\_)) + (c\_)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^n), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (PosQ[b^2 - 4\*a\*c] || !IGtQ[n/2, 0])

Rule 1502

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_)^(n\_)) + (c\_)\*(x\_)^(n2\_)]^(p\_), x\_Symbol] := Simp[(e\*f^(n - 1)\*(f\*x)^(m - n + 1)\*(a + b\*x^n + c\*x^(2\*n))^(p + 1))/(c\*(m + n\*(2\*p + 1) + 1)), x] - Dist[f^n/(c\*(m + n\*(2\*p + 1) + 1)), Int[(f\*x)^(m - n)\*(a + b\*x^n + c\*x^(2\*n))^p\*Simp[a\*e\*(m - n + 1) + (b\*e\*(m + n\*p + 1) - c\*d\*(m + n\*(2\*p + 1) + 1))\*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n\*(2\*p + 1) + 1, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8} + \frac{b}{x^4}} dx &= \int \frac{x^4(e + dx^4)}{a + bx^4 + cx^8} dx \\
&= \frac{dx}{c} - \frac{\int \frac{ad+(bd-ce)x^4}{a+bx^4+cx^8} dx}{c} \\
&= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}-\frac{1}{2}\sqrt{b^2-4ac}+cx^4} dx}{2c} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}+\frac{1}{2}\sqrt{b^2-4ac}+cx^4} dx}{2c} \\
&= \frac{dx}{c} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{-b+\sqrt{b^2-4ac}} - \sqrt{2}\sqrt{c}x^2} dx}{2c\sqrt{-b+\sqrt{b^2-4ac}}} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{-b+\sqrt{b^2-4ac}}} dx}{2c\sqrt{-b+\sqrt{b^2-4ac}}} \\
&= \frac{dx}{c} + \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt[4]{2}\sqrt[4]{c}x}{\sqrt[4]{-b-\sqrt{b^2-4ac}}}\right)}{2\sqrt[4]{2}c^{5/4}\left(-b-\sqrt{b^2-4ac}\right)^{3/4}} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt[4]{2}\sqrt[4]{c}}{\sqrt[4]{-b+\sqrt{b^2-4ac}}}\right)}{2\sqrt[4]{2}c^{5/4}\left(-b+\sqrt{b^2-4ac}\right)^{3/4}}
\end{aligned}$$

**Mathematica [C]** time = 0.07, size = 88, normalized size = 0.20

$$\frac{dx}{c} - \frac{\text{RootSum}\left[\#1^8c + \#1^4b + a\&, \frac{\#1^4bd \log(x-\#1) - \#1^4ce \log(x-\#1) + ad \log(x-\#1)}{2\#1^7c + \#1^3b}\right]\&}{4c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^4)/(c + a/x^8 + b/x^4), x]

[Out] (d\*x)/c - RootSum[a + b\*#1^4 + c\*#1^8 & , (a\*d\*Log[x - #1] + b\*d\*Log[x - #1]\*#1^4 - c\*e\*Log[x - #1]\*#1^4)/(b\*#1^3 + 2\*c\*#1^7) & ]/(4\*c)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8+b/x^4), x, algorithm="fricas")

[Out] Timed out

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8+b/x^4),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
UT:sage2:=int(sage0,x)::OUTPUT:Evaluation time: 6.98Unable to convert to re  
al 1/4 Error: Bad Argument Value

**maple** [C] time = 0.01, size = 67, normalized size = 0.15

$$\frac{dx}{c} + \frac{\left((-bd + ce) \operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right)^4 - ad\right) \ln\left(-\operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right) + x\right)}{4c\left(2 \operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right)^7 c + \operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right)^3 b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^4)/(c+a/x^8+b/x^4),x)

[Out] 1/c\*d\*x+1/4/c\*sum(((b\*d+c\*e)\*\_R^4-a\*d)/(2\*\_R^7\*c+\_R^3\*b)\*ln(-\_R+x),\_R=Root  
Of(-\_Z^8\*c+\_Z^4\*b+a))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{-\int \frac{(bd-ce)x^4+ad}{cx^8+bx^4+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8+b/x^4),x, algorithm="maxima")

[Out] d\*x/c + integrate(-((b\*d - c\*e)\*x^4 + a\*d)/(c\*x^8 + b\*x^4 + a), x)/c

**mupad** [B] time = 9.24, size = 50213, normalized size = 115.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^4)/(c + a/x^8 + b/x^4),x)

[Out] atan((((((4\*x\*(4096\*a^5\*b\*c^6\*d^2 + 4096\*a^4\*b\*c^7\*e^2 + 256\*a^3\*b^5\*c^4\*d^2 - 2048\*a^4\*b^3\*c^5\*d^2 + 256\*a^2\*b^5\*c^5\*e^2 - 2048\*a^3\*b^3\*c^6\*e^2 - 16384\*a^5\*c^7\*d\*e - 1024\*a^3\*b^4\*c^5\*d\*e + 8192\*a^4\*b^2\*c^6\*d\*e))/c - (16\*(-(b

$$\begin{aligned}
& ^9d^4 + b^4d^4*(-(4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4*(-(4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4*(-(4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7c^2d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2*(-(4ac - b^2)^5)^{(1/2)} - 3ab^2c^2d^4*(-(4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^3e + 48ab^6c^2d^3e - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6ac^3d^2e^2*(-(4ac - b^2)^5)^{(1/2)} + 8ab^2c^2d^3e*(-(4ac - b^2)^5)^{(1/2)}/(512*(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)}*(16384a^5c^8e - 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e)/c*(-(b^9d^4 + b^4d^4*(-(4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4*(-(4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4*(-(4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7c^2d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2*(-(4ac - b^2)^5)^{(1/2)} - 3ab^2c^2d^4*(-(4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^3e + 48ab^6c^2d^3e - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6ac^3d^2e^2*(-(4ac - b^2)^5)^{(1/2)} + 8ab^2c^2d^3e*(-(4ac - b^2)^5)^{(1/2)}/(512*(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(3/4)} - (16*(a^3b^6d^5 - 4a^6c^3d^5 - 7a^4b^4c^3d^5 + 4a^3b^3c^5e^5 - a^2b^7d^4e + 12a^4c^5d^4e + 13a^5b^2c^2d^5 - a^2b^3c^4e^5 + 8a^5c^4d^3e^2 - 6a^2b^5c^2d^2e^3 + 32a^3b^3c^3d^2e^3 - 22a^3b^4c^2d^3e^2 + 22a^4b^2c^3d^3e^2 + 4a^3b^5c^3d^4e - 20a^5b^3c^3d^4e + 4a^2b^4c^3d^4e + 4a^2b^6c^3d^3e^2 - 19a^3b^2c^4d^4e - 32a^4b^3c^4d^2e^3 + 5a^4b^3c^2d^4e))/c*(-(b^9d^4 + b^4d^4*(-(4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4*(-(4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4*(-(4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7c^2d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2*(-(4ac - b^2)^5)^{(1/2)} - 3ab^2c^2d^4*(-(4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^3e + 48ab^6c^2d^3e - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6ac^3d^2e^2*(-(4ac - b^2)^5)^{(1/2)} + 8ab^2c^2d^3e*(-(4ac - b^2)^5)^{(1/2)}/(512*(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)} + (4x*(a^4b^4d^6 + 2a^6c^2d^6 - 2a^3c^5e^6 - 4a^5b^2c^3d^6 - 2a^3b^5d^5e + a^2b^2c^4e^6 + a^2b^6d^4e^2 - 2a^4c^4d^2e^4 + 2a^5c^3d^4e^2 + 6a^2b^4c^2d^2e^4 - 16a^3b^2c^3d^2e^4 + 8a^3b^3c^2d^3e^3 - 17a^4b^2c^2
\end{aligned}$$

$$\begin{aligned}
& d^4 e^2 + 10 a^3 b^3 c^4 d^5 e^5 + 6 a^4 b^3 c^3 d^5 e + 2 a^5 b^3 c^2 d^5 e - 4 a^2 b^3 c^3 d^5 e^5 - 4 a^2 b^5 c^3 d^3 e^3 + 2 a^3 b^4 c^3 d^4 e^2 + 12 a^4 b^3 c^3 d^3 e^3) / c * (- (b^9 d^4 + b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^5 e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d^5 e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a^3 b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} - 3 a^3 b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 40 a^3 b^4 c^4 d^5 e^3 + 48 a^3 b^6 c^2 d^3 e - 4 b^3 c^3 d^5 e^3 * (- (4 a^3 c - b^2)^5)^{1/2} - 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a^3 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d^5 e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} + 8 a^3 b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} ) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^3 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} * i + ( ( ( (4 a^3 c - b^2)^5)^{1/2} * (4096 a^5 b^3 c^6 d^2 + 4096 a^4 b^3 c^7 e^2 + 256 a^3 b^5 c^4 d^2 - 2048 a^4 b^3 c^5 d^2 + 256 a^2 b^5 c^5 e^2 - 2048 a^3 b^3 c^6 e^2 - 16384 a^5 c^7 d^5 e - 1024 a^3 b^4 c^5 d^5 e + 8192 a^4 b^2 c^6 d^5 e) ) / c + (16 * (- (b^9 d^4 + b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^3 c - b^2)^5)^{1/2} ) + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^5 e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d^5 e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a^3 b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} - 3 a^3 b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 40 a^3 b^4 c^4 d^5 e^3 + 48 a^3 b^6 c^2 d^3 e - 4 b^3 c^3 d^5 e^3 * (- (4 a^3 c - b^2)^5)^{1/2} - 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a^3 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d^5 e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} + 8 a^3 b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} ) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^3 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} * (16384 a^5 c^8 e - 256 a^2 b^6 c^5 e + 3072 a^3 b^4 c^6 e - 12288 a^4 b^2 c^7 e) ) / c * (- (b^9 d^4 + b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^5 e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d^5 e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a^3 b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} - 3 a^3 b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 40 a^3 b^4 c^4 d^5 e^3 + 48 a^3 b^6 c^2 d^3 e - 4 b^3 c^3 d^5 e^3 * (- (4 a^3 c - b^2)^5)^{1/2} - 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a^3 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d^5 e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} + 8 a^3 b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} ) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^3 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{3/4} + (16 * (a^3 b^6 d^5 - 4 a^6 c^3 d^5 - 7 a^4 b^4 c^3 d^5 + 4 a^3 b^3 c^5 e^5 - a^2 b^7 d^4 e + 12 a^4 c^5 d^5 e^4 + 13 a^5 b^2 c^2 d^5 - a^2 b^3 c^4 e^5 + 8 a^5 c^4 d^3 e^2 - 6 a^2 b^5 c^2 d^2 e^3 + 32 a^3 b^3 c^3 d^2 e^3 - 22 a^3 b^4 c^2 d^3 e^2 + 22 a^4 b^2 c^3 d^3 e^2 + 4 a^3 b^5 c^3 d^4 e - 2
\end{aligned}$$

$$\begin{aligned}
& 0*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e)) / c * (- (b^9*d^4 + b^4*d^4 * (- (4*a*c - b^2)^5)^{1/2} + b^5*c^4*e^4 + c^4*e^4 * (- (4*a*c - b^2)^5)^{1/2} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4 * (- (4*a*c - b^2)^5)^{1/2} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2 * (- (4*a*c - b^2)^5)^{1/2} - 3*a*b^2*c*d^4 * (- (4*a*c - b^2)^5)^{1/2} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3 * (- (4*a*c - b^2)^5)^{1/2} - 4*b^3*c*d^3*e * (- (4*a*c - b^2)^5)^{1/2} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^5)^{1/2} + 8*a*b*c^2*d^3*e * (- (4*a*c - b^2)^5)^{1/2} ) / (512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{1/4} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3) / c * (- (b^9*d^4 + b^4*d^4 * (- (4*a*c - b^2)^5)^{1/2} + b^5*c^4*e^4 + c^4*e^4 * (- (4*a*c - b^2)^5)^{1/2} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4 * (- (4*a*c - b^2)^5)^{1/2} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2 * (- (4*a*c - b^2)^5)^{1/2} - 3*a*b^2*c*d^4 * (- (4*a*c - b^2)^5)^{1/2} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3 * (- (4*a*c - b^2)^5)^{1/2} - 4*b^3*c*d^3*e * (- (4*a*c - b^2)^5)^{1/2} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^5)^{1/2} + 8*a*b*c^2*d^3*e * (- (4*a*c - b^2)^5)^{1/2} ) / (512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{1/4} * i) / (((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e) / c - (16*(- (b^9*d^4 + b^4*d^4 * (- (4*a*c - b^2)^5)^{1/2} + b^5*c^4*e^4 + c^4*e^4 * (- (4*a*c - b^2)^5)^{1/2} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4 * (- (4*a*c - b^2)^5)^{1/2} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2 * (- (4*a*c - b^2)^5)^{1/2} - 3*a*b^2*c*d^4 * (- (4*a*c - b^2)^5)^{1/2} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3 * (- (4*a*c - b^2)^5)^{1/2} - 4*b^3*c*d^3*e * (- (4*a*c - b^2)^5)^{1/2} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^5)^{1/2} + 8*a*b*c^2*d^3*e * (- (4*a*c - b^2)^5)^{1/2} ) / (512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{1/4}
\end{aligned}$$





$$\begin{aligned}
& c^4 d^3 e - 6 a^3 c^3 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)} + 8 a^2 b^2 c^2 d^3 e (-4 a^3 c - b^2)^5)^{(1/2)} / (512 (256 a^4 c^9 + b^8 c^5 - 16 a^2 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(1/4)} - (((4 x (4096 a^5 b^2 c^6 d^2 + 4096 a^4 b^2 c^7 e^2 + 256 a^3 b^5 c^4 d^2 - 2048 a^4 b^3 c^5 d^2 + 256 a^2 b^5 c^5 e^2 - 2048 a^3 b^3 c^6 e^2 - 16384 a^5 c^7 d e - 1024 a^3 b^4 c^5 d e + 8192 a^4 b^2 c^6 d e)) / c + (16 (-b^9 d^4 + b^4 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 80 a^4 b^2 c^4 d^4 - 8 a^2 b^3 c^5 e^4 + 16 a^2 b^2 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^2 b^7 c^2 d^4 - 4 b^8 c^2 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)} - 3 a^2 b^2 c^3 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 40 a^2 b^4 c^4 d e^3 + 48 a^2 b^6 c^2 d^3 e - 4 b^3 c^3 d e^3 (-4 a^3 c - b^2)^5)^{(1/2)} - 4 b^3 c^3 d^3 e (-4 a^3 c - b^2)^5)^{(1/2)} - 66 a^2 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^2 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^3 c^3 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)} + 8 a^2 b^2 c^2 d^3 e (-4 a^3 c - b^2)^5)^{(1/2)} / (512 (256 a^4 c^9 + b^8 c^5 - 16 a^2 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(1/4)} * (16384 a^5 c^8 e - 256 a^2 b^6 c^5 e + 3072 a^3 b^4 c^6 e - 12288 a^4 b^2 c^7 e) / c * (-b^9 d^4 + b^4 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 80 a^4 b^2 c^4 d^4 - 8 a^2 b^3 c^5 e^4 + 16 a^2 b^2 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^2 b^7 c^2 d^4 - 4 b^8 c^2 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)} - 3 a^2 b^2 c^3 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 40 a^2 b^4 c^4 d e^3 + 48 a^2 b^6 c^2 d^3 e - 4 b^3 c^3 d e^3 (-4 a^3 c - b^2)^5)^{(1/2)} - 4 b^3 c^3 d^3 e (-4 a^3 c - b^2)^5)^{(1/2)} - 66 a^2 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^2 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^3 c^3 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)} + 8 a^2 b^2 c^2 d^3 e (-4 a^3 c - b^2)^5)^{(1/2)} / (512 (256 a^4 c^9 + b^8 c^5 - 16 a^2 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(3/4)} + (16 (a^3 b^6 d^5 - 4 a^6 c^3 d^5 - 7 a^4 b^4 c^2 d^5 + 4 a^3 b^3 c^5 e^5 - a^2 b^7 d^4 e + 12 a^4 c^5 d e^4 + 13 a^5 b^2 c^2 d^5 - a^2 b^3 c^4 e^5 + 8 a^5 c^4 d^3 e^2 - 6 a^2 b^5 c^2 d^2 e^3 + 32 a^3 b^3 c^3 d^2 e^3 - 22 a^3 b^4 c^2 d^3 e^2 + 22 a^4 b^2 c^3 d^3 e^2 + 4 a^3 b^5 c^2 d^4 e - 20 a^5 b^2 c^3 d^4 e + 4 a^2 b^4 c^3 d e^4 + 4 a^2 b^6 c^2 d^3 e^2 - 19 a^3 b^2 c^4 d e^4 - 32 a^4 b^2 c^4 d^2 e^3 + 5 a^4 b^3 c^2 d^4 e)) / c * (-b^9 d^4 + b^4 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 80 a^4 b^2 c^4 d^4 - 8 a^2 b^3 c^5 e^4 + 16 a^2 b^2 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^2 b^7 c^2 d^4 - 4 b^8 c^2 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)} - 3 a^2 b^2 c^3 d^4 (-4 a^3 c - b^2)^5)^{(1/2)} + 40 a^2 b^4 c^4 d e^3 + 48 a^2 b^6 c^2 d^3 e - 4 b^3 c^3 d e^3 (-4 a^3 c - b^2)^5)^{(1/2)} - 4 b^3 c^3 d^3 e (-4 a^3 c - b^2)^5)^{(1/2)} - 66 a^2 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^2 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^3 c^3 d^2 e^2 (-4 a^3 c - b^2)^5)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& *a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256* \\
& a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} \\
& ) + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2 \\
& *a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2* \\
& a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^ \\
& 3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d \\
& ^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^ \\
& 3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b* \\
& c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4* \\
& c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^ \\
& 2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4 \\
& *b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^ \\
& 5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48 \\
& *a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*( \\
& -(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 20 \\
& 0*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c \\
& ^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1 \\
& /2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3* \\
& b^2*c^8)))^{(1/4)))*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4* \\
& e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 \\
& + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e \\
& ^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2) \\
& ^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^ \\
& 3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4* \\
& (- (4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^ \\
& 3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - \\
& 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288 \\
& *a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2) \\
& )^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + \\
& b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*2i + \operatorname{atan} \\
& n((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - \\
& 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384* \\
& a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - (16*(-(b^9*d^4 - \\
& b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b \\
& ^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128* \\
& a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - \\
& 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2* \\
& e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2* \\
& d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + \\
& 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5) \\
& ^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 12 \\
& 8*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a \\
& ^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3 \\
& *e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 9
\end{aligned}$$

$$\begin{aligned}
& (6*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)} * (16384*a^5*c^8*e - 256*a^2*b^6*c^5 \\
& *e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e) / c * (-(b^9*d^4 - b^4*d^4 * (-( \\
& 4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4 * (-(4*a*c - b^2)^5)^{(1/2)} + 80 \\
& *a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 1 \\
& 28*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d \\
& ^4 - a^2*c^2*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c* \\
& d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2 * (-(4*a*c \\
& - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e \\
& ^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3 * (-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c* \\
& d^3*e * (-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e \\
& ^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e \\
& + 6*a*c^3*d^2*e^2 * (-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e * (-(4*a*c - b^2 \\
& )^5)^{(1/2)) / (512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 2 \\
& 56*a^3*b^2*c^8))^{(3/4)} - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^ \\
& 5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 \\
& - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3 \\
& *c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5* \\
& c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - \\
& 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e) / c * (-(b \\
& ^9*d^4 - b^4*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4 * (-(4*a*c \\
& - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 1 \\
& 28*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 \\
& - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d \\
& ^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c \\
& ^2*d^2*e^2 * (-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} \\
& ) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3 * (-(4*a*c - b^2) \\
& ^5)^{(1/2)} + 4*b^3*c*d^3*e * (-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - \\
& 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 32 \\
& 0*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2 * (-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2* \\
& d^3*e * (-(4*a*c - b^2)^5)^{(1/2)) / (512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2 \\
& *d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 \\
& + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d \\
& ^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^ \\
& 4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2* \\
& b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^ \\
& 3*e^3) / c * (-(b^9*d^4 - b^4*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^ \\
& 4*e^4 * (-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^ \\
& 2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61* \\
& a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4 * (-(4*a*c - b^2)^5)^{(1/2)} \\
& ) + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^ \\
& 2*e^2 - 6*b^2*c^2*d^2*e^2 * (-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4 * (-(4*a*c \\
& - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3 * \\
& (-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e * (-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^ \\
& 5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c
\end{aligned}$$

$$\begin{aligned}
&^5d^2e^2 + 320a^3b^2c^4d^3e + 6a^3c^3d^2e^2 * (-4ac - b^2)^5)^{(1/2)} \\
&- 8ab^2c^2d^3e * (-4ac - b^2)^5)^{(1/2)} / (512(256a^4c^9 + b^8c^5 \\
&- 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{(1/4)} * i + (((4x*(40 \\
&96a^5b^2c^6d^2 + 4096a^4b^3c^7e^2 + 256a^3b^5c^4d^2 - 2048a^4b^3c^5d^2 \\
&+ 256a^2b^5c^5e^2 - 2048a^3b^3c^6e^2 - 16384a^5c^7d^2e - \\
&1024a^3b^4c^5d^2e + 8192a^4b^2c^6d^2e)) / c + (16 * (-b^9d^4 - b^4d^4 * \\
&(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4 * (-4ac - b^2)^5)^{(1/2)} + \\
&80a^4b^2c^4d^4 - 8ab^3c^5e^4 + 16a^2b^2c^6e^4 + 128a^3c^6d^2e^3 \\
&- 128a^4c^5d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 \\
&- a^2c^2d^4 * (-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7c^2d^4 \\
&- 4b^8c^2d^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 3ab^2c^2d^4 * (-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^2e^3 + 48ab^6c^2d^3e \\
&+ 4b^2c^3d^2e^3 * (-4ac - b^2)^5)^{(1/2)} + 4b^3c^2d^3e * (-4ac - b^2)^5)^{(1/2)} \\
&- 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^2e^3 - 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 \\
&+ 320a^3b^2c^4d^3e + 6a^3c^3d^2e^2 * (-4ac - b^2)^5)^{(1/2)} - 8ab^2c^2d^3e * (-4ac - b^2)^5)^{(1/2)} \\
&/ (512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{(1/4)} * (16384a^5c^8e \\
&- 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e)) / c * (-b^9d^4 - b^4d^4 * (-4ac - b^2)^5)^{(1/2)} \\
&+ b^5c^4e^4 - c^4e^4 * (-4ac - b^2)^5)^{(1/2)} + 80a^4b^2c^4d^4 - 8ab^3c^5e^4 \\
&+ 16a^2b^2c^6e^4 + 128a^3c^6d^2e^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 \\
&+ 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 6b^7c^2d^2e^2 - 13ab^7c^2d^4 - 4b^8c^2d^3e + 240a^2b^3c^4d^2e^2 \\
&- 6b^2c^2d^2e^2 * (-4ac - b^2)^5)^{(1/2)} + 3ab^2c^2d^4 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 40ab^4c^4d^2e^3 + 48ab^6c^2d^3e + 4b^2c^3d^2e^3 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 4b^3c^2d^3e * (-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^2e^3 \\
&- 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 + 320a^3b^2c^4d^3e + 6a^3c^3d^2e^2 \\
&* (-4ac - b^2)^5)^{(1/2)} - 8ab^2c^2d^3e * (-4ac - b^2)^5)^{(1/2)} / (512 \\
&(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{(3/4)} + (16 * (a^3b^6d^5 \\
&- 4a^6c^3d^5 - 7a^4b^4c^4d^5 + 4a^3b^5c^5e^5 - a^2b^7d^4e + 12a^4c^5d^2e^4 \\
&+ 13a^5b^2c^2d^5 - a^2b^3c^4e^5 + 8a^5c^4d^3e^2 - 6a^2b^5c^2d^2e^3 + 32a^3b^3c^3d^2e^3 \\
&- 22a^3b^4c^2d^3e^2 + 22a^4b^2c^3d^3e^2 + 4a^3b^5c^4d^4e - 20a^5b^2c^3d^4e \\
&+ 4a^2b^4c^3d^2e^4 + 4a^2b^6c^4d^3e^2 - 19a^3b^2c^4d^2e^4 - 32a^4b^3c^4d^2e^3 \\
&+ 5a^4b^3c^2d^4e)) / c * (-b^9d^4 - b^4d^4 * (-4ac - b^2)^5)^{(1/2)} \\
&+ b^5c^4e^4 - c^4e^4 * (-4ac - b^2)^5)^{(1/2)} + 80a^4b^2c^4d^4 - 8ab^3c^5e^4 \\
&+ 16a^2b^2c^6e^4 + 128a^3c^6d^2e^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 \\
&+ 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 6b^7c^2d^2e^2 - 13ab^7c^2d^4 - 4b^8c^2d^3e + 240a^2b^3c^4d^2e^2 \\
&- 6b^2c^2d^2e^2 * (-4ac - b^2)^5)^{(1/2)} + 3ab^2c^2d^4 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 40ab^4c^4d^2e^3 + 48ab^6c^2d^3e + 4b^2c^3d^2e^3 * (-4ac - b^2)^5)^{(1/2)} \\
&+ 4b^3c^2d^3e * (-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^2e^3 \\
&- 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 + 320a^3b^2c^4d^3e
\end{aligned}$$

$$\begin{aligned}
& d^3e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c \\
& - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c \\
& ^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c \\
& ^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4* \\
& e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^ \\
& 3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3 \\
& *b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 \\
& - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(- \\
& (b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + \\
& 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^ \\
& 4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2* \\
& d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2* \\
& c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/ \\
& 2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2 \\
& )^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 \\
& - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 3 \\
& 20*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2 \\
& *d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i)/((((4*x*(4096*a^5*b*c^6*d \\
& ^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256* \\
& a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c \\
& ^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - (16*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2 \\
& )^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4* \\
& d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5* \\
& d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^ \\
& 2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8 \\
& *c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{( \\
& 1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b \\
& ^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4* \\
& a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^ \\
& 2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d \\
& ^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}) \\
& /((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2* \\
& c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12 \\
& 288*a^4*b^2*c^7*e))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5* \\
& c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5 \\
& *e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3 \\
& *d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^ \\
& 2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c* \\
& d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4* \\
& b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/ \\
& 2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - \\
& 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c -
\end{aligned}$$

$$\begin{aligned}
& b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(3/4)} - (1 \\
& 6*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c \\
& ^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e \\
& + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c \\
& ^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4* \\
& b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48* \\
& a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200 \\
& *a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b \\
& ^2*c^8))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5 \\
& *b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2* \\
& e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c^3 \\
& d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d* \\
& e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a \\
& *b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4 \\
& *b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c \\
& - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)} - (((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - \\
& 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4 \\
& *b^2*c^6*d*e))/c + (16*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5 \\
& *e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3 \\
& *d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2 \\
& *b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*
\end{aligned}$$

$$\begin{aligned}
& d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + 40 * a * b^4 * c^4 * d * e^3 + 48 * a * b^6 * c^2 * d^3 * e + 4 * \\
& b * c^3 * d * e^3 * (- (4 * a * c - b^2)^5)^{(1/2)} + 4 * b^3 * c * d^3 * e * (- (4 * a * c - b^2)^5)^{(1/2)} - 66 * a * b^5 * c^3 * d^2 * e^2 - 128 * a^2 * b^2 * c^5 * d * e^3 - 200 * a^2 * b^4 * c^3 * d^3 * e - \\
& 288 * a^3 * b * c^5 * d^2 * e^2 + 320 * a^3 * b^2 * c^4 * d^3 * e + 6 * a * c^3 * d^2 * e^2 * (- (4 * a * c - \\
& b^2)^5)^{(1/2)} - 8 * a * b * c^2 * d^3 * e * (- (4 * a * c - b^2)^5)^{(1/2)} / (512 * (256 * a^4 * c^9 + b^8 * c^5 - 16 * a * b^6 * c^6 + 96 * a^2 * b^4 * c^7 - 256 * a^3 * b^2 * c^8)))^{(1/4)} * (163 \\
& 84 * a^5 * c^8 * e - 256 * a^2 * b^6 * c^5 * e + 3072 * a^3 * b^4 * c^6 * e - 12288 * a^4 * b^2 * c^7 * e \\
& ) / c * (- (b^9 * d^4 - b^4 * d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + b^5 * c^4 * e^4 - c^4 * e^4 \\
& * (- (4 * a * c - b^2)^5)^{(1/2)} + 80 * a^4 * b * c^4 * d^4 - 8 * a * b^3 * c^5 * e^4 + 16 * a^2 * b * c \\
& ^6 * e^4 + 128 * a^3 * c^6 * d * e^3 - 128 * a^4 * c^5 * d^3 * e - 4 * b^6 * c^3 * d * e^3 + 61 * a^2 * b \\
& ^5 * c^2 * d^4 - 120 * a^3 * b^3 * c^3 * d^4 - a^2 * c^2 * d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + 6 \\
& * b^7 * c^2 * d^2 * e^2 - 13 * a * b^7 * c * d^4 - 4 * b^8 * c * d^3 * e + 240 * a^2 * b^3 * c^4 * d^2 * e^2 \\
& - 6 * b^2 * c^2 * d^2 * e^2 * (- (4 * a * c - b^2)^5)^{(1/2)} + 3 * a * b^2 * c * d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + 40 * a * b^4 * c^4 * d * e^3 + 48 * a * b^6 * c^2 * d^3 * e + 4 * b * c^3 * d * e^3 * (- (4 * \\
& a * c - b^2)^5)^{(1/2)} + 4 * b^3 * c * d^3 * e * (- (4 * a * c - b^2)^5)^{(1/2)} - 66 * a * b^5 * c^3 \\
& * d^2 * e^2 - 128 * a^2 * b^2 * c^5 * d * e^3 - 200 * a^2 * b^4 * c^3 * d^3 * e - 288 * a^3 * b * c^5 * d^2 \\
& * e^2 + 320 * a^3 * b^2 * c^4 * d^3 * e + 6 * a * c^3 * d^2 * e^2 * (- (4 * a * c - b^2)^5)^{(1/2)} - \\
& 8 * a * b * c^2 * d^3 * e * (- (4 * a * c - b^2)^5)^{(1/2)} / (512 * (256 * a^4 * c^9 + b^8 * c^5 - 16 * \\
& a * b^6 * c^6 + 96 * a^2 * b^4 * c^7 - 256 * a^3 * b^2 * c^8)))^{(3/4)} + (16 * (a^3 * b^6 * d^5 - \\
& 4 * a^6 * c^3 * d^5 - 7 * a^4 * b^4 * c * d^5 + 4 * a^3 * b * c^5 * e^5 - a^2 * b^7 * d^4 * e + 12 * a^4 * \\
& c^5 * d * e^4 + 13 * a^5 * b^2 * c^2 * d^5 - a^2 * b^3 * c^4 * e^5 + 8 * a^5 * c^4 * d^3 * e^2 - 6 * a^2 * \\
& b^5 * c^2 * d^2 * e^3 + 32 * a^3 * b^3 * c^3 * d^2 * e^3 - 22 * a^3 * b^4 * c^2 * d^3 * e^2 + 22 * a^4 * \\
& b^2 * c^3 * d^3 * e^2 + 4 * a^3 * b^5 * c * d^4 * e - 20 * a^5 * b * c^3 * d^4 * e + 4 * a^2 * b^4 * c^3 * \\
& d * e^4 + 4 * a^2 * b^6 * c * d^3 * e^2 - 19 * a^3 * b^2 * c^4 * d * e^4 - 32 * a^4 * b * c^4 * d^2 * e^3 + \\
& 5 * a^4 * b^3 * c^2 * d^4 * e) / c * (- (b^9 * d^4 - b^4 * d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + b \\
& ^5 * c^4 * e^4 - c^4 * e^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + 80 * a^4 * b * c^4 * d^4 - 8 * a * b^3 * \\
& c^5 * e^4 + 16 * a^2 * b * c^6 * e^4 + 128 * a^3 * c^6 * d * e^3 - 128 * a^4 * c^5 * d^3 * e - 4 * b^6 * \\
& c^3 * d * e^3 + 61 * a^2 * b^5 * c^2 * d^4 - 120 * a^3 * b^3 * c^3 * d^4 - a^2 * c^2 * d^4 * (- (4 * a * c \\
& - b^2)^5)^{(1/2)} + 6 * b^7 * c^2 * d^2 * e^2 - 13 * a * b^7 * c * d^4 - 4 * b^8 * c * d^3 * e + 240 \\
& * a^2 * b^3 * c^4 * d^2 * e^2 - 6 * b^2 * c^2 * d^2 * e^2 * (- (4 * a * c - b^2)^5)^{(1/2)} + 3 * a * b^2 \\
& * c * d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + 40 * a * b^4 * c^4 * d * e^3 + 48 * a * b^6 * c^2 * d^3 * e + \\
& 4 * b * c^3 * d * e^3 * (- (4 * a * c - b^2)^5)^{(1/2)} + 4 * b^3 * c * d^3 * e * (- (4 * a * c - b^2)^5)^{(1/2)} - 66 * a * b^5 * c^3 * d^2 * e^2 - 128 * a^2 * b^2 * c^5 * d * e^3 - 200 * a^2 * b^4 * c^3 * d^3 * \\
& e - 288 * a^3 * b * c^5 * d^2 * e^2 + 320 * a^3 * b^2 * c^4 * d^3 * e + 6 * a * c^3 * d^2 * e^2 * (- (4 * a * \\
& c - b^2)^5)^{(1/2)} - 8 * a * b * c^2 * d^3 * e * (- (4 * a * c - b^2)^5)^{(1/2)} / (512 * (256 * a^4 \\
& * c^9 + b^8 * c^5 - 16 * a * b^6 * c^6 + 96 * a^2 * b^4 * c^7 - 256 * a^3 * b^2 * c^8)))^{(1/4)} + \\
& (4 * x * (a^4 * b^4 * d^6 + 2 * a^6 * c^2 * d^6 - 2 * a^3 * c^5 * e^6 - 4 * a^5 * b^2 * c * d^6 - 2 * a^3 * \\
& b^5 * d^5 * e + a^2 * b^2 * c^4 * e^6 + a^2 * b^6 * d^4 * e^2 - 2 * a^4 * c^4 * d^2 * e^4 + 2 * a^5 * \\
& c^3 * d^4 * e^2 + 6 * a^2 * b^4 * c^2 * d^2 * e^4 - 16 * a^3 * b^2 * c^3 * d^2 * e^4 + 8 * a^3 * b^3 * c \\
& ^2 * d^3 * e^3 - 17 * a^4 * b^2 * c^2 * d^4 * e^2 + 10 * a^3 * b * c^4 * d * e^5 + 6 * a^4 * b^3 * c * d^5 * \\
& e + 2 * a^5 * b * c^2 * d^5 * e - 4 * a^2 * b^3 * c^3 * d * e^5 - 4 * a^2 * b^5 * c * d^3 * e^3 + 2 * a^3 * b \\
& ^4 * c * d^4 * e^2 + 12 * a^4 * b * c^3 * d^3 * e^3) / c * (- (b^9 * d^4 - b^4 * d^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + b^5 * c^4 * e^4 - c^4 * e^4 * (- (4 * a * c - b^2)^5)^{(1/2)} + 80 * a^4 * b * c^4 * \\
& d^4 - 8 * a * b^3 * c^5 * e^4 + 16 * a^2 * b * c^6 * e^4 + 128 * a^3 * c^6 * d * e^3 - 128 * a^4 * c^5 * \\
& d^3 * e - 4 * b^6 * c^3 * d * e^3 + 61 * a^2 * b^5 * c^2 * d^4 - 120 * a^3 * b^3 * c^3 * d^4 - a^2 * c
\end{aligned}$$



$$\begin{aligned}
&^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} \\
&+ 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
&)/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)})*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*2i + 2*atan((((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - ((-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e
\end{aligned}$$

$$\begin{aligned}
& - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i + (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c + (((-b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a
\end{aligned}$$

$$\begin{aligned}
& *c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*
\end{aligned}$$



$$\begin{aligned}
& 3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7 \\
& *c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a \\
& *c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4* \\
& d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3 \\
& *c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5* \\
& d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3 \\
& *e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - \\
& b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 \\
& - 256*a^3*b^2*c^8)))^{(1/4)}*i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c \\
& ^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4* \\
& e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^ \\
& 3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3 \\
& *b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 \\
& - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-( \\
& b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + \\
& 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^ \\
& 4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2* \\
& d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^ \\
& 2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/ \\
& 2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2 \\
& )^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 \\
& - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 3 \\
& 20*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2 \\
& *d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*i - (((4*x*(4096*a^5*b*c^6*d \\
& ^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256* \\
& a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c \\
& ^5*d*e + 8192*a^4*b^2*c^6*d*e))/c + ((-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5 \\
& )^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 \\
& - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3 \\
& *e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d \\
& ^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c* \\
& d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} \\
& ) - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6* \\
& c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c \\
& - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b \\
& ^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2* \\
& e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(5 \\
& 12*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8 \\
& )))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288 \\
& *a^4*b^2*c^7*e)*16i)/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5 \\
& *c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^ \\
& 5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^ \\
& 3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c -
\end{aligned}$$

$$\begin{aligned}
& b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a \\
& ^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c \\
& *d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4 \\
& *b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e \\
& - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2))/(512*(256*a^4*c \\
& ^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i \\
& - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^ \\
& 2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a \\
& ^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^ \\
& 4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d \\
& ^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 3 \\
& 2*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a* \\
& c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4 \\
& *b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a \\
& ^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + \\
& a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 \\
& - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^ \\
& 2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + \\
& 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3* \\
& e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - \\
& 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6* \\
& a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5) \\
& ^{(1/2))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a \\
& ^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 \\
& - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2 \\
& *a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c \\
& ^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4* \\
& d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2 \\
& *b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c)*(-(b^9*d^4 \\
& + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2) \\
& ^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3 \\
& *c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120 \\
& *a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 \\
& - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2 \\
& *e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40 \\
& *a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a \\
& ^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3* \\
& b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e* \\
& (- (4*a*c - b^2)^5)^{(1/2))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a \\
& ^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i))*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c \\
& ^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c
\end{aligned}$$

$$\begin{aligned}
&^5d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2 \\
&c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b \\
&b^8cd^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2(-4ac - b^2)^5 \\
&)^{(1/2)} - 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^2e^3 + 48a \\
&a^2b^6c^2d^3e - 4b^3c^3d^2e^3(-4ac - b^2)^5)^{(1/2)} - 4b^3cd^3e(- \\
&(4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^2e^3 - 200 \\
&a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6ac^3 \\
&>d^2e^2(-4ac - b^2)^5)^{(1/2)} + 8ab^2cd^3e(-4ac - b^2)^5)^{(1/ \\
&2)) / (512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b \\
&^2c^8)))^{(1/4)} + 2\operatorname{atan}((((4x(4096a^5b^6c^6d^2 + 4096a^4b^7c^7e^2 \\
&+ 256a^3b^5c^4d^2 - 2048a^4b^3c^5d^2 + 256a^2b^5c^5e^2 - 2048a \\
&^3b^3c^6e^2 - 16384a^5c^7d^2e - 1024a^3b^4c^5d^2e + 8192a^4b^2c^6 \\
&d^2e)) / c - ((-b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - \\
&c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a \\
&a^2b^6c^6e^4 + 128a^3c^6d^2e^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 + 6 \\
&1a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1 \\
&/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d \\
&d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac \\
&c - b^2)^5)^{(1/2)} + 40ab^4c^4d^2e^3 + 48ab^6c^2d^3e + 4b^3c^3d^2e \\
&>3(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab \\
&>b^5c^3d^2e^2 - 128a^2b^2c^5d^2e^3 - 200a^2b^4c^3d^3e - 288a^3b \\
&>*c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{( \\
&1/2)} - 8ab^2cd^3e(-4ac - b^2)^5)^{(1/2)) / (512(256a^4c^9 + b^8c^ \\
&5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)} * (16384a^5c^8 \\
&>*e - 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e) * 16i) / c * \\
&(-b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4a \\
&>ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^6c^6e^4 \\
&+ 128a^3c^6d^2e^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2 \\
&>*d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c \\
&^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b \\
&^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^ \\
&(1/2)} + 40ab^4c^4d^2e^3 + 48ab^6c^2d^3e + 4b^3c^3d^2e^3(-4ac - \\
&b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e \\
&^2 - 128a^2b^2c^5d^2e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 \\
&+ 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2 \\
&>c^2d^3e(-4ac - b^2)^5)^{(1/2)) / (512(256a^4c^9 + b^8c^5 - 16ab^6c \\
&^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(3/4)} * 1i + (16(a^3b^6d^5 - 4a \\
&^6c^3d^5 - 7a^4b^4cd^5 + 4a^3b^5c^5e^5 - a^2b^7d^4e + 12a^4c^5 \\
&>*d^4e + 13a^5b^2c^2d^5 - a^2b^3c^4e^5 + 8a^5c^4d^3e^2 - 6a^2b \\
&^5c^2d^2e^3 + 32a^3b^3c^3d^2e^3 - 22a^3b^4c^2d^3e^2 + 22a^4b \\
&^2c^3d^3e^2 + 4a^3b^5cd^4e - 20a^5b^3c^3d^4e + 4a^2b^4c^3d^2e \\
&^4 + 4a^2b^6cd^3e^2 - 19a^3b^2c^4d^4e - 32a^4b^3c^4d^2e^3 + 5a \\
&a^4b^3c^2d^4e)) / c * (-b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c \\
&^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8ab^3c^5e \\
&^4 + 16a^2b^6c^6e^4 + 128a^3c^6d^2e^3 - 128a^4c^5d^3e - 4b^6c^3
\end{aligned}$$

$$\begin{aligned}
& *d^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^3e + 48ab^6c^2d^3e + 4b^3c^3d^3e(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2c^2d^3e(-4ac - b^2)^5)^{(1/2)}/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)} * i - (4x*(a^4b^4d^6 + 2a^6c^2d^6 - 2a^3c^5e^6 - 4a^5b^2cd^6 - 2a^3b^5d^5e + a^2b^2c^4e^6 + a^2b^6d^4e^2 - 2a^4c^4d^2e^4 + 2a^5c^3d^4e^2 + 6a^2b^4c^2d^2e^4 - 16a^3b^2c^3d^2e^4 + 8a^3b^3c^2d^3e^3 - 17a^4b^2c^2d^4e^2 + 10a^3b^3c^4d^5e + 6a^4b^3cd^5e + 2a^5b^3c^2d^5e - 4a^2b^3c^3d^5e - 4a^2b^5cd^3e^3 + 2a^3b^4cd^4e^2 + 12a^4b^3cd^3e^3))/c)*(-b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^3e + 48ab^6c^2d^3e + 4b^3c^3d^3e(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2c^2d^3e(-4ac - b^2)^5)^{(1/2)}/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)} + (((4x*(4096a^5b^3c^6d^2 + 4096a^4b^3c^7e^2 + 256a^3b^5c^4d^2 - 2048a^4b^3c^5d^2 + 256a^2b^5c^5e^2 - 2048a^3b^3c^6e^2 - 16384a^5c^7d^2e - 1024a^3b^4c^5d^2e + 8192a^4b^2c^6d^2e))/c + ((-b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4d^3e + 48ab^6c^2d^3e + 4b^3c^3d^3e(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2c^2d^3e(-4ac - b^2)^5)^{(1/2)}/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)}*(16384a^5c^8e - 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e)*16i)/c)*(-b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - 120
\end{aligned}$$



$$\begin{aligned}
& a^3 b^3 c^3 d^4 - a^2 c^2 d^4 (-4ac - b^2)^5^{(1/2)} + 6b^7 c^2 d^2 e^2 \\
& - 13a^*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2 \\
& *e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40 \\
& *a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a \\
& ^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3* \\
& b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e* \\
& (- (4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a \\
& ^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*i - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 \\
& - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 1 \\
& 3*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2 \\
& *e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3 \\
& *e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2 \\
& *b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^ \\
& 2*d^4*e))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - \\
& c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16* \\
& a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 6 \\
& 1*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4* \\
& d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a \\
& *c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^ \\
& 3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a* \\
& b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b \\
& *c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{( \\
& 1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^ \\
& 5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*i - (4*x*(a^4 \\
& *b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5* \\
& e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e \\
& ^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 \\
& - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5* \\
& b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e \\
& ^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
& ) + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a \\
& *b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4 \\
& *b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-( \\
& 4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e \\
& + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3* \\
& a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^ \\
& 3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2 \\
& )^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3 \\
& *d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(- \\
& (4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(25 \\
& 6*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1 \\
& /4)}/((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^ \\
& 2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 163
\end{aligned}$$

$$\begin{aligned}
& 84*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - ((-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{1/2}) + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{1/2}) + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{1/2}) + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{1/2}) + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{1/2}) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{1/2}) + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{1/2}) - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{1/2}) - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{1/2}))/((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{1/4}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c)*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{1/2}) + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{1/2}) + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{1/2}) + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{1/2}) + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{1/2}) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{1/2}) + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{1/2}) - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{1/2}) - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{1/2}))/((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{3/4}*1i + (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c)*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{1/2}) + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{1/2}) + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{1/2}) + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{1/2}) + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{1/2}) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{1/2}) + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{1/2}) - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{1/2}) - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{1/2}))/((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{1/4}*1i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2
\end{aligned}$$

$$\begin{aligned}
& b^4 c^2 d^2 e^4 - 16 a^3 b^2 c^3 d^2 e^4 + 8 a^3 b^3 c^2 d^3 e^3 - 17 a^4 b^2 c^2 d^4 e^2 + 10 a^3 b^3 c^4 d e^5 + 6 a^4 b^3 c^2 d^5 e + 2 a^5 b^3 c^2 d^5 e \\
& e - 4 a^2 b^3 c^3 d e^5 - 4 a^2 b^5 c^3 d^3 e^3 + 2 a^3 b^4 c^3 d^4 e^2 + 12 a^4 b^3 c^3 d^3 e^3) / c * (- (b^9 d^4 - b^4 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + b^5 c^4 e^4 \\
& - c^4 e^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^4 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d \\
& * e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 - a^2 c^2 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a^4 b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 \\
& - 6 b^2 c^2 d^2 e^2 * (- (4 a^2 c - b^2)^5)^{1/2} + 3 a^4 b^2 c^4 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 40 a^4 b^4 c^4 d e^3 + 48 a^4 b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& + 4 b^3 c^3 d^3 e * (- (4 a^2 c - b^2)^5)^{1/2} - 66 a^4 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^2 c^3 d^2 e^2 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& - 8 a^4 b^3 c^2 d^3 e * (- (4 a^2 c - b^2)^5)^{1/2} / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^4 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8)))^{1/4} * 1i - ( \\
& (((4 a^2 c * (4096 a^5 b^3 c^6 d^2 + 4096 a^4 b^3 c^7 e^2 + 256 a^3 b^5 c^4 d^2 - 2048 a^4 b^3 c^5 d^2 + 256 a^2 b^5 c^5 e^2 - 2048 a^3 b^3 c^6 e^2 - 16384 a^5 c^7 d e \\
& - 1024 a^3 b^4 c^5 d e + 8192 a^4 b^2 c^6 d e)) / c + ((- (b^9 d^4 - b^4 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + b^5 c^4 e^4 - c^4 e^4 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& + 80 a^4 b^3 c^4 d^4 - 8 a^4 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 \\
& - a^2 c^2 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a^4 b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& + 3 a^4 b^2 c^4 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 40 a^4 b^4 c^4 d e^3 + 48 a^4 b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& + 4 b^3 c^3 d^3 e * (- (4 a^2 c - b^2)^5)^{1/2} - 66 a^4 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^2 c^3 d^2 e^2 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& - 8 a^4 b^3 c^2 d^3 e * (- (4 a^2 c - b^2)^5)^{1/2} / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^4 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8)))^{1/4} * (16384 a^5 c^8 e - 256 a^2 b^6 c^5 e + 30 \\
& 72 a^3 b^4 c^6 e - 12288 a^4 b^2 c^7 e) * 16i) / c * (- (b^9 d^4 - b^4 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + b^5 c^4 e^4 - c^4 e^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 \\
& - 8 a^4 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 \\
& - a^2 c^2 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a^4 b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& + 3 a^4 b^2 c^4 d^4 * (- (4 a^2 c - b^2)^5)^{1/2} + 40 a^4 b^4 c^4 d e^3 + 48 a^4 b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^2 c - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4 a^2 c - b^2)^5)^{1/2} \\
& - 66 a^4 b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^2 c^3 d^2 e^2 * (- (4 a^2 c - b^2)^5)^{1/2} \\
& - 8 a^4 b^3 c^2 d^3 e * (- (4 a^2 c - b^2)^5)^{1/2} / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^4 b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8)))^{3/4} * 1i - (16 * (a^3 b^6 d^5 - 4 a^6 c^3 d^5 - 7 a^4 b^4 c^3 d^5 \\
& + 4 a^3 b^3 c^5 e^5 - a^2 b^7 d^4 e + 12 a^4 c^5 d e^4 + 13 a^5 b^2 c^2 d^5 - a^2 b^3 c^4 e^5 + 8 a^5 c^4 d^3 e^2 - 6 a^2 b^5 c^2 d^2 e^3 + 32 a^3 b^3
\end{aligned}$$

$$\begin{aligned}
& *c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5* \\
& c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - \\
& 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e)) / c * (- (b \\
& ^9*d^4 - b^4*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4 * (- (4*a*c \\
& - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 1 \\
& 28*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 \\
& - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d \\
& ^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c \\
& ^2*d^2*e^2 * (- (4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} \\
& ) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3 * (- (4*a*c - b^2) \\
& ^5)^{(1/2)} + 4*b^3*c*d^3*e * (- (4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - \\
& 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 32 \\
& 0*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2* \\
& d^3*e * (- (4*a*c - b^2)^5)^{(1/2)} / (512 * (256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} * 1i - (4*x * (a^4*b^4*d^6 + 2*a^6* \\
& c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e \\
& ^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^ \\
& 2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2 \\
& *d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a \\
& ^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3 \\
& *d^3*e^3)) / c * (- (b^9*d^4 - b^4*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - \\
& c^4*e^4 * (- (4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16 \\
& *a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + \\
& 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4 * (- (4*a*c - b^2)^5)^{( \\
& 1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4 \\
& *d^2*e^2 - 6*b^2*c^2*d^2*e^2 * (- (4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4 * (- (4* \\
& a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e \\
& ^3 * (- (4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e * (- (4*a*c - b^2)^5)^{(1/2)} - 66*a \\
& *b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3* \\
& b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^5)^{( \\
& 1/2)} - 8*a*b*c^2*d^3*e * (- (4*a*c - b^2)^5)^{(1/2)} / (512 * (256*a^4*c^9 + b^8*c \\
& ^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} * 1i)) * (- (b^9*d \\
& ^4 - b^4*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4 * (- (4*a*c - b \\
& ^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a \\
& ^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 1 \\
& 20*a^3*b^3*c^3*d^4 - a^2*c^2*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e \\
& ^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d \\
& ^2*e^2 * (- (4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4 * (- (4*a*c - b^2)^5)^{(1/2)} + \\
& 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3 * (- (4*a*c - b^2)^5)^{( \\
& 1/2)} + 4*b^3*c*d^3*e * (- (4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128 \\
& *a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^ \\
& 3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2 * (- (4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3* \\
& e * (- (4*a*c - b^2)^5)^{(1/2)} / (512 * (256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96 \\
& *a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (d*x) / c
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x\*\*4)/(c+a/x\*\*8+b/x\*\*4),x)

[Out] Timed out

$$3.42 \quad \int \frac{(d+ex^n)^3}{a+cx^{2n}} dx$$

**Optimal.** Leaf size=141

$$\frac{ex^{n+1} (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac(n+1)} + \frac{dx (cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{3de^2x}{c} + \frac{e^3x^{n+1}}{c(n+1)}$$

[Out]  $3*d*e^2*x/c + e^3*x^{(1+n)}/c/(1+n) + d*(-3*a*e^2 + c*d^2)*x*\text{hypergeom}([1, 1/2/n], [1+1/2/n], -c*x^{(2*n)}/a)/a/c + e*(-a*e^2 + 3*c*d^2)*x^{(1+n)}*\text{hypergeom}([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^{(2*n)}/a)/a/c/(1+n)$

**Rubi [A]** time = 0.15, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {1425, 1418, 245, 364}

$$\frac{ex^{n+1} (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac(n+1)} + \frac{dx (cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{3de^2x}{c} + \frac{e^3x^{n+1}}{c(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3/(a + c\*x^(2\*n)),x]

[Out]  $(3*d*e^2*x)/c + (e^3*x^{(1+n)})/(c*(1+n)) + (d*(c*d^2 - 3*a*e^2)*x*\text{Hypergeometric2F1}[1, 1/(2*n), (2+n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a*c) + (e*(3*c*d^2 - a*e^2)*x^{(1+n)}*\text{Hypergeometric2F1}[1, (1+n)/(2*n), (3+n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a*c*(1+n))$

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m+1)\*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b\*x^n)/a)])/((c\*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1425

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := I
nt[ExpandIntegrand[(d + e*x^n)^q/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d,
e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{a + cx^{2n}} dx &= \int \left( \frac{3de^2}{c} + \frac{e^3 x^n}{c} + \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c(a + cx^{2n})} \right) dx \\ &= \frac{3de^2 x}{c} + \frac{e^3 x^{1+n}}{c(1+n)} + \frac{\int \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{a + cx^{2n}} dx}{c} \\ &= \frac{3de^2 x}{c} + \frac{e^3 x^{1+n}}{c(1+n)} + \frac{(d(cd^2 - 3ae^2)) \int \frac{1}{a + cx^{2n}} dx}{c} + \frac{(e(3cd^2 - ae^2)) \int \frac{x^n}{a + cx^{2n}} dx}{c} \\ &= \frac{3de^2 x}{c} + \frac{e^3 x^{1+n}}{c(1+n)} + \frac{d(cd^2 - 3ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{e(3cd^2 - ae^2) x^{1+n} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 127, normalized size = 0.90

$$\frac{x \left( d(n+1)(cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + e \left( x^n (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae(3d^3 - 3ade^2 + (3cd^2e - ae^3)x^n) \right) \right)}{ac(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3/(a + c\*x^(2\*n)), x]

[Out] (x\*(d\*(c\*d^2 - 3\*a\*e^2)\*(1 + n)\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + e\*(a\*e\*(3\*d\*(1 + n) + e\*x^n) + (3\*c\*d^2 - a\*e^2)\*x^n\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])))/(a\*c\*(1 + n))

**fricas [F]** time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3 x^{3n} + 3de^2 x^{2n} + 3d^2 ex^n + d^3}{cx^{2n} + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n)),x, algorithm="fricas")

[Out] integral((e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3)/(c\*x^(2\*n) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n)),x, algorithm="giac")

[Out] integrate((e\*x^n + d)^3/(c\*x^(2\*n) + a), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e\*x^n)^3/(a+c\*x^(2\*n)),x)

[Out] int((d+e\*x^n)^3/(a+c\*x^(2\*n)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{3de^2(n+1)x + e^3xx^n}{c(n+1)} - \int -\frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c^2x^{2n} + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n)),x, algorithm="maxima")

[Out] (3\*d\*e^2\*(n + 1)\*x + e^3\*x\*x^n)/(c\*(n + 1)) - integrate(-(c\*d^3 - 3\*a\*d\*e^2 + (3\*c\*d^2\*e - a\*e^3)\*x^n)/(c^2\*x^(2\*n) + a\*c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + ex^n)^3}{a + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((d + e*x^n)^3/(a + c*x^(2*n)),x)`

[Out] `int((d + e*x^n)^3/(a + c*x^(2*n)), x)`

**sympy [C]** time = 10.97, size = 337, normalized size = 2.39

$$-\frac{3de^2x\Phi\left(\frac{ax^{-2n}e^{i\pi}}{c}, 1, \frac{e^{i\pi}}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4cn^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{d^3x\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4an^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{3d^2exx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{3d^2exx^n}{4an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)**3/(a+c*x**(2*n)),x)`

[Out] `-3*d*e**2*x*lerchphi(a*x**(-2*n)*exp_polar(I*pi)/c, 1, exp_polar(I*pi)/(2*n)) * gamma(1/(2*n))/(4*c*n**2*gamma(1 + 1/(2*n))) + d**3*x*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/(2*n)) * gamma(1/(2*n))/(4*a*n**2*gamma(1 + 1/(2*n))) + 3*d**2*e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/2 + 1/(2*n)) * gamma(1/2 + 1/(2*n))/(4*a*n*gamma(3/2 + 1/(2*n))) + 3*d**2*e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/2 + 1/(2*n)) * gamma(1/2 + 1/(2*n))/(4*a*n**2*gamma(3/2 + 1/(2*n))) + 3*e**3*x*x**(3*n)*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 3/2 + 1/(2*n)) * gamma(3/2 + 1/(2*n))/(4*a*n*gamma(5/2 + 1/(2*n))) + e**3*x*x**(3*n)*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 3/2 + 1/(2*n)) * gamma(3/2 + 1/(2*n))/(4*a*n**2*gamma(5/2 + 1/(2*n)))`

$$3.43 \quad \int \frac{(d+ex^n)^2}{a+cx^{2n}} dx$$

**Optimal.** Leaf size=107

$$\frac{x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^2x}{c}$$

[Out]  $e^{2x}/c + (-a e^{2x} + c d^2) x \operatorname{hypergeom}\left(\left[1, 1/2/n\right], \left[1+1/2/n\right], -c x^{(2*n)}/a\right)/a/c + 2 d e x^{(1+n)} \operatorname{hypergeom}\left(\left[1, 1/2*(1+n)/n\right], \left[3/2+1/2/n\right], -c x^{(2*n)}/a\right)/a/(1+n)$

**Rubi [A]** time = 0.10, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {1425, 1418, 245, 364}

$$\frac{x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^2x}{c}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d + e*x^n)^2/(a + c*x^{(2*n)}), x]$

[Out]  $(e^{2x})/c + ((c*d^2 - a*e^2)*x*\operatorname{Hypergeometric2F1}[1, 1/(2*n), (2 + n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a*c) + (2*d*e*x^{(1 + n)}*\operatorname{Hypergeometric2F1}[1, (1 + n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a*(1 + n)))$

#### Rule 245

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^{(n_+)})^{(p_+)}, x\_Symbol] := \operatorname{Simp}[a_+^{p_+} x_+ \operatorname{Hypergeometric2F1}[-p_+, 1/n_+, 1/n_+ + 1, -((b_+ x_+^{n_+})/a_+)], x] /; \operatorname{FreeQ}[\{a, b, n, p\}, x] \&\& !\operatorname{IGtQ}[p, 0] \&\& !\operatorname{IntegerQ}[1/n] \&\& !\operatorname{ILtQ}[\operatorname{Simplify}[1/n + p], 0] \&\& (\operatorname{IntegerQ}[p] || \operatorname{GtQ}[a, 0])$

#### Rule 364

$\operatorname{Int}[(c_+)*(x_+)^{(m_+)})*((a_+ + (b_+)*(x_+)^{(n_+)})^{(p_+)}, x\_Symbol] := \operatorname{Simp}[a_+^{p_+} (c_+ x_+)^{(m_+ + 1)} \operatorname{Hypergeometric2F1}[-p_+, (m_+ + 1)/n_+, (m_+ + 1)/n_+ + 1, -((b_+ x_+^{n_+})/a_+) ]/(c_+(m_+ + 1)), x] /; \operatorname{FreeQ}[\{a, b, c, m, n, p\}, x] \&\& !\operatorname{IGtQ}[p, 0] \&\& (\operatorname{ILtQ}[p, 0] || \operatorname{GtQ}[a, 0])$

#### Rule 1418

$\operatorname{Int}[(d_+ + (e_+)*(x_+)^{(n_+)})/((a_+ + (c_+)*(x_+)^{(n_2_+)}), x\_Symbol] := \operatorname{Dist}[d_+, \operatorname{Int}[1/(a_+ + c_+ x_+^{(2*n_+)})], x] + \operatorname{Dist}[e_+, \operatorname{Int}[x_+^{n_+}/(a_+ + c_+ x_+^{(2*n_+)})], x] /; \operatorname{FreeQ}[\{a, c, d, e, n\}, x] \&\& \operatorname{EqQ}[n_2, 2*n] \&\& \operatorname{NeQ}[c*d^2 + a*e^2, 0] \&\& (\operatorname{Po}$

sQ[a\*c] || !IntegerQ[n])

### Rule 1425

Int[((d\_) + (e\_.)\*(x\_)^(n\_))^(q\_)/((a\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^n)^q/(a + c\*x^(2\*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && IntegerQ[q]

### Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^2}{a + cx^{2n}} dx &= \int \left( \frac{e^2}{c} + \frac{cd^2 - ae^2 + 2cdex^n}{c(a + cx^{2n})} \right) dx \\ &= \frac{e^2x}{c} + \frac{\int \frac{cd^2 - ae^2 + 2cdex^n}{a + cx^{2n}} dx}{c} \\ &= \frac{e^2x}{c} + (2de) \int \frac{x^n}{a + cx^{2n}} dx + \frac{(cd^2 - ae^2) \int \frac{1}{a + cx^{2n}} dx}{c} \\ &= \frac{e^2x}{c} + \frac{(cd^2 - ae^2)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 107, normalized size = 1.00

$$\frac{x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^2x}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^2/(a + c\*x^(2\*n)), x]

[Out] (e^2\*x)/c + ((c\*d^2 - a\*e^2)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -(c\*x^(2\*n))/a])/(a\*c) + (2\*d\*e\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -(c\*x^(2\*n))/a])/(a\*(1 + n))

**fricas [F]** time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^{2n} + 2dex^n + d^2}{cx^{2n} + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n)),x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)/(c\*x^(2\*n) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n)),x, algorithm="giac")

[Out] integrate((e\*x^n + d)^2/(c\*x^(2\*n) + a), x)

**maple** [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^2}{c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^2/(c\*x^(2\*n)+a),x)

[Out] int((e\*x^n+d)^2/(c\*x^(2\*n)+a),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2x}{c} + \int \frac{2cdex^n + cd^2 - ae^2}{c^2x^{2n} + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n)),x, algorithm="maxima")

[Out] e^2\*x/c + integrate((2\*c\*d\*e\*x^n + c\*d^2 - a\*e^2)/(c^2\*x^(2\*n) + a\*c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + e x^n)^2}{a + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^2/(a + c\*x^(2\*n)),x)

[Out] int((d + e\*x^n)^2/(a + c\*x^(2\*n)), x)

sympy [C] time = 7.65, size = 207, normalized size = 1.93

$$-\frac{e^{2x}\Phi\left(\frac{ax^{-2n}e^{i\pi}}{c}, 1, \frac{e^{i\pi}}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4cn^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{d^2x\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4an^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{dexx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{2an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{dexx^n\Phi\left(\frac{cx^{2n}}{a}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*2/(a+c\*x\*\*(2\*n)),x)

[Out]  $-e^{**2*x*lerchphi(a*x**(-2*n)*exp\_polar(I*pi)/c, 1, exp\_polar(I*pi)/(2*n))*gamma(1/(2*n))/(4*c*n**2*gamma(1 + 1/(2*n))) + d**2*x*lerchphi(c*x**(2*n)*exp\_polar(I*pi)/a, 1, 1/(2*n))*gamma(1/(2*n))/(4*a*n**2*gamma(1 + 1/(2*n))) + d*e*x*x**n*lerchphi(c*x**(2*n)*exp\_polar(I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(2*a*n*gamma(3/2 + 1/(2*n))) + d*e*x*x**n*lerchphi(c*x**(2*n)*exp\_polar(I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(2*a*n**2*gamma(3/2 + 1/(2*n)))$

$$3.44 \quad \int \frac{d+ex^n}{a+cx^{2n}} dx$$

**Optimal.** Leaf size=83

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

[Out] d\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a+e\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a/(1+n)

**Rubi [A]** time = 0.03, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {1418, 245, 364}

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + c\*x^(2\*n)), x]

[Out] (d\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a + (e\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a/(a\*(1 + n))

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_.)\*(x\_)^(m\_.))\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/c\*(m + 1), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 1418

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := Dist[d, Int[1/(a + c\*x^(2\*n)), x], x] + Dist[e, Int[x^n/(a + c\*x^(2\*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && (Po

sQ[a\*c] || !IntegerQ[n])

### Rubi steps

$$\int \frac{d + ex^n}{a + cx^{2n}} dx = d \int \frac{1}{a + cx^{2n}} dx + e \int \frac{x^n}{a + cx^{2n}} dx$$

$$= \frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(1+n)}$$

**Mathematica [A]** time = 0.04, size = 83, normalized size = 1.00

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a + c\*x^(2\*n)), x]

[Out] (d\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a + (e\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(a\*(1 + n))

**fricas [F]** time = 1.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{cx^{2n} + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n)), x, algorithm="fricas")

[Out] integral((e\*x^n + d)/(c\*x^(2\*n) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n)), x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + a), x)

**maple** [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(c\*x^(2\*n)+a), x)

[Out] int((e\*x^n+d)/(c\*x^(2\*n)+a), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n)), x, algorithm="maxima")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + e x^n}{a + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a + c\*x^(2\*n)), x)

[Out] int((d + e\*x^n)/(a + c\*x^(2\*n)), x)

**sympy** [C] time = 5.54, size = 153, normalized size = 1.84

$$\frac{dx \Phi\left(\frac{c x^{2n} e^{i\pi}}{a}, 1, \frac{1}{2n}\right) \Gamma\left(\frac{1}{2n}\right)}{4 a n^2 \Gamma\left(1 + \frac{1}{2n}\right)} + \frac{e x x^n \Phi\left(\frac{c x^{2n} e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right) \Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4 a n \Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{e x x^n \Phi\left(\frac{c x^{2n} e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right) \Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4 a n^2 \Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)/(a+c\*x\*\*(2\*n)), x)

[Out] d\*x\*lerchphi(c\*x\*\*(2\*n)\*exp\_polar(I\*pi)/a, 1, 1/(2\*n))\*gamma(1/(2\*n))/(4\*a\*n\*\*2\*gamma(1 + 1/(2\*n))) + e\*x\*x\*\*n\*lerchphi(c\*x\*\*(2\*n)\*exp\_polar(I\*pi)/a, 1, 1/2 + 1/(2\*n))\*gamma(1/2 + 1/(2\*n))/(4\*a\*n\*gamma(3/2 + 1/(2\*n))) + e\*x\*x\*\*n\*lerchphi(c\*x\*\*(2\*n)\*exp\_polar(I\*pi)/a, 1, 1/2 + 1/(2\*n))\*gamma(1/2 + 1/(2\*n))/(4\*a\*n\*\*2\*gamma(3/2 + 1/(2\*n)))



$$3.45 \quad \int \frac{1}{(d+ex^n)(a+cx^{2n})} dx$$

**Optimal.** Leaf size=152

$$\frac{cex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)} + \frac{cdx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)} + \frac{e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(ae^2 + cd^2)}$$

[Out] c\*d\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a/(a\*e^2+c\*d^2)+e^2\*x\*hypergeom([1, 1/n], [1+1/n], -e\*x^n/d)/d/(a\*e^2+c\*d^2)-c\*e\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a/(a\*e^2+c\*d^2)/(1+n)

**Rubi [A]** time = 0.11, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {1425, 245, 1418, 364}

$$\frac{cex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)} + \frac{cdx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)} + \frac{e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*(a + c\*x^(2\*n))),x]

[Out] (c\*d\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(a\*(c\*d^2 + a\*e^2)) + (e^2\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e\*x^n)/d)])/(d\*(c\*d^2 + a\*e^2)) - (c\*e\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(a\*(c\*d^2 + a\*e^2)\*(1 + n))

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)]/(c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (LtQ[p, 0] || GtQ[a, 0])

#### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1425

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := I
nt[ExpandIntegrand[(d + e*x^n)^q/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d,
e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)(a + cx^{2n})} dx &= \int \left( \frac{e^2}{(cd^2 + ae^2)(d + ex^n)} - \frac{c(-d + ex^n)}{(cd^2 + ae^2)(a + cx^{2n})} \right) dx \\ &= -\frac{c \int \frac{-d+ex^n}{a+cx^{2n}} dx}{cd^2 + ae^2} + \frac{e^2 \int \frac{1}{d+ex^n} dx}{cd^2 + ae^2} \\ &= \frac{e^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 + ae^2)} + \frac{(cd) \int \frac{1}{a+cx^{2n}} dx}{cd^2 + ae^2} - \frac{(ce) \int \frac{x^n}{a+cx^{2n}} dx}{cd^2 + ae^2} \\ &= \frac{cdx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 + ae^2)} - \frac{cex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\right)}{a(cd^2 + ae^2)} \end{aligned}$$

**Mathematica** [A] time = 0.14, size = 131, normalized size = 0.86

$$\frac{x \left( cd^2(n+1) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + e \left( ae(n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) - cdx^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) \right) \right)}{ad(n+1)(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((d + e*x^n)*(a + c*x^(2*n))),x]
```

```
[Out] (x*(c*d^2*(1 + n)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))
)/a]) + e*(a*e*(1 + n)*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/
d)] - c*d*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(
2*n))/a)])))/(a*d*(c*d^2 + a*e^2)*(1 + n))
```

**fricas** [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{aex^n + ad + (cex^n + cd)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n)),x, algorithm="fricas")

[Out] integral(1/(a\*e\*x^n + a\*d + (c\*e\*x^n + c\*d)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n)),x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + a)\*(e\*x^n + d)), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a),x)

[Out] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n)),x, algorithm="maxima")

[Out] integrate(1/((c\*x^(2\*n) + a)\*(e\*x^n + d)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + cx^{2n})(d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + c*x^(2*n))*(d + e*x^n)),x)
```

```
[Out] int(1/((a + c*x^(2*n))*(d + e*x^n)), x)
```

```
sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d+e*x**n)/(a+c*x**(2*n)),x)
```

```
[Out] Exception raised: HeuristicGCDFailed
```

$$3.46 \quad \int \frac{1}{(d+ex^n)^2(a+cx^{2n})} dx$$

**Optimal.** Leaf size=205

$$\frac{2c^2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)^2} + \frac{cx(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)^2} + \frac{2ce^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{cx^{2n}}{a}\right)}{(ae^2 + cd^2)^2}$$

[Out]  $c*(-a*e^2+c*d^2)*x*\text{hypergeom}([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2+2*c*e^2*x*\text{hypergeom}([1, 1/n], [1+1/n], -e*x^n/d)/(a*e^2+c*d^2)^2-2*c^2*d*e*x^(1+n)*\text{hypergeom}([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2/(1+n)+e^2*x*\text{hypergeom}([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2+c*d^2)$

**Rubi [A]** time = 0.17, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {1425, 245, 1418, 364}

$$\frac{2c^2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)^2} + \frac{cx(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)^2} + \frac{2ce^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{cx^{2n}}{a}\right)}{(ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^2\*(a + c\*x^(2\*n))),x]

[Out]  $(c*(c*d^2 - a*e^2)*x*\text{Hypergeometric2F1}[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a*(c*d^2 + a*e^2)^2 + (2*c*e^2*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/c*d^2 + a*e^2)^2 - (2*c^2*d*e*x^(1 + n)*\text{Hypergeometric2F1}[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/a*(c*d^2 + a*e^2)^2*(1 + n) + (e^2*x*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d^2*(c*d^2 + a*e^2)$

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/c\*(m + 1), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

Q[p, 0] || GtQ[a, 0])

### Rule 1418

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := Dist[d, Int[1/(a + c\*x^(2\*n)), x], x] + Dist[e, Int[x^n/(a + c\*x^(2\*n)), x], x] / ; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && (PosQ[a\*c] || !IntegerQ[n])

### Rule 1425

Int[((d\_) + (e\_.)\*(x\_)^(n\_))^(q\_)/((a\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^n)^q/(a + c\*x^(2\*n)), x], x] / ; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && IntegerQ[q]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)^2 (a + cx^{2n})} dx &= \int \left( \frac{e^2}{(cd^2 + ae^2)(d + ex^n)^2} + \frac{2cde^2}{(cd^2 + ae^2)^2 (d + ex^n)} - \frac{c(-cd^2 + ae^2 + 2cdex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})} \right) dx \\ &= -\frac{c \int \frac{-cd^2 + ae^2 + 2cdex^n}{a + cx^{2n}} dx}{(cd^2 + ae^2)^2} + \frac{(2cde^2) \int \frac{1}{d + ex^n} dx}{(cd^2 + ae^2)^2} + \frac{e^2 \int \frac{1}{(d + ex^n)^2} dx}{cd^2 + ae^2} \\ &= \frac{2ce^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{(cd^2 + ae^2)^2} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2 (cd^2 + ae^2)} - \frac{(2c^2 de) \int \frac{x^n}{a + cx^{2n}} dx}{(cd^2 + ae^2)^2} + \dots \\ &= \frac{c(cd^2 - ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a (cd^2 + ae^2)^2} + \frac{2ce^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{(cd^2 + ae^2)^2} - \frac{2c^2 dex^n}{(cd^2 + ae^2)^2} \end{aligned}$$

**Mathematica [A]** time = 0.26, size = 186, normalized size = 0.91

$$\frac{x \left( e \left( -2c^2 d^3 x^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae(n+1)(ae^2 + cd^2) {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) + 2acd^2 e(n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) \right)}{a(n+1)(ade^2 + cd^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)^2\*(a + c\*x^(2\*n))), x]

[Out]  $(x*(c*d^2*(c*d^2 - a*e^2)*(1 + n)*\text{Hypergeometric2F1}[1, 1/(2*n), (2 + n^{(-1)})/2, -((c*x^{(2*n)})/a)] + e*(2*a*c*d^2*e*(1 + n)*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)] - 2*c^2*d^3*x^n*\text{Hypergeometric2F1}[1, (1 + n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{(2*n)})/a)] + a*e*(c*d^2 + a*e^2)*(1 + n)*\text{Hypergeometric2F1}[2, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)])))/(a*(c*d^3 + a*d*e^2)^2*(1 + n))$

**fricas** [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{ae^2x^{2n} + 2adex^n + ad^2 + (ce^2x^{2n} + 2cdex^n + cd^2)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)^2/(a+c*x^(2*n)),x, algorithm="fricas")`

[Out] `integral(1/(a*e^2*x^(2*n) + 2*a*d*e*x^n + a*d^2 + (c*e^2*x^(2*n) + 2*c*d*e*x^n + c*d^2)*x^(2*n)), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)^2/(a+c*x^(2*n)),x, algorithm="giac")`

[Out] `integrate(1/((c*x^(2*n) + a)*(e*x^n + d)^2), x)`

**maple** [F] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^n+d)^2/(c*x^(2*n)+a),x)`

[Out] `int(1/(e*x^n+d)^2/(c*x^(2*n)+a),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2x}{cd^4n + ad^2e^2n + (cd^3en + ade^3n)x^n} + (cd^2e^2(3n - 1) + ae^4(n - 1)) \int \frac{1}{c^2d^6n + 2acd^4e^2n + a^2d^2e^4n + (c^2d^5en +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n)),x, algorithm="maxima")

[Out]  $e^{2x}/(c*d^4*n + a*d^2*e^{2n} + (c*d^3*e^n + a*d*e^{3n})*x^n) + (c*d^2*e^{2*(3*n - 1)} + a*e^{4*(n - 1)})*integrate(1/(c^2*d^6*n + 2*a*c*d^4*e^{2n} + a^2*d^2*e^{4n} + (c^2*d^5*e^n + 2*a*c*d^3*e^{3n} + a^2*d*e^{5n})*x^n), x) - integrate((2*c^2*d*e*x^n - c^2*d^2 + a*c*e^2)/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^{(2*n)}), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + c x^{2n})(d + e x^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c\*x^(2\*n))\*(d + e\*x^n)^2),x)

[Out] int(1/((a + c\*x^(2\*n))\*(d + e\*x^n)^2), x)

**sympy** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)\*\*2/(a+c\*x\*\*(2\*n)),x)

[Out] Exception raised: HeuristicGCDFailed



$$3.47 \quad \int \frac{d+ex^n}{a-cx^{2n}} dx$$

**Optimal.** Leaf size=81

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(n+1)}$$

[Out] d\*x\*hypergeom([1, 1/2/n], [1+1/2/n], c\*x^(2\*n)/a)/a+e\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], c\*x^(2\*n)/a)/a/(1+n)

**Rubi [A]** time = 0.03, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {1418, 245, 364}

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a - c\*x^(2\*n)), x]

[Out] (d\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, (c\*x^(2\*n))/a])/a + (e\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, (c\*x^(2\*n))/a])/(a\*(1 + n))

#### Rule 245

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

#### Rule 1418

Int[((d\_) + (e\_)\*(x\_)^(n\_))/((a\_) + (c\_)\*(x\_)^(n2\_)), x\_Symbol] := Dist[d, Int[1/(a + c\*x^(2\*n)), x], x] + Dist[e, Int[x^n/(a + c\*x^(2\*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && (Po

sQ[a\*c] || !IntegerQ[n])

### Rubi steps

$$\int \frac{d + ex^n}{a - cx^{2n}} dx = d \int \frac{1}{a - cx^{2n}} dx + e \int \frac{x^n}{a - cx^{2n}} dx$$

$$= \frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(1+n)}$$

**Mathematica** [A] time = 0.06, size = 81, normalized size = 1.00

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a - c\*x^(2\*n)),x]

[Out] (d\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, (c\*x^(2\*n))/a])/a + (e\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, (c\*x^(2\*n))/a])/a\*(1 + n))

**fricas** [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{ex^n + d}{cx^{2n} - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a-c\*x^(2\*n)),x, algorithm="fricas")

[Out] integral(-(e\*x^n + d)/(c\*x^(2\*n) - a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{ex^n + d}{cx^{2n} - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a-c\*x^(2\*n)),x, algorithm="giac")

[Out] integrate(-(e\*x^n + d)/(c\*x^(2\*n) - a), x)

**maple** [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{-c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(a-c\*x^(2\*n)), x)

[Out] int((e\*x^n+d)/(a-c\*x^(2\*n)), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$- \int \frac{e x^n + d}{c x^{2n} - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a-c\*x^(2\*n)), x, algorithm="maxima")

[Out] -integrate((e\*x^n + d)/(c\*x^(2\*n) - a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + e x^n}{a - c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a - c\*x^(2\*n)), x)

[Out] int((d + e\*x^n)/(a - c\*x^(2\*n)), x)

**sympy** [C] time = 5.70, size = 158, normalized size = 1.95

$$\frac{dx \Phi\left(\frac{c x^{2n} e^{2i\pi}}{a}, 1, \frac{1}{2n}\right) \Gamma\left(\frac{1}{2n}\right)}{4 a n^2 \Gamma\left(1 + \frac{1}{2n}\right)} + \frac{e x x^n \Phi\left(\frac{c x^{2n} e^{2i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right) \Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4 a n \Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{e x x^n \Phi\left(\frac{c x^{2n} e^{2i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right) \Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4 a n^2 \Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)/(a-c\*x\*\*(2\*n)), x)

[Out] d\*x\*lerchphi(c\*x\*\*(2\*n)\*exp\_polar(2\*I\*pi)/a, 1, 1/(2\*n))\*gamma(1/(2\*n))/(4\*a\*n\*\*2\*gamma(1 + 1/(2\*n))) + e\*x\*x\*\*n\*lerchphi(c\*x\*\*(2\*n)\*exp\_polar(2\*I\*pi)/a, 1, 1/2 + 1/(2\*n))\*gamma(1/2 + 1/(2\*n))/(4\*a\*n\*gamma(3/2 + 1/(2\*n))) + e\*x\*x\*\*n\*lerchphi(c\*x\*\*(2\*n)\*exp\_polar(2\*I\*pi)/a, 1, 1/2 + 1/(2\*n))\*gamma(1/2 + 1/(2\*n))/(4\*a\*n\*\*2\*gamma(3/2 + 1/(2\*n)))

$$3.48 \quad \int \frac{(d+ex^n)^3}{(a+cx^{2n})^2} dx$$

**Optimal.** Leaf size=288

$$\frac{e(1-n)x^{n+1} (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn(n+1)} - \frac{d(1-2n)x (cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn}$$

[Out] 1/2\*x\*(d\*(-3\*a\*e^2+c\*d^2)+e\*(-a\*e^2+3\*c\*d^2)\*x^n)/a/c/n/(a+c\*x^(2\*n))+3\*d\*e^2\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a/c-1/2\*d\*(-3\*a\*e^2+c\*d^2)\*(1-2\*n)\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a^2/c/n+e^3\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a/c/(1+n)-1/2\*e\*(-a\*e^2+3\*c\*d^2)\*(1-n)\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a^2/c/n/(1+n)

**Rubi [A]** time = 0.25, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{e(1-n)x^{n+1} (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn(n+1)} - \frac{d(1-2n)x (cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3/(a + c\*x^(2\*n))^2,x]

[Out] (x\*(d\*(c\*d^2 - 3\*a\*e^2) + e\*(3\*c\*d^2 - a\*e^2)\*x^n))/(2\*a\*c\*n\*(a + c\*x^(2\*n))) + (3\*d\*e^2\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a)/a\*c) - (d\*(c\*d^2 - 3\*a\*e^2)\*(1 - 2\*n)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a)/(2\*a^2\*c\*n) + (e^3\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a\*c\*(1 + n)) - (e\*(3\*c\*d^2 - a\*e^2)\*(1 - n)\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a)/(2\*a^2\*c\*n\*(1 + n))

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

**Rule 364**

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^3}{(a + cx^{2n})^2} dx &= \int \left( \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c(a + cx^{2n})^2} + \frac{e^2(3d + ex^n)}{c(a + cx^{2n})} \right) dx \\
&= \frac{\int \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{(a + cx^{2n})^2} dx}{c} + \frac{e^2 \int \frac{3d + ex^n}{a + cx^{2n}} dx}{c} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{2acn(a + cx^{2n})} + \frac{(3de^2) \int \frac{1}{a + cx^{2n}} dx}{c} + \frac{e^3 \int \frac{x^n}{a + cx^{2n}} dx}{c} - \frac{\int \frac{(cd^3 - 3ade^2)(1 - cx^{2n})}{(a + cx^{2n})^2} dx}{c} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{2acn(a + cx^{2n})} + \frac{3de^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{e^3 x^{1+n} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{\int \frac{(cd^3 - 3ade^2)(1 - cx^{2n})}{(a + cx^{2n})^2} dx}{c} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{2acn(a + cx^{2n})} + \frac{3de^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{d(cd^2 - 3ae^2)}{c}
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 188, normalized size = 0.65

$$\frac{x \left( d(cd^2 - 3ae^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{ex^n(3cd^2 - ae^2) {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1} + 3ade^2 {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) \right)}{a^2c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3/(a + c\*x^(2\*n))^2,x]

[Out] (x\*(3\*a\*d\*e^2\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)]) + (a\*e^3\*x^n\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))/(1 + n) + d\*(c\*d^2 - 3\*a\*e^2)\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + (e\*(3\*c\*d^2 - a\*e^2)\*x^n\*Hypergeometric2F1[2, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))/(1 + n))/(a^2\*c)

**fricas [F]** time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^2 x^{4n} + 2 a c x^{2n} + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral((e<sup>3</sup>\*x<sup>(3\*n)</sup> + 3\*d\*e<sup>2</sup>\*x<sup>(2\*n)</sup> + 3\*d<sup>2</sup>\*e\*x<sup>n</sup> + d<sup>3</sup>)/(c<sup>2</sup>\*x<sup>(4\*n)</sup> + 2\*a\*c\*x<sup>(2\*n)</sup> + a<sup>2</sup>), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^3/(c\*x^(2\*n) + a)^2, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^3/(c\*x^(2\*n)+a)^2,x)

[Out] int((e\*x^n+d)^3/(c\*x^(2\*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(3cd^2e - ae^3)xx^n + (cd^3 - 3ade^2)x}{2(ac^2nx^{2n} + a^2cn)} + \int \frac{cd^3(2n - 1) + 3ade^2 + (ae^3(n + 1) + 3cd^2e(n - 1))x^n}{2(ac^2nx^{2n} + a^2cn)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] 1/2\*((3\*c\*d^2\*e - a\*e^3)\*x\*x^n + (c\*d^3 - 3\*a\*d\*e^2)\*x)/(a\*c^2\*n\*x^(2\*n) + a^2\*c\*n) + integrate(1/2\*(c\*d^3\*(2\*n - 1) + 3\*a\*d\*e^2 + (a\*e^3\*(n + 1) + 3\*c\*d^2\*e\*(n - 1))\*x^n)/(a\*c^2\*n\*x^(2\*n) + a^2\*c\*n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^3}{(a + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^3/(a + c*x^(2*n))^2,x)
```

```
[Out] int((d + e*x^n)^3/(a + c*x^(2*n))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**3/(a+c*x**(2*n))**2,x)
```

```
[Out] Timed out
```



$$3.49 \quad \int \frac{(d+ex^n)^2}{(a+cx^{2n})^2} dx$$

**Optimal.** Leaf size=203

$$\frac{(1-2n)x(cd^2 - ae^2)}{2a^2cn} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) - \frac{de(1-n)x^{n+1}}{a^2n(n+1)} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{x(-ae^2 + cd^2)}{2acn(a + cx^{2n})}$$

[Out] 1/2\*x\*(c\*d^2-a\*e^2+2\*c\*d\*e\*x^n)/a/c/n/(a+c\*x^(2\*n))+e^2\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a/c-1/2\*(-a\*e^2+c\*d^2)\*(1-2\*n)\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a^2/c/n-d\*e\*(1-n)\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a^2/n/(1+n)

**Rubi [A]** time = 0.17, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{(1-2n)x(cd^2 - ae^2)}{2a^2cn} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) - \frac{de(1-n)x^{n+1}}{a^2n(n+1)} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{x(-ae^2 + cd^2)}{2acn(a + cx^{2n})}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^2/(a + c\*x^(2\*n))^2,x]

[Out] (x\*(c\*d^2 - a\*e^2 + 2\*c\*d\*e\*x^n))/(2\*a\*c\*n\*(a + c\*x^(2\*n))) + (e^2\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)]/(a\*c) - ((c\*d^2 - a\*e^2)\*(1 - 2\*n)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(2\*a^2\*c\*n) - (d\*e\*(1 - n)\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]/(a^2\*n\*(1 + n))))

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

$Q[p, 0] \parallel \text{GtQ}[a, 0]$ )

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] :> Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{(a + cx^{2n})^2} dx &= \int \left( \frac{cd^2 - ae^2 + 2cdex^n}{c(a + cx^{2n})^2} + \frac{e^2}{c(a + cx^{2n})} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + 2cdex^n}{(a + cx^{2n})^2} dx}{c} + \frac{e^2 \int \frac{1}{a + cx^{2n}} dx}{c} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{2acn(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{\int \frac{(cd^2 - ae^2)(1 - 2n) + 2cde(1 - n)x^n}{a + cx^{2n}} dx}{2acn} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{2acn(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{((cd^2 - ae^2)(1 - 2n)) \int \frac{1}{a + cx^{2n}} dx}{2acn} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{2acn(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{(cd^2 - ae^2)(1 - 2n)x {}_2F_1\left(1, \frac{1}{2n}\right)}{2a^2cn}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 136, normalized size = 0.67

$$\frac{x \left( (n+1) (cd^2 - ae^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + 2cdex^n {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae^2(n+1) {}_2F_1\left(1, \frac{1}{2n}\right) \right)}{a^2c(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^2/(a + c\*x^(2\*n))^2,x]

[Out] (x\*(a\*e^2\*(1 + n)\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + (c\*d^2 - a\*e^2)\*(1 + n)\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + 2\*c\*d\*e\*x^n\*Hypergeometric2F1[2, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))/(a^2\*c\*(1 + n))

**fricas [F]** time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{e^2 x^{2n} + 2 d e x^n + d^2}{c^2 x^{4n} + 2 a c x^{2n} + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)/(c^2\*x^(4\*n) + 2\*a\*c\*x^(2\*n) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^2/(c\*x^(2\*n) + a)^2, x)

**maple** [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^2}{(c x^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^2/(c\*x^(2\*n)+a)^2,x)

[Out] int((e\*x^n+d)^2/(c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2cdexx^n + (cd^2 - ae^2)x}{2(ac^2nx^{2n} + a^2cn)} + \int \frac{2cde(n-1)x^n + cd^2(2n-1) + ae^2}{2(ac^2nx^{2n} + a^2cn)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] 1/2\*(2\*c\*d\*e\*x\*x^n + (c\*d^2 - a\*e^2)\*x)/(a\*c^2\*n\*x^(2\*n) + a^2\*c\*n) + integrate(1/2\*(2\*c\*d\*e\*(n-1)\*x^n + c\*d^2\*(2\*n-1) + a\*e^2)/(a\*c^2\*n\*x^(2\*n) + a^2\*c\*n), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{(a + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^2/(a + c\*x^(2\*n))^2,x)

[Out] int((d + e\*x^n)^2/(a + c\*x^(2\*n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*2/(a+c\*x\*\*(2\*n))\*\*2,x)

[Out] Timed out

$$3.50 \quad \int \frac{d+ex^n}{(a+cx^{2n})^2} dx$$

**Optimal.** Leaf size=134

$$\frac{d(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n} - \frac{e(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)} + \frac{x(d+ex^n)}{2an(a+cx^{2n})}$$

[Out] 1/2\*x\*(d+e\*x^n)/a/n/(a+c\*x^(2\*n))-1/2\*d\*(1-2\*n)\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a^2/n-1/2\*e\*(1-n)\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a^2/n/(1+n)

**Rubi [A]** time = 0.05, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {1431, 1418, 245, 364}

$$\frac{d(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n} - \frac{e(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)} + \frac{x(d+ex^n)}{2an(a+cx^{2n})}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + c\*x^(2\*n))^2, x]

[Out] (x\*(d + e\*x^n)/(2\*a\*n\*(a + c\*x^(2\*n)))) - (d\*(1 - 2\*n)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)]/(2\*a^2\*n) - (e\*(1 - n)\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]/(2\*a^2\*n\*(1 + n)))

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

**Rule 364**

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/((c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (LtQ[p, 0] || GtQ[a, 0])

**Rule 1418**

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{(a + cx^{2n})^2} dx &= \frac{x(d + ex^n)}{2an(a + cx^{2n})} - \frac{\int \frac{d(1-2n) + e(1-n)x^n}{a + cx^{2n}} dx}{2an} \\ &= \frac{x(d + ex^n)}{2an(a + cx^{2n})} - \frac{(d(1-2n)) \int \frac{1}{a + cx^{2n}} dx}{2an} - \frac{(e(1-n)) \int \frac{x^n}{a + cx^{2n}} dx}{2an} \\ &= \frac{x(d + ex^n)}{2an(a + cx^{2n})} - \frac{d(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n} - \frac{e(1-n)x^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(1+n)} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 83, normalized size = 0.62

$$\frac{dx {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2} + \frac{ex^{n+1} {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a + c\*x^(2\*n))^2, x]

[Out] (d\*x\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a^2 + (e\*x^(1 + n)\*Hypergeometric2F1[2, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a^2\*(1 + n)

**fricas [F]** time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{c^2x^{4n} + 2acx^{2n} + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral((e\*x^n + d)/(c^2\*x^(4\*n) + 2\*a\*c\*x^(2\*n) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + a)^2, x)

**maple** [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(c\*x^(2\*n)+a)^2,x)

[Out] int((e\*x^n+d)/(c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{exx^n + dx}{2(acnx^{2n} + a^2n)} + \int \frac{e(n-1)x^n + d(2n-1)}{2(acnx^{2n} + a^2n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] 1/2\*(e\*x\*x^n + d\*x)/(a\*c\*n\*x^(2\*n) + a^2\*n) + integrate(1/2\*(e\*(n-1)\*x^n + d\*(2\*n-1))/(a\*c\*n\*x^(2\*n) + a^2\*n), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + ex^n}{(a + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((d + e*x^n)/(a + c*x^(2*n))^2,x)
```

```
[Out] int((d + e*x^n)/(a + c*x^(2*n))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)/(a+c*x**(2*n))**2,x)
```

```
[Out] Timed out
```

$$3.51 \quad \int \frac{1}{(d+ex^n)(a+cx^{2n})^2} dx$$

**Optimal.** Leaf size=333

$$\frac{ce(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)(ae^2 + cd^2)} - \frac{cd(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)} + \frac{cde^2x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)^2}$$

[Out]  $1/2*c*x*(d-e*x^n)/a/(a*e^2+c*d^2)/n/(a+c*x^(2*n))+c*d*e^2*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2-1/2*c*d*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c*d^2)/n+e^4*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2+c*d^2)^2-c*e^3*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2/(1+n)+1/2*c*e*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c*d^2)/n/(1+n)$

**Rubi [A]** time = 0.22, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{ce(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)(ae^2 + cd^2)} - \frac{cd(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)} - \frac{ce^3x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*(a + c\*x^(2\*n))^2),x]

[Out]  $(c*x*(d - e*x^n))/(2*a*(c*d^2 + a*e^2)*n*(a + c*x^(2*n))) + (c*d*e^2*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)^2) - (c*d*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*(c*d^2 + a*e^2)*n) + (e^4*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/(d*(c*d^2 + a*e^2)^2) - (c*e^3*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)^2*(1 + n)) + (c*e*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*(c*d^2 + a*e^2)*n*(1 + n))$

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||

GtQ[a, 0])

### Rule 364

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^n)(a+cx^{2n})^2} dx &= \int \left( \frac{e^4}{(cd^2+ae^2)^2(d+ex^n)} - \frac{c(-d+ex^n)}{(cd^2+ae^2)(a+cx^{2n})^2} - \frac{ce^2(-d+ex^n)}{(cd^2+ae^2)^2(a+cx^{2n})} \right) dx \\
&= -\frac{(ce^2) \int \frac{-d+ex^n}{a+cx^{2n}} dx}{(cd^2+ae^2)^2} + \frac{e^4 \int \frac{1}{d+ex^n} dx}{(cd^2+ae^2)^2} - \frac{c \int \frac{-d+ex^n}{(a+cx^{2n})^2} dx}{cd^2+ae^2} \\
&= \frac{cx(d-ex^n)}{2a(cd^2+ae^2)n(a+cx^{2n})} + \frac{e^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2+ae^2)^2} + \frac{(cde^2) \int \frac{1}{a+cx^{2n}} dx}{(cd^2+ae^2)^2} - \frac{(ce^2)}{d(cd^2+ae^2)} \\
&= \frac{cx(d-ex^n)}{2a(cd^2+ae^2)n(a+cx^{2n})} + \frac{cde^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2+ae^2)^2} + \frac{e^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2+ae^2)} \\
&= \frac{cx(d-ex^n)}{2a(cd^2+ae^2)n(a+cx^{2n})} + \frac{cde^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2+ae^2)^2} - \frac{cd(1-2n)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{2a^2 d}
\end{aligned}$$

**Mathematica [A]** time = 0.27, size = 227, normalized size = 0.68

$$\frac{x \left( a^2 e^4 (n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) + acd^2 e^2 (n+1) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + cd \left( (ae^2 + cd^2) \left( d(n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) - a^2 d(n+1) (ae^2 + cd^2) \right) \right) \right)}{a^2 d(n+1) (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)\*(a + c\*x^(2\*n))^2), x]

[Out] (x\*(a\*c\*d^2\*e^2\*(1+n)\*Hypergeometric2F1[1, 1/(2\*n), (2+n^(-1))/2, -((c\*x^(2\*n))/a)] + a^2\*e^4\*(1+n)\*Hypergeometric2F1[1, n^(-1), 1+n^(-1), -((e\*x^n)/d)] + c\*d\*(-(a\*e^3\*x^n\*Hypergeometric2F1[1, (1+n)/(2\*n), (3+n^(-1))/2, -((c\*x^(2\*n))/a)]) + (c\*d^2 + a\*e^2)\*(d\*(1+n)\*Hypergeometric2F1[2, 1/(2\*n), (2+n^(-1))/2, -((c\*x^(2\*n))/a)] - e\*x^n\*Hypergeometric2F1[2, (1+n)/(2\*n), (3+n^(-1))/2, -((c\*x^(2\*n))/a)])))/((a^2\*d\*(c\*d^2 + a\*e^2)^2\*(1+n)))

**fricas [F]** time = 1.07, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{a^2 ex^n + a^2 d + (c^2 ex^n + c^2 d)x^{4n} + 2(acex^n + acd)x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral(1/(a^2\*e\*x^n + a^2\*d + (c^2\*e\*x^n + c^2\*d)\*x^(4\*n) + 2\*(a\*c\*e\*x^n + a\*c\*d)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)^2 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + a)^2\*(e\*x^n + d)), x)

**maple** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a)^2,x)

[Out] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$e^4 \int \frac{1}{c^2 d^5 + 2 a c d^3 e^2 + a^2 d e^4 + (c^2 d^4 e + 2 a c d^2 e^3 + a^2 e^5) x^n} dx - \frac{c e x^n - c d x}{2 (a^2 c d^2 n + a^3 e^2 n + (a c^2 d^2 n + a^2 c e^2 n) x^{2n})} - \int$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] e^4\*integrate(1/(c^2\*d^5 + 2\*a\*c\*d^3\*e^2 + a^2\*d\*e^4 + (c^2\*d^4\*e + 2\*a\*c\*d^2\*e^3 + a^2\*e^5)\*x^n), x) - 1/2\*(c\*e\*x\*x^n - c\*d\*x)/(a^2\*c\*d^2\*n + a^3\*e^2\*n + (a\*c^2\*d^2\*n + a^2\*c\*e^2\*n)\*x^(2\*n)) - integrate(-1/2\*(a\*c\*d\*e^2\*(4\*n - 1) + c^2\*d^3\*(2\*n - 1) - (a\*c\*e^3\*(3\*n - 1) + c^2\*d^2\*e\*(n - 1))\*x^n)/(a^2\*c^2\*d^4\*n + 2\*a^3\*c\*d^2\*e^2\*n + a^4\*e^4\*n + (a\*c^3\*d^4\*n + 2\*a^2\*c^2\*d^2\*e^2\*n + a^3\*c\*e^4\*n)\*x^(2\*n)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + c x^{2n})^2 (d + e x^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + c*x^(2*n))^2*(d + e*x^n)),x)
```

```
[Out] int(1/((a + c*x^(2*n))^2*(d + e*x^n)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d+e*x**n)/(a+c*x**(2*n))**2,x)
```

```
[Out] Timed out
```

$$3.52 \quad \int \frac{1}{(d+ex^n)^2(a+cx^{2n})^2} dx$$

**Optimal.** Leaf size=410

$$\frac{c^2de(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2 + cd^2)^2} - \frac{c(1-2n)x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)^2} - \frac{4c^2de^3x^{n+1}}{a^2}$$

[Out]  $\frac{1}{2}cx^*(cd^2 - ae^2 - 2c*d*ex^n)/a/(ae^2 + cd^2)^2/n/(a+cx^{(2*n)}) + ce^{2*}(-ae^2 + 3cd^2)*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{(2*n)}/a)/a/(ae^2 + cd^2)^3 - 1/2*c*(-ae^2 + cd^2)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{(2*n)}/a)/a^2/(ae^2 + cd^2)^2/n + 4*c*e^4*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/(ae^2 + cd^2)^3 - 4*c^2*d*e^3*x^{(1+n)}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{(2*n)}/a)/a/(ae^2 + cd^2)^3/(1+n) + c^2*d*e*(1-n)*x^{(1+n)}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{(2*n)}/a)/a^2/(ae^2 + cd^2)^2/n/(1+n) + e^4*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(ae^2 + cd^2)^2$

**Rubi [A]** time = 0.38, antiderivative size = 410, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{c^2de(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2 + cd^2)^2} - \frac{c(1-2n)x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)^2} - \frac{4c^2de^3x^{n+1}}{a^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^2\*(a + c\*x^(2\*n))^2), x]

[Out]  $(cx^*(cd^2 - ae^2 - 2c*d*ex^n))/(2*a*(cd^2 + ae^2)^2*n*(a + cx^{(2*n)}) + (ce^{2*}(3cd^2 - ae^2)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^{(-1)})/2, -((cx^{(2*n)})/a)])/(a*(cd^2 + ae^2)^3) - (c*(cd^2 - ae^2)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^{(-1)})/2, -((cx^{(2*n)})/a)])/(2*a^2*(cd^2 + ae^2)^2*n) + (4*c*e^4*x*Hypergeometric2F1[1, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)])/(cd^2 + ae^2)^3 - (4*c^2*d*e^3*x^{(1+n)}*Hypergeometric2F1[1, (1+n)/(2*n), (3 + n^{(-1)})/2, -((cx^{(2*n)})/a)])/(a*(cd^2 + ae^2)^3*(1+n)) + (c^2*d*e*(1-n)*x^{(1+n)}*Hypergeometric2F1[1, (1+n)/(2*n), (3 + n^{(-1)})/2, -((cx^{(2*n)})/a)])/(a^2*(cd^2 + ae^2)^2*n*(1+n)) + (e^4*x*Hypergeometric2F1[2, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)])/(d^2*(cd^2 + ae^2)^2)$

**Rule 245**

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p

```
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

### Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps



$$\begin{aligned}
\int \frac{1}{(d + ex^n)^2 (a + cx^{2n})^2} dx &= \int \left( \frac{e^4}{(cd^2 + ae^2)^2 (d + ex^n)^2} + \frac{4cde^4}{(cd^2 + ae^2)^3 (d + ex^n)} - \frac{c(-cd^2 + ae^2 + 2cdex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})^2} \right) dx \\
&= -\frac{(ce^2) \int \frac{-3cd^2 + ae^2 + 4cdex^n}{a + cx^{2n}} dx}{(cd^2 + ae^2)^3} + \frac{(4cde^4) \int \frac{1}{d + ex^n} dx}{(cd^2 + ae^2)^3} - \frac{c \int \frac{-cd^2 + ae^2 + 2cdex^n}{(a + cx^{2n})^2} dx}{(cd^2 + ae^2)^2} + \frac{e^4 \int \frac{1}{(d + ex^n)^2} dx}{(cd^2 + ae^2)^2} \\
&= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{2a(cd^2 + ae^2)^2 n(a + cx^{2n})} + \frac{4ce^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{(cd^2 + ae^2)^3} + \frac{e^4 x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2 (cd^2 + ae^2)^2} \\
&= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{2a(cd^2 + ae^2)^2 n(a + cx^{2n})} + \frac{ce^2(3cd^2 - ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)^3} + \frac{e^4 x {}_2F_1\left(2, \frac{1}{2n}; 1 + \frac{1}{2n}; -\frac{ex^{2n}}{d}\right)}{d^2 (cd^2 + ae^2)^2} \\
&= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{2a(cd^2 + ae^2)^2 n(a + cx^{2n})} + \frac{ce^2(3cd^2 - ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)^3} + \frac{e^4 x {}_2F_1\left(2, \frac{1}{2n}; 1 + \frac{1}{2n}; -\frac{ex^{2n}}{d}\right)}{d^2 (cd^2 + ae^2)^2}
\end{aligned}$$

**Mathematica [A]** time = 0.47, size = 298, normalized size = 0.73

$$x \left( -\frac{2c^2 dex^n (ae^2 + cd^2) {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2(n+1)} + \frac{c(cd^2 - ae^2)(ae^2 + cd^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2} - \frac{4c^2 de^3 x^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^4 x {}_2F_1\left(2, \frac{1}{2n}; 1 + \frac{1}{2n}; -\frac{ex^{2n}}{d}\right)}{d^2 (cd^2 + ae^2)^2} \right) / (ae^2 + cd^2)^3$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)^2\*(a + c\*x^(2\*n))^2), x]

[Out] (x\*((c\*e^2\*(3\*c\*d^2 - a\*e^2)\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a + 4\*c\*e^4\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e\*x^n)/d)] - (4\*c^2\*d\*e^3\*x^n\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(a\*(1 + n)) + (c\*(c\*d^2 - a\*e^2)\*(c\*d^2 + a\*e^2)\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a^2 + (e^4\*(c\*d^2 + a\*e^2)\*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e\*x^n)/d)])/d^2 - (2\*c^2\*d\*e\*(c\*d^2 + a\*e^2)\*x^n\*Hypergeometric2F1[2, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(a^2\*(1 + n)))/(c\*d^2 + a\*e^2)^3

**fricas [F]** time = 1.36, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{(a^2 e^2 x^{2n} + 2 a^2 d e x^n + a^2 d^2 + (c^2 e^2 x^{2n} + 2 c^2 d e x^n + c^2 d^2) x^{4n} + 2 (a c e^2 x^{2n} + 2 a c d e x^n + a c d^2) x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral(1/(a^2\*e^2\*x^(2\*n) + 2\*a^2\*d\*e\*x^n + a^2\*d^2 + (c^2\*e^2\*x^(2\*n) + 2\*c^2\*d\*e\*x^n + c^2\*d^2)\*x^(4\*n) + 2\*(a\*c\*e^2\*x^(2\*n) + 2\*a\*c\*d\*e\*x^n + a\*c\*d^2)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)^2 (ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + a)^2\*(e\*x^n + d)^2), x)

**maple** [F] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)^2/(c\*x^(2\*n)+a)^2,x)

[Out] int(1/(e\*x^n+d)^2/(c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$(cd^2e^4(5n-1) + ae^6(n-1)) \int \frac{1}{c^3d^8n + 3ac^2d^6e^2n + 3a^2cd^4e^4n + a^3d^2e^6n + (c^3d^7en + 3ac^2d^5e^3n + 3a^2cd^3e^5n + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] (c\*d^2\*e^4\*(5\*n - 1) + a\*e^6\*(n - 1))\*integrate(1/(c^3\*d^8\*n + 3\*a\*c^2\*d^6\*e^2\*n + 3\*a^2\*c\*d^4\*e^4\*n + a^3\*d^2\*e^6\*n + (c^3\*d^7\*e\*n + 3\*a\*c^2\*d^5\*e^3\*n + 3\*a^2\*c\*d^3\*e^5\*n + a^3\*d\*e^7\*n)\*x^n), x) - 1/2\*(2\*(c^2\*d^2\*e^2 - a\*c\*e^4)\*x\*x^(2\*n) + (c^2\*d^3\*e + a\*c\*d\*e^3)\*x\*x^n - (c^2\*d^4 - a\*c\*d^2\*e^2 + 2\*a^2\*e^4)\*x)/(a^2\*c^2\*d^6\*n + 2\*a^3\*c\*d^4\*e^2\*n + a^4\*d^2\*e^4\*n + (a\*c^3\*d^5\*e\*n + 2\*a^2\*c^2\*d^3\*e^3\*n + a^3\*c\*d\*e^5\*n)\*x^(3\*n) + (a\*c^3\*d^6\*n + 2\*a^2\*c^2\*d^4\*e^2\*n + a^3\*c\*d^2\*e^4\*n)\*x^(2\*n) + (a^2\*c^2\*d^5\*e\*n + 2\*a^3\*c\*d^3\*e^3\*n + a^4\*d^2\*e^4\*n)\*x)

```

^3*n + a^4*d*e^5*n)*x^n) - integrate(1/2*(a^2*c*e^4*(4*n - 1) - c^3*d^4*(2*
n - 1) - 6*a*c^2*d^2*e^2*n + 2*(a*c^2*d*e^3*(5*n - 1) + c^3*d^3*e*(n - 1))*
x^n)/(a^2*c^3*d^6*n + 3*a^3*c^2*d^4*e^2*n + 3*a^4*c*d^2*e^4*n + a^5*e^6*n +
(a*c^4*d^6*n + 3*a^2*c^3*d^4*e^2*n + 3*a^3*c^2*d^2*e^4*n + a^4*c*e^6*n)*x^
(2*n)), x)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + cx^{2n})^2 (d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + c*x^(2*n))^2*(d + e*x^n)^2), x)
```

```
[Out] int(1/((a + c*x^(2*n))^2*(d + e*x^n)^2), x)
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d+e*x**n)**2/(a+c*x**(2*n))**2, x)
```

```
[Out] Timed out
```

$$3.53 \quad \int \frac{(d+ex^n)^3}{(a+cx^{2n})^3} dx$$

**Optimal.** Leaf size=424

$$\frac{e(1-3n)(1-n)x^{n+1} \left(3cd^2 - ae^2\right) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2(n+1)} + \frac{d(1-4n)(1-2n)x \left(cd^2 - 3ae^2\right) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2\right)}{8a^3cn^2}$$

[Out] 1/4\*x\*(d\*(-3\*a\*e^2+c\*d^2)+e\*(-a\*e^2+3\*c\*d^2)\*x^n)/a/c/n/(a+c\*x^(2\*n))^2+1/2\*e^2\*x\*(3\*d+e\*x^n)/a/c/n/(a+c\*x^(2\*n))-1/8\*x\*(d\*(-3\*a\*e^2+c\*d^2)\*(1-4\*n)+e\*(-a\*e^2+3\*c\*d^2)\*(1-3\*n)\*x^n)/a^2/c/n^2/(a+c\*x^(2\*n))+1/8\*d\*(-3\*a\*e^2+c\*d^2)\*(1-4\*n)\*(1-2\*n)\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a^3/c/n^2-3/2\*d\*e^2\*(1-2\*n)\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a^2/c/n+1/8\*e\*(-a\*e^2+3\*c\*d^2)\*(1-3\*n)\*(1-n)\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a^3/c/n^2/(1+n)-1/2\*e^3\*(1-n)\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a^2/c/n/(1+n)

**Rubi [A]** time = 0.38, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{e(1-3n)(1-n)x^{n+1} \left(3cd^2 - ae^2\right) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2(n+1)} + \frac{d(1-4n)(1-2n)x \left(cd^2 - 3ae^2\right) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2\right)}{8a^3cn^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3/(a + c\*x^(2\*n))^3,x]

[Out] (x\*(d\*(c\*d^2 - 3\*a\*e^2) + e\*(3\*c\*d^2 - a\*e^2)\*x^n))/(4\*a\*c\*n\*(a + c\*x^(2\*n))^2) + (e^2\*x\*(3\*d + e\*x^n))/(2\*a\*c\*n\*(a + c\*x^(2\*n))) - (x\*(d\*(c\*d^2 - 3\*a\*e^2)\*(1 - 4\*n) + e\*(3\*c\*d^2 - a\*e^2)\*(1 - 3\*n)\*x^n))/(8\*a^2\*c\*n^2\*(a + c\*x^(2\*n))) + (d\*(c\*d^2 - 3\*a\*e^2)\*(1 - 4\*n)\*(1 - 2\*n)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(8\*a^3\*c\*n^2) - (3\*d\*e^2\*(1 - 2\*n)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(2\*a^2\*c\*n) + (e\*(3\*c\*d^2 - a\*e^2)\*(1 - 3\*n)\*(1 - n)\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(8\*a^3\*c\*n^2\*(1 + n)) - (e^3\*(1 - n)\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(2\*a^2\*c\*n\*(1 + n))

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p

```
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])
```

### Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a
)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^3}{(a + cx^{2n})^3} dx &= \int \left( \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c(a + cx^{2n})^3} + \frac{e^2(3d + ex^n)}{c(a + cx^{2n})^2} \right) dx \\
&= \frac{\int \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{(a + cx^{2n})^3} dx}{c} + \frac{e^2 \int \frac{3d + ex^n}{(a + cx^{2n})^2} dx}{c} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{\int \frac{(cd^3 - 3ade^2)(1-4n) + (3cd^2e - ae^3)(1-3n)x^n}{(a + cx^{2n})^2} dx}{4acn} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{x(d(cd^2 - 3ae^2)(1 - 4n) + e(3cd^2 - ae^2)x^n)}{8a^2cn^2(a + cx^{2n})} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{x(d(cd^2 - 3ae^2)(1 - 4n) + e(3cd^2 - ae^2)x^n)}{8a^2cn^2(a + cx^{2n})} \\
&= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{x(d(cd^2 - 3ae^2)(1 - 4n) + e(3cd^2 - ae^2)x^n)}{8a^2cn^2(a + cx^{2n})}
\end{aligned}$$

**Mathematica [A]** time = 0.29, size = 188, normalized size = 0.44

$$\frac{x \left( d(cd^2 - 3ae^2) {}_2F_1 \left( 3, \frac{1}{2n}; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + \frac{ex^n(3cd^2 - ae^2) {}_2F_1 \left( 3, \frac{n+1}{2n}; \frac{1}{2} \left( 3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{n+1} + 3ade^2 {}_2F_1 \left( 2, \frac{1}{2n}; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) \right)}{a^3c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3/(a + c\*x^(2\*n))^3,x]

[Out] (x\*(3\*a\*d\*e^2\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)]) + (a\*e^3\*x^n\*Hypergeometric2F1[2, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))/(1 + n) + d\*(c\*d^2 - 3\*a\*e^2)\*Hypergeometric2F1[3, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + (e\*(3\*c\*d^2 - a\*e^2)\*x^n\*Hypergeometric2F1[3, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))/(1 + n))/(a^3\*c)

**fricas [F]** time = 1.07, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^3 x^{6n} + 3 a c^2 x^{4n} + 3 a^2 c x^{2n} + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral((e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3)/(c^3\*x^(6\*n) + 3\*a\*c^2\*x^(4\*n) + 3\*a^2\*c\*x^(2\*n) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^3/(c\*x^(2\*n) + a)^3, x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^3/(c\*x^(2\*n)+a)^3,x)

[Out] int((e\*x^n+d)^3/(c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(3c^2d^2e(3n-1) + ace^3(n+1))xx^{3n} + (c^2d^3(4n-1) + 3acde^2)xx^{2n} + (3acd^2e(5n-1) - a^2e^3(n-1))xx^n + (a^3c^2d^2e^2(3n-1) + a^2c^2d^2e^2(n+1))x^2 + (3a^2c^2d^2e^2(5n-1) - a^2e^3(n-1))x + (a^3c^2d^2e^2(6n-1) - 3a^2d^2e^2(2n-1))}{8(a^2c^3n^2x^{4n} + 2a^3c^2n^2x^{2n} + a^4cn^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] 1/8\*((3\*c^2\*d^2\*e\*(3\*n - 1) + a\*c\*e^3\*(n + 1))\*x\*x^(3\*n) + (c^2\*d^3\*(4\*n - 1) + 3\*a\*c\*d\*e^2)\*x\*x^(2\*n) + (3\*a\*c\*d^2\*e\*(5\*n - 1) - a^2\*e^3\*(n - 1))\*x\*x^n + (a\*c\*d^3\*(6\*n - 1) - 3\*a^2\*d\*e^2\*(2\*n - 1))\*x)/(a^2\*c^3\*n^2\*x^(4\*n) + 2\*a^3\*c^2\*n^2\*x^(2\*n) + a^4\*c\*n^2) + integrate(1/8\*((8\*n^2 - 6\*n + 1)\*c\*d^3 + 3\*a\*d\*e^2\*(2\*n - 1) + (3\*(3\*n^2 - 4\*n + 1)\*c\*d^2\*e + (n^2 - 1)\*a\*e^3)\*x^n)/(a^2\*c^2\*n^2\*x^(2\*n) + a^3\*c\*n^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^3}{(a + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^n)^3/(a + c*x^(2*n))^3,x)`

[Out] `int((d + e*x^n)^3/(a + c*x^(2*n))^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)**3/(a+c*x**(2*n))**3,x)`

[Out] Timed out



$$3.54 \quad \int \frac{(d+ex^n)^2}{(a+cx^{2n})^3} dx$$

**Optimal.** Leaf size=272

$$\frac{(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2} + \frac{de(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)}$$

[Out]  $1/4*x*(c*d^2-a*e^2+2*c*d*e*x^n)/a/c/n/(a+c*x^(2*n))^2-1/8*x*((-a*e^2+c*d^2)*(1-4*n)+2*c*d*e*(1-3*n)*x^n)/a^2/c/n^2/(a+c*x^(2*n))+1/8*(-a*e^2+c*d^2)*(1-4*n)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^3/c/n^2+1/4*d*e*(1-3*n)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^3/n^2/(1+n)+e^2*x*hypergeom([2, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/c$

**Rubi [A]** time = 0.25, antiderivative size = 272, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2} - \frac{x((1-4n)(cd^2-ae^2)+2cde(1-3n)x^n)}{8a^2cn^2(a+cx^{2n})} + \frac{de(1-3n)x^{n+1}}{4a^3n^2(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^2/(a + c\*x^(2\*n))^3, x]

[Out]  $(x*(c*d^2 - a*e^2 + 2*c*d*e*x^n))/(4*a*c*n*(a + c*x^(2*n))^2) - (x*((c*d^2 - a*e^2)*(1 - 4*n) + 2*c*d*e*(1 - 3*n)*x^n))/(8*a^2*c*n^2*(a + c*x^(2*n))) + ((c*d^2 - a*e^2)*(1 - 4*n)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*c*n^2) + (d*e*(1 - 3*n)*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(4*a^3*n^2*(1 + n)) + (e^2*x*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^2*c)$

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

**Rule 364**

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{(a + cx^{2n})^3} dx &= \int \left( \frac{cd^2 - ae^2 + 2cdex^n}{c(a + cx^{2n})^3} + \frac{e^2}{c(a + cx^{2n})^2} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + 2cdex^n}{(a + cx^{2n})^3} dx}{c} + \frac{e^2 \int \frac{1}{(a + cx^{2n})^2} dx}{c} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2 c} - \frac{\int \frac{(cd^2 - ae^2)^{(1-4n) + 2cde(1-3n)x^n}}{(a + cx^{2n})^2} dx}{4acn} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} - \frac{x\left((cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n\right)}{8a^2cn^2(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right) + \frac{1}{2}\left(2 + \frac{1}{n}\right)\right)}{a^2 c} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} - \frac{x\left((cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n\right)}{8a^2cn^2(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right) + \frac{1}{2}\left(2 + \frac{1}{n}\right)\right)}{a^2 c} \\
&= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} - \frac{x\left((cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n\right)}{8a^2cn^2(a + cx^{2n})} + \frac{(cd^2 - ae^2)(1 - 4n)(1 - 4n)}{8a^2cn^2(a + cx^{2n})}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 136, normalized size = 0.50

$$\frac{x\left((n+1)(cd^2 - ae^2) {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + 2cdex^n {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae^2(n+1) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)\right)}{a^3 c(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^2/(a + c\*x^(2\*n))^3,x]

[Out] (x\*(a\*e^2\*(1 + n)\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + (c\*d^2 - a\*e^2)\*(1 + n)\*Hypergeometric2F1[3, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + 2\*c\*d\*e\*x^n\*Hypergeometric2F1[3, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))/(a^3\*c\*(1 + n))

**fricas [F]** time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2 x^{2n} + 2 dex^n + d^2}{c^3 x^{6n} + 3 ac^2 x^{4n} + 3 a^2 cx^{2n} + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)/(c^3\*x^(6\*n) + 3\*a\*c^2\*x^(4\*n) + 3\*a^2\*c\*x^(2\*n) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^2/(c\*x^(2\*n) + a)^3, x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^2/(c\*x^(2\*n)+a)^3,x)

[Out] int((e\*x^n+d)^2/(c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2c^2de(3n-1)xx^{3n} + 2acde(5n-1)xx^n + (c^2d^2(4n-1) + ace^2)xx^{2n} + (acd^2(6n-1) - a^2e^2(2n-1))x}{8(a^2c^3n^2x^{4n} + 2a^3c^2n^2x^{2n} + a^4cn^2)} + \int \frac{2(3n-1)dx}{c^2x^{2n} + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] 1/8\*(2\*c^2\*d\*e\*(3\*n - 1)\*x\*x^(3\*n) + 2\*a\*c\*d\*e\*(5\*n - 1)\*x\*x^n + (c^2\*d^2\*(4\*n - 1) + a\*c\*e^2)\*x\*x^(2\*n) + (a\*c\*d^2\*(6\*n - 1) - a^2\*e^2\*(2\*n - 1))\*x)/(a^2\*c^3\*n^2\*x^(4\*n) + 2\*a^3\*c^2\*n^2\*x^(2\*n) + a^4\*c\*n^2) + integrate(1/8\*(2\*(3\*n^2 - 4\*n + 1)\*c\*d\*e\*x^n + (8\*n^2 - 6\*n + 1)\*c\*d^2 + a\*e^2\*(2\*n - 1))/(a^2\*c^2\*n^2\*x^(2\*n) + a^3\*c\*n^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{(a + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^2/(a + c*x^(2*n))^3,x)
```

```
[Out] int((d + e*x^n)^2/(a + c*x^(2*n))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**2/(a+c*x**(2*n))**3,x)
```

```
[Out] Timed out
```

$$3.55 \quad \int \frac{d+ex^n}{(a+cx^{2n})^3} dx$$

**Optimal.** Leaf size=184

$$\frac{d(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} + \frac{e(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)} - \frac{x(d(1-4n))}{8a^2n^2}$$

[Out] 1/4\*x\*(d+e\*x^n)/a/n/(a+c\*x^(2\*n))^2-1/8\*x\*(d\*(1-4\*n)+e\*(1-3\*n)\*x^n)/a^2/n^2/(a+c\*x^(2\*n))+1/8\*d\*(1-4\*n)\*(1-2\*n)\*x\*hypergeom([1, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/a^3/n^2+1/8\*e\*(1-3\*n)\*(1-n)\*x^(1+n)\*hypergeom([1, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/a^3/n^2/(1+n)

**Rubi [A]** time = 0.10, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {1431, 1418, 245, 364}

$$-\frac{x(d(1-4n)+e(1-3n)x^n)}{8a^2n^2(a+cx^{2n})} + \frac{d(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} + \frac{e(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + c\*x^(2\*n))^3, x]

[Out] (x\*(d + e\*x^n))/(4\*a\*n\*(a + c\*x^(2\*n))^2) - (x\*(d\*(1 - 4\*n) + e\*(1 - 3\*n)\*x^n))/(8\*a^2\*n^2\*(a + c\*x^(2\*n))) + (d\*(1 - 4\*n)\*(1 - 2\*n)\*x\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(8\*a^3\*n^2) + (e\*(1 - 3\*n)\*(1 - n)\*x^(1 + n)\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(8\*a^3\*n^2\*(1 + n))

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 364

Int[((c\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[(a^p\*(c\*x)^(m + 1)\*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b\*x^n)/a)])/ (c\*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt

Q[p, 0] || GtQ[a, 0])

### Rule 1418

Int[((d\_) + (e\_)\*(x\_)^(n\_))/((a\_) + (c\_)\*(x\_)^(n2\_)), x\_Symbol] := Dist[d, Int[1/(a + c\*x^(2\*n)), x], x] + Dist[e, Int[x^n/(a + c\*x^(2\*n)), x], x] / ; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && (Po sQ[a\*c] || !IntegerQ[n])

### Rule 1431

Int[((d\_) + (e\_)\*(x\_)^(n\_))\*((a\_) + (c\_)\*(x\_)^(n2\_))^(p\_), x\_Symbol] := - Simp[(x\*(d + e\*x^n)\*(a + c\*x^(2\*n))^(p + 1))/(2\*a\*n\*(p + 1)), x] + Dist[1/(2\*a\*n\*(p + 1)), Int[(d\*(2\*n\*p + 2\*n + 1) + e\*(2\*n\*p + 3\*n + 1)\*x^n)\*(a + c\*x^(2\*n))^(p + 1), x], x] / ; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2\*n] && IL tQ[p, -1]

### Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{(a + cx^{2n})^3} dx &= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{\int \frac{d(1-4n) + e(1-3n)x^n}{(a + cx^{2n})^2} dx}{4an} \\ &= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{x(d(1-4n) + e(1-3n)x^n)}{8a^2n^2(a + cx^{2n})} + \frac{\int \frac{d(1-4n)(1-2n) + e(1-3n)(1-n)x^n}{a + cx^{2n}} dx}{8a^2n^2} \\ &= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{x(d(1-4n) + e(1-3n)x^n)}{8a^2n^2(a + cx^{2n})} + \frac{(d(1-4n)(1-2n)) \int \frac{1}{a + cx^{2n}} dx}{8a^2n^2} + \frac{(e(1-3n)) \int \frac{1}{a + cx^{2n}} dx}{8a^2n^2} \\ &= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{x(d(1-4n) + e(1-3n)x^n)}{8a^2n^2(a + cx^{2n})} + \frac{d(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} + \frac{e(1-3n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 83, normalized size = 0.45

$$\frac{dx {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3} + \frac{ex^{n+1} {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a + c\*x^(2\*n))^3,x]

[Out] (d\*x\*Hypergeometric2F1[3, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)]/a^3 + (e\*x^(1 + n)\*Hypergeometric2F1[3, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]/a^3)/(a^3\*(1 + n))

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{c^3x^{6n} + 3ac^2x^{4n} + 3a^2cx^{2n} + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral((e\*x^n + d)/(c^3\*x^(6\*n) + 3\*a\*c^2\*x^(4\*n) + 3\*a^2\*c\*x^(2\*n) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + a)^3, x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(c\*x^(2\*n)+a)^3,x)

[Out] int((e\*x^n+d)/(c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{ce(3n-1)xx^{3n} + cd(4n-1)xx^{2n} + ae(5n-1)xx^n + ad(6n-1)x}{8(a^2c^2n^2x^{4n} + 2a^3cn^2x^{2n} + a^4n^2)} + \int \frac{(3n^2 - 4n + 1)ex^n + (8n^2 - 6n + 1)d}{8(a^2cn^2x^{2n} + a^3n^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((d+e\*x^n)/(a+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] 1/8\*(c\*e\*(3\*n - 1)\*x\*x^(3\*n) + c\*d\*(4\*n - 1)\*x\*x^(2\*n) + a\*e\*(5\*n - 1)\*x\*x^n + a\*d\*(6\*n - 1)\*x)/(a^2\*c^2\*n^2\*x^(4\*n) + 2\*a^3\*c\*n^2\*x^(2\*n) + a^4\*n^2) + integrate(1/8\*((3\*n^2 - 4\*n + 1)\*e\*x^n + (8\*n^2 - 6\*n + 1)\*d)/(a^2\*c\*n^2\*x^(2\*n) + a^3\*n^2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + e x^n}{(a + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a + c\*x^(2\*n))^3,x)

[Out] int((d + e\*x^n)/(a + c\*x^(2\*n))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)/(a+c\*x\*\*(2\*n))\*\*3,x)

[Out] Timed out

$$3.56 \quad \int \frac{1}{(d+ex^n)(a+cx^{2n})^3} dx$$

**Optimal.** Leaf size=582

$$\frac{ce(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)(ae^2+cd^2)} + \frac{cd(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)} - \frac{cde^2(1-n)}{8a^3n^2(ae^2+cd^2)}$$

[Out]  $\frac{1}{4}c*x*(d-e*x^n)/a/(a*e^2+c*d^2)/n/(a+c*x^(2*n))^2+1/2*c*e^2*x*(d-e*x^n)/a/(a*e^2+c*d^2)^2/n/(a+c*x^(2*n))-1/8*c*x*(d*(1-4*n)-e*(1-3*n)*x^n)/a^2/(a*e^2+c*d^2)/n^2/(a+c*x^(2*n))+c*d*e^4*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^3+1/8*c*d*(1-4*n)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^3/(a*e^2+c*d^2)/n^2-1/2*c*d*e^2*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c*d^2)^2/n+e^6*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2+c*d^2)^3-c*e^5*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^3/(1+n)-1/8*c*e*(1-3*n)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^3/(a*e^2+c*d^2)/n^2/(1+n)+1/2*c*e^3*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c*d^2)^2/n/(1+n)$

**Rubi [A]** time = 0.42, antiderivative size = 582, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{ce(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)(ae^2+cd^2)} + \frac{cd(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)} + \frac{ce^3(1-n)}{8a^3n^2(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*(a + c\*x^(2\*n))^3), x]

[Out]  $\frac{(c*x*(d - e*x^n))/(4*a*(c*d^2 + a*e^2)*n*(a + c*x^(2*n))^2) + (c*e^2*x*(d - e*x^n))/(2*a*(c*d^2 + a*e^2)^2*n*(a + c*x^(2*n))) - (c*x*(d*(1 - 4*n) - e*(1 - 3*n)*x^n))/(8*a^2*(c*d^2 + a*e^2)*n^2*(a + c*x^(2*n))) + (c*d*e^4*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)^3) + (c*d*(1 - 4*n)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*(c*d^2 + a*e^2)*n^2) - (c*d*e^2*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*(c*d^2 + a*e^2)^2*n) + (e^6*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -(e*x^n/d)])/(d*(c*d^2 + a*e^2)^3) - (c*e^5*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)^3*(1 + n)) - (c*e*(1 - 3*n)*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)^3*(1 + n))$

$$\frac{(3 + n^{-1})/2, -((c*x^{(2*n)})/a)]}{(8*a^3*(c*d^2 + a*e^2)*n^2*(1 + n))} + (c*e^3*(1 - n)*x^{(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^{-1})/2, -((c*x^{(2*n)})/a)]})/(2*a^2*(c*d^2 + a*e^2)^2*n*(1 + n))$$
Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

Rule 364

```
Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])
```

Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])
```

Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && ILtQ[p, -1]
```

Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((IntegerQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)(a + cx^{2n})^3} dx &= \int \left( \frac{e^6}{(cd^2 + ae^2)^3 (d + ex^n)} - \frac{c(-d + ex^n)}{(cd^2 + ae^2)(a + cx^{2n})^3} - \frac{ce^2(-d + ex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})^2} - \frac{c^3(-d + ex^n)}{(cd^2 + ae^2)^3} \right) dx \\
&= -\frac{(ce^4) \int \frac{-d+ex^n}{a+cx^{2n}} dx}{(cd^2 + ae^2)^3} + \frac{e^6 \int \frac{1}{d+ex^n} dx}{(cd^2 + ae^2)^3} - \frac{(ce^2) \int \frac{-d+ex^n}{(a+cx^{2n})^2} dx}{(cd^2 + ae^2)^2} - \frac{c \int \frac{-d+ex^n}{(a+cx^{2n})^3} dx}{cd^2 + ae^2} \\
&= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} + \frac{e^6x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 + ae^2)^3} \\
&= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} - \frac{cx(d(1 - 4n) - e(1 - 4n))}{8a^2(cd^2 + ae^2)n^2(a + cx^{2n})} \\
&= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} - \frac{cx(d(1 - 4n) - e(1 - 4n))}{8a^2(cd^2 + ae^2)n^2(a + cx^{2n})} \\
&= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} - \frac{cx(d(1 - 4n) - e(1 - 4n))}{8a^2(cd^2 + ae^2)n^2(a + cx^{2n})}
\end{aligned}$$

**Mathematica [A]** time = 0.43, size = 346, normalized size = 0.59

$$x \left( \frac{cd(ae^2 + cd^2)^2 {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3} - \frac{cex^n(ae^2 + cd^2)^2 {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3(n+1)} + \frac{cde^2(ae^2 + cd^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2} - \frac{ce^3x^n(ae^2 + cd^2)^3}{(ae^2 + cd^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)\*(a + c\*x^(2\*n))^3), x]

[Out] (x\*((c\*d\*e^4\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a + (e^6\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e\*x^n)/d)])/d - (c\*e^5\*x^n\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/((a\*(1 + n)) + (c\*d\*e^2\*(c\*d^2 + a\*e^2)\*Hypergeometric2F1[2, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a^2 - (c\*e^3\*(c\*d^2 + a\*e^2)\*x^n\*Hypergeometric2F1[2, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/((a^2\*(1 + n)) + (c\*d\*(c\*d^2 + a\*e^2)^2\*Hypergeometric2F1[3, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/a^3))

$(c*x^{(2*n)})/a)]/a^3 - (c*e*(c*d^2 + a*e^2)^2*x^n*Hypergeometric2F1[3, (1 + n)/(2*n), (3 + n*(-1))/2, -((c*x^{(2*n)})/a)]/(a^3*(1 + n)))/(c*d^2 + a*e^2)^3$

**fricas** [F] time = 1.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{a^3ex^n + a^3d + (c^3ex^n + c^3d)x^{6n} + 3(ac^2ex^n + ac^2d)x^{4n} + 3(a^2cex^n + a^2cd)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral(1/(a^3\*e\*x^n + a^3\*d + (c^3\*e\*x^n + c^3\*d)\*x^(6\*n) + 3\*(a\*c^2\*e\*x^n + a\*c^2\*d)\*x^(4\*n) + 3\*(a^2\*c\*e\*x^n + a^2\*c\*d)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)^3 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + a)^3\*(e\*x^n + d)), x)

**maple** [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a)^3,x)

[Out] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$e^6 \int \frac{1}{c^3d^7 + 3ac^2d^5e^2 + 3a^2cd^3e^4 + a^3de^6 + (c^3d^6e + 3ac^2d^4e^3 + 3a^2cd^2e^5 + a^3e^7)x^n} dx - \frac{(ac^2e^3(7n-1) + c^3d^2)}{8(a^4c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^3,x, algorithm="maxima")

```
[Out] e^6*integrate(1/(c^3*d^7 + 3*a*c^2*d^5*e^2 + 3*a^2*c*d^3*e^4 + a^3*d*e^6 +
(c^3*d^6*e + 3*a*c^2*d^4*e^3 + 3*a^2*c*d^2*e^5 + a^3*e^7)*x^n), x) - 1/8*((
a*c^2*e^3*(7*n - 1) + c^3*d^2*e*(3*n - 1))*x*x^(3*n) - (a*c^2*d*e^2*(8*n -
1) + c^3*d^3*(4*n - 1))*x*x^(2*n) + (a^2*c*e^3*(9*n - 1) + a*c^2*d^2*e*(5*n
- 1))*x*x^n - (a^2*c*d*e^2*(10*n - 1) + a*c^2*d^3*(6*n - 1))*x)/(a^4*c^2*d
^4*n^2 + 2*a^5*c*d^2*e^2*n^2 + a^6*e^4*n^2 + (a^2*c^4*d^4*n^2 + 2*a^3*c^3*d
^2*e^2*n^2 + a^4*c^2*e^4*n^2)*x^(4*n) + 2*(a^3*c^3*d^4*n^2 + 2*a^4*c^2*d^2*
e^2*n^2 + a^5*c*e^4*n^2)*x^(2*n)) - integrate(-1/8*((8*n^2 - 6*n + 1)*c^3*d
^5 + 2*(12*n^2 - 8*n + 1)*a*c^2*d^3*e^2 + (24*n^2 - 10*n + 1)*a^2*c*d*e^4 -
((3*n^2 - 4*n + 1)*c^3*d^4*e + 2*(5*n^2 - 6*n + 1)*a*c^2*d^2*e^3 + (15*n^2
- 8*n + 1)*a^2*c*e^5)*x^n)/(a^3*c^3*d^6*n^2 + 3*a^4*c^2*d^4*e^2*n^2 + 3*a^
5*c*d^2*e^4*n^2 + a^6*e^6*n^2 + (a^2*c^4*d^6*n^2 + 3*a^3*c^3*d^4*e^2*n^2 +
3*a^4*c^2*d^2*e^4*n^2 + a^5*c*e^6*n^2)*x^(2*n)), x)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + cx^{2n})^3 (d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((a + c*x^(2*n))^3*(d + e*x^n)),x)
```

```
[Out] int(1/((a + c*x^(2*n))^3*(d + e*x^n)), x)
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d+e*x**n)/(a+c*x**(2*n))**3,x)
```

```
[Out] Timed out
```

$$3.57 \quad \int \frac{1}{(d+ex^n)^2(a+cx^{2n})^3} dx$$

**Optimal.** Leaf size=701

$$\frac{c^2de(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)(ae^2+cd^2)^2} + \frac{c(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)^2}$$

[Out]  $\frac{1}{4}c*x*(c*d^2-a*e^2-2*c*d*e*x^n)/a/(a*e^2+c*d^2)^2/n/(a+c*x^(2*n))^{2+1/2*c}$   
 $*e^2*x*(3*c*d^2-a*e^2-4*c*d*e*x^n)/a/(a*e^2+c*d^2)^3/n/(a+c*x^(2*n))-1/8*c*$   
 $x*((-a*e^2+c*d^2)*(1-4*n)-2*c*d*e*(1-3*n)*x^n)/a^2/(a*e^2+c*d^2)^2/n^2/(a+c$   
 $*x^(2*n))+c*e^4*(-a*e^2+5*c*d^2)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)$   
 $)/a)/a/(a*e^2+c*d^2)^4+1/8*c*(-a*e^2+c*d^2)*(1-4*n)*(1-2*n)*x*hypergeom([1,$   
 $1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^3/(a*e^2+c*d^2)^2/n^2-1/2*c*e^2*(-a*e^2+3$   
 $*c*d^2)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c$   
 $*d^2)^3/n+6*c*e^6*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/(a*e^2+c*d^2)^4-6*$   
 $c^2*d*e^5*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a$   
 $*e^2+c*d^2)^4/(1+n)-1/4*c^2*d*e*(1-3*n)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+$   
 $n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^3/(a*e^2+c*d^2)^2/n^2/(1+n)+2*c^2*d*e^3*($   
 $1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^$   
 $2+c*d^2)^3/n/(1+n)+e^6*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2+c*$   
 $d^2)^3$

**Rubi [A]** time = 0.69, antiderivative size = 701, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{c^2de(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)(ae^2+cd^2)^2} + \frac{2c^2de^3(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2+cd^2)^3} + \frac{c(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2+cd^2)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^2\*(a + c\*x^(2\*n))^3), x]

[Out]  $(c*x*(c*d^2 - a*e^2 - 2*c*d*e*x^n))/(4*a*(c*d^2 + a*e^2)^2*n*(a + c*x^(2*n))$   
 $)^2) + (c*e^2*x*(3*c*d^2 - a*e^2 - 4*c*d*e*x^n))/(2*a*(c*d^2 + a*e^2)^3*n*($   
 $a + c*x^(2*n))) - (c*x*((c*d^2 - a*e^2)*(1 - 4*n) - 2*c*d*e*(1 - 3*n)*x^n))$   
 $/(8*a^2*(c*d^2 + a*e^2)^2*n^2*(a + c*x^(2*n))) + (c*e^4*(5*c*d^2 - a*e^2)*x$   
 $*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2$   
 $+ a*e^2)^4) + (c*(c*d^2 - a*e^2)*(1 - 4*n)*(1 - 2*n)*x*Hypergeometric2F1[1$   
 $, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*(c*d^2 + a*e^2)^2*n^2)$   
 $- (c*e^2*(3*c*d^2 - a*e^2)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 +$

$$\frac{n^{-1}}{2} - \frac{((c*x^{2n})/a)}{2*a^2*(c*d^2 + a*e^2)^{3n}} + \frac{(6*c*e^6*x*Hypergeometric2F1[1, n^{-1}, 1 + n^{-1}, -((e*x^n)/d)])}{(c*d^2 + a*e^2)^4} - \frac{(6*c^2*d*e^5*x^{1+n}*Hypergeometric2F1[1, (1+n)/(2n), (3+n^{-1})/2, -((c*x^{2n})/a)])}{(a*(c*d^2 + a*e^2)^4*(1+n))} - \frac{(c^2*d*e*(1-3n)*(1-n)*x^{1+n}*Hypergeometric2F1[1, (1+n)/(2n), (3+n^{-1})/2, -((c*x^{2n})/a)])}{(4*a^3*(c*d^2 + a*e^2)^2*n^2*(1+n))} + \frac{(2*c^2*d*e^3*(1-n)*x^{1+n}*Hypergeometric2F1[1, (1+n)/(2n), (3+n^{-1})/2, -((c*x^{2n})/a)])}{(a^2*(c*d^2 + a*e^2)^3*n*(1+n))} + \frac{(e^6*x*Hypergeometric2F1[2, n^{-1}, 1+n^{-1}, -((e*x^n)/d)])}{(d^2*(c*d^2 + a*e^2)^3)}$$

### Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILTQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

### Rule 364

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILTQ[p, 0] || GtQ[a, 0])
```

### Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])
```

### Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p+1))/(2*a*n*(p+1)), x] + Dist[1/(2*a*n*(p+1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p+1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && ILtQ[p, -1]
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```



)

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^n)^2 (a+cx^{2n})^3} dx &= \int \left( \frac{e^6}{(cd^2+ae^2)^3 (d+ex^n)^2} + \frac{6cde^6}{(cd^2+ae^2)^4 (d+ex^n)} - \frac{c(-cd^2+ae^2+2cdex^n)}{(cd^2+ae^2)^2 (a+cx^{2n})^3} \right) dx \\
&= -\frac{(ce^4) \int \frac{-5cd^2+ae^2+6cdex^n}{a+cx^{2n}} dx}{(cd^2+ae^2)^4} + \frac{(6cde^6) \int \frac{1}{d+ex^n} dx}{(cd^2+ae^2)^4} - \frac{(ce^2) \int \frac{-3cd^2+ae^2+4cdex^n}{(a+cx^{2n})^2} dx}{(cd^2+ae^2)^3} + \dots \\
&= \frac{cx(cd^2-ae^2-2cdex^n)}{4a(cd^2+ae^2)^2 n(a+cx^{2n})^2} + \frac{ce^2x(3cd^2-ae^2-4cdex^n)}{2a(cd^2+ae^2)^3 n(a+cx^{2n})} + \frac{6ce^6x {}_2F_1\left(1, \frac{1}{n}; 1+\frac{1}{n}; \frac{cx^{2n}}{a}\right)}{(cd^2+ae^2)^3 n(a+cx^{2n})} + \dots \\
&= \frac{cx(cd^2-ae^2-2cdex^n)}{4a(cd^2+ae^2)^2 n(a+cx^{2n})^2} + \frac{ce^2x(3cd^2-ae^2-4cdex^n)}{2a(cd^2+ae^2)^3 n(a+cx^{2n})} - \frac{cx((cd^2-ae^2)(1+\frac{1}{n}))}{8a^2(cd^2+ae^2)^2 n(a+cx^{2n})} + \dots \\
&= \frac{cx(cd^2-ae^2-2cdex^n)}{4a(cd^2+ae^2)^2 n(a+cx^{2n})^2} + \frac{ce^2x(3cd^2-ae^2-4cdex^n)}{2a(cd^2+ae^2)^3 n(a+cx^{2n})} - \frac{cx((cd^2-ae^2)(1+\frac{1}{n}))}{8a^2(cd^2+ae^2)^2 n(a+cx^{2n})} + \dots \\
&= \frac{cx(cd^2-ae^2-2cdex^n)}{4a(cd^2+ae^2)^2 n(a+cx^{2n})^2} + \frac{ce^2x(3cd^2-ae^2-4cdex^n)}{2a(cd^2+ae^2)^3 n(a+cx^{2n})} - \frac{cx((cd^2-ae^2)(1+\frac{1}{n}))}{8a^2(cd^2+ae^2)^2 n(a+cx^{2n})} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.70, size = 426, normalized size = 0.61

$$x \left( -\frac{2c^2dex^n(ae^2+cd^2)^2 {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^{3(n+1)}} + \frac{c(cd^2-ae^2)(ae^2+cd^2)^2 {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3} - \frac{4c^2de^3x^n(ae^2+cd^2) {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^{2(n+1)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)^2\*(a + c\*x^(2\*n))^3), x]

[Out] (x\*((c\*e^4\*(5\*c\*d^2 - a\*e^2)\*Hypergeometric2F1[1, 1/(2\*n), (2 + n^(-1))/2, -((c\*x^(2\*n))/a)]/a + 6\*c\*e^6\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e\*x^n)/d)] - (6\*c^2\*d\*e^5\*x^n\*Hypergeometric2F1[1, (1 + n)/(2\*n), (3 + n^(-1))/2, -((c\*x^(2\*n))/a)]))

$1)/2, -((c*x^{(2*n)})/a)]/(a*(1+n)) + (c*e^2*(3*c*d^2 - a*e^2)*(c*d^2 + a$   
 $*e^2)*Hypergeometric2F1[2, 1/(2*n), (2+n^{(-1)})/2, -((c*x^{(2*n)})/a)]/a^2$   
 $+ (e^6*(c*d^2 + a*e^2)*Hypergeometric2F1[2, n^{(-1)}, 1+n^{(-1)}, -((e*x^n)/d$   
 $)]/d^2 - (4*c^2*d*e^3*(c*d^2 + a*e^2)*x^n*Hypergeometric2F1[2, (1+n)/(2*$   
 $n), (3+n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a^2*(1+n)) + (c*(c*d^2 - a*e^2)*($   
 $c*d^2 + a*e^2)^2*Hypergeometric2F1[3, 1/(2*n), (2+n^{(-1)})/2, -((c*x^{(2*n)}$   
 $) / a)]/a^3 - (2*c^2*d*e*(c*d^2 + a*e^2)^2*x^n*Hypergeometric2F1[3, (1+n)/$   
 $(2*n), (3+n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a^3*(1+n))))/(c*d^2 + a*e^2)^4$

**fricas** [F] time = 2.91, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{a^3 e^2 x^{2n} + 2 a^3 d e x^n + a^3 d^2 + (c^3 e^2 x^{2n} + 2 c^3 d e x^n + c^3 d^2) x^{6n} + 3 (a c^2 e^2 x^{2n} + 2 a c^2 d e x^n + a c^2 d^2) x^{4n} + \dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral(1/(a^3\*e^2\*x^(2\*n) + 2\*a^3\*d\*e\*x^n + a^3\*d^2 + (c^3\*e^2\*x^(2\*n) + 2\*c^3\*d\*e\*x^n + c^3\*d^2)\*x^(6\*n) + 3\*(a\*c^2\*e^2\*x^(2\*n) + 2\*a\*c^2\*d\*e\*x^n + a\*c^2\*d^2)\*x^(4\*n) + 3\*(a^2\*c\*e^2\*x^(2\*n) + 2\*a^2\*c\*d\*e\*x^n + a^2\*c\*d^2)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(c x^{2n} + a)^3 (e x^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + a)^3\*(e\*x^n + d)^2), x)

**maple** [F] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{1}{(e x^n + d)^2 (c x^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)^2/(c\*x^(2\*n)+a)^3,x)

[Out] int(1/(e\*x^n+d)^2/(c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$(cd^2e^6(7n-1) + ae^8(n-1)) \int \frac{1}{c^4d^{10n} + 4ac^3d^8e^2n + 6a^2c^2d^6e^4n + 4a^3cd^4e^6n + a^4d^2e^8n + (c^4d^9en + 4ac^3d^7e^2n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] (c\*d^2\*e^6\*(7\*n - 1) + a\*e^8\*(n - 1))\*integrate(1/(c^4\*d^10\*n + 4\*a\*c^3\*d^8\*e^2\*n + 6\*a^2\*c^2\*d^6\*e^4\*n + 4\*a^3\*c\*d^4\*e^6\*n + a^4\*d^2\*e^8\*n + (c^4\*d^9\*e^n + 4\*a\*c^3\*d^7\*e^3\*n + 6\*a^2\*c^2\*d^5\*e^5\*n + 4\*a^3\*c\*d^3\*e^7\*n + a^4\*d\*e^9\*n)\*x^n), x) - 1/8\*(2\*(a\*c^3\*d^2\*e^4\*(11\*n - 1) + c^4\*d^4\*e^2\*(3\*n - 1) - 4\*a^2\*c^2\*e^6\*n)\*x\*x^(4\*n) + (a^2\*c^2\*d\*e^5\*(8\*n - 1) + 2\*a\*c^3\*d^3\*e^3\*(5\*n - 1) + c^4\*d^5\*e\*(2\*n - 1))\*x\*x^(3\*n) + (a^2\*c^2\*d^2\*e^4\*(34\*n - 3) - c^4\*d^6\*(4\*n - 1) - 2\*a\*c^3\*d^4\*e^2\*(n + 1) - 16\*a^3\*c\*e^6\*n)\*x\*x^(2\*n) + (a^3\*c\*d\*e^5\*(10\*n - 1) + 2\*a^2\*c^2\*d^3\*e^3\*(7\*n - 1) + a\*c^3\*d^5\*e\*(4\*n - 1))\*x\*x^n + (a^3\*c\*d^2\*e^4\*(10\*n - 1) - a\*c^3\*d^6\*(6\*n - 1) - 12\*a^2\*c^2\*d^4\*e^2\*n - 8\*a^4\*e^6\*n)\*x)/(a^4\*c^3\*d^8\*n^2 + 3\*a^5\*c^2\*d^6\*e^2\*n^2 + 3\*a^6\*c\*d^4\*e^4\*n^2 + a^7\*d^2\*e^6\*n^2 + (a^2\*c^5\*d^7\*e\*n^2 + 3\*a^3\*c^4\*d^5\*e^3\*n^2 + 3\*a^4\*c^3\*d^3\*e^5\*n^2 + a^5\*c^2\*d\*e^7\*n^2)\*x^(5\*n) + (a^2\*c^5\*d^8\*n^2 + 3\*a^3\*c^4\*d^6\*e^2\*n^2 + 3\*a^4\*c^3\*d^4\*e^4\*n^2 + a^5\*c^2\*d^2\*e^6\*n^2)\*x^(4\*n) + 2\*(a^3\*c^4\*d^7\*e\*n^2 + 3\*a^4\*c^3\*d^5\*e^3\*n^2 + 3\*a^5\*c^2\*d^3\*e^5\*n^2 + a^6\*c\*d\*e^7\*n^2)\*x^(3\*n) + 2\*(a^3\*c^4\*d^8\*n^2 + 3\*a^4\*c^3\*d^6\*e^2\*n^2 + 3\*a^5\*c^2\*d^4\*e^4\*n^2 + a^6\*c\*d^2\*e^6\*n^2)\*x^(2\*n) + (a^4\*c^3\*d^7\*e\*n^2 + 3\*a^5\*c^2\*d^5\*e^3\*n^2 + 3\*a^6\*c\*d^3\*e^5\*n^2 + a^7\*d\*e^7\*n^2)\*x^n) - integrate(-1/8\*((8\*n^2 - 6\*n + 1)\*c^4\*d^6 + (32\*n^2 - 18\*n + 1)\*a\*c^3\*d^4\*e^2 + (48\*n^2 - 2\*n - 1)\*a^2\*c^2\*d^2\*e^4 - (24\*n^2 - 10\*n + 1)\*a^3\*c\*e^6 - 2\*((3\*n^2 - 4\*n + 1)\*c^4\*d^5\*e + 2\*(7\*n^2 - 8\*n + 1)\*a\*c^3\*d^3\*e^3 + (35\*n^2 - 12\*n + 1)\*a^2\*c^2\*d\*e^5)\*x^n)/(a^3\*c^4\*d^8\*n^2 + 4\*a^4\*c^3\*d^6\*e^2\*n^2 + 6\*a^5\*c^2\*d^4\*e^4\*n^2 + 4\*a^6\*c\*d^2\*e^6\*n^2 + a^7\*e^8\*n^2 + (a^2\*c^5\*d^8\*n^2 + 4\*a^3\*c^4\*d^6\*e^2\*n^2 + 6\*a^4\*c^3\*d^4\*e^4\*n^2 + 4\*a^5\*c^2\*d^2\*e^6\*n^2 + a^6\*c\*e^8\*n^2)\*x^(2\*n)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + cx^{2n})^3 (d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c\*x^(2\*n))^3\*(d + e\*x^n)^2), x)

[Out] int(1/((a + c\*x^(2\*n))^3\*(d + e\*x^n)^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)\*\*2/(a+c\*x\*\*(2\*n))\*\*3,x)

[Out] Timed out

$$3.58 \quad \int \frac{1}{(d+ex^n)\sqrt{a+cx^{2n}}} dx$$

**Optimal.** Leaf size=171

$$\frac{x\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d\sqrt{a+cx^{2n}}} - \frac{ex^{n+1}\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{n+1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^2(n+1)\sqrt{a+cx^{2n}}}$$

[Out] x\*AppellF1(1/2/n,1,1/2,1+1/2/n,e^2\*x^(2\*n)/d^2,-c\*x^(2\*n)/a)\*(1+c\*x^(2\*n)/a)^(1/2)/d/(a+c\*x^(2\*n))^(1/2)-e\*x^(1+n)\*AppellF1(1/2\*(1+n)/n,1,1/2,3/2+1/2/n,e^2\*x^(2\*n)/d^2,-c\*x^(2\*n)/a)\*(1+c\*x^(2\*n)/a)^(1/2)/d^2/(1+n)/(a+c\*x^(2\*n))^(1/2)

**Rubi [A]** time = 0.17, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {1438, 430, 429, 511, 510}

$$\frac{x\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d\sqrt{a+cx^{2n}}} - \frac{ex^{n+1}\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{n+1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^2(n+1)\sqrt{a+cx^{2n}}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*Sqrt[a + c\*x^(2\*n)]),x]

[Out] (x\*Sqrt[1 + (c\*x^(2\*n))/a]\*AppellF1[1/(2\*n), 1/2, 1, (2 + n^(-1))/2, -((c\*x^(2\*n))/a), (e^2\*x^(2\*n))/d^2])/(d\*Sqrt[a + c\*x^(2\*n)]) - (e\*x^(1 + n)\*Sqrt[1 + (c\*x^(2\*n))/a]\*AppellF1[(1 + n)/(2\*n), 1/2, 1, (3 + n^(-1))/2, -((c\*x^(2\*n))/a), (e^2\*x^(2\*n))/d^2])/(d^2\*(1 + n)\*Sqrt[a + c\*x^(2\*n)])

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol]  
 :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 430

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol]  
 :> Dist[(a^IntPart[p]\*(a + b\*x^n)^FracPart[p])/(1 + (b\*x^n)/a)^FracPart[p], Int[(1 + (b\*x^n)/a)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

#### Rule 510

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 511

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])
```

### Rule 1438

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n)) - (e*x^n)/(d^2 - e^2*x^(2*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n 2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n) \sqrt{a + cx^{2n}}} dx &= \int \left( \frac{d}{\sqrt{a + cx^{2n}} (d^2 - e^2 x^{2n})} + \frac{ex^n}{\sqrt{a + cx^{2n}} (-d^2 + e^2 x^{2n})} \right) dx \\ &= d \int \frac{1}{\sqrt{a + cx^{2n}} (d^2 - e^2 x^{2n})} dx + e \int \frac{x^n}{\sqrt{a + cx^{2n}} (-d^2 + e^2 x^{2n})} dx \\ &= \frac{\left( d \sqrt{1 + \frac{cx^{2n}}{a}} \right) \int \frac{1}{\sqrt{1 + \frac{cx^{2n}}{a}} (d^2 - e^2 x^{2n})} dx}{\sqrt{a + cx^{2n}}} + \frac{\left( e \sqrt{1 + \frac{cx^{2n}}{a}} \right) \int \frac{x^n}{\sqrt{1 + \frac{cx^{2n}}{a}} (-d^2 + e^2 x^{2n})} dx}{\sqrt{a + cx^{2n}}} \\ &= \frac{x \sqrt{1 + \frac{cx^{2n}}{a}} F_1 \left( \frac{1}{2n}; \frac{1}{2}, 1; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d \sqrt{a + cx^{2n}}} - \frac{ex^{1+n} \sqrt{1 + \frac{cx^{2n}}{a}} F_1 \left( \frac{1+n}{2n}; \frac{1}{2}, 1; \frac{1}{2} \left( 3 \right)}{d^2 (1+n) \sqrt{a + cx^{2n}}} \right)}{d^2 (1+n) \sqrt{a + cx^{2n}}} \end{aligned}$$

**Mathematica** [F] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^n) \sqrt{a + cx^{2n}}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e\*x^n)\*Sqrt[a + c\*x^(2\*n)]), x]

[Out] Integrate[1/((d + e\*x^n)\*Sqrt[a + c\*x^(2\*n)]), x]

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{cx^{2n} + a}}{aex^n + ad + (cex^n + cd)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(c\*x^(2\*n) + a)/(a\*e\*x^n + a\*d + (c\*e\*x^n + c\*d)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^{2n} + a}(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^(1/2), x, algorithm="giac")

[Out] integrate(1/(sqrt(c\*x^(2\*n) + a)\*(e\*x^n + d)), x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)\sqrt{cx^{2n} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a)^(1/2), x)

[Out] int(1/(e\*x^n+d)/(c\*x^(2\*n)+a)^(1/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^{2n} + a}(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+c\*x^(2\*n))^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(c\*x^(2\*n) + a)\*(e\*x^n + d)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a + cx^{2n}} (d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c\*x^(2\*n))^(1/2)\*(d + e\*x^n)), x)

[Out] int(1/((a + c\*x^(2\*n))^(1/2)\*(d + e\*x^n)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^{2n}} (d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)/(a+c\*x\*\*(2\*n))\*\*(1/2), x)

[Out] Integral(1/(sqrt(a + c\*x\*\*(2\*n))\*(d + e\*x\*\*n)), x)



$$3.59 \quad \int (d + ex^n)^q (a + cx^{2n})^p dx$$

Optimal. Leaf size=24

$$\text{Int}\left((a + cx^{2n})^p (d + ex^n)^q, x\right)$$

[Out] Unintegrable((d+e\*x^n)^q\*(a+c\*x^(2\*n))^p,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (d + ex^n)^q (a + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Int[(d + e\*x^n)^q\*(a + c\*x^(2\*n))^p,x]

[Out] Defer[Int] [(d + e\*x^n)^q\*(a + c\*x^(2\*n))^p, x]

Rubi steps

$$\int (d + ex^n)^q (a + cx^{2n})^p dx = \int (d + ex^n)^q (a + cx^{2n})^p dx$$

Mathematica [A] time = 0.16, size = 0, normalized size = 0.00

$$\int (d + ex^n)^q (a + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e\*x^n)^q\*(a + c\*x^(2\*n))^p,x]

[Out] Integrate[(d + e\*x^n)^q\*(a + c\*x^(2\*n))^p, x]

fricas [A] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left((cx^{2n} + a)^p (ex^n + d)^q, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^q\*(a+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + a)^p\*(e\*x^n + d)^q, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^q\*(a+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + a)^p\*(e\*x^n + d)^q, x)

**maple** [A] time = 0.16, size = 0, normalized size = 0.00

$$\int (cx^{2n} + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^q\*(c\*x^(2\*n)+a)^p,x)

[Out] int((e\*x^n+d)^q\*(c\*x^(2\*n)+a)^p,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^q\*(a+c\*x^(2\*n))^p,x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + a)^p\*(e\*x^n + d)^q, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (a + cx^{2n})^p (d + ex^n)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^(2\*n))^p\*(d + e\*x^n)^q,x)

[Out] int((a + c\*x^(2\*n))^p\*(d + e\*x^n)^q, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*q\*(a+c\*x\*\*(2\*n))\*\*p,x)

[Out] Timed out

### 3.60 $\int (d + ex^n)^3 (a + cx^{2n})^p dx$

Optimal. Leaf size=299

$$d^3x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{3d^2ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1}$$

[Out]  $3*d*e^{2*x^{1+2*n}}*(a+c*x^{2*n})^p*\text{hypergeom}([-p, 1+1/2/n], [2+1/2/n], -c*x^{2*n}/a)/(1+2*n)/((1+c*x^{2*n})/a)^p+e^{3*x^{1+3*n}}*(a+c*x^{2*n})^p*\text{hypergeom}([-p, 3/2+1/2/n], [5/2+1/2/n], -c*x^{2*n}/a)/(1+3*n)/((1+c*x^{2*n})/a)^p+d^3*x*(a+c*x^{2*n})^p*\text{hypergeom}([-p, 1/2/n], [1+1/2/n], -c*x^{2*n}/a)/((1+c*x^{2*n})/a)^p+3*d^2*e*x^{1+n}*(a+c*x^{2*n})^p*\text{hypergeom}([-p, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^{2*n}/a)/(1+n)/((1+c*x^{2*n})/a)^p$

**Rubi [A]** time = 0.16, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 246, 245, 365, 364}

$$\frac{3d^2ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1} + d^3x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + e*x^n)^3*(a + c*x^{2n})^p, x]$

[Out]  $(3*d*e^{2*x^{1+2*n}}*(a + c*x^{2*n})^p*\text{Hypergeometric2F1}[(2 + n^{(-1)})/2, -p, (4 + n^{(-1)})/2, -((c*x^{2*n})/a)]/((1 + 2*n)*(1 + (c*x^{2*n})/a)^p) + (e^{3*x^{1+3*n}}*(a + c*x^{2*n})^p*\text{Hypergeometric2F1}[(3 + n^{(-1)})/2, -p, (5 + n^{(-1)})/2, -((c*x^{2*n})/a)]/((1 + 3*n)*(1 + (c*x^{2*n})/a)^p) + (d^3*x*(a + c*x^{2*n})^p*\text{Hypergeometric2F1}[1/(2*n), -p, (2 + n^{(-1)})/2, -((c*x^{2*n})/a)]/(1 + (c*x^{2*n})/a)^p + (3*d^2*e*x^{1+n}*(a + c*x^{2*n})^p*\text{Hypergeometric2F1}[(1 + n)/(2*n), -p, (3 + n^{(-1)})/2, -((c*x^{2*n})/a)]/((1 + n)*(1 + (c*x^{2*n})/a)^p)$

#### Rule 245

$\text{Int}[(a_0 + (b_0*x_0)^n)^p, x\_Symbol] \rightarrow \text{Simp}[a_0^p*x_0*\text{Hypergeometric2F1}[-p, 1/n, 1/n + 1, -((b_0*x_0^n)/a)], x] /; \text{FreeQ}\{a, b, n, p, x\} \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ !\text{IntegerQ}[1/n] \ \&\& \ !\text{LtQ}[\text{Simplify}[1/n + p], 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0])$

#### Rule 246

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x
^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x]
/; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Sim
plify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])
```

### Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
\int (d + ex^n)^3 (a + cx^{2n})^p dx &= \int \left( d^3 (a + cx^{2n})^p + 3d^2 ex^n (a + cx^{2n})^p + 3de^2 x^{2n} (a + cx^{2n})^p + e^3 x^{3n} (a + cx^{2n})^p \right) dx \\
&= d^3 \int (a + cx^{2n})^p dx + (3d^2 e) \int x^n (a + cx^{2n})^p dx + (3de^2) \int x^{2n} (a + cx^{2n})^p dx \\
&= \left( d^3 (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \left( 1 + \frac{cx^{2n}}{a} \right)^p dx + \left( 3d^2 e (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \\
&= \frac{3de^2 x^{1+2n} (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1 \left( \frac{1}{2} \left( 2 + \frac{1}{n} \right), -p; \frac{1}{2} \left( 4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{1 + 2n} + \frac{e^3 x^{1+3n}}{1 + 3n}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 213, normalized size = 0.71

$$x(a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} \left( d^2 \left( d {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{3ex^n {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1} \right) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3\*(a + c\*x^(2\*n))^p,x]

[Out] (x\*(a + c\*x^(2\*n))^p\*((3\*d\*e^2\*x^(2\*n)\*Hypergeometric2F1[(2 + n^(-1))/2, -p, (4 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(1 + 2\*n) + (e^3\*x^(3\*n)\*Hypergeometric2F1[(3 + n^(-1))/2, -p, (5 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(1 + 3\*n) + d^2\*(d\*Hypergeometric2F1[1/(2\*n), -p, (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + (3\*e\*x^n\*Hypergeometric2F1[(1 + n)/(2\*n), -p, (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(1 + n)))/(1 + (c\*x^(2\*n))/a)^p

**fricas [F]** time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^3x^{3n} + 3de^2x^{2n} + 3d^2ex^n + d^3\right)(cx^{2n} + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3\*(a+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3)\*(c\*x^(2\*n) + a)^p, x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3\*(a+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x):;OUTPUT:Unable to divide, perhaps due to rounding error%%{-16, [1,0,6,3,2,4,4,1]%%}+%%{-64, [1,0,6,3,2,3,4,1]%%}+%%{-96, [1,0,6,3,2,2,4,1]%%}+%%{-64, [1,0,6,3,2,1,4,1]%%}+%%{-16, [1,0,6,3,2,0,4,1]%%} / %%{16, [0,0,6,4,2,4,4,0]%%}+%%{64, [0,0,6,4,2,3,4,0]%%}+%%{96, [0,0,6,4,2,2,4,0]%%}+%%{64, [0,0,6,4,2,1,4,0]%%}+%%{16, [0,0,6,4,2,0,4,0]%%} Error: Bad Argument Value

**maple [F]** time = 0.13, size = 0, normalized size = 0.00

$$\int (ex^n + d)^3 (cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)^3*(c*x^(2*n)+a)^p,x)`

[Out] `int((e*x^n+d)^3*(c*x^(2*n)+a)^p,x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)^3 (cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)^3*(a+c*x^(2*n))^p,x, algorithm="maxima")`

[Out] `integrate((e*x^n + d)^3*(c*x^(2*n) + a)^p, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (a + cx^{2n})^p (d + ex^n)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^(2*n))^p*(d + e*x^n)^3,x)`

[Out] `int((a + c*x^(2*n))^p*(d + e*x^n)^3, x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)**3*(a+c*x**(2*n))**p,x)`

[Out] Timed out

### 3.61 $\int (d + ex^n)^2 (a + cx^{2n})^p dx$

Optimal. Leaf size=217

$$d^2x(a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{2dex^{n+1}(a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\right)}{n+1}$$

[Out]  $e^{2*x^{(1+2*n)}*(a+c*x^{(2*n)})^p}$ hypergeom([-p, 1+1/2/n], [2+1/2/n], -c\*x^{(2\*n)}/a)/(1+2\*n)/((1+c\*x^{(2\*n)}/a)^p)+d^2\*x\*(a+c\*x^{(2\*n)})^p\*hypergeom([-p, 1/2/n], [1+1/2/n], -c\*x^{(2\*n)}/a)/((1+c\*x^{(2\*n)}/a)^p)+2\*d\*e\*x^{(1+n)}\*(a+c\*x^{(2\*n)})^p\*hypergeom([-p, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^{(2\*n)}/a)/(1+n)/((1+c\*x^{(2\*n)}/a)^p)

**Rubi [A]** time = 0.10, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1437, 246, 245, 365, 364}

$$d^2x(a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{2dex^{n+1}(a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\right)}{n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^2\*(a + c\*x^(2\*n))^p, x]

[Out]  $(e^{2*x^{(1+2*n)}*(a+c*x^{(2*n)})^p}$ Hypergeometric2F1[(2 + n^(-1))/2, -p, (4 + n^(-1))/2, -((c\*x^{(2\*n)})/a)]/((1 + 2\*n)\*(1 + (c\*x^{(2\*n)})/a)^p) + (d^2\*x\*(a + c\*x^{(2\*n)})^p\*Hypergeometric2F1[1/(2\*n), -p, (2 + n^(-1))/2, -((c\*x^{(2\*n)})/a)]/(1 + (c\*x^{(2\*n)})/a)^p + (2\*d\*e\*x^{(1+n)}\*(a + c\*x^{(2\*n)})^p\*Hypergeometric2F1[(1 + n)/(2\*n), -p, (3 + n^(-1))/2, -((c\*x^{(2\*n)})/a)]/((1 + n)\*(1 + (c\*x^{(2\*n)})/a)^p)

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 246

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[(a^IntPart[p]\*(a + b\*x^n)^FracPart[p])/(1 + (b\*x^n)/a)^FracPart[p], Int[(1 + (b\*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Sim

plify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

### Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

### Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

### Rubi steps

$$\begin{aligned}
 \int (d + ex^n)^2 (a + cx^{2n})^p dx &= \int \left( d^2 (a + cx^{2n})^p + 2dex^n (a + cx^{2n})^p + e^2 x^{2n} (a + cx^{2n})^p \right) dx \\
 &= d^2 \int (a + cx^{2n})^p dx + (2de) \int x^n (a + cx^{2n})^p dx + e^2 \int x^{2n} (a + cx^{2n})^p dx \\
 &= \left( d^2 (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \left( 1 + \frac{cx^{2n}}{a} \right)^p dx + \left( 2de (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \\
 &= \frac{e^2 x^{1+2n} (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1 \left( \frac{1}{2} \left( 2 + \frac{1}{n} \right), -p; \frac{1}{2} \left( 4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{1 + 2n} + d^2 x (a + cx^{2n})^p
 \end{aligned}$$

**Mathematica** [A] time = 0.10, size = 171, normalized size = 0.79

$$\frac{x (a + cx^{2n})^p \left( \frac{cx^{2n}}{a} + 1 \right)^{-p} \left( d(2n + 1) \left( d(n + 1) {}_2F_1 \left( \frac{1}{2n}, -p; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + 2ex^n {}_2F_1 \left( \frac{n+1}{2n}, -p; \frac{1}{2} \left( 3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) \right)}{(n + 1)(2n + 1)}$$



Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^2\*(a + c\*x^(2\*n))^p,x]

[Out] (x\*(a + c\*x^(2\*n))^p\*(e^2\*(1 + n)\*x^(2\*n)\*Hypergeometric2F1[(2 + n^(-1))/2, -p, (4 + n^(-1))/2, -((c\*x^(2\*n))/a)] + d\*(1 + 2\*n)\*(d\*(1 + n)\*Hypergeometric2F1[1/(2\*n), -p, (2 + n^(-1))/2, -((c\*x^(2\*n))/a)] + 2\*e\*x^n\*Hypergeometric2F1[(1 + n)/(2\*n), -p, (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])))/((1 + n)\*(1 + 2\*n)\*(1 + (c\*x^(2\*n))/a)^p)

**fricas** [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^2x^{2n} + 2dex^n + d^2\right)(cx^{2n} + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2\*(a+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)\*(c\*x^(2\*n) + a)^p, x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2\*(a+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x)::OUTPUT:Unable to divide, perhaps due to rounding error%%{4, [0,0,3,2,0,2,3,1]%%}+%%{8, [0,0,3,2,0,1,3,1]%%}+%%{4, [0,0,3,2,0,0,3,1]%%} / %%{-8, [0,0,4,3,1,3,3,0]%%}+%%{-24, [0,0,4,3,1,2,3,0]%%}+%%{-24, [0,0,4,3,1,1,3,0]%%}+%%{-8, [0,0,4,3,1,0,3,0]%%} Error: Bad Argument Value

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int (ex^n + d)^2 (cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^2\*(c\*x^(2\*n)+a)^p,x)

[Out] int((e\*x^n+d)^2\*(c\*x^(2\*n)+a)^p,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)^2 (cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)^2*(a+c*x^(2*n))^p,x, algorithm="maxima")
```

```
[Out] integrate((e*x^n + d)^2*(c*x^(2*n) + a)^p, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (a + cx^{2n})^p (d + ex^n)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + c*x^(2*n))^p*(d + e*x^n)^2,x)
```

```
[Out] int((a + c*x^(2*n))^p*(d + e*x^n)^2, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**2*(a+c*x**(2*n))**p,x)
```

```
[Out] Timed out
```

### 3.62 $\int (d + ex^n) (a + cx^{2n})^p dx$

Optimal. Leaf size=135

$$dx (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1}$$

[Out] d\*x\*(a+c\*x^(2\*n))^p\*hypergeom([-p, 1/2/n], [1+1/2/n], -c\*x^(2\*n)/a)/((1+c\*x^(2\*n)/a)^p)+e\*x^(1+n)\*(a+c\*x^(2\*n))^p\*hypergeom([-p, 1/2\*(1+n)/n], [3/2+1/2/n], -c\*x^(2\*n)/a)/(1+n)/((1+c\*x^(2\*n)/a)^p)

**Rubi [A]** time = 0.06, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {1433, 246, 245, 365, 364}

$$dx (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)\*(a + c\*x^(2\*n))^p,x]

[Out] (d\*x\*(a + c\*x^(2\*n))^p\*Hypergeometric2F1[1/(2\*n), -p, (2 + n^(-1))/2, -((c\*x^(2\*n))/a)])/(1 + (c\*x^(2\*n))/a)^p + (e\*x^(1 + n)\*(a + c\*x^(2\*n))^p\*Hypergeometric2F1[(1 + n)/(2\*n), -p, (3 + n^(-1))/2, -((c\*x^(2\*n))/a)])/((1 + n)\*(1 + (c\*x^(2\*n))/a)^p)

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 246

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[(a^IntPart[p]\*(a + b\*x^n)^FracPart[p])/(1 + (b\*x^n)/a)^FracPart[p], Int[(1 + (b\*x^n)/a)^p, x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

#### Rule 364

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 365

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^
IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^
m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0]
&& !(ILtQ[p, 0] || GtQ[a, 0])
```

### Rule 1433

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := I
nt[ExpandIntegrand[(d + e*x^n)*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d,
e, n}, x] && EqQ[n2, 2*n]
```

### Rubi steps

$$\begin{aligned}
 \int (d + ex^n)(a + cx^{2n})^p dx &= \int \left( d(a + cx^{2n})^p + ex^n(a + cx^{2n})^p \right) dx \\
 &= d \int (a + cx^{2n})^p dx + e \int x^n (a + cx^{2n})^p dx \\
 &= \left( d(a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \left( 1 + \frac{cx^{2n}}{a} \right)^p dx + \left( e(a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int x^n (a + cx^{2n})^p dx \\
 &= dx (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1 \left( \frac{1}{2n}, -p; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + \frac{ex^{1+n} (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p}}{n+1}
 \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 110, normalized size = 0.81

$$\frac{x(a + cx^{2n})^p \left( \frac{cx^{2n}}{a} + 1 \right)^{-p} \left( d(n+1) {}_2F_1 \left( \frac{1}{2n}, -p; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + ex^n {}_2F_1 \left( \frac{n+1}{2n}, -p; \frac{1}{2} \left( 3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) \right)}{n+1}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^n)*(a + c*x^(2*n))^p,x]
```

```
[Out] (x*(a + c*x^(2*n))^p*(d*(1 + n)*Hypergeometric2F1[1/(2*n), -p, (2 + n^(-1))
/2, -((c*x^(2*n))/a)] + e*x^n*Hypergeometric2F1[(1 + n)/(2*n), -p, (3 + n^(-
1))/2, -((c*x^(2*n))/a)]))/((1 + n)*(1 + (c*x^(2*n))/a)^p)
```

**fricas** [F] time = 1.19, size = 0, normalized size = 0.00

$$\text{integral}\left((ex^n + d)(cx^{2n} + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((e\*x^n + d)\*(c\*x^(2\*n) + a)^p, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] integrate((e\*x^n + d)\*(c\*x^(2\*n) + a)^p, x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)\*(c\*x^(2\*n)+a)^p,x)

[Out] int((e\*x^n+d)\*(c\*x^(2\*n)+a)^p,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+c\*x^(2\*n))^p,x, algorithm="maxima")

[Out] integrate((e\*x^n + d)\*(c\*x^(2\*n) + a)^p, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + cx^{2n})^p (d + ex^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + c*x^(2*n))^p*(d + e*x^n),x)
```

```
[Out] int((a + c*x^(2*n))^p*(d + e*x^n), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)*(a+c*x**(2*n))**p,x)
```

```
[Out] Timed out
```

$$3.63 \quad \int \frac{(a+cx^{2n})^p}{d+ex^n} dx$$

**Optimal.** Leaf size=167

$$\frac{x(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2n}; -p, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d} - \frac{ex^{n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^2(n+1)}$$

[Out]  $x*(a+c*x^(2*n))^p*AppellF1(1/2/n, 1, -p, 1+1/2/n, e^2*x^(2*n)/d^2, -c*x^(2*n)/a)/d/((1+c*x^(2*n)/a)^p)-e*x^(1+n)*(a+c*x^(2*n))^p*AppellF1(1/2*(1+n)/n, 1, -p, 3/2+1/2/n, e^2*x^(2*n)/d^2, -c*x^(2*n)/a)/d^2/(1+n)/((1+c*x^(2*n)/a)^p)$

**Rubi [A]** time = 0.14, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1438, 430, 429, 511, 510}

$$\frac{x(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2n}; -p, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d} - \frac{ex^{n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^2(n+1)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + c*x^(2*n))^p/(d + e*x^n), x]$

[Out]  $(x*(a + c*x^(2*n))^p*AppellF1[1/(2*n), -p, 1, (2 + n^(-1))/2, -((c*x^(2*n))/a), (e^2*x^(2*n))/d^2])/d*(1 + (c*x^(2*n))/a)^p - (e*x^(1 + n)*(a + c*x^(2*n))^p*AppellF1[(1 + n)/(2*n), -p, 1, (3 + n^(-1))/2, -((c*x^(2*n))/a), (e^2*x^(2*n))/d^2])/d^2*(1 + n)*(1 + (c*x^(2*n))/a)^p)$

**Rule 429**

$\text{Int}[(a + (b*x^n)^p)/(d + e*x^n), x]$   
 $\text{:= Simp}[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /;$   
 $\text{FreeQ}\{a, b, c, d, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n, -1] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0]) \ \&\& \ (\text{IntegerQ}[q] \ || \ \text{GtQ}[c, 0])$

**Rule 430**

$\text{Int}[(a + (b*x^n)^p)/(d + e*x^n), x]$   
 $\text{:= Dist}[(a^p*\text{IntPart}[p]*(a + b*x^n)^{\text{FracPart}[p]}]/(1 + (b*x^n)/a)^{\text{FracPart}[p]}, \text{Int}[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, n, p, q\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[n, -1] \ \&\& \ !(\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0])$

**Rule 510**

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 511

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])
```

### Rule 1438

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n)) - (e*x^n)/(d^2 - e^2*x^(2*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n 2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + cx^{2n})^p}{d + ex^n} dx &= \int \left( \frac{d(a + cx^{2n})^p}{d^2 - e^2x^{2n}} + \frac{ex^n(a + cx^{2n})^p}{-d^2 + e^2x^{2n}} \right) dx \\ &= d \int \frac{(a + cx^{2n})^p}{d^2 - e^2x^{2n}} dx + e \int \frac{x^n(a + cx^{2n})^p}{-d^2 + e^2x^{2n}} dx \\ &= \left( d(a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{\left( 1 + \frac{cx^{2n}}{a} \right)^p}{d^2 - e^2x^{2n}} dx + \left( e(a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{x^n \left( 1 + \frac{cx^{2n}}{a} \right)^p}{-d^2 + e^2x^{2n}} dx \\ &= \frac{x(a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} F_1\left(\frac{1}{2n}; -p, 1; \frac{1}{2} \left( 2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d} - \frac{ex^{1+n}(a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^p}{d} \end{aligned}$$

**Mathematica** [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^{2n})^p}{d + ex^n} dx$$

Verification is Not applicable to the result.



[In] Integrate[(a + c\*x^(2\*n))^p/(d + e\*x^n), x]

[Out] Integrate[(a + c\*x^(2\*n))^p/(d + e\*x^n), x]

**fricas** [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^{2n} + a)^p}{ex^n + d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n), x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + a)^p/(e\*x^n + d), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n), x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + a)^p/(e\*x^n + d), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^(2\*n)+a)^p/(e\*x^n+d), x)

[Out] int((c\*x^(2\*n)+a)^p/(e\*x^n+d), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n), x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + a)^p/(e\*x^n + d), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + c x^{2n})^p}{d + e x^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^(2\*n))^p/(d + e\*x^n), x)

[Out] int((a + c\*x^(2\*n))^p/(d + e\*x^n), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x\*\*(2\*n))\*\*p/(d+e\*x\*\*n), x)

[Out] Timed out

$$3.64 \quad \int \frac{(a+cx^{2n})^p}{(d+ex^n)^2} dx$$

**Optimal.** Leaf size=261

$$\frac{x(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2n}; -p, 2; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^2} + \frac{e^2x^{2n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(2 + \frac{1}{n}\right); \right)}{d^4(2n+1)}$$

[Out]  $e^{2*x^{1+2*n}}*(a+c*x^{2*n})^p*\text{AppellF1}(1+1/2/n, 2, -p, 2+1/2/n, e^{2*x^{2*n}}/d^2, -c*x^{2*n}/a)/d^4/(1+2*n)/((1+c*x^{2*n})/a)^p + x*(a+c*x^{2*n})^p*\text{AppellF1}(1/2/n, 2, -p, 1+1/2/n, e^{2*x^{2*n}}/d^2, -c*x^{2*n}/a)/d^2/((1+c*x^{2*n})/a)^p - 2*e*x^{1+n}*(a+c*x^{2*n})^p*\text{AppellF1}(1/2*(1+n)/n, 2, -p, 3/2+1/2/n, e^{2*x^{2*n}}/d^2, -c*x^{2*n}/a)/d^3/(1+n)/((1+c*x^{2*n})/a)^p$

**Rubi [A]** time = 0.24, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1438, 430, 429, 511, 510}

$$\frac{2ex^{n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 2; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^3(n+1)} + \frac{e^2x^{2n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(2 + \frac{1}{n}\right); \right)}{d^4(2n)}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^(2\*n))^p/(d + e\*x^n)^2, x]

[Out]  $(e^{2*x^{1+2*n}}*(a+c*x^{2*n})^p*\text{AppellF1}[(2+n^{(-1)})/2, -p, 2, (4+n^{(-1)})/2, -((c*x^{2*n})/a), (e^{2*x^{2*n}}/d^2)]/(d^4*(1+2*n)*(1+(c*x^{2*n})/a)^p) + (x*(a+c*x^{2*n})^p*\text{AppellF1}[1/(2*n), -p, 2, (2+n^{(-1)})/2, -((c*x^{2*n})/a), (e^{2*x^{2*n}}/d^2)]/(d^2*(1+(c*x^{2*n})/a)^p) - (2*e*x^{1+n}*(a+c*x^{2*n})^p*\text{AppellF1}[(1+n)/(2*n), -p, 2, (3+n^{(-1)})/2, -((c*x^{2*n})/a), (e^{2*x^{2*n}}/d^2)]/(d^3*(1+n)*(1+(c*x^{2*n})/a)^p)$

**Rule 429**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

**Rule 430**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}
```

, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

### Rule 510

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(a^p\*c^q\*(e\*x)^(m+1)\*AppellF1[(m+1)/n, -p, -q, 1+(m+1)/n, -((b\*x^n)/a), -((d\*x^n)/c)]/(e\*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rule 511

Int[((e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Dist[(a^IntPart[p]\*(a + b\*x^n)^FracPart[p])/(1 + (b\*x^n)/a)^FracPart[p], Int[(e\*x)^m\*(1 + (b\*x^n)/a)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && !(IntegerQ[p] || GtQ[a, 0])

### Rule 1438

Int[((d\_) + (e\_)\*(x\_)^(n\_))^(q\_)\*((a\_) + (c\_)\*(x\_)^(n2\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(a + c\*x^(2\*n))^p, (d/(d^2 - e^2\*x^(2\*n)) - (e\*x^n)/(d^2 - e^2\*x^(2\*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n2, 2\*n] && NeQ[c\*d^2 + a\*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + cx^{2n})^p}{(d + ex^n)^2} dx &= \int \left( \frac{d^2 (a + cx^{2n})^p}{(d^2 - e^2 x^{2n})^2} - \frac{2dex^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} + \frac{e^2 x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} \right) dx \\
 &= d^2 \int \frac{(a + cx^{2n})^p}{(d^2 - e^2 x^{2n})^2} dx - (2de) \int \frac{x^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} dx + e^2 \int \frac{x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} dx \\
 &= \left( d^2 (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{\left( 1 + \frac{cx^{2n}}{a} \right)^p}{(d^2 - e^2 x^{2n})^2} dx - \left( 2de (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{x^n \left( 1 + \frac{cx^{2n}}{a} \right)^p}{(-d^2 + e^2 x^{2n})^2} dx \\
 &= \frac{e^2 x^{1+2n} (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} F_1 \left( \frac{1}{2} \left( 2 + \frac{1}{n} \right); -p, 2; \frac{1}{2} \left( 4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d^4 (1 + 2n)} + \frac{x^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2}
 \end{aligned}$$

**Mathematica** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c\*x^(2\*n))^p/(d + e\*x^n)^2, x]

[Out] Integrate[(a + c\*x^(2\*n))^p/(d + e\*x^n)^2, x]

**fricas** [F] time = 1.39, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^{2n} + a)^p}{e^2x^{2n} + 2dex^n + d^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n)^2,x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + a)^p/(e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n)^2,x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + a)^p/(e\*x^n + d)^2, x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(c x^{2n} + a)^p}{(e x^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^(2\*n)+a)^p/(e\*x^n+d)^2,x)

[Out] int((c\*x^(2\*n)+a)^p/(e\*x^n+d)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n)^2,x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + a)^p/(e\*x^n + d)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^(2\*n))^p/(d + e\*x^n)^2,x)

[Out] int((a + c\*x^(2\*n))^p/(d + e\*x^n)^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x\*\*(2\*n))\*\*p/(d+e\*x\*\*n)\*\*2,x)

[Out] Timed out

$$3.65 \quad \int \frac{(a+cx^{2n})^p}{(d+ex^n)^3} dx$$

**Optimal.** Leaf size=357

$$\frac{e^3 x^{3n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(3 + \frac{1}{n}\right); -p, 3; \frac{1}{2}\left(5 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^6(3n+1)} + \frac{3e^2 x^{2n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(3 + \frac{1}{n}\right); -p, 3; \frac{1}{2}\left(5 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^5(2n+1)}$$

[Out]  $3e^{2n} x^{(1+2n)} (a + cx^{2n})^p \text{AppellF1}\left(\frac{1+1/2/n, 3, -p, 2+1/2/n, e^{2n} x^{2n}/d^2, -cx^{2n}/a}{d^5(1+2n)}, \frac{e^{2n} x^{2n}/d^2, -cx^{2n}/a}{d^6(1+3n)}\right) - e^{3n} x^{(1+3n)} (a + cx^{2n})^p \text{AppellF1}\left(\frac{3/2+1/2/n, 3, -p, 5/2+1/2/n, e^{2n} x^{2n}/d^2, -cx^{2n}/a}{d^6(1+3n)}, \frac{e^{2n} x^{2n}/d^2, -cx^{2n}/a}{d^6(1+3n)}\right) + x (a + cx^{2n})^p \text{AppellF1}\left(\frac{1/2/n, 3, -p, 1+1/2/n, e^{2n} x^{2n}/d^2, -cx^{2n}/a}{d^2}, \frac{e^{2n} x^{2n}/d^2, -cx^{2n}/a}{d^3(1+cn)}$

**Rubi [A]** time = 0.34, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {1438, 430, 429, 511, 510}

$$\frac{3e x^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 3; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^4(n+1)} + \frac{3e^2 x^{2n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(3 + \frac{1}{n}\right); -p, 3; \frac{1}{2}\left(5 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^5(2n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + c\*x^(2\*n))^p/(d + e\*x^n)^3,x]

[Out]  $(3e^{2n} x^{(1+2n)} (a + cx^{2n})^p \text{AppellF1}[(2+n^{(-1)})/2, -p, 3, (4+n^{(-1)})/2, -((cx^{2n})/a), (e^{2n} x^{2n}/d^2)]/(d^5(1+2n)*(1+(cx^{2n})/a)^p) - (e^{3n} x^{(1+3n)} (a + cx^{2n})^p \text{AppellF1}[(3+n^{(-1)})/2, -p, 3, (5+n^{(-1)})/2, -((cx^{2n})/a), (e^{2n} x^{2n}/d^2)]/(d^6(1+3n)*(1+(cx^{2n})/a)^p) + (x(a + cx^{2n})^p \text{AppellF1}[1/(2n), -p, 3, (2+n^{(-1)})/2, -((cx^{2n})/a), (e^{2n} x^{2n}/d^2)]/(d^3(1+(cx^{2n})/a)^p) - (3e^n x^{(1+n)} (a + cx^{2n})^p \text{AppellF1}[(1+n)/(2n), -p, 3, (3+n^{(-1)})/2, -((cx^{2n})/a), (e^{2n} x^{2n}/d^2)]/(d^4(1+n)*(1+(cx^{2n})/a)^p))$

**Rule 429**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol]  
 :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p],
  Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q},
  x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 510

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

Rule 511

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 1438

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n)) - (e*x^n)/(d^2 - e^2*x^(2*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n, 2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{(a + cx^{2n})^p}{(d + ex^n)^3} dx &= \int \left( \frac{d^3 (a + cx^{2n})^p}{(d^2 - e^2 x^{2n})^3} + \frac{3d^2 ex^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^3} - \frac{3de^2 x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^3} + \frac{e^3 x^{3n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^3} \right) dx \\
&= d^3 \int \frac{(a + cx^{2n})^p}{(d^2 - e^2 x^{2n})^3} dx + (3d^2 e) \int \frac{x^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^3} dx - (3de^2) \int \frac{x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^3} dx + e^3 \int \frac{x^{3n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^3} dx \\
&= \left( d^3 (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{\left( 1 + \frac{cx^{2n}}{a} \right)^p}{(d^2 - e^2 x^{2n})^3} dx + \left( 3d^2 e (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{x^n}{(-d^2 + e^2 x^{2n})^3} dx \\
&= \frac{3e^2 x^{1+2n} (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} F_1 \left( \frac{1}{2} \left( 2 + \frac{1}{n} \right); -p, 3; \frac{1}{2} \left( 4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d^5 (1 + 2n)} - \frac{e^3 x^{1+3n} (a + cx^{2n})^p \left( 1 + \frac{cx^{2n}}{a} \right)^{-p} F_1 \left( \frac{1}{2} \left( 2 + \frac{1}{n} \right); -p, 3; \frac{1}{2} \left( 4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d^5 (1 + 2n)}
\end{aligned}$$

**Mathematica** [F] time = 0.32, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c\*x^(2\*n))^p/(d + e\*x^n)^3,x]

[Out] Integrate[(a + c\*x^(2\*n))^p/(d + e\*x^n)^3, x]

**fricas** [F] time = 1.49, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(cx^{2n} + a)^p}{e^3 x^{3n} + 3de^2 x^{2n} + 3d^2 ex^n + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n)^3,x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + a)^p/(e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n)^3,x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + a)^p/(e\*x^n + d)^3, x)

**maple** [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(c x^{2n} + a)^p}{(e x^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^(2\*n)+a)^p/(e\*x^n+d)^3,x)

[Out] int((c\*x^(2\*n)+a)^p/(e\*x^n+d)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c x^{2n} + a)^p}{(e x^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x^(2\*n))^p/(d+e\*x^n)^3,x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + a)^p/(e\*x^n + d)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + c x^{2n})^p}{(d + e x^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c\*x^(2\*n))^p/(d + e\*x^n)^3,x)

[Out] int((a + c\*x^(2\*n))^p/(d + e\*x^n)^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c\*x\*\*(2\*n))\*\*p/(d+e\*x\*\*n)\*\*3,x)

[Out] Timed out

### 3.66 $\int (d + ex^n) (a + bx^n + cx^{2n}) dx$

Optimal. Leaf size=62

$$\frac{x^{n+1}(ae + bd)}{n + 1} + adx + \frac{x^{2n+1}(be + cd)}{2n + 1} + \frac{cex^{3n+1}}{3n + 1}$$

[Out]  $a*d*x+(a*e+b*d)*x^{(1+n)}/(1+n)+(b*e+c*d)*x^{(1+2*n)}/(1+2*n)+c*e*x^{(1+3*n)}/(1+3*n)$

Rubi [A] time = 0.04, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$ , Rules used = {1407}

$$\frac{x^{n+1}(ae + bd)}{n + 1} + adx + \frac{x^{2n+1}(be + cd)}{2n + 1} + \frac{cex^{3n+1}}{3n + 1}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + e*x^n)*(a + b*x^n + c*x^{(2*n)}), x]$

[Out]  $a*d*x + ((b*d + a*e)*x^{(1 + n)})/(1 + n) + ((c*d + b*e)*x^{(1 + 2*n)})/(1 + 2*n) + (c*e*x^{(1 + 3*n)})/(1 + 3*n)$

Rule 1407

$\text{Int}[(d_ + (e_)*(x_)^{(n_)})^{(q_)}*((a_ + (b_)*(x_)^{(n_)} + (c_)*(x_)^{(n2_)}), x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x^n)^q*(a + b*x^n + c*x^{(2*n)})], x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IGtQ}[q, 0]$

Rubi steps

$$\begin{aligned} \int (d + ex^n) (a + bx^n + cx^{2n}) dx &= \int (ad + (bd + ae)x^n + (cd + be)x^{2n} + cex^{3n}) dx \\ &= adx + \frac{(bd + ae)x^{1+n}}{1 + n} + \frac{(cd + be)x^{1+2n}}{1 + 2n} + \frac{cex^{1+3n}}{1 + 3n} \end{aligned}$$

Mathematica [A] time = 0.15, size = 57, normalized size = 0.92

$$x \left( \frac{x^n(ae + bd)}{n + 1} + ad + \frac{x^{2n}(be + cd)}{2n + 1} + \frac{cex^{3n}}{3n + 1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n)), x]

[Out] x\*(a\*d + ((b\*d + a\*e)\*x^n)/(1 + n) + ((c\*d + b\*e)\*x^(2\*n))/(1 + 2\*n) + (c\*e\*x^(3\*n))/(1 + 3\*n))

**fricas** [B] time = 1.10, size = 137, normalized size = 2.21

$$\frac{(2cen^2 + 3cen + ce)xx^{3n} + (3(cd + be)n^2 + cd + be + 4(cd + be)n)xx^{2n} + (6(bd + ae)n^2 + bd + ae + 5(bd + ae))}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n)),x, algorithm="fricas")

[Out] ((2\*c\*e\*n^2 + 3\*c\*e\*n + c\*e)\*x\*x^(3\*n) + (3\*(c\*d + b\*e)\*n^2 + c\*d + b\*e + 4\*(c\*d + b\*e)\*n)\*x\*x^(2\*n) + (6\*(b\*d + a\*e)\*n^2 + b\*d + a\*e + 5\*(b\*d + a\*e)\*n)\*x\*x^n + (6\*a\*d\*n^3 + 11\*a\*d\*n^2 + 6\*a\*d\*n + a\*d)\*x)/(6\*n^3 + 11\*n^2 + 6\*n + 1)

**giac** [B] time = 0.35, size = 207, normalized size = 3.34

$$\frac{6adn^3x + 3cdn^2xx^{2n} + 6bdn^2xx^n + 2cn^2xx^{3n}e + 3bn^2xx^{2n}e + 6an^2xx^ne + 11adn^2x + 4cdnxx^{2n} + 5bdnxx^n + a*d*x}{6n^3 + 11n^2 + 6n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n)),x, algorithm="giac")

[Out] (6\*a\*d\*n^3\*x + 3\*c\*d\*n^2\*x\*x^(2\*n) + 6\*b\*d\*n^2\*x\*x^n + 2\*c\*n^2\*x\*x^(3\*n)\*e + 3\*b\*n^2\*x\*x^(2\*n)\*e + 6\*a\*n^2\*x\*x^n\*e + 11\*a\*d\*n^2\*x + 4\*c\*d\*n\*x\*x^(2\*n) + 5\*b\*d\*n\*x\*x^n + 3\*c\*n\*x\*x^(3\*n)\*e + 4\*b\*n\*x\*x^(2\*n)\*e + 5\*a\*n\*x\*x^n\*e + 6\*a\*d\*n\*x + c\*d\*x\*x^(2\*n) + b\*d\*x\*x^n + c\*x\*x^(3\*n)\*e + b\*x\*x^(2\*n)\*e + a\*x\*x^n\*e + a\*d\*x)/(6\*n^3 + 11\*n^2 + 6\*n + 1)

**maple** [A] time = 0.01, size = 66, normalized size = 1.06

$$\frac{cex^{3n\ln(x)}}{3n+1} + adx + \frac{(ae+bd)x e^{n\ln(x)}}{n+1} + \frac{(be+cd)x e^{2n\ln(x)}}{2n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a), x)

[Out] a\*d\*x+(a\*e+b\*d)/(n+1)\*x\*exp(n\*ln(x))+(b\*e+c\*d)/(2\*n+1)\*x\*exp(n\*ln(x))^2+c\*e/(3\*n+1)\*x\*exp(n\*ln(x))^3

**maxima [A]** time = 0.55, size = 82, normalized size = 1.32

$$adx + \frac{cex^{3n+1}}{3n+1} + \frac{cdx^{2n+1}}{2n+1} + \frac{bex^{2n+1}}{2n+1} + \frac{bdx^{n+1}}{n+1} + \frac{aex^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n)),x, algorithm="maxima")

[Out] a\*d\*x + c\*e\*x^(3\*n + 1)/(3\*n + 1) + c\*d\*x^(2\*n + 1)/(2\*n + 1) + b\*e\*x^(2\*n + 1)/(2\*n + 1) + b\*d\*x^(n + 1)/(n + 1) + a\*e\*x^(n + 1)/(n + 1)

**mupad [B]** time = 1.66, size = 59, normalized size = 0.95

$$adx + \frac{xx^{2n}(be+cd)}{2n+1} + \frac{xx^n(ae+bd)}{n+1} + \frac{cexx^{3n}}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n)),x)

[Out] a\*d\*x + (x\*x^(2\*n)\*(b\*e + c\*d))/(2\*n + 1) + (x\*x^n\*(a\*e + b\*d))/(n + 1) + (c\*e\*x\*x^(3\*n))/(3\*n + 1)

**sympy [A]** time = 1.32, size = 656, normalized size = 10.58

$$\left\{ \begin{array}{l} adx + ae \log(x) + bd \log(x) - \frac{be}{x} - \frac{cd}{x} - \frac{ce}{2x^2} \\ adx + 2ae\sqrt{x} + 2bd\sqrt{x} + be \log(x) + cd \log(x) - \frac{2ce}{\sqrt{x}} \\ adx + \frac{3aex^{\frac{2}{3}}}{2} + \frac{3bdx^{\frac{2}{3}}}{2} + 3be\sqrt[3]{x} + 3cd\sqrt[3]{x} + ce \log(x) \\ \frac{6adn^3x}{6n^3+11n^2+6n+1} + \frac{11adn^2x}{6n^3+11n^2+6n+1} + \frac{6adnx}{6n^3+11n^2+6n+1} + \frac{adx}{6n^3+11n^2+6n+1} + \frac{6aen^2xx^n}{6n^3+11n^2+6n+1} + \frac{5aenxx^n}{6n^3+11n^2+6n+1} + \frac{aexx^n}{6n^3+11n^2+6n+1} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*(a+b\*x\*\*n+c\*x\*\*(2\*n)),x)

[Out] Piecewise((a\*d\*x + a\*e\*log(x) + b\*d\*log(x) - b\*e/x - c\*d/x - c\*e/(2\*x\*\*2), Eq(n, -1)), (a\*d\*x + 2\*a\*e\*sqrt(x) + 2\*b\*d\*sqrt(x) + b\*e\*log(x) + c\*d\*log(x) - 2\*c\*e/sqrt(x), Eq(n, -1/2)), (a\*d\*x + 3\*a\*e\*x\*\*(2/3)/2 + 3\*b\*d\*x\*\*(2/3)/2 + 3\*b\*e\*x\*\*(1/3) + 3\*c\*d\*x\*\*(1/3) + c\*e\*log(x), Eq(n, -1/3)), (6\*a\*d\*n\*\*3\*x/(6\*n\*\*3 + 11\*n\*\*2 + 6\*n + 1) + 11\*a\*d\*n\*\*2\*x/(6\*n\*\*3 + 11\*n\*\*2 + 6\*n + 1) + 6\*a\*d\*n\*x/(6\*n\*\*3 + 11\*n\*\*2 + 6\*n + 1) + a\*d\*x/(6\*n\*\*3 + 11\*n\*\*2 + 6\*n + 1) + 6\*a\*e\*n\*\*2\*x\*x\*\*n/(6\*n\*\*3 + 11\*n\*\*2 + 6\*n + 1) + 5\*a\*e\*n\*x\*x\*\*n/(6\*

```

n**3 + 11*n**2 + 6*n + 1) + a*e*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 6*b*d
*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 5*b*d*n*x*x**n/(6*n**3 + 11*n**
2 + 6*n + 1) + b*d*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 3*b*e*n**2*x*x**
*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 4*b*e*n*x*x**
(2*n)/(6*n**3 + 11*n**2 + 6
*n + 1) + b*e*x*x**
(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*c*d*n**2*x*x**
(2*
n)/(6*n**3 + 11*n**2 + 6*n + 1) + 4*c*d*n*x*x**
(2*n)/(6*n**3 + 11*n**2 + 6*
n + 1) + c*d*x*x**
(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 2*c*e*n**2*x*x**
(3*n
)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*c*e*n*x*x**
(3*n)/(6*n**3 + 11*n**2 + 6*n
+ 1) + c*e*x*x**
(3*n)/(6*n**3 + 11*n**2 + 6*n + 1), True))

```

### 3.67 $\int (d + ex^n) (a + bx^n + cx^{2n})^2 dx$

**Optimal.** Leaf size=132

$$a^2 dx + \frac{x^{2n+1} (2abe + 2acd + b^2d)}{2n+1} + \frac{x^{3n+1} (2ace + b^2e + 2bcd)}{3n+1} + \frac{ax^{n+1} (ae + 2bd)}{n+1} + \frac{cx^{4n+1} (2be + cd)}{4n+1} + \frac{c^2 ex^{5n+1}}{5n+1}$$

[Out]  $a^2 d x + a (a e + 2 b d) x^{1+n} / (1+n) + (2 a b e + 2 a c d + b^2 d) x^{1+2 n} / (1+2 n) + (2 a c e + b^2 e + 2 b c d) x^{1+3 n} / (1+3 n) + c (2 b e + c d) x^{1+4 n} / (1+4 n) + c^2 e x^{1+5 n} / (1+5 n)$

**Rubi [A]** time = 0.10, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {1432}

$$a^2 dx + \frac{x^{2n+1} (2abe + 2acd + b^2d)}{2n+1} + \frac{x^{3n+1} (2ace + b^2e + 2bcd)}{3n+1} + \frac{ax^{n+1} (ae + 2bd)}{n+1} + \frac{cx^{4n+1} (2be + cd)}{4n+1} + \frac{c^2 ex^{5n+1}}{5n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2,x]

[Out]  $a^2 d x + (a (2 b d + a e) x^{1+n}) / (1+n) + ((b^2 d + 2 a c d + 2 a b e) x^{1+2 n}) / (1+2 n) + ((2 b c d + b^2 e + 2 a c e) x^{1+3 n}) / (1+3 n) + (c (c d + 2 b e) x^{1+4 n}) / (1+4 n) + (c^2 e x^{1+5 n}) / (1+5 n)$

#### Rule 1432

Int[((d\_) + (e\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_)^(n\_) + (c\_)\*(x\_)^(n2\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0]

#### Rubi steps

$$\begin{aligned} \int (d + ex^n) (a + bx^n + cx^{2n})^2 dx &= \int (a^2 d + a(2bd + ae)x^n + (b^2 d + 2acd + 2abe) x^{2n} + (2bcd + b^2 e + 2ace) x^{3n}) dx \\ &= a^2 dx + \frac{a(2bd + ae)x^{1+n}}{1+n} + \frac{(b^2 d + 2acd + 2abe) x^{1+2n}}{1+2n} + \frac{(2bcd + b^2 e + 2ace) x^{1+3n}}{1+3n} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 123, normalized size = 0.93

$$x \left( a^2 d + \frac{x^{2n} (2abe + 2acd + b^2 d)}{2n + 1} + \frac{x^{3n} (2ace + b^2 e + 2bcd)}{3n + 1} + \frac{ax^n (ae + 2bd)}{n + 1} + \frac{cx^{4n} (2be + cd)}{4n + 1} + \frac{c^2 ex^{5n}}{5n + 1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2,x]

[Out] x\*(a^2\*d + (a\*(2\*b\*d + a\*e)\*x^n)/(1 + n) + ((b^2\*d + 2\*a\*c\*d + 2\*a\*b\*e)\*x^(2\*n))/(1 + 2\*n) + ((2\*b\*c\*d + b^2\*e + 2\*a\*c\*e)\*x^(3\*n))/(1 + 3\*n) + (c\*(c\*d + 2\*b\*e)\*x^(4\*n))/(1 + 4\*n) + (c^2\*e\*x^(5\*n))/(1 + 5\*n))

**fricas [B]** time = 0.92, size = 495, normalized size = 3.75

$$\frac{(24c^2en^4 + 50c^2en^3 + 35c^2en^2 + 10c^2en + c^2e)xx^{5n} + (30(c^2d + 2bce)n^4 + 61(c^2d + 2bce)n^3 + c^2d + 2bce + 41(c^2d + 2bce)n^2 + 11(c^2d + 2bce)n)x^{4n} + (40(2b^2cd + (b^2 + 2ac)e)n^4 + 78(2b^2cd + (b^2 + 2ac)e)n^3 + 2b^2cd + 49(2b^2cd + (b^2 + 2ac)e)n^2 + (b^2 + 2ac)e + 12(2b^2cd + (b^2 + 2ac)e)n)xx^{3n} + (60(2ab^2e + (b^2 + 2ac)d)n^4 + 107(2ab^2e + (b^2 + 2ac)d)n^3 + 2ab^2e + 59(2ab^2e + (b^2 + 2ac)d)n^2 + (b^2 + 2ac)d + 13(2ab^2e + (b^2 + 2ac)d)n)xx^{2n} + (120(2ab^2d + a^2e)n^4 + 154(2ab^2d + a^2e)n^3 + 2ab^2d + a^2e + 71(2ab^2d + a^2e)n^2 + 14(2ab^2d + a^2e)n)xx^n + (120a^2d^2n^5 + 274a^2d^2n^4 + 225a^2d^2n^3 + 85a^2d^2n^2 + 15a^2d^2n + a^2d^2)x)/(120n^5 + 274n^4 + 225n^3 + 85n^2 + 15n + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] ((24\*c^2\*e\*n^4 + 50\*c^2\*e\*n^3 + 35\*c^2\*e\*n^2 + 10\*c^2\*e\*n + c^2\*e)\*x\*x^(5\*n) + (30\*(c^2\*d + 2\*b\*c\*e)\*n^4 + 61\*(c^2\*d + 2\*b\*c\*e)\*n^3 + c^2\*d + 2\*b\*c\*e + 41\*(c^2\*d + 2\*b\*c\*e)\*n^2 + 11\*(c^2\*d + 2\*b\*c\*e)\*n)\*x\*x^(4\*n) + (40\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n^4 + 78\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n^3 + 2\*b\*c\*d + 49\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n^2 + (b^2 + 2\*a\*c)\*e + 12\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n)\*x\*x^(3\*n) + (60\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n^4 + 107\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n^3 + 2\*a\*b\*e + 59\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n^2 + (b^2 + 2\*a\*c)\*d + 13\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n)\*x\*x^(2\*n) + (120\*(2\*a\*b\*d + a^2\*e)\*n^4 + 154\*(2\*a\*b\*d + a^2\*e)\*n^3 + 2\*a\*b\*d + a^2\*e + 71\*(2\*a\*b\*d + a^2\*e)\*n^2 + 14\*(2\*a\*b\*d + a^2\*e)\*n)\*x\*x^n + (120\*a^2\*d\*n^5 + 274\*a^2\*d\*n^4 + 225\*a^2\*d\*n^3 + 85\*a^2\*d\*n^2 + 15\*a^2\*d\*n + a^2\*d)\*x)/(120\*n^5 + 274\*n^4 + 225\*n^3 + 85\*n^2 + 15\*n + 1)

**giac [B]** time = 0.45, size = 828, normalized size = 6.27

$$\frac{120a^2dn^5x + 30c^2dn^4xx^{4n} + 80bcdn^4xx^{3n} + 60b^2dn^4xx^{2n} + 120acdn^4xx^{2n} + 240abdn^4xx^n + 24c^2n^4xx^{5n}e + 41(c^2d + 2bce)n^2 + 11(c^2d + 2bce)n)x^{4n} + (40(2b^2cd + (b^2 + 2ac)e)n^4 + 78(2b^2cd + (b^2 + 2ac)e)n^3 + 2b^2cd + 49(2b^2cd + (b^2 + 2ac)e)n^2 + (b^2 + 2ac)e + 12(2b^2cd + (b^2 + 2ac)e)n)xx^{3n} + (60(2ab^2e + (b^2 + 2ac)d)n^4 + 107(2ab^2e + (b^2 + 2ac)d)n^3 + 2ab^2e + 59(2ab^2e + (b^2 + 2ac)d)n^2 + (b^2 + 2ac)d + 13(2ab^2e + (b^2 + 2ac)d)n)xx^{2n} + (120(2ab^2d + a^2e)n^4 + 154(2ab^2d + a^2e)n^3 + 2ab^2d + a^2e + 71(2ab^2d + a^2e)n^2 + 14(2ab^2d + a^2e)n)xx^n + (120a^2d^2n^5 + 274a^2d^2n^4 + 225a^2d^2n^3 + 85a^2d^2n^2 + 15a^2d^2n + a^2d^2)x)/(120n^5 + 274n^4 + 225n^3 + 85n^2 + 15n + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] (120\*a^2\*d\*n^5\*x + 30\*c^2\*d\*n^4\*x\*x^(4\*n) + 80\*b\*c\*d\*n^4\*x\*x^(3\*n) + 60\*b^2\*d\*n^4\*x\*x^(2\*n) + 120\*a\*c\*d\*n^4\*x\*x^(2\*n) + 240\*a\*b\*d\*n^4\*x\*x^n + 24\*c^2\*n^4\*x\*x^(5\*n)\*e + 41\*(c^2\*d + 2\*b\*c\*e)\*n^2 + 11\*(c^2\*d + 2\*b\*c\*e)\*n)\*x\*x^(4\*n) + (40\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n^4 + 78\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n^3 + 2\*b\*c\*d + 49\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n^2 + (b^2 + 2\*a\*c)\*e + 12\*(2\*b\*c\*d + (b^2 + 2\*a\*c)\*e)\*n)\*x\*x^(3\*n) + (60\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n^4 + 107\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n^3 + 2\*a\*b\*e + 59\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n^2 + (b^2 + 2\*a\*c)\*d + 13\*(2\*a\*b\*e + (b^2 + 2\*a\*c)\*d)\*n)\*x\*x^(2\*n) + (120\*(2\*a\*b\*d + a^2\*e)\*n^4 + 154\*(2\*a\*b\*d + a^2\*e)\*n^3 + 2\*a\*b\*d + a^2\*e + 71\*(2\*a\*b\*d + a^2\*e)\*n^2 + 14\*(2\*a\*b\*d + a^2\*e)\*n)\*x\*x^n + (120\*a^2\*d\*n^5 + 274\*a^2\*d\*n^4 + 225\*a^2\*d\*n^3 + 85\*a^2\*d\*n^2 + 15\*a^2\*d\*n + a^2\*d)\*x)/(120\*n^5 + 274\*n^4 + 225\*n^3 + 85\*n^2 + 15\*n + 1)



$$\begin{aligned} &^4*x*x^{(5*n)}*e + 60*b*c*n^4*x*x^{(4*n)}*e + 40*b^2*n^4*x*x^{(3*n)}*e + 80*a*c*n \\ &^4*x*x^{(3*n)}*e + 120*a*b*n^4*x*x^{(2*n)}*e + 120*a^2*n^4*x*x^n*e + 274*a^2*d \\ &n^4*x + 61*c^2*d*n^3*x*x^{(4*n)} + 156*b*c*d*n^3*x*x^{(3*n)} + 107*b^2*d*n^3*x \\ &x^{(2*n)} + 214*a*c*d*n^3*x*x^{(2*n)} + 308*a*b*d*n^3*x*x^n + 50*c^2*n^3*x*x^{(5 \\ *n)}*e + 122*b*c*n^3*x*x^{(4*n)}*e + 78*b^2*n^3*x*x^{(3*n)}*e + 156*a*c*n^3*x*x^{ \\ (3*n)}*e + 214*a*b*n^3*x*x^{(2*n)}*e + 154*a^2*n^3*x*x^n*e + 225*a^2*d*n^3*x \\ + 41*c^2*d*n^2*x*x^{(4*n)} + 98*b*c*d*n^2*x*x^{(3*n)} + 59*b^2*d*n^2*x*x^{(2*n)} + \\ 118*a*c*d*n^2*x*x^{(2*n)} + 142*a*b*d*n^2*x*x^n + 35*c^2*n^2*x*x^{(5*n)}*e + 8 \\ 2*b*c*n^2*x*x^{(4*n)}*e + 49*b^2*n^2*x*x^{(3*n)}*e + 98*a*c*n^2*x*x^{(3*n)}*e + 1 \\ 18*a*b*n^2*x*x^{(2*n)}*e + 71*a^2*n^2*x*x^n*e + 85*a^2*d*n^2*x + 11*c^2*d*n*x \\ *x^{(4*n)} + 24*b*c*d*n*x*x^{(3*n)} + 13*b^2*d*n*x*x^{(2*n)} + 26*a*c*d*n*x*x^{(2 \\ n)} + 28*a*b*d*n*x*x^n + 10*c^2*n*x*x^{(5*n)}*e + 22*b*c*n*x*x^{(4*n)}*e + 12*b^ \\ 2*n*x*x^{(3*n)}*e + 24*a*c*n*x*x^{(3*n)}*e + 26*a*b*n*x*x^{(2*n)}*e + 14*a^2*n*x \\ x^n*e + 15*a^2*d*n*x + c^2*d*x*x^{(4*n)} + 2*b*c*d*x*x^{(3*n)} + b^2*d*x*x^{(2*n \\ )} + 2*a*c*d*x*x^{(2*n)} + 2*a*b*d*x*x^n + c^2*x*x^{(5*n)}*e + 2*b*c*x*x^{(4*n)}*e \\ + b^2*x*x^{(3*n)}*e + 2*a*c*x*x^{(3*n)}*e + 2*a*b*x*x^{(2*n)}*e + a^2*x*x^n*e + \\ a^2*d*x)/(120*n^5 + 274*n^4 + 225*n^3 + 85*n^2 + 15*n + 1) \end{aligned}$$

**maple [A]** time = 0.02, size = 138, normalized size = 1.05

$$\frac{c^2 e x e^{5n \ln(x)}}{5n+1} + a^2 dx + \frac{(ae+2bd) a x e^{n \ln(x)}}{n+1} + \frac{(2be+cd) c x e^{4n \ln(x)}}{4n+1} + \frac{(2abe+2acd+b^2d) x e^{2n \ln(x)}}{2n+1} + \frac{(2ace+b^2e+...)}{3n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a)^2,x)

[Out] a^2\*d\*x+(2\*a\*c\*e+b^2\*e+2\*b\*c\*d)/(3\*n+1)\*x\*exp(n\*ln(x))^3+(2\*a\*b\*e+2\*a\*c\*d+b^2\*d)/(2\*n+1)\*x\*exp(n\*ln(x))^2+a\*(a\*e+2\*b\*d)/(n+1)\*x\*exp(n\*ln(x))+c\*(2\*b\*e+c\*d)/(1+4\*n)\*x\*exp(n\*ln(x))^4+e\*c^2/(1+5\*n)\*x\*exp(n\*ln(x))^5

**maxima [A]** time = 0.70, size = 208, normalized size = 1.58

$$a^2 dx + \frac{c^2 e x^{5n+1}}{5n+1} + \frac{c^2 dx^{4n+1}}{4n+1} + \frac{2bcex^{4n+1}}{4n+1} + \frac{2bcdx^{3n+1}}{3n+1} + \frac{b^2 ex^{3n+1}}{3n+1} + \frac{2acex^{3n+1}}{3n+1} + \frac{b^2 dx^{2n+1}}{2n+1} + \frac{2acdx^{2n+1}}{2n+1} + \frac{2abex^{2n+1}}{2n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] a^2\*d\*x + c^2\*e\*x^(5\*n + 1)/(5\*n + 1) + c^2\*d\*x^(4\*n + 1)/(4\*n + 1) + 2\*b\*c\*e\*x^(4\*n + 1)/(4\*n + 1) + 2\*b\*c\*d\*x^(3\*n + 1)/(3\*n + 1) + b^2\*e\*x^(3\*n + 1)/(3\*n + 1) + 2\*a\*c\*e\*x^(3\*n + 1)/(3\*n + 1) + b^2\*d\*x^(2\*n + 1)/(2\*n + 1) + 2\*a\*c\*d\*x^(2\*n + 1)/(2\*n + 1) + 2\*a\*b\*e\*x^(2\*n + 1)/(2\*n + 1) + 2\*a\*b\*d\*x^(n + 1)/(n + 1) + a^2\*e\*x^(n + 1)/(n + 1)

mupad [B] time = 1.71, size = 131, normalized size = 0.99

$$a^2 dx + \frac{xx^{4n} (dc^2 + 2bec)}{4n+1} + \frac{xx^n (ea^2 + 2bda)}{n+1} + \frac{xx^{2n} (db^2 + 2aeb + 2acd)}{2n+1} + \frac{xx^{3n} (eb^2 + 2cdb + 2ace)}{3n+1} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2,x)

[Out] a^2\*d\*x + (x\*x^(4\*n)\*(c^2\*d + 2\*b\*c\*e))/(4\*n + 1) + (x\*x^n\*(a^2\*e + 2\*a\*b\*d))/(n + 1) + (x\*x^(2\*n)\*(b^2\*d + 2\*a\*b\*e + 2\*a\*c\*d))/(2\*n + 1) + (x\*x^(3\*n)\*(b^2\*e + 2\*a\*c\*e + 2\*b\*c\*d))/(3\*n + 1) + (c^2\*e\*x\*x^(5\*n))/(5\*n + 1)

sympy [A] time = 10.97, size = 3128, normalized size = 23.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*2,x)

[Out] Piecewise((a\*\*2\*d\*x + a\*\*2\*e\*log(x) + 2\*a\*b\*d\*log(x) - 2\*a\*b\*e/x - 2\*a\*c\*d/x - a\*c\*e/x\*\*2 - b\*\*2\*d/x - b\*\*2\*e/(2\*x\*\*2) - b\*c\*d/x\*\*2 - 2\*b\*c\*e/(3\*x\*\*3) - c\*\*2\*d/(3\*x\*\*3) - c\*\*2\*e/(4\*x\*\*4), Eq(n, -1)), (a\*\*2\*d\*x + 2\*a\*\*2\*e\*sqrt(x) + 4\*a\*b\*d\*sqrt(x) + 2\*a\*b\*e\*log(x) + 2\*a\*c\*d\*log(x) - 4\*a\*c\*e/sqrt(x) + b\*\*2\*d\*log(x) - 2\*b\*\*2\*e/sqrt(x) - 4\*b\*c\*d/sqrt(x) - 2\*b\*c\*e/x - c\*\*2\*d/x - 2\*c\*\*2\*e/(3\*x\*\*(3/2)), Eq(n, -1/2)), (a\*\*2\*d\*x + 3\*a\*\*2\*e\*x\*\*(2/3)/2 + 3\*a\*b\*d\*x\*\*(2/3) + 6\*a\*b\*e\*x\*\*(1/3) + 6\*a\*c\*d\*x\*\*(1/3) + 2\*a\*c\*e\*log(x) + 3\*b\*\*2\*d\*x\*\*(1/3) + b\*\*2\*e\*log(x) + 2\*b\*c\*d\*log(x) - 6\*b\*c\*e/x\*\*(1/3) - 3\*c\*\*2\*d/x\*\*(1/3) - 3\*c\*\*2\*e/(2\*x\*\*(2/3)), Eq(n, -1/3)), (a\*\*2\*d\*x + 4\*a\*\*2\*e\*x\*\*(3/4)/3 + 8\*a\*b\*d\*x\*\*(3/4)/3 + 4\*a\*b\*e\*sqrt(x) + 4\*a\*c\*d\*sqrt(x) + 8\*a\*c\*e\*x\*\*(1/4) + 2\*b\*\*2\*d\*sqrt(x) + 4\*b\*\*2\*e\*x\*\*(1/4) + 8\*b\*c\*d\*x\*\*(1/4) + 2\*b\*c\*e\*log(x) + c\*\*2\*d\*log(x) - 4\*c\*\*2\*e/x\*\*(1/4), Eq(n, -1/4)), (a\*\*2\*d\*x + 5\*a\*\*2\*e\*x\*\*(4/5)/4 + 5\*a\*b\*d\*x\*\*(4/5)/2 + 10\*a\*b\*e\*x\*\*(3/5)/3 + 10\*a\*c\*d\*x\*\*(3/5)/3 + 5\*a\*c\*e\*x\*\*(2/5) + 5\*b\*\*2\*d\*x\*\*(3/5)/3 + 5\*b\*\*2\*e\*x\*\*(2/5)/2 + 5\*b\*c\*d\*x\*\*(2/5) + 10\*b\*c\*e\*x\*\*(1/5) + 5\*c\*\*2\*d\*x\*\*(1/5) + c\*\*2\*e\*log(x), Eq(n, -1/5)), (120\*a\*\*2\*d\*n\*\*5\*x/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 274\*a\*\*2\*d\*n\*\*4\*x/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 225\*a\*\*2\*d\*n\*\*3\*x/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 85\*a\*\*2\*d\*n\*\*2\*x/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 15\*a\*\*2\*d\*n\*x/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + a\*\*2\*d\*x/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 120\*a\*\*2\*e\*n\*\*4\*x\*x\*\*n/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 154\*a\*\*2\*e\*n\*\*3\*x\*x\*\*n/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 71\*a\*\*2\*e\*n\*\*2\*x\*x\*\*n/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1) + 14\*a\*\*2\*e\*n\*x\*x\*\*n/(120\*n\*\*5 + 274\*n\*\*4 + 225\*n\*\*3 + 85\*n\*\*2 + 15\*n + 1))

$$\begin{aligned}
& + a^{**2}e^{*x*x**n}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 240 \\
& *a*b*d*n^{**4}*x*x**n/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + \\
& 308*a*b*d*n^{**3}*x*x**n/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) \\
& + 142*a*b*d*n^{**2}*x*x**n/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + \\
& 1) + 28*a*b*d*n*x*x**n/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + \\
& 1) + 2*a*b*d*x*x**n/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + \\
& 120*a*b*e*n^{**4}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n \\
& + 1) + 214*a*b*e*n^{**3}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} \\
& + 15*n + 1) + 118*a*b*e*n^{**2}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + \\
& 85*n^{**2} + 15*n + 1) + 26*a*b*e*n*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} \\
& + 85*n^{**2} + 15*n + 1) + 2*a*b*e*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} \\
& + 85*n^{**2} + 15*n + 1) + 120*a*c*d*n^{**4}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 2 \\
& 25*n^{**3} + 85*n^{**2} + 15*n + 1) + 214*a*c*d*n^{**3}*x*x**(2*n)/(120*n^{**5} + 274*n \\
& **4 + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 118*a*c*d*n^{**2}*x*x**(2*n)/(120*n^{**5} \\
& + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 26*a*c*d*n*x*x**(2*n)/(120*n* \\
& *5 + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 2*a*c*d*x*x**(2*n)/(120*n* \\
& *5 + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 80*a*c*e*n^{**4}*x*x**(3*n)/( \\
& 120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 156*a*c*e*n^{**3}*x*x** \\
& (3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 98*a*c*e*n^{**2} \\
& *x*x**(3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 24*a*c \\
& e*n*x*x**(3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 2*a \\
& c*e*x*x**(3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 60*b \\
& **2*d*n^{**4}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) \\
& + 107*b**2*d*n^{**3}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 1 \\
& 5*n + 1) + 59*b**2*d*n^{**2}*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n \\
& **2 + 15*n + 1) + 13*b**2*d*n*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + \\
& 85*n^{**2} + 15*n + 1) + b**2*d*x*x**(2*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 8 \\
& 5*n^{**2} + 15*n + 1) + 40*b**2*e*n^{**4}*x*x**(3*n)/(120*n^{**5} + 274*n^{**4} + 225*n \\
& **3 + 85*n^{**2} + 15*n + 1) + 78*b**2*e*n^{**3}*x*x**(3*n)/(120*n^{**5} + 274*n^{**4} \\
& + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 49*b**2*e*n^{**2}*x*x**(3*n)/(120*n^{**5} + 27 \\
& 4*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 12*b**2*e*n*x*x**(3*n)/(120*n^{**5} \\
& + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + b**2*e*x*x**(3*n)/(120*n^{**5} + \\
& 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 80*b*c*d*n^{**4}*x*x**(3*n)/(120* \\
& n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 156*b*c*d*n^{**3}*x*x**(3*n \\
& )/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 98*b*c*d*n^{**2}*x*x \\
& **3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 24*b*c*d*n* \\
& x*x**(3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 2*b*c*d* \\
& x*x**(3*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 60*b*c*e \\
& *n^{**4}*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 12 \\
& 2*b*c*e*n^{**3}*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + \\
& 1) + 82*b*c*e*n^{**2}*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 1 \\
& 5*n + 1) + 22*b*c*e*n*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} \\
& + 15*n + 1) + 2*b*c*e*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} \\
& + 15*n + 1) + 30*c**2*d*n^{**4}*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 8 \\
& 5*n^{**2} + 15*n + 1) + 61*c**2*d*n^{**3}*x*x**(4*n)/(120*n^{**5} + 274*n^{**4} + 225*n
\end{aligned}$$

```

**3 + 85*n**2 + 15*n + 1) + 41*c**2*d*n**2*x*x**(4*n)/(120*n**5 + 274*n**4
+ 225*n**3 + 85*n**2 + 15*n + 1) + 11*c**2*d*n*x*x**(4*n)/(120*n**5 + 274*n
**4 + 225*n**3 + 85*n**2 + 15*n + 1) + c**2*d*x*x**(4*n)/(120*n**5 + 274*n*
*4 + 225*n**3 + 85*n**2 + 15*n + 1) + 24*c**2*e*n**4*x*x**(5*n)/(120*n**5 +
274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 50*c**2*e*n**3*x*x**(5*n)/(120
*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 35*c**2*e*n**2*x*x**(5*
n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 10*c**2*e*n*x*x*
*(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + c**2*e*x*x**
(5*n)/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1), True))

```

### 3.68 $\int (d + ex^n) (a + bx^n + cx^{2n})^3 dx$

**Optimal.** Leaf size=218

$$a^3 dx + \frac{x^{3n+1} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{3n+1} + \frac{a^2 x^{n+1} (ae + 3bd)}{n+1} + \frac{3ax^{2n+1} (abe + acd + b^2 d)}{2n+1} + \frac{3cx^{5n+1} (ace + b^2 e)}{5n+1}$$

[Out]  $a^3 d x + a^2 (3 b^2 d + a e) x^{n+1} / (1+n) + 3 a (b^2 d + a c d + a b e) x^{2n+1} / (1+2n) + (3 a^2 c e + 3 a b^2 e + 6 a b c d + b^3 d) x^{3n+1} / (1+3n) + (6 a^2 b c e + 3 a^2 c^2 d + b^3 e + 3 b^2 c d) x^{4n+1} / (1+4n) + 3 c (a c e + b^2 d) x^{5n+1} / (1+5n) + c^2 (3 b e + c d) x^{6n+1} / (1+6n) + c^3 e x^{7n+1} / (1+7n)$

**Rubi [A]** time = 0.20, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {1432}

$$\frac{x^{3n+1} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{3n+1} + \frac{a^2 x^{n+1} (ae + 3bd)}{n+1} + a^3 dx + \frac{x^{4n+1} (6abce + 3ac^2 d + 3b^2 cd + b^3 e)}{4n+1} + \frac{3ax^{2n+1} (abe + acd + b^2 d)}{2n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^3,x]

[Out]  $a^3 d x + (a^2 (3 b^2 d + a e) x^{n+1}) / (1+n) + (3 a (b^2 d + a c d + a b e) x^{2n+1}) / (1+2n) + ((b^3 d + 6 a^2 b c e + 3 a^2 c^2 d) x^{4n+1}) / (1+4n) + ((3 b^2 c d + 3 a c^2 d + b^3 e + 6 a b c e) x^{5n+1}) / (1+5n) + (c^2 (c d + 3 b e) x^{6n+1}) / (1+6n) + (c^3 e x^{7n+1}) / (1+7n)$

#### Rule 1432

Int[((d\_) + (e\_)\*(x\_)^(n\_))\*((a\_) + (b\_)\*(x\_)^(n\_) + (c\_)\*(x\_)^(n2\_))^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0]

#### Rubi steps

$$\begin{aligned} \int (d + ex^n) (a + bx^n + cx^{2n})^3 dx &= \int (a^3 d + a^2(3bd + ae)x^n + 3a(b^2 d + acd + abe)x^{2n} + (b^3 d + 6abcd + 3ab^2 e) x^{3n} + (6a^2 b c e + 3a^2 c^2 d) x^{4n} + (3b^2 c d + 3a c^2 d + b^3 e + 6a b c e) x^{5n} + (c^2 (c d + 3b e) x^{6n} + c^3 e x^{7n})) dx \\ &= a^3 dx + \frac{a^2(3bd + ae)x^{1+n}}{1+n} + \frac{3a(b^2 d + acd + abe)x^{1+2n}}{1+2n} + \frac{(b^3 d + 6abcd + 3ab^2 e)x^{1+3n}}{1+3n} + \frac{(6a^2 b c e + 3a^2 c^2 d)x^{1+4n}}{1+4n} + \frac{(3b^2 c d + 3a c^2 d + b^3 e + 6a b c e)x^{1+5n}}{1+5n} + \frac{(c^2 (c d + 3b e) x^{1+6n} + c^3 e x^{1+7n})}{1+6n} \end{aligned}$$

**Mathematica [A]** time = 0.43, size = 205, normalized size = 0.94

$$x \left( a^3 d + \frac{x^{3n} (3a^2 c e + 3ab^2 e + 6abcd + b^3 d)}{3n+1} + \frac{a^2 x^n (ae + 3bd)}{n+1} + \frac{3ax^{2n} (abe + acd + b^2 d)}{2n+1} + \frac{3cx^{5n} (ace + b^2 e + bcd)}{5n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^3,x]

[Out] x\*(a^3\*d + (a^2\*(3\*b\*d + a\*e)\*x^n)/(1 + n) + (3\*a\*(b^2\*d + a\*c\*d + a\*b\*e)\*x^(2\*n))/(1 + 2\*n) + ((b^3\*d + 6\*a\*b\*c\*d + 3\*a\*b^2\*e + 3\*a^2\*c\*e)\*x^(3\*n))/(1 + 3\*n) + ((3\*b^2\*c\*d + 3\*a\*c^2\*d + b^3\*e + 6\*a\*b\*c\*e)\*x^(4\*n))/(1 + 4\*n) + (3\*c\*(b\*c\*d + b^2\*e + a\*c\*e)\*x^(5\*n))/(1 + 5\*n) + (c^2\*(c\*d + 3\*b\*e)\*x^(6\*n))/(1 + 6\*n) + (c^3\*e\*x^(7\*n))/(1 + 7\*n))

**fricas [B]** time = 0.80, size = 1209, normalized size = 5.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] ((720\*c^3\*e\*n^6 + 1764\*c^3\*e\*n^5 + 1624\*c^3\*e\*n^4 + 735\*c^3\*e\*n^3 + 175\*c^3\*e\*n^2 + 21\*c^3\*e\*n + c^3\*e)\*x\*x^(7\*n) + (840\*(c^3\*d + 3\*b\*c^2\*e)\*n^6 + 2038\*(c^3\*d + 3\*b\*c^2\*e)\*n^5 + 1849\*(c^3\*d + 3\*b\*c^2\*e)\*n^4 + c^3\*d + 3\*b\*c^2\*e + 820\*(c^3\*d + 3\*b\*c^2\*e)\*n^3 + 190\*(c^3\*d + 3\*b\*c^2\*e)\*n^2 + 22\*(c^3\*d + 3\*b\*c^2\*e)\*n)\*x\*x^(6\*n) + 3\*(1008\*(b\*c^2\*d + (b^2\*c + a\*c^2)\*e)\*n^6 + 2412\*(b\*c^2\*d + (b^2\*c + a\*c^2)\*e)\*n^5 + 2144\*(b\*c^2\*d + (b^2\*c + a\*c^2)\*e)\*n^4 + b\*c^2\*d + 925\*(b\*c^2\*d + (b^2\*c + a\*c^2)\*e)\*n^3 + 207\*(b\*c^2\*d + (b^2\*c + a\*c^2)\*e)\*n^2 + (b^2\*c + a\*c^2)\*e + 23\*(b\*c^2\*d + (b^2\*c + a\*c^2)\*e)\*n)\*x\*x^(5\*n) + (1260\*(3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e)\*n^6 + 2952\*(3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e)\*n^5 + 2545\*(3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e)\*n^4 + 1056\*(3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e)\*n^3 + 226\*(3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e)\*n^2 + 3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e + 24\*(3\*(b^2\*c + a\*c^2)\*d + (b^3 + 6\*a\*b\*c)\*e)\*n)\*x\*x^(4\*n) + (1680\*((b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e)\*n^6 + 3796\*((b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e)\*n^5 + 3112\*((b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e)\*n^4 + 1219\*((b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e)\*n^3 + 247\*((b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e)\*n^2 + (b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e + 25\*((b^3 + 6\*a\*b\*c)\*d + 3\*(a\*b^2 + a^2\*c)\*e)\*n)\*x\*x^(3\*n) + 3\*(2520\*(a^2\*b\*e + (a\*b^2 + a^2\*c)\*d)\*n^6 + 5274\*(a^2\*b\*e + (a\*b^2 + a^2\*c)\*d)\*n^5 + 3929\*(a^2\*b\*e + (a\*b^2 + a^2\*c)\*d)\*n^4 + a^2\*b\*e + 1420\*(a^2\*b\*e + (a\*b^2 + a^2\*c)\*d)\*n^3 + 270\*(a^2\*b\*e + (a\*b^2 + a^2\*c)\*d)\*n^2 + (a\*b^2 + a^2\*c)\*d + 26\*(a^2\*b\*e + (a\*b^2 + a^2\*c)\*d)\*n)\*x\*x^(2\*n) + (5040\*(3\*a^2\*b\*d + a^3\*e)\*n^6 + 8028\*(3\*a^2\*b\*d + a^3\*e)\*n^5 + 5104\*(3\*a^2\*b\*d + a^3\*e)\*n^4 + 3

$$\frac{a^2 b d + a^3 e + 1665(3a^2 b d + a^3 e)n^3 + 295(3a^2 b d + a^3 e)n^2 + 27(3a^2 b d + a^3 e)n}{(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1)} \cdot x^n$$

**giac [B]** time = 0.78, size = 2134, normalized size = 9.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] (5040\*a^3\*d\*n^7\*x + 840\*c^3\*d\*n^6\*x\*x^(6\*n) + 3024\*b\*c^2\*d\*n^6\*x\*x^(5\*n) + 3780\*b^2\*c\*d\*n^6\*x\*x^(4\*n) + 3780\*a\*c^2\*d\*n^6\*x\*x^(4\*n) + 1680\*b^3\*d\*n^6\*x\*x^(3\*n) + 10080\*a\*b\*c\*d\*n^6\*x\*x^(3\*n) + 7560\*a\*b^2\*d\*n^6\*x\*x^(2\*n) + 7560\*a^2\*c\*d\*n^6\*x\*x^(2\*n) + 15120\*a^2\*b\*d\*n^6\*x\*x^n + 720\*c^3\*n^6\*x\*x^(7\*n))\*e + 2520\*b\*c^2\*n^6\*x\*x^(6\*n))\*e + 3024\*b^2\*c\*n^6\*x\*x^(5\*n))\*e + 3024\*a\*c^2\*n^6\*x\*x^(5\*n))\*e + 1260\*b^3\*n^6\*x\*x^(4\*n))\*e + 7560\*a\*b\*c\*n^6\*x\*x^(4\*n))\*e + 5040\*a\*b^2\*n^6\*x\*x^(3\*n))\*e + 5040\*a^2\*c\*n^6\*x\*x^(3\*n))\*e + 7560\*a^2\*b\*n^6\*x\*x^(2\*n))\*e + 5040\*a^3\*n^6\*x\*x^n\*e + 13068\*a^3\*d\*n^6\*x + 2038\*c^3\*d\*n^5\*x\*x^(6\*n) + 7236\*b\*c^2\*d\*n^5\*x\*x^(5\*n) + 8856\*b^2\*c\*d\*n^5\*x\*x^(4\*n) + 8856\*a\*c^2\*d\*n^5\*x\*x^(4\*n) + 3796\*b^3\*d\*n^5\*x\*x^(3\*n) + 22776\*a\*b\*c\*d\*n^5\*x\*x^(3\*n) + 15822\*a\*b^2\*d\*n^5\*x\*x^(2\*n) + 15822\*a^2\*c\*d\*n^5\*x\*x^(2\*n) + 24084\*a^2\*b\*d\*n^5\*x\*x^n + 1764\*c^3\*n^5\*x\*x^(7\*n))\*e + 6114\*b\*c^2\*n^5\*x\*x^(6\*n))\*e + 7236\*b^2\*c\*n^5\*x\*x^(5\*n))\*e + 7236\*a\*c^2\*n^5\*x\*x^(5\*n))\*e + 2952\*b^3\*n^5\*x\*x^(4\*n))\*e + 17712\*a\*b\*c\*n^5\*x\*x^(4\*n))\*e + 11388\*a\*b^2\*n^5\*x\*x^(3\*n))\*e + 11388\*a^2\*c\*n^5\*x\*x^(3\*n))\*e + 15822\*a^2\*b\*n^5\*x\*x^(2\*n))\*e + 8028\*a^3\*n^5\*x\*x^n\*e + 13132\*a^3\*d\*n^5\*x + 1849\*c^3\*d\*n^4\*x\*x^(6\*n) + 6432\*b\*c^2\*d\*n^4\*x\*x^(5\*n) + 7635\*b^2\*c\*d\*n^4\*x\*x^(4\*n) + 7635\*a\*c^2\*d\*n^4\*x\*x^(4\*n) + 3112\*b^3\*d\*n^4\*x\*x^(3\*n) + 18672\*a\*b\*c\*d\*n^4\*x\*x^(3\*n) + 11787\*a\*b^2\*d\*n^4\*x\*x^(2\*n) + 11787\*a^2\*c\*d\*n^4\*x\*x^(2\*n) + 15312\*a^2\*b\*d\*n^4\*x\*x^n + 1624\*c^3\*n^4\*x\*x^(7\*n))\*e + 5547\*b\*c^2\*n^4\*x\*x^(6\*n))\*e + 6432\*b^2\*c\*n^4\*x\*x^(5\*n))\*e + 6432\*a\*c^2\*n^4\*x\*x^(5\*n))\*e + 2545\*b^3\*n^4\*x\*x^(4\*n))\*e + 15270\*a\*b\*c\*n^4\*x\*x^(4\*n))\*e + 9336\*a\*b^2\*n^4\*x\*x^(3\*n))\*e + 9336\*a^2\*c\*n^4\*x\*x^(3\*n))\*e + 11787\*a^2\*b\*n^4\*x\*x^(2\*n))\*e + 5104\*a^3\*n^4\*x\*x^n\*e + 6769\*a^3\*d\*n^4\*x + 820\*c^3\*d\*n^3\*x\*x^(6\*n) + 2775\*b\*c^2\*d\*n^3\*x\*x^(5\*n) + 3168\*b^2\*c\*d\*n^3\*x\*x^(4\*n) + 3168\*a\*c^2\*d\*n^3\*x\*x^(4\*n) + 1219\*b^3\*d\*n^3\*x\*x^(3\*n) + 7314\*a\*b\*c\*d\*n^3\*x\*x^(3\*n) + 4260\*a\*b^2\*d\*n^3\*x\*x^(2\*n) + 4260\*a^2\*c\*d\*n^3\*x\*x^(2\*n) + 4995\*a^2\*b\*d\*n^3\*x\*x^n + 735\*c^3\*n^3\*x\*x^(7\*n))\*e + 2460\*b\*c^2\*n^3\*x\*x^(6\*n))\*e + 2775\*b^2\*c\*n^3\*x\*x^(5\*n))\*e + 2775\*a\*c^2\*n^3\*x\*x^(5\*n))\*e + 1056\*b^3\*n^3\*x\*x^(4\*n))\*e + 6336\*a\*b\*c\*n^3\*x\*x^(4\*n))\*e + 3657\*a\*b^2\*n^3\*x\*x^(3\*n))\*e + 3657\*a^2\*c\*n^3\*x\*x^(3\*n))\*e + 4260\*a^2\*b\*n^3\*x\*x^(2\*n))\*e + 1665\*a^3\*n^3\*x\*x^n\*e + 1960\*a^3\*d\*n^3\*x + 190\*c^3\*d\*n^2\*x\*x^(6\*n) + 621\*b\*c^2\*d\*n^2\*x\*x^(5\*n) + 678\*b^2\*c\*d\*n^2\*x\*x^(4\*n) + 678\*a\*c^2\*d\*n^2\*x\*x^(4\*n) + 247\*b^3\*d\*n^2\*x\*x^(3\*n) + 1482\*a\*b\*c\*d\*n^2\*x\*x^(

$3n) + 810*a*b^2*d*n^2*x*x^(2*n) + 810*a^2*c*d*n^2*x*x^(2*n) + 885*a^2*b*d*n^2*x*x^n + 175*c^3*n^2*x*x^(7*n)*e + 570*b*c^2*n^2*x*x^(6*n)*e + 621*b^2*c*n^2*x*x^(5*n)*e + 621*a*c^2*n^2*x*x^(5*n)*e + 226*b^3*n^2*x*x^(4*n)*e + 1356*a*b*c*n^2*x*x^(4*n)*e + 741*a*b^2*n^2*x*x^(3*n)*e + 741*a^2*c*n^2*x*x^(3*n)*e + 810*a^2*b*n^2*x*x^(2*n)*e + 295*a^3*n^2*x*x^n*e + 322*a^3*d*n^2*x + 22*c^3*d*n*x*x^(6*n) + 69*b*c^2*d*n*x*x^(5*n) + 72*b^2*c*d*n*x*x^(4*n) + 72*a*c^2*d*n*x*x^(4*n) + 25*b^3*d*n*x*x^(3*n) + 150*a*b*c*d*n*x*x^(3*n) + 78*a*b^2*d*n*x*x^(2*n) + 78*a^2*c*d*n*x*x^(2*n) + 81*a^2*b*d*n*x*x^n + 21*c^3*n*x*x^(7*n)*e + 66*b*c^2*n*x*x^(6*n)*e + 69*b^2*c*n*x*x^(5*n)*e + 69*a*c^2*n*x*x^(5*n)*e + 24*b^3*n*x*x^(4*n)*e + 144*a*b*c*n*x*x^(4*n)*e + 75*a*b^2*n*x*x^(3*n)*e + 75*a^2*c*n*x*x^(3*n)*e + 78*a^2*b*n*x*x^(2*n)*e + 27*a^3*n*x*x^n*e + 28*a^3*d*n*x + c^3*d*x*x^(6*n) + 3*b*c^2*d*x*x^(5*n) + 3*b^2*c*d*x*x^(4*n) + 3*a*c^2*d*x*x^(4*n) + b^3*d*x*x^(3*n) + 6*a*b*c*d*x*x^(3*n) + 3*a*b^2*d*x*x^(2*n) + 3*a^2*c*d*x*x^(2*n) + 3*a^2*b*d*x*x^n + c^3*x*x^(7*n)*e + 3*b*c^2*x*x^(6*n)*e + 3*b^2*c*x*x^(5*n)*e + 3*a*c^2*x*x^(5*n)*e + b^3*x*x^(4*n)*e + 6*a*b*c*x*x^(4*n)*e + 3*a*b^2*x*x^(3*n)*e + 3*a^2*c*x*x^(3*n)*e + 3*a^2*b*x*x^(2*n)*e + a^3*x*x^n*e + a^3*d*x)/(5040*n^7 + 13068*n^6 + 13132*n^5 + 6769*n^4 + 1960*n^3 + 322*n^2 + 28*n + 1)$

**maple [A]** time = 0.02, size = 226, normalized size = 1.04

$$\frac{c^3 e x e^{7n \ln(x)}}{7n+1} + a^3 dx + \frac{(ae + 3bd) a^2 x e^{n \ln(x)}}{n+1} + \frac{(3be + cd) c^2 x e^{6n \ln(x)}}{6n+1} + \frac{3(abe + acd + b^2 d) a x e^{2n \ln(x)}}{2n+1} + \frac{3(ace + b^2 e + \dots)}{5n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a)^3,x)

[Out]  $a^3*d*x + (6*a*b*c*e + 3*a*c^2*d + b^3*e + 3*b^2*c*d)/(4*n+1)*x*\exp(n*\ln(x))^4 + (3*a^2*c*e + 3*a*b^2*e + 6*a*b*c*d + b^3*d)/(3*n+1)*x*\exp(n*\ln(x))^3 + a^2*(a*e + 3*b*d)/(n+1)*x*\exp(n*\ln(x)) + c^2*(3*b*e + c*d)/(1+6*n)*x*\exp(n*\ln(x))^6 + c^3*e/(1+7*n)*x*\exp(n*\ln(x))^7 + 3*a*(a*b*e + a*c*d + b^2*d)/(2*n+1)*x*\exp(n*\ln(x))^2 + 3*c*(a*c*e + b^2*e + b*c*d)/(5*n+1)*x*\exp(n*\ln(x))^5$

**maxima [A]** time = 0.88, size = 386, normalized size = 1.77

$$a^3 dx + \frac{c^3 e x^{7n+1}}{7n+1} + \frac{c^3 dx^{6n+1}}{6n+1} + \frac{3bc^2 e x^{6n+1}}{6n+1} + \frac{3bc^2 dx^{5n+1}}{5n+1} + \frac{3b^2 c e x^{5n+1}}{5n+1} + \frac{3ac^2 e x^{5n+1}}{5n+1} + \frac{3b^2 c dx^{4n+1}}{4n+1} + \frac{3ac^2 dx^{4n+1}}{4n+1} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out]  $a^3*d*x + c^3*e*x^(7*n + 1)/(7*n + 1) + c^3*d*x^(6*n + 1)/(6*n + 1) + 3*b*c^2*e*x^(6*n + 1)/(6*n + 1) + 3*b*c^2*d*x^(5*n + 1)/(5*n + 1) + 3*b^2*c*e*x^(5*n + 1)/(5*n + 1) + 3*a*c^2*e*x^(5*n + 1)/(5*n + 1) + 3*b^2*c*d*x^(4*n + 1)/(4*n + 1) + \dots$



$$\begin{aligned} & 1)/(4*n + 1) + 3*a*c^2*d*x^(4*n + 1)/(4*n + 1) + b^3*e*x^(4*n + 1)/(4*n + 1) \\ & + 6*a*b*c*e*x^(4*n + 1)/(4*n + 1) + b^3*d*x^(3*n + 1)/(3*n + 1) + 6*a*b*c \\ & *d*x^(3*n + 1)/(3*n + 1) + 3*a*b^2*e*x^(3*n + 1)/(3*n + 1) + 3*a^2*c*e*x^(3 \\ & *n + 1)/(3*n + 1) + 3*a*b^2*d*x^(2*n + 1)/(2*n + 1) + 3*a^2*c*d*x^(2*n + 1) \\ & /(2*n + 1) + 3*a^2*b*e*x^(2*n + 1)/(2*n + 1) + 3*a^2*b*d*x^(n + 1)/(n + 1) \\ & + a^3*e*x^(n + 1)/(n + 1) \end{aligned}$$

**mupad [B]** time = 1.85, size = 227, normalized size = 1.04

$$a^3 dx + \frac{xx^n (ea^3 + 3bda^2)}{n+1} + \frac{xx^{2n} (3ea^2b + 3cda^2 + 3dab^2)}{2n+1} + \frac{xx^{5n} (3eb^2c + 3dbc^2 + 3aec^2)}{5n+1} + \frac{xx^{3n} (3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^3,x)

[Out]  $a^3*d*x + (x*x^n*(a^3*e + 3*a^2*b*d))/(n + 1) + (x*x^(2*n)*(3*a*b^2*d + 3*a^2*b*e + 3*a^2*c*d))/(2*n + 1) + (x*x^(5*n)*(3*a*c^2*e + 3*b*c^2*d + 3*b^2*c*e))/(5*n + 1) + (x*x^(3*n)*(b^3*d + 3*a*b^2*e + 3*a^2*c*e + 6*a*b*c*d))/(3*n + 1) + (x*x^(4*n)*(b^3*e + 3*a*c^2*d + 3*b^2*c*d + 6*a*b*c*e))/(4*n + 1) + (x*x^(6*n)*(c^3*d + 3*b*c^2*e))/(6*n + 1) + (c^3*e*x*x^(7*n))/(7*n + 1)$

**sympy [A]** time = 89.55, size = 9190, normalized size = 42.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*3,x)

[Out] Piecewise((a\*\*3\*d\*x + a\*\*3\*e\*log(x) + 3\*a\*\*2\*b\*d\*log(x) - 3\*a\*\*2\*b\*e/x - 3\*a\*\*2\*c\*d/x - 3\*a\*\*2\*c\*e/(2\*x\*\*2) - 3\*a\*b\*\*2\*d/x - 3\*a\*b\*\*2\*e/(2\*x\*\*2) - 3\*a\*b\*c\*d/x\*\*2 - 2\*a\*b\*c\*e/x\*\*3 - a\*c\*\*2\*d/x\*\*3 - 3\*a\*c\*\*2\*e/(4\*x\*\*4) - b\*\*3\*d/(2\*x\*\*2) - b\*\*3\*e/(3\*x\*\*3) - b\*\*2\*c\*d/x\*\*3 - 3\*b\*\*2\*c\*e/(4\*x\*\*4) - 3\*b\*c\*\*2\*d/(4\*x\*\*4) - 3\*b\*c\*\*2\*e/(5\*x\*\*5) - c\*\*3\*d/(5\*x\*\*5) - c\*\*3\*e/(6\*x\*\*6), Eq(n, -1)), (a\*\*3\*d\*x + 2\*a\*\*3\*e\*sqrt(x) + 6\*a\*\*2\*b\*d\*sqrt(x) + 3\*a\*\*2\*b\*e\*log(x) + 3\*a\*\*2\*c\*d\*log(x) - 6\*a\*\*2\*c\*e/sqrt(x) + 3\*a\*b\*\*2\*d\*log(x) - 6\*a\*b\*\*2\*e/sqrt(x) - 12\*a\*b\*c\*d/sqrt(x) - 6\*a\*b\*c\*e/x - 3\*a\*c\*\*2\*d/x - 2\*a\*c\*\*2\*e/x\*\*3/2 - 2\*b\*\*3\*d/sqrt(x) - b\*\*3\*e/x - 3\*b\*\*2\*c\*d/x - 2\*b\*\*2\*c\*e/x\*\*3/2 - 2\*b\*c\*\*2\*d/x\*\*3/2 - 3\*b\*c\*\*2\*e/(2\*x\*\*2) - c\*\*3\*d/(2\*x\*\*2) - 2\*c\*\*3\*e/(5\*x\*\*5/2)), Eq(n, -1/2)), (a\*\*3\*d\*x + 3\*a\*\*3\*e\*x\*\*(2/3)/2 + 9\*a\*\*2\*b\*d\*x\*\*(2/3)/2 + 9\*a\*\*2\*b\*e\*x\*\*(1/3) + 9\*a\*\*2\*c\*d\*x\*\*(1/3) + 3\*a\*\*2\*c\*e\*log(x) + 9\*a\*b\*\*2\*d\*x\*\*(1/3) + 3\*a\*b\*\*2\*e\*log(x) + 6\*a\*b\*c\*d\*log(x) - 18\*a\*b\*c\*e/x\*\*1/3 - 9\*a\*c\*\*2\*d/x\*\*1/3 - 9\*a\*c\*\*2\*e/(2\*x\*\*(2/3)) + b\*\*3\*d\*log(x) - 3\*b\*\*3\*e/x\*\*1/3 - 9\*b\*\*2\*c\*d/x\*\*1/3 - 9\*b\*\*2\*c\*e/(2\*x\*\*(2/3)) - 9\*b\*c\*\*2\*d/(2\*x\*\*(2/3)) - 3\*b\*c\*\*2\*e/x - c\*\*3\*d/x - 3\*c\*\*3\*e/(4\*x\*\*(4/3)), Eq(n, -1/3))

,  $(a^{3d}x + 4a^{3e}x^{3/4})/3 + 4a^{2b}d^{3/4}x^{3/4} + 6a^{2b}e\sqrt{x} + 6a^{2c}d\sqrt{x} + 12a^{2c}e^{1/4}x^{1/4} + 6ab^{2d}\sqrt{x} + 12a^{2e}x^{1/4} + 24ab^{2c}d^{1/4}x^{1/4} + 6ab^{2c}e\log(x) + 3a^{2c}d\log(x) - 12a^{2c}e/x^{1/4} + 4b^{3d}x^{1/4} + b^{3e}\log(x) + 3b^{2c}d\log(x) - 12b^{2c}e/x^{1/4} - 12b^{2c}d/x^{1/4} - 6b^{2c}e/\sqrt{x} - 2c^{3d}/\sqrt{x} - 4c^{3e}/(3x^{3/4}), \text{Eq}(n, -1/4)$ ),  $(a^{3d}x + 5a^{3e}x^{4/5})/4 + 15a^{2b}d^{4/5}x^{4/5} + 5a^{2b}e^{3/5}x^{3/5} + 5a^{2c}d^{3/5}x^{3/5} + 15a^{2c}e^{2/5}x^{2/5}/2 + 5ab^{2d}x^{3/5} + 15ab^{2e}x^{2/5}/2 + 15ab^{2c}d^{2/5}x^{2/5} + 30ab^{2c}e^{1/5}x^{1/5} + 15a^{2c}d^{1/5}x^{1/5} + 3a^{2c}e\log(x) + 5b^{3d}x^{2/5}/2 + 5b^{3e}x^{1/5} + 15b^{2c}d^{1/5}x^{1/5} + 3b^{2c}e\log(x) + 3b^{2c}d\log(x) - 15b^{2c}e/x^{1/5} - 5c^{3d}/x^{1/5} - 5c^{3e}/(2x^{2/5}), \text{Eq}(n, -1/5)$ ),  $(a^{3d}x + 6a^{3e}x^{5/6})/5 + 18a^{2b}d^{5/6}x^{5/6} + 9a^{2b}e^{2/3}x^{2/3}/2 + 9a^{2c}d^{2/3}x^{2/3}/2 + 6a^{2c}e\sqrt{x} + 9ab^{2d}x^{2/3}/2 + 6ab^{2e}\sqrt{x} + 12ab^{2c}d\sqrt{x} + 18ab^{2c}e^{1/3}x^{1/3} + 9a^{2c}d^{1/3}x^{1/3} + 18a^{2c}e^{1/6}x^{1/6} + 2b^{3d}\sqrt{x} + 3b^{3e}x^{1/3} + 9b^{2c}d^{1/3}x^{1/3} + 18b^{2c}e^{1/6}x^{1/6} + 18b^{2c}d^{1/6}x^{1/6} + 3b^{2c}e\log(x) + c^{3d}\log(x) - 6c^{3e}/x^{1/6}, \text{Eq}(n, -1/6)$ ),  $(a^{3d}x + 7a^{3e}x^{6/7})/6 + 7a^{2b}d^{6/7}x^{6/7}/2 + 21a^{2b}e^{5/7}x^{5/7}/5 + 21a^{2c}d^{5/7}x^{5/7}/5 + 21a^{2c}e^{4/7}x^{4/7}/4 + 21ab^{2d}x^{5/7}/5 + 21ab^{2e}x^{4/7}/4 + 21ab^{2c}d^{4/7}x^{4/7}/2 + 14ab^{2c}e^{3/7}x^{3/7} + 7a^{2c}d^{3/7}x^{3/7} + 21a^{2c}e^{2/7}x^{2/7}/2 + 7b^{3d}x^{4/7}/4 + 7b^{3e}x^{3/7}/3 + 7b^{2c}d^{3/7}x^{3/7} + 21b^{2c}e^{2/7}x^{2/7}/2 + 21b^{2c}d^{2/7}x^{2/7}/2 + 21b^{2c}e^{1/7}x^{1/7} + 7c^{3d}x^{1/7} + c^{3e}\log(x), \text{Eq}(n, -1/7)$ ),  $(5040a^{3d}n^{7}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 13068a^{3d}n^{6}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 13132a^{3d}n^{5}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 6769a^{3d}n^{4}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 1960a^{3d}n^{3}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 322a^{3d}n^{2}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 28a^{3d}n^{1}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + a^{3d}x/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 5040a^{3e}n^{6}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 8028a^{3e}n^{5}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 5104a^{3e}n^{4}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 1665a^{3e}n^{3}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 295a^{3e}n^{2}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 27a^{3e}n^{1}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + a^{3e}x^{2}/(5040n^{7} + 13068n^{6} + 13132n^{5} + 6769n^{4} + 1960n^{3} + 322n^{2} + 28n + 1) + 15120a^{2b}d^{n}$

$$\begin{aligned}
& **6*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 3 \\
& 22*n**2 + 28*n + 1) + 24084*a**2*b*d*n**5*x*x**n/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 15312*a**2*b*d* \\
& n**4*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 4995*a**2*b*d*n**3*x*x**n/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 885*a**2*b*d*n* \\
& *2*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 32 \\
& 2*n**2 + 28*n + 1) + 81*a**2*b*d*n*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n \\
& **5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3*a**2*b*d*x*x**n/(504 \\
& 0*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n \\
& + 1) + 7560*a**2*b*e*n**6*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + \\
& 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 15822*a**2*b*e*n**5*x*x**n(2 \\
& *n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 \\
& + 28*n + 1) + 11787*a**2*b*e*n**4*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 131 \\
& 32*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 4260*a**2*b*e*n**3 \\
& *x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 810*a**2*b*e*n**2*x*x**n(2*n)/(5040*n**7 + 13068*n**6 \\
& + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 78*a**2*b*e* \\
& n*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 3*a**2*b*e*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 131 \\
& 32*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 7560*a**2*c*d*n**6 \\
& *x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 15822*a**2*c*d*n**5*x*x**n(2*n)/(5040*n**7 + 13068*n* \\
& *6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 11787*a**2 \\
& *c*d*n**4*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 196 \\
& 0*n**3 + 322*n**2 + 28*n + 1) + 4260*a**2*c*d*n**3*x*x**n(2*n)/(5040*n**7 + \\
& 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 81 \\
& 0*a**2*c*d*n**2*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 \\
& + 1960*n**3 + 322*n**2 + 28*n + 1) + 78*a**2*c*d*n*x*x**n(2*n)/(5040*n**7 + \\
& 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3 \\
& *a**2*c*d*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 196 \\
& 0*n**3 + 322*n**2 + 28*n + 1) + 5040*a**2*c*e*n**6*x*x**n(3*n)/(5040*n**7 + \\
& 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 11 \\
& 388*a**2*c*e*n**5*x*x**n(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n* \\
& *4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 9336*a**2*c*e*n**4*x*x**n(3*n)/(5040 \\
& *n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + \\
& 1) + 3657*a**2*c*e*n**3*x*x**n(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + \\
& 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 741*a**2*c*e*n**2*x*x**n(3*n) \\
& /(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + \\
& 28*n + 1) + 75*a**2*c*e*n*x*x**n(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + \\
& 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3*a**2*c*e*x*x**n(3*n)/(5040 \\
& *n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + \\
& 1) + 7560*a*b**2*d*n**6*x*x**n(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + \\
& 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 15822*a*b**2*d*n**5*x*x**n(2* \\
& n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2
\end{aligned}$$

$$\begin{aligned}
& + 28n + 1) + 11787ab^2d^4x^2n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 4260ab^2d^3x^2n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 810ab^2d^2x^2n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 78ab^2d^2x^2n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3ab^2d^2x^2n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 5040ab^2e^6x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 11388ab^2e^5x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 9336ab^2e^4x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3657ab^2e^3x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 741ab^2e^2x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 75ab^2e^2x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3ab^2e^2x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 10080abc^6d^6x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 22776abc^5d^5x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 18672abc^4d^4x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 7314abc^3d^3x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 1482abc^2d^2x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 150abc^2d^2x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 6abc^2d^2x^3n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 7560abc^6e^6x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 17712abc^5e^5x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 15270abc^4e^4x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 6336abc^3e^3x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 1356abc^2e^2x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 144abc^2e^2x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 6abc^2e^2x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3780ac^2d^6x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 8856ac^2d^5x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 7635ac^2d^4x^4n / (5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3168ac^2d^3x^4n / (5040n^7 + 13068n^6 +
\end{aligned}$$





```

7*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**
2 + 28*n + 1) + 1764*c**3*e*n**5*x*x**(7*n)/(5040*n**7 + 13068*n**6 + 13132
*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 1624*c**3*e*n**4*x*x
**(7*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*
n**2 + 28*n + 1) + 735*c**3*e*n**3*x*x**(7*n)/(5040*n**7 + 13068*n**6 + 131
32*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 175*c**3*e*n**2*x*
x**(7*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322
*n**2 + 28*n + 1) + 21*c**3*e*n*x*x**(7*n)/(5040*n**7 + 13068*n**6 + 13132*
n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + c**3*e*x*x**(7*n)/(50
40*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n
+ 1), True))

```

$$3.69 \quad \int \frac{(d+ex^n)^3}{a+bx^n+cx^{2n}} dx$$

**Optimal.** Leaf size=308

$$\frac{x \left( \frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) + x \left( -\frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c^2 \left( b - \sqrt{b^2 - 4ac} \right)}$$

[Out]  $e^{2*(-b*e+3*c*d)*x/c^2+e^3*x^{(1+n)}/c/(1+n)+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))*(3*c^2*d^2*e-3*b*c*d*e^2+b^2*e^3-a*c*e^3+(-b*e+2*c*d)*(c^2*d^2+b^2*e^2-c*e*(3*a*e+b*d)))/(-4*a*c+b^2)^{(1/2)})/c^2/(b-(-4*a*c+b^2)^{(1/2)})+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(3*c^2*d^2*e-3*b*c*d*e^2+b^2*e^3-a*c*e^3-(-b*e+2*c*d)*(c^2*d^2+b^2*e^2-c*e*(3*a*e+b*d)))/(-4*a*c+b^2)^{(1/2)})/c^2/(b+(-4*a*c+b^2)^{(1/2)})$

**Rubi [A]** time = 0.70, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {1424, 1422, 245}

$$\frac{x \left( \frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) + x \left( -\frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c^2 \left( b - \sqrt{b^2 - 4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n)),x]

[Out]  $(e^{2*(3*c*d - b*e)*x}/c^2 + (e^{3*x^{(1+n)}})/(c*(1+n)) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 + ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e)))/\text{Sqrt}[b^2 - 4*a*c]))/c^2*(b - \text{Sqrt}[b^2 - 4*a*c]) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 - ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e)))/\text{Sqrt}[b^2 - 4*a*c]))/c^2*(b + \text{Sqrt}[b^2 - 4*a*c])$

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b\*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])



Rule 1422

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

Rule 1424

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_
)), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)),
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{a + bx^n + cx^{2n}} dx &= \int \left( \frac{e^2(3cd - be)}{c^2} + \frac{e^3x^n}{c} + \frac{c^2d^3 - 3acde^2 + abe^3 + (3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3)x^n}{c^2(a + bx^n + cx^{2n})} \right) dx \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^{1+n}}{c(1+n)} + \frac{\int \frac{c^2d^3 - 3acde^2 + abe^3 + (3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3)x^n}{a + bx^n + cx^{2n}} dx}{c^2} \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^{1+n}}{c(1+n)} + \frac{\left( 3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3 - \frac{(2cd - be)(c^2d^2 + b^2e^2 - ce(bd + 3ae))}{\sqrt{b^2 - 4ac}} \right)}{2c^2} \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^{1+n}}{c(1+n)} + \frac{\left( 3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3 + \frac{(2cd - be)(c^2d^2 + b^2e^2 - ce(bd + 3ae))}{\sqrt{b^2 - 4ac}} \right)}{c^2 \left( b - \sqrt{b^2 - 4ac} \right)} \end{aligned}$$

**Mathematica [A]** time = 0.84, size = 295, normalized size = 0.96

$$x \left( \frac{\left( \frac{(2cd - be)(-ce(3ae + bd) + b^2e^2 + c^2d^2)}{\sqrt{b^2 - 4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2 - 4ac} - b}\right)}{b - \sqrt{b^2 - 4ac}} + \frac{\left( \frac{(be - 2cd)(-ce(3ae + bd) + b^2e^2 + c^2d^2)}{\sqrt{b^2 - 4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right)}{\sqrt{b^2 - 4ac} + b} \right) / c^2$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n)), x]

[Out]  $(x*(e^{2*(3*c*d - b*e)} + (c*e^{3*x^n})/(1 + n) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 + ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e)))/\text{Sqrt}[b^2 - 4*a*c])*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (2*c*x^n)/(-b + \text{Sqrt}[b^2 - 4*a*c])])/(b - \text{Sqrt}[b^2 - 4*a*c]) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 + ((-2*c*d + b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e)))/\text{Sqrt}[b^2 - 4*a*c])*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(b + \text{Sqrt}[b^2 - 4*a*c]))/c^2$

**fricas** [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c x^{2n} + b x^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n)),x, algorithm="fricas")`

[Out]  $\text{integral}((e^3*x^{(3*n)} + 3*d*e^2*x^{(2*n)} + 3*d^2*e*x^n + d^3)/(c*x^{(2*n)} + b*x^n + a), x)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^3}{c x^{2n} + b x^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n)),x, algorithm="giac")`

[Out]  $\text{integrate}((e*x^n + d)^3/(c*x^{(2*n)} + b*x^n + a), x)$

**maple** [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^3}{b x^n + c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a),x)`

[Out]  $\text{int}((e*x^n+d)^3/(b*x^n+c*x^{(2*n)}+a),x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{c e^3 x x^n + (3 c d e^2 (n + 1) - b e^3 (n + 1)) x}{c^2 (n + 1)} - \int \frac{c^2 d^3 - (3 c d e^2 - b e^3) a + (3 c^2 d^2 e - 3 b c d e^2 + b^2 e^3 - a c e^3) x^n}{c^3 x^{2n} + b c^2 x^n + a c^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="maxima")

[Out] (c\*e^3\*x\*x^n + (3\*c\*d\*e^2\*(n + 1) - b\*e^3\*(n + 1))\*x)/(c^2\*(n + 1)) - integrate(-(c^2\*d^3 - (3\*c\*d\*e^2 - b\*e^3)\*a + (3\*c^2\*d^2\*e - 3\*b\*c\*d\*e^2 + b^2\*e^3 - a\*c\*e^3)\*x^n)/(c^3\*x^(2\*n) + b\*c^2\*x^n + a\*c^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^3}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n)),x)

[Out] int((d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*3/(a+b\*x\*\*n+c\*x\*\*(2\*n)),x)

[Out] Timed out

$$3.70 \quad \int \frac{(d+ex^n)^2}{a+bx^n+cx^{2n}} dx$$

**Optimal.** Leaf size=224

$$\frac{x \left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{c \left( b - \sqrt{b^2 - 4ac} \right)} + \frac{x \left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c \left( \sqrt{b^2 - 4ac} + b \right)}$$

[Out]  $e^{2*x}/c+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))*(2*c*d*e-b*e^2+(2*c^2*d^2+b^2*e^2-2*c*e*(a*e+b*d))/(-4*a*c+b^2)^{(1/2)})/c/(b-(-4*a*c+b^2)^{(1/2)})+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(2*c*d*e-b*e^2+(-2*c^2*d^2-b^2*e^2+2*c*e*(a*e+b*d))/(-4*a*c+b^2)^{(1/2)})/c/(b+(-4*a*c+b^2)^{(1/2)})$

**Rubi [A]** time = 0.48, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {1424, 1422, 245}

$$\frac{x \left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{c \left( b - \sqrt{b^2 - 4ac} \right)} + \frac{x \left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c \left( \sqrt{b^2 - 4ac} + b \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n)), x]

[Out]  $(e^{2*x})/c + ((2*c*d*e - b*e^2 + (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/\text{Sqrt}[b^2 - 4*a*c])*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]/(c*(b - \text{Sqrt}[b^2 - 4*a*c])) + ((2*c*d*e - b*e^2 - (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/\text{Sqrt}[b^2 - 4*a*c])*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(c*(b + \text{Sqrt}[b^2 - 4*a*c]))$

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 1422

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q),

```
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

### Rule 1424

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_
)), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)),
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]
```

### Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^2}{a + bx^n + cx^{2n}} dx &= \int \left( \frac{e^2}{c} + \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c(a + bx^n + cx^{2n})} \right) dx \\ &= \frac{e^2 x}{c} + \frac{\int \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{a + bx^n + cx^{2n}} dx}{c} \\ &= \frac{e^2 x}{c} + \frac{\left(2cde - be^2 - \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}}\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx}{2c} + \frac{\left(2cde - be^2 + \frac{2c^2 d^2 + b^2 e^2}{\sqrt{b^2 - 4ac}}\right)}{c} \\ &= \frac{e^2 x}{c} + \frac{\left(2cde - be^2 + \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}}\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)}{c(b - \sqrt{b^2 - 4ac})} + \frac{\left(2cde - be^2 - \frac{2c^2 d^2 + b^2 e^2}{\sqrt{b^2 - 4ac}}\right)}{c} \end{aligned}$$

**Mathematica [A]** time = 0.52, size = 216, normalized size = 0.96

$$x \left( \frac{\left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2-4ac}-b}\right)}{b - \sqrt{b^2-4ac}} + \frac{\left( \frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2-4ac}}\right)}{\sqrt{b^2-4ac} + b} + e^2 \right) / c$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^n)^2/(a + b*x^n + c*x^(2*n)), x]
```

```
[Out] (x*(e^2 + ((2*c*d*e - b*e^2 + (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/Sqr
t[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + Sq
rt[b^2 - 4*a*c])]))/(b - Sqrt[b^2 - 4*a*c]) + ((2*c*d*e - b*e^2 - (2*c^2*d^2
```

+ b^2\*e^2 - 2\*c\*e\*(b\*d + a\*e))/Sqrt[b^2 - 4\*a\*c])\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])]/(b + Sqrt[b^2 - 4\*a\*c])]/c

**fricas** [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^{2n} + 2dex^n + d^2}{cx^{2n} + bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)/(c\*x^(2\*n) + b\*x^n + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{cx^{2n} + bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="giac")

[Out] integrate((e\*x^n + d)^2/(c\*x^(2\*n) + b\*x^n + a), x)

**maple** [F] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{bx^n + cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a),x)

[Out] int((e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2x}{c} - \int -\frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c^2x^{2n} + bcx^n + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="maxima")

[Out] e^2\*x/c - integrate(-(c\*d^2 - a\*e^2 + (2\*c\*d\*e - b\*e^2)\*x^n)/(c^2\*x^(2\*n) + b\*c\*x^n + a\*c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n)), x)

[Out] int((d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^n)^2}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*2/(a+b\*x\*\*n+c\*x\*\*(2\*n)), x)

[Out] Integral((d + e\*x\*\*n)\*\*2/(a + b\*x\*\*n + c\*x\*\*(2\*n)), x)

$$3.71 \quad \int \frac{d+ex^n}{a+bx^n+cx^{2n}} dx$$

**Optimal.** Leaf size=154

$$\frac{x \left( \frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{b - \sqrt{b^2 - 4ac}} + \frac{x \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{\sqrt{b^2 - 4ac} + b}$$

[Out] x\*hypergeom([1, 1/n], [1+1/n], -2\*c\*x^n/(b-(-4\*a\*c+b^2)^(1/2)))\*(e+(-b\*e+2\*c\*d)/(-4\*a\*c+b^2)^(1/2))/(b-(-4\*a\*c+b^2)^(1/2))+x\*hypergeom([1, 1/n], [1+1/n], -2\*c\*x^n/(b+(-4\*a\*c+b^2)^(1/2)))\*(e+(b\*e-2\*c\*d)/(-4\*a\*c+b^2)^(1/2))/(b+(-4\*a\*c+b^2)^(1/2))

**Rubi [A]** time = 0.12, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {1422, 245}

$$\frac{x \left( \frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{b - \sqrt{b^2 - 4ac}} + \frac{x \left( e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{\sqrt{b^2 - 4ac} + b}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n)),x]

[Out] ((e + (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(b - Sqrt[b^2 - 4\*a\*c]) + ((e - (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(b + Sqrt[b^2 - 4\*a\*c])

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

**Rule 1422**

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^n), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (PosQ[b^2 - 4\*a\*c] || !IGtQ[n/2, 0])



Rubi steps

$$\int \frac{d + ex^n}{a + bx^n + cx^{2n}} dx = \frac{1}{2} \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx + \frac{1}{2} \left( e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx$$

$$= \frac{\left( e + \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) x {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{b - \sqrt{b^2 - 4ac}} + \frac{\left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right) x {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{b + \sqrt{b^2 - 4ac}}$$

**Mathematica [A]** time = 0.07, size = 134, normalized size = 0.87

$$\frac{x \left( \left( d\sqrt{b^2 - 4ac} - 2ae + bd \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) + \left( d\sqrt{b^2 - 4ac} + 2ae - bd \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) \right)}{2a\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n)), x]

[Out] (x\*((b\*d + Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e)\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])] + (-b\*d) + Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e)\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])]))/(2\*a\*Sqrt[b^2 - 4\*a\*c])

**fricas [F]** time = 0.80, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{ex^n + d}{cx^{2n} + bx^n + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n)), x, algorithm="fricas")

[Out] integral((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{cx^{2n} + bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n)), x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a), x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{b x^n + c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a),x)

[Out] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{c x^{2n} + b x^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="maxima")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + e x^n}{a + b x^n + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n)),x)

[Out] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^n}{a + b x^n + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)/(a+b\*x\*\*n+c\*x\*\*(2\*n)),x)

[Out] Integral((d + e\*x\*\*n)/(a + b\*x\*\*n + c\*x\*\*(2\*n)), x)

$$3.72 \quad \int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})} dx$$

**Optimal.** Leaf size=243

$$\frac{cx \left( 2cd - e \left( \sqrt{b^2 - 4ac} + b \right) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{\left( -b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)} - \frac{cx \left( \frac{2cd - be}{\sqrt{b^2 - 4ac}} + e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left( \sqrt{b^2 - 4ac} + b \right) (ae^2 - bde + cd^2)} + e^2$$

[Out] e^2\*x\*hypergeom([1, 1/n], [1+1/n], -e\*x^n/d)/d/(a\*e^2-b\*d\*e+c\*d^2)-c\*x\*hypergeom([1, 1/n], [1+1/n], -2\*c\*x^n/(b+(-4\*a\*c+b^2)^(1/2)))\*(e+(-b\*e+2\*c\*d)/(-4\*a\*c+b^2)^(1/2))/(a\*e^2-b\*d\*e+c\*d^2)/(b+(-4\*a\*c+b^2)^(1/2))-c\*x\*hypergeom([1, 1/n], [1+1/n], -2\*c\*x^n/(b-(-4\*a\*c+b^2)^(1/2)))\*(2\*c\*d-e\*(b+(-4\*a\*c+b^2)^(1/2)))/(a\*e^2-b\*d\*e+c\*d^2)/(b^2-4\*a\*c-b\*(-4\*a\*c+b^2)^(1/2))

**Rubi [A]** time = 0.47, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {1424, 245, 1422}

$$\frac{cx \left( 2cd - e \left( \sqrt{b^2 - 4ac} + b \right) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{\left( -b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)} - \frac{cx \left( \frac{2cd - be}{\sqrt{b^2 - 4ac}} + e \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left( \sqrt{b^2 - 4ac} + b \right) (ae^2 - bde + cd^2)} + e^2$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))), x]

[Out] -((c\*(2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c]))\*e)\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2)) - (c\*(e + (2\*c\*d - b\*e)/Sqrt[b^2 - 4\*a\*c])\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(b + Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2) + (e^2\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -(e\*x^n)/d])/(d\*(c\*d^2 - b\*d\*e + a\*e^2))

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 1422

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q),

```
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

### Rule 1424

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_
)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)),
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})} dx &= \int \left( \frac{e^2}{(cd^2 - bde + ae^2)(d + ex^n)} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})} \right) dx \\ &= \frac{\int \frac{cd - be - cex^n}{a + bx^n + cx^{2n}} dx}{cd^2 - bde + ae^2} + \frac{e^2 \int \frac{1}{d + ex^n} dx}{cd^2 - bde + ae^2} \\ &= \frac{e^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 - bde + ae^2)} - \frac{\left(c\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right)\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx}{2(cd^2 - bde + ae^2)} - \frac{c\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)}{\left(b - \sqrt{b^2 - 4ac}\right)(cd^2 - bde + ae^2)} - \frac{c\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\left(b + \sqrt{b^2 - 4ac}\right)(cd^2 - bde + ae^2)} \end{aligned}$$

**Mathematica [A]** time = 0.44, size = 200, normalized size = 0.82

$$\frac{x \left( -\frac{c\left(\frac{be - 2cd}{\sqrt{b^2 - 4ac}} + e\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2 - 4ac} - b}\right)}{b - \sqrt{b^2 - 4ac}} - \frac{c\left(\frac{2cd - be}{\sqrt{b^2 - 4ac}} + e\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\sqrt{b^2 - 4ac} + b} + \frac{e^2 {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d} \right)}{e(ae - bd) + cd^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))), x]
```

```
[Out] (x*((-(c*(e + (-2*c*d + b*e)/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1)
, 1 + n^(-1), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])])/(b - Sqrt[b^2 - 4*a*c]))
- (c*(e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1
```

+  $n^{-1}$ ),  $(-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(b + \text{Sqrt}[b^2 - 4*a*c]) + (e^{2*\text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, -(e*x^n)/d]}/d)/(c*d^2 + e*(-(b*d) + a*e))$

**fricas** [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bex^{2n} + ad + (cex^n + cd)x^{2n} + (bd + ae)x^n}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n)),x, algorithm="fricas")`

[Out] `integral(1/(b*e*x^(2*n) + a*d + (c*e*x^n + c*d)*x^(2*n) + (b*d + a*e)*x^n), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n)),x, algorithm="giac")`

[Out] `integrate(1/((c*x^(2*n) + b*x^n + a)*(e*x^n + d)), x)`

**maple** [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(bx^n + cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a),x)`

[Out] `int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n)),x, algorithm="maxima")`

[Out] integrate(1/((c\*x^(2\*n) + b\*x^n + a)\*(e\*x^n + d)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n) (a + b x^n + c x^{2n})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))), x)

[Out] int(1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)/(a+b\*x\*\*n+c\*x\*\*(2\*n)), x)

[Out] Exception raised: HeuristicGCDFailed

$$3.73 \quad \int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})} dx$$

**Optimal.** Leaf size=368

$$\frac{cx \left( -2ce \left( d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( \sqrt{b^2 - 4ac} + b \right) + 2c^2d^2 \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) - cx \left( -2ce \left( -d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( \sqrt{b^2 - 4ac} + b \right) + 2c^2d^2 \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left( -b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) \left( ae^2 - bde + cd^2 \right)^2}$$

[Out]  $e^2(-b*e+2*c*d)*x*\text{hypergeom}([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^2+e^2*x*\text{hypergeom}([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(2*c^2*d^2+b*e^2*(b-(-4*a*c+b^2)^(1/2))-2*c*e*(b*d+a*e-d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(2*c^2*d^2+b*e^2*(b+(-4*a*c+b^2)^(1/2))-2*c*e*(b*d+a*e+d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

**Rubi [A]** time = 0.71, antiderivative size = 368, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {1424, 245, 1422}

$$\frac{cx \left( -2ce \left( d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( \sqrt{b^2 - 4ac} + b \right) + 2c^2d^2 \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) - cx \left( -2ce \left( -d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left( \sqrt{b^2 - 4ac} + b \right) + 2c^2d^2 \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left( -b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) \left( ae^2 - bde + cd^2 \right)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))),x]

[Out]  $-((c*(2*c^2*d^2 + b*(b + \text{Sqrt}[b^2 - 4*a*c]))*e^2 - 2*c*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + a*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]/((b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2)) - (c*(2*c^2*d^2 + b*(b - \text{Sqrt}[b^2 - 4*a*c]))*e^2 - 2*c*e*(b*d - \text{Sqrt}[b^2 - 4*a*c]*d + a*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/((b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2) + (e^2*(2*c*d - b*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d*(c*d^2 - b*d*e + a*e^2)^2) + (e^2*x*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d^2*(c*d^2 - b*d*e + a*e^2))$

**Rule 245**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] :> Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||

GtQ[a, 0])

### Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

### Rule 1424

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)),
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})} dx &= \int \left( \frac{e^2}{(cd^2 - bde + ae^2)(d + ex^n)^2} - \frac{e^2(-2cd + be)}{(cd^2 - bde + ae^2)^2 (d + ex^n)} + \frac{c^2d^2 - 2bce}{(cd^2 - bde + ae^2)^2} \right) dx \\ &= \frac{\int \frac{c^2d^2 - 2bce + b^2e^2 - ace^2 - (2c^2de - bce^2)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^2} + \frac{(e^2(2cd - be)) \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^2} + \frac{e^2 \int \frac{1}{d + ex^n} dx}{cd^2 - bde} \\ &= \frac{e^2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 - bde + ae^2)^2} + \frac{e^2x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2(cd^2 - bde + ae^2)} - \frac{c(2c^2d^2)}{cd^2 - bde} \\ &= \frac{c(2c^2d^2 + b(b + \sqrt{b^2 - 4ac})e^2 - 2ce(bd + \sqrt{b^2 - 4ac}d + ae))x {}_2F_1\left(1, \frac{1}{n}; 1, \frac{ex^n}{d}\right)}{\sqrt{b^2 - 4ac}(b - \sqrt{b^2 - 4ac})(cd^2 - bde + ae^2)^2} \end{aligned}$$

**Mathematica [A]** time = 0.89, size = 327, normalized size = 0.89

$$x \left( \frac{c(-2ce(d\sqrt{b^2-4ac} + ae + bd) + be^2(\sqrt{b^2-4ac} + b) + 2c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2-4ac}-b}\right)}{b\sqrt{b^2-4ac} + 4ac - b^2} + \frac{c(2ce(-d\sqrt{b^2-4ac} + ae + bd) + be^2(\sqrt{b^2-4ac} - b) - 2c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1, \frac{ex^n}{d}\right)}{b\sqrt{b^2-4ac} - 4ac + b^2} \right) \frac{1}{(e(ae - bd) + cd^2)^2}$$



Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))),x]

[Out] (x\*((c\*(2\*c^2\*d^2 + b\*(b + Sqrt[b^2 - 4\*a\*c])\*e^2 - 2\*c\*e\*(b\*d + Sqrt[b^2 - 4\*a\*c]\*d + a\*e))\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c]) + (c\*(-2\*c^2\*d^2 + b\*(-b + Sqrt[b^2 - 4\*a\*c])\*e^2 + 2\*c\*e\*(b\*d - Sqrt[b^2 - 4\*a\*c]\*d + a\*e))\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c]) + (e^2\*(2\*c\*d - b\*e)\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e\*x^n)/d)])/d + (e^2\*(c\*d^2 + e\*(-(b\*d) + a\*e))\*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e\*x^n)/d)])/d^2))/(c\*d^2 + e\*(-(b\*d) + a\*e))^2

**fricas** [F] time = 1.24, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{be^2x^{3n} + ad^2 + (ce^2x^{2n} + 2cdex^n + cd^2)x^{2n} + (2bde + ae^2)x^{2n} + (bd^2 + 2ade)x^n, x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="fricas")

[Out] integral(1/(b\*e^2\*x^(3\*n) + a\*d^2 + (c\*e^2\*x^(2\*n) + 2\*c\*d\*e\*x^n + c\*d^2)\*x^(2\*n) + (2\*b\*d\*e + a\*e^2)\*x^(2\*n) + (b\*d^2 + 2\*a\*d\*e)\*x^n), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + b\*x^n + a)\*(e\*x^n + d)^2), x)

**maple** [F] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (bx^n + cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a),x)

[Out] int(1/(e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^{2x}}{cd^4n - bd^3en + ad^2e^2n + (cd^3en - bd^2e^2n + ade^3n)x^n} + (cd^2e^2(3n-1) - bde^3(2n-1) + ae^4(n-1)) \int \frac{1}{c^2d^6n - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n)),x, algorithm="maxima")

[Out] e^2\*x/(c\*d^4\*n - b\*d^3\*e\*n + a\*d^2\*e^2\*n + (c\*d^3\*e\*n - b\*d^2\*e^2\*n + a\*d\*e^3\*n)\*x^n) + (c\*d^2\*e^2\*(3\*n - 1) - b\*d\*e^3\*(2\*n - 1) + a\*e^4\*(n - 1))\*integrate(1/(c^2\*d^6\*n - 2\*b\*c\*d^5\*e\*n + b^2\*d^4\*e^2\*n + a^2\*d^2\*e^4\*n + 2\*(c\*d^4\*e^2\*n - b\*d^3\*e^3\*n)\*a + (c^2\*d^5\*e\*n - 2\*b\*c\*d^4\*e^2\*n + b^2\*d^3\*e^3\*n + a^2\*d\*e^5\*n + 2\*(c\*d^3\*e^3\*n - b\*d^2\*e^4\*n)\*a)\*x^n), x) + integrate((c^2\*d^2 - 2\*b\*c\*d\*e + b^2\*e^2 - a\*c\*e^2 - (2\*c^2\*d\*e - b\*c\*e^2)\*x^n)/(a^3\*e^4 + 2\*(c\*d^2\*e^2 - b\*d\*e^3)\*a^2 + (c^2\*d^4 - 2\*b\*c\*d^3\*e + b^2\*d^2\*e^2)\*a + (c^3\*d^4 - 2\*b\*c^2\*d^3\*e + b^2\*c\*d^2\*e^2 + a^2\*c\*e^4 + 2\*(c^2\*d^2\*e^2 - b\*c\*d\*e^3)\*a)\*x^(2\*n) + (b\*c^2\*d^4 - 2\*b^2\*c\*d^3\*e + b^3\*d^2\*e^2 + a^2\*b\*e^4 + 2\*(b\*c\*d^2\*e^2 - b^2\*d\*e^3)\*a)\*x^n), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n)^2 (a + b x^n + c x^{2n})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))),x)

[Out] int(1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))), x)

**sympy** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)\*\*2/(a+b\*x\*\*n+c\*x\*\*(2\*n)),x)

[Out] Exception raised: HeuristicGCDFailed

$$3.74 \quad \int \frac{1}{(d+ex^n)^3(a+bx^n+cx^{2n})} dx$$

**Optimal.** Leaf size=552

$$\frac{e^2x(-ce(ae+3bd)+b^2e^2+3c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1+\frac{1}{n}; -\frac{ex^n}{d}\right) cx\left(-3c^2de\left(d\sqrt{b^2-4ac}+2ae+bd\right)+ce^2\left(3b\left(d\sqrt{b^2-4ac}\right)\right)}{d\left(ae^2-bde+cd^2\right)^3}$$

[Out]  $e^2*(3*c^2*d^2+b^2*e^2-c*e*(a*e+3*b*d))*x*\text{hypergeom}([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^3+e^2*(-b*e+2*c*d)*x*\text{hypergeom}([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)^2+e^2*x*\text{hypergeom}([3, 1/n], [1+1/n], -e*x^n/d)/d^3/(a*e^2-b*d*e+c*d^2)-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(2*c^3*d^3-b^2*e^3*(b-(-4*a*c+b^2)^(1/2))-3*c^2*d*e*(b*d+2*a*e-d*(-4*a*c+b^2)^(1/2))+c*e^2*(3*b^2*d+3*a*b*e-3*b*d*(-4*a*c+b^2)^(1/2)-(-4*a*c+b^2)^(1/2)*a*e))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(2*c^3*d^3-b^2*e^3*(b+(-4*a*c+b^2)^(1/2))-3*c^2*d*e*(b*d+2*a*e+d*(-4*a*c+b^2)^(1/2))+c*e^2*(3*b^2*d+(-4*a*c+b^2)^(1/2)*a*e+3*b*(a*e+d*(-4*a*c+b^2)^(1/2))))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

**Rubi [A]** time = 1.02, antiderivative size = 552, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {1424, 245, 1422}

$$\frac{e^2x(-ce(ae+3bd)+b^2e^2+3c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1+\frac{1}{n}; -\frac{ex^n}{d}\right) cx\left(-3c^2de\left(d\sqrt{b^2-4ac}+2ae+bd\right)+ce^2\left(3b\left(d\sqrt{b^2-4ac}\right)\right)}{d\left(ae^2-bde+cd^2\right)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^3\*(a + b\*x^n + c\*x^(2\*n))), x]

[Out]  $-((c*(2*c^3*d^3 - b^2*(b + \text{Sqrt}[b^2 - 4*a*c]))*e^3 - 3*c^2*d*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) + c*e^2*(3*b^2*d + a*\text{Sqrt}[b^2 - 4*a*c]*e + 3*b*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e)))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])])/(b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3) - (c*(2*c^3*d^3 - b^2*(b - \text{Sqrt}[b^2 - 4*a*c]))*e^3 - 3*c^2*d*e*(b*d - \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) + c*e^2*(3*b^2*d - 3*b*\text{Sqrt}[b^2 - 4*a*c]*d + 3*a*b*e - a*\text{Sqrt}[b^2 - 4*a*c]*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3) + (e^2*(3*c^2*d^2 + b^2*e^2 - c*e*(3*b*d + a*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -(e*x^n)/d])/(d*(c*d^2 - b*d*e + a*e^2)^3) + (e^2*(2*c*d - b*e)*x*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -(e*x^n)/d])/(d*(c*d^2 - b*d*e + a*e^2)^3)$

$-1), 1 + n^{(-1)}, -((e*x^n)/d)]/(d^2*(c*d^2 - b*d*e + a*e^2)^2) + (e^2*x*Hypergeometric2F1[3, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)]/(d^3*(c*d^2 - b*d*e + a*e^2))$

### Rule 245

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])`

### Rule 1422

`Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])`

### Rule 1424

`Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]`

### Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)^3 (a + bx^n + cx^{2n})} dx &= \int \left( \frac{e^2}{(cd^2 - bde + ae^2)(d + ex^n)^3} - \frac{e^2(-2cd + be)}{(cd^2 - bde + ae^2)^2 (d + ex^n)^2} + \frac{e^2(3c^2d^2 - b^2e^2 - ce(3bd + ae))}{(cd^2 - bde + ae^2)^3} \right) dx \\ &= \frac{\int \frac{c^3d^3 - 3bc^2d^2e + 3b^2cde^2 - 3ac^2de^2 - b^3e^3 + 2abce^3 - (3c^3d^2e - 3bc^2de^2 + b^2ce^3 - ac^2e^3)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^3} + \frac{e^2(2cd - be)}{d^2(cd^2 - bde + ae^2)} \\ &= \frac{e^2(3c^2d^2 + b^2e^2 - ce(3bd + ae))x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 - bde + ae^2)^3} + \frac{e^2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2(cd^2 - bde + ae^2)} \\ &= \frac{c(2c^3d^3 - b^2(b + \sqrt{b^2 - 4ac}))e^3 - 3c^2de(bd + \sqrt{b^2 - 4ac}d + 2ae) + ce^2(3b^2d^2 - b^2e^2 - ce(3bd + ae))}{\sqrt{b^2 - 4ac}(b - \sqrt{b^2 - 4ac})} \end{aligned}$$

**Mathematica [A]** time = 1.74, size = 509, normalized size = 0.92

$$x \left( \frac{e^{2(-ce(ae+3bd)+b^2e^2+3c^2d^2)} {}_2F_1\left(1, \frac{1}{n}; 1+\frac{1}{n}; -\frac{ex^n}{d}\right)}{d} + \frac{c(3c^2de(d\sqrt{b^2-4ac}+2ae+bd)-ce^2(3b(d\sqrt{b^2-4ac}+ae)+ae\sqrt{b^2-4ac}+3b^2d)+b^2e^3(\sqrt{b^2-4ac}-b\sqrt{b^2-4ac}-4ac+b^2))}{-b\sqrt{b^2-4ac}-4ac+b^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e\*x^n)^3\*(a + b\*x^n + c\*x^(2\*n))), x]

[Out] (x\*((c\*(-2\*c^3\*d^3 + b^2\*(b + Sqrt[b^2 - 4\*a\*c])\*e^3 + 3\*c^2\*d\*e\*(b\*d + Sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*e) - c\*e^2\*(3\*b^2\*d + a\*Sqrt[b^2 - 4\*a\*c]\*e + 3\*b\*(Sqrt[b^2 - 4\*a\*c]\*d + a\*e)))\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c]) - (c\*(2\*c^3\*d^3 + b^2\*(-b + Sqrt[b^2 - 4\*a\*c])\*e^3 + 3\*c^2\*d\*e\*(-(b\*d) + Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e) + c\*e^2\*(3\*b^2\*d - 3\*b\*Sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*b\*e - a\*Sqrt[b^2 - 4\*a\*c]\*e))\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c]) + (e^2\*(3\*c^2\*d^2 + b^2\*e^2 - c\*e\*(3\*b\*d + a\*e))\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e\*x^n)/d)]/d + (e^2\*(2\*c\*d - b\*e)\*(c\*d^2 + e\*(-(b\*d) + a\*e))\*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e\*x^n)/d)]/d^2 + (e^2\*(c\*d^2 + e\*(-(b\*d) + a\*e))^2\*Hypergeometric2F1[3, n^(-1), 1 + n^(-1), -((e\*x^n)/d)]/d^3))/(c\*d^2 + e\*(-(b\*d) + a\*e))^3

**fricas [F]** time = 4.53, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{be^3x^{4n} + ad^3 + (3bde^2 + ae^3)x^{3n} + (ce^3x^{3n} + 3cde^2x^{2n} + 3cd^2ex^n + cd^3)x^{2n} + 3(bd^2e + ade^2)x^{2n} + \dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n)), x, algorithm="fricas")

[Out] integral(1/(b\*e^3\*x^(4\*n) + a\*d^3 + (3\*b\*d\*e^2 + a\*e^3)\*x^(3\*n) + (c\*e^3\*x^(3\*n) + 3\*c\*d\*e^2\*x^(2\*n) + 3\*c\*d^2\*e\*x^n + c\*d^3)\*x^(2\*n) + 3\*(b\*d^2\*e + a\*d\*e^2)\*x^(2\*n) + (b\*d^3 + 3\*a\*d^2\*e)\*x^n), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n)), x, algorithm="giac")



mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)^3 (a + bx^n + cx^{2n})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x^n)^3\*(a + b\*x^n + c\*x^(2\*n))), x)

[Out] int(1/((d + e\*x^n)^3\*(a + b\*x^n + c\*x^(2\*n))), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)\*\*3/(a+b\*x\*\*n+c\*x\*\*(2\*n)), x)

[Out] Exception raised: HeuristicGCDFailed

$$3.75 \quad \int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^2} dx$$

Optimal. Leaf size=750

$$\frac{x \left( - \left( x^n (ab^2e^3 - bcd(3ae^2 + cd^2) + 2ace(3cd^2 - ae^2)) \right) - abe(ae^2 + 3cd^2) - 2acd(cd^2 - 3ae^2) + b^2cd^3 \right) e^2 x \left( \frac{6}{\sqrt{b^2 - 4ac}} \right)}{acn(b^2 - 4ac)(a + bx^n + cx^{2n})} + \frac{e^2 x \left( \frac{6}{\sqrt{b^2 - 4ac}} \right)}{acn(b^2 - 4ac)(a + bx^n + cx^{2n})}$$

[Out]  $x*(b^2*c*d^3-2*a*c*d*(c*d^2-3*a*e^2)-a*b*e*(a*e^2+3*c*d^2)-(a*b^2*e^3+2*a*c*e*(-a*e^2+3*c*d^2)-b*c*d*(3*a*e^2+c*d^2))*x^n)/a/c/(-4*a*c+b^2)/n/(a+b*x^n+c*x^(2*n))+e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(e+(-3*b*e+6*c*d)/(-4*a*c+b^2)^(1/2))/c/(b-(-4*a*c+b^2)^(1/2))+x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((a*b^2*e^3+2*a*c*e*(-a*e^2+3*c*d^2)-b*c*d*(3*a*e^2+c*d^2))*(1-n)+(b^2*c*d*(3*a*e^2*(1-3*n)-c*d^2*(1-n))-a*b^3*e^3*(1-3*n)+4*a*c^2*d*(-3*a*e^2+c*d^2)*(1-2*n)+2*a*b*c*e*(a*e^2*(2-5*n)+3*c*d^2*n))/(-4*a*c+b^2)^(1/2))/a/c/(-4*a*c+b^2)/n/(b-(-4*a*c+b^2)^(1/2))+e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(e-3*(-b*e+2*c*d)/(-4*a*c+b^2)^(1/2))/c/(b+(-4*a*c+b^2)^(1/2))+x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((a*b^2*e^3+2*a*c*e*(-a*e^2+3*c*d^2)-b*c*d*(3*a*e^2+c*d^2))*(1-n)+(-b^2*c*d*(3*a*e^2*(1-3*n)-c*d^2*(1-n))+a*b^3*e^3*(1-3*n)-4*a*c^2*d*(-3*a*e^2+c*d^2)*(1-2*n)-2*a*b*c*e*(a*e^2*(2-5*n)+3*c*d^2*n))/(-4*a*c+b^2)^(1/2))/a/c/(-4*a*c+b^2)/n/(b+(-4*a*c+b^2)^(1/2))$

**Rubi [A]** time = 2.94, antiderivative size = 750, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1436, 1430, 1422, 245}

$$x \left( \frac{b^2cd(3ae^2(1-3n)-cd^2(1-n))-ab^3e^3(1-3n)+2abce(ae^2(2-5n)+3cd^2n)+4ac^2d(1-2n)(cd^2-3ae^2)}{\sqrt{b^2-4ac}} + (1-n)(ab^2e^3 - bcd(3ae^2 + cd^2)) \right) + \frac{e^2 x \left( \frac{6}{\sqrt{b^2 - 4ac}} \right)}{acn(b^2 - 4ac)(b - \sqrt{b^2 - 4ac})}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n))^2, x]

[Out]  $(x*(b^2*c*d^3 - 2*a*c*d*(c*d^2 - 3*a*e^2) - a*b*e*(3*c*d^2 + a*e^2) - (a*b^2*e^3 + 2*a*c*e*(3*c*d^2 - a*e^2) - b*c*d*(c*d^2 + 3*a*e^2))*x^n)/(a*c*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))) + (e^2*(e + (6*c*d - 3*b*e)/sqrt[b^2 - 4*a*c]))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - sqrt[b^2 - 4*a*c])]/(c*(b - sqrt[b^2 - 4*a*c])) + (((a*b^2*e^3 + 2*a*c*e*(3*c*d^2 - a*e^2) - b*c*d*(c*d^2 + 3*a*e^2))*x^n)/(a*c*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))) + (e^2*(e + (6*c*d - 3*b*e)/sqrt[b^2 - 4*a*c]))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - sqrt[b^2 - 4*a*c])]/(c*(b - sqrt[b^2 - 4*a*c]))$



$$2 - a e^2) - b c d (c d^2 + 3 a e^2)) (1 - n) + (b^2 c d (3 a e^2 (1 - 3 n) - c d^2 (1 - n)) - a b^3 e^3 (1 - 3 n) + 4 a^2 c^2 d (c d^2 - 3 a e^2) (1 - 2 n) + 2 a b c e (a e^2 (2 - 5 n) + 3 c d^2 n)) / \sqrt{b^2 - 4 a c} * x * \text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2 c x^n) / (b - \sqrt{b^2 - 4 a c})] / (a c (b^2 - 4 a c) (b - \sqrt{b^2 - 4 a c}) n) + (e^2 (e - (3 (2 c d - b e)) / \sqrt{b^2 - 4 a c}) * x * \text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2 c x^n) / (b + \sqrt{b^2 - 4 a c})] / (c (b + \sqrt{b^2 - 4 a c})) + ((a b^2 e^3 + 2 a c e (3 c d^2 - a e^2) - b c d (c d^2 + 3 a e^2)) (1 - n) - (b^2 c d (3 a e^2 (1 - 3 n) - c d^2 (1 - n)) - a b^3 e^3 (1 - 3 n) + 4 a^2 c^2 d (c d^2 - 3 a e^2) (1 - 2 n) + 2 a b c e (a e^2 (2 - 5 n) + 3 c d^2 n)) / \sqrt{b^2 - 4 a c}) * x * \text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2 c x^n) / (b + \sqrt{b^2 - 4 a c})] / (a c (b^2 - 4 a c) (b + \sqrt{b^2 - 4 a c}) n)$$

### Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

### Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])
```

### Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

### Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] &&
```

!IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

### Rubi steps

$$\begin{aligned}
 \int \frac{(d + ex^n)^3}{(a + bx^n + cx^{2n})^2} dx &= \int \left( \frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{c^2 (a + bx^n + cx^{2n})^2} + \frac{e^2 (3cd - be + cex^n)}{c^2 (a + bx^n + cx^{2n})} \right) dx \\
 &= \frac{\int \frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{(a + bx^n + cx^{2n})^2} dx}{c^2} + \frac{e^2 \int \frac{3cd - be + cex^n}{a + bx^n + cx^{2n}} dx}{c^2} \\
 &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (cd^2 - 3ae^2))}{ac (b^2 - 4ac) n (a + bx^n + cx^{2n})} + \frac{e^2 (3cd - be + cex^n)}{c^2} \\
 &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (cd^2 - 3ae^2))}{ac (b^2 - 4ac) n (a + bx^n + cx^{2n})} + \frac{e^2 (3cd - be + cex^n)}{c^2} \\
 &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (cd^2 - 3ae^2))}{ac (b^2 - 4ac) n (a + bx^n + cx^{2n})} + \frac{e^2 (3cd - be + cex^n)}{c^2}
 \end{aligned}$$

**Mathematica [B]** time = 6.96, size = 5537, normalized size = 7.38

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n))^2,x]

[Out] Result too large to show

**fricas [F]** time = 1.10, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^2 x^{4n} + b^2 x^{2n} + 2 a b x^n + a^2 + 2 (b c x^n + a c) x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral((e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3)/(c^2\*x^(4\*n) + b^2\*x^(2\*n) + 2\*a\*b\*x^n + a^2 + 2\*(b\*c\*x^n + a\*c)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^3/(c\*x^(2\*n) + b\*x^n + a)^2, x)

**maple** [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^3/(b\*x^n+c\*x^(2\*n)+a)^2,x)

[Out] int((e\*x^n+d)^3/(b\*x^n+c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bc^2d^3 + 2a^2ce^3 - (6c^2d^2e - 3bcde^2 + b^2e^3)a)xx^n + (b^2cd^3 + (6cde^2 - be^3)a^2 - (2c^2d^3 + 3bcd^2e)a)x}{a^2b^2cn - 4a^3c^2n + (ab^2c^2n - 4a^2c^3n)x^{2n} + (ab^3cn - 4a^2bc^2n)x^n} + \int \frac{b^2cd}{...}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] ((b\*c^2\*d^3 + 2\*a^2\*c\*e^3 - (6\*c^2\*d^2\*e - 3\*b\*c\*d\*e^2 + b^2\*e^3)\*a)\*x\*x^n + (b^2\*c\*d^3 + (6\*c\*d\*e^2 - b\*e^3)\*a^2 - (2\*c^2\*d^3 + 3\*b\*c\*d^2\*e)\*a)\*x)/(a^2\*b^2\*c\*n - 4\*a^3\*c^2\*n + (a\*b^2\*c^2\*n - 4\*a^2\*c^3\*n)\*x^(2\*n) + (a\*b^3\*c\*n - 4\*a^2\*b\*c^2\*n)\*x^n) + integrate((b^2\*c\*d^3\*(n - 1) - (6\*c\*d\*e^2 - b\*e^3)\*a^2 - (2\*c^2\*d^3\*(2\*n - 1) - 3\*b\*c\*d^2\*e)\*a - (2\*a^2\*c\*e^3\*(n + 1) - b\*c^2\*d^3\*(n - 1) + (6\*c^2\*d^2\*e\*(n - 1) - 3\*b\*c\*d\*e^2\*(n - 1) - b^2\*e^3)\*a)\*x^n)/(a^2\*b^2\*c\*n - 4\*a^3\*c^2\*n + (a\*b^2\*c^2\*n - 4\*a^2\*c^3\*n)\*x^(2\*n) + (a\*b^3\*c\*n - 4\*a^2\*b\*c^2\*n)\*x^n), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^3}{(a + bx^n + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^2,x)
```

```
[Out] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**3/(a+b*x**n+c*x**(2*n))**2,x)
```

```
[Out] Timed out
```

$$3.76 \quad \int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^2} dx$$

**Optimal.** Leaf size=543

$$\frac{x \left( (1-n)(abe^2 - 4acde + bcd^2) - \frac{b^2(ae^2(1-3n) - cd^2(1-n)) + 4abcden + 4ac(1-2n)(cd^2 - ae^2)}{\sqrt{b^2 - 4ac}} \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{an(b^2 - 4ac) \left( b - \sqrt{b^2 - 4ac} \right)}$$

[Out]  $x*(b^2*d^2 - 2*a*b*d*e - 2*a*(c*d^2 - a*e^2) + (b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^n)/a/(-4*a*c + b^2)/n/(a + b*x^n + c*x^{(2*n)}) - x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b - (-4*a*c + b^2)^{(1/2)})) * ((a*b*e^2 - 4*a*c*d*e + b*c*d^2)*(1-n) + (-b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) - 4*a*c*(c*d^2 - a*e^2)*(1-2*n) - 4*a*b*c*d*e*n)/(b - (-4*a*c + b^2)^{(1/2)}))/a/(-4*a*c + b^2)/n/(b - (-4*a*c + b^2)^{(1/2)}) - x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b + (-4*a*c + b^2)^{(1/2)})) * ((a*b*e^2 - 4*a*c*d*e + b*c*d^2)*(1-n) + (b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) + 4*a*c*(c*d^2 - a*e^2)*(1-2*n) + 4*a*b*c*d*e*n)/(b + (-4*a*c + b^2)^{(1/2)}))/a/(-4*a*c + b^2)/n/(b + (-4*a*c + b^2)^{(1/2)}) - 2*e^2*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b - (-4*a*c + b^2)^{(1/2)}))/ (b^2 - 4*a*c - b*(-4*a*c + b^2)^{(1/2)}) - 2*e^2*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b + (-4*a*c + b^2)^{(1/2)}))/ (b^2 - 4*a*c + b*(-4*a*c + b^2)^{(1/2)})$

**Rubi [A]** time = 1.82, antiderivative size = 543, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1436, 1430, 1422, 245, 1347}

$$\frac{x \left( (1-n)(abe^2 - 4acde + bcd^2) - \frac{b^2(ae^2(1-3n) - cd^2(1-n)) + 4abcden + 4ac(1-2n)(cd^2 - ae^2)}{\sqrt{b^2 - 4ac}} \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{an(b^2 - 4ac) \left( b - \sqrt{b^2 - 4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^2, x]

[Out]  $(x*(b^2*d^2 - 2*a*b*d*e - 2*a*(c*d^2 - a*e^2) + (b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^n)/(a*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^{(2*n)})) - (2*e^2*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])])/(b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c]) - (((b*c*d^2 - 4*a*c*d*e + a*b*e^2)*(1-n) - (b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) + 4*a*c*(c*d^2 - a*e^2)*(1-2*n) + 4*a*b*c*d*e*n)/\text{Sqrt}[b^2 - 4*a*c])*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b - \text{Sqrt}[b^2 - 4*a*c])*n) - (2*e^2*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c]) - (((b*c*d^2 - 4$

```
*a*c*d*e + a*b*e^2)*(1 - n) + (b^2*(a*e^2*(1 - 3*n) - c*d^2*(1 - n)) + 4*a*
c*(c*d^2 - a*e^2)*(1 - 2*n) + 4*a*b*c*d*e*n)/Sqrt[b^2 - 4*a*c]*x*Hypergeom
etric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]/(a*(b^
2 - 4*a*c)*(b + Sqrt[b^2 - 4*a*c])*n)
```

### Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])
```

### Rule 1347

```
Int[((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := With[{q
= Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^n), x], x] - Dist[c
/q, Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*
n] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

### Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

### Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2
*n))^(p), x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegerQ[p, q] &&
!IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{(a + bx^n + cx^{2n})^2} dx &= \int \left( \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c(a + bx^n + cx^{2n})^2} + \frac{e^2}{c(a + bx^n + cx^{2n})} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{(a + bx^n + cx^{2n})^2} dx}{c} + \frac{e^2 \int \frac{1}{a + bx^n + cx^{2n}} dx}{c} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} + \frac{e^2 \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n}}{\sqrt{b^2 - 4ac}} dx \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{2e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{b - \sqrt{b^2 - 4ac} + cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{b^2 - 4ac - b\sqrt{b^2 - 4ac}} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{2e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{b - \sqrt{b^2 - 4ac} + cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{b^2 - 4ac - b\sqrt{b^2 - 4ac}}
\end{aligned}$$

**Mathematica [B]** time = 4.52, size = 2980, normalized size = 5.49

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^2, x]

[Out] -((x\*(-(a\*Sqrt[b^2 - 4\*a\*c]\*(b^2\*d^2 + 2\*a^2\*e^2 + b\*c\*d^2\*x^n + a\*b\*e\*(-2\*d + e\*x^n) - 2\*a\*c\*d\*(d + 2\*e\*x^n))) + (a\*b\*c\*d^2\*(a + x^n\*(b + c\*x^n))\*(Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b - Sqrt[b^2 - 4\*a\*c])/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1) - Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b + Sqrt[b^2 - 4\*a\*c])/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1))))/2^n^(-1) - 2^(2 - n^(-1))\*a^2\*c\*d\*e\*(a + x^n\*(b + c\*x^n))\*(Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b - Sqrt[b^2 - 4\*a\*c])/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1) - Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b + Sqrt[b^2 - 4\*a\*c])/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1)) + (a^2\*b\*e^2\*(a + x^n\*(b + c\*x^n))\*(Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b - Sqrt[b^2 - 4\*a\*c])/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1), -n^(-1), (-1 + n)/n, (b - Sqrt[b^2 - 4\*a\*c])/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1), -n^(-1), (-1 + n)/n, (b + Sqrt[b^2 - 4\*a\*c])/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/((c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1))





$$4ac + 2cx^n)^{n-1} + ((b - \sqrt{b^2 - 4ac}) \operatorname{Hypergeometric2F1}[-n(-1), -n(-1), (-1+n)/n, (b + \sqrt{b^2 - 4ac})/(b + \sqrt{b^2 - 4ac} + 2cx^n)] / ((cx^n)/(b + \sqrt{b^2 - 4ac} + 2cx^n))^{n-1})) / 2^{((1+n)/n) + 2^{((-1+n)/n)ac} d^{2n} (a + x^n(b + cx^n)) (2^{(1+n(-1))} \sqrt{b^2 - 4ac} - ((b + \sqrt{b^2 - 4ac}) \operatorname{Hypergeometric2F1}[-n(-1), -n(-1), (-1+n)/n, (b - \sqrt{b^2 - 4ac})/(b - \sqrt{b^2 - 4ac} + 2cx^n)] / ((cx^n)/(b - \sqrt{b^2 - 4ac} + 2cx^n))^{n-1} + ((b - \sqrt{b^2 - 4ac}) \operatorname{Hypergeometric2F1}[-n(-1), -n(-1), (-1+n)/n, (b + \sqrt{b^2 - 4ac})/(b + \sqrt{b^2 - 4ac} + 2cx^n)] / ((cx^n)/(b + \sqrt{b^2 - 4ac} + 2cx^n))^{n-1})) / (a^2(b^2 - 4ac)^{3/2} n (a + x^n(b + cx^n)))$$

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{e^2x^{2n} + 2dex^n + d^2}{c^2x^{4n} + b^2x^{2n} + 2abx^n + a^2 + 2(bc x^n + ac)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)/(c^2\*x^(4\*n) + b^2\*x^(2\*n) + 2\*a\*b\*x^n + a^2 + 2\*(b\*c\*x^n + a\*c)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^2/(c\*x^(2\*n) + b\*x^n + a)^2, x)

**maple** [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a)^2,x)

[Out] int((e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bcd^2 - (4cde - be^2)a)xx^n + (b^2d^2 + 2a^2e^2 - 2(cd^2 + bde)a)x}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} \int - \frac{b^2d^2(n-1) - 2a^2e^2 - 2(cd^2(2n-1) - bde)}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] ((b\*c\*d^2 - (4\*c\*d\*e - b\*e^2)\*a)\*x\*x^n + (b^2\*d^2 + 2\*a^2\*e^2 - 2\*(c\*d^2 + b\*d\*e)\*a)\*x)/(a^2\*b^2\*n - 4\*a^3\*c\*n + (a\*b^2\*c\*n - 4\*a^2\*c^2\*n)\*x^(2\*n) + (a\*b^3\*n - 4\*a^2\*b\*c\*n)\*x^n) - integrate(-(b^2\*d^2\*(n-1) - 2\*a^2\*e^2 - 2\*(c\*d^2\*(2\*n-1) - b\*d\*e)\*a + (b\*c\*d^2\*(n-1) - (4\*c\*d\*e\*(n-1) - b\*e^2\*(n-1))\*a)\*x^n)/(a^2\*b^2\*n - 4\*a^3\*c\*n + (a\*b^2\*c\*n - 4\*a^2\*c^2\*n)\*x^(2\*n) + (a\*b^3\*n - 4\*a^2\*b\*c\*n)\*x^n), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{(a + bx^n + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^2,x)

[Out] int((d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*2/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*2,x)

[Out] Timed out

$$3.77 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^2} dx$$

**Optimal.** Leaf size=362

$$\frac{cx \left( -b \left( d(1-n)\sqrt{b^2-4ac} - 2aen \right) + 2a \left( e(1-n)\sqrt{b^2-4ac} + 2cd(1-2n) \right) - (b^2(d-dn)) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) + cx \left( -(-1-n)\sqrt{b^2-4ac}(bd-2ae) + 2aben + 2acd(2-4n) + b^2(-d)(1-n) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{an(b^2-4ac) \left( -b\sqrt{b^2-4ac} - 4ac + b^2 \right)}$$

[Out]  $x*(b^2*d-2*a*c*d-a*b*e+c*(-2*a*e+b*d))*x^n/a/(-4*a*c+b^2)/n/(a+b*x^n+c*x^(2*n))-c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(-b^2*d*(1-n)+b*(2*a*e*n+d*(1-n)*(-4*a*c+b^2)^(1/2))+2*a*(c*d*(2-4*n)-e*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(-b^2*(-d*n+d)-b*(-2*a*e*n+d*(1-n)*(-4*a*c+b^2)^(1/2))+2*a*(2*c*d*(1-2*n)+e*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/n/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

**Rubi [A]** time = 0.63, antiderivative size = 328, normalized size of antiderivative = 0.91, number of steps used = 4, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {1430, 1422, 245}

$$\frac{cx \left( -(-1-n)\sqrt{b^2-4ac}(bd-2ae) + 2aben + 2acd(2-4n) + b^2(-d)(1-n) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) + cx \left( -(-1-n)\sqrt{b^2-4ac}(bd-2ae) + 2aben + 2acd(2-4n) + b^2(-d)(1-n) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{an(b^2-4ac) \left( -b\sqrt{b^2-4ac} - 4ac + b^2 \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^2, x]

[Out]  $(x*(b^2*d - 2*a*c*d - a*b*e + c*(b*d - 2*a*e)*x^n))/(a*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))) - (c*(2*a*c*d*(2 - 4*n) - b^2*d*(1 - n) - Sqrt[b^2 - 4*a*c]*(b*d - 2*a*e)*(1 - n) + 2*a*b*e*n)*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*n) - (c*(4*a*c*d*(1 - 2*n) - b^2*d*(1 - n) + Sqrt[b^2 - 4*a*c]*(b*d - 2*a*e)*(1 - n) + 2*a*b*e*n)*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*n)$

**Rule 245**

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

Rule 1430

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rubi steps

$$\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^2} dx = \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{\int \frac{-abe - 2acd(1-2n) + b^2(d-dn) + c(bd - 2ae)(1-n)x^n}{a + bx^n + cx^{2n}} dx}{a(b^2 - 4ac)n}$$

$$= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{c\left(2acd(2 - 4n) - b^2d(1 - n) + \sqrt{b^2 - 4ac}(bd - 2ae)\right)}{2a(b^2 - 4ac)}$$

$$= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{c\left((bd - 2ae)(1 - n) - \frac{4acd(1-2n) + 2aben - b^2(d-dn)}{\sqrt{b^2 - 4ac}}\right)}{a(b^2 - 4ac)\left(b - \sqrt{b^2 - 4ac}\right)}$$

**Mathematica [A]** time = 5.69, size = 603, normalized size = 1.67

$$cx \left( \frac{4(b^2 - 4ac)(-2a^2c(2dn + ex^n) + a(b^2(dn + ex^n) + bcx^n(-4dn + 3d + ex^n) - 2c^2d(2n-1)x^{2n}) + b^2d(n-1)x^n(b + cx^n))}{(-b\sqrt{b^2 - 4ac} - 4ac + b^2)(b\sqrt{b^2 - 4ac} - 4ac + b^2)(a + x^n(b + cx^n))} + \frac{2^{-1/n} \left( \frac{cx^n}{\sqrt{b^2 - 4ac} + b + 2cx^n} \right)^{-1/n} (bd(n-1))}{a(b^2 - 4ac)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^2,x]

[Out] (c\*x\*((4\*(b^2 - 4\*a\*c)\*(b^2\*d\*(-1 + n)\*x^n\*(b + c\*x^n) - 2\*a^2\*c\*(2\*d\*n + e\*x^n) + a\*(-2\*c^2\*d\*(-1 + 2\*n)\*x^(2\*n) + b\*c\*x^n\*(3\*d - 4\*d\*n + e\*x^n) + b^2\*(d\*n + e\*x^n))))/(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*(a + x^n\*(b + c\*x^n))) + ((4\*a\*c\*(Sqrt[b^2 - 4\*a\*c]\*d\*(1 - 2\*n) + 2\*a\*e\*(-1 + n)) + b^3\*d\*(-1 + n) + b^2\*(Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*e)\*(-1 + n) + 2\*a\*b\*(-2\*c\*d\*(-1 + n) + Sqrt[b^2 - 4\*a\*c]\*e\*n))\*Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b - Sqrt[b^2 - 4\*a\*c])/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/(2^n^(-1)\*Sqrt[b^2 - 4\*a\*c]\*(-b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*((c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1)) + ((b\*Sqrt[b^2 - 4\*a\*c]\*d\*(-1 + n) - 2\*a\*Sqrt[b^2 - 4\*a\*c]\*e\*(-1 + n) - 2\*a\*b\*e\*n + 4\*a\*c\*d\*(-1 + 2\*n) + b^2\*(d - d\*n))\*Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b + Sqrt[b^2 - 4\*a\*c])/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)]/(2^n^(-1)\*Sqrt[b^2 - 4\*a\*c]\*(b + Sqrt[b^2 - 4\*a\*c])\*((c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n))^n^(-1)))/(a\*(-b^2 + 4\*a\*c)\*n)

**fricas** [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{c^2x^{4n} + b^2x^{2n} + 2abx^n + a^2 + 2(bc x^n + ac)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral((e\*x^n + d)/(c^2\*x^(4\*n) + b^2\*x^(2\*n) + 2\*a\*b\*x^n + a^2 + 2\*(b\*c\*x^n + a\*c)\*x^(2\*n)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a)^2, x)

**maple** [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^2,x)`

[Out] `int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^2,x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bcd - 2ace)xx^n + (b^2d - (2cd + be)a)x}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} + \int \frac{b^2d(n-1) - (2cd(2n-1) - be)a + (bcd(n-1))}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="maxima")`

[Out] `((b*c*d - 2*a*c*e)*x*x^n + (b^2*d - (2*c*d + b*e)*a)*x)/(a^2*b^2*n - 4*a^3*c*n + (a*b^2*c*n - 4*a^2*c^2*n)*x^(2*n) + (a*b^3*n - 4*a^2*b*c*n)*x^n) + integrate((b^2*d*(n - 1) - (2*c*d*(2*n - 1) - b*e)*a + (b*c*d*(n - 1) - 2*a*c*e*(n - 1))*x^n)/(a^2*b^2*n - 4*a^3*c*n + (a*b^2*c*n - 4*a^2*c^2*n)*x^(2*n) + (a*b^3*n - 4*a^2*b*c*n)*x^n), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + e x^n}{(a + b x^n + c x^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^2,x)`

[Out] `int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^2, x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**2,x)`

[Out] Timed out

$$3.78 \quad \int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^2} dx$$

**Optimal.** Leaf size=726

$$\frac{ce^2x \left( 2cd - e \left( \sqrt{b^2 - 4ac} + b \right) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{\left( -b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)^2} - \frac{ce^2x \left( 2cd - e \left( b - \sqrt{b^2 - 4ac} \right) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left( b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)^2}$$

[Out]  $x*(b^2*c*d-2*a*c^2*d-b^3*e+3*a*b*c*e+c*(2*a*c*e-b^2*e+b*c*d)*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/n/(a+b*x^n+c*x^(2*n))+e^4*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^2-c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((2*a*c*e-b^2*e+b*c*d)*(1-n)+(2*a*b*c*e*(2-3*n)-4*a*c^2*d*(1-2*n)+b^2*c*d*(1-n)-b^3*e*(1-n))/(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/n/(b-(-4*a*c+b^2)^(1/2))-c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))/((a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))/((a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))+c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(-b^3*e*(1-n)+b^2*(1-n)*(c*d+e*(-4*a*c+b^2)^(1/2))+b*c*(2*a*e*(2-3*n)-d*(1-n)*(-4*a*c+b^2)^(1/2))-2*a*c*(2*c*d*(1-2*n)+e*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))$

**Rubi [A]** time = 1.93, antiderivative size = 726, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1436, 245, 1430, 1422}

$$\frac{cx \left( \frac{2abce(2-3n)-4ac^2d(1-2n)+b^2cd(1-n)+b^3(-e)(1-n)}{\sqrt{b^2-4ac}} + (1-n) (2ace + b^2(-e) + bcd) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) x}{an(b^2 - 4ac) \left( b - \sqrt{b^2 - 4ac} \right) (ae^2 - bde + cd^2)} + \frac{ce^2x \left( 2cd - e \left( b - \sqrt{b^2 - 4ac} \right) \right) {}_2F_1 \left( 1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left( b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2), x]

[Out]  $(x*(b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e + c*(b*c*d - b^2*e + 2*a*c*e)*x^n)/(a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)*n*(a + b*x^n + c*x^(2*n))) - (c*e^2*(2*c*d - (b + Sqrt[b^2 - 4*a*c]))*e)*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]/((b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2) - (c*((2*a*b*c*e*(2 - 3*n) - 4*a*c^2*d*(1 - 2*n) + b^2*c*d*(1 - n) - b^3*e*(1 - n))/Sqrt[b^2 - 4*a*c] + (b*c*d - b^2*e + 2*a*c*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*$

$$\frac{x^n/(b - \sqrt{b^2 - 4ac})}{(a(b^2 - 4ac)(b - \sqrt{b^2 - 4ac})(cd^2 - bde + ae^2)n - (c^2(2cd - (b - \sqrt{b^2 - 4ac})e)x \operatorname{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2cx^n)/(b + \sqrt{b^2 - 4ac})])/(b^2 - 4ac + b\sqrt{b^2 - 4ac})(cd^2 - bde + ae^2)^2 + (c(bc(2ae(2 - 3n) - \sqrt{b^2 - 4ac}d(1 - n)) - 2ac(2cd(1 - 2n) + \sqrt{b^2 - 4ac}e(1 - n)) - b^3e(1 - n) + b^2(cd + \sqrt{b^2 - 4ac}e)(1 - n))x \operatorname{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2cx^n)/(b + \sqrt{b^2 - 4ac})])/(a(b^2 - 4ac)(b^2 - 4ac + b\sqrt{b^2 - 4ac})(cd^2 - bde + ae^2)n) + (e^4x \operatorname{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, -(ex^n)/d])/(d(cd^2 - bde + ae^2)^2)}$$

### Rule 245

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

### Rule 1422

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4ac, 2]}, Dist[e/2 + (2cd - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2cd - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4ac, 0] && NeQ[cd^2 - bde + ae^2, 0] && (PosQ[b^2 - 4ac] || !IGtQ[n/2, 0])
```

### Rule 1430

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(db^2 - a*b*e - 2ac*d + (b*d - 2ae)*c*x^n)*(a + b*x^n + c*x^(2n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4ac)), x] + Dist[1/(a*n*(p + 1)*(b^2 - 4ac)), Int[Simp[(n*p + n + 1)*db^2 - a*b*e - 2ac*d*(2n*p + 2n + 1) + (2n*p + 3n + 1)*(d*b - 2ae)*c*x^n, x]*(a + b*x^n + c*x^(2n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4ac, 0] && ILtQ[p, -1]
```

### Rule 1436

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4ac, 0] && NeQ[cd^2 - bde + ae^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```



Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})^2} dx &= \int \left( \frac{e^4}{(cd^2 - bde + ae^2)^2 (d + ex^n)} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})^2} - \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})} \right) dx \\
&= -\frac{e^2 \int \frac{-cd + be + cex^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^2} + \frac{e^4 \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^2} + \frac{\int \frac{cd - be - cex^n}{(a + bx^n + cx^{2n})^2} dx}{cd^2 - bde + ae^2} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})} + \frac{e^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{cd - be - cex^n}{d + ex^n}\right)}{d(cd^2 - bde + ae^2)} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})} - \frac{ce^2 \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right)}{\left( b - \sqrt{b^2 - 4ac} \right)} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})} - \frac{ce^2 \left( e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right)}{\left( b - \sqrt{b^2 - 4ac} \right)}
\end{aligned}$$

**Mathematica [B]** time = 7.22, size = 11767, normalized size = 16.21

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2), x]

[Out] Result too large to show

**fricas [F]** time = 2.02, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{b^2ex^{3n} + a^2d + (c^2ex^n + c^2d)x^{4n} + 2(bce x^{2n} + acd + (bcd + ace)x^n)x^{2n} + (b^2d + 2abe)x^{2n} + (2abd + a^2e)x^n}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral(1/(b^2\*e\*x^(3\*n) + a^2\*d + (c^2\*e\*x^n + c^2\*d)\*x^(4\*n) + 2\*(b\*c\*e\*x^(2\*n) + a\*c\*d + (b\*c\*d + a\*c\*e)\*x^n)\*x^(2\*n) + (b^2\*d + 2\*a\*b\*e)\*x^(2\*n) + (2\*a\*b\*d + a^2\*e)\*x^n), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)^2 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + b\*x^n + a)^2\*(e\*x^n + d)), x)

**maple** [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^2,x)

[Out] int(1/(e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$e^4 \int \frac{1}{c^2 d^5 - 2 b c d^4 e + b^2 d^3 e^2 + a^2 d e^4 + 2 (c d^3 e^2 - b d^2 e^3) a + (c^2 d^4 e - 2 b c d^3 e^2 + b^2 d^2 e^3 + a^2 e^5 + 2 (c d^2 e^3 - b d e^4) a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="maxima")

[Out] e^4\*integrate(1/(c^2\*d^5 - 2\*b\*c\*d^4\*e + b^2\*d^3\*e^2 + a^2\*d\*e^4 + 2\*(c\*d^3\*e^2 - b\*d^2\*e^3)\*a + (c^2\*d^4\*e - 2\*b\*c\*d^3\*e^2 + b^2\*d^2\*e^3 + a^2\*e^5 + 2\*(c\*d^2\*e^3 - b\*d\*e^4)\*a)\*x^n), x) - ((b\*c^2\*d - b^2\*c\*e + 2\*a\*c^2\*e)\*x\*x^n + (b^2\*c\*d - b^3\*e - (2\*c^2\*d - 3\*b\*c\*e)\*a)\*x)/(4\*a^4\*c\*e^2\*n + (4\*c^2\*d^2\*n - 4\*b\*c\*d\*e\*n - b^2\*e^2\*n)\*a^3 - (b^2\*c\*d^2\*n - b^3\*d\*e\*n)\*a^2 + (4\*a^3\*c^2\*e^2\*n + (4\*c^3\*d^2\*n - 4\*b\*c^2\*d\*e\*n - b^2\*c\*e^2\*n)\*a^2 - (b^2\*c^2\*d^2\*n - b^3\*c\*d\*e\*n)\*a)\*x^(2\*n) + (4\*a^3\*b\*c\*e^2\*n + (4\*b\*c^2\*d^2\*n - 4\*b^2\*c\*d\*e\*n - b^3\*e^2\*n)\*a^2 - (b^3\*c\*d^2\*n - b^4\*d\*e\*n)\*a)\*x^n) - integrate((b^2\*c^2\*d^3\*(n - 1) - 2\*b^3\*c\*d^2\*e\*(n - 1) + b^4\*d\*e^2\*(n - 1) + (b\*c\*e^3\*(8\*n - 3) - 2\*c^2\*d\*e^2\*(4\*n - 1))\*a^2 + (b\*c^2\*d^2\*e\*(8\*n - 5) - 2\*c^3\*d^3\*(2\*n - 1) - b^3\*e^3\*(2\*n - 1) - 2\*b^2\*c\*d\*e^2\*(n - 1))\*a + (2\*a^2\*c^2\*e^3\*(3\*n - 1) + b\*c^3\*d^3\*(n - 1) - 2\*b^2\*c^2\*d^2\*e\*(n - 1) + b^3\*c\*d\*e^2\*(n - 1) - (b^2\*c\*e^3\*(2\*n - 1) - 2\*c^3\*d^2\*e\*(n - 1) + b\*c^2\*d\*e^2\*(n - 1))\*a)\*x^n)/(4\*a^5\*c\*e^4\*n + (8\*c^2\*d^2\*e^2\*n - 8\*b\*c\*d\*e^3\*n - b^2\*e^4\*n)\*a^4 + 2\*(2

$c^3d^4n - 4b^2c^2d^3e^n + b^2cd^2e^2n + b^3d^3e^n)a^3 - (b^2c^2d^4n - 2b^3cd^3e^n + b^4d^2e^2n)a^2 + (4a^4c^2e^4n + (8c^3d^2e^2n - 8b^2c^2d^3e^n - b^2c^2e^4n)a^3 + 2(2c^4d^4n - 4b^2c^3d^3e^n + b^2c^2d^2e^2n + b^3cd^3e^n)a^2 - (b^2c^3d^4n - 2b^3c^2d^3e^n + b^4cd^2e^2n)a)x^{(2n)} + (4a^4b^2c^2e^4n + (8b^2c^2d^2e^2n - 8b^2cd^3e^n - b^3e^4n)a^3 + 2(2b^2c^3d^4n - 4b^2c^2d^3e^n + b^3cd^2e^2n + b^4d^3e^n)a^2 - (b^3c^2d^4n - 2b^4cd^3e^n + b^5d^2e^2n)a)x^n), x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2), x)

[Out] int(1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*2, x)

[Out] Timed out

$$3.79 \quad \int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^2} dx$$

**Optimal.** Leaf size=1129

$$\frac{2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d(cd^2 - bed + ae^2)^3} + \frac{x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d^2(cd^2 - bed + ae^2)^2} - \frac{2c\left(3c^2d^2 + b\left(b + \sqrt{b^2 - 4ac}\right)\right) e^2 - ce\left(3bd + 2\right)}{\left(b^2 - \sqrt{b^2 - 4ac} b\right)}$$

[Out]  $-x*(2*b^3*c*d*e-6*a*b*c^2*d*e-b^4*e^2-b^2*c*(-4*a*e^2+c*d^2)+2*a*c^2*(-a*e^2+c*d^2)+c*(2*b^2*c*d*e-4*a*c^2*d*e-b^3*e^2-b*c*(-3*a*e^2+c*d^2)))*x^n/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(a+b*x^n+c*x^(2*n))+2*e^4*(-b*e+2*c*d)*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^3+e^4*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)^2-2*c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(3*c^2*d^2+b*e^2*(b-(-4*a*c+b^2)^(1/2))-c*e*(3*b*d+a*e-2*d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-2*c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(3*c^2*d^2+b*e^2*(b+(-4*a*c+b^2)^(1/2))-c*e*(3*b*d+a*e+2*d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))+c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(b^4*e^2*(1-n)-b^3*e*(1-n)*(2*c*d+e*(-4*a*c+b^2)^(1/2))-b^2*c*(-c*d^2*(1-n)+e*(a*e*(5-7*n)-2*d*(1-n)*(-4*a*c+b^2)^(1/2)))+b*c*(3*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*(2-3*n)-d*(1-n)*(-4*a*c+b^2)^(1/2)))+4*a*c^2*(-c*d^2*(1-2*n)+e*(a*e*(1-2*n)-d*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))+c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(b^4*e^2*(1-n)-b^3*e*(1-n)*(2*c*d-e*(-4*a*c+b^2)^(1/2))+b*c*(-3*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*(2-3*n)+d*(1-n)*(-4*a*c+b^2)^(1/2)))+4*a*c^2*(-c*d^2*(1-2*n)+e*(a*e*(1-2*n)+d*(1-n)*(-4*a*c+b^2)^(1/2)))-b^2*c*(-c*d^2*(1-n)+e*(a*e*(5-7*n)+2*d*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

**Rubi [A]** time = 3.34, antiderivative size = 1129, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1436, 245, 1430, 1422}

$$\frac{2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d(cd^2 - bed + ae^2)^3} + \frac{x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d^2(cd^2 - bed + ae^2)^2} - \frac{2c\left(3c^2d^2 + b\left(b + \sqrt{b^2 - 4ac}\right)\right) e^2 - ce\left(3bd + 2\right)}{\left(b^2 - \sqrt{b^2 - 4ac} b\right)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^2), x]

```
[Out] -((x*(2*b^3*c*d*e - 6*a*b*c^2*d*e - b^4*e^2 - b^2*c*(c*d^2 - 4*a*e^2) + 2*a
*c^2*(c*d^2 - a*e^2) + c*(2*b^2*c*d*e - 4*a*c^2*d*e - b^3*e^2 - b*c*(c*d^2
- 3*a*e^2))*x^n))/(a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)^2*n*(a + b*x^n +
c*x^(2*n)))) - (2*c*e^2*(3*c^2*d^2 + b*(b + Sqrt[b^2 - 4*a*c])*e^2 - c*e*(
3*b*d + 2*Sqrt[b^2 - 4*a*c]*d + a*e))*x*Hypergeometric2F1[1, n^(-1), 1 + n^
(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]/((b^2 - 4*a*c - b*Sqrt[b^2 - 4*a
*c])*(c*d^2 - b*d*e + a*e^2)^3) + (c*(4*a*c^2*(e*(a*e*(1 - 2*n) + Sqrt[b^2
- 4*a*c]*d*(1 - n)) - c*d^2*(1 - 2*n)) - b^2*c*(e*(a*e*(5 - 7*n) + 2*Sqrt[b
^2 - 4*a*c]*d*(1 - n)) - c*d^2*(1 - n)) + b*c*(c*d*(4*a*e*(2 - 3*n) + Sqrt[
b^2 - 4*a*c]*d*(1 - n)) - 3*a*Sqrt[b^2 - 4*a*c]*e^2*(1 - n)) + b^4*e^2*(1 -
n) - b^3*e*(2*c*d - Sqrt[b^2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n
^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]/(a*(b^2 - 4*a*c)*(b
^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n) - (2*c*e^2*(
3*c^2*d^2 + b*(b - Sqrt[b^2 - 4*a*c])*e^2 - c*e*(3*b*d - 2*Sqrt[b^2 - 4*a*c
]*d + a*e))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt
[b^2 - 4*a*c])]/((b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^
2)^3) + (c*(4*a*c^2*(e*(a*e*(1 - 2*n) - Sqrt[b^2 - 4*a*c]*d*(1 - n)) - c*d^
2*(1 - 2*n)) - b^2*c*(e*(a*e*(5 - 7*n) - 2*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - c
*d^2*(1 - n)) + b*c*(c*d*(4*a*e*(2 - 3*n) - Sqrt[b^2 - 4*a*c]*d*(1 - n)) +
3*a*Sqrt[b^2 - 4*a*c]*e^2*(1 - n)) + b^4*e^2*(1 - n) - b^3*e*(2*c*d + Sqrt[
b^2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x
^n)/(b + Sqrt[b^2 - 4*a*c])]/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*Sqrt[b^2 -
4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n) + (2*e^4*(2*c*d - b*e))*x*Hypergeometri
c2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d*(c*d^2 - b*d*e + a*e^2)^3) +
(e^4*x*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d^2*(c*d^2
- b*d*e + a*e^2)^2)
```

### Rule 245

```
Int[((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])
```

### Rule 1422

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

### Rule 1430

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p
```

```

_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]

```

### Rule 1436

```

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_
))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2
*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] &&
!IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})^2} dx &= \int \left( \frac{e^4}{(cd^2 - bde + ae^2)^2 (d + ex^n)^2} - \frac{2e^4(-2cd + be)}{(cd^2 - bde + ae^2)^3 (d + ex^n)} + \frac{c^2d^2 - 2cd^2}{(cd^2 - bde + ae^2)^3} \right) dx \\
&= \frac{e^2 \int \frac{3c^2d^2 - 5bcde + 2b^2e^2 - ace^2 + (-4c^2de + 2bce^2)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^3} + \frac{(2e^4(2cd - be)) \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^3} + \frac{c^2d^2 - 2cd^2}{(cd^2 - bde + ae^2)^3} \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2cd - b^3cde))}{a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2cd - b^3cde))}{a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2cd - b^3cde))}{a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)}
\end{aligned}$$

**Mathematica [B]** time = 8.02, size = 16855, normalized size = 14.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^2), x]

[Out] Result too large to show

**fricas** [F] time = 6.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{b^2e^2x^{4n} + a^2d^2 + (c^2e^2x^{2n} + 2c^2dex^n + c^2d^2)x^{4n} + 2(b^2de + abe^2)x^{3n} + 2(bce^2x^{3n} + acd^2 + (2bcde$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="fricas")

[Out] integral(1/(b^2\*e^2\*x^(4\*n) + a^2\*d^2 + (c^2\*e^2\*x^(2\*n) + 2\*c^2\*d\*e\*x^n + c^2\*d^2)\*x^(4\*n) + 2\*(b^2\*d\*e + a\*b\*e^2)\*x^(3\*n) + 2\*(b\*c\*e^2\*x^(3\*n) + a\*c\*d^2 + (2\*b\*c\*d\*e + a\*c\*e^2)\*x^(2\*n) + (b\*c\*d^2 + 2\*a\*c\*d\*e)\*x^n)\*x^(2\*n) + (b^2\*d^2 + 4\*a\*b\*d\*e + a^2\*e^2)\*x^(2\*n) + 2\*(a\*b\*d^2 + a^2\*d\*e)\*x^n), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)^2 (ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + b\*x^n + a)^2\*(e\*x^n + d)^2), x)

**maple** [F] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a)^2,x)

[Out] int(1/(e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^2,x, algorithm="maxima")

```
[Out] (c*d^2*e^4*(5*n - 1) - b*d*e^5*(3*n - 1) + a*e^6*(n - 1))*integrate(1/(c^3*d^8*n - 3*b*c^2*d^7*e*n + 3*b^2*c*d^6*e^2*n - b^3*d^5*e^3*n + a^3*d^2*e^6*n + 3*(c*d^4*e^4*n - b*d^3*e^5*n)*a^2 + 3*(c^2*d^6*e^2*n - 2*b*c*d^5*e^3*n + b^2*d^4*e^4*n)*a + (c^3*d^7*e*n - 3*b*c^2*d^6*e^2*n + 3*b^2*c*d^5*e^3*n - b^3*d^4*e^4*n + a^3*d*e^7*n + 3*(c*d^3*e^5*n - b*d^2*e^6*n)*a^2 + 3*(c^2*d^5*e^3*n - 2*b*c*d^4*e^4*n + b^2*d^3*e^5*n)*a)*x^n), x) - ((b*c^3*d^3*e - 2*b^2*c^2*d^2*e^2 + b^3*c*d*e^3 - 4*a^2*c^2*e^4 + (4*c^3*d^2*e^2 - 3*b*c^2*d*e^3 + b^2*c*e^4)*a)*x*x^(2*n) + (b*c^3*d^4 - b^2*c^2*d^3*e - b^3*c*d^2*e^2 + b^4*d*e^3 + 2*(c^2*d*e^3 - 2*b*c*e^4)*a^2 + (2*c^3*d^3*e + 3*b*c^2*d^2*e^2 - 4*b^2*c*d*e^3 + b^3*e^4)*a)*x*x^n + (b^2*c^2*d^4 - 2*b^3*c*d^3*e + b^4*d^2*e^2 - 4*a^3*c*e^4 + (2*c^2*d^2*e^2 + b^2*e^4)*a^2 - 2*(c^3*d^4 - 3*b*c^2*d^3*e + 2*b^2*c*d^2*e^2)*a)*x)/(4*a^5*c*d^2*e^4*n + (8*c^2*d^4*e^2*n - 8*b*c*d^3*e^3*n - b^2*d^2*e^4*n)*a^4 + 2*(2*c^3*d^6*n - 4*b*c^2*d^5*e*n + b^2*c*d^4*e^2*n + b^3*d^3*e^3*n)*a^3 - (b^2*c^2*d^6*n - 2*b^3*c*d^5*e*n + b^4*d^4*e^2*n)*a^2 + (4*a^4*c^2*d*e^5*n + (8*c^3*d^3*e^3*n - 8*b*c^2*d^2*e^4*n - b^2*c*d*e^5*n)*a^3 + 2*(2*c^4*d^5*e*n - 4*b*c^3*d^4*e^2*n + b^2*c^2*d^3*e^3*n + b^3*c*d^2*e^4*n)*a^2 - (b^2*c^3*d^5*e*n - 2*b^3*c^2*d^4*e^2*n + b^4*c*d^3*e^3*n)*a)*x^(3*n) + (4*(c^2*d^2*e^4*n + b*c*d*e^5*n)*a^4 + (8*c^3*d^4*e^2*n - 9*b^2*c*d^2*e^4*n - b^3*d*e^5*n)*a^3 + 2*(2*c^4*d^6*n - 2*b*c^3*d^5*e*n - 3*b^2*c^2*d^4*e^2*n + 2*b^3*c*d^3*e^3*n + b^4*d^2*e^4*n)*a^2 - (b^2*c^3*d^6*n - b^3*c^2*d^5*e*n - b^4*c*d^4*e^2*n + b^5*d^3*e^3*n)*a)*x^(2*n) + (4*a^5*c*d*e^5*n + (8*c^2*d^3*e^3*n - 4*b*c*d^2*e^4*n - b^2*d*e^5*n)*a^4 + (4*c^3*d^5*e*n - 6*b^2*c*d^3*e^3*n + b^3*d^2*e^4*n)*a^3 + (4*b*c^3*d^6*n - 9*b^2*c^2*d^5*e*n + 4*b^3*c*d^4*e^2*n + b^4*d^3*e^3*n)*a^2 - (b^3*c^2*d^6*n - 2*b^4*c*d^5*e*n + b^5*d^4*e^2*n)*a)*x^n) + integrate(-(2*a^3*c^2*e^4*(4*n - 1) + b^2*c^3*d^4*(n - 1) - 3*b^3*c^2*d^3*e*(n - 1) + 3*b^4*c*d^2*e^2*(n - 1) - b^5*d*e^3*(n - 1) - 2*(b^2*c*e^4*(7*n - 2) - 2*b*c^2*d*e^3*(6*n - 1) + 6*c^3*d^2*e^2*n)*a^2 + (b^4*e^4*(3*n - 1) + 4*b*c^3*d^3*e*(3*n - 2) - 2*c^4*d^4*(2*n - 1) - 2*b^3*c*d*e^3*(n + 1) - 9*b^2*c^2*d^2*e^2*(n - 1))*a + (b*c^4*d^4*(n - 1) - 3*b^2*c^3*d^3*e*(n - 1) + 3*b^3*c^2*d^2*e^2*(n - 1) - b^4*c*d*e^3*(n - 1) - (b*c^2*e^4*(11*n - 3) - 4*c^3*d*e^3*(5*n - 1))*a^2 - (b^2*c^2*d*e^3*(3*n + 1) - b^3*c*e^4*(3*n - 1) - 4*c^4*d^3*e*(n - 1) + 6*b*c^3*d^2*e^2*(n - 1))*a)*x^n)/(4*a^6*c*e^6*n + (12*c^2*d^2*e^4*n - 12*b*c*d*e^5*n - b^2*e^6*n)*a^5 + 3*(4*c^3*d^4*e^2*n - 8*b*c^2*d^3*e^3*n + 3*b^2*c*d^2*e^4*n + b^3*d*e^5*n)*a^4 + (4*c^4*d^6*n - 12*b*c^3*d^5*e*n + 9*b^2*c^2*d^4*e^2*n + 2*b^3*c*d^3*e^3*n - 3*b^4*d^2*e^4*n)*a^3 - (b^2*c^3*d^6*n - 3*b^3*c^2*d^5*e*n + 3*b^4*c*d^4*e^2*n - b^5*d^3*e^3*n)*a^2 + (4*a^5*c^2*e^6*n + (12*c^3*d^2*e^4*n - 12*b*c^2*d*e^5*n - b^2*c*e^6*n)*a^4 + 3*(4*c^4*d^4*e^2*n - 8*b*c^3*d^3*e^3*n + 3*b^2*c^2*d^2*e^4*n + b^3*c*d*e^5*n)*a^3 + (4*c^5*d^6*n - 12*b*c^4*d^5*e*n + 9*b^2*c^3*d^4*e^2*n + 2*b^3*c^2*d^3*e^3*n - 3*b^4*c*d^2*e^4*n)*a^2 - (b^2*c^4*d^6*n - 3*b^3*c^3*d^5*e*n + 3*b^4*c^2*d^4*e^2*n - b^5*c*d^3*e^3*n)*a)*x^(2*n) + (4*a^5*b*c*e^6*n + (12*b*c^2*d^2*e^4*n - 12*b^2*c*d*e^5*n - b^3*e^6*n)*a^4 + 3*(4*b*c^3*d^4*e^2*n - 8*b^2*c^2*d^3*e^3*n + 3*b^3*c*d^2*e^4*n + b^4*d*e^5*n)*a^3 + (4*b*c^4*d^6*n - 12*b^2*c^3*d^5*e*n + 9*b^3*c^2*d^4*e^2*n + 2*b^4*c*d^3*e^3*n - 3*b^5*d^2*e^4*n)*a^2
```



- (b<sup>3</sup>\*c<sup>3</sup>\*d<sup>6</sup>\*n - 3\*b<sup>4</sup>\*c<sup>2</sup>\*d<sup>5</sup>\*e\*n + 3\*b<sup>5</sup>\*c\*d<sup>4</sup>\*e<sup>2</sup>\*n - b<sup>6</sup>\*d<sup>3</sup>\*e<sup>3</sup>\*n)\*a  
 )\*x<sup>n</sup>), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n)^2 (a + b x^n + c x^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x<sup>n</sup>)<sup>2</sup>\*(a + b\*x<sup>n</sup> + c\*x<sup>(2\*n)</sup>)<sup>2</sup>), x)

[Out] int(1/((d + e\*x<sup>n</sup>)<sup>2</sup>\*(a + b\*x<sup>n</sup> + c\*x<sup>(2\*n)</sup>)<sup>2</sup>), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)\*\*2/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*2, x)

[Out] Timed out

$$3.80 \quad \int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=1707

$$\frac{\left(-e(1-n)b^3 + (3cd - \sqrt{b^2 - 4ac}e)\right)(1-n)b^2 + c\left(2ae(2-5n) + 3\sqrt{b^2 - 4ac}d(1-n)\right)b - 2ac\left(6cd(1-2n) + \sqrt{b^2 - 4ac}n\right)}{ac(b^2 - 4ac)\left(b^2 - \sqrt{b^2 - 4ac}b - 4ac\right)n}$$

[Out]  $\frac{1}{2}x(b^2cd^3 - 2ac^2d^2 - 3a^2cd^2 - ab^2e^2 + 3c^2d^2) - ab^2e^3 + 2ac^2e^2(-ae^2 + 3cd^2) - b^2c^2d(3ae^2 + cd^2)x^n / a/c/(-4ac + b^2)/n / (a + bx^n + cx^{2n})^2 + e^2x(3b^2cd - 6a^2c^2d - b^3e + abc^2e + c(-2ac^2e - b^2e + 3b^2cd)x^n) / a/c^2/(-4ac + b^2)/n / (a + bx^n + cx^{2n}) - \frac{1}{2}x(ab^2c^2d(3ae^2(1-9n) - 5c^2d^2(1-3n)) + 4a^2c^3d(-3ae^2 + cd^2)(1-4n) - 2ab^5e^3n + 2a^2b^2c^2e(3cd^2(2-3n) - 5a^2e^2n) - 3ab^3c^2e(-3ae^2n + cd^2) + b^4c^2d(c^2d^2(1-2n) + 6a^2e^2n) + c(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6a^2e^2n) - ab^2c^2e(3cd^2 - ae^2(1+2n)))x^n) / a^2/c^2/(-4ac + b^2)^2/n^2 / (a + bx^n + cx^{2n}) + \frac{1}{2}x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n / (b - (-4ac + b^2)^{1/2})) * ((1-n)(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6a^2e^2n) - ab^2c^2e(3cd^2 - ae^2(1+2n))) + (-2ab^5e^3(1-n)n + b^4c^2d(1-n)(c^2d^2(1-2n) + 6a^2e^2n) + 8a^2c^3d(-3ae^2 + cd^2)(8n^2 - 6n + 1) - 6ab^2c^2d(c^2d^2(3n^2 - 4n + 1) - ae^2(15n^2 - 10n + 1)) + 4a^2b^2c^2e(3cd^2(-3n^2 - n + 1) + ae^2(19n^2 - 11n + 1)) - ab^3c^2e(3cd^2(1-n) + ae^2(30n^2 - 19n + 1))) / (-4ac + b^2)^{1/2}) / a^2/c/(-4ac + b^2)^2/n^2 / (b - (-4ac + b^2)^{1/2}) + \frac{1}{2}x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n / (b + (-4ac + b^2)^{1/2})) * ((1-n)(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6a^2e^2n) - ab^2c^2e(3cd^2 - ae^2(1+2n))) + (2ab^5e^3(1-n)n - b^4c^2d(1-n)(c^2d^2(1-2n) + 6a^2e^2n) - 8a^2c^3d(-3ae^2 + cd^2)(8n^2 - 6n + 1) + 6ab^2c^2d(c^2d^2(3n^2 - 4n + 1) - ae^2(15n^2 - 10n + 1)) - 4a^2b^2c^2e(3cd^2(-3n^2 - n + 1) + ae^2(19n^2 - 11n + 1)) + ab^3c^2e(3cd^2(1-n) + ae^2(30n^2 - 19n + 1))) / (-4ac + b^2)^{1/2}) / a^2/c/(-4ac + b^2)^2/n^2 / (b + (-4ac + b^2)^{1/2}) + e^2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n / (b + (-4ac + b^2)^{1/2})) * (-b^3e(1-n) + b^2(1-n)(3cd + e(-4ac + b^2)^{1/2}) + bc(2ae(2-5n) - 3d(1-n)(-4ac + b^2)^{1/2}) - 2ac(6cd(1-2n) - e(1-n)(-4ac + b^2)^{1/2})) / a/c/(-4ac + b^2)/n / (b^2 - 4ac + b(-4ac + b^2)^{1/2}) + e^2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n / (b - (-4ac + b^2)^{1/2})) * (-b^3e(1-n) + b^2(1-n)(3cd - e(-4ac + b^2)^{1/2}) + bc(2ae(2-5n) + 3d(1-n)(-4ac + b^2)^{1/2}) - 2ac(6cd(1-2n) + e(1-n)(-4ac + b^2)^{1/2})) / a/c/(-4ac + b^2)/n / (b^2 - 4ac - b(-4ac + b^2)^{1/2})$

Rubi [A] time = 5.25, antiderivative size = 1707, normalized size of antiderivative

= 1.00, number of steps used = 11, number of rules used = 4, integrand size = 26,  
 $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1436, 1430, 1422, 245}

result too large to display

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n))^3,x]

[Out] 
$$\frac{(x(b^2cd^3 - 2ac^2d(c^2d^2 - 3ae^2) - abe(3cd^2 + ae^2) - (ab^2e^3 + 2ace(3cd^2 - ae^2) - bcd(c^2d^2 + 3ae^2))x^n))/(2ac(b^2 - 4ac)^n(a + b^n + c^{2n})^2) + (e^2x(3b^2cd - 6ac^2d - b^3e + abc + c(3bcd - b^2e - 2ace)x^n))/(ac^2(b^2 - 4ac)^n(a + b^n + c^{2n})) - (x(ab^2c^2d(3ae^2(1 - 9n) - 5cd^2(1 - 3n)) + 4a^2c^3d(c^2d^2 - 3ae^2)(1 - 4n) - 2ab^5e^3n + 2a^2b^2c^2e(3cd^2(2 - 3n) - 5ae^2n) - 3ab^3ce(c^2d^2 - 3ae^2n) + b^4cd(c^2d^2(1 - 2n) + 6ae^2n) + c(4a^2c^2e(3cd^2 - ae^2)(1 - 3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2 - 7n) + 3ae^2n) + b^3cd(c^2d^2(1 - 2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1 + 2n)))x^n)/(2a^2c^2(b^2 - 4ac)^{2n}(a + b^n + c^{2n})) + (e^2(bc(2ae(2 - 5n) + 3\sqrt{b^2 - 4ac})d(1 - n) - 2ac(6cd(1 - 2n) + \sqrt{b^2 - 4ac})e(1 - n) - b^3e(1 - n) + b^2(3cd - \sqrt{b^2 - 4ac})e)(1 - n)x\text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2cx^n)/(b - \sqrt{b^2 - 4ac})])/(ac(b^2 - 4ac)(b^2 - 4ac - b\sqrt{b^2 - 4ac})^n) + (((1 - n)(4a^2c^2e(3cd^2 - ae^2)(1 - 3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2 - 7n) + 3ae^2n) + b^3cd(c^2d^2(1 - 2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1 + 2n))) - (2ab^5e^3(1 - n)n - b^4cd(1 - n)(c^2d^2(1 - 2n) + 6ae^2n) - 8a^2c^3d(c^2d^2 - 3ae^2)(1 - 6n + 8n^2) + 6ab^2c^2d(c^2d^2(1 - 4n + 3n^2) - ae^2(1 - 10n + 15n^2)) - 4a^2bc^2e(3cd^2(1 - n - 3n^2) + ae^2(1 - 11n + 19n^2)) + ab^3ce(3cd^2(1 - n) + ae^2(1 - 19n + 30n^2)))/\sqrt{b^2 - 4ac})x\text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2cx^n)/(b - \sqrt{b^2 - 4ac})])/(2a^2c(b^2 - 4ac)^2(b - \sqrt{b^2 - 4ac})^n) + (e^2(bc(2ae(2 - 5n) - 3\sqrt{b^2 - 4ac})d(1 - n) - 2ac(6cd(1 - 2n) - \sqrt{b^2 - 4ac})e(1 - n) - b^3e(1 - n) + b^2(3cd + \sqrt{b^2 - 4ac})e)(1 - n)x\text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2cx^n)/(b + \sqrt{b^2 - 4ac})])/(ac(b^2 - 4ac)(b^2 - 4ac + b\sqrt{b^2 - 4ac})^n) + (((1 - n)(4a^2c^2e(3cd^2 - ae^2)(1 - 3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2 - 7n) + 3ae^2n) + b^3cd(c^2d^2(1 - 2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1 + 2n))) + (2ab^5e^3(1 - n)n - b^4cd(1 - n)(c^2d^2(1 - 2n) + 6ae^2n) - 8a^2c^3d(c^2d^2 - 3ae^2)(1 - 6n + 8n^2) + 6ab^2c^2d(c^2d^2(1 - 4n + 3n^2) - ae^2(1 - 10n + 15n^2)) - 4a^2bc^2e(3cd^2(1 - n - 3n^2) + ae^2(1 - 11n + 19n^2)) + ab^3ce(3cd^2(1 - n) + ae^2(1 - 19n + 30n^2)))/\sqrt{b^2 - 4ac})x\text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, (-2c$$

$x^n/(b + \sqrt{b^2 - 4ac})]/(2a^2c(b^2 - 4ac)^2(b + \sqrt{b^2 - 4ac}))n^2)$

#### Rule 245

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b\*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

#### Rule 1422

Int[((d\_) + (e\_.)\*(x\_)^(n\_))/((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_)), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^n), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && (PosQ[b^2 - 4\*a\*c] || !IGtQ[n/2, 0])

#### Rule 1430

Int[((d\_) + (e\_.)\*(x\_)^(n\_))\*((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_))^(p\_), x\_Symbol] := -Simp[(x\*(d\*b^2 - a\*b\*e - 2\*a\*c\*d + (b\*d - 2\*a\*e)\*c\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(p + 1))/(a\*n\*(p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/(a\*n\*(p + 1)\*(b^2 - 4\*a\*c)), Int[Simp[(n\*p + n + 1)\*d\*b^2 - a\*b\*e - 2\*a\*c\*d\*(2\*n\*p + 2\*n + 1) + (2\*n\*p + 3\*n + 1)\*(d\*b - 2\*a\*e)\*c\*x^n, x]\*(a + b\*x^n + c\*x^(2\*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && ILtQ[p, -1]

#### Rule 1436

Int[((d\_) + (e\_.)\*(x\_)^(n\_))^(q\_)\*((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

#### Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^3}{(a + bx^n + cx^{2n})^3} dx &= \int \left( \frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{c^2 (a + bx^n + cx^{2n})^3} + \frac{e^2 (3cd - be + cex^n)}{c^2 (a + bx^n + cx^{2n})} \right) dx \\
&= \frac{\int \frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{(a + bx^n + cx^{2n})^3} dx}{c^2} + \frac{e^2 \int \frac{3cd - be + cex^n}{(a + bx^n + cx^{2n})^2} dx}{c^2} \\
&= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (c^2 d^2 - 3ace^2)))}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \\
&= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (c^2 d^2 - 3ace^2)))}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \\
&= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (c^2 d^2 - 3ace^2)))}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \\
&= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd (c^2 d^2 - 3ace^2)))}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2}
\end{aligned}$$

**Mathematica [B]** time = 7.79, size = 13018, normalized size = 7.63

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n))^3,x]

[Out] Result too large to show

**fricas [F]** time = 1.20, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^3 x^{6n} + b^3 x^{3n} + 3 a b^2 x^{2n} + 3 a^2 b x^n + a^3 + 3 (b c^2 x^n + a c^2) x^{4n} + 3 (b^2 c x^{2n} + 2 a b c x^n + a^2 c) x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral((e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3)/(c^3\*x^(6\*n) + b^3\*x^(3\*n) + 3\*a\*b^2\*x^(2\*n) + 3\*a^2\*b\*x^n + a^3 + 3\*(b\*c^2\*x^n + a\*c^2)\*x^(4\*n) + 3\*(b^2\*c\*x^(2\*n) + 2\*a\*b\*c\*x^n + a^2\*c)\*x^(2\*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate((e\*x^n + d)^3/(c\*x^(2\*n) + b\*x^n + a)^3, x)

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(bx^n + cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^3/(b\*x^n+c\*x^(2\*n)+a)^3,x)

[Out] int((e\*x^n+d)^3/(b\*x^n+c\*x^(2\*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] 1/2\*((b^3\*c^2\*d^3\*(2\*n - 1) + 4\*a^3\*c^2\*e^3\*(n + 1) + (12\*c^3\*d^2\*e\*(3\*n - 1) + b^2\*c\*e^3\*(2\*n - 1) - 18\*b\*c^2\*d\*e^2\*n)\*a^2 - (2\*b\*c^3\*d^3\*(7\*n - 2) - 3\*b^2\*c^2\*d^2\*e)\*a)\*x\*x^(3\*n) + (2\*b^4\*c\*d^3\*(2\*n - 1) + 2\*(b\*c\*e^3\*(3\*n + 2) + 6\*c^2\*d\*e^2)\*a^3 - (3\*b^2\*c\*d\*e^2\*(9\*n + 1) - 6\*b\*c^2\*d^2\*e\*(9\*n - 4) - 4\*c^3\*d^3\*(4\*n - 1) - b^3\*e^3\*(3\*n - 1))\*a^2 - (b^2\*c^2\*d^3\*(29\*n - 9) - 6\*b^3\*c\*d^2\*e)\*a)\*x\*x^(2\*n) + (b^5\*d^3\*(2\*n - 1) - 4\*a^4\*c\*e^3\*(n - 1) + (b^2\*e^3\*(10\*n - 1) + 12\*c^2\*d^2\*e\*(5\*n - 1) - 6\*b\*c\*d\*e^2\*(5\*n - 2))\*a^3 + (3\*b^2\*c\*d^2\*e\*(4\*n - 3) - 3\*b^3\*d\*e^2\*(2\*n + 1) - 2\*b\*c^2\*d^3\*n)\*a^2 - (4\*b^3\*c\*d^3\*(3\*n - 1) - 3\*b^4\*d^2\*e)\*a)\*x\*x^n + (a\*b^4\*d^3\*(3\*n - 1) - 6\*(2\*c\*d\*e^2\*(2\*n - 1) - b\*e^3\*n)\*a^4 + (4\*c^2\*d^3\*(6\*n - 1) + 6\*b\*c\*d^2\*e\*(5\*n - 2) - 3\*b^2\*d\*e^2\*(n + 1))\*a^3 - (b^2\*c\*d^3\*(21\*n - 5) + 3\*b^3\*d^2\*e\*(n - 1))\*a^2)\*x)/(a^4\*b^4\*n^2 - 8\*a^5\*b^2\*c\*n^2 + 16\*a^6\*c^2\*n^2 + (a^2\*b^4\*c^2\*n

```

^2 - 8*a^3*b^2*c^3*n^2 + 16*a^4*c^4*n^2)*x^(4*n) + 2*(a^2*b^5*c*n^2 - 8*a^3
*b^3*c^2*n^2 + 16*a^4*b*c^3*n^2)*x^(3*n) + (a^2*b^6*n^2 - 6*a^3*b^4*c*n^2 +
32*a^5*c^3*n^2)*x^(2*n) + 2*(a^3*b^5*n^2 - 8*a^4*b^3*c*n^2 + 16*a^5*b*c^2*
n^2)*x^n) + integrate(1/2*((2*n^2 - 3*n + 1)*b^4*d^3 + 6*(2*c*d*e^2*(2*n -
1) - b*e^3*n)*a^3 + (4*(8*n^2 - 6*n + 1)*c^2*d^3 - 6*b*c*d^2*e*(5*n - 2) +
3*b^2*d*e^2*(n + 1))*a^2 - ((16*n^2 - 21*n + 5)*b^2*c*d^3 - 3*b^3*d^2*e*(n
- 1))*a + ((2*n^2 - 3*n + 1)*b^3*c*d^3 + 4*(n^2 - 1)*a^3*c*e^3 + (12*(3*n^2
- 4*n + 1)*c^2*d^2*e - 18*(n^2 - n)*b*c*d*e^2 + (2*n^2 - 3*n + 1)*b^2*e^3)
*a^2 - (2*(7*n^2 - 9*n + 2)*b*c^2*d^3 - 3*b^2*c*d^2*e*(n - 1))*a)*x^n)/(a^3
*b^4*n^2 - 8*a^4*b^2*c*n^2 + 16*a^5*c^2*n^2 + (a^2*b^4*c*n^2 - 8*a^3*b^2*c^
2*n^2 + 16*a^4*c^3*n^2)*x^(2*n) + (a^2*b^5*n^2 - 8*a^3*b^3*c*n^2 + 16*a^4*b
*c^2*n^2)*x^n), x)

```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^3}{(a + b x^n + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n))^3,x)

[Out] int((d + e\*x^n)^3/(a + b\*x^n + c\*x^(2\*n))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*3/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*3,x)

[Out] Timed out

$$3.81 \quad \int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^3} dx$$

**Optimal.** Leaf size=1191

$$\frac{\left(-((1-n)b^2) - \sqrt{b^2 - 4ac}(1-n)b + 4ac(1-2n)\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right) e^2 \left(-((1-n)b^2) + \sqrt{b^2 - 4ac}(1-n)b + 4ac(1-2n)\right)}{a(b^2 - 4ac)\left(b^2 - \sqrt{b^2 - 4ac}b - 4ac\right)n}$$

[Out]  $\frac{1}{2} x (b^2 d^2 - 2 a b d e - 2 a^2 (-a e^2 + c d^2) + (a b e^2 - 4 a c d e + b c d^2) x^n) / a / (-4 a^2 c + b^2) / n / (a + b x^n + c x^{2n})^2 + e^{2 x} (b^2 - 2 a c + b c x^n) / a / c / (-4 a^2 c + b^2) / n / (a + b x^n + c x^{2n}) + \frac{1}{2} x (2 a^2 b^3 c d e - a b^2 c (a e^2 (1 - 9 n) - 5 c d^2 (1 - 3 n)) - 4 a^2 c^2 (-a e^2 + c d^2) (1 - 4 n) - 4 a^2 b c^2 d e (2 - 3 n) - b^4 (c d^2 (1 - 2 n) + 2 a e^2 n) + c (2 a b^2 c d e - 8 a^2 c^2 d e (1 - 3 n) + 2 a b c (c d^2 (2 - 7 n) + a e^2 n) - b^3 (c d^2 (1 - 2 n) + 2 a e^2 n))) x^n / a^2 / c / (-4 a^2 c + b^2)^2 / n^2 / (a + b x^n + c x^{2n}) - \frac{1}{2} x \operatorname{hypergeom}([1, 1/n], [1 + 1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * ((1 - n) (2 a b^2 c d e - 8 a^2 c^2 d e (1 - 3 n) + 2 a b c (c d^2 (2 - 7 n) + a e^2 n) - b^3 (c d^2 (1 - 2 n) + 2 a e^2 n)) + (2 a b^3 c d e (1 - n) - b^4 (1 - n) (c d^2 (1 - 2 n) + 2 a e^2 n) - 8 a^2 b c^2 d e (-3 n^2 - n + 1) - 8 a^2 c^2 (-a e^2 + c d^2) (8 n^2 - 6 n + 1) + 2 a b^2 c (3 c d^2 (3 n^2 - 4 n + 1) - a e^2 (15 n^2 - 10 n + 1))) / (-4 a^2 c + b^2)^{1/2}) / a^2 / (-4 a^2 c + b^2)^2 / n^2 / (b - (-4 a^2 c + b^2)^{1/2}) - \frac{1}{2} x \operatorname{hypergeom}([1, 1/n], [1 + 1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * ((1 - n) (2 a b^2 c d e - 8 a^2 c^2 d e (1 - 3 n) + 2 a b c (c d^2 (2 - 7 n) + a e^2 n) - b^3 (c d^2 (1 - 2 n) + 2 a e^2 n)) + (-2 a b^3 c d e (1 - n) + b^4 (1 - n) (c d^2 (1 - 2 n) + 2 a e^2 n) + 8 a^2 b c^2 d e (-3 n^2 - n + 1) + 8 a^2 c^2 (-a e^2 + c d^2) (8 n^2 - 6 n + 1) - 2 a b^2 c (3 c d^2 (3 n^2 - 4 n + 1) - a e^2 (15 n^2 - 10 n + 1))) / (-4 a^2 c + b^2)^{1/2}) / a^2 / (-4 a^2 c + b^2)^2 / n^2 / (b + (-4 a^2 c + b^2)^{1/2}) - e^{2 x} \operatorname{hypergeom}([1, 1/n], [1 + 1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (4 a^2 c (1 - 2 n) - b^2 (1 - n) - b (1 - n) (-4 a^2 c + b^2)^{1/2}) / a / (-4 a^2 c + b^2) / n / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2}) - e^{2 x} \operatorname{hypergeom}([1, 1/n], [1 + 1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (4 a^2 c (1 - 2 n) - b^2 (1 - n) + b (1 - n) (-4 a^2 c + b^2)^{1/2}) / a / (-4 a^2 c + b^2) / n / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2})$

**Rubi [A]** time = 4.01, antiderivative size = 1191, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1436, 1430, 1422, 245, 1345}

$$\frac{\left(-((1-n)b^2) - \sqrt{b^2 - 4ac}(1-n)b + 4ac(1-2n)\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right) e^2 \left(-((1-n)b^2) + \sqrt{b^2 - 4ac}(1-n)b + 4ac(1-2n)\right)}{a(b^2 - 4ac)\left(b^2 - \sqrt{b^2 - 4ac}b - 4ac\right)n}$$

Antiderivative was successfully verified.



[In] Int[(d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^3,x]

[Out] (x\*(b^2\*d^2 - 2\*a\*b\*d\*e - 2\*a\*(c\*d^2 - a\*e^2) + (b\*c\*d^2 - 4\*a\*c\*d\*e + a\*b\*e^2)\*x^n))/(2\*a\*(b^2 - 4\*a\*c)\*n\*(a + b\*x^n + c\*x^(2\*n))^2) + (e^2\*x\*(b^2 - 2\*a\*c + b\*c\*x^n))/(a\*c\*(b^2 - 4\*a\*c)\*n\*(a + b\*x^n + c\*x^(2\*n))) + (x\*(2\*a\*b^3\*c\*d\*e - a\*b^2\*c\*(a\*e^2\*(1 - 9\*n) - 5\*c\*d^2\*(1 - 3\*n)) - 4\*a^2\*c^2\*(c\*d^2 - a\*e^2)\*(1 - 4\*n) - 4\*a^2\*b\*c^2\*d\*e\*(2 - 3\*n) - b^4\*(c\*d^2\*(1 - 2\*n) + 2\*a\*e^2\*n) + c\*(2\*a\*b^2\*c\*d\*e - 8\*a^2\*c^2\*d\*e\*(1 - 3\*n) + 2\*a\*b\*c\*(c\*d^2\*(2 - 7\*n) + a\*e^2\*n) - b^3\*(c\*d^2\*(1 - 2\*n) + 2\*a\*e^2\*n))\*x^n))/(2\*a^2\*c\*(b^2 - 4\*a\*c)^2\*n^2\*(a + b\*x^n + c\*x^(2\*n))) - (e^2\*(4\*a\*c\*(1 - 2\*n) - b^2\*(1 - n) - b\*Sqrt[b^2 - 4\*a\*c]\*(1 - n))\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(a\*(b^2 - 4\*a\*c)\*(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*n) - (((1 - n)\*(2\*a\*b^2\*c\*d\*e - 8\*a^2\*c^2\*d\*e\*(1 - 3\*n) + 2\*a\*b\*c\*(c\*d^2\*(2 - 7\*n) + a\*e^2\*n) - b^3\*(c\*d^2\*(1 - 2\*n) + 2\*a\*e^2\*n)) + (2\*a\*b^3\*c\*d\*e\*(1 - n) - b^4\*(1 - n)\*(c\*d^2\*(1 - 2\*n) + 2\*a\*e^2\*n) - 8\*a^2\*b\*c^2\*d\*e\*(1 - n - 3\*n^2) - 8\*a^2\*c^2\*(c\*d^2 - a\*e^2)\*(1 - 6\*n + 8\*n^2) + 2\*a\*b^2\*c\*(3\*c\*d^2\*(1 - 4\*n + 3\*n^2) - a\*e^2\*(1 - 10\*n + 15\*n^2)))/Sqrt[b^2 - 4\*a\*c])\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(2\*a^2\*(b^2 - 4\*a\*c)^2\*(b - Sqrt[b^2 - 4\*a\*c])\*n^2) - (e^2\*(4\*a\*c\*(1 - 2\*n) - b^2\*(1 - n) + b\*Sqrt[b^2 - 4\*a\*c]\*(1 - n))\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(a\*(b^2 - 4\*a\*c)\*(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*n) - (((1 - n)\*(2\*a\*b^2\*c\*d\*e - 8\*a^2\*c^2\*d\*e\*(1 - 3\*n) + 2\*a\*b\*c\*(c\*d^2\*(2 - 7\*n) + a\*e^2\*n) - b^3\*(c\*d^2\*(1 - 2\*n) + 2\*a\*e^2\*n)) - (2\*a\*b^3\*c\*d\*e\*(1 - n) - b^4\*(1 - n)\*(c\*d^2\*(1 - 2\*n) + 2\*a\*e^2\*n) - 8\*a^2\*b\*c^2\*d\*e\*(1 - n - 3\*n^2) - 8\*a^2\*c^2\*(c\*d^2 - a\*e^2)\*(1 - 6\*n + 8\*n^2) + 2\*a\*b^2\*c\*(3\*c\*d^2\*(1 - 4\*n + 3\*n^2) - a\*e^2\*(1 - 10\*n + 15\*n^2)))/Sqrt[b^2 - 4\*a\*c])\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(2\*a^2\*(b^2 - 4\*a\*c)^2\*(b + Sqrt[b^2 - 4\*a\*c])\*n^2)

### Rule 245

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Simp[a^p\*x\*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b\*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

### Rule 1345

Int[((a\_) + (c\_)\*(x\_)^(n2\_)) + (b\_)\*(x\_)^(n\_)]^(p\_), x\_Symbol] := -Simp[(x\*(b^2 - 2\*a\*c + b\*c\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(p + 1))/(a\*n\*(p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/(a\*n\*(p + 1)\*(b^2 - 4\*a\*c)), Int[(b^2 - 2\*a\*c + n\*(p + 1)\*(b^2 - 4\*a\*c) + b\*c\*(n\*(2\*p + 3) + 1)\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(p + 1), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && ILtQ[p, -1]

Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2
*n))^(p), x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] &&
!IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{(a + bx^n + cx^{2n})^3} dx &= \int \left( \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c(a + bx^n + cx^{2n})^3} + \frac{e^2}{c(a + bx^n + cx^{2n})^2} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{(a + bx^n + cx^{2n})^3} dx}{c} + \frac{e^2 \int \frac{1}{(a + bx^n + cx^{2n})^2} dx}{c} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + ac(b^2 - 4ac))}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + ac(b^2 - 4ac))}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + ac(b^2 - 4ac))}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + ac(b^2 - 4ac))}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})}
\end{aligned}$$

**Mathematica [B]** time = 6.87, size = 10910, normalized size = 9.16

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^3,x]

[Out] Result too large to show

**fricas [F]** time = 1.05, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{e^2x^{2n} + 2dex^n + d^2}{c^3x^{6n} + b^3x^{3n} + 3ab^2x^{2n} + 3a^2bx^n + a^3 + 3(bc^2x^n + ac^2)x^{4n} + 3(b^2cx^{2n} + 2abcx^n + a^2c)x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="fricas")



$2)x^{(4n)} + 2(a^2b^5c^n - 8a^3b^3c^2n + 16a^4b^2c^3n^2)x^{(3n)} + (a^2b^6n^2 - 6a^3b^4c^n + 32a^5c^3n^2)x^{(2n)} + 2(a^3b^5n^2 - 8a^4b^3c^n + 16a^5b^2c^2n^2)x^{(n)} - \text{integrate}(-1/2((2n^2 - 3n + 1)b^4d^2 + 4a^3c^2e^{2n}(2n - 1) + (4(8n^2 - 6n + 1)c^2d^2 - 4b^2c^2d^2e^{5n} + b^2e^{2n}(n + 1))a^2 - ((16n^2 - 21n + 5)b^2cd^2 - 2b^3d^2e^{(n - 1)})a + ((2n^2 - 3n + 1)b^3cd^2 + 2(4(3n^2 - 4n + 1)c^2d^2e - 3(n^2 - n)b^2c^2e^2))a^2 - 2((7n^2 - 9n + 2)b^2cd^2 - b^2c^2d^2e^{(n - 1)})a)x^{(n)})/(a^3b^4n^2 - 8a^4b^2c^n + 16a^5c^2n^2 + (a^2b^4c^n - 8a^3b^2c^2n^2 + 16a^4c^3n^2)x^{(2n)} + (a^2b^5n^2 - 8a^3b^3c^n + 16a^4b^2c^2n^2)x^{(n)}), x$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{(a + bx^n + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^3, x)

[Out] int((d + e\*x^n)^2/(a + b\*x^n + c\*x^(2\*n))^3, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*2/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*3, x)

[Out] Timed out

$$3.82 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^3} dx$$

**Optimal.** Leaf size=713

$$\frac{x \left( cx^n \left( -4a^2ce(1-3n) + ab^2e + 2abcd(2-7n) + b^3(-d)(1-2n) \right) - 2a^2bce(2-3n) - 4a^2c^2d(1-4n) + ab^3e + 5abcd \right)}{2a^2n^2 (b^2 - 4ac)^2 (a + bx^n + cx^{2n})}$$

[Out]  $\frac{1}{2} x (b^2 d - 2 a^2 c d - a b^2 e + c (b d - 2 a^2 e) x^n) / a / (-4 a^2 c + b^2) / n / (a + b x^n + c x^{2n})^2 + \frac{1}{2} x (a b^3 e - 4 a^2 c^2 d (1 - 4 n) + 5 a^2 b^2 c d (1 - 3 n) - 2 a^2 b^2 c e (2 - 3 n) - b^4 d (1 - 2 n) + c (a b^2 e + 2 a^2 b c d (2 - 7 n) - 4 a^2 c^2 e (1 - 3 n) - b^3 d (1 - 2 n))) x^n / a^2 / (-4 a^2 c + b^2)^2 / n^2 / (a + b x^n + c x^{2n}) + \frac{1}{2} c x \text{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (-b^4 d (2 n^2 - 3 n + 1) + a b^2 (1 - n) * (6 c d (1 - 3 n) + e (-4 a^2 c + b^2)^{1/2}) + b^3 (1 - n) * (a e - d (1 - 2 n) * (-4 a^2 c + b^2)^{1/2}) - 4 a^2 c * (2 c d (8 n^2 - 6 n + 1) + e (3 n^2 - 4 n + 1) * (-4 a^2 c + b^2)^{1/2})) / a^2 / (-4 a^2 c + b^2)^2 / n^2 / (b^2 - 4 a^2 c + b * (-4 a^2 c + b^2)^{1/2}) - \frac{1}{2} c x \text{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (b^4 d (2 n^2 - 3 n + 1) + a b^2 (1 - n) * (-6 c d (1 - 3 n) + e (-4 a^2 c + b^2)^{1/2}) - b^3 (1 - n) * (a e + d (1 - 2 n) * (-4 a^2 c + b^2)^{1/2}) - 4 a^2 c * (-2 c d (8 n^2 - 6 n + 1) + e (3 n^2 - 4 n + 1) * (-4 a^2 c + b^2)^{1/2})) + 2 a^2 b^2 c * (2 a^2 e (-3 n^2 - n + 1) + d (7 n^2 - 9 n + 2) * (-4 a^2 c + b^2)^{1/2})) / a^2 / (-4 a^2 c + b^2)^2 / n^2 / (b^2 - 4 a^2 c + b * (-4 a^2 c + b^2)^{1/2})$

**Rubi [A]** time = 1.66, antiderivative size = 713, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {1430, 1422, 245}

$$\frac{x \left( cx^n \left( -4a^2ce(1-3n) + ab^2e + 2abcd(2-7n) + b^3(-d)(1-2n) \right) - 2a^2bce(2-3n) - 4a^2c^2d(1-4n) + 5ab^2cd(1-4n) \right)}{2a^2n^2 (b^2 - 4ac)^2 (a + bx^n + cx^{2n})}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + b\*x^n + c\*x^(2n))^3,x]

[Out]  $(x(b^2 d - 2 a^2 c d - a b^2 e + c(b d - 2 a^2 e) x^n) / (2 a^2 (b^2 - 4 a^2 c) n (a + b x^n + c x^{2n})^2) + (x(a b^3 e - 4 a^2 c^2 d (1 - 4 n) + 5 a^2 b^2 c d (1 - 3 n) - 2 a^2 b^2 c e (2 - 3 n) - b^4 d (1 - 2 n) + c(a b^2 e + 2 a^2 b c d (2 - 7 n) - 4 a^2 c^2 e (1 - 3 n) - b^3 d (1 - 2 n))) x^n) / (2 a^2 (b^2 - 4 a^2 c)^2 n^2 (a + b x^n + c x^{2n})) + (c(a b^2 (\text{Sqrt}[b^2 - 4 a^2 c] e + 6 c d (1 - 3 n)) (1 - n) + b^3 (a e - \text{Sqrt}[b^2 - 4 a^2 c] d (1 - 2 n)) (1 - n) - b^4 d (1 - 3 n + 2 n^2) - 2 a^2 b^2 c (2 a^2 e (1 - n - 3 n^2) - \text{Sqrt}[b^2 - 4 a^2 c] d (1 - 2 n))) / (2 a^2 (b^2 - 4 a^2 c)^2 n^2 (a + b x^n + c x^{2n})))$

```

*c]*d*(2 - 9*n + 7*n^2)) - 4*a^2*c*(Sqrt[b^2 - 4*a*c]*e*(1 - 4*n + 3*n^2) +
  2*c*d*(1 - 6*n + 8*n^2))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c
*x^n)/(b - Sqrt[b^2 - 4*a*c])]/(2*a^2*(b^2 - 4*a*c)^2*(b^2 - 4*a*c - b*Sqr
t[b^2 - 4*a*c])*n^2) - (c*(a*b^2*(Sqrt[b^2 - 4*a*c]*e - 6*c*d*(1 - 3*n))*(1
- n) - b^3*(a*e + Sqrt[b^2 - 4*a*c]*d*(1 - 2*n))*(1 - n) + b^4*d*(1 - 3*n
+ 2*n^2) + 2*a*b*c*(2*a*e*(1 - n - 3*n^2) + Sqrt[b^2 - 4*a*c]*d*(2 - 9*n +
7*n^2)) - 4*a^2*c*(Sqrt[b^2 - 4*a*c]*e*(1 - 4*n + 3*n^2) - 2*c*d*(1 - 6*n +
8*n^2))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b
^2 - 4*a*c])]/(2*a^2*(b^2 - 4*a*c)^2*(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*n
^2)

```

### Rule 245

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])

```

### Rule 1422

```

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])

```

### Rule 1430

```

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]

```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^3} dx &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} - \frac{\int \frac{-abe - 2acd(1-4n) + b^2(d-2dn) + c(bd-2ae)(1-3n)x^n}{(a+bx^n+cx^{2n})^2} dx}{2a(b^2 - 4ac)n} \\
&= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{x(ab^3e - 4a^2c^2d(1-4n) + 5ab^2cd(1-3n) - 2}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} \\
&= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{x(ab^3e - 4a^2c^2d(1-4n) + 5ab^2cd(1-3n) - 2}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} \\
&= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{x(ab^3e - 4a^2c^2d(1-4n) + 5ab^2cd(1-3n) - 2}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2}
\end{aligned}$$

**Mathematica [B]** time = 6.60, size = 8593, normalized size = 12.05

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^3, x]

[Out] Result too large to show

**fricas [F]** time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{ex^n + d}{c^3x^{6n} + b^3x^{3n} + 3ab^2x^{2n} + 3a^2bx^n + a^3 + 3(bc^2x^n + ac^2)x^{4n} + 3(b^2cx^{2n} + 2abcx^n + a^2c)x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^3, x, algorithm="fricas")

[Out] integral((e\*x^n + d)/(c^3\*x^(6\*n) + b^3\*x^(3\*n) + 3\*a\*b^2\*x^(2\*n) + 3\*a^2\*b\*x^n + a^3 + 3\*(b\*c^2\*x^n + a\*c^2)\*x^(4\*n) + 3\*(b^2\*c\*x^(2\*n) + 2\*a\*b\*c\*x^n + a^2\*c)\*x^(2\*n)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^3} dx$$





Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^3,x)
```

```
[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**3,x)
```

```
[Out] Timed out
```

$$3.83 \quad \int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^3} dx$$

**Optimal.** Leaf size=1708

$$\frac{x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^6}{d (cd^2 - bed + ae^2)^3} - \frac{c \left(2cd - \left(b + \sqrt{b^2 - 4ac}\right) e\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right) e^4}{\left(b^2 - \sqrt{b^2 - 4ac} b - 4ac\right) (cd^2 - bed + ae^2)^3} - \frac{c \left(2cd - \left(b - \sqrt{b^2 - 4ac}\right) e\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right) e^4}{\left(b^2 + \sqrt{b^2 - 4ac} b - 4ac\right) (cd^2 - bed + ae^2)^3}$$

[Out]  $\frac{1}{2} x (b^2 c d - 2 a^2 c^2 d - b^3 e + 3 a^2 b c e + c (2 a^2 c e - b^2 e + b^2 c d) x^n) / a / (-4 a^2 c + b^2) / (a e^2 - b^2 d e + c d^2) / n / (a + b x^n + c x^{2n})^2 + e^2 x (b^2 c d - 2 a^2 c^2 d - b^3 e + 3 a^2 b c e + c (2 a^2 c e - b^2 e + b^2 c d) x^n) / a / (-4 a^2 c + b^2) / (a e^2 - b^2 d e + c d^2)^2 / n / (a + b x^n + c x^{2n}) + 1/2 x (2 a^2 b c^2 e (4 - 11 n) - 3 a^2 b^3 c e (2 - 5 n) - 4 a^2 c^3 d (1 - 4 n) + 5 a^2 b^2 c^2 d (1 - 3 n) - b^4 c d (1 - 2 n) + b^5 (-2 e^n + e) - c (a b^2 c e (5 - 14 n) - 2 a^2 b c^2 d (2 - 7 n) - 4 a^2 c^2 e (1 - 3 n) + b^3 c d (1 - 2 n) - b^4 e (1 - 2 n)) x^n) / a^2 / (-4 a^2 c + b^2)^2 / (a e^2 - b^2 d e + c d^2) / n^2 / (a + b x^n + c x^{2n}) + e^6 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -e x^n/d) / d / (a e^2 - b^2 d e + c d^2)^3 - c e^4 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (2 c d - e (b - (-4 a^2 c + b^2)^{1/2})) / (a e^2 - b^2 d e + c d^2)^3 / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2}) - c e^4 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (2 c d - e (b + (-4 a^2 c + b^2)^{1/2})) / (a e^2 - b^2 d e + c d^2)^3 / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2}) + c e^2 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (-b^3 e (1 - n) + b^2 (1 - n) * (c d - e (-4 a^2 c + b^2)^{1/2}) + b c (2 a e (2 - 3 n) + d (1 - n) * (-4 a^2 c + b^2)^{1/2}) - 2 a^2 c (2 c d (1 - 2 n) - e (1 - n) * (-4 a^2 c + b^2)^{1/2})) / a / (-4 a^2 c + b^2) / (a e^2 - b^2 d e + c d^2)^2 / n / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2}) + c e^2 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (-b^3 e (1 - n) + b^2 (1 - n) * (c d + e (-4 a^2 c + b^2)^{1/2}) + b c (2 a e (2 - 3 n) - d (1 - n) * (-4 a^2 c + b^2)^{1/2}) - 2 a^2 c (2 c d (1 - 2 n) + e (1 - n) * (-4 a^2 c + b^2)^{1/2})) / a / (-4 a^2 c + b^2) / (a e^2 - b^2 d e + c d^2)^2 / n / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2}) + 1/2 c x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (b^5 e (2 n^2 - 3 n + 1) - b^4 (2 n^2 - 3 n + 1) * (c d + e (-4 a^2 c + b^2)^{1/2}) + a b^2 c (1 - n) * (6 c d (1 - 3 n) + e (5 - 14 n) * (-4 a^2 c + b^2)^{1/2}) - b^3 c (1 - n) * (a e (7 - 18 n) - d (1 - 2 n) * (-4 a^2 c + b^2)^{1/2}) - 4 a^2 c^2 (2 c d (8 n^2 - 6 n + 1) + e (3 n^2 - 4 n + 1) * (-4 a^2 c + b^2)^{1/2}) - 2 a^2 b c^2 (-2 a e (13 n^2 - 13 n + 3) + d (7 n^2 - 9 n + 2) * (-4 a^2 c + b^2)^{1/2})) / a^2 / (-4 a^2 c + b^2)^2 / (a e^2 - b^2 d e + c d^2) / n^2 / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2}) - 1/2 c x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (-b^5 e (2 n^2 - 3 n + 1) + b^4 (2 n^2 - 3 n + 1) * (c d - e (-4 a^2 c + b^2)^{1/2}) + a b^2 c (1 - n) * (-6 c d (1 - 3 n) + e (5 - 14 n) * (-4 a^2 c + b^2)^{1/2}) + b^3 c (1 - n) * (a e (7 - 18 n) + d (1 - 2 n) * (-4 a^2 c + b^2)^{1/2}) - 4 a^2 c^2 (-2 c d (8 n^2 - 6 n + 1) + e (3 n^2 - 4 n + 1) * (-4 a^2 c + b^2)^{1/2}) - 2 a^2 b c^2 (2 a e (13 n^2 - 13 n + 3) + d (7 n^2 - 9 n + 2) * (-4 a^2 c + b^2)^{1/2})) / a^2 / (-4 a^2 c + b^2)^2 / (a e^2 - b^2 d e + c d^2) / n^2 / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2})$

**Rubi [A]** time = 5.07, antiderivative size = 1708, normalized size of antiderivative

= 1.00, number of steps used = 15, number of rules used = 4, integrand size = 26,  
 $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1436, 245, 1430, 1422}

result too large to display

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^3),x]

[Out] (x\*(b^2\*c\*d - 2\*a\*c^2\*d - b^3\*e + 3\*a\*b\*c\*e + c\*(b\*c\*d - b^2\*e + 2\*a\*c\*e)\*x^n)/(2\*a\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)\*n\*(a + b\*x^n + c\*x^(2\*n))^2) + (e^2\*x\*(b^2\*c\*d - 2\*a\*c^2\*d - b^3\*e + 3\*a\*b\*c\*e + c\*(b\*c\*d - b^2\*e + 2\*a\*c\*e)\*x^n)/(a\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)^2\*n\*(a + b\*x^n + c\*x^(2\*n))) + (x\*(2\*a^2\*b\*c^2\*e\*(4 - 11\*n) - 3\*a\*b^3\*c\*e\*(2 - 5\*n) - 4\*a^2\*c^3\*d\*(1 - 4\*n) + 5\*a\*b^2\*c^2\*d\*(1 - 3\*n) - b^4\*c\*d\*(1 - 2\*n) + b^5\*(e - 2\*e\*n) - c\*(a\*b^2\*c\*e\*(5 - 14\*n) - 2\*a\*b\*c^2\*d\*(2 - 7\*n) - 4\*a^2\*c^2\*e\*(1 - 3\*n) + b^3\*c\*d\*(1 - 2\*n) - b^4\*e\*(1 - 2\*n))\*x^n)/(2\*a^2\*(b^2 - 4\*a\*c)^2\*(c\*d^2 - b\*d\*e + a\*e^2)\*n^2\*(a + b\*x^n + c\*x^(2\*n))) - (c\*e^4\*(2\*c\*d - (b + Sqrt[b^2 - 4\*a\*c])\*e)\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2)^3) + (c\*e^2\*(b\*c\*(2\*a\*e\*(2 - 3\*n) + Sqrt[b^2 - 4\*a\*c]\*d\*(1 - n)) - 2\*a\*c\*(2\*c\*d\*(1 - 2\*n) - Sqrt[b^2 - 4\*a\*c]\*e\*(1 - n)) - b^3\*e\*(1 - n) + b^2\*(c\*d - Sqrt[b^2 - 4\*a\*c])\*e\*(1 - n))\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(a\*(b^2 - 4\*a\*c)\*(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2)^2\*n) - (c\*(a\*b^2\*c\*(Sqrt[b^2 - 4\*a\*c])\*e\*(5 - 14\*n) - 6\*c\*d\*(1 - 3\*n))\*(1 - n) + b^3\*c\*(a\*e\*(7 - 18\*n) + Sqrt[b^2 - 4\*a\*c]\*d\*(1 - 2\*n))\*(1 - n) - b^5\*e\*(1 - 3\*n + 2\*n^2) + b^4\*(c\*d - Sqrt[b^2 - 4\*a\*c])\*e\*(1 - 3\*n + 2\*n^2) - 4\*a^2\*c^2\*(Sqrt[b^2 - 4\*a\*c])\*e\*(1 - 4\*n + 3\*n^2) - 2\*c\*d\*(1 - 6\*n + 8\*n^2)) - 2\*a\*b\*c^2\*(Sqrt[b^2 - 4\*a\*c]\*d\*(2 - 9\*n + 7\*n^2) + 2\*a\*e\*(3 - 13\*n + 13\*n^2))\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])])/(2\*a^2\*(b^2 - 4\*a\*c)^2\*(b^2 - 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2)\*n^2) - (c\*e^4\*(2\*c\*d - (b - Sqrt[b^2 - 4\*a\*c])\*e)\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2)^3) + (c\*e^2\*(b\*c\*(2\*a\*e\*(2 - 3\*n) - Sqrt[b^2 - 4\*a\*c]\*d\*(1 - n)) - 2\*a\*c\*(2\*c\*d\*(1 - 2\*n) + Sqrt[b^2 - 4\*a\*c])\*e\*(1 - n)) - b^3\*e\*(1 - n) + b^2\*(c\*d + Sqrt[b^2 - 4\*a\*c])\*e\*(1 - n))\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(a\*(b^2 - 4\*a\*c)\*(b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*(c\*d^2 - b\*d\*e + a\*e^2)^2\*n) + (c\*(a\*b^2\*c\*(Sqrt[b^2 - 4\*a\*c])\*e\*(5 - 14\*n) + 6\*c\*d\*(1 - 3\*n))\*(1 - n) - b^3\*c\*(a\*e\*(7 - 18\*n) - Sqrt[b^2 - 4\*a\*c]\*d\*(1 - 2\*n))\*(1 - n) + b^5\*e\*(1 - 3\*n + 2\*n^2) - b^4\*(c\*d + Sqrt[b^2 - 4\*a\*c])\*e\*(1 - 3\*n + 2\*n^2) - 4\*a^2\*c^2\*(Sqrt[b^2 - 4\*a\*c])\*e\*(1 - 4\*n + 3\*n^2) + 2\*c\*d\*(1 - 6\*n + 8\*n^2)) - 2\*a\*b\*c^2\*(Sqrt[b^2 - 4\*a\*c]\*d\*(2 - 9\*n + 7\*n^2) - 2\*a\*e\*(3 - 13\*n + 13\*n^2))\*x\*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])])/(b + Sqrt[b^2 - 4\*a\*c])])

$$\frac{(2a^2(b^2 - 4ac)^2(b^2 - 4ac + b\sqrt{b^2 - 4ac}))(cd^2 - bde + ae^2)n^2 + (e^6 \text{Hypergeometric2F1}[1, n^{-1}, 1 + n^{-1}, -(ex^n)/d])}{(d(cd^2 - bde + ae^2))^3}$$

### Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

### Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])
```

### Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

### Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})^3} dx &= \int \left( \frac{e^6}{(cd^2 - bde + ae^2)^3 (d + ex^n)} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})^3} - \frac{1}{(cd^2 - bde + ae^2)^3} \right) dx \\
&= -\frac{e^4 \int \frac{-cd+be+cex^n}{a+bx^n+cx^{2n}} dx}{(cd^2 - bde + ae^2)^3} + \frac{e^6 \int \frac{1}{d+ex^n} dx}{(cd^2 - bde + ae^2)^3} - \frac{e^2 \int \frac{-cd+be+cex^n}{(a+bx^n+cx^{2n})^2} dx}{(cd^2 - bde + ae^2)^2} + \frac{\int \frac{cd-be-cex^n}{(a+bx^n+cx^{2n})^3} dx}{cd^2 - bde + ae^2} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)} \\
&= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)}
\end{aligned}$$

**Mathematica [B]** time = 8.53, size = 43535, normalized size = 25.49

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n)))^3, x]

[Out] Result too large to show

**fricas [F]** time = 20.85, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{b^3ex^{4n} + a^3d + (c^3ex^n + c^3d)x^{6n} + 3(bc^2ex^{2n} + ac^2d + (bc^2d + ac^2e)x^n)x^{4n} + (b^3d + 3ab^2e)x^{3n} + 3(b^2d + ab^2e)x^{2n} + 3(bd + ab^2e)x^n + 3a^3d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral(1/(b^3\*e\*x^(4\*n) + a^3\*d + (c^3\*e\*x^n + c^3\*d)\*x^(6\*n) + 3\*(b\*c^2\*e\*x^(2\*n) + a\*c^2\*d + (b\*c^2\*d + a\*c^2\*e)\*x^n)\*x^(4\*n) + (b^3\*d + 3\*a\*b^2\*e)\*x^(3\*n) + 3\*(b^2\*c\*e\*x^(3\*n) + a^2\*c\*d + (b^2\*c\*d + 2\*a\*b\*c\*e)\*x^(2\*n) + (2\*a\*b\*c\*d + a^2\*c\*e)\*x^n)\*x^(2\*n) + 3\*(a\*b^2\*d + a^2\*b\*e)\*x^(2\*n) + (3\*a^2\*b\*d + a^3\*e)\*x^n), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)^3 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + b\*x^n + a)^3\*(e\*x^n + d)), x)

**maple** [F] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(bx^n + cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^3,x)

[Out] int(1/(e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] e^6\*integrate(1/(c^3\*d^7 - 3\*b\*c^2\*d^6\*e + 3\*b^2\*c\*d^5\*e^2 - b^3\*d^4\*e^3 + a^3\*d\*e^6 + 3\*(c\*d^3\*e^4 - b\*d^2\*e^5)\*a^2 + 3\*(c^2\*d^5\*e^2 - 2\*b\*c\*d^4\*e^3 + b^2\*d^3\*e^4)\*a + (c^3\*d^6\*e - 3\*b\*c^2\*d^5\*e^2 + 3\*b^2\*c\*d^4\*e^3 - b^3\*d^3\*e^4 + a^3\*e^7 + 3\*(c\*d^2\*e^5 - b\*d\*e^6)\*a^2 + 3\*(c^2\*d^4\*e^3 - 2\*b\*c\*d^3\*e^4 + b^2\*d^2\*e^5)\*a)\*x^n), x) - 1/2\*((4\*a^3\*c^4\*e^3\*(7\*n - 1) - b^3\*c^4\*d^3\*(2\*n - 1) + 2\*b^4\*c^3\*d^2\*e\*(2\*n - 1) - b^5\*c^2\*d\*e^2\*(2\*n - 1) - (b^2\*c^3\*e^3\*(26\*n - 5) - 4\*c^5\*d^2\*e\*(3\*n - 1) - 10\*b\*c^4\*d\*e^2\*n)\*a^2 - (b^2\*c^4\*d^2\*e\*(28\*n - 9) - 2\*b\*c^5\*d^3\*(7\*n - 2) - 2\*b^3\*c^3\*d\*e^2\*(5\*n - 2) - b^4\*c^2\*e^3\*(4\*n - 1))\*a)\*x\*x^(3\*n) - (2\*b^4\*c^3\*d^3\*(2\*n - 1) - 4\*b^5\*c^2\*d^2\*e\*(2\*n - 1) + 2\*b^6\*c\*d\*e^2\*(2\*n - 1) - 2\*(b\*c^3\*e^3\*(37\*n - 6) - 2\*c^4\*d\*e

$$\begin{aligned}
& ^2*(8*n - 1))*a^3 - (2*b*c^4*d^2*e*(25*n - 8) + 3*b^2*c^3*d*e^2*(5*n + 1) - \\
& 11*b^3*c^2*e^3*(5*n - 1) - 4*c^5*d^3*(4*n - 1))*a^2 - (b^2*c^4*d^3*(29*n - \\
& 9) - 2*b^3*c^3*d^2*e*(29*n - 10) + 3*b^4*c^2*d*e^2*(7*n - 3) + 2*b^5*c*e^3 \\
& *(4*n - 1))*a)*x*x^(2*n) + (4*a^4*c^3*e^3*(9*n - 1) - b^5*c^2*d^3*(2*n - 1) \\
& + 2*b^6*c*d^2*e*(2*n - 1) - b^7*d*e^2*(2*n - 1) + (b^2*c^2*e^3*(14*n - 3) \\
& - 2*b*c^3*d*e^2*(13*n - 2) + 4*c^4*d^2*e*(5*n - 1))*a^3 - (b^4*c*e^3*(24*n \\
& - 5) - b^3*c^2*d*e^2*(20*n - 1) - 2*b*c^4*d^3*n + 3*b^2*c^3*d^2*e)*a^2 - (3 \\
& *b^4*c^2*d^2*e*(8*n - 3) - b^6*e^3*(4*n - 1) - 4*b^3*c^3*d^3*(3*n - 1) - 4* \\
& b^5*c*d*e^2*(2*n - 1))*a)*x*x^n + (2*(b*c^2*e^3*(29*n - 4) - 2*c^3*d*e^2*(1 \\
& 0*n - 1))*a^4 + (2*b*c^3*d^2*e*(29*n - 6) - 4*c^4*d^3*(6*n - 1) - 6*b^3*c*e \\
& ^3*(6*n - 1) - b^2*c^2*d*e^2*(n - 3))*a^3 - (b^3*c^2*d^2*e*(43*n - 11) - b^ \\
& 2*c^3*d^3*(21*n - 5) - b^4*c*d*e^2*(17*n - 5) - b^5*e^3*(5*n - 1))*a^2 - (b \\
& ^4*c^2*d^3*(3*n - 1) - 2*b^5*c*d^2*e*(3*n - 1) + b^6*d*e^2*(3*n - 1))*a)*x) \\
& / (16*a^8*c^2*e^4*n^2 + 8*(4*c^3*d^2*e^2*n^2 - 4*b*c^2*d*e^3*n^2 - b^2*c*e^4 \\
& *n^2))*a^7 + (16*c^4*d^4*n^2 - 32*b*c^3*d^3*e*n^2 + 16*b^3*c*d*e^3*n^2 + b^4 \\
& *e^4*n^2))*a^6 - 2*(4*b^2*c^3*d^4*n^2 - 8*b^3*c^2*d^3*e*n^2 + 3*b^4*c*d^2*e^ \\
& 2*n^2 + b^5*d*e^3*n^2))*a^5 + (b^4*c^2*d^4*n^2 - 2*b^5*c*d^3*e*n^2 + b^6*d^2 \\
& *e^2*n^2))*a^4 + (16*a^6*c^4*e^4*n^2 + 8*(4*c^5*d^2*e^2*n^2 - 4*b*c^4*d*e^3* \\
& n^2 - b^2*c^3*e^4*n^2))*a^5 + (16*c^6*d^4*n^2 - 32*b*c^5*d^3*e*n^2 + 16*b^3* \\
& c^3*d*e^3*n^2 + b^4*c^2*e^4*n^2))*a^4 - 2*(4*b^2*c^5*d^4*n^2 - 8*b^3*c^4*d^3 \\
& *e*n^2 + 3*b^4*c^3*d^2*e^2*n^2 + b^5*c^2*d*e^3*n^2))*a^3 + (b^4*c^4*d^4*n^2 \\
& - 2*b^5*c^3*d^3*e*n^2 + b^6*c^2*d^2*e^2*n^2))*a^2)*x^(4*n) + 2*(16*a^6*b*c^3 \\
& *e^4*n^2 + 8*(4*b*c^4*d^2*e^2*n^2 - 4*b^2*c^3*d*e^3*n^2 - b^3*c^2*e^4*n^2))* \\
& a^5 + (16*b*c^5*d^4*n^2 - 32*b^2*c^4*d^3*e*n^2 + 16*b^4*c^2*d*e^3*n^2 + b^5 \\
& *c*e^4*n^2))*a^4 - 2*(4*b^3*c^4*d^4*n^2 - 8*b^4*c^3*d^3*e*n^2 + 3*b^5*c^2*d^ \\
& 2*e^2*n^2 + b^6*c*d*e^3*n^2))*a^3 + (b^5*c^3*d^4*n^2 - 2*b^6*c^2*d^3*e*n^2 + \\
& b^7*c*d^2*e^2*n^2))*a^2)*x^(3*n) + (32*a^7*c^3*e^4*n^2 + 64*(c^4*d^2*e^2*n^ \\
& 2 - b*c^3*d*e^3*n^2))*a^6 + 2*(16*c^5*d^4*n^2 - 32*b*c^4*d^3*e*n^2 + 16*b^2* \\
& c^3*d^2*e^2*n^2 - 3*b^4*c*e^4*n^2))*a^5 - (12*b^4*c^2*d^2*e^2*n^2 - 12*b^5*c \\
& *d*e^3*n^2 - b^6*e^4*n^2))*a^4 - 2*(3*b^4*c^3*d^4*n^2 - 6*b^5*c^2*d^3*e*n^2 \\
& + 2*b^6*c*d^2*e^2*n^2 + b^7*d*e^3*n^2))*a^3 + (b^6*c^2*d^4*n^2 - 2*b^7*c*d^3 \\
& *e*n^2 + b^8*d^2*e^2*n^2))*a^2)*x^(2*n) + 2*(16*a^7*b*c^2*e^4*n^2 + 8*(4*b*c \\
& ^3*d^2*e^2*n^2 - 4*b^2*c^2*d*e^3*n^2 - b^3*c*e^4*n^2))*a^6 + (16*b*c^4*d^4*n \\
& ^2 - 32*b^2*c^3*d^3*e*n^2 + 16*b^4*c*d*e^3*n^2 + b^5*e^4*n^2))*a^5 - 2*(4*b^ \\
& 3*c^3*d^4*n^2 - 8*b^4*c^2*d^3*e*n^2 + 3*b^5*c*d^2*e^2*n^2 + b^6*d*e^3*n^2))* \\
& a^4 + (b^5*c^2*d^4*n^2 - 2*b^6*c*d^3*e*n^2 + b^7*d^2*e^2*n^2))*a^3)*x^n) - i \\
& ntegrate(-1/2*((2*n^2 - 3*n + 1)*b^4*c^3*d^5 - 3*(2*n^2 - 3*n + 1)*b^5*c^2* \\
& d^4*e + 3*(2*n^2 - 3*n + 1)*b^6*c*d^3*e^2 - (2*n^2 - 3*n + 1)*b^7*d^2*e^3 + \\
& 2*(2*(24*n^2 - 10*n + 1)*c^3*d*e^4 - (48*n^2 - 29*n + 4)*b*c^2*e^5))*a^4 + \\
& (8*(12*n^2 - 8*n + 1)*c^4*d^3*e^2 - 12*(16*n^2 - 13*n + 2)*b*c^3*d^2*e^3 + \\
& (48*n^2 - 59*n + 11)*b^2*c^2*d*e^4 + 6*(8*n^2 - 6*n + 1)*b^3*c*e^5))*a^3 + ( \\
& 4*(8*n^2 - 6*n + 1)*c^5*d^5 - 2*(48*n^2 - 41*n + 8)*b*c^4*d^4*e + 2*(24*n^2 \\
& - 19*n + 5)*b^2*c^3*d^3*e^2 + 2*(32*n^2 - 39*n + 7)*b^3*c^2*d^2*e^3 - (42* \\
& n^2 - 53*n + 11)*b^4*c*d*e^4 - (6*n^2 - 5*n + 1)*b^5*e^5))*a^2 - ((16*n^2 - \\
& 21*n + 5)*b^2*c^4*d^5 - 16*(3*n^2 - 4*n + 1)*b^3*c^3*d^4*e + 3*(14*n^2 - 19
\end{aligned}$$



```

*n + 5)*b^4*c^2*d^3*e^2 - 2*(2*n^2 - 3*n + 1)*b^5*c*d^2*e^3 - 2*(3*n^2 - 4*
n + 1)*b^6*d*e^4)*a + ((2*n^2 - 3*n + 1)*b^3*c^4*d^5 - 3*(2*n^2 - 3*n + 1)*
b^4*c^3*d^4*e + 3*(2*n^2 - 3*n + 1)*b^5*c^2*d^3*e^2 - (2*n^2 - 3*n + 1)*b^6
*c*d^2*e^3 - 4*(15*n^2 - 8*n + 1)*a^4*c^3*e^5 - (8*(5*n^2 - 6*n + 1)*c^4*d^
2*e^3 - 2*(9*n^2 - 11*n + 2)*b*c^3*d*e^4 - (42*n^2 - 31*n + 5)*b^2*c^2*e^5)
*a^3 - (4*(3*n^2 - 4*n + 1)*c^5*d^4*e + 12*(n^2 - n)*b*c^4*d^3*e^2 - 2*(32*
n^2 - 39*n + 7)*b^2*c^3*d^2*e^3 + 9*(4*n^2 - 5*n + 1)*b^3*c^2*d*e^4 + (6*n^
2 - 5*n + 1)*b^4*c*e^5)*a^2 - (2*(7*n^2 - 9*n + 2)*b*c^5*d^5 - (42*n^2 - 55
*n + 13)*b^2*c^4*d^4*e + 12*(3*n^2 - 4*n + 1)*b^3*c^3*d^3*e^2 - (2*n^2 - 3*
n + 1)*b^4*c^2*d^2*e^3 - 2*(3*n^2 - 4*n + 1)*b^5*c*d*e^4)*a)*x^n)/(16*a^8*c
^2*e^6*n^2 + 8*(6*c^3*d^2*e^4*n^2 - 6*b*c^2*d*e^5*n^2 - b^2*c*e^6*n^2)*a^7
+ (48*c^4*d^4*e^2*n^2 - 96*b*c^3*d^3*e^3*n^2 + 24*b^2*c^2*d^2*e^4*n^2 + 24*
b^3*c*d*e^5*n^2 + b^4*e^6*n^2)*a^6 + (16*c^5*d^6*n^2 - 48*b*c^4*d^5*e*n^2 +
24*b^2*c^3*d^4*e^2*n^2 + 32*b^3*c^2*d^3*e^3*n^2 - 21*b^4*c*d^2*e^4*n^2 - 3
*b^5*d*e^5*n^2)*a^5 - (8*b^2*c^4*d^6*n^2 - 24*b^3*c^3*d^5*e*n^2 + 21*b^4*c^
2*d^4*e^2*n^2 - 2*b^5*c*d^3*e^3*n^2 - 3*b^6*d^2*e^4*n^2)*a^4 + (b^4*c^3*d^6
*n^2 - 3*b^5*c^2*d^5*e*n^2 + 3*b^6*c*d^4*e^2*n^2 - b^7*d^3*e^3*n^2)*a^3 + (
16*a^7*c^3*e^6*n^2 + 8*(6*c^4*d^2*e^4*n^2 - 6*b*c^3*d*e^5*n^2 - b^2*c^2*e^6
*n^2)*a^6 + (48*c^5*d^4*e^2*n^2 - 96*b*c^4*d^3*e^3*n^2 + 24*b^2*c^3*d^2*e^4
*n^2 + 24*b^3*c^2*d*e^5*n^2 + b^4*c*e^6*n^2)*a^5 + (16*c^6*d^6*n^2 - 48*b*c
^5*d^5*e*n^2 + 24*b^2*c^4*d^4*e^2*n^2 + 32*b^3*c^3*d^3*e^3*n^2 - 21*b^4*c^2
*d^2*e^4*n^2 - 3*b^5*c*d*e^5*n^2)*a^4 - (8*b^2*c^5*d^6*n^2 - 24*b^3*c^4*d^5
*e*n^2 + 21*b^4*c^3*d^4*e^2*n^2 - 2*b^5*c^2*d^3*e^3*n^2 - 3*b^6*c*d^2*e^4*n
^2)*a^3 + (b^4*c^4*d^6*n^2 - 3*b^5*c^3*d^5*e*n^2 + 3*b^6*c^2*d^4*e^2*n^2 -
b^7*c*d^3*e^3*n^2)*a^2)*x^(2*n) + (16*a^7*b*c^2*e^6*n^2 + 8*(6*b*c^3*d^2*e^
4*n^2 - 6*b^2*c^2*d*e^5*n^2 - b^3*c*e^6*n^2)*a^6 + (48*b*c^4*d^4*e^2*n^2 -
96*b^2*c^3*d^3*e^3*n^2 + 24*b^3*c^2*d^2*e^4*n^2 + 24*b^4*c*d*e^5*n^2 + b^5*
e^6*n^2)*a^5 + (16*b*c^5*d^6*n^2 - 48*b^2*c^4*d^5*e*n^2 + 24*b^3*c^3*d^4*e^
2*n^2 + 32*b^4*c^2*d^3*e^3*n^2 - 21*b^5*c*d^2*e^4*n^2 - 3*b^6*d*e^5*n^2)*a^
4 - (8*b^3*c^4*d^6*n^2 - 24*b^4*c^3*d^5*e*n^2 + 21*b^5*c^2*d^4*e^2*n^2 - 2*
b^6*c*d^3*e^3*n^2 - 3*b^7*d^2*e^4*n^2)*a^3 + (b^5*c^3*d^6*n^2 - 3*b^6*c^2*d
^5*e*n^2 + 3*b^7*c*d^4*e^2*n^2 - b^8*d^3*e^3*n^2)*a^2)*x^n), x)

```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n) (a + b x^n + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^3),x)

[Out] int(1/((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d+e*x**n)/(a+b*x**n+c*x**(2*n))**3,x)
```

```
[Out] Timed out
```

$$3.84 \quad \int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=2446

result too large to display

```
[Out] -1/2*x*(2*b^3*c*d*e-6*a*b*c^2*d*e-b^4*e^2-b^2*c*(-4*a*e^2+c*d^2)+2*a*c^2*(-a*e^2+c*d^2)+c*(2*b^2*c*d*e-4*a*c^2*d*e-b^3*e^2-b*c*(-3*a*e^2+c*d^2))*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(a+b*x^n+c*x^(2*n))^2-e^2*x*(5*b^3*c*d*e-14*a*b*c^2*d*e-2*b^4*e^2-b^2*c*(-7*a*e^2+3*c*d^2)+2*a*c^2*(-a*e^2+3*c*d^2)+c*(5*b^2*c*d*e-8*a*c^2*d*e-2*b^3*e^2-b*c*(-5*a*e^2+3*c*d^2))*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^3/n/(a+b*x^n+c*x^(2*n))-1/2*x*(a*b^2*c^2*(a*e^2*(13-37*n)-5*c*d^2*(1-3*n))-b^4*c*(a*e^2*(7-17*n)-c*d^2*(1-2*n))-4*a^2*b*c^3*d*e*(4-11*n)+6*a*b^3*c^2*d*e*(2-5*n)+4*a^2*c^3*(-a*e^2+c*d^2)*(1-4*n)-2*b^5*c*d*e*(1-2*n)+b^6*e^2*(1-2*n)+c*(2*a*b*c^2*(a*e^2*(4-13*n)-c*d^2*(2-7*n))-b^3*c*(2*a*e^2*(3-8*n)-c*d^2*(1-2*n))+2*a*b^2*c^2*d*e*(5-14*n)-8*a^2*c^3*d*e*(1-3*n)-2*b^4*c*d*e*(1-2*n)+b^5*e^2*(1-2*n))*x^n)/a^2/(-4*a*c+b^2)^2/(a*e^2-b*d*e+c*d^2)^2/n^2/(a+b*x^n+c*x^(2*n))+3*e^6*(-b*e+2*c*d)*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^4+e^6*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)^3+1/2*c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((2*a*b*c^2*(a*e^2*(4-13*n)-c*d^2*(2-7*n))-b^3*c*(2*a*e^2*(3-8*n)-c*d^2*(1-2*n))+2*a*b^2*c^2*d*e*(5-14*n)-8*a^2*c^3*d*e*(1-3*n)-2*b^4*c*d*e*(1-2*n)+b^5*e^2*(1-2*n))*(1-n)+(-b^4*c*(4*a*e^2*(2-5*n)-c*d^2*(1-2*n))*(1-n)-2*b^5*c*d*e*(2*n^2-3*n+1)+b^6*e^2*(2*n^2-3*n+1)+8*a^2*c^3*(-a*e^2+c*d^2)*(8*n^2-6*n+1)-8*a^2*b*c^3*d*e*(13*n^2-13*n+3)+2*a*b^3*c^2*d*e*(18*n^2-25*n+7)-2*a*b^2*c^2*(3*c*d^2*(3*n^2-4*n+1)-a*e^2*(35*n^2-38*n+9)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2/(a*e^2-b*d*e+c*d^2)^2/n^2/(b-(-4*a*c+b^2)^(1/2))+1/2*c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((2*a*b*c^2*(a*e^2*(4-13*n)-c*d^2*(2-7*n))-b^3*c*(2*a*e^2*(3-8*n)-c*d^2*(1-2*n))+2*a*b^2*c^2*d*e*(5-14*n)-8*a^2*c^3*d*e*(1-3*n)-2*b^4*c*d*e*(1-2*n)+b^5*e^2*(1-2*n))*(1-n)+(b^4*c*(4*a*e^2*(2-5*n)-c*d^2*(1-2*n))*(1-n)+2*b^5*c*d*e*(2*n^2-3*n+1)-b^6*e^2*(2*n^2-3*n+1)-8*a^2*c^3*(-a*e^2+c*d^2)*(8*n^2-6*n+1)+8*a^2*b*c^3*d*e*(13*n^2-13*n+3)-2*a*b^3*c^2*d*e*(18*n^2-25*n+7)+2*a*b^2*c^2*(3*c*d^2*(3*n^2-4*n+1)-a*e^2*(35*n^2-38*n+9)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2/(a*e^2-b*d*e+c*d^2)^2/n^2/(b+(-4*a*c+b^2)^(1/2))-c*e^4*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((10*c^2*d^2+3*b*e^2*(b-(-4*a*c+b^2)^(1/2))-2*c*e*(5*b*d+a*e-3*d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^4/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*e^4*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((10*c^2*d^2+3*b*e^2*(b+(-4*a*c+b^2)^(1/2))-2*c*e*(5*b*d+a*e+3*d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^4/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))+c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((2*b^4*e^2*(1-n)-b^3*e*(1-n)*(5*c*d+2*e*(-4*a*c+b^2)^(1/2))-b^2*c*(-3*c*d^2*(1-n)+e*(a*e*(9-13*n)-5*d*(1-n)*(-4*a*c+b^2)^(1/2)))+b*c*(5*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*
```

$$\begin{aligned} & (5-8n)-3*d*(1-n)*(-4*a*c+b^2)^{(1/2)}+4*a*c^2*(-3*c*d^2*(1-2*n)+e*(a*e*(1- \\ & 2*n)-2*d*(1-n)*(-4*a*c+b^2)^{(1/2)}))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^3/n \\ & / (b^2-4*a*c+b*(-4*a*c+b^2)^{(1/2)}+c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x \\ & ^n/(b-(-4*a*c+b^2)^{(1/2)}))*(2*b^4*e^2*(1-n)-b^3*e*(1-n)*(5*c*d-2*e*(-4*a*c+ \\ & b^2)^{(1/2)}+4*a*c^2*(-3*c*d^2*(1-2*n)+e*(a*e*(1-2*n)+2*d*(1-n)*(-4*a*c+b^2) \\ & ^{(1/2)}))+b*c*(-5*a*e^2*(1-n)*(-4*a*c+b^2)^{(1/2)}+c*d*(4*a*e*(5-8*n)+3*d*(1-n) \\ & )*(-4*a*c+b^2)^{(1/2)}))-b^2*c*(-3*c*d^2*(1-n)+e*(a*e*(9-13*n)+5*d*(1-n)*(-4* \\ & a*c+b^2)^{(1/2)}))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^3/n/(b^2-4*a*c-b*(-4*a \\ & *c+b^2)^{(1/2)}) \end{aligned}$$

**Rubi [A]** time = 8.94, antiderivative size = 2446, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {1436, 245, 1430, 1422}

result too large to display

Antiderivative was successfully verified.

[In] Int[1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^3), x]

[Out] 
$$\begin{aligned} & -(x*(2*b^3*c*d*e - 6*a*b*c^2*d*e - b^4*e^2 - b^2*c*(c*d^2 - 4*a*e^2) + 2*a* \\ & c^2*(c*d^2 - a*e^2) + c*(2*b^2*c*d*e - 4*a*c^2*d*e - b^3*e^2 - b*c*(c*d^2 - \\ & 3*a*e^2))*x^n)/(2*a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)^2*n*(a + b*x^n \\ & + c*x^(2*n))^2) - (e^2*x*(5*b^3*c*d*e - 14*a*b*c^2*d*e - 2*b^4*e^2 - b^2*c* \\ & (3*c*d^2 - 7*a*e^2) + 2*a*c^2*(3*c*d^2 - a*e^2) + c*(5*b^2*c*d*e - 8*a*c^2* \\ & d*e - 2*b^3*e^2 - b*c*(3*c*d^2 - 5*a*e^2))*x^n)/(a*(b^2 - 4*a*c)*(c*d^2 - \\ & b*d*e + a*e^2)^3*n*(a + b*x^n + c*x^(2*n))) - (x*(a*b^2*c^2*(a*e^2*(13 - 37 \\ & *n) - 5*c*d^2*(1 - 3*n)) - b^4*c*(a*e^2*(7 - 17*n) - c*d^2*(1 - 2*n)) - 4*a \\ & ^2*b*c^3*d*e*(4 - 11*n) + 6*a*b^3*c^2*d*e*(2 - 5*n) + 4*a^2*c^3*(c*d^2 - a* \\ & e^2)*(1 - 4*n) - 2*b^5*c*d*e*(1 - 2*n) + b^6*e^2*(1 - 2*n) + c*(2*a*b*c^2*( \\ & a*e^2*(4 - 13*n) - c*d^2*(2 - 7*n)) - b^3*c*(2*a*e^2*(3 - 8*n) - c*d^2*(1 - \\ & 2*n)) + 2*a*b^2*c^2*d*e*(5 - 14*n) - 8*a^2*c^3*d*e*(1 - 3*n) - 2*b^4*c*d*e \\ & *(1 - 2*n) + b^5*e^2*(1 - 2*n))*x^n)/(2*a^2*(b^2 - 4*a*c)^2*(c*d^2 - b*d*e \\ & + a*e^2)^2*n^2*(a + b*x^n + c*x^(2*n))) - (c*e^4*(10*c^2*d^2 + 3*b*(b + Sq \\ & rt[b^2 - 4*a*c])*e^2 - 2*c*e*(5*b*d + 3*sqrt[b^2 - 4*a*c]*d + a*e))*x*Hyper \\ & geometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - sqrt[b^2 - 4*a*c])]/(( \\ & b^2 - 4*a*c - b*sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^4) + (c*e^2*(4*a \\ & *c^2*(e*(a*e*(1 - 2*n) + 2*sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*c*d^2*(1 - 2*n) \\ & ) - b^2*c*(e*(a*e*(9 - 13*n) + 5*sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*c*d^2*(1 \\ & - n)) + b*c*(c*d*(4*a*e*(5 - 8*n) + 3*sqrt[b^2 - 4*a*c]*d*(1 - n)) - 5*a*Sq \\ & rt[b^2 - 4*a*c]*e^2*(1 - n)) + 2*b^4*e^2*(1 - n) - b^3*e*(5*c*d - 2*sqrt[b^ \\ & 2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n \\ & )/(b - sqrt[b^2 - 4*a*c])]/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*sqrt[b^2 - 4* \\ & a*c])*(c*d^2 - b*d*e + a*e^2)^3*n) + (c*((2*a*b*c^2*(a*e^2*(4 - 13*n) - c*d \\ & ^2*(2 - 7*n)) - b^3*c*(2*a*e^2*(3 - 8*n) - c*d^2*(1 - 2*n)) + 2*a*b^2*c^2*d \\ & *e*(5 - 14*n) - 8*a^2*c^3*d*e*(1 - 3*n) - 2*b^4*c*d*e*(1 - 2*n) + b^5*e^2*( \end{aligned}$$

$$\begin{aligned}
& (1 - 2n)) * (1 - n) - (b^4 * c * (4 * a * e^{2 * (2 - 5n)} - c * d^2 * (1 - 2n)) * (1 - n) + \\
& 2 * b^5 * c * d * e * (1 - 3n + 2n^2) - b^6 * e^2 * (1 - 3n + 2n^2) - 8 * a^2 * c^3 * (c * d^2 \\
& - a * e^2) * (1 - 6n + 8n^2) + 8 * a^2 * b * c^3 * d * e * (3 - 13n + 13n^2) - 2 * a * b^3 * c^2 * d * e * (7 - 25n + 18n^2) + 2 * a * b^2 * c^2 * (3 * c * d^2 * (1 - 4n + 3n^2) - a * \\
& e^2 * (9 - 38n + 35n^2))) / \text{Sqrt}[b^2 - 4 * a * c] * x * \text{Hypergeometric2F1}[1, n^{(-1)}, \\
& 1 + n^{(-1)}, (-2 * c * x^n) / (b - \text{Sqrt}[b^2 - 4 * a * c])] / (2 * a^2 * (b^2 - 4 * a * c)^2 * (b \\
& - \text{Sqrt}[b^2 - 4 * a * c]) * (c * d^2 - b * d * e + a * e^2)^2 * n^2) - (c * e^4 * (10 * c^2 * d^2 + \\
& 3 * b * (b - \text{Sqrt}[b^2 - 4 * a * c]) * e^2 - 2 * c * e * (5 * b * d - 3 * \text{Sqrt}[b^2 - 4 * a * c] * d + a \\
& * e)) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2 * c * x^n) / (b + \text{Sqrt}[b^2 - \\
& 4 * a * c])]) / ((b^2 - 4 * a * c + b * \text{Sqrt}[b^2 - 4 * a * c]) * (c * d^2 - b * d * e + a * e^2)^4) + \\
& (c * e^2 * (4 * a * c^2 * (e * (a * e * (1 - 2n)) - 2 * \text{Sqrt}[b^2 - 4 * a * c] * d * (1 - n)) - 3 * c * d \\
& ^2 * (1 - 2n)) - b^2 * c * (e * (a * e * (9 - 13n)) - 5 * \text{Sqrt}[b^2 - 4 * a * c] * d * (1 - n)) - \\
& 3 * c * d^2 * (1 - n)) + b * c * (c * d * (4 * a * e * (5 - 8n)) - 3 * \text{Sqrt}[b^2 - 4 * a * c] * d * (1 - \\
& n)) + 5 * a * \text{Sqrt}[b^2 - 4 * a * c] * e^2 * (1 - n)) + 2 * b^4 * e^2 * (1 - n) - b^3 * e * (5 * c * d \\
& + 2 * \text{Sqrt}[b^2 - 4 * a * c] * e) * (1 - n)) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, \\
& (-2 * c * x^n) / (b + \text{Sqrt}[b^2 - 4 * a * c])]) / (a * (b^2 - 4 * a * c) * (b^2 - 4 * a * c + b * \text{S} \\
& \text{qrt}[b^2 - 4 * a * c]) * (c * d^2 - b * d * e + a * e^2)^3 * n) + (c * ((2 * a * b * c^2 * (a * e^2 * (4 - \\
& 13n)) - c * d^2 * (2 - 7n)) - b^3 * c * (2 * a * e^2 * (3 - 8n)) - c * d^2 * (1 - 2n)) + 2 \\
& * a * b^2 * c^2 * d * e * (5 - 14n) - 8 * a^2 * c^3 * d * e * (1 - 3n) - 2 * b^4 * c * d * e * (1 - 2n) \\
& + b^5 * e^2 * (1 - 2n)) * (1 - n) + (b^4 * c * (4 * a * e^2 * (2 - 5n)) - c * d^2 * (1 - 2n) \\
& ) * (1 - n) + 2 * b^5 * c * d * e * (1 - 3n + 2n^2) - b^6 * e^2 * (1 - 3n + 2n^2) - 8 * a \\
& ^2 * c^3 * (c * d^2 - a * e^2) * (1 - 6n + 8n^2) + 8 * a^2 * b * c^3 * d * e * (3 - 13n + 13n \\
& ^2) - 2 * a * b^3 * c^2 * d * e * (7 - 25n + 18n^2) + 2 * a * b^2 * c^2 * (3 * c * d^2 * (1 - 4n + \\
& 3n^2) - a * e^2 * (9 - 38n + 35n^2))) / \text{Sqrt}[b^2 - 4 * a * c] * x * \text{Hypergeometric2F} \\
& 1[1, n^{(-1)}, 1 + n^{(-1)}, (-2 * c * x^n) / (b + \text{Sqrt}[b^2 - 4 * a * c])] / (2 * a^2 * (b^2 - \\
& 4 * a * c)^2 * (b + \text{Sqrt}[b^2 - 4 * a * c]) * (c * d^2 - b * d * e + a * e^2)^2 * n^2) + (3 * e^6 * ( \\
& 2 * c * d - b * e) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, -((e * x^n) / d)]) / (d * ( \\
& c * d^2 - b * d * e + a * e^2)^4) + (e^6 * x * \text{Hypergeometric2F1}[2, n^{(-1)}, 1 + n^{(-1)}, \\
& -((e * x^n) / d)]) / (d^2 * (c * d^2 - b * d * e + a * e^2)^3)
\end{aligned}$$

### Rule 245

```

Int[((a_) + (b_) * (x_)^(n_))^(p_), x_Symbol] := Simp[a^p * x * Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b * x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])

```

### Rule 1422

```

Int[((d_) + (e_) * (x_)^(n_)) / ((a_) + (b_) * (x_)^(n_) + (c_) * (x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4 * a * c, 2]}, Dist[e/2 + (2 * c * d - b * e) / (2 * q),
Int[1 / (b/2 - q/2 + c * x^n), x], x] + Dist[e/2 - (2 * c * d - b * e) / (2 * q), Int[1 / (
b/2 + q/2 + c * x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2 * n]
&& NeQ[b^2 - 4 * a * c, 0] && NeQ[c * d^2 - b * d * e + a * e^2, 0] && (PosQ[b^2 - 4 * a
* c] || !IGtQ[n/2, 0])

```

Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] & & NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})^3} dx &= \int \left( \frac{e^6}{(cd^2 - bde + ae^2)^3 (d + ex^n)^2} - \frac{3e^6(-2cd + be)}{(cd^2 - bde + ae^2)^4 (d + ex^n)} + \frac{c^2 d^2 - \dots}{(cd^2 - bde + ae^2)^5} \right) dx \\
&= \frac{e^4 \int \frac{5c^2 d^2 - 8bcde + 3b^2 e^2 - ace^2 + (-6c^2 de + 3bce^2)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^4} + \frac{(3e^6(2cd - be)) \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^4} + \dots \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2d^2 - 2cd^2 + be^2))}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} + \dots \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2d^2 - 2cd^2 + be^2))}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} + \dots \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2d^2 - 2cd^2 + be^2))}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} + \dots \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2d^2 - 2cd^2 + be^2))}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} + \dots
\end{aligned}$$

**Mathematica [B]** time = 9.93, size = 56566, normalized size = 23.13

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^3), x]

[Out] Result too large to show

**fricas [F]** time = 71.25, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\dots}{b^3 e^2 x^{5n} + a^3 d^2 + (c^3 e^2 x^{2n} + 2c^3 d e x^n + c^3 d^2) x^{6n} + 3(bc^2 e^2 x^{3n} + ac^2 d^2 + (2bc^2 de + ac^2 e^2) x^{2n} + (bc^2 d^2 + ac^2 e^2) x^n + ac^2 d^2)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="fricas")

[Out] integral(1/(b^3\*e^2\*x^(5\*n) + a^3\*d^2 + (c^3\*e^2\*x^(2\*n) + 2\*c^3\*d\*e\*x^n + c^3\*d^2)\*x^(6\*n) + 3\*(b\*c^2\*e^2\*x^(3\*n) + a\*c^2\*d^2 + (2\*b\*c^2\*d\*e + a\*c^2\*e^2)\*x^(2\*n) + (b\*c^2\*d^2 + 2\*a\*c^2\*d\*e)\*x^n)\*x^(4\*n) + (2\*b^3\*d\*e + 3\*a\*b^2\*e^2)\*x^(4\*n) + (b^3\*d^2 + 6\*a\*b^2\*d\*e + 3\*a^2\*b\*e^2)\*x^(3\*n) + 3\*(b^2\*c\*e^2\*x^(4\*n) + a^2\*c\*d^2 + 2\*(b^2\*c\*d\*e + a\*b\*c\*e^2)\*x^(3\*n) + (b^2\*c\*d^2 + 4\*a\*b\*c\*d\*e + a^2\*c\*e^2)\*x^(2\*n) + 2\*(a\*b\*c\*d^2 + a^2\*c\*d\*e)\*x^n)\*x^(2\*n) + (3\*a\*b^2\*d^2 + 6\*a^2\*b\*d\*e + a^3\*e^2)\*x^(2\*n) + (3\*a^2\*b\*d^2 + 2\*a^3\*d\*e)\*x^n), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)^3 (ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="giac")

[Out] integrate(1/((c\*x^(2\*n) + b\*x^n + a)^3\*(e\*x^n + d)^2), x)

**maple** [F] time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (bx^n + cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a)^3,x)

[Out] int(1/(e\*x^n+d)^2/(b\*x^n+c\*x^(2\*n)+a)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x^n)^2/(a+b\*x^n+c\*x^(2\*n))^3,x, algorithm="maxima")

[Out] (c\*d^2\*e^6\*(7\*n - 1) - b\*d\*e^7\*(4\*n - 1) + a\*e^8\*(n - 1))\*integrate(1/(c^4\*d^10\*n - 4\*b\*c^3\*d^9\*e\*n + 6\*b^2\*c^2\*d^8\*e^2\*n - 4\*b^3\*c\*d^7\*e^3\*n + b^4\*d^6\*e^4\*n + a^4\*d^2\*e^8\*n + 4\*(c\*d^4\*e^6\*n - b\*d^3\*e^7\*n)\*a^3 + 6\*(c^2\*d^6\*e^4\*n - 2\*b\*c\*d^5\*e^5\*n + b^2\*d^4\*e^6\*n)\*a^2 + 4\*(c^3\*d^8\*e^2\*n - 3\*b\*c^2\*d^7\*e^3\*n + 3\*b^2\*c\*d^6\*e^4\*n - b^3\*d^5\*e^5\*n)\*a + (c^4\*d^9\*e\*n - 4\*b\*c^3\*d^8\*e^2\*n + 6\*b^2\*c^2\*d^7\*e^3\*n - 4\*b^3\*c\*d^6\*e^4\*n + b^4\*d^5\*e^5\*n + a^4\*d\*e^9



$$\begin{aligned}
& *n + 4*(c*d^3*e^7*n - b*d^2*e^8*n)*a^3 + 6*(c^2*d^5*e^5*n - 2*b*c*d^4*e^6*n \\
& + b^2*d^3*e^7*n)*a^2 + 4*(c^3*d^7*e^3*n - 3*b*c^2*d^6*e^4*n + 3*b^2*c*d^5* \\
& e^5*n - b^3*d^4*e^6*n)*a*x^n, x) + 1/2*((b^3*c^5*d^5*e*(2*n - 1) - 3*b^4*c \\
& c^4*d^4*e^2*(2*n - 1) + 3*b^5*c^3*d^3*e^3*(2*n - 1) - b^6*c^2*d^2*e^4*(2*n \\
& - 1) + 32*a^4*c^4*e^6*n + 2*(b*c^4*d*e^5*(33*n - 4) - 4*c^5*d^2*e^4*(11*n - \\
& 1) - 8*b^2*c^3*e^6*n)*a^3 + 2*(b^2*c^4*d^2*e^4*(29*n - 1) - 3*b^3*c^3*d*e^ \\
& 5*(7*n - 1) - 4*c^6*d^4*e^2*(3*n - 1) + 6*b*c^5*d^3*e^3*(n - 1) + b^4*c^2*e \\
& ^6*n)*a^2 - (3*b^3*c^4*d^3*e^3*(12*n - 5) + 2*b*c^6*d^5*e*(7*n - 2) - b^5*c \\
& ^2*d*e^5*(6*n - 1) - 14*b^2*c^5*d^4*e^2*(3*n - 1) - 2*b^4*c^3*d^2*e^4*(n - \\
& 2))*a)*x*x^(4*n) + (b^3*c^5*d^6*(2*n - 1) - b^4*c^4*d^5*e*(2*n - 1) - 3*b^5 \\
& *c^3*d^4*e^2*(2*n - 1) + 5*b^6*c^2*d^3*e^3*(2*n - 1) - 2*b^7*c*d^2*e^4*(2*n \\
& - 1) - 4*(c^4*d*e^5*(8*n - 1) - 16*b*c^3*e^6*n)*a^4 + (b^2*c^3*d*e^5*(163*n \\
& n - 21) - 6*b*c^4*d^2*e^4*(27*n - 2) - 8*c^5*d^3*e^3*(5*n - 1) - 32*b^3*c^2 \\
& *e^6*n)*a^3 - (b^4*c^2*d*e^5*(89*n - 13) - b^3*c^3*d^2*e^4*(77*n + 5) - 2*b \\
& ^2*c^4*d^3*e^3*(50*n - 19) + 8*b*c^5*d^4*e^2*(9*n - 2) + 4*c^6*d^5*e*(2*n - \\
& 1) - 4*b^5*c*e^6*n)*a^2 - (b^4*c^3*d^3*e^3*(73*n - 29) - b^3*c^4*d^4*e^2*( \\
& 51*n - 16) - b^2*c^5*d^5*e*(13*n - 5) - b^5*c^2*d^2*e^4*(11*n - 10) + 2*b*c \\
& ^6*d^6*(7*n - 2) - 2*b^6*c*d*e^5*(6*n - 1))*a)*x*x^(3*n) + (2*b^4*c^4*d^6*( \\
& 2*n - 1) - 5*b^5*c^3*d^5*e*(2*n - 1) + 3*b^6*c^2*d^4*e^2*(2*n - 1) + b^7*c \\
& d^3*e^3*(2*n - 1) - b^8*d^2*e^4*(2*n - 1) + 64*a^5*c^3*e^6*n - 2*(2*c^4*d^2 \\
& *e^4*(34*n - 3) - b*c^3*d*e^5*(23*n - 2))*a^4 + (b^2*c^3*d^2*e^4*(81*n - 11 \\
& ) + b^3*c^2*d*e^5*(48*n - 7) - 8*b*c^4*d^3*e^3*(18*n - 1) + 8*c^5*d^4*e^2*( \\
& n + 1) - 12*b^4*c*e^6*n)*a^3 - (2*b*c^5*d^5*e*(43*n - 14) + b^4*c^2*d^2*e^4 \\
& *(21*n - 10) + 2*b^5*c*d*e^5*(20*n - 3) - 5*b^3*c^3*d^3*e^3*(19*n - 2) - 4* \\
& c^6*d^6*(4*n - 1) - 10*b^2*c^4*d^4*e^2*(4*n - 3) - 2*b^6*e^6*n)*a^2 - (b^4*c \\
& ^3*d^4*e^2*(39*n - 19) + b^2*c^5*d^6*(29*n - 9) + b^5*c^2*d^3*e^3*(25*n - \\
& 6) - 3*b^3*c^4*d^5*e*(25*n - 9) - b^7*d*e^5*(6*n - 1) - 6*b^6*c*d^2*e^4*(2* \\
& n - 1))*a)*x*x^(2*n) + (b^5*c^3*d^6*(2*n - 1) - 3*b^6*c^2*d^5*e*(2*n - 1) + \\
& 3*b^7*c*d^4*e^2*(2*n - 1) - b^8*d^3*e^3*(2*n - 1) - 4*(c^3*d*e^5*(10*n - 1 \\
& ) - 16*b*c^2*e^6*n)*a^5 + (b^2*c^2*d*e^5*(115*n - 13) - 2*b*c^3*d^2*e^4*(55 \\
& *n - 4) - 8*c^4*d^3*e^3*(7*n - 1) - 32*b^3*c*e^6*n)*a^4 - (b^4*c*d*e^5*(55*n \\
& n - 7) - 3*b^3*c^2*d^2*e^4*(35*n - 2) + 2*b^2*c^3*d^3*e^3*(8*n + 7) + 4*c^5 \\
& *d^5*e*(4*n - 1) + 8*b*c^4*d^4*e^2*(n - 1) - 4*b^5*e^6*n)*a^3 + (b^3*c^3*d^ \\
& 4*e^2*(41*n - 26) - b^5*c*d^2*e^4*(31*n - 1) - b^2*c^4*d^5*e*(23*n - 11) + \\
& b^4*c^2*d^3*e^3*(8*n + 15) + b^6*d*e^5*(7*n - 1) - 2*b*c^5*d^6*n)*a^2 + (3* \\
& b^4*c^3*d^5*e*(13*n - 5) - 3*b^5*c^2*d^4*e^2*(13*n - 6) + b^6*c*d^3*e^3*(9* \\
& n - 7) - 4*b^3*c^4*d^6*(3*n - 1) + 3*b^7*d^2*e^4*n)*a)*x*x^n + (32*a^6*c^2* \\
& e^6*n - 4*(c^3*d^2*e^4*(10*n - 1) + 4*b^2*c*e^6*n)*a^5 + (b^2*c^2*d^2*e^4*( \\
& 115*n - 13) - 12*b*c^3*d^3*e^3*(13*n - 1) + 48*c^4*d^4*e^2*n + 2*b^4*e^6*n) \\
& *a^4 + (b^3*c^2*d^3*e^3*(57*n + 1) - b^4*c*d^2*e^4*(55*n - 7) - 4*b*c^4*d^5 \\
& *e*(23*n - 5) + 6*b^2*c^3*d^4*e^2*(11*n - 4) + 4*c^5*d^6*(6*n - 1))*a^3 + ( \\
& b^3*c^3*d^5*e*(65*n - 17) - b^2*c^4*d^6*(21*n - 5) - 6*b^4*c^2*d^4*e^2*(10* \\
& n - 3) + b^5*c*d^3*e^3*(9*n - 5) + b^6*d^2*e^4*(7*n - 1))*a^2 + (b^4*c^3*d^ \\
& 6*(3*n - 1) - 3*b^5*c^2*d^5*e*(3*n - 1) + 3*b^6*c*d^4*e^2*(3*n - 1) - b^7*d \\
& ^3*e^3*(3*n - 1))*a)*x)/(16*a^9*c^2*d^2*e^6*n^2 + 8*(6*c^3*d^4*e^4*n^2 - 6*
\end{aligned}$$

$$\begin{aligned}
& b^2c^2d^3e^5n^2 - b^2c^2d^2e^6n^2)a^8 + (48c^4d^6e^2n^2 - 96b^2c^3d^5e^3n^2 + 24b^2c^2d^4e^4n^2 + 24b^3c^2d^3e^5n^2 + b^4d^2e^6n^2)a^7 + (16c^5d^8n^2 - 48b^2c^4d^7e^4n^2 + 24b^2c^3d^6e^2n^2 + 32b^3c^2d^5e^3n^2 - 21b^4c^2d^4e^4n^2 - 3b^5d^3e^5n^2)a^6 - (8b^2c^4d^8n^2 - 24b^3c^3d^7e^4n^2 + 21b^4c^2d^6e^2n^2 - 2b^5c^2d^5e^3n^2 - 3b^6d^4e^4n^2)a^5 + (b^4c^3d^8n^2 - 3b^5c^2d^7e^4n^2 + 3b^6c^2d^6e^2n^2 - b^7d^5e^3n^2)a^4 + (16a^7c^4d^7e^2n^2 + 8(6c^5d^3e^5n^2 - 6b^2c^4d^2e^6n^2 - b^2c^3d^7e^4n^2)a^6 + (48c^6d^5e^3n^2 - 96b^2c^5d^4e^4n^2 + 24b^2c^4d^3e^5n^2 + 24b^3c^3d^2e^6n^2 + b^4c^2d^7e^4n^2)a^5 + (16c^7d^7e^4n^2 - 48b^2c^6d^6e^2n^2 + 24b^2c^5d^5e^3n^2 + 32b^3c^4d^4e^4n^2 - 21b^4c^3d^3e^5n^2 - 3b^5c^2d^2e^6n^2)a^4 - (8b^2c^6d^7e^4n^2 - 24b^3c^5d^6e^2n^2 + 21b^4c^4d^5e^3n^2 - 2b^5c^3d^4e^4n^2 - 3b^6c^2d^3e^5n^2)a^3 + (b^4c^5d^7e^4n^2 - 3b^5c^4d^6e^2n^2 + 3b^6c^3d^5e^3n^2 - b^7c^2d^4e^4n^2)a^2)x^5 + (16(c^4d^2e^6n^2 + 2b^2c^3d^7e^4n^2)a^7 + 8(6c^5d^4e^4n^2 + 6b^2c^4d^3e^5n^2 - 13b^2c^3d^2e^6n^2 - 2b^3c^2d^7e^4n^2)a^6 + (48c^6d^6e^2n^2 - 168b^2c^4d^4e^4n^2 + 72b^3c^3d^3e^5n^2 + 49b^4c^2d^2e^6n^2 + 2b^5c^2d^7e^4n^2)a^5 + (16c^7d^8n^2 - 16b^2c^6d^7e^4n^2 - 72b^2c^5d^6e^2n^2 + 80b^3c^4d^5e^3n^2 + 43b^4c^3d^4e^4n^2 - 45b^5c^2d^3e^5n^2 - 6b^6c^2d^2e^6n^2)a^4 - (8b^2c^6d^8n^2 - 8b^3c^5d^7e^4n^2 - 27b^4c^4d^6e^2n^2 + 40b^5c^3d^5e^3n^2 - 7b^6c^2d^4e^4n^2 - 6b^7c^2d^3e^5n^2)a^3 + (b^4c^5d^8n^2 - b^5c^4d^7e^4n^2 - 3b^6c^3d^6e^2n^2 + 5b^7c^2d^5e^3n^2 - 2b^8c^2d^4e^4n^2)a^2)x^4 + (32a^8c^3d^7e^4n^2 + 32(3c^4d^3e^5n^2 - 2b^2c^3d^2e^6n^2)a^7 + 2(48c^5d^5e^3n^2 - 48b^2c^4d^4e^4n^2 - 8b^3c^2d^2e^6n^2 - 3b^4c^2d^7e^4n^2)a^6 + (32c^6d^7e^4n^2 - 96b^2c^4d^5e^3n^2 + 16b^3c^3d^4e^4n^2 + 30b^4c^2d^3e^5n^2 + 20b^5c^2d^2e^6n^2 + b^6d^7e^4n^2)a^5 + (32b^2c^6d^8n^2 - 96b^2c^5d^7e^4n^2 + 48b^3c^4d^6e^2n^2 + 46b^4c^3d^5e^3n^2 - 6b^5c^2d^4e^4n^2 - 21b^6c^2d^3e^5n^2 - 3b^7d^2e^6n^2)a^4 - (16b^3c^5d^8n^2 - 42b^4c^4d^7e^4n^2 + 24b^5c^3d^6e^2n^2 + 11b^6c^2d^5e^3n^2 - 6b^7c^2d^4e^4n^2 - 3b^8d^3e^5n^2)a^3 + (2b^5c^4d^8n^2 - 5b^6c^3d^7e^4n^2 + 3b^7c^2d^6e^2n^2 + b^8c^2d^5e^3n^2 - b^9d^4e^4n^2)a^2)x^3 + (32(c^3d^2e^6n^2 + b^2c^2d^7e^4n^2)a^8 + 16(6c^4d^4e^4n^2 - 6b^2c^2d^2e^6n^2 - b^3c^2d^7e^4n^2)a^7 + 2(48c^5d^6e^2n^2 - 48b^2c^4d^5e^3n^2 - 48b^2c^3d^4e^4n^2 + 24b^3c^2d^3e^5n^2 + 21b^4c^2d^2e^6n^2 + b^5d^7e^4n^2)a^6 + (32c^6d^8n^2 - 64b^2c^5d^7e^4n^2 + 16b^3c^3d^5e^3n^2 + 46b^4c^2d^4e^4n^2 - 24b^5c^2d^3e^5n^2 - 5b^6d^2e^6n^2)a^5 - (16b^3c^4d^7e^4n^2 - 30b^4c^3d^6e^2n^2 + 6b^5c^2d^5e^3n^2 + 11b^6c^2d^4e^4n^2 - 3b^7d^3e^5n^2)a^4 - (6b^4c^4d^8n^2 - 20b^5c^3d^7e^4n^2 + 21b^6c^2d^6e^2n^2 - 6b^7c^2d^5e^3n^2 - b^8d^4e^4n^2)a^3 + (b^6c^3d^8n^2 - 3b^7c^2d^7e^4n^2 + 3b^8c^2d^6e^2n^2 - b^9d^5e^3n^2)a^2)x^2 + (16a^9c^2d^7e^4n^2 + 8(6c^3d^3e^5n^2 - 2b^2c^2d^2e^6n^2 - b^2c^2d^7e^4n^2)a^8 + (48c^4d^5e^3n^2 - 72b^2c^
\end{aligned}$$

$$\begin{aligned}
& c^2 d^3 e^5 n^2 + 8 b^3 c d^2 e^6 n^2 + b^4 d e^7 n^2) a^7 + (16 c^5 d^7 e^* \\
& n^2 + 48 b c^4 d^6 e^2 n^2 - 168 b^2 c^3 d^5 e^3 n^2 + 80 b^3 c^2 d^4 e^4 n \\
& ^2 + 27 b^4 c d^3 e^5 n^2 - b^5 d^2 e^6 n^2) a^6 + (32 b^3 c^5 d^8 n^2 - 104 b \\
& ^2 c^4 d^7 e^* n^2 + 72 b^3 c^3 d^6 e^2 n^2 + 43 b^4 c^2 d^5 e^3 n^2 - 40 b^ \\
& 5 c d^4 e^4 n^2 - 3 b^6 d^3 e^5 n^2) a^5 - (16 b^3 c^4 d^8 n^2 - 49 b^4 c^3 \\
& * d^7 e^* n^2 + 45 b^5 c^2 d^6 e^2 n^2 - 7 b^6 c d^5 e^3 n^2 - 5 b^7 d^4 e^4 n \\
& ^2) a^4 + 2 (b^5 c^3 d^8 n^2 - 3 b^6 c^2 d^7 e^* n^2 + 3 b^7 c d^6 e^2 n^2 - \\
& b^8 d^5 e^3 n^2) a^3) x^n + \text{integrate}(1/2*((2 n^2 - 3 n + 1) b^4 c^4 d^6 - \\
& 4*(2 n^2 - 3 n + 1) b^5 c^3 d^5 e + 6*(2 n^2 - 3 n + 1) b^6 c^2 d^4 e^2 - \\
& 4*(2 n^2 - 3 n + 1) b^7 c d^3 e^3 + (2 n^2 - 3 n + 1) b^8 d^2 e^4 - 4*(24 n \\
& ^2 - 10 n + 1) a^5 c^3 e^6 + (4*(48 n^2 - 2 n - 1) c^4 d^2 e^4 - 4*(96 n^2 \\
& - 29 n + 2) b c^3 d e^5 + (240 n^2 - 115 n + 13) b^2 c^2 e^6) a^4 + (4*(32 n \\
& ^2 - 18 n + 1) c^5 d^4 e^2 - 8*(48 n^2 - 37 n + 4) b c^4 d^3 e^3 + (288 n^ \\
& 2 - 337 n + 49) b^2 c^3 d^2 e^4 + 2*(32 n^2 + 29 n - 7) b^3 c^2 d e^5 - (10 \\
& 2 n^2 - 55 n + 7) b^4 c e^6) a^3 + (4*(8 n^2 - 6 n + 1) c^6 d^6 - 4*(32 n^2 \\
& - 29 n + 6) b c^5 d^5 e + (128 n^2 - 137 n + 39) b^2 c^4 d^4 e^2 + 8*(8 n^ \\
& 2 - 7 n - 1) b^3 c^3 d^3 e^3 - 4*(37 n^2 - 43 n + 6) b^4 c^2 d^2 e^4 + 4*(1 \\
& 0 n^2 - 16 n + 3) b^5 c d e^5 + (12 n^2 - 7 n + 1) b^6 e^6) a^2 - ((16 n^2 \\
& - 21 n + 5) b^2 c^5 d^6 - 2*(32 n^2 - 43 n + 11) b^3 c^4 d^5 e + 2*(44 n^2 \\
& - 61 n + 17) b^4 c^3 d^4 e^2 - 20*(2 n^2 - 3 n + 1) b^5 c^2 d^3 e^3 - (8 n^ \\
& 2 - 7 n - 1) b^6 c d^2 e^4 + 2*(4 n^2 - 5 n + 1) b^7 d e^5) a + ((2 n^2 - 3 \\
& n + 1) b^3 c^5 d^6 - 4*(2 n^2 - 3 n + 1) b^4 c^4 d^5 e + 6*(2 n^2 - 3 n + \\
& 1) b^5 c^3 d^4 e^2 - 4*(2 n^2 - 3 n + 1) b^6 c^2 d^3 e^3 + (2 n^2 - 3 n + 1 \\
& ) b^7 c d^2 e^4 - 2*(4*(35 n^2 - 12 n + 1) c^4 d e^5 - (81 n^2 - 37 n + 4) * \\
& b c^3 e^6) a^4 - 2*(8*(7 n^2 - 8 n + 1) c^5 d^3 e^3 - (83 n^2 - 97 n + 14) * \\
& b c^4 d^2 e^4 - (44 n^2 + 7 n - 3) b^2 c^3 d e^5 + 3*(15 n^2 - 8 n + 1) b^3 \\
& * c^2 e^6) a^3 - (8*(3 n^2 - 4 n + 1) c^6 d^5 e - 2*(11 n^2 - 19 n + 8) b c^ \\
& 5 d^4 e^2 - 4*(22 n^2 - 23 n + 1) b^2 c^4 d^3 e^3 + (136 n^2 - 159 n + 23) * \\
& b^3 c^3 d^2 e^4 - 2*(16 n^2 - 27 n + 5) b^4 c^2 d e^5 - (12 n^2 - 7 n + 1) * \\
& b^5 c e^6) a^2 - 2*((7 n^2 - 9 n + 2) b c^6 d^6 - (28 n^2 - 37 n + 9) b^2 c^ \\
& ^5 d^5 e + 2*(19 n^2 - 26 n + 7) b^3 c^4 d^4 e^2 - 8*(2 n^2 - 3 n + 1) b^4 * \\
& c^3 d^3 e^3 - 5*(n^2 - n) b^5 c^2 d^2 e^4 + (4 n^2 - 5 n + 1) b^6 c d e^5) * \\
& a) x^n) / (16 a^9 c^2 e^8 n^2 + 8*(8 c^3 d^2 e^6 n^2 - 8 b c^2 d e^7 n^2 - b^ \\
& 2 c e^8 n^2) a^8 + (96 c^4 d^4 e^4 n^2 - 192 b c^3 d^3 e^5 n^2 + 64 b^2 c^2 \\
& * d^2 e^6 n^2 + 32 b^3 c d e^7 n^2 + b^4 e^8 n^2) a^7 + 4*(16 c^5 d^6 e^2 n^ \\
& 2 - 48 b c^4 d^5 e^3 n^2 + 36 b^2 c^3 d^4 e^4 n^2 + 8 b^3 c^2 d^3 e^5 n^2 - \\
& 11 b^4 c d^2 e^6 n^2 - b^5 d e^7 n^2) a^6 + 2*(8 c^6 d^8 n^2 - 32 b c^5 d^ \\
& 7 e^* n^2 + 32 b^2 c^4 d^6 e^2 n^2 + 16 b^3 c^3 d^5 e^3 n^2 - 37 b^4 c^2 d^4 e^ \\
& 4 n^2 + 10 b^5 c d^3 e^5 n^2 + 3 b^6 d^2 e^6 n^2) a^5 - 4*(2 b^2 c^5 d^8 n^ \\
& 2 - 8 b^3 c^4 d^7 e^* n^2 + 11 b^4 c^3 d^6 e^2 n^2 - 5 b^5 c^2 d^5 e^3 n^2 \\
& - b^6 c d^4 e^4 n^2 + b^7 d^3 e^5 n^2) a^4 + (b^4 c^4 d^8 n^2 - 4 b^5 c^3 d^ \\
& ^7 e^* n^2 + 6 b^6 c^2 d^6 e^2 n^2 - 4 b^7 c d^5 e^3 n^2 + b^8 d^4 e^4 n^2) a \\
& ^3 + (16 a^8 c^3 e^8 n^2 + 8*(8 c^4 d^2 e^6 n^2 - 8 b c^3 d e^7 n^2 - b^2 c^ \\
& ^2 e^8 n^2) a^7 + (96 c^5 d^4 e^4 n^2 - 192 b c^4 d^3 e^5 n^2 + 64 b^2 c^3 d^ \\
& ^2 e^6 n^2 + 32 b^3 c^2 d e^7 n^2 + b^4 c e^8 n^2) a^6 + 4*(16 c^6 d^6 e^2
\end{aligned}$$

```

*n^2 - 48*b*c^5*d^5*e^3*n^2 + 36*b^2*c^4*d^4*e^4*n^2 + 8*b^3*c^3*d^3*e^5*n^
2 - 11*b^4*c^2*d^2*e^6*n^2 - b^5*c*d*e^7*n^2)*a^5 + 2*(8*c^7*d^8*n^2 - 32*b
*c^6*d^7*e*n^2 + 32*b^2*c^5*d^6*e^2*n^2 + 16*b^3*c^4*d^5*e^3*n^2 - 37*b^4*c
^3*d^4*e^4*n^2 + 10*b^5*c^2*d^3*e^5*n^2 + 3*b^6*c*d^2*e^6*n^2)*a^4 - 4*(2*b
^2*c^6*d^8*n^2 - 8*b^3*c^5*d^7*e*n^2 + 11*b^4*c^4*d^6*e^2*n^2 - 5*b^5*c^3*d
^5*e^3*n^2 - b^6*c^2*d^4*e^4*n^2 + b^7*c*d^3*e^5*n^2)*a^3 + (b^4*c^5*d^8*n^
2 - 4*b^5*c^4*d^7*e*n^2 + 6*b^6*c^3*d^6*e^2*n^2 - 4*b^7*c^2*d^5*e^3*n^2 + b
^8*c*d^4*e^4*n^2)*a^2)*x^(2*n) + (16*a^8*b*c^2*e^8*n^2 + 8*(8*b*c^3*d^2*e^6
*n^2 - 8*b^2*c^2*d*e^7*n^2 - b^3*c*e^8*n^2)*a^7 + (96*b*c^4*d^4*e^4*n^2 - 1
92*b^2*c^3*d^3*e^5*n^2 + 64*b^3*c^2*d^2*e^6*n^2 + 32*b^4*c*d*e^7*n^2 + b^5*
e^8*n^2)*a^6 + 4*(16*b*c^5*d^6*e^2*n^2 - 48*b^2*c^4*d^5*e^3*n^2 + 36*b^3*c^
3*d^4*e^4*n^2 + 8*b^4*c^2*d^3*e^5*n^2 - 11*b^5*c*d^2*e^6*n^2 - b^6*d*e^7*n^
2)*a^5 + 2*(8*b*c^6*d^8*n^2 - 32*b^2*c^5*d^7*e*n^2 + 32*b^3*c^4*d^6*e^2*n^2
+ 16*b^4*c^3*d^5*e^3*n^2 - 37*b^5*c^2*d^4*e^4*n^2 + 10*b^6*c*d^3*e^5*n^2 +
3*b^7*d^2*e^6*n^2)*a^4 - 4*(2*b^3*c^5*d^8*n^2 - 8*b^4*c^4*d^7*e*n^2 + 11*b
^5*c^3*d^6*e^2*n^2 - 5*b^6*c^2*d^5*e^3*n^2 - b^7*c*d^4*e^4*n^2 + b^8*d^3*e^
5*n^2)*a^3 + (b^5*c^4*d^8*n^2 - 4*b^6*c^3*d^7*e*n^2 + 6*b^7*c^2*d^6*e^2*n^2
- 4*b^8*c*d^5*e^3*n^2 + b^9*d^4*e^4*n^2)*a^2)*x^n), x)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^3), x)

[Out] int(1/((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^3), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e\*x\*\*n)\*\*2/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*3, x)

[Out] Timed out

### 3.85 $\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx$

**Optimal.** Leaf size=292

$$\frac{dx\sqrt{a + bx^n + cx^{2n}} F_1\left(\frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right) + ex^{n+1}\sqrt{a + bx^n + cx^{2n}} F_1\left(1 + \frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1} + (n+1)\sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1}}$$

[Out]  $e*x^{(1+n)}*AppellF1(1+1/n, -1/2, -1/2, 2+1/n, -2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)})) * (a+b*x^n+c*x^{(2*n)})^{(1/2)}/(1+n)/(1+2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)}))^{(1/2)} + d*x*AppellF1(1/n, -1/2, -1/2, 1+1/n, -2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)})) * (a+b*x^n+c*x^{(2*n)})^{(1/2)}/(1+2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

**Rubi [A]** time = 0.36, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx\sqrt{a + bx^n + cx^{2n}} F_1\left(\frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right) + ex^{n+1}\sqrt{a + bx^n + cx^{2n}} F_1\left(1 + \frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1} + (n+1)\sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)\*Sqrt[a + b\*x^n + c\*x^(2\*n)], x]

[Out]  $(e*x^{(1+n)}*Sqrt[a + b*x^n + c*x^{(2*n)}]*AppellF1[1 + n^{(-1)}, -1/2, -1/2, 2 + n^{(-1)}, (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]) / ((1 + n)*Sqrt[1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])] * Sqrt[1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]) + (d*x*Sqrt[a + b*x^n + c*x^{(2*n)}]*AppellF1[n^{(-1)}, -1/2, -1/2, 1 + n^{(-1)}, (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]) / (Sqrt[1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])] * Sqrt[1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])$

**Rule 429**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -(b\*x^n)/a, -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

**Rule 510**

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 1348

```
Int[((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

### Rule 1385

```
Int[((d_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]
```

### Rule 1432

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]
```

### Rubi steps

$$\begin{aligned}
\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx &= \int \left( d\sqrt{a + bx^n + cx^{2n}} + ex^n \sqrt{a + bx^n + cx^{2n}} \right) dx \\
&= d \int \sqrt{a + bx^n + cx^{2n}} dx + e \int x^n \sqrt{a + bx^n + cx^{2n}} dx \\
&= \frac{\left( d\sqrt{a + bx^n + cx^{2n}} \right) \int \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} + \frac{e\sqrt{a + bx^n + cx^{2n}}}{(1+n)\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \frac{ex^{1+n} \sqrt{a + bx^n + cx^{2n}} F_1 \left( 1 + \frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{(1+n)\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \dots
\end{aligned}$$

**Mathematica [A]** time = 1.61, size = 424, normalized size = 1.45

$$x \left( 2(n+1) \left( an \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^n}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^n}{\sqrt{b^2-4ac}+b}} (2c(2dn+d) - be) F_1 \left( \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}}, \frac{2cx^n}{\sqrt{b^2-4ac}-b} \right) + \dots \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)\*Sqrt[a + b\*x^n + c\*x^(2\*n)],x]

[Out] (x\*(-(n\*(-4\*a\*c\*e\*(1+n) + b^2\*e\*(2+n) - 2\*b\*c\*d\*(1+2\*n))\*x^n\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]])\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]])\*AppellF1[1 + n^(-1), 1/2, 1/2, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]) + 2\*(1+n)\*((a + x^n\*(b + c\*x^n))\*(b\*e^n + 2\*c\*(d + 2\*d\*n + e\*(1+n)\*x^n)) + a\*n\*(-(b\*e) + 2\*c\*(d + 2\*d\*n))\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]])\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]])\*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])))/(4\*(1+n)^2\*(c + 2\*c\*n)\*Sqrt[a + x^n\*(b + c\*x^n)])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^{2n} + bx^n + a} (ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(c\*x^(2\*n) + b\*x^n + a)\*(e\*x^n + d), x)

**maple** [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (ex^n + d) \sqrt{bx^n + cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a)^(1/2),x)

[Out] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^{2n} + bx^n + a} (ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c\*x^(2\*n) + b\*x^n + a)\*(e\*x^n + d), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(1/2),x)

[Out] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**(1/2),x)
```

```
[Out] Integral((d + e*x**n)*sqrt(a + b*x**n + c*x**(2*n)), x)
```

### 3.86 $\int (d + ex^n) (a + bx^n + cx^{2n})^{3/2} dx$

**Optimal.** Leaf size=294

$$\frac{adx\sqrt{a+bx^n+cx^{2n}}F_1\left(\frac{1}{n};-\frac{3}{2},-\frac{3}{2};1+\frac{1}{n};-\frac{2cx^n}{b-\sqrt{b^2-4ac}},-\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)+aex^{n+1}\sqrt{a+bx^n+cx^{2n}}F_1\left(1+\frac{1}{n};-\frac{3}{2},-\frac{3}{2};2+\frac{1}{n};-\frac{2cx^n}{b-\sqrt{b^2-4ac}},-\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)}{\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}+(n+1)\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] a\*e\*x^(1+n)\*AppellF1(1+1/n,-3/2,-3/2,2+1/n,-2\*c\*x^n/(b-(-4\*a\*c+b^2)^(1/2)), -2\*c\*x^n/(b+(-4\*a\*c+b^2)^(1/2)))\*(a+b\*x^n+c\*x^(2\*n))^(1/2)/(1+n)/(1+2\*c\*x^n/(b-(-4\*a\*c+b^2)^(1/2)))^(1/2)/(1+2\*c\*x^n/(b+(-4\*a\*c+b^2)^(1/2)))^(1/2)+a\*d\*x\*AppellF1(1/n,-3/2,-3/2,1+1/n,-2\*c\*x^n/(b-(-4\*a\*c+b^2)^(1/2)), -2\*c\*x^n/(b+(-4\*a\*c+b^2)^(1/2)))\*(a+b\*x^n+c\*x^(2\*n))^(1/2)/(1+2\*c\*x^n/(b-(-4\*a\*c+b^2)^(1/2)))^(1/2)/(1+2\*c\*x^n/(b+(-4\*a\*c+b^2)^(1/2)))^(1/2)

**Rubi [A]** time = 0.35, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{adx\sqrt{a+bx^n+cx^{2n}}F_1\left(\frac{1}{n};-\frac{3}{2},-\frac{3}{2};1+\frac{1}{n};-\frac{2cx^n}{b-\sqrt{b^2-4ac}},-\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)+aex^{n+1}\sqrt{a+bx^n+cx^{2n}}F_1\left(1+\frac{1}{n};-\frac{3}{2},-\frac{3}{2};2+\frac{1}{n};-\frac{2cx^n}{b-\sqrt{b^2-4ac}},-\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)}{\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}+(n+1)\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(3/2), x]

[Out] (a\*e\*x^(1+n)\*Sqrt[a+b\*x^n+c\*x^(2\*n)]\*AppellF1[1+n^(-1), -3/2, -3/2, 2+n^(-1), (-2\*c\*x^n)/(b-Sqrt[b^2-4\*a\*c]), (-2\*c\*x^n)/(b+Sqrt[b^2-4\*a\*c])])/((1+n)\*Sqrt[1+(2\*c\*x^n)/(b-Sqrt[b^2-4\*a\*c])]\*Sqrt[1+(2\*c\*x^n)/(b+Sqrt[b^2-4\*a\*c])])+(a\*d\*x\*Sqrt[a+b\*x^n+c\*x^(2\*n)]\*AppellF1[n^(-1), -3/2, -3/2, 1+n^(-1), (-2\*c\*x^n)/(b-Sqrt[b^2-4\*a\*c]), (-2\*c\*x^n)/(b+Sqrt[b^2-4\*a\*c])]/(Sqrt[1+(2\*c\*x^n)/(b-Sqrt[b^2-4\*a\*c])]\*Sqrt[1+(2\*c\*x^n)/(b+Sqrt[b^2-4\*a\*c])]))

**Rule 429**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1+1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

**Rule 510**

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -(d*x^n)/c]]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 1348

```
Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p]]/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

### Rule 1385

```
Int[((d_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p]]/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]
```

### Rule 1432

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]
```

### Rubi steps

$$\begin{aligned}
\int (d + ex^n)(a + bx^n + cx^{2n})^{3/2} dx &= \int \left( d(a + bx^n + cx^{2n})^{3/2} + ex^n(a + bx^n + cx^{2n})^{3/2} \right) dx \\
&= d \int (a + bx^n + cx^{2n})^{3/2} dx + e \int x^n (a + bx^n + cx^{2n})^{3/2} dx \\
&= \frac{\left( ad\sqrt{a + bx^n + cx^{2n}} \right) \int \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \frac{\left( ae\sqrt{a + bx^n + cx^{2n}} \right) \int \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} \\
&= \frac{aex^{1+n}\sqrt{a + bx^n + cx^{2n}} F_1 \left( 1 + \frac{1}{n}; -\frac{3}{2}, -\frac{3}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{(1 + n) \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \dots
\end{aligned}$$

**Mathematica [B]** time = 4.53, size = 690, normalized size = 2.35

$$x \left( 3n^2 x^n \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} F_1 \left( 1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) (16a^2 c^2 e (3n^2 + 4n + 1) \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^(3/2), x]

[Out] (x\*(3\*n^2\*(16\*a^2\*c^2\*e\*(1 + 4\*n + 3\*n^2) + b^4\*e\*(4 + 8\*n + 3\*n^2) - 2\*b^3\*c\*d\*(2 + 9\*n + 4\*n^2) - 4\*a\*b^2\*c\*e\*(5 + 14\*n + 6\*n^2) + 8\*a\*b\*c^2\*d\*(2 + 11\*n + 12\*n^2))\*x^n\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])]\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])]\*AppellF1[1 + n^(-1), 1/2, 1/2, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])] + 2\*(1 + n)\*((a + x^n\*(b + c\*x^n))\*(-3\*b^3\*e\*n^2\*(2 + 3\*n) + 6\*b^2\*c\*n^2\*(d + 4\*d\*n + e\*(1 + n)\*x^n) + 8\*c^3\*(1 + 3\*n + 2\*n^2)\*x^(2\*n)\*(d + 4\*d\*n + e\*(1 + 3\*n)\*x^n) + 4\*b\*c^2\*(1 + n)\*x^n\*(d\*(2 + 15\*n + 28\*n^2) + e\*(2 + 13\*n + 18\*n^2)\*x^n) + 4\*a\*c\*(3\*b\*e\*n^2\*(2 + 5\*n) + 2\*c\*(d\*(1 + 2\*n)\*(1 + 4\*n)^2 + e\*(1 + 9\*n + 23\*n^2 + 15\*n^3)\*x^n)) + 3\*a\*n^2\*(b^3\*e\*(2 + 3\*n) - 2\*b^2\*c\*d\*(1 + 4\*n) - 4\*a\*b\*c\*e\*(2 + 5\*n) + 8\*a\*c^2\*d\*(1 + 6\*n + 8\*n^2))\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])]\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])]\*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])))/(16\*c^2\*(1 + n)^2\*(1 + 2\*n)\*(1 + 3\*n)\*(1 + 4\*n)\*Sqrt[a + x^n\*(b + c\*x^n)])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^{\frac{3}{2}}(ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="giac")`

[Out] `integrate((c*x^(2*n) + b*x^n + a)^(3/2)*(e*x^n + d), x)`

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (ex^n + d)(bx^n + cx^{2n} + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^(3/2),x)`

[Out] `int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^(3/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^{\frac{3}{2}}(ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="maxima")`

[Out] `integrate((c*x^(2*n) + b*x^n + a)^(3/2)*(e*x^n + d), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + ex^n) (a + bx^n + cx^{2n})^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^(3/2),x)`

[Out] `int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (d + ex^n) (a + bx^n + cx^{2n})^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**(3/2), x)`

[Out] `Integral((d + e*x**n)*(a + b*x**n + c*x**(2*n))**(3/2), x)`

$$3.87 \quad \int \frac{d+ex^n}{\sqrt{a+bx^n+cx^{2n}}} dx$$

**Optimal.** Leaf size=292

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)}{\sqrt{a+bx^n+cx^{2n}}} + \frac{ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}}}}{\sqrt{a+bx^n+cx^{2n}}} \quad (1)$$

[Out]  $e*x^{(1+n)}*AppellF1(1+1/n, 1/2, 1/2, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+n)/(a+b*x^n+c*x^{(2*n)})^{(1/2)}+d*x*AppellF1(1/n, 1/2, 1/2, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(a+b*x^n+c*x^{(2*n)})^{(1/2)}$

**Rubi [A]** time = 0.34, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)}{\sqrt{a+bx^n+cx^{2n}}} + \frac{ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}}}}{\sqrt{a+bx^n+cx^{2n}}} \quad (1)$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/Sqrt[a + b\*x^n + c\*x^(2\*n)], x]

[Out]  $(e*x^{(1+n)}*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[1+n^{-1}, 1/2, 1/2, 2+n^{-1}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/((1+n)*Sqrt[a+b*x^n+c*x^{(2*n)}])+(d*x*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[n^{-1}, 1/2, 1/2, 1+n^{-1}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/Sqrt[a+b*x^n+c*x^{(2*n)}])$

**Rule 429**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol]  
 :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -(b\*x^n)/a, -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

**Rule 510**

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 1348

```
Int[((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

### Rule 1385

```
Int[((d_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]
```

### Rule 1432

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{d + ex^n}{\sqrt{a + bx^n + cx^{2n}}} dx &= \int \left( \frac{d}{\sqrt{a + bx^n + cx^{2n}}} + \frac{ex^n}{\sqrt{a + bx^n + cx^{2n}}} \right) dx \\
&= d \int \frac{1}{\sqrt{a + bx^n + cx^{2n}}} dx + e \int \frac{x^n}{\sqrt{a + bx^n + cx^{2n}}} dx \\
&= \frac{\left( d \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{a + bx^n + cx^{2n}}} + \frac{\left( e \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{a + bx^n + cx^{2n}}} \\
&= \frac{ex^{1+n} \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} F_1 \left( 1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{(1+n)\sqrt{a + bx^n + cx^{2n}}}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 245, normalized size = 0.84

$$\frac{x \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} \left( d(n+1) F_1 \left( \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) + ex^n F_1 \left( 1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) \right)}{(n+1)\sqrt{a + x^n(b + cx^n)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)/Sqrt[a + b\*x^n + c\*x^(2\*n)], x]

[Out] (x\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c])]\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c])]\*(e\*x^n\*AppellF1[1 + n^(-1), 1/2, 1/2, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])] + d\*(1 + n)\*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])]/((1 + n)\*Sqrt[a + x^n\*(b + c\*x^n)])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{\sqrt{cx^{2n} + bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(1/2),x, algorithm="giac")

[Out] integrate((e\*x^n + d)/sqrt(c\*x^(2\*n) + b\*x^n + a), x)

maple [F] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{\sqrt{b x^n + c x^{2n} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^(1/2),x)

[Out] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{\sqrt{c x^{2n} + b x^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(1/2),x, algorithm="maxima")

[Out] integrate((e\*x^n + d)/sqrt(c\*x^(2\*n) + b\*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + e x^n}{\sqrt{a + b x^n + c x^{2n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(1/2),x)

[Out] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + e x^n}{\sqrt{a + b x^n + c x^{2n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*(1/2),x)

[Out] Integral((d + e\*x\*\*n)/sqrt(a + b\*x\*\*n + c\*x\*\*(2\*n)), x)

$$3.88 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{3/2}} dx$$

**Optimal.** Leaf size=298

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{3}{2}, \frac{3}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}}}}{a\sqrt{a+bx^n+cx^{2n}}} + \frac{ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}}}}{a}$$

[Out]  $e*x^{(1+n)}*AppellF1(1+1/n, 3/2, 3/2, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/(1+n)/(a+b*x^n+c*x^{(2*n)})^{(1/2)}+d*x*AppellF1(1/n, 3/2, 3/2, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/(a+b*x^n+c*x^{(2*n)})^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{3}{2}, \frac{3}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}}}}{a\sqrt{a+bx^n+cx^{2n}}} + \frac{ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}}}}{a}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(3/2), x]

[Out]  $(e*x^{(1+n)}*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c])] * Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c])] * AppellF1[1+n^{(-1)}, 3/2, 3/2, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]) / (a*(1+n)*Sqrt[a+b*x^n+c*x^{(2*n)}]) + (d*x*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c])] * Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c])] * AppellF1[n^{(-1)}, 3/2, 3/2, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]) / (a*Sqrt[a+b*x^n+c*x^{(2*n)}])$

**Rule 429**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1+1/n, -(b\*x^n)/a, -(d\*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

**Rule 510**

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 1348

```
Int[((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

### Rule 1385

```
Int[((d_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]
```

### Rule 1432

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^{3/2}} dx &= \int \left( \frac{d}{(a + bx^n + cx^{2n})^{3/2}} + \frac{ex^n}{(a + bx^n + cx^{2n})^{3/2}} \right) dx \\
&= d \int \frac{1}{(a + bx^n + cx^{2n})^{3/2}} dx + e \int \frac{x^n}{(a + bx^n + cx^{2n})^{3/2}} dx \\
&= \frac{\left( d \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^n + cx^{2n}}} + \frac{\left( e \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{x^n}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^n + cx^{2n}}} \\
&= \frac{ex^{1+n} \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} F_1 \left( 1 + \frac{1}{n}; \frac{3}{2}, \frac{3}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{a(1+n) \sqrt{a + bx^n + cx^{2n}}}
\end{aligned}$$

**Mathematica [A]** time = 1.48, size = 414, normalized size = 1.39

$$x \left( 2cx^n (bd - 2ae) \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} F_1 \left( 1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) - (n + 1) \left( \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(3/2), x]

[Out] (x\*(2\*c\*(b\*d - 2\*a\*e)\*x^n\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]])\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]])\*AppellF1[1 + n^(-1), 1/2, 1/2, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]) - (1 + n)\*(2\*(b^2\*d + b\*(-(a\*e) + c\*d\*x^n) - 2\*a\*c\*(d + e\*x^n)) + (2\*a\*b\*e + b^2\*d\*(-2 + n) - 4\*a\*c\*d\*(-1 + n))\*Sqrt[(b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]])\*Sqrt[(b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]])\*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])))/(a\*(-b^2 + 4\*a\*c)\*n\*(1 + n)\*Sqrt[a + x^n\*(b + c\*x^n)])

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(3/2),x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a)^(3/2), x)

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{(b x^n + c x^{2n} + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^(3/2),x)

[Out] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(3/2),x, algorithm="maxima")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + e x^n}{(a + b x^n + c x^{2n})^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(3/2),x)

```
[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**(3/2),x)
```

```
[Out] Timed out
```

$$3.89 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{5/2}} dx$$

**Optimal.** Leaf size=298

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{5}{2}, \frac{5}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)}{a^2 \sqrt{a+bx^n+cx^{2n}}} + \frac{ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{a^2 \sqrt{a+bx^n+cx^{2n}}}$$

[Out]  $e*x^{(1+n)}*AppellF1(1+1/n, 5/2, 5/2, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a^2/(1+n)/(a+b*x^n+c*x^{(2*n)})^{(1/2)}+d*x*AppellF1(1/n, 5/2, 5/2, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a^2/(a+b*x^n+c*x^{(2*n)})^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{5}{2}, \frac{5}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)}{a^2 \sqrt{a+bx^n+cx^{2n}}} + \frac{ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{a^2 \sqrt{a+bx^n+cx^{2n}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(5/2), x]

[Out]  $(e*x^{(1+n)}*Sqrt[1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[1 + n^{(-1)}, 5/2, 5/2, 2 + n^{(-1)}, (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(a^2*(1 + n)*Sqrt[a + b*x^n + c*x^{(2*n)}]) + (d*x*Sqrt[1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]*AppellF1[n^{(-1)}, 5/2, 5/2, 1 + n^{(-1)}, (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(a^2*Sqrt[a + b*x^n + c*x^{(2*n)}])$

**Rule 429**

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol]
:> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1]
&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

**Rule 510**



```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -(b*x^n)/a, -(d*x^n)/c]]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])
```

### Rule 1348

```
Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p]]/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

### Rule 1385

```
Int[((d_.)*(x_))^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p]]/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]
```

### Rule 1432

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^{5/2}} dx &= \int \left( \frac{d}{(a + bx^n + cx^{2n})^{5/2}} + \frac{ex^n}{(a + bx^n + cx^{2n})^{5/2}} \right) dx \\
&= d \int \frac{1}{(a + bx^n + cx^{2n})^{5/2}} dx + e \int \frac{x^n}{(a + bx^n + cx^{2n})^{5/2}} dx \\
&= \frac{\left( d \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{5/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{5/2}} dx}{a^2 \sqrt{a + bx^n + cx^{2n}}} + \frac{\left( e \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{x^n}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{5/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{5/2}} dx}{a^2 \sqrt{a + bx^n + cx^{2n}}} \\
&= \frac{ex^{1+n} \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} F_1 \left( 1 + \frac{1}{n}; \frac{5}{2}, \frac{5}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{a^2(1+n)\sqrt{a + bx^n + cx^{2n}}}
\end{aligned}$$

**Mathematica [B]** time = 6.57, size = 6752, normalized size = 22.66

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(5/2), x]

[Out] Result too large to show

**fricas [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(5/2),x, algorithm="giac")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a)^(5/2), x)

**maple** [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{(b x^n + c x^{2n} + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^(5/2),x)

[Out] int((e\*x^n+d)/(b\*x^n+c\*x^(2\*n)+a)^(5/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{(c x^{2n} + b x^n + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)/(a+b\*x^n+c\*x^(2\*n))^(5/2),x, algorithm="maxima")

[Out] integrate((e\*x^n + d)/(c\*x^(2\*n) + b\*x^n + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + e x^n}{(a + b x^n + c x^{2n})^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(5/2),x)

[Out] int((d + e\*x^n)/(a + b\*x^n + c\*x^(2\*n))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)/(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*(5/2),x)

[Out] Timed out

### 3.90 $\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$

Optimal. Leaf size=29

$$\text{Int}\left((d + ex^n)^q (a + bx^n + cx^{2n})^p, x\right)$$

[Out] Unintegrable((d+e\*x^n)^q\*(a+b\*x^n+c\*x^(2\*n))^p,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Int[(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p,x]

[Out] Defer[Int] [(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p, x]

Rubi steps

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx = \int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Mathematica [A] time = 0.29, size = 0, normalized size = 0.00

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p,x]

[Out] Integrate[(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p, x]

fricas [A] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cx^{2n} + bx^n + a\right)^p (ex^n + d)^q, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^q\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + b\*x^n + a)^p\*(e\*x^n + d)^q, x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^q\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p\*(e\*x^n + d)^q, x)

**maple** [A] time = 0.14, size = 0, normalized size = 0.00

$$\int (ex^n + d)^q (bx^n + cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)^q\*(b\*x^n+c\*x^(2\*n)+a)^p,x)

[Out] int((e\*x^n+d)^q\*(b\*x^n+c\*x^(2\*n)+a)^p,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^q\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p\*(e\*x^n + d)^q, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.03

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p,x)

[Out] int((d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*q\*(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*p,x)

[Out] Timed out

### 3.91 $\int (d + ex^n)^3 (a + bx^n + cx^{2n})^p dx$

**Optimal.** Leaf size=606

$$d^3 x \left( \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left( \frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)$$

[Out]  $3d^2 e^2 x^{(1+n)} (a + bx^n + cx^{2n})^p \text{AppellF1} \left( 1 + \frac{1}{n}, -p, -p, 2 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) / ((1 + \frac{1}{n}) * (1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}))^{-p} + 3d^2 e^2 x^{(1+2n)} (a + bx^n + cx^{2n})^p \text{AppellF1} \left( 2 + \frac{1}{n}, -p, -p, 3 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) / ((1 + \frac{1}{n}) * (1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}))^{-p} + e^3 x^{(1+3n)} (a + bx^n + cx^{2n})^p \text{AppellF1} \left( 3 + \frac{1}{n}, -p, -p, 4 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) / ((1 + \frac{1}{n}) * (1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}))^{-p} + d^3 x^3 (a + bx^n + cx^{2n})^p \text{AppellF1} \left( \frac{1}{n}, -p, -p, 1 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) / ((1 + \frac{1}{n}) * (1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}))^{-p} + d^3 x^3 (a + bx^n + cx^{2n})^p \text{AppellF1} \left( \frac{1}{n}, -p, -p, 1 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) / ((1 + \frac{1}{n}) * (1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}))^{-p}$

**Rubi [A]** time = 0.62, antiderivative size = 606, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1436, 1348, 429, 1385, 510}

$$\frac{3d^2 ex^{n+1} \left( \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left( \frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( 1 + \frac{1}{n}; -p, -p; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{n + 1}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^3\*(a + b\*x^n + c\*x^(2\*n))^p,x]

[Out]  $(3d^2 e^2 x^{(1+n)} (a + bx^n + cx^{2n})^p \text{AppellF1} [1 + n^{(-1)}, -p, -p, 2 + n^{(-1)}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1 + n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac])))^{-p} + (3d^2 e^2 x^{(1+2n)} (a + bx^n + cx^{2n})^p \text{AppellF1} [2 + n^{(-1)}, -p, -p, 3 + n^{(-1)}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1 + 2n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac])))^{-p} + (e^3 x^{(1+3n)} (a + bx^n + cx^{2n})^p \text{AppellF1} [3 + n^{(-1)}, -p, -p, 4 + n^{(-1)}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1 + 3n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac])))^{-p} + (d^3 x^3 (a + bx^n + cx^{2n})^p \text{AppellF1} [n^{(-1)}, -p, -p, 1 + n^{(-1)}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1 + n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac])))^{-p}$

$$\frac{-4ac]}{((1 + (2cx^n)/(b - \sqrt{b^2 - 4ac}))^p(1 + (2cx^n)/(b + \sqrt{b^2 - 4ac}))^p)}$$

### Rule 429

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -(b\*x^n)/a, -(d\*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rule 510

Int[((e\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(a^p\*c^q\*(e\*x)^(m+1)\*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -(b\*x^n)/a, -(d\*x^n)/c]]/(e\*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rule 1348

Int[((a\_) + (c\_)\*(x\_)^(n2\_)) + (b\_)\*(x\_)^(n\_)]^(p\_), x\_Symbol] :> Dist[(a^IntPart[p]\*(a + b\*x^n + c\*x^(2\*n))^FracPart[p]]/((1 + (2\*c\*x^n)/(b + Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]\*(1 + (2\*c\*x^n)/(b - Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]), Int[(1 + (2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p\*(1 + (2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && !IntegerQ[p]

### Rule 1385

Int[((d\_)\*(x\_)^(m\_))\*((a\_) + (c\_)\*(x\_)^(n2\_)) + (b\_)\*(x\_)^(n\_)]^(p\_), x\_Symbol] :> Dist[(a^IntPart[p]\*(a + b\*x^n + c\*x^(2\*n))^FracPart[p]]/((1 + (2\*c\*x^n)/(b + Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]\*(1 + (2\*c\*x^n)/(b - Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]), Int[(d\*x)^m\*(1 + (2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p\*(1 + (2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2\*n]

### Rule 1436

Int[((d\_) + (e\_)\*(x\_)^(n\_))^(q\_)\*((a\_) + (b\_)\*(x\_)^(n\_)) + (c\_)\*(x\_)^(n2\_)]^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

### Rubi steps

$$\begin{aligned}
\int (d + ex^n)^3 (a + bx^n + cx^{2n})^p dx &= \int \left( d^3 (a + bx^n + cx^{2n})^p + 3d^2 ex^n (a + bx^n + cx^{2n})^p + 3de^2 x^{2n} (a + bx^n + cx^{2n})^p \right. \\
&= d^3 \int (a + bx^n + cx^{2n})^p dx + (3d^2 e) \int x^n (a + bx^n + cx^{2n})^p dx + (3de^2) \int x^{2n} (a + bx^n + cx^{2n})^p dx \\
&= \left( d^3 \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p \right) \int \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p dx \\
&= \frac{3d^2 ex^{1+n} \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( 1 + \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{1 + n}
\end{aligned}$$

**Mathematica [A]** time = 1.07, size = 438, normalized size = 0.72

$$x \left( \frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( \frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b} \right)^{-p} (a + x^n (b + cx^n))^p \left( (n+1) \left( (2n+1) \left( d^3 (3n+1) F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)^3\*(a + b\*x^n + c\*x^(2\*n))^p,x]

[Out] (x\*(a + x^n\*(b + c\*x^n))^p\*(3\*d^2\*e\*(1 + 5\*n + 6\*n^2)\*x^n\*AppellF1[1 + n^(-1), -p, -p, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])] + (1 + n)\*(3\*d\*e^2\*(1 + 3\*n)\*x^(2\*n)\*AppellF1[2 + n^(-1), -p, -p, 3 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])] + (1 + 2\*n)\*(e^3\*x^(3\*n)\*AppellF1[3 + n^(-1), -p, -p, 4 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])] + d^3\*(1 + 3\*n)\*AppellF1[n^(-1), -p, -p, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])])))/((1 + n)\*(1 + 2\*n)\*(1 + 3\*n)\*((b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p\*((b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p)

**fricas [F]** time = 1.16, size = 0, normalized size = 0.00

$$\text{integral} \left( (e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3) (c x^{2n} + b x^n + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3)\*(c\*x^(2\*n) + b\*x^n + a)^p, x)



giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^3\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP  
 UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error  
 %{-256, [1,0,7,4,7,5,2,8,1]%%}+%%{-1280, [1,0,7,4,7,4,2,8,1]%%}+%%{-2560, [1,0,7,4,7,3,2,8,1]%%}+%%{-2560, [1,0,7,4,7,2,2,8,1]%%}+%%{-1280, [1,0,7,4,7,1,2,8,1]%%}+%%{-256, [1,0,7,4,7,0,2,8,1]%%}+%%{256, [1,0,7,4,6,5,4,7,1]%%}+%%{1280, [1,0,7,4,6,4,4,7,1]%%}+%%{2560, [1,0,7,4,6,3,4,7,1]%%}+%%{2560, [1,0,7,4,6,2,4,7,1]%%}+%%{1280, [1,0,7,4,6,1,4,7,1]%%}+%%{256, [1,0,7,4,6,0,4,7,1]%%}+%%{-96, [1,0,7,4,5,5,6,6,1]%%}+%%{-480, [1,0,7,4,5,4,6,6,1]%%}+%%{-960, [1,0,7,4,5,3,6,6,1]%%}+%%{-960, [1,0,7,4,5,2,6,6,1]%%}+%%{-480, [1,0,7,4,5,1,6,6,1]%%}+%%{-96, [1,0,7,4,5,0,6,6,1]%%}+%%{16, [1,0,7,4,4,5,8,5,1]%%}+%%{80, [1,0,7,4,4,4,8,5,1]%%}+%%{160, [1,0,7,4,4,3,8,5,1]%%}+%%{160, [1,0,7,4,4,2,8,5,1]%%}+%%{80, [1,0,7,4,4,1,8,5,1]%%}+%%{16, [1,0,7,4,4,0,8,5,1]%%}+%%{-1, [1,0,7,4,3,5,10,4,1]%%}+%%{-5, [1,0,7,4,3,4,10,4,1]%%}+%%{-10, [1,0,7,4,3,3,10,4,1]%%}+%%{-10, [1,0,7,4,3,2,10,4,1]%%}+%%{-5, [1,0,7,4,3,1,10,4,1]%%}+%%{-1, [1,0,7,4,3,0,10,4,1]%%}+%%{512, [1,0,7,3,8,4,0,9,1]%%}+%%{2048, [1,0,7,3,8,3,0,9,1]%%}+%%{3072, [1,0,7,3,8,2,0,9,1]%%}+%%{2048, [1,0,7,3,8,1,0,9,1]%%}+%%{512, [1,0,7,3,8,0,0,9,1]%%}+%%{-768, [1,0,7,3,7,4,2,8,1]%%}+%%{-3072, [1,0,7,3,7,3,2,8,1]%%}+%%{-4608, [1,0,7,3,7,2,2,8,1]%%}+%%{-3072, [1,0,7,3,7,1,2,8,1]%%}+%%{-768, [1,0,7,3,7,0,2,8,1]%%}+%%{448, [1,0,7,3,6,4,4,7,1]%%}+%%{1792, [1,0,7,3,6,3,4,7,1]%%}+%%{2688, [1,0,7,3,6,2,4,7,1]%%}+%%{1792, [1,0,7,3,6,1,4,7,1]%%}+%%{448, [1,0,7,3,6,0,4,7,1]%%}+%%{-128, [1,0,7,3,5,4,6,6,1]%%}+%%{-512, [1,0,7,3,5,3,6,6,1]%%}+%%{-768, [1,0,7,3,5,2,6,6,1]%%}+%%{-512, [1,0,7,3,5,1,6,6,1]%%}+%%{-128, [1,0,7,3,5,0,6,6,1]%%}+%%{18, [1,0,7,3,4,4,8,5,1]%%}+%%{72, [1,0,7,3,4,3,8,5,1]%%}+%%{108, [1,0,7,3,4,2,8,5,1]%%}+%%{72, [1,0,7,3,4,1,8,5,1]%%}+%%{18, [1,0,7,3,4,0,8,5,1]%%}+%%{-1, [1,0,7,3,3,4,10,4,1]%%}+%%{-4, [1,0,7,3,3,3,10,4,1]%%}+%%{-6, [1,0,7,3,3,2,10,4,1]%%}+%%{-4, [1,0,7,3,3,1,10,4,1]%%}+%%{-1, [1,0,7,3,3,0,10,4,1]%%}+%%{-256, [0,0,7,3,7,4,1,9,1]%%}+%%{-1024, [0,0,7,3,7,3,1,9,1]%%}+%%{-1536, [0,0,7,3,7,2,1,9,1]%%}+%%{-1024, [0,0,7,3,7,1,1,9,1]%%}+%%{-256, [0,0,7,3,7,0,1,9,1]%%}+%%{256, [0,0,7,3,6,4,3,8,1]%%}+%%{1024, [0,0,7,3,6,3,3,8,1]%%}+%%{1536, [0,0,7,3,6,2,3,8,1]%%}+%%{1024, [0,0,7,3,6,1,3,8,1]%%}+%%{256, [0,0,7,3,6,0,3,8,1]%%}+%%{-96, [0,0,7,3,5,4,5,7,1]%%}+%%{-384, [0,0,7,3,5,3,5,7,1]%%}+%%{-576, [0,0,7,3,5,2,5,7,1]%%}+%%{-384, [0,0,7,3,5,1,5,7,1]%%}+%%{-96, [0,0,7,3,5,0,5,7,1]%%}+%%{16, [0,0,7,3,4,4,7,6,1]%%}+%%{64, [0,0,7,3,4,3,7,6,1]%%}+%%{96, [0,0,7,3,4,2,7,6,1]%%}+%%{64, [0,0,7,3,4,1,7,6,1]%%}+%%{16, [0,0,7,3,4,0,7,6,1]%%}+%%{-1, [0,0,7,3,3,4,9,

```

5,1]%%}+%%{-4,[0,0,7,3,3,3,9,5,1]%%}+%%{-6,[0,0,7,3,3,2,9,5,1]%%}+%%{-4,[0,0,7,3,3,1,9,5,1]%%}+%%{-1,[0,0,7,3,3,0,9,5,1]%%} / %%{256,[0,0,7,4,7,4,0,8,0]%%}+%%{1024,[0,0,7,4,7,3,0,8,0]%%}+%%{1536,[0,0,7,4,7,2,0,8,0]%%}+%%{1024,[0,0,7,4,7,1,0,8,0]%%}+%%{256,[0,0,7,4,7,0,0,8,0]%%}+%%{-256,[0,0,7,4,6,4,2,7,0]%%}+%%{-1024,[0,0,7,4,6,3,2,7,0]%%}+%%{-1536,[0,0,7,4,6,2,2,7,0]%%}+%%{-1024,[0,0,7,4,6,1,2,7,0]%%}+%%{-256,[0,0,7,4,6,0,2,7,0]%%}+%%{96,[0,0,7,4,5,4,4,6,0]%%}+%%{384,[0,0,7,4,5,3,4,6,0]%%}+%%{576,[0,0,7,4,5,2,4,6,0]%%}+%%{384,[0,0,7,4,5,1,4,6,0]%%}+%%{96,[0,0,7,4,5,0,4,6,0]%%}+%%{-16,[0,0,7,4,4,4,6,5,0]%%}+%%{-64,[0,0,7,4,4,3,6,5,0]%%}+%%{-96,[0,0,7,4,4,2,6,5,0]%%}+%%{-64,[0,0,7,4,4,1,6,5,0]%%}+%%{-16,[0,0,7,4,4,0,6,5,0]%%}+%%{1,[0,0,7,4,3,4,8,4,0]%%}+%%{4,[0,0,7,4,3,3,8,4,0]%%}+%%{6,[0,0,7,4,3,2,8,4,0]%%}+%%{4,[0,0,7,4,3,1,8,4,0]%%}+%%{1,[0,0,7,4,3,0,8,4,0]%%} Error: Bad Argument Value

```

**maple** [F] time = 0.13, size = 0, normalized size = 0.00

$$\int (e x^n + d)^3 (b x^n + c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^n+d)^3*(b*x^n+c*x^(2*n)+a)^p,x)
```

```
[Out] int((e*x^n+d)^3*(b*x^n+c*x^(2*n)+a)^p,x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e x^n + d)^3 (c x^{2n} + b x^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)^3*(a+b*x^n+c*x^(2*n))^p,x, algorithm="maxima")
```

```
[Out] integrate((e*x^n + d)^3*(c*x^(2*n) + b*x^n + a)^p, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + e x^n)^3 (a + b x^n + c x^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))^p,x)
```

```
[Out] int((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))^p, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**3*(a+b*x**n+c*x**(2*n))**p,x)
```

```
[Out] Timed out
```

### 3.92 $\int (d + ex^n)^2 (a + bx^n + cx^{2n})^p dx$

**Optimal.** Leaf size=447

$$d^2x \left( \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left( \frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)$$

[Out]  $2*d*e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1+1/n, -p, -p, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/((1+n)/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)+e^{2*x^{(1+2*n)}}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(2+1/n, -p, -p, 3+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/((1+2*n)/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)+d^2*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1/n, -p, -p, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)$

**Rubi [A]** time = 0.46, antiderivative size = 447, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {1436, 1348, 429, 1385, 510}

$$d^2x \left( \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left( \frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^p, x]

[Out]  $(2*d*e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[1+n^{(-1)}, -p, -p, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+n)*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p) + (e^{2*x^{(1+2*n)}}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[2+n^{(-1)}, -p, -p, 3+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+2*n)*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p) + (d^2*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[n^{(-1)}, -p, -p, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)$

**Rule 429**

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol]  
 := Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1]

&& (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rule 510

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[(a^p\*c^q\*(e\*x)^(m + 1)\*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b\*x^n)/a), -((d\*x^n)/c)]/(e\*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rule 1348

Int[((a\_) + (c\_.)\*(x\_)^(n2\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[(a^IntPart[p]\*(a + b\*x^n + c\*x^(2\*n))^FracPart[p]]/((1 + (2\*c\*x^n)/(b + Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]\*(1 + (2\*c\*x^n)/(b - Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]), Int[(1 + (2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p\*(1 + (2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && !IntegerQ[p]

### Rule 1385

Int[((d\_.)\*(x\_))^(m\_.)\*((a\_) + (c\_.)\*(x\_)^(n2\_.) + (b\_.)\*(x\_)^(n\_))^(p\_), x\_Symbol] := Dist[(a^IntPart[p]\*(a + b\*x^n + c\*x^(2\*n))^FracPart[p]]/((1 + (2\*c\*x^n)/(b + Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]\*(1 + (2\*c\*x^n)/(b - Rt[b^2 - 4\*a\*c, 2]))^FracPart[p]), Int[(d\*x)^m\*(1 + (2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p\*(1 + (2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2\*n]

### Rule 1436

Int[((d\_) + (e\_.)\*(x\_)^(n\_))^(q\_)\*((a\_) + (b\_.)\*(x\_)^(n\_) + (c\_.)\*(x\_)^(n2\_))^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^n)^q\*(a + b\*x^n + c\*x^(2\*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2\*n] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

### Rubi steps

$$\begin{aligned}
\int (d + ex^n)^2 (a + bx^n + cx^{2n})^p dx &= \int (d^2 (a + bx^n + cx^{2n})^p + 2dex^n (a + bx^n + cx^{2n})^p + e^2 x^{2n} (a + bx^n + cx^{2n})^p) dx \\
&= d^2 \int (a + bx^n + cx^{2n})^p dx + (2de) \int x^n (a + bx^n + cx^{2n})^p dx + e^2 \int x^{2n} (a + bx^n + cx^{2n})^p dx \\
&= \left( d^2 \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p \right) \int \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p dx \\
&= \frac{2dex^{1+n} \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( 1 + \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{1 + n}
\end{aligned}$$

**Mathematica [A]** time = 0.75, size = 338, normalized size = 0.76

$$x \left( \frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( \frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b} \right)^{-p} (a + x^n (b + cx^n))^p \left( (n + 1) \left( d^2 (2n + 1) F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^p,x]

[Out] (x\*(a + x^n\*(b + c\*x^n))^p\*(2\*d\*e\*(1 + 2\*n)\*x^n\*AppellF1[1 + n^(-1), -p, -p, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]) + (1 + n)\*(e^2\*x^(2\*n)\*AppellF1[2 + n^(-1), -p, -p, 3 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]) + d^2\*(1 + 2\*n)\*AppellF1[n^(-1), -p, -p, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]))/((1 + n)\*(1 + 2\*n)\*((b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p\*((b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p)

**fricas [F]** time = 1.04, size = 0, normalized size = 0.00

$$\text{integral} \left( (e^2 x^{2n} + 2dex^n + d^2)(cx^{2n} + bx^n + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2)\*(c\*x^(2\*n) + b\*x^n + a)^p, x)

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)^2*(a+b*x^n+c*x^(2*n))^p,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x)::OUTPUT:Unable to divide, perhaps due to rounding er
ror%%{128, [1,0,5,3,5,4,1,6,1]%%}+%%{512, [1,0,5,3,5,3,1,6,1]%%}+%%{768,
[1,0,5,3,5,2,1,6,1]%%}+%%{512, [1,0,5,3,5,1,1,6,1]%%}+%%{128, [1,0,5,3,5,
0,1,6,1]%%}+%%{-96, [1,0,5,3,4,4,3,5,1]%%}+%%{-384, [1,0,5,3,4,3,3,5,1]%%
}+%%{-576, [1,0,5,3,4,2,3,5,1]%%}+%%{-384, [1,0,5,3,4,1,3,5,1]%%}+%%{-9
6, [1,0,5,3,4,0,3,5,1]%%}+%%{24, [1,0,5,3,3,4,5,4,1]%%}+%%{96, [1,0,5,3,3,
3,5,4,1]%%}+%%{144, [1,0,5,3,3,2,5,4,1]%%}+%%{96, [1,0,5,3,3,1,5,4,1]%%}
+%%{24, [1,0,5,3,3,0,5,4,1]%%}+%%{-2, [1,0,5,3,2,4,7,3,1]%%}+%%{-8, [1,0,
5,3,2,3,7,3,1]%%}+%%{-12, [1,0,5,3,2,2,7,3,1]%%}+%%{-8, [1,0,5,3,2,1,7,3,
1]%%}+%%{-2, [1,0,5,3,2,0,7,3,1]%%}+%%{64, [1,0,5,2,5,3,1,6,1]%%}+%%{19
2, [1,0,5,2,5,2,1,6,1]%%}+%%{192, [1,0,5,2,5,1,1,6,1]%%}+%%{64, [1,0,5,2,5
,0,1,6,1]%%}+%%{-48, [1,0,5,2,4,3,3,5,1]%%}+%%{-144, [1,0,5,2,4,2,3,5,1]%%
}+%%{-144, [1,0,5,2,4,1,3,5,1]%%}+%%{-48, [1,0,5,2,4,0,3,5,1]%%}+%%{12
, [1,0,5,2,3,3,5,4,1]%%}+%%{36, [1,0,5,2,3,2,5,4,1]%%}+%%{36, [1,0,5,2,3,1
,5,4,1]%%}+%%{12, [1,0,5,2,3,0,5,4,1]%%}+%%{-1, [1,0,5,2,2,3,7,3,1]%%}+%%
{-3, [1,0,5,2,2,2,7,3,1]%%}+%%{-3, [1,0,5,2,2,1,7,3,1]%%}+%%{-1, [1,0,5,
2,2,0,7,3,1]%%}+%%{128, [0,0,5,2,5,3,0,7,1]%%}+%%{384, [0,0,5,2,5,2,0,7,1
]%%}+%%{384, [0,0,5,2,5,1,0,7,1]%%}+%%{128, [0,0,5,2,5,0,0,7,1]%%}+%%{-
96, [0,0,5,2,4,3,2,6,1]%%}+%%{-288, [0,0,5,2,4,2,2,6,1]%%}+%%{-288, [0,0,5
,2,4,1,2,6,1]%%}+%%{-96, [0,0,5,2,4,0,2,6,1]%%}+%%{24, [0,0,5,2,3,3,4,5,1
]%%}+%%{72, [0,0,5,2,3,2,4,5,1]%%}+%%{72, [0,0,5,2,3,1,4,5,1]%%}+%%{24,
[0,0,5,2,3,0,4,5,1]%%}+%%{-2, [0,0,5,2,2,3,6,4,1]%%}+%%{-6, [0,0,5,2,2,2,
6,4,1]%%}+%%{-6, [0,0,5,2,2,1,6,4,1]%%}+%%{-2, [0,0,5,2,2,0,6,4,1]%%} /
%%{64, [0,0,5,3,5,3,0,6,0]%%}+%%{192, [0,0,5,3,5,2,0,6,0]%%}+%%{192, [0,0
,5,3,5,1,0,6,0]%%}+%%{64, [0,0,5,3,5,0,0,6,0]%%}+%%{-48, [0,0,5,3,4,3,2,5
,0]%%}+%%{-144, [0,0,5,3,4,2,2,5,0]%%}+%%{-144, [0,0,5,3,4,1,2,5,0]%%}+%%
{-48, [0,0,5,3,4,0,2,5,0]%%}+%%{12, [0,0,5,3,3,3,4,4,0]%%}+%%{36, [0,0,5
,3,3,2,4,4,0]%%}+%%{36, [0,0,5,3,3,1,4,4,0]%%}+%%{12, [0,0,5,3,3,0,4,4,0]
%%}+%%{-1, [0,0,5,3,2,3,6,3,0]%%}+%%{-3, [0,0,5,3,2,2,6,3,0]%%}+%%{-3, [
0,0,5,3,2,1,6,3,0]%%}+%%{-1, [0,0,5,3,2,0,6,3,0]%%} Error: Bad Argument V
alue
```

**maple [F]** time = 0.10, size = 0, normalized size = 0.00

$$\int (e x^n + d)^2 (b x^n + c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^n+d)^2*(b*x^n+c*x^(2*n)+a)^p,x)
```

```
[Out] int((e*x^n+d)^2*(b*x^n+c*x^(2*n)+a)^p,x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)^2 (cx^{2n} + bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)^2\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="maxima")

[Out] integrate((e\*x^n + d)^2\*(c\*x^(2\*n) + b\*x^n + a)^p, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + e x^n)^2 (a + b x^n + c x^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^p,x)

[Out] int((d + e\*x^n)^2\*(a + b\*x^n + c\*x^(2\*n))^p, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*\*2\*(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*p,x)

[Out] Timed out



### 3.93 $\int (d + ex^n) (a + bx^n + cx^{2n})^p dx$

Optimal. Leaf size=288

$$dx \left( \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left( \frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

[Out]  $e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1+1/n, -p, -p, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+n)/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)+d*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1/n, -p, -p, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)$

**Rubi [A]** time = 0.29, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$ , Rules used = {1432, 1348, 429, 1385, 510}

$$dx \left( \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left( \frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^p,x]

[Out]  $(e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[1+n^{(-1)}, -p, -p, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+n)*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)+d*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[n^{(-1)}, -p, -p, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)$

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -(b\*x^n)/a, -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 510

Int[((e\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[(a^p\*c^q\*(e\*x)^(m+1)\*AppellF1[(m+1)/n, -p, -

$q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; \text{FreeQ}[\{a, b, c, d, e, m, n, p, q\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{NeQ}[m, n - 1] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0]) \ \&\& \ (\text{IntegerQ}[q] \ || \ \text{GtQ}[c, 0])$

### Rule 1348

$\text{Int}[(a_) + (c_)*(x_)^{(n2_)} + (b_)*(x_)^{(n_)}]^{(p_)}, x\_Symbol] \ :> \ \text{Dist}[(a^{\text{IntPart}[p]}*(a + b*x^n + c*x^{(2*n)})^{\text{FracPart}[p]})/((1 + (2*c*x^n)/(b + \text{Rt}[b^2 - 4*a*c, 2]))^{\text{FracPart}[p]}*(1 + (2*c*x^n)/(b - \text{Rt}[b^2 - 4*a*c, 2]))^{\text{FracPart}[p]})], \ \text{Int}[(1 + (2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c]))^p, x], x] /; \text{FreeQ}[\{a, b, c, n, p\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ !\text{IntegerQ}[p]$

### Rule 1385

$\text{Int}[(d_)*(x_)^{(m_)}*((a_) + (c_)*(x_)^{(n2_)} + (b_)*(x_)^{(n_)}]^{(p_)}, x\_Symbol] \ :> \ \text{Dist}[(a^{\text{IntPart}[p]}*(a + b*x^n + c*x^{(2*n)})^{\text{FracPart}[p]})/((1 + (2*c*x^n)/(b + \text{Rt}[b^2 - 4*a*c, 2]))^{\text{FracPart}[p]}*(1 + (2*c*x^n)/(b - \text{Rt}[b^2 - 4*a*c, 2]))^{\text{FracPart}[p]})], \ \text{Int}[(d*x)^m*(1 + (2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c]))^p, x], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x] \ \&\& \ \text{EqQ}[n2, 2*n]$

### Rule 1432

$\text{Int}[(d_) + (e_)*(x_)^{(n_)}]*((a_) + (b_)*(x_)^{(n_)} + (c_)*(x_)^{(n2_)})^{(p_)}, x\_Symbol] \ :> \ \text{Int}[\text{ExpandIntegrand}[(d + e*x^n)*(a + b*x^n + c*x^{(2*n)})^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

### Rubi steps

$$\begin{aligned} \int (d + ex^n)(a + bx^n + cx^{2n})^p dx &= \int \left( d(a + bx^n + cx^{2n})^p + ex^n(a + bx^n + cx^{2n})^p \right) dx \\ &= d \int (a + bx^n + cx^{2n})^p dx + e \int x^n (a + bx^n + cx^{2n})^p dx \\ &= \left( d \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p \right) \int \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p dx \\ &= \frac{ex^{1+n} \left( 1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left( 1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left( 1 + \frac{1}{n}; -p, -1 \right)}{1 + n} \end{aligned}$$

**Mathematica [A]** time = 0.46, size = 243, normalized size = 0.84

$$x \left( \frac{-\sqrt{b^2-4ac}+b+2cx^n}{b-\sqrt{b^2-4ac}} \right)^{-p} \left( \frac{\sqrt{b^2-4ac}+b+2cx^n}{\sqrt{b^2-4ac}+b} \right)^{-p} (a+x^n(b+cx^n))^p \left( d(n+1)F_1 \left( \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}}, \frac{2cx^n}{\sqrt{b^2-4ac}-b} \right) \right)$$

$n+1$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^p, x]

[Out] (x\*(a + x^n\*(b + c\*x^n))^p\*(e\*x^n\*AppellF1[1 + n^(-1), -p, -p, 2 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]) + d\*(1 + n)\*AppellF1[n^(-1), -p, -p, 1 + n^(-1), (-2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^n)/(-b + Sqrt[b^2 - 4\*a\*c])]))/((1 + n)\*((b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b - Sqrt[b^2 - 4\*a\*c]))^p\*((b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^n)/(b + Sqrt[b^2 - 4\*a\*c]))^p)

**fricas [F]** time = 0.89, size = 0, normalized size = 0.00

$$\text{integral} \left( (ex^n + d)(cx^{2n} + bx^n + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="fricas")

[Out] integral((e\*x^n + d)\*(c\*x^(2\*n) + b\*x^n + a)^p, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="giac")

[Out] integrate((e\*x^n + d)\*(c\*x^(2\*n) + b\*x^n + a)^p, x)

**maple [F]** time = 0.11, size = 0, normalized size = 0.00

$$\int (ex^n + d)(bx^n + cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a)^p,x)

[Out] int((e\*x^n+d)\*(b\*x^n+c\*x^(2\*n)+a)^p,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x^n)\*(a+b\*x^n+c\*x^(2\*n))^p,x, algorithm="maxima")

[Out] integrate((e\*x^n + d)\*(c\*x^(2\*n) + b\*x^n + a)^p, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + ex^n) (a + bx^n + cx^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^p,x)

[Out] int((d + e\*x^n)\*(a + b\*x^n + c\*x^(2\*n))^p, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e\*x\*\*n)\*(a+b\*x\*\*n+c\*x\*\*(2\*n))\*\*p,x)

[Out] Timed out

$$3.94 \quad \int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$$

**Optimal.** Leaf size=29

$$\text{Int} \left( \frac{(a + bx^n + cx^{2n})^p}{d + ex^n}, x \right)$$

[Out] Unintegrable((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n), x)

**Rubi [A]** time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a + bx^n + cx^{2n})^p}{d + ex^n} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n), x]

[Out] Defer[Int] [(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n), x]

Rubi steps

$$\int \frac{(a + bx^n + cx^{2n})^p}{d + ex^n} dx = \int \frac{(a + bx^n + cx^{2n})^p}{d + ex^n} dx$$

**Mathematica [A]** time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^n + cx^{2n})^p}{d + ex^n} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n), x]

[Out] Integrate[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n), x]

**fricas [A]** time = 0.91, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(cx^{2n} + bx^n + a)^p}{ex^n + d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n),x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n),x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d), x)

**maple** [A] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(bx^n + cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x^n+c\*x^(2\*n)+a)^p/(e\*x^n+d),x)

[Out] int((b\*x^n+c\*x^(2\*n)+a)^p/(e\*x^n+d),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n),x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(a + bx^n + cx^{2n})^p}{d + ex^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n),x)

```
[Out] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n+c*x**(2*n))**p/(d+e*x**n),x)
```

```
[Out] Timed out
```

$$3.95 \quad \int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^2} dx$$

**Optimal.** Leaf size=29

$$\text{Int} \left( \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2}, x \right)$$

[Out] Unintegrable((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^2,x)

**Rubi [A]** time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^2,x]

[Out] Defer[Int][(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^2, x]

Rubi steps

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx = \int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

**Mathematica [A]** time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^2,x]

[Out] Integrate[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^2, x]

**fricas [A]** time = 1.00, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(cx^{2n} + bx^n + a)^p}{e^2x^{2n} + 2dex^n + d^2}, x \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^2,x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + b\*x^n + a)^p/(e^2\*x^(2\*n) + 2\*d\*e\*x^n + d^2), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^2,x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d)^2, x)

**maple** [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(bx^n + cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x^n+c\*x^(2\*n)+a)^p/(e\*x^n+d)^2,x)

[Out] int((b\*x^n+c\*x^(2\*n)+a)^p/(e\*x^n+d)^2,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^2,x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d)^2, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2,x)
```

```
[Out] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n+c*x**(2*n))**p/(d+e*x**n)**2,x)
```

```
[Out] Timed out
```

$$3.96 \quad \int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$$

Optimal. Leaf size=29

$$\text{Int} \left( \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3}, x \right)$$

[Out] Unintegrable((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^3, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^3, x]

[Out] Defer[Int] [(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^3, x]

Rubi steps

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3} dx = \int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3} dx$$

Mathematica [A] time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^3, x]

[Out] Integrate[(a + b\*x^n + c\*x^(2\*n))^p/(d + e\*x^n)^3, x]

fricas [A] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(cx^{2n} + bx^n + a)^p}{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^3,x, algorithm="fricas")

[Out] integral((c\*x^(2\*n) + b\*x^n + a)^p/(e^3\*x^(3\*n) + 3\*d\*e^2\*x^(2\*n) + 3\*d^2\*e\*x^n + d^3), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^3,x, algorithm="giac")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d)^3, x)

**maple** [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{(bx^n + cx^{2n} + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*x^n+c\*x^(2\*n)+a)^p/(e\*x^n+d)^3,x)

[Out] int((b\*x^n+c\*x^(2\*n)+a)^p/(e\*x^n+d)^3,x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*x^n+c\*x^(2\*n))^p/(d+e\*x^n)^3,x, algorithm="maxima")

[Out] integrate((c\*x^(2\*n) + b\*x^n + a)^p/(e\*x^n + d)^3, x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3,x)
```

```
[Out] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*x**n+c*x**(2*n))**p/(d+e*x**n)**3,x)
```

```
[Out] Timed out
```



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```
(* ::Text:: *)
```

```
(*The following summarizes the type number assigned an *)
```

```
(*expression based on the functions it involves*)
```

```
(*1 = rational function*)
```

```
(*2 = algebraic function*)
```

```
(*3 = elementary function*)
```

```
(*4 = special function*)
```

```
(*5 = hyperpergeometric function*)
```

```
(*6 = appell function*)
```

```
(*7 = rootsum function*)
```

```
(*8 = integrate function*)
```

```
(*9 = unknown function*)
```

```
ExpnType[expn_] :=
```

```
  If[AtomQ[expn],
```

```
    1,
```

```
  If[ListQ[expn],
```

```
    Max[Map[ExpnType,expn]],
```

```
  If[Head[expn]===Power,
```

```
    If[IntegerQ[expn[[2]]],
```

```
      ExpnType[expn[[1]],
```

```
    If[Head[expn[[2]]]===Rational,
```

```
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
```

```
        1,
```

```
        Max[ExpnType[expn[[1]],2]],
```

```
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
```

```
  If[Head[expn]===Plus || Head[expn]===Times,
```

```
    Max[ExpnType[First[expn],ExpnType[Rest[expn]]],
```

```
  If[ElementaryFunctionQ[Head[expn]],
```

```
    Max[3,ExpnType[expn[[1]]],
```

```
  If[SpecialFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
```

```
  If[HypergeometricFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
```

```
  If[AppellFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
```



```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

## 4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```

```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

### 4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```



## 4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```

```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```