

Computer algebra independent integration tests

1-Algebraic-functions/1.2-Trinomial-products/1.2.3-General/1.2.3.3-d+e-x^n-q-a+b-x^n+c-x^-2-n-p

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 11:25am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	7
1.4	list of integrals that has no closed form antiderivative	8
1.5	list of integrals solved by CAS but has no known antiderivative	8
1.6	list of integrals solved by CAS but failed verification	8
1.7	Timing	9
1.8	Verification	9
1.9	Important notes about some of the results	9
1.9.1	Important note about Maxima results	9
1.9.2	Important note about FriCAS and Giac/XCAS results	10
1.9.3	Important note about finding leaf size of antiderivative	10
1.9.4	Important note about Mupad results	11
1.10	Design of the test system	11
2	detailed summary tables of results	13
2.1	List of integrals sorted by grade for each CAS	13
2.1.1	Rubi	13
2.1.2	Mathematica	13
2.1.3	Maple	13
2.1.4	Maxima	13
2.1.5	FriCAS	14
2.1.6	Sympy	14
2.1.7	Giac	14
2.1.8	Mupad	14
2.2	Detailed conclusion table per each integral for all CAS systems	15
2.3	Detailed conclusion table specific for Rubi results	31
3	Listing of integrals	35
3.1	$\int \frac{d+ex^3}{a+cx^6} dx$	35
3.2	$\int \frac{d+ex^3}{a-cx^6} dx$	41
3.3	$\int \frac{d+ex^4}{a+cx^8} dx$	47
3.4	$\int \frac{d+ex^4}{a-cx^8} dx$	54

3.5	$\int \frac{d+ex^4}{d^2+bx^4+e^2x^8} dx$	60
3.6	$\int \frac{d+ex^4}{d^2+fx^4+e^2x^8} dx$	69
3.7	$\int \frac{d+ex^4}{d^2-bx^4+e^2x^8} dx$	78
3.8	$\int \frac{d+ex^4}{d^2-fx^4+e^2x^8} dx$	86
3.9	$\int \frac{1+x^4}{1+bx^4+x^8} dx$	95
3.10	$\int \frac{1+x^4}{1+3x^4+x^8} dx$	102
3.11	$\int \frac{1+x^4}{1+2x^4+x^8} dx$	107
3.12	$\int \frac{1+x^4}{1+x^4+x^8} dx$	110
3.13	$\int \frac{1+x^4}{1+x^8} dx$	114
3.14	$\int \frac{1+x^4}{1-x^4+x^8} dx$	118
3.15	$\int \frac{1+x^4}{1-2x^4+x^8} dx$	122
3.16	$\int \frac{1+x^4}{1-3x^4+x^8} dx$	125
3.17	$\int \frac{1+x^4}{1-4x^4+x^8} dx$	128
3.18	$\int \frac{1+x^4}{1-5x^4+x^8} dx$	131
3.19	$\int \frac{1+x^4}{1-6x^4+x^8} dx$	135
3.20	$\int \frac{1-x^4}{1+bx^4+x^8} dx$	138
3.21	$\int \frac{1-x^4}{1+3x^4+x^8} dx$	145
3.22	$\int \frac{1-x^4}{1+2x^4+x^8} dx$	150
3.23	$\int \frac{1-x^4}{1+x^4+x^8} dx$	154
3.24	$\int \frac{1-x^4}{1+x^8} dx$	157
3.25	$\int \frac{1-x^4}{1-x^4+x^8} dx$	161
3.26	$\int \frac{1-x^4}{1-2x^4+x^8} dx$	165
3.27	$\int \frac{1-x^4}{1-3x^4+x^8} dx$	168
3.28	$\int \frac{1-x^4}{1-4x^4+x^8} dx$	171
3.29	$\int \frac{1-x^4}{1-5x^4+x^8} dx$	174
3.30	$\int \frac{1-x^4}{1-6x^4+x^8} dx$	178
3.31	$\int \frac{-1+\sqrt{3}+2x^4}{1-x^4+x^8} dx$	181
3.32	$\int \frac{1+(1+\sqrt{3})x^4}{1-x^4+x^8} dx$	185
3.33	$\int \frac{3-2\sqrt{3}+(-3+\sqrt{3})x^4}{1-x^4+x^8} dx$	188
3.34	$\int \frac{d+\frac{e}{x}}{c+\frac{a}{x^2}} dx$	191
3.35	$\int \frac{d+\frac{e}{x}}{c+\frac{a}{x^2}+\frac{b}{x}} dx$	194
3.36	$\int \frac{d+\frac{e}{x^2}}{c+\frac{a}{x^4}} dx$	198
3.37	$\int \frac{d+\frac{e}{x^2}}{c+\frac{a}{x^4}+\frac{b}{x^2}} dx$	203
3.38	$\int \frac{d+\frac{e}{x^3}}{c+\frac{a}{x^6}} dx$	211
3.39	$\int \frac{d+\frac{e}{x^3}}{c+\frac{a}{x^6}+\frac{b}{x^3}} dx$	217

3.40	$\int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8}} dx$	225
3.41	$\int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8} + \frac{b}{x^4}} dx$	232
3.42	$\int \frac{(d+ex^n)^3}{a+cx^{2n}} dx$	253
3.43	$\int \frac{(d+ex^n)^2}{a+cx^{2n}} dx$	256
3.44	$\int \frac{d+ex^n}{a+cx^{2n}} dx$	259
3.45	$\int \frac{1}{(d+ex^n)(a+cx^{2n})} dx$	262
3.46	$\int \frac{1}{(d+ex^n)^2(a+cx^{2n})} dx$	265
3.47	$\int \frac{d+ex^n}{a-cx^{2n}} dx$	268
3.48	$\int \frac{(d+ex^n)^3}{(a+cx^{2n})^2} dx$	271
3.49	$\int \frac{(d+ex^n)^2}{(a+cx^{2n})^2} dx$	274
3.50	$\int \frac{d+ex^n}{(a+cx^{2n})^2} dx$	277
3.51	$\int \frac{1}{(d+ex^n)(a+cx^{2n})^2} dx$	280
3.52	$\int \frac{1}{(d+ex^n)^2(a+cx^{2n})^2} dx$	283
3.53	$\int \frac{(d+ex^n)^3}{(a+cx^{2n})^3} dx$	287
3.54	$\int \frac{(d+ex^n)^2}{(a+cx^{2n})^3} dx$	291
3.55	$\int \frac{d+ex^n}{(a+cx^{2n})^3} dx$	294
3.56	$\int \frac{1}{(d+ex^n)(a+cx^{2n})^3} dx$	297
3.57	$\int \frac{1}{(d+ex^n)^2(a+cx^{2n})^3} dx$	301
3.58	$\int \frac{1}{(d+ex^n)\sqrt{a+cx^{2n}}} dx$	305
3.59	$\int (d + ex^n)^q (a + cx^{2n})^p dx$	308
3.60	$\int (d + ex^n)^3 (a + cx^{2n})^p dx$	310
3.61	$\int (d + ex^n)^2 (a + cx^{2n})^p dx$	313
3.62	$\int (d + ex^n) (a + cx^{2n})^p dx$	316
3.63	$\int \frac{(a+cx^{2n})^p}{d+ex^n} dx$	319
3.64	$\int \frac{(a+cx^{2n})^p}{(d+ex^n)^2} dx$	322
3.65	$\int \frac{(a+cx^{2n})^p}{(d+ex^n)^3} dx$	325
3.66	$\int (d + ex^n) (a + bx^n + cx^{2n}) dx$	328
3.67	$\int (d + ex^n) (a + bx^n + cx^{2n})^2 dx$	331
3.68	$\int (d + ex^n) (a + bx^n + cx^{2n})^3 dx$	335
3.69	$\int \frac{(d+ex^n)^3}{a+bx^n+cx^{2n}} dx$	343
3.70	$\int \frac{(d+ex^n)^2}{a+bx^n+cx^{2n}} dx$	346
3.71	$\int \frac{d+ex^n}{a+bx^n+cx^{2n}} dx$	349
3.72	$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})} dx$	352

3.73	$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})} dx$	355
3.74	$\int \frac{1}{(d+ex^n)^3(a+bx^n+cx^{2n})} dx$	358
3.75	$\int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^2} dx$	362
3.76	$\int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^2} dx$	366
3.77	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^2} dx$	371
3.78	$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^2} dx$	374
3.79	$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^2} dx$	378
3.80	$\int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^3} dx$	383
3.81	$\int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^3} dx$	388
3.82	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^3} dx$	392
3.83	$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^3} dx$	396
3.84	$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^3} dx$	402
3.85	$\int (d+ex^n) \sqrt{a+bx^n+cx^{2n}} dx$	410
3.86	$\int (d+ex^n) (a+bx^n+cx^{2n})^{3/2} dx$	413
3.87	$\int \frac{d+ex^n}{\sqrt{a+bx^n+cx^{2n}}} dx$	416
3.88	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{3/2}} dx$	419
3.89	$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{5/2}} dx$	422
3.90	$\int (d+ex^n)^q (a+bx^n+cx^{2n})^p dx$	425
3.91	$\int (d+ex^n)^3 (a+bx^n+cx^{2n})^p dx$	427
3.92	$\int (d+ex^n)^2 (a+bx^n+cx^{2n})^p dx$	431
3.93	$\int (d+ex^n) (a+bx^n+cx^{2n})^p dx$	435
3.94	$\int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$	438
3.95	$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^2} dx$	440
3.96	$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$	442
4	Listing of Grading functions	445
4.0.1	Mathematica and Rubi grading function	445
4.0.2	Maple grading function	447
4.0.3	Sympy grading function	450
4.0.4	SageMath grading function	452

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [96]. This is test number [47].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric₂F₁ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (96)	% 0.00 (0)
Mathematica	% 95.83 (92)	% 4.17 (4)
Maple	% 51.04 (49)	% 48.96 (47)
Maxima	% 17.71 (17)	% 82.29 (79)
Fricas	% 48.96 (47)	% 51.04 (49)
Sympy	% 41.67 (40)	% 58.33 (56)
Giac	% 38.54 (37)	% 61.46 (59)
Mupad	% 51.04 (49)	% 48.96 (47)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	62.50	11.46	21.88	4.17
Maple	25.00	1.04	25.00	48.96
Maxima	17.71	0.00	0.00	82.29
Fricas	16.67	32.29	0.00	51.04
Sympy	32.29	3.12	6.25	58.33
Giac	32.29	6.25	0.00	61.46
Mupad	5.21	45.83	0.00	48.96

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	4	100.00 %	0.00 %	0.00 %
Maple	47	100.00 %	0.00 %	0.00 %
Maxima	79	98.73 %	0.00 %	1.27 %
Fricas	49	85.71 %	4.08 %	10.20 %
Sympy	56	10.71 %	76.79 %	12.50 %
Giac	59	74.58 %	6.78 %	18.64 %
Mupad	47	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.64	361.82	0.95	288.00	1.00
Mathematica	1.13	2078.37	2.21	134.50	0.84
Maple	0.03	89.80	0.51	53.00	0.25
Maxima	0.91	120.35	0.78	72.00	0.92
Fricas	1.03	1040.77	3.19	377.00	2.18
Sympy	5.12	420.05	2.63	95.50	0.42
Giac	0.57	332.00	1.63	147.00	0.85
Mupad	2.33	2813.37	6.49	269.00	1.48

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{59, 90, 94, 95, 96}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {12, 23, 78, 79, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
```

```
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,..}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 11, 13, 15, 16, 19, 22, 24, 26, 27, 30, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 59, 60, 61, 62, 66, 67, 68, 69, 70, 71, 72, 73, 74, 77, 85, 87, 88, 90, 91, 92, 93, 94, 95, 96 }

B grade: { 75, 76, 78, 79, 80, 81, 82, 83, 84, 86, 89 }

C grade: { 5, 6, 7, 8, 9, 10, 12, 14, 17, 18, 20, 21, 23, 25, 28, 29, 31, 32, 33, 39, 41 }

F grade: { 58, 63, 64, 65 }

2.1.3 Maple

A grade: { 1, 2, 11, 12, 15, 16, 19, 22, 23, 26, 27, 30, 34, 35, 36, 38, 59, 66, 67, 68, 90, 94, 95, 96 }

B grade: { 37 }

C grade: { 3, 4, 5, 6, 7, 8, 9, 10, 13, 14, 17, 18, 20, 21, 24, 25, 28, 29, 31, 32, 33, 39, 40, 41 }

F grade: { 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

2.1.4 Maxima

A grade: { 1, 2, 11, 15, 22, 26, 34, 36, 38, 59, 66, 67, 68, 90, 94, 95, 96 }

B grade: { }

C grade: { }

F grade: { 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 16, 17, 18, 19, 20, 21, 23, 24, 25, 27, 28, 29, 30, 31, 32, 33, 35, 37, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

2.1.5 FriCAS

A grade: { 11, 12, 14, 22, 23, 26, 31, 32, 33, 34, 35, 59, 90, 94, 95, 96 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 13, 15, 16, 17, 18, 19, 20, 21, 24, 25, 27, 28, 29, 30, 36, 37, 38, 40, 66, 67, 68 }

C grade: { }

F grade: { 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

2.1.6 Sympy

A grade: { 1, 2, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 27, 28, 29, 30, 31, 36, 38, 66, 67, 68 }

B grade: { 26, 34, 35 }

C grade: { 12, 23, 42, 43, 44, 47 }

F grade: { 3, 4, 32, 33, 37, 39, 40, 41, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96 }

2.1.7 Giac

A grade: { 1, 2, 3, 10, 11, 12, 13, 14, 15, 16, 19, 21, 22, 23, 24, 25, 27, 30, 31, 32, 33, 34, 35, 36, 38, 40, 59, 90, 94, 95, 96 }

B grade: { 4, 26, 37, 66, 67, 68 }

C grade: { }

F grade: { 5, 6, 7, 8, 9, 17, 18, 20, 28, 29, 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

2.1.8 Mupad

A grade: { 59, 90, 94, 95, 96 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 66, 67, 68 }

C grade: { }

F grade: { 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 91, 92, 93 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	305	305	334	329	282	3224	165	288	1331
normalized size	1	1.00	1.10	1.08	0.92	10.57	0.54	0.94	4.36
time (sec)	N/A	0.249	0.100	0.115	1.494	1.315	3.111	0.429	1.542
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	323	323	337	386	313	3178	168	308	1293
normalized size	1	1.00	1.04	1.20	0.97	9.84	0.52	0.95	4.00
time (sec)	N/A	0.189	0.116	0.110	1.341	1.321	3.123	0.379	2.973
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	754	754	534	34	0	3406	0	601	2510
normalized size	1	1.00	0.71	0.05	0.00	4.52	0.00	0.80	3.33
time (sec)	N/A	1.247	0.628	0.018	0.000	1.710	0.000	0.737	2.780
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	329	329	425	39	0	3385	0	633	2438
normalized size	1	1.00	1.29	0.12	0.00	10.29	0.00	1.92	7.41
time (sec)	N/A	0.209	0.134	0.013	0.000	1.776	0.000	0.753	2.719
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	67	53	0	3059	136	0	10409
normalized size	1	1.00	0.08	0.07	0.00	3.87	0.17	0.00	13.16
time (sec)	N/A	0.863	0.045	0.049	0.000	1.328	8.503	0.000	3.825

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	67	53	0	3059	136	0	10411
normalized size	1	1.00	0.08	0.07	0.00	3.87	0.17	0.00	13.16
time (sec)	N/A	0.805	0.035	0.049	0.000	1.367	7.139	0.000	4.030
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	349	349	69	55	0	3048	136	0	10337
normalized size	1	1.00	0.20	0.16	0.00	8.73	0.39	0.00	29.62
time (sec)	N/A	0.422	0.045	0.033	0.000	1.152	8.251	0.000	4.035
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	751	751	69	55	0	3051	136	0	10343
normalized size	1	1.00	0.09	0.07	0.00	4.06	0.18	0.00	13.77
time (sec)	N/A	0.925	0.039	0.034	0.000	1.239	7.255	0.000	4.204
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	411	411	55	42	0	1443	75	0	5341
normalized size	1	1.00	0.13	0.10	0.00	3.51	0.18	0.00	13.00
time (sec)	N/A	0.292	0.026	0.056	0.000	1.179	3.669	0.000	3.683
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	451	451	55	42	0	951	24	239	459
normalized size	1	1.00	0.12	0.09	0.00	2.11	0.05	0.53	1.02
time (sec)	N/A	0.407	0.015	0.010	0.000	1.051	1.475	0.931	0.176
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	64	58	72	95	73	72	33
normalized size	1	1.00	0.75	0.68	0.85	1.12	0.86	0.85	0.39
time (sec)	N/A	0.045	0.020	0.003	1.587	0.909	0.154	0.388	1.562

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	135	109	0	211	190	108	95
normalized size	1	1.00	0.96	0.78	0.00	1.51	1.36	0.77	0.68
time (sec)	N/A	0.095	0.174	0.018	0.000	0.898	0.702	0.420	0.144
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	347	258	27	0	991	19	247	311
normalized size	1	1.00	0.74	0.08	0.00	2.86	0.05	0.71	0.90
time (sec)	N/A	0.247	0.188	0.008	0.000	0.866	2.784	0.875	2.284
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	331	331	55	42	0	377	20	245	145
normalized size	1	1.00	0.17	0.13	0.00	1.14	0.06	0.74	0.44
time (sec)	N/A	0.235	0.016	0.013	0.000	0.931	3.100	0.498	0.225
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	31	42	27	43	26	29	21
normalized size	1	1.00	1.15	1.56	1.00	1.59	0.96	1.07	0.78
time (sec)	N/A	0.008	0.013	0.012	1.326	0.613	0.147	0.518	0.047
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	131	96	0	247	49	147	269
normalized size	1	1.00	1.00	0.73	0.00	1.89	0.37	1.12	2.05
time (sec)	N/A	0.086	0.077	0.040	0.000	0.950	1.189	0.960	0.200
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	53	40	0	331	24	0	399
normalized size	1	1.00	0.34	0.25	0.00	2.11	0.15	0.00	2.54
time (sec)	N/A	0.087	0.013	0.013	0.000	0.826	0.192	0.000	1.721

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	55	42	0	574	24	0	483
normalized size	1	1.00	0.32	0.25	0.00	3.36	0.14	0.00	2.82
time (sec)	N/A	0.151	0.013	0.013	0.000	0.939	0.195	0.000	1.758
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	111	78	0	181	49	123	233
normalized size	1	1.00	0.95	0.67	0.00	1.55	0.42	1.05	1.99
time (sec)	N/A	0.057	0.054	0.062	0.000	0.756	1.157	0.907	0.190
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	511	511	57	44	0	1443	76	0	5341
normalized size	1	1.00	0.11	0.09	0.00	2.82	0.15	0.00	10.45
time (sec)	N/A	0.359	0.025	0.003	0.000	0.850	3.632	0.000	3.743
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	411	411	57	44	0	894	26	223	447
normalized size	1	1.00	0.14	0.11	0.00	2.18	0.06	0.54	1.09
time (sec)	N/A	0.321	0.015	0.012	0.000	0.973	1.455	0.685	1.677
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	90	68	82	126	82	82	44
normalized size	1	1.00	0.93	0.70	0.85	1.30	0.85	0.85	0.45
time (sec)	N/A	0.052	0.065	0.007	1.557	0.826	0.176	0.300	1.616
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	A	C	A	B
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	129	109	0	137	148	108	109
normalized size	1	1.00	0.92	0.78	0.00	0.98	1.06	0.77	0.78
time (sec)	N/A	0.099	0.173	0.013	0.000	0.841	0.621	0.371	0.185

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	347	347	257	29	0	991	20	247	312
normalized size	1	1.00	0.74	0.08	0.00	2.86	0.06	0.71	0.90
time (sec)	N/A	0.270	0.164	0.008	0.000	0.974	2.746	0.719	1.956
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	355	355	57	44	0	715	26	253	208
normalized size	1	1.00	0.16	0.12	0.00	2.01	0.07	0.71	0.59
time (sec)	N/A	0.277	0.016	0.009	0.000	1.016	3.103	0.462	1.666
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	25	10	17	17	17	19	9
normalized size	1	1.00	1.92	0.77	1.31	1.31	1.31	1.46	0.69
time (sec)	N/A	0.005	0.005	0.001	1.596	0.828	0.130	0.449	0.025
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	129	110	0	255	51	147	269
normalized size	1	1.00	1.00	0.85	0.00	1.98	0.40	1.14	2.09
time (sec)	N/A	0.118	0.077	0.026	0.000	0.907	1.172	0.746	1.709
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	55	42	0	302	26	0	399
normalized size	1	1.00	0.33	0.25	0.00	1.83	0.16	0.00	2.42
time (sec)	N/A	0.104	0.013	0.010	0.000	0.897	0.198	0.000	0.181
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	B	A	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	57	44	0	546	26	0	483
normalized size	1	1.00	0.34	0.26	0.00	3.23	0.15	0.00	2.86
time (sec)	N/A	0.142	0.014	0.012	0.000	0.941	0.194	0.000	1.787

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	114	90	0	199	51	135	245
normalized size	1	1.00	0.91	0.72	0.00	1.59	0.41	1.08	1.96
time (sec)	N/A	0.067	0.054	0.031	0.000	0.889	1.165	0.633	0.199
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	71	47	0	104	163	107	133
normalized size	1	1.00	0.53	0.35	0.00	0.77	1.21	0.79	0.99
time (sec)	N/A	0.124	0.034	0.056	0.000	0.885	0.904	0.494	2.235
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	F(-2)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	72	62	0	111	0	123	1
normalized size	1	1.00	0.44	0.38	0.00	0.68	0.00	0.75	0.01
time (sec)	N/A	0.095	0.038	0.045	0.000	0.911	0.000	0.432	2.190
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	A	F(-2)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	89	62	0	141	0	131	1
normalized size	1	1.00	0.49	0.34	0.00	0.78	0.00	0.73	0.01
time (sec)	N/A	0.122	0.046	0.014	0.000	0.877	0.000	0.448	2.230
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	49	43	42	108	112	43	39
normalized size	1	1.00	1.00	0.88	0.86	2.20	2.29	0.88	0.80
time (sec)	N/A	0.030	0.024	0.006	1.619	0.876	0.283	0.268	1.594
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	86	161	0	291	423	85	127
normalized size	1	1.00	1.00	1.87	0.00	3.38	4.92	0.99	1.48
time (sec)	N/A	0.081	0.090	0.003	0.000	0.835	1.372	0.324	1.772

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	253	253	293	266	240	754	109	247	555
normalized size	1	1.00	1.16	1.05	0.95	2.98	0.43	0.98	2.19
time (sec)	N/A	0.211	0.096	0.006	1.298	0.881	0.704	0.352	0.313
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	B	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	208	208	251	560	0	2540	0	3183	6366
normalized size	1	1.00	1.21	2.69	0.00	12.21	0.00	15.30	30.61
time (sec)	N/A	0.543	0.173	0.027	0.000	1.051	0.000	3.756	2.854
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	311	311	346	334	295	3169	167	295	1308
normalized size	1	1.00	1.11	1.07	0.95	10.19	0.54	0.95	4.21
time (sec)	N/A	0.290	0.112	0.084	1.525	1.296	2.981	0.534	3.100
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	716	716	88	67	0	0	0	0	11453
normalized size	1	1.00	0.12	0.09	0.00	0.00	0.00	0.00	16.00
time (sec)	N/A	1.634	0.054	0.016	0.000	0.000	0.000	0.000	29.420
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	B	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	753	753	551	45	0	3378	0	647	2520
normalized size	1	1.00	0.73	0.06	0.00	4.49	0.00	0.86	3.35
time (sec)	N/A	1.436	0.903	0.004	0.000	1.945	0.000	0.808	1.220
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	F(-1)	F(-1)	F(-2)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	433	433	88	67	0	0	0	0	50213
normalized size	1	1.00	0.20	0.15	0.00	0.00	0.00	0.00	115.97
time (sec)	N/A	0.989	0.075	0.007	0.000	0.000	0.000	0.000	9.242

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	127	0	0	0	337	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	2.39	0.00	-0.01
time (sec)	N/A	0.145	0.242	0.105	0.000	0.923	10.965	0.000	0.000
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	107	0	0	0	207	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.93	0.00	-0.01
time (sec)	N/A	0.097	0.150	0.089	0.000	0.968	7.651	0.000	0.000
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	83	0	0	0	153	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.84	0.00	-0.01
time (sec)	N/A	0.027	0.039	0.084	0.000	1.019	5.543	0.000	0.000
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	131	0	0	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.111	0.137	0.104	0.000	1.175	0.000	0.000	0.000
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	186	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.174	0.255	0.167	0.000	1.158	0.000	0.000	0.000
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	81	0	0	0	158	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	1.95	0.00	-0.01
time (sec)	N/A	0.028	0.059	0.083	0.000	1.039	5.703	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	188	0	0	0	0	0	-1
normalized size	1	1.00	0.65	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.252	0.271	0.087	0.000	1.108	0.000	0.000	0.000
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	136	0	0	0	0	0	-1
normalized size	1	1.00	0.67	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.167	0.157	0.086	0.000	0.590	0.000	0.000	0.000
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	83	0	0	0	0	0	-1
normalized size	1	1.00	0.62	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.054	0.042	0.089	0.000	1.007	0.000	0.000	0.000
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	333	333	227	0	0	0	0	0	-1
normalized size	1	1.00	0.68	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.224	0.267	0.156	0.000	1.068	0.000	0.000	0.000
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	410	410	298	0	0	0	0	0	-1
normalized size	1	1.00	0.73	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.379	0.475	0.178	0.000	1.362	0.000	0.000	0.000
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	424	424	188	0	0	0	0	0	-1
normalized size	1	1.00	0.44	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.383	0.291	0.103	0.000	1.068	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	272	272	136	0	0	0	0	0	-1
normalized size	1	1.00	0.50	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.247	0.165	0.102	0.000	1.114	0.000	0.000	0.000
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	83	0	0	0	0	0	-1
normalized size	1	1.00	0.45	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.101	0.044	0.098	0.000	1.054	0.000	0.000	0.000
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	582	582	346	0	0	0	0	0	-1
normalized size	1	1.00	0.59	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.416	0.429	0.202	0.000	1.624	0.000	0.000	0.000
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	701	701	426	0	0	0	0	0	-1
normalized size	1	1.00	0.61	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.692	0.704	0.234	0.000	2.909	0.000	0.000	0.000
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	171	171	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.166	0.152	0.099	0.000	1.051	0.000	0.000	0.000
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	24	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.008	0.155	0.155	0.000	0.886	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	213	0	0	0	0	0	-1
normalized size	1	1.00	0.71	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.160	0.198	0.127	0.000	0.982	0.000	0.000	0.000
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	171	0	0	0	0	0	-1
normalized size	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.101	0.104	0.108	0.000	0.990	0.000	0.000	0.000
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	110	0	0	0	0	0	-1
normalized size	1	1.00	0.81	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.060	0.047	0.111	0.000	1.190	0.000	0.000	0.000
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.142	0.070	0.112	0.000	1.145	0.000	0.000	0.000
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.235	0.101	0.103	0.000	1.387	0.000	0.000	0.000
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F(-1)	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	357	357	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.338	0.316	0.102	0.000	1.490	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	57	66	82	137	656	207	59
normalized size	1	1.00	0.92	1.06	1.32	2.21	10.58	3.34	0.95
time (sec)	N/A	0.039	0.152	0.013	0.550	1.099	1.320	0.351	1.662
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	123	138	208	495	3128	828	131
normalized size	1	1.00	0.93	1.05	1.58	3.75	23.70	6.27	0.99
time (sec)	N/A	0.102	0.248	0.015	0.695	0.921	10.968	0.453	1.711
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	205	226	386	1209	9190	2134	227
normalized size	1	1.00	0.94	1.04	1.77	5.55	42.16	9.79	1.04
time (sec)	N/A	0.201	0.426	0.020	0.882	0.798	89.545	0.779	1.850
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	308	308	295	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.699	0.843	0.067	0.000	1.065	0.000	0.000	0.000
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	216	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.476	0.524	0.043	0.000	0.890	0.000	0.000	0.000
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	134	0	0	0	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.120	0.074	0.026	0.000	0.796	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	200	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.469	0.438	0.092	0.000	0.915	0.000	0.000	0.000
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	368	368	327	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.707	0.893	0.174	0.000	1.239	0.000	0.000	0.000
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	552	552	509	0	0	0	0	0	-1
normalized size	1	1.00	0.92	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.023	1.744	0.200	0.000	4.528	0.000	0.000	0.000
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	750	750	5537	0	0	0	0	0	-1
normalized size	1	1.00	7.38	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.938	6.957	0.075	0.000	1.097	0.000	0.000	0.000
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	543	543	2980	0	0	0	0	0	-1
normalized size	1	1.00	5.49	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.818	4.517	0.072	0.000	1.047	0.000	0.000	0.000
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	362	328	603	0	0	0	0	0	-1
normalized size	1	0.91	1.67	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.630	5.690	0.065	0.000	1.156	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	726	726	11767	0	0	0	0	0	-1
normalized size	1	1.00	16.21	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.927	7.223	0.197	0.000	2.021	0.000	0.000	0.000
Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1129	1129	16855	0	0	0	0	0	-1
normalized size	1	1.00	14.93	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	3.341	8.022	0.256	0.000	6.746	0.000	0.000	0.000
Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1707	1707	13018	0	0	0	0	0	-1
normalized size	1	1.00	7.63	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	5.253	7.791	0.127	0.000	1.202	0.000	0.000	0.000
Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1191	1191	10910	0	0	0	0	0	-1
normalized size	1	1.00	9.16	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	4.010	6.869	0.122	0.000	1.053	0.000	0.000	0.000
Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	713	713	8593	0	0	0	0	0	-1
normalized size	1	1.00	12.05	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.663	6.596	0.112	0.000	0.806	0.000	0.000	0.000
Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1708	1708	43535	0	0	0	0	0	-1
normalized size	1	1.00	25.49	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	5.074	8.532	0.394	0.000	20.854	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	2446	2446	56566	0	0	0	0	0	-1
normalized size	1	1.00	23.13	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	8.935	9.930	0.531	0.000	71.248	0.000	0.000	0.000
Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	424	0	0	0	0	0	-1
normalized size	1	1.00	1.45	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.355	1.610	0.066	0.000	0.000	0.000	0.000	0.000
Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	294	294	690	0	0	0	0	0	-1
normalized size	1	1.00	2.35	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.348	4.525	0.066	0.000	0.000	0.000	0.000	0.000
Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	245	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.338	0.330	0.025	0.000	0.000	0.000	0.000	0.000
Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	414	0	0	0	0	0	-1
normalized size	1	1.00	1.39	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.346	1.479	0.014	0.000	0.000	0.000	0.000	0.000
Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	298	298	6752	0	0	0	0	0	-1
normalized size	1	1.00	22.66	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.347	6.566	0.013	0.000	0.000	0.000	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.010	0.286	0.137	0.000	0.856	0.000	0.000	0.000
Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	606	606	438	0	0	0	0	0	-1
normalized size	1	1.00	0.72	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.622	1.069	0.128	0.000	1.156	0.000	0.000	0.000
Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	447	447	338	0	0	0	0	0	-1
normalized size	1	1.00	0.76	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.461	0.745	0.099	0.000	1.036	0.000	0.000	0.000
Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	243	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.287	0.458	0.109	0.000	0.891	0.000	0.000	0.000
Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.011	0.151	0.105	0.000	0.912	0.000	0.000	0.000
Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.011	0.189	0.088	0.000	1.001	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	29	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.012	0.728	0.083	0.000	1.148	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [38] had the largest ratio of [.5882]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	12	8	1.00	17	0.471
2	A	13	7	1.00	18	0.389
3	A	19	6	1.00	17	0.353
4	A	13	10	1.00	18	0.556
5	A	19	6	1.00	26	0.231
6	A	19	6	1.00	26	0.231
7	A	7	4	1.00	27	0.148
8	A	19	6	1.00	27	0.222
9	A	19	6	1.00	18	0.333
10	A	19	7	1.00	18	0.389
11	A	10	7	1.00	18	0.389
12	A	19	6	1.00	16	0.375
13	A	19	6	1.00	13	0.462
14	A	19	6	1.00	18	0.333
15	A	5	5	1.00	18	0.278
16	A	7	4	1.00	18	0.222
17	A	7	4	1.00	18	0.222
18	A	7	4	1.00	18	0.222
19	A	7	4	1.00	18	0.222
20	A	19	6	1.00	20	0.300

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	A	19	7	1.00	20	0.350
22	A	11	8	1.00	20	0.400
23	A	19	6	1.00	18	0.333
24	A	19	6	1.00	15	0.400
25	A	19	6	1.00	20	0.300
26	A	5	5	1.00	20	0.250
27	A	7	4	1.00	20	0.200
28	A	7	4	1.00	20	0.200
29	A	7	4	1.00	20	0.200
30	A	7	4	1.00	20	0.200
31	A	9	6	1.00	25	0.240
32	A	9	6	1.00	26	0.231
33	A	9	6	1.00	33	0.182
34	A	5	5	1.00	17	0.294
35	A	6	6	1.00	22	0.273
36	A	11	8	1.00	17	0.471
37	A	5	4	1.00	22	0.182
38	A	14	10	1.00	17	0.588
39	A	15	9	1.00	22	0.409
40	A	21	8	1.00	17	0.471
41	A	9	6	1.00	22	0.273
42	A	5	4	1.00	21	0.190
43	A	5	4	1.00	21	0.190
44	A	3	3	1.00	19	0.158
45	A	6	4	1.00	21	0.190
46	A	7	4	1.00	21	0.190
47	A	3	3	1.00	20	0.150
48	A	9	5	1.00	21	0.238
49	A	7	5	1.00	21	0.238
50	A	4	4	1.00	19	0.210
51	A	10	5	1.00	21	0.238
52	A	11	5	1.00	21	0.238
53	A	11	5	1.00	21	0.238
54	A	8	5	1.00	21	0.238
55	A	5	4	1.00	19	0.210
56	A	15	5	1.00	21	0.238

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
57	A	16	5	1.00	21	0.238
58	A	6	5	1.00	23	0.217
59	A	0	0	0.00	0	0.000
60	A	10	5	1.00	21	0.238
61	A	8	5	1.00	21	0.238
62	A	6	5	1.00	19	0.263
63	A	6	5	1.00	21	0.238
64	A	8	5	1.00	21	0.238
65	A	10	5	1.00	21	0.238
66	A	2	1	1.00	22	0.045
67	A	2	1	1.00	24	0.042
68	A	2	1	1.00	24	0.042
69	A	5	3	1.00	26	0.115
70	A	5	3	1.00	26	0.115
71	A	3	2	1.00	24	0.083
72	A	6	3	1.00	26	0.115
73	A	7	3	1.00	26	0.115
74	A	8	3	1.00	26	0.115
75	A	9	4	1.00	26	0.154
76	A	9	5	1.00	26	0.192
77	A	4	3	0.91	24	0.125
78	A	10	4	1.00	26	0.154
79	A	11	4	1.00	26	0.154
80	A	11	4	1.00	26	0.154
81	A	11	5	1.00	26	0.192
82	A	5	3	1.00	24	0.125
83	A	15	4	1.00	26	0.154
84	A	16	4	1.00	26	0.154
85	A	6	5	1.00	26	0.192
86	A	6	5	1.00	26	0.192
87	A	6	5	1.00	26	0.192
88	A	6	5	1.00	26	0.192
89	A	6	5	1.00	26	0.192
90	A	0	0	0.00	0	0.000
91	A	10	5	1.00	26	0.192
92	A	8	5	1.00	26	0.192

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
93	A	6	5	1.00	24	0.208
94	A	0	0	0.00	0	0.000
95	A	0	0	0.00	0	0.000
96	A	0	0	0.00	0	0.000

Chapter 3

Listing of integrals

3.1 $\int \frac{d+ex^3}{a+cx^6} dx$

Optimal. Leaf size=305

$$\frac{(\sqrt{3}\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{a}e + \sqrt{3}\sqrt{c}d) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}}$$

[Out] $\frac{1}{3}d \operatorname{arctan}(c^{1/6}x/a^{1/6})/a^{5/6}/c^{1/6} - \frac{1}{6}e \ln(a^{1/3} + c^{1/3})x^2/a^{1/3}/c^{2/3} + \frac{1}{6} \operatorname{arctan}(2c^{1/6}x/a^{1/6} + 3^{1/2}) * (-e * 3^{1/2} * a^{1/2} + d * c^{1/2})/a^{5/6}/c^{2/3} + \frac{1}{6} \operatorname{arctan}(2c^{1/6}x/a^{1/6} - 3^{1/2}) * (e * 3^{1/2} * a^{1/2} + d * c^{1/2})/a^{5/6}/c^{2/3} - \frac{1}{12} \ln(a^{1/3} + c^{1/3})x^2 - \frac{a^{1/6} * c^{1/6} * x * 3^{1/2} * (-e * a^{1/2} + d * 3^{1/2} * c^{1/2})}{a^{5/6}/c^{2/3}} + \frac{1}{12} \ln(a^{1/3} + c^{1/3})x^2 + \frac{a^{1/6} * c^{1/6} * x * 3^{1/2} * (e * a^{1/2} + d * 3^{1/2} * c^{1/2})}{a^{5/6}/c^{2/3}}$

Rubi [A] time = 0.25, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1416, 635, 203, 260, 634, 617, 204, 628}

$$\frac{(\sqrt{3}\sqrt{c}d - \sqrt{a}e) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{a}e + \sqrt{3}\sqrt{c}d) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^3)/(a + c*x^6), x]

[Out] $(d \operatorname{ArcTan}[c^{1/6}x/a^{1/6}])/(3a^{5/6}c^{1/6}) - ((\operatorname{Sqrt}[c]d + \operatorname{Sqrt}[3] * \operatorname{Sqrt}[a]e) \operatorname{ArcTan}[\operatorname{Sqrt}[3] - (2c^{1/6}x)/a^{1/6}])/(6a^{5/6}c^{2/3}) + ((\operatorname{Sqrt}[c]d - \operatorname{Sqrt}[3] * \operatorname{Sqrt}[a]e) \operatorname{ArcTan}[\operatorname{Sqrt}[3] + (2c^{1/6}x)/a^{1/6}])/(6a^{5/6}c^{2/3}) - (e \operatorname{Log}[a^{1/3} + c^{1/3}x^2])/(6a^{1/3}c^{2/3}) - ((\operatorname{Sqrt}[3] * \operatorname{Sqrt}[c]d - \operatorname{Sqrt}[a]e) \operatorname{Log}[a^{1/3} - \operatorname{Sqrt}[3]a^{1/6}c^{1/6}x + c^{1/3}x^2])/(12a^{5/6}c^{2/3}) + ((\operatorname{Sqrt}[3] * \operatorname{Sqrt}[c]d + \operatorname{Sqrt}[a]e) \operatorname{Log}[a^{1/3} + \operatorname{Sqrt}[3]a^{1/6}c^{1/6}x + c^{1/3}x^2])/(12a^{5/6}c^{2/3})$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 260

Int[(x_)^(m_)/((a_) + (b_)*(x_)^(n_)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 635

Int[((d_) + (e_)*(x_))/((a_) + (c_)*(x_)^2), x_Symbol] := Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 1416

Int[((d_) + (e_)*(x_)^3)/((a_) + (c_)*(x_)^6), x_Symbol] := With[{q = Rt[c/a, 6]}, Dist[1/(3*a*q^2), Int[(q^2*d - e*x)/(1 + q^2*x^2), x], x] + (Dist[1/(6*a*q^2), Int[(2*q^2*d - (Sqrt[3]*q^3*d - e)*x)/(1 - Sqrt[3]*q*x + q^2*x^2), x], x] + Dist[1/(6*a*q^2), Int[(2*q^2*d + (Sqrt[3]*q^3*d + e)*x)/(1 + Sqrt[3]*q*x + q^2*x^2), x], x])] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && PosQ[c/a]

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^3}{a + cx^6} dx &= \frac{\int \frac{\frac{2\sqrt[3]{cd} - \left(\frac{\sqrt{3}\sqrt{cd} - e}{\sqrt{a}}\right)x}{\sqrt[3]{a}}}{1 - \frac{\sqrt{3}\sqrt[6]{cx} + \sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{6a^{2/3}\sqrt[3]{c}} + \frac{\int \frac{\frac{2\sqrt[3]{cd} + \left(\frac{\sqrt{3}\sqrt{cd} + e}{\sqrt{a}}\right)x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3}\sqrt[6]{cx} + \sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{6a^{2/3}\sqrt[3]{c}} + \frac{\int \frac{\frac{\sqrt[3]{cd} - ex}{\sqrt[3]{a}}}{1 + \frac{\sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{3a^{2/3}\sqrt[3]{c}} \\
&= \frac{d \int \frac{1}{1 + \frac{\sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{3a} - \frac{e \int \frac{x}{1 + \frac{\sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{3a^{2/3}\sqrt[3]{c}} - \frac{(\sqrt{3}\sqrt{cd} - \sqrt{a}e) \int \frac{-\frac{\sqrt{3}\sqrt[6]{c}}{\sqrt[3]{a}} + \frac{2\sqrt[3]{cx}}{\sqrt[3]{a}}}{1 - \frac{\sqrt{3}\sqrt[6]{cx} + \sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{3}\sqrt{cd} + \sqrt{a}e) \int \frac{-\frac{\sqrt{3}\sqrt[6]{c}}{\sqrt[3]{a}} + \frac{2\sqrt[3]{cx}}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3}\sqrt[6]{cx} + \sqrt[3]{cx^2}}{\sqrt[3]{a}}} dx}{12a^{5/6}c^{2/3}} \\
&= \frac{d \tan^{-1}\left(\frac{\sqrt[6]{cx}}{\sqrt[3]{a}}\right)}{3a^{5/6}\sqrt[6]{c}} - \frac{e \log(\sqrt[3]{a} + \sqrt[3]{cx^2})}{6\sqrt[3]{a}c^{2/3}} - \frac{(\sqrt{3}\sqrt{cd} - \sqrt{a}e) \log(\sqrt[3]{a} - \sqrt{3}\sqrt[6]{a}\sqrt[6]{cx} + \sqrt[3]{cx^2})}{12a^{5/6}c^{2/3}} + \frac{(\sqrt{3}\sqrt{cd} + \sqrt{a}e) \log(\sqrt[3]{a} + \sqrt{3}\sqrt[6]{a}\sqrt[6]{cx} + \sqrt[3]{cx^2})}{12a^{5/6}c^{2/3}} \\
&= \frac{d \tan^{-1}\left(\frac{\sqrt[6]{cx}}{\sqrt[3]{a}}\right)}{3a^{5/6}\sqrt[6]{c}} - \frac{(\sqrt{cd} + \sqrt{3}\sqrt{a}e) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[6]{cx}}{\sqrt[3]{a}}\right)}{6a^{5/6}c^{2/3}} + \frac{(\sqrt{cd} - \sqrt{3}\sqrt{a}e) \tan^{-1}\left(\sqrt{3} + \frac{2\sqrt[6]{cx}}{\sqrt[3]{a}}\right)}{6a^{5/6}c^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 334, normalized size = 1.10

$$\frac{(\sqrt{3}\sqrt[6]{a}\sqrt{cd} - a^{2/3}e) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{cx} + \sqrt[3]{a} + \sqrt[3]{cx^2})}{12ac^{2/3}} - \frac{(-a^{2/3}e - \sqrt{3}\sqrt[6]{a}\sqrt{cd}) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{cx} + \sqrt[3]{a} + \sqrt[3]{cx^2})}{12ac^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^3)/(a + c*x^6), x]

[Out] (d*ArcTan[(c^(1/6)*x)/a^(1/6)]/(3*a^(5/6)*c^(1/6)) + ((a^(1/6)*Sqrt[c]*d + Sqrt[3]*a^(2/3)*e)*ArcTan[(-Sqrt[3]*a^(1/6)) + 2*c^(1/6)*x]/a^(1/6)]/(6*a*c^(2/3)) + ((a^(1/6)*Sqrt[c]*d - Sqrt[3]*a^(2/3)*e)*ArcTan[(Sqrt[3]*a^(1/6) + 2*c^(1/6)*x)/a^(1/6)]/(6*a*c^(2/3)) - (e*Log[a^(1/3) + c^(1/3)*x^2])/(6*a^(1/3)*c^(2/3)) - ((Sqrt[3]*a^(1/6)*Sqrt[c]*d - a^(2/3)*e)*Log[a^(1/3) - Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2]/(12*a*c^(2/3)) - (((Sqrt[3]*a^(1/6)*Sqrt[c]*d) - a^(2/3)*e)*Log[a^(1/3) + Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2]/(12*a*c^(2/3))

fricas [B] time = 1.31, size = 3224, normalized size = 10.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^3+d)/(c*x^6+a), x, algorithm="fricas")

[Out] 1/3*sqrt(3)*((a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(1/3)*arctan(1/3*(2*(sqrt(3)*(a^4*c^4*d^2 - a^5*c^3*e^2)*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) - 2*sqrt(3)*(a^2*c^3*d^4*e - 3*a^3*c^2*d^2*e^3))*sqrt(((c^3*d^7 - a*c^2*d^5*e^2 - 5*a^2*c*d^3*e^4 - 3*a^3*d*e^6)*x^2 + (2*a^5*c^3*d*e*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + a^2*c^3*d^5 - 4*a^3*c^2*d^3*e^2 + 3*a^4*c*d*e^4)*((a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(2/3) - ((a^4*c^3*d^2*e + a^5*c^2*e^3)*x*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + (a*c^3*d^6 - 2*a^2*c^2*d^4*e^2 - 3*a^3*c*d^2*e^4)*x)*((a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(1/3))/(c^3*d^7 - a*c^2*d^5*e^2 - 5*a^2*c*d^3*e^4 - 3*a^3*d*e^6))*((a^2*c^2*sqrt(-(c^2*d^6 - 6*a*c*d^4*e^2 + 9*a^2*d^2*e^4)/(a^5*c^3)) + 3*c*d^2*e - a*e^3)/(a^2*c^2))^(1/3)

$$\begin{aligned}
& e - a^3e^3/(a^2c^2))^{2/3} - 2*(\sqrt{3}*(a^4c^4d^2 - a^5c^3e^2)*x*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 2*\sqrt{3}*(a^2c^3d^4e - 3a^3c^2d^2e^3)*x)*((a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 3c^2d^2e - a^3e^3)/(a^2c^2))^{2/3} - \sqrt{3}*(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6)/(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6) - 1/3*\sqrt{3}*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{1/3}*\arctan(1/3*(2*(\sqrt{3}*(a^4c^4d^2 - a^5c^3e^2)*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 2*\sqrt{3}*(a^2c^3d^4e - 3a^3c^2d^2e^3))*\sqrt{((c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6)*x^2 - (2a^5c^3d^3e*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - a^2c^3d^5 + 4a^3c^2d^3e^2 - 3a^4c^2d^3e^4)*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{2/3} + ((a^4c^3d^2e + a^5c^2e^3)*x*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - (a^2c^3d^6 - 2a^2c^2d^4e^2 - 3a^3c^2d^2e^4)*x)*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{1/3}))/((c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6))*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{2/3} - 2*(\sqrt{3}*(a^4c^4d^2 - a^5c^3e^2)*x*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 2*\sqrt{3}*(a^2c^3d^4e - 3a^3c^2d^2e^3)*x)*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{2/3} + \sqrt{3}*(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6))/(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6) - 1/12*((a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 3c^2d^2e - a^3e^3)/(a^2c^2))^{1/3}*\log(-(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6)*x^2 - (2a^5c^3d^3e*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + a^2c^3d^5 - 4a^3c^2d^3e^2 + 3a^4c^2d^3e^4)*((a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 3c^2d^2e - a^3e^3)/(a^2c^2))^{2/3} + ((a^4c^3d^2e + a^5c^2e^3)*x*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + (a^2c^3d^6 - 2a^2c^2d^4e^2 - 3a^3c^2d^2e^4)*x)*((a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 3c^2d^2e - a^3e^3)/(a^2c^2))^{1/3}) - 1/12*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{1/3}*\log(-(c^3d^7 - a^2c^2d^5e^2 - 5a^2c^3d^3e^4 - 3a^3d^3e^6)*x^2 + (2a^5c^3d^3e*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - a^2c^3d^5 + 4a^3c^2d^3e^2 - 3a^4c^2d^3e^4)*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{2/3} - ((a^4c^3d^2e + a^5c^2e^3)*x*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - (a^2c^3d^6 - 2a^2c^2d^4e^2 - 3a^3c^2d^2e^4)*x)*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{1/3}) + 1/6*((a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 3c^2d^2e - a^3e^3)/(a^2c^2))^{1/3}*\log(-(c^2d^5 - 2a^2c^3d^3e^2 - 3a^2d^3e^4)*x - (a^4c^2e*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + a^2c^2d^4 - 3a^2c^2d^2e^2)*((a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} + 3c^2d^2e - a^3e^3)/(a^2c^2))^{1/3}) + 1/6*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{1/3}*\log(-(c^2d^5 - 2a^2c^3d^3e^2 - 3a^2d^3e^4)*x + (a^4c^2e*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - a^2c^2d^4 + 3a^2c^2d^2e^2)*(-(a^2c^2*\sqrt{-(c^2d^6 - 6a^2c^4d^2e^2 + 9a^2d^2e^4)/(a^5c^3)} - 3c^2d^2e + a^3e^3)/(a^2c^2))^{1/3}))
\end{aligned}$$

giac [A] time = 0.43, size = 288, normalized size = 0.94

$$\frac{|c|e \log\left(x^2 + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{6 (ac^5)^{\frac{1}{3}}} + \frac{(ac^5)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3 ac} + \frac{\left((ac^5)^{\frac{1}{6}} c^3 d - \sqrt{3} (ac^5)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x + \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6 ac^4} + \frac{\left((ac^5)^{\frac{1}{6}} c^3 d - \sqrt{3} (ac^5)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x - \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6 ac^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^3+d)/(c*x^6+a),x, algorithm="giac")

[Out] $-1/6*\text{abs}(c)*e*\log(x^2 + (a/c)^{(1/3)})/(a*c^5)^{(1/3)} + 1/3*(a*c^5)^{(1/6)}*d*\arctan(x/(a/c)^{(1/6)})/(a*c) + 1/6*((a*c^5)^{(1/6)}*c^3*d - \text{sqrt}(3)*(a*c^5)^{(2/3)}*e)*\arctan((2*x + \text{sqrt}(3)*(a/c)^{(1/6)})/(a/c)^{(1/6)})/(a*c^4) + 1/6*((a*c^5)^{(1/6)}*c^3*d + \text{sqrt}(3)*(a*c^5)^{(2/3)}*e)*\arctan((2*x - \text{sqrt}(3)*(a/c)^{(1/6)})/(a/c)^{(1/6)})/(a*c^4) + 1/12*(\text{sqrt}(3)*(a*c^5)^{(1/6)}*c^3*d + (a*c^5)^{(2/3)}*e)*\log(x^2 + \text{sqrt}(3)*x*(a/c)^{(1/6)} + (a/c)^{(1/3)})/(a*c^4) - 1/12*(\text{sqrt}(3)*(a*c^5)^{(1/6)}*c^3*d - (a*c^5)^{(2/3)}*e)*\log(x^2 - \text{sqrt}(3)*x*(a/c)^{(1/6)} + (a/c)^{(1/3)})/(a*c^4)$

maple [A] time = 0.12, size = 329, normalized size = 1.08

$$\frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \sqrt{3}\right)}{6a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} + \sqrt{3}\right)}{6a} - \frac{\sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}} d \ln\left(x^2 - \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}\right)}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^3+d)/(c*x^6+a),x)

[Out] $1/12*c*(a/c)^{(7/6)}/a^2*\ln(x^2+3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3}))*3^{(1/2)}*d+1/12*(a/c)^{(2/3)}/a*\ln(x^2+3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3}))*e+1/6*(a/c)^{(1/6)}/a*\arctan(2*x/(a/c)^{(1/6)}+3^{(1/2)})*d-1/6*(a/c)^{(2/3)}/a*\arctan(2*x/(a/c)^{(1/6)}+3^{(1/2)})*3^{(1/2)}*e+1/12/a*\ln(x^2-3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3}))*e-1/12/a*\ln(x^2-3^{(1/2)}*(a/c)^{(1/6)}*x+(a/c)^{(1/3}))*3^{(1/2)}*(a/c)^{(1/6)}*d+1/6/a*(a/c)^{(2/3)}*\arctan(2*x/(a/c)^{(1/6)}-3^{(1/2)})*3^{(1/2)}*e+1/6/a*(a/c)^{(1/6)}*\arctan(2*x/(a/c)^{(1/6)}-3^{(1/2)})*d-1/6*(a/c)^{(2/3)}/a*e*\ln(x^2+(a/c)^{(1/3}))+1/3*(a/c)^{(1/6)}/a*d*\arctan(x/(a/c)^{(1/6}))$

maxima [A] time = 1.49, size = 282, normalized size = 0.92

$$\frac{e \log\left(c^{\frac{1}{3}} x^2 + a^{\frac{1}{3}}\right)}{6 a^{\frac{1}{3}} c^{\frac{2}{3}}} + \frac{d \arctan\left(\frac{c^{\frac{1}{3}} x}{\sqrt{a^{\frac{1}{3}} c^{\frac{1}{3}}}}\right)}{3 a^{\frac{2}{3}} \sqrt{a^{\frac{1}{3}} c^{\frac{1}{3}}}} + \frac{\left(\sqrt{3} a^{\frac{1}{6}} \sqrt{c} d + a^{\frac{2}{3}} e\right) \log\left(c^{\frac{1}{3}} x^2 + \sqrt{3} a^{\frac{1}{6}} c^{\frac{1}{6}} x + a^{\frac{1}{3}}\right)}{12 a c^{\frac{2}{3}}} - \frac{\left(\sqrt{3} a^{\frac{1}{6}} \sqrt{c} d - a^{\frac{2}{3}} e\right) \log\left(c^{\frac{1}{3}} x^2 - \sqrt{3} a^{\frac{1}{6}} c^{\frac{1}{6}} x + a^{\frac{1}{3}}\right)}{12 a c^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^3+d)/(c*x^6+a),x, algorithm="maxima")

[Out] $-1/6*e*\log(c^{(1/3)}*x^2 + a^{(1/3)})/(a^{(1/3)}*c^{(2/3)}) + 1/3*d*\arctan(c^{(1/3)}*x/\text{sqrt}(a^{(1/3)}*c^{(1/3)}))/ (a^{(2/3)}*\text{sqrt}(a^{(1/3)}*c^{(1/3)})) + 1/12*(\text{sqrt}(3)*a^{(1/6)}*\text{sqrt}(c)*d + a^{(2/3)}*e)*\log(c^{(1/3)}*x^2 + \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)}*x + a^{(1/3)})/(a*c^{(2/3)}) - 1/12*(\text{sqrt}(3)*a^{(1/6)}*\text{sqrt}(c)*d - a^{(2/3)}*e)*\log(c^{(1/3)}*x^2 - \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)}*x + a^{(1/3)})/(a*c^{(2/3)}) - 1/6*(\text{sqrt}(3)*a^{(5/6)}*c^{(1/6)}*e - a^{(1/3)}*c^{(2/3)}*d)*\arctan((2*c^{(1/3)}*x + \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)})/\text{sqrt}(a^{(1/3)}*c^{(1/3)}))/ (a*c^{(2/3)}*\text{sqrt}(a^{(1/3)}*c^{(1/3)})) + 1/6*(\text{sqrt}(3)*a^{(5/6)}*c^{(1/6)}*e + a^{(1/3)}*c^{(2/3)}*d)*\arctan((2*c^{(1/3)}*x - \text{sqrt}(3)*a^{(1/6)}*c^{(1/6)})/\text{sqrt}(a^{(1/3)}*c^{(1/3)}))/ (a*c^{(2/3)}*\text{sqrt}(a^{(1/3)}*c^{(1/3)}))$

mupad [B] time = 1.54, size = 1331, normalized size = 4.36

$$\ln \left(a^3 c^3 \left(-\frac{a^4 c^2 e^3 + c d^3 \sqrt{-a^5 c^5} - 3 a^3 c^3 d^2 e - 3 a d e^2 \sqrt{-a^5 c^5}}{a^5 c^4} \right)^{1/3} + e x \sqrt{-a^5 c^5} + a^2 c^3 d x \right) \left(-\frac{a^4 c^2 e^3 + c d^3}{a^5 c^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^3)/(a + c*x^6), x)

[Out] $\log(a^3 c^3 (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} + e x (-a^5 c^5)^{1/2} + a^2 c^3 d x (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} + \log(a^3 c^3 (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} - e x (-a^5 c^5)^{1/2} + a^2 c^3 d x (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} - \log(a^3 c^3 (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} - 2 e x (-a^5 c^5)^{1/2} + 3^{1/2} a^3 c^3 (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * i - 2 a^2 c^3 d x ((3^{1/2} * i) / 2 + 1/2) (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} + \log(e x (-a^5 c^5)^{1/2} - (a^3 c^3 (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3}) / 2 + (3^{1/2} a^3 c^3 (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * i) / 2 + a^2 c^3 d x ((3^{1/2} * i) / 2 - 1/2) (-a^4 c^2 e^3 + c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e - 3 a d e^2 (-a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} + \log(a^3 c^3 (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} + 2 e x (-a^5 c^5)^{1/2} + 3^{1/2} a^3 c^3 (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * i - 2 a^2 c^3 d x ((3^{1/2} * i) / 2 - 1/2) (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3} - \log(a^3 c^3 (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} + 2 e x (-a^5 c^5)^{1/2} + 3^{1/2} a^3 c^3 (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (a^5 c^4))^{1/3} * i - 2 a^2 c^3 d x ((3^{1/2} * i) / 2 + 1/2) (-a^4 c^2 e^3 - c d^3 (-a^5 c^5)^{1/2} - 3 a^3 c^3 d^2 e + 3 a d e^2 (-a^5 c^5)^{1/2}) / (216 a^5 c^4))^{1/3}$

sympy [A] time = 3.11, size = 165, normalized size = 0.54

$$\text{RootSum} \left(46656 t^6 a^5 c^4 + t^3 (432 a^4 c^2 e^3 - 1296 a^3 c^3 d^2 e) + a^3 e^6 + 3 a^2 c d^2 e^4 + 3 a c^2 d^4 e^2 + c^3 d^6, \left(t \mapsto t \log \left(x + \frac{-1}{t} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**3+d)/(c*x**6+a), x)

[Out] $\text{RootSum}(46656_t**6*a**5*c**4 + _t**3*(432*a**4*c**2*e**3 - 1296*a**3*c**3*d**2*e) + a**3*e**6 + 3*a**2*c*d**2*e**4 + 3*a*c**2*d**4*e**2 + c**3*d**6, \text{Lambda}(_t, _t*\log(x + (-1296_t**4*a**4*c**2*e - 6_t*a**3*e**4 + 36_t*a**2*c*d**2*e**2 - 6_t*a*c**2*d**4)/(3*a**2*d*e**4 + 2*a*c*d**3*e**2 - c**2*d**5))))$

3.2 $\int \frac{d+ex^3}{a-cx^6} dx$

Optimal. Leaf size=323

$$\frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} \sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} - \frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{(\sqrt{a}e + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt[6]{a} + 2\sqrt[6]{c}x}{\sqrt{3}\sqrt[6]{a}}\right)}{2\sqrt{3}a^{5/6}c^{2/3}}$$

[Out] 1/6*ln(a^(1/6)+c^(1/6)*x)*(d-e*a^(1/2)/c^(1/2))/a^(5/6)/c^(1/6)-1/12*ln(a^(1/3)-a^(1/6)*c^(1/6)*x+c^(1/3)*x^2)*(d-e*a^(1/2)/c^(1/2))/a^(5/6)/c^(1/6)-1/6*arctan(1/3*(a^(1/6)-2*c^(1/6)*x)/a^(1/6)*3^(1/2))*(d-e*a^(1/2)/c^(1/2))/a^(5/6)/c^(1/6)*3^(1/2)-1/6*ln(a^(1/6)-c^(1/6)*x)*(e*a^(1/2)+d*c^(1/2))/a^(5/6)/c^(2/3)+1/12*ln(a^(1/3)+a^(1/6)*c^(1/6)*x+c^(1/3)*x^2)*(e*a^(1/2)+d*c^(1/2))/a^(5/6)/c^(2/3)+1/6*arctan(1/3*(a^(1/6)+2*c^(1/6)*x)/a^(1/6)*3^(1/2))*(e*a^(1/2)+d*c^(1/2))/a^(5/6)/c^(2/3)*3^(1/2)

Rubi [A] time = 0.19, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1417, 200, 31, 634, 617, 204, 628}

$$\frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} \sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12a^{5/6}c^{2/3}} - \frac{(\sqrt{a}e + \sqrt{c}d) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{(\sqrt{a}e + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt[6]{a} + 2\sqrt[6]{c}x}{\sqrt{3}\sqrt[6]{a}}\right)}{2\sqrt{3}a^{5/6}c^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^3)/(a - c*x^6), x]

[Out] -((d - (Sqrt[a]*e)/Sqrt[c])*ArcTan[(a^(1/6) - 2*c^(1/6)*x)/(Sqrt[3]*a^(1/6))])/(2*Sqrt[3]*a^(5/6)*c^(1/6)) + ((Sqrt[c]*d + Sqrt[a]*e)*ArcTan[(a^(1/6) + 2*c^(1/6)*x)/(Sqrt[3]*a^(1/6))])/(2*Sqrt[3]*a^(5/6)*c^(2/3)) - ((Sqrt[c]*d + Sqrt[a]*e)*Log[a^(1/6) - c^(1/6)*x])/(6*a^(5/6)*c^(2/3)) + ((d - (Sqrt[a]*e)/Sqrt[c])*Log[a^(1/6) + c^(1/6)*x])/(6*a^(5/6)*c^(1/6)) - ((d - (Sqrt[a]*e)/Sqrt[c])*Log[a^(1/3) - a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a^(5/6)*c^(1/6)) + ((Sqrt[c]*d + Sqrt[a]*e)*Log[a^(1/3) + a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a^(5/6)*c^(2/3))

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_.)*(x_)^3)^(n_), x_Symbol] := Dist[1/(3*Rt[a, 3]^2), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]^2), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]^2 - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]^2*x^2), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(n_), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(n_), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 634

$\text{Int}[\{(d_)+(e_)*(x_)/((a_)+(b_)*(x_)+(c_)*(x_)^2), x_Symbol\} \rightarrow \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2*c*d - b*e, 0] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{!NiceSqrtQ}[b^2 - 4*a*c]$

Rule 1417

$\text{Int}[\{(d_)+(e_)*(x_)^{(n_)/((a_)+(c_)*(x_)^{(n2_)}), x_Symbol\} \rightarrow \text{With}[\{q = \text{Rt}[-(a/c), 2]\}, \text{Dist}[(d + e*q)/2, \text{Int}[1/(a + c*q*x^n), x], x] + \text{Dist}[(d - e*q)/2, \text{Int}[1/(a - c*q*x^n), x], x]] \ /; \text{FreeQ}[\{a, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0] \ \&\& \ \text{NegQ}[a*c] \ \&\& \ \text{IntegerQ}[n]$

Rubi steps

$$\begin{aligned} \int \frac{d + ex^3}{a - cx^6} dx &= \frac{1}{2} \left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a + \sqrt{a} \sqrt{c} x^3} dx + \frac{1}{2} \left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a - \sqrt{a} \sqrt{c} x^3} dx \\ &= \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[3]{a} + \sqrt[6]{a} \sqrt[6]{c} x} dx}{6a^{2/3}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{2\sqrt[3]{a} - \sqrt[6]{a} \sqrt[6]{c} x}{a^{2/3} - \sqrt{a} \sqrt[6]{c} x + \sqrt[3]{a} \sqrt[6]{c} x^2} dx}{6a^{2/3}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[3]{a} - \sqrt[6]{a} \sqrt[6]{c} x} dx}{6a^{2/3}} + \\ &= -\frac{(\sqrt{c}d + \sqrt{ae}) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log(\sqrt[6]{a} + \sqrt[6]{c}x)}{6a^{5/6}\sqrt[6]{c}} + \frac{(\sqrt{c}d + \sqrt{ae}) \int \frac{\sqrt{a} \sqrt[6]{c} + 2\sqrt[3]{a}}{a^{2/3} + \sqrt{a} \sqrt[6]{c} x + \sqrt[3]{a}}}{12a^{5/6}c^{2/3}} \\ &= -\frac{(\sqrt{c}d + \sqrt{ae}) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log(\sqrt[6]{a} + \sqrt[6]{c}x)}{6a^{5/6}\sqrt[6]{c}} - \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log(\sqrt[3]{a} - \sqrt[6]{a} \sqrt[6]{c}x)}{12a^{5/6}\sqrt[6]{c}} \\ &= -\frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1}\left(\frac{\sqrt[6]{a} - 2\sqrt[6]{c}x}{\sqrt{3} \sqrt[6]{a}}\right)}{2\sqrt{3} a^{5/6} \sqrt[6]{c}} + \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1}\left(\frac{\sqrt[6]{a} + 2\sqrt[6]{c}x}{\sqrt{3} \sqrt[6]{a}}\right)}{2\sqrt{3} a^{5/6} c^{2/3}} - \frac{(\sqrt{c}d + \sqrt{ae}) \log(\sqrt[6]{a} - \sqrt[6]{c}x)}{6a^{5/6}c^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.12, size = 337, normalized size = 1.04

$$-2\sqrt{3} (\sqrt{c}d - \sqrt{ae}) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[6]{c}x}{\sqrt[6]{a}}}{\sqrt{3}}\right) + 2\sqrt{3} (\sqrt{ae} + \sqrt{c}d) \tan^{-1}\left(\frac{\frac{2\sqrt[6]{c}x}{\sqrt[6]{a}} + 1}{\sqrt{3}}\right) - \sqrt{c}d \log(-\sqrt[6]{a} \sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2) +$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^3)/(a - c*x^6), x]

[Out] (-2*Sqrt[3]*(Sqrt[c]*d - Sqrt[a]*e)*ArcTan[(1 - (2*c^(1/6)*x)/a^(1/6))/Sqrt[3]] + 2*Sqrt[3]*(Sqrt[c]*d + Sqrt[a]*e)*ArcTan[(1 + (2*c^(1/6)*x)/a^(1/6))/Sqrt[3]] - 2*Sqrt[c]*d*Log[a^(1/6) - c^(1/6)*x] - 2*Sqrt[a]*e*Log[a^(1/6) - c^(1/6)*x] + 2*Sqrt[c]*d*Log[a^(1/6) + c^(1/6)*x] - 2*Sqrt[a]*e*Log[a^(1/6) + c^(1/6)*x] - Sqrt[c]*d*Log[a^(1/3) - a^(1/6)*c^(1/6)*x + c^(1/3)*x^2]

$$\frac{\sqrt{a} \cdot \log[a^{1/3} - a^{1/6} \cdot c^{1/6} \cdot x + c^{1/3} \cdot x^2] + \sqrt{c} \cdot \log[a^{1/3} + a^{1/6} \cdot c^{1/6} \cdot x + c^{1/3} \cdot x^2] + \sqrt{a} \cdot \log[a^{1/3} + a^{1/6} \cdot c^{1/6} \cdot x + c^{1/3} \cdot x^2]}{(12 \cdot a^{5/6} \cdot c^{2/3})}$$

fricas [B] time = 1.32, size = 3178, normalized size = 9.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^3+d)/(-c*x^6+a),x, algorithm="fricas")

[Out] $\frac{1}{3} \sqrt{3} \cdot (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{1/3} \arctan(1/3 (2 (\sqrt{3} (a^4 c^4 d^2 + a^5 c^3 e^2) \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 2 \sqrt{3} (a^2 c^3 d^4 e + 3 a^3 c^2 d^2 e^3)) \sqrt{((c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6) x^2 - (2 a^5 c^3 d e \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - a^2 c^3 d^5 - 4 a^3 c^2 d^3 e^2 - 3 a^4 c d e^4) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{2/3} + ((a^4 c^3 d^2 e - a^5 c^2 e^3) x \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - (a c^3 d^6 + 2 a^2 c^2 d^4 e^2 - 3 a^3 c d^2 e^4) x) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{1/3}) / (c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6)) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{2/3} - 2 (\sqrt{3} (a^4 c^4 d^2 + a^5 c^3 e^2) x \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 2 \sqrt{3} (a^2 c^3 d^4 e + 3 a^3 c^2 d^2 e^3) x) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{2/3} - \sqrt{3} (c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6)) / (c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6)) - 1/3 \sqrt{3} * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 3 c d^2 e - a e^3) / (a^2 c^2)^{1/3} \arctan(1/3 (2 (\sqrt{3} (a^4 c^4 d^2 + a^5 c^3 e^2) \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 2 \sqrt{3} (a^2 c^3 d^4 e + 3 a^3 c^2 d^2 e^3)) \sqrt{((c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6) x^2 + (2 a^5 c^3 d e \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + a^2 c^3 d^5 + 4 a^3 c^2 d^3 e^2 + 3 a^4 c d e^4) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 3 c d^2 e - a e^3) / (a^2 c^2)^{2/3} - ((a^4 c^3 d^2 e - a^5 c^2 e^3) x \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + (a c^3 d^6 + 2 a^2 c^2 d^4 e^2 - 3 a^3 c d^2 e^4) x) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 3 c d^2 e - a e^3) / (a^2 c^2)^{1/3}) / (c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6)) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 3 c d^2 e - a e^3) / (a^2 c^2)^{2/3} - 2 (\sqrt{3} (a^4 c^4 d^2 + a^5 c^3 e^2) x \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 2 \sqrt{3} (a^2 c^3 d^4 e + 3 a^3 c^2 d^2 e^3) x) * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 3 c d^2 e - a e^3) / (a^2 c^2)^{2/3} + \sqrt{3} (c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6)) / (c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6)) - 1/12 * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{1/3} \log((c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6) x^2 - (2 a^5 c^3 d e \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - a^2 c^3 d^5 - 4 a^3 c^2 d^3 e^2 - 3 a^4 c d e^4) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{2/3} + ((a^4 c^3 d^2 e - a^5 c^2 e^3) x \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - (a c^3 d^6 + 2 a^2 c^2 d^4 e^2 - 3 a^3 c d^2 e^4) x) * (- (a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) + 3 c d^2 e + a e^3) / (a^2 c^2)^{1/3}) - 1/12 * ((a^2 c^2 \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3)) - 3 c d^2 e - a e^3) / (a^2 c^2)^{1/3} \log((c^3 d^7 + a c^2 d^5 e^2 - 5 a^2 c d^3 e^4 + 3 a^3 d e^6) x^2 + (2 a^5 c^3 d e \sqrt{(c^2 d^6 + 6 a c d^4 e^2 + 9 a^2 d^2 e^4)} / (a^5 c^3))$

$$\begin{aligned} & \frac{2e^4}{a^5c^3} + a^2c^3d^5 + 4a^3c^2d^3e^2 + 3a^4cd^4e^4 \left(\frac{a^2c^2\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4}}{a^5c^3} - 3cd^2e - a^3 \right) / (a^2c^2)^{2/3} \\ & - \left(\frac{a^4c^3d^2e - a^5c^2e^3}{a^5c^3} \right) x \sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4} / (a^5c^3) + (a^3cd^6 + 2a^2c^2d^4e^2 - 3a^3cd^2e^4) x \\ & \left(\frac{a^2c^2\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4}}{a^5c^3} - 3cd^2e - a^3 \right) / (a^2c^2)^{1/3} + 1/6 \left(-\frac{a^2c^2\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4}}{a^5c^3} \right. \\ & \left. + 3cd^2e + a^3 \right) / (a^2c^2)^{1/3} \log(-c^2d^5 + 2a^2cd^3e^2 - 3a^2d^4e^4) x + (a^4c^2e\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4} \\ & - a^3c^2d^4 - 3a^2cd^2e^2) \left(-\frac{a^2c^2\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4}}{a^5c^3} + 3cd^2e + a^3 \right) / (a^2c^2)^{1/3} + 1/6 \left(\frac{a^2c^2\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4}}{a^5c^3} \right. \\ & \left. - 3cd^2e - a^3 \right) / (a^2c^2)^{1/3} \log(-c^2d^5 + 2a^2cd^3e^2 - 3a^2d^4e^4) x - (a^4c^2e\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4} \\ & + a^3c^2d^4 + 3a^2cd^2e^2) \left(\frac{a^2c^2\sqrt{c^2d^6 + 6a^2cd^4e^2 + 9a^2d^2e^4}}{a^5c^3} - 3cd^2e - a^3 \right) / (a^2c^2)^{1/3} \end{aligned}$$

giac [A] time = 0.38, size = 308, normalized size = 0.95

$$\frac{|c|e \log\left(x^2 + \left(-\frac{a}{c}\right)^{\frac{1}{3}}\right)}{6(-ac^5)^{\frac{1}{3}}} + \frac{(-ac^5)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(-\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3ac} + \frac{\left((-ac^5)^{\frac{1}{6}} c^3 d - \sqrt{3}(-ac^5)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x + \sqrt{3}\left(-\frac{a}{c}\right)^{\frac{1}{6}}}{\left(-\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4} + \frac{\left((-ac^5)^{\frac{1}{6}}\right)}{6ac^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^3+d)/(-c*x^6+a),x, algorithm="giac")

[Out] $\frac{1}{6} \text{abs}(c) e \log(x^2 + (-a/c)^{1/3}) / (-ac^5)^{1/3} + \frac{1}{3} (-ac^5)^{1/6} d \arctan(x / (-a/c)^{1/6}) / (ac) + \frac{1}{6} (-ac^5)^{1/6} c^3 d - \sqrt{3} (-ac^5)^{2/3} e \arctan\left(\frac{2x + \sqrt{3}(-a/c)^{1/6}}{(-a/c)^{1/6}}\right) / (ac^4) + \frac{1}{6} (-ac^5)^{1/6} c^3 d + \sqrt{3} (-ac^5)^{2/3} e \arctan\left(\frac{2x - \sqrt{3}(-a/c)^{1/6}}{(-a/c)^{1/6}}\right) / (ac^4) + \frac{1}{12} (\sqrt{3} (-ac^5)^{1/6} c^3 d + (-ac^5)^{2/3} e) \log(x^2 + \sqrt{3} x (-a/c)^{1/6} + (-a/c)^{1/3}) / (ac^4) - \frac{1}{12} (\sqrt{3} (-ac^5)^{1/6} c^3 d - (-ac^5)^{2/3} e) \log(x^2 - \sqrt{3} x (-a/c)^{1/6} + (-a/c)^{1/3}) / (ac^4)$

maple [A] time = 0.11, size = 386, normalized size = 1.20

$$\frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} \sqrt{3} d \arctan\left(\frac{2\sqrt{3}x}{3\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \frac{\sqrt{3}}{3}\right)}{6a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} \sqrt{3} d \arctan\left(\frac{2\sqrt{3}x}{3\left(\frac{a}{c}\right)^{\frac{1}{6}}} + \frac{\sqrt{3}}{3}\right)}{6a} + \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \ln\left(x^2 + \left(\frac{a}{c}\right)^{\frac{1}{6}} x + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{12a} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{6}} d \ln(-x)}{12a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^3+d)/(-c*x^6+a),x)

[Out] $-\frac{1}{6} c / (a/c)^{1/3} \ln(x + (a/c)^{1/6}) e + \frac{1}{6} c / (a/c)^{5/6} \ln(x + (a/c)^{1/6}) d + \frac{1}{12} (a/c)^{2/3} / a \ln((a/c)^{1/6} x - x^2 - (a/c)^{1/3}) e - \frac{1}{12} (a/c)^{1/6} / a \ln((a/c)^{1/6} x - x^2 - (a/c)^{1/3}) d - \frac{1}{6} (a/c)^{2/3} / a^{3/2} e \arctan(-1/3^{3/2} + 2/3 x^{3/2} / (a/c)^{1/6}) + \frac{1}{6} (a/c)^{1/6} / a^{3/2} d \arctan(-1/3^{3/2} + 2/3 x^{3/2} / (a/c)^{1/6}) - \frac{1}{6} c / (a/c)^{1/3} \ln(-x + (a/c)^{1/6}) e - \frac{1}{6} c / (a/c)^{5/6} \ln(-x + (a/c)^{1/6}) d + \frac{1}{12} a (a/c)^{2/3} e \ln(x^2 + (a/c)^{1/6} x + (a/c)^{1/3}) + \frac{1}{6} a (a/c)^{2/3} e^{3/2} \arctan(2/3 x^{3/2} / (a/c)^{1/6}) + \frac{1}{12} a d (a/c)^{1/6} \ln(x^2 + (a/c)^{1/6} x + (a/c)^{1/3}) + \frac{1}{6} a d (a/c)^{1/6} e^{3/2} \arctan(2/3 x^{3/2} / (a/c)^{1/6}) + \frac{1}{3} e^{3/2}$

maxima [A] time = 1.34, size = 313, normalized size = 0.97

$$\frac{\sqrt{3}(\sqrt{c}d + \sqrt{a}e) \arctan\left(\frac{\sqrt{3}\left(2x + \left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}\right)}{3\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}}\right) + \sqrt{3}(\sqrt{c}d - \sqrt{a}e) \arctan\left(\frac{\sqrt{3}\left(2x - \left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}\right)}{3\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{1}{3}}}\right) + (\sqrt{c}d + \sqrt{a}e) \log\left(x^2 + \frac{2x\sqrt{a}}{\sqrt{c}} + \frac{a}{c}\right)}{6\sqrt{a}c\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}} + 6\sqrt{a}c\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}} + 12\sqrt{a}c\left(\frac{\sqrt{a}}{\sqrt{c}}\right)^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^3+d)/(-c*x^6+a),x, algorithm="maxima")

[Out] 1/6*sqrt(3)*(sqrt(c)*d + sqrt(a)*e)*arctan(1/3*sqrt(3)*(2*x + (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)*c*(sqrt(a)/sqrt(c))^(2/3)) + 1/6*sqrt(3)*(sqrt(c)*d - sqrt(a)*e)*arctan(1/3*sqrt(3)*(2*x - (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)*c*(sqrt(a)/sqrt(c))^(2/3)) + 1/12*(sqrt(c)*d + sqrt(a)*e)*log(x^2 + x*(sqrt(a)/sqrt(c))^(1/3) + (sqrt(a)/sqrt(c))^(2/3))/(sqrt(a)*c*(sqrt(a)/sqrt(c))^(2/3)) - 1/12*(sqrt(c)*d - sqrt(a)*e)*log(x^2 - x*(sqrt(a)/sqrt(c))^(1/3) + (sqrt(a)/sqrt(c))^(2/3))/(sqrt(a)*c*(sqrt(a)/sqrt(c))^(2/3)) + 1/6*(sqrt(c)*d - sqrt(a)*e)*log(x + (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)*c*(sqrt(a)/sqrt(c))^(2/3)) - 1/6*(sqrt(c)*d + sqrt(a)*e)*log(x - (sqrt(a)/sqrt(c))^(1/3))/(sqrt(a)*c*(sqrt(a)/sqrt(c))^(2/3))

mupad [B] time = 2.97, size = 1293, normalized size = 4.00

$$\ln\left(a^3 c^3 \left(-\frac{a^4 c^2 e^3 + c d^3 \sqrt{a^5 c^5} + 3 a^3 c^3 d^2 e + 3 a d e^2 \sqrt{a^5 c^5}}{a^5 c^4}\right)^{1/3} + e x \sqrt{a^5 c^5} + a^2 c^3 d x\right) \left(-\frac{a^4 c^2 e^3 + c d^3 \sqrt{a^5 c^5}}{a^5 c^4}\right)^{1/3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^3)/(a - c*x^6),x)

[Out] log(a^3*c^3*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3) + e*x*(a^5*c^5)^(1/2) + a^2*c^3*d*x*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(216*a^5*c^4))^(1/3) + log(a^3*c^3*(-(a^4*c^2*e^3 - c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e - 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3) - e*x*(a^5*c^5)^(1/2) + a^2*c^3*d*x*(-(a^4*c^2*e^3 - c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e - 3*a*d*e^2*(a^5*c^5)^(1/2))/(216*a^5*c^4))^(1/3) - log(a^3*c^3*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3) - 2*e*x*(a^5*c^5)^(1/2) + 3^(1/2)*a^3*c^3*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3)*1i - 2*a^2*c^3*d*x*((3^(1/2)*1i)/2 + 1/2)*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(216*a^5*c^4))^(1/3) + log(e*x*(a^5*c^5)^(1/2) - (a^3*c^3*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3))/2 + (3^(1/2)*a^3*c^3*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3)*1i)/2 + a^2*c^3*d*x*((3^(1/2)*1i)/2 - 1/2)*(-(a^4*c^2*e^3 + c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e + 3*a*d*e^2*(a^5*c^5)^(1/2))/(216*a^5*c^4))^(1/3) + log(a^3*c^3*(-(a^4*c^2*e^3 - c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e - 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3) + 2*e*x*(a^5*c^5)^(1/2) - 3^(1/2)*a^3*c^3*(-(a^4*c^2*e^3 - c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e - 3*a*d*e^2*(a^5*c^5)^(1/2))/(a^5*c^4))^(1/3)*1i - 2*a^2*c^3*d*x*((3^(1/2)*1i)/2 - 1/2)*(-(a^4*c^2*e^3 - c*d^3*(a^5*c^5)^(1/2) + 3*a^3*c^3*d^2*e - 3*a*d*e^2*(a^5*c^5)^(1/2))/(216*a^5*c^4))^(1/3)

$$\frac{5c^5)^{1/2}}{(216a^5c^4)^{1/3}} - \log(a^3c^3(-a^4c^2e^3 - cd^3(a^5c^5)^{1/2} + 3a^3c^3d^2e - 3ad^2e^2(a^5c^5)^{1/2})/(a^5c^4)^{1/3}) + 2e^3x(a^5c^5)^{1/2} + 3^{1/2}a^3c^3(-a^4c^2e^3 - cd^3(a^5c^5)^{1/2} + 3a^3c^3d^2e - 3ad^2e^2(a^5c^5)^{1/2})/(a^5c^4)^{1/3} * 1i - 2a^2c^3d^2x * ((3^{1/2} * 1i) / 2 + 1/2) * (-a^4c^2e^3 - cd^3(a^5c^5)^{1/2} + 3a^3c^3d^2e - 3ad^2e^2(a^5c^5)^{1/2}) / (216a^5c^4)^{1/3}$$

sympy [A] time = 3.12, size = 168, normalized size = 0.52

$$-\text{RootSum}\left(46656t^6a^5c^4 + t^3(-432a^4c^2e^3 - 1296a^3c^3d^2e) + a^3e^6 - 3a^2cd^2e^4 + 3ac^2d^4e^2 - c^3d^6, \left(t \mapsto t \log\left(x + \right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**3+d)/(-c*x**6+a),x)

[Out] -RootSum(46656*_t**6*a**5*c**4 + *_t**3*(-432*a**4*c**2*e**3 - 1296*a**3*c**3*d**2*e) + a**3*e**6 - 3*a**2*c*d**2*e**4 + 3*a*c**2*d**4*e**2 - c**3*d**6, Lambda(_t, *_t*log(x + (-1296*_t**4*a**4*c**2*e + 6*_t*a**3*e**4 + 36*_t*a**2*c*d**2*e**2 + 6*_t*a*c**2*d**4)/(3*a**2*d*e**4 - 2*a*c*d**3*e**2 - c**2*d**5))))

3.3 $\int \frac{d+ex^4}{a+cx^8} dx$

Optimal. Leaf size=754

$$\frac{((1-\sqrt{2})\sqrt{c}d-\sqrt{a}e)\log\left(-\sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x+\sqrt[4]{a}+\sqrt[4]{c}x^2\right)}{8\sqrt{2(2-\sqrt{2})}a^{7/8}c^{5/8}} - \frac{((1-\sqrt{2})\sqrt{c}d-\sqrt{a}e)\log\left(\sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x+\sqrt[4]{a}+\sqrt[4]{c}x^2\right)}{8\sqrt{2(2-\sqrt{2})}a^{7/8}c^{5/8}}$$

[Out] $-1/8*\arctan((-2*c^{(1/8)}*x+a^{(1/8)}*(2-2^{(1/2)})^{(1/2)})/a^{(1/8)}/(2+2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1+2^{(1/2)})*c^{(1/2)})*(2-2^{(1/2)})^{(1/2)}/a^{(7/8)}/c^{(5/8)}+1/8*\arctan((2*c^{(1/8)}*x+a^{(1/8)}*(2-2^{(1/2)})^{(1/2)})/a^{(1/8)}/(2+2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1+2^{(1/2)})*c^{(1/2)})*(2-2^{(1/2)})^{(1/2)}/a^{(7/8)}/c^{(5/8)}+1/4*\arctan((-2*c^{(1/8)}*x+a^{(1/8)}*(2+2^{(1/2)})^{(1/2)})/a^{(1/8)}/(2-2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1-2^{(1/2)})*c^{(1/2)})/a^{(7/8)}/c^{(5/8)}/(4-2*2^{(1/2)})^{(1/2)}-1/4*\arctan((2*c^{(1/8)}*x+a^{(1/8)}*(2+2^{(1/2)})^{(1/2)})/a^{(1/8)}/(2-2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1-2^{(1/2)})*c^{(1/2)})/a^{(7/8)}/c^{(5/8)}/(4-2*2^{(1/2)})^{(1/2)}+1/8*\ln(a^{(1/4)}+c^{(1/4)}*x^2-a^{(1/8)}*c^{(1/8)}*x*(2-2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1-2^{(1/2)})*c^{(1/2)})/a^{(7/8)}/c^{(5/8)}/(4-2*2^{(1/2)})^{(1/2)}-1/8*\ln(a^{(1/4)}+c^{(1/4)}*x^2+a^{(1/8)}*c^{(1/8)}*x*(2-2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1-2^{(1/2)})*c^{(1/2)})/a^{(7/8)}/c^{(5/8)}/(4-2*2^{(1/2)})^{(1/2)}+1/8*\ln(a^{(1/4)}+c^{(1/4)}*x^2-a^{(1/8)}*c^{(1/8)}*x*(2+2^{(1/2)})^{(1/2)})*(d+d*2^{(1/2)}-e*a^{(1/2)}/c^{(1/2)})/a^{(7/8)}/c^{(1/8)}/(4+2*2^{(1/2)})^{(1/2)}-1/8*\ln(a^{(1/4)}+c^{(1/4)}*x^2-a^{(1/8)}*c^{(1/8)}*x*(2+2^{(1/2)})^{(1/2)})*(-e*a^{(1/2)}+d*(1+2^{(1/2)})*c^{(1/2)})/a^{(7/8)}/c^{(5/8)}/(4+2*2^{(1/2)})^{(1/2)}$

Rubi [A] time = 1.25, antiderivative size = 754, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {1415, 1169, 634, 618, 204, 628}

$$\frac{((1-\sqrt{2})\sqrt{c}d-\sqrt{a}e)\log\left(-\sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x+\sqrt[4]{a}+\sqrt[4]{c}x^2\right)}{8\sqrt{2(2-\sqrt{2})}a^{7/8}c^{5/8}} - \frac{((1-\sqrt{2})\sqrt{c}d-\sqrt{a}e)\log\left(\sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x+\sqrt[4]{a}+\sqrt[4]{c}x^2\right)}{8\sqrt{2(2-\sqrt{2})}a^{7/8}c^{5/8}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^4)/(a + c*x^8), x]

[Out] $-(\text{Sqrt}[2-\text{Sqrt}[2]]*((1+\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{ArcTan}[(\text{Sqrt}[2-\text{Sqrt}[2]]*a^{(1/8)}-2*c^{(1/8)}*x)/(\text{Sqrt}[2+\text{Sqrt}[2]]*a^{(1/8)})])/(8*a^{(7/8)}*c^{(5/8)})+(\text{Sqrt}[2+\text{Sqrt}[2]]*((1-\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{ArcTan}[(\text{Sqrt}[2+\text{Sqrt}[2]]*a^{(1/8)}-2*c^{(1/8)}*x)/(\text{Sqrt}[2-\text{Sqrt}[2]]*a^{(1/8)})])/(8*a^{(7/8)}*c^{(5/8)})+(\text{Sqrt}[2-\text{Sqrt}[2]]*((1+\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{ArcTan}[(\text{Sqrt}[2-\text{Sqrt}[2]]*a^{(1/8)}+2*c^{(1/8)}*x)/(\text{Sqrt}[2+\text{Sqrt}[2]]*a^{(1/8)})])/(8*a^{(7/8)}*c^{(5/8)})-(\text{Sqrt}[2+\text{Sqrt}[2]]*((1-\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{ArcTan}[(\text{Sqrt}[2+\text{Sqrt}[2]]*a^{(1/8)}+2*c^{(1/8)}*x)/(\text{Sqrt}[2-\text{Sqrt}[2]]*a^{(1/8)})])/(8*a^{(7/8)}*c^{(5/8)})+(((1-\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)}-\text{Sqrt}[2-\text{Sqrt}[2]]*a^{(1/8)}*c^{(1/8)}*x+c^{(1/4)}*x^2])/(8*\text{Sqrt}[2*(2-\text{Sqrt}[2])]*a^{(7/8)}*c^{(5/8)})-(((1-\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)}+\text{Sqrt}[2-\text{Sqrt}[2]]*a^{(1/8)}*c^{(1/8)}*x+c^{(1/4)}*x^2])/(8*\text{Sqrt}[2*(2-\text{Sqrt}[2])]*a^{(7/8)}*c^{(5/8)})-(((1+\text{Sqrt}[2])*\text{Sqrt}[c]*d-\text{Sqrt}[a]*e)*\text{Log}[a^{(1/4)}-\text{Sqrt}[2+\text{Sqrt}[2]]*a^{(1/8)}*c^{(1/8)}*x+c^{(1/4)}*x^2])/(8*\text{Sqrt}[2*(2+\text{Sqrt}[2])]*a^{(7/8)}*c^{(5/8)})+((d+\text{Sqrt}[2]*d-(\text{Sqrt}[a]*e)/\text{Sqrt}[c])* \text{Log}[a^{(1/4)}+\text{Sqrt}[2+\text{Sqrt}[2]]*a^{(1/8)}*c^{(1/8)}*x+c^{(1/4)}*x^2])/(8*\text{Sqrt}[2*(2+\text{Sqrt}[2])]*a^{(7/8)}*c^{(1/8)})$

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1415

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[a/c, 4]}, Dist[1/(2*Sqrt[2]*c*q^3), Int[(Sqrt[2]*d*q - (d - e*q^2)*x^(n/2))/(q^2 - Sqrt[2]*q*x^(n/2) + x^n), x], x] + Dist[1/(2*Sqrt[2]*c*q^3), Int[(Sqrt[2]*d*q + (d - e*q^2)*x^(n/2))/(q^2 + Sqrt[2]*q*x^(n/2) + x^n), x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && PosQ[a*c]
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^4}{a + cx^8} dx &= \frac{\int \frac{\frac{\sqrt{2} \sqrt[4]{ad} + (-d + \frac{\sqrt{ae}}{\sqrt{c}})x^2}{\sqrt[4]{c}}}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2} \sqrt[4]{ax^2}}{\sqrt[4]{c}} + x^4} dx}{2\sqrt{2} a^{3/4} \sqrt[4]{c}} + \frac{\int \frac{\frac{\sqrt{2} \sqrt[4]{ad} + (d - \frac{\sqrt{ae}}{\sqrt{c}})x^2}{\sqrt[4]{c}}}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2} \sqrt[4]{ax^2}}{\sqrt[4]{c}} + x^4} dx}{2\sqrt{2} a^{3/4} \sqrt[4]{c}} \\
&= \frac{\sqrt[8]{c} \int \frac{\frac{\sqrt{2(2-\sqrt{2})} a^{3/8} d}{c^{3/8}} - \left(\frac{\sqrt{2} \sqrt[4]{ad}}{\sqrt[4]{c}} - \frac{\sqrt[4]{a} (d - \frac{\sqrt{ae}}{\sqrt{c}})}{\sqrt[4]{c}} \right) x}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} - \frac{\sqrt{2-\sqrt{2}} \sqrt[8]{ax}}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2(2-\sqrt{2})} a^{9/8}} + \frac{\sqrt[8]{c} \int \frac{\frac{\sqrt{2(2-\sqrt{2})} a^{3/8} d}{c^{3/8}} + \left(\frac{\sqrt{2} \sqrt[4]{ad}}{\sqrt[4]{c}} - \frac{\sqrt[4]{a} (d - \frac{\sqrt{ae}}{\sqrt{c}})}{\sqrt[4]{c}} \right) x}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} + \frac{\sqrt{2-\sqrt{2}} \sqrt[8]{ax}}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2(2-\sqrt{2})} a^{9/8}} + \dots \\
&= -\frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} - \frac{\sqrt{2+\sqrt{2}} \sqrt[8]{ax}}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2} a^{3/4} c^{3/4}} - \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} + \frac{\sqrt{2+\sqrt{2}} \sqrt[8]{ax}}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2} a^{3/4} c^{3/4}} \\
&= \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \log\left(\sqrt[4]{a} - \sqrt{2-\sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2-\sqrt{2})} a^{7/8} c^{5/8}} - \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \log\left(\sqrt[4]{a} + \sqrt{2-\sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2-\sqrt{2})} a^{7/8} c^{5/8}} \\
&= -\frac{((1+\sqrt{2})\sqrt{c}d - \sqrt{ae}) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}} \sqrt[8]{a} - 2\sqrt[8]{c} x}{\sqrt{2+\sqrt{2}} \sqrt[8]{a}}\right)}{4\sqrt{2(2+\sqrt{2})} a^{7/8} c^{5/8}} + \frac{((1-\sqrt{2})\sqrt{c}d - \sqrt{ae}) \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}} \sqrt[8]{a}}{\sqrt{2-\sqrt{2}} \sqrt[8]{a}}\right)}{4\sqrt{2(2-\sqrt{2})} a^{7/8} c^{5/8}}
\end{aligned}$$

Mathematica [A] time = 0.63, size = 534, normalized size = 0.71

$$2 \tan^{-1}\left(\frac{\sqrt[8]{c} x \sec\left(\frac{\pi}{8}\right)}{\sqrt[8]{a}} - \tan\left(\frac{\pi}{8}\right)\right) \left(\sqrt[8]{a} \sqrt{c} d \cos\left(\frac{\pi}{8}\right) - a^{5/8} e \sin\left(\frac{\pi}{8}\right)\right) + 2 \tan^{-1}\left(\frac{\sqrt[8]{c} x \sec\left(\frac{\pi}{8}\right)}{\sqrt[8]{a}} + \tan\left(\frac{\pi}{8}\right)\right) \left(\sqrt[8]{a} \sqrt{c} d \cos\left(\frac{\pi}{8}\right) + a^{5/8} e \sin\left(\frac{\pi}{8}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^4)/(a + c*x^8), x]

[Out] $(-2*a^{1/8}*ArcTan[Cot[\frac{\pi}{8}] - (c^{1/8})*x*Csc[\frac{\pi}{8}]]/a^{1/8})*(Sqrt[a]*e*Cos[\frac{\pi}{8}] + Sqrt[c]*d*Sin[\frac{\pi}{8}]) + 2*a^{1/8}*ArcTan[Cot[\frac{\pi}{8}] + (c^{1/8})*x*Cs c[\frac{\pi}{8}]]/a^{1/8})*(Sqrt[a]*e*Cos[\frac{\pi}{8}] + Sqrt[c]*d*Sin[\frac{\pi}{8}]) - a^{1/8}*Log[a^{1/4} + c^{1/4}*x^2 - 2*a^{1/8}*c^{1/8}*x*Sin[\frac{\pi}{8}]]*(Sqrt[a]*e*Cos[\frac{\pi}{8}] + Sqrt[c]*d*Sin[\frac{\pi}{8}]) + a^{1/8}*Log[a^{1/4} + c^{1/4}*x^2 + 2*a^{1/8}*c^{1/8}*x*Sin[\frac{\pi}{8}]]*(Sqrt[a]*e*Cos[\frac{\pi}{8}] + Sqrt[c]*d*Sin[\frac{\pi}{8}]) + a^{1/8}*Lo g[a^{1/4} + c^{1/4}*x^2 - 2*a^{1/8}*c^{1/8}*x*Cos[\frac{\pi}{8}]]*(-(Sqrt[c]*d*Cos[\frac{\pi}{8}]) + Sqrt[a]*e*Sin[\frac{\pi}{8}]) - a^{1/8}*Log[a^{1/4} + c^{1/4}*x^2 + 2*a^{1/8}*c^{1/8}*x*Cos[\frac{\pi}{8}]]*(-(Sqrt[c]*d*Cos[\frac{\pi}{8}]) + Sqrt[a]*e*Sin[\frac{\pi}{8}]) + 2*ArcTan[(c^{1/8})*x*Sec[\frac{\pi}{8}]]/a^{1/8} - Tan[\frac{\pi}{8}]]*(a^{1/8}*Sqrt[c]*d*Cos[\frac{\pi}{8}] - a^{5/8}*e*Sin[\frac{\pi}{8}]) + 2*ArcTan[(c^{1/8})*x*Sec[\frac{\pi}{8}]]/a^{1/8} + Tan[\frac{\pi}{8}]]*(a^{1/8}*Sqrt[c]*d*Cos[\frac{\pi}{8}] - a^{5/8}*e*Sin[\frac{\pi}{8}])/(8*a*c^{5/8})$

fricas [B] time = 1.71, size = 3406, normalized size = 4.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(c*x^8+a),x, algorithm="fricas")

[Out]
$$-1/2*((a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}*\arctan(-((3*a^3*c^5*d^6*e - 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 - a^6*c^2*e^7 + (a^6*c^6*d^3 - 3*a^7*c^5*d*e^2)*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)))*\sqrt{((c^4*d^8 - 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a^3*c*d^2*e^6 + a^4*e^8)*x^2 - (2*a^6*c^4*d*e*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - a^2*c^4*d^6 + 7*a^3*c^3*d^4*e^2 - 7*a^4*c^2*d^2*e^4 + a^5*c*e^6)*\sqrt{(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 - 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a^3*c*d^2*e^6 + a^4*e^8))*\sqrt{(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)) - ((a^6*c^6*d^3 - 3*a^7*c^5*d*e^2)*x*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + (3*a^3*c^5*d^6*e - 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 - a^6*c^2*e^7)*x)*\sqrt{(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)))*((a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}/(c^5*d^{10} - 3*a*c^4*d^8*e^2 - 14*a^2*c^3*d^6*e^4 - 14*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 + a^5*e^{10})) + 1/2*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}*\arctan(((3*a^3*c^5*d^6*e - 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 - a^6*c^2*e^7 - (a^6*c^6*d^3 - 3*a^7*c^5*d*e^2)*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)))*\sqrt{((c^4*d^8 - 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a^3*c*d^2*e^6 + a^4*e^8)*x^2 + (2*a^6*c^4*d*e*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + a^2*c^4*d^6 - 7*a^3*c^3*d^4*e^2 + 7*a^4*c^2*d^2*e^4 - a^5*c*e^6)*\sqrt{-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 - 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a^3*c*d^2*e^6 + a^4*e^8))*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{3/4} + ((a^6*c^6*d^3 - 3*a^7*c^5*d*e^2)*x*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - (3*a^3*c^5*d^6*e - 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 - a^6*c^2*e^7)*x)*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{3/4})/(c^5*d^{10} - 3*a*c^4*d^8*e^2 - 14*a^2*c^3*d^6*e^4 - 14*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 + a^5*e^{10})) + 1/8*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(((c^3*d^6 - 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 + a^3*e^6)*x + (a^5*c^3*e*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}) - 1/8*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(((c^3*d^6 - 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 + a^3*e^6)*x - (a^5*c^3*e*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^{1/4}) - 1/8*((a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4}*\log(((c^3*d^6 - 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 + a^3*e^6)*x + (a^5*c^3*e*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) + a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4)*(-(a^3*c^2*\sqrt{-(c^4*d^8 - 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a^3*c*d^2*e^6 + a^4*e^8)}/(a^7*c^5)) - 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^{1/4})$$

$$\begin{aligned} & \sqrt[3]{e} \sqrt{-(c^4 d^8 - 12 a^3 c^3 d^6 e^2 + 38 a^2 c^2 d^4 e^4 - 12 a^3 c d^2 e^6 + a^4 e^8)/(a^7 c^5)} - a c^3 d^5 + 6 a^2 c^2 d^3 e^2 - a^3 c d e^4 \left(\left(a^3 c^2 \sqrt{-(c^4 d^8 - 12 a^3 c^3 d^6 e^2 + 38 a^2 c^2 d^4 e^4 - 12 a^3 c d^2 e^6 + a^4 e^8)/(a^7 c^5)} - 4 c d^3 e + 4 a d e^3 \right) / (a^3 c^2) \right)^{1/4} + 1/8 \left(\left(a^3 c^2 \sqrt{-(c^4 d^8 - 12 a^3 c^3 d^6 e^2 + 38 a^2 c^2 d^4 e^4 - 12 a^3 c d^2 e^6 + a^4 e^8)/(a^7 c^5)} - 4 c d^3 e + 4 a d e^3 \right) / (a^3 c^2) \right)^{1/4} \\ & * \log \left((c^3 d^6 - 5 a^2 c^2 d^4 e^2 - 5 a^2 c d^2 e^4 + a^3 e^6) x - (a^5 c^3 e \sqrt{-(c^4 d^8 - 12 a^3 c^3 d^6 e^2 + 38 a^2 c^2 d^4 e^4 - 12 a^3 c d^2 e^6 + a^4 e^8)/(a^7 c^5)} - a c^3 d^5 + 6 a^2 c^2 d^3 e^2 - a^3 c d e^4) \left(\left(a^3 c^2 \sqrt{-(c^4 d^8 - 12 a^3 c^3 d^6 e^2 + 38 a^2 c^2 d^4 e^4 - 12 a^3 c d^2 e^6 + a^4 e^8)/(a^7 c^5)} - 4 c d^3 e + 4 a d e^3 \right) / (a^3 c^2) \right)^{1/4} \right) \end{aligned}$$

giac [A] time = 0.74, size = 601, normalized size = 0.80

$$\frac{\left(\sqrt{-\sqrt{2} + 2} \left(\frac{a}{c} \right)^{\frac{5}{8}} e - d \sqrt{\sqrt{2} + 2} \left(\frac{a}{c} \right)^{\frac{1}{8}} \right) \arctan \left(\frac{2x + \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c} \right)^{\frac{1}{8}}}{\sqrt{\sqrt{2} + 2} \left(\frac{a}{c} \right)^{\frac{1}{8}}} \right)}{8a} - \frac{\left(\sqrt{-\sqrt{2} + 2} \left(\frac{a}{c} \right)^{\frac{5}{8}} e - d \sqrt{\sqrt{2} + 2} \left(\frac{a}{c} \right)^{\frac{1}{8}} \right) a}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(c*x^8+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8 * (\sqrt{-\sqrt{2} + 2}) * (a/c)^{5/8} * e - d * \sqrt{\sqrt{2} + 2} * (a/c)^{1/8} * \arctan \left(\frac{2x + \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8}}{\sqrt{\sqrt{2} + 2} * (a/c)^{1/8}} \right) / a \\ & - 1/8 * (\sqrt{-\sqrt{2} + 2}) * (a/c)^{5/8} * e - d * \sqrt{\sqrt{2} + 2} * (a/c)^{1/8} * \arctan \left(\frac{2x - \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8}}{\sqrt{\sqrt{2} + 2} * (a/c)^{1/8}} \right) / a \\ & + 1/8 * (\sqrt{\sqrt{2} + 2}) * (a/c)^{5/8} * e + d * \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8} * \arctan \left(\frac{2x + \sqrt{\sqrt{2} + 2} * (a/c)^{1/8}}{\sqrt{-\sqrt{2} + 2} * (a/c)^{1/8}} \right) / a \\ & + 1/8 * (\sqrt{\sqrt{2} + 2}) * (a/c)^{5/8} * e + d * \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8} * \arctan \left(\frac{2x - \sqrt{\sqrt{2} + 2} * (a/c)^{1/8}}{\sqrt{-\sqrt{2} + 2} * (a/c)^{1/8}} \right) / a \\ & - 1/16 * (\sqrt{-\sqrt{2} + 2}) * (a/c)^{5/8} * e - d * \sqrt{\sqrt{2} + 2} * (a/c)^{1/8} * \log(x^2 + x * \sqrt{\sqrt{2} + 2} * (a/c)^{1/8} + (a/c)^{1/4}) / a \\ & + 1/16 * (\sqrt{-\sqrt{2} + 2}) * (a/c)^{5/8} * e - d * \sqrt{\sqrt{2} + 2} * (a/c)^{1/8} * \log(x^2 - x * \sqrt{\sqrt{2} + 2} * (a/c)^{1/8} + (a/c)^{1/4}) / a \\ & + 1/16 * (\sqrt{\sqrt{2} + 2}) * (a/c)^{5/8} * e + d * \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8} * \log(x^2 + x * \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8} + (a/c)^{1/4}) / a \\ & - 1/16 * (\sqrt{\sqrt{2} + 2}) * (a/c)^{5/8} * e + d * \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8} * \log(x^2 - x * \sqrt{-\sqrt{2} + 2} * (a/c)^{1/8} + (a/c)^{1/4}) / a \end{aligned}$$

maple [C] time = 0.02, size = 34, normalized size = 0.05

$$\frac{\left(\text{RootOf} \left(_Z^8 c + a \right)^4 e + d \right) \ln \left(- \text{RootOf} \left(_Z^8 c + a \right) + x \right)}{8c \text{RootOf} \left(_Z^8 c + a \right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^4+d)/(c*x^8+a),x)

[Out] $1/8/c * \sum \left(_R^4 * e + d \right) / _R^7 * \ln(-_R + x), _R = \text{RootOf}(_Z^8 * c + a)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{cx^8 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(c*x^8+a),x, algorithm="maxima")

[Out] integrate((e*x^4 + d)/(c*x^8 + a), x)

mupad [B] time = 2.78, size = 2510, normalized size = 3.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d + e*x^4)/(a + c*x^8), x)$

[Out] $(\text{atan}((c^3*d^6*x - a^3*e^6*x + a*c^2*d^4*e^2*x - a^2*c*d^2*e^4*x + (2*d*e*x*(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}))/ (a^3*c^2)) / (a*c^3*d^5*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} + a^5*c^3*e*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{5/4} - 2*a^2*c^2*d^3*e^2*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} - 3*a^3*c*d*e^4*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4})) * ((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} / 4 - (\text{atan}((a^3*e^6*x - c^3*d^6*x - a*c^2*d^4*e^2*x + a^2*c*d^2*e^4*x + (2*d*e*x*(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2})) / (a^3*c^2)) / (a*c^3*d^5*(-a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} + a^5*c^3*e*(-(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{5/4} - 2*a^2*c^2*d^3*e^2*(-(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} - 3*a^3*c*d*e^4*(-(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4})) * (-a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} / 4 - \text{atan}((c^3*d^6*x*1i - a^3*e^6*x*1i + a*c^2*d^4*e^2*x*1i - a^2*c*d^2*e^4*x*1i + (d*e*x*(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2})) * 2i) / (a^3*c^2)) / (a*c^3*d^5*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} + a^5*c^3*e*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{5/4} - 2*a^2*c^2*d^3*e^2*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} - 3*a^3*c*d*e^4*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4})) * ((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} - 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} / 4096*a^7*c^5)^{1/4} * 2i + \text{atan}((a^3*e^6*x*1i - c^3*d^6*x*1i - a*c^2*d^4*e^2*x*1i + a^2*c*d^2*e^4*x*1i + (d*e*x*(a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2})) * 2i) / (a^3*c^2)) / (a*c^3*d^5*(-a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} + a^5*c^3*e*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{5/4} - 2*a^2*c^2*d^3*e^2*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4} - 3*a^3*c*d*e^4*((a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (a^7*c^5))^{1/4})) * (-a^2*e^4*(-a^7*c^5)^{1/2} + c^2*d^4*(-a^7*c^5)^{1/2} + 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 - 6*a*c*d^2*e^2*(-a^7*c^5)^{1/2}) / (4096*a^7*c^5))^{1/4} * 2i$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**4+d)/(c*x**8+a),x)

[Out] Timed out

3.4 $\int \frac{d+ex^4}{a-cx^8} dx$

Optimal. Leaf size=329

$$\frac{(\sqrt{a}e + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{a}e + \sqrt{c}d) \tanh^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \log\left(-\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \log\left(\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}}$$

[Out] $\frac{1}{8} \arctan\left(-1 + c^{1/8} x^2 / a^{1/8}\right) \frac{d - e a^{1/2} / c^{1/2}}{a^{7/8} c^{1/2}} + \frac{1}{8} \arctan\left(1 + c^{1/8} x^2 / a^{1/8}\right) \frac{d - e a^{1/2} / c^{1/2}}{a^{7/8} c^{1/2}} - \frac{1}{16} \ln\left(a^{1/4} + c^{1/4} x^2 - a^{1/8} c^{1/8} x^2\right) \frac{d - e a^{1/2} / c^{1/2}}{a^{7/8} c^{1/2}} + \frac{1}{16} \ln\left(a^{1/4} + c^{1/4} x^2 + a^{1/8} c^{1/8} x^2\right) \frac{d - e a^{1/2} / c^{1/2}}{a^{7/8} c^{1/2}} + \frac{1}{4} \arctan\left(c^{1/8} x / a^{1/8}\right) \frac{e a^{1/2} + d c^{1/2}}{a^{7/8} c^{5/8}} + \frac{1}{4} \operatorname{arctanh}\left(c^{1/8} x / a^{1/8}\right) \frac{e a^{1/2} + d c^{1/2}}{a^{7/8} c^{5/8}}$

Rubi [A] time = 0.21, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {1417, 212, 208, 205, 211, 1165, 628, 1162, 617, 204}

$$\frac{(\sqrt{a}e + \sqrt{c}d) \tan^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{a}e + \sqrt{c}d) \tanh^{-1}\left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}}\right)}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \log\left(-\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d - \frac{\sqrt{a}e}{\sqrt{c}}\right) \log\left(\sqrt{2} \sqrt[8]{a} \sqrt[8]{c}x + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^4)/(a - c*x^8), x]

[Out] $\left(\frac{\sqrt{c}d + \sqrt{a}e}{4a^{7/8}c^{5/8}} \operatorname{ArcTan}\left[\frac{c^{1/8}x}{a^{1/8}}\right] - \frac{d - \sqrt{a}e/\sqrt{c}}{4\sqrt{2}a^{7/8}c^{5/8}} \operatorname{ArcTan}\left[1 - \frac{\sqrt{2}c^{1/8}x}{a^{1/8}}\right] + \frac{d - \sqrt{a}e/\sqrt{c}}{4\sqrt{2}a^{7/8}c^{5/8}} \operatorname{ArcTan}\left[1 + \frac{\sqrt{2}c^{1/8}x}{a^{1/8}}\right] - \frac{\sqrt{c}d + \sqrt{a}e}{8\sqrt{2}a^{7/8}c^{5/8}} \operatorname{ArcTanh}\left[\frac{c^{1/8}x}{a^{1/8}}\right] - \frac{d - \sqrt{a}e/\sqrt{c}}{8\sqrt{2}a^{7/8}c^{5/8}} \log\left[\frac{a^{1/4} - \sqrt{2}a^{1/8}c^{1/8}x + c^{1/4}x^2}{a^{1/4} + \sqrt{2}a^{1/8}c^{1/8}x + c^{1/4}x^2}\right] + \frac{d - \sqrt{a}e/\sqrt{c}}{8\sqrt{2}a^{7/8}c^{5/8}} \log\left[\frac{a^{1/4} + \sqrt{2}a^{1/8}c^{1/8}x + c^{1/4}x^2}{a^{1/4} - \sqrt{2}a^{1/8}c^{1/8}x + c^{1/4}x^2}\right]\right) / (a - c x^8)$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] &&

AtomQ[SplitProduct[SumBaseQ, b]])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1417

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[-(a/c), 2]}, Dist[(d + e*q)/2, Int[1/(a + c*q*x^n), x], x] + Dist[(d - e*q)/2, Int[1/(a - c*q*x^n), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && NegQ[a*c] && IntegerQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{d+ex^4}{a-cx^8} dx &= \frac{1}{2} \left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a + \sqrt{a} \sqrt{c} x^4} dx + \frac{1}{2} \left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{a - \sqrt{a} \sqrt{c} x^4} dx \\
&= \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{\sqrt[4]{a} - \sqrt[4]{c} x^2}{a + \sqrt{a} \sqrt{c} x^4} dx}{4\sqrt[4]{a}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{\sqrt[4]{a} + \sqrt[4]{c} x^2}{a + \sqrt{a} \sqrt{c} x^4} dx}{4\sqrt[4]{a}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[4]{a} - \sqrt[4]{c} x^2} dx}{4a^{3/4}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\sqrt[4]{a} + \sqrt[4]{c} x^2} dx}{4a^{3/4}} \\
&= \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1} \left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{c}d + \sqrt{ae}) \tanh^{-1} \left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} - \frac{\sqrt{2} \sqrt[8]{a} x}{\sqrt[8]{c}} + x^2} dx}{8a^{3/4} \sqrt[4]{c}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} + \frac{\sqrt{2} \sqrt[8]{a} x}{\sqrt[8]{c}} + x^2} dx}{8a^{3/4} \sqrt[4]{c}} \\
&= \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1} \left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} + \frac{(\sqrt{c}d + \sqrt{ae}) \tanh^{-1} \left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \log \left(\sqrt[4]{a} - \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \log \left(\sqrt[4]{a} + \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2} a^{7/8} \sqrt[8]{c}} \\
&= \frac{(\sqrt{c}d + \sqrt{ae}) \tan^{-1} \left(\frac{\sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4a^{7/8}c^{5/8}} - \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d - \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1} \left(1 - \frac{\sqrt{2} \sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4\sqrt{2} a^{7/8} \sqrt[8]{c}} + \frac{\left(d + \frac{\sqrt{ae}}{\sqrt{c}} \right) \tan^{-1} \left(1 + \frac{\sqrt{2} \sqrt[8]{c}x}{\sqrt[8]{a}} \right)}{4\sqrt{2} a^{7/8} \sqrt[8]{c}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 425, normalized size = 1.29

$$\frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left(-\sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2} ac^{5/8}} - \frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left(\sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2} ac^{5/8}} - \frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left(\sqrt[4]{a} - \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2} ac^{5/8}} + \frac{(a^{5/8}e - \sqrt[8]{a} \sqrt{c}d) \log \left(\sqrt[4]{a} + \sqrt{2} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2 \right)}{8\sqrt{2} ac^{5/8}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^4)/(a - c*x^8),x]

[Out] ((a^(1/8)*Sqrt[c]*d + a^(5/8)*e)*ArcTan[(c^(1/8)*x)/a^(1/8)]/(4*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*ArcTan[(-Sqrt[2]*a^(1/8)) + 2*c^(1/8)*x]/(Sqrt[2]*a^(1/8)))/(4*Sqrt[2]*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*ArcTan[(Sqrt[2]*a^(1/8) + 2*c^(1/8)*x)/(Sqrt[2]*a^(1/8))]/(4*Sqrt[2]*a*c^(5/8)) - ((a^(1/8)*Sqrt[c]*d + a^(5/8)*e)*Log[a^(1/8) - c^(1/8)*x]/(8*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) - a^(5/8)*e)*Log[a^(1/8) + c^(1/8)*x]/(8*a*c^(5/8)) + (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*Log[a^(1/4) - Sqrt[2]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2]/(8*Sqrt[2]*a*c^(5/8)) - (((-a^(1/8)*Sqrt[c]*d) + a^(5/8)*e)*Log[a^(1/4) + Sqrt[2]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2]/(8*Sqrt[2]*a*c^(5/8))

fricas [B] time = 1.78, size = 3385, normalized size = 10.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(-c*x^8+a),x, algorithm="fricas")

[Out] 1/2*((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4) *arctan(((3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7 - (a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)))*sqrt(((c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)*x^2 - (2*a^6*c^4*d*e*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a^2*c^4*d^6 - 7*a^3*c^3*d^4*e^2 - 7*a^4*c^2*d^2*e^4 - a^5*c*e^6)*sqrt((a^3*c^2*sqrt((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*

$$\begin{aligned}
& a^3*c*d^2*e^6 + a^4*e^8)) * \text{sqrt}((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2)) + ((a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*x*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - (3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7)*x)*\text{sqrt}((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))) * ((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)/(c^5*d^10 + 3*a*c^4*d^8*e^2 - 14*a^2*c^3*d^6*e^4 + 14*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^10)) - 1/2*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(1/4)*\arctan(-((3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7 + (a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)))*\text{sqrt}(((c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8)*x^2 + (2*a^6*c^4*d*e*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + a^2*c^4*d^6 + 7*a^3*c^3*d^4*e^2 + 7*a^4*c^2*d^2*e^4 + a^5*c*e^6)*\text{sqrt}(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2)))/(c^4*d^8 + 4*a*c^3*d^6*e^2 - 10*a^2*c^2*d^4*e^4 + 4*a^3*c*d^2*e^6 + a^4*e^8))*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(3/4) - ((a^6*c^6*d^3 + 3*a^7*c^5*d*e^2)*x*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + (3*a^3*c^5*d^6*e + 19*a^4*c^4*d^4*e^3 + 9*a^5*c^3*d^2*e^5 + a^6*c^2*e^7)*x)*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(3/4))/(c^5*d^10 + 3*a*c^4*d^8*e^2 - 14*a^2*c^3*d^6*e^4 + 14*a^3*c^2*d^4*e^6 - 3*a^4*c*d^2*e^8 - a^5*e^10)) + 1/8*((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x + (a^5*c^3*e*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4))*((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)) - 1/8*((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x - (a^5*c^3*e*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a*c^3*d^5 - 6*a^2*c^2*d^3*e^2 - a^3*c*d*e^4))*((a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) + 4*c*d^3*e + 4*a*d*e^3)/(a^3*c^2))^(1/4)) - 1/8*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(1/4)*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x + (a^5*c^3*e*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a*c^3*d^5 + 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4))*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(1/4)) + 1/8*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(1/4)*\log(-(c^3*d^6 + 5*a*c^2*d^4*e^2 - 5*a^2*c*d^2*e^4 - a^3*e^6)*x - (a^5*c^3*e*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - a*c^3*d^5 + 6*a^2*c^2*d^3*e^2 + a^3*c*d*e^4))*(-(a^3*c^2*\text{sqrt}((c^4*d^8 + 12*a*c^3*d^6*e^2 + 38*a^2*c^2*d^4*e^4 + 12*a^3*c*d^2*e^6 + a^4*e^8)/(a^7*c^5)) - 4*c*d^3*e - 4*a*d*e^3)/(a^3*c^2))^(1/4))
\end{aligned}$$

giac [B] time = 0.75, size = 633, normalized size = 1.92

$$\frac{\left(\sqrt{-\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{5}{8}}e-d\sqrt{\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{1}{8}}\right)\arctan\left(\frac{2x+\sqrt{-\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2}+2}\left(-\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(-c*x^8+a),x, algorithm="giac")

[Out] -1/8*(sqrt(-sqrt(2)+2)*(-a/c)^(5/8)*e-d*sqrt(sqrt(2)+2)*(-a/c)^(1/8))*arctan((2*x+sqrt(-sqrt(2)+2)*(-a/c)^(1/8))/(sqrt(sqrt(2)+2)*(-a/c)^(1/8)))/a-1/8*(sqrt(-sqrt(2)+2)*(-a/c)^(5/8)*e-d*sqrt(sqrt(2)+2)*(-a/c)^(1/8))*arctan((2*x-sqrt(-sqrt(2)+2)*(-a/c)^(1/8))/(sqrt(sqrt(2)+2)*(-a/c)^(1/8)))/a+1/8*(sqrt(sqrt(2)+2)*(-a/c)^(5/8)*e+d*sqrt(-sqrt(2)+2)*(-a/c)^(1/8))*arctan((2*x+sqrt(sqrt(2)+2)*(-a/c)^(1/8))/(sqrt(-sqrt(2)+2)*(-a/c)^(1/8)))/a+1/8*(sqrt(sqrt(2)+2)*(-a/c)^(5/8)*e+d*sqrt(-sqrt(2)+2)*(-a/c)^(1/8))*arctan((2*x-sqrt(sqrt(2)+2)*(-a/c)^(1/8))/(sqrt(-sqrt(2)+2)*(-a/c)^(1/8)))/a-1/16*(sqrt(-sqrt(2)+2)*(-a/c)^(5/8)*e-d*sqrt(sqrt(2)+2)*(-a/c)^(1/8))*log(x^2+x*sqrt(sqrt(2)+2)*(-a/c)^(1/8)+(-a/c)^(1/4))/a+1/16*(sqrt(-sqrt(2)+2)*(-a/c)^(5/8)*e-d*sqrt(sqrt(2)+2)*(-a/c)^(1/8))*log(x^2-x*sqrt(sqrt(2)+2)*(-a/c)^(1/8)+(-a/c)^(1/4))/a+1/16*(sqrt(sqrt(2)+2)*(-a/c)^(5/8)*e+d*sqrt(-sqrt(2)+2)*(-a/c)^(1/8))*log(x^2+x*sqrt(-sqrt(2)+2)*(-a/c)^(1/8)+(-a/c)^(1/4))/a-1/16*(sqrt(sqrt(2)+2)*(-a/c)^(5/8)*e+d*sqrt(-sqrt(2)+2)*(-a/c)^(1/8))*log(x^2-x*sqrt(-sqrt(2)+2)*(-a/c)^(1/8)+(-a/c)^(1/4))/a

maple [C] time = 0.01, size = 39, normalized size = 0.12

$$\frac{\left(-\text{RootOf}\left(-Z^8c-a\right)^4e-d\right)\ln\left(-\text{RootOf}\left(-Z^8c-a\right)+x\right)}{8c\text{RootOf}\left(-Z^8c-a\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^4+d)/(-c*x^8+a),x)

[Out] 1/8/c*sum((-R^4*e-d)/R^7*ln(-R+x),_R=RootOf(-Z^8*c-a))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^4+d}{cx^8-a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(-c*x^8+a),x, algorithm="maxima")

[Out] -integrate((e*x^4+d)/(c*x^8-a),x)

mupad [B] time = 2.72, size = 2438, normalized size = 7.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e*x^4)/(a-c*x^8),x)

[Out] (atan((a^3*e^6*x+c^3*d^6*x-a*c^2*d^4*e^2*x-a^2*c*d^2*e^4*x+(2*d*e*x*(a^2*e^4*(a^7*c^5)^(1/2)+c^2*d^4*(a^7*c^5)^(1/2)+4*a^4*c^4*d^3*e+4*a^5*c^3*d*e^3+6*a*c*d^2*e^2*(a^7*c^5)^(1/2)))/(a^3*c^2)))/(a*c^3*d^5*(a^2*

$$\begin{aligned}
& e^4(a^7c^5)^{(1/2)} + c^2d^4(a^7c^5)^{(1/2)} + 4a^4c^4d^3e + 4a^5c^3 \\
& *d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} + a^5c^3*e*((a^2* \\
& e^4(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5*c^3 \\
& *d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(5/4)} + 2*a^2*c^2*d^3*e^2 \\
& *((a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4 \\
& *a^5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} - 3*a^3*c* \\
& d*e^4*((a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e \\
& + 4*a^5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4))))*(a^ \\
& 2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5*c \\
& ^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)))/4 - (\operatorname{atan}((a*c^ \\
& 2*d^4*e^2*x - c^3*d^6*x - a^3*e^6*x + a^2*c*d^2*e^4*x + (2*d*e*x*(a^2*e^4*(\\
& a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^ \\
& 3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)))/(a^3*c^2)))/(a*c^3*d^5*(-(a^2*e^4*(a^7c \\
& ^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 + 6 \\
& *a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} + a^5*c^3*e*(-(a^2*e^4*(a^7c \\
& ^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e^3 + \\
& 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(5/4)} + 2*a^2*c^2*d^3*e^2*(-(a^2* \\
& e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5*c^3 \\
& *d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} - 3*a^3*c*d*e^4*(- \\
& (a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^ \\
& 5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4))))*(-(a^2*e^4* \\
& (a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5*c^3*d*e \\
& ^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)))/4 - \operatorname{atan}((a^3*e^6*x*1 \\
& i + c^3*d^6*x*1i - a*c^2*d^4*e^2*x*1i - a^2*c*d^2*e^4*x*1i + (d*e*x*(a^2*e^ \\
& 4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5*c^3*d \\
& *e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)))*2i)/(a^3*c^2)))/(a*c^3*d^5*((a^2*e^4*(\\
& a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^ \\
& 3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} + a^5*c^3*e*((a^2*e^4*(\\
& a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5*c^3*d*e^ \\
& 3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(5/4)} + 2*a^2*c^2*d^3*e^2*((a \\
& ^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5* \\
& c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} - 3*a^3*c*d*e^4 \\
& *((a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4* \\
& a^5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4))))*(a^2*e^4 \\
& *(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} + 4*a^4*c^4*d^3*e + 4*a^5*c^3*d* \\
& e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(4096*a^7c^5))^{(1/4)}*2i + \operatorname{atan}((a*c^2 \\
& *d^4*e^2*x*1i - c^3*d^6*x*1i - a^3*e^6*x*1i + a^2*c*d^2*e^4*x*1i + (d*e*x*(\\
& a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5 \\
& *c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)))*2i)/(a^3*c^2)))/(a*c^3*d^5*(-(a^ \\
& 2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5*c \\
& ^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} + a^5*c^3*e*(-(a \\
& ^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4*a^5* \\
& c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(5/4)} + 2*a^2*c^2*d^3 \\
& *e^2*(-(a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e \\
& - 4*a^5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)} - 3*a^ \\
& 3*c*d*e^4*(-(a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4* \\
& d^3*e - 4*a^5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(a^7c^5)^{(1/4)))) \\
& *((a^2*e^4*(a^7c^5)^{(1/2)} + c^2*d^4*(a^7c^5)^{(1/2)} - 4*a^4*c^4*d^3*e - 4 \\
& *a^5*c^3*d*e^3 + 6*a*c*d^2*e^2*(a^7c^5)^{(1/2)}/(4096*a^7c^5))^{(1/4)}*2i
\end{aligned}$$

`sympy [F(-1)]` time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**4+d)/(-c*x**8+a), x)`

[Out] Timed out

$$3.5 \quad \int \frac{d+ex^4}{d^2+bx^4+e^2x^8} dx$$

Optimal. Leaf size=791

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} - \frac{\log\left(-x\sqrt{\sqrt{2de-b}}\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}}$$

[Out] $-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)}-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}-(2*d*e-b)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e-b)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.86, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}} - \frac{\log\left(-x\sqrt{\sqrt{2de-b}}\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-b}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^4)/(d^2 + b*x^4 + e^2*x^8), x]

[Out] $-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]])-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]])+\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]+2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]])+\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]+2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]])-\text{Log}[\text{Sqrt}[d]-\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]])+\text{Log}[\text{Sqrt}[d]+\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[-b+2*d*e]])-\text{Log}[\text{Sqrt}[d]-\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]])+\text{Log}[\text{Sqrt}[d]+\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[-b+2*d*e]])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1094

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^4}{d^2 + bx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{-b+2de}x^2}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{-b+2de}x^2}{e} + x^4} dx}{2e} \\
&= \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}x}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}{\sqrt{e}} + x}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}x}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}x}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}} \\
&= \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} \\
&= -\frac{\log\left(\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\log\left(\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} \\
&\quad - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{-b+2de}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{-b+2de}}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 67, normalized size = 0.08

$$\frac{1}{4}\text{RootSum}\left[\#1^8e^2 + \#1^4b + d^2\&, \frac{\#1^4e\log(x - \#1) + d\log(x - \#1)}{2\#1^7e^2 + \#1^3b}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^4)/(d^2 + b*x^4 + e^2*x^8), x]

[Out] RootSum[d^2 + b*#1^4 + e^2*#1^8 &, (d*Log[x - #1] + e*Log[x - #1]*#1^4)/(b*#1^3 + 2*e^2*#1^7) &]/4

fricas [B] time = 1.33, size = 3059, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8+b*x^4+d^2), x, algorithm="fricas")

[Out] -sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*arctan(-1/4*(2*sqrt(1/2)*((8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*x*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - (4*d^2*e^2 + 4*b*d*e + b^2)*x)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)) + (4*d^2*e^2 + 4*b*d*e + b^2 - (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)))*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*sqrt((2*e^2*x^2 + sqrt(1/2)*(2*b*d*e + b^2 - (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)))


```

*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4))) *sqrt
t(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d
^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))/e
^2))*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e -
b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4
*b*d^3*e + b^2*d^2))))/e) + sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*b*d^3*e + b^
2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)
) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*arctan(-1/4*(2*sqrt(1/2)*((8*d^5
*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*x*sqrt(-(2*d*e - b)/(8*d^7*e^3
+ 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + (4*d^2*e^2 + 4*b*d*e + b^2)*x)*
sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8
*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3
*e + b^2*d^2)))*sqrt(((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(
8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^
3*e + b^2*d^2)) - (4*d^2*e^2 + 4*b*d*e + b^2 + (8*d^5*e^3 + 12*b*d^4*e^2 +
6*b^2*d^3*e + b^3*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*
d^5*e + b^3*d^4)))*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*s
qrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(
4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*sqrt(((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*
sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/
(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))*sqrt((2*e^2*x^2 + sqrt(1/2)*(2*b*d*e + b
^2 + (8*d^5*e^3 + 12*b*d^4*e^2 + 6*b^2*d^3*e + b^3*d^2)*sqrt(-(2*d*e - b)/(
8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4))))*sqrt(((4*d^4*e^2 + 4*b*
d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e
+ b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))))/e^2))/e) + 1/4*sqrt(sq
rt(1/2)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e
^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b
^2*d^2)))*log(e*x + 1/2*(2*d*e - (4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2
*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)*sqrt(sq
rt(1/2)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^
3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d^4*e^2 + 4*b*d^3*e + b^
2*d^2)))) - 1/4*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sq
rt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*
d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*log(e*x - 1/2*(2*d*e - (4*d^4*e^2 + 4*b*d^
3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e +
b^3*d^4)) + b)*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt
(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)/(4*d
^4*e^2 + 4*b*d^3*e + b^2*d^2)))) + 1/4*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*
b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*
e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))*log(e*x + 1/2*(2*d*e
+ (4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^
6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*b*
d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e
+ b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))) - 1/4*sqrt(sqrt(1/2)*
sqrt(((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b
*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)))
*log(e*x - 1/2*(2*d*e + (4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)
/(8*d^7*e^3 + 12*b*d^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) + b)*sqrt(sqrt(1/2)*sq
rt(((4*d^4*e^2 + 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e - b)/(8*d^7*e^3 + 12*b*d
^6*e^2 + 6*b^2*d^5*e + b^3*d^4)) - b)/(4*d^4*e^2 + 4*b*d^3*e + b^2*d^2))))

```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8+b*x^4+d^2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.05, size = 53, normalized size = 0.07

$$\frac{\left(\text{RootOf}\left(e^2_Z^8 + b_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2_Z^8 + b_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2_Z^8 + b_Z^4 + d^2\right)^7 e^2 + 4 \text{RootOf}\left(e^2_Z^8 + b_Z^4 + d^2\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^4+d)/(e^2*x^8+b*x^4+d^2),x)

[Out] 1/4*sum((_R^4*e+d)/(2*_R^7*e^2+_R^3*b)*ln(-_R+x),_R=RootOf(_Z^8*e^2+_Z^4*b+d^2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 + bx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8+b*x^4+d^2),x, algorithm="maxima")

[Out] integrate((e*x^4 + d)/(e^2*x^8 + b*x^4 + d^2), x)

mupad [B] time = 3.83, size = 10409, normalized size = 13.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^4)/(b*x^4 + d^2 + e^2*x^8),x)

[Out] 2*atan(((x*(32*b*d^5*e^13 - 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 - 48*b^2*d^4*e^12) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*b*d^8*e^14 + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 + 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 - 262144*b*d^9*e^14 + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 + 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i - 256*d^7*e^14 + 256*b*d^6*e^13 + 16*b^4*d^3*e^10 - 64*b^3*d^4*e^11)*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4) + (x*(32*b*d^5*e^13 - 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 - 48*b^2*d^4*e^12) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*b*d^8*e^14 + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 + 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 - 262144*b*d^9*e^14 + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 + 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i + 256*d^7*e^14 - 256*b*d^6*e^13 - 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11)*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i

$$\begin{aligned}
& e^2))^{(1/4)})/((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)}*1i - 256*d^7*e^{14} + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11})*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i - (x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)}*1i + 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} + 64*b^3*d^4*e^{11})*1i)*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i)))*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} - \operatorname{atan}(((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) + (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}))*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11}))*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*1i + (x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*((x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}) - (-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)}*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}))*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} + 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} + 64*b^3*d^4*e^{11}))*(-b^3 + ((b - 2*d*e)*(b + 2*d*e))^5)^{(1/2)} + 4*b
\end{aligned}$$

$$\begin{aligned}
& d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)*1i}/((x*(32b^2d^5e^13 - 4b^4d^2e^10 + 24b^3d^3e^11 - 48b^2d^4e^12) - (-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*((x*(65536d^9e^15 - 32768b^2d^8e^14 + 1024b^7d^2e^8 - 2048b^6d^3e^9 - 10240b^5d^4e^10 + 20480b^4d^5e^11 + 32768b^3d^6e^12 - 65536b^2d^7e^13) + (-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*(262144d^10e^15 - 262144b^2d^9e^14 + 4096b^7d^3e^8 - 4096b^6d^4e^9 - 49152b^5d^5e^10 + 49152b^4d^6e^11 + 196608b^3d^7e^12 - 196608b^2d^8e^13))*(-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(3/4)} - 256d^7e^14 + 256b^2d^6e^13 + 16b^4d^3e^10 - 64b^3d^4e^11))*(-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)} - (x*(32b^2d^5e^13 - 4b^4d^2e^10 + 24b^3d^3e^11 - 48b^2d^4e^12) - (-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*((x*(65536d^9e^15 - 32768b^2d^8e^14 + 1024b^7d^2e^8 - 2048b^6d^3e^9 - 10240b^5d^4e^10 + 20480b^4d^5e^11 + 32768b^3d^6e^12 - 65536b^2d^7e^13) - (-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*(262144d^10e^15 - 262144b^2d^9e^14 + 4096b^7d^3e^8 - 4096b^6d^4e^9 - 49152b^5d^5e^10 + 49152b^4d^6e^11 + 196608b^3d^7e^12 - 196608b^2d^8e^13))*(-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(3/4)} + 256d^7e^14 - 256b^2d^6e^13 - 16b^4d^3e^10 + 64b^3d^4e^11))*(-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)})))*(-(b^3 + ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*2i + \operatorname{atan}(((x*(32b^2d^5e^13 - 4b^4d^2e^10 + 24b^3d^3e^11 - 48b^2d^4e^12) + (-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*((-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*(262144d^10e^15 - 262144b^2d^9e^14 + 4096b^7d^3e^8 - 4096b^6d^4e^9 - 49152b^5d^5e^10 + 49152b^4d^6e^11 + 196608b^3d^7e^12 - 196608b^2d^8e^13) - x*(65536d^9e^15 - 32768b^2d^8e^14 + 1024b^7d^2e^8 - 2048b^6d^3e^9 - 10240b^5d^4e^10 + 20480b^4d^5e^11 + 32768b^3d^6e^12 - 65536b^2d^7e^13))*(-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(3/4)} - 256d^7e^14 + 256b^2d^6e^13 + 16b^4d^3e^10 - 64b^3d^4e^11))*(-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*1i + (x*(32b^2d^5e^13 - 4b^4d^2e^10 + 24b^3d^3e^11 - 48b^2d^4e^12) - (-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*((-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(1/4)}*(262144d^10e^15 - 262144b^2d^9e^14 + 4096b^7d^3e^8 - 4096b^6d^4e^9 - 49152b^5d^5e^10 + 49152b^4d^6e^11 + 196608b^3d^7e^12 - 196608b^2d^8e^13) + x*(65536d^9e^15 - 32768b^2d^8e^14 + 1024b^7d^2e^8 - 2048b^6d^3e^9 - 10240b^5d^4e^10 + 20480b^4d^5e^11 + 32768b^3d^6e^12 - 65536b^2d^7e^13))*(-(b^3 - ((b - 2d^2e)*(b + 2d^2e))^5)^{(1/2)} + 4b^2d^2e^2 + 4b^2d^2e)/(512*(b^4d^2 + 16d^6e^4 + 8b^3d^3e + 32b^2d^5e^3 + 24b^2d^4e^2)))^{(3/4)} - 256d^7e^14 + 256b^2d^6e^13 + 16b^4d^3e^10
\end{aligned}$$

$$\begin{aligned}
& 10 - 64*b^3*d^4*e^{11})*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2 \\
& *e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + \\
& 24*b^2*d^4*e^2)))^{(1/4)*1i}/((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d \\
& ^3*e^{11} - 48*b^2*d^4*e^{12}) + (-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4 \\
& *b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5 \\
& *e^3 + 24*b^2*d^4*e^2)))^{(1/4)*(((b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} \\
& + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b \\
& *d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + \\
& 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} \\
& + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13}) - x*(65536*d^9*e^{15} - 32768 \\
& *b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20 \\
& 480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*(-(b^3 - ((b - \\
& 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16* \\
& d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} \\
& + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11}))*(-(b^3 - ((b - 2* \\
& d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6 \\
& *e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} - (x*(32*b*d^5* \\
& e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (-(b^3 - ((b - \\
& 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16* \\
& d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)*(((b^3 - (\\
& (b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + \\
& 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)*(262144* \\
& d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152 \\
& *b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e \\
& ^{13}) + x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d \\
& ^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 655 \\
& 36*b^2*d^7*e^{13}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 \\
& + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b \\
& ^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^{14} + 256*b*d^6*e^{13} + 16*b^4*d^3*e^{10} - 64* \\
& b^3*d^4*e^{11}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4 \\
& *b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2* \\
& d^4*e^2)))^{(1/4)}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 \\
& + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24* \\
& b^2*d^4*e^2)))^{(1/4)*2i} - 2*atan(((x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b \\
& ^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) + (-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} \\
& + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b \\
& *d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)*(((b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} \\
& + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b \\
& *d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} \\
& + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6 \\
& *e^{11} + 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*1i + x*(65536*d^9*e^{15} \\
& - 32768*b*d^8*e^{14} + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} \\
& + 20480*b^4*d^5*e^{11} + 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*(-(b^3 \\
& - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^ \\
& 2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)*1i} + \\
& 256*d^7*e^{14} - 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} + 64*b^3*d^4*e^{11})*1i))*(-(b \\
& ^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4 \\
& *d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} + \\
& (x*(32*b*d^5*e^{13} - 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} - 48*b^2*d^4*e^{12}) - (\\
& -(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(\\
& b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} \\
& *(((b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} + 4*b*d^2*e^2 + 4*b^2*d*e)/(5 \\
& 12*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(\\
& 1/4)*(262144*d^{10}*e^{15} - 262144*b*d^9*e^{14} + 4096*b^7*d^3*e^8 - 4096*b^6*d^ \\
& 4*e^9 - 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} + 196608*b^3*d^7*e^{12} - 196 \\
& 608*b^2*d^8*e^{13})*1i - x*(65536*d^9*e^{15} - 32768*b*d^8*e^{14} + 1024*b^7*d^2* \\
& e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} + 32768*b^ \\
& 3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^{(1/2)} \\
&) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*
\end{aligned}$$

```

b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i + 256*d^7*e^14 - 256*b*d^6*e^13 - 16
*b^4*d^3*e^10 + 64*b^3*d^4*e^11)*1i)*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^(
1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e +
32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4))/((x*(32*b*d^5*e^13 - 4*b^4*d^2*e^10
+ 24*b^3*d^3*e^11 - 48*b^2*d^4*e^12) + (-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5
)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e
+ 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(((-(b^3 - ((b - 2*d*e)*(b + 2*d*
e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d
^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 - 262144*b*
d^9*e^14 + 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 - 49152*b^5*d^5*e^10 + 49152
*b^4*d^6*e^11 + 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i + x*(65536*d^
9*e^15 - 32768*b*d^8*e^14 + 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5
*d^4*e^10 + 20480*b^4*d^5*e^11 + 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13))*
(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*
(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4
)*1i + 256*d^7*e^14 - 256*b*d^6*e^13 - 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11)*1
i)*(-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(5
12*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(
1/4)*1i - (x*(32*b*d^5*e^13 - 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 - 48*b^2*d^4
*e^12) - (-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d
*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^
2)))^(1/4)*(((-(b^3 - ((b - 2*d*e)*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b
^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^
4*e^2)))^(1/4)*(262144*d^10*e^15 - 262144*b*d^9*e^14 + 4096*b^7*d^3*e^8 - 4
096*b^6*d^4*e^9 - 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 + 196608*b^3*d^7*
e^12 - 196608*b^2*d^8*e^13)*1i - x*(65536*d^9*e^15 - 32768*b*d^8*e^14 + 102
4*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 - 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11
+ 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13))*(-(b^3 - ((b - 2*d*e)*(b + 2*d*
e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^3*d
^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i + 256*d^7*e^14 - 256*b*d^6
*e^13 - 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11)*1i)*(-(b^3 - ((b - 2*d*e)*(b + 2
*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 + 8*b^
3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*1i))*(-(b^3 - ((b - 2*d*e)
*(b + 2*d*e)^5)^(1/2) + 4*b*d^2*e^2 + 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4
+ 8*b^3*d^3*e + 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)

```

`sympy [A]` time = 8.50, size = 136, normalized size = 0.17

$$\text{RootSum}\left(t^8 (65536b^4d^2 + 524288b^3d^3e + 1572864b^2d^4e^2 + 2097152bd^5e^3 + 1048576d^6e^4) + t^4 (256b^3 + 1024bd^2e + 1024b^2d^2e^2) + e^2, \text{Lambda}(t, t \cdot \log(x + (1024 \cdot t^5 \cdot b^2 \cdot d^2 + 4096 \cdot t^5 \cdot b \cdot d^3 \cdot e + 4096 \cdot t^5 \cdot d^4 \cdot e^2 + 4 \cdot t \cdot b + 4 \cdot t \cdot d \cdot e)/e))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x**4+d)/(e**2*x**8+b*x**4+d**2),x)`

[Out] `RootSum(_t**8*(65536*b**4*d**2 + 524288*b**3*d**3*e + 1572864*b**2*d**4*e**2 + 2097152*b*d**5*e**3 + 1048576*d**6*e**4) + _t**4*(256*b**3 + 1024*b**2*d*e + 1024*b*d**2*e**2) + e**2, Lambda(_t, _t*log(x + (1024*_t**5*b**2*d**2 + 4096*_t**5*b*d**3*e + 4096*_t**5*d**4*e**2 + 4*_t*b + 4*_t*d*e)/e))`

3.6 $\int \frac{d+ex^4}{d^2+fx^4+e^2x^8} dx$

Optimal. Leaf size=791

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} - \frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}$$

```
[Out] -1/4*arctan((-2*x*e^(1/2)+(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2)+1/4*arctan((2*x*e^(1/2)+(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2)-1/8*ln(d^(1/2)+x^2*e^(1/2)-x*(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2)+1/8*ln(d^(1/2)+x^2*e^(1/2)+x*(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)-(2*d*e-f)^(1/2))^(1/2)-1/4*arctan((-2*x*e^(1/2)+(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2)+1/4*arctan((2*x*e^(1/2)+(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2)-1/8*ln(d^(1/2)+x^2*e^(1/2)-x*(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2)+1/8*ln(d^(1/2)+x^2*e^(1/2)+x*(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2))/d^(1/2)/(2*d^(1/2)*e^(1/2)+(2*d*e-f)^(1/2))^(1/2)
```

Rubi [A] time = 0.81, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} - \frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e*x^4)/(d^2 + f*x^4 + e^2*x^8), x]
```

```
[Out] -ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]] - 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]]/(4*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]) - ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]] - 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]]/(4*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]) + ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]] + 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]]/(4*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]) + ArcTan[(Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]] + 2*Sqrt[e]*x)/Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]]/(4*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]) - Log[Sqrt[d] - Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]) + Log[Sqrt[d] + Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] - Sqrt[2*d*e - f]]) - Log[Sqrt[d] - Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]) + Log[Sqrt[d] + Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]]*x + Sqrt[e]*x^2]/(8*Sqrt[d]*Sqrt[2*Sqrt[d]*Sqrt[e] + Sqrt[2*d*e - f]])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

a, 0] || LtQ[b, 0])

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1094

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^4}{d^2 + fx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d - \sqrt{2de-f}x^2}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d + \sqrt{2de-f}x^2}{e} + x^4} dx}{2e} \\
&= \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}}x + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}} + x}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}}x + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}{\sqrt{e}}x + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}} \\
&= \frac{\int \frac{1}{\frac{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}{\sqrt{e}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}{\sqrt{e}}x}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} \\
&= -\frac{\log\left(\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\log\left(\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de-f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de-f}}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 67, normalized size = 0.08

$$\frac{1}{4}\text{RootSum}\left[\#1^8e^2 + \#1^4f + d^2\&, \frac{\#1^4e\log(x - \#1) + d\log(x - \#1)}{2\#1^7e^2 + \#1^3f}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^4)/(d^2 + f*x^4 + e^2*x^8), x]

[Out] RootSum[d^2 + f*#1^4 + e^2*#1^8 & , (d*Log[x - #1] + e*Log[x - #1]*#1^4)/(f*#1^3 + 2*e^2*#1^7) &]/4

fricas [B] time = 1.37, size = 3059, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8+f*x^4+d^2), x, algorithm="fricas")

[Out]
$$-\sqrt{\sqrt{\frac{1}{2}}\sqrt{-((4d^4e^2 + 4d^3ef + d^2f^2)\sqrt{-(2de - f)/(8d^7e^3 + 12d^6e^2f + 6d^5ef^2 + d^4f^3)} + f)/(4d^4e^2 + 4d^3ef + d^2f^2)}}\arctan\left(-\frac{1}{4}\sqrt{\frac{1}{2}}\sqrt{(8d^5e^3 + 12d^4e^2f + 6d^3ef^2 + d^2f^3)x\sqrt{-(2de - f)/(8d^7e^3 + 12d^6e^2f + 6d^5ef^2 + d^4f^3)} - (4d^2e^2 + 4deef + f^2)x}\sqrt{-((4d^4e^2 + 4d^3ef + d^2f^2)\sqrt{-(2de - f)/(8d^7e^3 + 12d^6e^2f + 6d^5ef^2 + d^4f^3)} + f)/(4d^4e^2 + 4d^3ef + d^2f^2)}} + (4d^2e^2 + 4deef + f^2 - (8d^5e^3 + 12d^4e^2f + 6d^3ef^2 + d^2f^3)\sqrt{-(2de - f)/(8d^7e^3 + 12d^6e^2f + 6d^5ef^2 + d^4f^3)})\sqrt{-((4d^4e^2 + 4d^3ef + d^2f^2)\sqrt{-(2de - f)/(8d^7e^3 + 12d^6e^2f + 6d^5ef^2 + d^4f^3)} + f)/(4d^4e^2 + 4d^3ef + d^2f^2)}}\sqrt{(2e^2x^2 + \sqrt{\frac{1}{2}}(2de - f) + f^2 - (8d^5e^3 + 12d^4e^2f + 6d^3ef^2 + d^2f^3))\sqrt{\frac{1}{2}}(2de - f) + f^2 - (8d^5e^3 + 12d^4e^2f + 6d^3ef^2 + d^2f^3))\sqrt{\frac{1}{2}}(2de - f) + f^2 - (8d^5e^3 + 12d^4e^2f + 6d^3ef^2 + d^2f^3))\sqrt{\frac{1}{2}}(2de - f) + f^2 - (8d^5e^3 + 12d^4e^2f + 6d^3ef^2 + d^2f^3)}\right)$$

```

*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)))*sqrt
t(-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6
*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))/e
^2))*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e -
f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d^4*e^2 + 4
*d^3*e*f + d^2*f^2)))/e) + sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*d^3*e*f + d^
2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)
) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))*arctan(-1/4*(2*sqrt(1/2)*((8*d^5
*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*x*sqrt(-(2*d*e - f)/(8*d^7*e^3
+ 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + (4*d^2*e^2 + 4*d*e*f + f^2)*x)*
sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8
*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e
*f + d^2*f^2)))*sqrt(((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(
8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*
e*f + d^2*f^2)) - (4*d^2*e^2 + 4*d*e*f + f^2 + (8*d^5*e^3 + 12*d^4*e^2*f +
6*d^3*e*f^2 + d^2*f^3)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*
e*f^2 + d^4*f^3)))*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*s
qrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(
4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))*sqrt(((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*
sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/
(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2))*sqrt((2*e^2*x^2 + sqrt(1/2)*(2*d*e*f + f
^2 + (8*d^5*e^3 + 12*d^4*e^2*f + 6*d^3*e*f^2 + d^2*f^3)*sqrt(-(2*d*e - f)/(
8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)))*sqrt(((4*d^4*e^2 + 4*d^
3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2
+ d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))/e^2))/e) + 1/4*sqrt(sq
rt(1/2)*sqrt(-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e
^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d^4*e^2 + 4*d^3*e*f + d
^2*f^2)))*log(e*x + 1/2*(2*d*e - (4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2
*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)*sqrt(sq
rt(1/2)*sqrt(-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e
^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d^4*e^2 + 4*d^3*e*f + d
^2*f^2)))) - 1/4*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sq
rt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*
d^4*e^2 + 4*d^3*e*f + d^2*f^2)))*log(e*x - 1/2*(2*d*e - (4*d^4*e^2 + 4*d^3*
e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 +
d^4*f^3)) + f)*sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt
(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)/(4*d
^4*e^2 + 4*d^3*e*f + d^2*f^2)))) + 1/4*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*
d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^
2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))*log(e*x + 1/2*(2*d*e
+ (4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*
e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)*sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 + 4*d^
3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2
+ d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)))) - 1/4*sqrt(sqrt(1/2)*
sqrt(((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d
^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2))
)*log(e*x - 1/2*(2*d*e + (4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)
/(8*d^7*e^3 + 12*d^6*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) + f)*sqrt(sqrt(1/2)*sq
rt(((4*d^4*e^2 + 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e - f)/(8*d^7*e^3 + 12*d^6
*e^2*f + 6*d^5*e*f^2 + d^4*f^3)) - f)/(4*d^4*e^2 + 4*d^3*e*f + d^2*f^2))))

```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8+f*x^4+d^2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.05, size = 53, normalized size = 0.07

$$\frac{\left(\text{RootOf}\left(e^2_Z^8 + f_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2_Z^8 + f_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2_Z^8 + f_Z^4 + d^2\right)^7 e^2 + 4 \text{RootOf}\left(e^2_Z^8 + f_Z^4 + d^2\right)^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^4+d)/(e^2*x^8+f*x^4+d^2), x)
```

```
[Out] 1/4*sum((_R^4*e+d)/(2*_R^7*e^2+_R^3*f)*ln(-_R+x), _R=RootOf(_Z^8*e^2+_Z^4*f+d^2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 + fx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x^4+d)/(e^2*x^8+f*x^4+d^2), x, algorithm="maxima")
```

```
[Out] integrate((e*x^4 + d)/(e^2*x^8 + f*x^4 + d^2), x)
```

mupad [B] time = 4.03, size = 10411, normalized size = 13.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^4)/(f*x^4 + d^2 + e^2*x^8), x)
```

```
[Out] 2*atan((((-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) - (-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)*(262144*d^10*e^15 - 262144*d^9*e^14*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i)*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(3/4)*1i - 256*d^7*e^14 + 256*d^6*e^13*f + 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3)*1i + x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2))*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4) + (((-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + (-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)*((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) - 4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i)*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(3/4)*1i + 256*d^7*e^14 - 256*d^6*e^13*f - 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3)*1i + x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2))*(-(f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^(1/2) + 4*d^2*e^2*f + 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^(1/4)
```

$$\begin{aligned}
& f^2))^{(1/4)} / (((-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + \\
& 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4 \\
& *e^2*f^2)))^{(1/4)} * ((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 \\
& - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e \\
& ^12*f^3 - 65536*d^7*e^13*f^2) - (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} \\
& + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^ \\
& 5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144*d^10*e^15 - 262144*d^9*e^14*f + 4 \\
& 096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^ \\
& 4 + 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i) * (-f^3 + ((f - 2*d*e)*(f \\
& + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + \\
& 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} * 1i - 256*d^7*e^14 + 25 \\
& 6*d^6*e^13*f + 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3)*1i + x*(32*d^5*e^13*f - 4 \\
& *d^2*e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2)) * (-f^3 + ((f - 2*d*e)*(\\
& f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + \\
& 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * 1i - (((-f^3 + ((f - \\
& 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d \\
& ^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * ((x*(65536*d^ \\
& 9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4 \\
& *e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + \\
& (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512 \\
& *(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/ \\
& 4)} * (262144*d^10*e^15 - 262144*d^9*e^14*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9* \\
& f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^12*f^3 - 19660 \\
& 8*d^8*e^13*f^2)*1i) * (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2* \\
& f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24 \\
& *d^4*e^2*f^2)))^{(3/4)} * 1i + 256*d^7*e^14 - 256*d^6*e^13*f - 16*d^3*e^10*f^4 \\
& + 64*d^4*e^11*f^3)*1i + x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 \\
& - 48*d^4*e^12*f^2)) * (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2 \\
& *f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 2 \\
& 4*d^4*e^2*f^2)))^{(1/4)} * 1i) * (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4* \\
& d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^ \\
& 3*f + 24*d^4*e^2*f^2)))^{(1/4)} - \operatorname{atan}(((((-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5) \\
& ^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 \\
& + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * ((x*(65536*d^9*e^15 - 32768*d^8*e^ \\
& 14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^10*f^5 + 20480*d^5 \\
& *e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + (-f^3 + ((f - 2*d*e) \\
&)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^ \\
& 4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144*d^10*e^15 \\
& - 262144*d^9*e^14*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^10* \\
& f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)) * (-f \\
& ^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16* \\
& d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - \\
& 256*d^7*e^14 + 256*d^6*e^13*f + 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3) - x*(32* \\
& d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 - 48*d^4*e^12*f^2)) * (-f^3 + \\
& ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e \\
& ^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * 1i + ((\\
& -f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4*d*e*f^2) / (512*(\\
& 16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} \\
& * ((x*(65536*d^9*e^15 - 32768*d^8*e^14*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f \\
& ^6 - 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 + 32768*d^6*e^12*f^3 - 65536*d \\
& ^7*e^13*f^2) - (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^2*f + 4 \\
& *d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4* \\
& e^2*f^2)))^{(1/4)} * (262144*d^10*e^15 - 262144*d^9*e^14*f + 4096*d^3*e^8*f^7 - \\
& 4096*d^4*e^9*f^6 - 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 + 196608*d^7*e^ \\
& 12*f^3 - 196608*d^8*e^13*f^2)) * (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + \\
& 4*d^2*e^2*f + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5 \\
& *e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} + 256*d^7*e^14 - 256*d^6*e^13*f - 16*d^3*e \\
& ^10*f^4 + 64*d^4*e^11*f^3) - x*(32*d^5*e^13*f - 4*d^2*e^10*f^4 + 24*d^3*e^1 \\
& 1*f^3 - 48*d^4*e^12*f^2)) * (-f^3 + ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^
\end{aligned}$$

$$\begin{aligned}
& 2e^{2f} + 4d^2e^{2f}) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f \\
& f + 24d^4e^2f^2))^{(1/4)} * i) / (((-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * ((x(65536d^9e^{15} - 32768d^8e^{14}f \\
& + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2) + (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * (262144d^{10}e^{15} - 262 \\
& 144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2)) * (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(3/4)} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) - x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} - ((-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * ((x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2) - (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2)) * (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(3/4)} + 256d^7e^{14} - 256d^6e^{13}f - 16d^3e^{10}f^4 + 64d^4e^{11}f^3) - x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)})) * (-f^3 + ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * i) - \operatorname{atan}(((((-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * (((-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) + x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2)) * (-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(3/4)} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) - x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * i) - ((-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * ((-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(1/4)} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) - x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2)) * (-f^3 - ((f - 2d^2e^2f + 4d^2e^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2)))^{(3/4)} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) + x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3
\end{aligned}$$

$$\begin{aligned}
& \sqrt[3]{-48d^4e^{12}f^2}) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * i) / (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) + x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{3/4} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) - x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} + (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 24d^4e^2f^2))^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) - x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{3/4} - 256d^7e^{14} + 256d^6e^{13}f + 16d^3e^{10}f^4 - 64d^4e^{11}f^3) + x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * i) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * 2i - 2 * \operatorname{atan}(((((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) * i) + x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{3/4} * i) + 256d^7e^{14} - 256d^6e^{13}f - 16d^3e^{10}f^4 + 64d^4e^{11}f^3) * i) + x(32d^5e^{13}f - 4d^2e^{10}f^4 + 24d^3e^{11}f^3 - 48d^4e^{12}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} - (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (((-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{1/4} * (262144d^{10}e^{15} - 262144d^9e^{14}f + 4096d^3e^8f^7 - 4096d^4e^9f^6 - 49152d^5e^{10}f^5 + 49152d^6e^{11}f^4 + 196608d^7e^{12}f^3 - 196608d^8e^{13}f^2) * i) - x(65536d^9e^{15} - 32768d^8e^{14}f + 1024d^2e^8f^7 - 2048d^3e^9f^6 - 10240d^4e^{10}f^5 + 20480d^5e^{11}f^4 + 32768d^6e^{12}f^3 - 65536d^7e^{13}f^2)) * (-f^3 - ((f - 2de) * (f + 2de))^5)^{1/2} + 4d^2e^2f + 4de^2f^2) / (512(16d^6e^4 + d^2f^4 + 8d^3e^3f + 32d^5e^3f + 24d^4e^2f^2))^{3/4} * i) + 256d^7e^{14} - 256d^6e^{13}f -
\end{aligned}$$

$$\begin{aligned}
& 16*d^3*e^{10*f^4} + 64*d^4*e^{11*f^3}) * i - x * (32*d^5*e^{13*f} - 4*d^2*e^{10*f^4} + \\
& 24*d^3*e^{11*f^3} - 48*d^4*e^{12*f^2}) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + \\
& 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} / (((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + \\
& 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + \\
& 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144*d^{10}*e^{15} - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 - 49152*d^5*e^{10}*f^5 + 491 \\
& 52*d^6*e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2) * i + x * (65536*d^9*e^{15} - 32768*d^8*e^{14}*f + 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d \\
& ^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (51 \\
& 2*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} * i + 256*d^7*e^{14} - 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 + 64*d^4*e^{11}*f^3) \\
& * i + x * (32*d^5*e^{13*f} - 4*d^2*e^{10*f^4} + 24*d^3*e^{11*f^3} - 48*d^4*e^{12*f^2}) * (-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (5 \\
& 12*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * i + ((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e \\
& *f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((-f^3 - ((f - 2*d*e)*(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4 \\
& *d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (262144*d^{10}*e^{15} - 262144*d^9*e^{14}*f + 4096*d^3*e^8*f^7 - \\
& 4096*d^4*e^9*f^6 - 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 + 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2) * i - x * (65536*d^9*e^{15} - 32768*d^8*e^{14}*f + 1 \\
& 024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 - 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 + 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2) * (-f^3 - ((f - 2*d*e)*(f + 2* \\
& d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^3 \\
& *e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} * i + 256*d^7*e^{14} - 256*d^6 \\
& *e^{13}*f - 16*d^3*e^{10}*f^4 + 64*d^4*e^{11}*f^3) * i - x * (32*d^5*e^{13*f} - 4*d^2* \\
& e^{10*f^4} + 24*d^3*e^{11*f^3} - 48*d^4*e^{12*f^2}) * (-f^3 - ((f - 2*d*e)*(f + 2 \\
& *d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 + 8*d^ \\
& 3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * i) * (-f^3 - ((f - 2*d*e) \\
& *(f + 2*d*e))^5)^{(1/2)} + 4*d^2*e^{2*f} + 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 \\
& + 8*d^3*e*f^3 + 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}
\end{aligned}$$

sympy [A] time = 7.14, size = 136, normalized size = 0.17

$$\text{RootSum}\left(t^8(1048576d^6e^4 + 2097152d^5e^3f + 1572864d^4e^2f^2 + 524288d^3ef^3 + 65536d^2f^4) + t^4(1024d^2e^2f\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**4+d)/(e**2*x**8+f*x**4+d**2),x)

[Out] RootSum(_t**8*(1048576*d**6*e**4 + 2097152*d**5*e**3*f + 1572864*d**4*e**2*f**2 + 524288*d**3*e*f**3 + 65536*d**2*f**4) + _t**4*(1024*d**2*e**2*f + 1024*d*e*f**2 + 256*f**3) + e**2, Lambda(_t, _t*log(x + (4096*_t**5*d**4*e**2 + 4096*_t**5*d**3*e*f + 1024*_t**5*d**2*f**2 + 4*_t*d*e + 4*_t*f)/e)))

3.7 $\int \frac{d+ex^4}{d^2-bx^4+e^2x^8} dx$

Optimal. Leaf size=349

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}} - \frac{\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}$$

[Out] $-1/2*\arctan(x*2^{(1/2)}*e^{(1/2)/((-2*d*e+b)^{(1/2)}-(2*d*e+b)^{(1/2)})^{(1/2)}}*e^{(1/2)*2^{(1/2)}/(-2*d*e+b)^{(1/2)/((-2*d*e+b)^{(1/2)}-(2*d*e+b)^{(1/2)})^{(1/2)}}-1/2*\arctanh(x*2^{(1/2)}*e^{(1/2)/((-2*d*e+b)^{(1/2)}-(2*d*e+b)^{(1/2)})^{(1/2)}}*e^{(1/2)*2^{(1/2)}/(-2*d*e+b)^{(1/2)/((-2*d*e+b)^{(1/2)}-(2*d*e+b)^{(1/2)})^{(1/2)}}-1/2*\arctan(x*2^{(1/2)}*e^{(1/2)/((-2*d*e+b)^{(1/2)}+(2*d*e+b)^{(1/2)})^{(1/2)}}*e^{(1/2)*2^{(1/2)}/(-2*d*e+b)^{(1/2)/((-2*d*e+b)^{(1/2)}+(2*d*e+b)^{(1/2)})^{(1/2)}}-1/2*\arctanh(x*2^{(1/2)}*e^{(1/2)/((-2*d*e+b)^{(1/2)}+(2*d*e+b)^{(1/2)})^{(1/2)}}*e^{(1/2)*2^{(1/2)}/(-2*d*e+b)^{(1/2)/((-2*d*e+b)^{(1/2)}+(2*d*e+b)^{(1/2)})^{(1/2)}})$

Rubi [A] time = 0.42, antiderivative size = 349, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {1419, 1093, 207, 203}

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}} - \frac{\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^4)/(d^2 - b*x^4 + e^2*x^8), x]

[Out] $-\left(\frac{\text{Sqrt}[e]*\text{ArcTan}\left[\frac{\text{Sqrt}[2]*\text{Sqrt}[e]*x}{\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]-\text{Sqrt}[b+2*d*e]\right]}\right]}{\text{Sqrt}[2]*\text{Sqrt}[b-2*d*e]*\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]-\text{Sqrt}[b+2*d*e]\right]}\right) - \left(\frac{\text{Sqrt}[e]*\text{ArcTan}\left[\frac{\text{Sqrt}[2]*\text{Sqrt}[e]*x}{\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]+\text{Sqrt}[b+2*d*e]\right]}\right]}{\text{Sqrt}[2]*\text{Sqrt}[b-2*d*e]*\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]+\text{Sqrt}[b+2*d*e]\right]}\right) - \left(\frac{\text{Sqrt}[e]*\text{ArcTanh}\left[\frac{\text{Sqrt}[2]*\text{Sqrt}[e]*x}{\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]-\text{Sqrt}[b+2*d*e]\right]}\right]}{\text{Sqrt}[2]*\text{Sqrt}[b-2*d*e]*\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]-\text{Sqrt}[b+2*d*e]\right]}\right) - \left(\frac{\text{Sqrt}[e]*\text{ArcTanh}\left[\frac{\text{Sqrt}[2]*\text{Sqrt}[e]*x}{\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]+\text{Sqrt}[b+2*d*e]\right]}\right]}{\text{Sqrt}[2]*\text{Sqrt}[b-2*d*e]*\text{Sqrt}\left[\text{Sqrt}[b-2*d*e]+\text{Sqrt}[b+2*d*e]\right]}\right)$

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e +
q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x
^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4
*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0]
|| (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\int \frac{d + ex^4}{d^2 - bx^4 + e^2x^8} dx = \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{b+2de}x^2}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{b+2de}x^2}{e} + x^4} dx}{2e}$$

$$= \frac{\int \frac{1}{-\frac{\sqrt{b-2de}}{2e} - \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} - \frac{\int \frac{1}{\frac{\sqrt{b-2de}}{2e} - \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} + \frac{\int \frac{1}{-\frac{\sqrt{b-2de}}{2e} + \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}} - \frac{\int \frac{1}{\frac{\sqrt{b-2de}}{2e} + \frac{\sqrt{b+2de}}{2e} + x^2} dx}{2\sqrt{b-2de}}$$

$$= -\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}-\sqrt{b+2de}}} - \frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{ex}}{\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}}\right)}{\sqrt{2}\sqrt{b-2de}\sqrt{\sqrt{b-2de}+\sqrt{b+2de}}} - \dots$$

Mathematica [C] time = 0.04, size = 69, normalized size = 0.20

$$\frac{1}{4} \text{RootSum}\left[\#1^8 e^2 - \#1^4 b + d^2 \&, \frac{\#1^4 e \log(x - \#1) + d \log(x - \#1)}{2\#1^7 e^2 - \#1^3 b} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^4)/(d^2 - b*x^4 + e^2*x^8), x]

[Out] RootSum[d^2 - b*#1^4 + e^2*#1^8 &, (d*Log[x - #1] + e*Log[x - #1]*#1^4)/(-
(b*#1^3) + 2*e^2*#1^7) &]/4

fricas [B] time = 1.15, size = 3048, normalized size = 8.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8-b*x^4+d^2), x, algorithm="fricas")

[Out] -sqrt(sqrt(1/2)*sqrt(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/
(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d
^3*e + b^2*d^2)))*arctan(-1/4*(2*sqrt(1/2)*((8*d^5*e^3 - 12*b*d^4*e^2 + 6*b
^2*d^3*e - b^3*d^2)*x*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d
^5*e - b^3*d^4)) - (4*d^2*e^2 - 4*b*d*e + b^2)*x)*sqrt(-((4*d^4*e^2 - 4*b*d
^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e -
b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)) + (4*d^2*e^2 - 4*b*d*e +
b^2 - (8*d^5*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2)*sqrt(-(2*d*e + b)
(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)))*sqrt(-((4*d^4*e^2 - 4
*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5
*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))*sqrt((2*e^2*x^2 - sq
rt(1/2)*(2*b*d*e - b^2 + (8*d^5*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2)
)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)))*sq
rt(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)*sqrt(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d
^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))/e

$$\begin{aligned} &^2)) * \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + \\ &b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4 \\ &*b*d^3*e + b^2*d^2)))/e) + \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^ \\ &2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4) \\ &)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))) * \arctan(-1/4 * (2 * \text{sqrt}(1/2) * ((8*d^5 \\ &*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2) * x * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 \\ &- 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + (4*d^2*e^2 - 4*b*d*e + b^2) * x) * \\ &\text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8 \\ &*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3 \\ &*e + b^2*d^2))) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(\\ &8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^ \\ &3*e + b^2*d^2)) - (4*d^2*e^2 - 4*b*d*e + b^2 + (8*d^5*e^3 - 12*b*d^4*e^2 + \\ &6*b^2*d^3*e - b^3*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2* \\ &d^5*e - b^3*d^4))) * \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * s \\ &\text{qrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(\\ &4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \\ &\text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/ \\ &(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)) * \text{sqrt}((2*e^2*x^2 - \text{sqrt}(1/2) * (2*b*d*e - b \\ &^2 - (8*d^5*e^3 - 12*b*d^4*e^2 + 6*b^2*d^3*e - b^3*d^2) * \text{sqrt}(-(2*d*e + b)/(\\ &8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4))) * \text{sqrt}(((4*d^4*e^2 - 4*b* \\ &d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e \\ &- b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))/e^2))/e) + 1/4 * \text{sqrt}(\text{sq \\ &\text{rt}(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^ \\ &3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^ \\ &2*d^2))) * \log(e*x + 1/2 * (2*d*e + (4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2* \\ &d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b) * \text{sqrt}(\text{sqrt} \\ &(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 \\ &- 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e^2 - 4*b*d^3*e + b^2* \\ &d^2)))) - 1/4 * \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(- \\ &(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4 \\ &*e^2 - 4*b*d^3*e + b^2*d^2))) * \log(e*x - 1/2 * (2*d*e + (4*d^4*e^2 - 4*b*d^3*e \\ &+ b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3 \\ &*d^4)) - b) * \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(- \\ &(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) + b)/(4*d^4*e \\ &^2 - 4*b*d^3*e + b^2*d^2)))) + 1/4 * \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(-((4*d^4*e^2 - 4*b*d \\ &^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - \\ &b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))) * \log(e*x + 1/2 * (2*d*e - \\ &(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6* \\ &e^2 + 6*b^2*d^5*e - b^3*d^4)) - b) * \text{sqrt}(\text{sqrt}(1/2) * \text{sqrt}(-((4*d^4*e^2 - 4*b*d^ \\ &3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - \\ &b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))) - 1/4 * \text{sqrt}(\text{sqrt}(1/2) * \text{sq \\ &\text{rt}(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b* \\ &d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2))) * \\ &\log(e*x - 1/2 * (2*d*e - (4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/ \\ &(8*d^7*e^3 - 12*b*d^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b) * \text{sqrt}(\text{sqrt}(1/2) * \text{sq \\ &\text{rt}(-((4*d^4*e^2 - 4*b*d^3*e + b^2*d^2) * \text{sqrt}(-(2*d*e + b)/(8*d^7*e^3 - 12*b*d \\ &^6*e^2 + 6*b^2*d^5*e - b^3*d^4)) - b)/(4*d^4*e^2 - 4*b*d^3*e + b^2*d^2)))))) \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8-b*x^4+d^2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.03, size = 55, normalized size = 0.16

$$\frac{\left(\text{RootOf}\left(e^2_Z^8 - b_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2_Z^8 - b_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2_Z^8 - b_Z^4 + d^2\right)^7 e^2 - 4 \text{RootOf}\left(e^2_Z^8 - b_Z^4 + d^2\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^4+d)/(e^2*x^8-b*x^4+d^2), x)

[Out] 1/4*sum((_R^4*e+d)/(2*_R^7*e^2-_R^3*b)*ln(-_R+x), _R=RootOf(_Z^8*e^2-_Z^4*b+d^2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 - bx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8-b*x^4+d^2), x, algorithm="maxima")

[Out] integrate((e*x^4 + d)/(e^2*x^8 - b*x^4 + d^2), x)

mupad [B] time = 4.03, size = 10337, normalized size = 29.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^4)/(d^2 - b*x^4 + e^2*x^8), x)

[Out] 2*atan(((x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i)*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i - 256*d^7*e^14 - 256*b*d^6*e^13 + 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11)*1i)*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4) + (x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*((x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i)*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(3/4)*1i + 256*d^7*e^14 + 256*b*d^6*e^13 - 16*b^4*d^3*e^10 - 64*b^3*d^4*e^11)*1i)*((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^(1/4)

$$\begin{aligned}
& 1/4)) / ((x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / \\
& (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))) \\
& ^{(1/4)} * ((x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 6 \\
& 5536*b^2*d^7*e^13) - ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24 \\
& *b^2*d^4*e^2)))^{(1/4)} * (262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b \\
& ^3*d^7*e^12 - 196608*b^2*d^8*e^13) * 1i) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - \\
& 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} * 1i - 256*d^7*e^14 - 256*b*d^6*e^13 \\
& + 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11) * 1i) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e \\
& - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * 1i - (x*(32*b*d^5*e^13 + 4*b^4*d^2 \\
& *e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 + ((b - 2*d*e)^5*(b + 2 \\
& *d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3 \\
& *e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * ((x*(65536*d^9*e^15 + 32768* \\
& b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 204 \\
& 80*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) + ((b^3 + ((b - \\
& 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d \\
& ^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * (262144*d^10* \\
& e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5* \\
& d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13) * \\
& 1i) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (5 \\
& 12*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(\\
& 3/4)} * 1i + 256*d^7*e^14 + 256*b*d^6*e^13 - 16*b^4*d^3*e^10 - 64*b^3*d^4*e^11 \\
&) * 1i) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / \\
& (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))) \\
& ^{(1/4)} * 1i) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2 \\
& *d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4* \\
& e^2)))^{(1/4)} - \operatorname{atan}(((x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + \\
& 48*b^2*d^4*e^12) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 \\
& - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24* \\
& b^2*d^4*e^2)))^{(1/4)} * ((x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2* \\
& e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3 \\
& *d^6*e^12 - 65536*b^2*d^7*e^13) + ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) \\
&) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32* \\
& b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * (262144*d^10*e^15 + 262144*b*d^9*e^14 - \\
& 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e \\
& ^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)) * ((b^3 + ((b - 2*d*e)^5*(b \\
& + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8* \\
& b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(3/4)} - 256*d^7*e^14 - 256*b*d \\
& ^6*e^13 + 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11) * ((b^3 + ((b - 2*d*e)^5*(b + 2 \\
& *d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3* \\
& d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * 1i + (x*(32*b*d^5*e^13 + 4*b \\
& ^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) + ((b^3 + ((b - 2*d*e)^5*(\\
& b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + 16*d^6*e^4 - 8 \\
& *b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * ((x*(65536*d^9*e^15 + 3 \\
& 2768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 \\
& + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13) - ((b^3 + (\\
& (b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512*(b^4*d^2 + \\
& 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2)))^{(1/4)} * (262144* \\
& d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152 \\
& *b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e \\
& ^13)) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / \\
& (512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))) \\
& ^{(3/4)} + 256*d^7*e^14 + 256*b*d^6*e^13 - 16*b^4*d^3*e^10 - 64*b^3*d^4*e^11 \\
&) * ((b^3 + ((b - 2*d*e)^5*(b + 2*d*e))^(1/2) + 4*b*d^2*e^2 - 4*b^2*d*e) / (512
\end{aligned}$$

$$\begin{aligned}
& * (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2) \Big)^{(1/4)} * i / \Big((x * (32 b d^5 e^{13} + 4 b^4 d^2 e^{10} + 24 b^3 d^3 e^{11} + 48 b^2 d^4 e^{12}) + ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * ((x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) + ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * (262144 d^{10} e^{15} + 262144 b d^9 e^{14} - 4096 b^7 d^3 e^8 - 4096 b^6 d^4 e^9 + 49152 b^5 d^5 e^{10} + 49152 b^4 d^6 e^{11} - 196608 b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13}) * ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(3/4)} - 256 d^7 e^{14} - 256 b d^6 e^{13} + 16 b^4 d^3 e^{10} + 64 b^3 d^4 e^{11}) * ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} - (x * (32 b d^5 e^{13} + 4 b^4 d^2 e^{10} + 24 b^3 d^3 e^{11} + 48 b^2 d^4 e^{12}) + ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * ((x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) - ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * (262144 d^{10} e^{15} + 262144 b d^9 e^{14} - 4096 b^7 d^3 e^8 - 4096 b^6 d^4 e^9 + 49152 b^5 d^5 e^{10} + 49152 b^4 d^6 e^{11} - 196608 b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13}) * ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(3/4)} + 256 d^7 e^{14} + 256 b d^6 e^{13} - 16 b^4 d^3 e^{10} - 64 b^3 d^4 e^{11}) * ((b^3 + ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * i - \operatorname{atan} \Big((x * (32 b d^5 e^{13} + 4 b^4 d^2 e^{10} + 24 b^3 d^3 e^{11} + 48 b^2 d^4 e^{12}) + ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * (((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * (262144 d^{10} e^{15} + 262144 b d^9 e^{14} - 4096 b^7 d^3 e^8 - 4096 b^6 d^4 e^9 + 49152 b^5 d^5 e^{10} + 49152 b^4 d^6 e^{11} - 196608 b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13}) + x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(3/4)} - 256 d^7 e^{14} - 256 b d^6 e^{13} + 16 b^4 d^3 e^{10} + 64 b^3 d^4 e^{11}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * i + (x * (32 b d^5 e^{13} + 4 b^4 d^2 e^{10} + 24 b^3 d^3 e^{11} + 48 b^2 d^4 e^{12}) - ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * (((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * (262144 d^{10} e^{15} + 262144 b d^9 e^{14} - 4096 b^7 d^3 e^8 - 4096 b^6 d^4 e^9 + 49152 b^5 d^5 e^{10} + 49152 b^4 d^6 e^{11} - 196608 b^3 d^7 e^{12} - 196608 b^2 d^8 e^{13}) - x * (65536 d^9 e^{15} + 32768 b d^8 e^{14} - 1024 b^7 d^2 e^8 - 2048 b^6 d^3 e^9 + 10240 b^5 d^4 e^{10} + 20480 b^4 d^5 e^{11} - 32768 b^3 d^6 e^{12} - 65536 b^2 d^7 e^{13}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(3/4)} - 256 d^7 e^{14} - 256 b d^6 e^{13} + 16 b^4 d^3 e^{10} + 64 b^3 d^4 e^{11}) * ((b^3 - ((b - 2 d e)^5 (b + 2 d e))^{(1/2)} + 4 b d^2 e^2 - 4 b^2 d e) / (512 (b^4 d^2 + 16 d^6 e^4 - 8 b^3 d^3 e - 32 b d^5 e^3 + 24 b^2 d^4 e^2))) \Big)^{(1/4)} * i
\end{aligned}$$

$$\begin{aligned}
& e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*1i)/((x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) + ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13) + x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(3/4)} - 256*d^7*e^14 - 256*b*d^6*e^13 + 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)} - (x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13) - x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(3/4)} - 256*d^7*e^14 - 256*b*d^6*e^13 + 16*b^4*d^3*e^10 + 64*b^3*d^4*e^11))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*2i - 2*atan(((x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) - ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i + x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(3/4)}*1i + 256*d^7*e^14 + 256*b*d^6*e^13 - 16*b^4*d^3*e^10 - 64*b^3*d^4*e^11)*1i))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)} + (x*(32*b*d^5*e^13 + 4*b^4*d^2*e^10 + 24*b^3*d^3*e^11 + 48*b^2*d^4*e^12) + ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(1/4)}*(262144*d^10*e^15 + 262144*b*d^9*e^14 - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^10 + 49152*b^4*d^6*e^11 - 196608*b^3*d^7*e^12 - 196608*b^2*d^8*e^13)*1i - x*(65536*d^9*e^15 + 32768*b*d^8*e^14 - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^10 + 20480*b^4*d^5*e^11 - 32768*b^3*d^6*e^12 - 65536*b^2*d^7*e^13))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{(1/2)} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{(3/4)}*1i + 256*d^7*e^14 + 25
\end{aligned}$$

$$\begin{aligned}
& 6*b*d^6*e^{13} - 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11})*1i)*(b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4})/((x*(32*b*d^5*e^{13} + 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} + 48*b^2*d^4*e^{12}) - ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4}))*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4})*((262144*d^{10}*e^{15} + 262144*b*d^9*e^{14} - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*1i + x*(65536*d^9*e^{15} + 32768*b*d^8*e^{14} - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} - 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{3/4})*1i + 256*d^7*e^{14} + 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11})*1i)*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4})*1i - (x*(32*b*d^5*e^{13} + 4*b^4*d^2*e^{10} + 24*b^3*d^3*e^{11} + 48*b^2*d^4*e^{12}) + ((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4}))*(((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4})*((262144*d^{10}*e^{15} + 262144*b*d^9*e^{14} - 4096*b^7*d^3*e^8 - 4096*b^6*d^4*e^9 + 49152*b^5*d^5*e^{10} + 49152*b^4*d^6*e^{11} - 196608*b^3*d^7*e^{12} - 196608*b^2*d^8*e^{13})*1i - x*(65536*d^9*e^{15} + 32768*b*d^8*e^{14} - 1024*b^7*d^2*e^8 - 2048*b^6*d^3*e^9 + 10240*b^5*d^4*e^{10} + 20480*b^4*d^5*e^{11} - 32768*b^3*d^6*e^{12} - 65536*b^2*d^7*e^{13}))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{3/4})*1i + 256*d^7*e^{14} + 256*b*d^6*e^{13} - 16*b^4*d^3*e^{10} - 64*b^3*d^4*e^{11})*1i)*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4})*1i)))*((b^3 - ((b - 2*d*e)^5*(b + 2*d*e))^{1/2} + 4*b*d^2*e^2 - 4*b^2*d*e)/(512*(b^4*d^2 + 16*d^6*e^4 - 8*b^3*d^3*e - 32*b*d^5*e^3 + 24*b^2*d^4*e^2))^{1/4})
\end{aligned}$$

sympy [A] time = 8.25, size = 136, normalized size = 0.39

$$\text{RootSum}\left(t^8(65536b^4d^2 - 524288b^3d^3e + 1572864b^2d^4e^2 - 2097152bd^5e^3 + 1048576d^6e^4) + t^4(-256b^3 + 1024bd^2e - 1024b^2d^2e^2 + e^3), \text{Lambda}(t, t \log(x + (1024*_t^{5*b^2*d^2} - 4096*_t^{5*b*d^3}e + 4096*_t^{5*d^4}e^2 - 4*_t*b + 4*_t*d*e)/e))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x**4+d)/(e**2*x**8-b*x**4+d**2),x)

[Out] RootSum(_t**8*(65536*b**4*d**2 - 524288*b**3*d**3*e + 1572864*b**2*d**4*e**2 - 2097152*b*d**5*e**3 + 1048576*d**6*e**4) + _t**4*(-256*b**3 + 1024*b**2*d*e - 1024*b*d**2*e**2) + e**2, Lambda(_t, _t*log(x + (1024*_t**5*b**2*d**2 - 4096*_t**5*b*d**3*e + 4096*_t**5*d**4*e**2 - 4*_t*b + 4*_t*d*e)/e)))

3.8 $\int \frac{d+ex^4}{d^2-fx^4+e^2x^8} dx$

Optimal. Leaf size=751

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} - \frac{\log\left(-x\sqrt{\sqrt{2de+f}}\right)}{8\sqrt{d}}$$

[Out] $-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)}-1/4*\arctan((-2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}+1/4*\arctan((2*x*e^{(1/2)}+(2*d^{(1/2)}*e^{(1/2)}-(2*d*e+f)^{(1/2)})^{(1/2)})/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}-1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}-x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}+1/8*\ln(d^{(1/2)}+x^2*e^{(1/2)}+x*(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)})/d^{(1/2)}/(2*d^{(1/2)}*e^{(1/2)}+(2*d*e+f)^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.92, antiderivative size = 751, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\log\left(x\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}+\sqrt{d}+\sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} - \frac{\log\left(-x\sqrt{\sqrt{2de+f}}\right)}{8\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^4)/(d^2 - f*x^4 + e^2*x^8), x]

[Out] $-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]])-\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]-2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]])+\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]+2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]])+\text{ArcTan}[(\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]+2*\text{Sqrt}[e]*x)/\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]]/(4*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]])-\text{Log}[\text{Sqrt}[d]-\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]])+\text{Log}[\text{Sqrt}[d]+\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]-\text{Sqrt}[2*d*e+f]])-\text{Log}[\text{Sqrt}[d]-\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]])+\text{Log}[\text{Sqrt}[d]+\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]]*x+\text{Sqrt}[e]*x^2]/(8*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Sqrt}[d]*\text{Sqrt}[e]+\text{Sqrt}[2*d*e+f]])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1094

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^4}{d^2 - fx^4 + e^2x^8} dx &= \frac{\int \frac{1}{\frac{d}{e} - \frac{\sqrt{2de+fx^2}}{e} + x^4} dx}{2e} + \frac{\int \frac{1}{\frac{d}{e} + \frac{\sqrt{2de+fx^2}}{e} + x^4} dx}{2e} \\
&= \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\int \frac{\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}{\sqrt{e}} - x}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}} \\
&= \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} + \frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} + \frac{\int \frac{1}{\frac{\sqrt{d}}{\sqrt{e}} - \frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}{\sqrt{e}} + x^2} dx}{8\sqrt{d}\sqrt{e}} \\
&= -\frac{\log\left(\sqrt{d} - \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\log\left(\sqrt{d} + \sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}x + \sqrt{e}x^2\right)}{8\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} \\
&= -\frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2\sqrt{d}\sqrt{e}-\sqrt{2de+f}}-2\sqrt{e}x}{\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}\right)}{4\sqrt{d}\sqrt{2\sqrt{d}\sqrt{e}+\sqrt{2de+f}}}
\end{aligned}$$

Mathematica [C] time = 0.04, size = 69, normalized size = 0.09

$$\frac{1}{4}\text{RootSum}\left[\#1^8e^2 - \#1^4f + d^2\&, \frac{\#1^4e\log(x - \#1) + d\log(x - \#1)}{2\#1^7e^2 - \#1^3f}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^4)/(d^2 - f*x^4 + e^2*x^8), x]

[Out] RootSum[d^2 - f*#1^4 + e^2*#1^8 & , (d*Log[x - #1] + e*Log[x - #1]*#1^4)/(-f*#1^3) + 2*e^2*#1^7) &]/4

fricas [B] time = 1.24, size = 3051, normalized size = 4.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8-f*x^4+d^2), x, algorithm="fricas")

[Out] -sqrt(sqrt(1/2)*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))*arctan(1/4*(2*sqrt(1/2)*((8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*x*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + (4*d^2*e^2 - 4*d*e*f + f^2)*x)*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)) - (4*d^2*e^2 - 4*d*e*f + f^2 + (8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)))*sqrt(((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)) + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))*sqrt((2*e^2*x^2 - sqrt(1/2)*(2*d*e*f - f^2 - (8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*sqrt(-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)))/2)))/4

$$\begin{aligned}
& t(-2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)))*\sqrt{((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))/e^2)} \\
& \sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))/e} + \sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}} \\
& *\arctan(1/4*(2*\sqrt{1/2})*((8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*x*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - (4*d^2*e^2 - 4*d*e*f + f^2)*x)*\sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}} \\
& *\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)} + (4*d^2*e^2 - 4*d*e*f + f^2 - (8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)})) \\
& *\sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}} \\
& *\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)} \\
& *\sqrt{((2*e^2*x^2 - \sqrt{1/2}*(2*d*e*f - f^2 + (8*d^5*e^3 - 12*d^4*e^2*f + 6*d^3*e*f^2 - d^2*f^3)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)})))*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)))/e} + 1/4*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2))} \\
& *\log(e*x + 1/2*(2*d*e + (4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2))} \\
& - 1/4*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2))})*\log(e*x - 1/2*(2*d*e + (4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)*\sqrt{\sqrt{1/2}*\sqrt{((4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} + f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2))} \\
& + 1/4*\sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}})*\log(e*x + 1/2*(2*d*e - (4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)*\sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}} \\
& - 1/4*\sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}})*\log(e*x - 1/2*(2*d*e - (4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)*\sqrt{\sqrt{1/2}*\sqrt{-(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)*\sqrt{-(2*d*e + f)/(8*d^7*e^3 - 12*d^6*e^2*f + 6*d^5*e*f^2 - d^4*f^3)} - f)/(4*d^4*e^2 - 4*d^3*e*f + d^2*f^2)}}))
\end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8-f*x^4+d^2),x, algorithm="giac")

[Out] Timed out

maple [C] time = 0.03, size = 55, normalized size = 0.07

$$\frac{\left(\text{RootOf}\left(e^2_Z^8 - f_Z^4 + d^2\right)^4 e + d\right) \ln\left(-\text{RootOf}\left(e^2_Z^8 - f_Z^4 + d^2\right) + x\right)}{8 \text{RootOf}\left(e^2_Z^8 - f_Z^4 + d^2\right)^7 e^2 - 4 \text{RootOf}\left(e^2_Z^8 - f_Z^4 + d^2\right)^3 f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^4+d)/(e^2*x^8-f*x^4+d^2),x)

[Out] 1/4*sum((_R^4*e+d)/(2*_R^7*e^2-_R^3*f)*ln(-_R+x),_R=RootOf(_Z^8*e^2-_Z^4*f+d^2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^4 + d}{e^2x^8 - fx^4 + d^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x^4+d)/(e^2*x^8-f*x^4+d^2),x, algorithm="maxima")

[Out] integrate((e*x^4 + d)/(e^2*x^8 - f*x^4 + d^2), x)

mupad [B] time = 4.20, size = 10343, normalized size = 13.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^4)/(d^2 - f*x^4 + e^2*x^8),x)

[Out] 2*atan((((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*((x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) - ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*(262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i)*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(3/4)*1i - 256*d^7*e^14 - 256*d^6*e^13*f + 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3)*1i - x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4) + (((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*((x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)*(262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*1i)*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(3/4)*1i + 256*d^7*e^14 + 256*d^6*e^13*f - 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3)*1i - x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^(1/2) + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^(1/4)

$$\begin{aligned}
& 1/4)/((((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2) \\
&)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2) \\
&))^{1/4}*((x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d \\
& ^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - \\
& 65536*d^7*e^{13}*f^2) - ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2 \\
& *f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + \\
& 24*d^4*e^2*f^2)))^{1/4}*(262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8 \\
& *f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608 \\
& *d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2)*1i)*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e) \\
&))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 \\
& - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{3/4}*1i - 256*d^7*e^{14} - 256*d^6*e^{13}* \\
& f + 16*d^3*e^{10}*f^4 + 64*d^4*e^{11}*f^3)*1i - x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f \\
& ^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e) \\
&))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 \\
& - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*1i - (((f^3 + ((f - 2*d*e)^5*(f + \\
& 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3 \\
& *e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*((x*(65536*d^9*e^{15} + 3276 \\
& 8*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 2 \\
& 0480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2) + ((f^3 + ((f \\
& - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + \\
& d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*(262144*d^1 \\
& 0*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5 \\
& *e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2 \\
&)*1i)*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/ \\
& (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))) \\
& ^{3/4}*1i + 256*d^7*e^{14} + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f \\
& ^3)*1i - x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12} \\
& *f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/ \\
& (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))) \\
& ^{1/4}*1i))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e \\
& *f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2* \\
& f^2)))^{1/4} - \operatorname{atan}((((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2 \\
& *f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 2 \\
& 4*d^4*e^2*f^2)))^{1/4}*((x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8 \\
& *f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 - 32768* \\
& d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2) + ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1 \\
& /2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 3 \\
& 2*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*(262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f \\
& - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{1 \\
& 1*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2))*((f^3 + ((f - 2*d*e)^5* \\
& (f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - \\
& 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{3/4} - 256*d^7*e^{14} - 256*d \\
& ^6*e^{13}*f + 16*d^3*e^{10}*f^4 + 64*d^4*e^{11}*f^3) + x*(32*d^5*e^{13}*f + 4*d^2*e \\
& ^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2 \\
& *d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3* \\
& e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*1i + (((f^3 + ((f - 2*d*e)^5 \\
& *(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - \\
& 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*((x*(65536*d^9*e^{15} + \\
& 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^ \\
& 5 + 20480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2) - ((f^3 + \\
& ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6* \\
& e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*(26214 \\
& 4*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 491 \\
& 52*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{1 \\
& 3*f^2))*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2 \\
&)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2) \\
&))^{3/4} + 256*d^7*e^{14} + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^ \\
& 3) + x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2) \\
&)*((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^2*f - 4*d*e*f^2)/(512
\end{aligned}$$

$$\begin{aligned}
& *((16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * i) / (((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * ((x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) + ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * (262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2) * ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - 256*d^7*e^14 - 256*d^6*e^13*f + 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3) + x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2) * ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} - (((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * ((x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) - ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * (262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2) * ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} + 256*d^7*e^14 + 256*d^6*e^13*f - 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3) + x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2) * ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)})) * ((f^3 + ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * 2i - \operatorname{atan}\left(\frac{((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)} * (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * (262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2) + x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) * ((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(3/4)} - 256*d^7*e^14 - 256*d^6*e^13*f + 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3) + x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2) * ((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * i - (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(1/4)} * (262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2) - x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2) * ((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2) / (512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2))))^{(3/4)} - 256*d^7*e^14 - 256*d^6*e^13*f + 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3) - x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2) * ((f^3 - ((f - 2*d*
\end{aligned}$$

$$\begin{aligned}
& e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 \\
& ^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*i)/((((f^3 - ((f \\
& - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 \\
& + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*(((f^3 - \\
& ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 \\
& ^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*(262144 \\
& *d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 4915 \\
& 2*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13 \\
& *f^2) + x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3* \\
& e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 65 \\
& 536*d^7*e^13*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f \\
& - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d \\
& ^4*e^2*f^2)))^{(3/4)} - 256*d^7*e^14 - 256*d^6*e^13*f + 16*d^3*e^10*f^4 + 64* \\
& d^4*e^11*f^3) + x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 48*d^4 \\
& *e^12*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d* \\
& e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2 \\
& *f^2)))^{(1/4)} + (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - \\
& 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4 \\
& *e^2*f^2)))^{(1/4)}*(((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f \\
& - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24* \\
& d^4*e^2*f^2)))^{(1/4)}*(262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f \\
& ^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^ \\
& 7*e^12*f^3 - 196608*d^8*e^13*f^2) - x*(65536*d^9*e^15 + 32768*d^8*e^14*f - \\
& 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f \\
& ^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2))*((f^3 - ((f - 2*d*e)^5*(f + \\
& 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3 \\
& *e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)} - 256*d^7*e^14 - 256*d^6*e^ \\
& 13*f + 16*d^3*e^10*f^4 + 64*d^4*e^11*f^3) - x*(32*d^5*e^13*f + 4*d^2*e^10*f \\
& ^4 + 24*d^3*e^11*f^3 + 48*d^4*e^12*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e) \\
&)^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 \\
& - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}))*((f^3 - ((f - 2*d*e)^5*(f + 2*d \\
& *e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e* \\
& f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*2i - 2*atan((((f^3 - ((f - 2* \\
& d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2 \\
& *f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*(((f^3 - ((f - \\
& 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + \\
& d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(1/4)}*(262144*d^10 \\
& *e^15 + 262144*d^9*e^14*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5 \\
& *e^10*f^5 + 49152*d^6*e^11*f^4 - 196608*d^7*e^12*f^3 - 196608*d^8*e^13*f^2) \\
& *i + x*(65536*d^9*e^15 + 32768*d^8*e^14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^ \\
& 9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5*e^11*f^4 - 32768*d^6*e^12*f^3 - 6553 \\
& 6*d^7*e^13*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - \\
& 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4 \\
& *e^2*f^2)))^{(3/4)}*i + 256*d^7*e^14 + 256*d^6*e^13*f - 16*d^3*e^10*f^4 - 64 \\
& *d^4*e^11*f^3)*i - x*(32*d^5*e^13*f + 4*d^2*e^10*f^4 + 24*d^3*e^11*f^3 + 4 \\
& 8*d^4*e^12*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - \\
& 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4 \\
& *e^2*f^2)))^{(1/4)} - (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2* \\
& f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24 \\
& *d^4*e^2*f^2)))^{(1/4)}*(((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{(1/2)} + 4*d^2*e \\
& ^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + \\
& 24*d^4*e^2*f^2)))^{(1/4)}*(262144*d^10*e^15 + 262144*d^9*e^14*f - 4096*d^3*e \\
& ^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^10*f^5 + 49152*d^6*e^11*f^4 - 19660 \\
& 8*d^7*e^12*f^3 - 196608*d^8*e^13*f^2)*i - x*(65536*d^9*e^15 + 32768*d^8*e^ \\
& 14*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^10*f^5 + 20480*d^5 \\
& *e^11*f^4 - 32768*d^6*e^12*f^3 - 65536*d^7*e^13*f^2))*((f^3 - ((f - 2*d*e)^ \\
& 5*(f + 2*d*e))^{(1/2)} + 4*d^2*e^2*f - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 \\
& - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{(3/4)}*i + 256*d^7*e^14 + \\
& 256*d^6*e^13*f - 16*d^3*e^10*f^4 - 64*d^4*e^11*f^3)*i + x*(32*d^5*e^13*f +
\end{aligned}$$

$$4*d^2*e^{10*f^4} + 24*d^3*e^{11*f^3} + 48*d^4*e^{12*f^2})*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4})/((((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4})*(((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4})*(262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2)*1i + x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{3/4}*1i + 256*d^7*e^{14} + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3)*1i - x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*1i + (((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4})*(((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4})*(262144*d^{10}*e^{15} + 262144*d^9*e^{14}*f - 4096*d^3*e^8*f^7 - 4096*d^4*e^9*f^6 + 49152*d^5*e^{10}*f^5 + 49152*d^6*e^{11}*f^4 - 196608*d^7*e^{12}*f^3 - 196608*d^8*e^{13}*f^2)*1i - x*(65536*d^9*e^{15} + 32768*d^8*e^{14}*f - 1024*d^2*e^8*f^7 - 2048*d^3*e^9*f^6 + 10240*d^4*e^{10}*f^5 + 20480*d^5*e^{11}*f^4 - 32768*d^6*e^{12}*f^3 - 65536*d^7*e^{13}*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{3/4}*1i + 256*d^7*e^{14} + 256*d^6*e^{13}*f - 16*d^3*e^{10}*f^4 - 64*d^4*e^{11}*f^3)*1i + x*(32*d^5*e^{13}*f + 4*d^2*e^{10}*f^4 + 24*d^3*e^{11}*f^3 + 48*d^4*e^{12}*f^2))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4}*1i))*((f^3 - ((f - 2*d*e)^5*(f + 2*d*e))^{1/2} + 4*d^2*e^{2*f} - 4*d*e*f^2)/(512*(16*d^6*e^4 + d^2*f^4 - 8*d^3*e*f^3 - 32*d^5*e^3*f + 24*d^4*e^2*f^2)))^{1/4})$$

sympy [A] time = 7.25, size = 136, normalized size = 0.18

$$\text{RootSum}\left(t^8(1048576d^6e^4 - 2097152d^5e^3f + 1572864d^4e^2f^2 - 524288d^3ef^3 + 65536d^2f^4) + t^4(-1024d^2e^2f + \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e**x**4+d)/(e**2*x**8-f*x**4+d**2),x)

[Out] RootSum(_t**8*(1048576*d**6*e**4 - 2097152*d**5*e**3*f + 1572864*d**4*e**2*f**2 - 524288*d**3*e*f**3 + 65536*d**2*f**4) + _t**4*(-1024*d**2*e**2*f + 1024*d*e*f**2 - 256*f**3) + e**2, Lambda(_t, _t*log(x + (4096*_t**5*d**4*e**2 - 4096*_t**5*d**3*e*f + 1024*_t**5*d**2*f**2 + 4*_t*d*e - 4*_t*f)/e)))

3.9 $\int \frac{1+x^4}{1+bx^4+x^8} dx$

Optimal. Leaf size=411

$$\frac{\log\left(-\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} + \frac{\log\left(\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} - \frac{\log\left(-\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}} + \frac{\log\left(\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}}$$

```
[Out] -1/4*arctan((-2*x+(2+(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2)+1/4*arctan((2*x+(2+(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2)-1/8*ln(1+x^2-x*(2-(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2)+1/8*ln(1+x^2+x*(2-(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2)-1/4*arctan((-2*x+(2-(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2)+1/4*arctan((2*x+(2-(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2)-1/8*ln(1+x^2-x*(2+(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2)+1/8*ln(1+x^2+x*(2+(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2))
```

Rubi [A] time = 0.29, antiderivative size = 411, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(-\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} + \frac{\log\left(\sqrt{2-\sqrt{2-b}}x+x^2+1\right)}{8\sqrt{2-\sqrt{2-b}}} - \frac{\log\left(-\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}} + \frac{\log\left(\sqrt{\sqrt{2-b}+2}x+x^2+1\right)}{8\sqrt{\sqrt{2-b}+2}}$$

Antiderivative was successfully verified.

```
[In] Int[(1 + x^4)/(1 + b*x^4 + x^8), x]
```

```
[Out] -ArcTan[(Sqrt[2 - Sqrt[2 - b]] - 2*x)/Sqrt[2 + Sqrt[2 - b]]]/(4*Sqrt[2 + Sqrt[2 - b]]) - ArcTan[(Sqrt[2 + Sqrt[2 - b]] - 2*x)/Sqrt[2 - Sqrt[2 - b]]]/(4*Sqrt[2 - Sqrt[2 - b]]) + ArcTan[(Sqrt[2 - Sqrt[2 - b]] + 2*x)/Sqrt[2 + Sqrt[2 - b]]]/(4*Sqrt[2 + Sqrt[2 - b]]) + ArcTan[(Sqrt[2 + Sqrt[2 - b]] + 2*x)/Sqrt[2 - Sqrt[2 - b]]]/(4*Sqrt[2 - Sqrt[2 - b]]) - Log[1 - Sqrt[2 - Sqrt[2 - b]]*x + x^2]/(8*Sqrt[2 - Sqrt[2 - b]]) + Log[1 + Sqrt[2 - Sqrt[2 - b]]*x + x^2]/(8*Sqrt[2 - Sqrt[2 - b]]) - Log[1 - Sqrt[2 + Sqrt[2 - b]]*x + x^2]/(8*Sqrt[2 + Sqrt[2 - b]]) + Log[1 + Sqrt[2 + Sqrt[2 - b]]*x + x^2]/(8*Sqrt[2 + Sqrt[2 - b]])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1094

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1+bx^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{2-b}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2-b}x^2+x^4} dx \\ &= \frac{\int \frac{\sqrt{2-\sqrt{2-b}}-x}{1-\sqrt{2-\sqrt{2-b}}x+x^2} dx}{4\sqrt{2-\sqrt{2-b}}} + \frac{\int \frac{\sqrt{2-\sqrt{2-b}}+x}{1+\sqrt{2-\sqrt{2-b}}x+x^2} dx}{4\sqrt{2-\sqrt{2-b}}} + \frac{\int \frac{\sqrt{2+\sqrt{2-b}}-x}{1-\sqrt{2+\sqrt{2-b}}x+x^2} dx}{4\sqrt{2+\sqrt{2-b}}} + \frac{\int \frac{\sqrt{2+\sqrt{2-b}}+x}{1+\sqrt{2+\sqrt{2-b}}x+x^2} dx}{4\sqrt{2+\sqrt{2-b}}} \\ &= \frac{1}{8} \int \frac{1}{1-\sqrt{2-\sqrt{2-b}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2-\sqrt{2-b}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1-\sqrt{2+\sqrt{2-b}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2+\sqrt{2-b}}x+x^2} dx \\ &= -\frac{\log\left(1-\sqrt{2-\sqrt{2-b}}x+x^2\right)}{8\sqrt{2-\sqrt{2-b}}} + \frac{\log\left(1+\sqrt{2-\sqrt{2-b}}x+x^2\right)}{8\sqrt{2-\sqrt{2-b}}} - \frac{\log\left(1-\sqrt{2+\sqrt{2-b}}x+x^2\right)}{8\sqrt{2+\sqrt{2-b}}} + \frac{\log\left(1+\sqrt{2+\sqrt{2-b}}x+x^2\right)}{8\sqrt{2+\sqrt{2-b}}} \\ &= -\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2-b}}-2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2+\sqrt{2-b}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}-2x}{\sqrt{2-\sqrt{2-b}}}\right)}{4\sqrt{2-\sqrt{2-b}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2-b}}+2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2+\sqrt{2-b}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}+2x}{\sqrt{2-\sqrt{2-b}}}\right)}{4\sqrt{2-\sqrt{2-b}}} \end{aligned}$$

Mathematica [C] time = 0.03, size = 55, normalized size = 0.13

$$\frac{1}{4} \text{RootSum}\left[\#1^8 + \#1^4 b + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 + \#1^3 b} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + b*x^4 + x^8), x]

[Out] RootSum[1 + b*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4)/(b*#1^3 + 2*#1^7) &]/4

fricas [B] time = 1.18, size = 1443, normalized size = 3.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+b*x^4+1),x, algorithm="fricas")

[Out]
$$\begin{aligned} & \sqrt{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}} \arctan\left(\frac{1/2 \sqrt{1/2} (b^2 + (b^3 + 6b^2 + 12b + 8) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + 4b + 4) \sqrt{x^2 + 1/2 \sqrt{1/2} (b^2 + (b^3 + 6b^2 + 12b + 8) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + 2b) \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}}}{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)} - 1/2 \sqrt{1/2} ((b^3 + 6b^2 + 12b + 8) x \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + (b^2 + 4b + 4) x) \sqrt{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)} - \sqrt{\sqrt{1/2} \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}} \arctan\left(-\frac{1/2 (\sqrt{1/2} (b^2 - (b^3 + 6b^2 + 12b + 8) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + 4b + 4) \sqrt{x^2 + 1/2 \sqrt{1/2} (b^2 - (b^3 + 6b^2 + 12b + 8) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + 2b) \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}}}{\sqrt{1/2} (b^3 + 6b^2 + 12b + 8) x \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - (b^2 + 4b + 4) x) \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}} \sqrt{\sqrt{1/2} \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}} - 1/4 \sqrt{\sqrt{1/2} \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}} \log\left(\frac{1/2 ((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b - 2) \sqrt{\sqrt{1/2} \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}}}{(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)} + x\right) + 1/4 \sqrt{\sqrt{1/2} \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}} \log\left(-\frac{1/2 ((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b - 2) \sqrt{\sqrt{1/2} \sqrt{-(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)}}}{(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)} + x\right) + 1/4 \sqrt{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}} \log\left(\frac{1/2 ((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b + 2) \sqrt{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}}}{(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)} + x\right) - 1/4 \sqrt{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}} \log\left(-\frac{1/2 ((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b + 2) \sqrt{\sqrt{1/2} \sqrt{((b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} - b)/(b^2 + 4b + 4)}}}{(b^2 + 4b + 4) \sqrt{(b - 2)/(b^3 + 6b^2 + 12b + 8)} + b)/(b^2 + 4b + 4)} + x\right) \end{aligned}$$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+b*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INPUT:sage2:=int(sage0,x):;OUTPUT:Evaluation time: 0.75Unable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.06, size = 42, normalized size = 0.10

$$\frac{\left(\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^7 + 4 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+1)/(x^8+b*x^4+1),x)`

[Out] `1/4*sum((_R^4+1)/(2*_R^7+_R^3*b)*ln(-_R+x),_R=RootOf(_Z^8+_Z^4*b+1))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 + bx^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8+b*x^4+1),x, algorithm="maxima")`

[Out] `integrate((x^4 + 1)/(x^8 + b*x^4 + 1), x)`

mupad [B] time = 3.68, size = 5341, normalized size = 13.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(b*x^4 + x^8 + 1),x)`

[Out] `- atan(((((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16))))^(1/4)*((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) + x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(3/4) - 256*b + 64*b^3 - 16*b^4 + 256) + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*1i - (((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(3/4) - 256*b + 64*b^3 - 16*b^4 + 256) - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*1i)/(((((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) + x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(3/4) - 256*b + 64*b^3 - 16*b^4 + 256) + x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4) + (((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*((-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)*(262144*b + 196608*b^2 - 196608*b^3 - 49152*b^4 + 49152*b^5 + 4096*b^6 - 4096*b^7 - 262144) - x*(32768*b + 65536*b^2 - 32768*b^3 - 20480*b^4 + 10240*b^5 + 2048*b^6 - 1024*b^7 - 65536))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(3/4) - 256*b + 64*b^3 - 16*b^4 + 256) - x*(32*b - 48*b^2 + 24*b^3 - 4*b^4))*(-4*b + ((b - 2)*(b + 2)^5)^(1/2) + 4*b^2 + b^3)/(512*(32*b + 24*b^2 + 8*b^3 + b^4 + 16)))^(1/4)))`

$$\begin{aligned}
& (4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (256b + ((-4 \\
& *b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + \\
& b^4 + 16)))^{1/4} * (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152 \\
& b^5 + 4096b^6 - 4096b^7 - 262144) * i + x * (32768b + 65536b^2 - 32768b^3 \\
& - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) * (-4b + ((b - 2) * \\
& (b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{3/4} \\
& * i - 64b^3 + 16b^4 - 256) * i - x * (32b - 48b^2 + 24b^3 - 4b^4) * (\\
& (-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + \\
& b^4 + 16)))^{1/4} - (((-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3) / \\
& (512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (256b + ((-4b + ((b - 2) \\
& *(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} \\
& * (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 \\
& - 4096b^7 - 262144) * i - x * (32768b + 65536b^2 - 32768b^3 - 20480b^4 \\
& + 10240b^5 + 2048b^6 - 1024b^7 - 65536) * (-4b + ((b - 2)*(b + 2)^5)^{1/2} \\
& + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{3/4} * i - 64b \\
& b^3 + 16b^4 - 256) * i + x * (32b - 48b^2 + 24b^3 - 4b^4) * (-4b + ((b - \\
& 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16) \\
&))^{1/4} / (((-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + \\
& 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (256b + ((-4b + ((b - 2)*(b + 2)^5)^{1/2} \\
& + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (262144 \\
& *b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 \\
& - 262144) * i + x * (32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + \\
& 2048b^6 - 1024b^7 - 65536) * (-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + \\
& b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{3/4} * i - 64b^3 + 16b^4 \\
& - 256) * i - x * (32b - 48b^2 + 24b^3 - 4b^4) * (-4b + ((b - 2)*(b + 2)^5 \\
&)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * i + \\
& (((-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8 \\
& *b^3 + b^4 + 16)))^{1/4} * (256b + ((-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b \\
& ^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (262144b + 19660 \\
& 8b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) * \\
& i - x * (32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 \\
& - 1024b^7 - 65536) * (-4b + ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512 \\
& *(32b + 24b^2 + 8b^3 + b^4 + 16)))^{3/4} * i - 64b^3 + 16b^4 - 256) * i \\
& + x * (32b - 48b^2 + 24b^3 - 4b^4) * (-4b + ((b - 2)*(b + 2)^5)^{1/2} + \\
& 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * i) * (-4b + \\
& ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 \\
& + 16)))^{1/4} - \operatorname{atan}(((((-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(5 \\
& 12(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (((-4b - ((b - 2)*(b + 2)^5 \\
&)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (262 \\
& 144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b \\
& ^7 - 262144) + x * (32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + \\
& 2048b^6 - 1024b^7 - 65536) * (-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + \\
& b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{3/4} - 256b + 64b^3 - 16 \\
& *b^4 + 256) + x * (32b - 48b^2 + 24b^3 - 4b^4) * (-4b - ((b - 2)*(b + 2) \\
& ^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * i \\
& - (((-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + \\
& 8b^3 + b^4 + 16)))^{1/4} * (((-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b \\
& ^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * (262144b + 196608b^2 \\
& - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) - x * (3 \\
& 2768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^ \\
& 7 - 65536) * (-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + \\
& 24b^2 + 8b^3 + b^4 + 16)))^{3/4} - 256b + 64b^3 - 16b^4 + 256) - x * (32 \\
& *b - 48b^2 + 24b^3 - 4b^4) * (-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + \\
& b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16)))^{1/4} * i) / (((-4b - ((b - \\
& 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24b^2 + 8b^3 + b^4 + 16) \\
&))^{1/4} * (((-4b - ((b - 2)*(b + 2)^5)^{1/2} + 4b^2 + b^3)/(512(32b + 24 \\
& *b^2 + 8b^3 + b^4 + 16)))^{1/4} * (262144b + 196608b^2 - 196608b^3 - 4915 \\
& 2b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) + x * (32768b + 65536b^2 \\
& - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) * (-4b
\end{aligned}$$

$$\begin{aligned}
& - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3 / (512(32b + 24b^2 + 8b^3 + b^4 + 16))^{3/4} - 256b + 64b^3 - 16b^4 + 256 + x(32b - 48b^2 + 24b^3 - 4b^4) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} + \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot \left(\left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) - x(32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{3/4} - 256b + 64b^3 - 16b^4 + 256 - x(32b - 48b^2 + 24b^3 - 4b^4) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (256b + \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) \cdot i + x(32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{3/4} \cdot i - 64b^3 + 16b^4 - 256 \cdot i - x(32b - 48b^2 + 24b^3 - 4b^4) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} - \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (256b + \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) \cdot i - x(32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{3/4} \cdot i - 64b^3 + 16b^4 - 256 \cdot i + x(32b - 48b^2 + 24b^3 - 4b^4) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} / \left(\left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (256b + \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) \cdot i + x(32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{3/4} \cdot i - 64b^3 + 16b^4 - 256 \cdot i - x(32b - 48b^2 + 24b^3 - 4b^4) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot i + \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (256b + \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot (262144b + 196608b^2 - 196608b^3 - 49152b^4 + 49152b^5 + 4096b^6 - 4096b^7 - 262144) \cdot i - x(32768b + 65536b^2 - 32768b^3 - 20480b^4 + 10240b^5 + 2048b^6 - 1024b^7 - 65536) \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{3/4} \cdot i - 64b^3 + 16b^4 - 256 \cdot i + x(32b - 48b^2 + 24b^3 - 4b^4) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4} \cdot i \right) \cdot \left(-(4b - \left((b-2)(b+2)^5 \right)^{1/2} + 4b^2 + b^3) / (512(32b + 24b^2 + 8b^3 + b^4 + 16)) \right)^{1/4}
\end{aligned}$$

sympy [A] time = 3.67, size = 75, normalized size = 0.18

$\text{RootSum}\left(t^8(65536b^4 + 524288b^3 + 1572864b^2 + 2097152b + 1048576) + t^4(256b^3 + 1024b^2 + 1024b) + 1, (t\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8+b*x**4+1), x)

```
[Out] RootSum(_t**8*(65536*b**4 + 524288*b**3 + 1572864*b**2 + 2097152*b + 1048576) + _t**4*(256*b**3 + 1024*b**2 + 1024*b) + 1, Lambda(_t, _t*log(1024*_t**5*b**2 + 4096*_t**5*b + 4096*_t**5 + 4*_t*b + 4*_t + x)))
```

3.10 $\int \frac{1+x^4}{1+3x^4+x^8} dx$

Optimal. Leaf size=451

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}}$$

[Out] $\frac{1}{20} \arctan\left(\frac{-1+2^{3/4}x}{(3+5^{1/2})^{1/4}}\right) \cdot (3-5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2} + \frac{1}{20} \arctan\left(\frac{1+2^{3/4}x}{(3+5^{1/2})^{1/4}}\right) \cdot (3-5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2} - \frac{1}{40} \ln\left(\frac{2x^2-2 \cdot 2^{1/4}x \cdot (3+5^{1/2})^{1/4}+5^{1/2}+1}{(3-5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2}}\right) + \frac{1}{40} \ln\left(\frac{2x^2+2 \cdot 2^{1/4}x \cdot (3+5^{1/2})^{1/4}+5^{1/2}+1}{(3-5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2}}\right) + \frac{1}{20} \arctan\left(\frac{-1+2^{3/4}x}{(3-5^{1/2})^{1/4}}\right) \cdot (3+5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2} + \frac{1}{20} \arctan\left(\frac{1+2^{3/4}x}{(3-5^{1/2})^{1/4}}\right) \cdot (3+5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2} - \frac{1}{40} \ln\left(\frac{2x^2-2 \cdot 2^{1/4}x \cdot (3-5^{1/2})^{1/4}+5^{1/2}-1}{(3+5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2}}\right) + \frac{1}{40} \ln\left(\frac{2x^2+2 \cdot 2^{1/4}x \cdot (3-5^{1/2})^{1/4}+5^{1/2}-1}{(3+5^{1/2})^{1/4} \cdot 2^{1/4} \cdot 5^{1/2}}\right)$

Rubi [A] time = 0.41, antiderivative size = 451, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {1420, 211, 1165, 628, 1162, 617, 204}

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}\sqrt{5}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + 3*x^4 + x^8), x]

[Out] $-\frac{((3 + \sqrt{5})^{1/4} \operatorname{ArcTan}\left[\frac{1 - (2^{3/4}x)}{(3 - \sqrt{5})^{1/4}}\right])}{(2 \cdot 2^{3/4} \sqrt{5})} + \frac{((3 + \sqrt{5})^{1/4} \operatorname{ArcTan}\left[\frac{1 + (2^{3/4}x)}{(3 - \sqrt{5})^{1/4}}\right])}{(2 \cdot 2^{3/4} \sqrt{5})} - \frac{((3 - \sqrt{5})^{1/4} \operatorname{ArcTan}\left[\frac{1 - (2^{3/4}x)}{(3 + \sqrt{5})^{1/4}}\right])}{(2 \cdot 2^{3/4} \sqrt{5})} + \frac{((3 - \sqrt{5})^{1/4} \operatorname{ArcTan}\left[\frac{1 + (2^{3/4}x)}{(3 + \sqrt{5})^{1/4}}\right])}{(2 \cdot 2^{3/4} \sqrt{5})} - \frac{((3 + \sqrt{5})^{1/4} \operatorname{Log}\left[\frac{\sqrt{2(3 - \sqrt{5})}}{2 \cdot (2 \cdot (3 - \sqrt{5})^{1/4}x + 2x^2)}\right])}{(4 \cdot 2^{3/4} \sqrt{5})} + \frac{((3 + \sqrt{5})^{1/4} \operatorname{Log}\left[\frac{\sqrt{2(3 + \sqrt{5})}}{2 \cdot (2 \cdot (3 + \sqrt{5})^{1/4}x + 2x^2)}\right])}{(4 \cdot 2^{3/4} \sqrt{5})} - \frac{((3 - \sqrt{5})^{1/4} \operatorname{Log}\left[\frac{\sqrt{2(3 - \sqrt{5})}}{2 \cdot (2 \cdot (3 - \sqrt{5})^{1/4}x + 2x^2)}\right])}{(4 \cdot 2^{3/4} \sqrt{5})} + \frac{((3 - \sqrt{5})^{1/4} \operatorname{Log}\left[\frac{\sqrt{2(3 + \sqrt{5})}}{2 \cdot (2 \cdot (3 + \sqrt{5})^{1/4}x + 2x^2)}\right])}{(4 \cdot 2^{3/4} \sqrt{5})}$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simplify[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1420

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1+3x^4+x^8} dx &= \frac{1}{10} (5-\sqrt{5}) \int \frac{1}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx + \frac{1}{10} (5+\sqrt{5}) \int \frac{1}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx \\ &= \frac{\int \frac{\sqrt{3-\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} + \frac{\int \frac{\sqrt{3-\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} + \frac{\int \frac{\sqrt{3+\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} + \frac{\int \frac{\sqrt{3+\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{10}} \\ &= \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})}-\sqrt[4]{2(3-\sqrt{5})}x+x^2} dx}{4\sqrt{5}} + \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})}+\sqrt[4]{2(3-\sqrt{5})}x+x^2} dx}{4\sqrt{5}} + \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3+\sqrt{5})}-\sqrt[4]{2(3+\sqrt{5})}x+x^2} dx}{4\sqrt{5}} + \frac{\int \frac{1}{\sqrt{\frac{1}{2}(3+\sqrt{5})}+\sqrt[4]{2(3+\sqrt{5})}x+x^2} dx}{4\sqrt{5}} \\ &= -\frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})}-2\sqrt[4]{2(3-\sqrt{5})}x+2x^2\right)}{4 \cdot 2^{3/4}\sqrt{5}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})}+2\sqrt[4]{2(3-\sqrt{5})}x+2x^2\right)}{4 \cdot 2^{3/4}\sqrt{5}} \\ &= -\frac{\tan^{-1}\left(1-\frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3-\sqrt{5})}} + \frac{\tan^{-1}\left(1+\frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3-\sqrt{5})}} - \frac{\tan^{-1}\left(1-\frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3+\sqrt{5})}} + \frac{\tan^{-1}\left(1+\frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt{5}\sqrt[4]{2(3+\sqrt{5})}} \end{aligned}$$

Mathematica [C] time = 0.02, size = 55, normalized size = 0.12

$$\frac{1}{4} \text{RootSum} \left[\#1^8 + 3\#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 + 3\#1^3} \& \right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + 3*x^4 + x^8), x]

[Out] RootSum[1 + 3*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4)/(3*#1^3 + 2*#1^7) &]/4

fricas [B] time = 1.05, size = 951, normalized size = 2.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+3*x^4+1), x, algorithm="fricas")

[Out] 1/80*sqrt(10)*(2*sqrt(5) + 6)^(3/4)*sqrt(sqrt(5) + 3)*(sqrt(5) - 3)*arctan(1/80*sqrt(10)*sqrt(20*x^2 + sqrt(10)*(sqrt(5)*sqrt(2)*x - 5*sqrt(2)*x)*(2*sqrt(5) + 6)^(1/4) - 5*sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3))*(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3)*(sqrt(5) - 2) + 1/40*sqrt(10)*(2*sqrt(5)*x - 5*x)*(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3) - 1/8*(sqrt(5)*sqrt(2) - 3*sqrt(2))*sqrt(2*sqrt(5) + 6)*sqrt(sqrt(5) + 3)) + 1/80*sqrt(10)*(2*sqrt(5) + 6)^(3/4)*sqrt(sqrt(5) + 3)*(sqrt(5) - 3)*arctan(1/80*sqrt(10)*sqrt(20*x^2 - sqrt(10)*(sqrt(5)*sqrt(2)*x - 5*sqrt(2)*x)*(2*sqrt(5) + 6)^(1/4) - 5*sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3))*(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3)*(sqrt(5) - 2) + 1/40*sqrt(10)*(2*sqrt(5)*x - 5*x)*(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3) + 1/8*(sqrt(5)*sqrt(2) - 3*sqrt(2))*sqrt(2*sqrt(5) + 6)*sqrt(sqrt(5) + 3)) - 1/80*sqrt(10)*(sqrt(5) + 3)*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(3/4)*arctan(1/80*sqrt(10)*sqrt(20*x^2 + sqrt(10)*(sqrt(5)*sqrt(2)*x + 5*sqrt(2)*x)*(-2*sqrt(5) + 6)^(1/4) + 5*(sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6))*(sqrt(5) + 2)*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(5/4) - 1/40*(sqrt(10)*(2*sqrt(5)*x + 5*x)*(-2*sqrt(5) + 6)^(5/4) + 5*(sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-2*sqrt(5) + 6))*sqrt(-sqrt(5) + 3)) - 1/80*sqrt(10)*(sqrt(5) + 3)*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(3/4)*arctan(1/80*sqrt(10)*sqrt(20*x^2 - sqrt(10)*(sqrt(5)*sqrt(2)*x + 5*sqrt(2)*x)*(-2*sqrt(5) + 6)^(1/4) + 5*(sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6))*(sqrt(5) + 2)*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(5/4) - 1/40*(sqrt(10)*(2*sqrt(5)*x + 5*x)*(-2*sqrt(5) + 6)^(5/4) - 5*(sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-2*sqrt(5) + 6))*sqrt(-sqrt(5) + 3)) - 1/80*sqrt(10)*sqrt(2)*(2*sqrt(5) + 6)^(1/4)*log(20*x^2 + sqrt(10)*(sqrt(5)*sqrt(2)*x - 5*sqrt(2)*x)*(2*sqrt(5) + 6)^(1/4) - 5*sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3)) + 1/80*sqrt(10)*sqrt(2)*(2*sqrt(5) + 6)^(1/4)*log(20*x^2 - sqrt(10)*(sqrt(5)*sqrt(2)*x - 5*sqrt(2)*x)*(2*sqrt(5) + 6)^(1/4) - 5*sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3)) + 1/80*sqrt(10)*sqrt(2)*(-2*sqrt(5) + 6)^(1/4)*log(20*x^2 + sqrt(10)*(sqrt(5)*sqrt(2)*x + 5*sqrt(2)*x)*(-2*sqrt(5) + 6)^(1/4) + 5*(sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6)) - 1/80*sqrt(10)*sqrt(2)*(-2*sqrt(5) + 6)^(1/4)*log(20*x^2 - sqrt(10)*(sqrt(5)*sqrt(2)*x + 5*sqrt(2)*x)*(-2*sqrt(5) + 6)^(1/4) + 5*(sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6))

giac [A] time = 0.93, size = 239, normalized size = 0.53

$$\frac{1}{80} \left(\pi + 4 \arctan \left(x \sqrt{\sqrt{5} + 1} + 1 \right) \right) \sqrt{5\sqrt{5} + 5} - \frac{1}{80} \left(\pi + 4 \arctan \left(-x \sqrt{\sqrt{5} + 1} + 1 \right) \right) \sqrt{5\sqrt{5} + 5} + \frac{1}{80} \left(\pi + 4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+3*x^4+1), x, algorithm="giac")

[Out] $\frac{1}{80}(\pi + 4\arctan(x\sqrt{\sqrt{5} + 1} + 1))\sqrt{5\sqrt{5} + 5} - \frac{1}{80}(\pi + 4\arctan(-x\sqrt{\sqrt{5} + 1} + 1))\sqrt{5\sqrt{5} + 5} + \frac{1}{80}(\pi + 4\arctan(x\sqrt{\sqrt{5} - 1} - 1))\sqrt{5\sqrt{5} - 5} - \frac{1}{80}(\pi + 4\arctan(-x\sqrt{\sqrt{5} - 1} - 1))\sqrt{5\sqrt{5} - 5} + \frac{1}{40}\sqrt{5\sqrt{5} - 5}\log(16900(x + \sqrt{\sqrt{5} + 1})^2 + 16900x^2) - \frac{1}{40}\sqrt{5\sqrt{5} - 5}\log(16900(x - \sqrt{\sqrt{5} + 1})^2 + 16900x^2) + \frac{1}{40}\sqrt{5\sqrt{5} + 5}\log(2500(x + \sqrt{\sqrt{5} - 1})^2 + 2500x^2) - \frac{1}{40}\sqrt{5\sqrt{5} + 5}\log(2500(x - \sqrt{\sqrt{5} - 1})^2 + 2500x^2)$

maple [C] time = 0.01, size = 42, normalized size = 0.09

$$\frac{\left(\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^4 + 1\right)\ln\left(-\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right) + x\right)}{8\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^7 + 12\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+1)/(x^8+3*x^4+1),x)`

[Out] `1/4*sum((_R^4+1)/(2*_R^7+3*_R^3)*ln(-_R+x),_R=RootOf(-Z^8+3*_Z^4+1))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 + 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8+3*x^4+1),x, algorithm="maxima")`

[Out] `integrate((x^4 + 1)/(x^8 + 3*x^4 + 1), x)`

mupad [B] time = 0.18, size = 459, normalized size = 1.02

$$\frac{2^{3/4}\sqrt{5}\operatorname{atan}\left(\frac{72^{3/4}x(-\sqrt{5}-3)^{1/4}}{2\left(2\sqrt{2}\sqrt{-\sqrt{5}-3}+\sqrt{2}\sqrt{5}\sqrt{-\sqrt{5}-3}\right)}+\frac{32^{3/4}\sqrt{5}x(-\sqrt{5}-3)^{1/4}}{2\left(2\sqrt{2}\sqrt{-\sqrt{5}-3}+\sqrt{2}\sqrt{5}\sqrt{-\sqrt{5}-3}\right)}\right)(-\sqrt{5}-3)^{1/4}}{20} - 2^{3/4}\sqrt{5}\operatorname{atan}\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(3*x^4 + x^8 + 1),x)`

[Out] $(2^{3/4}5^{1/2}\operatorname{atan}((7\cdot 2^{3/4})x(-5^{1/2}-3)^{1/4})/(2(2\cdot 2^{1/2})(-5^{1/2}-3)^{1/2}+2^{1/2}5^{1/2}(-5^{1/2}-3)^{1/2}))+ (3\cdot 2^{3/4})5^{1/2}x(-5^{1/2}-3)^{1/4}/(2(2\cdot 2^{1/2})(-5^{1/2}-3)^{1/2}+2^{1/2}5^{1/2}(-5^{1/2}-3)^{1/2}))+ (-5^{1/2}-3)^{1/4}/20 - (2^{3/4})5^{1/2}\operatorname{atan}((2^{3/4})x(-5^{1/2}-3)^{1/4}7i)/(2(2\cdot 2^{1/2})(-5^{1/2}-3)^{1/2}+2^{1/2}5^{1/2}(-5^{1/2}-3)^{1/2}))+ (2^{3/4})5^{1/2}x(-5^{1/2}-3)^{1/4}3i/(2(2\cdot 2^{1/2})(-5^{1/2}-3)^{1/2}+2^{1/2}5^{1/2}(-5^{1/2}-3)^{1/2}))+ (-5^{1/2}-3)^{1/4}1i)/20 - (2^{3/4})5^{1/2}\operatorname{atan}((7\cdot 2^{3/4})x(5^{1/2}-3)^{1/4})/(2(2\cdot 2^{1/2})(5^{1/2}-3)^{1/2}-2^{1/2}5^{1/2}(5^{1/2}-3)^{1/2}))+ (3\cdot 2^{3/4})5^{1/2}x(5^{1/2}-3)^{1/4}/(2(2\cdot 2^{1/2})(5^{1/2}-3)^{1/2}-2^{1/2}5^{1/2}(5^{1/2}-3)^{1/2}))+ (5^{1/2}-3)^{1/4}/20 + (2^{3/4})5^{1/2}\operatorname{atan}((2^{3/4})x(5^{1/2}-3)^{1/4}7i)/(2(2\cdot 2^{1/2})(5^{1/2}-3)^{1/2}-2^{1/2}5^{1/2}(5^{1/2}-3)^{1/2}))+ (2^{3/4})5^{1/2}x(5^{1/2}-3)^{1/4}3i/(2(2\cdot 2^{1/2})(5^{1/2}-3)^{1/2}-2^{1/2}5^{1/2}(5^{1/2}-3)^{1/2}))+ (5^{1/2}-3)^{1/4}1i)/20$

sympy [A] time = 1.48, size = 24, normalized size = 0.05

$$\text{RootSum}\left(40960000t^8 + 19200t^4 + 1, \left(t \mapsto t \log(25600t^5 + 16t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+1)/(x**8+3*x**4+1),x)
```

```
[Out] RootSum(40960000*_t**8 + 19200*_t**4 + 1, Lambda(_t, _t*log(25600*_t**5 + 1  
6*_t + x)))
```

$$3.11 \quad \int \frac{1+x^4}{1+2x^4+x^8} dx$$

Optimal. Leaf size=85

$$-\frac{\log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}}$$

[Out] 1/4*arctan(-1+x*2^(1/2))*2^(1/2)+1/4*arctan(1+x*2^(1/2))*2^(1/2)-1/8*ln(1+x^2-x*2^(1/2))*2^(1/2)+1/8*ln(1+x^2+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.05, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {28, 211, 1165, 628, 1162, 617, 204}

$$-\frac{\log(x^2 - \sqrt{2}x + 1)}{4\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{4\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{2\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + 2*x^4 + x^8), x]

[Out] -ArcTan[1 - Sqrt[2]*x]/(2*Sqrt[2]) + ArcTan[1 + Sqrt[2]*x]/(2*Sqrt[2]) - Log[1 - Sqrt[2]*x + x^2]/(4*Sqrt[2]) + Log[1 + Sqrt[2]*x + x^2]/(4*Sqrt[2])

Rule 28

Int[(u_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_.) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 617

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e
/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x]] /; FreeQ[{a, c, d, e}, x] &
& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

Rule 1165

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[
(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x]] /; Fre
eQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1+2x^4+x^8} dx &= \int \frac{1}{1+x^4} dx \\ &= \frac{1}{2} \int \frac{1-x^2}{1+x^4} dx + \frac{1}{2} \int \frac{1+x^2}{1+x^4} dx \\ &= \frac{1}{4} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{4} \int \frac{1}{1+\sqrt{2}x+x^2} dx - \frac{\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{4\sqrt{2}} - \frac{\int \frac{\sqrt{2}-2x}{-1+\sqrt{2}x-x^2} dx}{4\sqrt{2}} \\ &= -\frac{\log(1-\sqrt{2}x+x^2)}{4\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{4\sqrt{2}} + \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt{2}x\right)}{2\sqrt{2}} - \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1+\sqrt{2}x\right)}{2\sqrt{2}} \\ &= -\frac{\tan^{-1}(1-\sqrt{2}x)}{2\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{2\sqrt{2}} - \frac{\log(1-\sqrt{2}x+x^2)}{4\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{4\sqrt{2}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 64, normalized size = 0.75

$$\frac{-\log(x^2 - \sqrt{2}x + 1) + \log(x^2 + \sqrt{2}x + 1) - 2 \tan^{-1}(1 - \sqrt{2}x) + 2 \tan^{-1}(\sqrt{2}x + 1)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x^4)/(1 + 2*x^4 + x^8), x]
```

```
[Out] (-2*ArcTan[1 - Sqrt[2]*x] + 2*ArcTan[1 + Sqrt[2]*x] - Log[1 - Sqrt[2]*x + x
^2] + Log[1 + Sqrt[2]*x + x^2])/(4*Sqrt[2])
```

fricas [A] time = 0.91, size = 95, normalized size = 1.12

$$-\frac{1}{2} \sqrt{2} \arctan\left(-\sqrt{2}x + \sqrt{2} \sqrt{x^2 + \sqrt{2}x + 1} - 1\right) - \frac{1}{2} \sqrt{2} \arctan\left(-\sqrt{2}x + \sqrt{2} \sqrt{x^2 - \sqrt{2}x + 1} + 1\right) + \frac{1}{8} \sqrt{2} \log\left(\frac{x^2 + \sqrt{2}x + 1}{x^2 - \sqrt{2}x + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x^4+1)/(x^8+2*x^4+1), x, algorithm="fricas")
```

```
[Out] -1/2*sqrt(2)*arctan(-sqrt(2)*x + sqrt(2)*sqrt(x^2 + sqrt(2)*x + 1) - 1) - 1
/2*sqrt(2)*arctan(-sqrt(2)*x + sqrt(2)*sqrt(x^2 - sqrt(2)*x + 1) + 1) + 1/8
*sqrt(2)*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*log(x^2 - sqrt(2)*x + 1)
```

giac [A] time = 0.39, size = 72, normalized size = 0.85

$$\frac{1}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right) + \frac{1}{8} \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - \frac{1}{8} \sqrt{2} \log(x^2 - \sqrt{2}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+2*x^4+1),x, algorithm="giac")

[Out] 1/4*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/8*sqrt(2)*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*log(x^2 - sqrt(2)*x + 1)

maple [A] time = 0.00, size = 58, normalized size = 0.68

$$\frac{\sqrt{2} \arctan(\sqrt{2} x - 1)}{4} + \frac{\sqrt{2} \arctan(\sqrt{2} x + 1)}{4} + \frac{\sqrt{2} \ln\left(\frac{x^2 + \sqrt{2} x + 1}{x^2 - \sqrt{2} x + 1}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+2*x^4+1),x)

[Out] 1/4*2^(1/2)*arctan(2^(1/2)*x-1)+1/8*2^(1/2)*ln((x^2+2^(1/2)*x+1)/(x^2-2^(1/2)*x+1))+1/4*2^(1/2)*arctan(2^(1/2)*x+1)

maxima [A] time = 1.59, size = 72, normalized size = 0.85

$$\frac{1}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x + \sqrt{2})\right) + \frac{1}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2} (2x - \sqrt{2})\right) + \frac{1}{8} \sqrt{2} \log(x^2 + \sqrt{2} x + 1) - \frac{1}{8} \sqrt{2} \log(x^2 - \sqrt{2} x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+2*x^4+1),x, algorithm="maxima")

[Out] 1/4*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/4*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/8*sqrt(2)*log(x^2 + sqrt(2)*x + 1) - 1/8*sqrt(2)*log(x^2 - sqrt(2)*x + 1)

mupad [B] time = 1.56, size = 33, normalized size = 0.39

$$\sqrt{2} \operatorname{atan}\left(\sqrt{2} x \left(\frac{1}{2} - \frac{1}{2}i\right)\right) \left(\frac{1}{4} + \frac{1}{4}i\right) + \sqrt{2} \operatorname{atan}\left(\sqrt{2} x \left(\frac{1}{2} + \frac{1}{2}i\right)\right) \left(\frac{1}{4} - \frac{1}{4}i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(2*x^4 + x^8 + 1),x)

[Out] 2^(1/2)*atan(2^(1/2)*x*(1/2 - 1i/2))*(1/4 + 1i/4) + 2^(1/2)*atan(2^(1/2)*x*(1/2 + 1i/2))*(1/4 - 1i/4)

sympy [A] time = 0.15, size = 73, normalized size = 0.86

$$-\frac{\sqrt{2} \log(x^2 - \sqrt{2} x + 1)}{8} + \frac{\sqrt{2} \log(x^2 + \sqrt{2} x + 1)}{8} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2} x - 1)}{4} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2} x + 1)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8+2*x**4+1),x)

[Out] -sqrt(2)*log(x**2 - sqrt(2)*x + 1)/8 + sqrt(2)*log(x**2 + sqrt(2)*x + 1)/8 + sqrt(2)*atan(sqrt(2)*x - 1)/4 + sqrt(2)*atan(sqrt(2)*x + 1)/4

3.12 $\int \frac{1+x^4}{1+x^4+x^8} dx$

Optimal. Leaf size=140

$$-\frac{1}{8} \log(x^2 - x + 1) + \frac{1}{8} \log(x^2 + x + 1) - \frac{\log(x^2 - \sqrt{3}x + 1)}{8\sqrt{3}} + \frac{\log(x^2 + \sqrt{3}x + 1)}{8\sqrt{3}} - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{4\sqrt{3}} - \frac{1}{4} \tan^{-1}(\sqrt{3} -$$

[Out] 1/4*arctan(2*x-3^(1/2))+1/4*arctan(2*x+3^(1/2))-1/8*ln(x^2-x+1)+1/8*ln(x^2+x+1)-1/12*arctan(1/3*(1-2*x)*3^(1/2))*3^(1/2)+1/12*arctan(1/3*(1+2*x)*3^(1/2))*3^(1/2)-1/24*ln(1+x^2-x*3^(1/2))*3^(1/2)+1/24*ln(1+x^2+x*3^(1/2))*3^(1/2)

Rubi [A] time = 0.10, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {1419, 1094, 634, 618, 204, 628}

$$-\frac{1}{8} \log(x^2 - x + 1) + \frac{1}{8} \log(x^2 + x + 1) - \frac{\log(x^2 - \sqrt{3}x + 1)}{8\sqrt{3}} + \frac{\log(x^2 + \sqrt{3}x + 1)}{8\sqrt{3}} - \frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{4\sqrt{3}} - \frac{1}{4} \tan^{-1}(\sqrt{3} -$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + x^4 + x^8), x]

[Out] -ArcTan[(1 - 2*x)/Sqrt[3]]/(4*Sqrt[3]) - ArcTan[Sqrt[3] - 2*x]/4 + ArcTan[(1 + 2*x)/Sqrt[3]]/(4*Sqrt[3]) + ArcTan[Sqrt[3] + 2*x]/4 - Log[1 - x + x^2]/8 + Log[1 + x + x^2]/8 - Log[1 - Sqrt[3]*x + x^2]/(8*Sqrt[3]) + Log[1 + Sqrt[3]*x + x^2]/(8*Sqrt[3])

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1094

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]] /

; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

Rule 1419

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e +
q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x
^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4
*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0]
|| (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1+x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+x^2+x^4} dx \\ &= \frac{1}{4} \int \frac{1-x}{1-x+x^2} dx + \frac{1}{4} \int \frac{1+x}{1+x+x^2} dx + \frac{\int \frac{\sqrt{3}-x}{1-\sqrt{3}x+x^2} dx}{4\sqrt{3}} + \frac{\int \frac{\sqrt{3}+x}{1+\sqrt{3}x+x^2} dx}{4\sqrt{3}} \\ &= \frac{1}{8} \int \frac{1}{1-x+x^2} dx - \frac{1}{8} \int \frac{-1+2x}{1-x+x^2} dx + \frac{1}{8} \int \frac{1}{1+x+x^2} dx + \frac{1}{8} \int \frac{1+2x}{1+x+x^2} dx + \frac{1}{8} \int \frac{1}{1+x+x^2} dx \\ &= -\frac{1}{8} \log(1-x+x^2) + \frac{1}{8} \log(1+x+x^2) - \frac{\log(1-\sqrt{3}x+x^2)}{8\sqrt{3}} + \frac{\log(1+\sqrt{3}x+x^2)}{8\sqrt{3}} - \frac{1}{8} \int \frac{1}{1+x+x^2} dx \\ &= -\frac{\tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right)}{4\sqrt{3}} - \frac{1}{4} \tan^{-1}(\sqrt{3}-2x) + \frac{\tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right)}{4\sqrt{3}} + \frac{1}{4} \tan^{-1}(\sqrt{3}+2x) - \frac{1}{8} \log(1-x+x^2) \end{aligned}$$

Mathematica [C] time = 0.17, size = 135, normalized size = 0.96

$$\frac{1}{48} \left(-6 \log(x^2 - x + 1) + 6 \log(x^2 + x + 1) + 4i\sqrt{-6 - 6i\sqrt{3}} \tan^{-1}\left(\frac{1}{2}(1 - i\sqrt{3})x\right) - 4i\sqrt{-6 + 6i\sqrt{3}} \tan^{-1}\left(\frac{1}{2}(1 + i\sqrt{3})x\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 + x^4)/(1 + x^4 + x^8), x]

[Out] ((4*I)*Sqrt[-6 - (6*I)*Sqrt[3]]*ArcTan[((1 - I*Sqrt[3])*x)/2] - (4*I)*Sqrt[-6 + (6*I)*Sqrt[3]]*ArcTan[((1 + I*Sqrt[3])*x)/2] + 4*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] + 4*Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] - 6*Log[1 - x + x^2] + 6*Log[1 + x + x^2])/48

fricas [A] time = 0.90, size = 211, normalized size = 1.51

$$-\frac{1}{12} \sqrt{6} \sqrt{3} \sqrt{2} \arctan\left(-\frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{2} x + \frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{\sqrt{6} \sqrt{2} x + 2x^2 + 2 - \sqrt{3}}\right) - \frac{1}{12} \sqrt{6} \sqrt{3} \sqrt{2} \arctan\left(-\frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{2} x + \frac{1}{3} \sqrt{6} \sqrt{3} \sqrt{\sqrt{6} \sqrt{2} x + 2x^2 + 2 + \sqrt{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+x^4+1), x, algorithm="fricas")

[Out] -1/12*sqrt(6)*sqrt(3)*sqrt(2)*arctan(-1/3*sqrt(6)*sqrt(3)*sqrt(2)*x + 1/3*sqrt(6)*sqrt(3)*sqrt(sqrt(6)*sqrt(2)*x + 2*x^2 + 2) - sqrt(3)) - 1/12*sqrt(6)*sqrt(3)*sqrt(2)*arctan(-1/3*sqrt(6)*sqrt(3)*sqrt(2)*x + 1/3*sqrt(6)*sqrt(3)*sqrt(sqrt(6)*sqrt(2)*x + 2*x^2 + 2) + sqrt(3)) + 1/48*sqrt(6)*sqrt(2)*log(sqrt(6)*sqrt(2)*x + 2*x^2 + 2) - 1/48*sqrt(6)*sqrt(2)*log(-sqrt(6)*sqrt(2)*x + 2*x^2 + 2) + 1/12*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/12*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1))

3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/8*log(x^2 + x + 1) - 1/8*log(x^2 - x + 1)

giac [A] time = 0.42, size = 108, normalized size = 0.77

$$\frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) + \frac{1}{24} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{24} \sqrt{3} \log(x^2 - \sqrt{3}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+x^4+1),x, algorithm="giac")

[Out] 1/12*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/12*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/24*sqrt(3)*log(x^2 + sqrt(3)*x + 1) - 1/24*sqrt(3)*log(x^2 - sqrt(3)*x + 1) + 1/4*arctan(2*x + sqrt(3)) + 1/4*arctan(2*x - sqrt(3)) + 1/8*log(x^2 + x + 1) - 1/8*log(x^2 - x + 1)

maple [A] time = 0.02, size = 109, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{12} + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{12} + \frac{\arctan(2x - \sqrt{3})}{4} + \frac{\arctan(2x + \sqrt{3})}{4} - \frac{\sqrt{3} \ln(x^2 - \sqrt{3}x + 1)}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+x^4+1),x)

[Out] 1/8*ln(x^2+x+1)+1/12*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))-1/24*3^(1/2)*ln(x^2-3^(1/2)*x+1)+1/4*arctan(2*x-3^(1/2))+1/24*3^(1/2)*ln(x^2+3^(1/2)*x+1)+1/4*arctan(2*x+3^(1/2))-1/8*ln(x^2-x+1)+1/12*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{12} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) + \frac{1}{2} \int \frac{1}{x^4 - x^2 + 1} dx + \frac{1}{8} \log(x^2 + x + 1) - \frac{1}{8} \log(x^2 - x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+x^4+1),x, algorithm="maxima")

[Out] 1/12*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/12*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/2*integrate(1/(x^4 - x^2 + 1), x) + 1/8*log(x^2 + x + 1) - 1/8*log(x^2 - x + 1)

mupad [B] time = 0.14, size = 95, normalized size = 0.68

$$\operatorname{atan}\left(\frac{2x}{-1 + \sqrt{3}i}\right) \left(-\frac{1}{4} + \frac{\sqrt{3}i}{12}\right) + \operatorname{atan}\left(\frac{2x}{1 + \sqrt{3}i}\right) \left(\frac{1}{4} + \frac{\sqrt{3}i}{12}\right) + \operatorname{atan}\left(\frac{x2i}{-1 + \sqrt{3}i}\right) \left(\frac{\sqrt{3}}{12} + \frac{1}{4}i\right) + \operatorname{atan}\left(\frac{x2i}{1 + \sqrt{3}i}\right) \left(\frac{\sqrt{3}}{12} - \frac{1}{4}i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^4 + x^8 + 1),x)

[Out] atan((2*x)/(3^(1/2)*1i - 1))*((3^(1/2)*1i)/12 - 1/4) + atan((2*x)/(3^(1/2)*1i + 1))*((3^(1/2)*1i)/12 + 1/4) + atan((x*2i)/(3^(1/2)*1i - 1))*((3^(1/2)*1i)/12 - 1/4) + atan((x*2i)/(3^(1/2)*1i + 1))*((3^(1/2)*1i)/12 + 1/4)

sympy [C] time = 0.70, size = 190, normalized size = 1.36

$$\left(-\frac{1}{8} - \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 - \frac{\sqrt{3}i}{3} + 9216 \left(-\frac{1}{8} - \frac{\sqrt{3}i}{24}\right)^5\right) + \left(-\frac{1}{8} + \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 + 9216 \left(-\frac{1}{8} + \frac{\sqrt{3}i}{24}\right)^5 + \frac{\sqrt{3}i}{3}\right) + \left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 - \frac{\sqrt{3}i}{3} + 9216 \left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right)^5\right) + \left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 + 9216 \left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right)^5 + \frac{\sqrt{3}i}{3}\right) + \left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 - \frac{\sqrt{3}i}{3} + 9216 \left(-\frac{1}{8} - \frac{\sqrt{3}i}{24}\right)^5\right) + \left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 + 9216 \left(-\frac{1}{8} + \frac{\sqrt{3}i}{24}\right)^5 + \frac{\sqrt{3}i}{3}\right) + \left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 - \frac{\sqrt{3}i}{3} + 9216 \left(\frac{1}{8} - \frac{\sqrt{3}i}{24}\right)^5\right) + \left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right) \log\left(x - 1 + 9216 \left(\frac{1}{8} + \frac{\sqrt{3}i}{24}\right)^5 + \frac{\sqrt{3}i}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+1)/(x**8+x**4+1),x)
```

```
[Out] (-1/8 - sqrt(3)*I/24)*log(x - 1 - sqrt(3)*I/3 + 9216*(-1/8 - sqrt(3)*I/24)*
*5) + (-1/8 + sqrt(3)*I/24)*log(x - 1 + 9216*(-1/8 + sqrt(3)*I/24)**5 + sqr
t(3)*I/3) + (1/8 - sqrt(3)*I/24)*log(x + 1 - sqrt(3)*I/3 + 9216*(1/8 - sqrt
(3)*I/24)**5) + (1/8 + sqrt(3)*I/24)*log(x + 1 + 9216*(1/8 + sqrt(3)*I/24)*
*5 + sqrt(3)*I/3) + RootSum(2304*_t**4 + 48*_t**2 + 1, Lambda(_t, _t*log(92
16*_t**5 + 8*_t + x)))
```

3.13 $\int \frac{1+x^4}{1+x^8} dx$

Optimal. Leaf size=347

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{2}}x + 1\right)}{8\sqrt{2 - \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{2}}x + 1\right)}{8\sqrt{2 - \sqrt{2}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{2}}x + 1\right)}{8\sqrt{2 + \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{2}}x + 1\right)}{8\sqrt{2 + \sqrt{2}}}$$

[Out] $-1/8*\arctan((-2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})*(4-2*2^{(1/2)})^{(1/2)}+1/8*\arctan((2*x+(2-2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)})*(4-2*2^{(1/2)})^{(1/2)}-1/8*\ln(1+x^2-x*(2-2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2+x*(2-2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)}-1/8*\arctan((-2*x+(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)})*(4+2*2^{(1/2)})^{(1/2)}+1/8*\arctan((2*x+(2+2^{(1/2)})^{(1/2)})/(2-2^{(1/2)})^{(1/2)})*(4+2*2^{(1/2)})^{(1/2)}-1/8*\ln(1+x^2-x*(2+2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)}+1/8*\ln(1+x^2+x*(2+2^{(1/2)})^{(1/2)})/(2+2^{(1/2)})^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {1413, 1094, 634, 618, 204, 628}

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{2}}x + 1\right)}{8\sqrt{2 - \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{2}}x + 1\right)}{8\sqrt{2 - \sqrt{2}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{2}}x + 1\right)}{8\sqrt{2 + \sqrt{2}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{2}}x + 1\right)}{8\sqrt{2 + \sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 + x^8), x]

[Out] $-(\text{Sqrt}[(2 - \text{Sqrt}[2])/2]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2]])/4 - (\text{Sqrt}[(2 + \text{Sqrt}[2])/2]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2]])/4 + (\text{Sqrt}[(2 - \text{Sqrt}[2])/2]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[2]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[2]])/4 + (\text{Sqrt}[(2 + \text{Sqrt}[2])/2]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[2]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[2]])/4 - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[2]]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[2]]) - \text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[2]]) + \text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[2]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[2]])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In

$t[(b + 2cx)/(a + bx + cx^2), x], x] /;$ FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1094

Int[((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]

Rule 1413

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[2*d*e, 2]}, Dist[e^2/(2*c), Int[1/(d + q*x^(n/2) + e*x^n), x], x] + Dist[e^2/(2*c), Int[1/(d - q*x^(n/2) + e*x^n), x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && PosQ[d*e]

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{2}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{2}x^2+x^4} dx \\ &= \frac{\int \frac{\sqrt{2-\sqrt{2}}-x}{1-\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2-\sqrt{2}}+x}{1+\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}-x}{1-\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}+x}{1+\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} \\ &= \frac{1}{8} \int \frac{1}{1-\sqrt{2-\sqrt{2}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2-\sqrt{2}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1-\sqrt{2+\sqrt{2}}x+x^2} dx + \\ &\quad \frac{\log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} + \frac{\log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} - \frac{\log\left(1-\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} + \frac{\log\left(1+\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} \\ &= -\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right)}{4\sqrt{2+\sqrt{2}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right)}{4\sqrt{2-\sqrt{2}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}+2x}{\sqrt{2+\sqrt{2}}}\right)}{4\sqrt{2+\sqrt{2}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}+2x}{\sqrt{2-\sqrt{2}}}\right)}{4\sqrt{2-\sqrt{2}}} - \frac{\log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} + \frac{\log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right)}{8\sqrt{2-\sqrt{2}}} - \frac{\log\left(1-\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} + \frac{\log\left(1+\sqrt{2+\sqrt{2}}x+x^2\right)}{8\sqrt{2+\sqrt{2}}} \end{aligned}$$

Mathematica [A] time = 0.19, size = 258, normalized size = 0.74

$$\frac{1}{8} \left(-\left(\sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 - 2x \sin\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 + 2x \sin\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 - 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 + 2x \cos\left(\frac{\pi}{8}\right) + 1\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 + x^8), x]

[Out] (2*ArcTan[Sec[Pi/8]*(x + Sin[Pi/8])]*(Cos[Pi/8] - Sin[Pi/8]) + 2*ArcTan[x*Sec[Pi/8] - Tan[Pi/8]]*(Cos[Pi/8] - Sin[Pi/8]) + Log[1 + x^2 + 2*x*Cos[Pi/8]]*(Cos[Pi/8] - Sin[Pi/8]) + Log[1 + x^2 - 2*x*Cos[Pi/8]]*(-Cos[Pi/8] + Sin[Pi/8]) + 2*ArcTan[(x - Cos[Pi/8])*Csc[Pi/8]]*(Cos[Pi/8] + Sin[Pi/8]) + 2*ArcTan[(x + Cos[Pi/8])*Csc[Pi/8]]*(Cos[Pi/8] + Sin[Pi/8]) - Log[1 + x^2 - 2*x*Sin[Pi/8]]*(Cos[Pi/8] + Sin[Pi/8]) + Log[1 + x^2 + 2*x*Sin[Pi/8]]*(Cos[Pi/8] + Sin[Pi/8]))/8

fricas [B] time = 0.87, size = 991, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+1),x, algorithm="fricas")

[Out]
$$-1/8*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 + x*\sqrt{-\sqrt{2} + 2} + 1) + \sqrt{-\sqrt{2} + 2})/\sqrt{\sqrt{2} + 2}) - 1/8*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 - x*\sqrt{-\sqrt{2} + 2} + 1) - \sqrt{-\sqrt{2} + 2})/\sqrt{\sqrt{2} + 2}) - 1/8*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 + x*\sqrt{\sqrt{2} + 2} + 2) + 1) + \sqrt{\sqrt{2} + 2})/\sqrt{-\sqrt{2} + 2}) - 1/8*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\arctan(-(2*x - 2*\sqrt{x^2 - x*\sqrt{\sqrt{2} + 2} + 1) - \sqrt{\sqrt{2} + 2})/\sqrt{-\sqrt{2} + 2}) - 1/8*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\arctan(-(2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) + \sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})/(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})) - 1/8*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\arctan(-(2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 2) + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) - \sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})/(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})) + 1/8*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\arctan((2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) + \sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})/(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})) + 1/8*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\arctan((2*\sqrt{2}*x - 2*\sqrt{2}*\sqrt{x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) - \sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})/(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})) + 1/32*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\log(x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) + 1/32*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\log(x^2 + 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) - 1/32*\sqrt{2}*\sqrt{\sqrt{2} + 2}*\log(x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} + 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) - 1/32*\sqrt{2}*\sqrt{-\sqrt{2} + 2}*\log(x^2 - 1/2*\sqrt{2}*x*\sqrt{\sqrt{2} + 2} - 1/2*\sqrt{2}*x*\sqrt{-\sqrt{2} + 2} + 1) + 1/32*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\log(x^2 + x*\sqrt{\sqrt{2} + 2} + 1) - 1/32*(\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2})*\log(x^2 - x*\sqrt{\sqrt{2} + 2} + 1) + 1/32*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\log(x^2 + x*\sqrt{-\sqrt{2} + 2} + 1) - 1/32*(\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2})*\log(x^2 - x*\sqrt{-\sqrt{2} + 2} + 1)$$

giac [A] time = 0.88, size = 247, normalized size = 0.71

$$\frac{1}{8}\sqrt{-2\sqrt{2} + 4}\arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8}\sqrt{-2\sqrt{2} + 4}\arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8}\sqrt{2\sqrt{2} + 4}\arctan\left(\frac{2x + \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) + \frac{1}{8}\sqrt{2\sqrt{2} + 4}\arctan\left(\frac{2x - \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+1),x, algorithm="giac")

[Out]
$$1/8*\sqrt{-2*\sqrt{2} + 4}*\arctan((2*x + \sqrt{-\sqrt{2} + 2})/\sqrt{\sqrt{2} + 2}) + 1/8*\sqrt{-2*\sqrt{2} + 4}*\arctan((2*x - \sqrt{-\sqrt{2} + 2})/\sqrt{\sqrt{2} + 2}) + 1/8*\sqrt{2*\sqrt{2} + 4}*\arctan((2*x + \sqrt{\sqrt{2} + 2})/\sqrt{-\sqrt{2} + 2}) + 1/8*\sqrt{2*\sqrt{2} + 4}*\arctan((2*x - \sqrt{\sqrt{2} + 2})/\sqrt{-\sqrt{2} + 2}) + 1/16*\sqrt{-2*\sqrt{2} + 4}*\log(x^2 + x*\sqrt{\sqrt{2} + 2} + 1) - 1/16*\sqrt{-2*\sqrt{2} + 4}*\log(x^2 - x*\sqrt{\sqrt{2} + 2} + 1) + 1/16*\sqrt{2*\sqrt{2} + 4}*\log(x^2 + x*\sqrt{-\sqrt{2} + 2} + 1) - 1/16*\sqrt{2*\sqrt{2} + 4}*\log(x^2 - x*\sqrt{-\sqrt{2} + 2} + 1)$$

maple [C] time = 0.01, size = 27, normalized size = 0.08

$$\frac{\left(\text{RootOf}(-Z^8 + 1)^4 + 1\right) \ln\left(-\text{RootOf}(-Z^8 + 1) + x\right)}{8 \text{RootOf}(-Z^8 + 1)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8+1),x)

[Out] 1/8*sum((_R^4+1)/_R^7*ln(-_R+x),_R=RootOf(-Z^8+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 + 1), x)

mupad [B] time = 2.28, size = 311, normalized size = 0.90

$$-\ln\left(\left(\frac{\sqrt{-2\sqrt{2}-4}}{16} - \frac{\sqrt{4-2\sqrt{2}}}{16}\right)^3 \left(65536x - 16384\sqrt{-2\sqrt{2}-4} + 16384\sqrt{4-2\sqrt{2}}\right) + 256\right) \left(\frac{\sqrt{-2\sqrt{2}}}{16}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 + 1),x)

[Out] atan((x*(2^(1/2) - 2)^(1/2)*1i)/2 + (x*(2^(1/2) + 2)^(1/2)*1i)/2 + (2^(1/2) *x*(2^(1/2) - 2)^(1/2)*1i)/2 - (2^(1/2)*x*(2^(1/2) + 2)^(1/2)*1i)/2)*((2^(1/2)*(2^(1/2) - 2)^(1/2)*1i)/8 + (2^(1/2)*(2^(1/2) + 2)^(1/2)*1i)/8) - log(((- 2*2^(1/2) - 4)^(1/2)/16 - (4 - 2*2^(1/2))^(1/2)/16)^3*(65536*x - 16384*(- 2*2^(1/2) - 4)^(1/2) + 16384*(4 - 2*2^(1/2))^(1/2)) + 256)*((- 2*2^(1/2) - 4)^(1/2)/16 - (4 - 2*2^(1/2))^(1/2)/16) - (atan(x*(2^(1/2) + 2)^(3/2)*(1 - 1i/2) - 2^(1/2)*x*(2^(1/2) + 2)^(3/2)*(3/4 - 1i/4))*(2^(1/2)*(1 - 1i) - 2) * (2^(1/2) + 2)^(1/2)*1i)/8 + (atan(x*(2^(1/2) + 2)^(3/2)*(1/2 + 1i) - 2^(1/2)*x*(2^(1/2) + 2)^(3/2)*(1/4 + 3i/4))*(2^(1/2)*(1 + 1i) - 2i)*(2^(1/2) + 2)^(1/2)*1i)/8 + 2^(1/2)*log(x - (2^(1/2) + 2)^(3/2)*(1/2 + 1i) + 2^(1/2)*(2^(1/2) + 2)^(3/2)*(1/4 + 3i/4))*((2^(1/2) - 2)^(1/2)/16 + (2^(1/2) + 2)^(1/2)/16)*1i

sympy [A] time = 2.78, size = 19, normalized size = 0.05

$$\text{RootSum}\left(1048576t^8 + 1, \left(t \mapsto t \log(4096t^5 + 4t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8+1),x)

[Out] RootSum(1048576*_t**8 + 1, Lambda(_t, _t*log(4096*_t**5 + 4*_t + x)))

3.14 $\int \frac{1+x^4}{1-x^4+x^8} dx$

Optimal. Leaf size=331

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}} x + 1\right)}{8\sqrt{2 - \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}} x + 1\right)}{8\sqrt{2 - \sqrt{3}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{3}} x + 1\right)}{8\sqrt{2 + \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{3}} x + 1\right)}{8\sqrt{2 + \sqrt{3}}}$$

[Out] $-1/8*\ln(1+x^2-x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))/(1/2*6^{(1/2)}-1/2*2^{(1/2)})+1/8*\ln(1+x^2+x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))/(1/2*6^{(1/2)}-1/2*2^{(1/2)})-1/4*\arctan((-2*x+1/2*6^{(1/2)}-1/2*2^{(1/2)})/(1/2*6^{(1/2)}+1/2*2^{(1/2)}))*(1/2*6^{(1/2)}-1/2*2^{(1/2)})+1/4*\arctan((2*x+1/2*6^{(1/2)}-1/2*2^{(1/2)})/(1/2*6^{(1/2)}+1/2*2^{(1/2)}))*(1/2*6^{(1/2)}-1/2*2^{(1/2)})-1/8*\ln(1+x^2-x*(1/2*6^{(1/2)}+1/2*2^{(1/2)}))/(1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/8*\ln(1+x^2+x*(1/2*6^{(1/2)}+1/2*2^{(1/2)}))/(1/2*6^{(1/2)}+1/2*2^{(1/2)})-1/4*\arctan((-2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/4*\arctan((2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*(1/2*6^{(1/2)}+1/2*2^{(1/2)})$

Rubi [A] time = 0.23, antiderivative size = 331, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1419, 1094, 634, 618, 204, 628}

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}} x + 1\right)}{8\sqrt{2 - \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}} x + 1\right)}{8\sqrt{2 - \sqrt{3}}} - \frac{\log\left(x^2 - \sqrt{2 + \sqrt{3}} x + 1\right)}{8\sqrt{2 + \sqrt{3}}} + \frac{\log\left(x^2 + \sqrt{2 + \sqrt{3}} x + 1\right)}{8\sqrt{2 + \sqrt{3}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - x^4 + x^8), x]

[Out] $-(\text{Sqrt}[2 - \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 + \text{Sqrt}[3]]])/4 - (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/4 + (\text{Sqrt}[2 - \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 - \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 + \text{Sqrt}[3]]])/4 + (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/4 - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[3]]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 - \text{Sqrt}[3]]) - \text{Log}[1 - \text{Sqrt}[2 + \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[3]]) + \text{Log}[1 + \text{Sqrt}[2 + \text{Sqrt}[3]]*x + x^2]/(8*\text{Sqrt}[2 + \text{Sqrt}[3]])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634


```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1094

```
Int[((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(r - x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(r + x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1419

```
Int[((d_.) + (e_.)*(x_)^(n_))/((a_.) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))
```

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{3}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{3}x^2+x^4} dx \\ &= \frac{\int \frac{\sqrt{2-\sqrt{3}}-x}{1-\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{2-\sqrt{3}}} + \frac{\int \frac{\sqrt{2-\sqrt{3}}+x}{1+\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{2-\sqrt{3}}} + \frac{\int \frac{\sqrt{2+\sqrt{3}}-x}{1-\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{2+\sqrt{3}}} + \frac{\int \frac{\sqrt{2+\sqrt{3}}+x}{1+\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{2+\sqrt{3}}} \\ &= \frac{1}{8} \int \frac{1}{1-\sqrt{2-\sqrt{3}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2-\sqrt{3}}x+x^2} dx + \frac{1}{8} \int \frac{1}{1-\sqrt{2+\sqrt{3}}x+x^2} dx \\ &= -\frac{\log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right)}{8\sqrt{2-\sqrt{3}}} + \frac{\log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right)}{8\sqrt{2-\sqrt{3}}} - \frac{\log\left(1-\sqrt{2+\sqrt{3}}x+x^2\right)}{8\sqrt{2+\sqrt{3}}} + \frac{\log\left(1+\sqrt{2+\sqrt{3}}x+x^2\right)}{8\sqrt{2+\sqrt{3}}} \\ &= -\frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}-2x}{\sqrt{2+\sqrt{3}}}\right)}{4\sqrt{2+\sqrt{3}}} - \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right)}{4\sqrt{2-\sqrt{3}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}+2x}{\sqrt{2+\sqrt{3}}}\right)}{4\sqrt{2+\sqrt{3}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}+2x}{\sqrt{2-\sqrt{3}}}\right)}{4\sqrt{2-\sqrt{3}}} \end{aligned}$$

Mathematica [C] time = 0.02, size = 55, normalized size = 0.17

$$\frac{1}{4} \text{RootSum} \left[\#1^8 - \#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 - \#1^3} \& \right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + x^4)/(1 - x^4 + x^8), x]
```

```
[Out] RootSum[1 - #1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4)/(-#1^3 + 2*#1^7) & ]/4
```

fricas [A] time = 0.93, size = 377, normalized size = 1.14

$$-\frac{1}{8}\sqrt{\sqrt{3}+2}(\sqrt{3}-2)\log\left(2x^2+2x\sqrt{\sqrt{3}+2}+2\right)+\frac{1}{8}\sqrt{\sqrt{3}+2}(\sqrt{3}-2)\log\left(2x^2-2x\sqrt{\sqrt{3}+2}+2\right)+\frac{1}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-x^4+1),x, algorithm="fricas")

[Out] -1/8*sqrt(sqrt(3)+2)*(sqrt(3)-2)*log(2*x^2+2*x*sqrt(sqrt(3)+2)+2)+1/8*sqrt(sqrt(3)+2)*(sqrt(3)-2)*log(2*x^2-2*x*sqrt(sqrt(3)+2)+2)+1/16*(sqrt(3)+2)*sqrt(-4*sqrt(3)+8)*log(2*x^2+x*sqrt(-4*sqrt(3)+8)+2)-1/16*(sqrt(3)+2)*sqrt(-4*sqrt(3)+8)*log(2*x^2-x*sqrt(-4*sqrt(3)+8)+2)-1/2*sqrt(sqrt(3)+2)*arctan(sqrt(2)*sqrt(2*x^2+2*x*sqrt(sqrt(3)+2)+2)*sqrt(sqrt(3)+2)-2*x*sqrt(sqrt(3)+2)-sqrt(3)-2)-1/2*sqrt(sqrt(3)+2)*arctan(sqrt(2)*sqrt(2*x^2-2*x*sqrt(sqrt(3)+2)+2)*sqrt(sqrt(3)+2)-2*x*sqrt(sqrt(3)+2)+sqrt(3)+2)-1/4*sqrt(-4*sqrt(3)+8)*arctan(1/2*sqrt(2)*sqrt(2*x^2+x*sqrt(-4*sqrt(3)+8)+2)*sqrt(-4*sqrt(3)+8)-x*sqrt(-4*sqrt(3)+8)+sqrt(3)-2)-1/4*sqrt(-4*sqrt(3)+8)*arctan(1/2*sqrt(2)*sqrt(2*x^2-x*sqrt(-4*sqrt(3)+8)+2)*sqrt(-4*sqrt(3)+8)-x*sqrt(-4*sqrt(3)+8)-sqrt(3)+2)

giac [A] time = 0.50, size = 245, normalized size = 0.74

$$\frac{1}{8}(\sqrt{6}-\sqrt{2})\arctan\left(\frac{4x+\sqrt{6}-\sqrt{2}}{\sqrt{6}+\sqrt{2}}\right)+\frac{1}{8}(\sqrt{6}-\sqrt{2})\arctan\left(\frac{4x-\sqrt{6}+\sqrt{2}}{\sqrt{6}+\sqrt{2}}\right)+\frac{1}{8}(\sqrt{6}+\sqrt{2})\arctan\left(\frac{4x+\sqrt{6}+\sqrt{2}}{\sqrt{6}-\sqrt{2}}\right)+\frac{1}{8}(\sqrt{6}+\sqrt{2})\arctan\left(\frac{4x-\sqrt{6}-\sqrt{2}}{\sqrt{6}-\sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/8*(sqrt(6)-sqrt(2))*arctan((4*x+sqrt(6)-sqrt(2))/(sqrt(6)+sqrt(2))) + 1/8*(sqrt(6)-sqrt(2))*arctan((4*x-sqrt(6)+sqrt(2))/(sqrt(6)+sqrt(2))) + 1/8*(sqrt(6)+sqrt(2))*arctan((4*x+sqrt(6)+sqrt(2))/(sqrt(6)-sqrt(2))) + 1/8*(sqrt(6)+sqrt(2))*arctan((4*x-sqrt(6)-sqrt(2))/(sqrt(6)-sqrt(2))) + 1/16*(sqrt(6)-sqrt(2))*log(x^2+1/2*x*(sqrt(6)+sqrt(2))+1) - 1/16*(sqrt(6)-sqrt(2))*log(x^2-1/2*x*(sqrt(6)+sqrt(2))+1) + 1/16*(sqrt(6)+sqrt(2))*log(x^2+1/2*x*(sqrt(6)-sqrt(2))+1) - 1/16*(sqrt(6)+sqrt(2))*log(x^2-1/2*x*(sqrt(6)-sqrt(2))+1)

maple [C] time = 0.01, size = 42, normalized size = 0.13

$$\frac{\left(\text{RootOf}\left(-Z^8-Z^4+1\right)^4+1\right)\ln\left(-\text{RootOf}\left(-Z^8-Z^4+1\right)+x\right)}{8\text{RootOf}\left(-Z^8-Z^4+1\right)^7-4\text{RootOf}\left(-Z^8-Z^4+1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-x^4+1),x)

[Out] 1/4*sum((_R^4+1)/(2*_R^7-_R^3)*ln(-_R+x),_R=RootOf(-Z^8-Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4+1}{x^8-x^4+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((x⁴ + 1)/(x⁸ - x⁴ + 1), x)

mupad [B] time = 0.22, size = 145, normalized size = 0.44

$$-\operatorname{atan}\left(\frac{\sqrt{6} x (27 - 27i)}{27\sqrt{3} - 81i}\right) \left(\sqrt{2} \left(\frac{1}{8} + \frac{1}{8}i\right) + \sqrt{6} \left(-\frac{1}{8} + \frac{1}{8}i\right)\right) - \operatorname{atan}\left(\frac{\sqrt{6} x (27 + 27i)}{27\sqrt{3} - 81i}\right) \left(\sqrt{2} \left(\frac{1}{8} - \frac{1}{8}i\right) + \sqrt{6} \left(\frac{1}{8} + \frac{1}{8}i\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x⁴ + 1)/(x⁸ - x⁴ + 1), x)

[Out] - atan((6^(1/2)*x*(27 - 27i))/(27*3^(1/2) - 81i))*(2^(1/2)*(1/8 + 1i/8) - 6^(1/2)*(1/8 - 1i/8)) - atan((6^(1/2)*x*(27 + 27i))/(27*3^(1/2) - 81i))*(2^(1/2)*(1/8 - 1i/8) + 6^(1/2)*(1/8 + 1i/8)) - atan((6^(1/2)*x*(27 - 27i))/(27*3^(1/2) + 81i))*(2^(1/2)*(1/8 + 1i/8) + 6^(1/2)*(1/8 - 1i/8)) - atan((6^(1/2)*x*(27 + 27i))/(27*3^(1/2) + 81i))*(2^(1/2)*(1/8 - 1i/8) - 6^(1/2)*(1/8 + 1i/8))

sympy [A] time = 3.10, size = 20, normalized size = 0.06

$$\operatorname{RootSum}\left(65536t^8 - 256t^4 + 1, (t \mapsto t \log(1024t^5 + x))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8-x**4+1), x)

[Out] RootSum(65536*_t**8 - 256*_t**4 + 1, Lambda(_t, _t*log(1024*_t**5 + x)))

$$3.15 \quad \int \frac{1+x^4}{1-2x^4+x^8} dx$$

Optimal. Leaf size=27

$$\frac{x}{2(1-x^4)} + \frac{1}{4} \tan^{-1}(x) + \frac{1}{4} \tanh^{-1}(x)$$

[Out] 1/2*x/(-x^4+1)+1/4*arctan(x)+1/4*arctanh(x)

Rubi [A] time = 0.01, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {28, 385, 212, 206, 203}

$$\frac{x}{2(1-x^4)} + \frac{1}{4} \tan^{-1}(x) + \frac{1}{4} \tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 2*x^4 + x^8), x]

[Out] x/(2*(1 - x^4)) + ArcTan[x]/4 + ArcTanh[x]/4

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^(p_.), x_Symbol] :> Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 385

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] :> -Simp[((b*c - a*d)*x*(a + b*x^n)^(p + 1))/(a*b*n*(p + 1)), x] - Dist[(a*d - b*c*(n*(p + 1) + 1))/(a*b*n*(p + 1)), Int[(a + b*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1-2x^4+x^8} dx &= \int \frac{1+x^4}{(-1+x^4)^2} dx \\
&= \frac{x}{2(1-x^4)} - \frac{1}{2} \int \frac{1}{-1+x^4} dx \\
&= \frac{x}{2(1-x^4)} + \frac{1}{4} \int \frac{1}{1-x^2} dx + \frac{1}{4} \int \frac{1}{1+x^2} dx \\
&= \frac{x}{2(1-x^4)} + \frac{1}{4} \tan^{-1}(x) + \frac{1}{4} \tanh^{-1}(x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 31, normalized size = 1.15

$$\frac{1}{8} \left(-\frac{4x}{x^4-1} - \log(1-x) + \log(x+1) + 2 \tan^{-1}(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 2*x^4 + x^8), x]

[Out] ((-4*x)/(-1 + x^4) + 2*ArcTan[x] - Log[1 - x] + Log[1 + x])/8

fricas [B] time = 0.61, size = 43, normalized size = 1.59

$$\frac{2(x^4-1) \arctan(x) + (x^4-1) \log(x+1) - (x^4-1) \log(x-1) - 4x}{8(x^4-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-2*x^4+1), x, algorithm="fricas")

[Out] 1/8*(2*(x^4 - 1)*arctan(x) + (x^4 - 1)*log(x + 1) - (x^4 - 1)*log(x - 1) - 4*x)/(x^4 - 1)

giac [A] time = 0.52, size = 29, normalized size = 1.07

$$-\frac{x}{2(x^4-1)} + \frac{1}{4} \arctan(x) + \frac{1}{8} \log(|x+1|) - \frac{1}{8} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-2*x^4+1), x, algorithm="giac")

[Out] -1/2*x/(x^4 - 1) + 1/4*arctan(x) + 1/8*log(abs(x + 1)) - 1/8*log(abs(x - 1))

maple [A] time = 0.01, size = 42, normalized size = 1.56

$$\frac{x}{4x^2+4} + \frac{\arctan(x)}{4} - \frac{\ln(x-1)}{8} + \frac{\ln(x+1)}{8} - \frac{1}{8(x+1)} - \frac{1}{8(x-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-2*x^4+1), x)

[Out] -1/8/(x+1)+1/8*ln(x+1)+1/4/(x^2+1)*x+1/4*arctan(x)-1/8/(x-1)-1/8*ln(x-1)

maxima [A] time = 1.33, size = 27, normalized size = 1.00

$$-\frac{x}{2(x^4-1)} + \frac{1}{4} \arctan(x) + \frac{1}{8} \log(x+1) - \frac{1}{8} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-2*x^4+1),x, algorithm="maxima")

[Out] -1/2*x/(x^4 - 1) + 1/4*arctan(x) + 1/8*log(x + 1) - 1/8*log(x - 1)

mupad [B] time = 0.05, size = 21, normalized size = 0.78

$$\frac{\operatorname{atan}(x)}{4} + \frac{\operatorname{atanh}(x)}{4} - \frac{x}{2(x^4-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 2*x^4 + 1),x)

[Out] atan(x)/4 + atanh(x)/4 - x/(2*(x^4 - 1))

sympy [A] time = 0.15, size = 26, normalized size = 0.96

$$-\frac{x}{2x^4-2} - \frac{\log(x-1)}{8} + \frac{\log(x+1)}{8} + \frac{\operatorname{atan}(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8-2*x**4+1),x)

[Out] -x/(2*x**4 - 2) - log(x - 1)/8 + log(x + 1)/8 + atan(x)/4

3.16 $\int \frac{1+x^4}{1-3x^4+x^8} dx$

Optimal. Leaf size=131

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}}$$

[Out] arctan(x*2^(1/2)/(5^(1/2)-1)^(1/2))/(-2+2*5^(1/2))^(1/2)+arctanh(x*2^(1/2)/(5^(1/2)-1)^(1/2))/(-2+2*5^(1/2))^(1/2)-arctan(x*2^(1/2)/(5^(1/2)+1)^(1/2))/(2+2*5^(1/2))^(1/2)-arctanh(x*2^(1/2)/(5^(1/2)+1)^(1/2))/(2+2*5^(1/2))^(1/2)

Rubi [A] time = 0.09, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{2(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 3*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[2*(-1 + Sqrt[5])] - ArcTan[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[2*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[2*(-1 + Sqrt[5])] - ArcTanh[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[2*(1 + Sqrt[5])]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1-3x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{5}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{5}x^2+x^4} dx \\
&= \frac{1}{2} \int \frac{1}{-\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx - \frac{1}{2} \int \frac{1}{\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx + \frac{1}{2} \int \frac{1}{-\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx - \frac{1}{2} \int \frac{1}{\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx \\
&= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}} x\right)}{\sqrt{2(-1+\sqrt{5})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}} x\right)}{\sqrt{2(-1+\sqrt{5})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{2(1+\sqrt{5})}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 131, normalized size = 1.00

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}} x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{2(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}} x\right)}{\sqrt{2(\sqrt{5}-1)}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{2(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 3*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]x]/Sqrt[2*(-1 + Sqrt[5])] - ArcTan[Sqrt[2/(1 + Sqrt[5])]x]/Sqrt[2*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]x]/Sqrt[2*(-1 + Sqrt[5])] - ArcTanh[Sqrt[2/(1 + Sqrt[5])]x]/Sqrt[2*(1 + Sqrt[5])]

fricas [B] time = 0.95, size = 247, normalized size = 1.89

$$-\frac{1}{2} \sqrt{2} \sqrt{\sqrt{5} + 1} \arctan\left(-\frac{1}{2} \sqrt{2} x \sqrt{\sqrt{5} + 1} + \frac{1}{2} \sqrt{2x^2 + \sqrt{5} - 1} \sqrt{\sqrt{5} + 1}\right) + \frac{1}{2} \sqrt{2} \sqrt{\sqrt{5} - 1} \arctan\left(-\frac{1}{2} \sqrt{2} x \sqrt{\sqrt{5} - 1} + \frac{1}{2} \sqrt{2x^2 + \sqrt{5} - 1} \sqrt{\sqrt{5} - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-3*x^4+1), x, algorithm="fricas")

[Out] -1/2*sqrt(2)*sqrt(sqrt(5) + 1)*arctan(-1/2*sqrt(2)*x*sqrt(sqrt(5) + 1) + 1/2*sqrt(2*x^2 + sqrt(5) - 1)*sqrt(sqrt(5) + 1)) + 1/2*sqrt(2)*sqrt(sqrt(5) - 1)*arctan(-1/2*sqrt(2)*x*sqrt(sqrt(5) - 1) + 1/2*sqrt(2*x^2 + sqrt(5) + 1)*sqrt(sqrt(5) - 1)) + 1/8*sqrt(2)*sqrt(sqrt(5) + 1)*log((sqrt(5)*sqrt(2) - sqrt(2))*sqrt(sqrt(5) + 1) + 4*x) - 1/8*sqrt(2)*sqrt(sqrt(5) + 1)*log(-(sqrt(5)*sqrt(2) - sqrt(2))*sqrt(sqrt(5) + 1) + 4*x) - 1/8*sqrt(2)*sqrt(sqrt(5) - 1)*log((sqrt(5)*sqrt(2) + sqrt(2))*sqrt(sqrt(5) - 1) + 4*x) + 1/8*sqrt(2)*sqrt(sqrt(5) - 1)*log(-(sqrt(5)*sqrt(2) + sqrt(2))*sqrt(sqrt(5) - 1) + 4*x)

giac [A] time = 0.96, size = 147, normalized size = 1.12

$$-\frac{1}{4} \sqrt{2} \sqrt{\sqrt{5} - 2} \arctan\left(\frac{x}{\sqrt{\frac{1}{2} \sqrt{5} + \frac{1}{2}}}\right) + \frac{1}{4} \sqrt{2} \sqrt{\sqrt{5} + 2} \arctan\left(\frac{x}{\sqrt{\frac{1}{2} \sqrt{5} - \frac{1}{2}}}\right) - \frac{1}{8} \sqrt{2} \sqrt{\sqrt{5} - 2} \log\left(x + \sqrt{\frac{1}{2} \sqrt{5} + \frac{1}{2}}\right) + \frac{1}{8} \sqrt{2} \sqrt{\sqrt{5} + 2} \log\left(x + \sqrt{\frac{1}{2} \sqrt{5} - \frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-3*x^4+1), x, algorithm="giac")

[Out] -1/4*sqrt(2)*sqrt(5) - 2)*arctan(x/sqrt(1/2*sqrt(5) + 1/2)) + 1/4*sqrt(2)*sqrt(5) + 2)*arctan(x/sqrt(1/2*sqrt(5) - 1/2)) - 1/8*sqrt(2)*sqrt(5) - 2)*log(a

$\text{bs}(x + \sqrt{1/2\sqrt{5} + 1/2})) + 1/8\sqrt{2\sqrt{5} - 2}\log(\text{abs}(x - \sqrt{1/2\sqrt{5} + 1/2})) + 1/8\sqrt{2\sqrt{5} + 2}\log(\text{abs}(x + \sqrt{1/2\sqrt{5} - 1/2})) - 1/8\sqrt{2\sqrt{5} + 2}\log(\text{abs}(x - \sqrt{1/2\sqrt{5} - 1/2}))$

maple [A] time = 0.04, size = 96, normalized size = 0.73

$$\frac{\operatorname{arctanh}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{\sqrt{-2+2\sqrt{5}}} - \frac{\operatorname{arctanh}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{\sqrt{2+2\sqrt{5}}} + \frac{\operatorname{arctan}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{\sqrt{-2+2\sqrt{5}}} - \frac{\operatorname{arctan}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{\sqrt{2+2\sqrt{5}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4+1)/(x^8-3*x^4+1), x)`

[Out] $-1/(2+2\cdot 5^{1/2})^{1/2}\operatorname{arctanh}(2/(2+2\cdot 5^{1/2})^{1/2}x)+1/(-2+2\cdot 5^{1/2})^{1/2}\operatorname{arctan}(2/(-2+2\cdot 5^{1/2})^{1/2}x)+1/(-2+2\cdot 5^{1/2})^{1/2}\operatorname{arctanh}(2/(-2+2\cdot 5^{1/2})^{1/2}x)-1/(2+2\cdot 5^{1/2})^{1/2}\operatorname{arctan}(2/(2+2\cdot 5^{1/2})^{1/2}x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x^4+1)/(x^8-3*x^4+1), x, algorithm="maxima")`

[Out] `integrate((x^4 + 1)/(x^8 - 3*x^4 + 1), x)`

mupad [B] time = 0.20, size = 269, normalized size = 2.05

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} x \sqrt{\sqrt{5}-1} 1875i}{2(875 \sqrt{5}-1875)} - \frac{\sqrt{2} \sqrt{5} x \sqrt{\sqrt{5}-1} 875i}{2(875 \sqrt{5}-1875)}\right) \sqrt{\sqrt{5}-1} 1i}{4} - \frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} x \sqrt{\sqrt{5}+1} 1875i}{2(875 \sqrt{5}+1875)} + \frac{\sqrt{2} \sqrt{5} x \sqrt{\sqrt{5}+1} 875i}{2(875 \sqrt{5}+1875)}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4 + 1)/(x^8 - 3*x^4 + 1), x)`

[Out] $(2^{1/2}\operatorname{atan}((2^{1/2}x(1-5^{1/2})^{1/2}1875i)/(2(875\cdot 5^{1/2}-1875)) - (2^{1/2}\cdot 5^{1/2}x(1-5^{1/2})^{1/2}875i)/(2(875\cdot 5^{1/2}-1875))))\cdot (1-5^{1/2})^{1/2}1i)/4 - (2^{1/2}\operatorname{atan}((2^{1/2}x(5^{1/2}+1)^{1/2}1875i)/(2(875\cdot 5^{1/2}+1875)) + (2^{1/2}\cdot 5^{1/2}x(5^{1/2}+1)^{1/2}875i)/(2(875\cdot 5^{1/2}+1875))))\cdot (5^{1/2}+1)^{1/2}1i)/4 - (2^{1/2}\operatorname{atan}((2^{1/2}x(5^{1/2}-1)^{1/2}1875i)/(2(875\cdot 5^{1/2}-1875)) - (2^{1/2}\cdot 5^{1/2}x(5^{1/2}-1)^{1/2}875i)/(2(875\cdot 5^{1/2}-1875))))\cdot (5^{1/2}-1)^{1/2}1i)/4 + (2^{1/2}\operatorname{atan}((2^{1/2}x(-5^{1/2}-1)^{1/2}1875i)/(2(875\cdot 5^{1/2}+1875)) + (2^{1/2}\cdot 5^{1/2}x(-5^{1/2}-1)^{1/2}875i)/(2(875\cdot 5^{1/2}+1875))))\cdot (-5^{1/2}-1)^{1/2}1i)/4$

sympy [A] time = 1.19, size = 49, normalized size = 0.37

$\operatorname{RootSum}(256t^4 - 16t^2 - 1, (t \mapsto t \log(1024t^5 - 8t + x))) + \operatorname{RootSum}(256t^4 + 16t^2 - 1, (t \mapsto t \log(1024t^5 - 8t + x)))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((x**4+1)/(x**8-3*x**4+1), x)`

[Out] `RootSum(256*_t**4 - 16*_t**2 - 1, Lambda(_t, _t*log(1024*_t**5 - 8*_t + x))) + RootSum(256*_t**4 + 16*_t**2 - 1, Lambda(_t, _t*log(1024*_t**5 - 8*_t + x)))`

$$3.17 \quad \int \frac{1+x^4}{1-4x^4+x^8} dx$$

Optimal. Leaf size=157

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}}$$

[Out] 1/4*arctan(2^(1/4)*x/(3^(1/2)-1)^(1/2))*2^(3/4)/(3^(1/2)-1)^(1/2)+1/4*arctanh(2^(1/4)*x/(3^(1/2)-1)^(1/2))*2^(3/4)/(3^(1/2)-1)^(1/2)-1/4*arctan(2^(1/4)*x/(1+3^(1/2))^(1/2))*2^(3/4)/(1+3^(1/2))^(1/2)-1/4*arctanh(2^(1/4)*x/(1+3^(1/2))^(1/2))*2^(3/4)/(1+3^(1/2))^(1/2)

Rubi [A] time = 0.09, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{\sqrt{3}-1}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 4*x^4 + x^8), x]

[Out] ArcTan[(2^(1/4)*x)/Sqrt[-1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[-1 + Sqrt[3]]) - ArcTan[(2^(1/4)*x)/Sqrt[1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[1 + Sqrt[3]]) + ArcTanh[(2^(1/4)*x)/Sqrt[-1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[-1 + Sqrt[3]]) - ArcTanh[(2^(1/4)*x)/Sqrt[1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[1 + Sqrt[3]])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[Rt[b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1-4x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{6}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{6}x^2+x^4} dx \\
&= \frac{\int \frac{1}{-\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} + \frac{\int \frac{1}{\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} - \frac{\int \frac{1}{-\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} - \frac{\int \frac{1}{\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{2}} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{-1+\sqrt{3}}} - \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{-1+\sqrt{3}}} - \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{1+\sqrt{3}}}
\end{aligned}$$

Mathematica [C] time = 0.01, size = 53, normalized size = 0.34

$$\frac{1}{8} \text{RootSum}\left[\#1^8 - 4\#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{\#1^7 - 2\#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 4*x^4 + x^8), x]

[Out] RootSum[1 - 4*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4)/(-2*#1^3 + #1^7) &]/8

fricas [B] time = 0.83, size = 331, normalized size = 2.11

$$\frac{1}{2} \sqrt{2} (-\sqrt{3} + 2)^{\frac{1}{4}} \arctan\left(\frac{1}{2} \sqrt{x^2 + (\sqrt{3} + 2)\sqrt{-\sqrt{3} + 2}} (\sqrt{3}\sqrt{2} + \sqrt{2}) (-\sqrt{3} + 2)^{\frac{3}{4}} - \frac{1}{2} (\sqrt{3}\sqrt{2}x + \sqrt{2}x)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-4*x^4+1), x, algorithm="fricas")

[Out] 1/2*sqrt(2)*(-sqrt(3) + 2)^(1/4)*arctan(1/2*sqrt(x^2 + (sqrt(3) + 2)*sqrt(-sqrt(3) + 2))*(sqrt(3)*sqrt(2) + sqrt(2))*(-sqrt(3) + 2)^(3/4) - 1/2*(sqrt(3)*sqrt(2)*x + sqrt(2)*x)*(-sqrt(3) + 2)^(3/4)) - 1/2*sqrt(2)*(sqrt(3) + 2)^(1/4)*arctan(1/2*(sqrt(x^2 - sqrt(sqrt(3) + 2))*(sqrt(3) - 2))*(sqrt(3)*sqrt(2) - sqrt(2))*sqrt(sqrt(3) + 2) - (sqrt(3)*sqrt(2)*x - sqrt(2)*x)*sqrt(sqrt(3) + 2))*(sqrt(3) + 2)^(1/4)) + 1/8*sqrt(2)*(sqrt(3) + 2)^(1/4)*log((sqrt(3)*sqrt(2) - sqrt(2))*(sqrt(3) + 2)^(1/4) + 2*x) - 1/8*sqrt(2)*(sqrt(3) + 2)^(1/4)*log(-sqrt(3)*sqrt(2) - sqrt(2))*(sqrt(3) + 2)^(1/4) + 2*x) - 1/8*sqrt(2)*(-sqrt(3) + 2)^(1/4)*log((sqrt(3)*sqrt(2) + sqrt(2))*(-sqrt(3) + 2)^(1/4) + 2*x) + 1/8*sqrt(2)*(-sqrt(3) + 2)^(1/4)*log(-sqrt(3)*sqrt(2) + sqrt(2))*(-sqrt(3) + 2)^(1/4) + 2*x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-4*x^4+1), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INPUT:sage2:=int(sage0,x):;OUTPUT:Unable to convert to real 1/4 Error: Bad Argument ValueUnable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.01, size = 40, normalized size = 0.25

$$\frac{\left(\text{RootOf}\left(-Z^8 - 4Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 - 4Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 - 4Z^4 + 1\right)^7 - 16 \text{RootOf}\left(-Z^8 - 4Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-4*x^4+1),x)

[Out] 1/8*sum((_R^4+1)/(_R^7-2*_R^3)*ln(-_R+x),_R=RootOf(-Z^8-4*_Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 4x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-4*x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - 4*x^4 + 1), x)

mupad [B] time = 1.72, size = 399, normalized size = 2.54

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{5184 \sqrt{2} x (\sqrt{3}+2)^{1/4}}{3888 \sqrt{\sqrt{3}+2}+2160 \sqrt{3} \sqrt{\sqrt{3}+2}} + \frac{3024 \sqrt{2} \sqrt{3} x (\sqrt{3}+2)^{1/4}}{3888 \sqrt{\sqrt{3}+2}+2160 \sqrt{3} \sqrt{\sqrt{3}+2}}\right) (\sqrt{3} + 2)^{1/4}}{4} + \frac{\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2} x (2-\sqrt{3})^{1/4}}{2160 \sqrt{3} \sqrt{2-\sqrt{3}}} - \frac{5184 \sqrt{2} x (\sqrt{3}+2)^{1/4}}{3888 \sqrt{\sqrt{3}+2}+2160 \sqrt{3} \sqrt{\sqrt{3}+2}}\right) (\sqrt{3} + 2)^{1/4}}{4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 4*x^4 + 1),x)

[Out] (2^(1/2)*atan((2^(1/2)*x*(2 - 3^(1/2))^(1/4)*5184i)/(2160*3^(1/2)*(2 - 3^(1/2))^(1/2) - 3888*(2 - 3^(1/2))^(1/2)) - (2^(1/2)*3^(1/2)*x*(2 - 3^(1/2))^(1/4)*3024i)/(2160*3^(1/2)*(2 - 3^(1/2))^(1/2) - 3888*(2 - 3^(1/2))^(1/2)))* (2 - 3^(1/2))^(1/4)*1i)/4 - (2^(1/2)*atan((5184*2^(1/2)*x*(2 - 3^(1/2))^(1/4))/(2160*3^(1/2)*(2 - 3^(1/2))^(1/2) - 3888*(2 - 3^(1/2))^(1/2)) - (3024*2^(1/2)*3^(1/2)*x*(2 - 3^(1/2))^(1/4))/(2160*3^(1/2)*(2 - 3^(1/2))^(1/2) - 3888*(2 - 3^(1/2))^(1/2)))* (2 - 3^(1/2))^(1/4))/4 + (2^(1/2)*atan((5184*2^(1/2)*x*(3^(1/2) + 2)^(1/4))/(3888*(3^(1/2) + 2)^(1/2) + 2160*3^(1/2)*(3^(1/2) + 2)^(1/2)) + (3024*2^(1/2)*3^(1/2)*x*(3^(1/2) + 2)^(1/4))/(3888*(3^(1/2) + 2)^(1/2) + 2160*3^(1/2)*(3^(1/2) + 2)^(1/2)))* (3^(1/2) + 2)^(1/4))/4 - (2^(1/2)*atan((2^(1/2)*x*(3^(1/2) + 2)^(1/4)*5184i)/(3888*(3^(1/2) + 2)^(1/2) + 2160*3^(1/2)*(3^(1/2) + 2)^(1/2)) + (2^(1/2)*3^(1/2)*x*(3^(1/2) + 2)^(1/4)*3024i)/(3888*(3^(1/2) + 2)^(1/2) + 2160*3^(1/2)*(3^(1/2) + 2)^(1/2)))* (3^(1/2) + 2)^(1/4)*1i)/4

sympy [A] time = 0.19, size = 24, normalized size = 0.15

$$\text{RootSum}\left(1048576t^8 - 4096t^4 + 1, \left(t \mapsto t \log\left(4096t^5 - 12t + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8-4*x**4+1),x)

[Out] RootSum(1048576*_t**8 - 4096*_t**4 + 1, Lambda(_t, _t*log(4096*_t**5 - 12*_t + x)))

$$3.18 \quad \int \frac{1+x^4}{1-5x^4+x^8} dx$$

Optimal. Leaf size=171

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}}$$

[Out] arctan(x*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-6*3^(1/2)+6*7^(1/2))^(1/2)+arctanh(x*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-6*3^(1/2)+6*7^(1/2))^(1/2)-arctan(x*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(6*3^(1/2)+6*7^(1/2))^(1/2)-arctanh(x*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(6*3^(1/2)+6*7^(1/2))^(1/2)

Rubi [A] time = 0.15, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{6(\sqrt{7}-\sqrt{3})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 5*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-Sqrt[3] + Sqrt[7])]*x]/Sqrt[6*(-Sqrt[3] + Sqrt[7])] - ArcTan[Sqrt[2/(Sqrt[3] + Sqrt[7])]*x]/Sqrt[6*(Sqrt[3] + Sqrt[7])] + ArcTanh[Sqrt[2/(-Sqrt[3] + Sqrt[7])]*x]/Sqrt[6*(-Sqrt[3] + Sqrt[7])] - ArcTanh[Sqrt[2/(Sqrt[3] + Sqrt[7])]*x]/Sqrt[6*(Sqrt[3] + Sqrt[7])]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1+x^4}{1-5x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-\sqrt{7}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+\sqrt{7}x^2+x^4} dx \\
&= \frac{\int \frac{1}{-\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} - \frac{\int \frac{1}{\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} + \frac{\int \frac{1}{-\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} - \frac{\int \frac{1}{\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{3}} \\
&= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(-\sqrt{3}+\sqrt{7})}} - \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(-\sqrt{3}+\sqrt{7})}} - \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{6(\sqrt{3}+\sqrt{7})}}
\end{aligned}$$

Mathematica [C] time = 0.01, size = 55, normalized size = 0.32

$$\frac{1}{4} \text{RootSum}\left[\#1^8 - 5\#1^4 + 1 \&, \frac{\#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 - 5\#1^3} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 5*x^4 + x^8), x]

[Out] RootSum[1 - 5*#1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4)/(-5*#1^3 + 2*#1^7) &]/4

fricas [B] time = 0.94, size = 574, normalized size = 3.36

$$\frac{1}{6} \sqrt{6} \sqrt{\sqrt{2} \sqrt{-\sqrt{7} \sqrt{3} + 5}} \arctan\left(\frac{1}{48} \left(\sqrt{7} \sqrt{6} \sqrt{3} \sqrt{2} + 3 \sqrt{6} \sqrt{2}\right) \sqrt{4x^2 + \left(\sqrt{7} \sqrt{3} \sqrt{2} + 5 \sqrt{2}\right) \sqrt{-\sqrt{7} \sqrt{3} + 5}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-5*x^4+1),x, algorithm="fricas")

[Out] 1/6*sqrt(6)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5))*arctan(1/48*(sqrt(7)*sqrt(6)*sqrt(3)*sqrt(2) + 3*sqrt(6)*sqrt(2))*sqrt(4*x^2 + (sqrt(7)*sqrt(3)*sqrt(2) + 5*sqrt(2))*sqrt(-sqrt(7)*sqrt(3) + 5))*sqrt(-sqrt(7)*sqrt(3) + 5)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) - 1/24*(sqrt(7)*sqrt(6)*sqrt(3)*sqrt(2)*x + 3*sqrt(6)*sqrt(2)*x)*sqrt(-sqrt(7)*sqrt(3) + 5)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) - 1/6*sqrt(6)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))*arctan(1/48*((sqrt(7)*sqrt(6)*sqrt(3)*sqrt(2) - 3*sqrt(6)*sqrt(2))*sqrt(4*x^2 - (sqrt(7)*sqrt(3)*sqrt(2) - 5*sqrt(2))*sqrt(sqrt(7)*sqrt(3) + 5))*sqrt(sqrt(7)*sqrt(3) + 5) - 2*(sqrt(7)*sqrt(6)*sqrt(3)*sqrt(2)*x - 3*sqrt(6)*sqrt(2)*x)*sqrt(sqrt(7)*sqrt(3) + 5))*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))) + 1/24*sqrt(6)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))*log((sqrt(7)*sqrt(6)*sqrt(3) - 3*sqrt(6))*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5)) + 12*x) - 1/24*sqrt(6)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))*log(-(sqrt(7)*sqrt(6)*sqrt(3) + 3*sqrt(6))*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5)) + 12*x) - 1/24*sqrt(6)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5))*log((sqrt(7)*sqrt(6)*sqrt(3) + 3*sqrt(6))*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) + 12*x) + 1/24*sqrt(6)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5))*log(-(sqrt(7)*sqrt(6)*sqrt(3) + 3*sqrt(6))*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) + 12*x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-5*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:Unable to convert to real 1/4 Error: Bad Arg
ument ValueUnable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.01, size = 42, normalized size = 0.25

$$\frac{\left(\text{RootOf}\left(-Z^8 - 5Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 - 5Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 - 5Z^4 + 1\right)^7 - 20 \text{RootOf}\left(-Z^8 - 5Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-5*x^4+1),x)

[Out] 1/4*sum((_R^4+1)/(2*_R^7-5*_R^3)*ln(-_R+x),_R=RootOf(-Z^8-5*_Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 5x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-5*x^4+1),x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - 5*x^4 + 1), x)

mupad [B] time = 1.76, size = 483, normalized size = 2.82

$$\frac{2^{3/4} \sqrt{3} \operatorname{atan}\left(\frac{12005 \cdot 2^{3/4} \sqrt{3} x (5 - \sqrt{21})^{1/4}}{2 \left(4802 \sqrt{2} \sqrt{5 - \sqrt{21}} - 1029 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}}\right)} - \frac{7889 \cdot 2^{3/4} \sqrt{3} \sqrt{21} x (5 - \sqrt{21})^{1/4}}{6 \left(4802 \sqrt{2} \sqrt{5 - \sqrt{21}} - 1029 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}}\right)}\right) (5 - \sqrt{21})^{1/4}}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 5*x^4 + 1),x)

[Out] (2^(3/4)*3^(1/2)*atan((12005*2^(3/4)*3^(1/2)*x*(5 - 21^(1/2))^(1/4))/(2*(4802*2^(1/2)*(5 - 21^(1/2))^(1/2) - 1029*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))) - (7889*2^(3/4)*3^(1/2)*21^(1/2)*x*(5 - 21^(1/2))^(1/4))/(6*(4802*2^(1/2)*(5 - 21^(1/2))^(1/2) - 1029*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))))*(5 - 21^(1/2))^(1/4))/12 - (2^(3/4)*3^(1/2)*atan((2^(3/4)*3^(1/2)*x*(5 - 21^(1/2))^(1/4)*12005i)/(2*(4802*2^(1/2)*(5 - 21^(1/2))^(1/2) - 1029*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2)))) - (2^(3/4)*3^(1/2)*21^(1/2)*x*(5 - 21^(1/2))^(1/4)*7889i)/(6*(4802*2^(1/2)*(5 - 21^(1/2))^(1/2) - 1029*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))))*(5 - 21^(1/2))^(1/4)*i)/12 + (2^(3/4)*3^(1/2)*atan((12005*2^(3/4)*3^(1/2)*x*(21^(1/2) + 5)^(1/4))/(2*(4802*2^(1/2)*(21^(1/2) + 5)^(1/2) + 1029*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2)))) + (7889*2^(3/4)*3^(1/2)*21^(1/2)*x*(21^(1/2) + 5)^(1/4))/(6*(4802*2^(1/2)*(21^(1/2) + 5)^(1/2) + 1029*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2))))*(21^(1/2) + 5)^(1/4))/12 - (2^(3/4)*3^(1/2)*atan((2^(3/4)*3^(1/2)*x*(21^(1/2) + 5)^(1/4)*12005i)/(2*(4802*2^(1/2)*(21^(1/2) + 5)^(1/2) + 1029*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2)))) + (2^(3/4)*3^(1/2)*21^(1/2)*x*(21^(1/2) + 5)^(1/4)*7889i)/(6*(4802*2^(1/2)*(21^(1/2) + 5)^(1/2) + 1029*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2))))*(21^(1/2) + 5)^(1/4)*i)/12

sympy [A] time = 0.19, size = 24, normalized size = 0.14

$$\text{RootSum}\left(5308416t^8 - 11520t^4 + 1, \left(t \mapsto t \log(9216t^5 - 16t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((x**4+1)/(x**8-5*x**4+1),x)
```

```
[Out] RootSum(5308416*_t**8 - 11520*_t**4 + 1, Lambda(_t, _t*log(9216*_t**5 - 16*_t + x)))
```


$$3.19 \quad \int \frac{1+x^4}{1-6x^4+x^8} dx$$

Optimal. Leaf size=117

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}}$$

[Out] $\frac{1}{4} \arctan\left(\frac{x}{(2^{1/2}-1)^{1/2}}\right) / (2^{1/2}-1)^{1/2} + \frac{1}{4} \operatorname{arctanh}\left(\frac{x}{(2^{1/2}-1)^{1/2}}\right) / (2^{1/2}-1)^{1/2} - \frac{1}{4} \arctan\left(\frac{x}{(1+2^{1/2})^{1/2}}\right) / (1+2^{1/2})^{1/2} - \frac{1}{4} \operatorname{arctanh}\left(\frac{x}{(1+2^{1/2})^{1/2}}\right) / (1+2^{1/2})^{1/2}$

Rubi [A] time = 0.06, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {1419, 1093, 203, 207}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Int[(1 + x^4)/(1 - 6*x^4 + x^8), x]

[Out] ArcTan[x/Sqrt[-1 + Sqrt[2]]]/(4*Sqrt[-1 + Sqrt[2]]) - ArcTan[x/Sqrt[1 + Sqrt[2]]]/(4*Sqrt[1 + Sqrt[2]]) + ArcTanh[x/Sqrt[-1 + Sqrt[2]]]/(4*Sqrt[-1 + Sqrt[2]]) - ArcTanh[x/Sqrt[1 + Sqrt[2]]]/(4*Sqrt[1 + Sqrt[2]])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned} \int \frac{1+x^4}{1-6x^4+x^8} dx &= \frac{1}{2} \int \frac{1}{1-2\sqrt{2}x^2+x^4} dx + \frac{1}{2} \int \frac{1}{1+2\sqrt{2}x^2+x^4} dx \\ &= \frac{1}{4} \int \frac{1}{-1-\sqrt{2}+x^2} dx - \frac{1}{4} \int \frac{1}{1-\sqrt{2}+x^2} dx + \frac{1}{4} \int \frac{1}{-1+\sqrt{2}+x^2} dx - \frac{1}{4} \int \frac{1}{1+\sqrt{2}+x^2} dx \\ &= \frac{\tan^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{-1+\sqrt{2}}} - \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{-1+\sqrt{2}}} - \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 111, normalized size = 0.95

$$\frac{1}{4} \left(\sqrt{1+\sqrt{2}} \tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) - \sqrt{\sqrt{2}-1} \tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right) + \sqrt{1+\sqrt{2}} \tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) - \sqrt{\sqrt{2}-1} \tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 + x^4)/(1 - 6*x^4 + x^8),x]

[Out] (Sqrt[1 + Sqrt[2]]*ArcTan[x/Sqrt[-1 + Sqrt[2]]] - Sqrt[-1 + Sqrt[2]]*ArcTan[x/Sqrt[1 + Sqrt[2]]] + Sqrt[1 + Sqrt[2]]*ArcTanh[x/Sqrt[-1 + Sqrt[2]]] - Sqrt[-1 + Sqrt[2]]*ArcTanh[x/Sqrt[1 + Sqrt[2]]])/4

fricas [B] time = 0.76, size = 181, normalized size = 1.55

$$-\frac{1}{2} \sqrt{\sqrt{2}+1} \arctan\left(-x\sqrt{\sqrt{2}+1} + \sqrt{x^2 + \sqrt{2}-1} \sqrt{\sqrt{2}+1}\right) + \frac{1}{2} \sqrt{\sqrt{2}-1} \arctan\left(-x\sqrt{\sqrt{2}-1} + \sqrt{x^2 + \sqrt{2}+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-6*x^4+1),x, algorithm="fricas")

[Out] -1/2*sqrt(sqrt(2) + 1)*arctan(-x*sqrt(sqrt(2) + 1) + sqrt(x^2 + sqrt(2) - 1)*sqrt(sqrt(2) + 1)) + 1/2*sqrt(sqrt(2) - 1)*arctan(-x*sqrt(sqrt(2) - 1) + sqrt(x^2 + sqrt(2) + 1)*sqrt(sqrt(2) - 1)) - 1/8*sqrt(sqrt(2) - 1)*log((sqrt(2) + 1)*sqrt(sqrt(2) - 1) + x) + 1/8*sqrt(sqrt(2) - 1)*log(-(sqrt(2) + 1)*sqrt(sqrt(2) - 1) + x) + 1/8*sqrt(sqrt(2) + 1)*log(sqrt(sqrt(2) + 1)*(sqrt(2) - 1) + x) - 1/8*sqrt(sqrt(2) + 1)*log(-sqrt(sqrt(2) + 1)*(sqrt(2) - 1) + x)

giac [A] time = 0.91, size = 123, normalized size = 1.05

$$-\frac{1}{4} \sqrt{\sqrt{2}-1} \arctan\left(\frac{x}{\sqrt{\sqrt{2}+1}}\right) + \frac{1}{4} \sqrt{\sqrt{2}+1} \arctan\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) - \frac{1}{8} \sqrt{\sqrt{2}-1} \log\left(\left|x + \sqrt{\sqrt{2}+1}\right|\right) + \frac{1}{8} \sqrt{\sqrt{2}+1} \log\left(\left|x - \sqrt{\sqrt{2}-1}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-6*x^4+1),x, algorithm="giac")

[Out] -1/4*sqrt(sqrt(2) - 1)*arctan(x/sqrt(sqrt(2) + 1)) + 1/4*sqrt(sqrt(2) + 1)*arctan(x/sqrt(sqrt(2) - 1)) - 1/8*sqrt(sqrt(2) - 1)*log(abs(x + sqrt(sqrt(2) + 1))) + 1/8*sqrt(sqrt(2) - 1)*log(abs(x - sqrt(sqrt(2) + 1))) + 1/8*sqrt(sqrt(2) + 1)*log(abs(x + sqrt(sqrt(2) - 1))) - 1/8*sqrt(sqrt(2) + 1)*log(abs(x - sqrt(sqrt(2) - 1)))

maple [A] time = 0.06, size = 78, normalized size = 0.67

$$-\frac{\operatorname{arctanh}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\operatorname{arctanh}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}} - \frac{\operatorname{arctan}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{1+\sqrt{2}}} + \frac{\operatorname{arctan}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{\sqrt{2}-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4+1)/(x^8-6*x^4+1), x)

[Out] 1/4*arctan(x/(2^(1/2)-1)^(1/2))/(2^(1/2)-1)^(1/2)+1/4*arctanh(x/(2^(1/2)-1)^(1/2))/(2^(1/2)-1)^(1/2)-1/4*arctan(x/(1+2^(1/2))^(1/2))/(1+2^(1/2))^(1/2)-1/4*arctanh(x/(1+2^(1/2))^(1/2))/(1+2^(1/2))^(1/2)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 + 1}{x^8 - 6x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x^4+1)/(x^8-6*x^4+1), x, algorithm="maxima")

[Out] integrate((x^4 + 1)/(x^8 - 6*x^4 + 1), x)

mupad [B] time = 0.19, size = 233, normalized size = 1.99

$$\frac{\operatorname{atan}\left(\frac{x\sqrt{\sqrt{2}-1}49152i}{34816\sqrt{2}-49152} - \frac{\sqrt{2}x\sqrt{\sqrt{2}-1}34816i}{34816\sqrt{2}-49152}\right)\sqrt{\sqrt{2}-1}i}{4} - \frac{\operatorname{atan}\left(\frac{x\sqrt{\sqrt{2}+1}49152i}{34816\sqrt{2}+49152} + \frac{\sqrt{2}x\sqrt{\sqrt{2}+1}34816i}{34816\sqrt{2}+49152}\right)\sqrt{\sqrt{2}+1}i}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4 + 1)/(x^8 - 6*x^4 + 1), x)

[Out] (atan((x*(1 - 2^(1/2))^(1/2)*49152i)/(34816*2^(1/2) - 49152) - (2^(1/2)*x*(1 - 2^(1/2))^(1/2)*34816i)/(34816*2^(1/2) - 49152))*(1 - 2^(1/2))^(1/2)*1i)/4 - (atan((x*(2^(1/2) + 1)^(1/2)*49152i)/(34816*2^(1/2) + 49152) + (2^(1/2)*x*(2^(1/2) + 1)^(1/2)*34816i)/(34816*2^(1/2) + 49152))*(2^(1/2) + 1)^(1/2)*1i)/4 - (atan((x*(2^(1/2) - 1)^(1/2)*49152i)/(34816*2^(1/2) - 49152) - (2^(1/2)*x*(2^(1/2) - 1)^(1/2)*34816i)/(34816*2^(1/2) - 49152))*(2^(1/2) - 1)^(1/2)*1i)/4 + (atan((x*(- 2^(1/2) - 1)^(1/2)*49152i)/(34816*2^(1/2) + 49152) + (2^(1/2)*x*(- 2^(1/2) - 1)^(1/2)*34816i)/(34816*2^(1/2) + 49152))*(- 2^(1/2) - 1)^(1/2)*1i)/4

sympy [A] time = 1.16, size = 49, normalized size = 0.42

RootSum(4096t^4 - 128t^2 - 1, (t ↦ t log(16384t^5 - 20t + x))) + RootSum(4096t^4 + 128t^2 - 1, (t ↦ t log(16384t^5 - 20t + x)))

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((x**4+1)/(x**8-6*x**4+1), x)

[Out] RootSum(4096*_t**4 - 128*_t**2 - 1, Lambda(_t, _t*log(16384*_t**5 - 20*_t + x))) + RootSum(4096*_t**4 + 128*_t**2 - 1, Lambda(_t, _t*log(16384*_t**5 - 20*_t + x)))

$$3.20 \quad \int \frac{1-x^4}{1+bx^4+x^8} dx$$

Optimal. Leaf size=511

$$\frac{\sqrt{2-\sqrt{2-b}} \log\left(-\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \frac{\sqrt{2-\sqrt{2-b}} \log\left(\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \frac{\sqrt{\sqrt{2-b} + 2} \log\left(\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}}$$

```
[Out] -1/4*arctan((-2*x+(2-(2-b)^(1/2))^(1/2))/(2+(2-b)^(1/2))^(1/2))*(2+b)^(1/2)
/(2-b)^(1/2)/(2-(2-b)^(1/2))^(1/2)+1/4*arctan((2*x+(2-(2-b)^(1/2))^(1/2))/(
2+(2-b)^(1/2))^(1/2))*(2+b)^(1/2)/(2-b)^(1/2)/(2-(2-b)^(1/2))^(1/2)+1/8*ln(
1+x^2-x*(2-(2-b)^(1/2))^(1/2))*(2-(2-b)^(1/2))^(1/2)/(2-b)^(1/2)-1/8*ln(1+x
^2+x*(2-(2-b)^(1/2))^(1/2))*(2-(2-b)^(1/2))^(1/2)/(2-b)^(1/2)+1/4*arctan((-
2*x+(2+(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))^(1/2))*(2+b)^(1/2)/(2-b)^(1/2)/(
2+(2-b)^(1/2))^(1/2)-1/4*arctan((2*x+(2+(2-b)^(1/2))^(1/2))/(2-(2-b)^(1/2))
^(1/2))*(2+b)^(1/2)/(2-b)^(1/2)/(2+(2-b)^(1/2))^(1/2)-1/8*ln(1+x^2-x*(2+(2-
b)^(1/2))^(1/2))*(2+(2-b)^(1/2))^(1/2)/(2-b)^(1/2)+1/8*ln(1+x^2+x*(2+(2-b)
^(1/2))^(1/2))*(2+(2-b)^(1/2))^(1/2)/(2-b)^(1/2)
```

Rubi [A] time = 0.36, antiderivative size = 511, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1421, 1169, 634, 618, 204, 628}

$$\frac{\sqrt{2-\sqrt{2-b}} \log\left(-\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \frac{\sqrt{2-\sqrt{2-b}} \log\left(\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}} - \frac{\sqrt{\sqrt{2-b} + 2} \log\left(\sqrt{2-\sqrt{2-b}} x + x^2 + 1\right)}{8\sqrt{2-b}}$$

Antiderivative was successfully verified.

```
[In] Int[(1 - x^4)/(1 + b*x^4 + x^8), x]
```

```
[Out] -(Sqrt[2 + b]*ArcTan[(Sqrt[2 - Sqrt[2 - b]] - 2*x)/Sqrt[2 + Sqrt[2 - b]]])/
(4*Sqrt[2 - Sqrt[2 - b]]*Sqrt[2 - b]) + (Sqrt[2 + b]*ArcTan[(Sqrt[2 + Sqrt[
2 - b]] - 2*x)/Sqrt[2 - Sqrt[2 - b]]])/(4*Sqrt[2 + Sqrt[2 - b]]*Sqrt[2 - b]
) + (Sqrt[2 + b]*ArcTan[(Sqrt[2 - Sqrt[2 - b]] + 2*x)/Sqrt[2 + Sqrt[2 - b]]
])/(4*Sqrt[2 - Sqrt[2 - b]]*Sqrt[2 - b]) - (Sqrt[2 + b]*ArcTan[(Sqrt[2 + Sq
rt[2 - b]] + 2*x)/Sqrt[2 - Sqrt[2 - b]]])/(4*Sqrt[2 + Sqrt[2 - b]]*Sqrt[2 -
b]) + (Sqrt[2 - Sqrt[2 - b]]*Log[1 - Sqrt[2 - Sqrt[2 - b]]*x + x^2])/(8*Sq
rt[2 - b]) - (Sqrt[2 - Sqrt[2 - b]]*Log[1 + Sqrt[2 - Sqrt[2 - b]]*x + x^2])
/(8*Sqrt[2 - b]) - (Sqrt[2 + Sqrt[2 - b]]*Log[1 - Sqrt[2 + Sqrt[2 - b]]*x +
x^2])/(8*Sqrt[2 - b]) + (Sqrt[2 + Sqrt[2 - b]]*Log[1 + Sqrt[2 + Sqrt[2 - b]
]]*x + x^2))/(8*Sqrt[2 - b])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rule 1421

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x^(n/2))/Simp[d/e + q*x^(n/2) - x^n, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x^(n/2))/Simp[d/e - q*x^(n/2) - x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && !GtQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1+bx^4+x^8} dx &= -\frac{\int \frac{\sqrt{2-b}+2x^2}{-1-\sqrt{2-b}x^2-x^4} dx}{2\sqrt{2-b}} - \frac{\int \frac{\sqrt{2-b}-2x^2}{-1+\sqrt{2-b}x^2-x^4} dx}{2\sqrt{2-b}} \\ &= \frac{\int \frac{\sqrt{2-\sqrt{2-b}} \sqrt{2-b} - (-2+\sqrt{2-b})x}{1-\sqrt{2-\sqrt{2-b}} x+x^2} dx}{4\sqrt{2-\sqrt{2-b}} \sqrt{2-b}} + \frac{\int \frac{\sqrt{2-\sqrt{2-b}} \sqrt{2-b} + (-2+\sqrt{2-b})x}{1+\sqrt{2-\sqrt{2-b}} x+x^2} dx}{4\sqrt{2-\sqrt{2-b}} \sqrt{2-b}} + \frac{\int \frac{\sqrt{2+\sqrt{2-b}} \sqrt{2-b} - (2+\sqrt{2-b})x}{1-\sqrt{2+\sqrt{2-b}} x+x^2} dx}{4\sqrt{2+\sqrt{2-b}} \sqrt{2-b}} \\ &= -\left(\frac{1}{8}\left(-1+\frac{2}{\sqrt{2-b}}\right)\int \frac{1}{1-\sqrt{2+\sqrt{2-b}} x+x^2} dx\right) - \frac{1}{8}\left(-1+\frac{2}{\sqrt{2-b}}\right)\int \frac{1}{1+\sqrt{2+\sqrt{2-b}} x+x^2} dx \\ &= \frac{\sqrt{2-\sqrt{2-b}} \log\left(1-\sqrt{2-\sqrt{2-b}} x+x^2\right)}{8\sqrt{2-b}} - \frac{\sqrt{2-\sqrt{2-b}} \log\left(1+\sqrt{2-\sqrt{2-b}} x+x^2\right)}{8\sqrt{2-b}} \\ &= -\frac{\sqrt{2+\sqrt{2-b}} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2-b}}-2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2-b}} + \frac{\sqrt{2-\sqrt{2-b}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}-2x}{\sqrt{2-\sqrt{2-b}}}\right)}{4\sqrt{2-b}} + \frac{\sqrt{2+\sqrt{2-b}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2-b}}-2x}{\sqrt{2+\sqrt{2-b}}}\right)}{4\sqrt{2-b}} \end{aligned}$$

Mathematica [C] time = 0.03, size = 57, normalized size = 0.11

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 + \#1^4 b + 1 \&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 + \#1^3 b} \&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + b*x^4 + x^8),x]

[Out] $-1/4 \cdot \text{RootSum}[1 + b \cdot \#1^4 + \#1^8 \& , (-\text{Log}[x - \#1] + \text{Log}[x - \#1] \cdot \#1^4) / (b \cdot \#1^3 + 2 \cdot \#1^7) \&]$

fricas [B] time = 0.85, size = 1443, normalized size = 2.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+b*x^4+1),x, algorithm="fricas")

[Out] $-\sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \arctan(1/2 \cdot \sqrt{1/2} \cdot (b^2 + (b^3 - 6b^2 + 12b - 8) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - 4b + 4) \cdot \sqrt{x^2 + 1/2 \cdot \sqrt{1/2} \cdot (b^2 + (b^3 - 6b^2 + 12b - 8) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - 2b) \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)} - 1/2 \cdot \sqrt{1/2} \cdot ((b^3 - 6b^2 + 12b - 8) \cdot x \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} + (b^2 - 4b + 4) \cdot x) \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \arctan(-1/2 \cdot (\sqrt{1/2} \cdot (b^2 - (b^3 - 6b^2 + 12b - 8) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - 4b + 4) \cdot \sqrt{x^2 + 1/2 \cdot \sqrt{1/2} \cdot (b^2 - (b^3 - 6b^2 + 12b - 8) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - 2b) \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + \sqrt{1/2} \cdot ((b^3 - 6b^2 + 12b - 8) \cdot x \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - (b^2 - 4b + 4) \cdot x) \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + 1/4 \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \log(1/2 \cdot ((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b + 2) \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + x) - 1/4 \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \log(-1/2 \cdot ((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b + 2) \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + x) - 1/4 \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \log(1/2 \cdot ((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b - 2) \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + x) + 1/4 \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \log(-1/2 \cdot ((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b - 2) \cdot \sqrt{\sqrt{1/2} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} \cdot \sqrt{((b^2 - 4b + 4) \cdot \sqrt{(b + 2)/(b^3 - 6b^2 + 12b - 8)} - b)/(b^2 - 4b + 4)}} + x)$

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+b*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 0.75Unable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.00, size = 44, normalized size = 0.09

$$\frac{\left(-\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + b_Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^7 + 4 \text{RootOf}\left(-Z^8 + b_Z^4 + 1\right)^3 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+b*x^4+1),x)

[Out] 1/4*sum((-_R^4+1)/(2*_R^7+_R^3*b)*ln(-_R+x),_R=RootOf(-Z^8+_Z^4*b+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 + bx^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+b*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 + b*x^4 + 1), x)

mupad [B] time = 3.74, size = 5341, normalized size = 10.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(b*x^4 + x^8 + 1),x)

[Out] - atan(((((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(256*b + ((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4) - 64*b^3 - 16*b^4 + 256) - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*1i - (((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(256*b + ((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4) - 64*b^3 - 16*b^4 + 256) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4) + (((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(256*b + ((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6

$$\begin{aligned}
& - 4096*b^7 + 262144) - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10 \\
& 240*b^5 - 2048*b^6 - 1024*b^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) \\
& - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4) - 64*b^3 - 1 \\
& 6*b^4 + 256) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b + ((b - 2)^5*(b + \\
& 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4))) \\
& *(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8* \\
& b^3 + b^4 + 16)))^(1/4)*2i - 2*atan(((((-4*b + ((b - 2)^5*(b + 2))^(1/2) - \\
& 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(((-4*b + ((b \\
& - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 1 \\
& 6)))^(1/4)*(262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 40 \\
& 96*b^6 - 4096*b^7 + 262144)*1i + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480 \\
& *b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2 \\
&))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4)*1i \\
& - 256*b + 64*b^3 + 16*b^4 - 256)*1i + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(- \\
& 4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^ \\
& 3 + b^4 + 16)))^(1/4) - (((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/ \\
& (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(((-4*b + ((b - 2)^5*(b + \\
& 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(2 \\
& 62144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096 \\
& *b^7 + 262144)*1i - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240* \\
& b^5 - 2048*b^6 - 1024*b^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4* \\
& b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4)*1i - 256*b + 64* \\
& b^3 + 16*b^4 - 256)*1i - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b + ((b - \\
& 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16) \\
&))^(1/4))/(((((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 \\
& - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4 \\
& *b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(262144*b - 196 \\
& 608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144 \\
&)*1i + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^ \\
& 6 - 1024*b^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(5 \\
& 12*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4)*1i - 256*b + 64*b^3 + 16*b^4 \\
& - 256)*1i + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b + ((b - 2)^5*(b + 2) \\
&))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*1i + \\
& (((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8 \\
& *b^3 + b^4 + 16)))^(1/4)*(((-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3 \\
&)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(262144*b - 196608*b^2 - \\
& 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144)*1i - x*(\\
& 32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b \\
& ^7 + 65536))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 \\
& - 32*b - 8*b^3 + b^4 + 16)))^(3/4)*1i - 256*b + 64*b^3 + 16*b^4 - 256)*1i \\
& - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b + ((b - 2)^5*(b + 2))^(1/2) - \\
& 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*1i)))*(-4*b + \\
& ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 \\
& + 16)))^(1/4) - atan(((((-4*b - ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(5 \\
& 12*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(256*b + (((-4*b - ((b - 2)^5 \\
& *(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1 \\
& /4)*(262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 \\
& - 4096*b^7 + 262144) + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 102 \\
& 40*b^5 - 2048*b^6 - 1024*b^7 + 65536))*(-4*b - ((b - 2)^5*(b + 2))^(1/2) - \\
& 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4) - 64*b^3 - 16 \\
& *b^4 + 256) - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4))*(-4*b - ((b - 2)^5*(b + \\
& 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*1i \\
& - (((-4*b - ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512*(24*b^2 - 32*b - \\
& 8*b^3 + b^4 + 16)))^(1/4)*(256*b + (((-4*b - ((b - 2)^5*(b + 2))^(1/2) - 4 \\
& *b^2 + b^3)/(512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(1/4)*(262144*b - 196 \\
& 608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144 \\
&) - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - \\
& 1024*b^7 + 65536))*(-4*b - ((b - 2)^5*(b + 2))^(1/2) - 4*b^2 + b^3)/(512* \\
& (24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^(3/4) - 64*b^3 - 16*b^4 + 256) + x*(32
\end{aligned}$$

$$\begin{aligned}
& *b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + \\
& b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * i) / (((- (4*b - ((b - \\
& 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16))) \\
&)^{1/4} * (256*b + ((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(2 \\
& 4*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^ \\
& 3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) + x*(32768*b - 65 \\
& 536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) \\
& * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8* \\
& b^3 + b^4 + 16)))^{3/4} - 64*b^3 - 16*b^4 + 256) - x*(32*b + 48*b^2 + 24*b^ \\
& 3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 \\
& - 32*b - 8*b^3 + b^4 + 16)))^{1/4} + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - \\
& 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (256*b + ((- (4 \\
& *b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + \\
& b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152* \\
& b^5 - 4096*b^6 - 4096*b^7 + 262144) - x*(32768*b - 65536*b^2 - 32768*b^3 + \\
& 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(\\
& b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} \\
&) - 64*b^3 - 16*b^4 + 256) + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - (\\
& (b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + \\
& 16)))^{1/4})) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b \\
& ^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * 2i - 2*atan((((- (4*b - ((b - 2)^5*(b \\
& + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * \\
& (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8 \\
& *b^3 + b^4 + 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + \\
& 49152*b^5 - 4096*b^6 - 4096*b^7 + 262144) * i + x*(32768*b - 65536*b^2 - 327 \\
& 68*b^3 + 20480*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b \\
& - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 1 \\
& 6)))^{3/4} * i - 256*b + 64*b^3 + 16*b^4 - 256) * i + x*(32*b + 48*b^2 + 24*b \\
& ^3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 \\
& - 32*b - 8*b^3 + b^4 + 16)))^{1/4} - (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - \\
& 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b - ((\\
& b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + \\
& 16)))^{1/4} * (262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4 \\
& 096*b^6 - 4096*b^7 + 262144) * i - x*(32768*b - 65536*b^2 - 32768*b^3 + 2048 \\
& 0*b^4 + 10240*b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + \\
& 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i \\
& - 256*b + 64*b^3 + 16*b^4 - 256) * i - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * \\
& (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b \\
& ^3 + b^4 + 16)))^{1/4} / (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) \\
& / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b - ((b - 2)^5*(b + \\
& 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (\\
& 262144*b - 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 409 \\
& 6*b^7 + 262144) * i + x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240 \\
& *b^5 - 2048*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4 \\
& *b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i - 256*b + 64 \\
& *b^3 + 16*b^4 - 256) * i + x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - ((b \\
& - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16 \\
&)))^{1/4} * i + (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24* \\
& b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (((- (4*b - ((b - 2)^5*(b + 2))^{1/2} \\
& - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * (262144*b - \\
& 196608*b^2 - 196608*b^3 + 49152*b^4 + 49152*b^5 - 4096*b^6 - 4096*b^7 + 26 \\
& 2144) * i - x*(32768*b - 65536*b^2 - 32768*b^3 + 20480*b^4 + 10240*b^5 - 204 \\
& 8*b^6 - 1024*b^7 + 65536)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3 \\
&) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{3/4} * i - 256*b + 64*b^3 + 16* \\
& b^4 - 256) * i - x*(32*b + 48*b^2 + 24*b^3 + 4*b^4)) * (- (4*b - ((b - 2)^5*(b \\
& + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b - 8*b^3 + b^4 + 16)))^{1/4} * \\
& i)) * (- (4*b - ((b - 2)^5*(b + 2))^{1/2} - 4*b^2 + b^3) / (512*(24*b^2 - 32*b \\
& - 8*b^3 + b^4 + 16)))^{1/4}
\end{aligned}$$

sympy [A] time = 3.63, size = 76, normalized size = 0.15

$$-\text{RootSum}\left(t^8(65536b^4 - 524288b^3 + 1572864b^2 - 2097152b + 1048576) + t^4(256b^3 - 1024b^2 + 1024b) + 1, (\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**8+b*x**4+1),x)

[Out] -RootSum(_t**8*(65536*b**4 - 524288*b**3 + 1572864*b**2 - 2097152*b + 1048576) + _t**4*(256*b**3 - 1024*b**2 + 1024*b) + 1, Lambda(_t, _t*log(1024*_t**5*b**2 - 4096*_t**5*b + 4096*_t**5 + 4*_t*b - 4*_t + x)))

3.21 $\int \frac{1-x^4}{1+3x^4+x^8} dx$

Optimal. Leaf size=411

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}}$$

```
[Out] -1/4*arctan(-1+2^(3/4)*x/(3+5^(1/2))^(1/4))*(3-5^(1/2))^(1/4)*2^(1/4)-1/4*arctan(1+2^(3/4)*x/(3+5^(1/2))^(1/4))*(3-5^(1/2))^(1/4)*2^(1/4)+1/8*ln(2*x^2-2*2^(1/4)*x*(3+5^(1/2))^(1/4)+5^(1/2)+1)*(3-5^(1/2))^(1/4)*2^(1/4)-1/8*ln(2*x^2+2*2^(1/4)*x*(3+5^(1/2))^(1/4)+5^(1/2)+1)*(3-5^(1/2))^(1/4)*2^(1/4)+1/4*arctan(-1+2^(3/4)*x/(3-5^(1/2))^(1/4))*(3+5^(1/2))^(1/4)*2^(1/4)+1/4*arctan(1+2^(3/4)*x/(3-5^(1/2))^(1/4))*(3+5^(1/2))^(1/4)*2^(1/4)-1/8*ln(2*x^2-2*2^(1/4)*x*(3-5^(1/2))^(1/4)+5^(1/2)-1)*(3+5^(1/2))^(1/4)*2^(1/4)+1/8*ln(2*x^2+2*2^(1/4)*x*(3-5^(1/2))^(1/4)+5^(1/2)-1)*(3+5^(1/2))^(1/4)*2^(1/4)
```

Rubi [A] time = 0.32, antiderivative size = 411, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {1420, 211, 1165, 628, 1162, 617, 204}

$$\frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 - 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(2x^2 + 2\sqrt[4]{2(3-\sqrt{5})}x + \sqrt{2(3-\sqrt{5})}\right)}{4 \cdot 2^{3/4}}$$

Antiderivative was successfully verified.

```
[In] Int[(1 - x^4)/(1 + 3*x^4 + x^8), x]
```

```
[Out] -((3 + Sqrt[5])^(1/4)*ArcTan[1 - (2^(3/4)*x)/(3 - Sqrt[5])^(1/4)]/(2*2^(3/4)) + ((3 + Sqrt[5])^(1/4)*ArcTan[1 + (2^(3/4)*x)/(3 - Sqrt[5])^(1/4)]/(2*2^(3/4)) + ((3 - Sqrt[5])^(1/4)*ArcTan[1 - (2^(3/4)*x)/(3 + Sqrt[5])^(1/4)]/(2*2^(3/4)) - ((3 - Sqrt[5])^(1/4)*ArcTan[1 + (2^(3/4)*x)/(3 + Sqrt[5])^(1/4)]/(2*2^(3/4)) - ((3 + Sqrt[5])^(1/4)*Log[Sqrt[2*(3 - Sqrt[5])]] - 2*(2*(3 - Sqrt[5]))^(1/4)*x + 2*x^2)/(4*2^(3/4)) + ((3 + Sqrt[5])^(1/4)*Log[Sqrt[2*(3 - Sqrt[5])]] + 2*(2*(3 - Sqrt[5]))^(1/4)*x + 2*x^2)/(4*2^(3/4)) + ((3 - Sqrt[5])^(1/4)*Log[Sqrt[2*(3 + Sqrt[5])]] - 2*(2*(3 + Sqrt[5]))^(1/4)*x + 2*x^2)/(4*2^(3/4)) - ((3 - Sqrt[5])^(1/4)*Log[Sqrt[2*(3 + Sqrt[5])]] + 2*(2*(3 + Sqrt[5]))^(1/4)*x + 2*x^2)/(4*2^(3/4))
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 211

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; Free
```

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[(d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]])/b, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 1162

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[(2d)/e, 2]\}, \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e + qx + x^2, x], x] + \text{Dist}[e/(2c), \text{Int}[1/\text{Simp}[d/e - qx + x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e, 0] \ \&\& \ \text{PosQ}[d^2e]$

Rule 1165

$\text{Int}[\frac{(d_.) + (e_.)x^2}{(a_.) + (c_.)x^4}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-(2d)/e, 2]\}, \text{Dist}[e/(2cq), \text{Int}[(q - 2x)/\text{Simp}[d/e + qx - x^2, x], x] + \text{Dist}[e/(2cq), \text{Int}[(q + 2x)/\text{Simp}[d/e - qx - x^2, x], x], x]] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e, 0] \ \&\& \ \text{NegQ}[d^2e]$

Rule 1420

$\text{Int}[\frac{(d_.) + (e_.)x^{(n_.)}}{(a_.) + (b_.)x^{(n_.)} + (c_.)x^{(2n_.)}}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[e/2 + (2cd - be)/(2q), \text{Int}[1/(b/2 - q/2 + cx^n), x], x] + \text{Dist}[e/2 - (2cd - be)/(2q), \text{Int}[1/(b/2 + q/2 + cx^n), x], x]] \ /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[n^2, 2n] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{EqQ}[c^2d^2 - a^2e, 0] \ \&\& \ \text{IGtQ}[n/2, 0] \ \&\& \ \text{GtQ}[b^2 - 4ac, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1+3x^4+x^8} dx &= \frac{1}{2}(-1-\sqrt{5}) \int \frac{1}{\frac{3}{2} + \frac{\sqrt{5}}{2} + x^4} dx + \frac{1}{2}(-1+\sqrt{5}) \int \frac{1}{\frac{3}{2} - \frac{\sqrt{5}}{2} + x^4} dx \\ &= \frac{\int \frac{\sqrt{3-\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{2}} + \frac{\int \frac{\sqrt{3-\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2}-\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{3+\sqrt{5}}-\sqrt{2}x^2}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{3+\sqrt{5}}+\sqrt{2}x^2}{\frac{3}{2}+\frac{\sqrt{5}}{2}+x^4} dx}{2\sqrt{2}} \\ &= \frac{1}{4} \int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})} - \sqrt[4]{2(3-\sqrt{5})}x + x^2} dx + \frac{1}{4} \int \frac{1}{\sqrt{\frac{1}{2}(3-\sqrt{5})} + \sqrt[4]{2(3-\sqrt{5})}x + x^2} dx \\ &= -\frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})} - 2\sqrt[4]{2(3-\sqrt{5})}x + 2x^2\right)}{4 \cdot 2^{3/4}} + \frac{\sqrt[4]{3+\sqrt{5}} \log\left(\sqrt{2(3-\sqrt{5})} + 2\sqrt[4]{2(3-\sqrt{5})}x + 2x^2\right)}{4 \cdot 2^{3/4}} \\ &= -\frac{\tan^{-1}\left(1 - \frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt[4]{2(3-\sqrt{5})}} + \frac{\tan^{-1}\left(1 + \frac{2^{3/4}x}{\sqrt[4]{3-\sqrt{5}}}\right)}{2\sqrt[4]{2(3-\sqrt{5})}} + \frac{\tan^{-1}\left(1 - \frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt[4]{2(3+\sqrt{5})}} - \frac{\tan^{-1}\left(1 + \frac{2^{3/4}x}{\sqrt[4]{3+\sqrt{5}}}\right)}{2\sqrt[4]{2(3+\sqrt{5})}} \end{aligned}$$

Mathematica [C] time = 0.01, size = 57, normalized size = 0.14

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 + 3\#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 + 3\#1^3}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + 3*x^4 + x^8), x]

[Out] -1/4*RootSum[1 + 3*#1^4 + #1^8 & , (-Log[x - #1] + Log[x - #1]*#1^4)/(3*#1^3 + 2*#1^7) &]

fricas [B] time = 0.97, size = 894, normalized size = 2.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+3*x^4+1), x, algorithm="fricas")

[Out] 1/16*(sqrt(5)*sqrt(2) - 3*sqrt(2))*(2*sqrt(5) + 6)^(3/4)*sqrt(sqrt(5) + 3)*arctan(1/16*sqrt(4*x^2 - sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3) + 2*(sqrt(5)*x - x)*(2*sqrt(5) + 6)^(1/4))*(sqrt(5)*sqrt(2) - 2*sqrt(2))*sqrt(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3) - 1/8*(sqrt(5)*sqrt(2)*x - 2*sqrt(2)*x)*(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3) + 1/8*(sqrt(5)*sqrt(2) - 3*sqrt(2))*sqrt(2*sqrt(5) + 6)*sqrt(sqrt(5) + 3)) + 1/16*(sqrt(5)*sqrt(2) - 3*sqrt(2))*(2*sqrt(5) + 6)^(3/4)*sqrt(sqrt(5) + 3)*arctan(1/16*sqrt(4*x^2 - sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3) - 2*(sqrt(5)*x - x)*(2*sqrt(5) + 6)^(1/4))*(sqrt(5)*sqrt(2) - 2*sqrt(2))*sqrt(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3) - 1/8*(sqrt(5)*sqrt(2)*x - 2*sqrt(2)*x)*(2*sqrt(5) + 6)^(5/4)*sqrt(sqrt(5) + 3) - 1/8*(sqrt(5)*sqrt(2) - 3*sqrt(2))*sqrt(2*sqrt(5) + 6)*sqrt(sqrt(5) + 3)) + 1/16*(sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(3/4)*arctan(1/16*sqrt(4*x^2 + (sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6) + 2*(sqrt(5)*x + x)*(-2*sqrt(5) + 6)^(1/4))*(sqrt(5)*sqrt(2) + 2*sqrt(2))*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(5/4) - 1/8*((sqrt(5)*sqrt(2)*x + 2*sqrt(2)*x)*(-2*sqrt(5) + 6)^(5/4) + (sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-2*sqrt(5) + 6))*sqrt(-sqrt(5) + 3)) + 1/16*(sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(3/4)*arctan(1/16*sqrt(4*x^2 + (sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6) - 2*(sqrt(5)*x + x)*(-2*sqrt(5) + 6)^(1/4))*(sqrt(5)*sqrt(2) + 2*sqrt(2))*sqrt(-sqrt(5) + 3)*(-2*sqrt(5) + 6)^(5/4) - 1/8*((sqrt(5)*sqrt(2)*x + 2*sqrt(2)*x)*(-2*sqrt(5) + 6)^(5/4) - (sqrt(5)*sqrt(2) + 3*sqrt(2))*sqrt(-2*sqrt(5) + 6))*sqrt(-sqrt(5) + 3)) + 1/8*(2*sqrt(5) + 6)^(1/4)*log(4*x^2 - sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3) + 2*(sqrt(5)*x - x)*(2*sqrt(5) + 6)^(1/4)) - 1/8*(2*sqrt(5) + 6)^(1/4)*log(4*x^2 - sqrt(2*sqrt(5) + 6)*(sqrt(5) - 3) - 2*(sqrt(5)*x - x)*(2*sqrt(5) + 6)^(1/4)) - 1/8*(-2*sqrt(5) + 6)^(1/4)*log(4*x^2 + (sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6) + 2*(sqrt(5)*x + x)*(-2*sqrt(5) + 6)^(1/4)) + 1/8*(-2*sqrt(5) + 6)^(1/4)*log(4*x^2 + (sqrt(5) + 3)*sqrt(-2*sqrt(5) + 6) - 2*(sqrt(5)*x + x)*(-2*sqrt(5) + 6)^(1/4))

giac [A] time = 0.69, size = 223, normalized size = 0.54

$$\frac{1}{16}\left(\pi + 4 \arctan\left(x\sqrt{\sqrt{5} + 1} + 1\right)\right)\sqrt{\sqrt{5} + 1} - \frac{1}{16}\left(\pi + 4 \arctan\left(-x\sqrt{\sqrt{5} + 1} + 1\right)\right)\sqrt{\sqrt{5} + 1} - \frac{1}{16}\left(\pi + 4 \arctan\left(x\sqrt{\sqrt{5} - 1} - 1\right)\right)\sqrt{\sqrt{5} - 1} + \frac{1}{16}\left(\pi + 4 \arctan\left(-x\sqrt{\sqrt{5} - 1} - 1\right)\right)\sqrt{\sqrt{5} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+3*x^4+1), x, algorithm="giac")

[Out] 1/16*(pi + 4*arctan(x*sqrt(sqrt(5) + 1) + 1))*sqrt(sqrt(5) + 1) - 1/16*(pi + 4*arctan(-x*sqrt(sqrt(5) + 1) + 1))*sqrt(sqrt(5) + 1) - 1/16*(pi + 4*arctan(x*sqrt(sqrt(5) - 1) - 1))*sqrt(sqrt(5) - 1) + 1/16*(pi + 4*arctan(-x*sqrt(sqrt(5) - 1) - 1))*sqrt(sqrt(5) - 1)

$t(\sqrt{5} - 1) - 1) \cdot \sqrt{\sqrt{5} - 1} - 1/8 \cdot \sqrt{\sqrt{5} - 1} \cdot \log(2500 \cdot (x + \sqrt{\sqrt{5} + 1})^2 + 2500 \cdot x^2) + 1/8 \cdot \sqrt{\sqrt{5} - 1} \cdot \log(2500 \cdot (x - \sqrt{\sqrt{5} + 1})^2 + 2500 \cdot x^2) + 1/8 \cdot \sqrt{\sqrt{5} + 1} \cdot \log(1156 \cdot (x + \sqrt{\sqrt{5} - 1})^2 + 1156 \cdot x^2) - 1/8 \cdot \sqrt{\sqrt{5} + 1} \cdot \log(1156 \cdot (x - \sqrt{\sqrt{5} - 1})^2 + 1156 \cdot x^2)$

maple [C] time = 0.01, size = 44, normalized size = 0.11

$$\frac{\left(-\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^4 + 1\right) \ln\left(-\text{RootOf}\left(-Z^8 + 3Z^4 + 1\right) + x\right)}{8 \text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^7 + 12 \text{RootOf}\left(-Z^8 + 3Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+1)/(x^8+3*x^4+1),x)`

[Out] `1/4*sum((-R^4+1)/(2*_R^7+3*_R^3)*ln(-R+x),_R=RootOf(-Z^8+3*_Z^4+1))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 + 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8+3*x^4+1),x, algorithm="maxima")`

[Out] `-integrate((x^4 - 1)/(x^8 + 3*x^4 + 1), x)`

mupad [B] time = 1.68, size = 447, normalized size = 1.09

$$\frac{2^{3/4} \operatorname{atan}\left(\frac{1875 \cdot 2^{3/4} \cdot x \cdot (\sqrt{5}-3)^{1/4}}{2 \left(625 \sqrt{2} \sqrt{\sqrt{5}-3} - 250 \sqrt{2} \sqrt{5} \sqrt{\sqrt{5}-3}\right)} - \frac{875 \cdot 2^{3/4} \sqrt{5} \cdot x \cdot (\sqrt{5}-3)^{1/4}}{2 \left(625 \sqrt{2} \sqrt{\sqrt{5}-3} - 250 \sqrt{2} \sqrt{5} \sqrt{\sqrt{5}-3}\right)}\right) (\sqrt{5}-3)^{1/4}}{4} - \frac{2^{3/4} \operatorname{atan}\left(\frac{1875 \cdot 2^{3/4} \cdot x \cdot (\sqrt{5}-3)^{1/4}}{2 \left(625 \sqrt{2} \sqrt{\sqrt{5}-3} - 250 \sqrt{2} \sqrt{5} \sqrt{\sqrt{5}-3}\right)}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(3*x^4 + x^8 + 1),x)`

[Out] $(2^{3/4} \operatorname{atan}((1875 \cdot 2^{3/4} \cdot x \cdot (5^{1/2} - 3)^{1/4}) / (2 \cdot (625 \cdot 2^{1/2} \cdot (5^{1/2} - 3)^{1/2}) - 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (5^{1/2} - 3)^{1/2}))) - (875 \cdot 2^{3/4} \cdot 5^{1/2} \cdot x \cdot (5^{1/2} - 3)^{1/4}) / (2 \cdot (625 \cdot 2^{1/2} \cdot (5^{1/2} - 3)^{1/2}) - 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (5^{1/2} - 3)^{1/2}))) \cdot (5^{1/2} - 3)^{1/4}) / 4 - (2^{3/4} \operatorname{atan}((2^{3/4} \cdot x \cdot (5^{1/2} - 3)^{1/4} \cdot 1875i) / (2 \cdot (625 \cdot 2^{1/2} \cdot (5^{1/2} - 3)^{1/2}) - 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (5^{1/2} - 3)^{1/2}))) - (2^{3/4} \cdot 5^{1/2} \cdot x \cdot (5^{1/2} - 3)^{1/4} \cdot 875i) / (2 \cdot (625 \cdot 2^{1/2} \cdot (5^{1/2} - 3)^{1/2}) - 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (5^{1/2} - 3)^{1/2}))) \cdot (5^{1/2} - 3)^{1/4} \cdot 1i) / 4 + (2^{3/4} \operatorname{atan}((1875 \cdot 2^{3/4} \cdot x \cdot (-5^{1/2} - 3)^{1/4}) / (2 \cdot (625 \cdot 2^{1/2} \cdot (-5^{1/2} - 3)^{1/2}) + 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (-5^{1/2} - 3)^{1/2}))) + (875 \cdot 2^{3/4} \cdot 5^{1/2} \cdot x \cdot (-5^{1/2} - 3)^{1/4}) / (2 \cdot (625 \cdot 2^{1/2} \cdot (-5^{1/2} - 3)^{1/2}) + 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (-5^{1/2} - 3)^{1/2}))) \cdot (-5^{1/2} - 3)^{1/4}) / 4 - (2^{3/4} \operatorname{atan}((2^{3/4} \cdot x \cdot (-5^{1/2} - 3)^{1/4} \cdot 1875i) / (2 \cdot (625 \cdot 2^{1/2} \cdot (-5^{1/2} - 3)^{1/2}) + 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (-5^{1/2} - 3)^{1/2}))) + (2^{3/4} \cdot 5^{1/2} \cdot x \cdot (-5^{1/2} - 3)^{1/4} \cdot 875i) / (2 \cdot (625 \cdot 2^{1/2} \cdot (-5^{1/2} - 3)^{1/2}) + 250 \cdot 2^{1/2} \cdot 5^{1/2} \cdot (-5^{1/2} - 3)^{1/2}))) \cdot (-5^{1/2} - 3)^{1/4} \cdot 1i) / 4$

sympy [A] time = 1.45, size = 26, normalized size = 0.06

$$-\text{RootSum}\left(65536t^8 + 768t^4 + 1, \left(t \mapsto t \log(1024t^5 + 8t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**4+1)/(x**8+3*x**4+1),x)
```

```
[Out] -RootSum(65536*_t**8 + 768*_t**4 + 1, Lambda(_t, _t*log(1024*_t**5 + 8*_t + x)))
```

$$3.22 \quad \int \frac{1-x^4}{1+2x^4+x^8} dx$$

Optimal. Leaf size=97

$$\frac{x}{2(x^4+1)} - \frac{\log(x^2 - \sqrt{2}x + 1)}{8\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{8\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{4\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{4\sqrt{2}}$$

[Out] 1/2*x/(x^4+1)+1/8*arctan(-1+x*2^(1/2))*2^(1/2)+1/8*arctan(1+x*2^(1/2))*2^(1/2)-1/16*ln(1+x^2-x*2^(1/2))*2^(1/2)+1/16*ln(1+x^2+x*2^(1/2))*2^(1/2)

Rubi [A] time = 0.05, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {28, 385, 211, 1165, 628, 1162, 617, 204}

$$\frac{x}{2(x^4+1)} - \frac{\log(x^2 - \sqrt{2}x + 1)}{8\sqrt{2}} + \frac{\log(x^2 + \sqrt{2}x + 1)}{8\sqrt{2}} - \frac{\tan^{-1}(1 - \sqrt{2}x)}{4\sqrt{2}} + \frac{\tan^{-1}(\sqrt{2}x + 1)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + 2*x^4 + x^8), x]

[Out] x/(2*(1 + x^4)) - ArcTan[1 - Sqrt[2]*x]/(4*Sqrt[2]) + ArcTan[1 + Sqrt[2]*x]/(4*Sqrt[2]) - Log[1 - Sqrt[2]*x + x^2]/(8*Sqrt[2]) + Log[1 + Sqrt[2]*x + x^2]/(8*Sqrt[2])

Rule 28

Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_.)]^(p_.), x_Symbol] := Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Dist[1/(2*r), Int[(r - s*x^2)/(a + b*x^4), x], x] + Dist[1/(2*r), Int[(r + s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))

Rule 385

Int[((a_) + (b_.)*(x_)^(n_.))^(p_.)*((c_) + (d_.)*(x_)^(n_.)), x_Symbol] := -Simp[((b*c - a*d)*x*(a + b*x^n)^(p+1))/(a*b*n*(p+1)), x] - Dist[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), Int[(a + b*x^n)^(p+1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b*c - a*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 628

$\text{Int}[\{(d_)+(e_)*(x_)\}/\{(a_)+(b_)*(x_)+(c_)*(x_)^2\}, x_Symbol] \ :> \ \text{Simp}[\{d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]\}/b, x] \ /; \ \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$

Rule 1162

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\{(a_)+(c_)*(x_)^4\}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[(2*d)/e, 2]\}, \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e + q*x + x^2, x], x], x] + \text{Dist}[e/(2*c), \text{Int}[1/\text{Simp}[d/e - q*x + x^2, x], x], x] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\ \& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{PosQ}[d*e]$

Rule 1165

$\text{Int}[\{(d_)+(e_)*(x_)^2\}/\{(a_)+(c_)*(x_)^4\}, x_Symbol] \ :> \ \text{With}[\{q = \text{Rt}[(-2*d)/e, 2]\}, \text{Dist}[e/(2*c*q), \text{Int}[(q - 2*x)/\text{Simp}[d/e + q*x - x^2, x], x], x] + \text{Dist}[e/(2*c*q), \text{Int}[(q + 2*x)/\text{Simp}[d/e - q*x - x^2, x], x], x] \ /; \ \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{EqQ}[c*d^2 - a*e^2, 0] \ \&\& \ \text{NegQ}[d*e]$

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1+2x^4+x^8} dx &= \int \frac{1-x^4}{(1+x^4)^2} dx \\ &= \frac{x}{2(1+x^4)} + \frac{1}{2} \int \frac{1}{1+x^4} dx \\ &= \frac{x}{2(1+x^4)} + \frac{1}{4} \int \frac{1-x^2}{1+x^4} dx + \frac{1}{4} \int \frac{1+x^2}{1+x^4} dx \\ &= \frac{x}{2(1+x^4)} + \frac{1}{8} \int \frac{1}{1-\sqrt{2}x+x^2} dx + \frac{1}{8} \int \frac{1}{1+\sqrt{2}x+x^2} dx - \frac{\int \frac{\sqrt{2}+2x}{-1-\sqrt{2}x-x^2} dx}{8\sqrt{2}} - \frac{\int \frac{\sqrt{2}}{-1+\sqrt{2}x-x^2} dx}{8\sqrt{2}} \\ &= \frac{x}{2(1+x^4)} - \frac{\log(1-\sqrt{2}x+x^2)}{8\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{8\sqrt{2}} + \frac{\text{Subst}\left(\int \frac{1}{-1-x^2} dx, x, 1-\sqrt{2}x\right)}{4\sqrt{2}} \\ &= \frac{x}{2(1+x^4)} - \frac{\tan^{-1}(1-\sqrt{2}x)}{4\sqrt{2}} + \frac{\tan^{-1}(1+\sqrt{2}x)}{4\sqrt{2}} - \frac{\log(1-\sqrt{2}x+x^2)}{8\sqrt{2}} + \frac{\log(1+\sqrt{2}x+x^2)}{8\sqrt{2}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 90, normalized size = 0.93

$$\frac{1}{16} \left(\frac{8x}{x^4+1} - \sqrt{2} \log(x^2 - \sqrt{2}x + 1) + \sqrt{2} \log(x^2 + \sqrt{2}x + 1) - 2\sqrt{2} \tan^{-1}(1 - \sqrt{2}x) + 2\sqrt{2} \tan^{-1}(\sqrt{2}x + 1) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 + 2*x^4 + x^8), x]

[Out] ((8*x)/(1 + x^4) - 2*Sqrt[2]*ArcTan[1 - Sqrt[2]*x] + 2*Sqrt[2]*ArcTan[1 + Sqrt[2]*x] - Sqrt[2]*Log[1 - Sqrt[2]*x + x^2] + Sqrt[2]*Log[1 + Sqrt[2]*x + x^2])/16

fricas [A] time = 0.83, size = 126, normalized size = 1.30

$$\frac{4\sqrt{2}(x^4+1)\arctan\left(-\sqrt{2}x+\sqrt{2}\sqrt{x^2+\sqrt{2}x+1}-1\right)+4\sqrt{2}(x^4+1)\arctan\left(-\sqrt{2}x+\sqrt{2}\sqrt{x^2-\sqrt{2}x+1}+1\right)}{16(x^4+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+2*x^4+1),x, algorithm="fricas")

[Out] -1/16*(4*sqrt(2)*(x^4 + 1)*arctan(-sqrt(2)*x + sqrt(2)*sqrt(x^2 + sqrt(2)*x + 1) - 1) + 4*sqrt(2)*(x^4 + 1)*arctan(-sqrt(2)*x + sqrt(2)*sqrt(x^2 - sqrt(2)*x + 1) + 1) - sqrt(2)*(x^4 + 1)*log(x^2 + sqrt(2)*x + 1) + sqrt(2)*(x^4 + 1)*log(x^2 - sqrt(2)*x + 1) - 8*x)/(x^4 + 1)

giac [A] time = 0.30, size = 82, normalized size = 0.85

$$\frac{1}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)+\frac{1}{16}\sqrt{2}\log(x^2+\sqrt{2}x+1)-\frac{1}{16}\sqrt{2}\log(x^2-\sqrt{2}x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+2*x^4+1),x, algorithm="giac")

[Out] 1/8*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/8*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/16*sqrt(2)*log(x^2 + sqrt(2)*x + 1) - 1/16*sqrt(2)*log(x^2 - sqrt(2)*x + 1) + 1/2*x/(x^4 + 1)

maple [A] time = 0.01, size = 68, normalized size = 0.70

$$\frac{x}{2x^4+2} + \frac{\sqrt{2}\arctan(\sqrt{2}x-1)}{8} + \frac{\sqrt{2}\arctan(\sqrt{2}x+1)}{8} + \frac{\sqrt{2}\ln\left(\frac{x^2+\sqrt{2}x+1}{x^2-\sqrt{2}x+1}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+2*x^4+1),x)

[Out] 1/2/(x^4+1)*x+1/16*2^(1/2)*ln((x^2+2^(1/2)*x+1)/(x^2-2^(1/2)*x+1))+1/8*2^(1/2)*arctan(2^(1/2)*x-1)+1/8*2^(1/2)*arctan(2^(1/2)*x+1)

maxima [A] time = 1.56, size = 82, normalized size = 0.85

$$\frac{1}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(2x+\sqrt{2})\right)+\frac{1}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(2x-\sqrt{2})\right)+\frac{1}{16}\sqrt{2}\log(x^2+\sqrt{2}x+1)-\frac{1}{16}\sqrt{2}\log(x^2-\sqrt{2}x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+2*x^4+1),x, algorithm="maxima")

[Out] 1/8*sqrt(2)*arctan(1/2*sqrt(2)*(2*x + sqrt(2))) + 1/8*sqrt(2)*arctan(1/2*sqrt(2)*(2*x - sqrt(2))) + 1/16*sqrt(2)*log(x^2 + sqrt(2)*x + 1) - 1/16*sqrt(2)*log(x^2 - sqrt(2)*x + 1) + 1/2*x/(x^4 + 1)

mupad [B] time = 1.62, size = 44, normalized size = 0.45

$$\frac{x}{2(x^4+1)} + \sqrt{2}\operatorname{atan}\left(\sqrt{2}x\left(\frac{1}{2}-\frac{1}{2}i\right)\right)\left(\frac{1}{8}+\frac{1}{8}i\right) + \sqrt{2}\operatorname{atan}\left(\sqrt{2}x\left(\frac{1}{2}+\frac{1}{2}i\right)\right)\left(\frac{1}{8}-\frac{1}{8}i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(2*x^4 + x^8 + 1),x)

[Out] $2^{(1/2)} \cdot \operatorname{atan}(2^{(1/2)} \cdot x \cdot (1/2 - 1i/2)) \cdot (1/8 + 1i/8) + 2^{(1/2)} \cdot \operatorname{atan}(2^{(1/2)} \cdot x \cdot (1/2 + 1i/2)) \cdot (1/8 - 1i/8) + x / (2 \cdot (x^4 + 1))$

sympy [A] time = 0.18, size = 82, normalized size = 0.85

$$\frac{x}{2x^4 + 2} - \frac{\sqrt{2} \log(x^2 - \sqrt{2}x + 1)}{16} + \frac{\sqrt{2} \log(x^2 + \sqrt{2}x + 1)}{16} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2}x - 1)}{8} + \frac{\sqrt{2} \operatorname{atan}(\sqrt{2}x + 1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**8+2*x**4+1), x)

[Out] $x / (2 \cdot x^4 + 2) - \sqrt{2} \cdot \log(x^2 - \sqrt{2} \cdot x + 1) / 16 + \sqrt{2} \cdot \log(x^2 + \sqrt{2} \cdot x + 1) / 16 + \sqrt{2} \cdot \operatorname{atan}(\sqrt{2} \cdot x - 1) / 8 + \sqrt{2} \cdot \operatorname{atan}(\sqrt{2} \cdot x + 1) / 8$

$$3.23 \quad \int \frac{1-x^4}{1+x^4+x^8} dx$$

Optimal. Leaf size=140

$$\frac{1}{8} \log(x^2 - x + 1) - \frac{1}{8} \log(x^2 + x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{4} \sqrt{3} \tan^{-1} \left(\frac{1-2x}{\sqrt{3}} \right)$$

[Out] $-1/4*\arctan(2*x-3^{(1/2)})-1/4*\arctan(2*x+3^{(1/2)})+1/8*\ln(x^2-x+1)-1/8*\ln(x^2+x+1)-1/4*\arctan(1/3*(1-2*x)*3^{(1/2)})*3^{(1/2)}+1/4*\arctan(1/3*(1+2*x)*3^{(1/2)})*3^{(1/2)}-1/8*\ln(1+x^2-x*3^{(1/2)})*3^{(1/2)}+1/8*\ln(1+x^2+x*3^{(1/2)})*3^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {1421, 1169, 634, 618, 204, 628}

$$\frac{1}{8} \log(x^2 - x + 1) - \frac{1}{8} \log(x^2 + x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{4} \sqrt{3} \tan^{-1} \left(\frac{1-2x}{\sqrt{3}} \right)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 + x^4 + x^8), x]

[Out] $-(\text{Sqrt}[3]*\text{ArcTan}[(1 - 2*x)/\text{Sqrt}[3]])/4 + \text{ArcTan}[\text{Sqrt}[3] - 2*x]/4 + (\text{Sqrt}[3]*\text{ArcTan}[(1 + 2*x)/\text{Sqrt}[3]])/4 - \text{ArcTan}[\text{Sqrt}[3] + 2*x]/4 + \text{Log}[1 - x + x^2]/8 - \text{Log}[1 + x + x^2]/8 - (\text{Sqrt}[3]*\text{Log}[1 - \text{Sqrt}[3]*x + x^2])/8 + (\text{Sqrt}[3]*\text{Log}[1 + \text{Sqrt}[3]*x + x^2])/8$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rule 1421

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x^(
n/2))/Simp[d/e + q*x^(n/2) - x^n, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*
x^(n/2))/Simp[d/e - q*x^(n/2) - x^n, x], x], x]] /; FreeQ[{a, b, c, d, e},
x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[
n/2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1+x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1+2x^2}{-1-x^2-x^4} dx\right) - \frac{1}{2} \int \frac{1-2x^2}{-1+x^2-x^4} dx \\ &= \frac{1}{4} \int \frac{1+x}{1-x+x^2} dx + \frac{1}{4} \int \frac{1-x}{1+x+x^2} dx + \frac{\int \frac{\sqrt{3}-3x}{1-\sqrt{3}x+x^2} dx}{4\sqrt{3}} + \frac{\int \frac{\sqrt{3}+3x}{1+\sqrt{3}x+x^2} dx}{4\sqrt{3}} \\ &= \frac{1}{8} \int \frac{-1+2x}{1-x+x^2} dx - \frac{1}{8} \int \frac{1+2x}{1+x+x^2} dx - \frac{1}{8} \int \frac{1}{1-\sqrt{3}x+x^2} dx - \frac{1}{8} \int \frac{1}{1+\sqrt{3}x+x^2} dx \\ &= \frac{1}{8} \log(1-x+x^2) - \frac{1}{8} \log(1+x+x^2) - \frac{1}{8} \sqrt{3} \log(1-\sqrt{3}x+x^2) + \frac{1}{8} \sqrt{3} \log(1+\sqrt{3}x+x^2) \\ &= -\frac{1}{4} \sqrt{3} \tan^{-1}\left(\frac{1-2x}{\sqrt{3}}\right) + \frac{1}{4} \tan^{-1}(\sqrt{3}-2x) + \frac{1}{4} \sqrt{3} \tan^{-1}\left(\frac{1+2x}{\sqrt{3}}\right) - \frac{1}{4} \tan^{-1}(\sqrt{3}+2x) \end{aligned}$$

Mathematica [C] time = 0.17, size = 129, normalized size = 0.92

$$\frac{1}{8} \left(\log(x^2 - x + 1) - \log(x^2 + x + 1) - 2\sqrt{-2 - 2i\sqrt{3}} \tan^{-1}\left(\frac{1}{2}(1 - i\sqrt{3})x\right) - 2\sqrt{-2 + 2i\sqrt{3}} \tan^{-1}\left(\frac{1}{2}(1 + i\sqrt{3})x\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(1 - x^4)/(1 + x^4 + x^8), x]

[Out] (-2*Sqrt[-2 - (2*I)*Sqrt[3]]*ArcTan[((1 - I*Sqrt[3])*x)/2] - 2*Sqrt[-2 + (2*I)*Sqrt[3]]*ArcTan[((1 + I*Sqrt[3])*x)/2] + 2*Sqrt[3]*ArcTan[(-1 + 2*x)/Sqrt[3]] + 2*Sqrt[3]*ArcTan[(1 + 2*x)/Sqrt[3]] + Log[1 - x + x^2] - Log[1 + x + x^2])/8

fricas [A] time = 0.84, size = 137, normalized size = 0.98

$$\frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+x^4+1), x, algorithm="fricas")

[Out] 1/4*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/4*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/8*sqrt(3)*log(x^2 + sqrt(3)*x + 1) - 1/8*sqrt(3)*log(x^2 - sqrt(3)*x + 1) + 1/2*arctan(-2*x + sqrt(3) + 2*sqrt(x^2 - sqrt(3)*x + 1)) + 1/2*arctan(-2*x - sqrt(3) + 2*sqrt(x^2 + sqrt(3)*x + 1)) - 1/8*log(x^2 + x + 1) + 1/8*log(x^2 - x + 1)

giac [A] time = 0.37, size = 108, normalized size = 0.77

$$\frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) + \frac{1}{8} \sqrt{3} \log(x^2 + \sqrt{3}x + 1) - \frac{1}{8} \sqrt{3} \log(x^2 - \sqrt{3}x + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+x^4+1),x, algorithm="giac")

[Out] 1/4*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/4*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) + 1/8*sqrt(3)*log(x^2 + sqrt(3)*x + 1) - 1/8*sqrt(3)*log(x^2 - sqrt(3)*x + 1) - 1/4*arctan(2*x + sqrt(3)) - 1/4*arctan(2*x - sqrt(3)) - 1/8*log(x^2 + x + 1) + 1/8*log(x^2 - x + 1)

maple [A] time = 0.01, size = 109, normalized size = 0.78

$$\frac{\sqrt{3} \arctan\left(\frac{(2x+1)\sqrt{3}}{3}\right)}{4} + \frac{\sqrt{3} \arctan\left(\frac{(2x-1)\sqrt{3}}{3}\right)}{4} - \frac{\arctan(2x - \sqrt{3})}{4} - \frac{\arctan(2x + \sqrt{3})}{4} - \frac{\sqrt{3} \ln(x^2 - \sqrt{3}x + 1)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+x^4+1),x)

[Out] -1/8*ln(x^2+x+1)+1/4*3^(1/2)*arctan(1/3*(2*x+1)*3^(1/2))-1/8*3^(1/2)*ln(x^2-3^(1/2)*x+1)-1/4*arctan(2*x-3^(1/2))+1/8*3^(1/2)*ln(x^2+3^(1/2)*x+1)-1/4*arctan(2*x+3^(1/2))+1/8*ln(x^2-x+1)+1/4*3^(1/2)*arctan(1/3*(2*x-1)*3^(1/2))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + \frac{1}{4} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x-1)\right) - \frac{1}{2} \int \frac{2x^2-1}{x^4-x^2+1} dx - \frac{1}{8} \log(x^2+x+1) + \frac{1}{8} \log(x^2-x+1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+x^4+1),x, algorithm="maxima")

[Out] 1/4*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + 1/4*sqrt(3)*arctan(1/3*sqrt(3)*(2*x - 1)) - 1/2*integrate((2*x^2 - 1)/(x^4 - x^2 + 1), x) - 1/8*log(x^2 + x + 1) + 1/8*log(x^2 - x + 1)

mupad [B] time = 0.19, size = 109, normalized size = 0.78

$$-\operatorname{atan}\left(\frac{54\sqrt{3}x}{-81+\sqrt{3}27i}\right)\left(\frac{\sqrt{3}}{4}+\frac{1}{4}i\right)+\operatorname{atan}\left(\frac{54\sqrt{3}x}{81+\sqrt{3}27i}\right)\left(\frac{\sqrt{3}}{4}-\frac{1}{4}i\right)+\operatorname{atan}\left(\frac{\sqrt{3}x54i}{-81+\sqrt{3}27i}\right)\left(-\frac{1}{4}+\frac{\sqrt{3}1i}{4}\right)-\operatorname{atan}\left(\frac{\sqrt{3}x54i}{81+\sqrt{3}27i}\right)\left(-\frac{1}{4}-\frac{\sqrt{3}1i}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^4 + x^8 + 1),x)

[Out] atan((54*3^(1/2)*x)/(3^(1/2)*27i + 81))*(3^(1/2)/4 - 1i/4) - atan((54*3^(1/2)*x)/(3^(1/2)*27i - 81))*(3^(1/2)/4 + 1i/4) + atan((3^(1/2)*x*54i)/(3^(1/2)*27i - 81))*((3^(1/2)*1i)/4 - 1/4) - atan((3^(1/2)*x*54i)/(3^(1/2)*27i + 81))*((3^(1/2)*1i)/4 + 1/4)

sympy [C] time = 0.62, size = 148, normalized size = 1.06

$$-\left(-\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(-\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)^5\right)-\left(-\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(-\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)^5\right)-\left(\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(\frac{1}{8}-\frac{\sqrt{3}i}{8}\right)^5\right)-\left(\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)\log\left(x+1024\left(\frac{1}{8}+\frac{\sqrt{3}i}{8}\right)^5\right)-\operatorname{RootSum}(256*_t**4-16*_t**2+1,\operatorname{Lambda}(_t,_t*\log(1024*_t**5+x)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**8+x**4+1),x)

[Out] -(-1/8 - sqrt(3)*I/8)*log(x + 1024*(-1/8 - sqrt(3)*I/8)**5) - (-1/8 + sqrt(3)*I/8)*log(x + 1024*(-1/8 + sqrt(3)*I/8)**5) - (1/8 - sqrt(3)*I/8)*log(x + 1024*(1/8 - sqrt(3)*I/8)**5) - (1/8 + sqrt(3)*I/8)*log(x + 1024*(1/8 + sqrt(3)*I/8)**5) - RootSum(256*_t**4 - 16*_t**2 + 1, Lambda(_t, _t*log(1024*_t**5 + x)))

$$3.24 \quad \int \frac{1-x^4}{1+x^8} dx$$

Optimal. Leaf size=347

$$\frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 - \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 + \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log$$

```
[Out] 1/16*ln(1+x^2-x*(2-2^(1/2))^(1/2))*(4-2*2^(1/2))^(1/2)-1/16*ln(1+x^2+x*(2-2^(1/2))^(1/2))*(4-2*2^(1/2))^(1/2)-1/4*arctan((-2*x+(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2)+1/4*arctan((2*x+(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2)-1/16*ln(1+x^2-x*(2+2^(1/2))^(1/2))*(4+2*2^(1/2))^(1/2)+1/16*ln(1+x^2+x*(2+2^(1/2))^(1/2))*(4+2*2^(1/2))^(1/2)+1/4*arctan((-2*x+(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2)-1/4*arctan((2*x+(2+2^(1/2))^(1/2))/(2-2^(1/2))^(1/2))/(2+2^(1/2))^(1/2)
```

Rubi [A] time = 0.27, antiderivative size = 347, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {1414, 1169, 634, 618, 204, 628}

$$\frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 - \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2-\sqrt{2})} \log\left(x^2 + \sqrt{2-\sqrt{2}}x + 1\right) - \frac{1}{8}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log$$

Antiderivative was successfully verified.

```
[In] Int[(1 - x^4)/(1 + x^8), x]
```

```
[Out] -ArcTan[(Sqrt[2 - Sqrt[2]] - 2*x)/Sqrt[2 + Sqrt[2]]]/(4*Sqrt[2 - Sqrt[2]]) + ArcTan[(Sqrt[2 + Sqrt[2]] - 2*x)/Sqrt[2 - Sqrt[2]]]/(4*Sqrt[2 + Sqrt[2]]) + ArcTan[(Sqrt[2 - Sqrt[2]] + 2*x)/Sqrt[2 + Sqrt[2]]]/(4*Sqrt[2 - Sqrt[2]]) - ArcTan[(Sqrt[2 + Sqrt[2]] + 2*x)/Sqrt[2 - Sqrt[2]]]/(4*Sqrt[2 + Sqrt[2]]) + (Sqrt[(2 - Sqrt[2])/2]*Log[1 - Sqrt[2 - Sqrt[2]]*x + x^2])/8 - (Sqrt[(2 - Sqrt[2])/2]*Log[1 + Sqrt[2 - Sqrt[2]]*x + x^2])/8 - (Sqrt[(2 + Sqrt[2])/2]*Log[1 - Sqrt[2 + Sqrt[2]]*x + x^2])/8 + (Sqrt[(2 + Sqrt[2])/2]*Log[1 + Sqrt[2 + Sqrt[2]]*x + x^2])/8
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1414

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[-2*d*e, 2]}, Dist[d/(2*a), Int[(d - q*x^(n/2))/(d - q*x^(n/2) - e*x^n), x], x] + Dist[d/(2*a), Int[(d + q*x^(n/2))/(d + q*x^(n/2) - e*x^n), x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[n2, 2*n] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && NegQ[d*e]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1+x^8} dx &= \frac{1}{2} \int \frac{1-\sqrt{2}x^2}{1-\sqrt{2}x^2+x^4} dx + \frac{1}{2} \int \frac{1+\sqrt{2}x^2}{1+\sqrt{2}x^2+x^4} dx \\ &= \frac{\int \frac{\sqrt{2-\sqrt{2}}-(1-\sqrt{2})x}{1-\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2-\sqrt{2}}+(1-\sqrt{2})x}{1+\sqrt{2-\sqrt{2}}x+x^2} dx}{4\sqrt{2-\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}-(1+\sqrt{2})x}{1-\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} + \frac{\int \frac{\sqrt{2+\sqrt{2}}+(1+\sqrt{2})x}{1+\sqrt{2+\sqrt{2}}x+x^2} dx}{4\sqrt{2+\sqrt{2}}} \\ &= -\left(\frac{1}{8}\sqrt{3-2\sqrt{2}} \int \frac{1}{1-\sqrt{2+\sqrt{2}}x+x^2} dx\right) - \frac{1}{8}\sqrt{3-2\sqrt{2}} \int \frac{1}{1+\sqrt{2+\sqrt{2}}x+x^2} dx + \frac{(1-\sqrt{2})}{8\sqrt{2-\sqrt{2}}} \log\left(\frac{1-\sqrt{2-\sqrt{2}}x+x^2}{1+\sqrt{2-\sqrt{2}}x+x^2}\right) \\ &= \frac{1}{8}\sqrt{1-\frac{1}{\sqrt{2}}} \log\left(1-\sqrt{2-\sqrt{2}}x+x^2\right) - \frac{1}{8}\sqrt{1-\frac{1}{\sqrt{2}}} \log\left(1+\sqrt{2-\sqrt{2}}x+x^2\right) - \frac{1}{8}\sqrt{1+\frac{1}{\sqrt{2}}} \log\left(\frac{1-\sqrt{2+\sqrt{2}}x+x^2}{1+\sqrt{2+\sqrt{2}}x+x^2}\right) \\ &= -\frac{1}{4}\sqrt{\frac{1}{2}(2+\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}-2x}{\sqrt{2+\sqrt{2}}}\right) + \frac{1}{4}\sqrt{\frac{1}{2}(2-\sqrt{2})} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{2}}-2x}{\sqrt{2-\sqrt{2}}}\right) + \frac{1}{4}\sqrt{\frac{1}{2}(2+\sqrt{2})} \log\left(\frac{1-\sqrt{2-\sqrt{2}}x+x^2}{1+\sqrt{2-\sqrt{2}}x+x^2}\right) \end{aligned}$$

Mathematica [A] time = 0.16, size = 257, normalized size = 0.74

$$\frac{1}{8} \left(-\left(\sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 - 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) + \cos\left(\frac{\pi}{8}\right) \right) \log\left(x^2 + 2x \cos\left(\frac{\pi}{8}\right) + 1\right) + \left(\sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right) \right) \log\left(\frac{1-\sqrt{2-\sqrt{2}}x+x^2}{1+\sqrt{2-\sqrt{2}}x+x^2}\right) + \left(\sin\left(\frac{\pi}{8}\right) - \cos\left(\frac{\pi}{8}\right) \right) \log\left(\frac{1-\sqrt{2+\sqrt{2}}x+x^2}{1+\sqrt{2+\sqrt{2}}x+x^2}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x^4)/(1 + x^8), x]
```

```
[Out] (2*ArcTan[Cot[Pi/8] - x*Csc[Pi/8]]*(Cos[Pi/8] - Sin[Pi/8]) + Log[1 + x^2 - 2*x*Sin[Pi/8]]*(Cos[Pi/8] - Sin[Pi/8]) + 2*ArcTan[(x + Cos[Pi/8])*Csc[Pi/8]]*(-Cos[Pi/8] + Sin[Pi/8]) + Log[1 + x^2 + 2*x*Sin[Pi/8]]*(-Cos[Pi/8] + Sin[Pi/8]) + 2*ArcTan[Sec[Pi/8]*(x + Sin[Pi/8])]*(Cos[Pi/8] + Sin[Pi/8]) + 2*ArcTan[x*Sec[Pi/8] - Tan[Pi/8]]*(Cos[Pi/8] + Sin[Pi/8]) - Log[1 + x^2 - 2*x*Sin[Pi/8]]*(Cos[Pi/8] - Sin[Pi/8]) - Log[1 + x^2 + 2*x*Sin[Pi/8]]*(-Cos[Pi/8] + Sin[Pi/8])
```


$\text{Cos}[\text{Pi}/8] * (\text{Cos}[\text{Pi}/8] + \text{Sin}[\text{Pi}/8]) + \text{Log}[1 + x^2 + 2*x*\text{Cos}[\text{Pi}/8]] * (\text{Cos}[\text{Pi}/8] + \text{Sin}[\text{Pi}/8]) / 8$

fricas [B] time = 0.97, size = 991, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+1),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/8 * (\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}) * \arctan\left(\frac{-2x - 2\sqrt{x^2 + x\sqrt{-\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) - 1/8 * (\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}) * \arctan\left(\frac{-2x - 2\sqrt{x^2 - x\sqrt{-\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + 1/8 * (\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}) * \arctan\left(\frac{-2x - 2\sqrt{x^2 + x\sqrt{\sqrt{2} + 2} + 1} + \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) + 1/8 * (\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}) * \arctan\left(\frac{-2x - 2\sqrt{x^2 - x\sqrt{\sqrt{2} + 2} + 1} - \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) - 1/8 * \sqrt{2} * \sqrt{\sqrt{2} + 2} * \arctan\left(\frac{-2\sqrt{2} * x - 2\sqrt{2} * \sqrt{x^2 + 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2}} - 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1} + \sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}}\right) - 1/8 * \sqrt{2} * \sqrt{\sqrt{2} + 2} * \arctan\left(\frac{-2\sqrt{2} * x - 2\sqrt{2} * \sqrt{x^2 - 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} + 2} + 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1} - \sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}}\right) - 1/8 * \sqrt{2} * \sqrt{-\sqrt{2} + 2} * \arctan\left(\frac{(2\sqrt{2} * x - 2\sqrt{2} * \sqrt{x^2 + 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} + 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1} + \sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}}\right) - 1/8 * \sqrt{2} * \sqrt{-\sqrt{2} + 2} * \arctan\left(\frac{(2\sqrt{2} * x - 2\sqrt{2} * \sqrt{x^2 - 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} - 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1} - \sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}}\right) + 1/32 * \sqrt{2} * \sqrt{\sqrt{2} + 2} * \log(x^2 + 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} + 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1) - 1/32 * \sqrt{2} * \sqrt{-\sqrt{2} + 2} * \log(x^2 + 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} - 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1) + 1/32 * \sqrt{2} * \sqrt{-\sqrt{2} + 2} * \log(x^2 - 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} + 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1) - 1/32 * \sqrt{2} * \sqrt{\sqrt{2} + 2} * \log(x^2 - 1/2 * \sqrt{2} * x * \sqrt{\sqrt{2} + 2} - 1/2 * \sqrt{2} * x * \sqrt{-\sqrt{2} + 2} + 1) + 1/32 * (\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}) * \log(x^2 + x * \sqrt{\sqrt{2} + 2} + 1) - 1/32 * (\sqrt{\sqrt{2} + 2} + \sqrt{-\sqrt{2} + 2}) * \log(x^2 - x * \sqrt{\sqrt{2} + 2} + 1) - 1/32 * (\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}) * \log(x^2 + x * \sqrt{-\sqrt{2} + 2} + 1) + 1/32 * (\sqrt{\sqrt{2} + 2} - \sqrt{-\sqrt{2} + 2}) * \log(x^2 - x * \sqrt{-\sqrt{2} + 2} + 1) \end{aligned}$$

giac [A] time = 0.72, size = 247, normalized size = 0.71

$$\frac{1}{8} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + \frac{1}{8} \sqrt{2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) - \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) - \frac{1}{8} \sqrt{-2\sqrt{2} + 4} \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+1),x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/8 * \sqrt{2 * \sqrt{2} + 4} * \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) + 1/8 * \sqrt{2 * \sqrt{2} + 4} * \arctan\left(\frac{2x - \sqrt{-\sqrt{2} + 2}}{\sqrt{\sqrt{2} + 2}}\right) - 1/8 * \sqrt{-2 * \sqrt{2} + 4} * \arctan\left(\frac{2x + \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) - 1/8 * \sqrt{-2 * \sqrt{2} + 4} * \arctan\left(\frac{2x - \sqrt{\sqrt{2} + 2}}{\sqrt{-\sqrt{2} + 2}}\right) + 1/16 * \sqrt{2 * \sqrt{2} + 4} * \log(x^2 + x * \sqrt{\sqrt{2} + 2} + 1) - 1/16 * \sqrt{2 * \sqrt{2} + 4} * \log(x^2 - x * \sqrt{\sqrt{2} + 2} + 1) - 1/16 * \sqrt{-2 * \sqrt{2} + 4} * \log(x^2 + x * \sqrt{-\sqrt{2} + 2} + 1) + 1/16 * \sqrt{-2 * \sqrt{2} + 4} * \log(x^2 - x * \sqrt{-\sqrt{2} + 2} + 1) \end{aligned}$$

maple [C] time = 0.01, size = 29, normalized size = 0.08

$$\frac{\left(-\operatorname{RootOf}\left(-Z^8+1\right)^4+1\right)\ln\left(-\operatorname{RootOf}\left(-Z^8+1\right)+x\right)}{8\operatorname{RootOf}\left(-Z^8+1\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8+1),x)

[Out] 1/8*sum((-_R^4+1)/_R^7*ln(-_R+x),_R=RootOf(-_Z^8+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4-1}{x^8+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 + 1), x)

mupad [B] time = 1.96, size = 312, normalized size = 0.90

$$-\ln\left(\left(\frac{\sqrt{-2\sqrt{2}-4}}{16}-\frac{\sqrt{4-2\sqrt{2}}}{16}\right)^3\left(65536x-16384\sqrt{-2\sqrt{2}-4}+16384\sqrt{4-2\sqrt{2}}\right)-256\right)\left(\frac{\sqrt{-2\sqrt{2}-4}}{16}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 + 1),x)

[Out] (atan(x*(2^(1/2) + 2)^(3/2)*(1/2 + 1i) - 2^(1/2)*x*(2^(1/2) + 2)^(3/2)*(1/4 + 3i/4))*(2^(1/2)*(1 - 1i) - 2)*(2^(1/2) + 2)^(1/2)*1i)/8 - atan((x*1i)/(2^(1/2) + 2)^(1/2) - (x*1i)/(2^(1/2) - 2)^(1/2) + (2^(1/2)*x*1i)/(2*(2^(1/2) - 2)^(1/2))) + (2^(1/2)*x*1i)/(2*(2^(1/2) + 2)^(1/2)))*((2^(1/2)*(2^(1/2) - 2)^(1/2)*1i)/8 + (2^(1/2)*(2^(1/2) + 2)^(1/2)*1i)/8) - log(((- 2*2^(1/2) - 4)^(1/2)/16 - (4 - 2*2^(1/2))^(1/2)/16)^3*(65536*x - 16384*(- 2*2^(1/2) - 4)^(1/2) + 16384*(4 - 2*2^(1/2))^(1/2)) - 256)*((- 2*2^(1/2) - 4)^(1/2)/16 - (4 - 2*2^(1/2))^(1/2)/16) + (atan(x*(2^(1/2) + 2)^(3/2)*(1 - 1i/2) - 2^(1/2)*x*(2^(1/2) + 2)^(3/2)*(3/4 - 1i/4))*(2^(1/2)*(1 + 1i) - 2i)*(2^(1/2) + 2)^(1/2)*1i)/8 + 2^(1/2)*log(x - (2^(1/2) + 2)^(3/2)*(1 - 1i/2) + 2^(1/2)*(2^(1/2) + 2)^(3/2)*(3/4 - 1i/4))*((2^(1/2) - 2)^(1/2)/16 + (2^(1/2) + 2)^(1/2)/16)*1i

sympy [A] time = 2.75, size = 20, normalized size = 0.06

$$-\operatorname{RootSum}\left(1048576t^8+1,\left(t\mapsto t\log\left(4096t^5-4t+x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**8+1),x)

[Out] -RootSum(1048576*_t**8 + 1, Lambda(_t, _t*log(4096*_t**5 - 4*_t + x)))

$$3.25 \quad \int \frac{1-x^4}{1-x^4+x^8} dx$$

Optimal. Leaf size=355

$$\frac{1}{8}\sqrt{\frac{1}{3}}(2-\sqrt{3})\log\left(x^2-\sqrt{2-\sqrt{3}}x+1\right)-\frac{1}{8}\sqrt{\frac{1}{3}}(2-\sqrt{3})\log\left(x^2+\sqrt{2-\sqrt{3}}x+1\right)-\frac{1}{8}\sqrt{\frac{1}{3}}(2+\sqrt{3})\log\left(x^2-\sqrt{2+\sqrt{3}}x+1\right)+\frac{1}{8}\sqrt{\frac{1}{3}}(2+\sqrt{3})\log\left(x^2+\sqrt{2+\sqrt{3}}x+1\right)$$

```
[Out] 1/8*ln(1+x^2-x*(1/2*6^(1/2)-1/2*2^(1/2)))*(1/2*2^(1/2)-1/6*6^(1/2))-1/8*ln(1+x^2+x*(1/2*6^(1/2)-1/2*2^(1/2)))*(1/2*2^(1/2)-1/6*6^(1/2))-1/4*arctan((-2*x+1/2*6^(1/2)-1/2*2^(1/2))/(1/2*6^(1/2)+1/2*2^(1/2)))/(3/2*2^(1/2)-1/2*6^(1/2))+1/4*arctan((2*x+1/2*6^(1/2)-1/2*2^(1/2))/(1/2*6^(1/2)+1/2*2^(1/2)))/(3/2*2^(1/2)-1/2*6^(1/2))-1/8*ln(1+x^2-x*(1/2*6^(1/2)+1/2*2^(1/2)))*(1/2*2^(1/2)+1/6*6^(1/2))+1/8*ln(1+x^2+x*(1/2*6^(1/2)+1/2*2^(1/2)))*(1/2*2^(1/2)+1/6*6^(1/2))+1/4*arctan((-2*x+1/2*6^(1/2)+1/2*2^(1/2))/(1/2*6^(1/2)-1/2*2^(1/2)))/(3/2*2^(1/2)+1/2*6^(1/2))-1/4*arctan((2*x+1/2*6^(1/2)+1/2*2^(1/2))/(1/2*6^(1/2)-1/2*2^(1/2)))/(3/2*2^(1/2)+1/2*6^(1/2))
```

Rubi [A] time = 0.28, antiderivative size = 355, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {1421, 1169, 634, 618, 204, 628}

$$\frac{1}{8}\sqrt{\frac{1}{3}}(2-\sqrt{3})\log\left(x^2-\sqrt{2-\sqrt{3}}x+1\right)-\frac{1}{8}\sqrt{\frac{1}{3}}(2-\sqrt{3})\log\left(x^2+\sqrt{2-\sqrt{3}}x+1\right)-\frac{1}{8}\sqrt{\frac{1}{3}}(2+\sqrt{3})\log\left(x^2-\sqrt{2+\sqrt{3}}x+1\right)+\frac{1}{8}\sqrt{\frac{1}{3}}(2+\sqrt{3})\log\left(x^2+\sqrt{2+\sqrt{3}}x+1\right)$$

Antiderivative was successfully verified.

```
[In] Int[(1 - x^4)/(1 - x^4 + x^8), x]
```

```
[Out] -ArcTan[(Sqrt[2 - Sqrt[3]] - 2*x)/Sqrt[2 + Sqrt[3]]]/(4*Sqrt[3*(2 - Sqrt[3])]) + ArcTan[(Sqrt[2 + Sqrt[3]] - 2*x)/Sqrt[2 - Sqrt[3]]]/(4*Sqrt[3*(2 + Sqrt[3])]) + ArcTan[(Sqrt[2 - Sqrt[3]] + 2*x)/Sqrt[2 + Sqrt[3]]]/(4*Sqrt[3*(2 - Sqrt[3])]) - ArcTan[(Sqrt[2 + Sqrt[3]] + 2*x)/Sqrt[2 - Sqrt[3]]]/(4*Sqrt[3*(2 + Sqrt[3])]) + (Sqrt[(2 - Sqrt[3])/3]*Log[1 - Sqrt[2 - Sqrt[3]]*x + x^2])/8 - (Sqrt[(2 - Sqrt[3])/3]*Log[1 + Sqrt[2 - Sqrt[3]]*x + x^2])/8 - (Sqrt[(2 + Sqrt[3])/3]*Log[1 - Sqrt[2 + Sqrt[3]]*x + x^2])/8 + (Sqrt[(2 + Sqrt[3])/3]*Log[1 + Sqrt[2 + Sqrt[3]]*x + x^2])/8
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 1421

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] :> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x^(n/2))/Simp[d/e + q*x^(n/2) - x^n, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x^(n/2))/Simp[d/e - q*x^(n/2) - x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1-x^4}{1-x^4+x^8} dx &= -\frac{\int \frac{\sqrt{3+2x^2}}{-1-\sqrt{3}x^2-x^4} dx}{2\sqrt{3}} - \frac{\int \frac{\sqrt{3-2x^2}}{-1+\sqrt{3}x^2-x^4} dx}{2\sqrt{3}} \\ &= \frac{\int \frac{\sqrt{3(2-\sqrt{3})} - (-2+\sqrt{3})x}{1-\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{3}(2-\sqrt{3})} + \frac{\int \frac{\sqrt{3(2-\sqrt{3})} + (-2+\sqrt{3})x}{1+\sqrt{2-\sqrt{3}}x+x^2} dx}{4\sqrt{3}(2-\sqrt{3})} + \frac{\int \frac{\sqrt{3(2+\sqrt{3})} - (-2+\sqrt{3})x}{1-\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{3}(2+\sqrt{3})} + \frac{\int \frac{\sqrt{3(2+\sqrt{3})} + (-2+\sqrt{3})x}{1+\sqrt{2+\sqrt{3}}x+x^2} dx}{4\sqrt{3}(2+\sqrt{3})} \\ &= -\left(\frac{1}{8}\sqrt{\frac{1}{3}(7-4\sqrt{3})} \int \frac{1}{1-\sqrt{2+\sqrt{3}}x+x^2} dx\right) - \frac{1}{8}\sqrt{\frac{1}{3}(7-4\sqrt{3})} \int \frac{1}{1+\sqrt{2+\sqrt{3}}x+x^2} dx \\ &= \frac{1}{8}\sqrt{\frac{1}{3}(2-\sqrt{3})} \log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right) - \frac{1}{8}\sqrt{\frac{2}{3}-\frac{1}{\sqrt{3}}} \log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right) - \frac{1}{8}\sqrt{\frac{1}{3}(2+\sqrt{3})} \log\left(1-\sqrt{2+\sqrt{3}}x+x^2\right) \\ &= -\frac{1}{4}\sqrt{\frac{1}{3}(2+\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2-\sqrt{3}}-2x}{\sqrt{2+\sqrt{3}}}\right) + \frac{1}{4}\sqrt{\frac{1}{3}(2-\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right) + \frac{1}{4}\sqrt{\frac{1}{3}(2+\sqrt{3})} \log\left(1-\sqrt{2+\sqrt{3}}x+x^2\right) \end{aligned}$$

Mathematica [C] time = 0.02, size = 57, normalized size = 0.16

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 - \#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 - \#1^3}\&\right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 - x^4)/(1 - x^4 + x^8), x]
```

```
[Out] -1/4*RootSum[1 - #1^4 + #1^8 &, (-Log[x - #1] + Log[x - #1]*#1^4)/(-#1^3 + 2*#1^7) & ]
```

fricas [B] time = 1.02, size = 715, normalized size = 2.01

$$\frac{1}{48} \sqrt{6} \left(\sqrt{3} \sqrt{2} - 2 \sqrt{2} \right) \sqrt{\sqrt{3} + 2} \log \left(12x^2 + 2\sqrt{6} \left(2\sqrt{3} \sqrt{2}x - 3\sqrt{2}x \right) \sqrt{\sqrt{3} + 2} + 12 \right) - \frac{1}{48} \sqrt{6} \left(\sqrt{3} \sqrt{2} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-x^4+1),x, algorithm="fricas")

[Out] 1/48*sqrt(6)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3) + 2)*log(12*x^2 + 2*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12) - 1/48*sqrt(6)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3) + 2)*log(12*x^2 - 2*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12) + 1/96*sqrt(6)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8)*log(12*x^2 + sqrt(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12) - 1/96*sqrt(6)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8)*log(12*x^2 - sqrt(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12) + 1/12*sqrt(6)*sqrt(2)*sqrt(sqrt(3) + 2)*arctan(1/6*sqrt(6)*sqrt(12*x^2 + 2*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3) + 2) + 1/3*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) - sqrt(3) + 2) + 1/12*sqrt(6)*sqrt(2)*sqrt(sqrt(3) + 2)*arctan(1/6*sqrt(6)*sqrt(12*x^2 - 2*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + 12)*(sqrt(3)*sqrt(2) - 2*sqrt(2))*sqrt(sqrt(3) + 2) + 1/3*sqrt(6)*(2*sqrt(3)*sqrt(2)*x - 3*sqrt(2)*x)*sqrt(sqrt(3) + 2) + sqrt(3) - 2) + 1/24*sqrt(6)*sqrt(2)*sqrt(-4*sqrt(3) + 8)*arctan(1/12*sqrt(6)*sqrt(12*x^2 + sqrt(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8) - 1/6*sqrt(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) - sqrt(3) - 2) + 1/24*sqrt(6)*sqrt(2)*sqrt(-4*sqrt(3) + 8)*arctan(1/12*sqrt(6)*sqrt(12*x^2 - sqrt(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + 12)*(sqrt(3)*sqrt(2) + 2*sqrt(2))*sqrt(-4*sqrt(3) + 8) - 1/6*sqrt(6)*(2*sqrt(3)*sqrt(2)*x + 3*sqrt(2)*x)*sqrt(-4*sqrt(3) + 8) + sqrt(3) + 2)

giac [A] time = 0.46, size = 253, normalized size = 0.71

$$\frac{1}{24} \left(\sqrt{6} + 3\sqrt{2} \right) \arctan \left(\frac{4x + \sqrt{6} - \sqrt{2}}{\sqrt{6} + \sqrt{2}} \right) + \frac{1}{24} \left(\sqrt{6} + 3\sqrt{2} \right) \arctan \left(\frac{4x - \sqrt{6} + \sqrt{2}}{\sqrt{6} + \sqrt{2}} \right) + \frac{1}{24} \left(\sqrt{6} - 3\sqrt{2} \right) \arctan \left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}} \right) + \frac{1}{24} \left(\sqrt{6} - 3\sqrt{2} \right) \arctan \left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/24*(sqrt(6) + 3*sqrt(2))*arctan((4*x + sqrt(6) - sqrt(2))/(sqrt(6) + sqrt(2))) + 1/24*(sqrt(6) + 3*sqrt(2))*arctan((4*x - sqrt(6) + sqrt(2))/(sqrt(6) + sqrt(2))) + 1/24*(sqrt(6) - 3*sqrt(2))*arctan((4*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/24*(sqrt(6) - 3*sqrt(2))*arctan((4*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/48*(sqrt(6) + 3*sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) + sqrt(2)) + 1) - 1/48*(sqrt(6) + 3*sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) + sqrt(2)) + 1) + 1/48*(sqrt(6) - 3*sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) - sqrt(2)) + 1) - 1/48*(sqrt(6) - 3*sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) - sqrt(2)) + 1)

maple [C] time = 0.01, size = 44, normalized size = 0.12

$$\frac{\left(-\text{RootOf} \left(_Z^8 - _Z^4 + 1 \right)^4 + 1 \right) \ln \left(-\text{RootOf} \left(_Z^8 - _Z^4 + 1 \right) + x \right)}{8 \text{RootOf} \left(_Z^8 - _Z^4 + 1 \right)^7 - 4 \text{RootOf} \left(_Z^8 - _Z^4 + 1 \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+1)/(x^8-x^4+1),x)`

[Out] `1/4*sum((-_R^4+1)/(2*_R^7-_R^3)*ln(-_R+x),_R=RootOf(_Z^8-_Z^4+1))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8-x^4+1),x, algorithm="maxima")`

[Out] `-integrate((x^4 - 1)/(x^8 - x^4 + 1), x)`

mupad [B] time = 1.67, size = 208, normalized size = 0.59

$$\frac{\sqrt{3} \operatorname{atan}\left(\frac{x}{(8-\sqrt{3}8i)^{1/4}} + \frac{\sqrt{3}xi}{(8-\sqrt{3}8i)^{1/4}}\right)(8-\sqrt{3}8i)^{1/4} + \sqrt{3} \operatorname{atan}\left(\frac{xi}{(8-\sqrt{3}8i)^{1/4}} - \frac{\sqrt{3}x}{(8-\sqrt{3}8i)^{1/4}}\right)(8-\sqrt{3}8i)^{1/4}}{12} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(x^8 - x^4 + 1),x)`

[Out] `(2^(3/4)*3^(1/2)*atan((2^(1/4)*x)/(2*(3^(1/2)*1i + 1)^(1/4)) - (2^(1/4)*3^(1/2)*x*1i)/(2*(3^(1/2)*1i + 1)^(1/4)))*(3^(1/2)*1i + 1)^(1/4)*1i)/12 - (3^(1/2)*atan((x*1i)/(8 - 3^(1/2)*8i)^(1/4) - (3^(1/2)*x)/(8 - 3^(1/2)*8i)^(1/4)))*(8 - 3^(1/2)*8i)^(1/4))/12 - (3^(1/2)*atan(x/(8 - 3^(1/2)*8i)^(1/4) + (3^(1/2)*x*1i)/(8 - 3^(1/2)*8i)^(1/4)))*(8 - 3^(1/2)*8i)^(1/4)*1i)/12 + (2^(3/4)*3^(1/2)*atan((2^(1/4)*x*1i)/(2*(3^(1/2)*1i + 1)^(1/4)) + (2^(1/4)*3^(1/2)*x)/(2*(3^(1/2)*1i + 1)^(1/4)))*(3^(1/2)*1i + 1)^(1/4))/12`

sympy [A] time = 3.10, size = 26, normalized size = 0.07

$$-\operatorname{RootSum}\left(5308416t^8 - 2304t^4 + 1, \left(t \mapsto t \log(9216t^5 - 8t + x)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8-x**4+1),x)`

[Out] `-RootSum(5308416*_t**8 - 2304*_t**4 + 1, Lambda(_t, _t*log(9216*_t**5 - 8*_t + x)))`

$$3.26 \quad \int \frac{1-x^4}{1-2x^4+x^8} dx$$

Optimal. Leaf size=13

$$\frac{1}{2} \tan^{-1}(x) + \frac{1}{2} \tanh^{-1}(x)$$

[Out] 1/2*arctan(x)+1/2*arctanh(x)

Rubi [A] time = 0.00, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {28, 21, 212, 206, 203}

$$\frac{1}{2} \tan^{-1}(x) + \frac{1}{2} \tanh^{-1}(x)$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 2*x^4 + x^8), x]

[Out] ArcTan[x]/2 + ArcTanh[x]/2

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 28

```
Int[(u_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :>
  Dist[1/c^p, Int[u*(b/2 + c*x^n)^(2*p), x], x] /; FreeQ[{a, b, c, n}, x] &&
  EqQ[n2, 2*n] && EqQ[b^2 - 4*a*c, 0] && IntegerQ[p]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b),
2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1-2x^4+x^8} dx &= \int \frac{1-x^4}{(-1+x^4)^2} dx \\
&= -\int \frac{1}{-1+x^4} dx \\
&= \frac{1}{2} \int \frac{1}{1-x^2} dx + \frac{1}{2} \int \frac{1}{1+x^2} dx \\
&= \frac{1}{2} \tan^{-1}(x) + \frac{1}{2} \tanh^{-1}(x)
\end{aligned}$$

Mathematica [A] time = 0.01, size = 25, normalized size = 1.92

$$-\frac{1}{4} \log(1-x) + \frac{1}{4} \log(x+1) + \frac{1}{2} \tan^{-1}(x)$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - 2*x^4 + x^8),x]

[Out] ArcTan[x]/2 - Log[1 - x]/4 + Log[1 + x]/4

fricas [A] time = 0.83, size = 17, normalized size = 1.31

$$\frac{1}{2} \arctan(x) + \frac{1}{4} \log(x+1) - \frac{1}{4} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-2*x^4+1),x, algorithm="fricas")

[Out] 1/2*arctan(x) + 1/4*log(x + 1) - 1/4*log(x - 1)

giac [B] time = 0.45, size = 19, normalized size = 1.46

$$\frac{1}{2} \arctan(x) + \frac{1}{4} \log(|x+1|) - \frac{1}{4} \log(|x-1|)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-2*x^4+1),x, algorithm="giac")

[Out] 1/2*arctan(x) + 1/4*log(abs(x + 1)) - 1/4*log(abs(x - 1))

maple [A] time = 0.00, size = 10, normalized size = 0.77

$$\frac{\operatorname{arctanh}(x)}{2} + \frac{\operatorname{arctan}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-2*x^4+1),x)

[Out] 1/2*arctan(x)+1/2*arctanh(x)

maxima [A] time = 1.60, size = 17, normalized size = 1.31

$$\frac{1}{2} \arctan(x) + \frac{1}{4} \log(x+1) - \frac{1}{4} \log(x-1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-2*x^4+1),x, algorithm="maxima")

[Out] $1/2*\arctan(x) + 1/4*\log(x + 1) - 1/4*\log(x - 1)$

mupad [B] time = 0.02, size = 9, normalized size = 0.69

$$\frac{\operatorname{atan}(x)}{2} + \frac{\operatorname{atanh}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(x^8 - 2*x^4 + 1), x)`

[Out] $\operatorname{atan}(x)/2 + \operatorname{atanh}(x)/2$

sympy [B] time = 0.13, size = 17, normalized size = 1.31

$$-\frac{\log(x-1)}{4} + \frac{\log(x+1)}{4} + \frac{\operatorname{atan}(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8-2*x**4+1), x)`

[Out] $-\log(x - 1)/4 + \log(x + 1)/4 + \operatorname{atan}(x)/2$

$$3.27 \quad \int \frac{1-x^4}{1-3x^4+x^8} dx$$

Optimal. Leaf size=129

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10(1+\sqrt{5})}}$$

[Out] arctan(x*2^(1/2)/(5^(1/2)-1)^(1/2))/(-10+10*5^(1/2))^(1/2)+arctanh(x*2^(1/2)/(5^(1/2)-1)^(1/2))/(-10+10*5^(1/2))^(1/2)+arctan(x*2^(1/2)/(5^(1/2)+1)^(1/2))/(10+10*5^(1/2))^(1/2)+arctanh(x*2^(1/2)/(5^(1/2)+1)^(1/2))/(10+10*5^(1/2))^(1/2)

Rubi [A] time = 0.12, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}}x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}}x\right)}{\sqrt{10(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 3*x^4 + x^8),x]

[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[10*(-1 + Sqrt[5])] + ArcTan[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[10*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[10*(-1 + Sqrt[5])] + ArcTanh[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[10*(1 + Sqrt[5])]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[Rt[b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1-3x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+x^2+x^4} dx \\
&= -\frac{\int \frac{1}{-\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} - \frac{\int \frac{1}{\frac{1}{2}-\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} + \frac{\int \frac{1}{-\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} + \frac{\int \frac{1}{\frac{1}{2}+\frac{\sqrt{5}}{2}+x^2} dx}{2\sqrt{5}} \\
&= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}} x\right)}{\sqrt{10(-1+\sqrt{5})}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-1+\sqrt{5}}} x\right)}{\sqrt{10(-1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 129, normalized size = 1.00

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}} x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{5}-1}} x\right)}{\sqrt{10(\sqrt{5}-1)}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{1+\sqrt{5}}} x\right)}{\sqrt{10(1+\sqrt{5})}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - 3*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[10*(-1 + Sqrt[5])] + ArcTan[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[10*(1 + Sqrt[5])] + ArcTanh[Sqrt[2/(-1 + Sqrt[5])]*x]/Sqrt[10*(-1 + Sqrt[5])] + ArcTanh[Sqrt[2/(1 + Sqrt[5])]*x]/Sqrt[10*(1 + Sqrt[5])]

fricas [B] time = 0.91, size = 255, normalized size = 1.98

$$-\frac{1}{10} \sqrt{10} \sqrt{\sqrt{5}+1} \arctan\left(\frac{1}{20} \sqrt{10} \sqrt{5} \sqrt{2} \sqrt{2x^2+\sqrt{5}-1} \sqrt{\sqrt{5}+1} - \frac{1}{10} \sqrt{10} \sqrt{5} x \sqrt{\sqrt{5}+1}\right) - \frac{1}{10} \sqrt{10} \sqrt{\sqrt{5}-1} \arctan\left(\frac{1}{20} \sqrt{10} \sqrt{5} \sqrt{2} \sqrt{2x^2+\sqrt{5}+1} \sqrt{\sqrt{5}-1} + \frac{1}{10} \sqrt{10} \sqrt{5} x \sqrt{\sqrt{5}-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-3*x^4+1), x, algorithm="fricas")

[Out] -1/10*sqrt(10)*sqrt(sqrt(5) + 1)*arctan(1/20*sqrt(10)*sqrt(5)*sqrt(2)*sqrt(2*x^2 + sqrt(5) - 1)*sqrt(sqrt(5) + 1) - 1/10*sqrt(10)*sqrt(5)*x*sqrt(sqrt(5) + 1)) - 1/10*sqrt(10)*sqrt(sqrt(5) - 1)*arctan(1/20*sqrt(10)*sqrt(5)*sqrt(2)*sqrt(2*x^2 + sqrt(5) + 1)*sqrt(sqrt(5) - 1) - 1/10*sqrt(10)*sqrt(5)*x*sqrt(sqrt(5) - 1)) + 1/40*sqrt(10)*sqrt(sqrt(5) - 1)*log(sqrt(10)*(sqrt(5) + 5)*sqrt(sqrt(5) - 1) + 20*x) - 1/40*sqrt(10)*sqrt(sqrt(5) - 1)*log(-sqrt(10)*(sqrt(5) + 5)*sqrt(sqrt(5) - 1) + 20*x) - 1/40*sqrt(10)*sqrt(sqrt(5) + 1)*log(sqrt(10)*sqrt(sqrt(5) + 1)*(sqrt(5) - 5) + 20*x) + 1/40*sqrt(10)*sqrt(sqrt(5) + 1)*log(-sqrt(10)*sqrt(sqrt(5) + 1)*(sqrt(5) - 5) + 20*x)

giac [A] time = 0.75, size = 147, normalized size = 1.14

$$\frac{1}{20} \sqrt{10} \sqrt{\sqrt{5}-10} \arctan\left(\frac{x}{\sqrt{\frac{1}{2}\sqrt{5}+\frac{1}{2}}}\right) + \frac{1}{20} \sqrt{10} \sqrt{\sqrt{5}+10} \arctan\left(\frac{x}{\sqrt{\frac{1}{2}\sqrt{5}-\frac{1}{2}}}\right) + \frac{1}{40} \sqrt{10} \sqrt{\sqrt{5}-10} \log\left(\left|x + \sqrt{\frac{1}{2}\sqrt{5}+\frac{1}{2}}\right|\right) - \frac{1}{40} \sqrt{10} \sqrt{\sqrt{5}-10} \log\left(\left|x + \sqrt{\frac{1}{2}\sqrt{5}-\frac{1}{2}}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-3*x^4+1), x, algorithm="giac")

[Out] $1/20*\sqrt{10*\sqrt{5} - 10}*\arctan(x/\sqrt{1/2*\sqrt{5} + 1/2}) + 1/20*\sqrt{10*\sqrt{5} + 10}*\arctan(x/\sqrt{1/2*\sqrt{5} - 1/2}) + 1/40*\sqrt{10*\sqrt{5} - 10}*\log(\text{abs}(x + \sqrt{1/2*\sqrt{5} + 1/2})) - 1/40*\sqrt{10*\sqrt{5} - 10}*\log(\text{abs}(x - \sqrt{1/2*\sqrt{5} + 1/2})) + 1/40*\sqrt{10*\sqrt{5} + 10}*\log(\text{abs}(x + \sqrt{1/2*\sqrt{5} - 1/2})) - 1/40*\sqrt{10*\sqrt{5} + 10}*\log(\text{abs}(x - \sqrt{1/2*\sqrt{5} - 1/2}))$

maple [A] time = 0.03, size = 110, normalized size = 0.85

$$\frac{\sqrt{5} \operatorname{arctanh}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{5\sqrt{-2+2\sqrt{5}}} + \frac{\sqrt{5} \operatorname{arctanh}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{5\sqrt{2+2\sqrt{5}}} + \frac{\sqrt{5} \operatorname{arctan}\left(\frac{2x}{\sqrt{-2+2\sqrt{5}}}\right)}{5\sqrt{-2+2\sqrt{5}}} + \frac{\sqrt{5} \operatorname{arctan}\left(\frac{2x}{\sqrt{2+2\sqrt{5}}}\right)}{5\sqrt{2+2\sqrt{5}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+1)/(x^8-3*x^4+1),x)`

[Out] $1/5*5^{(1/2)/(2+2*5^{(1/2)})^{(1/2)}}*\operatorname{arctanh}(2/(2+2*5^{(1/2)})^{(1/2)}*x)+1/5*5^{(1/2)/(-2+2*5^{(1/2)})^{(1/2)}}*\operatorname{arctan}(2/(-2+2*5^{(1/2)})^{(1/2)}*x)+1/5*5^{(1/2)/(-2+2*5^{(1/2)})^{(1/2)}}*\operatorname{arctanh}(2/(-2+2*5^{(1/2)})^{(1/2)}*x)+1/5*5^{(1/2)/(2+2*5^{(1/2)})^{(1/2)}}*\operatorname{arctan}(2/(2+2*5^{(1/2)})^{(1/2)}*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - 3x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8-3*x^4+1),x, algorithm="maxima")`

[Out] `-integrate((x^4 - 1)/(x^8 - 3*x^4 + 1), x)`

mupad [B] time = 1.71, size = 269, normalized size = 2.09

$$\frac{\sqrt{10} \operatorname{atan}\left(\frac{\sqrt{10} x \sqrt{\sqrt{5}-1} 3i}{2(3\sqrt{5}-7)} - \frac{\sqrt{5} \sqrt{10} x \sqrt{\sqrt{5}-1} 7i}{10(3\sqrt{5}-7)}\right) \sqrt{\sqrt{5}-1} 1i}{20} - \frac{\sqrt{10} \operatorname{atan}\left(\frac{\sqrt{10} x \sqrt{\sqrt{5}+1} 3i}{2(3\sqrt{5}+7)} + \frac{\sqrt{5} \sqrt{10} x \sqrt{\sqrt{5}+1} 7i}{10(3\sqrt{5}+7)}\right) \sqrt{\sqrt{5}+1} 1i}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(x^8 - 3*x^4 + 1),x)`

[Out] $(10^{(1/2)}*\operatorname{atan}((10^{(1/2)}*x*(1 - 5^{(1/2)})^{(1/2)}*3i)/(2*(3*5^{(1/2)} - 7)) - (5^{(1/2)}*10^{(1/2)}*x*(1 - 5^{(1/2)})^{(1/2)}*7i)/(10*(3*5^{(1/2)} - 7)))*(1 - 5^{(1/2)})^{(1/2)}*1i)/20 - (10^{(1/2)}*\operatorname{atan}((10^{(1/2)}*x*(5^{(1/2)} + 1)^{(1/2)}*3i)/(2*(3*5^{(1/2)} + 7)) + (5^{(1/2)}*10^{(1/2)}*x*(5^{(1/2)} + 1)^{(1/2)}*7i)/(10*(3*5^{(1/2)} + 7)))*(5^{(1/2)} + 1)^{(1/2)}*1i)/20 - (10^{(1/2)}*\operatorname{atan}((10^{(1/2)}*x*(5^{(1/2)} - 1)^{(1/2)}*3i)/(2*(3*5^{(1/2)} - 7)) - (5^{(1/2)}*10^{(1/2)}*x*(5^{(1/2)} - 1)^{(1/2)}*7i)/(10*(3*5^{(1/2)} - 7)))*(5^{(1/2)} - 1)^{(1/2)}*1i)/20 + (10^{(1/2)}*\operatorname{atan}((10^{(1/2)}*x*(- 5^{(1/2)} - 1)^{(1/2)}*3i)/(2*(3*5^{(1/2)} + 7)) + (5^{(1/2)}*10^{(1/2)}*x*(- 5^{(1/2)} - 1)^{(1/2)}*7i)/(10*(3*5^{(1/2)} + 7)))*(- 5^{(1/2)} - 1)^{(1/2)}*1i)/20$

sympy [A] time = 1.17, size = 51, normalized size = 0.40

$-\operatorname{RootSum}(6400t^4 - 80t^2 - 1, (t \mapsto t \log(25600t^5 - 16t + x))) - \operatorname{RootSum}(6400t^4 + 80t^2 - 1, (t \mapsto t \log(25600t^5 - 16t + x)))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8-3*x**4+1),x)`

[Out] $-\operatorname{RootSum}(6400*_t**4 - 80*_t**2 - 1, \operatorname{Lambda}(_t, _t*\log(25600*_t**5 - 16*_t + x))) - \operatorname{RootSum}(6400*_t**4 + 80*_t**2 - 1, \operatorname{Lambda}(_t, _t*\log(25600*_t**5 - 16*_t + x)))$

$$3.28 \quad \int \frac{1-x^4}{1-4x^4+x^8} dx$$

Optimal. Leaf size=165

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})}$$

[Out] 1/4*arctan(2^(1/4)*x/(3^(1/2)-1)^(1/2))*2^(3/4)/(-3+3*3^(1/2))^(1/2)+1/4*arctanh(2^(1/4)*x/(3^(1/2)-1)^(1/2))*2^(3/4)/(-3+3*3^(1/2))^(1/2)+1/4*arctan(2^(1/4)*x/(1+3^(1/2))^(1/2))*2^(3/4)/(3+3*3^(1/2))^(1/2)+1/4*arctanh(2^(1/4)*x/(1+3^(1/2))^(1/2))*2^(3/4)/(3+3*3^(1/2))^(1/2)

Rubi [A] time = 0.10, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{\sqrt{3}-1}}\right)}{2\sqrt[4]{2}\sqrt{3}(\sqrt{3}-1)} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 4*x^4 + x^8), x]

[Out] ArcTan[(2^(1/4)*x)/Sqrt[-1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[3*(-1 + Sqrt[3])]) + ArcTan[(2^(1/4)*x)/Sqrt[1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[3*(1 + Sqrt[3])]) + ArcTanh[(2^(1/4)*x)/Sqrt[-1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[3*(-1 + Sqrt[3])]) + ArcTanh[(2^(1/4)*x)/Sqrt[1 + Sqrt[3]]]/(2*2^(1/4)*Sqrt[3*(1 + Sqrt[3])])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1-4x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-\sqrt{2}x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+\sqrt{2}x^2+x^4} dx \\
&= -\frac{\int \frac{1}{-\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} + \frac{\int \frac{1}{\sqrt{\frac{3}{2}-\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} - \frac{\int \frac{1}{-\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} + \frac{\int \frac{1}{\sqrt{\frac{3}{2}+\frac{1}{\sqrt{2}}+x^2}} dx}{2\sqrt{6}} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(-1+\sqrt{3})} + \frac{\tan^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{-1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(-1+\sqrt{3})} + \frac{\tanh^{-1}\left(\frac{\sqrt[4]{2}x}{\sqrt{1+\sqrt{3}}}\right)}{2\sqrt[4]{2}\sqrt{3}(1+\sqrt{3})}
\end{aligned}$$

Mathematica [C] time = 0.01, size = 55, normalized size = 0.33

$$-\frac{1}{8}\text{RootSum}\left[\#1^8 - 4\#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{\#1^7 - 2\#1^3}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - 4*x^4 + x^8),x]

[Out] -1/8*RootSum[1 - 4*#1^4 + #1^8 & , (-Log[x - #1] + Log[x - #1]*#1^4)/(-2*#1^3 + #1^7) &]

fricas [B] time = 0.90, size = 302, normalized size = 1.83

$$-\frac{1}{6}\sqrt{6}(-\sqrt{3}+2)^{\frac{1}{4}}\arctan\left(\frac{1}{6}\sqrt{6}\sqrt{x^2+(\sqrt{3}+2)\sqrt{-\sqrt{3}+2}}(\sqrt{3}+3)(-\sqrt{3}+2)^{\frac{3}{4}}-\frac{1}{6}\sqrt{6}(\sqrt{3}x+3x)(-\sqrt{3}+2)^{\frac{3}{4}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-4*x^4+1),x, algorithm="fricas")

[Out] -1/6*sqrt(6)*(-sqrt(3)+2)^(1/4)*arctan(1/6*sqrt(6)*sqrt(x^2+(sqrt(3)+2)*sqrt(-sqrt(3)+2))*(sqrt(3)+3)*(-sqrt(3)+2)^(3/4)-1/6*sqrt(6)*(sqrt(3)*x+3*x)*(-sqrt(3)+2)^(3/4))+1/6*sqrt(6)*(sqrt(3)+2)^(1/4)*arctan(1/6*(sqrt(6)*sqrt(x^2-sqrt(sqrt(3)+2)*(sqrt(3)-2))*sqrt(sqrt(3)+2)*(sqrt(3)-3)-sqrt(6)*(sqrt(3)*x-3*x)*sqrt(sqrt(3)+2))*(sqrt(3)+2)^(1/4))-1/24*sqrt(6)*(sqrt(3)+2)^(1/4)*log(sqrt(6)*(sqrt(3)+2)^(1/4)*(sqrt(3)-3)+6*x)+1/24*sqrt(6)*(sqrt(3)+2)^(1/4)*log(-sqrt(6)*(sqrt(3)+2)^(1/4)*(sqrt(3)-3)+6*x)+1/24*sqrt(6)*(-sqrt(3)+2)^(1/4)*log(sqrt(6)*(sqrt(3)+3)*(-sqrt(3)+2)^(1/4)+6*x)-1/24*sqrt(6)*(-sqrt(3)+2)^(1/4)*log(-sqrt(6)*(sqrt(3)+3)*(-sqrt(3)+2)^(1/4)+6*x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-4*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);;OUTPUT:Unable to convert to real 1/4 Error: Bad Argument ValueUnable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.01, size = 42, normalized size = 0.25

$$\frac{\left(-\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)^4+1\right)\ln\left(-\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)+x\right)}{8\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)^7-16\operatorname{RootOf}\left(-Z^8-4Z^4+1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-4*x^4+1),x)

[Out] 1/8*sum((-R^4+1)/(R^7-2*R^3)*ln(-R+x),R=RootOf(-Z^8-4*_Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4-1}{x^8-4x^4+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-4*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 - 4*x^4 + 1), x)

mupad [B] time = 0.18, size = 399, normalized size = 2.42

$$\frac{\sqrt{6} \operatorname{atan}\left(\frac{64\sqrt{6}x(\sqrt{3}+2)^{1/4}}{80\sqrt{\sqrt{3}+2}+48\sqrt{3}\sqrt{\sqrt{3}+2}} + \frac{112\sqrt{3}\sqrt{6}x(\sqrt{3}+2)^{1/4}}{3(80\sqrt{\sqrt{3}+2}+48\sqrt{3}\sqrt{\sqrt{3}+2})}\right)(\sqrt{3}+2)^{1/4} + \sqrt{6} \operatorname{atan}\left(\frac{\sqrt{6}x(2-\sqrt{3})^{1/4}64i}{48\sqrt{3}\sqrt{2-\sqrt{3}}-80\sqrt{2-\sqrt{3}}}\right)}{12}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 - 4*x^4 + 1),x)

[Out] (6^(1/2)*atan((6^(1/2)*x*(2 - 3^(1/2))^(1/4)*64i)/(48*3^(1/2)*(2 - 3^(1/2))^(1/2) - 80*(2 - 3^(1/2))^(1/2)) - (3^(1/2)*6^(1/2)*x*(2 - 3^(1/2))^(1/4)*12i)/(3*(48*3^(1/2)*(2 - 3^(1/2))^(1/2) - 80*(2 - 3^(1/2))^(1/2))))*(2 - 3^(1/2))^(1/4)*1i)/12 - (6^(1/2)*atan((64*6^(1/2)*x*(2 - 3^(1/2))^(1/4))/(48*3^(1/2)*(2 - 3^(1/2))^(1/2) - 80*(2 - 3^(1/2))^(1/2)) - (112*3^(1/2)*6^(1/2)*x*(2 - 3^(1/2))^(1/4))/(3*(48*3^(1/2)*(2 - 3^(1/2))^(1/2) - 80*(2 - 3^(1/2))^(1/2))))*(2 - 3^(1/2))^(1/4))/12 + (6^(1/2)*atan((64*6^(1/2)*x*(3^(1/2) + 2)^(1/4))/(80*(3^(1/2) + 2)^(1/2) + 48*3^(1/2)*(3^(1/2) + 2)^(1/2)) + (12*3^(1/2)*6^(1/2)*x*(3^(1/2) + 2)^(1/4))/(3*(80*(3^(1/2) + 2)^(1/2) + 48*3^(1/2)*(3^(1/2) + 2)^(1/2))))*(3^(1/2) + 2)^(1/4))/12 - (6^(1/2)*atan((6^(1/2)*x*(3^(1/2) + 2)^(1/4)*64i)/(80*(3^(1/2) + 2)^(1/2) + 48*3^(1/2)*(3^(1/2) + 2)^(1/2)) + (3^(1/2)*6^(1/2)*x*(3^(1/2) + 2)^(1/4)*12i)/(3*(80*(3^(1/2) + 2)^(1/2) + 48*3^(1/2)*(3^(1/2) + 2)^(1/2))))*(3^(1/2) + 2)^(1/4)*1i)/12

sympy [A] time = 0.20, size = 26, normalized size = 0.16

$$-\operatorname{RootSum}\left(84934656t^8-36864t^4+1,\left(t\mapsto t\log\left(36864t^5-20t+x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x**4+1)/(x**8-4*x**4+1),x)

[Out] -RootSum(84934656*_t**8 - 36864*_t**4 + 1, Lambda(_t, _t*log(36864*_t**5 - 20*_t + x)))

$$3.29 \quad \int \frac{1-x^4}{1-5x^4+x^8} dx$$

Optimal. Leaf size=169

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14(\sqrt{7}-\sqrt{3})}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14(\sqrt{7}-\sqrt{3})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14(\sqrt{3}+\sqrt{7})}}$$

[Out] arctan(x*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-14*3^(1/2)+14*7^(1/2))^(1/2)+arctanh(x*2^(1/2)/(7^(1/2)-3^(1/2))^(1/2))/(-14*3^(1/2)+14*7^(1/2))^(1/2)+arctan(x*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(14*3^(1/2)+14*7^(1/2))^(1/2)+arctanh(x*2^(1/2)/(7^(1/2)+3^(1/2))^(1/2))/(14*3^(1/2)+14*7^(1/2))^(1/2)

Rubi [A] time = 0.14, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14(\sqrt{7}-\sqrt{3})}} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14(\sqrt{3}+\sqrt{7})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{7}-\sqrt{3}}}x\right)}{\sqrt{14(\sqrt{7}-\sqrt{3})}} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}}x\right)}{\sqrt{14(\sqrt{3}+\sqrt{7})}}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 5*x^4 + x^8), x]

[Out] ArcTan[Sqrt[2/(-Sqrt[3] + Sqrt[7])]*x]/Sqrt[14*(-Sqrt[3] + Sqrt[7])] + ArcTan[Sqrt[2/(Sqrt[3] + Sqrt[7])]*x]/Sqrt[14*(Sqrt[3] + Sqrt[7])] + ArcTanh[Sqrt[2/(-Sqrt[3] + Sqrt[7])]*x]/Sqrt[14*(-Sqrt[3] + Sqrt[7])] + ArcTanh[Sqrt[2/(Sqrt[3] + Sqrt[7])]*x]/Sqrt[14*(Sqrt[3] + Sqrt[7])]

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[Rt[b, 2]*x]/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1-5x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-\sqrt{3}x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+\sqrt{3}x^2+x^4} dx \\
&= -\frac{\int \frac{1}{-\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} - \frac{\int \frac{1}{\frac{\sqrt{3}}{2}-\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} + \frac{\int \frac{1}{-\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} + \frac{\int \frac{1}{\frac{\sqrt{3}}{2}+\frac{\sqrt{7}}{2}+x^2} dx}{2\sqrt{7}} \\
&= \frac{\tan^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(-\sqrt{3}+\sqrt{7})} + \frac{\tan^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{-\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(-\sqrt{3}+\sqrt{7})} + \frac{\tanh^{-1}\left(\sqrt{\frac{2}{\sqrt{3}+\sqrt{7}}} x\right)}{\sqrt{14}(\sqrt{3}+\sqrt{7})}
\end{aligned}$$

Mathematica [C] time = 0.01, size = 57, normalized size = 0.34

$$-\frac{1}{4}\text{RootSum}\left[\#1^8 - 5\#1^4 + 1\&, \frac{\#1^4 \log(x - \#1) - \log(x - \#1)}{2\#1^7 - 5\#1^3}\&\right]$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - 5*x^4 + x^8), x]

[Out] -1/4*RootSum[1 - 5*#1^4 + #1^8 & , (-Log[x - #1] + Log[x - #1]*#1^4)/(-5*#1^3 + 2*#1^7) &]

fricas [B] time = 0.94, size = 546, normalized size = 3.23

$$-\frac{1}{14} \sqrt{14} \sqrt{\sqrt{2} \sqrt{-\sqrt{7} \sqrt{3} + 5}} \arctan\left(\frac{1}{112} \sqrt{14} \sqrt{4x^2 + (\sqrt{7} \sqrt{3} \sqrt{2} + 5 \sqrt{2}) \sqrt{-\sqrt{7} \sqrt{3} + 5}} (\sqrt{7} \sqrt{3} \sqrt{2} + 7 \sqrt{2})\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-5*x^4+1), x, algorithm="fricas")

[Out] -1/14*sqrt(14)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5))*arctan(1/112*sqrt(14)*sqrt(4*x^2 + (sqrt(7)*sqrt(3)*sqrt(2) + 5*sqrt(2))*sqrt(-sqrt(7)*sqrt(3) + 5))*(sqrt(7)*sqrt(3)*sqrt(2) + 7*sqrt(2))*sqrt(-sqrt(7)*sqrt(3) + 5)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) - 1/56*sqrt(14)*(sqrt(7)*sqrt(3)*sqrt(2)*x + 7*sqrt(2)*x)*sqrt(-sqrt(7)*sqrt(3) + 5)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) + 1/14*sqrt(14)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))*arctan(1/112*(sqrt(14)*sqrt(4*x^2 - (sqrt(7)*sqrt(3)*sqrt(2) - 5*sqrt(2))*sqrt(sqrt(7)*sqrt(3) + 5))*(sqrt(7)*sqrt(3)*sqrt(2) - 7*sqrt(2))*sqrt(sqrt(7)*sqrt(3) + 5) - 2*sqrt(14)*(sqrt(7)*sqrt(3)*sqrt(2)*x - 7*sqrt(2)*x)*sqrt(sqrt(7)*sqrt(3) + 5))*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5)) - 1/56*sqrt(14)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))*log(sqrt(14)*(sqrt(7)*sqrt(3) - 7)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5)) + 28*x) + 1/56*sqrt(14)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5))*log(-sqrt(14)*(sqrt(7)*sqrt(3) - 7)*sqrt(sqrt(2)*sqrt(sqrt(7)*sqrt(3) + 5)) + 28*x) + 1/56*sqrt(14)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5))*log(sqrt(14)*(sqrt(7)*sqrt(3) + 7)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) + 28*x) - 1/56*sqrt(14)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5))*log(-sqrt(14)*(sqrt(7)*sqrt(3) + 7)*sqrt(sqrt(2)*sqrt(-sqrt(7)*sqrt(3) + 5)) + 28*x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-5*x^4+1),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:Unable to convert to real 1/4 Error: Bad Arg
ument ValueUnable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.01, size = 44, normalized size = 0.26

$$\frac{\left(-\text{RootOf}\left(-Z^8-5Z^4+1\right)^4+1\right)\ln\left(-\text{RootOf}\left(-Z^8-5Z^4+1\right)+x\right)}{8\text{RootOf}\left(-Z^8-5Z^4+1\right)^7-20\text{RootOf}\left(-Z^8-5Z^4+1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-x^4+1)/(x^8-5*x^4+1),x)

[Out] 1/4*sum((-R^4+1)/(2*_R^7-5*_R^3)*ln(-R+x),_R=RootOf(-Z^8-5*_Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4-1}{x^8-5x^4+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-5*x^4+1),x, algorithm="maxima")

[Out] -integrate((x^4 - 1)/(x^8 - 5*x^4 + 1), x)

mupad [B] time = 1.79, size = 483, normalized size = 2.86

$$\frac{2^{3/4} \sqrt{7} \operatorname{atan} \left(\frac{405 \cdot 2^{3/4} \sqrt{7} x (5 - \sqrt{21})^{1/4}}{2 \left(243 \sqrt{2} \sqrt{5 - \sqrt{21}} - 54 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}} \right)} - \frac{621 \cdot 2^{3/4} \sqrt{7} \sqrt{21} x (5 - \sqrt{21})^{1/4}}{14 \left(243 \sqrt{2} \sqrt{5 - \sqrt{21}} - 54 \sqrt{2} \sqrt{21} \sqrt{5 - \sqrt{21}} \right)} \right) (5 - \sqrt{21})^{1/4}}{28} 2^{3/4} \sqrt{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(x^4 - 1)/(x^8 - 5*x^4 + 1),x)

[Out] (2^(3/4)*7^(1/2)*atan((405*2^(3/4)*7^(1/2)*x*(5 - 21^(1/2))^(1/4))/(2*(243*2^(1/2)*(5 - 21^(1/2))^(1/2) - 54*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))) - (621*2^(3/4)*7^(1/2)*21^(1/2)*x*(5 - 21^(1/2))^(1/4))/(14*(243*2^(1/2)*(5 - 21^(1/2))^(1/2) - 54*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))))*(5 - 21^(1/2))^(1/4))/28 - (2^(3/4)*7^(1/2)*atan((2^(3/4)*7^(1/2)*x*(5 - 21^(1/2))^(1/4))*405i)/(2*(243*2^(1/2)*(5 - 21^(1/2))^(1/2) - 54*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))) - (2^(3/4)*7^(1/2)*21^(1/2)*x*(5 - 21^(1/2))^(1/4))*621i)/(14*(243*2^(1/2)*(5 - 21^(1/2))^(1/2) - 54*2^(1/2)*21^(1/2)*(5 - 21^(1/2))^(1/2))))*(5 - 21^(1/2))^(1/4)*1i)/28 + (2^(3/4)*7^(1/2)*atan((405*2^(3/4)*7^(1/2)*x*(21^(1/2) + 5)^(1/4))/(2*(243*2^(1/2)*(21^(1/2) + 5)^(1/2) + 54*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2))) + (621*2^(3/4)*7^(1/2)*21^(1/2)*x*(21^(1/2) + 5)^(1/4))/(14*(243*2^(1/2)*(21^(1/2) + 5)^(1/2) + 54*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2))))*(21^(1/2) + 5)^(1/4))/28 - (2^(3/4)*7^(1/2)*atan((2^(3/4)*7^(1/2)*x*(21^(1/2) + 5)^(1/4))*405i)/(2*(243*2^(1/2)*(21^(1/2) + 5)^(1/2) + 54*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2))) + (2^(3/4)*7^(1/2)*21^(1/2)*x*(21^(1/2) + 5)^(1/4))*621i)/(14*(243*2^(1/2)*(21^(1/2) + 5)^(1/2) + 54*2^(1/2)*21^(1/2)*(21^(1/2) + 5)^(1/2))))*(21^(1/2) + 5)^(1/4)*1i)/28

sympy [A] time = 0.19, size = 26, normalized size = 0.15

$$-\text{RootSum}\left(157351936t^8 - 62720t^4 + 1, \left(t \mapsto t \log\left(50176t^5 - 24t + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-x**4+1)/(x**8-5*x**4+1),x)
```

```
[Out] -RootSum(157351936*_t**8 - 62720*_t**4 + 1, Lambda(_t, _t*log(50176*_t**5 -  
24*_t + x)))
```

$$3.30 \quad \int \frac{1-x^4}{1-6x^4+x^8} dx$$

Optimal. Leaf size=125

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})}$$

[Out] 1/4*arctan(x/(2^(1/2)-1)^(1/2))/(-2+2*2^(1/2))^(1/2)+1/4*arctanh(x/(2^(1/2)-1)^(1/2))/(-2+2*2^(1/2))^(1/2)+1/4*arctan(x/(1+2^(1/2))^(1/2))/(2+2*2^(1/2))^(1/2)+1/4*arctanh(x/(1+2^(1/2))^(1/2))/(2+2*2^(1/2))^(1/2)

Rubi [A] time = 0.07, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {1419, 1093, 207, 203}

$$\frac{\tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{4\sqrt{2}(\sqrt{2}-1)} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})}$$

Antiderivative was successfully verified.

[In] Int[(1 - x^4)/(1 - 6*x^4 + x^8),x]

[Out] ArcTan[x/Sqrt[-1 + Sqrt[2]]]/(4*Sqrt[2*(-1 + Sqrt[2])]) + ArcTan[x/Sqrt[1 + Sqrt[2]]]/(4*Sqrt[2*(1 + Sqrt[2])]) + ArcTanh[x/Sqrt[-1 + Sqrt[2]]]/(4*Sqrt[2*(-1 + Sqrt[2])]) + ArcTanh[x/Sqrt[1 + Sqrt[2]]]/(4*Sqrt[2*(1 + Sqrt[2])])

Rule 203

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rule 207

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTanh[(Rt[b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 1093

Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0] && PosQ[b^2 - 4*a*c]

Rule 1419

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x^(n/2) + x^n, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x^(n/2) + x^n, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d, e*Rt[a/c, 2]]))

Rubi steps

$$\begin{aligned}
\int \frac{1-x^4}{1-6x^4+x^8} dx &= -\left(\frac{1}{2} \int \frac{1}{-1-2x^2+x^4} dx\right) - \frac{1}{2} \int \frac{1}{-1+2x^2+x^4} dx \\
&= -\frac{\int \frac{1}{-1-\sqrt{2}+x^2} dx}{4\sqrt{2}} - \frac{\int \frac{1}{1-\sqrt{2}+x^2} dx}{4\sqrt{2}} + \frac{\int \frac{1}{-1+\sqrt{2}+x^2} dx}{4\sqrt{2}} + \frac{\int \frac{1}{1+\sqrt{2}+x^2} dx}{4\sqrt{2}} \\
&= \frac{\tan^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{2}(-1+\sqrt{2})} + \frac{\tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{-1+\sqrt{2}}}\right)}{4\sqrt{2}(-1+\sqrt{2})} + \frac{\tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}(1+\sqrt{2})}
\end{aligned}$$

Mathematica [A] time = 0.05, size = 114, normalized size = 0.91

$$\frac{\sqrt{1+\sqrt{2}} \tan^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) + \sqrt{\sqrt{2}-1} \tan^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right) + \sqrt{1+\sqrt{2}} \tanh^{-1}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) + \sqrt{\sqrt{2}-1} \tanh^{-1}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(1 - x^4)/(1 - 6*x^4 + x^8), x]

[Out] (Sqrt[1 + Sqrt[2]]*ArcTan[x/Sqrt[-1 + Sqrt[2]]] + Sqrt[-1 + Sqrt[2]]*ArcTan[x/Sqrt[1 + Sqrt[2]]] + Sqrt[1 + Sqrt[2]]*ArcTanh[x/Sqrt[-1 + Sqrt[2]]] + Sqrt[-1 + Sqrt[2]]*ArcTanh[x/Sqrt[1 + Sqrt[2]]])/(4*Sqrt[2])

fricas [B] time = 0.89, size = 199, normalized size = 1.59

$$-\frac{1}{4} \sqrt{2} \sqrt{\sqrt{2}+1} \arctan\left(-x\sqrt{\sqrt{2}+1} + \sqrt{x^2 + \sqrt{2}-1} \sqrt{\sqrt{2}+1}\right) - \frac{1}{4} \sqrt{2} \sqrt{\sqrt{2}-1} \arctan\left(-x\sqrt{\sqrt{2}-1} + \sqrt{x^2 + \sqrt{2}+1} \sqrt{\sqrt{2}-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-6*x^4+1), x, algorithm="fricas")

[Out] -1/4*sqrt(2)*sqrt(sqrt(2) + 1)*arctan(-x*sqrt(sqrt(2) + 1) + sqrt(x^2 + sqrt(2) - 1)*sqrt(sqrt(2) + 1)) - 1/4*sqrt(2)*sqrt(sqrt(2) - 1)*arctan(-x*sqrt(sqrt(2) - 1) + sqrt(x^2 + sqrt(2) + 1)*sqrt(sqrt(2) - 1)) + 1/16*sqrt(2)*sqrt(sqrt(2) - 1)*log((sqrt(2) + 1)*sqrt(sqrt(2) - 1) + x) - 1/16*sqrt(2)*sqrt(sqrt(2) - 1)*log(-(sqrt(2) + 1)*sqrt(sqrt(2) - 1) + x) + 1/16*sqrt(2)*sqrt(sqrt(2) + 1)*log(sqrt(sqrt(2) + 1)*(sqrt(2) - 1) + x) - 1/16*sqrt(2)*sqrt(sqrt(2) + 1)*log(-sqrt(sqrt(2) + 1)*(sqrt(2) - 1) + x)

giac [A] time = 0.63, size = 135, normalized size = 1.08

$$\frac{1}{8} \sqrt{2} \sqrt{2} - 2 \arctan\left(\frac{x}{\sqrt{\sqrt{2}+1}}\right) + \frac{1}{8} \sqrt{2} \sqrt{2} + 2 \arctan\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right) + \frac{1}{16} \sqrt{2} \sqrt{2} - 2 \log\left(\left|x + \sqrt{\sqrt{2}+1}\right|\right) - \frac{1}{16} \sqrt{2} \sqrt{2} + 2 \log\left(\left|x - \sqrt{\sqrt{2}-1}\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-x^4+1)/(x^8-6*x^4+1), x, algorithm="giac")

[Out] 1/8*sqrt(2)*sqrt(2) - 2*arctan(x/sqrt(sqrt(2) + 1)) + 1/8*sqrt(2)*sqrt(2) + 2*arctan(x/sqrt(sqrt(2) - 1)) + 1/16*sqrt(2)*sqrt(2) - 2*log(abs(x + sqrt(sqrt(2) + 1))) - 1/16*sqrt(2)*sqrt(2) + 2*log(abs(x - sqrt(sqrt(2) - 1))) +

$1/16*\sqrt{2*\sqrt{2} + 2}*\log(\text{abs}(x + \sqrt{\sqrt{2} - 1})) - 1/16*\sqrt{2*\sqrt{2} + 2}*\log(\text{abs}(x - \sqrt{\sqrt{2} - 1}))$

maple [A] time = 0.03, size = 90, normalized size = 0.72

$$\frac{\sqrt{2} \operatorname{arctanh}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{8\sqrt{1+\sqrt{2}}} + \frac{\sqrt{2} \operatorname{arctanh}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{8\sqrt{\sqrt{2}-1}} + \frac{\sqrt{2} \operatorname{arctan}\left(\frac{x}{\sqrt{1+\sqrt{2}}}\right)}{8\sqrt{1+\sqrt{2}}} + \frac{\sqrt{2} \operatorname{arctan}\left(\frac{x}{\sqrt{\sqrt{2}-1}}\right)}{8\sqrt{\sqrt{2}-1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-x^4+1)/(x^8-6*x^4+1),x)`

[Out] $1/8*2^{(1/2)}/(2^{(1/2)}-1)^{(1/2)}*\arctan(1/(2^{(1/2)}-1)^{(1/2)}*x)+1/8*2^{(1/2)}/(1+2^{(1/2)})^{(1/2)}*\operatorname{arctanh}(1/(1+2^{(1/2)})^{(1/2)}*x)+1/8*2^{(1/2)}/(1+2^{(1/2)})^{(1/2)}*\arctan(1/(1+2^{(1/2)})^{(1/2)}*x)+1/8*2^{(1/2)}/(2^{(1/2)}-1)^{(1/2)}*\operatorname{arctanh}(1/(2^{(1/2)}-1)^{(1/2)}*x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{x^4 - 1}{x^8 - 6x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x^4+1)/(x^8-6*x^4+1),x, algorithm="maxima")`

[Out] `-integrate((x^4 - 1)/(x^8 - 6*x^4 + 1), x)`

mupad [B] time = 0.20, size = 245, normalized size = 1.96

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{1-\sqrt{2}} - 4352i}{3072\sqrt{2}-4352} - \frac{\sqrt{2}x\sqrt{1-\sqrt{2}} - 3072i}{3072\sqrt{2}-4352}\right) \sqrt{1-\sqrt{2}} \operatorname{li} + \sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{-\sqrt{2}-1} - 4352i}{3072\sqrt{2}+4352} + \frac{\sqrt{2}x\sqrt{-\sqrt{2}-1} - 3072i}{3072\sqrt{2}+4352}\right) \sqrt{-\sqrt{2}}}{8} + \frac{\sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{1-\sqrt{2}} - 4352i}{3072\sqrt{2}-4352} - \frac{\sqrt{2}x\sqrt{1-\sqrt{2}} - 3072i}{3072\sqrt{2}-4352}\right) \sqrt{1-\sqrt{2}} \operatorname{li} + \sqrt{2} \operatorname{atan}\left(\frac{x\sqrt{-\sqrt{2}-1} - 4352i}{3072\sqrt{2}+4352} + \frac{\sqrt{2}x\sqrt{-\sqrt{2}-1} - 3072i}{3072\sqrt{2}+4352}\right) \sqrt{-\sqrt{2}}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-(x^4 - 1)/(x^8 - 6*x^4 + 1),x)`

[Out] $(2^{(1/2)}*\operatorname{atan}((x*(-2^{(1/2)}-1)^{(1/2)}*4352i)/(3072*2^{(1/2)}+4352)+(2^{(1/2)}*x*(-2^{(1/2)}-1)^{(1/2)}*3072i)/(3072*2^{(1/2)}+4352))*(-2^{(1/2)}-1)^{(1/2)}*i)/8 - (2^{(1/2)}*\operatorname{atan}((x*(1-2^{(1/2)})^{(1/2)}*4352i)/(3072*2^{(1/2)}-4352)-(2^{(1/2)}*x*(1-2^{(1/2)})^{(1/2)}*3072i)/(3072*2^{(1/2)}-4352))*(1-2^{(1/2)})^{(1/2)}*i)/8 + (2^{(1/2)}*\operatorname{atan}((x*(2^{(1/2)}-1)^{(1/2)}*4352i)/(3072*2^{(1/2)}-4352)-(2^{(1/2)}*x*(2^{(1/2)}-1)^{(1/2)}*3072i)/(3072*2^{(1/2)}-4352))*(2^{(1/2)}-1)^{(1/2)}*i)/8 - (2^{(1/2)}*\operatorname{atan}((x*(2^{(1/2)}+1)^{(1/2)}*4352i)/(3072*2^{(1/2)}+4352)+(2^{(1/2)}*x*(2^{(1/2)}+1)^{(1/2)}*3072i)/(3072*2^{(1/2)}+4352))*(2^{(1/2)}+1)^{(1/2)}*i)/8$

sympy [A] time = 1.16, size = 51, normalized size = 0.41

$-\operatorname{RootSum}(16384t^4 - 256t^2 - 1, (t \mapsto t \log(65536t^5 - 28t + x))) - \operatorname{RootSum}(16384t^4 + 256t^2 - 1, (t \mapsto t \log(65536t^5 - 28t + x)))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-x**4+1)/(x**8-6*x**4+1),x)`

[Out] $-\operatorname{RootSum}(16384*_t**4 - 256*_t**2 - 1, \operatorname{Lambda}(_t, _t*\log(65536*_t**5 - 28*_t + x))) - \operatorname{RootSum}(16384*_t**4 + 256*_t**2 - 1, \operatorname{Lambda}(_t, _t*\log(65536*_t**5 - 28*_t + x)))$

$$3.31 \quad \int \frac{-1 + \sqrt{3} + 2x^4}{1 - x^4 + x^8} dx$$

Optimal. Leaf size=135

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} - 2x}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{2x + \sqrt{2 + \sqrt{3}}}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}}$$

[Out] $-1/2*\arctan((-2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}+1/2*\arctan((2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}-1/4*\ln(1+x^2-x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}+1/4*\ln(1+x^2+x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))*2^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {1423, 1161, 618, 204, 1164, 628}

$$\frac{\log\left(x^2 - \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} + \frac{\log\left(x^2 + \sqrt{2 - \sqrt{3}}x + 1\right)}{2\sqrt{2}} - \frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} - 2x}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{2x + \sqrt{2 + \sqrt{3}}}{\sqrt{2 - \sqrt{3}}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(-1 + Sqrt[3] + 2*x^4)/(1 - x^4 + x^8), x]

[Out] $-(\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]]/\text{Sqrt}[2]) + \text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]]/\text{Sqrt}[2] - \text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[3]]]*x + x^2]/(2*\text{Sqrt}[2]) + \text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[3]]]*x + x^2]/(2*\text{Sqrt}[2])$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rule 1164

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e
+ q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^
2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c
*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

Rule 1423

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c
*q*r), Int[(d*r - (d - e*q)*x^(n/2))/(q - r*x^(n/2) + x^n), x], x] + Dist[1
/(2*c*q*r), Int[(d*r + (d - e*q)*x^(n/2))/(q + r*x^(n/2) + x^n), x], x]] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[n/2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\int \frac{-1 + \sqrt{3} + 2x^4}{1 - x^4 + x^8} dx = \frac{\int \frac{\sqrt{3}(-1+\sqrt{3})+(3-\sqrt{3})x^2}{1-\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} + \frac{\int \frac{\sqrt{3}(-1+\sqrt{3})+(-3+\sqrt{3})x^2}{1+\sqrt{3}x^2+x^4} dx}{2\sqrt{3}}$$

$$= -\frac{\int \frac{\sqrt{2-\sqrt{3}}+2x}{-1-\sqrt{2-\sqrt{3}}x-x^2} dx}{2\sqrt{2}} - \frac{\int \frac{\sqrt{2-\sqrt{3}}-2x}{-1+\sqrt{2-\sqrt{3}}x-x^2} dx}{2\sqrt{2}} + \frac{1}{4}(-1 + \sqrt{3}) \int \frac{1}{1 - \sqrt{2 + \sqrt{3}}x + x^2} dx +$$

$$= -\frac{\log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right)}{2\sqrt{2}} + \frac{\log\left(1 + \sqrt{2 - \sqrt{3}}x + x^2\right)}{2\sqrt{2}} + \frac{1}{2}(1 - \sqrt{3}) \text{Subst}\left(\int \frac{1}{-2 + \sqrt{2 + \sqrt{3}}x + x^2} dx, x, \frac{x}{1 - \sqrt{2 + \sqrt{3}}x + x^2}\right)$$

$$= -\frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} + \frac{\tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}+2x}{\sqrt{2-\sqrt{3}}}\right)}{\sqrt{2}} - \frac{\log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right)}{2\sqrt{2}} + \frac{\log\left(1 + \sqrt{2 - \sqrt{3}}x + x^2\right)}{2\sqrt{2}}$$

Mathematica [C] time = 0.03, size = 71, normalized size = 0.53

$$\frac{1}{4}\text{RootSum}\left[\#1^8 - \#1^4 + 1\&, \frac{2\#1^4 \log(x - \#1) + \sqrt{3} \log(x - \#1) - \log(x - \#1)}{2\#1^7 - \#1^3}\&\right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(-1 + Sqrt[3] + 2*x^4)/(1 - x^4 + x^8), x]
```

```
[Out] RootSum[1 - #1^4 + #1^8 &, (-Log[x - #1] + Sqrt[3]*Log[x - #1] + 2*Log[x - #1]*#1^4)/(-#1^3 + 2*#1^7) & ]/4
```

fricas [A] time = 0.89, size = 104, normalized size = 0.77

$$\frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2}(\sqrt{3}\sqrt{2} + \sqrt{2})x^3 - \sqrt{2}x\right) + \frac{1}{2} \sqrt{2} \arctan\left(\frac{1}{2}(\sqrt{3}\sqrt{2} + \sqrt{2})x\right) + \frac{1}{4} \sqrt{2} \log\left(-\frac{(\sqrt{3}\sqrt{2} - \sqrt{2})x + \sqrt{2}}{(\sqrt{3}\sqrt{2} - \sqrt{2})x - \sqrt{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+2*x^4+3^(1/2))/(x^8-x^4+1),x, algorithm="fricas")
```

```
[Out] 1/2*sqrt(2)*arctan(1/2*(sqrt(3)*sqrt(2) + sqrt(2))*x^3 - sqrt(2)*x) + 1/2*sqrt(2)*arctan(1/2*(sqrt(3)*sqrt(2) + sqrt(2))*x) + 1/4*sqrt(2)*log(-((sqrt(2)
```


$$3)\sqrt{2} - \sqrt{2})x + 2x^2 + 2)/((\sqrt{3}\sqrt{2} - \sqrt{2})x - 2x^2 - 2))$$

giac [A] time = 0.49, size = 107, normalized size = 0.79

$$\frac{1}{2}\sqrt{2} \arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{2}\sqrt{2} \arctan\left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{4}\sqrt{2} \log\left(x^2 + \frac{1}{2}x(\sqrt{6} - \sqrt{2}) + 1\right) - \frac{1}{4}\sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+2*x^4+3^(1/2))/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/2*sqrt(2)*arctan((4*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/2*sqrt(2)*arctan((4*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/4*sqrt(2)*log(x^2 + 1/2*x*(sqrt(6) - sqrt(2)) + 1) - 1/4*sqrt(2)*log(x^2 - 1/2*x*(sqrt(6) - sqrt(2)) + 1)

maple [C] time = 0.06, size = 47, normalized size = 0.35

$$\frac{\left(2 \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^4 - 1 + \sqrt{3}\right) \ln\left(-\operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right) + x\right)}{8 \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^7 - 4 \operatorname{RootOf}\left(-Z^8 - Z^4 + 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-1+2*x^4+3^(1/2))/(x^8-x^4+1),x)

[Out] 1/4*sum(1/(2*_R^7-_R^3)*(-1+2*_R^4+3^(1/2))*ln(-_R+x),_R=RootOf(-Z^8-Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{2x^4 + \sqrt{3} - 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-1+2*x^4+3^(1/2))/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((2*x^4 + sqrt(3) - 1)/(x^8 - x^4 + 1), x)

mupad [B] time = 2.24, size = 133, normalized size = 0.99

$$\frac{\sqrt{2} \operatorname{atan}\left(\frac{72\sqrt{2}x}{144\sqrt{3}-144\sqrt{3}x^2-288x^2+288} + \frac{72\sqrt{2}\sqrt{3}x}{144\sqrt{3}-144\sqrt{3}x^2-288x^2+288}\right) + \sqrt{2} \operatorname{atanh}\left(\frac{72\sqrt{2}x}{144\sqrt{3}+144\sqrt{3}x^2+288x^2+288} + \frac{72\sqrt{2}\sqrt{3}x}{144\sqrt{3}+144\sqrt{3}x^2+288x^2+288}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3^(1/2) + 2*x^4 - 1)/(x^8 - x^4 + 1),x)

[Out] (2^(1/2)*atan((72*2^(1/2)*x)/(144*3^(1/2) - 144*3^(1/2)*x^2 - 288*x^2 + 288)) + (72*2^(1/2)*3^(1/2)*x)/(144*3^(1/2) - 144*3^(1/2)*x^2 - 288*x^2 + 288))/2 + (2^(1/2)*atanh((72*2^(1/2)*x)/(144*3^(1/2) + 144*3^(1/2)*x^2 + 288*x^2 + 288) + (72*2^(1/2)*3^(1/2)*x)/(144*3^(1/2) + 144*3^(1/2)*x^2 + 288*x^2 + 288)))/2

sympy [A] time = 0.90, size = 163, normalized size = 1.21

$$\frac{\sqrt{2} \left(2 \operatorname{atan}\left(x \left(\frac{\sqrt{6}}{1+\sqrt{3}} + \frac{2\sqrt{2}}{1+\sqrt{3}} \right) \right) + 2 \operatorname{atan}\left(x^3 \left(\frac{\sqrt{6}}{1+\sqrt{3}} + \frac{2\sqrt{2}}{1+\sqrt{3}} \right) - \sqrt{2}x \right) \right)}{4} - \frac{\sqrt{2} \log\left(x^2 - \frac{\sqrt{2}x \left(\frac{2}{\sqrt{3}+2} + \frac{2\sqrt{3}}{\sqrt{3}+2} \right)}{4} + 1 \right)}{4} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-1+2*x**4+3**(1/2))/(x**8-x**4+1),x)
```

```
[Out] sqrt(2)*(2*atan(x*(sqrt(6)/(1 + sqrt(3)) + 2*sqrt(2)/(1 + sqrt(3)))) + 2*at
an(x**3*(sqrt(6)/(1 + sqrt(3)) + 2*sqrt(2)/(1 + sqrt(3))) - sqrt(2)*x))/4 -
sqrt(2)*log(x**2 - sqrt(2)*x*(2/(sqrt(3) + 2) + 2*sqrt(3)/(sqrt(3) + 2))/4
+ 1)/4 + sqrt(2)*log(x**2 + sqrt(2)*x*(2/(sqrt(3) + 2) + 2*sqrt(3)/(sqrt(3)
) + 2))/4 + 1)/4
```

$$3.32 \quad \int \frac{1+(1+\sqrt{3})x^4}{1-x^4+x^8} dx$$

Optimal. Leaf size=164

$$-\frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{2}\sqrt{2+\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}}{\sqrt{2-\sqrt{3}}}\right)$$

[Out] $-1/2*\arctan((-2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))* (1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/2*\arctan((2*x+1/2*6^{(1/2)}+1/2*2^{(1/2)})/(1/2*6^{(1/2)}-1/2*2^{(1/2)}))* (1/2*6^{(1/2)}+1/2*2^{(1/2)})-1/4*\ln(1+x^2-x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))* (1/2*6^{(1/2)}+1/2*2^{(1/2)})+1/4*\ln(1+x^2+x*(1/2*6^{(1/2)}-1/2*2^{(1/2)}))* (1/2*6^{(1/2)}+1/2*2^{(1/2)})$

Rubi [A] time = 0.09, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {1423, 1161, 618, 204, 1164, 628}

$$-\frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{4}\sqrt{2+\sqrt{3}} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{2}\sqrt{2+\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}}{\sqrt{2-\sqrt{3}}}\right)$$

Antiderivative was successfully verified.

[In] Int[(1 + (1 + Sqrt[3])*x^4)/(1 - x^4 + x^8), x]

[Out] $-(\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] - 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/2 + (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{ArcTan}[(\text{Sqrt}[2 + \text{Sqrt}[3]] + 2*x)/\text{Sqrt}[2 - \text{Sqrt}[3]]])/2 - (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{Log}[1 - \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2])/4 + (\text{Sqrt}[2 + \text{Sqrt}[3]]*\text{Log}[1 + \text{Sqrt}[2 - \text{Sqrt}[3]]*x + x^2])/4$

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rule 1164

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e
+ q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^
2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c
*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

Rule 1423

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c
*q*r), Int[(d*r - (d - e*q)*x^(n/2))/(q - r*x^(n/2) + x^n), x], x] + Dist[1
/(2*c*q*r), Int[(d*r + (d - e*q)*x^(n/2))/(q + r*x^(n/2) + x^n), x], x]] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[n/2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{1 + (1 + \sqrt{3})x^4}{1 - x^4 + x^8} dx &= \frac{\int \frac{\sqrt{3} + \sqrt{3}x^2}{1 - \sqrt{3}x^2 + x^4} dx}{2\sqrt{3}} + \frac{\int \frac{\sqrt{3} - \sqrt{3}x^2}{1 + \sqrt{3}x^2 + x^4} dx}{2\sqrt{3}} \\ &= \frac{1}{4} \int \frac{1}{1 - \sqrt{2 + \sqrt{3}}x + x^2} dx + \frac{1}{4} \int \frac{1}{1 + \sqrt{2 + \sqrt{3}}x + x^2} dx - \frac{1}{4} \sqrt{2 + \sqrt{3}} \int \frac{\sqrt{2 - \sqrt{3}}}{-1 - \sqrt{2 - \sqrt{3}}x + x^2} dx \\ &= -\frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right) + \frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 + \sqrt{2 - \sqrt{3}}x + x^2\right) - \frac{1}{2} \sqrt{2 + \sqrt{3}} \log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right) \\ &= -\frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} - 2x}{\sqrt{2 - \sqrt{3}}}\right)}{2\sqrt{2 - \sqrt{3}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2 + \sqrt{3}} + 2x}{\sqrt{2 - \sqrt{3}}}\right)}{2\sqrt{2 - \sqrt{3}}} - \frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 - \sqrt{2 - \sqrt{3}}x + x^2\right) + \frac{1}{4} \sqrt{2 + \sqrt{3}} \log\left(1 + \sqrt{2 - \sqrt{3}}x + x^2\right) \end{aligned}$$

Mathematica [C] time = 0.04, size = 72, normalized size = 0.44

$$\frac{1}{4} \text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{\sqrt{3} \#1^4 \log(x - \#1) + \#1^4 \log(x - \#1) + \log(x - \#1)}{2\#1^7 - \#1^3} \&\right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(1 + (1 + Sqrt[3])*x^4)/(1 - x^4 + x^8), x]
```

```
[Out] RootSum[1 - #1^4 + #1^8 &, (Log[x - #1] + Log[x - #1]*#1^4 + Sqrt[3]*Log[x
- #1]*#1^4)/(-#1^3 + 2*#1^7) & ]/4
```

fricas [A] time = 0.91, size = 111, normalized size = 0.68

$$\frac{1}{2} \sqrt{\sqrt{3} + 2} \arctan\left(x^3 \sqrt{\sqrt{3} + 2} - x \sqrt{\sqrt{3} + 2} (\sqrt{3} - 1)\right) + \frac{1}{2} \sqrt{\sqrt{3} + 2} \arctan\left(x \sqrt{\sqrt{3} + 2}\right) + \frac{1}{4} \sqrt{\sqrt{3} + 2} \log\left(\frac{x^3 \sqrt{\sqrt{3} + 2} - x \sqrt{\sqrt{3} + 2} (\sqrt{3} - 1)}{x \sqrt{\sqrt{3} + 2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1+x^4*(1+3^(1/2)))/(x^8-x^4+1),x, algorithm="fricas")
```

```
[Out] 1/2*sqrt(sqrt(3) + 2)*arctan(x^3*sqrt(sqrt(3) + 2) - x*sqrt(sqrt(3) + 2)*(s
qrt(3) - 1)) + 1/2*sqrt(sqrt(3) + 2)*arctan(x*sqrt(sqrt(3) + 2)) + 1/4*sqrt
(sqrt(3) + 2)*log(-(x*sqrt(sqrt(3) + 2)*(sqrt(3) - 2) - x^2 - 1)/(x*sqrt(sq
rt(3) + 2)*(sqrt(3) - 2) + x^2 + 1))
```

giac [A] time = 0.43, size = 123, normalized size = 0.75

$$\frac{1}{4}(\sqrt{6} + \sqrt{2}) \arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{4}(\sqrt{6} + \sqrt{2}) \arctan\left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{8}(\sqrt{6} + \sqrt{2}) \log\left(x^2 + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^4*(1+3^(1/2)))/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/4*(sqrt(6) + sqrt(2))*arctan((4*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/4*(sqrt(6) + sqrt(2))*arctan((4*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/8*(sqrt(6) + sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) - sqrt(2)) + 1) - 1/8*(sqrt(6) + sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) - sqrt(2)) + 1)

maple [C] time = 0.04, size = 62, normalized size = 0.38

$$\frac{\left(2 \operatorname{RootOf}(-Z^8 - Z^4 + 1)^4 + 2\sqrt{3} \operatorname{RootOf}(-Z^8 - Z^4 + 1)^4 + (1 + \sqrt{3})(\sqrt{3} - 1)\right) \ln(-\operatorname{RootOf}(-Z^8 - Z^4 + 1))}{16 \operatorname{RootOf}(-Z^8 - Z^4 + 1)^7 - 8 \operatorname{RootOf}(-Z^8 - Z^4 + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+x^4*(1+3^(1/2)))/(x^8-x^4+1),x)

[Out] 1/8*sum(1/(2*_R^7-_R^3)*(2*_R^4+2*3^(1/2)*_R^4+(1+3^(1/2))*(3^(1/2)-1))*ln(-_R+x),_R=RootOf(-Z^8-Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(\sqrt{3} + 1) + 1}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x^4*(1+3^(1/2)))/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((x^4*(sqrt(3) + 1) + 1)/(x^8 - x^4 + 1), x)

mupad [B] time = 2.19, size = 1, normalized size = 0.01

0

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(3^(1/2) + 1) + 1)/(x^8 - x^4 + 1),x)

[Out] 0

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+x**4*(1+3**(1/2)))/(x**8-x**4+1),x)

[Out] Exception raised: PolynomialError

$$3.33 \quad \int \frac{3-2\sqrt{3}+(-3+\sqrt{3})x^4}{1-x^4+x^8} dx$$

Optimal. Leaf size=180

$$\frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{2}\sqrt{3(2-\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{3(2-\sqrt{3})}}{x^2 - \sqrt{2-\sqrt{3}}x + 1}\right)$$

[Out] 1/2*arctan((-2*x+1/2*6^(1/2)+1/2*2^(1/2))/(1/2*6^(1/2)-1/2*2^(1/2)))*(3/2*2^(1/2)-1/2*6^(1/2))-1/2*arctan((2*x+1/2*6^(1/2)+1/2*2^(1/2))/(1/2*6^(1/2)-1/2*2^(1/2)))*(3/2*2^(1/2)-1/2*6^(1/2))+1/4*ln(1+x^2-x*(1/2*6^(1/2)-1/2*2^(1/2)))*(3/2*2^(1/2)-1/2*6^(1/2))-1/4*ln(1+x^2+x*(1/2*6^(1/2)-1/2*2^(1/2)))*(3/2*2^(1/2)-1/2*6^(1/2))

Rubi [A] time = 0.12, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 33, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1423, 1161, 618, 204, 1164, 628}

$$\frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 - \sqrt{2-\sqrt{3}}x + 1\right) - \frac{1}{4}\sqrt{3(2-\sqrt{3})} \log\left(x^2 + \sqrt{2-\sqrt{3}}x + 1\right) + \frac{1}{2}\sqrt{3(2-\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{3(2-\sqrt{3})}}{x^2 - \sqrt{2-\sqrt{3}}x + 1}\right)$$

Antiderivative was successfully verified.

[In] Int[(3 - 2*Sqrt[3] + (-3 + Sqrt[3])*x^4)/(1 - x^4 + x^8), x]

[Out] (Sqrt[3*(2 - Sqrt[3])]*ArcTan[(Sqrt[2 + Sqrt[3]] - 2*x)/Sqrt[2 - Sqrt[3]]])/2 - (Sqrt[3*(2 - Sqrt[3])]*ArcTan[(Sqrt[2 + Sqrt[3]] + 2*x)/Sqrt[2 - Sqrt[3]]])/2 + (Sqrt[3*(2 - Sqrt[3])]*Log[1 - Sqrt[2 - Sqrt[3]]*x + x^2])/4 - (Sqrt[3*(2 - Sqrt[3])]*Log[1 + Sqrt[2 - Sqrt[3]]*x + x^2])/4

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1161

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e - b/c, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c*d^2 - a*e^2, 0] && (GtQ[(2*d)/e - b/c, 0] || (!LtQ[(2*d)/e - b/c, 0] && EqQ[d - e*Rt[a/c, 2], 0]))

Rule 1164

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[(-2*d)/e - b/c, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e
+ q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^
2, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && EqQ[c
*d^2 - a*e^2, 0] && !GtQ[b^2 - 4*a*c, 0]
```

Rule 1423

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c
*q*r), Int[(d*r - (d - e*q)*x^(n/2))/(q - r*x^(n/2) + x^n), x], x] + Dist[1
/(2*c*q*r), Int[(d*r + (d - e*q)*x^(n/2))/(q + r*x^(n/2) + x^n), x], x]] /
; FreeQ[{a, b, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c
*d^2 - b*d*e + a*e^2, 0] && IGtQ[n/2, 0] && NegQ[b^2 - 4*a*c]
```

Rubi steps

$$\begin{aligned} \int \frac{3 - 2\sqrt{3} + (-3 + \sqrt{3})x^4}{1 - x^4 + x^8} dx &= \frac{\int \frac{\sqrt{3}(3-2\sqrt{3})+(-6+3\sqrt{3})x^2}{1-\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} + \frac{\int \frac{\sqrt{3}(3-2\sqrt{3})+(6-3\sqrt{3})x^2}{1+\sqrt{3}x^2+x^4} dx}{2\sqrt{3}} \\ &= \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \int \frac{\sqrt{2-\sqrt{3}}+2x}{-1-\sqrt{2-\sqrt{3}}x-x^2} dx + \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \int \frac{\sqrt{2-\sqrt{3}}}{-1+\sqrt{2-\sqrt{3}}x+x^2} dx \\ &= \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \log\left(1-\sqrt{2-\sqrt{3}}x+x^2\right) - \frac{1}{4}\sqrt{3}(2-\sqrt{3}) \log\left(1+\sqrt{2-\sqrt{3}}x+x^2\right) \\ &= \frac{1}{2}\sqrt{6-3\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}-2x}{\sqrt{2-\sqrt{3}}}\right) - \frac{1}{2}\sqrt{6-3\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2+\sqrt{3}}+2x}{\sqrt{2-\sqrt{3}}}\right) \end{aligned}$$

Mathematica [C] time = 0.05, size = 89, normalized size = 0.49

$$\frac{1}{4}\text{RootSum}\left[\#1^8 - \#1^4 + 1 \&, \frac{\sqrt{3}\#1^4 \log(x - \#1) - 3\#1^4 \log(x - \#1) - 2\sqrt{3} \log(x - \#1) + 3 \log(x - \#1)}{2\#1^7 - \#1^3} \&\right]$$

Antiderivative was successfully verified.

```
[In] Integrate[(3 - 2*Sqrt[3] + (-3 + Sqrt[3])*x^4)/(1 - x^4 + x^8), x]
```

```
[Out] RootSum[1 - #1^4 + #1^8 &, (3*Log[x - #1] - 2*Sqrt[3]*Log[x - #1] - 3*Log[x - #1]*#1^4 + Sqrt[3]*Log[x - #1]*#1^4)/(-#1^3 + 2*#1^7) & ]/4
```

fricas [A] time = 0.88, size = 141, normalized size = 0.78

$$-\frac{1}{2}\sqrt{-3\sqrt{3}+6} \arctan\left(\frac{1}{3}x^3(2\sqrt{3}+3)\sqrt{-3\sqrt{3}+6} - \frac{1}{3}x(\sqrt{3}+3)\sqrt{-3\sqrt{3}+6}\right) - \frac{1}{2}\sqrt{-3\sqrt{3}+6} \arctan\left(\frac{1}{3}x^3(2\sqrt{3}+3)\sqrt{-3\sqrt{3}+6} - \frac{1}{3}x(\sqrt{3}+3)\sqrt{-3\sqrt{3}+6}\right) + \frac{1}{4}\sqrt{-3\sqrt{3}+6} \arctan\left(\frac{1}{3}x^3(2\sqrt{3}+3)\sqrt{-3\sqrt{3}+6} - \frac{1}{3}x(\sqrt{3}+3)\sqrt{-3\sqrt{3}+6}\right) + \frac{1}{4}\sqrt{-3\sqrt{3}+6} \arctan\left(\frac{1}{3}x^3(2\sqrt{3}+3)\sqrt{-3\sqrt{3}+6} - \frac{1}{3}x(\sqrt{3}+3)\sqrt{-3\sqrt{3}+6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((3+x^4*(-3+3^(1/2))-2*3^(1/2))/(x^8-x^4+1),x, algorithm="fricas")
```

```
[Out] -1/2*sqrt(-3*sqrt(3) + 6)*arctan(1/3*x^3*(2*sqrt(3) + 3)*sqrt(-3*sqrt(3) + 6) - 1/3*x*(sqrt(3) + 3)*sqrt(-3*sqrt(3) + 6)) - 1/2*sqrt(-3*sqrt(3) + 6)*arctan(1/3*x*(2*sqrt(3) + 3)*sqrt(-3*sqrt(3) + 6)) + 1/4*sqrt(-3*sqrt(3) + 6)*arctan(1/3*x^3*(2*sqrt(3) + 3)*sqrt(-3*sqrt(3) + 6) - 1/3*x*(sqrt(3) + 3)*sqrt(-3*sqrt(3) + 6)) + 1/4*sqrt(-3*sqrt(3) + 6)*arctan(1/3*x*(2*sqrt(3) + 3)*sqrt(-3*sqrt(3) + 6))
```

) $\log((3x^2 - \sqrt{3}x\sqrt{-3\sqrt{3} + 6} + 3)/(3x^2 + \sqrt{3}x\sqrt{-3\sqrt{3} + 6} + 3))$

giac [A] time = 0.45, size = 131, normalized size = 0.73

$$\frac{1}{4}(\sqrt{6} - 3\sqrt{2})\arctan\left(\frac{4x + \sqrt{6} + \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{4}(\sqrt{6} - 3\sqrt{2})\arctan\left(\frac{4x - \sqrt{6} - \sqrt{2}}{\sqrt{6} - \sqrt{2}}\right) + \frac{1}{8}(\sqrt{6} - 3\sqrt{2})\log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x^4*(-3+3^(1/2))-2*3^(1/2))/(x^8-x^4+1),x, algorithm="giac")

[Out] 1/4*(sqrt(6) - 3*sqrt(2))*arctan((4*x + sqrt(6) + sqrt(2))/(sqrt(6) - sqrt(2))) + 1/4*(sqrt(6) - 3*sqrt(2))*arctan((4*x - sqrt(6) - sqrt(2))/(sqrt(6) - sqrt(2))) + 1/8*(sqrt(6) - 3*sqrt(2))*log(x^2 + 1/2*x*(sqrt(6) - sqrt(2)) + 1) - 1/8*(sqrt(6) - 3*sqrt(2))*log(x^2 - 1/2*x*(sqrt(6) - sqrt(2)) + 1)

maple [C] time = 0.01, size = 62, normalized size = 0.34

$$\frac{(-6\text{RootOf}(-Z^8 - Z^4 + 1)^4 + 2\sqrt{3}\text{RootOf}(-Z^8 - Z^4 + 1)^4 + (-3 + \sqrt{3})(\sqrt{3} - 1))\ln(-\text{RootOf}(-Z^8 - Z^4 + 1))}{16\text{RootOf}(-Z^8 - Z^4 + 1)^7 - 8\text{RootOf}(-Z^8 - Z^4 + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3+x^4*(-3+3^(1/2))-2*3^(1/2))/(x^8-x^4+1),x)

[Out] 1/8*sum(1/(2*_R^7-_R^3)*(-6*_R^4+2*3^(1/2)*_R^4+(-3+3^(1/2))*(3^(1/2)-1))*ln(-_R+x),_R=RootOf(-Z^8-_Z^4+1))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4(\sqrt{3} - 3) - 2\sqrt{3} + 3}{x^8 - x^4 + 1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x^4*(-3+3^(1/2))-2*3^(1/2))/(x^8-x^4+1),x, algorithm="maxima")

[Out] integrate((x^4*(sqrt(3) - 3) - 2*sqrt(3) + 3)/(x^8 - x^4 + 1), x)

mupad [B] time = 2.23, size = 1, normalized size = 0.01

0

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*(3^(1/2) - 3) - 2*3^(1/2) + 3)/(x^8 - x^4 + 1),x)

[Out] 0

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: PolynomialError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+x**4*(-3+3**(1/2))-2*3**(1/2))/(x**8-x**4+1),x)

[Out] Exception raised: PolynomialError

$$3.34 \quad \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2}} dx$$

Optimal. Leaf size=49

$$-\frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} + \frac{dx}{c}$$

[Out] d*x/c+1/2*e*ln(c*x^2+a)/c-d*arctan(x*c^(1/2)/a^(1/2))*a^(1/2)/c^(3/2)

Rubi [A] time = 0.03, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {1394, 774, 635, 205, 260}

$$-\frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} + \frac{dx}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x)/(c + a/x^2), x]

[Out] (d*x)/c - (Sqrt[a]*d*ArcTan[(Sqrt[c]*x)/Sqrt[a]])/c^(3/2) + (e*Log[a + c*x^2])/(2*c)

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 260

Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] :> Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]

Rule 635

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Dist[d, Int[1/(a + c*x^2), x], x] + Dist[e, Int[x/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && !NiceSqrtQ[-(a*c)]

Rule 774

Int[(((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + c*(e*f + d*g)*x]/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x]

Rule 1394

Int[((a_) + (c_.)*(x_)^(n2_.))^(p_.)*((d_) + (e_.)*(x_)^(n_.))^(q_.), x_Symbol] :> Int[x^(n*(2*p + q))*(e + d/x^n)^q*(c + a/x^(2*n))^p, x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegersQ[p, q] && NegQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2}} dx &= \int \frac{x(e + dx)}{a + cx^2} dx \\
&= \frac{dx}{c} + \frac{\int \frac{-ad+ce x}{a+cx^2} dx}{c} \\
&= \frac{dx}{c} - \frac{(ad) \int \frac{1}{a+cx^2} dx}{c} + e \int \frac{x}{a + cx^2} dx \\
&= \frac{dx}{c} - \frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c}
\end{aligned}$$

Mathematica [A] time = 0.02, size = 49, normalized size = 1.00

$$-\frac{\sqrt{a} d \tan^{-1}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}} + \frac{e \log(a + cx^2)}{2c} + \frac{dx}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x)/(c + a/x^2), x]

[Out] (d*x)/c - (Sqrt[a]*d*ArcTan[(Sqrt[c]*x)/Sqrt[a]])/c^(3/2) + (e*Log[a + c*x^2])/(2*c)

fricas [A] time = 0.88, size = 108, normalized size = 2.20

$$\left[\frac{d\sqrt{\frac{a}{c}} \log\left(\frac{cx^2 - 2cx\sqrt{\frac{a}{c}} - a}{cx^2 + a}\right) + 2dx + e \log(cx^2 + a)}{2c}, -\frac{2d\sqrt{\frac{a}{c}} \arctan\left(\frac{cx\sqrt{\frac{a}{c}}}{a}\right) - 2dx - e \log(cx^2 + a)}{2c} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2), x, algorithm="fricas")

[Out] [1/2*(d*sqrt(-a/c)*log((c*x^2 - 2*c*x*sqrt(-a/c) - a)/(c*x^2 + a)) + 2*d*x + e*log(c*x^2 + a))/c, -1/2*(2*d*sqrt(a/c)*arctan(c*x*sqrt(a/c)/a) - 2*d*x - e*log(c*x^2 + a))/c]

giac [A] time = 0.27, size = 43, normalized size = 0.88

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{ac} c} + \frac{dx}{c} + \frac{e \log(cx^2 + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2), x, algorithm="giac")

[Out] -a*d*arctan(c*x/sqrt(a*c))/(sqrt(a*c)*c) + d*x/c + 1/2*e*log(c*x^2 + a)/c

maple [A] time = 0.01, size = 43, normalized size = 0.88

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{ac} c} + \frac{dx}{c} + \frac{e \ln(cx^2 + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x)/(c+a/x^2),x)

[Out] d*x/c+1/2*e*ln(c*x^2+a)/c-1/c*a*d/(a*c)^(1/2)*arctan(c*x/(a*c)^(1/2))

maxima [A] time = 1.62, size = 42, normalized size = 0.86

$$-\frac{ad \arctan\left(\frac{cx}{\sqrt{ac}}\right)}{\sqrt{ac}c} + \frac{dx}{c} + \frac{e \log(cx^2 + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2),x, algorithm="maxima")

[Out] -a*d*arctan(c*x/sqrt(a*c))/(sqrt(a*c)*c) + d*x/c + 1/2*e*log(c*x^2 + a)/c

mupad [B] time = 1.59, size = 39, normalized size = 0.80

$$\frac{e \ln(cx^2 + a)}{2c} + \frac{dx}{c} - \frac{\sqrt{a} d \operatorname{atan}\left(\frac{\sqrt{c}x}{\sqrt{a}}\right)}{c^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x)/(c + a/x^2),x)

[Out] (e*log(a + c*x^2))/(2*c) + (d*x)/c - (a^(1/2)*d*atan((c^(1/2)*x)/a^(1/2)))/c^(3/2)

sympy [B] time = 0.28, size = 112, normalized size = 2.29

$$\left(\frac{e}{2c} - \frac{d\sqrt{-ac^3}}{2c^3}\right) \log\left(x + \frac{-2c\left(\frac{e}{2c} - \frac{d\sqrt{-ac^3}}{2c^3}\right) + e}{d}\right) + \left(\frac{e}{2c} + \frac{d\sqrt{-ac^3}}{2c^3}\right) \log\left(x + \frac{-2c\left(\frac{e}{2c} + \frac{d\sqrt{-ac^3}}{2c^3}\right) + e}{d}\right) + \frac{dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x**2),x)

[Out] (e/(2*c) - d*sqrt(-a*c**3)/(2*c**3))*log(x + (-2*c*(e/(2*c) - d*sqrt(-a*c**3)/(2*c**3)) + e)/d) + (e/(2*c) + d*sqrt(-a*c**3)/(2*c**3))*log(x + (-2*c*(e/(2*c) + d*sqrt(-a*c**3)/(2*c**3)) + e)/d) + d*x/c

$$3.35 \quad \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2} + \frac{b}{x}} dx$$

Optimal. Leaf size=86

$$-\frac{(-2acd + b^2d - bce) \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} + \frac{dx}{c}}{c^2\sqrt{b^2 - 4ac}}$$

[Out] d*x/c-1/2*(b*d-c*e)*ln(c*x^2+b*x+a)/c^2-(-2*a*c*d+b^2*d-b*c*e)*arctanh((2*c*x+b)/(-4*a*c+b^2)^(1/2))/c^2/(-4*a*c+b^2)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1393, 773, 634, 618, 206, 628}

$$-\frac{(-2acd + b^2d - bce) \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} + \frac{dx}{c}}{c^2\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x)/(c + a/x^2 + b/x), x]

[Out] (d*x)/c - ((b^2*d - 2*a*c*d - b*c*e)*ArcTanh[(b + 2*c*x)/Sqrt[b^2 - 4*a*c]])/(c^2*Sqrt[b^2 - 4*a*c]) - ((b*d - c*e)*Log[a + b*x + c*x^2])/(2*c^2)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 773

Int[((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (c*e*f + c*d*g - b*e*g)*x]/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 1393

Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_.)*((d_) + (e_.)*(x_)^(n_))^(q_.), x_Symbol] := Int[x^(n*(2*p + q))*(e + d/x^n)^q*(c + b/x^n + a/x^(2*n))^p, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegersQ[p, q] && NegQ[n]

Rubi steps

$$\begin{aligned} \int \frac{d + \frac{e}{x}}{c + \frac{a}{x^2} + \frac{b}{x}} dx &= \int \frac{x(e + dx)}{a + bx + cx^2} dx \\ &= \frac{dx}{c} + \frac{\int \frac{-ad + (-bd+ce)x}{a+bx+cx^2} dx}{c} \\ &= \frac{dx}{c} - \frac{(bd - ce) \int \frac{b+2cx}{a+bx+cx^2} dx}{2c^2} + \frac{(b^2d - 2acd - bce) \int \frac{1}{a+bx+cx^2} dx}{2c^2} \\ &= \frac{dx}{c} - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} - \frac{(b^2d - 2acd - bce) \text{Subst}\left(\int \frac{1}{b^2-4ac-x^2} dx, x, b + 2cx\right)}{c^2} \\ &= \frac{dx}{c} - \frac{(b^2d - 2acd - bce) \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{c^2\sqrt{b^2-4ac}} - \frac{(bd - ce) \log(a + bx + cx^2)}{2c^2} \end{aligned}$$

Mathematica [A] time = 0.09, size = 86, normalized size = 1.00

$$\frac{2(-2acd+b^2d-bce) \tan^{-1}\left(\frac{b+2cx}{\sqrt{4ac-b^2}}\right) + (ce - bd) \log(a + x(b + cx)) + 2cdx}{2c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x)/(c + a/x^2 + b/x), x]

[Out] (2*c*d*x + (2*(b^2*d - 2*a*c*d - b*c*e)*ArcTan[(b + 2*c*x)/Sqrt[-b^2 + 4*a*c]])/Sqrt[-b^2 + 4*a*c] + (-b*d) + c*e)*Log[a + x*(b + c*x)]/(2*c^2)

fricas [A] time = 0.84, size = 291, normalized size = 3.38

$$\left[\frac{2(b^2c - 4ac^2)dx + (bce - (b^2 - 2ac)d)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^2 + 2bcx + b^2 - 2ac + \sqrt{b^2 - 4ac}(2cx + b)}{cx^2 + bx + a}\right) - ((b^3 - 4abc)d - (b^2c - 4ac^2)e) \log(cx^2 + bx + a)}{2(b^2c^2 - 4ac^3)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2+b/x), x, algorithm="fricas")

[Out] [1/2*(2*(b^2*c - 4*a*c^2)*d*x + (b*c*e - (b^2 - 2*a*c)*d)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^2 + 2*b*c*x + b^2 - 2*a*c + sqrt(b^2 - 4*a*c)*(2*c*x + b))/(c*x^2 + b*x + a)) - ((b^3 - 4*a*b*c)*d - (b^2*c - 4*a*c^2)*e)*log(c*x^2 + b*x + a)]/(b^2*c^2 - 4*a*c^3), 1/2*(2*(b^2*c - 4*a*c^2)*d*x + 2*(b*c*e - (b^2 - 2*a*c)*d)*sqrt(-b^2 + 4*a*c)*arctan(-sqrt(-b^2 + 4*a*c)*(2*c*x + b)/(b^2 - 4*a*c)) - ((b^3 - 4*a*b*c)*d - (b^2*c - 4*a*c^2)*e)*log(c*x^2 + b*x + a)]/(b^2*c^2 - 4*a*c^3)]

giac [A] time = 0.32, size = 85, normalized size = 0.99

$$\frac{dx}{c} - \frac{(bd - ce) \log(cx^2 + bx + a)}{2c^2} + \frac{(b^2d - 2acd - bce) \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{\sqrt{-b^2+4ac}c^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2+b/x),x, algorithm="giac")

[Out] $d*x/c - 1/2*(b*d - c*e)*\log(c*x^2 + b*x + a)/c^2 + (b^2*d - 2*a*c*d - b*c*e) * \arctan((2*c*x + b)/\sqrt{-b^2 + 4*a*c})/(\sqrt{-b^2 + 4*a*c}*c^2)$

maple [A] time = 0.00, size = 161, normalized size = 1.87

$$-\frac{2ad \arctan\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2} c} + \frac{b^2d \arctan\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2} c^2} - \frac{be \arctan\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right)}{\sqrt{4ac-b^2} c} - \frac{bd \ln(cx^2 + bx + a)}{2c^2} + \frac{dx}{c} + \frac{e \ln(cx^2 + bx + a)}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x)/(c+a/x^2+b/x),x)

[Out] $1/c*d*x-1/2/c^2*\ln(c*x^2+b*x+a)*b*d+1/2/c*\ln(c*x^2+b*x+a)*e-2/c/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x+b)/(4*a*c-b^2)^{(1/2)})*a*d+1/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x+b)/(4*a*c-b^2)^{(1/2)})*b^2*d-1/c/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x+b)/(4*a*c-b^2)^{(1/2)})*b*e$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x^2+b/x),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see 'assume?' for more details)Is 4*a*c-b^2 positive or negative?

mupad [B] time = 1.77, size = 127, normalized size = 1.48

$$\frac{\ln(cx^2 + bx + a) (db^3 - eb^2c - 4adb c + 4aec^2)}{2(4ac^3 - b^2c^2)} + \frac{dx}{c} - \frac{\operatorname{atan}\left(\frac{b}{\sqrt{4ac-b^2}} + \frac{2cx}{\sqrt{4ac-b^2}}\right) (-db^2 + ceb + 2acd)}{c^2 \sqrt{4ac-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x)/(c + a/x^2 + b/x),x)

[Out] $(\log(a + b*x + c*x^2)*(b^3*d + 4*a*c^2*e - b^2*c*e - 4*a*b*c*d))/(2*(4*a*c^3 - b^2*c^2)) + (d*x)/c - (\operatorname{atan}(b/(4*a*c - b^2)^{(1/2)} + (2*c*x)/(4*a*c - b^2)^{(1/2)}))*(2*a*c*d - b^2*d + b*c*e)/(c^2*(4*a*c - b^2)^{(1/2)})$

sympy [B] time = 1.37, size = 423, normalized size = 4.92

$$\left(-\frac{\sqrt{-4ac+b^2}(2acd-b^2d+bce)}{2c^2(4ac-b^2)} - \frac{bd-ce}{2c^2}\right) \log\left(x + \frac{-abd-4ac^2\left(-\frac{\sqrt{-4ac+b^2}(2acd-b^2d+bce)}{2c^2(4ac-b^2)} - \frac{bd-ce}{2c^2}\right) + 2ace + b^2c}{2acd-b^2d+bce}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x)/(c+a/x**2+b/x),x)

[Out] $(-\sqrt{-4*a*c + b**2}*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c*e)/(2*c**2))*\log(x + (-a*b*d - 4*a*c**2*(-\sqrt{-4*a*c + b**2})*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c*e)/(2*c**2)) + 2*$

$$\begin{aligned}
& a*c*e + b**2*c*(-\text{sqrt}(-4*a*c + b**2)*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4* \\
& a*c - b**2)) - (b*d - c*e)/(2*c**2)))/(2*a*c*d - b**2*d + b*c*e) + (\text{sqrt}(- \\
& 4*a*c + b**2)*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c \\
& *e)/(2*c**2))*\log(x + (-a*b*d - 4*a*c**2*(\text{sqrt}(-4*a*c + b**2)*(2*a*c*d - b* \\
& *2*d + b*c*e)/(2*c**2*(4*a*c - b**2)) - (b*d - c*e)/(2*c**2)) + 2*a*c*e + b \\
& **2*c*(\text{sqrt}(-4*a*c + b**2)*(2*a*c*d - b**2*d + b*c*e)/(2*c**2*(4*a*c - b**2 \\
&)) - (b*d - c*e)/(2*c**2)))/(2*a*c*d - b**2*d + b*c*e) + d*x/c
\end{aligned}$$

$$3.36 \quad \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4}} dx$$

Optimal. Leaf size=253

$$\frac{(\sqrt{a}d + \sqrt{c}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} - \frac{(\sqrt{a}d + \sqrt{c}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} + \frac{(\sqrt{a}d - \sqrt{c}e)}{2\sqrt{2} \sqrt[4]{a} c^{5/4}}$$

[Out] d*x/c-1/4*arctan(-1+c^(1/4)*x*2^(1/2)/a^(1/4))*(d*a^(1/2)-e*c^(1/2))/a^(1/4)/c^(5/4)*2^(1/2)-1/4*arctan(1+c^(1/4)*x*2^(1/2)/a^(1/4))*(d*a^(1/2)+e*c^(1/2))/a^(1/4)/c^(5/4)*2^(1/2)+1/8*ln(-a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(d*a^(1/2)+e*c^(1/2))/a^(1/4)/c^(5/4)*2^(1/2)-1/8*ln(a^(1/4)*c^(1/4)*x*2^(1/2)+a^(1/2)+x^2*c^(1/2))*(d*a^(1/2)+e*c^(1/2))/a^(1/4)/c^(5/4)*2^(1/2)

Rubi [A] time = 0.21, antiderivative size = 253, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1394, 1280, 1168, 1162, 617, 204, 1165, 628}

$$\frac{(\sqrt{a}d + \sqrt{c}e) \log(-\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} - \frac{(\sqrt{a}d + \sqrt{c}e) \log(\sqrt{2} \sqrt[4]{a} \sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2} \sqrt[4]{a} c^{5/4}} + \frac{(\sqrt{a}d - \sqrt{c}e)}{2\sqrt{2} \sqrt[4]{a} c^{5/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^2)/(c + a/x^4), x]

[Out] (d*x)/c + ((Sqrt[a]*d - Sqrt[c]*e)*ArcTan[1 - (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(1/4)*c^(5/4)) - ((Sqrt[a]*d - Sqrt[c]*e)*ArcTan[1 + (Sqrt[2]*c^(1/4)*x)/a^(1/4)])/(2*Sqrt[2]*a^(1/4)*c^(5/4)) + ((Sqrt[a]*d + Sqrt[c]*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^(1/4)*c^(5/4)) - ((Sqrt[a]*d + Sqrt[c]*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a^(1/4)*c^(5/4))

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c]) /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 1162

Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[(2*d)/e, 2]}, Dist[e/(2*c), Int[1/Simp[d/e + q*x + x^2, x], x] + Dist[e/(2*c), Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] &

& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]

Rule 1165

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[(-2*d)/e, 2]}, Dist[e/(2*c*q), Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Dist[e/(2*c*q), Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]

Rule 1168

Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a*c, 2]}, Dist[(d*q + a*e)/(2*a*c), Int[(q + c*x^2)/(a + c*x^4), x], x] + Dist[(d*q - a*e)/(2*a*c), Int[(q - c*x^2)/(a + c*x^4), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && NegQ[-(a*c)]

Rule 1280

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m-1)*(a + c*x^4)^(p+1))/(c*(m+4*p+3)), x] - Dist[f^2/(c*(m+4*p+3)), Int[(f*x)^(m-2)*(a + c*x^4)^p*(a*e*(m-1) - c*d*(m+4*p+3)*x^2), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && GtQ[m, 1] && NeQ[m+4*p+3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1394

Int[((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[x^(n*(2*p+q))*(e + d/x^n)^q*(c + a/x^(2*n))^p, x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegerQ[p, q] && NegQ[n]

Rubi steps

$$\begin{aligned}
 \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4}} dx &= \int \frac{x^2(e + dx^2)}{a + cx^4} dx \\
 &= \frac{dx}{c} - \frac{\int \frac{ad - cex^2}{a + cx^4} dx}{c} \\
 &= \frac{dx}{c} - \frac{\left(\frac{\sqrt{ad}}{\sqrt{c}} - e\right) \int \frac{\sqrt{a}\sqrt{c} + cx^2}{a + cx^4} dx}{2c} - \frac{\left(\frac{\sqrt{ad}}{\sqrt{c}} + e\right) \int \frac{\sqrt{a}\sqrt{c} - cx^2}{a + cx^4} dx}{2c} \\
 &= \frac{dx}{c} - \frac{\left(\frac{\sqrt{ad}}{\sqrt{c}} - e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} + x^2} dx}{4c} - \frac{\left(\frac{\sqrt{ad}}{\sqrt{c}} + e\right) \int \frac{1}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}} + x^2} dx}{4c} + \frac{(\sqrt{ad} + \sqrt{ce}) \int \frac{\frac{\sqrt{2}\sqrt[4]{a}}{\sqrt[4]{c}}}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{ax}}{\sqrt[4]{c}}} dx}{4\sqrt{2}\sqrt[4]{a}c^{5/4}} \\
 &= \frac{dx}{c} + \frac{(\sqrt{ad} + \sqrt{ce}) \log(\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}\sqrt[4]{a}c^{5/4}} - \frac{(\sqrt{ad} + \sqrt{ce}) \log(\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2)}{4\sqrt{2}\sqrt[4]{a}c^{5/4}} \\
 &= \frac{dx}{c} + \frac{(\sqrt{ad} - \sqrt{ce}) \tan^{-1}\left(1 - \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}c^{5/4}} - \frac{(\sqrt{ad} - \sqrt{ce}) \tan^{-1}\left(1 + \frac{\sqrt{2}\sqrt[4]{c}x}{\sqrt[4]{a}}\right)}{2\sqrt{2}\sqrt[4]{a}c^{5/4}} + \frac{(\sqrt{ad} + \sqrt{ce}) \log\left(\frac{\sqrt{a} - \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2}{\sqrt{a} + \sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{c}x^2}\right)}{4\sqrt{2}\sqrt[4]{a}c^{5/4}}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 293, normalized size = 1.16

$$\frac{(a^{5/4}\sqrt{c}d + a^{3/4}ce) \log(-\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}ac^{7/4}} - \frac{(a^{5/4}\sqrt{c}d + a^{3/4}ce) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}ac^{7/4}} + \frac{(a^{3/4}\sqrt{c}d + a^{3/4}ce) \log(\sqrt{2}\sqrt[4]{a}\sqrt[4]{c}x + \sqrt{a} + \sqrt{c}x^2)}{4\sqrt{2}ac^{7/4}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^2)/(c + a/x^4), x]

[Out] (d*x)/c + ((-a^(5/4)*Sqrt[c]*d) + a^(3/4)*c*e)*ArcTan[(-Sqrt[2]*a^(1/4)) + 2*c^(1/4)*x]/(Sqrt[2]*a^(1/4)))/(2*Sqrt[2]*a*c^(7/4)) + ((-a^(5/4)*Sqrt[c]*d) + a^(3/4)*c*e)*ArcTan[(Sqrt[2]*a^(1/4) + 2*c^(1/4)*x]/(Sqrt[2]*a^(1/4)))/(2*Sqrt[2]*a*c^(7/4)) + ((a^(5/4)*Sqrt[c]*d + a^(3/4)*c*e)*Log[Sqrt[a] - Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a*c^(7/4)) - ((a^(5/4)*Sqrt[c]*d + a^(3/4)*c*e)*Log[Sqrt[a] + Sqrt[2]*a^(1/4)*c^(1/4)*x + Sqrt[c]*x^2])/(4*Sqrt[2]*a*c^(7/4))

fricas [B] time = 0.88, size = 754, normalized size = 2.98

$$c\sqrt{\frac{c^2\sqrt{\frac{a^2d^4-2acd^2e^2+c^2e^4}{ac^5}}+2de}{c^2}} \log\left(-\left(a^2d^4-c^2e^4\right)x + \left(ac^4e\sqrt{\frac{a^2d^4-2acd^2e^2+c^2e^4}{ac^5}} + a^2cd^3 - ac^2de^2\right)\sqrt{\frac{c^2\sqrt{\frac{a^2d^4-2acd^2e^2+c^2e^4}{ac^5}}}{c^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4), x, algorithm="fricas")

[Out] 1/4*(c*sqrt((c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) + 2*d*e)/c^2)*log(-(a^2*d^4 - c^2*e^4)*x + (a*c^4*e*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) + a^2*c*d^3 - a*c^2*d*e^2)*sqrt((c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) + 2*d*e)/c^2)) - c*sqrt((c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) + 2*d*e)/c^2)*log(-(a^2*d^4 - c^2*e^4)*x - (a*c^4*e*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) + a^2*c*d^3 - a*c^2*d*e^2)*sqrt((c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) + 2*d*e)/c^2)) - c*sqrt(-(c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) - 2*d*e)/c^2)*log(-(a^2*d^4 - c^2*e^4)*x + (a*c^4*e*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) - a^2*c*d^3 + a*c^2*d*e^2)*sqrt(-(c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) - 2*d*e)/c^2)) + c*sqrt(-(c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) - 2*d*e)/c^2)*log(-(a^2*d^4 - c^2*e^4)*x - (a*c^4*e*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) - a^2*c*d^3 + a*c^2*d*e^2)*sqrt(-(c^2*sqrt(-(a^2*d^4 - 2*a*c*d^2*e^2 + c^2*e^4)/(a*c^5)) - 2*d*e)/c^2)) + 4*d*x)/c

giac [A] time = 0.35, size = 247, normalized size = 0.98

$$\frac{dx}{c} \frac{\sqrt{2}\left((ac^3)^{\frac{1}{4}}acd - (ac^3)^{\frac{3}{4}}e\right) \arctan\left(\frac{\sqrt{2}\left(2x + \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4ac^3} - \frac{\sqrt{2}\left((ac^3)^{\frac{1}{4}}acd - (ac^3)^{\frac{3}{4}}e\right) \arctan\left(\frac{\sqrt{2}\left(2x - \sqrt{2}\left(\frac{a}{c}\right)^{\frac{1}{4}}\right)}{2\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4ac^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4), x, algorithm="giac")

[Out] d*x/c - 1/4*sqrt(2)*((a*c^3)^(1/4)*a*c*d - (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c^3) - 1/4*sqrt(2)*((a*c^3)^(1/4)*a*c*d - (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c^3) - 1/8*sqrt(2)*((a*c^3)^(1/4)*a*c*d + (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x + sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c^3) + 1/8*sqrt(2)*((a*c^3)^(1/4)*a*c*d + (a*c^3)^(3/4)*e)*arctan(1/2*sqrt(2)*(2*x - sqrt(2)*(a/c)^(1/4))/(a/c)^(1/4))/(a*c^3)

*e)*log(x^2 + sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c^3) + 1/8*sqrt(2)*((a*c^3)^(1/4)*a*c*d + (a*c^3)^(3/4)*e)*log(x^2 - sqrt(2)*x*(a/c)^(1/4) + sqrt(a/c))/(a*c^3)

maple [A] time = 0.01, size = 266, normalized size = 1.05

$$\frac{dx}{c} \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}-1\right)}{4c} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}+1\right)}{4c} - \frac{\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} d \ln\left(\frac{x^2+\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{c}}}{x^2-\left(\frac{a}{c}\right)^{\frac{1}{4}} \sqrt{2} x+\sqrt{\frac{a}{c}}}\right)}{8c} + \frac{\sqrt{2} e \arctan\left(\frac{\sqrt{2} x}{\left(\frac{a}{c}\right)^{\frac{1}{4}}}\right)}{4c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^2)/(c+a/x^4),x)

[Out] 1/c*d*x-1/4/c*d*(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)-1/8/c*d*(a/c)^(1/4)*2^(1/2)*ln((x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))-1/4/c*d*(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)+1/8/c*e/(a/c)^(1/4)*2^(1/2)*ln((x^2-(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2))/(x^2+(a/c)^(1/4)*2^(1/2)*x+(a/c)^(1/2)))+1/4/c*e/(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x+1)+1/4/c*e/(a/c)^(1/4)*2^(1/2)*arctan(2^(1/2)/(a/c)^(1/4)*x-1)

maxima [A] time = 1.30, size = 240, normalized size = 0.95

$$\frac{dx}{c} \frac{2 \sqrt{2} (a \sqrt{c} d - \sqrt{a} c e) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{c} x + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}}\right)}{2 \sqrt{\sqrt{a} \sqrt{c}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}} \sqrt{c}} + \frac{2 \sqrt{2} (a \sqrt{c} d - \sqrt{a} c e) \arctan\left(\frac{\sqrt{2} \left(2 \sqrt{c} x - \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}}\right)}{2 \sqrt{\sqrt{a} \sqrt{c}}}\right)}{\sqrt{a} \sqrt{\sqrt{a} \sqrt{c}} \sqrt{c}} + \frac{\sqrt{2} (a \sqrt{c} d + \sqrt{a} c e) \log\left(\sqrt{c} x^2 + \sqrt{2} a^{\frac{1}{4}} c^{\frac{1}{4}} x + \sqrt{a} c\right)}{a^{\frac{3}{4}} c^{\frac{3}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4),x, algorithm="maxima")

[Out] d*x/c - 1/8*(2*sqrt(2)*(a*sqrt(c)*d - sqrt(a)*c*e)*arctan(1/2*sqrt(2)*(2*sqrt(c)*x + sqrt(2)*a^(1/4)*c^(1/4))/sqrt(sqrt(a)*sqrt(c)))/sqrt(a)*sqrt(sqrt(a)*sqrt(c))*sqrt(c) + 2*sqrt(2)*(a*sqrt(c)*d - sqrt(a)*c*e)*arctan(1/2*sqrt(2)*(2*sqrt(c)*x - sqrt(2)*a^(1/4)*c^(1/4))/sqrt(sqrt(a)*sqrt(c)))/sqrt(a)*sqrt(sqrt(a)*sqrt(c))*sqrt(c) + sqrt(2)*(a*sqrt(c)*d + sqrt(a)*c*e)*log(sqrt(c)*x^2 + sqrt(2)*a^(1/4)*c^(1/4)*x + sqrt(a))/(a^(3/4)*c^(3/4)) - sqrt(2)*(a*sqrt(c)*d + sqrt(a)*c*e)*log(sqrt(c)*x^2 - sqrt(2)*a^(1/4)*c^(1/4)*x + sqrt(a))/(a^(3/4)*c^(3/4))/c

mupad [B] time = 0.31, size = 555, normalized size = 2.19

$$\frac{dx}{c} - 2 \operatorname{atanh}\left(\frac{8 a^2 c d^2 x \sqrt{\frac{d^2 \sqrt{-a c^5}}{16 c^5} + \frac{d e}{8 c^2} - \frac{e^2 \sqrt{-a c^5}}{16 a c^4}}}{2 a^2 d^2 e - 2 a c e^3 + \frac{2 a^2 d^3 \sqrt{-a c^5}}{c^3} - \frac{2 a d e^2 \sqrt{-a c^5}}{c^2}} - \frac{8 a c^2 e^2 x \sqrt{\frac{d^2 \sqrt{-a c^5}}{16 c^5} + \frac{d e}{8 c^2} - \frac{e^2 \sqrt{-a c^5}}{16 a c^4}}}{2 a^2 d^2 e - 2 a c e^3 + \frac{2 a^2 d^3 \sqrt{-a c^5}}{c^3} - \frac{2 a d e^2 \sqrt{-a c^5}}{c^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^2)/(c + a/x^4),x)

[Out] (d*x)/c - 2*atanh((8*a^2*c*d^2*x*((d^2*(-a*c^5)^(1/2))/(16*c^5) + (d*e)/(8*c^2) - (e^2*(-a*c^5)^(1/2))/(16*a*c^4))^(1/2))/(2*a^2*d^2*e - 2*a*c*e^3 + (2*a^2*d^3*(-a*c^5)^(1/2))/c^3 - (2*a*d*e^2*(-a*c^5)^(1/2))/c^2) - (8*a*c^2*e^2*x*((d^2*(-a*c^5)^(1/2))/(16*c^5) + (d*e)/(8*c^2) - (e^2*(-a*c^5)^(1/2))/(16*a*c^4))^(1/2))/(2*a^2*d^2*e - 2*a*c*e^3 + (2*a^2*d^3*(-a*c^5)^(1/2))/c^3 - (2*a*d*e^2*(-a*c^5)^(1/2))/c^2)

$$\begin{aligned} &^3 - (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2) * ((a*d^2*(-a*c^5)^{(1/2)} - c*e^2*(-a*c^5)^{(1/2)} + 2*a*c^3*d*e)/(16*a*c^5))^{(1/2)} - 2*atanh((8*a^2*c*d^2*x*((d*e)/(8*c^2) - (d^2*(-a*c^5)^{(1/2)})/(16*c^5) + (e^2*(-a*c^5)^{(1/2)})/(16*a*c^4))^{(1/2)})/(2*a^2*d^2*e - 2*a*c*e^3 - (2*a^2*d^3*(-a*c^5)^{(1/2)})/c^3 + (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2) - (8*a*c^2*e^2*x*((d*e)/(8*c^2) - (d^2*(-a*c^5)^{(1/2)})/(16*c^5) + (e^2*(-a*c^5)^{(1/2)})/(16*a*c^4))^{(1/2)})/(2*a^2*d^2*e - 2*a*c*e^3 - (2*a^2*d^3*(-a*c^5)^{(1/2)})/c^3 + (2*a*d*e^2*(-a*c^5)^{(1/2)})/c^2)) * ((c*e^2*(-a*c^5)^{(1/2)} - a*d^2*(-a*c^5)^{(1/2)} + 2*a*c^3*d*e)/(16*a*c^5))^{(1/2)} \end{aligned}$$

sympy [A] time = 0.70, size = 109, normalized size = 0.43

$$\text{RootSum}\left(256t^4ac^5 - 64t^2ac^3de + a^2d^4 + 2acd^2e^2 + c^2e^4, \left(t \mapsto t \log\left(x + \frac{-64t^3ac^4e - 4ta^2cd^3 + 12tac^2de^2}{a^2d^4 - c^2e^4}\right)\right)\right) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x**2)/(c+a/x**4),x)

[Out] RootSum(256*_t**4*a*c**5 - 64*_t**2*a*c**3*d*e + a**2*d**4 + 2*a*c*d**2*e**2 + c**2*e**4, Lambda(_t, _t*log(x + (-64*_t**3*a*c**4*e - 4*_t*a**2*c*d**3 + 12*_t*a*c**2*d*e**2)/(a**2*d**4 - c**2*e**4)))) + d*x/c

$$3.37 \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4} + \frac{b}{x^2}} dx$$

Optimal. Leaf size=208

$$\frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right) + \frac{dx}{c}}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out] d*x/c-1/2*arctan(x*2^(1/2)*c^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2))*(b*d-c*e+(2*a*c*d-b^2*d+b*c*e)/(-4*a*c+b^2)^(1/2))/c^(3/2)*2^(1/2)/(b-(-4*a*c+b^2)^(1/2))^(1/2)-1/2*arctan(x*2^(1/2)*c^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2))*(b*d-c*e+(-2*a*c*d+b^2*d-b*c*e)/(-4*a*c+b^2)^(1/2))/c^(3/2)*2^(1/2)/(b+(-4*a*c+b^2)^(1/2))^(1/2)

Rubi [A] time = 0.54, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {1393, 1279, 1166, 205}

$$\frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{c}x}{\sqrt{\sqrt{b^2-4ac}+b}}\right) + \frac{dx}{c}}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^2)/(c + a/x^4 + b/x^2), x]

[Out] (d*x)/c - ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[2]*c^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 1166

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

Rule 1279

Int[((f_.)*(x_)^(m_.))*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(e*f*(f*x)^(m-1)*(a + b*x^2 + c*x^4)^(p+1))/(c*(m+4*p+3)), x] - Dist[f^2/(c*(m+4*p+3)), Int[(f*x)^(m-2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m-1) + (b*e*(m+2*p+1) - c*d*(m+4*p+3))*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m+4*p+3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1393

```
Int[((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_)*((d_) + (e_)*(x_)^(
n_))^(q_), x_Symbol] := Int[x^(n*(2*p + q))*(e + d/x^n)^q*(c + b/x^n + a/x
^(2*n))^p, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegersQ[
p, q] && NegQ[n]
```

Rubi steps

$$\begin{aligned}
 \int \frac{d + \frac{e}{x^2}}{c + \frac{a}{x^4} + \frac{b}{x^2}} dx &= \int \frac{x^2(e + dx^2)}{a + bx^2 + cx^4} dx \\
 &= \frac{dx}{c} - \frac{\int \frac{ad+(bd-ce)x^2}{a+bx^2+cx^4} dx}{c} \\
 &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx}{2c} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx}{2c} \\
 &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b+\sqrt{b^2-4ac}}}
 \end{aligned}$$

Mathematica [A] time = 0.17, size = 251, normalized size = 1.21

$$\frac{\left(bd\sqrt{b^2-4ac} - ce\sqrt{b^2-4ac} + 2acd + b^2(-d) + bce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) - \left(bd\sqrt{b^2-4ac} - ce\sqrt{b^2-4ac} - 2acd + b^2d + bce\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}} - \sqrt{2}c^{3/2}\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e/x^2)/(c + a/x^4 + b/x^2),x]
```

```
[Out] (d*x)/c - (((-b^2*d) + 2*a*c*d + b*Sqrt[b^2 - 4*a*c]*d + b*c*e - c*Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*c^(3/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - ((b^2*d - 2*a*c*d + b*Sqrt[b^2 - 4*a*c]*d - b*c*e - c*Sqrt[b^2 - 4*a*c]*e)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(Sqrt[2]*c^(3/2)*Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])
```

fricas [B] time = 1.05, size = 2540, normalized size = 12.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e/x^2)/(c+a/x^4+b/x^2),x, algorithm="fricas")
```

```
[Out] 1/2*(sqrt(1/2)*c*sqrt(-(b*c^2*e^2 + (b^3 - 3*a*b*c)*d^2 - 2*(b^2*c - 2*a*c^2)*d*e + (b^2*c^3 - 4*a*c^4)*sqrt(-(4*b*c^3*d*e^3 - c^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(b^3*c - a*b*c^2)*d^3*e - 2*(3*b^2*c^2 - a*c^3)*d^2*e^2)/(b^2*c^6 - 4*a*c^7)))/((b^2*c^3 - 4*a*c^4))*log(2*(3*b^2*c*d^2*e^2 - 3*b*c^2*d*e^3 + c^3*e^4 + (a*b^2 - a^2*c)*d^4 - (b^3 + a*b*c)*d^3*e)*x + sqrt(1/2)*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d^3 - 2*(b^3*c - 4*a*b*c^2)*d^2*e + (b^2*c^2 - 4*a*c^3)*d*e^2 - ((b^3*c^3 - 4*a*b*c^4)*d - 2*(b^2*c^4 - 4*a*c^5)*e)*sqrt(-(4*b*c^3*d*e^3 - c^4*e^4 - (b^4 - 2*a*b^2*c + a^2*c^2)*d^4 + 4*(b^3*c - a*b*c^2)*d^3*e - 2*(3*b^2*c^2 - a*c^3)*d^2*e^2)/(b^2*c^6 - 4*a*c^7))) *sqrt(-(b*c^2*e^2 + (b^3 - 3*a*b*c)*d^2 - 2*(b^2*c - 2*a*c^2)*d*e + (b^2*c^3
```

$$\begin{aligned}
& 3 - 4ac^4 \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))} / (b^2c^3 - 4a^2c^4) \\
& - \sqrt{1/2} c \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e + (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) \\
&) \log(2(3b^2cd^2e^2 - 3b^2c^2d^2e^3 + c^3e^4 + (ab^2 - a^2c)d^4 - (b^3 + abc)d^3e) x - \sqrt{1/2} ((b^4 - 5ab^2c + 4a^2c^2)d^3 - 2(b^3c - 4abc^2)d^2e + (b^2c^2 - 4ac^3)d^2e^2 - ((b^3c^3 - 4abc^4)d - 2(b^2c^4 - 4ac^5)e) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7)}}) \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e - (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) + \sqrt{1/2} c \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e - (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) \\
&) \log(2(3b^2cd^2e^2 - 3b^2c^2d^2e^3 + c^3e^4 + (ab^2 - a^2c)d^4 - (b^3 + abc)d^3e) x + \sqrt{1/2} ((b^4 - 5ab^2c + 4a^2c^2)d^3 - 2(b^3c - 4abc^2)d^2e + (b^2c^2 - 4ac^3)d^2e^2 + ((b^3c^3 - 4abc^4)d - 2(b^2c^4 - 4ac^5)e) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7)}}) \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e - (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) \\
&) - \sqrt{1/2} c \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e - (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) \\
&) - \sqrt{1/2} c \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e - (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) \\
&) \log(2(3b^2cd^2e^2 - 3b^2c^2d^2e^3 + c^3e^4 + (ab^2 - a^2c)d^4 - (b^3 + abc)d^3e) x - \sqrt{1/2} ((b^4 - 5ab^2c + 4a^2c^2)d^3 - 2(b^3c - 4abc^2)d^2e + (b^2c^2 - 4ac^3)d^2e^2 + ((b^3c^3 - 4abc^4)d - 2(b^2c^4 - 4ac^5)e) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7)}}) \sqrt{-(b^3c^2e^2 + (b^3 - 3abc)d^2 - 2(b^2c - 2ac^2)d^2e - (b^2c^3 - 4a^2c^4) \sqrt{-(4b^3c^3d^3e^3 - c^4e^4 - (b^4 - 2ab^2c + a^2c^2)d^4 + 4(b^3c - abc^2)d^3e - 2(3b^2c^2 - ac^3)d^2e^2)/(b^2c^6 - 4a^2c^7))})} / (b^2c^3 - 4a^2c^4) \\
&) + 2dx/c
\end{aligned}$$

giac [B] time = 3.76, size = 3183, normalized size = 15.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^2)/(c+a/x^4+b/x^2),x, algorithm="giac")

[Out] dx/c + 1/8*((2b^5c^2 - 16ab^3c^3 + 32a^2b^2c^4 - sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*b^5 + 8*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*ab^3c + 2*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*b^4c - 16*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*a^2b^2c^2 - 8*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*ab^2c^2 - sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*b^3c^2 + 4*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*abc^3 - 2*(b^2 - 4ac)*b^3c^2 + 8*(b^2 - 4ac)*abc^3)*c^2d - (2b^4c^3 - 16ab^2c^4 + 32a^2c^5 - sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*b^4c + 8*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*ab^2c^2 + 2*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 - 4ac)*c)*b^3c^2 - 16*sqrt(2)*sqrt(b^2 - 4ac)*sqrt(bc - sqrt(b^2 -

$$\begin{aligned}
& 4*a*c)*c)*a^2*c^3 - 8*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}} \\
&)*c)*a*b*c^3 - \sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*b^2 \\
& *c^3 + 4*\sqrt{2}*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c^4 - \\
& 2*(b^2 - 4*a*c)*b^2*c^3 + 8*(b^2 - 4*a*c)*a*c^4)*c^2*e - 2*(\sqrt{2})*\sqrt{b \\
& *c - \sqrt{b^2 - 4*a*c}}*c)*a*b^4*c^2 - 8*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}} \\
&)*c)*a^2*b^2*c^3 - 2*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^3 + 2* \\
& a*b^4*c^3 + 16*\sqrt{2}*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^3*c^4 + 8*\sqrt{2})* \\
& \sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^4 + \sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4 \\
& *a*c}}*c)*a*b^2*c^4 - 16*a^2*b^2*c^4 - 4*\sqrt{2})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}} \\
&)*c)*a^2*c^5 + 32*a^3*c^5 - 2*(b^2 - 4*a*c)*a*b^2*c^3 + 8*(b^2 - 4*a*c)*a^2 \\
& *c^4)*d*abs(c) - (2*b^5*c^4 - 12*a*b^3*c^5 + 16*a^2*b*c^6 - \sqrt{2})*\sqrt{b^2 \\
& - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^5*c^2 + 6*\sqrt{2})*\sqrt{b^2 - 4 \\
& *a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^3 + 2*\sqrt{2})*\sqrt{b^2 - 4*a \\
& c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c)*b^4*c^3 - 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& b*c - \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^4 - 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{ \\
& b*c - \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \\
& \sqrt{b^2 - 4*a*c}}*c)*b^3*c^4 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}}*c)*a*b*c^5 - 2*(b^2 - 4*a*c)*b^3*c^4 + 4*(b^2 - 4*a*c)*a*b*c^5 \\
&)*d + (2*b^4*c^5 - 8*a*b^2*c^6 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{ \\
& b^2 - 4*a*c}}*c)*b^4*c^3 + 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 \\
& - 4*a*c}}*c)*a*b^2*c^4 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4 \\
& *a*c}}*c)*b^3*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c - \sqrt{b^2 - 4*a*c}}*c \\
&)*b^2*c^5 - 2*(b^2 - 4*a*c)*b^2*c^5)*e)*arctan(2*\sqrt{1/2})*x/\sqrt{(b*c + \sqrt{ \\
& b^2*c^2 - 4*a*c^3}))/c^2))/((a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16 \\
& *a^3*c^5 + 8*a^2*b*c^5 + a*b^2*c^5 - 4*a^2*c^6)*c^2) + 1/8*((2*b^5*c^2 - 16 \\
& *a*b^3*c^3 + 32*a^2*b*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - \\
& 4*a*c}}*c)*b^5 + 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a*b^3*c + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^4 \\
& *c - 16*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b*c^2 \\
& - 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^2 - \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^2 + 4*\sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^3 - 2*(b^2 - 4*a \\
& *c)*b^3*c^2 + 8*(b^2 - 4*a*c)*a*b*c^3)*c^2*d - (2*b^4*c^3 - 16*a*b^2*c^4 + \\
& 32*a^2*c^5 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^4* \\
& c + 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^2 + \\
& 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^2 - 16*s \\
& \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^3 - 8*\sqrt{2} \\
&)*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^3 - \sqrt{2})*\sqrt{ \\
& b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^2*c^3 + 4*\sqrt{2})*\sqrt{b^2 - \\
& 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*c^4 - 2*(b^2 - 4*a*c)*b^2*c^3 + 8 \\
& *(b^2 - 4*a*c)*a*c^4)*c^2*e - 2*(\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a* \\
& b^4*c^2 - 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*b^2*c^3 - 2*\sqrt{2} \\
&)*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^3*c^3 - 2*a*b^4*c^3 + 16*\sqrt{2})*\sqrt{ \\
& b*c + \sqrt{b^2 - 4*a*c}}*c)*a^3*c^4 + 8*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}} \\
&)*c)*a^2*b*c^4 + \sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^4 + 16*a^2* \\
& b^2*c^4 - 4*\sqrt{2})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a^2*c^5 - 32*a^3*c^5 + \\
& 2*(b^2 - 4*a*c)*a*b^2*c^3 - 8*(b^2 - 4*a*c)*a^2*c^4)*d*abs(c) - (2*b^5*c^4 \\
& - 12*a*b^3*c^5 + 16*a^2*b*c^6 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 \\
& - 4*a*c}}*c)*b^5*c^2 + 6*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - \\
& 4*a*c}}*c)*a*b^3*c^3 + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a \\
& *c}}*c)*b^4*c^3 - 8*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c \\
&)*a^2*b*c^4 - 4*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a \\
& *b^2*c^4 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^4 \\
& + 2*\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b*c^5 - 2 \\
& *(b^2 - 4*a*c)*b^3*c^4 + 4*(b^2 - 4*a*c)*a*b*c^5)*d + (2*b^4*c^5 - 8*a*b^2* \\
& c^6 - \sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^4*c^3 + 4 \\
& *\sqrt{2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*a*b^2*c^4 + 2*\sqrt{ \\
& 2})*\sqrt{b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^3*c^4 - \sqrt{2})*\sqrt{ \\
& b^2 - 4*a*c})*\sqrt{b*c + \sqrt{b^2 - 4*a*c}}*c)*b^2*c^5 - 2*(b^2 - 4*a*c)*
\end{aligned}$$

$b^2*c^5)*e)*\arctan(2*\sqrt{1/2}*x/\sqrt{(b*c - \sqrt{b^2*c^2 - 4*a*c^3})/c^2})$
 $/((a*b^4*c^3 - 8*a^2*b^2*c^4 - 2*a*b^3*c^4 + 16*a^3*c^5 + 8*a^2*b*c^5 + a*b$
 $^2*c^5 - 4*a^2*c^6)*c^2)$

maple [B] time = 0.03, size = 560, normalized size = 2.69

$$\frac{\sqrt{2} ad \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right)}{\sqrt{-4ac+b^2} \sqrt{(-b+\sqrt{-4ac+b^2})c}} + \frac{\sqrt{2} ad \operatorname{arctan}\left(\frac{\sqrt{2} cx}{\sqrt{(b+\sqrt{-4ac+b^2})c}}\right)}{\sqrt{-4ac+b^2} \sqrt{(b+\sqrt{-4ac+b^2})c}} - \frac{\sqrt{2} b^2 d \operatorname{arctanh}\left(\frac{\sqrt{2} cx}{\sqrt{(-b+\sqrt{-4ac+b^2})c}}\right)}{2\sqrt{-4ac+b^2} \sqrt{(-b+\sqrt{-4ac+b^2})c}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d+e/x^2)/(c+a/x^4+b/x^2), x)`

[Out] $1/c*d*x+1/2/c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*b*d-1/2*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*e+1/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*a*d-1/2/(-4*a*c+b^2)^{(1/2)}/c*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*b^2*d+1/2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctanh}(2^{(1/2)}/((-b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*b*e-1/2/c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*b*d+1/2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*e+1/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*a*d-1/2/(-4*a*c+b^2)^{(1/2)}/c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*b^2*d+1/2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*\operatorname{arctan}(2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})c)^{(1/2)}*c*x)*b*e$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{-\int \frac{(bd-ce)x^2+ad}{cx^4+bx^2+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e/x^2)/(c+a/x^4+b/x^2), x, algorithm="maxima")`

[Out] $d*x/c + \operatorname{integrate}(-((b*d - c*e)*x^2 + a*d)/(c*x^4 + b*x^2 + a), x)/c$

mupad [B] time = 2.85, size = 6366, normalized size = 30.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e/x^2)/(c + a/x^4 + b/x^2), x)`

[Out] $(d*x)/c - \operatorname{atan}(\frac{((16*a^2*c^3*d - 4*a*b^2*c^2*d)/c - (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-b^5*d^2 - b^2*d^2*(-4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-4*a*c - b^2)^3)^{(1/2)}}{(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}/c)*(-b^5*d^2 - b^2*d^2*(-4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-4*a*c - b^2)^3)^{(1/2)}/(8$

$$\begin{aligned}
& * (16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*x*(b^4*d^2 - 2*a*c^3*e^2 \\
& + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4*a*b^2*c*d^2 + 6*a*b*c^2*d* \\
& e))/c * (- (b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 \\
& + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a \\
& *b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 \\
& - 8*a*b^2*c^4))^{(1/2)} * i - (((16*a^2*c^3*d - 4*a*b^2*c^2*d)/c + (2*x*(4*b \\
& ^3*c^3 - 16*a*b*c^4)*(- (b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^ \\
& ^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - \\
& 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2* \\
& c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2 \\
& *c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c * (- (b^5*d^2 - b^2*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^ \\
& ^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4* \\
& a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)}))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} + (2*x*(b^4*d^2 \\
& - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4*a*b^2*c*d^2 + \\
& 6*a*b*c^2*d*e))/c * (- (b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2 \\
& *e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - \\
& 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c \\
& ^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2* \\
& c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} * i / (((16*a^2*c^3*d - 4*a*b^2*c^2*d)/ \\
& c - (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(- (b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - \\
& 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3* \\
& e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2 \\
&))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c * (- (b^5*d^2 - b^2*d^2 \\
& *(- (4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^ \\
& ^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (\\
& 2*x*(b^4*d^2 - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4* \\
& a*b^2*c*d^2 + 6*a*b*c^2*d*e))/c * (- (b^5*d^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2 \\
& *b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e \\
& ^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2) \\
&)/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*(a*c^2*e^3 - a^2*b*d \\
& ^3 + a*b^2*d^2*e + a^2*c*d^2*e - 2*a*b*c*d*e^2))/c + (((16*a^2*c^3*d - 4*a* \\
& b^2*c^2*d)/c + (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(- (b^5*d^2 - b^2*d^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b \\
& *c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)}))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c * (- (b^5*d^ \\
& ^2 - b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2 \\
& *b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)) \\
&)^{(1/2)} + (2*x*(b^4*d^2 - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3 \\
& *c*d*e - 4*a*b^2*c*d^2 + 6*a*b*c^2*d*e))/c * (- (b^5*d^2 - b^2*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b* \\
& c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b*c*d*e*(-(4*a*c - b^ \\
& ^2)^3)^{(1/2)}))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}) * (- (b^5*d^2 - \\
& b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 - c^2*e^2*(-(4*a*c - b^2)^3 \\
&)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 + a*c*d^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e + 2*b* \\
& c*d*e*(-(4*a*c - b^2)^3)^{(1/2)}))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(\\
& 1/2)} * 2i - \operatorname{atan}((((16*a^2*c^3*d - 4*a*b^2*c^2*d)/c - (2*x*(4*b^3*c^3 - 16*a \\
& *b*c^4)*(- (b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e
\end{aligned}$$

$$\begin{aligned}
& ^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 \\
& - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12* \\
& a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 \\
& - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4 \\
& *c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - \\
& 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8 \\
& *(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*x*(b^4*d^2 - 2*a*c^3*e^2 \\
& + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4*a*b^2*c*d^2 + 6*a*b*c^2*d* \\
& e))/c)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^ \\
& 2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 \\
& - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a \\
& *b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 \\
& - 8*a*b^2*c^4))^{(1/2)}*i - (((16*a^2*c^3*d - 4*a*b^2*c^2*d)/c + (2*x*(4*b \\
& ^3*c^3 - 16*a*b*c^4)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^ \\
& 2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - \\
& 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2* \\
& c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2 \\
& *c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b \\
& ^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^ \\
& 2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4* \\
& a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2) \\
& ^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} + (2*x*(b^4*d^2 \\
& - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4*a*b^2*c*d^2 + \\
& 6*a*b*c^2*d*e))/c)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2 \\
& *e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - \\
& 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c \\
& ^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2* \\
& c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}*i)/((((16*a^2*c^3*d - 4*a*b^2*c^2*d)/ \\
& c - (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(\\
& 1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - \\
& 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3 \\
& e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^2 + b^2*d^2 \\
& *(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} \\
& + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^ \\
& 3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(- \\
& (4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (\\
& 2*x*(b^4*d^2 - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3*c*d*e - 4* \\
& a*b^2*c*d^2 + 6*a*b*c^2*d*e))/c)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1 \\
& /2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2 \\
& *b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3 \\
& e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)} \\
&))/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)} - (2*(a*c^2*e^3 - a^2*b*d \\
& ^3 + a*b^2*d^2*e + a^2*c*d^2*e - 2*a*b*c*d*e^2))/c + (((16*a^2*c^3*d - 4*a* \\
& b^2*c^2*d)/c + (2*x*(4*b^3*c^3 - 16*a*b*c^4)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c \\
& - b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b \\
& *c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b \\
& ^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})/c)*(-(b^5*d^ \\
& 2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2 \\
&)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4* \\
& a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2 \\
& *b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4)) \\
&)^{(1/2)} + (2*x*(b^4*d^2 - 2*a*c^3*e^2 + 2*a^2*c^2*d^2 + b^2*c^2*e^2 - 2*b^3 \\
& *c*d*e - 4*a*b^2*c*d^2 + 6*a*b*c^2*d*e))/c)*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - \\
& b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b \\
& c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - \\
& 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^
\end{aligned}$$

$$2)^3)^{(1/2)}/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)}))*(-(b^5*d^2 + b^2*d^2*(-(4*a*c - b^2)^3)^{(1/2)} + b^3*c^2*e^2 + c^2*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 12*a^2*b*c^2*d^2 - 2*b^4*c*d*e - 7*a*b^3*c*d^2 - a*c*d^2*(-(4*a*c - b^2)^3)^{(1/2)} - 4*a*b*c^3*e^2 - 16*a^2*c^3*d*e + 12*a*b^2*c^2*d*e - 2*b*c*d*e*(-(4*a*c - b^2)^3)^{(1/2)})/(8*(16*a^2*c^5 + b^4*c^3 - 8*a*b^2*c^4))^{(1/2)})*2i$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x**2)/(c+a/x**4+b/x**2),x)

[Out] Timed out

$$3.38 \quad \int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6}} dx$$

Optimal. Leaf size=311

$$\frac{(\sqrt{3}\sqrt{ad} + \sqrt{ce}) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}} - \frac{(\sqrt{3}\sqrt{ad} - \sqrt{ce}) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}} + \frac{(\sqrt{ad} + \sqrt{ce}) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}} - \frac{(\sqrt{ad} - \sqrt{ce}) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}}$$

```
[Out] d*x/c-1/3*a^(1/6)*d*arctan(c^(1/6)*x/a^(1/6))/c^(7/6)-1/6*e*ln(a^(1/3)+c^(1/3)*x^2)/a^(1/3)/c^(2/3)-1/12*ln(a^(1/3)+c^(1/3)*x^2+a^(1/6)*c^(1/6)*x*3^(1/2))*(d*3^(1/2)*a^(1/2)-e*c^(1/2))/a^(1/3)/c^(7/6)+1/12*ln(a^(1/3)+c^(1/3)*x^2-a^(1/6)*c^(1/6)*x*3^(1/2))*(d*3^(1/2)*a^(1/2)+e*c^(1/2))/a^(1/3)/c^(7/6)-1/6*arctan(2*c^(1/6)*x/a^(1/6)-3^(1/2))*(d*a^(1/2)-e*3^(1/2)*c^(1/2))/a^(1/3)/c^(7/6)-1/6*arctan(2*c^(1/6)*x/a^(1/6)+3^(1/2))*(d*a^(1/2)+e*3^(1/2)*c^(1/2))/a^(1/3)/c^(7/6)
```

Rubi [A] time = 0.29, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.588$, Rules used = {1394, 1503, 1416, 635, 203, 260, 634, 617, 204, 628}

$$\frac{(\sqrt{3}\sqrt{ad} + \sqrt{ce}) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}} - \frac{(\sqrt{3}\sqrt{ad} - \sqrt{ce}) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}} + \frac{(\sqrt{ad} + \sqrt{ce}) \log(-\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}} - \frac{(\sqrt{ad} - \sqrt{ce}) \log(\sqrt{3}\sqrt[6]{a}\sqrt[6]{c}x + \sqrt[3]{a} + \sqrt[3]{c}x^2)}{12\sqrt[3]{a}c^{7/6}}$$

Antiderivative was successfully verified.

```
[In] Int[(d + e/x^3)/(c + a/x^6), x]
```

```
[Out] (d*x)/c - (a^(1/6)*d*ArcTan[(c^(1/6)*x)/a^(1/6)]/(3*c^(7/6))) + ((Sqrt[a]*d - Sqrt[3]*Sqrt[c]*e)*ArcTan[Sqrt[3] - (2*c^(1/6)*x)/a^(1/6)]/(6*a^(1/3)*c^(7/6)) - ((Sqrt[a]*d + Sqrt[3]*Sqrt[c]*e)*ArcTan[Sqrt[3] + (2*c^(1/6)*x)/a^(1/6)]/(6*a^(1/3)*c^(7/6)) - (e*Log[a^(1/3) + c^(1/3)*x^2])/(6*a^(1/3)*c^(2/3)) + ((Sqrt[3]*Sqrt[a]*d + Sqrt[c]*e)*Log[a^(1/3) - Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a^(1/3)*c^(7/6)) - ((Sqrt[3]*Sqrt[a]*d - Sqrt[c]*e)*Log[a^(1/3) + Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2])/(12*a^(1/3)*c^(7/6))
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rule 260

```
Int[(x_)^(m_.)/((a_) + (b_.)*(x_)^(n_.)), x_Symbol] := Simp[Log[RemoveContent[a + b*x^n, x]]/(b*n), x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n - 1]
```

Rule 617

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b^2]}, Dist[-2/b, Subst[Int[1/(q - x^2), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; Free
```

$Q[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0]$

Rule 628

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Simp}[\frac{d \cdot \text{Log}[\text{RemoveContent}[a + bx + cx^2, x]]}{b}, x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[2cd - be, 0]$

Rule 634

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (b_.)x + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[\frac{2cd - be}{2c}, \text{Int}[1/(a + bx + cx^2), x], x] + \text{Dist}[e/(2c), \text{Int}[(b + 2cx)/(a + bx + cx^2), x], x] \ /; \text{FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{NeQ}[2cd - be, 0] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ !\text{NiceSqrtQ}[b^2 - 4ac]$

Rule 635

$\text{Int}[\frac{(d_.) + (e_.)x}{(a_.) + (c_.)x^2}, x_Symbol] \rightarrow \text{Dist}[d, \text{Int}[1/(a + cx^2), x], x] + \text{Dist}[e, \text{Int}[x/(a + cx^2), x], x] \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ !\text{NiceSqrtQ}[-ac]$

Rule 1394

$\text{Int}[\frac{(a_.) + (c_.)x^{n2_})^{p_.)} \cdot ((d_.) + (e_.)x^{n_})^{q_.)}, x_Symbol] \rightarrow \text{Int}[x^{n(2p+q)}(e + d/x^n)^q(c + a/x^{2n})^p, x] \ /; \text{FreeQ}[\{a, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[n2, 2n] \ \&\& \ \text{IntegersQ}[p, q] \ \&\& \ \text{NegQ}[n]$

Rule 1416

$\text{Int}[\frac{(d_.) + (e_.)x^3}{(a_.) + (c_.)x^6}, x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[c/a, 6]\}, \text{Dist}[1/(3aq^2), \text{Int}[(q^2d - ex)/(1 + q^2x^2), x], x] + (\text{Dist}[1/(6aq^2), \text{Int}[(2q^2d - (\sqrt{3}q^3d - e)x)/(1 - \sqrt{3}qx + q^2x^2), x], x] + \text{Dist}[1/(6aq^2), \text{Int}[(2q^2d + (\sqrt{3}q^3d + e)x)/(1 + \sqrt{3}qx + q^2x^2), x], x]) \ /; \text{FreeQ}[\{a, c, d, e\}, x] \ \&\& \ \text{NeQ}[cd^2 + ae^2, 0] \ \&\& \ \text{PosQ}[c/a]$

Rule 1503

$\text{Int}[\frac{(f_.)x^{m_.)} \cdot ((d_.) + (e_.)x^{n_}) \cdot ((a_.) + (c_.)x^{n2_})^{p_.)}, x_Symbol] \rightarrow \text{Simp}[\frac{ef^{n-1}(fx)^{m-n+1}(a + cx^{2n})^{p+1}}{c(m + n(2p+1) + 1)}, x] - \text{Dist}[f^n/(c(m + n(2p+1) + 1)), \text{Int}[(fx)^{m-n}(a + cx^{2n})^p(ae(m-n+1) - cd(m + n(2p+1) + 1)x^n), x], x] \ /; \text{FreeQ}[\{a, c, d, e, f, p\}, x] \ \&\& \ \text{EqQ}[n2, 2n] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{GtQ}[m, n-1] \ \&\& \ \text{NeQ}[m + n(2p+1) + 1, 0] \ \&\& \ \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned}
\int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6}} dx &= \int \frac{x^3 (e + dx^3)}{a + cx^6} dx \\
&= \frac{dx}{c} - \frac{\int \frac{ad - cex^3}{a + cx^6} dx}{c} \\
&= \frac{dx}{c} - \frac{\int \frac{2a^{2/3} \sqrt[3]{c} d - (\sqrt{3} \sqrt{a} \sqrt{c} d + ce)x}{1 - \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{6a^{2/3} c^{4/3}} - \frac{\int \frac{2a^{2/3} \sqrt[3]{c} d + (\sqrt{3} \sqrt{a} \sqrt{c} d - ce)x}{1 + \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{6a^{2/3} c^{4/3}} - \frac{\int \frac{a^{2/3} \sqrt[3]{c} d + cex}{1 + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{3a^{2/3} c^{4/3}} \\
&= \frac{dx}{c} - \frac{d \int \frac{1}{1 + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{3c} - \frac{e \int \frac{x}{1 + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{3a^{2/3} \sqrt[3]{c}} - \frac{(\sqrt{3} \sqrt{a} d - \sqrt{c} e) \int \frac{\frac{\sqrt{3} \sqrt[6]{c}}{\sqrt[6]{a}} + \frac{2\sqrt[3]{c} x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{12\sqrt[3]{a} c^{7/6}} + \frac{(\sqrt{3} \sqrt{a} d + \sqrt{c} e) \int \frac{\frac{\sqrt{3} \sqrt[6]{c}}{\sqrt[6]{a}} + \frac{2\sqrt[3]{c} x}{\sqrt[3]{a}}}{1 + \frac{\sqrt{3} \sqrt[6]{c} x}{\sqrt[6]{a}} + \frac{\sqrt[3]{c} x^2}{\sqrt[3]{a}}} dx}{12\sqrt[3]{a} c^{7/6}} \\
&= \frac{dx}{c} - \frac{\sqrt[6]{a} d \tan^{-1}\left(\frac{\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{3c^{7/6}} - \frac{e \log(\sqrt[3]{a} + \sqrt[3]{c} x^2)}{6\sqrt[3]{a} c^{2/3}} + \frac{(\sqrt{3} \sqrt{a} d + \sqrt{c} e) \log(\sqrt[3]{a} - \sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{c} x^2)}{12\sqrt[3]{a} c^{7/6}} - \frac{(\sqrt{3} \sqrt{a} d - \sqrt{c} e) \log(\sqrt[3]{a} + \sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{c} x^2)}{12\sqrt[3]{a} c^{7/6}} \\
&= \frac{dx}{c} - \frac{\sqrt[6]{a} d \tan^{-1}\left(\frac{\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{3c^{7/6}} + \frac{(\sqrt{a} d - \sqrt{3} \sqrt{c} e) \tan^{-1}\left(\sqrt{3} - \frac{2\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{6\sqrt[3]{a} c^{7/6}} - \frac{(\sqrt{a} d + \sqrt{3} \sqrt{c} e) \tan^{-1}\left(\sqrt{3} + \frac{2\sqrt[6]{c} x}{\sqrt[6]{a}}\right)}{6\sqrt[3]{a} c^{7/6}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 346, normalized size = 1.11

$$\frac{(-\sqrt{3} a^{7/6} \sqrt{c} d - a^{2/3} ce) \log(-\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12ac^{5/3}} - \frac{(\sqrt{3} a^{7/6} \sqrt{c} d - a^{2/3} ce) \log(\sqrt{3} \sqrt[6]{a} \sqrt[6]{c} x + \sqrt[3]{a} + \sqrt[3]{c} x^2)}{12ac^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^3)/(c + a/x^6), x]

[Out] (d*x)/c - (a^(1/6)*d*ArcTan[(c^(1/6)*x)/a^(1/6)]/(3*c^(7/6))) + ((-(a^(7/6)*Sqrt[c]*d) + Sqrt[3]*a^(2/3)*c*e)*ArcTan[(-Sqrt[3]*a^(1/6)) + 2*c^(1/6)*x]/a^(1/6)]/(6*a*c^(5/3)) + ((-(a^(7/6)*Sqrt[c]*d) - Sqrt[3]*a^(2/3)*c*e)*ArcTan[(Sqrt[3]*a^(1/6) + 2*c^(1/6)*x)/a^(1/6)]/(6*a*c^(5/3)) - (e*Log[a^(1/3) + c^(1/3)*x^2])/(6*a^(1/3)*c^(2/3)) - ((-(Sqrt[3]*a^(7/6)*Sqrt[c]*d) - a^(2/3)*c*e)*Log[a^(1/3) - Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2]/(12*a*c^(5/3)) - ((Sqrt[3]*a^(7/6)*Sqrt[c]*d - a^(2/3)*c*e)*Log[a^(1/3) + Sqrt[3]*a^(1/6)*c^(1/6)*x + c^(1/3)*x^2]/(12*a*c^(5/3))

fricas [B] time = 1.30, size = 3169, normalized size = 10.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6), x, algorithm="fricas")

[Out] -1/12*(4*sqrt(3)*c*((a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + 3*a*d^2*e - c*e^3)/(a*c^3))^(1/3)*arctan(1/3*(2*(sqrt(3)*(a^2*c^6*d^2 - a*c^7*e^2)*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) - 2*sqrt(3)*(a^2*c^3*d^4*e - 3*a*c^4*d^2*e^3))*sqrt(((a^3*d^7 - a^2*c*d^5*e^2 - 5*a*c^2*d^3*e^4 - 3*c^3*d*e^6)*x^2 + (2*a^2*c^6*d*e*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + a^3*c^2*d^5 - 4*a^2*c^3*d^3*e^2 + 3*a*c^4*d*e^4))*((a*c^3*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + 3*a*d^2*e - c*e^3)/(a*c^3))^(2/3) + ((a^2*c^5*d^2*e + a*c^6*e^3)*x*sqrt(-(a^2*d^6 - 6*a*c*d^4*e^2 + 9*c^2*d^2*e^4)/(a*c^7)) + (a^3*c*d^6 - 2*a

$$\begin{aligned}
& ^2c^2d^4e^2 - 3a^3c^3d^2e^4)x) * ((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(1/3)}) / (a^3d^7 - \\
& a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) * ((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(2/3)} - \\
& 2*(\sqrt{3}*(a^2c^6d^2 - a^7e^2)) * x * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 2*\sqrt{3}*(a^2c^3d^4e - 3a^4d^2e^3)x) * ((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - \\
& ce^3)/(a^3)^{(2/3)} + \sqrt{3}*(a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) / (a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) \\
& - 4*\sqrt{3}*c*(-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(1/3)} * \arctan(1/3*(2*(\sqrt{3}*(a^2c^6d^2 - a^7e^2)) * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 2 \\
& *\sqrt{3}*(a^2c^3d^4e - 3a^4d^2e^3)) * \sqrt{((a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) * x^2 - (2a^2c^6d^2e * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - a^3c^2d^5 + 4a^2c^3d^3e^2 - 3a \\
& c^4d^2e^4) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(2/3)} - ((a^2c^5d^2e + a^6e^3) * x * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - (a^3cd^6 - 2a^2c^2d^4e^2 - 3a^2c^3d^2e^4) * x) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(1/3)}) / (a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(2/3)} - 2*(\sqrt{3}*(a^2c^6d^2 - a^7e^2)) * x * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 2*\sqrt{3}*(a^2c^3d^4e - 3a^4d^2e^3)x) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(2/3)} - \sqrt{3}*(a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) / (a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) + c*((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(1/3)} * \log(-(a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) * x^2 - (2a^2c^6d^2e * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + a^3c^2d^5 - 4a^2c^3d^3e^2 + 3a^4d^2e^4) * ((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(2/3)} - ((a^2c^5d^2e + a^6e^3) * x * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + (a^3cd^6 - 2a^2c^2d^4e^2 - 3a^2c^3d^2e^4) * x) * ((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(1/3)}) + c*(-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(1/3)} * \log(-(a^3d^7 - a^2cd^5e^2 - 5a^2c^2d^3e^4 - 3c^3d^2e^6)) * x^2 + (2a^2c^6d^2e * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - a^3c^2d^5 + 4a^2c^3d^3e^2 - 3a^4d^2e^4) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(2/3)} + ((a^2c^5d^2e + a^6e^3) * x * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - (a^3cd^6 - 2a^2c^2d^4e^2 - 3a^2c^3d^2e^4) * x) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(1/3)}) - 2*c*((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(1/3)} * \log(-(a^2d^5 - 2a^2cd^3e^2 - 3c^2d^2e^4) * x + (a^5e * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + a^2cd^4 - 3a^2c^2d^2e^2) * ((a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) + 3ad^2e - ce^3)/(a^3)^{(1/3)}) - 2*c*(-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(1/3)} * \log(-(a^2d^5 - 2a^2cd^3e^2 - 3c^2d^2e^4) * x - (a^5e * \sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - a^2cd^4 + 3a^2c^2d^2e^2) * (-(a^3c^3\sqrt{-(a^2d^6 - 6a^3cd^4e^2 + 9c^2d^2e^4)}/(a^7)) - 3ad^2e + ce^3)/(a^3)^{(1/3)}) - 12*d*x)/c
\end{aligned}$$

giac [A] time = 0.53, size = 295, normalized size = 0.95

$$\frac{|c|e \log\left(x^2 + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{6 \left(ac^5\right)^{\frac{1}{3}}} + \frac{dx}{c} - \frac{\left(ac^5\right)^{\frac{1}{6}} d \arctan\left(\frac{x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{3c^2} - \frac{\left(\left(ac^5\right)^{\frac{1}{6}} ac^2 d + \sqrt{3} \left(ac^5\right)^{\frac{2}{3}} e\right) \arctan\left(\frac{2x + \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4} - \frac{\left(ac^5\right)^{\frac{1}{6}} e \arctan\left(\frac{2x - \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}}}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6ac^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6),x, algorithm="giac")

[Out] -1/6*abs(c)*e*log(x^2 + (a/c)^(1/3))/(a*c^5)^(1/3) + d*x/c - 1/3*(a*c^5)^(1/6)*d*arctan(x/(a/c)^(1/6))/c^2 - 1/6*((a*c^5)^(1/6)*a*c^2*d + sqrt(3)*(a*c^5)^(2/3)*e)*arctan((2*x + sqrt(3)*(a/c)^(1/6))/(a/c)^(1/6))/(a*c^4) - 1/6*((a*c^5)^(1/6)*a*c^2*d - sqrt(3)*(a*c^5)^(2/3)*e)*arctan((2*x - sqrt(3)*(a/c)^(1/6))/(a/c)^(1/6))/(a*c^4) - 1/12*(sqrt(3)*(a*c^5)^(1/6)*a*c^2*d - (a*c^5)^(2/3)*e)*log(x^2 + sqrt(3)*x*(a/c)^(1/6) + (a/c)^(1/3))/(a*c^4) + 1/12*(sqrt(3)*(a*c^5)^(1/6)*a*c^2*d + (a*c^5)^(2/3)*e)*log(x^2 - sqrt(3)*x*(a/c)^(1/6) + (a/c)^(1/3))/(a*c^4)

maple [A] time = 0.08, size = 334, normalized size = 1.07

$$\frac{\left(\frac{a}{c}\right)^{\frac{7}{6}} \sqrt{3} d \ln\left(x^2 + \sqrt{3} \left(\frac{a}{c}\right)^{\frac{1}{6}} x + \left(\frac{a}{c}\right)^{\frac{1}{3}}\right)}{12a} + \frac{\left(\frac{a}{c}\right)^{\frac{2}{3}} \sqrt{3} e \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} - \sqrt{3}\right)}{6a} - \frac{\left(\frac{a}{c}\right)^{\frac{2}{3}} \sqrt{3} e \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}} + \sqrt{3}\right)}{6a} - \frac{\left(\frac{a}{c}\right)^{\frac{2}{3}} \sqrt{3} e \arctan\left(\frac{2x}{\left(\frac{a}{c}\right)^{\frac{1}{6}}}\right)}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^3)/(c+a/x^6),x)

[Out] 1/c*d*x-1/12*(a/c)^(7/6)/a*ln(x^2+3^(1/2)*(a/c)^(1/6)*x+(a/c)^(1/3))*3^(1/2)*d+1/12*(a/c)^(2/3)/a*e*ln(x^2+3^(1/2)*(a/c)^(1/6)*x+(a/c)^(1/3))-1/6/c*(a/c)^(1/6)*arctan(2/(a/c)^(1/6)*x+3^(1/2))*d-1/6*(a/c)^(2/3)*3^(1/2)/a*e*arctan(2/(a/c)^(1/6)*x+3^(1/2))+1/12*(a/c)^(2/3)/a*e*ln(x^2-3^(1/2)*(a/c)^(1/6)*x+(a/c)^(1/3))+1/12/c*ln(x^2-3^(1/2)*(a/c)^(1/6)*x+(a/c)^(1/3))*3^(1/2)*(a/c)^(1/6)*d+1/6*(a/c)^(2/3)*3^(1/2)/a*e*arctan(2/(a/c)^(1/6)*x-3^(1/2))-1/6/c*(a/c)^(1/6)*arctan(2/(a/c)^(1/6)*x-3^(1/2))*d-1/6*(a/c)^(2/3)/a*e*ln(x^2+(a/c)^(1/3))-1/3/c*(a/c)^(1/6)*d*arctan(1/(a/c)^(1/6)*x)

maxima [A] time = 1.53, size = 295, normalized size = 0.95

$$\frac{dx}{c} - \frac{2c^{\frac{1}{3}}e \log\left(c^{\frac{1}{3}}x^2 + a^{\frac{1}{3}}\right)}{a^{\frac{1}{3}}} + \frac{4a^{\frac{1}{3}}d \arctan\left(\frac{c^{\frac{1}{3}}x}{\sqrt{a^{\frac{1}{3}}c^{\frac{1}{3}}}}\right)}{\sqrt{a^{\frac{1}{3}}c^{\frac{1}{3}}}} + \frac{\left(\sqrt{3}a^{\frac{7}{6}}\sqrt{c}d - a^{\frac{2}{3}}ce\right) \log\left(c^{\frac{1}{3}}x^2 + \sqrt{3}a^{\frac{1}{6}}c^{\frac{1}{6}}x + a^{\frac{1}{3}}\right)}{ac^{\frac{2}{3}}} - \frac{\left(\sqrt{3}a^{\frac{7}{6}}\sqrt{c}d + a^{\frac{2}{3}}ce\right) \log\left(c^{\frac{1}{3}}x^2 - \sqrt{3}a^{\frac{1}{6}}c^{\frac{1}{6}}x + a^{\frac{1}{3}}\right)}{ac^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6),x, algorithm="maxima")

[Out] d*x/c - 1/12*(2*c^(1/3)*e*log(c^(1/3)*x^2 + a^(1/3))/a^(1/3) + 4*a^(1/3)*d*arctan(c^(1/3)*x/sqrt(a^(1/3)*c^(1/3)))/sqrt(a^(1/3)*c^(1/3)) + (sqrt(3)*a^(7/6)*sqrt(c)*d - a^(2/3)*c*e)*log(c^(1/3)*x^2 + sqrt(3)*a^(1/6)*c^(1/6)*x + a^(1/3))/(a*c^(2/3)) - (sqrt(3)*a^(7/6)*sqrt(c)*d + a^(2/3)*c*e)*log(c^(1/3)*x^2 - sqrt(3)*a^(1/6)*c^(1/6)*x + a^(1/3))/(a*c^(2/3)) + 2*(sqrt(3)*a^(5/6)*c^(7/6)*e + a^(4/3)*c^(2/3)*d)*arctan((2*c^(1/3)*x + sqrt(3)*a^(1/6)*c^(1/6))/sqrt(a^(1/3)*c^(1/3)))/sqrt(a^(1/3)*c^(1/3)) - 2*(sqrt(3)*a^(5/6)*c^(7/6)*e - a^(4/3)*c^(2/3)*d)*arctan((2*c^(1/3)*x - sqrt(3)*a^(1/6)*c^(1/6))/sqrt(a^(1/3)*c^(1/3)))/sqrt(a^(1/3)*c^(1/3)))/c

mupad [B] time = 3.10, size = 1308, normalized size = 4.21

$$\ln\left(ex\sqrt{-a^3c^7} - a^2c^4\left(-\frac{ac^5e^3 + ad^3\sqrt{-a^3c^7} - 3a^2c^4d^2e - 3cde^2\sqrt{-a^3c^7}}{a^2c^7}\right)^{1/3} + a^2c^3dx\right)\left(-\frac{ac^5e^3 + ad^3\sqrt{-a^3c^7}}{a^2c^7}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^3)/(c + a/x^6), x)

[Out] $\log(e*x*(-a^3*c^7)^{(1/2)} - a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} + a^2*c^3*d*x*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} + \log(e*x*(-a^3*c^7)^{(1/2)} + a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} - a^2*c^3*d*x*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} + \log(2*e*x*(-a^3*c^7)^{(1/2)} + a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} - 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i + 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 - 1/2)*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} - \log(2*e*x*(-a^3*c^7)^{(1/2)} + a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} + 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i + 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 + 1/2)*(-(a*c^5*e^3 + a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e - 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} - \log(a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} - 2*e*x*(-a^3*c^7)^{(1/2)} + 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i + 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 + 1/2)*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} + \log(2*e*x*(-a^3*c^7)^{(1/2)} - a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)} + 3^{(1/2)}*a^2*c^4*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(a^2*c^7))^{(1/3)}*1i - 2*a^2*c^3*d*x*((3^{(1/2)}*1i)/2 - 1/2)*(-(a*c^5*e^3 - a*d^3*(-a^3*c^7)^{(1/2)} - 3*a^2*c^4*d^2*e + 3*c*d*e^2*(-a^3*c^7)^{(1/2)})/(216*a^2*c^7))^{(1/3)} + (d*x)/c$

sympy [A] time = 2.98, size = 167, normalized size = 0.54

$$\text{RootSum}\left(46656t^6a^2c^7 + t^3(-1296a^2c^4d^2e + 432ac^5e^3) + a^3d^6 + 3a^2cd^4e^2 + 3ac^2d^2e^4 + c^3e^6, \left(t \mapsto t \log\left(x + \frac{-1}{t}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x**3)/(c+a/x**6), x)

[Out] $\text{RootSum}(46656*_t**6*a**2*c**7 + _t**3*(-1296*a**2*c**4*d**2*e + 432*a*c**5*e**3) + a**3*d**6 + 3*a**2*c*d**4*e**2 + 3*a*c**2*d**2*e**4 + c**3*e**6, \text{Lambda}(_t, _t*\log(x + (-1296*_t**4*a*c**5*e - 6*_t*a**2*c*d**4 + 36*_t*a*c**2*d**2*e**2 - 6*_t*c**3*e**4)/(a**2*d**5 - 2*a*c*d**3*e**2 - 3*c**2*d*e**4))) + d*x/c$

$$3.39 \quad \int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6} + \frac{b}{x^3}} dx$$

Optimal. Leaf size=716

$$\frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \log\left(-\sqrt[3]{2} \sqrt[3]{c} x \sqrt[3]{b - \sqrt{b^2 - 4ac}} + \left(b - \sqrt{b^2 - 4ac}\right)^{2/3} + 2^{2/3} c^{2/3} x^2\right)}{6\sqrt[3]{2} c^{4/3} \left(b - \sqrt{b^2 - 4ac}\right)^{2/3}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right)}{\sqrt{b^2-4ac}}$$

[Out] $d*x/c - 1/6*\ln(2^{(1/3)}*c^{(1/3)}*x + (b - (-4*a*c + b^2)^{(1/2)})^{(1/3)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b - (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/12*\ln(2^{(2/3)}*c^{(2/3)}*x^2 - 2^{(1/3)}*c^{(1/3)}*x*(b - (-4*a*c + b^2)^{(1/2)})^{(1/3)} + (b - (-4*a*c + b^2)^{(1/2)})^{(2/3)})*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b - (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/6*\arctan(1/3*(1 - 2*2^{(1/3)}*c^{(1/3)}*x)/(b - (-4*a*c + b^2)^{(1/2)})^{(1/3)})*3^{(1/2)}*(b*d - c*e + (2*a*c*d - b^2*d + b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}*3^{(1/2)}/(b - (-4*a*c + b^2)^{(1/2)})^{(2/3)} - 1/6*\ln(2^{(1/3)}*c^{(1/3)}*x + (b + (-4*a*c + b^2)^{(1/2)})^{(1/3)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b + (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/12*\ln(2^{(2/3)}*c^{(2/3)}*x^2 - 2^{(1/3)}*c^{(1/3)}*x*(b + (-4*a*c + b^2)^{(1/2)})^{(1/3)} + (b + (-4*a*c + b^2)^{(1/2)})^{(2/3)})*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}/(b + (-4*a*c + b^2)^{(1/2)})^{(2/3)} + 1/6*\arctan(1/3*(1 - 2*2^{(1/3)}*c^{(1/3)}*x)/(b + (-4*a*c + b^2)^{(1/2)})^{(1/3)})*3^{(1/2)}*(b*d - c*e + (-2*a*c*d + b^2*d - b*c*e)/(-4*a*c + b^2)^{(1/2)})*2^{(2/3)}/c^{(4/3)}*3^{(1/2)}/(b + (-4*a*c + b^2)^{(1/2)})^{(2/3)}$

Rubi [A] time = 1.63, antiderivative size = 716, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {1393, 1502, 1422, 200, 31, 634, 617, 204, 628}

$$\frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \log\left(-\sqrt[3]{2} \sqrt[3]{c} x \sqrt[3]{b - \sqrt{b^2 - 4ac}} + \left(b - \sqrt{b^2 - 4ac}\right)^{2/3} + 2^{2/3} c^{2/3} x^2\right)}{6\sqrt[3]{2} c^{4/3} \left(b - \sqrt{b^2 - 4ac}\right)^{2/3}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^3)/(c + a/x^6 + b/x^3), x]

[Out] $(d*x)/c + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(1 - (2*2^{(1/3)}*c^{(1/3)}*x)/(b - \text{Sqrt}[b^2 - 4*a*c])^{(1/3)})/\text{Sqrt}[3]])/(2^{(1/3)}*\text{Sqrt}[3]*c^{(4/3)}*(b - \text{Sqrt}[b^2 - 4*a*c])^{(2/3)}) + ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(1 - (2*2^{(1/3)}*c^{(1/3)}*x)/(b + \text{Sqrt}[b^2 - 4*a*c])^{(1/3)})/\text{Sqrt}[3]])/(2^{(1/3)}*\text{Sqrt}[3]*c^{(4/3)}*(b + \text{Sqrt}[b^2 - 4*a*c])^{(2/3)}) - ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{Log}[(b - \text{Sqrt}[b^2 - 4*a*c])^{(1/3)} + 2^{(1/3)}*c^{(1/3)}*x])/(3*2^{(1/3)}*c^{(4/3)}*(b - \text{Sqrt}[b^2 - 4*a*c])^{(2/3)}) - ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{Log}[(b + \text{Sqrt}[b^2 - 4*a*c])^{(1/3)} + 2^{(1/3)}*c^{(1/3)}*x])/(3*2^{(1/3)}*c^{(4/3)}*(b + \text{Sqrt}[b^2 - 4*a*c])^{(2/3)}) + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{Log}[(b - \text{Sqrt}[b^2 - 4*a*c])^{(2/3)} - 2^{(1/3)}*c^{(1/3)}*(b - \text{Sqrt}[b^2 - 4*a*c])^{(1/3)}*x + 2^{(2/3)}*c^{(2/3)}*x^2)]/(6*2^{(1/3)}*c^{(4/3)}*(b - \text{Sqrt}[b^2 - 4*a*c])^{(2/3)}) + ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{Log}[(b + \text{Sqrt}[b^2 - 4*a*c])^{(2/3)} - 2^{(1/3)}*c^{(1/3)}*(b + \text{Sqrt}[b^2 - 4*a*c])^{(1/3)}*x + 2^{(2/3)}*c^{(2/3)}*x^2)]/(6*2^{(1/3)}*c^{(4/3)}*(b + \text{Sqrt}[b^2 - 4*a*c])^{(2/3)})$

Rule 31

Int[((a_) + (b_)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 200

Int[((a_) + (b_)*(x_)³)⁽⁻¹⁾, x_Symbol] := Dist[1/(3*Rt[a, 3]²), Int[1/(Rt[a, 3] + Rt[b, 3]*x), x], x] + Dist[1/(3*Rt[a, 3]²), Int[(2*Rt[a, 3] - Rt[b, 3]*x)/(Rt[a, 3]² - Rt[a, 3]*Rt[b, 3]*x + Rt[b, 3]²*x²), x], x] /; FreeQ[{a, b}, x]

Rule 204

Int[((a_) + (b_)*(x_)²)⁽⁻¹⁾, x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 617

Int[((a_) + (b_)*(x_) + (c_)*(x_)²)⁽⁻¹⁾, x_Symbol] := With[{q = 1 - 4*Simplify[(a*c)/b²]}, Dist[-2/b, Subst[Int[1/(q - x²), x], x, 1 + (2*c*x)/b], x] /; RationalQ[q] && (EqQ[q², 1] || !RationalQ[b² - 4*a*c])] /; FreeQ[{a, b, c}, x] && NeQ[b² - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)²), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x², x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)²), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x²), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x²), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b² - 4*a*c, 0] && !NiceSqrtQ[b² - 4*a*c]

Rule 1393

Int[((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_)((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[x^{(n*(2*p + q))}*(e + d/xⁿ)^q*(c + b/xⁿ + a/x^(2*n))^p, x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegersQ[p, q] && NegQ[n]

Rule 1422

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b² - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*xⁿ), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*xⁿ), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b² - 4*a*c, 0] && NeQ[c*d² - b*d*e + a*e², 0] && (PosQ[b² - 4*a*c] || !IGtQ[n/2, 0])

Rule 1502

Int[((f_)*(x_)^(m_)((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Simp[(e*f^(n - 1)*(f*x)^(m - n + 1)*(a + b*xⁿ + c*x^(2*n))^(p + 1)/(c*(m + n*(2*p + 1) + 1)), x] - Dist[fⁿ/(c*(m + n*(2*p + 1) + 1)), Int[(f*x)^(m - n)*(a + b*xⁿ + c*x^(2*n))^p*Simp[a*e

*(m - n + 1) + (b*e*(m + n*p + 1) - c*d*(m + n*(2*p + 1) + 1))*x^n, x], x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*(2*p + 1) + 1, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
 \int \frac{d + \frac{e}{x^3}}{c + \frac{a}{x^6} + \frac{b}{x^3}} dx &= \int \frac{x^3(e + dx^3)}{a + bx^3 + cx^6} dx \\
 &= \frac{dx}{c} - \frac{\int \frac{ad+(bd-ce)x^3}{a+bx^3+cx^6} dx}{c} \\
 &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}-\frac{1}{2}\sqrt{b^2-4ac}+cx^3} dx}{2c} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}+\frac{1}{2}\sqrt{b^2-4ac}+cx^3} dx}{2c} \\
 &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{\sqrt[3]{b-\sqrt{b^2-4ac}}}{\sqrt[3]{2}} + \sqrt[3]{c}x} dx}{3\sqrt[3]{2}c\left(b - \sqrt{b^2-4ac}\right)^{2/3}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{\sqrt[3]{b+\sqrt{b^2-4ac}}}{\sqrt[3]{2}} + \sqrt[3]{c}x} dx}{3\sqrt[3]{2}c\left(b + \sqrt{b^2-4ac}\right)^{2/3}} \\
 &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b - \sqrt{b^2-4ac}} + \sqrt[3]{2} \sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b - \sqrt{b^2-4ac}\right)^{2/3}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b + \sqrt{b^2-4ac}} + \sqrt[3]{2} \sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b + \sqrt{b^2-4ac}\right)^{2/3}} \\
 &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b - \sqrt{b^2-4ac}} + \sqrt[3]{2} \sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b - \sqrt{b^2-4ac}\right)^{2/3}} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \log\left(\sqrt[3]{b + \sqrt{b^2-4ac}} + \sqrt[3]{2} \sqrt[3]{c}x\right)}{3\sqrt[3]{2}c^{4/3}\left(b + \sqrt{b^2-4ac}\right)^{2/3}} \\
 &= \frac{dx}{c} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{2}\sqrt[3]{c}x}{\sqrt[3]{b - \sqrt{b^2-4ac}}}}{\sqrt{3}}\right)}{\sqrt[3]{2}\sqrt{3}c^{4/3}\left(b - \sqrt{b^2-4ac}\right)^{2/3}} + \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{1 - \frac{2\sqrt[3]{2}\sqrt[3]{c}x}{\sqrt[3]{b + \sqrt{b^2-4ac}}}}{\sqrt{3}}\right)}{\sqrt[3]{2}\sqrt{3}c^{4/3}\left(b + \sqrt{b^2-4ac}\right)^{2/3}}
 \end{aligned}$$

Mathematica [C] time = 0.05, size = 88, normalized size = 0.12

$$\frac{dx}{c} - \frac{\text{RootSum}\left[\#1^6c + \#1^3b + a\&, \frac{\#1^3bd \log(x-\#1) - \#1^3ce \log(x-\#1) + ad \log(x-\#1)}{2\#1^5c + \#1^2b}\& \right]}{3c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^3)/(c + a/x^6 + b/x^3), x]

[Out] (d*x)/c - RootSum[a + b*#1^3 + c*#1^6 &, (a*d*Log[x - #1] + b*d*Log[x - #1]*#1^3 - c*e*Log[x - #1]*#1^3)/(b*#1^2 + 2*c*#1^5) &]/(3*c)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6+b/x^3),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + \frac{e}{x^3}}{c + \frac{b}{x^3} + \frac{a}{x^6}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6+b/x^3),x, algorithm="giac")

[Out] integrate((d + e/x^3)/(c + b/x^3 + a/x^6), x)

maple [C] time = 0.02, size = 67, normalized size = 0.09

$$\frac{dx}{c} + \frac{\left((-bd + ce) \operatorname{RootOf}\left(-Z^6c + Z^3b + a\right)^3 - ad\right) \ln\left(-\operatorname{RootOf}\left(-Z^6c + Z^3b + a\right) + x\right)}{3c\left(2 \operatorname{RootOf}\left(-Z^6c + Z^3b + a\right)^5 c + \operatorname{RootOf}\left(-Z^6c + Z^3b + a\right)^2 b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^3)/(c+a/x^6+b/x^3),x)

[Out] 1/c*d*x+1/3/c*sum((-b*d+c*e)*_R^3-a*d)/(2*_R^5*c+_R^2*b)*ln(-_R+x),_R=RootOf(-Z^6*c+Z^3*b+a)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{-\int \frac{(bd-ce)x^3+ad}{cx^6+bx^3+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^3)/(c+a/x^6+b/x^3),x, algorithm="maxima")

[Out] d*x/c + integrate(-((b*d - c*e)*x^3 + a*d)/(c*x^6 + b*x^3 + a), x)/c

mupad [B] time = 29.42, size = 11453, normalized size = 16.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^3)/(c + a/x^6 + b/x^3),x)

[Out] log((3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 - b^5*d^3*e + 2*a^3*c^2*d^4 + b^2*c^3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3 + 3*b^4*c*d^2*e^2 + 8*a*b*c^3*d*e^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e - 9*a*b^2*c^2*d^2*e^2))/c - (2^(2/3))*((2^(1/3))*(81*a*c^3*e*x*(4*a*c - b^2)^2 - (81*2^(2/3))*a*b*c^3*(4*a*c - b^2)^2*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^(1/2) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^(1/2) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^(1/2) - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^(1/2) - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^(1/2) + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^(1/2)))/(c^4*(4*a*c - b^2)^3))^(1/3))/2*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^(1/2) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^(1/2) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2

$$\begin{aligned}
& a^2c^2d^3(-4ac - b^2)^3^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e - 4ab^2cd^3(-4ac - b^2)^3^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^3c^4d^2e^2 - 6a^3c^3d^2e^2(-4ac - b^2)^3^{(1/2)} - 3b^3cd^2e^2(-4ac - b^2)^3^{(1/2)} - 72a^2b^2c^3d^2e^2 + 3b^2c^2d^2e^2(-4ac - b^2)^3^{(1/2)} + 9ab^3c^2d^2e^2(-4ac - b^2)^3^{(1/2)} / (c^4(4ac - b^2)^3)^{(2/3)} / 18 + (9a(4ac - b^2)(b^4d^3 - b^3c^3e^3 + a^2c^2d^3 + 3b^2c^2d^2e^2 - 3ab^2cd^3 - 3a^3c^3d^2e^2 - 3b^3cd^2e^2 + 6ab^3c^2d^2e^2)) / c * ((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8ab^2c^4e^3 - b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e - 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^3c^4d^2e^2 - 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 + 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 9ab^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (c^4(4ac - b^2)^3)^{(1/3)} / 6 * ((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8ab^2c^4e^3 - b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e - 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^3c^4d^2e^2 - 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 + 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 9ab^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (54(64a^3c^7 - b^6c^4 + 12ab^4c^5 - 48a^2b^2c^6))^{(1/3)} + \log((3ax*(ab^4d^4 - 2a^2c^4e^4 - b^5d^3e + 2a^3c^2d^4 + b^2c^3e^4 - 4a^2b^2cd^4 - 3b^3c^2d^2e^3 + 3b^4cd^2e^2 + 8ab^3cd^2e^3 + 2ab^3cd^3e + 4a^2b^3c^2d^3e - 9ab^2c^2d^2e^2)) / c - (2^{(2/3)} * (2^{(1/3)} * (81a^3c^3e * x * (4ac - b^2)^2 - (81 * 2^{(2/3)} * ab^3c^3(4ac - b^2)^2 * (b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8ab^2c^4e^3 + b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^3c^4d^2e^2 + 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (c^4(4ac - b^2)^3)^{(1/3)} / 2 * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8ab^2c^4e^3 + b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^3c^4d^2e^2 + 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (c^4(4ac - b^2)^3)^{(1/3)} / 6 * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8ab^2c^4e^3 + b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^3c^4d^2e^2 + 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9ab^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (c^4(4ac - b^2)^3)^{(1/3)} / 6 * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^3c^3d^3 + 8ab^2c^4e^3 + b^3c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2
\end{aligned}$$

$$\begin{aligned}
&^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e \\
&- 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a^2*b^2*c^6))^{(1/3)} \\
&+ \log((2^{(2/3)}*(3^{(1/2)}*1i - 1)*((2^{(1/3)}*(3^{(1/2)}*1i + 1)*(81*a*c^3*e*x*(4*a*c - b^2)^2 - (81*2^{(2/3)}*a*b*c^3*(3^{(1/2)}*1i - 1)*(4*a*c - b^2)^2*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(c^4*(4*a*c - b^2)^3))^{(1/3)})/4*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(c^4*(4*a*c - b^2)^3))^{(2/3)})/36 - (9*a*(4*a*c - b^2)*(b^4*d^3 - b*c^3*e^3 + a^2*c^2*d^3 + 3*b^2*c^2*d*e^2 - 3*a*b^2*c*d^3 - 3*a*c^3*d*e^2 - 3*b^3*c*d^2*e + 6*a*b*c^2*d^2*e))/c*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(c^4*(4*a*c - b^2)^3))^{(1/3)})/12 + (3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 - b^5*d^3*e + 2*a^3*c^2*d^4 + b^2*c^3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3 + 3*b^4*c*d^2*e^2 + 8*a*b*c^3*d*e^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e - 9*a*b^2*c^2*d^2*e^2))/c*((3^{(1/2)}*1i)/2 - 1/2)*((b^7*d^3 + b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 - b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)} - 72*a^2*b^2*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^{(1/2)} + 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^{(1/2)})/(c^4*(4*a*c - b^2)^3))^{(1/3)})/4*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c - b^2)^3)^{(1/2)} + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^{(1/2)} - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e
\end{aligned}$$

$$\begin{aligned}
& e + 48a^2b^2c^4d^2e^2 + 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (c^4(4ac - b^2)^3)^{(2/3)} / 36 - (9a(4ac - b^2)(b^4d^3 - b^2c^3e^3 + a^2c^2d^3 + 3b^2c^2d^2e^2 - 3ab^2cd^3 - 3a^2c^3d^2e^2 - 3b^3cd^2e^2 + 6ab^2c^2d^2e^2)) / c * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2c^3d^3 + 8ab^2c^4e^3 + b^2c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e^2 + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 + 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (c^4(4ac - b^2)^3)^{(1/3)} / 12 + (3ax*(ab^4d^4 - 2a^2c^4e^4 - b^5d^3e^2 + 2a^3c^2d^4 + b^2c^3e^4 - 4a^2b^2cd^4 - 3b^3c^2d^3e^3 + 3b^4cd^2e^2 + 8ab^2c^3d^2e^3 + 2ab^3cd^3e^2 + 4a^2b^2c^2d^3e^2 - 9ab^2c^2d^2e^2)) / c * ((3^(1/2)*1i)/2 - 1/2) * ((b^7d^3 - b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2c^3d^3 + 8ab^2c^4e^3 + b^2c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 - 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e^2 + 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 + 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} + 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 - 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} - 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} / (54(64a^3c^7 - b^6c^4 + 12ab^4c^5 - 48a^2b^2c^6))^(1/3) - \log(- (2^(2/3)*(3^(1/2)*1i + 1) * ((2^(1/3)*(3^(1/2)*1i - 1) * (81a^3e^2x*(4ac - b^2)^2 + (81*2^(2/3)*ab^2c^3*(3^(1/2)*1i + 1)*(4ac - b^2)^2 * ((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2c^3d^3 + 8ab^2c^4e^3 - b^2c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e^2 - 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 - 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 + 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)})) / (c^4(4ac - b^2)^3)^{(1/3)} / 4 * ((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2c^3d^3 + 8ab^2c^4e^3 - b^2c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e^2 - 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 - 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 + 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)})) / (c^4(4ac - b^2)^3)^{(2/3)} / 36 + (9a(4ac - b^2)(b^4d^3 - b^2c^3e^3 + a^2c^2d^3 + 3b^2c^2d^2e^2 - 3ab^2cd^3 - 3a^2c^3d^2e^2 - 3b^3cd^2e^2 + 6ab^2c^2d^2e^2)) / c * ((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2c^3d^3 + 8ab^2c^4e^3 - b^2c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2 + 32a^2b^3c^2d^3 + 2a^2c^2d^3(-4ac - b^2)^3)^{(1/2)} - 10ab^5cd^3 - 3b^6cd^2e^2 - 4ab^2cd^3(-4ac - b^2)^3)^{(1/2)} - 24ab^3c^3d^2e^2 + 27ab^4c^2d^2e^2 + 48a^2b^2c^4d^2e^2 - 6a^3c^3d^2e^2(-4ac - b^2)^3)^{(1/2)} - 3b^3cd^2e^2(-4ac - b^2)^3)^{(1/2)} - 72a^2b^2c^3d^2e^2 + 3b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)} + 9a^2b^2c^2d^2e^2(-4ac - b^2)^3)^{(1/2)})) / (c^4(4ac - b^2)^3)^{(1/3)} / 12 - (3ax*(ab^4d^4 - 2a^2c^4e^4 - b^5d^3e^2 + 2a^3c^2d^4 + b^2c^3e^4 - 4a^2b^2cd^4 - 3b^3c^2d^3e^3 + 3b^4cd^2e^2 + 8ab^2c^3d^2e^3 + 2ab^3cd^3e^2 + 4a^2b^2c^2d^3e^2 - 9ab^2c^2d^2e^2)) / c * ((3^(1/2)*1i)/2 + 1/2) * ((b^7d^3 + b^4d^3(-4ac - b^2)^3)^{(1/2)} - 16a^2c^5e^3 - b^4c^3e^3 - 32a^3b^2c^3d^3 + 8ab^2c^4e^3 - b^2c^3e^3(-4ac - b^2)^3)^{(1/2)} + 48a^3c^4d^2e^2 + 3b^5c^2d^2e^2
\end{aligned}$$

```

*d*e^2 + 32*a^2*b^3*c^2*d^3 + 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^(1/2) - 10*a
*b^5*c*d^3 - 3*b^6*c*d^2*e - 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^(1/2) - 24*a*
b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 - 6*a*c^3*d*e^2*(-(
4*a*c - b^2)^3)^(1/2) - 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^(1/2) - 72*a^2*b^2
*c^3*d^2*e + 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^(1/2) + 9*a*b*c^2*d^2*e*(-(
4*a*c - b^2)^3)^(1/2))/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a^2*b^
2*c^6)))^(1/3) - log(- (2^(2/3)*(3^(1/2)*1i + 1)*((2^(1/3)*(3^(1/2)*1i - 1)
*(81*a*c^3*e*x*(4*a*c - b^2)^2 + (81*2^(2/3)*a*b*c^3*(3^(1/2)*1i + 1)*(4*a*
c - b^2)^2*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^(1/2) - 16*a^2*c^5*e^3 -
b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c - b^2)
^3)^(1/2) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 - 2*a^
2*c^2*d^3*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + 4*a*b
^2*c*d^3*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e
+ 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^(1/2) + 3*b^3*c*d^
2*e*(-(4*a*c - b^2)^3)^(1/2) - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2*(-(4*
a*c - b^2)^3)^(1/2) - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^(1/2))/(c^4*(4*a*c
- b^2)^3))^(1/3))/4*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^(1/2) - 16*a^2
*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e^3*(-(
4*a*c - b^2)^3)^(1/2) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b^3*c^2
*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^5*c*d^3 - 3*b^6*c*d^
2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^3*c^3*d*e^2 + 27*a*b^
4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^(1/2) +
3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^(1/2) - 72*a^2*b^2*c^3*d^2*e - 3*b^2*c^2*
d*e^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^(1/2))/
(c^4*(4*a*c - b^2)^3))^(2/3))/36 + (9*a*(4*a*c - b^2)*(b^4*d^3 - b*c^3*e^3
+ a^2*c^2*d^3 + 3*b^2*c^2*d*e^2 - 3*a*b^2*c*d^3 - 3*a*c^3*d*e^2 - 3*b^3*c*d
^2*e + 6*a*b*c^2*d^2*e))/c*((b^7*d^3 - b^4*d^3*(-(4*a*c - b^2)^3)^(1/2) -
16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a*b^2*c^4*e^3 + b*c^3*e
^3*(-(4*a*c - b^2)^3)^(1/2) + 48*a^3*c^4*d^2*e + 3*b^5*c^2*d*e^2 + 32*a^2*b
^3*c^2*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^(1/2) - 10*a*b^5*c*d^3 - 3*b^
6*c*d^2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^(1/2) - 24*a*b^3*c^3*d*e^2 + 2
7*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^2*(-(4*a*c - b^2)^3)^(
1/2) + 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^(1/2) - 72*a^2*b^2*c^3*d^2*e - 3*b^
2*c^2*d*e^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a*b*c^2*d^2*e*(-(4*a*c - b^2)^3)^(
1/2))/(c^4*(4*a*c - b^2)^3))^(1/3))/12 - (3*a*x*(a*b^4*d^4 - 2*a*c^4*e^4 -
b^5*d^3*e + 2*a^3*c^2*d^4 + b^2*c^3*e^4 - 4*a^2*b^2*c*d^4 - 3*b^3*c^2*d*e^3
+ 3*b^4*c*d^2*e^2 + 8*a*b*c^3*d*e^3 + 2*a*b^3*c*d^3*e + 4*a^2*b*c^2*d^3*e
- 9*a*b^2*c^2*d^2*e^2))/c*((3^(1/2)*1i)/2 + 1/2)*((b^7*d^3 - b^4*d^3*(-(4*
a*c - b^2)^3)^(1/2) - 16*a^2*c^5*e^3 - b^4*c^3*e^3 - 32*a^3*b*c^3*d^3 + 8*a
*b^2*c^4*e^3 + b*c^3*e^3*(-(4*a*c - b^2)^3)^(1/2) + 48*a^3*c^4*d^2*e + 3*b^
5*c^2*d*e^2 + 32*a^2*b^3*c^2*d^3 - 2*a^2*c^2*d^3*(-(4*a*c - b^2)^3)^(1/2) -
10*a*b^5*c*d^3 - 3*b^6*c*d^2*e + 4*a*b^2*c*d^3*(-(4*a*c - b^2)^3)^(1/2) -
24*a*b^3*c^3*d*e^2 + 27*a*b^4*c^2*d^2*e + 48*a^2*b*c^4*d*e^2 + 6*a*c^3*d*e^
2*(-(4*a*c - b^2)^3)^(1/2) + 3*b^3*c*d^2*e*(-(4*a*c - b^2)^3)^(1/2) - 72*a^
2*b^2*c^3*d^2*e - 3*b^2*c^2*d*e^2*(-(4*a*c - b^2)^3)^(1/2) - 9*a*b*c^2*d^2*
e*(-(4*a*c - b^2)^3)^(1/2))/(54*(64*a^3*c^7 - b^6*c^4 + 12*a*b^4*c^5 - 48*a
^2*b^2*c^6)))^(1/3) + (d*x)/c

```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x**3)/(c+a/x**6+b/x**3),x)

[Out] Timed out

$$3.40 \quad \int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8}} dx$$

Optimal. Leaf size=753

$$\frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(-\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}} + \frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}}$$

```
[Out] d*x/c+1/8*arctan((-2*c^(1/8)*x+a^(1/8)*(2-2^(1/2))^(1/2))/a^(1/8)/(2+2^(1/2))^(1/2))*(d*(1+2^(1/2))*a^(1/2)+e*c^(1/2))*(2-2^(1/2))^(1/2)/a^(3/8)/c^(9/8)-1/8*arctan((2*c^(1/8)*x+a^(1/8)*(2-2^(1/2))^(1/2))/a^(1/8)/(2+2^(1/2))^(1/2))*(d*(1+2^(1/2))*a^(1/2)+e*c^(1/2))*(2-2^(1/2))^(1/2)/a^(3/8)/c^(9/8)-1/8*ln(a^(1/4)+c^(1/4)*x^2-a^(1/8)*c^(1/8)*x*(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4-2*2^(1/2))^(1/2)+1/8*ln(a^(1/4)+c^(1/4)*x^2+a^(1/8)*c^(1/8)*x*(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4-2*2^(1/2))^(1/2)-1/8*arctan((-2*c^(1/8)*x+a^(1/8)*(2+2^(1/2))^(1/2))/a^(1/8)/(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))*(2+2^(1/2))^(1/2)/a^(3/8)/c^(9/8)+1/8*arctan((2*c^(1/8)*x+a^(1/8)*(2+2^(1/2))^(1/2))/a^(1/8)/(2-2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))*(2+2^(1/2))^(1/2)/a^(3/8)/c^(9/8)+1/8*ln(a^(1/4)+c^(1/4)*x^2-a^(1/8)*c^(1/8)*x*(2+2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4+2*2^(1/2))^(1/2)-1/8*ln(a^(1/4)+c^(1/4)*x^2+a^(1/8)*c^(1/8)*x*(2+2^(1/2))^(1/2))*((d-d*2^(1/2))*a^(1/2)+e*c^(1/2))/a^(3/8)/c^(9/8)/(4+2*2^(1/2))^(1/2)
```

Rubi [A] time = 1.44, antiderivative size = 753, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {1394, 1503, 1415, 1169, 634, 618, 204, 628}

$$\frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(-\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}} + \frac{(\sqrt{a}(d - \sqrt{2}d) + \sqrt{c}e) \log\left(\sqrt{2 - \sqrt{2}} \sqrt[8]{a} \sqrt[8]{c} x + \sqrt[4]{a} + \sqrt[4]{c} x^2\right)}{8\sqrt{2(2 - \sqrt{2})} a^{3/8} c^{9/8}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^4)/(c + a/x^8), x]

```
[Out] (d*x)/c + (Sqrt[2 - Sqrt[2]]*((1 + Sqrt[2])*Sqrt[a]*d + Sqrt[c]*e)*ArcTan[(Sqrt[2 - Sqrt[2]]*a^(1/8) - 2*c^(1/8)*x)/(Sqrt[2 + Sqrt[2]]*a^(1/8))])/(8*a^(3/8)*c^(9/8)) - (Sqrt[2 + Sqrt[2]]*(Sqrt[a]*(d - Sqrt[2]*d) + Sqrt[c]*e)*ArcTan[(Sqrt[2 + Sqrt[2]]*a^(1/8) - 2*c^(1/8)*x)/(Sqrt[2 - Sqrt[2]]*a^(1/8))])/(8*a^(3/8)*c^(9/8)) - (Sqrt[2 - Sqrt[2]]*((1 + Sqrt[2])*Sqrt[a]*d + Sqrt[c]*e)*ArcTan[(Sqrt[2 - Sqrt[2]]*a^(1/8) + 2*c^(1/8)*x)/(Sqrt[2 + Sqrt[2]]*a^(1/8))])/(8*a^(3/8)*c^(9/8)) + (Sqrt[2 + Sqrt[2]]*(Sqrt[a]*(d - Sqrt[2]*d) + Sqrt[c]*e)*ArcTan[(Sqrt[2 + Sqrt[2]]*a^(1/8) + 2*c^(1/8)*x)/(Sqrt[2 - Sqrt[2]]*a^(1/8))])/(8*a^(3/8)*c^(9/8)) - ((Sqrt[a]*(d - Sqrt[2]*d) + Sqrt[c]*e)*Log[a^(1/4) - Sqrt[2 - Sqrt[2]]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2])/(8*Sqrt[2*(2 - Sqrt[2])]*a^(3/8)*c^(9/8)) + ((Sqrt[a]*(d - Sqrt[2]*d) + Sqrt[c]*e)*Log[a^(1/4) + Sqrt[2 - Sqrt[2]]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2])/(8*Sqrt[2*(2 - Sqrt[2])]*a^(3/8)*c^(9/8)) + (((1 + Sqrt[2])*Sqrt[a]*d + Sqrt[c]*e)*Log[a^(1/4) - Sqrt[2 + Sqrt[2]]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2])/(8*Sqrt[2*(2 + Sqrt[2])]*a^(3/8)*c^(9/8)) - (((1 + Sqrt[2])*Sqrt[a]*d + Sqrt[c]*e)*Log[a^(1/4) + Sqrt[2 + Sqrt[2]]*a^(1/8)*c^(1/8)*x + c^(1/4)*x^2])/(8*Sqrt[2*(2 + Sqrt[2])]*a^(3/8)*c^(9/8))
```

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 628

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]

Rule 634

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

Rule 1169

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

Rule 1394

Int[((a_) + (c_)*(x_)^(n2_))^(p_)*((d_) + (e_)*(x_)^(n_))^(q_), x_Symbol] := Int[x^(n*(2*p + q))*(e + d/x^n)^q*(c + a/x^(2*n))^p, x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IntegersQ[p, q] && NegQ[n]

Rule 1415

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[a/c, 4]}, Dist[1/(2*Sqrt[2]*c*q^3), Int[(Sqrt[2]*d*q - (d - e*q^2)*x^(n/2))/(q^2 - Sqrt[2]*q*x^(n/2) + x^n), x], x] + Dist[1/(2*Sqrt[2]*c*q^3), Int[(Sqrt[2]*d*q + (d - e*q^2)*x^(n/2))/(q^2 + Sqrt[2]*q*x^(n/2) + x^n), x], x]] /; FreeQ[{a, c, d, e}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && NeQ[c*d^2 - a*e^2, 0] && IGtQ[n/2, 0] && PosQ[a*c]

Rule 1503

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^(n_))*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Simp[(e*f^(n - 1)*(f*x)^(m - n + 1)*(a + c*x^(2*n))^(p + 1))/(c*(m + n*(2*p + 1) + 1)), x] - Dist[f^n/(c*(m + n*(2*p + 1) + 1)), Int[(f*x)^(m - n)*(a + c*x^(2*n))^p*(a*e*(m - n + 1) - c*d*(m + n*(2*p + 1) + 1)*x^n), x], x] /; FreeQ[{a, c, d, e, f, p}, x] && EqQ[n2, 2*n] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*(2*p + 1) + 1, 0] && IntegerQ[p]

Rubi steps

$$\begin{aligned}
\int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8}} dx &= \int \frac{x^4 (e + dx^4)}{a + cx^8} dx \\
&= \frac{dx}{c} - \frac{\int \frac{ad - cex^4}{a + cx^8} dx}{c} \\
&= \frac{dx}{c} - \frac{\int \frac{\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} + (-ad - \sqrt{a}\sqrt{c}e)x^2}{\frac{\sqrt{a}}{\sqrt{c}} - \frac{\sqrt{2}\sqrt[4]{a}x^2}{\sqrt[4]{c}} + x^4} dx}{2\sqrt{2}a^{3/4}c^{5/4}} - \frac{\int \frac{\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} + (ad + \sqrt{a}\sqrt{c}e)x^2}{\frac{\sqrt{a}}{\sqrt{c}} + \frac{\sqrt{2}\sqrt[4]{a}x^2}{\sqrt[4]{c}} + x^4} dx}{2\sqrt{2}a^{3/4}c^{5/4}} \\
&= \frac{dx}{c} - \frac{\int \frac{\frac{\sqrt{2(2-\sqrt{2})}a^{11/8}d}{c^{3/8}} - \left(\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} - \frac{\sqrt[4]{a}(ad + \sqrt{a}\sqrt{c}e)}{\sqrt[4]{c}}\right)x}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} - \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2}(2-\sqrt{2})a^{9/8}c^{7/8}} - \frac{\int \frac{\frac{\sqrt{2(2-\sqrt{2})}a^{11/8}d}{c^{3/8}} + \left(\frac{\sqrt{2}a^{5/4}d}{\sqrt[4]{c}} - \frac{\sqrt[4]{a}(ad + \sqrt{a}\sqrt{c}e)}{\sqrt[4]{c}}\right)x}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} + \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{4\sqrt{2}(2-\sqrt{2})a^{9/8}c^{7/8}} \\
&= \frac{dx}{c} - \frac{((1+\sqrt{2})\sqrt{a}d + \sqrt{c}e) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} - \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2}\sqrt[4]{a}c^{5/4}} - \frac{((1+\sqrt{2})\sqrt{a}d + \sqrt{c}e) \int \frac{1}{\frac{\sqrt[4]{a}}{\sqrt[4]{c}} + \frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a}x}{\sqrt[8]{c}} + x^2} dx}{8\sqrt{2}\sqrt[4]{a}c^{5/4}} \\
&= \frac{dx}{c} - \frac{((1-\sqrt{2})\sqrt{a}d + \sqrt{c}e) \log\left(\frac{\sqrt[4]{a} - \sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x + \sqrt[4]{c}x^2}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}}\right)}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}} + \frac{((1-\sqrt{2})\sqrt{a}d + \sqrt{c}e) \log\left(\frac{\sqrt[4]{a} + \sqrt{2-\sqrt{2}}\sqrt[8]{a}\sqrt[8]{c}x + \sqrt[4]{c}x^2}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}}\right)}{8\sqrt{2}(2-\sqrt{2})a^{3/8}c^{9/8}} \\
&= \frac{dx}{c} + \frac{((1+\sqrt{2})\sqrt{a}d + \sqrt{c}e) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a} - 2\sqrt[8]{c}x}{\sqrt{2+\sqrt{2}}\sqrt[8]{a}}\right)}{4\sqrt{2}(2+\sqrt{2})a^{3/8}c^{9/8}} - \frac{\sqrt{2+\sqrt{2}}((1-\sqrt{2})\sqrt{a}d + \sqrt{c}e) \tan^{-1}\left(\frac{\sqrt{2-\sqrt{2}}\sqrt[8]{a} - 2\sqrt[8]{c}x}{\sqrt{2+\sqrt{2}}\sqrt[8]{a}}\right)}{8a^{3/8}c^{9/8}}
\end{aligned}$$

Mathematica [A] time = 0.90, size = 551, normalized size = 0.73

$$\log\left(2\sqrt[8]{a}\sqrt[8]{c}x\sin\left(\frac{\pi}{8}\right) + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)\left(a^{5/8}ce\cos\left(\frac{\pi}{8}\right) - a^{9/8}\sqrt{c}d\sin\left(\frac{\pi}{8}\right)\right) + \log\left(-2\sqrt[8]{a}\sqrt[8]{c}x\sin\left(\frac{\pi}{8}\right) + \sqrt[4]{a} + \sqrt[4]{c}x^2\right)\left(a^{5/8}ce\cos\left(\frac{\pi}{8}\right) - a^{9/8}\sqrt{c}d\sin\left(\frac{\pi}{8}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^4)/(c + a/x^8), x]

[Out] (8*a*c^(5/8)*d*x + 2*ArcTan[Cot[Pi/8] + (c^(1/8)*x*Csc[Pi/8])/a^(1/8)]*(a^(5/8)*c*e*Cos[Pi/8] - a^(9/8)*Sqrt[c]*d*Sin[Pi/8]) + Log[a^(1/4) + c^(1/4)*x^2 + 2*a^(1/8)*c^(1/8)*x*Sin[Pi/8]]*(a^(5/8)*c*e*Cos[Pi/8] - a^(9/8)*Sqrt[c]*d*Sin[Pi/8]) + 2*ArcTan[Cot[Pi/8] - (c^(1/8)*x*Csc[Pi/8])/a^(1/8)]*(-(a^(5/8)*c*e*Cos[Pi/8]) + a^(9/8)*Sqrt[c]*d*Sin[Pi/8]) + Log[a^(1/4) + c^(1/4)*x^2 - 2*a^(1/8)*c^(1/8)*x*Sin[Pi/8]]*(-(a^(5/8)*c*e*Cos[Pi/8]) + a^(9/8)*Sqrt[c]*d*Sin[Pi/8]) - 2*ArcTan[(c^(1/8)*x*Sec[Pi/8])/a^(1/8) - Tan[Pi/8]]*(a^(9/8)*Sqrt[c]*d*Cos[Pi/8] + a^(5/8)*c*e*Sin[Pi/8]) - 2*ArcTan[(c^(1/8)*x*Sec[Pi/8])/a^(1/8) + Tan[Pi/8]]*(a^(9/8)*Sqrt[c]*d*Cos[Pi/8] + a^(5/8)*c*e*Sin[Pi/8]) + Log[a^(1/4) + c^(1/4)*x^2 - 2*a^(1/8)*c^(1/8)*x*Cos[Pi/8]]*(a^(9/8)*Sqrt[c]*d*Cos[Pi/8] + a^(5/8)*c*e*Sin[Pi/8]) - Log[a^(1/4) + c^(1/4)*x^2 + 2*a^(1/8)*c^(1/8)*x*Cos[Pi/8]]*(a^(9/8)*Sqrt[c]*d*Cos[Pi/8] + a^(5/8)*c*e*Sin[Pi/8])/(8*a*c^(13/8))

fricas [B] time = 1.95, size = 3378, normalized size = 4.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8),x, algorithm="fricas")

[Out]
$$-1/8*(4*c*(-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)) - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{1/4}*\arctan(-((3*a^4*c^4*d^6*e - 19*a^3*c^5*d^4*e^3 + 9*a^2*c^6*d^2*e^5 - a*c^7*e^7 + (a^4*c^8*d^3 - 3*a^3*c^9*d*e^2)*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)}))*\sqrt{((a^4*d^8 - 4*a^3*c*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a*c^3*d^2*e^6 + c^4*e^8)*x^2 - (2*a^3*c^7*d*e*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - a^4*c^2*d^6 + 7*a^3*c^3*d^4*e^2 - 7*a^2*c^4*d^2*e^4 + a*c^5*e^6)*\sqrt{-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4)))/(a^4*d^8 - 4*a^3*c*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a*c^3*d^2*e^6 + c^4*e^8))*\sqrt{-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4)} - ((a^4*c^8*d^3 - 3*a^3*c^9*d*e^2)*x*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + (3*a^4*c^4*d^6*e - 19*a^3*c^5*d^4*e^3 + 9*a^2*c^6*d^2*e^5 - a*c^7*e^7)*x)*\sqrt{-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4)})*(-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{1/4}/(a^5*d^{10} - 3*a^4*c*d^8*e^2 - 14*a^3*c^2*d^6*e^4 - 14*a^2*c^3*d^4*e^6 - 3*a*c^4*d^2*e^8 + c^5*e^{10})) - 4*c*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{1/4}*\arctan(((3*a^4*c^4*d^6*e - 19*a^3*c^5*d^4*e^3 + 9*a^2*c^6*d^2*e^5 - a*c^7*e^7 - (a^4*c^8*d^3 - 3*a^3*c^9*d*e^2)*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)}))*\sqrt{((a^4*d^8 - 4*a^3*c*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a*c^3*d^2*e^6 + c^4*e^8)*x^2 + (2*a^3*c^7*d*e*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + a^4*c^2*d^6 - 7*a^3*c^3*d^4*e^2 + 7*a^2*c^4*d^2*e^4 - a*c^5*e^6)*\sqrt{((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4)))/(a^4*d^8 - 4*a^3*c*d^6*e^2 - 10*a^2*c^2*d^4*e^4 - 4*a*c^3*d^2*e^6 + c^4*e^8))*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{3/4} + ((a^4*c^8*d^3 - 3*a^3*c^9*d*e^2)*x*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - (3*a^4*c^4*d^6*e - 19*a^3*c^5*d^4*e^3 + 9*a^2*c^6*d^2*e^5 - a*c^7*e^7)*x)*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{3/4})/(a^5*d^{10} - 3*a^4*c*d^8*e^2 - 14*a^3*c^2*d^6*e^4 - 14*a^2*c^3*d^4*e^6 - 3*a*c^4*d^2*e^8 + c^5*e^{10})) + c*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{1/4}*\log((a^3*d^6 - 5*a^2*c*d^4*e^2 - 5*a*c^2*d^2*e^4 + c^3*e^6)*x + (a^2*c^6*e*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + a^3*c*d^5 - 6*a^2*c^2*d^3*e^2 + a*c^3*d*e^4)*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{1/4}) - c*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{1/4}*\log((a^3*d^6 - 5*a^2*c*d^4*e^2 - 5*a*c^2*d^2*e^4 + c^3*e^6)*x - (a^2*c^6*e*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + a^3*c*d^5 - 6*a^2*c^2*d^3*e^2 + a*c^3*d*e^4)/(a^3*c^9)) + a^3*c*d^5 - 6*a^2*c^2*d^3*e^2 + a*c^3*d*e^4)$$

$e^2 + a*c^3*d*e^4)*((a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} + 4*a*d^3*e - 4*c*d*e^3)/(a*c^4))^{(1/4)} - c*(-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{(1/4)}*\log((a^3*d^6 - 5*a^2*c*d^4*e^2 - 5*a*c^2*d^2*e^4 + c^3*e^6)*x + (a^2*c^6*e*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - a^3*c*d^5 + 6*a^2*c^2*d^3*e^2 - a*c^3*d*e^4)*(-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{(1/4)}) + c*(-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{(1/4)}*\log((a^3*d^6 - 5*a^2*c*d^4*e^2 - 5*a*c^2*d^2*e^4 + c^3*e^6)*x - (a^2*c^6*e*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - a^3*c*d^5 + 6*a^2*c^2*d^3*e^2 - a*c^3*d*e^4)*(-(a*c^4*\sqrt{-(a^4*d^8 - 12*a^3*c*d^6*e^2 + 38*a^2*c^2*d^4*e^4 - 12*a*c^3*d^2*e^6 + c^4*e^8)/(a^3*c^9)} - 4*a*d^3*e + 4*c*d*e^3)/(a*c^4))^{(1/4)}) - 8*d*x)/c$

giac [A] time = 0.81, size = 647, normalized size = 0.86

$$\frac{dx}{c} - \frac{\left(c\sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{5}{8}} e + ad\sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}\right) \arctan\left(\frac{2x + \sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8ac} - \frac{\left(c\sqrt{-\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{5}{8}} e + ad\sqrt{\sqrt{2} + 2} \left(\frac{a}{c}\right)^{\frac{1}{8}}\right)}{8ac}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8),x, algorithm="giac")

[Out] $d*x/c - 1/8*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{(5/8)}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)})*\arctan((2*x + \sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)})/(\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)}))/(a*c) - 1/8*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{(5/8)}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)})*\arctan((2*x - \sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)})/(\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)}))/(a*c) + 1/8*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{(5/8)}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)})*\arctan((2*x + \sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)})/(\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)}))/(a*c) + 1/8*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{(5/8)}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)})*\arctan((2*x - \sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)})/(\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)}))/(a*c) - 1/16*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{(5/8)}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)})*\log(x^2 + x*\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)} + (a/c)^{(1/4)))/(a*c) + 1/16*(c*\sqrt{-\sqrt{2} + 2}*(a/c)^{(5/8)}*e + a*d*\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)})*\log(x^2 - x*\sqrt{\sqrt{2} + 2}*(a/c)^{(1/8)} + (a/c)^{(1/4)))/(a*c) + 1/16*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{(5/8)}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)})*\log(x^2 + x*\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)} + (a/c)^{(1/4)))/(a*c) - 1/16*(c*\sqrt{\sqrt{2} + 2}*(a/c)^{(5/8)}*e - a*d*\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)})*\log(x^2 - x*\sqrt{-\sqrt{2} + 2}*(a/c)^{(1/8)} + (a/c)^{(1/4)))/(a*c)$

maple [C] time = 0.00, size = 45, normalized size = 0.06

$$\frac{dx}{c} + \frac{\left(\text{RootOf}(-Z^8c + a)^4 ce - ad\right) \ln\left(-\text{RootOf}(-Z^8c + a) + x\right)}{8c^2 \text{RootOf}(-Z^8c + a)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^4)/(c+a/x^8),x)

[Out] $1/c*d*x + 1/8/c^2*\sum((_R^4*c*e - a*d)/_R^7*\ln(-_R + x), _R = \text{RootOf}(-Z^8*c + a))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{\left(c\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{5}{8}}e+ad\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}} \right) \arctan\left(\frac{2x+\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8a} - \frac{\left(c\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{5}{8}}e+ad\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}} \right) \arctan\left(\frac{2x-\sqrt{-\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}{\sqrt{\sqrt{2}+2}\left(\frac{a}{c}\right)^{\frac{1}{8}}}\right)}{8a} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8),x, algorithm="maxima")

[Out] d*x/c + integrate((c*e*x^4 - a*d)/(c*x^8 + a), x)/c

mupad [B] time = 1.22, size = 2520, normalized size = 3.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^4)/(c + a/x^8),x)

[Out] (atan((a^3*d^6*x - c^3*e^6*x - a*c^2*d^2*e^4*x + a^2*c*d^4*e^2*x + (2*d*e*x*(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a*c^4)))/(a^2*c^6*e*(-(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(5/4) - a^3*c*d^5*(-(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4) + 2*a^2*c^2*d^3*e^2*(-(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4) + 3*a*c^3*d*e^4*(-(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4)))*(-(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) + 4*a^2*c^6*d*e^3 - 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4))/4 - (atan((c^3*e^6*x - a^3*d^6*x + a*c^2*d^2*e^4*x - a^2*c*d^4*e^2*x + (2*d*e*x*(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a*c^4)))/(a^2*c^6*e*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(5/4) - a^3*c*d^5*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4) + 2*a^2*c^2*d^3*e^2*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4) + 3*a*c^3*d*e^4*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4)))/4 + atan((c^3*e^6*x*1i - a^3*d^6*x*1i + a*c^2*d^2*e^4*x*1i - a^2*c*d^4*e^2*x*1i + (d*e*x*(a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))*2i)/(a*c^4)))/(a^2*c^6*e*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(5/4) - a^3*c*d^5*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4) + 2*a^2*c^2*d^3*e^2*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4) + 3*a*c^3*d*e^4*((a^2*d^4*(-a^3*c^9)^(1/2) + c^2*e^4*(-a^3*c^9)^(1/2) - 4*a^2*c^6*d*e^3 + 4*a^3*c^5*d^3*e - 6*a*c*d^2*e^2*(-a^3*c^9)^(1/2)))/(a^3*c^9))^(1/4)))/(4096*a^3*c^9))^(1/4)*2i - atan((a^3*d^6*x*1i - c^3*e^6*x*1i - a

$$c^2 d^2 e^4 x^{1i} + a^2 c d^4 e^2 x^{1i} + (d e x (a^2 d^4 (-a^3 c^9)^{1/2} + c^2 e^4 (-a^3 c^9)^{1/2} + 4 a^2 c^6 d e^3 - 4 a^3 c^5 d^3 e - 6 a c d^2 e^2 (-a^3 c^9)^{1/2}) * 2i) / (a c^4) / (a^2 c^6 e (-a^2 d^4 (-a^3 c^9)^{1/2} + c^2 e^4 (-a^3 c^9)^{1/2} + 4 a^2 c^6 d e^3 - 4 a^3 c^5 d^3 e - 6 a c d^2 e^2 (-a^3 c^9)^{1/2}) / (a^3 c^9))^{5/4} - a^3 c d^5 (-a^2 d^4 (-a^3 c^9)^{1/2} + c^2 e^4 (-a^3 c^9)^{1/2} + 4 a^2 c^6 d e^3 - 4 a^3 c^5 d^3 e - 6 a c d^2 e^2 (-a^3 c^9)^{1/2}) / (a^3 c^9))^{1/4} + 2 a^2 c^2 d^3 e^2 (-a^2 d^4 (-a^3 c^9)^{1/2} + c^2 e^4 (-a^3 c^9)^{1/2} + 4 a^2 c^6 d e^3 - 4 a^3 c^5 d^3 e - 6 a c d^2 e^2 (-a^3 c^9)^{1/2}) / (a^3 c^9))^{1/4} + 3 a c^3 d e^4 (-a^2 d^4 (-a^3 c^9)^{1/2} + c^2 e^4 (-a^3 c^9)^{1/2} + 4 a^2 c^6 d e^3 - 4 a^3 c^5 d^3 e - 6 a c d^2 e^2 (-a^3 c^9)^{1/2}) / (a^3 c^9))^{1/4} * (-a^2 d^4 (-a^3 c^9)^{1/2} + c^2 e^4 (-a^3 c^9)^{1/2} + 4 a^2 c^6 d e^3 - 4 a^3 c^5 d^3 e - 6 a c d^2 e^2 (-a^3 c^9)^{1/2}) / (4096 a^3 c^9))^{1/4} * 2i + (d x) / c$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x**4)/(c+a/x**8),x)

[Out] Timed out

$$3.41 \quad \int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8} + \frac{b}{x^4}} dx$$

Optimal. Leaf size=433

$$\frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{-\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(-\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(\sqrt{b^2-4ac} - b\right)^{3/4}}$$

[Out] $d*x/c+1/4*\arctan(2^{(1/4)*c^{(1/4)*x}/(-b-(-4*a*c+b^2)^{(1/2)})^{(1/4)})*(b*d-c*e+(-2*a*c*d+b^2*d-b*c*e)/(-4*a*c+b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b-(-4*a*c+b^2)^{(1/2)})^{(3/4)}+1/4*\operatorname{arctanh}(2^{(1/4)*c^{(1/4)*x}/(-b-(-4*a*c+b^2)^{(1/2)})^{(1/4)})*(b*d-c*e+(-2*a*c*d+b^2*d-b*c*e)/(-4*a*c+b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b-(-4*a*c+b^2)^{(1/2)})^{(3/4)}+1/4*\arctan(2^{(1/4)*c^{(1/4)*x}/(-b+(-4*a*c+b^2)^{(1/2)})^{(1/4)})*(b*d-c*e+(2*a*c*d-b^2*d+b*c*e)/(-4*a*c+b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b+(-4*a*c+b^2)^{(1/2)})^{(3/4)}+1/4*\operatorname{arctanh}(2^{(1/4)*c^{(1/4)*x}/(-b+(-4*a*c+b^2)^{(1/2)})^{(1/4)})*(b*d-c*e+(2*a*c*d-b^2*d+b*c*e)/(-4*a*c+b^2)^{(1/2)})*2^{(3/4)}/c^{(5/4)}/(-b+(-4*a*c+b^2)^{(1/2)})^{(3/4)})$

Rubi [A] time = 0.99, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {1393, 1502, 1422, 212, 208, 205}

$$\frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{-\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(-\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(-\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(\sqrt{b^2-4ac} - b\right)^{3/4}} + \frac{\left(\frac{-2acd+b^2d-bce}{\sqrt{b^2-4ac}} + bd - ce\right) \tan^{-1}\left(\frac{\sqrt[4]{2} \sqrt[4]{cx}}{\sqrt[4]{\sqrt{b^2-4ac}-b}}\right)}{2\sqrt[4]{2} c^{5/4} \left(\sqrt{b^2-4ac} - b\right)^{3/4}}$$

Antiderivative was successfully verified.

[In] Int[(d + e/x^4)/(c + a/x^8 + b/x^4), x]

[Out] $(d*x)/c + ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(2^{(1/4)*c^{(1/4)*x}/(-b - \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}})]/(2*2^{(1/4)*c^{(5/4)*(-b - \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}}) + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(2^{(1/4)*c^{(1/4)*x}/(-b + \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}})]/(2*2^{(1/4)*c^{(5/4)*(-b + \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}}) + ((b*d - c*e + (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTanh}[(2^{(1/4)*c^{(1/4)*x}/(-b - \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}})]/(2*2^{(1/4)*c^{(5/4)*(-b - \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}}) + ((b*d - c*e - (b^2*d - 2*a*c*d - b*c*e)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTanh}[(2^{(1/4)*c^{(1/4)*x}/(-b + \text{Sqrt}[b^2 - 4*a*c])^{(1/4)}})]/(2*2^{(1/4)*c^{(5/4)*(-b + \text{Sqrt}[b^2 - 4*a*c])^{(3/4)}})$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{!GtQ}[a/b, 0]$

Rule 1393

$\text{Int}[(a_ + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_)*((d_ + (e_)*(x_)^(n_))^(q_), x_Symbol] :> \text{Int}[x^(n*(2*p + q))*(e + d/x^n)^q*(c + b/x^n + a/x^(2*n))^p, x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{IntegersQ}[p, q] \&\& \text{NegQ}[n]$

Rule 1422

$\text{Int}[(d_ + (e_)*(x_)^(n_))/((a_ + (b_)*(x_)^(n_)) + (c_)*(x_)^(n2_)), x_Symbol] :> \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^n), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^n), x], x]] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& (\text{PosQ}[b^2 - 4*a*c] || \text{!IGtQ}[n/2, 0])$

Rule 1502

$\text{Int}[(f_)*(x_)^(m_)*((d_ + (e_)*(x_)^(n_))*((a_ + (b_)*(x_)^(n_)) + (c_)*(x_)^(n2_)))^(p_), x_Symbol] :> \text{Simp}[(e*f^(n - 1)*(f*x)^(m - n + 1)*(a + b*x^n + c*x^(2*n))^(p + 1))/(c*(m + n*(2*p + 1) + 1)), x] - \text{Dist}[f^n/(c*(m + n*(2*p + 1) + 1)), \text{Int}[(f*x)^(m - n)*(a + b*x^n + c*x^(2*n))^p*\text{Simp}[a*e*(m - n + 1) + (b*e*(m + n*p + 1) - c*d*(m + n*(2*p + 1) + 1))*x^n, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, p\}, x] \&\& \text{EqQ}[n2, 2*n] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{GtQ}[m, n - 1] \&\& \text{NeQ}[m + n*(2*p + 1) + 1, 0] \&\& \text{IntegerQ}[p]$

Rubi steps

$$\begin{aligned} \int \frac{d + \frac{e}{x^4}}{c + \frac{a}{x^8} + \frac{b}{x^4}} dx &= \int \frac{x^4(e + dx^4)}{a + bx^4 + cx^8} dx \\ &= \frac{dx}{c} - \frac{\int \frac{ad+(bd-ce)x^4}{a+bx^4+cx^8} dx}{c} \\ &= \frac{dx}{c} - \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}-\frac{1}{2}\sqrt{b^2-4ac}+cx^4} dx}{2c} - \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\frac{b}{2}+\frac{1}{2}\sqrt{b^2-4ac}+cx^4} dx}{2c} \\ &= \frac{dx}{c} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{-b+\sqrt{b^2-4ac}}-\sqrt{2}\sqrt{cx^2}} dx}{2c\sqrt{-b+\sqrt{b^2-4ac}}} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \int \frac{1}{\sqrt{-b+\sqrt{b^2-4ac}}+\sqrt{2}\sqrt{cx^2}} dx}{2c\sqrt{-b+\sqrt{b^2-4ac}}} \\ &= \frac{dx}{c} + \frac{\left(bd - ce + \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt[4]{2}\sqrt[4]{cx}}{\sqrt[4]{-b-\sqrt{b^2-4ac}}}\right)}{2\sqrt[4]{2}c^{5/4}\left(-b-\sqrt{b^2-4ac}\right)^{3/4}} + \frac{\left(bd - ce - \frac{b^2d-2acd-bce}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt[4]{2}\sqrt[4]{cx}}{\sqrt[4]{-b+\sqrt{b^2-4ac}}}\right)}{2\sqrt[4]{2}c^{5/4}\left(-b+\sqrt{b^2-4ac}\right)^{3/4}} \end{aligned}$$

Mathematica [C] time = 0.07, size = 88, normalized size = 0.20

$$\frac{dx}{c} - \frac{\text{RootSum}\left[\#1^8c + \#1^4b + a\&, \frac{\#1^4bd \log(x-\#1) - \#1^4ce \log(x-\#1) + ad \log(x-\#1)}{2\#1^7c + \#1^3b}\&]\right]}{4c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e/x^4)/(c + a/x^8 + b/x^4),x]

[Out] (d*x)/c - RootSum[a + b*#1^4 + c*#1^8 & , (a*d*Log[x - #1] + b*d*Log[x - #1] *#1^4 - c*e*Log[x - #1]*#1^4)/(b*#1^3 + 2*c*#1^7) &]/(4*c)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8+b/x^4),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8+b/x^4),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Evaluation time: 6.98Unable to convert to real 1/4 Error: Bad Argument Value

maple [C] time = 0.01, size = 67, normalized size = 0.15

$$\frac{dx}{c} + \frac{\left((-bd + ce) \operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right)^4 - ad\right) \ln\left(-\operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right) + x\right)}{4c \left(2 \operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right)^7 c + \operatorname{RootOf}\left(-Z^8c + b_Z^4 + a\right)^3 b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e/x^4)/(c+a/x^8+b/x^4),x)

[Out] 1/c*d*x+1/4/c*sum(((b*d+c*e)*_R^4-a*d)/(2*_R^7*c+_R^3*b)*ln(-_R+x),_R=RootOf(-Z^8*c+_Z^4*b+a))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{dx}{c} + \frac{-\int \frac{(bd-ce)x^4+ad}{cx^8+bx^4+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x^4)/(c+a/x^8+b/x^4),x, algorithm="maxima")

[Out] d*x/c + integrate(-((b*d - c*e)*x^4 + a*d)/(c*x^8 + b*x^4 + a), x)/c

mupad [B] time = 9.24, size = 50213, normalized size = 115.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e/x^4)/(c + a/x^8 + b/x^4),x)

[Out] atan((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - (16*(-b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^(1/2) + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c

$$\begin{aligned}
& - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 1 \\
& 28*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 \\
& - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d \\
& ^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c \\
& ^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
&) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2) \\
& ^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - \\
& 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 32 \\
& 0*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2* \\
& d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6* \\
& c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e))/c)*(-(b^9*d^4 + b^4*d^4* \\
& (-4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + \\
& 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 \\
& - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^ \\
& 3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7 \\
& *c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a \\
& *c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4* \\
& d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3 \\
& *c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5* \\
& d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3 \\
& *e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - \\
& b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 \\
& - 256*a^3*b^2*c^8)))^{(3/4)} - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c \\
& *d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2* \\
& d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3* \\
& b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b \\
& ^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 \\
& - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c)* \\
& -(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a \\
& *c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 \\
& + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2* \\
& d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^ \\
& 2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^ \\
& 2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b \\
& ^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^ \\
& 2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + \\
& 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c \\
& ^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c \\
& ^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6* \\
& c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e \\
& ^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^ \\
& 2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2 \\
& *d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a \\
& ^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3 \\
& *d^3*e^3))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + \\
& c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16 \\
& *a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + \\
& 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4 \\
& *d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4* \\
& a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e \\
& ^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a \\
& *b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3* \\
& b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{ \\
& (1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c \\
& ^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i + (((4*x* \\
& (4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b
\end{aligned}$$

$$\begin{aligned}
& ^3c^5d^2 + 256a^2b^5c^5e^2 - 2048a^3b^3c^6e^2 - 16384a^5c^7d^2e \\
& - 1024a^3b^4c^5d^2e + 8192a^4b^2c^6d^2e)/c + (16*(-(b^9d^4 + b^4d \\
& ^4*(-(4ac - b^2)^5)^{1/2} + b^5c^4e^4 + c^4e^4*(-(4ac - b^2)^5)^{1/2} \\
&) + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^2e \\
& ^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2d^4 - 120a^3b^3 \\
& *c^3d^4 + a^2c^2d^4*(-(4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13ab^7 \\
& *c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2*(-(4 \\
& ac - b^2)^5)^{1/2} - 3ab^2c^3d^4*(-(4ac - b^2)^5)^{1/2} + 40ab^4c \\
& ^4d^2e^3 + 48ab^6c^2d^3e - 4b^3c^3d^2e^3*(-(4ac - b^2)^5)^{1/2} - 4 \\
& b^3c^3d^3e*(-(4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^2c \\
& ^5d^2e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4 \\
& d^3e - 6ac^3d^2e^2*(-(4ac - b^2)^5)^{1/2} + 8ab^3c^2d^3e*(-(4ac \\
& - b^2)^5)^{1/2})/(512*(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c \\
& ^7 - 256a^3b^2c^8)))^{1/4}*(16384a^5c^8e - 256a^2b^6c^5e + 3072a \\
& ^3b^4c^6e - 12288a^4b^2c^7e)/c*(-(b^9d^4 + b^4d^4*(-(4ac - b^2 \\
&)^5)^{1/2} + b^5c^4e^4 + c^4e^4*(-(4ac - b^2)^5)^{1/2} + 80a^4b^3c^4 \\
& d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^2e^3 - 128a^4c^5 \\
& d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^ \\
& ^2d^4*(-(4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13ab^7c^4d^4 - 4b^8 \\
& *c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2*(-(4ac - b^2)^5)^{1/2} \\
& - 3ab^2c^3d^4*(-(4ac - b^2)^5)^{1/2} + 40ab^4c^4d^2e^3 + 48ab \\
& ^6c^2d^3e - 4b^3c^3d^2e^3*(-(4ac - b^2)^5)^{1/2} - 4b^3c^3d^3e*(-(4 \\
& ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^2e^3 - 200a^ \\
& ^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6ac^3d \\
& ^2e^2*(-(4ac - b^2)^5)^{1/2} + 8ab^3c^2d^3e*(-(4ac - b^2)^5)^{1/2}) \\
& /((512*(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2 \\
& c^8)))^{3/4} + (16*(a^3b^6d^5 - 4a^6c^3d^5 - 7a^4b^4c^3d^5 + 4a^3b \\
& *c^5e^5 - a^2b^7d^4e + 12a^4c^5d^2e^4 + 13a^5b^2c^2d^5 - a^2b^3 \\
& c^4e^5 + 8a^5c^4d^3e^2 - 6a^2b^5c^2d^2e^3 + 32a^3b^3c^3d^2e^ \\
& ^3 - 22a^3b^4c^2d^3e^2 + 22a^4b^2c^3d^3e^2 + 4a^3b^5c^3d^4e - 2 \\
& 0a^5b^3c^3d^4e + 4a^2b^4c^3d^2e^4 + 4a^2b^6c^3d^3e^2 - 19a^3b^2 \\
& c^4d^2e^4 - 32a^4b^3c^4d^2e^3 + 5a^4b^3c^2d^4e)/c*(-(b^9d^4 + b^ \\
& ^4d^4*(-(4ac - b^2)^5)^{1/2} + b^5c^4e^4 + c^4e^4*(-(4ac - b^2)^5)^{1/2} \\
&) + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6 \\
& d^2e^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2d^4 - 120a^3 \\
& b^3c^3d^4 + a^2c^2d^4*(-(4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13 \\
& ab^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2 \\
& *(-(4ac - b^2)^5)^{1/2} - 3ab^2c^3d^4*(-(4ac - b^2)^5)^{1/2} + 40ab^4 \\
& c^4d^2e^3 + 48ab^6c^2d^3e - 4b^3c^3d^2e^3*(-(4ac - b^2)^5)^{1/2} - \\
& 4b^3c^3d^3e*(-(4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^ \\
& ^2c^5d^2e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c \\
& ^4d^3e - 6ac^3d^2e^2*(-(4ac - b^2)^5)^{1/2} + 8ab^3c^2d^3e*(-(4 \\
& ac - b^2)^5)^{1/2})/(512*(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^ \\
& ^4c^7 - 256a^3b^2c^8)))^{1/4} + (4*x*(a^4b^4d^6 + 2a^6c^2d^6 - 2a^ \\
& ^3c^5e^6 - 4a^5b^2c^3d^6 - 2a^3b^5d^5e + a^2b^2c^4e^6 + a^2b^6d \\
& ^4e^2 - 2a^4c^4d^2e^4 + 2a^5c^3d^4e^2 + 6a^2b^4c^2d^2e^4 - 16 \\
& a^3b^2c^3d^2e^4 + 8a^3b^3c^2d^3e^3 - 17a^4b^2c^2d^4e^2 + 10 \\
& a^3b^3c^4d^2e^5 + 6a^4b^3c^3d^5e + 2a^5b^3c^2d^5e - 4a^2b^3c^3d^2e \\
& ^5 - 4a^2b^5c^3d^3e^3 + 2a^3b^4c^3d^4e^2 + 12a^4b^3c^3d^3e^3))/c* \\
& (- (b^9d^4 + b^4d^4*(-(4ac - b^2)^5)^{1/2} + b^5c^4e^4 + c^4e^4*(-(4 \\
& ac - b^2)^5)^{1/2} + 80a^4b^3c^4d^4 - 8ab^3c^5e^4 + 16a^2b^3c^6e^4 \\
& + 128a^3c^6d^2e^3 - 128a^4c^5d^3e - 4b^6c^3d^2e^3 + 61a^2b^5c^2 \\
& d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4*(-(4ac - b^2)^5)^{1/2} + 6b^7c^ \\
& ^2d^2e^2 - 13ab^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b \\
& ^2c^2d^2e^2*(-(4ac - b^2)^5)^{1/2} - 3ab^2c^3d^4*(-(4ac - b^2)^5)^{1/2} \\
& + 40ab^4c^4d^2e^3 + 48ab^6c^2d^3e - 4b^3c^3d^2e^3*(-(4ac - \\
& b^2)^5)^{1/2} - 4b^3c^3d^3e*(-(4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e \\
& ^2 - 128a^2b^2c^5d^2e^3 - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 \\
& + 320a^3b^2c^4d^3e - 6ac^3d^2e^2*(-(4ac - b^2)^5)^{1/2} + 8ab^3
\end{aligned}$$

$$\begin{aligned}
& c^2 d^3 e^* (- (4 a^* c - b^2)^5)^{(1/2)} / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^* b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(1/4)} * i) / (((((4 * x * (4096 a^5 b^* c^6 d^2 + 4096 a^4 b^* c^7 e^2 + 256 a^3 b^5 c^4 d^2 - 2048 a^4 b^3 c^5 d^2 + 256 a^2 b^5 c^5 e^2 - 2048 a^3 b^3 c^6 e^2 - 16384 a^5 c^7 d e - 1024 a^3 b^4 c^5 d e + 8192 a^4 b^2 c^6 d e)) / c - (16 * (- (b^9 d^4 + b^4 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 80 a^4 b^* c^4 d^4 - 8 a^* b^3 c^5 e^4 + 16 a^2 b^* c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^* b^7 c^* d^4 - 4 b^8 c^* d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} - 3 a^* b^2 c^* d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 40 a^* b^4 c^4 d e^3 + 48 a^* b^6 c^2 d^3 e - 4 b^* c^3 d e^3 * (- (4 a^* c - b^2)^5)^{(1/2)} - 4 b^3 c^* d^3 e * (- (4 a^* c - b^2)^5)^{(1/2)} - 66 a^* b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^* c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^* c^3 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} + 8 a^* b^* c^2 d^3 e * (- (4 a^* c - b^2)^5)^{(1/2)})) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^* b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(1/4)} * (16384 a^5 c^8 e - 256 a^2 b^6 c^5 e + 3072 a^3 b^4 c^6 e - 12288 a^4 b^2 c^7 e)) / c * (- (b^9 d^4 + b^4 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 80 a^4 b^* c^4 d^4 - 8 a^* b^3 c^5 e^4 + 16 a^2 b^* c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^* b^7 c^* d^4 - 4 b^8 c^* d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} - 3 a^* b^2 c^* d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 40 a^* b^4 c^4 d e^3 + 48 a^* b^6 c^2 d^3 e - 4 b^* c^3 d e^3 * (- (4 a^* c - b^2)^5)^{(1/2)} - 4 b^3 c^* d^3 e * (- (4 a^* c - b^2)^5)^{(1/2)} - 66 a^* b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^* c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^* c^3 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} + 8 a^* b^* c^2 d^3 e * (- (4 a^* c - b^2)^5)^{(1/2)) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^* b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(3/4)} - (16 * (a^3 b^6 d^5 - 4 a^6 c^3 d^5 - 7 a^4 b^4 c^* d^5 + 4 a^3 b^* c^5 e^5 - a^2 b^7 d^4 e + 12 a^4 c^5 d e^4 + 13 a^5 b^2 c^2 d^5 - a^2 b^3 c^4 e^5 + 8 a^5 c^4 d^3 e^2 - 6 a^2 b^5 c^2 d^2 e^3 + 32 a^3 b^3 c^3 d^2 e^3 - 22 a^3 b^4 c^2 d^3 e^2 + 22 a^4 b^2 c^3 d^3 e^2 + 4 a^3 b^5 c^* d^4 e - 20 a^5 b^* c^3 d^4 e + 4 a^2 b^4 c^3 d e^4 + 4 a^2 b^6 c^* d^3 e^2 - 19 a^3 b^2 c^4 d e^4 - 32 a^4 b^* c^4 d^2 e^3 + 5 a^4 b^3 c^2 d^4 e)) / c * (- (b^9 d^4 + b^4 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 80 a^4 b^* c^4 d^4 - 8 a^* b^3 c^5 e^4 + 16 a^2 b^* c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^* b^7 c^* d^4 - 4 b^8 c^* d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} - 3 a^* b^2 c^* d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 40 a^* b^4 c^4 d e^3 + 48 a^* b^6 c^2 d^3 e - 4 b^* c^3 d e^3 * (- (4 a^* c - b^2)^5)^{(1/2)} - 4 b^3 c^* d^3 e * (- (4 a^* c - b^2)^5)^{(1/2)} - 66 a^* b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^* c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e - 6 a^* c^3 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} + 8 a^* b^* c^2 d^3 e * (- (4 a^* c - b^2)^5)^{(1/2)) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a^* b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{(1/4)} + (4 * x * (a^4 b^4 d^6 + 2 a^6 c^2 d^6 - 2 a^3 c^5 e^6 - 4 a^5 b^2 c^* d^6 - 2 a^3 b^5 d^5 e + a^2 b^2 c^4 e^6 + a^2 b^6 d^4 e^2 - 2 a^4 c^4 d^2 e^4 + 2 a^5 c^3 d^4 e^2 + 6 a^2 b^4 c^2 d^2 e^4 - 16 a^3 b^2 c^3 d^2 e^4 + 8 a^3 b^3 c^2 d^3 e^3 - 17 a^4 b^2 c^2 d^4 e^2 + 10 a^3 b^* c^4 d e^5 + 6 a^4 b^3 c^* d^5 e + 2 a^5 b^* c^2 d^5 e - 4 a^2 b^3 c^3 d e^5 - 4 a^2 b^5 c^* d^3 e^3 + 2 a^3 b^4 c^* d^4 e^2 + 12 a^4 b^* c^3 d^3 e^3)) / c * (- (b^9 d^4 + b^4 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + b^5 c^4 e^4 + c^4 e^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 80 a^4 b^* c^4 d^4 - 8 a^* b^3 c^5 e^4 + 16 a^2 b^* c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 + a^2 c^2 d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 6 b^7 c^2 d^2 e^2 - 13 a^* b^7 c^* d^4 - 4 b^8 c^* d^3 e + 240 a^2 b^3 c^4 d^2 e^2 + 6 b^2 c^2 d^2 e^2 * (- (4 a^* c - b^2)^5)^{(1/2)} - 3 a^* b^2 c^* d^4 * (- (4 a^* c - b^2)^5)^{(1/2)} + 40 a^* b^4 c^4 d e^3 + 48 a^* b^6 c^2 d^3 e - 4 b^* c^3 d e^3 * (- (4 a^* c - b^2)^5)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
& - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} - (((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c + (16*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)} + (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4
\end{aligned}$$

$$\begin{aligned}
& *b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48 \\
& *a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 20 \\
& 0*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
&)/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)}*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4* \\
& e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e \\
& ^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^ \\
& 3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^ \\
& 3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288 \\
& *a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + \\
& b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)}*2i + \text{atan} \\
& \text{n}((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - \\
& 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384* \\
& a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - (16*(-(b^9* \\
& d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b \\
& ^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128* \\
& a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - \\
& 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2* \\
& e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2* \\
& d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + \\
& 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5) \\
& ^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 12 \\
& 8*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a \\
& ^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3 \\
& *e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 9 \\
& 6*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5 \\
& *e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e))/c*(-(b^9*d^4 - b^4*d^4*(-(\\
& 4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80 \\
& *a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 1 \\
& 28*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d \\
& ^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c* \\
& d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e \\
& ^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c* \\
& d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e \\
& ^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e \\
& + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2 \\
&)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 2 \\
& 56*a^3*b^2*c^8))^{(3/4)} - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^ \\
& 5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 \\
& - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3 \\
& *c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5* \\
& c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - \\
& 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(-(b \\
& ^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 1 \\
& 28*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 \\
& - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d \\
& ^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c \\
& ^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
&) + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)
\end{aligned}$$

$$\begin{aligned}
& ^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - \\
& 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 32 \\
& 0*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2* \\
& d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2 \\
& *d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 \\
& + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d \\
& ^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^ \\
& 4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2* \\
& b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^ \\
& 3*e^3))/c)*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^ \\
& 4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^ \\
& 2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61* \\
& a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
&) + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^ \\
& 2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3* \\
& (- (4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^ \\
& 5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c \\
& ^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/ \\
& 2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 \\
& - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i + (((4*x*(40 \\
& 96*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3* \\
& c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - \\
& 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c + (16*(-(b^9*d^4 - b^4*d^4* \\
& (- (4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + \\
& 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 \\
& - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^ \\
& 3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7 \\
& *c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a \\
& *c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4* \\
& d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3 \\
& *c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5* \\
& d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3 \\
& *e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - \\
& b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 \\
& - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3* \\
& b^4*c^6*e - 12288*a^4*b^2*c^7*e))/c)*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5 \\
&)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 \\
& - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3 \\
& *e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d \\
& ^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c* \\
& d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} \\
&) + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6* \\
& c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c \\
& - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b \\
& ^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2* \\
& e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(5 \\
& 12*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8 \\
&)))^{(3/4)} + (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^ \\
& 5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4 \\
& *e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - \\
& 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a \\
& ^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4 \\
& *d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c)*(-(b^9*d^4 - b^4*d \\
& ^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
&) + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e \\
& ^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3 \\
& *c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*
\end{aligned}$$

$$\begin{aligned} &b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(\\ &4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c \\ &^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4* \\ &b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c \\ &^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4* \\ &d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c \\ &- b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c \\ &^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c \\ &^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4* \\ &e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^ \\ &3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3 \\ &*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 \\ &- 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-(\\ &b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c \\ &- b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + \\ &128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^ \\ &4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2* \\ &d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2* \\ &c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/ \\ &2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2 \\ &)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 \\ &- 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 3 \\ &20*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2 \\ &*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 \\ &+ 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*i)/((((4*x*(4096*a^5*b*c^6*d \\ &^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256* \\ &a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c \\ &^5*d*e + 8192*a^4*b^2*c^6*d*e))/c - (16*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2 \\ &)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4* \\ &d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5* \\ &d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^ \\ &2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8 \\ &*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(\\ &1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b \\ &^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4* \\ &a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^ \\ &2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d \\ &^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)}) \\ &/ (512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2* \\ &c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12 \\ &288*a^4*b^2*c^7*e))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5* \\ &c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5 \\ &*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3 \\ &*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - \\ &b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^ \\ &2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c* \\ &d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4* \\ &b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/ \\ &2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - \\ &288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - \\ &b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^ \\ &9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)} - (1 \\ &6*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^ \\ &7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c \\ &^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^ \\ &2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e \\ &+ 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^ \\ &4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - \\ &b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c \end{aligned}$$

$$\begin{aligned}
&^4d^4 - 8ab^3c^5e^4 + 16a^2b^2c^6e^4 + 128a^3c^6de^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4de^3 + 48ab^6c^2d^3e + 4b^3cd^3e^3(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5de^3 - 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2cd^3e(-4ac - b^2)^5)^{(1/2)})/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)} + (4xx(a^4b^4d^6 + 2a^6c^2d^6 - 2a^3c^5e^6 - 4a^5b^2cd^6 - 2a^3b^5d^5e + a^2b^2c^4e^6 + a^2b^6d^4e^2 - 2a^4c^4d^2e^4 + 2a^5c^3d^4e^2 + 6a^2b^4c^2d^2e^4 - 16a^3b^2c^3d^2e^4 + 8a^3b^3c^2d^3e^3 - 17a^4b^2c^2d^4e^2 + 10a^3b^2c^4de^5 + 6a^4b^3cd^5e + 2a^5b^2cd^5e - 4a^2b^3c^3de^5 - 4a^2b^5cd^3e^3 + 2a^3b^4cd^4e^2 + 12a^4b^2c^3d^3e^3))/c)*(-(b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3cd^4 - 8ab^3c^5e^4 + 16a^2b^2c^6e^4 + 128a^3c^6de^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4de^3 + 48ab^6c^2d^3e + 4b^3cd^3e^3(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5de^3 - 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2cd^3e(-4ac - b^2)^5)^{(1/2)})/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)} - (((4xx(4096a^5b^3c^6d^2 + 4096a^4b^3c^7e^2 + 256a^3b^5c^4d^2 - 2048a^4b^3c^5d^2 + 256a^2b^5c^5e^2 - 2048a^3b^3c^6e^2 - 16384a^5c^7d^2e - 1024a^3b^4c^5d^2e + 8192a^4b^2c^6d^2e))/c + (16*(-(b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3cd^4 - 8ab^3c^5e^4 + 16a^2b^2c^6e^4 + 128a^3c^6de^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4de^3 + 48ab^6c^2d^3e + 4b^3cd^3e^3(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5de^3 - 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2cd^3e(-4ac - b^2)^5)^{(1/2)})/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(1/4)}*(16384a^5c^8e - 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e))/c)*(-(b^9d^4 - b^4d^4(-4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 - c^4e^4(-4ac - b^2)^5)^{(1/2)} + 80a^4b^3cd^4 - 8ab^3c^5e^4 + 16a^2b^2c^6e^4 + 128a^3c^6de^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4(-4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13ab^7cd^4 - 4b^8cd^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2(-4ac - b^2)^5)^{(1/2)} + 3ab^2cd^4(-4ac - b^2)^5)^{(1/2)} + 40ab^4c^4de^3 + 48ab^6c^2d^3e + 4b^3cd^3e^3(-4ac - b^2)^5)^{(1/2)} + 4b^3cd^3e(-4ac - b^2)^5)^{(1/2)} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5de^3 - 200a^2b^4c^3d^3e - 288a^3b^2c^5d^2e^2 + 320a^3b^2c^4d^3e + 6ac^3d^2e^2(-4ac - b^2)^5)^{(1/2)} - 8ab^2cd^3e(-4ac - b^2)^5)^{(1/2)})/(512(256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8)))^{(3/4)} + (16(a^3b^6d^5 - 4a^6c^3d^5 - 7a^4b^4cd^5 + 4a^3b^2c^5e^5 - a^2b^7d^4e + 12a^4c^5de^4 + 13a^5b^2c^2d^5 - a^2b^3c^4e^5 + 8a^5c^4d^3e^2 - 6a^2b^5c^2d^2e^3 + 32a^3b^3c^3d^2e^3 - 22a^3b^4c^2d^3e^2 + 22a^4b^2c^3d^3e^2 + 4a^3b^5cd^4e - 20a^5b^2c^3d^4e + 4a^2b^4c^3c^3
\end{aligned}$$

$$\begin{aligned}
& d^4e^4 + 4a^2b^6c^3d^3e^2 - 19a^3b^2c^4d^4e^4 - 32a^4b^3c^4d^2e^3 + \\
& 5a^4b^3c^2d^4e^4)/c * (- (b^9d^4 - b^4d^4 * (- (4ac - b^2)^5)^{1/2}) + b^5c^4e^4 - c^4e^4 * (- (4ac - b^2)^5)^{1/2} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^6c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4 * (- (4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13ab^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{1/2} + 3ab^2c^3d^4 * (- (4ac - b^2)^5)^{1/2} + 40ab^4c^4d^3e + 48ab^6c^2d^3e + 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} + 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e + 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{1/2} - 8ab^2c^2d^3e * (- (4ac - b^2)^5)^{1/2}) / (512 * (256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{1/4} + (4x * (a^4b^4d^6 + 2a^6c^2d^6 - 2a^3c^5e^6 - 4a^5b^2c^4d^6 - 2a^3b^5d^5e + a^2b^2c^4e^6 + a^2b^6d^4e^2 - 2a^4c^4d^2e^4 + 2a^5c^3d^4e^2 + 6a^2b^4c^2d^2e^4 - 16a^3b^2c^3d^2e^4 + 8a^3b^3c^2d^3e^3 - 17a^4b^2c^2d^4e^2 + 10a^3b^3c^4d^5e + 6a^4b^3c^3d^5e + 2a^5b^3c^2d^5e - 4a^2b^3c^3d^5e - 4a^2b^5c^3d^3e^3 + 2a^3b^4c^3d^4e^2 + 12a^4b^3c^3d^3e^3)) / c * (- (b^9d^4 - b^4d^4 * (- (4ac - b^2)^5)^{1/2}) + b^5c^4e^4 - c^4e^4 * (- (4ac - b^2)^5)^{1/2} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^6c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4 * (- (4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13ab^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{1/2} + 3ab^2c^3d^4 * (- (4ac - b^2)^5)^{1/2} + 40ab^4c^4d^3e + 48ab^6c^2d^3e + 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} + 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e + 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{1/2} - 8ab^2c^2d^3e * (- (4ac - b^2)^5)^{1/2}) / (512 * (256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{1/4} * (- (b^9d^4 - b^4d^4 * (- (4ac - b^2)^5)^{1/2}) + b^5c^4e^4 - c^4e^4 * (- (4ac - b^2)^5)^{1/2} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^6c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 - a^2c^2d^4 * (- (4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13ab^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 - 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{1/2} + 3ab^2c^3d^4 * (- (4ac - b^2)^5)^{1/2} + 40ab^4c^4d^3e + 48ab^6c^2d^3e + 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} + 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e + 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{1/2} - 8ab^2c^2d^3e * (- (4ac - b^2)^5)^{1/2}) / (512 * (256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{1/4} * 2i + 2 * atan((((4x * (4096a^5b^3c^6d^2 + 4096a^4b^3c^7e^2 + 256a^3b^5c^4d^2 - 2048a^4b^3c^5d^2 + 256a^2b^5c^5e^2 - 2048a^3b^3c^6e^2 - 16384a^5c^7d^2e - 1024a^3b^4c^5d^2e + 8192a^4b^2c^6d^2e)) / c - ((- (b^9d^4 + b^4d^4 * (- (4ac - b^2)^5)^{1/2}) + b^5c^4e^4 + c^4e^4 * (- (4ac - b^2)^5)^{1/2}) + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^6c^6e^4 + 128a^3c^6d^3e^3 - 128a^4c^5d^3e - 4b^6c^3d^3e^3 + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4 * (- (4ac - b^2)^5)^{1/2} + 6b^7c^2d^2e^2 - 13ab^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{1/2} - 3ab^2c^3d^4 * (- (4ac - b^2)^5)^{1/2} + 40ab^4c^4d^3e + 48ab^6c^2d^3e - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{1/2} - 66ab^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{1/2} + 8ab^2c^2d^3e * (- (4ac - b^2)^5)^{1/2}) / (512 * (256a^4c^9 + b^8c^5 - 16ab^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{1/4} * (16384a^5c^8e - 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e) * 16i) / c * (- (b^9d^4 + b^4d^4 * (- (4ac - b^2)^5)^{1/2}) + b^5c^4e^4 + c^4e^4 * (- (4ac - b^2)^5)^{1/2} + 80
\end{aligned}$$

$$\begin{aligned}
& *a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 1 \\
& 28*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d \\
& ^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c* \\
& d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c \\
& - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e \\
& ^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c* \\
& d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e \\
& ^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e \\
& - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2 \\
&)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 2 \\
& 56*a^3*b^2*c^8)))^{(3/4)}*1i + (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c \\
& *d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2* \\
& d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3* \\
& b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b \\
& ^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 \\
& - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(\\
& -(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a \\
& *c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 \\
& + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2* \\
& d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^ \\
& 2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^ \\
& 2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b \\
& ^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^ \\
& 2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + \\
& 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c \\
& ^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c \\
& ^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4*b^4*d^6 + 2*a \\
& ^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^ \\
& 4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4 \\
& *c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2* \\
& c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - \\
& 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b* \\
& c^3*d^3*e^3))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^ \\
& 4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + \\
& 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 \\
& + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5 \\
&)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3* \\
& c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(- \\
& (4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3* \\
& d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 6 \\
& 6*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a \\
& ^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^ \\
& 5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^ \\
& 8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)} + (((4*x* \\
& (4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b \\
& ^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e \\
& - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c + ((-(b^9*d^4 + b^4*d^4* \\
& (-4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + \\
& 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 \\
& - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^ \\
& 3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7 \\
& *c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a \\
& *c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4 \\
& *d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3 \\
& *c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5* \\
& d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3 \\
& *e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - \\
& b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7
\end{aligned}$$

$$\begin{aligned}
& - 256a^3b^2c^8))^{(1/4)} * (16384a^5c^8e - 256a^2b^6c^5e + 3072a^3b^4c^6e - 12288a^4b^2c^7e) * 16i) / c * (- (b^9d^4 + b^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4 * (- (4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4 * (- (4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13a^3b^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} - 3a^3b^2c^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + 40a^3b^4c^4d^3e + 48a^3b^6c^2d^3e - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 66a^3b^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} + 8a^3b^3c^2d^3e * (- (4ac - b^2)^5)^{(1/2)}) / (512 * (256a^4c^9 + b^8c^5 - 16a^3b^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{(3/4)} * 1i - (16 * (a^3b^6d^5 - 4a^6c^3d^5 - 7a^4b^4c^4d^5 + 4a^3b^3c^5e^5 - a^2b^7d^4e + 12a^4c^5d^4e + 13a^5b^2c^2d^5 - a^2b^3c^4e^5 + 8a^5c^4d^3e^2 - 6a^2b^5c^2d^2e^3 + 32a^3b^3c^3d^2e^3 - 22a^3b^4c^2d^3e^2 + 22a^4b^2c^3d^3e^2 + 4a^3b^5c^4d^4e - 20a^5b^3c^3d^4e + 4a^2b^4c^3d^4e + 4a^2b^6c^3d^3e^2 - 19a^3b^2c^4d^4e - 32a^4b^3c^4d^2e^3 + 5a^4b^3c^2d^4e)) / c * (- (b^9d^4 + b^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4 * (- (4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4 * (- (4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13a^3b^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} - 3a^3b^2c^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + 40a^3b^4c^4d^3e + 48a^3b^6c^2d^3e - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 66a^3b^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} + 8a^3b^3c^2d^3e * (- (4ac - b^2)^5)^{(1/2)}) / (512 * (256a^4c^9 + b^8c^5 - 16a^3b^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{(1/4)} * 1i - (4 * x * (a^4b^4d^6 + 2a^6c^2d^6 - 2a^3c^5e^6 - 4a^5b^2c^4d^6 - 2a^3b^5d^5e + a^2b^2c^4e^6 + a^2b^6d^4e^2 - 2a^4c^4d^2e^4 + 2a^5c^3d^4e^2 + 6a^2b^4c^2d^2e^4 - 16a^3b^2c^3d^2e^4 + 8a^3b^3c^2d^3e^3 - 17a^4b^2c^2d^4e^2 + 10a^3b^3c^4d^5e + 6a^4b^3c^4d^5e + 2a^5b^3c^2d^5e - 4a^2b^3c^3d^5e - 4a^2b^5c^3d^3e^3 + 2a^3b^4c^4d^4e^2 + 12a^4b^3c^3d^3e^3)) / c * (- (b^9d^4 + b^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4 * (- (4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4 * (- (4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13a^3b^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} - 3a^3b^2c^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + 40a^3b^4c^4d^3e + 48a^3b^6c^2d^3e - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 66a^3b^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 200a^2b^4c^3d^3e - 288a^3b^3c^5d^2e^2 + 320a^3b^2c^4d^3e - 6a^3c^3d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} + 8a^3b^3c^2d^3e * (- (4ac - b^2)^5)^{(1/2)}) / (512 * (256a^4c^9 + b^8c^5 - 16a^3b^6c^6 + 96a^2b^4c^7 - 256a^3b^2c^8))^{(1/4)} / (((((4 * x * (4096a^5b^3c^6d^2 + 4096a^4b^3c^7e^2 + 256a^3b^5c^4d^2 - 2048a^4b^3c^5d^2 + 256a^2b^5c^5e^2 - 2048a^3b^3c^6e^2 - 16384a^5c^7d^2e - 1024a^3b^4c^5d^2e + 8192a^4b^2c^6d^2e)) / c - ((- (b^9d^4 + b^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + b^5c^4e^4 + c^4e^4 * (- (4ac - b^2)^5)^{(1/2)} + 80a^4b^3c^4d^4 - 8a^3b^3c^5e^4 + 16a^2b^3c^6e^4 + 128a^3c^6d^3e - 128a^4c^5d^3e - 4b^6c^3d^3e + 61a^2b^5c^2d^4 - 120a^3b^3c^3d^4 + a^2c^2d^4 * (- (4ac - b^2)^5)^{(1/2)} + 6b^7c^2d^2e^2 - 13a^3b^7c^4d^4 - 4b^8c^3d^3e + 240a^2b^3c^4d^2e^2 + 6b^2c^2d^2e^2 * (- (4ac - b^2)^5)^{(1/2)} - 3a^3b^2c^4d^4 * (- (4ac - b^2)^5)^{(1/2)} + 40a^3b^4c^4d^3e + 48a^3b^6c^2d^3e - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 4b^3c^3d^3e * (- (4ac - b^2)^5)^{(1/2)} - 66a^3b^5c^3d^2e^2 - 128a^2b^2c^5d^3e - 20
\end{aligned}$$

$$\begin{aligned}
& 0*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
& /((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
&) + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} \\
& + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
& - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
& /((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i + (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
& /((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
& /((512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c + ((-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)}
\end{aligned}$$

$$\begin{aligned}
&) - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2))}/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^2*d^4*e))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c)*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i))*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i))*(-(b^9*d^4 + b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 + c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 + a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 + 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i))
\end{aligned}$$

$$\begin{aligned}
&)^{(1/2)} - 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48* \\
& a*b^6*c^2*d^3*e - 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} - 4*b^3*c*d^3*e*(- \\
& (4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200 \\
& *a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e - 6*a*c^ \\
& 3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/ \\
& 2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b \\
& ^2*c^8)))^{(1/4)} + 2*atan((((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 \\
& + 256*a^3*b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a \\
& ^3*b^3*c^6*e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^ \\
& 6*d*e))/c - ((-b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - \\
& c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16* \\
& a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 6 \\
& 1*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4* \\
& d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a \\
& *c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^ \\
& 3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a* \\
& b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b \\
& *c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^ \\
& 5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8 \\
& *e - 256*a^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c)* \\
& (-b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4* \\
& a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 \\
& + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2 \\
& *d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c \\
& ^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b \\
& ^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^ \\
& (1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e \\
& ^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 \\
& + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b* \\
& c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6* \\
& c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i + (16*(a^3*b^6*d^5 - 4*a \\
& ^6*c^3*d^5 - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5 \\
& *d*e^4 + 13*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b \\
& ^5*c^2*d^2*e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b \\
& ^2*c^3*d^3*e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e \\
& ^4 + 4*a^2*b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5* \\
& a^4*b^3*c^2*d^4*e))/c)*(-b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5* \\
& c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5 \\
& *e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3 \\
& *d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - \\
& b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^ \\
& 2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c* \\
& d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4* \\
& b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/ \\
& 2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - \\
& 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - \\
& b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^ \\
& 9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - \\
& (4*x*(a^4*b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^ \\
& 3*b^5*d^5*e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5 \\
& *c^3*d^4*e^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c \\
& ^2*d^3*e^3 - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5* \\
& e + 2*a^5*b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b \\
& ^4*c*d^4*e^2 + 12*a^4*b*c^3*d^3*e^3))/c)*(-b^9*d^4 - b^4*d^4*(-(4*a*c - b^ \\
& 2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4 \\
& *d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5
\end{aligned}$$

$$\begin{aligned}
& *d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c \\
& ^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8 \\
& *c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} \\
& + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a* \\
& b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4 \\
& *a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a \\
& ^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3* \\
& d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} \\
&)/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2 \\
& *c^8)))^{(1/4)} + (((4*x*(4096*a^5*b*c^6*d^2 + 4096*a^4*b*c^7*e^2 + 256*a^3* \\
& b^5*c^4*d^2 - 2048*a^4*b^3*c^5*d^2 + 256*a^2*b^5*c^5*e^2 - 2048*a^3*b^3*c^6 \\
& *e^2 - 16384*a^5*c^7*d*e - 1024*a^3*b^4*c^5*d*e + 8192*a^4*b^2*c^6*d*e))/c \\
& + ((-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(- \\
& (4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6* \\
& e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5* \\
& c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7 \\
& *c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - \\
& 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^ \\
& 5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c \\
& - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^ \\
& 2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e \\
& ^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a \\
& *b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b \\
& ^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*(16384*a^5*c^8*e - 256*a \\
& ^2*b^6*c^5*e + 3072*a^3*b^4*c^6*e - 12288*a^4*b^2*c^7*e)*16i)/c*(-(b^9*d^4 \\
& - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^2) \\
& ^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a^3 \\
& *c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 120 \\
& *a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e^2 \\
& - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d^2 \\
& *e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 40 \\
& *a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128*a \\
& ^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^3* \\
& b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3*e* \\
& (- (4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96*a \\
& ^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(3/4)}*1i - (16*(a^3*b^6*d^5 - 4*a^6*c^3*d^5 \\
& - 7*a^4*b^4*c*d^5 + 4*a^3*b*c^5*e^5 - a^2*b^7*d^4*e + 12*a^4*c^5*d*e^4 + 1 \\
& 3*a^5*b^2*c^2*d^5 - a^2*b^3*c^4*e^5 + 8*a^5*c^4*d^3*e^2 - 6*a^2*b^5*c^2*d^2 \\
& *e^3 + 32*a^3*b^3*c^3*d^2*e^3 - 22*a^3*b^4*c^2*d^3*e^2 + 22*a^4*b^2*c^3*d^3 \\
& *e^2 + 4*a^3*b^5*c*d^4*e - 20*a^5*b*c^3*d^4*e + 4*a^2*b^4*c^3*d*e^4 + 4*a^2 \\
& *b^6*c*d^3*e^2 - 19*a^3*b^2*c^4*d*e^4 - 32*a^4*b*c^4*d^2*e^3 + 5*a^4*b^3*c^ \\
& 2*d^4*e))/c*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - \\
& c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16* \\
& a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 6 \\
& 1*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1 \\
& /2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4* \\
& d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a \\
& *c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^ \\
& 3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a* \\
& b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b \\
& *c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)})/(512*(256*a^4*c^9 + b^8*c^ \\
& 5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8)))^{(1/4)}*1i - (4*x*(a^4 \\
& *b^4*d^6 + 2*a^6*c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5* \\
& e + a^2*b^2*c^4*e^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e \\
& ^2 + 6*a^2*b^4*c^2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 \\
& - 17*a^4*b^2*c^2*d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5* \\
& b*c^2*d^5*e - 4*a^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e
\end{aligned}$$

$$\begin{aligned}
& \left(\frac{1}{c} \right) * \left(- (b^9 d^4 - b^4 d^4 * (- (4ac - b^2)^5)^{1/2}) \right. \\
& + b^5 c^4 e^4 - c^4 e^4 * (- (4ac - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^3 e^3 - 128 a^4 c^5 d^3 e - 4 \\
& * b^6 c^3 d^3 e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 - a^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^2 d^4 - 4 b^8 c^2 d^3 e \\
& + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} + 3 a b^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 40 a b^4 c^4 d^3 e^3 + 48 a b^6 c^2 d^3 e \\
& + 4 b^3 c^3 d^3 e^3 * (- (4ac - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4ac - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d^3 e^3 - 200 a^2 b^4 c^3 \\
& * d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a c^3 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} - 8 a b^2 c^2 d^3 e * (- (4ac - b^2)^5)^{1/2} \Big/ (512 * (25 \\
& 6 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} \Big/ (4 x * (4096 a^5 b^3 c^6 d^2 + 4096 a^4 b^3 c^7 e^2 + 256 a^3 b^5 c^4 d^2 \\
& - 2048 a^4 b^3 c^5 d^2 + 256 a^2 b^5 c^5 e^2 - 2048 a^3 b^3 c^6 e^2 - 163 84 a^5 c^7 d^3 e - 1024 a^3 b^4 c^5 d^3 e + 8192 a^4 b^2 c^6 d^3 e)) / c - \left(- (b^9 d^4 - b^4 d^4 * (- (4ac - b^2)^5)^{1/2}) \right. \\
& + b^5 c^4 e^4 - c^4 e^4 * (- (4ac - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^3 e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d^3 e^3 + 61 a^2 b^5 c^2 d^4 - \\
& 120 a^3 b^3 c^3 d^4 - a^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^2 d^4 - 4 b^8 c^2 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} + 3 a b^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + \\
& 40 a b^4 c^4 d^3 e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d^3 e^3 * (- (4ac - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4ac - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 12 \\
& 8 a^2 b^2 c^5 d^3 e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a c^3 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} - 8 a b^2 c^2 d^3 e * (- (4ac - b^2)^5)^{1/2} \Big/ (512 * (256 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6 + 9 \\
& 6 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} * (16384 a^5 c^8 e - 256 a^2 b^6 c^5 e + 3072 a^3 b^4 c^6 e - 12288 a^4 b^2 c^7 e) * 16 i \Big/ c * \left(- (b^9 d^4 - b^4 d^4 * (- (4ac - b^2)^5)^{1/2}) \right. \\
& + b^5 c^4 e^4 - c^4 e^4 * (- (4ac - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^3 e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d^3 e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 \\
& d^4 - a^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^2 d^4 - 4 b^8 c^2 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} + 3 a b^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 40 a b^4 c^4 \\
& * d^3 e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d^3 e^3 * (- (4ac - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4ac - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 \\
& * d^3 e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a c^3 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} - 8 a b^2 c^2 d^3 e * (- (4ac - b^2)^5)^{1/2} \Big/ (512 * (256 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6 + 96 a^2 b^4 c^7 \\
& - 256 a^3 b^2 c^8))^{3/4} * 1 i + (16 * (a^3 b^6 d^5 - 4 a^6 c^3 d^5 - 7 a^4 b^4 c^3 d^5 + 4 a^3 b^3 c^5 e^5 - a^2 b^7 d^4 e + 12 a^4 c^5 d^4 e^4 + 13 a^5 b^2 c^2 d^5 - a^2 b^3 c^4 e^5 + 8 a^5 c^4 d^3 e^2 - 6 a^2 b^5 c^2 d^2 e^3 + 32 a^3 b^3 c^3 d^2 e^3 - 22 a^3 b^4 c^2 d^3 e^2 + 22 a^4 b^2 c^3 d^3 e^2 + 4 a^3 b^5 c^3 d^4 e - 20 a^5 b^3 c^3 d^4 e + 4 a^2 b^4 c^3 d^4 e^4 + 4 a^2 b^6 c^3 d^3 e^2 - 19 a^3 b^2 c^4 d^4 e^4 - 32 a^4 b^3 c^4 d^2 e^3 + 5 a^4 b^3 c^2 d^4 e)) / c * \left(- (b^9 d^4 - b^4 d^4 * (- (4ac - b^2)^5)^{1/2}) \right. \\
& + b^5 c^4 e^4 - c^4 e^4 * (- (4ac - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d^3 e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d^3 e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 \\
& d^4 - a^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^2 d^4 - 4 b^8 c^2 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} + 3 a b^2 c^2 d^4 * (- (4ac - b^2)^5)^{1/2} + 40 a b^4 c^4 d^3 e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d^3 e^3 * (- (4ac - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4ac - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d^3 e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a c^3 d^2 e^2 * (- (4ac - b^2)^5)^{1/2} - 8 a b^2 c^2 d^3 e * (- (4ac - b^2)^5)^{1/2} \Big/ (512 * (256 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} * 1 i - (4 x * (a^4 b^4 d^6 + 2 a^6 c^2 d^6 - 2 a^3 c^5 e^6 - 4 a^5 b^2 c^2 d^6 - 2 a^3 b^5 d^5 e + a^2 b^2 c^4 e^6 + a^2 b^6 d^4 e^2 - 2 a^4 c^4 d^2 e^4 + 2 a^5 c^3 d^4 e^2 + 6 a^2
\end{aligned}$$

$$\begin{aligned}
& b^4 c^2 d^2 e^4 - 16 a^3 b^2 c^3 d^2 e^4 + 8 a^3 b^3 c^2 d^3 e^3 - 17 a^4 b^2 c^2 d^4 e^2 + 10 a^3 b^3 c^4 d e^5 + 6 a^4 b^3 c^2 d^5 e + 2 a^5 b^3 c^2 d^5 e \\
& e - 4 a^2 b^3 c^3 d e^5 - 4 a^2 b^5 c^3 d^3 e^3 + 2 a^3 b^4 c^3 d^4 e^2 + 12 a^4 b^3 c^3 d^3 e^3) / c * (- (b^9 d^4 - b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 \\
& e^4 - c^4 e^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d \\
& e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 - a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 \\
& - 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} + 3 a b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 40 a b^4 c^4 d e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& - 8 a b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2}) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} * 1i - (\\
& (((4 x x (4096 a^5 b^3 c^6 d^2 + 4096 a^4 b^3 c^7 e^2 + 256 a^3 b^5 c^4 d^2 - 2048 a^4 b^3 c^5 d^2 + 256 a^2 b^5 c^5 e^2 - 2048 a^3 b^3 c^6 e^2 - 16384 a^5 c^7 d e \\
& - 1024 a^3 b^4 c^5 d e + 8192 a^4 b^2 c^6 d e)) / c + ((- (b^9 d^4 - b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 e^4 - c^4 e^4 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 \\
& - a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 3 a b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 40 a b^4 c^4 d e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& - 8 a b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2}) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{1/4} * (16384 a^5 c^8 e - 256 a^2 b^6 c^5 e + 3072 a^3 b^4 c^6 e \\
& - 12288 a^4 b^2 c^7 e) * 16i) / c * (- (b^9 d^4 - b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 e^4 - c^4 e^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 \\
& - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 - a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} + 3 a b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 40 a b^4 c^4 d e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^3 c - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 \\
& - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} - 8 a b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2}) / (512 * (256 a^4 c^9 \\
& + b^8 c^5 - 16 a b^6 c^6 + 96 a^2 b^4 c^7 - 256 a^3 b^2 c^8))^{3/4} * 1i - (16 * (a^3 b^6 d^5 - 4 a^6 c^3 d^5 - 7 a^4 b^4 c^3 d^5 + 4 a^3 b^3 c^5 e^5 - a^2 b^7 d^4 e + 12 a^4 c^5 d e^4 + 13 a^5 b^2 c^2 d^5 \\
& - a^2 b^3 c^4 e^5 + 8 a^5 c^4 d^3 e^2 - 6 a^2 b^5 c^2 d^2 e^3 + 32 a^3 b^3 c^3 d^2 e^3 - 22 a^3 b^4 c^2 d^3 e^2 + 22 a^4 b^2 c^3 d^3 e^2 + 4 a^3 b^5 c^3 d^4 e - 20 a^5 b^3 c^3 d^4 e + 4 a^2 b^4 c^3 d e^4 \\
& + 4 a^2 b^6 c^3 d^3 e^2 - 19 a^3 b^2 c^4 d e^4 - 32 a^4 b^3 c^4 d^2 e^3 + 5 a^4 b^3 c^2 d^4 e)) / c * (- (b^9 d^4 - b^4 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + b^5 c^4 e^4 - c^4 e^4 * (- (4 a^3 c \\
& - b^2)^5)^{1/2} + 80 a^4 b^3 c^4 d^4 - 8 a^3 b^3 c^5 e^4 + 16 a^2 b^3 c^6 e^4 + 128 a^3 c^6 d e^3 - 128 a^4 c^5 d^3 e - 4 b^6 c^3 d e^3 + 61 a^2 b^5 c^2 d^4 - 120 a^3 b^3 c^3 d^4 \\
& - a^2 c^2 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} + 6 b^7 c^2 d^2 e^2 - 13 a b^7 c^3 d^4 - 4 b^8 c^3 d^3 e + 240 a^2 b^3 c^4 d^2 e^2 - 6 b^2 c^2 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} + 3 a b^2 c^3 d^4 * (- (4 a^3 c - b^2)^5)^{1/2} \\
& + 40 a b^4 c^4 d e^3 + 48 a b^6 c^2 d^3 e + 4 b^3 c^3 d e^3 * (- (4 a^3 c - b^2)^5)^{1/2} + 4 b^3 c^3 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2} - 66 a b^5 c^3 d^2 e^2 - 128 a^2 b^2 c^5 d e^3 \\
& - 200 a^2 b^4 c^3 d^3 e - 288 a^3 b^3 c^5 d^2 e^2 + 320 a^3 b^2 c^4 d^3 e + 6 a^3 c^3 d^2 e^2 * (- (4 a^3 c - b^2)^5)^{1/2} - 8 a b^3 c^2 d^3 e * (- (4 a^3 c - b^2)^5)^{1/2}) / (512 * (256 a^4 c^9 + b^8 c^5 - 16 a b^6 c^6
\end{aligned}$$

$$\begin{aligned}
& + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)}*i - (4*x*(a^4*b^4*d^6 + 2*a^6* \\
& c^2*d^6 - 2*a^3*c^5*e^6 - 4*a^5*b^2*c*d^6 - 2*a^3*b^5*d^5*e + a^2*b^2*c^4*e \\
& ^6 + a^2*b^6*d^4*e^2 - 2*a^4*c^4*d^2*e^4 + 2*a^5*c^3*d^4*e^2 + 6*a^2*b^4*c^ \\
& 2*d^2*e^4 - 16*a^3*b^2*c^3*d^2*e^4 + 8*a^3*b^3*c^2*d^3*e^3 - 17*a^4*b^2*c^2 \\
& *d^4*e^2 + 10*a^3*b*c^4*d*e^5 + 6*a^4*b^3*c*d^5*e + 2*a^5*b*c^2*d^5*e - 4*a \\
& ^2*b^3*c^3*d*e^5 - 4*a^2*b^5*c*d^3*e^3 + 2*a^3*b^4*c*d^4*e^2 + 12*a^4*b*c^3 \\
& *d^3*e^3))/c)*(-(b^9*d^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - \\
& c^4*e^4*(-(4*a*c - b^2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16 \\
& *a^2*b*c^6*e^4 + 128*a^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + \\
& 61*a^2*b^5*c^2*d^4 - 120*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} + 6*b^7*c^2*d^2*e^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4 \\
& *d^2*e^2 - 6*b^2*c^2*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4* \\
& a*c - b^2)^5)^{(1/2)} + 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e \\
& ^3*(-(4*a*c - b^2)^5)^{(1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a \\
& *b^5*c^3*d^2*e^2 - 128*a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3* \\
& b*c^5*d^2*e^2 + 320*a^3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} - 8*a*b*c^2*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c \\
& ^5 - 16*a*b^6*c^6 + 96*a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)}*i)))*(-(b^9*d \\
& ^4 - b^4*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + b^5*c^4*e^4 - c^4*e^4*(-(4*a*c - b^ \\
& 2)^5)^{(1/2)} + 80*a^4*b*c^4*d^4 - 8*a*b^3*c^5*e^4 + 16*a^2*b*c^6*e^4 + 128*a \\
& ^3*c^6*d*e^3 - 128*a^4*c^5*d^3*e - 4*b^6*c^3*d*e^3 + 61*a^2*b^5*c^2*d^4 - 1 \\
& 20*a^3*b^3*c^3*d^4 - a^2*c^2*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + 6*b^7*c^2*d^2*e \\
& ^2 - 13*a*b^7*c*d^4 - 4*b^8*c*d^3*e + 240*a^2*b^3*c^4*d^2*e^2 - 6*b^2*c^2*d \\
& ^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} + 3*a*b^2*c*d^4*(-(4*a*c - b^2)^5)^{(1/2)} + \\
& 40*a*b^4*c^4*d*e^3 + 48*a*b^6*c^2*d^3*e + 4*b*c^3*d*e^3*(-(4*a*c - b^2)^5)^{(\\
& 1/2)} + 4*b^3*c*d^3*e*(-(4*a*c - b^2)^5)^{(1/2)} - 66*a*b^5*c^3*d^2*e^2 - 128 \\
& *a^2*b^2*c^5*d*e^3 - 200*a^2*b^4*c^3*d^3*e - 288*a^3*b*c^5*d^2*e^2 + 320*a^ \\
& 3*b^2*c^4*d^3*e + 6*a*c^3*d^2*e^2*(-(4*a*c - b^2)^5)^{(1/2)} - 8*a*b*c^2*d^3* \\
& e*(-(4*a*c - b^2)^5)^{(1/2)))/(512*(256*a^4*c^9 + b^8*c^5 - 16*a*b^6*c^6 + 96 \\
& *a^2*b^4*c^7 - 256*a^3*b^2*c^8))^{(1/4)} + (d*x)/c
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e/x**4)/(c+a/x**8+b/x**4),x)

[Out] Timed out

$$3.42 \quad \int \frac{(d+ex^n)^3}{a+cx^{2n}} dx$$

Optimal. Leaf size=141

$$\frac{ex^{n+1} (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac(n+1)} + \frac{dx (cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{3de^2x}{c} + \frac{e^3x^n}{c(n+1)}$$

[Out] $3*d*e^2*x/c + e^3*x^{(1+n)}/c/(1+n) + d*(-3*a*e^2 + c*d^2)*x*\text{hypergeom}([1, 1/2/n], [1+1/2/n], -c*x^{(2*n)}/a)/a/c + e*(-a*e^2 + 3*c*d^2)*x^{(1+n)}*\text{hypergeom}([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^{(2*n)}/a)/a/c/(1+n)$

Rubi [A] time = 0.15, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1425, 1418, 245, 364}

$$\frac{ex^{n+1} (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac(n+1)} + \frac{dx (cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{3de^2x}{c} + \frac{e^3x^n}{c(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3/(a + c*x^(2*n)), x]

[Out] $(3*d*e^2*x)/c + (e^3*x^{(1+n)})/(c*(1+n)) + (d*(c*d^2 - 3*a*e^2)*x*\text{Hypergeometric2F1}[1, 1/(2*n), (2 + n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a*c) + (e*(3*c*d^2 - a*e^2)*x^{(1+n)}*\text{Hypergeometric2F1}[1, (1+n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a*c*(1+n))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)]/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1425

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^3}{a + cx^{2n}} dx &= \int \left(\frac{3de^2}{c} + \frac{e^3 x^n}{c} + \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c(a + cx^{2n})} \right) dx \\
&= \frac{3de^2 x}{c} + \frac{e^3 x^{1+n}}{c(1+n)} + \frac{\int \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{a + cx^{2n}} dx}{c} \\
&= \frac{3de^2 x}{c} + \frac{e^3 x^{1+n}}{c(1+n)} + \frac{(d(cd^2 - 3ae^2)) \int \frac{1}{a + cx^{2n}} dx}{c} + \frac{(e(3cd^2 - ae^2)) \int \frac{x^n}{a + cx^{2n}} dx}{c} \\
&= \frac{3de^2 x}{c} + \frac{e^3 x^{1+n}}{c(1+n)} + \frac{d(cd^2 - 3ae^2)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{e(3cd^2 - ae^2)x^{1+n} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac(1+n)}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 127, normalized size = 0.90

$$\frac{x \left(d(n+1)(cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + e \left(x^n (3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae(3d^2 - ae^2) x^n \right) \right)}{ac(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^3/(a + c*x^(2*n)), x]

[Out] (x*(d*(c*d^2 - 3*a*e^2)*(1 + n)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + e*(a*e*(3*d*(1 + n) + e*x^n) + (3*c*d^2 - a*e^2)*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])))/(a*c*(1 + n))

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c x^{2n} + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n)), x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)/(c*x^(2*n) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n)), x, algorithm="giac")

[Out] integrate((e*x^n + d)^3/(c*x^(2*n) + a), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d+e*x^n)^3/(a+c*x^(2*n)), x)

[Out] $\int (d+e*x^n)^3/(a+c*x^{(2*n)}), x$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{3de^2(n+1)x + e^3xx^n}{c(n+1)} - \int -\frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c^2x^{2n} + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d+e*x^n)^3/(a+c*x^{(2*n)}), x, \text{algorithm}="maxima")$

[Out] $(3*d*e^2*(n+1)*x + e^3*x*x^n)/(c*(n+1)) - \text{integrate}(-(c*d^3 - 3*a*d*e^2 + (3*c*d^2*e - a*e^3)*x^n)/(c^2*x^{(2*n)} + a*c), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + e x^n)^3}{a + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d + e*x^n)^3/(a + c*x^{(2*n)}), x)$

[Out] $\text{int}((d + e*x^n)^3/(a + c*x^{(2*n)}), x)$

sympy [C] time = 10.97, size = 337, normalized size = 2.39

$$-\frac{3de^2x\Phi\left(\frac{ax^{-2n}e^{i\pi}}{c}, 1, \frac{e^{i\pi}}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4cn^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{d^3x\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4an^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{3d^2exx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{3d^2exx^n}{4an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d+e*x**n)**3/(a+c*x**(2*n)), x)$

[Out] $-3*d*e**2*x*\text{lerchphi}(a*x**(-2*n)*\text{exp_polar}(I*\text{pi})/c, 1, \text{exp_polar}(I*\text{pi})/(2*n))*\text{gamma}(1/(2*n))/(4*c*n**2*\text{gamma}(1 + 1/(2*n))) + d**3*x*\text{lerchphi}(c*x**(2*n)*\text{exp_polar}(I*\text{pi})/a, 1, 1/(2*n))*\text{gamma}(1/(2*n))/(4*a*n**2*\text{gamma}(1 + 1/(2*n))) + 3*d**2*e*x*x**n*\text{lerchphi}(c*x**(2*n)*\text{exp_polar}(I*\text{pi})/a, 1, 1/2 + 1/(2*n))*\text{gamma}(1/2 + 1/(2*n))/(4*a*n*\text{gamma}(3/2 + 1/(2*n))) + 3*d**2*e*x*x**n*\text{lerchphi}(c*x**(2*n)*\text{exp_polar}(I*\text{pi})/a, 1, 1/2 + 1/(2*n))*\text{gamma}(1/2 + 1/(2*n))/(4*a*n**2*\text{gamma}(3/2 + 1/(2*n))) + 3*e**3*x*x**(3*n)*\text{lerchphi}(c*x**(2*n)*\text{exp_polar}(I*\text{pi})/a, 1, 3/2 + 1/(2*n))*\text{gamma}(3/2 + 1/(2*n))/(4*a*n*\text{gamma}(5/2 + 1/(2*n))) + e**3*x*x**(3*n)*\text{lerchphi}(c*x**(2*n)*\text{exp_polar}(I*\text{pi})/a, 1, 3/2 + 1/(2*n))*\text{gamma}(3/2 + 1/(2*n))/(4*a*n**2*\text{gamma}(5/2 + 1/(2*n)))$

$$3.43 \quad \int \frac{(d+ex^n)^2}{a+cx^{2n}} dx$$

Optimal. Leaf size=107

$$\frac{x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^2x}{c}$$

[Out] $e^{2x/c} + (-a e^{2x/c} + c d^2) x \operatorname{hypergeom}\left(\left[1, 1/2/n\right], \left[1+1/2/n\right], -c x^{2n}/a\right) / a/c + 2 d e x^{n+1} \operatorname{hypergeom}\left(\left[1, 1/2*(1+n)/n\right], \left[3/2+1/2/n\right], -c x^{2n}/a\right) / a/(1+n)$

Rubi [A] time = 0.10, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1425, 1418, 245, 364}

$$\frac{x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^2x}{c}$$

Antiderivative was successfully verified.

[In] `Int[(d + e*x^n)^2/(a + c*x^(2*n)),x]`

[Out] $(e^{2x}/c + ((c*d^2 - a*e^2)*x*\operatorname{Hypergeometric2F1}[1, 1/(2*n), (2 + n^{(-1)})/2, -((c*x^{(2*n)})/a)])/(a*c) + (2*d*e*x^{(1 + n)}*\operatorname{Hypergeometric2F1}[1, (1 + n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{(2*n)})/a)])/(a*(1 + n))$

Rule 245

`Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])`

Rule 364

`Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])`

Rule 1418

`Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])`

Rule 1425

`Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]`

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{a + cx^{2n}} dx &= \int \left(\frac{e^2}{c} + \frac{cd^2 - ae^2 + 2cdex^n}{c(a + cx^{2n})} \right) dx \\
&= \frac{e^2 x}{c} + \frac{\int \frac{cd^2 - ae^2 + 2cdex^n}{a + cx^{2n}} dx}{c} \\
&= \frac{e^2 x}{c} + (2de) \int \frac{x^n}{a + cx^{2n}} dx + \frac{(cd^2 - ae^2) \int \frac{1}{a + cx^{2n}} dx}{c} \\
&= \frac{e^2 x}{c} + \frac{(cd^2 - ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(1+n)}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 107, normalized size = 1.00

$$\frac{x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \frac{e^2 x}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^2/(a + c*x^(2*n)), x]

[Out] (e^2*x)/c + ((c*d^2 - a*e^2)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*c) + (2*d*e*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(1 + n))

fricas [F] time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2 x^{2n} + 2 dex^n + d^2}{cx^{2n} + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n)), x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)/(c*x^(2*n) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n)), x, algorithm="giac")

[Out] integrate((e*x^n + d)^2/(c*x^(2*n) + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^2/(c*x^(2*n)+a), x)

[Out] int((e*x^n+d)^2/(c*x^(2*n)+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2x}{c} + \int \frac{2cdex^n + cd^2 - ae^2}{c^2x^{2n} + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n)),x, algorithm="maxima")

[Out] e^2*x/c + integrate((2*c*d*e*x^n + c*d^2 - a*e^2)/(c^2*x^(2*n) + a*c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(d + e x^n)^2}{a + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^2/(a + c*x^(2*n)),x)

[Out] int((d + e*x^n)^2/(a + c*x^(2*n)), x)

sympy [C] time = 7.65, size = 207, normalized size = 1.93

$$-\frac{e^2x\Phi\left(\frac{ax^{-2n}e^{i\pi}}{c}, 1, \frac{e^{i\pi}}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4cn^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{d^2x\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4an^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{dexx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{2an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{dexx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{2an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2/(a+c*x**(2*n)),x)

[Out] -e**2*x*lerchphi(a*x**(-2*n)*exp_polar(I*pi)/c, 1, exp_polar(I*pi)/(2*n))*gamma(1/(2*n))/(4*c*n**2*gamma(1 + 1/(2*n))) + d**2*x*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/(2*n))*gamma(1/(2*n))/(4*a*n**2*gamma(1 + 1/(2*n))) + d*e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(2*a*n*gamma(3/2 + 1/(2*n))) + d*e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(2*a*n**2*gamma(3/2 + 1/(2*n)))

$$3.44 \quad \int \frac{d+ex^n}{a+cx^{2n}} dx$$

Optimal. Leaf size=83

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

[Out] d*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a+e*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(1+n)

Rubi [A] time = 0.03, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {1418, 245, 364}

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + c*x^(2*n)), x]

[Out] (d*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a + (e*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/a/(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rubi steps

$$\begin{aligned} \int \frac{d+ex^n}{a+cx^{2n}} dx &= d \int \frac{1}{a+cx^{2n}} dx + e \int \frac{x^n}{a+cx^{2n}} dx \\ &= \frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(1+n)} \end{aligned}$$

Mathematica [A] time = 0.04, size = 83, normalized size = 1.00

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)/(a + c*x^(2*n)),x]

[Out] (d*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/a + (e*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(1 + n))

fricas [F] time = 1.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{cx^{2n} + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+c*x^(2*n)),x, algorithm="fricas")

[Out] integral((e*x^n + d)/(c*x^(2*n) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+c*x^(2*n)),x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + a), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(c*x^(2*n)+a),x)

[Out] int((e*x^n+d)/(c*x^(2*n)+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+c*x^(2*n)),x, algorithm="maxima")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + e x^n}{a + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + c*x^(2*n)),x)

[Out] int((d + e*x^n)/(a + c*x^(2*n)), x)

sympy [C] time = 5.54, size = 153, normalized size = 1.84

$$\frac{dx\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4an^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{exx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{exx^n\Phi\left(\frac{cx^{2n}e^{i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4an^2\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a+c*x**(2*n)),x)

[Out] d*x*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/(2*n))*gamma(1/(2*n))/(4*a*n**2*gamma(1 + 1/(2*n))) + e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(4*a*n*gamma(3/2 + 1/(2*n))) + e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(4*a*n**2*gamma(3/2 + 1/(2*n)))

$$3.45 \quad \int \frac{1}{(d+ex^n)(a+cx^{2n})} dx$$

Optimal. Leaf size=152

$$\frac{cex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)} + \frac{cdx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)} + \frac{e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(ae^2 + cd^2)}$$

[Out] c*d*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)+e^2*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2+c*d^2)-c*e*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)/(1+n)

Rubi [A] time = 0.11, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1425, 245, 1418, 364}

$$\frac{cex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)} + \frac{cdx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)} + \frac{e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)*(a + c*x^(2*n))),x]

[Out] (c*d*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)) + (e^2*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/(d*(c*d^2 + a*e^2)) - (c*e*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(c*d^2 + a*e^2)*(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)]]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1425

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^n)(a+cx^{2n})} dx &= \int \left(\frac{e^2}{(cd^2+ae^2)(d+ex^n)} - \frac{c(-d+ex^n)}{(cd^2+ae^2)(a+cx^{2n})} \right) dx \\
&= -\frac{c \int \frac{-d+ex^n}{a+cx^{2n}} dx}{cd^2+ae^2} + \frac{e^2 \int \frac{1}{d+ex^n} dx}{cd^2+ae^2} \\
&= \frac{e^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2+ae^2)} + \frac{(cd) \int \frac{1}{a+cx^{2n}} dx}{cd^2+ae^2} - \frac{(ce) \int \frac{x^n}{a+cx^{2n}} dx}{cd^2+ae^2} \\
&= \frac{cdx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2+ae^2)} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2+ae^2)} - \frac{cex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2+ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 131, normalized size = 0.86

$$\frac{x \left(cd^2(n+1) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + e \left(ae(n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) - cdx^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) \right) \right)}{ad(n+1)(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)*(a + c*x^(2*n))),x]

[Out] (x*(c*d^2*(1+n)*Hypergeometric2F1[1, 1/(2*n), (2+n^(-1))/2, -((c*x^(2*n))/a)] + e*(a*e*(1+n)*Hypergeometric2F1[1, n^(-1), 1+n^(-1), -((e*x^n)/d)] - c*d*x^n*Hypergeometric2F1[1, (1+n)/(2*n), (3+n^(-1))/2, -((c*x^(2*n))/a)])))/(a*d*(c*d^2+a*e^2)*(1+n))

fricas [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{aex^n + ad + (cex^n + cd)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n)),x, algorithm="fricas")

[Out] integral(1/(a*e*x^n + a*d + (c*e*x^n + c*d)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n)),x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + a)*(e*x^n + d)), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)/(c*x^(2*n)+a), x)

[Out] `int(1/(e*x^n+d)/(c*x^(2*n)+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)/(a+c*x^(2*n)),x, algorithm="maxima")`

[Out] `integrate(1/((c*x^(2*n) + a)*(e*x^n + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + cx^{2n})(d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + c*x^(2*n))*(d + e*x^n)),x)`

[Out] `int(1/((a + c*x^(2*n))*(d + e*x^n)), x)`

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x**n)/(a+c*x**(2*n)),x)`

[Out] Exception raised: HeuristicGCDFailed

$$3.46 \quad \int \frac{1}{(d+ex^n)^2(a+cx^{2n})} dx$$

Optimal. Leaf size=205

$$\frac{2c^2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)^2} + \frac{cx(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)^2} + \frac{2ce^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}\right)}{(ae^2 + cd^2)^2}$$

[Out] $c*(-a*e^2+c*d^2)*x*\text{hypergeom}([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2+2*c*e^2*x*\text{hypergeom}([1, 1/n], [1+1/n], -e*x^n/d)/(a*e^2+c*d^2)^2-2*c^2*d*e*x^(1+n)*\text{hypergeom}([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2/(1+n)+e^2*x*\text{hypergeom}([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2+c*d^2)$

Rubi [A] time = 0.17, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {1425, 245, 1418, 364}

$$\frac{2c^2dex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)^2} + \frac{cx(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)^2} + \frac{2ce^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}\right)}{(ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^2*(a + c*x^(2*n))),x]

[Out] $(c*(c*d^2 - a*e^2)*x*\text{Hypergeometric2F1}[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/(a*(c*d^2 + a*e^2)^2) + (2*c*e^2*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(c*d^2 + a*e^2)^2 - (2*c^2*d*e*x^(1 + n)*\text{Hypergeometric2F1}[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]/(a*(c*d^2 + a*e^2)^2*(1 + n)) + (e^2*x*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d^2*(c*d^2 + a*e^2))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1425

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d+ex^n)^2(a+cx^{2n})} dx &= \int \left(\frac{e^2}{(cd^2+ae^2)(d+ex^n)^2} + \frac{2cde^2}{(cd^2+ae^2)^2(d+ex^n)} - \frac{c(-cd^2+ae^2+2cdex^n)}{(cd^2+ae^2)^2(a+cx^{2n})} \right) dx \\
&= -\frac{c \int \frac{-cd^2+ae^2+2cdex^n}{a+cx^{2n}} dx}{(cd^2+ae^2)^2} + \frac{(2cde^2) \int \frac{1}{d+ex^n} dx}{(cd^2+ae^2)^2} + \frac{e^2 \int \frac{1}{(d+ex^n)^2} dx}{cd^2+ae^2} \\
&= \frac{2ce^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{(cd^2+ae^2)^2} + \frac{e^2x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2(cd^2+ae^2)} - \frac{(2c^2de) \int \frac{x^n}{a+cx^{2n}} dx}{(cd^2+ae^2)^2} + \frac{c}{a} \int \frac{1}{a+cx^{2n}} dx \\
&= \frac{c(cd^2-ae^2)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2+ae^2)^2} + \frac{2ce^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{(cd^2+ae^2)^2} - \frac{2c^2dex^n}{(cd^2+ae^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 186, normalized size = 0.91

$$\frac{x \left(e \left(-2c^2d^3x^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae(n+1)(ae^2+cd^2) {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) + 2acd^2e(n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) \right)}{a(n+1)(ade^2+cd^3)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)^2*(a + c*x^(2*n))), x]

[Out] (x*(c*d^2*(c*d^2 - a*e^2)*(1 + n)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + e*(2*a*c*d^2*e*(1 + n)*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)] - 2*c^2*d^3*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)] + a*e*(c*d^2 + a*e^2)*(1 + n)*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)]))/(a*(c*d^3 + a*d*e^2)^2*(1 + n))

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{ae^2x^{2n} + 2adex^n + ad^2 + (ce^2x^{2n} + 2cdex^n + cd^2)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n)), x, algorithm="fricas")

[Out] integral(1/(a*e^2*x^(2*n) + 2*a*d*e*x^n + a*d^2 + (c*e^2*x^(2*n) + 2*c*d*e*x^n + c*d^2)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n)), x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + a)*(e*x^n + d)^2), x)

maple [F] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)^2/(c*x^(2*n)+a), x)

[Out] int(1/(e*x^n+d)^2/(c*x^(2*n)+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2 x}{cd^4 n + ad^2 e^2 n + (cd^3 e n + ade^3 n)x^n} + (cd^2 e^2 (3n - 1) + ae^4 (n - 1)) \int \frac{1}{c^2 d^6 n + 2acd^4 e^2 n + a^2 d^2 e^4 n + (c^2 d^5 e n -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n)), x, algorithm="maxima")

[Out] e^2*x/(c*d^4*n + a*d^2*e^2*n + (c*d^3*e*n + a*d*e^3*n)*x^n) + (c*d^2*e^2*(3*n - 1) + a*e^4*(n - 1))*integrate(1/(c^2*d^6*n + 2*a*c*d^4*e^2*n + a^2*d^2*e^4*n + (c^2*d^5*e*n + 2*a*c*d^3*e^3*n + a^2*d*e^5*n)*x^n), x) - integrate((2*c^2*d*e*x^n - c^2*d^2 + a*c*e^2)/(a*c^2*d^4 + 2*a^2*c*d^2*e^2 + a^3*e^4 + (c^3*d^4 + 2*a*c^2*d^2*e^2 + a^2*c*e^4)*x^(2*n)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + cx^{2n})(d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^(2*n))*(d + e*x^n)^2), x)

[Out] int(1/((a + c*x^(2*n))*(d + e*x^n)^2), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**2/(a+c*x**(2*n)), x)

[Out] Exception raised: HeuristicGCDFailed

$$3.47 \quad \int \frac{d+ex^n}{a-cx^{2n}} dx$$

Optimal. Leaf size=81

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(n+1)}$$

[Out] d*x*hypergeom([1, 1/2/n], [1+1/2/n], c*x^(2*n)/a)/a+e*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], c*x^(2*n)/a)/a/(1+n)

Rubi [A] time = 0.03, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {1418, 245, 364}

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a - c*x^(2*n)), x]

[Out] (d*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, (c*x^(2*n))/a])/a + (e*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, (c*x^(2*n))/a])/(a*(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] :> Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rubi steps

$$\begin{aligned} \int \frac{d+ex^n}{a-cx^{2n}} dx &= d \int \frac{1}{a-cx^{2n}} dx + e \int \frac{x^n}{a-cx^{2n}} dx \\ &= \frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(1+n)} \end{aligned}$$

Mathematica [A] time = 0.06, size = 81, normalized size = 1.00

$$\frac{dx {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a} + \frac{ex^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); \frac{cx^{2n}}{a}\right)}{a(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)/(a - c*x^(2*n)),x]

[Out] (d*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, (c*x^(2*n))/a])/a + (e*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, (c*x^(2*n))/a])/(a*(1 + n))

fricas [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{ex^n + d}{cx^{2n} - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a-c*x^(2*n)),x, algorithm="fricas")

[Out] integral(-(e*x^n + d)/(c*x^(2*n) - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{ex^n + d}{cx^{2n} - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a-c*x^(2*n)),x, algorithm="giac")

[Out] integrate(-(e*x^n + d)/(c*x^(2*n) - a), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{-cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(a-c*x^(2*n)),x)

[Out] int((e*x^n+d)/(a-c*x^(2*n)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\int \frac{ex^n + d}{cx^{2n} - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a-c*x^(2*n)),x, algorithm="maxima")

[Out] -integrate((e*x^n + d)/(c*x^(2*n) - a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + ex^n}{a - cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a - c*x^(2*n)),x)

[Out] int((d + e*x^n)/(a - c*x^(2*n)), x)

sympy [C] time = 5.70, size = 158, normalized size = 1.95

$$\frac{dx\Phi\left(\frac{cx^{2n}e^{2i\pi}}{a}, 1, \frac{1}{2n}\right)\Gamma\left(\frac{1}{2n}\right)}{4an^2\Gamma\left(1 + \frac{1}{2n}\right)} + \frac{exx^n\Phi\left(\frac{cx^{2n}e^{2i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4an\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)} + \frac{exx^n\Phi\left(\frac{cx^{2n}e^{2i\pi}}{a}, 1, \frac{1}{2} + \frac{1}{2n}\right)\Gamma\left(\frac{1}{2} + \frac{1}{2n}\right)}{4an^2\Gamma\left(\frac{3}{2} + \frac{1}{2n}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a-c*x**(2*n)),x)

[Out] d*x*lerchphi(c*x**(2*n)*exp_polar(2*I*pi)/a, 1, 1/(2*n))*gamma(1/(2*n))/(4*a*n**2*gamma(1 + 1/(2*n))) + e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(2*I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(4*a*n*gamma(3/2 + 1/(2*n))) + e*x*x**n*lerchphi(c*x**(2*n)*exp_polar(2*I*pi)/a, 1, 1/2 + 1/(2*n))*gamma(1/2 + 1/(2*n))/(4*a*n**2*gamma(3/2 + 1/(2*n)))

$$3.48 \quad \int \frac{(d+ex^n)^3}{(a+cx^{2n})^2} dx$$

Optimal. Leaf size=288

$$\frac{e(1-n)x^{n+1}(3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn(n+1)} - \frac{d(1-2n)x(cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn}$$

[Out] 1/2*x*(d*(-3*a*e^2+c*d^2)+e*(-a*e^2+3*c*d^2)*x^n)/a/c/n/(a+c*x^(2*n))+3*d*e^2*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/c-1/2*d*(-3*a*e^2+c*d^2)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/c/n+e^3*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/c/(1+n)-1/2*e*(-a*e^2+3*c*d^2)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/c/n/(1+n)

Rubi [A] time = 0.25, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{e(1-n)x^{n+1}(3cd^2 - ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn(n+1)} - \frac{d(1-2n)x(cd^2 - 3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3/(a + c*x^(2*n))^2, x]

[Out] (x*(d*(c*d^2 - 3*a*e^2) + e*(3*c*d^2 - a*e^2)*x^n)/(2*a*c*n*(a + c*x^(2*n))) + (3*d*e^2*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a)/a/c - (d*(c*d^2 - 3*a*e^2)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/2*a^2*c*n + (e^3*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/a*c*(1 + n) - (e*(3*c*d^2 - a*e^2)*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/2*a^2*c*n*(1 + n)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/c*(m + 1), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (LtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :-
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

Rule 1437

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol]
:- Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{(a + cx^{2n})^2} dx &= \int \left(\frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c(a + cx^{2n})^2} + \frac{e^2(3d + ex^n)}{c(a + cx^{2n})} \right) dx \\ &= \frac{\int \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{(a + cx^{2n})^2} dx}{c} + \frac{e^2 \int \frac{3d + ex^n}{a + cx^{2n}} dx}{c} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{2acn(a + cx^{2n})} + \frac{(3de^2) \int \frac{1}{a + cx^{2n}} dx}{c} + \frac{e^3 \int \frac{x^n}{a + cx^{2n}} dx}{c} - \frac{\int \frac{(cd^3 - 3ade^2)(1 - cx^{2n})}{(a + cx^{2n})^2} dx}{c} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{2acn(a + cx^{2n})} + \frac{3de^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} + \frac{e^3 x^{1+n} {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{2acn(a + cx^{2n})} + \frac{3de^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{d(cd^2 - 3ae^2)}{a} \end{aligned}$$

Mathematica [A] time = 0.27, size = 188, normalized size = 0.65

$$\frac{x \left(d (cd^2 - 3ae^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{ex^n(3cd^2 - ae^2) {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1} + 3ade^2 {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) \right)}{a^2c}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^n)^3/(a + c*x^(2*n))^2, x]
```

```
[Out] (x*(3*a*d*e^2*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)
]) + (a*e^3*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(
2*n))/a)]))/(1 + n) + d*(c*d^2 - 3*a*e^2)*Hypergeometric2F1[2, 1/(2*n), (2
+ n^(-1))/2, -((c*x^(2*n))/a)] + (e*(3*c*d^2 - a*e^2)*x^n*Hypergeometric2F1
[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]))/(1 + n))/(a^2*c)
```

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^2 x^{4n} + 2 a c x^{2n} + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)/(c^2*x^(4*n) + 2*a*c*x^(2*n) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate((e*x^n + d)^3/(c*x^(2*n) + a)^2, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^3/(c*x^(2*n)+a)^2,x)

[Out] int((e*x^n+d)^3/(c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(3cd^2e - ae^3)xx^n + (cd^3 - 3ade^2)x}{2(ac^2nx^{2n} + a^2cn)} + \int \frac{cd^3(2n-1) + 3ade^2 + (ae^3(n+1) + 3cd^2e(n-1))x^n}{2(ac^2nx^{2n} + a^2cn)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n))^2,x, algorithm="maxima")

[Out] 1/2*((3*c*d^2*e - a*e^3)*x*x^n + (c*d^3 - 3*a*d*e^2)*x)/(a*c^2*n*x^(2*n) + a^2*c*n) + integrate(1/2*(c*d^3*(2*n - 1) + 3*a*d*e^2 + (a*e^3*(n + 1) + 3*c*d^2*e*(n - 1))*x^n)/(a*c^2*n*x^(2*n) + a^2*c*n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^3}{(a + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^3/(a + c*x^(2*n))^2,x)

[Out] int((d + e*x^n)^3/(a + c*x^(2*n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**3/(a+c*x**(2*n))**2,x)

[Out] Timed out

$$3.49 \quad \int \frac{(d+ex^n)^2}{(a+cx^{2n})^2} dx$$

Optimal. Leaf size=203

$$\frac{(1-2n)x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn} - \frac{de(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)} + \frac{x(-ae^2 + cd^2)}{2acn(a + c)}$$

[Out] 1/2*x*(c*d^2-a*e^2+2*c*d*e*x^n)/a/c/n/(a+c*x^(2*n))+e^2*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/c-1/2*(-a*e^2+c*d^2)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/c/n-d*e*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/n/(1+n)

Rubi [A] time = 0.17, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{(1-2n)x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn} - \frac{de(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)} + \frac{x(-ae^2 + cd^2)}{2acn(a + c)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2/(a + c*x^(2*n))^2,x]

[Out] (x*(c*d^2 - a*e^2 + 2*c*d*e*x^n))/(2*a*c*n*(a + c*x^(2*n))) + (e^2*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/(a*c) - ((c*d^2 - a*e^2)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*c*n) - (d*e*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]/(a^2*n*(1 + n)))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL

tQ[p, -1]

Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^2}{(a + cx^{2n})^2} dx &= \int \left(\frac{cd^2 - ae^2 + 2cdex^n}{c(a + cx^{2n})^2} + \frac{e^2}{c(a + cx^{2n})} \right) dx \\ &= \frac{\int \frac{cd^2 - ae^2 + 2cdex^n}{(a + cx^{2n})^2} dx}{c} + \frac{e^2 \int \frac{1}{a + cx^{2n}} dx}{c} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{2acn(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{\int \frac{(cd^2 - ae^2)(1 - 2n) + 2cde(1 - n)x^n}{a + cx^{2n}} dx}{2acn} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{2acn(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{((cd^2 - ae^2)(1 - 2n)) \int \frac{1}{a + cx^{2n}} dx}{2acn} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{2acn(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{ac} - \frac{(cd^2 - ae^2)(1 - 2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2cn} \end{aligned}$$

Mathematica [A] time = 0.16, size = 136, normalized size = 0.67

$$\frac{x \left((n+1)(cd^2 - ae^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + 2cdex^n {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae^2(n+1) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) \right)}{a^2c(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^2/(a + c*x^(2*n))^2,x]

[Out] (x*(a*e^2*(1 + n)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + (c*d^2 - a*e^2)*(1 + n)*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + 2*c*d*e*x^n*Hypergeometric2F1[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]))/(a^2*c*(1 + n))

fricas [F] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^{2n} + 2dex^n + d^2}{c^2x^{4n} + 2acx^{2n} + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)/(c^2*x^(4*n) + 2*a*c*x^(2*n) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate((e*x^n + d)^2/(c*x^(2*n) + a)^2, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^2/(c*x^(2*n)+a)^2,x)

[Out] int((e*x^n+d)^2/(c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2cdexx^n + (cd^2 - ae^2)x}{2(ac^2nx^{2n} + a^2cn)} + \int \frac{2cde(n-1)x^n + cd^2(2n-1) + ae^2}{2(ac^2nx^{2n} + a^2cn)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n))^2,x, algorithm="maxima")

[Out] 1/2*(2*c*d*e*x*x^n + (c*d^2 - a*e^2)*x)/(a*c^2*n*x^(2*n) + a^2*c*n) + integrate(1/2*(2*c*d*e*(n-1)*x^n + c*d^2*(2*n-1) + a*e^2)/(a*c^2*n*x^(2*n) + a^2*c*n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{(a + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^2/(a + c*x^(2*n))^2,x)

[Out] int((d + e*x^n)^2/(a + c*x^(2*n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2/(a+c*x**(2*n))**2,x)

[Out] Timed out

$$3.50 \quad \int \frac{d+ex^n}{(a+cx^{2n})^2} dx$$

Optimal. Leaf size=134

$$\frac{d(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n} - \frac{e(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)} + \frac{x(d+ex^n)}{2an(a+cx^{2n})}$$

[Out] 1/2*x*(d+e*x^n)/a/n/(a+c*x^(2*n))-1/2*d*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/n-1/2*e*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/n/(1+n)

Rubi [A] time = 0.05, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1431, 1418, 245, 364}

$$\frac{d(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n} - \frac{e(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)} + \frac{x(d+ex^n)}{2an(a+cx^{2n})}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + c*x^(2*n))^2, x]

[Out] (x*(d + e*x^n))/(2*a*n*(a + c*x^(2*n))) - (d*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/(2*a^2*n) - (e*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*n*(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && ILtQ[p, -1]

Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{(a + cx^{2n})^2} dx &= \frac{x(d + ex^n)}{2an(a + cx^{2n})} - \frac{\int \frac{d(1-2n) + e(1-n)x^n}{a + cx^{2n}} dx}{2an} \\ &= \frac{x(d + ex^n)}{2an(a + cx^{2n})} - \frac{(d(1-2n)) \int \frac{1}{a + cx^{2n}} dx}{2an} - \frac{(e(1-n)) \int \frac{x^n}{a + cx^{2n}} dx}{2an} \\ &= \frac{x(d + ex^n)}{2an(a + cx^{2n})} - \frac{d(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n} - \frac{e(1-n)x^{1+n} {}_2F_1\left(1, \frac{1+n}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right)\right)}{2a^2n(1+n)} \end{aligned}$$

Mathematica [A] time = 0.04, size = 83, normalized size = 0.62

$$\frac{dx {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2} + \frac{ex^{n+1} {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)/(a + c*x^(2*n))^2, x]

[Out] (d*x*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a^2 + (e*x^(1 + n)*Hypergeometric2F1[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^2*(1 + n))

fricas [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{c^2x^{4n} + 2acx^{2n} + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral((e*x^n + d)/(c^2*x^(4*n) + 2*a*c*x^(2*n) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + a)^2, x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(c*x^(2*n)+a)^2,x)

[Out] int((e*x^n+d)/(c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{exx^n + dx}{2(acnx^{2n} + a^2n)} + \int \frac{e(n-1)x^n + d(2n-1)}{2(acnx^{2n} + a^2n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+c*x^(2*n))^2,x, algorithm="maxima")

[Out] 1/2*(e*x*x^n + d*x)/(a*c*n*x^(2*n) + a^2*n) + integrate(1/2*(e*(n - 1)*x^n + d*(2*n - 1))/(a*c*n*x^(2*n) + a^2*n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + ex^n}{(a + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + c*x^(2*n))^2,x)

[Out] int((d + e*x^n)/(a + c*x^(2*n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a+c*x**(2*n))**2,x)

[Out] Timed out

$$3.51 \quad \int \frac{1}{(d+ex^n)(a+cx^{2n})^2} dx$$

Optimal. Leaf size=333

$$\frac{ce(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)(ae^2 + cd^2)} - \frac{cd(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)} + \frac{cde^2x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(ae^2 + cd^2)^2}$$

[Out] 1/2*c*x*(d-e*x^n)/a/(a*e^2+c*d^2)/n/(a+c*x^(2*n))+c*d*e^2*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2-1/2*c*d*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c*d^2)/n+e^4*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2+c*d^2)^2-c*e^3*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a/(a*e^2+c*d^2)^2/(1+n)+1/2*c*e*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/(a*e^2+c*d^2)/n/(1+n)

Rubi [A] time = 0.22, antiderivative size = 333, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{ce(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(n+1)(ae^2 + cd^2)} - \frac{cd(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)} - \frac{ce^3x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)(ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)*(a + c*x^(2*n))^2), x]

[Out] (c*x*(d - e*x^n))/(2*a*(c*d^2 + a*e^2)*n*(a + c*x^(2*n))) + (c*d*e^2*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/(a*(c*d^2 + a*e^2)^2) - (c*d*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/(2*a^2*(c*d^2 + a*e^2)*n) + (e^4*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d*(c*d^2 + a*e^2)^2) - (c*e^3*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]/(a*(c*d^2 + a*e^2)^2*(1 + n)) + (c*e*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]/(2*a^2*(c*d^2 + a*e^2)*n*(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)]/(c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n)))^(p + 1)/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)(a + cx^{2n})^2} dx &= \int \left(\frac{e^4}{(cd^2 + ae^2)^2 (d + ex^n)} - \frac{c(-d + ex^n)}{(cd^2 + ae^2)(a + cx^{2n})^2} - \frac{ce^2(-d + ex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})} \right) dx \\ &= -\frac{(ce^2) \int \frac{-d+ex^n}{a+cx^{2n}} dx}{(cd^2 + ae^2)^2} + \frac{e^4 \int \frac{1}{d+ex^n} dx}{(cd^2 + ae^2)^2} - \frac{c \int \frac{-d+ex^n}{(a+cx^{2n})^2} dx}{cd^2 + ae^2} \\ &= \frac{cx(d - ex^n)}{2a(cd^2 + ae^2)n(a + cx^{2n})} + \frac{e^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 + ae^2)^2} + \frac{(cde^2) \int \frac{1}{a+cx^{2n}} dx}{(cd^2 + ae^2)^2} \\ &= \frac{cx(d - ex^n)}{2a(cd^2 + ae^2)n(a + cx^{2n})} + \frac{cde^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)^2} + \frac{e^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 + ae^2)^2} \\ &= \frac{cx(d - ex^n)}{2a(cd^2 + ae^2)n(a + cx^{2n})} + \frac{cde^2 x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)^2} - \frac{cd(1 - 2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a(cd^2 + ae^2)^2} \end{aligned}$$

Mathematica [A] time = 0.27, size = 227, normalized size = 0.68

$$\frac{x \left(a^2 e^4 (n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) + a c d^2 e^2 (n+1) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + cd \left((ae^2 + cd^2) \left(d(n+1) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) - a^2 d(n+1) \left(ae^2 \right) \right) \right)}{a^2 d(n+1) (ae^2 + cd^2)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)*(a + c*x^(2*n))^2), x]

[Out] (x*(a*c*d^2*e^2*(1 + n)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + a^2*e^4*(1 + n)*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)] + c*d*(-(a*e^3*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]) + (c*d^2 + a*e^2)*(d*(1 + n)*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] - e*x^n*Hypergeometric2F1[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])))/(a^2*d*(c*d^2 + a*e^2)^2*(1 + n))

fricas [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{a^2 ex^n + a^2 d + (c^2 ex^n + c^2 d)x^{4n} + 2(acex^n + acd)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*e*x^n + a^2*d + (c^2*e*x^n + c^2*d)*x^(4*n) + 2*(a*c*e*x^n + a*c*d)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)^2 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + a)^2*(e*x^n + d)), x)

maple [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)/(c*x^(2*n)+a)^2,x)

[Out] int(1/(e*x^n+d)/(c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$e^4 \int \frac{1}{c^2 d^5 + 2acd^3e^2 + a^2de^4 + (c^2d^4e + 2acd^2e^3 + a^2e^5)x^n} dx - \frac{cexx^n - cdx}{2(a^2cd^2n + a^3e^2n + (ac^2d^2n + a^2ce^2n)x^{2n})} - \int$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^2,x, algorithm="maxima")

[Out] e^4*integrate(1/(c^2*d^5 + 2*a*c*d^3*e^2 + a^2*d*e^4 + (c^2*d^4*e + 2*a*c*d^2*e^3 + a^2*e^5)*x^n), x) - 1/2*(c*e*x*x^n - c*d*x)/(a^2*c*d^2*n + a^3*e^2*n + (a*c^2*d^2*n + a^2*c*e^2*n)*x^(2*n)) - integrate(-1/2*(a*c*d*e^2*(4*n - 1) + c^2*d^3*(2*n - 1) - (a*c*e^3*(3*n - 1) + c^2*d^2*e*(n - 1))*x^n)/(a^2*c^2*d^4*n + 2*a^3*c*d^2*e^2*n + a^4*e^4*n + (a*c^3*d^4*n + 2*a^2*c^2*d^2*e^2*n + a^3*c*e^4*n)*x^(2*n)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + cx^{2n})^2 (d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^(2*n))^2*(d + e*x^n)),x)

[Out] int(1/((a + c*x^(2*n))^2*(d + e*x^n)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)/(a+c*x**(2*n))**2,x)

[Out] Timed out

$$3.52 \quad \int \frac{1}{(d+ex^n)^2(a+cx^{2n})^2} dx$$

Optimal. Leaf size=410

$$\frac{c^2de(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2 + cd^2)^2} - \frac{c(1-2n)x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)^2} - \frac{4c^2de^3x^{n+1}}{a^2n(n+1)(ae^2 + cd^2)^2}$$

[Out] $\frac{1}{2}cx^*(cd^2 - ae^2 - 2c*d*e*x^n)/a/(ae^2 + cd^2)^2/n/(a + cx^{2n}) + ce^2*(-ae^2 + 3cd^2)*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a/(ae^2 + cd^2)^3 - 1/2*c*(-ae^2 + cd^2)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a^2/(ae^2 + cd^2)^2/n + 4*c*e^4*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/(ae^2 + cd^2)^3 - 4*c^2*d*e^3*x^{(1+n)}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a/(ae^2 + cd^2)^3/(1+n) + c^2*d*e*(1-n)*x^{(1+n)}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a^2/(ae^2 + cd^2)^2/n/(1+n) + e^4*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(ae^2 + cd^2)^2$

Rubi [A] time = 0.38, antiderivative size = 410, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{c^2de(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2 + cd^2)^2} - \frac{c(1-2n)x(cd^2 - ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{2a^2n(ae^2 + cd^2)^2} - \frac{4c^2de^3x^{n+1}}{a^2n(n+1)(ae^2 + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^2*(a + c*x^(2*n))^2), x]

[Out] $\frac{c*x*(cd^2 - ae^2 - 2*c*d*e*x^n)}{(2*a*(cd^2 + ae^2)^{2*n}*(a + cx^{2n}))} + \frac{c*e^2*(3*cd^2 - ae^2)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^{(-1)})/2, -((c*x^{2n})/a)]}{a*(cd^2 + ae^2)^3} - \frac{c*(cd^2 - ae^2)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^{(-1)})/2, -((c*x^{2n})/a)]}{2*a^2*(cd^2 + ae^2)^{2*n}} + \frac{4*c*e^4*x*Hypergeometric2F1[1, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)]}{(cd^2 + ae^2)^3} - \frac{4*c^2*d*e^3*x^{(1+n)}*Hypergeometric2F1[1, (1+n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{2n})/a)]}{a*(cd^2 + ae^2)^3*(1+n)} + \frac{c^2*d*e*(1-n)*x^{(1+n)}*Hypergeometric2F1[1, (1+n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{2n})/a)]}{a^2*(cd^2 + ae^2)^2*n*(1+n)} + \frac{e^4*x*Hypergeometric2F1[2, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)]}{d^2*(cd^2 + ae^2)^2}$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !LtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (LtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /

```
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

Rubi steps

$$\int \frac{1}{(d + ex^n)^2 (a + cx^{2n})^2} dx = \int \left(\frac{e^4}{(cd^2 + ae^2)^2 (d + ex^n)^2} + \frac{4cde^4}{(cd^2 + ae^2)^3 (d + ex^n)} - \frac{c(-cd^2 + ae^2 + 2cdex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})^2} \right) dx$$

$$= -\frac{(ce^2) \int \frac{-3cd^2 + ae^2 + 4cdex^n}{a + cx^{2n}} dx}{(cd^2 + ae^2)^3} + \frac{(4cde^4) \int \frac{1}{d + ex^n} dx}{(cd^2 + ae^2)^3} - \frac{c \int \frac{-cd^2 + ae^2 + 2cdex^n}{(a + cx^{2n})^2} dx}{(cd^2 + ae^2)^2} + \frac{e^4 \int \frac{1}{d + ex^n} dx}{(cd^2 + ae^2)^2}$$

$$= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{2a(cd^2 + ae^2)^2 n(a + cx^{2n})} + \frac{4ce^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{(cd^2 + ae^2)^3} + \frac{e^4 x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2 (cd^2 + ae^2)^2}$$

$$= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{2a(cd^2 + ae^2)^2 n(a + cx^{2n})} + \frac{ce^2(3cd^2 - ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)^3} + \frac{4c^2 d e^3 x^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)}$$

$$= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{2a(cd^2 + ae^2)^2 n(a + cx^{2n})} + \frac{ce^2(3cd^2 - ae^2) x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(cd^2 + ae^2)^3} - \frac{c \int \frac{1}{d + ex^n} dx}{(cd^2 + ae^2)^2}$$

Mathematica [A] time = 0.47, size = 298, normalized size = 0.73

$$x \left(-\frac{2c^2 dex^n (ae^2 + cd^2) {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2(n+1)} + \frac{c(cd^2 - ae^2)(ae^2 + cd^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2} - \frac{4c^2 d e^3 x^n {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a(n+1)} + \dots \right) / (ae^2 + cd^2)^3$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((d + e*x^n)^2*(a + c*x^(2*n))^2), x]
```

```
[Out] (x*((c*e^2*(3*c*d^2 - a*e^2)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2,
-((c*x^(2*n))/a)]/a) + 4*c*e^4*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((
e*x^n)/d)] - (4*c^2*d*e^3*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-
1))/2, -((c*x^(2*n))/a)])/(a*(1 + n)) + (c*(c*d^2 - a*e^2)*(c*d^2 + a*e^2)*
Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]/a^2 + (e^4
```

$(c*d^2 + a*e^2)*\text{Hypergeometric2F1}[2, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)]/d^2 - (2*c^2*d*e*(c*d^2 + a*e^2)*x^n*\text{Hypergeometric2F1}[2, (1 + n)/(2*n), (3 + n^{(-1)})/2, -((c*x^{(2*n)})/a)]/(a^2*(1 + n)))/(c*d^2 + a*e^2)^3$

fricas [F] time = 1.36, size = 0, normalized size = 0.00

integral $\left(\frac{1}{a^2 e^2 x^{2n} + 2 a^2 d e x^n + a^2 d^2 + (c^2 e^2 x^{2n} + 2 c^2 d e x^n + c^2 d^2) x^{4n} + 2 (a c e^2 x^{2n} + 2 a c d e x^n + a c d^2) x^{2n}}, x \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*e^2*x^(2*n) + 2*a^2*d*e*x^n + a^2*d^2 + (c^2*e^2*x^(2*n) + 2*c^2*d*e*x^n + c^2*d^2)*x^(4*n) + 2*(a*c*e^2*x^(2*n) + 2*a*c*d*e*x^n + a*c*d^2)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(c x^{2n} + a)^2 (e x^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + a)^2*(e*x^n + d)^2), x)

maple [F] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{1}{(e x^n + d)^2 (c x^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)^2/(c*x^(2*n)+a)^2,x)

[Out] int(1/(e*x^n+d)^2/(c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$(c d^2 e^4 (5 n - 1) + a e^6 (n - 1)) \int \frac{1}{c^3 d^8 n + 3 a c^2 d^6 e^2 n + 3 a^2 c d^4 e^4 n + a^3 d^2 e^6 n + (c^3 d^7 e n + 3 a c^2 d^5 e^3 n + 3 a^2 c d^3 e^5 n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n))^2,x, algorithm="maxima")

[Out] (c*d^2*e^4*(5*n - 1) + a*e^6*(n - 1))*integrate(1/(c^3*d^8*n + 3*a*c^2*d^6*e^2*n + 3*a^2*c*d^4*e^4*n + a^3*d^2*e^6*n + (c^3*d^7*e*n + 3*a*c^2*d^5*e^3*n + 3*a^2*c*d^3*e^5*n)*x^n), x) - 1/2*(2*(c^2*d^2*e^2 - a*c*e^4)*x*x^(2*n) + (c^2*d^3*e + a*c*d*e^3)*x*x^n - (c^2*d^4 - a*c*d^2*e^2 + 2*a^2*e^4)*x)/(a^2*c^2*d^6*n + 2*a^3*c*d^4*e^2*n + a^4*d^2*e^4*n + (a*c^3*d^5*e*n + 2*a^2*c^2*d^3*e^3*n + a^3*c*d*e^5*n)*x^(3*n) + (a*c^3*d^6*n + 2*a^2*c^2*d^4*e^2*n + a^3*c*d^2*e^4*n)*x^(2*n) + (a^2*c^2*d^5*e*n + 2*a^3*c*d^3*e^3*n + a^4*d*e^5*n)*x^n) - integrate(1/2*(a^2*c*e^4*(4*n - 1) - c^3*d^4*(2*n - 1) - 6*a*c^2*d^2*e^2*n + 2*(a*c^2*d*e^3*(5*n - 1) + c^3*d^3*e*(n - 1))*x^n)/(a^2*c^3*d^6*n + 3*a^3*c^2*d^4*e^2*n + 3*a^4*c*d^2*e^4*n + a^5*e^6*n + (a*c^4*d^6*n + 3*a^2*c^3*d^4*e^2*n + 3*a^3*c^2*d^2*e^4*n + a^4*c*e^6*n)*x^(2*n)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + c x^{2n})^2 (d + e x^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^(2*n))^2*(d + e*x^n)^2),x)

[Out] int(1/((a + c*x^(2*n))^2*(d + e*x^n)^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**2/(a+c*x**(2*n))**2,x)

[Out] Timed out

$$3.53 \quad \int \frac{(d+ex^n)^3}{(a+cx^{2n})^3} dx$$

Optimal. Leaf size=424

$$\frac{e(1-3n)(1-n)x^{n+1}(3cd^2-ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2(n+1)} + \frac{d(1-4n)(1-2n)x(cd^2-3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\right)}{8a^3cn^2}$$

[Out] 1/4*x*(d*(-3*a*e^2+c*d^2)+e*(-a*e^2+3*c*d^2)*x^n)/a/c/n/(a+c*x^(2*n))^2+1/2*e^2*x*(3*d+e*x^n)/a/c/n/(a+c*x^(2*n))-1/8*x*(d*(-3*a*e^2+c*d^2)*(1-4*n)+e*(-a*e^2+3*c*d^2)*(1-3*n)*x^n)/a^2/c/n^2/(a+c*x^(2*n))+1/8*d*(-3*a*e^2+c*d^2)*(1-4*n)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^3/c/n^2-3/2*d*e^2*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/c/n+1/8*e*(-a*e^2+3*c*d^2)*(1-3*n)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^3/c/n^2/(1+n)-1/2*e^3*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^2/c/n/(1+n)

Rubi [A] time = 0.38, antiderivative size = 424, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{e(1-3n)(1-n)x^{n+1}(3cd^2-ae^2) {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2(n+1)} + \frac{d(1-4n)(1-2n)x(cd^2-3ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\right)}{8a^3cn^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3/(a + c*x^(2*n))^3,x]

[Out] (x*(d*(c*d^2 - 3*a*e^2) + e*(3*c*d^2 - a*e^2)*x^n))/(4*a*c*n*(a + c*x^(2*n))^2) + (e^2*x*(3*d + e*x^n))/(2*a*c*n*(a + c*x^(2*n))) - (x*(d*(c*d^2 - 3*a*e^2)*(1 - 4*n) + e*(3*c*d^2 - a*e^2)*(1 - 3*n)*x^n))/(8*a^2*c*n^2*(a + c*x^(2*n))) + (d*(c*d^2 - 3*a*e^2)*(1 - 4*n)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*c*n^2) - (3*d*e^2*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*c*n) + (e*(3*c*d^2 - a*e^2)*(1 - 3*n)*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*c*n^2*(1 + n)) - (e^3*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(2*a^2*c*n*(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/ (c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /

; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && ILtQ[p, -1]

Rule 1437

Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{(a + cx^{2n})^3} dx &= \int \left(\frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{c(a + cx^{2n})^3} + \frac{e^2(3d + ex^n)}{c(a + cx^{2n})^2} \right) dx \\ &= \frac{\int \frac{cd^3 - 3ade^2 + (3cd^2e - ae^3)x^n}{(a + cx^{2n})^3} dx}{c} + \frac{e^2 \int \frac{3d + ex^n}{(a + cx^{2n})^2} dx}{c} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{\int \frac{(cd^3 - 3ade^2)(1 - 4n) + (3cd^2e - ae^3)(1 - 3n)x^n}{(a + cx^{2n})^2} dx}{4acn} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{x(d(cd^2 - 3ae^2)(1 - 4n) + e(3cd^2e - ae^3)(1 - 3n)x^n)}{8a^2cn^2(a + cx^{2n})} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{x(d(cd^2 - 3ae^2)(1 - 4n) + e(3cd^2e - ae^3)(1 - 3n)x^n)}{8a^2cn^2(a + cx^{2n})} \\ &= \frac{x(d(cd^2 - 3ae^2) + e(3cd^2 - ae^2)x^n)}{4acn(a + cx^{2n})^2} + \frac{e^2x(3d + ex^n)}{2acn(a + cx^{2n})} - \frac{x(d(cd^2 - 3ae^2)(1 - 4n) + e(3cd^2e - ae^3)(1 - 3n)x^n)}{8a^2cn^2(a + cx^{2n})} \end{aligned}$$

Mathematica [A] time = 0.29, size = 188, normalized size = 0.44

$$\frac{x \left(d(cd^2 - 3ae^2) {}_2F_1 \left(3, \frac{1}{2n}; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + \frac{ex^n(3cd^2 - ae^2) {}_2F_1 \left(3, \frac{n+1}{2n}; \frac{1}{2} \left(3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{n+1} + 3ade^2 {}_2F_1 \left(2, \frac{1}{2n}; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) \right)}{a^3c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^3/(a + c*x^(2*n))^3,x]

[Out] (x*(3*a*d*e^2*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)]) + (a*e^3*x^n*Hypergeometric2F1[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^

$(2*n)/a)]/(1+n) + d*(c*d^2 - 3*a*e^2)*\text{Hypergeometric2F1}[3, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + (e*(3*c*d^2 - a*e^2)*x^n*\text{Hypergeometric2F1}[3, (1+n)/(2*n), (3+n^(-1))/2, -((c*x^(2*n))/a)]/(1+n)))/(a^3*c)$

fricas [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3x^{3n} + 3de^2x^{2n} + 3d^2ex^n + d^3}{c^3x^{6n} + 3ac^2x^{4n} + 3a^2cx^{2n} + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)/(c^3*x^(6*n) + 3*a*c^2*x^(4*n) + 3*a^2*c*x^(2*n) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate((e*x^n + d)^3/(c*x^(2*n) + a)^3, x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^3/(c*x^(2*n)+a)^3,x)

[Out] int((e*x^n+d)^3/(c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(3c^2d^2e(3n-1) + ace^3(n+1))xx^{3n} + (c^2d^3(4n-1) + 3acde^2)xx^{2n} + (3acd^2e(5n-1) - a^2e^3(n-1))xx^n + (3c^2d^2e(3n-1) + ace^3(n+1))}{8(a^2c^3n^2x^{4n} + 2a^3c^2n^2x^{2n} + a^4cn^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+c*x^(2*n))^3,x, algorithm="maxima")

[Out] $1/8*((3*c^2*d^2*e*(3*n-1) + a*c*e^3*(n+1))*x*x^(3*n) + (c^2*d^3*(4*n-1) + 3*a*c*d^2*e*(5*n-1) - a^2*e^3*(n-1))*x*x^n + (a*c*d^3*(6*n-1) - 3*a^2*d*e^2*(2*n-1))*x)/(a^2*c^3*n^2*x^(4*n) + 2*a^3*c^2*n^2*x^(2*n) + a^4*c*n^2) + \text{integrate}(1/8*((8*n^2 - 6*n + 1)*c*d^3 + 3*a*d*e^2*(2*n-1) + (3*(3*n^2 - 4*n + 1)*c*d^2*e + (n^2 - 1)*a*e^3))*x^n)/(a^2*c^2*n^2*x^(2*n) + a^3*c*n^2), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^3}{(a + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^3/(a + c*x^(2*n))^3,x)
```

```
[Out] int((d + e*x^n)^3/(a + c*x^(2*n))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**3/(a+c*x**(2*n))**3,x)
```

```
[Out] Timed out
```

$$3.54 \quad \int \frac{(d+ex^n)^2}{(a+cx^{2n})^3} dx$$

Optimal. Leaf size=272

$$\frac{(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2} + \frac{de(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)}$$

[Out] 1/4*x*(c*d^2-a*e^2+2*c*d*e*x^n)/a/c/n/(a+c*x^(2*n))^2-1/8*x*((-a*e^2+c*d^2)*(1-4*n)+2*c*d*e*(1-3*n)*x^n)/a^2/c/n^2/(a+c*x^(2*n))+1/8*(-a*e^2+c*d^2)*(1-4*n)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^3/c/n^2+1/4*d*e*(1-3*n)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^3/n^2/(1+n)+e^2*x*hypergeom([2, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^2/c

Rubi [A] time = 0.25, antiderivative size = 272, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 1431, 1418, 245, 364}

$$\frac{(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3cn^2} - \frac{x((1-4n)(cd^2-ae^2)+2cde(1-3n)x^n)}{8a^2cn^2(a+cx^{2n})} + \frac{de(1-3n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2/(a + c*x^(2*n))^3, x]

[Out] (x*(c*d^2 - a*e^2 + 2*c*d*e*x^n))/(4*a*c*n*(a + c*x^(2*n))^2) - (x*((c*d^2 - a*e^2)*(1 - 4*n) + 2*c*d*e*(1 - 3*n)*x^n))/(8*a^2*c*n^2*(a + c*x^(2*n))) + ((c*d^2 - a*e^2)*(1 - 4*n)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*c*n^2) + (d*e*(1 - 3*n)*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(4*a^3*n^2*(1 + n)) + (e^2*x*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^2*c)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p+1))/(2*a*n*(p+1)), x] + Dist[1/(

$2*a*n*(p + 1)$, Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && ILtQ[p, -1]

Rule 1437

Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^2}{(a + cx^{2n})^3} dx &= \int \left(\frac{cd^2 - ae^2 + 2cdex^n}{c(a + cx^{2n})^3} + \frac{e^2}{c(a + cx^{2n})^2} \right) dx \\ &= \frac{\int \frac{cd^2 - ae^2 + 2cdex^n}{(a + cx^{2n})^3} dx}{c} + \frac{e^2 \int \frac{1}{(a + cx^{2n})^2} dx}{c} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2c} - \frac{\int \frac{(cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n}{(a + cx^{2n})^2} dx}{4acn} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} - \frac{x((cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n)}{8a^2cn^2(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2c} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} - \frac{x((cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n)}{8a^2cn^2(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2c} \\ &= \frac{x(cd^2 - ae^2 + 2cdex^n)}{4acn(a + cx^{2n})^2} - \frac{x((cd^2 - ae^2)(1 - 4n) + 2cde(1 - 3n)x^n)}{8a^2cn^2(a + cx^{2n})} + \frac{(cd^2 - ae^2)(1 - 4n)(1 - 4n)}{8a^2cn^2(a + cx^{2n})} + \frac{e^2 x {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2c} \end{aligned}$$

Mathematica [A] time = 0.16, size = 136, normalized size = 0.50

$$\frac{x \left((n+1)(cd^2 - ae^2) {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + 2cdex^n {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + ae^2(n+1) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) \right)}{a^3c(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^2/(a + c*x^(2*n))^3,x]

[Out] (x*(a*e^2*(1 + n)*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + (c*d^2 - a*e^2)*(1 + n)*Hypergeometric2F1[3, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)] + 2*c*d*e*x^n*Hypergeometric2F1[3, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)]))/(a^3*c*(1 + n))

fricas [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^{2n} + 2dex^n + d^2}{c^3x^{6n} + 3ac^2x^{4n} + 3a^2cx^{2n} + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)/(c^3*x^(6*n) + 3*a*c^2*x^(4*n) + 3*a^2*c*x^(2*n) + a^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate((e*x^n + d)^2/(c*x^(2*n) + a)^3, x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^2}{(c x^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^2/(c*x^(2*n)+a)^3,x)

[Out] int((e*x^n+d)^2/(c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{2c^2de(3n-1)xx^{3n} + 2acde(5n-1)xx^n + (c^2d^2(4n-1) + ace^2)xx^{2n} + (acd^2(6n-1) - a^2e^2(2n-1))x}{8(a^2c^3n^2x^{4n} + 2a^3c^2n^2x^{2n} + a^4cn^2)} + \int 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+c*x^(2*n))^3,x, algorithm="maxima")

[Out] 1/8*(2*c^2*d*e*(3*n - 1)*x*x^(3*n) + 2*a*c*d*e*(5*n - 1)*x*x^n + (c^2*d^2*(4*n - 1) + a*c*e^2)*x*x^(2*n) + (a*c*d^2*(6*n - 1) - a^2*e^2*(2*n - 1))*x)/ (a^2*c^3*n^2*x^(4*n) + 2*a^3*c^2*n^2*x^(2*n) + a^4*c*n^2) + integrate(1/8*(2*(3*n^2 - 4*n + 1)*c*d*e*x^n + (8*n^2 - 6*n + 1)*c*d^2 + a*e^2*(2*n - 1))/(a^2*c^2*n^2*x^(2*n) + a^3*c*n^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^2}{(a + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^2/(a + c*x^(2*n))^3,x)

[Out] int((d + e*x^n)^2/(a + c*x^(2*n))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2/(a+c*x**(2*n))**3,x)

[Out] Timed out

$$3.55 \quad \int \frac{d+ex^n}{(a+cx^{2n})^3} dx$$

Optimal. Leaf size=184

$$\frac{d(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} + \frac{e(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)} - \frac{x(d(1-4n))}{8a^2n^2}$$

[Out] 1/4*x*(d+e*x^n)/a/n/(a+c*x^(2*n))^2-1/8*x*(d*(1-4*n)+e*(1-3*n)*x^n)/a^2/n^2/(a+c*x^(2*n))+1/8*d*(1-4*n)*(1-2*n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/a^3/n^2+1/8*e*(1-3*n)*(1-n)*x^(1+n)*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/a^3/n^2/(1+n)

Rubi [A] time = 0.10, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {1431, 1418, 245, 364}

$$-\frac{x(d(1-4n)+e(1-3n)x^n)}{8a^2n^2(a+cx^{2n})} + \frac{d(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} + \frac{e(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + c*x^(2*n))^3, x]

[Out] (x*(d + e*x^n))/(4*a*n*(a + c*x^(2*n))^2) - (x*(d*(1 - 4*n) + e*(1 - 3*n)*x^n))/(8*a^2*n^2*(a + c*x^(2*n))) + (d*(1 - 4*n)*(1 - 2*n)*x*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*n^2) + (e*(1 - 3*n)*(1 - n)*x^(1 + n)*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(8*a^3*n^2*(1 + n))

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL

tQ[p, -1]

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^n}{(a + cx^{2n})^3} dx &= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{\int \frac{d(1-4n) + e(1-3n)x^n}{(a+cx^{2n})^2} dx}{4an} \\
&= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{x(d(1-4n) + e(1-3n)x^n)}{8a^2n^2(a + cx^{2n})} + \frac{\int \frac{d(1-4n)(1-2n) + e(1-3n)(1-n)x^n}{a+cx^{2n}} dx}{8a^2n^2} \\
&= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{x(d(1-4n) + e(1-3n)x^n)}{8a^2n^2(a + cx^{2n})} + \frac{(d(1-4n)(1-2n)) \int \frac{1}{a+cx^{2n}} dx}{8a^2n^2} + \frac{(e(1-3n)(1-n)) \int \frac{1}{a+cx^{2n}} dx}{8a^2n^2} \\
&= \frac{x(d + ex^n)}{4an(a + cx^{2n})^2} - \frac{x(d(1-4n) + e(1-3n)x^n)}{8a^2n^2(a + cx^{2n})} + \frac{d(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2} + \frac{e(1-3n)(1-n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 83, normalized size = 0.45

$$\frac{dx {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3} + \frac{ex^{n+1} {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3(n+1)}$$

Antiderivative was successfully verified.

`[In] Integrate[(d + e*x^n)/(a + c*x^(2*n))^3, x]`

```
[Out] (d*x*Hypergeometric2F1[3, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a^3 +
(e*x^(1 + n)*Hypergeometric2F1[3, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2
*n))/a)])/(a^3*(1 + n))
```

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{c^3x^{6n} + 3ac^2x^{4n} + 3a^2cx^{2n} + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((d+e*x^n)/(a+c*x^(2*n))^3,x, algorithm="fricas")`

```
[Out] integral((e*x^n + d)/(c^3*x^(6*n) + 3*a*c^2*x^(4*n) + 3*a^2*c*x^(2*n) + a^3
), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] integrate((d+e*x^n)/(a+c*x^(2*n))^3,x, algorithm="giac")``[Out] integrate((e*x^n + d)/(c*x^(2*n) + a)^3, x)`**maple [F]** time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)/(c*x^(2*n)+a)^3,x)`

[Out] `int((e*x^n+d)/(c*x^(2*n)+a)^3,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{ce(3n-1)xx^{3n} + cd(4n-1)xx^{2n} + ae(5n-1)xx^n + ad(6n-1)x}{8(a^2c^2n^2x^{4n} + 2a^3cn^2x^{2n} + a^4n^2)} + \int \frac{(3n^2 - 4n + 1)ex^n + (8n^2 - 6n + 1)d}{8(a^2cn^2x^{2n} + a^3n^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)/(a+c*x^(2*n))^3,x, algorithm="maxima")`

[Out] `1/8*(c*e*(3*n - 1)*x*x^(3*n) + c*d*(4*n - 1)*x*x^(2*n) + a*e*(5*n - 1)*x*x^n + a*d*(6*n - 1)*x)/(a^2*c^2*n^2*x^(4*n) + 2*a^3*c*n^2*x^(2*n) + a^4*n^2) + integrate(1/8*((3*n^2 - 4*n + 1)*e*x^n + (8*n^2 - 6*n + 1)*d)/(a^2*c*n^2*x^(2*n) + a^3*n^2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + ex^n}{(a + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^n)/(a + c*x^(2*n))^3,x)`

[Out] `int((d + e*x^n)/(a + c*x^(2*n))^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)/(a+c*x**(2*n))**3,x)`

[Out] Timed out

$$3.56 \quad \int \frac{1}{(d+ex^n)(a+cx^{2n})^3} dx$$

Optimal. Leaf size=582

$$\frac{ce(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)(ae^2+cd^2)} + \frac{cd(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)} + \frac{cde^2}{8a^3n^2(ae^2+cd^2)}$$

[Out] $\frac{1}{4}cx^*(d-ex^n)/a/(a^2+cd^2)/n/(a+cx^{2n})^2+1/2c^2e^2x*(d-ex^n)/a/(a^2+cd^2)^2/n/(a+cx^{2n})-1/8c^2x*(d*(1-4n)-e*(1-3n)*x^n)/a^2/(a^2+cd^2)/n^2/(a+cx^{2n})+cd^2e^4*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a/(a^2+cd^2)^3+1/8c^2d*(1-4n)*(1-2n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a^3/(a^2+cd^2)/n^2-1/2c^2d^2e^2*(1-2n)*x*hypergeom([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a^2/(a^2+cd^2)^2+n^2e^6*x*hypergeom([1, 1/n], [1+1/n], -ex^n/d)/d/(a^2+cd^2)^3-c^2e^5x^{1+n}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a/(a^2+cd^2)^3/(1+n)-1/8c^2e*(1-3n)*(1-n)*x^{1+n}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a^3/(a^2+cd^2)/n^2/(1+n)+1/2c^2e^3*(1-n)*x^{1+n}*hypergeom([1, 1/2*(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a^2/(a^2+cd^2)^2/n/(1+n)$

Rubi [A] time = 0.42, antiderivative size = 582, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{ce(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(n+1)(ae^2+cd^2)} + \frac{cd(1-4n)(1-2n)x {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)} + \frac{ce^3}{8a^3n^2(ae^2+cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)*(a + c*x^(2*n))^3), x]

[Out] $\frac{c^2x^*(d-ex^n)/(4a^2*(cd^2+ae^2)*n*(a+cx^{2n})^2+(c^2e^2x^*(d-ex^n)/(2a^2*(cd^2+ae^2)^2*n*(a+cx^{2n}))-c^2x^*(d*(1-4n)-e*(1-3n)*x^n)/(8a^2*(cd^2+ae^2)*n^2*(a+cx^{2n}))+c^2d^2e^4*x*Hypergeometric2F1[1, 1/(2*n), (2+n^(-1))/2, -((c*x^{2n})/a)]/(a*(cd^2+ae^2)^3)+c^2d*(1-4n)*(1-2n)*x*Hypergeometric2F1[1, 1/(2*n), (2+n^(-1))/2, -((c*x^{2n})/a)]/(8a^3*(cd^2+ae^2)*n^2)-(c^2d^2e^2*(1-2n)*x*Hypergeometric2F1[1, 1/(2*n), (2+n^(-1))/2, -((c*x^{2n})/a)]/(2a^2*(cd^2+ae^2)^2*n)+(e^6*x*Hypergeometric2F1[1, n^(-1), 1+n^(-1), -(ex^n/d)]/(d*(cd^2+ae^2)^3)-(c^2e^5x^{1+n}*Hypergeometric2F1[1, (1+n)/(2*n), (3+n^(-1))/2, -((c*x^{2n})/a)]/(a*(cd^2+ae^2)^3*(1+n))-(c^2e*(1-3n)*(1-n)*x^{1+n}*Hypergeometric2F1[1, (1+n)/(2*n), (3+n^(-1))/2, -((c*x^{2n})/a)]/(8a^3*(cd^2+ae^2)*n^2*(1+n))+(c^2e^3*(1-n)*x^{1+n}*Hypergeometric2F1[1, (1+n)/(2*n), (3+n^(-1))/2, -((c*x^{2n})/a)]/(2a^2*(cd^2+ae^2)^2*n*(1+n))}$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)]/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ

Q[p, 0] || GtQ[a, 0])

Rule 1418

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d
, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /
; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (Po
sQ[a*c] || !IntegerQ[n])
```

Rule 1431

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -
Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(
2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*
x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && IL
tQ[p, -1]
```

Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:= Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)(a + cx^{2n})^3} dx &= \int \left(\frac{e^6}{(cd^2 + ae^2)^3 (d + ex^n)} - \frac{c(-d + ex^n)}{(cd^2 + ae^2)(a + cx^{2n})^3} - \frac{ce^2(-d + ex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})^2} - \frac{c^3(-d + ex^n)}{(cd^2 + ae^2)^3 (a + cx^{2n})} \right) dx \\ &= -\frac{(ce^4) \int \frac{-d+ex^n}{a+cx^{2n}} dx}{(cd^2 + ae^2)^3} + \frac{e^6 \int \frac{1}{d+ex^n} dx}{(cd^2 + ae^2)^3} - \frac{(ce^2) \int \frac{-d+ex^n}{(a+cx^{2n})^2} dx}{(cd^2 + ae^2)^2} - \frac{c \int \frac{-d+ex^n}{(a+cx^{2n})^3} dx}{cd^2 + ae^2} \\ &= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} + \frac{e^6x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{cx^{2n}}{a}\right)}{d(cd^2 + ae^2)^3} \\ &= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} - \frac{cx(d(1 - 4n) - e(1 - 4n))}{8a^2(cd^2 + ae^2)n^2(a + cx^{2n})} \\ &= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} - \frac{cx(d(1 - 4n) - e(1 - 4n))}{8a^2(cd^2 + ae^2)n^2(a + cx^{2n})} \\ &= \frac{cx(d - ex^n)}{4a(cd^2 + ae^2)n(a + cx^{2n})^2} + \frac{ce^2x(d - ex^n)}{2a(cd^2 + ae^2)^2n(a + cx^{2n})} - \frac{cx(d(1 - 4n) - e(1 - 4n))}{8a^2(cd^2 + ae^2)n^2(a + cx^{2n})} \end{aligned}$$

Mathematica [A] time = 0.43, size = 346, normalized size = 0.59

$$x \left(\frac{cd(ae^2 + cd^2)^2 {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3} - \frac{cex^n(ae^2 + cd^2)^2 {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3(n+1)} + \frac{cde^2(ae^2 + cd^2) {}_2F_1\left(2, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2} - \frac{ce^3x^n(ae^2 + cd^2)}{(ae^2 + cd^2)^3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)*(a + c*x^(2*n))^3),x]

[Out] (x*((c*d*e^4*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a + (e^6*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d - (c*e^5*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(1 + n)) + (c*d*e^2*(c*d^2 + a*e^2)*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a^2 - (c*e^3*(c*d^2 + a*e^2)*x^n*Hypergeometric2F1[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^2*(1 + n)) + (c*d*(c*d^2 + a*e^2)^2*Hypergeometric2F1[3, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a^3 - (c*e*(c*d^2 + a*e^2)^2*x^n*Hypergeometric2F1[3, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^3*(1 + n)))/(c*d^2 + a*e^2)^3

fricas [F] time = 1.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{a^3ex^n + a^3d + (c^3ex^n + c^3d)x^{6n} + 3(ac^2ex^n + ac^2d)x^{4n} + 3(a^2cex^n + a^2cd)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral(1/(a^3*e*x^n + a^3*d + (c^3*e*x^n + c^3*d)*x^(6*n) + 3*(a*c^2*e*x^n + a*c^2*d)*x^(4*n) + 3*(a^2*c*e*x^n + a^2*c*d)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)^3 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + a)^3*(e*x^n + d)), x)

maple [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)/(c*x^(2*n)+a)^3,x)

[Out] int(1/(e*x^n+d)/(c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$e^6 \int \frac{1}{c^3d^7 + 3ac^2d^5e^2 + 3a^2cd^3e^4 + a^3de^6 + (c^3d^6e + 3ac^2d^4e^3 + 3a^2cd^2e^5 + a^3e^7)x^n} dx - \frac{(ac^2e^3(7n-1) + c^3d^6e^3)}{8(a^4d^7 + 3ac^2d^5e^2 + 3a^2cd^3e^4 + a^3de^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^3,x, algorithm="maxima")

[Out] e^6*integrate(1/(c^3*d^7 + 3*a*c^2*d^5*e^2 + 3*a^2*c*d^3*e^4 + a^3*d*e^6 + (c^3*d^6*e + 3*a*c^2*d^4*e^3 + 3*a^2*c*d^2*e^5 + a^3*e^7)*x^n), x) - 1/8*((a*c^2*e^3*(7*n - 1) + c^3*d^2*e*(3*n - 1))*x*x^(3*n) - (a*c^2*d*e^2*(8*n -

$1) + c^3 d^3 (4n - 1) x x^{(2n)} + (a^2 c e^3 (9n - 1) + a c^2 d^2 e (5n - 1)) x x^n - (a^2 c d e^2 (10n - 1) + a c^2 d^3 (6n - 1)) x / (a^4 c^2 d^4 n^2 + 2 a^5 c d^2 e^2 n^2 + a^6 e^4 n^2 + (a^2 c^4 d^4 n^2 + 2 a^3 c^3 d^2 e^2 n^2 + a^4 c^2 e^4 n^2) x^{(4n)} + 2 (a^3 c^3 d^4 n^2 + 2 a^4 c^2 d^2 e^2 n^2 + a^5 c e^4 n^2) x^{(2n)}) - \text{integrate}(-1/8 * ((8n^2 - 6n + 1) c^3 d^5 + 2 * (12n^2 - 8n + 1) a c^2 d^3 e^2 + (24n^2 - 10n + 1) a^2 c d e^4 - ((3n^2 - 4n + 1) c^3 d^4 e + 2 * (5n^2 - 6n + 1) a c^2 d^2 e^3 + (15n^2 - 8n + 1) a^2 c e^5) x^n) / (a^3 c^3 d^6 n^2 + 3 a^4 c^2 d^4 e^2 n^2 + 3 a^5 c d^2 e^4 n^2 + a^6 e^6 n^2 + (a^2 c^4 d^6 n^2 + 3 a^3 c^3 d^4 e^2 n^2 + 3 a^4 c^2 d^2 e^4 n^2 + a^5 c e^6 n^2) x^{(2n)}), x$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + c x^{2n})^3 (d + e x^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^(2*n))^3*(d + e*x^n)),x)

[Out] int(1/((a + c*x^(2*n))^3*(d + e*x^n)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)/(a+c*x**(2*n))**3,x)

[Out] Timed out

$$3.57 \quad \int \frac{1}{(d+ex^n)^2(a+cx^{2n})^3} dx$$

Optimal. Leaf size=701

$$\frac{c^2de(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)(ae^2+cd^2)^2} + \frac{c(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)^2}$$

[Out] $\frac{1}{4}cx(c^2d^2-ae^2-2c^2d^2e^2x^n)/a/(ae^2+c^2d^2)^2/n/(a+cx^{2n})^{2+1/2}c^2e^2x(3c^2d^2-ae^2-4c^2d^2e^2x^n)/a/(ae^2+c^2d^2)^3/n/(a+cx^{2n})-1/8c^2x((-ae^2+c^2d^2)(1-4n)-2c^2d^2e^2(1-3n)x^n)/a^2/(ae^2+c^2d^2)^2/n^2/(a+cx^{2n})+c^2e^4(-ae^2+5c^2d^2)x^2\text{hypergeom}([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a/(ae^2+c^2d^2)^4+1/8c^2(-ae^2+c^2d^2)(1-4n)(1-2n)x^2\text{hypergeom}([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a^3/(ae^2+c^2d^2)^2/n^2-1/2c^2e^2(-ae^2+3c^2d^2)(1-2n)x^2\text{hypergeom}([1, 1/2/n], [1+1/2/n], -cx^{2n}/a)/a^2/(ae^2+c^2d^2)^3/n+6c^2e^6x^2\text{hypergeom}([1, 1/n], [1+1/n], -e^2x^n/d)/(ae^2+c^2d^2)^4-6c^2d^2e^5x^{1+n}\text{hypergeom}([1, 1/2(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a/(ae^2+c^2d^2)^4/(1+n)-1/4c^2d^2e^2(1-3n)(1-n)x^{1+n}\text{hypergeom}([1, 1/2(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a^3/(ae^2+c^2d^2)^2/n^2/(1+n)+2c^2d^2e^3(1-n)x^{1+n}\text{hypergeom}([1, 1/2(1+n)/n], [3/2+1/2/n], -cx^{2n}/a)/a^2/(ae^2+c^2d^2)^3/n/(1+n)+e^6x^2\text{hypergeom}([2, 1/n], [1+1/n], -e^2x^n/d)/d^2/(ae^2+c^2d^2)^3$

Rubi [A] time = 0.69, antiderivative size = 701, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 245, 1431, 1418, 364}

$$\frac{c^2de(1-3n)(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{4a^3n^2(n+1)(ae^2+cd^2)^2} + \frac{2c^2de^3(1-n)x^{n+1} {}_2F_1\left(1, \frac{n+1}{2n}; \frac{1}{2}\left(3+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^2n(n+1)(ae^2+cd^2)^3} + \frac{c(1-4n)(1-2n)x(cd^2-ae^2) {}_2F_1\left(1, \frac{1}{2n}; \frac{1}{2}\left(2+\frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{8a^3n^2(ae^2+cd^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^2*(a + c*x^(2*n))^3), x]

[Out] $\frac{c^2x(c^2d^2-ae^2-2c^2d^2e^2x^n)/(4a^2(c^2d^2+ae^2)^2n^2(a+cx^{2n})^2)+(c^2e^2x(3c^2d^2-ae^2-4c^2d^2e^2x^n))/(2a^2(c^2d^2+ae^2)^3n^2(a+cx^{2n}))-(c^2x((c^2d^2-ae^2)(1-4n)-2c^2d^2e^2(1-3n)x^n))/(8a^2(c^2d^2+ae^2)^2n^2(a+cx^{2n}))+(c^2e^4(5c^2d^2-ae^2)x^2\text{Hypergeometric2F1}[1, 1/(2n), (2+n^{-1})/2, -((c^2x^{2n})/a)])/(a^2(c^2d^2+ae^2)^4)+(c^2(c^2d^2-ae^2)(1-4n)(1-2n)x^2\text{Hypergeometric2F1}[1, 1/(2n), (2+n^{-1})/2, -((c^2x^{2n})/a)])/(8a^3(c^2d^2+ae^2)^2n^2)-(c^2e^2(3c^2d^2-ae^2)(1-2n)x^2\text{Hypergeometric2F1}[1, 1/(2n), (2+n^{-1})/2, -((c^2x^{2n})/a)])/(2a^2(c^2d^2+ae^2)^3n^2)+(6c^2e^6x^2\text{Hypergeometric2F1}[1, n^{-1}, 1+n^{-1}, -((e^2x^n)/d)])/(c^2d^2+ae^2)^4-(6c^2d^2e^5x^{1+n}\text{Hypergeometric2F1}[1, (1+n)/(2n), (3+n^{-1})/2, -((c^2x^{2n})/a)])/(a^2(c^2d^2+ae^2)^4(1+n)-(c^2d^2e^2(1-3n)(1-n)x^{1+n}\text{Hypergeometric2F1}[1, (1+n)/(2n), (3+n^{-1})/2, -((c^2x^{2n})/a)])/(4a^3(c^2d^2+ae^2)^2n^2(1+n)+(2c^2d^2e^3(1-n)x^{1+n}\text{Hypergeometric2F1}[1, (1+n)/(2n), (3+n^{-1})/2, -((c^2x^{2n})/a)])/(a^2(c^2d^2+ae^2)^3n^2(1+n)+(e^6x^2\text{Hypergeometric2F1}[2, n^{-1}, 1+n^{-1}, -((e^2x^n)/d)])/(d^2(c^2d^2+ae^2)^3)}$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||

GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 1418

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (c_.)*(x_)^(n2_)), x_Symbol] := Dist[d, Int[1/(a + c*x^(2*n)), x], x] + Dist[e, Int[x^n/(a + c*x^(2*n)), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && (PosQ[a*c] || !IntegerQ[n])

Rule 1431

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d + e*x^n)*(a + c*x^(2*n))^(p + 1))/(2*a*n*(p + 1)), x] + Dist[1/(2*a*n*(p + 1)), Int[(d*(2*n*p + 2*n + 1) + e*(2*n*p + 3*n + 1)*x^n)*(a + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, c, d, e, n}, x] && EqQ[n2, 2*n] && ILtQ[p, -1]

Rule 1437

Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)^2 (a + cx^{2n})^3} dx &= \int \left(\frac{e^6}{(cd^2 + ae^2)^3 (d + ex^n)^2} + \frac{6cde^6}{(cd^2 + ae^2)^4 (d + ex^n)} - \frac{c(-cd^2 + ae^2 + 2cdex^n)}{(cd^2 + ae^2)^2 (a + cx^{2n})^3} \right) dx \\ &= -\frac{(ce^4) \int \frac{-5cd^2 + ae^2 + 6cdex^n}{a + cx^{2n}} dx}{(cd^2 + ae^2)^4} + \frac{(6cde^6) \int \frac{1}{d + ex^n} dx}{(cd^2 + ae^2)^4} - \frac{(ce^2) \int \frac{-3cd^2 + ae^2 + 4cdex^n}{(a + cx^{2n})^2} dx}{(cd^2 + ae^2)^3} + \frac{e^6}{(cd^2 + ae^2)^3} \\ &= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{4a(cd^2 + ae^2)^2 n(a + cx^{2n})^2} + \frac{ce^2x(3cd^2 - ae^2 - 4cdex^n)}{2a(cd^2 + ae^2)^3 n(a + cx^{2n})} + \frac{6ce^6x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{cdex^n}{a + cx^{2n}}\right)}{(cd^2 + ae^2)^3} \\ &= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{4a(cd^2 + ae^2)^2 n(a + cx^{2n})^2} + \frac{ce^2x(3cd^2 - ae^2 - 4cdex^n)}{2a(cd^2 + ae^2)^3 n(a + cx^{2n})} - \frac{cx((cd^2 - ae^2)(1 - \frac{cdex^n}{a + cx^{2n}}))}{8a^2(cd^2 + ae^2)^2} \\ &= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{4a(cd^2 + ae^2)^2 n(a + cx^{2n})^2} + \frac{ce^2x(3cd^2 - ae^2 - 4cdex^n)}{2a(cd^2 + ae^2)^3 n(a + cx^{2n})} - \frac{cx((cd^2 - ae^2)(1 - \frac{cdex^n}{a + cx^{2n}}))}{8a^2(cd^2 + ae^2)^2} \\ &= \frac{cx(cd^2 - ae^2 - 2cdex^n)}{4a(cd^2 + ae^2)^2 n(a + cx^{2n})^2} + \frac{ce^2x(3cd^2 - ae^2 - 4cdex^n)}{2a(cd^2 + ae^2)^3 n(a + cx^{2n})} - \frac{cx((cd^2 - ae^2)(1 - \frac{cdex^n}{a + cx^{2n}}))}{8a^2(cd^2 + ae^2)^2} \end{aligned}$$

Mathematica [A] time = 0.70, size = 426, normalized size = 0.61

$$x \left(-\frac{2c^2 dex^n (ae^2 + cd^2)^2 {}_2F_1\left(3, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^{3(n+1)}} + \frac{c(cd^2 - ae^2)(ae^2 + cd^2)^2 {}_2F_1\left(3, \frac{1}{2n}; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^3} - \frac{4c^2 de^3 x^n (ae^2 + cd^2) {}_2F_1\left(2, \frac{n+1}{2n}; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{a^{2(n+1)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)^2*(a + c*x^(2*n))^3), x]

[Out] (x*((c*e^4*(5*c*d^2 - a*e^2)*Hypergeometric2F1[1, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a + 6*c*e^6*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)] - (6*c^2*d*e^5*x^n*Hypergeometric2F1[1, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a*(1 + n)) + (c*e^2*(3*c*d^2 - a*e^2)*(c*d^2 + a*e^2)*Hypergeometric2F1[2, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a^2 + (e^6*(c*d^2 + a*e^2)*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d^2 - (4*c^2*d*e^3*(c*d^2 + a*e^2)*x^n*Hypergeometric2F1[2, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^2*(1 + n)) + (c*(c*d^2 - a*e^2)*(c*d^2 + a*e^2)^2*Hypergeometric2F1[3, 1/(2*n), (2 + n^(-1))/2, -((c*x^(2*n))/a)])/a^3 - (2*c^2*d*e*(c*d^2 + a*e^2)^2*x^n*Hypergeometric2F1[3, (1 + n)/(2*n), (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(a^3*(1 + n)))/(c*d^2 + a*e^2)^4

fricas [F] time = 2.91, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{a^3 e^2 x^{2n} + 2 a^3 d e x^n + a^3 d^2 + (c^3 e^2 x^{2n} + 2 c^3 d e x^n + c^3 d^2) x^{6n} + 3 (ac^2 e^2 x^{2n} + 2 ac^2 d e x^n + ac^2 d^2) x^{4n}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral(1/(a^3*e^2*x^(2*n) + 2*a^3*d*e*x^n + a^3*d^2 + (c^3*e^2*x^(2*n) + 2*c^3*d*e*x^n + c^3*d^2)*x^(6*n) + 3*(a*c^2*e^2*x^(2*n) + 2*a*c^2*d*e*x^n + a*c^2*d^2)*x^(4*n) + 3*(a^2*c*e^2*x^(2*n) + 2*a^2*c*d*e*x^n + a^2*c*d^2)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + a)^3 (ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + a)^3*(e*x^n + d)^2), x)

maple [F] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)^2/(c*x^(2*n)+a)^3,x)

[Out] int(1/(e*x^n+d)^2/(c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$(cd^2e^6(7n-1) + ae^8(n-1)) \int \frac{1}{c^4d^{10n} + 4ac^3d^8e^{2n} + 6a^2c^2d^6e^{4n} + 4a^3cd^4e^{6n} + a^4d^2e^{8n} + (c^4d^9en + 4ac^3d^7e^3n)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+c*x^(2*n))^3,x, algorithm="maxima")

[Out] (c*d^2*e^6*(7*n - 1) + a*e^8*(n - 1))*integrate(1/(c^4*d^10*n + 4*a*c^3*d^8*e^2*n + 6*a^2*c^2*d^6*e^4*n + 4*a^3*c*d^4*e^6*n + a^4*d^2*e^8*n + (c^4*d^9*e*n + 4*a*c^3*d^7*e^3*n)*x^n), x) - 1/8*(2*(a*c^3*d^2*e^4*(11*n - 1) + c^4*d^4*e^2*(3*n - 1) - 4*a^2*c^2*e^6*n)*x*x^(4*n) + (a^2*c^2*d*e^5*(8*n - 1) + 2*a*c^3*d^3*e^3*(5*n - 1) + c^4*d^5*e*(2*n - 1))*x*x^(3*n) + (a^2*c^2*d^2*e^4*(34*n - 3) - c^4*d^6*(4*n - 1) - 2*a*c^3*d^4*e^2*(n + 1) - 16*a^3*c*e^6*n)*x*x^(2*n) + (a^3*c*d*e^5*(10*n - 1) + 2*a^2*c^2*d^3*e^3*(7*n - 1) + a*c^3*d^5*e*(4*n - 1))*x*x^n + (a^3*c*d^2*e^4*(10*n - 1) - a*c^3*d^6*(6*n - 1) - 12*a^2*c^2*d^4*e^2*n - 8*a^4*e^6*n)*x)/(a^4*c^3*d^8*n^2 + 3*a^5*c^2*d^6*e^2*n^2 + 3*a^6*c*d^4*e^4*n^2 + a^7*d^2*e^6*n^2 + (a^2*c^5*d^7*e*n^2 + 3*a^3*c^4*d^5*e^3*n^2 + 3*a^4*c^3*d^3*e^5*n^2 + a^5*c^2*d*e^7*n^2)*x^(5*n) + (a^2*c^5*d^8*n^2 + 3*a^3*c^4*d^6*e^2*n^2 + 3*a^4*c^3*d^4*e^4*n^2 + a^5*c^2*d^2*e^6*n^2)*x^(4*n) + 2*(a^3*c^4*d^7*e*n^2 + 3*a^4*c^3*d^5*e^3*n^2 + 3*a^5*c^2*d^3*e^5*n^2 + a^6*c*d*e^7*n^2)*x^(3*n) + 2*(a^3*c^4*d^8*n^2 + 3*a^4*c^3*d^6*e^2*n^2 + 3*a^5*c^2*d^4*e^4*n^2 + a^6*c*d^2*e^6*n^2)*x^(2*n) + (a^4*c^3*d^7*e*n^2 + 3*a^5*c^2*d^5*e^3*n^2 + 3*a^6*c*d^3*e^5*n^2 + a^7*d*e^7*n^2)*x^n) - integrate(-1/8*((8*n^2 - 6*n + 1)*c^4*d^6 + (32*n^2 - 18*n + 1)*a*c^3*d^4*e^2 + (48*n^2 - 2*n - 1)*a^2*c^2*d^2*e^4 - (24*n^2 - 10*n + 1)*a^3*c*e^6 - 2*((3*n^2 - 4*n + 1)*c^4*d^5*e + 2*(7*n^2 - 8*n + 1)*a*c^3*d^3*e^3 + (35*n^2 - 12*n + 1)*a^2*c^2*d*e^5)*x^n)/(a^3*c^4*d^8*n^2 + 4*a^4*c^3*d^6*e^2*n^2 + 6*a^5*c^2*d^4*e^4*n^2 + 4*a^6*c*d^2*e^6*n^2 + a^7*e^8*n^2 + (a^2*c^5*d^8*n^2 + 4*a^3*c^4*d^6*e^2*n^2 + 6*a^4*c^3*d^4*e^4*n^2 + 4*a^5*c^2*d^2*e^6*n^2 + a^6*c*e^8*n^2)*x^(2*n)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + cx^{2n})^3 (d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + c*x^(2*n))^3*(d + e*x^n)^2),x)

[Out] int(1/((a + c*x^(2*n))^3*(d + e*x^n)^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**2/(a+c*x**(2*n))**3,x)

[Out] Timed out

$$3.58 \quad \int \frac{1}{(d+ex^n)\sqrt{a+cx^{2n}}} dx$$

Optimal. Leaf size=171

$$\frac{x\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d\sqrt{a+cx^{2n}}} - \frac{ex^{n+1}\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{n+1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^2(n+1)\sqrt{a+cx^{2n}}}$$

[Out] x*AppellF1(1/2/n, 1, 1/2, 1+1/2/n, e^2*x^(2*n)/d^2, -c*x^(2*n)/a)*(1+c*x^(2*n)/a)^(1/2)/d/(a+c*x^(2*n))^(1/2)-e*x^(1+n)*AppellF1(1/2*(1+n)/n, 1, 1/2, 3/2+1/2/n, e^2*x^(2*n)/d^2, -c*x^(2*n)/a)*(1+c*x^(2*n)/a)^(1/2)/d^2/(1+n)/(a+c*x^(2*n))^(1/2)

Rubi [A] time = 0.17, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$, Rules used = {1438, 430, 429, 511, 510}

$$\frac{x\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d\sqrt{a+cx^{2n}}} - \frac{ex^{n+1}\sqrt{\frac{cx^{2n}}{a}} + {}_1F_1\left(\frac{n+1}{2n}; \frac{1}{2}, 1; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^2(n+1)\sqrt{a+cx^{2n}}}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)*Sqrt[a + c*x^(2*n)]), x]

[Out] (x*Sqrt[1 + (c*x^(2*n))/a]*AppellF1[1/(2*n), 1/2, 1, (2 + n^(-1))/2, -((c*x^(2*n))/a), (e^2*x^(2*n))/d^2])/(d*Sqrt[a + c*x^(2*n)]) - (e*x^(1 + n)*Sqrt[1 + (c*x^(2*n))/a]*AppellF1[(1 + n)/(2*n), 1/2, 1, (3 + n^(-1))/2, -((c*x^(2*n))/a), (e^2*x^(2*n))/d^2])/(d^2*(1 + n)*Sqrt[a + c*x^(2*n)])

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1438

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
  := Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n)) - (e*x^n)
/(d^2 - e^2*x^(2*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n
2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n) \sqrt{a + cx^{2n}}} dx &= \int \left(\frac{d}{\sqrt{a + cx^{2n}} (d^2 - e^2 x^{2n})} + \frac{ex^n}{\sqrt{a + cx^{2n}} (-d^2 + e^2 x^{2n})} \right) dx \\ &= d \int \frac{1}{\sqrt{a + cx^{2n}} (d^2 - e^2 x^{2n})} dx + e \int \frac{x^n}{\sqrt{a + cx^{2n}} (-d^2 + e^2 x^{2n})} dx \\ &= \frac{\left(d \sqrt{1 + \frac{cx^{2n}}{a}} \right) \int \frac{1}{\sqrt{1 + \frac{cx^{2n}}{a}} (d^2 - e^2 x^{2n})} dx}{\sqrt{a + cx^{2n}}} + \frac{\left(e \sqrt{1 + \frac{cx^{2n}}{a}} \right) \int \frac{x^n}{\sqrt{1 + \frac{cx^{2n}}{a}} (-d^2 + e^2 x^{2n})} dx}{\sqrt{a + cx^{2n}}} \\ &= \frac{x \sqrt{1 + \frac{cx^{2n}}{a}} F_1 \left(\frac{1}{2n}; \frac{1}{2}, 1; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d \sqrt{a + cx^{2n}}} - \frac{ex^{1+n} \sqrt{1 + \frac{cx^{2n}}{a}} F_1 \left(\frac{1+n}{2n}; \frac{1}{2}, 1; \frac{1}{2} \left(3 \right)}{d^2 (1+n) \sqrt{a + cx^{2n}}} \end{aligned}$$

Mathematica [F] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{(d + ex^n) \sqrt{a + cx^{2n}}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((d + e*x^n)*Sqrt[a + c*x^(2*n)]), x]

[Out] Integrate[1/((d + e*x^n)*Sqrt[a + c*x^(2*n)]), x]

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{cx^{2n} + a}}{aex^n + ad + (cex^n + cd)x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(c*x^(2*n) + a)/(a*e*x^n + a*d + (c*e*x^n + c*d)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^{2n} + a} (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+c*x^(2*n))^(1/2), x, algorithm="giac")

[Out] integrate(1/(sqrt(c*x^(2*n) + a)*(e*x^n + d)), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d) \sqrt{cx^{2n} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^n+d)/(c*x^(2*n)+a)^(1/2),x)`

[Out] `int(1/(e*x^n+d)/(c*x^(2*n)+a)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{cx^{2n} + a} (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)/(a+c*x^(2*n))^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/(sqrt(c*x^(2*n) + a)*(e*x^n + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{a + cx^{2n}} (d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + c*x^(2*n))^(1/2)*(d + e*x^n)),x)`

[Out] `int(1/((a + c*x^(2*n))^(1/2)*(d + e*x^n)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + cx^{2n}} (d + ex^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x**n)/(a+c*x**(2*n))**(1/2),x)`

[Out] `Integral(1/(sqrt(a + c*x**(2*n))*(d + e*x**n)), x)`

$$3.59 \quad \int (d + ex^n)^q (a + cx^{2n})^p dx$$

Optimal. Leaf size=24

$$\text{Int}\left(\left(a + cx^{2n}\right)^p (d + ex^n)^q, x\right)$$

[Out] Unintegrable((d+e*x^n)^q*(a+c*x^(2*n))^p,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (d + ex^n)^q (a + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Int[(d + e*x^n)^q*(a + c*x^(2*n))^p,x]

[Out] Defer[Int][(d + e*x^n)^q*(a + c*x^(2*n))^p, x]

Rubi steps

$$\int (d + ex^n)^q (a + cx^{2n})^p dx = \int (d + ex^n)^q (a + cx^{2n})^p dx$$

Mathematica [A] time = 0.16, size = 0, normalized size = 0.00

$$\int (d + ex^n)^q (a + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^n)^q*(a + c*x^(2*n))^p,x]

[Out] Integrate[(d + e*x^n)^q*(a + c*x^(2*n))^p, x]

fricas [A] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cx^{2n} + a\right)^p (ex^n + d)^q, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^q*(a+c*x^(2*n))^p,x, algorithm="fricas")

[Out] integral((c*x^(2*n) + a)^p*(e*x^n + d)^q, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^q*(a+c*x^(2*n))^p,x, algorithm="giac")

[Out] integrate((c*x^(2*n) + a)^p*(e*x^n + d)^q, x)

maple [A] time = 0.16, size = 0, normalized size = 0.00

$$\int (cx^{2n} + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)^q*(c*x^(2*n)+a)^p,x)`

[Out] `int((e*x^n+d)^q*(c*x^(2*n)+a)^p,x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)^q*(a+c*x^(2*n))^p,x, algorithm="maxima")`

[Out] `integrate((c*x^(2*n) + a)^p*(e*x^n + d)^q, x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (a + cx^{2n})^p (d + ex^n)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^(2*n))^p*(d + e*x^n)^q,x)`

[Out] `int((a + c*x^(2*n))^p*(d + e*x^n)^q, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)**q*(a+c*x**(2*n))**p,x)`

[Out] Timed out

3.60 $\int (d + ex^n)^3 (a + cx^{2n})^p dx$

Optimal. Leaf size=299

$$d^3 x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{3d^2 ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1}$$

[Out] $3*d*e^{2*x^{(1+2*n)}}*(a+c*x^{(2*n)})^p*\text{hypergeom}([-p, 1+1/2/n], [2+1/2/n], -c*x^{(2*n)}/a)/(1+2*n)/((1+c*x^{(2*n)}/a)^p)+e^{3*x^{(1+3*n)}}*(a+c*x^{(2*n)})^p*\text{hypergeom}([-p, 3/2+1/2/n], [5/2+1/2/n], -c*x^{(2*n)}/a)/(1+3*n)/((1+c*x^{(2*n)}/a)^p)+d^{3*x^{(1+3*n)}}*(a+c*x^{(2*n)})^p*\text{hypergeom}([-p, 1/2/n], [1+1/2/n], -c*x^{(2*n)}/a)/((1+c*x^{(2*n)}/a)^p)+3*d^2*e*x^{(1+n)}*(a+c*x^{(2*n)})^p*\text{hypergeom}([-p, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^{(2*n)}/a)/(1+n)/((1+c*x^{(2*n)}/a)^p)$

Rubi [A] time = 0.16, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 246, 245, 365, 364}

$$\frac{3d^2 ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1} + d^3 x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3*(a + c*x^(2*n))^p,x]

[Out] $(3*d*e^{2*x^{(1+2*n)}}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[(2+n^{(-1)})/2, -p, (4+n^{(-1)})/2, -((c*x^{(2*n)})/a)])/((1+2*n)*(1+(c*x^{(2*n)})/a)^p) + (e^{3*x^{(1+3*n)}}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[(3+n^{(-1)})/2, -p, (5+n^{(-1)})/2, -((c*x^{(2*n)})/a)])/((1+3*n)*(1+(c*x^{(2*n)})/a)^p) + (d^{3*x^{(1+3*n)}}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[1/(2*n), -p, (2+n^{(-1)})/2, -((c*x^{(2*n)})/a)])/((1+(c*x^{(2*n)})/a)^p) + (3*d^2*e*x^{(1+n)}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[(1+n)/(2*n), -p, (3+n^{(-1)})/2, -((c*x^{(2*n)})/a)])/((1+n)*(1+(c*x^{(2*n)})/a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -((b*x^n)/a)])/((c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^(m+1), x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

$m*(1 + (b*x^n)/a)^p, x]$, $x]$ /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1437

Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\begin{aligned} \int (d + ex^n)^3 (a + cx^{2n})^p dx &= \int \left(d^3 (a + cx^{2n})^p + 3d^2 ex^n (a + cx^{2n})^p + 3de^2 x^{2n} (a + cx^{2n})^p + e^3 x^{3n} (a + cx^{2n})^p \right) dx \\ &= d^3 \int (a + cx^{2n})^p dx + (3d^2 e) \int x^n (a + cx^{2n})^p dx + (3de^2) \int x^{2n} (a + cx^{2n})^p dx + e^3 \int x^{3n} (a + cx^{2n})^p dx \\ &= \left(d^3 (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \left(1 + \frac{cx^{2n}}{a} \right)^p dx + \left(3d^2 e (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int x^{2n} \left(1 + \frac{cx^{2n}}{a} \right)^p dx \\ &= \frac{3de^2 x^{1+2n} (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1\left(\frac{1}{2}\left(2 + \frac{1}{n}\right), -p; \frac{1}{2}\left(4 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{1 + 2n} + \frac{e^3 x^{3n+1} (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1\left(\frac{3}{2}\left(2 + \frac{1}{n}\right), -p; \frac{3}{2}\left(4 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{3n + 1} \end{aligned}$$

Mathematica [A] time = 0.20, size = 213, normalized size = 0.71

$$x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} \left(d^2 \left(d {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{3ex^n {}_2F_1\left(\frac{n+1}{2n}, -p; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{n+1} \right) + \frac{e^3 x^{3n} {}_2F_1\left(\frac{3}{2}\left(2 + \frac{1}{n}\right), -p; \frac{3}{2}\left(4 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right)}{3n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^3*(a + c*x^(2*n))^p,x]

[Out] (x*(a + c*x^(2*n))^p*((3*d*e^2*x^(2*n)*Hypergeometric2F1[(2 + n^(-1))/2, -p, (4 + n^(-1))/2, -((c*x^(2*n))/a)])/(1 + 2*n) + (e^3*x^(3*n)*Hypergeometric2F1[(3 + n^(-1))/2, -p, (5 + n^(-1))/2, -((c*x^(2*n))/a)])/(1 + 3*n) + d^2*(d*Hypergeometric2F1[1/(2*n), -p, (2 + n^(-1))/2, -((c*x^(2*n))/a)] + (3*e*x^n*Hypergeometric2F1[(1 + n)/(2*n), -p, (3 + n^(-1))/2, -((c*x^(2*n))/a)])/(1 + n)))/(1 + (c*x^(2*n))/a)^p

fricas [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3\right)\left(cx^{2n} + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3*(a+c*x^(2*n))^p,x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)*(c*x^(2*n) + a)^p, x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3*(a+c*x^(2*n))^p,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
 UT:sage2:=int(sage0,x):;OUTPUT:Unable to divide, perhaps due to rounding error
 %%%{-16, [1,0,6,3,2,4,4,1]%%}%+%%{-64, [1,0,6,3,2,3,4,1]%%}%+%%{-96, [1,0,6,3,2,2,4,1]%%}%+%%{-64, [1,0,6,3,2,1,4,1]%%}%+%%{-16, [1,0,6,3,2,0,4,1]%%}% / %%%{16, [0,0,6,4,2,4,4,0]%%}%+%%{64, [0,0,6,4,2,3,4,0]%%}%+%%{96, [0,0,6,4,2,2,4,0]%%}%+%%{64, [0,0,6,4,2,1,4,0]%%}%+%%{16, [0,0,6,4,2,0,4,0]%%}%
 Error: Bad Argument Value

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int (e x^n + d)^3 (c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^3*(c*x^(2*n)+a)^p,x)

[Out] int((e*x^n+d)^3*(c*x^(2*n)+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e x^n + d)^3 (c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3*(a+c*x^(2*n))^p,x, algorithm="maxima")

[Out] integrate((e*x^n + d)^3*(c*x^(2*n) + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (a + c x^{2n})^p (d + e x^n)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^(2*n))^p*(d + e*x^n)^3,x)

[Out] int((a + c*x^(2*n))^p*(d + e*x^n)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**3*(a+c*x**(2*n))**p,x)

[Out] Timed out

3.61 $\int (d + ex^n)^2 (a + cx^{2n})^p dx$

Optimal. Leaf size=217

$$d^2x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{2dex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \right)}{n+1}$$

[Out] $e^{2*x^{(1+2*n)}*(a+c*x^{(2*n)})^p*\text{hypergeom}([-p, 1+1/2/n], [2+1/2/n], -c*x^{(2*n)}/a)/(1+2*n)/((1+c*x^{(2*n)}/a)^p)+d^{2*x^{(2*n)}*(a+c*x^{(2*n)})^p*\text{hypergeom}([-p, 1/2/n], [1+1/2/n], -c*x^{(2*n)}/a)/((1+c*x^{(2*n)}/a)^p)+2*d*e*x^{(1+n)}*(a+c*x^{(2*n)})^p*\text{ypergeom}([-p, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^{(2*n)}/a)/(1+n)/((1+c*x^{(2*n)}/a)^p)$

Rubi [A] time = 0.10, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1437, 246, 245, 365, 364}

$$d^2x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{1}{2n}, -p; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}\right) + \frac{2dex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} {}_2F_1\left(\frac{n+1}{2n}, -p; \right)}{n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2*(a + c*x^(2*n))^p,x]

[Out] $(e^{2*x^{(1+2*n)}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[(2+n^{(-1)})/2, -p, (4+n^{(-1)})/2, -(c*x^{(2*n)})/a]])/((1+2*n)*(1+(c*x^{(2*n)})/a)^p)+(d^{2*x^{(2*n)}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[1/(2*n), -p, (2+n^{(-1)})/2, -(c*x^{(2*n)})/a]])/(1+(c*x^{(2*n)})/a)^p+(2*d*e*x^{(1+n)}*(a+c*x^{(2*n)})^p*\text{Hypergeometric2F1}[(1+n)/(2*n), -p, (3+n^{(-1)})/2, -(c*x^{(2*n)})/a]])/((1+n)*(1+(c*x^{(2*n)})/a)^p)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m+1)*Hypergeometric2F1[-p, (m+1)/n, (m+1)/n + 1, -(b*x^n)/a])/(c*(m+1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !ILtQ[p, 0] || GtQ[a, 0])

Rule 1437

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
  :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a
, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && ((Integ
ersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n])
)
```

Rubi steps

$$\begin{aligned} \int (d + ex^n)^2 (a + cx^{2n})^p dx &= \int \left(d^2 (a + cx^{2n})^p + 2dex^n (a + cx^{2n})^p + e^2 x^{2n} (a + cx^{2n})^p \right) dx \\ &= d^2 \int (a + cx^{2n})^p dx + (2de) \int x^n (a + cx^{2n})^p dx + e^2 \int x^{2n} (a + cx^{2n})^p dx \\ &= \left(d^2 (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \left(1 + \frac{cx^{2n}}{a} \right)^p dx + \left(2de (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \\ &= \frac{e^2 x^{1+2n} (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{2} \left(2 + \frac{1}{n} \right), -p; \frac{1}{2} \left(4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{1 + 2n} + d^2 x (a + cx^{2n})^p \end{aligned}$$

Mathematica [A] time = 0.10, size = 171, normalized size = 0.79

$$\frac{x (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} \left(d(2n + 1) \left(d(n + 1) {}_2F_1 \left(\frac{1}{2n}, -p; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + 2ex^n {}_2F_1 \left(\frac{n+1}{2n}, -p; \frac{1}{2} \left(3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) \right)}{(n + 1)(2n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^2*(a + c*x^(2*n))^p,x]

[Out] (x*(a + c*x^(2*n))^p*(e^2*(1 + n)*x^(2*n)*Hypergeometric2F1[(2 + n^(-1))/2, -p, (4 + n^(-1))/2, -((c*x^(2*n))/a)] + d*(1 + 2*n)*(d*(1 + n)*Hypergeometric2F1[1/(2*n), -p, (2 + n^(-1))/2, -((c*x^(2*n))/a)] + 2*e*x^n*Hypergeometric2F1[(1 + n)/(2*n), -p, (3 + n^(-1))/2, -((c*x^(2*n))/a)])))/((1 + n)*(1 + 2*n)*(1 + (c*x^(2*n))/a)^p)

fricas [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(e^2 x^{2n} + 2 d e x^n + d^2\right)\left(c x^{2n} + a\right)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2*(a+c*x^(2*n))^p,x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)*(c*x^(2*n) + a)^p, x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2*(a+c*x^(2*n))^p,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error%%{4, [0,0,3,2,0,2,3,1]%%}+%%{8, [0,0,3,2,0,1,3,1]%%}+%%{4, [0,0,3,2,0,0,3,1]%%} / %%{-8, [0,0,4,3,1,3,3,0]%%}+%%{-24, [0,0,4,3,1,2,3,0]%%}+%

%{-24, [0,0,4,3,1,1,3,0]%%}+%%{-8, [0,0,4,3,1,0,3,0]%%} Error: Bad Argument Value

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int (e x^n + d)^2 (c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^2*(c*x^(2*n)+a)^p,x)

[Out] int((e*x^n+d)^2*(c*x^(2*n)+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e x^n + d)^2 (c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2*(a+c*x^(2*n))^p,x, algorithm="maxima")

[Out] integrate((e*x^n + d)^2*(c*x^(2*n) + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (a + c x^{2n})^p (d + e x^n)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^(2*n))^p*(d + e*x^n)^2,x)

[Out] int((a + c*x^(2*n))^p*(d + e*x^n)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2*(a+c*x**(2*n))**p,x)

[Out] Timed out

3.62 $\int (d + ex^n) (a + cx^{2n})^p dx$

Optimal. Leaf size=135

$$dx (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{2n}, -p; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + \frac{ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{n+1}{2n}, -p; \frac{1}{2} \left(3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{n+1}$$

[Out] d*x*(a+c*x^(2*n))^p*hypergeom([-p, 1/2/n], [1+1/2/n], -c*x^(2*n)/a)/((1+c*x^(2*n)/a)^p)+e*x^(1+n)*(a+c*x^(2*n))^p*hypergeom([-p, 1/2*(1+n)/n], [3/2+1/2/n], -c*x^(2*n)/a)/(1+n)/((1+c*x^(2*n)/a)^p)

Rubi [A] time = 0.06, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {1433, 246, 245, 365, 364}

$$dx (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{1}{2n}, -p; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + \frac{ex^{n+1} (a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} {}_2F_1 \left(\frac{n+1}{2n}, -p; \frac{1}{2} \left(3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right)}{n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*(a + c*x^(2*n))^p,x]

[Out] (d*x*(a + c*x^(2*n))^p*Hypergeometric2F1[1/(2*n), -p, (2 + n^(-1))/2, -((c*x^(2*n))/a)])/(1 + (c*x^(2*n))/a)^p + (e*x^(1 + n)*(a + c*x^(2*n))^p*Hypergeometric2F1[(1 + n)/(2*n), -p, (3 + n^(-1))/2, -((c*x^(2*n))/a)])/((1 + n)*(1 + (c*x^(2*n))/a)^p)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 246

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && !(IntegerQ[p] || GtQ[a, 0])

Rule 364

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 365

Int[((c_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(c*x)^m*(1 + (b*x^n)/a)^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 1433

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + c*x^(2*n))^p, x], x] /; FreeQ[{a, c, d,

e, n}, x] && EqQ[n2, 2*n]

Rubi steps

$$\begin{aligned} \int (d + ex^n)(a + cx^{2n})^p dx &= \int \left(d(a + cx^{2n})^p + ex^n(a + cx^{2n})^p \right) dx \\ &= d \int (a + cx^{2n})^p dx + e \int x^n (a + cx^{2n})^p dx \\ &= \left(d(a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \left(1 + \frac{cx^{2n}}{a} \right)^p dx + \left(e(a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int x^n \left(1 + \frac{cx^{2n}}{a} \right)^p dx \\ &= dx (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} {}_2F_1 \left(\frac{1}{2n}, -p; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + \frac{ex^{1+n} (a + cx^{2n})^p}{n+1} \end{aligned}$$

Mathematica [A] time = 0.05, size = 110, normalized size = 0.81

$$\frac{x(a + cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1 \right)^{-p} \left(d(n+1) {}_2F_1 \left(\frac{1}{2n}, -p; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) + ex^n {}_2F_1 \left(\frac{n+1}{2n}, -p; \frac{1}{2} \left(3 + \frac{1}{n} \right); -\frac{cx^{2n}}{a} \right) \right)}{n+1}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)*(a + c*x^(2*n))^p,x]

[Out] (x*(a + c*x^(2*n))^p*(d*(1 + n)*Hypergeometric2F1[1/(2*n), -p, (2 + n^(-1))/2, -((c*x^(2*n))/a)] + e*x^n*Hypergeometric2F1[(1 + n)/(2*n), -p, (3 + n^(-1))/2, -((c*x^(2*n))/a)]))/((1 + n)*(1 + (c*x^(2*n))/a))^p

fricas [F] time = 1.19, size = 0, normalized size = 0.00

$$\text{integral} \left((ex^n + d)(cx^{2n} + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+c*x^(2*n))^p,x, algorithm="fricas")

[Out] integral((e*x^n + d)*(c*x^(2*n) + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+c*x^(2*n))^p,x, algorithm="giac")

[Out] integrate((e*x^n + d)*(c*x^(2*n) + a)^p, x)

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)*(c*x^(2*n)+a)^p,x)

[Out] int((e*x^n+d)*(c*x^(2*n)+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+c*x^(2*n))^p,x, algorithm="maxima")

[Out] integrate((e*x^n + d)*(c*x^(2*n) + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + c x^{2n})^p (d + e x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^(2*n))^p*(d + e*x^n),x)

[Out] int((a + c*x^(2*n))^p*(d + e*x^n), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)*(a+c*x**(2*n))**p,x)

[Out] Timed out

$$3.63 \quad \int \frac{(a+cx^{2n})^p}{d+ex^n} dx$$

Optimal. Leaf size=167

$$\frac{x(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2n}; -p, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d} - \frac{ex^{n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 1; \frac{1}{2}\right)}{d^2(n+1)}$$

[Out] $x*(a+c*x^(2*n))^p*AppellF1(1/2/n, 1, -p, 1+1/2/n, e^2*x^(2*n)/d^2, -c*x^(2*n)/a) / d / ((1+c*x^(2*n)/a)^p) - e*x^(1+n)*(a+c*x^(2*n))^p*AppellF1(1/2*(1+n)/n, 1, -p, 3/2+1/2/n, e^2*x^(2*n)/d^2, -c*x^(2*n)/a) / d^2 / (1+n) / ((1+c*x^(2*n)/a)^p)$

Rubi [A] time = 0.14, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1438, 430, 429, 511, 510}

$$\frac{x(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2n}; -p, 1; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d} - \frac{ex^{n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 1; \frac{1}{2}\right)}{d^2(n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^(2*n))^p/(d + e*x^n), x]

[Out] $(x*(a + c*x^(2*n))^p*AppellF1[1/(2*n), -p, 1, (2 + n^(-1))/2, -((c*x^(2*n))/a), (e^2*x^(2*n))/d^2]) / (d*(1 + (c*x^(2*n))/a)^p) - (e*x^(1 + n)*(a + c*x^(2*n))^p*AppellF1[(1 + n)/(2*n), -p, 1, (3 + n^(-1))/2, -((c*x^(2*n))/a), (e^2*x^(2*n))/d^2]) / (d^2*(1 + n)*(1 + (c*x^(2*n))/a)^p)$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]) / (1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]) / (e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p]) / (1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1438

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n)) - (e*x^n)
/(d^2 - e^2*x^(2*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n
2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + cx^{2n})^p}{d + ex^n} dx &= \int \left(\frac{d(a + cx^{2n})^p}{d^2 - e^2x^{2n}} + \frac{ex^n(a + cx^{2n})^p}{-d^2 + e^2x^{2n}} \right) dx \\ &= d \int \frac{(a + cx^{2n})^p}{d^2 - e^2x^{2n}} dx + e \int \frac{x^n(a + cx^{2n})^p}{-d^2 + e^2x^{2n}} dx \\ &= \left(d(a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{\left(1 + \frac{cx^{2n}}{a} \right)^p}{d^2 - e^2x^{2n}} dx + \left(e(a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{x^n \left(1 + \frac{cx^{2n}}{a} \right)^p}{-d^2 + e^2x^{2n}} dx \\ &= \frac{x(a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} F_1\left(\frac{1}{2n}; -p, 1; \frac{1}{2} \left(2 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d} - \frac{ex^{1+n}(a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p}}{d} \end{aligned}$$

Mathematica [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^{2n})^p}{d + ex^n} dx$$

Verification is Not applicable to the result.

```
[In] Integrate[(a + c*x^(2*n))^p/(d + e*x^n), x]
```

```
[Out] Integrate[(a + c*x^(2*n))^p/(d + e*x^n), x]
```

fricas [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(cx^{2n} + a)^p}{ex^n + d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+c*x^(2*n))^p/(d+e*x^n),x, algorithm="fricas")
```

```
[Out] integral((c*x^(2*n) + a)^p/(e*x^n + d), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+c*x^(2*n))^p/(d+e*x^n),x, algorithm="giac")
```

```
[Out] integrate((c*x^(2*n) + a)^p/(e*x^n + d), x)
```

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^(2*n)+a)^p/(e*x^n+d), x)`

[Out] `int((c*x^(2*n)+a)^p/(e*x^n+d), x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+c*x^(2*n))^p/(d+e*x^n), x, algorithm="maxima")`

[Out] `integrate((c*x^(2*n) + a)^p/(e*x^n + d), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + cx^{2n})^p}{d + ex^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + c*x^(2*n))^p/(d + e*x^n), x)`

[Out] `int((a + c*x^(2*n))^p/(d + e*x^n), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+c*x**(2*n))**p/(d+e*x**n), x)`

[Out] Timed out

$$3.64 \quad \int \frac{(a+cx^{2n})^p}{(d+ex^n)^2} dx$$

Optimal. Leaf size=261

$$\frac{x(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2n}; -p, 2; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^2} + \frac{e^2x^{2n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(2 + \frac{1}{n}\right); -p, 2; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^{4(2n+1)}}$$

[Out] $e^{2*x^{(1+2*n)}*(a+c*x^{(2*n)})^p*AppellF1(1+1/2/n, 2, -p, 2+1/2/n, e^{2*x^{(2*n)}}/d^2, -c*x^{(2*n)}/a)/d^4/(1+2*n)/((1+c*x^{(2*n)}/a)^p)+x*(a+c*x^{(2*n)})^p*AppellF1(1/2/n, 2, -p, 1+1/2/n, e^{2*x^{(2*n)}}/d^2, -c*x^{(2*n)}/a)/d^2/((1+c*x^{(2*n)}/a)^p)-2*e*x^{(1+n)}*(a+c*x^{(2*n)})^p*AppellF1(1/2*(1+n)/n, 2, -p, 3/2+1/2/n, e^{2*x^{(2*n)}}/d^2, -c*x^{(2*n)}/a)/d^3/(1+n)/((1+c*x^{(2*n)}/a)^p)$

Rubi [A] time = 0.24, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1438, 430, 429, 511, 510}

$$\frac{2ex^{n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 2; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^{3(n+1)}} + \frac{e^2x^{2n+1}(a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(2 + \frac{1}{n}\right); -p, 2; \frac{1}{2}\left(2 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2x^{2n}}{d^2}\right)}{d^{4(2n+1)}}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^(2*n))^p/(d + e*x^n)^2,x]

[Out] $(e^{2*x^{(1+2*n)}*(a+c*x^{(2*n)})^p*AppellF1[(2+n^{(-1)})/2, -p, 2, (4+n^{(-1)})/2, -((c*x^{(2*n)})/a), (e^{2*x^{(2*n)}}/d^2)]/(d^4*(1+2*n)*(1+(c*x^{(2*n)})/a)^p)+x*(a+c*x^{(2*n)})^p*AppellF1[1/(2*n), -p, 2, (2+n^{(-1)})/2, -((c*x^{(2*n)})/a), (e^{2*x^{(2*n)}}/d^2)]/(d^2*(1+(c*x^{(2*n)})/a)^p)-(2*e*x^{(1+n)}*(a+c*x^{(2*n)})^p*AppellF1[(1+n)/(2*n), -p, 2, (3+n^{(-1)})/2, -((c*x^{(2*n)})/a), (e^{2*x^{(2*n)}}/d^2)]/(d^3*(1+n)*(1+(c*x^{(2*n)})/a)^p)$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /;

FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] &&
NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 1438

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (c_)*(x_)^(n2_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n)) - (e*x^n)/(d^2 - e^2*x^(2*n)))^(-q), x], x] /; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n
2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + cx^{2n})^p}{(d + ex^n)^2} dx &= \int \left(\frac{d^2 (a + cx^{2n})^p}{(d^2 - e^2 x^{2n})^2} - \frac{2dex^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} + \frac{e^2 x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} \right) dx \\ &= d^2 \int \frac{(a + cx^{2n})^p}{(d^2 - e^2 x^{2n})^2} dx - (2de) \int \frac{x^n (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} dx + e^2 \int \frac{x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} dx \\ &= \left(d^2 (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{\left(1 + \frac{cx^{2n}}{a} \right)^p}{(d^2 - e^2 x^{2n})^2} dx - \left(2de (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{x^n}{(-d^2 + e^2 x^{2n})^2} dx \\ &= \frac{e^2 x^{1+2n} (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} F_1 \left(\frac{1}{2} \left(2 + \frac{1}{n} \right); -p, 2; \frac{1}{2} \left(4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d^4 (1 + 2n)} + \frac{x (a + cx^{2n})^p}{(-d^2 + e^2 x^{2n})^2} \end{aligned}$$

Mathematica [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c*x^(2*n))^p/(d + e*x^n)^2,x]

[Out] Integrate[(a + c*x^(2*n))^p/(d + e*x^n)^2, x]

fricas [F] time = 1.39, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(cx^{2n} + a)^p}{e^2 x^{2n} + 2 dex^n + d^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x^(2*n))^p/(d+e*x^n)^2,x, algorithm="fricas")

[Out] integral((c*x^(2*n) + a)^p/(e^2*x^(2*n) + 2*d*e*x^n + d^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x^(2*n))^p/(d+e*x^n)^2,x, algorithm="giac")

[Out] integrate((c*x^(2*n) + a)^p/(e*x^n + d)^2, x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^(2*n)+a)^p/(e*x^n+d)^2,x)

[Out] int((c*x^(2*n)+a)^p/(e*x^n+d)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x^(2*n))^p/(d+e*x^n)^2,x, algorithm="maxima")

[Out] integrate((c*x^(2*n) + a)^p/(e*x^n + d)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^(2*n))^p/(d + e*x^n)^2,x)

[Out] int((a + c*x^(2*n))^p/(d + e*x^n)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x**(2*n))**p/(d+e*x**n)**2,x)

[Out] Timed out

$$3.65 \quad \int \frac{(a+cx^{2n})^p}{(d+ex^n)^3} dx$$

Optimal. Leaf size=357

$$\frac{e^3 x^{3n+1} (a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(3 + \frac{1}{n}\right); -p, 3; \frac{1}{2}\left(5 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^6(3n+1)} + \frac{3e^2 x^{2n+1} (a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)}{d^5(2n+1)}$$

[Out] $3e^{2x^{2n}}(a+cx^{2n})^p \text{AppellF1}\left(\frac{1+1/2/n, 3, -p, 2+1/2/n, e^{2x^{2n}}/d^2, -cx^{2n}/a}{d^5(1+2n)/((1+cx^{2n})/a)^p} - e^{3x^{2n}}(a+cx^{2n})^p \text{AppellF1}\left(\frac{3/2+1/2/n, 3, -p, 5/2+1/2/n, e^{2x^{2n}}/d^2, -cx^{2n}/a}{d^6(1+3n)/((1+cx^{2n})/a)^p} + x(a+cx^{2n})^p \text{AppellF1}\left(\frac{1/2/n, 3, -p, 1+1/2/n, e^{2x^{2n}}/d^2, -cx^{2n}/a}{d^3((1+cx^{2n})/a)^p} - 3e^{x^{2n}}(a+cx^{2n})^p \text{AppellF1}\left(\frac{1/2(1+n)/n, 3, -p, 3/2+1/2/n, e^{2x^{2n}}/d^2, -cx^{2n}/a}{d^4(1+n)/((1+cx^{2n})/a)^p}\right)\right)$

Rubi [A] time = 0.34, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {1438, 430, 429, 511, 510}

$$\frac{3ex^{n+1} (a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{n+1}{2n}; -p, 3; \frac{1}{2}\left(3 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^4(n+1)} + \frac{3e^2 x^{2n+1} (a+cx^{2n})^p \left(\frac{cx^{2n}}{a} + 1\right)^{-p} F_1\left(\frac{1}{2}\left(3 + \frac{1}{n}\right); -p, 3; \frac{1}{2}\left(5 + \frac{1}{n}\right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2}\right)}{d^5(2n+1)}$$

Antiderivative was successfully verified.

[In] Int[(a + c*x^(2*n))^p/(d + e*x^n)^3, x]

[Out] $(3e^{2x^{2n}}(1+2n)(a+cx^{2n})^p \text{AppellF1}[\frac{(2+n^{-1})/2, -p, 3, (4+n^{-1})/2, -((cx^{2n})/a), (e^{2x^{2n}}/d^2)]}{d^5(1+2n)(1+(cx^{2n})/a)^p} - (e^{3x^{2n}}(1+3n)(a+cx^{2n})^p \text{AppellF1}[\frac{(3+n^{-1})/2, -p, 3, (5+n^{-1})/2, -((cx^{2n})/a), (e^{2x^{2n}}/d^2)]}{d^6(1+3n)(1+(cx^{2n})/a)^p} + (x(a+cx^{2n})^p \text{AppellF1}[1/(2n), -p, 3, (2+n^{-1})/2, -((cx^{2n})/a), (e^{2x^{2n}}/d^2)]}{d^3(1+(cx^{2n})/a)^p} - (3e^{x^{2n}}(1+n)(a+cx^{2n})^p \text{AppellF1}[\frac{(1+n)/(2n), -p, 3, (3+n^{-1})/2, -((cx^{2n})/a), (e^{2x^{2n}}/d^2)]}{d^4(1+n)(1+(cx^{2n})/a)^p})$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 430

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && !(IntegerQ[p] || GtQ[a, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 511

```
Int[((e._)*(x._))^(m._)*((a._) + (b._)*(x._)^(n._))^(p._)*((c._) + (d._)*(x._)^(n._))^(q._), x_Symbol]
:> Dist[(a^IntPart[p]*(a + b*x^n)^FracPart[p])/(1 + (b*x^n)/a)^FracPart[p], Int[(e*x)^m*(1 + (b*x^n)/a)^p*(c + d*x^n)^q, x], x]
/; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && !(IntegerQ[p] || GtQ[a, 0])
```

Rule 1438

```
Int[((d._) + (e._)*(x._)^(n._))^(q._)*((a._) + (c._)*(x._)^(n2._))^(p._), x_Symbol]
:> Int[ExpandIntegrand[(a + c*x^(2*n))^p, (d/(d^2 - e^2*x^(2*n))) - (e*x^n)/(d^2 - e^2*x^(2*n))]^(q), x], x]
/; FreeQ[{a, c, d, e, n, p}, x] && EqQ[n 2, 2*n] && NeQ[c*d^2 + a*e^2, 0] && !IntegerQ[p] && ILtQ[q, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + cx^{2n})^p}{(d + ex^n)^3} dx &= \int \left(\frac{d^3 (a + cx^{2n})^p}{(d^2 - e^2x^{2n})^3} + \frac{3d^2 ex^n (a + cx^{2n})^p}{(-d^2 + e^2x^{2n})^3} - \frac{3de^2 x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2x^{2n})^3} + \frac{e^3 x^{3n} (a + cx^{2n})^p}{(-d^2 + e^2x^{2n})^3} \right) dx \\ &= d^3 \int \frac{(a + cx^{2n})^p}{(d^2 - e^2x^{2n})^3} dx + (3d^2 e) \int \frac{x^n (a + cx^{2n})^p}{(-d^2 + e^2x^{2n})^3} dx - (3de^2) \int \frac{x^{2n} (a + cx^{2n})^p}{(-d^2 + e^2x^{2n})^3} dx + e^3 \int \frac{x^{3n} (a + cx^{2n})^p}{(-d^2 + e^2x^{2n})^3} dx \\ &= \left(d^3 (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{\left(1 + \frac{cx^{2n}}{a} \right)^p}{(d^2 - e^2x^{2n})^3} dx + \left(3d^2 e (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} \right) \int \frac{x^n \left(1 + \frac{cx^{2n}}{a} \right)^p}{(-d^2 + e^2x^{2n})^3} dx \\ &= \frac{3e^2 x^{1+2n} (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p} F_1 \left(\frac{1}{2} \left(2 + \frac{1}{n} \right); -p, 3; \frac{1}{2} \left(4 + \frac{1}{n} \right); -\frac{cx^{2n}}{a}, \frac{e^2 x^{2n}}{d^2} \right)}{d^5 (1 + 2n)} - \frac{e^3 x^{1+3n} (a + cx^{2n})^p \left(1 + \frac{cx^{2n}}{a} \right)^{-p}}{d^5 (1 + 2n)} \end{aligned}$$

Mathematica [F] time = 0.32, size = 0, normalized size = 0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + c*x^(2*n))^p/(d + e*x^n)^3,x]

[Out] Integrate[(a + c*x^(2*n))^p/(d + e*x^n)^3, x]

fricas [F] time = 1.49, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(cx^{2n} + a)^p}{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x^(2*n))^p/(d+e*x^n)^3,x, algorithm="fricas")

[Out] integral((c*x^(2*n) + a)^p/(e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x^(2*n))^p/(d+e*x^n)^3,x, algorithm="giac")

[Out] integrate((c*x^(2*n) + a)^p/(e*x^n + d)^3, x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*x^(2*n)+a)^p/(e*x^n+d)^3,x)

[Out] int((c*x^(2*n)+a)^p/(e*x^n+d)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x^(2*n))^p/(d+e*x^n)^3,x, algorithm="maxima")

[Out] integrate((c*x^(2*n) + a)^p/(e*x^n + d)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + c*x^(2*n))^p/(d + e*x^n)^3,x)

[Out] int((a + c*x^(2*n))^p/(d + e*x^n)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+c*x**(2*n))**p/(d+e*x**n)**3,x)

[Out] Timed out

3.66 $\int (d + ex^n) (a + bx^n + cx^{2n}) dx$

Optimal. Leaf size=62

$$\frac{x^{n+1}(ae + bd)}{n + 1} + adx + \frac{x^{2n+1}(be + cd)}{2n + 1} + \frac{cex^{3n+1}}{3n + 1}$$

[Out] a*d*x+(a*e+b*d)*x^(1+n)/(1+n)+(b*e+c*d)*x^(1+2*n)/(1+2*n)+c*e*x^(1+3*n)/(1+3*n)

Rubi [A] time = 0.04, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.045$, Rules used = {1407}

$$\frac{x^{n+1}(ae + bd)}{n + 1} + adx + \frac{x^{2n+1}(be + cd)}{2n + 1} + \frac{cex^{3n+1}}{3n + 1}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*(a + b*x^n + c*x^(2*n)),x]

[Out] a*d*x + ((b*d + a*e)*x^(1 + n))/(1 + n) + ((c*d + b*e)*x^(1 + 2*n))/(1 + 2*n) + (c*e*x^(1 + 3*n))/(1 + 3*n)

Rule 1407

Int[((d_) + (e_.)*(x_)^(n_))^(q_.)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IGtQ[q, 0]

Rubi steps

$$\begin{aligned} \int (d + ex^n) (a + bx^n + cx^{2n}) dx &= \int (ad + (bd + ae)x^n + (cd + be)x^{2n} + cex^{3n}) dx \\ &= adx + \frac{(bd + ae)x^{1+n}}{1 + n} + \frac{(cd + be)x^{1+2n}}{1 + 2n} + \frac{cex^{1+3n}}{1 + 3n} \end{aligned}$$

Mathematica [A] time = 0.15, size = 57, normalized size = 0.92

$$x \left(\frac{x^n (ae + bd)}{n + 1} + ad + \frac{x^{2n} (be + cd)}{2n + 1} + \frac{cex^{3n}}{3n + 1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)*(a + b*x^n + c*x^(2*n)),x]

[Out] x*(a*d + ((b*d + a*e)*x^n)/(1 + n) + ((c*d + b*e)*x^(2*n))/(1 + 2*n) + (c*e*x^(3*n))/(1 + 3*n))

fricas [B] time = 1.10, size = 137, normalized size = 2.21

$$\frac{(2cen^2 + 3cen + ce)xx^{3n} + (3(cd + be)n^2 + cd + be + 4(cd + be)n)xx^{2n} + (6(bd + ae)n^2 + bd + ae + 5(bd + ae))}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n)),x, algorithm="fricas")

[Out] $((2*c*e*n^2 + 3*c*e*n + c*e)*x*x^(3*n) + (3*(c*d + b*e)*n^2 + c*d + b*e + 4*(c*d + b*e)*n)*x*x^(2*n) + (6*(b*d + a*e)*n^2 + b*d + a*e + 5*(b*d + a*e)*n)*x*x^n + (6*a*d*n^3 + 11*a*d*n^2 + 6*a*d*n + a*d)*x)/(6*n^3 + 11*n^2 + 6*n + 1)$

giac [B] time = 0.35, size = 207, normalized size = 3.34

$$\frac{6 adn^3x + 3 cdn^2xx^{2n} + 6 bdn^2xx^n + 2 cn^2xx^{3n}e + 3 bn^2xx^{2n}e + 6 an^2xx^ne + 11 adn^2x + 4 cdnxx^{2n} + 5 bdnxx^n}{6n^3 + 11n^2 + 6n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n)),x, algorithm="giac")

[Out] $(6*a*d*n^3*x + 3*c*d*n^2*x*x^(2*n) + 6*b*d*n^2*x*x^n + 2*c*n^2*x*x^(3*n)*e + 3*b*n^2*x*x^(2*n)*e + 6*a*n^2*x*x^n*e + 11*a*d*n^2*x + 4*c*d*n*x*x^(2*n) + 5*b*d*n*x*x^n + 3*c*n*x*x^(3*n)*e + 4*b*n*x*x^(2*n)*e + 5*a*n*x*x^n*e + 6*a*d*n*x + c*d*x*x^(2*n) + b*d*x*x^n + c*x*x^(3*n)*e + b*x*x^(2*n)*e + a*x*x^n*e + a*d*x)/(6*n^3 + 11*n^2 + 6*n + 1)$

maple [A] time = 0.01, size = 66, normalized size = 1.06

$$\frac{cex^{3n \ln(x)}}{3n+1} + adx + \frac{(ae+bd)x e^{n \ln(x)}}{n+1} + \frac{(be+cd)x e^{2n \ln(x)}}{2n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a),x)

[Out] $a*d*x + (a*e+b*d)/(n+1)*x*\exp(n*\ln(x)) + (b*e+c*d)/(2*n+1)*x*\exp(n*\ln(x))^2 + c*e/(3*n+1)*x*\exp(n*\ln(x))^3$

maxima [A] time = 0.55, size = 82, normalized size = 1.32

$$adx + \frac{cex^{3n+1}}{3n+1} + \frac{cdx^{2n+1}}{2n+1} + \frac{bex^{2n+1}}{2n+1} + \frac{bdx^{n+1}}{n+1} + \frac{aex^{n+1}}{n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n)),x, algorithm="maxima")

[Out] $a*d*x + c*e*x^(3*n+1)/(3*n+1) + c*d*x^(2*n+1)/(2*n+1) + b*e*x^(2*n+1)/(2*n+1) + b*d*x^(n+1)/(n+1) + a*e*x^(n+1)/(n+1)$

mupad [B] time = 1.66, size = 59, normalized size = 0.95

$$adx + \frac{xx^{2n}(be+cd)}{2n+1} + \frac{xx^n(ae+bd)}{n+1} + \frac{cexx^{3n}}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)*(a + b*x^n + c*x^(2*n)),x)

[Out] $a*d*x + (x*x^(2*n)*(b*e + c*d))/(2*n + 1) + (x*x^n*(a*e + b*d))/(n + 1) + (c*e*x*x^(3*n))/(3*n + 1)$

sympy [A] time = 1.32, size = 656, normalized size = 10.58

$$\left\{ \begin{array}{l} adx + ae \log(x) + bd \log(x) - \frac{be}{x} - \frac{cd}{x} - \frac{ce}{2x^2} \\ adx + 2ae\sqrt{x} + 2bd\sqrt{x} + be \log(x) + cd \log(x) - \frac{2ce}{\sqrt{x}} \\ adx + \frac{3aex^{\frac{2}{3}}}{2} + \frac{3bdx^{\frac{2}{3}}}{2} + 3be\sqrt[3]{x} + 3cd\sqrt[3]{x} + ce \log(x) \\ \frac{6adn^3x}{6n^3+11n^2+6n+1} + \frac{11adn^2x}{6n^3+11n^2+6n+1} + \frac{6adnx}{6n^3+11n^2+6n+1} + \frac{adx}{6n^3+11n^2+6n+1} + \frac{6aen^2xx^n}{6n^3+11n^2+6n+1} + \frac{5aenxx^n}{6n^3+11n^2+6n+1} + \frac{aexx^n}{6n^3+11n^2+6n+1} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n)),x)
```

```
[Out] Piecewise((a*d*x + a*e*log(x) + b*d*log(x) - b*e/x - c*d/x - c*e/(2*x**2),
Eq(n, -1)), (a*d*x + 2*a*e*sqrt(x) + 2*b*d*sqrt(x) + b*e*log(x) + c*d*log(x)
) - 2*c*e/sqrt(x), Eq(n, -1/2)), (a*d*x + 3*a*e*x**(2/3)/2 + 3*b*d*x**(2/3)
/2 + 3*b*e*x**(1/3) + 3*c*d*x**(1/3) + c*e*log(x), Eq(n, -1/3)), (6*a*d*n**
3*x/(6*n**3 + 11*n**2 + 6*n + 1) + 11*a*d*n**2*x/(6*n**3 + 11*n**2 + 6*n +
1) + 6*a*d*n*x/(6*n**3 + 11*n**2 + 6*n + 1) + a*d*x/(6*n**3 + 11*n**2 + 6*n
+ 1) + 6*a*e*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 5*a*e*n*x*x**n/(6*
n**3 + 11*n**2 + 6*n + 1) + a*e*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 6*b*d
*n**2*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 5*b*d*n*x*x**n/(6*n**3 + 11*n**
2 + 6*n + 1) + b*d*x*x**n/(6*n**3 + 11*n**2 + 6*n + 1) + 3*b*e*n**2*x*x**(2
*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 4*b*e*n*x*x**(2*n)/(6*n**3 + 11*n**2 + 6
*n + 1) + b*e*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*c*d*n**2*x*x**(2*
n)/(6*n**3 + 11*n**2 + 6*n + 1) + 4*c*d*n*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*
n + 1) + c*d*x*x**(2*n)/(6*n**3 + 11*n**2 + 6*n + 1) + 2*c*e*n**2*x*x**(3*n
)/(6*n**3 + 11*n**2 + 6*n + 1) + 3*c*e*n*x*x**(3*n)/(6*n**3 + 11*n**2 + 6*n
+ 1) + c*e*x*x**(3*n)/(6*n**3 + 11*n**2 + 6*n + 1), True))
```

3.67 $\int (d + ex^n) (a + bx^n + cx^{2n})^2 dx$

Optimal. Leaf size=132

$$a^2 dx + \frac{x^{2n+1} (2abe + 2acd + b^2d)}{2n+1} + \frac{x^{3n+1} (2ace + b^2e + 2bcd)}{3n+1} + \frac{ax^{n+1} (ae + 2bd)}{n+1} + \frac{cx^{4n+1} (2be + cd)}{4n+1} + \frac{c^2 ex^{5n+1}}{5n+1}$$

[Out] $a^2 d x + a (2 b d + a e) x^{1+n} / (1+n) + (b^2 d + 2 a c d + 2 a b e) x^{1+2 n} / (1+2 n) + (2 a c e + b^2 e + 2 b c d) x^{1+3 n} / (1+3 n) + c (2 b e + c d) x^{1+4 n} / (1+4 n) + c^2 e x^{5 n+1} / (1+5 n)$

Rubi [A] time = 0.10, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {1432}

$$a^2 dx + \frac{x^{2n+1} (2abe + 2acd + b^2d)}{2n+1} + \frac{x^{3n+1} (2ace + b^2e + 2bcd)}{3n+1} + \frac{ax^{n+1} (ae + 2bd)}{n+1} + \frac{cx^{4n+1} (2be + cd)}{4n+1} + \frac{c^2 ex^{5n+1}}{5n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^2, x]

[Out] $a^2 d x + (a (2 b d + a e) x^{1+n}) / (1+n) + ((b^2 d + 2 a c d + 2 a b e) x^{1+2 n}) / (1+2 n) + ((2 a c e + b^2 e + 2 b c d) x^{1+3 n}) / (1+3 n) + (c (2 b e + c d) x^{1+4 n}) / (1+4 n) + (c^2 e x^{5 n+1}) / (1+5 n)$

Rule 1432

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int (d + ex^n) (a + bx^n + cx^{2n})^2 dx &= \int (a^2 d + a(2bd + ae)x^n + (b^2 d + 2acd + 2abe)x^{2n} + (2bcd + b^2 e + 2ace) \\ &= a^2 dx + \frac{a(2bd + ae)x^{1+n}}{1+n} + \frac{(b^2 d + 2acd + 2abe)x^{1+2n}}{1+2n} + \frac{(2bcd + b^2 e + 2ace)x^{1+3n}}{1+3n} \end{aligned}$$

Mathematica [A] time = 0.25, size = 123, normalized size = 0.93

$$x \left(a^2 d + \frac{x^{2n} (2abe + 2acd + b^2d)}{2n+1} + \frac{x^{3n} (2ace + b^2e + 2bcd)}{3n+1} + \frac{ax^n (ae + 2bd)}{n+1} + \frac{cx^{4n} (2be + cd)}{4n+1} + \frac{c^2 ex^{5n}}{5n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^2, x]

[Out] $x (a^2 d + (a (2 b d + a e) x^n) / (1+n) + ((b^2 d + 2 a c d + 2 a b e) x^{2 n}) / (1+2 n) + ((2 a c e + b^2 e + 2 b c d) x^{3 n}) / (1+3 n) + (c (2 b e + c d) x^{4 n}) / (1+4 n) + (c^2 e x^{5 n}) / (1+5 n))$

fricas [B] time = 0.92, size = 495, normalized size = 3.75

$$\frac{(24 c^2 e n^4 + 50 c^2 e n^3 + 35 c^2 e n^2 + 10 c^2 e n + c^2 e) x x^{5 n} + (30 (c^2 d + 2 b c e) n^4 + 61 (c^2 d + 2 b c e) n^3 + c^2 d + 2 b c e)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^2,x, algorithm="fricas")
```

```
[Out] ((24*c^2*e*n^4 + 50*c^2*e*n^3 + 35*c^2*e*n^2 + 10*c^2*e*n + c^2*e)*x*x^(5*n)
+ (30*(c^2*d + 2*b*c*e)*n^4 + 61*(c^2*d + 2*b*c*e)*n^3 + c^2*d + 2*b*c*e
+ 41*(c^2*d + 2*b*c*e)*n^2 + 11*(c^2*d + 2*b*c*e)*n)*x*x^(4*n) + (40*(2*b*c
*d + (b^2 + 2*a*c)*e)*n^4 + 78*(2*b*c*d + (b^2 + 2*a*c)*e)*n^3 + 2*b*c*d +
49*(2*b*c*d + (b^2 + 2*a*c)*e)*n^2 + (b^2 + 2*a*c)*e + 12*(2*b*c*d + (b^2 +
2*a*c)*e)*n)*x*x^(3*n) + (60*(2*a*b*e + (b^2 + 2*a*c)*d)*n^4 + 107*(2*a*b*
e + (b^2 + 2*a*c)*d)*n^3 + 2*a*b*e + 59*(2*a*b*e + (b^2 + 2*a*c)*d)*n^2 + (
b^2 + 2*a*c)*d + 13*(2*a*b*e + (b^2 + 2*a*c)*d)*n)*x*x^(2*n) + (120*(2*a*b*
d + a^2*e)*n^4 + 154*(2*a*b*d + a^2*e)*n^3 + 2*a*b*d + a^2*e + 71*(2*a*b*d
+ a^2*e)*n^2 + 14*(2*a*b*d + a^2*e)*n)*x*x^n + (120*a^2*d*n^5 + 274*a^2*d*n
^4 + 225*a^2*d*n^3 + 85*a^2*d*n^2 + 15*a^2*d*n + a^2*d)*x)/(120*n^5 + 274*n
^4 + 225*n^3 + 85*n^2 + 15*n + 1)
```

```
giac [B] time = 0.45, size = 828, normalized size = 6.27
```

$$\frac{120 a^2 d n^5 x + 30 c^2 d n^4 x x^{4n} + 80 b c d n^4 x x^{3n} + 60 b^2 d n^4 x x^{2n} + 120 a c d n^4 x x^{2n} + 240 a b d n^4 x x^n + 24 c^2 n^4 x x^{5n} e + \dots}{120 n^5 + 274 n^4 + 225 n^3 + 85 n^2 + 15 n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^2,x, algorithm="giac")
```

```
[Out] (120*a^2*d*n^5*x + 30*c^2*d*n^4*x*x^(4*n) + 80*b*c*d*n^4*x*x^(3*n) + 60*b^2
*d*n^4*x*x^(2*n) + 120*a*c*d*n^4*x*x^(2*n) + 240*a*b*d*n^4*x*x^n + 24*c^2*n
^4*x*x^(5*n))*e + 60*b*c*n^4*x*x^(4*n)*e + 40*b^2*n^4*x*x^(3*n)*e + 80*a*c*n
^4*x*x^(3*n)*e + 120*a*b*n^4*x*x^(2*n)*e + 120*a^2*n^4*x*x^n*e + 274*a^2*d*
n^4*x + 61*c^2*d*n^3*x*x^(4*n) + 156*b*c*d*n^3*x*x^(3*n) + 107*b^2*d*n^3*x*
x^(2*n) + 214*a*c*d*n^3*x*x^(2*n) + 308*a*b*d*n^3*x*x^n + 50*c^2*n^3*x*x^(5
*n))*e + 122*b*c*n^3*x*x^(4*n)*e + 78*b^2*n^3*x*x^(3*n)*e + 156*a*c*n^3*x*x
^(3*n)*e + 214*a*b*n^3*x*x^(2*n)*e + 154*a^2*n^3*x*x^n*e + 225*a^2*d*n^3*x
+ 41*c^2*d*n^2*x*x^(4*n) + 98*b*c*d*n^2*x*x^(3*n) + 59*b^2*d*n^2*x*x^(2*n) +
118*a*c*d*n^2*x*x^(2*n) + 142*a*b*d*n^2*x*x^n + 35*c^2*n^2*x*x^(5*n))*e + 8
2*b*c*n^2*x*x^(4*n)*e + 49*b^2*n^2*x*x^(3*n)*e + 98*a*c*n^2*x*x^(3*n)*e + 1
18*a*b*n^2*x*x^(2*n)*e + 71*a^2*n^2*x*x^n*e + 85*a^2*d*n^2*x + 11*c^2*d*n*x
*x^(4*n) + 24*b*c*d*n*x*x^(3*n) + 13*b^2*d*n*x*x^(2*n) + 26*a*c*d*n*x*x^(2*
n) + 28*a*b*d*n*x*x^n + 10*c^2*n*x*x^(5*n))*e + 22*b*c*n*x*x^(4*n)*e + 12*b^
2*n*x*x^(3*n)*e + 24*a*c*n*x*x^(3*n)*e + 26*a*b*n*x*x^(2*n)*e + 14*a^2*n*x*
x^n*e + 15*a^2*d*n*x + c^2*d*x*x^(4*n) + 2*b*c*d*x*x^(3*n) + b^2*d*x*x^(2*n
) + 2*a*c*d*x*x^(2*n) + 2*a*b*d*x*x^n + c^2*x*x^(5*n))*e + 2*b*c*x*x^(4*n)*e
+ b^2*x*x^(3*n)*e + 2*a*c*x*x^(3*n)*e + 2*a*b*x*x^(2*n)*e + a^2*x*x^n*e +
a^2*d*x)/(120*n^5 + 274*n^4 + 225*n^3 + 85*n^2 + 15*n + 1)
```

```
maple [A] time = 0.02, size = 138, normalized size = 1.05
```

$$\frac{c^2 e x^{5n \ln(x)}}{5n + 1} + a^2 dx + \frac{(ae + 2bd) a x e^{n \ln(x)}}{n + 1} + \frac{(2be + cd) c x e^{4n \ln(x)}}{4n + 1} + \frac{(2abe + 2acd + b^2 d) x e^{2n \ln(x)}}{2n + 1} + \frac{(2ace + b^2 e + 2bd)}{3n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^2,x)
```

```
[Out] a^2*d*x+(2*a*c*e+b^2*e+2*b*c*d)/(3*n+1)*x*exp(n*ln(x))^3+(2*a*b*e+2*a*c*d+b
^2*d)/(2*n+1)*x*exp(n*ln(x))^2+a*(a*e+2*b*d)/(n+1)*x*exp(n*ln(x))+c*(2*b*e+
c*d)/(1+4*n)*x*exp(n*ln(x))^4+e*c^2/(1+5*n)*x*exp(n*ln(x))^5
```

```
maxima [A] time = 0.70, size = 208, normalized size = 1.58
```

$$a^2 dx + \frac{c^2 e x^{5n+1}}{5n + 1} + \frac{c^2 d x^{4n+1}}{4n + 1} + \frac{2 b c e x^{4n+1}}{4n + 1} + \frac{2 b c d x^{3n+1}}{3n + 1} + \frac{b^2 e x^{3n+1}}{3n + 1} + \frac{2 a c e x^{3n+1}}{3n + 1} + \frac{b^2 d x^{2n+1}}{2n + 1} + \frac{2 a c d x^{2n+1}}{2n + 1} + \frac{2 a b e x^{2n+1}}{2n + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^2,x, algorithm="maxima")

[Out] $a^2 d x + c^2 e x^{(5n+1)/(5n+1)} + c^2 d x^{(4n+1)/(4n+1)} + 2 b^2 c e x^{(4n+1)/(4n+1)} + 2 b^2 c d x^{(3n+1)/(3n+1)} + b^2 e x^{(3n+1)/(3n+1)} + 2 a^2 c e x^{(3n+1)/(3n+1)} + b^2 d x^{(2n+1)/(2n+1)} + 2 a^2 c d x^{(2n+1)/(2n+1)} + 2 a^2 b e x^{(2n+1)/(2n+1)} + 2 a^2 b d x^{(n+1)/(n+1)} + a^2 e x^{(n+1)/(n+1)}$

mupad [B] time = 1.71, size = 131, normalized size = 0.99

$$a^2 dx + \frac{xx^{4n} (dc^2 + 2bec)}{4n+1} + \frac{xx^n (ea^2 + 2bda)}{n+1} + \frac{xx^{2n} (db^2 + 2aeb + 2acd)}{2n+1} + \frac{xx^{3n} (eb^2 + 2cdb + 2ace)}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^2,x)

[Out] $a^2 d x + (x x^{(4n)} (c^2 d + 2 b^2 c e)) / (4n + 1) + (x x^{(2n)} (a^2 e + 2 a^2 b d)) / (n + 1) + (x x^{(2n)} (b^2 d + 2 a^2 b e + 2 a^2 c d)) / (2n + 1) + (x x^{(3n)} (b^2 e + 2 a^2 c e + 2 b^2 c d)) / (3n + 1) + (c^2 e x x^{(5n)}) / (5n + 1)$

sympy [A] time = 10.97, size = 3128, normalized size = 23.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**2,x)

[Out] Piecewise((a**2*d*x + a**2*e*log(x) + 2*a*b*d*log(x) - 2*a*b*e/x - 2*a*c*d/x - a*c*e/x**2 - b**2*d/x - b**2*e/(2*x**2) - b*c*d/x**2 - 2*b*c*e/(3*x**3) - c**2*d/(3*x**3) - c**2*e/(4*x**4), Eq(n, -1)), (a**2*d*x + 2*a**2*e*sqrt(x) + 4*a*b*d*sqrt(x) + 2*a*b*e*log(x) + 2*a*c*d*log(x) - 4*a*c*e/sqrt(x) + b**2*d*log(x) - 2*b**2*e/sqrt(x) - 4*b*c*d/sqrt(x) - 2*b*c*e/x - c**2*d/x - 2*c**2*e/(3*x**(3/2)), Eq(n, -1/2)), (a**2*d*x + 3*a**2*e*x**(2/3)/2 + 3*a*b*d*x**(2/3) + 6*a*b*e*x**(1/3) + 6*a*c*d*x**(1/3) + 2*a*c*e*log(x) + 3*b**2*d*x**(1/3) + b**2*e*log(x) + 2*b*c*d*log(x) - 6*b*c*e/x**(1/3) - 3*c**2*d/x**(1/3) - 3*c**2*e/(2*x**(2/3)), Eq(n, -1/3)), (a**2*d*x + 4*a**2*e*x**(3/4)/3 + 8*a*b*d*x**(3/4)/3 + 4*a*b*e*sqrt(x) + 4*a*c*d*sqrt(x) + 8*a*c*e*x**(1/4) + 2*b**2*d*sqrt(x) + 4*b**2*e*x**(1/4) + 8*b*c*d*x**(1/4) + 2*b*c*e*log(x) + c**2*d*log(x) - 4*c**2*e/x**(1/4), Eq(n, -1/4)), (a**2*d*x + 5*a**2*e*x**(4/5)/4 + 5*a*b*d*x**(4/5)/2 + 10*a*b*e*x**(3/5)/3 + 10*a*c*d*x**(3/5)/3 + 5*a*c*e*x**(2/5) + 5*b**2*d*x**(3/5)/3 + 5*b**2*e*x**(2/5)/2 + 5*b*c*d*x**(2/5) + 10*b*c*e*x**(1/5) + 5*c**2*d*x**(1/5) + c**2*e*log(x), Eq(n, -1/5)), (120*a**2*d*n**5*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 274*a**2*d*n**4*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 225*a**2*d*n**3*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 85*a**2*d*n**2*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 15*a**2*d*n*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + a**2*d*x/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 120*a**2*e*n**4*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 154*a**2*e*n**3*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 71*a**2*e*n**2*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 14*a**2*e*n*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + a**2*e*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 240*a*b*d*n**4*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 308*a*b*d*n**3*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 142*a*b*d*n**2*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 28*a*b*d*n*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) + 2*a*b*d*x*x**n/(120*n**5 + 274*n**4 + 225*n**3 + 85*n**2 + 15*n + 1) +

$$\begin{aligned}
& 120*a*b*e^{n^4*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n \\
& + 1) + 214*a*b*e^{n^3*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} \\
& + 15*n + 1) + 118*a*b*e^{n^2*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + \\
& 85*n^{**2} + 15*n + 1) + 26*a*b*e^{n*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} \\
& + 85*n^{**2} + 15*n + 1) + 2*a*b*e^{x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} \\
& + 85*n^{**2} + 15*n + 1) + 120*a*c*d^{n^4*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 2 \\
& 25*n^{**3} + 85*n^{**2} + 15*n + 1) + 214*a*c*d^{n^3*x*x^{(2*n)}}/(120*n^{**5} + 274*n \\
& **4 + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 118*a*c*d^{n^2*x*x^{(2*n)}}/(120*n^{**5} \\
& + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 26*a*c*d^{n*x*x^{(2*n)}}/(120*n* \\
& *5 + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 2*a*c*d^{x*x^{(2*n)}}/(120*n* \\
& *5 + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 80*a*c*e^{n^4*x*x^{(3*n)}}/(\\
& 120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 156*a*c*e^{n^3*x*x^{ \\
& (3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 98*a*c*e^{n^2 \\
& *x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 24*a*c* \\
& e^{n*x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 2*a* \\
& c*e^{x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 60*b \\
& **2*d^{n^4*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) \\
& + 107*b**2*d^{n^3*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 1 \\
& 5*n + 1) + 59*b**2*d^{n^2*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n \\
& **2 + 15*n + 1) + 13*b**2*d^{n*x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + \\
& 85*n^{**2} + 15*n + 1) + b**2*d^{x*x^{(2*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 8 \\
& 5*n^{**2} + 15*n + 1) + 40*b**2*e^{n^4*x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n \\
& **3 + 85*n^{**2} + 15*n + 1) + 78*b**2*e^{n^3*x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} \\
& + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 49*b**2*e^{n^2*x*x^{(3*n)}}/(120*n^{**5} + 27 \\
& 4*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 12*b**2*e^{n*x*x^{(3*n)}}/(120*n^{**5} \\
& + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + b**2*e^{x*x^{(3*n)}}/(120*n^{**5} + \\
& 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 80*b*c*d^{n^4*x*x^{(3*n)}}/(120* \\
& n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 156*b*c*d^{n^3*x*x^{(3*n)}} \\
&)/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 98*b*c*d^{n^2*x*x \\
& **3*n}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 24*b*c*d^{n* \\
& x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 2*b*c*d* \\
& x*x^{(3*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 60*b*c*e \\
& **4*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 12 \\
& 2*b*c*e^{n^3*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + \\
& 1) + 82*b*c*e^{n^2*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 1 \\
& 5*n + 1) + 22*b*c*e^{n*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} \\
& + 15*n + 1) + 2*b*c*e^{x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} \\
& + 15*n + 1) + 30*c**2*d^{n^4*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 8 \\
& 5*n^{**2} + 15*n + 1) + 61*c**2*d^{n^3*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n \\
& **3 + 85*n^{**2} + 15*n + 1) + 41*c**2*d^{n^2*x*x^{(4*n)}}/(120*n^{**5} + 274*n^{**4} \\
& + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 11*c**2*d^{n*x*x^{(4*n)}}/(120*n^{**5} + 274*n \\
& **4 + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + c**2*d^{x*x^{(4*n)}}/(120*n^{**5} + 274*n* \\
& *4 + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 24*c**2*e^{n^4*x*x^{(5*n)}}/(120*n^{**5} + \\
& 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 50*c**2*e^{n^3*x*x^{(5*n)}}/(120 \\
& *n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 35*c**2*e^{n^2*x*x^{(5* \\
& n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + 10*c**2*e^{n*x*x* \\
& *(5*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1) + c**2*e^{x*x^{ \\
& (5*n)}}/(120*n^{**5} + 274*n^{**4} + 225*n^{**3} + 85*n^{**2} + 15*n + 1), True))
\end{aligned}$$

3.68 $\int (d + ex^n) (a + bx^n + cx^{2n})^3 dx$

Optimal. Leaf size=218

$$a^3 dx + \frac{x^{3n+1} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{3n+1} + \frac{a^2 x^{n+1} (ae + 3bd)}{n+1} + \frac{3ax^{2n+1} (abe + acd + b^2 d)}{2n+1} + \frac{3cx^{5n+1} (ace + b^2 e + c^2 d)}{5n+1}$$

[Out] $a^3 d x + a^2 (3 b d + a e) x^{1+n} / (1+n) + 3 a (b^2 d + a c d + a b e) x^{1+2 n} / (1+2 n) + (3 a^2 c e + 3 a b^2 e + 6 a b c d + b^3 d) x^{1+3 n} / (1+3 n) + (6 a^2 b c e + 3 a^2 c^2 d + b^3 e + 3 b^2 c d) x^{1+4 n} / (1+4 n) + 3 c (a c e + b^2 e + b c d) x^{1+5 n} / (1+5 n) + c^2 (3 b e + c d) x^{1+6 n} / (1+6 n) + c^3 e x^{1+7 n} / (1+7 n)$

Rubi [A] time = 0.20, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$, Rules used = {1432}

$$\frac{x^{3n+1} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{3n+1} + \frac{a^2 x^{n+1} (ae + 3bd)}{n+1} + a^3 dx + \frac{x^{4n+1} (6abce + 3ac^2 d + 3b^2 cd + b^3 e)}{4n+1} + \frac{3ax^{2n+1} (abe + acd + b^2 d)}{2n+1}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^3,x]

[Out] $a^3 d x + (a^2 (3 b d + a e) x^{1+n}) / (1+n) + (3 a (b^2 d + a c d + a b e) x^{1+2 n}) / (1+2 n) + ((b^3 d + 6 a b c d + 3 a b^2 e + 3 a^2 c e) x^{1+3 n}) / (1+3 n) + ((3 b^2 c d + 3 a c^2 d + b^3 e + 6 a b c e) x^{1+4 n}) / (1+4 n) + (3 c (b c d + b^2 e + a c e) x^{1+5 n}) / (1+5 n) + (c^2 (c d + 3 b e) x^{1+6 n}) / (1+6 n) + (c^3 e x^{1+7 n}) / (1+7 n)$

Rule 1432

Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]

Rubi steps

$$\int (d + ex^n) (a + bx^n + cx^{2n})^3 dx = \int (a^3 d + a^2(3bd + ae)x^n + 3a(b^2 d + acd + abe)x^{2n} + (b^3 d + 6abcd + 3ab^2 e + 3a^2 ce)x^{3n} + (3b^2 cd + 3abc^2 d + b^3 e + 6abce)x^{4n} + 3c(bc d + b^2 e + ace)x^{5n} + (c^2(cd + 3be))x^{6n} + c^3 e x^{7n}) dx$$

$$= a^3 dx + \frac{a^2(3bd + ae)x^{1+n}}{1+n} + \frac{3a(b^2 d + acd + abe)x^{1+2n}}{1+2n} + \frac{(b^3 d + 6abcd + 3ab^2 e + 3a^2 ce)x^{1+3n}}{1+3n} + \frac{(3b^2 cd + 3abc^2 d + b^3 e + 6abce)x^{1+4n}}{1+4n} + \frac{3c(bc d + b^2 e + ace)x^{1+5n}}{1+5n} + \frac{(c^2(cd + 3be))x^{1+6n}}{1+6n} + \frac{c^3 e x^{1+7n}}{1+7n}$$

Mathematica [A] time = 0.43, size = 205, normalized size = 0.94

$$x \left(a^3 d + \frac{x^{3n} (3a^2 ce + 3ab^2 e + 6abcd + b^3 d)}{3n+1} + \frac{a^2 x^n (ae + 3bd)}{n+1} + \frac{3ax^{2n} (abe + acd + b^2 d)}{2n+1} + \frac{3cx^{5n} (ace + b^2 e + c^2 d)}{5n+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^3,x]

[Out] $x (a^3 d + (a^2 (3 b d + a e) x^n) / (1+n) + (3 a (b^2 d + a c d + a b e) x^{2 n}) / (1+2 n) + ((b^3 d + 6 a b c d + 3 a b^2 e + 3 a^2 c e) x^{3 n}) / (1+3 n) + ((3 b^2 c d + 3 a c^2 d + b^3 e + 6 a b c e) x^{4 n}) / (1+4 n) + (3 c (b c d + b^2 e + a c e) x^{5 n}) / (1+5 n) + (c^2 (c d + 3 b e) x^{6 n}) / (1+6 n) + (c^3 e x^{7 n}) / (1+7 n))$

fricas [B] time = 0.80, size = 1209, normalized size = 5.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^3,x, algorithm="fricas")

[Out] ((720*c^3*e*n^6 + 1764*c^3*e*n^5 + 1624*c^3*e*n^4 + 735*c^3*e*n^3 + 175*c^3*e*n^2 + 21*c^3*e*n + c^3*e)*x*x^(7*n) + (840*(c^3*d + 3*b*c^2*e)*n^6 + 2038*(c^3*d + 3*b*c^2*e)*n^5 + 1849*(c^3*d + 3*b*c^2*e)*n^4 + c^3*d + 3*b*c^2*e + 820*(c^3*d + 3*b*c^2*e)*n^3 + 190*(c^3*d + 3*b*c^2*e)*n^2 + 22*(c^3*d + 3*b*c^2*e)*n)*x*x^(6*n) + 3*(1008*(b*c^2*d + (b^2*c + a*c^2)*e)*n^6 + 2412*(b*c^2*d + (b^2*c + a*c^2)*e)*n^5 + 2144*(b*c^2*d + (b^2*c + a*c^2)*e)*n^4 + b*c^2*d + 925*(b*c^2*d + (b^2*c + a*c^2)*e)*n^3 + 207*(b*c^2*d + (b^2*c + a*c^2)*e)*n^2 + (b^2*c + a*c^2)*e + 23*(b*c^2*d + (b^2*c + a*c^2)*e)*n)*x*x^(5*n) + (1260*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*n^6 + 2952*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*n^5 + 2545*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*n^4 + 1056*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*n^3 + 226*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*n^2 + 3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e + 24*(3*(b^2*c + a*c^2)*d + (b^3 + 6*a*b*c)*e)*n)*x*x^(4*n) + (1680*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*n^6 + 3796*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*n^5 + 3112*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*n^4 + 1219*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*n^3 + 247*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*n^2 + (b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e + 25*((b^3 + 6*a*b*c)*d + 3*(a*b^2 + a^2*c)*e)*n)*x*x^(3*n) + 3*(2520*(a^2*b*e + (a*b^2 + a^2*c)*d)*n^6 + 5274*(a^2*b*e + (a*b^2 + a^2*c)*d)*n^5 + 3929*(a^2*b*e + (a*b^2 + a^2*c)*d)*n^4 + a^2*b*e + 1420*(a^2*b*e + (a*b^2 + a^2*c)*d)*n^3 + 270*(a^2*b*e + (a*b^2 + a^2*c)*d)*n^2 + (a*b^2 + a^2*c)*d + 26*(a^2*b*e + (a*b^2 + a^2*c)*d)*n)*x*x^(2*n) + (5040*(3*a^2*b*d + a^3*e)*n^6 + 8028*(3*a^2*b*d + a^3*e)*n^5 + 5104*(3*a^2*b*d + a^3*e)*n^4 + 3*a^2*b*d + a^3*e + 1665*(3*a^2*b*d + a^3*e)*n^3 + 295*(3*a^2*b*d + a^3*e)*n^2 + 27*(3*a^2*b*d + a^3*e)*n)*x*x^n + (5040*a^3*d*n^7 + 13068*a^3*d*n^6 + 13132*a^3*d*n^5 + 6769*a^3*d*n^4 + 1960*a^3*d*n^3 + 322*a^3*d*n^2 + 28*a^3*d*n + a^3*d)*x)/(5040*n^7 + 13068*n^6 + 13132*n^5 + 6769*n^4 + 1960*n^3 + 322*n^2 + 28*n + 1)

giac [B] time = 0.78, size = 2134, normalized size = 9.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^3,x, algorithm="giac")

[Out] (5040*a^3*d*n^7*x + 840*c^3*d*n^6*x*x^(6*n) + 3024*b*c^2*d*n^6*x*x^(5*n) + 3780*b^2*c*d*n^6*x*x^(4*n) + 3780*a*c^2*d*n^6*x*x^(4*n) + 1680*b^3*d*n^6*x*x^(3*n) + 10080*a*b*c*d*n^6*x*x^(3*n) + 7560*a*b^2*d*n^6*x*x^(2*n) + 7560*a^2*c*d*n^6*x*x^(2*n) + 15120*a^2*b*d*n^6*x*x^n + 720*c^3*n^6*x*x^(7*n)*e + 2520*b*c^2*n^6*x*x^(6*n)*e + 3024*b^2*c*n^6*x*x^(5*n)*e + 3024*a*c^2*n^6*x*x^(5*n)*e + 1260*b^3*n^6*x*x^(4*n)*e + 7560*a*b*c*n^6*x*x^(4*n)*e + 5040*a*b^2*n^6*x*x^(3*n)*e + 5040*a^2*c*n^6*x*x^(3*n)*e + 7560*a^2*b*n^6*x*x^(2*n)*e + 5040*a^3*n^6*x*x^n*e + 13068*a^3*d*n^6*x + 2038*c^3*d*n^5*x*x^(6*n) + 7236*b*c^2*d*n^5*x*x^(5*n) + 8856*b^2*c*d*n^5*x*x^(4*n) + 8856*a*c^2*d*n^5*x*x^(4*n) + 3796*b^3*d*n^5*x*x^(3*n) + 22776*a*b*c*d*n^5*x*x^(3*n) + 15822*a*b^2*d*n^5*x*x^(2*n) + 15822*a^2*c*d*n^5*x*x^(2*n) + 24084*a^2*b*d*n^5*x*x^n + 1764*c^3*n^5*x*x^(7*n)*e + 6114*b*c^2*n^5*x*x^(6*n)*e + 7236*b^2*c*n^5*x*x^(5*n)*e + 7236*a*c^2*n^5*x*x^(5*n)*e + 2952*b^3*n^5*x*x^(4*n)*e + 17712*a*b*c*n^5*x*x^(4*n)*e + 11388*a*b^2*n^5*x*x^(3*n)*e + 11388*a^2*c*n^5*x*x^(3*n)*e + 15822*a^2*b*n^5*x*x^(2*n)*e + 8028*a^3*n^5*x*x^n*e + 13132*a^3*d*n^5*x + 1849*c^3*d*n^4*x*x^(6*n) + 6432*b*c^2*d*n^4*x*x^(5*n) + 7635*b^2*c

$d^n x^{4n} + 7635 a^2 c^2 d^n x^{4n} + 3112 b^3 d^n x^{3n} + 18672 a b c d^n x^{3n} + 11787 a^2 b^2 d^n x^{2n} + 11787 a^2 c d^n x^{2n} + 15312 a^2 b d^n x^n + 1624 c^3 d^n x^{7n} e + 5547 b^2 c^2 d^n x^{6n} e + 6432 b^2 c^2 d^n x^{5n} e + 6432 a^2 c^2 d^n x^{5n} e + 2545 b^3 d^n x^{4n} e + 15270 a b c d^n x^{4n} e + 9336 a^2 b^2 d^n x^{3n} e + 9336 a^2 c^2 d^n x^{3n} e + 11787 a^2 b d^n x^{2n} e + 5104 a^3 d^n x^n e + 6769 a^3 d^n x + 820 c^3 d^n x^{6n} + 2775 b^2 c^2 d^n x^{5n} + 3168 b^2 c d^n x^{4n} + 3168 a^2 c^2 d^n x^{4n} + 1219 b^3 d^n x^{3n} + 7314 a b c d^n x^{3n} + 4260 a^2 b^2 d^n x^{2n} + 4260 a^2 c d^n x^{2n} + 4995 a^2 b d^n x^n + 735 c^3 d^n x^{7n} e + 2460 b^2 c^2 d^n x^{6n} e + 2775 b^2 c^2 d^n x^{5n} e + 2775 a^2 c^2 d^n x^{5n} e + 1056 b^3 d^n x^{4n} e + 6336 a b c d^n x^{4n} e + 3657 a^2 b^2 d^n x^{3n} e + 3657 a^2 c^2 d^n x^{3n} e + 4260 a^2 b d^n x^{2n} e + 1665 a^3 d^n x^n e + 1960 a^3 d^n x + 190 c^3 d^n x^{6n} + 621 b^2 c^2 d^n x^{5n} + 678 b^2 c d^n x^{4n} + 678 a^2 c^2 d^n x^{4n} + 247 b^3 d^n x^{3n} + 1482 a b c d^n x^{3n} + 810 a^2 b^2 d^n x^{2n} + 810 a^2 c d^n x^{2n} + 885 a^2 b d^n x^n + 175 c^3 d^n x^{7n} e + 570 b^2 c^2 d^n x^{6n} e + 621 b^2 c^2 d^n x^{5n} e + 621 a^2 c^2 d^n x^{5n} e + 226 b^3 d^n x^{4n} e + 1356 a b c d^n x^{4n} e + 741 a^2 b^2 d^n x^{3n} e + 741 a^2 c^2 d^n x^{3n} e + 810 a^2 b d^n x^{2n} e + 295 a^3 d^n x^n e + 322 a^3 d^n x + 22 c^3 d^n x^{6n} + 69 b^2 c^2 d^n x^{5n} + 72 b^2 c d^n x^{4n} + 72 a^2 c^2 d^n x^{4n} + 25 b^3 d^n x^{3n} + 150 a b c d^n x^{3n} + 78 a^2 b^2 d^n x^{2n} + 78 a^2 c d^n x^{2n} + 81 a^2 b d^n x^n + 21 c^3 d^n x^{7n} e + 66 b^2 c^2 d^n x^{6n} e + 69 b^2 c^2 d^n x^{5n} e + 69 a^2 c^2 d^n x^{5n} e + 24 b^3 d^n x^{4n} e + 144 a b c d^n x^{4n} e + 75 a^2 b^2 d^n x^{3n} e + 75 a^2 c^2 d^n x^{3n} e + 78 a^2 b d^n x^{2n} e + 27 a^3 d^n x^n e + 28 a^3 d^n x + c^3 d^n x^{6n} + 3 b^2 c^2 d^n x^{5n} + 3 b^2 c d^n x^{4n} + 3 a^2 c^2 d^n x^{4n} + b^3 d^n x^{3n} + 6 a b c d^n x^{3n} + 3 a^2 b^2 d^n x^{2n} + 3 a^2 c d^n x^{2n} + 3 a^2 b d^n x^n + c^3 d^n x^{7n} e + 3 b^2 c^2 d^n x^{6n} e + 3 b^2 c^2 d^n x^{5n} e + 3 a^2 c^2 d^n x^{5n} e + b^3 d^n x^{4n} e + 6 a b c d^n x^{4n} e + 3 a^2 b^2 d^n x^{3n} e + 3 a^2 c^2 d^n x^{3n} e + 3 a^2 b d^n x^{2n} e + a^3 d^n x^n e + a^3 d^n x / (5040 n^7 + 13068 n^6 + 13132 n^5 + 6769 n^4 + 1960 n^3 + 322 n^2 + 28 n + 1)$

maple [A] time = 0.02, size = 226, normalized size = 1.04

$$\frac{c^3 e x e^{7n \ln(x)}}{7n+1} + a^3 dx + \frac{(ae + 3bd) a^2 x e^{n \ln(x)}}{n+1} + \frac{(3be + cd) c^2 x e^{6n \ln(x)}}{6n+1} + \frac{3(abe + acd + b^2 d) a x e^{2n \ln(x)}}{2n+1} + \frac{3(ace + b^2 d)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^3,x)

[Out] $a^3 d x + (6 a^2 b c e + 3 a^2 c^2 d + b^3 e + 3 b^2 c d) / (4 n + 1) x \exp(n \ln(x))^4 + (3 a^2 c^2 e + 3 a^2 b^2 e + 6 a b c d + b^3 d) / (3 n + 1) x \exp(n \ln(x))^3 + a^2 (a e + 3 b d) / (n + 1) x \exp(n \ln(x)) + c^2 (3 b e + c d) / (1 + 6 n) x \exp(n \ln(x))^6 + c^3 e / (1 + 7 n) x \exp(n \ln(x))^7 + 3 a (a b e + a c d + b^2 d) / (2 n + 1) x \exp(n \ln(x))^2 + 3 c (a c e + b^2 e + b c d) / (5 n + 1) x \exp(n \ln(x))^5$

maxima [A] time = 0.88, size = 386, normalized size = 1.77

$$a^3 dx + \frac{c^3 e x^{7n+1}}{7n+1} + \frac{c^3 dx^{6n+1}}{6n+1} + \frac{3 b c^2 e x^{6n+1}}{6n+1} + \frac{3 b c^2 dx^{5n+1}}{5n+1} + \frac{3 b^2 c e x^{5n+1}}{5n+1} + \frac{3 a c^2 e x^{5n+1}}{5n+1} + \frac{3 b^2 c d x^{4n+1}}{4n+1} + \frac{3 a c^2 dx^{4n+1}}{4n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^3,x, algorithm="maxima")

[Out] $a^3 d x + c^3 e x^{(7n+1)/(7n+1)} + c^3 d x^{(6n+1)/(6n+1)} + 3 b^2 c^2 e x^{(6n+1)/(6n+1)} + 3 b^2 c^2 d x^{(5n+1)/(5n+1)} + 3 b^2 c^2 e x^{(5n+1)/(5n+1)}$

$$(5n + 1)/(5n + 1) + 3ac^2dx^{(5n + 1)}/(5n + 1) + 3b^2cdx^{(4n + 1)}/(4n + 1) + 3a^2cdx^{(4n + 1)}/(4n + 1) + b^3edx^{(4n + 1)}/(4n + 1) + 6ab^2cdx^{(4n + 1)}/(4n + 1) + b^3d^2x^{(3n + 1)}/(3n + 1) + 6a^2b^2cdx^{(3n + 1)}/(3n + 1) + 3a^2b^2cdx^{(3n + 1)}/(3n + 1) + 3a^2c^2edx^{(3n + 1)}/(3n + 1) + 3a^2b^2cdx^{(2n + 1)}/(2n + 1) + 3a^2c^2edx^{(2n + 1)}/(2n + 1) + 3a^2b^2cdx^{(2n + 1)}/(2n + 1) + 3a^2b^2cdx^{(n + 1)}/(n + 1) + a^3edx^{(n + 1)}/(n + 1)$$

mupad [B] time = 1.85, size = 227, normalized size = 1.04

$$a^3 dx + \frac{xx^n (ea^3 + 3bda^2)}{n+1} + \frac{xx^{2n} (3ea^2b + 3cda^2 + 3dab^2)}{2n+1} + \frac{xx^{5n} (3eb^2c + 3dbc^2 + 3aec^2)}{5n+1} + \frac{xx^{3n} (3c^3d + 3a^2c^2e)}{3n+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^3,x)

[Out] $a^3dx + (xx^n(a^3e + 3a^2b^2d))/(n + 1) + (xx^{2n}(3a^2c^2e + 3b^2c^2d + 3b^2c^2e))/(2n + 1) + (xx^{5n}(3a^2c^2e + 3b^2c^2d + 3b^2c^2e))/(5n + 1) + (xx^{3n}(b^3d + 3a^2b^2e + 3a^2c^2e + 6a^2b^2cd))/(3n + 1) + (xx^{4n}(b^3e + 3a^2c^2d + 3b^2c^2d + 6a^2b^2cd))/(4n + 1) + (xx^{6n}(c^3d + 3b^2c^2e))/(6n + 1) + (c^3e*x^{7n})/(7n + 1)$

sympy [A] time = 89.55, size = 9190, normalized size = 42.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**3,x)

[Out] Piecewise((a**3*d*x + a**3*e*log(x) + 3*a**2*b*d*log(x) - 3*a**2*b*e/x - 3*a**2*c*d/x - 3*a**2*c*e/(2*x**2) - 3*a*b**2*d/x - 3*a*b**2*e/(2*x**2) - 3*a*b*c*d/x**2 - 2*a*b*c*e/x**3 - a*c**2*d/x**3 - 3*a*c**2*e/(4*x**4) - b**3*d/(2*x**2) - b**3*e/(3*x**3) - b**2*c*d/x**3 - 3*b**2*c*e/(4*x**4) - 3*b*c**2*d/(4*x**4) - 3*b*c**2*e/(5*x**5) - c**3*d/(5*x**5) - c**3*e/(6*x**6), Eq(n, -1)), (a**3*d*x + 2*a**3*e*sqrt(x) + 6*a**2*b*d*sqrt(x) + 3*a**2*b*e*log(x) + 3*a**2*c*d*log(x) - 6*a**2*c*e/sqrt(x) + 3*a*b**2*d*log(x) - 6*a*b**2*e/sqrt(x) - 12*a*b*c*d/sqrt(x) - 6*a*b*c*e/x - 3*a*c**2*d/x - 2*a*c**2*e/x**(3/2) - 2*b**3*d/sqrt(x) - b**3*e/x - 3*b**2*c*d/x - 2*b**2*c*e/x**(3/2) - 2*b*c**2*d/x**(3/2) - 3*b*c**2*e/(2*x**2) - c**3*d/(2*x**2) - 2*c**3*e/(5*x**5/2)), Eq(n, -1/2)), (a**3*d*x + 3*a**3*e*x**(2/3)/2 + 9*a**2*b*d*x**(2/3)/2 + 9*a**2*b*e*x**(1/3) + 9*a**2*c*d*x**(1/3) + 3*a**2*c*e*log(x) + 9*a*b**2*d*x**(1/3) + 3*a*b**2*e*log(x) + 6*a*b*c*d*log(x) - 18*a*b*c*e/x**(1/3) - 9*a*c**2*d/x**(1/3) - 9*a*c**2*e/(2*x**(2/3)) + b**3*d*log(x) - 3*b**3*e/x**(1/3) - 9*b**2*c*d/x**(1/3) - 9*b**2*c*e/(2*x**(2/3)) - 9*b*c**2*d/(2*x**(2/3)) - 3*b*c**2*e/x - c**3*d/x - 3*c**3*e/(4*x**(4/3)), Eq(n, -1/3)), (a**3*d*x + 4*a**3*e*x**(3/4)/3 + 4*a**2*b*d*x**(3/4) + 6*a**2*b*e*sqrt(x) + 6*a**2*c*d*sqrt(x) + 12*a**2*c*e*x**(1/4) + 6*a*b**2*d*sqrt(x) + 12*a*b**2*e*x**(1/4) + 24*a*b*c*d*x**(1/4) + 6*a*b*c*e*log(x) + 3*a*c**2*d*log(x) - 12*a*c**2*e/x**(1/4) + 4*b**3*d*x**(1/4) + b**3*e*log(x) + 3*b**2*c*d*log(x) - 12*b**2*c*e/x**(1/4) - 12*b*c**2*d/x**(1/4) - 6*b*c**2*e/sqrt(x) - 2*c**3*d/sqrt(x) - 4*c**3*e/(3*x**(3/4)), Eq(n, -1/4)), (a**3*d*x + 5*a**3*e*x**(4/5)/4 + 15*a**2*b*d*x**(4/5)/4 + 5*a**2*b*e*x**(3/5) + 5*a**2*c*d*x**(3/5) + 15*a**2*c*e*x**(2/5)/2 + 5*a*b**2*d*x**(3/5) + 15*a*b**2*e*x**(2/5)/2 + 15*a*b*c*d*x**(2/5) + 30*a*b*c*e*x**(1/5) + 15*a*c**2*d*x**(1/5) + 3*a*c**2*e*log(x) + 5*b**3*d*x**(2/5)/2 + 5*b**3*e*x**(1/5) + 15*b**2*c*d*x**(1/5) + 3*b**2*c*e*log(x) + 3*b*c**2*d*log(x) - 15*b*c**2*e/x**(1/5) - 5*c**3*d/x**(1/5) - 5*c**3*e/(2*x**(2/5)), Eq(n, -1/5)), (a**3*d*x + 6*a**3*e*x**(5/6)/5 + 18*a**2*b*d*x**(5/6)/5 + 9*a**2*b*e*x**(2/3)/2 + 9*a**2*c*d*x**(2/3)/2 + 6*a**2*c*e*sqrt(x) + 9*a*b**2*d*x**(2/3)/2 + 6*a*b**2*e*sqrt(x) +

$$\begin{aligned}
& 12*a*b*c*d*\text{sqrt}(x) + 18*a*b*c*e*x**(1/3) + 9*a*c**2*d*x**(1/3) + 18*a*c**2* \\
& e*x**(1/6) + 2*b**3*d*\text{sqrt}(x) + 3*b**3*e*x**(1/3) + 9*b**2*c*d*x**(1/3) + 1 \\
& 8*b**2*c*e*x**(1/6) + 18*b*c**2*d*x**(1/6) + 3*b*c**2*e*\log(x) + c**3*d*\log \\
& (x) - 6*c**3*e/x**(1/6), \text{Eq}(n, -1/6)), (a**3*d*x + 7*a**3*e*x**(6/7)/6 + 7* \\
& a**2*b*d*x**(6/7)/2 + 21*a**2*b*e*x**(5/7)/5 + 21*a**2*c*d*x**(5/7)/5 + 21* \\
& a**2*c*e*x**(4/7)/4 + 21*a*b**2*d*x**(5/7)/5 + 21*a*b**2*e*x**(4/7)/4 + 21* \\
& a*b*c*d*x**(4/7)/2 + 14*a*b*c*e*x**(3/7) + 7*a*c**2*d*x**(3/7) + 21*a*c**2* \\
& e*x**(2/7)/2 + 7*b**3*d*x**(4/7)/4 + 7*b**3*e*x**(3/7)/3 + 7*b**2*c*d*x**(3 \\
& /7) + 21*b**2*c*e*x**(2/7)/2 + 21*b*c**2*d*x**(2/7)/2 + 21*b*c**2*e*x**(1/7 \\
&) + 7*c**3*d*x**(1/7) + c**3*e*\log(x), \text{Eq}(n, -1/7)), (5040*a**3*d*n**7*x/(5 \\
& 040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28* \\
& n + 1) + 13068*a**3*d*n**6*x/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n* \\
& **4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 13132*a**3*d*n**5*x/(5040*n**7 + 13 \\
& 068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 6769 \\
& *a**3*d*n**4*x/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 \\
& + 322*n**2 + 28*n + 1) + 1960*a**3*d*n**3*x/(5040*n**7 + 13068*n**6 + 1313 \\
& 2*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 322*a**3*d*n**2*x/(\\
& 5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28 \\
& *n + 1) + 28*a**3*d*n*x/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + \\
& 1960*n**3 + 322*n**2 + 28*n + 1) + a**3*d*x/(5040*n**7 + 13068*n**6 + 13132 \\
& *n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 5040*a**3*e*n**6*x*x \\
& **n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 \\
& + 28*n + 1) + 8028*a**3*e*n**5*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 \\
& + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 5104*a**3*e*n**4*x*x**n/(\\
& 5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28 \\
& *n + 1) + 1665*a**3*e*n**3*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 67 \\
& 69*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 295*a**3*e*n**2*x*x**n/(5040*n \\
& **7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1 \\
&) + 27*a**3*e*n*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1 \\
& 960*n**3 + 322*n**2 + 28*n + 1) + a**3*e*x*x**n/(5040*n**7 + 13068*n**6 + 1 \\
& 3132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 15120*a**2*b*d*n \\
& **6*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 3 \\
& 22*n**2 + 28*n + 1) + 24084*a**2*b*d*n**5*x*x**n/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 15312*a**2*b*d*n \\
& **4*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 4995*a**2*b*d*n**3*x*x**n/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 885*a**2*b*d*n* \\
& **2*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 32 \\
& 2*n**2 + 28*n + 1) + 81*a**2*b*d*n*x*x**n/(5040*n**7 + 13068*n**6 + 13132*n \\
& **5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3*a**2*b*d*x*x**n/(504 \\
& 0*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n \\
& + 1) + 7560*a**2*b*e*n**6*x*x**(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + \\
& 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 15822*a**2*b*e*n**5*x*x**(2 \\
& *n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 \\
& + 28*n + 1) + 11787*a**2*b*e*n**4*x*x**(2*n)/(5040*n**7 + 13068*n**6 + 131 \\
& 32*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 4260*a**2*b*e*n**3 \\
& *x*x**(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 810*a**2*b*e*n**2*x*x**(2*n)/(5040*n**7 + 13068*n**6 \\
& + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 78*a**2*b*e* \\
& n*x*x**(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 3*a**2*b*e*x*x**(2*n)/(5040*n**7 + 13068*n**6 + 131 \\
& 32*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 7560*a**2*c*d*n**6 \\
& *x*x**(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 15822*a**2*c*d*n**5*x*x**(2*n)/(5040*n**7 + 13068*n* \\
& **6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 11787*a**2 \\
& *c*d*n**4*x*x**(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 196 \\
& 0*n**3 + 322*n**2 + 28*n + 1) + 4260*a**2*c*d*n**3*x*x**(2*n)/(5040*n**7 + \\
& 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 81 \\
& 0*a**2*c*d*n**2*x*x**(2*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4
\end{aligned}$$

$$\begin{aligned}
& + 1960n^3 + 322n^2 + 28n + 1) + 78a^2cdn^2x^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3 \\
& *a^2cdx^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 5040a^2ce^6x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 11 \\
& 388a^2ce^5x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 9336a^2ce^4x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3657a^2ce^3x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 741a^2ce^2x^2x^2(3n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 75a^2ce^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3a^2ce^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 7560a^2bd^6x^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 15822a^2bd^5x^2x^2(2n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 11787a^2bd^4x^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 4260a^2bd^3x^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 810a^2bd^2x^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 78a^2bd^2x^2x^2(2n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3a^2bd^2x^2x^2(2n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 5040a^2bd^2e^6x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 11388a^2bd^2e^5x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 9336a^2bd^2e^4x^2x^2(3n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3657a^2bd^2e^3x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 741a^2bd^2e^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 75a^2bd^2e^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3a^2bd^2e^2x^2x^2(3n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 10080a^2bcd^6x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 22776a^2bcd^5x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 18672a^2bcd^4x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 7314a^2bcd^3x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 1482a^2bcd^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 150a^2bcd^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 6a^2bcd^2x^2x^2(3n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 7560a^2bcd^2e^6x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 17712a^2bcd^2e^5x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 15270a^2bcd^2e^4x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 6336a^2bcd^2e^3x^2x^2(4n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 1356a^2bcd^2e^2x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 144a^2bcd^2e^2x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 6a^2bcd^2e^2x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 3780a^2c^2d^6x^2x^2(4n) \\
& /(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 8856a^2c^2d^5x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1) + 8856a^2c^2d^5x^2x^2(4n)/(5040n^7 + 13068n^6 + 13132n^5 + 6769n^4 + 1960n^3 + 322n^2 + 28n + 1)
\end{aligned}$$

$$\begin{aligned}
& **5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 7635*a*c**2*d*n**4*x*x \\
& ***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322* \\
& n**2 + 28*n + 1) + 3168*a*c**2*d*n**3*x*x***(4*n)/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 678*a*c**2*d*n* \\
& *2*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 \\
& + 322*n**2 + 28*n + 1) + 72*a*c**2*d*n*x*x***(4*n)/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3*a*c**2*d*x*x \\
& ***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322* \\
& n**2 + 28*n + 1) + 3024*a*c**2*e*n**6*x*x***(5*n)/(5040*n**7 + 13068*n**6 + \\
& 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 7236*a*c**2*e*n \\
& **5*x*x***(5*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 \\
& + 322*n**2 + 28*n + 1) + 6432*a*c**2*e*n**4*x*x***(5*n)/(5040*n**7 + 13068* \\
& n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 2775*a*c \\
& **2*e*n**3*x*x***(5*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 19 \\
& 60*n**3 + 322*n**2 + 28*n + 1) + 621*a*c**2*e*n**2*x*x***(5*n)/(5040*n**7 + \\
& 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 69 \\
& *a*c**2*e*n*x*x***(5*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1 \\
& 960*n**3 + 322*n**2 + 28*n + 1) + 3*a*c**2*e*x*x***(5*n)/(5040*n**7 + 13068* \\
& n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 1680*b** \\
& 3*d*n**6*x*x***(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960 \\
& *n**3 + 322*n**2 + 28*n + 1) + 3796*b**3*d*n**5*x*x***(3*n)/(5040*n**7 + 130 \\
& 68*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3112* \\
& b**3*d*n**4*x*x***(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1 \\
& 960*n**3 + 322*n**2 + 28*n + 1) + 1219*b**3*d*n**3*x*x***(3*n)/(5040*n**7 + \\
& 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 24 \\
& 7*b**3*d*n**2*x*x***(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + \\
& 1960*n**3 + 322*n**2 + 28*n + 1) + 25*b**3*d*n*x*x***(3*n)/(5040*n**7 + 130 \\
& 68*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + b**3* \\
& d*x*x***(3*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + \\
& 322*n**2 + 28*n + 1) + 1260*b**3*e*n**6*x*x***(4*n)/(5040*n**7 + 13068*n**6 \\
& + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 2952*b**3*e* \\
& n**5*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n** \\
& 3 + 322*n**2 + 28*n + 1) + 2545*b**3*e*n**4*x*x***(4*n)/(5040*n**7 + 13068*n \\
& **6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 1056*b**3 \\
& *e*n**3*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960* \\
& n**3 + 322*n**2 + 28*n + 1) + 226*b**3*e*n**2*x*x***(4*n)/(5040*n**7 + 13068 \\
& *n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 24*b**3 \\
& *e*n*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n** \\
& 3 + 322*n**2 + 28*n + 1) + b**3*e*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 1313 \\
& 2*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3780*b**2*c*d*n**6* \\
& x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 3 \\
& 22*n**2 + 28*n + 1) + 8856*b**2*c*d*n**5*x*x***(4*n)/(5040*n**7 + 13068*n**6 \\
& + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 7635*b**2*c* \\
& d*n**4*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n \\
& **3 + 322*n**2 + 28*n + 1) + 3168*b**2*c*d*n**3*x*x***(4*n)/(5040*n**7 + 130 \\
& 68*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 678*b \\
& **2*c*d*n**2*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + \\
& 1960*n**3 + 322*n**2 + 28*n + 1) + 72*b**2*c*d*n*x*x***(4*n)/(5040*n**7 + 13 \\
& 068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 3*b* \\
& **2*c*d*x*x***(4*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n \\
& **3 + 322*n**2 + 28*n + 1) + 3024*b**2*c*e*n**6*x*x***(5*n)/(5040*n**7 + 130 \\
& 68*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 7236* \\
& b**2*c*e*n**5*x*x***(5*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + \\
& 1960*n**3 + 322*n**2 + 28*n + 1) + 6432*b**2*c*e*n**4*x*x***(5*n)/(5040*n** \\
& 7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) \\
& + 2775*b**2*c*e*n**3*x*x***(5*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 6769 \\
& *n**4 + 1960*n**3 + 322*n**2 + 28*n + 1) + 621*b**2*c*e*n**2*x*x***(5*n)/(50 \\
& 40*n**7 + 13068*n**6 + 13132*n**5 + 6769*n**4 + 1960*n**3 + 322*n**2 + 28*n \\
& + 1) + 69*b**2*c*e*n*x*x***(5*n)/(5040*n**7 + 13068*n**6 + 13132*n**5 + 676
\end{aligned}$$

$$\begin{aligned}
& 9n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 3b^{**2}c^*e^*x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 3024b^*c^{**2}d^*n^{**6}x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 7236b^*c^{**2}d^*n^{**5}x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 6432b^*c^{**2}d^*n^{**4}x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 2775b^*c^{**2}d^*n^{**3}x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 621b^*c^{**2}d^*n^{**2}x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 69b^*c^{**2}d^*n^*x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 3b^*c^{**2}d^*x^*x^{**}(5n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 2520b^*c^{**2}e^*n^{**6}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 6114b^*c^{**2}e^*n^{**5}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 5547b^*c^{**2}e^*n^{**4}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 2460b^*c^{**2}e^*n^{**3}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 570b^*c^{**2}e^*n^{**2}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 66b^*c^{**2}e^*n^*x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 3b^*c^{**2}e^*x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 840c^{**3}d^*n^{**6}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 2038c^{**3}d^*n^{**5}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 1849c^{**3}d^*n^{**4}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 820c^{**3}d^*n^{**3}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 190c^{**3}d^*n^{**2}x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 22c^{**3}d^*n^*x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + c^{**3}d^*x^*x^{**}(6n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 720c^{**3}e^*n^{**6}x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 1764c^{**3}e^*n^{**5}x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 1624c^{**3}e^*n^{**4}x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 735c^{**3}e^*n^{**3}x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + 175c^{**3}e^*n^{**2}x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) \\
& + 21c^{**3}e^*n^*x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1) + c^{**3}e^*x^*x^{**}(7n)/(5040n^{**7} + 13068n^{**6} + 13132n^{**5} + 6769n^{**4} + 1960n^{**3} + 322n^{**2} + 28n + 1), True))
\end{aligned}$$

$$3.69 \quad \int \frac{(d+ex^n)^3}{a+bx^n+cx^{2n}} dx$$

Optimal. Leaf size=308

$$\frac{x \left(\frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) + x \left(-\frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c^2 \left(b - \sqrt{b^2 - 4ac} \right)}$$

[Out] $e^{2(-b*e+3*c*d)*x/c^2+e^3*x^{(1+n)}/c/(1+n)+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))*(3*c^2*d^2*e-3*b*c*d*e^2+b^2*e^3-a*c*e^3+(-b*e+2*c*d)*(c^2*d^2+b^2*e^2-c*e*(3*a*e+b*d))/(-4*a*c+b^2)^{(1/2)})/c^2/(b-(-4*a*c+b^2)^{(1/2)})+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(3*c^2*d^2*e-3*b*c*d*e^2+b^2*e^3-a*c*e^3-(-b*e+2*c*d)*(c^2*d^2+b^2*e^2-c*e*(3*a*e+b*d))/(-4*a*c+b^2)^{(1/2)})/c^2/(b+(-4*a*c+b^2)^{(1/2)})$

Rubi [A] time = 0.70, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1424, 1422, 245}

$$\frac{x \left(\frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) + x \left(-\frac{(2cd-be)(-ce(3ae+bd)+b^2e^2+c^2d^2)}{\sqrt{b^2-4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c^2 \left(b - \sqrt{b^2 - 4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3/(a + b*x^n + c*x^(2*n)), x]

[Out] $(e^{2*(3*c*d - b*e)*x}/c^2 + (e^{3*x^{(1+n)}})/(c*(1+n)) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 + ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e))))/\text{Sqrt}[b^2 - 4*a*c])*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]/(c^2*(b - \text{Sqrt}[b^2 - 4*a*c])) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 - ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e))))/\text{Sqrt}[b^2 - 4*a*c])*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(c^2*(b + \text{Sqrt}[b^2 - 4*a*c]))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1424

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,

0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{a + bx^n + cx^{2n}} dx &= \int \left(\frac{e^2(3cd - be)}{c^2} + \frac{e^3x^n}{c} + \frac{c^2d^3 - 3acde^2 + abe^3 + (3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3)x^n}{c^2(a + bx^n + cx^{2n})} \right) dx \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^{1+n}}{c(1+n)} + \frac{\int \frac{c^2d^3 - 3acde^2 + abe^3 + (3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3)x^n}{a + bx^n + cx^{2n}} dx}{c^2} \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^{1+n}}{c(1+n)} + \frac{\left(3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3 - \frac{(2cd - be)(c^2d^2 + b^2e^2 - ce(bd + 3ae))}{\sqrt{b^2 - 4ac}} \right)}{2c^2} \\ &= \frac{e^2(3cd - be)x}{c^2} + \frac{e^3x^{1+n}}{c(1+n)} + \frac{\left(3c^2d^2e - 3bcde^2 + b^2e^3 - ace^3 + \frac{(2cd - be)(c^2d^2 + b^2e^2 - ce(bd + 3ae))}{\sqrt{b^2 - 4ac}} \right)}{c^2(b - \sqrt{b^2 - 4ac})} \end{aligned}$$

Mathematica [A] time = 0.84, size = 295, normalized size = 0.96

$$x \left(\frac{\left(\frac{(2cd - be)(-ce(3ae + bd) + b^2e^2 + c^2d^2)}{\sqrt{b^2 - 4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2 - 4ac} - b}\right)}{b - \sqrt{b^2 - 4ac}} + \frac{\left(\frac{(be - 2cd)(-ce(3ae + bd) + b^2e^2 + c^2d^2)}{\sqrt{b^2 - 4ac}} - ace^3 + b^2e^3 - 3bcde^2 + 3c^2d^2e \right)}{\sqrt{b^2 - 4ac} + b} \right) / c^2$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^3/(a + b*x^n + c*x^(2*n)), x]

[Out] (x*(e^2*(3*c*d - b*e) + (c*e^3*x^n)/(1 + n) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 + ((2*c*d - b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e)))/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])])/(b - Sqrt[b^2 - 4*a*c]) + ((3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3 + ((-2*c*d + b*e)*(c^2*d^2 + b^2*e^2 - c*e*(b*d + 3*a*e)))/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(b + Sqrt[b^2 - 4*a*c]))/c^2

fricas [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3x^{3n} + 3de^2x^{2n} + 3d^2ex^n + d^3}{cx^{2n} + bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n)), x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)/(c*x^(2*n) + b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{cx^{2n} + bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n)), x, algorithm="giac")

[Out] integrate((e*x^n + d)^3/(c*x^(2*n) + b*x^n + a), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^3}{b x^n + c x^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a), x)

[Out] int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{c e^3 x x^n + (3 c d e^2 (n + 1) - b e^3 (n + 1)) x}{c^2 (n + 1)} - \int -\frac{c^2 d^3 - (3 c d e^2 - b e^3) a + (3 c^2 d^2 e - 3 b c d e^2 + b^2 e^3 - a c e^3) x^n}{c^3 x^{2n} + b c^2 x^n + a c^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n)), x, algorithm="maxima")

[Out] (c*e^3*x*x^n + (3*c*d*e^2*(n + 1) - b*e^3*(n + 1))*x)/(c^2*(n + 1)) - integrate(-(c^2*d^3 - (3*c*d*e^2 - b*e^3)*a + (3*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3 - a*c*e^3)*x^n)/(c^3*x^(2*n) + b*c^2*x^n + a*c^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^3}{a + b x^n + c x^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n)), x)

[Out] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**3/(a+b*x**n+c*x**(2*n)), x)

[Out] Timed out

$$3.70 \quad \int \frac{(d+ex^n)^2}{a+bx^n+cx^{2n}} dx$$

Optimal. Leaf size=224

$$\frac{x \left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{c \left(b - \sqrt{b^2 - 4ac} \right)} + \frac{x \left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c \left(\sqrt{b^2 - 4ac} + b \right)}$$

[Out] $e^{2*x}/c+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))*(2*c*d*e-b*e^2+(2*c^2*d^2+b^2*e^2-2*c*e*(a*e+b*d))/(-4*a*c+b^2)^{(1/2)})/c/(b-(-4*a*c+b^2)^{(1/2)})+x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(2*c*d*e-b*e^2+(-2*c^2*d^2-b^2*e^2+2*c*e*(a*e+b*d))/(-4*a*c+b^2)^{(1/2)})/c/(b+(-4*a*c+b^2)^{(1/2)})$

Rubi [A] time = 0.48, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1424, 1422, 245}

$$\frac{x \left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{c \left(b - \sqrt{b^2 - 4ac} \right)} + \frac{x \left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{c \left(\sqrt{b^2 - 4ac} + b \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2/(a + b*x^n + c*x^(2*n)), x]

[Out] $(e^{2*x})/c + ((2*c*d*e - b*e^2 + (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/\text{Sqrt}[b^2 - 4*a*c]) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]) / (c*(b - \text{Sqrt}[b^2 - 4*a*c])) + ((2*c*d*e - b*e^2 - (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/\text{Sqrt}[b^2 - 4*a*c]) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]) / (c*(b + \text{Sqrt}[b^2 - 4*a*c]))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1424

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{a + bx^n + cx^{2n}} dx &= \int \left(\frac{e^2}{c} + \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c(a + bx^n + cx^{2n})} \right) dx \\
&= \frac{e^2 x}{c} + \frac{\int \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{a + bx^n + cx^{2n}} dx}{c} \\
&= \frac{e^2 x}{c} + \frac{\left(2cde - be^2 - \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx}{2c} + \frac{\left(2cde - be^2 + \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx}{2c} \\
&= \frac{e^2 x}{c} + \frac{\left(2cde - be^2 + \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}} \right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)}{c(b - \sqrt{b^2 - 4ac})} + \frac{\left(2cde - be^2 - \frac{2c^2 d^2 + b^2 e^2 - 2ce(bd + ae)}{\sqrt{b^2 - 4ac}} \right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{c(b + \sqrt{b^2 - 4ac})}
\end{aligned}$$

Mathematica [A] time = 0.52, size = 216, normalized size = 0.96

$$\frac{x \left(\frac{\left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2-4ac}-b}\right)}{b - \sqrt{b^2-4ac}} + \frac{\left(\frac{-2ce(ae+bd)+b^2e^2+2c^2d^2}{\sqrt{b^2-4ac}} - be^2 + 2cde \right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2-4ac}}\right)}{\sqrt{b^2-4ac} + b} + e^2 \right)}{c}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^2/(a + b*x^n + c*x^(2*n)), x]

[Out] (x*(e^2 + ((2*c*d*e - b*e^2 + (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])])/(b - Sqrt[b^2 - 4*a*c]) + ((2*c*d*e - b*e^2 - (2*c^2*d^2 + b^2*e^2 - 2*c*e*(b*d + a*e))/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(b + Sqrt[b^2 - 4*a*c])))/c

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2 x^{2n} + 2dex^n + d^2}{cx^{2n} + bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n)), x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)/(c*x^(2*n) + b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{cx^{2n} + bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n)), x, algorithm="giac")

[Out] integrate((e*x^n + d)^2/(c*x^(2*n) + b*x^n + a), x)

maple [F] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{bx^n + cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)^2/(b*x^n+c*x^(2*n)+a),x)`

[Out] `int((e*x^n+d)^2/(b*x^n+c*x^(2*n)+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2x}{c} - \int -\frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c^2x^{2n} + bcx^n + ac} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n)),x, algorithm="maxima")`

[Out] `e^2*x/c - integrate(-(c*d^2 - a*e^2 + (2*c*d*e - b*e^2)*x^n)/(c^2*x^(2*n) + b*c*x^n + a*c), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + ex^n)^2}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^n)^2/(a + b*x^n + c*x^(2*n)),x)`

[Out] `int((d + e*x^n)^2/(a + b*x^n + c*x^(2*n)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(d + ex^n)^2}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)**2/(a+b*x**n+c*x**(2*n)),x)`

[Out] `Integral((d + e*x**n)**2/(a + b*x**n + c*x**(2*n)), x)`

$$3.71 \quad \int \frac{d+ex^n}{a+bx^n+cx^{2n}} dx$$

Optimal. Leaf size=154

$$\frac{x \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{b - \sqrt{b^2 - 4ac}} + \frac{x \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{\sqrt{b^2 - 4ac} + b}$$

[Out] x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(e+(-b*e+2*c*d)/(-4*a*c+b^2)^(1/2))/(b-(-4*a*c+b^2)^(1/2))+x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(e+(b*e-2*c*d)/(-4*a*c+b^2)^(1/2))/(b+(-4*a*c+b^2)^(1/2))

Rubi [A] time = 0.12, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 24, number of rules / integrand size = 0.083, Rules used = {1422, 245}

$$\frac{x \left(\frac{2cd-be}{\sqrt{b^2-4ac}} + e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{b - \sqrt{b^2 - 4ac}} + \frac{x \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{\sqrt{b^2 - 4ac} + b}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + b*x^n + c*x^(2*n)), x]

[Out] ((e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(b - Sqrt[b^2 - 4*a*c]) + ((e - (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(b + Sqrt[b^2 - 4*a*c])

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rubi steps

$$\begin{aligned} \int \frac{d+ex^n}{a+bx^n+cx^{2n}} dx &= \frac{1}{2} \left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2-4ac} + cx^n} dx + \frac{1}{2} \left(e + \frac{2cd-be}{\sqrt{b^2-4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2-4ac} + cx^n} dx \\ &= \frac{\left(e + \frac{2cd-be}{\sqrt{b^2-4ac}} \right) x {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right)}{b - \sqrt{b^2 - 4ac}} + \frac{\left(e - \frac{2cd-be}{\sqrt{b^2-4ac}} \right) x {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right)}{b + \sqrt{b^2 - 4ac}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 134, normalized size = 0.87

$$\frac{x \left(\left(d\sqrt{b^2-4ac} - 2ae + bd \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2-4ac}-b} \right) + \left(d\sqrt{b^2-4ac} + 2ae - bd \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}} \right) \right)}{2a\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)/(a + b*x^n + c*x^(2*n)), x]

[Out] (x*((b*d + Sqrt[b^2 - 4*a*c]*d - 2*a*e)*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]) + (-b*d) + Sqrt[b^2 - 4*a*c]*d + 2*a*e)*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(2*a*Sqrt[b^2 - 4*a*c])

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{cx^{2n} + bx^n + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n)), x, algorithm="fricas")

[Out] integral((e*x^n + d)/(c*x^(2*n) + b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{cx^{2n} + bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n)), x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a), x)

maple [F] time = 0.03, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{bx^n + cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a), x)

[Out] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{cx^{2n} + bx^n + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n)), x, algorithm="maxima")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{d + ex^n}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n)), x)

[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^n}{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n)),x)
```

```
[Out] Integral((d + e*x**n)/(a + b*x**n + c*x**(2*n)), x)
```

$$3.72 \quad \int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})} dx$$

Optimal. Leaf size=243

$$\frac{cx \left(2cd - e \left(\sqrt{b^2 - 4ac} + b \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) \right)}{\left(-b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)} - \frac{cx \left(\frac{2cd - be}{\sqrt{b^2 - 4ac}} + e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left(\sqrt{b^2 - 4ac} + b \right) (ae^2 - bde + cd^2)} + e^2 x^n$$

[Out] $e^2 x^n \text{hypergeom}([1, 1/n], [1+1/n], -e x^n/d)/d/(a e^2 - b d e + c d^2) - c x^n \text{hypergeom}([1, 1/n], [1+1/n], -2 c x^n/(b + (-4 a c + b^2)^{1/2})) * (e + (-b e + 2 c d)/(-4 a c + b^2)^{1/2}) / (a e^2 - b d e + c d^2) / (b + (-4 a c + b^2)^{1/2}) - c x^n \text{hypergeom}([1, 1/n], [1+1/n], -2 c x^n/(b - (-4 a c + b^2)^{1/2})) * (2 c d - e * (b + (-4 a c + b^2)^{1/2})) / (a e^2 - b d e + c d^2) / (b^2 - 4 a c - b * (-4 a c + b^2)^{1/2})$

Rubi [A] time = 0.47, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1424, 245, 1422}

$$\frac{cx \left(2cd - e \left(\sqrt{b^2 - 4ac} + b \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) \right)}{\left(-b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) (ae^2 - bde + cd^2)} - \frac{cx \left(\frac{2cd - be}{\sqrt{b^2 - 4ac}} + e \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{\left(\sqrt{b^2 - 4ac} + b \right) (ae^2 - bde + cd^2)} + e^2 x^n$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))),x]

[Out] $-((c*(2*c*d - (b + \text{Sqrt}[b^2 - 4*a*c]))*e)*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]) / ((b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)) - (c*(e + (2*c*d - b*e)/\text{Sqrt}[b^2 - 4*a*c]) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]) / ((b + \text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)) + (e^2*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, -((e*x^n)/d)]) / (d*(c*d^2 - b*d*e + a*e^2))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1424

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})} dx &= \int \left(\frac{e^2}{(cd^2 - bde + ae^2)(d + ex^n)} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})} \right) dx \\
&= \frac{\int \frac{cd - be - cex^n}{a + bx^n + cx^{2n}} dx}{cd^2 - bde + ae^2} + \frac{e^2 \int \frac{1}{d + ex^n} dx}{cd^2 - bde + ae^2} \\
&= \frac{e^2 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 - bde + ae^2)} - \frac{\left(c\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right)\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n} dx}{2(cd^2 - bde + ae^2)} - \frac{c\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\left(b + \sqrt{b^2 - 4ac}\right)(cd^2 - bde + ae^2)} \\
&= -\frac{c\left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)}{\left(b - \sqrt{b^2 - 4ac}\right)(cd^2 - bde + ae^2)} - \frac{c\left(e + \frac{2cd - be}{\sqrt{b^2 - 4ac}}\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\left(b + \sqrt{b^2 - 4ac}\right)(cd^2 - bde + ae^2)}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 200, normalized size = 0.82

$$x \left(\frac{c\left(\frac{be - 2cd}{\sqrt{b^2 - 4ac}} + e\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2 - 4ac} - b}\right)}{b - \sqrt{b^2 - 4ac}} - \frac{c\left(\frac{2cd - be}{\sqrt{b^2 - 4ac}} + e\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\sqrt{b^2 - 4ac} + b} + \frac{e^2 {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d} \right)$$

$e(ae - bd) + cd^2$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))), x]

[Out] (x*(-((c*(e + (-2*c*d + b*e)/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c]])/(b - Sqrt[b^2 - 4*a*c])) - (c*(e + (2*c*d - b*e)/Sqrt[b^2 - 4*a*c])*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]])/(b + Sqrt[b^2 - 4*a*c]) + (e^2*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -(e*x^n)/d])/d))/(c*d^2 + e*(-(b*d) + a*e))

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bex^{2n} + ad + (cex^n + cd)x^{2n} + (bd + ae)x^n}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n)), x, algorithm="fricas")

[Out] integral(1/(b*e*x^(2*n) + a*d + (c*e*x^n + c*d)*x^(2*n) + (b*d + a*e)*x^n), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n)), x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)*(e*x^n + d)), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(bx^n + cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a),x)`

[Out] `int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n)),x, algorithm="maxima")`

[Out] `integrate(1/((c*x^(2*n) + b*x^n + a)*(e*x^n + d)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))),x)`

[Out] `int(1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))), x)`

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d+e*x**n)/(a+b*x**n+c*x**(2*n)),x)`

[Out] Exception raised: HeuristicGCDFailed

$$3.73 \quad \int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})} dx$$

Optimal. Leaf size=368

$$\frac{cx \left(-2ce \left(d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left(\sqrt{b^2 - 4ac} + b \right) + 2c^2d^2 \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) - cx \left(-2ce \left(-b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) \right)}{\left(-b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) \left(ae^2 - bde + cd^2 \right)^2}$$

[Out] $e^2(-b*e+2*c*d)*x*\text{hypergeom}([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^2+e^2*x*\text{hypergeom}([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(2*c^2*d^2+b*e^2*(b-(-4*a*c+b^2)^(1/2))-2*c*e*(b*d+a*e-d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(2*c^2*d^2+b*e^2*(b+(-4*a*c+b^2)^(1/2))-2*c*e*(b*d+a*e+d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 0.71, antiderivative size = 368, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1424, 245, 1422}

$$\frac{cx \left(-2ce \left(d\sqrt{b^2 - 4ac} + ae + bd \right) + be^2 \left(\sqrt{b^2 - 4ac} + b \right) + 2c^2d^2 \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right) - cx \left(-2ce \left(-b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) \right)}{\left(-b\sqrt{b^2 - 4ac} - 4ac + b^2 \right) \left(ae^2 - bde + cd^2 \right)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))),x]

[Out] $-((c*(2*c^2*d^2 + b*(b + \text{Sqrt}[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + a*e)))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]/((b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2) - (c*(2*c^2*d^2 + b*(b - \text{Sqrt}[b^2 - 4*a*c])*e^2 - 2*c*e*(b*d - \text{Sqrt}[b^2 - 4*a*c]*d + a*e)))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/((b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2) + (e^2*(2*c*d - b*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d*(c*d^2 - b*d*e + a*e^2)^2) + (e^2*x*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d^2*(c*d^2 - b*d*e + a*e^2))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1424

Int[((d_) + (e_.)*(x_)^(n_))^(q_)/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)),

$x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{EqQ}[n^2, 2*n] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \ \&\& \ \text{IntegerQ}[q]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})} dx &= \int \left(\frac{e^2}{(cd^2 - bde + ae^2)(d + ex^n)^2} - \frac{e^2(-2cd + be)}{(cd^2 - bde + ae^2)^2 (d + ex^n)} + \frac{c^2d^2 - 2bcd}{(cd^2 - bde + ae^2)^2} \right) dx \\ &= \frac{\int \frac{c^2d^2 - 2bcde + b^2e^2 - ace^2 - (2c^2de - bce^2)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^2} + \frac{(e^2(2cd - be)) \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^2} + \frac{e^2 \int \frac{1}{(d + ex^n)^2} dx}{cd^2 - bde + ae^2} \\ &= \frac{e^2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 - bde + ae^2)^2} + \frac{e^2x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d^2(cd^2 - bde + ae^2)} - \frac{c(2c^2d^2 - 2bcd)}{cd^2 - bde + ae^2} \\ &= \frac{c(2c^2d^2 + b(b + \sqrt{b^2 - 4ac})e^2 - 2ce(bd + \sqrt{b^2 - 4ac}d + ae))x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{\sqrt{b^2 - 4ac}(b - \sqrt{b^2 - 4ac})(cd^2 - bde + ae^2)^2} \end{aligned}$$

Mathematica [A] time = 0.89, size = 327, normalized size = 0.89

$$x \left(\frac{c(-2ce(d\sqrt{b^2-4ac}+ae+bd)+be^2(\sqrt{b^2-4ac}+b)+2c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{2cx^n}{\sqrt{b^2-4ac}-b}\right)}{b\sqrt{b^2-4ac}+4ac-b^2} + \frac{c(2ce(-d\sqrt{b^2-4ac}+ae+bd)+be^2(\sqrt{b^2-4ac}-b)-2c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{b\sqrt{b^2-4ac}-4ac+b^2} \right) \frac{1}{(e(ae - bd) + cd^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))), x]

[Out] (x*((c*(2*c^2*d^2 + b*(b + Sqrt[b^2 - 4*a*c]))*e^2 - 2*c*e*(b*d + Sqrt[b^2 - 4*a*c]*d + a*e))*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])])/(-b^2 + 4*a*c + b*Sqrt[b^2 - 4*a*c]) + (c*(-2*c^2*d^2 + b*(-b + Sqrt[b^2 - 4*a*c]))*e^2 + 2*c*e*(b*d - Sqrt[b^2 - 4*a*c]*d + a*e))*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/ (b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c]) + (e^2*(2*c*d - b*e)*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d + (e^2*(c*d^2 + e*(-(b*d) + a*e))*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d^2)/(c*d^2 + e*(-(b*d) + a*e))^2

fricas [F] time = 1.24, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{be^2x^{3n} + ad^2 + (ce^2x^{2n} + 2cdex^n + cd^2)x^{2n} + (2bde + ae^2)x^{2n} + (bd^2 + 2ade)x^n}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n)), x, algorithm="fricas")

[Out] integral(1/(b*e^2*x^(3*n) + a*d^2 + (c*e^2*x^(2*n) + 2*c*d*e*x^n + c*d^2)*x^(2*n) + (2*b*d*e + a*e^2)*x^(2*n) + (b*d^2 + 2*a*d*e)*x^n), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n)),x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)*(e*x^n + d)^2), x)

maple [F] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(e x^n + d)^2 (b x^n + c x^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)^2/(b*x^n+c*x^(2*n)+a),x)

[Out] int(1/(e*x^n+d)^2/(b*x^n+c*x^(2*n)+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{e^2 x}{cd^4 n - bd^3 en + ad^2 e^2 n + (cd^3 en - bd^2 e^2 n + ade^3 n)x^n} + (cd^2 e^2 (3n - 1) - bde^3 (2n - 1) + ae^4 (n - 1)) \int \frac{1}{c^2 d^{6n}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n)),x, algorithm="maxima")

[Out] e^2*x/(c*d^4*n - b*d^3*e*n + a*d^2*e^2*n + (c*d^3*e*n - b*d^2*e^2*n + a*d*e^3*n)*x^n) + (c*d^2*e^2*(3*n - 1) - b*d*e^3*(2*n - 1) + a*e^4*(n - 1))*integrate(1/(c^2*d^6*n - 2*b*c*d^5*e*n + b^2*d^4*e^2*n + a^2*d^2*e^4*n + 2*(c*d^4*e^2*n - b*d^3*e^3*n)*a + (c^2*d^5*e*n - 2*b*c*d^4*e^2*n + b^2*d^3*e^3*n + a^2*d*e^5*n + 2*(c*d^3*e^3*n - b*d^2*e^4*n)*a)*x^n), x) + integrate((c^2*d^2 - 2*b*c*d*e + b^2*e^2 - a*c*e^2 - (2*c^2*d*e - b*c*e^2)*x^n)/(a^3*e^4 + 2*(c*d^2*e^2 - b*d*e^3)*a^2 + (c^2*d^4 - 2*b*c*d^3*e + b^2*d^2*e^2)*a + (c^3*d^4 - 2*b*c^2*d^3*e + b^2*c*d^2*e^2 + a^2*c*e^4 + 2*(c^2*d^2*e^2 - b*c*d*e^3)*a)*x^(2*n) + (b*c^2*d^4 - 2*b^2*c*d^3*e + b^3*d^2*e^2 + a^2*b*e^4 + 2*(b*c*d^2*e^2 - b^2*d*e^3)*a)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n)^2 (a + b x^n + c x^{2n})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))),x)

[Out] int(1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**2/(a+b*x**n+c*x**(2*n)),x)

[Out] Exception raised: HeuristicGCDFailed

$$3.74 \quad \int \frac{1}{(d+ex^n)^3(a+bx^n+cx^{2n})} dx$$

Optimal. Leaf size=552

$$\frac{e^2x(-ce(ae+3bd)+b^2e^2+3c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1+\frac{1}{n}; -\frac{ex^n}{d}\right) cx\left(-3c^2de\left(d\sqrt{b^2-4ac}+2ae+bd\right)+ce^2\left(3b\left(d\sqrt{b^2}\right)\right)}{d\left(ae^2-bde+cd^2\right)^3}$$

[Out] $e^2*(3*c^2*d^2+b^2*e^2-c*e*(a*e+3*b*d))*x*\text{hypergeom}([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^3+e^2*(-b*e+2*c*d)*x*\text{hypergeom}([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)^2+e^2*x*\text{hypergeom}([3, 1/n], [1+1/n], -e*x^n/d)/d^3/(a*e^2-b*d*e+c*d^2)-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(2*c^3*d^3-b^2*e^3*(b-(-4*a*c+b^2)^(1/2))-3*c^2*d*e*(b*d+2*a*e-d*(-4*a*c+b^2)^(1/2))+c*e^2*(3*b^2*d+3*a*b*e-3*b*d*(-4*a*c+b^2)^(1/2)-(-4*a*c+b^2)^(1/2)*a*e))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*x*\text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(2*c^3*d^3-b^2*e^3*(b+(-4*a*c+b^2)^(1/2))-3*c^2*d*e*(b*d+2*a*e+d*(-4*a*c+b^2)^(1/2))+c*e^2*(3*b^2*d+(-4*a*c+b^2)^(1/2)*a*e+3*b*(a*e+d*(-4*a*c+b^2)^(1/2))))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 1.02, antiderivative size = 552, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {1424, 245, 1422}

$$\frac{e^2x(-ce(ae+3bd)+b^2e^2+3c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1+\frac{1}{n}; -\frac{ex^n}{d}\right) cx\left(-3c^2de\left(d\sqrt{b^2-4ac}+2ae+bd\right)+ce^2\left(3b\left(d\sqrt{b^2}\right)\right)}{d\left(ae^2-bde+cd^2\right)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))), x]

[Out] $-((c*(2*c^3*d^3 - b^2*(b + \text{Sqrt}[b^2 - 4*a*c]))*e^3 - 3*c^2*d*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) + c*e^2*(3*b^2*d + a*\text{Sqrt}[b^2 - 4*a*c]*e + 3*b*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e)))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]/((b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3) - (c*(2*c^3*d^3 - b^2*(b - \text{Sqrt}[b^2 - 4*a*c]))*e^3 - 3*c^2*d*e*(b*d - \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) + c*e^2*(3*b^2*d - 3*b*\text{Sqrt}[b^2 - 4*a*c]*d + 3*a*b*e - a*\text{Sqrt}[b^2 - 4*a*c]*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/((b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3) + (e^2*(3*c^2*d^2 + b^2*e^2 - c*e*(3*b*d + a*e))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d*(c*d^2 - b*d*e + a*e^2)^3) + (e^2*(2*c*d - b*e)*x*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d^2*(c*d^2 - b*d*e + a*e^2)^2) + (e^2*x*\text{Hypergeometric2F1}[3, n^(-1), 1 + n^(-1), -((e*x^n)/d)]/(d^3*(c*d^2 - b*d*e + a*e^2)))$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/

$b/2 + q/2 + c*x^n$, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1424

Int[((d_) + (e_)*(x_)^(n_))^(q_)/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q/(a + b*x^n + c*x^(2*n)), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[q]

Rubi steps

$$\int \frac{1}{(d + ex^n)^3 (a + bx^n + cx^{2n})} dx = \int \left(\frac{e^2}{(cd^2 - bde + ae^2)(d + ex^n)^3} - \frac{e^2(-2cd + be)}{(cd^2 - bde + ae^2)^2 (d + ex^n)^2} + \frac{e^2(3c^2d^2 + b^2e^2 - ce(3bd + ae))}{d(cd^2 - bde + ae^2)^3} x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) + \frac{e^2(2cd - be)x}{d^2(cd^2 - bde + ae^2)} \right) dx$$

$$= \frac{\int \frac{c^3d^3 - 3bc^2d^2e + 3b^2cde^2 - 3ac^2de^2 - b^3e^3 + 2abce^3 - (3c^3d^2e - 3bc^2de^2 + b^2ce^3 - ac^2e^3)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^3} + \frac{e^2(3c^2d^2 + b^2e^2 - ce(3bd + ae))}{d(cd^2 - bde + ae^2)^3} x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) + \frac{e^2(2cd - be)x}{d^2(cd^2 - bde + ae^2)}$$

$$= \frac{c(2c^3d^3 - b^2(b + \sqrt{b^2 - 4ac})e^3 - 3c^2de(bd + \sqrt{b^2 - 4ac}d + 2ae) + ce^2(b - \sqrt{b^2 - 4ac}))}{\sqrt{b^2 - 4ac}(b - \sqrt{b^2 - 4ac})}$$

Mathematica [A] time = 1.74, size = 509, normalized size = 0.92

$$x \left(\frac{e^2(-ce(ae + 3bd) + b^2e^2 + 3c^2d^2) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d} + \frac{c(3c^2de(d\sqrt{b^2 - 4ac} + 2ae + bd) - ce^2(3b(d\sqrt{b^2 - 4ac} + ae) + ae\sqrt{b^2 - 4ac} + 3b^2d) + b^2e^3(\sqrt{b^2 - 4ac} - b))}{-b\sqrt{b^2 - 4ac} - 4ac + b^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))), x]

[Out] $(x*((c*(-2*c^3*d^3 + b^2*(b + \text{Sqrt}[b^2 - 4*a*c]))*e^3 + 3*c^2*d*e*(b*d + \text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) - c*e^2*(3*b^2*d + a*\text{Sqrt}[b^2 - 4*a*c])*e + 3*b*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e)))*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (2*c*x^n)/(-b + \text{Sqrt}[b^2 - 4*a*c])])/(b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c]) - (c*(2*c^3*d^3 + b^2*(-b + \text{Sqrt}[b^2 - 4*a*c]))*e^3 + 3*c^2*d*e*(-(b*d) + \text{Sqrt}[b^2 - 4*a*c]*d - 2*a*e) + c*e^2*(3*b^2*d - 3*b*\text{Sqrt}[b^2 - 4*a*c]*d + 3*a*b*e - a*\text{Sqrt}[b^2 - 4*a*c]*e))*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c]) + (e^2*(3*c^2*d^2 + b^2*e^2 - c*e*(3*b*d + a*e))*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d + (e^2*(2*c*d - b*e)*(c*d^2 + e*(-(b*d) + a*e))*\text{Hypergeometric2F1}[2, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d^2 + (e^2*(c*d^2 + e*(-(b*d) + a*e))^2*\text{Hypergeometric2F1}[3, n^(-1), 1 + n^(-1), -((e*x^n)/d)])/d^3)/(c*d^2 + e*(-(b*d) + a*e))^3$

fricas [F] time = 4.53, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{be^3x^{4n} + ad^3 + (3bde^2 + ae^3)x^{3n} + (ce^3x^{3n} + 3cde^2x^{2n} + 3cd^2ex^n + cd^3)x^{2n} + 3(bd^2e + ade^2)x^{2n}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^3/(a+b*x^n+c*x^(2*n)),x, algorithm="fricas")

[Out] integral(1/(b*e^3*x^(4*n) + a*d^3 + (3*b*d*e^2 + a*e^3)*x^(3*n) + (c*e^3*x^(3*n) + 3*c*d*e^2*x^(2*n) + 3*c*d^2*e*x^n + c*d^3)*x^(2*n) + 3*(b*d^2*e + a*d*e^2)*x^(2*n) + (b*d^3 + 3*a*d^2*e)*x^n), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^3/(a+b*x^n+c*x^(2*n)),x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)*(e*x^n + d)^3), x)

maple [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^3 (bx^n + cx^{2n} + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)^3/(b*x^n+c*x^(2*n)+a),x)

[Out] int(1/(e*x^n+d)^3/(b*x^n+c*x^(2*n)+a),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\left((12n^2 - 7n + 1)c^2d^4e^2 - 2(8n^2 - 6n + 1)bcd^3e^3 + (6n^2 - 5n + 1)b^2d^2e^4 + (2n^2 - 3n + 1)a^2e^6 + 2((3n^2 - 5n + 1)cd^2e^4 - (3n^2 - 4n + 1)b*d*e^5)*a \right) \int \frac{1}{(c^3d^9n^2 - 3b*c^2d^8e*n^2 + 3b^2*c*d^7e^2n^2 - b^3*d^6e^3n^2 + a^3*d^3e^6n^2 + 3(c*d^5e^4n^2 - b*d^4e^5n^2)*a^2 + 3(c^2*d^7e^2n^2 - 2b*c*d^6e^3n^2 + b^2*d^5e^4n^2)*a + (c^3*d^8e*n^2 - 3b*c^2*d^7e^2n^2 + 3b^2*c*d^6e^3n^2 - b^3*d^5e^4n^2 + a^3*d^2e^7n^2 + 3(c*d^4e^5n^2 - b*d^3e^6n^2)*a^2 + 3(c^2*d^6e^3n^2 - 2b*c*d^5e^4n^2 + b^2*d^4e^5n^2)*a)*x^n} dx + \frac{1}{2} \left((c*d^2e^3(6n-1) - b*d*e^4(4n-1) + a*e^5(2n-1))*x*x^n + (c*d^3e^2(7n-1) - b*d^2e^3(5n-1) + a*d*e^4(3n-1))*x \right) / (c^2*d^8n^2 - 2b*c*d^7e*n^2 + b^2*d^6e^2n^2 + a^2*d^4e^4n^2 + 2(c*d^6e^2n^2 - b*d^5e^3n^2)*a + (c^2*d^6e^2n^2 - 2b*c*d^5e^3n^2 + b^2*d^4e^4n^2 + a^2*d^2e^6n^2 + 2(c*d^4e^4n^2 - b*d^3e^5n^2)*a)*x^(2n) + 2(c^2*d^7e*n^2 - 2b*c*d^6e^2n^2 + b^2*d^5e^3n^2 + a^2*d^3e^5n^2 + 2(c*d^5e^3n^2 - b*d^4e^4n^2)*a)*x^n) + \int ((c^3*d^3 - 3b*c^2*d^2e + 3b^2*c*d*e^2 - b^3*e^3 - (3c^2*d*e^2 - 2b*c*e^3)*a - (3c^3*d^2*e - 3b*c^2*d*e^2 + b^2*c*e^3 - a*c^2*e^3)*x^n) / (a^4*e^6 + 3(c*d^2e^4 - b*d*e^5)*a^3 + 3(c^2*d^4e^2 - 2b*c*d^3e^3 + b^2*d^2e^4)*a^2 + (c^3*d^6 - 3b*c^2*d^5e + 3b^2*c*d^4e^2 - b^3*d^3e^3)*a + (c^4*d^6 - 3b*c^3*d^5e + 3b^2*c^2*d^4e^2 - b^3*c*d^3e^3 + a^3*c*e^6 + 3(c^2*d^2e^4 - b*c*d*e^5)*a^2 + 3(c^3*d^4e^2 - 2b*c^2*d^3e^3 + b^2*c*d^2e^4)*a)*x^(2n) + (b*c^3*d^6 - 3b^2*c^2*d^5e + 3b^3*c*d^4e^2 - b^4*d^3e^3 + a^3*b*e^6 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^3/(a+b*x^n+c*x^(2*n)),x, algorithm="maxima")

[Out] ((12*n^2 - 7*n + 1)*c^2*d^4*e^2 - 2*(8*n^2 - 6*n + 1)*b*c*d^3*e^3 + (6*n^2 - 5*n + 1)*b^2*d^2*e^4 + (2*n^2 - 3*n + 1)*a^2*e^6 + 2*((3*n^2 - 5*n + 1)*c*d^2*e^4 - (3*n^2 - 4*n + 1)*b*d*e^5)*a)*integrate(1/2/(c^3*d^9*n^2 - 3*b*c^2*d^8*e*n^2 + 3*b^2*c*d^7*e^2*n^2 - b^3*d^6*e^3*n^2 + a^3*d^3*e^6*n^2 + 3*(c*d^5*e^4*n^2 - b*d^4*e^5*n^2)*a^2 + 3*(c^2*d^7*e^2*n^2 - 2*b*c*d^6*e^3*n^2 + b^2*d^5*e^4*n^2)*a + (c^3*d^8*e*n^2 - 3*b*c^2*d^7*e^2*n^2 + 3*b^2*c*d^6*e^3*n^2 - b^3*d^5*e^4*n^2 + a^3*d^2*e^7*n^2 + 3*(c*d^4*e^5*n^2 - b*d^3*e^6*n^2)*a^2 + 3*(c^2*d^6*e^3*n^2 - 2*b*c*d^5*e^4*n^2 + b^2*d^4*e^5*n^2)*a)*x^n), x) + 1/2*((c*d^2*e^3*(6*n - 1) - b*d*e^4*(4*n - 1) + a*e^5*(2*n - 1))*x*x^n + (c*d^3*e^2*(7*n - 1) - b*d^2*e^3*(5*n - 1) + a*d*e^4*(3*n - 1))*x)/(c^2*d^8*n^2 - 2*b*c*d^7*e*n^2 + b^2*d^6*e^2*n^2 + a^2*d^4*e^4*n^2 + 2*(c*d^6*e^2*n^2 - b*d^5*e^3*n^2)*a + (c^2*d^6*e^2*n^2 - 2*b*c*d^5*e^3*n^2 + b^2*d^4*e^4*n^2 + a^2*d^2*e^6*n^2 + 2*(c*d^4*e^4*n^2 - b*d^3*e^5*n^2)*a)*x^(2*n) + 2*(c^2*d^7*e*n^2 - 2*b*c*d^6*e^2*n^2 + b^2*d^5*e^3*n^2 + a^2*d^3*e^5*n^2 + 2*(c*d^5*e^3*n^2 - b*d^4*e^4*n^2)*a)*x^n) + integrate((c^3*d^3 - 3*b*c^2*d^2*e + 3*b^2*c*d*e^2 - b^3*e^3 - (3*c^2*d*e^2 - 2*b*c*e^3)*a - (3*c^3*d^2*e - 3*b*c^2*d*e^2 + b^2*c*e^3 - a*c^2*e^3)*x^n)/(a^4*e^6 + 3*(c*d^2*e^4 - b*d*e^5)*a^3 + 3*(c^2*d^4*e^2 - 2*b*c*d^3*e^3 + b^2*d^2*e^4)*a^2 + (c^3*d^6 - 3*b*c^2*d^5*e + 3*b^2*c*d^4*e^2 - b^3*d^3*e^3)*a + (c^4*d^6 - 3*b*c^3*d^5*e + 3*b^2*c^2*d^4*e^2 - b^3*c*d^3*e^3 + a^3*c*e^6 + 3*(c^2*d^2*e^4 - b*c*d*e^5)*a^2 + 3*(c^3*d^4*e^2 - 2*b*c^2*d^3*e^3 + b^2*c*d^2*e^4)*a)*x^(2*n) + (b*c^3*d^6 - 3*b^2*c^2*d^5*e + 3*b^3*c*d^4*e^2 - b^4*d^3*e^3 + a^3*b*e^6 +

$3*(b*c*d^2*e^4 - b^2*d*e^5)*a^2 + 3*(b*c^2*d^4*e^2 - 2*b^2*c*d^3*e^3 + b^3*d^2*e^4)*a)*x^n), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)^3 (a + bx^n + cx^{2n})} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))), x)

[Out] int(1/((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))), x)

sympy [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: HeuristicGCDFailed

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**3/(a+b*x**n+c*x**(2*n)), x)

[Out] Exception raised: HeuristicGCDFailed

$$3.75 \quad \int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^2} dx$$

Optimal. Leaf size=750

$$\frac{x \left(- \left(x^n (ab^2e^3 - bcd(3ae^2 + cd^2)) + 2ace(3cd^2 - ae^2) \right) - abe(ae^2 + 3cd^2) - 2acd(cd^2 - 3ae^2) + b^2cd^3 \right) e^2 x \left(\frac{6c}{\sqrt{b^2 - 4ac}} \right) + \dots}{acn(b^2 - 4ac)(a + bx^n + cx^{2n})}$$

[Out] $x*(b^2*c*d^3 - 2*a*c*d*(-3*a*e^2 + c*d^2) - a*b*e*(a*e^2 + 3*c*d^2) - (a*b^2*e^3 + 2*a*c*e*(-a*e^2 + 3*c*d^2) - b*c*d*(3*a*e^2 + c*d^2)) * x^n) / a / c / (-4*a*c + b^2) / n / (a + b*x^n + c*x^{2n}) + e^2 * x * \text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n / (b - (-4*a*c + b^2)^{(1/2)})) * (e + (-3*b*e + 6*c*d) / (-4*a*c + b^2)^{(1/2)}) / c / (b - (-4*a*c + b^2)^{(1/2)}) + x * \text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n / (b - (-4*a*c + b^2)^{(1/2)})) * ((a*b^2*e^3 + 2*a*c*e*(-a*e^2 + 3*c*d^2) - b*c*d*(3*a*e^2 + c*d^2)) * (1-n) + (b^2*c*d*(3*a*e^2*(1-3*n) - c*d^2*(1-n)) - a*b^3*e^3*(1-3*n) + 4*a*c^2*d*(-3*a*e^2 + c*d^2)*(1-2*n) + 2*a*b*c*e*(a*e^2*(2-5*n) + 3*c*d^2*n)) / (-4*a*c + b^2)^{(1/2)}) / a / c / (-4*a*c + b^2) / n / (b - (-4*a*c + b^2)^{(1/2)}) + e^2 * x * \text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n / (b + (-4*a*c + b^2)^{(1/2)})) * (e - 3*(-b*e + 2*c*d) / (-4*a*c + b^2)^{(1/2)}) / c / (b + (-4*a*c + b^2)^{(1/2)}) + x * \text{hypergeom}([1, 1/n], [1+1/n], -2*c*x^n / (b + (-4*a*c + b^2)^{(1/2)})) * ((a*b^2*e^3 + 2*a*c*e*(-a*e^2 + 3*c*d^2) - b*c*d*(3*a*e^2 + c*d^2)) * (1-n) + (-b^2*c*d*(3*a*e^2*(1-3*n) - c*d^2*(1-n)) + a*b^3*e^3*(1-3*n) - 4*a*c^2*d*(-3*a*e^2 + c*d^2)*(1-2*n) - 2*a*b*c*e*(a*e^2*(2-5*n) + 3*c*d^2*n)) / (-4*a*c + b^2)^{(1/2)}) / a / c / (-4*a*c + b^2) / n / (b + (-4*a*c + b^2)^{(1/2)})$

Rubi [A] time = 2.94, antiderivative size = 750, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1436, 1430, 1422, 245}

$$\frac{x \left(\frac{b^2cd(3ae^2(1-3n) - cd^2(1-n)) - ab^3e^3(1-3n) + 2abce(ae^2(2-5n) + 3cd^2n) + 4ac^2d(1-2n)(cd^2 - 3ae^2)}{\sqrt{b^2 - 4ac}} + (1-n)(ab^2e^3 - bcd(3ae^2 + cd^2)) + \dots \right)}{acn(b^2 - 4ac) \left(b - \sqrt{b^2 - 4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3/(a + b*x^n + c*x^(2n))^2, x]

[Out] $(x*(b^2*c*d^3 - 2*a*c*d*(c*d^2 - 3*a*e^2) - a*b*e*(3*c*d^2 + a*e^2) - (a*b^2*e^3 + 2*a*c*e*(3*c*d^2 - a*e^2) - b*c*d*(c*d^2 + 3*a*e^2)) * x^n) / (a*c*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^{2n})) + (e^2*(e + (6*c*d - 3*b*e)/\text{Sqrt}[b^2 - 4*a*c])) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])] / (c*(b - \text{Sqrt}[b^2 - 4*a*c])) + (((a*b^2*e^3 + 2*a*c*e*(3*c*d^2 - a*e^2) - b*c*d*(c*d^2 + 3*a*e^2)) * (1-n) + (b^2*c*d*(3*a*e^2*(1-3*n) - c*d^2*(1-n)) - a*b^3*e^3*(1-3*n) + 4*a*c^2*d*(c*d^2 - 3*a*e^2)*(1-2*n) + 2*a*b*c*e*(a*e^2*(2-5*n) + 3*c*d^2*n)) / \text{Sqrt}[b^2 - 4*a*c]) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])] / (a*c*(b^2 - 4*a*c)*(b - \text{Sqrt}[b^2 - 4*a*c])*n) + (e^2*(e - (3*(2*c*d - b*e))/\text{Sqrt}[b^2 - 4*a*c]) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])] / (c*(b + \text{Sqrt}[b^2 - 4*a*c])) + (((a*b^2*e^3 + 2*a*c*e*(3*c*d^2 - a*e^2) - b*c*d*(c*d^2 + 3*a*e^2)) * (1-n) - (b^2*c*d*(3*a*e^2*(1-3*n) - c*d^2*(1-n)) - a*b^3*e^3*(1-3*n) + 4*a*c^2*d*(c*d^2 - 3*a*e^2)*(1-2*n) + 2*a*b*c*e*(a*e^2*(2-5*n) + 3*c*d^2*n)) / \text{Sqrt}[b^2 - 4*a*c]) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])] / (a*c*(b^2 - 4*a*c)*(b + \text{Sqrt}[b^2 - 4*a*c])*n)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p

, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1430

Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]

Rule 1436

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{(a + bx^n + cx^{2n})^2} dx &= \int \left(\frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{c^2 (a + bx^n + cx^{2n})^2} + \frac{e^2 (3cd - be + cex^n)}{c^2 (a + bx^n + cx^{2n})} \right) dx \\ &= \frac{\int \frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{(a + bx^n + cx^{2n})^2} dx}{c^2} + \frac{e^2 \int \frac{3cd - be + cex^n}{a + bx^n + cx^{2n}} dx}{c^2} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd)}{ac (b^2 - 4ac) n (a + bx^n + cx^{2n})} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd)}{ac (b^2 - 4ac) n (a + bx^n + cx^{2n})} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd)}{ac (b^2 - 4ac) n (a + bx^n + cx^{2n})} \end{aligned}$$

Mathematica [B] time = 6.96, size = 5537, normalized size = 7.38

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^2, x]

[Out] Result too large to show

fricas [F] time = 1.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^2 x^{4n} + b^2 x^{2n} + 2 a b x^n + a^2 + 2 (b c x^n + a c) x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)/(c^2*x^(4*n) + b^2*x^(2*n) + 2*a*b*x^n + a^2 + 2*(b*c*x^n + a*c)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^3}{(c x^{2n} + b x^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate((e*x^n + d)^3/(c*x^(2*n) + b*x^n + a)^2, x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^3}{(b x^n + c x^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a)^2,x)

[Out] int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(b^2 d^3 + 2 a^2 c e^3 - (6 c^2 d^2 e - 3 b c d e^2 + b^2 e^3) a) x x^n + (b^2 c d^3 + (6 c d e^2 - b e^3) a^2 - (2 c^2 d^3 + 3 b c d^2 e) a) x + \int \frac{b^2 c d^3}{a^2 b^2 c n - 4 a^3 c^2 n + (a b^2 c^2 n - 4 a^2 c^3 n) x^{2n} + (a b^3 c n - 4 a^2 b c^2 n) x^n}}{a^2 b^2 c n - 4 a^3 c^2 n + (a b^2 c^2 n - 4 a^2 c^3 n) x^{2n} + (a b^3 c n - 4 a^2 b c^2 n) x^n} + \int \frac{b^2 c d^3}{a^2 b^2 c n - 4 a^3 c^2 n + (a b^2 c^2 n - 4 a^2 c^3 n) x^{2n} + (a b^3 c n - 4 a^2 b c^2 n) x^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n))^2,x, algorithm="maxima")

[Out] ((b*c^2*d^3 + 2*a^2*c*e^3 - (6*c^2*d^2*e - 3*b*c*d*e^2 + b^2*e^3)*a)*x*x^n + (b^2*c*d^3 + (6*c*d*e^2 - b*e^3)*a^2 - (2*c^2*d^3 + 3*b*c*d^2*e)*a)*x)/(a^2*b^2*c*n - 4*a^3*c^2*n + (a*b^2*c^2*n - 4*a^2*c^3*n)*x^(2*n) + (a*b^3*c*n - 4*a^2*b*c^2*n)*x^n) + integrate((b^2*c*d^3*(n - 1) - (6*c*d*e^2 - b*e^3)*a^2 - (2*c^2*d^3*(2*n - 1) - 3*b*c*d^2*e)*a - (2*a^2*c*e^3*(n + 1) - b*c^2*d^3*(n - 1) + (6*c^2*d^2*e*(n - 1) - 3*b*c*d*e^2*(n - 1) - b^2*e^3)*a)*x^n)/(a^2*b^2*c*n - 4*a^3*c^2*n + (a*b^2*c^2*n - 4*a^2*c^3*n)*x^(2*n) + (a*b^3*c*n - 4*a^2*b*c^2*n)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^3}{(a + b x^n + c x^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^2,x)
```

```
[Out] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**3/(a+b*x**n+c*x**(2*n))**2,x)
```

```
[Out] Timed out
```

$$3.76 \quad \int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^2} dx$$

Optimal. Leaf size=543

$$\frac{x \left((1-n) (abe^2 - 4acde + bcd^2) - \frac{b^2 (ae^2(1-3n) - cd^2(1-n)) + 4abcden + 4ac(1-2n)(cd^2 - ae^2)}{\sqrt{b^2 - 4ac}} \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{an(b^2 - 4ac) \left(b - \sqrt{b^2 - 4ac} \right)}$$

[Out] $x*(b^2*d^2 - 2*a*b*d*e - 2*a*(c*d^2 - a*e^2) + (b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^n)/(-4*a*c + b^2)/n/(a + b*x^n + c*x^(2*n)) - x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b - (-4*a*c + b^2)^(1/2)))*((a*b*e^2 - 4*a*c*d*e + b*c*d^2)*(1-n) + (-b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) - 4*a*c*(-a*e^2 + c*d^2)*(1-2*n) - 4*a*b*c*d*e*n)/(-4*a*c + b^2)^(1/2))/a/(-4*a*c + b^2)/n/(b - (-4*a*c + b^2)^(1/2)) - x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b + (-4*a*c + b^2)^(1/2)))*((a*b*e^2 - 4*a*c*d*e + b*c*d^2)*(1-n) + (b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) + 4*a*c*(-a*e^2 + c*d^2)*(1-2*n) + 4*a*b*c*d*e*n)/(-4*a*c + b^2)^(1/2))/a/(-4*a*c + b^2)/n/(b + (-4*a*c + b^2)^(1/2)) - 2*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b - (-4*a*c + b^2)^(1/2)))/(b^2 - 4*a*c - b*(-4*a*c + b^2)^(1/2)) - 2*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b + (-4*a*c + b^2)^(1/2)))/(b^2 - 4*a*c + b*(-4*a*c + b^2)^(1/2))$

Rubi [A] time = 1.82, antiderivative size = 543, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1436, 1430, 1422, 245, 1347}

$$\frac{x \left((1-n) (abe^2 - 4acde + bcd^2) - \frac{b^2 (ae^2(1-3n) - cd^2(1-n)) + 4abcden + 4ac(1-2n)(cd^2 - ae^2)}{\sqrt{b^2 - 4ac}} \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)}{an(b^2 - 4ac) \left(b - \sqrt{b^2 - 4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^2,x]

[Out] $(x*(b^2*d^2 - 2*a*b*d*e - 2*a*(c*d^2 - a*e^2) + (b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^n))/(a*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))) - (2*e^2*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c]) - (((b*c*d^2 - 4*a*c*d*e + a*b*e^2)*(1-n) - (b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) + 4*a*c*(c*d^2 - a*e^2)*(1-2*n) + 4*a*b*c*d*e*n)/Sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b - Sqrt[b^2 - 4*a*c])*n) - (2*e^2*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c]) - (((b*c*d^2 - 4*a*c*d*e + a*b*e^2)*(1-n) + (b^2*(a*e^2*(1-3*n) - c*d^2*(1-n)) + 4*a*c*(c*d^2 - a*e^2)*(1-2*n) + 4*a*b*c*d*e*n)/Sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b + Sqrt[b^2 - 4*a*c])*n)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1347

Int[((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^n), x], x] - Dist[c

/q, Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]

Rule 1422

Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1430

Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]

Rule 1436

Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^2}{(a + bx^n + cx^{2n})^2} dx &= \int \left(\frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c(a + bx^n + cx^{2n})^2} + \frac{e^2}{c(a + bx^n + cx^{2n})} \right) dx \\ &= \frac{\int \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{(a + bx^n + cx^{2n})^2} dx}{c} + \frac{e^2 \int \frac{1}{a + bx^n + cx^{2n}} dx}{c} \\ &= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} + \frac{e^2 \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^n}}{\sqrt{b^2 - 4ac}} \\ &= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{2e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{b - \sqrt{b^2 - 4ac}}{2}\right)}{b^2 - 4ac - b\sqrt{b^2 - 4ac}} \\ &= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{2e^2x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; \frac{b + \sqrt{b^2 - 4ac}}{2}\right)}{b^2 - 4ac - b\sqrt{b^2 - 4ac}} \end{aligned}$$

Mathematica [B] time = 4.52, size = 2980, normalized size = 5.49

Result too large to show

Antiderivative was successfully verified.

$4ac + 2cx^n)^{-1} + ((b - \sqrt{b^2 - 4ac}) \text{Hypergeometric2F1}[-n(-1), -n(-1), (-1+n)/n, (b + \sqrt{b^2 - 4ac})/(b + \sqrt{b^2 - 4ac} + 2cx^n)]) / ((cx^n)/(b + \sqrt{b^2 - 4ac} + 2cx^n))^{-1}) / 2^{((1+n)/n) + 2^{((-1+n)/n)ac d^2 n (a + x^n(b + cx^n))} (2^{(1+n(-1))} \sqrt{b^2 - 4ac} - ((b + \sqrt{b^2 - 4ac}) \text{Hypergeometric2F1}[-n(-1), -n(-1), (-1+n)/n, (b - \sqrt{b^2 - 4ac})/(b - \sqrt{b^2 - 4ac} + 2cx^n)]) / ((cx^n)/(b - \sqrt{b^2 - 4ac} + 2cx^n))^{-1} + ((b - \sqrt{b^2 - 4ac}) \text{Hypergeometric2F1}[-n(-1), -n(-1), (-1+n)/n, (b + \sqrt{b^2 - 4ac})/(b + \sqrt{b^2 - 4ac} + 2cx^n)]) / ((cx^n)/(b + \sqrt{b^2 - 4ac} + 2cx^n))^{-1})) / (a^2(b^2 - 4ac)^{(3/2)n} (a + x^n(b + cx^n)))$

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{e^2 x^{2n} + 2 d e x^n + d^2}{c^2 x^{4n} + b^2 x^{2n} + 2 a b x^n + a^2 + 2 (b c x^n + a c) x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)/(c^2*x^(4*n) + b^2*x^(2*n) + 2*a*b*x^n + a^2 + 2*(b*c*x^n + a*c)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^2}{(c x^{2n} + b x^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate((e*x^n + d)^2/(c*x^(2*n) + b*x^n + a)^2, x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^2}{(b x^n + c x^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^2/(b*x^n+c*x^(2*n)+a)^2,x)

[Out] int((e*x^n+d)^2/(b*x^n+c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bcd^2 - (4cde - be^2)a)xx^n + (b^2d^2 + 2a^2e^2 - 2(cd^2 + bde)a)x}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} \int \frac{b^2d^2(n-1) - 2a^2e^2 - 2(cd^2(2n-1) - bde)a}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^2,x, algorithm="maxima")

[Out] ((b*c*d^2 - (4*c*d*e - b*e^2)*a)*x*x^n + (b^2*d^2 + 2*a^2*e^2 - 2*(c*d^2 + b*d*e)*a)*x)/(a^2*b^2*n - 4*a^3*c*n + (a*b^2*c*n - 4*a^2*c^2*n)*x^(2*n) + (a*b^3*n - 4*a^2*b*c*n)*x^n) - integrate(-(b^2*d^2*(n-1) - 2*a^2*e^2 - 2*(c*d^2*(2*n-1) - b*d*e)*a + (b*c*d^2*(n-1) - (4*c*d*e*(n-1) - b*e^2*(n-1))*a)*x^n)/(a^2*b^2*n - 4*a^3*c*n + (a*b^2*c*n - 4*a^2*c^2*n)*x^(2*n) + (a*b^3*n - 4*a^2*b*c*n)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^2}{(a + b x^n + c x^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^2,x)

[Out] int((d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2/(a+b*x**n+c*x**(2*n))**2,x)

[Out] Timed out

$$3.77 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^2} dx$$

Optimal. Leaf size=362

$$\frac{cx \left(-b \left(d(1-n)\sqrt{b^2-4ac} - 2aen \right) + 2a \left(e(1-n)\sqrt{b^2-4ac} + 2cd(1-2n) \right) - (b^2(d-dn)) \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; \right)}{an(b^2-4ac) \left(-b\sqrt{b^2-4ac} - 4ac + b^2 \right)}$$

[Out] $x*(b^2*d-2*a*c*d-a*b*e+c*(-2*a*e+b*d)*x^n)/a/(-4*a*c+b^2)/n/(a+b*x^n+c*x^(2*n))-c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(-b^2*d*(1-n)+b*(2*a*e*n+d*(1-n)*(-4*a*c+b^2)^(1/2))+2*a*(c*d*(2-4*n)-e*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(-b^2*(-d*n+d)-b*(-2*a*e*n+d*(1-n)*(-4*a*c+b^2)^(1/2))+2*a*(2*c*d*(1-2*n)+e*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/n/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 0.63, antiderivative size = 328, normalized size of antiderivative = 0.91, number of steps used = 4, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1430, 1422, 245}

$$\frac{cx \left(-(1-n)\sqrt{b^2-4ac}(bd-2ae) + 2aben + 2acd(2-4n) + b^2(-d)(1-n) \right) {}_2F_1 \left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}} \right) cx}{an(b^2-4ac) \left(-b\sqrt{b^2-4ac} - 4ac + b^2 \right)}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^2, x]

[Out] $(x*(b^2*d - 2*a*c*d - a*b*e + c*(b*d - 2*a*e)*x^n))/(a*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))) - (c*(2*a*c*d*(2 - 4*n) - b^2*d*(1 - n) - \text{Sqrt}[b^2 - 4*a*c]*(b*d - 2*a*e)*(1 - n) + 2*a*b*e*n)*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*n) - (c*(4*a*c*d*(1 - 2*n) - b^2*d*(1 - n) + \text{Sqrt}[b^2 - 4*a*c]*(b*d - 2*a*e)*(1 - n) + 2*a*b*e*n)*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*n)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])

Rule 1422

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])

Rule 1430

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a

```
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rubi steps

$$\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^2} dx = \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{\int \frac{-abe - 2acd(1-2n) + b^2(d-dn) + c(bd-2ae)(1-n)x^n}{a+bx^n+cx^{2n}} dx}{a(b^2 - 4ac)n}$$

$$= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{c(2acd(2 - 4n) - b^2d(1 - n) + \sqrt{b^2 - 4ac}(bd - 2ae))}{2a(b^2 - 4ac)}$$

$$= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{a(b^2 - 4ac)n(a + bx^n + cx^{2n})} - \frac{c((bd - 2ae)(1 - n) - \frac{4acd(1-2n) + 2abn - b^2(d-dn)}{\sqrt{b^2 - 4ac}})}{a(b^2 - 4ac)(b - \sqrt{b^2 - 4ac})}$$

Mathematica [A] time = 5.69, size = 603, normalized size = 1.67

$$cx \left(\frac{4(b^2-4ac)(-2a^2c(2dn+ex^n)+a(b^2(dn+ex^n)+bcx^n(-4dn+3d+ex^n)-2c^2d(2n-1)x^{2n})+b^2d(n-1)x^n(b+cx^n))}{(-b\sqrt{b^2-4ac}-4ac+b^2)(b\sqrt{b^2-4ac}-4ac+b^2)(a+x^n(b+cx^n))} + \frac{2^{-1/n}\left(\frac{cx^n}{\sqrt{b^2-4ac}+b+2cx^n}\right)^{-1/n}(bd(n-1))}{(b-\sqrt{b^2-4ac})} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^2, x]
```

```
[Out] (c*x*((4*(b^2 - 4*a*c)*(b^2*d*(-1 + n)*x^n*(b + c*x^n) - 2*a^2*c*(2*d*n + e
*x^n) + a*(-2*c^2*d*(-1 + 2*n)*x^(2*n) + b*c*x^n*(3*d - 4*d*n + e*x^n) + b^
2*(d*n + e*x^n))))/((b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(b^2 - 4*a*c + b*Sq
rt[b^2 - 4*a*c])*(a + x^n*(b + c*x^n))) + ((4*a*c*(Sqrt[b^2 - 4*a*c]*d*(1 -
2*n) + 2*a*e*(-1 + n)) + b^3*d*(-1 + n) + b^2*(Sqrt[b^2 - 4*a*c]*d - 2*a*e
)*(-1 + n) + 2*a*b*(-2*c*d*(-1 + n) + Sqrt[b^2 - 4*a*c]*e*n))*Hypergeometri
c2F1[-n^(-1), -n^(-1), (-1 + n)/n, (b - Sqrt[b^2 - 4*a*c])/(b - Sqrt[b^2 -
4*a*c] + 2*c*x^n)]/(2^n^(-1)*Sqrt[b^2 - 4*a*c]*(-b^2 + 4*a*c + b*Sqrt[b^2
- 4*a*c]))*(c*x^n)/(b - Sqrt[b^2 - 4*a*c] + 2*c*x^n))^n^(-1)) + ((b*Sqrt[b^
2 - 4*a*c]*d*(-1 + n) - 2*a*Sqrt[b^2 - 4*a*c]*e*(-1 + n) - 2*a*b*e*n + 4*a
*c*d*(-1 + 2*n) + b^2*(d - d*n))*Hypergeometric2F1[-n^(-1), -n^(-1), (-1 + n
)/n, (b + Sqrt[b^2 - 4*a*c])/(b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)]/(2^n^(-1)*
Sqrt[b^2 - 4*a*c]*(b + Sqrt[b^2 - 4*a*c]))*((c*x^n)/(b + Sqrt[b^2 - 4*a*c] +
2*c*x^n))^n^(-1))))/(a*(-b^2 + 4*a*c)*n)
```

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{ex^n + d}{c^2x^{4n} + b^2x^{2n} + 2abx^n + a^2 + 2(bc x^n + ac)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="fricas")
```

```
[Out] integral((e*x^n + d)/(c^2*x^(4*n) + b^2*x^(2*n) + 2*a*b*x^n + a^2 + 2*(b*c*
x^n + a*c)*x^(2*n)), x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a)^2, x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^2,x)

[Out] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(bcd - 2ace)xx^n + (b^2d - (2cd + be)a)x}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} + \int \frac{b^2d(n-1) - (2cd(2n-1) - be)a + (bcd(n-1) - 2ace)x^n}{a^2b^2n - 4a^3cn + (ab^2cn - 4a^2c^2n)x^{2n} + (ab^3n - 4a^2bcn)x^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="maxima")

[Out] ((b*c*d - 2*a*c*e)*x*x^n + (b^2*d - (2*c*d + b*e)*a)*x)/(a^2*b^2*n - 4*a^3*c*n + (a*b^2*c*n - 4*a^2*c^2*n)*x^(2*n) + (a*b^3*n - 4*a^2*b*c*n)*x^n) + integrate((b^2*d*(n-1) - (2*c*d*(2*n-1) - b*e)*a + (b*c*d*(n-1) - 2*a*c*e*(n-1))*x^n)/(a^2*b^2*n - 4*a^3*c*n + (a*b^2*c*n - 4*a^2*c^2*n)*x^(2*n) + (a*b^3*n - 4*a^2*b*c*n)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^2,x)

[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**2,x)

[Out] Timed out

3.78
$$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^2} dx$$

Optimal. Leaf size=726

$$\frac{ce^2x \left(2cd - e \left(\sqrt{b^2 - 4ac} + b\right)\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right) - ce^2x \left(2cd - e \left(b - \sqrt{b^2 - 4ac}\right)\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\left(-b\sqrt{b^2 - 4ac} - 4ac + b^2\right) \left(ae^2 - bde + cd^2\right)^2 - \left(b\sqrt{b^2 - 4ac} - 4ac + b^2\right) \left(ae^2 - bde + cd^2\right)^2}$$

[Out] $x*(b^2*c*d-2*a*c^2*d-b^3*e+3*a*b*c*e+c*(2*a*c*e-b^2*e+b*c*d)*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/n/(a+b*x^n+c*x^(2*n))+e^4*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^2-c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((2*a*c*e-b^2*e+b*c*d)*(1-n)+(2*a*b*c*e*(2-3*n)-4*a*c^2*d*(1-2*n)+b^2*c*d*(1-n)-b^3*e*(1-n)))/(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/n/(b-(-4*a*c+b^2)^(1/2))-c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((2*c*d-e*(b-(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((2*c*d-e*(b+(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^2/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))+c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(-b^3*e*(1-n)+b^2*(1-n)*(c*d+e*(-4*a*c+b^2)^(1/2))+b*c*(2*a*e*(2-3*n)-d*(1-n)*(-4*a*c+b^2)^(1/2))-2*a*c*(2*c*d*(1-2*n)+e*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 1.93, antiderivative size = 726, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1436, 245, 1430, 1422}

$$\frac{cx \left(\frac{2abce(2-3n)-4ac^2d(1-2n)+b^2cd(1-n)+b^3(-e)(1-n)}{\sqrt{b^2-4ac}} + (1-n)(2ace + b^2(-e) + bcd)\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right) + x \left(\frac{2abce(2-3n)-4ac^2d(1-2n)+b^2cd(1-n)+b^3(-e)(1-n)}{\sqrt{b^2-4ac}} + (1-n)(2ace + b^2(-e) + bcd)\right) {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{an(b^2 - 4ac)(b - \sqrt{b^2 - 4ac})(ae^2 - bde + cd^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))^2), x]

[Out] $(x*(b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e + c*(b*c*d - b^2*e + 2*a*c*e)*x^n))/(a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)*n*(a + b*x^n + c*x^(2*n))) - (c*e^2*(2*c*d - (b + Sqrt[b^2 - 4*a*c])*e)*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(b - Sqrt[b^2 - 4*a*c]) - (c*((2*a*b*c*e*(2 - 3*n) - 4*a*c^2*d*(1 - 2*n) + b^2*c*d*(1 - n) - b^3*e*(1 - n))/Sqrt[b^2 - 4*a*c] + (b*c*d - b^2*e + 2*a*c*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b - Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)*n) - (c*e^2*(2*c*d - (b - Sqrt[b^2 - 4*a*c])*e)*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(b + Sqrt[b^2 - 4*a*c]) - (c*((2*a*b*c*e*(2 - 3*n) - Sqrt[b^2 - 4*a*c]*d*(1 - n) - 2*a*c*(2*c*d*(1 - 2*n) + Sqrt[b^2 - 4*a*c]*e*(1 - n) - b^3*e*(1 - n) + b^2*(c*d + Sqrt[b^2 - 4*a*c])*e*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)*n) + (e^4*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -(e*x^n)/d])/(d*(c*d^2 - b*d*e + a*e^2)^2)$

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n)/a], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||

GtQ[a, 0])

Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2
*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] &&
!IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})^2} dx &= \int \left(\frac{e^4}{(cd^2 - bde + ae^2)^2 (d + ex^n)} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})^2} \right) dx \\ &= -\frac{e^2 \int \frac{-cd + be + cex^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^2} + \frac{e^4 \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^2} + \frac{\int \frac{cd - be - cex^n}{(a + bx^n + cx^{2n})^2} dx}{cd^2 - bde + ae^2} \\ &= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})} + \frac{e^4 x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right)}{d(cd^2 - bde + ae^2)} \\ &= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})} - \frac{ce^2 \left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right)}{\left(b - \sqrt{b^2 - 4ac} \right)} \\ &= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})} - \frac{ce^2 \left(e - \frac{2cd - be}{\sqrt{b^2 - 4ac}} \right)}{\left(b - \sqrt{b^2 - 4ac} \right)} \end{aligned}$$

Mathematica [B] time = 7.22, size = 11767, normalized size = 16.21

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))^2), x]

[Out] Result too large to show

fricas [F] time = 2.02, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2 e x^{3n} + a^2 d + (c^2 e x^n + c^2 d) x^{4n} + 2 (b c e x^{2n} + a c d + (b c d + a c e) x^n) x^{2n} + (b^2 d + 2 a b e) x^{2n} + (2 a b d + 2 a^2 e) x^n}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*e*x^(3*n) + a^2*d + (c^2*e*x^n + c^2*d)*x^(4*n) + 2*(b*c*e*x^(2*n) + a*c*d + (b*c*d + a*c*e)*x^n)*x^(2*n) + (b^2*d + 2*a*b*e)*x^(2*n) + (2*a*b*d + a^2*e)*x^n), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(c x^{2n} + b x^n + a)^2 (e x^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)^2*(e*x^n + d)), x)

maple [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{(e x^n + d) (b x^n + c x^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a)^2,x)

[Out] int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$e^4 \int \frac{1}{c^2 d^5 - 2 b c d^4 e + b^2 d^3 e^2 + a^2 d e^4 + 2 (c d^3 e^2 - b d^2 e^3) a + (c^2 d^4 e - 2 b c d^3 e^2 + b^2 d^2 e^3 + a^2 e^5 + 2 (c d^2 e^3 - b d e^4) a) x^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n))^2,x, algorithm="maxima")

[Out] e^4*integrate(1/(c^2*d^5 - 2*b*c*d^4*e + b^2*d^3*e^2 + a^2*d*e^4 + 2*(c*d^3*e^2 - b*d^2*e^3)*a + (c^2*d^4*e - 2*b*c*d^3*e^2 + b^2*d^2*e^3 + a^2*e^5 + 2*(c*d^2*e^3 - b*d*e^4)*a)*x^n), x) - ((b*c^2*d - b^2*c*e + 2*a*c^2*e)*x^n + (b^2*c*d - b^3*e - (2*c^2*d - 3*b*c*e)*a)*x)/(4*a^4*c*e^2*n + (4*c^2*d^2*n - 4*b*c*d*e*n - b^2*e^2*n)*a^3 - (b^2*c*d^2*n - b^3*d*e*n)*a^2 + (4*a^3*c^2*e^2*n + (4*c^3*d^2*n - 4*b*c^2*d*e*n - b^2*c*e^2*n)*a^2 - (b^2*c^2*d^2*n - b^3*c*d*e*n)*a)*x^(2*n) + (4*a^3*b*c*e^2*n + (4*b*c^2*d^2*n - 4*b^2*c*d*e*n - b^3*e^2*n)*a^2 - (b^3*c*d^2*n - b^4*d*e*n)*a)*x^n) - integrate((b^2*c^2*d^3*(n - 1) - 2*b^3*c*d^2*e*(n - 1) + b^4*d*e^2*(n - 1) + (b*c*e^3*(8*n - 3) - 2*c^2*d*e^2*(4*n - 1))*a^2 + (b*c^2*d^2*e*(8*n - 5) - 2*c^3*d^3*(2*n - 1) - b^3*e^3*(2*n - 1) - 2*b^2*c*d*e^2*(n - 1))*a + (2*a^2*c^2*e^3*(3*n - 1) + b*c^3*d^3*(n - 1) - 2*b^2*c^2*d^2*e*(n - 1) + b^3*c*d*e^2*(n - 1) - (b^2*c*e^3*(2*n - 1) - 2*c^3*d^2*e*(n - 1) + b*c^2*d*e^2*(n - 1))*a)*x^n)

$$\frac{1}{(4a^5c^2e^{4n} + (8c^2d^2e^{2n} - 8b^2c^2d^2e^{2n} - b^2e^{4n})a^4 + 2(2c^3d^4n - 4b^2c^2d^3e^n + b^2c^2d^2e^{2n} + b^3d^3e^{3n})a^3 - (b^2c^2d^4n - 2b^3c^2d^3e^n + b^4d^2e^{2n})a^2 + (4a^4c^2e^{4n} + (8c^3d^2e^{2n} - 8b^2c^2d^2e^{2n} - b^2c^2e^{4n})a^3 + 2(2c^4d^4n - 4b^2c^3d^3e^n + b^2c^2d^2e^{2n} + b^3c^2d^2e^{2n})a^2 - (b^2c^3d^4n - 2b^3c^2d^3e^n + b^4c^2d^2e^{2n})a)x^{(2n)} + (4a^4b^2c^2e^{4n} + (8b^2c^2d^2e^{2n} - 8b^2c^2d^2e^{2n} - b^3e^{4n})a^3 + 2(2b^2c^3d^4n - 4b^2c^2d^3e^n + b^3c^2d^2e^{2n} + b^4d^2e^{3n})a^2 - (b^3c^2d^4n - 2b^4c^2d^3e^n + b^5d^2e^{2n})a)x^n), x}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))^2), x)

[Out] int(1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)/(a+b*x**n+c*x**(2*n))**2, x)

[Out] Timed out

3.79
$$\int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^2} dx$$

Optimal. Leaf size=1129

$$\frac{2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d (cd^2 - bed + ae^2)^3} + \frac{x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d^2 (cd^2 - bed + ae^2)^2} - \frac{2c \left(3c^2d^2 + b \left(b + \sqrt{b^2 - 4ac}\right) e^2 - ce \left(3bd + 2\right)\right)}{\left(b^2 - \sqrt{b^2 - 4ac} b\right)}$$

[Out] $-x*(2*b^3*c*d*e-6*a*b*c^2*d*e-b^4*e^2-b^2*c*(c*d^2-4*a*e^2)+2*a*c^2*(-a*e^2+c*d^2)+c*(2*b^2*c*d*e-4*a*c^2*d*e-b^3*e^2-b*c*(c*d^2-3*a*e^2))*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(a+b*x^n+c*x^(2*n))+2*e^4*(-b*e+2*c*d)*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^3+e^4*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)^2-2*c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(3*c^2*d^2+b*e^2*(b-(-4*a*c+b^2)^(1/2))-c*e*(3*b*d+a*e-2*d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-2*c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(3*c^2*d^2+b*e^2*(b+(-4*a*c+b^2)^(1/2))-c*e*(3*b*d+a*e+2*d*(-4*a*c+b^2)^(1/2)))/(a*e^2-b*d*e+c*d^2)^3/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))+c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(b^4*e^2*(1-n)-b^3*e*(1-n)*(2*c*d+e*(-4*a*c+b^2)^(1/2))-b^2*c*(-c*d^2*(1-n)+e*(a*e*(5-7*n)-2*d*(1-n)*(-4*a*c+b^2)^(1/2)))+b*c*(3*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*(2-3*n)-d*(1-n)*(-4*a*c+b^2)^(1/2)))+4*a*c^2*(-c*d^2*(1-2*n)+e*(a*e*(1-2*n)-d*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))+c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(b^4*e^2*(1-n)-b^3*e*(1-n)*(2*c*d-e*(-4*a*c+b^2)^(1/2))+b*c*(-3*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*(2-3*n)+d*(1-n)*(-4*a*c+b^2)^(1/2)))+4*a*c^2*(-c*d^2*(1-2*n)+e*(a*e*(1-2*n)+d*(1-n)*(-4*a*c+b^2)^(1/2)))-b^2*c*(-c*d^2*(1-n)+e*(a*e*(5-7*n)+2*d*(1-n)*(-4*a*c+b^2)^(1/2)))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$

Rubi [A] time = 3.34, antiderivative size = 1129, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1436, 245, 1430, 1422}

$$\frac{2(2cd - be)x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d (cd^2 - bed + ae^2)^3} + \frac{x {}_2F_1\left(2, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^4}{d^2 (cd^2 - bed + ae^2)^2} - \frac{2c \left(3c^2d^2 + b \left(b + \sqrt{b^2 - 4ac}\right) e^2 - ce \left(3bd + 2\right)\right)}{\left(b^2 - \sqrt{b^2 - 4ac} b\right)}$$

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^2), x]

[Out] $-((x*(2*b^3*c*d*e - 6*a*b*c^2*d*e - b^4*e^2 - b^2*c*(c*d^2 - 4*a*e^2) + 2*a*c^2*(c*d^2 - a*e^2) + c*(2*b^2*c*d*e - 4*a*c^2*d*e - b^3*e^2 - b*c*(c*d^2 - 3*a*e^2))*x^n)/(a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)^2*n*(a + b*x^n + c*x^(2*n)))) - (2*c*e^2*(3*c^2*d^2 + b*(b + Sqrt[b^2 - 4*a*c])*e^2 - c*e*(3*b*d + 2*Sqrt[b^2 - 4*a*c]*d + a*e))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]/((b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3) + (c*(4*a*c^2*(e*(a*e*(1 - 2*n) + Sqrt[b^2 - 4*a*c]*d*(1 - n)) - c*d^2*(1 - 2*n)) - b^2*c*(e*(a*e*(5 - 7*n) + 2*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - c*d^2*(1 - n)) + b*c*(c*d*(4*a*e*(2 - 3*n) + Sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*a*Sqrt[b^2 - 4*a*c]*e^2*(1 - n)) + b^4*e^2*(1 - n) - b^3*e*(2*c*d - Sqrt[b^2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n) - (2*c*e^2*(3*c^2*d^2 + b*(b - Sqrt[b^2 - 4*a*c])*e^2 - c*e*(3*b*d - 2*Sqrt[b^2 - 4*a*c]*d + a*e))$

$$\begin{aligned} &] * d + a * e) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2 * c * x^n) / (b + \text{Sqrt}[\\ & [b^2 - 4 * a * c])] / ((b^2 - 4 * a * c + b * \text{Sqrt}[b^2 - 4 * a * c]) * (c * d^2 - b * d * e + a * e^2)^3) \\ & + (c * (4 * a * c^2 * (e * (a * e * (1 - 2 * n) - \text{Sqrt}[b^2 - 4 * a * c]) * d * (1 - n)) - c * d^2 * (1 - 2 * n)) \\ & - b^2 * c * (e * (a * e * (5 - 7 * n) - 2 * \text{Sqrt}[b^2 - 4 * a * c]) * d * (1 - n)) - c * d^2 * (1 - n)) \\ & + b * c * (c * d * (4 * a * e * (2 - 3 * n) - \text{Sqrt}[b^2 - 4 * a * c]) * d * (1 - n)) + 3 * a * \text{Sqrt}[b^2 - 4 * a * c] * e^2 * (1 - n)) \\ & + b^4 * e^2 * (1 - n) - b^3 * e * (2 * c * d + \text{Sqrt}[b^2 - 4 * a * c] * e) * (1 - n)) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, (-2 * c * x^n) / (b + \text{Sqrt}[b^2 - 4 * a * c])] / (a * (b^2 - 4 * a * c) * (b^2 - 4 * a * c + b * \text{Sqrt}[b^2 - 4 * a * c]) * (c * d^2 - b * d * e + a * e^2)^2 * n) \\ & + (2 * e^4 * (2 * c * d - b * e) * x * \text{Hypergeometric2F1}[1, n^{(-1)}, 1 + n^{(-1)}, -((e * x^n) / d)] / (d * (c * d^2 - b * d * e + a * e^2)^3) + (e^4 * x * \text{Hypergeometric2F1}[2, n^{(-1)}, 1 + n^{(-1)}, -((e * x^n) / d)] / (d^2 * (c * d^2 - b * d * e + a * e^2)^2)) \end{aligned}$$

Rule 245

$$\text{Int}(((a_) + (b_) * (x_)^{(n_)})^{(p_)}, x_ \text{Symbol}] :> \text{Simp}[a^p * x * \text{Hypergeometric2F1}[-p, 1/n, 1/n + 1, -((b * x^n)/a)], x] /; \text{FreeQ}\{a, b, n, p\}, x \ \&\& \ !\text{IGtQ}[p, 0] \ \&\& \ !\text{IntegerQ}[1/n] \ \&\& \ !\text{ILtQ}[\text{Simplify}[1/n + p], 0] \ \&\& \ (\text{IntegerQ}[p] \ || \ \text{GtQ}[a, 0])$$

Rule 1422

$$\text{Int}(((d_) + (e_) * (x_)^{(n_)}) / ((a_) + (b_) * (x_)^{(n_)} + (c_) * (x_)^{(n2_)}), x_ \text{Symbol}] :> \text{With}\{q = \text{Rt}[b^2 - 4 * a * c, 2]\}, \text{Dist}[e/2 + (2 * c * d - b * e) / (2 * q), \text{Int}[1 / (b/2 - q/2 + c * x^n), x], x] + \text{Dist}[e/2 - (2 * c * d - b * e) / (2 * q), \text{Int}[1 / (b/2 + q/2 + c * x^n), x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[n2, 2 * n] \ \&\& \ \text{NeQ}[b^2 - 4 * a * c, 0] \ \&\& \ \text{NeQ}[c * d^2 - b * d * e + a * e^2, 0] \ \&\& \ (\text{PosQ}[b^2 - 4 * a * c] \ || \ !\text{IGtQ}[n/2, 0])$$

Rule 1430

$$\text{Int}(((d_) + (e_) * (x_)^{(n_)}) * ((a_) + (b_) * (x_)^{(n_)} + (c_) * (x_)^{(n2_)})^{(p_)}, x_ \text{Symbol}] :> -\text{Simp}[(x * (d * b^2 - a * b * e - 2 * a * c * d + (b * d - 2 * a * e) * c * x^n) * (a + b * x^n + c * x^{(2 * n)})^{(p + 1)}) / (a * n * (p + 1) * (b^2 - 4 * a * c)), x] + \text{Dist}[1 / (a * n * (p + 1) * (b^2 - 4 * a * c)), \text{Int}[\text{Simp}[(n * p + n + 1) * d * b^2 - a * b * e - 2 * a * c * d * (2 * n * p + 2 * n + 1) + (2 * n * p + 3 * n + 1) * (d * b - 2 * a * e) * c * x^n, x] * (a + b * x^n + c * x^{(2 * n)})^{(p + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{EqQ}[n2, 2 * n] \ \&\& \ \text{NeQ}[b^2 - 4 * a * c, 0] \ \&\& \ \text{ILtQ}[p, -1]$$

Rule 1436

$$\text{Int}(((d_) + (e_) * (x_)^{(n_)})^{(q_)} * ((a_) + (b_) * (x_)^{(n_)} + (c_) * (x_)^{(n2_)})^{(p_)}, x_ \text{Symbol}] :> \text{Int}[\text{ExpandIntegrand}[(d + e * x^n)^q * (a + b * x^n + c * x^{(2 * n)})^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n, p, q\}, x \ \&\& \ \text{EqQ}[n2, 2 * n] \ \&\& \ \text{NeQ}[b^2 - 4 * a * c, 0] \ \&\& \ \text{NeQ}[c * d^2 - b * d * e + a * e^2, 0] \ \&\& \ ((\text{IntegersQ}[p, q] \ \&\& \ !\text{IntegerQ}[n]) \ || \ \text{IGtQ}[p, 0] \ || \ (\text{IGtQ}[q, 0] \ \&\& \ !\text{IntegerQ}[n]))$$

Rubi steps

$$\begin{aligned}
\int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})^2} dx &= \int \left(\frac{e^4}{(cd^2 - bde + ae^2)^2 (d + ex^n)^2} - \frac{2e^4(-2cd + be)}{(cd^2 - bde + ae^2)^3 (d + ex^n)} + \frac{c^2d^2 - 2cd^2}{(cd^2 - bde + ae^2)^3} \right) dx \\
&= \frac{e^2 \int \frac{3c^2d^2 - 5bcde + 2b^2e^2 - ace^2 + (-4c^2de + 2bce^2)x^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^3} + \frac{(2e^4(2cd - be)) \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^3} + \frac{c^2d^2 - 2cd^2}{(cd^2 - bde + ae^2)^3} \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2cd^2 - 2cd^2))}{a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2cd^2 - 2cd^2))}{a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)} \\
&= -\frac{x(2b^3cde - 6abc^2de - b^4e^2 - b^2c(cd^2 - 4ae^2) + 2ac^2(cd^2 - ae^2) + c(2b^2cd^2 - 2cd^2))}{a(b^2 - 4ac)(cd^2 - bde + ae^2)^2 n(a + bx^n)}
\end{aligned}$$

Mathematica [B] time = 8.02, size = 16855, normalized size = 14.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^2), x]

[Out] Result too large to show

fricas [F] time = 6.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2e^2x^{4n} + a^2d^2 + (c^2e^2x^{2n} + 2c^2dex^n + c^2d^2)x^{4n} + 2(b^2de + abe^2)x^{3n} + 2(bce^2x^{3n} + acd^2 + (2bcde + a^2d^2))x^{2n} + (b^2d^2 + 4a^2d^2 + a^2e^2)x^{2n} + 2(a^2d^2 + a^2d^2e)x^n}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^2,x, algorithm="fricas")

[Out] integral(1/(b^2*e^2*x^(4*n) + a^2*d^2 + (c^2*e^2*x^(2*n) + 2*c^2*d*e*x^n + c^2*d^2)*x^(4*n) + 2*(b^2*d*e + a*b*e^2)*x^(3*n) + 2*(b*c*e^2*x^(3*n) + a*c*d^2 + (2*b*c*d*e + a*c*e^2)*x^(2*n) + (b*c*d^2 + 2*a*c*d*e)*x^n)*x^(2*n) + (b^2*d^2 + 4*a*b*d*e + a^2*e^2)*x^(2*n) + 2*(a*b*d^2 + a^2*d*e)*x^n), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)^2 (ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^2,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)^2*(e*x^n + d)^2), x)

maple [F] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (bx^n + cx^{2n} + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(e*x^n+d)^2/(b*x^n+c*x^{(2*n)}+a)^2,x)$

[Out] $\text{int}(1/(e*x^n+d)^2/(b*x^n+c*x^{(2*n)}+a)^2,x)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(1/(d+e*x^n)^2/(a+b*x^n+c*x^{(2*n)})^2,x, \text{algorithm}="maxima")$

[Out] $(c*d^2*e^4*(5*n - 1) - b*d*e^5*(3*n - 1) + a*e^6*(n - 1))*\text{integrate}(1/(c^3*d^8*n - 3*b*c^2*d^7*e^n + 3*b^2*c*d^6*e^2*n - b^3*d^5*e^3*n + a^3*d^2*e^6*n + 3*(c*d^4*e^4*n - b*d^3*e^5*n)*a^2 + 3*(c^2*d^6*e^2*n - 2*b*c*d^5*e^3*n + b^2*d^4*e^4*n)*a + (c^3*d^7*e^n - 3*b*c^2*d^6*e^2*n + 3*b^2*c*d^5*e^3*n - b^3*d^4*e^4*n + a^3*d^2*e^6*n + 3*(c*d^3*e^5*n - b*d^2*e^6*n)*a^2 + 3*(c^2*d^5*e^3*n - 2*b*c*d^4*e^4*n + b^2*d^3*e^5*n)*a)*x^n), x) - ((b*c^3*d^3*e - 2*b^2*c^2*d^2*e^2 + b^3*c*d*e^3 - 4*a^2*c^2*e^4 + (4*c^3*d^2*e^2 - 3*b*c^2*d*e^3 + b^2*c*e^4)*a)*x*x^{(2*n)} + (b*c^3*d^4 - b^2*c^2*d^3*e - b^3*c*d^2*e^2 + b^4*d*e^3 + 2*(c^2*d*e^3 - 2*b*c*e^4)*a^2 + (2*c^3*d^3*e + 3*b*c^2*d^2*e^2 - 4*b^2*c*d*e^3 + b^3*e^4)*a)*x*x^n + (b^2*c^2*d^4 - 2*b^3*c*d^3*e + b^4*d^2*e^2 - 4*a^3*c*e^4 + (2*c^2*d^2*e^2 + b^2*e^4)*a^2 - 2*(c^3*d^4 - 3*b*c^2*d^3*e + 2*b^2*c*d^2*e^2)*a)*x)/(4*a^5*c*d^2*e^4*n + (8*c^2*d^4*e^2*n - 8*b*c*d^3*e^3*n - b^2*d^2*e^4*n)*a^4 + 2*(2*c^3*d^6*n - 4*b*c^2*d^5*e^n + b^2*c*d^4*e^2*n + b^3*d^3*e^3*n)*a^3 - (b^2*c^2*d^6*n - 2*b^3*c*d^5*e^n + b^4*d^4*e^2*n)*a^2 + (4*a^4*c^2*d*e^5*n + (8*c^3*d^3*e^3*n - 8*b*c^2*d^2*e^4*n - b^2*c*d*e^5*n)*a^3 + 2*(2*c^4*d^5*e^n - 4*b*c^3*d^4*e^2*n + b^2*c^2*d^3*e^3*n + b^3*c*d^2*e^4*n)*a^2 - (b^2*c^3*d^5*e^n - 2*b^3*c^2*d^4*e^2*n + b^4*c*d^3*e^3*n)*a)*x^{(3*n)} + (4*(c^2*d^2*e^4*n + b*c*d*e^5*n)*a^4 + (8*c^3*d^4*e^2*n - 9*b^2*c*d^2*e^4*n - b^3*d*e^5*n)*a^3 + 2*(2*c^4*d^6*n - 2*b*c^3*d^5*e^n - 3*b^2*c^2*d^4*e^2*n + 2*b^3*c*d^3*e^3*n + b^4*d^2*e^4*n)*a^2 - (b^2*c^3*d^6*n - b^3*c^2*d^5*e^n - b^4*c*d^4*e^2*n + b^5*d^3*e^3*n)*a)*x^{(2*n)} + (4*a^5*c*d*e^5*n + (8*c^2*d^3*e^3*n - 4*b*c*d^2*e^4*n - b^2*d*e^5*n)*a^4 + (4*c^3*d^5*e^n - 6*b^2*c*d^3*e^3*n + b^3*d^2*e^4*n)*a^3 + (4*b*c^3*d^6*n - 9*b^2*c^2*d^5*e^n + 4*b^3*c*d^4*e^2*n + b^4*d^3*e^3*n)*a^2 - (b^3*c^2*d^6*n - 2*b^4*c*d^5*e^n + b^5*d^4*e^2*n)*a)*x^n) + \text{integrate}(-(2*a^3*c^2*e^4*(4*n - 1) + b^2*c^3*d^4*(n - 1) - 3*b^3*c^2*d^3*e*(n - 1) + 3*b^4*c*d^2*e^2*(n - 1) - b^5*d*e^3*(n - 1) - 2*(b^2*c*e^4*(7*n - 2) - 2*b*c^2*d*e^3*(6*n - 1) + 6*c^3*d^2*e^2*n)*a^2 + (b^4*e^4*(3*n - 1) + 4*b*c^3*d^3*e*(3*n - 2) - 2*c^4*d^4*(2*n - 1) - 2*b^3*c*d*e^3*(n + 1) - 9*b^2*c^2*d^2*e^2*(n - 1))*a + (b*c^4*d^4*(n - 1) - 3*b^2*c^3*d^3*e*(n - 1) + 3*b^3*c^2*d^2*e^2*(n - 1) - b^4*c*d*e^3*(n - 1) - (b*c^2*e^4*(11*n - 3) - 4*c^3*d*e^3*(5*n - 1))*a^2 - (b^2*c^2*d*e^3*(3*n + 1) - b^3*c*e^4*(3*n - 1) - 4*c^4*d^3*e*(n - 1) + 6*b*c^3*d^2*e^2*(n - 1))*a)*x^n)/(4*a^6*c*e^6*n + (12*c^2*d^2*e^4*n - 12*b*c*d*e^5*n - b^2*e^6*n)*a^5 + 3*(4*c^3*d^4*e^2*n - 8*b*c^2*d^3*e^3*n + 3*b^2*c*d^2*e^4*n + b^3*d*e^5*n)*a^4 + (4*c^4*d^6*n - 12*b*c^3*d^5*e^n + 9*b^2*c^2*d^4*e^2*n + 2*b^3*c*d^3*e^3*n - 3*b^4*d^2*e^4*n)*a^3 - (b^2*c^3*d^6*n - 3*b^3*c^2*d^5*e^n + 3*b^4*c*d^4*e^2*n - b^5*d^3*e^3*n)*a^2 + (4*a^5*c^2*e^6*n + (12*c^3*d^2*e^4*n - 12*b*c^2*d*e^5*n - b^2*c*e^6*n)*a^4 + 3*(4*c^4*d^4*e^2*n - 8*b*c^3*d^3*e^3*n + 3*b^2*c^2*d^2*e^4*n + b^3*c*d*e^5*n)*a^3 + (4*c^5*d^6*n - 12*b*c^4*d^5*e^n + 9*b^2*c^3*d^4*e^2*n + 2*b^3*c^2*d^3*e^3*n - 3*b^4*c*d^2*e^4*n)*a^2 - (b^2*c^4*d^6*n - 3*b^3*c^3*d^5*e^n + 3*b^4*c^2*d^4*e^2*n - b^5*c*d^3*e^3*n)*a)*x^{(2*n)} + (4*a^5*b*c*e^6*n + (12*b*c^2*d^2*e^4*n - 12*b^2*c*d*e^5*n - b^3*e^6*n)*a^4 + 3*(4*b*c^3*d^4*e^2*n - 8*b^2*c^2*d^3*e^3*n + 3*b^3*c*d^2*e^4*n + b^4*d*e^5*n)*a^3 + (4*b*c^4*d^6*n - 12*b^2*c^3*d^5*e^n + 9*b^3*c^2*d^4*e^2*n + 2*b^4*c*d^3*e^3*n - 3*b^5*d^2*e^4*n)*a^2 - (b^3*c^3*d^6*n - 3*b^4*c^2*d^5*e^n + 3*b^5*c*d^4*e^2*n - b^6*d^3*e^3*n)*a)*x^n), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n)^2 (a + b x^n + c x^{2n})^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^2), x)

[Out] int(1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**2/(a+b*x**n+c*x**(2*n))**2, x)

[Out] Timed out

$$3.80 \quad \int \frac{(d+ex^n)^3}{(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=1707

$$\frac{\left(-e(1-n)b^3 + \left(3cd - \sqrt{b^2 - 4ac}e\right)(1-n)b^2 + c\left(2ae(2-5n) + 3\sqrt{b^2 - 4ac}d(1-n)\right)b - 2ac\left(6cd(1-2n) + \sqrt{b^2 - 4ac}d(1-n)\right)\right)}{ac(b^2 - 4ac)\left(b^2 - \sqrt{b^2 - 4ac}b - 4ac\right)n}$$

[Out] $\frac{1}{2}x(b^2cd^3 - 2acd^2(-3ae^2 + cd^2) - abe(3cd^2 + ae^2) - (ab^2e^3 + 2ace(-ae^2 + 3cd^2) - bcd(3ae^2 + cd^2))x^n)/a/c/(-4ac + b^2)/n/(a + bx^n + cx^{2n})^2 + e^2x(3b^2cd - 6ac^2d - b^3e + abc + c(-2ace - b^2e + 3bcd)x^n)/a/c^2/(-4ac + b^2)/n/(a + bx^n + cx^{2n}) - 1/2x(ab^2c^2d(3ae^2(1-9n) - 5cd^2(1-3n)) + 4a^2c^3d(-3ae^2 + cd^2)(1-4n) - 2ab^5e^3n + 2a^2b^2c^2e(3cd^2(2-3n) - 5ae^2n) - 3ab^3c^2e(-3ae^2n + cd^2) + b^4cd(c^2d^2(1-2n) + 6ae^2n) + c(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1+2n)))x^n)/a^2/c^2/(-4ac + b^2)^2/n^2/(a + bx^n + cx^{2n}) + 1/2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b - (-4ac + b^2)^{1/2})) * ((1-n)(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1+2n))) + (-2ab^5e^3(1-n)n + b^4cd(1-n)(c^2d^2(1-2n) + 6ae^2n) + 8a^2c^3d(-3ae^2 + cd^2)(8n^2 - 6n + 1) - 6ab^2c^2d(c^2d^2(3n^2 - 4n + 1) - ae^2(15n^2 - 10n + 1)) + 4a^2b^2c^2e(3cd^2(-3n^2 - n + 1) + ae^2(19n^2 - 11n + 1)) - ab^3ce(3cd^2(1-n) + ae^2(30n^2 - 19n + 1)))/(-4ac + b^2)^{1/2})/a^2/c/(-4ac + b^2)^2/n^2/(b - (-4ac + b^2)^{1/2}) + 1/2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b + (-4ac + b^2)^{1/2})) * ((1-n)(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1+2n))) + (2ab^5e^3(1-n)n - b^4cd(1-n)(c^2d^2(1-2n) + 6ae^2n) - 8a^2c^3d(-3ae^2 + cd^2)(8n^2 - 6n + 1) + 6ab^2c^2d(c^2d^2(3n^2 - 4n + 1) - ae^2(15n^2 - 10n + 1)) - 4a^2b^2c^2e(3cd^2(-3n^2 - n + 1) + ae^2(19n^2 - 11n + 1)) + ab^3ce(3cd^2(1-n) + ae^2(30n^2 - 19n + 1)))/(-4ac + b^2)^{1/2})/a^2/c/(-4ac + b^2)^2/n^2/(b + (-4ac + b^2)^{1/2}) + e^2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b + (-4ac + b^2)^{1/2})) * (-b^3e(1-n) + b^2(1-n)(3cd + e(-4ac + b^2)^{1/2}) + bcc(2ae(2-5n) - 3d(1-n)(-4ac + b^2)^{1/2}) - 2acc(6cd(1-2n) - e(1-n)(-4ac + b^2)^{1/2}))/a/c/(-4ac + b^2)/n/(b^2 - 4ac + b(-4ac + b^2)^{1/2}) + e^2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b - (-4ac + b^2)^{1/2})) * (-b^3e(1-n) + b^2(1-n)(3cd - e(-4ac + b^2)^{1/2}) + bcc(2ae(2-5n) + 3d(1-n)(-4ac + b^2)^{1/2}) - 2acc(6cd(1-2n) + e(1-n)(-4ac + b^2)^{1/2}))/a/c/(-4ac + b^2)/n/(b^2 - 4ac - b(-4ac + b^2)^{1/2})$

Rubi [A] time = 5.25, antiderivative size = 1707, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1436, 1430, 1422, 245}

result too large to display

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(d + ex^n)^3/(a + bx^n + cx^{2n})^3, x]$

[Out] $(x(b^2cd^3 - 2acd^2(-3ae^2 + cd^2) - abe(3cd^2 + ae^2) - (ab^2e^3 + 2ace(3cd^2 - ae^2) - bcd(3ae^2 + cd^2))x^n))/(2ac(b^2 - 4ac)n(a + bx^n + cx^{2n})^2) + (e^2x(3b^2cd - 6ac^2d - b^3e + abc + c(3bcd - b^2e - 2ace)x^n))/(a^2c(b^2 - 4ac)n(a + bx^n + cx^{2n})) - (x(ab^2c^2d(3ae^2(1-9n) - 5cd^2(1-3n)) + 4a^2c^3d(c^2d^2 - 3ae^2)(1-4n) - 2ab^5e^3n + 2a^2b^2c^2e(3cd^2(2-3n) - 5ae^2n) - 3ab^3c^2e(-3ae^2n + cd^2) + b^4cd(c^2d^2(1-2n) + 6ae^2n) + c(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1+2n)))x^n)/a^2/c^2/(-4ac + b^2)^2/n^2/(a + bx^n + cx^{2n})) + 1/2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b - (-4ac + b^2)^{1/2})) * ((1-n)(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1+2n))) + (-2ab^5e^3(1-n)n + b^4cd(1-n)(c^2d^2(1-2n) + 6ae^2n) + 8a^2c^3d(-3ae^2 + cd^2)(8n^2 - 6n + 1) - 6ab^2c^2d(c^2d^2(3n^2 - 4n + 1) - ae^2(15n^2 - 10n + 1)) + 4a^2b^2c^2e(3cd^2(-3n^2 - n + 1) + ae^2(19n^2 - 11n + 1)) - ab^3ce(3cd^2(1-n) + ae^2(30n^2 - 19n + 1)))/(-4ac + b^2)^{1/2})/a^2/c/(-4ac + b^2)^2/n^2/(b - (-4ac + b^2)^{1/2}) + 1/2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b + (-4ac + b^2)^{1/2})) * ((1-n)(4a^2c^2e(-ae^2 + 3cd^2)(1-3n) - 2ab^4e^3n - 2abc^2d(c^2d^2(2-7n) + 3ae^2n) + b^3cd(c^2d^2(1-2n) + 6ae^2n) - ab^2ce(3cd^2 - ae^2(1+2n))) + (2ab^5e^3(1-n)n - b^4cd(1-n)(c^2d^2(1-2n) + 6ae^2n) - 8a^2c^3d(-3ae^2 + cd^2)(8n^2 - 6n + 1) + 6ab^2c^2d(c^2d^2(3n^2 - 4n + 1) - ae^2(15n^2 - 10n + 1)) - 4a^2b^2c^2e(3cd^2(-3n^2 - n + 1) + ae^2(19n^2 - 11n + 1)) + ab^3ce(3cd^2(1-n) + ae^2(30n^2 - 19n + 1)))/(-4ac + b^2)^{1/2})/a^2/c/(-4ac + b^2)^2/n^2/(b + (-4ac + b^2)^{1/2}) + e^2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b + (-4ac + b^2)^{1/2})) * (-b^3e(1-n) + b^2(1-n)(3cd + e(-4ac + b^2)^{1/2}) + bcc(2ae(2-5n) - 3d(1-n)(-4ac + b^2)^{1/2}) - 2acc(6cd(1-2n) - e(1-n)(-4ac + b^2)^{1/2}))/a/c/(-4ac + b^2)/n/(b^2 - 4ac + b(-4ac + b^2)^{1/2}) + e^2x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2cx^n/(b - (-4ac + b^2)^{1/2})) * (-b^3e(1-n) + b^2(1-n)(3cd - e(-4ac + b^2)^{1/2}) + bcc(2ae(2-5n) + 3d(1-n)(-4ac + b^2)^{1/2}) - 2acc(6cd(1-2n) + e(1-n)(-4ac + b^2)^{1/2}))/a/c/(-4ac + b^2)/n/(b^2 - 4ac - b(-4ac + b^2)^{1/2})$

$$\begin{aligned}
& 2*b*c^2*e*(3*c*d^2*(2 - 3*n) - 5*a*e^2*n) - 3*a*b^3*c*e*(c*d^2 - 3*a*e^2*n) \\
& + b^4*c*d*(c*d^2*(1 - 2*n) + 6*a*e^2*n) + c*(4*a^2*c^2*e*(3*c*d^2 - a*e^2) \\
& *(1 - 3*n) - 2*a*b^4*e^3*n - 2*a*b*c^2*d*(c*d^2*(2 - 7*n) + 3*a*e^2*n) + b^3 \\
& *c*d*(c*d^2*(1 - 2*n) + 6*a*e^2*n) - a*b^2*c*e*(3*c*d^2 - a*e^2*(1 + 2*n)) \\
&)*x^n)/(2*a^2*c^2*(b^2 - 4*a*c)^2*n^2*(a + b*x^n + c*x^(2*n))) + (e^2*(b*c \\
& *(2*a*e*(2 - 5*n) + 3*sqrt[b^2 - 4*a*c]*d*(1 - n)) - 2*a*c*(6*c*d*(1 - 2*n) \\
& + sqrt[b^2 - 4*a*c]*e*(1 - n)) - b^3*e*(1 - n) + b^2*(3*c*d - sqrt[b^2 - 4 \\
& *a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b \\
& - sqrt[b^2 - 4*a*c])]/(a*c*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*sqrt[b^2 - 4*a*c] \\
&)*n) + (((1 - n)*(4*a^2*c^2*e*(3*c*d^2 - a*e^2)*(1 - 3*n) - 2*a*b^4*e^3*n \\
& - 2*a*b*c^2*d*(c*d^2*(2 - 7*n) + 3*a*e^2*n) + b^3*c*d*(c*d^2*(1 - 2*n) + 6 \\
& *a*e^2*n) - a*b^2*c*e*(3*c*d^2 - a*e^2*(1 + 2*n))) - (2*a*b^5*e^3*(1 - n)*n \\
& - b^4*c*d*(1 - n)*(c*d^2*(1 - 2*n) + 6*a*e^2*n) - 8*a^2*c^3*d*(c*d^2 - 3*a \\
& *e^2)*(1 - 6*n + 8*n^2) + 6*a*b^2*c^2*d*(c*d^2*(1 - 4*n + 3*n^2) - a*e^2*(1 \\
& - 10*n + 15*n^2)) - 4*a^2*b*c^2*e*(3*c*d^2*(1 - n - 3*n^2) + a*e^2*(1 - 11*n \\
& + 19*n^2)) + a*b^3*c*e*(3*c*d^2*(1 - n) + a*e^2*(1 - 19*n + 30*n^2)))/sqrt \\
& [b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \\
& sqrt[b^2 - 4*a*c])]/(2*a^2*c*(b^2 - 4*a*c)^2*(b - sqrt[b^2 - 4*a*c])*n^2) \\
& + (e^2*(b*c*(2*a*e*(2 - 5*n) - 3*sqrt[b^2 - 4*a*c]*d*(1 - n)) - 2*a*c*(6*c \\
& *d*(1 - 2*n) - sqrt[b^2 - 4*a*c]*e*(1 - n)) - b^3*e*(1 - n) + b^2*(3*c*d + S \\
& qrt[b^2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2 \\
& *c*x^n)/(b + sqrt[b^2 - 4*a*c])]/(a*c*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*sqrt[\\
& b^2 - 4*a*c])*n) + (((1 - n)*(4*a^2*c^2*e*(3*c*d^2 - a*e^2)*(1 - 3*n) - 2*a \\
& *b^4*e^3*n - 2*a*b*c^2*d*(c*d^2*(2 - 7*n) + 3*a*e^2*n) + b^3*c*d*(c*d^2*(1 \\
& - 2*n) + 6*a*e^2*n) - a*b^2*c*e*(3*c*d^2 - a*e^2*(1 + 2*n))) + (2*a*b^5*e^3 \\
& *(1 - n)*n - b^4*c*d*(1 - n)*(c*d^2*(1 - 2*n) + 6*a*e^2*n) - 8*a^2*c^3*d*(c \\
& *d^2 - 3*a*e^2)*(1 - 6*n + 8*n^2) + 6*a*b^2*c^2*d*(c*d^2*(1 - 4*n + 3*n^2) \\
& - a*e^2*(1 - 10*n + 15*n^2)) - 4*a^2*b*c^2*e*(3*c*d^2*(1 - n - 3*n^2) + a*e \\
& ^2*(1 - 11*n + 19*n^2)) + a*b^3*c*e*(3*c*d^2*(1 - n) + a*e^2*(1 - 19*n + 30 \\
& *n^2)))/sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c \\
& *x^n)/(b + sqrt[b^2 - 4*a*c])]/(2*a^2*c*(b^2 - 4*a*c)^2*(b + sqrt[b^2 - 4* \\
& a*c])*n^2)
\end{aligned}$$

Rule 245

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])

```

Rule 1422

```

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])

```

Rule 1430

```

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]

```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned} \int \frac{(d + ex^n)^3}{(a + bx^n + cx^{2n})^3} dx &= \int \left(\frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{c^2 (a + bx^n + cx^{2n})^3} + \frac{e^2 (3cd - be + cex^n)}{c^2 (a + bx^n + cx^{2n})^2} \right) dx \\ &= \frac{\int \frac{c^2 d^3 - 3acde^2 + abe^3 + (3c^2 d^2 e - 3bcde^2 + b^2 e^3 - ace^3) x^n}{(a + bx^n + cx^{2n})^3} dx}{c^2} + \frac{e^2 \int \frac{3cd - be + cex^n}{(a + bx^n + cx^{2n})^2} dx}{c^2} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd^2)}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd^2)}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd^2)}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \\ &= \frac{x (b^2 cd^3 - 2acd (cd^2 - 3ae^2) - abe (3cd^2 + ae^2) - (ab^2 e^3 + 2ace (3cd^2 - ae^2) - bcd^2)}{2ac (b^2 - 4ac) n (a + bx^n + cx^{2n})^2} \end{aligned}$$

Mathematica [B] time = 7.79, size = 13018, normalized size = 7.63

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^3, x]

[Out] Result too large to show

fricas [F] time = 1.20, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{e^3 x^{3n} + 3 d e^2 x^{2n} + 3 d^2 e x^n + d^3}{c^3 x^{6n} + b^3 x^{3n} + 3 a b^2 x^{2n} + 3 a^2 b x^n + a^3 + 3 (b c^2 x^n + a c^2) x^{4n} + 3 (b^2 c x^{2n} + 2 a b c x^n + a^2 c) x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)/(c^3*x^(6*n) + b^3*x^(3*n) + 3*a*b^2*x^(2*n) + 3*a^2*b*x^n + a^3 + 3*(b*c^2*x^n + a*c^2)*x^(4*n) + 3*(b^2*c*x^(2*n) + 2*a*b*c*x^n + a^2*c)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^3}{(cx^{2n} + bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate((e*x^n + d)^3/(c*x^(2*n) + b*x^n + a)^3, x)

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^3}{(b x^n + c x^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a)^3,x)

[Out] int((e*x^n+d)^3/(b*x^n+c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3/(a+b*x^n+c*x^(2*n))^3,x, algorithm="maxima")

[Out] 1/2*((b^3*c^2*d^3*(2*n - 1) + 4*a^3*c^2*e^3*(n + 1) + (12*c^3*d^2*e*(3*n - 1) + b^2*c*e^3*(2*n - 1) - 18*b*c^2*d*e^2*n)*a^2 - (2*b*c^3*d^3*(7*n - 2) - 3*b^2*c^2*d^2*e)*a)*x*x^(3*n) + (2*b^4*c*d^3*(2*n - 1) + 2*(b*c*e^3*(3*n + 2) + 6*c^2*d*e^2)*a^3 - (3*b^2*c*d*e^2*(9*n + 1) - 6*b*c^2*d^2*e*(9*n - 4) - 4*c^3*d^3*(4*n - 1) - b^3*e^3*(3*n - 1))*a^2 - (b^2*c^2*d^3*(29*n - 9) - 6*b^3*c*d^2*e)*a)*x*x^(2*n) + (b^5*d^3*(2*n - 1) - 4*a^4*c*e^3*(n - 1) + (b^2*e^3*(10*n - 1) + 12*c^2*d^2*e*(5*n - 1) - 6*b*c*d*e^2*(5*n - 2))*a^3 + (3*b^2*c*d^2*e*(4*n - 3) - 3*b^3*d*e^2*(2*n + 1) - 2*b*c^2*d^3*n)*a^2 - (4*b^3*c*d^3*(3*n - 1) - 3*b^4*d^2*e)*a)*x*x^n + (a*b^4*d^3*(3*n - 1) - 6*(2*c*d*e^2*(2*n - 1) - b*e^3*n)*a^4 + (4*c^2*d^3*(6*n - 1) + 6*b*c*d^2*e*(5*n - 2) - 3*b^2*d*e^2*(n + 1))*a^3 - (b^2*c*d^3*(21*n - 5) + 3*b^3*d^2*e*(n - 1))*a^2)*x)/(a^4*b^4*n^2 - 8*a^5*b^2*c*n^2 + 16*a^6*c^2*n^2 + (a^2*b^4*c^2*n^2 - 8*a^3*b^2*c^3*n^2 + 16*a^4*c^4*n^2)*x^(4*n) + 2*(a^2*b^5*c*n^2 - 8*a^3*b^3*c^2*n^2 + 16*a^4*b*c^3*n^2)*x^(3*n) + (a^2*b^6*n^2 - 6*a^3*b^4*c*n^2 + 32*a^5*c^3*n^2)*x^(2*n) + 2*(a^3*b^5*n^2 - 8*a^4*b^3*c*n^2 + 16*a^5*b*c^2*n^2)*x^n) + integrate(1/2*((2*n^2 - 3*n + 1)*b^4*d^3 + 6*(2*c*d*e^2*(2*n - 1) - b*e^3*n)*a^3 + (4*(8*n^2 - 6*n + 1)*c^2*d^3 - 6*b*c*d^2*e*(5*n - 2) + 3*b^2*d*e^2*(n + 1))*a^2 - ((16*n^2 - 21*n + 5)*b^2*c*d^3 - 3*b^3*d^2*e*(n - 1))*a + ((2*n^2 - 3*n + 1)*b^3*c*d^3 + 4*(n^2 - 1)*a^3*c*e^3 + (12*(3*n^2 - 4*n + 1)*c^2*d^2*e - 18*(n^2 - n)*b*c*d*e^2 + (2*n^2 - 3*n + 1)*b^2*e^3)*a^2 - (2*(7*n^2 - 9*n + 2)*b*c^2*d^3 - 3*b^2*c*d^2*e*(n - 1))*a)*x^n)/(a^3*b^4*n^2 - 8*a^4*b^2*c*n^2 + 16*a^5*c^2*n^2 + (a^2*b^4*c*n^2 - 8*a^3*b^2*c^2*n^2 + 16*a^4*c^3*n^2)*x^(2*n) + (a^2*b^5*n^2 - 8*a^3*b^3*c*n^2 + 16*a^4*b*c^2*n^2)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^3}{(a + b x^n + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^3,x)

[Out] int((d + e*x^n)^3/(a + b*x^n + c*x^(2*n))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**3/(a+b*x**n+c*x**(2*n))**3,x)

[Out] Timed out

3.81
$$\int \frac{(d+ex^n)^2}{(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=1191

$$\frac{\left(-((1-n)b^2) - \sqrt{b^2-4ac}(1-n)b + 4ac(1-2n)\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}\right) e^2 \left(-((1-n)b^2) + \sqrt{b^2-4ac}(1-n)b + 4ac(1-2n)\right)}{a(b^2-4ac)\left(b^2 - \sqrt{b^2-4ac}b - 4ac\right)n}$$

[Out] 1/2*x*(b^2*d^2-2*a*b*d*e-2*a*(c*d^2-a*e^2)+(a*b*e^2-4*a*c*d*e+b*c*d^2)*x^n)/a/(-4*a*c+b^2)/n/(a+b*x^n+c*x^(2*n))^2+e^2*x*(b^2-2*a*c+b*c*x^n)/a/c/(-4*a*c+b^2)/n/(a+b*x^n+c*x^(2*n))+1/2*x*(2*a*b^3*c*d*e-a*b^2*c*(a*e^2*(1-9*n)-5*c*d^2*(1-3*n))-4*a^2*c^2*(-a*e^2+c*d^2)*(1-4*n)-4*a^2*b*c^2*d*e*(2-3*n)-b^4*(c*d^2*(1-2*n)+2*a*e^2*n)+c*(2*a*b^2*c*d*e-8*a^2*c^2*d*e*(1-3*n)+2*a*b*c*(c*d^2*(2-7*n)+a*e^2*n)-b^3*(c*d^2*(1-2*n)+2*a*e^2*n))*x^n)/a^2/c/(-4*a*c+b^2)^2/n^2/(a+b*x^n+c*x^(2*n))-1/2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((1-n)*(2*a*b^2*c*d*e-8*a^2*c^2*d*e*(1-3*n)+2*a*b*c*(c*d^2*(2-7*n)+a*e^2*n)-b^3*(c*d^2*(1-2*n)+2*a*e^2*n))+(2*a*b^3*c*d*e*(1-n)-b^4*(1-n)*(c*d^2*(1-2*n)+2*a*e^2*n)-8*a^2*b*c^2*d*e*(-3*n^2-n+1)-8*a^2*c^2*(-a*e^2+c*d^2)*(8*n^2-6*n+1)+2*a*b^2*c*(3*c*d^2*(3*n^2-4*n+1)-a*e^2*(15*n^2-10*n+1)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2/n^2/(b-(-4*a*c+b^2)^(1/2))-1/2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((1-n)*(2*a*b^2*c*d*e-8*a^2*c^2*d*e*(1-3*n)+2*a*b*c*(c*d^2*(2-7*n)+a*e^2*n)-b^3*(c*d^2*(1-2*n)+2*a*e^2*n))+(-2*a*b^3*c*d*e*(1-n)+b^4*(1-n)*(c*d^2*(1-2*n)+2*a*e^2*n)+8*a^2*b*c^2*d*e*(-3*n^2-n+1)+8*a^2*c^2*(-a*e^2+c*d^2)*(8*n^2-6*n+1)-2*a*b^2*c*(3*c*d^2*(3*n^2-4*n+1)-a*e^2*(15*n^2-10*n+1)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2/n^2/(b+(-4*a*c+b^2)^(1/2))-e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(4*a*c*(1-2*n)-b^2*(1-n)-b*(1-n)*(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)/n/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))-e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(4*a*c*(1-2*n)-b^2*(1-n)+b*(1-n)*(-4*a*c+b^2)^(1/2))/a/(-4*a*c+b^2)/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))

Rubi [A] time = 4.01, antiderivative size = 1191, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1436, 1430, 1422, 245, 1345}

$$\frac{\left(-((1-n)b^2) - \sqrt{b^2-4ac}(1-n)b + 4ac(1-2n)\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}\right) e^2 \left(-((1-n)b^2) + \sqrt{b^2-4ac}(1-n)b + 4ac(1-2n)\right)}{a(b^2-4ac)\left(b^2 - \sqrt{b^2-4ac}b - 4ac\right)n}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^3,x]

[Out] (x*(b^2*d^2 - 2*a*b*d*e - 2*a*(c*d^2 - a*e^2) + (b*c*d^2 - 4*a*c*d*e + a*b*e^2)*x^n))/(2*a*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))^2) + (e^2*x*(b^2 - 2*a*c + b*c*x^n))/(a*c*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))) + (x*(2*a*b^3*c*d*e - a*b^2*c*(a*e^2*(1 - 9*n) - 5*c*d^2*(1 - 3*n)) - 4*a^2*c^2*(c*d^2 - a*e^2)*(1 - 4*n) - 4*a^2*b*c^2*d*e*(2 - 3*n) - b^4*(c*d^2*(1 - 2*n) + 2*a*e^2*n) + c*(2*a*b^2*c*d*e - 8*a^2*c^2*d*e*(1 - 3*n) + 2*a*b*c*(c*d^2*(2 - 7*n) + a*e^2*n) - b^3*(c*d^2*(1 - 2*n) + 2*a*e^2*n))*x^n)/(2*a^2*c*(b^2 - 4*a*c)^2*n^2*(a + b*x^n + c*x^(2*n))) - (e^2*(4*a*c*(1 - 2*n) - b^2*(1 - n) - b*Sqrt[b^2 - 4*a*c]*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*n) - (((1 - n)*(2*a*b^2*c*d*e - 8*a^2*c^2*d*e*(1 - 3*n) + 2*a*b*c*(c*d^2*(2 - 7*n) + a*e^2*n) - b^3*(c*d^2*(1 - 2*n) + 2*a*e^2*n)) + (

$$2*a*b^3*c*d*e*(1-n) - b^4*(1-n)*(c*d^2*(1-2*n) + 2*a*e^2*n) - 8*a^2*b*c^2*d*e*(1-n-3*n^2) - 8*a^2*c^2*(c*d^2 - a*e^2)*(1-6*n+8*n^2) + 2*a*b^2*c*(3*c*d^2*(1-4*n+3*n^2) - a*e^2*(1-10*n+15*n^2))/\text{Sqrt}[b^2 - 4*a*c]*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1+n^{(-1)}, (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])]/(2*a^2*(b^2 - 4*a*c)^2*(b - \text{Sqrt}[b^2 - 4*a*c])*n^2) - (e^2*(4*a*c*(1-2*n) - b^2*(1-n) + b*\text{Sqrt}[b^2 - 4*a*c]*(1-n))*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1+n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*n) - (((1-n)*(2*a*b^2*c*d*e - 8*a^2*c^2*d*e*(1-3*n) + 2*a*b*c*(c*d^2*(2-7*n) + a*e^2*n) - b^3*(c*d^2*(1-2*n) + 2*a*e^2*n)) - (2*a*b^3*c*d*e*(1-n) - b^4*(1-n)*(c*d^2*(1-2*n) + 2*a*e^2*n) - 8*a^2*b*c^2*d*e*(1-n-3*n^2) - 8*a^2*c^2*(c*d^2 - a*e^2)*(1-6*n+8*n^2) + 2*a*b^2*c*(3*c*d^2*(1-4*n+3*n^2) - a*e^2*(1-10*n+15*n^2)))/\text{Sqrt}[b^2 - 4*a*c])*x*\text{Hypergeometric2F1}[1, n^{(-1)}, 1+n^{(-1)}, (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(2*a^2*(b^2 - 4*a*c)^2*(b + \text{Sqrt}[b^2 - 4*a*c])*n^2)$$

Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] || GtQ[a, 0])
```

Rule 1345

```
Int[((a_) + (c_.)*(x_)^(n2_)) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] := -Simp[(x*(b^2 - 2*a*c + b*c*x^n)*(a + b*x^n + c*x^(2*n))^(p+1))/(a*n*(p+1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p+1)*(b^2 - 4*a*c)), Int[(b^2 - 2*a*c + n*(p+1)*(b^2 - 4*a*c) + b*c*(n*(2*p+3) + 1)*x^n)*(a + b*x^n + c*x^(2*n))^(p+1), x], x] /; FreeQ[{a, b, c, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_)) + (c_.)*(x_)^(n2_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a*c] || !IGtQ[n/2, 0])
```

Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_)) + (c_.)*(x_)^(n2_)]^(p_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(a + b*x^n + c*x^(2*n))^(p+1))/(a*n*(p+1)*(b^2 - 4*a*c)), x] + Dist[1/(a*n*(p+1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c*x^(2*n))^(p+1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_)) + (c_.)*(x_)^(n2_)]^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegerQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned}
\int \frac{(d + ex^n)^2}{(a + bx^n + cx^{2n})^3} dx &= \int \left(\frac{cd^2 - ae^2 + (2cde - be^2)x^n}{c(a + bx^n + cx^{2n})^3} + \frac{e^2}{c(a + bx^n + cx^{2n})^2} \right) dx \\
&= \frac{\int \frac{cd^2 - ae^2 + (2cde - be^2)x^n}{(a + bx^n + cx^{2n})^3} dx}{c} + \frac{e^2 \int \frac{1}{(a + bx^n + cx^{2n})^2} dx}{c} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + b^2n)}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + b^2n)}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + b^2n)}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})} \\
&= \frac{x(b^2d^2 - 2abde - 2a(cd^2 - ae^2) + (bcd^2 - 4acde + abe^2)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2 - 2ac + b^2n)}{ac(b^2 - 4ac)n(a + bx^n + cx^{2n})}
\end{aligned}$$

Mathematica [B] time = 6.87, size = 10910, normalized size = 9.16

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^3,x]

[Out] Result too large to show

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{e^2x^{2n} + 2dex^n + d^2}{c^3x^{6n} + b^3x^{3n} + 3ab^2x^{2n} + 3a^2bx^n + a^3 + 3(bc^2x^n + ac^2)x^{4n} + 3(b^2cx^{2n} + 2abcx^n + a^2c)x^{2n}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)/(c^3*x^(6*n) + b^3*x^(3*n) + 3*a*b^2*x^(2*n) + 3*a^2*b*x^n + a^3 + 3*(b*c^2*x^n + a*c^2)*x^(4*n) + 3*(b^2*c*x^(2*n) + 2*a*b*c*x^n + a^2*c)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex^n + d)^2}{(cx^{2n} + bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate((e*x^n + d)^2/(c*x^(2*n) + b*x^n + a)^3, x)

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{(e x^n + d)^2}{(b x^n + c x^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)^2/(b*x^n+c*x^(2*n)+a)^3,x)

[Out] int((e*x^n+d)^2/(b*x^n+c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(b^3 c^2 d^2 (2n - 1) + 2(4c^3 d e (3n - 1) - 3bc^2 e^2 n) a^2 - 2(bc^3 d^2 (7n - 2) - b^2 c^2 d e) a) x x^{3n} + (2b^4 c d^2 (2n - 1) + 4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^3,x, algorithm="maxima")

[Out] 1/2*((b^3*c^2*d^2*(2*n - 1) + 2*(4*c^3*d*e*(3*n - 1) - 3*b*c^2*e^2*n)*a^2 - 2*(b*c^3*d^2*(7*n - 2) - b^2*c^2*d*e)*a)*x*x^(3*n) + (2*b^4*c*d^2*(2*n - 1) + 4*a^3*c^2*e^2 - (b^2*c*e^2*(9*n + 1) - 4*b*c^2*d*e*(9*n - 4) - 4*c^3*d^2*(4*n - 1))*a^2 - (b^2*c^2*d^2*(29*n - 9) - 4*b^3*c*d*e)*a)*x*x^(2*n) + (b^5*d^2*(2*n - 1) + 2*(4*c^2*d*e*(5*n - 1) - b*c*e^2*(5*n - 2))*a^3 + (2*b^2*c*d*e*(4*n - 3) - b^3*e^2*(2*n + 1) - 2*b*c^2*d^2*n)*a^2 - 2*(2*b^3*c*d^2*(3*n - 1) - b^4*d*e)*a)*x*x^n + (a*b^4*d^2*(3*n - 1) - 4*a^4*c*e^2*(2*n - 1) + (4*c^2*d^2*(6*n - 1) + 4*b*c*d*e*(5*n - 2) - b^2*e^2*(n + 1))*a^3 - (b^2*c*d^2*(21*n - 5) + 2*b^3*d*e*(n - 1))*a^2)*x)/(a^4*b^4*n^2 - 8*a^5*b^2*c*n^2 + 16*a^6*c^2*n^2 + (a^2*b^4*c^2*n^2 - 8*a^3*b^2*c^3*n^2 + 16*a^4*c^4*n^2)*x^(4*n) + 2*(a^2*b^5*c*n^2 - 8*a^3*b^3*c^2*n^2 + 16*a^4*b*c^3*n^2)*x^(3*n) + (a^2*b^6*n^2 - 6*a^3*b^4*c*n^2 + 32*a^5*c^3*n^2)*x^(2*n) + 2*(a^3*b^5*n^2 - 8*a^4*b^3*c*n^2 + 16*a^5*b*c^2*n^2)*x^n) - integrate(-1/2*((2*n^2 - 3*n + 1)*b^4*d^2 + 4*a^3*c*e^2*(2*n - 1) + (4*(8*n^2 - 6*n + 1)*c^2*d^2 - 4*b*c*d*e*(5*n - 2) + b^2*e^2*(n + 1))*a^2 - ((16*n^2 - 21*n + 5)*b^2*c*d^2 - 2*b^3*d*e*(n - 1))*a + ((2*n^2 - 3*n + 1)*b^3*c*d^2 + 2*(4*(3*n^2 - 4*n + 1)*c^2*d*e - 3*(n^2 - n)*b*c*e^2))*a^2 - 2*((7*n^2 - 9*n + 2)*b*c^2*d^2 - b^2*c*d*e*(n - 1))*a)*x^n)/(a^3*b^4*n^2 - 8*a^4*b^2*c*n^2 + 16*a^5*c^2*n^2 + (a^2*b^4*c*n^2 - 8*a^3*b^2*c^2*n^2 + 16*a^4*c^3*n^2)*x^(2*n) + (a^2*b^5*n^2 - 8*a^3*b^3*c*n^2 + 16*a^4*b*c^2*n^2)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(d + e x^n)^2}{(a + b x^n + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^3,x)

[Out] int((d + e*x^n)^2/(a + b*x^n + c*x^(2*n))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2/(a+b*x**n+c*x**(2*n))**3,x)

[Out] Timed out

3.82
$$\int \frac{d+ex^n}{(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=713

$$\frac{x \left(cx^n \left(-4a^2ce(1-3n) + ab^2e + 2abcd(2-7n) + b^3(-d)(1-2n) \right) - 2a^2bce(2-3n) - 4a^2c^2d(1-4n) + ab^3e + 5abcd \right)}{2a^2n^2 (b^2 - 4ac)^2 (a + bx^n + cx^{2n})}$$

[Out] 1/2*x*(b^2*d-2*a*c*d-a*b*e+c*(-2*a*e+b*d)*x^n)/a/(-4*a*c+b^2)/n/(a+b*x^n+c*x^(2*n))^2+1/2*x*(a*b^3*e-4*a^2*c^2*d*(1-4*n)+5*a*b^2*c*d*(1-3*n)-2*a^2*b*c*e*(2-3*n)-b^4*d*(1-2*n)+c*(a*b^2*e+2*a*b*c*d*(2-7*n)-4*a^2*c*e*(1-3*n)-b^3*d*(1-2*n))*x^n)/a^2/(-4*a*c+b^2)^2/n^2/(a+b*x^n+c*x^(2*n))+1/2*c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*(-b^4*d*(2*n^2-3*n+1)+a*b^2*(1-n)*(6*c*d*(1-3*n)+e*(-4*a*c+b^2)^(1/2))+b^3*(1-n)*(a*e-d*(1-2*n))*(-4*a*c+b^2)^(1/2))-4*a^2*c*(2*c*d*(8*n^2-6*n+1)+e*(3*n^2-4*n+1)*(-4*a*c+b^2)^(1/2))-2*a*b*c*(2*a*e*(-3*n^2-n+1)-d*(7*n^2-9*n+2)*(-4*a*c+b^2)^(1/2)))/a^2/(-4*a*c+b^2)^2/n^2/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))-1/2*c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(b^4*d*(2*n^2-3*n+1)+a*b^2*(1-n)*(-6*c*d*(1-3*n)+e*(-4*a*c+b^2)^(1/2))-b^3*(1-n)*(a*e+d*(1-2*n))*(-4*a*c+b^2)^(1/2))-4*a^2*c*(-2*c*d*(8*n^2-6*n+1)+e*(3*n^2-4*n+1)*(-4*a*c+b^2)^(1/2))+2*a*b*c*(2*a*e*(-3*n^2-n+1)+d*(7*n^2-9*n+2)*(-4*a*c+b^2)^(1/2)))/a^2/(-4*a*c+b^2)^2/n^2/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))

Rubi [A] time = 1.66, antiderivative size = 713, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {1430, 1422, 245}

$$\frac{x \left(cx^n \left(-4a^2ce(1-3n) + ab^2e + 2abcd(2-7n) + b^3(-d)(1-2n) \right) - 2a^2bce(2-3n) - 4a^2c^2d(1-4n) + 5ab^2cd(1-4n) \right)}{2a^2n^2 (b^2 - 4ac)^2 (a + bx^n + cx^{2n})}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^3,x]

[Out] (x*(b^2*d - 2*a*c*d - a*b*e + c*(b*d - 2*a*e)*x^n))/(2*a*(b^2 - 4*a*c)*n*(a + b*x^n + c*x^(2*n))^2) + (x*(a*b^3*e - 4*a^2*c^2*d*(1 - 4*n) + 5*a*b^2*c*d*(1 - 3*n) - 2*a^2*b*c*e*(2 - 3*n) - b^4*d*(1 - 2*n) + c*(a*b^2*e + 2*a*b*c*d*(2 - 7*n) - 4*a^2*c*e*(1 - 3*n) - b^3*d*(1 - 2*n))*x^n))/(2*a^2*(b^2 - 4*a*c)^2*n^2*(a + b*x^n + c*x^(2*n))) + (c*(a*b^2*(Sqrt[b^2 - 4*a*c]*e + 6*c*d*(1 - 3*n))*(1 - n) + b^3*(a*e - Sqrt[b^2 - 4*a*c]*d*(1 - 2*n))*(1 - n) - b^4*d*(1 - 3*n + 2*n^2) - 2*a*b*c*(2*a*e*(1 - n - 3*n^2) - Sqrt[b^2 - 4*a*c]*d*(2 - 9*n + 7*n^2)) - 4*a^2*c*(Sqrt[b^2 - 4*a*c]*e*(1 - 4*n + 3*n^2) + 2*c*d*(1 - 6*n + 8*n^2)))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(2*a^2*(b^2 - 4*a*c)^2*(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*n^2) - (c*(a*b^2*(Sqrt[b^2 - 4*a*c]*e - 6*c*d*(1 - 3*n))*(1 - n) - b^3*(a*e + Sqrt[b^2 - 4*a*c]*d*(1 - 2*n))*(1 - n) + b^4*d*(1 - 3*n + 2*n^2) + 2*a*b*c*(2*a*e*(1 - n - 3*n^2) + Sqrt[b^2 - 4*a*c]*d*(2 - 9*n + 7*n^2)) - 4*a^2*c*(Sqrt[b^2 - 4*a*c]*e*(1 - 4*n + 3*n^2) - 2*c*d*(1 - 6*n + 8*n^2)))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(2*a^2*(b^2 - 4*a*c)^2*(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*n^2)

Rule 245

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F1[-p, 1/n, 1/n + 1, -(b*x^n/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||

GtQ[a, 0])

Rule 1422

```
Int[((d_) + (e_)*(x_)^(n_))/((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

Rule 1430

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{(a + bx^n + cx^{2n})^3} dx &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} - \frac{\int \frac{-abe - 2acd(1-4n) + b^2(d-2dn) + c(bd-2ae)(1-3n)x^n}{(a+bx^n+cx^{2n})^2} dx}{2a(b^2 - 4ac)n} \\ &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{x(ab^3e - 4a^2c^2d(1 - 4n) + 5ab^2cd(1 - 3n))}{2a(b^2 - 4ac)n} \\ &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{x(ab^3e - 4a^2c^2d(1 - 4n) + 5ab^2cd(1 - 3n))}{2a(b^2 - 4ac)n} \\ &= \frac{x(b^2d - 2acd - abe + c(bd - 2ae)x^n)}{2a(b^2 - 4ac)n(a + bx^n + cx^{2n})^2} + \frac{x(ab^3e - 4a^2c^2d(1 - 4n) + 5ab^2cd(1 - 3n))}{2a(b^2 - 4ac)n} \end{aligned}$$

Mathematica [B] time = 6.60, size = 8593, normalized size = 12.05

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^3, x]

[Out] Result too large to show

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{ex^n + d}{c^3x^{6n} + b^3x^{3n} + 3ab^2x^{2n} + 3a^2bx^n + a^3 + 3(bc^2x^n + ac^2)x^{4n} + 3(b^2cx^{2n} + 2abcx^n + a^2c)x^{2n}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral((e*x^n + d)/(c^3*x^(6*n) + b^3*x^(3*n) + 3*a*b^2*x^(2*n) + 3*a^2*b*x^n + a^3 + 3*(b*c^2*x^n + a*c^2)*x^(4*n) + 3*(b^2*c*x^(2*n) + 2*a*b*c*x^n + a^2*c)*x^(2*n)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a)^3, x)

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(bx^n + cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^3,x)

[Out] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(4a^2c^3e(3n-1) + b^3c^2d(2n-1) - (2bc^3d(7n-2) - b^2c^2e)a)xx^{3n} + (2b^4cd(2n-1) + 2(bc^2e(9n-4) + 2c^3d(4n-1))a^2)xx^{2n} + (2b^5cd(2n-1) + 2(bc^2e(5n-1) + 2c^3d(3n-1))a^2)xx^n + (2b^6cd(2n-1) + 2(bc^2e(1n-1) + 2c^3d(1n-1))a^2)}{2(a^4b^4n^2 - 8a^5b^2cn^2 + 16a^6c^2n^2 + (a^2b^4c^2n^2 - 8a^3b^2c^2n^2 + 16a^4b^2c^2n^2 - 8a^5b^2c^2n^2 + 16a^6b^2c^2n^2))x^{4n} + 2(a^2b^5c^2n^2 - 8a^3b^4c^2n^2 + 16a^4b^3c^2n^2 - 8a^5b^3c^2n^2 + 16a^6b^3c^2n^2)x^{3n} + (a^2b^6c^2n^2 - 6a^3b^4c^2n^2 + 32a^4b^3c^2n^2 - 8a^5b^3c^2n^2 + 16a^6b^3c^2n^2)x^{2n} + (a^2b^5c^2n^2 - 8a^3b^3c^2n^2 + 16a^4b^2c^2n^2)x^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^3,x, algorithm="maxima")

[Out] 1/2*((4*a^2*c^3*e*(3*n - 1) + b^3*c^2*d*(2*n - 1) - (2*b*c^3*d*(7*n - 2) - b^2*c^2*e)*a)*x*x^(3*n) + (2*b^4*c*d*(2*n - 1) + 2*(b*c^2*e*(9*n - 4) + 2*c^3*d*(4*n - 1))*a^2 - (b^2*c^2*d*(29*n - 9) - 2*b^3*c*e)*a)*x*x^(2*n) + (4*a^3*c^2*e*(5*n - 1) + b^5*d*(2*n - 1) + (b^2*c*e*(4*n - 3) - 2*b*c^2*d*n)*a^2 - (4*b^3*c*d*(3*n - 1) - b^4*e)*a)*x*x^n + (a*b^4*d*(3*n - 1) + 2*(2*c^2*d*(6*n - 1) + b*c*e*(5*n - 2))*a^3 - (b^2*c*d*(21*n - 5) + b^3*e*(n - 1))*a^2)*x)/(a^4*b^4*n^2 - 8*a^5*b^2*c*n^2 + 16*a^6*c^2*n^2 + (a^2*b^4*c^2*n^2 - 8*a^3*b^2*c^2*n^2 + 16*a^4*c^4*n^2)*x^(4*n) + 2*(a^2*b^5*c*n^2 - 8*a^3*b^3*c^2*n^2 + 16*a^4*b*c^3*n^2)*x^(3*n) + (a^2*b^6*n^2 - 6*a^3*b^4*c*n^2 + 32*a^5*c^3*n^2)*x^(2*n) + 2*(a^3*b^5*n^2 - 8*a^4*b^3*c*n^2 + 16*a^5*b*c^2*n^2)*x^n) + integrate(1/2*((2*n^2 - 3*n + 1)*b^4*d + 2*(2*(8*n^2 - 6*n + 1)*c^2*d - b*c*e*(5*n - 2))*a^2 - ((16*n^2 - 21*n + 5)*b^2*c*d - b^3*e*(n - 1))*a + ((2*n^2 - 3*n + 1)*b^3*c*d + 4*(3*n^2 - 4*n + 1)*a^2*c^2*e - (2*(7*n^2 - 9*n + 2)*b*c^2*d - b^2*c*e*(n - 1))*a)*x^n)/(a^3*b^4*n^2 - 8*a^4*b^2*c*n^2 + 16*a^5*c^2*n^2 + (a^2*b^4*c*n^2 - 8*a^3*b^2*c^2*n^2 + 16*a^4*c^3*n^2)*x^(2*n) + (a^2*b^5*n^2 - 8*a^3*b^3*c*n^2 + 16*a^4*b*c^2*n^2)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^3,x)

```
[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**3,x)
```

```
[Out] Timed out
```

3.83
$$\int \frac{1}{(d+ex^n)(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=1708

$$\frac{x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{ex^n}{d}\right) e^6 c \left(2cd - \left(b + \sqrt{b^2 - 4ac}\right) e\right) x {}_2F_1\left(1, \frac{1}{n}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right) e^4 c \left(2cd - \left(b - \sqrt{b^2 - 4ac}\right) e\right)}{d \left(cd^2 - bed + ae^2\right)^3 \left(b^2 - \sqrt{b^2 - 4ac} b - 4ac\right) \left(cd^2 - bed + ae^2\right)^3 \left(b^2 + \sqrt{b^2 - 4ac} b + 4ac\right)}$$

[Out] $\frac{1}{2} x (b^2 c d - 2 a^2 c^2 d - b^3 e + 3 a b c e + c (b c d - b^2 e + 2 a c e) x^n) / a / (-4 a^2 c + b^2) / (a e^2 - b d e + c d^2) / n / (a + b x^n + c x^{2n})^2 + e^2 x (b^2 c d - 2 a^2 c^2 d - b^3 e + 3 a b c e + c (b c d - b^2 e + 2 a c e) x^n) / a / (-4 a^2 c + b^2) / (a e^2 - b d e + c d^2)^2 / n / (a + b x^n + c x^{2n}) + 1/2 x (2 a^2 b c^2 e (4 - 11 n) - 3 a b^3 c e (2 - 5 n) - 4 a^2 c^3 d (1 - 4 n) + 5 a b^2 c^2 d (1 - 3 n) - b^4 c d (1 - 2 n) + b^5 (e - 2 e^n) - c (a b^2 c e (5 - 14 n) - 2 a b c^2 d (2 - 7 n) - 4 a^2 c^2 e (1 - 3 n) + b^3 c d (1 - 2 n) - b^4 e (1 - 2 n)) x^n) / a^2 / (-4 a^2 c + b^2)^2 / (a e^2 - b d e + c d^2) / n^2 / (a + b x^n + c x^{2n}) + e^6 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -e x^n/d) / d / (a e^2 - b d e + c d^2)^3 - c e^4 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (2 c d - e (b - (-4 a^2 c + b^2)^{1/2})) / (a e^2 - b d e + c d^2)^3 / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2}) - c e^4 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (2 c d - e (b + (-4 a^2 c + b^2)^{1/2})) / (a e^2 - b d e + c d^2)^3 / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2}) + c e^2 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (-b^3 e (1 - n) + b^2 (1 - n) (c d - e (-4 a^2 c + b^2)^{1/2}) + b c (2 a e (2 - 3 n) + d (1 - n) (-4 a^2 c + b^2)^{1/2}) - 2 a c (2 c d (1 - 2 n) - e (1 - n) (-4 a^2 c + b^2)^{1/2})) / a / (-4 a^2 c + b^2) / (a e^2 - b d e + c d^2)^2 / n / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2}) + c e^2 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (-b^3 e (1 - n) + b^2 (1 - n) (c d + e (-4 a^2 c + b^2)^{1/2}) + b c (2 a e (2 - 3 n) - d (1 - n) (-4 a^2 c + b^2)^{1/2}) - 2 a c (2 c d (1 - 2 n) + e (1 - n) (-4 a^2 c + b^2)^{1/2})) / a / (-4 a^2 c + b^2) / (a e^2 - b d e + c d^2)^2 / n / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2}) + 1/2 x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b + (-4 a^2 c + b^2)^{1/2})) * (b^5 e (2 n^2 - 3 n + 1) - b^4 (2 n^2 - 3 n + 1) (c d + e (-4 a^2 c + b^2)^{1/2}) + a b^2 c (1 - n) (6 c d (1 - 3 n) + e (5 - 14 n) (-4 a^2 c + b^2)^{1/2}) - b^3 c (1 - n) (a e (7 - 18 n) - d (1 - 2 n) (-4 a^2 c + b^2)^{1/2}) - 4 a^2 c^2 (2 c d (8 n^2 - 6 n + 1) + e (3 n^2 - 4 n + 1) (-4 a^2 c + b^2)^{1/2}) - 2 a b c^2 (-2 a e (13 n^2 - 13 n + 3) + d (7 n^2 - 9 n + 2) (-4 a^2 c + b^2)^{1/2})) / a^2 / (-4 a^2 c + b^2)^2 / (a e^2 - b d e + c d^2) / n^2 / (b^2 - 4 a^2 c + b (-4 a^2 c + b^2)^{1/2}) - 1/2 c x \operatorname{hypergeom}([1, 1/n], [1+1/n], -2 c x^n / (b - (-4 a^2 c + b^2)^{1/2})) * (-b^5 e (2 n^2 - 3 n + 1) + b^4 (2 n^2 - 3 n + 1) (c d - e (-4 a^2 c + b^2)^{1/2}) + a b^2 c (1 - n) (-6 c d (1 - 3 n) + e (5 - 14 n) (-4 a^2 c + b^2)^{1/2}) + b^3 c (1 - n) (a e (7 - 18 n) + d (1 - 2 n) (-4 a^2 c + b^2)^{1/2}) - 4 a^2 c^2 (-2 c d (8 n^2 - 6 n + 1) + e (3 n^2 - 4 n + 1) (-4 a^2 c + b^2)^{1/2}) - 2 a b c^2 (2 a e (13 n^2 - 13 n + 3) + d (7 n^2 - 9 n + 2) (-4 a^2 c + b^2)^{1/2})) / a^2 / (-4 a^2 c + b^2)^2 / (a e^2 - b d e + c d^2) / n^2 / (b^2 - 4 a^2 c - b (-4 a^2 c + b^2)^{1/2})$

Rubi [A] time = 5.07, antiderivative size = 1708, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1436, 245, 1430, 1422}

result too large to display

Antiderivative was successfully verified.

[In] $\text{Int}[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n)))^3, x]$

[Out] $(x*(b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e + c*(b*c*d - b^2*e + 2*a*c*e)*x^n) / (2*a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)*n*(a + b*x^n + c*x^(2*n))^2) + (e^2*x*(b^2*c*d - 2*a*c^2*d - b^3*e + 3*a*b*c*e + c*(b*c*d - b^2*e + 2*a*c*e)*x^n) / (a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)^2*n*(a + b*x^n + c*x^(2*n))) + (x*(2*a^2*b*c^2*e*(4 - 11*n) - 3*a*b^3*c*e*(2 - 5*n) - 4*a^2*c^3*d*(1 - 4*n) + 5*a*b^2*c^2*d*(1 - 3*n) - b^4*c*d*(1 - 2*n) + b^5*(e - 2*e^n)) / (a^2*(-4*a*c + b^2)^2 / (a*e^2 - b*d*e + c*d^2) / n^2 / (b^2 - 4*a*c - b*(-4*a*c + b^2)^{1/2}))$

$$\begin{aligned}
& -c*(a*b^2*c*e*(5-14*n) - 2*a*b*c^2*d*(2-7*n) - 4*a^2*c^2*e*(1-3*n) \\
& + b^3*c*d*(1-2*n) - b^4*e*(1-2*n))*x^n)/(2*a^2*(b^2-4*a*c)^2*(c*d^2 \\
& - b*d*e + a*e^2)*n^2*(a + b*x^n + c*x^(2*n))) - (c*e^4*(2*c*d - (b + \text{Sqrt}[b^2 \\
& - 4*a*c])*e)*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - \\
& \text{Sqrt}[b^2 - 4*a*c])]))/((b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + \\
& a*e^2)^3) + (c*e^2*(b*c*(2*a*e*(2-3*n) + \text{Sqrt}[b^2 - 4*a*c]*d*(1-n)) - 2 \\
& *a*c*(2*c*d*(1-2*n) - \text{Sqrt}[b^2 - 4*a*c]*e*(1-n)) - b^3*e*(1-n) + b^2* \\
& (c*d - \text{Sqrt}[b^2 - 4*a*c]*e)*(1-n))*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), \\
& (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b \\
& *\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n) - (c*(a*b^2*c*(\text{Sqrt}[b^2 - \\
& 4*a*c])*e*(5-14*n) - 6*c*d*(1-3*n))*(1-n) + b^3*c*(a*e*(7-18*n) + \text{Sqrt}[b^2 - \\
& 4*a*c]*d*(1-2*n))*(1-n) - b^5*e*(1-3*n + 2*n^2) + b^4*(c*d - \\
& \text{Sqrt}[b^2 - 4*a*c]*e)*(1-3*n + 2*n^2) - 4*a^2*c^2*(\text{Sqrt}[b^2 - 4*a*c])*e*(1 \\
& - 4*n + 3*n^2) - 2*c*d*(1-6*n + 8*n^2)) - 2*a*b*c^2*(\text{Sqrt}[b^2 - 4*a*c]*d \\
& *(2-9*n + 7*n^2) + 2*a*e*(3-13*n + 13*n^2))*x*\text{Hypergeometric2F1}[1, n^(-1), \\
& 1 + n^(-1), (-2*c*x^n)/(b - \text{Sqrt}[b^2 - 4*a*c])])/(2*a^2*(b^2 - 4*a*c)^2 \\
& *(b^2 - 4*a*c - b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)*n^2) - (c*e^4 \\
& *(2*c*d - (b - \text{Sqrt}[b^2 - 4*a*c])*e)*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), \\
& (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])]))/((b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c] \\
&)*(c*d^2 - b*d*e + a*e^2)^3) + (c*e^2*(b*c*(2*a*e*(2-3*n) - \text{Sqrt}[b^2 - \\
& 4*a*c]*d*(1-n)) - 2*a*c*(2*c*d*(1-2*n) + \text{Sqrt}[b^2 - 4*a*c])*e*(1-n)) - \\
& b^3*e*(1-n) + b^2*(c*d + \text{Sqrt}[b^2 - 4*a*c]*e)*(1-n))*x*\text{Hypergeometric2} \\
& \text{F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])/(a*(b^2 - 4* \\
& a*c)*(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n) + (c* \\
& (a*b^2*c*(\text{Sqrt}[b^2 - 4*a*c])*e*(5-14*n) + 6*c*d*(1-3*n))*(1-n) - b^3*c \\
& *(a*e*(7-18*n) - \text{Sqrt}[b^2 - 4*a*c]*d*(1-2*n))*(1-n) + b^5*e*(1-3*n \\
& + 2*n^2) - b^4*(c*d + \text{Sqrt}[b^2 - 4*a*c]*e)*(1-3*n + 2*n^2) - 4*a^2*c^2*(\text{S} \\
& \text{qrt}[b^2 - 4*a*c])*e*(1-4*n + 3*n^2) + 2*c*d*(1-6*n + 8*n^2)) - 2*a*b*c^2 \\
& *(\text{Sqrt}[b^2 - 4*a*c]*d*(2-9*n + 7*n^2) - 2*a*e*(3-13*n + 13*n^2))*x*\text{Hyp} \\
& \text{ergeometric2F1}[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + \text{Sqrt}[b^2 - 4*a*c])])]/ \\
& (2*a^2*(b^2 - 4*a*c)^2*(b^2 - 4*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*(c*d^2 - b*d*e + \\
& a*e^2)*n^2) + (e^6*x*\text{Hypergeometric2F1}[1, n^(-1), 1 + n^(-1), -((e*x^n)/d) \\
&])/(d*(c*d^2 - b*d*e + a*e^2)^3)
\end{aligned}$$

Rule 245

```

Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])

```

Rule 1422

```

Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])

```

Rule 1430

```

Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]

```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\int \frac{1}{(d + ex^n)(a + bx^n + cx^{2n})^3} dx = \int \left(\frac{e^6}{(cd^2 - bde + ae^2)^3 (d + ex^n)} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})^3} - \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})^2} + \frac{cd - be - cex^n}{(cd^2 - bde + ae^2)(a + bx^n + cx^{2n})} \right) dx$$

$$= -\frac{e^4 \int \frac{-cd + be + cex^n}{a + bx^n + cx^{2n}} dx}{(cd^2 - bde + ae^2)^3} + \frac{e^6 \int \frac{1}{d + ex^n} dx}{(cd^2 - bde + ae^2)^3} - \frac{e^2 \int \frac{-cd + be + cex^n}{(a + bx^n + cx^{2n})^2} dx}{(cd^2 - bde + ae^2)^2} + \frac{\int \frac{cd - be - cex^n}{a + bx^n + cx^{2n}} dx}{cd^2 - bde + ae^2}$$

$$= \frac{x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{2a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} - \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} - \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2} + \frac{e^2x(b^2cd - 2ac^2d - b^3e + 3abce + c(bcd - b^2e + 2ace)x^n)}{a(b^2 - 4ac)(cd^2 - bde + ae^2)n(a + bx^n + cx^{2n})^2}$$

Mathematica [B] time = 8.53, size = 43535, normalized size = 25.49

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/((d + e*x^n)*(a + b*x^n + c*x^(2*n)))^3, x]

[Out] Result too large to show

fricas [F] time = 20.85, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^3ex^{4n} + a^3d + (c^3ex^n + c^3d)x^{6n} + 3(bc^2ex^{2n} + ac^2d + (bc^2d + ac^2e)x^n)x^{4n} + (b^3d + 3ab^2e)x^{3n} + 3(b^2cd + ab^2e + ac^2d)x^{2n} + (2a^2cd + 2ab^2e + ac^2d)x^n + 3(a^2cd + ab^2e + ac^2d)x + 3a^2d}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n))^3,x, algorithm="fricas")

[Out] integral(1/(b^3*e*x^(4*n) + a^3*d + (c^3*e*x^n + c^3*d)*x^(6*n) + 3*(b*c^2*e*x^(2*n) + a*c^2*d + (b*c^2*d + a*c^2*e)*x^n)*x^(4*n) + (b^3*d + 3*a*b^2*e)*x^(3*n) + 3*(b^2*c*e*x^(3*n) + a^2*c*d + (b^2*c*d + 2*a*b*c*e)*x^(2*n) + (2*a*b*c*d + a^2*c*e)*x^n)*x^(2*n) + 3*(a*b^2*d + a^2*b*e)*x^(2*n) + (3*a^2*b*d + a^3*e)*x^n), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(cx^{2n} + bx^n + a)^3 (ex^n + d)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)^3*(e*x^n + d)), x)

maple [F] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)(bx^n + cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a)^3,x)

[Out] int(1/(e*x^n+d)/(b*x^n+c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)/(a+b*x^n+c*x^(2*n))^3,x, algorithm="maxima")

[Out] e^6*integrate(1/(c^3*d^7 - 3*b*c^2*d^6*e + 3*b^2*c*d^5*e^2 - b^3*d^4*e^3 + a^3*d*e^6 + 3*(c*d^3*e^4 - b*d^2*e^5)*a^2 + 3*(c^2*d^5*e^2 - 2*b*c*d^4*e^3 + b^2*d^3*e^4)*a + (c^3*d^6*e - 3*b*c^2*d^5*e^2 + 3*b^2*c*d^4*e^3 - b^3*d^3*e^4 + a^3*e^7 + 3*(c*d^2*e^5 - b*d*e^6)*a^2 + 3*(c^2*d^4*e^3 - 2*b*c*d^3*e^4 + b^2*d^2*e^5)*a)*x^n), x) - 1/2*((4*a^3*c^4*e^3*(7*n - 1) - b^3*c^4*d^3*(2*n - 1) + 2*b^4*c^3*d^2*e*(2*n - 1) - b^5*c^2*d*e^2*(2*n - 1) - (b^2*c^3*e^3*(26*n - 5) - 4*c^5*d^2*e*(3*n - 1) - 10*b*c^4*d*e^2*n)*a^2 - (b^2*c^4*d^2*e*(28*n - 9) - 2*b*c^5*d^3*(7*n - 2) - 2*b^3*c^3*d*e^2*(5*n - 2) - b^4*c^2*e^3*(4*n - 1))*a)*x*x^(3*n) - (2*b^4*c^3*d^3*(2*n - 1) - 4*b^5*c^2*d^2*e*(2*n - 1) + 2*b^6*c*d*e^2*(2*n - 1) - 2*(b*c^3*e^3*(37*n - 6) - 2*c^4*d*e^2*(8*n - 1))*a^3 - (2*b*c^4*d^2*e*(25*n - 8) + 3*b^2*c^3*d*e^2*(5*n + 1) - 11*b^3*c^2*e^3*(5*n - 1) - 4*c^5*d^3*(4*n - 1))*a^2 - (b^2*c^4*d^3*(29*n - 9) - 2*b^3*c^3*d^2*e*(29*n - 10) + 3*b^4*c^2*d*e^2*(7*n - 3) + 2*b^5*c*e^3*(4*n - 1))*a)*x*x^(2*n) + (4*a^4*c^3*e^3*(9*n - 1) - b^5*c^2*d^3*(2*n - 1) + 2*b^6*c*d^2*e*(2*n - 1) - b^7*d*e^2*(2*n - 1) + (b^2*c^2*e^3*(14*n - 3) - 2*b*c^3*d*e^2*(13*n - 2) + 4*c^4*d^2*e*(5*n - 1))*a^3 - (b^4*c*e^3*(24*n - 5) - b^3*c^2*d*e^2*(20*n - 1) - 2*b*c^4*d^3*n + 3*b^2*c^3*d^2*e)*a^2 - (3*b^4*c^2*d^2*e*(8*n - 3) - b^6*e^3*(4*n - 1) - 4*b^3*c^3*d^3*(3*n - 1) - 4*b^5*c*d*e^2*(2*n - 1))*a)*x*x^n + (2*(b*c^2*e^3*(29*n - 4) - 2*c^3*d*e^2*(10*n - 1))*a^4 + (2*b*c^3*d^2*e*(29*n - 6) - 4*c^4*d^3*(6*n - 1) - 6*b^3*c*e^3*(6*n - 1) - b^2*c^2*d*e^2*(n - 3))*a^3 - (b^3*c^2*d^2*e*(43*n - 11) - b^2*c^3*d^3*(21*n - 5) - b^4*c*d*e^2*(17*n - 5) - b^5*e^3*(5*n - 1))*a^2 - (b^4*c^2*d^3*(3*n - 1) - 2*b^5*c*d^2*e*(3*n - 1) + b^6*d*e^2*(3*n - 1))*a)*x)/(16*a^8*c^2*e^4*n^2 + 8*(4*c^3*d^2*e^2*n^2 - 4*b*c^2*d*e^3*n^2 - b^2*c*e^4*n^2)*a^7 + (16*c^4*d^4*n^2 - 32*b*c^3*d^3*e*n^2 + 16*b^3*c*d*e^3*n^2 + b^4*e^4*n^2)*a^6 - 2*(4*b^2*c^3*d^4*n^2 - 8*b^3*c^2*d^3*e*n^2 + 3*b^4*c*d^2*e^2*n^2 + b^5*d*e^3*n^2)*a^5 + (b^4*c^2*d^4*n^2 - 2*b^5*c*d^3*e*n^2 + b^6*d^2*e^2*n^2)*a^4 + (16*a^6*c^4*e^4*n^2 + 8*(4*c^5*d^2*e^2*n^2 - 4*b*c^4*d*e^3*n^2 - b^2*c^3*e^4*n^2)*a^5 + (16*c^6*d^4*n^2 - 32*b*c^5*d^3*e*n^2 + 16*b^3*c^3*d*e^3*n^2 + b^4*c^2*e^4*n^2)*a^4 - 2*(4*b^2*c^5*d^4*n^2 - 8*b^3*c^4*d^3*e*n^2 + 3*b^4*c^3*d^2*e^2*n^2 + b^5*c^2*d*e^3*n^2)*a^3 + (b^4*c^4*d^4*n^2

$$\begin{aligned}
& - 2*b^5*c^3*d^3*e^n^2 + b^6*c^2*d^2*e^2*n^2)*a^2)*x^{(4*n)} + 2*(16*a^6*b*c^3 \\
& *e^4*n^2 + 8*(4*b*c^4*d^2*e^2*n^2 - 4*b^2*c^3*d*e^3*n^2 - b^3*c^2*e^4*n^2)* \\
& a^5 + (16*b*c^5*d^4*n^2 - 32*b^2*c^4*d^3*e*n^2 + 16*b^4*c^2*d*e^3*n^2 + b^5 \\
& *c*e^4*n^2)*a^4 - 2*(4*b^3*c^4*d^4*n^2 - 8*b^4*c^3*d^3*e*n^2 + 3*b^5*c^2*d^ \\
& 2*e^2*n^2 + b^6*c*d*e^3*n^2)*a^3 + (b^5*c^3*d^4*n^2 - 2*b^6*c^2*d^3*e*n^2 + \\
& b^7*c*d^2*e^2*n^2)*a^2)*x^{(3*n)} + (32*a^7*c^3*e^4*n^2 + 64*(c^4*d^2*e^2*n^ \\
& 2 - b*c^3*d*e^3*n^2)*a^6 + 2*(16*c^5*d^4*n^2 - 32*b*c^4*d^3*e*n^2 + 16*b^2* \\
& c^3*d^2*e^2*n^2 - 3*b^4*c*e^4*n^2)*a^5 - (12*b^4*c^2*d^2*e^2*n^2 - 12*b^5*c \\
& *d*e^3*n^2 - b^6*e^4*n^2)*a^4 - 2*(3*b^4*c^3*d^4*n^2 - 6*b^5*c^2*d^3*e*n^2 \\
& + 2*b^6*c*d^2*e^2*n^2 + b^7*d*e^3*n^2)*a^3 + (b^6*c^2*d^4*n^2 - 2*b^7*c*d^3 \\
& *e*n^2 + b^8*d^2*e^2*n^2)*a^2)*x^{(2*n)} + 2*(16*a^7*b*c^2*e^4*n^2 + 8*(4*b*c \\
& ^3*d^2*e^2*n^2 - 4*b^2*c^2*d*e^3*n^2 - b^3*c*e^4*n^2)*a^6 + (16*b*c^4*d^4*n \\
& ^2 - 32*b^2*c^3*d^3*e*n^2 + 16*b^4*c*d*e^3*n^2 + b^5*e^4*n^2)*a^5 - 2*(4*b^ \\
& 3*c^3*d^4*n^2 - 8*b^4*c^2*d^3*e*n^2 + 3*b^5*c*d^2*e^2*n^2 + b^6*d*e^3*n^2)* \\
& a^4 + (b^5*c^2*d^4*n^2 - 2*b^6*c*d^3*e*n^2 + b^7*d^2*e^2*n^2)*a^3)*x^n) - i \\
& ntegrate(-1/2*((2*n^2 - 3*n + 1)*b^4*c^3*d^5 - 3*(2*n^2 - 3*n + 1)*b^5*c^2* \\
& d^4*e + 3*(2*n^2 - 3*n + 1)*b^6*c*d^3*e^2 - (2*n^2 - 3*n + 1)*b^7*d^2*e^3 + \\
& 2*(2*(24*n^2 - 10*n + 1)*c^3*d*e^4 - (48*n^2 - 29*n + 4)*b*c^2*e^5)*a^4 + \\
& (8*(12*n^2 - 8*n + 1)*c^4*d^3*e^2 - 12*(16*n^2 - 13*n + 2)*b*c^3*d^2*e^3 + \\
& (48*n^2 - 59*n + 11)*b^2*c^2*d*e^4 + 6*(8*n^2 - 6*n + 1)*b^3*c*e^5)*a^3 + (\\
& 4*(8*n^2 - 6*n + 1)*c^5*d^5 - 2*(48*n^2 - 41*n + 8)*b*c^4*d^4*e + 2*(24*n^2 \\
& - 19*n + 5)*b^2*c^3*d^3*e^2 + 2*(32*n^2 - 39*n + 7)*b^3*c^2*d^2*e^3 - (42* \\
& n^2 - 53*n + 11)*b^4*c*d*e^4 - (6*n^2 - 5*n + 1)*b^5*e^5)*a^2 - ((16*n^2 - \\
& 21*n + 5)*b^2*c^4*d^5 - 16*(3*n^2 - 4*n + 1)*b^3*c^3*d^4*e + 3*(14*n^2 - 19 \\
& *n + 5)*b^4*c^2*d^3*e^2 - 2*(2*n^2 - 3*n + 1)*b^5*c*d^2*e^3 - 2*(3*n^2 - 4* \\
& n + 1)*b^6*d*e^4)*a + ((2*n^2 - 3*n + 1)*b^3*c^4*d^5 - 3*(2*n^2 - 3*n + 1)* \\
& b^4*c^3*d^4*e + 3*(2*n^2 - 3*n + 1)*b^5*c^2*d^3*e^2 - (2*n^2 - 3*n + 1)*b^6 \\
& *c*d^2*e^3 - 4*(15*n^2 - 8*n + 1)*a^4*c^3*e^5 - (8*(5*n^2 - 6*n + 1)*c^4*d^ \\
& 2*e^3 - 2*(9*n^2 - 11*n + 2)*b*c^3*d*e^4 - (42*n^2 - 31*n + 5)*b^2*c^2*e^5) \\
& *a^3 - (4*(3*n^2 - 4*n + 1)*c^5*d^4*e + 12*(n^2 - n)*b*c^4*d^3*e^2 - 2*(32* \\
& n^2 - 39*n + 7)*b^2*c^3*d^2*e^3 + 9*(4*n^2 - 5*n + 1)*b^3*c^2*d*e^4 + (6*n^ \\
& 2 - 5*n + 1)*b^4*c*e^5)*a^2 - (2*(7*n^2 - 9*n + 2)*b*c^5*d^5 - (42*n^2 - 55 \\
& *n + 13)*b^2*c^4*d^4*e + 12*(3*n^2 - 4*n + 1)*b^3*c^3*d^3*e^2 - (2*n^2 - 3* \\
& n + 1)*b^4*c^2*d^2*e^3 - 2*(3*n^2 - 4*n + 1)*b^5*c*d*e^4)*a)*x^n)/(16*a^8*c \\
& ^2*e^6*n^2 + 8*(6*c^3*d^2*e^4*n^2 - 6*b*c^2*d*e^5*n^2 - b^2*c*e^6*n^2)*a^7 \\
& + (48*c^4*d^4*e^2*n^2 - 96*b*c^3*d^3*e^3*n^2 + 24*b^2*c^2*d^2*e^4*n^2 + 24* \\
& b^3*c*d*e^5*n^2 + b^4*e^6*n^2)*a^6 + (16*c^5*d^6*n^2 - 48*b*c^4*d^5*e*n^2 + \\
& 24*b^2*c^3*d^4*e^2*n^2 + 32*b^3*c^2*d^3*e^3*n^2 - 21*b^4*c*d^2*e^4*n^2 - 3 \\
& *b^5*d*e^5*n^2)*a^5 - (8*b^2*c^4*d^6*n^2 - 24*b^3*c^3*d^5*e*n^2 + 21*b^4*c^ \\
& 2*d^4*e^2*n^2 - 2*b^5*c*d^3*e^3*n^2 - 3*b^6*d^2*e^4*n^2)*a^4 + (b^4*c^3*d^6 \\
& *n^2 - 3*b^5*c^2*d^5*e*n^2 + 3*b^6*c*d^4*e^2*n^2 - b^7*d^3*e^3*n^2)*a^3 + (\\
& 16*a^7*c^3*e^6*n^2 + 8*(6*c^4*d^2*e^4*n^2 - 6*b*c^3*d*e^5*n^2 - b^2*c^2*e^6 \\
& *n^2)*a^6 + (48*c^5*d^4*e^2*n^2 - 96*b*c^4*d^3*e^3*n^2 + 24*b^2*c^3*d^2*e^4 \\
& *n^2 + 24*b^3*c^2*d*e^5*n^2 + b^4*c*e^6*n^2)*a^5 + (16*c^6*d^6*n^2 - 48*b*c \\
& ^5*d^5*e*n^2 + 24*b^2*c^4*d^4*e^2*n^2 + 32*b^3*c^3*d^3*e^3*n^2 - 21*b^4*c^2 \\
& *d^2*e^4*n^2 - 3*b^5*c*d*e^5*n^2)*a^4 - (8*b^2*c^5*d^6*n^2 - 24*b^3*c^4*d^5 \\
& *e*n^2 + 21*b^4*c^3*d^4*e^2*n^2 - 2*b^5*c^2*d^3*e^3*n^2 - 3*b^6*c*d^2*e^4*n \\
& ^2)*a^3 + (b^4*c^4*d^6*n^2 - 3*b^5*c^3*d^5*e*n^2 + 3*b^6*c^2*d^4*e^2*n^2 - \\
& b^7*c*d^3*e^3*n^2)*a^2)*x^{(2*n)} + (16*a^7*b*c^2*e^6*n^2 + 8*(6*b*c^3*d^2*e^ \\
& 4*n^2 - 6*b^2*c^2*d*e^5*n^2 - b^3*c*e^6*n^2)*a^6 + (48*b*c^4*d^4*e^2*n^2 - \\
& 96*b^2*c^3*d^3*e^3*n^2 + 24*b^3*c^2*d^2*e^4*n^2 + 24*b^4*c*d*e^5*n^2 + b^5* \\
& e^6*n^2)*a^5 + (16*b*c^5*d^6*n^2 - 48*b^2*c^4*d^5*e*n^2 + 24*b^3*c^3*d^4*e^ \\
& 2*n^2 + 32*b^4*c^2*d^3*e^3*n^2 - 21*b^5*c*d^2*e^4*n^2 - 3*b^6*d*e^5*n^2)*a^ \\
& 4 - (8*b^3*c^4*d^6*n^2 - 24*b^4*c^3*d^5*e*n^2 + 21*b^5*c^2*d^4*e^2*n^2 - 2* \\
& b^6*c*d^3*e^3*n^2 - 3*b^7*d^2*e^4*n^2)*a^3 + (b^5*c^3*d^6*n^2 - 3*b^6*c^2*d \\
& ^5*e*n^2 + 3*b^7*c*d^4*e^2*n^2 - b^8*d^3*e^3*n^2)*a^2)*x^n), x)
\end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + e x^n) (a + b x^n + c x^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))^3), x)

[Out] int(1/((d + e*x^n)*(a + b*x^n + c*x^(2*n))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)/(a+b*x**n+c*x**(2*n))**3, x)

[Out] Timed out

$$3.84 \quad \int \frac{1}{(d+ex^n)^2(a+bx^n+cx^{2n})^3} dx$$

Optimal. Leaf size=2446

result too large to display

[Out]
$$-1/2*x*(2*b^3*c*d*e-6*a*b*c^2*d*e-b^4*e^2-b^2*c*(-4*a*e^2+c*d^2)+2*a*c^2*(-a*e^2+c*d^2)+c*(2*b^2*c*d*e-4*a*c^2*d*e-b^3*e^2-b*c*(-3*a*e^2+c*d^2))*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^2/n/(a+b*x^n+c*x^(2*n))^2-e^2*x*(5*b^3*c*d*e-14*a*b*c^2*d*e-2*b^4*e^2-b^2*c*(-7*a*e^2+3*c*d^2)+2*a*c^2*(-a*e^2+3*c*d^2)+c*(5*b^2*c*d*e-8*a*c^2*d*e-2*b^3*e^2-b*c*(-5*a*e^2+3*c*d^2))*x^n)/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^3/n/(a+b*x^n+c*x^(2*n))-1/2*x*(a*b^2*c^2*(a*e^2*(13-37*n)-5*c*d^2*(1-3*n))-b^4*c*(a*e^2*(7-17*n)-c*d^2*(1-2*n))-4*a^2*b*c^3*d*e*(4-11*n)+6*a*b^3*c^2*d*e*(2-5*n)+4*a^2*c^3*(-a*e^2+c*d^2)*(1-4*n)-2*b^5*c*d*e*(1-2*n)+b^6*e^2*(1-2*n)+c*(2*a*b*c^2*(a*e^2*(4-13*n)-c*d^2*(2-7*n))-b^3*c*(2*a*e^2*(3-8*n)-c*d^2*(1-2*n))+2*a*b^2*c^2*d*e*(5-14*n)-8*a^2*c^3*d*e*(1-3*n)-2*b^4*c*d*e*(1-2*n)+b^5*e^2*(1-2*n))*x^n)/a^2/(-4*a*c+b^2)^2/(a*e^2-b*d*e+c*d^2)^2/n^2/(a+b*x^n+c*x^(2*n))+3*e^6*(-b*e+2*c*d)*x*hypergeom([1, 1/n], [1+1/n], -e*x^n/d)/d/(a*e^2-b*d*e+c*d^2)^4+e^6*x*hypergeom([2, 1/n], [1+1/n], -e*x^n/d)/d^2/(a*e^2-b*d*e+c*d^2)^3+1/2*c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((2*a*b*c^2*(a*e^2*(4-13*n)-c*d^2*(2-7*n))-b^3*c*(2*a*e^2*(3-8*n)-c*d^2*(1-2*n))+2*a*b^2*c^2*d*e*(5-14*n)-8*a^2*c^3*d*e*(1-3*n)-2*b^4*c*d*e*(1-2*n)+b^5*e^2*(1-2*n))*(1-n)+(-b^4*c*(4*a*e^2*(2-5*n)-c*d^2*(1-2*n))*(1-n)-2*b^5*c*d*e*(2*n^2-3*n+1)+b^6*e^2*(2*n^2-3*n+1)+8*a^2*c^3*(-a*e^2+c*d^2)*(8*n^2-6*n+1)-8*a^2*b*c^3*d*e*(13*n^2-13*n+3)+2*a*b^3*c^2*d*e*(18*n^2-25*n+7)-2*a*b^2*c^2*(3*c*d^2*(3*n^2-4*n+1)-a*e^2*(35*n^2-38*n+9)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2/(a*e^2-b*d*e+c*d^2)^2/n^2/(b-(-4*a*c+b^2)^(1/2))+1/2*c*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((2*a*b*c^2*(a*e^2*(4-13*n)-c*d^2*(2-7*n))-b^3*c*(2*a*e^2*(3-8*n)-c*d^2*(1-2*n))+2*a*b^2*c^2*d*e*(5-14*n)-8*a^2*c^3*d*e*(1-3*n)-2*b^4*c*d*e*(1-2*n)+b^5*e^2*(1-2*n))*(1-n)+(b^4*c*(4*a*e^2*(2-5*n)-c*d^2*(1-2*n))*(1-n)+2*b^5*c*d*e*(2*n^2-3*n+1)-b^6*e^2*(2*n^2-3*n+1)-8*a^2*c^3*(-a*e^2+c*d^2)*(8*n^2-6*n+1)+8*a^2*b*c^3*d*e*(13*n^2-13*n+3)-2*a*b^3*c^2*d*e*(18*n^2-25*n+7)+2*a*b^2*c^2*(3*c*d^2*(3*n^2-4*n+1)-a*e^2*(35*n^2-38*n+9)))/(-4*a*c+b^2)^(1/2))/a^2/(-4*a*c+b^2)^2/(a*e^2-b*d*e+c*d^2)^2/n^2/(b+(-4*a*c+b^2)^(1/2))-c*e^4*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((10*c^2*d^2+3*b*e^2*(b-(-4*a*c+b^2)^(1/2))-2*c*e*(5*b*d+a*e-3*d*(-4*a*c+b^2)^(1/2)))/a^2/(-4*a*c+b^2)^4/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))-c*e^4*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((10*c^2*d^2+3*b*e^2*(b+(-4*a*c+b^2)^(1/2))-2*c*e*(5*b*d+a*e+3*d*(-4*a*c+b^2)^(1/2)))/a^2/(-4*a*c+b^2)^4/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))+c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*((2*b^4*e^2*(1-n)-b^3*e*(1-n)*(5*c*d+2*e*(-4*a*c+b^2)^(1/2))-b^2*c*(-3*c*d^2*(1-n)+e*(a*e*(9-13*n)-5*d*(1-n)*(-4*a*c+b^2)^(1/2)))+b*c*(5*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*(5-8*n)-3*d*(1-n)*(-4*a*c+b^2)^(1/2)))+4*a*c^2*(-3*c*d^2*(1-2*n)+e*(a*e*(1-2*n)-2*d*(1-n)*(-4*a*c+b^2)^(1/2))))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^3/n/(b^2-4*a*c+b*(-4*a*c+b^2)^(1/2))+c*e^2*x*hypergeom([1, 1/n], [1+1/n], -2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))*((2*b^4*e^2*(1-n)-b^3*e*(1-n)*(5*c*d+2*e*(-4*a*c+b^2)^(1/2))+4*a*c^2*(-3*c*d^2*(1-2*n)+e*(a*e*(1-2*n)+2*d*(1-n)*(-4*a*c+b^2)^(1/2)))+b*c*(-5*a*e^2*(1-n)*(-4*a*c+b^2)^(1/2)+c*d*(4*a*e*(5-8*n)+3*d*(1-n)*(-4*a*c+b^2)^(1/2)))-b^2*c*(-3*c*d^2*(1-n)+e*(a*e*(9-13*n)+5*d*(1-n)*(-4*a*c+b^2)^(1/2))))/a/(-4*a*c+b^2)/(a*e^2-b*d*e+c*d^2)^3/n/(b^2-4*a*c-b*(-4*a*c+b^2)^(1/2))$$

Rubi [A] time = 8.94, antiderivative size = 2446, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 4, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {1436, 245, 1430, 1422}

result too large to display

Antiderivative was successfully verified.

[In] Int[1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^3),x]

[Out]
$$-(x*(2*b^3*c*d*e - 6*a*b*c^2*d*e - b^4*e^2 - b^2*c*(c*d^2 - 4*a*e^2) + 2*a*c^2*(c*d^2 - a*e^2) + c*(2*b^2*c*d*e - 4*a*c^2*d*e - b^3*e^2 - b*c*(c*d^2 - 3*a*e^2))*x^n)/(2*a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)^2*n*(a + b*x^n + c*x^(2*n))^2) - (e^2*x*(5*b^3*c*d*e - 14*a*b*c^2*d*e - 2*b^4*e^2 - b^2*c*(3*c*d^2 - 7*a*e^2) + 2*a*c^2*(3*c*d^2 - a*e^2) + c*(5*b^2*c*d*e - 8*a*c^2*d*e - 2*b^3*e^2 - b*c*(3*c*d^2 - 5*a*e^2))*x^n)/(a*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)^3*n*(a + b*x^n + c*x^(2*n))) - (x*(a*b^2*c^2*(a*e^2*(13 - 37*n) - 5*c*d^2*(1 - 3*n)) - b^4*c*(a*e^2*(7 - 17*n) - c*d^2*(1 - 2*n)) - 4*a^2*b*c^3*d*e*(4 - 11*n) + 6*a*b^3*c^2*d*e*(2 - 5*n) + 4*a^2*c^3*(c*d^2 - a*e^2)*(1 - 4*n) - 2*b^5*c*d*e*(1 - 2*n) + b^6*e^2*(1 - 2*n) + c*(2*a*b*c^2*(a*e^2*(4 - 13*n) - c*d^2*(2 - 7*n)) - b^3*c*(2*a*e^2*(3 - 8*n) - c*d^2*(1 - 2*n)) + 2*a*b^2*c^2*d*e*(5 - 14*n) - 8*a^2*c^3*d*e*(1 - 3*n) - 2*b^4*c*d*e*(1 - 2*n) + b^5*e^2*(1 - 2*n))*x^n)/(2*a^2*(b^2 - 4*a*c)^2*(c*d^2 - b*d*e + a*e^2)^2*n^2*(a + b*x^n + c*x^(2*n))) - (c*e^4*(10*c^2*d^2 + 3*b*(b + Sqrt[b^2 - 4*a*c])*e^2 - 2*c*e*(5*b*d + 3*Sqrt[b^2 - 4*a*c]*d + a*e))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^4 + (c*e^2*(4*a*c^2*(e*(a*e*(1 - 2*n) + 2*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*c*d^2*(1 - 2*n)) - b^2*c*(e*(a*e*(9 - 13*n) + 5*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*c*d^2*(1 - n)) + b*c*(c*d*(4*a*e*(5 - 8*n) + 3*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - 5*a*Sqrt[b^2 - 4*a*c]*e^2*(1 - n)) + 2*b^4*e^2*(1 - n) - b^3*e*(5*c*d - 2*Sqrt[b^2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c - b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3*n) + (c*((2*a*b*c^2*(a*e^2*(4 - 13*n) - c*d^2*(2 - 7*n)) - b^3*c*(2*a*e^2*(3 - 8*n) - c*d^2*(1 - 2*n)) + 2*a*b^2*c^2*d*e*(5 - 14*n) - 8*a^2*c^3*d*e*(1 - 3*n) - 2*b^4*c*d*e*(1 - 2*n) + b^5*e^2*(1 - 2*n))*(1 - n) - (b^4*c*(4*a*e^2*(2 - 5*n) - c*d^2*(1 - 2*n))*(1 - n) + 2*b^5*c*d*e*(1 - 3*n + 2*n^2) - b^6*e^2*(1 - 3*n + 2*n^2) - 8*a^2*c^3*(c*d^2 - a*e^2)*(1 - 6*n + 8*n^2) + 8*a^2*b*c^3*d*e*(3 - 13*n + 13*n^2) - 2*a*b^3*c^2*d*e*(7 - 25*n + 18*n^2) + 2*a*b^2*c^2*(3*c*d^2*(1 - 4*n + 3*n^2) - a*e^2*(9 - 38*n + 35*n^2)))/Sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])])/(2*a^2*(b^2 - 4*a*c)^2*(b - Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n^2) - (c*e^4*(10*c^2*d^2 + 3*b*(b - Sqrt[b^2 - 4*a*c])*e^2 - 2*c*e*(5*b*d - 3*Sqrt[b^2 - 4*a*c]*d + a*e))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^4 + (c*e^2*(4*a*c^2*(e*(a*e*(1 - 2*n) - 2*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*c*d^2*(1 - 2*n)) - b^2*c*(e*(a*e*(9 - 13*n) - 5*Sqrt[b^2 - 4*a*c]*d*(1 - n)) - 3*c*d^2*(1 - n)) + b*c*(c*d*(4*a*e*(5 - 8*n) - 3*Sqrt[b^2 - 4*a*c]*d*(1 - n)) + 5*a*Sqrt[b^2 - 4*a*c]*e^2*(1 - n)) + 2*b^4*e^2*(1 - n) - b^3*e*(5*c*d + 2*Sqrt[b^2 - 4*a*c]*e)*(1 - n))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(a*(b^2 - 4*a*c)*(b^2 - 4*a*c + b*Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^3*n) + (c*((2*a*b*c^2*(a*e^2*(4 - 13*n) - c*d^2*(2 - 7*n)) - b^3*c*(2*a*e^2*(3 - 8*n) - c*d^2*(1 - 2*n)) + 2*a*b^2*c^2*d*e*(5 - 14*n) - 8*a^2*c^3*d*e*(1 - 3*n) - 2*b^4*c*d*e*(1 - 2*n) + b^5*e^2*(1 - 2*n))*(1 - n) + (b^4*c*(4*a*e^2*(2 - 5*n) - c*d^2*(1 - 2*n))*(1 - n) + 2*b^5*c*d*e*(1 - 3*n + 2*n^2) - b^6*e^2*(1 - 3*n + 2*n^2) - 8*a^2*c^3*(c*d^2 - a*e^2)*(1 - 6*n + 8*n^2) + 8*a^2*b*c^3*d*e*(3 - 13*n + 13*n^2) - 2*a*b^3*c^2*d*e*(7 - 25*n + 18*n^2) + 2*a*b^2*c^2*(3*c*d^2*(1 - 4*n + 3*n^2) - a*e^2*(9 - 38*n + 35*n^2)))/Sqrt[b^2 - 4*a*c])*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])])/(2*a^2*(b^2 - 4*a*c)^2*(b + Sqrt[b^2 - 4*a*c])*(c*d^2 - b*d*e + a*e^2)^2*n^2) + (3*e^6*(2*c*d - b*e))*x*Hypergeometric2F1[1, n^(-1), 1 + n^(-1), -(e*x^n)/d)]/(d*(c*d^2 - b*d*e + a*e^2)^4) + (e^6*x*Hypergeometric2F1[2, n^(-1), 1 + n^(-1), -(e*x^n)/d)]/(d^2*(c*d^2 - b*d*e + a*e^2)^3)$$

Rule 245

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p*x*Hypergeometric2F
1[-p, 1/n, 1/n + 1, -((b*x^n)/a)], x] /; FreeQ[{a, b, n, p}, x] && !IGtQ[p
, 0] && !IntegerQ[1/n] && !ILtQ[Simplify[1/n + p], 0] && (IntegerQ[p] ||
GtQ[a, 0])
```

Rule 1422

```
Int[((d_) + (e_.)*(x_)^(n_))/((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_)), x
_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q),
Int[1/(b/2 - q/2 + c*x^n), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(
b/2 + q/2 + c*x^n), x], x]] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n]
&& NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && (PosQ[b^2 - 4*a
*c] || !IGtQ[n/2, 0])
```

Rule 1430

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := -Simp[(x*(d*b^2 - a*b*e - 2*a*c*d + (b*d - 2*a*e)*c*x^n)*(
a + b*x^n + c*x^(2*n))^(p + 1))/(a*n*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(a
*n*(p + 1)*(b^2 - 4*a*c)), Int[Simp[(n*p + n + 1)*d*b^2 - a*b*e - 2*a*c*d*(
2*n*p + 2*n + 1) + (2*n*p + 3*n + 1)*(d*b - 2*a*e)*c*x^n, x]*(a + b*x^n + c
*x^(2*n))^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] &
& NeQ[b^2 - 4*a*c, 0] && ILtQ[p, -1]
```

Rule 1436

```
Int[((d_) + (e_.)*(x_)^(n_))^(q_)*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_
))^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2
*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] &&
!IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^3,x, algorithm="giac")

[Out] integrate(1/((c*x^(2*n) + b*x^n + a)^3*(e*x^n + d)^2), x)

maple [F] time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{1}{(ex^n + d)^2 (bx^n + cx^{2n} + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(e*x^n+d)^2/(b*x^n+c*x^(2*n)+a)^3,x)

[Out] int(1/(e*x^n+d)^2/(b*x^n+c*x^(2*n)+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x^n)^2/(a+b*x^n+c*x^(2*n))^3,x, algorithm="maxima")

[Out] (c*d^2*e^6*(7*n - 1) - b*d*e^7*(4*n - 1) + a*e^8*(n - 1))*integrate(1/(c^4*d^10*n - 4*b*c^3*d^9*e*n + 6*b^2*c^2*d^8*e^2*n - 4*b^3*c*d^7*e^3*n + b^4*d^6*e^4*n + a^4*d^2*e^8*n + 4*(c*d^4*e^6*n - b*d^3*e^7*n)*a^3 + 6*(c^2*d^6*e^4*n - 2*b*c*d^5*e^5*n + b^2*d^4*e^6*n)*a^2 + 4*(c^3*d^8*e^2*n - 3*b*c^2*d^7*e^3*n + 3*b^2*c*d^6*e^4*n - b^3*d^5*e^5*n)*a + (c^4*d^9*e*n - 4*b*c^3*d^8*e^2*n + 6*b^2*c^2*d^7*e^3*n - 4*b^3*c*d^6*e^4*n + b^4*d^5*e^5*n + a^4*d*e^9*n + 4*(c*d^3*e^7*n - b*d^2*e^8*n)*a^3 + 6*(c^2*d^5*e^5*n - 2*b*c*d^4*e^6*n + b^2*d^3*e^7*n)*a^2 + 4*(c^3*d^7*e^3*n - 3*b*c^2*d^6*e^4*n + 3*b^2*c*d^5*e^5*n - b^3*d^4*e^6*n)*a)*x^n), x) + 1/2*((b^3*c^5*d^5*e*(2*n - 1) - 3*b^4*c^4*d^4*e^2*(2*n - 1) + 3*b^5*c^3*d^3*e^3*(2*n - 1) - b^6*c^2*d^2*e^4*(2*n - 1) + 32*a^4*c^4*e^6*n + 2*(b*c^4*d*e^5*(33*n - 4) - 4*c^5*d^2*e^4*(11*n - 1) - 8*b^2*c^3*e^6*n)*a^3 + 2*(b^2*c^4*d^2*e^4*(29*n - 1) - 3*b^3*c^3*d*e^5*(7*n - 1) - 4*c^6*d^4*e^2*(3*n - 1) + 6*b*c^5*d^3*e^3*(n - 1) + b^4*c^2*e^6*n)*a^2 - (3*b^3*c^4*d^3*e^3*(12*n - 5) + 2*b*c^6*d^5*e*(7*n - 2) - b^5*c^2*d*e^5*(6*n - 1) - 14*b^2*c^5*d^4*e^2*(3*n - 1) - 2*b^4*c^3*d^2*e^4*(n - 2))*a)*x*x^(4*n) + (b^3*c^5*d^6*(2*n - 1) - b^4*c^4*d^5*e*(2*n - 1) - 3*b^5*c^3*d^4*e^2*(2*n - 1) + 5*b^6*c^2*d^3*e^3*(2*n - 1) - 2*b^7*c*d^2*e^4*(2*n - 1) - 4*(c^4*d*e^5*(8*n - 1) - 16*b*c^3*e^6*n)*a^4 + (b^2*c^3*d*e^5*(163*n - 21) - 6*b*c^4*d^2*e^4*(27*n - 2) - 8*c^5*d^3*e^3*(5*n - 1) - 32*b^3*c^2*e^6*n)*a^3 - (b^4*c^2*d*e^5*(89*n - 13) - b^3*c^3*d^2*e^4*(77*n + 5) - 2*b^2*c^4*d^3*e^3*(50*n - 19) + 8*b*c^5*d^4*e^2*(9*n - 2) + 4*c^6*d^5*e*(2*n - 1) - 4*b^5*c*e^6*n)*a^2 - (b^4*c^3*d^3*e^3*(73*n - 29) - b^3*c^4*d^4*e^2*(51*n - 16) - b^2*c^5*d^5*e*(13*n - 5) - b^5*c^2*d^2*e^4*(11*n - 10) + 2*b*c^6*d^6*(7*n - 2) - 2*b^6*c*d*e^5*(6*n - 1))*a)*x*x^(3*n) + (2*b^4*c^4*d^6*(2*n - 1) - 5*b^5*c^3*d^5*e*(2*n - 1) + 3*b^6*c^2*d^4*e^2*(2*n - 1) + b^7*c*d^3*e^3*(2*n - 1) - b^8*d^2*e^4*(2*n - 1) + 64*a^5*c^3*e^6*n - 2*(2*c^4*d^2*e^4*(34*n - 3) - b*c^3*d*e^5*(23*n - 2))*a^4 + (b^2*c^3*d^2*e^4*(81*n - 11) + b^3*c^2*d*e^5*(48*n - 7) - 8*b*c^4*d^3*e^3*(18*n - 1) + 8*c^5*d^4*e^2*(n + 1) - 12*b^4*c*e^6*n)*a^3 - (2*b*c^5*d^5*e*(43*n - 14) + b^4*c^2*d^2*e^4*(21*n - 10) + 2*b^5*c*d*e^5*(20*n - 3) - 5*b^3*c^3*d^3*e^3*(19*n - 2) - 4*c^6*d^6*(4*n - 1) - 10*b^2*c^4*d^4*e^2*(4*n - 3) - 2*b^6*e^6*n)*a^2 - (b^4*c^3*d^4*e^2*(39*n - 19) + b^2*c^5*d^6*(29*n - 9) + b^5*c^2*d^3*e^3*(25*n - 6) - 3*b^3*c^4*d^5*e*(25*n - 9) - b^7*d*e^5*(6*n - 1) - 6*b^6*c*d^2*e^4*(2*n - 1))*a)*x*x^(2*n) + (b^5*c^3*d^6*(2*n - 1) - 3*b^6*c^2*d^5*e*(2*n - 1) + 3*b^7*c*d^4*e^2*(2*n - 1) - b^8*d^3*e^3*(2*n - 1) - 4*(c^3*d*e^5*(10*n - 1) - 16*b*c^2*e^6*n)*a^5 + (b^2*c^2*d*e^5*(115*n - 13) - 2*b*c^3*d^2*e^4*(55

$$\begin{aligned}
& *n - 4) - 8*c^4*d^3*e^3*(7*n - 1) - 32*b^3*c*e^6*n)*a^4 - (b^4*c*d*e^5*(55* \\
& n - 7) - 3*b^3*c^2*d^2*e^4*(35*n - 2) + 2*b^2*c^3*d^3*e^3*(8*n + 7) + 4*c^5 \\
& *d^5*e*(4*n - 1) + 8*b*c^4*d^4*e^2*(n - 1) - 4*b^5*e^6*n)*a^3 + (b^3*c^3*d^ \\
& 4*e^2*(41*n - 26) - b^5*c*d^2*e^4*(31*n - 1) - b^2*c^4*d^5*e*(23*n - 11) + \\
& b^4*c^2*d^3*e^3*(8*n + 15) + b^6*d*e^5*(7*n - 1) - 2*b*c^5*d^6*n)*a^2 + (3* \\
& b^4*c^3*d^5*e*(13*n - 5) - 3*b^5*c^2*d^4*e^2*(13*n - 6) + b^6*c*d^3*e^3*(9* \\
& n - 7) - 4*b^3*c^4*d^6*(3*n - 1) + 3*b^7*d^2*e^4*n)*a)*x*x^n + (32*a^6*c^2* \\
& e^6*n - 4*(c^3*d^2*e^4*(10*n - 1) + 4*b^2*c*e^6*n)*a^5 + (b^2*c^2*d^2*e^4*(\\
& 115*n - 13) - 12*b*c^3*d^3*e^3*(13*n - 1) + 48*c^4*d^4*e^2*n + 2*b^4*e^6*n) \\
& *a^4 + (b^3*c^2*d^3*e^3*(57*n + 1) - b^4*c*d^2*e^4*(55*n - 7) - 4*b*c^4*d^5 \\
& *e*(23*n - 5) + 6*b^2*c^3*d^4*e^2*(11*n - 4) + 4*c^5*d^6*(6*n - 1))*a^3 + (\\
& b^3*c^3*d^5*e*(65*n - 17) - b^2*c^4*d^6*(21*n - 5) - 6*b^4*c^2*d^4*e^2*(10* \\
& n - 3) + b^5*c*d^3*e^3*(9*n - 5) + b^6*d^2*e^4*(7*n - 1))*a^2 + (b^4*c^3*d^ \\
& 6*(3*n - 1) - 3*b^5*c^2*d^5*e*(3*n - 1) + 3*b^6*c*d^4*e^2*(3*n - 1) - b^7*d \\
& ^3*e^3*(3*n - 1))*a)*x)/(16*a^9*c^2*d^2*e^6*n^2 + 8*(6*c^3*d^4*e^4*n^2 - 6* \\
& b*c^2*d^3*e^5*n^2 - b^2*c*d^2*e^6*n^2)*a^8 + (48*c^4*d^6*e^2*n^2 - 96*b*c^3 \\
& *d^5*e^3*n^2 + 24*b^2*c^2*d^4*e^4*n^2 + 24*b^3*c*d^3*e^5*n^2 + b^4*d^2*e^6* \\
& n^2)*a^7 + (16*c^5*d^8*n^2 - 48*b*c^4*d^7*e*n^2 + 24*b^2*c^3*d^6*e^2*n^2 + \\
& 32*b^3*c^2*d^5*e^3*n^2 - 21*b^4*c*d^4*e^4*n^2 - 3*b^5*d^3*e^5*n^2)*a^6 - (8 \\
& *b^2*c^4*d^8*n^2 - 24*b^3*c^3*d^7*e*n^2 + 21*b^4*c^2*d^6*e^2*n^2 - 2*b^5*c* \\
& d^5*e^3*n^2 - 3*b^6*d^4*e^4*n^2)*a^5 + (b^4*c^3*d^8*n^2 - 3*b^5*c^2*d^7*e*n \\
& ^2 + 3*b^6*c*d^6*e^2*n^2 - b^7*d^5*e^3*n^2)*a^4 + (16*a^7*c^4*d*e^7*n^2 + 8 \\
& *(6*c^5*d^3*e^5*n^2 - 6*b*c^4*d^2*e^6*n^2 - b^2*c^3*d*e^7*n^2)*a^6 + (48*c^ \\
& 6*d^5*e^3*n^2 - 96*b*c^5*d^4*e^4*n^2 + 24*b^2*c^4*d^3*e^5*n^2 + 24*b^3*c^3* \\
& d^2*e^6*n^2 + b^4*c^2*d*e^7*n^2)*a^5 + (16*c^7*d^7*e*n^2 - 48*b*c^6*d^6*e^2 \\
& *n^2 + 24*b^2*c^5*d^5*e^3*n^2 + 32*b^3*c^4*d^4*e^4*n^2 - 21*b^4*c^3*d^3*e^5 \\
& *n^2 - 3*b^5*c^2*d^2*e^6*n^2)*a^4 - (8*b^2*c^6*d^7*e*n^2 - 24*b^3*c^5*d^6*e \\
& ^2*n^2 + 21*b^4*c^4*d^5*e^3*n^2 - 2*b^5*c^3*d^4*e^4*n^2 - 3*b^6*c^2*d^3*e^5 \\
& *n^2)*a^3 + (b^4*c^5*d^7*e*n^2 - 3*b^5*c^4*d^6*e^2*n^2 + 3*b^6*c^3*d^5*e^3* \\
& n^2 - b^7*c^2*d^4*e^4*n^2)*a^2)*x^(5*n) + (16*(c^4*d^2*e^6*n^2 + 2*b*c^3*d* \\
& e^7*n^2)*a^7 + 8*(6*c^5*d^4*e^4*n^2 + 6*b*c^4*d^3*e^5*n^2 - 13*b^2*c^3*d^2* \\
& e^6*n^2 - 2*b^3*c^2*d*e^7*n^2)*a^6 + (48*c^6*d^6*e^2*n^2 - 168*b^2*c^4*d^4* \\
& e^4*n^2 + 72*b^3*c^3*d^3*e^5*n^2 + 49*b^4*c^2*d^2*e^6*n^2 + 2*b^5*c*d*e^7*n \\
& ^2)*a^5 + (16*c^7*d^8*n^2 - 16*b*c^6*d^7*e*n^2 - 72*b^2*c^5*d^6*e^2*n^2 + 8 \\
& 0*b^3*c^4*d^5*e^3*n^2 + 43*b^4*c^3*d^4*e^4*n^2 - 45*b^5*c^2*d^3*e^5*n^2 - 6 \\
& *b^6*c*d^2*e^6*n^2)*a^4 - (8*b^2*c^6*d^8*n^2 - 8*b^3*c^5*d^7*e*n^2 - 27*b^4 \\
& *c^4*d^6*e^2*n^2 + 40*b^5*c^3*d^5*e^3*n^2 - 7*b^6*c^2*d^4*e^4*n^2 - 6*b^7*c \\
& *d^3*e^5*n^2)*a^3 + (b^4*c^5*d^8*n^2 - b^5*c^4*d^7*e*n^2 - 3*b^6*c^3*d^6*e^ \\
& 2*n^2 + 5*b^7*c^2*d^5*e^3*n^2 - 2*b^8*c*d^4*e^4*n^2)*a^2)*x^(4*n) + (32*a^8 \\
& *c^3*d*e^7*n^2 + 32*(3*c^4*d^3*e^5*n^2 - 2*b*c^3*d^2*e^6*n^2)*a^7 + 2*(48*c \\
& ^5*d^5*e^3*n^2 - 48*b*c^4*d^4*e^4*n^2 - 8*b^3*c^2*d^2*e^6*n^2 - 3*b^4*c*d*e \\
& ^7*n^2)*a^6 + (32*c^6*d^7*e*n^2 - 96*b^2*c^4*d^5*e^3*n^2 + 16*b^3*c^3*d^4*e \\
& ^4*n^2 + 30*b^4*c^2*d^3*e^5*n^2 + 20*b^5*c*d^2*e^6*n^2 + b^6*d*e^7*n^2)*a^5 \\
& + (32*b*c^6*d^8*n^2 - 96*b^2*c^5*d^7*e*n^2 + 48*b^3*c^4*d^6*e^2*n^2 + 46*b \\
& ^4*c^3*d^5*e^3*n^2 - 6*b^5*c^2*d^4*e^4*n^2 - 21*b^6*c*d^3*e^5*n^2 - 3*b^7*d \\
& ^2*e^6*n^2)*a^4 - (16*b^3*c^5*d^8*n^2 - 42*b^4*c^4*d^7*e*n^2 + 24*b^5*c^3*d \\
& ^6*e^2*n^2 + 11*b^6*c^2*d^5*e^3*n^2 - 6*b^7*c*d^4*e^4*n^2 - 3*b^8*d^3*e^5*n \\
& ^2)*a^3 + (2*b^5*c^4*d^8*n^2 - 5*b^6*c^3*d^7*e*n^2 + 3*b^7*c^2*d^6*e^2*n^2 \\
& + b^8*c*d^5*e^3*n^2 - b^9*d^4*e^4*n^2)*a^2)*x^(3*n) + (32*(c^3*d^2*e^6*n^2 \\
& + b*c^2*d*e^7*n^2)*a^8 + 16*(6*c^4*d^4*e^4*n^2 - 6*b^2*c^2*d^2*e^6*n^2 - b^ \\
& 3*c*d*e^7*n^2)*a^7 + 2*(48*c^5*d^6*e^2*n^2 - 48*b*c^4*d^5*e^3*n^2 - 48*b^2* \\
& c^3*d^4*e^4*n^2 + 24*b^3*c^2*d^3*e^5*n^2 + 21*b^4*c*d^2*e^6*n^2 + b^5*d*e^7 \\
& *n^2)*a^6 + (32*c^6*d^8*n^2 - 64*b*c^5*d^7*e*n^2 + 16*b^3*c^3*d^5*e^3*n^2 + \\
& 46*b^4*c^2*d^4*e^4*n^2 - 24*b^5*c*d^3*e^5*n^2 - 5*b^6*d^2*e^6*n^2)*a^5 - (\\
& 16*b^3*c^4*d^7*e*n^2 - 30*b^4*c^3*d^6*e^2*n^2 + 6*b^5*c^2*d^5*e^3*n^2 + 11* \\
& b^6*c*d^4*e^4*n^2 - 3*b^7*d^3*e^5*n^2)*a^4 - (6*b^4*c^4*d^8*n^2 - 20*b^5*c^ \\
& 3*d^7*e*n^2 + 21*b^6*c^2*d^6*e^2*n^2 - 6*b^7*c*d^5*e^3*n^2 - b^8*d^4*e^4*n^ \\
& 2)*a^3 + (b^6*c^3*d^8*n^2 - 3*b^7*c^2*d^7*e*n^2 + 3*b^8*c*d^6*e^2*n^2 - b^9 \\
& *d^5*e^3*n^2)*a^2)*x^(2*n) + (16*a^9*c^2*d*e^7*n^2 + 8*(6*c^3*d^3*e^5*n^2 -
\end{aligned}$$

$$\begin{aligned}
& 2*b*c^2*d^2*e^6*n^2 - b^2*c*d*e^7*n^2)*a^8 + (48*c^4*d^5*e^3*n^2 - 72*b^2*c^2*d^3*e^5*n^2 + 8*b^3*c*d^2*e^6*n^2 + b^4*d*e^7*n^2)*a^7 + (16*c^5*d^7*e*n^2 + 48*b*c^4*d^6*e^2*n^2 - 168*b^2*c^3*d^5*e^3*n^2 + 80*b^3*c^2*d^4*e^4*n^2 + 27*b^4*c*d^3*e^5*n^2 - b^5*d^2*e^6*n^2)*a^6 + (32*b*c^5*d^8*n^2 - 104*b^2*c^4*d^7*e*n^2 + 72*b^3*c^3*d^6*e^2*n^2 + 43*b^4*c^2*d^5*e^3*n^2 - 40*b^5*c*d^4*e^4*n^2 - 3*b^6*d^3*e^5*n^2)*a^5 - (16*b^3*c^4*d^8*n^2 - 49*b^4*c^3*d^7*e*n^2 + 45*b^5*c^2*d^6*e^2*n^2 - 7*b^6*c*d^5*e^3*n^2 - 5*b^7*d^4*e^4*n^2)*a^4 + 2*(b^5*c^3*d^8*n^2 - 3*b^6*c^2*d^7*e*n^2 + 3*b^7*c*d^6*e^2*n^2 - b^8*d^5*e^3*n^2)*a^3)*x^n) + \text{integrate}(1/2*((2*n^2 - 3*n + 1)*b^4*c^4*d^6 - 4*(2*n^2 - 3*n + 1)*b^5*c^3*d^5*e + 6*(2*n^2 - 3*n + 1)*b^6*c^2*d^4*e^2 - 4*(2*n^2 - 3*n + 1)*b^7*c*d^3*e^3 + (2*n^2 - 3*n + 1)*b^8*d^2*e^4 - 4*(24*n^2 - 10*n + 1)*a^5*c^3*e^6 + (4*(48*n^2 - 2*n - 1)*c^4*d^2*e^4 - 4*(96*n^2 - 29*n + 2)*b*c^3*d*e^5 + (240*n^2 - 115*n + 13)*b^2*c^2*e^6)*a^4 + (4*(32*n^2 - 18*n + 1)*c^5*d^4*e^2 - 8*(48*n^2 - 37*n + 4)*b*c^4*d^3*e^3 + (288*n^2 - 337*n + 49)*b^2*c^3*d^2*e^4 + 2*(32*n^2 + 29*n - 7)*b^3*c^2*d*e^5 - (10*2*n^2 - 55*n + 7)*b^4*c*e^6)*a^3 + (4*(8*n^2 - 6*n + 1)*c^6*d^6 - 4*(32*n^2 - 29*n + 6)*b*c^5*d^5*e + (128*n^2 - 137*n + 39)*b^2*c^4*d^4*e^2 + 8*(8*n^2 - 7*n - 1)*b^3*c^3*d^3*e^3 - 4*(37*n^2 - 43*n + 6)*b^4*c^2*d^2*e^4 + 4*(10*n^2 - 16*n + 3)*b^5*c*d*e^5 + (12*n^2 - 7*n + 1)*b^6*e^6)*a^2 - ((16*n^2 - 21*n + 5)*b^2*c^5*d^6 - 2*(32*n^2 - 43*n + 11)*b^3*c^4*d^5*e + 2*(44*n^2 - 61*n + 17)*b^4*c^3*d^4*e^2 - 20*(2*n^2 - 3*n + 1)*b^5*c^2*d^3*e^3 - (8*n^2 - 7*n - 1)*b^6*c*d^2*e^4 + 2*(4*n^2 - 5*n + 1)*b^7*d*e^5)*a + ((2*n^2 - 3*n + 1)*b^3*c^5*d^6 - 4*(2*n^2 - 3*n + 1)*b^4*c^4*d^5*e + 6*(2*n^2 - 3*n + 1)*b^5*c^3*d^4*e^2 - 4*(2*n^2 - 3*n + 1)*b^6*c^2*d^3*e^3 + (2*n^2 - 3*n + 1)*b^7*c*d^2*e^4 - 2*(4*(35*n^2 - 12*n + 1)*c^4*d*e^5 - (81*n^2 - 37*n + 4)*b*c^3*e^6)*a^4 - 2*(8*(7*n^2 - 8*n + 1)*c^5*d^3*e^3 - (83*n^2 - 97*n + 14)*b*c^4*d^2*e^4 - (44*n^2 + 7*n - 3)*b^2*c^3*d*e^5 + 3*(15*n^2 - 8*n + 1)*b^3*c^2*e^6)*a^3 - (8*(3*n^2 - 4*n + 1)*c^6*d^5*e - 2*(11*n^2 - 19*n + 8)*b*c^5*d^4*e^2 - 4*(22*n^2 - 23*n + 1)*b^2*c^4*d^3*e^3 + (136*n^2 - 159*n + 23)*b^3*c^3*d^2*e^4 - 2*(16*n^2 - 27*n + 5)*b^4*c^2*d*e^5 - (12*n^2 - 7*n + 1)*b^5*c*e^6)*a^2 - 2*((7*n^2 - 9*n + 2)*b*c^6*d^6 - (28*n^2 - 37*n + 9)*b^2*c^5*d^5*e + 2*(19*n^2 - 26*n + 7)*b^3*c^4*d^4*e^2 - 8*(2*n^2 - 3*n + 1)*b^4*c^3*d^3*e^3 - 5*(n^2 - n)*b^5*c^2*d^2*e^4 + (4*n^2 - 5*n + 1)*b^6*c*d*e^5)*a)*x^n)/(16*a^9*c^2*e^8*n^2 + 8*(8*c^3*d^2*e^6*n^2 - 8*b*c^2*d*e^7*n^2 - b^2*c*e^8*n^2)*a^8 + (96*c^4*d^4*e^4*n^2 - 192*b*c^3*d^3*e^5*n^2 + 64*b^2*c^2*d^2*e^6*n^2 + 32*b^3*c*d*e^7*n^2 + b^4*e^8*n^2)*a^7 + 4*(16*c^5*d^6*e^2*n^2 - 48*b*c^4*d^5*e^3*n^2 + 36*b^2*c^3*d^4*e^4*n^2 + 8*b^3*c^2*d^3*e^5*n^2 - 11*b^4*c*d^2*e^6*n^2 - b^5*d*e^7*n^2)*a^6 + 2*(8*c^6*d^8*n^2 - 32*b*c^5*d^7*e*n^2 + 32*b^2*c^4*d^6*e^2*n^2 + 16*b^3*c^3*d^5*e^3*n^2 - 37*b^4*c^2*d^4*e^4*n^2 + 10*b^5*c*d^3*e^5*n^2 + 3*b^6*d^2*e^6*n^2)*a^5 - 4*(2*b^2*c^5*d^8*n^2 - 8*b^3*c^4*d^7*e*n^2 + 11*b^4*c^3*d^6*e^2*n^2 - 5*b^5*c^2*d^5*e^3*n^2 - b^6*c*d^4*e^4*n^2 + b^7*d^3*e^5*n^2)*a^4 + (b^4*c^4*d^8*n^2 - 4*b^5*c^3*d^7*e*n^2 + 6*b^6*c^2*d^6*e^2*n^2 - 4*b^7*c*d^5*e^3*n^2 + b^8*d^4*e^4*n^2)*a^3 + (16*a^8*c^3*e^8*n^2 + 8*(8*c^4*d^2*e^6*n^2 - 8*b*c^3*d*e^7*n^2 - b^2*c^2*e^8*n^2)*a^7 + (96*c^5*d^4*e^4*n^2 - 192*b*c^4*d^3*e^5*n^2 + 64*b^2*c^3*d^2*e^6*n^2 + 32*b^3*c^2*d*e^7*n^2 + b^4*c*e^8*n^2)*a^6 + 4*(16*c^6*d^6*e^2*n^2 - 48*b*c^5*d^5*e^3*n^2 + 36*b^2*c^4*d^4*e^4*n^2 + 8*b^3*c^3*d^3*e^5*n^2 - 11*b^4*c^2*d^2*e^6*n^2 - b^5*c*d*e^7*n^2)*a^5 + 2*(8*c^7*d^8*n^2 - 32*b*c^6*d^7*e*n^2 + 32*b^2*c^5*d^6*e^2*n^2 + 16*b^3*c^4*d^5*e^3*n^2 - 37*b^4*c^3*d^4*e^4*n^2 + 10*b^5*c^2*d^3*e^5*n^2 + 3*b^6*c*d^2*e^6*n^2)*a^4 - 4*(2*b^2*c^6*d^8*n^2 - 8*b^3*c^5*d^7*e*n^2 + 11*b^4*c^4*d^6*e^2*n^2 - 5*b^5*c^3*d^5*e^3*n^2 - b^6*c^2*d^4*e^4*n^2 + b^7*c*d^3*e^5*n^2)*a^3 + (b^4*c^5*d^8*n^2 - 4*b^5*c^4*d^7*e*n^2 + 6*b^6*c^3*d^6*e^2*n^2 - 4*b^7*c^2*d^5*e^3*n^2 + b^8*c*d^4*e^4*n^2)*a^2)*x^(2*n) + (16*a^8*b*c^2*e^8*n^2 + 8*(8*b*c^3*d^2*e^6*n^2 - 8*b^2*c^2*d*e^7*n^2 - b^3*c*e^8*n^2)*a^7 + (96*b*c^4*d^4*e^4*n^2 - 192*b^2*c^3*d^3*e^5*n^2 + 64*b^3*c^2*d^2*e^6*n^2 + 32*b^4*c*d*e^7*n^2 + b^5*e^8*n^2)*a^6 + 4*(16*b*c^5*d^6*e^2*n^2 - 48*b^2*c^4*d^5*e^3*n^2 + 36*b^3*c^3*d^4*e^4*n^2 + 8*b^4*c^2*d^3*e^5*n^2 - 11*b^5*c*d^2*e^6*n^2 - b^6*d*e^7*n^2)*a^5 + 2*(8*b*c^6*d^8*n^2 - 32*b^2*c^5*d^7*e*n^2 + 32*b^3*c^4*d^6*e^2*n^2
\end{aligned}$$

+ 16*b^4*c^3*d^5*e^3*n^2 - 37*b^5*c^2*d^4*e^4*n^2 + 10*b^6*c*d^3*e^5*n^2 + 3*b^7*d^2*e^6*n^2)*a^4 - 4*(2*b^3*c^5*d^8*n^2 - 8*b^4*c^4*d^7*e*n^2 + 11*b^5*c^3*d^6*e^2*n^2 - 5*b^6*c^2*d^5*e^3*n^2 - b^7*c*d^4*e^4*n^2 + b^8*d^3*e^5*n^2)*a^3 + (b^5*c^4*d^8*n^2 - 4*b^6*c^3*d^7*e*n^2 + 6*b^7*c^2*d^6*e^2*n^2 - 4*b^8*c*d^5*e^3*n^2 + b^9*d^4*e^4*n^2)*a^2)*x^n), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(d + ex^n)^2 (a + bx^n + cx^{2n})^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^3), x)

[Out] int(1/((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d+e*x**n)**2/(a+b*x**n+c*x**(2*n))**3, x)

[Out] Timed out

3.85 $\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx$

Optimal. Leaf size=292

$$\frac{dx\sqrt{a + bx^n + cx^{2n}} F_1\left(\frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right) + ex^{n+1}\sqrt{a + bx^n + cx^{2n}} F_1\left(1 + \frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1} + (n + 1) \sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1}}$$

[Out] $e*x^{(1+n)}*AppellF1(1+1/n, -1/2, -1/2, 2+1/n, -2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)}))*(a+b*x^n+c*x^{(2*n)})^{(1/2)}/(1+n)/(1+2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)}))^{(1/2)}+d*x*AppellF1(1/n, -1/2, -1/2, 1+1/n, -2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)}))*(a+b*x^n+c*x^{(2*n)})^{(1/2)}/(1+2*c*x^n/(b - (-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+2*c*x^n/(b + (-4*a*c+b^2)^{(1/2)}))^{(1/2)}$

Rubi [A] time = 0.36, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx\sqrt{a + bx^n + cx^{2n}} F_1\left(\frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right) + ex^{n+1}\sqrt{a + bx^n + cx^{2n}} F_1\left(1 + \frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{\sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1} + (n + 1) \sqrt{\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*Sqrt[a + b*x^n + c*x^(2*n)], x]

[Out] $(e*x^{(1 + n)}*Sqrt[a + b*x^n + c*x^{(2*n)}]*AppellF1[1 + n^{(-1)}, -1/2, -1/2, 2 + n^{(-1)}, (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]/((1 + n)*Sqrt[1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]) + (d*x*Sqrt[a + b*x^n + c*x^{(2*n)}]*AppellF1[n^{(-1)}, -1/2, -1/2, 1 + n^{(-1)}, (-2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]/(Sqrt[1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c])]*Sqrt[1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c])]))$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m + 1)*AppellF1[(m + 1)/n, -p, -q, 1 + (m + 1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m + 1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rule 1385

```
Int[((d_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x
_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (
2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 -
4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c
]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c,
d, m, n, p}, x] && EqQ[n2, 2*n]
```

Rule 1432

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0]
```

Rubi steps

$$\begin{aligned} \int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx &= \int \left(d\sqrt{a + bx^n + cx^{2n}} + ex^n \sqrt{a + bx^n + cx^{2n}} \right) dx \\ &= d \int \sqrt{a + bx^n + cx^{2n}} dx + e \int x^n \sqrt{a + bx^n + cx^{2n}} dx \\ &= \frac{\left(d\sqrt{a + bx^n + cx^{2n}} \right) \int \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \frac{\left(e\sqrt{a + bx^n + cx^{2n}} \right) \int x^n \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} \\ &= \frac{ex^{1+n} \sqrt{a + bx^n + cx^{2n}} F_1 \left(1 + \frac{1}{n}; -\frac{1}{2}, -\frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{(1 + n) \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} \end{aligned}$$

Mathematica [A] time = 1.61, size = 424, normalized size = 1.45

$$x \left(2(n+1) \left(an \sqrt{\frac{-\sqrt{b^2-4ac}+b+2cx^n}{b-\sqrt{b^2-4ac}}} \sqrt{\frac{\sqrt{b^2-4ac}+b+2cx^n}{\sqrt{b^2-4ac}+b}} (2c(2dn+d) - be) F_1 \left(\frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b+\sqrt{b^2-4ac}}, \frac{2cx^n}{\sqrt{b^2-4ac}-b} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^n)*Sqrt[a + b*x^n + c*x^(2*n)], x]

```
[Out] (x*(-(n*(-4*a*c*e*(1 + n) + b^2*e*(2 + n) - 2*b*c*d*(1 + 2*n))*x^n*Sqrt[(b
- Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2
- 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[1 + n^(-1), 1/2, 1/2,
2 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 -
4*a*c])]) + 2*(1 + n)*((a + x^n*(b + c*x^n))*(b*e*n + 2*c*(d + 2*d*n + e*(
1 + n)*x^n)) + a*n*(-(b*e) + 2*c*(d + 2*d*n))*Sqrt[(b - Sqrt[b^2 - 4*a*c] +
2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(
b + Sqrt[b^2 - 4*a*c]])*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-1), (-2*c*x^n)/(
b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])])))/(4*(1 + n)^2
*(c + 2*c*n)*Sqrt[a + x^n*(b + c*x^n)])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^{2n} + bx^n + a}(ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(c*x^(2*n) + b*x^n + a)*(e*x^n + d), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (ex^n + d) \sqrt{bx^n + cx^{2n} + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^(1/2),x)

[Out] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{cx^{2n} + bx^n + a}(ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(c*x^(2*n) + b*x^n + a)*(e*x^n + d), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^(1/2),x)

[Out] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (d + ex^n) \sqrt{a + bx^n + cx^{2n}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**(1/2),x)

[Out] Integral((d + e*x**n)*sqrt(a + b*x**n + c*x**(2*n)), x)

3.86 $\int (d + ex^n) (a + bx^n + cx^{2n})^{3/2} dx$

Optimal. Leaf size=294

$$\frac{adx\sqrt{a+bx^n+cx^{2n}}F_1\left(\frac{1}{n};-\frac{3}{2},-\frac{3}{2};1+\frac{1}{n};-\frac{2cx^n}{b-\sqrt{b^2-4ac}},-\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)+aex^{n+1}\sqrt{a+bx^n+cx^{2n}}F_1\left(1+\frac{1}{n};-\frac{3}{2},-\frac{3}{2};\right)}{\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}}+(n+1)\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}}$$

[Out] a*e*x^(1+n)*AppellF1(1+1/n,-3/2,-3/2,2+1/n,-2*c*x^n/(b-(-4*a*c+b^2)^(1/2)), -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(a+b*x^n+c*x^(2*n))^(1/2)/(1+n)/(1+2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(1+2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))^(1/2)+a*d*x*AppellF1(1/n,-3/2,-3/2,1+1/n,-2*c*x^n/(b-(-4*a*c+b^2)^(1/2)), -2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))*(a+b*x^n+c*x^(2*n))^(1/2)/(1+2*c*x^n/(b-(-4*a*c+b^2)^(1/2)))^(1/2)/(1+2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))^(1/2))^(1/2)/(1+2*c*x^n/(b+(-4*a*c+b^2)^(1/2)))^(1/2))^(1/2)

Rubi [A] time = 0.35, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{adx\sqrt{a+bx^n+cx^{2n}}F_1\left(\frac{1}{n};-\frac{3}{2},-\frac{3}{2};1+\frac{1}{n};-\frac{2cx^n}{b-\sqrt{b^2-4ac}},-\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right)+aex^{n+1}\sqrt{a+bx^n+cx^{2n}}F_1\left(1+\frac{1}{n};-\frac{3}{2},-\frac{3}{2};\right)}{\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}}+(n+1)\sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}+1}\sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}+1}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^(3/2), x]

[Out] (a*e*x^(1+n)*Sqrt[a+b*x^n+c*x^(2*n)]*AppellF1[1+n^(-1), -3/2, -3/2, 2+n^(-1), (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/(1+n)*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c])]*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c])])+(a*d*x*Sqrt[a+b*x^n+c*x^(2*n)]*AppellF1[n^(-1), -3/2, -3/2, 1+n^(-1), (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/(Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c])]*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c])])

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] &

& NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rule 1385

Int[((d_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]

Rule 1432

Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_)) + (c_)*(x_)^(n2_)]^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0]

Rubi steps

$$\begin{aligned} \int (d + ex^n)(a + bx^n + cx^{2n})^{3/2} dx &= \int \left(d(a + bx^n + cx^{2n})^{3/2} + ex^n(a + bx^n + cx^{2n})^{3/2} \right) dx \\ &= d \int (a + bx^n + cx^{2n})^{3/2} dx + e \int x^n (a + bx^n + cx^{2n})^{3/2} dx \\ &= \frac{\left(ad\sqrt{a + bx^n + cx^{2n}} \right) \int \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \frac{\left(ae\sqrt{a + bx^n + cx^{2n}} \right) \int \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{3/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{3/2} dx}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} \\ &= \frac{aex^{1+n}\sqrt{a + bx^n + cx^{2n}} F_1\left(1 + \frac{1}{n}; -\frac{3}{2}, -\frac{3}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)}{(1 + n)\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}}} + \end{aligned}$$

Mathematica [B] time = 4.53, size = 690, normalized size = 2.35

$$x \left(3n^2 x^n \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} F_1\left(1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b}\right) (16a^2 c^2 e (3n^2 + 4n + 1) \right.$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^(3/2), x]

[Out] (x*(3*n^2*(16*a^2*c^2*e*(1 + 4*n + 3*n^2) + b^4*e*(4 + 8*n + 3*n^2) - 2*b^3*c*d*(2 + 9*n + 4*n^2) - 4*a*b^2*c*e*(5 + 14*n + 6*n^2) + 8*a*b*c^2*d*(2 + 11*n + 12*n^2))*x^n*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[1 + n^(-1), 1/2, 1/2, 2 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])] + 2*(1 + n)*((a + x^n*(b + c*x^n))*(-3*b^3*e*n^2*(2 + 3*n) + 6*b^2*c*n^2*(d + 4*d*n + e*(1 + n)*x^n) + 8*c^3*(1 + 3*n + 2*n^2)*x^(2*n)*(d + 4*d*n + e*(1 + 3*n)*x^n) + 4*b*c^2*(1 + n)*x^n*(d*(2 + 15*n + 28*n^2) + e*(2 + 13*n + 18*n^2)*x^n) + 4*a*c*(3*b*e*n^2*(2 + 5*n) + 2*c*(d*(1 + 2*n)*(1 + 4*n)^2 + e*(1 + 9*n + 23*n^2 + 15*n^3)*x^n)) + 3*a*n^2*(b^3*e*(2 + 3*n) - 2*b^2*c*d*(1 + 4*n) - 4*a*b*c*e*(2 + 5*n) + 8*a*c^2*d*(1 + 6*n + 8*n^2))*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a


```
*c]])*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])])]/(16*c^2*(1 + n)^2*(1 + 2*n)*(1 + 3*n)*(1 + 4*n)*Sqrt[a + x^n*(b + c*x^n)])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^{\frac{3}{2}}(ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((c*x^(2*n) + b*x^n + a)^(3/2)*(e*x^n + d), x)
```

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (ex^n + d)(bx^n + cx^{2n} + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^(3/2),x)
```

```
[Out] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^(3/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^{\frac{3}{2}}(ex^n + d) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((c*x^(2*n) + b*x^n + a)^(3/2)*(e*x^n + d), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + ex^n) (a + bx^n + cx^{2n})^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^(3/2),x)
```

```
[Out] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (d + ex^n) (a + bx^n + cx^{2n})^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**(3/2),x)
```

```
[Out] Integral((d + e*x**n)*(a + b*x**n + c*x**(2*n))**(3/2), x)
```

$$3.87 \quad \int \frac{d+ex^n}{\sqrt{a+bx^n+cx^{2n}}} dx$$

Optimal. Leaf size=292

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{\sqrt{a+bx^n+cx^{2n}}} + \frac{e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{\sqrt{a+bx^n+cx^{2n}}} \quad (n)$$

[Out] $e*x^{(1+n)}*AppellF1(1+1/n, 1/2, 1/2, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(1+n)/(a+b*x^n+c*x^{(2*n)})^{(1/2)}+d*x*AppellF1(1/n, 1/2, 1/2, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/(a+b*x^n+c*x^{(2*n)})^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{\sqrt{a+bx^n+cx^{2n}}} + \frac{e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{\sqrt{a+bx^n+cx^{2n}}} \quad (n)$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/Sqrt[a + b*x^n + c*x^(2*n)], x]

[Out] $(e*x^{(1+n)}*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[1+n^{(-1)}, 1/2, 1/2, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/((1+n)*Sqrt[a+b*x^n+c*x^{(2*n)}]) + (d*x*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[n^{(-1)}, 1/2, 1/2, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/Sqrt[a+b*x^n+c*x^{(2*n)}])$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rule 1385

```
Int[((d_.)*(x_)^(m_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^p_), x
_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (
2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 -
4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c
]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c,
d, m, n, p}, x] && EqQ[n2, 2*n]
```

Rule 1432

```
Int[((d_) + (e_.)*(x_)^(n_.))*((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.))^p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{\sqrt{a + bx^n + cx^{2n}}} dx &= \int \left(\frac{d}{\sqrt{a + bx^n + cx^{2n}}} + \frac{ex^n}{\sqrt{a + bx^n + cx^{2n}}} \right) dx \\ &= d \int \frac{1}{\sqrt{a + bx^n + cx^{2n}}} dx + e \int \frac{x^n}{\sqrt{a + bx^n + cx^{2n}}} dx \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{a + bx^n + cx^{2n}}} + \frac{\left(e \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \right) \int \frac{x^n}{\sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} dx}{\sqrt{a + bx^n + cx^{2n}}}}{(1+n)\sqrt{a + bx^n + cx^{2n}}} \\ &= \frac{ex^{1+n} \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} F_1 \left(1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{(1+n)\sqrt{a + bx^n + cx^{2n}}} \end{aligned}$$

Mathematica [A] time = 0.33, size = 245, normalized size = 0.84

$$\frac{x \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} \left(d(n+1) F_1 \left(\frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) + ex^n F_1 \left(1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) \right)}{(n+1)\sqrt{a + x^n(b + cx^n)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + e*x^n)/Sqrt[a + b*x^n + c*x^(2*n)], x]
```

```
[Out] (x*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[(b
+ Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]])*(e*x^n*AppellF1[1 +
n^(-1), 1/2, 1/2, 2 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n
)/(-b + Sqrt[b^2 - 4*a*c])] + d*(1 + n)*AppellF1[n^(-1), 1/2, 1/2, 1 + n^(-
1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])
])/((1 + n)*Sqrt[a + x^n*(b + c*x^n)])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{\sqrt{cx^{2n} + bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(1/2),x, algorithm="giac")

[Out] integrate((e*x^n + d)/sqrt(c*x^(2*n) + b*x^n + a), x)

maple [F] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{\sqrt{b x^n + c x^{2n} + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^(1/2),x)

[Out] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{\sqrt{cx^{2n} + bx^n + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(1/2),x, algorithm="maxima")

[Out] integrate((e*x^n + d)/sqrt(c*x^(2*n) + b*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + ex^n}{\sqrt{a + bx^n + cx^{2n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(1/2),x)

[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{d + ex^n}{\sqrt{a + bx^n + cx^{2n}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**(1/2),x)

[Out] Integral((d + e*x**n)/sqrt(a + b*x**n + c*x**(2*n)), x)

$$3.88 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{3/2}} dx$$

Optimal. Leaf size=298

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b} + 1} F_1\left(\frac{1}{n}; \frac{3}{2}, \frac{3}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) + ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b} + 1}}{a\sqrt{a+bx^n+cx^{2n}}}$$

[Out] $e*x^{(1+n)}*AppellF1(1+1/n, 3/2, 3/2, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/(1+n)/(a+b*x^n+cx^{(2*n)})^{(1/2)}+d*x*AppellF1(1/n, 3/2, 3/2, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a/(a+b*x^n+cx^{(2*n)})^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b} + 1} F_1\left(\frac{1}{n}; \frac{3}{2}, \frac{3}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) + ex^{n+1} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}} + 1} \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b} + 1}}{a\sqrt{a+bx^n+cx^{2n}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^(3/2), x]

[Out] $(e*x^{(1+n)}*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[1+n^{-1}, 3/2, 3/2, 2+n^{-1}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/(a*(1+n)*Sqrt[a+b*x^n+cx^{(2*n)}]) + (d*x*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[n^{-1}, 3/2, 3/2, 1+n^{-1}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/(a*Sqrt[a+b*x^n+cx^{(2*n)}])$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rule 1385

```
Int[((d_.)*(x_)^(m_.)*((a_.) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_.))^p_, x
_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (
2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 -
4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c
]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c,
d, m, n, p}, x] && EqQ[n2, 2*n]
```

Rule 1432

```
Int[((d_) + (e_.)*(x_)^(n_.))*((a_.) + (b_.)*(x_)^(n_.) + (c_.)*(x_)^(n2_.))^p
_, x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{(a + bx^n + cx^{2n})^{3/2}} dx &= \int \left(\frac{d}{(a + bx^n + cx^{2n})^{3/2}} + \frac{ex^n}{(a + bx^n + cx^{2n})^{3/2}} \right) dx \\ &= d \int \frac{1}{(a + bx^n + cx^{2n})^{3/2}} dx + e \int \frac{x^n}{(a + bx^n + cx^{2n})^{3/2}} dx \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^n + cx^{2n}}} + \frac{\left(e \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{x^n}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{3/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{3/2}} dx}{a \sqrt{a + bx^n + cx^{2n}}} \\ &= \frac{ex^{1+n} \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} F_1 \left(1 + \frac{1}{n}; \frac{3}{2}, \frac{3}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{a(1+n) \sqrt{a + bx^n + cx^{2n}}} \end{aligned}$$

Mathematica [A] time = 1.48, size = 414, normalized size = 1.39

$$\frac{x \left(2cx^n (bd - 2ae) \sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} F_1 \left(1 + \frac{1}{n}; \frac{1}{2}, \frac{1}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) - (n + 1) \left(\sqrt{\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b}} \right)}{a}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^(3/2), x]
```

```
[Out] (x*(2*c*(b*d - 2*a*e)*x^n*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[
b^2 - 4*a*c]])*Sqrt[(b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a*c
]])*AppellF1[1 + n^(-1), 1/2, 1/2, 2 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4
*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]) - (1 + n)*(2*(b^2*d + b*(-a*e)
+ c*d*x^n) - 2*a*c*(d + e*x^n) + (2*a*b*e + b^2*d*(-2 + n) - 4*a*c*d*(-1
+ n))*Sqrt[(b - Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]])*Sqrt[
(b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]])*AppellF1[n^(-1),
1/2, 1/2, 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b +
Sqrt[b^2 - 4*a*c])])))/(a*(-b^2 + 4*a*c)*n*(1 + n)*Sqrt[a + x^n*(b + c*x^n
)])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a)^(3/2), x)

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(bx^n + cx^{2n} + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^(3/2),x)

[Out] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^(3/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(3/2),x, algorithm="maxima")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + ex^n}{(a + bx^n + cx^{2n})^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(3/2),x)

[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**(3/2),x)

[Out] Timed out

$$3.89 \quad \int \frac{d+ex^n}{(a+bx^n+cx^{2n})^{5/2}} dx$$

Optimal. Leaf size=298

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{5}{2}, \frac{5}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{a^2 \sqrt{a+bx^n+cx^{2n}}} + \frac{e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{a^2 \sqrt{a+bx^n+cx^{2n}}}$$

[Out] $e*x^{(1+n)}*AppellF1(1+1/n, 5/2, 5/2, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a^2/(1+n)/(a+b*x^n+c*x^{(2*n)})^{(1/2)}+d*x*AppellF1(1/n, 5/2, 5/2, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))*(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^{(1/2)}*(1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^{(1/2)}/a^2/(a+b*x^n+c*x^{(2*n)})^{(1/2)}$

Rubi [A] time = 0.35, antiderivative size = 298, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1432, 1348, 429, 1385, 510}

$$\frac{dx \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}} + 1 F_1\left(\frac{1}{n}; \frac{5}{2}, \frac{5}{2}; 1 + \frac{1}{n}; -\frac{2cx^n}{b-\sqrt{b^2-4ac}}, -\frac{2cx^n}{b+\sqrt{b^2-4ac}}\right) e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{a^2 \sqrt{a+bx^n+cx^{2n}}} + \frac{e^{x^{n+1}} \sqrt{\frac{2cx^n}{b-\sqrt{b^2-4ac}}} + 1 \sqrt{\frac{2cx^n}{\sqrt{b^2-4ac}+b}}}{a^2 \sqrt{a+bx^n+cx^{2n}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^(5/2), x]

[Out] $(e*x^{(1+n)}*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[1+n^{(-1)}, 5/2, 5/2, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/(a^2*(1+n)*Sqrt[a+b*x^n+c*x^{(2*n)}]) + (d*x*Sqrt[1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]])*Sqrt[1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]])*AppellF1[n^{(-1)}, 5/2, 5/2, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/(a^2*Sqrt[a+b*x^n+c*x^{(2*n)}])$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a+b*x^n+c*x^(2*n))^FracPart[p])/((1+(2*c*x^n)/(b+Rt[b^2-4*a*c, 2]))^FracPart[p]*(1+(2*c*x^n)/(b-Rt[b^2-4*a*c, 2]))^FracPart[p]), Int[(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2-4*a*c, 0] && !IntegerQ[p]

Rule 1385

```
Int[((d_)*(x_)^(m_))*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x
_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (
2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 -
4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c
]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c,
d, m, n, p}, x] && EqQ[n2, 2*n]
```

Rule 1432

```
Int[((d_) + (e_)*(x_)^(n_))*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^n}{(a + bx^n + cx^{2n})^{5/2}} dx &= \int \left(\frac{d}{(a + bx^n + cx^{2n})^{5/2}} + \frac{ex^n}{(a + bx^n + cx^{2n})^{5/2}} \right) dx \\ &= d \int \frac{1}{(a + bx^n + cx^{2n})^{5/2}} dx + e \int \frac{x^n}{(a + bx^n + cx^{2n})^{5/2}} dx \\ &= \frac{\left(d \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{1}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{5/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{5/2}} dx}{a^2 \sqrt{a + bx^n + cx^{2n}}} + \frac{\left(e \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} \right) \int \frac{x^n}{\left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}\right)^{5/2} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}\right)^{5/2}} dx}{a^2 \sqrt{a + bx^n + cx^{2n}}} \\ &= \frac{ex^{1+n} \sqrt{1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}}} \sqrt{1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}}} F_1 \left(1 + \frac{1}{n}; \frac{5}{2}, \frac{5}{2}; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{a^2 (1+n) \sqrt{a + bx^n + cx^{2n}}} \end{aligned}$$

Mathematica [B] time = 6.57, size = 6752, normalized size = 22.66

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + e*x^n)/(a + b*x^n + c*x^(2*n))^(5/2), x]
```

```
[Out] Result too large to show
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(5/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{ex^n + d}{(cx^{2n} + bx^n + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(5/2),x, algorithm="giac")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a)^(5/2), x)

maple [F] time = 0.01, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{(b x^n + c x^{2n} + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^(5/2),x)

[Out] int((e*x^n+d)/(b*x^n+c*x^(2*n)+a)^(5/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{e x^n + d}{(c x^{2n} + b x^n + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)/(a+b*x^n+c*x^(2*n))^(5/2),x, algorithm="maxima")

[Out] integrate((e*x^n + d)/(c*x^(2*n) + b*x^n + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{d + e x^n}{(a + b x^n + c x^{2n})^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(5/2),x)

[Out] int((d + e*x^n)/(a + b*x^n + c*x^(2*n))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)/(a+b*x**n+c*x**(2*n))**(5/2),x)

[Out] Timed out

3.90 $\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$

Optimal. Leaf size=29

$$\text{Int}\left((d + ex^n)^q (a + bx^n + cx^{2n})^p, x\right)$$

[Out] Unintegrable((d+e*x^n)^q*(a+b*x^n+c*x^(2*n))^p,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Int[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p,x]

[Out] Defer[Int][(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x]

Rubi steps

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx = \int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Mathematica [A] time = 0.29, size = 0, normalized size = 0.00

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p,x]

[Out] Integrate[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x]

fricas [A] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(cx^{2n} + bx^n + a\right)^p (ex^n + d)^q, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^q*(a+b*x^n+c*x^(2*n))^p,x, algorithm="fricas")

[Out] integral((c*x^(2*n) + b*x^n + a)^p*(e*x^n + d)^q, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^q*(a+b*x^n+c*x^(2*n))^p,x, algorithm="giac")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p*(e*x^n + d)^q, x)

maple [A] time = 0.14, size = 0, normalized size = 0.00

$$\int (ex^n + d)^q (bx^n + cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x^n+d)^q*(b*x^n+c*x^(2*n)+a)^p,x)`

[Out] `int((e*x^n+d)^q*(b*x^n+c*x^(2*n)+a)^p,x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (cx^{2n} + bx^n + a)^p (ex^n + d)^q dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x^n)^q*(a+b*x^n+c*x^(2*n))^p,x, algorithm="maxima")`

[Out] `integrate((c*x^(2*n) + b*x^n + a)^p*(e*x^n + d)^q, x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int (d + ex^n)^q (a + bx^n + cx^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p,x)`

[Out] `int((d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d+e*x**n)**q*(a+b*x**n+c*x**(2*n))**p,x)`

[Out] Timed out

3.91 $\int (d + ex^n)^3 (a + bx^n + cx^{2n})^p dx$

Optimal. Leaf size=606

$$d^3 x \left(\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left(\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

[Out] $3d^2 e^x x^{(1+n)} (a + b x^n + c x^{2n})^p \text{AppellF1} \left(1 + \frac{1}{n}, -p, -p, 2 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right) / (1+n) / \left(\frac{1 + \frac{1}{n}}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} / \left(\frac{1 + \frac{1}{n}}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} + 3d e^2 x^{(1+2n)} (a + b x^n + c x^{2n})^p \text{AppellF1} \left(2 + \frac{1}{n}, -p, -p, 3 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right) / (1+2n) / \left(\frac{1 + \frac{1}{n}}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} / \left(\frac{1 + \frac{1}{n}}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} + e^3 x^{(1+3n)} (a + b x^n + c x^{2n})^p \text{AppellF1} \left(3 + \frac{1}{n}, -p, -p, 4 + \frac{1}{n}, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right) / (1+3n) / \left(\frac{1 + \frac{1}{n}}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} / \left(\frac{1 + \frac{1}{n}}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} + d^3 x^3 (a + b x^n + c x^{2n})^p \text{AppellF1} \left(1/n, -p, -p, 1 + 1/n, -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right) / (1 + 1/n) / \left(\frac{1 + \frac{1}{n}}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} / \left(\frac{1 + \frac{1}{n}}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p}$

Rubi [A] time = 0.62, antiderivative size = 606, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1436, 1348, 429, 1385, 510}

$$\frac{3d^2 e x^{n+1} \left(\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left(\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(1 + \frac{1}{n}; -p, -p; 2 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)}{n + 1}$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^3*(a + b*x^n + c*x^(2*n))^p,x]

[Out] $(3d^2 e^x x^{(1+n)} (a + b x^n + c x^{2n})^p \text{AppellF1} [1 + n^{-1}, -p, -p, 2 + n^{-1}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1+n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]))^p * (1 + (2cx^n)/(b + \text{Sqrt}[b^2 - 4ac]))^p) + (3d e^2 x^{(1+2n)} (a + b x^n + c x^{2n})^p \text{AppellF1} [2 + n^{-1}, -p, -p, 3 + n^{-1}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1+2n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]))^p * (1 + (2cx^n)/(b + \text{Sqrt}[b^2 - 4ac]))^p) + (e^3 x^{(1+3n)} (a + b x^n + c x^{2n})^p \text{AppellF1} [3 + n^{-1}, -p, -p, 4 + n^{-1}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1+3n) * (1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]))^p * (1 + (2cx^n)/(b + \text{Sqrt}[b^2 - 4ac]))^p) + (d^3 x^3 (a + b x^n + c x^{2n})^p \text{AppellF1} [n^{-1}, -p, -p, 1 + n^{-1}, (-2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]), (-2cx^n)/(b + \text{Sqrt}[b^2 - 4ac])]) / ((1 + (2cx^n)/(b - \text{Sqrt}[b^2 - 4ac]))^p * (1 + (2cx^n)/(b + \text{Sqrt}[b^2 - 4ac]))^p)$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -(b*x^n)/a, -(d*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -(b*x^n)/a, -(d*x^n)/c])/(e*(m+1)), x] /; FreeQ[{a,

b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rule 1385

Int[((d_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_)) + (b_)*(x_)^(n_)]^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]

Rule 1436

Int[((d_) + (e_)*(x_)^(n_)]^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_)]^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))

Rubi steps

$$\int (d + ex^n)^3 (a + bx^n + cx^{2n})^p dx = \int (d^3 (a + bx^n + cx^{2n})^p + 3d^2ex^n (a + bx^n + cx^{2n})^p + 3de^2x^{2n} (a + bx^n + cx^{2n})^p) dx$$

$$= d^3 \int (a + bx^n + cx^{2n})^p dx + (3d^2e) \int x^n (a + bx^n + cx^{2n})^p dx + (3de^2) \int x^{2n} (a + bx^n + cx^{2n})^p dx$$

$$= \left(d^3 \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p \right) \int \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p dx$$

$$= \frac{3d^2ex^{1+n} \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(1 + \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{1 + n}$$

Mathematica [A] time = 1.07, size = 438, normalized size = 0.72

$$x \left(\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b} \right)^{-p} (a + x^n (b + cx^n))^p \left((n + 1) \left((2n + 1) \left(d^3 (3n + 1) F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(d + e*x^n)^3*(a + b*x^n + c*x^(2*n))^p,x]

[Out] (x*(a + x^n*(b + c*x^n))^p*(3*d^2*e*(1 + 5*n + 6*n^2)*x^n*AppellF1[1 + n^(-1), -p, -p, 2 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]) + (1 + n)*(3*d*e^2*(1 + 3*n)*x^(2*n)*AppellF1[2 + n^(-1), -p, -p, 3 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]) + (1 + 2*n)*(e^3*x^(3*n)*AppellF1[3 + n^(-1), -p, -p,

$$4 + n^{-1}, (-2cx^n)/(b + \sqrt{b^2 - 4ac}), (2cx^n)/(-b + \sqrt{b^2 - 4ac})] + d^3(1 + 3n) \operatorname{AppellF1}[n^{-1}, -p, -p, 1 + n^{-1}, (-2cx^n)/(b + \sqrt{b^2 - 4ac}), (2cx^n)/(-b + \sqrt{b^2 - 4ac})]])))/((1 + n)(1 + 2n)(1 + 3n)((b - \sqrt{b^2 - 4ac} + 2cx^n)/(b - \sqrt{b^2 - 4ac}))^p((b + \sqrt{b^2 - 4ac} + 2cx^n)/(b + \sqrt{b^2 - 4ac}))^p)$$

fricas [F] time = 1.16, size = 0, normalized size = 0.00

$$\int \left((e^3 x^{3n} + 3de^2 x^{2n} + 3d^2 e x^n + d^3)(cx^{2n} + bx^n + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3*(a+b*x^n+c*x^(2*n))^p,x, algorithm="fricas")

[Out] integral((e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3)*(c*x^(2*n) + b*x^n + a)^p, x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^3*(a+b*x^n+c*x^(2*n))^p,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP
 UT:sage2:=int(sage0,x):;OUTPUT:Unable to divide, perhaps due to rounding error
 %{-256, [1, 0, 7, 4, 7, 5, 2, 8, 1]%%}+%%{-1280, [1, 0, 7, 4, 7, 4, 2, 8, 1]%%}+%%{-2560, [1, 0, 7, 4, 7, 3, 2, 8, 1]%%}+%%{-2560, [1, 0, 7, 4, 7, 2, 2, 8, 1]%%}+%%{-1280, [1, 0, 7, 4, 7, 1, 2, 8, 1]%%}+%%{-256, [1, 0, 7, 4, 7, 0, 2, 8, 1]%%}+%%{256, [1, 0, 7, 4, 6, 5, 4, 7, 1]%%}+%%{1280, [1, 0, 7, 4, 6, 4, 4, 7, 1]%%}+%%{2560, [1, 0, 7, 4, 6, 3, 4, 7, 1]%%}+%%{2560, [1, 0, 7, 4, 6, 2, 4, 7, 1]%%}+%%{1280, [1, 0, 7, 4, 6, 1, 4, 7, 1]%%}+%%{256, [1, 0, 7, 4, 6, 0, 4, 7, 1]%%}+%%{-96, [1, 0, 7, 4, 5, 5, 6, 6, 1]%%}+%%{-480, [1, 0, 7, 4, 5, 4, 6, 6, 1]%%}+%%{-960, [1, 0, 7, 4, 5, 3, 6, 6, 1]%%}+%%{-960, [1, 0, 7, 4, 5, 2, 6, 6, 1]%%}+%%{-480, [1, 0, 7, 4, 5, 1, 6, 6, 1]%%}+%%{-96, [1, 0, 7, 4, 5, 0, 6, 6, 1]%%}+%%{16, [1, 0, 7, 4, 4, 5, 8, 5, 1]%%}+%%{80, [1, 0, 7, 4, 4, 4, 8, 5, 1]%%}+%%{160, [1, 0, 7, 4, 4, 3, 8, 5, 1]%%}+%%{160, [1, 0, 7, 4, 4, 2, 8, 5, 1]%%}+%%{80, [1, 0, 7, 4, 4, 1, 8, 5, 1]%%}+%%{16, [1, 0, 7, 4, 4, 0, 8, 5, 1]%%}+%%{-1, [1, 0, 7, 4, 3, 5, 10, 4, 1]%%}+%%{-5, [1, 0, 7, 4, 3, 4, 10, 4, 1]%%}+%%{-10, [1, 0, 7, 4, 3, 3, 10, 4, 1]%%}+%%{-10, [1, 0, 7, 4, 3, 2, 10, 4, 1]%%}+%%{-5, [1, 0, 7, 4, 3, 1, 10, 4, 1]%%}+%%{-1, [1, 0, 7, 4, 3, 0, 10, 4, 1]%%}+%%{512, [1, 0, 7, 3, 8, 4, 0, 9, 1]%%}+%%{2048, [1, 0, 7, 3, 8, 3, 0, 9, 1]%%}+%%{3072, [1, 0, 7, 3, 8, 2, 0, 9, 1]%%}+%%{2048, [1, 0, 7, 3, 8, 1, 0, 9, 1]%%}+%%{512, [1, 0, 7, 3, 8, 0, 0, 9, 1]%%}+%%{-768, [1, 0, 7, 3, 7, 4, 2, 8, 1]%%}+%%{-3072, [1, 0, 7, 3, 7, 3, 2, 8, 1]%%}+%%{-4608, [1, 0, 7, 3, 7, 2, 2, 8, 1]%%}+%%{-3072, [1, 0, 7, 3, 7, 1, 2, 8, 1]%%}+%%{-768, [1, 0, 7, 3, 7, 0, 2, 8, 1]%%}+%%{448, [1, 0, 7, 3, 6, 4, 4, 7, 1]%%}+%%{1792, [1, 0, 7, 3, 6, 3, 4, 7, 1]%%}+%%{2688, [1, 0, 7, 3, 6, 2, 4, 7, 1]%%}+%%{1792, [1, 0, 7, 3, 6, 1, 4, 7, 1]%%}+%%{448, [1, 0, 7, 3, 6, 0, 4, 7, 1]%%}+%%{-128, [1, 0, 7, 3, 5, 4, 6, 6, 1]%%}+%%{-512, [1, 0, 7, 3, 5, 3, 6, 6, 1]%%}+%%{-768, [1, 0, 7, 3, 5, 2, 6, 6, 1]%%}+%%{-512, [1, 0, 7, 3, 5, 1, 6, 6, 1]%%}+%%{-128, [1, 0, 7, 3, 5, 0, 6, 6, 1]%%}+%%{18, [1, 0, 7, 3, 4, 4, 8, 5, 1]%%}+%%{72, [1, 0, 7, 3, 4, 3, 8, 5, 1]%%}+%%{108, [1, 0, 7, 3, 4, 2, 8, 5, 1]%%}+%%{72, [1, 0, 7, 3, 4, 1, 8, 5, 1]%%}+%%{18, [1, 0, 7, 3, 4, 0, 8, 5, 1]%%}+%%{-1, [1, 0, 7, 3, 3, 4, 10, 4, 1]%%}+%%{-4, [1, 0, 7, 3, 3, 3, 10, 4, 1]%%}+%%{-6, [1, 0, 7, 3, 3, 2, 10, 4, 1]%%}+%%{-4, [1, 0, 7, 3, 3, 1, 10, 4, 1]%%}+%%{-1, [1, 0, 7, 3, 3, 0, 10, 4, 1]%%}+%%{-256, [0, 0, 7, 3, 7, 4, 1, 9, 1]%%}+%%{-1024, [0, 0, 7, 3, 7, 3, 1, 9, 1]%%}+%%{-1536, [0, 0, 7, 3, 7, 2, 1, 9, 1]%%}+%%{-1024, [0, 0, 7, 3, 7, 1, 1, 9, 1]%%}+%%{-256, [0, 0, 7, 3, 7, 0, 1, 9, 1]%%}+%%{256, [0, 0, 7, 3, 6, 4, 3, 8, 1]%%}+%%{1024, [0, 0, 7, 3, 6, 3, 3, 8, 1]%%}+%%{1536, [0, 0, 7, 3, 6, 2, 3, 8, 1]%%}+%%{1024, [0, 0, 7, 3, 6, 1, 3, 8, 1]%%}+%%{256, [0, 0, 7, 3, 6, 0, 3, 8, 1]%%}+%%{-96, [0, 0, 7, 3, 5, 4, 5, 7, 1]%%}+%%{-384, [0, 0, 7, 3, 5, 3, 5, 7, 1]%%}+%%{-576, [0, 0, 7, 3, 5, 2, 5, 7, 1]%%}+%%{-384, [0, 0, 7, 3, 5, 1, 5, 7, 1]%%}+%%{-96, [0, 0, 7, 3, 5, 0, 5, 7, 1]%%}+%%{16, [0, 0, 7, 3, 4, 4, 7, 6, 1]%%}+%%{64, [0, 0, 7, 3, 4, 3, 7, 6, 1]%%}+%%{96, [0, 0, 7, 3, 4, 2, 7, 6, 1]%%}+%%{64, [0

```
,0,7,3,4,1,7,6,1]%%}+%%{16,[0,0,7,3,4,0,7,6,1]%%}+%%{-1,[0,0,7,3,3,4,9,5,1]%%}+%%{-4,[0,0,7,3,3,3,9,5,1]%%}+%%{-6,[0,0,7,3,3,2,9,5,1]%%}+%%{-4,[0,0,7,3,3,1,9,5,1]%%}+%%{-1,[0,0,7,3,3,0,9,5,1]%%} / %%{256,[0,0,7,4,7,4,0,8,0]%%}+%%{1024,[0,0,7,4,7,3,0,8,0]%%}+%%{1536,[0,0,7,4,7,2,0,8,0]%%}+%%{1024,[0,0,7,4,7,1,0,8,0]%%}+%%{256,[0,0,7,4,7,0,0,8,0]%%}+%%{-256,[0,0,7,4,6,4,2,7,0]%%}+%%{-1024,[0,0,7,4,6,3,2,7,0]%%}+%%{-1536,[0,0,7,4,6,2,2,7,0]%%}+%%{-1024,[0,0,7,4,6,1,2,7,0]%%}+%%{-256,[0,0,7,4,6,0,2,7,0]%%}+%%{96,[0,0,7,4,5,4,4,6,0]%%}+%%{384,[0,0,7,4,5,3,4,6,0]%%}+%%{576,[0,0,7,4,5,2,4,6,0]%%}+%%{384,[0,0,7,4,5,1,4,6,0]%%}+%%{96,[0,0,7,4,5,0,4,6,0]%%}+%%{-16,[0,0,7,4,4,4,6,5,0]%%}+%%{-64,[0,0,7,4,4,3,6,5,0]%%}+%%{-96,[0,0,7,4,4,2,6,5,0]%%}+%%{-64,[0,0,7,4,4,1,6,5,0]%%}+%%{-16,[0,0,7,4,4,0,6,5,0]%%}+%%{1,[0,0,7,4,3,4,8,4,0]%%}+%%{4,[0,0,7,4,3,3,8,4,0]%%}+%%{6,[0,0,7,4,3,2,8,4,0]%%}+%%{4,[0,0,7,4,3,1,8,4,0]%%}+%%{1,[0,0,7,4,3,0,8,4,0]%%} Error: Bad Argument Value
```

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int (ex^n + d)^3 (bx^n + cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^n+d)^3*(b*x^n+c*x^(2*n)+a)^p,x)
```

```
[Out] int((e*x^n+d)^3*(b*x^n+c*x^(2*n)+a)^p,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)^3 (cx^{2n} + bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)^3*(a+b*x^n+c*x^(2*n))^p,x, algorithm="maxima")
```

```
[Out] integrate((e*x^n + d)^3*(c*x^(2*n) + b*x^n + a)^p, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + ex^n)^3 (a + bx^n + cx^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))^p,x)
```

```
[Out] int((d + e*x^n)^3*(a + b*x^n + c*x^(2*n))^p, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x**n)**3*(a+b*x**n+c*x**(2*n))**p,x)
```

```
[Out] Timed out
```


3.92 $\int (d + ex^n)^2 (a + bx^n + cx^{2n})^p dx$

Optimal. Leaf size=447

$$d^2x \left(\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left(\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

[Out] $2*d*e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1+1/n, -p, -p, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+n)/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)+e^{2*x^{(1+2*n)}}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(2+1/n, -p, -p, 3+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+2*n)/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)+d^2*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1/n, -p, -p, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)$

Rubi [A] time = 0.46, antiderivative size = 447, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {1436, 1348, 429, 1385, 510}

$$d^2x \left(\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left(\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^p,x]

[Out] $(2*d*e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[1+n^{(-1)}, -p, -p, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/((1+n)*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)+e^{2*x^{(1+2*n)}}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[2+n^{(-1)}, -p, -p, 3+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/((1+2*n)*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)+d^2*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[n^{(-1)}, -p, -p, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])]/((1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] :> Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n-1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.)) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] :> Dist[(a + b*x^n + c*x^(2*n))^p, x] /; FreeQ[a, x] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[n2] || GtQ[c, 0])

```
2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] & & NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]
```

Rule 1385

```
Int[((d_)*(x_))^(m_)*((a_) + (c_)*(x_)^(n2_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && EqQ[n2, 2*n]
```

Rule 1436

```
Int[((d_) + (e_)*(x_)^(n_))^(q_)*((a_) + (b_)*(x_)^(n_) + (c_)*(x_)^(n2_))^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x^n)^q*(a + b*x^n + c*x^(2*n))^p, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && ((IntegersQ[p, q] && !IntegerQ[n]) || IGtQ[p, 0] || (IGtQ[q, 0] && !IntegerQ[n]))
```

Rubi steps

$$\begin{aligned} \int (d + ex^n)^2 (a + bx^n + cx^{2n})^p dx &= \int \left(d^2 (a + bx^n + cx^{2n})^p + 2dex^n (a + bx^n + cx^{2n})^p + e^2 x^{2n} (a + bx^n + cx^{2n})^p \right) dx \\ &= d^2 \int (a + bx^n + cx^{2n})^p dx + (2de) \int x^n (a + bx^n + cx^{2n})^p dx + e^2 \int x^{2n} (a + bx^n + cx^{2n})^p dx \\ &= \left(d^2 \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p \right) \int \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(1 + \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) dx \\ &= \frac{2dex^{1+n} \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(1 + \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)}{1 + n} \end{aligned}$$

Mathematica [A] time = 0.75, size = 338, normalized size = 0.76

$$x \left(\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b} \right)^{-p} (a + x^n (b + cx^n))^p \left((n + 1) \left(d^2 (2n + 1) F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^p,x]
[Out] (x*(a + x^n*(b + c*x^n))^p*(2*d*e*(1 + 2*n)*x^n*AppellF1[1 + n^(-1), -p, -p, 2 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]) + (1 + n)*(e^2*x^(2*n)*AppellF1[2 + n^(-1), -p, -p, 3 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]) + d^2*(1 + 2*n)*AppellF1[n^(-1), -p, -p, 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]))/((1 + n)*(1 + 2*n)*((b - Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p*((b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p)
```

fricas [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral} \left((e^2 x^{2n} + 2 dex^n + d^2)(cx^{2n} + bx^n + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)^2*(a+b*x^n+c*x^(2*n))^p,x, algorithm="fricas")
```

```
[Out] integral((e^2*x^(2*n) + 2*d*e*x^n + d^2)*(c*x^(2*n) + b*x^n + a)^p, x)
```

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)^2*(a+b*x^n+c*x^(2*n))^p,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP
UT:sage2:=int(sage0,x):;OUTPUT:Unable to divide, perhaps due to rounding er
ror%%{128, [1,0,5,3,5,4,1,6,1]%%}+%%{512, [1,0,5,3,5,3,1,6,1]%%}+%%{768,
[1,0,5,3,5,2,1,6,1]%%}+%%{512, [1,0,5,3,5,1,1,6,1]%%}+%%{128, [1,0,5,3,5,
0,1,6,1]%%}+%%{-96, [1,0,5,3,4,4,3,5,1]%%}+%%{-384, [1,0,5,3,4,3,3,5,1]%%
}+%%{-576, [1,0,5,3,4,2,3,5,1]%%}+%%{-384, [1,0,5,3,4,1,3,5,1]%%}+%%{-9
6, [1,0,5,3,4,0,3,5,1]%%}+%%{24, [1,0,5,3,3,4,5,4,1]%%}+%%{96, [1,0,5,3,3,
3,5,4,1]%%}+%%{144, [1,0,5,3,3,2,5,4,1]%%}+%%{96, [1,0,5,3,3,1,5,4,1]%%}
+%%{24, [1,0,5,3,3,0,5,4,1]%%}+%%{-2, [1,0,5,3,2,4,7,3,1]%%}+%%{-8, [1,0,
5,3,2,3,7,3,1]%%}+%%{-12, [1,0,5,3,2,2,7,3,1]%%}+%%{-8, [1,0,5,3,2,1,7,3,
1]%%}+%%{-2, [1,0,5,3,2,0,7,3,1]%%}+%%{64, [1,0,5,2,5,3,1,6,1]%%}+%%{19
2, [1,0,5,2,5,2,1,6,1]%%}+%%{192, [1,0,5,2,5,1,1,6,1]%%}+%%{64, [1,0,5,2,5,
0,1,6,1]%%}+%%{-48, [1,0,5,2,4,3,3,5,1]%%}+%%{-144, [1,0,5,2,4,2,3,5,1]%%
}+%%{-144, [1,0,5,2,4,1,3,5,1]%%}+%%{-48, [1,0,5,2,4,0,3,5,1]%%}+%%{12
, [1,0,5,2,3,3,5,4,1]%%}+%%{36, [1,0,5,2,3,2,5,4,1]%%}+%%{36, [1,0,5,2,3,1,
5,4,1]%%}+%%{12, [1,0,5,2,3,0,5,4,1]%%}+%%{-1, [1,0,5,2,2,3,7,3,1]%%}+%%
{-3, [1,0,5,2,2,2,7,3,1]%%}+%%{-3, [1,0,5,2,2,1,7,3,1]%%}+%%{-1, [1,0,5,
2,2,0,7,3,1]%%}+%%{128, [0,0,5,2,5,3,0,7,1]%%}+%%{384, [0,0,5,2,5,2,0,7,1]
%%}+%%{384, [0,0,5,2,5,1,0,7,1]%%}+%%{128, [0,0,5,2,5,0,0,7,1]%%}+%%{-9
6, [0,0,5,2,4,3,2,6,1]%%}+%%{-288, [0,0,5,2,4,2,2,6,1]%%}+%%{-288, [0,0,5,
2,4,1,2,6,1]%%}+%%{-96, [0,0,5,2,4,0,2,6,1]%%}+%%{24, [0,0,5,2,3,3,4,5,1]
%%}+%%{72, [0,0,5,2,3,2,4,5,1]%%}+%%{72, [0,0,5,2,3,1,4,5,1]%%}+%%{24,
[0,0,5,2,3,0,4,5,1]%%}+%%{-2, [0,0,5,2,2,3,6,4,1]%%}+%%{-6, [0,0,5,2,2,2,
6,4,1]%%}+%%{-6, [0,0,5,2,2,1,6,4,1]%%}+%%{-2, [0,0,5,2,2,0,6,4,1]%%} /
%%{64, [0,0,5,3,5,3,0,6,0]%%}+%%{192, [0,0,5,3,5,2,0,6,0]%%}+%%{192, [0,0,
5,3,5,1,0,6,0]%%}+%%{64, [0,0,5,3,5,0,0,6,0]%%}+%%{-48, [0,0,5,3,4,3,2,5,
0]%%}+%%{-144, [0,0,5,3,4,2,2,5,0]%%}+%%{-144, [0,0,5,3,4,1,2,5,0]%%}+%%
{-48, [0,0,5,3,4,0,2,5,0]%%}+%%{12, [0,0,5,3,3,3,4,4,0]%%}+%%{36, [0,0,5,
3,3,2,4,4,0]%%}+%%{36, [0,0,5,3,3,1,4,4,0]%%}+%%{12, [0,0,5,3,3,0,4,4,0]
%%}+%%{-1, [0,0,5,3,2,3,6,3,0]%%}+%%{-3, [0,0,5,3,2,2,6,3,0]%%}+%%{-3, [
0,0,5,3,2,1,6,3,0]%%}+%%{-1, [0,0,5,3,2,0,6,3,0]%%} Error: Bad Argument V
alue
```

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int (ex^n + d)^2 (bx^n + cx^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x^n+d)^2*(b*x^n+c*x^(2*n)+a)^p,x)
```

```
[Out] int((e*x^n+d)^2*(b*x^n+c*x^(2*n)+a)^p,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)^2 (cx^{2n} + bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)^2*(a+b*x^n+c*x^(2*n))^p,x, algorithm="maxima")

[Out] integrate((e*x^n + d)^2*(c*x^(2*n) + b*x^n + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + e x^n)^2 (a + b x^n + c x^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^p,x)

[Out] int((d + e*x^n)^2*(a + b*x^n + c*x^(2*n))^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)**2*(a+b*x**n+c*x**(2*n))**p,x)

[Out] Timed out

3.93 $\int (d + ex^n) (a + bx^n + cx^{2n})^p dx$

Optimal. Leaf size=288

$$dx \left(\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left(\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

[Out] $e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1+1/n, -p, -p, 2+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+n)/((1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)+d*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1(1/n, -p, -p, 1+1/n, -2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}), -2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))/(1+2*c*x^n/(b-(-4*a*c+b^2)^{(1/2)}))^p)/((1+2*c*x^n/(b+(-4*a*c+b^2)^{(1/2)}))^p)$

Rubi [A] time = 0.29, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {1432, 1348, 429, 1385, 510}

$$dx \left(\frac{2cx^n}{b - \sqrt{b^2 - 4ac}} + 1 \right)^{-p} \left(\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} + 1 \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b - \sqrt{b^2 - 4ac}}, -\frac{2cx^n}{\sqrt{b^2 - 4ac} + b} \right)$$

Antiderivative was successfully verified.

[In] Int[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x]

[Out] $(e*x^{(1+n)}*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[1+n^{(-1)}, -p, -p, 2+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+n)*(1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)+(d*x*(a+b*x^n+c*x^{(2*n)})^p*AppellF1[n^{(-1)}, -p, -p, 1+n^{(-1)}, (-2*c*x^n)/(b-Sqrt[b^2-4*a*c]), (-2*c*x^n)/(b+Sqrt[b^2-4*a*c])])/((1+(2*c*x^n)/(b-Sqrt[b^2-4*a*c]))^p*(1+(2*c*x^n)/(b+Sqrt[b^2-4*a*c]))^p)$

Rule 429

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[a^p*c^q*x*AppellF1[1/n, -p, -q, 1 + 1/n, -((b*x^n)/a), -((d*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 510

Int[((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_)*((c_) + (d_.)*(x_)^(n_))^(q_), x_Symbol] := Simp[(a^p*c^q*(e*x)^(m+1)*AppellF1[(m+1)/n, -p, -q, 1 + (m+1)/n, -((b*x^n)/a), -((d*x^n)/c)]/(e*(m+1)), x] /; FreeQ[{a, b, c, d, e, m, n, p, q}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1] && NeQ[m, n - 1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

Rule 1348

Int[((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 - 4*a*c, 2]))^FracPart[p]), Int[(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c, n, p}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c, 0] && !IntegerQ[p]

Rule 1385

```
Int[((d_.)*(x_)^(m_.)*((a_) + (c_.)*(x_)^(n2_.) + (b_.)*(x_)^(n_))^(p_), x
_Symbol] := Dist[(a^IntPart[p]*(a + b*x^n + c*x^(2*n))^FracPart[p])/((1 + (
2*c*x^n)/(b + Rt[b^2 - 4*a*c, 2]))^FracPart[p]*(1 + (2*c*x^n)/(b - Rt[b^2 -
4*a*c, 2]))^FracPart[p]), Int[(d*x)^m*(1 + (2*c*x^n)/(b + Sqrt[b^2 - 4*a*c
]))^p*(1 + (2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p, x], x] /; FreeQ[{a, b, c,
d, m, n, p}, x] && EqQ[n2, 2*n]
```

Rule 1432

```
Int[((d_) + (e_.)*(x_)^(n_))*((a_) + (b_.)*(x_)^(n_) + (c_.)*(x_)^(n2_))^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,
x], x] /; FreeQ[{a, b, c, d, e, n}, x] && EqQ[n2, 2*n] && NeQ[b^2 - 4*a*c,
0]
```

Rubi steps

$$\begin{aligned}
 \int (d + ex^n)(a + bx^n + cx^{2n})^p dx &= \int \left(d(a + bx^n + cx^{2n})^p + ex^n(a + bx^n + cx^{2n})^p \right) dx \\
 &= d \int (a + bx^n + cx^{2n})^p dx + e \int x^n (a + bx^n + cx^{2n})^p dx \\
 &= \left(d \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p \right) \int \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p dx \\
 &= \frac{ex^{1+n} \left(1 + \frac{2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(1 + \frac{2cx^n}{b + \sqrt{b^2 - 4ac}} \right)^{-p} (a + bx^n + cx^{2n})^p F_1 \left(1 + \frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right)}{1 + n}
 \end{aligned}$$

Mathematica [A] time = 0.46, size = 243, normalized size = 0.84

$$\frac{x \left(\frac{-\sqrt{b^2 - 4ac} + b + 2cx^n}{b - \sqrt{b^2 - 4ac}} \right)^{-p} \left(\frac{\sqrt{b^2 - 4ac} + b + 2cx^n}{\sqrt{b^2 - 4ac} + b} \right)^{-p} (a + x^n (b + cx^n))^p \left(d(n+1) F_1 \left(\frac{1}{n}; -p, -p; 1 + \frac{1}{n}; -\frac{2cx^n}{b + \sqrt{b^2 - 4ac}}, \frac{2cx^n}{\sqrt{b^2 - 4ac} - b} \right) \right)}{n + 1}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,x]
```

```
[Out] (x*(a + x^n*(b + c*x^n))^p*(e*x^n*AppellF1[1 + n^(-1), -p, -p, 2 + n^(-1),
(-2*c*x^n)/(b + Sqrt[b^2 - 4*a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c]])] + d
*(1 + n)*AppellF1[n^(-1), -p, -p, 1 + n^(-1), (-2*c*x^n)/(b + Sqrt[b^2 - 4*
a*c]), (2*c*x^n)/(-b + Sqrt[b^2 - 4*a*c])]))/((1 + n)*((b - Sqrt[b^2 - 4*a*
c] + 2*c*x^n)/(b - Sqrt[b^2 - 4*a*c]))^p*((b + Sqrt[b^2 - 4*a*c] + 2*c*x^n)
/(b + Sqrt[b^2 - 4*a*c]))^p)
```

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral} \left((ex^n + d)(cx^{2n} + bx^n + a)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^p,x, algorithm="fricas")
```

```
[Out] integral((e*x^n + d)*(c*x^(2*n) + b*x^n + a)^p, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex^n + d)(cx^{2n} + bx^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^p,x, algorithm="giac")

[Out] integrate((e*x^n + d)*(c*x^(2*n) + b*x^n + a)^p, x)

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int (e x^n + d) (b x^n + c x^{2n} + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^p,x)

[Out] int((e*x^n+d)*(b*x^n+c*x^(2*n)+a)^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e x^n + d) (c x^{2n} + b x^n + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x^n)*(a+b*x^n+c*x^(2*n))^p,x, algorithm="maxima")

[Out] integrate((e*x^n + d)*(c*x^(2*n) + b*x^n + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (d + e x^n) (a + b x^n + c x^{2n})^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^p,x)

[Out] int((d + e*x^n)*(a + b*x^n + c*x^(2*n))^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d+e*x**n)*(a+b*x**n+c*x**(2*n))**p,x)

[Out] Timed out

$$3.94 \quad \int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{(a+bx^n+cx^{2n})^p}{d+ex^n}, x\right)$$

[Out] Unintegrable((a+b*x^n+c*x^(2*n))^p/(d+e*x^n), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x]

[Out] Defer[Int][(a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x]

Rubi steps

$$\int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx = \int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$$

Mathematica [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{(a+bx^n+cx^{2n})^p}{d+ex^n} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x]

[Out] Integrate[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x]

fricas [A] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^{2n}+bx^n+a)^p}{ex^n+d}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n), x, algorithm="fricas")

[Out] integral((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n}+bx^n+a)^p}{ex^n+d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n), x, algorithm="giac")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d), x)

maple [A] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{(bx^n + cx^{2n} + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+c*x^(2*n)+a)^p/(e*x^n+d), x)

[Out] int((b*x^n+c*x^(2*n)+a)^p/(e*x^n+d), x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{ex^n + d} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n), x, algorithm="maxima")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(a + bx^n + cx^{2n})^p}{d + ex^n} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x)

[Out] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n+c*x**(2*n))**p/(d+e*x**n), x)

[Out] Timed out

$$3.95 \quad \int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^2} dx$$

Optimal. Leaf size=29

$$\text{Int} \left(\frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2}, x \right)$$

[Out] Unintegrable((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2,x]

[Out] Defer[Int][(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2, x]

Rubi steps

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx = \int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Mathematica [A] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2,x]

[Out] Integrate[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2, x]

fricas [A] time = 1.00, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(cx^{2n} + bx^n + a)^p}{e^2x^{2n} + 2dex^n + d^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^2,x, algorithm="fricas")

[Out] integral((c*x^(2*n) + b*x^n + a)^p/(e^2*x^(2*n) + 2*d*e*x^n + d^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^2,x, algorithm="giac")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d)^2, x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(bx^n + cx^{2n} + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+c*x^(2*n)+a)^p/(e*x^n+d)^2,x)

[Out] int((b*x^n+c*x^(2*n)+a)^p/(e*x^n+d)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^2,x, algorithm="maxima")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2,x)

[Out] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n+c*x**(2*n))**p/(d+e*x**n)**2,x)

[Out] Timed out

$$3.96 \quad \int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$$

Optimal. Leaf size=29

$$\text{Int}\left(\frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3}, x\right)$$

[Out] Unintegrable((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^3,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3,x]

[Out] Defer[Int] [(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3, x]

Rubi steps

$$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx = \int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$$

Mathematica [A] time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{(a+bx^n+cx^{2n})^p}{(d+ex^n)^3} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3,x]

[Out] Integrate[(a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3, x]

fricas [A] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(cx^{2n}+bx^n+a)^p}{e^3x^{3n}+3de^2x^{2n}+3d^2ex^n+d^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^3,x, algorithm="fricas")

[Out] integral((c*x^(2*n) + b*x^n + a)^p/(e^3*x^(3*n) + 3*d*e^2*x^(2*n) + 3*d^2*e*x^n + d^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n}+bx^n+a)^p}{(ex^n+d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^3,x, algorithm="giac")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d)^3, x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{(bx^n + cx^{2n} + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^n+c*x^(2*n)+a)^p/(e*x^n+d)^3,x)

[Out] int((b*x^n+c*x^(2*n)+a)^p/(e*x^n+d)^3,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(cx^{2n} + bx^n + a)^p}{(ex^n + d)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x^n+c*x^(2*n))^p/(d+e*x^n)^3,x, algorithm="maxima")

[Out] integrate((c*x^(2*n) + b*x^n + a)^p/(e*x^n + d)^3, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{(a + bx^n + cx^{2n})^p}{(d + ex^n)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3,x)

[Out] int((a + b*x^n + c*x^(2*n))^p/(d + e*x^n)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*x**n+c*x**(2*n))**p/(d+e*x**n)**3,x)

[Out] Timed out

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType,expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]],2]],
            Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3,ExpnType[expn[[1]]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
          If[Head[expn]===RootSum,
            Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
          9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp,Log,
    Sin,Cos,Tan,Cot,Sec,Csc,
    ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
    Sinh,Cosh,Tanh,Coth,Sech,Csch,
    ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
  },func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  },func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

```



```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
  ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```

```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```

```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
    hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
    sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands(
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```



```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```