

Computer algebra independent integration tests

4-Trig-functions/4.1-Sine/4.1.11-e-x-^m-a+b-x^n-^p-sin

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 7:18pm

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	7
1.4	list of integrals that has no closed form antiderivative	8
1.5	list of integrals solved by CAS but has no known antiderivative	8
1.6	list of integrals solved by CAS but failed verification	8
1.7	Timing	9
1.8	Verification	9
1.9	Important notes about some of the results	9
1.9.1	Important note about Maxima results	9
1.9.2	Important note about FriCAS and Giac/XCAS results	10
1.9.3	Important note about finding leaf size of antiderivative	10
1.9.4	Important note about Mupad results	11
1.10	Design of the test system	11
2	detailed summary tables of results	13
2.1	List of integrals sorted by grade for each CAS	13
2.1.1	Rubi	13
2.1.2	Mathematica	13
2.1.3	Maple	13
2.1.4	Maxima	13
2.1.5	FriCAS	14
2.1.6	Sympy	14
2.1.7	Giac	14
2.1.8	Mupad	14
2.2	Detailed conclusion table per each integral for all CAS systems	15
2.3	Detailed conclusion table specific for Rubi results	34
3	Listing of integrals	39
3.1	$\int x^3(a + bx) \sin(c + dx) dx$	39
3.2	$\int x^2(a + bx) \sin(c + dx) dx$	42
3.3	$\int x(a + bx) \sin(c + dx) dx$	45
3.4	$\int (a + bx) \sin(c + dx) dx$	48
3.5	$\int \frac{(a+bx) \sin(c+dx)}{x} dx$	50
3.6	$\int \frac{(a+bx) \sin(c+dx)}{x^2} dx$	53

3.7	$\int \frac{(a+bx) \sin(c+dx)}{x^3} dx$	56
3.8	$\int \frac{(a+bx) \sin(c+dx)}{x^4} dx$	60
3.9	$\int \frac{(a+bx) \sin(c+dx)}{x^5} dx$	64
3.10	$\int x^2(a+bx)^2 \sin(c+dx) dx$	68
3.11	$\int x(a+bx)^2 \sin(c+dx) dx$	72
3.12	$\int (a+bx)^2 \sin(c+dx) dx$	75
3.13	$\int \frac{(a+bx)^2 \sin(c+dx)}{x} dx$	78
3.14	$\int \frac{(a+bx)^2 \sin(c+dx)}{x^2} dx$	82
3.15	$\int \frac{(a+bx)^2 \sin(c+dx)}{x^3} dx$	85
3.16	$\int \frac{(a+bx)^2 \sin(c+dx)}{x^4} dx$	89
3.17	$\int \frac{(a+bx)^2 \sin(c+dx)}{x^5} dx$	93
3.18	$\int \frac{x^4 \sin(c+dx)}{a+bx} dx$	97
3.19	$\int \frac{x^3 \sin(c+dx)}{a+bx} dx$	102
3.20	$\int \frac{x^2 \sin(c+dx)}{a+bx} dx$	107
3.21	$\int \frac{x \sin(c+dx)}{a+bx} dx$	111
3.22	$\int \frac{\sin(c+dx)}{a+bx} dx$	115
3.23	$\int \frac{\sin(c+dx)}{x(a+bx)} dx$	118
3.24	$\int \frac{\sin(c+dx)}{x^2(a+bx)} dx$	121
3.25	$\int \frac{\sin(c+dx)}{x^3(a+bx)} dx$	126
3.26	$\int \frac{x^4 \sin(c+dx)}{(a+bx)^2} dx$	132
3.27	$\int \frac{x^3 \sin(c+dx)}{(a+bx)^2} dx$	136
3.28	$\int \frac{x^2 \sin(c+dx)}{(a+bx)^2} dx$	140
3.29	$\int \frac{x \sin(c+dx)}{(a+bx)^2} dx$	144
3.30	$\int \frac{\sin(c+dx)}{(a+bx)^2} dx$	148
3.31	$\int \frac{\sin(c+dx)}{x(a+bx)^2} dx$	151
3.32	$\int \frac{\sin(c+dx)}{x^2(a+bx)^2} dx$	155
3.33	$\int \frac{x^3 \sin(c+dx)}{(a+bx)^3} dx$	160
3.34	$\int \frac{x^2 \sin(c+dx)}{(a+bx)^3} dx$	164
3.35	$\int \frac{x \sin(c+dx)}{(a+bx)^3} dx$	168
3.36	$\int \frac{\sin(c+dx)}{(a+bx)^3} dx$	171
3.37	$\int \frac{\sin(c+dx)}{x(a+bx)^3} dx$	177
3.38	$\int \frac{\sin(c+dx)}{x^2(a+bx)^3} dx$	181
3.39	$\int \frac{\sin(c+dx)}{x^3(a+bx)^3} dx$	185
3.40	$\int x^3 (a+bx^2) \sin(c+dx) dx$	189
3.41	$\int x^2 (a+bx^2) \sin(c+dx) dx$	193
3.42	$\int x (a+bx^2) \sin(c+dx) dx$	196
3.43	$\int (a+bx^2) \sin(c+dx) dx$	199
3.44	$\int \frac{(a+bx^2) \sin(c+dx)}{x} dx$	202
3.45	$\int \frac{(a+bx^2) \sin(c+dx)}{x^2} dx$	205

3.46	$\int \frac{(a+bx^2)\sin(c+dx)}{x^3} dx$	209
3.47	$\int \frac{(a+bx^2)\sin(c+dx)}{x^4} dx$	212
3.48	$\int \frac{(a+bx^2)\sin(c+dx)}{x^5} dx$	216
3.49	$\int x^2 (a + bx^2)^2 \sin(c + dx) dx$	220
3.50	$\int x (a + bx^2)^2 \sin(c + dx) dx$	224
3.51	$\int (a + bx^2)^2 \sin(c + dx) dx$	228
3.52	$\int \frac{(a+bx^2)^2 \sin(c+dx)}{x} dx$	231
3.53	$\int \frac{(a+bx^2)^2 \sin(c+dx)}{x^2} dx$	235
3.54	$\int \frac{(a+bx^2)^2 \sin(c+dx)}{x^3} dx$	239
3.55	$\int \frac{(a+bx^2)^2 \sin(c+dx)}{x^4} dx$	243
3.56	$\int \frac{(a+bx^2)^2 \sin(c+dx)}{x^5} dx$	247
3.57	$\int \frac{x^4 \sin(c+dx)}{a+bx^2} dx$	251
3.58	$\int \frac{x^3 \sin(c+dx)}{a+bx^2} dx$	255
3.59	$\int \frac{x^2 \sin(c+dx)}{a+bx^2} dx$	259
3.60	$\int \frac{x \sin(c+dx)}{a+bx^2} dx$	263
3.61	$\int \frac{\sin(c+dx)}{a+bx^2} dx$	266
3.62	$\int \frac{\sin(c+dx)}{x(a+bx^2)} dx$	269
3.63	$\int \frac{\sin(c+dx)}{x^2(a+bx^2)} dx$	272
3.64	$\int \frac{\sin(c+dx)}{x^3(a+bx^2)} dx$	276
3.65	$\int \frac{x^4 \sin(c+dx)}{(a+bx^2)^2} dx$	279
3.66	$\int \frac{x^3 \sin(c+dx)}{(a+bx^2)^2} dx$	285
3.67	$\int \frac{x^2 \sin(c+dx)}{(a+bx^2)^2} dx$	290
3.68	$\int \frac{x \sin(c+dx)}{(a+bx^2)^2} dx$	294
3.69	$\int \frac{\sin(c+dx)}{(a+bx^2)^2} dx$	298
3.70	$\int \frac{\sin(c+dx)}{x(a+bx^2)^2} dx$	302
3.71	$\int \frac{\sin(c+dx)}{x^2(a+bx^2)^2} dx$	306
3.72	$\int \frac{x^3 \sin(c+dx)}{(a+bx^2)^3} dx$	310
3.73	$\int \frac{x^2 \sin(c+dx)}{(a+bx^2)^3} dx$	316
3.74	$\int \frac{x \sin(c+dx)}{(a+bx^2)^3} dx$	322
3.75	$\int \frac{\sin(c+dx)}{(a+bx^2)^3} dx$	326
3.76	$\int \frac{\sin(c+dx)}{x(a+bx^2)^3} dx$	331
3.77	$\int \frac{\sin(c+dx)}{x^2(a+bx^2)^3} dx$	336

3.78	$\int \frac{\sin(c+dx)}{x^3(a+bx^2)^3} dx$	341
3.79	$\int x^3 (a + bx^3) \sin(c + dx) dx$	346
3.80	$\int x^2 (a + bx^3) \sin(c + dx) dx$	350
3.81	$\int x (a + bx^3) \sin(c + dx) dx$	353
3.82	$\int (a + bx^3) \sin(c + dx) dx$	356
3.83	$\int \frac{(a+bx^3) \sin(c+dx)}{x} dx$	359
3.84	$\int \frac{(a+bx^3) \sin(c+dx)}{x^2} dx$	362
3.85	$\int \frac{(a+bx^3) \sin(c+dx)}{x^3} dx$	365
3.86	$\int \frac{(a+bx^3) \sin(c+dx)}{x^4} dx$	369
3.87	$\int x (a + bx^3)^2 \sin(c + dx) dx$	373
3.88	$\int (a + bx^3)^2 \sin(c + dx) dx$	377
3.89	$\int \frac{(a+bx^3)^2 \sin(c+dx)}{x} dx$	381
3.90	$\int \frac{(a+bx^3)^2 \sin(c+dx)}{x^2} dx$	385
3.91	$\int \frac{(a+bx^3)^2 \sin(c+dx)}{x^3} dx$	389
3.92	$\int \frac{(a+bx^3)^2 \sin(c+dx)}{x^4} dx$	393
3.93	$\int \frac{(a+bx^3)^2 \sin(c+dx)}{x^5} dx$	397
3.94	$\int \frac{x^4 \sin(c+dx)}{a+bx^3} dx$	401
3.95	$\int \frac{x^3 \sin(c+dx)}{a+bx^3} dx$	405
3.96	$\int \frac{x^2 \sin(c+dx)}{a+bx^3} dx$	409
3.97	$\int \frac{x \sin(c+dx)}{a+bx^3} dx$	412
3.98	$\int \frac{\sin(c+dx)}{a+bx^3} dx$	415
3.99	$\int \frac{\sin(c+dx)}{x(a+bx^3)} dx$	418
3.100	$\int \frac{\sin(c+dx)}{x^2(a+bx^3)} dx$	421
3.101	$\int \frac{\sin(c+dx)}{x^3(a+bx^3)} dx$	425
3.102	$\int \frac{x^3 \sin(c+dx)}{(a+bx^3)^2} dx$	429
3.103	$\int \frac{x^2 \sin(c+dx)}{(a+bx^3)^2} dx$	434
3.104	$\int \frac{x \sin(c+dx)}{(a+bx^3)^2} dx$	438
3.105	$\int \frac{\sin(c+dx)}{(a+bx^3)^2} dx$	443
3.106	$\int \frac{\sin(c+dx)}{x(a+bx^3)^2} dx$	448
3.107	$\int \frac{\sin(c+dx)}{x^2(a+bx^3)^2} dx$	453
3.108	$\int \frac{\sin(c+dx)}{x^3(a+bx^3)^2} dx$	458
3.109	$\int \frac{x^3 \sin(c+dx)}{(a+bx^3)^3} dx$	463
3.110	$\int \frac{x^2 \sin(c+dx)}{(a+bx^3)^3} dx$	469
3.111	$\int \frac{x \sin(c+dx)}{(a+bx^3)^3} dx$	474

3.112	$\int \frac{\sin(c+dx)}{(a+bx^3)^3} dx$	480
3.113	$\int \frac{\sin(c+dx)}{x(a+bx^3)^3} dx$	486
4	Listing of Grading functions	493
4.0.1	Mathematica and Rubi grading function	493
4.0.2	Maple grading function	495
4.0.3	Sympy grading function	498
4.0.4	SageMath grading function	500

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [113]. This is test number [68].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric $2F1$ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (113)	% 0.00 (0)
Mathematica	% 100.00 (113)	% 0.00 (0)
Maple	% 100.00 (113)	% 0.00 (0)
Maxima	% 46.90 (53)	% 53.10 (60)
Fricas	% 100.00 (113)	% 0.00 (0)
Sympy	% 23.01 (26)	% 76.99 (87)
Giac	% 57.52 (65)	% 42.48 (48)
Mupad	% 17.70 (20)	% 82.30 (93)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	62.83	0.00	37.17	0.00
Maple	44.25	38.05	17.70	0.00
Maxima	3.54	14.16	29.20	53.10
Fricas	59.29	3.54	37.17	0.00
Sympy	23.01	0.00	0.00	76.99
Giac	17.70	6.19	33.63	42.48
Mupad	0.00	17.70	0.00	82.30

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	0	0.00 %	0.00 %	0.00 %
Maxima	60	48.33 %	51.67 %	0.00 %
Fricas	0	0.00 %	0.00 %	0.00 %
Sympy	87	77.01 %	22.99 %	0.00 %
Giac	48	87.50 %	12.50 %	0.00 %
Mupad	93	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.59	281.22	1.00	181.00	1.00
Mathematica	0.62	260.06	0.90	145.00	0.85
Maple	0.05	507.50	2.00	281.00	1.46
Maxima	2.48	250.17	2.85	164.00	1.80
Fricas	0.74	295.62	1.11	186.00	1.04
Sympy	4.13	144.15	1.32	142.50	1.23
Giac	0.79	1008.97	8.56	766.00	7.87
Mupad	3.00	116.40	0.98	119.50	0.95

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
```

```
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))
```

```
except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
The following field present only in Rubi and Mathematica Tables
13. integer. 1 if result was verified or 0 if not verified.
The following fields present only in Rubi Tables
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { }

C grade: { 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

F grade: { }

2.1.3 Maple

A grade: { 3, 4, 5, 6, 7, 8, 9, 13, 14, 15, 16, 17, 22, 23, 24, 25, 30, 31, 32, 36, 37, 38, 39, 43, 44, 45, 46, 47, 48, 53, 54, 55, 56, 61, 62, 63, 64, 69, 70, 71, 75, 76, 78, 83, 84, 85, 86, 91, 92, 93 }

B grade: { 1, 2, 10, 11, 12, 18, 19, 20, 21, 26, 27, 28, 29, 33, 34, 35, 40, 41, 42, 49, 50, 51, 52, 57, 58, 59, 60, 65, 66, 67, 68, 72, 73, 74, 77, 79, 80, 81, 82, 87, 88, 89, 90 }

C grade: { 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

F grade: { }

2.1.4 Maxima

A grade: { 3, 4, 11, 43 }

B grade: { 1, 2, 10, 12, 40, 41, 42, 49, 50, 51, 79, 80, 81, 82, 87, 88 }

C grade: { 5, 6, 7, 8, 9, 13, 14, 15, 16, 17, 21, 22, 30, 36, 44, 45, 46, 47, 48, 52, 53, 54, 55, 56, 83, 84, 85, 86, 89, 90, 91, 92, 93 }

F grade: { 18, 19, 20, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 37, 38, 39, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93 }

B grade: { 36, 37, 38, 39 }

C grade: { 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

F grade: { }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 10, 11, 12, 13, 40, 41, 42, 43, 44, 49, 50, 51, 52, 79, 80, 81, 82, 83, 87, 88, 89 }

B grade: { }

C grade: { }

F grade: { 6, 7, 8, 9, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 45, 46, 47, 48, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 84, 85, 86, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 10, 11, 12, 40, 41, 42, 43, 49, 50, 51, 79, 80, 81, 82, 87, 88 }

B grade: { 26, 27, 28, 29, 30, 31, 32 }

C grade: { 5, 6, 7, 8, 9, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 36, 44, 45, 46, 47, 48, 52, 53, 54, 55, 56, 83, 84, 85, 86, 89, 90, 91, 92, 93 }

F grade: { 33, 34, 35, 37, 38, 39, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 10, 11, 12, 40, 41, 42, 43, 49, 50, 51, 79, 80, 81, 82, 87, 88 }

C grade: { }

F grade: { 5, 6, 7, 8, 9, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 44, 45, 46, 47, 48, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 83, 84, 85, 86, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	82	359	306	85	151	86	122
normalized size	1	1.00	0.65	2.85	2.43	0.67	1.20	0.68	0.97
time (sec)	N/A	0.312	0.169	0.023	0.538	0.554	2.341	0.358	0.279
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	65	225	201	67	117	68	92
normalized size	1	1.00	0.68	2.34	2.09	0.70	1.22	0.71	0.96
time (sec)	N/A	0.208	0.147	0.024	0.472	0.527	1.145	0.417	4.619
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	45	121	117	48	82	49	62
normalized size	1	1.00	0.69	1.86	1.80	0.74	1.26	0.75	0.95
time (sec)	N/A	0.105	0.104	0.021	0.382	0.732	0.591	0.512	4.499
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	27	52	53	30	46	31	35
normalized size	1	1.00	0.96	1.86	1.89	1.07	1.64	1.11	1.25
time (sec)	N/A	0.017	0.077	0.023	0.434	0.701	0.239	1.055	4.485
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	40	31	522	44	37	339	-1
normalized size	1	1.00	1.38	1.07	18.00	1.52	1.28	11.69	-0.03
time (sec)	N/A	0.148	0.038	0.027	0.644	0.494	6.401	0.481	0.000

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	60	56	108	75	0	569	-1
normalized size	1	1.00	1.25	1.17	2.25	1.56	0.00	11.85	-0.02
time (sec)	N/A	0.221	0.143	0.033	1.246	0.599	0.000	0.488	0.000
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	76	88	111	111	0	796	-1
normalized size	1	1.00	0.85	0.99	1.25	1.25	0.00	8.94	-0.01
time (sec)	N/A	0.270	0.269	0.039	1.604	0.712	0.000	0.539	0.000
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	110	117	110	137	0	961	-1
normalized size	1	1.00	0.83	0.89	0.83	1.04	0.00	7.28	-0.01
time (sec)	N/A	0.325	0.342	0.035	2.141	0.491	0.000	0.537	0.000
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	166	138	145	112	154	0	1108	-1
normalized size	1	1.00	0.83	0.87	0.67	0.93	0.00	6.67	-0.01
time (sec)	N/A	0.368	0.289	0.033	1.920	0.751	0.000	0.846	0.000
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	186	186	101	468	406	126	228	128	172
normalized size	1	1.00	0.54	2.52	2.18	0.68	1.23	0.69	0.92
time (sec)	N/A	0.320	0.293	0.025	0.929	0.670	2.690	0.498	0.295
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	87	281	259	95	172	95	128
normalized size	1	1.00	0.64	2.08	1.92	0.70	1.27	0.70	0.95
time (sec)	N/A	0.186	0.224	0.026	0.754	0.714	1.368	0.752	4.763

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	57	148	141	63	112	65	84
normalized size	1	1.00	1.14	2.96	2.82	1.26	2.24	1.30	1.68
time (sec)	N/A	0.042	0.183	0.024	0.950	0.608	0.722	0.569	4.700
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	51	79	80	78	90	551	-1
normalized size	1	1.00	0.82	1.27	1.29	1.26	1.45	8.89	-0.02
time (sec)	N/A	0.183	0.310	0.030	1.743	0.773	4.906	0.744	0.000
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	64	74	123	111	0	743	-1
normalized size	1	1.00	0.89	1.03	1.71	1.54	0.00	10.32	-0.01
time (sec)	N/A	0.242	0.264	0.038	2.534	0.751	0.000	1.582	0.000
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	95	114	187	147	0	1182	-1
normalized size	1	1.00	0.79	0.94	1.55	1.21	0.00	9.77	-0.01
time (sec)	N/A	0.340	0.438	0.037	4.287	0.582	0.000	0.993	0.000
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	154	158	188	186	0	1400	-1
normalized size	1	1.00	0.88	0.90	1.07	1.06	0.00	8.00	-0.01
time (sec)	N/A	0.410	0.565	0.042	5.666	0.582	0.000	0.793	0.000
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	248	248	204	201	188	222	0	1712	-1
normalized size	1	1.00	0.82	0.81	0.76	0.90	0.00	6.90	-0.00
time (sec)	N/A	0.480	0.485	0.039	5.998	0.640	0.000	0.429	0.000

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	218	158	777	0	213	0	3337	-1
normalized size	1	1.00	0.72	3.56	0.00	0.98	0.00	15.31	-0.00
time (sec)	N/A	0.464	0.687	0.033	0.000	0.918	0.000	2.514	0.000
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	117	514	0	167	0	2709	-1
normalized size	1	1.00	0.77	3.38	0.00	1.10	0.00	17.82	-0.01
time (sec)	N/A	0.306	0.577	0.028	0.000	0.573	0.000	2.122	0.000
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	87	315	0	133	0	2205	-1
normalized size	1	1.00	0.88	3.18	0.00	1.34	0.00	22.27	-0.01
time (sec)	N/A	0.262	0.318	0.026	0.000	0.650	0.000	0.929	0.000
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	63	180	776	99	0	1647	-1
normalized size	1	1.00	0.91	2.61	11.25	1.43	0.00	23.87	-0.01
time (sec)	N/A	0.166	0.199	0.025	0.528	0.640	0.000	0.838	0.000
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	49	73	141	78	0	597	-1
normalized size	1	1.00	0.96	1.43	2.76	1.53	0.00	11.71	-0.02
time (sec)	N/A	0.078	0.072	0.023	0.721	0.629	0.000	1.534	0.000
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	63	99	0	99	0	838	-1
normalized size	1	1.00	0.86	1.36	0.00	1.36	0.00	11.48	-0.01
time (sec)	N/A	0.261	0.167	0.031	0.000	0.782	0.000	2.055	0.000

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	101	144	0	157	0	2897	-1
normalized size	1	1.00	0.89	1.26	0.00	1.38	0.00	25.41	-0.01
time (sec)	N/A	0.350	0.417	0.030	0.000	0.689	0.000	0.680	0.000
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	176	202	0	245	0	4565	-1
normalized size	1	1.00	0.93	1.07	0.00	1.30	0.00	24.15	-0.01
time (sec)	N/A	0.491	0.673	0.029	0.000	0.588	0.000	0.715	0.000
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	233	233	177	1214	0	357	0	1973	-1
normalized size	1	1.00	0.76	5.21	0.00	1.53	0.00	8.47	-0.00
time (sec)	N/A	0.509	1.064	0.038	0.000	0.824	0.000	1.714	0.000
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	181	153	848	0	316	0	1474	-1
normalized size	1	1.00	0.85	4.69	0.00	1.75	0.00	8.14	-0.01
time (sec)	N/A	0.408	0.913	0.036	0.000	0.722	0.000	0.791	0.000
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	117	553	0	264	0	1120	-1
normalized size	1	1.00	0.79	3.71	0.00	1.77	0.00	7.52	-0.01
time (sec)	N/A	0.363	0.836	0.033	0.000	0.699	0.000	0.748	0.000
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	96	315	0	208	0	951	-1
normalized size	1	1.00	0.77	2.54	0.00	1.68	0.00	7.67	-0.01
time (sec)	N/A	0.285	0.481	0.031	0.000	0.631	0.000	0.809	0.000

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	66	107	164	123	0	518	-1
normalized size	1	1.00	0.92	1.49	2.28	1.71	0.00	7.19	-0.01
time (sec)	N/A	0.097	0.225	0.026	1.076	0.600	0.000	0.385	0.000
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	138	210	0	260	0	1281	-1
normalized size	1	1.00	0.93	1.41	0.00	1.74	0.00	8.60	-0.01
time (sec)	N/A	0.410	1.069	0.032	0.000	0.701	0.000	0.793	0.000
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	184	256	0	355	0	3180	-1
normalized size	1	1.00	0.98	1.36	0.00	1.89	0.00	16.91	-0.01
time (sec)	N/A	0.514	2.049	0.031	0.000	0.771	0.000	1.737	0.000
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	265	265	235	1208	0	515	0	0	-1
normalized size	1	1.00	0.89	4.56	0.00	1.94	0.00	0.00	-0.00
time (sec)	N/A	0.610	1.118	0.037	0.000	0.704	0.000	0.000	0.000
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	241	241	154	779	0	438	0	0	-1
normalized size	1	1.00	0.64	3.23	0.00	1.82	0.00	0.00	-0.00
time (sec)	N/A	0.535	1.248	0.033	0.000	0.875	0.000	0.000	0.000
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	179	179	157	419	0	346	0	0	-1
normalized size	1	1.00	0.88	2.34	0.00	1.93	0.00	0.00	-0.01
time (sec)	N/A	0.350	0.606	0.029	0.000	0.726	0.000	0.000	0.000

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	B	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	87	145	199	210	0	5727	-1
normalized size	1	1.00	0.84	1.39	1.91	2.02	0.00	55.07	-0.01
time (sec)	N/A	0.127	0.735	0.027	0.461	0.623	0.000	1.154	0.000
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	449	359	0	532	0	0	-1
normalized size	1	1.00	1.72	1.38	0.00	2.04	0.00	0.00	-0.00
time (sec)	N/A	0.542	1.049	0.030	0.000	0.771	0.000	0.000	0.000
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	540	405	0	689	0	0	-1
normalized size	1	1.00	1.81	1.35	0.00	2.30	0.00	0.00	-0.00
time (sec)	N/A	0.668	2.074	0.032	0.000	0.730	0.000	0.000	0.000
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	377	377	630	466	0	816	0	0	-1
normalized size	1	1.00	1.67	1.24	0.00	2.16	0.00	0.00	-0.00
time (sec)	N/A	0.804	2.075	0.031	0.000	0.858	0.000	0.000	0.000
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	92	449	372	95	168	97	121
normalized size	1	1.00	0.65	3.18	2.64	0.67	1.19	0.69	0.86
time (sec)	N/A	0.208	0.183	0.023	0.344	0.641	4.127	1.875	0.344
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	75	302	258	77	134	79	97
normalized size	1	1.00	0.68	2.72	2.32	0.69	1.21	0.71	0.87
time (sec)	N/A	0.163	0.145	0.022	0.325	0.710	2.345	0.623	4.733

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	57	181	165	60	99	60	73
normalized size	1	1.00	0.71	2.26	2.06	0.75	1.24	0.75	0.91
time (sec)	N/A	0.102	0.126	0.023	0.331	0.711	1.181	0.454	0.144
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	41	99	91	41	65	42	49
normalized size	1	1.00	0.77	1.87	1.72	0.77	1.23	0.79	0.92
time (sec)	N/A	0.057	0.088	0.023	0.315	0.510	0.587	0.351	4.692
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	54	60	66	61	63	432	-1
normalized size	1	1.00	1.32	1.46	1.61	1.49	1.54	10.54	-0.02
time (sec)	N/A	0.091	0.137	0.026	0.636	0.764	4.904	0.769	0.000
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	48	937	68	0	411	-1
normalized size	1	1.00	1.00	1.09	21.30	1.55	0.00	9.34	-0.02
time (sec)	N/A	0.107	0.097	0.033	0.595	0.612	0.000	0.348	0.000
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	82	73	122	85	0	766	-1
normalized size	1	1.00	1.11	0.99	1.65	1.15	0.00	10.35	-0.01
time (sec)	N/A	0.161	0.194	0.034	1.033	0.729	0.000	0.317	0.000
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	95	102	123	105	0	834	-1
normalized size	1	1.00	0.90	0.96	1.16	0.99	0.00	7.87	-0.01
time (sec)	N/A	0.207	0.201	0.033	1.128	0.583	0.000	0.422	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	149	125	131	121	127	0	1086	-1
normalized size	1	1.00	0.84	0.88	0.81	0.85	0.00	7.29	-0.01
time (sec)	N/A	0.258	0.249	0.033	1.235	0.872	0.000	0.482	0.000
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	236	236	139	746	612	154	286	162	186
normalized size	1	1.00	0.59	3.16	2.59	0.65	1.21	0.69	0.79
time (sec)	N/A	0.327	0.416	0.023	0.384	0.751	7.534	0.558	0.581
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	113	514	438	126	226	129	151
normalized size	1	1.00	0.61	2.78	2.37	0.68	1.22	0.70	0.82
time (sec)	N/A	0.235	0.275	0.024	0.345	0.726	4.552	1.005	4.928
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	138	138	86	336	292	97	172	99	118
normalized size	1	1.00	0.62	2.43	2.12	0.70	1.25	0.72	0.86
time (sec)	N/A	0.163	0.206	0.023	0.336	0.770	2.715	0.414	4.834
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	111	111	82	236	116	114	160	725	-1
normalized size	1	1.00	0.74	2.13	1.05	1.03	1.44	6.53	-0.01
time (sec)	N/A	0.172	0.417	0.031	2.092	0.826	6.925	1.030	0.000
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	97	156	97	113	0	1638	-1
normalized size	1	1.00	1.00	1.61	1.00	1.16	0.00	16.89	-0.01
time (sec)	N/A	0.163	0.284	0.047	1.683	0.818	0.000	0.551	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	99	124	150	136	0	1058	-1
normalized size	1	1.00	0.87	1.09	1.32	1.19	0.00	9.28	-0.01
time (sec)	N/A	0.203	0.443	0.043	2.810	0.600	0.000	0.315	0.000
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	114	120	142	145	0	1032	-1
normalized size	1	1.00	0.85	0.90	1.06	1.08	0.00	7.70	-0.01
time (sec)	N/A	0.238	0.448	0.046	2.278	0.804	0.000	0.504	0.000
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	122	157	221	162	0	1497	-1
normalized size	1	1.00	0.69	0.89	1.25	0.92	0.00	8.46	-0.01
time (sec)	N/A	0.333	0.470	0.045	10.622	0.658	0.000	0.697	0.000
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	273	273	275	1656	0	240	0	0	-1
normalized size	1	1.00	1.01	6.07	0.00	0.88	0.00	0.00	-0.00
time (sec)	N/A	0.730	0.498	0.075	0.000	0.787	0.000	0.000	0.000
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	202	1184	0	185	0	0	-1
normalized size	1	1.00	0.97	5.67	0.00	0.89	0.00	0.00	-0.00
time (sec)	N/A	0.348	0.427	0.056	0.000	0.739	0.000	0.000	0.000
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	216	798	0	195	0	0	-1
normalized size	1	1.00	0.95	3.52	0.00	0.86	0.00	0.00	-0.00
time (sec)	N/A	0.365	0.356	0.048	0.000	0.647	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	177	177	163	494	0	146	0	0	-1
normalized size	1	1.00	0.92	2.79	0.00	0.82	0.00	0.00	-0.01
time (sec)	N/A	0.248	0.216	0.038	0.000	0.647	0.000	0.000	0.000
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	213	213	172	229	0	187	0	0	-1
normalized size	1	1.00	0.81	1.08	0.00	0.88	0.00	0.00	-0.00
time (sec)	N/A	0.239	0.210	0.032	0.000	0.853	0.000	0.000	0.000
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	197	197	179	200	0	168	0	0	-1
normalized size	1	1.00	0.91	1.02	0.00	0.85	0.00	0.00	-0.01
time (sec)	N/A	0.382	0.372	0.040	0.000	0.753	0.000	0.000	0.000
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	250	250	238	270	0	240	0	0	-1
normalized size	1	1.00	0.95	1.08	0.00	0.96	0.00	0.00	-0.00
time (sec)	N/A	0.487	0.517	0.037	0.000	0.686	0.000	0.000	0.000
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	270	270	247	259	0	231	0	0	-1
normalized size	1	1.00	0.91	0.96	0.00	0.86	0.00	0.00	-0.00
time (sec)	N/A	0.508	0.693	0.056	0.000	0.910	0.000	0.000	0.000
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	450	450	632	3453	0	351	0	0	-1
normalized size	1	1.00	1.40	7.67	0.00	0.78	0.00	0.00	-0.00
time (sec)	N/A	0.783	1.184	0.141	0.000	0.865	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	431	431	583	2563	0	291	0	0	-1
normalized size	1	1.00	1.35	5.95	0.00	0.68	0.00	0.00	-0.00
time (sec)	N/A	0.661	0.892	0.108	0.000	0.759	0.000	0.000	0.000
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	416	416	583	1804	0	333	0	0	-1
normalized size	1	1.00	1.40	4.34	0.00	0.80	0.00	0.00	-0.00
time (sec)	N/A	0.573	0.863	0.088	0.000	0.774	0.000	0.000	0.000
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	239	239	309	1109	0	244	0	0	-1
normalized size	1	1.00	1.29	4.64	0.00	1.02	0.00	0.00	-0.00
time (sec)	N/A	0.315	0.399	0.066	0.000	0.729	0.000	0.000	0.000
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	476	476	585	495	0	333	0	0	-1
normalized size	1	1.00	1.23	1.04	0.00	0.70	0.00	0.00	-0.00
time (sec)	N/A	0.806	0.648	0.049	0.000	0.678	0.000	0.000	0.000
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	435	435	650	482	0	330	0	0	-1
normalized size	1	1.00	1.49	1.11	0.00	0.76	0.00	0.00	-0.00
time (sec)	N/A	0.832	0.983	0.057	0.000	0.732	0.000	0.000	0.000
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	501	501	768	769	0	406	0	0	-1
normalized size	1	1.00	1.53	1.53	0.00	0.81	0.00	0.00	-0.00
time (sec)	N/A	1.313	1.098	0.053	0.000	0.939	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	476	476	647	3391	0	492	0	0	-1
normalized size	1	1.00	1.36	7.12	0.00	1.03	0.00	0.00	-0.00
time (sec)	N/A	1.008	1.994	0.153	0.000	0.683	0.000	0.000	0.000
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	746	746	927	2310	0	604	0	0	-1
normalized size	1	1.00	1.24	3.10	0.00	0.81	0.00	0.00	-0.00
time (sec)	N/A	1.135	2.772	0.123	0.000	0.789	0.000	0.000	0.000
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	512	512	634	1374	0	487	0	0	-1
normalized size	1	1.00	1.24	2.68	0.00	0.95	0.00	0.00	-0.00
time (sec)	N/A	0.769	1.824	0.081	0.000	0.675	0.000	0.000	0.000
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	856	856	932	602	0	611	0	0	-1
normalized size	1	1.00	1.09	0.70	0.00	0.71	0.00	0.00	-0.00
time (sec)	N/A	1.181	2.521	0.060	0.000	0.787	0.000	0.000	0.000
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	730	730	924	584	0	645	0	0	-1
normalized size	1	1.00	1.27	0.80	0.00	0.88	0.00	0.00	-0.00
time (sec)	N/A	1.830	2.869	0.066	0.000	0.970	0.000	0.000	0.000
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	875	875	1177	1375	0	720	0	0	-1
normalized size	1	1.00	1.35	1.57	0.00	0.82	0.00	0.00	-0.00
time (sec)	N/A	2.846	3.038	0.078	0.000	0.851	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	791	791	995	701	0	766	0	0	-1
normalized size	1	1.00	1.26	0.89	0.00	0.97	0.00	0.00	-0.00
time (sec)	N/A	1.877	2.871	0.080	0.000	0.861	0.000	0.000	0.000
Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	101	556	449	104	185	106	151
normalized size	1	1.00	0.65	3.56	2.88	0.67	1.19	0.68	0.97
time (sec)	N/A	0.249	0.199	0.023	0.991	0.516	7.523	0.522	0.586
Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	84	392	326	87	151	88	121
normalized size	1	1.00	0.67	3.11	2.59	0.69	1.20	0.70	0.96
time (sec)	N/A	0.191	0.163	0.023	0.691	0.656	4.458	0.416	4.954
Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	66	258	224	68	116	69	92
normalized size	1	1.00	0.69	2.72	2.36	0.72	1.22	0.73	0.97
time (sec)	N/A	0.132	0.131	0.022	0.773	0.699	2.551	0.417	4.795
Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	50	159	141	52	82	54	65
normalized size	1	1.00	0.74	2.34	2.07	0.76	1.21	0.79	0.96
time (sec)	N/A	0.087	0.092	0.023	0.728	0.685	1.213	0.639	0.111
Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	50	112	76	72	85	510	-1
normalized size	1	1.00	0.88	1.96	1.33	1.26	1.49	8.95	-0.02
time (sec)	N/A	0.115	0.203	0.029	2.268	0.620	6.382	0.380	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	56	79	69	79	0	489	-1
normalized size	1	1.00	1.00	1.41	1.23	1.41	0.00	8.73	-0.02
time (sec)	N/A	0.117	0.139	0.037	2.270	0.737	0.000	0.558	0.000
Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	66	65	1151	84	0	564	-1
normalized size	1	1.00	0.94	0.93	16.44	1.20	0.00	8.06	-0.01
time (sec)	N/A	0.127	0.164	0.039	1.519	0.786	0.000	0.331	0.000
Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	104	87	132	114	0	796	-1
normalized size	1	1.00	1.14	0.96	1.45	1.25	0.00	8.75	-0.01
time (sec)	N/A	0.196	0.229	0.036	2.551	0.593	0.000	0.502	0.000
Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	235	235	139	822	662	161	284	161	225
normalized size	1	1.00	0.59	3.50	2.82	0.69	1.21	0.69	0.96
time (sec)	N/A	0.326	0.406	0.025	1.050	0.558	11.926	0.533	5.086
Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	112	599	489	129	226	131	184
normalized size	1	1.00	0.60	3.19	2.60	0.69	1.20	0.70	0.98
time (sec)	N/A	0.242	0.327	0.024	0.784	0.663	7.389	0.407	0.619
Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	108	487	147	145	211	921	-1
normalized size	1	1.00	0.67	3.02	0.91	0.90	1.31	5.72	-0.01
time (sec)	N/A	0.256	0.528	0.036	12.019	0.727	10.635	0.358	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	145	365	129	145	0	2038	-1
normalized size	1	1.00	1.00	2.52	0.89	1.00	0.00	14.06	-0.01
time (sec)	N/A	0.233	0.394	0.056	14.760	0.768	0.000	1.341	0.000
Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	138	251	110	142	0	2171	-1
normalized size	1	1.00	0.97	1.77	0.77	1.00	0.00	15.29	-0.01
time (sec)	N/A	0.219	0.407	0.053	3.074	0.693	0.000	1.151	0.000
Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	135	196	173	176	0	1181	-1
normalized size	1	1.00	0.89	1.30	1.15	1.17	0.00	7.82	-0.01
time (sec)	N/A	0.252	0.626	0.057	10.004	0.842	0.000	0.952	0.000
Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	167	167	148	167	166	186	0	1255	-1
normalized size	1	1.00	0.89	1.00	0.99	1.11	0.00	7.51	-0.01
time (sec)	N/A	0.283	0.606	0.052	16.429	0.754	0.000	1.326	0.000
Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	371	371	231	559	0	397	0	0	-1
normalized size	1	1.00	0.62	1.51	0.00	1.07	0.00	0.00	-0.00
time (sec)	N/A	0.915	0.573	0.061	0.000	0.873	0.000	0.000	0.000
Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	357	357	216	392	0	393	0	0	-1
normalized size	1	1.00	0.61	1.10	0.00	1.10	0.00	0.00	-0.00
time (sec)	N/A	0.676	0.355	0.052	0.000	0.931	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	281	281	186	266	0	292	0	0	-1
normalized size	1	1.00	0.66	0.95	0.00	1.04	0.00	0.00	-0.00
time (sec)	N/A	0.453	0.315	0.041	0.000	0.810	0.000	0.000	0.000
Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	196	176	0	379	0	0	-1
normalized size	1	1.00	0.57	0.51	0.00	1.10	0.00	0.00	-0.00
time (sec)	N/A	0.413	0.303	0.040	0.000	0.741	0.000	0.000	0.000
Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	343	343	196	85	0	385	0	0	-1
normalized size	1	1.00	0.57	0.25	0.00	1.12	0.00	0.00	-0.00
time (sec)	N/A	0.429	0.207	0.038	0.000	0.844	0.000	0.000	0.000
Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	206	88	0	314	0	0	-1
normalized size	1	1.00	0.68	0.29	0.00	1.04	0.00	0.00	-0.00
time (sec)	N/A	0.527	0.382	0.048	0.000	0.842	0.000	0.000	0.000
Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	380	380	233	116	0	454	0	0	-1
normalized size	1	1.00	0.61	0.31	0.00	1.19	0.00	0.00	-0.00
time (sec)	N/A	0.609	0.497	0.055	0.000	0.723	0.000	0.000	0.000
Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	408	408	253	136	0	491	0	0	-1
normalized size	1	1.00	0.62	0.33	0.00	1.20	0.00	0.00	-0.00
time (sec)	N/A	0.681	0.503	0.041	0.000	0.828	0.000	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	714	714	383	1185	0	670	0	0	-1
normalized size	1	1.00	0.54	1.66	0.00	0.94	0.00	0.00	-0.00
time (sec)	N/A	1.073	0.484	0.110	0.000	0.803	0.000	0.000	0.000
Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	371	371	214	823	0	480	0	0	-1
normalized size	1	1.00	0.58	2.22	0.00	1.29	0.00	0.00	-0.00
time (sec)	N/A	0.619	0.188	0.087	0.000	0.944	0.000	0.000	0.000
Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	691	691	408	508	0	661	0	0	-1
normalized size	1	1.00	0.59	0.74	0.00	0.96	0.00	0.00	-0.00
time (sec)	N/A	1.297	0.222	0.069	0.000	0.714	0.000	0.000	0.000
Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	735	735	406	248	0	673	0	0	-1
normalized size	1	1.00	0.55	0.34	0.00	0.92	0.00	0.00	-0.00
time (sec)	N/A	1.341	0.227	0.053	0.000	0.911	0.000	0.000	0.000
Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	693	693	446	233	0	584	0	0	-1
normalized size	1	1.00	0.64	0.34	0.00	0.84	0.00	0.00	-0.00
time (sec)	N/A	1.485	0.891	0.064	0.000	0.900	0.000	0.000	0.000
Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	712	712	445	283	0	722	0	0	-1
normalized size	1	1.00	0.62	0.40	0.00	1.01	0.00	0.00	-0.00
time (sec)	N/A	1.602	1.162	0.068	0.000	0.710	0.000	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	800	800	470	388	0	916	0	0	-1
normalized size	1	1.00	0.59	0.48	0.00	1.14	0.00	0.00	-0.00
time (sec)	N/A	1.788	1.195	0.058	0.000	0.962	0.000	0.000	0.000
Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	772	772	457	2032	0	890	0	0	-1
normalized size	1	1.00	0.59	2.63	0.00	1.15	0.00	0.00	-0.00
time (sec)	N/A	2.766	0.665	0.189	0.000	0.791	0.000	0.000	0.000
Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	777	777	449	1394	0	929	0	0	-1
normalized size	1	1.00	0.58	1.79	0.00	1.20	0.00	0.00	-0.00
time (sec)	N/A	1.528	0.437	0.137	0.000	0.958	0.000	0.000	0.000
Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F(-1)	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1141	1141	698	845	0	1321	0	0	-1
normalized size	1	1.00	0.61	0.74	0.00	1.16	0.00	0.00	-0.00
time (sec)	N/A	3.116	0.586	0.103	0.000	1.116	0.000	0.000	0.000
Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1161	1161	675	392	0	1223	0	0	-1
normalized size	1	1.00	0.58	0.34	0.00	1.05	0.00	0.00	-0.00
time (sec)	N/A	3.368	0.432	0.065	0.000	0.964	0.000	0.000	0.000
Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	1163	1163	2109	363	0	1117	0	0	-1
normalized size	1	1.00	1.81	0.31	0.00	0.96	0.00	0.00	-0.00
time (sec)	N/A	3.893	1.148	0.091	0.000	1.140	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [112] had the largest ratio of [.6250]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	11	4	1.00	15	0.267
2	A	9	4	1.00	15	0.267
3	A	7	4	1.00	13	0.308
4	A	2	2	1.00	12	0.167
5	A	6	5	1.00	15	0.333
6	A	9	5	1.00	15	0.333
7	A	11	5	1.00	15	0.333
8	A	13	5	1.00	15	0.333
9	A	15	5	1.00	15	0.333
10	A	14	4	1.00	17	0.235
11	A	11	4	1.00	15	0.267
12	A	3	2	1.00	14	0.143
13	A	8	7	1.00	17	0.412
14	A	10	6	1.00	17	0.353
15	A	14	5	1.00	17	0.294
16	A	17	5	1.00	17	0.294
17	A	20	5	1.00	17	0.294
18	A	15	7	1.00	17	0.412
19	A	11	7	1.00	17	0.412
20	A	8	7	1.00	17	0.412
21	A	6	5	1.00	15	0.333
22	A	3	3	1.00	14	0.214
23	A	8	4	1.00	17	0.235
24	A	12	5	1.00	17	0.294
25	A	17	5	1.00	17	0.294
26	A	15	8	1.00	17	0.471
27	A	12	8	1.00	17	0.471

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
28	A	10	6	1.00	17	0.353
29	A	9	5	1.00	15	0.333
30	A	4	4	1.00	14	0.286
31	A	12	5	1.00	17	0.294
32	A	16	5	1.00	17	0.294
33	A	15	6	1.00	17	0.353
34	A	14	5	1.00	17	0.294
35	A	11	5	1.00	15	0.333
36	A	5	4	1.00	14	0.286
37	A	17	5	1.00	17	0.294
38	A	21	5	1.00	17	0.294
39	A	26	5	1.00	17	0.294
40	A	12	3	1.00	17	0.176
41	A	10	3	1.00	17	0.176
42	A	8	3	1.00	15	0.200
43	A	6	3	1.00	14	0.214
44	A	7	6	1.00	17	0.353
45	A	7	6	1.00	17	0.353
46	A	10	5	1.00	17	0.294
47	A	12	5	1.00	17	0.294
48	A	14	5	1.00	17	0.294
49	A	17	3	1.00	19	0.158
50	A	14	3	1.00	17	0.176
51	A	11	3	1.00	16	0.188
52	A	11	6	1.00	19	0.316
53	A	10	7	1.00	19	0.368
54	A	12	7	1.00	19	0.368
55	A	13	6	1.00	19	0.316
56	A	17	5	1.00	19	0.263
57	A	14	7	1.00	19	0.368
58	A	12	6	1.00	19	0.316
59	A	11	6	1.00	19	0.316
60	A	8	4	1.00	17	0.235
61	A	8	4	1.00	16	0.250
62	A	13	4	1.00	19	0.210
63	A	14	6	1.00	19	0.316

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
64	A	18	5	1.00	19	0.263
65	A	24	9	1.00	19	0.474
66	A	20	8	1.00	19	0.421
67	A	17	6	1.00	19	0.316
68	A	9	5	1.00	17	0.294
69	A	18	5	1.00	16	0.312
70	A	22	6	1.00	19	0.316
71	A	32	6	1.00	19	0.316
72	A	27	8	1.00	19	0.421
73	A	28	7	1.00	19	0.368
74	A	19	6	1.00	17	0.353
75	A	28	5	1.00	16	0.312
76	A	41	7	1.00	19	0.368
77	A	60	6	1.00	19	0.316
78	A	46	7	1.00	19	0.368
79	A	13	4	1.00	17	0.235
80	A	11	4	1.00	17	0.235
81	A	9	4	1.00	15	0.267
82	A	7	4	1.00	14	0.286
83	A	8	6	1.00	17	0.353
84	A	8	7	1.00	17	0.412
85	A	8	6	1.00	17	0.353
86	A	11	5	1.00	17	0.294
87	A	17	4	1.00	17	0.235
88	A	14	4	1.00	16	0.250
89	A	14	7	1.00	19	0.368
90	A	13	8	1.00	19	0.421
91	A	12	8	1.00	19	0.421
92	A	14	7	1.00	19	0.368
93	A	15	7	1.00	19	0.368
94	A	15	6	1.00	19	0.316
95	A	14	6	1.00	19	0.316
96	A	11	4	1.00	19	0.210
97	A	11	4	1.00	17	0.235
98	A	11	4	1.00	16	0.250
99	A	16	4	1.00	19	0.210

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
100	A	17	5	1.00	19	0.263
101	A	18	6	1.00	19	0.316
102	A	23	6	1.00	19	0.316
103	A	12	5	1.00	19	0.263
104	A	34	7	1.00	17	0.412
105	A	36	8	1.00	16	0.500
106	A	41	8	1.00	19	0.421
107	A	47	7	1.00	19	0.368
108	A	51	8	1.00	19	0.421
109	A	71	10	1.00	19	0.526
110	A	37	9	1.00	19	0.474
111	A	89	9	1.00	17	0.529
112	A	99	10	1.00	16	0.625
113	A	110	9	1.00	19	0.474

Chapter 3

Listing of integrals

3.1 $\int x^3(a + bx) \sin(c + dx) dx$

Optimal. Leaf size=126

$$-\frac{6a \sin(c + dx)}{d^4} + \frac{6ax \cos(c + dx)}{d^3} + \frac{3ax^2 \sin(c + dx)}{d^2} - \frac{ax^3 \cos(c + dx)}{d} - \frac{24b \cos(c + dx)}{d^5} - \frac{24bx \sin(c + dx)}{d^4} + \frac{12b^2 x^2 \cos(c + dx)}{d^3} - \frac{12b^2 x^3 \sin(c + dx)}{d^2}$$

[Out] $-24*b*\cos(d*x+c)/d^5+6*a*x*\cos(d*x+c)/d^3+12*b*x^2*\cos(d*x+c)/d^3-a*x^3*\cos(d*x+c)/d-b*x^4*\cos(d*x+c)/d-6*a*\sin(d*x+c)/d^4-24*b*x*\sin(d*x+c)/d^4+3*a*x^2*\sin(d*x+c)/d^2+4*b*x^3*\sin(d*x+c)/d^2$

Rubi [A] time = 0.31, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {6742, 3296, 2637, 2638}

$$\frac{3ax^2 \sin(c + dx)}{d^2} - \frac{6a \sin(c + dx)}{d^4} + \frac{6ax \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} + \frac{4bx^3 \sin(c + dx)}{d^2} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{24b \cos(c + dx)}{d^5} - \frac{24bx \sin(c + dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x)*Sin[c + d*x], x]

[Out] $(-24*b*\text{Cos}[c + d*x])/d^5 + (6*a*x*\text{Cos}[c + d*x])/d^3 + (12*b*x^2*\text{Cos}[c + d*x])/d^3 - (a*x^3*\text{Cos}[c + d*x])/d - (b*x^4*\text{Cos}[c + d*x])/d - (6*a*\text{Sin}[c + d*x])/d^4 - (24*b*x*\text{Sin}[c + d*x])/d^4 + (3*a*x^2*\text{Sin}[c + d*x])/d^2 + (4*b*x^3*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int x^3(a + bx) \sin(c + dx) dx &= \int (ax^3 \sin(c + dx) + bx^4 \sin(c + dx)) dx \\
&= a \int x^3 \sin(c + dx) dx + b \int x^4 \sin(c + dx) dx \\
&= -\frac{ax^3 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{(3a) \int x^2 \cos(c + dx) dx}{d} + \frac{(4b) \int x^3 \cos(c + dx) dx}{d} \\
&= -\frac{ax^3 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{3ax^2 \sin(c + dx)}{d^2} + \frac{4bx^3 \sin(c + dx)}{d^2} - \frac{6ax \cos(c + dx)}{d^3} - \frac{12bx^2 \cos(c + dx)}{d^3} \\
&= \frac{6ax \cos(c + dx)}{d^3} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{3ax^2 \sin(c + dx)}{d^2} + \frac{4bx^3 \sin(c + dx)}{d^2} \\
&= \frac{6ax \cos(c + dx)}{d^3} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} - \frac{6ax \sin(c + dx)}{d^2} - \frac{12bx^2 \sin(c + dx)}{d^2} \\
&= -\frac{24b \cos(c + dx)}{d^5} + \frac{6ax \cos(c + dx)}{d^3} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} - \frac{6ax \sin(c + dx)}{d^2} - \frac{12bx^2 \sin(c + dx)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 82, normalized size = 0.65

$$\frac{d(3a(d^2x^2 - 2) + 4bx(d^2x^2 - 6)) \sin(c + dx) - (ad^2x(d^2x^2 - 6) + b(d^4x^4 - 12d^2x^2 + 24)) \cos(c + dx)}{d^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(a + b*x)*Sin[c + d*x],x]
```

```
[Out] (-((a*d^2*x*(-6 + d^2*x^2) + b*(24 - 12*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) +
d*(4*b*x*(-6 + d^2*x^2) + 3*a*(-2 + d^2*x^2))*Sin[c + d*x])/d^5
```

fricas [A] time = 0.55, size = 85, normalized size = 0.67

$$-\frac{(bd^4x^4 + ad^4x^3 - 12bd^2x^2 - 6ad^2x + 24b) \cos(dx + c) - (4bd^3x^3 + 3ad^3x^2 - 24bdx - 6ad) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(b*x+a)*sin(d*x+c),x, algorithm="fricas")
```

```
[Out] -((b*d^4*x^4 + a*d^4*x^3 - 12*b*d^2*x^2 - 6*a*d^2*x + 24*b)*cos(d*x + c) -
(4*b*d^3*x^3 + 3*a*d^3*x^2 - 24*b*d*x - 6*a*d)*sin(d*x + c))/d^5
```

giac [A] time = 0.36, size = 86, normalized size = 0.68

$$-\frac{(bd^4x^4 + ad^4x^3 - 12bd^2x^2 - 6ad^2x + 24b) \cos(dx + c)}{d^5} + \frac{(4bd^3x^3 + 3ad^3x^2 - 24bdx - 6ad) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(b*x+a)*sin(d*x+c),x, algorithm="giac")
```

```
[Out] -(b*d^4*x^4 + a*d^4*x^3 - 12*b*d^2*x^2 - 6*a*d^2*x + 24*b)*cos(d*x + c)/d^5
+ (4*b*d^3*x^3 + 3*a*d^3*x^2 - 24*b*d*x - 6*a*d)*sin(d*x + c)/d^5
```


3.2 $\int x^2(a + bx) \sin(c + dx) dx$

Optimal. Leaf size=96

$$\frac{2a \cos(c + dx)}{d^3} + \frac{2ax \sin(c + dx)}{d^2} - \frac{ax^2 \cos(c + dx)}{d} - \frac{6b \sin(c + dx)}{d^4} + \frac{6bx \cos(c + dx)}{d^3} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{bx^3 \cos(c + dx)}{d}$$

[Out] $2*a*\cos(d*x+c)/d^3+6*b*x*\cos(d*x+c)/d^3-a*x^2*\cos(d*x+c)/d-b*x^3*\cos(d*x+c)/d-6*b*\sin(d*x+c)/d^4+2*a*x*\sin(d*x+c)/d^2+3*b*x^2*\sin(d*x+c)/d^2$

Rubi [A] time = 0.21, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {6742, 3296, 2638, 2637}

$$\frac{2ax \sin(c + dx)}{d^2} + \frac{2a \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{6b \sin(c + dx)}{d^4} + \frac{6bx \cos(c + dx)}{d^3} - \frac{bx^3 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x)*Sin[c + d*x], x]

[Out] $(2*a*\cos[c + d*x])/d^3 + (6*b*x*\cos[c + d*x])/d^3 - (a*x^2*\cos[c + d*x])/d - (b*x^3*\cos[c + d*x])/d - (6*b*\sin[c + d*x])/d^4 + (2*a*x*\sin[c + d*x])/d^2 + (3*b*x^2*\sin[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int x^2(a + bx) \sin(c + dx) dx &= \int (ax^2 \sin(c + dx) + bx^3 \sin(c + dx)) dx \\
&= a \int x^2 \sin(c + dx) dx + b \int x^3 \sin(c + dx) dx \\
&= -\frac{ax^2 \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{(2a) \int x \cos(c + dx) dx}{d} + \frac{(3b) \int x^2 \cos(c + dx) dx}{d} \\
&= -\frac{ax^2 \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{2ax \sin(c + dx)}{d^2} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{2a \cos(c + dx)}{d^3} \\
&= \frac{2a \cos(c + dx)}{d^3} + \frac{6bx \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{2ax \sin(c + dx)}{d^2} \\
&= \frac{2a \cos(c + dx)}{d^3} + \frac{6bx \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} - \frac{6b \sin(c + dx)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 65, normalized size = 0.68

$$\frac{(2ad^2x + 3b(d^2x^2 - 2)) \sin(c + dx) - d(a(d^2x^2 - 2) + bx(d^2x^2 - 6)) \cos(c + dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x)*Sin[c + d*x], x]

[Out] $(-d(b*x*(-6 + d^2*x^2) + a*(-2 + d^2*x^2))*\text{Cos}[c + d*x]) + (2*a*d^2*x + 3*b*(-2 + d^2*x^2))*\text{Sin}[c + d*x])/d^4$

fricas [A] time = 0.53, size = 67, normalized size = 0.70

$$\frac{(bd^3x^3 + ad^3x^2 - 6bdx - 2ad) \cos(dx + c) - (3bd^2x^2 + 2ad^2x - 6b) \sin(dx + c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x+a)*sin(d*x+c), x, algorithm="fricas")

[Out] $-((b*d^3*x^3 + a*d^3*x^2 - 6*b*d*x - 2*a*d)*\text{cos}(d*x + c) - (3*b*d^2*x^2 + 2*a*d^2*x - 6*b)*\text{sin}(d*x + c))/d^4$

giac [A] time = 0.42, size = 68, normalized size = 0.71

$$\frac{(bd^3x^3 + ad^3x^2 - 6bdx - 2ad) \cos(dx + c)}{d^4} + \frac{(3bd^2x^2 + 2ad^2x - 6b) \sin(dx + c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x+a)*sin(d*x+c), x, algorithm="giac")

[Out] $-(b*d^3*x^3 + a*d^3*x^2 - 6*b*d*x - 2*a*d)*\text{cos}(d*x + c)/d^4 + (3*b*d^2*x^2 + 2*a*d^2*x - 6*b)*\text{sin}(d*x + c)/d^4$

maple [B] time = 0.02, size = 225, normalized size = 2.34

$$\frac{b(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c))}{d} + a(- (dx + c)^2 \cos(dx + c) + 2 \cos(dx + c) + 2(dx + c) \sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x+a)*sin(d*x+c), x)

[Out] $1/d^3*(b/d*(-(d*x+c)^3*\cos(d*x+c)+3*(d*x+c)^2*\sin(d*x+c)-6*\sin(d*x+c)+6*(d*x+c)*\cos(d*x+c))+a*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))-3*b*c/d*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))-2*a*c*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))+3/d*b*c^2*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))-a*c^2*\cos(d*x+c)+1/d*b*c^3*\cos(d*x+c))$

maxima [B] time = 0.47, size = 201, normalized size = 2.09

$$\frac{ac^2 \cos(dx + c) - \frac{bc^3 \cos(dx+c)}{d} - 2((dx + c) \cos(dx + c) - \sin(dx + c))ac + \frac{3((dx+c) \cos(dx+c) - \sin(dx+c))bc^2}{d} + (((dx + c)^2 - 2) \cos(dx + c) - 2(dx + c) \sin(dx + c))a - 3(((dx + c)^2 - 2) \cos(dx + c) - 2(dx + c) \sin(dx + c))b*c/d + (((dx + c)^3 - 6dx - 6c) \cos(dx + c) - 3((dx + c)^2 - 2) \sin(dx + c))b/d}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x+a)*sin(d*x+c),x, algorithm="maxima")`

[Out] $-(a*c^2*\cos(d*x + c) - b*c^3*\cos(d*x + c)/d - 2*((d*x + c)*\cos(d*x + c) - \sin(d*x + c))*a*c + 3*((d*x + c)*\cos(d*x + c) - \sin(d*x + c))*b*c^2/d + (((d*x + c)^2 - 2)*\cos(d*x + c) - 2*(d*x + c)*\sin(d*x + c))*a - 3(((d*x + c)^2 - 2)*\cos(d*x + c) - 2*(d*x + c)*\sin(d*x + c))*b*c/d + (((d*x + c)^3 - 6*d*x - 6*c)*\cos(d*x + c) - 3*((d*x + c)^2 - 2)*\sin(d*x + c))*b/d)/d^3$

mupad [B] time = 4.62, size = 92, normalized size = 0.96

$$\frac{3bx^2 \sin(c + dx) + 2ax \sin(c + dx)}{d^2} + \frac{2a \cos(c + dx) + 6bx \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx) + bx^3 \cos(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(c + d*x)*(a + b*x),x)`

[Out] $(3*b*x^2*\sin(c + d*x) + 2*a*x*\sin(c + d*x))/d^2 + (2*a*\cos(c + d*x) + 6*b*x*\cos(c + d*x))/d^3 - (a*x^2*\cos(c + d*x) + b*x^3*\cos(c + d*x))/d - (6*b*\sin(c + d*x))/d^4$

sympy [A] time = 1.15, size = 117, normalized size = 1.22

$$\begin{cases} -\frac{ax^2 \cos(c+dx)}{d} + \frac{2ax \sin(c+dx)}{d^2} + \frac{2a \cos(c+dx)}{d^3} - \frac{bx^3 \cos(c+dx)}{d} + \frac{3bx^2 \sin(c+dx)}{d^2} + \frac{6bx \cos(c+dx)}{d^3} - \frac{6b \sin(c+dx)}{d^4} & \text{for } d \neq 0 \\ \left(\frac{ax^3}{3} + \frac{bx^4}{4}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x+a)*sin(d*x+c),x)`

[Out] `Piecewise((-a*x**2*cos(c + d*x)/d + 2*a*x*sin(c + d*x)/d**2 + 2*a*cos(c + d*x)/d**3 - b*x**3*cos(c + d*x)/d + 3*b*x**2*sin(c + d*x)/d**2 + 6*b*x*cos(c + d*x)/d**3 - 6*b*sin(c + d*x)/d**4, Ne(d, 0)), ((a*x**3/3 + b*x**4/4)*sin(c), True))`

3.3 $\int x(a + bx) \sin(c + dx) dx$

Optimal. Leaf size=65

$$\frac{a \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx)}{d} + \frac{2b \cos(c + dx)}{d^3} + \frac{2bx \sin(c + dx)}{d^2} - \frac{bx^2 \cos(c + dx)}{d}$$

[Out] $2*b*cos(d*x+c)/d^3-a*x*cos(d*x+c)/d-b*x^2*cos(d*x+c)/d+a*sin(d*x+c)/d^2+2*b*x*sin(d*x+c)/d^2$

Rubi [A] time = 0.11, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {6742, 3296, 2637, 2638}

$$\frac{a \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx)}{d} + \frac{2bx \sin(c + dx)}{d^2} + \frac{2b \cos(c + dx)}{d^3} - \frac{bx^2 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x)*Sin[c + d*x],x]

[Out] $(2*b*\text{Cos}[c + d*x])/d^3 - (a*x*\text{Cos}[c + d*x])/d - (b*x^2*\text{Cos}[c + d*x])/d + (a*\text{Sin}[c + d*x])/d^2 + (2*b*x*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned} \int x(a + bx) \sin(c + dx) dx &= \int (ax \sin(c + dx) + bx^2 \sin(c + dx)) dx \\ &= a \int x \sin(c + dx) dx + b \int x^2 \sin(c + dx) dx \\ &= -\frac{ax \cos(c + dx)}{d} - \frac{bx^2 \cos(c + dx)}{d} + \frac{a \int \cos(c + dx) dx}{d} + \frac{(2b) \int x \cos(c + dx) dx}{d} \\ &= -\frac{ax \cos(c + dx)}{d} - \frac{bx^2 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} + \frac{2bx \sin(c + dx)}{d^2} - \frac{(2b) \int \sin(c + dx) dx}{d} \\ &= \frac{2b \cos(c + dx)}{d^3} - \frac{ax \cos(c + dx)}{d} - \frac{bx^2 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} + \frac{2bx \sin(c + dx)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.10, size = 45, normalized size = 0.69

$$\frac{d(a + 2bx) \sin(c + dx) - (ad^2x + b(d^2x^2 - 2)) \cos(c + dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x)*Sin[c + d*x], x]

[Out] -((a*d^2*x + b*(-2 + d^2*x^2))*Cos[c + d*x]) + d*(a + 2*b*x)*Sin[c + d*x] / d^3

fricas [A] time = 0.73, size = 48, normalized size = 0.74

$$\frac{(bd^2x^2 + ad^2x - 2b) \cos(dx + c) - (2bdx + ad) \sin(dx + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x+a)*sin(d*x+c), x, algorithm="fricas")

[Out] -((b*d^2*x^2 + a*d^2*x - 2*b)*cos(d*x + c) - (2*b*d*x + a*d)*sin(d*x + c)) / d^3

giac [A] time = 0.51, size = 49, normalized size = 0.75

$$-\frac{(bd^2x^2 + ad^2x - 2b) \cos(dx + c)}{d^3} + \frac{(2bdx + ad) \sin(dx + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x+a)*sin(d*x+c), x, algorithm="giac")

[Out] -(b*d^2*x^2 + a*d^2*x - 2*b)*cos(d*x + c)/d^3 + (2*b*d*x + a*d)*sin(d*x + c)/d^3

maple [A] time = 0.02, size = 121, normalized size = 1.86

$$\frac{b(-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c))}{d} + a(\sin(dx+c) - (dx+c) \cos(dx+c)) - \frac{2bc(\sin(dx+c) - (dx+c) \cos(dx+c))}{d} + \frac{((dx+c)^2 - 2) \cos(dx+c)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x+a)*sin(d*x+c), x)

[Out] 1/d^2*(b/d*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+a*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-2*b*c/d*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+a*c*cos(d*x+c)-1/d*b*c^2*cos(d*x+c))

maxima [A] time = 0.38, size = 117, normalized size = 1.80

$$ac \cos(dx + c) - \frac{bc^2 \cos(dx+c)}{d} - ((dx + c) \cos(dx + c) - \sin(dx + c))a + \frac{2((dx+c) \cos(dx+c) - \sin(dx+c))bc}{d} - \frac{(((dx+c)^2 - 2) \cos(dx+c))}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x+a)*sin(d*x+c), x, algorithm="maxima")

[Out] (a*c*cos(d*x + c) - b*c^2*cos(d*x + c)/d - ((d*x + c)*cos(d*x + c) - sin(d*x + c))*a + 2*((d*x + c)*cos(d*x + c) - sin(d*x + c))*b*c/d - (((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b/d)/d^2

mupad [B] time = 4.50, size = 62, normalized size = 0.95

$$\frac{a \sin(c + dx) + 2bx \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx) + bx^2 \cos(c + dx)}{d} + \frac{2b \cos(c + dx)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(c + d*x)*(a + b*x),x)

[Out] (a*sin(c + d*x) + 2*b*x*sin(c + d*x))/d^2 - (a*x*cos(c + d*x) + b*x^2*cos(c + d*x))/d + (2*b*cos(c + d*x))/d^3

sympy [A] time = 0.59, size = 82, normalized size = 1.26

$$\begin{cases} -\frac{ax \cos(c+dx)}{d} + \frac{a \sin(c+dx)}{d^2} - \frac{bx^2 \cos(c+dx)}{d} + \frac{2bx \sin(c+dx)}{d^2} + \frac{2b \cos(c+dx)}{d^3} & \text{for } d \neq 0 \\ \left(\frac{ax^2}{2} + \frac{bx^3}{3}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x+a)*sin(d*x+c),x)

[Out] Piecewise((-a*x*cos(c + d*x)/d + a*sin(c + d*x)/d**2 - b*x**2*cos(c + d*x)/d + 2*b*x*sin(c + d*x)/d**2 + 2*b*cos(c + d*x)/d**3, Ne(d, 0)), ((a*x**2/2 + b*x**3/3)*sin(c), True))

3.4 $\int (a + bx) \sin(c + dx) dx$

Optimal. Leaf size=28

$$\frac{b \sin(c + dx)}{d^2} - \frac{(a + bx) \cos(c + dx)}{d}$$

[Out] $-(b*x+a)*\cos(d*x+c)/d+b*\sin(d*x+c)/d^2$

Rubi [A] time = 0.02, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3296, 2637}

$$\frac{b \sin(c + dx)}{d^2} - \frac{(a + bx) \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x)*\text{Sin}[c + d*x], x]$

[Out] $-\left(\frac{(a + b*x)*\text{Cos}[c + d*x]}{d}\right) + \frac{b*\text{Sin}[c + d*x]}{d^2}$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[\left((c_.) + (d_.)*(x_.)\right)^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\left((c + d*x)^m*\text{Cos}[e + f*x]\right)/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$
FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int (a + bx) \sin(c + dx) dx &= -\frac{(a + bx) \cos(c + dx)}{d} + \frac{b \int \cos(c + dx) dx}{d} \\ &= -\frac{(a + bx) \cos(c + dx)}{d} + \frac{b \sin(c + dx)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.08, size = 27, normalized size = 0.96

$$\frac{b \sin(c + dx) - d(a + bx) \cos(c + dx)}{d^2}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[(a + b*x)*\text{Sin}[c + d*x], x]$

[Out] $\left(-\left(d*(a + b*x)*\text{Cos}[c + d*x]\right) + b*\text{Sin}[c + d*x]\right)/d^2$

fricas [A] time = 0.70, size = 30, normalized size = 1.07

$$\frac{(bdx + ad) \cos(dx + c) - b \sin(dx + c)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((b*x+a)*\sin(d*x+c), x, \text{algorithm}=\text{"fricas"})$

[Out] $-\frac{(b dx + a d) \cos(dx + c) - b \sin(dx + c)}{d^2}$

giac [A] time = 1.05, size = 31, normalized size = 1.11

$$-\frac{(b dx + a d) \cos(dx + c)}{d^2} + \frac{b \sin(dx + c)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*sin(d*x+c),x, algorithm="giac")`

[Out] $-\frac{(b dx + a d) \cos(dx + c)}{d^2} + \frac{b \sin(dx + c)}{d^2}$

maple [A] time = 0.02, size = 52, normalized size = 1.86

$$\frac{\frac{b(\sin(dx+c)-(dx+c)\cos(dx+c))}{d} - a \cos(dx + c) + \frac{bc \cos(dx+c)}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)*sin(d*x+c),x)`

[Out] $\frac{1}{d} \left(\frac{b}{d} (\sin(dx+c) - (dx+c) \cos(dx+c)) - a \cos(dx+c) + \frac{bc}{d} \cos(dx+c) \right)$

maxima [A] time = 0.43, size = 53, normalized size = 1.89

$$-\frac{a \cos(dx + c) - \frac{bc \cos(dx+c)}{d} + \frac{((dx+c)\cos(dx+c) - \sin(dx+c))b}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*sin(d*x+c),x, algorithm="maxima")`

[Out] $-\frac{(a \cos(dx + c) - b c \cos(dx + c)/d + ((dx + c) \cos(dx + c) - \sin(dx + c)) * b/d)}{d}$

mupad [B] time = 4.49, size = 35, normalized size = 1.25

$$\frac{b \sin(c + dx)}{d^2} - \frac{a \cos(c + dx) + b x \cos(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c + d*x)*(a + b*x),x)`

[Out] $\frac{(b \sin(c + d*x))}{d^2} - \frac{(a \cos(c + d*x) + b*x \cos(c + d*x))}{d}$

sympy [A] time = 0.24, size = 46, normalized size = 1.64

$$\begin{cases} -\frac{a \cos(c+dx)}{d} - \frac{bx \cos(c+dx)}{d} + \frac{b \sin(c+dx)}{d^2} & \text{for } d \neq 0 \\ \left(ax + \frac{bx^2}{2}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*sin(d*x+c),x)`

[Out] `Piecewise((-a*cos(c + d*x)/d - b*x*cos(c + d*x)/d + b*sin(c + d*x)/d**2, Ne(d, 0)), ((a*x + b*x**2/2)*sin(c), True))`

$$3.5 \quad \int \frac{(a+bx) \sin(c+dx)}{x} dx$$

Optimal. Leaf size=29

$$a \sin(c) \text{Ci}(dx) + a \cos(c) \text{Si}(dx) - \frac{b \cos(c + dx)}{d}$$

[Out] $-b \cos(dx+c)/d + a \cos(c) \text{Si}(dx) + a \text{Ci}(dx) \sin(c)$

Rubi [A] time = 0.15, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 2638, 3303, 3299, 3302}

$$a \sin(c) \text{CosIntegral}(dx) + a \cos(c) \text{Si}(dx) - \frac{b \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x)*\text{Sin}[c + d*x])/x, x]$

[Out] $-(b \cos[c + d*x])/d + a \text{CosIntegral}[d*x] \text{Sin}[c] + a \cos[c] \text{SinIntegral}[d*x]$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\cos[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\cos[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\cos[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 6742

$\text{Int}[u_, x_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /; \text{SumQ}[v]]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx) \sin(c + dx)}{x} dx &= \int \left(b \sin(c + dx) + \frac{a \sin(c + dx)}{x} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x} dx + b \int \sin(c + dx) dx \\
&= -\frac{b \cos(c + dx)}{d} + (a \cos(c)) \int \frac{\sin(dx)}{x} dx + (a \sin(c)) \int \frac{\cos(dx)}{x} dx \\
&= -\frac{b \cos(c + dx)}{d} + a \text{Ci}(dx) \sin(c) + a \cos(c) \text{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.04, size = 40, normalized size = 1.38

$$a \sin(c) \text{Ci}(dx) + a \cos(c) \text{Si}(dx) + \frac{b \sin(c) \sin(dx)}{d} - \frac{b \cos(c) \cos(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)*Sin[c + d*x])/x,x]

[Out] -((b*Cos[c]*Cos[d*x])/d) + a*CosIntegral[d*x]*Sin[c] + (b*Sin[c]*Sin[d*x])/d + a*Cos[c]*SinIntegral[d*x]

fricas [A] time = 0.49, size = 44, normalized size = 1.52

$$\frac{2 ad \cos(c) \text{Si}(dx) - 2 b \cos(dx + c) + (ad \text{Ci}(dx) + ad \text{Ci}(-dx)) \sin(c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x,x, algorithm="fricas")

[Out] 1/2*(2*a*d*cos(c)*sin_integral(d*x) - 2*b*cos(d*x + c) + (a*d*cos_integral(d*x) + a*d*cos_integral(-d*x))*sin(c))/d

giac [C] time = 0.48, size = 339, normalized size = 11.69

$$\frac{ad \Im(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 - ad \Im(\text{Ci}(-dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + 2 ad \text{Si}(dx) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x,x, algorithm="giac")

[Out] -1/2*(a*d*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - a*d*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + a*d*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d*sin_integral(d*x)*tan(1/2*d*x)^2 + a*d*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a*d*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d*sin_integral(d*x)*tan(1/2*c)^2 + 2*b*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d*real_part(cos_integral(d*x))*tan(1/2*c) - 2*a*d*real_part(cos_integral(-d*x))*tan(1/2*c) - a*d*imag_part(cos_integral(d*x)) + a*d*imag_part(cos_integral(-d*x)) - 2*a*d*sin_integral(d*x) - 2*b*tan(1/2*d*x)^2 - 8*b*tan(1/2*d*x)*tan(1/2*c) - 2*b*tan(1/2*c)^2 + 2*b)/(d*tan(1/2*d*x)^2*tan(1/2*c)^2 + d*tan(1/2*d*x)^2 + d*tan(1/2*c)^2 + d)

maple [A] time = 0.03, size = 31, normalized size = 1.07

$$-\frac{b \cos(dx + c)}{d} + a(\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)*sin(d*x+c)/x,x)`

[Out] `-b*cos(d*x+c)/d+a*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))`

maxima [C] time = 0.64, size = 522, normalized size = 18.00

$$-\frac{1}{2}((iE_1(dx) - iE_1(-dx)) \cos(c) + (E_1(dx) + E_1(-dx)) \sin(c))a + \frac{((iE_1(dx) - iE_1(-dx)) \cos(c) + (E_1(dx) + E_1(-dx)) \sin(c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*sin(d*x+c)/x,x, algorithm="maxima")`

[Out] `-1/2*((I*exp_integral_e(1, I*d*x) - I*exp_integral_e(1, -I*d*x))*cos(c) + (exp_integral_e(1, I*d*x) + exp_integral_e(1, -I*d*x))*sin(c))*a + 1/2*((I*exp_integral_e(1, I*d*x) - I*exp_integral_e(1, -I*d*x))*cos(c) + (exp_integral_e(1, I*d*x) + exp_integral_e(1, -I*d*x))*sin(c))*b*c/d - 1/4*(2*(d*x + c)*(cos(c)^2 + sin(c)^2)*cos(d*x + c)^3 + 2*(d*x + c)*(cos(c)^2 + sin(c)^2)*cos(d*x + c) - (c*(exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c)^3 + c*(exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c)*sin(c)^2 - c*(I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*sin(c)^3 + c*(exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c) - (c*(I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c)^2 + c*(I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*sin(c))*cos(d*x + c)^2 - (c*(exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c)^3 + c*(exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c)*sin(c)^2 - c*(I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*sin(c)^3 - 2*(d*x + c)*(cos(c)^2 + sin(c)^2)*cos(d*x + c) + c*(exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c) - (c*(I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c)^2 + c*(I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*sin(c))*sin(c))*sin(d*x + c)^2*b/(((d*x + c)*(cos(c)^2 + sin(c)^2)*d - (c*cos(c)^2 + c*sin(c)^2)*d)*cos(d*x + c)^2 + ((d*x + c)*(cos(c)^2 + sin(c)^2)*d - (c*cos(c)^2 + c*sin(c)^2)*d)*sin(d*x + c)^2)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$a \operatorname{cosint}(dx) \sin(c) + a \operatorname{sinint}(dx) \cos(c) - \frac{b \cos(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(c + d*x)*(a + b*x))/x,x)`

[Out] `a*cosint(d*x)*sin(c) + a*sinint(d*x)*cos(c) - (b*cos(c + d*x))/d`

sympy [A] time = 6.40, size = 37, normalized size = 1.28

$$-a(-\sin(c) \operatorname{Ci}(dx) - \cos(c) \operatorname{Si}(dx)) - b \begin{cases} -x \sin(c) & \text{for } d = 0 \\ \frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*sin(d*x+c)/x,x)`

[Out] `-a*(-sin(c)*Ci(d*x) - cos(c)*Si(d*x)) - b*Piecewise((-x*sin(c), Eq(d, 0)), (cos(c + d*x)/d, True))`

$$3.6 \quad \int \frac{(a+bx) \sin(c+dx)}{x^2} dx$$

Optimal. Leaf size=48

$$ad \cos(c) \text{Ci}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c+dx)}{x} + b \sin(c) \text{Ci}(dx) + b \cos(c) \text{Si}(dx)$$

[Out] a*d*Ci(d*x)*cos(c)+b*cos(c)*Si(d*x)+b*Ci(d*x)*sin(c)-a*d*Si(d*x)*sin(c)-a*s
in(d*x+c)/x

Rubi [A] time = 0.22, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$ad \cos(c) \text{CosIntegral}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c+dx)}{x} + b \sin(c) \text{CosIntegral}(dx) + b \cos(c) \text{Si}(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)*Sin[c + d*x])/x^2,x]

[Out] a*d*Cos[c]*CosIntegral[d*x] + b*CosIntegral[d*x]*Sin[c] - (a*Sin[c + d*x])/x + b*Cos[c]*SinIntegral[d*x] - a*d*Sin[c]*SinIntegral[d*x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx) \sin(c + dx)}{x^2} dx &= \int \left(\frac{a \sin(c + dx)}{x^2} + \frac{b \sin(c + dx)}{x} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^2} dx + b \int \frac{\sin(c + dx)}{x} dx \\
&= -\frac{a \sin(c + dx)}{x} + (ad) \int \frac{\cos(c + dx)}{x} dx + (b \cos(c)) \int \frac{\sin(dx)}{x} dx + (b \sin(c)) \int \frac{\cos(dx)}{x} dx \\
&= b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{x} + b \cos(c) \operatorname{Si}(dx) + (ad \cos(c)) \int \frac{\cos(dx)}{x} dx - (ad \sin(c)) \int \frac{\sin(dx)}{x} dx \\
&= ad \cos(c) \operatorname{Ci}(dx) + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{x} + b \cos(c) \operatorname{Si}(dx) - ad \sin(c) \operatorname{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.14, size = 60, normalized size = 1.25

$$ad(\cos(c)\operatorname{Ci}(dx) - \sin(c)\operatorname{Si}(dx)) - \frac{a \sin(c) \cos(dx)}{x} - \frac{a \cos(c) \sin(dx)}{x} + b \sin(c)\operatorname{Ci}(dx) + b \cos(c)\operatorname{Si}(dx)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)*Sin[c + d*x])/x^2,x]

[Out] -((a*Cos[d*x]*Sin[c])/x) + b*CosIntegral[d*x]*Sin[c] - (a*Cos[c]*Sin[d*x])/x + b*Cos[c]*SinIntegral[d*x] + a*d*(Cos[c]*CosIntegral[d*x] - Sin[c]*SinIntegral[d*x])

fricas [A] time = 0.60, size = 75, normalized size = 1.56

$$\frac{(adx \operatorname{Ci}(dx) + adx \operatorname{Ci}(-dx) + 2bx \operatorname{Si}(dx)) \cos(c) - 2a \sin(dx + c) - (2adx \operatorname{Si}(dx) - bx \operatorname{Ci}(dx) - bx \operatorname{Ci}(-dx)) \sin(c)}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^2,x, algorithm="fricas")

[Out] 1/2*((a*d*x*cos_integral(d*x) + a*d*x*cos_integral(-d*x) + 2*b*x*sin_integral(d*x))*cos(c) - 2*a*sin(d*x + c) - (2*a*d*x*sin_integral(d*x) - b*x*cos_integral(d*x) - b*x*cos_integral(-d*x))*sin(c))/x

giac [C] time = 0.49, size = 569, normalized size = 11.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^2,x, algorithm="giac")

[Out] -1/2*(a*d*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*d*x*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + b*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - b*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*b*x*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - a*d*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*b*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*b*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + a*d*x*real_part(cos_integral(d*x))*tan(1/2*c)^2 + a*d*x*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - b*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + b*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*b*x*sin_integral(d*x)*tan(1/2*d*x)^2 + 2*a*d*x*imag_part(cos_integral(d*x))*tan(1/2*c) - 2*a*d*x*imag_part(cos_

integral(-d*x))*tan(1/2*c) + 4*a*d*x*sin_integral(d*x)*tan(1/2*c) + b*x*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - b*x*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*b*x*sin_integral(d*x)*tan(1/2*c)^2 - a*d*x*real_part(cos_integral(d*x)) - a*d*x*real_part(cos_integral(-d*x)) - 2*b*x*real_part(cos_integral(d*x))*tan(1/2*c) - 2*b*x*real_part(cos_integral(-d*x))*tan(1/2*c) - 4*a*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*tan(1/2*d*x)*tan(1/2*c)^2 - b*x*imag_part(cos_integral(d*x)) + b*x*imag_part(cos_integral(-d*x)) - 2*b*x*sin_integral(d*x) + 4*a*tan(1/2*d*x) + 4*a*tan(1/2*c))/(x*tan(1/2*d*x)^2*tan(1/2*c)^2 + x*tan(1/2*d*x)^2 + x*tan(1/2*c)^2 + x)

maple [A] time = 0.03, size = 56, normalized size = 1.17

$$d \left(\frac{b(\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c))}{d} + a \left(-\frac{\sin(dx+c)}{xd} - \operatorname{Si}(dx) \sin(c) + \operatorname{Ci}(dx) \cos(c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*sin(d*x+c)/x^2,x)

[Out] d*(b/d*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+a*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c)))

maxima [C] time = 1.25, size = 108, normalized size = 2.25

$$\frac{((a(\Gamma(-1, idx) + \Gamma(-1, -idx)) \cos(c) - a(i\Gamma(-1, idx) - i\Gamma(-1, -idx)) \sin(c))d^2 - (b(-i\Gamma(-1, idx) + i\Gamma(-1, -idx)) \sin(c) + (a\Gamma(-1, idx) + \Gamma(-1, -idx)) \cos(c))d)}{2dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^2,x, algorithm="maxima")

[Out] 1/2*(((a*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*cos(c) - a*(I*gamma(-1, I*d*x) - I*gamma(-1, -I*d*x))*sin(c))*d^2 - (b*(-I*gamma(-1, I*d*x) + I*gamma(-1, -I*d*x))*cos(c) - b*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*sin(c))*d)*x - 2*b*cos(d*x + c))/(d*x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(c + dx) (a + bx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x))/x^2,x)

[Out] int((sin(c + d*x)*(a + b*x))/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx) \sin(c + dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x**2,x)

[Out] Integral((a + b*x)*sin(c + d*x)/x**2, x)

3.7 $\int \frac{(a+bx) \sin(c+dx)}{x^3} dx$

Optimal. Leaf size=89

$$-\frac{1}{2}ad^2 \sin(c)Ci(dx) - \frac{1}{2}ad^2 \cos(c)Si(dx) - \frac{a \sin(c+dx)}{2x^2} - \frac{ad \cos(c+dx)}{2x} + bd \cos(c)Ci(dx) - bd \sin(c)Si(dx) - \frac{b \sin(c)}{x}$$

[Out] b*d*Ci(d*x)*cos(c)-1/2*a*d*cos(d*x+c)/x-1/2*a*d^2*cos(c)*Si(d*x)-1/2*a*d^2*Ci(d*x)*sin(c)-b*d*Si(d*x)*sin(c)-1/2*a*sin(d*x+c)/x^2-b*sin(d*x+c)/x

Rubi [A] time = 0.27, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}ad^2 \sin(c)\text{CosIntegral}(dx) - \frac{1}{2}ad^2 \cos(c)Si(dx) - \frac{a \sin(c+dx)}{2x^2} - \frac{ad \cos(c+dx)}{2x} + bd \cos(c)\text{CosIntegral}(dx) - bd$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)*Sin[c + d*x])/x^3,x]

[Out] -(a*d*cos[c + d*x])/(2*x) + b*d*cos[c]*CosIntegral[d*x] - (a*d^2*cosIntegral[d*x]*Sin[c])/2 - (a*sin[c + d*x])/(2*x^2) - (b*sin[c + d*x])/x - (a*d^2*cos[c]*SinIntegral[d*x])/2 - b*d*sin[c]*SinIntegral[d*x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)\sin(c+dx)}{x^3} dx &= \int \left(\frac{a\sin(c+dx)}{x^3} + \frac{b\sin(c+dx)}{x^2} \right) dx \\
&= a \int \frac{\sin(c+dx)}{x^3} dx + b \int \frac{\sin(c+dx)}{x^2} dx \\
&= -\frac{a\sin(c+dx)}{2x^2} - \frac{b\sin(c+dx)}{x} + \frac{1}{2}(ad) \int \frac{\cos(c+dx)}{x^2} dx + (bd) \int \frac{\cos(c+dx)}{x} dx \\
&= -\frac{ad\cos(c+dx)}{2x} - \frac{a\sin(c+dx)}{2x^2} - \frac{b\sin(c+dx)}{x} - \frac{1}{2}(ad^2) \int \frac{\sin(c+dx)}{x} dx + (bd) \int \frac{\cos(c+dx)}{x} dx \\
&= -\frac{ad\cos(c+dx)}{2x} + bd\cos(c)\text{Ci}(dx) - \frac{a\sin(c+dx)}{2x^2} - \frac{b\sin(c+dx)}{x} - bd\sin(c)\text{Si}(dx) \\
&= -\frac{ad\cos(c+dx)}{2x} + bd\cos(c)\text{Ci}(dx) - \frac{1}{2}ad^2\text{Ci}(dx)\sin(c) - \frac{a\sin(c+dx)}{2x^2} - \frac{b\sin(c+dx)}{x}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 76, normalized size = 0.85

$$\frac{dx^2\text{Ci}(dx)(ad\sin(c) - 2b\cos(c)) + dx^2\text{Si}(dx)(ad\cos(c) + 2b\sin(c)) + a\sin(c+dx) + adx\cos(c+dx) + 2bx\cos(c+dx)}{2x^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)*Sin[c + d*x])/x^3,x]
[Out] -1/2*(a*d*x*Cos[c + d*x] + d*x^2*CosIntegral[d*x]*(-2*b*Cos[c] + a*d*Sin[c]
) + a*Sin[c + d*x] + 2*b*x*Sin[c + d*x] + d*x^2*(a*d*Cos[c] + 2*b*Sin[c])*S
inIntegral[d*x])/x^2
```

fricas [A] time = 0.71, size = 111, normalized size = 1.25

$$\frac{2\,adx\cos(dx+c) + 2\left(ad^2x^2\text{Si}(dx) - bdx^2\text{Ci}(dx) - bdx^2\text{Ci}(-dx)\right)\cos(c) + 2(2bx+a)\sin(dx+c) + (ad^2x^2)\sin(c)}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*sin(d*x+c)/x^3,x, algorithm="fricas")
[Out] -1/4*(2*a*d*x*cos(d*x + c) + 2*(a*d^2*x^2*sin_integral(d*x) - b*d*x^2*cos_i
ntegral(d*x) - b*d*x^2*cos_integral(-d*x))*cos(c) + 2*(2*b*x + a)*sin(d*x +
c) + (a*d^2*x^2*cos_integral(d*x) + a*d^2*x^2*cos_integral(-d*x) + 4*b*d*x
^2*sin_integral(d*x))*sin(c))/x^2
```

giac [C] time = 0.54, size = 796, normalized size = 8.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*sin(d*x+c)/x^3,x, algorithm="giac")
[Out] 1/4*(a*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a
*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^
2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^2*x^2*real_part
(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^2*x^2*real_part(cos_i
ntegral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*b*d*x^2*real_part(cos_integral
(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*b*d*x^2*real_part(cos_integral(-d*x)
)*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^2*x^2*imag_part(cos_integral(d*x))*tan(
1/2*d*x)^2 + a*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d
^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 - 4*b*d*x^2*imag_part(cos_integral(
d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*b*d*x^2*imag_part(cos_integral(-d*x))*t
```

$\text{an}(1/2*d*x)^2*\tan(1/2*c) - 8*b*d*x^2*\sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c) + a*d^2*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*c)^2 - a*d^2*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 + 2*a*d^2*x^2*\sin_integral(d*x)*\tan(1/2*c)^2 + 2*b*d*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2 + 2*b*d*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2 - 2*a*d^2*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c) - 2*a*d^2*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c) - 2*b*d*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c)^2 - 2*b*d*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 - 2*a*d*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - a*d^2*x^2*\text{imag_part}(\cos_integral(d*x)) + a*d^2*x^2*\text{imag_part}(\cos_integral(-d*x)) - 2*a*d^2*x^2*\sin_integral(d*x) - 4*b*d*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*c) + 4*b*d*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*c) - 8*b*d*x^2*\sin_integral(d*x)*\tan(1/2*c) + 2*b*d*x^2*\text{real_part}(\cos_integral(d*x)) + 2*b*d*x^2*\text{real_part}(\cos_integral(-d*x)) + 2*a*d*x*\tan(1/2*d*x)^2 + 8*a*d*x*\tan(1/2*d*x)*\tan(1/2*c) + 8*b*x*\tan(1/2*d*x)^2*\tan(1/2*c) + 2*a*d*x*\tan(1/2*c)^2 + 8*b*x*\tan(1/2*d*x)*\tan(1/2*c)^2 + 4*a*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*a*\tan(1/2*d*x)*\tan(1/2*c)^2 - 2*a*d*x - 8*b*x*\tan(1/2*d*x) - 8*b*x*\tan(1/2*c) - 4*a*\tan(1/2*d*x) - 4*a*\tan(1/2*c))/(x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + x^2*\tan(1/2*d*x)^2 + x^2*\tan(1/2*c)^2 + x^2)$

maple [A] time = 0.04, size = 88, normalized size = 0.99

$$d^2 \left(\frac{b \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d} + a \left(-\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx) \cos(c)}{2} - \frac{\text{Ci}(dx) \sin(c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*x+a)*sin(d*x+c)/x^3,x)`

[Out] `d^2*(b/d*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))+a*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c)))`

maxima [C] time = 1.60, size = 111, normalized size = 1.25

$$\frac{\left((a(-i\Gamma(-2, idx) + i\Gamma(-2, -idx)) \cos(c) - a(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c)) d^3 + (2b(\Gamma(-2, idx) + \Gamma(-2, -idx)) \cos(c) + b(-2i\Gamma(-2, idx) + 2i\Gamma(-2, -idx)) \sin(c)) d^2 \right) x^2 + 2b \cos(dx+c)}{2 dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x+a)*sin(d*x+c)/x^3,x, algorithm="maxima")`

[Out] `-1/2*((a*(-I*gamma(-2, I*d*x) + I*gamma(-2, -I*d*x))*cos(c) - a*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d^3 + (2*b*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*cos(c) + b*(-2*I*gamma(-2, I*d*x) + 2*I*gamma(-2, -I*d*x))*sin(c))*d^2)*x^2 + 2*b*cos(d*x + c))/(d*x^2)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (a + bx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(c + d*x)*(a + b*x))/x^3,x)`

[Out] `int((sin(c + d*x)*(a + b*x))/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx) \sin(c + dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*sin(d*x+c)/x**3,x)
```

```
[Out] Integral((a + b*x)*sin(c + d*x)/x**3, x)
```

3.8 $\int \frac{(a+bx) \sin(c+dx)}{x^4} dx$

Optimal. Leaf size=132

$$-\frac{1}{6}ad^3 \cos(c)Ci(dx) + \frac{1}{6}ad^3 \sin(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{6x} - \frac{a \sin(c+dx)}{3x^3} - \frac{ad \cos(c+dx)}{6x^2} - \frac{1}{2}bd^2 \sin(c)Ci(dx) - \frac{1}{2}bd^2 \sin(c)Si(dx)$$

[Out] $-1/6*a*d^3*Ci(d*x)*\cos(c)-1/6*a*d*\cos(d*x+c)/x^2-1/2*b*d*\cos(d*x+c)/x-1/2*b*d^2*\cos(c)*Si(d*x)-1/2*b*d^2*Ci(d*x)*\sin(c)+1/6*a*d^3*Si(d*x)*\sin(c)-1/3*a*\sin(d*x+c)/x^3-1/2*b*\sin(d*x+c)/x^2+1/6*a*d^2*\sin(d*x+c)/x$

Rubi [A] time = 0.32, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{1}{6}ad^3 \cos(c)\text{CosIntegral}(dx) + \frac{1}{6}ad^3 \sin(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{6x} - \frac{a \sin(c+dx)}{3x^3} - \frac{ad \cos(c+dx)}{6x^2} - \frac{1}{2}bd^2 \sin(c)Ci(dx) - \frac{1}{2}bd^2 \sin(c)Si(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)*Sin[c + d*x])/x^4, x]

[Out] $-(a*d*\text{Cos}[c + d*x])/(6*x^2) - (b*d*\text{Cos}[c + d*x])/(2*x) - (a*d^3*\text{Cos}[c]*\text{CosIntegral}[d*x])/6 - (b*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 - (a*\text{Sin}[c + d*x])/(3*x^3) - (b*\text{Sin}[c + d*x])/(2*x^2) + (a*d^2*\text{Sin}[c + d*x])/(6*x) - (b*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2 + (a*d^3*\text{Sin}[c]*\text{SinIntegral}[d*x])/6$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)\sin(c+dx)}{x^4} dx &= \int \left(\frac{a\sin(c+dx)}{x^4} + \frac{b\sin(c+dx)}{x^3} \right) dx \\
&= a \int \frac{\sin(c+dx)}{x^4} dx + b \int \frac{\sin(c+dx)}{x^3} dx \\
&= -\frac{a\sin(c+dx)}{3x^3} - \frac{b\sin(c+dx)}{2x^2} + \frac{1}{3}(ad) \int \frac{\cos(c+dx)}{x^3} dx + \frac{1}{2}(bd) \int \frac{\cos(c+dx)}{x^2} dx \\
&= -\frac{ad\cos(c+dx)}{6x^2} - \frac{bd\cos(c+dx)}{2x} - \frac{a\sin(c+dx)}{3x^3} - \frac{b\sin(c+dx)}{2x^2} - \frac{1}{6}(ad^2) \int \frac{\sin(c+dx)}{x^3} dx \\
&= -\frac{ad\cos(c+dx)}{6x^2} - \frac{bd\cos(c+dx)}{2x} - \frac{a\sin(c+dx)}{3x^3} - \frac{b\sin(c+dx)}{2x^2} + \frac{ad^2\sin(c+dx)}{6x} \\
&= -\frac{ad\cos(c+dx)}{6x^2} - \frac{bd\cos(c+dx)}{2x} - \frac{1}{2}bd^2\text{Ci}(dx)\sin(c) - \frac{a\sin(c+dx)}{3x^3} - \frac{b\sin(c+dx)}{2x^2} \\
&= -\frac{ad\cos(c+dx)}{6x^2} - \frac{bd\cos(c+dx)}{2x} - \frac{1}{6}ad^3\cos(c)\text{Ci}(dx) - \frac{1}{2}bd^2\text{Ci}(dx)\sin(c) - \frac{a\sin(c+dx)}{3x^3} - \frac{b\sin(c+dx)}{2x^2}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 110, normalized size = 0.83

$$\frac{d^2x^3\text{Ci}(dx)(ad\cos(c) + 3b\sin(c)) + d^2x^3\text{Si}(dx)(3b\cos(c) - ad\sin(c)) - ad^2x^2\sin(c+dx) + 2a\sin(c+dx)}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)*Sin[c + d*x])/x^4,x]

[Out] -1/6*(a*d*x*Cos[c + d*x] + 3*b*d*x^2*Cos[c + d*x] + d^2*x^3*CosIntegral[d*x] * (a*d*Cos[c] + 3*b*Sin[c]) + 2*a*Sin[c + d*x] + 3*b*x*Sin[c + d*x] - a*d^2*x^2*Sin[c + d*x] + d^2*x^3*(3*b*Cos[c] - a*d*Sin[c])*SinIntegral[d*x])/x^3

fricas [A] time = 0.49, size = 137, normalized size = 1.04

$$\frac{2(3bdx^2 + adx)\cos(dx + c) + (ad^3x^3\text{Ci}(dx) + ad^3x^3\text{Ci}(-dx) + 6bd^2x^3\text{Si}(dx))\cos(c) - 2(ad^2x^2 - 3bx - a)}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^4,x, algorithm="fricas")

[Out] -1/12*(2*(3*b*d*x^2 + a*d*x)*cos(d*x + c) + (a*d^3*x^3*cos_integral(d*x) + a*d^3*x^3*cos_integral(-d*x) + 6*b*d^2*x^3*sin_integral(d*x))*cos(c) - 2*(a*d^2*x^2 - 3*b*x - 2*a)*sin(d*x + c) - (2*a*d^3*x^3*sin_integral(d*x) - 3*b*d^2*x^3*cos_integral(d*x) - 3*b*d^2*x^3*cos_integral(-d*x))*sin(c))/x^3

giac [C] time = 0.54, size = 961, normalized size = 7.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^4,x, algorithm="giac")

[Out] 1/12*(a*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d^3*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^3*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^3*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*d^3*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + 3*b*d^2*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 3*b*d^2*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 6*b*d^2*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 -

$a*d^3*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2 - 6*b*d^2*x^3*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) - 6*b*d^2*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + a*d^3*x^3*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c)^2 + a*d^3*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 - 3*b*d^2*x^3*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2 + 3*b*d^2*x^3*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2 - 6*b*d^2*x^3*\sin_integral(d*x))*\tan(1/2*d*x)^2 + 2*a*d^3*x^3*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*c) - 2*a*d^3*x^3*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*c) + 4*a*d^3*x^3*\sin_integral(d*x))*\tan(1/2*c) + 3*b*d^2*x^3*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*c)^2 - 3*b*d^2*x^3*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 + 6*b*d^2*x^3*\sin_integral(d*x))*\tan(1/2*c)^2 - a*d^3*x^3*\text{real_part}(\cos_integral(d*x)) - a*d^3*x^3*\text{real_part}(\cos_integral(-d*x)) - 6*b*d^2*x^3*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c) - 6*b*d^2*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c) - 4*a*d^2*x^2*\tan(1/2*d*x)^2*\tan(1/2*c) - 4*a*d^2*x^2*\tan(1/2*d*x)*\tan(1/2*c)^2 - 6*b*d*x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 3*b*d^2*x^3*\text{imag_part}(\cos_integral(d*x)) + 3*b*d^2*x^3*\text{imag_part}(\cos_integral(-d*x)) - 6*b*d^2*x^3*\sin_integral(d*x) - 2*a*d*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 4*a*d^2*x^2*\tan(1/2*d*x) + 6*b*d*x^2*\tan(1/2*d*x)^2 + 4*a*d^2*x^2*\tan(1/2*c) + 24*b*d*x^2*\tan(1/2*d*x))*\tan(1/2*c) + 6*b*d*x^2*\tan(1/2*c)^2 + 2*a*d*x*\tan(1/2*d*x)^2 + 8*a*d*x*\tan(1/2*d*x))*\tan(1/2*c) + 12*b*x*\tan(1/2*d*x)^2*\tan(1/2*c) + 2*a*d*x*\tan(1/2*c)^2 + 12*b*x*\tan(1/2*d*x))*\tan(1/2*c)^2 - 6*b*d*x^2 + 8*a*\tan(1/2*d*x)^2*\tan(1/2*c) + 8*a*\tan(1/2*d*x))*\tan(1/2*c)^2 - 2*a*d*x - 12*b*x*\tan(1/2*d*x) - 12*b*x*\tan(1/2*c) - 8*a*\tan(1/2*d*x) - 8*a*\tan(1/2*c))/(x^3*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + x^3*\tan(1/2*d*x)^2 + x^3*\tan(1/2*c)^2 + x^3)$

maple [A] time = 0.04, size = 117, normalized size = 0.89

$$d^3 \left(\frac{b \left(-\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx)\cos(c)}{2} - \frac{\text{Ci}(dx)\sin(c)}{2} \right)}{d} + a \left(-\frac{\sin(dx+c)}{3x^3d^3} - \frac{\cos(dx+c)}{6x^2d^2} + \frac{\sin(dx+c)}{6xd} + \frac{\text{Si}(dx)\sin(c)}{6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*sin(d*x+c)/x^4,x)

[Out] $d^3*(b/d*(-1/2*\sin(d*x+c)/x^2/d^2-1/2*\cos(d*x+c)/x/d-1/2*\text{Si}(d*x)*\cos(c)-1/2*\text{Ci}(d*x)*\sin(c))+a*(-1/3*\sin(d*x+c)/x^3/d^3-1/6*\cos(d*x+c)/x^2/d^2+1/6*\sin(d*x+c)/x/d+1/6*\text{Si}(d*x)*\sin(c)-1/6*\text{Ci}(d*x)*\cos(c)))$

maxima [C] time = 2.14, size = 110, normalized size = 0.83

$$\frac{((a(\Gamma(-3, idx) + \Gamma(-3, -idx)) \cos(c) + a(-i\Gamma(-3, idx) + i\Gamma(-3, -idx)) \sin(c))d^4 + (b(3i\Gamma(-3, idx) - 3i\Gamma(-3, -idx)) \sin(c) + b(3i\Gamma(-3, idx) + 3i\Gamma(-3, -idx)) \cos(c))d^3)x^3 + 2b\cos(dx+c))/(d^3x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^4,x, algorithm="maxima")

[Out] $-1/2*((a*(\text{gamma}(-3, I*d*x) + \text{gamma}(-3, -I*d*x))*\cos(c) + a*(-I*\text{gamma}(-3, I*d*x) + I*\text{gamma}(-3, -I*d*x))*\sin(c))*d^4 + (b*(3*I*\text{gamma}(-3, I*d*x) - 3*I*\text{gamma}(-3, -I*d*x))*\cos(c) + 3*b*(\text{gamma}(-3, I*d*x) + \text{gamma}(-3, -I*d*x))*\sin(c)))*d^3)*x^3 + 2*b*\cos(d*x + c))/(d*x^3)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx)(a + bx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x))/x^4,x)

```
[Out] int((sin(c + d*x)*(a + b*x))/x^4, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(a + bx) \sin(c + dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)*sin(d*x+c)/x**4,x)
```

```
[Out] Integral((a + b*x)*sin(c + d*x)/x**4, x)
```

3.9 $\int \frac{(a+bx) \sin(c+dx)}{x^5} dx$

Optimal. Leaf size=166

$$\frac{1}{24}ad^4 \sin(c)\text{Ci}(dx) + \frac{1}{24}ad^4 \cos(c)\text{Si}(dx) + \frac{ad^3 \cos(c+dx)}{24x} + \frac{ad^2 \sin(c+dx)}{24x^2} - \frac{a \sin(c+dx)}{4x^4} - \frac{ad \cos(c+dx)}{12x^3} - \frac{1}{6}bd^3$$

[Out] $-1/6*b*d^3*Ci(d*x)*cos(c)-1/12*a*d*cos(d*x+c)/x^3-1/6*b*d*cos(d*x+c)/x^2+1/24*a*d^3*cos(d*x+c)/x+1/24*a*d^4*cos(c)*Si(d*x)+1/24*a*d^4*Ci(d*x)*sin(c)+1/6*b*d^3*Si(d*x)*sin(c)-1/4*a*sin(d*x+c)/x^4-1/3*b*sin(d*x+c)/x^3+1/24*a*d^2*sin(d*x+c)/x^2+1/6*b*d^2*sin(d*x+c)/x$

Rubi [A] time = 0.37, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{1}{24}ad^4 \sin(c)\text{CosIntegral}(dx) + \frac{1}{24}ad^4 \cos(c)\text{Si}(dx) + \frac{ad^2 \sin(c+dx)}{24x^2} + \frac{ad^3 \cos(c+dx)}{24x} - \frac{a \sin(c+dx)}{4x^4} - \frac{ad \cos(c+dx)}{12x^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)*Sin[c + d*x])/x^5,x]

[Out] $-(a*d*\text{Cos}[c + d*x])/(12*x^3) - (b*d*\text{Cos}[c + d*x])/(6*x^2) + (a*d^3*\text{Cos}[c + d*x])/(24*x) - (b*d^3*\text{Cos}[c]*\text{CosIntegral}[d*x])/6 + (a*d^4*\text{CosIntegral}[d*x]*\text{Sin}[c])/24 - (a*\text{Sin}[c + d*x])/(4*x^4) - (b*\text{Sin}[c + d*x])/(3*x^3) + (a*d^2*\text{Sin}[c + d*x])/(24*x^2) + (b*d^2*\text{Sin}[c + d*x])/(6*x) + (a*d^4*\text{Cos}[c]*\text{SinIntegral}[d*x])/24 + (b*d^3*\text{Sin}[c]*\text{SinIntegral}[d*x])/6$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx) \sin(c + dx)}{x^5} dx &= \int \left(\frac{a \sin(c + dx)}{x^5} + \frac{b \sin(c + dx)}{x^4} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^5} dx + b \int \frac{\sin(c + dx)}{x^4} dx \\
&= -\frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{3x^3} + \frac{1}{4}(ad) \int \frac{\cos(c + dx)}{x^4} dx + \frac{1}{3}(bd) \int \frac{\cos(c + dx)}{x^3} dx \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{6x^2} - \frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{3x^3} - \frac{1}{12}(ad^2) \int \frac{\sin(c + dx)}{x^3} dx \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{6x^2} - \frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{3x^3} + \frac{ad^2 \sin(c + dx)}{24x^2} \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{6x^2} + \frac{ad^3 \cos(c + dx)}{24x} - \frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{3x^3} \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{6x^2} + \frac{ad^3 \cos(c + dx)}{24x} - \frac{1}{6}bd^3 \cos(c) \text{Ci}(dx) - \frac{a \sin(c + dx)}{4x^4} \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{6x^2} + \frac{ad^3 \cos(c + dx)}{24x} - \frac{1}{6}bd^3 \cos(c) \text{Ci}(dx) + \frac{1}{24}ad^2 \sin(c + dx)
\end{aligned}$$

Mathematica [A] time = 0.29, size = 138, normalized size = 0.83

$$\frac{d^3 x^4 \text{Ci}(dx)(ad \sin(c) - 4b \cos(c)) + d^3 x^4 \text{Si}(dx)(ad \cos(c) + 4b \sin(c)) + ad^3 x^3 \cos(c + dx) + ad^2 x^2 \sin(c + dx)}{24x^4}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)*Sin[c + d*x])/x^5,x]

[Out] (-2*a*d*x*Cos[c + d*x] - 4*b*d*x^2*Cos[c + d*x] + a*d^3*x^3*Cos[c + d*x] + d^3*x^4*CosIntegral[d*x]*(-4*b*Cos[c] + a*d*Sin[c]) - 6*a*Sin[c + d*x] - 8*b*x*Sin[c + d*x] + a*d^2*x^2*Sin[c + d*x] + 4*b*d^2*x^3*Sin[c + d*x] + d^3*x^4*(a*d*Cos[c] + 4*b*Sin[c])*SinIntegral[d*x])/(24*x^4)

fricas [A] time = 0.75, size = 154, normalized size = 0.93

$$\frac{2(ad^3 x^3 - 4bdx^2 - 2adx) \cos(dx + c) + 2(ad^4 x^4 \text{Si}(dx) - 2bd^3 x^4 \text{Ci}(dx) - 2bd^3 x^4 \text{Ci}(-dx)) \cos(c) + 2(4bd^3 x^4 \text{Si}(dx) - 2ad^3 x^4 \text{Ci}(dx) - 2ad^3 x^4 \text{Ci}(-dx)) \sin(c)}{48x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/48*(2*(a*d^3*x^3 - 4*b*d*x^2 - 2*a*d*x)*cos(d*x + c) + 2*(a*d^4*x^4*sin_integral(d*x) - 2*b*d^3*x^4*cos_integral(d*x) - 2*b*d^3*x^4*cos_integral(-d*x))*cos(c) + 2*(4*b*d^2*x^3 + a*d^2*x^2 - 8*b*x - 6*a)*sin(d*x + c) + (a*d^4*x^4*cos_integral(d*x) + a*d^4*x^4*cos_integral(-d*x) + 8*b*d^3*x^4*sin_integral(d*x))*sin(c))/x^4

giac [C] time = 0.85, size = 1108, normalized size = 6.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^5,x, algorithm="giac")

[Out] -1/48*(a*d^4*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^4*x^4*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^4*x^4*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 2*(4*b*d^2*x^3 + a*d^2*x^2 - 8*b*x - 6*a)*sin(d*x + c) + (a*d^4*x^4*cos_integral(d*x) + a*d^4*x^4*cos_integral(-d*x) + 8*b*d^3*x^4*sin_integral(d*x))*sin(c))/x^4

```

_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 4*b*d^3*x^4*real_part(cos_inte
gral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*b*d^3*x^4*real_part(cos_integral
(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^4*x^4*imag_part(cos_integral(d*x)
)*tan(1/2*d*x)^2 + a*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 -
2*a*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 - 8*b*d^3*x^4*imag_part(cos_i
ntegral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 8*b*d^3*x^4*imag_part(cos_integra
l(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 16*b*d^3*x^4*sin_integral(d*x)*tan(1/2
*d*x)^2*tan(1/2*c) + a*d^4*x^4*imag_part(cos_integral(d*x))*tan(1/2*c)^2 -
a*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d^4*x^4*sin_inte
gral(d*x)*tan(1/2*c)^2 + 4*b*d^3*x^4*real_part(cos_integral(d*x))*tan(1/2*d
*x)^2 + 4*b*d^3*x^4*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d^4*x
^4*real_part(cos_integral(d*x))*tan(1/2*c) - 2*a*d^4*x^4*real_part(cos_int
egral(-d*x))*tan(1/2*c) - 4*b*d^3*x^4*real_part(cos_integral(d*x))*tan(1/2*c
)^2 - 4*b*d^3*x^4*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 2*a*d^3*x^3
*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^4*x^4*imag_part(cos_integral(d*x)) + a*d
^4*x^4*imag_part(cos_integral(-d*x)) - 2*a*d^4*x^4*sin_integral(d*x) - 8*b*
d^3*x^4*imag_part(cos_integral(d*x))*tan(1/2*c) + 8*b*d^3*x^4*imag_part(cos
_integral(-d*x))*tan(1/2*c) - 16*b*d^3*x^4*sin_integral(d*x)*tan(1/2*c) + 4
*b*d^3*x^4*real_part(cos_integral(d*x)) + 4*b*d^3*x^4*real_part(cos_integra
l(-d*x)) + 2*a*d^3*x^3*tan(1/2*d*x)^2 + 8*a*d^3*x^3*tan(1/2*d*x)*tan(1/2*c)
+ 16*b*d^2*x^3*tan(1/2*d*x)^2*tan(1/2*c) + 2*a*d^3*x^3*tan(1/2*c)^2 + 16*b
*d^2*x^3*tan(1/2*d*x)*tan(1/2*c)^2 + 4*a*d^2*x^2*tan(1/2*d*x)^2*tan(1/2*c)
+ 4*a*d^2*x^2*tan(1/2*d*x)*tan(1/2*c)^2 + 8*b*d*x^2*tan(1/2*d*x)^2*tan(1/2
*c)^2 - 2*a*d^3*x^3 - 16*b*d^2*x^3*tan(1/2*d*x) - 16*b*d^2*x^3*tan(1/2*c) +
4*a*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*a*d^2*x^2*tan(1/2*d*x) - 8*b*d*x^2*
tan(1/2*d*x)^2 - 4*a*d^2*x^2*tan(1/2*c) - 32*b*d*x^2*tan(1/2*d*x)*tan(1/2*c
) - 8*b*d*x^2*tan(1/2*c)^2 - 4*a*d*x*tan(1/2*d*x)^2 - 16*a*d*x*tan(1/2*d*x)
*tan(1/2*c) - 32*b*x*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*d*x*tan(1/2*c)^2 - 32*
b*x*tan(1/2*d*x)*tan(1/2*c)^2 + 8*b*d*x^2 - 24*a*tan(1/2*d*x)^2*tan(1/2*c)
- 24*a*tan(1/2*d*x)*tan(1/2*c)^2 + 4*a*d*x + 32*b*x*tan(1/2*d*x) + 32*b*x*t
an(1/2*c) + 24*a*tan(1/2*d*x) + 24*a*tan(1/2*c))/(x^4*tan(1/2*d*x)^2*tan(1/
2*c)^2 + x^4*tan(1/2*d*x)^2 + x^4*tan(1/2*c)^2 + x^4)

```

maple [A] time = 0.03, size = 145, normalized size = 0.87

$$d^4 \left(\frac{b \left(-\frac{\sin(dx+c)}{3x^3d^3} - \frac{\cos(dx+c)}{6x^2d^2} + \frac{\sin(dx+c)}{6xd} + \frac{\text{Si}(dx)\sin(c)}{6} - \frac{\text{Ci}(dx)\cos(c)}{6} \right)}{d} + a \left(-\frac{\sin(dx+c)}{4x^4d^4} - \frac{\cos(dx+c)}{12x^3d^3} + \frac{\sin(dx+c)}{24x^2d^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)*sin(d*x+c)/x^5,x)

[Out] d^4*(b/d*(-1/3*sin(d*x+c)/x^3/d^3-1/6*cos(d*x+c)/x^2/d^2+1/6*sin(d*x+c)/x/d+1/6*Si(d*x)*sin(c)-1/6*Ci(d*x)*cos(c))+a*(-1/4*sin(d*x+c)/x^4/d^4-1/12*cos(d*x+c)/x^3/d^3+1/24*sin(d*x+c)/x^2/d^2+1/24*cos(d*x+c)/x/d+1/24*Si(d*x)*cos(c)+1/24*Ci(d*x)*sin(c)))

maxima [C] time = 1.92, size = 112, normalized size = 0.67

$$\frac{\left((a(i\Gamma(-4, idx) - i\Gamma(-4, -idx))\cos(c) + a(\Gamma(-4, idx) + \Gamma(-4, -idx))\sin(c))d^5 - (4b(\Gamma(-4, idx) + \Gamma(-4, -idx))\cos(c) + 4b(\Gamma(-4, idx) - \Gamma(-4, -idx))\sin(c))d^5 - (4b(\Gamma(-4, idx) + \Gamma(-4, -idx))\cos(c) + 4b(\Gamma(-4, idx) - \Gamma(-4, -idx))\sin(c))d^5 - (4b(\Gamma(-4, idx) + \Gamma(-4, -idx))\cos(c) + 4b(\Gamma(-4, idx) - \Gamma(-4, -idx))\sin(c))d^5) \right)}{2dx^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x^5,x, algorithm="maxima")

[Out] -1/2*(((a*(I*gamma(-4, I*d*x) - I*gamma(-4, -I*d*x))*cos(c) + a*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*sin(c))*d^5 - (4*b*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*cos(c) - b*(4*I*gamma(-4, I*d*x) - 4*I*gamma(-4, -I*d*x))*sin(c))*d^4)*x^4 + 2*b*cos(d*x + c))/(d*x^4)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx)(a + bx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x))/x^5, x)

[Out] int((sin(c + d*x)*(a + b*x))/x^5, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx) \sin(c + dx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)*sin(d*x+c)/x**5, x)

[Out] Integral((a + b*x)*sin(c + d*x)/x**5, x)

3.10 $\int x^2(a + bx)^2 \sin(c + dx) dx$

Optimal. Leaf size=186

$$\frac{2a^2 \cos(c + dx)}{d^3} + \frac{2a^2 x \sin(c + dx)}{d^2} - \frac{a^2 x^2 \cos(c + dx)}{d} - \frac{12ab \sin(c + dx)}{d^4} + \frac{12abx \cos(c + dx)}{d^3} + \frac{6abx^2 \sin(c + dx)}{d^2} - \frac{2b^2 \cos(c + dx)}{d^5} + \frac{2b^2 x \sin(c + dx)}{d^4} - \frac{2b^2 x^2 \cos(c + dx)}{d^3} + \frac{12ab^2 \sin(c + dx)}{d^4} - \frac{12ab^2 x \cos(c + dx)}{d^3} + \frac{6ab^2 x^2 \sin(c + dx)}{d^2}$$

[Out] $-24*b^2*\cos(d*x+c)/d^5+2*a^2*\cos(d*x+c)/d^3+12*a*b*x*\cos(d*x+c)/d^3+12*b^2*x^2*\cos(d*x+c)/d^3-a^2*x^2*\cos(d*x+c)/d-2*a*b*x^3*\cos(d*x+c)/d-b^2*x^4*\cos(d*x+c)/d-12*a*b*\sin(d*x+c)/d^4-24*b^2*x*\sin(d*x+c)/d^4+2*a^2*x*\sin(d*x+c)/d^2+6*a*b*x^2*\sin(d*x+c)/d^2+4*b^2*x^3*\sin(d*x+c)/d^2$

Rubi [A] time = 0.32, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {6742, 3296, 2638, 2637}

$$\frac{2a^2 x \sin(c + dx)}{d^2} + \frac{2a^2 \cos(c + dx)}{d^3} - \frac{a^2 x^2 \cos(c + dx)}{d} + \frac{6abx^2 \sin(c + dx)}{d^2} - \frac{12ab \sin(c + dx)}{d^4} + \frac{12abx \cos(c + dx)}{d^3} - \frac{2b^2 \cos(c + dx)}{d^5} + \frac{2b^2 x \sin(c + dx)}{d^4} - \frac{2b^2 x^2 \cos(c + dx)}{d^3} + \frac{12ab^2 \sin(c + dx)}{d^4} - \frac{12ab^2 x \cos(c + dx)}{d^3} + \frac{6ab^2 x^2 \sin(c + dx)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x)^2*Sin[c + d*x], x]

[Out] $(-24*b^2*\text{Cos}[c + d*x])/d^5 + (2*a^2*\text{Cos}[c + d*x])/d^3 + (12*a*b*x*\text{Cos}[c + d*x])/d^3 + (12*b^2*x^2*\text{Cos}[c + d*x])/d^3 - (a^2*x^2*\text{Cos}[c + d*x])/d - (2*a*b*x^3*\text{Cos}[c + d*x])/d - (b^2*x^4*\text{Cos}[c + d*x])/d - (12*a*b*\text{Sin}[c + d*x])/d^4 - (24*b^2*x*\text{Sin}[c + d*x])/d^4 + (2*a^2*x*\text{Sin}[c + d*x])/d^2 + (6*a*b*x^2*\text{Sin}[c + d*x])/d^2 + (4*b^2*x^3*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int x^2(a+bx)^2 \sin(c+dx) dx &= \int (a^2x^2 \sin(c+dx) + 2abx^3 \sin(c+dx) + b^2x^4 \sin(c+dx)) dx \\
&= a^2 \int x^2 \sin(c+dx) dx + (2ab) \int x^3 \sin(c+dx) dx + b^2 \int x^4 \sin(c+dx) dx \\
&= -\frac{a^2x^2 \cos(c+dx)}{d} - \frac{2abx^3 \cos(c+dx)}{d} - \frac{b^2x^4 \cos(c+dx)}{d} + \frac{(2a^2) \int x \cos(c+dx) dx}{d} \\
&= -\frac{a^2x^2 \cos(c+dx)}{d} - \frac{2abx^3 \cos(c+dx)}{d} - \frac{b^2x^4 \cos(c+dx)}{d} + \frac{2a^2x \sin(c+dx)}{d^2} \\
&= \frac{2a^2 \cos(c+dx)}{d^3} + \frac{12abx \cos(c+dx)}{d^3} + \frac{12b^2x^2 \cos(c+dx)}{d^3} - \frac{a^2x^2 \cos(c+dx)}{d} \\
&= \frac{2a^2 \cos(c+dx)}{d^3} + \frac{12abx \cos(c+dx)}{d^3} + \frac{12b^2x^2 \cos(c+dx)}{d^3} - \frac{a^2x^2 \cos(c+dx)}{d} \\
&= -\frac{24b^2 \cos(c+dx)}{d^5} + \frac{2a^2 \cos(c+dx)}{d^3} + \frac{12abx \cos(c+dx)}{d^3} + \frac{12b^2x^2 \cos(c+dx)}{d^3}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 101, normalized size = 0.54

$$\frac{2d(a+2bx)(ad^2x+b(d^2x^2-6))\sin(c+dx) - (a^2d^2(d^2x^2-2) + 2abd^2x(d^2x^2-6) + b^2(d^4x^4 - 12d^2x^2 + 24b^2))\cos(c+dx)}{d^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x)^2*Sin[c + d*x], x]

[Out] $(-((2*a*b*d^2*x*(-6 + d^2*x^2) + a^2*d^2*(-2 + d^2*x^2) + b^2*(24 - 12*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) + 2*d*(a + 2*b*x)*(a*d^2*x + b*(-6 + d^2*x^2))*Sin[c + d*x])/d^5$

fricas [A] time = 0.67, size = 126, normalized size = 0.68

$$\frac{(b^2d^4x^4 + 2abd^4x^3 - 12abd^2x - 2a^2d^2 + (a^2d^4 - 12b^2d^2)x^2 + 24b^2)\cos(dx+c) - 2(2b^2d^3x^3 + 3abd^3x^2 - 2abd^2x - 2a^2d^2 + (a^2d^4 - 12b^2d^2)x^2 + 24b^2)\sin(dx+c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x+a)^2*sin(d*x+c), x, algorithm="fricas")

[Out] $-((b^2*d^4*x^4 + 2*a*b*d^4*x^3 - 12*a*b*d^2*x - 2*a^2*d^2 + (a^2*d^4 - 12*b^2*d^2)*x^2 + 24*b^2)*\cos(d*x + c) - 2*(2*b^2*d^3*x^3 + 3*a*b*d^3*x^2 - 6*a*b*d + (a^2*d^3 - 12*b^2*d)*x)*\sin(d*x + c))/d^5$

giac [A] time = 0.50, size = 128, normalized size = 0.69

$$\frac{(b^2d^4x^4 + 2abd^4x^3 + a^2d^4x^2 - 12b^2d^2x^2 - 12abd^2x - 2a^2d^2 + 24b^2)\cos(dx+c) - 2(2b^2d^3x^3 + 3abd^3x^2 - 2abd^2x - 2a^2d^2 + (a^2d^4 - 12b^2d^2)x^2 + 24b^2)\sin(dx+c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x+a)^2*sin(d*x+c), x, algorithm="giac")

[Out] $-(b^2*d^4*x^4 + 2*a*b*d^4*x^3 + a^2*d^4*x^2 - 12*b^2*d^2*x^2 - 12*a*b*d^2*x - 2*a^2*d^2 + 24*b^2)*\cos(d*x + c)/d^5 + 2*(2*b^2*d^3*x^3 + 3*a*b*d^3*x^2 + a^2*d^3*x - 12*b^2*d*x - 6*a*b*d)*\sin(d*x + c)/d^5$

maple [B] time = 0.02, size = 468, normalized size = 2.52

$$\frac{b^2(-(dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c))}{d^2} + \frac{2ab(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) + 6(dx+c) \cos(dx+c) - 6 \sin(dx+c))}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(b*x+a)^2*sin(d*x+c),x)`

[Out] $\frac{1}{d^3} \left(\frac{1}{d^2} b^2 \left(-(d*x+c)^4 \cos(d*x+c) + 4(d*x+c)^3 \sin(d*x+c) + 12(d*x+c)^2 \cos(d*x+c) - 24 \cos(d*x+c) - 24(d*x+c) \sin(d*x+c) \right) + 2 d a b \left(-(d*x+c)^3 \cos(d*x+c) + 3(d*x+c)^2 \sin(d*x+c) - 6 \sin(d*x+c) + 6(d*x+c) \cos(d*x+c) \right) - 4 d^2 b^2 c \left(-(d*x+c)^3 \cos(d*x+c) + 3(d*x+c)^2 \sin(d*x+c) - 6 \sin(d*x+c) + 6(d*x+c) \cos(d*x+c) \right) + a^2 \left(-(d*x+c)^2 \cos(d*x+c) + 2 \cos(d*x+c) + 2(d*x+c) \sin(d*x+c) \right) - 6 d a b c \left(-(d*x+c)^2 \cos(d*x+c) + 2 \cos(d*x+c) + 2(d*x+c) \sin(d*x+c) \right) + 6 d^2 b^2 c^2 \left(-(d*x+c)^2 \cos(d*x+c) + 2 \cos(d*x+c) + 2(d*x+c) \sin(d*x+c) \right) - 2 a^2 c \left(\sin(d*x+c) - (d*x+c) \cos(d*x+c) \right) + 6 d a b c^2 \left(\sin(d*x+c) - (d*x+c) \cos(d*x+c) \right) - 4 d^2 b^2 c^3 \left(\sin(d*x+c) - (d*x+c) \cos(d*x+c) \right) - a^2 c^2 \cos(d*x+c) + 2 d a b c^3 \cos(d*x+c) - 1 d^2 b^2 c^4 \cos(d*x+c) \right)$

maxima [B] time = 0.93, size = 406, normalized size = 2.18

$$\frac{a^2 c^2 \cos(dx+c) + \frac{b^2 c^4 \cos(dx+c)}{d^2} - \frac{2 a b c^3 \cos(dx+c)}{d} - 2((dx+c) \cos(dx+c) - \sin(dx+c)) a^2 c - \frac{4((dx+c) \cos(dx+c) - \sin(dx+c))}{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x+a)^2*sin(d*x+c),x, algorithm="maxima")`

[Out] $-\frac{a^2 c^2 \cos(dx+c) + b^2 c^4 \cos(dx+c)}{d^2} - \frac{2 a b c^3 \cos(dx+c)}{d} - 2((dx+c) \cos(dx+c) - \sin(dx+c)) a^2 c - 4((dx+c) \cos(dx+c) - \sin(dx+c)) b^2 c^3 / d^2 + 6((dx+c) \cos(dx+c) - \sin(dx+c)) a b c^2 / d + (((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) a^2 + 6(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) b^2 c^2 / d^2 - 6(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) a b c / d - 4(((dx+c)^3 - 6 dx - 6 c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) b^2 c / d^2 + 2(((dx+c)^3 - 6 dx - 6 c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) a b / d + (((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6 dx - 6 c) \sin(dx+c)) b^2 / d^2 / d^3$

mupad [B] time = 0.29, size = 172, normalized size = 0.92

$$\frac{4 b^2 x^3 \sin(c+dx)}{d^2} - \frac{b^2 x^4 \cos(c+dx)}{d} - \frac{2 \cos(c+dx) (12 b^2 - a^2 d^2)}{d^5} - \frac{12 a b \sin(c+dx)}{d^4} - \frac{2 x \sin(c+dx)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(c+d*x)*(a+b*x)^2,x)`

[Out] $\frac{4 b^2 x^3 \sin(c+dx)}{d^2} - \frac{b^2 x^4 \cos(c+dx)}{d} - (2 \cos(c+dx)) \left(\frac{12 b^2 - a^2 d^2}{d^5} - \frac{12 a b \sin(c+dx)}{d^4} - \frac{2 x \sin(c+dx)}{d^4} + \frac{12 b^2 - a^2 d^2}{d^4} \right) + (x^2 \cos(c+dx)) \left(\frac{12 b^2 - a^2 d^2}{d^3} - \frac{2 a b x^3 \cos(c+dx)}{d} + \frac{6 a b x^2 \sin(c+dx)}{d^2} + \frac{12 a b x \cos(c+dx)}{d^2} + \frac{12 a b \sin(c+dx)}{d^4} - \frac{b^2 x^4 \cos(c+dx)}{d^4} \right)$

sympy [A] time = 2.69, size = 228, normalized size = 1.23

$$\left\{ \begin{array}{l} -\frac{a^2 x^2 \cos(c+dx)}{d} + \frac{2 a^2 x \sin(c+dx)}{d^2} + \frac{2 a^2 \cos(c+dx)}{d^3} - \frac{2 a b x^3 \cos(c+dx)}{d} + \frac{6 a b x^2 \sin(c+dx)}{d^2} + \frac{12 a b x \cos(c+dx)}{d^3} - \frac{12 a b \sin(c+dx)}{d^4} - \frac{b^2 x^4 \cos(c+dx)}{d^4} \\ \left(\frac{a^2 x^3}{3} + \frac{a b x^4}{2} + \frac{b^2 x^5}{5} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x+a)**2*sin(d*x+c),x)`

```
[Out] Piecewise((-a**2*x**2*cos(c + d*x)/d + 2*a**2*x*sin(c + d*x)/d**2 + 2*a**2*
cos(c + d*x)/d**3 - 2*a*b*x**3*cos(c + d*x)/d + 6*a*b*x**2*sin(c + d*x)/d**
2 + 12*a*b*x*cos(c + d*x)/d**3 - 12*a*b*sin(c + d*x)/d**4 - b**2*x**4*cos(c
+ d*x)/d + 4*b**2*x**3*sin(c + d*x)/d**2 + 12*b**2*x**2*cos(c + d*x)/d**3
- 24*b**2*x*sin(c + d*x)/d**4 - 24*b**2*cos(c + d*x)/d**5, Ne(d, 0)), ((a**
2*x**3/3 + a*b*x**4/2 + b**2*x**5/5)*sin(c), True))
```

3.11 $\int x(a + bx)^2 \sin(c + dx) dx$

Optimal. Leaf size=135

$$\frac{a^2 \sin(c + dx)}{d^2} - \frac{a^2 x \cos(c + dx)}{d} + \frac{4ab \cos(c + dx)}{d^3} + \frac{4abx \sin(c + dx)}{d^2} - \frac{2abx^2 \cos(c + dx)}{d} - \frac{6b^2 \sin(c + dx)}{d^4} + \frac{6b^2 x \cos(c + dx)}{d^3}$$

[Out] $4*a*b*\cos(d*x+c)/d^3+6*b^2*x*\cos(d*x+c)/d^3-a^2*x*\cos(d*x+c)/d-2*a*b*x^2*\cos(d*x+c)/d-b^2*x^3*\cos(d*x+c)/d-6*b^2*\sin(d*x+c)/d^4+a^2*\sin(d*x+c)/d^2+4*a*b*x*\sin(d*x+c)/d^2+3*b^2*x^2*\sin(d*x+c)/d^2$

Rubi [A] time = 0.19, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {6742, 3296, 2637, 2638}

$$\frac{a^2 \sin(c + dx)}{d^2} - \frac{a^2 x \cos(c + dx)}{d} + \frac{4abx \sin(c + dx)}{d^2} + \frac{4ab \cos(c + dx)}{d^3} - \frac{2abx^2 \cos(c + dx)}{d} + \frac{3b^2 x^2 \sin(c + dx)}{d^2} - \frac{6b^2 \cos(c + dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x)^2*Sin[c + d*x], x]

[Out] $(4*a*b*\cos[c + d*x])/d^3 + (6*b^2*x*\cos[c + d*x])/d^3 - (a^2*x*\cos[c + d*x])/d - (2*a*b*x^2*\cos[c + d*x])/d - (b^2*x^3*\cos[c + d*x])/d - (6*b^2*\sin[c + d*x])/d^4 + (a^2*\sin[c + d*x])/d^2 + (4*a*b*x*\sin[c + d*x])/d^2 + (3*b^2*x^2*\sin[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int x(a+bx)^2 \sin(c+dx) dx &= \int (a^2x \sin(c+dx) + 2abx^2 \sin(c+dx) + b^2x^3 \sin(c+dx)) dx \\
&= a^2 \int x \sin(c+dx) dx + (2ab) \int x^2 \sin(c+dx) dx + b^2 \int x^3 \sin(c+dx) dx \\
&= -\frac{a^2x \cos(c+dx)}{d} - \frac{2abx^2 \cos(c+dx)}{d} - \frac{b^2x^3 \cos(c+dx)}{d} + \frac{a^2 \int \cos(c+dx) dx}{d} \\
&= -\frac{a^2x \cos(c+dx)}{d} - \frac{2abx^2 \cos(c+dx)}{d} - \frac{b^2x^3 \cos(c+dx)}{d} + \frac{a^2 \sin(c+dx)}{d^2} + \frac{4abx \sin(c+dx)}{d^2} + \frac{2bx^2 \sin(c+dx)}{d^2} \\
&= \frac{4ab \cos(c+dx)}{d^3} + \frac{6b^2x \cos(c+dx)}{d^3} - \frac{a^2x \cos(c+dx)}{d} - \frac{2abx^2 \cos(c+dx)}{d} - \frac{b^2x^3 \cos(c+dx)}{d} \\
&= \frac{4ab \cos(c+dx)}{d^3} + \frac{6b^2x \cos(c+dx)}{d^3} - \frac{a^2x \cos(c+dx)}{d} - \frac{2abx^2 \cos(c+dx)}{d} - \frac{b^2x^3 \cos(c+dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 87, normalized size = 0.64

$$\frac{(a^2d^2 + 4abd^2x + 3b^2(d^2x^2 - 2)) \sin(c+dx) - d(a^2d^2x + 2ab(d^2x^2 - 2) + b^2x(d^2x^2 - 6)) \cos(c+dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x)^2*Sin[c + d*x], x]

[Out] $(-(d*(a^2*d^2*x + b^2*x*(-6 + d^2*x^2)) + 2*a*b*(-2 + d^2*x^2))*Cos[c + d*x] + (a^2*d^2 + 4*a*b*d^2*x + 3*b^2*(-2 + d^2*x^2))*Sin[c + d*x])/d^4$

fricas [A] time = 0.71, size = 95, normalized size = 0.70

$$\frac{(b^2d^3x^3 + 2abd^3x^2 - 4abd + (a^2d^3 - 6b^2d)x) \cos(dx+c) - (3b^2d^2x^2 + 4abd^2x + a^2d^2 - 6b^2) \sin(dx+c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x+a)^2*sin(d*x+c), x, algorithm="fricas")

[Out] $-(b^2*d^3*x^3 + 2*a*b*d^3*x^2 - 4*a*b*d + (a^2*d^3 - 6*b^2*d)*x)*\cos(d*x + c) - (3*b^2*d^2*x^2 + 4*a*b*d^2*x + a^2*d^2 - 6*b^2)*\sin(d*x + c)/d^4$

giac [A] time = 0.75, size = 95, normalized size = 0.70

$$-\frac{(b^2d^3x^3 + 2abd^3x^2 + a^2d^3x - 6b^2dx - 4abd) \cos(dx+c)}{d^4} + \frac{(3b^2d^2x^2 + 4abd^2x + a^2d^2 - 6b^2) \sin(dx+c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x+a)^2*sin(d*x+c), x, algorithm="giac")

[Out] $-(b^2*d^3*x^3 + 2*a*b*d^3*x^2 + a^2*d^3*x - 6*b^2*d*x - 4*a*b*d)*\cos(d*x + c)/d^4 + (3*b^2*d^2*x^2 + 4*a*b*d^2*x + a^2*d^2 - 6*b^2)*\sin(d*x + c)/d^4$

maple [B] time = 0.03, size = 281, normalized size = 2.08

$$\frac{b^2(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c))}{d^2} + \frac{2ab(-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c))}{d} - \frac{3b^2(dx+c) \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x+a)^2*sin(d*x+c), x)

```
[Out] 1/d^2*(1/d^2*b^2*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)
+6*(d*x+c)*cos(d*x+c))+2/d*a*b*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)
)*sin(d*x+c))-3/d^2*b^2*c*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin
(d*x+c))+a^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-4/d*a*b*c*(sin(d*x+c)-(d*x+c)*
cos(d*x+c))+3/d^2*b^2*c^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+a^2*c*cos(d*x+c)-
2/d*a*b*c^2*cos(d*x+c)+1/d^2*b^2*c^3*cos(d*x+c))
```

maxima [A] time = 0.75, size = 259, normalized size = 1.92

$$\frac{a^2 c \cos(dx + c) + \frac{b^2 c^3 \cos(dx + c)}{d^2} - \frac{2abc^2 \cos(dx + c)}{d} - ((dx + c) \cos(dx + c) - \sin(dx + c))a^2 - \frac{3((dx + c) \cos(dx + c) - \sin(dx + c))}{d^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x+a)^2*sin(d*x+c),x, algorithm="maxima")
```

```
[Out] (a^2*c*cos(d*x + c) + b^2*c^3*cos(d*x + c)/d^2 - 2*a*b*c^2*cos(d*x + c)/d -
((d*x + c)*cos(d*x + c) - sin(d*x + c))*a^2 - 3*((d*x + c)*cos(d*x + c) -
sin(d*x + c))*b^2*c^2/d^2 + 4*((d*x + c)*cos(d*x + c) - sin(d*x + c))*a*b*c
/d + 3*((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b^2*c/d^
2 - 2*((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*a*b/d - (
((d*x + c)^3 - 6*d*x - 6*c)*cos(d*x + c) - 3*((d*x + c)^2 - 2)*sin(d*x + c)
)*b^2/d^2)/d^2
```

mupad [B] time = 4.76, size = 128, normalized size = 0.95

$$\frac{3b^2x^2\sin(c+dx)}{d^2} - \frac{b^2x^3\cos(c+dx)}{d} - \frac{\sin(c+dx)(6b^2-a^2d^2)}{d^4} + \frac{4ab\cos(c+dx)}{d^3} + \frac{x\cos(c+dx)(6b^2-a^2d^2)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*sin(c+d*x)*(a+b*x)^2,x)
```

```
[Out] (3*b^2*x^2*sin(c+d*x))/d^2 - (b^2*x^3*cos(c+d*x))/d - (sin(c+d*x)*(6*
b^2 - a^2*d^2))/d^4 + (4*a*b*cos(c+d*x))/d^3 + (x*cos(c+d*x)*(6*b^2 - a
^2*d^2))/d^3 - (2*a*b*x^2*cos(c+d*x))/d + (4*a*b*x*sin(c+d*x))/d^2
```

sympy [A] time = 1.37, size = 172, normalized size = 1.27

$$\left\{ \begin{array}{l} -\frac{a^2x\cos(c+dx)}{d} + \frac{a^2\sin(c+dx)}{d^2} - \frac{2abx^2\cos(c+dx)}{d} + \frac{4abx\sin(c+dx)}{d^2} + \frac{4ab\cos(c+dx)}{d^3} - \frac{b^2x^3\cos(c+dx)}{d} + \frac{3b^2x^2\sin(c+dx)}{d^2} + \frac{6b^2x\cos(c+dx)}{d^3} \\ \left(\frac{a^2x^2}{2} + \frac{2abx^3}{3} + \frac{b^2x^4}{4} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x+a)**2*sin(d*x+c),x)
```

```
[Out] Piecewise((-a**2*x*cos(c+d*x)/d + a**2*sin(c+d*x)/d**2 - 2*a*b*x**2*cos
(c+d*x)/d + 4*a*b*x*sin(c+d*x)/d**2 + 4*a*b*cos(c+d*x)/d**3 - b**2*x*
*3*cos(c+d*x)/d + 3*b**2*x**2*sin(c+d*x)/d**2 + 6*b**2*x*cos(c+d*x)/d
**3 - 6*b**2*sin(c+d*x)/d**4, Ne(d, 0)), ((a**2*x**2/2 + 2*a*b*x**3/3 + b
**2*x**4/4)*sin(c), True))
```

3.12 $\int (a + bx)^2 \sin(c + dx) dx$

Optimal. Leaf size=50

$$\frac{2b(a + bx) \sin(c + dx)}{d^2} - \frac{(a + bx)^2 \cos(c + dx)}{d} + \frac{2b^2 \cos(c + dx)}{d^3}$$

[Out] $2*b^2*\cos(d*x+c)/d^3-(b*x+a)^2*\cos(d*x+c)/d+2*b*(b*x+a)*\sin(d*x+c)/d^2$

Rubi [A] time = 0.04, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2638}

$$\frac{2b(a + bx) \sin(c + dx)}{d^2} - \frac{(a + bx)^2 \cos(c + dx)}{d} + \frac{2b^2 \cos(c + dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x)^2*Sin[c + d*x], x]

[Out] $(2*b^2*\cos[c + d*x])/d^3 - ((a + b*x)^2*\cos[c + d*x])/d + (2*b*(a + b*x)*\sin[c + d*x])/d^2$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int (a + bx)^2 \sin(c + dx) dx &= -\frac{(a + bx)^2 \cos(c + dx)}{d} + \frac{(2b) \int (a + bx) \cos(c + dx) dx}{d} \\ &= -\frac{(a + bx)^2 \cos(c + dx)}{d} + \frac{2b(a + bx) \sin(c + dx)}{d^2} - \frac{(2b^2) \int \sin(c + dx) dx}{d^2} \\ &= \frac{2b^2 \cos(c + dx)}{d^3} - \frac{(a + bx)^2 \cos(c + dx)}{d} + \frac{2b(a + bx) \sin(c + dx)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.18, size = 57, normalized size = 1.14

$$\frac{2bd(a + bx) \sin(c + dx) - (a^2 d^2 + 2abd^2 x + b^2 (d^2 x^2 - 2)) \cos(c + dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x)^2*Sin[c + d*x], x]

[Out] $(-((a^2*d^2 + 2*a*b*d^2*x + b^2*(-2 + d^2*x^2))*\cos[c + d*x]) + 2*b*d*(a + b*x)*\sin[c + d*x])/d^3$

fricas [A] time = 0.61, size = 63, normalized size = 1.26

$$\frac{(b^2 d^2 x^2 + 2abd^2 x + a^2 d^2 - 2b^2) \cos(dx + c) - 2(b^2 dx + abd) \sin(dx + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c),x, algorithm="fricas")

[Out] $-\frac{((b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2 - 2*b^2)*\cos(d*x + c) - 2*(b^2*d*x + a*b*d)*\sin(d*x + c))/d^3$

giac [A] time = 0.57, size = 65, normalized size = 1.30

$$\frac{(b^2 d^2 x^2 + 2 a b d^2 x + a^2 d^2 - 2 b^2) \cos(dx + c)}{d^3} + \frac{2(b^2 dx + a b d) \sin(dx + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c),x, algorithm="giac")

[Out] $-\frac{(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2 - 2*b^2)*\cos(d*x + c)/d^3 + 2*(b^2*d*x + a*b*d)*\sin(d*x + c)/d^3$

maple [B] time = 0.02, size = 148, normalized size = 2.96

$$\frac{b^2(-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c)}{d^2} + \frac{2ab(\sin(dx+c) - (dx+c) \cos(dx+c))}{d} - \frac{2b^2c(\sin(dx+c) - (dx+c) \cos(dx+c))}{d^2} - a^2 \cos(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*sin(d*x+c),x)

[Out] $\frac{1}{d} * \left(\frac{1}{d^2} * b^2 * (-dx+c)^2 * \cos(dx+c) + 2 * \cos(dx+c) + 2 * (dx+c) * \sin(dx+c) \right) + \frac{2}{d} * a * b * (\sin(dx+c) - (dx+c) * \cos(dx+c)) - \frac{2}{d^2} * b^2 * c * (\sin(dx+c) - (dx+c) * \cos(dx+c)) - a^2 * \cos(dx+c) + \frac{2}{d} * a * b * c * \cos(dx+c) - \frac{1}{d^2} * b^2 * c^2 * \cos(dx+c)$

maxima [B] time = 0.95, size = 141, normalized size = 2.82

$$\frac{a^2 \cos(dx + c) + \frac{b^2 c^2 \cos(dx+c)}{d^2} - \frac{2abc \cos(dx+c)}{d} - \frac{2((dx+c) \cos(dx+c) - \sin(dx+c)) b^2 c}{d^2} + \frac{2((dx+c) \cos(dx+c) - \sin(dx+c)) ab}{d} + \frac{((dx+c)^2 \cos(dx+c) - 2(dx+c) \sin(dx+c)) b^2}{d^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c),x, algorithm="maxima")

[Out] $-\frac{a^2 * \cos(dx + c) + b^2 * c^2 * \cos(dx + c) / d^2 - 2 * a * b * c * \cos(dx + c) / d - 2 * ((dx + c) * \cos(dx + c) - \sin(dx + c)) * b^2 * c / d^2 + 2 * ((dx + c) * \cos(dx + c) - \sin(dx + c)) * a * b / d + (((dx + c)^2 - 2) * \cos(dx + c) - 2 * (dx + c) * \sin(dx + c)) * b^2 / d^2}{d}$

mupad [B] time = 4.70, size = 84, normalized size = 1.68

$$\frac{\cos(c + dx) (2 b^2 - a^2 d^2)}{d^3} - \frac{b^2 x^2 \cos(c + dx)}{d} + \frac{2 a b \sin(c + dx)}{d^2} + \frac{2 b^2 x \sin(c + dx)}{d^2} - \frac{2 a b x \cos(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)*(a + b*x)^2,x)

[Out] $(\cos(c + d*x) * (2*b^2 - a^2*d^2))/d^3 - (b^2*x^2*\cos(c + d*x))/d + (2*a*b*\sin(c + d*x))/d^2 + (2*b^2*x*\sin(c + d*x))/d^2 - (2*a*b*x*\cos(c + d*x))/d$

sympy [A] time = 0.72, size = 112, normalized size = 2.24

$$\begin{cases} -\frac{a^2 \cos(c+dx)}{d} - \frac{2abx \cos(c+dx)}{d} + \frac{2ab \sin(c+dx)}{d^2} - \frac{b^2 x^2 \cos(c+dx)}{d} + \frac{2b^2 x \sin(c+dx)}{d^2} + \frac{2b^2 \cos(c+dx)}{d^3} & \text{for } d \neq 0 \\ \left(a^2 x + abx^2 + \frac{b^2 x^3}{3} \right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)**2*sin(d*x+c),x)
```

```
[Out] Piecewise((-a**2*cos(c + d*x)/d - 2*a*b*x*cos(c + d*x)/d + 2*a*b*sin(c + d*x)/d**2 - b**2*x**2*cos(c + d*x)/d + 2*b**2*x*sin(c + d*x)/d**2 + 2*b**2*cos(c + d*x)/d**3, Ne(d, 0)), ((a**2*x + a*b*x**2 + b**2*x**3/3)*sin(c), True))
```

3.13 $\int \frac{(a+bx)^2 \sin(c+dx)}{x} dx$

Optimal. Leaf size=62

$$a^2 \sin(c) \text{Ci}(dx) + a^2 \cos(c) \text{Si}(dx) - \frac{2ab \cos(c+dx)}{d} + \frac{b^2 \sin(c+dx)}{d^2} - \frac{b^2 x \cos(c+dx)}{d}$$

[Out] $-2*a*b*\cos(d*x+c)/d - b^2*x*\cos(d*x+c)/d + a^2*\cos(c)*\text{Si}(d*x) + a^2*\text{Ci}(d*x)*\sin(c) + b^2*\sin(d*x+c)/d^2$

Rubi [A] time = 0.18, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {6742, 2638, 3303, 3299, 3302, 3296, 2637}

$$a^2 \sin(c) \text{CosIntegral}(dx) + a^2 \cos(c) \text{Si}(dx) - \frac{2ab \cos(c+dx)}{d} + \frac{b^2 \sin(c+dx)}{d^2} - \frac{b^2 x \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x)^2*\text{Sin}[c + d*x]/x, x]$

[Out] $(-2*a*b*\text{Cos}[c + d*x])/d - (b^2*x*\text{Cos}[c + d*x])/d + a^2*\text{CosIntegral}[d*x]*\text{Sin}[c] + (b^2*\text{Sin}[c + d*x])/d^2 + a^2*\text{Cos}[c]*\text{SinIntegral}[d*x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) - c*f, 0]

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /;$ FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned} \int \frac{(a+bx)^2 \sin(c+dx)}{x} dx &= \int \left(2ab \sin(c+dx) + \frac{a^2 \sin(c+dx)}{x} + b^2 x \sin(c+dx) \right) dx \\ &= a^2 \int \frac{\sin(c+dx)}{x} dx + (2ab) \int \sin(c+dx) dx + b^2 \int x \sin(c+dx) dx \\ &= -\frac{2ab \cos(c+dx)}{d} - \frac{b^2 x \cos(c+dx)}{d} + \frac{b^2 \int \cos(c+dx) dx}{d} + (a^2 \cos(c)) \int \frac{\sin(c+dx)}{x} dx \\ &= -\frac{2ab \cos(c+dx)}{d} - \frac{b^2 x \cos(c+dx)}{d} + a^2 \text{Ci}(dx) \sin(c) + \frac{b^2 \sin(c+dx)}{d^2} + a^2 \cos(c) \text{Si}(dx) \end{aligned}$$

Mathematica [A] time = 0.31, size = 51, normalized size = 0.82

$$a^2 \sin(c) \text{Ci}(dx) + a^2 \cos(c) \text{Si}(dx) + \frac{b(b \sin(c+dx) - d(2a+bx) \cos(c+dx))}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*Sin[c + d*x])/x,x]
```

```
[Out] a^2*CosIntegral[d*x]*Sin[c] + (b*(-(d*(2*a + b*x))*Cos[c + d*x]) + b*Sin[c + d*x])/d^2 + a^2*Cos[c]*SinIntegral[d*x]
```

fricas [A] time = 0.77, size = 78, normalized size = 1.26

$$\frac{2 a^2 d^2 \cos(c) \text{Si}(dx) + 2 b^2 \sin(dx+c) - 2 (b^2 dx + 2 abd) \cos(dx+c) + (a^2 d^2 \text{Ci}(dx) + a^2 d^2 \text{Ci}(-dx)) \sin(c)}{2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*sin(d*x+c)/x,x, algorithm="fricas")
```

```
[Out] 1/2*(2*a^2*d^2*cos(c)*sin_integral(d*x) + 2*b^2*sin(d*x + c) - 2*(b^2*d*x + 2*a*b*d)*cos(d*x + c) + (a^2*d^2*cos_integral(d*x) + a^2*d^2*cos_integral(-d*x))*sin(c))/d^2
```

giac [C] time = 0.74, size = 551, normalized size = 8.89

$$\frac{a^2 d^2 \Im(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \tan\left(\frac{1}{2} c\right)^2 - a^2 d^2 \Im(\text{Ci}(-dx)) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \tan\left(\frac{1}{2} c\right)^2 + 2 a^2 d^2 \text{Si}(dx) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \tan\left(\frac{1}{2} c\right)^2}{2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*sin(d*x+c)/x,x, algorithm="giac")
```

```
[Out] -1/2*(a^2*d^2*imag_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 - a^2*d^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 + 2*a^2*d^2*sin_integral(d*x)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 - 2*a^2*d^2*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) - 2*a^2*d^2*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) - 2*b^2*d*x*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 - a^2*d^2*imag_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2 + a^2*d^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2 - 2*a^2*d^2*sin_integral(d*x)*tan(1/2*d*x + 1/2*c)^2 +
```

$$a^2 d^2 \operatorname{imag_part}(\cos_integral(d*x)) \tan(1/2*c)^2 - a^2 d^2 \operatorname{imag_part}(\cos_integral(-d*x)) \tan(1/2*c)^2 + 2 a^2 d^2 \sin_integral(d*x) \tan(1/2*c)^2 - 4 a*b*d \tan(1/2*d*x + 1/2*c)^2 \tan(1/2*c)^2 - 2 b^2 d*x \tan(1/2*d*x + 1/2*c)^2 - 2 a^2 d^2 \operatorname{real_part}(\cos_integral(d*x)) \tan(1/2*c) - 2 a^2 d^2 \operatorname{real_part}(\cos_integral(-d*x)) \tan(1/2*c) + 2 b^2 d*x \tan(1/2*c)^2 - a^2 d^2 \operatorname{imag_part}(\cos_integral(d*x)) + a^2 d^2 \operatorname{imag_part}(\cos_integral(-d*x)) - 2 a^2 d^2 \sin_integral(d*x) - 4 a*b*d \tan(1/2*d*x + 1/2*c)^2 + 4 a*b*d \tan(1/2*c)^2 - 4 b^2 \tan(1/2*d*x + 1/2*c) \tan(1/2*c)^2 + 2 b^2 d*x + 4 a*b*d - 4 b^2 \tan(1/2*d*x + 1/2*c) / (d^2 \tan(1/2*d*x + 1/2*c)^2 \tan(1/2*c)^2 + d^2 \tan(1/2*d*x + 1/2*c)^2 + d^2 \tan(1/2*c)^2 + d^2)$$

maple [A] time = 0.03, size = 79, normalized size = 1.27

$$\frac{(1+c)b^2(\sin(dx+c) - (dx+c)\cos(dx+c))}{d^2} - \frac{2ab\cos(dx+c)}{d} + \frac{2cb^2\cos(dx+c)}{d^2} + a^2(\operatorname{Si}(dx)\cos(c) + \operatorname{Ci}(dx)\sin(c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*sin(d*x+c)/x,x)

[Out] (1+c)/d^2*b^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-2*a*b*cos(d*x+c)/d+2*c/d^2*b^2*cos(d*x+c)+a^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))

maxima [C] time = 1.74, size = 80, normalized size = 1.29

$$\frac{(a^2(-i\operatorname{Ei}(i dx) + i\operatorname{Ei}(-i dx))\cos(c) + a^2(\operatorname{Ei}(i dx) + \operatorname{Ei}(-i dx))\sin(c))d^2 + 2b^2\sin(dx+c) - 2(b^2 dx + 2abd)\cos(dx+c)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x,x, algorithm="maxima")

[Out] 1/2*((a^2*(-I*Ei(I*d*x) + I*Ei(-I*d*x))*cos(c) + a^2*(Ei(I*d*x) + Ei(-I*d*x))*sin(c))*d^2 + 2*b^2*sin(d*x + c) - 2*(b^2*d*x + 2*a*b*d)*cos(d*x + c))/d^2

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$b^2 \cos(c) \left(\frac{\sin(dx)}{d^2} - \frac{x \cos(dx)}{d} \right) + b^2 \sin(c) \left(\frac{\cos(dx)}{d^2} + \frac{x \sin(dx)}{d} \right) + a^2 \cos(dx) \sin(c) + a^2 \sin(dx) \cos(c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x)^2)/x,x)

[Out] b^2*cos(c)*(sin(d*x)/d^2 - (x*cos(d*x))/d) + b^2*sin(c)*(cos(d*x)/d^2 + (x*sin(d*x))/d) + a^2*cos(dx)*sin(c) + a^2*sin(dx)*cos(c) - (2*a*b*cos(dx)*cos(c))/d + (2*a*b*sin(dx)*sin(c))/d

sympy [A] time = 4.91, size = 90, normalized size = 1.45

$$a^2 \sin(c) \operatorname{Ci}(dx) + a^2 \cos(c) \operatorname{Si}(dx) + 2ab \left(\begin{cases} -\cos(c) & \text{for } d = 0 \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases} \right) + b^2 x \left(\begin{cases} -\cos(c) & \text{for } d = 0 \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases} \right) - b^2 \left(\begin{cases} -x \cos(dx) & \text{for } d = 0 \\ \frac{\sin(dx)}{d} & \text{otherwise} \end{cases} \right) + \left(\begin{cases} x \cos(dx) & \text{for } d = 0 \\ -\frac{\sin(dx)}{d} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*sin(d*x+c)/x,x)

```
[Out] a**2*sin(c)*Ci(d*x) + a**2*cos(c)*Si(d*x) + 2*a*b*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) + b**2*x*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) - b**2*Piecewise((-x*cos(c), Eq(d, 0)), (-Piecewise((sin(c + d*x)/d, Ne(d, 0)), (x*cos(c), True))/d, True))
```

$$3.14 \quad \int \frac{(a+bx)^2 \sin(c+dx)}{x^2} dx$$

Optimal. Leaf size=72

$$a^2 d \cos(c) \text{Ci}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c+dx)}{x} + 2ab \sin(c) \text{Ci}(dx) + 2ab \cos(c) \text{Si}(dx) - \frac{b^2 \cos(c+dx)}{d}$$

[Out] $a^2 d \cos(c) \text{Ci}(d*x) - a^2 d \sin(c) \text{Si}(d*x) - \frac{a^2 \sin(c+dx)}{x} + 2ab \sin(c) \text{Ci}(d*x) + 2ab \cos(c) \text{Si}(d*x) - \frac{b^2 \cos(c+dx)}{d}$

Rubi [A] time = 0.24, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {6742, 2638, 3297, 3303, 3299, 3302}

$$a^2 d \cos(c) \text{CosIntegral}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c+dx)}{x} + 2ab \sin(c) \text{CosIntegral}(dx) + 2ab \cos(c) \text{Si}(dx) - \frac{b^2 \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^2*Sin[c + d*x])/x^2,x]

[Out] $-\left(\frac{b^2 \cos[c + d*x]}{d}\right) + a^2 d \cos[c] \text{CosIntegral}[d*x] + 2a*b \cos[c] \text{SinIntegral}[d*x] - \frac{a^2 \sin[c + d*x]}{x} + 2a*b \cos[c] \text{SinIntegral}[d*x] - a^2 d \sin[c] \text{SinIntegral}[d*x]$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 \sin(c+dx)}{x^2} dx &= \int \left(b^2 \sin(c+dx) + \frac{a^2 \sin(c+dx)}{x^2} + \frac{2ab \sin(c+dx)}{x} \right) dx \\
&= a^2 \int \frac{\sin(c+dx)}{x^2} dx + (2ab) \int \frac{\sin(c+dx)}{x} dx + b^2 \int \sin(c+dx) dx \\
&= -\frac{b^2 \cos(c+dx)}{d} - \frac{a^2 \sin(c+dx)}{x} + (a^2 d) \int \frac{\cos(c+dx)}{x} dx + (2ab \cos(c)) \int \frac{\sin(c+dx)}{x} dx \\
&= -\frac{b^2 \cos(c+dx)}{d} + 2ab \operatorname{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{x} + 2ab \cos(c) \operatorname{Si}(dx) + (a^2 d) \operatorname{Si}(dx) \\
&= -\frac{b^2 \cos(c+dx)}{d} + a^2 d \cos(c) \operatorname{Ci}(dx) + 2ab \operatorname{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{x} + 2ab \cos(c) \operatorname{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.26, size = 64, normalized size = 0.89

$$-\frac{a^2 \sin(c+dx)}{x} + a \operatorname{Ci}(dx)(ad \cos(c) + 2b \sin(c)) - a \operatorname{Si}(dx)(ad \sin(c) - 2b \cos(c)) - \frac{b^2 \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)^2*Sin[c + d*x])/x^2,x]

[Out] -((b^2*Cos[c + d*x])/d) + a*CosIntegral[d*x]*(a*d*Cos[c] + 2*b*Sin[c]) - (a^2*Sin[c + d*x])/x - a*(-2*b*Cos[c] + a*d*Sin[c])*SinIntegral[d*x]

fricas [A] time = 0.75, size = 111, normalized size = 1.54

$$\frac{2b^2x \cos(dx+c) + 2a^2d \sin(dx+c) - (a^2d^2x \operatorname{Ci}(dx) + a^2d^2x \operatorname{Ci}(-dx) + 4abdx \operatorname{Si}(dx)) \cos(c) + 2(a^2d^2x \operatorname{Si}(dx) - 2abdx \operatorname{Ci}(dx)) \sin(c)}{2dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^2,x, algorithm="fricas")

[Out] -1/2*(2*b^2*x*cos(d*x + c) + 2*a^2*d*sin(d*x + c) - (a^2*d^2*x*cos_integral(d*x) + a^2*d^2*x*cos_integral(-d*x) + 4*a*b*d*x*sin_integral(d*x))*cos(c) + 2*(a^2*d^2*x*sin_integral(d*x) - a*b*d*x*cos_integral(d*x) - a*b*d*x*cos_integral(-d*x))*sin(c))/(d*x)

giac [C] time = 1.58, size = 743, normalized size = 10.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^2,x, algorithm="giac")

[Out] -1/2*(a^2*d^2*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a^2*d^2*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a^2*d^2*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^2*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*d^2*x*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + 2*a*b*d*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*b*d*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*a*b*d*x*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^2*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - a^2*d^2*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 4*a*b*d*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*b*d*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + a^2*d^2*x*real_part(cos_integral(d*x))

```
*tan(1/2*c)^2 + a^2*d^2*x*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 2*a*
b*d*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + 2*a*b*d*x*imag_part(cos
_integral(-d*x))*tan(1/2*d*x)^2 - 4*a*b*d*x*sin_integral(d*x)*tan(1/2*d*x)^
2 + 2*a^2*d^2*x*imag_part(cos_integral(d*x))*tan(1/2*c) - 2*a^2*d^2*x*imag_
part(cos_integral(-d*x))*tan(1/2*c) + 4*a^2*d^2*x*sin_integral(d*x)*tan(1/2
*c) + 2*a*b*d*x*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - 2*a*b*d*x*imag_
part(cos_integral(-d*x))*tan(1/2*c)^2 + 4*a*b*d*x*sin_integral(d*x)*tan(1/2
*c)^2 + 2*b^2*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^2*x*real_part(cos_integ
ral(d*x)) - a^2*d^2*x*real_part(cos_integral(-d*x)) - 4*a*b*d*x*real_part(c
os_integral(d*x))*tan(1/2*c) - 4*a*b*d*x*real_part(cos_integral(-d*x))*tan(
1/2*c) - 4*a^2*d*tan(1/2*d*x)^2*tan(1/2*c) - 4*a^2*d*tan(1/2*d*x)*tan(1/2*c
)^2 - 2*a*b*d*x*imag_part(cos_integral(d*x)) + 2*a*b*d*x*imag_part(cos_inte
gral(-d*x)) - 4*a*b*d*x*sin_integral(d*x) - 2*b^2*x*tan(1/2*d*x)^2 - 8*b^2*
x*tan(1/2*d*x)*tan(1/2*c) - 2*b^2*x*tan(1/2*c)^2 + 4*a^2*d*tan(1/2*d*x) + 4
*a^2*d*tan(1/2*c) + 2*b^2*x)/(d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 + d*x*tan(1/2
*d*x)^2 + d*x*tan(1/2*c)^2 + d*x)
```

maple [A] time = 0.04, size = 74, normalized size = 1.03

$$d \left(-\frac{b^2 \cos(dx+c)}{d^2} + \frac{2ab(\operatorname{Si}(dx)\cos(c) + \operatorname{Ci}(dx)\sin(c))}{d} + a^2 \left(-\frac{\sin(dx+c)}{xd} - \operatorname{Si}(dx)\sin(c) + \operatorname{Ci}(dx)\cos(c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*sin(d*x+c)/x^2,x)

[Out] d*(-1/d^2*b^2*cos(d*x+c)+2/d*a*b*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+a^2*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c)))

maxima [C] time = 2.53, size = 123, normalized size = 1.71

$$\frac{\left((a^2(\Gamma(-1, idx) + \Gamma(-1, -idx))\cos(c) - a^2(i\Gamma(-1, idx) - i\Gamma(-1, -idx))\sin(c))d^2 - (ab(-2i\Gamma(-1, idx) + 2i\Gamma(-1, -idx))\sin(c) + (a^2\Gamma(-1, idx) + \Gamma(-1, -idx))\cos(c))d \right)}{2dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^2,x, algorithm="maxima")

[Out] 1/2*(((a^2*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*cos(c) - a^2*(I*gamma(-1, I*d*x) - I*gamma(-1, -I*d*x))*sin(c))*d^2 - (a*b*(-2*I*gamma(-1, I*d*x) + 2*I*gamma(-1, -I*d*x))*cos(c) - 2*a*b*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*sin(c))*d)*x - 2*(b^2*x + 2*a*b)*cos(d*x + c))/(d*x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)(a+bx)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c+d*x)*(a+b*x)^2)/x^2,x)

[Out] int((sin(c+d*x)*(a+b*x)^2)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a+bx)^2 \sin(c+dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*sin(d*x+c)/x**2,x)

[Out] Integral((a + b*x)**2*sin(c + d*x)/x**2, x)

3.15 $\int \frac{(a+bx)^2 \sin(c+dx)}{x^3} dx$

Optimal. Leaf size=121

$$-\frac{1}{2}a^2d^2 \sin(c)\text{Ci}(dx) - \frac{1}{2}a^2d^2 \cos(c)\text{Si}(dx) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{a^2d \cos(c+dx)}{2x} + 2abd \cos(c)\text{Ci}(dx) - 2abd \sin(c)\text{Si}(dx)$$

[Out] $2*a*b*d*Ci(d*x)*cos(c) - 1/2*a^2*d*cos(d*x+c)/x + b^2*cos(c)*Si(d*x) - 1/2*a^2*d^2*cos(c)*Si(d*x) + b^2*Ci(d*x)*sin(c) - 1/2*a^2*d^2*Ci(d*x)*sin(c) - 2*a*b*d*Si(d*x)*sin(c) - 1/2*a^2*sin(d*x+c)/x^2 - 2*a*b*sin(d*x+c)/x$

Rubi [A] time = 0.34, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}a^2d^2 \sin(c)\text{CosIntegral}(dx) - \frac{1}{2}a^2d^2 \cos(c)\text{Si}(dx) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{a^2d \cos(c+dx)}{2x} + 2abd \cos(c)\text{CosIntegral}(dx) - 2abd \sin(c)\text{Si}(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^2*Sin[c + d*x])/x^3,x]

[Out] $-(a^2*d*\text{Cos}[c + d*x])/(2*x) + 2*a*b*d*\text{Cos}[c]*\text{CosIntegral}[d*x] + b^2*\text{CosIntegral}[d*x]*\text{Sin}[c] - (a^2*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 - (a^2*\text{Sin}[c + d*x])/(2*x^2) - (2*a*b*\text{Sin}[c + d*x])/x + b^2*\text{Cos}[c]*\text{SinIntegral}[d*x] - (a^2*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2 - 2*a*b*d*\text{Sin}[c]*\text{SinIntegral}[d*x]$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 \sin(c+dx)}{x^3} dx &= \int \left(\frac{a^2 \sin(c+dx)}{x^3} + \frac{2ab \sin(c+dx)}{x^2} + \frac{b^2 \sin(c+dx)}{x} \right) dx \\
&= a^2 \int \frac{\sin(c+dx)}{x^3} dx + (2ab) \int \frac{\sin(c+dx)}{x^2} dx + b^2 \int \frac{\sin(c+dx)}{x} dx \\
&= -\frac{a^2 \sin(c+dx)}{2x^2} - \frac{2ab \sin(c+dx)}{x} + \frac{1}{2} (a^2 d) \int \frac{\cos(c+dx)}{x^2} dx + (2abd) \int \frac{\cos(c+dx)}{x} dx \\
&= -\frac{a^2 d \cos(c+dx)}{2x} + b^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{2ab \sin(c+dx)}{x} + b^2 \cos(c) \text{Si}(dx) \\
&= -\frac{a^2 d \cos(c+dx)}{2x} + 2abd \cos(c) \text{Ci}(dx) + b^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{2ab \sin(c+dx)}{x} \\
&= -\frac{a^2 d \cos(c+dx)}{2x} + 2abd \cos(c) \text{Ci}(dx) + b^2 \text{Ci}(dx) \sin(c) - \frac{1}{2} a^2 d^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{2x^2}
\end{aligned}$$

Mathematica [A] time = 0.44, size = 95, normalized size = 0.79

$$\frac{1}{2} \left(\text{Ci}(dx) (\sin(c) (2b^2 - a^2 d^2) + 4abd \cos(c)) + \text{Si}(dx) (\cos(c) (2b^2 - a^2 d^2) - 4abd \sin(c)) - \frac{a((a+4bx) \sin(c+a^2 dx))}{2x^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)^2*Sin[c + d*x])/x^3,x]

[Out] (CosIntegral[d*x]*(4*a*b*d*Cos[c] + (2*b^2 - a^2*d^2)*Sin[c]) - (a*(a*d*x*Cos[c + d*x] + (a + 4*b*x)*Sin[c + d*x]))/x^2 + ((2*b^2 - a^2*d^2)*Cos[c] - 4*a*b*d*Sin[c])*SinIntegral[d*x])/2

fricas [A] time = 0.58, size = 147, normalized size = 1.21

$$\frac{2 a^2 dx \cos(dx + c) - 2 \left(2 abdx^2 \text{Ci}(dx) + 2 abdx^2 \text{Ci}(-dx) - (a^2 d^2 - 2 b^2) x^2 \text{Si}(dx) \right) \cos(c) + 2 \left(4 abx + a^2 \right) \sin(c)}{4 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^3,x, algorithm="fricas")

[Out] -1/4*(2*a^2*d*x*cos(d*x + c) - 2*(2*a*b*d*x^2*cos_integral(d*x) + 2*a*b*d*x^2*cos_integral(-d*x) - (a^2*d^2 - 2*b^2)*x^2*sin_integral(d*x))*cos(c) + 2*(4*a*b*x + a^2)*sin(d*x + c) + (8*a*b*d*x^2*sin_integral(d*x) + (a^2*d^2 - 2*b^2)*x^2*cos_integral(d*x) + (a^2*d^2 - 2*b^2)*x^2*cos_integral(-d*x))*sin(c))/x^2

giac [C] time = 0.99, size = 1182, normalized size = 9.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^3,x, algorithm="giac")

[Out] 1/4*(a^2*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a^2*d^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a^2*d^2*x^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^2*x^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*b*d*x^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*a*b*d*x^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + a^2*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a^2*d^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 - 8*a*b*d*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + 8*a*b*d*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 + 4*a^2*d^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 + 4*a^2*d^2*x^2*sin_integral(-d*x)*tan(1/2*d*x)^2)

```

mag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 8*a*b*d*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 16*a*b*d*x^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + a^2*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a^2*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a^2*d^2*x^2*sin_integral(d*x)*tan(1/2*c)^2 - 2*b^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*b^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*b^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*a*b*d*x^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 + 4*a*b*d*x^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a^2*d^2*x^2*real_part(cos_integral(d*x))*tan(1/2*c) - 2*a^2*d^2*x^2*real_part(cos_integral(-d*x))*tan(1/2*c) + 4*b^2*x^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*b^2*x^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*b*d*x^2*real_part(cos_integral(d*x))*tan(1/2*c)^2 - 4*a*b*d*x^2*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 2*a^2*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^2*x^2*imag_part(cos_integral(d*x)) + a^2*d^2*x^2*imag_part(cos_integral(-d*x)) - 2*a^2*d^2*x^2*sin_integral(d*x) + 2*b^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 - 2*b^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 + 4*b^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 - 8*a*b*d*x^2*imag_part(cos_integral(d*x))*tan(1/2*c) + 8*a*b*d*x^2*imag_part(cos_integral(-d*x))*tan(1/2*c) - 16*a*b*d*x^2*sin_integral(d*x)*tan(1/2*c) - 2*b^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*c)^2 + 2*b^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 - 4*b^2*x^2*sin_integral(d*x)*tan(1/2*c)^2 + 4*a*b*d*x^2*real_part(cos_integral(d*x)) + 4*a*b*d*x^2*real_part(cos_integral(-d*x)) + 2*a^2*d*x*tan(1/2*d*x)^2 + 4*b^2*x^2*real_part(cos_integral(d*x))*tan(1/2*c) + 4*b^2*x^2*real_part(cos_integral(-d*x))*tan(1/2*c) + 8*a^2*d*x*tan(1/2*d*x)*tan(1/2*c) + 16*a*b*x*tan(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d*x*tan(1/2*c)^2 + 16*a*b*x*tan(1/2*d*x)*tan(1/2*c)^2 + 2*b^2*x^2*imag_part(cos_integral(d*x)) - 2*b^2*x^2*imag_part(cos_integral(-d*x)) + 4*b^2*x^2*sin_integral(d*x) + 4*a^2*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*tan(1/2*d*x)*tan(1/2*c)^2 - 2*a^2*d*x - 16*a*b*x*tan(1/2*d*x) - 16*a*b*x*tan(1/2*c) - 4*a^2*tan(1/2*d*x) - 4*a^2*tan(1/2*c))/(x^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + x^2*tan(1/2*d*x)^2 + x^2*tan(1/2*c)^2 + x^2)

```

maple [A] time = 0.04, size = 114, normalized size = 0.94

$$d^2 \left(\frac{b^2 (\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c))}{d^2} + \frac{2ab \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d} + a^2 \left(-\frac{\sin(dx+c)}{2x^2 d^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*sin(d*x+c)/x^3,x)

[Out] d^2*(1/d^2*b^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+2/d*a*b*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))+a^2*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c)))

maxima [C] time = 4.29, size = 187, normalized size = 1.55

$$\frac{\left((a^2(-i\Gamma(-2, idx) + i\Gamma(-2, -idx)) \cos(c) - a^2(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c) \right) d^4 + (4ab(\Gamma(-2, idx) + \Gamma(-2, -idx)) \cos(c) - a^2(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c)) d^3 + (b^2(2i\Gamma(-2, idx) - 2i\Gamma(-2, -idx)) \cos(c) - a^2(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c)) d^2 + (4ab(\Gamma(-2, idx) + \Gamma(-2, -idx)) \cos(c) - a^2(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c)) d + (b^2(2i\Gamma(-2, idx) - 2i\Gamma(-2, -idx)) \cos(c) - a^2(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c))}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^3,x, algorithm="maxima")

[Out] -1/2*(((a^2*(-I*gamma(-2, I*d*x) + I*gamma(-2, -I*d*x))*cos(c) - a^2*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d^4 + (4*a*b*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*cos(c) + a*b*(-4*I*gamma(-2, I*d*x) + 4*I*gamma(-2, -I*d*x))*sin(c))*d^3 + (b^2*(2*I*gamma(-2, I*d*x) - 2*I*gamma(-2, -I*d*x))*cos(c) - a^2*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d^2 + (4*a*b*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*cos(c) - a^2*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d + (b^2*(2*I*gamma(-2, I*d*x) - 2*I*gamma(-2, -I*d*x))*cos(c) - a^2*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c)))

) + 2*b^2*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d^2)*x^2 + 2*b^2*sin(d*x + c) + 2*(b^2*d*x + 2*a*b*d)*cos(d*x + c))/(d^2*x^2)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (a + bx)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x)^2)/x^3,x)

[Out] int((sin(c + d*x)*(a + b*x)^2)/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)^2 \sin(c + dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*sin(d*x+c)/x**3,x)

[Out] Integral((a + b*x)**2*sin(c + d*x)/x**3, x)

3.16 $\int \frac{(a+bx)^2 \sin(c+dx)}{x^4} dx$

Optimal. Leaf size=175

$$-\frac{1}{6}a^2d^3 \cos(c)\text{Ci}(dx) + \frac{1}{6}a^2d^3 \sin(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{6x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{a^2d \cos(c+dx)}{6x^2} - abd^2 \sin(c)\text{Ci}(d$$

[Out] $b^2d*\text{Ci}(d*x)*\cos(c) - 1/6*a^2*d^3*\text{Ci}(d*x)*\cos(c) - 1/6*a^2*d*\cos(d*x+c)/x^2 - a*b*d*\cos(d*x+c)/x - a*b*d^2*\cos(c)*\text{Si}(d*x) - a*b*d^2*\text{Ci}(d*x)*\sin(c) - b^2*d*\text{Si}(d*x)*\sin(c) + 1/6*a^2*d^3*\text{Si}(d*x)*\sin(c) - 1/3*a^2*\sin(d*x+c)/x^3 - a*b*\sin(d*x+c)/x^2 - b^2*\sin(d*x+c)/x + 1/6*a^2*d^2*\sin(d*x+c)/x$

Rubi [A] time = 0.41, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{1}{6}a^2d^3 \cos(c)\text{CosIntegral}(dx) + \frac{1}{6}a^2d^3 \sin(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{6x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{a^2d \cos(c+dx)}{6x^2} - abd^2$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^2*Sin[c + d*x])/x^4, x]

[Out] $-(a^2*d*\text{Cos}[c + d*x])/(6*x^2) - (a*b*d*\text{Cos}[c + d*x])/x + b^2*d*\text{Cos}[c]*\text{CosIntegral}[d*x] - (a^2*d^3*\text{Cos}[c]*\text{CosIntegral}[d*x])/6 - a*b*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c] - (a^2*\text{Sin}[c + d*x])/(3*x^3) - (a*b*\text{Sin}[c + d*x])/x^2 - (b^2*\text{Sin}[c + d*x])/x + (a^2*d^2*\text{Sin}[c + d*x])/(6*x) - a*b*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x] - b^2*d*\text{Sin}[c]*\text{SinIntegral}[d*x] + (a^2*d^3*\text{Sin}[c]*\text{SinIntegral}[d*x])/6$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 \sin(c+dx)}{x^4} dx &= \int \left(\frac{a^2 \sin(c+dx)}{x^4} + \frac{2ab \sin(c+dx)}{x^3} + \frac{b^2 \sin(c+dx)}{x^2} \right) dx \\
&= a^2 \int \frac{\sin(c+dx)}{x^4} dx + (2ab) \int \frac{\sin(c+dx)}{x^3} dx + b^2 \int \frac{\sin(c+dx)}{x^2} dx \\
&= -\frac{a^2 \sin(c+dx)}{3x^3} - \frac{ab \sin(c+dx)}{x^2} - \frac{b^2 \sin(c+dx)}{x} + \frac{1}{3} (a^2 d) \int \frac{\cos(c+dx)}{x^3} dx + (a^2 d) \int \frac{\cos(c+dx)}{x^2} dx + (a^2 d) \int \frac{\cos(c+dx)}{x} dx \\
&= -\frac{a^2 d \cos(c+dx)}{6x^2} - \frac{abd \cos(c+dx)}{x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{ab \sin(c+dx)}{x^2} - \frac{b^2 \sin(c+dx)}{x} \\
&= -\frac{a^2 d \cos(c+dx)}{6x^2} - \frac{abd \cos(c+dx)}{x} + b^2 d \cos(c) \text{Ci}(dx) - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{ab \sin(c+dx)}{x^2} \\
&= -\frac{a^2 d \cos(c+dx)}{6x^2} - \frac{abd \cos(c+dx)}{x} + b^2 d \cos(c) \text{Ci}(dx) - abd^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{3x^3} \\
&= -\frac{a^2 d \cos(c+dx)}{6x^2} - \frac{abd \cos(c+dx)}{x} + b^2 d \cos(c) \text{Ci}(dx) - \frac{1}{6} a^2 d^3 \cos(c) \text{Ci}(dx) - abd^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c+dx)}{3x^3}
\end{aligned}$$

Mathematica [A] time = 0.57, size = 154, normalized size = 0.88

$$\frac{dx^3 \text{Ci}(dx) (\cos(c) (a^2 d^2 - 6b^2) + 6abd \sin(c)) + dx^3 \text{Si}(dx) (-a^2 d^2 \sin(c) + 6abd \cos(c) + 6b^2 \sin(c)) - a^2 d^2 x^2 \sin(c+dx)}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x)^2*Sin[c + d*x])/x^4,x]

[Out] -1/6*(a^2*d*x*Cos[c + d*x] + 6*a*b*d*x^2*Cos[c + d*x] + d*x^3*CosIntegral[d*x]*((-6*b^2 + a^2*d^2)*Cos[c] + 6*a*b*d*Sin[c]) + 2*a^2*Sin[c + d*x] + 6*a*b*x*Sin[c + d*x] + 6*b^2*x^2*Sin[c + d*x] - a^2*d^2*x^2*Sin[c + d*x] + d*x^3*(6*a*b*d*Cos[c] + 6*b^2*Sin[c] - a^2*d^2*Sin[c])*SinIntegral[d*x])/x^3

fricas [A] time = 0.58, size = 186, normalized size = 1.06

$$\frac{2(6abd^2x^2 + a^2dx) \cos(dx + c) + (12abd^2x^3 \text{Si}(dx) + (a^2d^3 - 6b^2d)x^3 \text{Ci}(dx) + (a^2d^3 - 6b^2d)x^3 \text{Ci}(-dx)) \cos(c)}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^4,x, algorithm="fricas")

[Out] -1/12*(2*(6*a*b*d*x^2 + a^2*d*x)*cos(d*x + c) + (12*a*b*d^2*x^3*sin_integral(d*x) + (a^2*d^3 - 6*b^2*d)*x^3*cos_integral(d*x) + (a^2*d^3 - 6*b^2*d)*x^3*cos_integral(-d*x))*cos(c) + 2*(6*a*b*x - (a^2*d^2 - 6*b^2)*x^2 + 2*a^2)*sin(d*x + c) + 2*(3*a*b*d^2*x^3*cos_integral(d*x) + 3*a*b*d^2*x^3*cos_integral(-d*x) - (a^2*d^3 - 6*b^2*d)*x^3*sin_integral(d*x))*sin(c))/x^3

giac [C] time = 0.79, size = 1400, normalized size = 8.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^4,x, algorithm="giac")

[Out] 1/12*(a^2*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a^2*d^3*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a^2*d^3*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^3*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*d^3*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + 6*a*b*d^2*x^3*imag_part

```
(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 6*a*b*d^2*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 12*a*b*d^2*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - a^2*d^3*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 12*a*b*d^2*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 12*a*b*d^2*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + a^2*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*c)^2 + a^2*d^3*x^3*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 6*b^2*d*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 6*b^2*d*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 6*a*b*d^2*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + 6*a*b*d^2*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 12*a*b*d^2*x^3*sin_integral(d*x)*tan(1/2*d*x)^2 + 2*a^2*d^3*x^3*imag_part(cos_integral(d*x))*tan(1/2*c) - 2*a^2*d^3*x^3*imag_part(cos_integral(-d*x))*tan(1/2*c) + 4*a^2*d^3*x^3*sin_integral(d*x)*tan(1/2*c) - 12*b^2*d*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 12*b^2*d*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 24*b^2*d*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + 6*a*b*d^2*x^3*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - 6*a*b*d^2*x^3*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 12*a*b*d^2*x^3*sin_integral(d*x)*tan(1/2*c)^2 - a^2*d^3*x^3*real_part(cos_integral(d*x)) - a^2*d^3*x^3*real_part(cos_integral(-d*x)) + 6*b^2*d*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 + 6*b^2*d*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 12*a*b*d^2*x^3*real_part(cos_integral(d*x))*tan(1/2*c) - 12*a*b*d^2*x^3*real_part(cos_integral(-d*x))*tan(1/2*c) - 4*a^2*d^2*x^2*tan(1/2*d*x)^2*tan(1/2*c) - 6*b^2*d*x^3*real_part(cos_integral(d*x))*tan(1/2*c)^2 - 6*b^2*d*x^3*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 4*a^2*d^2*x^2*tan(1/2*d*x)*tan(1/2*c)^2 - 12*a*b*d*x^2*tan(1/2*d*x)^2*tan(1/2*c)^2 - 6*a*b*d^2*x^3*imag_part(cos_integral(d*x)) + 6*a*b*d^2*x^3*imag_part(cos_integral(-d*x)) - 12*a*b*d^2*x^3*sin_integral(d*x) - 12*b^2*d*x^3*imag_part(cos_integral(d*x))*tan(1/2*c) + 12*b^2*d*x^3*imag_part(cos_integral(-d*x))*tan(1/2*c) - 24*b^2*d*x^3*sin_integral(d*x)*tan(1/2*c) - 2*a^2*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 + 6*b^2*d*x^3*real_part(cos_integral(d*x)) + 6*b^2*d*x^3*real_part(cos_integral(-d*x)) + 4*a^2*d^2*x^2*tan(1/2*d*x) + 12*a*b*d*x^2*tan(1/2*d*x)^2 + 4*a^2*d^2*x^2*tan(1/2*c) + 48*a*b*d*x^2*tan(1/2*d*x)*tan(1/2*c) + 24*b^2*x^2*tan(1/2*d*x)^2*tan(1/2*c) + 12*a*b*d*x^2*tan(1/2*c)^2 + 24*b^2*x^2*tan(1/2*d*x)*tan(1/2*c)^2 + 2*a^2*d*x*tan(1/2*d*x)^2 + 8*a^2*d*x*tan(1/2*d*x)*tan(1/2*c) + 24*a*b*x*tan(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d*x*tan(1/2*c)^2 + 24*a*b*x*tan(1/2*d*x)*tan(1/2*c)^2 - 12*a*b*d*x^2 - 24*b^2*x^2*tan(1/2*d*x) - 24*b^2*x^2*tan(1/2*c) + 8*a^2*tan(1/2*d*x)^2*tan(1/2*c) + 8*a^2*tan(1/2*d*x)*tan(1/2*c)^2 - 2*a^2*d*x - 24*a*b*x*tan(1/2*d*x) - 24*a*b*x*tan(1/2*c) - 8*a^2*tan(1/2*d*x) - 8*a^2*tan(1/2*c))/(x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 + x^3*tan(1/2*d*x)^2 + x^3*tan(1/2*c)^2 + x^3)
```

maple [A] time = 0.04, size = 158, normalized size = 0.90

$$d^3 \left(\frac{b^2 \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d^2} + \frac{2ab \left(-\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx) \cos(c)}{2} - \frac{\text{Ci}(dx) \sin(c)}{2} \right)}{d} \right) + a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*sin(d*x+c)/x^4,x)

[Out] d^3*(1/d^2*b^2*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))+2/d*a*b*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c))+a^2*(-1/3*sin(d*x+c)/x^3/d^3-1/6*cos(d*x+c)/x^2/d^2+1/6*sin(d*x+c)/x/d+1/6*Si(d*x)*sin(c)-1/6*Ci(d*x)*cos(c)))

maxima [C] time = 5.67, size = 188, normalized size = 1.07

$$\left((a^2(\Gamma(-3, idx) + \Gamma(-3, -idx)) \cos(c) + a^2(-i\Gamma(-3, idx) + i\Gamma(-3, -idx)) \sin(c) \right) d^5 + (ab(6i\Gamma(-3, idx) - 6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^4,x, algorithm="maxima")

[Out]
$$-1/2*((a^2*(\gamma(-3, I*d*x) + \gamma(-3, -I*d*x))*\cos(c) + a^2*(-I*\gamma(-3, I*d*x) + I*\gamma(-3, -I*d*x))*\sin(c))*d^5 + (a*b*(6*I*\gamma(-3, I*d*x) - 6*I*\gamma(-3, -I*d*x))*\cos(c) + 6*a*b*(\gamma(-3, I*d*x) + \gamma(-3, -I*d*x))*\sin(c))*d^4 - (6*b^2*(\gamma(-3, I*d*x) + \gamma(-3, -I*d*x))*\cos(c) - b^2*(6*I*\gamma(-3, I*d*x) - 6*I*\gamma(-3, -I*d*x))*\sin(c))*d^3)*x^3 + 4*b^2*\sin(d*x + c) + 2*(b^2*d*x + 2*a*b*d)*\cos(d*x + c))/(d^2*x^3)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (a + bx)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x)^2)/x^4,x)

[Out] int((sin(c + d*x)*(a + b*x)^2)/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)^2 \sin(c + dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*sin(d*x+c)/x**4,x)

[Out] Integral((a + b*x)**2*sin(c + d*x)/x**4, x)

$$3.17 \quad \int \frac{(a+bx)^2 \sin(c+dx)}{x^5} dx$$

Optimal. Leaf size=248

$$\frac{1}{24} a^2 d^4 \sin(c) \text{Ci}(dx) + \frac{1}{24} a^2 d^4 \cos(c) \text{Si}(dx) + \frac{a^2 d^3 \cos(c+dx)}{24x} + \frac{a^2 d^2 \sin(c+dx)}{24x^2} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{a^2 d \cos(c+dx)}{12x^3}$$

[Out] $-1/3*a*b*d^3*\text{Ci}(d*x)*\cos(c)-1/12*a^2*d*\cos(d*x+c)/x^3-1/3*a*b*d*\cos(d*x+c)/x^2-1/2*b^2*d*\cos(d*x+c)/x+1/24*a^2*d^3*\cos(d*x+c)/x-1/2*b^2*d^2*\cos(c)*\text{Si}(d*x)+1/24*a^2*d^4*\cos(c)*\text{Si}(d*x)-1/2*b^2*d^2*\text{Ci}(d*x)*\sin(c)+1/24*a^2*d^4*\text{Ci}(d*x)*\sin(c)+1/3*a*b*d^3*\text{Si}(d*x)*\sin(c)-1/4*a^2*\sin(d*x+c)/x^4-2/3*a*b*\sin(d*x+c)/x^3-1/2*b^2*\sin(d*x+c)/x^2+1/24*a^2*d^2*\sin(d*x+c)/x^2+1/3*a*b*d^2*\sin(d*x+c)/x$

Rubi [A] time = 0.48, antiderivative size = 248, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{1}{24} a^2 d^4 \sin(c) \text{CosIntegral}(dx) + \frac{1}{24} a^2 d^4 \cos(c) \text{Si}(dx) + \frac{a^2 d^2 \sin(c+dx)}{24x^2} + \frac{a^2 d^3 \cos(c+dx)}{24x} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{a^2 d \cos(c+dx)}{12x^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x)^2*Sin[c + d*x])/x^5,x]

[Out] $-(a^2*d*\text{Cos}[c + d*x])/(12*x^3) - (a*b*d*\text{Cos}[c + d*x])/(3*x^2) - (b^2*d*\text{Cos}[c + d*x])/(2*x) + (a^2*d^3*\text{Cos}[c + d*x])/(24*x) - (a*b*d^3*\text{Cos}[c]*\text{CosIntegral}[d*x])/3 - (b^2*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 + (a^2*d^4*\text{CosIntegral}[d*x]*\text{Sin}[c])/24 - (a^2*\text{Sin}[c + d*x])/(4*x^4) - (2*a*b*\text{Sin}[c + d*x])/(3*x^3) - (b^2*\text{Sin}[c + d*x])/(2*x^2) + (a^2*d^2*\text{Sin}[c + d*x])/(24*x^2) + (a*b*d^2*\text{Sin}[c + d*x])/(3*x) - (b^2*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2 + (a^2*d^4*\text{Cos}[c]*\text{SinIntegral}[d*x])/24 + (a*b*d^3*\text{Sin}[c]*\text{SinIntegral}[d*x])/3$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a+bx)^2 \sin(c+dx)}{x^5} dx &= \int \left(\frac{a^2 \sin(c+dx)}{x^5} + \frac{2ab \sin(c+dx)}{x^4} + \frac{b^2 \sin(c+dx)}{x^3} \right) dx \\
&= a^2 \int \frac{\sin(c+dx)}{x^5} dx + (2ab) \int \frac{\sin(c+dx)}{x^4} dx + b^2 \int \frac{\sin(c+dx)}{x^3} dx \\
&= -\frac{a^2 \sin(c+dx)}{4x^4} - \frac{2ab \sin(c+dx)}{3x^3} - \frac{b^2 \sin(c+dx)}{2x^2} + \frac{1}{4} (a^2 d) \int \frac{\cos(c+dx)}{x^4} dx + \dots \\
&= -\frac{a^2 d \cos(c+dx)}{12x^3} - \frac{abd \cos(c+dx)}{3x^2} - \frac{b^2 d \cos(c+dx)}{2x} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{2ab \sin(c+dx)}{3x^3} \\
&= -\frac{a^2 d \cos(c+dx)}{12x^3} - \frac{abd \cos(c+dx)}{3x^2} - \frac{b^2 d \cos(c+dx)}{2x} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{2ab \sin(c+dx)}{3x^3} \\
&= -\frac{a^2 d \cos(c+dx)}{12x^3} - \frac{abd \cos(c+dx)}{3x^2} - \frac{b^2 d \cos(c+dx)}{2x} + \frac{a^2 d^3 \cos(c+dx)}{24x} - \frac{1}{2} b^2 d^2 \sin(c+dx) \\
&= -\frac{a^2 d \cos(c+dx)}{12x^3} - \frac{abd \cos(c+dx)}{3x^2} - \frac{b^2 d \cos(c+dx)}{2x} + \frac{a^2 d^3 \cos(c+dx)}{24x} - \frac{1}{3} abd^3 \sin(c+dx) \\
&= -\frac{a^2 d \cos(c+dx)}{12x^3} - \frac{abd \cos(c+dx)}{3x^2} - \frac{b^2 d \cos(c+dx)}{2x} + \frac{a^2 d^3 \cos(c+dx)}{24x} - \frac{1}{3} abd^3 \sin(c+dx)
\end{aligned}$$

Mathematica [A] time = 0.49, size = 204, normalized size = 0.82

$$\frac{d^2 x^4 \text{Ci}(dx) (\sin(c) (a^2 d^2 - 12b^2) - 8abd \cos(c)) + d^2 x^4 \text{Si}(dx) (a^2 d^2 \cos(c) + 8abd \sin(c) - 12b^2 \cos(c)) + a^2 d^3 x^3 \cos(c) - \frac{1}{3} abd^3 \sin(c)}{24x^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x)^2*Sin[c + d*x])/x^5,x]
```

```
[Out] (-2*a^2*d*x*Cos[c + d*x] - 8*a*b*d*x^2*Cos[c + d*x] - 12*b^2*d*x^3*Cos[c + d*x] + a^2*d^3*x^3*Cos[c + d*x] + d^2*x^4*CosIntegral[d*x]*(-8*a*b*d*Cos[c] + (-12*b^2 + a^2*d^2)*Sin[c]) - 6*a^2*Sin[c + d*x] - 16*a*b*x*Sin[c + d*x] - 12*b^2*x^2*Sin[c + d*x] + a^2*d^2*x^2*Sin[c + d*x] + 8*a*b*d^2*x^3*Sin[c + d*x] + d^2*x^4*(-12*b^2*Cos[c] + a^2*d^2*Cos[c] + 8*a*b*d*Sin[c])*SinIntegral[d*x])/(24*x^4)
```

fricas [A] time = 0.64, size = 222, normalized size = 0.90

$$\frac{2(8abd^2x^2 + 2a^2dx - (a^2d^3 - 12b^2d)x^3) \cos(dx + c) + 2(4abd^3x^4 \text{Ci}(dx) + 4abd^3x^4 \text{Ci}(-dx) - (a^2d^4 - 12b^2d^2)x^3) \sin(dx + c)}{24x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x+a)^2*sin(d*x+c)/x^5,x, algorithm="fricas")
```

```
[Out] -1/48*(2*(8*a*b*d*x^2 + 2*a^2*d*x - (a^2*d^3 - 12*b^2*d)*x^3)*cos(d*x + c) + 2*(4*a*b*d^3*x^4*cos_integral(d*x) + 4*a*b*d^3*x^4*cos_integral(-d*x) - (a^2*d^4 - 12*b^2*d^2)*x^4*sin_integral(d*x))*cos(c) - 2*(8*a*b*d^2*x^3 - 16*a*b*x + (a^2*d^2 - 12*b^2)*x^2 - 6*a^2)*sin(d*x + c) - (16*a*b*d^3*x^4*sin_integral(d*x) + (a^2*d^4 - 12*b^2*d^2)*x^4*cos_integral(d*x) + (a^2*d^4 - 12*b^2*d^2)*x^4*cos_integral(-d*x))*sin(c))/x^4
```

giac [C] time = 0.43, size = 1712, normalized size = 6.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^5,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/48*(a^2*d^4*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 \\ & - a^2*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + \\ & 2*a^2*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a^2*d^4*x^4 \\ & *real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^4*x^4*rea \\ & l_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 8*a*b*d^3*x^4*real_p \\ & art(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 8*a*b*d^3*x^4*real_par \\ & t(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^4*x^4*imag_part(c \\ & os_integral(d*x))*tan(1/2*d*x)^2 + a^2*d^4*x^4*imag_part(cos_integral(-d*x) \\ &)*tan(1/2*d*x)^2 - 2*a^2*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 - 16*a*b* \\ & d^3*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 16*a*b*d^3 \\ & *x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 32*a*b*d^3*x \\ & ^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + a^2*d^4*x^4*imag_part(cos_ \\ & integral(d*x))*tan(1/2*c)^2 - a^2*d^4*x^4*imag_part(cos_integral(-d*x))*tan \\ & (1/2*c)^2 + 2*a^2*d^4*x^4*sin_integral(d*x)*tan(1/2*c)^2 - 12*b^2*d^2*x^4*i \\ & mag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 12*b^2*d^2*x^4*im \\ & ag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 24*b^2*d^2*x^4*si \\ & n_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 + 8*a*b*d^3*x^4*real_part(cos_i \\ & ntegral(d*x))*tan(1/2*d*x)^2 + 8*a*b*d^3*x^4*real_part(cos_integral(-d*x))* \\ & tan(1/2*d*x)^2 - 2*a^2*d^4*x^4*real_part(cos_integral(d*x))*tan(1/2*c) - 2* \\ & a^2*d^4*x^4*real_part(cos_integral(-d*x))*tan(1/2*c) + 24*b^2*d^2*x^4*real_ \\ & part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 24*b^2*d^2*x^4*real_par \\ & t(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 8*a*b*d^3*x^4*real_part(c \\ & os_integral(d*x))*tan(1/2*c)^2 - 8*a*b*d^3*x^4*real_part(cos_integral(-d*x) \\ &)*tan(1/2*c)^2 - 2*a^2*d^3*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^4*x^4*im \\ & ag_part(cos_integral(d*x)) + a^2*d^4*x^4*imag_part(cos_integral(-d*x)) - 2* \\ & a^2*d^4*x^4*sin_integral(d*x) + 12*b^2*d^2*x^4*imag_part(cos_integral(d*x)) \\ & *tan(1/2*d*x)^2 - 12*b^2*d^2*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x) \\ & ^2 + 24*b^2*d^2*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 - 16*a*b*d^3*x^4*imag_ \\ & part(cos_integral(d*x))*tan(1/2*c) + 16*a*b*d^3*x^4*imag_part(cos_integral(\\ & -d*x))*tan(1/2*c) - 32*a*b*d^3*x^4*sin_integral(d*x)*tan(1/2*c) - 12*b^2*d^ \\ & 2*x^4*imag_part(cos_integral(d*x))*tan(1/2*c)^2 + 12*b^2*d^2*x^4*imag_part(\\ & cos_integral(-d*x))*tan(1/2*c)^2 - 24*b^2*d^2*x^4*sin_integral(d*x)*tan(1/ \\ & 2*c)^2 + 8*a*b*d^3*x^4*real_part(cos_integral(d*x)) + 8*a*b*d^3*x^4*real_par \\ & t(cos_integral(-d*x)) + 2*a^2*d^3*x^3*tan(1/2*d*x)^2 + 24*b^2*d^2*x^4*real_ \\ & part(cos_integral(d*x))*tan(1/2*c) + 24*b^2*d^2*x^4*real_part(cos_integral(\\ & -d*x))*tan(1/2*c) + 8*a^2*d^3*x^3*tan(1/2*d*x)*tan(1/2*c) + 32*a*b*d^2*x^3* \\ & tan(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d^3*x^3*tan(1/2*c)^2 + 32*a*b*d^2*x^3*tan \\ & (1/2*d*x)*tan(1/2*c)^2 + 24*b^2*d*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 + 12*b^2* \\ & d^2*x^4*imag_part(cos_integral(d*x)) - 12*b^2*d^2*x^4*imag_part(cos_integra \\ & l(-d*x)) + 24*b^2*d^2*x^4*sin_integral(d*x) + 4*a^2*d^2*x^2*tan(1/2*d*x)^2* \\ & tan(1/2*c) + 4*a^2*d^2*x^2*tan(1/2*d*x)*tan(1/2*c)^2 + 16*a*b*d*x^2*tan(1/ \\ & 2*d*x)^2*tan(1/2*c)^2 - 2*a^2*d^3*x^3 - 32*a*b*d^2*x^3*tan(1/2*d*x) - 24*b^2 \\ & *d*x^3*tan(1/2*d*x)^2 - 32*a*b*d^2*x^3*tan(1/2*c) - 96*b^2*d*x^3*tan(1/2*d* \\ & x)*tan(1/2*c) - 24*b^2*d*x^3*tan(1/2*c)^2 + 4*a^2*d*x*tan(1/2*d*x)^2*tan(1/ \\ & 2*c)^2 - 4*a^2*d^2*x^2*tan(1/2*d*x) - 16*a*b*d*x^2*tan(1/2*d*x)^2 - 4*a^2*d \\ & ^2*x^2*tan(1/2*c) - 64*a*b*d*x^2*tan(1/2*d*x)*tan(1/2*c) - 48*b^2*x^2*tan(1/ \\ & 2*d*x)^2*tan(1/2*c) - 16*a*b*d*x^2*tan(1/2*c)^2 - 48*b^2*x^2*tan(1/2*d*x)* \\ & tan(1/2*c)^2 + 24*b^2*d*x^3 - 4*a^2*d*x*tan(1/2*d*x)^2 - 16*a^2*d*x*tan(1/ \\ & 2*d*x)*tan(1/2*c) - 64*a*b*x*tan(1/2*d*x)^2*tan(1/2*c) - 4*a^2*d*x*tan(1/2*c \\ &)^2 - 64*a*b*x*tan(1/2*d*x)*tan(1/2*c)^2 + 16*a*b*d*x^2 + 48*b^2*x^2*tan(1/ \\ & 2*d*x) + 48*b^2*x^2*tan(1/2*c) - 24*a^2*tan(1/2*d*x)^2*tan(1/2*c) - 24*a^2* \\ & tan(1/2*d*x)*tan(1/2*c)^2 + 4*a^2*d*x + 64*a*b*x*tan(1/2*d*x) + 64*a*b*x*ta \\ & n(1/2*c) + 24*a^2*tan(1/2*d*x) + 24*a^2*tan(1/2*c))/(x^4*tan(1/2*d*x)^2*tan \\ & (1/2*c)^2 + x^4*tan(1/2*d*x)^2 + x^4*tan(1/2*c)^2 + x^4) \end{aligned}$$

maple [A] time = 0.04, size = 201, normalized size = 0.81

$$d^4 \left(\frac{b^2 \left(-\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx)\cos(c)}{2} - \frac{\text{Ci}(dx)\sin(c)}{2} \right)}{d^2} + \frac{2ab \left(-\frac{\sin(dx+c)}{3x^3d^3} - \frac{\cos(dx+c)}{6x^2d^2} + \frac{\sin(dx+c)}{6xd} + \frac{\text{Si}(dx)\sin(c)}{6} - \frac{\text{Ci}(dx)\cos(c)}{6} \right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x+a)^2*sin(d*x+c)/x^5,x)

[Out] d^4*(1/d^2*b^2*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c))+2/d*a*b*(-1/3*sin(d*x+c)/x^3/d^3-1/6*cos(d*x+c)/x^2/d^2+1/6*sin(d*x+c)/x/d+1/6*Si(d*x)*sin(c)-1/6*Ci(d*x)*cos(c))+a^2*(-1/4*sin(d*x+c)/x^4/d^4-1/12*cos(d*x+c)/x^3/d^3+1/24*sin(d*x+c)/x^2/d^2+1/24*cos(d*x+c)/x/d+1/24*Si(d*x)*cos(c)+1/24*Ci(d*x)*sin(c)))

maxima [C] time = 6.00, size = 188, normalized size = 0.76

$$\frac{\left((a^2(i\Gamma(-4, idx) - i\Gamma(-4, -idx))\cos(c) + a^2(\Gamma(-4, idx) + \Gamma(-4, -idx))\sin(c))d^6 - (8ab(\Gamma(-4, idx) + \Gamma(-4, -idx))\cos(c) + a^2(\Gamma(-4, idx) + \Gamma(-4, -idx))\sin(c))d^5 \right)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)^2*sin(d*x+c)/x^5,x, algorithm="maxima")

[Out] -1/2*((a^2*(I*gamma(-4, I*d*x) - I*gamma(-4, -I*d*x))*cos(c) + a^2*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*sin(c))*d^6 - (8*a*b*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*cos(c) - a*b*(8*I*gamma(-4, I*d*x) - 8*I*gamma(-4, -I*d*x))*sin(c))*d^5 + (b^2*(-12*I*gamma(-4, I*d*x) + 12*I*gamma(-4, -I*d*x))*cos(c) - 12*b^2*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*sin(c))*d^4)*x^4 + 6*b^2*sin(d*x + c) + 2*(b^2*d*x + 2*a*b*d)*cos(d*x + c))/(d^2*x^4)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx) (a + bx)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x)^2)/x^5,x)

[Out] int((sin(c + d*x)*(a + b*x)^2)/x^5, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx)^2 \sin(c + dx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x+a)**2*sin(d*x+c)/x**5,x)

[Out] Integral((a + b*x)**2*sin(c + d*x)/x**5, x)

3.18 $\int \frac{x^4 \sin(c+dx)}{a+bx} dx$

Optimal. Leaf size=218

$$\frac{a^4 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^5} + \frac{a^4 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^5} + \frac{a^3 \cos(c + dx)}{b^4 d} + \frac{a^2 \sin(c + dx)}{b^3 d^2} - \frac{a^2 x \cos(c + dx)}{b^3 d} - \frac{2}{b^3 d}$$

[Out] $-2*a*\cos(d*x+c)/b^2/d^3+a^3*\cos(d*x+c)/b^4/d+6*x*\cos(d*x+c)/b/d^3-a^2*x*\cos(d*x+c)/b^3/d+a*x^2*\cos(d*x+c)/b^2/d-x^3*\cos(d*x+c)/b/d+a^4*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^5-a^4*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^5-6*\sin(d*x+c)/b/d^4+a^2*\sin(d*x+c)/b^3/d^2-2*a*x*\sin(d*x+c)/b^2/d^2+3*x^2*\sin(d*x+c)/b/d^2$

Rubi [A] time = 0.46, antiderivative size = 218, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {6742, 2638, 3296, 2637, 3303, 3299, 3302}

$$\frac{a^4 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^5} + \frac{a^2 \sin(c + dx)}{b^3 d^2} + \frac{a^4 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^5} + \frac{a^3 \cos(c + dx)}{b^4 d} - \frac{a^2 x \cos(c + dx)}{b^3 d} - \frac{2}{b^3 d}$$

Antiderivative was successfully verified.

[In] `Int[(x^4*Sin[c + d*x])/(a + b*x), x]`

[Out] $(-2*a*\text{Cos}[c + d*x])/(b^2*d^3) + (a^3*\text{Cos}[c + d*x])/(b^4*d) + (6*x*\text{Cos}[c + d*x])/(b*d^3) - (a^2*x*\text{Cos}[c + d*x])/(b^3*d) + (a*x^2*\text{Cos}[c + d*x])/(b^2*d) - (x^3*\text{Cos}[c + d*x])/(b*d) + (a^4*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^5 - (6*\text{Sin}[c + d*x])/(b*d^4) + (a^2*\text{Sin}[c + d*x])/(b^3*d^2) - (2*a*x*\text{Sin}[c + d*x])/(b^2*d^2) + (3*x^2*\text{Sin}[c + d*x])/(b*d^2) + (a^4*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^5$

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[`
`e + f*x], x], x] /;`
`FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[`
`SinIntegral[e + f*x]/d, x] /;`
`FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[`
`CosIntegral[e - Pi/2 + f*x]/d, x] /;`
`FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\begin{aligned} \int \frac{x^4 \sin(c + dx)}{a + bx} dx &= \int \left(-\frac{a^3 \sin(c + dx)}{b^4} + \frac{a^2 x \sin(c + dx)}{b^3} - \frac{ax^2 \sin(c + dx)}{b^2} + \frac{x^3 \sin(c + dx)}{b} + \frac{a^4 \sin(c + dx)}{b^4(a + bx)} \right) dx \\ &= -\frac{a^3 \int \sin(c + dx) dx}{b^4} + \frac{a^4 \int \frac{\sin(c+dx)}{a+bx} dx}{b^4} + \frac{a^2 \int x \sin(c + dx) dx}{b^3} - \frac{a \int x^2 \sin(c + dx) dx}{b^2} + \int \frac{x^3 \sin(c + dx)}{b} dx \\ &= \frac{a^3 \cos(c + dx)}{b^4 d} - \frac{a^2 x \cos(c + dx)}{b^3 d} + \frac{ax^2 \cos(c + dx)}{b^2 d} - \frac{x^3 \cos(c + dx)}{bd} + \frac{a^2 \int \cos(c + dx) dx}{b^3 d} \\ &= \frac{a^3 \cos(c + dx)}{b^4 d} - \frac{a^2 x \cos(c + dx)}{b^3 d} + \frac{ax^2 \cos(c + dx)}{b^2 d} - \frac{x^3 \cos(c + dx)}{bd} + \frac{a^4 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin(c + dx)}{b^5} \\ &= -\frac{2a \cos(c + dx)}{b^2 d^3} + \frac{a^3 \cos(c + dx)}{b^4 d} + \frac{6x \cos(c + dx)}{bd^3} - \frac{a^2 x \cos(c + dx)}{b^3 d} + \frac{ax^2 \cos(c + dx)}{b^2 d} \\ &= -\frac{2a \cos(c + dx)}{b^2 d^3} + \frac{a^3 \cos(c + dx)}{b^4 d} + \frac{6x \cos(c + dx)}{bd^3} - \frac{a^2 x \cos(c + dx)}{b^3 d} + \frac{ax^2 \cos(c + dx)}{b^2 d} \end{aligned}$$

Mathematica [A] time = 0.69, size = 158, normalized size = 0.72

$$\frac{a^4 d^4 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) + a^4 d^4 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + b\left(b\left(a^2 d^2 - 2abd^2 x + 3b^2\left(d^2 x^2 - 2\right)\right) \sin(c + dx) + b^5 d^4}{b^5 d^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^4*Sin[c + d*x])/(a + b*x), x]
```

```
[Out] (a^4*d^4*CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + b*(d*(a^3*d^2 - a^2*b*d^2*x + b^3*x*(6 - d^2*x^2) + a*b^2*(-2 + d^2*x^2))*Cos[c + d*x] + b*(a^2*d^2 - 2*a*b*d^2*x + 3*b^2*(-2 + d^2*x^2))*Sin[c + d*x]) + a^4*d^4*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)]/(b^5*d^4)
```

fricas [A] time = 0.92, size = 213, normalized size = 0.98

$$\frac{2 a^4 d^4 \cos\left(-\frac{bc-ad}{b}\right) \text{Si}\left(\frac{bdx+ad}{b}\right) - 2\left(b^4 d^3 x^3 - ab^3 d^3 x^2 - a^3 b d^3 + 2 ab^3 d + \left(a^2 b^2 d^3 - 6 b^4 d\right) x\right) \cos(dx + c) + 2\left(3 b^4 d^3 x^3 - a^2 b^3 d^3 x^2 - a^3 b^2 d^3 + 2 a^2 b^3 d + \left(a^2 b^2 d^3 - 6 b^4 d\right) x\right) \sin(dx + c)}{2 b^5 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*sin(d*x+c)/(b*x+a), x, algorithm="fricas")
```

```
[Out] 1/2*(2*a^4*d^4*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b) - 2*(b^4*d^3*x^3 - a*b^3*d^3*x^2 - a^3*b*d^3 + 2*a*b^3*d + (a^2*b^2*d^3 - 6*b^4*d)*x)*cos(d*x + c) + 2*(3*b^4*d^3*x^3 - 2*a*b^3*d^3*x^2 + a^2*b^2*d^3 - 6*b^4*d)*sin
```



```

an(1/2*c)^2 + a^4*d^4*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2 -
2*a^4*d^4*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)^2 + 12*b^4*d^2*x^2*tan(1
/2*d*x + 1/2*c)*tan(1/2*c)^2 - 2*a^3*b*d^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c
)^2 + 4*a^4*d^4*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)*tan(1/2*a*d
/b) - 4*a^4*d^4*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)*tan(1/2*a*
d/b) + 8*a^4*d^4*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)*tan(1/2*a*d/b) +
2*a*b^3*d^3*x^2*tan(1/2*a*d/b)^2 - a^4*d^4*imag_part(cos_integral(d*x + a*d
/b))*tan(1/2*a*d/b)^2 + a^4*d^4*imag_part(cos_integral(-d*x - a*d/b))*tan(1
/2*a*d/b)^2 - 2*a^4*d^4*sin_integral((b*d*x + a*d)/b)*tan(1/2*a*d/b)^2 + 12
*b^4*d^2*x^2*tan(1/2*d*x + 1/2*c)*tan(1/2*a*d/b)^2 - 2*a^3*b*d^3*tan(1/2*d*
x + 1/2*c)^2*tan(1/2*a*d/b)^2 + 2*a^3*b*d^3*tan(1/2*c)^2*tan(1/2*a*d/b)^2 +
4*a^2*b^2*d^2*tan(1/2*d*x + 1/2*c)*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 4*a*b^3
*d*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - 2*b^4*d^3*x^3 + 2
*a^2*b^2*d^3*x*tan(1/2*d*x + 1/2*c)^2 + 2*a^4*d^4*real_part(cos_integral(d*
x + a*d/b))*tan(1/2*c) + 2*a^4*d^4*real_part(cos_integral(-d*x - a*d/b))*ta
n(1/2*c) - 2*a^2*b^2*d^3*x*tan(1/2*c)^2 - 8*a*b^3*d^2*x*tan(1/2*d*x + 1/2*c
)*tan(1/2*c)^2 - 12*b^4*d*x*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 - 2*a^4*d^4
*real_part(cos_integral(d*x + a*d/b))*tan(1/2*a*d/b) - 2*a^4*d^4*real_part(
cos_integral(-d*x - a*d/b))*tan(1/2*a*d/b) - 2*a^2*b^2*d^3*x*tan(1/2*a*d/b)
^2 - 8*a*b^3*d^2*x*tan(1/2*d*x + 1/2*c)*tan(1/2*a*d/b)^2 - 12*b^4*d*x*tan(1
/2*d*x + 1/2*c)^2*tan(1/2*a*d/b)^2 + 12*b^4*d*x*tan(1/2*c)^2*tan(1/2*a*d/b)
^2 + 2*a*b^3*d^3*x^2 + a^4*d^4*imag_part(cos_integral(d*x + a*d/b)) - a^4*d
^4*imag_part(cos_integral(-d*x - a*d/b)) + 2*a^4*d^4*sin_integral((b*d*x +
a*d)/b) + 12*b^4*d^2*x^2*tan(1/2*d*x + 1/2*c) - 2*a^3*b*d^3*tan(1/2*d*x + 1
/2*c)^2 + 2*a^3*b*d^3*tan(1/2*c)^2 + 4*a^2*b^2*d^2*tan(1/2*d*x + 1/2*c)*tan
(1/2*c)^2 + 4*a*b^3*d*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 + 2*a^3*b*d^3*tan
(1/2*a*d/b)^2 + 4*a^2*b^2*d^2*tan(1/2*d*x + 1/2*c)*tan(1/2*a*d/b)^2 + 4*a*b
^3*d*tan(1/2*d*x + 1/2*c)^2*tan(1/2*a*d/b)^2 - 4*a*b^3*d*tan(1/2*c)^2*tan(1
/2*a*d/b)^2 - 24*b^4*tan(1/2*d*x + 1/2*c)*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - 2
*a^2*b^2*d^3*x - 8*a*b^3*d^2*x*tan(1/2*d*x + 1/2*c) - 12*b^4*d*x*tan(1/2*d*
x + 1/2*c)^2 + 12*b^4*d*x*tan(1/2*c)^2 + 12*b^4*d*x*tan(1/2*a*d/b)^2 + 2*a^
3*b*d^3 + 4*a^2*b^2*d^2*tan(1/2*d*x + 1/2*c) + 4*a*b^3*d*tan(1/2*d*x + 1/2*
c)^2 - 4*a*b^3*d*tan(1/2*c)^2 - 24*b^4*tan(1/2*d*x + 1/2*c)*tan(1/2*c)^2 -
4*a*b^3*d*tan(1/2*a*d/b)^2 - 24*b^4*tan(1/2*d*x + 1/2*c)*tan(1/2*a*d/b)^2 +
12*b^4*d*x - 4*a*b^3*d - 24*b^4*tan(1/2*d*x + 1/2*c))/(b^5*d^4*tan(1/2*d*x
+ 1/2*c)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + b^5*d^4*tan(1/2*d*x + 1/2*c)^2*
tan(1/2*c)^2 + b^5*d^4*tan(1/2*d*x + 1/2*c)^2*tan(1/2*a*d/b)^2 + b^5*d^4*ta
n(1/2*c)^2*tan(1/2*a*d/b)^2 + b^5*d^4*tan(1/2*d*x + 1/2*c)^2 + b^5*d^4*tan(
1/2*c)^2 + b^5*d^4*tan(1/2*a*d/b)^2 + b^5*d^4)

```

maple [B] time = 0.03, size = 777, normalized size = 3.56

$$\frac{(a^4d^4 - 4a^3bcd^3 + 6a^2b^2c^2d^2 - 4ab^3c^3d + b^4c^4)d \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b^4} + \frac{(-a^3d^3 + 3a^2bc d^2 - 3ab^2c^2d + b^3c^3 + a^2bd^2 - 2abd + b^2c^2)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*sin(d*x+c)/(b*x+a), x)

```

[Out] 1/d^5*((a^4*d^4-4*a^3*b*c*d^3+6*a^2*b^2*c^2*d^2-4*a*b^3*c^3*d+b^4*c^4)*d/b^
4*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-
b*c)/b)/b)+(-a^3*d^3+3*a^2*b*c*d^2-3*a*b^2*c^2*d+b^3*c^3+a^2*b*d^2-2*a*b^2*
c*d+b^3*c^2-a*b^2*d+b^3*c+b^3)*d/b^4*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin
(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))+4*(a^3*d^3-3*a^2*b*c*d^2+3*a*b^2
*c^2*d-b^3*c^3)*d*c/b^3*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+
(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)-4*d*c*(a^2*d^2-2*a*b*c*d+b^2*c^2-a*b*d+b^2
*c+b^2)/b^3*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+6*(a^
2*d^2-2*a*b*c*d+b^2*c^2)*d*c^2/b^2*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/

```


$b - \text{Ci}\left(\frac{d*x+c+(a*d-b*c)}{b}\right) * \sin\left(\frac{(a*d-b*c)}{b}\right) / b + 6 * (-a*d+b*c+b) * d*c^2 / b^2 * (\sin(d*x+c) - (d*x+c) * \cos(d*x+c)) + 4 * (a*d-b*c) * d*c^3 / b * (\text{Si}\left(\frac{d*x+c+(a*d-b*c)}{b}\right) * \cos\left(\frac{(a*d-b*c)}{b}\right) / b - \text{Ci}\left(\frac{d*x+c+(a*d-b*c)}{b}\right) * \sin\left(\frac{(a*d-b*c)}{b}\right) / b) + 4 * d*c^3 / b * \cos(d*x+c) + d*c^4 * (\text{Si}\left(\frac{d*x+c+(a*d-b*c)}{b}\right) * \cos\left(\frac{(a*d-b*c)}{b}\right) / b - \text{Ci}\left(\frac{d*x+c+(a*d-b*c)}{b}\right) * \sin\left(\frac{(a*d-b*c)}{b}\right) / b)$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x+a), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*sin(c + d*x))/(a + b*x), x)

[Out] int((x^4*sin(c + d*x))/(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*sin(d*x+c)/(b*x+a), x)

[Out] Integral(x**4*sin(c + d*x)/(a + b*x), x)

3.19 $\int \frac{x^3 \sin(c+dx)}{a+bx} dx$

Optimal. Leaf size=152

$$\frac{a^3 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^4} - \frac{a^3 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^4} - \frac{a^2 \cos(c + dx)}{b^3 d} - \frac{a \sin(c + dx)}{b^2 d^2} + \frac{ax \cos(c + dx)}{b^2 d} + \frac{2 \cos(c + dx)}{b^2 d}$$

[Out] $2*\cos(d*x+c)/b/d^3-a^2*\cos(d*x+c)/b^3/d+a*x*\cos(d*x+c)/b^2/d-x^2*\cos(d*x+c)/b/d-a^3*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^4+a^3*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^4-4*a*\sin(d*x+c)/b^2/d^2+2*x*\sin(d*x+c)/b/d^2$

Rubi [A] time = 0.31, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {6742, 2638, 3296, 2637, 3303, 3299, 3302}

$$\frac{a^3 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^4} - \frac{a^3 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^4} - \frac{a^2 \cos(c + dx)}{b^3 d} - \frac{a \sin(c + dx)}{b^2 d^2} + \frac{ax \cos(c + dx)}{b^2 d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3*\text{Sin}[c + d*x])/(a + b*x), x]$

[Out] $(2*\text{Cos}[c + d*x])/(b*d^3) - (a^2*\text{Cos}[c + d*x])/(b^3*d) + (a*x*\text{Cos}[c + d*x])/(b^2*d) - (x^2*\text{Cos}[c + d*x])/(b*d) - (a^3*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^4 - (a*\text{Sin}[c + d*x])/(b^2*d^2) + (2*x*\text{Sin}[c + d*x])/(b*d^2) - (a^3*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^4$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } \text{Simp}[\sin[c + d*x]/d, x] \text{ /; } \text{FreeQ}[\{c, d\}, x]$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\cos[c + d*x]/d, x] \text{ /; } \text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[(c + d*x)^m*\cos[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\cos[e + f*x], x], x] \text{ /; } \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \text{ :> } \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] \text{ /; } \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \text{ :> } \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] \text{ /; } \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \text{ :> } \text{Dist}[\cos[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\sin[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] \text{ /; } \text{FreeQ}[\{c, d, e, f\}, x] \ \&\&$

NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned} \int \frac{x^3 \sin(c + dx)}{a + bx} dx &= \int \left(\frac{a^2 \sin(c + dx)}{b^3} - \frac{ax \sin(c + dx)}{b^2} + \frac{x^2 \sin(c + dx)}{b} - \frac{a^3 \sin(c + dx)}{b^3(a + bx)} \right) dx \\ &= \frac{a^2 \int \sin(c + dx) dx}{b^3} - \frac{a^3 \int \frac{\sin(c+dx)}{a+bx} dx}{b^3} - \frac{a \int x \sin(c + dx) dx}{b^2} + \frac{\int x^2 \sin(c + dx) dx}{b} \\ &= -\frac{a^2 \cos(c + dx)}{b^3 d} + \frac{ax \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} - \frac{a \int \cos(c + dx) dx}{b^2 d} + \frac{2 \int x \cos(c + dx) dx}{bd} \\ &= -\frac{a^2 \cos(c + dx)}{b^3 d} + \frac{ax \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} - \frac{a^3 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} - \frac{a^3 \text{Si}\left(\frac{ad}{b} + dx\right) \cos\left(c - \frac{ad}{b}\right)}{b^4} \\ &= \frac{2 \cos(c + dx)}{bd^3} - \frac{a^2 \cos(c + dx)}{b^3 d} + \frac{ax \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} - \frac{a^3 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} \end{aligned}$$

Mathematica [A] time = 0.58, size = 117, normalized size = 0.77

$$\frac{a^3 d^3 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) + a^3 d^3 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + b\left(\left(a^2 d^2 - abd^2 x + b^2\left(d^2 x^2 - 2\right)\right) \cos(c + dx) - \left(a^2 d^2 - abd^2 x + b^2\left(d^2 x^2 - 2\right)\right) \sin(c + dx)}{b^4 d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x), x]

[Out] -((a^3*d^3*CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + b*((a^2*d^2 - a*b*d^2*x + b^2*(-2 + d^2*x^2))*Cos[c + d*x] + b*d*(a - 2*b*x)*Sin[c + d*x]) + a^3*d^3*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)]/(b^4*d^3))

fricas [A] time = 0.57, size = 167, normalized size = 1.10

$$\frac{2 a^3 d^3 \cos\left(-\frac{bc-ad}{b}\right) \text{Si}\left(\frac{bdx+ad}{b}\right) + 2\left(b^3 d^2 x^2 - ab^2 d^2 x + a^2 b d^2 - 2 b^3\right) \cos(dx + c) - 2\left(2 b^3 dx - ab^2 d\right) \sin(dx + c)}{2 b^4 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x+a), x, algorithm="fricas")

[Out] -1/2*(2*a^3*d^3*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b) + 2*(b^3*d^2*x^2 - a*b^2*d^2*x + a^2*b*d^2 - 2*b^3)*cos(d*x + c) - 2*(2*b^3*d*x - a*b^2*d)*sin(d*x + c) - (a^3*d^3*cos_integral((b*d*x + a*d)/b) + a^3*d^3*cos_integral(-(b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^4*d^3)

giac [C] time = 2.12, size = 2709, normalized size = 17.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x+a),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*b^3*d^2*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a^3*d^3*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 2*a^3*d^3*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2*a*b^2*d^2*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*b^3*d^2*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 4*a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 4*a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b) - 8*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 2*b^3*d^2*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 - a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*b^3*d^2*x^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a^2*b*d^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) - 2*a*b^2*d^2*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b) - 2*a^3*d^3*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b) - 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) - 2*a*b^2*d^2*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 2*a^3*d^3*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 2*a*b^2*d^2*x*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 8*b^3*d*x*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*b^3*d^2*x^2*\tan(1/2*d*x + 1/2*c)^2 - a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x + 1/2*c)^2 + a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2 - 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2 - 2*b^3*d^2*x^2*\tan(1/2*c)^2 + a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2 - a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2 + 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2 + 2*a^2*b*d^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 4*a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) + 4*a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) - 8*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d/b) - 2*b^3*d^2*x^2*\tan(1/2*a*d/b)^2 + a^3*d^3*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b)^2 - a^3*d^3*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 + 2*a^3*d^3*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 + 2*a^2*b*d^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a^2*b*d^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 4*a*b^2*d*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 4*b^3*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*a*b^2*d^2*x*\tan(1/2*d*x + 1/2*c)^2 - 2*a^3*d^3*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c) - 2*a^3*d^3*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c) + 2*a*b^2*d^2*x*\tan(1/2*c)^2 + 8*b^3*d*x*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 + 2*a^3$

$d^3 \text{real_part}(\cos_integral(dx + a*d/b)) * \tan(1/2*a*d/b) + 2*a^3*d^3 \text{real_part}(\cos_integral(-d*x - a*d/b)) * \tan(1/2*a*d/b) + 2*a*b^2*d^2*x * \tan(1/2*a*d/b)^2 + 8*b^3*d*x * \tan(1/2*d*x + 1/2*c) * \tan(1/2*a*d/b)^2 - 2*b^3*d^2*x^2 - a^3*d^3 \text{imag_part}(\cos_integral(dx + a*d/b)) + a^3*d^3 \text{imag_part}(\cos_integral(-d*x - a*d/b)) - 2*a^3*d^3 \sin_integral((b*d*x + a*d)/b) + 2*a^2*b*d^2 * \tan(1/2*d*x + 1/2*c)^2 - 2*a^2*b*d^2 * \tan(1/2*c)^2 - 4*a*b^2*d * \tan(1/2*d*x + 1/2*c) * \tan(1/2*c)^2 - 4*b^3 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*c)^2 - 2*a^2*b*d^2 * \tan(1/2*a*d/b)^2 - 4*a*b^2*d * \tan(1/2*d*x + 1/2*c) * \tan(1/2*a*d/b)^2 - 4*b^3 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*a*d/b)^2 + 4*b^3 * \tan(1/2*c)^2 * \tan(1/2*a*d/b)^2 + 2*a*b^2*d^2*x + 8*b^3*d*x * \tan(1/2*d*x + 1/2*c) - 2*a^2*b*d^2 - 4*a*b^2*d * \tan(1/2*d*x + 1/2*c) - 4*b^3 * \tan(1/2*d*x + 1/2*c)^2 + 4*b^3 * \tan(1/2*c)^2 + 4*b^3 * \tan(1/2*a*d/b)^2 + 4*b^3) / (b^4*d^3 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*c)^2 * \tan(1/2*a*d/b)^2 + b^4*d^3 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*c)^2 + b^4*d^3 * \tan(1/2*d*x + 1/2*c)^2 * \tan(1/2*a*d/b)^2 + b^4*d^3 * \tan(1/2*c)^2 * \tan(1/2*a*d/b)^2 + b^4*d^3 * \tan(1/2*d*x + 1/2*c)^2 + b^4*d^3 * \tan(1/2*c)^2 + b^4*d^3 * \tan(1/2*a*d/b)^2 + b^4*d^3)$

maple [B] time = 0.03, size = 514, normalized size = 3.38

$$\frac{(a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3) d \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b^3} + \frac{(a^2d^2 - 2abcd + b^2c^2 - abd + b^2c + b^2) d \left(-(dx+c)^2 \cos(dx+c) \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(dx+c)/(b*x+a), x)

[Out] $1/d^4 * (- (a^3*d^3 - 3*a^2*b*c*d^2 + 3*a*b^2*c^2*d - b^3*c^3) * d / b^3 * (\text{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b - \text{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b) + (a^2*d^2 - 2*a*b*c*d + b^2*c^2 - a*b*d + b^2*c + b^2) * d / b^3 * (-(d*x+c)^2 * \cos(d*x+c) + 2*\cos(d*x+c) + 2*(d*x+c)*\sin(d*x+c)) - 3*(a^2*d^2 - 2*a*b*c*d + b^2*c^2) * d * c / b^2 * (\text{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b - \text{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b) - 3*d*c * (-a*d+b*c+b) / b^2 * (\sin(d*x+c) - (d*x+c)*\cos(d*x+c)) - 3*(a*d-b*c) * d * c^2 / b * (\text{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b - \text{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b) - 3*d*c^2 / b * \cos(d*x+c) - d*c^3 * (\text{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b - \text{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b)$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(dx+c)/(b*x+a), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*sin(c + d*x))/(a + b*x), x)

[Out] int((x^3*sin(c + d*x))/(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*sin(d*x+c)/(b*x+a),x)
```

```
[Out] Integral(x**3*sin(c + d*x)/(a + b*x), x)
```

$$3.20 \quad \int \frac{x^2 \sin(c+dx)}{a+bx} dx$$

Optimal. Leaf size=99

$$\frac{a^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^3} + \frac{a^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3} + \frac{a \cos(c+dx)}{b^2 d} + \frac{\sin(c+dx)}{bd^2} - \frac{x \cos(c+dx)}{bd}$$

[Out] a*cos(d*x+c)/b^2/d-x*cos(d*x+c)/b/d+a^2*cos(-c+a*d/b)*Si(a*d/b+d*x)/b^3-a^2*Ci(a*d/b+d*x)*sin(-c+a*d/b)/b^3+sin(d*x+c)/b/d^2

Rubi [A] time = 0.26, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {6742, 2638, 3296, 2637, 3303, 3299, 3302}

$$\frac{a^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^3} + \frac{a^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3} + \frac{a \cos(c+dx)}{b^2 d} + \frac{\sin(c+dx)}{bd^2} - \frac{x \cos(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sin[c + d*x])/(a + b*x), x]

[Out] (a*Cos[c + d*x])/(b^2*d) - (x*Cos[c + d*x])/(b*d) + (a^2*CosIntegral[(a*d)/b + d*x]*Sin[c - (a*d)/b])/b^3 + Sin[c + d*x]/(b*d^2) + (a^2*Cos[c - (a*d)/b]*SinIntegral[(a*d)/b + d*x])/b^3

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c + dx)}{a + bx} dx &= \int \left(-\frac{a \sin(c + dx)}{b^2} + \frac{x \sin(c + dx)}{b} + \frac{a^2 \sin(c + dx)}{b^2(a + bx)} \right) dx \\ &= -\frac{a \int \sin(c + dx) dx}{b^2} + \frac{a^2 \int \frac{\sin(c+dx)}{a+bx} dx}{b^2} + \frac{\int x \sin(c + dx) dx}{b} \\ &= \frac{a \cos(c + dx)}{b^2 d} - \frac{x \cos(c + dx)}{bd} + \frac{\int \cos(c + dx) dx}{bd} + \frac{\left(a^2 \cos\left(c - \frac{ad}{b}\right) \right) \int \frac{\sin\left(\frac{ad}{b} + dx\right)}{a+bx} dx}{b^2} + \left(a^2 \operatorname{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right) \right) \\ &= \frac{a \cos(c + dx)}{b^2 d} - \frac{x \cos(c + dx)}{bd} + \frac{a^2 \operatorname{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^3} + \frac{\sin(c + dx)}{bd^2} + \frac{a^2 \cos\left(c - \frac{ad}{b}\right)}{b^3} \end{aligned}$$

Mathematica [A] time = 0.32, size = 87, normalized size = 0.88

$$\frac{a^2 d^2 \sin\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(d\left(\frac{a}{b} + x\right)\right) + a^2 d^2 \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(d\left(\frac{a}{b} + x\right)\right) + b(d(a - bx) \cos(c + dx) + b \sin(c + dx))}{b^3 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x),x]

[Out] (a^2*d^2*CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + b*(d*(a - b*x)*Cos[c + d*x] + b*Sin[c + d*x]) + a^2*d^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)])/(b^3*d^2)

fricas [A] time = 0.65, size = 133, normalized size = 1.34

$$\frac{2 a^2 d^2 \cos\left(-\frac{bc-ad}{b}\right) \operatorname{Si}\left(\frac{bdx+ad}{b}\right) + 2 b^2 \sin(dx + c) - 2 (b^2 dx - abd) \cos(dx + c) - \left(a^2 d^2 \operatorname{Ci}\left(\frac{bdx+ad}{b}\right) + a^2 d^2 \operatorname{Ci}\left(-\frac{bc-ad}{b}\right)\right)}{2 b^3 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a),x, algorithm="fricas")

[Out] 1/2*(2*a^2*d^2*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b) + 2*b^2*sin(d*x + c) - 2*(b^2*d*x - a*b*d)*cos(d*x + c) - (a^2*d^2*cos_integral((b*d*x + a*d)/b) + a^2*d^2*cos_integral(-(b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^3*d^2)

giac [C] time = 0.93, size = 2205, normalized size = 22.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a),x, algorithm="giac")

[Out] 1/2*(a^2*d^2*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - a^2*d^2*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*a^2*d^2*sin_integral((b*d*x + a*d)/b)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 +

$$\begin{aligned}
& 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b) + 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b) - 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 2b^2d*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 4a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b) - 4a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 8a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)*\tan(1/2*a*d/b) - a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 - 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2a*b*d*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) + 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) + 2b^2d*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b) - 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b) + 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) + 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) + 2b^2d*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 - 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2b^2d*x*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*d*x + 1/2*c)^2 - a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x + 1/2*c)^2 + 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x + 1/2*c)^2 - a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*c)^2 + a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2 - 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2 - 2a*b*d*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 4a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) - 4a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) + 8a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d/b) - a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b))*\tan(1/2*a*d/b)^2 + a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 - 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 - 2a*b*d*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + 2a*b*d*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 4b^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2b^2d*x*\tan(1/2*d*x + 1/2*c)^2 + 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*c) + 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c) - 2b^2d*x*\tan(1/2*c)^2 - 2a^2d^2\text{real_part}(\cos_integral(dx + a*d/b))*\tan(1/2*a*d/b) - 2a^2d^2\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b) - 2b^2d*x*\tan(1/2*a*d/b)^2 + a^2d^2\text{imag_part}(\cos_integral(dx + a*d/b)) - a^2d^2\text{imag_part}(\cos_integral(-d*x - a*d/b)) + 2a^2d^2\text{sin_integral}((b*d*x + a*d)/b) - 2a*b*d*\tan(1/2*d*x + 1/2*c)^2 + 2a*b*d*\tan(1/2*c)^2 + 4b^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 + 2a*b*d*\tan(1/2*a*d/b)^2 + 4b^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*a*d/b)^2 - 2b^2d*x + 2a*b*d + 4b^2*\tan(1/2*d*x + 1/2*c))/(b^3*d^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b^3*d^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + b^3*d^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*a*d/b)^2 + b^3*d^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b^3*d^2*\tan(1/2*d*x + 1/2*c)^2 + b^3*d^2*\tan(1/2*c)^2 + b^3*d^2*\tan(1/2*a*d/b)^2 + b^3*d^2)
\end{aligned}$$

maple [B] time = 0.03, size = 315, normalized size = 3.18

$$\frac{(a^2d^2 - 2abcd + b^2c^2)d \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b^2} + \frac{(-da+cb+b)d(\sin(dx+c)-(dx+c)\cos(dx+c))}{b^2} + \frac{2(da-cb)dc \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)}{b} \right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x+a), x)

[Out] $\frac{1}{d^3} \left((a^2d^2 - 2abcd + b^2c^2) \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} + (-da+cb+b)d(\sin(dx+c)-(dx+c)\cos(dx+c)) + 2(da-cb)dc \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)}{b} \right) / b^2$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x), x)

[Out] int((x^2*sin(c + d*x))/(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x+a), x)

[Out] Integral(x**2*sin(c + d*x)/(a + b*x), x)

$$3.21 \quad \int \frac{x \sin(c+dx)}{a+bx} dx$$

Optimal. Leaf size=69

$$-\frac{a \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^2} - \frac{a \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^2} - \frac{\cos(c + dx)}{bd}$$

[Out] $-\cos(d*x+c)/b/d-a*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^2+a*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^2$

Rubi [A] time = 0.17, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 2638, 3303, 3299, 3302}

$$-\frac{a \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^2} - \frac{a \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^2} - \frac{\cos(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(x*Sin[c + d*x])/(a + b*x), x]

[Out] $-(\text{Cos}[c + d*x]/(b*d)) - (a*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^2 - (a*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^2$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{x \sin(c + dx)}{a + bx} dx &= \int \left(\frac{\sin(c + dx)}{b} - \frac{a \sin(c + dx)}{b(a + bx)} \right) dx \\
&= \frac{\int \sin(c + dx) dx}{b} - \frac{a \int \frac{\sin(c + dx)}{a + bx} dx}{b} \\
&= -\frac{\cos(c + dx)}{bd} - \frac{\left(a \cos\left(c - \frac{ad}{b}\right) \right) \int \frac{\sin\left(\frac{ad}{b} + dx\right)}{a + bx} dx}{b} - \frac{\left(a \sin\left(c - \frac{ad}{b}\right) \right) \int \frac{\cos\left(\frac{ad}{b} + dx\right)}{a + bx} dx}{b} \\
&= -\frac{\cos(c + dx)}{bd} - \frac{a \operatorname{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^2} - \frac{a \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(\frac{ad}{b} + dx\right)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 63, normalized size = 0.91

$$\frac{ad \sin\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(d\left(\frac{a}{b} + x\right)\right) + ad \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(d\left(\frac{a}{b} + x\right)\right) + b \cos(c + dx)}{b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x),x]

[Out] -((b*Cos[c + d*x] + a*d*CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + a*d*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)])/(b^2*d)

fricas [A] time = 0.64, size = 99, normalized size = 1.43

$$\frac{2 ad \cos\left(-\frac{bc-ad}{b}\right) \operatorname{Si}\left(\frac{bdx+ad}{b}\right) + 2 b \cos(dx + c) - \left(ad \operatorname{Ci}\left(\frac{bdx+ad}{b}\right) + ad \operatorname{Ci}\left(-\frac{bdx+ad}{b}\right)\right) \sin\left(-\frac{bc-ad}{b}\right)}{2 b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a),x, algorithm="fricas")

[Out] -1/2*(2*a*d*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b) + 2*b*cos(d*x + c) - (a*d*cos_integral((b*d*x + a*d)/b) + a*d*cos_integral(-(b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^2*d)

giac [C] time = 0.84, size = 1647, normalized size = 23.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a),x, algorithm="giac")

[Out] -1/2*(a*d*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - a*d*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*a*d*real_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b) + 2*a*d*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b) - 2*a*d*real_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*a*d*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)*tan(1/2*a*d/b)^2 - a*d*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*a*d*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)*ta

$n(1/2*a*d/b) - 4*a*d*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*$
 $an(1/2*c)*tan(1/2*a*d/b) + 8*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2*d*x)$
 $^2*tan(1/2*c)*tan(1/2*a*d/b) - a*d*imag_part(cos_integral(d*x + a*d/b))*tan$
 $(1/2*d*x)^2*tan(1/2*a*d/b)^2 + a*d*imag_part(cos_integral(-d*x - a*d/b))*ta$
 $n(1/2*d*x)^2*tan(1/2*a*d/b)^2 - 2*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2$
 $*d*x)^2*tan(1/2*a*d/b)^2 + a*d*imag_part(cos_integral(d*x + a*d/b))*tan(1/2$
 $*c)^2*tan(1/2*a*d/b)^2 - a*d*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*$
 $c)^2*tan(1/2*a*d/b)^2 + 2*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)^2*ta$
 $n(1/2*a*d/b)^2 + 2*b*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*a*d*r$
 $eal_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c) + 2*a*d*real_p$
 $art(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d*real_par$
 $t(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*a*d/b) - 2*a*d*real_par$
 $t(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*a*d/b) + 2*a*d*real_pa$
 $rt(cos_integral(d*x + a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b) + 2*a*d*real_part$
 $(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b) - 2*a*d*real_part(c$
 $os_integral(d*x + a*d/b))*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*a*d*real_part(co$
 $s_integral(-d*x - a*d/b))*tan(1/2*c)*tan(1/2*a*d/b)^2 + a*d*imag_part(cos_i$
 $ntegral(d*x + a*d/b))*tan(1/2*d*x)^2 - a*d*imag_part(cos_integral(-d*x - a*$
 $d/b))*tan(1/2*d*x)^2 + 2*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2*d*x)^2 -$
 $a*d*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2 + a*d*imag_part(cos_i$
 $ntegral(-d*x - a*d/b))*tan(1/2*c)^2 - 2*a*d*sin_integral((b*d*x + a*d)/b)*$
 $tan(1/2*c)^2 + 2*b*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*a*d*imag_part(cos_integr$
 $al(d*x + a*d/b))*tan(1/2*c)*tan(1/2*a*d/b) - 4*a*d*imag_part(cos_integral(-$
 $d*x - a*d/b))*tan(1/2*c)*tan(1/2*a*d/b) + 8*a*d*sin_integral((b*d*x + a*d)/$
 $b)*tan(1/2*c)*tan(1/2*a*d/b) - a*d*imag_part(cos_integral(d*x + a*d/b))*tan$
 $(1/2*a*d/b)^2 + a*d*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*a*d/b)^2$
 $- 2*a*d*sin_integral((b*d*x + a*d)/b)*tan(1/2*a*d/b)^2 - 2*b*tan(1/2*d*x)^2$
 $*tan(1/2*a*d/b)^2 - 8*b*tan(1/2*d*x)*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*b*tan($
 $1/2*c)^2*tan(1/2*a*d/b)^2 + 2*a*d*real_part(cos_integral(d*x + a*d/b))*tan($
 $1/2*c) + 2*a*d*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c) - 2*a*d*rea$
 $l_part(cos_integral(d*x + a*d/b))*tan(1/2*a*d/b) - 2*a*d*real_part(cos_inte$
 $gral(-d*x - a*d/b))*tan(1/2*a*d/b) + a*d*imag_part(cos_integral(d*x + a*d/b$
 $)) - a*d*imag_part(cos_integral(-d*x - a*d/b)) + 2*a*d*sin_integral((b*d*x$
 $+ a*d)/b) - 2*b*tan(1/2*d*x)^2 - 8*b*tan(1/2*d*x)*tan(1/2*c) - 2*b*tan(1/2*$
 $c)^2 + 2*b*tan(1/2*a*d/b)^2 + 2*b)/(b^2*d*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1$
 $/2*a*d/b)^2 + b^2*d*tan(1/2*d*x)^2*tan(1/2*c)^2 + b^2*d*tan(1/2*d*x)^2*tan($
 $1/2*a*d/b)^2 + b^2*d*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + b^2*d*tan(1/2*d*x)^2 +$
 $b^2*d*tan(1/2*c)^2 + b^2*d*tan(1/2*a*d/b)^2 + b^2*d$

maple [B] time = 0.02, size = 180, normalized size = 2.61

$$\frac{(da-cb)d \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right) - \frac{d \cos(dx+c)}{b} - dc \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(d*x+c)/(b*x+a),x)

[Out] $1/d^2*(-(a*d-b*c)*d/b*(\text{Si}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b-\text{Ci}(d*x+c+(a*d-b*c)/b)*\sin((a*d-b*c)/b)/b)-d/b*\cos(d*x+c)-d*c*(\text{Si}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b-\text{Ci}(d*x+c+(a*d-b*c)/b)*\sin((a*d-b*c)/b)/b)$

maxima [C] time = 0.53, size = 776, normalized size = 11.25

$$\frac{\left(d \left(-i E_1 \left(\frac{i(dx+c)b-ibc+iad}{b} \right) + i E_1 \left(-\frac{i(dx+c)b-ibc+iad}{b} \right) \right) \cos\left(-\frac{bc-ad}{b}\right) + d \left(E_1 \left(\frac{i(dx+c)b-ibc+iad}{b} \right) + E_1 \left(-\frac{i(dx+c)b-ibc+iad}{b} \right) \right) \sin\left(-\frac{bc-ad}{b}\right) \right) c}{b} + \frac{(dx+c)bd}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a),x, algorithm="maxima")

[Out]
$$-1/2*((d*(-I*\exp_integral_e(1, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + I*\exp_integral_e(1, -(I*(d*x + c)*b - I*b*c + I*a*d)/b))*\cos(-(b*c - a*d)/b) + d*(\exp_integral_e(1, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + \exp_integral_e(1, -(I*(d*x + c)*b - I*b*c + I*a*d)/b))*\sin(-(b*c - a*d)/b))*c/b + ((d*x + c)*b*d*\cos(d*x + c)^3 + (d*x + c)*b*d*\cos(d*x + c) - ((b*c*d*(\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + \exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)) - a*d^2*(\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + \exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)))*\cos(-(b*c - a*d)/b) - (a*d^2*(I*\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) - I*\exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)) + b*c*d*(-I*\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + I*\exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)))*\sin(-(b*c - a*d)/b))*\cos(d*x + c)^2 + ((d*x + c)*b*d*\cos(d*x + c) - (b*c*d*(\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + \exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)) - a*d^2*(\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + \exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)))*\cos(-(b*c - a*d)/b) + (a*d^2*(I*\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) - I*\exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)) + b*c*d*(-I*\exp_integral_e(2, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + I*\exp_integral_e(2, -(I*(d*x + c)*b - I*b*c + I*a*d)/b)))*\sin(-(b*c - a*d)/b))*\sin(d*x + c)^2)/(((d*x + c)*b^2 - b^2*c + a*b*d)*\cos(d*x + c)^2 + ((d*x + c)*b^2 - b^2*c + a*b*d)*\sin(d*x + c)^2))/d^2$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*sin(c + d*x))/(a + b*x),x)

[Out] int((x*sin(c + d*x))/(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a),x)

[Out] Integral(x*sin(c + d*x)/(a + b*x), x)

$$3.22 \quad \int \frac{\sin(c+dx)}{a+bx} dx$$

Optimal. Leaf size=51

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b} + \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b}$$

[Out] $\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b - \text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b$

Rubi [A] time = 0.08, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b} + \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b}$$

Antiderivative was successfully verified.

[In] `Int[Sin[c + d*x]/(a + b*x), x]`

[Out] $(\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b + (\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b$

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{a+bx} dx &= \cos\left(c - \frac{ad}{b}\right) \int \frac{\sin\left(\frac{ad}{b} + dx\right)}{a+bx} dx + \sin\left(c - \frac{ad}{b}\right) \int \frac{\cos\left(\frac{ad}{b} + dx\right)}{a+bx} dx \\ &= \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b} + \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(\frac{ad}{b} + dx\right)}{b} \end{aligned}$$

Mathematica [A] time = 0.07, size = 49, normalized size = 0.96

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right) + \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(a + b*x),x]

[Out] (CosIntegral[(a*d)/b + d*x]*Sin[c - (a*d)/b] + Cos[c - (a*d)/b]*SinIntegral[(a*d)/b + d*x])/b

fricas [A] time = 0.63, size = 78, normalized size = 1.53

$$\frac{\left(\operatorname{Ci}\left(\frac{bdx+ad}{b}\right) + \operatorname{Ci}\left(-\frac{bdx+ad}{b}\right)\right)\sin\left(-\frac{bc-ad}{b}\right) - 2\cos\left(-\frac{bc-ad}{b}\right)\operatorname{Si}\left(\frac{bdx+ad}{b}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a),x, algorithm="fricas")

[Out] -1/2*((cos_integral((b*d*x + a*d)/b) + cos_integral(-(b*d*x + a*d)/b))*sin(-(b*c - a*d)/b) - 2*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b))/b

giac [C] time = 1.53, size = 597, normalized size = 11.71

$$\Im\left(\operatorname{Ci}\left(dx + \frac{ad}{b}\right)\right)\tan\left(\frac{1}{2}c\right)^2 \tan\left(\frac{ad}{2b}\right)^2 - \Im\left(\operatorname{Ci}\left(-dx - \frac{ad}{b}\right)\right)\tan\left(\frac{1}{2}c\right)^2 \tan\left(\frac{ad}{2b}\right)^2 + 2\operatorname{Si}\left(\frac{bdx+ad}{b}\right)\tan\left(\frac{1}{2}c\right)^2 \tan\left(\frac{ad}{2b}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a),x, algorithm="giac")

[Out] 1/2*(imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b) + 2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b) - 2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)*tan(1/2*a*d/b)^2 - imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2 + imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2 - 2*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)^2 + 4*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)*tan(1/2*a*d/b) - 4*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)*tan(1/2*a*d/b) + 8*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)*tan(1/2*a*d/b) - imag_part(cos_integral(d*x + a*d/b))*tan(1/2*a*d/b)^2 + imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*a*d/b)^2 - 2*sin_integral((b*d*x + a*d)/b)*tan(1/2*a*d/b)^2 + 2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*c) + 2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c) - 2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*a*d/b) - 2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*a*d/b) + imag_part(cos_integral(d*x + a*d/b)) - imag_part(cos_integral(-d*x - a*d/b)) + 2*sin_integral((b*d*x + a*d)/b))/(b*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + b*tan(1/2*c)^2 + b*tan(1/2*a*d/b)^2 + b)

maple [A] time = 0.02, size = 73, normalized size = 1.43

$$\frac{\operatorname{Si}\left(dx + c + \frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\operatorname{Ci}\left(dx + c + \frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x+a),x)

[Out] Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b

maxima [C] time = 0.72, size = 141, normalized size = 2.76

$$\frac{d\left(-i E_1\left(\frac{i(dx+c)b-ibc+iad}{b}\right) + i E_1\left(-\frac{i(dx+c)b-ibc+iad}{b}\right)\right) \cos\left(-\frac{bc-ad}{b}\right) + d\left(E_1\left(\frac{i(dx+c)b-ibc+iad}{b}\right) + E_1\left(-\frac{i(dx+c)b-ibc+iad}{b}\right)\right)}{2bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a),x, algorithm="maxima")

[Out] 1/2*(d*(-I*exp_integral_e(1, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + I*exp_integral_e(1, -(I*(d*x + c)*b - I*b*c + I*a*d)/b))*cos(-(b*c - a*d)/b) + d*(exp_integral_e(1, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + exp_integral_e(1, -(I*(d*x + c)*b - I*b*c + I*a*d)/b))*sin(-(b*c - a*d)/b))/(b*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(a + b*x),x)

[Out] int(sin(c + d*x)/(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{a + bx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a),x)

[Out] Integral(sin(c + d*x)/(a + b*x), x)

3.23 $\int \frac{\sin(c+dx)}{x(a+bx)} dx$

Optimal. Leaf size=73

$$-\frac{\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{a} - \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a} + \frac{\sin(c) \text{Ci}(dx)}{a} + \frac{\cos(c) \text{Si}(dx)}{a}$$

[Out] $\cos(c) \cdot \text{Si}(d \cdot x) / a - \cos(-c + a \cdot d / b) \cdot \text{Si}(a \cdot d / b + d \cdot x) / a + \text{Ci}(d \cdot x) \cdot \sin(c) / a + \text{Ci}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / a$

Rubi [A] time = 0.26, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {6742, 3303, 3299, 3302}

$$-\frac{\sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a} - \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a} + \frac{\sin(c) \text{CosIntegral}(dx)}{a} + \frac{\cos(c) \text{Si}(dx)}{a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + d \cdot x] / (x \cdot (a + b \cdot x)), x]$

[Out] $(\text{CosIntegral}[d \cdot x] \cdot \text{Sin}[c]) / a - (\text{CosIntegral}[(a \cdot d) / b + d \cdot x] \cdot \text{Sin}[c - (a \cdot d) / b]) / a + (\text{Cos}[c] \cdot \text{SinIntegral}[d \cdot x]) / a - (\text{Cos}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / a$

Rule 3299

$\text{Int}[\sin[(e \cdot _) + (f \cdot _)] / ((c \cdot _) + (d \cdot _)(x \cdot _)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f \cdot x] / d, x] /;$ $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d \cdot e - c \cdot f, 0]$

Rule 3302

$\text{Int}[\sin[(e \cdot _) + (f \cdot _)] / ((c \cdot _) + (d \cdot _)(x \cdot _)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f \cdot x] / d, x] /;$ $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d \cdot (e - \text{Pi}/2) - c \cdot f, 0]$

Rule 3303

$\text{Int}[\sin[(e \cdot _) + (f \cdot _)] / ((c \cdot _) + (d \cdot _)(x \cdot _)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Sin}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] + \text{Dist}[\text{Sin}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Cos}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] /;$ $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{NeQ}[d \cdot e - c \cdot f, 0]$

Rule 6742

$\text{Int}[u _, x_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /;$ $\text{SumQ}[v]$
]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x(a+bx)} dx &= \int \left(\frac{\sin(c+dx)}{ax} - \frac{b \sin(c+dx)}{a(a+bx)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x} dx}{a} - \frac{b \int \frac{\sin(c+dx)}{a+bx} dx}{a} \\
&= \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a} - \frac{\left(b \cos\left(c - \frac{ad}{b}\right) \right) \int \frac{\sin\left(\frac{ad}{b} + dx\right)}{a+bx} dx}{a} + \frac{\sin(c) \int \frac{\cos(dx)}{x} dx}{a} - \frac{\left(b \sin\left(c - \frac{ad}{b}\right) \right) \int \frac{\cos\left(\frac{ad}{b} + dx\right)}{a+bx} dx}{a} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a} + \frac{\cos(c) \text{Si}(dx)}{a} - \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(\frac{ad}{b} + dx\right)}{a}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 63, normalized size = 0.86

$$\frac{-\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) - \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + \sin(c) \text{Ci}(dx) + \cos(c) \text{Si}(dx)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x)), x]

[Out] (CosIntegral[d*x]*Sin[c] - CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + Cos[c]*SinIntegral[d*x] - Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)])/a

fricas [A] time = 0.78, size = 99, normalized size = 1.36

$$\frac{(\text{Ci}(dx) + \text{Ci}(-dx)) \sin(c) + \left(\text{Ci}\left(\frac{bdx+ad}{b}\right) + \text{Ci}\left(-\frac{bdx+ad}{b}\right) \right) \sin\left(-\frac{bc-ad}{b}\right) + 2 \cos(c) \text{Si}(dx) - 2 \cos\left(-\frac{bc-ad}{b}\right) \text{Si}\left(-\frac{bc-ad}{b}\right)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x+a), x, algorithm="fricas")

[Out] 1/2*((cos_integral(d*x) + cos_integral(-d*x))*sin(c) + (cos_integral((b*d*x + a*d)/b) + cos_integral(-(b*d*x + a*d)/b))*sin(-(b*c - a*d)/b) + 2*cos(c)*sin_integral(d*x) - 2*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b))/a

giac [C] time = 2.06, size = 838, normalized size = 11.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x+a), x, algorithm="giac")

[Out] -1/2*(imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + imag_part(cos_integral(d*x))*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - imag_part(cos_integral(-d*x))*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*sin_integral(d*x)*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*sin_integral((b*d*x + a*d)/b)*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b) + 2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)^2*tan(1/2*a*d/b) - 2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*real_part(cos_integral(d*x))*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*real_part(cos_integral(-d*x))*tan(1/2*c)*tan(1/2*a*d/b)^2 - imag_part(cos_integral(d*x + a*d/b))*tan(1/2*c)^2 + imag_part(cos_integral(d*x))*tan(1/2*c)^2 + imag_part(cos_integ

$\text{ral}(-d*x - a*d/b))*\tan(1/2*c)^2 - \text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*c)^2 + 2*\text{sin_integral}(d*x)*\tan(1/2*c)^2 - 2*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2 + 4*\text{imag_part}(\text{cos_integral}(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) - 4*\text{imag_part}(\text{cos_integral}(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) + 8*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d/b) - \text{imag_part}(\text{cos_integral}(d*x + a*d/b))*\tan(1/2*a*d/b)^2 - \text{imag_part}(\text{cos_integral}(d*x))*\tan(1/2*a*d/b)^2 + \text{imag_part}(\text{cos_integral}(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 + \text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*a*d/b)^2 - 2*\text{sin_integral}(d*x)*\tan(1/2*a*d/b)^2 - 2*\text{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 + 2*\text{real_part}(\text{cos_integral}(d*x + a*d/b))*\tan(1/2*c) - 2*\text{real_part}(\text{cos_integral}(d*x))*\tan(1/2*c) + 2*\text{real_part}(\text{cos_integral}(-d*x - a*d/b))*\tan(1/2*c) - 2*\text{real_part}(\text{cos_integral}(-d*x))*\tan(1/2*c) - 2*\text{real_part}(\text{cos_integral}(d*x + a*d/b))*\tan(1/2*a*d/b) - 2*\text{real_part}(\text{cos_integral}(-d*x - a*d/b))*\tan(1/2*a*d/b) + \text{imag_part}(\text{cos_integral}(d*x + a*d/b)) - \text{imag_part}(\text{cos_integral}(d*x)) - \text{imag_part}(\text{cos_integral}(-d*x - a*d/b)) + \text{imag_part}(\text{cos_integral}(-d*x)) - 2*\text{sin_integral}(d*x) + 2*\text{sin_integral}((b*d*x + a*d)/b))/(a*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a*\tan(1/2*c)^2 + a*\tan(1/2*a*d/b)^2 + a)$

maple [A] time = 0.03, size = 99, normalized size = 1.36

$$-\frac{b \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{a} + \frac{\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/x/(b*x+a),x)`

[Out] `-b/a*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)+1/a*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x/(b*x+a),x, algorithm="maxima")`

[Out] `integrate(sin(d*x+c)/((b*x+a)*x),x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)}{x(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c+d*x)/(x*(a+b*x)),x)`

[Out] `int(sin(c+d*x)/(x*(a+b*x)),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c+dx)}{x(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x/(b*x+a),x)`

[Out] `Integral(sin(c+d*x)/(x*(a+b*x)),x)`

3.24 $\int \frac{\sin(c+dx)}{x^2(a+bx)} dx$

Optimal. Leaf size=114

$$-\frac{b \sin(c) \operatorname{Ci}(dx)}{a^2} + \frac{b \sin\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(xd + \frac{ad}{b}\right)}{a^2} - \frac{b \cos(c) \operatorname{Si}(dx)}{a^2} + \frac{b \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(xd + \frac{ad}{b}\right)}{a^2} + \frac{d \cos(c) \operatorname{Ci}(dx)}{a} - \frac{d \sin(c)}{a^2}$$

[Out] $d \operatorname{Ci}(d*x) \cos(c) / a - b \cos(c) \operatorname{Si}(d*x) / a^2 + b \cos(-c + a*d/b) \operatorname{Si}(a*d/b + d*x) / a^2 - b \operatorname{Ci}(d*x) \sin(c) / a^2 - d \operatorname{Si}(d*x) \sin(c) / a - b \operatorname{Ci}(a*d/b + d*x) \sin(-c + a*d/b) / a^2 - \sin(d*x + c) / a / x$

Rubi [A] time = 0.35, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{b \sin(c) \operatorname{CosIntegral}(dx)}{a^2} + \frac{b \sin\left(c - \frac{ad}{b}\right) \operatorname{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^2} - \frac{b \cos(c) \operatorname{Si}(dx)}{a^2} + \frac{b \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(xd + \frac{ad}{b}\right)}{a^2}$$

Antiderivative was successfully verified.

[In] `Int[Sin[c + d*x]/(x^2*(a + b*x)), x]`

[Out] $(d \operatorname{Cos}[c] \operatorname{CosIntegral}[d*x]) / a - (b \operatorname{CosIntegral}[d*x] \operatorname{Sin}[c]) / a^2 + (b \operatorname{CosIntegral}[(a*d)/b + d*x] \operatorname{Sin}[c - (a*d)/b]) / a^2 - \operatorname{Sin}[c + d*x] / (a*x) - (b \operatorname{Cos}[c] \operatorname{SinIntegral}[d*x]) / a^2 - (d \operatorname{Sin}[c] \operatorname{SinIntegral}[d*x]) / a + (b \operatorname{Cos}[c - (a*d)/b] \operatorname{SinIntegral}[(a*d)/b + d*x]) / a^2$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]) / (d*(m + 1)), x] - Dist[f / (d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Simp[SinIntegral[e + f*x] / d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x] / d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Dist[Cos[(d*e - c*f) / d], Int[Sin[(c*f) / d + f*x] / (c + d*x), x], x] + Dist[Sin[(d*e - c*f) / d], Int[Cos[(c*f) / d + f*x] / (c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 6742

`Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Rubi steps

$$\begin{aligned}
& n(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(d*x \\
&))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b*x*imag_part(\cos_integra \\
& l(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b*x*imag_pa \\
& rt(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*b*x \\
& *sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*b*x*sin \\
& _integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a \\
& *d*x*real_part(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + a*d*x*real \\
& _part(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*b*x*real_part(\cos \\
& _integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b) - 2*b*x*r \\
& eal_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a* \\
& d/b) - a*d*x*real_part(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 - \\
& a*d*x*real_part(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + 2*b* \\
& x*real_part(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a* \\
& d/b)^2 + 2*b*x*real_part(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1 \\
& /2*a*d/b)^2 + 2*b*x*real_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*ta \\
& n(1/2*c)*\tan(1/2*a*d/b)^2 + 2*b*x*real_part(\cos_integral(-d*x))*\tan(1/2*d*x \\
&)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + a*d*x*real_part(\cos_integral(d*x))*\tan(1/ \\
& 2*c)^2*\tan(1/2*a*d/b)^2 + a*d*x*real_part(\cos_integral(-d*x))*\tan(1/2*c)^2* \\
& \tan(1/2*a*d/b)^2 + 2*a*d*x*imag_part(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(\\
& 1/2*c) - 2*a*d*x*imag_part(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + \\
& 4*a*d*x*sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c) + b*x*imag_part(\cos_int \\
& egral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - b*x*imag_part(\cos_integra \\
& l(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - b*x*imag_part(\cos_integral(-d*x - a*d \\
& /b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + b*x*imag_part(\cos_integral(-d*x))*\tan(1/ \\
& 2*d*x)^2*\tan(1/2*c)^2 - 2*b*x*sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 \\
& + 2*b*x*sin_integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 4*b*x* \\
& imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/ \\
& b) + 4*b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)* \\
& \tan(1/2*a*d/b) - 8*b*x*sin_integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2 \\
& *c)*\tan(1/2*a*d/b) + b*x*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^ \\
& 2*\tan(1/2*a*d/b)^2 + b*x*imag_part(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/ \\
& 2*a*d/b)^2 - b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1 \\
& /2*a*d/b)^2 - b*x*imag_part(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*a*d/ \\
& b)^2 + 2*b*x*sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + 2*b*x*sin \\
& _integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + 2*a*d*x*imag_pa \\
& rt(\cos_integral(d*x))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2*a*d*x*imag_part(\cos_i \\
& ntegral(-d*x))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 4*a*d*x*sin_integral(d*x)*\tan(\\
& 1/2*c)*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2* \\
& c)^2*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(d*x))*\tan(1/2*c)^2*\tan(1 \\
& /2*a*d/b)^2 + b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/ \\
& 2*a*d/b)^2 + b*x*imag_part(\cos_integral(-d*x))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^ \\
& 2 - 2*b*x*sin_integral(d*x)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 2*b*x*sin_integ \\
& ral((b*d*x + a*d)/b)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - a*d*x*real_part(\cos_in \\
& tegral(d*x))*\tan(1/2*d*x)^2 - a*d*x*real_part(\cos_integral(-d*x))*\tan(1/2*d \\
& *x)^2 - 2*b*x*real_part(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c \\
&) + 2*b*x*real_part(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*b*x*re \\
& al_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c) + 2*b*x*real \\
& _part(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + a*d*x*real_part(\cos_in \\
& tegral(d*x))*\tan(1/2*c)^2 + a*d*x*real_part(\cos_integral(-d*x))*\tan(1/2*c)^ \\
& 2 + 2*b*x*real_part(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b \\
&) + 2*b*x*real_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/ \\
& b) - 2*b*x*real_part(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) \\
& - 2*b*x*real_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) \\
& - a*d*x*real_part(\cos_integral(d*x))*\tan(1/2*a*d/b)^2 - a*d*x*real_part(\cos \\
& _integral(-d*x))*\tan(1/2*a*d/b)^2 + 2*b*x*real_part(\cos_integral(d*x + a*d/ \\
& b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 2*b*x*real_part(\cos_integral(d*x))*\tan(1/ \\
& 2*c)*\tan(1/2*a*d/b)^2 + 2*b*x*real_part(\cos_integral(-d*x - a*d/b))*\tan(1/2 \\
& *c)*\tan(1/2*a*d/b)^2 + 2*b*x*real_part(\cos_integral(-d*x))*\tan(1/2*c)*\tan(1 \\
& /2*a*d/b)^2 - 4*a*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 4*a*\tan(1/2*
\end{aligned}$$

$d*x)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2 + b*x*imag_part(\cos_integral(d*x))*\tan(1/2*d*x)^2 + b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2 - b*x*imag_part(\cos_integral(-d*x))*\tan(1/2*d*x)^2 + 2*b*x*\sin_integral(d*x)*\tan(1/2*d*x)^2 - 2*b*x*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2 + 2*a*d*x*imag_part(\cos_integral(d*x))*\tan(1/2*c) - 2*a*d*x*imag_part(\cos_integral(-d*x))*\tan(1/2*c) + 4*a*d*x*\sin_integral(d*x)*\tan(1/2*c) + b*x*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2 - b*x*imag_part(\cos_integral(d*x))*\tan(1/2*c)^2 - b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2 + b*x*imag_part(\cos_integral(-d*x))*\tan(1/2*c)^2 - 2*b*x*\sin_integral(d*x)*\tan(1/2*c)^2 + 2*b*x*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*c)^2 - 4*b*x*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) + 4*b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) - 8*b*x*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d/b) + b*x*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b)^2 + b*x*imag_part(\cos_integral(d*x))*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(-d*x))*\tan(1/2*a*d/b)^2 + 2*b*x*\sin_integral(d*x)*\tan(1/2*a*d/b)^2 + 2*b*x*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 - a*d*x*real_part(\cos_integral(d*x)) - a*d*x*real_part(\cos_integral(-d*x)) - 2*b*x*real_part(\cos_integral(d*x + a*d/b))*\tan(1/2*c) + 2*b*x*real_part(\cos_integral(d*x))*\tan(1/2*c) - 2*b*x*real_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c) + 2*b*x*real_part(\cos_integral(-d*x))*\tan(1/2*c) - 4*a*\tan(1/2*d*x)^2*\tan(1/2*c) - 4*a*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*b*x*real_part(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b) + 2*b*x*real_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b) + 4*a*\tan(1/2*d*x)*\tan(1/2*a*d/b)^2 + 4*a*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - b*x*imag_part(\cos_integral(d*x + a*d/b)) + b*x*imag_part(\cos_integral(d*x)) + b*x*imag_part(\cos_integral(-d*x - a*d/b)) - b*x*imag_part(\cos_integral(-d*x)) + 2*b*x*\sin_integral(d*x) - 2*b*x*\sin_integral((b*d*x + a*d)/b) + 4*a*\tan(1/2*d*x) + 4*a*\tan(1/2*c))/(a^2*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a^2*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + a^2*x*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + a^2*x*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a^2*x*\tan(1/2*d*x)^2 + a^2*x*\tan(1/2*c)^2 + a^2*x*\tan(1/2*a*d/b)^2 + a^2*x)$

maple [A] time = 0.03, size = 144, normalized size = 1.26

$$d \left(\frac{-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c)}{a} + \frac{b^2 \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{a^2 d} - \frac{b(\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c))}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x+a), x)

[Out] d*(1/a*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))+b^2/a^2/d*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)-1/a^2*b/d*(Si(d*x)*cos(c)+Ci(d*x)*sin(c)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x+a), x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)}{x^2(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(c + d*x)/(x^2*(a + b*x)), x)
```

```
[Out] int(sin(c + d*x)/(x^2*(a + b*x)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x^2(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x**2/(b*x+a), x)
```

```
[Out] Integral(sin(c + d*x)/(x**2*(a + b*x)), x)
```

3.25 $\int \frac{\sin(c+dx)}{x^3(a+bx)} dx$

Optimal. Leaf size=189

$$\frac{b^2 \sin(c) \text{Ci}(dx)}{a^3} - \frac{b^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{a^3} + \frac{b^2 \cos(c) \text{Si}(dx)}{a^3} - \frac{b^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^3} - \frac{bd \cos(c) \text{Ci}(dx)}{a^2} + \frac{bd \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^2}$$

[Out] $-b*d*\text{Ci}(d*x)*\cos(c)/a^2-1/2*d*\cos(d*x+c)/a/x+b^2*\cos(c)*\text{Si}(d*x)/a^3-1/2*d^2*\cos(c)*\text{Si}(d*x)/a-b^2*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/a^3+b^2*\text{Ci}(d*x)*\sin(c)/a^3-1/2*d^2*\text{Ci}(d*x)*\sin(c)/a+b*d*\text{Si}(d*x)*\sin(c)/a^2+b^2*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/a^3-1/2*\sin(d*x+c)/a/x^2+b*\sin(d*x+c)/a^2/x$

Rubi [A] time = 0.49, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{b^2 \sin(c) \text{CosIntegral}(dx)}{a^3} - \frac{b^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^3} + \frac{b^2 \cos(c) \text{Si}(dx)}{a^3} - \frac{b^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^3}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^3*(a + b*x)),x]

[Out] $-(d*\text{Cos}[c + d*x])/(2*a*x) - (b*d*\text{Cos}[c]*\text{CosIntegral}[d*x])/a^2 + (b^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/a^3 - (d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/(2*a) - (b^2*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/a^3 - \text{Sin}[c + d*x]/(2*a*x^2) + (b*\text{Sin}[c + d*x])/(a^2*x) + (b^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/a^3 - (d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/(2*a) + (b*d*\text{Sin}[c]*\text{SinIntegral}[d*x])/a^2 - (b^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/a^3$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x^3(a+bx)} dx &= \int \left(\frac{\sin(c+dx)}{ax^3} - \frac{b \sin(c+dx)}{a^2x^2} + \frac{b^2 \sin(c+dx)}{a^3x} - \frac{b^3 \sin(c+dx)}{a^3(a+bx)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x^3} dx}{a} - \frac{b \int \frac{\sin(c+dx)}{x^2} dx}{a^2} + \frac{b^2 \int \frac{\sin(c+dx)}{x} dx}{a^3} - \frac{b^3 \int \frac{\sin(c+dx)}{a+bx} dx}{a^3} \\
&= -\frac{\sin(c+dx)}{2ax^2} + \frac{b \sin(c+dx)}{a^2x} + \frac{d \int \frac{\cos(c+dx)}{x^2} dx}{2a} - \frac{(bd) \int \frac{\cos(c+dx)}{x} dx}{a^2} + \frac{(b^2 \cos(c)) \int \frac{\sin(dx)}{x}}{a^3} \\
&= -\frac{d \cos(c+dx)}{2ax} + \frac{b^2 \text{Ci}(dx) \sin(c)}{a^3} - \frac{b^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} - \frac{\sin(c+dx)}{2ax^2} + \frac{b \sin(c+dx)}{a^2x} \\
&= -\frac{d \cos(c+dx)}{2ax} - \frac{bd \cos(c) \text{Ci}(dx)}{a^2} + \frac{b^2 \text{Ci}(dx) \sin(c)}{a^3} - \frac{b^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} - \frac{\sin(c+dx)}{2ax^2} \\
&= -\frac{d \cos(c+dx)}{2ax} - \frac{bd \cos(c) \text{Ci}(dx)}{a^2} + \frac{b^2 \text{Ci}(dx) \sin(c)}{a^3} - \frac{d^2 \text{Ci}(dx) \sin(c)}{2a} - \frac{b^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3}
\end{aligned}$$

Mathematica [A] time = 0.67, size = 176, normalized size = 0.93

$$x^2 \text{Ci}(dx) (\sin(c) (a^2 d^2 - 2b^2) + 2abd \cos(c)) + a^2 d^2 x^2 \cos(c) \text{Si}(dx) + a^2 \sin(c+dx) + a^2 dx \cos(c+dx) + 2b^3 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(x^3*(a + b*x)), x]

[Out]
$$-1/2*(a^2*d*x*\text{Cos}[c + d*x] + x^2*\text{CosIntegral}[d*x]*(2*a*b*d*\text{Cos}[c] + (-2*b^2 + a^2*d^2)*\text{Sin}[c]) + 2*b^2*x^2*\text{CosIntegral}[d*(a/b + x)]*\text{Sin}[c - (a*d)/b] + a^2*\text{Sin}[c + d*x] - 2*a*b*x*\text{Sin}[c + d*x] - 2*b^2*x^2*\text{Cos}[c]*\text{SinIntegral}[d*x] + a^2*d^2*x^2*\text{Cos}[c]*\text{SinIntegral}[d*x] - 2*a*b*d*x^2*\text{Sin}[c]*\text{SinIntegral}[d*x] + 2*b^2*x^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)])/(a^3*x^2)$$

fricas [A] time = 0.59, size = 245, normalized size = 1.30

$$4 b^2 x^2 \cos\left(-\frac{bc-ad}{b}\right) \text{Si}\left(\frac{bdx+ad}{b}\right) + 2 a^2 dx \cos(dx+c) + 2 (abdx^2 \text{Ci}(dx) + abdx^2 \text{Ci}(-dx) + (a^2 d^2 - 2 b^2) x^2 \text{Si}(dx))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x+a), x, algorithm="fricas")

[Out]
$$-1/4*(4*b^2*x^2*\text{cos}(-(b*c - a*d)/b)*\text{sin_integral}((b*d*x + a*d)/b) + 2*a^2*d*x*\text{cos}(d*x + c) + 2*(a*b*d*x^2*\text{cos_integral}(d*x) + a*b*d*x^2*\text{cos_integral}(-d*x) + (a^2*d^2 - 2*b^2)*x^2*\text{sin_integral}(d*x))*\text{cos}(c) - 2*(2*a*b*x - a^2)*\text{sin}(d*x + c) - (4*a*b*d*x^2*\text{sin_integral}(d*x) - (a^2*d^2 - 2*b^2)*x^2*\text{cos_integral}(d*x) - (a^2*d^2 - 2*b^2)*x^2*\text{cos_integral}(-d*x))*\text{sin}(c) - 2*(b^2*x^2*\text{cos_integral}((b*d*x + a*d)/b) + b^2*x^2*\text{cos_integral}(-(b*d*x + a*d)/b))*\text{sin}(-(b*c - a*d)/b))/(a^3*x^2)$$

giac [C] time = 0.72, size = 4565, normalized size = 24.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

$$\begin{aligned}
&)^2 \tan(1/2*c) \tan(1/2*a*d/b) + 8*b^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*c) \tan(1/2*a*d/b) - 16*b^2*x^2*\sin_integral((b*d*x + a*d)/b) \tan(1/2*d*x)^2 \tan(1/2*c) \tan(1/2*a*d/b) - a^2*d^2*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*a*d/b)^2 + a^2*d^2*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*a*d/b)^2 - 2*a^2*d^2*x^2*\sin_integral(d*x) \tan(1/2*a*d/b)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 + 4*b^2*x^2*\sin_integral(d*x) \tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 + 4*b^2*x^2*\sin_integral((b*d*x + a*d)/b) \tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 + 4*a*b*d*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*c) \tan(1/2*a*d/b)^2 - 4*a*b*d*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*c) \tan(1/2*a*d/b)^2 + 8*a*b*d*x^2*\sin_integral(d*x) \tan(1/2*c) \tan(1/2*a*d/b)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 - 4*b^2*x^2*\sin_integral(d*x) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 - 4*b^2*x^2*\sin_integral((b*d*x + a*d)/b) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 - 2*a*b*d*x^2*\text{real_part}(\cos_integral(d*x)) \tan(1/2*d*x)^2 - 2*a*b*d*x^2*\text{real_part}(\cos_integral(-d*x)) \tan(1/2*d*x)^2 - 2*a^2*d^2*x^2*\text{real_part}(\cos_integral(d*x)) \tan(1/2*c) - 2*a^2*d^2*x^2*\text{real_part}(\cos_integral(-d*x)) \tan(1/2*c) - 4*b^2*x^2*\text{real_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*c) + 4*b^2*x^2*\text{real_part}(\cos_integral(d*x)) \tan(1/2*d*x)^2 \tan(1/2*c) - 4*b^2*x^2*\text{real_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*c) + 4*b^2*x^2*\text{real_part}(\cos_integral(-d*x)) \tan(1/2*d*x)^2 \tan(1/2*c) + 2*a*b*d*x^2*\text{real_part}(\cos_integral(d*x)) \tan(1/2*c)^2 + 2*a*b*d*x^2*\text{real_part}(\cos_integral(-d*x)) \tan(1/2*c)^2 - 2*a^2*d*x^2*\tan(1/2*d*x)^2 \tan(1/2*c)^2 + 4*b^2*x^2*\text{real_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*a*d/b) + 4*b^2*x^2*\text{real_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*d*x)^2 \tan(1/2*a*d/b) - 4*b^2*x^2*\text{real_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*c)^2 \tan(1/2*a*d/b) - 4*b^2*x^2*\text{real_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*c)^2 \tan(1/2*a*d/b) - 2*a*b*d*x^2*\text{real_part}(\cos_integral(d*x)) \tan(1/2*a*d/b)^2 - 2*a*b*d*x^2*\text{real_part}(\cos_integral(-d*x)) \tan(1/2*a*d/b)^2 + 2*a^2*d*x^2*\tan(1/2*d*x)^2 \tan(1/2*a*d/b)^2 + 4*b^2*x^2*\text{real_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*c) \tan(1/2*a*d/b)^2 + 4*b^2*x^2*\text{real_part}(\cos_integral(d*x)) \tan(1/2*c) \tan(1/2*a*d/b)^2 + 4*b^2*x^2*\text{real_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*c) \tan(1/2*a*d/b)^2 + 4*b^2*x^2*\text{real_part}(\cos_integral(-d*x)) \tan(1/2*c) \tan(1/2*a*d/b)^2 + 8*a^2*d*x^2*\tan(1/2*d*x) \tan(1/2*c) \tan(1/2*a*d/b)^2 - 8*a*b*x^2*\tan(1/2*d*x)^2 \tan(1/2*c) \tan(1/2*a*d/b)^2 + 2*a^2*d*x^2*\tan(1/2*c)^2 \tan(1/2*a*d/b)^2 - 8*a*b*x^2*\tan(1/2*d*x) \tan(1/2*c)^2 \tan(1/2*a*d/b)^2 - a^2*d^2*x^2*\text{imag_part}(\cos_integral(d*x)) + a^2*d^2*x^2*\text{imag_part}(\cos_integral(-d*x)) - 2*a^2*d^2*x^2*\sin_integral(d*x) - 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*d*x)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*d*x)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*d*x)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*d*x)^2 + 4*b^2*x^2*\sin_integral(d*x) \tan(1/2*d*x)^2 - 4*b^2*x^2*\sin_integral((b*d*x + a*d)/b) \tan(1/2*d*x)^2 + 4*a*b*d*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*c) - 4*a*b*d*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*c) + 8*a*b*d*x^2*\sin_integral(d*x) \tan(1/2*c) + 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*c)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*c)^2 - 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*c)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(-d*x)) \tan(1/2*c)^2 - 4*b^2*x^2*\sin_integral(d*x) \tan(1/2*c)^2 + 4*b^2*x^2*\sin_integral((b*d*x + a*d)/b) \tan(1/2*c)^2 - 8*b^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*c) \tan(1/2*a*d/b) + 8*b^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b)) \tan(1/2*c) \tan(1/2*a*d/b) - 16*b^2*x^2*\sin_integral((b*d*x + a*d)/b) \tan(1/2*c) \tan(1/2*a*d/b) + 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b)) \tan(1/2*a*d/b)^2 + 2*b^2*x^2*\text{imag_part}(\cos_integral(d*x)) \tan(1/2*a*d/b)^2 - 2*b^2*x^2*\text{imag_part}(\cos_int
\end{aligned}$$

```

egral(-d*x - a*d/b))*tan(1/2*a*d/b)^2 - 2*b^2*x^2*imag_part(cos_integral(-d
*x))*tan(1/2*a*d/b)^2 + 4*b^2*x^2*sin_integral(d*x)*tan(1/2*a*d/b)^2 + 4*b^
2*x^2*sin_integral((b*d*x + a*d)/b)*tan(1/2*a*d/b)^2 + 4*a^2*tan(1/2*d*x)^2
*tan(1/2*c)*tan(1/2*a*d/b)^2 + 4*a^2*tan(1/2*d*x)*tan(1/2*c)^2*tan(1/2*a*d/
b)^2 - 2*a*b*d*x^2*real_part(cos_integral(d*x)) - 2*a*b*d*x^2*real_part(cos
_integral(-d*x)) + 2*a^2*d*x*tan(1/2*d*x)^2 - 4*b^2*x^2*real_part(cos_integ
ral(d*x + a*d/b))*tan(1/2*c) + 4*b^2*x^2*real_part(cos_integral(d*x))*tan(1
/2*c) - 4*b^2*x^2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*c) + 4*b^2*x
^2*real_part(cos_integral(-d*x))*tan(1/2*c) + 8*a^2*d*x*tan(1/2*d*x)*tan(1
/2*c) - 8*a*b*x*tan(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d*x*tan(1/2*c)^2 - 8*a*b*
x*tan(1/2*d*x)*tan(1/2*c)^2 + 4*b^2*x^2*real_part(cos_integral(d*x + a*d/b)
)*tan(1/2*a*d/b) + 4*b^2*x^2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*
a*d/b) - 2*a^2*d*x*tan(1/2*a*d/b)^2 + 8*a*b*x*tan(1/2*d*x)*tan(1/2*a*d/b)^2
+ 8*a*b*x*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*b^2*x^2*imag_part(cos_integral(d
*x + a*d/b)) + 2*b^2*x^2*imag_part(cos_integral(d*x)) + 2*b^2*x^2*imag_part
(cos_integral(-d*x - a*d/b)) - 2*b^2*x^2*imag_part(cos_integral(-d*x)) + 4*
b^2*x^2*sin_integral(d*x) - 4*b^2*x^2*sin_integral((b*d*x + a*d)/b) + 4*a^2
*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*tan(1/2*d*x)*tan(1/2*c)^2 - 4*a^2*tan(1/
2*d*x)*tan(1/2*a*d/b)^2 - 4*a^2*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*a^2*d*x + 8
*a*b*x*tan(1/2*d*x) + 8*a*b*x*tan(1/2*c) - 4*a^2*tan(1/2*d*x) - 4*a^2*tan(1
/2*c))/(a^3*x^2*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + a^3*x^2*tan(
1/2*d*x)^2*tan(1/2*c)^2 + a^3*x^2*tan(1/2*d*x)^2*tan(1/2*a*d/b)^2 + a^3*x^2
*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + a^3*x^2*tan(1/2*d*x)^2 + a^3*x^2*tan(1/2*c
)^2 + a^3*x^2*tan(1/2*a*d/b)^2 + a^3*x^2)

```

maple [A] time = 0.03, size = 202, normalized size = 1.07

$$d^2 \left(\frac{b \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{a^2 d} - \frac{b^3 \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{d^2 a^3} + \frac{-\sin(d)}{2x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^3/(b*x+a), x)

[Out] $d^2 * (-1/a^2 * b/d * (-\sin(d*x+c)/x/d - \text{Si}(d*x) * \sin(c) + \text{Ci}(d*x) * \cos(c)) - 1/d^2 * b^3/a^3 * (\text{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b)/b - \text{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b)/b) + 1/a * (-1/2 * \sin(d*x+c)/x^2/d^2 - 1/2 * \cos(d*x+c)/x/d - 1/2 * \text{Si}(d*x) * \cos(c) - 1/2 * \text{Ci}(d*x) * \sin(c)) + 1/a^3 * b^2/d^2 * (\text{Si}(d*x) * \cos(c) + \text{Ci}(d*x) * \sin(c))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x+a), x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x + a)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)}{x^3(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c+d*x)/(x^3*(a+b*x)), x)

```
[Out] int(sin(c + d*x)/(x^3*(a + b*x)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sin(c + dx)}{x^3(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x**3/(b*x+a), x)
```

```
[Out] Integral(sin(c + d*x)/(x**3*(a + b*x)), x)
```

$$3.26 \quad \int \frac{x^4 \sin(c+dx)}{(a+bx)^2} dx$$

Optimal. Leaf size=233

$$\frac{a^4 d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^6} - \frac{a^4 d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^6} - \frac{a^4 \sin(c+dx)}{b^5(a+bx)} - \frac{4a^3 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^5} - \frac{4a^3 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^5}$$

[Out] $a^4 d \text{Ci}(a d / b + d x) \cos(-c + a d / b) / b^6 + 2 \cos(d x + c) / b^2 / d^3 - 3 a^2 \cos(d x + c) / b^4 / d + 2 a^2 x \cos(d x + c) / b^3 / d - x^2 \cos(d x + c) / b^2 / d - 4 a^3 \cos(-c + a d / b) \text{Si}(a d / b + d x) / b^5 + 4 a^3 \text{Ci}(a d / b + d x) \sin(-c + a d / b) / b^5 + a^4 d \text{Si}(a d / b + d x) \sin(-c + a d / b) / b^6 - 2 a \sin(d x + c) / b^3 / d^2 + 2 x \sin(d x + c) / b^2 / d^2 - a^4 \sin(d x + c) / b^5 / (b x + a)$

Rubi [A] time = 0.51, antiderivative size = 233, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {6742, 2638, 3296, 2637, 3297, 3303, 3299, 3302}

$$-\frac{4a^3 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^5} + \frac{a^4 d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^6} - \frac{a^4 d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^6}$$

Antiderivative was successfully verified.

[In] Int[(x^4*Sin[c + d*x])/(a + b*x)^2,x]

[Out] $(2 \cos[c + d x]) / (b^2 d^3) - (3 a^2 \cos[c + d x]) / (b^4 d) + (2 a^2 x \cos[c + d x]) / (b^3 d) - (x^2 \cos[c + d x]) / (b^2 d) + (a^4 d \cos[c - (a d) / b] \text{CosIntegral}[(a d) / b + d x]) / b^6 - (4 a^3 \cos \text{Integral}[(a d) / b + d x] \sin[c - (a d) / b]) / b^5 - (2 a \sin[c + d x]) / (b^3 d^2) + (2 x \sin[c + d x]) / (b^2 d^2) - (a^4 \sin[c + d x]) / (b^5 (a + b x)) - (4 a^3 \cos[c - (a d) / b] \sin \text{Integral}[(a d) / b + d x]) / b^5 - (a^4 d \sin[c - (a d) / b] \sin \text{Integral}[(a d) / b + d x]) / b^6$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m+1) * Sin[e + f*x]) / (d*(m+1)), x] - Dist[f / (d*(m+1)), Int[(c + d*x)^(m+1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

[In] integrate(x^4*sin(d*x+c)/(b*x+a)^2,x, algorithm="fricas")

[Out] $-\frac{1}{2}*(2*(b^5*d^2*x^3 - a*b^4*d^2*x^2 + 3*a^3*b^2*d^2 - 2*a*b^4 + (a^2*b^3*d^2 - 2*b^5)*x)*\cos(d*x + c) - ((a^4*b*d^4*x + a^5*d^4)*\cos_integral((b*d*x + a*d)/b) + (a^4*b*d^4*x + a^5*d^4)*\cos_integral(-(b*d*x + a*d)/b) - 8*(a^3*b^2*d^3*x + a^4*b*d^3)*\sin_integral((b*d*x + a*d)/b))*\cos(-(b*c - a*d)/b) + 2*(a^4*b*d^3 - 2*b^5*d*x^2 + 2*a^2*b^3*d)*\sin(d*x + c) - 2*(2*(a^3*b^2*d^3*x + a^4*b*d^3)*\cos_integral((b*d*x + a*d)/b) + 2*(a^3*b^2*d^3*x + a^4*b*d^3)*\cos_integral(-(b*d*x + a*d)/b) + (a^4*b*d^4*x + a^5*d^4)*\sin_integral((b*d*x + a*d)/b))*\sin(-(b*c - a*d)/b))/(b^7*d^3*x + a*b^6*d^3)$

giac [B] time = 1.71, size = 1973, normalized size = 8.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x+a)^2,x, algorithm="giac")

[Out] $((b*x + a)*a^4*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^4*\cos(-(b*c - a*d)/b)*\cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a^4*b*c*d^4*\cos(-(b*c - a*d)/b)*\cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^5*d^5*\cos(-(b*c - a*d)/b)*\cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)*a^4*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^4*\sin(-(b*c - a*d)/b)*\sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a^4*b*c*d^4*\sin(-(b*c - a*d)/b)*\sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^5*d^5*\sin(-(b*c - a*d)/b)*\sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 4*(b*x + a)*a^3*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^3*\cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*\sin(-(b*c - a*d)/b) - 4*a^3*b^2*c*d^3*\cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*\sin(-(b*c - a*d)/b) + 4*a^4*b*d^4*\cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*\sin(-(b*c - a*d)/b) - 4*(b*x + a)*a^3*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^3*\cos(-(b*c - a*d)/b)*\sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 4*a^3*b^2*c*d^3*\cos(-(b*c - a*d)/b)*\sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - 4*a^4*b*d^4*\cos(-(b*c - a*d)/b)*\sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^4*b*d^4*\sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - (b*x + a)^3*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)^3*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + 3*(b*x + a)^2*b^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)^2*c*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 3*(b*x + a)*b^4*(b*c/(b*x + a) - a*d/(b*x + a) + d)*c^2*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + b^5*c^3*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + (b*x + a)^2*a*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)^2*d*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*(b*x + a)*a*b^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)*c*d*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + a*b^4*c^2*d*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - (b*x + a)*a^2*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + a^2*b^3*c*d^2*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 3*a^3*b^2*d^3*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*(b*x + a)^2*b^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)^2*\sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + 4*(b*x + a)*b^4*(b*c/(b*x + a) - a*d/(b*x + a) + d)*c*\sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*b^5*c^2*\sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + 2*a^2*b^3*d^2*\sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + 2*(b*x + a)*b^4*(b*c/(b*x + a) - a*d/(b*x + a) + d)*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*b^5*c*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + 2*a*b^4*d*\cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b))*b^2/(((b*x + a)*b^8*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2 - b^9*c*d^2 + a*b^8*d^3)*d)$

maple [B] time = 0.04, size = 1214, normalized size = 5.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*sin(d*x+c)/(b*x+a)^2,x)`

[Out]
$$\frac{1}{d^5} \left(-\frac{4}{b^4} (a^3 d^3 - 3a^2 b c d^2 + 3a b^2 c^2 d - b^3 c^3) d^2 \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b - \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b \right) + (a^4 d^4 - 4a^3 b c d^3 + 6a^2 b^2 c^2 d^2 - 4a b^3 c^3 d + b^4 c^4) d^2 / b^4 \left(-\sin\left(\frac{d x+c}{(d x+c) b+d a-c b}\right) / b + \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b + \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b \right) / b + (3a^2 d^2 - 6a b c d + 3b^2 c^2 - 2a b d + 2b^2 c + b^2) d^2 / b^4 \left(-(d x+c)^2 \cos(d x+c) + 2 \cos(d x+c) + 2(d x+c) \sin(d x+c) \right) - 12 / b^3 (a^2 d^2 - 2a b c d + b^2 c^2) d^2 c \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b - \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b \right) + 4 (a^3 d^3 - 3a^2 b c d^2 + 3a b^2 c^2 d - b^3 c^3) d^2 c / b^3 \left(-\sin\left(\frac{d x+c}{(d x+c) b+d a-c b}\right) / b + \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b + \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b \right) / b - 4 d^2 c \left(-2a d + 2b c + b \right) / b^3 \left(\sin(d x+c) - (d x+c) \cos(d x+c) \right) - 12 / b^2 (a d - b c) d^2 c^2 \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b - \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b \right) + 6 (a^2 d^2 - 2a b c d + b^2 c^2) d^2 c^2 / b^2 \left(-\sin\left(\frac{d x+c}{(d x+c) b+d a-c b}\right) / b + \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b + \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b \right) / b - 6 d^2 c^2 / b^2 \cos(d x+c) - 4 d^2 c^3 / b \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b - \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b \right) + 4 d^2 (a d - b c) / b c^3 \left(-\sin\left(\frac{d x+c}{(d x+c) b+d a-c b}\right) / b + \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b + \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b \right) / b \right) + d^2 c^4 \left(-\sin\left(\frac{d x+c}{(d x+c) b+d a-c b}\right) / b + \left(\operatorname{Si}\left(\frac{d x+c+(a d-b c)}{b}\right) \sin\left(\frac{(a d-b c)}{b}\right) / b + \operatorname{Ci}\left(\frac{d x+c+(a d-b c)}{b}\right) \cos\left(\frac{(a d-b c)}{b}\right) / b \right) / b \right) \right)$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*sin(d*x+c)/(b*x+a)^2,x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sin(c + d x)}{(a + b x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^4*sin(c + d*x))/(a + b*x)^2,x)`

[Out] `int((x^4*sin(c + d*x))/(a + b*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(c + d x)}{(a + b x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*sin(d*x+c)/(b*x+a)**2,x)`

[Out] `Integral(x**4*sin(c + d*x)/(a + b*x)**2, x)`

$$3.27 \quad \int \frac{x^3 \sin(c+dx)}{(a+bx)^2} dx$$

Optimal. Leaf size=181

$$-\frac{a^3 d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^5} + \frac{a^3 d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^5} + \frac{a^3 \sin(c+dx)}{b^4(a+bx)} + \frac{3a^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^4} + \frac{3a^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^4}$$

[Out] $-a^3 d \text{Ci}(a*d/b+d*x)*\cos(-c+a*d/b)/b^5+2*a*\cos(d*x+c)/b^3/d-x*\cos(d*x+c)/b^2/d+3*a^2*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^4-3*a^2*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^4-a^3*d*\text{Si}(a*d/b+d*x)*\sin(-c+a*d/b)/b^5+\sin(d*x+c)/b^2/d^2+a^3*\sin(d*x+c)/b^4/(b*x+a)$

Rubi [A] time = 0.41, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {6742, 2638, 3296, 2637, 3297, 3303, 3299, 3302}

$$\frac{3a^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^4} - \frac{a^3 d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^5} + \frac{a^3 d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^5} + \frac{3a^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^4}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x)^2, x]

[Out] $(2*a*\text{Cos}[c + d*x])/(b^3*d) - (x*\text{Cos}[c + d*x])/(b^2*d) - (a^3*d*\text{Cos}[c - (a*d)/b]*\text{CosIntegral}[(a*d)/b + d*x])/b^5 + (3*a^2*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^4 + \text{Sin}[c + d*x]/(b^2*d^2) + (a^3*\text{Sin}[c + d*x])/(b^4*(a + b*x)) + (3*a^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^4 + (a^3*d*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^5$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m+1)*Sin[e + f*x])/(d*(m+1)), x] - Dist[f/(d*(m+1)), Int[(c + d*x)^(m+1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rubi steps

$$\begin{aligned} \int \frac{x^3 \sin(c+dx)}{(a+bx)^2} dx &= \int \left(-\frac{2a \sin(c+dx)}{b^3} + \frac{x \sin(c+dx)}{b^2} - \frac{a^3 \sin(c+dx)}{b^3(a+bx)^2} + \frac{3a^2 \sin(c+dx)}{b^3(a+bx)} \right) dx \\ &= -\frac{(2a) \int \sin(c+dx) dx}{b^3} + \frac{(3a^2) \int \frac{\sin(c+dx)}{a+bx} dx}{b^3} - \frac{a^3 \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{b^3} + \frac{\int x \sin(c+dx) dx}{b^2} \\ &= \frac{2a \cos(c+dx)}{b^3 d} - \frac{x \cos(c+dx)}{b^2 d} + \frac{a^3 \sin(c+dx)}{b^4(a+bx)} + \frac{\int \cos(c+dx) dx}{b^2 d} - \frac{(a^3 d) \int \frac{\cos(c+dx)}{a+bx} dx}{b^4} \\ &= \frac{2a \cos(c+dx)}{b^3 d} - \frac{x \cos(c+dx)}{b^2 d} + \frac{3a^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} + \frac{\sin(c+dx)}{b^2 d^2} + \frac{a^3 \sin(c+dx)}{b^4(a+bx)} \\ &= \frac{2a \cos(c+dx)}{b^3 d} - \frac{x \cos(c+dx)}{b^2 d} - \frac{a^3 d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{b^5} + \frac{3a^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} \end{aligned}$$

Mathematica [A] time = 0.91, size = 153, normalized size = 0.85

$$\frac{a^2 \left(-\text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) \left(ad \cos\left(c - \frac{ad}{b}\right) - 3b \sin\left(c - \frac{ad}{b}\right) \right) + a^2 \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) \left(ad \sin\left(c - \frac{ad}{b}\right) + 3b \cos\left(c - \frac{ad}{b}\right) \right) \right)}{b^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x)^2,x]
```

```
[Out] (- (a^2 * CosIntegral[d*(a/b + x)] * (a*d * Cos[c - (a*d)/b] - 3*b * Sin[c - (a*d)/b]) + (b * (b*d * (2*a^2 + a*b*x - b^2*x^2) * Cos[c + d*x] + (a*b^2 + a^3*d^2 + b^3*x) * Sin[c + d*x])) / (d^2 * (a + b*x)) + a^2 * (3*b * Cos[c - (a*d)/b] + a*d * Sin[c - (a*d)/b]) * SinIntegral[d*(a/b + x)]) / b^5
```

fricas [A] time = 0.72, size = 316, normalized size = 1.75

$$\frac{2(b^4 dx^2 - ab^3 dx - 2a^2 b^2 d) \cos(dx + c) + \left((a^3 b d^3 x + a^4 d^3) \text{Ci}\left(\frac{bdx+ad}{b}\right) + (a^3 b d^3 x + a^4 d^3) \text{Ci}\left(-\frac{bdx+ad}{b}\right) - 6 \right)}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*sin(d*x+c)/(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] -1/2*(2*(b^4*d*x^2 - a*b^3*d*x - 2*a^2*b^2*d)*cos(d*x + c) + ((a^3*b*d^3*x + a^4*d^3)*cos_integral((b*d*x + a*d)/b) + (a^3*b*d^3*x + a^4*d^3)*cos_integral(-(b*d*x + a*d)/b) - 6*(a^2*b^2*d^2*x + a^3*b*d^2)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) - 2*(a^3*b*d^2 + b^4*x + a*b^3)*sin(d*x + c) + (3*(a^2*b^2*d^2*x + a^3*b*d^2)*cos_integral((b*d*x + a*d)/b) + 3*(a^2*b^2*d^2*x + a^3*b*d^2)*cos_integral(-(b*d*x + a*d)/b) + 2*(a^3*b*d^3*x + a^4*d^3)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^6*d^2*x + a*b^5*d^2)
```

giac [B] time = 0.79, size = 1474, normalized size = 8.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*sin(d*x+c)/(b*x+a)^2,x, algorithm="giac")
```

```
[Out] -((b*x + a)*a^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^3*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a^3*b*c*d^3*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^4*d^4*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)*a^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^3*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a^3*b*c*d^3*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^4*d^4*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 3*(b*x + a)*a^2*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) - 3*a^2*b^2*c*d^2*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) + 3*a^3*b*d^3*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) - 3*(b*x + a)*a^2*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 3*a^2*b^2*c*d^2*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - 3*a^3*b*d^3*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^3*b*d^3*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + (b*x + a)^2*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)^2*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*(b*x + a)*b^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)*c*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + b^4*c^2*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - (b*x + a)*a*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + a*b^3*c*d*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*a^2*b^2*d^2*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + (b*x + a)*b^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - b^4*c*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + a*b^3*d*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b))*b^2/(((b*x + a)*b^7*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d - b^8*c*d + a*b^7*d^2)*d)
```

maple [B] time = 0.04, size = 848, normalized size = 4.69

$$\frac{3(a^2d^2 - 2abcd + b^2c^2)d^2 \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b^3} - \frac{(a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3)d^2 \left(-\frac{\sin(dx+c)}{((dx+c)b+da-cb)b} + \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)}{b} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x+a)^2,x)

[Out] $\frac{1}{d^4} \left(\frac{3}{b^3} (a^2 d^2 - 2 a b c d + b^2 c^2) d^2 \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b - \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b \right) - (a^3 d^3 - 3 a^2 b c d^2 + 3 a b^2 c^2 d - b^3 c^3) d^2 / b^3 \left(-\sin \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) / b + \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b + \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b \right) / b \right) + (-2 a d + 2 b c + b) d^2 / b^3 \left(\sin \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) - (d x + c) \cos \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) \right) + 6 / b^2 (a d - b c) d^2 c \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b - \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b \right) - 3 (a^2 d^2 - 2 a b c d + b^2 c^2) d^2 c / b^2 \left(-\sin \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) / b + \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b + \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b \right) / b \right) + 3 d^2 c / b^2 \cos \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) + 3 d^2 c^2 / b \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b - \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b \right) - 3 d^2 (a d - b c) / b c^2 \left(-\sin \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) / b + \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b + \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b \right) / b \right) - d^2 c^3 \left(-\sin \left(\frac{d x + c}{(d x + c) b + d a - c b} \right) / b + \left(\operatorname{Si} \left(\frac{d x + c + (a d - b c)}{b} \right) \sin \left(\frac{a d - b c}{b} \right) / b + \operatorname{Ci} \left(\frac{d x + c + (a d - b c)}{b} \right) \cos \left(\frac{a d - b c}{b} \right) / b \right) / b \right) \right)$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^3 \sin(c + d x)}{(a + b x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*sin(c + d*x))/(a + b*x)^2,x)

[Out] int((x^3*sin(c + d*x))/(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(c + d x)}{(a + b x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*sin(d*x+c)/(b*x+a)**2,x)

[Out] Integral(x**3*sin(c + d*x)/(a + b*x)**2, x)

3.28 $\int \frac{x^2 \sin(c+dx)}{(a+bx)^2} dx$

Optimal. Leaf size=149

$$\frac{a^2 d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^4} - \frac{a^2 d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^4} - \frac{a^2 \sin(c + dx)}{b^3(a + bx)} - \frac{2a \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^3} - \frac{2a \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3}$$

[Out] $a^2 d \text{Ci}(a d / b + d x) \cos(-c + a d / b) / b^4 - \cos(d x + c) / b^2 / d - 2 a \cos(-c + a d / b) \text{Si}(a d / b + d x) / b^3 + 2 a \text{Ci}(a d / b + d x) \sin(-c + a d / b) / b^3 + a^2 d \text{Si}(a d / b + d x) \sin(-c + a d / b) / b^4 - a^2 \sin(d x + c) / b^3 / (b x + a)$

Rubi [A] time = 0.36, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {6742, 2638, 3297, 3303, 3299, 3302}

$$\frac{a^2 d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^4} - \frac{a^2 d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^4} - \frac{a^2 \sin(c + dx)}{b^3(a + bx)} - \frac{2a \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^3}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sin[c + d*x])/(a + b*x)^2,x]

[Out] $-(\text{Cos}[c + d x] / (b^2 d)) + (a^2 d \text{Cos}[c - (a d) / b] \text{CosIntegral}[(a d) / b + d x]) / b^4 - (2 a \text{CosIntegral}[(a d) / b + d x] \text{Sin}[c - (a d) / b]) / b^3 - (a^2 \text{Sin}[c + d x]) / (b^3 (a + b x)) - (2 a \text{Cos}[c - (a d) / b] \text{SinIntegral}[(a d) / b + d x]) / b^3 - (a^2 d \text{Sin}[c - (a d) / b] \text{SinIntegral}[(a d) / b + d x]) / b^4$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c+dx)}{(a+bx)^2} dx &= \int \left(\frac{\sin(c+dx)}{b^2} + \frac{a^2 \sin(c+dx)}{b^2(a+bx)^2} - \frac{2a \sin(c+dx)}{b^2(a+bx)} \right) dx \\ &= \frac{\int \sin(c+dx) dx}{b^2} - \frac{(2a) \int \frac{\sin(c+dx)}{a+bx} dx}{b^2} + \frac{a^2 \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{b^2} \\ &= -\frac{\cos(c+dx)}{b^2 d} - \frac{a^2 \sin(c+dx)}{b^3(a+bx)} + \frac{(a^2 d) \int \frac{\cos(c+dx)}{a+bx} dx}{b^3} - \frac{\left(2a \cos\left(c - \frac{ad}{b}\right)\right) \int \frac{\sin\left(\frac{ad}{b}+dx\right)}{a+bx} dx}{b^2} \\ &= -\frac{\cos(c+dx)}{b^2 d} - \frac{2a \operatorname{Ci}\left(\frac{ad}{b}+dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^3} - \frac{a^2 \sin(c+dx)}{b^3(a+bx)} - \frac{2a \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(\frac{ad}{b}+dx\right)}{b^3} \\ &= -\frac{\cos(c+dx)}{b^2 d} + \frac{a^2 d \cos\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(\frac{ad}{b}+dx\right)}{b^4} - \frac{2a \operatorname{Ci}\left(\frac{ad}{b}+dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^3} - \frac{a^2 \sin(c+dx)}{b^3(a+bx)} \end{aligned}$$

Mathematica [A] time = 0.84, size = 117, normalized size = 0.79

$$\frac{b \left(-\frac{a^2 \sin(c+dx)}{a+bx} - \frac{b \cos(c+dx)}{d} \right) + a \operatorname{Ci}\left(d \left(\frac{a}{b} + x\right)\right) \left(ad \cos\left(c - \frac{ad}{b}\right) - 2b \sin\left(c - \frac{ad}{b}\right) \right) - a \operatorname{Si}\left(d \left(\frac{a}{b} + x\right)\right) \left(ad \sin\left(c - \frac{ad}{b}\right) + 2b \cos\left(c - \frac{ad}{b}\right) \right)}{b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x)^2,x]

[Out] (a*CosIntegral[d*(a/b + x)]*(a*d*Cos[c - (a*d)/b] - 2*b*Sin[c - (a*d)/b]) + b*(-((b*Cos[c + d*x])/d) - (a^2*Sin[c + d*x])/(a + b*x)) - a*(2*b*Cos[c - (a*d)/b] + a*d*Sin[c - (a*d)/b])*SinIntegral[d*(a/b + x)]/b^4

fricas [A] time = 0.70, size = 264, normalized size = 1.77

$$\frac{2 a^2 b d \sin(dx + c) + 2 (b^3 x + a b^2) \cos(dx + c) - \left((a^2 b d^2 x + a^3 d^2) \operatorname{Ci}\left(\frac{b d x + a d}{b}\right) + (a^2 b d^2 x + a^3 d^2) \operatorname{Ci}\left(-\frac{b d x + a d}{b}\right) \right)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a)^2,x, algorithm="fricas")

[Out] -1/2*(2*a^2*b*d*sin(d*x + c) + 2*(b^3*x + a*b^2)*cos(d*x + c) - ((a^2*b*d^2*x + a^3*d^2)*cos_integral((b*d*x + a*d)/b) + (a^2*b*d^2*x + a^3*d^2)*cos_integral(-(b*d*x + a*d)/b) - 4*(a*b^2*d*x + a^2*b*d)*sin_integral((b*d*x + a*d)/b)*cos(-(b*c - a*d)/b) - 2*((a*b^2*d*x + a^2*b*d)*cos_integral((b*d*x + a*d)/b) + (a*b^2*d*x + a^2*b*d)*cos_integral(-(b*d*x + a*d)/b) + (a^2*b*d^2*x + a^3*d^2)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^5*d*x + a*b^4*d)

giac [B] time = 0.75, size = 1120, normalized size = 7.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a)^2,x, algorithm="giac")

[Out] ((b*x + a)*a^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a^2*b*c*d^2*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^3*d^3*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)*a^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a^2*b*c*d^2*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^3*d^3*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 2*(b*x + a)*a*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) - 2*a*b^2*c*d*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) + 2*a^2*b*d^2*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) - 2*(b*x + a)*a*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 2*a*b^2*c*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - 2*a^2*b*d^2*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a^2*b*d^2*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - (b*x + a)*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + b^3*c*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - a*b^2*d*cos(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b))*b^2/(((b*x + a)*b^6*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b^7*c + a*b^6*d)*d)

maple [B] time = 0.03, size = 553, normalized size = 3.71

$$\frac{2(da-cb)d^2 \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b^2} + \frac{(a^2d^2-2abcd+b^2c^2)d^2 \left(-\frac{\sin(dx+c)}{((dx+c)b+da-cb)b} + \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} + \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right)}{b} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x+a)^2,x)

[Out] 1/d^3*(-2/b^2*(a*d-b*c)*d^2*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+(a^2*d^2-2*a*b*c*d+b^2*c^2)*d^2/b^2*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)-d^2/b^2*cos(d*x+c)-2*d^2*c/b*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)+2/b*(a*d-b*c)*d^2*c*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)+d^2*c^2*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2 \sin(c + dx)}{(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x)^2, x)

[Out] int((x^2*sin(c + d*x))/(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(c + dx)}{(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x+a)**2, x)

[Out] Integral(x**2*sin(c + d*x)/(a + b*x)**2, x)

$$3.29 \quad \int \frac{x \sin(c+dx)}{(a+bx)^2} dx$$

Optimal. Leaf size=124

$$-\frac{ad \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^3} + \frac{ad \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3} + \frac{\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^2} + \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^2}$$

[Out] $-a*d*Ci(a*d/b+d*x)*cos(-c+a*d/b)/b^3+cos(-c+a*d/b)*Si(a*d/b+d*x)/b^2-Ci(a*d/b+d*x)*sin(-c+a*d/b)/b^2-a*d*Si(a*d/b+d*x)*sin(-c+a*d/b)/b^3+a*\sin(d*x+c)/b^2/(b*x+a)$

Rubi [A] time = 0.28, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^2} - \frac{ad \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^3} + \frac{ad \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3} + \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^2}$$

Antiderivative was successfully verified.

[In] `Int[(x*Sin[c + d*x])/(a + b*x)^2,x]`

[Out] $-((a*d*\text{Cos}[c - (a*d)/b]*\text{CosIntegral}[(a*d)/b + d*x])/b^3) + (\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^2 + (a*\text{Sin}[c + d*x])/(b^2*(a + b*x)) + (\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^2 + (a*d*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^3$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 6742

`Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]`

Rubi steps

$$\begin{aligned}
\int \frac{x \sin(c+dx)}{(a+bx)^2} dx &= \int \left(-\frac{a \sin(c+dx)}{b(a+bx)^2} + \frac{\sin(c+dx)}{b(a+bx)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{a+bx} dx}{b} - \frac{a \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{b} \\
&= \frac{a \sin(c+dx)}{b^2(a+bx)} - \frac{(ad) \int \frac{\cos(c+dx)}{a+bx} dx}{b^2} + \frac{\cos\left(c - \frac{ad}{b}\right) \int \frac{\sin\left(\frac{ad}{b}+dx\right)}{a+bx} dx}{b} + \frac{\sin\left(c - \frac{ad}{b}\right) \int \frac{\cos\left(\frac{ad}{b}\right)}{a+bx} dx}{b} \\
&= \frac{\text{Ci}\left(\frac{ad}{b}+dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^2} + \frac{a \sin(c+dx)}{b^2(a+bx)} + \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(\frac{ad}{b}+dx\right)}{b^2} - \frac{\left(ad \cos\left(c - \frac{ad}{b}\right)\right)}{b} \\
&= -\frac{ad \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b}+dx\right)}{b^3} + \frac{\text{Ci}\left(\frac{ad}{b}+dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^2} + \frac{a \sin(c+dx)}{b^2(a+bx)} + \frac{\cos\left(c - \frac{ad}{b}\right)}{b}
\end{aligned}$$

Mathematica [A] time = 0.48, size = 96, normalized size = 0.77

$$\frac{\text{Ci}\left(d\left(\frac{a}{b}+x\right)\right)\left(b \sin\left(c - \frac{ad}{b}\right) - ad \cos\left(c - \frac{ad}{b}\right)\right) + \text{Si}\left(d\left(\frac{a}{b}+x\right)\right)\left(ad \sin\left(c - \frac{ad}{b}\right) + b \cos\left(c - \frac{ad}{b}\right)\right) + \frac{ab \sin(c+dx)}{a+bx}}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x)^2,x]

[Out] (CosIntegral[d*(a/b + x)]*(-(a*d*Cos[c - (a*d)/b]) + b*Sin[c - (a*d)/b]) + (a*b*Sin[c + d*x])/(a + b*x) + (b*Cos[c - (a*d)/b] + a*d*Sin[c - (a*d)/b])*SinIntegral[d*(a/b + x)]/b^3

fricas [A] time = 0.63, size = 208, normalized size = 1.68

$$\frac{2 ab \sin(dx + c) - \left((abdx + a^2d) \text{Ci}\left(\frac{bdx+ad}{b}\right) + (abdx + a^2d) \text{Ci}\left(-\frac{bdx+ad}{b}\right) - 2(b^2x + ab) \text{Si}\left(\frac{bdx+ad}{b}\right) \right) \cos\left(-\frac{bc-ad}{b}\right)}{2(b^4x + ab^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a)^2,x, algorithm="fricas")

[Out] 1/2*(2*a*b*sin(d*x + c) - ((a*b*d*x + a^2*d)*cos_integral((b*d*x + a*d)/b) + (a*b*d*x + a^2*d)*cos_integral(-(b*d*x + a*d)/b) - 2*(b^2*x + a*b)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) - ((b^2*x + a*b)*cos_integral((b*d*x + a*d)/b) + (b^2*x + a*b)*cos_integral(-(b*d*x + a*d)/b) + 2*(a*b*d*x + a^2*d)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^4*x + a*b^3)

giac [B] time = 0.81, size = 951, normalized size = 7.67

$$\frac{\left((bx + a)a\left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right)d^2 \cos\left(-\frac{bc-ad}{b}\right) \text{Ci}\left(\frac{(bx+a)\left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right) - bc + ad}{b}\right) - abcd^2 \cos\left(-\frac{bc-ad}{b}\right) \text{Ci}\left(\frac{(bx+a)\left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right) - bc + ad}{b}\right) \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a)^2,x, algorithm="giac")

```
[Out] -((b*x + a)*a*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos(-(b*c - a*d)/b)*
os_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)
- a*b*c*d^2*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*
d/(b*x + a) + d) - b*c + a*d)/b) + a^2*d^3*cos(-(b*c - a*d)/b)*cos_integral
(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)
*a*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*sin(-(b*c - a*d)/b)*sin_integral
(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a*b*c*d^2
*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a)
+ d) - b*c + a*d)/b) + a^2*d^3*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)
*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)*b*(b*c/(b*
x + a) - a*d/(b*x + a) + d)*d*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/
(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) - b^2*c*d*cos_integral((
(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a
*d)/b) + a*b*d^2*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d
) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) - (b*x + a)*b*(b*c/(b*x + a) - a*d/(b
*x + a) + d)*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) -
a*d/(b*x + a) + d) - b*c + a*d)/b) + b^2*c*d*cos(-(b*c - a*d)/b)*sin_integ
ral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a*b*d^
2*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a
) + d) - b*c + a*d)/b) + a*b*d^2*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x +
a) + d)/b))*b/(((b*x + a)*b^4*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b^5*c
+ a*b^4*d)*d)
```

maple [B] time = 0.03, size = 315, normalized size = 2.54

$$\frac{d^2 \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b} - \frac{d^2(da-cb) \left(-\frac{\sin(dx+c)}{((dx+c)b+da-cb)b} + \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} + \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} \right)}{b} - d^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*sin(d*x+c)/(b*x+a)^2,x)
```

```
[Out] 1/d^2*(d^2/b*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)
)*sin((a*d-b*c)/b)/b-d^2*(a*d-b*c)/b*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(S
i(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)
/b)/b)/b-d^2*c*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*s
in((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(d*x+c)/(b*x+a)^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \sin(c + dx)}{(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x*sin(c + d*x))/(a + b*x)^2,x)
```

```
[Out] int((x*sin(c + d*x))/(a + b*x)^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(c + dx)}{(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(d*x+c)/(b*x+a)**2, x)
```

```
[Out] Integral(x*sin(c + d*x)/(a + b*x)**2, x)
```

3.30 $\int \frac{\sin(c+dx)}{(a+bx)^2} dx$

Optimal. Leaf size=72

$$\frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^2} - \frac{d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^2} - \frac{\sin(c + dx)}{b(a + bx)}$$

[Out] $d \cdot \text{Ci}(a \cdot d / b + d \cdot x) \cdot \cos(-c + a \cdot d / b) / b^2 + d \cdot \text{Si}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / b^2 - \sin(d \cdot x + c) / b / (b \cdot x + a)$

Rubi [A] time = 0.10, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$\frac{d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^2} - \frac{d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^2} - \frac{\sin(c + dx)}{b(a + bx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + d \cdot x] / (a + b \cdot x)^2, x]$

[Out] $(d \cdot \text{Cos}[c - (a \cdot d) / b] \cdot \text{CosIntegral}[(a \cdot d) / b + d \cdot x]) / b^2 - \text{Sin}[c + d \cdot x] / (b \cdot (a + b \cdot x)) - (d \cdot \text{Sin}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / b^2$

Rule 3297

$\text{Int}[\frac{(c + d \cdot x)^m \sin[e + f \cdot x]}{(a + b \cdot x)^2}, x] \rightarrow \text{Simp}[\frac{(c + d \cdot x)^{m+1} \text{Sin}[e + f \cdot x]}{d(m+1)}, x] - \text{Dist}[f / (d(m+1)), \text{Int}[(c + d \cdot x)^{m+1} \text{Cos}[e + f \cdot x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\frac{\sin[e + f \cdot x]}{a + b \cdot x}, x] \rightarrow \text{Simp}[\text{SinIntegral}[e + f \cdot x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d \cdot e - c \cdot f, 0]

Rule 3302

$\text{Int}[\frac{\sin[e + f \cdot x]}{a + b \cdot x}, x] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f \cdot x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d \cdot (e - \text{Pi}/2) - c \cdot f, 0]

Rule 3303

$\text{Int}[\frac{\sin[e + f \cdot x]}{a + b \cdot x}, x] \rightarrow \text{Dist}[\text{Cos}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Sin}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] + \text{Dist}[\text{Sin}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Cos}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] /;$ FreeQ[{c, d, e, f}, x] && NeQ[d \cdot e - c \cdot f, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{(a+bx)^2} dx &= -\frac{\sin(c+dx)}{b(a+bx)} + \frac{d \int \frac{\cos(c+dx)}{a+bx} dx}{b} \\ &= -\frac{\sin(c+dx)}{b(a+bx)} + \frac{\left(d \cos\left(c - \frac{ad}{b}\right)\right) \int \frac{\cos\left(\frac{ad}{b}+dx\right)}{a+bx} dx}{b} - \frac{\left(d \sin\left(c - \frac{ad}{b}\right)\right) \int \frac{\sin\left(\frac{ad}{b}+dx\right)}{a+bx} dx}{b} \\ &= \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{b^2} - \frac{\sin(c+dx)}{b(a+bx)} - \frac{d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(\frac{ad}{b} + dx\right)}{b^2} \end{aligned}$$

Mathematica [A] time = 0.23, size = 66, normalized size = 0.92

$$\frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) - d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) - \frac{b \sin(c+dx)}{a+bx}}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(a + b*x)^2,x]

[Out] (d*cos[c - (a*d)/b]*CosIntegral[d*(a/b + x)] - (b*sin[c + d*x])/(a + b*x) - d*sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)]/b^2

fricas [A] time = 0.60, size = 123, normalized size = 1.71

$$\frac{2(bdx + ad) \sin\left(-\frac{bc-ad}{b}\right) \text{Si}\left(\frac{bdx+ad}{b}\right) + \left((bdx + ad) \text{Ci}\left(\frac{bdx+ad}{b}\right) + (bdx + ad) \text{Ci}\left(-\frac{bdx+ad}{b}\right)\right) \cos\left(-\frac{bc-ad}{b}\right) - 2b \sin(c+dx)}{2(b^3x + ab^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a)^2,x, algorithm="fricas")

[Out] 1/2*(2*(b*d*x + a*d)*sin(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b) + ((b*d*x + a*d)*cos_integral((b*d*x + a*d)/b) + (b*d*x + a*d)*cos_integral(-(b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) - 2*b*sin(d*x + c)/(b^3*x + a*b^2)

giac [B] time = 0.39, size = 518, normalized size = 7.19

$$\frac{\left((bx+a)\left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right)d^2 \cos\left(-\frac{bc-ad}{b}\right) \text{Ci}\left(\frac{(bx+a)\left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right) - bc + ad}{b}\right) - bcd^2 \cos\left(-\frac{bc-ad}{b}\right) \text{Ci}\left(\frac{(bx+a)\left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right) - bc + ad}{b}\right)\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a)^2,x, algorithm="giac")

[Out] ((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - b*c*d^2*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a*d^3*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - b*c*d^2*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a*d^3*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + b*d^2*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + b*d^2*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)

a) $- a*d/(b*x + a) + d/b) * b^2 / (((b*x + a) * b^4 * (b*c/(b*x + a) - a*d/(b*x + a) + d) - b^5*c + a*b^4*d) * d)$

maple [A] time = 0.03, size = 107, normalized size = 1.49

$$d \left(-\frac{\sin(dx+c)}{((dx+c)b+da-cb)b} + \frac{\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} + \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right)}{b}}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/(b*x+a)^2,x)`

[Out] `d*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b`

maxima [C] time = 1.08, size = 164, normalized size = 2.28

$$\frac{d^2 \left(-i E_2 \left(\frac{i(dx+c)b-ibc+iad}{b} \right) + i E_2 \left(-\frac{i(dx+c)b-ibc+iad}{b} \right) \right) \cos \left(-\frac{bc-ad}{b} \right) + d^2 \left(E_2 \left(\frac{i(dx+c)b-ibc+iad}{b} \right) + E_2 \left(-\frac{i(dx+c)b-ibc+iad}{b} \right) \right)}{2 \left((dx+c)b^2 - b^2c + abd \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(b*x+a)^2,x, algorithm="maxima")`

[Out] `1/2*(d^2*(-I*exp_integral_e(2, (I*(d*x+c)*b - I*b*c + I*a*d)/b) + I*exp_integral_e(2, -(I*(d*x+c)*b - I*b*c + I*a*d)/b))*cos(-(b*c - a*d)/b) + d^2*(exp_integral_e(2, (I*(d*x+c)*b - I*b*c + I*a*d)/b) + exp_integral_e(2, -(I*(d*x+c)*b - I*b*c + I*a*d)/b))*sin(-(b*c - a*d)/b)/(((d*x+c)*b^2 - b^2*c + a*b*d)*d)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)}{(a+bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c+d*x)/(a+b*x)^2,x)`

[Out] `int(sin(c+d*x)/(a+b*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c+dx)}{(a+bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(b*x+a)**2,x)`

[Out] `Integral(sin(c+d*x)/(a+b*x)**2, x)`

3.31 $\int \frac{\sin(c+dx)}{x(a+bx)^2} dx$

Optimal. Leaf size=149

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right) - \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^2} + \frac{\sin(c) \text{Ci}(dx) + \cos(c) \text{Si}(dx)}{a^2} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{ab}$$

[Out] $-d*\text{Ci}(a*d/b+d*x)*\cos(-c+a*d/b)/a/b+\cos(c)*\text{Si}(d*x)/a^2-\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/a^2+\text{Ci}(d*x)*\sin(c)/a^2+\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/a^2-d*\text{Si}(a*d/b+d*x)*\sin(-c+a*d/b)/a/b+\sin(d*x+c)/a/(b*x+a)$

Rubi [A] time = 0.41, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3303, 3299, 3302, 3297}

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right) - \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^2} + \frac{\sin(c) \text{CosIntegral}(dx) + \cos(c) \text{Si}(dx)}{a^2} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{ab}$$

Antiderivative was successfully verified.

[In] `Int[Sin[c + d*x]/(x*(a + b*x)^2), x]`

[Out] $-\left(\frac{d*\text{Cos}\left[c - \frac{a*d}{b}\right]*\text{CosIntegral}\left[\frac{a*d}{b} + d*x\right]}{a*b}\right) + \left(\frac{\text{CosIntegral}\left[d*x\right]*\text{Sin}\left[c\right]}{a^2} - \frac{\text{CosIntegral}\left[\frac{a*d}{b} + d*x\right]*\text{Sin}\left[c - \frac{a*d}{b}\right]}{a^2} + \frac{\text{Sin}\left[c + d*x\right]}{a*(a + b*x)} + \frac{\text{Cos}\left[c\right]*\text{SinIntegral}\left[d*x\right]}{a^2} - \frac{\text{Cos}\left[c - \frac{a*d}{b}\right]*\text{SinIntegral}\left[\frac{a*d}{b} + d*x\right]}{a^2} + \frac{d*\text{Sin}\left[c - \frac{a*d}{b}\right]*\text{SinIntegral}\left[\frac{a*d}{b} + d*x\right]}{a*b}\right)$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 6742

`Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]`

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x(a+bx)^2} dx &= \int \left(\frac{\sin(c+dx)}{a^2 x} - \frac{b \sin(c+dx)}{a(a+bx)^2} - \frac{b \sin(c+dx)}{a^2(a+bx)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x} dx}{a^2} - \frac{b \int \frac{\sin(c+dx)}{a+bx} dx}{a^2} - \frac{b \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{a} \\
&= \frac{\sin(c+dx)}{a(a+bx)} - \frac{d \int \frac{\cos(c+dx)}{a+bx} dx}{a} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^2} - \frac{\left(b \cos\left(c - \frac{ad}{b}\right) \right) \int \frac{\sin\left(\frac{ad}{b} + dx\right)}{a+bx} dx}{a^2} + \frac{\sin(c)}{a^2} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a^2} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^2} + \frac{\sin(c+dx)}{a(a+bx)} + \frac{\cos(c) \text{Si}(dx)}{a^2} - \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(\frac{ad}{b} + dx\right)}{a^2} \\
&= -\frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{ab} + \frac{\text{Ci}(dx) \sin(c)}{a^2} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^2} + \frac{\sin(c+dx)}{a(a+bx)} + \frac{\cos(c) \text{Si}(dx)}{a^2}
\end{aligned}$$

Mathematica [A] time = 1.07, size = 138, normalized size = 0.93

$$\frac{\frac{\text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) \left(b \sin\left(c - \frac{ad}{b}\right) + ad \cos\left(c - \frac{ad}{b}\right)\right)}{b} + \frac{ad \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right)}{b} - \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + \frac{a \sin(c) \cos(dx)}{a+bx} + \frac{a \cos(c) \sin(dx)}{a+bx}}{a^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x)^2), x]

[Out] ((a*Cos[d*x]*Sin[c])/(a + b*x) + CosIntegral[d*x]*Sin[c] - (CosIntegral[d*(a/b + x)]*(a*d*Cos[c - (a*d)/b] + b*Sin[c - (a*d)/b]))/b + (a*Cos[c]*Sin[d*x])/(a + b*x) + Cos[c]*SinIntegral[d*x] - Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + (a*d*Sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)])/b/a^2

fricas [A] time = 0.70, size = 260, normalized size = 1.74

$$\frac{2ab \sin(dx+c) + 2(b^2x+ab) \cos(c) \text{Si}(dx) - \left((abdx+a^2d) \text{Ci}\left(\frac{bdx+ad}{b}\right) + (abdx+a^2d) \text{Ci}\left(-\frac{bdx+ad}{b}\right) + 2(b^2x+ab) \cos(c) \text{Si}(dx) \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x+a)^2,x, algorithm="fricas")

[Out] 1/2*(2*a*b*sin(d*x + c) + 2*(b^2*x + a*b)*cos(c)*sin_integral(d*x) - ((a*b*d*x + a^2*d)*cos_integral((b*d*x + a*d)/b) + (a*b*d*x + a^2*d)*cos_integral(-(b*d*x + a*d)/b) + 2*(b^2*x + a*b)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) + ((b^2*x + a*b)*cos_integral(d*x) + (b^2*x + a*b)*cos_integral(-d*x))*sin(c) + ((b^2*x + a*b)*cos_integral((b*d*x + a*d)/b) + (b^2*x + a*b)*cos_integral(-(b*d*x + a*d)/b) - 2*(a*b*d*x + a^2*d)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(a^2*b^2*x + a^3*b)

giac [B] time = 0.79, size = 1281, normalized size = 8.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x+a)^2,x, algorithm="giac")

```
[Out] -((b*x + a)*a*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos(-(b*c - a*d)/b)*c
os_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)
- a*b*c*d^2*cos(-(b*c - a*d)/b)*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*
d/(b*x + a) + d) - b*c + a*d)/b) + a^2*d^3*cos(-(b*c - a*d)/b)*cos_integral
(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + (b*x + a)
*a*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*sin(-(b*c - a*d)/b)*sin_integral
(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - a*b*c*d^2
*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a)
+ d) - b*c + a*d)/b) + a^2*d^3*sin(-(b*c - a*d)/b)*sin_integral(((b*x + a)
*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - (b*x + a)*b*(b*c/(b*
x + a) - a*d/(b*x + a) + d)*d*cos_integral((b*x + a)*(b*c/(b*x + a) - a*d/(
b*x + a) + d)/b - c)*sin(c) + b^2*c*d*cos_integral((b*x + a)*(b*c/(b*x + a)
- a*d/(b*x + a) + d)/b - c)*sin(c) - a*b*d^2*cos_integral((b*x + a)*(b*c/(
b*x + a) - a*d/(b*x + a) + d)/b - c)*sin(c) - (b*x + a)*b*(b*c/(b*x + a) -
a*d/(b*x + a) + d)*d*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a)
+ d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) + b^2*c*d*cos_integral(((b*x + a)
*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b)*sin(-(b*c - a*d)/b) -
a*b*d^2*cos_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c +
a*d)/b)*sin(-(b*c - a*d)/b) + (b*x + a)*b*(b*c/(b*x + a) - a*d/(b*x + a) +
d)*d*cos(c)*sin_integral(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b
+ c) - b^2*c*d*cos(c)*sin_integral(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a)
) + d)/b + c) + a*b*d^2*cos(c)*sin_integral(-(b*x + a)*(b*c/(b*x + a) - a*d
/(b*x + a) + d)/b + c) + (b*x + a)*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d*
cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a)
+ d) - b*c + a*d)/b) - b^2*c*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*
(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + a*b*d^2*cos(-(b*c - a
*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c +
a*d)/b) + a*b*d^2*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b))*b^
3/(((b*x + a)*a^2*b^4*(b*c/(b*x + a) - a*d/(b*x + a) + d) - a^2*b^5*c + a^3
*b^4*d)*d)
```

maple [A] time = 0.03, size = 210, normalized size = 1.41

$$\frac{b \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{a^2} + \frac{\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c)}{a^2} - \frac{db \left(-\frac{\sin(dx+c)}{((dx+c)b+da-cb)b} + \frac{\text{Si}(d)}{b} \right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(d*x+c)/x/(b*x+a)^2,x)
```

```
[Out] -b/a^2*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin(
(a*d-b*c)/b)/b)+1/a^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))-d*b/a*(-sin(d*x+c)/((
d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d
-b*c)/b)*cos((a*d-b*c)/b)/b)/b)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x+a)^2,x, algorithm="maxima")
```

```
[Out] integrate(sin(d*x + c)/((b*x + a)^2*x), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)}{x(a+bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c + d*x)/(x*(a + b*x)^2), x)`

[Out] `int(sin(c + d*x)/(x*(a + b*x)^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x/(b*x+a)**2, x)`

[Out] `Integral(sin(c + d*x)/(x*(a + b*x)**2), x)`

3.32 $\int \frac{\sin(c+dx)}{x^2(a+bx)^2} dx$

Optimal. Leaf size=188

$$-\frac{2b \sin(c) \text{Ci}(dx)}{a^3} + \frac{2b \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{a^3} - \frac{2b \cos(c) \text{Si}(dx)}{a^3} + \frac{2b \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^3} + \frac{d \cos\left(c - \frac{ad}{b}\right)}{a^2}$$

[Out] $d \cdot \text{Ci}(d \cdot x) \cdot \cos(c) / a^2 + d \cdot \text{Ci}(a \cdot d / b + d \cdot x) \cdot \cos(-c + a \cdot d / b) / a^2 - 2 \cdot b \cdot \cos(c) \cdot \text{Si}(d \cdot x) / a^3 + 2 \cdot b \cdot \cos(-c + a \cdot d / b) \cdot \text{Si}(a \cdot d / b + d \cdot x) / a^3 - 2 \cdot b \cdot \text{Ci}(d \cdot x) \cdot \sin(c) / a^3 - d \cdot \text{Si}(d \cdot x) \cdot \sin(c) / a^2 - 2 \cdot b \cdot \text{Ci}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / a^3 + d \cdot \text{Si}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / a^2 - \sin(d \cdot x + c) / a^2 / x - b \cdot \sin(d \cdot x + c) / a^2 / (b \cdot x + a)$

Rubi [A] time = 0.51, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{2b \sin(c) \text{CosIntegral}(dx)}{a^3} + \frac{2b \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^3} + \frac{d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^2} - \frac{d \cos\left(c - \frac{ad}{b}\right)}{a^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + d \cdot x] / (x^2 \cdot (a + b \cdot x)^2), x]$

[Out] $(d \cdot \text{Cos}[c] \cdot \text{CosIntegral}[d \cdot x]) / a^2 + (d \cdot \text{Cos}[c - (a \cdot d) / b] \cdot \text{CosIntegral}[(a \cdot d) / b + d \cdot x]) / a^2 - (2 \cdot b \cdot \text{CosIntegral}[d \cdot x] \cdot \text{Sin}[c]) / a^3 + (2 \cdot b \cdot \text{CosIntegral}[(a \cdot d) / b + d \cdot x] \cdot \text{Sin}[c - (a \cdot d) / b]) / a^3 - \text{Sin}[c + d \cdot x] / (a^2 \cdot x) - (b \cdot \text{Sin}[c + d \cdot x]) / (a^2 \cdot (a + b \cdot x)) - (2 \cdot b \cdot \text{Cos}[c] \cdot \text{SinIntegral}[d \cdot x]) / a^3 - (d \cdot \text{Sin}[c] \cdot \text{SinIntegral}[d \cdot x]) / a^2 + (2 \cdot b \cdot \text{Cos}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / a^3 - (d \cdot \text{Sin}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / a^2$

Rule 3297

$\text{Int}[(c \cdot _) + (d \cdot _) \cdot (x \cdot _)^{(m \cdot _)} \cdot \text{sin}[(e \cdot _) + (f \cdot _) \cdot (x \cdot _)], x_Symbol] \rightarrow \text{Simp}[(c + d \cdot x)^{(m + 1)} \cdot \text{Sin}[e + f \cdot x] / (d \cdot (m + 1)), x] - \text{Dist}[f / (d \cdot (m + 1)), \text{Int}[(c + d \cdot x)^{(m + 1)} \cdot \text{Cos}[e + f \cdot x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\text{sin}[(e \cdot _) + (f \cdot _) \cdot (x \cdot _)] / ((c \cdot _) + (d \cdot _) \cdot (x \cdot _)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f \cdot x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d \cdot e - c \cdot f, 0]

Rule 3302

$\text{Int}[\text{sin}[(e \cdot _) + (f \cdot _) \cdot (x \cdot _)] / ((c \cdot _) + (d \cdot _) \cdot (x \cdot _)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f \cdot x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d \cdot (e - \text{Pi}/2) - c \cdot f, 0]

Rule 3303

$\text{Int}[\text{sin}[(e \cdot _) + (f \cdot _) \cdot (x \cdot _)] / ((c \cdot _) + (d \cdot _) \cdot (x \cdot _)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Sin}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] + \text{Dist}[\text{Sin}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Cos}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] /;$ FreeQ[{c, d, e, f}, x] && NeQ[d \cdot e - c \cdot f, 0]

Rule 6742

$\text{Int}[u, x_Symbol] \rightarrow \text{With}[\{v = \text{ExpandIntegrand}[u, x]\}, \text{Int}[v, x] /;$ SumQ[v]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x^2(a+bx)^2} dx &= \int \left(\frac{\sin(c+dx)}{a^2x^2} - \frac{2b\sin(c+dx)}{a^3x} + \frac{b^2\sin(c+dx)}{a^2(a+bx)^2} + \frac{2b^2\sin(c+dx)}{a^3(a+bx)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x^2} dx}{a^2} - \frac{(2b) \int \frac{\sin(c+dx)}{x} dx}{a^3} + \frac{(2b^2) \int \frac{\sin(c+dx)}{a+bx} dx}{a^3} + \frac{b^2 \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{a^2} \\
&= -\frac{\sin(c+dx)}{a^2x} - \frac{b\sin(c+dx)}{a^2(a+bx)} + \frac{d \int \frac{\cos(c+dx)}{x} dx}{a^2} + \frac{(bd) \int \frac{\cos(c+dx)}{a+bx} dx}{a^2} - \frac{(2b\cos(c)) \int \frac{\sin(dx)}{x} dx}{a^3} \\
&= -\frac{2b\text{Ci}(dx)\sin(c)}{a^3} + \frac{2b\text{Ci}\left(\frac{ad}{b}+dx\right)\sin\left(c-\frac{ad}{b}\right)}{a^3} - \frac{\sin(c+dx)}{a^2x} - \frac{b\sin(c+dx)}{a^2(a+bx)} - \frac{2b\cos(c)\text{Si}(dx)}{a^3} \\
&= \frac{d\cos(c)\text{Ci}(dx)}{a^2} + \frac{d\cos\left(c-\frac{ad}{b}\right)\text{Ci}\left(\frac{ad}{b}+dx\right)}{a^2} - \frac{2b\text{Ci}(dx)\sin(c)}{a^3} + \frac{2b\text{Ci}\left(\frac{ad}{b}+dx\right)\sin\left(c-\frac{ad}{b}\right)}{a^3}
\end{aligned}$$

Mathematica [A] time = 2.05, size = 184, normalized size = 0.98

$$-2b\sin\left(c-\frac{ad}{b}\right)\text{Ci}\left(d\left(\frac{a}{b}+x\right)\right) - ad\cos\left(c-\frac{ad}{b}\right)\text{Ci}\left(d\left(\frac{a}{b}+x\right)\right) + ad\sin\left(c-\frac{ad}{b}\right)\text{Si}\left(d\left(\frac{a}{b}+x\right)\right) - 2b\cos\left(c-\frac{ad}{b}\right)\text{Si}(dx)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x)^2), x]

[Out] -((-a*d*Cos[c]*CosIntegral[d*x]) - a*d*Cos[c - (a*d)/b]*CosIntegral[d*(a/b + x)]) + (a*(a + 2*b*x)*Cos[d*x]*Sin[c])/(x*(a + b*x)) + 2*b*CosIntegral[d*x]*Sin[c] - 2*b*CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + (a*(a + 2*b*x)*Cos[c]*Sin[d*x])/(x*(a + b*x)) + 2*b*Cos[c]*SinIntegral[d*x] + a*d*Sin[c]*SinIntegral[d*x] - 2*b*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + a*d*Sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)]/a^3

fricas [A] time = 0.77, size = 355, normalized size = 1.89

$$\left((abdx^2 + a^2dx)\text{Ci}(dx) + (abdx^2 + a^2dx)\text{Ci}(-dx) - 4(b^2x^2 + abx)\text{Si}(dx)\right)\cos(c) + \left((abdx^2 + a^2dx)\text{Ci}\left(\frac{bdx+ad}{b}\right) + (abdx^2 + a^2dx)\text{Ci}\left(-\frac{bdx+ad}{b}\right) - 4(b^2x^2 + abx)\text{Si}\left(\frac{bdx+ad}{b}\right)\right)\sin\left(c-\frac{ad}{b}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x+a)^2,x, algorithm="fricas")

[Out] 1/2*(((a*b*d*x^2 + a^2*d*x)*cos_integral(d*x) + (a*b*d*x^2 + a^2*d*x)*cos_integral(-d*x) - 4*(b^2*x^2 + a*b*x)*sin_integral(d*x))*cos(c) + ((a*b*d*x^2 + a^2*d*x)*cos_integral((b*d*x + a*d)/b) + (a*b*d*x^2 + a^2*d*x)*cos_integral(-(b*d*x + a*d)/b) + 4*(b^2*x^2 + a*b*x)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) - 2*(2*a*b*x + a^2)*sin(d*x + c) - 2*((b^2*x^2 + a*b*x)*cos_integral(d*x) + (b^2*x^2 + a*b*x)*cos_integral(-d*x) + (a*b*d*x^2 + a^2*d*x)*sin_integral(d*x))*sin(c) - 2*((b^2*x^2 + a*b*x)*cos_integral((b*d*x + a*d)/b) + (b^2*x^2 + a*b*x)*cos_integral(-(b*d*x + a*d)/b) - (a*b*d*x^2 + a^2*d*x)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(a^3*b*x^2 + a^4*x)

giac [B] time = 1.74, size = 3180, normalized size = 16.91

result too large to display

+ a) + d)/b + c) - 2*a*b*c*d^2*cos(c)*sin_integral(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b + c) + 2*(b*x + a)^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)^2*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - 4*(b*x + a)*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*c*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 2*b^2*c^2*d*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 2*(b*x + a)*a*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) - 2*a*b*c*d^2*cos(-(b*c - a*d)/b)*sin_integral(((b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d) - b*c + a*d)/b) + 2*(b*x + a)*a*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) - 2*a*b*c*d^2*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b) + a^2*d^3*sin(-(b*x + a)*(b*c/(b*x + a) - a*d/(b*x + a) + d)/b))*b^2/(((b*x + a)^2*a^3*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)^2 - 2*(b*x + a)*a^3*b^2*(b*c/(b*x + a) - a*d/(b*x + a) + d)*c + a^3*b^3*c^2 + (b*x + a)*a^4*b*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d - a^4*b^2*c*d)*d)

maple [A] time = 0.03, size = 256, normalized size = 1.36

$$d \left(\frac{-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c)}{a^2} + \frac{2b^2 \left(\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\text{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{da^3} - \frac{2b(\text{Si}(dx))}{da^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x+a)^2,x)

[Out] d*(1/a^2*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))+2/d*b^2/a^3*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)-2/d/a^3*b*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+b^2/a^2*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x+a)^2,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x + a)^2*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)}{x^2(a+bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c+d*x)/(x^2*(a+b*x)^2),x)

[Out] int(sin(c+d*x)/(x^2*(a+b*x)^2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c+dx)}{x^2(a+bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x**2/(b*x+a)**2,x)
```

```
[Out] Integral(sin(c + d*x)/(x**2*(a + b*x)**2), x)
```

3.33 $\int \frac{x^3 \sin(c+dx)}{(a+bx)^3} dx$

Optimal. Leaf size=265

$$\frac{a^3 d^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{2b^6} + \frac{a^3 d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^6} + \frac{a^3 d \cos(c+dx)}{2b^5(a+bx)} + \frac{a^3 \sin(c+dx)}{2b^4(a+bx)^2} + \frac{3a^2 d \cos\left(c - \frac{ad}{b}\right)}{b^5}$$

[Out] $3a^2 d \text{Ci}(a*d/b+d*x) \cos(-c+a*d/b)/b^5 - \cos(d*x+c)/b^3/d + 1/2*a^3*d*\cos(d*x+c)/b^5/(b*x+a) - 3*a*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^4 + 1/2*a^3*d^2*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^6 + 3*a*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^4 - 1/2*a^3*d^2*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^6 + 3*a^2*d*\text{Si}(a*d/b+d*x)*\sin(-c+a*d/b)/b^5 + 1/2*a^3*\sin(d*x+c)/b^4/(b*x+a)^2 - 3*a^2*\sin(d*x+c)/b^4/(b*x+a)$

Rubi [A] time = 0.61, antiderivative size = 265, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {6742, 2638, 3297, 3303, 3299, 3302}

$$\frac{a^3 d^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{2b^6} + \frac{3a^2 d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^5} + \frac{a^3 d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^6}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^3 \sin[c + d*x])/(a + b*x)^3, x]$

[Out] $-(\text{Cos}[c + d*x]/(b^3*d)) + (a^3*d*\text{Cos}[c + d*x])/(2*b^5*(a + b*x)) + (3*a^2*d*\text{Cos}[c - (a*d)/b]*\text{CosIntegral}[(a*d)/b + d*x])/b^5 - (3*a*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^4 + (a^3*d^2*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/(2*b^6) + (a^3*\text{Sin}[c + d*x])/(2*b^4*(a + b*x)^2) - (3*a^2*\text{Sin}[c + d*x])/(b^4*(a + b*x)) - (3*a*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^4 + (a^3*d^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/(2*b^6) - (3*a^2*d*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^5$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)} \sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m+1)} \sin[e + f*x]/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{(m+1)} \cos[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)$

) / d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] :=> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]

Rubi steps

$$\begin{aligned} \int \frac{x^3 \sin(c + dx)}{(a + bx)^3} dx &= \int \left(\frac{\sin(c + dx)}{b^3} - \frac{a^3 \sin(c + dx)}{b^3(a + bx)^3} + \frac{3a^2 \sin(c + dx)}{b^3(a + bx)^2} - \frac{3a \sin(c + dx)}{b^3(a + bx)} \right) dx \\ &= \frac{\int \sin(c + dx) dx}{b^3} - \frac{(3a) \int \frac{\sin(c+dx)}{a+bx} dx}{b^3} + \frac{(3a^2) \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{b^3} - \frac{a^3 \int \frac{\sin(c+dx)}{(a+bx)^3} dx}{b^3} \\ &= -\frac{\cos(c + dx)}{b^3 d} + \frac{a^3 \sin(c + dx)}{2b^4(a + bx)^2} - \frac{3a^2 \sin(c + dx)}{b^4(a + bx)} + \frac{(3a^2 d) \int \frac{\cos(c+dx)}{a+bx} dx}{b^4} - \frac{(a^3 d) \int \frac{\cos(c+dx)}{(a+bx)^2} dx}{2b^4} \\ &= -\frac{\cos(c + dx)}{b^3 d} + \frac{a^3 d \cos(c + dx)}{2b^5(a + bx)} - \frac{3a \operatorname{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} + \frac{a^3 \sin(c + dx)}{2b^4(a + bx)^2} - \frac{3a^2 \sin(c + dx)}{b^4} \\ &= -\frac{\cos(c + dx)}{b^3 d} + \frac{a^3 d \cos(c + dx)}{2b^5(a + bx)} + \frac{3a^2 d \cos\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(\frac{ad}{b} + dx\right)}{b^5} - \frac{3a \operatorname{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} \\ &= -\frac{\cos(c + dx)}{b^3 d} + \frac{a^3 d \cos(c + dx)}{2b^5(a + bx)} + \frac{3a^2 d \cos\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(\frac{ad}{b} + dx\right)}{b^5} - \frac{3a \operatorname{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^4} \end{aligned}$$

Mathematica [A] time = 1.12, size = 235, normalized size = 0.89

$$\frac{-ad(a + bx)^2 \left(\operatorname{Ci}\left(d\left(\frac{a}{b} + x\right)\right) \left((a^2 d^2 - 6b^2) \sin\left(c - \frac{ad}{b}\right) + 6abd \cos\left(c - \frac{ad}{b}\right) \right) + \operatorname{Si}\left(d\left(\frac{a}{b} + x\right)\right) \left((a^2 d^2 - 6b^2) \cos\left(c - \frac{ad}{b}\right) - 6abd \sin\left(c - \frac{ad}{b}\right) \right) \right)}{b^6 d (a + bx)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x)^3,x]

[Out] -1/2*(b*Cos[d*x]*(-(a + b*x)*(-2*a*b^2 + a^3*d^2 - 2*b^3*x)*Cos[c]) + a^2*b*d*(5*a + 6*b*x)*Sin[c]) + b*(a^2*b*d*(5*a + 6*b*x)*Cos[c] + (a + b*x)*(-2*a*b^2 + a^3*d^2 - 2*b^3*x)*Sin[c])*Sin[d*x] - a*d*(a + b*x)^2*(CosIntegral[d*(a/b + x)]*(6*a*b*d*Cos[c - (a*d)/b] + (-6*b^2 + a^2*d^2)*Sin[c - (a*d)/b]) + ((-6*b^2 + a^2*d^2)*Cos[c - (a*d)/b] - 6*a*b*d*Sin[c - (a*d)/b])*SinIntegral[d*(a/b + x)))/(b^6*d*(a + b*x)^2)

fricas [A] time = 0.70, size = 515, normalized size = 1.94

$$\frac{2(a^4 b d^2 - 2 b^5 x^2 - 2 a^2 b^3 + (a^3 b^2 d^2 - 4 a b^4) x) \cos(dx + c) + 2 \left(3(a^2 b^3 d^2 x^2 + 2 a^3 b^2 d^2 x + a^4 b d^2) \operatorname{Ci}\left(\frac{bdx + ad}{b}\right) \right)}{b^6 d (a + bx)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x+a)^3,x, algorithm="fricas")

[Out] 1/4*(2*(a^4*b*d^2 - 2*b^5*x^2 - 2*a^2*b^3 + (a^3*b^2*d^2 - 4*a*b^4)*x)*cos(d*x + c) + 2*(3*(a^2*b^3*d^2*x^2 + 2*a^3*b^2*d^2*x + a^4*b*d^2)*cos_integra

```
1((b*d*x + a*d)/b) + 3*(a^2*b^3*d^2*x^2 + 2*a^3*b^2*d^2*x + a^4*b*d^2)*cos_
integral(-(b*d*x + a*d)/b) + (a^5*d^3 - 6*a^3*b^2*d + (a^3*b^2*d^3 - 6*a*b^
4*d)*x^2 + 2*(a^4*b*d^3 - 6*a^2*b^3*d)*x)*sin_integral((b*d*x + a*d)/b))*co
s(-(b*c - a*d)/b) - 2*(6*a^2*b^3*d*x + 5*a^3*b^2*d)*sin(d*x + c) - ((a^5*d^
3 - 6*a^3*b^2*d + (a^3*b^2*d^3 - 6*a*b^4*d)*x^2 + 2*(a^4*b*d^3 - 6*a^2*b^3*
d)*x)*cos_integral((b*d*x + a*d)/b) + (a^5*d^3 - 6*a^3*b^2*d + (a^3*b^2*d^3
- 6*a*b^4*d)*x^2 + 2*(a^4*b*d^3 - 6*a^2*b^3*d)*x)*cos_integral(-(b*d*x + a
*d)/b) - 12*(a^2*b^3*d^2*x^2 + 2*a^3*b^2*d^2*x + a^4*b*d^2)*sin_integral((b
*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^8*d*x^2 + 2*a*b^7*d*x + a^2*b^6*d)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*sin(d*x+c)/(b*x+a)^3,x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 0.04, size = 1208, normalized size = 4.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*sin(d*x+c)/(b*x+a)^3,x)
```

```
[Out] 1/d^4*(-(a^3*d^3-3*a^2*b*c*d^2+3*a*b^2*c^2*d-b^3*c^3)*d^3/b^3*(-1/2*sin(d*x
+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(Si(d*x+
c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b
)/b)-3/b^3*(a*d-b*c)*d^3*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x
+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)+3/b^3*(a^2*d^2-2*a*b*c*d+b^2*c^2)*d^3*(
-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b
+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)-d^3/b^3*cos(d*x+c)-3*d^3*(a*d
-b*c)^2/b^2*c*(-1/2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d
*x+c)*b+d*a-c*b)/b-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-
b*c)/b)*sin((a*d-b*c)/b)/b)/b)-3*d^3*c/b^2*(Si(d*x+c+(a*d-b*c)/b)*cos((a
*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)+6/b^2*(a*d-b*c)*d^3*
c*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b
)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)-3/b*(a*d-b*c)*d^3*c^2*(-1/
2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b
-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b
*c)/b)/b)/b)+3*d^3*c^2/b*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a
*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)-
d^3*c^3*(-1/2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*
b+d*a-c*b)/b-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b
)*sin((a*d-b*c)/b)/b)/b))
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*sin(d*x+c)/(b*x+a)^3,x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*sin(c + d*x))/(a + b*x)^3,x)`

[Out] `int((x^3*sin(c + d*x))/(a + b*x)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*sin(d*x+c)/(b*x+a)**3,x)`

[Out] `Integral(x**3*sin(c + d*x)/(a + b*x)**3, x)`

3.34 $\int \frac{x^2 \sin(c+dx)}{(a+bx)^3} dx$

Optimal. Leaf size=241

$$\frac{a^2 d^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{2b^5} - \frac{a^2 d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^5} - \frac{a^2 d \cos(c + dx)}{2b^4(a + bx)} - \frac{a^2 \sin(c + dx)}{2b^3(a + bx)^2} - \frac{2ad \cos\left(c - \frac{ad}{b}\right)}{b^5}$$

[Out] $-2*a*d*Ci(a*d/b+d*x)*cos(-c+a*d/b)/b^4-1/2*a^2*d*cos(d*x+c)/b^4/(b*x+a)+cos(-c+a*d/b)*Si(a*d/b+d*x)/b^3-1/2*a^2*d^2*cos(-c+a*d/b)*Si(a*d/b+d*x)/b^5-Ci(a*d/b+d*x)*sin(-c+a*d/b)/b^3+1/2*a^2*d^2*Ci(a*d/b+d*x)*sin(-c+a*d/b)/b^5-2*a*d*Si(a*d/b+d*x)*sin(-c+a*d/b)/b^4-1/2*a^2*sin(d*x+c)/b^3/(b*x+a)^2+2*a*sin(d*x+c)/b^3/(b*x+a)$

Rubi [A] time = 0.54, antiderivative size = 241, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{a^2 d^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{2b^5} - \frac{a^2 d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^5} - \frac{a^2 \sin(c + dx)}{2b^3(a + bx)^2} - \frac{a^2 d \cos(c + dx)}{2b^4(a + bx)} + \frac{\sin\left(c - \frac{ad}{b}\right)}{b^5}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*\text{Sin}[c + d*x])/(a + b*x)^3, x]$

[Out] $-(a^2*d*\text{Cos}[c + d*x])/(2*b^4*(a + b*x)) - (2*a*d*\text{Cos}[c - (a*d)/b]*\text{CosIntegral}[(a*d)/b + d*x])/b^4 + (\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/b^3 - (a^2*d^2*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/(2*b^5) - (a^2*\text{Sin}[c + d*x])/(2*b^3*(a + b*x)^2) + (2*a*\text{Sin}[c + d*x])/(b^3*(a + b*x)) + (\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^3 - (a^2*d^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/(2*b^5) + (2*a*d*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^4$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\text{sin}[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*\text{Sin}[e + f*x]}/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)*\text{Cos}[e + f*x]}, x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c+dx)}{(a+bx)^3} dx &= \int \left(\frac{a^2 \sin(c+dx)}{b^2(a+bx)^3} - \frac{2a \sin(c+dx)}{b^2(a+bx)^2} + \frac{\sin(c+dx)}{b^2(a+bx)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{a+bx} dx}{b^2} - \frac{(2a) \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{b^2} + \frac{a^2 \int \frac{\sin(c+dx)}{(a+bx)^3} dx}{b^2} \\ &= -\frac{a^2 \sin(c+dx)}{2b^3(a+bx)^2} + \frac{2a \sin(c+dx)}{b^3(a+bx)} - \frac{(2ad) \int \frac{\cos(c+dx)}{a+bx} dx}{b^3} + \frac{(a^2d) \int \frac{\cos(c+dx)}{(a+bx)^2} dx}{2b^3} + \frac{\cos(c+dx)}{b^3} \\ &= -\frac{a^2d \cos(c+dx)}{2b^4(a+bx)} + \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^3} - \frac{a^2 \sin(c+dx)}{2b^3(a+bx)^2} + \frac{2a \sin(c+dx)}{b^3(a+bx)} + \frac{\cos(c+dx)}{b^3} \\ &= -\frac{a^2d \cos(c+dx)}{2b^4(a+bx)} - \frac{2ad \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{b^4} + \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^3} - \frac{a^2 \sin(c+dx)}{2b^3(a+bx)^2} \\ &= -\frac{a^2d \cos(c+dx)}{2b^4(a+bx)} - \frac{2ad \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{b^4} + \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{b^3} - \frac{a^2d^2 \cos(c+dx)}{2b^3(a+bx)^2} \end{aligned}$$

Mathematica [A] time = 1.25, size = 154, normalized size = 0.64

$$\frac{-\text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) \left((2b^2 - a^2d^2) \sin\left(c - \frac{ad}{b}\right) - 4abd \cos\left(c - \frac{ad}{b}\right) \right) + \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) \left((a^2d^2 - 2b^2) \cos\left(c - \frac{ad}{b}\right) - 4abd \sin\left(c - \frac{ad}{b}\right) \right)}{2b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x)^3,x]

[Out] -1/2*(-(CosIntegral[d*(a/b + x)]*(-4*a*b*d*Cos[c - (a*d)/b] + (2*b^2 - a^2*d^2)*Sin[c - (a*d)/b])) + (a*b*(a*d*(a + b*x)*Cos[c + d*x] - b*(3*a + 4*b*x)*Sin[c + d*x]))/(a + b*x)^2 + ((-2*b^2 + a^2*d^2)*Cos[c - (a*d)/b] - 4*a*b*d*Sin[c - (a*d)/b])*SinIntegral[d*(a/b + x)]/b^5

fricas [A] time = 0.88, size = 438, normalized size = 1.82

$$\frac{2(a^2b^2dx + a^3bd) \cos(dx + c) + 2\left(2(ab^3dx^2 + 2a^2b^2dx + a^3bd) \text{Ci}\left(\frac{bdx+ad}{b}\right) + 2(ab^3dx^2 + 2a^2b^2dx + a^3bd)\right)}{2b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a)^3,x, algorithm="fricas")

[Out] -1/4*(2*(a^2*b^2*d*x + a^3*b*d)*cos(d*x + c) + 2*(2*(a*b^3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*cos_integral((b*d*x + a*d)/b) + 2*(a*b^3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*cos_integral(-(b*d*x + a*d)/b) + (a^4*d^2 - 2*a^2*b^2 + (a^2*b^2*d^2 - 2*b^4)*x^2 + 2*(a^3*b*d^2 - 2*a*b^3)*x)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) - 2*(4*a*b^3*x + 3*a^2*b^2)*sin(d*x + c) - ((a^4*d^2 - 2*a^2*b^2 + (a^2*b^2*d^2 - 2*b^4)*x^2 + 2*(a^3*b*d^2 - 2*a*b^3)*x)*cos_integral((b*d*x + a*d)/b) + (a^4*d^2 - 2*a^2*b^2 + (a^2*b^2*d^2 - 2*b^4)*x^2 + 2*(a^3*b*d^2 - 2*a*b^3)*x)*cos_integral(-(b*d*x + a*d)/b) - 8*(a*b^3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*sin(d*x + c)

$$3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*\sin_integral((b*d*x + a*d)/b))*\sin(-(b*c - a*d)/b))/(b^7*x^2 + 2*a*b^6*x + a^2*b^5)$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a)^3,x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.03, size = 779, normalized size = 3.23

$$\frac{d^3(da-cb)^2 \left(\frac{\sin(dx+c)}{2((dx+c)b+da-cb)^2b} + \frac{\cos(dx+c)}{((dx+c)b+da-cb)b} - \frac{\operatorname{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \operatorname{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{2b} \right)}{b^2} + \frac{d^3 \left(\frac{\operatorname{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \operatorname{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x+a)^3,x)

[Out] 1/d^3*(d^3*(a*d-b*c)^2/b^2*(-1/2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)/b)+d^3/b^2*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)+2*d^3*(a*d-b*c)/b*c*(-1/2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)/b)-2*d^3*c/b*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)+d^3*c^2*(-1/2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)/b)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x+a)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x)^3,x)

[Out] int((x^2*sin(c + d*x))/(a + b*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x+a)**3,x)

[Out] Integral(x**2*sin(c + d*x)/(a + b*x)**3, x)

3.35 $\int \frac{x \sin(c+dx)}{(a+bx)^3} dx$

Optimal. Leaf size=179

$$\frac{ad^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{2b^4} + \frac{ad^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^4} + \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{b^3} - \frac{d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3}$$

[Out] $d*\text{Ci}(a*d/b+d*x)*\cos(-c+a*d/b)/b^3+1/2*a*d*\cos(d*x+c)/b^3/(b*x+a)+1/2*a*d^2*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^4-1/2*a*d^2*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^4+d*\text{Si}(a*d/b+d*x)*\sin(-c+a*d/b)/b^3+1/2*a*\sin(d*x+c)/b^2/(b*x+a)^2-\sin(d*x+c)/b^2/(b*x+a)$

Rubi [A] time = 0.35, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{ad^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{2b^4} + \frac{d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{b^3} + \frac{ad^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^4} - \frac{d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{b^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x*\text{Sin}[c + d*x])/(a + b*x)^3, x]$

[Out] $(a*d*\text{Cos}[c + d*x])/(2*b^3*(a + b*x)) + (d*\text{Cos}[c - (a*d)/b]*\text{CosIntegral}[(a*d)/b + d*x])/b^3 + (a*d^2*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/(2*b^4) + (a*\text{Sin}[c + d*x])/(2*b^2*(a + b*x)^2) - \text{Sin}[c + d*x]/(b^2*(a + b*x)) + (a*d^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/(2*b^4) - (d*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/b^3$

Rule 3297

$\text{Int}[(c + d*x)^m * \sin(e + f*x), x] \rightarrow \text{Simp}[(c + d*x)^{m+1} * \text{Sin}[e + f*x] / (d*(m+1)), x] - \text{Dist}[f / (d*(m+1)), \text{Int}[(c + d*x)^m * \text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\sin(e + f*x) / (c + d*x), x] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\sin(e + f*x) / (c + d*x), x] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) - c*f, 0]

Rule 3303

$\text{Int}[\sin(e + f*x) / (c + d*x), x] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x] / (c + d*x), x], x] /;$ FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

$\text{Int}[u, x] \rightarrow \text{With}[v = \text{ExpandIntegrand}[u, x], \text{Int}[v, x] /;$ SumQ[v]

Rubi steps

$$\begin{aligned}
\int \frac{x \sin(c+dx)}{(a+bx)^3} dx &= \int \left(-\frac{a \sin(c+dx)}{b(a+bx)^3} + \frac{\sin(c+dx)}{b(a+bx)^2} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{(a+bx)^2} dx}{b} - \frac{a \int \frac{\sin(c+dx)}{(a+bx)^3} dx}{b} \\
&= \frac{a \sin(c+dx)}{2b^2(a+bx)^2} - \frac{\sin(c+dx)}{b^2(a+bx)} + \frac{d \int \frac{\cos(c+dx)}{a+bx} dx}{b^2} - \frac{(ad) \int \frac{\cos(c+dx)}{(a+bx)^2} dx}{2b^2} \\
&= \frac{ad \cos(c+dx)}{2b^3(a+bx)} + \frac{a \sin(c+dx)}{2b^2(a+bx)^2} - \frac{\sin(c+dx)}{b^2(a+bx)} + \frac{(ad^2) \int \frac{\sin(c+dx)}{a+bx} dx}{2b^3} + \frac{\left(d \cos\left(c - \frac{ad}{b}\right) \right) \int \frac{1}{a+bx} dx}{b^2} \\
&= \frac{ad \cos(c+dx)}{2b^3(a+bx)} + \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{b^3} + \frac{a \sin(c+dx)}{2b^2(a+bx)^2} - \frac{\sin(c+dx)}{b^2(a+bx)} - \frac{d \sin\left(c - \frac{ad}{b}\right)}{b^2} \\
&= \frac{ad \cos(c+dx)}{2b^3(a+bx)} + \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{b^3} + \frac{ad^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{2b^4} + \frac{a \sin(c+dx)}{2b^2(a+bx)^2}
\end{aligned}$$

Mathematica [A] time = 0.61, size = 157, normalized size = 0.88

$$\frac{d(a+bx)^2 \left(\text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) \left(ad \sin\left(c - \frac{ad}{b}\right) + 2b \cos\left(c - \frac{ad}{b}\right) \right) + \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) \left(ad \cos\left(c - \frac{ad}{b}\right) - 2b \sin\left(c - \frac{ad}{b}\right) \right) \right)}{2b^4(a+bx)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x)^3,x]

[Out] (b*Cos[d*x]*(a*d*(a + b*x)*Cos[c] - b*(a + 2*b*x)*Sin[c]) - b*(b*(a + 2*b*x)*Cos[c] + a*d*(a + b*x)*Sin[c])*Sin[d*x] + d*(a + b*x)^2*(CosIntegral[d*(a/b + x)]*(2*b*Cos[c - (a*d)/b] + a*d*Sin[c - (a*d)/b]) + (a*d*Cos[c - (a*d)/b] - 2*b*Sin[c - (a*d)/b])*SinIntegral[d*(a/b + x)])/(2*b^4*(a + b*x)^2)

fricas [A] time = 0.73, size = 346, normalized size = 1.93

$$\frac{2(ab^2 dx + a^2 bd) \cos(dx + c) + 2 \left((b^3 dx^2 + 2ab^2 dx + a^2 bd) \text{Ci}\left(\frac{bdx+ad}{b}\right) + (b^3 dx^2 + 2ab^2 dx + a^2 bd) \text{Ci}\left(-\frac{bdx+ad}{b}\right) \right)}{2b^4(a+bx)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a)^3,x, algorithm="fricas")

[Out] 1/4*(2*(a*b^2*d*x + a^2*b*d)*cos(d*x + c) + 2*((b^3*d*x^2 + 2*a*b^2*d*x + a^2*b*d)*cos_integral((b*d*x + a*d)/b) + (b^3*d*x^2 + 2*a*b^2*d*x + a^2*b*d)*cos_integral(-(b*d*x + a*d)/b) + (a*b^2*d^2*x^2 + 2*a^2*b*d^2*x + a^3*d^2)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) - 2*(2*b^3*x + a*b^2)*sin(d*x + c) - ((a*b^2*d^2*x^2 + 2*a^2*b*d^2*x + a^3*d^2)*cos_integral((b*d*x + a*d)/b) + (a*b^2*d^2*x^2 + 2*a^2*b*d^2*x + a^3*d^2)*cos_integral(-(b*d*x + a*d)/b) - 4*(b^3*d*x^2 + 2*a*b^2*d*x + a^2*b*d)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^6*x^2 + 2*a*b^5*x + a^2*b^4)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a)^3,x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.03, size = 419, normalized size = 2.34

$$\frac{d^3(da-cb) \left(\frac{\sin(dx+c)}{2((dx+c)b+da-cb)^2b} + \frac{\cos(dx+c)}{((dx+c)b+da-cb)b} - \frac{\operatorname{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\operatorname{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b} + \frac{d^3 \left(-\frac{\sin(dx+c)}{((dx+c)b+da-cb)b} + \frac{\operatorname{Si}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{b}$$

d^2

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(d*x+c)/(b*x+a)^3,x)

[Out] $\frac{1}{d^2} \left(-\frac{d^3(a*d-b*c)}{b} \left(-\frac{1}{2} \frac{\sin(d*x+c)}{((d*x+c)*b+d*a-c*b)^2/b} + \frac{1}{2} \left(-\cos(d*x+c) / ((d*x+c)*b+d*a-c*b) / b - (\operatorname{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b - \operatorname{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b \right) / b \right) + d^3/b \left(-\frac{\sin(d*x+c)}{((d*x+c)*b+d*a-c*b)/b} + (\operatorname{Si}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b + \operatorname{Ci}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b \right) / b - d^3*c \left(-\frac{1}{2} \frac{\sin(d*x+c)}{((d*x+c)*b+d*a-c*b)^2/b} + \frac{1}{2} \left(-\cos(d*x+c) / ((d*x+c)*b+d*a-c*b) / b - (\operatorname{Si}(d*x+c+(a*d-b*c)/b) * \cos((a*d-b*c)/b) / b - \operatorname{Ci}(d*x+c+(a*d-b*c)/b) * \sin((a*d-b*c)/b) / b \right) / b \right) \right)$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*sin(c + d*x))/(a + b*x)^3,x)

[Out] int((x*sin(c + d*x))/(a + b*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x+a)**3,x)

[Out] Integral(x*sin(c + d*x)/(a + b*x)**3, x)

3.36 $\int \frac{\sin(c+dx)}{(a+bx)^3} dx$

Optimal. Leaf size=104

$$\frac{d^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{2b^3} - \frac{d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^3} - \frac{d \cos(c + dx)}{2b^2(a + bx)} - \frac{\sin(c + dx)}{2b(a + bx)^2}$$

[Out] $-1/2*d*\cos(d*x+c)/b^2/(b*x+a)-1/2*d^2*\cos(-c+a*d/b)*\text{Si}(a*d/b+d*x)/b^3+1/2*d^2*\text{Ci}(a*d/b+d*x)*\sin(-c+a*d/b)/b^3-1/2*\sin(d*x+c)/b/(b*x+a)^2$

Rubi [A] time = 0.13, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$\frac{d^2 \sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{2b^3} - \frac{d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{2b^3} - \frac{d \cos(c + dx)}{2b^2(a + bx)} - \frac{\sin(c + dx)}{2b(a + bx)^2}$$

Antiderivative was successfully verified.

[In] `Int[Sin[c + d*x]/(a + b*x)^3, x]`

[Out] $-(d*\text{Cos}[c + d*x])/(2*b^2*(a + b*x)) - (d^2*\text{CosIntegral}[(a*d)/b + d*x]*\text{Sin}[c - (a*d)/b])/(2*b^3) - \text{Sin}[c + d*x]/(2*b*(a + b*x)^2) - (d^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[(a*d)/b + d*x])/(2*b^3)$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{(a+bx)^3} dx &= -\frac{\sin(c+dx)}{2b(a+bx)^2} + \frac{d \int \frac{\cos(c+dx)}{(a+bx)^2} dx}{2b} \\
&= -\frac{d \cos(c+dx)}{2b^2(a+bx)} - \frac{\sin(c+dx)}{2b(a+bx)^2} - \frac{d^2 \int \frac{\sin(c+dx)}{a+bx} dx}{2b^2} \\
&= -\frac{d \cos(c+dx)}{2b^2(a+bx)} - \frac{\sin(c+dx)}{2b(a+bx)^2} - \frac{\left(d^2 \cos\left(c - \frac{ad}{b}\right)\right) \int \frac{\sin\left(\frac{ad}{b}+dx\right)}{a+bx} dx}{2b^2} - \frac{\left(d^2 \sin\left(c - \frac{ad}{b}\right)\right) \int \frac{\cos\left(\frac{ad}{b}\right)}{a+bx} dx}{2b^2} \\
&= -\frac{d \cos(c+dx)}{2b^2(a+bx)} - \frac{d^2 \text{Ci}\left(\frac{ad}{b}+dx\right) \sin\left(c - \frac{ad}{b}\right)}{2b^3} - \frac{\sin(c+dx)}{2b(a+bx)^2} - \frac{d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(\frac{ad}{b}+dx\right)}{2b^3}
\end{aligned}$$

Mathematica [A] time = 0.74, size = 87, normalized size = 0.84

$$\frac{d^2 \sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(d\left(\frac{a}{b} + x\right)\right) + d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + \frac{b(d(a+bx) \cos(c+dx) + b \sin(c+dx))}{(a+bx)^2}}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(a + b*x)^3, x]

[Out] -1/2*(d^2*CosIntegral[d*(a/b + x)]*Sin[c - (a*d)/b] + (b*(d*(a + b*x)*Cos[c + d*x] + b*Sin[c + d*x]))/(a + b*x)^2 + d^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)]/b^3

fricas [B] time = 0.62, size = 210, normalized size = 2.02

$$\frac{2b^2 \sin(dx + c) + 2\left(b^2 d^2 x^2 + 2abd^2 x + a^2 d^2\right) \cos\left(-\frac{bc-ad}{b}\right) \text{Si}\left(\frac{bdx+ad}{b}\right) + 2\left(b^2 dx + abd\right) \cos(dx + c) - \left(b^2 d^2 x^2 + 2abd^2 x + a^2 d^2\right) \cos\left(-\frac{bc-ad}{b}\right) \text{Si}\left(\frac{bdx+ad}{b}\right)}{4\left(b^5 x^2 + 2ab^4 x + a^2 b^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a)^3,x, algorithm="fricas")

[Out] -1/4*(2*b^2*sin(d*x + c) + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*cos(-(b*c - a*d)/b)*sin_integral((b*d*x + a*d)/b) + 2*(b^2*d*x + a*b*d)*cos(d*x + c) - ((b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*cos_integral((b*d*x + a*d)/b) + (b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*cos_integral(-(b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(b^5*x^2 + 2*a*b^4*x + a^2*b^3)

giac [C] time = 1.15, size = 5727, normalized size = 55.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a)^3,x, algorithm="giac")

[Out] -1/4*(b^2*d^2*x^2*imag_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - b^2*d^2*x^2*imag_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*b^2*d^2*x^2*sin_integral((b*d*x + a*d)/b)*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*b^2*d^2*x^2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 + 2*b^2*d^2*x^2*real_part(cos_integral(-d*x - a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)^2*tan(1/2*a*d/b)^2 - 2*b^2*d^2*x^2*real_part(cos_integral(d*x + a*d/b))*tan(1/2*d*x)^2*tan(1/2*c)*tan(1/2*a*d/b)^2 - 2*b^2*d^2*x^2*real_pa

$$\begin{aligned}
& \operatorname{rt}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + \\
& 2*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c) \\
& ^2*\tan(1/2*a*d/b)^2 - 2*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan \\
& (1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 4*a*b*d^2*x*\operatorname{sin_integral}((b*d*x \\
& + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - b^2*d^2*x^2*\operatorname{imag_} \\
& \operatorname{part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + b^2*d^2*x^2*i \\
& \operatorname{mag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*b^2*d^2 \\
& *x^2*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 4*b^2*d^2 \\
& *x^2*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2 \\
& *a*d/b) - 4*b^2*d^2*x^2*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^ \\
& 2*\tan(1/2*c)*\tan(1/2*a*d/b) + 8*b^2*d^2*x^2*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan \\
& (1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 4*a*b*d^2*x*\operatorname{real_part}(\cos_integral \\
& (d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b) + 4*a*b*d^2*x*\operatorname{re} \\
& \operatorname{al_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d \\
& /b) - b^2*d^2*x^2*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1 \\
& /2*a*d/b)^2 + b^2*d^2*x^2*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x) \\
& ^2*\tan(1/2*a*d/b)^2 - 2*b^2*d^2*x^2*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan(1/2* \\
& d*x)^2*\tan(1/2*a*d/b)^2 - 4*a*b*d^2*x*\operatorname{real_part}(\cos_integral(d*x + a*d/b))* \\
& \tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 4*a*b*d^2*x*\operatorname{real_part}(\cos_inte \\
& gral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + b^2*d^2*x^2 \\
& *\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - b^2*d^2 \\
& *x^2*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 \\
& + 2*b^2*d^2*x^2*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 \\
& + a^2*d^2*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 \\
& *\tan(1/2*a*d/b)^2 - a^2*d^2*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2* \\
& d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a^2*d^2*\operatorname{sin_integral}((b*d*x + a*d) \\
& /b)*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*b^2*d^2*x^2*\operatorname{real_part} \\
& (\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c) + 2*b^2*d^2*x^2*\operatorname{real_p} \\
& \operatorname{art}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*a*b*d^2*x*\operatorname{ima} \\
& \operatorname{g_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*a*b*d^2*x \\
& *\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 4*a*b* \\
& d^2*x*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*b^2*d^2 \\
& *x^2*\operatorname{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b) - 2 \\
& *b^2*d^2*x^2*\operatorname{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a \\
& *d/b) + 8*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan \\
& (1/2*c)*\tan(1/2*a*d/b) - 8*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))* \\
& \tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 16*a*b*d^2*x*\operatorname{sin_integral}((b*d*x \\
& + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 2*b^2*d^2*x^2*\operatorname{real_pa} \\
& \operatorname{rt}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) + 2*b^2*d^2*x^2*\operatorname{r} \\
& \operatorname{eal_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b) + 2*a^2*d^2 \\
& *\operatorname{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2* \\
& a*d/b) + 2*a^2*d^2*\operatorname{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan \\
& (1/2*c)^2*\tan(1/2*a*d/b) - 2*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(d*x + a*d/b)) \\
& *\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + 2*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(-d*x \\
& - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 - 4*a*b*d^2*x*\operatorname{sin_integral}((b*d*x \\
& + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 - 2*b^2*d^2*x^2*\operatorname{real_part}(\cos_in \\
& tegral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2*b^2*d^2*x^2*\operatorname{real_part} \\
& (\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2*a^2*d^2*\operatorname{real_pa} \\
& \operatorname{rt}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - \\
& 2*a^2*d^2*\operatorname{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan \\
& (1/2*a*d/b)^2 + 2*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2* \\
& c)^2*\tan(1/2*a*d/b)^2 - 2*a*b*d^2*x*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan \\
& (1/2*c)^2*\tan(1/2*a*d/b)^2 + 4*a*b*d^2*x*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan \\
& (1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*b^2*d*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2 \\
& *a*d/b)^2 + b^2*d^2*x^2*\operatorname{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2 \\
& - b^2*d^2*x^2*\operatorname{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2 + 2*b^2 \\
& *d^2*x^2*\operatorname{sin_integral}((b*d*x + a*d)/b)*\tan(1/2*d*x)^2 + 4*a*b*d^2*x*\operatorname{real_pa} \\
& \operatorname{rt}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*a*b*d^2*x*\operatorname{real_} \\
& \operatorname{part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c) - b^2*d^2*x^2*\operatorname{im}
\end{aligned}$$

$$\begin{aligned}
& \text{ag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2 + b^2*d^2*x^2*\text{imag_part}(\cos \\
& _integral(-d*x - a*d/b))*\tan(1/2*c)^2 - 2*b^2*d^2*x^2*\sin_integral((b*d*x + \\
& a*d)/b)*\tan(1/2*c)^2 - a^2*d^2*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/ \\
& 2*d*x)^2*\tan(1/2*c)^2 + a^2*d^2*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1 \\
& /2*d*x)^2*\tan(1/2*c)^2 - 2*a^2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*d* \\
& x)^2*\tan(1/2*c)^2 - 4*a*b*d^2*x*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/ \\
& 2*d*x)^2*\tan(1/2*a*d/b) - 4*a*b*d^2*x*\text{real_part}(\cos_integral(-d*x - a*d/b)) \\
& *\tan(1/2*d*x)^2*\tan(1/2*a*d/b) + 4*b^2*d^2*x^2*\text{imag_part}(\cos_integral(d*x + \\
& a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) - 4*b^2*d^2*x^2*\text{imag_part}(\cos_integral(- \\
& d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) + 8*b^2*d^2*x^2*\sin_integral((b*d*x \\
& + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d/b) + 4*a^2*d^2*\text{imag_part}(\cos_integral(d*x \\
& + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b) - 4*a^2*d^2*\text{imag_part}(c \\
& os_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b) + 8*a^2 \\
& *d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b) \\
& + 4*a*b*d^2*x*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a* \\
& d/b) + 4*a*b*d^2*x*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1 \\
& /2*a*d/b) - b^2*d^2*x^2*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b) \\
& ^2 + b^2*d^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 - 2 \\
& *b^2*d^2*x^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 - a^2*d^2*\text{imag_} \\
& \text{part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + a^2*d^2*i \\
& \text{mag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 - 2*a^ \\
& 2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 - 4*a*b \\
& *d^2*x*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 4 \\
& *a*b*d^2*x*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b)^ \\
& 2 + a^2*d^2*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a*d/b \\
&)^2 - a^2*d^2*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/2*a* \\
& d/b)^2 + 2*a^2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*c)^2*\tan(1/2*a*d/b \\
&)^2 + 2*a*b*d^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a*b*d^2*x*i \\
& \text{mag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2 - 2*a*b*d^2*x*\text{imag_part}(c \\
& os_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2 + 4*a*b*d^2*x*\sin_integral((b*d*x \\
& + a*d)/b)*\tan(1/2*d*x)^2 + 2*b^2*d^2*x^2*\text{real_part}(\cos_integral(d*x + a*d/ \\
& b))*\tan(1/2*c) + 2*b^2*d^2*x^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/ \\
& 2*c) + 2*a^2*d^2*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/ \\
& 2*c) + 2*a^2*d^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1 \\
& /2*c) - 2*a*b*d^2*x*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2 + 2*a \\
& *b*d^2*x*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2 - 4*a*b*d^2*x*s \\
& \text{in_integral}((b*d*x + a*d)/b)*\tan(1/2*c)^2 + 2*b^2*d*x*\tan(1/2*d*x)^2*\tan(1/ \\
& 2*c)^2 - 2*b^2*d^2*x^2*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b) \\
& - 2*b^2*d^2*x^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b) - 2*a^ \\
& 2*d^2*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/b) - \\
& 2*a^2*d^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*d*x)^2*\tan(1/2*a*d/ \\
& b) + 8*a*b*d^2*x*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a* \\
& d/b) - 8*a*b*d^2*x*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2 \\
& *a*d/b) + 16*a*b*d^2*x*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d \\
& /b) + 2*a^2*d^2*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2*\tan(1/2*a \\
& *d/b) + 2*a^2*d^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2*\tan(1/ \\
& 2*a*d/b) - 2*a*b*d^2*x*\text{imag_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b)^ \\
& 2 + 2*a*b*d^2*x*\text{imag_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 - 4* \\
& a*b*d^2*x*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 - 2*b^2*d*x*\tan(1/ \\
& 2*d*x)^2*\tan(1/2*a*d/b)^2 - 2*a^2*d^2*\text{real_part}(\cos_integral(d*x + a*d/b))* \\
& \tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2*a^2*d^2*\text{real_part}(\cos_integral(-d*x - a*d/b \\
&))*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 8*b^2*d*x*\tan(1/2*d*x)*\tan(1/2*c)*\tan(1/2* \\
& a*d/b)^2 - 2*b^2*d*x*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b^2*d^2*x^2*\text{imag_part} \\
& (\cos_integral(d*x + a*d/b)) - b^2*d^2*x^2*\text{imag_part}(\cos_integral(-d*x - a*d/ \\
& b)) + 2*b^2*d^2*x^2*\sin_integral((b*d*x + a*d)/b) + a^2*d^2*\text{imag_part}(\cos_i \\
& ntegral(d*x + a*d/b))*\tan(1/2*d*x)^2 - a^2*d^2*\text{imag_part}(\cos_integral(-d*x \\
& - a*d/b))*\tan(1/2*d*x)^2 + 2*a^2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2* \\
& d*x)^2 + 4*a*b*d^2*x*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c) + 4*a* \\
& b*d^2*x*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c) - a^2*d^2*\text{imag_par}
\end{aligned}$$

$$\begin{aligned}
& t(\cos_integral(d*x + a*d/b))*\tan(1/2*c)^2 + a^2*d^2*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)^2 - 2*a^2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*c)^2 + 2*a*b*d*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 4*a*b*d^2*x*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b) - 4*a*b*d^2*x*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b) + 4*a^2*d^2*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) - 4*a^2*d^2*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*c)*\tan(1/2*a*d/b) + 8*a^2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*c)*\tan(1/2*a*d/b) - a^2*d^2*imag_part(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b)^2 + a^2*d^2*imag_part(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b)^2 - 2*a^2*d^2*\sin_integral((b*d*x + a*d)/b)*\tan(1/2*a*d/b)^2 - 2*a*b*d*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 - 8*a*b*d*\tan(1/2*d*x)*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 4*b^2*\tan(1/2*d*x)^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 - 2*a*b*d*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 - 4*b^2*\tan(1/2*d*x)*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a*b*d^2*x*\text{imag_part}(\cos_integral(d*x + a*d/b)) - 2*a*b*d^2*x*\text{imag_part}(\cos_integral(-d*x - a*d/b)) + 4*a*b*d^2*x*\sin_integral((b*d*x + a*d)/b) - 2*b^2*d*x*\tan(1/2*d*x)^2 + 2*a^2*d^2*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*c) + 2*a^2*d^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*c) - 8*b^2*d*x*\tan(1/2*d*x)*\tan(1/2*c) - 2*b^2*d*x*\tan(1/2*c)^2 - 2*a^2*d^2*\text{real_part}(\cos_integral(d*x + a*d/b))*\tan(1/2*a*d/b) - 2*a^2*d^2*\text{real_part}(\cos_integral(-d*x - a*d/b))*\tan(1/2*a*d/b) + 2*b^2*d*x*\tan(1/2*a*d/b)^2 + a^2*d^2*imag_part(\cos_integral(d*x + a*d/b)) - a^2*d^2*imag_part(\cos_integral(-d*x - a*d/b)) + 2*a^2*d^2*\sin_integral((b*d*x + a*d)/b) - 2*a*b*d*\tan(1/2*d*x)^2 - 8*a*b*d*\tan(1/2*d*x)*\tan(1/2*c) - 4*b^2*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*a*b*d*\tan(1/2*c)^2 - 4*b^2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*a*b*d*\tan(1/2*a*d/b)^2 + 4*b^2*\tan(1/2*d*x)*\tan(1/2*a*d/b)^2 + 4*b^2*\tan(1/2*c)*\tan(1/2*a*d/b)^2 + 2*b^2*d*x + 2*a*b*d + 4*b^2*\tan(1/2*d*x) + 4*b^2*\tan(1/2*c))/(b^5*x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a*b^4*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b^5*x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + b^5*x^2*\tan(1/2*d*x)^2*\tan(1/2*a*d/b)^2 + b^5*x^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + a^2*b^3*\tan(1/2*d*x)^2*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + 2*a*b^4*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*a*b^4*x*\tan(1/2*c)^2*\tan(1/2*a*d/b)^2 + b^5*x^2 + a^2*b^3*\tan(1/2*d*x)^2 + a^2*b^3*\tan(1/2*c)^2 + a^2*b^3*\tan(1/2*a*d/b)^2 + 2*a*b^4*x + a^2*b^3)
\end{aligned}$$

maple [A] time = 0.03, size = 145, normalized size = 1.39

$$d^2 \left(\frac{\sin(dx+c)}{2((dx+c)b+da-cb)^2 b} + \frac{\cos(dx+c)}{((dx+c)b+da-cb)b} - \frac{\frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right)\cos\left(\frac{da-cb}{b}\right) - \text{Ci}\left(dx+c+\frac{da-cb}{b}\right)\sin\left(\frac{da-cb}{b}\right)}{b}}{2b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x+a)^3,x)

[Out] $d^2*(-1/2*\sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-\cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(\text{Si}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b-\text{Ci}(d*x+c+(a*d-b*c)/b)*\sin((a*d-b*c)/b)/b)/b)$

maxima [C] time = 0.46, size = 199, normalized size = 1.91

$$\frac{d^3 \left(-i E_3 \left(\frac{i(dx+c)b-ibc+iad}{b} \right) + i E_3 \left(-\frac{i(dx+c)b-ibc+iad}{b} \right) \right) \cos \left(-\frac{bc-ad}{b} \right) + d^3 \left(E_3 \left(\frac{i(dx+c)b-ibc+iad}{b} \right) + E_3 \left(-\frac{i(dx+c)b-ibc+iad}{b} \right) \right)}{2 \left((dx+c)^2 b^3 + b^3 c^2 - 2 ab^2 cd + a^2 b d^2 - 2 (b^3 c - ab^2 d)(dx+c) \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a)^3,x, algorithm="maxima")

[Out] 1/2*(d^3*(-I*exp_integral_e(3, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + I*exp_integral_e(3, -(I*(d*x + c)*b - I*b*c + I*a*d)/b))*cos(-(b*c - a*d)/b) + d^3*(exp_integral_e(3, (I*(d*x + c)*b - I*b*c + I*a*d)/b) + exp_integral_e(3, -(I*(d*x + c)*b - I*b*c + I*a*d)/b))*sin(-(b*c - a*d)/b))/(((d*x + c)^2*b^3 + b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2 - 2*(b^3*c - a*b^2*d)*(d*x + c))*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(a + b*x)^3,x)

[Out] int(sin(c + d*x)/(a + b*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x+a)**3,x)

[Out] Integral(sin(c + d*x)/(a + b*x)**3, x)

$$3.37 \quad \int \frac{\sin(c+dx)}{x(a+bx)^3} dx$$

Optimal. Leaf size=261

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{a^3} - \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^3} + \frac{\sin(c) \text{Ci}(dx)}{a^3} + \frac{\cos(c) \text{Si}(dx)}{a^3} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(xd + \frac{ad}{b}\right)}{a^2 b}$$

[Out] $-d \cdot \text{Ci}(a \cdot d / b + d \cdot x) \cdot \cos(-c + a \cdot d / b) / a^2 / b + 1/2 \cdot d \cdot \cos(d \cdot x + c) / a / b / (b \cdot x + a) + \cos(c) \cdot \text{Si}(d \cdot x) / a^3 - \cos(-c + a \cdot d / b) \cdot \text{Si}(a \cdot d / b + d \cdot x) / a^3 + 1/2 \cdot d^2 \cdot \cos(-c + a \cdot d / b) \cdot \text{Si}(a \cdot d / b + d \cdot x) / a / b^2 + \text{Ci}(d \cdot x) \cdot \sin(c) / a^3 + \text{Ci}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / a^3 - 1/2 \cdot d^2 \cdot \text{Ci}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / a / b^2 - d \cdot \text{Si}(a \cdot d / b + d \cdot x) \cdot \sin(-c + a \cdot d / b) / a^2 / b + 1/2 \cdot \sin(d \cdot x + c) / a / (b \cdot x + a)^2 + \sin(d \cdot x + c) / a^2 / (b \cdot x + a)$

Rubi [A] time = 0.54, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3303, 3299, 3302, 3297}

$$\frac{\sin\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^3} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^2 b} + \frac{d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^2 b} - \frac{\cos\left(c - \frac{ad}{b}\right) \text{Si}\left(xd + \frac{ad}{b}\right)}{a^2 b}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x*(a + b*x)^3), x]

[Out] $(d \cdot \text{Cos}[c + d \cdot x]) / (2 \cdot a \cdot b \cdot (a + b \cdot x)) - (d \cdot \text{Cos}[c - (a \cdot d) / b] \cdot \text{CosIntegral}[(a \cdot d) / b + d \cdot x]) / (a^2 \cdot b) + (\text{CosIntegral}[d \cdot x] \cdot \text{Sin}[c]) / a^3 - (\text{CosIntegral}[(a \cdot d) / b + d \cdot x] \cdot \text{Sin}[c - (a \cdot d) / b]) / a^3 + (d^2 \cdot \text{CosIntegral}[(a \cdot d) / b + d \cdot x] \cdot \text{Sin}[c - (a \cdot d) / b]) / (2 \cdot a \cdot b^2) + \text{Sin}[c + d \cdot x] / (2 \cdot a \cdot (a + b \cdot x)^2) + \text{Sin}[c + d \cdot x] / (a^2 \cdot (a + b \cdot x)) + (\text{Cos}[c] \cdot \text{SinIntegral}[d \cdot x]) / a^3 - (\text{Cos}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / a^3 + (d^2 \cdot \text{Cos}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / (2 \cdot a \cdot b^2) + (d \cdot \text{Sin}[c - (a \cdot d) / b] \cdot \text{SinIntegral}[(a \cdot d) / b + d \cdot x]) / (a^2 \cdot b)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]) / (d*(m + 1)), x] - Dist[f / (d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Simp[SinIntegral[e + f*x] / d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x] / d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] := Dist[Cos[(d*e - c*f) / d], Int[Sin[(c*f) / d + f*x] / (c + d*x), x], x] + Dist[Sin[(d*e - c*f) / d], Int[Cos[(c*f) / d + f*x] / (c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{x(a+bx)^3} dx &= \int \left(\frac{\sin(c+dx)}{a^3 x} - \frac{b \sin(c+dx)}{a(a+bx)^3} - \frac{b \sin(c+dx)}{a^2(a+bx)^2} - \frac{b \sin(c+dx)}{a^3(a+bx)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{x} dx}{a^3} - \frac{b \int \frac{\sin(c+dx)}{a+bx} dx}{a^3} - \frac{b \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{a^2} - \frac{b \int \frac{\sin(c+dx)}{(a+bx)^3} dx}{a} \\ &= \frac{\sin(c+dx)}{2a(a+bx)^2} + \frac{\sin(c+dx)}{a^2(a+bx)} - \frac{d \int \frac{\cos(c+dx)}{a+bx} dx}{a^2} - \frac{d \int \frac{\cos(c+dx)}{(a+bx)^2} dx}{2a} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^3} - \frac{(b \cos(c+dx))}{a^3} \\ &= \frac{d \cos(c+dx)}{2ab(a+bx)} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} + \frac{\sin(c+dx)}{2a(a+bx)^2} + \frac{\sin(c+dx)}{a^2(a+bx)} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^3} - \frac{(b \cos(c+dx))}{a^3} \\ &= \frac{d \cos(c+dx)}{2ab(a+bx)} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^2 b} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} + \frac{\sin(c+dx)}{2a(a+bx)^2} + \frac{\sin(c+dx)}{a^2(a+bx)} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^3} - \frac{(b \cos(c+dx))}{a^3} \\ &= \frac{d \cos(c+dx)}{2ab(a+bx)} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^2 b} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} + \frac{\sin(c+dx)}{2a(a+bx)^2} + \frac{\sin(c+dx)}{a^2(a+bx)} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^3} - \frac{(b \cos(c+dx))}{a^3} \end{aligned}$$

Mathematica [A] time = 1.05, size = 449, normalized size = 1.72

$$a^4 d^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + 2a^3 b d^2 x \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + 2a^3 b d \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + a^3 b d \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + \frac{d \cos(c+dx)}{2ab(a+bx)} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^2 b} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} + \frac{\sin(c+dx)}{2a(a+bx)^2} + \frac{\sin(c+dx)}{a^2(a+bx)} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^3} - \frac{(b \cos(c+dx))}{a^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x)^3), x]

[Out] (a^3*b*d*Cos[c + d*x] + a^2*b^2*d*x*Cos[c + d*x] + 2*b^2*(a + b*x)^2*CosIntegral[d*x]*Sin[c] + (a + b*x)^2*CosIntegral[d*(a/b + x)]*(-2*a*b*d*Cos[c - (a*d)/b] + (-2*b^2 + a^2*d^2)*Sin[c - (a*d)/b]) + 3*a^2*b^2*Sin[c + d*x] + 2*a*b^3*x*Sin[c + d*x] + 2*a^2*b^2*Cos[c]*SinIntegral[d*x] + 4*a*b^3*x*Cos[c]*SinIntegral[d*x] + 2*b^4*x^2*Cos[c]*SinIntegral[d*x] - 2*a^2*b^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + a^4*d^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] - 4*a*b^3*x*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 2*a^3*b*d^2*x*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] - 2*b^4*x^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + a^2*b^2*d^2*x^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 2*a^3*b*d*Sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 4*a^2*b^2*d*x*Sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 2*a*b^3*d*x^2*Sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)]/(2*a^3*b^2*(a + b*x)^2)

fricas [B] time = 0.77, size = 532, normalized size = 2.04

$$4\left(b^4 x^2 + 2ab^3 x + a^2 b^2\right) \cos(c) \text{Si}(dx) + 2\left(a^2 b^2 dx + a^3 bd\right) \cos(dx + c) - 2\left(\left(ab^3 dx^2 + 2a^2 b^2 dx + a^3 bd\right) \text{Ci}\left(\frac{bdx+a}{b}\right) + \frac{d \cos(c+dx)}{2ab(a+bx)} - \frac{d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^2 b} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^3} + \frac{\sin(c+dx)}{2a(a+bx)^2} + \frac{\sin(c+dx)}{a^2(a+bx)} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a^3} - \frac{(b \cos(c+dx))}{a^3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x+a)^3,x, algorithm="fricas")

```
[Out] 1/4*(4*(b^4*x^2 + 2*a*b^3*x + a^2*b^2)*cos(c)*sin_integral(d*x) + 2*(a^2*b^2*d*x + a^3*b*d)*cos(d*x + c) - 2*((a*b^3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*cos_integral((b*d*x + a*d)/b) + (a*b^3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*cos_integral(-(b*d*x + a*d)/b) - (a^4*d^2 - 2*a^2*b^2 + (a^2*b^2*d^2 - 2*b^4)*x^2 + 2*(a^3*b*d^2 - 2*a*b^3)*x)*sin_integral((b*d*x + a*d)/b))*cos(-(b*c - a*d)/b) + 2*(2*a*b^3*x + 3*a^2*b^2)*sin(d*x + c) + 2*((b^4*x^2 + 2*a*b^3*x + a^2*b^2)*cos_integral(d*x) + (b^4*x^2 + 2*a*b^3*x + a^2*b^2)*cos_integral(-d*x))*sin(c) - ((a^4*d^2 - 2*a^2*b^2 + (a^2*b^2*d^2 - 2*b^4)*x^2 + 2*(a^3*b*d^2 - 2*a*b^3)*x)*cos_integral((b*d*x + a*d)/b) + (a^4*d^2 - 2*a^2*b^2 + (a^2*b^2*d^2 - 2*b^4)*x^2 + 2*(a^3*b*d^2 - 2*a*b^3)*x)*cos_integral(-(b*d*x + a*d)/b) + 4*(a*b^3*d*x^2 + 2*a^2*b^2*d*x + a^3*b*d)*sin_integral((b*d*x + a*d)/b))*sin(-(b*c - a*d)/b))/(a^3*b^4*x^2 + 2*a^4*b^3*x + a^5*b^2)
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x+a)^3,x, algorithm="giac")
```

[Out] Timed out

maple [A] time = 0.03, size = 359, normalized size = 1.38

$$\frac{d^2 b \left(\frac{\sin(dx+c)}{2((dx+c)b+da-cb)^2 b} + \frac{\cos(dx+c)}{((dx+c)b+da-cb)b} - \frac{\operatorname{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} - \frac{\operatorname{Ci}\left(dx+c+\frac{da-cb}{b}\right) \sin\left(\frac{da-cb}{b}\right)}{b} \right)}{a} - \frac{b \left(\frac{\operatorname{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} \right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(d*x+c)/x/(b*x+a)^3,x)
```

```
[Out] -d^2*b/a*(-1/2*sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)/b)-b/a^3*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)+1/a^3*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))-d*b/a^2*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x+a)^3,x, algorithm="maxima")
```

```
[Out] integrate(sin(d*x + c)/((b*x + a)^3*x), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x(a+bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(c+d*x)/(x*(a+b*x)^3),x)
```

```
[Out] int(sin(c + d*x)/(x*(a + b*x)^3), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sin(c + dx)}{x(a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x+a)**3,x)
```

```
[Out] Integral(sin(c + d*x)/(x*(a + b*x)**3), x)
```


3.38 $\int \frac{\sin(c+dx)}{x^2(a+bx)^3} dx$

Optimal. Leaf size=299

$$-\frac{3b \sin(c) \operatorname{Ci}(dx)}{a^4} + \frac{3b \sin\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(xd + \frac{ad}{b}\right)}{a^4} - \frac{3b \cos(c) \operatorname{Si}(dx)}{a^4} + \frac{3b \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(xd + \frac{ad}{b}\right)}{a^4} + \frac{2d \cos\left(c - \frac{ad}{b}\right)}{a^4}$$

[Out] $d \operatorname{Ci}(d*x) \cos(c)/a^3 + 2*d \operatorname{Ci}(a*d/b+d*x) \cos(-c+a*d/b)/a^3 - 1/2*d \cos(d*x+c)/a^2/(b*x+a) - 3*b \cos(c) \operatorname{Si}(d*x)/a^4 + 3*b \cos(-c+a*d/b) \operatorname{Si}(a*d/b+d*x)/a^4 - 1/2*d^2 \cos(-c+a*d/b) \operatorname{Si}(a*d/b+d*x)/a^2/b - 3*b \operatorname{Ci}(d*x) \sin(c)/a^4 - d \operatorname{Si}(d*x) \sin(c)/a^3 - 3*b \operatorname{Ci}(a*d/b+d*x) \sin(-c+a*d/b)/a^4 + 1/2*d^2 \operatorname{Ci}(a*d/b+d*x) \sin(-c+a*d/b)/a^2/b + 2*d \operatorname{Si}(a*d/b+d*x) \sin(-c+a*d/b)/a^3 - \sin(d*x+c)/a^3/x - 1/2*b \sin(d*x+c)/a^2/(b*x+a)^2 - 2*b \sin(d*x+c)/a^3/(b*x+a)$

Rubi [A] time = 0.67, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$-\frac{d^2 \sin\left(c - \frac{ad}{b}\right) \operatorname{CosIntegral}\left(\frac{ad}{b} + dx\right)}{2a^2b} - \frac{3b \sin(c) \operatorname{CosIntegral}(dx)}{a^4} + \frac{3b \sin\left(c - \frac{ad}{b}\right) \operatorname{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^4} + \dots$$

Antiderivative was successfully verified.

[In] `Int[Sin[c + d*x]/(x^2*(a + b*x)^3), x]`

[Out] $-(d \cos[c + d*x])/(2*a^2*(a + b*x)) + (d \cos[c] \operatorname{CosIntegral}[d*x])/a^3 + (2*d \cos[c - (a*d)/b] \operatorname{CosIntegral}[(a*d)/b + d*x])/a^3 - (3*b \operatorname{CosIntegral}[d*x] \sin[c])/a^4 + (3*b \operatorname{CosIntegral}[(a*d)/b + d*x] \sin[c - (a*d)/b])/a^4 - (d^2 \operatorname{CosIntegral}[(a*d)/b + d*x] \sin[c - (a*d)/b])/(2*a^2*b) - \sin[c + d*x]/(a^3*x) - (b \sin[c + d*x])/(2*a^2*(a + b*x)^2) - (2*b \sin[c + d*x])/(a^3*(a + b*x)) - (3*b \cos[c] \operatorname{SinIntegral}[d*x])/a^4 - (d \sin[c] \operatorname{SinIntegral}[d*x])/a^3 + (3*b \cos[c - (a*d)/b] \operatorname{SinIntegral}[(a*d)/b + d*x])/a^4 - (d^2 \cos[c - (a*d)/b] \operatorname{SinIntegral}[(a*d)/b + d*x])/(2*a^2*b) - (2*d \sin[c - (a*d)/b] \operatorname{SinIntegral}[(a*d)/b + d*x])/a^3$

Rule 3297

`Int[((c_.) + (d_.)*(x_.))^(m_)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&`

NeQ[d*e - c*f, 0]

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{x^2(a+bx)^3} dx &= \int \left(\frac{\sin(c+dx)}{a^3x^2} - \frac{3b\sin(c+dx)}{a^4x} + \frac{b^2\sin(c+dx)}{a^2(a+bx)^3} + \frac{2b^2\sin(c+dx)}{a^3(a+bx)^2} + \frac{3b^2\sin(c+dx)}{a^4(a+bx)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{x^2} dx}{a^3} - \frac{(3b) \int \frac{\sin(c+dx)}{x} dx}{a^4} + \frac{(3b^2) \int \frac{\sin(c+dx)}{a+bx} dx}{a^4} + \frac{(2b^2) \int \frac{\sin(c+dx)}{(a+bx)^2} dx}{a^3} + \frac{b^2 \int \frac{\sin(c+dx)}{(a+bx)^3} dx}{a^2} \\ &= -\frac{\sin(c+dx)}{a^3x} - \frac{b\sin(c+dx)}{2a^2(a+bx)^2} - \frac{2b\sin(c+dx)}{a^3(a+bx)} + \frac{d \int \frac{\cos(c+dx)}{x} dx}{a^3} + \frac{(2bd) \int \frac{\cos(c+dx)}{a+bx} dx}{a^3} + \frac{(bd^2) \int \frac{\cos(c+dx)}{(a+bx)^2} dx}{a^2} \\ &= -\frac{d \cos(c+dx)}{2a^2(a+bx)} - \frac{3b\text{Ci}(dx) \sin(c)}{a^4} + \frac{3b\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^4} - \frac{\sin(c+dx)}{a^3x} - \frac{b\sin(c+dx)}{2a^2(a+bx)} \\ &= -\frac{d \cos(c+dx)}{2a^2(a+bx)} + \frac{d \cos(c)\text{Ci}(dx)}{a^3} + \frac{2d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^3} - \frac{3b\text{Ci}(dx) \sin(c)}{a^4} + \frac{3b\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^4} \\ &= -\frac{d \cos(c+dx)}{2a^2(a+bx)} + \frac{d \cos(c)\text{Ci}(dx)}{a^3} + \frac{2d \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^3} - \frac{3b\text{Ci}(dx) \sin(c)}{a^4} + \frac{3b\text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^4} \end{aligned}$$

Mathematica [A] time = 2.07, size = 540, normalized size = 1.81

$$a^4 d^2 x \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + 2a^3 b d^2 x^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) + 2a^3 b d x \sin(c) \text{Si}(dx) + 4a^3 b d x \sin\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x)^3), x]

[Out]
$$\frac{-1/2*(a^3*b*d*x*\text{Cos}[c + d*x] + a^2*b^2*d*x^2*\text{Cos}[c + d*x] + 2*b*x*(a + b*x)^2*\text{CosIntegral}[d*x]*(-a*d*\text{Cos}[c] + 3*b*\text{Sin}[c]) + x*(a + b*x)^2*\text{CosIntegral}[d*(a/b + x)]*(-4*a*b*d*\text{Cos}[c - (a*d)/b] + (-6*b^2 + a^2*d^2)*\text{Sin}[c - (a*d)/b]) + 2*a^3*b*\text{Sin}[c + d*x] + 9*a^2*b^2*x*\text{Sin}[c + d*x] + 6*a*b^3*x^2*\text{Sin}[c + d*x] + 6*a^2*b^2*x*\text{Cos}[c]*\text{SinIntegral}[d*x] + 12*a*b^3*x^2*\text{Cos}[c]*\text{SinIntegral}[d*x] + 6*b^4*x^3*\text{Cos}[c]*\text{SinIntegral}[d*x] + 2*a^3*b*d*x*\text{Sin}[c]*\text{SinIntegral}[d*x] + 4*a^2*b^2*d*x^2*\text{Sin}[c]*\text{SinIntegral}[d*x] + 2*a*b^3*d*x^3*\text{Sin}[c]*\text{SinIntegral}[d*x] - 6*a^2*b^2*x*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] + a^4*d^2*x*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] - 12*a*b^3*x^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] + 2*a^3*b*d^2*x^2*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] - 6*b^4*x^3*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] + a^2*b^2*d^2*x^3*\text{Cos}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] + 4*a^3*b*d*x*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] + 8*a^2*b^2*d*x^2*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)] + 4*a*b^3*d*x^3*\text{Sin}[c - (a*d)/b]*\text{SinIntegral}[d*(a/b + x)]}{a^4*b*x*(a + b*x)^2}$$

fricas [B] time = 0.73, size = 689, normalized size = 2.30

$$2(a^2b^2dx^2 + a^3bdx) \cos(dx + c) - 2\left((ab^3dx^3 + 2a^2b^2dx^2 + a^3bdx) \text{Ci}(dx) + (ab^3dx^3 + 2a^2b^2dx^2 + a^3bdx) \text{Ci}\left(d\left(\frac{a}{b} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x+a)^3,x, algorithm="fricas")

[Out]
$$-1/4*(2*(a^2*b^2*d*x^2 + a^3*b*d*x)*\cos(d*x + c) - 2*((a*b^3*d*x^3 + 2*a^2*b^2*d*x^2 + a^3*b*d*x)*\cos_integral(d*x) + (a*b^3*d*x^3 + 2*a^2*b^2*d*x^2 + a^3*b*d*x)*\cos_integral(-d*x) - 6*(b^4*x^3 + 2*a*b^3*x^2 + a^2*b^2*x)*\sin_integral(d*x))*\cos(c) - 2*(2*(a*b^3*d*x^3 + 2*a^2*b^2*d*x^2 + a^3*b*d*x)*\cos_integral((b*d*x + a*d)/b) + 2*(a*b^3*d*x^3 + 2*a^2*b^2*d*x^2 + a^3*b*d*x)*\cos_integral(-(b*d*x + a*d)/b) - ((a^2*b^2*d^2 - 6*b^4)*x^3 + 2*(a^3*b*d^2 - 6*a*b^3)*x^2 + (a^4*d^2 - 6*a^2*b^2)*x)*\sin_integral((b*d*x + a*d)/b))*\cos(-(b*c - a*d)/b) + 2*(6*a*b^3*x^2 + 9*a^2*b^2*x + 2*a^3*b)*\sin(d*x + c) + 2*(3*(b^4*x^3 + 2*a*b^3*x^2 + a^2*b^2*x)*\cos_integral(d*x) + 3*(b^4*x^3 + 2*a*b^3*x^2 + a^2*b^2*x)*\cos_integral(-d*x) + 2*(a*b^3*d*x^3 + 2*a^2*b^2*d*x^2 + a^3*b*d*x)*\sin_integral(d*x))*\sin(c) - (((a^2*b^2*d^2 - 6*b^4)*x^3 + 2*(a^3*b*d^2 - 6*a*b^3)*x^2 + (a^4*d^2 - 6*a^2*b^2)*x)*\cos_integral((b*d*x + a*d)/b) + ((a^2*b^2*d^2 - 6*b^4)*x^3 + 2*(a^3*b*d^2 - 6*a*b^3)*x^2 + (a^4*d^2 - 6*a^2*b^2)*x)*\cos_integral(-(b*d*x + a*d)/b) + 8*(a*b^3*d*x^3 + 2*a^2*b^2*d*x^2 + a^3*b*d*x)*\sin_integral((b*d*x + a*d)/b))*\sin(-(b*c - a*d)/b))/(a^4*b^3*x^3 + 2*a^5*b^2*x^2 + a^6*b*x)$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x+a)^3,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.03, size = 405, normalized size = 1.35

$$d \left(\frac{-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c)}{a^3} + \frac{d b^2 \left(-\frac{\sin(dx+c)}{2((dx+c)b+da-cb)^2 b} + \frac{\cos(dx+c)}{((dx+c)b+da-cb)b} - \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right) \text{Ci}\left(\frac{da-cb}{b}\right)}{2b} \right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x+a)^3,x)

[Out]
$$d*(1/a^3*(-\sin(d*x+c)/x/d-\text{Si}(d*x)*\sin(c)+\text{Ci}(d*x)*\cos(c))+d*b^2/a^2*(-1/2*\sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-\cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(\text{Si}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b-\text{Ci}(d*x+c+(a*d-b*c)/b)*\sin((a*d-b*c)/b)/b)/b)+3/d*b^2/a^4*(\text{Si}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b-\text{Ci}(d*x+c+(a*d-b*c)/b)*\sin((a*d-b*c)/b)/b)-3/d/a^4*b*(\text{Si}(d*x)*\cos(c)+\text{Ci}(d*x)*\sin(c))+2*b^2/a^3*(-\sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(\text{Si}(d*x+c+(a*d-b*c)/b)*\sin((a*d-b*c)/b)/b+\text{Ci}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b)/b)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx+a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x+a)^3,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x + a)^3*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x^2 (a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^2*(a + b*x)^3),x)

[Out] int(sin(c + d*x)/(x^2*(a + b*x)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x^2 (a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x**2/(b*x+a)**3,x)

[Out] Integral(sin(c + d*x)/(x**2*(a + b*x)**3), x)

$$3.39 \quad \int \frac{\sin(c+dx)}{x^3(a+bx)^3} dx$$

Optimal. Leaf size=377

$$\frac{6b^2 \sin(c) \operatorname{Ci}(dx)}{a^5} - \frac{6b^2 \sin\left(c - \frac{ad}{b}\right) \operatorname{Ci}\left(xd + \frac{ad}{b}\right)}{a^5} + \frac{6b^2 \cos(c) \operatorname{Si}(dx)}{a^5} - \frac{6b^2 \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(xd + \frac{ad}{b}\right)}{a^5} + \frac{3b^2 \sin(c + dx)}{a^4(a + bx)}$$

[Out] $-3*b*d*Ci(d*x)*cos(c)/a^4 - 3*b*d*Ci(a*d/b+d*x)*cos(-c+a*d/b)/a^4 - 1/2*d*cos(d*x+c)/a^3/x + 1/2*b*d*cos(d*x+c)/a^3/(b*x+a) + 6*b^2*cos(c)*Si(d*x)/a^5 - 1/2*d^2*cos(c)*Si(d*x)/a^3 - 6*b^2*cos(-c+a*d/b)*Si(a*d/b+d*x)/a^5 + 1/2*d^2*cos(-c+a*d/b)*Si(a*d/b+d*x)/a^3 + 6*b^2*Ci(d*x)*sin(c)/a^5 - 1/2*d^2*Ci(d*x)*sin(c)/a^3 + 3*b*d*Si(d*x)*sin(c)/a^4 + 6*b^2*Ci(a*d/b+d*x)*sin(-c+a*d/b)/a^5 - 1/2*d^2*Ci(a*d/b+d*x)*sin(-c+a*d/b)/a^3 - 3*b*d*Si(a*d/b+d*x)*sin(-c+a*d/b)/a^4 - 1/2*sin(d*x+c)/a^3/x^2 + 3*b*sin(d*x+c)/a^4/x + 1/2*b^2*sin(d*x+c)/a^3/(b*x+a)^2 + 3*b^2*sin(d*x+c)/a^4/(b*x+a)$

Rubi [A] time = 0.80, antiderivative size = 377, normalized size of antiderivative = 1.00, number of steps used = 26, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {6742, 3297, 3303, 3299, 3302}

$$\frac{6b^2 \sin(c) \operatorname{CosIntegral}(dx)}{a^5} - \frac{6b^2 \sin\left(c - \frac{ad}{b}\right) \operatorname{CosIntegral}\left(\frac{ad}{b} + dx\right)}{a^5} + \frac{6b^2 \cos(c) \operatorname{Si}(dx)}{a^5} - \frac{6b^2 \cos\left(c - \frac{ad}{b}\right) \operatorname{Si}\left(xd + \frac{ad}{b}\right)}{a^5}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^3*(a + b*x)^3), x]

[Out] $-(d*\operatorname{Cos}[c + d*x])/(2*a^3*x) + (b*d*\operatorname{Cos}[c + d*x])/(2*a^3*(a + b*x)) - (3*b*d*\operatorname{Cos}[c]*\operatorname{CosIntegral}[d*x])/a^4 - (3*b*d*\operatorname{Cos}[c - (a*d)/b]*\operatorname{CosIntegral}[(a*d)/b + d*x])/a^4 + (6*b^2*\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/a^5 - (d^2*\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/(2*a^3) - (6*b^2*\operatorname{CosIntegral}[(a*d)/b + d*x]*\operatorname{Sin}[c - (a*d)/b])/a^5 + (d^2*\operatorname{CosIntegral}[(a*d)/b + d*x]*\operatorname{Sin}[c - (a*d)/b])/(2*a^3) - \operatorname{Sin}[c + d*x]/(2*a^3*x^2) + (3*b*\operatorname{Sin}[c + d*x])/(a^4*x) + (b^2*\operatorname{Sin}[c + d*x])/(2*a^3*(a + b*x)^2) + (3*b^2*\operatorname{Sin}[c + d*x])/(a^4*(a + b*x)) + (6*b^2*\operatorname{Cos}[c]*\operatorname{SinIntegral}[d*x])/a^5 - (d^2*\operatorname{Cos}[c]*\operatorname{SinIntegral}[d*x])/(2*a^3) + (3*b*d*\operatorname{Sin}[c]*\operatorname{SinIntegral}[d*x])/a^4 - (6*b^2*\operatorname{Cos}[c - (a*d)/b]*\operatorname{SinIntegral}[(a*d)/b + d*x])/a^5 + (d^2*\operatorname{Cos}[c - (a*d)/b]*\operatorname{SinIntegral}[(a*d)/b + d*x])/(2*a^3) + (3*b*d*\operatorname{Sin}[c - (a*d)/b]*\operatorname{SinIntegral}[(a*d)/b + d*x])/a^4$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rubi steps

$$\int \frac{\sin(c + dx)}{x^3(a + bx)^3} dx = \int \left(\frac{\sin(c + dx)}{a^3 x^3} - \frac{3b \sin(c + dx)}{a^4 x^2} + \frac{6b^2 \sin(c + dx)}{a^5 x} - \frac{b^3 \sin(c + dx)}{a^3(a + bx)^3} - \frac{3b^3 \sin(c + dx)}{a^4(a + bx)^2} - \frac{6b^3 \sin(c + dx)}{a^5(a + bx)} \right) dx$$

$$= \frac{\int \frac{\sin(c+dx)}{x^3} dx}{a^3} - \frac{(3b) \int \frac{\sin(c+dx)}{x^2} dx}{a^4} + \frac{(6b^2) \int \frac{\sin(c+dx)}{x} dx}{a^5} - \frac{(6b^3) \int \frac{\sin(c+dx)}{a+bx} dx}{a^5} - \frac{(3b^3) \int \frac{\sin(c+dx)}{a+bx} dx}{a^4}$$

$$= -\frac{\sin(c + dx)}{2a^3 x^2} + \frac{3b \sin(c + dx)}{a^4 x} + \frac{b^2 \sin(c + dx)}{2a^3(a + bx)^2} + \frac{3b^2 \sin(c + dx)}{a^4(a + bx)} + \frac{d \int \frac{\cos(c+dx)}{x^2} dx}{2a^3} - \frac{(3bd) \int \frac{\cos(c+dx)}{x^2} dx}{2a^3}$$

$$= -\frac{d \cos(c + dx)}{2a^3 x} + \frac{bd \cos(c + dx)}{2a^3(a + bx)} + \frac{6b^2 \text{Ci}(dx) \sin(c)}{a^5} - \frac{6b^2 \text{Ci}\left(\frac{ad}{b} + dx\right) \sin\left(c - \frac{ad}{b}\right)}{a^5} - \frac{\sin(c)}{2a^3}$$

$$= -\frac{d \cos(c + dx)}{2a^3 x} + \frac{bd \cos(c + dx)}{2a^3(a + bx)} - \frac{3bd \cos(c) \text{Ci}(dx)}{a^4} - \frac{3bd \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^4} + \frac{6b^2 \text{Ci}(dx) \sin(c)}{a^5}$$

$$= -\frac{d \cos(c + dx)}{2a^3 x} + \frac{bd \cos(c + dx)}{2a^3(a + bx)} - \frac{3bd \cos(c) \text{Ci}(dx)}{a^4} - \frac{3bd \cos\left(c - \frac{ad}{b}\right) \text{Ci}\left(\frac{ad}{b} + dx\right)}{a^4} + \frac{6b^2 \text{Ci}(dx) \sin(c)}{a^5}$$

Mathematica [A] time = 2.07, size = 630, normalized size = 1.67

$$a^4 d^2 x^2 \cos\left(c - \frac{ad}{b}\right) \text{Si}\left(d\left(\frac{a}{b} + x\right)\right) - a^4 d^2 x^2 \cos(c) \text{Si}(dx) - a^4 \sin(c + dx) + a^4(-d)x \cos(c + dx) - 2a^3 b d^2 x^3 \cos(c)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[c + d*x]/(x^3*(a + b*x)^3), x]
[Out] -(a^4*d*x*Cos[c + d*x]) - a^3*b*d*x^2*Cos[c + d*x] - x^2*(a + b*x)^2*CosIntegral[d*x]*(6*a*b*d*Cos[c] + (-12*b^2 + a^2*d^2)*Sin[c]) + x^2*(a + b*x)^2*CosIntegral[d*(a/b + x)]*(-6*a*b*d*Cos[c - (a*d)/b] + (-12*b^2 + a^2*d^2)*Sin[c - (a*d)/b]) - a^4*Sin[c + d*x] + 4*a^3*b*x*Sin[c + d*x] + 18*a^2*b^2*x^2*Sin[c + d*x] + 12*a*b^3*x^3*Sin[c + d*x] + 12*a^2*b^2*x^2*Cos[c]*SinIntegral[d*x] - a^4*d^2*x^2*Cos[c]*SinIntegral[d*x] + 24*a*b^3*x^3*Cos[c]*SinIntegral[d*x] - 2*a^3*b*d^2*x^3*Cos[c]*SinIntegral[d*x] + 12*b^4*x^4*Cos[c]*SinIntegral[d*x] - a^2*b^2*d^2*x^4*Cos[c]*SinIntegral[d*x] + 6*a^3*b*d*x^2*Sin[c]*SinIntegral[d*x] + 12*a^2*b^2*d*x^3*Sin[c]*SinIntegral[d*x] + 6*a*b^3*d*x^4*Sin[c]*SinIntegral[d*x] - 12*a^2*b^2*x^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + a^4*d^2*x^2*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] - 24*a*b^3*x^3*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 2*a^3*b*d^2*x^3*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] - 12*b^4*x^4*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + a^2*b^2*d^2*x^4*Cos[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 6*a^3*b*d*x^2*Sin[c - (a*d)/b]*SinIntegral[d*(a/b + x)] + 12*a^2*b^2*
```

$d*x^3*\sin[c - (a*d)/b]*\sinIntegral[d*(a/b + x)] + 6*a*b^3*d*x^4*\sin[c - (a*d)/b]*\sinIntegral[d*(a/b + x)]/(2*a^5*x^2*(a + b*x)^2)$

fricas [B] time = 0.86, size = 816, normalized size = 2.16

$$2(a^3bdx^2 + a^4dx)\cos(dx + c) + 2\left(3(ab^3dx^4 + 2a^2b^2dx^3 + a^3bdx^2)\right)Ci(dx) + 3(ab^3dx^4 + 2a^2b^2dx^3 + a^3bdx^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x+a)^3,x, algorithm="fricas")

[Out]
$$-1/4*(2*(a^3*b*d*x^2 + a^4*d*x)*\cos(d*x + c) + 2*(3*(a*b^3*d*x^4 + 2*a^2*b^2*d*x^3 + a^3*b*d*x^2)*\cos_integral(d*x) + 3*(a*b^3*d*x^4 + 2*a^2*b^2*d*x^3 + a^3*b*d*x^2)*\cos_integral(-d*x) + ((a^2*b^2*d^2 - 12*b^4)*x^4 + 2*(a^3*b*d^2 - 12*a*b^3)*x^3 + (a^4*d^2 - 12*a^2*b^2)*x^2)*\sin_integral(d*x))*\cos(c) + 2*(3*(a*b^3*d*x^4 + 2*a^2*b^2*d*x^3 + a^3*b*d*x^2)*\cos_integral((b*d*x + a*d)/b) + 3*(a*b^3*d*x^4 + 2*a^2*b^2*d*x^3 + a^3*b*d*x^2)*\cos_integral(-(b*d*x + a*d)/b) - ((a^2*b^2*d^2 - 12*b^4)*x^4 + 2*(a^3*b*d^2 - 12*a*b^3)*x^3 + (a^4*d^2 - 12*a^2*b^2)*x^2)*\sin_integral((b*d*x + a*d)/b))*\cos(-(b*c - a*d)/b) - 2*(12*a*b^3*x^3 + 18*a^2*b^2*x^2 + 4*a^3*b*x - a^4)*\sin(d*x + c) + (((a^2*b^2*d^2 - 12*b^4)*x^4 + 2*(a^3*b*d^2 - 12*a*b^3)*x^3 + (a^4*d^2 - 12*a^2*b^2)*x^2)*\cos_integral(d*x) + ((a^2*b^2*d^2 - 12*b^4)*x^4 + 2*(a^3*b*d^2 - 12*a*b^3)*x^3 + (a^4*d^2 - 12*a^2*b^2)*x^2)*\cos_integral(-d*x) - 12*(a*b^3*d*x^4 + 2*a^2*b^2*d*x^3 + a^3*b*d*x^2)*\sin_integral(d*x))*\sin(c) + (((a^2*b^2*d^2 - 12*b^4)*x^4 + 2*(a^3*b*d^2 - 12*a*b^3)*x^3 + (a^4*d^2 - 12*a^2*b^2)*x^2)*\cos_integral((b*d*x + a*d)/b) + ((a^2*b^2*d^2 - 12*b^4)*x^4 + 2*(a^3*b*d^2 - 12*a*b^3)*x^3 + (a^4*d^2 - 12*a^2*b^2)*x^2)*\cos_integral(-(b*d*x + a*d)/b) + 12*(a*b^3*d*x^4 + 2*a^2*b^2*d*x^3 + a^3*b*d*x^2)*\sin_integral((b*d*x + a*d)/b))*\sin(-(b*c - a*d)/b))/(a^5*b^2*x^4 + 2*a^6*b*x^3 + a^7*x^2)$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x+a)^3,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.03, size = 466, normalized size = 1.24

$$d^2 \left(\frac{3b \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d a^4} - \frac{b^3 \left(\frac{\sin(dx+c)}{2((dx+c)b+da-cb)^2 b} + \frac{\cos(dx+c)}{((dx+c)b+da-cb)b} - \frac{\text{Si}\left(dx+c+\frac{da-cb}{b}\right) \cos\left(\frac{da-cb}{b}\right)}{b} \right)}{a^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^3/(b*x+a)^3,x)

[Out]
$$d^2*(-3/d/a^4*b*(-\sin(d*x+c)/x/d-\text{Si}(d*x)*\sin(c)+\text{Ci}(d*x)*\cos(c))-b^3/a^3*(-1/2*\sin(d*x+c)/((d*x+c)*b+d*a-c*b)^2/b+1/2*(-\cos(d*x+c)/((d*x+c)*b+d*a-c*b)/b-(\text{Si}(d*x+c+(a*d-b*c)/b)*\cos((a*d-b*c)/b)/b-\text{Ci}(d*x+c+(a*d-b*c)/b)*\sin((a*d-$$

$b*c)/b)/b)/b)/b)-6/d^2*b^3/a^5*(Si(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b-Ci(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b)+1/a^3*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c))+6/d^2/a^5*b^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))-3/d*b^3/a^4*(-sin(d*x+c)/((d*x+c)*b+d*a-c*b)/b+(Si(d*x+c+(a*d-b*c)/b)*sin((a*d-b*c)/b)/b+Ci(d*x+c+(a*d-b*c)/b)*cos((a*d-b*c)/b)/b)/b))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx + a)^3 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x+a)^3,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x + a)^3*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x^3 (a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^3*(a + b*x)^3), x)

[Out] int(sin(c + d*x)/(x^3*(a + b*x)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x^3 (a + bx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x**3/(b*x+a)**3,x)

[Out] Integral(sin(c + d*x)/(x**3*(a + b*x)**3), x)

3.40 $\int x^3 (a + bx^2) \sin(c + dx) dx$

Optimal. Leaf size=141

$$-\frac{6a \sin(c + dx)}{d^4} + \frac{6ax \cos(c + dx)}{d^3} + \frac{3ax^2 \sin(c + dx)}{d^2} - \frac{ax^3 \cos(c + dx)}{d} + \frac{120b \sin(c + dx)}{d^6} - \frac{120bx \cos(c + dx)}{d^5}$$

[Out] $-120*b*x*cos(d*x+c)/d^5+6*a*x*cos(d*x+c)/d^3+20*b*x^3*cos(d*x+c)/d^3-a*x^3*cos(d*x+c)/d-b*x^5*cos(d*x+c)/d+120*b*sin(d*x+c)/d^6-6*a*sin(d*x+c)/d^4-60*b*x^2*sin(d*x+c)/d^4+3*a*x^2*sin(d*x+c)/d^2+5*b*x^4*sin(d*x+c)/d^2$

Rubi [A] time = 0.21, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3339, 3296, 2637}

$$\frac{3ax^2 \sin(c + dx)}{d^2} - \frac{6a \sin(c + dx)}{d^4} + \frac{6ax \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} + \frac{5bx^4 \sin(c + dx)}{d^2} - \frac{60bx^2 \sin(c + dx)}{d^4} + \frac{20b \sin(c + dx)}{d^6}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^2)*Sin[c + d*x], x]

[Out] $(-120*b*x*\text{Cos}[c + d*x])/d^5 + (6*a*x*\text{Cos}[c + d*x])/d^3 + (20*b*x^3*\text{Cos}[c + d*x])/d^3 - (a*x^3*\text{Cos}[c + d*x])/d - (b*x^5*\text{Cos}[c + d*x])/d + (120*b*\text{Sin}[c + d*x])/d^6 - (6*a*\text{Sin}[c + d*x])/d^4 - (60*b*x^2*\text{Sin}[c + d*x])/d^4 + (3*a*x^2*\text{Sin}[c + d*x])/d^2 + (5*b*x^4*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x^3 (a + bx^2) \sin(c + dx) dx &= \int (ax^3 \sin(c + dx) + bx^5 \sin(c + dx)) dx \\
&= a \int x^3 \sin(c + dx) dx + b \int x^5 \sin(c + dx) dx \\
&= -\frac{ax^3 \cos(c + dx)}{d} - \frac{bx^5 \cos(c + dx)}{d} + \frac{(3a) \int x^2 \cos(c + dx) dx}{d} + \frac{(5b) \int x^4 \cos(c + dx) dx}{d} \\
&= -\frac{ax^3 \cos(c + dx)}{d} - \frac{bx^5 \cos(c + dx)}{d} + \frac{3ax^2 \sin(c + dx)}{d^2} + \frac{5bx^4 \sin(c + dx)}{d^2} - \frac{6ax \cos(c + dx)}{d^3} - \frac{20bx^3 \cos(c + dx)}{d^3} \\
&= \frac{6ax \cos(c + dx)}{d^3} + \frac{20bx^3 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} - \frac{bx^5 \cos(c + dx)}{d} + \frac{3ax^2 \sin(c + dx)}{d^2} + \frac{5bx^4 \sin(c + dx)}{d^2} \\
&= \frac{6ax \cos(c + dx)}{d^3} + \frac{20bx^3 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} - \frac{bx^5 \cos(c + dx)}{d} - \frac{6ax \sin(c + dx)}{d^5} - \frac{20bx^3 \sin(c + dx)}{d^5} \\
&= -\frac{120bx \cos(c + dx)}{d^5} + \frac{6ax \cos(c + dx)}{d^3} + \frac{20bx^3 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} \\
&= -\frac{120bx \cos(c + dx)}{d^5} + \frac{6ax \cos(c + dx)}{d^3} + \frac{20bx^3 \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 92, normalized size = 0.65

$$\frac{(3ad^2(d^2x^2 - 2) + 5b(d^4x^4 - 12d^2x^2 + 24)) \sin(c + dx) - dx(ad^2(d^2x^2 - 6) + b(d^4x^4 - 20d^2x^2 + 120)) \cos(c + dx)}{d^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^2)*Sin[c + d*x],x]

[Out] $(-(d*x*(a*d^2*(-6 + d^2*x^2) + b*(120 - 20*d^2*x^2 + d^4*x^4))*\text{Cos}[c + d*x]) + (3*a*d^2*(-2 + d^2*x^2) + 5*b*(24 - 12*d^2*x^2 + d^4*x^4))*\text{Sin}[c + d*x])/d^6$

fricas [A] time = 0.64, size = 95, normalized size = 0.67

$$-\frac{(bd^5x^5 + (ad^5 - 20bd^3)x^3 - 6(ad^3 - 20bd)x) \cos(dx + c) - (5bd^4x^4 - 6ad^2 + 3(ad^4 - 20bd^2)x^2 + 120b) \sin(dx + c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)*sin(d*x+c),x, algorithm="fricas")

[Out] $-(b*d^5*x^5 + (a*d^5 - 20*b*d^3)*x^3 - 6*(a*d^3 - 20*b*d)*x)*\cos(d*x + c) - (5*b*d^4*x^4 - 6*a*d^2 + 3*(a*d^4 - 20*b*d^2)*x^2 + 120*b)*\sin(d*x + c)/d^6$

giac [A] time = 1.87, size = 97, normalized size = 0.69

$$-\frac{(bd^5x^5 + ad^5x^3 - 20bd^3x^3 - 6ad^3x + 120bdx) \cos(dx + c)}{d^6} + \frac{(5bd^4x^4 + 3ad^4x^2 - 60bd^2x^2 - 6ad^2 + 120b) \sin(dx + c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)*sin(d*x+c),x, algorithm="giac")

[Out] $-(b*d^5*x^5 + a*d^5*x^3 - 20*b*d^3*x^3 - 6*a*d^3*x + 120*b*d*x)*\cos(d*x + c)/d^6 + (5*b*d^4*x^4 + 3*a*d^4*x^2 - 60*b*d^2*x^2 - 6*a*d^2 + 120*b)*\sin(d*x + c)/d^6$

maple [B] time = 0.02, size = 449, normalized size = 3.18

$$\frac{b(-(dx+c)^5 \cos(dx+c) + 5(dx+c)^4 \sin(dx+c) + 20(dx+c)^3 \cos(dx+c) - 60(dx+c)^2 \sin(dx+c) + 120 \sin(dx+c) - 120(dx+c) \cos(dx+c))}{d^2} - \frac{5bc(-(dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24(dx+c) \sin(dx+c) - 24 \cos(dx+c))}{d^2} + \frac{a(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) + 10/d^2 * b * c^2 * (-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c)) - 3 * a * c * (-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c)) - 10/d^2 * b * c^3 * (-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c)) + 3 * a * c^2 * (\sin(dx+c) - (dx+c) \cos(dx+c)) + 5/d^2 * b * c^4 * (\sin(dx+c) - (dx+c) \cos(dx+c)) + a * c^3 \cos(dx+c) + 1/d^2 * b * c^5 \cos(dx+c))}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^2+a)*sin(d*x+c),x)

[Out] 1/d^4*(1/d^2*b*(-(d*x+c)^5*cos(d*x+c)+5*(d*x+c)^4*sin(d*x+c)+20*(d*x+c)^3*cos(d*x+c)-60*(d*x+c)^2*sin(d*x+c)+120*sin(d*x+c)-120*(d*x+c)*cos(d*x+c))-5/d^2*b*c*(-(d*x+c)^4*cos(d*x+c)+4*(d*x+c)^3*sin(d*x+c)+12*(d*x+c)^2*cos(d*x+c)-24*cos(d*x+c)-24*(d*x+c)*sin(d*x+c))+a*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))+10/d^2*b*c^2*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-3*a*c*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-10/d^2*b*c^3*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+3*a*c^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+5/d^2*b*c^4*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+a*c^3*cos(d*x+c)+1/d^2*b*c^5*cos(d*x+c))

maxima [B] time = 0.34, size = 372, normalized size = 2.64

$$ac^3 \cos(dx+c) + \frac{bc^5 \cos(dx+c)}{d^2} - 3((dx+c) \cos(dx+c) - \sin(dx+c))ac^2 - \frac{5((dx+c) \cos(dx+c) - \sin(dx+c))bc^4}{d^2} + 3(((dx+c)^3 \cos(dx+c) - 3(dx+c) \cos(dx+c) - \sin(dx+c))a^2 - 5((dx+c) \cos(dx+c) - \sin(dx+c))b^2c^2 + 10((dx+c)^2 \cos(dx+c) - 2(dx+c) \sin(dx+c))a^2c + 10(((dx+c)^2 \cos(dx+c) - 2(dx+c) \sin(dx+c))b^2c^2/d^2 - (((dx+c)^3 - 6dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c))a - 10(((dx+c)^3 - 6dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c))b^2c^2/d^2 + 5(((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6dx - 6c) \sin(dx+c))b^2c/d^2 - (((dx+c)^5 - 20(dx+c)^3 + 120dx + 120c) \cos(dx+c) - 5((dx+c)^4 - 12(dx+c)^2 + 24) \sin(dx+c))b/d^2)/d^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^2+a)*sin(d*x+c),x, algorithm="maxima")

[Out] (a*c^3*cos(d*x + c) + b*c^5*cos(d*x + c)/d^2 - 3*((d*x + c)*cos(d*x + c) - sin(d*x + c))*a*c^2 - 5*((d*x + c)*cos(d*x + c) - sin(d*x + c))*b*c^4/d^2 + 3*(((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*a*c + 10*(((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b*c^3/d^2 - (((d*x + c)^3 - 6*d*x - 6*c)*cos(d*x + c) - 3*((d*x + c)^2 - 2)*sin(d*x + c))*a - 10*(((d*x + c)^3 - 6*d*x - 6*c)*cos(d*x + c) - 3*((d*x + c)^2 - 2)*sin(d*x + c))*b*c^2/d^2 + 5*(((d*x + c)^4 - 12*(d*x + c)^2 + 24)*cos(d*x + c) - 4*((d*x + c)^3 - 6*d*x - 6*c)*sin(d*x + c))*b*c/d^2 - (((d*x + c)^5 - 20*(d*x + c)^3 + 120*d*x + 120*c)*cos(d*x + c) - 5*((d*x + c)^4 - 12*(d*x + c)^2 + 24)*sin(d*x + c))*b/d^2)/d^4

mupad [B] time = 0.34, size = 121, normalized size = 0.86

$$\frac{6 \sin(c+dx) (20b-ad^2)}{d^6} + \frac{x^3 \cos(c+dx) (20b-ad^2)}{d^3} - \frac{3x^2 \sin(c+dx) (20b-ad^2)}{d^4} - \frac{6x \cos(c+dx)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(c+d*x)*(a+b*x^2),x)

[Out] (6*sin(c+d*x)*(20*b-a*d^2))/d^6 + (x^3*cos(c+d*x)*(20*b-a*d^2))/d^3 - (3*x^2*sin(c+d*x)*(20*b-a*d^2))/d^4 - (6*x*cos(c+d*x)*(20*b-a*d^2))/d^5 - (b*x^5*cos(c+d*x))/d + (5*b*x^4*sin(c+d*x))/d^2

sympy [A] time = 4.13, size = 168, normalized size = 1.19

$$\left\{ \begin{array}{l} -\frac{ax^3 \cos(c+dx)}{d} + \frac{3ax^2 \sin(c+dx)}{d^2} + \frac{6ax \cos(c+dx)}{d^3} - \frac{6a \sin(c+dx)}{d^4} - \frac{bx^5 \cos(c+dx)}{d} + \frac{5bx^4 \sin(c+dx)}{d^2} + \frac{20bx^3 \cos(c+dx)}{d^3} - \frac{60bx^2 \sin(c+dx)}{d^4} \\ \left(\frac{ax^4}{4} + \frac{bx^6}{6} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(b*x**2+a)*sin(d*x+c),x)
```

```
[Out] Piecewise((-a*x**3*cos(c + d*x)/d + 3*a*x**2*sin(c + d*x)/d**2 + 6*a*x*cos(c + d*x)/d**3 - 6*a*sin(c + d*x)/d**4 - b*x**5*cos(c + d*x)/d + 5*b*x**4*sin(c + d*x)/d**2 + 20*b*x**3*cos(c + d*x)/d**3 - 60*b*x**2*sin(c + d*x)/d**4 - 120*b*x*cos(c + d*x)/d**5 + 120*b*sin(c + d*x)/d**6, Ne(d, 0)), ((a*x**4/4 + b*x**6/6)*sin(c), True))
```

3.41 $\int x^2 (a + bx^2) \sin(c + dx) dx$

Optimal. Leaf size=111

$$\frac{2a \cos(c + dx)}{d^3} + \frac{2ax \sin(c + dx)}{d^2} - \frac{ax^2 \cos(c + dx)}{d} - \frac{24b \cos(c + dx)}{d^5} - \frac{24bx \sin(c + dx)}{d^4} + \frac{12bx^2 \cos(c + dx)}{d^3} + \frac{4b^2 \sin(c + dx)}{d^2}$$

[Out] $-24*b*\cos(d*x+c)/d^5+2*a*\cos(d*x+c)/d^3+12*b*x^2*\cos(d*x+c)/d^3-a*x^2*\cos(d*x+c)/d-b*x^4*\cos(d*x+c)/d-24*b*x*\sin(d*x+c)/d^4+2*a*x*\sin(d*x+c)/d^2+4*b*x^3*\sin(d*x+c)/d^2$

Rubi [A] time = 0.16, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 3, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$, Rules used = {3339, 3296, 2638}

$$\frac{2ax \sin(c + dx)}{d^2} + \frac{2a \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} + \frac{4bx^3 \sin(c + dx)}{d^2} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{24bx \sin(c + dx)}{d^4} - \frac{24b \cos(c + dx)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^2)*Sin[c + d*x], x]

[Out] $(-24*b*\cos[c + d*x])/d^5 + (2*a*\cos[c + d*x])/d^3 + (12*b*x^2*\cos[c + d*x])/d^3 - (a*x^2*\cos[c + d*x])/d - (b*x^4*\cos[c + d*x])/d - (24*b*x*\sin[c + d*x])/d^4 + (2*a*x*\sin[c + d*x])/d^2 + (4*b*x^3*\sin[c + d*x])/d^2$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int x^2 (a + bx^2) \sin(c + dx) dx &= \int (ax^2 \sin(c + dx) + bx^4 \sin(c + dx)) dx \\ &= a \int x^2 \sin(c + dx) dx + b \int x^4 \sin(c + dx) dx \\ &= -\frac{ax^2 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{(2a) \int x \cos(c + dx) dx}{d} + \frac{(4b) \int x^3 \cos(c + dx) dx}{d} \\ &= -\frac{ax^2 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{2ax \sin(c + dx)}{d^2} + \frac{4bx^3 \sin(c + dx)}{d^2} - \frac{2a \cos(c + dx)}{d^3} - \frac{4b \cos(c + dx)}{d^3} \\ &= \frac{2a \cos(c + dx)}{d^3} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{2ax \sin(c + dx)}{d^2} + \frac{4bx^3 \sin(c + dx)}{d^2} \\ &= \frac{2a \cos(c + dx)}{d^3} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} - \frac{24b \cos(c + dx)}{d^5} + \frac{2a \cos(c + dx)}{d^3} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.15, size = 75, normalized size = 0.68

$$\frac{2dx \left(ad^2 + 2b \left(d^2x^2 - 6 \right) \right) \sin(c + dx) - \left(ad^2 \left(d^2x^2 - 2 \right) + b \left(d^4x^4 - 12d^2x^2 + 24 \right) \right) \cos(c + dx)}{d^5}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^2)*Sin[c + d*x],x]

[Out] (-((a*d^2*(-2 + d^2*x^2) + b*(24 - 12*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) + 2*d*x*(a*d^2 + 2*b*(-6 + d^2*x^2))*Sin[c + d*x])/d^5

fricas [A] time = 0.71, size = 77, normalized size = 0.69

$$\frac{\left(bd^4x^4 - 2ad^2 + \left(ad^4 - 12bd^2 \right) x^2 + 24b \right) \cos(dx + c) - 2 \left(2bd^3x^3 + \left(ad^3 - 12bd \right) x \right) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)*sin(d*x+c),x, algorithm="fricas")

[Out] -((b*d^4*x^4 - 2*a*d^2 + (a*d^4 - 12*b*d^2)*x^2 + 24*b)*cos(d*x + c) - 2*(2*b*d^3*x^3 + (a*d^3 - 12*b*d)*x)*sin(d*x + c))/d^5

giac [A] time = 0.62, size = 79, normalized size = 0.71

$$\frac{\left(bd^4x^4 + ad^4x^2 - 12bd^2x^2 - 2ad^2 + 24b \right) \cos(dx + c)}{d^5} + \frac{2 \left(2bd^3x^3 + ad^3x - 12bdx \right) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)*sin(d*x+c),x, algorithm="giac")

[Out] -(b*d^4*x^4 + a*d^4*x^2 - 12*b*d^2*x^2 - 2*a*d^2 + 24*b)*cos(d*x + c)/d^5 + 2*(2*b*d^3*x^3 + a*d^3*x - 12*b*d*x)*sin(d*x + c)/d^5

maple [B] time = 0.02, size = 302, normalized size = 2.72

$$\frac{b(-(dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c))}{d^2} - \frac{4bc(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c))}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(b*x^2+a)*sin(d*x+c),x)

[Out] 1/d^3*(1/d^2*b*(-(d*x+c)^4*cos(d*x+c)+4*(d*x+c)^3*sin(d*x+c)+12*(d*x+c)^2*cos(d*x+c)-24*cos(d*x+c)-24*(d*x+c)*sin(d*x+c))-4/d^2*b*c*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))+a*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+6/d^2*b*c^2*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-2*a*c*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-4/d^2*b*c^3*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-a*c^2*cos(d*x+c)-1/d^2*b*c^4*cos(d*x+c))

maxima [B] time = 0.33, size = 258, normalized size = 2.32

$$\frac{ac^2 \cos(dx + c) + \frac{bc^4 \cos(dx+c)}{d^2} - 2((dx + c) \cos(dx + c) - \sin(dx + c))ac - \frac{4((dx+c) \cos(dx+c) - \sin(dx+c))bc^3}{d^2} + (((dx + c) \cos(dx+c) - \sin(dx+c))^2)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)*sin(d*x+c),x, algorithm="maxima")

```
[Out] -(a*c^2*cos(d*x + c) + b*c^4*cos(d*x + c)/d^2 - 2*((d*x + c)*cos(d*x + c) -
sin(d*x + c))*a*c - 4*((d*x + c)*cos(d*x + c) - sin(d*x + c))*b*c^3/d^2 +
(((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*a + 6*(((d*x +
c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b*c^2/d^2 - 4*(((d*x + c
)^3 - 6*d*x - 6*c)*cos(d*x + c) - 3*((d*x + c)^2 - 2)*sin(d*x + c))*b*c/d^2
+ (((d*x + c)^4 - 12*(d*x + c)^2 + 24)*cos(d*x + c) - 4*((d*x + c)^3 - 6*d
*x - 6*c)*sin(d*x + c))*b/d^2)/d^3
```

mupad [B] time = 4.73, size = 97, normalized size = 0.87

$$\frac{x^2 \cos(c + dx) (12b - ad^2)}{d^3} - \frac{2 \cos(c + dx) (12b - ad^2)}{d^5} - \frac{2x \sin(c + dx) (12b - ad^2)}{d^4} - \frac{bx^4 \cos(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*sin(c + d*x)*(a + b*x^2), x)
```

```
[Out] (x^2*cos(c + d*x)*(12*b - a*d^2))/d^3 - (2*cos(c + d*x)*(12*b - a*d^2))/d^5
- (2*x*sin(c + d*x)*(12*b - a*d^2))/d^4 - (b*x^4*cos(c + d*x))/d + (4*b*x^
3*sin(c + d*x))/d^2
```

sympy [A] time = 2.34, size = 134, normalized size = 1.21

$$\left\{ \begin{array}{l} -\frac{ax^2 \cos(c+dx)}{d} + \frac{2ax \sin(c+dx)}{d^2} + \frac{2a \cos(c+dx)}{d^3} - \frac{bx^4 \cos(c+dx)}{d} + \frac{4bx^3 \sin(c+dx)}{d^2} + \frac{12bx^2 \cos(c+dx)}{d^3} - \frac{24bx \sin(c+dx)}{d^4} - \frac{24b \cos(c+dx)}{d^5} \\ \left(\frac{ax^3}{3} + \frac{bx^5}{5} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(b*x**2+a)*sin(d*x+c), x)
```

```
[Out] Piecewise((-a*x**2*cos(c + d*x)/d + 2*a*x*sin(c + d*x)/d**2 + 2*a*cos(c + d
*x)/d**3 - b*x**4*cos(c + d*x)/d + 4*b*x**3*sin(c + d*x)/d**2 + 12*b*x**2*c
os(c + d*x)/d**3 - 24*b*x*sin(c + d*x)/d**4 - 24*b*cos(c + d*x)/d**5, Ne(d,
0)), ((a*x**3/3 + b*x**5/5)*sin(c), True))
```

3.42 $\int x(a + bx^2) \sin(c + dx) dx$

Optimal. Leaf size=80

$$\frac{a \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx)}{d} - \frac{6b \sin(c + dx)}{d^4} + \frac{6bx \cos(c + dx)}{d^3} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{bx^3 \cos(c + dx)}{d}$$

[Out] $6*b*x*cos(d*x+c)/d^3 - a*x*cos(d*x+c)/d - b*x^3*cos(d*x+c)/d - 6*b*sin(d*x+c)/d^4 + a*sin(d*x+c)/d^2 + 3*b*x^2*sin(d*x+c)/d^2$

Rubi [A] time = 0.10, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3339, 3296, 2637}

$$\frac{a \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx)}{d} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{6b \sin(c + dx)}{d^4} + \frac{6bx \cos(c + dx)}{d^3} - \frac{bx^3 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^2)*Sin[c + d*x], x]

[Out] $(6*b*x*\text{Cos}[c + d*x])/d^3 - (a*x*\text{Cos}[c + d*x])/d - (b*x^3*\text{Cos}[c + d*x])/d - (6*b*\text{Sin}[c + d*x])/d^4 + (a*\text{Sin}[c + d*x])/d^2 + (3*b*x^2*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int x(a + bx^2) \sin(c + dx) dx &= \int (ax \sin(c + dx) + bx^3 \sin(c + dx)) dx \\ &= a \int x \sin(c + dx) dx + b \int x^3 \sin(c + dx) dx \\ &= -\frac{ax \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{a \int \cos(c + dx) dx}{d} + \frac{(3b) \int x^2 \cos(c + dx) dx}{d} \\ &= -\frac{ax \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{(6b) \int x}{d^2} \\ &= \frac{6bx \cos(c + dx)}{d^3} - \frac{ax \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} + \frac{3bx^2 \sin(c + dx)}{d^2} \\ &= \frac{6bx \cos(c + dx)}{d^3} - \frac{ax \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} - \frac{6b \sin(c + dx)}{d^4} + \frac{a \sin(c + dx)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.13, size = 57, normalized size = 0.71

$$\frac{(ad^2 + 3b(d^2x^2 - 2)) \sin(c + dx) - dx(ad^2 + b(d^2x^2 - 6)) \cos(c + dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^2)*Sin[c + d*x], x]

[Out] $-(d*x*(a*d^2 + b*(-6 + d^2*x^2))*Cos[c + d*x]) + (a*d^2 + 3*b*(-2 + d^2*x^2))*Sin[c + d*x])/d^4$

fricas [A] time = 0.71, size = 60, normalized size = 0.75

$$-\frac{(bd^3x^3 + (ad^3 - 6bd)x) \cos(dx + c) - (3bd^2x^2 + ad^2 - 6b) \sin(dx + c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*sin(d*x+c), x, algorithm="fricas")

[Out] $-((b*d^3*x^3 + (a*d^3 - 6*b*d)*x)*cos(d*x + c) - (3*b*d^2*x^2 + a*d^2 - 6*b)*sin(d*x + c))/d^4$

giac [A] time = 0.45, size = 60, normalized size = 0.75

$$-\frac{(bd^3x^3 + ad^3x - 6bdx) \cos(dx + c)}{d^4} + \frac{(3bd^2x^2 + ad^2 - 6b) \sin(dx + c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*sin(d*x+c), x, algorithm="giac")

[Out] $-(b*d^3*x^3 + a*d^3*x - 6*b*d*x)*cos(d*x + c)/d^4 + (3*b*d^2*x^2 + a*d^2 - 6*b)*sin(d*x + c)/d^4$

maple [B] time = 0.02, size = 181, normalized size = 2.26

$$\frac{b(-dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c)}{d^2} - \frac{3bc(-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c)}{d^2} + a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^2+a)*sin(d*x+c), x)

[Out] $1/d^2*(1/d^2*b*(-(d*x+c)^3*cos(d*x+c) + 3*(d*x+c)^2*sin(d*x+c) - 6*sin(d*x+c) + 6*(d*x+c)*cos(d*x+c)) - 3/d^2*b*c*(-(d*x+c)^2*cos(d*x+c) + 2*cos(d*x+c) + 2*(d*x+c)*sin(d*x+c)) + a*(sin(d*x+c) - (d*x+c)*cos(d*x+c)) + 3/d^2*b*c^2*(sin(d*x+c) - (d*x+c)*cos(d*x+c)) + a*c*cos(d*x+c) + 1/d^2*b*c^3*cos(d*x+c))$

maxima [B] time = 0.33, size = 165, normalized size = 2.06

$$\frac{ac \cos(dx + c) + \frac{bc^3 \cos(dx+c)}{d^2} - ((dx + c) \cos(dx + c) - \sin(dx + c))a - \frac{3((dx+c) \cos(dx+c) - \sin(dx+c))bc^2}{d^2} + \frac{3(((dx+c)^2 - \sin(dx+c)) \cos(dx+c) - \sin(dx+c))bc^2}{d^2}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)*sin(d*x+c), x, algorithm="maxima")

[Out] $(a*c*cos(d*x + c) + b*c^3*cos(d*x + c)/d^2 - ((d*x + c)*cos(d*x + c) - sin(d*x + c))*a - 3*((d*x + c)*cos(d*x + c) - sin(d*x + c))*b*c^2/d^2 + 3*((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b*c/d^2 - (((d*x + c)$

)³ - 6*d*x - 6*c)*cos(d*x + c) - 3*((d*x + c)² - 2)*sin(d*x + c))*b/d²)/d²

mupad [B] time = 0.14, size = 73, normalized size = 0.91

$$\frac{x \cos(c + dx) (6b - ad^2)}{d^3} - \frac{\sin(c + dx) (6b - ad^2)}{d^4} - \frac{bx^3 \cos(c + dx)}{d} + \frac{3bx^2 \sin(c + dx)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(c + d*x)*(a + b*x^2),x)

[Out] (x*cos(c + d*x)*(6*b - a*d^2))/d^3 - (sin(c + d*x)*(6*b - a*d^2))/d^4 - (b*x^3*cos(c + d*x))/d + (3*b*x^2*sin(c + d*x))/d^2

sympy [A] time = 1.18, size = 99, normalized size = 1.24

$$\begin{cases} -\frac{ax \cos(c+dx)}{d} + \frac{a \sin(c+dx)}{d^2} - \frac{bx^3 \cos(c+dx)}{d} + \frac{3bx^2 \sin(c+dx)}{d^2} + \frac{6bx \cos(c+dx)}{d^3} - \frac{6b \sin(c+dx)}{d^4} & \text{for } d \neq 0 \\ \left(\frac{ax^2}{2} + \frac{bx^4}{4}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**2+a)*sin(d*x+c),x)

[Out] Piecewise((-a*x*cos(c + d*x)/d + a*sin(c + d*x)/d**2 - b*x**3*cos(c + d*x)/d + 3*b*x**2*sin(c + d*x)/d**2 + 6*b*x*cos(c + d*x)/d**3 - 6*b*sin(c + d*x)/d**4, Ne(d, 0)), ((a*x**2/2 + b*x**4/4)*sin(c), True))

3.43 $\int (a + bx^2) \sin(c + dx) dx$

Optimal. Leaf size=53

$$-\frac{a \cos(c + dx)}{d} + \frac{2b \cos(c + dx)}{d^3} + \frac{2bx \sin(c + dx)}{d^2} - \frac{bx^2 \cos(c + dx)}{d}$$

[Out] $2*b*\cos(d*x+c)/d^3-a*\cos(d*x+c)/d-b*x^2*\cos(d*x+c)/d+2*b*x*\sin(d*x+c)/d^2$

Rubi [A] time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3329, 2638, 3296}

$$-\frac{a \cos(c + dx)}{d} + \frac{2bx \sin(c + dx)}{d^2} + \frac{2b \cos(c + dx)}{d^3} - \frac{bx^2 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)*Sin[c + d*x], x]

[Out] $(2*b*\text{Cos}[c + d*x])/d^3 - (a*\text{Cos}[c + d*x])/d - (b*x^2*\text{Cos}[c + d*x])/d + (2*b*x*\text{Sin}[c + d*x])/d^2$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3329

Int[((a_) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int (a + bx^2) \sin(c + dx) dx &= \int (a \sin(c + dx) + bx^2 \sin(c + dx)) dx \\ &= a \int \sin(c + dx) dx + b \int x^2 \sin(c + dx) dx \\ &= -\frac{a \cos(c + dx)}{d} - \frac{bx^2 \cos(c + dx)}{d} + \frac{(2b) \int x \cos(c + dx) dx}{d} \\ &= -\frac{a \cos(c + dx)}{d} - \frac{bx^2 \cos(c + dx)}{d} + \frac{2bx \sin(c + dx)}{d^2} - \frac{(2b) \int \sin(c + dx) dx}{d^2} \\ &= \frac{2b \cos(c + dx)}{d^3} - \frac{a \cos(c + dx)}{d} - \frac{bx^2 \cos(c + dx)}{d} + \frac{2bx \sin(c + dx)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.09, size = 41, normalized size = 0.77

$$\frac{2bdx \sin(c + dx) - (ad^2 + b(d^2x^2 - 2)) \cos(c + dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)*Sin[c + d*x],x]

[Out] (-((a*d^2 + b*(-2 + d^2*x^2))*Cos[c + d*x]) + 2*b*d*x*Sin[c + d*x])/d^3

fricas [A] time = 0.51, size = 41, normalized size = 0.77

$$\frac{2 b d x \sin (d x+c)-\left(b d^2 x^2+a d^2-2 b\right) \cos (d x+c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c),x, algorithm="fricas")

[Out] (2*b*d*x*sin(d*x + c) - (b*d^2*x^2 + a*d^2 - 2*b)*cos(d*x + c))/d^3

giac [A] time = 0.35, size = 42, normalized size = 0.79

$$\frac{2 b x \sin (d x+c)}{d^2}-\frac{\left(b d^2 x^2+a d^2-2 b\right) \cos (d x+c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c),x, algorithm="giac")

[Out] 2*b*x*sin(d*x + c)/d^2 - (b*d^2*x^2 + a*d^2 - 2*b)*cos(d*x + c)/d^3

maple [A] time = 0.02, size = 99, normalized size = 1.87

$$\frac{b(-d x+c)^2 \cos (d x+c)+2 \cos (d x+c)+2(d x+c) \sin (d x+c)}{d^2}-\frac{2 b c(\sin (d x+c)-(d x+c) \cos (d x+c))}{d^2}-a \cos (d x+c)-\frac{b c^2 \cos (d x+c)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*sin(d*x+c),x)

[Out] 1/d*(1/d^2*b*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-2/d^2*b*c*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-a*cos(d*x+c)-1/d^2*b*c^2*cos(d*x+c))

maxima [A] time = 0.31, size = 91, normalized size = 1.72

$$\frac{a \cos (d x+c)+\frac{b c^2 \cos (d x+c)}{d^2}-\frac{2((d x+c) \cos (d x+c)-\sin (d x+c)) b c}{d^2}+\frac{\left((d x+c)^2-2\right) \cos (d x+c)-2(d x+c) \sin (d x+c) b}{d^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c),x, algorithm="maxima")

[Out] -(a*cos(d*x + c) + b*c^2*cos(d*x + c)/d^2 - 2*((d*x + c)*cos(d*x + c) - sin(d*x + c))*b*c/d^2 + (((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b/d^2)/d

mupad [B] time = 4.69, size = 49, normalized size = 0.92

$$\frac{\cos (c+d x)\left(2 b-a d^2\right)}{d^3}+\frac{2 b x \sin (c+d x)}{d^2}-\frac{b x^2 \cos (c+d x)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)*(a + b*x^2),x)

[Out] $(\cos(c + dx) * (2*b - a*d^2))/d^3 + (2*b*x*\sin(c + dx))/d^2 - (b*x^2*\cos(c + dx))/d$

sympy [A] time = 0.59, size = 65, normalized size = 1.23

$$\begin{cases} -\frac{a \cos(c+dx)}{d} - \frac{bx^2 \cos(c+dx)}{d} + \frac{2bx \sin(c+dx)}{d^2} + \frac{2b \cos(c+dx)}{d^3} & \text{for } d \neq 0 \\ \left(ax + \frac{bx^3}{3}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*sin(d*x+c),x)

[Out] Piecewise((-a*cos(c + d*x)/d - b*x**2*cos(c + d*x)/d + 2*b*x*sin(c + d*x)/d**2 + 2*b*cos(c + d*x)/d**3, Ne(d, 0)), ((a*x + b*x**3/3)*sin(c), True))

$$3.44 \quad \int \frac{(a+bx^2) \sin(c+dx)}{x} dx$$

Optimal. Leaf size=41

$$a \sin(c) \text{Ci}(dx) + a \cos(c) \text{Si}(dx) + \frac{b \sin(c+dx)}{d^2} - \frac{bx \cos(c+dx)}{d}$$

[Out] $-b*x*\cos(d*x+c)/d+a*\cos(c)*\text{Si}(d*x)+a*\text{Ci}(d*x)*\sin(c)+b*\sin(d*x+c)/d^2$

Rubi [A] time = 0.09, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3339, 3303, 3299, 3302, 3296, 2637}

$$a \sin(c) \text{CosIntegral}(dx) + a \cos(c) \text{Si}(dx) + \frac{b \sin(c+dx)}{d^2} - \frac{bx \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^2)*\text{Sin}[c + d*x])/x, x]$

[Out] $-((b*x*\text{Cos}[c + d*x])/d) + a*\text{CosIntegral}[d*x]*\text{Sin}[c] + (b*\text{Sin}[c + d*x])/d^2 + a*\text{Cos}[c]*\text{SinIntegral}[d*x]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
 $\text{FreeQ}\{c, d, x\}$

Rule 3296

$\text{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$
 $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$
 $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$
 $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /;$
 $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3339

$\text{Int}[(e_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.)^{(n_.)})^{(p_.)}*\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Sin}[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, m, n, x\} \ \&\& \ \text{IGtQ}[p, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2) \sin(c + dx)}{x} dx &= \int \left(\frac{a \sin(c + dx)}{x} + bx \sin(c + dx) \right) dx \\
&= a \int \frac{\sin(c + dx)}{x} dx + b \int x \sin(c + dx) dx \\
&= -\frac{bx \cos(c + dx)}{d} + \frac{b \int \cos(c + dx) dx}{d} + (a \cos(c)) \int \frac{\sin(dx)}{x} dx + (a \sin(c)) \int 1 dx \\
&= -\frac{bx \cos(c + dx)}{d} + a \operatorname{Ci}(dx) \sin(c) + \frac{b \sin(c + dx)}{d^2} + a \cos(c) \operatorname{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.14, size = 54, normalized size = 1.32

$$a \sin(c) \operatorname{Ci}(dx) + a \cos(c) \operatorname{Si}(dx) - \frac{b \cos(dx)(dx \cos(c) - \sin(c))}{d^2} + \frac{b \sin(dx)(dx \sin(c) + \cos(c))}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)*Sin[c + d*x])/x,x]

[Out] -((b*cos[d*x]*(d*x*cos[c] - Sin[c]))/d^2) + a*cosIntegral[d*x]*Sin[c] + (b*(Cos[c] + d*x*sin[c])*Sin[d*x])/d^2 + a*cos[c]*SinIntegral[d*x]

fricas [A] time = 0.76, size = 61, normalized size = 1.49

$$\frac{2ad^2 \cos(c) \operatorname{Si}(dx) - 2bdx \cos(dx + c) + 2b \sin(dx + c) + (ad^2 \operatorname{Ci}(dx) + ad^2 \operatorname{Ci}(-dx)) \sin(c)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x,x, algorithm="fricas")

[Out] 1/2*(2*a*d^2*cos(c)*sin_integral(d*x) - 2*b*d*x*cos(d*x + c) + 2*b*sin(d*x + c) + (a*d^2*cos_integral(d*x) + a*d^2*cos_integral(-d*x))*sin(c))/d^2

giac [C] time = 0.77, size = 432, normalized size = 10.54

$$\frac{ad^2 \Im(\operatorname{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 - ad^2 \Im(\operatorname{Ci}(-dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + 2ad^2 \operatorname{Si}(dx) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x,x, algorithm="giac")

[Out] -1/2*(a*d^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 2*b*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + a*d^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d^2*sin_integral(d*x)*tan(1/2*d*x)^2 + a*d^2*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a*d^2*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d^2*sin_integral(d*x)*tan(1/2*c)^2 - 2*b*d*x*tan(1/2*d*x)^2 - 2*a*d^2*real_part(cos_integral(d*x))*tan(1/2*c) - 2*a*d^2*real_part(cos_integral(-d*x))*tan(1/2*c) - 8*b*d*x*tan(1/2*d*x)*tan(1/2*c) - 2*b*d*x*tan(1/2*c)^2 - a*d^2*imag_part(cos_integral(d*x)) + a*d^2*imag_part(cos_integral(-d*x)) - 2*a*d^2*sin_integral(d*x) + 4*b*tan(1/2*d*x)^2*tan(1/2*c) + 4*b*tan(1/2*d*x)*tan(1/2*c)^2 + 2*b*d*x - 4*b*tan(1/2*d*x) - 4*b*tan(1/2*c))/(d^2)

$2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d^2*\tan(1/2*d*x)^2 + d^2*\tan(1/2*c)^2 + d^2$
 $)$

maple [A] time = 0.03, size = 60, normalized size = 1.46

$$\frac{(1+c)b(\sin(dx+c)-(dx+c)\cos(dx+c))}{d^2} + \frac{2cb\cos(dx+c)}{d^2} + a(\operatorname{Si}(dx)\cos(c) + \operatorname{Ci}(dx)\sin(c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*sin(d*x+c)/x,x)

[Out] (1+c)/d^2*b*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+2*c/d^2*b*cos(d*x+c)+a*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))

maxima [C] time = 0.64, size = 66, normalized size = 1.61

$$\frac{2bdx\cos(dx+c) - (a(-i\operatorname{Ei}(idx) + i\operatorname{Ei}(-idx))\cos(c) + a(\operatorname{Ei}(idx) + \operatorname{Ei}(-idx))\sin(c))d^2 - 2b\sin(dx+c)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x,x, algorithm="maxima")

[Out] -1/2*(2*b*d*x*cos(d*x+c) - (a*(-I*Ei(I*d*x) + I*Ei(-I*d*x))*cos(c) + a*(Ei(I*d*x) + Ei(-I*d*x))*sin(c))*d^2 - 2*b*sin(d*x+c))/d^2

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$a\cos(\operatorname{int}(dx))\sin(c) + a\sin(\operatorname{int}(dx))\cos(c) + \frac{b(\sin(c+dx) - dx\cos(c+dx))}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c+d*x)*(a+b*x^2))/x,x)

[Out] a*cos(int(d*x))*sin(c) + a*sin(int(d*x))*cos(c) + (b*(sin(c+d*x) - d*x*cos(c+d*x)))/d^2

sympy [A] time = 4.90, size = 63, normalized size = 1.54

$$a\sin(c)\operatorname{Ci}(dx) + a\cos(c)\operatorname{Si}(dx) + bx \left(\begin{cases} -\cos(c) & \text{for } d=0 \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases} \right) - b \left(\begin{cases} -x\cos(c) & \text{for } d=0 \\ \frac{\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x\cos(c) & \text{otherwise} \\ -\frac{\sin(c+dx)}{d} & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*sin(d*x+c)/x,x)

[Out] a*sin(c)*Ci(d*x) + a*cos(c)*Si(d*x) + b*x*Piecewise((-cos(c), Eq(d, 0)), (-cos(c+d*x)/d, True)) - b*Piecewise((-x*cos(c), Eq(d, 0)), (-Piecewise(sin(c+d*x)/d, Ne(d, 0)), (x*cos(c), True))/d, True))

$$3.45 \quad \int \frac{(a+bx^2) \sin(c+dx)}{x^2} dx$$

Optimal. Leaf size=44

$$ad \cos(c) \text{Ci}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c+dx)}{x} - \frac{b \cos(c+dx)}{d}$$

[Out] a*d*Ci(d*x)*cos(c)-b*cos(d*x+c)/d-a*d*Si(d*x)*sin(c)-a*sin(d*x+c)/x

Rubi [A] time = 0.11, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3339, 2638, 3297, 3303, 3299, 3302}

$$ad \cos(c) \text{CosIntegral}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c+dx)}{x} - \frac{b \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)*Sin[c + d*x])/x^2,x]

[Out] -((b*Cos[c + d*x])/d) + a*d*Cos[c]*CosIntegral[d*x] - (a*Sin[c + d*x])/x - a*d*Sin[c]*SinIntegral[d*x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3297

Int[((c_.) + (d_.)*(x_)^(m_))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2) \sin(c + dx)}{x^2} dx &= \int \left(b \sin(c + dx) + \frac{a \sin(c + dx)}{x^2} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^2} dx + b \int \sin(c + dx) dx \\
&= -\frac{b \cos(c + dx)}{d} - \frac{a \sin(c + dx)}{x} + (ad) \int \frac{\cos(c + dx)}{x} dx \\
&= -\frac{b \cos(c + dx)}{d} - \frac{a \sin(c + dx)}{x} + (ad \cos(c)) \int \frac{\cos(dx)}{x} dx - (ad \sin(c)) \int \frac{\sin(dx)}{x} dx \\
&= -\frac{b \cos(c + dx)}{d} + ad \cos(c) \text{Ci}(dx) - \frac{a \sin(c + dx)}{x} - ad \sin(c) \text{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.10, size = 44, normalized size = 1.00

$$ad \cos(c) \text{Ci}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c + dx)}{x} - \frac{b \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)*Sin[c + d*x])/x^2,x]

[Out] -((b*Cos[c + d*x])/d) + a*d*Cos[c]*CosIntegral[d*x] - (a*Sin[c + d*x])/x - a*d*Sin[c]*SinIntegral[d*x]

fricas [A] time = 0.61, size = 68, normalized size = 1.55

$$\frac{2 ad^2 x \sin(c) \text{Si}(dx) + 2 bx \cos(dx + c) + 2 ad \sin(dx + c) - (ad^2 x \text{Ci}(dx) + ad^2 x \text{Ci}(-dx)) \cos(c)}{2 dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^2,x, algorithm="fricas")

[Out] -1/2*(2*a*d^2*x*sin(c)*sin_integral(d*x) + 2*b*x*cos(d*x + c) + 2*a*d*sin(d*x + c) - (a*d^2*x*cos_integral(d*x) + a*d^2*x*cos_integral(-d*x))*cos(c))/ (d*x)

giac [C] time = 0.35, size = 411, normalized size = 9.34

$$\frac{ad^2 x \Re(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + ad^2 x \Re(\text{Ci}(-dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + 2 ad^2 x \Im(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2}{2 dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^2,x, algorithm="giac")

[Out] -1/2*(a*d^2*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d^2*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^2*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^2*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*d^2*x*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) - a*d^2*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - a*d^2*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 + a*d^2*x*real_part(cos_integral(d*x))*tan(1/2*c)^2 + a*d^2*x*real_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d^2*x*imag_part(cos_integral(d*x))*tan(1/2*c) - 2*a*d^2*x*imag_part(cos_integral(-d*x))*tan(1/2*c) + 4*a*d^2*x*sin_integral(d*x)*tan(1/2*c) + 2*b*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^2*x*real_part(cos_integral(d*x)) - a*d^2*x*real_part(cos_integral(-d*x)) - 4*a*d*tan(1/2*d*x)

$$\begin{aligned} &^2 \tan(1/2*c) - 4*a*d*\tan(1/2*d*x)*\tan(1/2*c)^2 - 2*b*x*\tan(1/2*d*x)^2 - 8* \\ &b*x*\tan(1/2*d*x)*\tan(1/2*c) - 2*b*x*\tan(1/2*c)^2 + 4*a*d*\tan(1/2*d*x) + 4*a \\ &*d*\tan(1/2*c) + 2*b*x)/(d*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d*x*\tan(1/2*d*x)^ \\ &2 + d*x*\tan(1/2*c)^2 + d*x) \end{aligned}$$

maple [A] time = 0.03, size = 48, normalized size = 1.09

$$d \left(-\frac{b \cos(dx + c)}{d^2} + a \left(-\frac{\sin(dx + c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*sin(d*x+c)/x^2,x)

[Out] d*(-1/d^2*b*cos(d*x+c)+a*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c)))

maxima [C] time = 0.60, size = 937, normalized size = 21.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^2,x, algorithm="maxima")

[Out] -1/4*(((I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c)^3 + (I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c)*sin(c)^2 + (exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*sin(c)^3 + (I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c) + ((exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c)^2 + exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*sin(c))*b*c^2/((d*x + c)*(cos(c)^2 + sin(c)^2)*d^2 - (c*cos(c)^2 + c*sin(c)^2)*d^2) - ((I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c)^3 + (I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c)*sin(c)^2 + (exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*sin(c)^3 + (I*exp_integral_e(2, I*d*x) - I*exp_integral_e(2, -I*d*x))*cos(c) + ((exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*cos(c)^2 + exp_integral_e(2, I*d*x) + exp_integral_e(2, -I*d*x))*sin(c))*a/(c*cos(c)^2 + c*sin(c)^2 - (d*x + c)*(cos(c)^2 + sin(c)^2)) + 2*(((b*cos(c)^2 + b*sin(c)^2)*(d*x + c)^2 - 2*(b*c*cos(c)^2 + b*c*sin(c)^2)*(d*x + c))*cos(d*x + c)^3 + (b*c^2*(exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c)^3 + b*c^2*(exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c)*sin(c)^2 + b*c^2*(-I*exp_integral_e(3, I*d*x) + I*exp_integral_e(3, -I*d*x))*sin(c)^3 + b*c^2*(exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c) + (b*c^2*(-I*exp_integral_e(3, I*d*x) + I*exp_integral_e(3, -I*d*x))*cos(c)^2 + b*c^2*(-I*exp_integral_e(3, I*d*x) + I*exp_integral_e(3, -I*d*x))*sin(c))*cos(d*x + c)^2 + (b*c^2*(exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c)^3 + b*c^2*(exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c)*sin(c)^2 + b*c^2*(-I*exp_integral_e(3, I*d*x) + I*exp_integral_e(3, -I*d*x))*sin(c)^3 + b*c^2*(exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c) + ((b*cos(c)^2 + b*sin(c)^2)*(d*x + c)^2 - 2*(b*c*cos(c)^2 + b*c*sin(c)^2)*(d*x + c))*cos(d*x + c) + (b*c^2*(-I*exp_integral_e(3, I*d*x) + I*exp_integral_e(3, -I*d*x))*cos(c)^2 + b*c^2*(-I*exp_integral_e(3, I*d*x) + I*exp_integral_e(3, -I*d*x))*sin(c))*sin(d*x + c)^2 + ((b*cos(c)^2 + b*sin(c)^2)*(d*x + c)^2 - 2*(b*c*cos(c)^2 + b*c*sin(c)^2)*(d*x + c))*cos(d*x + c))/(((d*x + c)^2*(cos(c)^2 + sin(c)^2)*d^2 - 2*(c*cos(c)^2 + c*sin(c)^2)*(d*x + c)*d^2 + (c^2*cos(c)^2 + c^2*sin(c)^2)*d^2)*cos(d*x + c)^2 + ((d*x + c)^2*(cos(c)^2 + sin(c)^2)*d^2 - 2*(c*cos(c)^2 + c*sin(c)^2)*(d*x + c)*d^2 + (c^2*cos(c)^2 + c^2*sin(c)^2)*d^2)*sin(d*x + c)^2))*d

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(c + dx) (bx^2 + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(c + d*x)*(a + b*x^2))/x^2,x)`

[Out] `int((sin(c + d*x)*(a + b*x^2))/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2) \sin(c + dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)*sin(d*x+c)/x**2,x)`

[Out] `Integral((a + b*x**2)*sin(c + d*x)/x**2, x)`

$$3.46 \quad \int \frac{(a+bx^2) \sin(c+dx)}{x^3} dx$$

Optimal. Leaf size=74

$$-\frac{1}{2}ad^2 \sin(c)Ci(dx) - \frac{1}{2}ad^2 \cos(c)Si(dx) - \frac{a \sin(c+dx)}{2x^2} - \frac{ad \cos(c+dx)}{2x} + b \sin(c)Ci(dx) + b \cos(c)Si(dx)$$

[Out] $-1/2*a*d*cos(d*x+c)/x+b*cos(c)*Si(d*x)-1/2*a*d^2*cos(c)*Si(d*x)+b*Ci(d*x)*sin(c)-1/2*a*d^2*Ci(d*x)*sin(c)-1/2*a*sin(d*x+c)/x^2$

Rubi [A] time = 0.16, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3339, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}ad^2 \sin(c)\text{CosIntegral}(dx) - \frac{1}{2}ad^2 \cos(c)Si(dx) - \frac{a \sin(c+dx)}{2x^2} - \frac{ad \cos(c+dx)}{2x} + b \sin(c)\text{CosIntegral}(dx) + b \cos(c)Si(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)*Sin[c + d*x])/x^3, x]

[Out] $-(a*d*\text{Cos}[c + d*x])/(2*x) + b*\text{CosIntegral}[d*x]*\text{Sin}[c] - (a*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 - (a*\text{Sin}[c + d*x])/(2*x^2) + b*\text{Cos}[c]*\text{SinIntegral}[d*x] - (a*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2) \sin(c + dx)}{x^3} dx &= \int \left(\frac{a \sin(c + dx)}{x^3} + \frac{b \sin(c + dx)}{x} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^3} dx + b \int \frac{\sin(c + dx)}{x} dx \\
&= -\frac{a \sin(c + dx)}{2x^2} + \frac{1}{2}(ad) \int \frac{\cos(c + dx)}{x^2} dx + (b \cos(c)) \int \frac{\sin(dx)}{x} dx + (b \sin(c)) \int \frac{1}{x} dx \\
&= -\frac{ad \cos(c + dx)}{2x} + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{2x^2} + b \cos(c) \operatorname{Si}(dx) - \frac{1}{2} (ad^2) \int \frac{\sin(dx)}{x} dx \\
&= -\frac{ad \cos(c + dx)}{2x} + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{2x^2} + b \cos(c) \operatorname{Si}(dx) - \frac{1}{2} (ad^2 \cos(c)) \int \frac{1}{x} dx \\
&= -\frac{ad \cos(c + dx)}{2x} + b \operatorname{Ci}(dx) \sin(c) - \frac{1}{2} ad^2 \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{2x^2} + b \cos(c) \operatorname{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.19, size = 82, normalized size = 1.11

$$-\frac{1}{2} ad^2 (\sin(c) \operatorname{Ci}(dx) + \cos(c) \operatorname{Si}(dx)) - \frac{a \cos(dx) (dx \cos(c) + \sin(c))}{2x^2} + \frac{a \sin(dx) (dx \sin(c) - \cos(c))}{2x^2} + b \sin(c) \operatorname{Ci}(dx) +$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)*Sin[c + d*x])/x^3,x]

[Out] b*CosIntegral[d*x]*Sin[c] - (a*Cos[d*x]*(d*x*Cos[c] + Sin[c]))/(2*x^2) + (a*(-Cos[c] + d*x*Sin[c])*Sin[d*x])/(2*x^2) + b*Cos[c]*SinIntegral[d*x] - (a*d^2*(CosIntegral[d*x]*Sin[c] + Cos[c]*SinIntegral[d*x]))/2

fricas [A] time = 0.73, size = 85, normalized size = 1.15

$$\frac{2(ad^2 - 2b)x^2 \cos(c) \operatorname{Si}(dx) + 2adx \cos(dx + c) + 2a \sin(dx + c) + ((ad^2 - 2b)x^2 \operatorname{Ci}(dx) + (ad^2 - 2b)x^2 \operatorname{Ci}(c))}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^3,x, algorithm="fricas")

[Out] -1/4*(2*(a*d^2 - 2*b)*x^2*cos(c)*sin_integral(d*x) + 2*a*d*x*cos(d*x + c) + 2*a*sin(d*x + c) + ((a*d^2 - 2*b)*x^2*cos_integral(d*x) + (a*d^2 - 2*b)*x^2*cos_integral(-d*x))*sin(c))/x^2

giac [C] time = 0.32, size = 766, normalized size = 10.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^3,x, algorithm="giac")

[Out] 1/4*(a*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^2*x^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^2*x^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - a*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + a*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d^2*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 + a*d^2*x^2*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a*d^2*x^2*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d^2*x^2*sin_integral(d*x)*tan(1/2*c)^2 - 2*b*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*b*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*b*x^2*sin_integral(d*x)*tan(1/2

```
*d*x)^2*tan(1/2*c)^2 - 2*a*d^2*x^2*real_part(cos_integral(d*x))*tan(1/2*c)
- 2*a*d^2*x^2*real_part(cos_integral(-d*x))*tan(1/2*c) + 4*b*x^2*real_part(
cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*b*x^2*real_part(cos_integr
al(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 -
a*d^2*x^2*imag_part(cos_integral(d*x)) + a*d^2*x^2*imag_part(cos_integral(
-d*x)) - 2*a*d^2*x^2*sin_integral(d*x) + 2*b*x^2*imag_part(cos_integral(d*x
))*tan(1/2*d*x)^2 - 2*b*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 +
4*b*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 - 2*b*x^2*imag_part(cos_integral(d
*x))*tan(1/2*c)^2 + 2*b*x^2*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 - 4*
b*x^2*sin_integral(d*x)*tan(1/2*c)^2 + 2*a*d*x*tan(1/2*d*x)^2 + 4*b*x^2*rea
l_part(cos_integral(d*x))*tan(1/2*c) + 4*b*x^2*real_part(cos_integral(-d*x)
)*tan(1/2*c) + 8*a*d*x*tan(1/2*d*x)*tan(1/2*c) + 2*a*d*x*tan(1/2*c)^2 + 2*b
*x^2*imag_part(cos_integral(d*x)) - 2*b*x^2*imag_part(cos_integral(-d*x)) +
4*b*x^2*sin_integral(d*x) + 4*a*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*tan(1/2*d*
x)*tan(1/2*c)^2 - 2*a*d*x - 4*a*tan(1/2*d*x) - 4*a*tan(1/2*c))/(x^2*tan(1/2
*d*x)^2*tan(1/2*c)^2 + x^2*tan(1/2*d*x)^2 + x^2*tan(1/2*c)^2 + x^2)
```

maple [A] time = 0.03, size = 73, normalized size = 0.99

$$d^2 \left(\frac{b(\operatorname{Si}(dx)\cos(c) + \operatorname{Ci}(dx)\sin(c))}{d^2} + a \left(-\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\operatorname{Si}(dx)\cos(c)}{2} - \frac{\operatorname{Ci}(dx)\sin(c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*sin(d*x+c)/x^3,x)

[Out] d^2*(1/d^2*b*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+a*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c)))

maxima [C] time = 1.03, size = 122, normalized size = 1.65

$$\frac{2bdx \cos(dx+c) + \left((a(-i\Gamma(-2, idx) + i\Gamma(-2, -idx)) \cos(c) - a(\Gamma(-2, idx) + \Gamma(-2, -idx)) \sin(c))d^4 + (b(2d^2x^2 - 2dx + a)) \sin(c) \right)}{2d^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^3,x, algorithm="maxima")

[Out] -1/2*(2*b*d*x*cos(d*x+c) + ((a*(-I*gamma(-2, I*d*x) + I*gamma(-2, -I*d*x))*cos(c) - a*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d^4 + (b*(2*I*gamma(-2, I*d*x) - 2*I*gamma(-2, -I*d*x))*cos(c) + 2*b*(gamma(-2, I*d*x) + gamma(-2, -I*d*x))*sin(c))*d^2)*x^2 + 2*b*sin(d*x+c))/(d^2*x^2)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx)(bx^2+a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c+d*x)*(a+b*x^2))/x^3,x)

[Out] int((sin(c+d*x)*(a+b*x^2))/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a+bx^2)\sin(c+dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)*sin(d*x+c)/x**3,x)

[Out] Integral((a+b*x**2)*sin(c+d*x)/x**3, x)

$$3.47 \quad \int \frac{(a+bx^2) \sin(c+dx)}{x^4} dx$$

Optimal. Leaf size=106

$$-\frac{1}{6}ad^3 \cos(c)Ci(dx) + \frac{1}{6}ad^3 \sin(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{6x} - \frac{a \sin(c+dx)}{3x^3} - \frac{ad \cos(c+dx)}{6x^2} + bd \cos(c)Ci(dx) - bd \sin(c)Si(dx)$$

[Out] b*d*Ci(d*x)*cos(c)-1/6*a*d^3*Ci(d*x)*cos(c)-1/6*a*d*cos(d*x+c)/x^2-b*d*Si(d*x)*sin(c)+1/6*a*d^3*Si(d*x)*sin(c)-1/3*a*sin(d*x+c)/x^3-b*sin(d*x+c)/x+1/6*a*d^2*sin(d*x+c)/x

Rubi [A] time = 0.21, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3339, 3297, 3303, 3299, 3302}

$$-\frac{1}{6}ad^3 \cos(c)CosIntegral(dx) + \frac{1}{6}ad^3 \sin(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{6x} - \frac{a \sin(c+dx)}{3x^3} - \frac{ad \cos(c+dx)}{6x^2} + bd \cos(c)CosIntegral(dx) - bd \sin(c)Si(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)*Sin[c + d*x])/x^4,x]

[Out] -(a*d*cos[c + d*x])/(6*x^2) + b*d*cos[c]*CosIntegral[d*x] - (a*d^3*cos[c]*CosIntegral[d*x])/6 - (a*sin[c + d*x])/(3*x^3) - (b*sin[c + d*x])/x + (a*d^2*sin[c + d*x])/(6*x) - b*d*sin[c]*SinIntegral[d*x] + (a*d^3*sin[c]*SinIntegral[d*x])/6

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], (e*x)^(m)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2) \sin(c + dx)}{x^4} dx &= \int \left(\frac{a \sin(c + dx)}{x^4} + \frac{b \sin(c + dx)}{x^2} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^4} dx + b \int \frac{\sin(c + dx)}{x^2} dx \\
&= -\frac{a \sin(c + dx)}{3x^3} - \frac{b \sin(c + dx)}{x} + \frac{1}{3}(ad) \int \frac{\cos(c + dx)}{x^3} dx + (bd) \int \frac{\cos(c + dx)}{x} dx \\
&= -\frac{ad \cos(c + dx)}{6x^2} - \frac{a \sin(c + dx)}{3x^3} - \frac{b \sin(c + dx)}{x} - \frac{1}{6}(ad^2) \int \frac{\sin(c + dx)}{x^2} dx + (bd) \int \frac{\cos(c + dx)}{x} dx \\
&= -\frac{ad \cos(c + dx)}{6x^2} + bd \cos(c) \text{Ci}(dx) - \frac{a \sin(c + dx)}{3x^3} - \frac{b \sin(c + dx)}{x} + \frac{ad^2 \sin(c + dx)}{6x} \\
&= -\frac{ad \cos(c + dx)}{6x^2} + bd \cos(c) \text{Ci}(dx) - \frac{a \sin(c + dx)}{3x^3} - \frac{b \sin(c + dx)}{x} + \frac{ad^2 \sin(c + dx)}{6x} \\
&= -\frac{ad \cos(c + dx)}{6x^2} + bd \cos(c) \text{Ci}(dx) - \frac{1}{6} ad^3 \cos(c) \text{Ci}(dx) - \frac{a \sin(c + dx)}{3x^3} - \frac{b \sin(c + dx)}{x}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 95, normalized size = 0.90

$$\frac{dx^3 \cos(c) (6b - ad^2) \text{Ci}(dx) + dx^3 \sin(c) (ad^2 - 6b) \text{Si}(dx) + ad^2 x^2 \sin(c + dx) - 2a \sin(c + dx) - adx \cos(c + dx)}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)*Sin[c + d*x])/x^4,x]

[Out] $(-(a*d*x*\text{Cos}[c + d*x]) + d*(6*b - a*d^2)*x^3*\text{Cos}[c]*\text{CosIntegral}[d*x] - 2*a*\text{Sin}[c + d*x] - 6*b*x^2*\text{Sin}[c + d*x] + a*d^2*x^2*\text{Sin}[c + d*x] + d*(-6*b + a*d^2)*x^3*\text{Sin}[c]*\text{SinIntegral}[d*x])/(6*x^3)$

fricas [A] time = 0.58, size = 105, normalized size = 0.99

$$\frac{2(ad^3 - 6bd)x^3 \sin(c) \text{Si}(dx) - 2adx \cos(dx + c) - ((ad^3 - 6bd)x^3 \text{Ci}(dx) + (ad^3 - 6bd)x^3 \text{Ci}(-dx)) \cos(c)}{12x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^4,x, algorithm="fricas")

[Out] $1/12*(2*(a*d^3 - 6*b*d)*x^3*\sin(c)*\sin_integral(d*x) - 2*a*d*x*\cos(d*x + c) - ((a*d^3 - 6*b*d)*x^3*\cos_integral(d*x) + (a*d^3 - 6*b*d)*x^3*\cos_integral(-d*x))*\cos(c) + 2*((a*d^2 - 6*b)*x^2 - 2*a)*\sin(d*x + c))/x^3$

giac [C] time = 0.42, size = 834, normalized size = 7.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^4,x, algorithm="giac")

[Out] $1/12*(a*d^3*x^3*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + a*d^3*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*a*d^3*x^3*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*a*d^3*x^3*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*a*d^3*x^3*\sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c) - a*d^3*x^3*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2 - a*d^3*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2 + a*d^3*x^3*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c)^2 + a*d^3*x^3*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 - 6*b*d*x^3*\text{real_part}(\cos_integral(d*x))$

$$\begin{aligned} &)) * \tan(1/2*d*x)^2 * \tan(1/2*c)^2 - 6*b*d*x^3 * \text{real_part}(\cos_integral(-d*x)) * \tan(1/2*d*x)^2 * \tan(1/2*c)^2 + 2*a*d^3*x^3 * \text{imag_part}(\cos_integral(d*x)) * \tan(1/2*c) \\ &- 2*a*d^3*x^3 * \text{imag_part}(\cos_integral(-d*x)) * \tan(1/2*c) + 4*a*d^3*x^3 * \sin_integral(d*x) * \tan(1/2*c) - 12*b*d*x^3 * \text{imag_part}(\cos_integral(d*x)) * \tan(1/2*d*x)^2 * \tan(1/2*c) \\ &+ 12*b*d*x^3 * \text{imag_part}(\cos_integral(-d*x)) * \tan(1/2*d*x)^2 * \tan(1/2*c) - 24*b*d*x^3 * \sin_integral(d*x) * \tan(1/2*d*x)^2 * \tan(1/2*c) - a \\ &*d^3*x^3 * \text{real_part}(\cos_integral(d*x)) - a*d^3*x^3 * \text{real_part}(\cos_integral(-d*x)) + 6*b*d*x^3 * \text{real_part}(\cos_integral(d*x)) * \tan(1/2*d*x)^2 + 6*b*d*x^3 * \text{real_part}(\cos_integral(-d*x)) * \tan(1/2*d*x)^2 \\ &- 4*a*d^2*x^2 * \tan(1/2*d*x)^2 * \tan(1/2*c) - 6*b*d*x^3 * \text{real_part}(\cos_integral(d*x)) * \tan(1/2*c)^2 - 6*b*d*x^3 * \text{real_part}(\cos_integral(-d*x)) * \tan(1/2*c)^2 - 4*a*d^2*x^2 * \tan(1/2*d*x) * \tan(1/2*c)^2 \\ &- 12*b*d*x^3 * \text{imag_part}(\cos_integral(d*x)) * \tan(1/2*c) + 12*b*d*x^3 * \text{imag_part}(\cos_integral(-d*x)) * \tan(1/2*c) - 24*b*d*x^3 * \sin_integral(d*x) * \tan(1/2*c) - 2*a*d*x * \tan(1/2*d*x)^2 * \tan(1/2*c)^2 + 6*b*d*x^3 * \text{real_part}(\cos_integral(d*x)) \\ &+ 6*b*d*x^3 * \text{real_part}(\cos_integral(-d*x)) + 4*a*d^2*x^2 * \tan(1/2*d*x) + 4*a*d^2*x^2 * \tan(1/2*c) + 24*b*x^2 * \tan(1/2*d*x)^2 * \tan(1/2*c) + 24*b*x^2 * \tan(1/2*d*x) * \tan(1/2*c)^2 + 2*a*d*x * \tan(1/2*d*x)^2 + 8*a*d*x * \tan(1/2*d*x) * \tan(1/2*c) \\ &+ 2*a*d*x * \tan(1/2*c)^2 - 24*b*x^2 * \tan(1/2*d*x) - 24*b*x^2 * \tan(1/2*c) + 8*a * \tan(1/2*d*x)^2 * \tan(1/2*c) + 8*a * \tan(1/2*d*x) * \tan(1/2*c)^2 - 2*a*d*x - 8*a * \tan(1/2*d*x) - 8*a * \tan(1/2*c)) / (x^3 * \tan(1/2*d*x)^2 * \tan(1/2*c)^2 + x^3 * \tan(1/2*d*x)^2 + x^3 * \tan(1/2*c)^2 + x^3) \end{aligned}$$

maple [A] time = 0.03, size = 102, normalized size = 0.96

$$d^3 \left(\frac{b \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d^2} + a \left(-\frac{\sin(dx+c)}{3x^3 d^3} - \frac{\cos(dx+c)}{6x^2 d^2} + \frac{\sin(dx+c)}{6xd} + \frac{\text{Si}(dx) \sin(c)}{6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*sin(d*x+c)/x^4,x)

[Out] $d^3 * (1/d^2 * b * (-\sin(d*x+c)/x/d - \text{Si}(d*x) * \sin(c) + \text{Ci}(d*x) * \cos(c)) + a * (-1/3 * \sin(d*x+c)/x^3/d^3 - 1/6 * \cos(d*x+c)/x^2/d^2 + 1/6 * \sin(d*x+c)/x/d + 1/6 * \text{Si}(d*x) * \sin(c) - 1/6 * \text{Ci}(d*x) * \cos(c)))$

maxima [C] time = 1.13, size = 123, normalized size = 1.16

$$\frac{((a(\Gamma(-3, i dx) + \Gamma(-3, -i dx)) \cos(c) + a(-i \Gamma(-3, i dx) + i \Gamma(-3, -i dx)) \sin(c)) d^5 - (6b(\Gamma(-3, i dx) + \Gamma(-3, -i dx)) \cos(c) + a(-i \Gamma(-3, i dx) + i \Gamma(-3, -i dx)) \sin(c)) d^5)}{2 d^2 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^4,x, algorithm="maxima")

[Out] $-1/2 * ((a * (\gamma(-3, I*d*x) + \gamma(-3, -I*d*x)) * \cos(c) + a * (-I * \gamma(-3, I*d*x) + I * \gamma(-3, -I*d*x)) * \sin(c)) * d^5 - (6*b * (\gamma(-3, I*d*x) + \gamma(-3, -I*d*x)) * \cos(c) - b * (6*I * \gamma(-3, I*d*x) - 6*I * \gamma(-3, -I*d*x)) * \sin(c))) * d^3 * x^3 + 2*b*d*x * \cos(d*x + c) + 4*b * \sin(d*x + c)) / (d^2 * x^3)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^2))/x^4,x)

[Out] int((sin(c + d*x)*(a + b*x^2))/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2) \sin(c + dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**2+a)*sin(d*x+c)/x**4,x)
```

```
[Out] Integral((a + b*x**2)*sin(c + d*x)/x**4, x)
```

$$3.48 \quad \int \frac{(a+bx^2) \sin(c+dx)}{x^5} dx$$

Optimal. Leaf size=149

$$\frac{1}{24}ad^4 \sin(c)Ci(dx) + \frac{1}{24}ad^4 \cos(c)Si(dx) + \frac{ad^3 \cos(c+dx)}{24x} + \frac{ad^2 \sin(c+dx)}{24x^2} - \frac{a \sin(c+dx)}{4x^4} - \frac{ad \cos(c+dx)}{12x^3} - \frac{1}{2}bd^2$$

[Out] $-1/12*a*d*cos(d*x+c)/x^3 - 1/2*b*d*cos(d*x+c)/x + 1/24*a*d^3*cos(d*x+c)/x - 1/2*b*d^2*cos(c)*Si(d*x) + 1/24*a*d^4*cos(c)*Si(d*x) - 1/2*b*d^2*Ci(d*x)*sin(c) + 1/24*a*d^4*Ci(d*x)*sin(c) - 1/4*a*sin(d*x+c)/x^4 - 1/2*b*sin(d*x+c)/x^2 + 1/24*a*d^2*sin(d*x+c)/x^2$

Rubi [A] time = 0.26, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3339, 3297, 3303, 3299, 3302}

$$\frac{1}{24}ad^4 \sin(c)CosIntegral(dx) + \frac{1}{24}ad^4 \cos(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{24x^2} + \frac{ad^3 \cos(c+dx)}{24x} - \frac{a \sin(c+dx)}{4x^4} - \frac{ad \cos(c+dx)}{12x^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)*Sin[c + d*x])/x^5, x]

[Out] $-(a*d*Cos[c + d*x])/(12*x^3) - (b*d*Cos[c + d*x])/(2*x) + (a*d^3*Cos[c + d*x])/(24*x) - (b*d^2*CosIntegral[d*x]*Sin[c])/2 + (a*d^4*CosIntegral[d*x]*Sin[c])/24 - (a*Sin[c + d*x])/(4*x^4) - (b*Sin[c + d*x])/(2*x^2) + (a*d^2*Sin[c + d*x])/(24*x^2) - (b*d^2*Cos[c]*SinIntegral[d*x])/2 + (a*d^4*Cos[c]*SinIntegral[d*x])/24$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^2) \sin(c + dx)}{x^5} dx &= \int \left(\frac{a \sin(c + dx)}{x^5} + \frac{b \sin(c + dx)}{x^3} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^5} dx + b \int \frac{\sin(c + dx)}{x^3} dx \\
&= -\frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{2x^2} + \frac{1}{4}(ad) \int \frac{\cos(c + dx)}{x^4} dx + \frac{1}{2}(bd) \int \frac{\cos(c + dx)}{x^2} dx \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{2x} - \frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{2x^2} - \frac{1}{12}(ad^2) \int \frac{\sin(c + dx)}{x^3} dx \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{2x} - \frac{a \sin(c + dx)}{4x^4} - \frac{b \sin(c + dx)}{2x^2} + \frac{ad^2 \sin(c + dx)}{24x^2} \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{2x} + \frac{ad^3 \cos(c + dx)}{24x} - \frac{1}{2}bd^2 \text{Ci}(dx) \sin(c) - \frac{a \sin(c)}{4x^4} \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{2x} + \frac{ad^3 \cos(c + dx)}{24x} - \frac{1}{2}bd^2 \text{Ci}(dx) \sin(c) - \frac{a \sin(c)}{4x^4} \\
&= -\frac{ad \cos(c + dx)}{12x^3} - \frac{bd \cos(c + dx)}{2x} + \frac{ad^3 \cos(c + dx)}{24x} - \frac{1}{2}bd^2 \text{Ci}(dx) \sin(c) + \frac{1}{24}ad^2 \text{Si}(dx) \cos(c)
\end{aligned}$$

Mathematica [A] time = 0.25, size = 125, normalized size = 0.84

$$\frac{d^2 x^4 \sin(c) (ad^2 - 12b) \text{Ci}(dx) + d^2 x^4 \cos(c) (ad^2 - 12b) \text{Si}(dx) + ad^3 x^3 \cos(c + dx) + ad^2 x^2 \sin(c + dx) - 6a \sin(c)}{24x^4}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)*Sin[c + d*x])/x^5,x]

[Out] (-2*a*d*x*Cos[c + d*x] - 12*b*d*x^3*Cos[c + d*x] + a*d^3*x^3*Cos[c + d*x] + d^2*(-12*b + a*d^2)*x^4*CosIntegral[d*x]*Sin[c] - 6*a*Sin[c + d*x] - 12*b*x^2*Sin[c + d*x] + a*d^2*x^2*Sin[c + d*x] + d^2*(-12*b + a*d^2)*x^4*Cos[c]*SinIntegral[d*x])/(24*x^4)

fricas [A] time = 0.87, size = 127, normalized size = 0.85

$$\frac{2(ad^4 - 12bd^2)x^4 \cos(c) \text{Si}(dx) + 2((ad^3 - 12bd)x^3 - 2adx) \cos(dx + c) + 2((ad^2 - 12b)x^2 - 6a) \sin(dx + c)}{48x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/48*(2*(a*d^4 - 12*b*d^2)*x^4*cos(c)*sin_integral(d*x) + 2*((a*d^3 - 12*b*d)*x^3 - 2*a*d*x)*cos(d*x + c) + 2*((a*d^2 - 12*b)*x^2 - 6*a)*sin(d*x + c) + ((a*d^4 - 12*b*d^2)*x^4*cos_integral(d*x) + (a*d^4 - 12*b*d^2)*x^4*cos_integral(-d*x))*sin(c))/x^4

giac [C] time = 0.48, size = 1086, normalized size = 7.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^5,x, algorithm="giac")

[Out] -1/48*(a*d^4*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^4*x^4*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^4*x^4*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^4*x^4*cos_integral(d*x)*sin(c) + 2*a*d^4*x^4*cos_integral(-d*x)*sin(c))/x^4

```

rt(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^4*x^4*real_part(cos
_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - a*d^4*x^4*imag_part(cos_integr
al(d*x))*tan(1/2*d*x)^2 + a*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d
*x)^2 - 2*a*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 + a*d^4*x^4*imag_part(
cos_integral(d*x))*tan(1/2*c)^2 - a*d^4*x^4*imag_part(cos_integral(-d*x))*t
an(1/2*c)^2 + 2*a*d^4*x^4*sin_integral(d*x)*tan(1/2*c)^2 - 12*b*d^2*x^4*ima
g_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 12*b*d^2*x^4*imag_p
art(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 24*b*d^2*x^4*sin_inte
gral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^4*x^4*real_part(cos_integral(
d*x))*tan(1/2*c) - 2*a*d^4*x^4*real_part(cos_integral(-d*x))*tan(1/2*c) + 2
4*b*d^2*x^4*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 24*b*d
^2*x^4*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^3*x^
3*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^4*x^4*imag_part(cos_integral(d*x)) + a
*d^4*x^4*imag_part(cos_integral(-d*x)) - 2*a*d^4*x^4*sin_integral(d*x) + 12*
b*d^2*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 - 12*b*d^2*x^4*imag_p
art(cos_integral(-d*x))*tan(1/2*d*x)^2 + 24*b*d^2*x^4*sin_integral(d*x)*tan
(1/2*d*x)^2 - 12*b*d^2*x^4*imag_part(cos_integral(d*x))*tan(1/2*c)^2 + 12*b
*d^2*x^4*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 - 24*b*d^2*x^4*sin_inte
gral(d*x)*tan(1/2*c)^2 + 2*a*d^3*x^3*tan(1/2*d*x)^2 + 24*b*d^2*x^4*real_par
t(cos_integral(d*x))*tan(1/2*c) + 24*b*d^2*x^4*real_part(cos_integral(-d*x)
)*tan(1/2*c) + 8*a*d^3*x^3*tan(1/2*d*x)*tan(1/2*c) + 2*a*d^3*x^3*tan(1/2*c)
^2 + 24*b*d*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 + 12*b*d^2*x^4*imag_part(cos_in
tegral(d*x)) - 12*b*d^2*x^4*imag_part(cos_integral(-d*x)) + 24*b*d^2*x^4*si
n_integral(d*x) + 4*a*d^2*x^2*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*d^2*x^2*tan(1
/2*d*x)*tan(1/2*c)^2 - 2*a*d^3*x^3 - 24*b*d*x^3*tan(1/2*d*x)^2 - 96*b*d*x^3
*tan(1/2*d*x)*tan(1/2*c) - 24*b*d*x^3*tan(1/2*c)^2 + 4*a*d*x*tan(1/2*d*x)^2
*tan(1/2*c)^2 - 4*a*d^2*x^2*tan(1/2*d*x) - 4*a*d^2*x^2*tan(1/2*c) - 48*b*x^
2*tan(1/2*d*x)^2*tan(1/2*c) - 48*b*x^2*tan(1/2*d*x)*tan(1/2*c)^2 + 24*b*d*x
^3 - 4*a*d*x*tan(1/2*d*x)^2 - 16*a*d*x*tan(1/2*d*x)*tan(1/2*c) - 4*a*d*x*ta
n(1/2*c)^2 + 48*b*x^2*tan(1/2*d*x) + 48*b*x^2*tan(1/2*c) - 24*a*tan(1/2*d*x
)^2*tan(1/2*c) - 24*a*tan(1/2*d*x)*tan(1/2*c)^2 + 4*a*d*x + 24*a*tan(1/2*d*
x) + 24*a*tan(1/2*c))/(x^4*tan(1/2*d*x)^2*tan(1/2*c)^2 + x^4*tan(1/2*d*x)^2
+ x^4*tan(1/2*c)^2 + x^4)

```

maple [A] time = 0.03, size = 131, normalized size = 0.88

$$d^4 \left(\frac{b \left(-\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx) \cos(c)}{2} - \frac{\text{Ci}(dx) \sin(c)}{2} \right)}{d^2} + a \left(-\frac{\sin(dx+c)}{4x^4d^4} - \frac{\cos(dx+c)}{12x^3d^3} + \frac{\sin(dx+c)}{24x^2d^2} + \frac{\cos(dx+c)}{24xd} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)*sin(d*x+c)/x^5,x)

[Out] d^4*(1/d^2*b*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c))+a*(-1/4*sin(d*x+c)/x^4/d^4-1/12*cos(d*x+c)/x^3/d^3+1/24*4*sin(d*x+c)/x^2/d^2+1/24*cos(d*x+c)/x/d+1/24*Si(d*x)*cos(c)+1/24*Ci(d*x)*sin(c)))

maxima [C] time = 1.23, size = 121, normalized size = 0.81

$$\frac{((a(i\Gamma(-4, idx) - i\Gamma(-4, -idx)) \cos(c) + a(\Gamma(-4, idx) + \Gamma(-4, -idx)) \sin(c))d^6 + (b(-12i\Gamma(-4, idx) + 12i\Gamma(-4, -idx)) \cos(c) + b(-12i\Gamma(-4, -idx) + 12i\Gamma(-4, idx)) \sin(c))d^6)}{2d^2x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)*sin(d*x+c)/x^5,x, algorithm="maxima")

[Out] -1/2*(((a*(I*gamma(-4, I*d*x) - I*gamma(-4, -I*d*x))*cos(c) + a*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*sin(c))*d^6 + (b*(-12*I*gamma(-4, I*d*x) + 12*I

```
*gamma(-4, -I*d*x))*cos(c) - 12*b*(gamma(-4, I*d*x) + gamma(-4, -I*d*x))*sin(c))*d^4)*x^4 + 2*b*d*x*cos(d*x + c) + 6*b*sin(d*x + c))/(d^2*x^4)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((sin(c + d*x)*(a + b*x^2))/x^5, x)
```

```
[Out] int((sin(c + d*x)*(a + b*x^2))/x^5, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2) \sin(c + dx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**2+a)*sin(d*x+c)/x**5, x)
```

```
[Out] Integral((a + b*x**2)*sin(c + d*x)/x**5, x)
```

3.49 $\int x^2 (a + bx^2)^2 \sin(c + dx) dx$

Optimal. Leaf size=236

$$\frac{2a^2 \cos(c + dx)}{d^3} + \frac{2a^2 x \sin(c + dx)}{d^2} - \frac{a^2 x^2 \cos(c + dx)}{d} - \frac{48ab \cos(c + dx)}{d^5} - \frac{48abx \sin(c + dx)}{d^4} + \frac{24abx^2 \cos(c + dx)}{d^3}$$

[Out] $720*b^2*\cos(d*x+c)/d^7-48*a*b*\cos(d*x+c)/d^5+2*a^2*\cos(d*x+c)/d^3-360*b^2*x^2*\cos(d*x+c)/d^5+24*a*b*x^2*\cos(d*x+c)/d^3-a^2*x^2*\cos(d*x+c)/d+30*b^2*x^4*\cos(d*x+c)/d^3-2*a*b*x^4*\cos(d*x+c)/d-b^2*x^6*\cos(d*x+c)/d+720*b^2*x*\sin(d*x+c)/d^6-48*a*b*x*\sin(d*x+c)/d^4+2*a^2*x*\sin(d*x+c)/d^2-120*b^2*x^3*\sin(d*x+c)/d^4+8*a*b*x^3*\sin(d*x+c)/d^2+6*b^2*x^5*\sin(d*x+c)/d^2$

Rubi [A] time = 0.33, antiderivative size = 236, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {3339, 3296, 2638}

$$\frac{2a^2 x \sin(c + dx)}{d^2} + \frac{2a^2 \cos(c + dx)}{d^3} - \frac{a^2 x^2 \cos(c + dx)}{d} + \frac{8abx^3 \sin(c + dx)}{d^2} + \frac{24abx^2 \cos(c + dx)}{d^3} - \frac{48abx \sin(c + dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*x^2)^2*Sin[c + d*x], x]

[Out] $(720*b^2*\text{Cos}[c + d*x])/d^7 - (48*a*b*\text{Cos}[c + d*x])/d^5 + (2*a^2*\text{Cos}[c + d*x])/d^3 - (360*b^2*x^2*\text{Cos}[c + d*x])/d^5 + (24*a*b*x^2*\text{Cos}[c + d*x])/d^3 - (a^2*x^2*\text{Cos}[c + d*x])/d + (30*b^2*x^4*\text{Cos}[c + d*x])/d^3 - (2*a*b*x^4*\text{Cos}[c + d*x])/d - (b^2*x^6*\text{Cos}[c + d*x])/d + (720*b^2*x*\text{Sin}[c + d*x])/d^6 - (48*a*b*x*\text{Sin}[c + d*x])/d^4 + (2*a^2*x*\text{Sin}[c + d*x])/d^2 - (120*b^2*x^3*\text{Sin}[c + d*x])/d^4 + (8*a*b*x^3*\text{Sin}[c + d*x])/d^2 + (6*b^2*x^5*\text{Sin}[c + d*x])/d^2$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x^2 (a + bx^2)^2 \sin(c + dx) dx &= \int (a^2 x^2 \sin(c + dx) + 2abx^4 \sin(c + dx) + b^2 x^6 \sin(c + dx)) dx \\
&= a^2 \int x^2 \sin(c + dx) dx + (2ab) \int x^4 \sin(c + dx) dx + b^2 \int x^6 \sin(c + dx) dx \\
&= -\frac{a^2 x^2 \cos(c + dx)}{d} - \frac{2abx^4 \cos(c + dx)}{d} - \frac{b^2 x^6 \cos(c + dx)}{d} + \frac{(2a^2) \int x \cos(c + dx) dx}{d} \\
&= -\frac{a^2 x^2 \cos(c + dx)}{d} - \frac{2abx^4 \cos(c + dx)}{d} - \frac{b^2 x^6 \cos(c + dx)}{d} + \frac{2a^2 x \sin(c + dx)}{d^2} \\
&= \frac{2a^2 \cos(c + dx)}{d^3} + \frac{24abx^2 \cos(c + dx)}{d^3} - \frac{a^2 x^2 \cos(c + dx)}{d} + \frac{30b^2 x^4 \cos(c + dx)}{d^3} \\
&= \frac{2a^2 \cos(c + dx)}{d^3} + \frac{24abx^2 \cos(c + dx)}{d^3} - \frac{a^2 x^2 \cos(c + dx)}{d} + \frac{30b^2 x^4 \cos(c + dx)}{d^3} \\
&= -\frac{48ab \cos(c + dx)}{d^5} + \frac{2a^2 \cos(c + dx)}{d^3} - \frac{360b^2 x^2 \cos(c + dx)}{d^5} + \frac{24abx^2 \cos(c + dx)}{d^3} \\
&= -\frac{48ab \cos(c + dx)}{d^5} + \frac{2a^2 \cos(c + dx)}{d^3} - \frac{360b^2 x^2 \cos(c + dx)}{d^5} + \frac{24abx^2 \cos(c + dx)}{d^3} \\
&= \frac{720b^2 \cos(c + dx)}{d^7} - \frac{48ab \cos(c + dx)}{d^5} + \frac{2a^2 \cos(c + dx)}{d^3} - \frac{360b^2 x^2 \cos(c + dx)}{d^5}
\end{aligned}$$

Mathematica [A] time = 0.42, size = 139, normalized size = 0.59

$$\frac{2dx (a^2 d^4 + 4abd^2 (d^2 x^2 - 6) + 3b^2 (d^4 x^4 - 20d^2 x^2 + 120)) \sin(c + dx) - (a^2 d^4 (d^2 x^2 - 2) + 2abd^2 (d^4 x^4 - 120)) \cos(c + dx)}{d^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^2)^2*Sin[c + d*x],x]

[Out] $-\left(\left(a^2 d^4 (-2 + d^2 x^2) + 2 a b d^2 (24 - 12 d^2 x^2 + d^4 x^4) + b^2 (-720 + 360 d^2 x^2 - 30 d^4 x^4 + d^6 x^6)\right) \cos[c + d x]\right) + 2 d x \left(a^2 d^4 + 4 a b d^2 (-6 + d^2 x^2) + 3 b^2 (120 - 20 d^2 x^2 + d^4 x^4)\right) \sin[c + d x] / d^7$

fricas [A] time = 0.75, size = 154, normalized size = 0.65

$$\frac{(b^2 d^6 x^6 - 2 a^2 d^4 + 2 (abd^6 - 15 b^2 d^4) x^4 + 48 abd^2 + (a^2 d^6 - 24 abd^4 + 360 b^2 d^2) x^2 - 720 b^2) \cos(dx + c) - 2 dx (a^2 d^4 + 4 abd^2 (d^2 x^2 - 6) + 3 b^2 (d^4 x^4 - 20 d^2 x^2 + 120)) \sin(dx + c)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)^2*sin(d*x+c),x, algorithm="fricas")

[Out] $-\left(\left(b^2 d^6 x^6 - 2 a^2 d^4 + 2 (a b d^6 - 15 b^2 d^4) x^4 + 48 a b d^2 + (a^2 d^6 - 24 a b d^4 + 360 b^2 d^2) x^2 - 720 b^2\right) \cos(d x + c) - 2 x \left(3 b^2 d^5 x^5 + 4 (a b d^5 - 15 b^2 d^3) x^3 + (a^2 d^5 - 24 a b d^3 + 360 b^2 d) x\right) \sin(d x + c)\right) / d^7$

giac [A] time = 0.56, size = 162, normalized size = 0.69

$$\frac{(b^2 d^6 x^6 + 2 abd^6 x^4 + a^2 d^6 x^2 - 30 b^2 d^4 x^4 - 24 abd^4 x^2 - 2 a^2 d^4 + 360 b^2 d^2 x^2 + 48 abd^2 - 720 b^2) \cos(dx + c) - 2 dx (a^2 d^4 + 4 abd^2 (d^2 x^2 - 6) + 3 b^2 (d^4 x^4 - 20 d^2 x^2 + 120)) \sin(dx + c)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^2+a)^2*sin(d*x+c),x, algorithm="giac")

[Out] $-(b^2 d^6 x^6 + 2 a b d^6 x^4 + a^2 d^6 x^2 - 30 b^2 d^4 x^4 - 24 a b d^4 x^2 - 2 a^2 d^4 + 360 b^2 d^2 x^2 + 48 a b d^2 - 720 b^2) \cos(dx + c) / d^7 + 2(3 b^2 d^5 x^5 + 4 a b d^5 x^3 + a^2 d^5 x - 60 b^2 d^3 x^3 - 24 a b d^3 x + 360 b^2 d x) \sin(dx + c) / d^7$

maple [B] time = 0.02, size = 746, normalized size = 3.16

$$\frac{b^2(-dx+c)^6 \cos(dx+c) + 6(dx+c)^5 \sin(dx+c) + 30(dx+c)^4 \cos(dx+c) - 120(dx+c)^3 \sin(dx+c) - 360(dx+c)^2 \cos(dx+c) + 720 \cos(dx+c) + 720(dx+c) \sin(dx+c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(b*x^2+a)^2*sin(d*x+c),x)`

[Out] $1/d^3(1/d^4 b^2(-dx+c)^6 \cos(dx+c) + 6(dx+c)^5 \sin(dx+c) + 30(dx+c)^4 \cos(dx+c) - 120(dx+c)^3 \sin(dx+c) - 360(dx+c)^2 \cos(dx+c) + 720 \cos(dx+c) + 720(dx+c) \sin(dx+c) - 6/d^4 b^2 c(-dx+c)^5 \cos(dx+c) + 5(dx+c)^4 \sin(dx+c) + 20(dx+c)^3 \cos(dx+c) - 60(dx+c)^2 \sin(dx+c) + 120 \sin(dx+c) - 120(dx+c) \cos(dx+c) + 2/d^2 a b(-dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c) + 15/d^4 b^2 c^2(-dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c) - 8/d^2 a b c(-dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) - 20/d^4 b^2 c^3(-dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) + a^2(-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) + 12/d^2 a b c^2(-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) + 15/d^4 b^2 c^4(-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) - 2 a^2 c(\sin(dx+c) - (dx+c) \cos(dx+c)) - 8/d^2 a b c^3(\sin(dx+c) - (dx+c) \cos(dx+c)) - 6/d^4 b^2 c^5(\sin(dx+c) - (dx+c) \cos(dx+c)) - a^2 c^2 \cos(dx+c) - 2/d^2 a b c^4 \cos(dx+c) - 1/d^4 b^2 c^6 \cos(dx+c))$

maxima [B] time = 0.38, size = 612, normalized size = 2.59

$$\frac{a^2 c^2 \cos(dx+c) + \frac{b^2 c^6 \cos(dx+c)}{d^4} + \frac{2 a b c^4 \cos(dx+c)}{d^2} - 2((dx+c) \cos(dx+c) - \sin(dx+c)) a^2 c - \frac{6((dx+c) \cos(dx+c) - \sin(dx+c))}{d^4}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x^2+a)^2*sin(d*x+c),x, algorithm="maxima")`

[Out] $-(a^2 c^2 \cos(dx+c) + b^2 c^6 \cos(dx+c) / d^4 + 2 a b c^4 \cos(dx+c) / d^2 - 2((dx+c) \cos(dx+c) - \sin(dx+c)) a^2 c - 6((dx+c) \cos(dx+c) - \sin(dx+c)) b^2 c^5 / d^4 - 8((dx+c) \cos(dx+c) - \sin(dx+c)) a b c^3 / d^2 + (((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) a^2 + 15(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) b^2 c^4 / d^4 + 12(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) a b c^2 / d^2 - 20(((dx+c)^3 - 6 dx - 6 c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) b^2 c^3 / d^4 - 8(((dx+c)^3 - 6 dx - 6 c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) a b c / d^2 + 15(((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4(((dx+c)^3 - 6 dx - 6 c) \sin(dx+c)) b^2 c^2 / d^4 + 2(((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6 dx - 6 c) \sin(dx+c)) a b / d^2 - 6(((dx+c)^5 - 20(dx+c)^3 + 120 dx + 120 c) \cos(dx+c) - 5(((dx+c)^4 - 12(dx+c)^2 + 24) \sin(dx+c)) b^2 c / d^4 + (((dx+c)^6 - 30(dx+c)^4 + 360(dx+c)^2 - 720) \cos(dx+c) - 6((dx+c)^5 - 20(dx+c)^3 + 120 dx + 120 c) \sin(dx+c)) b^2 / d^4) / d^3$

mupad [B] time = 0.58, size = 186, normalized size = 0.79

$$\frac{2 \cos(c+dx) (a^2 d^4 - 24 a b d^2 + 360 b^2)}{d^7} - \frac{b^2 x^6 \cos(c+dx)}{d} + \frac{6 b^2 x^5 \sin(c+dx)}{d^2} + \frac{2 x \sin(c+dx) (a^2 d^4 - 24 a b d^2 + 360 b^2)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(c + d*x)*(a + b*x^2)^2,x)`

[Out] $(2*\cos(c + d*x)*(360*b^2 + a^2*d^4 - 24*a*b*d^2))/d^7 - (b^2*x^6*\cos(c + d*x))/d + (6*b^2*x^5*\sin(c + d*x))/d^2 + (2*x*\sin(c + d*x)*(360*b^2 + a^2*d^4 - 24*a*b*d^2))/d^6 - (x^2*\cos(c + d*x)*(360*b^2 + a^2*d^4 - 24*a*b*d^2))/d^5 + (2*x^4*\cos(c + d*x)*(15*b^2 - a*b*d^2))/d^3 - (8*x^3*\sin(c + d*x)*(15*b^2 - a*b*d^2))/d^4$

sympy [A] time = 7.53, size = 286, normalized size = 1.21

$$\left\{ \begin{array}{l} -\frac{a^2x^2\cos(c+dx)}{d} + \frac{2a^2x\sin(c+dx)}{d^2} + \frac{2a^2\cos(c+dx)}{d^3} - \frac{2abx^4\cos(c+dx)}{d} + \frac{8abx^3\sin(c+dx)}{d^2} + \frac{24abx^2\cos(c+dx)}{d^3} - \frac{48abx\sin(c+dx)}{d^4} - \\ \left(\frac{a^2x^3}{3} + \frac{2abx^5}{5} + \frac{b^2x^7}{7} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**2+a)**2*sin(d*x+c),x)`

[Out] `Piecewise((-a**2*x**2*cos(c + d*x)/d + 2*a**2*x*sin(c + d*x)/d**2 + 2*a**2*cos(c + d*x)/d**3 - 2*a*b*x**4*cos(c + d*x)/d + 8*a*b*x**3*sin(c + d*x)/d**2 + 24*a*b*x**2*cos(c + d*x)/d**3 - 48*a*b*x*sin(c + d*x)/d**4 - 48*a*b*cos(c + d*x)/d**5 - b**2*x**6*cos(c + d*x)/d + 6*b**2*x**5*sin(c + d*x)/d**2 + 30*b**2*x**4*cos(c + d*x)/d**3 - 120*b**2*x**3*sin(c + d*x)/d**4 - 360*b**2*x**2*cos(c + d*x)/d**5 + 720*b**2*x*sin(c + d*x)/d**6 + 720*b**2*cos(c + d*x)/d**7, Ne(d, 0)), ((a**2*x**3/3 + 2*a*b*x**5/5 + b**2*x**7/7)*sin(c), True))`

$$\begin{aligned}
\int x(a+bx^2)^2 \sin(c+dx) dx &= \int (a^2x \sin(c+dx) + 2abx^3 \sin(c+dx) + b^2x^5 \sin(c+dx)) dx \\
&= a^2 \int x \sin(c+dx) dx + (2ab) \int x^3 \sin(c+dx) dx + b^2 \int x^5 \sin(c+dx) dx \\
&= -\frac{a^2x \cos(c+dx)}{d} - \frac{2abx^3 \cos(c+dx)}{d} - \frac{b^2x^5 \cos(c+dx)}{d} + \frac{a^2 \int \cos(c+dx)}{d} \\
&= -\frac{a^2x \cos(c+dx)}{d} - \frac{2abx^3 \cos(c+dx)}{d} - \frac{b^2x^5 \cos(c+dx)}{d} + \frac{a^2 \sin(c+dx)}{d^2} + \\
&= \frac{12abx \cos(c+dx)}{d^3} - \frac{a^2x \cos(c+dx)}{d} + \frac{20b^2x^3 \cos(c+dx)}{d^3} - \frac{2abx^3 \cos(c+dx)}{d} \\
&= \frac{12abx \cos(c+dx)}{d^3} - \frac{a^2x \cos(c+dx)}{d} + \frac{20b^2x^3 \cos(c+dx)}{d^3} - \frac{2abx^3 \cos(c+dx)}{d} \\
&= -\frac{120b^2x \cos(c+dx)}{d^5} + \frac{12abx \cos(c+dx)}{d^3} - \frac{a^2x \cos(c+dx)}{d} + \frac{20b^2x^3 \cos(c+dx)}{d^3} \\
&= -\frac{120b^2x \cos(c+dx)}{d^5} + \frac{12abx \cos(c+dx)}{d^3} - \frac{a^2x \cos(c+dx)}{d} + \frac{20b^2x^3 \cos(c+dx)}{d^3}
\end{aligned}$$

Mathematica [A] time = 0.28, size = 113, normalized size = 0.61

$$\frac{(a^2d^4 + 6abd^2(d^2x^2 - 2) + 5b^2(d^4x^4 - 12d^2x^2 + 24)) \sin(c+dx) - dx(a^2d^4 + 2abd^2(d^2x^2 - 6) + b^2(d^4x^4 - 12d^2x^2 + 24)) \cos(c+dx)}{d^6}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^2)^2*Sin[c + d*x],x]

[Out] $(-(d*x*(a^2*d^4 + 2*a*b*d^2*(-6 + d^2*x^2) + b^2*(120 - 20*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) + (a^2*d^4 + 6*a*b*d^2*(-2 + d^2*x^2) + 5*b^2*(24 - 12*d^2*x^2 + d^4*x^4))*Sin[c + d*x])/d^6$

fricas [A] time = 0.73, size = 126, normalized size = 0.68

$$\frac{(b^2d^5x^5 + 2(abd^5 - 10b^2d^3)x^3 + (a^2d^5 - 12abd^3 + 120b^2d)x) \cos(dx + c) - (5b^2d^4x^4 + a^2d^4 - 12abd^2 + 60bd^2) \sin(dx + c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)^2*sin(d*x+c),x, algorithm="fricas")

[Out] $-(b^2*d^5*x^5 + 2*(a*b*d^5 - 10*b^2*d^3)*x^3 + (a^2*d^5 - 12*a*b*d^3 + 120*b^2*d)*x)*\cos(d*x + c) - (5*b^2*d^4*x^4 + a^2*d^4 - 12*a*b*d^2 + 6*(a*b*d^4 - 10*b^2*d^2))*\sin(d*x + c)/d^6$

giac [A] time = 1.00, size = 129, normalized size = 0.70

$$\frac{(b^2d^5x^5 + 2abd^5x^3 + a^2d^5x - 20b^2d^3x^3 - 12abd^3x + 120b^2dx) \cos(dx + c) + (5b^2d^4x^4 + 6abd^4x^2 + a^2d^4 - 60bd^2) \sin(dx + c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)^2*sin(d*x+c),x, algorithm="giac")

[Out] $-(b^2*d^5*x^5 + 2*a*b*d^5*x^3 + a^2*d^5*x - 20*b^2*d^3*x^3 - 12*a*b*d^3*x + 120*b^2*d*x)*\cos(d*x + c)/d^6 + (5*b^2*d^4*x^4 + 6*a*b*d^4*x^2 + a^2*d^4 - 60*b^2*d^2*x^2 - 12*a*b*d^2 + 120*b^2)*\sin(d*x + c)/d^6$

maple [B] time = 0.02, size = 514, normalized size = 2.78

$$\frac{b^2(-dx+c)^5 \cos(dx+c) + 5(dx+c)^4 \sin(dx+c) + 20(dx+c)^3 \cos(dx+c) - 60(dx+c)^2 \sin(dx+c) + 120 \sin(dx+c) - 120(dx+c) \cos(dx+c)}{d^4} - \frac{5b^2c(-dx+c)^4 \cos(dx+c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^2+a)^2*sin(d*x+c), x)

[Out] $\frac{1}{d^2} \left(\frac{1}{d^4} b^2 (-dx+c)^5 \cos(dx+c) + 5(dx+c)^4 \sin(dx+c) + 20(dx+c)^3 \cos(dx+c) - 60(dx+c)^2 \sin(dx+c) + 120 \sin(dx+c) - 120(dx+c) \cos(dx+c) \right) - \frac{5}{d^4} b^2 c^2 (-dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c) + \frac{2}{d^2} a b (-dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) + \frac{10}{d^4} b^2 c^2 (-dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) - \frac{6}{d^2} a b c (-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) - \frac{10}{d^4} b^2 c^3 (-dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) + a^2 (\sin(dx+c) - (dx+c) \cos(dx+c)) + \frac{6}{d^2} a b c^2 (\sin(dx+c) - (dx+c) \cos(dx+c)) + \frac{5}{d^4} b^2 c^4 (\sin(dx+c) - (dx+c) \cos(dx+c)) + a^2 c \cos(dx+c) + \frac{2}{d^2} a b c^3 \cos(dx+c) + \frac{1}{d^4} b^2 c^5 \cos(dx+c) \right)$

maxima [B] time = 0.35, size = 438, normalized size = 2.37

$$\frac{a^2 c \cos(dx+c) + \frac{b^2 c^5 \cos(dx+c)}{d^4} + \frac{2 a b c^3 \cos(dx+c)}{d^2} - ((dx+c) \cos(dx+c) - \sin(dx+c)) a^2 - \frac{5((dx+c) \cos(dx+c) - \sin(dx+c))}{d^4}}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^2+a)^2*sin(d*x+c), x, algorithm="maxima")

[Out] $(a^2 c \cos(dx+c) + b^2 c^5 \cos(dx+c))/d^4 + 2 a b c^3 \cos(dx+c)/d^2 - ((dx+c) \cos(dx+c) - \sin(dx+c)) a^2 - 5((dx+c) \cos(dx+c) - \sin(dx+c)) b^2 c^4/d^4 - 6((dx+c) \cos(dx+c) - \sin(dx+c)) a b c^2/d^2 + 10(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) b^2 c^3/d^4 + 6(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)) a b c/d^2 - 10(((dx+c)^3 - 6 dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) b^2 c^2/d^4 - 2(((dx+c)^3 - 6 dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) a b/d^2 + 5(((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6 dx - 6c) \sin(dx+c)) b^2 c/d^4 - (((dx+c)^5 - 20(dx+c)^3 + 120 dx + 120c) \cos(dx+c) - 5((dx+c)^4 - 12(dx+c)^2 + 24) \sin(dx+c)) b^2/d^4)/d^2$

mupad [B] time = 4.93, size = 151, normalized size = 0.82

$$\frac{\sin(c+dx) \left(a^2 d^4 - 12 a b d^2 + 120 b^2 \right)}{d^6} - \frac{b^2 x^5 \cos(c+dx)}{d} + \frac{5 b^2 x^4 \sin(c+dx)}{d^2} - \frac{x \cos(c+dx) \left(a^2 d^4 - 12 a b d^2 + 120 b^2 \right)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(c+d*x)*(a+b*x^2)^2,x)

[Out] $(\sin(c+dx) * (120 b^2 + a^2 d^4 - 12 a b d^2))/d^6 - (b^2 x^5 \cos(c+dx))/d + (5 b^2 x^4 \sin(c+dx))/d^2 - (x \cos(c+dx) * (120 b^2 + a^2 d^4 - 12 a b d^2))/d^5 + (2 x^3 \cos(c+dx) * (10 b^2 - a b d^2))/d^3 - (6 x^2 \sin(c+dx) * (10 b^2 - a b d^2))/d^4$

sympy [A] time = 4.55, size = 226, normalized size = 1.22

$$\left\{ \begin{array}{l} -\frac{a^2 x \cos(c+dx)}{d} + \frac{a^2 \sin(c+dx)}{d^2} - \frac{2 a b x^3 \cos(c+dx)}{d} + \frac{6 a b x^2 \sin(c+dx)}{d^2} + \frac{12 a b x \cos(c+dx)}{d^3} - \frac{12 a b \sin(c+dx)}{d^4} - \frac{b^2 x^5 \cos(c+dx)}{d} + \frac{5 b^2 x^4 \sin(c+dx)}{d^2} \\ \left(\frac{a^2 x^2}{2} + \frac{a b x^4}{2} + \frac{b^2 x^6}{6} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(b*x**2+a)**2*sin(d*x+c),x)
```

```
[Out] Piecewise((-a**2*x*cos(c + d*x)/d + a**2*sin(c + d*x)/d**2 - 2*a*b*x**3*cos(c + d*x)/d + 6*a*b*x**2*sin(c + d*x)/d**2 + 12*a*b*x*cos(c + d*x)/d**3 - 12*a*b*sin(c + d*x)/d**4 - b**2*x**5*cos(c + d*x)/d + 5*b**2*x**4*sin(c + d*x)/d**2 + 20*b**2*x**3*cos(c + d*x)/d**3 - 60*b**2*x**2*sin(c + d*x)/d**4 - 120*b**2*x*cos(c + d*x)/d**5 + 120*b**2*sin(c + d*x)/d**6, Ne(d, 0)), ((a**2*x**2/2 + a*b*x**4/2 + b**2*x**6/6)*sin(c), True))
```

3.51 $\int (a + bx^2)^2 \sin(c + dx) dx$

Optimal. Leaf size=138

$$-\frac{a^2 \cos(c + dx)}{d} + \frac{4ab \cos(c + dx)}{d^3} + \frac{4abx \sin(c + dx)}{d^2} - \frac{2abx^2 \cos(c + dx)}{d} - \frac{24b^2 \cos(c + dx)}{d^5} - \frac{24b^2 x \sin(c + dx)}{d^4} + \dots$$

[Out] $-24*b^2*\cos(d*x+c)/d^5+4*a*b*\cos(d*x+c)/d^3-a^2*\cos(d*x+c)/d+12*b^2*x^2*\cos(d*x+c)/d^3-2*a*b*x^2*\cos(d*x+c)/d-b^2*x^4*\cos(d*x+c)/d-24*b^2*x*\sin(d*x+c)/d^4+4*a*b*x*\sin(d*x+c)/d^2+4*b^2*x^3*\sin(d*x+c)/d^2$

Rubi [A] time = 0.16, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3329, 2638, 3296}

$$-\frac{a^2 \cos(c + dx)}{d} + \frac{4abx \sin(c + dx)}{d^2} + \frac{4ab \cos(c + dx)}{d^3} - \frac{2abx^2 \cos(c + dx)}{d} + \frac{4b^2 x^3 \sin(c + dx)}{d^2} + \frac{12b^2 x^2 \cos(c + dx)}{d^3} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^2)^2*Sin[c + d*x], x]

[Out] $(-24*b^2*\text{Cos}[c + d*x])/d^5 + (4*a*b*\text{Cos}[c + d*x])/d^3 - (a^2*\text{Cos}[c + d*x])/d + (12*b^2*x^2*\text{Cos}[c + d*x])/d^3 - (2*a*b*x^2*\text{Cos}[c + d*x])/d - (b^2*x^4*\text{Cos}[c + d*x])/d - (24*b^2*x*\text{Sin}[c + d*x])/d^4 + (4*a*b*x*\text{Sin}[c + d*x])/d^2 + (4*b^2*x^3*\text{Sin}[c + d*x])/d^2$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3329

Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int (a + bx^2)^2 \sin(c + dx) dx &= \int (a^2 \sin(c + dx) + 2abx^2 \sin(c + dx) + b^2x^4 \sin(c + dx)) dx \\
&= a^2 \int \sin(c + dx) dx + (2ab) \int x^2 \sin(c + dx) dx + b^2 \int x^4 \sin(c + dx) dx \\
&= -\frac{a^2 \cos(c + dx)}{d} - \frac{2abx^2 \cos(c + dx)}{d} - \frac{b^2x^4 \cos(c + dx)}{d} + \frac{(4ab) \int x \cos(c + dx) dx}{d} \\
&= -\frac{a^2 \cos(c + dx)}{d} - \frac{2abx^2 \cos(c + dx)}{d} - \frac{b^2x^4 \cos(c + dx)}{d} + \frac{4abx \sin(c + dx)}{d^2} + \\
&= \frac{4ab \cos(c + dx)}{d^3} - \frac{a^2 \cos(c + dx)}{d} + \frac{12b^2x^2 \cos(c + dx)}{d^3} - \frac{2abx^2 \cos(c + dx)}{d} - \\
&= \frac{4ab \cos(c + dx)}{d^3} - \frac{a^2 \cos(c + dx)}{d} + \frac{12b^2x^2 \cos(c + dx)}{d^3} - \frac{2abx^2 \cos(c + dx)}{d} - \\
&= -\frac{24b^2 \cos(c + dx)}{d^5} + \frac{4ab \cos(c + dx)}{d^3} - \frac{a^2 \cos(c + dx)}{d} + \frac{12b^2x^2 \cos(c + dx)}{d^3} -
\end{aligned}$$

Mathematica [A] time = 0.21, size = 86, normalized size = 0.62

$$\frac{4bdx(ad^2 + b(d^2x^2 - 6)) \sin(c + dx) - (a^2d^4 + 2abd^2(d^2x^2 - 2) + b^2(d^4x^4 - 12d^2x^2 + 24)) \cos(c + dx)}{d^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^2)^2*Sin[c + d*x], x]

[Out] (-((a^2*d^4 + 2*a*b*d^2*(-2 + d^2*x^2) + b^2*(24 - 12*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) + 4*b*d*x*(a*d^2 + b*(-6 + d^2*x^2))*Sin[c + d*x])/d^5

fricas [A] time = 0.77, size = 97, normalized size = 0.70

$$\frac{(b^2d^4x^4 + a^2d^4 - 4abd^2 + 2(abd^4 - 6b^2d^2)x^2 + 24b^2) \cos(dx + c) - 4(b^2d^3x^3 + (abd^3 - 6b^2d)x) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c), x, algorithm="fricas")

[Out] -((b^2*d^4*x^4 + a^2*d^4 - 4*a*b*d^2 + 2*(a*b*d^4 - 6*b^2*d^2)*x^2 + 24*b^2)*cos(d*x + c) - 4*(b^2*d^3*x^3 + (a*b*d^3 - 6*b^2*d)*x)*sin(d*x + c))/d^5

giac [A] time = 0.41, size = 99, normalized size = 0.72

$$\frac{(b^2d^4x^4 + 2abd^4x^2 + a^2d^4 - 12b^2d^2x^2 - 4abd^2 + 24b^2) \cos(dx + c)}{d^5} + \frac{4(b^2d^3x^3 + abd^3x - 6b^2dx) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c), x, algorithm="giac")

[Out] -(b^2*d^4*x^4 + 2*a*b*d^4*x^2 + a^2*d^4 - 12*b^2*d^2*x^2 - 4*a*b*d^2 + 24*b^2)*cos(d*x + c)/d^5 + 4*(b^2*d^3*x^3 + a*b*d^3*x - 6*b^2*d*x)*sin(d*x + c)/d^5

maple [B] time = 0.02, size = 336, normalized size = 2.43

$$\frac{b^2(-(dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c))}{d^4} - \frac{4b^2c(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c))}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^2+a)^2*sin(d*x+c),x)
```

```
[Out] 1/d*(1/d^4*b^2*(-(d*x+c)^4*cos(d*x+c)+4*(d*x+c)^3*sin(d*x+c)+12*(d*x+c)^2*cos(d*x+c)-24*cos(d*x+c)-24*(d*x+c)*sin(d*x+c))-4/d^4*b^2*c*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))+2/d^2*a*b*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+6/d^4*b^2*c^2*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-4/d^2*a*b*c*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-4/d^4*b^2*c^3*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-a^2*cos(d*x+c)-2/d^2*a*b*c^2*cos(d*x+c)-1/d^4*b^2*c^4*cos(d*x+c))
```

maxima [B] time = 0.34, size = 292, normalized size = 2.12

$$\frac{a^2 \cos(dx + c) + \frac{b^2 c^4 \cos(dx+c)}{d^4} + \frac{2abc^2 \cos(dx+c)}{d^2} - \frac{4((dx+c)\cos(dx+c)-\sin(dx+c))b^2 c^3}{d^4} - \frac{4((dx+c)\cos(dx+c)-\sin(dx+c))abc}{d^2} + \frac{6((d$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^2+a)^2*sin(d*x+c),x, algorithm="maxima")
```

```
[Out] -(a^2*cos(d*x + c) + b^2*c^4*cos(d*x + c)/d^4 + 2*a*b*c^2*cos(d*x + c)/d^2 - 4*((d*x + c)*cos(d*x + c) - sin(d*x + c))*b^2*c^3/d^4 - 4*((d*x + c)*cos(d*x + c) - sin(d*x + c))*a*b*c/d^2 + 6*((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*b^2*c^2/d^4 + 2*((d*x + c)^2 - 2)*cos(d*x + c) - 2*(d*x + c)*sin(d*x + c))*a*b/d^2 - 4*((d*x + c)^3 - 6*d*x - 6*c)*cos(d*x + c) - 3*((d*x + c)^2 - 2)*sin(d*x + c))*b^2*c/d^4 + (((d*x + c)^4 - 12*(d*x + c)^2 + 24)*cos(d*x + c) - 4*((d*x + c)^3 - 6*d*x - 6*c)*sin(d*x + c))*b^2/d^4)/d
```

mupad [B] time = 4.83, size = 118, normalized size = 0.86

$$\frac{4b^2x^3 \sin(c + dx)}{d^2} - \frac{b^2x^4 \cos(c + dx)}{d} - \frac{\cos(c + dx) (a^2 d^4 - 4ab d^2 + 24b^2)}{d^5} - \frac{4x \sin(c + dx) (6b^2 - ab d^2)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(c + d*x)*(a + b*x^2)^2,x)
```

```
[Out] (4*b^2*x^3*sin(c + d*x))/d^2 - (b^2*x^4*cos(c + d*x))/d - (cos(c + d*x)*(24*b^2 + a^2*d^4 - 4*a*b*d^2))/d^5 - (4*x*sin(c + d*x)*(6*b^2 - a*b*d^2))/d^4 + (2*x^2*cos(c + d*x)*(6*b^2 - a*b*d^2))/d^3
```

sympy [A] time = 2.71, size = 172, normalized size = 1.25

$$\left\{ \begin{array}{l} -\frac{a^2 \cos(c+dx)}{d} - \frac{2abx^2 \cos(c+dx)}{d} + \frac{4abx \sin(c+dx)}{d^2} + \frac{4ab \cos(c+dx)}{d^3} - \frac{b^2x^4 \cos(c+dx)}{d} + \frac{4b^2x^3 \sin(c+dx)}{d^2} + \frac{12b^2x^2 \cos(c+dx)}{d^3} - \frac{24b^2x}{d^4} \\ \left(a^2x + \frac{2abx^3}{3} + \frac{b^2x^5}{5} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**2+a)**2*sin(d*x+c),x)
```

```
[Out] Piecewise((-a**2*cos(c + d*x)/d - 2*a*b*x**2*cos(c + d*x)/d + 4*a*b*x*sin(c + d*x)/d**2 + 4*a*b*cos(c + d*x)/d**3 - b**2*x**4*cos(c + d*x)/d + 4*b**2*x**3*sin(c + d*x)/d**2 + 12*b**2*x**2*cos(c + d*x)/d**3 - 24*b**2*x*sin(c + d*x)/d**4 - 24*b**2*cos(c + d*x)/d**5, Ne(d, 0)), ((a**2*x + 2*a*b*x**3/3 + b**2*x**5/5)*sin(c), True))
```

$$3.52 \quad \int \frac{(a+bx^2)^2 \sin(c+dx)}{x} dx$$

Optimal. Leaf size=111

$$a^2 \sin(c) \text{Ci}(dx) + a^2 \cos(c) \text{Si}(dx) + \frac{2ab \sin(c+dx)}{d^2} - \frac{2abx \cos(c+dx)}{d} - \frac{6b^2 \sin(c+dx)}{d^4} + \frac{6b^2 x \cos(c+dx)}{d^3} + \frac{3b^2 x^2 \sin(c+dx)}{d^2}$$

[Out] $6*b^2*x*\cos(d*x+c)/d^3 - 2*a*b*x*\cos(d*x+c)/d - b^2*x^3*\cos(d*x+c)/d + a^2*\cos(c)*\text{Si}(d*x) + a^2*\text{Ci}(d*x)*\sin(c) - 6*b^2*\sin(d*x+c)/d^4 + 2*a*b*\sin(d*x+c)/d^2 + 3*b^2*x^2*\sin(d*x+c)/d^2$

Rubi [A] time = 0.17, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3339, 3303, 3299, 3302, 3296, 2637}

$$a^2 \sin(c) \text{CosIntegral}(dx) + a^2 \cos(c) \text{Si}(dx) + \frac{2ab \sin(c+dx)}{d^2} - \frac{2abx \cos(c+dx)}{d} + \frac{3b^2 x^2 \sin(c+dx)}{d^2} - \frac{6b^2 \sin(c+dx)}{d^4}$$

Antiderivative was successfully verified.

[In] `Int[((a + b*x^2)^2*Sin[c + d*x])/x,x]`

[Out] $(6*b^2*x*\cos[c + d*x])/d^3 - (2*a*b*x*\cos[c + d*x])/d - (b^2*x^3*\cos[c + d*x])/d + a^2*\text{CosIntegral}[d*x]*\sin[c] - (6*b^2*\sin[c + d*x])/d^4 + (2*a*b*\sin[c + d*x])/d^2 + (3*b^2*x^2*\sin[c + d*x])/d^2 + a^2*\cos[c]*\text{SinIntegral}[d*x]$

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[`
`e + f*x], x], x] /;` `FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte`
`gral[e + f*x]/d, x] /;` `FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte`
`gral[e - Pi/2 + f*x]/d, x] /;` `FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -`
`c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*`
`e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f`
`)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /;` `FreeQ[{c, d, e, f}, x] &&`
`NeQ[d*e - c*f, 0]`

Rule 3339

`Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_`
`)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x`


```

tan(1/2*c) + 2*a^2*d^4*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2
*tan(1/2*c) - 2*b^2*d^3*x^3*tan(1/2*c)^2 + 4*a*b*d^3*x*tan(1/2*d*x + 1/2*c)
^2*tan(1/2*c)^2 + a^2*d^4*imag_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)
^2 - a^2*d^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2 + 2*a^2*d
^4*sin_integral(d*x)*tan(1/2*d*x + 1/2*c)^2 - a^2*d^4*imag_part(cos_integra
l(d*x))*tan(1/2*c)^2 + a^2*d^4*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 -
2*a^2*d^4*sin_integral(d*x)*tan(1/2*c)^2 + 12*b^2*d^2*x^2*tan(1/2*d*x + 1/
2*c)*tan(1/2*c)^2 - 2*b^2*d^3*x^3 + 4*a*b*d^3*x*tan(1/2*d*x + 1/2*c)^2 + 2*
a^2*d^4*real_part(cos_integral(d*x))*tan(1/2*c) + 2*a^2*d^4*real_part(cos_i
ntegral(-d*x))*tan(1/2*c) - 4*a*b*d^3*x*tan(1/2*c)^2 - 12*b^2*d*x*tan(1/2*d
*x + 1/2*c)^2*tan(1/2*c)^2 + a^2*d^4*imag_part(cos_integral(d*x)) - a^2*d^4
*imag_part(cos_integral(-d*x)) + 2*a^2*d^4*sin_integral(d*x) + 12*b^2*d^2*x
^2*tan(1/2*d*x + 1/2*c) + 8*a*b*d^2*tan(1/2*d*x + 1/2*c)*tan(1/2*c)^2 - 4*a
*b*d^3*x - 12*b^2*d*x*tan(1/2*d*x + 1/2*c)^2 + 12*b^2*d*x*tan(1/2*c)^2 + 8*
a*b*d^2*tan(1/2*d*x + 1/2*c) - 24*b^2*tan(1/2*d*x + 1/2*c)*tan(1/2*c)^2 + 1
2*b^2*d*x - 24*b^2*tan(1/2*d*x + 1/2*c))/(d^4*tan(1/2*d*x + 1/2*c)^2*tan(1/
2*c)^2 + d^4*tan(1/2*d*x + 1/2*c)^2 + d^4*tan(1/2*c)^2 + d^4)

```

maple [B] time = 0.03, size = 236, normalized size = 2.13

$$\frac{(c^3 + c^2 + c + 1)b^2 \left(-(dx + c)^3 \cos(dx + c) + 3(dx + c)^2 \sin(dx + c) - 6 \sin(dx + c) + 6(dx + c) \cos(dx + c) \right)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^2*sin(d*x+c)/x,x)

[Out] (c^3+c^2+c+1)/d^4*b^2*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-4*b^2*c*(c^2+c+1)/d^4*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+2*(1+c)/d^2*a*b*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+6*(1+c)/d^4*b^2*c^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+4*c/d^2*a*b*cos(d*x+c)+4*c^3/d^4*b^2*cos(d*x+c)+a^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))

maxima [C] time = 2.09, size = 116, normalized size = 1.05

$$\frac{(a^2(-i \operatorname{Ei}(i dx) + i \operatorname{Ei}(-i dx)) \cos(c) + a^2(\operatorname{Ei}(i dx) + \operatorname{Ei}(-i dx)) \sin(c))d^4 - 2(b^2 d^3 x^3 + 2(ab d^3 - 3b^2 d)x) \cos(c)}{2d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x,x, algorithm="maxima")

[Out] 1/2*((a^2*(-I*Ei(I*d*x) + I*Ei(-I*d*x))*cos(c) + a^2*(Ei(I*d*x) + Ei(-I*d*x))*sin(c))*d^4 - 2*(b^2*d^3*x^3 + 2*(a*b*d^3 - 3*b^2*d)*x)*cos(d*x + c) + 2*(3*b^2*d^2*x^2 + 2*a*b*d^2 - 6*b^2)*sin(d*x + c))/d^4

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^2)^2)/x,x)

[Out] int((sin(c + d*x)*(a + b*x^2)^2)/x, x)

sympy [A] time = 6.92, size = 160, normalized size = 1.44

$$a^2 \sin(c) \operatorname{Ci}(dx) + a^2 \cos(c) \operatorname{Si}(dx) + 2abx \begin{cases} -\cos(c) & \text{for } d = 0 \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases} - 2ab \begin{cases} -x \cos(c) & \text{for } d = 0 \\ \frac{\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x \cos(c) & \text{otherwise} \\ -\frac{x \cos(c)}{d} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)**2*sin(d*x+c)/x,x)

[Out] a**2*sin(c)*Ci(d*x) + a**2*cos(c)*Si(d*x) + 2*a*b*x*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) - 2*a*b*Piecewise((-x*cos(c), Eq(d, 0)), (-Piecewise((sin(c + d*x)/d, Ne(d, 0)), (x*cos(c), True))/d, True)) + b**2*x**3*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) - 3*b**2*Piecewise((-x**3*cos(c)/3, Eq(d, 0)), (-Piecewise((x**2*sin(c + d*x)/d + 2*x*cos(c + d*x)/d**2 - 2*sin(c + d*x)/d**3, Ne(d, 0)), (x**3*cos(c)/3, True))/d, True))

$$3.53 \quad \int \frac{(a+bx^2)^2 \sin(c+dx)}{x^2} dx$$

Optimal. Leaf size=97

$$a^2 d \cos(c) \text{Ci}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c+dx)}{x} - \frac{2ab \cos(c+dx)}{d} + \frac{2b^2 \cos(c+dx)}{d^3} + \frac{2b^2 x \sin(c+dx)}{d^2} - \frac{b^2 x^2 \cos(c+dx)}{d}$$

[Out] a^2*d*Ci(d*x)*cos(c)+2*b^2*cos(d*x+c)/d^3-2*a*b*cos(d*x+c)/d-b^2*x^2*cos(d*x+c)/d-a^2*d*Si(d*x)*sin(c)-a^2*sin(d*x+c)/x+2*b^2*x*sin(d*x+c)/d^2

Rubi [A] time = 0.16, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3339, 2638, 3297, 3303, 3299, 3302, 3296}

$$a^2 d \cos(c) \text{CosIntegral}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c+dx)}{x} - \frac{2ab \cos(c+dx)}{d} + \frac{2b^2 x \sin(c+dx)}{d^2} + \frac{2b^2 \cos(c+dx)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)^2*Sin[c + d*x])/x^2,x]

[Out] (2*b^2*Cos[c + d*x])/d^3 - (2*a*b*Cos[c + d*x])/d - (b^2*x^2*Cos[c + d*x])/d + a^2*d*Cos[c]*CosIntegral[d*x] - (a^2*Sin[c + d*x])/x + (2*b^2*x*Sin[c + d*x])/d^2 - a^2*d*Sin[c]*SinIntegral[d*x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m+1)*Sin[e + f*x])/(d*(m+1)), x] - Dist[f/(d*(m+1)), Int[(c + d*x)^(m+1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^2)^2 \sin(c + dx)}{x^2} dx &= \int \left(2ab \sin(c + dx) + \frac{a^2 \sin(c + dx)}{x^2} + b^2 x^2 \sin(c + dx) \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x^2} dx + (2ab) \int \sin(c + dx) dx + b^2 \int x^2 \sin(c + dx) dx \\ &= -\frac{2ab \cos(c + dx)}{d} - \frac{b^2 x^2 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{x} + \frac{(2b^2) \int x \cos(c + dx) dx}{d} \\ &= -\frac{2ab \cos(c + dx)}{d} - \frac{b^2 x^2 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{x} + \frac{2b^2 x \sin(c + dx)}{d^2} - \frac{(2b^2)}{d^2} \\ &= \frac{2b^2 \cos(c + dx)}{d^3} - \frac{2ab \cos(c + dx)}{d} - \frac{b^2 x^2 \cos(c + dx)}{d} + a^2 d \cos(c) \text{Ci}(dx) - \frac{a^2 \sin(c)}{d} \end{aligned}$$

Mathematica [A] time = 0.28, size = 97, normalized size = 1.00

$$a^2 d \cos(c) \text{Ci}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c + dx)}{x} - \frac{2ab \cos(c + dx)}{d} + \frac{2b^2 \cos(c + dx)}{d^3} + \frac{2b^2 x \sin(c + dx)}{d^2} - \frac{b^2 x^2 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)^2*Sin[c + d*x])/x^2,x]

[Out] (2*b^2*Cos[c + d*x])/d^3 - (2*a*b*Cos[c + d*x])/d - (b^2*x^2*Cos[c + d*x])/d + a^2*d*Cos[c]*CosIntegral[d*x] - (a^2*Sin[c + d*x])/x + (2*b^2*x*Sin[c + d*x])/d^2 - a^2*d*Sin[c]*SinIntegral[d*x]

fricas [A] time = 0.82, size = 113, normalized size = 1.16

$$\frac{2 a^2 d^4 x \sin(c) \text{Si}(dx) + 2 (b^2 d^2 x^3 + 2 (abd^2 - b^2)x) \cos(dx + c) - (a^2 d^4 x \text{Ci}(dx) + a^2 d^4 x \text{Ci}(-dx)) \cos(c) + 2 (a^2 d^4 x \cos(dx + c) - a^2 d^4 x \cos(dx - c))}{2 d^3 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^2,x, algorithm="fricas")

[Out] -1/2*(2*a^2*d^4*x*sin(c)*sin_integral(d*x) + 2*(b^2*d^2*x^3 + 2*(a*b*d^2 - b^2)*x)*cos(d*x + c) - (a^2*d^4*x*cos_integral(d*x) + a^2*d^4*x*cos_integral(-d*x))*cos(c) + 2*(a^2*d^3 - 2*b^2*d*x^2)*sin(d*x + c))/(d^3*x)

giac [C] time = 0.55, size = 1638, normalized size = 16.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^2,x, algorithm="giac")

[Out] -1/2*(a^2*d^4*x*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a^2*d^4*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2)/(d^3*x)


```

+ 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a^2*d^4*x*imag_part(cos_integral
(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^4*x*imag_
part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c) +
4*a^2*d^4*x*sin_integral(d*x)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/
2*c) - 2*b^2*d^2*x^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 - a
^2*d^4*x*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2
- a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d
*x)^2 + a^2*d^4*x*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1
/2*c)^2 + a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*ta
n(1/2*c)^2 + a^2*d^4*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*
c)^2 + a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2
- 2*b^2*d^2*x^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2 + 2*a^2*d^4*x*imag_pa
rt(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) - 2*a^2*d^4*x*imag_
part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) + 4*a^2*d^4*x*si
n_integral(d*x)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) + 2*a^2*d^4*x*imag_part(c
os_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^4*x*imag_part(cos_int
egral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*d^4*x*sin_integral(d*x)*tan(
1/2*d*x)^2*tan(1/2*c) - 2*b^2*d^2*x^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 +
2*b^2*d^2*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*a*b*d^2*x*tan(1/2*d*x + 1/2*
c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^4*x*real_part(cos_integral(d*x))*t
an(1/2*d*x + 1/2*c)^2 - a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x
+ 1/2*c)^2 - a^2*d^4*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - a^2*d
^4*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 4*a^2*d^3*tan(1/2*d*x +
1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c) + a^2*d^4*x*real_part(cos_integral(d*x)
)*tan(1/2*c)^2 + a^2*d^4*x*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 4*a
^2*d^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)*tan(1/2*c)^2 - 8*b^2*d*x^2*tan(1
/2*d*x + 1/2*c)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*b^2*d^2*x^3*tan(1/2*d*x + 1
/2*c)^2 + 2*b^2*d^2*x^3*tan(1/2*d*x)^2 - 4*a*b*d^2*x*tan(1/2*d*x + 1/2*c)^2
*tan(1/2*d*x)^2 + 2*a^2*d^4*x*imag_part(cos_integral(d*x))*tan(1/2*c) - 2*a
^2*d^4*x*imag_part(cos_integral(-d*x))*tan(1/2*c) + 4*a^2*d^4*x*sin_integra
l(d*x)*tan(1/2*c) + 2*b^2*d^2*x^3*tan(1/2*c)^2 - 4*a*b*d^2*x*tan(1/2*d*x +
1/2*c)^2*tan(1/2*c)^2 + 4*a*b*d^2*x*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*b^2*x*t
an(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d^4*x*real_part(cos
_integral(d*x)) - a^2*d^4*x*real_part(cos_integral(-d*x)) + 4*a^2*d^3*tan(1
/2*d*x + 1/2*c)^2*tan(1/2*d*x) - 8*b^2*d*x^2*tan(1/2*d*x + 1/2*c)*tan(1/2*d
*x)^2 + 4*a^2*d^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) - 4*a^2*d^3*tan(1/2*d*x
)^2*tan(1/2*c) - 8*b^2*d*x^2*tan(1/2*d*x + 1/2*c)*tan(1/2*c)^2 - 4*a^2*d^3*
tan(1/2*d*x)*tan(1/2*c)^2 + 2*b^2*d^2*x^3 - 4*a*b*d^2*x*tan(1/2*d*x + 1/2*c
)^2 + 4*a*b*d^2*x*tan(1/2*d*x)^2 + 4*b^2*x*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d
*x)^2 + 4*a*b*d^2*x*tan(1/2*c)^2 + 4*b^2*x*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c
)^2 - 4*b^2*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - 8*b^2*d*x^2*tan(1/2*d*x + 1/2*c
) + 4*a^2*d^3*tan(1/2*d*x) + 4*a^2*d^3*tan(1/2*c) + 4*a*b*d^2*x + 4*b^2*x*t
an(1/2*d*x + 1/2*c)^2 - 4*b^2*x*tan(1/2*d*x)^2 - 4*b^2*x*tan(1/2*c)^2 - 4*b
^2*x)/(d^3*x*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + d^3*x*tan
(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2 + d^3*x*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c
)^2 + d^3*x*tan(1/2*d*x)^2*tan(1/2*c)^2 + d^3*x*tan(1/2*d*x + 1/2*c)^2 + d^
3*x*tan(1/2*d*x)^2 + d^3*x*tan(1/2*c)^2 + d^3*x)

```

maple [A] time = 0.05, size = 156, normalized size = 1.61

$$d \left(\frac{(3c^2 + 2c + 1)b^2 \left(-(dx + c)^2 \cos(dx + c) + 2 \cos(dx + c) + 2(dx + c) \sin(dx + c) \right)}{d^4} - \frac{4b^2c(1 + 2c) \sin(dx + c)}{d^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^2*sin(d*x+c)/x^2,x)

[Out] d*((3*c^2+2*c+1)/d^4*b^2*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-4*b^2*c*(1+2*c)/d^4*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-2/d^2*a*b*cos(d

$*x+c)-6*c^2/d^4*b^2*cos(d*x+c)+a^2*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))$

maxima [C] time = 1.68, size = 97, normalized size = 1.00

$$\frac{(a^2(\Gamma(-1, i dx) + \Gamma(-1, -i dx)) \cos(c) + a^2(-i \Gamma(-1, i dx) + i \Gamma(-1, -i dx)) \sin(c)) d^4 + 4 b^2 dx \sin(dx + c) - 2 (b^2 d^2 x^2 + 2 a b d^2 - 2 b^2) \cos(dx + c)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^2,x, algorithm="maxima")

[Out] 1/2*((a^2*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*cos(c) + a^2*(-I*gamma(-1, I*d*x) + I*gamma(-1, -I*d*x))*sin(c))*d^4 + 4*b^2*d*x*sin(d*x + c) - 2*(b^2*d^2*x^2 + 2*a*b*d^2 - 2*b^2)*cos(d*x + c))/d^3

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^2)^2)/x^2,x)

[Out] int((sin(c + d*x)*(a + b*x^2)^2)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2)^2 \sin(c + dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)**2*sin(d*x+c)/x**2,x)

[Out] Integral((a + b*x**2)**2*sin(c + d*x)/x**2, x)

$$3.54 \quad \int \frac{(a+bx^2)^2 \sin(c+dx)}{x^3} dx$$

Optimal. Leaf size=114

$$-\frac{1}{2}a^2d^2 \sin(c)\text{Ci}(dx) - \frac{1}{2}a^2d^2 \cos(c)\text{Si}(dx) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{a^2d \cos(c+dx)}{2x} + 2ab \sin(c)\text{Ci}(dx) + 2ab \cos(c)\text{Si}(dx)$$

[Out] $-1/2*a^2*d*cos(d*x+c)/x - b^2*x*cos(d*x+c)/d + 2*a*b*cos(c)*Si(d*x) - 1/2*a^2*d^2*cos(c)*Si(d*x) + 2*a*b*Ci(d*x)*sin(c) - 1/2*a^2*d^2*Ci(d*x)*sin(c) + b^2*sin(d*x+c)/d^2 - 1/2*a^2*sin(d*x+c)/x^2$

Rubi [A] time = 0.20, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3339, 3297, 3303, 3299, 3302, 3296, 2637}

$$-\frac{1}{2}a^2d^2 \sin(c)\text{CosIntegral}(dx) - \frac{1}{2}a^2d^2 \cos(c)\text{Si}(dx) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{a^2d \cos(c+dx)}{2x} + 2ab \sin(c)\text{CosIntegral}(dx) + 2ab \cos(c)\text{Si}(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)^2*Sin[c + d*x])/x^3,x]

[Out] $-(a^2*d*\text{Cos}[c + d*x])/(2*x) - (b^2*x*\text{Cos}[c + d*x])/d + 2*a*b*\text{CosIntegral}[d*x]*\text{Sin}[c] - (a^2*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 + (b^2*\text{Sin}[c + d*x])/d^2 - (a^2*\text{Sin}[c + d*x])/(2*x^2) + 2*a*b*\text{Cos}[c]*\text{SinIntegral}[d*x] - (a^2*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[((c + d*x)^(m+1)*sin[e + f*x])/(d*(m+1)), x] - Dist[f/(d*(m+1)), Int[(c + d*x)^(m+1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x]

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^3,x, algorithm="giac")

[Out] $\frac{1}{4}(a^2d^4x^2\operatorname{imag_part}(\cos_integral(d*x))\tan(1/2*d*x)^2\tan(1/2*c)^2 - a^2d^4x^2\operatorname{imag_part}(\cos_integral(-d*x))\tan(1/2*d*x)^2\tan(1/2*c)^2 + 2a^2d^4x^2\sin_integral(d*x)\tan(1/2*d*x)^2\tan(1/2*c)^2 - 2a^2d^4x^2\operatorname{real_part}(\cos_integral(d*x))\tan(1/2*d*x)^2\tan(1/2*c) - 2a^2d^4x^2\operatorname{real_part}(\cos_integral(-d*x))\tan(1/2*d*x)^2\tan(1/2*c) - a^2d^4x^2\operatorname{imag_part}(\cos_integral(d*x))\tan(1/2*d*x)^2 + a^2d^4x^2\operatorname{imag_part}(\cos_integral(-d*x))\tan(1/2*d*x)^2 - 2a^2d^4x^2\sin_integral(d*x)\tan(1/2*d*x)^2 + a^2d^4x^2\operatorname{imag_part}(\cos_integral(d*x))\tan(1/2*c)^2 - a^2d^4x^2\operatorname{imag_part}(\cos_integral(-d*x))\tan(1/2*c)^2 + 2a^2d^4x^2\sin_integral(d*x)\tan(1/2*c)^2 - 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(d*x))\tan(1/2*d*x)^2\tan(1/2*c)^2 + 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(-d*x))\tan(1/2*d*x)^2\tan(1/2*c)^2 - 8a*b*d^2x^2\sin_integral(d*x)\tan(1/2*d*x)^2\tan(1/2*c)^2 - 2a^2d^4x^2\operatorname{real_part}(\cos_integral(d*x))\tan(1/2*c) - 2a^2d^4x^2\operatorname{real_part}(\cos_integral(-d*x))\tan(1/2*c) + 8a*b*d^2x^2\operatorname{real_part}(\cos_integral(d*x))\tan(1/2*d*x)^2\tan(1/2*c) + 8a*b*d^2x^2\operatorname{real_part}(\cos_integral(-d*x))\tan(1/2*d*x)^2\tan(1/2*c) - 2a^2d^3x\tan(1/2*d*x)^2\tan(1/2*c)^2 - 4b^2d*x^3\tan(1/2*d*x)^2\tan(1/2*c)^2 - a^2d^4x^2\operatorname{imag_part}(\cos_integral(d*x)) + a^2d^4x^2\operatorname{imag_part}(\cos_integral(-d*x)) - 2a^2d^4x^2\sin_integral(d*x) + 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(d*x))\tan(1/2*d*x)^2 - 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(-d*x))\tan(1/2*d*x)^2 + 8a*b*d^2x^2\sin_integral(d*x)\tan(1/2*d*x)^2 - 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(d*x))\tan(1/2*c)^2 + 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(-d*x))\tan(1/2*c)^2 - 8a*b*d^2x^2\sin_integral(d*x)\tan(1/2*c)^2 + 2a^2d^3x\tan(1/2*d*x)^2 + 4b^2d*x^3\tan(1/2*d*x)^2 + 8a*b*d^2x^2\operatorname{real_part}(\cos_integral(d*x))\tan(1/2*c) + 8a*b*d^2x^2\operatorname{real_part}(\cos_integral(-d*x))\tan(1/2*c) + 8a^2d^3x\tan(1/2*d*x)\tan(1/2*c) + 16b^2d*x^3\tan(1/2*d*x)\tan(1/2*c) + 2a^2d^3x\tan(1/2*c)^2 + 4b^2d*x^3\tan(1/2*c)^2 + 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(d*x)) - 4a*b*d^2x^2\operatorname{imag_part}(\cos_integral(-d*x)) + 8a*b*d^2x^2\sin_integral(d*x) + 4a^2d^2\tan(1/2*d*x)^2\tan(1/2*c) - 8b^2x^2\tan(1/2*d*x)^2\tan(1/2*c) + 4a^2d^2\tan(1/2*d*x)\tan(1/2*c)^2 - 8b^2x^2\tan(1/2*d*x)\tan(1/2*c)^2 - 2a^2d^3x - 4b^2d*x^3 - 4a^2d^2\tan(1/2*d*x) + 8b^2x^2\tan(1/2*d*x) - 4a^2d^2\tan(1/2*c) + 8b^2x^2\tan(1/2*c))/(d^2x^2\tan(1/2*d*x)^2\tan(1/2*c)^2 + d^2x^2\tan(1/2*d*x)^2 + d^2x^2\tan(1/2*c)^2 + d^2x^2)$

maple [A] time = 0.04, size = 124, normalized size = 1.09

$$d^2 \left(\frac{(1+3c)b^2(\sin(dx+c) - (dx+c)\cos(dx+c))}{d^4} + \frac{4cb^2\cos(dx+c)}{d^4} + \frac{2ab(\operatorname{Si}(dx)\cos(c) + \operatorname{Ci}(dx)\sin(c))}{d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^2+a)^2*sin(d*x+c)/x^3,x)

[Out] $d^2*((1+3*c)/d^4*b^2*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))+4*c/d^4*b^2*\cos(d*x+c)+2/d^2*a*b*(\operatorname{Si}(d*x)*\cos(c)+\operatorname{Ci}(d*x)*\sin(c))+a^2*(-1/2*\sin(d*x+c)/x^2/d^2-1/2*\cos(d*x+c)/x/d-1/2*\operatorname{Si}(d*x)*\cos(c)-1/2*\operatorname{Ci}(d*x)*\sin(c)))$

maxima [C] time = 2.81, size = 150, normalized size = 1.32

$$\left((a^2(i\Gamma(-2, idx) - i\Gamma(-2, -idx))\cos(c) + a^2(\Gamma(-2, idx) + \Gamma(-2, -idx))\sin(c))d^4 + (ab(-4i\Gamma(-2, idx) + 4i\Gamma(-2, -idx))\cos(c) + ab(4i\Gamma(-2, idx) - 4i\Gamma(-2, -idx))\sin(c))d^2 \right) / (d^2x^2\tan(1/2*d*x)^2\tan(1/2*c)^2 + d^2x^2\tan(1/2*d*x)^2 + d^2x^2\tan(1/2*c)^2 + d^2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^3,x, algorithm="maxima")

[Out] $\frac{1}{2}(((a^2*(\Gamma(-2, I*d*x) - \Gamma(-2, -I*d*x))*\cos(c) + a^2*(\Gamma(-2, I*d*x) + \Gamma(-2, -I*d*x))*\sin(c))*d^4 + (a*b*(-4*\Gamma(-2, I*d*x) + 4*\Gamma(-2, -I*d*x))*\cos(c) - 4*a*b*(\Gamma(-2, I*d*x) + \Gamma(-2, -I*d*x))\sin(c))d^2)$

) $\sin(c)$) d^2) $x^2 - 2*(b^2*d*x^3 + 2*a*b*d*x)*\cos(d*x + c) + 2*(b^2*x^2 - 2*a*b)*\sin(d*x + c))/(d^2*x^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(c + d*x)*(a + b*x^2)^2)/x^3, x)`

[Out] `int((sin(c + d*x)*(a + b*x^2)^2)/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2)^2 \sin(c + dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)**2*sin(d*x+c)/x**3, x)`

[Out] `Integral((a + b*x**2)**2*sin(c + d*x)/x**3, x)`

$$3.55 \quad \int \frac{(a+bx^2)^2 \sin(c+dx)}{x^4} dx$$

Optimal. Leaf size=134

$$-\frac{1}{6}a^2d^3 \cos(c)\text{Ci}(dx) + \frac{1}{6}a^2d^3 \sin(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{6x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{a^2d \cos(c+dx)}{6x^2} + 2abd \cos(c)\text{Ci}(dx)$$

[Out] 2*a*b*d*Ci(d*x)*cos(c)-1/6*a^2*d^3*Ci(d*x)*cos(c)-b^2*cos(d*x+c)/d-1/6*a^2*d*cos(d*x+c)/x^2-2*a*b*d*Si(d*x)*sin(c)+1/6*a^2*d^3*Si(d*x)*sin(c)-1/3*a^2*sin(d*x+c)/x^3-2*a*b*sin(d*x+c)/x+1/6*a^2*d^2*sin(d*x+c)/x

Rubi [A] time = 0.24, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3339, 2638, 3297, 3303, 3299, 3302}

$$-\frac{1}{6}a^2d^3 \cos(c)\text{CosIntegral}(dx) + \frac{1}{6}a^2d^3 \sin(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{6x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{a^2d \cos(c+dx)}{6x^2} + 2abd \cos(c)\text{Ci}(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)^2*Sin[c + d*x])/x^4,x]

[Out] -((b^2*Cos[c + d*x])/d) - (a^2*d*Cos[c + d*x])/(6*x^2) + 2*a*b*d*Cos[c]*CosIntegral[d*x] - (a^2*d^3*Cos[c]*CosIntegral[d*x])/6 - (a^2*Sin[c + d*x])/(3*x^3) - (2*a*b*Sin[c + d*x])/x + (a^2*d^2*Sin[c + d*x])/(6*x) - 2*a*b*d*Sin[c]*SinIntegral[d*x] + (a^2*d^3*Sin[c]*SinIntegral[d*x])/6

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3297

Int[((c_.) + (d_.)*(x_)^(m_))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_
)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x
], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^2)^2 \sin(c + dx)}{x^4} dx &= \int \left(b^2 \sin(c + dx) + \frac{a^2 \sin(c + dx)}{x^4} + \frac{2ab \sin(c + dx)}{x^2} \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x^4} dx + (2ab) \int \frac{\sin(c + dx)}{x^2} dx + b^2 \int \sin(c + dx) dx \\ &= -\frac{b^2 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{3x^3} - \frac{2ab \sin(c + dx)}{x} + \frac{1}{3} (a^2 d) \int \frac{\cos(c + dx)}{x^3} dx + \\ &= -\frac{b^2 \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{6x^2} - \frac{a^2 \sin(c + dx)}{3x^3} - \frac{2ab \sin(c + dx)}{x} - \frac{1}{6} (a^2 d^2) \\ &= -\frac{b^2 \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{6x^2} + 2abd \cos(c) \text{Ci}(dx) - \frac{a^2 \sin(c + dx)}{3x^3} - \frac{2ab \sin(c + dx)}{x} \\ &= -\frac{b^2 \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{6x^2} + 2abd \cos(c) \text{Ci}(dx) - \frac{a^2 \sin(c + dx)}{3x^3} - \frac{2ab \sin(c + dx)}{x} \\ &= -\frac{b^2 \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{6x^2} + 2abd \cos(c) \text{Ci}(dx) - \frac{1}{6} a^2 d^3 \cos(c) \text{Ci}(dx) - \frac{a^2 d^2 \sin(c)}{6} \end{aligned}$$

Mathematica [A] time = 0.45, size = 114, normalized size = 0.85

$$\frac{1}{6} \left(\frac{a^2 d^2 \sin(c + dx)}{x} - \frac{2a^2 \sin(c + dx)}{x^3} - \frac{a^2 d \cos(c + dx)}{x^2} - ad \cos(c) (ad^2 - 12b) \text{Ci}(dx) + ad \sin(c) (ad^2 - 12b) \text{Si}(dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^2)^2*Sin[c + d*x])/x^4,x]
```

```
[Out] ((-6*b^2*Cos[c + d*x])/d - (a^2*d*Cos[c + d*x])/x^2 - a*d*(-12*b + a*d^2)*Cos[c]*CosIntegral[d*x] - (2*a^2*Sin[c + d*x])/x^3 - (12*a*b*Sin[c + d*x])/x + (a^2*d^2*Sin[c + d*x])/x + a*d*(-12*b + a*d^2)*Sin[c]*SinIntegral[d*x])/6
```

fricas [A] time = 0.80, size = 145, normalized size = 1.08

$$\frac{2(a^2 d^4 - 12abd^2)x^3 \sin(c) \text{Si}(dx) - 2(a^2 d^2 x + 6b^2 x^3) \cos(dx + c) - ((a^2 d^4 - 12abd^2)x^3 \text{Ci}(dx) + (a^2 d^4 - 12abd^2)x^3 \text{Si}(dx))}{12 dx^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^4,x, algorithm="fricas")
```

```
[Out] 1/12*(2*(a^2*d^4 - 12*a*b*d^2)*x^3*sin(c)*sin_integral(d*x) - 2*(a^2*d^2*x + 6*b^2*x^3)*cos(d*x + c) - ((a^2*d^4 - 12*a*b*d^2)*x^3*cos_integral(d*x) + (a^2*d^4 - 12*a*b*d^2)*x^3*cos_integral(-d*x))*cos(c) - 2*(2*a^2*d - (a^2*d^3 - 12*a*b*d)*x^2)*sin(d*x + c))/(d*x^3)
```

giac [C] time = 0.50, size = 1032, normalized size = 7.70

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^4,x, algorithm="giac")
```



```
[Out] 1/12*(a^2*d^4*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2
+ a^2*d^4*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2
*a^2*d^4*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2
*d^4*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*d^
4*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) - a^2*d^4*x^3*real_part(c
os_integral(d*x))*tan(1/2*d*x)^2 - a^2*d^4*x^3*real_part(cos_integral(-d*x)
)*tan(1/2*d*x)^2 + a^2*d^4*x^3*real_part(cos_integral(d*x))*tan(1/2*c)^2 +
a^2*d^4*x^3*real_part(cos_integral(-d*x))*tan(1/2*c)^2 - 12*a*b*d^2*x^3*rea
l_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - 12*a*b*d^2*x^3*real
_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a^2*d^4*x^3*imag_
part(cos_integral(d*x))*tan(1/2*c) - 2*a^2*d^4*x^3*imag_part(cos_integral(-
d*x))*tan(1/2*c) + 4*a^2*d^4*x^3*sin_integral(d*x)*tan(1/2*c) - 24*a*b*d^2*
x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 24*a*b*d^2*x^3
*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 48*a*b*d^2*x^3*s
in_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) - a^2*d^4*x^3*real_part(cos_inte
gral(d*x)) - a^2*d^4*x^3*real_part(cos_integral(-d*x)) + 12*a*b*d^2*x^3*rea
l_part(cos_integral(d*x))*tan(1/2*d*x)^2 + 12*a*b*d^2*x^3*real_part(cos_int
egral(-d*x))*tan(1/2*d*x)^2 - 4*a^2*d^3*x^2*tan(1/2*d*x)^2*tan(1/2*c) - 12*
a*b*d^2*x^3*real_part(cos_integral(d*x))*tan(1/2*c)^2 - 12*a*b*d^2*x^3*real
_part(cos_integral(-d*x))*tan(1/2*c)^2 - 4*a^2*d^3*x^2*tan(1/2*d*x)*tan(1/2
*c)^2 - 24*a*b*d^2*x^3*imag_part(cos_integral(d*x))*tan(1/2*c) + 24*a*b*d^2
*x^3*imag_part(cos_integral(-d*x))*tan(1/2*c) - 48*a*b*d^2*x^3*sin_integral
(d*x)*tan(1/2*c) - 2*a^2*d^2*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - 12*b^2*x^3*tan
(1/2*d*x)^2*tan(1/2*c)^2 + 12*a*b*d^2*x^3*real_part(cos_integral(d*x)) + 12
*a*b*d^2*x^3*real_part(cos_integral(-d*x)) + 4*a^2*d^3*x^2*tan(1/2*d*x) + 4
*a^2*d^3*x^2*tan(1/2*c) + 48*a*b*d*x^2*tan(1/2*d*x)^2*tan(1/2*c) + 48*a*b*d
*x^2*tan(1/2*d*x)*tan(1/2*c)^2 + 2*a^2*d^2*x*tan(1/2*d*x)^2 + 12*b^2*x^3*ta
n(1/2*d*x)^2 + 8*a^2*d^2*x*tan(1/2*d*x)*tan(1/2*c) + 48*b^2*x^3*tan(1/2*d*x
)*tan(1/2*c) + 2*a^2*d^2*x*tan(1/2*c)^2 + 12*b^2*x^3*tan(1/2*c)^2 - 48*a*b*
d*x^2*tan(1/2*d*x) - 48*a*b*d*x^2*tan(1/2*c) + 8*a^2*d*tan(1/2*d*x)^2*tan(1
/2*c) + 8*a^2*d*tan(1/2*d*x)*tan(1/2*c)^2 - 2*a^2*d^2*x - 12*b^2*x^3 - 8*a^
2*d*tan(1/2*d*x) - 8*a^2*d*tan(1/2*c))/(d*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 +
d*x^3*tan(1/2*d*x)^2 + d*x^3*tan(1/2*c)^2 + d*x^3)
```

maple [A] time = 0.05, size = 120, normalized size = 0.90

$$d^3 \left(-\frac{b^2 \cos(dx+c)}{d^4} + \frac{2ab \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d^2} \right) + a^2 \left(-\frac{\sin(dx+c)}{3x^3 d^3} - \frac{\cos(dx+c)}{6x^2 d^2} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^2+a)^2*sin(d*x+c)/x^4,x)
```

```
[Out] d^3*(-1/d^4*b^2*cos(d*x+c)+2/d^2*a*b*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)
*cos(c))+a^2*(-1/3*sin(d*x+c)/x^3/d^3-1/6*cos(d*x+c)/x^2/d^2+1/6*sin(d*x+c)
)/x/d+1/6*Si(d*x)*sin(c)-1/6*Ci(d*x)*cos(c))
```

maxima [C] time = 2.28, size = 142, normalized size = 1.06

$$\left((a^2(\Gamma(-3, idx) + \Gamma(-3, -idx)) \cos(c) + a^2(-i\Gamma(-3, idx) + i\Gamma(-3, -idx)) \sin(c)) d^5 - (12ab(\Gamma(-3, idx) + \Gamma(-3, -idx)) \cos(c) + a^2(-i\Gamma(-3, idx) + i\Gamma(-3, -idx)) \sin(c)) d^5 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^4,x, algorithm="maxima")
```

```
[Out] -1/2*((a^2*(gamma(-3, I*d*x) + gamma(-3, -I*d*x))*cos(c) + a^2*(-I*gamma(-
3, I*d*x) + I*gamma(-3, -I*d*x))*sin(c))*d^5 - (12*a*b*(gamma(-3, I*d*x) +
gamma(-3, -I*d*x))*cos(c) - a*b*(12*I*gamma(-3, I*d*x) - 12*I*gamma(-3, -I*
```

$d*x)) * \sin(c) * d^3 * x^3 + 8*a*b*\sin(d*x + c) + 2*(b^2*d*x^3 + 2*a*b*d*x)*\cos(d*x + c))/(d^2*x^3)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(c + d*x)*(a + b*x^2)^2)/x^4, x)`

[Out] `int((sin(c + d*x)*(a + b*x^2)^2)/x^4, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2)^2 \sin(c + dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**2+a)**2*sin(d*x+c)/x**4, x)`

[Out] `Integral((a + b*x**2)**2*sin(c + d*x)/x**4, x)`

$$3.56 \quad \int \frac{(a+bx^2)^2 \sin(c+dx)}{x^5} dx$$

Optimal. Leaf size=177

$$\frac{1}{24}a^2d^4 \sin(c)\text{Ci}(dx) + \frac{1}{24}a^2d^4 \cos(c)\text{Si}(dx) + \frac{a^2d^3 \cos(c+dx)}{24x} + \frac{a^2d^2 \sin(c+dx)}{24x^2} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{a^2d \cos(c+dx)}{12x^3}$$

[Out] $-1/12*a^2*d*\cos(d*x+c)/x^3 - a*b*d*\cos(d*x+c)/x + 1/24*a^2*d^3*\cos(d*x+c)/x + b^2*\cos(c)*\text{Si}(d*x) - a*b*d^2*\cos(c)*\text{Si}(d*x) + 1/24*a^2*d^4*\cos(c)*\text{Si}(d*x) + b^2*\text{Ci}(d*x)*\sin(c) - a*b*d^2*\text{Ci}(d*x)*\sin(c) + 1/24*a^2*d^4*\text{Ci}(d*x)*\sin(c) - 1/4*a^2*\sin(d*x+c)/x^4 - a*b*\sin(d*x+c)/x^2 + 1/24*a^2*d^2*\sin(d*x+c)/x^2$

Rubi [A] time = 0.33, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {3339, 3297, 3303, 3299, 3302}

$$\frac{1}{24}a^2d^4 \sin(c)\text{CosIntegral}(dx) + \frac{1}{24}a^2d^4 \cos(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{24x^2} + \frac{a^2d^3 \cos(c+dx)}{24x} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{a^2d \cos(c+dx)}{12x^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^2)^2*Sin[c + d*x])/x^5,x]

[Out] $-(a^2*d*\text{Cos}[c + d*x])/(12*x^3) - (a*b*d*\text{Cos}[c + d*x])/x + (a^2*d^3*\text{Cos}[c + d*x])/(24*x) + b^2*\text{CosIntegral}[d*x]*\text{Sin}[c] - a*b*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c] + (a^2*d^4*\text{CosIntegral}[d*x]*\text{Sin}[c])/24 - (a^2*\text{Sin}[c + d*x])/(4*x^4) - (a*b*\text{Sin}[c + d*x])/x^2 + (a^2*d^2*\text{Sin}[c + d*x])/(24*x^2) + b^2*\text{Cos}[c]*\text{SinIntegral}[d*x] - a*b*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x] + (a^2*d^4*\text{Cos}[c]*\text{SinIntegral}[d*x])/24$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x]

], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(a + bx^2)^2 \sin(c + dx)}{x^5} dx &= \int \left(\frac{a^2 \sin(c + dx)}{x^5} + \frac{2ab \sin(c + dx)}{x^3} + \frac{b^2 \sin(c + dx)}{x} \right) dx \\
 &= a^2 \int \frac{\sin(c + dx)}{x^5} dx + (2ab) \int \frac{\sin(c + dx)}{x^3} dx + b^2 \int \frac{\sin(c + dx)}{x} dx \\
 &= -\frac{a^2 \sin(c + dx)}{4x^4} - \frac{ab \sin(c + dx)}{x^2} + \frac{1}{4} (a^2 d) \int \frac{\cos(c + dx)}{x^4} dx + (abd) \int \frac{\cos(c + dx)}{x^2} dx \\
 &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{abd \cos(c + dx)}{x} + b^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c + dx)}{4x^4} - \frac{ab \sin(c + dx)}{x^2} \\
 &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{abd \cos(c + dx)}{x} + b^2 \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c + dx)}{4x^4} - \frac{ab \sin(c + dx)}{x^2} \\
 &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{abd \cos(c + dx)}{x} + \frac{a^2 d^3 \cos(c + dx)}{24x} + b^2 \text{Ci}(dx) \sin(c) - abd^2 \text{Ci}(dx) \sin(c) \\
 &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{abd \cos(c + dx)}{x} + \frac{a^2 d^3 \cos(c + dx)}{24x} + b^2 \text{Ci}(dx) \sin(c) - abd^2 \text{Ci}(dx) \sin(c) \\
 &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{abd \cos(c + dx)}{x} + \frac{a^2 d^3 \cos(c + dx)}{24x} + b^2 \text{Ci}(dx) \sin(c) - abd^2 \text{Ci}(dx) \sin(c)
 \end{aligned}$$

Mathematica [A] time = 0.47, size = 122, normalized size = 0.69

$$\frac{x^4 \sin(c) (a^2 d^4 - 24abd^2 + 24b^2) \text{Ci}(dx) + x^4 \cos(c) (a^2 d^4 - 24abd^2 + 24b^2) \text{Si}(dx) + a (a (d^2 x^2 - 6) - 24bx^2) \sin(c)}{24x^4}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^2)^2*Sin[c + d*x])/x^5,x]

[Out] (a*d*x*(-24*b*x^2 + a*(-2 + d^2*x^2))*Cos[c + d*x] + (24*b^2 - 24*a*b*d^2 + a^2*d^4)*x^4*CosIntegral[d*x]*Sin[c] + a*(-24*b*x^2 + a*(-6 + d^2*x^2))*Sin[c + d*x] + (24*b^2 - 24*a*b*d^2 + a^2*d^4)*x^4*Cos[c]*SinIntegral[d*x])/ (24*x^4)

fricas [A] time = 0.66, size = 162, normalized size = 0.92

$$\frac{2 (a^2 d^4 - 24abd^2 + 24b^2) x^4 \cos(c) \text{Si}(dx) - 2 (2a^2 dx - (a^2 d^3 - 24abd) x^3) \cos(dx + c) + 2 ((a^2 d^2 - 24ab) x^2 - 6a^2)}{48x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^5,x, algorithm="fricas")

[Out] 1/48*(2*(a^2*d^4 - 24*a*b*d^2 + 24*b^2)*x^4*cos(c)*sin_integral(d*x) - 2*(2*a^2*d*x - (a^2*d^3 - 24*a*b*d)*x^3)*cos(d*x + c) + 2*((a^2*d^2 - 24*a*b)*x^2 - 6*a^2)*sin(d*x + c) + ((a^2*d^4 - 24*a*b*d^2 + 24*b^2)*x^4*cos_integral(d*x) + (a^2*d^4 - 24*a*b*d^2 + 24*b^2)*x^4*cos_integral(-d*x))*sin(c))/x^4

giac [C] time = 0.70, size = 1497, normalized size = 8.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^5,x, algorithm="giac")

```
[Out] -1/48*(a^2*d^4*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2
- a^2*d^4*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 +
2*a^2*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a^2*d^4*x^4
*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^4*x^4*rea
l_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - a^2*d^4*x^4*imag_par
t(cos_integral(d*x))*tan(1/2*d*x)^2 + a^2*d^4*x^4*imag_part(cos_integral(-d
*x))*tan(1/2*d*x)^2 - 2*a^2*d^4*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 + a^2*
d^4*x^4*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a^2*d^4*x^4*imag_part(c
os_integral(-d*x))*tan(1/2*c)^2 + 2*a^2*d^4*x^4*sin_integral(d*x)*tan(1/2*c
)^2 - 24*a*b*d^2*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)
^2 + 24*a*b*d^2*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)
^2 - 48*a*b*d^2*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a^2*d
^4*x^4*real_part(cos_integral(d*x))*tan(1/2*c) - 2*a^2*d^4*x^4*real_part(co
s_integral(-d*x))*tan(1/2*c) + 48*a*b*d^2*x^4*real_part(cos_integral(d*x))*
tan(1/2*d*x)^2*tan(1/2*c) + 48*a*b*d^2*x^4*real_part(cos_integral(-d*x))*ta
n(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^3*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2*d
^4*x^4*imag_part(cos_integral(d*x)) + a^2*d^4*x^4*imag_part(cos_integral(-d
*x)) - 2*a^2*d^4*x^4*sin_integral(d*x) + 24*a*b*d^2*x^4*imag_part(cos_integ
ral(d*x))*tan(1/2*d*x)^2 - 24*a*b*d^2*x^4*imag_part(cos_integral(-d*x))*tan
(1/2*d*x)^2 + 48*a*b*d^2*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 - 24*a*b*d^2*
x^4*imag_part(cos_integral(d*x))*tan(1/2*c)^2 + 24*a*b*d^2*x^4*imag_part(co
s_integral(-d*x))*tan(1/2*c)^2 - 48*a*b*d^2*x^4*sin_integral(d*x)*tan(1/2*c
)^2 + 24*b^2*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 -
24*b^2*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 48*
b^2*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a^2*d^3*x^3*tan(1
/2*d*x)^2 + 48*a*b*d^2*x^4*real_part(cos_integral(d*x))*tan(1/2*c) + 48*a*b
*d^2*x^4*real_part(cos_integral(-d*x))*tan(1/2*c) + 8*a^2*d^3*x^3*tan(1/2*d
*x)*tan(1/2*c) - 48*b^2*x^4*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan
(1/2*c) - 48*b^2*x^4*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c
) + 2*a^2*d^3*x^3*tan(1/2*c)^2 + 48*a*b*d*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 +
24*a*b*d^2*x^4*imag_part(cos_integral(d*x)) - 24*a*b*d^2*x^4*imag_part(cos
_integral(-d*x)) + 48*a*b*d^2*x^4*sin_integral(d*x) - 24*b^2*x^4*imag_part(c
os_integral(d*x))*tan(1/2*d*x)^2 + 24*b^2*x^4*imag_part(cos_integral(-d*x)
)*tan(1/2*d*x)^2 - 48*b^2*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 + 4*a^2*d^2*x
^2*tan(1/2*d*x)^2*tan(1/2*c) + 24*b^2*x^4*imag_part(cos_integral(d*x))*tan
(1/2*c)^2 - 24*b^2*x^4*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 48*b^2*
x^4*sin_integral(d*x)*tan(1/2*c)^2 + 4*a^2*d^2*x^2*tan(1/2*d*x)*tan(1/2*c)^
2 - 2*a^2*d^3*x^3 - 48*a*b*d*x^3*tan(1/2*d*x)^2 - 48*b^2*x^4*real_part(cos_
integral(d*x))*tan(1/2*c) - 48*b^2*x^4*real_part(cos_integral(-d*x))*tan(1/
2*c) - 192*a*b*d*x^3*tan(1/2*d*x)*tan(1/2*c) - 48*a*b*d*x^3*tan(1/2*c)^2 +
4*a^2*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - 24*b^2*x^4*imag_part(cos_integral(d
*x)) + 24*b^2*x^4*imag_part(cos_integral(-d*x)) - 48*b^2*x^4*sin_integral(d
*x) - 4*a^2*d^2*x^2*tan(1/2*d*x) - 4*a^2*d^2*x^2*tan(1/2*c) - 96*a*b*x^2*ta
n(1/2*d*x)^2*tan(1/2*c) - 96*a*b*x^2*tan(1/2*d*x)*tan(1/2*c)^2 + 48*a*b*d*x
^3 - 4*a^2*d*x*tan(1/2*d*x)^2 - 16*a^2*d*x*tan(1/2*d*x)*tan(1/2*c) - 4*a^2*
d*x*tan(1/2*c)^2 + 96*a*b*x^2*tan(1/2*d*x) + 96*a*b*x^2*tan(1/2*c) - 24*a^2
*tan(1/2*d*x)^2*tan(1/2*c) - 24*a^2*tan(1/2*d*x)*tan(1/2*c)^2 + 4*a^2*d*x +
24*a^2*tan(1/2*d*x) + 24*a^2*tan(1/2*c))/(x^4*tan(1/2*d*x)^2*tan(1/2*c)^2
+ x^4*tan(1/2*d*x)^2 + x^4*tan(1/2*c)^2 + x^4)
```

maple [A] time = 0.04, size = 157, normalized size = 0.89

$$d^4 \left(\frac{b^2 (\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c))}{d^4} + \frac{2ab \left(-\frac{\sin(dx+c)}{2x^2 d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx) \cos(c)}{2} - \frac{\text{Ci}(dx) \sin(c)}{2} \right)}{d^2} \right) + a^2 \left(-\frac{\sin(dx + c)}{4x^4 d^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^2+a)^2*sin(d*x+c)/x^5,x)
```

[Out] $d^4*(1/d^4*b^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+2/d^2*a*b*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c))+a^2*(-1/4*sin(d*x+c)/x^4/d^4-1/12*cos(d*x+c)/x^3/d^3+1/24*sin(d*x+c)/x^2/d^2+1/24*cos(d*x+c)/x/d+1/24*Si(d*x)*cos(c)+1/24*Ci(d*x)*sin(c)))$

maxima [C] time = 10.62, size = 221, normalized size = 1.25

$$\frac{\left(\left(a^2(i\Gamma(-4, idx) - i\Gamma(-4, -idx))\cos(c) + a^2(\Gamma(-4, idx) + \Gamma(-4, -idx))\sin(c)\right)d^8 + (ab(-24i\Gamma(-4, idx) + 24i\Gamma(-4, -idx))\cos(c) + a^2(\Gamma(-4, idx) + \Gamma(-4, -idx))\sin(c))d^6 + (b^2(24I\gamma(-4, Id*x) - 24I\gamma(-4, -Id*x))*\cos(c) + 24*b^2*(\gamma(-4, Id*x) + \gamma(-4, -Id*x))*\sin(c))*d^4*x^4 + 2*(b^2*d^3*x^3 + 2*(a*b*d^3 - b^2*d)*x)*\cos(d*x + c) + 2*(b^2*d^2*x^2 + 6*a*b*d^2 - 6*b^2)*\sin(d*x + c))/(d^4*x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^2+a)^2*sin(d*x+c)/x^5,x, algorithm="maxima")

[Out] $-1/2*(((a^2*(I*\gamma(-4, I*d*x) - I*\gamma(-4, -I*d*x))*\cos(c) + a^2*(\gamma(-4, I*d*x) + \gamma(-4, -I*d*x))*\sin(c))*d^8 + (a*b*(-24*I*\gamma(-4, I*d*x) + 24*I*\gamma(-4, -I*d*x))*\cos(c) - 24*a*b*(\gamma(-4, I*d*x) + \gamma(-4, -I*d*x))*\sin(c))*d^6 + (b^2*(24*I*\gamma(-4, I*d*x) - 24*I*\gamma(-4, -I*d*x))*\cos(c) + 24*b^2*(\gamma(-4, I*d*x) + \gamma(-4, -I*d*x))*\sin(c))*d^4)*x^4 + 2*(b^2*d^3*x^3 + 2*(a*b*d^3 - b^2*d)*x)*\cos(d*x + c) + 2*(b^2*d^2*x^2 + 6*a*b*d^2 - 6*b^2)*\sin(d*x + c))/(d^4*x^4)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^2 + a)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^2)^2)/x^5,x)

[Out] int((sin(c + d*x)*(a + b*x^2)^2)/x^5, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^2)^2 \sin(c + dx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**2+a)**2*sin(d*x+c)/x**5,x)

[Out] Integral((a + b*x**2)**2*sin(c + d*x)/x**5, x)

$$3.57 \quad \int \frac{x^4 \sin(c+dx)}{a+bx^2} dx$$

Optimal. Leaf size=273

$$\frac{(-a)^{3/2} \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b^{5/2}} + \frac{(-a)^{3/2} \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^{5/2}} - \frac{(-a)^{3/2} \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b^{5/2}}$$

[Out] $2*\cos(d*x+c)/b/d^3+a*\cos(d*x+c)/b^2/d-x^2*\cos(d*x+c)/b/d+1/2*(-a)^{(3/2)}*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}-1/2*(-a)^{(3/2)}*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}+2*x*\sin(d*x+c)/b/d^2-1/2*(-a)^{(3/2)}*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}+1/2*(-a)^{(3/2)}*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}$

Rubi [A] time = 0.73, antiderivative size = 273, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3345, 2638, 3296, 3333, 3303, 3299, 3302}

$$\frac{(-a)^{3/2} \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2b^{5/2}} + \frac{(-a)^{3/2} \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^{5/2}} - \frac{(-a)^{3/2} \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*Sin[c + d*x])/(a + b*x^2), x]

[Out] $(2*\cos[c + d*x])/(b*d^3) + (a*\cos[c + d*x])/(b^2*d) - (x^2*\cos[c + d*x])/(b*d) - ((-a)^{(3/2)}*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^{(5/2)}) + ((-a)^{(3/2)}*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^{(5/2)}) + (2*x*\text{Sin}[c + d*x])/(b*d^2) - ((-a)^{(3/2)}*\cos[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(2*b^{(5/2)}) - ((-a)^{(3/2)}*\cos[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(2*b^{(5/2)})$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)

)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int
[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3345

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^4 \sin(c + dx)}{a + bx^2} dx &= \int \left(-\frac{a \sin(c + dx)}{b^2} + \frac{x^2 \sin(c + dx)}{b} + \frac{a^2 \sin(c + dx)}{b^2 (a + bx^2)} \right) dx \\ &= -\frac{a \int \sin(c + dx) dx}{b^2} + \frac{a^2 \int \frac{\sin(c+dx)}{a+bx^2} dx}{b^2} + \frac{\int x^2 \sin(c + dx) dx}{b} \\ &= \frac{a \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} + \frac{a^2 \int \left(\frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}-\sqrt{bx})} + \frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}+\sqrt{bx})} \right) dx}{b^2} + \frac{2 \int x \cos(c + dx) dx}{bd} \\ &= \frac{a \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} + \frac{2x \sin(c + dx)}{bd^2} - \frac{(-a)^{3/2} \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{2b^2} - \frac{(-a)^{3/2} \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx}{2b^2} \\ &= \frac{2 \cos(c + dx)}{bd^3} + \frac{a \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} + \frac{2x \sin(c + dx)}{bd^2} - \frac{((-a)^{3/2} \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right))}{2b^2} \\ &= \frac{2 \cos(c + dx)}{bd^3} + \frac{a \cos(c + dx)}{b^2 d} - \frac{x^2 \cos(c + dx)}{bd} - \frac{(-a)^{3/2} \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^{5/2}} + \dots \end{aligned}$$

Mathematica [C] time = 0.50, size = 275, normalized size = 1.01

$$ia^{3/2}d^3 \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - ia^{3/2}d^3 \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + ia^{3/2}d^3 \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - ia^{3/2}d^3 \cos\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*Sin[c + d*x])/(a + b*x^2), x]

[Out] (4*b^(3/2)*Cos[c + d*x] + 2*a*Sqrt[b]*d^2*Cos[c + d*x] - 2*b^(3/2)*d^2*x^2*
Cos[c + d*x] + I*a^(3/2)*d^3*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c
- (I*Sqrt[a]*d)/Sqrt[b]] - I*a^(3/2)*d^3*CosIntegral[d*((-I)*Sqrt[a])/Sqr
t[b] + x)]*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] + 4*b^(3/2)*d*x*Sin[c + d*x] + I*
a^(3/2)*d^3*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[
b] + x)] + I*a^(3/2)*d^3*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt
[a]*d)/Sqrt[b] - d*x])/(2*b^(5/2)*d^3)

fricas [C] time = 0.79, size = 240, normalized size = 0.88

$$\frac{\sqrt{\frac{ad^2}{b}} ad^2 \operatorname{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(ic + \sqrt{\frac{ad^2}{b}} \right)} - \sqrt{\frac{ad^2}{b}} ad^2 \operatorname{Ei}\left(i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(ic - \sqrt{\frac{ad^2}{b}} \right)} + \sqrt{\frac{ad^2}{b}} ad^2 \operatorname{Ei}\left(-i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(-ic - \sqrt{\frac{ad^2}{b}} \right)} - \sqrt{\frac{ad^2}{b}} ad^2 \operatorname{Ei}\left(-i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(-ic + \sqrt{\frac{ad^2}{b}} \right)}}{4 b^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^2+a),x, algorithm="fricas")

[Out] 1/4*(sqrt(a*d^2/b)*a*d^2*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - sqrt(a*d^2/b)*a*d^2*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + sqrt(a*d^2/b)*a*d^2*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) - sqrt(a*d^2/b)*a*d^2*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)) + 8*b*d*x*sin(d*x + c) - 4*(b*d^2*x^2 - a*d^2 - 2*b)*cos(d*x + c))/(b^2*d^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(dx + c)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^2+a),x, algorithm="giac")

[Out] integrate(x^4*sin(d*x + c)/(b*x^2 + a), x)

maple [B] time = 0.08, size = 1656, normalized size = 6.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*sin(d*x+c)/(b*x^2+a),x)

[Out] 1/d^5*((b*d^2*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+2*c*b*d^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+a*d^4*cos(d*x+c)-3*b*c^2*d^2*cos(d*x+c))/b^2-1/2*d^2*(4*(d*(-a*b)^(1/2)+c*b)*a*c*d^2-4*(d*(-a*b)^(1/2)+c*b)*b*c^3-a^2*d^4+2*a*b*c^2*d^2+3*b^2*c^4)/((d*(-a*b)^(1/2)+c*b)/b-c)/b^3*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))-1/2*d^2*(-4*(d*(-a*b)^(1/2)-c*b)*a*c*d^2+4*(d*(-a*b)^(1/2)-c*b)*b*c^3-a^2*d^4+2*a*b*c^2*d^2+3*b^2*c^4)/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b^3*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))+(-4*c*d^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+8*c^2*d^2*cos(d*x+c))/b+2*c*d^2*(d*(-a*b)^(1/2)+c*b)/b*a*d^2-3*(d*(-a*b)^(1/2)+c*b)*c^2+2*a*c*d^2+2*b*c^3)/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b^2*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+2*c*d^2*(-(d*(-a*b)^(1/2)-c*b)/b*a*d^2+3*(d*(-a*b)^(1/2)-c*b)*c^2+2*a*c*d^2+2*b*c^3)/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-6*c^2*d^2/b*cos(d*x+c)+3*c^2*d^2*(2*(d*(-a*b)^(1/2)+c*b)*c-a*d^2-b*c^2)/((d*(-a*b)^(1/2)+c*b)/b-c)/b^2*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+3*c^2*d^2*(-2*(d*(-a*b)^(1/2)-c*b)*c-a*d^2-b*c^2)/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-2*c^3*d^2*(d*(-a*b)^(1/2)+c*b)/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+2*c^3*d^2*(d*(-a*b)^(1/2)-c*b)/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))

$$\begin{aligned} & \frac{1}{b} - \text{Ci}\left(\frac{d^2x + c + (d^2(-ab)^{1/2} - cb)}{b}\right) \sin\left(\frac{d^2(-ab)^{1/2} - cb}{b}\right) \\ & + c^4 d^2 \frac{1}{2} \left(\frac{d^2(-ab)^{1/2} + cb}{b - c} \right) \frac{1}{b} \left(\text{Si}\left(\frac{d^2x + c - (d^2(-ab)^{1/2} + cb)}{b}\right) \cos\left(\frac{d^2(-ab)^{1/2} + cb}{b}\right) \right. \\ & \left. + \text{Ci}\left(\frac{d^2x + c - (d^2(-ab)^{1/2} + cb)}{b}\right) \sin\left(\frac{d^2(-ab)^{1/2} + cb}{b}\right) \right) \\ & + \frac{1}{2} \left(-\frac{d^2(-ab)^{1/2} - cb}{b - c} \right) \frac{1}{b} \left(\text{Si}\left(\frac{d^2x + c + (d^2(-ab)^{1/2} - cb)}{b}\right) \cos\left(\frac{d^2(-ab)^{1/2} - cb}{b}\right) \right. \\ & \left. - \text{Ci}\left(\frac{d^2x + c + (d^2(-ab)^{1/2} - cb)}{b}\right) \sin\left(\frac{d^2(-ab)^{1/2} - cb}{b}\right) \right) \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^2+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sin(c + dx)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*sin(c + d*x))/(a + b*x^2),x)

[Out] int((x^4*sin(c + d*x))/(a + b*x^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(c + dx)}{a + bx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*sin(d*x+c)/(b*x**2+a),x)

[Out] Integral(x**4*sin(c + d*x)/(a + b*x**2), x)

$$3.58 \quad \int \frac{x^3 \sin(c+dx)}{a+bx^2} dx$$

Optimal. Leaf size=209

$$\frac{a \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b^2} - \frac{a \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^2} + \frac{a \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^2} - \frac{a \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^2}$$

[Out] $-x \cos(dx+c)/b/d-1/2*a*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(dx-d*(-a)^{(1/2)}/b^{(1/2)})/b^2-1/2*a*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(dx+d*(-a)^{(1/2)}/b^{(1/2)})/b^2+\sin(dx+c)/b/d^2-1/2*a*Ci(dx+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^2-1/2*a*Ci(-dx+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^2$

Rubi [A] time = 0.35, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3296, 2637, 3303, 3299, 3302}

$$\frac{a \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2b^2} - \frac{a \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^2} + \frac{a \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x^2), x]

[Out] $-((x*\text{Cos}[c + d*x])/(b*d)) - (a*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^2) - (a*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^2) + \text{Sin}[c + d*x]/(b*d^2) + (a*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(2*b^2) - (a*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(2*b^2)$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 3345

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^3 \sin(c + dx)}{a + bx^2} dx &= \int \left(\frac{x \sin(c + dx)}{b} - \frac{ax \sin(c + dx)}{b(a + bx^2)} \right) dx \\ &= \frac{\int x \sin(c + dx) dx}{b} - \frac{a \int \frac{x \sin(c + dx)}{a + bx^2} dx}{b} \\ &= -\frac{x \cos(c + dx)}{bd} - \frac{a \int \left(-\frac{\sin(c + dx)}{2\sqrt{b}(\sqrt{-a} - \sqrt{bx})} + \frac{\sin(c + dx)}{2\sqrt{b}(\sqrt{-a} + \sqrt{bx})} \right) dx}{b} + \frac{\int \cos(c + dx) dx}{bd} \\ &= -\frac{x \cos(c + dx)}{bd} + \frac{\sin(c + dx)}{bd^2} + \frac{a \int \frac{\sin(c + dx)}{\sqrt{-a} - \sqrt{bx}} dx}{2b^{3/2}} - \frac{a \int \frac{\sin(c + dx)}{\sqrt{-a} + \sqrt{bx}} dx}{2b^{3/2}} \\ &= -\frac{x \cos(c + dx)}{bd} + \frac{\sin(c + dx)}{bd^2} - \frac{\left(a \cos \left(c - \frac{\sqrt{-ad}}{\sqrt{b}} \right) \right) \int \frac{\sin \left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx \right)}{\sqrt{-a} + \sqrt{bx}} dx}{2b^{3/2}} - \frac{\left(a \cos \left(c + \frac{\sqrt{-ad}}{\sqrt{b}} \right) \right) \int \frac{\sin \left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx \right)}{\sqrt{-a} - \sqrt{bx}} dx}{2b^{3/2}} \\ &= -\frac{x \cos(c + dx)}{bd} - \frac{a \operatorname{Ci} \left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx \right) \sin \left(c - \frac{\sqrt{-ad}}{\sqrt{b}} \right)}{2b^2} - \frac{a \operatorname{Ci} \left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx \right) \sin \left(c + \frac{\sqrt{-ad}}{\sqrt{b}} \right)}{2b^2} + \frac{\sin(c + dx)}{bd} \end{aligned}$$

Mathematica [C] time = 0.43, size = 202, normalized size = 0.97

$$\frac{ad^2 \sin \left(c - \frac{i\sqrt{ad}}{\sqrt{b}} \right) \operatorname{Ci} \left(d \left(x + \frac{i\sqrt{a}}{\sqrt{b}} \right) \right) + ad^2 \sin \left(c + \frac{i\sqrt{ad}}{\sqrt{b}} \right) \operatorname{Ci} \left(d \left(x - \frac{i\sqrt{a}}{\sqrt{b}} \right) \right) + ad^2 \cos \left(c - \frac{i\sqrt{ad}}{\sqrt{b}} \right) \operatorname{Si} \left(d \left(x + \frac{i\sqrt{a}}{\sqrt{b}} \right) \right) - ad^2 \cos \left(c + \frac{i\sqrt{ad}}{\sqrt{b}} \right) \operatorname{Si} \left(d \left(x - \frac{i\sqrt{a}}{\sqrt{b}} \right) \right)}{2b^2 d^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x^2),x]

[Out] -1/2*(2*b*d*x*Cos[c + d*x] + a*d^2*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] + a*d^2*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] - 2*b*Sin[c + d*x] + a*d^2*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - a*d^2*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]/(b^2*d^2)

fricas [C] time = 0.74, size = 185, normalized size = 0.89

$$\frac{i ad^2 \operatorname{Ei} \left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c + \sqrt{\frac{ad^2}{b}} \right)} + i ad^2 \operatorname{Ei} \left(i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c - \sqrt{\frac{ad^2}{b}} \right)} - i ad^2 \operatorname{Ei} \left(-i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(-i c + \sqrt{\frac{ad^2}{b}} \right)} - i ad^2 \operatorname{Ei} \left(-i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(-i c - \sqrt{\frac{ad^2}{b}} \right)}}{4 b^2 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a),x, algorithm="fricas")

[Out] $\frac{1}{4} * (I * a * d^2 * Ei(I * d * x - \sqrt{a * d^2 / b}) * e^{(I * c + \sqrt{a * d^2 / b})} + I * a * d^2 * Ei(I * d * x + \sqrt{a * d^2 / b}) * e^{(I * c - \sqrt{a * d^2 / b})} - I * a * d^2 * Ei(-I * d * x - \sqrt{a * d^2 / b}) * e^{(-I * c + \sqrt{a * d^2 / b})} - I * a * d^2 * Ei(-I * d * x + \sqrt{a * d^2 / b}) * e^{(-I * c - \sqrt{a * d^2 / b})} - 4 * b * d * x * \cos(d * x + c) + 4 * b * \sin(d * x + c)) / (b^2 * d^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(dx + c)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a),x, algorithm="giac")

[Out] integrate(x^3*sin(d*x + c)/(b*x^2 + a), x)

maple [B] time = 0.06, size = 1184, normalized size = 5.67

$$\frac{d^2(\sin(dx+c)-(dx+c)\cos(dx+c))-2cd^2\cos(dx+c)}{b} - \frac{d^2\left(\frac{(d\sqrt{-ab+cb})ad^2}{b} - 3(d\sqrt{-ab+cb})c^2 + 2acd^2 + 2bc^3\right)\left(\operatorname{Si}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right)\cos\left(\frac{d\sqrt{-ab+cb}}{b}\right) + \operatorname{Ci}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right)\sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)\right)}{2b^2\left(\frac{d\sqrt{-ab+cb}}{b}-c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x^2+a),x)

[Out] $\frac{1}{d^4} * ((d^2 * (\sin(dx+c) - (dx+c) * \cos(dx+c)) - 2 * c * d^2 * \cos(dx+c)) / b - 1/2 * d^2 * ((d * (-a * b)^{(1/2)} + c * b) / b * a * d^2 - 3 * (d * (-a * b)^{(1/2)} + c * b) * c^2 + 2 * a * c * d^2 + 2 * b * c^3) / b^2 / ((d * (-a * b)^{(1/2)} + c * b) / b - c) * (\operatorname{Si}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b) + \operatorname{Ci}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b)) - 1/2 * d^2 * ((d * (-a * b)^{(1/2)} - c * b) / b * a * d^2 + 3 * (d * (-a * b)^{(1/2)} - c * b) * c^2 + 2 * a * c * d^2 + 2 * b * c^3) / b^2 / ((d * (-a * b)^{(1/2)} - c * b) / b - c) * (\operatorname{Si}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b) - \operatorname{Ci}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b)) + 3 * c * d^2 / b * \cos(dx+c) - 3/2 * c * d^2 * (2 * (d * (-a * b)^{(1/2)} + c * b) * c - a * d^2 - b * c^2) / b^2 / ((d * (-a * b)^{(1/2)} + c * b) / b - c) * (\operatorname{Si}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b) + \operatorname{Ci}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b)) - 3/2 * c * d^2 * (-2 * (d * (-a * b)^{(1/2)} - c * b) * c - a * d^2 - b * c^2) / b^2 / ((d * (-a * b)^{(1/2)} - c * b) / b - c) * (\operatorname{Si}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b) - \operatorname{Ci}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b)) + 3/2 * c^2 * d^2 * (d * (-a * b)^{(1/2)} + c * b) / b^2 / ((d * (-a * b)^{(1/2)} + c * b) / b - c) * (\operatorname{Si}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b) + \operatorname{Ci}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b)) - 3/2 * c^2 * d^2 * (d * (-a * b)^{(1/2)} - c * b) / b^2 / ((d * (-a * b)^{(1/2)} - c * b) / b - c) * (\operatorname{Si}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b) - \operatorname{Ci}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b)) - c^3 * d^2 * (1/2 / ((d * (-a * b)^{(1/2)} + c * b) / b - c) / b * (\operatorname{Si}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b) + \operatorname{Ci}(dx+c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b)) + 1/2 / ((d * (-a * b)^{(1/2)} - c * b) / b - c) / b * (\operatorname{Si}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b) - \operatorname{Ci}(dx+c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b))))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x^3*sin(c + d*x))/(a + b*x^2), x)`

[Out] `int((x^3*sin(c + d*x))/(a + b*x^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(c + dx)}{a + bx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*sin(d*x+c)/(b*x**2+a), x)`

[Out] `Integral(x**3*sin(c + d*x)/(a + b*x**2), x)`

$$3.59 \quad \int \frac{x^2 \sin(c+dx)}{a+bx^2} dx$$

Optimal. Leaf size=227

$$\frac{\sqrt{-a} \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^{3/2}} + \frac{\sqrt{-a} \sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{2b^{3/2}} - \frac{\sqrt{-a} \cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^{3/2}}$$

[Out] $-\cos(dx+c)/b/d+1/2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(dx-d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(3/2)}-1/2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(dx+d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(3/2)}-1/2*Ci(dx+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(3/2)}+1/2*Ci(-dx+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(3/2)}$

Rubi [A] time = 0.37, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 2638, 3333, 3303, 3299, 3302}

$$\frac{\sqrt{-a} \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{2b^{3/2}} + \frac{\sqrt{-a} \sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{2b^{3/2}} - \frac{\sqrt{-a} \cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sin[c + d*x])/(a + b*x^2), x]

[Out] $-(\text{Cos}[c + d*x]/(b*d)) - (\text{Sqrt}[-a]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^{(3/2)}) + (\text{Sqrt}[-a]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^{(3/2)}) - (\text{Sqrt}[-a]*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(2*b^{(3/2)}) - (\text{Sqrt}[-a]*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(2*b^{(3/2)})$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},

x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3345

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c + dx)}{a + bx^2} dx &= \int \left(\frac{\sin(c + dx)}{b} - \frac{a \sin(c + dx)}{b(a + bx^2)} \right) dx \\ &= \frac{\int \sin(c + dx) dx}{b} - \frac{a \int \frac{\sin(c + dx)}{a + bx^2} dx}{b} \\ &= -\frac{\cos(c + dx)}{bd} - \frac{a \int \left(\frac{\sqrt{-a} \sin(c + dx)}{2a(\sqrt{-a} - \sqrt{b}x)} + \frac{\sqrt{-a} \sin(c + dx)}{2a(\sqrt{-a} + \sqrt{b}x)} \right) dx}{b} \\ &= -\frac{\cos(c + dx)}{bd} - \frac{\sqrt{-a} \int \frac{\sin(c + dx)}{\sqrt{-a} - \sqrt{b}x} dx}{2b} - \frac{\sqrt{-a} \int \frac{\sin(c + dx)}{\sqrt{-a} + \sqrt{b}x} dx}{2b} \\ &= -\frac{\cos(c + dx)}{bd} - \frac{\left(\sqrt{-a} \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{\sqrt{-a} + \sqrt{b}x} dx}{2b} + \frac{\left(\sqrt{-a} \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{\sqrt{-a} - \sqrt{b}x} dx}{2b} \\ &= -\frac{\cos(c + dx)}{bd} - \frac{\sqrt{-a} \operatorname{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^{3/2}} + \frac{\sqrt{-a} \operatorname{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.36, size = 216, normalized size = 0.95

$$\frac{i\sqrt{a}d \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \operatorname{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - i\sqrt{a}d \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \operatorname{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + i\sqrt{a}d \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \operatorname{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - i\sqrt{a}d \cos\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \operatorname{Si}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)}{2b^{3/2}d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x^2), x]

[Out] -1/2*(2*Sqrt[b]*Cos[c + d*x] + I*Sqrt[a]*d*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] - I*Sqrt[a]*d*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] + I*Sqrt[a]*d*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + I*Sqrt[a]*d*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/(b^(3/2)*d)

fricas [C] time = 0.65, size = 195, normalized size = 0.86

$$\frac{\sqrt{\frac{ad^2}{b}} \operatorname{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c + \sqrt{\frac{ad^2}{b}} \right)} - \sqrt{\frac{ad^2}{b}} \operatorname{Ei}\left(i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c - \sqrt{\frac{ad^2}{b}} \right)} + \sqrt{\frac{ad^2}{b}} \operatorname{Ei}\left(-i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(-i c + \sqrt{\frac{ad^2}{b}} \right)} - \sqrt{\frac{ad^2}{b}} \operatorname{Ei}\left(-i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(-i c - \sqrt{\frac{ad^2}{b}} \right)}}{4bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a), x, algorithm="fricas")

[Out] $-1/4*\sqrt{a*d^2/b}*Ei(I*d*x - \sqrt{a*d^2/b})*e^{(I*c + \sqrt{a*d^2/b})} - \sqrt{a*d^2/b}*Ei(I*d*x + \sqrt{a*d^2/b})*e^{(I*c - \sqrt{a*d^2/b})} + \sqrt{a*d^2/b}*Ei(-I*d*x - \sqrt{a*d^2/b})*e^{(-I*c + \sqrt{a*d^2/b})} - \sqrt{a*d^2/b}*Ei(-I*d*x + \sqrt{a*d^2/b})*e^{(-I*c - \sqrt{a*d^2/b})} + 4*\cos(d*x + c)/(b*d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(dx + c)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a),x, algorithm="giac")

[Out] integrate(x^2*sin(d*x + c)/(b*x^2 + a), x)

maple [B] time = 0.05, size = 798, normalized size = 3.52

$$-\frac{d^2 \cos(dx+c)}{b} + \frac{d^2(2(d\sqrt{-ab+cb})c-a d^2-b c^2)\left(\operatorname{Si}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right)\cos\left(\frac{d\sqrt{-ab+cb}}{b}\right)+\operatorname{Ci}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right)\sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)\right)}{2b^2\left(\frac{d\sqrt{-ab+cb}}{b}-c\right)} + \frac{d^2(-2(d\sqrt{-ab+cb})c-a d^2-b c^2)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x^2+a),x)

[Out] $1/d^3*(-d^2/b*\cos(d*x+c)+1/2*d^2*(2*(d*(-a*b)^(1/2)+c*b)*c-a*d^2-b*c^2)/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*\cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*\sin((d*(-a*b)^(1/2)+c*b)/b))+1/2*d^2*(-2*(d*(-a*b)^(1/2)-c*b)*c-a*d^2-b*c^2)/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*\cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*\sin((d*(-a*b)^(1/2)-c*b)/b))-c*d^2*(d*(-a*b)^(1/2)+c*b)/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*\cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*\sin((d*(-a*b)^(1/2)+c*b)/b))+c*d^2*(d*(-a*b)^(1/2)-c*b)/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*\cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*\sin((d*(-a*b)^(1/2)-c*b)/b))+c^2*d^2*(1/2)/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*\cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*\sin((d*(-a*b)^(1/2)+c*b)/b))+1/2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*\cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*\sin((d*(-a*b)^(1/2)-c*b)/b))))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x^2),x)

[Out] int((x^2*sin(c + d*x))/(a + b*x^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(c + dx)}{a + bx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x**2+a),x)

[Out] Integral(x**2*sin(c + d*x)/(a + b*x**2), x)

$$3.60 \quad \int \frac{x \sin(c+dx)}{a+bx^2} dx$$

Optimal. Leaf size=177

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b} + \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b} - \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b} + \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b}$$

[Out] 1/2*cos(c+d*(-a)^(1/2)/b^(1/2))*Si(d*x-d*(-a)^(1/2)/b^(1/2))/b+1/2*cos(c-d*(-a)^(1/2)/b^(1/2))*Si(d*x+d*(-a)^(1/2)/b^(1/2))/b+1/2*Ci(d*x+d*(-a)^(1/2)/b^(1/2))*sin(c-d*(-a)^(1/2)/b^(1/2))/b+1/2*Ci(-d*x+d*(-a)^(1/2)/b^(1/2))*sin(c+d*(-a)^(1/2)/b^(1/2))/b

Rubi [A] time = 0.25, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {3345, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2b} + \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b} - \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b} + \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[(x*Sin[c + d*x])/(a + b*x^2), x]

[Out] (CosIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x]*Sin[c - (Sqrt[-a]*d)/Sqrt[b]])/(2*b) + (CosIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x]*Sin[c + (Sqrt[-a]*d)/Sqrt[b]])/(2*b) - (Cos[c + (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x])/(2*b) + (Cos[c - (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x])/(2*b)

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3345

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{x \sin(c + dx)}{a + bx^2} dx &= \int \left(-\frac{\sin(c + dx)}{2\sqrt{b}(\sqrt{-a} - \sqrt{b}x)} + \frac{\sin(c + dx)}{2\sqrt{b}(\sqrt{-a} + \sqrt{b}x)} \right) dx \\
&= -\frac{\int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2\sqrt{b}} + \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2\sqrt{b}} \\
&= \frac{\cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{\sqrt{-a} + \sqrt{b}x} dx}{2\sqrt{b}} + \frac{\cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{\sqrt{-a} - \sqrt{b}x} dx}{2\sqrt{b}} + \frac{\sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{\cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{\sqrt{-a} + \sqrt{b}x} dx}{2\sqrt{b}} \\
&= \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b} + \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b} - \frac{\cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{2b}
\end{aligned}$$

Mathematica [C] time = 0.22, size = 163, normalized size = 0.92

$$\frac{\sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \cos\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)}{2b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x^2), x]

[Out] (CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] + CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] + Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/(2*b)

fricas [C] time = 0.65, size = 146, normalized size = 0.82

$$\frac{-i \text{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}}\right) e^{\left(i c + \sqrt{\frac{ad^2}{b}}\right)} - i \text{Ei}\left(i dx + \sqrt{\frac{ad^2}{b}}\right) e^{\left(i c - \sqrt{\frac{ad^2}{b}}\right)} + i \text{Ei}\left(-i dx - \sqrt{\frac{ad^2}{b}}\right) e^{\left(-i c + \sqrt{\frac{ad^2}{b}}\right)} + i \text{Ei}\left(-i dx + \sqrt{\frac{ad^2}{b}}\right) e^{\left(-i c - \sqrt{\frac{ad^2}{b}}\right)}}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^2+a), x, algorithm="fricas")

[Out] 1/4*(-I*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - I*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + I*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) + I*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(dx + c)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^2+a), x, algorithm="giac")

[Out] integrate(x*sin(d*x + c)/(b*x^2 + a), x)

maple [B] time = 0.04, size = 494, normalized size = 2.79

$$\frac{d^2(d\sqrt{-ab}+cb)\left(\text{Si}\left(dx+c-\frac{d\sqrt{-ab}+cb}{b}\right)\cos\left(\frac{d\sqrt{-ab}+cb}{b}\right)+\text{Ci}\left(dx+c-\frac{d\sqrt{-ab}+cb}{b}\right)\sin\left(\frac{d\sqrt{-ab}+cb}{b}\right)\right)}{2b^2\left(\frac{d\sqrt{-ab}+cb}{b}-c\right)} - \frac{d^2(d\sqrt{-ab}-cb)\left(\text{Si}\left(dx+c+\frac{d\sqrt{-ab}-cb}{b}\right)\cos\left(\frac{d\sqrt{-ab}-cb}{b}\right)\right)}{2b^2\left(-\frac{d\sqrt{-ab}-cb}{b}-c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(d*x+c)/(b*x^2+a),x)`

[Out]
$$\frac{1}{d^2} \left(\frac{1}{2} d^2 \frac{(d(-ab)^{1/2} + cb)}{b^2} \left(\frac{(d(-ab)^{1/2} + cb)}{b-c} \right) \left(\text{Si}(d*x + c - \frac{(d(-ab)^{1/2} + cb)}{b}) \cos\left(\frac{(d(-ab)^{1/2} + cb)}{b}\right) + \text{Ci}(d*x + c - \frac{(d(-ab)^{1/2} + cb)}{b}) \sin\left(\frac{(d(-ab)^{1/2} + cb)}{b}\right) - \frac{1}{2} d^2 \frac{(d(-ab)^{1/2} - cb)}{b^2} \left(\frac{(d(-ab)^{1/2} - cb)}{b-c} \right) \left(\text{Si}(d*x + c + \frac{(d(-ab)^{1/2} - cb)}{b}) \cos\left(\frac{(d(-ab)^{1/2} - cb)}{b}\right) - \text{Ci}(d*x + c + \frac{(d(-ab)^{1/2} - cb)}{b}) \sin\left(\frac{(d(-ab)^{1/2} - cb)}{b}\right) \right) - d^2 c \frac{1}{2} \left(\frac{(d(-ab)^{1/2} + cb)}{b-c} \right) \frac{1}{b} \left(\text{Si}(d*x + c - \frac{(d(-ab)^{1/2} + cb)}{b}) \cos\left(\frac{(d(-ab)^{1/2} + cb)}{b}\right) + \text{Ci}(d*x + c - \frac{(d(-ab)^{1/2} + cb)}{b}) \sin\left(\frac{(d(-ab)^{1/2} + cb)}{b}\right) \right) + \frac{1}{2} \left(\frac{(d(-ab)^{1/2} - cb)}{b-c} \right) \frac{1}{b} \left(\text{Si}(d*x + c + \frac{(d(-ab)^{1/2} - cb)}{b}) \cos\left(\frac{(d(-ab)^{1/2} - cb)}{b}\right) - \text{Ci}(d*x + c + \frac{(d(-ab)^{1/2} - cb)}{b}) \sin\left(\frac{(d(-ab)^{1/2} - cb)}{b}\right) \right) \right)$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(d*x+c)/(b*x^2+a),x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x \sin(c + dx)}{bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*sin(c + d*x))/(a + b*x^2),x)`

[Out] `int((x*sin(c + d*x))/(a + b*x^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(c + dx)}{a + bx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(d*x+c)/(b*x**2+a),x)`

[Out] `Integral(x*sin(c + d*x)/(a + b*x**2), x)`

3.61 $\int \frac{\sin(c+dx)}{a+bx^2} dx$

Optimal. Leaf size=213

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2\sqrt{-a}\sqrt{b}} + \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2\sqrt{-a}\sqrt{b}} - \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2\sqrt{-a}\sqrt{b}} - \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2\sqrt{-a}\sqrt{b}}$$

[Out] $1/2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(1/2)}/b^{(1/2)}-1/2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(1/2)}/b^{(1/2)}-1/2*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(1/2)}/b^{(1/2)}+1/2*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.24, antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3333, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2\sqrt{-a}\sqrt{b}} + \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2\sqrt{-a}\sqrt{b}} - \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2\sqrt{-a}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*x^2), x]

[Out] $-(\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*\text{Sqrt}[-a]*\text{Sqrt}[b]) + (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*\text{Sqrt}[-a]*\text{Sqrt}[b]) - (\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(2*\text{Sqrt}[-a]*\text{Sqrt}[b]) - (\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(2*\text{Sqrt}[-a]*\text{Sqrt}[b])$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{a+bx^2} dx &= \int \left(\frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx \\
&= -\frac{\int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2\sqrt{-a}} - \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2\sqrt{-a}} \\
&= -\frac{\cos\left(c-\frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{\sqrt{-a}+\sqrt{b}x} dx}{2\sqrt{-a}} + \frac{\cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{\sqrt{-a}-\sqrt{b}x} dx}{2\sqrt{-a}} - \frac{\sin\left(c-\frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{1}{\sqrt{-a}+\sqrt{b}x} dx}{2\sqrt{-a}} \\
&= -\frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right) \sin\left(c-\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2\sqrt{-a}\sqrt{b}} + \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right) \sin\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2\sqrt{-a}\sqrt{b}} - \frac{\cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{2\sqrt{-a}\sqrt{b}}
\end{aligned}$$

Mathematica [C] time = 0.21, size = 172, normalized size = 0.81

$$\frac{i\left(\sin\left(c-\frac{i\sqrt{a}d}{\sqrt{b}}\right)\text{Ci}\left(d\left(x+\frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \sin\left(c+\frac{i\sqrt{a}d}{\sqrt{b}}\right)\text{Ci}\left(d\left(x-\frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \cos\left(c-\frac{i\sqrt{a}d}{\sqrt{b}}\right)\text{Si}\left(d\left(x+\frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \cos\left(c+\frac{i\sqrt{a}d}{\sqrt{b}}\right)\text{Si}\left(d\left(x-\frac{i\sqrt{a}}{\sqrt{b}}\right)\right)}{2\sqrt{a}\sqrt{b}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(a + b*x^2), x]

[Out] ((I/2)*(CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] - CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] + Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x))/(Sqrt[a]*Sqrt[b])

fricas [C] time = 0.85, size = 187, normalized size = 0.88

$$\frac{\sqrt{\frac{ad^2}{b}} \text{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c + \sqrt{\frac{ad^2}{b}} \right)} - \sqrt{\frac{ad^2}{b}} \text{Ei}\left(i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c - \sqrt{\frac{ad^2}{b}} \right)} + \sqrt{\frac{ad^2}{b}} \text{Ei}\left(-i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(-i c + \sqrt{\frac{ad^2}{b}} \right)} - \sqrt{\frac{ad^2}{b}} \text{Ei}\left(-i dx + \sqrt{\frac{ad^2}{b}} \right) e^{\left(-i c - \sqrt{\frac{ad^2}{b}} \right)}}{4ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a), x, algorithm="fricas")

[Out] 1/4*(sqrt(a*d^2/b)*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - sqrt(a*d^2/b)*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + sqrt(a*d^2/b)*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) - sqrt(a*d^2/b)*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)))/(a*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{bx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a), x, algorithm="giac")

[Out] integrate(sin(d*x + c)/(b*x^2 + a), x)

maple [A] time = 0.03, size = 229, normalized size = 1.08

$$d \left(\frac{\text{Si}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right) \cos\left(\frac{d\sqrt{-ab+cb}}{b}\right) + \text{Ci}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right) \sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)}{2\left(\frac{d\sqrt{-ab+cb}}{b}-c\right)b} + \frac{\text{Si}\left(dx+c+\frac{d\sqrt{-ab-cb}}{b}\right) \cos\left(\frac{d\sqrt{-ab-cb}}{b}\right) + \text{Ci}\left(dx+c+\frac{d\sqrt{-ab-cb}}{b}\right) \sin\left(\frac{d\sqrt{-ab-cb}}{b}\right)}{2\left(\frac{d\sqrt{-ab-cb}}{b}-c\right)b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/(b*x^2+a),x)`

[Out] $d*(1/2/((d*(-a*b)^{(1/2)}+c*b)/b-c)/b*(\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\cos((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\sin((d*(-a*b)^{(1/2)}+c*b)/b))+1/2/(-(d*(-a*b)^{(1/2)}-c*b)/b-c)/b*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b)^{(1/2)}-c*b)/b)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{bx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(b*x^2+a),x, algorithm="maxima")`

[Out] `integrate(sin(d*x + c)/(b*x^2 + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{bx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c+d*x)/(a+b*x^2),x)`

[Out] `int(sin(c+d*x)/(a+b*x^2),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c+dx)}{a+bx^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(b*x**2+a),x)`

[Out] `Integral(sin(c+d*x)/(a+b*x**2),x)`

3.62 $\int \frac{\sin(c+dx)}{x(a+bx^2)} dx$

Optimal. Leaf size=197

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right) - \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a} + \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) - \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2a}$$

[Out] $\cos(c) \text{Si}(d*x)/a - 1/2 \cos(c+d*(-a)^{(1/2)}/b^{(1/2)}) \text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/a - 1/2 \cos(c-d*(-a)^{(1/2)}/b^{(1/2)}) \text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/a + \text{Ci}(d*x) \sin(c)/a - 1/2 \text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a - 1/2 \text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a$

Rubi [A] time = 0.38, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {3345, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right) - \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a} + \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) - \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2a}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x*(a + b*x^2)), x]

[Out] $(\text{CosIntegral}[d*x] \text{Sin}[c])/a - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x] \text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*a) - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x] \text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*a) + (\text{Cos}[c] \text{SinIntegral}[d*x])/a + (\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(2*a) - (\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(2*a)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3345

Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x(a+bx^2)} dx &= \int \left(\frac{\sin(c+dx)}{ax} - \frac{bx \sin(c+dx)}{a(a+bx^2)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x} dx}{a} - \frac{b \int \frac{x \sin(c+dx)}{a+bx^2} dx}{a} \\
&= -\frac{b \int \left(-\frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{b}x)} \right) dx}{a} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a} + \frac{\sin(c) \int \frac{\cos(dx)}{x} dx}{a} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a} + \frac{\cos(c) \text{Si}(dx)}{a} + \frac{\sqrt{b} \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2a} - \frac{\sqrt{b} \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2a} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a} + \frac{\cos(c) \text{Si}(dx)}{a} - \frac{\left(\sqrt{b} \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{\sqrt{-a}+\sqrt{b}x} dx \right)}{2a} - \frac{\left(\sqrt{b} \cos\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{\sqrt{-a}-\sqrt{b}x} dx \right)}{2a} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a} - \frac{\text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a} - \frac{\text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a} + \frac{\cos(c) \text{Si}(dx)}{a}
\end{aligned}$$

Mathematica [C] time = 0.37, size = 179, normalized size = 0.91

$$\frac{\sin\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \sin\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \cos\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \cos\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)}{2a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x^2)),x]

[Out] -1/2*(-2*CosIntegral[d*x]*Sin[c] + CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] + CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] - 2*Cos[c]*SinIntegral[d*x] + Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/a

fricas [C] time = 0.75, size = 168, normalized size = 0.85

$$\frac{-2i \text{Ei}(i dx) e^{(ic)} + 2i \text{Ei}(-i dx) e^{(-ic)} + i \text{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}}\right) e^{i\left(c + \sqrt{\frac{ad^2}{b}}\right)} + i \text{Ei}\left(i dx + \sqrt{\frac{ad^2}{b}}\right) e^{i\left(c - \sqrt{\frac{ad^2}{b}}\right)} - i \text{Ei}(-i dx)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^2+a),x, algorithm="fricas")

[Out] 1/4*(-2*I*Ei(I*d*x)*e^(I*c) + 2*I*Ei(-I*d*x)*e^(-I*c) + I*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) + I*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) - I*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) - I*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)))/a

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^2+a),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)*x), x)

maple [A] time = 0.04, size = 200, normalized size = 1.02

$$\frac{\operatorname{Si}\left(dx + c - \frac{d\sqrt{-ab+cb}}{b}\right) \cos\left(\frac{d\sqrt{-ab+cb}}{b}\right) + \operatorname{Ci}\left(dx + c - \frac{d\sqrt{-ab+cb}}{b}\right) \sin\left(\frac{d\sqrt{-ab+cb}}{b}\right) - \operatorname{Si}\left(dx + c + \frac{d\sqrt{-ab-cb}}{b}\right) \cos\left(\frac{d\sqrt{-ab-cb}}{b}\right) - \operatorname{Ci}\left(dx + c + \frac{d\sqrt{-ab-cb}}{b}\right) \sin\left(\frac{d\sqrt{-ab-cb}}{b}\right)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x/(b*x^2+a), x)

[Out] -1/2/a*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))-1/2/a*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))+1/a*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^2+a), x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx)}{x(bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x*(a + b*x^2)), x)

[Out] int(sin(c + d*x)/(x*(a + b*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x(a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x**2+a), x)

[Out] Integral(sin(c + d*x)/(x*(a + b*x**2)), x)

3.63 $\int \frac{\sin(c+dx)}{x^2(a+bx^2)} dx$

Optimal. Leaf size=250

$$\frac{\sqrt{b} \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2(-a)^{3/2}} + \frac{\sqrt{b} \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2(-a)^{3/2}} - \frac{\sqrt{b} \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2(-a)^{3/2}} - \frac{\sqrt{b} \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2(-a)^{3/2}}$$

[Out] d*Ci(d*x)*cos(c)/a-d*Si(d*x)*sin(c)/a-sin(d*x+c)/a/x+1/2*cos(c+d*(-a)^(1/2)/b^(1/2))*Si(d*x-d*(-a)^(1/2)/b^(1/2))*b^(1/2)/(-a)^(3/2)-1/2*cos(c-d*(-a)^(1/2)/b^(1/2))*Si(d*x+d*(-a)^(1/2)/b^(1/2))*b^(1/2)/(-a)^(3/2)-1/2*Ci(d*x+d*(-a)^(1/2)/b^(1/2))*sin(c-d*(-a)^(1/2)/b^(1/2))*b^(1/2)/(-a)^(3/2)+1/2*Ci(-d*x+d*(-a)^(1/2)/b^(1/2))*sin(c+d*(-a)^(1/2)/b^(1/2))*b^(1/2)/(-a)^(3/2)

Rubi [A] time = 0.49, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3297, 3303, 3299, 3302, 3333}

$$\frac{\sqrt{b} \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2(-a)^{3/2}} + \frac{\sqrt{b} \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2(-a)^{3/2}} - \frac{\sqrt{b} \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2(-a)^{3/2}} - \frac{\sqrt{b} \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2(-a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^2*(a + b*x^2)),x]

[Out] (d*cos[c]*CosIntegral[d*x])/a - (Sqrt[b]*CosIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x]*Sin[c - (Sqrt[-a]*d)/Sqrt[b]])/(2*(-a)^(3/2)) + (Sqrt[b]*CosIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x]*Sin[c + (Sqrt[-a]*d)/Sqrt[b]])/(2*(-a)^(3/2)) - Sin[c + d*x]/(a*x) - (d*sin[c]*SinIntegral[d*x])/a - (Sqrt[b]*Cos[c + (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x])/(2*(-a)^(3/2)) - (Sqrt[b]*Cos[c - (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x])/(2*(-a)^(3/2))

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_) + (d_.)*(x_)], x_Symbol] := Int [ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3345

Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_) + (d_.)*(x_)], x_Symbol] := Int [ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{x^2(a+bx^2)} dx &= \int \left(\frac{\sin(c+dx)}{ax^2} - \frac{b \sin(c+dx)}{a(a+bx^2)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{x^2} dx}{a} - \frac{b \int \frac{\sin(c+dx)}{a+bx^2} dx}{a} \\ &= -\frac{\sin(c+dx)}{ax} - \frac{b \int \left(\frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx}{a} + \frac{d \int \frac{\cos(c+dx)}{x} dx}{a} \\ &= -\frac{\sin(c+dx)}{ax} - \frac{b \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2(-a)^{3/2}} - \frac{b \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2(-a)^{3/2}} + \frac{(d \cos(c)) \int \frac{\cos(dx)}{x} dx}{a} - \frac{(d \sin(c))}{a} \\ &= \frac{d \cos(c) \text{Ci}(dx)}{a} - \frac{\sin(c+dx)}{ax} - \frac{d \sin(c) \text{Si}(dx)}{a} - \frac{\left(b \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{\sqrt{-a}+\sqrt{b}x} dx}{2(-a)^{3/2}} + \frac{d \sin(c)}{a} \\ &= \frac{d \cos(c) \text{Ci}(dx)}{a} - \frac{\sqrt{b} \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2(-a)^{3/2}} + \frac{\sqrt{b} \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right) \sin\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2(-a)^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.52, size = 238, normalized size = 0.95

$$\frac{d \cos(c) \text{Ci}(dx)}{a} - \frac{i \left(\sqrt{b} x \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \sqrt{b} x \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \sqrt{b} x \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \sqrt{b} x \cos\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) \right)}{2(-a)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x^2)),x]

[Out] (d*Cos[c]*CosIntegral[d*x])/a - ((I/2)*(Sqrt[b]*x*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] - Sqrt[b]*x*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]] - (2*I)*Sqrt[a]*Sin[c + d*x] - (2*I)*Sqrt[a]*d*x*Sin[c]*SinIntegral[d*x] + Sqrt[b]*x*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + Sqrt[b]*x*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/(a^(3/2)*x)

fricas [C] time = 0.69, size = 240, normalized size = 0.96

$$\frac{2ad^2x \text{Ei}(idx) e^{ic} + 2ad^2x \text{Ei}(-idx) e^{-ic} - \sqrt{\frac{ad^2}{b}} bx \text{Ei}\left(idx - \sqrt{\frac{ad^2}{b}}\right) e^{ic + \sqrt{\frac{ad^2}{b}}} + \sqrt{\frac{ad^2}{b}} bx \text{Ei}\left(idx + \sqrt{\frac{ad^2}{b}}\right) e^{ic - \sqrt{\frac{ad^2}{b}}}}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a),x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*a*d^2*x*Ei(I*d*x)*e^{(I*c)} + 2*a*d^2*x*Ei(-I*d*x)*e^{(-I*c)} - \sqrt{a*d^2/b}*b*x*Ei(I*d*x - \sqrt{a*d^2/b})*e^{(I*c + \sqrt{a*d^2/b})} + \sqrt{a*d^2/b}*b*x*Ei(I*d*x + \sqrt{a*d^2/b})*e^{(I*c - \sqrt{a*d^2/b})} - \sqrt{a*d^2/b}*b*x*Ei(-I*d*x - \sqrt{a*d^2/b})*e^{(-I*c + \sqrt{a*d^2/b})} + \sqrt{a*d^2/b}*b*x*Ei(-I*d*x + \sqrt{a*d^2/b})*e^{(-I*c - \sqrt{a*d^2/b})} - 4*a*d*\sin(d*x + c))/(a^2*d*x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)*x^2), x)

maple [A] time = 0.04, size = 270, normalized size = 1.08

$$d \left(\frac{-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c)}{a} - \frac{b \left(\frac{\text{Si}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right) \cos\left(\frac{d\sqrt{-ab+cb}}{b}\right) + \text{Ci}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right) \sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)}{2\left(\frac{d\sqrt{-ab+cb}}{b}-c\right)b} + \frac{\text{Si}\left(dx+c+\frac{d\sqrt{-ab+cb}}{b}\right) \cos\left(\frac{d\sqrt{-ab+cb}}{b}\right) + \text{Ci}\left(dx+c+\frac{d\sqrt{-ab+cb}}{b}\right) \sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)}{2\left(\frac{d\sqrt{-ab+cb}}{b}+c\right)b} \right)}{a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x^2+a),x)

[Out] $d*(1/a*(-\sin(d*x+c)/x/d-\text{Si}(d*x)*\sin(c)+\text{Ci}(d*x)*\cos(c))-b/a*(1/2/((d*(-a*b)^{(1/2)+c*b})/b-c)/b*(\text{Si}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\cos((d*(-a*b)^{(1/2)+c*b})/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\sin((d*(-a*b)^{(1/2)+c*b})/b))+1/2/(-(d*(-a*b)^{(1/2)-c*b})/b-c)/b*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\cos((d*(-a*b)^{(1/2)-c*b})/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a),x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x^2 (bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^2*(a + b*x^2)),x)

[Out] int(sin(c + d*x)/(x^2*(a + b*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x^2(a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x**2/(b*x**2+a), x)
```

```
[Out] Integral(sin(c + d*x)/(x**2*(a + b*x**2)), x)
```

3.64 $\int \frac{\sin(c+dx)}{x^3(a+bx^2)} dx$

Optimal. Leaf size=270

$$-\frac{b \sin(c) \operatorname{Ci}(dx)}{a^2} + \frac{b \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^2} + \frac{b \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2} - \frac{b \cos(c) \operatorname{Si}(dx)}{a^2} - \frac{b \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{a^2}$$

[Out] $-1/2*d*\cos(d*x+c)/a/x-b*\cos(c)*\operatorname{Si}(d*x)/a^2-1/2*d^2*\cos(c)*\operatorname{Si}(d*x)/a+1/2*b*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/a^2+1/2*b*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/a^2-b*\operatorname{Ci}(d*x)*\sin(c)/a^2-1/2*d^2*\operatorname{Ci}(d*x)*\sin(c)/a-1/2*\sin(d*x+c)/a/x^2+1/2*b*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^2+1/2*b*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^2$

Rubi [A] time = 0.51, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 5, integrand size = 19, number of rules / integrand size = 0.263, Rules used = {3345, 3297, 3303, 3299, 3302}

$$-\frac{b \sin(c) \operatorname{CosIntegral}(dx)}{a^2} + \frac{b \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2a^2} + \frac{b \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^3*(a + b*x^2)), x]

[Out] $-(d*\operatorname{Cos}[c + d*x])/(2*a*x) - (b*\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/a^2 - (d^2*\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/(2*a) + (b*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x]*\operatorname{Sin}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(2*a^2) + (b*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x]*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(2*a^2) - \operatorname{Sin}[c + d*x]/(2*a*x^2) - (b*\operatorname{Cos}[c]*\operatorname{SinIntegral}[d*x])/a^2 - (d^2*\operatorname{Cos}[c]*\operatorname{SinIntegral}[d*x])/(2*a) - (b*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(2*a^2) + (b*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(2*a^2)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3345

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Sym
bol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{x^3(a+bx^2)} dx &= \int \left(\frac{\sin(c+dx)}{ax^3} - \frac{b \sin(c+dx)}{a^2x} + \frac{b^2x \sin(c+dx)}{a^2(a+bx^2)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{x^3} dx}{a} - \frac{b \int \frac{\sin(c+dx)}{x} dx}{a^2} + \frac{b^2 \int \frac{x \sin(c+dx)}{a+bx^2} dx}{a^2} \\ &= -\frac{\sin(c+dx)}{2ax^2} + \frac{b^2 \int \left(-\frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{bx})} + \frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{bx})} \right) dx}{a^2} + \frac{d \int \frac{\cos(c+dx)}{x^2} dx}{2a} - \frac{(b \cos(c))}{2a} \\ &= -\frac{d \cos(c+dx)}{2ax} - \frac{b \text{Ci}(dx) \sin(c)}{a^2} - \frac{\sin(c+dx)}{2ax^2} - \frac{b \cos(c) \text{Si}(dx)}{a^2} - \frac{b^{3/2} \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{2a^2} + \frac{b \cos(c)}{2a} \\ &= -\frac{d \cos(c+dx)}{2ax} - \frac{b \text{Ci}(dx) \sin(c)}{a^2} - \frac{\sin(c+dx)}{2ax^2} - \frac{b \cos(c) \text{Si}(dx)}{a^2} - \frac{(d^2 \cos(c)) \int \frac{\sin(dx)}{x} dx}{2a} \\ &= -\frac{d \cos(c+dx)}{2ax} - \frac{b \text{Ci}(dx) \sin(c)}{a^2} - \frac{d^2 \text{Ci}(dx) \sin(c)}{2a} + \frac{b \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2a^2} + \frac{b \cos(c)}{2a} \end{aligned}$$

Mathematica [C] time = 0.69, size = 247, normalized size = 0.91

$$\frac{x^2 \sin(c) (ad^2 + 2b) \text{Ci}(dx) - bx^2 \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - bx^2 \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - bx^2 \sin(c) (ad^2 + 2b) \text{Ci}(dx)}{2a^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sin[c + d*x]/(x^3*(a + b*x^2)), x]
```

```
[Out] -1/2*(a*d*x*Cos[c + d*x] + (2*b + a*d^2)*x^2*CosIntegral[d*x]*Sin[c] - b*x^
2*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]] -
b*x^2*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sin[c + (I*Sqrt[a]*d)/Sq
rt[b]] + a*Sin[c + d*x] + 2*b*x^2*Cos[c]*SinIntegral[d*x] + a*d^2*x^2*Cos[c
]*SinIntegral[d*x] - b*x^2*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I
*Sqrt[a])/Sqrt[b] + x)] + b*x^2*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[
(I*Sqrt[a]*d)/Sqrt[b] - d*x])/(a^2*x^2)
```

fricas [C] time = 0.91, size = 231, normalized size = 0.86

$$\frac{i(ad^2 + 2b)x^2 \text{Ei}(idx) e^{ic} - i(ad^2 + 2b)x^2 \text{Ei}(-idx) e^{-ic} - ibx^2 \text{Ei}\left(idx - \sqrt{\frac{ad^2}{b}}\right) e^{ic + \sqrt{\frac{ad^2}{b}}} - ibx^2 \text{Ei}\left(idx + \sqrt{\frac{ad^2}{b}}\right) e^{-ic - \sqrt{\frac{ad^2}{b}}}}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x^3/(b*x^2+a), x, algorithm="fricas")
```

```
[Out] 1/4*(I*(a*d^2 + 2*b)*x^2*Ei(I*d*x)*e^(I*c) - I*(a*d^2 + 2*b)*x^2*Ei(-I*d*x)
*e^(-I*c) - I*b*x^2*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - I*b
```

$*x^2*Ei(I*d*x + \sqrt{a*d^2/b})*e^{(I*c - \sqrt{a*d^2/b})} + I*b*x^2*Ei(-I*d*x - \sqrt{a*d^2/b})*e^{(-I*c + \sqrt{a*d^2/b})} + I*b*x^2*Ei(-I*d*x + \sqrt{a*d^2/b})*e^{(-I*c - \sqrt{a*d^2/b})} - 2*a*d*x*\cos(dx + c) - 2*a*\sin(dx + c)/(a^2*x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^2+a),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)*x^3), x)

maple [A] time = 0.06, size = 259, normalized size = 0.96

$$d^2 \left(-\frac{\sin(dx + c)}{2ax^2d^2} - \frac{\cos(dx + c)}{2axd} + \frac{b \left(\text{Si} \left(dx + c - \frac{d\sqrt{-ab+cb}}{b} \right) \cos \left(\frac{d\sqrt{-ab+cb}}{b} \right) + \text{Ci} \left(dx + c - \frac{d\sqrt{-ab+cb}}{b} \right) \sin \left(\frac{d\sqrt{-ab+cb}}{b} \right) \right)}{2d^2a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^3/(b*x^2+a),x)

[Out] $d^2*(-1/2*\sin(dx+c)/a/x^2/d^2-1/2*\cos(dx+c)/a/x/d+1/2*b/d^2/a^2*(\text{Si}(dx+c-(d*(-a*b)^{(1/2)+c*b}/b)*\cos((d*(-a*b)^{(1/2)+c*b}/b)+\text{Ci}(dx+c-(d*(-a*b)^{(1/2)+c*b}/b)*\sin((d*(-a*b)^{(1/2)+c*b}/b))+1/2*b/d^2/a^2*(\text{Si}(dx+c+(d*(-a*b)^{(1/2)-c*b}/b)*\cos((d*(-a*b)^{(1/2)-c*b}/b)-\text{Ci}(dx+c+(d*(-a*b)^{(1/2)-c*b}/b)*\sin((d*(-a*b)^{(1/2)-c*b}/b))-1/2/a^2*(a*d^2+2*b)/d^2*(\text{Si}(d*x)*\cos(c)+\text{Ci}(d*x)*\sin(c)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^2+a),x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x^3 (bx^2 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^3*(a + b*x^2)),x)

[Out] int(sin(c + d*x)/(x^3*(a + b*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x^3 (a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x**3/(b*x**2+a),x)

[Out] Integral(sin(c + d*x)/(x**3*(a + b*x**2)), x)

$$3.65 \quad \int \frac{x^4 \sin(c+dx)}{(a+bx^2)^2} dx$$

Optimal. Leaf size=450

$$\frac{3\sqrt{-a} \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4b^{5/2}} + \frac{3\sqrt{-a} \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4b^{5/2}} - \frac{3\sqrt{-a} \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4b^{5/2}}$$

[Out] $-\cos(d*x+c)/b^2/d-1/4*a*d*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^3-1/4*a*d*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^3+1/2*x*\sin(d*x+c)/b^2-1/2*x^3*\sin(d*x+c)/b/(b*x^2+a)+1/4*a*d*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^3+1/4*a*d*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^3+3/4*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}-3/4*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}-3/4*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}+3/4*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}$

Rubi [A] time = 0.78, antiderivative size = 450, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {3343, 3345, 2638, 3333, 3303, 3299, 3302, 3346, 3296}

$$\frac{3\sqrt{-a} \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4b^{5/2}} + \frac{3\sqrt{-a} \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4b^{5/2}} - \frac{ad \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4b^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*Sin[c + d*x])/(a + b*x^2)^2, x]

[Out] $-(\text{Cos}[c + d*x]/(b^2*d)) - (a*d*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*b^3) - (a*d*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*b^3) - (3*\text{Sqrt}[-a]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(4*b^{(5/2)}) + (3*\text{Sqrt}[-a]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(4*b^{(5/2)}) + (x*\text{Sin}[c + d*x])/(2*b^2) - (x^3*\text{Sin}[c + d*x])/(2*b*(a + b*x^2)) - (3*\text{Sqrt}[-a]*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*b^{(5/2)}) - (a*d*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*b^3) - (3*\text{Sqrt}[-a]*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*b^{(5/2)}) + (a*d*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*b^3)$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3333

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3343

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)], x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4 \sin(c+dx)}{(a+bx^2)^2} dx &= -\frac{x^3 \sin(c+dx)}{2b(a+bx^2)} + \frac{3 \int \frac{x^2 \sin(c+dx)}{a+bx^2} dx}{2b} + \frac{d \int \frac{x^3 \cos(c+dx)}{a+bx^2} dx}{2b} \\
&= -\frac{x^3 \sin(c+dx)}{2b(a+bx^2)} + \frac{3 \int \left(\frac{\sin(c+dx)}{b} - \frac{a \sin(c+dx)}{b(a+bx^2)} \right) dx}{2b} + \frac{d \int \left(\frac{x \cos(c+dx)}{b} - \frac{ax \cos(c+dx)}{b(a+bx^2)} \right) dx}{2b} \\
&= -\frac{x^3 \sin(c+dx)}{2b(a+bx^2)} + \frac{3 \int \sin(c+dx) dx}{2b^2} - \frac{(3a) \int \frac{\sin(c+dx)}{a+bx^2} dx}{2b^2} + \frac{d \int x \cos(c+dx) dx}{2b^2} - \frac{(ad) \int \frac{x \cos(c+dx)}{a+bx^2} dx}{2b^2} \\
&= -\frac{3 \cos(c+dx)}{2b^2 d} + \frac{x \sin(c+dx)}{2b^2} - \frac{x^3 \sin(c+dx)}{2b(a+bx^2)} - \frac{\int \sin(c+dx) dx}{2b^2} - \frac{(3a) \int \left(\frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}-\sqrt{bx})} \right) dx}{2b^2} \\
&= -\frac{\cos(c+dx)}{b^2 d} + \frac{x \sin(c+dx)}{2b^2} - \frac{x^3 \sin(c+dx)}{2b(a+bx^2)} - \frac{(3\sqrt{-a}) \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{4b^2} - \frac{(3\sqrt{-a}) \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx}{4b^2} \\
&= -\frac{\cos(c+dx)}{b^2 d} + \frac{x \sin(c+dx)}{2b^2} - \frac{x^3 \sin(c+dx)}{2b(a+bx^2)} - \frac{(3\sqrt{-a} \cos(c - \frac{\sqrt{-a}d}{\sqrt{b}})) \int \frac{\sin(\frac{\sqrt{-a}d}{\sqrt{b}} + dx)}{\sqrt{-a}+\sqrt{bx}} dx}{4b^2} \\
&= -\frac{\cos(c+dx)}{b^2 d} - \frac{ad \cos(c + \frac{\sqrt{-a}d}{\sqrt{b}}) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4b^3} - \frac{ad \cos(c - \frac{\sqrt{-a}d}{\sqrt{b}}) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4b^3}
\end{aligned}$$

Mathematica [C] time = 1.18, size = 632, normalized size = 1.40

$$3ia^{3/2}\sqrt{b}d \cos\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + 3ia^{3/2}\sqrt{b}d \cos\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{ad}}{\sqrt{b}} - dx\right) - a^2d^2 \sin\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - a^2d^2 \sin\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{ad}}{\sqrt{b}} - dx\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^4*Sin[c + d*x])/(a + b*x^2)^2,x]

[Out]
$$\begin{aligned}
& -1/4*(4*a*b*\text{Cos}[c + d*x] + 4*b^2*x^2*\text{Cos}[c + d*x] + \text{Sqrt}[a]*d*(a + b*x^2)*\text{CosIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*(\text{Sqrt}[a]*d*\text{Cos}[c - (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]] + (3*\text{I})*\text{Sqrt}[b]*\text{Sin}[c - (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]) + \text{Sqrt}[a]*d*(a + b*x^2)*\text{CosIntegral}[d*((-\text{I})*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*(\text{Sqrt}[a]*d*\text{Cos}[c + (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]] - (3*\text{I})*\text{Sqrt}[b]*\text{Sin}[c + (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]) - 2*a*b*d*x*\text{Sin}[c + d*x] + (3*\text{I})*a^(3/2)*\text{Sqrt}[b]*d*\text{Cos}[c - (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + (3*\text{I})*\text{Sqrt}[a]*b^(3/2)*d*x^2*\text{Cos}[c - (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] - a^2*d^2*\text{Sin}[c - (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] - a*b*d^2*x^2*\text{Sin}[c - (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + (3*\text{I})*a^(3/2)*\text{Sqrt}[b]*d*\text{Cos}[c + (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b] - d*x] + (3*\text{I})*\text{Sqrt}[a]*b^(3/2)*d*x^2*\text{Cos}[c + (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b] - d*x] + a^2*d^2*\text{Sin}[c + (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b] - d*x] + a*b*d^2*x^2*\text{Sin}[c + (\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/ \text{Sqrt}[b] - d*x]) / (b^3*d*(a + b*x^2))
\end{aligned}$$

fricas [C] time = 0.86, size = 351, normalized size = 0.78

$$4 abdx \sin(dx + c) - \left(abd^2x^2 + a^2d^2 + 3(b^2x^2 + ab)\sqrt{\frac{ad^2}{b}} \right) \text{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{ic + \sqrt{\frac{ad^2}{b}}} - \left(abd^2x^2 + a^2d^2 - 3(b^2x^2 + ab)\sqrt{\frac{ad^2}{b}} \right) \text{Ei}\left(i dx + \sqrt{\frac{ad^2}{b}} \right) e^{ic - \sqrt{\frac{ad^2}{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*a*b*d*x*sin(d*x + c) - (a*b*d^2*x^2 + a^2*d^2 + 3*(b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 - 3*(b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 + 3*(b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 - 3*(b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)) - 8*(b^2*x^2 + a*b)*cos(d*x + c))/(b^4*d*x^2 + a*b^3*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(dx + c)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="giac")

[Out] integrate(x^4*sin(d*x + c)/(b*x^2 + a)^2, x)

maple [B] time = 0.14, size = 3453, normalized size = 7.67

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*sin(d*x+c)/(b*x^2+a)^2,x)

[Out] 1/d^5*(-d^4/b^2*cos(d*x+c)+sin(d*x+c)*(1/2*d^2*(a^2*d^4-6*a*b*c^2*d^2+b^2*c^4)/a*(d*x+c)+1/2*c*d^2*(3*a^2*d^4+2*a*b*c^2*d^2-b^2*c^4)/a)/b^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4*d^2*(8*(d*(-a*b)^(1/2)+c*b)*a*c*d^2-3*a^2*d^4-2*a*b*c^2*d^2+b^2*c^4)/a/((d*(-a*b)^(1/2)+c*b)/b-c)/b^3*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b))*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4*d^2*(-8*(d*(-a*b)^(1/2)-c*b)*a*c*d^2-3*a^2*d^4-2*a*b*c^2*d^2+b^2*c^4)/a/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b^3*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b))*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4*d^2*((d*(-a*b)^(1/2)+c*b)/b*a^2*d^4-6*(d*(-a*b)^(1/2)+c*b)*a*c^2*d^2+(d*(-a*b)^(1/2)+c*b)*b*c^4+3*a^2*c*d^4+2*a*b*c^3*d^2-b^2*c^5)/a/((d*(-a*b)^(1/2)+c*b)/b-c)/b^3*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b))*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4*d^2*(-(d*(-a*b)^(1/2)-c*b)/b*a^2*d^4+6*(d*(-a*b)^(1/2)-c*b)*a*c^2*d^2-(d*(-a*b)^(1/2)-c*b)*b*c^4+3*a^2*c*d^4+2*a*b*c^3*d^2-b^2*c^5)/a/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b^3*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b))*cos((d*(-a*b)^(1/2)-c*b)/b))+sin(d*x+c)*(2*c^2*d^2*(3*a*d^2-b*c^2)/a/b*(d*x+c)-2*c*d^2*(a^2*d^4-b^2*c^4)/a/b^2)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-c*d^2*(2*(d*(-a*b)^(1/2)+c*b)/b*a*d^2+a*c*d^2+b*c^3)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b))*sin((d*(-a*b)^(1/2)+c*b)/b))-c*d^2*(-2*(d*(-a*b)^(1/2)-c*b)/b*a*d^2+a*c*d^2+b*c^3)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b))*sin((d*(-a*b)^(1/2)-c*b)/b))-c*d^2*(3*(d*(-a*b)^(1/2)+c*b)*a*c*d^2-(d*(-a*b)^(1/2)+c*b)*b*c^3-a^2*d^4+b^2*c^4)/a/b^3/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b))*cos((d*(-a*b)^(1/2)+c*b)/b))-c*d^2*(-3*(d*(-a*b)^(1/2)-c*b)*a*c*d^2+(d*(-a*b)^(1/2)-c*b)*b*c^3-a^2*d^4+b^2*c^4)/a/b^3/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a

$$\begin{aligned} & *b)^{(1/2)-c*b}/b)+\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\cos((d*(-a*b)^{(1/2)-c*b})/b)) \\ & +\sin(d*x+c)*(-3*c^2*d^2*(a*d^2-b*c^2)/a/b*(d*x+c)-3*c^3*d^2*(a*d^2+b*c^2)/a/b) \\ & /((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+3/2*c^2*d^2*(a*d^2+b*c^2)/a/b^2 \\ & /((d*(-a*b)^{(1/2)+c*b})/b-c)*(\text{Si}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\cos((d*(-a*b)^{(1/2)+c*b})/b) \\ & +\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\sin((d*(-a*b)^{(1/2)+c*b})/b))+3/2*c^2*d^2*(a*d^2+b*c^2)/a/b^2 \\ & /(-d*(-a*b)^{(1/2)-c*b})/b-c)*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\cos((d*(-a*b)^{(1/2)-c*b})/b) \\ & -\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b))+3/2*c^2*d^2*((d*(-a*b)^{(1/2)+c*b})/b \\ & *a*d^2-(d*(-a*b)^{(1/2)+c*b})*c^2+a*c*d^2+b*c^3)/a/b^2/((d*(-a*b)^{(1/2)+c*b})/b-c) \\ & *(-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\sin((d*(-a*b)^{(1/2)+c*b})/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)+c*b})/b))+3/2*c^2*d^2*(-d*(-a*b)^{(1/2)-c*b})/b*a*d^2+(d*(-a*b)^{(1/2)-c*b})*c^2+a*c*d^2+b*c^3) \\ & /a/b^2/(-d*(-a*b)^{(1/2)-c*b})/b-c)*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b) \\ & +\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\cos((d*(-a*b)^{(1/2)-c*b})/b))+\sin(d*x+c)*(-2*c^4*d^2/a*(d*x+c) \\ & +2*c^3*d^2*(a*d^2+b*c^2)/a/b)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-c^4*d^2/a/((d*(-a*b)^{(1/2)+c*b})/b-c) \\ & /b*(\text{Si}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\cos((d*(-a*b)^{(1/2)+c*b})/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b) \\ & *\sin((d*(-a*b)^{(1/2)+c*b})/b))-c^4*d^2/a/(-d*(-a*b)^{(1/2)-c*b})/b-c)/b*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)-c*b})/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b) \\ & +c^3*d^2*((d*(-a*b)^{(1/2)+c*b})*c-a*d^2-b*c^2)/a/b^2/(-d*(-a*b)^{(1/2)-c*b})/b-c) \\ & *(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)+c*b})/b))+c^3*d^2*(-d*(-a*b)^{(1/2)-c*b})*c-a*d^2-b*c^2)/a/b^2/(-d*(-a*b)^{(1/2)-c*b})/b-c) \\ & *(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b)+\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)-c*b})/b))+c^4*d^4*(\sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((d*x+c)^2*b-2*(d*x+c) \\ & *b*c+a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^{(1/2)+c*b})/b-c)/b*(\text{Si}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)+c*b})/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\sin((d*(-a*b)^{(1/2)+c*b})/b) \\ & +1/4/a/d^2/(-d*(-a*b)^{(1/2)-c*b})/b-c)/b*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)-c*b})/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b) \\ & -1/4/a/b/d^2*(-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b)*\sin((d*(-a*b)^{(1/2)+c*b})/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)+c*b})/b) \\ & *\cos((d*(-a*b)^{(1/2)+c*b})/b))-1/4/a/b/d^2*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\sin((d*(-a*b)^{(1/2)-c*b})/b) \\ & +\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)-c*b})/b)*\cos((d*(-a*b)^{(1/2)-c*b})/b))) \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sin(c + dx)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*sin(c + d*x))/(a + b*x^2)^2,x)

[Out] int((x^4*sin(c + d*x))/(a + b*x^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(c + dx)}{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*sin(d*x+c)/(b*x**2+a)**2,x)
```

```
[Out] Integral(x**4*sin(c + d*x)/(a + b*x**2)**2, x)
```


$$3.66 \quad \int \frac{x^3 \sin(c+dx)}{(a+bx^2)^2} dx$$

Optimal. Leaf size=431

$$\frac{\sqrt{-a} d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4b^{5/2}} - \frac{\sqrt{-a} d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4b^{5/2}} + \frac{\sqrt{-a} d \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4b^{5/2}}$$

[Out] $1/2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/b^2+1/2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/b^2+1/2*\sin(d*x+c)/b^2-1/2*x^2*\sin(d*x+c)/b/(b*x^2+a)+1/2*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^2+1/2*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^2-1/4*d*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}+1/4*d*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}+1/4*d*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}-1/4*d*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})*(-a)^{(1/2)}/b^{(5/2)}$

Rubi [A] time = 0.66, antiderivative size = 431, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {3343, 3345, 3303, 3299, 3302, 3346, 2637, 3334}

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2b^2} + \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2b^2} + \frac{\sqrt{-a} d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4b^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x^2)^2, x]

[Out] $(\text{Sqrt}[-a]*d*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*b^{(5/2)}) - (\text{Sqrt}[-a]*d*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*b^{(5/2)}) + (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^2) + (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(2*b^2) + \text{Sin}[c + d*x]/(2*b^2) - (x^2*\text{Sin}[c + d*x])/(2*b*(a + b*x^2)) - (\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(2*b^2) + (\text{Sqrt}[-a]*d*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*b^{(5/2)}) + (\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(2*b^2) + (\text{Sqrt}[-a]*d*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*b^{(5/2)})$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int
[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3343

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1))
, x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
& IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Sym
bol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sin(c+dx)}{(a+bx^2)^2} dx &= -\frac{x^2 \sin(c+dx)}{2b(a+bx^2)} + \frac{\int \frac{x \sin(c+dx)}{a+bx^2} dx}{b} + \frac{d \int \frac{x^2 \cos(c+dx)}{a+bx^2} dx}{2b} \\
&= -\frac{x^2 \sin(c+dx)}{2b(a+bx^2)} + \frac{\int \left(-\frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{b}x)} \right) dx}{b} + \frac{d \int \left(\frac{\cos(c+dx)}{b} - \frac{a \cos(c+dx)}{b(a+bx^2)} \right) dx}{2b} \\
&= -\frac{x^2 \sin(c+dx)}{2b(a+bx^2)} - \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2b^{3/2}} + \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2b^{3/2}} + \frac{d \int \cos(c+dx) dx}{2b^2} - \frac{(ad) \int \frac{\cos(c+dx)}{a+bx^2} dx}{2b^2} \\
&= \frac{\sin(c+dx)}{2b^2} - \frac{x^2 \sin(c+dx)}{2b(a+bx^2)} - \frac{(ad) \int \left(\frac{\sqrt{-a} \cos(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a} \cos(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx}{2b^2} + \frac{\cos\left(c - \frac{\sqrt{-a}}{\sqrt{b}}\right)}{2b^2} \\
&= \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^2} + \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^2} + \frac{\sin(c+dx)}{2b^2} - \frac{x^2 \sin(c+dx)}{2b(a+bx^2)} \\
&= \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^2} + \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^2} + \frac{\sin(c+dx)}{2b^2} - \frac{x^2 \sin(c+dx)}{2b(a+bx^2)} \\
&= \frac{\sqrt{-a}d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4b^{5/2}} - \frac{\sqrt{-a}d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4b^{5/2}} + \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2b^2}
\end{aligned}$$

Mathematica [C] time = 0.89, size = 583, normalized size = 1.35

$$ia^{3/2}d \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + ia^{3/2}d \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right) + 2b^{3/2}x^2 \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x^2)^2,x]

[Out] ((a + b*x^2)*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*((-I)*Sqrt[a]*d*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]] + 2*Sqrt[b]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]) + (a + b*x^2)*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x]*(I*Sqrt[a]*d*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]] + 2*Sqrt[b]*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]) + 2*a*Sqrt[b]*Sin[c + d*x] + 2*a*Sqrt[b]*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + 2*b^(3/2)*x^2*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + I*a^(3/2)*d*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + I*Sqrt[a]*b*d*x^2*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - 2*a*Sqrt[b]*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - 2*b^(3/2)*x^2*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + I*a^(3/2)*d*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + I*Sqrt[a]*b*d*x^2*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]/(4*b^(5/2)*(a + b*x^2))

fricas [C] time = 0.76, size = 291, normalized size = 0.68

$$\left(-4i bx^2 + 2(-i bx^2 - ia)\sqrt{\frac{ad^2}{b}} - 4ia\right) \text{Ei}\left(idx - \sqrt{\frac{ad^2}{b}}\right) e^{\left(ic + \sqrt{\frac{ad^2}{b}}\right)} + \left(-4i bx^2 + 2(ibx^2 + ia)\sqrt{\frac{ad^2}{b}} - 4ia\right) \text{Ei}\left(idx + \sqrt{\frac{ad^2}{b}}\right) e^{\left(ic - \sqrt{\frac{ad^2}{b}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="fricas")

[Out] 1/16*((-4*I*b*x^2 + 2*(-I*b*x^2 - I*a)*sqrt(a*d^2/b) - 4*I*a)*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) + (-4*I*b*x^2 + 2*(I*b*x^2 + I*a)*sqrt(a*d^2/b) - 4*I*a)*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + (4*I*b*x^2 + 2*(I*b*x^2 + I*a)*sqrt(a*d^2/b) + 4*I*a)*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) + (4*I*b*x^2 + 2*(-I*b*x^2 - I*a)*sqrt(a*d^2/b) + 4*I*a)*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)) + 8*a*sin(d*x + c))/(b^3*x^2 + a*b^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(dx + c)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="giac")

[Out] integrate(x^3*sin(d*x + c)/(b*x^2 + a)^2, x)

maple [B] time = 0.11, size = 2563, normalized size = 5.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x^2+a)^2,x)

[Out] 1/d^4*(sin(d*x+c)*(-1/2*c*d^2*(3*a*d^2-b*c^2)/a/b*(d*x+c)+1/2*d^2*(a^2*d^4-b^2*c^4)/a/b^2)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4*d^2*(2*(d*(-a*b)^(1/2)+c*b)/b*a*d^2+a*c*d^2+b*c^3)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4*d^2*(-2*(d*(-a*b)^(1/2)-c*b)/b*a*d^2+a*c*d^2+b*c^3)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))+1/4*d^2*(3*(d*(-a*b)^(1/2)+c*b)*a*c*d^2-(d*(-a*b)^(1/2)+c*b)*b*c^3-a^2*d^4+b^2*c^4)/a/b^3/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))+1/4*d^2*(-3*(d*(-a*b)^(1/2)-c*b)*a*c*d^2+(d*(-a*b)^(1/2)-c*b)*b*c^3-a^2*d^4+b^2*c^4)/a/b^3/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))+sin(d*x+c)*(3/2*c*d^2*(a*d^2-b*c^2)/a/b*(d*x+c)+3/2*c^2*d^2*(a*d^2+b*c^2)/a/b)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-3/4*c*d^2*(a*d^2+b*c^2)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))-3/4*c*d^2*(a*d^2+b*c^2)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-3/4*c*d^2*((d*(-a*b)^(1/2)+c*b)/b*a*d^2-(d*(-a*b)^(1/2)+c*b)*c^2+a*c*d^2+b*c^3)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-3/4*c*d^2*(-(d*(-a*b)^(1/2)-c*b)/b*a*d^2+(d*(-a*b)^(1/2)-c*b)*c^2+a*c*d^2+b*c^3)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))+sin(d*x+c)*(3/2*c^3*d^2/a*(d*x+c)-3/2*c^2*d^2*(a*d^2+b*c^2)/a/b)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+3/4*c^3*d^2/a/b/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d

```

*(-a*b)^(1/2)+c*b)/b))+3/4*c^3*d^2/a/b/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-3/4*c^2*d^2*((d*(-a*b)^(1/2)+c*b)*c-a*d^2-b*c^2)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-3/4*c^2*d^2*(-(d*(-a*b)^(1/2)-c*b)*c-a*d^2-b*c^2)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))-c^3*d^4*(sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4/a/d^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4/a/b/d^2*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4/a/b/d^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))))

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*sin(c + d*x))/(a + b*x^2)^2,x)

[Out] int((x^3*sin(c + d*x))/(a + b*x^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(c + dx)}{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*sin(d*x+c)/(b*x**2+a)**2,x)

[Out] Integral(x**3*sin(c + d*x)/(a + b*x**2)**2, x)

$$3.67 \quad \int \frac{x^2 \sin(c+dx)}{(a+bx^2)^2} dx$$

Optimal. Leaf size=416

$$\frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4\sqrt{-a} b^{3/2}} - \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4\sqrt{-a} b^{3/2}} - \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4\sqrt{-a} b^{3/2}} - \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4\sqrt{-a} b^{3/2}}$$

[Out] 1/4*d*Ci(d*x+d*(-a)^(1/2)/b^(1/2))*cos(c-d*(-a)^(1/2)/b^(1/2))/b^2+1/4*d*Ci(-d*x+d*(-a)^(1/2)/b^(1/2))*cos(c+d*(-a)^(1/2)/b^(1/2))/b^2-1/2*x*sin(d*x+c)/b/(b*x^2+a)-1/4*d*Si(d*x+d*(-a)^(1/2)/b^(1/2))*sin(c-d*(-a)^(1/2)/b^(1/2))/b^2-1/4*d*Si(d*x-d*(-a)^(1/2)/b^(1/2))*sin(c+d*(-a)^(1/2)/b^(1/2))/b^2+1/4*cos(c+d*(-a)^(1/2)/b^(1/2))*Si(d*x-d*(-a)^(1/2)/b^(1/2))/b^(3/2)/(-a)^(1/2)-1/4*cos(c-d*(-a)^(1/2)/b^(1/2))*Si(d*x+d*(-a)^(1/2)/b^(1/2))/b^(3/2)/(-a)^(1/2)-1/4*Ci(d*x+d*(-a)^(1/2)/b^(1/2))*sin(c-d*(-a)^(1/2)/b^(1/2))/b^(3/2)/(-a)^(1/2)+1/4*Ci(-d*x+d*(-a)^(1/2)/b^(1/2))*sin(c+d*(-a)^(1/2)/b^(1/2))/b^(3/2)/(-a)^(1/2)

Rubi [A] time = 0.57, antiderivative size = 416, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3343, 3333, 3303, 3299, 3302, 3346}

$$\frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4\sqrt{-a} b^{3/2}} - \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4\sqrt{-a} b^{3/2}} + \frac{d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4b^2}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sin[c + d*x])/(a + b*x^2)^2,x]

[Out] (d*Cos[c + (Sqrt[-a]*d)/Sqrt[b]]*CosIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x])/(4*b^2) + (d*Cos[c - (Sqrt[-a]*d)/Sqrt[b]]*CosIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x])/(4*b^2) - (CosIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x]*Sin[c - (Sqrt[-a]*d)/Sqrt[b]])/(4*Sqrt[-a]*b^(3/2)) + (CosIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x]*Sin[c + (Sqrt[-a]*d)/Sqrt[b]])/(4*Sqrt[-a]*b^(3/2)) - (x*Sin[c + d*x])/(2*b*(a + b*x^2)) - (Cos[c + (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x])/(4*Sqrt[-a]*b^(3/2)) + (d*Sin[c + (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] - d*x])/(4*b^2) - (Cos[c - (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x])/(4*Sqrt[-a]*b^(3/2)) - (d*Sin[c - (Sqrt[-a]*d)/Sqrt[b]]*SinIntegral[(Sqrt[-a]*d)/Sqrt[b] + d*x])/(4*b^2)

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3343

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]

Rule 3346

Int[Cos[(c_.) + (d_.)*(x_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)], x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c + dx)}{(a + bx^2)^2} dx &= -\frac{x \sin(c + dx)}{2b(a + bx^2)} + \frac{\int \frac{\sin(c+dx)}{a+bx^2} dx}{2b} + \frac{d \int \frac{x \cos(c+dx)}{a+bx^2} dx}{2b} \\ &= -\frac{x \sin(c + dx)}{2b(a + bx^2)} + \frac{\int \left(\frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}-\sqrt{bx})} + \frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}+\sqrt{bx})} \right) dx}{2b} + \frac{d \int \left(-\frac{\cos(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{bx})} + \frac{\cos(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{bx})} \right) dx}{2b} \\ &= -\frac{x \sin(c + dx)}{2b(a + bx^2)} - \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{4\sqrt{-a}b} - \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx}{4\sqrt{-a}b} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{4b^{3/2}} + \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx}{4b^{3/2}} \\ &= -\frac{x \sin(c + dx)}{2b(a + bx^2)} - \frac{\cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \int \frac{\sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{\sqrt{-a}+\sqrt{bx}} dx}{4\sqrt{-a}b} + \frac{\left(d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)\right) \int \frac{\cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{\sqrt{-a}+\sqrt{bx}} dx}{4b^{3/2}} \\ &= \frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4b^2} + \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4b^2} - \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4\sqrt{-a}b} \end{aligned}$$

Mathematica [C] time = 0.86, size = 583, normalized size = 1.40

$$-a^{3/2}d \sin\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + a^{3/2}d \sin\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{ad}}{\sqrt{b}} - dx\right) + ib^{3/2}x^2 \cos\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x^2)^2, x]

[Out] ((a + b*x^2)*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*(Sqrt[a]*d*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]] + I*Sqrt[b]*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]) + (a + b*x^2)*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x]*(Sqrt[a]*d*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]] - I*Sqrt[b]*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]) - 2*Sqrt[a]*b*x*Sin[c + d*x] + I*a*Sqrt[b]*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I

*Sqrt[a])/Sqrt[b] + x)] + I*b^(3/2)*x^2*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - a^(3/2)*d*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - Sqrt[a]*b*d*x^2*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + I*a*Sqrt[b]*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + I*b^(3/2)*x^2*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + a^(3/2)*d*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + Sqrt[a]*b*d*x^2*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]/(4*Sqrt[a]*b^2*(a + b*x^2))

fricas [C] time = 0.77, size = 333, normalized size = 0.80

$$4 abdx \sin(dx + c) - \left(abd^2x^2 + a^2d^2 + (b^2x^2 + ab)\sqrt{\frac{ad^2}{b}} \right) \text{Ei} \left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c + \sqrt{\frac{ad^2}{b}} \right)} - \left(abd^2x^2 + a^2d^2 - (b^2x^2 \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="fricas")

[Out] -1/8*(4*a*b*d*x*sin(d*x + c) - (a*b*d^2*x^2 + a^2*d^2 + (b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 - (b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 + (b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 - (b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)))/(a*b^3*d*x^2 + a^2*b^2*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(dx + c)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="giac")

[Out] integrate(x^2*sin(d*x + c)/(b*x^2 + a)^2, x)

maple [B] time = 0.09, size = 1804, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x^2+a)^2,x)

[Out] 1/d^3*(sin(d*x+c)*(-1/2*d^2*(a*d^2-b*c^2)/a/b*(d*x+c)-1/2*c*d^2*(a*d^2+b*c^2)/a/b)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4*d^2*(a*d^2+b*c^2)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4*d^2*(a*d^2+b*c^2)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))+1/4*d^2*((d*(-a*b)^(1/2)+c*b)/b*a*d^2-(d*(-a*b)^(1/2)+c*b)*c^2+a*c*d^2+b*c^3)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))+1/4*d^2*(-(d*(-a*b)^(1/2)-c*b)/b*a*d^2+(d*(-a*b)^(1/2)-c*b)*c^2+a*c*d^2+b*c^3)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))+sin(d*x+c)*(-c^2*d^2


```

/a*(d*x+c)+c*d^2*(a*d^2+b*c^2)/a/b)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)
-1/2*c^2*d^2/a/b/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/
b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*
b)^(1/2)+c*b)/b))-1/2*c^2*d^2/a/b/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*
(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c
*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))+1/2*c*d^2*((d*(-a*b)^(1/2)+c*b)*c-a*d^2
-b*c^2)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)
*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)
^(1/2)+c*b)/b))+1/2*c*d^2*(-(d*(-a*b)^(1/2)-c*b)*c-a*d^2-b*c^2)/a/b^2/(-(d*
(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2
)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))+c^2
*d^4*(sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((d*x+c)^2*b-2*(d*x+c)*b*c
+a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1
/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*si
n((d*(-a*b)^(1/2)+c*b)/b))+1/4/a/d^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+
c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1
/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4/a/b/d^2*(-Si(d*x+c-(d*(-a*b)^(
1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*c
os((d*(-a*b)^(1/2)+c*b)/b))-1/4/a/b/d^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*s
in((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(
1/2)-c*b)/b))))

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x^2)^2,x)

[Out] int((x^2*sin(c + d*x))/(a + b*x^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(c + dx)}{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x**2+a)**2,x)

[Out] Integral(x**2*sin(c + d*x)/(a + b*x**2)**2, x)

$$3.68 \quad \int \frac{x \sin(c+dx)}{(a+bx^2)^2} dx$$

Optimal. Leaf size=239

$$\frac{d \cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4\sqrt{-a}b^{3/2}} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{4\sqrt{-a}b^{3/2}} + \frac{d \sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4\sqrt{-a}b^{3/2}} + \frac{d \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{4\sqrt{-a}b^{3/2}}$$

[Out] $-1/2*\sin(d*x+c)/b/(b*x^2+a)-1/4*d*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(3/2)}/(-a)^{(1/2)}+1/4*d*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(3/2)}/(-a)^{(1/2)}+1/4*d*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(3/2)}/(-a)^{(1/2)}-1/4*d*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(3/2)}/(-a)^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3341, 3334, 3303, 3299, 3302}

$$\frac{d \cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4\sqrt{-a}b^{3/2}} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4\sqrt{-a}b^{3/2}} + \frac{d \sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4\sqrt{-a}b^{3/2}} + \frac{d \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4\sqrt{-a}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x*Sin[c + d*x])/(a + b*x^2)^2,x]

[Out] $(d*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*\text{Sqrt}[-a]*b^{(3/2)}) - (d*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*\text{Sqrt}[-a]*b^{(3/2)}) - \text{Sin}[c + d*x]/(2*b*(a + b*x^2)) + (d*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(4*\text{Sqrt}[-a]*b^{(3/2)}) + (d*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(4*\text{Sqrt}[-a]*b^{(3/2)})$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3334

Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3341

```
Int[((e._)*(x._))^(m._)*((a._) + (b._)*(x._)^(n._))^(p._)*Sin[(c._) + (d._)*(x._)
], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1)),
x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x],
x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (I
ntegerQ[n] || GtQ[e, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{x \sin(c + dx)}{(a + bx^2)^2} dx &= -\frac{\sin(c + dx)}{2b(a + bx^2)} + \frac{d \int \frac{\cos(c+dx)}{a+bx^2} dx}{2b} \\ &= -\frac{\sin(c + dx)}{2b(a + bx^2)} + \frac{d \int \left(\frac{\sqrt{-a} \cos(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a} \cos(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx}{2b} \\ &= -\frac{\sin(c + dx)}{2b(a + bx^2)} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{4\sqrt{-a}b} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{4\sqrt{-a}b} \\ &= -\frac{\sin(c + dx)}{2b(a + bx^2)} - \frac{\left(d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \right) \int \frac{\cos\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{\sqrt{-a}+\sqrt{b}x} dx}{4\sqrt{-a}b} - \frac{\left(d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \right) \int \frac{\cos\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{\sqrt{-a}-\sqrt{b}x} dx}{4\sqrt{-a}b} \\ &= \frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4\sqrt{-a}b^{3/2}} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4\sqrt{-a}b^{3/2}} - \frac{\sin(c + dx)}{2b(a + bx^2)} + \dots \end{aligned}$$

Mathematica [C] time = 0.40, size = 309, normalized size = 1.29

$$\frac{i \left(d(a + bx^2) \cos\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - d(a + bx^2) \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + bdx^2 \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \right)}{8(ab^2x^2 + \dots)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x^2)^2,x]

[Out] $((-1/4*I)*(d*(a + b*x^2)*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x]) - d*(a + b*x^2)*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]]*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x]) - (2*I)*Sqrt[a]*Sqrt[b]*Sin[c + d*x] + a*d*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]) + b*d*x^2*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + a*d*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + b*d*x^2*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]))/(Sqrt[a]*b^(3/2)*(a + b*x^2))$

fricas [C] time = 0.73, size = 244, normalized size = 1.02

$$\frac{(ibx^2 + ia)\sqrt{\frac{ad^2}{b}} \text{Ei}\left(idx - \sqrt{\frac{ad^2}{b}}\right) e^{\left(ic + \sqrt{\frac{ad^2}{b}}\right)} + (-ibx^2 - ia)\sqrt{\frac{ad^2}{b}} \text{Ei}\left(idx + \sqrt{\frac{ad^2}{b}}\right) e^{\left(ic - \sqrt{\frac{ad^2}{b}}\right)} + (-ibx^2 - ia)}{8(ab^2x^2 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="fricas")

```
[Out] 1/8*((I*b*x^2 + I*a)*sqrt(a*d^2/b)*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) + (-I*b*x^2 - I*a)*sqrt(a*d^2/b)*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + (-I*b*x^2 - I*a)*sqrt(a*d^2/b)*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) + (I*b*x^2 + I*a)*sqrt(a*d^2/b)*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)) - 4*a*sin(d*x + c)/(a*b^2*x^2 + a^2*b)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(dx + c)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] integrate(x*sin(d*x + c)/(b*x^2 + a)^2, x)
```

maple [B] time = 0.07, size = 1109, normalized size = 4.64

$$\frac{\sin(dx+c)\left(\frac{cd^2(dx+c)}{2a} - \frac{d^2(ad^2+bc^2)}{2ab}\right)}{(dx+c)^2b-2(dx+c)bc+ad^2+bc^2} + \frac{cd^2\left(\operatorname{Si}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right)\cos\left(\frac{d\sqrt{-ab+cb}}{b}\right)+\operatorname{Ci}\left(dx+c-\frac{d\sqrt{-ab+cb}}{b}\right)\sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)\right)}{4ab\left(\frac{d\sqrt{-ab+cb}}{b}-c\right)} + \frac{cd^2\left(\operatorname{Si}\left(dx+c+\frac{d\sqrt{-ab-cb}}{b}\right)\cos\left(\frac{d\sqrt{-ab-cb}}{b}\right)+\operatorname{Ci}\left(dx+c+\frac{d\sqrt{-ab-cb}}{b}\right)\sin\left(\frac{d\sqrt{-ab-cb}}{b}\right)\right)}{4ab\left(\frac{d\sqrt{-ab-cb}}{b}+c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*sin(d*x+c)/(b*x^2+a)^2,x)
```

```
[Out] 1/d^2*(sin(d*x+c)*(1/2*c*d^2/a*(d*x+c)-1/2*d^2*(a*d^2+b*c^2)/a/b)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4*c*d^2/a/b/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4*c*d^2/a/b/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4*d^2*((d*(-a*b)^(1/2)+c*b)*c-a*d^2-b*c^2)/a/b^2/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4*d^2*(-(d*(-a*b)^(1/2)-c*b)*c-a*d^2-b*c^2)/a/b^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))-c*d^4*(sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4/a/d^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4/a/b/d^2*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4/a/b/d^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(d*x+c)/(b*x^2+a)^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \sin(c + dx)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*sin(c + d*x))/(a + b*x^2)^2, x)

[Out] int((x*sin(c + d*x))/(a + b*x^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(c + dx)}{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x**2+a)**2, x)

[Out] Integral(x*sin(c + d*x)/(a + b*x**2)**2, x)

$$3.69 \quad \int \frac{\sin(c+dx)}{(a+bx^2)^2} dx$$

Optimal. Leaf size=476

$$\frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4(-a)^{3/2}\sqrt{b}} + \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Ci}\left(dx + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4(-a)^{3/2}\sqrt{b}} - \frac{d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4ab} - \frac{d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Ci}\left(dx + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4ab}$$

[Out] $-1/4*d*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/a/b-1/4*d*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/a/b+1/4*d*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a/b+1/4*d*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a/b-1/4*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)}+1/4*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)}+1/4*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)}-1/4*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)}-1/4*\sin(d*x+c)/a/b^{(1/2)}/((-a)^{(1/2)}-x*b^{(1/2)})+1/4*\sin(d*x+c)/a/b^{(1/2)}/((-a)^{(1/2)}+x*b^{(1/2)})$

Rubi [A] time = 0.81, antiderivative size = 476, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3333, 3297, 3303, 3299, 3302}

$$\frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4(-a)^{3/2}\sqrt{b}} + \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4(-a)^{3/2}\sqrt{b}} - \frac{d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4ab} - \frac{d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4ab}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*x^2)^2, x]

[Out] $-(d*\cos[c + (\sqrt{-a}*d)/\sqrt{b}])* \operatorname{CosIntegral}[(\sqrt{-a}*d)/\sqrt{b} - d*x])/(4*a*b) - (d*\cos[c - (\sqrt{-a}*d)/\sqrt{b}])* \operatorname{CosIntegral}[(\sqrt{-a}*d)/\sqrt{b} + d*x])/(4*a*b) + (\operatorname{CosIntegral}[(\sqrt{-a}*d)/\sqrt{b} + d*x])* \sin[c - (\sqrt{-a}*d)/\sqrt{b}])/(4*(-a)^{(3/2)}*\sqrt{b}) - (\operatorname{CosIntegral}[(\sqrt{-a}*d)/\sqrt{b} - d*x])* \sin[c + (\sqrt{-a}*d)/\sqrt{b}])/(4*(-a)^{(3/2)}*\sqrt{b}) - \sin[c + d*x]/(4*a*\sqrt{b}*(\sqrt{-a} - \sqrt{b}*x)) + \sin[c + d*x]/(4*a*\sqrt{b}*(\sqrt{-a} + \sqrt{b}*x)) + (\cos[c + (\sqrt{-a}*d)/\sqrt{b}])* \operatorname{SinIntegral}[(\sqrt{-a}*d)/\sqrt{b} - d*x])/(4*(-a)^{(3/2)}*\sqrt{b}) - (d*\sin[c + (\sqrt{-a}*d)/\sqrt{b}])* \operatorname{SinIntegral}[(\sqrt{-a}*d)/\sqrt{b} - d*x])/(4*a*b) + (\cos[c - (\sqrt{-a}*d)/\sqrt{b}])* \operatorname{SinIntegral}[(\sqrt{-a}*d)/\sqrt{b} + d*x])/(4*(-a)^{(3/2)}*\sqrt{b}) + (d*\sin[c - (\sqrt{-a}*d)/\sqrt{b}])* \operatorname{SinIntegral}[(\sqrt{-a}*d)/\sqrt{b} + d*x])/(4*a*b)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -

$c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3333

```
Int[((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Int
[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{(a+bx^2)^2} dx &= \int \left(-\frac{b \sin(c+dx)}{4a(\sqrt{-a}\sqrt{b}-bx)^2} - \frac{b \sin(c+dx)}{4a(\sqrt{-a}\sqrt{b}+bx)^2} - \frac{b \sin(c+dx)}{2a(-ab-b^2x^2)} \right) dx \\ &= -\frac{b \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}-bx)^2} dx}{4a} - \frac{b \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}+bx)^2} dx}{4a} - \frac{b \int \frac{\sin(c+dx)}{-ab-b^2x^2} dx}{2a} \\ &= -\frac{\sin(c+dx)}{4a\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{4a\sqrt{b}(\sqrt{-a}+\sqrt{b}x)} - \frac{b \int \left(-\frac{\sqrt{-a} \sin(c+dx)}{2ab(\sqrt{-a}-\sqrt{b}x)} - \frac{\sqrt{-a} \sin(c+dx)}{2ab(\sqrt{-a}+\sqrt{b}x)} \right) dx}{2a} \\ &= -\frac{\sin(c+dx)}{4a\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{4a\sqrt{b}(\sqrt{-a}+\sqrt{b}x)} + \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{4(-a)^{3/2}} + \frac{\int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{4(-a)^{3/2}} - \frac{(d \cos(c+dx))}{4a\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} \\ &= -\frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4ab} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4ab} - \frac{\sin(c+dx)}{4a\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} \\ &= -\frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4ab} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4ab} + \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4(-a)^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.65, size = 585, normalized size = 1.23

$$a^{3/2}d \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - a^{3/2}d \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right) + ib^{3/2}x^2 \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(a + b*x^2)^2, x]

[Out] $(-(a + b*x^2)*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*(\text{Sqrt}[a]*d*\text{Cos}[c - (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]] - I*\text{Sqrt}[b]*\text{Sin}[c - (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]])) - (a + b*x^2)*\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*(\text{Sqrt}[a]*d*\text{Cos}[c + (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]] + I*\text{Sqrt}[b]*\text{Sin}[c + (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]) + 2*\text{Sqrt}[a]*b*x*\text{Sin}[c + d*x] + I*a*\text{Sqrt}[b]*\text{Cos}[c - (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + I*b^(3/2)*x^2*\text{Cos}[c - (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + a^(3/2)*d*\text{Sin}[c - (I*\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]$

```

qrt[b]]*SinIntegral[d*(I*Sqrt[a])/Sqrt[b] + x]] + Sqrt[a]*b*d*x^2*Sin[c -
(I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*(I*Sqrt[a])/Sqrt[b] + x]] + I*a*Sqrt[
b]*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]
+ I*b^(3/2)*x^2*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sq
rt[b] - d*x] - a^(3/2)*d*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt
[a]*d)/Sqrt[b] - d*x] - Sqrt[a]*b*d*x^2*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]*SinI
ntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x)]/(4*a^(3/2)*b*(a + b*x^2))

```

fricas [C] time = 0.68, size = 333, normalized size = 0.70

$$4 abdx \sin(dx + c) - \left(abd^2x^2 + a^2d^2 - (b^2x^2 + ab)\sqrt{\frac{ad^2}{b}} \right) \text{Ei} \left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{i c + \sqrt{\frac{ad^2}{b}}} - \left(abd^2x^2 + a^2d^2 + (b^2x^2 + ab)\sqrt{\frac{ad^2}{b}} \right) \text{Ei} \left(i dx + \sqrt{\frac{ad^2}{b}} \right) e^{i c + \sqrt{\frac{ad^2}{b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a)^2,x, algorithm="fricas")

```

[Out] 1/8*(4*a*b*d*x*sin(d*x + c) - (a*b*d^2*x^2 + a^2*d^2 - (b^2*x^2 + a*b)*sqrt
(a*d^2/b))*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) - (a*b*d^2*x^2
+ a^2*d^2 + (b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*
c - sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*d^2 - (b^2*x^2 + a*b)*sqrt(a*d^2/b)
)*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) - (a*b*d^2*x^2 + a^2*
d^2 + (b^2*x^2 + a*b)*sqrt(a*d^2/b))*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - s
qrt(a*d^2/b)))/(a^2*b^2*d*x^2 + a^3*b*d)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a)^2,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/(b*x^2 + a)^2, x)

maple [A] time = 0.05, size = 495, normalized size = 1.04

$$d^3 \left(\frac{\sin(dx + c) \left(\frac{dx+c}{2ad^2} - \frac{c}{2ad^2} \right)}{(dx + c)^2 b - 2(dx + c)bc + a d^2 + b c^2} + \frac{\text{Si} \left(dx + c - \frac{d\sqrt{-ab+cb}}{b} \right) \cos \left(\frac{d\sqrt{-ab+cb}}{b} \right) + \text{Ci} \left(dx + c - \frac{d\sqrt{-ab+cb}}{b} \right) \sin \left(\frac{d\sqrt{-ab+cb}}{b} \right)}{4a d^2 \left(\frac{d\sqrt{-ab+cb}}{b} - c \right) b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x^2+a)^2,x)

```

[Out] d^3*(sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((d*x+c)^2*b-2*(d*x+c)*b*c+
a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1/
2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin
((d*(-a*b)^(1/2)+c*b)/b))+1/4/a/d^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+c
+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/
2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4/a/b/d^2*(-Si(d*x+c-(d*(-a*b)^(1
/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*co
s((d*(-a*b)^(1/2)+c*b)/b))-1/4/a/b/d^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*si
n((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1
/2)-c*b)/b))

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a)^2,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/(b*x^2 + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(a + b*x^2)^2,x)

[Out] int(sin(c + d*x)/(a + b*x^2)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x**2+a)**2,x)

[Out] Integral(sin(c + d*x)/(a + b*x**2)**2, x)

$$3.70 \quad \int \frac{\sin(c+dx)}{x(a+bx^2)^2} dx$$

Optimal. Leaf size=435

$$\frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2} - \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(dx + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^2} + \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2} - \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2}$$

[Out] $\cos(c) \text{Si}(d*x)/a^{2-1/2} \cos(c+d*(-a)^{(1/2)}/b^{(1/2)}) \text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/a^{2-1/2} \cos(c-d*(-a)^{(1/2)}/b^{(1/2)}) \text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/a^{2+1/2} \text{Ci}(d*x) \sin(c)/a^{2+1/2} \sin(d*x+c)/a/(b*x^2+a)^{-1/2} \text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^{2-1/2} \text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^{2-1/4} d \text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)} + 1/4 d \text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)} + 1/4 d \text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)}) \sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)} - 1/4 d \text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)}) \sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(1/2)}$

Rubi [A] time = 0.83, antiderivative size = 435, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3303, 3299, 3302, 3341, 3334}

$$\frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2} - \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{2a^2} + \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2} - \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x*(a + b*x^2)^2), x]

[Out] $(d \cos[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]) / (4*(-a)^{(3/2)} \text{Sqrt}[b]) - (d \cos[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]) / (4*(-a)^{(3/2)} \text{Sqrt}[b]) + (\text{CosIntegral}[d*x] \sin[c]) / a^2 - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x] \sin[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) / (2*a^2) - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x] \sin[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) / (2*a^2) + \sin[c + d*x] / (2*a*(a + b*x^2)) + (\cos[c] \text{SinIntegral}[d*x]) / a^2 + (\cos[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]) / (2*a^2) + (d \sin[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]) / (4*(-a)^{(3/2)} \text{Sqrt}[b]) - (\cos[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]) / (2*a^2) + (d \sin[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]] \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]) / (4*(-a)^{(3/2)} \text{Sqrt}[b])$

Rule 3299

Int[sin[(e.) + (f.)*(x_)]/((c.) + (d.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e.) + (f.)*(x_)]/((c.) + (d.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e.) + (f.)*(x_)]/((c.) + (d.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3334

Int[Cos[(c_.) + (d_.)*(x_)]*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3341

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] :> Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])

Rule 3345

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin(c+dx)}{x(a+bx^2)^2} dx &= \int \left(\frac{\sin(c+dx)}{a^2x} - \frac{bx \sin(c+dx)}{a(a+bx^2)^2} - \frac{bx \sin(c+dx)}{a^2(a+bx^2)} \right) dx \\
 &= \frac{\int \frac{\sin(c+dx)}{x} dx}{a^2} - \frac{b \int \frac{x \sin(c+dx)}{a+bx^2} dx}{a^2} - \frac{b \int \frac{x \sin(c+dx)}{(a+bx^2)^2} dx}{a} \\
 &= \frac{\sin(c+dx)}{2a(a+bx^2)} - \frac{b \int \left(-\frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{bx})} + \frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{bx})} \right) dx}{a^2} - \frac{d \int \frac{\cos(c+dx)}{a+bx^2} dx}{2a} + \frac{\cos(c) \int \frac{\sin(c+dx)}{a+bx^2} dx}{a^2} \\
 &= \frac{\text{Ci}(dx) \sin(c)}{a^2} + \frac{\sin(c+dx)}{2a(a+bx^2)} + \frac{\cos(c) \text{Si}(dx)}{a^2} + \frac{\sqrt{b} \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{2a^2} - \frac{\sqrt{b} \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx}{2a^2} \\
 &= \frac{\text{Ci}(dx) \sin(c)}{a^2} + \frac{\sin(c+dx)}{2a(a+bx^2)} + \frac{\cos(c) \text{Si}(dx)}{a^2} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx}{4(-a)^{3/2}} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx}{4(-a)^{3/2}} - \frac{\left(\sqrt{-a} \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{bx}} dx - \sqrt{-a} \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{bx}} dx \right)}{2a^2} \\
 &= \frac{\text{Ci}(dx) \sin(c)}{a^2} - \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2a^2} - \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2a^2} + \frac{\sin(c)}{2a(a+bx^2)} \\
 &= \frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{4(-a)^{3/2}\sqrt{b}} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{4(-a)^{3/2}\sqrt{b}} + \frac{\text{Ci}(dx) \sin(c)}{a^2} - \frac{\sin(c)}{2a(a+bx^2)}
 \end{aligned}$$

Mathematica [C] time = 0.98, size = 650, normalized size = 1.49

$$ia^{3/2}d \sin\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + ia^{3/2}d \sin\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right) - 2b^{3/2}x^2 \cos\left(c - \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - 2b^{3/2}x^2 \cos\left(c + \frac{i\sqrt{a}d}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x^2)^2),x]

[Out] $(4*a*\sqrt{b}*\text{CosIntegral}[d*x]*\text{Sin}[c] + 4*b^{(3/2)}*x^2*\text{CosIntegral}[d*x]*\text{Sin}[c] - I*(a + b*x^2)*\text{CosIntegral}[d*((I*\sqrt{a})/\sqrt{b} + x)]*(\sqrt{a}*d*\text{Cos}[c - (I*\sqrt{a}*d)/\sqrt{b}] - (2*I)*\sqrt{b}*\text{Sin}[c - (I*\sqrt{a}*d)/\sqrt{b}]) + I*(a + b*x^2)*\text{CosIntegral}[d*((-I)*\sqrt{a})/\sqrt{b} + x)]*(\sqrt{a}*d*\text{Cos}[c + (I*\sqrt{a}*d)/\sqrt{b}] + (2*I)*\sqrt{b}*\text{Sin}[c + (I*\sqrt{a}*d)/\sqrt{b}]) + 2*a*\sqrt{b}*\text{Sin}[c + d*x] + 4*a*\sqrt{b}*\text{Cos}[c]*\text{SinIntegral}[d*x] + 4*b^{(3/2)}*x^2*\text{Cos}[c]*\text{SinIntegral}[d*x] - 2*a*\sqrt{b}*\text{Cos}[c - (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[d*((I*\sqrt{a})/\sqrt{b} + x)] - 2*b^{(3/2)}*x^2*\text{Cos}[c - (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[d*((I*\sqrt{a})/\sqrt{b} + x)] + I*a^{(3/2)}*d*\text{Sin}[c - (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[d*((I*\sqrt{a})/\sqrt{b} + x)] + I*\sqrt{a}*b*d*x^2*\text{Sin}[c - (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[d*((I*\sqrt{a})/\sqrt{b} + x)] + 2*a*\sqrt{b}*\text{Cos}[c + (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[(I*\sqrt{a}*d)/\sqrt{b} - d*x] + 2*b^{(3/2)}*x^2*\text{Cos}[c + (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[(I*\sqrt{a}*d)/\sqrt{b} - d*x] + I*a^{(3/2)}*d*\text{Sin}[c + (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[(I*\sqrt{a}*d)/\sqrt{b} - d*x] + I*\sqrt{a}*b*d*x^2*\text{Sin}[c + (I*\sqrt{a}*d)/\sqrt{b}]*\text{SinIntegral}[(I*\sqrt{a}*d)/\sqrt{b} - d*x])/(4*a^2*\sqrt{b}*(a + b*x^2))$

fricas [C] time = 0.73, size = 330, normalized size = 0.76

$$\frac{(-8ibx^2 - 8ia)\text{Ei}(idx)e^{(ic)} + (8ibx^2 + 8ia)\text{Ei}(-idx)e^{(-ic)} + \left(4ibx^2 + 2(-ibx^2 - ia)\sqrt{\frac{ad^2}{b}} + 4ia\right)\text{Ei}\left(idx - \sqrt{\frac{a}{b}}\right)}{4a^2\sqrt{b}(a + bx^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^2+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{16}*((-8*I*b*x^2 - 8*I*a)*\text{Ei}(I*d*x)*e^{(I*c)} + (8*I*b*x^2 + 8*I*a)*\text{Ei}(-I*d*x)*e^{(-I*c)} + (4*I*b*x^2 + 2*(-I*b*x^2 - I*a)*\sqrt{a*d^2/b} + 4*I*a)*\text{Ei}(I*d*x - \sqrt{a*d^2/b})*e^{(I*c + \sqrt{a*d^2/b})} + (4*I*b*x^2 + 2*(I*b*x^2 + I*a)*\sqrt{a*d^2/b} + 4*I*a)*\text{Ei}(I*d*x + \sqrt{a*d^2/b})*e^{(I*c - \sqrt{a*d^2/b})} + (-4*I*b*x^2 + 2*(I*b*x^2 + I*a)*\sqrt{a*d^2/b} - 4*I*a)*\text{Ei}(-I*d*x - \sqrt{a*d^2/b})*e^{(-I*c + \sqrt{a*d^2/b})} + (-4*I*b*x^2 + 2*(-I*b*x^2 - I*a)*\sqrt{a*d^2/b} - 4*I*a)*\text{Ei}(-I*d*x + \sqrt{a*d^2/b})*e^{(-I*c - \sqrt{a*d^2/b})} + 8*a*\text{sin}(d*x + c))/(a^2*b*x^2 + a^3)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^2+a)^2,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)^2*x), x)

maple [A] time = 0.06, size = 482, normalized size = 1.11

$$\frac{\sin(dx + c)d^2}{2a((dx + c)^2 b - 2(dx + c)bc + ad^2 + bc^2)} - \frac{\text{Si}\left(dx + c - \frac{d\sqrt{-ab+cb}}{b}\right)\cos\left(\frac{d\sqrt{-ab+cb}}{b}\right) + \text{Ci}\left(dx + c - \frac{d\sqrt{-ab+cb}}{b}\right)\sin\left(\frac{d\sqrt{-ab+cb}}{b}\right)}{2a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x/(b*x^2+a)^2,x)

```
[Out] 1/2*sin(d*x+c)*d^2/a/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-1/2/a^2*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))-1/2/a^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))+1/a^2*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))-1/4*d^2/a/b/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4*d^2/a/b/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x^2+a)^2,x, algorithm="maxima")
```

```
[Out] integrate(sin(d*x + c)/((b*x^2 + a)^2*x), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x(bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(c + d*x)/(x*(a + b*x^2)^2), x)
```

```
[Out] int(sin(c + d*x)/(x*(a + b*x^2)^2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x(a + bx^2)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x**2+a)**2,x)
```

```
[Out] Integral(sin(c + d*x)/(x*(a + b*x**2)**2), x)
```

$$3.71 \quad \int \frac{\sin(c+dx)}{x^2(a+bx^2)^2} dx$$

Optimal. Leaf size=501

$$\frac{d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4a^2} + \frac{d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4a^2} + \frac{d \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4a^2} - \frac{d \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{4a^2}$$

[Out] $d \cdot \text{Ci}(d \cdot x) \cdot \cos(c) / a^2 + 1/4 \cdot d \cdot \text{Ci}(d \cdot x + d \cdot (-a)^{1/2} / b^{1/2}) \cdot \cos(c - d \cdot (-a)^{1/2} / b^{1/2}) / b^{1/2} + 1/4 \cdot d \cdot \text{Ci}(-d \cdot x + d \cdot (-a)^{1/2} / b^{1/2}) \cdot \cos(c + d \cdot (-a)^{1/2} / b^{1/2}) / a^2 - d \cdot \text{Si}(d \cdot x) \cdot \sin(c) / a^2 - \sin(d \cdot x + c) / a^2 - 1/4 \cdot d \cdot \text{Si}(d \cdot x + d \cdot (-a)^{1/2} / b^{1/2}) \cdot \sin(c - d \cdot (-a)^{1/2} / b^{1/2}) / a^2 - 1/4 \cdot d \cdot \text{Si}(d \cdot x - d \cdot (-a)^{1/2} / b^{1/2}) \cdot \sin(c + d \cdot (-a)^{1/2} / b^{1/2}) / a^2 - 3/4 \cdot \cos(c + d \cdot (-a)^{1/2} / b^{1/2}) \cdot \text{Si}(d \cdot x - d \cdot (-a)^{1/2} / b^{1/2}) \cdot b^{1/2} / (-a)^{5/2} + 3/4 \cdot \cos(c - d \cdot (-a)^{1/2} / b^{1/2}) \cdot \text{Si}(d \cdot x + d \cdot (-a)^{1/2} / b^{1/2}) \cdot b^{1/2} / (-a)^{5/2} + 3/4 \cdot \text{Ci}(d \cdot x + d \cdot (-a)^{1/2} / b^{1/2}) \cdot \sin(c - d \cdot (-a)^{1/2} / b^{1/2}) \cdot b^{1/2} / (-a)^{5/2} - 3/4 \cdot \text{Ci}(-d \cdot x + d \cdot (-a)^{1/2} / b^{1/2}) \cdot \sin(c + d \cdot (-a)^{1/2} / b^{1/2}) \cdot b^{1/2} / (-a)^{5/2} + 1/4 \cdot \sin(d \cdot x + c) \cdot b^{1/2} / a^2 / ((-a)^{1/2} - x \cdot b^{1/2}) - 1/4 \cdot \sin(d \cdot x + c) \cdot b^{1/2} / a^2 / ((-a)^{1/2} + x \cdot b^{1/2})$

Rubi [A] time = 1.31, antiderivative size = 501, normalized size of antiderivative = 1.00, number of steps used = 32, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3297, 3303, 3299, 3302, 3333}

$$\frac{d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4a^2} + \frac{d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4a^2} + \frac{d \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{4a^2} - \frac{d \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{4a^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^2*(a + b*x^2)^2), x]

[Out] $(d \cdot \text{Cos}[c] \cdot \text{CosIntegral}[d \cdot x]) / a^2 + (d \cdot \text{Cos}[c + (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]] \cdot \text{CosIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] - d \cdot x]) / (4 \cdot a^2) + (d \cdot \text{Cos}[c - (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]] \cdot \text{CosIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] + d \cdot x]) / (4 \cdot a^2) + (3 \cdot \text{Sqrt}[b] \cdot \text{CosIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] + d \cdot x] \cdot \text{Sin}[c - (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]]) / (4 \cdot (-a)^{5/2}) - (3 \cdot \text{Sqrt}[b] \cdot \text{CosIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] - d \cdot x] \cdot \text{Sin}[c + (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]]) / (4 \cdot (-a)^{5/2}) - \text{Sin}[c + d \cdot x] / (a^2 \cdot x) + (\text{Sqrt}[b] \cdot \text{Sin}[c + d \cdot x]) / (4 \cdot a^2 \cdot (\text{Sqrt}[-a] - \text{Sqrt}[b] \cdot x)) - (\text{Sqrt}[b] \cdot \text{Sin}[c + d \cdot x]) / (4 \cdot a^2 \cdot (\text{Sqrt}[-a] + \text{Sqrt}[b] \cdot x)) - (d \cdot \text{Sin}[c] \cdot \text{SinIntegral}[d \cdot x]) / a^2 + (3 \cdot \text{Sqrt}[b] \cdot \text{Cos}[c + (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]] \cdot \text{SinIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] - d \cdot x]) / (4 \cdot (-a)^{5/2}) + (d \cdot \text{Sin}[c + (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]] \cdot \text{SinIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] - d \cdot x]) / (4 \cdot a^2) + (3 \cdot \text{Sqrt}[b] \cdot \text{Cos}[c - (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]] \cdot \text{SinIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] + d \cdot x]) / (4 \cdot (-a)^{5/2}) - (d \cdot \text{Sin}[c - (\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b]] \cdot \text{SinIntegral}[(\text{Sqrt}[-a] \cdot d) / \text{Sqrt}[b] + d \cdot x]) / (4 \cdot a^2)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]) / (d*(m + 1)), x] - Dist[f / (d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_) / ((c_.) + (d_.)*(x_))], x_Symbol] :> Simp[SinIntegral[e + f*x] / d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3345

Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin(c+dx)}{x^2(a+bx^2)^2} dx &= \int \left(\frac{\sin(c+dx)}{a^2x^2} - \frac{b\sin(c+dx)}{a(a+bx^2)^2} - \frac{b\sin(c+dx)}{a^2(a+bx^2)} \right) dx \\
 &= \frac{\int \frac{\sin(c+dx)}{x^2} dx}{a^2} - \frac{b \int \frac{\sin(c+dx)}{a+bx^2} dx}{a^2} - \frac{b \int \frac{\sin(c+dx)}{(a+bx^2)^2} dx}{a} \\
 &= -\frac{\sin(c+dx)}{a^2x} - \frac{b \int \left(\frac{\sqrt{-a}\sin(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a}\sin(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx}{a^2} - \frac{b \int \left(-\frac{b\sin(c+dx)}{4a(\sqrt{-a}\sqrt{b}-bx)^2} - \frac{b\sin(c+dx)}{4a(\sqrt{-a}\sqrt{b}+bx)^2} \right) dx}{a} \\
 &= -\frac{\sin(c+dx)}{a^2x} + \frac{b \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2(-a)^{5/2}} + \frac{b \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2(-a)^{5/2}} + \frac{b^2 \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}-bx)^2} dx}{4a^2} + \frac{b^2 \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}+bx)^2} dx}{4a^2} \\
 &= \frac{d \cos(c) \text{Ci}(dx)}{a^2} - \frac{\sin(c+dx)}{a^2x} + \frac{\sqrt{b} \sin(c+dx)}{4a^2(\sqrt{-a}-\sqrt{b}x)} - \frac{\sqrt{b} \sin(c+dx)}{4a^2(\sqrt{-a}+\sqrt{b}x)} - \frac{d \sin(c) \text{Si}(dx)}{a^2} \\
 &= \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{\sqrt{b} \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right) \sin\left(c-\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2(-a)^{5/2}} - \frac{\sqrt{b} \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right) \sin\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2(-a)^{5/2}} \\
 &= \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{4a^2} + \frac{d \cos\left(c-\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{4a^2} \\
 &= \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{4a^2} + \frac{d \cos\left(c-\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{4a^2}
 \end{aligned}$$

Mathematica [C] time = 1.10, size = 768, normalized size = 1.53

$$a^{3/2}dx \cos\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - a^{3/2}dx \sin\left(c - \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + a^{3/2}dx \sin\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{i\sqrt{ad}}{\sqrt{b}}\right) - a^{3/2}dx \cos\left(c + \frac{i\sqrt{ad}}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x^2)^2), x]

[Out] $(4\sqrt{a}d^2x^3 + a^2d^2x) \text{Ei}(dx) e^{ic} + 4(abd^2x^3 + a^2d^2x) \text{Ei}(-dx) e^{-ic} + \left(abd^2x^3 + a^2d^2x - 3(b^2x^3 + abx)\sqrt{\frac{ad^2}{b}}\right) \text{Ei}\left(\frac{dx + \sqrt{a}d}{\sqrt{b}}\right) e^{ic + \frac{\sqrt{a}d}{\sqrt{b}}} + \left(abd^2x^3 + a^2d^2x + 3(b^2x^3 + abx)\sqrt{\frac{ad^2}{b}}\right) \text{Ei}\left(\frac{dx - \sqrt{a}d}{\sqrt{b}}\right) e^{-ic - \frac{\sqrt{a}d}{\sqrt{b}}} - 4(3abd^2x^2 + 2a^2d)\sin(dx + c) / (a^3bd^2x^3 + a^4d^2x)$

fricas [C] time = 0.94, size = 406, normalized size = 0.81

$$4(abd^2x^3 + a^2d^2x) \text{Ei}(dx) e^{ic} + 4(abd^2x^3 + a^2d^2x) \text{Ei}(-dx) e^{-ic} + \left(abd^2x^3 + a^2d^2x - 3(b^2x^3 + abx)\sqrt{\frac{ad^2}{b}}\right) \text{Ei}\left(\frac{dx + \sqrt{a}d}{\sqrt{b}}\right) e^{ic + \frac{\sqrt{a}d}{\sqrt{b}}} + \left(abd^2x^3 + a^2d^2x + 3(b^2x^3 + abx)\sqrt{\frac{ad^2}{b}}\right) \text{Ei}\left(\frac{dx - \sqrt{a}d}{\sqrt{b}}\right) e^{-ic - \frac{\sqrt{a}d}{\sqrt{b}}} - 4(3abd^2x^2 + 2a^2d)\sin(dx + c) / (a^3bd^2x^3 + a^4d^2x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a)^2,x, algorithm="fricas")

[Out] $1/8(4(a^2bd^2x^3 + a^2d^2x) \text{Ei}(dx) e^{ic} + 4(abd^2x^3 + a^2d^2x) \text{Ei}(-dx) e^{-ic} + (abd^2x^3 + a^2d^2x - 3(b^2x^3 + abx)\sqrt{ad^2/b}) \text{Ei}(dx + \sqrt{ad^2/b}) e^{ic + \sqrt{ad^2/b}} + (abd^2x^3 + a^2d^2x + 3(b^2x^3 + abx)\sqrt{ad^2/b}) \text{Ei}(dx - \sqrt{ad^2/b}) e^{-ic - \sqrt{ad^2/b}} + (abd^2x^3 + a^2d^2x - 3(b^2x^3 + abx)\sqrt{ad^2/b}) \text{Ei}(-dx + \sqrt{ad^2/b}) e^{-ic + \sqrt{ad^2/b}} + (abd^2x^3 + a^2d^2x + 3(b^2x^3 + abx)\sqrt{ad^2/b}) \text{Ei}(-dx - \sqrt{ad^2/b}) e^{ic - \sqrt{ad^2/b}}) / (a^3bd^2x^3 + a^4d^2x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a)^2,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)^2*x^2), x)

maple [A] time = 0.05, size = 769, normalized size = 1.53

$$d \left(\frac{-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c)}{a^2} - \frac{b d^2 \left(\frac{\sin(dx+c) \left(\frac{dx+c}{2a d^2} - \frac{c}{2a d^2} \right)}{(dx+c)^2 b - 2(dx+c)bc + a d^2 + b c^2} + \frac{\text{Si} \left(dx+c - \frac{d\sqrt{-ab+cb}}{b} \right) \cos \left(\frac{d\sqrt{-ab+cb}}{b} \right) + \text{Ci} \left(dx+c - \frac{d\sqrt{-ab+cb}}{b} \right) \sin \left(\frac{d\sqrt{-ab+cb}}{b} \right)}{4a d^2 \left(\frac{d\sqrt{-ab+cb}}{b} \right)} \right)}{a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x^2+a)^2,x)

[Out] d*(1/a^2*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))-1/a*b*d^2*(sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4/a/d^2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4/a/b/d^2*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4/a/b/d^2*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b))-1/a^2*b*(1/2/((d*(-a*b)^(1/2)+c*b)/b-c)/b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/2/(-(d*(-a*b)^(1/2)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a)^2,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)^2*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x^2(bx^2+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^2*(a + b*x^2)^2),x)

[Out] int(sin(c + d*x)/(x^2*(a + b*x^2)^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x**2/(b*x**2+a)**2,x)

[Out] Timed out

$$3.72 \quad \int \frac{x^3 \sin(c+dx)}{(a+bx^2)^3} dx$$

Optimal. Leaf size=476

$$\frac{3d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16\sqrt{-a}b^{5/2}} - \frac{3d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{16\sqrt{-a}b^{5/2}} + \frac{3d \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16\sqrt{-a}b^{5/2}} + \frac{3d \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{16\sqrt{-a}b^{5/2}}$$

[Out] $-1/8*d*x*cos(d*x+c)/b^2/(b*x^2+a)-1/16*d^2*cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/b^3-1/16*d^2*cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/b^3-1/4*x^2*sin(d*x+c)/b/(b*x^2+a)^2-1/4*sin(d*x+c)/b^2/(b*x^2+a)-1/16*d^2*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^3-1/16*d^2*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^3-3/16*d*Ci(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}+3/16*d*Ci(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}+3/16*d*Si(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}-3/16*d*Si(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}$

Rubi [A] time = 1.01, antiderivative size = 476, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {3343, 3341, 3334, 3303, 3299, 3302, 3344, 3345}

$$\frac{d^2 \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{16b^3} - \frac{d^2 \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16b^3} + \frac{3d \cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16\sqrt{-a}b^{5/2}} + \frac{3d \cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{16\sqrt{-a}b^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x^2)^3,x]

[Out] $-(d*x*\text{Cos}[c + d*x])/(8*b^2*(a + b*x^2)) + (3*d*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*\text{Sqrt}[-a]*b^{(5/2)}) - (3*d*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(16*\text{Sqrt}[-a]*b^{(5/2)}) - (d^2*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*b^3) - (d^2*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*b^3) - (x^2*\text{Sin}[c + d*x])/(4*b*(a + b*x^2)^2) - \text{Sin}[c + d*x]/(4*b^2*(a + b*x^2)) + (d^2*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*b^3) + (3*d*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*\text{Sqrt}[-a]*b^{(5/2)}) - (d^2*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(16*b^3) + (3*d*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(16*\text{Sqrt}[-a]*b^{(5/2)})$

Rule 3299

Int[sin[(e.) + (f.)*(x.)]/((c.) + (d.)*(x.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e.) + (f.)*(x.)]/((c.) + (d.)*(x.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e.) + (f.)*(x.)]/((c.) + (d.)*(x.)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x]

) / d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
 NeQ[d*e - c*f, 0]

Rule 3334

Int[Cos[(c_.) + (d_.)*(x_)]*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] :> Int
 [ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
 x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3341

Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)]
], x_Symbol] :> Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)),
 x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x],
 x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (I
 ntegerQ[n] || GtQ[e, 0])

Rule 3343

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
 bol] :> Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1))
 , x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
 Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
 p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
 & IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]

Rule 3344

Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Sym
 bol] :> Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x])/(b*n*(p + 1))
 , x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
 Cos[c + d*x], x], x] + Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
 p + 1)*Sin[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
 & IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]

Rule 3345

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
 bol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
 Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
 1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sin(c+dx)}{(a+bx^2)^3} dx &= -\frac{x^2 \sin(c+dx)}{4b(a+bx^2)^2} + \frac{\int \frac{x \sin(c+dx)}{(a+bx^2)^2} dx}{2b} + \frac{d \int \frac{x^2 \cos(c+dx)}{(a+bx^2)^2} dx}{4b} \\
&= -\frac{dx \cos(c+dx)}{8b^2(a+bx^2)} - \frac{x^2 \sin(c+dx)}{4b(a+bx^2)^2} - \frac{\sin(c+dx)}{4b^2(a+bx^2)} + \frac{d \int \frac{\cos(c+dx)}{a+bx^2} dx}{8b^2} + \frac{d \int \frac{\cos(c+dx)}{a+bx^2} dx}{4b^2} - \frac{d \int \frac{\cos(c+dx)}{a+bx^2} dx}{4b^2} \\
&= -\frac{dx \cos(c+dx)}{8b^2(a+bx^2)} - \frac{x^2 \sin(c+dx)}{4b(a+bx^2)^2} - \frac{\sin(c+dx)}{4b^2(a+bx^2)} + \frac{d \int \left(\frac{\sqrt{-a} \cos(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a} \cos(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx}{8b^2} \\
&= -\frac{dx \cos(c+dx)}{8b^2(a+bx^2)} - \frac{x^2 \sin(c+dx)}{4b(a+bx^2)^2} - \frac{\sin(c+dx)}{4b^2(a+bx^2)} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{16\sqrt{-a}b^2} - \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{16\sqrt{-a}b^2} \\
&= -\frac{dx \cos(c+dx)}{8b^2(a+bx^2)} - \frac{x^2 \sin(c+dx)}{4b(a+bx^2)^2} - \frac{\sin(c+dx)}{4b^2(a+bx^2)} - \frac{\left(d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \right) \int \frac{\cos\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{\sqrt{-a}+\sqrt{b}x} dx}{16\sqrt{-a}b^2} \\
&= -\frac{dx \cos(c+dx)}{8b^2(a+bx^2)} + \frac{3d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16\sqrt{-a}b^{5/2}} - \frac{3d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{16\sqrt{-a}b^{5/2}}
\end{aligned}$$

Mathematica [C] time = 1.99, size = 647, normalized size = 1.36

$$\frac{d^2 \cos(c) \left(-i \sinh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + i \sinh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \cosh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \left(\text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right) - \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) \right) \right)}{b} - \frac{d^2 \sin(c) \left(\cosh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \cosh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \sinh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \left(\text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right) + \text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) \right) \right)}{b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x^2)^3, x]

[Out] ((-2*Cos[d*x]*(d*x*(a + b*x^2)*Cos[c] + 2*(a + 2*b*x^2)*Sin[c]))/(a + b*x^2)^2 + (2*(-2*(a + 2*b*x^2)*Cos[c] + d*x*(a + b*x^2)*Sin[c])*Sin[d*x])/(a + b*x^2)^2 + (d^2*Cos[c]*((-I)*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sinh[(Sqrt[a]*d)/Sqrt[b]] + I*CosIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x])*Sinh[(Sqrt[a]*d)/Sqrt[b]] + Cosh[(Sqrt[a]*d)/Sqrt[b]]*(-SinIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x]) + SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]))/b + (3*d*Cos[c]*((-I)*Cosh[(Sqrt[a]*d)/Sqrt[b]]*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x]) + I*Cosh[(Sqrt[a]*d)/Sqrt[b]]*CosIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x]) + Sinh[(Sqrt[a]*d)/Sqrt[b]]*(-SinIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x]) + SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]))/(Sqrt[a]*Sqrt[b]) - (3*d*Sin[c]*(CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x])*Sinh[(Sqrt[a]*d)/Sqrt[b]] + CosIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x])*Sinh[(Sqrt[a]*d)/Sqrt[b]] + I*Cosh[(Sqrt[a]*d)/Sqrt[b]]*(SinIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x]) + SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]))/(Sqrt[a]*Sqrt[b]) - (d^2*Sin[c]*(Cosh[(Sqrt[a]*d)/Sqrt[b]]*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x]) + Cosh[(Sqrt[a]*d)/Sqrt[b]]*CosIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x]) + I*Sinh[(Sqrt[a]*d)/Sqrt[b]]*(SinIntegral[d*((I)*Sqrt[a])/Sqrt[b] + x]) + SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x]))/b)/(16*b^2)

fricas [C] time = 0.68, size = 492, normalized size = 1.03

$$\left(2i ab^2 d^2 x^4 + 4i a^2 b d^2 x^2 + 2i a^3 d^2 + 2(3i b^3 x^4 + 6i ab^2 x^2 + 3i a^2 b) \sqrt{\frac{ad^2}{b}} \right) \text{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\left(i c + \sqrt{\frac{ad^2}{b}} \right)} + \left(2i ab^2 d^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="fricas")

[Out] 1/64*((2*I*a*b^2*d^2*x^4 + 4*I*a^2*b*d^2*x^2 + 2*I*a^3*d^2 + 2*(3*I*b^3*x^4 + 6*I*a*b^2*x^2 + 3*I*a^2*b)*sqrt(a*d^2/b))*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) + (2*I*a*b^2*d^2*x^4 + 4*I*a^2*b*d^2*x^2 + 2*I*a^3*d^2 + 2*(-3*I*b^3*x^4 - 6*I*a*b^2*x^2 - 3*I*a^2*b)*sqrt(a*d^2/b))*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + (-2*I*a*b^2*d^2*x^4 - 4*I*a^2*b*d^2*x^2 - 2*I*a^3*d^2 + 2*(-3*I*b^3*x^4 - 6*I*a*b^2*x^2 - 3*I*a^2*b)*sqrt(a*d^2/b))*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) + (-2*I*a*b^2*d^2*x^4 - 4*I*a^2*b*d^2*x^2 - 2*I*a^3*d^2 + 2*(3*I*b^3*x^4 + 6*I*a*b^2*x^2 + 3*I*a^2*b)*sqrt(a*d^2/b))*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)) - 8*(a*b^2*d*x^3 + a^2*b*d*x)*cos(d*x + c) - 16*(2*a*b^2*x^2 + a^2*b)*sin(d*x + c)/(a*b^5*x^4 + 2*a^2*b^4*x^2 + a^3*b^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(dx + c)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="giac")

[Out] integrate(x^3*sin(d*x + c)/(b*x^2 + a)^3, x)

maple [B] time = 0.15, size = 3391, normalized size = 7.12

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x^2+a)^3,x)

[Out] 1/d^4*(1/8*sin(d*x+c)*d^2*(3*(d*x+c)^3*a*b^2*c*d^2+3*(d*x+c)^3*b^3*c^3-4*(d*x+c)^2*a^2*b*d^4-9*(d*x+c)^2*a*b^2*c^2*d^2-9*(d*x+c)^2*b^3*c^4+5*(d*x+c)*a^2*b*c*d^4+14*(d*x+c)*a*b^2*c^3*d^2+9*(d*x+c)*b^3*c^5-2*a^3*d^6-7*a^2*b*c^2*d^4-8*a*b^2*c^4*d^2-3*b^3*c^6)/a^2/b^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2-1/8*cos(d*x+c)*d^4*((d*x+c)*a*d^2-3*(d*x+c)*b*c^2+2*a*c*d^2+2*b*c^3)/a/b^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-1/16*d^2*((d*(-a*b)^(1/2)+c*b)/b*a^2*d^4-3*(d*(-a*b)^(1/2)+c*b)*a*c^2*d^2+2*a^2*c*d^4+2*a*b*c^3*d^2-3*a*b*c*d^2-3*b^2*c^3)/a^2/b^3/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))-1/16*d^2*(-(d*(-a*b)^(1/2)-c*b)/b*a^2*d^4+3*(d*(-a*b)^(1/2)-c*b)*a*c^2*d^2+2*a^2*c*d^4+2*a*b*c^3*d^2-3*a*b*c*d^2-3*b^2*c^3)/a^2/b^3/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-3/16*d^2*((d*(-a*b)^(1/2)+c*b)*a*c*d^2+(d*(-a*b)^(1/2)+c*b)*b*c^3-a^2*d^4-2*a*b*c^2*d^2-b^2*c^4)/a^2/b^3/((d*(-a*b)^(1/2)+c*b)/b-c)*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-3/16*d^2*(-(d*(-a*b)^(1/2)-c*b)*a*c*d^2-(d*(-a*b)^(1/2)-c*b)*b*c^3-a^2*d^4-2*a*b*c^2*d^2-b^2*c^4)/a^2/b^3/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)))-3/8*sin(d*x+c)*c*d^2*((d*x+c)^3*a*b*d^2+3*(d*x+c)^3*b^2*c^2-3*(d*x+c)^2*a*b*c*d^2-9*(d*x+c)^2*b^2*c^3-(d*x+c)*a^2*d^4+8*(d*x+c)*a*b*c^2*d^2+9*(d*x+c)*b^2*c^4-3*a^2*c*d^4-6*a*b*c^3*d^2-3*b^2*c^5)/a^2/b/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2-3/8*cos(d*x+c)*c*d^4*(2*(d*x+c)*b*c-a*d^2-b*c^2)/a/b^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-3/16*c*d^2*(2*(d*(-a*b)^(1/2)+c*b)*a*c*d^2-a^2*d^4-a*b*c^2*d^2+a*b*d^2+3*c^2*b^2)/a^2/b^3/((d*(-a*b)^(1/2)+c*b)

$$\begin{aligned} & b)/b-c) * (\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \cos((d*(-a*b)^{(1/2)}+c*b)/b) + \text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \sin((d*(-a*b)^{(1/2)}+c*b)/b)) - 3/16*c*d^2*(-2*(d*(-a*b)^{(1/2)}-c*b)*a*c*d^2-a^2*d^4-a*b*c^2*d^2+a*b*d^2+3*c^2*b^2)/a^2/b^3/(- \\ & (d*(-a*b)^{(1/2)}-c*b)/b-c) * (\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \cos((d*(-a*b)^{(1/2)}-c*b)/b) - \text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \sin((d*(-a*b)^{(1/2)}-c*b)/b)) + \\ & 3/16*c*d^2*((d*(-a*b)^{(1/2)}+c*b)/b*a*d^2+3*(d*(-a*b)^{(1/2)}+c*b)*c^2-3*a*c*d^2-3*b*c^3)/a^2/b^2/((d*(-a*b)^{(1/2)}+c*b)/b-c) * (-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \sin((d*(-a*b)^{(1/2)}+c*b)/b) + \text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \cos((d*(-a*b)^{(1/2)}+c*b)/b)) + 3/16*c*d^2*(-(d*(-a*b)^{(1/2)}-c*b)/b*a*d^2-3*(d*(-a*b)^{(1/2)}-c*b)*c^2-3*a*c*d^2-3*b*c^3)/a^2/b^2/(-(d*(-a*b)^{(1/2)}-c*b)/b-c) * (\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \sin((d*(-a*b)^{(1/2)}-c*b)/b) + \text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \cos((d*(-a*b)^{(1/2)}-c*b)/b)) + 3/8*\sin(d*x+c)*c^2*d^2*(3*c*(d*x+c)^3*b^2-9*b^2*c^2*(d*x+c)^2+5*(d*x+c)*a*b*c*d^2+9*(d*x+c)*b^2*c^3-2*a^2*d^4-5*a*b*c^2*d^2-3*b^2*c^4)/a^2/b/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2+3/8*\cos(d*x+c)*c^2*d^4/a/b*(d*x+c)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+3/16*c^2*d^2*((d*(-a*b)^{(1/2)}+c*b)/b*a*d^2+3*c*b)/a^2/b^2/((d*(-a*b)^{(1/2)}+c*b)/b-c) * (\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \cos((d*(-a*b)^{(1/2)}+c*b)/b) + \text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \sin((d*(-a*b)^{(1/2)}+c*b)/b)) + 3/16*c^2*d^2*(-(d*(-a*b)^{(1/2)}-c*b)/b*a*d^2+3*c*b)/a^2/b^2/(-(d*(-a*b)^{(1/2)}-c*b)/b-c) * (\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \cos((d*(-a*b)^{(1/2)}-c*b)/b) - \text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \sin((d*(-a*b)^{(1/2)}-c*b)/b)) - 3/16*c^2*d^2*(3*(d*(-a*b)^{(1/2)}+c*b)*c-a*d^2-3*b*c^2)/a^2/b^2/((d*(-a*b)^{(1/2)}+c*b)/b-c) * (-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \sin((d*(-a*b)^{(1/2)}+c*b)/b) + \text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \cos((d*(-a*b)^{(1/2)}+c*b)/b)) - 3/16*c^2*d^2*(-3*(d*(-a*b)^{(1/2)}-c*b)*c-a*d^2-3*b*c^2)/a^2/b^2/(-(d*(-a*b)^{(1/2)}-c*b)/b-c) * (\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \sin((d*(-a*b)^{(1/2)}-c*b)/b) + \text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \cos((d*(-a*b)^{(1/2)}-c*b)/b)) - d^6*c^3*(1/8*\sin(d*x+c)*(3*(d*x+c)^3*b-9*c*(d*x+c)^2*b+5*(d*x+c)*a*d^2+9*(d*x+c)*b*c^2-5*a*c*d^2-3*b*c^3)/a^2/d^4/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2+1/8*\cos(d*x+c)/a/b/d^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/16*(a*d^2+3*b)/a^2/b^2/d^4/((d*(-a*b)^{(1/2)}+c*b)/b-c) * (\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \cos((d*(-a*b)^{(1/2)}+c*b)/b) + \text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \sin((d*(-a*b)^{(1/2)}+c*b)/b)) + 1/16*(a*d^2+3*b)/a^2/b^2/d^4/(-(d*(-a*b)^{(1/2)}-c*b)/b-c) * (\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \cos((d*(-a*b)^{(1/2)}-c*b)/b) - \text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \sin((d*(-a*b)^{(1/2)}-c*b)/b)) - 3/16/a^2/b/d^4*(-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \sin((d*(-a*b)^{(1/2)}+c*b)/b) + \text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) * \cos((d*(-a*b)^{(1/2)}+c*b)/b)) - 3/16/a^2/b/d^4*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \sin((d*(-a*b)^{(1/2)}-c*b)/b) + \text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) * \cos((d*(-a*b)^{(1/2)}-c*b)/b)))
\end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*sin(c + d*x))/(a + b*x^2)^3,x)

[Out] int((x^3*sin(c + d*x))/(a + b*x^2)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*sin(d*x+c)/(b*x**2+a)**3,x)
```

```
[Out] Timed out
```

$$3.73 \quad \int \frac{x^2 \sin(c+dx)}{(a+bx^2)^3} dx$$

Optimal. Leaf size=746

$$\frac{d^2 \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{16\sqrt{-a}b^{5/2}} - \frac{d^2 \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16\sqrt{-a}b^{5/2}} + \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{16(-a)^{3/2}b^{3/2}} - \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16(-a)^{3/2}b^{3/2}}$$

[Out] $-1/8*d*\cos(d*x+c)/b^2/(b*x^2+a)-1/16*d*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/a/b^2-1/16*d*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/a/b^2-1/16*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+1/16*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}-1/4*x*\sin(d*x+c)/b/(b*x^2+a)^2+1/16*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+1/16*d*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a/b^2-1/16*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+1/16*d*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a/b^2-1/16*d^2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}+1/16*d^2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}+1/16*d^2*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}-1/16*d^2*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/b^{(5/2)}/(-a)^{(1/2)}-1/16*\sin(d*x+c)/a/b^{(3/2)}/((-a)^{(1/2)}-x*b^{(1/2)})+1/16*\sin(d*x+c)/a/b^{(3/2)}/((-a)^{(1/2)}+x*b^{(1/2)})$

Rubi [A] time = 1.14, antiderivative size = 746, normalized size of antiderivative = 1.00, number of steps used = 28, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3343, 3333, 3297, 3303, 3299, 3302, 3342}

$$\frac{d^2 \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{16\sqrt{-a}b^{5/2}} - \frac{d^2 \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16\sqrt{-a}b^{5/2}} + \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{16(-a)^{3/2}b^{3/2}} - \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16(-a)^{3/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sin[c + d*x])/(a + b*x^2)^3,x]

[Out] $-(d*\text{Cos}[c + d*x])/(8*b^2*(a + b*x^2)) - (d*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]/(16*a*b^2) - (d*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]/(16*a*b^2) + (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*(-a)^{(3/2)}*b^{(3/2)}) + (d^2*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*\text{Sqrt}[-a]*b^{(5/2)}) - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*(-a)^{(3/2)}*b^{(3/2)}) - (d^2*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*\text{Sqrt}[-a]*b^{(5/2)}) - \text{Sin}[c + d*x]/(16*a*b^{(3/2)}*(\text{Sqrt}[-a] - \text{Sqrt}[b]*x)) + \text{Sin}[c + d*x]/(16*a*b^{(3/2)}*(\text{Sqrt}[-a] + \text{Sqrt}[b]*x)) - (x*\text{Sin}[c + d*x])/(4*b*(a + b*x^2)^2) + (\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]/(16*(-a)^{(3/2)}*b^{(3/2)}) + (d^2*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]/(16*\text{Sqrt}[-a]*b^{(5/2)}) - (d*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]/(16*a*b^2) + (\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]/(16*(-a)^{(3/2)}*b^{(3/2)}) + (d^2*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]/(16*\text{Sqrt}[-a]*b^{(5/2)}) + (d*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]/(16*a*b^2)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c

+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3342

Int[Cos[(c_.) + (d_.)*(x_)]*((e_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Cos[c + d*x]/(b*n*(p + 1)), x] + Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])

Rule 3343

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2 \sin(c + dx)}{(a + bx^2)^3} dx &= -\frac{x \sin(c + dx)}{4b(a + bx^2)^2} + \frac{\int \frac{\sin(c+dx)}{(a+bx^2)^2} dx}{4b} + \frac{d \int \frac{x \cos(c+dx)}{(a+bx^2)^2} dx}{4b} \\
 &= -\frac{d \cos(c + dx)}{8b^2(a + bx^2)} - \frac{x \sin(c + dx)}{4b(a + bx^2)^2} + \frac{\int \left(-\frac{b \sin(c+dx)}{4a(\sqrt{-a} \sqrt{b} - bx)^2} - \frac{b \sin(c+dx)}{4a(\sqrt{-a} \sqrt{b} + bx)^2} - \frac{b \sin(c+dx)}{2a(-ab - b^2 x^2)} \right) dx}{4b} \\
 &= -\frac{d \cos(c + dx)}{8b^2(a + bx^2)} - \frac{x \sin(c + dx)}{4b(a + bx^2)^2} - \frac{\int \frac{\sin(c+dx)}{(\sqrt{-a} \sqrt{b} - bx)^2} dx}{16a} - \frac{\int \frac{\sin(c+dx)}{(\sqrt{-a} \sqrt{b} + bx)^2} dx}{16a} - \frac{\int \frac{\sin(c+dx)}{-ab - b^2 x^2} dx}{8a} \\
 &= -\frac{d \cos(c + dx)}{8b^2(a + bx^2)} - \frac{\sin(c + dx)}{16ab^{3/2}(\sqrt{-a} - \sqrt{b}x)} + \frac{\sin(c + dx)}{16ab^{3/2}(\sqrt{-a} + \sqrt{b}x)} - \frac{x \sin(c + dx)}{4b(a + bx^2)^2} - \frac{\int \left(-\frac{b \sin(c+dx)}{4a(\sqrt{-a} \sqrt{b} - bx)^2} - \frac{b \sin(c+dx)}{4a(\sqrt{-a} \sqrt{b} + bx)^2} - \frac{b \sin(c+dx)}{2a(-ab - b^2 x^2)} \right) dx}{4b} \\
 &= -\frac{d \cos(c + dx)}{8b^2(a + bx^2)} - \frac{\sin(c + dx)}{16ab^{3/2}(\sqrt{-a} - \sqrt{b}x)} + \frac{\sin(c + dx)}{16ab^{3/2}(\sqrt{-a} + \sqrt{b}x)} - \frac{x \sin(c + dx)}{4b(a + bx^2)^2} + \frac{\int \frac{\sin(c+dx)}{\sqrt{-ab - b^2 x^2}} dx}{16a} \\
 &= -\frac{d \cos(c + dx)}{8b^2(a + bx^2)} - \frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16ab^2} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{16ab^2} + \dots \\
 &= -\frac{d \cos(c + dx)}{8b^2(a + bx^2)} - \frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16ab^2} - \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{16ab^2} + \dots
 \end{aligned}$$

Mathematica [C] time = 2.77, size = 927, normalized size = 1.24

$$\frac{2\sqrt{a}b^2 \cos(dx) \sin(c)x^3}{(bx^2+a)^2} + \frac{2\sqrt{a}b^2 \cos(c) \sin(dx)x^3}{(bx^2+a)^2} - \frac{2a^{3/2}bd \cos(c) \cos(dx)x^2}{(bx^2+a)^2} + \frac{2a^{3/2}bd \sin(c) \sin(dx)x^2}{(bx^2+a)^2} - \frac{2a^{3/2}b \cos(dx) \sin(c)x}{(bx^2+a)^2} - \frac{2a^{3/2}b \cos(c)}{(bx^2+a)^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x^2)^3, x]
```

```
[Out] ((-2*a^(5/2)*d*Cos[c]*Cos[d*x])/(a + b*x^2)^2 - (2*a^(3/2)*b*d*x^2*Cos[c]*Cos[d*x])/(a + b*x^2)^2 - (2*a^(3/2)*b*x*Cos[d*x]*Sin[c])/(a + b*x^2)^2 + (2*sqrt[a]*b^2*x^3*Cos[d*x]*Sin[c])/(a + b*x^2)^2 + (CosIntegral[d*((I*sqrt[a])/sqrt[b] + x)]/sqrt[b] - (sqrt[a]*sqrt[b]*d*Cos[c - (I*sqrt[a]*d)/sqrt[b]]) + I*(b - a*d^2)*Sin[c - (I*sqrt[a]*d)/sqrt[b]])/sqrt[b] + (I*CosIntegral[d*((-I)*sqrt[a])/sqrt[b] + x])*(I*sqrt[a]*sqrt[b]*d*Cos[c + (I*sqrt[a]*d)/sqrt[b]]) + (-b + a*d^2)*Sin[c + (I*sqrt[a]*d)/sqrt[b]])/sqrt[b] - (2*a^(3/2)*b*x*Cos[c]*Sin[d*x])/(a + b*x^2)^2 + (2*sqrt[a]*b^2*x^3*Cos[c]*Sin[d*x])/(a + b*x^2)^2 + (2*a^(5/2)*d*Sin[c]*Sin[d*x])/(a + b*x^2)^2 + (2*a^(3/2)*b*d*x^2*Sin[c]*Sin[d*x])/(a + b*x^2)^2 + I*sqrt[b]*Cos[c]*Cosh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)] - (I*a*d^2*Cos[c]*Cosh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)]/sqrt[b] + sqrt[a]*d*Cosh[(sqrt[a]*d)/sqrt[b]]*Sin[c]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)] - I*sqrt[a]*d*Cos[c]*Sinh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)] - sqrt[b]*Sin[c]*Sinh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)] + (a*d^2*Sin[c]*Sinh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)]/sqrt[b] + I*sqrt[b]*Cos[c]*Cosh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)]/sqrt[b] + I*sqrt[b]*Cos[c]*Cosh[(sqrt[a]*d)/sqrt[b]]*SinIntegral[d*((I*sqrt[a])/sqrt[b] + x)]/sqrt[b])
```

$\text{rt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x] - (I * a * d^2 * \text{Cos}[c] * \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) / \text{Sqrt}[b] - \text{Sqrt}[a] * d * \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{Sin}[c] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x] - I * \text{Sqrt}[a] * d * \text{Cos}[c] * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x] + \text{Sqrt}[b] * \text{Sin}[c] * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x] - (a * d^2 * \text{Sin}[c] * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) / \text{Sqrt}[b]) / (16 * a^{3/2} * b^2)$

fricas [C] time = 0.79, size = 604, normalized size = 0.81

$$\frac{\left(ab^2 d^2 x^4 + 2 a^2 b d^2 x^2 + a^3 d^2 + (a^3 d^2 + (ab^2 d^2 - b^3)x^4 - a^2 b + 2(a^2 b d^2 - ab^2)x^2)\sqrt{\frac{ad^2}{b}}\right) \text{Ei}\left(i dx - \sqrt{\frac{ad^2}{b}}\right) e^{i \left(i dx - \sqrt{\frac{ad^2}{b}}\right)}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(dx+c)/(b*x^2+a)^3,x, algorithm="fricas")

[Out] $-1/32 * ((a * b^2 * d^2 * x^4 + 2 * a^2 * b * d^2 * x^2 + a^3 * d^2 + (a^3 * d^2 + (a * b^2 * d^2 - b^3) * x^4 - a^2 * b + 2 * (a^2 * b * d^2 - a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(I * d * x - \text{sqrt}(a * d^2 / b)) * e^{(I * c + \text{sqrt}(a * d^2 / b))} + (a * b^2 * d^2 * x^4 + 2 * a^2 * b * d^2 * x^2 + a^3 * d^2 - (a^3 * d^2 + (a * b^2 * d^2 - b^3) * x^4 - a^2 * b + 2 * (a^2 * b * d^2 - a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(I * d * x + \text{sqrt}(a * d^2 / b)) * e^{(I * c - \text{sqrt}(a * d^2 / b))} + (a * b^2 * d^2 * x^4 + 2 * a^2 * b * d^2 * x^2 + a^3 * d^2 + (a^3 * d^2 + (a * b^2 * d^2 - b^3) * x^4 - a^2 * b + 2 * (a^2 * b * d^2 - a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(-I * d * x - \text{sqrt}(a * d^2 / b)) * e^{(-I * c + \text{sqrt}(a * d^2 / b))} + (a * b^2 * d^2 * x^4 + 2 * a^2 * b * d^2 * x^2 + a^3 * d^2 - (a^3 * d^2 + (a * b^2 * d^2 - b^3) * x^4 - a^2 * b + 2 * (a^2 * b * d^2 - a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(-I * d * x + \text{sqrt}(a * d^2 / b)) * e^{(-I * c - \text{sqrt}(a * d^2 / b))} + 4 * (a^2 * b * d^2 * x^2 + a^3 * d^2) * \text{cos}(d * x + c) - 4 * (a * b^2 * d * x^3 - a^2 * b * d * x) * \text{sin}(d * x + c)) / (a^2 * b^4 * d * x^4 + 2 * a^3 * b^3 * d * x^2 + a^4 * b^2 * d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(dx + c)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(dx+c)/(b*x^2+a)^3,x, algorithm="giac")

[Out] integrate(x^2*sin(dx + c)/(b*x^2 + a)^3, x)

maple [B] time = 0.12, size = 2310, normalized size = 3.10

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(dx+c)/(b*x^2+a)^3,x)

[Out] $1/d^3 * (1/8 * \text{sin}(d * x + c) * d^2 * ((d * x + c)^3 * a * b * d^2 + 3 * (d * x + c)^3 * b^2 * c^2 - 3 * (d * x + c)^2 * a * b * c * d^2 - 9 * (d * x + c)^2 * b^2 * c^3 - (d * x + c) * a^2 * d^4 + 8 * (d * x + c) * a * b * c^2 * d^2 + 9 * (d * x + c) * b^2 * c^4 - 3 * a^2 * c * d^4 - 6 * a * b * c^3 * d^2 - 3 * b^2 * c^5) / a^2 / b / ((d * x + c)^2 * b - 2 * (d * x + c) * b * c + a * d^2 + b * c^2)^2 + 1/8 * \text{cos}(d * x + c) * d^4 * (2 * (d * x + c) * b * c - a * d^2 - b * c^2) / a / b^2 / ((d * x + c)^2 * b - 2 * (d * x + c) * b * c + a * d^2 + b * c^2) + 1/16 * d^2 * (2 * (d * (-a * b)^{(1/2)} + c * b) * a * c * d^2 - a^2 * d^4 - a * b * c^2 * d^2 + a * b * d^2 + 3 * c^2 * b^2) / a^2 / b^3 / ((d * (-a * b)^{(1/2)} + c * b) / b - c) * (\text{Si}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \text{cos}((d * (-a * b)^{(1/2)} + c * b) / b) + \text{Ci}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \text{sin}((d * (-a * b)^{(1/2)} + c * b) / b)) + 1/16 * d^2 * (-2 * (d * (-a * b)^{(1/2)} - c * b) * a * c * d^2 - a^2 * d^4 - a * b * c^2 * d^2 + a * b * d^2 + 3 * c^2 * b^2) / a^2 / b^3 / (- (d * (-a * b)^{(1/2)} - c * b) / b - c) * (\text{Si}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \text{cos}((d * (-a * b)^{(1/2)} - c * b) / b) + \text{Ci}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \text{sin}((d * (-a * b)^{(1/2)} - c * b) / b))$

$$\begin{aligned}
 & -c*b)/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b)^{(1/2)}-c*b)/b))-1/16 \\
 & *d^2*((d*(-a*b)^{(1/2)}+c*b)/b*a*d^2+3*(d*(-a*b)^{(1/2)}+c*b)*c^2-3*a*c*d^2-3*b \\
 & *c^3)/a^2/b^2/((d*(-a*b)^{(1/2)}+c*b)/b-c)*(-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) \\
 & *\sin((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\cos((d*(-a*b) \\
 & ^{(1/2)}+c*b)/b))-1/16*d^2*(-(d*(-a*b)^{(1/2)}-c*b)/b*a*d^2-3*(d*(-a*b)^{(1/2)}-c \\
 & *b)*c^2-3*a*c*d^2-3*b*c^3)/a^2/b^2/(-(d*(-a*b)^{(1/2)}-c*b)/b-c)*(\text{Si}(d*x+c+(d \\
 & *(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b)^{(1/2)}-c*b)/b)+\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}- \\
 & c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b))-1/4*\sin(d*x+c)*c*d^2*(3*c*(d*x+c)^3*b^ \\
 & 2-9*b^2*c^2*(d*x+c)^2+5*(d*x+c)*a*b*c*d^2+9*(d*x+c)*b^2*c^3-2*a^2*d^4-5*a*b \\
 & *c^2*d^2-3*b^2*c^4)/a^2/b/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2-1/4*\cos \\
 & (d*x+c)*c*d^4/a/b*(d*x+c)/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)-1/8*c*d^2 \\
 & *((d*(-a*b)^{(1/2)}+c*b)/b*a*d^2+3*c*b)/a^2/b^2/((d*(-a*b)^{(1/2)}+c*b)/b-c)*(\text{S} \\
 & \text{i}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\cos((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a \\
 & *b)^{(1/2)}+c*b)/b)*\sin((d*(-a*b)^{(1/2)}+c*b)/b))-1/8*c*d^2*(-(d*(-a*b)^{(1/2)}- \\
 & c*b)/b*a*d^2+3*c*b)/a^2/b^2/(-(d*(-a*b)^{(1/2)}-c*b)/b-c)*(\text{Si}(d*x+c+(d*(-a*b) \\
 & ^{(1/2)}-c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b) \\
 & *\sin((d*(-a*b)^{(1/2)}-c*b)/b))+1/8*c*d^2*(3*(d*(-a*b)^{(1/2)}+c*b)*c-a*d^2-3*b \\
 & *c^2)/a^2/b^2/((d*(-a*b)^{(1/2)}+c*b)/b-c)*(-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b) \\
 & *\sin((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\cos((d*(-a*b) \\
 & ^{(1/2)}+c*b)/b))+1/8*c*d^2*(-3*(d*(-a*b)^{(1/2)}-c*b)*c-a*d^2-3*b*c^2)/a^2/b^2 \\
 & /(-(d*(-a*b)^{(1/2)}-c*b)/b-c)*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b) \\
 &)^{(1/2)}-c*b)/b)+\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b) \\
 &))+c^2*d^6*(1/8*\sin(d*x+c)*(3*(d*x+c)^3*b-9*c*(d*x+c)^2*b+5*(d*x+c)*a*d^2+9 \\
 & *(d*x+c)*b*c^2-5*a*c*d^2-3*b*c^3)/a^2/d^4/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+ \\
 & b*c^2)^2+1/8*\cos(d*x+c)/a/b/d^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/1 \\
 & 6*(a*d^2+3*b)/a^2/b^2/d^4/((d*(-a*b)^{(1/2)}+c*b)/b-c)*(\text{Si}(d*x+c-(d*(-a*b)^{(1 \\
 & /2)}+c*b)/b)*\cos((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\text{s} \\
 & \text{i}((d*(-a*b)^{(1/2)}+c*b)/b))+1/16*(a*d^2+3*b)/a^2/b^2/d^4/(-(d*(-a*b)^{(1/2)}-c \\
 & *b)/b-c)*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b)-\text{Ci}(d \\
 & *x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b)^{(1/2)}-c*b)/b))-3/16/a^2/b/d^4*(- \\
 & \text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\sin((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(- \\
 & a*b)^{(1/2)}+c*b)/b)*\cos((d*(-a*b)^{(1/2)}+c*b)/b))-3/16/a^2/b/d^4*(\text{Si}(d*x+c+(d \\
 & *(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b)^{(1/2)}-c*b)/b)+\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}- \\
 & c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b))))
 \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x^2)^3,x)

[Out] int((x^2*sin(c + d*x))/(a + b*x^2)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*sin(d*x+c)/(b*x**2+a)**3,x)
```

```
[Out] Timed out
```

$$3.74 \quad \int \frac{x \sin(c+dx)}{(a+bx^2)^3} dx$$

Optimal. Leaf size=512

$$\frac{d \cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16(-a)^{3/2}b^{3/2}} + \frac{d \cos\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{16(-a)^{3/2}b^{3/2}} - \frac{d \sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16(-a)^{3/2}b^{3/2}} - \frac{d \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{16(-a)^{3/2}b^{3/2}}$$

[Out] 1/16*d*Ci(d*x+d*(-a)^(1/2)/b^(1/2))*cos(c-d*(-a)^(1/2)/b^(1/2))/(-a)^(3/2)/b^(3/2)-1/16*d*Ci(-d*x+d*(-a)^(1/2)/b^(1/2))*cos(c+d*(-a)^(1/2)/b^(1/2))/(-a)^(3/2)/b^(3/2)+1/16*d^2*cos(c+d*(-a)^(1/2)/b^(1/2))*Si(d*x-d*(-a)^(1/2)/b^(1/2))/a/b^2+1/16*d^2*cos(c-d*(-a)^(1/2)/b^(1/2))*Si(d*x+d*(-a)^(1/2)/b^(1/2))/a/b^2-1/4*sin(d*x+c)/b/(b*x^2+a)^2+1/16*d^2*Ci(d*x+d*(-a)^(1/2)/b^(1/2))*sin(c-d*(-a)^(1/2)/b^(1/2))/a/b^2-1/16*d*Si(d*x+d*(-a)^(1/2)/b^(1/2))*sin(c-d*(-a)^(1/2)/b^(1/2))/(-a)^(3/2)/b^(3/2)+1/16*d^2*Ci(-d*x+d*(-a)^(1/2)/b^(1/2))*sin(c+d*(-a)^(1/2)/b^(1/2))/a/b^2+1/16*d*Si(d*x-d*(-a)^(1/2)/b^(1/2))*sin(c+d*(-a)^(1/2)/b^(1/2))/(-a)^(3/2)/b^(3/2)-1/16*d*cos(d*x+c)/a/b^(3/2)/((-a)^(1/2)-x*b^(1/2))+1/16*d*cos(d*x+c)/a/b^(3/2)/((-a)^(1/2)+x*b^(1/2))

Rubi [A] time = 0.77, antiderivative size = 512, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3341, 3334, 3297, 3303, 3299, 3302}

$$\frac{d^2 \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{16ab^2} + \frac{d^2 \sin\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16ab^2} - \frac{d \cos\left(\frac{\sqrt{-a}d}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16(-a)^{3/2}b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x*Sin[c + d*x])/(a + b*x^2)^3, x]

[Out] -(d*cos[c + d*x])/(16*a*b^(3/2)*(sqrt[-a] - sqrt[b]*x)) + (d*cos[c + d*x])/(16*a*b^(3/2)*(sqrt[-a] + sqrt[b]*x)) - (d*cos[c + (sqrt[-a]*d)/sqrt[b]]*CosIntegral[(sqrt[-a]*d)/sqrt[b] - d*x])/(16*(-a)^(3/2)*b^(3/2)) + (d*cos[c - (sqrt[-a]*d)/sqrt[b]]*CosIntegral[(sqrt[-a]*d)/sqrt[b] + d*x])/(16*(-a)^(3/2)*b^(3/2)) + (d^2*cosIntegral[(sqrt[-a]*d)/sqrt[b] + d*x]*Sin[c - (sqrt[-a]*d)/sqrt[b]])/(16*a*b^2) + (d^2*cosIntegral[(sqrt[-a]*d)/sqrt[b] - d*x]*Sin[c + (sqrt[-a]*d)/sqrt[b]])/(16*a*b^2) - Sin[c + d*x]/(4*b*(a + b*x^2)^2) - (d^2*cos[c + (sqrt[-a]*d)/sqrt[b]]*SinIntegral[(sqrt[-a]*d)/sqrt[b] - d*x])/(16*a*b^2) - (d*sin[c + (sqrt[-a]*d)/sqrt[b]]*SinIntegral[(sqrt[-a]*d)/sqrt[b] - d*x])/(16*(-a)^(3/2)*b^(3/2)) + (d^2*cos[c - (sqrt[-a]*d)/sqrt[b]]*SinIntegral[(sqrt[-a]*d)/sqrt[b] + d*x])/(16*a*b^2) - (d*sin[c - (sqrt[-a]*d)/sqrt[b]]*SinIntegral[(sqrt[-a]*d)/sqrt[b] + d*x])/(16*(-a)^(3/2)*b^(3/2))

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3334

Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3341

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{x \sin(c + dx)}{(a + bx^2)^3} dx &= -\frac{\sin(c + dx)}{4b(a + bx^2)^2} + \frac{d \int \frac{\cos(c+dx)}{(a+bx^2)^2} dx}{4b} \\
 &= -\frac{\sin(c + dx)}{4b(a + bx^2)^2} + \frac{d \int \left(-\frac{b \cos(c+dx)}{4a(\sqrt{-a} \sqrt{b-bx})^2} - \frac{b \cos(c+dx)}{4a(\sqrt{-a} \sqrt{b+bx})^2} - \frac{b \cos(c+dx)}{2a(-ab-b^2x^2)} \right) dx}{4b} \\
 &= -\frac{\sin(c + dx)}{4b(a + bx^2)^2} - \frac{d \int \frac{\cos(c+dx)}{(\sqrt{-a} \sqrt{b-bx})^2} dx}{16a} - \frac{d \int \frac{\cos(c+dx)}{(\sqrt{-a} \sqrt{b+bx})^2} dx}{16a} - \frac{d \int \frac{\cos(c+dx)}{-ab-b^2x^2} dx}{8a} \\
 &= -\frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} - \sqrt{b}x)} + \frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} + \sqrt{b}x)} - \frac{\sin(c + dx)}{4b(a + bx^2)^2} - \frac{d \int \left(-\frac{\sqrt{-a} \cos(c+dx)}{2ab(\sqrt{-a} - \sqrt{b}x)} \right) dx}{8} \\
 &= -\frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} - \sqrt{b}x)} + \frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} + \sqrt{b}x)} - \frac{\sin(c + dx)}{4b(a + bx^2)^2} + \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a} - \sqrt{b}x} dx}{16(-a)^{3/2}b} + \\
 &= -\frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} - \sqrt{b}x)} + \frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} + \sqrt{b}x)} + \frac{d^2 \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right) \sin\left(c - \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{16ab^2} + \\
 &= -\frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} - \sqrt{b}x)} + \frac{d \cos(c + dx)}{16ab^{3/2}(\sqrt{-a} + \sqrt{b}x)} - \frac{d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16(-a)^{3/2}b^{3/2}} +
 \end{aligned}$$

Mathematica [C] time = 1.82, size = 634, normalized size = 1.24

$$\frac{d^2 \cos(c) \left(i \sinh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - i \sinh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) + \cosh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \left(\text{Si}\left(d\left(x + \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) - \text{Si}\left(\frac{i\sqrt{a}d}{\sqrt{b}} - dx\right) \right) \right)}{b} + \frac{d^2 \sin(c) \left(\cosh\left(\frac{\sqrt{a}d}{\sqrt{b}}\right) \text{Ci}\left(d\left(x - \frac{i\sqrt{a}}{\sqrt{b}}\right)\right) \right)}{b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x^2)^3,x]

[Out]
$$\frac{\begin{aligned} & ((2*\text{Cos}[d*x]*(d*x*(a + b*x^2)*\text{Cos}[c] - 2*a*\text{Sin}[c]))/(a + b*x^2)^2 - (2*(2*a*\text{Cos}[c] + d*x*(a + b*x^2)*\text{Sin}[c])*\text{Sin}[d*x])/(a + b*x^2)^2 + (d^2*\text{Cos}[c]*(\text{I}*\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sinh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]] - \text{I}*\text{CosIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sinh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]] + \text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*(\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] - \text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/\text{Sqrt}[b] - d*x])))/b + (d*\text{Cos}[c]*((-I)*\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]])*\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x] + \text{I}*\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + \text{Sinh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*(-\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + \text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/\text{Sqrt}[b] - d*x])))/(\text{Sqrt}[a]*\text{Sqrt}[b]) - (d*\text{Sin}[c]*(\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x])* \text{Sinh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]] + \text{CosIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sinh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]] + \text{I}*\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*(\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + \text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/\text{Sqrt}[b] - d*x])))/(\text{Sqrt}[a]*\text{Sqrt}[b]) + (d^2*\text{Sin}[c]*(\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x] + \text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + \text{I}*\text{Sinh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*(\text{SinIntegral}[d*((\text{I}*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] + \text{SinIntegral}[(\text{I}*\text{Sqrt}[a]*d)/\text{Sqrt}[b] - d*x])))/b)/(16*a*b) \end{aligned}$$

fricas [C] time = 0.68, size = 487, normalized size = 0.95

$$16 a^2 b \sin(dx + c) - \left(-2i ab^2 d^2 x^4 - 4i a^2 b d^2 x^2 - 2i a^3 d^2 + 2(i b^3 x^4 + 2i ab^2 x^2 + i a^2 b) \sqrt{\frac{ad^2}{b}} \right) \text{Ei} \left(i dx - \sqrt{\frac{ad^2}{b}} \right) e^{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/64*(16*a^2*b*\sin(d*x + c) - (-2*I*a*b^2*d^2*x^4 - 4*I*a^2*b*d^2*x^2 - 2*I*a^3*d^2 + 2*(I*b^3*x^4 + 2*I*a*b^2*x^2 + I*a^2*b)*\text{sqrt}(a*d^2/b))*\text{Ei}(I*d*x - \text{sqrt}(a*d^2/b))*e^{(I*c + \text{sqrt}(a*d^2/b))} - (-2*I*a*b^2*d^2*x^4 - 4*I*a^2*b*d^2*x^2 - 2*I*a^3*d^2 + 2*(-I*b^3*x^4 - 2*I*a*b^2*x^2 - I*a^2*b)*\text{sqrt}(a*d^2/b))*\text{Ei}(I*d*x + \text{sqrt}(a*d^2/b))*e^{(I*c - \text{sqrt}(a*d^2/b))} - (2*I*a*b^2*d^2*x^4 + 4*I*a^2*b*d^2*x^2 + 2*I*a^3*d^2 + 2*(-I*b^3*x^4 - 2*I*a*b^2*x^2 - I*a^2*b)*\text{sqrt}(a*d^2/b))*\text{Ei}(-I*d*x - \text{sqrt}(a*d^2/b))*e^{(-I*c + \text{sqrt}(a*d^2/b))} - (2*I*a*b^2*d^2*x^4 + 4*I*a^2*b*d^2*x^2 + 2*I*a^3*d^2 + 2*(I*b^3*x^4 + 2*I*a*b^2*x^2 + I*a^2*b)*\text{sqrt}(a*d^2/b))*\text{Ei}(-I*d*x + \text{sqrt}(a*d^2/b))*e^{(-I*c - \text{sqrt}(a*d^2/b))} - 8*(a*b^2*d*x^3 + a^2*b*d*x)*\cos(d*x + c))/(a^2*b^4*x^4 + 2*a^3*b^3*x^2 + a^4*b^2) \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(dx + c)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="giac")

[Out] integrate(x*sin(d*x + c)/(b*x^2 + a)^3, x)

maple [B] time = 0.08, size = 1374, normalized size = 2.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(d*x+c)/(b*x^2+a)^3,x)`

[Out]
$$\frac{1}{d^2} \left(\frac{1}{8} \sin(dx+c) d^2 (3c^2(dx+c)^3 b^2 - 9b^2 c^2 (dx+c)^2 + 5(dx+c) a b c d^2 + 9(dx+c) b^2 c^3 - 2a^2 d^4 - 5a b c^2 d^2 - 3b^2 c^4) / a^2 / b / ((dx+c)^2 b - 2(dx+c) b c + a d^2 + b c^2)^2 + \frac{1}{8} \cos(dx+c) d^4 / a / b (dx+c) / ((dx+c)^2 b - 2(dx+c) b c + a d^2 + b c^2) + \frac{1}{16} d^2 ((d(-a*b)^{(1/2)} + c*b) / b * a * d^2 + 3*c*b) / a^2 / b^2 / ((d(-a*b)^{(1/2)} + c*b) / b - c) * (\text{Si}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \cos((d(-a*b)^{(1/2)} + c*b) / b) + \text{Ci}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \sin((d(-a*b)^{(1/2)} + c*b) / b)) + \frac{1}{16} d^2 ((-d(-a*b)^{(1/2)} - c*b) / b * a * d^2 + 3*c*b) / a^2 / b^2 / (-d(-a*b)^{(1/2)} - c*b) / b - c) * (\text{Si}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \cos((d(-a*b)^{(1/2)} - c*b) / b) - \text{Ci}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \sin((d(-a*b)^{(1/2)} - c*b) / b)) - \frac{1}{16} d^2 (3*(d(-a*b)^{(1/2)} + c*b) * c - a * d^2 - 3*b*c^2) / a^2 / b^2 / ((d(-a*b)^{(1/2)} + c*b) / b - c) * (-\text{Si}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \sin((d(-a*b)^{(1/2)} + c*b) / b) + \text{Ci}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \cos((d(-a*b)^{(1/2)} + c*b) / b)) - \frac{1}{16} d^2 (-3*(d(-a*b)^{(1/2)} - c*b) * c - a * d^2 - 3*b*c^2) / a^2 / b^2 / (-d(-a*b)^{(1/2)} - c*b) / b - c) * (\text{Si}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \sin((d(-a*b)^{(1/2)} - c*b) / b) + \text{Ci}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \cos((d(-a*b)^{(1/2)} - c*b) / b)) - c * d^6 * (1/8 * \sin(dx+c) * (3*(dx+c)^3 b^2 - 9*c*(dx+c)^2*b + 5*(dx+c)*a*d^2 + 9*(dx+c)*b*c^2 - 5*a*c*d^2 - 3*b*c^3) / a^2 / d^4 / ((dx+c)^2*b - 2*(dx+c)*b*c + a*d^2 + b*c^2)^2 + 1/8 * \cos(dx+c) / a / b / d^2 / ((dx+c)^2*b - 2*(dx+c)*b*c + a*d^2 + b*c^2) + 1/16 * (a*d^2 + 3*b) / a^2 / b^2 / d^4 / ((d(-a*b)^{(1/2)} + c*b) / b - c) * (\text{Si}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \cos((d(-a*b)^{(1/2)} + c*b) / b) + \text{Ci}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \sin((d(-a*b)^{(1/2)} + c*b) / b)) + 1/16 * (a*d^2 + 3*b) / a^2 / b^2 / d^4 / (-d(-a*b)^{(1/2)} - c*b) / b - c) * (\text{Si}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \cos((d(-a*b)^{(1/2)} - c*b) / b) - \text{Ci}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \sin((d(-a*b)^{(1/2)} - c*b) / b)) - 3/16 / a^2 / b / d^4 * (-\text{Si}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \sin((d(-a*b)^{(1/2)} + c*b) / b) + \text{Ci}(dx+c - (d(-a*b)^{(1/2)} + c*b) / b) * \cos((d(-a*b)^{(1/2)} + c*b) / b)) - 3/16 / a^2 / b / d^4 * (\text{Si}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \sin((d(-a*b)^{(1/2)} - c*b) / b) + \text{Ci}(dx+c + (d(-a*b)^{(1/2)} - c*b) / b) * \cos((d(-a*b)^{(1/2)} - c*b) / b)))))$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(d*x+c)/(b*x^2+a)^3,x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \sin(c + dx)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((x*sin(c + d*x))/(a + b*x^2)^3,x)`

[Out] `int((x*sin(c + d*x))/(a + b*x^2)^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(d*x+c)/(b*x**2+a)**3,x)`

[Out] Timed out

$$3.75 \quad \int \frac{\sin(c+dx)}{(a+bx^2)^3} dx$$

Optimal. Leaf size=856

$$\frac{\operatorname{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{3/2} b^{3/2}} - \frac{\operatorname{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{3/2} b^{3/2}} + \frac{\cos\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) d^2}{16(-a)^{3/2} b^{3/2}} + \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right) d^2}{16(-a)^{3/2} b^{3/2}}$$

[Out] $-3/16*d*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^2/b-3/16*d*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^2/b-1/16*d^2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+1/16*d^2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+1/16*d^2*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+3/16*d*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^2/b-1/16*d^2*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(3/2)}/b^{(3/2)}+3/16*d*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^2/b+3/16*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}-3/16*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}-3/16*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}+3/16*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}-1/16*\sin(d*x+c)/(-a)^{(3/2)}/b^{(1/2)}/((-a)^{(1/2)}-x*b^{(1/2)})^2+1/16*d*\cos(d*x+c)/(-a)^{(3/2)}/b/((-a)^{(1/2)}-x*b^{(1/2)})-3/16*\sin(d*x+c)/a^2/b^{(1/2)}/((-a)^{(1/2)}-x*b^{(1/2)})+1/16*\sin(d*x+c)/(-a)^{(3/2)}/b^{(1/2)}/((-a)^{(1/2)}+x*b^{(1/2)})^2+1/16*d*\cos(d*x+c)/(-a)^{(3/2)}/b/((-a)^{(1/2)}+x*b^{(1/2)})+3/16*\sin(d*x+c)/a^2/b^{(1/2)}/((-a)^{(1/2)}+x*b^{(1/2)})$

Rubi [A] time = 1.18, antiderivative size = 856, normalized size of antiderivative = 1.00, number of steps used = 28, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3333, 3297, 3303, 3299, 3302}

$$\frac{\operatorname{CosIntegral}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{3/2} b^{3/2}} - \frac{\operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{3/2} b^{3/2}} + \frac{\cos\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) d^2}{16(-a)^{3/2} b^{3/2}} + \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right) d^2}{16(-a)^{3/2} b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*x^2)^3,x]

[Out] $(d*\operatorname{Cos}[c + d*x])/(16*(-a)^{(3/2)}*b*(\operatorname{Sqrt}[-a] - \operatorname{Sqrt}[b]*x)) + (d*\operatorname{Cos}[c + d*x])/(16*(-a)^{(3/2)}*b*(\operatorname{Sqrt}[-a] + \operatorname{Sqrt}[b]*x)) - (3*d*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*a^2*b) - (3*d*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(16*a^2*b) - (3*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x]*\operatorname{Sin}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(16*(-a)^{(5/2)}*\operatorname{Sqrt}[b]) + (d^2*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x]*\operatorname{Sin}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(16*(-a)^{(3/2)}*b^{(3/2)}) + (3*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x]*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(16*(-a)^{(5/2)}*\operatorname{Sqrt}[b]) - (d^2*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x]*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(16*(-a)^{(3/2)}*b^{(3/2)}) - \operatorname{Sin}[c + d*x]/(16*(-a)^{(3/2)}*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[-a] - \operatorname{Sqrt}[b]*x)^2) - (3*\operatorname{Sin}[c + d*x])/(16*a^2*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[-a] - \operatorname{Sqrt}[b]*x)) + \operatorname{Sin}[c + d*x]/(16*(-a)^{(3/2)}*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[-a] + \operatorname{Sqrt}[b]*x)^2) + (3*\operatorname{Sin}[c + d*x])/(16*a^2*\operatorname{Sqrt}[b]*(\operatorname{Sqrt}[-a] + \operatorname{Sqrt}[b]*x)) - (3*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*(-a)^{(5/2)}*\operatorname{Sqrt}[b]) + (d^2*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*(-a)^{(3/2)}*b^{(3/2)}) - (3*d*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*a^2*b) - (3*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(16*(-a)^{(5/2)}*\operatorname{Sqrt}[b]) + (d^2*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(16*(-a)^{(3/2)}*b^{(3/2)})$

$3/2)*b^{(3/2)} + (3*d*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(16*a^2*b)$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 3333

`Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])`

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{(a+bx^2)^3} dx &= \int \left(-\frac{b^{3/2} \sin(c+dx)}{8(-a)^{3/2} (\sqrt{-a}\sqrt{b}-bx)^3} - \frac{3b \sin(c+dx)}{16a^2 (\sqrt{-a}\sqrt{b}-bx)^2} - \frac{b^{3/2} \sin(c+dx)}{8(-a)^{3/2} (\sqrt{-a}\sqrt{b}+bx)^3} - \frac{3b \sin(c+dx)}{16a^2 (\sqrt{-a}\sqrt{b}+bx)^2} \right) dx \\
&= -\frac{(3b) \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}-bx)^2} dx}{16a^2} - \frac{(3b) \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}+bx)^2} dx}{16a^2} - \frac{(3b) \int \frac{\sin(c+dx)}{-ab-b^2x^2} dx}{8a^2} - \frac{b^{3/2} \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}-bx)^3} dx}{8(-a)^{3/2}} \\
&= -\frac{\sin(c+dx)}{16(-a)^{3/2}\sqrt{b} (\sqrt{-a}-\sqrt{b}x)^2} - \frac{3 \sin(c+dx)}{16a^2\sqrt{b} (\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{16(-a)^{3/2}\sqrt{b} (\sqrt{-a}+\sqrt{b}x)^2} + \frac{3 \sin(c+dx)}{16a^2\sqrt{b} (\sqrt{-a}+\sqrt{b}x)} \\
&= \frac{d \cos(c+dx)}{16(-a)^{3/2}b (\sqrt{-a}-\sqrt{b}x)} + \frac{d \cos(c+dx)}{16(-a)^{3/2}b (\sqrt{-a}+\sqrt{b}x)} - \frac{\sin(c+dx)}{16(-a)^{3/2}\sqrt{b} (\sqrt{-a}-\sqrt{b}x)^2} - \frac{\sin(c+dx)}{16(-a)^{3/2}\sqrt{b} (\sqrt{-a}+\sqrt{b}x)^2} \\
&= \frac{d \cos(c+dx)}{16(-a)^{3/2}b (\sqrt{-a}-\sqrt{b}x)} + \frac{d \cos(c+dx)}{16(-a)^{3/2}b (\sqrt{-a}+\sqrt{b}x)} - \frac{3d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16a^2b} \\
&= \frac{d \cos(c+dx)}{16(-a)^{3/2}b (\sqrt{-a}-\sqrt{b}x)} + \frac{d \cos(c+dx)}{16(-a)^{3/2}b (\sqrt{-a}+\sqrt{b}x)} - \frac{3d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} - dx\right)}{16a^2b}
\end{aligned}$$

Mathematica [C] time = 2.52, size = 932, normalized size = 1.09

$$\frac{6b^{5/2} \cos(dx) \sin(c)x^3}{(bx^2+a)^2} + \frac{6b^{5/2} \cos(c) \sin(dx)x^3}{(bx^2+a)^2} + \frac{2ab^{3/2}d \cos(c) \cos(dx)x^2}{(bx^2+a)^2} - \frac{2ab^{3/2}d \sin(c) \sin(dx)x^2}{(bx^2+a)^2} + \frac{10ab^{3/2} \cos(dx) \sin(c)x}{(bx^2+a)^2} + \frac{10ab^{3/2} \cos(c) \sin(dx)x}{(bx^2+a)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(a + b*x^2)^3,x]

[Out] ((2*a^2*Sqrt[b]*d*Cos[c]*Cos[d*x])/(a + b*x^2)^2 + (2*a*b^(3/2)*d*x^2*Cos[c]*Cos[d*x])/(a + b*x^2)^2 + (10*a*b^(3/2)*x*Cos[d*x]*Sin[c])/(a + b*x^2)^2 + (6*b^(5/2)*x^3*Cos[d*x]*Sin[c])/(a + b*x^2)^2 + (I*CosIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]*((3*I)*Sqrt[a]*Sqrt[b]*d*Cos[c - (I*Sqrt[a]*d)/Sqrt[b]] + (3*b + a*d^2)*Sin[c - (I*Sqrt[a]*d)/Sqrt[b]]))/Sqrt[a] - (I*CosIntegral[d*((-I)*Sqrt[a])/Sqrt[b] + x]]*((-3*I)*Sqrt[a]*Sqrt[b]*d*Cos[c + (I*Sqrt[a]*d)/Sqrt[b]] + (3*b + a*d^2)*Sin[c + (I*Sqrt[a]*d)/Sqrt[b]]))/Sqrt[a] + (10*a*b^(3/2)*x*Cos[c]*Sin[d*x])/(a + b*x^2)^2 + (6*b^(5/2)*x^3*Cos[c]*Sin[d*x])/(a + b*x^2)^2 - (2*a^2*Sqrt[b]*d*Sin[c]*Sin[d*x])/(a + b*x^2)^2 - (2*a*b^(3/2)*d*x^2*Sin[c]*Sin[d*x])/(a + b*x^2)^2 + ((3*I)*b*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/Sqrt[a] + I*Sqrt[a]*d^2*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + 3*Sqrt[b]*d*Cosh[(Sqrt[a]*d)/Sqrt[b]]*Sin[c]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - (3*I)*Sqrt[b]*d*Cos[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - (3*b*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/Sqrt[a] - Sqrt[a]*d^2*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + ((3*I)*b*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/Sqrt[a] + I*Sqrt[a]*d^2*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - 3*Sqrt[b]*d*Cosh[(Sqrt[a]*d)/Sqrt[b]]*Sin[c]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - (3*I)*Sqrt[b]*d*Cos[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + (3*b*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])

$a] * d) / \text{Sqrt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) / \text{Sqrt}[a] + \text{Sqrt}[a] * d^2 * \text{Sin}[c] * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) / (16 * a^2 * b^{(3/2)})$

fricas [C] time = 0.79, size = 611, normalized size = 0.71

$$\left(3 ab^2 d^2 x^4 + 6 a^2 b d^2 x^2 + 3 a^3 d^2 - (a^3 d^2 + (ab^2 d^2 + 3 b^3) x^4 + 3 a^2 b + 2 (a^2 b d^2 + 3 ab^2) x^2) \sqrt{\frac{ad^2}{b}} \right) \text{Ei} \left(i dx - \sqrt{\frac{ad^2}{b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a)^3,x, algorithm="fricas")

[Out] $-1/32 * ((3 * a * b^2 * d^2 * x^4 + 6 * a^2 * b * d^2 * x^2 + 3 * a^3 * d^2 - (a^3 * d^2 + (a * b^2 * d^2 + 3 * b^3) * x^4 + 3 * a^2 * b + 2 * (a^2 * b * d^2 + 3 * a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(I * d * x - \text{sqrt}(a * d^2 / b)) * e^{(I * c + \text{sqrt}(a * d^2 / b))} + (3 * a * b^2 * d^2 * x^4 + 6 * a^2 * b * d^2 * x^2 + 3 * a^3 * d^2 + (a^3 * d^2 + (a * b^2 * d^2 + 3 * b^3) * x^4 + 3 * a^2 * b + 2 * (a^2 * b * d^2 + 3 * a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(I * d * x + \text{sqrt}(a * d^2 / b)) * e^{(I * c - \text{sqrt}(a * d^2 / b))} + (3 * a * b^2 * d^2 * x^4 + 6 * a^2 * b * d^2 * x^2 + 3 * a^3 * d^2 - (a^3 * d^2 + (a * b^2 * d^2 + 3 * b^3) * x^4 + 3 * a^2 * b + 2 * (a^2 * b * d^2 + 3 * a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(-I * d * x - \text{sqrt}(a * d^2 / b)) * e^{(-I * c + \text{sqrt}(a * d^2 / b))} + (3 * a * b^2 * d^2 * x^4 + 6 * a^2 * b * d^2 * x^2 + 3 * a^3 * d^2 + (a^3 * d^2 + (a * b^2 * d^2 + 3 * b^3) * x^4 + 3 * a^2 * b + 2 * (a^2 * b * d^2 + 3 * a * b^2) * x^2) * \text{sqrt}(a * d^2 / b)) * \text{Ei}(-I * d * x + \text{sqrt}(a * d^2 / b)) * e^{(-I * c - \text{sqrt}(a * d^2 / b))} - 4 * (a^2 * b * d^2 * x^2 + a^3 * d^2) * \cos(d * x + c) - 4 * (3 * a * b^2 * d * x^3 + 5 * a^2 * b * d * x) * \sin(d * x + c)) / (a^3 * b^3 * d * x^4 + 2 * a^4 * b^2 * d * x^2 + a^5 * b * d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a)^3,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/(b*x^2 + a)^3, x)

maple [A] time = 0.06, size = 602, normalized size = 0.70

$$d^5 \left(\frac{\sin(dx+c) \left(3(dx+c)^3 b - 9c(dx+c)^2 b + 5(dx+c) a d^2 + 9(dx+c) b c^2 - 5ac d^2 - 3b c^3 \right)}{8a^2 d^4 \left((dx+c)^2 b - 2(dx+c)bc + a d^2 + b c^2 \right)^2} + \frac{1}{8ab d^2} \left(\frac{dx+c}{b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x^2+a)^3,x)

[Out] $d^5 * (1/8 * \sin(d * x + c) * (3 * (d * x + c)^3 * b - 9 * c * (d * x + c)^2 * b + 5 * (d * x + c) * a * d^2 + 9 * (d * x + c) * b * c^2 - 5 * a * c * d^2 - 3 * b * c^3) / a^2 / d^4 / ((d * x + c)^2 * b - 2 * (d * x + c) * b * c + a * d^2 + b * c^2)^2 + 1/8 * \cos(d * x + c) / a / b / d^2 / ((d * x + c)^2 * b - 2 * (d * x + c) * b * c + a * d^2 + b * c^2) + 1/16 * (a * d^2 + 3 * b) / a^2 / b^2 / d^4 / ((d * (-a * b)^{(1/2)} + c * b) / b - c) * (\text{Si}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b) + \text{Ci}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b)) + 1/16 * (a * d^2 + 3 * b) / a^2 / b^2 / d^4 / (-d * (-a * b)^{(1/2)} - c * b) / b - c) * (\text{Si}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b) - \text{Ci}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b)) - 3/16 * a^2 / b / d^4 * (-\text{Si}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b) + \text{Ci}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b)) - 3/16 * a^2 / b / d^4 * (\text{Si}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b) + \text{Ci}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b)) - 3/16 * a^2 / b / d^4 * (\text{Si}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \sin((d * (-a * b)^{(1/2)} - c * b) / b) + \text{Ci}(d * x + c + (d * (-a * b)^{(1/2)} - c * b) / b) * \cos((d * (-a * b)^{(1/2)} - c * b) / b)) - 3/16 * a^2 / b / d^4 * (\text{Si}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b) + \text{Ci}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b)) - 3/16 * a^2 / b / d^4 * (\text{Si}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \sin((d * (-a * b)^{(1/2)} + c * b) / b) + \text{Ci}(d * x + c - (d * (-a * b)^{(1/2)} + c * b) / b) * \cos((d * (-a * b)^{(1/2)} + c * b) / b))$

$\frac{1}{b} \sin\left(\frac{d(-ab)^{1/2} - c}{b}\right) + \text{Ci}\left(\frac{d^2x + c + d(-ab)^{1/2} - c}{b}\right) \cos\left(\frac{d(-ab)^{1/2} - c}{b}\right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^2+a)^3,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/(b*x^2 + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{(bx^2 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(a + b*x^2)^3,x)

[Out] int(sin(c + d*x)/(a + b*x^2)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x**2+a)**3,x)

[Out] Timed out

$$3.76 \quad \int \frac{\sin(c+dx)}{x(a+bx^2)^3} dx$$

Optimal. Leaf size=730

$$\frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^3} - \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^3} + \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^3} - \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^3}$$

[Out] $\cos(c) \text{Si}(dx) / a^{3-1/2} \cos(c+d*(-a)^{1/2}/b^{1/2}) \text{Si}(dx-d*(-a)^{1/2}/b^{1/2}) / a^{3-1/2} + 1/16 d^2 \cos(c+d*(-a)^{1/2}/b^{1/2}) \text{Si}(dx-d*(-a)^{1/2}/b^{1/2}) / a^{2/b-1/2} \cos(c-d*(-a)^{1/2}/b^{1/2}) \text{Si}(dx+d*(-a)^{1/2}/b^{1/2}) / a^{3-1/2} + 1/16 d^2 \cos(c-d*(-a)^{1/2}/b^{1/2}) \text{Si}(dx+d*(-a)^{1/2}/b^{1/2}) / a^{2/b} + \text{Ci}(dx) \sin(c) / a^{3+1/4} \sin(dx+c) / a / (bx^2+a)^{2+1/2} \sin(dx+c) / a^2 / (bx^2+a)^{-1/2} + \text{Ci}(dx+d*(-a)^{1/2}/b^{1/2}) \sin(c-d*(-a)^{1/2}/b^{1/2}) / a^{3-1/2} + 1/16 d^2 \text{Ci}(dx+d*(-a)^{1/2}/b^{1/2}) \sin(c-d*(-a)^{1/2}/b^{1/2}) / a^{2/b-1/2} + \text{Ci}(-dx+d*(-a)^{1/2}/b^{1/2}) \sin(c+d*(-a)^{1/2}/b^{1/2}) / a^{3-1/2} + 1/16 d^2 \text{Ci}(-dx+d*(-a)^{1/2}/b^{1/2}) \sin(c+d*(-a)^{1/2}/b^{1/2}) / a^{2/b} + 5/16 d \text{Ci}(dx+d*(-a)^{1/2}/b^{1/2}) \cos(c-d*(-a)^{1/2}/b^{1/2}) / (-a)^{5/2} / b^{1/2} - 5/16 d \text{Ci}(-dx+d*(-a)^{1/2}/b^{1/2}) \cos(c+d*(-a)^{1/2}/b^{1/2}) / (-a)^{5/2} / b^{1/2} - 5/16 d \text{Si}(dx+d*(-a)^{1/2}/b^{1/2}) \sin(c-d*(-a)^{1/2}/b^{1/2}) / (-a)^{5/2} / b^{1/2} + 5/16 d \text{Si}(-dx+d*(-a)^{1/2}/b^{1/2}) \sin(c+d*(-a)^{1/2}/b^{1/2}) / (-a)^{5/2} / b^{1/2} + 1/16 d \cos(dx+c) / a^2 / b^{1/2} / ((-a)^{1/2} - x*b^{1/2}) - 1/16 d \cos(dx+c) / a^2 / b^{1/2} / ((-a)^{1/2} + x*b^{1/2})$

Rubi [A] time = 1.83, antiderivative size = 730, normalized size of antiderivative = 1.00, number of steps used = 41, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3345, 3303, 3299, 3302, 3341, 3334, 3297}

$$\frac{d^2 \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{16a^2b} - \frac{d^2 \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16a^2b} - \frac{\sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^3} + \frac{\sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^3} + \frac{\cos\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^3} - \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + dx] / (x*(a + b*x^2)^3), x]$

[Out] $(d \cos[c + dx]) / (16*a^2*\text{Sqrt}[b]*(\text{Sqrt}[-a] - \text{Sqrt}[b]*x)) - (d \cos[c + dx]) / (16*a^2*\text{Sqrt}[b]*(\text{Sqrt}[-a] + \text{Sqrt}[b]*x)) - (5*d \cos[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - dx] / (16*(-a)^{5/2}*\text{Sqrt}[b]) + (5*d \cos[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + dx] / (16*(-a)^{5/2}*\text{Sqrt}[b]) + (\text{CosIntegral}[dx] \sin[c]) / a^3 - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + dx] \sin[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) / (2*a^3) - (d^2 \text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + dx] \sin[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) / (16*a^2*b) - (\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - dx] \sin[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) / (2*a^3) - (d^2 \text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - dx] \sin[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) / (16*a^2*b) + \sin[c + dx] / (4*a*(a + b*x^2)^2) + \sin[c + dx] / (2*a^2*(a + b*x^2)) + (\text{Cos}[c] \text{SinIntegral}[dx]) / a^3 + (\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - dx] / (2*a^3) + (d^2 \text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - dx] / (16*a^2*b) - (5*d \sin[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - dx] / (16*(-a)^{5/2}*\text{Sqrt}[b]) - (\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + dx] / (2*a^3) - (d^2 \text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + dx] / (16*a^2*b) - (5*d \sin[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]) \text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + dx] / (16*(-a)^{5/2}*\text{Sqrt}[b])$

Rule 3297

$\text{Int}[(c + d*x)^m \sin[e + f*x], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{m+1} \sin[e + f*x] / (d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^m \sin[e + f*x], x]$

```
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3341

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])
```

Rule 3345

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x(a+bx^2)^3} dx &= \int \left(\frac{\sin(c+dx)}{a^3 x} - \frac{bx \sin(c+dx)}{a(a+bx^2)^3} - \frac{bx \sin(c+dx)}{a^2(a+bx^2)^2} - \frac{bx \sin(c+dx)}{a^3(a+bx^2)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x} dx}{a^3} - \frac{b \int \frac{x \sin(c+dx)}{a+bx^2} dx}{a^3} - \frac{b \int \frac{x \sin(c+dx)}{(a+bx^2)^2} dx}{a^2} - \frac{b \int \frac{x \sin(c+dx)}{(a+bx^2)^3} dx}{a} \\
&= \frac{\sin(c+dx)}{4a(a+bx^2)^2} + \frac{\sin(c+dx)}{2a^2(a+bx^2)} - \frac{b \int \left(-\frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{b}x)} \right) dx}{a^3} - \frac{d \int \frac{\cos(c+dx)}{a+bx^2} dx}{2a^2} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a^3} + \frac{\sin(c+dx)}{4a(a+bx^2)^2} + \frac{\sin(c+dx)}{2a^2(a+bx^2)} + \frac{\cos(c) \text{Si}(dx)}{a^3} + \frac{\sqrt{b} \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2a^3} - \frac{\sqrt{b} \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2a^3} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a^3} + \frac{\sin(c+dx)}{4a(a+bx^2)^2} + \frac{\sin(c+dx)}{2a^2(a+bx^2)} + \frac{\cos(c) \text{Si}(dx)}{a^3} + \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{4(-a)^{5/2}} + \frac{d \int \frac{\cos(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{4(-a)^{5/2}} \\
&= \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}-\sqrt{b}x)} - \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}+\sqrt{b}x)} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right) \sin(c)}{2a^3} \\
&= \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}-\sqrt{b}x)} - \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}+\sqrt{b}x)} - \frac{d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{4(-a)^{5/2} \sqrt{b}} + \frac{d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{4(-a)^{5/2} \sqrt{b}} \\
&= \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}-\sqrt{b}x)} - \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}+\sqrt{b}x)} - \frac{d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{4(-a)^{5/2} \sqrt{b}} + \frac{d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{4(-a)^{5/2} \sqrt{b}} \\
&= \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}-\sqrt{b}x)} - \frac{d \cos(c+dx)}{16a^2 \sqrt{b} (\sqrt{-a}+\sqrt{b}x)} - \frac{5d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}-dx\right)}{16(-a)^{5/2} \sqrt{b}} + \frac{5d \cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right) \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}+dx\right)}{16(-a)^{5/2} \sqrt{b}}
\end{aligned}$$

Mathematica [C] time = 2.87, size = 924, normalized size = 1.27

$$\frac{16b^2 \text{Ci}(dx) \sin(c)x^4}{(bx^2+a)^2} + \frac{16b^2 \cos(c) \text{Si}(dx)x^4}{(bx^2+a)^2} - \frac{2abd \cos(c+dx)x^3}{(bx^2+a)^2} + \frac{32ab \text{Ci}(dx) \sin(c)x^2}{(bx^2+a)^2} + \frac{8ab \sin(c+dx)x^2}{(bx^2+a)^2} + \frac{32ab \cos(c) \text{Si}(dx)x^2}{(bx^2+a)^2} - \frac{2a^2 d \cos(c)}{(bx^2+a)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x^2)^3), x]

[Out] $\left((-2a^2 dx \cos[c+dx]) / (a + bx^2)^2 - (2ab dx^3 \cos[c+dx]) / (a + bx^2)^2 + (16a^2 \cos(\text{Integral}[dx] \sin[c]) / (a + bx^2)^2 + (32ab dx^2 \cos(\text{Integral}[dx] \sin[c]) / (a + bx^2)^2 - (\cos(\text{Integral}[d * ((I \sqrt{a}) / \sqrt{b} + x)] * ((5I) \sqrt{a} \sqrt{b} d \cos[c - (I \sqrt{a} d) / \sqrt{b}] + (8b + a d^2) \sin[c - (I \sqrt{a} d) / \sqrt{b}])) / b - (\cos(\text{Integral}[d * ((-I) \sqrt{a}) / \sqrt{b} + x]) * ((-5I) \sqrt{a} \sqrt{b} d \cos[c + (I \sqrt{a} d) / \sqrt{b}] + (8b + a d^2) \sin[c + (I \sqrt{a} d) / \sqrt{b}])) / b + (12a^2 \sin[c+dx]) / (a + bx^2)^2 + (8ab dx^2 \sin[c+dx]) / (a + bx^2)^2 + (16a^2 \cos[c] \sin(\text{Integral}[dx])) / (a + bx^2)^2 + (32ab dx^2 \cos[c] \sin(\text{Integral}[dx])) / (a + bx^2)^2 + (16b^2 dx^4 \cos[c] \sin(\text{Integral}[dx])) / (a + bx^2)^2 \right)$

```
Integral[d*x]]/(a + b*x^2)^2 - 8*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - (a*d^2*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/b + ((5*I)*Sqrt[a]*d*Cosh[(Sqrt[a]*d)/Sqrt[b]]*Sin[c]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/Sqrt[b] + (5*Sqrt[a]*d*Cos[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/Sqrt[b] - (8*I)*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] - (I*a*d^2*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/b + 8*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + (a*d^2*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/b + ((5*I)*Sqrt[a]*d*Cosh[(Sqrt[a]*d)/Sqrt[b]]*Sin[c]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/Sqrt[b] - (5*Sqrt[a]*d*Cos[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/Sqrt[b] - (8*I)*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - (I*a*d^2*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/b)/(16*a^3)
```

fricas [C] time = 0.97, size = 645, normalized size = 0.88

$$\frac{(-32i b^3 x^4 - 64i a b^2 x^2 - 32i a^2 b) \operatorname{Ei}(i d x) e^{i c} + (32i b^3 x^4 + 64i a b^2 x^2 + 32i a^2 b) \operatorname{Ei}(-i d x) e^{-i c} + \left(2i a^3 d^2 + 2i (a^2 b d + a b^2 d^2 + a^2 b^2 d^3)\right) \sin(d x + c)}{(b x^2 + a)^3 x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x^2+a)^3,x, algorithm="fricas")
```

```
[Out] 1/64*((-32*I*b^3*x^4 - 64*I*a*b^2*x^2 - 32*I*a^2*b)*Ei(I*d*x)*e^(I*c) + (32*I*b^3*x^4 + 64*I*a*b^2*x^2 + 32*I*a^2*b)*Ei(-I*d*x)*e^(-I*c) + (2*I*a^3*d^2 + 2*I*(a*b^2*d^2 + 8*b^3)*x^4 + 16*I*a^2*b + 4*I*(a^2*b*d^2 + 8*a*b^2)*x^2 + 2*(-5*I*b^3*x^4 - 10*I*a*b^2*x^2 - 5*I*a^2*b)*sqrt(a*d^2/b))*Ei(I*d*x - sqrt(a*d^2/b))*e^(I*c + sqrt(a*d^2/b)) + (2*I*a^3*d^2 + 2*I*(a*b^2*d^2 + 8*b^3)*x^4 + 16*I*a^2*b + 4*I*(a^2*b*d^2 + 8*a*b^2)*x^2 + 2*(5*I*b^3*x^4 + 10*I*a*b^2*x^2 + 5*I*a^2*b)*sqrt(a*d^2/b))*Ei(I*d*x + sqrt(a*d^2/b))*e^(I*c - sqrt(a*d^2/b)) + (-2*I*a^3*d^2 - 2*I*(a*b^2*d^2 + 8*b^3)*x^4 - 16*I*a^2*b - 4*I*(a^2*b*d^2 + 8*a*b^2)*x^2 + 2*(5*I*b^3*x^4 + 10*I*a*b^2*x^2 + 5*I*a^2*b)*sqrt(a*d^2/b))*Ei(-I*d*x - sqrt(a*d^2/b))*e^(-I*c + sqrt(a*d^2/b)) + (-2*I*a^3*d^2 - 2*I*(a*b^2*d^2 + 8*b^3)*x^4 - 16*I*a^2*b - 4*I*(a^2*b*d^2 + 8*a*b^2)*x^2 + 2*(-5*I*b^3*x^4 - 10*I*a*b^2*x^2 - 5*I*a^2*b)*sqrt(a*d^2/b))*Ei(-I*d*x + sqrt(a*d^2/b))*e^(-I*c - sqrt(a*d^2/b)) - 8*(a*b^2*d*x^3 + a^2*b*d*x)*cos(d*x + c) + 16*(2*a*b^2*x^2 + 3*a^2*b)*sin(d*x + c))/(a^3*b^3*x^4 + 2*a^4*b^2*x^2 + a^5*b)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x^2+a)^3,x, algorithm="giac")
```

```
[Out] integrate(sin(d*x + c)/((b*x^2 + a)^3*x), x)
```

maple [A] time = 0.07, size = 584, normalized size = 0.80

$$\frac{\sin(dx + c) d^2 (2(dx + c)^2 b - 4(dx + c)bc + 3a d^2 + 2b c^2)}{4a^2 ((dx + c)^2 b - 2(dx + c)bc + a d^2 + b c^2)^2} - \frac{\cos(dx + c) d^3 x}{8a^2 ((dx + c)^2 b - 2(dx + c)bc + a d^2 + b c^2)} - \frac{(a d^2)}{(a d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x/(b*x^2+a)^3,x)

[Out] $\frac{1}{4} \sin(dx+c) d^2 (2(dx+c)^2 b - 4(dx+c)bc + 3ad^2 + 2b^2 c^2) / a^2 / ((dx+c)^2 b - 2(dx+c)bc + ad^2 + b^2 c^2)^2 - \frac{1}{8} \cos(dx+c) d^3 x / a^2 / ((dx+c)^2 b - 2(dx+c)bc + ad^2 + b^2 c^2) - \frac{1}{16} (ad^2 + 8b) / b a^3 (\text{Si}(dx+c - (d(-ab))^{1/2} + cb)/b) \cos((d(-ab))^{1/2} + cb)/b + \text{Ci}(dx+c - (d(-ab))^{1/2} + cb)/b \sin((d(-ab))^{1/2} + cb)/b) - \frac{1}{16} (ad^2 + 8b) / b a^3 (\text{Si}(dx+c + (d(-ab))^{1/2} - cb)/b) \cos((d(-ab))^{1/2} - cb)/b - \text{Ci}(dx+c + (d(-ab))^{1/2} - cb)/b \sin((d(-ab))^{1/2} - cb)/b) + \frac{1}{a^3} (\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c)) - \frac{5}{16} d^2 / a^2 / b / ((d(-ab))^{1/2} + cb) / b - c) * (-\text{Si}(dx+c - (d(-ab))^{1/2} + cb)/b) \sin((d(-ab))^{1/2} + cb)/b + \text{Ci}(dx+c - (d(-ab))^{1/2} + cb)/b) \cos((d(-ab))^{1/2} + cb)/b) - \frac{5}{16} d^2 / a^2 / b / (- (d(-ab))^{1/2} - cb) / b - c) * (\text{Si}(dx+c + (d(-ab))^{1/2} - cb)/b) \sin((d(-ab))^{1/2} - cb)/b + \text{Ci}(dx+c + (d(-ab))^{1/2} - cb)/b) \cos((d(-ab))^{1/2} - cb)/b)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^2+a)^3,x, algorithm="maxima")

[Out] integrate(sin(dx+c)/((bx^2+a)^3*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x(bx^2+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c+d*x)/(x*(a+b*x^2)^3),x)

[Out] int(sin(c+d*x)/(x*(a+b*x^2)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c+dx)}{x(a+bx^2)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x**2+a)**3,x)

[Out] Integral(sin(c+d*x)/(x*(a+b*x**2)**3), x)

$$3.77 \quad \int \frac{\sin(c+dx)}{x^2(a+bx^2)^3} dx$$

Optimal. Leaf size=875

$$\frac{\text{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{5/2}\sqrt{b}} - \frac{\text{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{5/2}\sqrt{b}} + \frac{\cos\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) d^2}{16(-a)^{5/2}\sqrt{b}} + \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right) d^2}{16(-a)^{5/2}\sqrt{b}}$$

[Out] $d*\text{Ci}(d*x)*\cos(c)/a^3+7/16*d*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^3+7/16*d*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^3-d*\text{Si}(d*x)*\sin(c)/a^3-\sin(d*x+c)/a^3/x-7/16*d*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^3-7/16*d*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^3-1/16*d^2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}+1/16*d^2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}+1/16*d^2*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}-1/16*d^2*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/(-a)^{(5/2)}/b^{(1/2)}+15/16*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}-15/16*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\text{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}-15/16*\text{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}+15/16*\text{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}-1/16*\sin(d*x+c)*b^{(1/2)}/(-a)^{(5/2)}/((-a)^{(1/2)}-x*b^{(1/2)})^2+1/16*d*\cos(d*x+c)/(-a)^{(5/2)}/((-a)^{(1/2)}-x*b^{(1/2)})+7/16*\sin(d*x+c)*b^{(1/2)}/a^3/((-a)^{(1/2)}-x*b^{(1/2)})+1/16*\sin(d*x+c)*b^{(1/2)}/(-a)^{(5/2)}/((-a)^{(1/2)}+x*b^{(1/2)})^2+1/16*d*\cos(d*x+c)/(-a)^{(5/2)}/((-a)^{(1/2)}+x*b^{(1/2)})-7/16*\sin(d*x+c)*b^{(1/2)}/a^3/((-a)^{(1/2)}+x*b^{(1/2)})$

Rubi [A] time = 2.85, antiderivative size = 875, normalized size of antiderivative = 1.00, number of steps used = 60, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3297, 3303, 3299, 3302, 3333}

$$\frac{\text{CosIntegral}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{5/2}\sqrt{b}} - \frac{\text{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) \sin\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) d^2}{16(-a)^{5/2}\sqrt{b}} + \frac{\cos\left(c + \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right) d^2}{16(-a)^{5/2}\sqrt{b}} + \frac{\cos\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \text{Si}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right) d^2}{16(-a)^{5/2}\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^2*(a + b*x^2)^3), x]

[Out] $(d*\text{Cos}[c + d*x])/(16*(-a)^{(5/2)}*(\text{Sqrt}[-a] - \text{Sqrt}[b]*x)) + (d*\text{Cos}[c + d*x])/(16*(-a)^{(5/2)}*(\text{Sqrt}[-a] + \text{Sqrt}[b]*x)) + (d*\text{Cos}[c]*\text{CosIntegral}[d*x])/a^3 + (7*d*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*a^3) + (7*d*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(16*a^3) - (15*\text{Sqrt}[b]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*(-a)^{(7/2)}) + (d^2*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x]*\text{Sin}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*(-a)^{(5/2)}*\text{Sqrt}[b]) + (15*\text{Sqrt}[b]*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*(-a)^{(7/2)}) - (d^2*\text{CosIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x]*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]])/(16*(-a)^{(5/2)}*\text{Sqrt}[b]) - \text{Sin}[c + d*x]/(a^3*x) - (\text{Sqrt}[b]*\text{Sin}[c + d*x])/(16*(-a)^{(5/2)}*(\text{Sqrt}[-a] - \text{Sqrt}[b]*x)^2) + (7*\text{Sqrt}[b]*\text{Sin}[c + d*x])/(16*a^3*(\text{Sqrt}[-a] - \text{Sqrt}[b]*x)) + (\text{Sqrt}[b]*\text{Sin}[c + d*x])/(16*(-a)^{(5/2)}*(\text{Sqrt}[-a] + \text{Sqrt}[b]*x)^2) - (7*\text{Sqrt}[b]*\text{Sin}[c + d*x])/(16*a^3*(\text{Sqrt}[-a] + \text{Sqrt}[b]*x)) - (d*\text{Sin}[c]*\text{SinIntegral}[d*x])/a^3 - (15*\text{Sqrt}[b]*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*(-a)^{(7/2)}) + (d^2*\text{Cos}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*(-a)^{(5/2)}*\text{Sqrt}[b]) + (7*d*\text{Sin}[c + (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] - d*x])/(16*a^3) - (15*\text{Sqrt}[b]*\text{Cos}[c - (\text{Sqrt}[-a]*d)/\text{Sqrt}[b]]*\text{SinIntegral}[(\text{Sqrt}[-a]*d)/\text{Sqrt}[b] + d*x])/(16*(-a)^{(7/2)})$

$$+ (d^2 \cos[c - (\sqrt{-a}d)/\sqrt{b}] \operatorname{SinIntegral}[(\sqrt{-a}d)/\sqrt{b} + dx]) / (16(-a)^{5/2} \sqrt{b}) - (7d \sin[c - (\sqrt{-a}d)/\sqrt{b}] \operatorname{SinIntegral}[(\sqrt{-a}d)/\sqrt{b} + dx]) / (16a^3)$$
Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3333

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x^2(a+bx^2)^3} dx &= \int \left(\frac{\sin(c+dx)}{a^3 x^2} - \frac{b \sin(c+dx)}{a(a+bx^2)^3} - \frac{b \sin(c+dx)}{a^2(a+bx^2)^2} - \frac{b \sin(c+dx)}{a^3(a+bx^2)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x^2} dx}{a^3} - \frac{b \int \frac{\sin(c+dx)}{a+bx^2} dx}{a^3} - \frac{b \int \frac{\sin(c+dx)}{(a+bx^2)^2} dx}{a^2} - \frac{b \int \frac{\sin(c+dx)}{(a+bx^2)^3} dx}{a} \\
&= -\frac{\sin(c+dx)}{a^3 x} - \frac{b \int \left(\frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{-a} \sin(c+dx)}{2a(\sqrt{-a}+\sqrt{b}x)} \right) dx}{a^3} - \frac{b \int \left(-\frac{b \sin(c+dx)}{4a(\sqrt{-a}\sqrt{b}-bx)^2} - \frac{b \sin(c+dx)}{4a(\sqrt{-a}\sqrt{b}+bx)^2} \right) dx}{a^2} \\
&= -\frac{\sin(c+dx)}{a^3 x} - \frac{b \int \frac{\sin(c+dx)}{\sqrt{-a}-\sqrt{b}x} dx}{2(-a)^{7/2}} - \frac{b \int \frac{\sin(c+dx)}{\sqrt{-a}+\sqrt{b}x} dx}{2(-a)^{7/2}} + \frac{(3b^2) \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}-bx)^2} dx}{16a^3} + \frac{(3b^2) \int \frac{\sin(c+dx)}{(\sqrt{-a}\sqrt{b}+bx)^2} dx}{16a^3} \\
&= \frac{d \cos(c) \text{Ci}(dx)}{a^3} - \frac{\sin(c+dx)}{a^3 x} - \frac{\sqrt{b} \sin(c+dx)}{16(-a)^{5/2}(\sqrt{-a}-\sqrt{b}x)^2} + \frac{7\sqrt{b} \sin(c+dx)}{16a^3(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{b} \sin(c+dx)}{16(-a)^{5/2}(\sqrt{-a}+\sqrt{b}x)^2} \\
&= \frac{d \cos(c+dx)}{16(-a)^{5/2}(\sqrt{-a}-\sqrt{b}x)} + \frac{d \cos(c+dx)}{16(-a)^{5/2}(\sqrt{-a}+\sqrt{b}x)} + \frac{d \cos(c) \text{Ci}(dx)}{a^3} - \frac{\sqrt{b} \text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}} + dx\right)}{2(-a)^{5/2}} \\
&= \frac{d \cos(c+dx)}{16(-a)^{5/2}(\sqrt{-a}-\sqrt{b}x)} + \frac{d \cos(c+dx)}{16(-a)^{5/2}(\sqrt{-a}+\sqrt{b}x)} + \frac{d \cos(c) \text{Ci}(dx)}{a^3} + \frac{7d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{16a^3} \\
&= \frac{d \cos(c+dx)}{16(-a)^{5/2}(\sqrt{-a}-\sqrt{b}x)} + \frac{d \cos(c+dx)}{16(-a)^{5/2}(\sqrt{-a}+\sqrt{b}x)} + \frac{d \cos(c) \text{Ci}(dx)}{a^3} + \frac{7d \cos\left(c + \frac{\sqrt{-a}d}{\sqrt{b}}\right)}{16a^3}
\end{aligned}$$

Mathematica [C] time = 3.04, size = 1177, normalized size = 1.35

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x^2)^3), x]

[Out]
$$\begin{aligned}
&((-2*a^{5/2}*d*\text{Cos}[c]*\text{Cos}[d*x])/(a + b*x^2)^2 - (2*a^{3/2}*b*d*x^2*\text{Cos}[c]*\text{Cos}[d*x])/(a + b*x^2)^2 + 16*\text{Sqrt}[a]*d*\text{Cos}[c]*\text{CosIntegral}[d*x] + 7*\text{Sqrt}[a]*d*\text{Cos}[c]*\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] \\
&- (16*a^{5/2}*\text{Cos}[d*x]*\text{Sin}[c])/(x*(a + b*x^2)^2) - (50*a^{3/2}*b*x*\text{Cos}[d*x]*\text{Sin}[c])/(a + b*x^2)^2 - (30*\text{Sqrt}[a]*b^2*x^3*\text{Cos}[d*x]*\text{Sin}[c])/(a + b*x^2)^2 \\
&- (15*I)*\text{Sqrt}[b]*\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sin}[c] - (I*a*d^2*\text{Cosh}[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sin}[c])/ \text{Sqrt}[b] + (\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*(7*\text{Sqrt}[a]*\text{Sqrt}[b]*d*\text{Cos}[c + (I*\text{Sqrt}[a]*d)/\text{Sqrt}[b]] + I*(15*b + a*d^2)*\text{Sin}[c + (I*\text{Sqrt}[a]*d)/\text{Sqrt}[b]])/ \text{Sqrt}[b] - (16*a^{5/2}*\text{Cos}[c]*\text{Sin}[d*x])/(x*(a + b*x^2)^2) - (50*a^{3/2}*b*x*\text{Cos}[c]*\text{Sin}[d*x])/(a + b*x^2)^2 - (30*\text{Sqrt}[a]*b^2*x^3*\text{Cos}[c]*\text{Sin}[d*x])/(a + b*x^2)^2 + (2*a^{5/2}*d*\text{Sin}[c]*\text{Sin}[d*x])/(a + b*x^2)^2 + (2*a^{3/2}*b*d*x^2*\text{Sin}[c]*\text{Sin}[d*x])/(a + b*x^2)^2 - 15*\text{Sqrt}[b]*\text{Cos}[c]*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sinh}[(\text{Sqrt}[a]*d)/ \text{Sqrt}[b]] - (a*d^2*\text{Cos}[c]*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sinh}[(\text{Sqrt}[a]*d)/ \text{Sqrt}[b]])/ \text{Sqrt}[b] + (7*I)*\text{Sqrt}[a]*d*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sin}[c]*\text{Sinh}[(\text{Sqrt}[a]*d)/ \text{Sqrt}[b]] - 16*\text{Sqrt}[a]*d*\text{Sin}[c]*\text{SinIntegral}[d*x] - (15*I)*\text{Sqrt}[b]*\text{Cos}[c]*\text{Cosh}[(\text{Sqrt}[a]*d)/ \text{Sqrt}[b]]*\text{SinIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)]*\text{Sin}[c]
\end{aligned}$$

$t[a])/Sqrt[b + x]] - (I*a*d^2*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/Sqrt[b] - 7*Sqrt[a]*d*Cosh[(Sqrt[a]*d)/Sqrt[b]]*Sin[c]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + (7*I)*Sqrt[a]*d*Cos[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + 15*Sqrt[b]*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)] + (a*d^2*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[d*((I*Sqrt[a])/Sqrt[b] + x)]/Sqrt[b] - (15*I)*Sqrt[b]*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - (I*a*d^2*Cos[c]*Cosh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/Sqrt[b] + 7*Sqrt[a]*d*Cosh[(Sqrt[a]*d)/Sqrt[b]]*Sin[c]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] + (7*I)*Sqrt[a]*d*Cos[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - 15*Sqrt[b]*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x] - (a*d^2*Sin[c]*Sinh[(Sqrt[a]*d)/Sqrt[b]]*SinIntegral[(I*Sqrt[a]*d)/Sqrt[b] - d*x])/Sqrt[b])/(16*a^(7/2))$

fricas [C] time = 0.85, size = 720, normalized size = 0.82

$$16(ab^2d^2x^5 + 2a^2bd^2x^3 + a^3d^2x)Ei(dx)e^{ic} + 16(ab^2d^2x^5 + 2a^2bd^2x^3 + a^3d^2x)Ei(-dx)e^{-ic} + \left(7ab^2d^2x^5 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{32} * (16 * (a * b^2 * d^2 * x^5 + 2 * a^2 * b * d^2 * x^3 + a^3 * d^2 * x) * Ei(I * d * x) * e^{I * c} + 16 * (a * b^2 * d^2 * x^5 + 2 * a^2 * b * d^2 * x^3 + a^3 * d^2 * x) * Ei(-I * d * x) * e^{-I * c} + (7 * a * b^2 * d^2 * x^5 + 14 * a^2 * b * d^2 * x^3 + 7 * a^3 * d^2 * x - ((a * b^2 * d^2 + 15 * b^3) * x^5 + 2 * (a^2 * b * d^2 + 15 * a * b^2) * x^3 + (a^3 * d^2 + 15 * a^2 * b) * x) * sqrt(a * d^2 / b)) * Ei(I * d * x - sqrt(a * d^2 / b)) * e^{I * c + sqrt(a * d^2 / b)} + (7 * a * b^2 * d^2 * x^5 + 14 * a^2 * b * d^2 * x^3 + 7 * a^3 * d^2 * x + ((a * b^2 * d^2 + 15 * b^3) * x^5 + 2 * (a^2 * b * d^2 + 15 * a * b^2) * x^3 + (a^3 * d^2 + 15 * a^2 * b) * x) * sqrt(a * d^2 / b)) * Ei(I * d * x + sqrt(a * d^2 / b)) * e^{I * c - sqrt(a * d^2 / b)} + (7 * a * b^2 * d^2 * x^5 + 14 * a^2 * b * d^2 * x^3 + 7 * a^3 * d^2 * x - ((a * b^2 * d^2 + 15 * b^3) * x^5 + 2 * (a^2 * b * d^2 + 15 * a * b^2) * x^3 + (a^3 * d^2 + 15 * a^2 * b) * x) * sqrt(a * d^2 / b)) * Ei(-I * d * x - sqrt(a * d^2 / b)) * e^{-I * c + sqrt(a * d^2 / b)} + (7 * a * b^2 * d^2 * x^5 + 14 * a^2 * b * d^2 * x^3 + 7 * a^3 * d^2 * x + ((a * b^2 * d^2 + 15 * b^3) * x^5 + 2 * (a^2 * b * d^2 + 15 * a * b^2) * x^3 + (a^3 * d^2 + 15 * a^2 * b) * x) * sqrt(a * d^2 / b)) * Ei(-I * d * x + sqrt(a * d^2 / b)) * e^{-I * c - sqrt(a * d^2 / b)} - 4 * (a^2 * b * d^2 * x^3 + a^3 * d^2 * x) * cos(d * x + c) - 4 * (15 * a * b^2 * d * x^4 + 25 * a^2 * b * d * x^2 + 8 * a^3 * d) * sin(d * x + c)) / (a^4 * b^2 * d * x^5 + 2 * a^5 * b * d * x^3 + a^6 * d * x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^2+a)^3,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)^3*x^2), x)

maple [B] time = 0.08, size = 1375, normalized size = 1.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x^2+a)^3,x)

```
[Out] d*(1/a^3*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))-1/a*b*d^4*(1/8*sin
(d*x+c)*(3*(d*x+c)^3*b-9*c*(d*x+c)^2*b+5*(d*x+c)*a*d^2+9*(d*x+c)*b*c^2-5*a*
c*d^2-3*b*c^3)/a^2/d^4/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2+1/8*cos(d*
x+c)/a/b/d^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/16*(a*d^2+3*b)/a^2/b
^2/d^4/((d*(-a*b)^(1/2)+c*b)/b-c)*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*
(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c
*b)/b))+1/16*(a*d^2+3*b)/a^2/b^2/d^4/(-(d*(-a*b)^(1/2)-c*b)/b-c)*(Si(d*x+c+
(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)-Ci(d*x+c+(d*(-a*b)^(1/2
)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-3/16/a^2/b/d^4*(-Si(d*x+c-(d*(-a*b)^(
1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*
cos((d*(-a*b)^(1/2)+c*b)/b))-3/16/a^2/b/d^4*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/
b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*
b)^(1/2)-c*b)/b)))-b*d^2/a^2*(sin(d*x+c)*(1/2/a/d^2*(d*x+c)-1/2*c/a/d^2)/((
d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/4/a/d^2/((d*(-a*b)^(1/2)+c*b)/b-c)/
b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(d
*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/4/a/d^2/(-(d*(-a*b)^(1
/2)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/
b)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))-1/4/a/b/d^
2*(-Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+c-(
d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b))-1/4/a/b/d^2*(Si(d*x+c+(
d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b)+Ci(d*x+c+(d*(-a*b)^(1/2
)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b)))-1/a^3*b*(1/2/((d*(-a*b)^(1/2)+c*b)/b
-c)/b*(Si(d*x+c-(d*(-a*b)^(1/2)+c*b)/b)*cos((d*(-a*b)^(1/2)+c*b)/b)+Ci(d*x+
c-(d*(-a*b)^(1/2)+c*b)/b)*sin((d*(-a*b)^(1/2)+c*b)/b))+1/2/(-(d*(-a*b)^(1/2
)-c*b)/b-c)/b*(Si(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*cos((d*(-a*b)^(1/2)-c*b)/b
)-Ci(d*x+c+(d*(-a*b)^(1/2)-c*b)/b)*sin((d*(-a*b)^(1/2)-c*b)/b))))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x^2/(b*x^2+a)^3,x, algorithm="maxima")
```

```
[Out] integrate(sin(d*x + c)/((b*x^2 + a)^3*x^2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x^2(bx^2+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(c + d*x)/(x^2*(a + b*x^2)^3),x)
```

```
[Out] int(sin(c + d*x)/(x^2*(a + b*x^2)^3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x**2/(b*x**2+a)**3,x)
```

```
[Out] Timed out
```


$$3.78 \quad \int \frac{\sin(c+dx)}{x^3(a+bx^2)^3} dx$$

Optimal. Leaf size=791

$$-\frac{3b \sin(c) \operatorname{Ci}(dx)}{a^4} + \frac{3b \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{Ci}\left(xd + \frac{\sqrt{-ad}}{\sqrt{b}}\right)}{2a^4} + \frac{3b \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{Ci}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{2a^4} - \frac{3b \cos(c) \operatorname{Si}(dx)}{a^4} - \frac{3b}{a^4}$$

[Out] $-1/2*d*\cos(d*x+c)/a^3/x-3*b*\cos(c)*\operatorname{Si}(d*x)/a^4-1/2*d^2*\cos(c)*\operatorname{Si}(d*x)/a^3+3/2*b*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/a^4+1/16*d^2*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})/a^3+3/2*b*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/a^4+1/16*d^2*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})/a^3-3*b*\operatorname{Ci}(d*x)*\sin(c)/a^4-1/2*d^2*\operatorname{Ci}(d*x)*\sin(c)/a^3-1/2*\sin(d*x+c)/a^3/x^2-1/4*b*\sin(d*x+c)/a^2/(b*x^2+a)^2-b*\sin(d*x+c)/a^3/(b*x^2+a)+3/2*b*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^4+1/16*d^2*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})/a^3+3/2*b*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^4+1/16*d^2*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})/a^3+9/16*d*\operatorname{Ci}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c-d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}-9/16*d*\operatorname{Ci}(-d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\cos(c+d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}-9/16*d*\operatorname{Si}(d*x+d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c-d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}+9/16*d*\operatorname{Si}(d*x-d*(-a)^{(1/2)}/b^{(1/2)})*\sin(c+d*(-a)^{(1/2)}/b^{(1/2)})*b^{(1/2)}/(-a)^{(7/2)}-1/16*d*\cos(d*x+c)*b^{(1/2)}/a^3/((-a)^{(1/2)}-x*b^{(1/2)})+1/16*d*\cos(d*x+c)*b^{(1/2)}/a^3/((-a)^{(1/2)}+x*b^{(1/2)})$

Rubi [A] time = 1.88, antiderivative size = 791, normalized size of antiderivative = 1.00, number of steps used = 46, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3345, 3297, 3303, 3299, 3302, 3341, 3334}

$$\frac{d^2 \sin\left(c - \frac{\sqrt{-ad}}{\sqrt{b}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} + dx\right)}{16a^3} + \frac{d^2 \sin\left(\frac{\sqrt{-ad}}{\sqrt{b}} + c\right) \operatorname{CosIntegral}\left(\frac{\sqrt{-ad}}{\sqrt{b}} - dx\right)}{16a^3} - \frac{3b \sin(c) \operatorname{CosIntegral}(dx)}{a^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[c + d*x]/(x^3*(a + b*x^2)^3), x]$

[Out] $-(d*\operatorname{Cos}[c + d*x])/(2*a^3*x) - (\operatorname{Sqrt}[b]*d*\operatorname{Cos}[c + d*x])/(16*a^3*(\operatorname{Sqrt}[-a] - \operatorname{Sqrt}[b]*x)) + (\operatorname{Sqrt}[b]*d*\operatorname{Cos}[c + d*x])/(16*a^3*(\operatorname{Sqrt}[-a] + \operatorname{Sqrt}[b]*x)) - (9*\operatorname{Sqrt}[b]*d*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*(-a)^{(7/2)}) + (9*\operatorname{Sqrt}[b]*d*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(16*(-a)^{(7/2)}) - (3*b*\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/a^4 - (d^2*\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/(2*a^3) + (3*b*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x]*\operatorname{Sin}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(2*a^4) + (d^2*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x]*\operatorname{Sin}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(16*a^3) + (3*b*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x]*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(2*a^4) + (d^2*\operatorname{CosIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x]*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]])/(16*a^3) - \operatorname{Sin}[c + d*x]/(2*a^3*x^2) - (b*\operatorname{Sin}[c + d*x])/(4*a^2*(a + b*x^2)^2) - (b*\operatorname{Sin}[c + d*x])/(a^3*(a + b*x^2)) - (3*b*\operatorname{Cos}[c]*\operatorname{SinIntegral}[d*x])/a^4 - (d^2*\operatorname{Cos}[c]*\operatorname{SinIntegral}[d*x])/(2*a^3) - (3*b*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(2*a^4) - (d^2*\operatorname{Cos}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*a^3) - (9*\operatorname{Sqrt}[b]*d*\operatorname{Sin}[c + (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] - d*x])/(16*(-a)^{(7/2)}) + (3*b*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(2*a^4) + (d^2*\operatorname{Cos}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(16*a^3) - (9*\operatorname{Sqrt}[b]*d*\operatorname{Sin}[c - (\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b]]*\operatorname{SinIntegral}[(\operatorname{Sqrt}[-a]*d)/\operatorname{Sqrt}[b] + d*x])/(16*(-a)^{(7/2)})$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3341

```
Int[((e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])
```

Rule 3345

```
Int[(x_)^(m_)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x^3(a+bx^2)^3} dx &= \int \left(\frac{\sin(c+dx)}{a^3x^3} - \frac{3b\sin(c+dx)}{a^4x} + \frac{b^2x\sin(c+dx)}{a^2(a+bx^2)^3} + \frac{2b^2x\sin(c+dx)}{a^3(a+bx^2)^2} + \frac{3b^2x\sin(c+dx)}{a^4(a+bx^2)} \right) dx \\
&= \frac{\int \frac{\sin(c+dx)}{x^3} dx}{a^3} - \frac{(3b) \int \frac{\sin(c+dx)}{x} dx}{a^4} + \frac{(3b^2) \int \frac{x\sin(c+dx)}{a+bx^2} dx}{a^4} + \frac{(2b^2) \int \frac{x\sin(c+dx)}{(a+bx^2)^2} dx}{a^3} + \frac{b^2 \int \frac{x\sin(c+dx)}{a+bx^2} dx}{a^4} \\
&= -\frac{\sin(c+dx)}{2a^3x^2} - \frac{b\sin(c+dx)}{4a^2(a+bx^2)^2} - \frac{b\sin(c+dx)}{a^3(a+bx^2)} + \frac{(3b^2) \int \left(-\frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}-\sqrt{b}x)} + \frac{\sin(c+dx)}{2\sqrt{b}(\sqrt{-a}+\sqrt{b}x)} \right) dx}{a^4} \\
&= -\frac{d\cos(c+dx)}{2a^3x} - \frac{3b\text{Ci}(dx)\sin(c)}{a^4} - \frac{\sin(c+dx)}{2a^3x^2} - \frac{b\sin(c+dx)}{4a^2(a+bx^2)^2} - \frac{b\sin(c+dx)}{a^3(a+bx^2)} - \frac{3b^2 \int \frac{x\sin(c+dx)}{a+bx^2} dx}{a^4} \\
&= -\frac{d\cos(c+dx)}{2a^3x} - \frac{3b\text{Ci}(dx)\sin(c)}{a^4} - \frac{\sin(c+dx)}{2a^3x^2} - \frac{b\sin(c+dx)}{4a^2(a+bx^2)^2} - \frac{b\sin(c+dx)}{a^3(a+bx^2)} - \frac{3b^2 \int \frac{x\sin(c+dx)}{a+bx^2} dx}{a^4} \\
&= -\frac{d\cos(c+dx)}{2a^3x} - \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}+\sqrt{b}x)} - \frac{3b\text{Ci}(dx)\sin(c)}{a^4} - \frac{d^2\text{Ci}(dx)}{2(-a)^{7/2}} \\
&= -\frac{d\cos(c+dx)}{2a^3x} - \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}+\sqrt{b}x)} - \frac{\sqrt{b}d\cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right)\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2(-a)^{7/2}} \\
&= -\frac{d\cos(c+dx)}{2a^3x} - \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}+\sqrt{b}x)} - \frac{\sqrt{b}d\cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right)\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{2(-a)^{7/2}} \\
&= -\frac{d\cos(c+dx)}{2a^3x} - \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}-\sqrt{b}x)} + \frac{\sqrt{b}d\cos(c+dx)}{16a^3(\sqrt{-a}+\sqrt{b}x)} - \frac{9\sqrt{b}d\cos\left(c+\frac{\sqrt{-a}d}{\sqrt{b}}\right)\text{Ci}\left(\frac{\sqrt{-a}d}{\sqrt{b}}\right)}{16(-a)^{7/2}}
\end{aligned}$$

Mathematica [C] time = 2.87, size = 995, normalized size = 1.26

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x^3*(a + b*x^2)^3), x]

[Out]
$$\begin{aligned}
&((-2*a*\text{Cos}[d*x]*(d*x*(4*a^2 + 7*a*b*x^2 + 3*b^2*x^4))*\text{Cos}[c] + 2*(2*a^2 + 9* \\
&a*b*x^2 + 6*b^2*x^4)*\text{Sin}[c]))/(x^2*(a + b*x^2)^2) + (2*a*(-2*(2*a^2 + 9*a*b \\
&*x^2 + 6*b^2*x^4))*\text{Cos}[c] + d*x*(4*a^2 + 7*a*b*x^2 + 3*b^2*x^4))*\text{Sin}[c])*\text{Sin}[\\
&d*x]/(x^2*(a + b*x^2)^2) - 8*(6*b + a*d^2)*(CosIntegral[d*x]*\text{Sin}[c] + Cos[\\
&c]*\text{SinIntegral}[d*x]) + 24*b*\text{Cos}[c]*(I*\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] \\
&+ x])*Sinh[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]] - I*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x) \\
&])*Sinh[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]] + Cosh[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*(\text{SinIntegral}[d*((I \\
&*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] - \text{SinIntegral}[(I*\text{Sqrt}[a]*d)/\text{Sqrt}[b] - d*x])) + a*d^ \\
&2*\text{Cos}[c]*(I*\text{CosIntegral}[d*((-I)*\text{Sqrt}[a])/ \text{Sqrt}[b] + x])*Sinh[(\text{Sqrt}[a]*d)/ \text{Sqr} \\
&t[b]] - I*\text{CosIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x])*Sinh[(\text{Sqrt}[a]*d)/ \text{Sqrt}[b] \\
&]] + Cosh[(\text{Sqrt}[a]*d)/\text{Sqrt}[b]]*(\text{SinIntegral}[d*((I*\text{Sqrt}[a])/ \text{Sqrt}[b] + x)] - \\
&\text{SinIntegral}[(I*\text{Sqrt}[a]*d)/\text{Sqrt}[b] - d*x])) + 9*\text{Sqrt}[a]*\text{Sqrt}[b]*d*\text{Cos}[c]*((-
\end{aligned}$$

$I * \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{CosIntegral}[d * ((-I) * \text{Sqrt}[a]) / \text{Sqrt}[b] + x] + I * \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{CosIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x] + \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * (-\text{SinIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) - 9 * \text{Sqrt}[a] * \text{Sqrt}[b] * d * \text{Sin}[c] * (\text{CosIntegral}[d * ((-I) * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] + \text{CosIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] + I * \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * (\text{SinIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) + 24 * b * \text{Sin}[c] * (\text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{CosIntegral}[d * ((-I) * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{CosIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + I * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * (\text{SinIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) + a * d^2 * \text{Sin}[c] * (\text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{CosIntegral}[d * ((-I) * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + \text{Cosh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * \text{CosIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + I * \text{Sinh}[(\text{Sqrt}[a] * d) / \text{Sqrt}[b]] * (\text{SinIntegral}[d * (I * \text{Sqrt}[a]) / \text{Sqrt}[b] + x]) + \text{SinIntegral}[(I * \text{Sqrt}[a] * d) / \text{Sqrt}[b] - d * x]) / (16 * a^4)$

fricas [C] time = 0.86, size = 766, normalized size = 0.97

$$(16i(ab^2d^2 + 6b^3)x^6 + 32i(a^2bd^2 + 6ab^2)x^4 + 16i(a^3d^2 + 6a^2b)x^2)Ei(dx)e^{ic} + (-16i(ab^2d^2 + 6b^3)x^6 - 32i(a^2bd^2 + 6ab^2)x^4 - 16i(a^3d^2 + 6a^2b)x^2)Ei(-dx)e^{-ic}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^2+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{64} * ((16 * I * (a * b^2 * d^2 + 6 * b^3) * x^6 + 32 * I * (a^2 * b * d^2 + 6 * a * b^2) * x^4 + 16 * I * (a^3 * d^2 + 6 * a^2 * b) * x^2) * Ei(I * d * x) * e^{I * c} + (-16 * I * (a * b^2 * d^2 + 6 * b^3) * x^6 - 32 * I * (a^2 * b * d^2 + 6 * a * b^2) * x^4 - 16 * I * (a^3 * d^2 + 6 * a^2 * b) * x^2) * Ei(-I * d * x) * e^{-I * c} + (-2 * I * (a * b^2 * d^2 + 24 * b^3) * x^6 - 4 * I * (a^2 * b * d^2 + 24 * a * b^2) * x^4 - 2 * I * (a^3 * d^2 + 24 * a^2 * b) * x^2 + 2 * (9 * I * b^3 * x^6 + 18 * I * a * b^2 * x^4 + 9 * I * a^2 * b * x^2) * \text{sqrt}(a * d^2 / b) * Ei(I * d * x - \text{sqrt}(a * d^2 / b)) * e^{I * c + \text{sqrt}(a * d^2 / b)} + (-2 * I * (a * b^2 * d^2 + 24 * b^3) * x^6 - 4 * I * (a^2 * b * d^2 + 24 * a * b^2) * x^4 - 2 * I * (a^3 * d^2 + 24 * a^2 * b) * x^2 + 2 * (-9 * I * b^3 * x^6 - 18 * I * a * b^2 * x^4 - 9 * I * a^2 * b * x^2) * \text{sqrt}(a * d^2 / b) * Ei(I * d * x + \text{sqrt}(a * d^2 / b)) * e^{I * c - \text{sqrt}(a * d^2 / b)} + (2 * I * (a * b^2 * d^2 + 24 * b^3) * x^6 + 4 * I * (a^2 * b * d^2 + 24 * a * b^2) * x^4 + 2 * I * (a^3 * d^2 + 24 * a^2 * b) * x^2 + 2 * (-9 * I * b^3 * x^6 - 18 * I * a * b^2 * x^4 - 9 * I * a^2 * b * x^2) * \text{sqrt}(a * d^2 / b) * Ei(-I * d * x - \text{sqrt}(a * d^2 / b)) * e^{-I * c + \text{sqrt}(a * d^2 / b)} + (2 * I * (a * b^2 * d^2 + 24 * b^3) * x^6 + 4 * I * (a^2 * b * d^2 + 24 * a * b^2) * x^4 + 2 * I * (a^3 * d^2 + 24 * a^2 * b) * x^2 + 2 * (9 * I * b^3 * x^6 + 18 * I * a * b^2 * x^4 + 9 * I * a^2 * b * x^2) * \text{sqrt}(a * d^2 / b) * Ei(-I * d * x + \text{sqrt}(a * d^2 / b)) * e^{-I * c - \text{sqrt}(a * d^2 / b)} - 8 * (3 * a * b^2 * d * x^5 + 7 * a^2 * b * d * x^3 + 4 * a^3 * d * x) * \text{cos}(d * x + c) - 16 * (6 * a * b^2 * x^4 + 9 * a^2 * b * x^2 + 2 * a^3) * \text{sin}(d * x + c)) / (a^4 * b^2 * x^6 + 2 * a^5 * b * x^4 + a^6 * x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^2 + a)^3 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^2+a)^3,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^2 + a)^3*x^3), x)

maple [A] time = 0.08, size = 701, normalized size = 0.89

$$d^2 \left(\frac{\sin(dx + c) (6b^2(dx + c)^4 - 24c(dx + c)^3 b^2 + 9(dx + c)^2 ab d^2 + 36b^2 c^2(dx + c)^2 - 18(dx + c) abc d^2 - 24a^2 b^2 c^2)}{4a^3 x^2 d^2 ((dx + c)^2 b - 2(dx + c) bc + a d^2 + b c^2)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/x^3/(b*x^2+a)^3,x)`

[Out] $d^2*(-1/4*\sin(d*x+c)*(6*b^2*(d*x+c)^4-24*c*(d*x+c)^3*b^2+9*(d*x+c)^2*a*b*d^2+36*b^2*c^2*(d*x+c)^2-18*(d*x+c)*a*b*c*d^2-24*(d*x+c)*b^2*c^3+2*a^2*d^4+9*a*b*c^2*d^2+6*b^2*c^4)/a^3/x^2/d^2/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)^2-1/8*\cos(d*x+c)*(3*(d*x+c)^2*b-6*(d*x+c)*b*c+4*a*d^2+3*b*c^2)/a^3/x/d/((d*x+c)^2*b-2*(d*x+c)*b*c+a*d^2+b*c^2)+1/16*(a*d^2+24*b)/d^2/a^4*(\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\cos((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b))*\sin((d*(-a*b)^{(1/2)}+c*b)/b))+1/16*(a*d^2+24*b)/d^2/a^4*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\cos((d*(-a*b)^{(1/2)}-c*b)/b)-\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b))*\sin((d*(-a*b)^{(1/2)}-c*b)/b))-1/2/a^4*(a*d^2+6*b)/d^2*(\text{Si}(d*x)*\cos(c)+\text{Ci}(d*x)*\sin(c))+9/16/a^3/((d*(-a*b)^{(1/2)}+c*b)/b-c)*(-\text{Si}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b)*\sin((d*(-a*b)^{(1/2)}+c*b)/b)+\text{Ci}(d*x+c-(d*(-a*b)^{(1/2)}+c*b)/b))*\cos((d*(-a*b)^{(1/2)}+c*b)/b))+9/16/a^3/(-(d*(-a*b)^{(1/2)}-c*b)/b-c)*(\text{Si}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b)*\sin((d*(-a*b)^{(1/2)}-c*b)/b)+\text{Ci}(d*x+c+(d*(-a*b)^{(1/2)}-c*b)/b))*\cos((d*(-a*b)^{(1/2)}-c*b)/b)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^2+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x^3/(b*x^2+a)^3,x, algorithm="maxima")`

[Out] `integrate(sin(d*x + c)/((b*x^2 + a)^3*x^3), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x^3(bx^2+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c+d*x)/(x^3*(a+b*x^2)^3),x)`

[Out] `int(sin(c+d*x)/(x^3*(a+b*x^2)^3),x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x**3/(b*x**2+a)**3,x)`

[Out] Timed out

3.79 $\int x^3 (a + bx^3) \sin(c + dx) dx$

Optimal. Leaf size=156

$$-\frac{6a \sin(c + dx)}{d^4} + \frac{6ax \cos(c + dx)}{d^3} + \frac{3ax^2 \sin(c + dx)}{d^2} - \frac{ax^3 \cos(c + dx)}{d} + \frac{720b \cos(c + dx)}{d^7} + \frac{720bx \sin(c + dx)}{d^6} - \frac{360b^2 \cos(c + dx)}{d^5} - \frac{360bx^2 \sin(c + dx)}{d^4} + \frac{30b^3 \cos(c + dx)}{d^3} - \frac{30b^2x \sin(c + dx)}{d^2} - \frac{30bx^2 \cos(c + dx)}{d} + \frac{6b^3x^3 \sin(c + dx)}{d^2}$$

[Out] $720*b*cos(d*x+c)/d^7+6*a*x*cos(d*x+c)/d^3-360*b*x^2*cos(d*x+c)/d^5-a*x^3*cos(d*x+c)/d+30*b*x^4*cos(d*x+c)/d^3-b*x^6*cos(d*x+c)/d-6*a*sin(d*x+c)/d^4+720*0*b*x*sin(d*x+c)/d^6+3*a*x^2*sin(d*x+c)/d^2-120*b*x^3*sin(d*x+c)/d^4+6*b*x^5*sin(d*x+c)/d^2$

Rubi [A] time = 0.25, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {3339, 3296, 2637, 2638}

$$\frac{3ax^2 \sin(c + dx)}{d^2} - \frac{6a \sin(c + dx)}{d^4} + \frac{6ax \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} + \frac{6bx^5 \sin(c + dx)}{d^2} - \frac{120bx^3 \sin(c + dx)}{d^4} + \frac{30b^3 \cos(c + dx)}{d^3} - \frac{30b^2x \sin(c + dx)}{d^2} - \frac{30bx^2 \cos(c + dx)}{d} + \frac{6b^3x^3 \sin(c + dx)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*x^3)*Sin[c + d*x],x]

[Out] $(720*b*Cos[c + d*x])/d^7 + (6*a*x*Cos[c + d*x])/d^3 - (360*b*x^2*Cos[c + d*x])/d^5 - (a*x^3*Cos[c + d*x])/d + (30*b*x^4*Cos[c + d*x])/d^3 - (b*x^6*Cos[c + d*x])/d - (6*a*Sin[c + d*x])/d^4 + (720*b*x*Sin[c + d*x])/d^6 + (3*a*x^2*Sin[c + d*x])/d^2 - (120*b*x^3*Sin[c + d*x])/d^4 + (6*b*x^5*Sin[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x^3 (a + bx^3) \sin(c + dx) dx &= \int (ax^3 \sin(c + dx) + bx^6 \sin(c + dx)) dx \\
&= a \int x^3 \sin(c + dx) dx + b \int x^6 \sin(c + dx) dx \\
&= -\frac{ax^3 \cos(c + dx)}{d} - \frac{bx^6 \cos(c + dx)}{d} + \frac{(3a) \int x^2 \cos(c + dx) dx}{d} + \frac{(6b) \int x^5 \cos(c + dx) dx}{d} \\
&= -\frac{ax^3 \cos(c + dx)}{d} - \frac{bx^6 \cos(c + dx)}{d} + \frac{3ax^2 \sin(c + dx)}{d^2} + \frac{6bx^5 \sin(c + dx)}{d^2} \\
&= \frac{6ax \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} + \frac{30bx^4 \cos(c + dx)}{d^3} - \frac{bx^6 \cos(c + dx)}{d} + \frac{30bx^4 \sin(c + dx)}{d^3} \\
&= \frac{6ax \cos(c + dx)}{d^3} - \frac{ax^3 \cos(c + dx)}{d} + \frac{30bx^4 \cos(c + dx)}{d^3} - \frac{bx^6 \cos(c + dx)}{d} - \frac{30bx^4 \sin(c + dx)}{d^3} \\
&= \frac{6ax \cos(c + dx)}{d^3} - \frac{360bx^2 \cos(c + dx)}{d^5} - \frac{ax^3 \cos(c + dx)}{d} + \frac{30bx^4 \cos(c + dx)}{d^3} \\
&= \frac{6ax \cos(c + dx)}{d^3} - \frac{360bx^2 \cos(c + dx)}{d^5} - \frac{ax^3 \cos(c + dx)}{d} + \frac{30bx^4 \cos(c + dx)}{d^3} \\
&= \frac{720b \cos(c + dx)}{d^7} + \frac{6ax \cos(c + dx)}{d^3} - \frac{360bx^2 \cos(c + dx)}{d^5} - \frac{ax^3 \cos(c + dx)}{d}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 101, normalized size = 0.65

$$\frac{3d(ad^2(d^2x^2 - 2) + 2bx(d^4x^4 - 20d^2x^2 + 120)) \sin(c + dx) - (ad^4x(d^2x^2 - 6) + b(d^6x^6 - 30d^4x^4 + 360d^2x^2 - 720b)) \cos(c + dx)}{d^7}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*x^3)*Sin[c + d*x],x]

[Out] (-((a*d^4*x*(-6 + d^2*x^2) + b*(-720 + 360*d^2*x^2 - 30*d^4*x^4 + d^6*x^6)) *Cos[c + d*x]) + 3*d*(a*d^2*(-2 + d^2*x^2) + 2*b*x*(120 - 20*d^2*x^2 + d^4*x^4))*Sin[c + d*x])/d^7

fricas [A] time = 0.52, size = 104, normalized size = 0.67

$$\frac{(bd^6x^6 + ad^6x^3 - 30bd^4x^4 - 6ad^4x + 360bd^2x^2 - 720b) \cos(dx + c) - 3(2bd^5x^5 + ad^5x^2 - 40bd^3x^3 - 2ad^4x) \sin(dx + c)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*sin(d*x+c),x, algorithm="fricas")

[Out] -((b*d^6*x^6 + a*d^6*x^3 - 30*b*d^4*x^4 - 6*a*d^4*x + 360*b*d^2*x^2 - 720*b) *cos(d*x + c) - 3*(2*b*d^5*x^5 + a*d^5*x^2 - 40*b*d^3*x^3 - 2*a*d^4) *sin(d*x + c))/d^7

giac [A] time = 0.52, size = 106, normalized size = 0.68

$$\frac{(bd^6x^6 + ad^6x^3 - 30bd^4x^4 - 6ad^4x + 360bd^2x^2 - 720b) \cos(dx + c) - 3(2bd^5x^5 + ad^5x^2 - 40bd^3x^3 - 2ad^4x) \sin(dx + c)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*sin(d*x+c),x, algorithm="giac")

[Out] -(b*d^6*x^6 + a*d^6*x^3 - 30*b*d^4*x^4 - 6*a*d^4*x + 360*b*d^2*x^2 - 720*b) *cos(d*x + c)/d^7 + 3*(2*b*d^5*x^5 + a*d^5*x^2 - 40*b*d^3*x^3 - 2*a*d^4) *sin(d*x + c)/d^7

maple [B] time = 0.02, size = 556, normalized size = 3.56

$$\frac{b(-dx+c)^6 \cos(dx+c)+6(dx+c)^5 \sin(dx+c)+30(dx+c)^4 \cos(dx+c)-120(dx+c)^3 \sin(dx+c)-360(dx+c)^2 \cos(dx+c)+720 \cos(dx+c)+720(dx+c) \sin(dx+c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(b*x^3+a)*sin(d*x+c),x)

[Out] 1/d^4*(1/d^3*b*(-(d*x+c)^6*cos(d*x+c)+6*(d*x+c)^5*sin(d*x+c)+30*(d*x+c)^4*cos(d*x+c)-120*(d*x+c)^3*sin(d*x+c)-360*(d*x+c)^2*cos(d*x+c)+720*cos(d*x+c)+720*(d*x+c)*sin(d*x+c))-6/d^3*b*c*(-(d*x+c)^5*cos(d*x+c)+5*(d*x+c)^4*sin(d*x+c)+20*(d*x+c)^3*cos(d*x+c)-60*(d*x+c)^2*sin(d*x+c)+120*sin(d*x+c)-120*(d*x+c)*cos(d*x+c))+15/d^3*b*c^2*(-(d*x+c)^4*cos(d*x+c)+4*(d*x+c)^3*sin(d*x+c)+12*(d*x+c)^2*cos(d*x+c)-24*cos(d*x+c)-24*(d*x+c)*sin(d*x+c))+a*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-20/d^3*b*c^3*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-3*a*c*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+15/d^3*b*c^4*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+3*a*c^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-6/d^3*b*c^5*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+a*c^3*cos(d*x+c)-1/d^3*b*c^6*cos(d*x+c))

maxima [B] time = 0.99, size = 449, normalized size = 2.88

$$\frac{ac^3 \cos(dx+c) - \frac{bc^6 \cos(dx+c)}{d^3} - 3((dx+c) \cos(dx+c) - \sin(dx+c))ac^2 + \frac{6((dx+c) \cos(dx+c) - \sin(dx+c))bc^5}{d^3} + 3(((dx+c)^3 \cos(dx+c) - 3(dx+c)^2 \sin(dx+c) + 3(dx+c) \cos(dx+c) - \sin(dx+c))bc^4/d^3 - ((dx+c)^3 - 6dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c) * a + 20(((dx+c)^3 - 6dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) * b * c^3/d^3 - 15(((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6dx - 6c) \sin(dx+c)) * b * c^2/d^3 + 6(((dx+c)^5 - 20(dx+c)^3 + 120dx + 120c) \cos(dx+c) - 5((dx+c)^4 - 12(dx+c)^2 + 24) \sin(dx+c)) * b * c/d^3 - (((dx+c)^6 - 30(dx+c)^4 + 360(dx+c)^2 - 720) \cos(dx+c) - 6((dx+c)^5 - 20(dx+c)^3 + 120dx + 120c) \sin(dx+c)) * b/d^3)/d^4}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(b*x^3+a)*sin(d*x+c),x, algorithm="maxima")

[Out] (a*c^3*cos(d*x+c) - b*c^6*cos(d*x+c)/d^3 - 3*((d*x+c)*cos(d*x+c) - sin(d*x+c))*a*c^2 + 6*((d*x+c)*cos(d*x+c) - sin(d*x+c))*b*c^5/d^3 + 3*((d*x+c)^2 - 2)*cos(d*x+c) - 2*(d*x+c)*sin(d*x+c))*a*c - 15*((d*x+c)^2 - 2)*cos(d*x+c) - 2*(d*x+c)*sin(d*x+c))*b*c^4/d^3 - (((d*x+c)^3 - 6*d*x - 6*c)*cos(d*x+c) - 3*((d*x+c)^2 - 2)*sin(d*x+c))*a + 20*((d*x+c)^3 - 6*d*x - 6*c)*cos(d*x+c) - 3*((d*x+c)^2 - 2)*sin(d*x+c))*b*c^3/d^3 - 15*((d*x+c)^4 - 12*(d*x+c)^2 + 24)*cos(d*x+c) - 4*((d*x+c)^3 - 6*d*x - 6*c)*sin(d*x+c))*b*c^2/d^3 + 6*((d*x+c)^5 - 20*(d*x+c)^3 + 120*d*x + 120*c)*cos(d*x+c) - 5*((d*x+c)^4 - 12*(d*x+c)^2 + 24)*sin(d*x+c))*b*c/d^3 - (((d*x+c)^6 - 30*(d*x+c)^4 + 360*(d*x+c)^2 - 720)*cos(d*x+c) - 6*((d*x+c)^5 - 20*(d*x+c)^3 + 120*d*x + 120*c)*sin(d*x+c))*b/d^3)/d^4

mupad [B] time = 0.59, size = 151, normalized size = 0.97

$$\frac{d^4 \left(6ax \cos(c+dx) + 30bx^4 \cos(c+dx) \right) + 720b \cos(c+dx) - d^6 \left(ax^3 \cos(c+dx) + bx^6 \cos(c+dx) \right) + 30a^2x^2 \cos(c+dx) - 60a^2x \sin(c+dx) + 30a^2 \cos(c+dx) - 60abx^5 \cos(c+dx) + 120abx^4 \sin(c+dx) - 60abx^3 \cos(c+dx) + 120abx^2 \sin(c+dx) - 60abx \cos(c+dx) + 120ab \sin(c+dx) - 60a^2x^2 \cos(c+dx) + 120a^2x \sin(c+dx) - 60a^2 \cos(c+dx) - 360bd^2x^2 \cos(c+dx)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(c+d*x)*(a+b*x^3),x)

[Out] (d^4*(6*a*x*cos(c+d*x) + 30*b*x^4*cos(c+d*x)) + 720*b*cos(c+d*x) - d^6*(a*x^3*cos(c+d*x) + b*x^6*cos(c+d*x)) + d^5*(3*a*x^2*sin(c+d*x) + 6*b*x^5*sin(c+d*x)) - d^3*(6*a*sin(c+d*x) + 120*b*x^3*sin(c+d*x)) + 720*b*d*x*sin(c+d*x) - 360*b*d^2*x^2*cos(c+d*x))/d^7

sympy [A] time = 7.52, size = 185, normalized size = 1.19

$$\left\{ \begin{array}{l} -\frac{ax^3 \cos(c+dx)}{d} + \frac{3ax^2 \sin(c+dx)}{d^2} + \frac{6ax \cos(c+dx)}{d^3} - \frac{6a \sin(c+dx)}{d^4} - \frac{bx^6 \cos(c+dx)}{d} + \frac{6bx^5 \sin(c+dx)}{d^2} + \frac{30bx^4 \cos(c+dx)}{d^3} - \frac{120bx^3 \sin(c+dx)}{d^4} \\ \left(\frac{ax^4}{4} + \frac{bx^7}{7} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(b*x**3+a)*sin(d*x+c),x)

[Out] Piecewise((-a*x**3*cos(c + d*x)/d + 3*a*x**2*sin(c + d*x)/d**2 + 6*a*x*cos(c + d*x)/d**3 - 6*a*sin(c + d*x)/d**4 - b*x**6*cos(c + d*x)/d + 6*b*x**5*sin(c + d*x)/d**2 + 30*b*x**4*cos(c + d*x)/d**3 - 120*b*x**3*sin(c + d*x)/d**4 - 360*b*x**2*cos(c + d*x)/d**5 + 720*b*x*sin(c + d*x)/d**6 + 720*b*cos(c + d*x)/d**7, Ne(d, 0)), ((a*x**4/4 + b*x**7/7)*sin(c), True))

3.80 $\int x^2 (a + bx^3) \sin(c + dx) dx$

Optimal. Leaf size=126

$$\frac{2a \cos(c + dx)}{d^3} + \frac{2ax \sin(c + dx)}{d^2} - \frac{ax^2 \cos(c + dx)}{d} + \frac{120b \sin(c + dx)}{d^6} - \frac{120bx \cos(c + dx)}{d^5} - \frac{60bx^2 \sin(c + dx)}{d^4} + \frac{20b^2 \cos(c + dx)}{d^3} - \frac{20bx^3 \sin(c + dx)}{d^2}$$

[Out] $2*a*\cos(d*x+c)/d^3-120*b*x*\cos(d*x+c)/d^5-a*x^2*\cos(d*x+c)/d+20*b*x^3*\cos(d*x+c)/d^3-b*x^5*\cos(d*x+c)/d+120*b*\sin(d*x+c)/d^6+2*a*x*\sin(d*x+c)/d^2-60*b*x^2*\sin(d*x+c)/d^4+5*b*x^4*\sin(d*x+c)/d^2$

Rubi [A] time = 0.19, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {3339, 3296, 2638, 2637}

$$\frac{2ax \sin(c + dx)}{d^2} + \frac{2a \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} + \frac{5bx^4 \sin(c + dx)}{d^2} - \frac{60bx^2 \sin(c + dx)}{d^4} + \frac{20bx^3 \cos(c + dx)}{d^3} + \frac{20b^2 \cos(c + dx)}{d^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + b*x^3)*\text{Sin}[c + d*x], x]$

[Out] $(2*a*\text{Cos}[c + d*x])/d^3 - (120*b*x*\text{Cos}[c + d*x])/d^5 - (a*x^2*\text{Cos}[c + d*x])/d + (20*b*x^3*\text{Cos}[c + d*x])/d^3 - (b*x^5*\text{Cos}[c + d*x])/d + (120*b*\text{Sin}[c + d*x])/d^6 + (2*a*x*\text{Sin}[c + d*x])/d^2 - (60*b*x^2*\text{Sin}[c + d*x])/d^4 + (5*b*x^4*\text{Sin}[c + d*x])/d^2$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_))^m*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

$\text{Int}[((e_.)*(x_))^m*((a_.) + (b_.)*(x_)^n)^p*\text{Sin}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Sin}[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /;$ FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x^2 (a + bx^3) \sin(c + dx) dx &= \int (ax^2 \sin(c + dx) + bx^5 \sin(c + dx)) dx \\
&= a \int x^2 \sin(c + dx) dx + b \int x^5 \sin(c + dx) dx \\
&= -\frac{ax^2 \cos(c + dx)}{d} - \frac{bx^5 \cos(c + dx)}{d} + \frac{(2a) \int x \cos(c + dx) dx}{d} + \frac{(5b) \int x^4 \cos(c + dx) dx}{d} \\
&= -\frac{ax^2 \cos(c + dx)}{d} - \frac{bx^5 \cos(c + dx)}{d} + \frac{2ax \sin(c + dx)}{d^2} + \frac{5bx^4 \sin(c + dx)}{d^2} - \frac{2a \cos(c + dx)}{d^3} \\
&= \frac{2a \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} + \frac{20bx^3 \cos(c + dx)}{d^3} - \frac{bx^5 \cos(c + dx)}{d} + \frac{20bx^4 \sin(c + dx)}{d^2} \\
&= \frac{2a \cos(c + dx)}{d^3} - \frac{ax^2 \cos(c + dx)}{d} + \frac{20bx^3 \cos(c + dx)}{d^3} - \frac{bx^5 \cos(c + dx)}{d} + \frac{20bx^4 \sin(c + dx)}{d^2} \\
&= \frac{2a \cos(c + dx)}{d^3} - \frac{120bx \cos(c + dx)}{d^5} - \frac{ax^2 \cos(c + dx)}{d} + \frac{20bx^3 \cos(c + dx)}{d^3} \\
&= \frac{2a \cos(c + dx)}{d^3} - \frac{120bx \cos(c + dx)}{d^5} - \frac{ax^2 \cos(c + dx)}{d} + \frac{20bx^3 \cos(c + dx)}{d^3}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 84, normalized size = 0.67

$$\frac{(2ad^4x + 5b(d^4x^4 - 12d^2x^2 + 24)) \sin(c + dx) - d(ad^2(d^2x^2 - 2) + bx(d^4x^4 - 20d^2x^2 + 120)) \cos(c + dx)}{d^6}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*x^3)*Sin[c + d*x], x]

[Out] $(-(d*(a*d^2*(-2 + d^2*x^2) + b*x*(120 - 20*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) + (2*a*d^4*x + 5*b*(24 - 12*d^2*x^2 + d^4*x^4))*Sin[c + d*x])/d^6$

fricas [A] time = 0.66, size = 87, normalized size = 0.69

$$\frac{(bd^5x^5 + ad^5x^2 - 20bd^3x^3 - 2ad^3 + 120bdx) \cos(dx + c) - (5bd^4x^4 + 2ad^4x - 60bd^2x^2 + 120b) \sin(dx + c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*sin(d*x+c), x, algorithm="fricas")

[Out] $-((b*d^5*x^5 + a*d^5*x^2 - 20*b*d^3*x^3 - 2*a*d^3 + 120*b*d*x)*cos(d*x + c) - (5*b*d^4*x^4 + 2*a*d^4*x - 60*b*d^2*x^2 + 120*b)*sin(d*x + c))/d^6$

giac [A] time = 0.42, size = 88, normalized size = 0.70

$$\frac{(bd^5x^5 + ad^5x^2 - 20bd^3x^3 - 2ad^3 + 120bdx) \cos(dx + c)}{d^6} + \frac{(5bd^4x^4 + 2ad^4x - 60bd^2x^2 + 120b) \sin(dx + c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(b*x^3+a)*sin(d*x+c), x, algorithm="giac")

[Out] $-(b*d^5*x^5 + a*d^5*x^2 - 20*b*d^3*x^3 - 2*a*d^3 + 120*b*d*x)*cos(d*x + c)/d^6 + (5*b*d^4*x^4 + 2*a*d^4*x - 60*b*d^2*x^2 + 120*b)*sin(d*x + c)/d^6$

maple [B] time = 0.02, size = 392, normalized size = 3.11

$$\frac{b(-dx+c)^5 \cos(dx+c) + 5(dx+c)^4 \sin(dx+c) + 20(dx+c)^3 \cos(dx+c) - 60(dx+c)^2 \sin(dx+c) + 120 \sin(dx+c) - 120(dx+c) \cos(dx+c)}{d^3} - \frac{5bc(-dx+c)^4 \cos(dx+c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(b*x^3+a)*sin(d*x+c),x)`

[Out] $1/d^3*(1/d^3*b*(-(d*x+c)^5*\cos(d*x+c)+5*(d*x+c)^4*\sin(d*x+c)+20*(d*x+c)^3*\cos(d*x+c)-60*(d*x+c)^2*\sin(d*x+c)+120*\sin(d*x+c)-120*(d*x+c)*\cos(d*x+c))-5/d^3*b*c*(-(d*x+c)^4*\cos(d*x+c)+4*(d*x+c)^3*\sin(d*x+c)+12*(d*x+c)^2*\cos(d*x+c)-24*\cos(d*x+c)-24*(d*x+c)*\sin(d*x+c))+10/d^3*b*c^2*(-(d*x+c)^3*\cos(d*x+c)+3*(d*x+c)^2*\sin(d*x+c)-6*\sin(d*x+c)+6*(d*x+c)*\cos(d*x+c))+a*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))-10/d^3*b*c^3*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))-2*a*c*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))+5/d^3*b*c^4*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))-a*c^2*\cos(d*x+c)+1/d^3*b*c^5*\cos(d*x+c))$

maxima [B] time = 0.69, size = 326, normalized size = 2.59

$$\frac{ac^2 \cos(dx+c) - \frac{bc^5 \cos(dx+c)}{d^3} - 2((dx+c) \cos(dx+c) - \sin(dx+c))ac + \frac{5((dx+c) \cos(dx+c) - \sin(dx+c))bc^4}{d^3} + (((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c))a - 10(((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c))b*c^3/d^3 + 10(((dx+c)^3 - 6dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c))b*c^2/d^3 - 5(((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6dx - 6c) \sin(dx+c))b*c/d^3 + (((dx+c)^5 - 20(dx+c)^3 + 120dx + 120c) \cos(dx+c) - 5((dx+c)^4 - 12(dx+c)^2 + 24) \sin(dx+c))b/d^3}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(b*x^3+a)*sin(d*x+c),x, algorithm="maxima")`

[Out] $-(a*c^2*\cos(d*x+c) - b*c^5*\cos(d*x+c)/d^3 - 2*((d*x+c)*\cos(d*x+c) - \sin(d*x+c))*a*c + 5*((d*x+c)*\cos(d*x+c) - \sin(d*x+c))*b*c^4/d^3 + (((d*x+c)^2 - 2)*\cos(d*x+c) - 2*(d*x+c)*\sin(d*x+c))*a - 10(((d*x+c)^2 - 2)*\cos(d*x+c) - 2*(d*x+c)*\sin(d*x+c))*b*c^3/d^3 + 10(((d*x+c)^3 - 6*d*x - 6*c)*\cos(d*x+c) - 3*((d*x+c)^2 - 2)*\sin(d*x+c))*b*c^2/d^3 - 5(((d*x+c)^4 - 12*(d*x+c)^2 + 24)*\cos(d*x+c) - 4*((d*x+c)^3 - 6*d*x - 6*c)*\sin(d*x+c))*b*c/d^3 + (((d*x+c)^5 - 20*(d*x+c)^3 + 120*d*x + 120*c)*\cos(d*x+c) - 5*((d*x+c)^4 - 12*(d*x+c)^2 + 24)*\sin(d*x+c))*b/d^3)/d^3$

mupad [B] time = 4.95, size = 121, normalized size = 0.96

$$\frac{120 b \sin(c+dx) + d^4 (5 b x^4 \sin(c+dx) + 2 a x \sin(c+dx)) - d^5 (a x^2 \cos(c+dx) + b x^5 \cos(c+dx)) + d^6 \left(\frac{ax^3}{3} + \frac{bx^6}{6} \right) \sin(c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(c+d*x)*(a+b*x^3),x)`

[Out] $(120*b*\sin(c+d*x) + d^4*(5*b*x^4*\sin(c+d*x) + 2*a*x*\sin(c+d*x)) - d^5*(a*x^2*\cos(c+d*x) + b*x^5*\cos(c+d*x)) + d^3*(2*a*\cos(c+d*x) + 20*b*x^3*\cos(c+d*x)) - 60*b*d^2*x^2*\sin(c+d*x) - 120*b*d*x*\cos(c+d*x))/d^6$

sympy [A] time = 4.46, size = 151, normalized size = 1.20

$$\left\{ \begin{array}{l} -\frac{ax^2 \cos(c+dx)}{d} + \frac{2ax \sin(c+dx)}{d^2} + \frac{2a \cos(c+dx)}{d^3} - \frac{bx^5 \cos(c+dx)}{d} + \frac{5bx^4 \sin(c+dx)}{d^2} + \frac{20bx^3 \cos(c+dx)}{d^3} - \frac{60bx^2 \sin(c+dx)}{d^4} - \frac{120bx \cos(c+dx)}{d^5} \\ \left(\frac{ax^3}{3} + \frac{bx^6}{6} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(b*x**3+a)*sin(d*x+c),x)`

[Out] `Piecewise((-a*x**2*cos(c+d*x)/d + 2*a*x*sin(c+d*x)/d**2 + 2*a*cos(c+d*x)/d**3 - b*x**5*cos(c+d*x)/d + 5*b*x**4*sin(c+d*x)/d**2 + 20*b*x**3*cos(c+d*x)/d**3 - 60*b*x**2*sin(c+d*x)/d**4 - 120*b*x*cos(c+d*x)/d**5 + 120*b*sin(c+d*x)/d**6, Ne(d, 0)), ((a*x**3/3 + b*x**6/6)*sin(c), True))`

3.81 $\int x (a + bx^3) \sin(c + dx) dx$

Optimal. Leaf size=95

$$\frac{a \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx)}{d} - \frac{24b \cos(c + dx)}{d^5} - \frac{24bx \sin(c + dx)}{d^4} + \frac{12bx^2 \cos(c + dx)}{d^3} + \frac{4bx^3 \sin(c + dx)}{d^2} - \frac{bx^4 \cos(c + dx)}{d}$$

[Out] $-24*b*\cos(d*x+c)/d^5-a*x*\cos(d*x+c)/d+12*b*x^2*\cos(d*x+c)/d^3-b*x^4*\cos(d*x+c)/d+a*\sin(d*x+c)/d^2-24*b*x*\sin(d*x+c)/d^4+4*b*x^3*\sin(d*x+c)/d^2$

Rubi [A] time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {3339, 3296, 2637, 2638}

$$\frac{a \sin(c + dx)}{d^2} - \frac{ax \cos(c + dx)}{d} + \frac{4bx^3 \sin(c + dx)}{d^2} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{24bx \sin(c + dx)}{d^4} - \frac{24b \cos(c + dx)}{d^5} - \frac{bx^4 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)*Sin[c + d*x], x]

[Out] $(-24*b*\text{Cos}[c + d*x])/d^5 - (a*x*\text{Cos}[c + d*x])/d + (12*b*x^2*\text{Cos}[c + d*x])/d^3 - (b*x^4*\text{Cos}[c + d*x])/d + (a*\text{Sin}[c + d*x])/d^2 - (24*b*x*\text{Sin}[c + d*x])/d^4 + (4*b*x^3*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x(a + bx^3) \sin(c + dx) dx &= \int (ax \sin(c + dx) + bx^4 \sin(c + dx)) dx \\
&= a \int x \sin(c + dx) dx + b \int x^4 \sin(c + dx) dx \\
&= -\frac{ax \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{a \int \cos(c + dx) dx}{d} + \frac{(4b) \int x^3 \cos(c + dx) dx}{d} \\
&= -\frac{ax \cos(c + dx)}{d} - \frac{bx^4 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} + \frac{4bx^3 \sin(c + dx)}{d^2} - \frac{(12b) \int x^2 \cos(c + dx) dx}{d^2} \\
&= -\frac{ax \cos(c + dx)}{d} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{bx^4 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} + \frac{4bx^3 \sin(c + dx)}{d^2} \\
&= -\frac{ax \cos(c + dx)}{d} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{bx^4 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2} - \frac{24bx \sin(c + dx)}{d^3} \\
&= -\frac{24b \cos(c + dx)}{d^5} - \frac{ax \cos(c + dx)}{d} + \frac{12bx^2 \cos(c + dx)}{d^3} - \frac{bx^4 \cos(c + dx)}{d} + \frac{a \sin(c + dx)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 66, normalized size = 0.69

$$\frac{d(ad^2 + 4bx(d^2x^2 - 6)) \sin(c + dx) - (ad^4x + b(d^4x^4 - 12d^2x^2 + 24)) \cos(c + dx)}{d^5}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)*Sin[c + d*x],x]

[Out] (-((a*d^4*x + b*(24 - 12*d^2*x^2 + d^4*x^4))*Cos[c + d*x]) + d*(a*d^2 + 4*b*x*(-6 + d^2*x^2))*Sin[c + d*x])/d^5

fricas [A] time = 0.70, size = 68, normalized size = 0.72

$$\frac{(bd^4x^4 + ad^4x - 12bd^2x^2 + 24b) \cos(dx + c) - (4bd^3x^3 + ad^3 - 24bdx) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*sin(d*x+c),x, algorithm="fricas")

[Out] -((b*d^4*x^4 + a*d^4*x - 12*b*d^2*x^2 + 24*b)*cos(d*x + c) - (4*b*d^3*x^3 + a*d^3 - 24*b*d*x)*sin(d*x + c))/d^5

giac [A] time = 0.42, size = 69, normalized size = 0.73

$$-\frac{(bd^4x^4 + ad^4x - 12bd^2x^2 + 24b) \cos(dx + c)}{d^5} + \frac{(4bd^3x^3 + ad^3 - 24bdx) \sin(dx + c)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*sin(d*x+c),x, algorithm="giac")

[Out] -(b*d^4*x^4 + a*d^4*x - 12*b*d^2*x^2 + 24*b)*cos(d*x + c)/d^5 + (4*b*d^3*x^3 + a*d^3 - 24*b*d*x)*sin(d*x + c)/d^5

maple [B] time = 0.02, size = 258, normalized size = 2.72

$$\frac{b(-(dx+c)^4 \cos(dx+c) + 4(dx+c)^3 \sin(dx+c) + 12(dx+c)^2 \cos(dx+c) - 24 \cos(dx+c) - 24(dx+c) \sin(dx+c))}{d^3} - \frac{4bc(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c))}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)*sin(d*x+c),x)

[Out] $1/d^2*(1/d^3*b*(-(d*x+c)^4*\cos(d*x+c)+4*(d*x+c)^3*\sin(d*x+c)+12*(d*x+c)^2*\cos(d*x+c)-24*\cos(d*x+c)-24*(d*x+c)*\sin(d*x+c))-4/d^3*b*c*(-(d*x+c)^3*\cos(d*x+c)+3*(d*x+c)^2*\sin(d*x+c)-6*\sin(d*x+c)+6*(d*x+c)*\cos(d*x+c))+6/d^3*b*c^2*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))+a*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))-4/d^3*b*c^3*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))+a*c*\cos(d*x+c)-1/d^3*b*c^4*\cos(d*x+c))$

maxima [B] time = 0.77, size = 224, normalized size = 2.36

$$\frac{ac \cos(dx+c) - \frac{bc^4 \cos(dx+c)}{d^3} - ((dx+c) \cos(dx+c) - \sin(dx+c))a + \frac{4((dx+c) \cos(dx+c) - \sin(dx+c))bc^3}{d^3} - \frac{6((dx+c)^2 - 2) \cos(dx+c) - 2(dx+c) \sin(dx+c)}{d^3} + 4(((dx+c)^3 - 6dx - 6c) \cos(dx+c) - 3((dx+c)^2 - 2) \sin(dx+c)) * b * c / d^3 - (((dx+c)^4 - 12(dx+c)^2 + 24) \cos(dx+c) - 4((dx+c)^3 - 6dx - 6c) \sin(dx+c)) * b / d^3}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)*sin(d*x+c),x, algorithm="maxima")

[Out] $(a*c*\cos(d*x+c) - b*c^4*\cos(d*x+c)/d^3 - ((d*x+c)*\cos(d*x+c) - \sin(d*x+c))*a + 4*((d*x+c)*\cos(d*x+c) - \sin(d*x+c))*b*c^3/d^3 - 6*((d*x+c)^2 - 2)*\cos(d*x+c) - 2*(d*x+c)*\sin(d*x+c))*b*c^2/d^3 + 4*((d*x+c)^3 - 6*d*x - 6*c)*\cos(d*x+c) - 3*((d*x+c)^2 - 2)*\sin(d*x+c))*b*c/d^3 - (((d*x+c)^4 - 12*(d*x+c)^2 + 24)*\cos(d*x+c) - 4*((d*x+c)^3 - 6*d*x - 6*c)*\sin(d*x+c))*b/d^3)/d^2$

mupad [B] time = 4.79, size = 92, normalized size = 0.97

$$\frac{d^4 (ax \cos(c+dx) + bx^4 \cos(c+dx)) + 24b \cos(c+dx) - d^3 (a \sin(c+dx) + 4bx^3 \sin(c+dx)) + 24b \cos(c+dx)}{d^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(c+d*x)*(a+b*x^3),x)

[Out] $-(d^4*(a*x*\cos(c+d*x) + b*x^4*\cos(c+d*x)) + 24*b*\cos(c+d*x) - d^3*(a*\sin(c+d*x) + 4*b*x^3*\sin(c+d*x)) + 24*b*d*x*\sin(c+d*x) - 12*b*d^2*x^2*\cos(c+d*x))/d^5$

sympy [A] time = 2.55, size = 116, normalized size = 1.22

$$\begin{cases} -\frac{ax \cos(c+dx)}{d} + \frac{a \sin(c+dx)}{d^2} - \frac{bx^4 \cos(c+dx)}{d} + \frac{4bx^3 \sin(c+dx)}{d^2} + \frac{12bx^2 \cos(c+dx)}{d^3} - \frac{24bx \sin(c+dx)}{d^4} - \frac{24b \cos(c+dx)}{d^5} & \text{for } d \neq 0 \\ \left(\frac{ax^2}{2} + \frac{bx^5}{5}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x**3+a)*sin(d*x+c),x)

[Out] $\text{Piecewise}((-a*x*\cos(c+d*x)/d + a*\sin(c+d*x)/d**2 - b*x**4*\cos(c+d*x)/d + 4*b*x**3*\sin(c+d*x)/d**2 + 12*b*x**2*\cos(c+d*x)/d**3 - 24*b*x*\sin(c+d*x)/d**4 - 24*b*\cos(c+d*x)/d**5, \text{Ne}(d, 0)), ((a*x**2/2 + b*x**5/5)*\sin(c), \text{True}))$

3.82 $\int (a + bx^3) \sin(c + dx) dx$

Optimal. Leaf size=68

$$-\frac{a \cos(c + dx)}{d} - \frac{6b \sin(c + dx)}{d^4} + \frac{6bx \cos(c + dx)}{d^3} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{bx^3 \cos(c + dx)}{d}$$

[Out] $-a*\cos(d*x+c)/d+6*b*x*\cos(d*x+c)/d^3-b*x^3*\cos(d*x+c)/d-6*b*\sin(d*x+c)/d^4+3*b*x^2*\sin(d*x+c)/d^2$

Rubi [A] time = 0.09, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3329, 2638, 3296, 2637}

$$-\frac{a \cos(c + dx)}{d} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{6b \sin(c + dx)}{d^4} + \frac{6bx \cos(c + dx)}{d^3} - \frac{bx^3 \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)*Sin[c + d*x], x]

[Out] $-((a*\text{Cos}[c + d*x])/d) + (6*b*x*\text{Cos}[c + d*x])/d^3 - (b*x^3*\text{Cos}[c + d*x])/d - (6*b*\text{Sin}[c + d*x])/d^4 + (3*b*x^2*\text{Sin}[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3329

Int[((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int (a + bx^3) \sin(c + dx) dx &= \int (a \sin(c + dx) + bx^3 \sin(c + dx)) dx \\
&= a \int \sin(c + dx) dx + b \int x^3 \sin(c + dx) dx \\
&= -\frac{a \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{(3b) \int x^2 \cos(c + dx) dx}{d} \\
&= -\frac{a \cos(c + dx)}{d} - \frac{bx^3 \cos(c + dx)}{d} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{(6b) \int x \sin(c + dx) dx}{d^2} \\
&= -\frac{a \cos(c + dx)}{d} + \frac{6bx \cos(c + dx)}{d^3} - \frac{bx^3 \cos(c + dx)}{d} + \frac{3bx^2 \sin(c + dx)}{d^2} - \frac{(6b) \int \sin(c + dx) dx}{d^2} \\
&= -\frac{a \cos(c + dx)}{d} + \frac{6bx \cos(c + dx)}{d^3} - \frac{bx^3 \cos(c + dx)}{d} - \frac{6b \sin(c + dx)}{d^4} + \frac{3bx^2 \sin(c + dx)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 50, normalized size = 0.74

$$\frac{3b(d^2x^2 - 2) \sin(c + dx) - d(ad^2 + bx(d^2x^2 - 6)) \cos(c + dx)}{d^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)*Sin[c + d*x], x]

[Out] $(-d(a*d^2 + b*x*(-6 + d^2*x^2))*Cos[c + d*x]) + 3*b*(-2 + d^2*x^2)*Sin[c + d*x])/d^4$

fricas [A] time = 0.69, size = 52, normalized size = 0.76

$$\frac{(bd^3x^3 + ad^3 - 6bdx) \cos(dx + c) - 3(bd^2x^2 - 2b) \sin(dx + c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c), x, algorithm="fricas")

[Out] $-((b*d^3*x^3 + a*d^3 - 6*b*d*x)*cos(d*x + c) - 3*(b*d^2*x^2 - 2*b)*sin(d*x + c))/d^4$

giac [A] time = 0.64, size = 54, normalized size = 0.79

$$-\frac{(bd^3x^3 + ad^3 - 6bdx) \cos(dx + c)}{d^4} + \frac{3(bd^2x^2 - 2b) \sin(dx + c)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c), x, algorithm="giac")

[Out] $-(b*d^3*x^3 + a*d^3 - 6*b*d*x)*cos(d*x + c)/d^4 + 3*(b*d^2*x^2 - 2*b)*sin(d*x + c)/d^4$

maple [B] time = 0.02, size = 159, normalized size = 2.34

$$\frac{b(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c))}{d^3} - \frac{3bc(-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c))}{d^3} + \frac{3b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*sin(d*x+c), x)

[Out] $1/d*(1/d^3*b*(-(d*x+c)^3*\cos(d*x+c)+3*(d*x+c)^2*\sin(d*x+c)-6*\sin(d*x+c)+6*(d*x+c)*\cos(d*x+c))-3/d^3*b*c*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))+3/d^3*b*c^2*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))-a*\cos(d*x+c)+1/d^3*b*c^3*\cos(d*x+c))$

maxima [B] time = 0.73, size = 141, normalized size = 2.07

$$\frac{a \cos(dx+c) - \frac{bc^3 \cos(dx+c)}{d^3} + \frac{3((dx+c)\cos(dx+c) - \sin(dx+c))bc^2}{d^3} - \frac{3(((dx+c)^2 - 2)\cos(dx+c) - 2(dx+c)\sin(dx+c))bc}{d^3} + \frac{(((dx+c)^3 - 6dx - 6c)\sin(dx+c))b}{d^3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)*sin(d*x+c),x, algorithm="maxima")`

[Out] $-(a*\cos(d*x+c) - b*c^3*\cos(d*x+c)/d^3 + 3*((d*x+c)*\cos(d*x+c) - \sin(d*x+c))*b*c^2/d^3 - 3*((d*x+c)^2 - 2)*\cos(d*x+c) - 2*(d*x+c)*\sin(d*x+c))*b*c/d^3 + (((d*x+c)^3 - 6*d*x - 6*c)*\cos(d*x+c) - 3*((d*x+c)^2 - 2)*\sin(d*x+c))*b/d^3)/d$

mupad [B] time = 0.11, size = 65, normalized size = 0.96

$$\frac{6b \sin(c+dx) + d^3 (a \cos(c+dx) + b x^3 \cos(c+dx)) - 3b d^2 x^2 \sin(c+dx) - 6b dx \cos(c+dx)}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c+d*x)*(a+b*x^3),x)`

[Out] $-(6*b*\sin(c+d*x) + d^3*(a*\cos(c+d*x) + b*x^3*\cos(c+d*x)) - 3*b*d^2*x^2*\sin(c+d*x) - 6*b*d*x*\cos(c+d*x))/d^4$

sympy [A] time = 1.21, size = 82, normalized size = 1.21

$$\begin{cases} -\frac{a \cos(c+dx)}{d} - \frac{bx^3 \cos(c+dx)}{d} + \frac{3bx^2 \sin(c+dx)}{d^2} + \frac{6bx \cos(c+dx)}{d^3} - \frac{6b \sin(c+dx)}{d^4} & \text{for } d \neq 0 \\ \left(ax + \frac{bx^4}{4}\right) \sin(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)*sin(d*x+c),x)`

[Out] `Piecewise((-a*cos(c+d*x)/d - b*x**3*cos(c+d*x)/d + 3*b*x**2*sin(c+d*x)/d**2 + 6*b*x*cos(c+d*x)/d**3 - 6*b*sin(c+d*x)/d**4, Ne(d, 0)), ((a*x + b*x**4/4)*sin(c), True))`

$$3.83 \quad \int \frac{(a+bx^3) \sin(c+dx)}{x} dx$$

Optimal. Leaf size=57

$$a \sin(c) \text{Ci}(dx) + a \cos(c) \text{Si}(dx) + \frac{2b \cos(c+dx)}{d^3} + \frac{2bx \sin(c+dx)}{d^2} - \frac{bx^2 \cos(c+dx)}{d}$$

[Out] 2*b*cos(d*x+c)/d^3-b*x^2*cos(d*x+c)/d+a*cos(c)*Si(d*x)+a*Ci(d*x)*sin(c)+2*b*x*sin(d*x+c)/d^2

Rubi [A] time = 0.11, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3339, 3303, 3299, 3302, 3296, 2638}

$$a \sin(c) \text{CosIntegral}(dx) + a \cos(c) \text{Si}(dx) + \frac{2bx \sin(c+dx)}{d^2} + \frac{2b \cos(c+dx)}{d^3} - \frac{bx^2 \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*Sin[c + d*x])/x,x]

[Out] (2*b*cos[c + d*x])/d^3 - (b*x^2*cos[c + d*x])/d + a*cosIntegral[d*x]*Sin[c] + (2*b*x*sin[c + d*x])/d^2 + a*cos[c]*SinIntegral[d*x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3) \sin(c + dx)}{x} dx &= \int \left(\frac{a \sin(c + dx)}{x} + bx^2 \sin(c + dx) \right) dx \\
&= a \int \frac{\sin(c + dx)}{x} dx + b \int x^2 \sin(c + dx) dx \\
&= -\frac{bx^2 \cos(c + dx)}{d} + \frac{(2b) \int x \cos(c + dx) dx}{d} + (a \cos(c)) \int \frac{\sin(dx)}{x} dx + (a \sin(c)) \int \frac{1}{x} dx \\
&= -\frac{bx^2 \cos(c + dx)}{d} + a \operatorname{Ci}(dx) \sin(c) + \frac{2bx \sin(c + dx)}{d^2} + a \cos(c) \operatorname{Si}(dx) - \frac{(2b) \int \sin(dx)}{d} \\
&= \frac{2b \cos(c + dx)}{d^3} - \frac{bx^2 \cos(c + dx)}{d} + a \operatorname{Ci}(dx) \sin(c) + \frac{2bx \sin(c + dx)}{d^2} + a \cos(c) \operatorname{Si}(dx)
\end{aligned}$$

Mathematica [A] time = 0.20, size = 50, normalized size = 0.88

$$a \sin(c) \operatorname{Ci}(dx) + a \cos(c) \operatorname{Si}(dx) + \frac{b \left((2 - d^2 x^2) \cos(c + dx) + 2dx \sin(c + dx) \right)}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*Sin[c + d*x])/x,x]

[Out] a*CosIntegral[d*x]*Sin[c] + (b*((2 - d^2*x^2)*Cos[c + d*x] + 2*d*x*SIN[c + d*x]))/d^3 + a*Cos[c]*SinIntegral[d*x]

fricas [A] time = 0.62, size = 72, normalized size = 1.26

$$\frac{2 ad^3 \cos(c) \operatorname{Si}(dx) + 4 bdx \sin(dx + c) - 2 (bd^2 x^2 - 2b) \cos(dx + c) + (ad^3 \operatorname{Ci}(dx) + ad^3 \operatorname{Ci}(-dx)) \sin(c)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x,x, algorithm="fricas")

[Out] 1/2*(2*a*d^3*cos(c)*sin_integral(d*x) + 4*b*d*x*sin(d*x + c) - 2*(b*d^2*x^2 - 2*b)*cos(d*x + c) + (a*d^3*cos_integral(d*x) + a*d^3*cos_integral(-d*x))*sin(c))/d^3

giac [C] time = 0.38, size = 510, normalized size = 8.95

$$\frac{2 bd^2 x^2 \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + ad^3 \Im(\operatorname{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 - ad^3 \Im(\operatorname{Ci}(-dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + \dots}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x,x, algorithm="giac")

[Out] -1/2*(2*b*d^2*x^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*b*d^2*x^2*tan(1/2*d*x)^2 - a*d^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + a*d^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d^3*sin_integral(d*x)*tan(1/2*d*x)^2 - 8*b*d^2*x^2*tan(1/2*d*x)*tan(1/2*c) - 2*b*d^2*x^2*tan(1/2*c)^2 + a*d^3*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a*d^3*imag_part(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d^3*sin_integral(d*x)*tan(1/2*c)^2 -

$2*a*d^3*\text{real_part}(\text{cos_integral}(d*x))*\tan(1/2*c) - 2*a*d^3*\text{real_part}(\text{cos_integral}(-d*x))*\tan(1/2*c) + 8*b*d*x*\tan(1/2*d*x)^2*\tan(1/2*c) + 8*b*d*x*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*b*d^2*x^2 - a*d^3*\text{imag_part}(\text{cos_integral}(d*x)) + a*d^3*\text{imag_part}(\text{cos_integral}(-d*x)) - 2*a*d^3*\text{sin_integral}(d*x) - 4*b*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 8*b*d*x*\tan(1/2*d*x) - 8*b*d*x*\tan(1/2*c) + 4*b*\tan(1/2*d*x)^2 + 16*b*\tan(1/2*d*x)*\tan(1/2*c) + 4*b*\tan(1/2*c)^2 - 4*b)/(d^3*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d^3*\tan(1/2*d*x)^2 + d^3*\tan(1/2*c)^2 + d^3)$

maple [A] time = 0.03, size = 112, normalized size = 1.96

$$\frac{(c^2 + c + 1)b \left(-(dx + c)^2 \cos(dx + c) + 2 \cos(dx + c) + 2(dx + c) \sin(dx + c) \right)}{d^3} - \frac{3cb(1 + c)(\sin(dx + c) - (d^2 x^2 - 2b) \cos(dx + c))}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*sin(d*x+c)/x,x)

[Out] (c^2+c+1)/d^3*b*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-3*c*b*(1+c)/d^3*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-3*c^2/d^3*b*cos(d*x+c)+a*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))

maxima [C] time = 2.27, size = 76, normalized size = 1.33

$$\frac{(a(-i \text{Ei}(i dx) + i \text{Ei}(-i dx)) \cos(c) + a(\text{Ei}(i dx) + \text{Ei}(-i dx)) \sin(c))d^3 + 4 b dx \sin(dx + c) - 2(bd^2 x^2 - 2b) \cos(dx + c)}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x,x, algorithm="maxima")

[Out] 1/2*((a*(-I*Ei(I*d*x) + I*Ei(-I*d*x))*cos(c) + a*(Ei(I*d*x) + Ei(-I*d*x))*sin(c))*d^3 + 4*b*d*x*sin(d*x + c) - 2*(b*d^2*x^2 - 2*b)*cos(d*x + c))/d^3

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$a \cos(\text{int}(d x)) \sin(c) + a \sin(\text{int}(d x)) \cos(c) + \frac{b \left(2 \cos(c + d x) - d^2 x^2 \cos(c + d x) + 2 d x \sin(c + d x) \right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^3))/x,x)

[Out] a*cos(int(d*x))*sin(c) + a*sin(int(d*x))*cos(c) + (b*(2*cos(c + d*x) - d^2*x^2*cos(c + d*x) + 2*d*x*sin(c + d*x)))/d^3

sympy [A] time = 6.38, size = 85, normalized size = 1.49

$$a \sin(c) \text{Ci}(dx) + a \cos(c) \text{Si}(dx) + b x^2 \begin{cases} \begin{pmatrix} -\cos(c) & \text{for } d = 0 \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{pmatrix} & -2b \begin{cases} \begin{cases} -\frac{x^2 \cos(c)}{2} & \text{for } d = 0 \\ \frac{x \sin(c+dx)}{d} + \frac{\cos(c+dx)}{d^2} & \text{for } d \neq 0 \\ \frac{x^2 \cos(c)}{2} & \text{otherwise} \end{cases} \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*sin(d*x+c)/x,x)

[Out] a*sin(c)*Ci(d*x) + a*cos(c)*Si(d*x) + b*x**2*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) - 2*b*Piecewise((-x**2*cos(c)/2, Eq(d, 0)), (-Piecewise((x*sin(c + d*x)/d + cos(c + d*x)/d**2, Ne(d, 0)), (x**2*cos(c)/2, True))/d, True))

$$3.84 \quad \int \frac{(a+bx^3) \sin(c+dx)}{x^2} dx$$

Optimal. Leaf size=56

$$ad \cos(c) \text{Ci}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c+dx)}{x} + \frac{b \sin(c+dx)}{d^2} - \frac{bx \cos(c+dx)}{d}$$

[Out] a*d*Ci(d*x)*cos(c)-b*x*cos(d*x+c)/d-a*d*Si(d*x)*sin(c)+b*sin(d*x+c)/d^2-a*s
in(d*x+c)/x

Rubi [A] time = 0.12, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {3339, 3297, 3303, 3299, 3302, 3296, 2637}

$$ad \cos(c) \text{CosIntegral}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c+dx)}{x} + \frac{b \sin(c+dx)}{d^2} - \frac{bx \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*Sin[c + d*x])/x^2,x]

[Out] -((b*x*Cos[c + d*x])/d) + a*d*Cos[c]*CosIntegral[d*x] + (b*SIN[c + d*x])/d^2 - (a*SIN[c + d*x])/x - a*d*SIN[c]*SinIntegral[d*x]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[SIN[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((
c + d*x)^(m+1)*Sin[e + f*x])/(d*(m+1)), x] - Dist[f/(d*(m+1)), Int[(c
+ d*x)^(m+1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SIN[Inte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[SIN[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[SIN[(d*e - c*f
) /d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3) \sin(c + dx)}{x^2} dx &= \int \left(\frac{a \sin(c + dx)}{x^2} + bx \sin(c + dx) \right) dx \\ &= a \int \frac{\sin(c + dx)}{x^2} dx + b \int x \sin(c + dx) dx \\ &= -\frac{bx \cos(c + dx)}{d} - \frac{a \sin(c + dx)}{x} + \frac{b \int \cos(c + dx) dx}{d} + (ad) \int \frac{\cos(c + dx)}{x} dx \\ &= -\frac{bx \cos(c + dx)}{d} + \frac{b \sin(c + dx)}{d^2} - \frac{a \sin(c + dx)}{x} + (ad \cos(c)) \int \frac{\cos(dx)}{x} dx - (ad \sin(c)) \int \frac{\sin(dx)}{x} dx \\ &= -\frac{bx \cos(c + dx)}{d} + ad \cos(c) \text{Ci}(dx) + \frac{b \sin(c + dx)}{d^2} - \frac{a \sin(c + dx)}{x} - ad \sin(c) \text{Si}(dx) \end{aligned}$$

Mathematica [A] time = 0.14, size = 56, normalized size = 1.00

$$ad \cos(c) \text{Ci}(dx) - ad \sin(c) \text{Si}(dx) - \frac{a \sin(c + dx)}{x} + \frac{b \sin(c + dx)}{d^2} - \frac{bx \cos(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*Sin[c + d*x])/x^2,x]

[Out] -((b*x*Cos[c + d*x])/d) + a*d*Cos[c]*CosIntegral[d*x] + (b*Sin[c + d*x])/d^2 - (a*Sin[c + d*x])/x - a*d*Sin[c]*SinIntegral[d*x]

fricas [A] time = 0.74, size = 79, normalized size = 1.41

$$\frac{2 ad^3 x \sin(c) \text{Si}(dx) + 2 b dx^2 \cos(dx + c) - (ad^3 x \text{Ci}(dx) + ad^3 x \text{Ci}(-dx)) \cos(c) + 2 (ad^2 - bx) \sin(dx + c)}{2 d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^2,x, algorithm="fricas")

[Out] -1/2*(2*a*d^3*x*sin(c)*sin_integral(d*x) + 2*b*d*x^2*cos(d*x + c) - (a*d^3*x*cos_integral(d*x) + a*d^3*x*cos_integral(-d*x))*cos(c) + 2*(a*d^2 - b*x)*sin(d*x + c))/(d^2*x)

giac [C] time = 0.56, size = 489, normalized size = 8.73

$$\frac{ad^3 x \Re(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + ad^3 x \Re(\text{Ci}(-dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + 2 ad^3 x \Im(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2}{2 d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^2,x, algorithm="giac")

[Out] -1/2*(a*d^3*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d^3*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^3*x*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^3*x*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c))

```

rt(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*d^3*x*sin_integral(d
*x)*tan(1/2*d*x)^2*tan(1/2*c) - a*d^3*x*real_part(cos_integral(d*x))*tan(1/
2*d*x)^2 - a*d^3*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 + a*d^3*x*r
eal_part(cos_integral(d*x))*tan(1/2*c)^2 + a*d^3*x*real_part(cos_integral(-
d*x))*tan(1/2*c)^2 + 2*b*d*x^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^3*x*imag
_part(cos_integral(d*x))*tan(1/2*c) - 2*a*d^3*x*imag_part(cos_integral(-d*x
))*tan(1/2*c) + 4*a*d^3*x*sin_integral(d*x)*tan(1/2*c) - a*d^3*x*real_part(
cos_integral(d*x)) - a*d^3*x*real_part(cos_integral(-d*x)) - 2*b*d*x^2*tan(
1/2*d*x)^2 - 8*b*d*x^2*tan(1/2*d*x)*tan(1/2*c) - 4*a*d^2*tan(1/2*d*x)^2*tan
(1/2*c) - 2*b*d*x^2*tan(1/2*c)^2 - 4*a*d^2*tan(1/2*d*x)*tan(1/2*c)^2 + 4*b*
x*tan(1/2*d*x)^2*tan(1/2*c) + 4*b*x*tan(1/2*d*x)*tan(1/2*c)^2 + 2*b*d*x^2 +
4*a*d^2*tan(1/2*d*x) + 4*a*d^2*tan(1/2*c) - 4*b*x*tan(1/2*d*x) - 4*b*x*tan
(1/2*c))/(d^2*x*tan(1/2*d*x)^2*tan(1/2*c)^2 + d^2*x*tan(1/2*d*x)^2 + d^2*x*
tan(1/2*c)^2 + d^2*x)

```

maple [A] time = 0.04, size = 79, normalized size = 1.41

$$d \left(\frac{(1+2c)b(\sin(dx+c) - (dx+c)\cos(dx+c))}{d^3} + \frac{3cb\cos(dx+c)}{d^3} + a \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx)\sin(c) + \text{Ci}(dx) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)*sin(d*x+c)/x^2,x)
```

```
[Out] d*((1+2*c)/d^3*b*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+3*c/d^3*b*cos(d*x+c)+a*(-s
in(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c)))
```

maxima [C] time = 2.27, size = 69, normalized size = 1.23

$$\frac{(a(\Gamma(-1, idx) + \Gamma(-1, -idx))\cos(c) + a(-i\Gamma(-1, idx) + i\Gamma(-1, -idx))\sin(c))d^3 - 2bdx\cos(dx+c) + 2b\sin(dx+c)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)*sin(d*x+c)/x^2,x, algorithm="maxima")
```

```
[Out] 1/2*((a*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*cos(c) + a*(-I*gamma(-1, I*d
*x) + I*gamma(-1, -I*d*x))*sin(c))*d^3 - 2*b*d*x*cos(d*x + c) + 2*b*sin(d*x
+ c))/d^2
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(c+dx)(bx^3+a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((sin(c+d*x)*(a+b*x^3))/x^2,x)
```

```
[Out] int((sin(c+d*x)*(a+b*x^3))/x^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a+bx^3)\sin(c+dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)*sin(d*x+c)/x**2,x)
```

```
[Out] Integral((a + b*x**3)*sin(c + d*x)/x**2, x)
```


$$3.85 \quad \int \frac{(a+bx^3) \sin(c+dx)}{x^3} dx$$

Optimal. Leaf size=70

$$-\frac{1}{2}ad^2 \sin(c)\text{Ci}(dx) - \frac{1}{2}ad^2 \cos(c)\text{Si}(dx) - \frac{a \sin(c+dx)}{2x^2} - \frac{ad \cos(c+dx)}{2x} - \frac{b \cos(c+dx)}{d}$$

[Out] $-b*\cos(d*x+c)/d-1/2*a*d*\cos(d*x+c)/x-1/2*a*d^2*\cos(c)*\text{Si}(d*x)-1/2*a*d^2*\text{Ci}(d*x)*\sin(c)-1/2*a*\sin(d*x+c)/x^2$

Rubi [A] time = 0.13, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {3339, 2638, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}ad^2 \sin(c)\text{CosIntegral}(dx) - \frac{1}{2}ad^2 \cos(c)\text{Si}(dx) - \frac{a \sin(c+dx)}{2x^2} - \frac{ad \cos(c+dx)}{2x} - \frac{b \cos(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)*\text{Sin}[c + d*x])/x^3, x]$

[Out] $-((b*\text{Cos}[c + d*x])/d) - (a*d*\text{Cos}[c + d*x])/(2*x) - (a*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 - (a*\text{Sin}[c + d*x])/(2*x^2) - (a*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m+1)}*\text{Sin}[e + f*x]/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{(m+1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 3339

$\text{Int}[(e_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*(x_.))^{(n_.)}*(c_. + (d_.)*(x_.))^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Sin}[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, m, n\}, x] \&\& \text{IGtQ}[p, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3) \sin(c + dx)}{x^3} dx &= \int \left(b \sin(c + dx) + \frac{a \sin(c + dx)}{x^3} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^3} dx + b \int \sin(c + dx) dx \\
&= -\frac{b \cos(c + dx)}{d} - \frac{a \sin(c + dx)}{2x^2} + \frac{1}{2}(ad) \int \frac{\cos(c + dx)}{x^2} dx \\
&= -\frac{b \cos(c + dx)}{d} - \frac{ad \cos(c + dx)}{2x} - \frac{a \sin(c + dx)}{2x^2} - \frac{1}{2}(ad^2) \int \frac{\sin(c + dx)}{x} dx \\
&= -\frac{b \cos(c + dx)}{d} - \frac{ad \cos(c + dx)}{2x} - \frac{a \sin(c + dx)}{2x^2} - \frac{1}{2}(ad^2 \cos(c)) \int \frac{\sin(dx)}{x} dx - \frac{1}{2}ad^2 \sin(c) \\
&= -\frac{b \cos(c + dx)}{d} - \frac{ad \cos(c + dx)}{2x} - \frac{1}{2}ad^2 \text{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{2x^2} - \frac{1}{2}ad^2 \cos(c)
\end{aligned}$$

Mathematica [A] time = 0.16, size = 66, normalized size = 0.94

$$\frac{1}{2} \left(-ad^2 \sin(c) \text{Ci}(dx) - ad^2 \cos(c) \text{Si}(dx) - \frac{a \sin(c + dx)}{x^2} - \frac{ad \cos(c + dx)}{x} - \frac{2b \cos(c + dx)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*Sin[c + d*x])/x^3,x]

[Out] ((-2*b*Cos[c + d*x])/d - (a*d*Cos[c + d*x])/x - a*d^2*CosIntegral[d*x]*Sin[c] - (a*Sin[c + d*x])/x^2 - a*d^2*Cos[c]*SinIntegral[d*x])/2

fricas [A] time = 0.79, size = 84, normalized size = 1.20

$$\frac{2 ad^3 x^2 \cos(c) \text{Si}(dx) + 2 ad \sin(dx + c) + 2 (ad^2 x + 2 bx^2) \cos(dx + c) + (ad^3 x^2 \text{Ci}(dx) + ad^3 x^2 \text{Ci}(-dx)) \sin(c)}{4 dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^3,x, algorithm="fricas")

[Out] -1/4*(2*a*d^3*x^2*cos(c)*sin_integral(d*x) + 2*a*d*sin(d*x + c) + 2*(a*d^2*x + 2*b*x^2)*cos(d*x + c) + (a*d^3*x^2*cos_integral(d*x) + a*d^3*x^2*cos_integral(-d*x))*sin(c))/(d*x^2)

giac [C] time = 0.33, size = 564, normalized size = 8.06

$$\frac{ad^3 x^2 \Im(\text{Ci}(dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 - ad^3 x^2 \Im(\text{Ci}(-dx)) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2 + 2 ad^3 x^2 \text{Si}(dx) \tan\left(\frac{1}{2} dx\right)^2 \tan\left(\frac{1}{2} c\right)^2}{4 dx^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^3,x, algorithm="giac")

[Out] 1/4*(a*d^3*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 - a*d^3*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^3*x^2*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a*d^3*x^2*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^3*x^2*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - a*d^3*x^2*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 + a*d^3*x^2*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2 - 2*a*d^3*x^2*sin_integral(d*x)*tan(1/2*d*x)^2 + a*d^3*x^2*imag_part(co

$s_integral(dx)) * \tan(1/2*c)^2 - a*d^3*x^2*imag_part(cos_integral(-d*x)) * \tan(1/2*c)^2 + 2*a*d^3*x^2*sin_integral(dx) * \tan(1/2*c)^2 - 2*a*d^3*x^2*real_part(cos_integral(dx)) * \tan(1/2*c) - 2*a*d^3*x^2*real_part(cos_integral(-d*x)) * \tan(1/2*c) - 2*a*d^2*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - a*d^3*x^2*imag_part(cos_integral(dx)) + a*d^3*x^2*imag_part(cos_integral(-d*x)) - 2*a*d^3*x^2*sin_integral(dx) - 4*b*x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*a*d^2*x*\tan(1/2*d*x)^2 + 8*a*d^2*x*\tan(1/2*d*x)*\tan(1/2*c) + 2*a*d^2*x*\tan(1/2*c)^2 + 4*b*x^2*\tan(1/2*d*x)^2 + 16*b*x^2*\tan(1/2*d*x)*\tan(1/2*c) + 4*a*d*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*b*x^2*\tan(1/2*c)^2 + 4*a*d*\tan(1/2*d*x)*\tan(1/2*c)^2 - 2*a*d^2*x - 4*b*x^2 - 4*a*d*\tan(1/2*d*x) - 4*a*d*\tan(1/2*c))/(d*x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d*x^2*\tan(1/2*d*x)^2 + d*x^2*\tan(1/2*c)^2 + d*x^2)$

maple [A] time = 0.04, size = 65, normalized size = 0.93

$$d^2 \left(-\frac{b \cos(dx + c)}{d^3} + a \left(-\frac{\sin(dx + c)}{2x^2 d^2} - \frac{\cos(dx + c)}{2xd} - \frac{\text{Si}(dx) \cos(c)}{2} - \frac{\text{Ci}(dx) \sin(c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*sin(d*x+c)/x^3,x)

[Out] d^2*(-b*cos(d*x+c)/d^3+a*(-1/2*sin(d*x+c)/x^2/d^2-1/2*cos(d*x+c)/x/d-1/2*Si(d*x)*cos(c)-1/2*Ci(d*x)*sin(c)))

maxima [C] time = 1.52, size = 1151, normalized size = 16.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^3,x, algorithm="maxima")

[Out] 1/4*(((I*exp_integral_e(3, I*d*x) - I*exp_integral_e(3, -I*d*x))*cos(c)^3 + (I*exp_integral_e(3, I*d*x) - I*exp_integral_e(3, -I*d*x))*cos(c)*sin(c)^2 + (exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*sin(c)^3 + (I*exp_integral_e(3, I*d*x) - I*exp_integral_e(3, -I*d*x))*cos(c) + ((exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c)^2 + exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*sin(c))*b*c^3/((d*x + c)^2*(cos(c)^2 + sin(c)^2)*d^3 - 2*(c*cos(c)^2 + c*sin(c)^2)*(d*x + c)*d^3 + (c^2*cos(c)^2 + c^2*sin(c)^2)*d^3) - ((I*exp_integral_e(3, I*d*x) - I*exp_integral_e(3, -I*d*x))*cos(c)^3 + (I*exp_integral_e(3, I*d*x) - I*exp_integral_e(3, -I*d*x))*cos(c)*sin(c)^2 + (exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*sin(c)^3 + (I*exp_integral_e(3, I*d*x) - I*exp_integral_e(3, -I*d*x))*cos(c) + ((exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*cos(c)^2 + exp_integral_e(3, I*d*x) + exp_integral_e(3, -I*d*x))*sin(c))*a/(c^2*cos(c)^2 + c^2*sin(c)^2 + (d*x + c)^2*(cos(c)^2 + sin(c)^2) - 2*(c*cos(c)^2 + c*sin(c)^2)*(d*x + c)) - (2*((b*cos(c)^2 + b*sin(c)^2)*(d*x + c)^3 - 3*(b*c*cos(c)^2 + b*c*sin(c)^2)*(d*x + c)^2 + 3*(b*c^2*cos(c)^2 + b*c^2*sin(c)^2)*(d*x + c))*cos(d*x + c)^3 - (3*b*c^3*(exp_integral_e(4, I*d*x) + exp_integral_e(4, -I*d*x))*cos(c)^3 + 3*b*c^3*(exp_integral_e(4, I*d*x) + exp_integral_e(4, -I*d*x))*cos(c)*sin(c)^2 - b*c^3*(3*I*exp_integral_e(4, I*d*x) - 3*I*exp_integral_e(4, -I*d*x))*sin(c)^3 + 3*b*c^3*(exp_integral_e(4, I*d*x) + exp_integral_e(4, -I*d*x))*cos(c) - (b*c^3*(3*I*exp_integral_e(4, I*d*x) - 3*I*exp_integral_e(4, -I*d*x))*cos(c)^2 + b*c^3*(3*I*exp_integral_e(4, I*d*x) - 3*I*exp_integral_e(4, -I*d*x))*sin(c))*cos(d*x + c)^2 - (3*b*c^3*(exp_integral_e(4, I*d*x) + exp_integral_e(4, -I*d*x))*cos(c)^3 + 3*b*c^3*(exp_integral_e(4, I*d*x) + exp_integral_e(4, -I*d*x))*cos(c)*sin(c)^2 - b*c^3*(3*I*exp_integral_e(4, I*d*x) - 3*I*exp_integral_e(4, -I*d*x))*sin(c)^3 + 3*b*c^3*(exp_integral_e(4, I*d*x) + exp_integral_e(4, -I*d*x))*cos(c) - 2*((b*cos(c)^2 + b*sin(c)^2)*(d*x + c)^3 - 3*(b*c*cos(c)^2 + b*c*sin(c)^2)*(d*x + c)^2 + 3*(b*c^2*cos(c)^2 + b*c^2*sin(c)^2)*(d*x + c))*cos(d*x + c) - (b*c^3*(3*I*exp

```

xp_integral_e(4, I*d*x) - 3*I*exp_integral_e(4, -I*d*x))*cos(c)^2 + b*c^3*(
3*I*exp_integral_e(4, I*d*x) - 3*I*exp_integral_e(4, -I*d*x))*sin(c))*sin(
d*x + c)^2 + 2*((b*cos(c)^2 + b*sin(c)^2)*(d*x + c)^3 - 3*(b*c*cos(c)^2 + b
*c*sin(c)^2)*(d*x + c)^2 + 3*(b*c^2*cos(c)^2 + b*c^2*sin(c)^2)*(d*x + c)*c
os(d*x + c))/(((d*x + c)^3*(cos(c)^2 + sin(c)^2)*d^3 - 3*(c*cos(c)^2 + c*si
n(c)^2)*(d*x + c)^2*d^3 + 3*(c^2*cos(c)^2 + c^2*sin(c)^2)*(d*x + c)*d^3 - (
c^3*cos(c)^2 + c^3*sin(c)^2)*d^3)*cos(d*x + c)^2 + ((d*x + c)^3*(cos(c)^2 +
sin(c)^2)*d^3 - 3*(c*cos(c)^2 + c*sin(c)^2)*(d*x + c)^2*d^3 + 3*(c^2*cos(c)
)^2 + c^2*sin(c)^2)*(d*x + c)*d^3 - (c^3*cos(c)^2 + c^3*sin(c)^2)*d^3)*sin(
d*x + c)^2))*d^2

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^3 + a)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^3))/x^3, x)

[Out] int((sin(c + d*x)*(a + b*x^3))/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3) \sin(c + dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*sin(d*x+c)/x**3, x)

[Out] Integral((a + b*x**3)*sin(c + d*x)/x**3, x)

$$3.86 \quad \int \frac{(a+bx^3) \sin(c+dx)}{x^4} dx$$

Optimal. Leaf size=91

$$-\frac{1}{6}ad^3 \cos(c)Ci(dx) + \frac{1}{6}ad^3 \sin(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{6x} - \frac{a \sin(c+dx)}{3x^3} - \frac{ad \cos(c+dx)}{6x^2} + b \sin(c)Ci(dx) + b \cos(c)Si(dx)$$

[Out] -1/6*a*d^3*Ci(d*x)*cos(c)-1/6*a*d*cos(d*x+c)/x^2+b*cos(c)*Si(d*x)+b*Ci(d*x)*sin(c)+1/6*a*d^3*Si(d*x)*sin(c)-1/3*a*sin(d*x+c)/x^3+1/6*a*d^2*sin(d*x+c)/x

Rubi [A] time = 0.20, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {3339, 3297, 3303, 3299, 3302}

$$-\frac{1}{6}ad^3 \cos(c)CosIntegral(dx) + \frac{1}{6}ad^3 \sin(c)Si(dx) + \frac{ad^2 \sin(c+dx)}{6x} - \frac{a \sin(c+dx)}{3x^3} - \frac{ad \cos(c+dx)}{6x^2} + b \sin(c)Ci(dx) + b \cos(c)Si(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)*Sin[c + d*x])/x^4,x]

[Out] -(a*d*cos[c + d*x])/(6*x^2) - (a*d^3*cos[c]*CosIntegral[d*x])/6 + b*cosIntegral[d*x]*Sin[c] - (a*sin[c + d*x])/(3*x^3) + (a*d^2*sin[c + d*x])/(6*x) + b*cos[c]*SinIntegral[d*x] + (a*d^3*sin[c]*SinIntegral[d*x])/6

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + bx^3) \sin(c + dx)}{x^4} dx &= \int \left(\frac{a \sin(c + dx)}{x^4} + \frac{b \sin(c + dx)}{x} \right) dx \\
&= a \int \frac{\sin(c + dx)}{x^4} dx + b \int \frac{\sin(c + dx)}{x} dx \\
&= -\frac{a \sin(c + dx)}{3x^3} + \frac{1}{3}(ad) \int \frac{\cos(c + dx)}{x^3} dx + (b \cos(c)) \int \frac{\sin(dx)}{x} dx + (b \sin(c)) \int \frac{1}{x} dx \\
&= -\frac{ad \cos(c + dx)}{6x^2} + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{3x^3} + b \cos(c) \operatorname{Si}(dx) - \frac{1}{6} (ad^2) \int \frac{\sin(dx)}{x} dx \\
&= -\frac{ad \cos(c + dx)}{6x^2} + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{3x^3} + \frac{ad^2 \sin(c + dx)}{6x} + b \cos(c) \operatorname{Si}(dx) \\
&= -\frac{ad \cos(c + dx)}{6x^2} + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{3x^3} + \frac{ad^2 \sin(c + dx)}{6x} + b \cos(c) \operatorname{Si}(dx) \\
&= -\frac{ad \cos(c + dx)}{6x^2} - \frac{1}{6} ad^3 \cos(c) \operatorname{Ci}(dx) + b \operatorname{Ci}(dx) \sin(c) - \frac{a \sin(c + dx)}{3x^3} + \frac{ad^2 \sin(c + dx)}{6x}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 104, normalized size = 1.14

$$-\frac{1}{6} ad^3 (\cos(c) \operatorname{Ci}(dx) - \sin(c) \operatorname{Si}(dx)) + \frac{a \cos(dx) (d^2 x^2 \sin(c) - dx \cos(c) - 2 \sin(c))}{6x^3} + \frac{a \sin(dx) (d^2 x^2 \cos(c) + dx \sin(c))}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)*Sin[c + d*x])/x^4,x]

[Out] b*CosIntegral[d*x]*Sin[c] + (a*Cos[d*x]*(-(d*x*Cos[c]) - 2*Sin[c] + d^2*x^2*Sin[c]))/(6*x^3) + (a*(-2*Cos[c] + d^2*x^2*Cos[c] + d*x*Sin[c])*Sin[d*x])/(6*x^3) + b*Cos[c]*SinIntegral[d*x] - (a*d^3*(Cos[c]*CosIntegral[d*x] - Sin[c]*SinIntegral[d*x]))/6

fricas [A] time = 0.59, size = 114, normalized size = 1.25

$$\frac{2 adx \cos(dx + c) + (ad^3 x^3 \operatorname{Ci}(dx) + ad^3 x^3 \operatorname{Ci}(-dx) - 12 bx^3 \operatorname{Si}(dx)) \cos(c) - 2(ad^2 x^2 - 2a) \sin(dx + c) - 2(ad^2 x^2 - 2a) \sin(c)}{12 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^4,x, algorithm="fricas")

[Out] -1/12*(2*a*d*x*cos(d*x + c) + (a*d^3*x^3*cos_integral(d*x) + a*d^3*x^3*cos_integral(-d*x) - 12*b*x^3*sin_integral(d*x))*cos(c) - 2*(a*d^2*x^2 - 2*a)*sin(d*x + c) - 2*(a*d^3*x^3*sin_integral(d*x) + 3*b*x^3*cos_integral(d*x) + 3*b*x^3*cos_integral(-d*x))*sin(c))/x^3

giac [C] time = 0.50, size = 796, normalized size = 8.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^4,x, algorithm="giac")

[Out] 1/12*(a*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + a*d^3*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*a*d^3*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a*d^3*x^3*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 4*a*d^3*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) - a*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - a*d^3*x^3*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2)

$$\begin{aligned} &^2 + a*d^3*x^3*real_part(cos_integral(d*x))*tan(1/2*c)^2 + a*d^3*x^3*real_p \\ &art(cos_integral(-d*x))*tan(1/2*c)^2 + 2*a*d^3*x^3*imag_part(cos_integral(d \\ &*x))*tan(1/2*c) - 2*a*d^3*x^3*imag_part(cos_integral(-d*x))*tan(1/2*c) + 4* \\ &a*d^3*x^3*sin_integral(d*x)*tan(1/2*c) - 6*b*x^3*imag_part(cos_integral(d*x \\ &))*tan(1/2*d*x)^2*tan(1/2*c)^2 + 6*b*x^3*imag_part(cos_integral(-d*x))*tan(\\ &1/2*d*x)^2*tan(1/2*c)^2 - 12*b*x^3*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2 \\ &*c)^2 - a*d^3*x^3*real_part(cos_integral(d*x)) - a*d^3*x^3*real_part(cos_in \\ &tegral(-d*x)) - 4*a*d^2*x^2*tan(1/2*d*x)^2*tan(1/2*c) + 12*b*x^3*real_part(\\ &cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 12*b*x^3*real_part(cos_integ \\ &ral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*d^2*x^2*tan(1/2*d*x)*tan(1/2*c)^ \\ &2 + 6*b*x^3*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2 - 6*b*x^3*imag_part \\ &(cos_integral(-d*x))*tan(1/2*d*x)^2 + 12*b*x^3*sin_integral(d*x)*tan(1/2*d* \\ &x)^2 - 6*b*x^3*imag_part(cos_integral(d*x))*tan(1/2*c)^2 + 6*b*x^3*imag_par \\ &t(cos_integral(-d*x))*tan(1/2*c)^2 - 12*b*x^3*sin_integral(d*x)*tan(1/2*c)^ \\ &2 - 2*a*d*x*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*a*d^2*x^2*tan(1/2*d*x) + 4*a*d^ \\ &2*x^2*tan(1/2*c) + 12*b*x^3*real_part(cos_integral(d*x))*tan(1/2*c) + 12*b* \\ &x^3*real_part(cos_integral(-d*x))*tan(1/2*c) + 6*b*x^3*imag_part(cos_integr \\ &al(d*x)) - 6*b*x^3*imag_part(cos_integral(-d*x)) + 12*b*x^3*sin_integral(d* \\ &x) + 2*a*d*x*tan(1/2*d*x)^2 + 8*a*d*x*tan(1/2*d*x)*tan(1/2*c) + 2*a*d*x*tan \\ &(1/2*c)^2 + 8*a*tan(1/2*d*x)^2*tan(1/2*c) + 8*a*tan(1/2*d*x)*tan(1/2*c)^2 - \\ &2*a*d*x - 8*a*tan(1/2*d*x) - 8*a*tan(1/2*c))/(x^3*tan(1/2*d*x)^2*tan(1/2*c \\ &)^2 + x^3*tan(1/2*d*x)^2 + x^3*tan(1/2*c)^2 + x^3) \end{aligned}$$

maple [A] time = 0.04, size = 87, normalized size = 0.96

$$d^3 \left(\frac{b(\text{Si}(dx)\cos(c) + \text{Ci}(dx)\sin(c))}{d^3} + a \left(-\frac{\sin(dx+c)}{3x^3d^3} - \frac{\cos(dx+c)}{6x^2d^2} + \frac{\sin(dx+c)}{6xd} + \frac{\text{Si}(dx)\sin(c)}{6} - \frac{\text{Ci}(dx)\cos(c)}{6} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)*sin(d*x+c)/x^4,x)

[Out] d^3*(1/d^3*b*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))+a*(-1/3*sin(d*x+c)/x^3/d^3-1/6*cos(d*x+c)/x^2/d^2+1/6*sin(d*x+c)/x/d+1/6*Si(d*x)*sin(c)-1/6*Ci(d*x)*cos(c)))

maxima [C] time = 2.55, size = 132, normalized size = 1.45

$$\frac{((a(\Gamma(-3, i dx) + \Gamma(-3, -i dx)) \cos(c) + a(-i \Gamma(-3, i dx) + i \Gamma(-3, -i dx)) \sin(c)) d^6 + (b(-6i \Gamma(-3, i dx) + 6i \Gamma(-3, -i dx)) \cos(c) + b(6i \Gamma(-3, i dx) - 6i \Gamma(-3, -i dx)) \sin(c)) d^5 + \dots)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)*sin(d*x+c)/x^4,x, algorithm="maxima")

[Out] -1/2*((a*(gamma(-3, I*d*x) + gamma(-3, -I*d*x))*cos(c) + a*(-I*gamma(-3, I*d*x) + I*gamma(-3, -I*d*x))*sin(c))*d^6 + (b*(-6*I*gamma(-3, I*d*x) + 6*I*gamma(-3, -I*d*x))*cos(c) - 6*b*(gamma(-3, I*d*x) + gamma(-3, -I*d*x))*sin(c))*d^3)*x^3 + 2*b*d*x*sin(d*x + c) + 2*(b*d^2*x^2 - 2*b)*cos(d*x + c))/(d^3*x^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^3 + a)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^3))/x^4,x)

[Out] int((sin(c + d*x)*(a + b*x^3))/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3) \sin(c + dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)*sin(d*x+c)/x**4,x)

[Out] Integral((a + b*x**3)*sin(c + d*x)/x**4, x)

3.87 $\int x (a + bx^3)^2 \sin(c + dx) dx$

Optimal. Leaf size=235

$$\frac{a^2 \sin(c + dx)}{d^2} - \frac{a^2 x \cos(c + dx)}{d} - \frac{48ab \cos(c + dx)}{d^5} - \frac{48abx \sin(c + dx)}{d^4} + \frac{24abx^2 \cos(c + dx)}{d^3} + \frac{8abx^3 \sin(c + dx)}{d^2}$$

[Out] $-48*a*b*\cos(d*x+c)/d^5+5040*b^2*x*\cos(d*x+c)/d^7-a^2*x*\cos(d*x+c)/d+24*a*b*x^2*\cos(d*x+c)/d^3-840*b^2*x^3*\cos(d*x+c)/d^5-2*a*b*x^4*\cos(d*x+c)/d+42*b^2*x^5*\cos(d*x+c)/d^3-b^2*x^7*\cos(d*x+c)/d-5040*b^2*\sin(d*x+c)/d^8+a^2*\sin(d*x+c)/d^2-48*a*b*x*\sin(d*x+c)/d^4+2520*b^2*x^2*\sin(d*x+c)/d^6+8*a*b*x^3*\sin(d*x+c)/d^2-210*b^2*x^4*\sin(d*x+c)/d^4+7*b^2*x^6*\sin(d*x+c)/d^2$

Rubi [A] time = 0.33, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {3339, 3296, 2637, 2638}

$$\frac{a^2 \sin(c + dx)}{d^2} - \frac{a^2 x \cos(c + dx)}{d} + \frac{8abx^3 \sin(c + dx)}{d^2} + \frac{24abx^2 \cos(c + dx)}{d^3} - \frac{48abx \sin(c + dx)}{d^4} - \frac{48ab \cos(c + dx)}{d^5}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*x^3)^2*Sin[c + d*x], x]

[Out] $(-48*a*b*\cos[c + d*x])/d^5 + (5040*b^2*x*\cos[c + d*x])/d^7 - (a^2*x*\cos[c + d*x])/d + (24*a*b*x^2*\cos[c + d*x])/d^3 - (840*b^2*x^3*\cos[c + d*x])/d^5 - (2*a*b*x^4*\cos[c + d*x])/d + (42*b^2*x^5*\cos[c + d*x])/d^3 - (b^2*x^7*\cos[c + d*x])/d - (5040*b^2*\sin[c + d*x])/d^8 + (a^2*\sin[c + d*x])/d^2 - (48*a*b*x*\sin[c + d*x])/d^4 + (2520*b^2*x^2*\sin[c + d*x])/d^6 + (8*a*b*x^3*\sin[c + d*x])/d^2 - (210*b^2*x^4*\sin[c + d*x])/d^4 + (7*b^2*x^6*\sin[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3339

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int x(a+bx^3)^2 \sin(c+dx) dx &= \int (a^2x \sin(c+dx) + 2abx^4 \sin(c+dx) + b^2x^7 \sin(c+dx)) dx \\
&= a^2 \int x \sin(c+dx) dx + (2ab) \int x^4 \sin(c+dx) dx + b^2 \int x^7 \sin(c+dx) dx \\
&= -\frac{a^2x \cos(c+dx)}{d} - \frac{2abx^4 \cos(c+dx)}{d} - \frac{b^2x^7 \cos(c+dx)}{d} + \frac{a^2 \int \cos(c+dx) dx}{d} \\
&= -\frac{a^2x \cos(c+dx)}{d} - \frac{2abx^4 \cos(c+dx)}{d} - \frac{b^2x^7 \cos(c+dx)}{d} + \frac{a^2 \sin(c+dx)}{d^2} + \frac{8a^2bx^3 \cos(c+dx)}{d^3} \\
&= -\frac{a^2x \cos(c+dx)}{d} + \frac{24abx^2 \cos(c+dx)}{d^3} - \frac{2abx^4 \cos(c+dx)}{d} + \frac{42b^2x^5 \cos(c+dx)}{d^3} \\
&= -\frac{a^2x \cos(c+dx)}{d} + \frac{24abx^2 \cos(c+dx)}{d^3} - \frac{2abx^4 \cos(c+dx)}{d} + \frac{42b^2x^5 \cos(c+dx)}{d^3} \\
&= -\frac{48ab \cos(c+dx)}{d^5} - \frac{a^2x \cos(c+dx)}{d} + \frac{24abx^2 \cos(c+dx)}{d^3} - \frac{840b^2x^3 \cos(c+dx)}{d^5} \\
&= -\frac{48ab \cos(c+dx)}{d^5} - \frac{a^2x \cos(c+dx)}{d} + \frac{24abx^2 \cos(c+dx)}{d^3} - \frac{840b^2x^3 \cos(c+dx)}{d^5} \\
&= -\frac{48ab \cos(c+dx)}{d^5} + \frac{5040b^2x \cos(c+dx)}{d^7} - \frac{a^2x \cos(c+dx)}{d} + \frac{24abx^2 \cos(c+dx)}{d^3} \\
&= -\frac{48ab \cos(c+dx)}{d^5} + \frac{5040b^2x \cos(c+dx)}{d^7} - \frac{a^2x \cos(c+dx)}{d} + \frac{24abx^2 \cos(c+dx)}{d^3}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 139, normalized size = 0.59

$$\frac{(a^2d^6 + 8abd^4x(d^2x^2 - 6) + 7b^2(d^6x^6 - 30d^4x^4 + 360d^2x^2 - 720)) \sin(c+dx) - d(a^2d^6x + 2abd^2(d^4x^4 - 12d^2x^2 + 6d^2)) \cos(c+dx)}{d^8}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*x^3)^2*Sin[c + d*x], x]

[Out] $-(d*(a^2*d^6*x + 2*a*b*d^2*(24 - 12*d^2*x^2 + d^4*x^4) + b^2*x*(-5040 + 840*d^2*x^2 - 42*d^4*x^4 + d^6*x^6))*Cos[c + d*x]) + (a^2*d^6 + 8*a*b*d^4*x*(-6 + d^2*x^2) + 7*b^2*(-720 + 360*d^2*x^2 - 30*d^4*x^4 + d^6*x^6))*Sin[c + d*x])/d^8$

fricas [A] time = 0.56, size = 161, normalized size = 0.69

$$\frac{(b^2d^7x^7 + 2abd^7x^4 - 42b^2d^5x^5 - 24abd^5x^2 + 840b^2d^3x^3 + 48abd^3 + (a^2d^7 - 5040b^2d)x) \cos(dx + c) - (7b^2d^6x^6 + 8abd^6x^3 - 210b^2d^4x^4 + a^2d^6 - 48abd^4x + 2520b^2d^2x^2 - 5040b^2) \sin(dx + c)}{d^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*sin(d*x+c), x, algorithm="fricas")

[Out] $-(b^2*d^7*x^7 + 2*a*b*d^7*x^4 - 42*b^2*d^5*x^5 - 24*a*b*d^5*x^2 + 840*b^2*d^3*x^3 + 48*a*b*d^3 + (a^2*d^7 - 5040*b^2*d)*x)*cos(d*x + c) - (7*b^2*d^6*x^6 + 8*a*b*d^6*x^3 - 210*b^2*d^4*x^4 + a^2*d^6 - 48*a*b*d^4*x + 2520*b^2*d^2*x^2 - 5040*b^2)*sin(d*x + c))/d^8$

giac [A] time = 0.53, size = 161, normalized size = 0.69

$$\frac{(b^2d^7x^7 + 2abd^7x^4 - 42b^2d^5x^5 + a^2d^7x - 24abd^5x^2 + 840b^2d^3x^3 + 48abd^3 - 5040b^2dx) \cos(dx + c) - (7b^2d^6x^6 + 8abd^6x^3 - 210b^2d^4x^4 + a^2d^6 - 48abd^4x + 2520b^2d^2x^2 - 5040b^2) \sin(dx + c)}{d^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*sin(d*x+c),x, algorithm="giac")

[Out] $-(b^2d^7x^7 + 2ab^2d^7x^4 - 42b^2d^5x^5 + a^2d^7x - 24ab^2d^5x^2 + 840b^2d^3x^3 + 48ab^2d^3 - 5040b^2d^2x) \cos(dx+c)/d^8 + (7b^2d^6x^6 + 8ab^2d^6x^3 - 210b^2d^4x^4 + a^2d^6 - 48ab^2d^4x + 2520b^2d^2x^2 - 5040b^2) \sin(dx+c)/d^8$

maple [B] time = 0.02, size = 822, normalized size = 3.50

$$\frac{b^2(-dx+c)^7 \cos(dx+c) + 7(dx+c)^6 \sin(dx+c) + 42(dx+c)^5 \cos(dx+c) - 210(dx+c)^4 \sin(dx+c) - 840(dx+c)^3 \cos(dx+c) + 2520(dx+c)^2 \sin(dx+c) - 5040 \sin(dx+c)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(b*x^3+a)^2*sin(d*x+c),x)

[Out] $1/d^2*(1/d^6*b^2*(-(dx+c)^7*\cos(dx+c)+7*(dx+c)^6*\sin(dx+c)+42*(dx+c)^5*\cos(dx+c)-210*(dx+c)^4*\sin(dx+c)-840*(dx+c)^3*\cos(dx+c)+2520*(dx+c)^2*\sin(dx+c)-5040*\sin(dx+c)+5040*(dx+c)*\cos(dx+c))-7/d^6*b^2*c*(-(dx+c)^6*\cos(dx+c)+6*(dx+c)^5*\sin(dx+c)+30*(dx+c)^4*\cos(dx+c)-120*(dx+c)^3*\sin(dx+c)-360*(dx+c)^2*\cos(dx+c)+720*\cos(dx+c)+720*(dx+c)*\sin(dx+c))+21/d^6*b^2*c^2*(-(dx+c)^5*\cos(dx+c)+5*(dx+c)^4*\sin(dx+c)+20*(dx+c)^3*\cos(dx+c)-60*(dx+c)^2*\sin(dx+c)+120*\sin(dx+c)-120*(dx+c)*\cos(dx+c))+2/d^3*a*b*(-(dx+c)^4*\cos(dx+c)+4*(dx+c)^3*\sin(dx+c)+12*(dx+c)^2*\cos(dx+c)-24*\cos(dx+c)-24*(dx+c)*\sin(dx+c))-35/d^6*b^2*c^3*(-(dx+c)^4*\cos(dx+c)+4*(dx+c)^3*\sin(dx+c)+12*(dx+c)^2*\cos(dx+c)-24*\cos(dx+c)-24*(dx+c)*\sin(dx+c))-8/d^3*a*b*c*(-(dx+c)^3*\cos(dx+c)+3*(dx+c)^2*\sin(dx+c)-6*\sin(dx+c)+6*(dx+c)*\cos(dx+c))+35/d^6*b^2*c^4*(-(dx+c)^3*\cos(dx+c)+3*(dx+c)^2*\sin(dx+c)-6*\sin(dx+c)+6*(dx+c)*\cos(dx+c))+12/d^3*a*b*c^2*(-(dx+c)^2*\cos(dx+c)+2*\cos(dx+c)+2*(dx+c)*\sin(dx+c))-21/d^6*b^2*c^5*(-(dx+c)^2*\cos(dx+c)+2*\cos(dx+c)+2*(dx+c)*\sin(dx+c))+a^2*(\sin(dx+c)-(dx+c)*\cos(dx+c))-8/d^3*a*b*c^3*(\sin(dx+c)-(dx+c)*\cos(dx+c))+7/d^6*b^2*c^6*(\sin(dx+c)-(dx+c)*\cos(dx+c))+a^2*c*\cos(dx+c)-2/d^3*a*b*c^4*\cos(dx+c)+1/d^6*b^2*c^7*\cos(dx+c))$

maxima [B] time = 1.05, size = 662, normalized size = 2.82

$$a^2c \cos(dx+c) + \frac{b^2c^7 \cos(dx+c)}{d^6} - \frac{2abc^4 \cos(dx+c)}{d^3} - ((dx+c) \cos(dx+c) - \sin(dx+c))a^2 - \frac{7((dx+c) \cos(dx+c) - \sin(dx+c))}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(b*x^3+a)^2*sin(d*x+c),x, algorithm="maxima")

[Out] $(a^2c*\cos(dx+c) + b^2c^7*\cos(dx+c)/d^6 - 2ab^2c^4*\cos(dx+c)/d^3 - ((dx+c)*\cos(dx+c) - \sin(dx+c))*a^2 - 7*((dx+c)*\cos(dx+c) - \sin(dx+c))*b^2c^6/d^6 + 8*((dx+c)*\cos(dx+c) - \sin(dx+c))*ab^2c^3/d^3 + 21*((dx+c)^2 - 2)*\cos(dx+c) - 2*(dx+c)*\sin(dx+c))*b^2c^5/d^6 - 12*((dx+c)^2 - 2)*\cos(dx+c) - 2*(dx+c)*\sin(dx+c))*ab^2c^2/d^3 - 35*((dx+c)^3 - 6dx - 6c)*\cos(dx+c) - 3*((dx+c)^2 - 2)*\sin(dx+c))*b^2c^4/d^6 + 8*((dx+c)^3 - 6dx - 6c)*\cos(dx+c) - 3*((dx+c)^2 - 2)*\sin(dx+c))*ab^2c/d^3 + 35*((dx+c)^4 - 12*(dx+c)^2 + 24)*\cos(dx+c) - 4*((dx+c)^3 - 6dx - 6c)*\sin(dx+c))*b^2c^3/d^6 - 2*((dx+c)^4 - 12*(dx+c)^2 + 24)*\cos(dx+c) - 4*((dx+c)^3 - 6dx - 6c)*\sin(dx+c))*ab/d^3 - 21*((dx+c)^5 - 20*(dx+c)^3 + 120dx + 120c)*\cos(dx+c) - 5*((dx+c)^4 - 12*(dx+c)^2 + 24)*\sin(dx+c))*b^2c^2/d^6 + 7*((dx+c)^6 - 30*(dx+c)^4 + 360*(dx+c)^2 - 720)*\cos(dx+c) - 6*((dx+c)^5 - 20*(dx+c)^3 + 120dx + 120c)*\sin(dx+c))*b^2c/d^6 - (((dx+c)^7 - 42*(dx+c)^5 + 840*(dx+c)^3 - 5040dx - 5040c)*\cos(dx+c) - 7*((dx+c)^6 - 30*(dx+c)^4 + 360*(dx+c)^2 - 720)*\sin(dx+c))*b^2/d^6)/d^2$

mupad [B] time = 5.09, size = 225, normalized size = 0.96

$$\frac{42b^2x^5 \cos(c+dx) + 24abx^2 \cos(c+dx)}{d^3} - \frac{b^2x^7 \cos(c+dx) + a^2x \cos(c+dx) + 2abx^4 \cos(c+dx)}{d} - 84$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(c + d*x)*(a + b*x^3)^2,x)`

[Out] $(42*b^2*x^5*\cos(c + d*x) + 24*a*b*x^2*\cos(c + d*x))/d^3 - (b^2*x^7*\cos(c + d*x) + a^2*x*\cos(c + d*x) + 2*a*b*x^4*\cos(c + d*x))/d - (840*b^2*x^3*\cos(c + d*x) + 48*a*b*\cos(c + d*x))/d^5 + (a^2*\sin(c + d*x) + 7*b^2*x^6*\sin(c + d*x) + 8*a*b*x^3*\sin(c + d*x))/d^2 - (210*b^2*x^4*\sin(c + d*x) + 48*a*b*x*\sin(c + d*x))/d^4 - (5040*b^2*\sin(c + d*x))/d^8 + (2520*b^2*x^2*\sin(c + d*x))/d^6 + (5040*b^2*x*\cos(c + d*x))/d^7$

sympy [A] time = 11.93, size = 284, normalized size = 1.21

$$\left\{ \begin{array}{l} -\frac{a^2x \cos(c+dx)}{d} + \frac{a^2 \sin(c+dx)}{d^2} - \frac{2abx^4 \cos(c+dx)}{d} + \frac{8abx^3 \sin(c+dx)}{d^2} + \frac{24abx^2 \cos(c+dx)}{d^3} - \frac{48abx \sin(c+dx)}{d^4} - \frac{48ab \cos(c+dx)}{d^5} - \frac{b^2x^7 \cos(c+dx)}{d} \\ \left(\frac{a^2x^2}{2} + \frac{2abx^5}{5} + \frac{b^2x^8}{8} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(b*x**3+a)**2*sin(d*x+c),x)`

[Out] `Piecewise((-a**2*x*cos(c + d*x)/d + a**2*sin(c + d*x)/d**2 - 2*a*b*x**4*cos(c + d*x)/d + 8*a*b*x**3*sin(c + d*x)/d**2 + 24*a*b*x**2*cos(c + d*x)/d**3 - 48*a*b*x*sin(c + d*x)/d**4 - 48*a*b*cos(c + d*x)/d**5 - b**2*x**7*cos(c + d*x)/d + 7*b**2*x**6*sin(c + d*x)/d**2 + 42*b**2*x**5*cos(c + d*x)/d**3 - 210*b**2*x**4*sin(c + d*x)/d**4 - 840*b**2*x**3*cos(c + d*x)/d**5 + 2520*b**2*x**2*sin(c + d*x)/d**6 + 5040*b**2*x*cos(c + d*x)/d**7 - 5040*b**2*sin(c + d*x)/d**8, Ne(d, 0)), ((a**2*x**2/2 + 2*a*b*x**5/5 + b**2*x**8/8)*sin(c), True))`

3.88 $\int (a + bx^3)^2 \sin(c + dx) dx$

Optimal. Leaf size=188

$$-\frac{a^2 \cos(c + dx)}{d} - \frac{12ab \sin(c + dx)}{d^4} + \frac{12abx \cos(c + dx)}{d^3} + \frac{6abx^2 \sin(c + dx)}{d^2} - \frac{2abx^3 \cos(c + dx)}{d} + \frac{720b^2 \cos(c + dx)}{d^7}$$

[Out] $720*b^2*\cos(d*x+c)/d^7 - a^2*\cos(d*x+c)/d + 12*a*b*x*\cos(d*x+c)/d^3 - 360*b^2*x^2*\cos(d*x+c)/d^5 - 2*a*b*x^3*\cos(d*x+c)/d + 30*b^2*x^4*\cos(d*x+c)/d^3 - b^2*x^6*\cos(d*x+c)/d - 12*a*b*\sin(d*x+c)/d^4 + 720*b^2*x*\sin(d*x+c)/d^6 + 6*a*b*x^2*\sin(d*x+c)/d^2 - 120*b^2*x^3*\sin(d*x+c)/d^4 + 6*b^2*x^5*\sin(d*x+c)/d^2$

Rubi [A] time = 0.24, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3329, 2638, 3296, 2637}

$$-\frac{a^2 \cos(c + dx)}{d} + \frac{6abx^2 \sin(c + dx)}{d^2} - \frac{12ab \sin(c + dx)}{d^4} + \frac{12abx \cos(c + dx)}{d^3} - \frac{2abx^3 \cos(c + dx)}{d} + \frac{6b^2x^5 \sin(c + dx)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*x^3)^2*Sin[c + d*x], x]

[Out] $(720*b^2*\cos[c + d*x])/d^7 - (a^2*\cos[c + d*x])/d + (12*a*b*x*\cos[c + d*x])/d^3 - (360*b^2*x^2*\cos[c + d*x])/d^5 - (2*a*b*x^3*\cos[c + d*x])/d + (30*b^2*x^4*\cos[c + d*x])/d^3 - (b^2*x^6*\cos[c + d*x])/d - (12*a*b*\sin[c + d*x])/d^4 + (720*b^2*x*\sin[c + d*x])/d^6 + (6*a*b*x^2*\sin[c + d*x])/d^2 - (120*b^2*x^3*\sin[c + d*x])/d^4 + (6*b^2*x^5*\sin[c + d*x])/d^2$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3329

Int[((a_.) + (b_.)*(x_)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int (a + bx^3)^2 \sin(c + dx) dx &= \int (a^2 \sin(c + dx) + 2abx^3 \sin(c + dx) + b^2x^6 \sin(c + dx)) dx \\
&= a^2 \int \sin(c + dx) dx + (2ab) \int x^3 \sin(c + dx) dx + b^2 \int x^6 \sin(c + dx) dx \\
&= -\frac{a^2 \cos(c + dx)}{d} - \frac{2abx^3 \cos(c + dx)}{d} - \frac{b^2x^6 \cos(c + dx)}{d} + \frac{(6ab) \int x^2 \cos(c + dx)}{d} \\
&= -\frac{a^2 \cos(c + dx)}{d} - \frac{2abx^3 \cos(c + dx)}{d} - \frac{b^2x^6 \cos(c + dx)}{d} + \frac{6abx^2 \sin(c + dx)}{d^2} + \frac{6ab^2 \int x \cos(c + dx)}{d^2} \\
&= -\frac{a^2 \cos(c + dx)}{d} + \frac{12abx \cos(c + dx)}{d^3} - \frac{2abx^3 \cos(c + dx)}{d} + \frac{30b^2x^4 \cos(c + dx)}{d^3} \\
&= -\frac{a^2 \cos(c + dx)}{d} + \frac{12abx \cos(c + dx)}{d^3} - \frac{2abx^3 \cos(c + dx)}{d} + \frac{30b^2x^4 \cos(c + dx)}{d^3} \\
&= -\frac{a^2 \cos(c + dx)}{d} + \frac{12abx \cos(c + dx)}{d^3} - \frac{360b^2x^2 \cos(c + dx)}{d^5} - \frac{2abx^3 \cos(c + dx)}{d} \\
&= -\frac{a^2 \cos(c + dx)}{d} + \frac{12abx \cos(c + dx)}{d^3} - \frac{360b^2x^2 \cos(c + dx)}{d^5} - \frac{2abx^3 \cos(c + dx)}{d} \\
&= \frac{720b^2 \cos(c + dx)}{d^7} - \frac{a^2 \cos(c + dx)}{d} + \frac{12abx \cos(c + dx)}{d^3} - \frac{360b^2x^2 \cos(c + dx)}{d^5}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 112, normalized size = 0.60

$$\frac{6bd \left(ad^2 (d^2x^2 - 2) + bx (d^4x^4 - 20d^2x^2 + 120) \right) \sin(c + dx) - \left(a^2d^6 + 2abd^4x (d^2x^2 - 6) + b^2 (d^6x^6 - 30d^4x^4 + 30d^2x^2 - 6) \right) \cos(c + dx)}{d^7}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*x^3)^2*Sin[c + d*x],x]

[Out] (-((a^2*d^6 + 2*a*b*d^4*x*(-6 + d^2*x^2) + b^2*(-720 + 360*d^2*x^2 - 30*d^4*x^4 + d^6*x^6))*Cos[c + d*x]) + 6*b*d*(a*d^2*(-2 + d^2*x^2) + b*x*(120 - 20*d^2*x^2 + d^4*x^4))*Sin[c + d*x])/d^7

fricas [A] time = 0.66, size = 129, normalized size = 0.69

$$\frac{\left(b^2d^6x^6 + 2abd^6x^3 - 30b^2d^4x^4 + a^2d^6 - 12abd^4x + 360b^2d^2x^2 - 720b^2 \right) \cos(dx + c) - 6 \left(b^2d^5x^5 + abd^5x^2 - 20bd^3x^3 - 2abd^3 + 120b^2d^2x \right) \sin(dx + c)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c),x, algorithm="fricas")

[Out] -((b^2*d^6*x^6 + 2*a*b*d^6*x^3 - 30*b^2*d^4*x^4 + a^2*d^6 - 12*a*b*d^4*x + 360*b^2*d^2*x^2 - 720*b^2)*cos(d*x + c) - 6*(b^2*d^5*x^5 + a*b*d^5*x^2 - 20*b^2*d^3*x^3 - 2*a*b*d^3 + 120*b^2*d*x)*sin(d*x + c))/d^7

giac [A] time = 0.41, size = 131, normalized size = 0.70

$$\frac{\left(b^2d^6x^6 + 2abd^6x^3 - 30b^2d^4x^4 + a^2d^6 - 12abd^4x + 360b^2d^2x^2 - 720b^2 \right) \cos(dx + c) - 6 \left(b^2d^5x^5 + abd^5x^2 - 20bd^3x^3 - 2abd^3 + 120b^2d^2x \right) \sin(dx + c)}{d^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c),x, algorithm="giac")

[Out] -(b^2*d^6*x^6 + 2*a*b*d^6*x^3 - 30*b^2*d^4*x^4 + a^2*d^6 - 12*a*b*d^4*x + 360*b^2*d^2*x^2 - 720*b^2)*cos(d*x + c)/d^7 + 6*(b^2*d^5*x^5 + a*b*d^5*x^2 - 20*b^2*d^3*x^3 - 2*a*b*d^3 + 120*b^2*d*x)*sin(d*x + c)/d^7

maple [B] time = 0.02, size = 599, normalized size = 3.19

$$\frac{b^2(-(dx+c)^6 \cos(dx+c)+6(dx+c)^5 \sin(dx+c)+30(dx+c)^4 \cos(dx+c)-120(dx+c)^3 \sin(dx+c)-360(dx+c)^2 \cos(dx+c)+720 \cos(dx+c)+720(dx+c) \sin(dx+c))}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*sin(d*x+c), x)

[Out] 1/d*(1/d^6*b^2*(-(d*x+c)^6*cos(d*x+c)+6*(d*x+c)^5*sin(d*x+c)+30*(d*x+c)^4*cos(d*x+c)-120*(d*x+c)^3*sin(d*x+c)-360*(d*x+c)^2*cos(d*x+c)+720*cos(d*x+c)+720*(d*x+c)*sin(d*x+c))-6/d^6*b^2*c*(-(d*x+c)^5*cos(d*x+c)+5*(d*x+c)^4*sin(d*x+c)+20*(d*x+c)^3*cos(d*x+c)-60*(d*x+c)^2*sin(d*x+c)+120*sin(d*x+c)-120*(d*x+c)*cos(d*x+c))+15/d^6*b^2*c^2*(-(d*x+c)^4*cos(d*x+c)+4*(d*x+c)^3*sin(d*x+c)+12*(d*x+c)^2*cos(d*x+c)-24*cos(d*x+c)-24*(d*x+c)*sin(d*x+c))+2/d^3*a*b*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-20/d^6*b^2*c^3*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-6/d^3*a*b*c*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+15/d^6*b^2*c^4*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+6/d^3*a*b*c^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-6/d^6*b^2*c^5*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-a^2*cos(d*x+c)+2/d^3*a*b*c^3*cos(d*x+c)-1/d^6*b^2*c^6*cos(d*x+c))

maxima [B] time = 0.78, size = 489, normalized size = 2.60

$$\frac{a^2 \cos(dx+c) + \frac{b^2 c^6 \cos(dx+c)}{d^6} - \frac{2abc^3 \cos(dx+c)}{d^3} - \frac{6((dx+c) \cos(dx+c) - \sin(dx+c))b^2 c^5}{d^6} + \frac{6((dx+c) \cos(dx+c) - \sin(dx+c))abc^2}{d^3}}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c), x, algorithm="maxima")

[Out] -(a^2*cos(d*x+c) + b^2*c^6*cos(d*x+c)/d^6 - 2*a*b*c^3*cos(d*x+c)/d^3 - 6*((d*x+c)*cos(d*x+c) - sin(d*x+c))*b^2*c^5/d^6 + 6*((d*x+c)*cos(d*x+c) - sin(d*x+c))*a*b*c^2/d^3 + 15*(((d*x+c)^2 - 2)*cos(d*x+c) - 2*(d*x+c)*sin(d*x+c))*b^2*c^4/d^6 - 6*(((d*x+c)^2 - 2)*cos(d*x+c) - 2*(d*x+c)*sin(d*x+c))*a*b*c/d^3 - 20*(((d*x+c)^3 - 6*d*x - 6*c)*cos(d*x+c) - 3*((d*x+c)^2 - 2)*sin(d*x+c))*b^2*c^3/d^6 + 2*(((d*x+c)^3 - 6*d*x - 6*c)*cos(d*x+c) - 3*((d*x+c)^2 - 2)*sin(d*x+c))*a*b/d^3 + 15*(((d*x+c)^4 - 12*(d*x+c)^2 + 24)*cos(d*x+c) - 4*((d*x+c)^3 - 6*d*x - 6*c)*sin(d*x+c))*b^2*c^2/d^6 - 6*(((d*x+c)^5 - 20*(d*x+c)^3 + 120*d*x + 120*c)*cos(d*x+c) - 5*((d*x+c)^4 - 12*(d*x+c)^2 + 24)*sin(d*x+c))*b^2*c/d^6 + (((d*x+c)^6 - 30*(d*x+c)^4 + 360*(d*x+c)^2 - 720)*cos(d*x+c) - 6*((d*x+c)^5 - 20*(d*x+c)^3 + 120*d*x + 120*c)*sin(d*x+c))*b^2/d^6)/d

mupad [B] time = 0.62, size = 184, normalized size = 0.98

$$\frac{\cos(c+dx) (720b^2 - a^2d^6)}{d^7} - \frac{b^2x^6 \cos(c+dx)}{d} + \frac{30b^2x^4 \cos(c+dx)}{d^3} - \frac{360b^2x^2 \cos(c+dx)}{d^5} + \frac{6b^2x^5 \sin(c+dx)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c+d*x)*(a+b*x^3)^2, x)

[Out] (cos(c+d*x)*(720*b^2 - a^2*d^6))/d^7 - (b^2*x^6*cos(c+d*x))/d + (30*b^2*x^4*cos(c+d*x))/d^3 - (360*b^2*x^2*cos(c+d*x))/d^5 + (6*b^2*x^5*sin(c+d*x))/d^2 - (120*b^2*x^3*sin(c+d*x))/d^4 - (12*a*b*sin(c+d*x))/d^4 + (720*b^2*x*sin(c+d*x))/d^6 - (2*a*b*x^3*cos(c+d*x))/d + (6*a*b*x^2*sin(c+d*x))/d^2 + (12*a*b*x*cos(c+d*x))/d^3

sympy [A] time = 7.39, size = 226, normalized size = 1.20

$$\left\{ \begin{array}{l} -\frac{a^2 \cos(c+dx)}{d} - \frac{2abx^3 \cos(c+dx)}{d} + \frac{6abx^2 \sin(c+dx)}{d^2} + \frac{12abx \cos(c+dx)}{d^3} - \frac{12ab \sin(c+dx)}{d^4} - \frac{b^2x^6 \cos(c+dx)}{d} + \frac{6b^2x^5 \sin(c+dx)}{d^2} + \frac{30b^2x^4 \cos(c+dx)}{d^3} \\ \left(a^2x + \frac{abx^4}{2} + \frac{b^2x^7}{7} \right) \sin(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*sin(d*x+c),x)

[Out] Piecewise((-a**2*cos(c + d*x)/d - 2*a*b*x**3*cos(c + d*x)/d + 6*a*b*x**2*sin(c + d*x)/d**2 + 12*a*b*x*cos(c + d*x)/d**3 - 12*a*b*sin(c + d*x)/d**4 - b**2*x**6*cos(c + d*x)/d + 6*b**2*x**5*sin(c + d*x)/d**2 + 30*b**2*x**4*cos(c + d*x)/d**3 - 120*b**2*x**3*sin(c + d*x)/d**4 - 360*b**2*x**2*cos(c + d*x)/d**5 + 720*b**2*x*sin(c + d*x)/d**6 + 720*b**2*cos(c + d*x)/d**7, Ne(d, 0)), ((a**2*x + a*b*x**4/2 + b**2*x**7/7)*sin(c), True))

$$3.89 \quad \int \frac{(a+bx^3)^2 \sin(c+dx)}{x} dx$$

Optimal. Leaf size=161

$$a^2 \sin(c) \text{Ci}(dx) + a^2 \cos(c) \text{Si}(dx) + \frac{4ab \cos(c+dx)}{d^3} + \frac{4abx \sin(c+dx)}{d^2} - \frac{2abx^2 \cos(c+dx)}{d} + \frac{120b^2 \sin(c+dx)}{d^6} - \frac{120b^2 x \cos(c+dx)}{d^5} + \frac{20b^2 x^2 \cos(c+dx)}{d^4} + \frac{20b^2 x^3 \cos(c+dx)}{d^3} - \frac{b^2 x^5 \cos(c+dx)}{d} + a^2 \cos(c) \text{Si}(dx) + a^2 \text{Ci}(dx) \sin(c) + \frac{120b^2 \sin(d*x+c)}{d^6} + \frac{4a*b*x*\sin(d*x+c)}{d^2} - \frac{60*b^2*x^2*\sin(d*x+c)}{d^4} + \frac{5*b^2*x^4*\sin(d*x+c)}{d^2}$$

[Out] $4*a*b*\cos(d*x+c)/d^3 - 120*b^2*x*\cos(d*x+c)/d^5 - 2*a*b*x^2*\cos(d*x+c)/d + 20*b^2*x^3*\cos(d*x+c)/d^3 - b^2*x^5*\cos(d*x+c)/d + a^2*\cos(c)*\text{Si}(d*x) + a^2*\text{Ci}(d*x)*\sin(c) + 120*b^2*\sin(d*x+c)/d^6 + 4*a*b*x*\sin(d*x+c)/d^2 - 60*b^2*x^2*\sin(d*x+c)/d^4 + 5*b^2*x^4*\sin(d*x+c)/d^2$

Rubi [A] time = 0.26, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3339, 3303, 3299, 3302, 3296, 2638, 2637}

$$a^2 \sin(c) \text{CosIntegral}(dx) + a^2 \cos(c) \text{Si}(dx) + \frac{4abx \sin(c+dx)}{d^2} + \frac{4ab \cos(c+dx)}{d^3} - \frac{2abx^2 \cos(c+dx)}{d} + \frac{5b^2 x^4 \sin(c+dx)}{d^2} - \frac{120b^2 x \cos(c+dx)}{d^5} + \frac{20b^2 x^2 \cos(c+dx)}{d^4} + \frac{20b^2 x^3 \cos(c+dx)}{d^3} - \frac{b^2 x^5 \cos(c+dx)}{d} + a^2 \cos(c) \text{Si}(dx) + a^2 \text{Ci}(dx) \sin(c) + \frac{120b^2 \sin(d*x+c)}{d^6} + \frac{4a*b*x*\sin(d*x+c)}{d^2} - \frac{60*b^2*x^2*\sin(d*x+c)}{d^4} + \frac{5*b^2*x^4*\sin(d*x+c)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*Sin[c + d*x])/x,x]

[Out] $(4*a*b*\text{Cos}[c + d*x])/d^3 - (120*b^2*x*\text{Cos}[c + d*x])/d^5 - (2*a*b*x^2*\text{Cos}[c + d*x])/d + (20*b^2*x^3*\text{Cos}[c + d*x])/d^3 - (b^2*x^5*\text{Cos}[c + d*x])/d + a^2*\text{CosIntegral}[d*x]*\text{Sin}[c] + (120*b^2*\text{Sin}[c + d*x])/d^6 + (4*a*b*x*\text{Sin}[c + d*x])/d^2 - (60*b^2*x^2*\text{Sin}[c + d*x])/d^4 + (5*b^2*x^4*\text{Sin}[c + d*x])/d^2 + a^2*\text{Cos}[c]*\text{SinIntegral}[d*x]$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)

) / d], Int[Cos[(c*f) / d + f*x] / (c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3339

Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 \sin(c + dx)}{x} dx &= \int \left(\frac{a^2 \sin(c + dx)}{x} + 2abx^2 \sin(c + dx) + b^2x^5 \sin(c + dx) \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x} dx + (2ab) \int x^2 \sin(c + dx) dx + b^2 \int x^5 \sin(c + dx) dx \\ &= -\frac{2abx^2 \cos(c + dx)}{d} - \frac{b^2x^5 \cos(c + dx)}{d} + \frac{(4ab) \int x \cos(c + dx) dx}{d} + \frac{(5b^2) \int x^4 \cos(c + dx) dx}{d} \\ &= -\frac{2abx^2 \cos(c + dx)}{d} - \frac{b^2x^5 \cos(c + dx)}{d} + a^2 \text{Ci}(dx) \sin(c) + \frac{4abx \sin(c + dx)}{d^2} + \frac{5b^2x^4 \sin(c + dx)}{d^2} \\ &= \frac{4ab \cos(c + dx)}{d^3} - \frac{2abx^2 \cos(c + dx)}{d} + \frac{20b^2x^3 \cos(c + dx)}{d^3} - \frac{b^2x^5 \cos(c + dx)}{d} + \frac{4abx \sin(c + dx)}{d^2} + \frac{5b^2x^4 \sin(c + dx)}{d^2} \\ &= \frac{4ab \cos(c + dx)}{d^3} - \frac{2abx^2 \cos(c + dx)}{d} + \frac{20b^2x^3 \cos(c + dx)}{d^3} - \frac{b^2x^5 \cos(c + dx)}{d} + \frac{4abx \sin(c + dx)}{d^2} + \frac{5b^2x^4 \sin(c + dx)}{d^2} \\ &= \frac{4ab \cos(c + dx)}{d^3} - \frac{120b^2x \cos(c + dx)}{d^5} - \frac{2abx^2 \cos(c + dx)}{d} + \frac{20b^2x^3 \cos(c + dx)}{d^3} \\ &= \frac{4ab \cos(c + dx)}{d^3} - \frac{120b^2x \cos(c + dx)}{d^5} - \frac{2abx^2 \cos(c + dx)}{d} + \frac{20b^2x^3 \cos(c + dx)}{d^3} \end{aligned}$$

Mathematica [A] time = 0.53, size = 108, normalized size = 0.67

$$a^2 \sin(c) \text{Ci}(dx) + a^2 \cos(c) \text{Si}(dx) + \frac{b(4ad^4x + 5b(d^4x^4 - 12d^2x^2 + 24)) \sin(c + dx)}{d^6} - \frac{b(2ad^2(d^2x^2 - 2) + bx(d^4x^4 - 12d^2x^2 + 24)) \cos(c + dx)}{d^6}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*Sin[c + d*x])/x,x]

[Out] -((b*(2*a*d^2*(-2 + d^2*x^2) + b*x*(120 - 20*d^2*x^2 + d^4*x^4))*Cos[c + d*x])/d^5) + a^2*CosIntegral[d*x]*Sin[c] + (b*(4*a*d^4*x + 5*b*(24 - 12*d^2*x^2 + d^4*x^4))*Sin[c + d*x])/d^6 + a^2*Cos[c]*SinIntegral[d*x]

fricas [A] time = 0.73, size = 145, normalized size = 0.90

$$\frac{2a^2d^6 \cos(c) \text{Si}(dx) - 2(b^2d^5x^5 + 2abd^5x^2 - 20b^2d^3x^3 - 4abd^3 + 120b^2dx) \cos(dx + c) + 2(5b^2d^4x^4 + 4abd^4x^2 - 4abd^4x - 60b^2d^2x^2 + 120b^2) \sin(dx + c) + (a^2d^6 \cos_integral(d*x) + a^2d^6 \cos_integral(-d*x)) \sin(c)}{2d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x,x, algorithm="fricas")

[Out] 1/2*(2*a^2*d^6*cos(c)*sin_integral(d*x) - 2*(b^2*d^5*x^5 + 2*a*b*d^5*x^2 - 20*b^2*d^3*x^3 - 4*a*b*d^3 + 120*b^2*d*x)*cos(d*x + c) + 2*(5*b^2*d^4*x^4 + 4*a*b*d^4*x - 60*b^2*d^2*x^2 + 120*b^2)*sin(d*x + c) + (a^2*d^6*cos_integral(d*x) + a^2*d^6*cos_integral(-d*x))*sin(c))/d^6

giac [C] time = 0.36, size = 921, normalized size = 5.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x,x, algorithm="giac")

[Out] $\frac{1}{2}*(2*b^2*d^5*x^5*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 2*b^2*d^5*x^5*\tan(1/2*d*x + 1/2*c)^2 - 2*b^2*d^5*x^5*\tan(1/2*c)^2 + 20*b^2*d^4*x^4*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 + 4*a*b*d^5*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - a^2*d^6*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + a^2*d^6*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 2*a^2*d^6*\sin_integral(d*x)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 2*b^2*d^5*x^5 + 2*a^2*d^6*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) + 2*a^2*d^6*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) - 40*b^2*d^3*x^3*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 20*b^2*d^4*x^4*\tan(1/2*d*x + 1/2*c) + 4*a*b*d^5*x^2*\tan(1/2*d*x + 1/2*c)^2 + a^2*d^6*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2 - a^2*d^6*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2 + 2*a^2*d^6*\sin_integral(d*x)*\tan(1/2*d*x + 1/2*c)^2 - 4*a*b*d^5*x^2*\tan(1/2*c)^2 - a^2*d^6*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*c)^2 + a^2*d^6*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 - 2*a^2*d^6*\sin_integral(d*x)*\tan(1/2*c)^2 - 40*b^2*d^3*x^3*\tan(1/2*d*x + 1/2*c)^2 + 2*a^2*d^6*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c) + 2*a^2*d^6*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c) + 40*b^2*d^3*x^3*\tan(1/2*c)^2 + 16*a*b*d^4*x*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 - 4*a*b*d^5*x^2 + a^2*d^6*\text{imag_part}(\cos_integral(d*x)) - a^2*d^6*\text{imag_part}(\cos_integral(-d*x)) + 2*a^2*d^6*\sin_integral(d*x) - 240*b^2*d^2*x^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 - 8*a*b*d^3*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 40*b^2*d^3*x^3 + 16*a*b*d^4*x*\tan(1/2*d*x + 1/2*c) + 240*b^2*d*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 240*b^2*d^2*x^2*\tan(1/2*d*x + 1/2*c) - 8*a*b*d^3*\tan(1/2*d*x + 1/2*c)^2 + 8*a*b*d^3*\tan(1/2*c)^2 + 240*b^2*d*x*\tan(1/2*d*x + 1/2*c)^2 - 240*b^2*d*x*\tan(1/2*c)^2 + 8*a*b*d^3 + 480*b^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 - 240*b^2*d*x + 480*b^2*\tan(1/2*d*x + 1/2*c))/d^6*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + d^6*\tan(1/2*d*x + 1/2*c)^2 + d^6*\tan(1/2*c)^2 + d^6$

maple [B] time = 0.04, size = 487, normalized size = 3.02

$$\frac{(c^5 + c^4 + c^3 + c^2 + c + 1)b^2 \left(-(dx + c)^5 \cos(dx + c) + 5(dx + c)^4 \sin(dx + c) + 20(dx + c)^3 \cos(dx + c) - 6(dx + c)^2 \sin(dx + c) + 5(dx + c) \cos(dx + c) - \sin(dx + c) \right)}{d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*sin(d*x+c)/x,x)

[Out] $(c^5+c^4+c^3+c^2+c+1)/d^6*b^2*(-(d*x+c)^5*\cos(d*x+c)+5*(d*x+c)^4*\sin(d*x+c)+20*(d*x+c)^3*\cos(d*x+c)-60*(d*x+c)^2*\sin(d*x+c)+120*\sin(d*x+c)-120*(d*x+c)*\cos(d*x+c)-6*b^2*c*(c^4+c^3+c^2+c+1)/d^6*(-(d*x+c)^4*\cos(d*x+c)+4*(d*x+c)^3*\sin(d*x+c)+12*(d*x+c)^2*\cos(d*x+c)-24*\cos(d*x+c)-24*(d*x+c)*\sin(d*x+c))+15*(c^3+c^2+c+1)/d^6*c^2*b^2*(-(d*x+c)^3*\cos(d*x+c)+3*(d*x+c)^2*\sin(d*x+c)-6*\sin(d*x+c)+6*(d*x+c)*\cos(d*x+c))+2*(c^2+c+1)/d^3*a*b*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))-20*b^2*c^3*(c^2+c+1)/d^6*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+c))-6*c*a*b*(1+c)/d^3*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))+15*(1+c)/d^6*b^2*c^4*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))-6*c^2/d^3*a*b*\cos(d*x+c)+6*c^5/d^6*b^2*\cos(d*x+c)+a^2*(\text{Si}(d*x)*\cos(c)+\text{Ci}(d*x))*\sin(c)$

maxima [C] time = 12.02, size = 147, normalized size = 0.91

$$\frac{(a^2(-i \text{Ei}(i dx) + i \text{Ei}(-i dx)) \cos(c) + a^2(\text{Ei}(i dx) + \text{Ei}(-i dx)) \sin(c))d^6 - 2(b^2 d^5 x^5 + 2 a b d^5 x^2 - 20 b^2 d^3 x^3 - 240 b^2 d^2 x^2 \tan(1/2 d x + 1/2 c) \tan(1/2 c)^2 - 8 a b d^3 \tan(1/2 d x + 1/2 c)^2 \tan(1/2 c)^2 + 40 b^2 d^3 x^3 + 16 a b d^4 x \tan(1/2 d x + 1/2 c) + 240 b^2 d x \tan(1/2 d x + 1/2 c)^2 \tan(1/2 c)^2 - 240 b^2 d^2 x^2 \tan(1/2 d x + 1/2 c) - 8 a b d^3 \tan(1/2 d x + 1/2 c)^2 + 8 a b d^3 \tan(1/2 c)^2 + 240 b^2 d x \tan(1/2 d x + 1/2 c)^2 - 240 b^2 d x \tan(1/2 c)^2 + 8 a b d^3 + 480 b^2 \tan(1/2 d x + 1/2 c) \tan(1/2 c)^2 - 240 b^2 d x + 480 b^2 \tan(1/2 d x + 1/2 c))}{2 d^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*sin(d*x+c)/x,x, algorithm="maxima")
```

```
[Out] 1/2*((a^2*(-I*Ei(I*d*x) + I*Ei(-I*d*x))*cos(c) + a^2*(Ei(I*d*x) + Ei(-I*d*x))
)*sin(c))*d^6 - 2*(b^2*d^5*x^5 + 2*a*b*d^5*x^2 - 20*b^2*d^3*x^3 - 4*a*b*d^3 + 120*b^2*d*x)
*cos(d*x + c) + 2*(5*b^2*d^4*x^4 + 4*a*b*d^4*x - 60*b^2*d^2*x^2 + 120*b^2)*sin(d*x + c))/d^6
```

```
mupad [F] time = 0.00, size = -1, normalized size = -0.01
```

$$\int \frac{\sin(c + dx) (bx^3 + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((sin(c + d*x)*(a + b*x^3)^2)/x,x)
```

```
[Out] int((sin(c + d*x)*(a + b*x^3)^2)/x, x)
```

```
sympy [A] time = 10.64, size = 211, normalized size = 1.31
```

$$a^2 \sin(c) \operatorname{Ci}(dx) + a^2 \cos(c) \operatorname{Si}(dx) + 2abx^2 \begin{cases} -\cos(c) & \text{for } d = 0 \\ -\frac{\cos(c+dx)}{d} & \text{otherwise} \end{cases} - 4ab \begin{cases} -\frac{x^2 \cos(c)}{2} & \\ \frac{x \sin(c+dx)}{d} + \frac{\cos(c+dx)}{d^2} & \text{for } d \neq 0 \\ \frac{x^2 \cos(c)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**2*sin(d*x+c)/x,x)
```

```
[Out] a**2*sin(c)*Ci(d*x) + a**2*cos(c)*Si(d*x) + 2*a*b*x**2*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) - 4*a*b*Piecewise((-x**2*cos(c)/2, Eq(d, 0)), (-Piecewise((x*sin(c + d*x)/d + cos(c + d*x)/d**2, Ne(d, 0)), (x**2*cos(c)/2, True))/d, True)) + b**2*x**5*Piecewise((-cos(c), Eq(d, 0)), (-cos(c + d*x)/d, True)) - 5*b**2*Piecewise((-x**5*cos(c)/5, Eq(d, 0)), (-Piecewise((x**4*sin(c + d*x)/d + 4*x**3*cos(c + d*x)/d**2 - 12*x**2*sin(c + d*x)/d**3 - 24*x*cos(c + d*x)/d**4 + 24*sin(c + d*x)/d**5, Ne(d, 0)), (x**5*cos(c)/5, True))/d, True))
```

$$3.90 \quad \int \frac{(a+bx^3)^2 \sin(c+dx)}{x^2} dx$$

Optimal. Leaf size=145

$$a^2 d \cos(c) \text{Ci}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c+dx)}{x} + \frac{2ab \sin(c+dx)}{d^2} - \frac{2abx \cos(c+dx)}{d} - \frac{24b^2 \cos(c+dx)}{d^5} - \frac{24b^3 \sin(c+dx)}{d^4}$$

[Out] $a^2 d \text{Ci}(d x) \cos(c) - 24 b^2 \cos(d x + c) / d^5 - 2 a b x \cos(d x + c) / d + 12 b^2 x^2 \cos(d x + c) / d^3 - b^2 x^4 \cos(d x + c) / d - a^2 d \text{Si}(d x) \sin(c) + 2 a b \sin(d x + c) / d^2 - a^2 \sin(d x + c) / x - 24 b^2 x \sin(d x + c) / d^4 + 4 b^2 x^3 \sin(d x + c) / d^2$

Rubi [A] time = 0.23, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {3339, 3297, 3303, 3299, 3302, 3296, 2637, 2638}

$$a^2 d \cos(c) \text{CosIntegral}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c+dx)}{x} + \frac{2ab \sin(c+dx)}{d^2} - \frac{2abx \cos(c+dx)}{d} + \frac{4b^2 x^3 \sin(c+dx)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*Sin[c + d*x])/x^2,x]

[Out] $(-24 b^2 \text{Cos}[c + d x]) / d^5 - (2 a b x \text{Cos}[c + d x]) / d + (12 b^2 x^2 \text{Cos}[c + d x]) / d^3 - (b^2 x^4 \text{Cos}[c + d x]) / d + a^2 d \text{Cos}[c] \text{CosIntegral}[d x] + (2 a b \text{Sin}[c + d x]) / d^2 - (a^2 \text{Sin}[c + d x]) / x - (24 b^2 x \text{Sin}[c + d x]) / d^4 + (4 b^2 x^3 \text{Sin}[c + d x]) / d^2 - a^2 d \text{Sin}[c] \text{SinIntegral}[d x]$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1) * Sin[e + f*x]) / (d * (m + 1)), x] - Dist[f / (d * (m + 1)), Int[(c + d*x)^(m + 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)] / ((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)] / ((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -

$c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3339

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_
)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x
], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 \sin(c + dx)}{x^2} dx &= \int \left(\frac{a^2 \sin(c + dx)}{x^2} + 2abx \sin(c + dx) + b^2 x^4 \sin(c + dx) \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x^2} dx + (2ab) \int x \sin(c + dx) dx + b^2 \int x^4 \sin(c + dx) dx \\ &= -\frac{2abx \cos(c + dx)}{d} - \frac{b^2 x^4 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{x} + \frac{(2ab) \int \cos(c + dx) dx}{d} \\ &= -\frac{2abx \cos(c + dx)}{d} - \frac{b^2 x^4 \cos(c + dx)}{d} + \frac{2ab \sin(c + dx)}{d^2} - \frac{a^2 \sin(c + dx)}{x} + \frac{4b^2 x^5}{5d} \\ &= -\frac{2abx \cos(c + dx)}{d} + \frac{12b^2 x^2 \cos(c + dx)}{d^3} - \frac{b^2 x^4 \cos(c + dx)}{d} + a^2 d \cos(c) \text{Ci}(dx) + \\ &= -\frac{2abx \cos(c + dx)}{d} + \frac{12b^2 x^2 \cos(c + dx)}{d^3} - \frac{b^2 x^4 \cos(c + dx)}{d} + a^2 d \cos(c) \text{Ci}(dx) + \\ &= -\frac{24b^2 \cos(c + dx)}{d^5} - \frac{2abx \cos(c + dx)}{d} + \frac{12b^2 x^2 \cos(c + dx)}{d^3} - \frac{b^2 x^4 \cos(c + dx)}{d} + \end{aligned}$$

Mathematica [A] time = 0.39, size = 145, normalized size = 1.00

$$a^2 d \cos(c) \text{Ci}(dx) - a^2 d \sin(c) \text{Si}(dx) - \frac{a^2 \sin(c + dx)}{x} + \frac{2ab \sin(c + dx)}{d^2} - \frac{2abx \cos(c + dx)}{d} - \frac{24b^2 \cos(c + dx)}{d^5} - \frac{24b^2 x^5}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^2*Sin[c + d*x])/x^2,x]
```

```
[Out] (-24*b^2*Cos[c + d*x])/d^5 - (2*a*b*x*Cos[c + d*x])/d + (12*b^2*x^2*Cos[c +
d*x])/d^3 - (b^2*x^4*Cos[c + d*x])/d + a^2*d*Cos[c]*CosIntegral[d*x] + (2*
a*b*Sin[c + d*x])/d^2 - (a^2*Sin[c + d*x])/x - (24*b^2*x*Sin[c + d*x])/d^4
+ (4*b^2*x^3*Sin[c + d*x])/d^2 - a^2*d*Sin[c]*SinIntegral[d*x]
```

fricas [A] time = 0.77, size = 145, normalized size = 1.00

$$\frac{2 a^2 d^6 x \sin(c) \text{Si}(dx) + 2 (b^2 d^4 x^5 + 2 a b d^4 x^2 - 12 b^2 d^2 x^3 + 24 b^2 x) \cos(dx + c) - (a^2 d^6 x \text{Ci}(dx) + a^2 d^6 x \text{Ci}(-dx))}{2 d^5 x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^2,x, algorithm="fricas")
```

```
[Out] -1/2*(2*a^2*d^6*x*sin(c)*sin_integral(d*x) + 2*(b^2*d^4*x^5 + 2*a*b*d^4*x^2
- 12*b^2*d^2*x^3 + 24*b^2*x)*cos(d*x + c) - (a^2*d^6*x*cos_integral(d*x) +
a^2*d^6*x*cos_integral(-d*x))*cos(c) - 2*(4*b^2*d^3*x^4 - a^2*d^5 + 2*a*b*
d^3*x - 24*b^2*d*x^2)*sin(d*x + c))/(d^5*x)
```

giac [C] time = 1.34, size = 2038, normalized size = 14.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^2,x, algorithm="giac")
```

```
[Out] 1/2*(2*b^2*d^4*x^5*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 - a^2
*d^6*x*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*t
an(1/2*c)^2 - a^2*d^6*x*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^
2*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*b^2*d^4*x^5*tan(1/2*d*x + 1/2*c)^2*tan(1/
2*d*x)^2 - 2*a^2*d^6*x*imag_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*t
an(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d^6*x*imag_part(cos_integral(-d*x))*tan(1/
2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c) - 4*a^2*d^6*x*sin_integral(d*x)
*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c) + 2*b^2*d^4*x^5*tan(1/2*d
*x + 1/2*c)^2*tan(1/2*c)^2 - 2*b^2*d^4*x^5*tan(1/2*d*x)^2*tan(1/2*c)^2 + a^
2*d^6*x*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2
+ a^2*d^6*x*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*
x)^2 - a^2*d^6*x*real_part(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/
2*c)^2 - a^2*d^6*x*real_part(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan
(1/2*c)^2 - a^2*d^6*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c
)^2 - a^2*d^6*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 +
16*b^2*d^3*x^4*tan(1/2*d*x + 1/2*c)*tan(1/2*d*x)^2*tan(1/2*c)^2 + 4*a*b*d^
4*x^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*b^2*d^4*x^5*ta
n(1/2*d*x + 1/2*c)^2 - 2*b^2*d^4*x^5*tan(1/2*d*x)^2 - 2*a^2*d^6*x*imag_part
(cos_integral(d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) + 2*a^2*d^6*x*imag_pa
rt(cos_integral(-d*x))*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) - 4*a^2*d^6*x*sin_
integral(d*x)*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c) - 2*a^2*d^6*x*imag_part(cos
_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d^6*x*imag_part(cos_integ
ral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 4*a^2*d^6*x*sin_integral(d*x)*tan(1/
2*d*x)^2*tan(1/2*c) - 2*b^2*d^4*x^5*tan(1/2*c)^2 - 24*b^2*d^2*x^3*tan(1/2*d
*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c)^2 + a^2*d^6*x*real_part(cos_integra
l(d*x))*tan(1/2*d*x + 1/2*c)^2 + a^2*d^6*x*real_part(cos_integral(-d*x))*ta
n(1/2*d*x + 1/2*c)^2 + a^2*d^6*x*real_part(cos_integral(d*x))*tan(1/2*d*x)^
2 + a^2*d^6*x*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2 + 16*b^2*d^3*x^4
*tan(1/2*d*x + 1/2*c)*tan(1/2*d*x)^2 + 4*a*b*d^4*x^2*tan(1/2*d*x + 1/2*c)^2
*tan(1/2*d*x)^2 + 4*a^2*d^5*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)^2*tan(1/2*c
) - a^2*d^6*x*real_part(cos_integral(d*x))*tan(1/2*c)^2 - a^2*d^6*x*real_pa
rt(cos_integral(-d*x))*tan(1/2*c)^2 + 16*b^2*d^3*x^4*tan(1/2*d*x + 1/2*c)*t
an(1/2*c)^2 + 4*a*b*d^4*x^2*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 + 4*a^2*d^5
*tan(1/2*d*x + 1/2*c)^2*tan(1/2*d*x)*tan(1/2*c)^2 - 4*a*b*d^4*x^2*tan(1/2*d
*x)^2*tan(1/2*c)^2 - 2*b^2*d^4*x^5 - 24*b^2*d^2*x^3*tan(1/2*d*x + 1/2*c)^2*
tan(1/2*d*x)^2 - 2*a^2*d^6*x*imag_part(cos_integral(d*x))*tan(1/2*c) + 2*a^
2*d^6*x*imag_part(cos_integral(-d*x))*tan(1/2*c) - 4*a^2*d^6*x*sin_integral
(d*x)*tan(1/2*c) - 24*b^2*d^2*x^3*tan(1/2*d*x + 1/2*c)^2*tan(1/2*c)^2 + 24*
b^2*d^2*x^3*tan(1/2*d*x)^2*tan(1/2*c)^2 + 8*a*b*d^3*x*tan(1/2*d*x + 1/2*c)*
tan(1/2*d*x)^2*tan(1/2*c)^2 + a^2*d^6*x*real_part(cos_integral(d*x)) + a^2*
d^6*x*real_part(cos_integral(-d*x)) + 16*b^2*d^3*x^4*tan(1/2*d*x + 1/2*c) +
4*a*b*d^4*x^2*tan(1/2*d*x + 1/2*c)^2 - 4*a^2*d^5*tan(1/2*d*x + 1/2*c)^2*ta
n(1/2*d*x) - 4*a*b*d^4*x^2*tan(1/2*d*x)^2 - 4*a^2*d^5*tan(1/2*d*x + 1/2*c)^
2*tan(1/2*c) + 4*a^2*d^5*tan(1/2*d*x)^2*tan(1/2*c) - 4*a*b*d^4*x^2*tan(1/2*
c)^2 + 4*a^2*d^5*tan(1/2*d*x)*tan(1/2*c)^2 - 96*b^2*d*x^2*tan(1/2*d*x + 1/2
*c)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 24*b^2*d^2*x^3*tan(1/2*d*x + 1/2*c)^2 + 2
4*b^2*d^2*x^3*tan(1/2*d*x)^2 + 8*a*b*d^3*x*tan(1/2*d*x + 1/2*c)*tan(1/2*d*x
)^2 + 24*b^2*d^2*x^3*tan(1/2*c)^2 + 8*a*b*d^3*x*tan(1/2*d*x + 1/2*c)*tan(1/
```

$2*c)^2 + 48*b^2*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 4*a*b*d^4*x^2 - 4*a^2*d^5*\tan(1/2*d*x) - 96*b^2*d*x^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*d*x)^2 - 4*a^2*d^5*\tan(1/2*c) - 96*b^2*d*x^2*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 + 24*b^2*d^2*x^3 + 8*a*b*d^3*x*\tan(1/2*d*x + 1/2*c) + 48*b^2*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + 48*b^2*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 48*b^2*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 96*b^2*d*x^2*\tan(1/2*d*x + 1/2*c) + 48*b^2*x*\tan(1/2*d*x + 1/2*c)^2 - 48*b^2*x*\tan(1/2*d*x)^2 - 48*b^2*x*\tan(1/2*c)^2 - 48*b^2*x)/(d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + d^5*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d^5*x*\tan(1/2*d*x + 1/2*c)^2 + d^5*x*\tan(1/2*d*x)^2 + d^5*x*\tan(1/2*c)^2 + d^5*x)$

maple [B] time = 0.06, size = 365, normalized size = 2.52

$$d \left(\frac{(5c^4 + 4c^3 + 3c^2 + 2c + 1)b^2 \left(-(dx + c)^4 \cos(dx + c) + 4(dx + c)^3 \sin(dx + c) + 12(dx + c)^2 \cos(dx + c) - 2(dx + c) \sin(dx + c) + \cos(dx + c) \right) + a^2 \left(-\sin(dx + c)/x/d - \text{Si}(dx) * \sin(c) + \text{Ci}(dx) * \cos(c) \right) - 20*b^2*c^3*(1+2*c)/d^6*(\sin(dx+c) - (dx+c)*\cos(dx+c)) + 2*(1+2*c)/d^3*a*b*(\sin(dx+c) - (dx+c)*\cos(dx+c)) - 6*b^2*c*(4*c^3+3*c^2+2*c+1)/d^6*(-(dx+c)^3*\cos(dx+c) + 3*(dx+c)^2*\sin(dx+c) - 6*\sin(dx+c) + 6*(dx+c)*\cos(dx+c)) + 6*c/d^3*a*b*\cos(dx+c) - 15*c^4/d^6*b^2*\cos(dx+c) + 15*(3*c^2+2*c+1)/d^6*c^2*b^2*(-(dx+c)^2*\cos(dx+c) + 2*\cos(dx+c) + 2*(dx+c)*\sin(dx+c))}{d^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*x^3+a)^2*sin(d*x+c)/x^2,x)
[Out] d*((5*c^4+4*c^3+3*c^2+2*c+1)/d^6*b^2*(-(d*x+c)^4*cos(d*x+c)+4*(d*x+c)^3*sin(d*x+c)+12*(d*x+c)^2*cos(d*x+c)-24*cos(d*x+c)-24*(d*x+c)*sin(d*x+c))+a^2*(-sin(d*x+c)/x/d-Si(d*x)*sin(c)+Ci(d*x)*cos(c))-20*b^2*c^3*(1+2*c)/d^6*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+2*(1+2*c)/d^3*a*b*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-6*b^2*c*(4*c^3+3*c^2+2*c+1)/d^6*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))+6*c/d^3*a*b*cos(d*x+c)-15*c^4/d^6*b^2*cos(d*x+c)+15*(3*c^2+2*c+1)/d^6*c^2*b^2*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c)))
```

maxima [C] time = 14.76, size = 129, normalized size = 0.89

$$\frac{(a^2(\Gamma(-1, i dx) + \Gamma(-1, -i dx)) \cos(c) + a^2(-i \Gamma(-1, i dx) + i \Gamma(-1, -i dx)) \sin(c))d^6 - 2(b^2d^4x^4 + 2abd^4x - 12b^2d^4x^3 + 4a^2d^4x^2 + 24b^2d^4x - 12b^2d^4x^2)*\cos(dx + c) + 4*(2*b^2*d^3*x^3 + a*b*d^3 - 12*b^2*d^2*x^2)*\sin(dx + c))/d^5$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^2,x, algorithm="maxima")
[Out] 1/2*((a^2*(gamma(-1, I*d*x) + gamma(-1, -I*d*x))*cos(c) + a^2*(-I*gamma(-1, I*d*x) + I*gamma(-1, -I*d*x))*sin(c))*d^6 - 2*(b^2*d^4*x^4 + 2*a*b*d^4*x - 12*b^2*d^2*x^2 + 24*b^2)*cos(d*x + c) + 4*(2*b^2*d^3*x^3 + a*b*d^3 - 12*b^2*d^2*x^2)*sin(d*x + c))/d^5
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^3 + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((sin(c + d*x)*(a + b*x^3)^2)/x^2,x)
[Out] int((sin(c + d*x)*(a + b*x^3)^2)/x^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 \sin(c + dx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x**3+a)**2*sin(d*x+c)/x**2,x)
[Out] Integral((a + b*x**3)**2*sin(c + d*x)/x**2, x)
```


$$3.91 \quad \int \frac{(a+bx^3)^2 \sin(c+dx)}{x^3} dx$$

Optimal. Leaf size=142

$$-\frac{1}{2}a^2d^2 \sin(c)\text{Ci}(dx) - \frac{1}{2}a^2d^2 \cos(c)\text{Si}(dx) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{a^2d \cos(c+dx)}{2x} - \frac{2ab \cos(c+dx)}{d} - \frac{6b^2 \sin(c+dx)}{d^4} + \dots$$

[Out] $-2*a*b*\cos(d*x+c)/d - 1/2*a^2*d*\cos(d*x+c)/x + 6*b^2*x*\cos(d*x+c)/d^3 - b^2*x^3*\cos(d*x+c)/d - 1/2*a^2*d^2*\cos(c)*\text{Si}(d*x) - 1/2*a^2*d^2*\text{Ci}(d*x)*\sin(c) - 6*b^2*\sin(d*x+c)/d^4 - 1/2*a^2*\sin(d*x+c)/x^2 + 3*b^2*x^2*\sin(d*x+c)/d^2$

Rubi [A] time = 0.22, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {3339, 2638, 3297, 3303, 3299, 3302, 3296, 2637}

$$-\frac{1}{2}a^2d^2 \sin(c)\text{CosIntegral}(dx) - \frac{1}{2}a^2d^2 \cos(c)\text{Si}(dx) - \frac{a^2 \sin(c+dx)}{2x^2} - \frac{a^2d \cos(c+dx)}{2x} - \frac{2ab \cos(c+dx)}{d} + \frac{3b^2x^2}{d^4} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*x^3)^2*\text{Sin}[c + d*x])/x^3, x]$

[Out] $(-2*a*b*\text{Cos}[c + d*x])/d - (a^2*d*\text{Cos}[c + d*x])/(2*x) + (6*b^2*x*\text{Cos}[c + d*x])/d^3 - (b^2*x^3*\text{Cos}[c + d*x])/d - (a^2*d^2*\text{CosIntegral}[d*x]*\text{Sin}[c])/2 - (6*b^2*\text{Sin}[c + d*x])/d^4 - (a^2*\text{Sin}[c + d*x])/(2*x^2) + (3*b^2*x^2*\text{Sin}[c + d*x])/d^2 - (a^2*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x])/2$

Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m+1)}*\text{Sin}[e + f*x]/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{(m+1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) -

$c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3339

```
Int[((e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.)^(n_.))^(p_.)*Sin[(c_.) + (d_.)*(x_
)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x
], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 \sin(c + dx)}{x^3} dx &= \int \left(2ab \sin(c + dx) + \frac{a^2 \sin(c + dx)}{x^3} + b^2 x^3 \sin(c + dx) \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x^3} dx + (2ab) \int \sin(c + dx) dx + b^2 \int x^3 \sin(c + dx) dx \\ &= -\frac{2ab \cos(c + dx)}{d} - \frac{b^2 x^3 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{2x^2} + \frac{(3b^2) \int x^2 \cos(c + dx) dx}{d} \\ &= -\frac{2ab \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{2x} - \frac{b^2 x^3 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{2x^2} + \frac{3b^2 x^2}{d} \\ &= -\frac{2ab \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{2x} + \frac{6b^2 x \cos(c + dx)}{d^3} - \frac{b^2 x^3 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{2x^2} \\ &= -\frac{2ab \cos(c + dx)}{d} - \frac{a^2 d \cos(c + dx)}{2x} + \frac{6b^2 x \cos(c + dx)}{d^3} - \frac{b^2 x^3 \cos(c + dx)}{d} - \frac{1}{2} a^2 \frac{\sin(c + dx)}{x^2} \end{aligned}$$

Mathematica [A] time = 0.41, size = 138, normalized size = 0.97

$$\frac{1}{2} \left(-a^2 d^2 \sin(c) \text{Ci}(dx) - a^2 d^2 \cos(c) \text{Si}(dx) - \frac{a^2 \sin(c + dx)}{x^2} - \frac{a^2 d \cos(c + dx)}{x} - \frac{4ab \cos(c + dx)}{d} - \frac{12b^2 \sin(c + dx)}{d^4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + b*x^3)^2*Sin[c + d*x])/x^3,x]

[Out] ((-4*a*b*Cos[c + d*x])/d - (a^2*d*Cos[c + d*x])/x + (12*b^2*x*Cos[c + d*x])/d^3 - (2*b^2*x^3*Cos[c + d*x])/d - a^2*d^2*CosIntegral[d*x]*Sin[c] - (12*b^2*Sin[c + d*x])/d^4 - (a^2*Sin[c + d*x])/x^2 + (6*b^2*x^2*Sin[c + d*x])/d^2 - a^2*d^2*Cos[c]*SinIntegral[d*x])/2

fricas [A] time = 0.69, size = 142, normalized size = 1.00

$$\frac{2a^2 d^6 x^2 \cos(c) \text{Si}(dx) + 2(2b^2 d^3 x^5 + a^2 d^5 x + 4abd^3 x^2 - 12b^2 dx^3) \cos(dx + c) - 2(6b^2 d^2 x^4 - a^2 d^4 - 12b^2 x^2)}{4d^4 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^3,x, algorithm="fricas")

[Out] -1/4*(2*a^2*d^6*x^2*cos(c)*sin_integral(d*x) + 2*(2*b^2*d^3*x^5 + a^2*d^5*x + 4*a*b*d^3*x^2 - 12*b^2*d*x^3)*cos(d*x + c) - 2*(6*b^2*d^2*x^4 - a^2*d^4

$- 12*b^2*x^2)*\sin(d*x + c) + (a^2*d^6*x^2*\cos_integral(d*x) + a^2*d^6*x^2*\cos_integral(-d*x))*\sin(c))/(d^4*x^2)$

giac [C] time = 1.15, size = 2171, normalized size = 15.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^3,x, algorithm="giac")

[Out] $\frac{1}{4}*(a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*b^2*d^3*x^5*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 - 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 4*b^2*d^3*x^5*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c) - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*b^2*d^3*x^5*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 4*b^2*d^3*x^5*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*a^2*d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x + 1/2*c)^2 + a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x + 1/2*c)^2 - 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*d*x + 1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*d*x)^2 + a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*d*x)^2 - 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*d*x)^2 + a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x))*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x))*\tan(1/2*c)^2 + 2*a^2*d^6*x^2*\sin_integral(d*x)*\tan(1/2*c)^2 + 24*b^2*d^2*x^4*\tan(1/2*d*x + 1/2*c)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 8*a*b*d^3*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 4*b^2*d^3*x^5*\tan(1/2*d*x + 1/2*c)^2 - 4*b^2*d^3*x^5*\tan(1/2*d*x)^2 + 2*a^2*d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(d*x))*\tan(1/2*c) - 2*a^2*d^6*x^2*\text{real_part}(\cos_integral(-d*x))*\tan(1/2*c) + 8*a^2*d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)*\tan(1/2*c) - 4*b^2*d^3*x^5*\tan(1/2*c)^2 + 2*a^2*d^5*x*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 - 2*a^2*d^5*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 24*b^2*d*x^3*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - a^2*d^6*x^2*\text{imag_part}(\cos_integral(d*x)) + a^2*d^6*x^2*\text{imag_part}(\cos_integral(-d*x)) - 2*a^2*d^6*x^2*\sin_integral(d*x) + 24*b^2*d^2*x^4*\tan(1/2*d*x + 1/2*c)*\tan(1/2*d*x)^2 + 8*a*b*d^3*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + 4*a^2*d^4*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2*\tan(1/2*c) + 24*b^2*d^2*x^4*\tan(1/2*d*x + 1/2*c)*\tan(1/2*c)^2 + 8*a*b*d^3*x^2*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 4*a^2*d^4*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)*\tan(1/2*c)^2 - 8*a*b*d^3*x^2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 4*b^2*d^3*x^5 - 2*a^2*d^5*x*\tan(1/2*d*x + 1/2*c)^2 + 2*a^2*d^5*x*\tan(1/2*d*x)^2 - 24*b^2*d*x^3*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*d*x)^2 + 8*a^2*d^5*x*\tan(1/2*d*x)*\tan(1/2*c) + 2*a^2*d^5*x*\tan(1/2*c)^2 - 24*b^2*d*x^3*\tan(1/2*d*x + 1/2*c)^2*\tan(1/2*c)^2 + 24*b^2*d^2*x^4*\tan(1/2*d*x + 1/2*c) + 8*a*b*d^3*x^2*\tan(1/2*d*x + 1/2*c)^2 - 4*a^2*d^4*\tan(1/2*d*x + 1/2*c)$

$$\begin{aligned} &)^2 \tan(1/2 dx) - 8ab d^3 x^2 \tan(1/2 dx)^2 - 4a^2 d^4 \tan(1/2 dx + 1/2 c)^2 \tan(1/2 c) + 4a^2 d^4 \tan(1/2 dx)^2 \tan(1/2 c) - 8ab d^3 x^2 \tan(1/2 c)^2 + 4a^2 d^4 \tan(1/2 dx) \tan(1/2 c)^2 - 48b^2 x^2 \tan(1/2 dx + 1/2 c) \tan(1/2 dx)^2 \tan(1/2 c)^2 - 2a^2 d^5 x - 24b^2 d^3 x^3 \tan(1/2 dx + 1/2 c)^2 + 24b^2 d^3 x^3 \tan(1/2 dx)^2 + 24b^2 d^3 x^3 \tan(1/2 c)^2 - 8ab d^3 x^2 - 4a^2 d^4 \tan(1/2 dx) - 48b^2 x^2 \tan(1/2 dx + 1/2 c) \tan(1/2 dx)^2 - 4a^2 d^4 \tan(1/2 c) - 48b^2 x^2 \tan(1/2 dx + 1/2 c) \tan(1/2 c)^2 + 24b^2 d^3 x^3 - 48b^2 x^2 \tan(1/2 dx + 1/2 c)) / (d^4 x^2 \tan(1/2 dx + 1/2 c)^2 \tan(1/2 dx)^2 \tan(1/2 c)^2 + d^4 x^2 \tan(1/2 dx + 1/2 c)^2 \tan(1/2 dx)^2 + d^4 x^2 \tan(1/2 dx + 1/2 c)^2 \tan(1/2 c)^2 + d^4 x^2 \tan(1/2 dx)^2 \tan(1/2 c)^2 + d^4 x^2 \tan(1/2 dx + 1/2 c)^2 + d^4 x^2 \tan(1/2 dx)^2 + d^4 x^2 \tan(1/2 c)^2 + d^4 x^2) \end{aligned}$$

maple [A] time = 0.05, size = 251, normalized size = 1.77

$$d^2 \left(\frac{20c^3 b^2 \cos(dx+c)}{d^6} - \frac{2ab \cos(dx+c)}{d^3} + \frac{(10c^3 + 6c^2 + 3c + 1)b^2 \left(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) \right)}{d^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*sin(d*x+c)/x^3,x)

[Out] $d^2 \cdot \left(\frac{20c^3}{d^6} b^2 \cos(dx+c) - 2ab \cos(dx+c) / d^3 + (10c^3 + 6c^2 + 3c + 1) / d^6 \cdot b^2 \cdot \left(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) \right) + a^2 \cdot \left(-1/2 \sin(dx+c) / x^2 / d^2 - 1/2 \cos(dx+c) / x / d - 1/2 \operatorname{Si}(dx) \cos(c) - 1/2 \operatorname{Ci}(dx) \sin(c) \right) + 15(1+3c) / d^6 \cdot c^2 \cdot b^2 \cdot \left(\sin(dx+c) - (dx+c) \cos(dx+c) \right) - 6b^2 c \cdot (6c^2 + 3c + 1) / d^6 \cdot \left(-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) \right) \right)$

maxima [C] time = 3.07, size = 110, normalized size = 0.77

$$\frac{\left(a^2 (i \Gamma(-2, i dx) - i \Gamma(-2, -i dx)) \cos(c) + a^2 (\Gamma(-2, i dx) + \Gamma(-2, -i dx)) \sin(c) \right) d^6 - 2 (b^2 d^3 x^3 + 2abd^3 - 6b^2 dx)}{2d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^3,x, algorithm="maxima")

[Out] $1/2 \cdot \left((a^2 (\Gamma(-2, i dx) - \Gamma(-2, -i dx)) \cos(c) + a^2 (\Gamma(-2, i dx) + \Gamma(-2, -i dx)) \sin(c)) d^6 - 2 (b^2 d^3 x^3 + 2abd^3 - 6b^2 dx) \cos(dx+c) + 6 (b^2 d^2 x^2 - 2b^2) \sin(dx+c) \right) / d^4$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c+dx) (bx^3+a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c+d*x)*(a+b*x^3)^2)/x^3,x)

[Out] int((sin(c+d*x)*(a+b*x^3)^2)/x^3,x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a+bx^3)^2 \sin(c+dx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*sin(d*x+c)/x**3,x)

[Out] Integral((a+b*x**3)**2*sin(c+d*x)/x**3,x)

$$3.92 \quad \int \frac{(a+bx^3)^2 \sin(c+dx)}{x^4} dx$$

Optimal. Leaf size=151

$$-\frac{1}{6}a^2d^3 \cos(c)\text{Ci}(dx) + \frac{1}{6}a^2d^3 \sin(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{6x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{a^2d \cos(c+dx)}{6x^2} + 2ab \sin(c)\text{Ci}(dx)$$

[Out] $-1/6*a^2*d^3*Ci(d*x)*cos(c)+2*b^2*cos(d*x+c)/d^3-1/6*a^2*d*cos(d*x+c)/x^2-b^2*x^2*cos(d*x+c)/d+2*a*b*cos(c)*Si(d*x)+2*a*b*Ci(d*x)*sin(c)+1/6*a^2*d^3*Si(d*x)*sin(c)-1/3*a^2*sin(d*x+c)/x^3+1/6*a^2*d^2*sin(d*x+c)/x+2*b^2*x*sin(d*x+c)/d^2$

Rubi [A] time = 0.25, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3339, 3297, 3303, 3299, 3302, 3296, 2638}

$$-\frac{1}{6}a^2d^3 \cos(c)\text{CosIntegral}(dx) + \frac{1}{6}a^2d^3 \sin(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{6x} - \frac{a^2 \sin(c+dx)}{3x^3} - \frac{a^2d \cos(c+dx)}{6x^2} + 2ab \sin(c)\text{Ci}(dx)$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*Sin[c + d*x])/x^4, x]

[Out] $(2*b^2*Cos[c + d*x])/d^3 - (a^2*d*Cos[c + d*x])/(6*x^2) - (b^2*x^2*Cos[c + d*x])/d - (a^2*d^3*Cos[c]*CosIntegral[d*x])/6 + 2*a*b*CosIntegral[d*x]*Sin[c] - (a^2*Sin[c + d*x])/(3*x^3) + (a^2*d^2*Sin[c + d*x])/(6*x) + (2*b^2*x*Sin[c + d*x])/d^2 + 2*a*b*Cos[c]*SinIntegral[d*x] + (a^2*d^3*Sin[c]*SinIntegral[d*x])/6$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m+1)*Sin[e + f*x])/(d*(m+1)), x] - Dist[f/(d*(m+1)), Int[(c + d*x)^(m+1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3339

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_
)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x
], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 \sin(c + dx)}{x^4} dx &= \int \left(\frac{a^2 \sin(c + dx)}{x^4} + \frac{2ab \sin(c + dx)}{x} + b^2 x^2 \sin(c + dx) \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x^4} dx + (2ab) \int \frac{\sin(c + dx)}{x} dx + b^2 \int x^2 \sin(c + dx) dx \\ &= -\frac{b^2 x^2 \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{3x^3} + \frac{(2b^2) \int x \cos(c + dx) dx}{d} + \frac{1}{3} (a^2 d) \int \frac{\cos(c + dx)}{x^3} dx \\ &= -\frac{a^2 d \cos(c + dx)}{6x^2} - \frac{b^2 x^2 \cos(c + dx)}{d} + 2ab \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c + dx)}{3x^3} + \frac{2b^2 x \sin(c + dx)}{d} \\ &= \frac{2b^2 \cos(c + dx)}{d^3} - \frac{a^2 d \cos(c + dx)}{6x^2} - \frac{b^2 x^2 \cos(c + dx)}{d} + 2ab \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c + dx)}{3x^3} \\ &= \frac{2b^2 \cos(c + dx)}{d^3} - \frac{a^2 d \cos(c + dx)}{6x^2} - \frac{b^2 x^2 \cos(c + dx)}{d} + 2ab \text{Ci}(dx) \sin(c) - \frac{a^2 \sin(c + dx)}{3x^3} \\ &= \frac{2b^2 \cos(c + dx)}{d^3} - \frac{a^2 d \cos(c + dx)}{6x^2} - \frac{b^2 x^2 \cos(c + dx)}{d} - \frac{1}{6} a^2 d^3 \cos(c) \text{Ci}(dx) + 2ab \text{Ci}(dx) \sin(c) \end{aligned}$$

Mathematica [A] time = 0.63, size = 135, normalized size = 0.89

$$\frac{1}{6} \left(\frac{a^2 d^2 \sin(c + dx)}{x} - \frac{2a^2 \sin(c + dx)}{x^3} - \frac{a^2 d \cos(c + dx)}{x^2} - a \text{Ci}(dx) (ad^3 \cos(c) - 12b \sin(c)) + a \text{Si}(dx) (ad^3 \sin(c) - 12b \cos(c)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^2*Sin[c + d*x])/x^4,x]
```

```
[Out] ((12*b^2*Cos[c + d*x])/d^3 - (a^2*d*Cos[c + d*x])/x^2 - (6*b^2*x^2*Cos[c +
d*x])/d - a*CosIntegral[d*x]*(a*d^3*Cos[c] - 12*b*Sin[c]) - (2*a^2*Sin[c +
d*x])/x^3 + (a^2*d^2*Sin[c + d*x])/x + (12*b^2*x*Sin[c + d*x])/d^2 + a*(12*
b*Cos[c] + a*d^3*Sin[c])*SinIntegral[d*x])/6
```

fricas [A] time = 0.84, size = 176, normalized size = 1.17

$$\frac{2 \left(6b^2 d^2 x^5 + a^2 d^4 x - 12b^2 x^3 \right) \cos(dx + c) + \left(a^2 d^6 x^3 \text{Ci}(dx) + a^2 d^6 x^3 \text{Ci}(-dx) - 24abd^3 x^3 \text{Si}(dx) \right) \cos(c) - 2 \left(a^2 d^6 x^3 \text{Si}(dx) - 24abd^3 x^3 \text{Ci}(dx) \right) \sin(c)}{12d^3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^4,x, algorithm="fricas")
```

```
[Out] -1/12*(2*(6*b^2*d^2*x^5 + a^2*d^4*x - 12*b^2*x^3)*cos(d*x + c) + (a^2*d^6*x
^3*cos_integral(d*x) + a^2*d^6*x^3*cos_integral(-d*x) - 24*a*b*d^3*x^3*sin_
integral(d*x))*cos(c) - 2*(a^2*d^6*x^3*cos_integral(d*x) + 6*a*b*d^3*x^3*cos_integral(d*x) +
6*a*b*d^3*x^3*cos_integral(-d*x))*sin(c))/(d^3*x^3)
```

giac [C] time = 0.95, size = 1181, normalized size = 7.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^4,x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/12*(a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 \\ & + a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2 \\ & *a^2*d^6*x^3*\text{imag_part}(\text{cos_integral}(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) - 2*a^2 \\ & *d^6*x^3*\text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + 4*a^2*d^6 \\ & *x^3*\text{sin_integral}(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c) - a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(d*x)) \\ & *\tan(1/2*d*x)^2 - a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(-d*x))*\tan(1/2*d*x)^2 + a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(d*x)) \\ & *\tan(1/2*c)^2 + a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(-d*x))*\tan(1/2*c)^2 + 2*a^2*d^6*x^3*\text{imag_part}(\text{cos_integral}(d*x)) \\ & *\tan(1/2*c) - 2*a^2*d^6*x^3*\text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*c) + 4*a^2*d^6*x^3*\text{sin_integral}(d*x)*\tan(1/2*c) \\ & - 12*b^2*d^2*x^5*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 12*a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 \\ & + 12*a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 24*a*b*d^3*x^3*\text{sin_integral}(d*x)*\tan(1/2*d*x)^2*\tan(1/2*c)^2 \\ & - a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(d*x)) - a^2*d^6*x^3*\text{real_part}(\text{cos_integral}(-d*x)) - 4*a^2*d^5*x^2*\tan(1/2*d*x)^2*\tan(1/2*c) + \\ & 24*a*b*d^3*x^3*\text{real_part}(\text{cos_integral}(d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) + 24 \\ & *a*b*d^3*x^3*\text{real_part}(\text{cos_integral}(-d*x))*\tan(1/2*d*x)^2*\tan(1/2*c) - 4*a^2 \\ & *d^5*x^2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 12*b^2*d^2*x^5*\tan(1/2*d*x)^2 + 12*a*b \\ & *d^3*x^3*\text{imag_part}(\text{cos_integral}(d*x))*\tan(1/2*d*x)^2 - 12*a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*d*x)^2 \\ & + 24*a*b*d^3*x^3*\text{sin_integral}(d*x)*\tan(1/2*d*x)^2 + 48*b^2*d^2*x^5*\tan(1/2*d*x)*\tan(1/2*c) + 12*b^2*d^2*x^5*\tan(1/2*c)^2 \\ & - 12*a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(d*x))*\tan(1/2*c)^2 + 12 \\ & *a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(-d*x))*\tan(1/2*c)^2 - 24*a*b*d^3*x^3*\text{sin_integral}(d*x)*\tan(1/2*c)^2 - 2*a^2*d^4*x*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 4*a^2 \\ & *d^5*x^2*\tan(1/2*d*x) + 4*a^2*d^5*x^2*\tan(1/2*c) + 24*a*b*d^3*x^3*\text{real_part}(\text{cos_integral}(d*x))*\tan(1/2*c) + 24*a*b*d^3*x^3*\text{real_part}(\text{cos_integral}(-d*x)) \\ & *\tan(1/2*c) - 48*b^2*d*x^4*\tan(1/2*d*x)^2*\tan(1/2*c) - 48*b^2*d*x^4*\tan(1/2*d*x)*\tan(1/2*c)^2 - 12*b^2*d^2*x^5 + 12*a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(d*x)) \\ & - 12*a*b*d^3*x^3*\text{imag_part}(\text{cos_integral}(-d*x)) + 24*a*b*d^3*x^3*\text{sin_integral}(d*x) + 2*a^2*d^4*x*\tan(1/2*d*x)^2 + 8*a^2*d^4*x*\tan(1/2*d*x)*\tan(1/2*c) \\ & + 2*a^2*d^4*x*\tan(1/2*c)^2 + 24*b^2*x^3*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 48*b^2*d*x^4*\tan(1/2*d*x) + 48*b^2*d*x^4*\tan(1/2*c) + 8*a^2*d^3*\tan(1/2*d*x)^2*\tan(1/2*c) \\ & + 8*a^2*d^3*\tan(1/2*d*x)*\tan(1/2*c)^2 - 2*a^2*d^4*x - 24*b^2*x^3*\tan(1/2*d*x)^2 - 96*b^2*x^3*\tan(1/2*d*x)*\tan(1/2*c) - 24*b^2*x^3*\tan(1/2*c)^2 - 8*a^2*d^3*\tan(1/2*d*x) \\ & - 8*a^2*d^3*\tan(1/2*c) + 24*b^2*x^3)/(d^3*x^3*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + d^3*x^3*\tan(1/2*d*x)^2 + d^3*x^3*\tan(1/2*c)^2 + d^3*x^3) \end{aligned}$$

maple [A] time = 0.06, size = 196, normalized size = 1.30

$$d^3 \left(\frac{2ab (\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c))}{d^3} - \frac{15c^2 b^2 \cos(dx+c)}{d^6} + \frac{(10c^2 + 4c + 1) b^2 (-(dx+c)^2 \cos(dx+c) + \dots)}{d^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*sin(d*x+c)/x^4,x)

[Out]
$$\begin{aligned} & d^3*(2/d^3*a*b*(\text{Si}(d*x)*\cos(c)+\text{Ci}(d*x)*\sin(c))-15*c^2/d^6*b^2*\cos(d*x+c)+(1 \\ & 0*c^2+4*c+1)/d^6*b^2*(-(d*x+c)^2*\cos(d*x+c)+2*\cos(d*x+c)+2*(d*x+c)*\sin(d*x+ \\ & c))+a^2*(-1/3*\sin(d*x+c)/x^3/d^3-1/6*\cos(d*x+c)/x^2/d^2+1/6*\sin(d*x+c)/x/d+ \\ & 1/6*\text{Si}(d*x)*\sin(c)-1/6*\text{Ci}(d*x)*\cos(c))-6*b^2*c*(1+4*c)/d^6*(\sin(d*x+c)-(d*x \\ & +c)*\cos(d*x+c))) \end{aligned}$$

maxima [C] time = 10.00, size = 173, normalized size = 1.15

$$\frac{\left(\left(a^2(\Gamma(-3, i dx) + \Gamma(-3, -i dx)) \cos(c) - a^2(i\Gamma(-3, i dx) - i\Gamma(-3, -i dx)) \sin(c)\right)d^6 - (ab(12i\Gamma(-3, i dx) - 12i\Gamma(-3, -i dx)) \cos(c) + 12ab(i\Gamma(-3, i dx) - i\Gamma(-3, -i dx)) \sin(c))d^3\right)x^3 + 2(b^2d^2x^5 + 2abd^2x^2 - 2b^2x^3 - 4ab)\cos(dx + c) - 4(b^2dx^4 - abd)x\sin(dx + c)}{(d^3x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^4,x, algorithm="maxima")

[Out] -1/2*(((a^2*(gamma(-3, I*d*x) + gamma(-3, -I*d*x))*cos(c) - a^2*(I*gamma(-3, I*d*x) - I*gamma(-3, -I*d*x))*sin(c))*d^6 - (a*b*(12*I*gamma(-3, I*d*x) - 12*I*gamma(-3, -I*d*x))*cos(c) + 12*a*b*(gamma(-3, I*d*x) + gamma(-3, -I*d*x))*sin(c))*d^3)*x^3 + 2*(b^2*d^2*x^5 + 2*a*b*d^2*x^2 - 2*b^2*x^3 - 4*a*b)*cos(d*x + c) - 4*(b^2*d*x^4 - a*b*d*x)*sin(d*x + c))/(d^3*x^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^3 + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((sin(c + d*x)*(a + b*x^3)^2)/x^4,x)

[Out] int((sin(c + d*x)*(a + b*x^3)^2)/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 \sin(c + dx)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x**3+a)**2*sin(d*x+c)/x**4,x)

[Out] Integral((a + b*x**3)**2*sin(c + d*x)/x**4, x)

$$3.93 \quad \int \frac{(a+bx^3)^2 \sin(c+dx)}{x^5} dx$$

Optimal. Leaf size=167

$$\frac{1}{24}a^2d^4 \sin(c)\text{Ci}(dx) + \frac{1}{24}a^2d^4 \cos(c)\text{Si}(dx) + \frac{a^2d^3 \cos(c+dx)}{24x} + \frac{a^2d^2 \sin(c+dx)}{24x^2} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{a^2d \cos(c+dx)}{12x^3}$$

[Out] $2*a*b*d*Ci(d*x)*\cos(c)-1/12*a^2*d*\cos(d*x+c)/x^3+1/24*a^2*d^3*\cos(d*x+c)/x-b^2*x*\cos(d*x+c)/d+1/24*a^2*d^4*\cos(c)*Si(d*x)+1/24*a^2*d^4*Ci(d*x)*\sin(c)-2*a*b*d*Si(d*x)*\sin(c)+b^2*\sin(d*x+c)/d^2-1/4*a^2*\sin(d*x+c)/x^4+1/24*a^2*d^2*\sin(d*x+c)/x^2-2*a*b*\sin(d*x+c)/x$

Rubi [A] time = 0.28, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3339, 3297, 3303, 3299, 3302, 3296, 2637}

$$\frac{1}{24}a^2d^4 \sin(c)\text{CosIntegral}(dx) + \frac{1}{24}a^2d^4 \cos(c)\text{Si}(dx) + \frac{a^2d^2 \sin(c+dx)}{24x^2} + \frac{a^2d^3 \cos(c+dx)}{24x} - \frac{a^2 \sin(c+dx)}{4x^4} - \frac{a^2d \cos(c+dx)}{12x^3}$$

Antiderivative was successfully verified.

[In] Int[((a + b*x^3)^2*Sin[c + d*x])/x^5, x]

[Out] $-(a^2*d*\cos[c + d*x])/(12*x^3) + (a^2*d^3*\cos[c + d*x])/(24*x) - (b^2*x*\cos[c + d*x])/d + 2*a*b*d*\cos[c]*\text{CosIntegral}[d*x] + (a^2*d^4*\text{CosIntegral}[d*x]*\text{Sin}[c])/24 + (b^2*\sin[c + d*x])/d^2 - (a^2*\sin[c + d*x])/(4*x^4) + (a^2*d^2*\sin[c + d*x])/(24*x^2) - (2*a*b*\sin[c + d*x])/x + (a^2*d^4*\cos[c]*\text{SinIntegral}[d*x])/24 - 2*a*b*d*\sin[c]*\text{SinIntegral}[d*x]$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m+1)*sin[e + f*x])/(d*(m+1)), x] - Dist[f/(d*(m+1)), Int[(c + d*x)^(m+1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3339

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_.)*Sin[(c_.) + (d_.)*(x_
)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (e*x)^m*(a + b*x^n)^p, x
], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + bx^3)^2 \sin(c + dx)}{x^5} dx &= \int \left(\frac{a^2 \sin(c + dx)}{x^5} + \frac{2ab \sin(c + dx)}{x^2} + b^2 x \sin(c + dx) \right) dx \\ &= a^2 \int \frac{\sin(c + dx)}{x^5} dx + (2ab) \int \frac{\sin(c + dx)}{x^2} dx + b^2 \int x \sin(c + dx) dx \\ &= -\frac{b^2 x \cos(c + dx)}{d} - \frac{a^2 \sin(c + dx)}{4x^4} - \frac{2ab \sin(c + dx)}{x} + \frac{b^2 \int \cos(c + dx) dx}{d} + \frac{1}{4} \left(\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{b^2 x \cos(c + dx)}{d} + \frac{b^2 \sin(c + dx)}{d^2} - \frac{a^2 \sin(c + dx)}{4x^4} - \frac{2ab \sin(c + dx)}{x} \right) \\ &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{b^2 x \cos(c + dx)}{d} + \frac{b^2 \sin(c + dx)}{d^2} - \frac{a^2 \sin(c + dx)}{4x^4} - \frac{2ab \sin(c + dx)}{x} \\ &= -\frac{a^2 d \cos(c + dx)}{12x^3} - \frac{b^2 x \cos(c + dx)}{d} + 2abd \cos(c) \text{Ci}(dx) + \frac{b^2 \sin(c + dx)}{d^2} - \frac{a^2 \sin(c + dx)}{4x^4} \\ &= -\frac{a^2 d \cos(c + dx)}{12x^3} + \frac{a^2 d^3 \cos(c + dx)}{24x} - \frac{b^2 x \cos(c + dx)}{d} + 2abd \cos(c) \text{Ci}(dx) + \frac{b^2 \sin(c + dx)}{d^2} \\ &= -\frac{a^2 d \cos(c + dx)}{12x^3} + \frac{a^2 d^3 \cos(c + dx)}{24x} - \frac{b^2 x \cos(c + dx)}{d} + 2abd \cos(c) \text{Ci}(dx) + \frac{b^2 \sin(c + dx)}{d^2} \\ &= -\frac{a^2 d \cos(c + dx)}{12x^3} + \frac{a^2 d^3 \cos(c + dx)}{24x} - \frac{b^2 x \cos(c + dx)}{d} + 2abd \cos(c) \text{Ci}(dx) + \frac{1}{24} \left(\frac{a^2 d^3 \cos(c + dx)}{x} + \frac{a^2 d^2 \sin(c + dx)}{x^2} - \frac{6a^2 \sin(c + dx)}{x^4} - \frac{2a^2 d \cos(c + dx)}{x^3} + ad \text{Ci}(dx) \right) (ad^3 \sin(c) + 48b \cos(c)) \end{aligned}$$

Mathematica [A] time = 0.61, size = 148, normalized size = 0.89

$$\frac{1}{24} \left(\frac{a^2 d^3 \cos(c + dx)}{x} + \frac{a^2 d^2 \sin(c + dx)}{x^2} - \frac{6a^2 \sin(c + dx)}{x^4} - \frac{2a^2 d \cos(c + dx)}{x^3} + ad \text{Ci}(dx) \right) (ad^3 \sin(c) + 48b \cos(c))$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*x^3)^2*Sin[c + d*x])/x^5,x]
```

```
[Out] ((-2*a^2*d*Cos[c + d*x])/x^3 + (a^2*d^3*Cos[c + d*x])/x - (24*b^2*x*Cos[c +
d*x])/d + a*d*CosIntegral[d*x]*(48*b*Cos[c] + a*d^3*Sin[c]) + (24*b^2*Sin[
c + d*x])/d^2 - (6*a^2*Sin[c + d*x])/x^4 + (a^2*d^2*Sin[c + d*x])/x^2 - (48
*a*b*Sin[c + d*x])/x + a*d*(a*d^3*Cos[c] - 48*b*Sin[c])*SinIntegral[d*x])/2
4
```

fricas [A] time = 0.75, size = 186, normalized size = 1.11

$$\frac{2 \left(a^2 d^5 x^3 - 24 b^2 d x^5 - 2 a^2 d^3 x \right) \cos(dx + c) + 2 \left(a^2 d^6 x^4 \text{Si}(dx) + 24 abd^3 x^4 \text{Ci}(dx) + 24 abd^3 x^4 \text{Ci}(-dx) \right) \cos(c)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^5,x, algorithm="fricas")
```

```
[Out] 1/48*(2*(a^2*d^5*x^3 - 24*b^2*d*x^5 - 2*a^2*d^3*x)*cos(d*x + c) + 2*(a^2*d^
6*x^4*sin_integral(d*x) + 24*a*b*d^3*x^4*cos_integral(d*x) + 24*a*b*d^3*x^4
```

```
*cos_integral(-d*x))*cos(c) + 2*(a^2*d^4*x^2 - 48*a*b*d^2*x^3 + 24*b^2*x^4
- 6*a^2*d^2)*sin(d*x + c) + (a^2*d^6*x^4*cos_integral(d*x) + a^2*d^6*x^4*co
s_integral(-d*x) - 96*a*b*d^3*x^4*sin_integral(d*x))*sin(c))/(d^2*x^4)
```

giac [C] time = 1.33, size = 1255, normalized size = 7.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b*x^3+a)^2*sin(d*x+c)/x^5,x, algorithm="giac")

```
[Out] -1/48*(a^2*d^6*x^4*imag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2
- a^2*d^6*x^4*imag_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c)^2 +
2*a^2*d^6*x^4*sin_integral(d*x)*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*a^2*d^6*x^4
*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 2*a^2*d^6*x^4*rea
l_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) - a^2*d^6*x^4*imag_par
t(cos_integral(d*x))*tan(1/2*d*x)^2 + a^2*d^6*x^4*imag_part(cos_integral(-d
*x))*tan(1/2*d*x)^2 - 2*a^2*d^6*x^4*sin_integral(d*x)*tan(1/2*d*x)^2 + a^2*
d^6*x^4*imag_part(cos_integral(d*x))*tan(1/2*c)^2 - a^2*d^6*x^4*imag_part(c
os_integral(-d*x))*tan(1/2*c)^2 + 2*a^2*d^6*x^4*sin_integral(d*x)*tan(1/2*c
)^2 - 2*a^2*d^6*x^4*real_part(cos_integral(d*x))*tan(1/2*c) - 2*a^2*d^6*x^4
*real_part(cos_integral(-d*x))*tan(1/2*c) - 2*a^2*d^5*x^3*tan(1/2*d*x)^2*ta
n(1/2*c)^2 + 48*a*b*d^3*x^4*real_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan
(1/2*c)^2 + 48*a*b*d^3*x^4*real_part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan
(1/2*c)^2 - a^2*d^6*x^4*imag_part(cos_integral(d*x)) + a^2*d^6*x^4*imag_par
t(cos_integral(-d*x)) - 2*a^2*d^6*x^4*sin_integral(d*x) + 96*a*b*d^3*x^4*im
ag_part(cos_integral(d*x))*tan(1/2*d*x)^2*tan(1/2*c) - 96*a*b*d^3*x^4*imag_
part(cos_integral(-d*x))*tan(1/2*d*x)^2*tan(1/2*c) + 192*a*b*d^3*x^4*sin_in
tegral(d*x)*tan(1/2*d*x)^2*tan(1/2*c) + 2*a^2*d^5*x^3*tan(1/2*d*x)^2 - 48*a
*b*d^3*x^4*real_part(cos_integral(d*x))*tan(1/2*d*x)^2 - 48*a*b*d^3*x^4*rea
l_part(cos_integral(-d*x))*tan(1/2*d*x)^2 + 8*a^2*d^5*x^3*tan(1/2*d*x)*tan(
1/2*c) + 2*a^2*d^5*x^3*tan(1/2*c)^2 + 48*a*b*d^3*x^4*real_part(cos_integral
(d*x))*tan(1/2*c)^2 + 48*a*b*d^3*x^4*real_part(cos_integral(-d*x))*tan(1/2*
c)^2 + 48*b^2*d*x^5*tan(1/2*d*x)^2*tan(1/2*c)^2 + 96*a*b*d^3*x^4*imag_part(
cos_integral(d*x))*tan(1/2*c) - 96*a*b*d^3*x^4*imag_part(cos_integral(-d*x)
)*tan(1/2*c) + 192*a*b*d^3*x^4*sin_integral(d*x)*tan(1/2*c) + 4*a^2*d^4*x^2
*tan(1/2*d*x)^2*tan(1/2*c) + 4*a^2*d^4*x^2*tan(1/2*d*x)*tan(1/2*c)^2 - 2*a^
2*d^5*x^3 - 48*a*b*d^3*x^4*real_part(cos_integral(d*x)) - 48*a*b*d^3*x^4*rea
l_part(cos_integral(-d*x)) - 48*b^2*d*x^5*tan(1/2*d*x)^2 - 192*b^2*d*x^5*ta
n(1/2*d*x)*tan(1/2*c) - 192*a*b*d^2*x^3*tan(1/2*d*x)^2*tan(1/2*c) - 48*b^2
*d*x^5*tan(1/2*c)^2 - 192*a*b*d^2*x^3*tan(1/2*d*x)*tan(1/2*c)^2 + 4*a^2*d^3
*x*tan(1/2*d*x)^2*tan(1/2*c)^2 - 4*a^2*d^4*x^2*tan(1/2*d*x) - 4*a^2*d^4*x^2
*tan(1/2*c) + 96*b^2*x^4*tan(1/2*d*x)^2*tan(1/2*c) + 96*b^2*x^4*tan(1/2*d*x
)*tan(1/2*c)^2 + 48*b^2*d*x^5 + 192*a*b*d^2*x^3*tan(1/2*d*x) - 4*a^2*d^3*x*
tan(1/2*d*x)^2 + 192*a*b*d^2*x^3*tan(1/2*c) - 16*a^2*d^3*x*tan(1/2*d*x)*tan
(1/2*c) - 4*a^2*d^3*x*tan(1/2*c)^2 - 96*b^2*x^4*tan(1/2*d*x) - 96*b^2*x^4*ta
n(1/2*c) - 24*a^2*d^2*tan(1/2*d*x)^2*tan(1/2*c) - 24*a^2*d^2*tan(1/2*d*x)*
tan(1/2*c)^2 + 4*a^2*d^3*x + 24*a^2*d^2*tan(1/2*d*x) + 24*a^2*d^2*tan(1/2*c
)))/(d^2*x^4*tan(1/2*d*x)^2*tan(1/2*c)^2 + d^2*x^4*tan(1/2*d*x)^2 + d^2*x^4*
tan(1/2*c)^2 + d^2*x^4)
```

maple [A] time = 0.05, size = 167, normalized size = 1.00

$$d^4 \left(\frac{2ab \left(-\frac{\sin(dx+c)}{xd} - \text{Si}(dx) \sin(c) + \text{Ci}(dx) \cos(c) \right)}{d^3} + \frac{6cb^2 \cos(dx+c)}{d^6} + \frac{(1+5c)b^2 (\sin(dx+c) - (dx+c))}{d^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*x^3+a)^2*sin(d*x+c)/x^5,x)

[Out] $d^4*(2/d^3*a*b*(-\sin(d*x+c)/x/d-\text{Si}(d*x)*\sin(c)+\text{Ci}(d*x)*\cos(c))+6*c/d^6*b^2*\cos(d*x+c)+(1+5*c)/d^6*b^2*(\sin(d*x+c)-(d*x+c)*\cos(d*x+c))+a^2*(-1/4*\sin(d*x+c)/x^4/d^4-1/12*\cos(d*x+c)/x^3/d^3+1/24*\sin(d*x+c)/x^2/d^2+1/24*\cos(d*x+c)/x/d+1/24*\text{Si}(d*x)*\cos(c)+1/24*\text{Ci}(d*x)*\sin(c))$

maxima [C] time = 16.43, size = 166, normalized size = 0.99

$$\left((a^2(-i\Gamma(-4, idx) + i\Gamma(-4, -idx)) \cos(c) - a^2(\Gamma(-4, idx) + \Gamma(-4, -idx)) \sin(c)) d^7 - (48 ab(\Gamma(-4, idx) + \Gamma(-4, -idx)) \cos(c) - a^2(\Gamma(-4, idx) + \Gamma(-4, -idx)) \sin(c)) d^7 - (48 ab(\Gamma(-4, idx) + \Gamma(-4, -idx)) \cos(c) - a^2(\Gamma(-4, idx) + \Gamma(-4, -idx)) \sin(c)) d^7 \right) / (d^3 x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x^3+a)^2*sin(d*x+c)/x^5,x, algorithm="maxima")`

[Out] $1/2*((a^2(-I*\gamma(-4, I*d*x) + I*\gamma(-4, -I*d*x))*\cos(c) - a^2*(\gamma(-4, I*d*x) + \gamma(-4, -I*d*x))*\sin(c))*d^7 - (48*a*b*(\gamma(-4, I*d*x) + \gamma(-4, -I*d*x))*\cos(c) - a*b*(48*I*\gamma(-4, I*d*x) - 48*I*\gamma(-4, -I*d*x))*\sin(c))*d^4)*x^4 - 2*(b^2*d^2*x^5 + 2*a*b*d^2*x^2 - 12*a*b)*\cos(d*x + c) + 2*(b^2*d*x^4 - 4*a*b*d*x)*\sin(d*x + c))/(d^3*x^4)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(c + dx) (bx^3 + a)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(c + d*x)*(a + b*x^3)^2)/x^5,x)`

[Out] `int((sin(c + d*x)*(a + b*x^3)^2)/x^5, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + bx^3)^2 \sin(c + dx)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*x**3+a)**2*sin(d*x+c)/x**5,x)`

[Out] `Integral((a + b*x**3)**2*sin(c + d*x)/x**5, x)`

$$3.94 \quad \int \frac{x^4 \sin(c+dx)}{a+bx^3} dx$$

Optimal. Leaf size=371

$$\frac{a^{2/3} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b^{5/3}} + \frac{(-1)^{2/3} a^{2/3} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b^{5/3}} - \frac{\sqrt[3]{-1} a^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b^{5/3}}$$

[Out] $-x \cos(dx+c)/b/d + 1/3 \cdot (-1)^{2/3} \cdot a^{2/3} \cdot \cos(c + (-1)^{1/3} \cdot a^{1/3} \cdot d/b^{1/3}) \cdot \text{Si}(-(-1)^{1/3} \cdot a^{1/3} \cdot d/b^{1/3} + dx)/b^{5/3} + 1/3 \cdot a^{2/3} \cdot \cos(c - a^{1/3} \cdot d/b^{1/3}) \cdot \text{Si}(a^{1/3} \cdot d/b^{1/3} + dx)/b^{5/3} - 1/3 \cdot (-1)^{1/3} \cdot a^{2/3} \cdot \cos(c - (-1)^{2/3} \cdot a^{1/3} \cdot d/b^{1/3}) \cdot \text{Si}((-1)^{2/3} \cdot a^{1/3} \cdot d/b^{1/3} + dx)/b^{5/3} + 1/3 \cdot a^{2/3} \cdot \text{Ci}(a^{1/3} \cdot d/b^{1/3} + dx) \cdot \sin(c - a^{1/3} \cdot d/b^{1/3})/b^{5/3} + 1/3 \cdot (-1)^{2/3} \cdot a^{2/3} \cdot \text{Ci}((-1)^{1/3} \cdot a^{1/3} \cdot d/b^{1/3} - dx) \cdot \sin(c + (-1)^{1/3} \cdot a^{1/3} \cdot d/b^{1/3})/b^{5/3} - 1/3 \cdot (-1)^{1/3} \cdot a^{2/3} \cdot \text{Ci}((-1)^{2/3} \cdot a^{1/3} \cdot d/b^{1/3} + dx) \cdot \sin(c - (-1)^{2/3} \cdot a^{1/3} \cdot d/b^{1/3})/b^{5/3} + \sin(dx+c)/b/d^2$

Rubi [A] time = 0.92, antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3296, 2637, 3303, 3299, 3302}

$$\frac{a^{2/3} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3b^{5/3}} + \frac{(-1)^{2/3} a^{2/3} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b^{5/3}} - \frac{\sqrt[3]{-1} a^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b^{5/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^4*Sin[c + d*x])/(a + b*x^3), x]

[Out] $-((x \cdot \text{Cos}[c + d \cdot x])/(b \cdot d)) + (a^{2/3} \cdot \text{CosIntegral}[(a^{1/3} \cdot d)/b^{1/3} + d \cdot x] \cdot \text{Sin}[c - (a^{1/3} \cdot d)/b^{1/3}])/(3 \cdot b^{5/3}) + ((-1)^{2/3} \cdot a^{2/3} \cdot \text{CosIntegral}[((-1)^{1/3} \cdot a^{1/3} \cdot d)/b^{1/3} - d \cdot x] \cdot \text{Sin}[c + ((-1)^{1/3} \cdot a^{1/3} \cdot d)/b^{1/3}])/(3 \cdot b^{5/3}) - ((-1)^{1/3} \cdot a^{2/3} \cdot \text{CosIntegral}[((-1)^{2/3} \cdot a^{1/3} \cdot d)/b^{1/3} + d \cdot x] \cdot \text{Sin}[c - ((-1)^{2/3} \cdot a^{1/3} \cdot d)/b^{1/3}])/(3 \cdot b^{5/3}) + \text{Sin}[c + d \cdot x]/(b \cdot d^2) - ((-1)^{2/3} \cdot a^{2/3} \cdot \text{Cos}[c + ((-1)^{1/3} \cdot a^{1/3} \cdot d)/b^{1/3}] \cdot \text{SinIntegral}[((-1)^{1/3} \cdot a^{1/3} \cdot d)/b^{1/3} - d \cdot x])/(3 \cdot b^{5/3}) + (a^{2/3} \cdot \text{Cos}[c - (a^{1/3} \cdot d)/b^{1/3}] \cdot \text{SinIntegral}[(a^{1/3} \cdot d)/b^{1/3} + d \cdot x])/(3 \cdot b^{5/3}) - ((-1)^{1/3} \cdot a^{2/3} \cdot \text{Cos}[c - ((-1)^{2/3} \cdot a^{1/3} \cdot d)/b^{1/3}] \cdot \text{SinIntegral}[((-1)^{2/3} \cdot a^{1/3} \cdot d)/b^{1/3} + d \cdot x])/(3 \cdot b^{5/3})$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m * Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -

c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p*Sin[(c_.) + (d_.)*(x_.)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\int \frac{x^4 \sin(c + dx)}{a + bx^3} dx = \int \left(\frac{x \sin(c + dx)}{b} - \frac{ax \sin(c + dx)}{b(a + bx^3)} \right) dx$$

$$= \frac{\int x \sin(c + dx) dx}{b} - \frac{a \int \frac{x \sin(c+dx)}{a+bx^3} dx}{b}$$

$$= -\frac{x \cos(c + dx)}{bd} - \frac{a \int \left(-\frac{\sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{(-1)^{2/3} \sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x)} + \frac{\sqrt[3]{-1} \sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x)} \right) dx}{b}$$

$$= -\frac{x \cos(c + dx)}{bd} + \frac{\sin(c + dx)}{bd^2} + \frac{a^{2/3} \int \frac{\sin(c+dx)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{4/3}} - \frac{(\sqrt[3]{-1} a^{2/3}) \int \frac{\sin(c+dx)}{\sqrt[3]{a} + (-1)^{2/3} \sqrt[3]{b}x} dx}{3b^{4/3}} + \frac{(\sqrt[3]{-1} a^{2/3}) \int \frac{\sin(c+dx)}{\sqrt[3]{a} + (-1)^{2/3} \sqrt[3]{b}x} dx}{3b^{4/3}}$$

$$= -\frac{x \cos(c + dx)}{bd} + \frac{\sin(c + dx)}{bd^2} + \frac{\left(a^{2/3} \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx \right)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx \right)}{3b^{4/3}} + \frac{\left(\sqrt[3]{-1} a^{2/3} \cos\left(c - \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx \right)}{\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x} dx \right)}{3b^{4/3}}$$

$$= -\frac{x \cos(c + dx)}{bd} + \frac{a^{2/3} \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx \right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right)}{3b^{5/3}} + \frac{(-1)^{2/3} a^{2/3} \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx \right) \sin\left(c - \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} \right)}{3b^{5/3}}$$

Mathematica [C] time = 0.57, size = 231, normalized size = 0.62

$$-iad^2 \text{RootSum} \left[\#1^3 b + a \&, \frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1} \& \right] + i a d^2 \text{RootSum} \left[\#1^3 b + a \&, \frac{i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) - \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + \sin(\#1 d + c) \text{Si}(d(x - \#1)) + i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1} \& \right]$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^4*Sin[c + d*x])/(a + b*x^3),x]
```

```
[Out] ((-I)*a*d^2*RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] -
I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x
- #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1 & ] + I*a*d^2*RootSum[a
+ b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x -
#1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#
1]*SinIntegral[d*(x - #1)])/#1 & ] + 6*b*(-(d*x*cos[c + d*x]) + Sin[c + d*x
])/((6*b^2*d^2)
```

fricas [C] time = 0.87, size = 397, normalized size = 1.07

$$\left(\frac{iad^3}{b}\right)^{\frac{2}{3}}(\sqrt{3}+i)\operatorname{Ei}\left(-idx+\frac{1}{2}\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3}-1)\right)e^{\left(\frac{1}{2}\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(i\sqrt{3}+1)-ic\right)}-\left(-\frac{iad^3}{b}\right)^{\frac{2}{3}}(\sqrt{3}+i)\operatorname{Ei}\left(idx+\frac{1}{2}\left(-\frac{iad^3}{b}\right)^{\frac{1}{3}}(i\sqrt{3}+1)-ic\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/12*((I*a*d^3/b)^(2/3)*(sqrt(3)+I)*Ei(-I*d*x+1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3)-1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3)+1)-I*c)-(-I*a*d^3/b)^(2/3)*(sqrt(3)+I)*Ei(I*d*x+1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3)-1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3)+1)+I*c)-(I*a*d^3/b)^(2/3)*(sqrt(3)-I)*Ei(-I*d*x+1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3)-1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3)+1)-I*c)+(-I*a*d^3/b)^(2/3)*(sqrt(3)-I)*Ei(I*d*x+1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3)-1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3)+1)+I*c)-12*d*x*cos(d*x+c)+2*I*(-I*a*d^3/b)^(2/3)*Ei(I*d*x+(-I*a*d^3/b)^(1/3))*e^(I*c-(-I*a*d^3/b)^(1/3))-2*I*(I*a*d^3/b)^(2/3)*Ei(-I*d*x+(I*a*d^3/b)^(1/3))*e^(-I*c-(I*a*d^3/b)^(1/3))+12*sin(d*x+c))/(b*d^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(dx+c)}{bx^3+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] integrate(x^4*sin(d*x+c)/(b*x^3+a),x)

maple [C] time = 0.06, size = 559, normalized size = 1.51

$$\frac{d^3(\sin(dx+c)-(dx+c)\cos(dx+c))-3cd^3\cos(dx+c)}{b} + \frac{d^3 \left(\sum_{R1=\text{RootOf}(b_Z^3-3cb_Z^2+3b^2_Z+a d^3-bc^3)} \frac{(6_R1^2bc^2-_R1ad^3-8_R1bc^3-3ac d^3+3bc^4)(-\operatorname{Si}(-dx+c)-\operatorname{Ci}(dx+c))}{_R1^2-2_R1c} \right)}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*sin(d*x+c)/(b*x^3+a),x)

[Out] 1/d^5*((d^3*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-3*c*d^3*cos(d*x+c))/b+1/3/b^2*d^3*sum((6*_R1^2*b*c^2-_R1*a*d^3-8*_R1*b*c^3-3*a*c*d^3+3*b*c^4)/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+4*c*d^3/b*cos(d*x+c)-4/3/b^2*c*d^3*sum(((3*_R1^2*b*c-3*_R1*b*c^2-a*d^3+b*c^3)/(_R1^2-2*_R1*c+c^2))*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+2*c^2*d^3/b*sum(_R1^2/(_R1^2-2*_R1*c+c^2))*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-4/3*c^3*d^3/b*sum(_R1/(_R1^2-2*_R1*c+c^2))*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+1/3*c^4*d^3/b*sum(1/(_R1^2-2*_R1*c+c^2))*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3)))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*sin(d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^4 \sin(c + dx)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^4*sin(c + d*x))/(a + b*x^3),x)

[Out] int((x^4*sin(c + d*x))/(a + b*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^4 \sin(c + dx)}{a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*sin(d*x+c)/(b*x**3+a),x)

[Out] Integral(x**4*sin(c + d*x)/(a + b*x**3), x)

$$3.95 \quad \int \frac{x^3 \sin(c+dx)}{a+bx^3} dx$$

Optimal. Leaf size=357

$$\frac{\sqrt[3]{a} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b^{4/3}} + \frac{\sqrt[3]{-1} \sqrt[3]{a} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b^{4/3}} - \frac{(-1)^{2/3} \sqrt[3]{a} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b^{4/3}}$$

[Out] $-\cos(dx+c)/b/d+1/3*(-1)^{(1/3)}*a^{(1/3)}*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*Si(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+dx)/b^{(4/3)}-1/3*a^{(1/3)}*\cos(c-a^{(1/3)}*d/b^{(1/3)})*Si(a^{(1/3)}*d/b^{(1/3)}+dx)/b^{(4/3)}-1/3*(-1)^{(2/3)}*a^{(1/3)}*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*Si((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+dx)/b^{(4/3)}-1/3*a^{(1/3)}*Ci(a^{(1/3)}*d/b^{(1/3)}+dx)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/b^{(4/3)}+1/3*(-1)^{(1/3)}*a^{(1/3)}*Ci((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-dx)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/b^{(4/3)}-1/3*(-1)^{(2/3)}*a^{(1/3)}*Ci((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+dx)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/b^{(4/3)}$

Rubi [A] time = 0.68, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 2638, 3333, 3303, 3299, 3302}

$$\frac{\sqrt[3]{a} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3b^{4/3}} + \frac{\sqrt[3]{-1} \sqrt[3]{a} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b^{4/3}} - \frac{(-1)^{2/3} \sqrt[3]{a} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x^3), x]

[Out] $-(\text{Cos}[c + dx]/(b*d)) - (a^{(1/3)}*\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + dx]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/(3*b^{(4/3)}) + ((-1)^{(1/3)}*a^{(1/3)}*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - dx]*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*b^{(4/3)}) - ((-1)^{(2/3)}*a^{(1/3)}*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + dx]*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*b^{(4/3)}) - ((-1)^{(1/3)}*a^{(1/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - dx])/(3*b^{(4/3)}) - (a^{(1/3)}*\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + dx])/(3*b^{(4/3)}) - ((-1)^{(2/3)}*a^{(1/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + dx])/(3*b^{(4/3)})$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)

```
) / d], Int[Cos[(c*f) / d + f*x] / (c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3333

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int
[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\int \frac{x^3 \sin(c + dx)}{a + bx^3} dx = \int \left(\frac{\sin(c + dx)}{b} - \frac{a \sin(c + dx)}{b(a + bx^3)} \right) dx$$

$$= \frac{\int \sin(c + dx) dx}{b} - \frac{a \int \frac{\sin(c+dx)}{a+bx^3} dx}{b}$$

$$= -\frac{\cos(c + dx)}{bd} - \frac{a \int \left(-\frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x)} \right) dx}{b}$$

$$= -\frac{\cos(c + dx)}{bd} + \frac{\sqrt[3]{a} \int \frac{\sin(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{3b} + \frac{\sqrt[3]{a} \int \frac{\sin(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx}{3b} + \frac{\sqrt[3]{a} \int \frac{\sin(c+dx)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{3b}$$

$$= -\frac{\cos(c + dx)}{bd} + \frac{\left(\sqrt[3]{a} \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx - \left(\sqrt[3]{a} \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx \right)}{3b} - \frac{\left(\sqrt[3]{a} \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx \right)}{3b}$$

$$= -\frac{\cos(c + dx)}{bd} - \frac{\sqrt[3]{a} \operatorname{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3b^{4/3}} + \frac{\sqrt[3]{-1} \sqrt[3]{a} \operatorname{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3b^{4/3}}$$

Mathematica [C] time = 0.36, size = 216, normalized size = 0.61

$$\frac{iad\operatorname{RootSum}\left[\#1^3b + a\&, \frac{-i\sin(\#1d+c)\operatorname{Ci}(d(x-\#1))+\cos(\#1d+c)\operatorname{Ci}(d(x-\#1))-\sin(\#1d+c)\operatorname{Si}(d(x-\#1))-i\cos(\#1d+c)\operatorname{Si}(d(x-\#1))}{\#1^2}\& \right] - iad\operatorname{RootSum}\left[\#1^3b + a\&, \frac{-i\sin(\#1d+c)\operatorname{Ci}(d(x-\#1))+\cos(\#1d+c)\operatorname{Ci}(d(x-\#1))-\sin(\#1d+c)\operatorname{Si}(d(x-\#1))-i\cos(\#1d+c)\operatorname{Si}(d(x-\#1))}{\#1^2}\& \right]}{b^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x^3), x]
[Out] -1/6*(6*b*Cos[c + d*x] + I*a*d*RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosInt
egral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#
1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 &
] - I*a*d*RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I
*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x -
#1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 & ])/(b^2*d)
```

fricas [C] time = 0.93, size = 393, normalized size = 1.10

$$\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3}-1)\operatorname{Ei}\left(-idx+\frac{1}{2}\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3}-1)\right)e^{\left(\frac{1}{2}\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(i\sqrt{3}+1)-ic\right)}+\left(-\frac{iad^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3}-1)\operatorname{Ei}\left(idx+\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/12*((I*a*d^3/b)^(1/3)*(-I*sqrt(3)-1)*Ei(-I*d*x+1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3)-1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3)+1)-I*c)+(-I*a*d^3/b)^(1/3)*(-I*sqrt(3)-1)*Ei(I*d*x+1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3)-1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3)+1)+I*c)+(I*a*d^3/b)^(1/3)*(I*sqrt(3)-1)*Ei(-I*d*x+1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3)-1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3)+1)-I*c)+(-I*a*d^3/b)^(1/3)*(I*sqrt(3)-1)*Ei(I*d*x+1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3)-1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3)+1)+I*c)+2*(-I*a*d^3/b)^(1/3)*Ei(I*d*x+(-I*a*d^3/b)^(1/3))*e^(I*c-(-I*a*d^3/b)^(1/3))+2*(I*a*d^3/b)^(1/3)*Ei(-I*d*x+(I*a*d^3/b)^(1/3))*e^(-I*c-(I*a*d^3/b)^(1/3))-12*cos(d*x+c)/(b*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(dx+c)}{bx^3+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] integrate(x^3*sin(d*x+c)/(b*x^3+a),x)

maple [C] time = 0.05, size = 392, normalized size = 1.10

$$-\frac{d^3 \cos(dx+c)}{b} + \frac{d^3 \left(\sum_{_R1=\operatorname{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \frac{(3_R1^2bc-3_R1bc^2-ad^3+bc^3)(-\operatorname{Si}(-dx+_R1-c)\cos(_R1)+\operatorname{Ci}(dx-_R1+c)\sin(_R1))}{_R1^2-2_R1c+c^2} \right)}{3b^2} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x^3+a),x)

[Out] 1/d^4*(-d^3/b*cos(d*x+c)+1/3/b^2*d^3*sum((3*_R1^2*b*c-3*_R1*b*c^2-a*d^3+b*c^3)/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-c*d^3/b*sum(_R1^2/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+c^2*d^3/b*sum(_R1/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/3*c^3*d^3/b*sum(1/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3)))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*sin(c + d*x))/(a + b*x^3), x)

[Out] int((x^3*sin(c + d*x))/(a + b*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(c + dx)}{a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*sin(d*x+c)/(b*x**3+a), x)

[Out] Integral(x**3*sin(c + d*x)/(a + b*x**3), x)

$$3.96 \quad \int \frac{x^2 \sin(c+dx)}{a+bx^3} dx$$

Optimal. Leaf size=281

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b} + \frac{\sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b} + \frac{\sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b}$$

[Out] 1/3*cos(c+(-1)^(1/3)*a^(1/3)*d/b^(1/3))*Si(-(-1)^(1/3)*a^(1/3)*d/b^(1/3)+d*x)/b+1/3*cos(c-a^(1/3)*d/b^(1/3))*Si(a^(1/3)*d/b^(1/3)+d*x)/b+1/3*cos(c-(-1)^(2/3)*a^(1/3)*d/b^(1/3))*Si((-1)^(2/3)*a^(1/3)*d/b^(1/3)+d*x)/b+1/3*Ci(a^(1/3)*d/b^(1/3)+d*x)*sin(c-a^(1/3)*d/b^(1/3))/b+1/3*Ci((-1)^(1/3)*a^(1/3)*d/b^(1/3)-d*x)*sin(c+(-1)^(1/3)*a^(1/3)*d/b^(1/3))/b+1/3*Ci((-1)^(2/3)*a^(1/3)*d/b^(1/3)+d*x)*sin(c-(-1)^(2/3)*a^(1/3)*d/b^(1/3))/b

Rubi [A] time = 0.45, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {3345, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3b} + \frac{\sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3b} + \frac{\sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3b}$$

Antiderivative was successfully verified.

[In] Int[(x^2*Sin[c + d*x])/(a + b*x^3), x]

[Out] (CosIntegral[(a^(1/3)*d)/b^(1/3) + d*x]*Sin[c - (a^(1/3)*d)/b^(1/3)])/(3*b) + (CosIntegral[((-1)^(1/3)*a^(1/3)*d)/b^(1/3) - d*x]*Sin[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)])/(3*b) + (CosIntegral[((-1)^(2/3)*a^(1/3)*d)/b^(1/3) + d*x]*Sin[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)])/(3*b) - (Cos[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[(-1)^(1/3)*a^(1/3)*d)/b^(1/3) - d*x]/(3*b) + (Cos[c - (a^(1/3)*d)/b^(1/3)]*SinIntegral[(a^(1/3)*d)/b^(1/3) + d*x]/(3*b) + (Cos[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[(-1)^(2/3)*a^(1/3)*d)/b^(1/3) + d*x]/(3*b)

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3345

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_)*Sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -

1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c+dx)}{a+bx^3} dx &= \int \left(\frac{\sin(c+dx)}{3b^{2/3}(\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sin(c+dx)}{3b^{2/3}(-\sqrt[3]{-1}\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sin(c+dx)}{3b^{2/3}((-1)^{2/3}\sqrt[3]{a} + \sqrt[3]{b}x)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{2/3}} + \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{-1}\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{2/3}} + \frac{\int \frac{\sin(c+dx)}{(-1)^{2/3}\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{2/3}} \\ &= \frac{\cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{2/3}} - \frac{\cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right)}{-\sqrt[3]{-1}\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{2/3}} + \frac{\cos\left(c - \frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{(-1)^{2/3}\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3b^{2/3}} \\ &= \frac{\text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3b} + \frac{\text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3b} + \frac{\text{Ci}\left(\frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3b} \end{aligned}$$

Mathematica [C] time = 0.31, size = 186, normalized size = 0.66

$$i(\text{RootSum}[\#1^3b + a\&, -i \sin(\#1d + c)\text{Ci}(d(x - \#1)) + \cos(\#1d + c)\text{Ci}(d(x - \#1)) - \sin(\#1d + c)\text{Si}(d(x - \#1)) - \cos(\#1d + c)\text{Si}(d(x - \#1))])$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x^3),x]

[Out] ((I/6)*(RootSum[a + b*#1^3 &, Cos[c + d*#1]*CosIntegral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)] &] - RootSum[a + b*#1^3 &, Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)] &]))/b

fricas [C] time = 0.81, size = 292, normalized size = 1.04

$$i \text{Ei}\left(-i dx + \frac{1}{2} \left(\frac{i a d^3}{b}\right)^{\frac{1}{3}} (-i \sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(\frac{i a d^3}{b}\right)^{\frac{1}{3}} (i \sqrt{3} + 1) - i c\right)} - i \text{Ei}\left(i dx + \frac{1}{2} \left(-\frac{i a d^3}{b}\right)^{\frac{1}{3}} (-i \sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(-\frac{i a d^3}{b}\right)^{\frac{1}{3}} (i \sqrt{3} + 1) - i c\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^3+a),x, algorithm="fricas")

[Out] 1/6*(I*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) - I*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) + I*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) - I*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) - I*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) + I*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(dx + c)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] integrate(x^2*sin(d*x + c)/(b*x^3 + a), x)

maple [C] time = 0.04, size = 266, normalized size = 0.95

$$\frac{d^3 \left(\frac{\sum_{R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \frac{R1^2(-\text{Si}(-dx+_R1-c)\cos(_R1)+\text{Ci}(dx-_R1+c)\sin(_R1))}{R1^2-2_R1c+c^2}}{3b} \right)}{3b} - \frac{2d^3c \left(\sum_{R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x^3+a),x)

[Out] 1/d^3*(1/3*d^3/b*sum(_R1^2/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-2/3*d^3*c/b*sum(_R1/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+1/3*d^3*c^2/b*sum(1/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x^3),x)

[Out] int((x^2*sin(c + d*x))/(a + b*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(c + dx)}{a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x**3+a),x)

[Out] Integral(x**2*sin(c + d*x)/(a + b*x**3), x)

$$3.97 \quad \int \frac{x \sin(c+dx)}{a+bx^3} dx$$

Optimal. Leaf size=343

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3\sqrt[3]{a}b^{2/3}} - \frac{(-1)^{2/3} \sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3\sqrt[3]{a}b^{2/3}} + \frac{\sqrt[3]{-1} \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3\sqrt[3]{a}b^{2/3}}$$

[Out] $-1/3*(-1)^{(2/3)}*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*Si(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(1/3)}/b^{(2/3)}-1/3*\cos(c-a^{(1/3)}*d/b^{(1/3)})*Si(a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(1/3)}/b^{(2/3)}+1/3*(-1)^{(1/3)}*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*Si((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(1/3)}/b^{(2/3)}-1/3*Ci(a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(2/3)}-1/3*(-1)^{(2/3)}*Ci((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(2/3)}+1/3*(-1)^{(1/3)}*Ci((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(2/3)}$

Rubi [A] time = 0.41, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {3345, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3\sqrt[3]{a}b^{2/3}} - \frac{(-1)^{2/3} \sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3\sqrt[3]{a}b^{2/3}} + \frac{\sqrt[3]{-1} \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3\sqrt[3]{a}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(x*Sin[c + d*x])/(a + b*x^3), x]

[Out] $-(\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(1/3)}*b^{(2/3)}) - ((-1)^{(2/3)}*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(1/3)}*b^{(2/3)}) + ((-1)^{(1/3)}*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(1/3)}*b^{(2/3)}) + ((-1)^{(2/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/(3*a^{(1/3)}*b^{(2/3)}) - (\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(3*a^{(1/3)}*b^{(2/3)}) + ((-1)^{(1/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x])/(3*a^{(1/3)}*b^{(2/3)})$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3345

Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned} \int \frac{x \sin(c + dx)}{a + bx^3} dx &= \int \left(\frac{\sin(c + dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{(-1)^{2/3} \sin(c + dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x)} + \frac{\sqrt[3]{-1} \sin(c + dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x)} \right) dx \\ &= -\frac{\int \frac{\sin(c+dx)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} + \frac{\sqrt[3]{-1} \int \frac{\sin(c+dx)}{\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} - \frac{(-1)^{2/3} \int \frac{\sin(c+dx)}{\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} \\ &= -\frac{\cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} - \frac{\left(\sqrt[3]{-1} \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}}\right)\right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} - \frac{(-1)^{2/3} \int \frac{\sin(c+dx)}{\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x} dx}{3\sqrt[3]{a}\sqrt[3]{b}} \\ &= -\frac{\text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3\sqrt[3]{a}b^{2/3}} - \frac{(-1)^{2/3} \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3\sqrt[3]{a}b^{2/3}} + \frac{\sqrt[3]{-1} \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3\sqrt[3]{a}b^{2/3}} \end{aligned}$$

Mathematica [C] time = 0.30, size = 196, normalized size = 0.57

$$i \left(\text{RootSum} \left[\#1^3 b + a \&, \frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1} \& \right] - \text{RootSum} \left[\#1^3 b + a \&, \frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1} \& \right] \right) / b$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x^3), x]

[Out] ((I/6)*(RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1 &] - RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1 &]))/b

fricas [C] time = 0.74, size = 379, normalized size = 1.10

$$\frac{\left(\frac{iad^3}{b}\right)^{\frac{2}{3}} (\sqrt{3} + i) \text{Ei}\left(-idx + \frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (-i\sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1) - ic\right)} - \left(-\frac{iad^3}{b}\right)^{\frac{2}{3}} (\sqrt{3} + i) \text{Ei}\left(idx + \frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1)\right) e^{\left(\frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1) - ic\right)}}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a), x, algorithm="fricas")

[Out] -1/12*((I*a*d^3/b)^(2/3)*(sqrt(3) + I)*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) - (-I*a*d^3/b)^(2/3)*(sqrt(3) + I)*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) - (I*a*d^3/b)^(2/3)*(sqrt(3) - I)*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) + (-I*a*d^3/b)^(2/3)*(sqrt(3) - I)*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) + 2*I*(-I*a*d^3/b)^(2/3)*Ei(I*d*x + (-I*a*d^3/b)^(1/3))

$*e^{(I*c - (-I*a*d^3/b)^{(1/3)})} - 2*I*(I*a*d^3/b)^{(2/3)}*Ei(-I*d*x + (I*a*d^3/b)^{(1/3)})*e^{(-I*c - (I*a*d^3/b)^{(1/3)})}/(a*d^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(dx + c)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a),x, algorithm="giac")

[Out] integrate(x*sin(d*x + c)/(b*x^3 + a), x)

maple [C] time = 0.04, size = 176, normalized size = 0.51

$$\frac{d^3 \left(\frac{\sum_{_R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \frac{_R1(-\text{Si}(-dx_R1-c)\cos(_R1)+\text{Ci}(dx_R1+c)\sin(_R1))}{_R1^2-2_R1c+c^2}}{3b} \right)}{d^2} - \frac{c d^3 \left(\frac{\sum_{_R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \dots}{3b} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(d*x+c)/(b*x^3+a),x)

[Out] $1/d^2*(1/3*d^3/b*\text{sum}(_R1/(_R1^2-2*_R1*c+c^2)*(-\text{Si}(-d*x+_R1-c)*\cos(_R1)+\text{Ci}(d*x-_R1+c)*\sin(_R1)),_R1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/3*c*d^3/b*\text{sum}(1/(_R1^2-2*_R1*c+c^2)*(-\text{Si}(-d*x+_R1-c)*\cos(_R1)+\text{Ci}(d*x-_R1+c)*\sin(_R1)),_R1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3)))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \sin(c + dx)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*sin(c + d*x))/(a + b*x^3),x)

[Out] int((x*sin(c + d*x))/(a + b*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(c + dx)}{a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x**3+a),x)

[Out] Integral(x*sin(c + d*x)/(a + b*x**3), x)

3.98 $\int \frac{\sin(c+dx)}{a+bx^3} dx$

Optimal. Leaf size=343

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{2/3}\sqrt[3]{b}} - \frac{\sqrt[3]{-1} \sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{2/3}\sqrt[3]{b}} + \frac{(-1)^{2/3} \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{2/3}\sqrt[3]{b}}$$

[Out] $-1/3*(-1)^{(1/3)}*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*Si(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(2/3)}/b^{(1/3)}+1/3*\cos(c-a^{(1/3)}*d/b^{(1/3)})*Si(a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(2/3)}/b^{(1/3)}+1/3*(-1)^{(2/3)}*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*Si((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(2/3)}/b^{(1/3)}+1/3*Ci(a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(2/3)}/b^{(1/3)}-1/3*(-1)^{(1/3)}*Ci((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(2/3)}/b^{(1/3)}+1/3*(-1)^{(2/3)}*Ci((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(2/3)}/b^{(1/3)}$

Rubi [A] time = 0.43, antiderivative size = 343, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3333, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3a^{2/3}\sqrt[3]{b}} - \frac{\sqrt[3]{-1} \sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{2/3}\sqrt[3]{b}} + \frac{(-1)^{2/3} \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{2/3}\sqrt[3]{b}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*x^3), x]

[Out] $(\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(2/3)}*b^{(1/3)}) - ((-1)^{(1/3)}*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(2/3)}*b^{(1/3)}) + ((-1)^{(2/3)}*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(2/3)}*b^{(1/3)}) + ((-1)^{(1/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/(3*a^{(2/3)}*b^{(1/3)}) + (\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(3*a^{(2/3)}*b^{(1/3)}) + ((-1)^{(2/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x])/(3*a^{(2/3)}*b^{(1/3)})$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3333

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_) + (d_.)*(x_)], x_Symbol] := Int
[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rubi steps

$$\int \frac{\sin(c + dx)}{a + bx^3} dx = \int \left(\frac{\sin(c + dx)}{3a^{2/3}(-\sqrt[3]{a} - \sqrt[3]{b}x)} - \frac{\sin(c + dx)}{3a^{2/3}(-\sqrt[3]{a} + \sqrt[3]{-1}\sqrt[3]{b}x)} - \frac{\sin(c + dx)}{3a^{2/3}(-\sqrt[3]{a} - (-1)^{2/3}\sqrt[3]{b}x)} \right) dx$$

$$= \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{3a^{2/3}} - \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx}{3a^{2/3}} - \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{3a^{2/3}}$$

$$= -\frac{\cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{3a^{2/3}} + \frac{\cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{3a^{2/3}} - \frac{\cos\left(c - \frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{3a^{2/3}}$$

$$= \frac{\text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a^{2/3}\sqrt[3]{b}} - \frac{\sqrt[3]{-1} \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a^{2/3}\sqrt[3]{b}} + \frac{(-1)^{2/3} \text{Ci}\left(\frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a^{2/3}\sqrt[3]{b}}$$

Mathematica [C] time = 0.21, size = 196, normalized size = 0.57

$$i \left(\text{RootSum} \left[\#1^3 b + a \&, \frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1^2} \& \right] - \text{RootS} \right) / b$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sin[c + d*x]/(a + b*x^3), x]
```

```
[Out] ((I/6)*(RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 &] - RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 & ])/b
```

fricas [C] time = 0.84, size = 385, normalized size = 1.12

$$\frac{\left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1) \text{Ei}\left(-idx + \frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (-i\sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1) - ic\right)} + \left(-\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1) \text{Ei}\left(idx + \frac{1}{2} \left(-\frac{iad^3}{b}\right)^{\frac{1}{3}} (-i\sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(-\frac{iad^3}{b}\right)^{\frac{1}{3}} (-i\sqrt{3} - 1) - ic\right)}}{(a*d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/(b*x^3+a), x, algorithm="fricas")
```

```
[Out] 1/12*((I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1)*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) + (-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1)*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) + (I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1)*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) + (-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1)*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) - 2*(-I*a*d^3/b)^(1/3)*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) - 2*(I*a*d^3/b)^(1/3)*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)))/(a*d)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a), x, algorithm="giac")

[Out] integrate(sin(d*x + c)/(b*x^3 + a), x)

maple [C] time = 0.04, size = 85, normalized size = 0.25

$$\frac{d^2 \left(\sum_{R1=\text{RootOf}(bZ^3-3cbZ^2+3bc^2Z+a d^3-bc^3)} \frac{-\text{Si}(-dx+R1-c) \cos(R1) + \text{Ci}(dx-R1+c) \sin(R1)}{R1^2-2R1c+c^2} \right)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x^3+a), x)

[Out] 1/3*d^2/b*sum(1/(R1^2-2*R1*c+c^2)*(-Si(-d*x+R1-c)*cos(R1)+Ci(d*x-R1+c)*sin(R1)), R1=RootOf(Z^3*b-3*Z^2*b*c+3*Z*b*c^2+a*d^3-b*c^3))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a), x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/(b*x^3 + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{bx^3 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(a + b*x^3), x)

[Out] int(sin(c + d*x)/(a + b*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{a + bx^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x**3+a), x)

[Out] Integral(sin(c + d*x)/(a + b*x**3), x)

$$3.99 \quad \int \frac{\sin(c+dx)}{x(a+bx^3)} dx$$

Optimal. Leaf size=301

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) - \sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right) - \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a} + \dots$$

[Out] $\cos(c) \text{Si}(d*x)/a - 1/3 \cos(c + (-1)^{1/3} a^{1/3} d/b^{1/3}) \text{Si}(-(-1)^{1/3} a^{1/3} d/b^{1/3} + d*x)/a - 1/3 \cos(c - a^{1/3} d/b^{1/3}) \text{Si}(a^{1/3} d/b^{1/3} + d*x)/a - 1/3 \cos(c - (-1)^{2/3} a^{1/3} d/b^{1/3}) \text{Si}((-1)^{2/3} a^{1/3} d/b^{1/3} + d*x)/a + \text{Ci}(d*x) \sin(c)/a - 1/3 \text{Ci}(a^{1/3} d/b^{1/3} + d*x) \sin(c - a^{1/3} d/b^{1/3})/a - 1/3 \text{Ci}((-1)^{1/3} a^{1/3} d/b^{1/3} - d*x) \sin(c + (-1)^{1/3} a^{1/3} d/b^{1/3})/a - 1/3 \text{Ci}((-1)^{2/3} a^{1/3} d/b^{1/3} + d*x) \sin(c - (-1)^{2/3} a^{1/3} d/b^{1/3})/a$

Rubi [A] time = 0.53, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$, Rules used = {3345, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right) - \sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right) - \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3a} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + d*x]/(x*(a + b*x^3)), x]$

[Out] $(\text{CosIntegral}[d*x] \text{Sin}[c])/a - (\text{CosIntegral}[(a^{1/3} d)/b^{1/3} + d*x] \text{Sin}[c - (a^{1/3} d)/b^{1/3}])/(3*a) - (\text{CosIntegral}[((-1)^{1/3} a^{1/3} d)/b^{1/3} - d*x] \text{Sin}[c + ((-1)^{1/3} a^{1/3} d)/b^{1/3}])/(3*a) - (\text{CosIntegral}[((-1)^{2/3} a^{1/3} d)/b^{1/3} + d*x] \text{Sin}[c - ((-1)^{2/3} a^{1/3} d)/b^{1/3}])/(3*a) + (\text{Cos}[c] \text{SinIntegral}[d*x])/a + (\text{Cos}[c + ((-1)^{1/3} a^{1/3} d)/b^{1/3}] \text{SinIntegral}[((-1)^{1/3} a^{1/3} d)/b^{1/3} - d*x])/(3*a) - (\text{Cos}[c - (a^{1/3} d)/b^{1/3}] \text{SinIntegral}[(a^{1/3} d)/b^{1/3} + d*x])/(3*a) - (\text{Cos}[c - ((-1)^{2/3} a^{1/3} d)/b^{1/3}] \text{SinIntegral}[((-1)^{2/3} a^{1/3} d)/b^{1/3} + d*x])/(3*a)$

Rule 3299

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3345

$\text{Int}[(x_)^{(m_.)}*((a_.) + (b_.)*(x_)^{(n_.)})^{(p_.)} \text{Sin}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Sin}[c + d*x], x^m*(a + b*x^n)^p, x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

$Q[\{a, b, c, d, m\}, x] \ \&\& \ \text{ILt}Q[p, 0] \ \&\& \ \text{IGt}Q[n, 0] \ \&\& \ (\text{Eq}Q[n, 2] \ || \ \text{Eq}Q[p, -1]) \ \&\& \ \text{Integer}Q[m]$

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{x(a+bx^3)} dx &= \int \left(\frac{\sin(c+dx)}{ax} - \frac{bx^2 \sin(c+dx)}{a(a+bx^3)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{x} dx}{a} - \frac{b \int \frac{x^2 \sin(c+dx)}{a+bx^3} dx}{a} \\ &= -\frac{b \int \left(\frac{\sin(c+dx)}{3b^{2/3}(\sqrt[3]{a}+\sqrt[3]{b}x)} + \frac{\sin(c+dx)}{3b^{2/3}(-\sqrt[3]{-1}\sqrt[3]{a}+\sqrt[3]{b}x)} + \frac{\sin(c+dx)}{3b^{2/3}((-1)^{2/3}\sqrt[3]{a}+\sqrt[3]{b}x)} \right) dx}{a} + \frac{\cos(c) \int \frac{\sin(dx)}{x} dx}{a} \\ &= \frac{\text{Ci}(dx) \sin(c)}{a} + \frac{\cos(c) \text{Si}(dx)}{a} - \frac{\sqrt[3]{b} \int \frac{\sin(c+dx)}{\sqrt[3]{a}+\sqrt[3]{b}x} dx}{3a} - \frac{\sqrt[3]{b} \int \frac{\sin(c+dx)}{-\sqrt[3]{-1}\sqrt[3]{a}+\sqrt[3]{b}x} dx}{3a} - \frac{\sqrt[3]{b} \int \frac{\sin(c+dx)}{(-1)^{2/3}\sqrt[3]{a}+\sqrt[3]{b}x} dx}{3a} \\ &= \frac{\text{Ci}(dx) \sin(c)}{a} + \frac{\cos(c) \text{Si}(dx)}{a} - \frac{\left(\sqrt[3]{b} \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}}+dx\right)}{\sqrt[3]{a}+\sqrt[3]{b}x} dx \right)}{3a} + \frac{\left(\sqrt[3]{b} \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}+dx\right)}{-\sqrt[3]{-1}\sqrt[3]{a}+\sqrt[3]{b}x} dx \right)}{3a} \\ &= \frac{\text{Ci}(dx) \sin(c)}{a} - \frac{\text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}}+dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a} - \frac{\text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}-dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a} - \frac{\text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}+dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a} \end{aligned}$$

Mathematica [C] time = 0.38, size = 206, normalized size = 0.68

$-i\text{RootSum}\left[\#1^3b+a\&, -i\sin(\#1d+c)\text{Ci}(d(x-\#1)) + \cos(\#1d+c)\text{Ci}(d(x-\#1)) - \sin(\#1d+c)\text{Si}(d(x-\#1))\right]$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x^3)), x]

[Out] $((-I)*\text{RootSum}[a + b*\#1^3 \&, \text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] - I*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] - I*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - \text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] \&] + I*\text{RootSum}[a + b*\#1^3 \&, \text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] + I*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] + I*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - \text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] \&] + 6*\text{CosIntegral}[d*x]*\text{Sin}[c] + 6*\text{Cos}[c]*\text{SinIntegral}[d*x])/(6*a)$

fricas [C] time = 0.84, size = 314, normalized size = 1.04

$-i\text{Ei}\left(-idx + \frac{1}{2}\left(\frac{id^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3}-1)\right)e^{\left(\frac{1}{2}\left(\frac{id^3}{b}\right)^{\frac{1}{3}}(i\sqrt{3}+1)-ic\right)} + i\text{Ei}\left(idx + \frac{1}{2}\left(-\frac{id^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3}-1)\right)e^{\left(\frac{1}{2}\left(-\frac{id^3}{b}\right)^{\frac{1}{3}}(i\sqrt{3}+1)-ic\right)}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a), x, algorithm="fricas")

[Out] $1/6*(-I*\text{Ei}(-I*d*x + 1/2*(I*a*d^3/b)^{(1/3)}*(-I*\text{sqrt}(3) - 1))*e^{(1/2*(I*a*d^3/b)^{(1/3)}*(I*\text{sqrt}(3) + 1) - I*c)} + I*\text{Ei}(I*d*x + 1/2*(-I*a*d^3/b)^{(1/3)}*(-I*\text{sqrt}(3) - 1))*e^{(1/2*(-I*a*d^3/b)^{(1/3)}*(I*\text{sqrt}(3) + 1) + I*c)} - I*\text{Ei}(-I*d*x + 1/2*(I*a*d^3/b)^{(1/3)}*(I*\text{sqrt}(3) - 1))*e^{(1/2*(I*a*d^3/b)^{(1/3)}*(-I*\text{sqrt}(3) + 1) - I*c)} + I*\text{Ei}(I*d*x + 1/2*(-I*a*d^3/b)^{(1/3)}*(I*\text{sqrt}(3) - 1))*e^{(1/2*(-I*a*d^3/b)^{(1/3)}*(I*\text{sqrt}(3) + 1) + I*c)}$

$$\frac{1}{2}(-I*a*d^3/b)^{1/3}*(-I*\sqrt{3} + 1) + I*c) - 3*I*Ei(I*d*x)*e^{I*c} + 3*I*Ei(-I*d*x)*e^{-I*c} + I*Ei(I*d*x + (-I*a*d^3/b)^{1/3})*e^{I*c - (-I*a*d^3/b)^{1/3}} - I*Ei(-I*d*x + (I*a*d^3/b)^{1/3})*e^{-I*c - (I*a*d^3/b)^{1/3}}) / a$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^3 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)*x), x)

maple [C] time = 0.05, size = 88, normalized size = 0.29

$$\frac{\text{Si}(dx) \cos(c) + \text{Ci}(dx) \sin(c)}{a} - \frac{\sum_{_R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} (-\text{Si}(-dx + _R1 - c) \cos(_R1) + \text{Ci}(dx - _R1 + c) \sin(_R1))}{3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x/(b*x^3+a),x)

[Out] 1/a*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))-1/3/a*sum(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^3 + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a),x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x(bx^3 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x*(a + b*x^3)),x)

[Out] int(sin(c + d*x)/(x*(a + b*x^3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x(a + bx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x**3+a),x)

[Out] Integral(sin(c + d*x)/(x*(a + b*x**3)), x)

3.100 $\int \frac{\sin(c+dx)}{x^2(a+bx^3)} dx$

Optimal. Leaf size=380

$$\frac{\sqrt[3]{b} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{4/3}} + \frac{(-1)^{2/3} \sqrt[3]{b} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{4/3}} - \frac{\sqrt[3]{-1} \sqrt[3]{b} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{4/3}}$$

[Out] d*Ci(d*x)*cos(c)/a+1/3*(-1)^(2/3)*b^(1/3)*cos(c+(-1)^(1/3)*a^(1/3)*d/b^(1/3)) *Si(-(-1)^(1/3)*a^(1/3)*d/b^(1/3)+d*x)/a^(4/3)+1/3*b^(1/3)*cos(c-a^(1/3)*d/b^(1/3)) *Si(a^(1/3)*d/b^(1/3)+d*x)/a^(4/3)-1/3*(-1)^(1/3)*b^(1/3)*cos(c-(-1)^(2/3)*a^(1/3)*d/b^(1/3)) *Si((-1)^(2/3)*a^(1/3)*d/b^(1/3)+d*x)/a^(4/3)-d *Si(d*x)*sin(c)/a+1/3*b^(1/3)*Ci(a^(1/3)*d/b^(1/3)+d*x)*sin(c-a^(1/3)*d/b^(1/3))/a^(4/3)+1/3*(-1)^(2/3)*b^(1/3)*Ci((-1)^(1/3)*a^(1/3)*d/b^(1/3)-d*x)*sin(c+(-1)^(1/3)*a^(1/3)*d/b^(1/3))/a^(4/3)-1/3*(-1)^(1/3)*b^(1/3)*Ci((-1)^(2/3)*a^(1/3)*d/b^(1/3)+d*x)*sin(c-(-1)^(2/3)*a^(1/3)*d/b^(1/3))/a^(4/3)-sin(d*x+c)/a/x

Rubi [A] time = 0.61, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {3345, 3297, 3303, 3299, 3302}

$$\frac{\sqrt[3]{b} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3a^{4/3}} + \frac{(-1)^{2/3} \sqrt[3]{b} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{4/3}} - \frac{\sqrt[3]{-1}}{3a^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^2*(a + b*x^3)), x]

[Out] (d*cos[c]*CosIntegral[d*x])/a + (b^(1/3)*CosIntegral[(a^(1/3)*d)/b^(1/3) + d*x]*Sin[c - (a^(1/3)*d)/b^(1/3)])/(3*a^(4/3)) + ((-1)^(2/3)*b^(1/3)*CosIntegral[(-1)^(1/3)*a^(1/3)*d/b^(1/3) - d*x]*Sin[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)])/(3*a^(4/3)) - ((-1)^(1/3)*b^(1/3)*CosIntegral[(-1)^(2/3)*a^(1/3)*d/b^(1/3) + d*x]*Sin[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)])/(3*a^(4/3)) - Sin[c + d*x]/(a*x) - (d*sin[c]*SinIntegral[d*x])/a - ((-1)^(2/3)*b^(1/3)*Cos[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[(-1)^(1/3)*a^(1/3)*d/b^(1/3) - d*x]/(3*a^(4/3)) + (b^(1/3)*Cos[c - (a^(1/3)*d)/b^(1/3)]*SinIntegral[(a^(1/3)*d)/b^(1/3) + d*x]/(3*a^(4/3)) - ((-1)^(1/3)*b^(1/3)*Cos[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[(-1)^(2/3)*a^(1/3)*d/b^(1/3) + d*x]/(3*a^(4/3))

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^p)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\int \frac{\sin(c + dx)}{x^2(a + bx^3)} dx = \int \left(\frac{\sin(c + dx)}{ax^2} - \frac{bx \sin(c + dx)}{a(a + bx^3)} \right) dx$$

$$= \frac{\int \frac{\sin(c+dx)}{x^2} dx}{a} - \frac{b \int \frac{x \sin(c+dx)}{a+bx^3} dx}{a}$$

$$= -\frac{\sin(c + dx)}{ax} - \frac{b \int \left(-\frac{\sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{(-1)^{2/3}\sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x)} + \frac{\sqrt[3]{-1}\sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x)} \right) dx}{a}$$

$$= -\frac{\sin(c + dx)}{ax} + \frac{b^{2/3} \int \frac{\sin(c+dx)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{4/3}} - \frac{(\sqrt[3]{-1} b^{2/3}) \int \frac{\sin(c+dx)}{\sqrt[3]{a} + (-1)^{2/3}\sqrt[3]{b}x} dx}{3a^{4/3}} + \frac{((-1)^{2/3} b^{2/3}) \int \frac{\sin(c+dx)}{\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x} dx}{3a^{4/3}}$$

$$= \frac{d \cos(c) \text{Ci}(dx)}{a} - \frac{\sin(c + dx)}{ax} - \frac{d \sin(c) \text{Si}(dx)}{a} + \frac{\left(b^{2/3} \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right) \right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx \right)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^{4/3}} + \dots$$

$$= \frac{d \cos(c) \text{Ci}(dx)}{a} + \frac{\sqrt[3]{b} \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx \right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}} \right)}{3a^{4/3}} + \frac{(-1)^{2/3} \sqrt[3]{b} \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx \right) \sin\left(c + \dots \right)}{3a^{4/3}}$$

Mathematica [C] time = 0.50, size = 233, normalized size = 0.61

```
-ixRootSum[#1^3 b + a &,  $\frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1}$ ] &] + ixRo
```

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x^3)), x]
```

```
[Out] (6*d*x*Cos[c]*CosIntegral[d*x] - I*x*RootSum[a + b*#1^3 &, (Cos[c + d*#1]*
CosIntegral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c
+ d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#
1 &] + I*x*RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] +
I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x
- #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1 &] - 6*Sin[c + d*x] -
6*d*x*Sin[c]*SinIntegral[d*x])/(6*a*x)
```

fricas [C] time = 0.72, size = 454, normalized size = 1.19

$$6 ad^3 x \text{Ei}(i dx) e^{(i c)} + 6 ad^3 x \text{Ei}(-i dx) e^{(-i c)} + 2i \left(-\frac{i ad^3}{b} \right)^{\frac{2}{3}} bx \text{Ei} \left(i dx + \left(-\frac{i ad^3}{b} \right)^{\frac{1}{3}} \right) e^{\left(i c - \left(-\frac{i ad^3}{b} \right)^{\frac{1}{3}} \right)} - 2i \left(\frac{i ad^3}{b} \right)^{\frac{2}{3}} bx \text{Ei} \left(\dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{12} \cdot (6 \cdot a \cdot d^3 \cdot x \cdot \text{Ei}(I \cdot d \cdot x) \cdot e^{I \cdot c} + 6 \cdot a \cdot d^3 \cdot x \cdot \text{Ei}(-I \cdot d \cdot x) \cdot e^{-I \cdot c} + 2 \cdot I \cdot (-I \cdot a \cdot d^3 / b)^{2/3} \cdot b \cdot x \cdot \text{Ei}(I \cdot d \cdot x + (-I \cdot a \cdot d^3 / b)^{1/3}) \cdot e^{I \cdot c - (-I \cdot a \cdot d^3 / b)^{1/3}} - 2 \cdot I \cdot (I \cdot a \cdot d^3 / b)^{2/3} \cdot b \cdot x \cdot \text{Ei}(-I \cdot d \cdot x + (I \cdot a \cdot d^3 / b)^{1/3}) \cdot e^{-I \cdot c - (I \cdot a \cdot d^3 / b)^{1/3}} - 12 \cdot a \cdot d^2 \cdot \sin(d \cdot x + c) + (I \cdot a \cdot d^3 / b)^{2/3} \cdot (\sqrt{3}) \cdot b \cdot x + I \cdot b \cdot x) \cdot \text{Ei}(-I \cdot d \cdot x + 1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) + 1} - I \cdot c) - (-I \cdot a \cdot d^3 / b)^{2/3} \cdot (\sqrt{3}) \cdot b \cdot x + I \cdot b \cdot x) \cdot \text{Ei}(I \cdot d \cdot x + 1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) + 1} + I \cdot c) - (I \cdot a \cdot d^3 / b)^{2/3} \cdot (\sqrt{3}) \cdot b \cdot x - I \cdot b \cdot x) \cdot \text{Ei}(-I \cdot d \cdot x + 1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) + 1} - I \cdot c) + (-I \cdot a \cdot d^3 / b)^{2/3} \cdot (\sqrt{3}) \cdot b \cdot x - I \cdot b \cdot x) \cdot \text{Ei}(I \cdot d \cdot x + 1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) + 1} + I \cdot c)) / (a^2 \cdot d^2 \cdot x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^3+a),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)*x^2), x)

maple [C] time = 0.06, size = 116, normalized size = 0.31

$$d \left(\frac{\sin(dx+c)}{axd} - \frac{\sum_{_R1=\text{RootOf}(b_Z^3-3cb_Z^2+3b^2c_Z+a^3-b^3c^3)} \frac{-\text{Si}(-dx+_R1-c)\cos(_R1)+\text{Ci}(dx-_R1+c)\sin(_R1)}{_R1-c}}{3a} \right) + \frac{-\text{Si}(dx)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^2/(b*x^3+a),x)

[Out] $d \cdot (-\sin(d \cdot x + c) / a / x / d - 1/3 / a \cdot \text{sum}(1 / (_R1 - c) \cdot (-\text{Si}(-d \cdot x + _R1 - c) \cdot \cos(_R1) + \text{Ci}(d \cdot x - _R1 + c) \cdot \sin(_R1)), _R1 = \text{RootOf}(_Z^3 \cdot b - 3 \cdot _Z^2 \cdot b \cdot c + 3 \cdot _Z \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3)) + 1 / a \cdot (-\text{Si}(d \cdot x) \cdot \sin(c) + \text{Ci}(d \cdot x) \cdot \cos(c)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^3+a),x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x^2(bx^3+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c+d*x)/(x^2*(a+b*x^3)),x)

```
[Out] int(sin(c + d*x)/(x^2*(a + b*x^3)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x**2/(b*x**3+a),x)
```

```
[Out] Timed out
```

3.101 $\int \frac{\sin(c+dx)}{x^3(a+bx^3)} dx$

Optimal. Leaf size=408

$$\frac{b^{2/3} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{5/3}} + \frac{\sqrt[3]{-1} b^{2/3} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{5/3}} - \frac{(-1)^{2/3} b^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{5/3}}$$

[Out] $-1/2*d*\cos(dx+c)/a/x-1/2*d^2*\cos(c)*\text{Si}(dx)/a+1/3*(-1)^{(1/3)}*b^{(2/3)}*\cos(c)+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}*\text{Si}(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+dx)/a^{(5/3)}-1/3*b^{(2/3)}*\cos(c-a^{(1/3)}*d/b^{(1/3)})*\text{Si}(a^{(1/3)}*d/b^{(1/3)}+dx)/a^{(5/3)}-1/3*(-1)^{(2/3)}*b^{(2/3)}*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*\text{Si}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+dx)/a^{(5/3)}-1/2*d^2*\text{Ci}(dx)*\sin(c)/a-1/3*b^{(2/3)}*\text{Ci}(a^{(1/3)}*d/b^{(1/3)}+dx)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}+1/3*(-1)^{(1/3)}*b^{(2/3)}*\text{Ci}((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-dx)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}-1/3*(-1)^{(2/3)}*b^{(2/3)}*\text{Ci}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+dx)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}-1/2*\sin(dx+c)/a/x^2$

Rubi [A] time = 0.68, antiderivative size = 408, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3345, 3297, 3303, 3299, 3302, 3333}

$$\frac{b^{2/3} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3a^{5/3}} + \frac{\sqrt[3]{-1} b^{2/3} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^{5/3}} - \frac{(-1)^{2/3} b^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{3a^{5/3}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[c + d*x]/(x^3*(a + b*x^3)), x]`

[Out] $-(d*\cos[c + d*x])/(2*a*x) - (d^2*\text{CosIntegral}[d*x]*\sin[c])/(2*a) - (b^{(2/3)}*\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\sin[c - (a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(5/3)}) + ((-1)^{(1/3)}*b^{(2/3)}*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]*\sin[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(5/3)}) - ((-1)^{(2/3)}*b^{(2/3)}*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]*\sin[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(3*a^{(5/3)}) - \sin[c + d*x]/(2*a*x^2) - (d^2*\cos[c]*\text{SinIntegral}[d*x])/(2*a) - ((-1)^{(1/3)}*b^{(2/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/(3*a^{(5/3)}) - (b^{(2/3)}*\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(3*a^{(5/3)}) - ((-1)^{(2/3)}*b^{(2/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x])/(3*a^{(5/3)})$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3333

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Int
[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3345

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_.)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{x^3(a+bx^3)} dx &= \int \left(\frac{\sin(c+dx)}{ax^3} - \frac{b \sin(c+dx)}{a(a+bx^3)} \right) dx \\ &= \frac{\int \frac{\sin(c+dx)}{x^3} dx}{a} - \frac{b \int \frac{\sin(c+dx)}{a+bx^3} dx}{a} \\ &= -\frac{\sin(c+dx)}{2ax^2} - \frac{b \int \left(-\frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x)} \right) dx}{a} + d \int \frac{\sin(c+dx)}{a+bx^3} dx \\ &= -\frac{d \cos(c+dx)}{2ax} - \frac{\sin(c+dx)}{2ax^2} + \frac{b \int \frac{\sin(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{3a^{5/3}} + \frac{b \int \frac{\sin(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx}{3a^{5/3}} + \frac{b \int \frac{\sin(c+dx)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{3a^{5/3}} \\ &= -\frac{d \cos(c+dx)}{2ax} - \frac{\sin(c+dx)}{2ax^2} - \frac{(d^2 \cos(c)) \int \frac{\sin(dx)}{x} dx}{2a} + \frac{\left(b \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{3a^{5/3}} \\ &= -\frac{d \cos(c+dx)}{2ax} - \frac{d^2 \text{Ci}(dx) \sin(c)}{2a} - \frac{b^{2/3} \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a^{5/3}} + \frac{\sqrt[3]{-1} b^{2/3} \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{3a^{5/3}} \end{aligned}$$

Mathematica [C] time = 0.50, size = 253, normalized size = 0.62

$$-ix^2 \text{RootSum}\left[\#1^3 b + a \&, \frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1^2} \&\right] + ix^2 \text{RootSum}\left[\#1^3 b + a \&, \frac{-i \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - \sin(\#1 d + c) \text{Si}(d(x - \#1)) - i \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1^2} \&\right]$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sin[c + d*x]/(x^3*(a + b*x^3)), x]
```

```
[Out] ((-I)*x^2*RootSum[a + b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] - I*
CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x -
#1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 & ] + I*x^2*RootSum[a +
b*#1^3 &, (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #
1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]
*SinIntegral[d*(x - #1)])/#1^2 & ] - 3*(d*x*Cos[c + d*x] + d^2*x^2*CosInteg
```

ral[d*x]*Sin[c] + Sin[c + d*x] + d^2*x^2*Cos[c]*SinIntegral[d*x]))/(6*a*x^2)

fricas [C] time = 0.83, size = 491, normalized size = 1.20

$$3i ad^3 x^2 \operatorname{Ei}(i dx) e^{(ic)} - 3i ad^3 x^2 \operatorname{Ei}(-i dx) e^{(-ic)} + 2 \left(-\frac{i ad^3}{b}\right)^{\frac{1}{3}} b x^2 \operatorname{Ei}\left(i dx + \left(-\frac{i ad^3}{b}\right)^{\frac{1}{3}}\right) e^{\left(i c - \left(-\frac{i ad^3}{b}\right)^{\frac{1}{3}}\right)} + 2 \left(\frac{i ad^3}{b}\right)^{\frac{1}{3}} b x^2 \operatorname{Ei}\left(i dx + \left(\frac{i ad^3}{b}\right)^{\frac{1}{3}}\right) e^{\left(i c + \left(\frac{i ad^3}{b}\right)^{\frac{1}{3}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^3+a),x, algorithm="fricas")

[Out] $\frac{1}{12} (3 I a d^3 x^2 \operatorname{Ei}(I d x) e^{(I c)} - 3 I a d^3 x^2 \operatorname{Ei}(-I d x) e^{(-I c)} + 2 (-I a d^3/b)^{(1/3)} b x^2 \operatorname{Ei}(I d x + (-I a d^3/b)^{(1/3)}) e^{(I c - (-I a d^3/b)^{(1/3)})} + 2 (I a d^3/b)^{(1/3)} b x^2 \operatorname{Ei}(-I d x + (I a d^3/b)^{(1/3)}) e^{(-I c - (I a d^3/b)^{(1/3)})} - 6 a d^2 x \cos(d x + c) + (-I \sqrt{3}) b x^2 - b x^2) (I a d^3/b)^{(1/3)} \operatorname{Ei}(-I d x + 1/2 (I a d^3/b)^{(1/3)} (-I \sqrt{3} - 1)) e^{(1/2 (I a d^3/b)^{(1/3)} (I \sqrt{3} + 1) - I c)} + (-I \sqrt{3}) b x^2 - b x^2) (-I a d^3/b)^{(1/3)} \operatorname{Ei}(I d x + 1/2 (-I a d^3/b)^{(1/3)} (-I \sqrt{3} - 1)) e^{(1/2 (-I a d^3/b)^{(1/3)} (I \sqrt{3} + 1) + I c)} + (I \sqrt{3}) b x^2 - b x^2) (I a d^3/b)^{(1/3)} \operatorname{Ei}(-I d x + 1/2 (I a d^3/b)^{(1/3)} (I \sqrt{3} - 1)) e^{(1/2 (I a d^3/b)^{(1/3)} (-I \sqrt{3} + 1) - I c)} + (I \sqrt{3}) b x^2 - b x^2) (-I a d^3/b)^{(1/3)} \operatorname{Ei}(I d x + 1/2 (-I a d^3/b)^{(1/3)} (I \sqrt{3} - 1)) e^{(1/2 (-I a d^3/b)^{(1/3)} (-I \sqrt{3} + 1) + I c)} - 6 a d \sin(d x + c)) / (a^2 d x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^3+a),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)*x^3), x)

maple [C] time = 0.04, size = 136, normalized size = 0.33

$$d^2 \left(\frac{\frac{\sin(dx+c)}{2x^2 d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\operatorname{Si}(dx) \cos(c)}{2} - \frac{\operatorname{Ci}(dx) \sin(c)}{2}}{a} - \frac{\sum_{R1=\operatorname{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-b c^3)} \frac{-\operatorname{Si}(-dx+_R1-c) \cos(_R1)}{_R1^2-2}}{3a} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x^3/(b*x^3+a),x)

[Out] $d^2 (1/a (-1/2 \sin(dx+c)/x^2/d^2 - 1/2 \cos(dx+c)/x/d - 1/2 \operatorname{Si}(dx) \cos(c) - 1/2 \operatorname{Ci}(dx) \sin(c)) - 1/3 a \sum(1/(_R1^2-2*_R1*c+c^2) (-\operatorname{Si}(-dx+_R1-c) \cos(_R1) + \operatorname{Ci}(dx+_R1+c) \sin(_R1)), _R1=\operatorname{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^3/(b*x^3+a),x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)*x^3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x^3 (bx^3 + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^3*(a + b*x^3)),x)

[Out] int(sin(c + d*x)/(x^3*(a + b*x^3)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x**3/(b*x**3+a),x)

[Out] Timed out

$$3.102 \quad \int \frac{x^3 \sin(c+dx)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=714

$$\frac{\sqrt[3]{-1} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{2/3}b^{4/3}} + \frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{2/3}b^{4/3}} + \frac{(-1)^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{2/3}b^{4/3}}$$

[Out] $-1/9*d*\text{Ci}(a^{(1/3)}*d/b^{(1/3)}+d*x)*\cos(c-a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(5/3)}-1/9*(-1)^{(2/3)}*d*\text{Ci}((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(5/3)}+1/9*(-1)^{(1/3)}*d*\text{Ci}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(5/3)}-1/9*(-1)^{(1/3)}*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*\text{Si}(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(2/3)}/b^{(4/3)}+1/9*\cos(c-a^{(1/3)}*d/b^{(1/3)})*\text{Si}(a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(2/3)}/b^{(4/3)}+1/9*(-1)^{(2/3)}*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*\text{Si}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(2/3)}/b^{(4/3)}+1/9*\text{Ci}(a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(2/3)}/b^{(4/3)}+1/9*d*\text{Si}(a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(5/3)}-1/9*(-1)^{(1/3)}*\text{Ci}((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(2/3)}/b^{(4/3)}+1/9*(-1)^{(2/3)}*d*\text{Si}(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(5/3)}+1/9*(-1)^{(2/3)}*\text{Ci}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(2/3)}/b^{(4/3)}-1/9*(-1)^{(1/3)}*d*\text{Si}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(1/3)}/b^{(5/3)}-1/3*x*\sin(d*x+c)/b/(b*x^3+a)$

Rubi [A] time = 1.07, antiderivative size = 714, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 6, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {3343, 3333, 3303, 3299, 3302, 3346}

$$\frac{\sqrt[3]{-1} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{2/3}b^{4/3}} + \frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{2/3}b^{4/3}} + \frac{(-1)^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{2/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x^3)^2,x]

[Out] $-((-1)^{(2/3)}*d*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]/(9*a^{(1/3)}*b^{(5/3)}) - (d*\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]/(9*a^{(1/3)}*b^{(5/3)}) + ((-1)^{(1/3)}*d*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]/(9*a^{(1/3)}*b^{(5/3)}) + (\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/ (9*a^{(2/3)}*b^{(4/3)}) - ((-1)^{(1/3)}*d*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/ (9*a^{(2/3)}*b^{(4/3)}) + ((-1)^{(2/3)}*d*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/ (9*a^{(2/3)}*b^{(4/3)}) - (x*\text{Sin}[c + d*x])/(3*b*(a + b*x^3)) + ((-1)^{(1/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/ (9*a^{(2/3)}*b^{(4/3)}) - ((-1)^{(2/3)}*d*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/ (9*a^{(1/3)}*b^{(5/3)}) + (\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/ (9*a^{(2/3)}*b^{(4/3)}) + (d*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/ (9*a^{(1/3)}*b^{(5/3)}) + ((-1)^{(2/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x])/ (9*a^{(2/3)}*b^{(4/3)}) - ((-1)^{(1/3)}*d*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x])/ (9*a^{(1/3)}*b^{(5/3)})$

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3333

```
Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3343

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)], x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sin(c+dx)}{(a+bx^3)^2} dx &= -\frac{x \sin(c+dx)}{3b(a+bx^3)} + \frac{\int \frac{\sin(c+dx)}{a+bx^3} dx}{3b} + \frac{d \int \frac{x \cos(c+dx)}{a+bx^3} dx}{3b} \\
&= -\frac{x \sin(c+dx)}{3b(a+bx^3)} + \frac{\int \left(-\frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x)} \right) dx}{3b} \\
&= -\frac{x \sin(c+dx)}{3b(a+bx^3)} - \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{9a^{2/3}b} - \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx}{9a^{2/3}b} - \frac{\int \frac{\sin(c+dx)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{9a^{2/3}b} - \frac{d \int \frac{\cos(c+dx)}{\sqrt[3]{a}+\sqrt[3]{b}x} dx}{9\sqrt[3]{a}b} \\
&= -\frac{x \sin(c+dx)}{3b(a+bx^3)} - \frac{\cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}}+dx\right)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{9a^{2/3}b} - \frac{\left(d \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)\right) \int \frac{\cos\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}}+dx\right)}{\sqrt[3]{a}+\sqrt[3]{b}x} dx}{9\sqrt[3]{a}b^{4/3}} \\
&= -\frac{(-1)^{2/3}d \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right)}{9\sqrt[3]{a}b^{5/3}} - \frac{d \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{9\sqrt[3]{a}b^{5/3}} + \dots
\end{aligned}$$

Mathematica [C] time = 0.48, size = 383, normalized size = 0.54

$$\text{RootSum}\left[\#1^3 b + a \&, \frac{\sin(\#1 d + c) \text{Ci}(d(x - \#1)) - i \#1 d \sin(\#1 d + c) \text{Ci}(d(x - \#1)) + i \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + \#1 d \cos(\#1 d + c) \text{Ci}(d(x - \#1)) - i \sin(\#1 d + c) \text{Ci}(d(x - \#1))}{\#1^2}\right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x^3)^2,x]

[Out] (RootSum[a + b*#1^3 &, (I*Cos[c + d*#1]*CosIntegral[d*(x - #1)] + CosIntegral[d*(x - #1)]*Sin[c + d*#1] + Cos[c + d*#1]*SinIntegral[d*(x - #1)] - I*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 &] + RootSum[a + b*#1^3 &, ((-I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] + CosIntegral[d*(x - #1)]*Sin[c + d*#1] + Cos[c + d*#1]*SinIntegral[d*(x - #1)] + I*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 + I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 + I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 &] - (6*b*x*Sin[c + d*x])/(a + b*x^3)/(18*b^2)

fricas [C] time = 0.80, size = 670, normalized size = 0.94

$$12 adx \sin(dx + c) + \left((bx^3 - \sqrt{3}(ibx^3 + ia) + a) \left(\frac{iad^3}{b} \right)^{\frac{2}{3}} - (bx^3 + \sqrt{3}(ibx^3 + ia) + a) \left(\frac{iad^3}{b} \right)^{\frac{1}{3}} \right) \text{Ei}\left(-idx + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] -1/36*(12*a*d*x*sin(d*x + c) + ((b*x^3 - sqrt(3)*(I*b*x^3 + I*a) + a)*(I*a*d^3/b)^(2/3) - (b*x^3 + sqrt(3)*(I*b*x^3 + I*a) + a)*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) + ((b*x^3 - sqrt(3)*(I*b*x^3 + I*a) + a)*(-I*a*d^3/b)

$$\begin{aligned} & \frac{1}{2}(-I*a*d^3/b)^{1/3}*(-I*\sqrt{3}-1)) * e^{1/2*(-I*a*d^3/b)^{1/3}*(I*\sqrt{3}+1)} + I*c) + ((b*x^3 - \sqrt{3}*(-I*b*x^3 - I*a) + a)*(I*a*d^3/b)^{2/3} - (b*x^3 + \sqrt{3}*(-I*b*x^3 - I*a) + a)*(I*a*d^3/b)^{1/3}) * e^{(-I*d*x + 1/2*(I*a*d^3/b)^{1/3}*(I*\sqrt{3}-1)) * e^{1/2*(I*a*d^3/b)^{1/3}*(-I*\sqrt{3}+1)} - I*c) + ((b*x^3 - \sqrt{3}*(-I*b*x^3 - I*a) + a)*(-I*a*d^3/b)^{2/3} - (b*x^3 + \sqrt{3}*(-I*b*x^3 - I*a) + a)*(-I*a*d^3/b)^{1/3}) * e^{(I*d*x + 1/2*(-I*a*d^3/b)^{1/3}*(I*\sqrt{3}-1)) * e^{1/2*(-I*a*d^3/b)^{1/3}*(-I*\sqrt{3}+1)} + I*c) - 2*((b*x^3 + a)*(-I*a*d^3/b)^{2/3} - (b*x^3 + a)*(-I*a*d^3/b)^{1/3}) * e^{(I*d*x + (-I*a*d^3/b)^{1/3}) * e^{(I*c - (-I*a*d^3/b)^{1/3})} - 2*((b*x^3 + a)*(I*a*d^3/b)^{2/3} - (b*x^3 + a)*(I*a*d^3/b)^{1/3}) * e^{(-I*d*x + (I*a*d^3/b)^{1/3}) * e^{(-I*c - (I*a*d^3/b)^{1/3})}} / (a*b^2*d*x^3 + a^2*b*d) \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(dx + c)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] integrate(x^3*sin(d*x + c)/(b*x^3 + a)^2, x)

maple [C] time = 0.11, size = 1185, normalized size = 1.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{d^4}(\sin(dx+c)*(c^2*d^3/a*(dx+c)^2-1/3*d^3*(a*d^3+5*b*c^3)/a/b*(dx+c)-2/3*c*d^3*(a*d^3-b*c^3)/a/b)/((dx+c)^3*b-3*c*(dx+c)^2*b+3*(dx+c)*b*c^2+a*d^3-b*c^3)+1/9*d^3/a/b^2*\sum((3*_R1*b*c^2+a*d^3-b*c^3)/(_R1^2-2*_R1*c+c^2))*(-\text{Si}(-dx+_R1-c)*\cos(_R1)+\text{Ci}(dx-_R1+c)*\sin(_R1)),_R1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/9*d^3/a/b^2*\sum((3*_RR1^2*b*c^2-_RR1*a*d^3-5*_RR1*b*c^3-2*a*c*d^3+2*b*c^4)/(_RR1^2-2*_RR1*c+c^2))*(\text{Si}(-dx+_RR1-c)*\sin(_RR1)+\text{Ci}(dx-_RR1+c)*\cos(_RR1)),_RR1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+\sin(dx+c)*(-2*c^2*d^3/a*(dx+c)^2+3*c^3*d^3/a*(dx+c)+c*d^3*(a*d^3-b*c^3)/a/b)/((dx+c)^3*b-3*c*(dx+c)^2*b+3*(dx+c)*b*c^2+a*d^3-b*c^3)-2/3*c^2*d^3/a/b*\sum(_R1/(_R1^2-2*_R1*c+c^2))*(-\text{Si}(-dx+_R1-c)*\cos(_R1)+\text{Ci}(dx-_R1+c)*\sin(_R1)),_R1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+1/3*c*d^3/a/b^2*\sum((2*_RR1^2*b*c-3*_RR1*b*c^2-a*d^3+b*c^3)/(_RR1^2-2*_RR1*c+c^2))*(\text{Si}(-dx+_RR1-c)*\sin(_RR1)+\text{Ci}(dx-_RR1+c)*\cos(_RR1)),_RR1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))+\sin(dx+c)*(c^2*d^3/a*(dx+c)^2-c^3*d^3/a*(dx+c))/((dx+c)^3*b-3*c*(dx+c)^2*b+3*(dx+c)*b*c^2+a*d^3-b*c^3)+1/3*c^2*d^3/a/b*\sum((_R1+c)/(_R1^2-2*_R1*c+c^2))*(-\text{Si}(-dx+_R1-c)*\cos(_R1)+\text{Ci}(dx-_R1+c)*\sin(_R1)),_R1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/3*c^2*d^3/a/b*\sum(_RR1/(_RR1-c))*(\text{Si}(-dx+_RR1-c)*\sin(_RR1)+\text{Ci}(dx-_RR1+c)*\cos(_RR1)),_RR1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-c^3*d^6*(\sin(dx+c)*(1/3/a/d^3*(dx+c)-1/3*c/a/d^3)/((dx+c)^3*b-3*c*(dx+c)^2*b+3*(dx+c)*b*c^2+a*d^3-b*c^3)+2/9/a/d^3/b*\sum(1/(_R1^2-2*_R1*c+c^2))*(-\text{Si}(-dx+_R1-c)*\cos(_R1)+\text{Ci}(dx-_R1+c)*\sin(_R1)),_R1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/9/a/d^3/b*\sum(1/(_RR1-c))*(\text{Si}(-dx+_RR1-c)*\sin(_RR1)+\text{Ci}(dx-_RR1+c)*\cos(_RR1)),_RR1=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^3*sin(c + d*x))/(a + b*x^3)^2,x)

[Out] int((x^3*sin(c + d*x))/(a + b*x^3)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*sin(d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.103 \quad \int \frac{x^2 \sin(c+dx)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=371

$$\frac{\sqrt[3]{-1} d \cos\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{2/3}b^{4/3}} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{2/3}b^{4/3}} + \frac{(-1)^{2/3} d \cos\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{2/3}b^{4/3}}$$

[Out] $\frac{1}{9} d \cos\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right) + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{2/3}b^{4/3}} + \frac{(-1)^{2/3} d \cos\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{2/3}b^{4/3}}$

Rubi [A] time = 0.62, antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {3341, 3334, 3303, 3299, 3302}

$$\frac{\sqrt[3]{-1} d \cos\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{2/3}b^{4/3}} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{2/3}b^{4/3}} + \frac{(-1)^{2/3} d \cos\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{2/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2 \sin[c + dx]) / (a + bx^3)^2, x]$

[Out] $-\frac{(-1)^{1/3} d \cos\left[c + \frac{(-1)^{1/3} a^{1/3} d}{b^{1/3}}\right] \text{CosIntegral}\left[\frac{(-1)^{1/3} a^{1/3} d}{b^{1/3}} - dx\right]}{9a^{2/3}b^{4/3}} + \frac{d \cos\left[c - \frac{a^{1/3} d}{b^{1/3}}\right] \text{CosIntegral}\left[\frac{a^{1/3} d}{b^{1/3}} + dx\right]}{9a^{2/3}b^{4/3}} + \frac{(-1)^{2/3} d \cos\left[c - \frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}}\right] \text{CosIntegral}\left[\frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}} + dx\right]}{9a^{2/3}b^{4/3}} - \frac{\sin[c + dx]}{3b(a + bx^3)} - \frac{(-1)^{1/3} d \sin\left[c + \frac{(-1)^{1/3} a^{1/3} d}{b^{1/3}}\right] \text{SinIntegral}\left[\frac{(-1)^{1/3} a^{1/3} d}{b^{1/3}} - dx\right]}{9a^{2/3}b^{4/3}} - \frac{d \sin\left[c - \frac{a^{1/3} d}{b^{1/3}}\right] \text{SinIntegral}\left[\frac{a^{1/3} d}{b^{1/3}} + dx\right]}{9a^{2/3}b^{4/3}} - \frac{(-1)^{2/3} d \sin\left[c - \frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}}\right] \text{SinIntegral}\left[\frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}} + dx\right]}{9a^{2/3}b^{4/3}}$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)(x_)] / ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] / ; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)(x_)] / ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] / ; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)(x_)] / ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] / ; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int
[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d},
x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3341

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_
)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)),
x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x],
x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (I
ntegerQ[n] || GtQ[e, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c + dx)}{(a + bx^3)^2} dx &= -\frac{\sin(c + dx)}{3b(a + bx^3)} + \frac{d \int \frac{\cos(c+dx)}{a+bx^3} dx}{3b} \\ &= -\frac{\sin(c + dx)}{3b(a + bx^3)} + \frac{d \int \left(-\frac{\cos(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-\sqrt[3]{b}x)} - \frac{\cos(c+dx)}{3a^{2/3}(-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x)} - \frac{\cos(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x)} \right) dx}{3b} \\ &= -\frac{\sin(c + dx)}{3b(a + bx^3)} - \frac{d \int \frac{\cos(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{9a^{2/3}b} - \frac{d \int \frac{\cos(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx}{9a^{2/3}b} - \frac{d \int \frac{\cos(c+dx)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{9a^{2/3}b} \\ &= -\frac{\sin(c + dx)}{3b(a + bx^3)} - \frac{\left(d \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\cos\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx \right)}{9a^{2/3}b} - \frac{\left(d \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\cos\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx \right)}{9a^{2/3}b} \\ &= -\frac{\sqrt[3]{-1}d \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right)}{9a^{2/3}b^{4/3}} + \frac{d \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{9a^{2/3}b^{4/3}} + \frac{\sin(c + dx)}{3b(a + bx^3)} \end{aligned}$$

Mathematica [C] time = 0.19, size = 214, normalized size = 0.58

$$d\text{RootSum}\left[\#1^3b + a\&, \frac{-i \sin(\#1d+c)\text{Ci}(d(x-\#1))+\cos(\#1d+c)\text{Ci}(d(x-\#1))-\sin(\#1d+c)\text{Si}(d(x-\#1))-i \cos(\#1d+c)\text{Si}(d(x-\#1))}{\#1^2}\&\right] + d\text{Ro}$$

18

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x^3)^2,x]

[Out] (d*RootSum[a + b*#1^3 & , (Cos[c + d*#1]*CosIntegral[d*(x - #1)] - I*CosInt
egral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] -
Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 &] + d*RootSum[a + b*#1^3 & ,
(Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #1)]*Sin[c +
d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegra
l[d*(x - #1)])/#1^2 &] - (6*b*Sin[c + d*x])/(a + b*x^3)/(18*b^2)

fricas [C] time = 0.94, size = 480, normalized size = 1.29

$$\left(-ibx^3 + \sqrt{3}(bx^3 + a) - ia\right) \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} \text{Ei}\left(-idx + \frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (-i\sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} + 1) - ic\right)} + (ibx^3 - \sqrt{3}(bx^3 + a) + ia) \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} \text{Ei}\left(-idx + \frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} - 1)\right) e^{\left(\frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (i\sqrt{3} - 1) - ic\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{36} * ((-I * b * x^3 + \sqrt{3} * (b * x^3 + a) - I * a) * (I * a * d^3 / b)^{1/3} * \text{Ei}(-I * d * x + 1/2 * (I * a * d^3 / b)^{1/3} * (-I * \sqrt{3} - 1)) * e^{1/2 * (I * a * d^3 / b)^{1/3} * (I * \sqrt{3} + 1) - I * c} + (I * b * x^3 - \sqrt{3} * (b * x^3 + a) + I * a) * (-I * a * d^3 / b)^{1/3} * \text{Ei}(I * d * x + 1/2 * (-I * a * d^3 / b)^{1/3} * (-I * \sqrt{3} - 1)) * e^{1/2 * (-I * a * d^3 / b)^{1/3} * (I * \sqrt{3} + 1) + I * c} + (-I * b * x^3 - \sqrt{3} * (b * x^3 + a) - I * a) * (I * a * d^3 / b)^{1/3} * \text{Ei}(-I * d * x + 1/2 * (I * a * d^3 / b)^{1/3} * (I * \sqrt{3} - 1)) * e^{1/2 * (I * a * d^3 / b)^{1/3} * (-I * \sqrt{3} + 1) - I * c} + (I * b * x^3 + \sqrt{3} * (b * x^3 + a) + I * a) * (-I * a * d^3 / b)^{1/3} * \text{Ei}(I * d * x + 1/2 * (-I * a * d^3 / b)^{1/3} * (I * \sqrt{3} - 1)) * e^{1/2 * (-I * a * d^3 / b)^{1/3} * (-I * \sqrt{3} + 1) + I * c} + (-2 * I * b * x^3 - 2 * I * a) * (-I * a * d^3 / b)^{1/3} * \text{Ei}(I * d * x + (-I * a * d^3 / b)^{1/3}) * e^{(I * c - (-I * a * d^3 / b)^{1/3})} + (2 * I * b * x^3 + 2 * I * a) * (I * a * d^3 / b)^{1/3} * \text{Ei}(-I * d * x + (I * a * d^3 / b)^{1/3}) * e^{(-I * c - (I * a * d^3 / b)^{1/3})} - 12 * a * \sin(d * x + c)) / (a * b^2 * x^3 + a^2 * b)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(dx + c)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] integrate(x^2*sin(d*x + c)/(b*x^3 + a)^2, x)

maple [C] time = 0.09, size = 823, normalized size = 2.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(d*x+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{d^3} * (\sin(d * x + c) * (2/3 * c * d^3 / a * (d * x + c)^2 - c^2 * d^3 / a * (d * x + c) - 1/3 * d^3 * (a * d^3 - b * c^3) / a / b) / ((d * x + c)^3 * b - 3 * c * (d * x + c)^2 * b + 3 * (d * x + c) * b * c^2 + a * d^3 - b * c^3) + 2/9 * c * d^3 / a / b * \text{sum}(_R1 / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d * x + _R1 - c) * \cos(_R1) + \text{Ci}(d * x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1/9 * d^3 / a / b^2 * \text{sum}((2 * _RR1^2 * b * c - 3 * _RR1 * b * c^2 - a * d^3 + b * c^3) / (_RR1^2 - 2 * _RR1 * c + c^2) * (\text{Si}(-d * x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d * x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) + \sin(d * x + c) * (-2/3 * c * d^3 / a * (d * x + c)^2 + 2/3 * c^2 * d^3 / a * (d * x + c)) / ((d * x + c)^3 * b - 3 * c * (d * x + c)^2 * b + 3 * (d * x + c) * b * c^2 + a * d^3 - b * c^3) - 2/9 * c * d^3 / a / b * \text{sum}((_R1 + c) / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d * x + _R1 - c) * \cos(_R1) + \text{Ci}(d * x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) + 2/9 * c * d^3 / a / b * \text{sum}(_RR1 / (_RR1 - c) * (\text{Si}(-d * x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d * x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) + c^2 * d^6 * (\sin(d * x + c) * (1/3 * a / d^3 * (d * x + c) - 1/3 * c / a / d^3) / ((d * x + c)^3 * b - 3 * c * (d * x + c)^2 * b + 3 * (d * x + c) * b * c^2 + a * d^3 - b * c^3) + 2/9 * a / d^3 / b * \text{sum}(1 / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d * x + _R1 - c) * \cos(_R1) + \text{Ci}(d * x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1/9 * a / d^3 / b * \text{sum}(1 / (_RR1 - c) * (\text{Si}(-d * x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d * x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x^2*sin(c + d*x))/(a + b*x^3)^2,x)

[Out] int((x^2*sin(c + d*x))/(a + b*x^3)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.104 \quad \int \frac{x \sin(c+dx)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=691

$$\frac{(-1)^{2/3} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \operatorname{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3}b^{2/3}} - \frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \operatorname{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{4/3}b^{2/3}} + \frac{\sqrt[3]{-1} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \operatorname{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{4/3}b^{2/3}}$$

[Out] $-1/9*d*\operatorname{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\cos(c-a^{1/3}*d/b^{1/3})/a/b-1/9*d*\operatorname{Ci}((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a/b-1/9*d*\operatorname{Ci}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a/b-1/9*(-1)^{2/3}*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})*\operatorname{Si}(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)/a^{4/3}/b^{2/3}-1/9*\cos(c-a^{1/3}*d/b^{1/3})*\operatorname{Si}(a^{1/3}*d/b^{1/3}+d*x)/a^{4/3}/b^{2/3}+1/9*(-1)^{1/3}*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})*\operatorname{Si}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)/a^{4/3}/b^{2/3}-1/9*\operatorname{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}+1/9*d*\operatorname{Si}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a/b-1/9*(-1)^{2/3}*\operatorname{Ci}((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}+1/9*d*\operatorname{Si}(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a/b+1/9*(-1)^{1/3}*\operatorname{Ci}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}+1/9*d*\operatorname{Si}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a/b+1/3*\sin(d*x+c)/a/b/x-1/3*\sin(d*x+c)/b/x/(b*x^3+a)$

Rubi [A] time = 1.30, antiderivative size = 691, normalized size of antiderivative = 1.00, number of steps used = 34, number of rules used = 7, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {3343, 3345, 3297, 3303, 3299, 3302, 3346}

$$\frac{(-1)^{2/3} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \operatorname{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3}b^{2/3}} - \frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{4/3}b^{2/3}} + \frac{\sqrt[3]{-1} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{4/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(x*\operatorname{Sin}[c + d*x])/(a + b*x^3)^2, x]$

[Out] $-(d*\operatorname{Cos}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{CosIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x]/(9*a*b) - (d*\operatorname{Cos}[c - (a^{1/3}*d)/b^{1/3}])* \operatorname{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]/(9*a*b) - (d*\operatorname{Cos}[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{CosIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x]/(9*a*b) - (\operatorname{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]*\operatorname{Sin}[c - (a^{1/3}*d)/b^{1/3}])/(9*a^{4/3}*b^{2/3}) - ((-1)^{2/3}*\operatorname{CosIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x]*\operatorname{Sin}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])/(9*a^{4/3}*b^{2/3}) + ((-1)^{1/3}*\operatorname{CosIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x]*\operatorname{Sin}[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])/(9*a^{4/3}*b^{2/3}) + \operatorname{Sin}[c + d*x]/(3*a*b*x) - \operatorname{Sin}[c + d*x]/(3*b*x*(a + b*x^3)) + ((-1)^{2/3}*\operatorname{Cos}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{SinIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x]/(9*a^{4/3}*b^{2/3}) - (d*\operatorname{Sin}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{SinIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x]/(9*a*b) - (\operatorname{Cos}[c - (a^{1/3}*d)/b^{1/3}])* \operatorname{SinIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]/(9*a^{4/3}*b^{2/3}) + (d*\operatorname{Sin}[c - (a^{1/3}*d)/b^{1/3}])* \operatorname{SinIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]/(9*a*b) + ((-1)^{1/3}*\operatorname{Cos}[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{SinIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x]/(9*a^{4/3}*b^{2/3}) + (d*\operatorname{Sin}[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{SinIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x]/(9*a*b)$

Rule 3297

$\operatorname{Int}[(c_.* + (d_.*)(x_*)^{(m_*)}*\operatorname{sin}[(e_.* + (f_.*)(x_*)], x_Symbol] :> \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c$

+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3343

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]

Rule 3345

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rule 3346

Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \int \frac{x \sin(c + dx)}{(a + bx^3)^2} dx &= -\frac{\sin(c + dx)}{3bx(a + bx^3)} - \frac{\int \frac{\sin(c+dx)}{x^2(a+bx^3)} dx}{3b} + \frac{d \int \frac{\cos(c+dx)}{x(a+bx^3)} dx}{3b} \\
 &= -\frac{\sin(c + dx)}{3bx(a + bx^3)} - \frac{\int \left(\frac{\sin(c+dx)}{ax^2} - \frac{bx \sin(c+dx)}{a(a+bx^3)} \right) dx}{3b} + \frac{d \int \left(\frac{\cos(c+dx)}{ax} - \frac{bx^2 \cos(c+dx)}{a(a+bx^3)} \right) dx}{3b} \\
 &= -\frac{\sin(c + dx)}{3bx(a + bx^3)} + \frac{\int \frac{x \sin(c+dx)}{a+bx^3} dx}{3a} - \frac{\int \frac{\sin(c+dx)}{x^2} dx}{3ab} - \frac{d \int \frac{x^2 \cos(c+dx)}{a+bx^3} dx}{3a} + \frac{d \int \frac{\cos(c+dx)}{x} dx}{3ab} \\
 &= \frac{\sin(c + dx)}{3abx} - \frac{\sin(c + dx)}{3bx(a + bx^3)} + \frac{\int \left(-\frac{\sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + \sqrt[3]{b}x)} - \frac{(-1)^{2/3} \sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x)} + \frac{\sqrt[3]{-1} \sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a} + \sqrt[3]{-1}\sqrt[3]{b}x)} \right) dx}{3a} \\
 &= \frac{d \cos(c) \text{Ci}(dx)}{3ab} + \frac{\sin(c + dx)}{3abx} - \frac{\sin(c + dx)}{3bx(a + bx^3)} - \frac{d \sin(c) \text{Si}(dx)}{3ab} - \frac{\int \frac{\sin(c+dx)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{4/3}\sqrt[3]{b}} + \frac{\sqrt[3]{-1} \int \frac{\sin(c+dx)}{\sqrt[3]{a} - \sqrt[3]{-1}\sqrt[3]{b}x} dx}{9a^{4/3}\sqrt[3]{b}} \\
 &= \frac{\sin(c + dx)}{3abx} - \frac{\sin(c + dx)}{3bx(a + bx^3)} - \frac{\cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \int \frac{\sin\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9a^{4/3}\sqrt[3]{b}} - \frac{\left(d \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)\right) \int \frac{\cos\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{9ab^{2/3}} \\
 &= -\frac{d \cos\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{a}d}{\sqrt[3]{b}} - dx\right)}{9ab} - \frac{d \cos\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right)}{9ab} - \frac{d \cos\left(c - \frac{(-1)^{2/3}d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{(-1)^{2/3}d}{\sqrt[3]{b}} - dx\right)}{9ab}
 \end{aligned}$$

Mathematica [C] time = 0.22, size = 408, normalized size = 0.59

$$(a + bx^3) \text{RootSum}\left[\#1^3 b + a \&, \frac{-\sin(\#1 d + c) \text{Ci}(d(x - \#1)) - i \#1 d \sin(\#1 d + c) \text{Ci}(d(x - \#1)) - i \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + \#1 d \cos(\#1 d + c) \text{Ci}(d(x - \#1))}{\#1 \&}\right]$$

Warning: Unable to verify antiderivative.

```

[In] Integrate[(x*Sin[c + d*x])/(a + b*x^3)^2,x]
[Out] -1/18*((a + b*x^3)*RootSum[a + b*#1^3 & , ((-I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - CosIntegral[d*(x - #1)]*Sin[c + d*#1] - Cos[c + d*#1]*SinIntegral[d*(x - #1)] + I*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1 & ] + (a + b*x^3)*RootSum[a + b*#1^3 & , (I*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - CosIntegral[d*(x - #1)]*Sin[c + d*#1] - Cos[c + d*#1]*SinIntegral[d*(x - #1)] - I*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 + I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 + I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1 & ] - 6*b*x^2*Sin[c + d*x])/(a*b*(a + b*x^3))
    
```

fricas [C] time = 0.71, size = 661, normalized size = 0.96

$$12abd^2x^2 \sin(dx + c) - \left(2abd^3x^3 + 2a^2d^3 - (-ib^2x^3 - iab - \sqrt{3}(b^2x^3 + ab)) \left(\frac{iad^3}{b}\right)^{\frac{2}{3}} \right) \text{Ei}\left(-idx + \frac{1}{2} \left(\frac{iad^3}{b}\right)^{\frac{1}{3}} (-i\sqrt{3} - 1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{36} \cdot (12 \cdot a \cdot b \cdot d^2 \cdot x^2 \cdot \sin(dx + c) - (2 \cdot a \cdot b \cdot d^3 \cdot x^3 + 2 \cdot a^2 \cdot d^3 - (-I \cdot b^2 \cdot x^3 - I \cdot a \cdot b - \sqrt{3}) \cdot (b^2 \cdot x^3 + a \cdot b)) \cdot (I \cdot a \cdot d^3 / b)^{2/3}) \cdot \text{Ei}(-I \cdot d \cdot x + 1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) + 1} - I \cdot c) - (2 \cdot a \cdot b \cdot d^3 \cdot x^3 + 2 \cdot a^2 \cdot d^3 - (I \cdot b^2 \cdot x^3 + I \cdot a \cdot b + \sqrt{3}) \cdot (b^2 \cdot x^3 + a \cdot b)) \cdot (-I \cdot a \cdot d^3 / b)^{2/3}) \cdot \text{Ei}(I \cdot d \cdot x + 1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) + 1} + I \cdot c) - (2 \cdot a \cdot b \cdot d^3 \cdot x^3 + 2 \cdot a^2 \cdot d^3 - (-I \cdot b^2 \cdot x^3 - I \cdot a \cdot b + \sqrt{3}) \cdot (b^2 \cdot x^3 + a \cdot b)) \cdot (I \cdot a \cdot d^3 / b)^{2/3}) \cdot \text{Ei}(-I \cdot d \cdot x + 1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) - 1) \cdot e^{1/2 \cdot (I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) - 1} - I \cdot c) - (2 \cdot a \cdot b \cdot d^3 \cdot x^3 + 2 \cdot a^2 \cdot d^3 - (I \cdot b^2 \cdot x^3 + I \cdot a \cdot b - \sqrt{3}) \cdot (b^2 \cdot x^3 + a \cdot b)) \cdot (-I \cdot a \cdot d^3 / b)^{2/3}) \cdot \text{Ei}(I \cdot d \cdot x + 1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (-I \cdot \sqrt{3}) + 1) \cdot e^{1/2 \cdot (-I \cdot a \cdot d^3 / b)^{1/3} \cdot (I \cdot \sqrt{3}) + 1} + I \cdot c) - (2 \cdot a \cdot b \cdot d^3 \cdot x^3 + 2 \cdot a^2 \cdot d^3 - (-2 \cdot I \cdot b^2 \cdot x^3 - 2 \cdot I \cdot a \cdot b) \cdot (-I \cdot a \cdot d^3 / b)^{2/3}) \cdot \text{Ei}(I \cdot d \cdot x + (-I \cdot a \cdot d^3 / b)^{1/3}) \cdot e^{I \cdot c - (-I \cdot a \cdot d^3 / b)^{1/3}} - (2 \cdot a \cdot b \cdot d^3 \cdot x^3 + 2 \cdot a^2 \cdot d^3 - (2 \cdot I \cdot b^2 \cdot x^3 + 2 \cdot I \cdot a \cdot b) \cdot (I \cdot a \cdot d^3 / b)^{2/3}) \cdot \text{Ei}(-I \cdot d \cdot x + (I \cdot a \cdot d^3 / b)^{1/3}) \cdot e^{-I \cdot c - (I \cdot a \cdot d^3 / b)^{1/3}}) / (a^2 \cdot b^2 \cdot d^2 \cdot x^3 + a^3 \cdot b \cdot d^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(dx + c)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] integrate(x*sin(d*x + c)/(b*x^3 + a)^2, x)

maple [C] time = 0.07, size = 508, normalized size = 0.74

$$\frac{\sin(dx+c) \left(\frac{d^3(dx+c)^2}{3a} - \frac{c d^3(dx+c)}{3a} \right)}{(dx+c)^3 b - 3c(dx+c)^2 b + 3(dx+c) b c^2 + a d^3 - b c^3} + \frac{d^3 \left(\sum_{_R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \frac{(_R1+c)(-\text{Si}(-dx+_R1-c)\cos(_R1)+\text{Ci}(dx-_R1+c)\sin(_R1))}{_R1^2-2_R1c+c^2} \right)}{9ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(d*x+c)/(b*x^3+a)^2,x)

[Out] $\frac{1}{d^2} \cdot (\sin(dx + c) \cdot (1/3 \cdot d^3 / a \cdot (dx + c)^2 - 1/3 \cdot c \cdot d^3 / a \cdot (dx + c)) / ((dx + c)^3 \cdot b - 3 \cdot c \cdot (dx + c)^2 \cdot b + 3 \cdot (dx + c) \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3) + 1/9 \cdot d^3 / a / b \cdot \text{sum}((_R1 + c) / (_R1^2 - 2 \cdot _R1 \cdot c + c^2) \cdot (-\text{Si}(-dx + _R1 - c) \cdot \cos(_R1) + \text{Ci}(dx - _R1 + c) \cdot \sin(_R1))), _R1 = \text{RootOf}(_Z^3 \cdot b - 3 \cdot _Z^2 \cdot b \cdot c + 3 \cdot _Z \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3)) - 1/9 \cdot d^3 / a / b \cdot \text{sum}(_RR1 / (_RR1 - c) \cdot (\text{Si}(-dx + _RR1 - c) \cdot \sin(_RR1) + \text{Ci}(dx - _RR1 + c) \cdot \cos(_RR1))), _RR1 = \text{RootOf}(_Z^3 \cdot b - 3 \cdot _Z^2 \cdot b \cdot c + 3 \cdot _Z \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3)) - c \cdot d^6 \cdot (\sin(dx + c) \cdot (1/3 \cdot a / d^3 \cdot (dx + c) - 1/3 \cdot c \cdot a / d^3) / ((dx + c)^3 \cdot b - 3 \cdot c \cdot (dx + c)^2 \cdot b + 3 \cdot (dx + c) \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3) + 2/9 \cdot a / d^3 / b \cdot \text{sum}(1 / (_R1^2 - 2 \cdot _R1 \cdot c + c^2) \cdot (-\text{Si}(-dx + _R1 - c) \cdot \cos(_R1) + \text{Ci}(dx - _R1 + c) \cdot \sin(_R1))), _R1 = \text{RootOf}(_Z^3 \cdot b - 3 \cdot _Z^2 \cdot b \cdot c + 3 \cdot _Z \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3)) - 1/9 \cdot a / d^3 / b \cdot \text{sum}(1 / (_RR1 - c) \cdot (\text{Si}(-dx + _RR1 - c) \cdot \sin(_RR1) + \text{Ci}(dx - _RR1 + c) \cdot \cos(_RR1))), _RR1 = \text{RootOf}(_Z^3 \cdot b - 3 \cdot _Z^2 \cdot b \cdot c + 3 \cdot _Z \cdot b \cdot c^2 + a \cdot d^3 - b \cdot c^3))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \sin(c + dx)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*sin(c + d*x))/(a + b*x^3)^2,x)

[Out] int((x*sin(c + d*x))/(a + b*x^3)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.105 \quad \int \frac{\sin(c+dx)}{(a+bx^3)^2} dx$$

Optimal. Leaf size=735

$$\frac{(-1)^{2/3} d \cos\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3}b^{2/3}} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{4/3}b^{2/3}} - \frac{\sqrt[3]{-1} d \cos\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3}b^{2/3}}$$

[Out] $1/9*d*\text{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\cos(c-a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}+1/9*(-1)^{(2/3)}*d*\text{Ci}((-1)^{(1/3)}*a^{1/3}*d/b^{1/3}-d*x)*\cos(c+(-1)^{(1/3)}*a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}-1/9*(-1)^{(1/3)}*d*\text{Ci}((-1)^{(2/3)}*a^{1/3}*d/b^{1/3}+d*x)*\cos(c-(-1)^{(2/3)}*a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}-2/9*(-1)^{(1/3)}*\cos(c+(-1)^{(1/3)}*a^{1/3}*d/b^{1/3})*\text{Si}(-(-1)^{(1/3)}*a^{1/3}*d/b^{1/3}+d*x)/a^{5/3}/b^{1/3}+2/9*\cos(c-a^{1/3}*d/b^{1/3})*\text{Si}(a^{1/3}*d/b^{1/3}+d*x)/a^{5/3}/b^{1/3}+2/9*(-1)^{(2/3)}*\cos(c-(-1)^{(2/3)}*a^{1/3}*d/b^{1/3})*\text{Si}((-1)^{(2/3)}*a^{1/3}*d/b^{1/3}+d*x)/a^{5/3}/b^{1/3}+2/9*\text{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}-1/9*d*\text{Si}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}-2/9*(-1)^{(1/3)}*\text{Ci}((-1)^{(1/3)}*a^{1/3}*d/b^{1/3}-d*x)*\sin(c+(-1)^{(1/3)}*a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}-1/9*(-1)^{(2/3)}*d*\text{Si}(-(-1)^{(1/3)}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c+(-1)^{(1/3)}*a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}+2/9*(-1)^{(2/3)}*\text{Ci}((-1)^{(2/3)}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{(2/3)}*a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}+1/9*(-1)^{(1/3)}*d*\text{Si}((-1)^{(2/3)}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{(2/3)}*a^{1/3}*d/b^{1/3})/a^{4/3}/b^{2/3}+1/3*\sin(d*x+c)/a/b/x^2-1/3*\sin(d*x+c)/b/x^2/(b*x^3+a)$

Rubi [A] time = 1.34, antiderivative size = 735, normalized size of antiderivative = 1.00, number of steps used = 36, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3331, 3345, 3297, 3303, 3299, 3302, 3333, 3346}

$$\frac{(-1)^{2/3} d \cos\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3}b^{2/3}} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{4/3}b^{2/3}} - \frac{\sqrt[3]{-1} d \cos\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3}b^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*x^3)^2, x]

[Out] $((-1)^{(2/3)}*d*\text{Cos}[c + ((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3}]*\text{CosIntegral}[((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3} - d*x])/(9*a^{4/3}*b^{2/3}) + (d*\text{Cos}[c - (a^{1/3}*d)/b^{1/3}]*\text{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{4/3}*b^{2/3}) - ((-1)^{(1/3)}*d*\text{Cos}[c - ((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3}]*\text{CosIntegral}[((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{4/3}*b^{2/3}) + (2*\text{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]*\text{Sin}[c - (a^{1/3}*d)/b^{1/3}])/(9*a^{5/3}*b^{1/3}) - (2*(-1)^{(1/3)}*\text{CosIntegral}[((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3} - d*x]*\text{Sin}[c + ((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3}])/(9*a^{5/3}*b^{1/3}) + (2*(-1)^{(2/3)}*\text{CosIntegral}[((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3} + d*x]*\text{Sin}[c - ((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3}])/(9*a^{5/3}*b^{1/3}) + \text{Sin}[c + d*x]/(3*a*b*x^2) - \text{Sin}[c + d*x]/(3*b*x^2*(a + b*x^3)) + (2*(-1)^{(1/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3} - d*x])/(9*a^{5/3}*b^{1/3}) + ((-1)^{(2/3)}*d*\text{Sin}[c + ((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{1/3}*d)/b^{1/3} - d*x])/(9*a^{4/3}*b^{2/3}) + (2*\text{Cos}[c - (a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[(a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{5/3}*b^{1/3}) - (d*\text{Sin}[c - (a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[(a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{4/3}*b^{2/3}) + (2*(-1)^{(2/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{5/3}*b^{1/3}) + ((-1)^{(1/3)}*d*\text{Sin}[c - ((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{4/3}*b^{2/3})$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3331

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(-n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1)), x] + (-Dist[(-n + 1)/(b*n*(p + 1)), Int[((a + b*x^n)^(p + 1)*Sin[c + d*x])/x^n, x], x] - Dist[d/(b*n*(p + 1)), Int[x^(-n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d}, x] && ILtQ[p, -1] && IGtQ[n, 2]
```

Rule 3333

```
Int[((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)], x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{(a+bx^3)^2} dx &= -\frac{\sin(c+dx)}{3bx^2(a+bx^3)} - \frac{2 \int \frac{\sin(c+dx)}{x^3(a+bx^3)} dx}{3b} + \frac{d \int \frac{\cos(c+dx)}{x^2(a+bx^3)} dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^2(a+bx^3)} - \frac{2 \int \left(\frac{\sin(c+dx)}{ax^3} - \frac{b \sin(c+dx)}{a(a+bx^3)} \right) dx}{3b} + \frac{d \int \left(\frac{\cos(c+dx)}{ax^2} - \frac{bx \cos(c+dx)}{a(a+bx^3)} \right) dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^2(a+bx^3)} + \frac{2 \int \frac{\sin(c+dx)}{a+bx^3} dx}{3a} - \frac{2 \int \frac{\sin(c+dx)}{x^3} dx}{3ab} - \frac{d \int \frac{x \cos(c+dx)}{a+bx^3} dx}{3a} + \frac{d \int \frac{\cos(c+dx)}{x^2} dx}{3ab} \\
&= -\frac{d \cos(c+dx)}{3abx} + \frac{\sin(c+dx)}{3abx^2} - \frac{\sin(c+dx)}{3bx^2(a+bx^3)} + \frac{2 \int \left(-\frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-\sqrt[3]{b}x)} - \frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{a})} \right) dx}{3a} \\
&= \frac{\sin(c+dx)}{3abx^2} - \frac{\sin(c+dx)}{3bx^2(a+bx^3)} - \frac{2 \int \frac{\sin(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{9a^{5/3}} - \frac{2 \int \frac{\sin(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{b}x} dx}{9a^{5/3}} - \frac{2 \int \frac{\sin(c+dx)}{-\sqrt[3]{a}-(-1)^{2/3}\sqrt[3]{b}x} dx}{9a^{5/3}} \\
&= -\frac{d^2 \text{Ci}(dx) \sin(c)}{3ab} + \frac{\sin(c+dx)}{3abx^2} - \frac{\sin(c+dx)}{3bx^2(a+bx^3)} - \frac{d^2 \cos(c) \text{Si}(dx)}{3ab} + \frac{(d^2 \cos(c)) \int \frac{\sin(dx)}{x}}{3ab} \\
&= \frac{(-1)^{2/3} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{4/3} b^{2/3}} + \frac{d \cos\left(c - \frac{\sqrt[3]{a} d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{a} d}{\sqrt[3]{b}} + dx\right)}{9a^{4/3} b^{2/3}} - \frac{\sqrt[3]{-1} d}{9a^{4/3} b^{2/3}}
\end{aligned}$$

Mathematica [C] time = 0.23, size = 406, normalized size = 0.55

$$(a+bx^3) \text{RootSum}\left[\#1^3 b + a \&, \frac{-2 \sin(\#1 d + c) \text{Ci}(d(x-\#1)) - i \#1 d \sin(\#1 d + c) \text{Ci}(d(x-\#1)) - 2i \cos(\#1 d + c) \text{Ci}(d(x-\#1)) + \#1 d \cos(\#1 d + c)}{\#1^2}\right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(a + b*x^3)^2, x]

[Out] $-1/18*((a + b*x^3)*\text{RootSum}[a + b*\#1^3 \&, ((-2*I)*\text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] - 2*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] - 2*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] + (2*I)*\text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] + d*\text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)]*\#1 - I*d*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1]*\#1 - I*d*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)]*\#1 - d*\text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)]*\#1)/\#1^2 \&] + (a + b*x^3)*\text{RootSum}[a + b*\#1^3 \&, ((2*I)*\text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] - 2*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] - 2*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - (2*I)*\text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] + d*\text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)]*\#1 + I*d*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1]*\#1 + I*d*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)]*\#1 - d*\text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)]*\#1)/\#1^2 \&] - 6*b*x*\text{Sin}[c + d*x]/(a*b*(a + b*x^3))$

fricas [C] time = 0.91, size = 673, normalized size = 0.92

$$12 adx \sin(dx + c) + \left((bx^3 + \sqrt{3}(-ibx^3 - ia) + a) \left(\frac{iad^3}{b} \right)^{\frac{2}{3}} + (2bx^3 + \sqrt{3}(2ibx^3 + 2ia) + 2a) \left(\frac{iad^3}{b} \right)^{\frac{1}{3}} \right) \text{Ei}\left(-i\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\frac{1}{36} \left(12 a d x \sin(d x + c) + ((b x^3 + \sqrt{3})(-I b x^3 - I a) + a) (I a d^3/b)^{2/3} + (2 b x^3 + \sqrt{3})(2 I b x^3 + 2 I a) + 2 a \right) (I a d^3/b)^{1/3} \operatorname{Ei}(-I d x + 1/2 (I a d^3/b)^{1/3} (-I \sqrt{3} - 1)) e^{1/2 (I a d^3/b)^{1/3} (I \sqrt{3} + 1) - I c} + ((b x^3 + \sqrt{3})(-I b x^3 - I a) + a) (-I a d^3/b)^{2/3} + (2 b x^3 + \sqrt{3})(2 I b x^3 + 2 I a) + 2 a \right) (-I a d^3/b)^{1/3} \operatorname{Ei}(I d x + 1/2 (-I a d^3/b)^{1/3} (-I \sqrt{3} - 1)) e^{1/2 (-I a d^3/b)^{1/3} (I \sqrt{3} + 1) + I c} + ((b x^3 + \sqrt{3})(I b x^3 + I a) + a) (I a d^3/b)^{2/3} + (2 b x^3 + \sqrt{3})(-2 I b x^3 - 2 I a) + 2 a \right) (I a d^3/b)^{1/3} \operatorname{Ei}(-I d x + 1/2 (I a d^3/b)^{1/3} (I \sqrt{3} - 1)) e^{1/2 (I a d^3/b)^{1/3} (-I \sqrt{3} + 1) - I c} + ((b x^3 + \sqrt{3})(I b x^3 + I a) + a) (-I a d^3/b)^{2/3} + (2 b x^3 + \sqrt{3})(-2 I b x^3 - 2 I a) + 2 a \right) (-I a d^3/b)^{1/3} \operatorname{Ei}(I d x + 1/2 (-I a d^3/b)^{1/3} (I \sqrt{3} - 1)) e^{1/2 (-I a d^3/b)^{1/3} (-I \sqrt{3} + 1) + I c} - 2 \left((b x^3 + a) (-I a d^3/b)^{2/3} + 2 (b x^3 + a) (-I a d^3/b)^{1/3} \right) \operatorname{Ei}(I d x + (-I a d^3/b)^{1/3}) e^{(I c - (-I a d^3/b)^{1/3})} - 2 \left((b x^3 + a) (I a d^3/b)^{2/3} + 2 (b x^3 + a) (I a d^3/b)^{1/3} \right) \operatorname{Ei}(-I d x + (I a d^3/b)^{1/3}) e^{(-I c - (I a d^3/b)^{1/3})} \right) / (a^2 b d x^3 + a^3 d)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a)^2,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/(b*x^3 + a)^2, x)

maple [C] time = 0.05, size = 248, normalized size = 0.34

$$d^5 \left(\frac{\sin(dx+c) \left(\frac{dx+c}{3ad^3} - \frac{c}{3ad^3} \right)}{(dx+c)^3 b - 3c(dx+c)^2 b + 3(dx+c)bc^2 + ad^3 - bc^3} + \frac{2 \sum_{-R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+a d^3-bc^3)} \frac{-\operatorname{Si}(-dx+_R1-c)}{9a d^3 b}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x^3+a)^2,x)

[Out]
$$d^5 \left(\frac{\sin(d x + c) \left(\frac{1}{3} \frac{d x + c}{a d^3} - \frac{1}{3} \frac{c}{a d^3} \right)}{\left((d x + c)^3 b - 3 c (d x + c)^2 b + 3 (d x + c) b c^2 + a d^3 - b c^3 \right)} + \frac{2 \sum_{-R1=\text{RootOf}(Z^3 b - 3 c b Z^2 + 3 b c^2 Z + a d^3 - b c^3)} \frac{-\operatorname{Si}(-d x + _R1 - c) \cos(_R1) + \operatorname{Ci}(d x - _R1 + c) \sin(_R1)}{9 a d^3 b}}{\dots} \right)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a)^2,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/(b*x^3 + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(a + b*x^3)^2,x)

[Out] int(sin(c + d*x)/(a + b*x^3)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x**3+a)**2,x)

[Out] Timed out

$$3.106 \quad \int \frac{\sin(c+dx)}{x(a+bx^3)^2} dx$$

Optimal. Leaf size=693

$$\frac{\sqrt[3]{-1} d \cos\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{5/3} \sqrt[3]{b}} - \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{5/3} \sqrt[3]{b}} - \frac{(-1)^{2/3} d \cos\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{5/3} \sqrt[3]{b}}$$

[Out] $-1/9*d*Ci(a^{1/3}*d/b^{1/3}+d*x)*\cos(c-a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}+1/9*(-1)^{1/3}*d*Ci((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}-1/9*(-1)^{2/3}*d*Ci((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}+\cos(c)*Si(d*x)/a^{2-1/3}*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})*Si(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)/a^{2-1/3}*\cos(c-a^{1/3}*d/b^{1/3})*Si(a^{1/3}*d/b^{1/3}+d*x)/a^{2-1/3}*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})*Si((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)/a^{2+1/3}+Ci(d*x)*\sin(c)/a^{2-1/3}+Ci(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{2+1/3}+1/9*d*Si(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}-1/3*Ci((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{2-1/3}+1/9*(-1)^{1/3}*d*Si(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}-1/3*Ci((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{2+1/3}+1/9*(-1)^{2/3}*d*Si((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{5/3}/b^{1/3}+1/3*\sin(d*x+c)/a/b/x^3-1/3*\sin(d*x+c)/b/x^3/(b*x^3+a)$

Rubi [A] time = 1.48, antiderivative size = 693, normalized size of antiderivative = 1.00, number of steps used = 41, number of rules used = 8, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {3343, 3345, 3297, 3303, 3299, 3302, 3346, 3334}

$$\frac{\sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{3a^2} - \frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3a^2} - \frac{\sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{3a^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x*(a + b*x^3)^2), x]

[Out] $((-1)^{1/3}*d*\cos[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}]*\text{CosIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x])/(9*a^{5/3}*b^{1/3}) - (d*\cos[c - (a^{1/3}*d)/b^{1/3}]*\text{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{5/3}*b^{1/3}) - ((-1)^{2/3}*d*\cos[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}]*\text{CosIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{5/3}*b^{1/3}) + (\text{CosIntegral}[d*x]*\sin[c])/a^2 - (\text{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]*\sin[c - (a^{1/3}*d)/b^{1/3}])/(3*a^2) - (\text{CosIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x]*\sin[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])/(3*a^2) - (\text{CosIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x]*\sin[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])/(3*a^2) + \sin[c + d*x]/(3*a*b*x^3) - \sin[c + d*x]/(3*b*x^3*(a + b*x^3)) + (\cos[c]*\text{SinIntegral}[d*x])/a^2 + (\cos[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x])/(3*a^2) + ((-1)^{1/3}*d*\sin[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x])/(9*a^{5/3}*b^{1/3}) - (\cos[c - (a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[(a^{1/3}*d)/b^{1/3} + d*x])/(3*a^2) + (d*\sin[c - (a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[(a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{5/3}*b^{1/3}) - (\cos[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x])/(3*a^2) + ((-1)^{2/3}*d*\sin[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}]*\text{SinIntegral}[((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x])/(9*a^{5/3}*b^{1/3})$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3343

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x(a+bx^3)^2} dx &= -\frac{\sin(c+dx)}{3bx^3(a+bx^3)} - \frac{\int \frac{\sin(c+dx)}{x^4(a+bx^3)} dx}{b} + \frac{d \int \frac{\cos(c+dx)}{x^3(a+bx^3)} dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^3(a+bx^3)} - \frac{\int \left(\frac{\sin(c+dx)}{ax^4} - \frac{b \sin(c+dx)}{a^2x} + \frac{b^2x^2 \sin(c+dx)}{a^2(a+bx^3)} \right) dx}{b} + \frac{d \int \left(\frac{\cos(c+dx)}{ax^3} - \frac{b \cos(c+dx)}{a(a+bx^3)} \right) dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^3(a+bx^3)} + \frac{\int \frac{\sin(c+dx)}{x} dx}{a^2} - \frac{\int \frac{\sin(c+dx)}{x^4} dx}{ab} - \frac{b \int \frac{x^2 \sin(c+dx)}{a+bx^3} dx}{a^2} - \frac{d \int \frac{\cos(c+dx)}{a+bx^3} dx}{3a} + \frac{d \int \frac{\cos(c+dx)}{a+bx^3} dx}{3a} \\
&= -\frac{d \cos(c+dx)}{6abx^2} + \frac{\sin(c+dx)}{3abx^3} - \frac{\sin(c+dx)}{3bx^3(a+bx^3)} - \frac{b \int \left(\frac{\sin(c+dx)}{3b^{2/3}(\sqrt[3]{a} + \sqrt[3]{b}x)} + \frac{\sin(c+dx)}{3b^{2/3}(-\sqrt[3]{-1} \sqrt[3]{a} + \sqrt[3]{b}x)} \right) dx}{a^2} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a^2} + \frac{\sin(c+dx)}{3abx^3} + \frac{d^2 \sin(c+dx)}{6abx} - \frac{\sin(c+dx)}{3bx^3(a+bx^3)} + \frac{\cos(c) \text{Si}(dx)}{a^2} - \frac{\sqrt[3]{b} \int \frac{\sin(c+dx)}{\sqrt[3]{a} + \sqrt[3]{b}x} dx}{3a^2} \\
&= \frac{\text{Ci}(dx) \sin(c)}{a^2} + \frac{\sin(c+dx)}{3abx^3} - \frac{\sin(c+dx)}{3bx^3(a+bx^3)} + \frac{\cos(c) \text{Si}(dx)}{a^2} + \frac{d^3 \int \frac{\cos(c+dx)}{x} dx}{6ab} - \frac{(d^3 \cos(c) \text{Ci}(dx))}{6ab} \\
&= -\frac{d^3 \cos(c) \text{Ci}(dx)}{6ab} + \frac{\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{5/3} \sqrt[3]{b}} - \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{5/3} \sqrt[3]{b}} \\
&= \frac{\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{5/3} \sqrt[3]{b}} - \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{5/3} \sqrt[3]{b}} - \frac{(-1)^{2/3} d \cos(c) \text{Ci}(dx)}{9a^{5/3} \sqrt[3]{b}}
\end{aligned}$$

Mathematica [C] time = 0.89, size = 446, normalized size = 0.64

$$-\frac{1}{2}i\text{RootSum}\left[\#1^3b+a\&, -i\sin(\#1d+c)\text{Ci}(d(x-\#1)) + \cos(\#1d+c)\text{Ci}(d(x-\#1)) - \sin(\#1d+c)\text{Si}(d(x-\#1))\right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x^3)^2), x]

[Out] $\left((-1/2*I)*\text{RootSum}[a + b*\#1^3 \&, \text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] - I*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] - I*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - \text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] \&] + (I/2)*\text{RootSum}[a + b*\#1^3 \&, \text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] + I*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] + I*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - \text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] \&] - (a*d*\text{RootSum}[a + b*\#1^3 \&, (\text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] - I*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] - I*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - \text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)])/\#1^2 \&])/(6*b) - (a*d*\text{RootSum}[a + b*\#1^3 \&, (\text{Cos}[c + d*\#1]*\text{CosIntegral}[d*(x - \#1)] + I*\text{CosIntegral}[d*(x - \#1)]*\text{Sin}[c + d*\#1] + I*\text{Cos}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)] - \text{Sin}[c + d*\#1]*\text{SinIntegral}[d*(x - \#1)])/\#1^2 \&])/(6*b) + (a*\text{Cos}[d*x]*\text{Sin}[c])/(a + b*x^3) + 3*\text{CosIntegral}[d*x]*\text{Sin}[c] + (a*\text{Cos}[c]*\text{Sin}[d*x])/(a + b*x^3) + 3*\text{Cos}[c]*\text{SinIntegral}[d*x]/(3*a^2) \right)$

fricas [C] time = 0.90, size = 584, normalized size = 0.84

$$\left(-6i bx^3 + (ibx^3 - \sqrt{3}(bx^3 + a) + ia)\left(\frac{iad^3}{b}\right)^{\frac{1}{3}} - 6ia\right) \operatorname{Ei}\left(-idx + \frac{1}{2}\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(-i\sqrt{3} - 1)\right) e^{\left(\frac{1}{2}\left(\frac{iad^3}{b}\right)^{\frac{1}{3}}(i\sqrt{3} + 1) - ic\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a)^2,x, algorithm="fricas")

[Out]
$$\frac{1}{36} * ((-6 * I * b * x^3 + (I * b * x^3 - \sqrt{3} * (b * x^3 + a) + I * a) * (I * a * d^3 / b)^{(1/3)} - 6 * I * a) * \operatorname{Ei}(-I * d * x + 1/2 * (I * a * d^3 / b)^{(1/3)} * (-I * \sqrt{3} - 1)) * e^{(1/2 * (I * a * d^3 / b)^{(1/3)} * (I * \sqrt{3} + 1) - I * c)} + (6 * I * b * x^3 + (-I * b * x^3 + \sqrt{3} * (b * x^3 + a) - I * a) * (-I * a * d^3 / b)^{(1/3)} + 6 * I * a) * \operatorname{Ei}(I * d * x + 1/2 * (-I * a * d^3 / b)^{(1/3)} * (-I * \sqrt{3} - 1)) * e^{(1/2 * (-I * a * d^3 / b)^{(1/3)} * (I * \sqrt{3} + 1) + I * c)} + (-6 * I * b * x^3 + (I * b * x^3 + \sqrt{3} * (b * x^3 + a) + I * a) * (I * a * d^3 / b)^{(1/3)} - 6 * I * a) * \operatorname{Ei}(-I * d * x + 1/2 * (I * a * d^3 / b)^{(1/3)} * (I * \sqrt{3} - 1)) * e^{(1/2 * (I * a * d^3 / b)^{(1/3)} * (-I * \sqrt{3} + 1) - I * c)} + (6 * I * b * x^3 + (-I * b * x^3 - \sqrt{3} * (b * x^3 + a) - I * a) * (-I * a * d^3 / b)^{(1/3)} + 6 * I * a) * \operatorname{Ei}(I * d * x + 1/2 * (-I * a * d^3 / b)^{(1/3)} * (I * \sqrt{3} - 1)) * e^{(1/2 * (-I * a * d^3 / b)^{(1/3)} * (-I * \sqrt{3} + 1) + I * c)} + (-18 * I * b * x^3 - 18 * I * a) * \operatorname{Ei}(I * d * x) * e^{(I * c)} + (18 * I * b * x^3 + 18 * I * a) * \operatorname{Ei}(-I * d * x) * e^{(-I * c)} + (6 * I * b * x^3 + (2 * I * b * x^3 + 2 * I * a) * (-I * a * d^3 / b)^{(1/3)} + 6 * I * a) * \operatorname{Ei}(I * d * x + (-I * a * d^3 / b)^{(1/3)}) * e^{(I * c - (-I * a * d^3 / b)^{(1/3)})} + (-6 * I * b * x^3 + (-2 * I * b * x^3 - 2 * I * a) * (I * a * d^3 / b)^{(1/3)} - 6 * I * a) * \operatorname{Ei}(-I * d * x + (I * a * d^3 / b)^{(1/3)}) * e^{(-I * c - (I * a * d^3 / b)^{(1/3)})} + 12 * a * \sin(d * x + c)) / (a^2 * b * x^3 + a^3)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^3 + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a)^2,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)^2*x), x)

maple [C] time = 0.06, size = 233, normalized size = 0.34

$$\frac{\sin(dx + c)d^3}{3a((dx + c)^3 b - 3c(dx + c)^2 b + 3(dx + c)bc^2 + ad^3 - bc^3)} + \frac{\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c)}{a^2} - \frac{\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c)}{a^2} - \frac{\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c)}{a^2} - \frac{\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c)}{a^2} - \frac{\operatorname{Si}(dx) \cos(c) + \operatorname{Ci}(dx) \sin(c)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x/(b*x^3+a)^2,x)

[Out]
$$\frac{1}{3} * \sin(d * x + c) * d^3 / a / ((d * x + c)^3 * b - 3 * c * (d * x + c)^2 * b + 3 * (d * x + c) * b * c^2 + a * d^3 - b * c^3) + 1 / a^2 * (\operatorname{Si}(d * x) * \cos(c) + \operatorname{Ci}(d * x) * \sin(c)) - 1 / 3 * a^2 * \sum(-\operatorname{Si}(-d * x + _R1 - c) * \cos(_R1) + \operatorname{Ci}(d * x - _R1 + c) * \sin(_R1), _R1 = \operatorname{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1 / 9 * d^3 / a / b * \sum(1 / (_R1^2 - 2 * _R1 * c + c^2) * (\operatorname{Si}(-d * x + _R1 - c) * \sin(_R1) + \operatorname{Ci}(d * x - _R1 + c) * \cos(_R1)), _R1 = \operatorname{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^3 + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a)^2,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)^2*x), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x(bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x*(a + b*x^3)^2),x)

[Out] int(sin(c + d*x)/(x*(a + b*x^3)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(c + dx)}{x(a + bx^3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x**3+a)**2,x)

[Out] Integral(sin(c + d*x)/(x*(a + b*x**3)**2), x)

$$3.107 \quad \int \frac{\sin(c+dx)}{x^2(a+bx^3)^2} dx$$

Optimal. Leaf size=712

$$\frac{4\sqrt[3]{b} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}} + \frac{4(-1)^{2/3} \sqrt[3]{b} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} - \frac{4\sqrt[3]{-1} \sqrt[3]{b} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}}$$

[Out] $d \cdot \text{Ci}(d \cdot x) \cdot \cos(c) / a^2 + 1/9 \cdot d \cdot \text{Ci}(a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \cos(c - a^{1/3} \cdot d / b^{1/3}) / a^2 + 1/9 \cdot d \cdot \text{Ci}((-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3} - d \cdot x) \cdot \cos(c + (-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3}) / a^2 + 1/9 \cdot d \cdot \text{Ci}((-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \cos(c - (-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3}) / a^2 + 4/9 \cdot (-1)^{2/3} \cdot b^{1/3} \cdot \cos(c + (-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3}) \cdot \text{Si}(-(-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3} + d \cdot x) / a^{7/3} + 4/9 \cdot b^{1/3} \cdot \cos(c - a^{1/3} \cdot d / b^{1/3}) \cdot \text{Si}(a^{1/3} \cdot d / b^{1/3} + d \cdot x) / a^{7/3} - 4/9 \cdot (-1)^{1/3} \cdot b^{1/3} \cdot \cos(c - (-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3}) \cdot \text{Si}((-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3} + d \cdot x) / a^{7/3} - d \cdot \text{Si}(d \cdot x) \cdot \sin(c) / a^2 + 4/9 \cdot b^{1/3} \cdot \text{Ci}(a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \sin(c - a^{1/3} \cdot d / b^{1/3}) / a^{7/3} - 1/9 \cdot d \cdot \text{Si}(a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \sin(c - a^{1/3} \cdot d / b^{1/3}) / a^2 + 4/9 \cdot (-1)^{2/3} \cdot b^{1/3} \cdot \text{Ci}((-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3} - d \cdot x) \cdot \sin(c + (-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3}) / a^{7/3} - 1/9 \cdot d \cdot \text{Si}(-(-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \sin(c + (-1)^{1/3} \cdot a^{1/3} \cdot d / b^{1/3}) / a^2 - 4/9 \cdot (-1)^{1/3} \cdot b^{1/3} \cdot \text{Ci}((-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \sin(c - (-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3}) / a^{7/3} - 1/9 \cdot d \cdot \text{Si}((-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3} + d \cdot x) \cdot \sin(c - (-1)^{2/3} \cdot a^{1/3} \cdot d / b^{1/3}) / a^2 + 1/3 \cdot \sin(d \cdot x + c) / a / b \cdot x^4 - 4/3 \cdot \sin(d \cdot x + c) / a^2 \cdot x - 1/3 \cdot \sin(d \cdot x + c) / b \cdot x^4 / (b \cdot x^3 + a)$

Rubi [A] time = 1.60, antiderivative size = 712, normalized size of antiderivative = 1.00, number of steps used = 47, number of rules used = 7, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {3343, 3345, 3297, 3303, 3299, 3302, 3346}

$$\frac{4\sqrt[3]{b} \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^{7/3}} + \frac{4(-1)^{2/3} \sqrt[3]{b} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} - \frac{4\sqrt[3]{-1} \sqrt[3]{b} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(x^2*(a + b*x^3)^2), x]

[Out] $(d \cdot \text{Cos}[c] \cdot \text{CosIntegral}[d \cdot x]) / a^2 + (d \cdot \text{Cos}[c + ((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3}] \cdot \text{CosIntegral}[((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3} - d \cdot x]) / (9 \cdot a^2) + (d \cdot \text{Cos}[c - (a^{1/3} \cdot d) / b^{1/3}] \cdot \text{CosIntegral}[(a^{1/3} \cdot d) / b^{1/3} + d \cdot x]) / (9 \cdot a^2) + (d \cdot \text{Cos}[c - ((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3}] \cdot \text{CosIntegral}[((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3} + d \cdot x]) / (9 \cdot a^2) + (4 \cdot b^{1/3} \cdot \text{CosIntegral}[(a^{1/3} \cdot d) / b^{1/3} + d \cdot x] \cdot \text{Sin}[c - (a^{1/3} \cdot d) / b^{1/3}]) / (9 \cdot a^{7/3}) + (4 \cdot (-1)^{2/3} \cdot b^{1/3} \cdot \text{CosIntegral}[((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3} - d \cdot x] \cdot \text{Sin}[c + ((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3}]) / (9 \cdot a^{7/3}) - (4 \cdot (-1)^{1/3} \cdot b^{1/3} \cdot \text{CosIntegral}[((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3} + d \cdot x] \cdot \text{Sin}[c - ((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3}]) / (9 \cdot a^{7/3}) + \text{Sin}[c + d \cdot x] / (3 \cdot a \cdot b \cdot x^4) - (4 \cdot \text{Sin}[c + d \cdot x]) / (3 \cdot a^2 \cdot x) - \text{Sin}[c + d \cdot x] / (3 \cdot b \cdot x^4 \cdot (a + b \cdot x^3)) - (d \cdot \text{Sin}[c] \cdot \text{SinIntegral}[d \cdot x]) / a^2 - (4 \cdot (-1)^{2/3} \cdot b^{1/3} \cdot \text{Cos}[c + ((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3}] \cdot \text{SinIntegral}[((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3} - d \cdot x]) / (9 \cdot a^{7/3}) + (d \cdot \text{Sin}[c + ((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3}] \cdot \text{SinIntegral}[((-1)^{1/3} \cdot a^{1/3} \cdot d) / b^{1/3} - d \cdot x]) / (9 \cdot a^2) + (4 \cdot b^{1/3} \cdot \text{Cos}[c - (a^{1/3} \cdot d) / b^{1/3}] \cdot \text{SinIntegral}[(a^{1/3} \cdot d) / b^{1/3} + d \cdot x]) / (9 \cdot a^{7/3}) - (d \cdot \text{Sin}[c - (a^{1/3} \cdot d) / b^{1/3}] \cdot \text{SinIntegral}[(a^{1/3} \cdot d) / b^{1/3} + d \cdot x]) / (9 \cdot a^2) - (4 \cdot (-1)^{1/3} \cdot b^{1/3} \cdot \text{Cos}[c - ((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3}] \cdot \text{SinIntegral}[((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3} + d \cdot x]) / (9 \cdot a^{7/3}) - (d \cdot \text{Sin}[c - ((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3}] \cdot \text{SinIntegral}[((-1)^{2/3} \cdot a^{1/3} \cdot d) / b^{1/3} + d \cdot x]) / (9 \cdot a^2)$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3343

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] && IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)], x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x^2(a+bx^3)^2} dx &= -\frac{\sin(c+dx)}{3bx^4(a+bx^3)} - \frac{4 \int \frac{\sin(c+dx)}{x^5(a+bx^3)} dx}{3b} + \frac{d \int \frac{\cos(c+dx)}{x^4(a+bx^3)} dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^4(a+bx^3)} - \frac{4 \int \left(\frac{\sin(c+dx)}{ax^5} - \frac{b \sin(c+dx)}{a^2x^2} + \frac{b^2x \sin(c+dx)}{a^2(a+bx^3)} \right) dx}{3b} + \frac{d \int \left(\frac{\cos(c+dx)}{ax^4} - \frac{b \cos(c+dx)}{a^2x} \right) dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^4(a+bx^3)} + \frac{4 \int \frac{\sin(c+dx)}{x^2} dx}{3a^2} - \frac{4 \int \frac{\sin(c+dx)}{x^5} dx}{3ab} - \frac{(4b) \int \frac{x \sin(c+dx)}{a+bx^3} dx}{3a^2} - \frac{d \int \frac{\cos(c+dx)}{x} dx}{3a^2} \\
&= -\frac{d \cos(c+dx)}{9abx^3} + \frac{\sin(c+dx)}{3abx^4} - \frac{4 \sin(c+dx)}{3a^2x} - \frac{\sin(c+dx)}{3bx^4(a+bx^3)} - \frac{(4b) \int \left(-\frac{\sin(c+dx)}{3\sqrt[3]{a}\sqrt[3]{b}(\sqrt[3]{a}+bx)} \right) dx}{3a^2} \\
&= -\frac{d \cos(c) \text{Ci}(dx)}{3a^2} + \frac{\sin(c+dx)}{3abx^4} + \frac{d^2 \sin(c+dx)}{18abx^2} - \frac{4 \sin(c+dx)}{3a^2x} - \frac{\sin(c+dx)}{3bx^4(a+bx^3)} + \frac{d \sin(c+dx)}{3a^2} \\
&= \frac{d^3 \cos(c+dx)}{18abx} + \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{\sin(c+dx)}{3abx^4} - \frac{4 \sin(c+dx)}{3a^2x} - \frac{\sin(c+dx)}{3bx^4(a+bx^3)} - \frac{d \sin(c+dx)}{3a^2} \\
&= \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^2} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^2} \\
&= \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^2} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^2} \\
&= \frac{d \cos(c) \text{Ci}(dx)}{a^2} + \frac{d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^2} + \frac{d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{9a^2}
\end{aligned}$$

Mathematica [C] time = 1.16, size = 445, normalized size = 0.62

$$-\frac{1}{6}x(a+bx^3)\left(\text{RootSum}\left[\#1^3b+a\&, \frac{-4\sin(\#1d+c)\text{Ci}(d(x-\#1))-i\#1d\sin(\#1d+c)\text{Ci}(d(x-\#1))-4i\cos(\#1d+c)\text{Ci}(d(x-\#1))+\#1d\cos(\#1d+c)\text{Ci}(d(x-\#1))}{\#1^3b+a\&}\right]\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x^2*(a + b*x^3)^2), x]

[Out]
$$-\frac{1}{3}((3a + 4bx^3)\cos[dx]\sin[c] + (3a + 4bx^3)\cos[c]\sin[dx] - (x(a + bx^3)(18d\cos[c]\cos\text{Integral}[dx] + \text{RootSum}[a + b\#1^3 \&, ((-4\#1)\cos[c + d\#1]\cos\text{Integral}[d(x - \#1)] - 4\cos\text{Integral}[d(x - \#1)]\sin[c + d\#1] - 4\cos[c + d\#1]\sin\text{Integral}[d(x - \#1)] + (4\#1)\sin[c + d\#1]\sin\text{Integral}[d(x - \#1)] + d\cos[c + d\#1]\cos\text{Integral}[d(x - \#1)]\#1 - \#1d\cos\text{Integral}[d(x - \#1)]\sin[c + d\#1]\#1 - \#1d\cos[c + d\#1]\sin\text{Integral}[d(x - \#1)]\#1 - d\sin[c + d\#1]\sin\text{Integral}[d(x - \#1)]\#1)/\#1 \&] + \text{RootSum}[a + b\#1^3 \&, ((4\#1)\cos[c + d\#1]\cos\text{Integral}[d(x - \#1)] - 4\cos\text{Integral}[d(x - \#1)]\sin[c + d\#1] - 4\cos[c + d\#1]\sin\text{Integral}[d(x - \#1)] - (4\#1)\sin[c + d\#1]\sin\text{Integral}[d(x - \#1)] + d\cos[c + d\#1]\cos\text{Integral}[d(x - \#1)]\#1 + \#1d\cos\text{Integral}[d(x - \#1)]\sin[c + d\#1]\#1 + \#1d\cos[c + d\#1]\sin\text{Integral}[d(x - \#1)]\#1)/\#1 \&])$$

`inIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1/6 &] - 18*d*Sin[c]*SinIntegral[d*x])/6)/(a^2*x*(a + b*x^3))`

fricas [C] time = 0.71, size = 722, normalized size = 1.01

$$\frac{\left(abd^3x^4 + a^2d^3x + \left(2ib^2x^4 + 2iabx + 2\sqrt{3}(b^2x^4 + abx) \right) \left(\frac{iad^3}{b} \right)^{\frac{2}{3}} \right) \operatorname{Ei} \left(-idx + \frac{1}{2} \left(\frac{iad^3}{b} \right)^{\frac{1}{3}} (-i\sqrt{3} - 1) \right) e^{\left(\frac{1}{2} \left(\frac{iad^3}{b} \right)^{\frac{1}{3}} (i\sqrt{3} - 1) \right)}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="fricas")`

[Out] $\frac{1}{18} \left((a^2 b^2 d^3 x^4 + a^2 d^3 x + (2 i b^2 x^4 + 2 i a b x + 2 \sqrt{3} (b^2 x^4 + a b x)) \left(\frac{i a d^3}{b} \right)^{\frac{2}{3}} \right) \operatorname{Ei} \left(-i d x + \frac{1}{2} \left(\frac{i a d^3}{b} \right)^{\frac{1}{3}} (-i \sqrt{3} - 1) \right) e^{\left(\frac{1}{2} \left(\frac{i a d^3}{b} \right)^{\frac{1}{3}} (i \sqrt{3} - 1) \right)} + \dots \right)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^3 + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="giac")`

[Out] `integrate(sin(d*x + c)/((b*x^3 + a)^2*x^2), x)`

maple [C] time = 0.07, size = 283, normalized size = 0.40

$$d \left(\frac{\sin(dx + c) \left(-\frac{4b(dx+c)^3}{3a^2} + \frac{4cb(dx+c)^2}{a^2} - \frac{4c^2b(dx+c)}{a^2} - \frac{3ad^3-4bc^3}{3a^2} \right)}{xd \left((dx + c)^3 b - 3c(dx + c)^2 b + 3(dx + c) b c^2 + a d^3 - b c^3 \right)} - \frac{4 \sum_{_R1=\operatorname{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+ad^3-bc^3)} \operatorname{Si}(-d_Z + c)}{9a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/x^2/(b*x^3+a)^2,x)`

[Out] $d \left(\sin(dx + c) \left(-\frac{4}{3} \frac{b(dx+c)^3}{a^2} + \frac{4c}{a^2} b(dx+c)^2 - \frac{4c^2}{a^2} b(dx+c) - \frac{3ad^3-4bc^3}{3a^2} \right) / x / \left((dx+c)^3 b - 3c(dx+c)^2 b + 3(dx+c) b c^2 + a d^3 - b c^3 \right) + \dots \right)$

$i(d*x)*\sin(c)+Ci(d*x)*\cos(c))+1/9/a^2*\text{sum}(\text{Si}(-d*x+_{RR1}-c)*\sin(_{RR1})+Ci(d*x-_{RR1}+c)*\cos(_{RR1}),_{RR1}=\text{RootOf}(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx + c)}{(bx^3 + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x^2/(b*x^3+a)^2,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)^2*x^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c + dx)}{x^2 (bx^3 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c + d*x)/(x^2*(a + b*x^3)^2), x)

[Out] int(sin(c + d*x)/(x^2*(a + b*x^3)^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x**2/(b*x**3+a)**2,x)

[Out] Timed out

$$\begin{aligned} & \frac{(-1)^{2/3} b^{2/3} \cos\left[c - \frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}}\right] \operatorname{Si}\left[\frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}} + dx\right]}{(9 a^{8/3})} - \frac{(-1)^{1/3} b^{1/3} d \operatorname{Si}\left[c - \frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}}\right] \operatorname{Si}\left[\frac{(-1)^{2/3} a^{1/3} d}{b^{1/3}} + dx\right]}{(9 a^{7/3})} \end{aligned}$$
Rule 3297

$$\operatorname{Int}\left[\frac{(c_.) + (d_.) (x_.)^m \sin[e_.] + (f_.) (x_.)}{c + dx} \operatorname{Sin}[e + fx], x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\frac{(c + dx)^{m+1} \operatorname{Sin}[e + fx]}{d(m+1)}, x\right] - \operatorname{Dist}\left[\frac{f}{d(m+1)}, \operatorname{Int}\left[\frac{(c + dx)^{m+1} \operatorname{Cos}[e + fx]}{x}, x\right]\right]; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{LtQ}[m, -1]$$
Rule 3299

$$\operatorname{Int}\left[\frac{\sin[e_.] + (f_.) (x_.)}{(c_.) + (d_.) (x_.)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\frac{\operatorname{SinIntegral}[e + fx]}{d}, x\right]; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d e - c f, 0]$$
Rule 3302

$$\operatorname{Int}\left[\frac{\sin[e_.] + (f_.) (x_.)}{(c_.) + (d_.) (x_.)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\frac{\operatorname{CosIntegral}[e - \pi/2 + fx]}{d}, x\right]; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d(e - \pi/2) - c f, 0]$$
Rule 3303

$$\operatorname{Int}\left[\frac{\sin[e_.] + (f_.) (x_.)}{(c_.) + (d_.) (x_.)}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Dist}\left[\frac{\operatorname{Cos}\left[\frac{d e - c f}{d}\right]}{d}, \operatorname{Int}\left[\frac{\operatorname{Sin}\left[\frac{c f}{d} + f x\right]}{c + d x}, x\right] + \operatorname{Dist}\left[\frac{\operatorname{Sin}\left[\frac{d e - c f}{d}\right]}{d}, \operatorname{Int}\left[\frac{\operatorname{Cos}\left[\frac{c f}{d} + f x\right]}{c + d x}, x\right]\right]; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{NeQ}[d e - c f, 0]$$
Rule 3333

$$\operatorname{Int}\left[\frac{(a_.) + (b_.) (x_.)^n}{(c_.) + (d_.) (x_.)} \operatorname{Sin}[c_.] + (d_.) (x_.)^p, x_{\text{Symbol}}\right] \rightarrow \operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\frac{\operatorname{Sin}[c + dx]}{(a + b x^n)^p}, x\right], x\right]; \operatorname{FreeQ}\{a, b, c, d\}, x \ \&\& \operatorname{ILtQ}[p, 0] \ \&\& \operatorname{IGtQ}[n, 0] \ \&\& (\operatorname{EqQ}[n, 2] \ \|\ \operatorname{EqQ}[p, -1])$$
Rule 3343

$$\operatorname{Int}\left[x_.)^m \frac{(a_.) + (b_.) (x_.)^n}{(c_.) + (d_.) (x_.)} \operatorname{Sin}[c_.] + (d_.) (x_.)^p, x_{\text{Symbol}}\right] \rightarrow \operatorname{Simp}\left[\frac{x^{m-n+1} (a + b x^n)^{p+1} \operatorname{Sin}[c + dx]}{b n (p+1)}, x\right] + \operatorname{Dist}\left[\frac{m-n+1}{b n (p+1)}, \operatorname{Int}\left[x^{m-n} (a + b x^n)^{p+1} \operatorname{Sin}[c + dx], x\right], x\right] - \operatorname{Dist}\left[\frac{d}{b n (p+1)}, \operatorname{Int}\left[x^{m-n+1} (a + b x^n)^{p+1} \operatorname{Cos}[c + dx], x\right], x\right]; \operatorname{FreeQ}\{a, b, c, d, m\}, x \ \&\& \operatorname{ILtQ}[p, -1] \ \&\& \operatorname{IGtQ}[n, 0] \ \&\& (\operatorname{GtQ}[m-n+1, 0] \ \|\ \operatorname{GtQ}[n, 2]) \ \&\& \operatorname{RationalQ}[m]$$
Rule 3345

$$\operatorname{Int}\left[x_.)^m \frac{(a_.) + (b_.) (x_.)^n}{(c_.) + (d_.) (x_.)} \operatorname{Sin}[c_.] + (d_.) (x_.)^p, x_{\text{Symbol}}\right] \rightarrow \operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\frac{\operatorname{Sin}[c + dx]}{x^m (a + b x^n)^p}, x\right], x\right]; \operatorname{FreeQ}\{a, b, c, d, m\}, x \ \&\& \operatorname{ILtQ}[p, 0] \ \&\& \operatorname{IGtQ}[n, 0] \ \&\& (\operatorname{EqQ}[n, 2] \ \|\ \operatorname{EqQ}[p, -1]) \ \&\& \operatorname{IntegerQ}[m]$$
Rule 3346

$$\operatorname{Int}\left[\frac{\operatorname{Cos}\left[\frac{c_.) + (d_.) (x_.)}{(c_.) + (d_.) (x_.)}\right] (x_.)^m \frac{(a_.) + (b_.) (x_.)^n}{(c_.) + (d_.) (x_.)} \operatorname{Sin}[c_.] + (d_.) (x_.)^p, x_{\text{Symbol}}\right] \rightarrow \operatorname{Int}\left[\operatorname{ExpandIntegrand}\left[\frac{\operatorname{Cos}[c + dx]}{x^m (a + b x^n)^p}, x\right], x\right]; \operatorname{FreeQ}\{a, b, c, d, m\}, x \ \&\& \operatorname{ILtQ}[p, 0] \ \&\& \operatorname{IGtQ}[n, 0] \ \&\& (\operatorname{EqQ}[n, 2] \ \|\ \operatorname{EqQ}[p, -1]) \ \&\& \operatorname{IntegerQ}[m]$$
Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x^3(a+bx^3)^2} dx &= -\frac{\sin(c+dx)}{3bx^5(a+bx^3)} - \frac{5 \int \frac{\sin(c+dx)}{x^6(a+bx^3)} dx}{3b} + \frac{d \int \frac{\cos(c+dx)}{x^5(a+bx^3)} dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^5(a+bx^3)} - \frac{5 \int \left(\frac{\sin(c+dx)}{ax^6} - \frac{b \sin(c+dx)}{a^2x^3} + \frac{b^2 \sin(c+dx)}{a^2(a+bx^3)} \right) dx}{3b} + \frac{d \int \left(\frac{\cos(c+dx)}{ax^5} - \frac{b \cos(c+dx)}{a^2x^2} + \frac{b^2 \cos(c+dx)}{a^2(a+bx^3)} \right) dx}{3b} \\
&= -\frac{\sin(c+dx)}{3bx^5(a+bx^3)} + \frac{5 \int \frac{\sin(c+dx)}{x^3} dx}{3a^2} - \frac{5 \int \frac{\sin(c+dx)}{x^6} dx}{3ab} - \frac{(5b) \int \frac{\sin(c+dx)}{a+bx^3} dx}{3a^2} - \frac{d \int \frac{\cos(c+dx)}{x^2} dx}{3a^2} \\
&= -\frac{d \cos(c+dx)}{12abx^4} + \frac{d \cos(c+dx)}{3a^2x} + \frac{\sin(c+dx)}{3abx^5} - \frac{5 \sin(c+dx)}{6a^2x^2} - \frac{\sin(c+dx)}{3bx^5(a+bx^3)} - \frac{(5b) \int \left(\frac{\sin(c+dx)}{a+bx^3} \right) dx}{3a^2} \\
&= -\frac{d \cos(c+dx)}{2a^2x} + \frac{\sin(c+dx)}{3abx^5} + \frac{d^2 \sin(c+dx)}{36abx^3} - \frac{5 \sin(c+dx)}{6a^2x^2} - \frac{\sin(c+dx)}{3bx^5(a+bx^3)} + \frac{(5b) \int \left(\frac{\sin(c+dx)}{a+bx^3} \right) dx}{3a^2} \\
&= \frac{d^3 \cos(c+dx)}{72abx^2} - \frac{d \cos(c+dx)}{2a^2x} + \frac{d^2 \text{Ci}(dx) \sin(c)}{3a^2} + \frac{\sin(c+dx)}{3abx^5} - \frac{5 \sin(c+dx)}{6a^2x^2} - \frac{\sin(c+dx)}{3bx^5(a+bx^3)} \\
&= -\frac{d \cos(c+dx)}{2a^2x} - \frac{(-1)^{2/3} \sqrt[3]{b} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} - \frac{\sqrt[3]{b} d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} \\
&= -\frac{d \cos(c+dx)}{2a^2x} - \frac{(-1)^{2/3} \sqrt[3]{b} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} - \frac{\sqrt[3]{b} d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} \\
&= -\frac{d \cos(c+dx)}{2a^2x} + \frac{d^5 \cos(c) \text{Ci}(dx)}{72ab} - \frac{(-1)^{2/3} \sqrt[3]{b} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} - \frac{\sqrt[3]{b} d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} \\
&= -\frac{d \cos(c+dx)}{2a^2x} - \frac{(-1)^{2/3} \sqrt[3]{b} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}} - \frac{\sqrt[3]{b} d \cos\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{9a^{7/3}}
\end{aligned}$$

Mathematica [C] time = 1.20, size = 470, normalized size = 0.59

$$\text{RootSum}\left[\#1^3 b + a \&, \frac{-5 \sin(\#1 d + c) \text{Ci}(d(x - \#1)) - i \#1 d \sin(\#1 d + c) \text{Ci}(d(x - \#1)) - 5i \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + \#1 d \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + 5i \sin(\#1 d + c) \text{Ci}(d(x - \#1))}{\#1^2}\right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x^3*(a + b*x^3)^2), x]

[Out] (RootSum[a + b*#1^3 &, ((-5*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 5*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 5*Cos[c + d*#1]*SinIntegral[d*(x - #1)] + (5*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 &] + RootSum[a + b*#1^3 &, ((5*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 5*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 5*Cos[c + d*#1]*SinIntegral[d*(x - #1)] + (5*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 &])


```
s[c + d*#1]*CosIntegral[d*(x - #1)]*#1 + I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 + I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1/#1^2 & ] - (3*(3*a*d*x*Cos[c + d*x] + 3*b*d*x^4*Cos[c + d*x] + 3*d^2*x^2*(a + b*x^3)*CosIntegral[d*x]*Sin[c] + 3*a*Sin[c + d*x] + 5*b*x^3*Sin[c + d*x] + 3*d^2*x^2*(a + b*x^3)*Cos[c]*SinIntegral[d*x]))/(x^2*(a + b*x^3))/(18*a^2)
```

fricas [C] time = 0.96, size = 916, normalized size = 1.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="fricas")
```

```
[Out] -1/36*((b^2*x^5 + a*b*x^2 - sqrt(3)*(I*b^2*x^5 + I*a*b*x^2))*(I*a*d^3/b)^(2/3) + (5*b^2*x^5 + 5*a*b*x^2 - sqrt(3)*(-5*I*b^2*x^5 - 5*I*a*b*x^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) + ((b^2*x^5 + a*b*x^2 - sqrt(3)*(I*b^2*x^5 + I*a*b*x^2))*(-I*a*d^3/b)^(2/3) + (5*b^2*x^5 + 5*a*b*x^2 - sqrt(3)*(-5*I*b^2*x^5 - 5*I*a*b*x^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) + ((b^2*x^5 + a*b*x^2 - sqrt(3)*(-I*b^2*x^5 - I*a*b*x^2))*(I*a*d^3/b)^(2/3) + (5*b^2*x^5 + 5*a*b*x^2 - sqrt(3)*(5*I*b^2*x^5 + 5*I*a*b*x^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) + ((b^2*x^5 + a*b*x^2 - sqrt(3)*(-I*b^2*x^5 - I*a*b*x^2))*(-I*a*d^3/b)^(2/3) + (5*b^2*x^5 + 5*a*b*x^2 - sqrt(3)*(5*I*b^2*x^5 + 5*I*a*b*x^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) - (9*I*a*b*d^3*x^5 + 9*I*a^2*d^3*x^2)*Ei(I*d*x)*e^(I*c) - (-9*I*a*b*d^3*x^5 - 9*I*a^2*d^3*x^2)*Ei(-I*d*x)*e^(-I*c) - 2*((b^2*x^5 + a*b*x^2)*(-I*a*d^3/b)^(2/3) + 5*(b^2*x^5 + a*b*x^2)*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) - 2*((b^2*x^5 + a*b*x^2)*(I*a*d^3/b)^(2/3) + 5*(b^2*x^5 + a*b*x^2)*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)) + 18*(a*b*d^2*x^4 + a^2*d^2*x)*cos(d*x + c) + 6*(5*a*b*d*x^3 + 3*a^2*d)*sin(d*x + c))/(a^3*b*d*x^5 + a^4*d*x^2)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="giac")
```

```
[Out] integrate(sin(d*x + c)/((b*x^3 + a)^2*x^3), x)
```

maple [C] time = 0.06, size = 388, normalized size = 0.48

$$d^2 \left(\frac{\frac{\sin(dx+c)}{2x^2d^2} - \frac{\cos(dx+c)}{2xd} - \frac{\text{Si}(dx)\cos(c)}{2} - \frac{\text{Ci}(dx)\sin(c)}{2}}{a^2} - \frac{\sum_{R1=\text{RootOf}(b_Z^3-3cb_Z^2+3bc^2_Z+ad^3-bc^3)} \frac{-\text{Si}(-dx+R1-c)\cos(R1)}{R1^2-2}}{3a^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/x^3/(b*x^3+a)^2,x)`

[Out] $d^2*(1/a^2*(-1/2*\sin(d*x+c)/x^2/d^2-1/2*\cos(d*x+c)/x/d-1/2*Si(d*x)*\cos(c)-1/2*Ci(d*x)*\sin(c))-1/3/a^2*\sum(1/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*\cos(_R1)+Ci(d*x-_R1+c)*\sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/a*b*d^3*(\sin(d*x+c)*(1/3/a/d^3*(d*x+c)-1/3*c/a/d^3)/((d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3))+2/9/a/d^3/b*\sum(1/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*\cos(_R1)+Ci(d*x-_R1+c)*\sin(_R1)),_R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/9/a/d^3/b*\sum(1/(_RR1-c)*(Si(-d*x+_RR1-c)*\sin(_RR1)+Ci(d*x-_RR1+c)*\cos(_RR1)),_RR1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x^3/(b*x^3+a)^2,x, algorithm="maxima")`

[Out] `integrate(sin(d*x + c)/((b*x^3 + a)^2*x^3), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x^3 (bx^3+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(c+d*x)/(x^3*(a+b*x^3)^2),x)`

[Out] `int(sin(c+d*x)/(x^3*(a+b*x^3)^2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/x**3/(b*x**3+a)**2,x)`

[Out] Timed out

$$3.109 \quad \int \frac{x^3 \sin(c+dx)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=772

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{27a^{5/3}b^{4/3}} - \frac{\sqrt[3]{-1} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{27a^{5/3}b^{4/3}} + \frac{(-1)^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{27a^{5/3}b^{4/3}}$$

[Out] $1/18*d*\cos(d*x+c)/a/b^2/x-1/18*d*\cos(d*x+c)/b^2/x/(b*x^3+a)-1/27*(-1)^{(1/3)}*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*Si(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(5/3)}/b^{(4/3)}+1/54*d^2*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*Si(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a/b^2+1/27*\cos(c-a^{(1/3)}*d/b^{(1/3)})*Si(a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(5/3)}/b^{(4/3)}+1/54*d^2*\cos(c-a^{(1/3)}*d/b^{(1/3)})*Si(a^{(1/3)}*d/b^{(1/3)}+d*x)/a/b^2+1/27*(-1)^{(2/3)}*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*Si((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(5/3)}/b^{(4/3)}+1/54*d^2*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*Si((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a/b^2+1/27*Ci(a^{(1/3)}*d/b^{(1/3)}+d*x)*sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}+1/54*d^2*Ci(a^{(1/3)}*d/b^{(1/3)}+d*x)*sin(c-a^{(1/3)}*d/b^{(1/3)})/a/b^2-1/27*(-1)^{(1/3)}*Ci((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}+1/54*d^2*Ci((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a/b^2+1/27*(-1)^{(2/3)}*Ci((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}+1/54*d^2*Ci((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a/b^2+1/18*sin(d*x+c)/a/b^2/x^2-1/6*x*sin(d*x+c)/b/(b*x^3+a)^2-1/18*sin(d*x+c)/b^2/x^2/(b*x^3+a)$

Rubi [A] time = 2.77, antiderivative size = 772, normalized size of antiderivative = 1.00, number of steps used = 71, number of rules used = 10, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.526$, Rules used = {3343, 3331, 3345, 3297, 3303, 3299, 3302, 3333, 3346, 3344}

$$\frac{\sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{27a^{5/3}b^{4/3}} - \frac{\sqrt[3]{-1} \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{27a^{5/3}b^{4/3}} + \frac{(-1)^{2/3} \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{27a^{5/3}b^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[(x^3*Sin[c + d*x])/(a + b*x^3)^3,x]

[Out] $(d*\text{Cos}[c + d*x])/(18*a*b^2*x) - (d*\text{Cos}[c + d*x])/(18*b^2*x*(a + b*x^3)) + (\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/(27*a^{(5/3)}*b^{(4/3)}) + (d^2*\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/(54*a*b^2) - ((-1)^{(1/3)}*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(27*a^{(5/3)}*b^{(4/3)}) + (d^2*\text{CosIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x]*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(54*a*b^2) + ((-1)^{(2/3)}*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(27*a^{(5/3)}*b^{(4/3)}) + (d^2*\text{CosIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(54*a*b^2) + \text{Sin}[c + d*x]/(18*a*b^2*x^2) - (x*\text{Sin}[c + d*x])/(6*b*(a + b*x^3)^2) - \text{Sin}[c + d*x]/(18*b^2*x^2*(a + b*x^3)) + ((-1)^{(1/3)}*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/(27*a^{(5/3)}*b^{(4/3)}) - (d^2*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x])/(54*a*b^2) + (\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(27*a^{(5/3)}*b^{(4/3)}) + (d^2*\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(54*a*b^2) + ((-1)^{(2/3)}*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x])$

$$\frac{1}{(27a^{5/3}b^{4/3}) + (d^2\cos[c - ((-1)^{2/3}a^{1/3}d)/b^{1/3}] \sin \text{Integral}[\frac{((-1)^{2/3}a^{1/3}d)/b^{1/3} + dx}{(54ab^2)}$$

Rule 3297

$$\text{Int}[\frac{(c_.) + (d_.)x^m \sin[e_. + (f_.)x]}{(c_.) + (d_.)x}, x_Symbol] \rightarrow \text{Simp}[\frac{(c + dx)^{m+1} \sin[e + fx]}{d(m+1)}, x] - \text{Dist}[\frac{f}{d(m+1)}, \text{Int}[\frac{(c + dx)^{m+1} \cos[e + fx]}{d(m+1)}, x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \text{LtQ}[m, -1]$$

Rule 3299

$$\text{Int}[\frac{\sin[e_. + (f_.)x]}{(c_.) + (d_.)x}, x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + fx]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \text{EqQ}[d^2e - c^2f, 0]$$

Rule 3302

$$\text{Int}[\frac{\sin[e_. + (f_.)x]}{(c_.) + (d_.)x}, x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \pi/2 + fx]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \text{EqQ}[d^2(e - \pi/2) - c^2f, 0]$$

Rule 3303

$$\text{Int}[\frac{\sin[e_. + (f_.)x]}{(c_.) + (d_.)x}, x_Symbol] \rightarrow \text{Dist}[\frac{\cos[(d^2e - c^2f)/d]}{d}, \text{Int}[\frac{\sin[cf/d + fx]}{c + dx}, x], x] + \text{Dist}[\frac{\sin[(d^2e - c^2f)/d]}{d}, \text{Int}[\frac{\cos[cf/d + fx]}{c + dx}, x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \text{NeQ}[d^2e - c^2f, 0]$$

Rule 3331

$$\text{Int}[\frac{(a_.) + (b_.)x^n)^p \sin[(c_.) + (d_.)x]}{(a_.) + (b_.)x^n}, x_Symbol] \rightarrow \text{Simp}[\frac{x^{-n+1}(a + bx^n)^{p+1} \sin[c + dx]}{b^n(p+1)}, x] + (-\text{Dist}[\frac{-n+1}{b^n(p+1)}, \text{Int}[\frac{(a + bx^n)^{p+1} \sin[c + dx]}{x^n}, x], x] - \text{Dist}[d/b^n(p+1), \text{Int}[x^{-n+1}(a + bx^n)^{p+1} \cos[c + dx], x], x]) /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \text{ILtQ}[p, -1] \ \&\& \text{IGtQ}[n, 2]$$

Rule 3333

$$\text{Int}[\frac{(a_.) + (b_.)x^n)^p \sin[(c_.) + (d_.)x]}{(a_.) + (b_.)x^n}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\sin[c + dx], (a + bx^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \text{ILtQ}[p, 0] \ \&\& \text{IGtQ}[n, 0] \ \&\& (\text{EqQ}[n, 2] \ || \ \text{EqQ}[p, -1])$$

Rule 3343

$$\text{Int}[\frac{x^m (a_.) + (b_.)x^n)^p \sin[(c_.) + (d_.)x]}{x^m (a_.) + (b_.)x^n}, x_Symbol] \rightarrow \text{Simp}[\frac{x^{m-n+1}(a + bx^n)^{p+1} \sin[c + dx]}{b^n(p+1)}, x] + (-\text{Dist}[\frac{m-n+1}{b^n(p+1)}, \text{Int}[x^{m-n}(a + bx^n)^{p+1} \sin[c + dx], x], x] - \text{Dist}[d/b^n(p+1), \text{Int}[x^{m-n+1}(a + bx^n)^{p+1} \cos[c + dx], x], x]) /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \text{ILtQ}[p, -1] \ \&\& \text{IGtQ}[n, 0] \ \&\& (\text{GtQ}[m-n+1, 0] \ || \ \text{GtQ}[n, 2]) \ \&\& \text{RationalQ}[m]$$

Rule 3344

$$\text{Int}[\frac{\cos[(c_.) + (d_.)x] x^m (a_.) + (b_.)x^n)^p}{x^m (a_.) + (b_.)x^n}, x_Symbol] \rightarrow \text{Simp}[\frac{x^{m-n+1}(a + bx^n)^{p+1} \cos[c + dx]}{b^n(p+1)}, x] + (-\text{Dist}[\frac{m-n+1}{b^n(p+1)}, \text{Int}[x^{m-n}(a + bx^n)^{p+1} \cos[c + dx], x], x] + \text{Dist}[d/b^n(p+1), \text{Int}[x^{m-n+1}(a + bx^n)^{p+1} \sin[c + dx], x], x]) /; \text{FreeQ}\{a, b, c, d, m\}, x \ \&\& \text{ILtQ}[p, -1] \ \&\& \text{IGtQ}[n, 0] \ \&\& (\text{GtQ}[m-n+1, 0] \ || \ \text{GtQ}[n, 2]) \ \&\& \text{RationalQ}[m]$$

Rule 3345

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Symbol]
:> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_) + (d_)*(x_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)], x_Symbol]
:> Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3 \sin(c+dx)}{(a+bx^3)^3} dx &= -\frac{x \sin(c+dx)}{6b(a+bx^3)^2} + \frac{\int \frac{\sin(c+dx)}{(a+bx^3)^2} dx}{6b} + \frac{d \int \frac{x \cos(c+dx)}{(a+bx^3)^2} dx}{6b} \\
&= -\frac{d \cos(c+dx)}{18b^2x(a+bx^3)} - \frac{x \sin(c+dx)}{6b(a+bx^3)^2} - \frac{\sin(c+dx)}{18b^2x^2(a+bx^3)} - \frac{\int \frac{\sin(c+dx)}{x^3(a+bx^3)} dx}{9b^2} - \frac{d^2 \int \frac{\sin(c+dx)}{x(a+bx^3)} dx}{18b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x(a+bx^3)} - \frac{x \sin(c+dx)}{6b(a+bx^3)^2} - \frac{\sin(c+dx)}{18b^2x^2(a+bx^3)} - \frac{\int \left(\frac{\sin(c+dx)}{ax^3} - \frac{b \sin(c+dx)}{a(a+bx^3)} \right) dx}{9b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x(a+bx^3)} - \frac{x \sin(c+dx)}{6b(a+bx^3)^2} - \frac{\sin(c+dx)}{18b^2x^2(a+bx^3)} - \frac{\int \frac{\sin(c+dx)}{x^3} dx}{9ab^2} + \frac{\int \frac{\sin(c+dx)}{a+bx^3} dx}{9ab} \\
&= -\frac{d \cos(c+dx)}{18b^2x(a+bx^3)} + \frac{\sin(c+dx)}{18ab^2x^2} - \frac{x \sin(c+dx)}{6b(a+bx^3)^2} - \frac{\sin(c+dx)}{18b^2x^2(a+bx^3)} + \frac{\int \left(-\frac{\sin(c+dx)}{3a^{2/3}(-\sqrt[3]{a}-\sqrt[3]{a})} \right) dx}{18} \\
&= \frac{d \cos(c+dx)}{18ab^2x} - \frac{d \cos(c+dx)}{18b^2x(a+bx^3)} - \frac{d^2 \text{Ci}(dx) \sin(c)}{18ab^2} + \frac{\sin(c+dx)}{18ab^2x^2} - \frac{x \sin(c+dx)}{6b(a+bx^3)^2} - \frac{\sin(c+dx)}{18b^2x^2(a+bx^3)} \\
&= \frac{d \cos(c+dx)}{18ab^2x} - \frac{d \cos(c+dx)}{18b^2x(a+bx^3)} - \frac{d^2 \text{Ci}(dx) \sin(c)}{18ab^2} + \frac{\sin(c+dx)}{18ab^2x^2} - \frac{x \sin(c+dx)}{6b(a+bx^3)^2} - \frac{\sin(c+dx)}{18b^2x^2(a+bx^3)} \\
&= \frac{d \cos(c+dx)}{18ab^2x} - \frac{d \cos(c+dx)}{18b^2x(a+bx^3)} + \frac{\text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{27a^{5/3}b^{4/3}} + \frac{d^2 \text{Ci}\left(\frac{\sqrt[3]{a}d}{\sqrt[3]{b}} + dx\right) \sin\left(c - \frac{\sqrt[3]{a}d}{\sqrt[3]{b}}\right)}{54ab^2}
\end{aligned}$$

Mathematica [C] time = 0.66, size = 457, normalized size = 0.59

$i\text{RootSum}\left[\#1^3b + a\&, \frac{-i\#1^2d^2 \sin(\#1d+c)\text{Ci}(d(x-\#1))+\#1^2d^2 \cos(\#1d+c)\text{Ci}(d(x-\#1))-\#1^2d^2 \sin(\#1d+c)\text{Si}(d(x-\#1))-i\#1^2d^2 \cos(\#1d+c)\text{Si}(d(x-\#1))}{\#1^3b + a}\right]$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^3*Sin[c + d*x])/(a + b*x^3)^3,x]

[Out] (I*RootSum[a + b*#1^3 & , (2*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - (2*I)*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - (2*I)*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - 2*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d^2*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1^2 - I*d^2*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1^2 - I*d^2*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2 - d^2*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2)/#1^2 &] - I*RootSum[a + b*#1^3 & , (2*Cos[c + d*#1]*CosIntegral[d*(x - #1)] + (2*I)*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + (2*I)*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - 2*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d^2*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1^2 + I*d^2*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1^2 + I*d^2*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2 - d^2*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2)/#1^2 &] + (6*b*x*(d*x*(a + b*x^3)*Cos[c + d*x] + (-2*a + b*x^3)*Sin[c + d*x]))/(a + b*x^3)^2)/(108*a*b^2)

fricas [C] time = 0.79, size = 890, normalized size = 1.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/108*((I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3 + (b^3*x^6 + 2*a*b^2*x^3 + a^2*b + sqrt(3)*(I*b^3*x^6 + 2*I*a*b^2*x^3 + I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) + (-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3 + (b^3*x^6 + 2*a*b^2*x^3 + a^2*b + sqrt(3)*(I*b^3*x^6 + 2*I*a*b^2*x^3 + I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) + (I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3 + (b^3*x^6 + 2*a*b^2*x^3 + a^2*b + sqrt(3)*(-I*b^3*x^6 - 2*I*a*b^2*x^3 - I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) + (-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3 + (b^3*x^6 + 2*a*b^2*x^3 + a^2*b + sqrt(3)*(-I*b^3*x^6 - 2*I*a*b^2*x^3 - I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) + (-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3 - 2*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b)*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) + (I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3 - 2*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b)*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)) + 6*(a*b^2*d^2*x^5 + a^2*b*d^2*x^2)*cos(d*x + c) + 6*(a*b^2*d*x^4 - 2*a^2*b*d*x)*sin(d*x + c))/(a^2*b^4*d*x^6 + 2*a^3*b^3*d*x^3 + a^4*b^2*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3 \sin(dx + c)}{(bx^3 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] integrate(x^3*sin(d*x + c)/(b*x^3 + a)^3, x)

maple [C] time = 0.19, size = 2032, normalized size = 2.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(d*x+c)/(b*x^3+a)^3,x)

[Out] $\frac{1}{d^4} \left(\frac{1}{18} \sin(d*x+c) * d^3 * (12*b^2*c^2*(d*x+c)^5 + (d*x+c)^4 * a*b*d^3 - 55*(d*x+c)^4 * b^2*c^3 - 4*(d*x+c)^3 * a*b*c*d^3 + 100*(d*x+c)^3 * b^2*c^4 + 27*(d*x+c)^2 * a*b*c^2 * d^3 - 90*(d*x+c)^2 * b^2*c^5 - 2*(d*x+c) * a^2 * d^6 - 38*(d*x+c) * a*b*c^3 * d^3 + 40*(d*x+c) * b^2*c^6 - 7*a^2*c*d^6 + 14*a*b*c^4*d^3 - 7*b^2*c^7) / a^2/b / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3)^2 + 1/18 * \cos(d*x+c) * d^3 * ((d*x+c)^2 * a * d^3 - (d*x+c)^2 * b*c^3 + (d*x+c) * a*c*d^3 + 2*(d*x+c) * b*c^4 + a*c^2*d^3 - c^5*b) / a^2/b / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3) + 1/54 * d^3 / a^2/b^2 * \sum((_R1^2 * a * d^3 - _R1^2 * b * c^3 + _R1 * a * c * d^3 + 2 * _R1 * b * c^4 + a * c^2 * d^3 - b * c^5 + 12 * _R1 * b * c^2 + 2 * a * d^3 - 2 * b * c^3) / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d*x + _R1 - c) * \cos(_R1) + \text{Ci}(d*x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1/9 * c * d^3 / a^2/b^2 * \sum((2 * _RR1^2 * b * c - 3 * _RR1 * b * c^2 - a * d^3 + b * c^3) / (_RR1^2 - 2 * _RR1 * c + c^2) * (\text{Si}(-d*x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d*x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1/6 * \sin(d*x+c) * c * d^3 * (8*b^2*c*(d*x+c)^5 - 35*b^2*c^2*(d*x+c)^4 + 60*b^2*c^3*(d*x+c)^3 + 14*(d*x+c)^2 * a * b * c * d^3 - 50*(d*x+c)^2 * b^2 * c^4 - 20*(d*x+c) * a * b * c^2 * d^3 + 20*(d*x+c) * b^2 * c^5 - 3*a^2*d^6 + 6*a*b*c^3*d^3 - 3*b^2*c^6) / a^2/b / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3)^2 + 1/6 * \cos(d*x+c) * c * d^3 * (c^2 * (d*x+c)^2 * b - (d*x+c) * a * d^3 - 2 * (d*x+c) * b * c^3 - a * c * d^3 + b * c^4) / a^2/b / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3) + 1/18 * c * d^3 / a^2/b^2 * \sum((_R1^2 * b * c^2 - _R1 * a * d^3 - 2 * _R1 * b * c^3 - a * c * d^3 + b * c^4 - 8 * _R1 * b * c - 2 * b * c^2) / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d*x + _R1 - c) * \cos(_R1) + \text{Ci}(d*x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) + 1/9 * c * d^3 / a^2/b^2 * \sum((4 * _RR1^2 * b * c - 5 * _RR1 * b * c^2 - a * d^3 + b * c^3) / (_RR1^2 - 2 * _RR1 * c + c^2) * (\text{Si}(-d*x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d*x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) + 1/6 * \sin(d*x+c) * c^2 * d^3 * (4*b*(d*x+c)^5 - 15*b*c*(d*x+c)^4 + 20*b*c^2*(d*x+c)^3 + 7*(d*x+c)^2 * a * d^3 - 10*(d*x+c)^2 * b * c^3 - 6*(d*x+c) * a * c * d^3 - a * c^2 * d^3 + c^5 * b) / a^2 / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3)^2 - 1/6 * \cos(d*x+c) * c^2 * d^3 * (c * (d*x+c)^2 * b - 2 * (d*x+c) * b * c^2 - a * d^3 + b * c^3) / a^2/b / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3) - 1/18 * c^2 * d^3 / a^2/b^2 * \sum((_R1^2 * b * c - 2 * _R1 * b * c^2 - a * d^3 + b * c^3 - 4 * _R1 * b - 6 * b * c) / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d*x + _R1 - c) * \cos(_R1) + \text{Ci}(d*x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1/9 * c^2 * d^3 / a^2/b * \sum((2 * _RR1 + c) / (_RR1 - c) * (\text{Si}(-d*x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d*x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - d^9 * c^3 * (1/18 * \sin(d*x+c) * (5 * (d*x+c)^4 * b - 20 * c * (d*x+c)^3 * b + 30 * c^2 * (d*x+c)^2 * b + 8 * (d*x+c) * a * d^3 - 20 * (d*x+c) * b * c^3 - 8 * a * c * d^3 + 5 * b * c^4) / a^2 / d^6 / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3)^2 - 1/18 * \cos(d*x+c) * ((d*x+c)^2 - 2 * (d*x+c) * c + c^2) / a^2 / d^6 / ((d*x+c)^3 * b - 3*c * (d*x+c)^2 * b + 3*(d*x+c) * b*c^2 + a*d^3 - b*c^3) - 1/54 / a^2 / d^6 / b * \sum((_R1^2 - 2 * _R1 * c + c^2 - 10) / (_R1^2 - 2 * _R1 * c + c^2) * (-\text{Si}(-d*x + _R1 - c) * \cos(_R1) + \text{Ci}(d*x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)) - 1/9 / a^2 / d^6 / b * \sum(1 / (_RR1 - c) * (\text{Si}(-d*x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d*x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3 * b - 3 * _Z^2 * b * c + 3 * _Z * b * c^2 + a * d^3 - b * c^3)))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3 \sin(c + dx)}{(bx^3 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^3*sin(c + d*x))/(a + b*x^3)^3,x)
```

```
[Out] int((x^3*sin(c + d*x))/(a + b*x^3)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*sin(d*x+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$3.110 \quad \int \frac{x^2 \sin(c+dx)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=777

$$\frac{d^2 \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{54a^{4/3}b^{5/3}} - \frac{(-1)^{2/3} d^2 \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{54a^{4/3}b^{5/3}} + \frac{\sqrt[3]{-1} d^2 \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{54a^{4/3}b^{5/3}}$$

[Out] $1/27*d*\text{Ci}(a^{(1/3)}*d/b^{(1/3)}+d*x)*\cos(c-a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}-1/27*(-1)^{(1/3)}*d*\text{Ci}((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}+1/27*(-1)^{(2/3)}*d*\text{Ci}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}+1/18*d*\cos(d*x+c)/a/b^2/x^2-1/18*d*\cos(d*x+c)/b^2/x^2/(b*x^3+a)-1/54*(-1)^{(2/3)}*d^2*\cos(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})*Si(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(4/3)}/b^{(5/3)}-1/54*d^2*\cos(c-a^{(1/3)}*d/b^{(1/3)})*Si(a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(4/3)}/b^{(5/3)}+1/54*(-1)^{(1/3)}*d^2*\cos(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})*Si((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)/a^{(4/3)}/b^{(5/3)}-1/54*d^2*\text{Ci}(a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(4/3)}/b^{(5/3)}-1/27*d*\text{Si}(a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}-1/54*(-1)^{(2/3)}*d^2*\text{Ci}((-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}-d*x)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(4/3)}/b^{(5/3)}+1/27*(-1)^{(1/3)}*d*\text{Si}(-(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c+(-1)^{(1/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}+1/54*(-1)^{(1/3)}*d^2*\text{Ci}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(4/3)}/b^{(5/3)}-1/27*(-1)^{(2/3)}*d*\text{Si}((-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)}+d*x)*\sin(c-(-1)^{(2/3)}*a^{(1/3)}*d/b^{(1/3)})/a^{(5/3)}/b^{(4/3)}-1/6*\sin(d*x+c)/b/(b*x^3+a)^2$

Rubi [A] time = 1.53, antiderivative size = 777, normalized size of antiderivative = 1.00, number of steps used = 37, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {3341, 3332, 3346, 3297, 3303, 3299, 3302, 3334, 3345}

$$\frac{d^2 \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{ad}}{\sqrt[3]{b}} + dx\right)}{54a^{4/3}b^{5/3}} - \frac{(-1)^{2/3} d^2 \sin\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} + c\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{54a^{4/3}b^{5/3}} + \frac{\sqrt[3]{-1} d^2 \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{54a^{4/3}b^{5/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(x^2*\text{Sin}[c + d*x])/(a + b*x^3)^3, x]$

[Out] $(d*\text{Cos}[c + d*x])/(18*a*b^2*x^2) - (d*\text{Cos}[c + d*x])/(18*b^2*x^2*(a + b*x^3)) - ((-1)^{(1/3)}*d*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{CosIntegral}(((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x)/(27*a^{(5/3)}*b^{(4/3)}) + (d*\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(27*a^{(5/3)}*b^{(4/3)}) + ((-1)^{(2/3)}*d*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{CosIntegral}(((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x)/(27*a^{(5/3)}*b^{(4/3)}) - (d^2*\text{CosIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x]*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}])/(54*a^{(4/3)}*b^{(5/3)}) - ((-1)^{(2/3)}*d^2*\text{CosIntegral}(((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x)*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(54*a^{(4/3)}*b^{(5/3)}) + ((-1)^{(1/3)}*d^2*\text{CosIntegral}(((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x)*\text{Sin}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}])/(54*a^{(4/3)}*b^{(5/3)}) - \text{Sin}[c + d*x]/(6*b*(a + b*x^3)^2) + ((-1)^{(2/3)}*d^2*\text{Cos}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}(((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x)/(54*a^{(4/3)}*b^{(5/3)}) - ((-1)^{(1/3)}*d*\text{Sin}[c + ((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}(((-1)^{(1/3)}*a^{(1/3)}*d)/b^{(1/3)} - d*x)/(27*a^{(5/3)}*b^{(4/3)}) - (d^2*\text{Cos}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(54*a^{(4/3)}*b^{(5/3)}) - (d*\text{Sin}[c - (a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}[(a^{(1/3)}*d)/b^{(1/3)} + d*x])/(27*a^{(5/3)}*b^{(4/3)}) + ((-1)^{(1/3)}*d^2*\text{Cos}[c - ((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)}]*\text{SinIntegral}(((-1)^{(2/3)}*a^{(1/3)}*d)/b^{(1/3)} + d*x)/(54*a^{(4/3)}*b^{(5/3)}) - ((-1)^{(2/3)}*d*\text{Sin}[c - (($

$$-1)^{(2/3)} * a^{(1/3)} * d / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} + d * x] / (27 * a^{(5/3)} * b^{(4/3)})$$

Rule 3297

$$\text{Int} [((c_{.}) + (d_{.}) * (x_{.}))^{(m_{.})} * \sin[(e_{.}) + (f_{.}) * (x_{.})], x_Symbol] \rightarrow \text{Simp} [((c + d * x)^{(m + 1)} * \text{Sin}[e + f * x]) / (d * (m + 1)), x] - \text{Dist}[f / (d * (m + 1)), \text{Int}[(c + d * x)^{(m + 1)} * \text{Cos}[e + f * x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{LtQ}[m, -1]$$

Rule 3299

$$\text{Int}[\sin[(e_{.}) + (f_{.}) * (x_{.})] / ((c_{.}) + (d_{.}) * (x_{.})), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f * x] / d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{EqQ}[d * e - c * f, 0]$$

Rule 3302

$$\text{Int}[\sin[(e_{.}) + (f_{.}) * (x_{.})] / ((c_{.}) + (d_{.}) * (x_{.})), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f * x] / d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{EqQ}[d * (e - \text{Pi}/2) - c * f, 0]$$

Rule 3303

$$\text{Int}[\sin[(e_{.}) + (f_{.}) * (x_{.})] / ((c_{.}) + (d_{.}) * (x_{.})), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d * e - c * f) / d], \text{Int}[\text{Sin}[(c * f) / d + f * x] / (c + d * x), x], x] + \text{Dist}[\text{Sin}[(d * e - c * f) / d], \text{Int}[\text{Cos}[(c * f) / d + f * x] / (c + d * x), x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{NeQ}[d * e - c * f, 0]$$

Rule 3332

$$\text{Int}[\text{Cos}[(c_{.}) + (d_{.}) * (x_{.})] * ((a_{.}) + (b_{.}) * (x_{.})^{(n_{.})})^{(p_{.})}, x_Symbol] \rightarrow \text{Simp}[(x^{(-n + 1)} * (a + b * x^n)^{(p + 1)} * \text{Cos}[c + d * x]) / (b * n * (p + 1)), x] + (-\text{Dist}[-(n + 1) / (b * n * (p + 1)), \text{Int}[(a + b * x^n)^{(p + 1)} * \text{Cos}[c + d * x] / x^n, x], x] + \text{Dist}[d / (b * n * (p + 1)), \text{Int}[x^{(-n + 1)} * (a + b * x^n)^{(p + 1)} * \text{Sin}[c + d * x], x], x]) /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{ILtQ}[p, -1] \&\& \text{IGtQ}[n, 2]$$

Rule 3334

$$\text{Int}[\text{Cos}[(c_{.}) + (d_{.}) * (x_{.})] * ((a_{.}) + (b_{.}) * (x_{.})^{(n_{.})})^{(p_{.})}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Cos}[c + d * x], (a + b * x^n)^p, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[n, 0] \&\& (\text{EqQ}[n, 2] \parallel \text{EqQ}[p, -1])$$

Rule 3341

$$\text{Int} [((e_{.}) * (x_{.}))^{(m_{.})} * ((a_{.}) + (b_{.}) * (x_{.})^{(n_{.})})^{(p_{.})} * \text{Sin}[(c_{.}) + (d_{.}) * (x_{.})], x_Symbol] \rightarrow \text{Simp} [(e^m * (a + b * x^n)^{(p + 1)} * \text{Sin}[c + d * x]) / (b * n * (p + 1)), x] - \text{Dist} [(d * e^m) / (b * n * (p + 1)), \text{Int} [(a + b * x^n)^{(p + 1)} * \text{Cos}[c + d * x], x], x] /; \text{FreeQ} [\{a, b, c, d, e, m, n\}, x] \&\& \text{ILtQ} [p, -1] \&\& \text{EqQ} [m, n - 1] \&\& (\text{IntegerQ} [n] \parallel \text{GtQ} [e, 0])$$

Rule 3345

$$\text{Int} [(x_{.})^{(m_{.})} * ((a_{.}) + (b_{.}) * (x_{.})^{(n_{.})})^{(p_{.})} * \text{Sin}[(c_{.}) + (d_{.}) * (x_{.})], x_Symbol] \rightarrow \text{Int} [\text{ExpandIntegrand} [\text{Sin}[c + d * x], x^m * (a + b * x^n)^p, x], x] /; \text{FreeQ} [\{a, b, c, d, m\}, x] \&\& \text{ILtQ} [p, 0] \&\& \text{IGtQ} [n, 0] \&\& (\text{EqQ} [n, 2] \parallel \text{EqQ} [p, -1]) \&\& \text{IntegerQ} [m]$$

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol]
:> Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x]
&& ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned} \int \frac{x^2 \sin(c + dx)}{(a + bx^3)^3} dx &= -\frac{\sin(c + dx)}{6b(a + bx^3)^2} + \frac{d \int \frac{\cos(c+dx)}{(a+bx^3)^2} dx}{6b} \\ &= -\frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} - \frac{\sin(c + dx)}{6b(a + bx^3)^2} - \frac{d \int \frac{\cos(c+dx)}{x^3(a+bx^3)} dx}{9b^2} - \frac{d^2 \int \frac{\sin(c+dx)}{x^2(a+bx^3)} dx}{18b^2} \\ &= -\frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} - \frac{\sin(c + dx)}{6b(a + bx^3)^2} - \frac{d \int \left(\frac{\cos(c+dx)}{ax^3} - \frac{b \cos(c+dx)}{a(a+bx^3)} \right) dx}{9b^2} - \frac{d^2 \int \left(\frac{\sin(c+dx)}{ax^2} - \frac{d \sin(c+dx)}{a^2 x} \right) dx}{18b^2} \\ &= -\frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} - \frac{\sin(c + dx)}{6b(a + bx^3)^2} - \frac{d \int \frac{\cos(c+dx)}{x^3} dx}{9ab^2} + \frac{d \int \frac{\cos(c+dx)}{a+bx^3} dx}{9ab} - \frac{d^2 \int \frac{\sin(c+dx)}{x^2} dx}{18ab^2} \\ &= \frac{d \cos(c + dx)}{18ab^2 x^2} - \frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} + \frac{d^2 \sin(c + dx)}{18ab^2 x} - \frac{\sin(c + dx)}{6b(a + bx^3)^2} + \frac{d \int \left(-\frac{\cos(c+dx)}{3a^2/3(-\sqrt[3]{a}-\sqrt[3]{a})} \right) dx}{18ab^2} \\ &= \frac{d \cos(c + dx)}{18ab^2 x^2} - \frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} - \frac{\sin(c + dx)}{6b(a + bx^3)^2} - \frac{d \int \frac{\cos(c+dx)}{-\sqrt[3]{a}-\sqrt[3]{b}x} dx}{27a^{5/3}b} - \frac{d \int \frac{\cos(c+dx)}{-\sqrt[3]{a}+\sqrt[3]{-1}\sqrt[3]{a}} dx}{27a^{5/3}b} \\ &= \frac{d \cos(c + dx)}{18ab^2 x^2} - \frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} - \frac{d^3 \cos(c) \text{Ci}(dx)}{18ab^2} - \frac{\sin(c + dx)}{6b(a + bx^3)^2} + \frac{d^3 \sin(c) \text{Si}(dx)}{18ab^2} \\ &= \frac{d \cos(c + dx)}{18ab^2 x^2} - \frac{d \cos(c + dx)}{18b^2 x^2 (a + bx^3)} - \frac{\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{a} d}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{a} d}{\sqrt[3]{b}} - dx\right)}{27a^{5/3}b^{4/3}} + \frac{d \cos(c + dx)}{18ab^2 x^2} \end{aligned}$$

Mathematica [C] time = 0.44, size = 449, normalized size = 0.58

$$idRootSum \left[\#1^3 b + a \&, \frac{-2 \sin(\#1 d + c) \text{Ci}(d(x - \#1)) - i \#1 d \sin(\#1 d + c) \text{Ci}(d(x - \#1)) - 2i \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + \#1 d \cos(\#1 d + c) \text{Ci}(d(x - \#1)) + \#1^2 \cos(\#1 d + c) \text{Si}(d(x - \#1))}{\#1^2} \right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x^2*Sin[c + d*x])/(a + b*x^3)^3,x]

[Out] (I*d*RootSum[a + b*#1^3 &, ((-2*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 2*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] + (2*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 &] - I*d*RootSum[a + b*#1^3 &, ((2*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 2*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] + (2*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 &])

```
d**1]*SinIntegral[d*(x - #1)] - (2*I)*Sin[c + d**1]*SinIntegral[d*(x - #1)
] + d*Cos[c + d**1]*CosIntegral[d*(x - #1)]*#1 + I*d*CosIntegral[d*(x - #1)
]*Sin[c + d**1]*#1 + I*d*Cos[c + d**1]*SinIntegral[d*(x - #1)]*#1 - d*SIN[c
+ d**1]*SinIntegral[d*(x - #1)]*#1/#1^2 & ] + (6*b*Cos[d*x]*(d*x*(a + b*x
^3)*Cos[c] - 3*a*SIN[c]))/(a + b*x^3)^2 - (6*b*(3*a*Cos[c] + d*x*(a + b*x^3
)*Sin[c])*Sin[d*x])/(a + b*x^3)^2)/(108*a*b^2)
```

fricas [C] time = 0.96, size = 929, normalized size = 1.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] 1/216*(((I*b^2*x^6 - 2*I*a*b*x^3 - I*a^2 - sqrt(3)*(b^2*x^6 + 2*a*b*x^3 +
a^2))*(I*a*d^3/b)^(2/3) + (-2*I*b^2*x^6 - 4*I*a*b*x^3 - 2*I*a^2 + 2*sqrt(3)
*(b^2*x^6 + 2*a*b*x^3 + a^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b
)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) +
((I*b^2*x^6 + 2*I*a*b*x^3 + I*a^2 + sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(-
I*a*d^3/b)^(2/3) + (2*I*b^2*x^6 + 4*I*a*b*x^3 + 2*I*a^2 - 2*sqrt(3)*(b^2*x
^6 + 2*a*b*x^3 + a^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3
)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) + ((-I
*b^2*x^6 - 2*I*a*b*x^3 - I*a^2 + sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(I*a*
d^3/b)^(2/3) + (-2*I*b^2*x^6 - 4*I*a*b*x^3 - 2*I*a^2 - 2*sqrt(3)*(b^2*x^6 +
2*a*b*x^3 + a^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*
sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) + ((I*b^2*x
^6 + 2*I*a*b*x^3 + I*a^2 - sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(-I*a*d^3/b)
^(2/3) + (2*I*b^2*x^6 + 4*I*a*b*x^3 + 2*I*a^2 + 2*sqrt(3)*(b^2*x^6 + 2*a*b*
x^3 + a^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3
) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) + ((-2*I*b^2*x^6
- 4*I*a*b*x^3 - 2*I*a^2)*(-I*a*d^3/b)^(2/3) + (-4*I*b^2*x^6 - 8*I*a*b*x^3 -
4*I*a^2)*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a
*d^3/b)^(1/3)) + ((2*I*b^2*x^6 + 4*I*a*b*x^3 + 2*I*a^2)*(I*a*d^3/b)^(2/3) +
(4*I*b^2*x^6 + 8*I*a*b*x^3 + 4*I*a^2)*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + (I*a*
d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)) - 36*a^2*sin(d*x + c) + 12*(a*b*
d*x^4 + a^2*d*x)*cos(d*x + c))/(a^2*b^3*x^6 + 2*a^3*b^2*x^3 + a^4*b)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 \sin(dx + c)}{(bx^3 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="giac")
```

```
[Out] integrate(x^2*sin(d*x + c)/(b*x^3 + a)^3, x)
```

maple [C] time = 0.14, size = 1394, normalized size = 1.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*sin(d*x+c)/(b*x^3+a)^3,x)
```

```
[Out] 1/d^3*(1/18*sin(d*x+c)*d^3*(8*b^2*c*(d*x+c)^5-35*b^2*c^2*(d*x+c)^4+60*b^2*c
^3*(d*x+c)^3+14*(d*x+c)^2*a*b*c*d^3-50*(d*x+c)^2*b^2*c^4-20*(d*x+c)*a*b*c^2
*d^3+20*(d*x+c)*b^2*c^5-3*a^2*d^6+6*a*b*c^3*d^3-3*b^2*c^6)/a^2/b/((d*x+c)^3
*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)^2-1/18*cos(d*x+c)*d^3*(c^2*
(d*x+c)^2*b-(d*x+c)*a*d^3-2*(d*x+c)*b*c^3-a*c*d^3+b*c^4)/a^2/b/((d*x+c)^3*b
```

```

-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)-1/54*d^3/a^2/b^2*sum(( _R1^2*b
*c^2-_R1*a*d^3-2*_R1*b*c^3-a*c*d^3+b*c^4-8*_R1*b*c-2*b*c^2)/(_R1^2-2*_R1*c+
c^2)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)), _R1=RootOf(_Z^3*b-3*
_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/27*d^3/a^2/b^2*sum((4*_RR1^2*b*c-5*_RR1
*b*c^2-a*d^3+b*c^3)/(_RR1^2-2*_RR1*c+c^2)*(Si(-d*x+_RR1-c)*sin(_RR1)+Ci(d*x
-_RR1+c)*cos(_RR1)), _RR1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-
1/9*sin(d*x+c)*c*d^3*(4*b*(d*x+c)^5-15*b*c*(d*x+c)^4+20*b*c^2*(d*x+c)^3+7*(
d*x+c)^2*a*d^3-10*(d*x+c)^2*b*c^3-6*(d*x+c)*a*c*d^3-a*c^2*d^3+c^5*b)/a^2/((
d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)^2+1/9*cos(d*x+c)*c*
d^3*(c*(d*x+c)^2*b-2*(d*x+c)*b*c^2-a*d^3+b*c^3)/a^2/b/((d*x+c)^3*b-3*c*(d*x
+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)+1/27*c*d^3/a^2/b^2*sum(( _R1^2*b*c-2*_R
1*b*c^2-a*d^3+b*c^3-4*_R1*b-6*b*c)/(_R1^2-2*_R1*c+c^2)*(-Si(-d*x+_R1-c)*cos
(_R1)+Ci(d*x-_R1+c)*sin(_R1)), _R1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3
-b*c^3))+2/27*c*d^3/a^2/b*sum((2*_RR1+c)/(_RR1-c)*(Si(-d*x+_RR1-c)*sin(_RR1
)+Ci(d*x-_RR1+c)*cos(_RR1)), _RR1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-
b*c^3))+c^2*d^9*(1/18*sin(d*x+c)*(5*(d*x+c)^4*b-20*c*(d*x+c)^3*b+30*c^2*(d*
x+c)^2*b+8*(d*x+c)*a*d^3-20*(d*x+c)*b*c^3-8*a*c*d^3+5*b*c^4)/a^2/d^6/((d*x+
c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)^2-1/18*cos(d*x+c)*((d*x
+c)^2-2*(d*x+c)*c+c^2)/a^2/d^6/((d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2
+a*d^3-b*c^3)-1/54/a^2/d^6/b*sum(( _R1^2-2*_R1*c+c^2-10)/(_R1^2-2*_R1*c+c^2)
*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)), _R1=RootOf(_Z^3*b-3*_Z^2
*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-1/9/a^2/d^6/b*sum(1/(_RR1-c)*(Si(-d*x+_RR1-c)
*sin(_RR1)+Ci(d*x-_RR1+c)*cos(_RR1)), _RR1=RootOf(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c
^2+a*d^3-b*c^3))))

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2 \sin(c + dx)}{(bx^3 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((x^2*sin(c + d*x))/(a + b*x^3)^3,x)
```

```
[Out] int((x^2*sin(c + d*x))/(a + b*x^3)^3, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*sin(d*x+c)/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


$$\begin{aligned} & \frac{1}{3} * d) / b^{(1/3)}] / (54 * a^{(5/3)} * b^{(4/3)}) - \text{Sin}[c + d * x] / (18 * a * b^{2 * x^4}) + (2 * \text{Sin}[c + d * x] / (9 * a^2 * b * x) - \text{Sin}[c + d * x] / (6 * b * x * (a + b * x^3)^2) + \text{Sin}[c + d * x] / (18 * b^{2 * x^4} * (a + b * x^3))) + (2 * (-1)^{(2/3)} * \text{Cos}[c + ((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)} - d * x] / (27 * a^{(7/3)} * b^{(2/3)}) + ((-1)^{(1/3)} * d^2 * \text{Cos}[c + ((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)} - d * x] / (54 * a^{(5/3)} * b^{(4/3)}) - (2 * d * \text{Sin}[c + ((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)} - d * x] / (27 * a^2 * b) - (2 * \text{Cos}[c - (a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [(a^{(1/3)} * d) / b^{(1/3)} + d * x] / (27 * a^{(7/3)} * b^{(2/3)}) + (d^2 * \text{Cos}[c - (a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [(a^{(1/3)} * d) / b^{(1/3)} + d * x] / (54 * a^{(5/3)} * b^{(4/3)}) + (2 * d * \text{Sin}[c - (a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [(a^{(1/3)} * d) / b^{(1/3)} + d * x] / (27 * a^2 * b) + (2 * (-1)^{(1/3)} * \text{Cos}[c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} + d * x] / (27 * a^{(7/3)} * b^{(2/3)}) + ((-1)^{(2/3)} * d^2 * \text{Cos}[c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} + d * x] / (54 * a^{(5/3)} * b^{(4/3)}) + (2 * d * \text{Sin}[c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral} [((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} + d * x] / (27 * a^2 * b) \end{aligned}$$

Rule 3297

$$\text{Int}[(c + d * x)^m * \text{sin}[e + f * x], x_Symbol] \rightarrow \text{Simp}[(c + d * x)^{m + 1} * \text{Sin}[e + f * x] / (d * (m + 1)), x] - \text{Dist}[f / (d * (m + 1)), \text{Int}[(c + d * x)^{m + 1} * \text{Cos}[e + f * x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{LtQ}[m, -1]$$

Rule 3299

$$\text{Int}[\text{sin}[e + f * x] / (c + d * x), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f * x] / d, x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{EqQ}[d * e - c * f, 0]$$

Rule 3302

$$\text{Int}[\text{sin}[e + f * x] / (c + d * x), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f * x] / d, x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{EqQ}[d * (e - \text{Pi}/2) - c * f, 0]$$

Rule 3303

$$\text{Int}[\text{sin}[e + f * x] / (c + d * x), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d * e - c * f) / d], \text{Int}[\text{Sin}[(c * f) / d + f * x] / (c + d * x), x], x] + \text{Dist}[\text{Sin}[(d * e - c * f) / d], \text{Int}[\text{Cos}[(c * f) / d + f * x] / (c + d * x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{NeQ}[d * e - c * f, 0]$$

Rule 3333

$$\text{Int}[(a + b * x^n)^p * \text{Sin}[c + d * x], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Sin}[c + d * x], (a + b * x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[n, 0] \&\& (\text{EqQ}[n, 2] \parallel \text{EqQ}[p, -1])$$

Rule 3343

$$\text{Int}[(x + a + b * x^n)^p * \text{Sin}[c + d * x], x_Symbol] \rightarrow \text{Simp}[(x + a + b * x^n)^{p + 1} * \text{Sin}[c + d * x] / (b * n * (p + 1)), x] + (-\text{Dist}[(m - n + 1) / (b * n * (p + 1)), \text{Int}[x^{m - n} * (a + b * x^n)^{p + 1} * \text{Sin}[c + d * x], x], x] - \text{Dist}[d / (b * n * (p + 1)), \text{Int}[x^{m - n + 1} * (a + b * x^n)^{p + 1} * \text{Cos}[c + d * x], x], x]) /; \text{FreeQ}\{a, b, c, d, m\}, x \&\& \text{ILtQ}[p, -1] \&\& \text{IGtQ}[n, 0] \&\& (\text{GtQ}[m - n + 1, 0] \parallel \text{GtQ}[n, 2]) \&\& \text{RationalQ}[m]$$

Rule 3344

$$\text{Int}[\text{Cos}[c + d * x] * (x + a + b * x^n)^p, x_Symbol]$$

```
bol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x])/(b*n*(p + 1))
, x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
Cos[c + d*x], x], x] + Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
p + 1)*Sin[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
& IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3345

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*Sin[(c_) + (d_)*(x_)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_) + (d_)*(x_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Sym
bol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{x \sin(c+dx)}{(a+bx^3)^3} dx &= -\frac{\sin(c+dx)}{6bx(a+bx^3)^2} - \frac{\int \frac{\sin(c+dx)}{x^2(a+bx^3)^2} dx}{6b} + \frac{d \int \frac{\cos(c+dx)}{x(a+bx^3)^2} dx}{6b} \\
&= -\frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{\sin(c+dx)}{6bx(a+bx^3)^2} + \frac{\sin(c+dx)}{18b^2x^4(a+bx^3)} + \frac{2 \int \frac{\sin(c+dx)}{x^5(a+bx^3)} dx}{9b^2} - \frac{d \int \frac{\cos(c+dx)}{x^4(a+bx^3)} dx}{18b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{\sin(c+dx)}{6bx(a+bx^3)^2} + \frac{\sin(c+dx)}{18b^2x^4(a+bx^3)} + \frac{2 \int \left(\frac{\sin(c+dx)}{ax^5} - \frac{b \sin(c+dx)}{a^2x^2} + \frac{b^2 \sin(c+dx)}{a^3} \right) dx}{9b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{\sin(c+dx)}{6bx(a+bx^3)^2} + \frac{\sin(c+dx)}{18b^2x^4(a+bx^3)} + \frac{2 \int \frac{x \sin(c+dx)}{a+bx^3} dx}{9a^2} + \frac{2 \int \frac{\sin(c+dx)}{x^5} dx}{9ab^2} \\
&= \frac{2d \cos(c+dx)}{27ab^2x^3} - \frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{\sin(c+dx)}{18ab^2x^4} + \frac{d^2 \sin(c+dx)}{36ab^2x^2} + \frac{2 \sin(c+dx)}{9a^2bx} - \frac{\sin(c+dx)}{6bx} \\
&= \frac{d \cos(c+dx)}{18ab^2x^3} + \frac{d^3 \cos(c+dx)}{36ab^2x} - \frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} + \frac{2d \cos(c) \text{Ci}(dx)}{9a^2b} - \frac{\sin(c+dx)}{18ab^2x^4} - \frac{\sin(c+dx)}{6bx} \\
&= \frac{d \cos(c+dx)}{18ab^2x^3} - \frac{d^3 \cos(c+dx)}{108ab^2x} - \frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{\sin(c+dx)}{18ab^2x^4} + \frac{2 \sin(c+dx)}{9a^2bx} - \frac{\sin(c+dx)}{6bx} \\
&= \frac{d \cos(c+dx)}{18ab^2x^3} - \frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{2d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{27a^2b} - \frac{2d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{27a^2b} \\
&= \frac{d \cos(c+dx)}{18ab^2x^3} - \frac{d \cos(c+dx)}{18b^2x^3(a+bx^3)} - \frac{2d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{27a^2b} - \frac{2d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right)}{27a^2b}
\end{aligned}$$

Mathematica [C] time = 0.59, size = 698, normalized size = 0.61

$$\text{RootSum}\left[\#1^3b + a\&, \frac{-4i\#1^2bd \sin(\#1d+c)\text{Ci}(d(x-\#1))+4\#1^2bd \cos(\#1d+c)\text{Ci}(d(x-\#1))-4\#1^2bd \sin(\#1d+c)\text{Si}(d(x-\#1))-4i\#1^2bd \cos(\#1d+c)\text{Si}(d(x-\#1))}{27a^2b}\right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[(x*Sin[c + d*x])/(a + b*x^3)^3,x]

[Out] -1/108*(RootSum[a + b*#1^3 &, ((-I)*a*d^2*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - a*d^2*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - a*d^2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] + I*a*d^2*Sin[c + d*#1]*SinIntegral[d*(x - #1)] - (4*I)*b*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - 4*b*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - 4*b*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 + (4*I)*b*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1 + 4*b*d*Cos[c + d*#1]*CosIntegral

```
[d*(x - #1)]*#1^2 - (4*I)*b*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1^2 -
(4*I)*b*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2 - 4*b*d*Sin[c + d*#1]*
SinIntegral[d*(x - #1)]*#1^2)/#1^2 & ] + RootSum[a + b*#1^3 & , (I*a*d^2*Co
s[c + d*#1]*CosIntegral[d*(x - #1)] - a*d^2*CosIntegral[d*(x - #1)]*Sin[c +
d*#1] - a*d^2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - I*a*d^2*Sin[c + d*#1
]*SinIntegral[d*(x - #1)] + (4*I)*b*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#
1 - 4*b*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - 4*b*Cos[c + d*#1]*SinInt
egral[d*(x - #1)]*#1 - (4*I)*b*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1 + 4
*b*d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1^2 + (4*I)*b*d*CosIntegral[d*(
x - #1)]*Sin[c + d*#1]*#1^2 + (4*I)*b*d*Cos[c + d*#1]*SinIntegral[d*(x - #1
)]*#1^2 - 4*b*d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2)/#1^2 & ] - (6*b
*Cos[d*x]*(a*d*(a + b*x^3)*Cos[c] + b*x^2*(7*a + 4*b*x^3)*Sin[c]))/(a + b*x
^3)^2 - (6*b*(b*x^2*(7*a + 4*b*x^3)*Cos[c] - a*d*(a + b*x^3)*Sin[c])*Sin[d*
x))/(a + b*x^3)^2)/(a^2*b^2)
```

fricas [C] time = 1.12, size = 1321, normalized size = 1.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")
```

```
[Out] -1/216*((8*a*b^2*d^3*x^6 + 16*a^2*b*d^3*x^3 + 8*a^3*d^3 - (-4*I*b^3*x^6 - 8
*I*a*b^2*x^3 - 4*I*a^2*b - 4*sqrt(3)*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b))*I*a*
d^3/b)^(2/3) - (a*b^2*d^3*x^6 + 2*a^2*b*d^3*x^3 + a^3*d^3 + sqrt(3)*(I*a*b^
2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x +
1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3)
+ 1) - I*c) + (8*a*b^2*d^3*x^6 + 16*a^2*b*d^3*x^3 + 8*a^3*d^3 - (4*I*b^3*x
^6 + 8*I*a*b^2*x^3 + 4*I*a^2*b + 4*sqrt(3)*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b))
*(-I*a*d^3/b)^(2/3) - (a*b^2*d^3*x^6 + 2*a^2*b*d^3*x^3 + a^3*d^3 + sqrt(3)*
(I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3))*(-I*a*d^3/b)^(1/3))*Ei(I
*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*
(I*sqrt(3) + 1) + I*c) + (8*a*b^2*d^3*x^6 + 16*a^2*b*d^3*x^3 + 8*a^3*d^3 - (
-4*I*b^3*x^6 - 8*I*a*b^2*x^3 - 4*I*a^2*b + 4*sqrt(3)*(b^3*x^6 + 2*a*b^2*x^3
+ a^2*b))*I*a*d^3/b)^(2/3) - (a*b^2*d^3*x^6 + 2*a^2*b*d^3*x^3 + a^3*d^3 +
sqrt(3)*(-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3))*(I*a*d^3/b)^(1
/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)
^(1/3)*(-I*sqrt(3) + 1) - I*c) + (8*a*b^2*d^3*x^6 + 16*a^2*b*d^3*x^3 + 8*a^
3*d^3 - (4*I*b^3*x^6 + 8*I*a*b^2*x^3 + 4*I*a^2*b - 4*sqrt(3)*(b^3*x^6 + 2*a*
b^2*x^3 + a^2*b))*(-I*a*d^3/b)^(2/3) - (a*b^2*d^3*x^6 + 2*a^2*b*d^3*x^3 + a
^3*d^3 + sqrt(3)*(-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3))*(-I*a*
d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I
*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) + (8*a*b^2*d^3*x^6 + 16*a^2*b*d^3*x
^3 + 8*a^3*d^3 - (-8*I*b^3*x^6 - 16*I*a*b^2*x^3 - 8*I*a^2*b))*(-I*a*d^3/b)^(
2/3) + 2*(a*b^2*d^3*x^6 + 2*a^2*b*d^3*x^3 + a^3*d^3)*(-I*a*d^3/b)^(1/3))*Ei
(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) + (8*a*b^2*d^3*x^
6 + 16*a^2*b*d^3*x^3 + 8*a^3*d^3 - (8*I*b^3*x^6 + 16*I*a*b^2*x^3 + 8*I*a^2*
b))*I*a*d^3/b)^(2/3) + 2*(a*b^2*d^3*x^6 + 2*a^2*b*d^3*x^3 + a^3*d^3)*(I*a*d
^3/b)^(1/3))*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)) -
12*(a^2*b*d^3*x^3 + a^3*d^3)*cos(d*x + c) - 12*(4*a*b^2*d^2*x^5 + 7*a^2*b*d
^2*x^2)*sin(d*x + c))/(a^3*b^3*d^2*x^6 + 2*a^4*b^2*d^2*x^3 + a^5*b*d^2)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x \sin(dx + c)}{(bx^3 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="giac")
```

[Out] integrate(x*sin(d*x + c)/(b*x^3 + a)^3, x)

maple [C] time = 0.10, size = 845, normalized size = 0.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(d*x+c)/(b*x^3+a)^3,x)

[Out]
$$\frac{1}{d^2} \left(\frac{1}{18} \sin(d*x+c) * d^3 * (4*b*(d*x+c)^5 - 15*b*c*(d*x+c)^4 + 20*b*c^2*(d*x+c)^3 + 7*(d*x+c)^2*a*d^3 - 10*(d*x+c)^2*b*c^3 - 6*(d*x+c)*a*c*d^3 - a*c^2*d^3 + c^5*b) / a^2 / ((d*x+c)^3*b - 3*c*(d*x+c)^2*b + 3*(d*x+c)*b*c^2 + a*d^3 - b*c^3) \right)^2 - 1/18 * \cos(d*x+c) * d^3 * (c*(d*x+c)^2*b - 2*(d*x+c)*b*c^2 - a*d^3 + b*c^3) / a^2 / b / ((d*x+c)^3*b - 3*c*(d*x+c)^2*b + 3*(d*x+c)*b*c^2 + a*d^3 - b*c^3) - 1/54 * d^3 / a^2 / b^2 * \sum((_R1^2*b*c - 2*_R1*b*c^2 - a*d^3 + b*c^3 - 4*_R1*b - 6*b*c) / (_R1^2 - 2*_R1*c + c^2) * (-\text{Si}(-d*x + _R1 - c) * \cos(_R1) + \text{Ci}(d*x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3*b - 3*_Z^2*b*c + 3*_Z*b*c^2 + a*d^3 - b*c^3)) - 1/27 * d^3 / a^2 / b * \sum((2*_RR1 + c) / (_RR1 - c) * (\text{Si}(-d*x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d*x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3*b - 3*_Z^2*b*c + 3*_Z*b*c^2 + a*d^3 - b*c^3)) - d^9 * c * (1/18 * \sin(d*x+c) * (5*(d*x+c)^4*b - 20*c*(d*x+c)^3*b + 30*c^2*(d*x+c)^2*b + 8*(d*x+c)*a*d^3 - 20*(d*x+c)*b*c^3 - 8*a*c*d^3 + 5*b*c^4) / a^2 / d^6 / ((d*x+c)^3*b - 3*c*(d*x+c)^2*b + 3*(d*x+c)*b*c^2 + a*d^3 - b*c^3) \right)^2 - 1/18 * \cos(d*x+c) * ((d*x+c)^2 - 2*(d*x+c)*c + c^2) / a^2 / d^6 / ((d*x+c)^3*b - 3*c*(d*x+c)^2*b + 3*(d*x+c)*b*c^2 + a*d^3 - b*c^3) - 1/54 * a^2 / d^6 / b * \sum((_R1^2 - 2*_R1*c + c^2 - 10) / (_R1^2 - 2*_R1*c + c^2) * (-\text{Si}(-d*x + _R1 - c) * \cos(_R1) + \text{Ci}(d*x - _R1 + c) * \sin(_R1)), _R1 = \text{RootOf}(_Z^3*b - 3*_Z^2*b*c + 3*_Z*b*c^2 + a*d^3 - b*c^3)) - 1/9 * a^2 / d^6 / b * \sum(1 / (_RR1 - c) * (\text{Si}(-d*x + _RR1 - c) * \sin(_RR1) + \text{Ci}(d*x - _RR1 + c) * \cos(_RR1)), _RR1 = \text{RootOf}(_Z^3*b - 3*_Z^2*b*c + 3*_Z*b*c^2 + a*d^3 - b*c^3))$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x \sin(c + dx)}{(bx^3 + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((x*sin(c + d*x))/(a + b*x^3)^3,x)

[Out] int((x*sin(c + d*x))/(a + b*x^3)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

$$3.112 \quad \int \frac{\sin(c+dx)}{(a+bx^3)^3} dx$$

Optimal. Leaf size=1161

$$\frac{\operatorname{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) d^2}{54a^2b} - \frac{\operatorname{Ci}\left(\frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right) \sin\left(c + \frac{\sqrt[3]{-1}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) d^2}{54a^2b} - \frac{\operatorname{Ci}\left(xd + \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \sin\left(c - \frac{(-1)^{2/3}\sqrt[3]{ad}}{\sqrt[3]{b}}\right) d^2}{54a^2b}$$

[Out] $5/27 \cos(c - a^{1/3}d/b^{1/3}) \operatorname{Si}(a^{1/3}d/b^{1/3} + dx)/a^{8/3}/b^{1/3} + 5/27 \operatorname{Ci}(a^{1/3}d/b^{1/3} + dx) \sin(c - a^{1/3}d/b^{1/3})/a^{8/3}/b^{1/3} - 1/9 \sin(dx+c)/a/b^2/x^5 + 5/18 \sin(dx+c)/a^2/b/x^2 - 1/6 \sin(dx+c)/b/x^2/(b^3x+a)^2 + 1/9 \sin(dx+c)/b^2/x^5/(b^3x+a) - 5/27 (-1)^{1/3} \cos(c + (-1)^{1/3}a^{1/3}d/b^{1/3}) \operatorname{Si}(-(-1)^{1/3}a^{1/3}d/b^{1/3} + dx)/a^{8/3}/b^{1/3} - 1/54 d^2 \cos(c + (-1)^{1/3}a^{1/3}d/b^{1/3}) \operatorname{Si}(-(-1)^{1/3}a^{1/3}d/b^{1/3} + dx)/a^2/b - 1/18 d \cos(dx+c)/b^2/x^4/(b^3x+a) - 1/54 d^2 \cos(c - a^{1/3}d/b^{1/3}) \operatorname{Si}(a^{1/3}d/b^{1/3} + dx)/a^2/b + 5/27 (-1)^{2/3} \cos(c - (-1)^{2/3}a^{1/3}d/b^{1/3}) \operatorname{Si}((-1)^{2/3}a^{1/3}d/b^{1/3} + dx)/a^{8/3}/b^{1/3} - 1/54 d^2 \cos(c - (-1)^{2/3}a^{1/3}d/b^{1/3}) \operatorname{Si}((-1)^{2/3}a^{1/3}d/b^{1/3} + dx)/a^2/b - 1/54 d^2 \operatorname{Ci}(a^{1/3}d/b^{1/3} + dx) \sin(c - a^{1/3}d/b^{1/3})/a^2/b - 1/9 d \operatorname{Si}(a^{1/3}d/b^{1/3} + dx) \sin(c - a^{1/3}d/b^{1/3})/a^{7/3}/b^{2/3} - 5/27 (-1)^{1/3} \operatorname{Ci}((-1)^{1/3}a^{1/3}d/b^{1/3} - dx) \sin(c + (-1)^{1/3}a^{1/3}d/b^{1/3})/a^{8/3}/b^{1/3} - 1/54 d^2 \operatorname{Ci}((-1)^{1/3}a^{1/3}d/b^{1/3} - dx) \sin(c + (-1)^{1/3}a^{1/3}d/b^{1/3})/a^2/b + 5/27 (-1)^{2/3} \operatorname{Ci}((-1)^{2/3}a^{1/3}d/b^{1/3} + dx) \sin(c - (-1)^{2/3}a^{1/3}d/b^{1/3})/a^{8/3}/b^{1/3} - 1/54 d^2 \operatorname{Ci}((-1)^{2/3}a^{1/3}d/b^{1/3} + dx) \sin(c - (-1)^{2/3}a^{1/3}d/b^{1/3})/a^2/b + 1/9 d \operatorname{Ci}(a^{1/3}d/b^{1/3} + dx) \cos(c - a^{1/3}d/b^{1/3})/a^{7/3}/b^{2/3} + 1/18 d \cos(dx+c)/a/b^2/x^4 - 1/18 d \cos(dx+c)/a^2/b/x - 1/9 (-1)^{2/3} d \operatorname{Si}(-(-1)^{1/3}a^{1/3}d/b^{1/3} + dx) \sin(c + (-1)^{1/3}a^{1/3}d/b^{1/3})/a^{7/3}/b^{2/3} + 1/9 (-1)^{2/3} d \operatorname{Ci}((-1)^{1/3}a^{1/3}d/b^{1/3} - dx) \cos(c + (-1)^{1/3}a^{1/3}d/b^{1/3})/a^{7/3}/b^{2/3} - 1/9 (-1)^{1/3} d \operatorname{Ci}((-1)^{2/3}a^{1/3}d/b^{1/3} + dx) \cos(c - (-1)^{2/3}a^{1/3}d/b^{1/3})/a^{7/3}/b^{2/3} + 1/9 (-1)^{1/3} d \operatorname{Si}((-1)^{2/3}a^{1/3}d/b^{1/3} + dx) \sin(c - (-1)^{2/3}a^{1/3}d/b^{1/3})/a^{7/3}/b^{2/3}$

Rubi [A] time = 3.37, antiderivative size = 1161, normalized size of antiderivative = 1.00, number of steps used = 99, number of rules used = 10, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {3331, 3343, 3345, 3297, 3303, 3299, 3302, 3333, 3346, 3344}

result too large to display

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*x^3)^3, x]

[Out] $(d \operatorname{Cos}[c + d*x])/(18*a*b^2*x^4) - (d \operatorname{Cos}[c + d*x])/(18*a^2*b*x) - (d \operatorname{Cos}[c + d*x])/(18*b^2*x^4*(a + b*x^3)) + ((-1)^{2/3} d \operatorname{Cos}[c + ((-1)^{1/3}a^{1/3}d/b^{1/3}) * d]/b^{1/3}) * \operatorname{CosIntegral} [((-1)^{1/3}a^{1/3}d/b^{1/3} - d*x)/(9*a^{7/3}*b^{2/3})] + (d \operatorname{Cos}[c - (a^{1/3}d)/b^{1/3}]) * \operatorname{CosIntegral} [(a^{1/3}d)/b^{1/3} + d*x]/(9*a^{7/3}*b^{2/3}) - ((-1)^{1/3} d \operatorname{Cos}[c - ((-1)^{2/3}a^{1/3}d)/b^{1/3}]) * \operatorname{CosIntegral} [((-1)^{2/3}a^{1/3}d)/b^{1/3} + d*x]/(9*a^{7/3}*b^{2/3}) + (5 * \operatorname{CosIntegral} [(a^{1/3}d)/b^{1/3} + d*x] * \operatorname{Sin}[c - (a^{1/3}d)/b^{1/3}]) / (27*a^{8/3}*b^{1/3}) - (d^2 * \operatorname{CosIntegral} [(a^{1/3}d)/b^{1/3} + d*x] * \operatorname{Sin}[c - (a^{1/3}d)/b^{1/3}]) / (54*a^2*b) - (5*(-1)^{1/3} * \operatorname{CosIntegral} [((-1)^{1/3}a^{1/3}d)/b^{1/3} - d*x] * \operatorname{Sin}[c + ((-1)^{1/3}a^{1/3}d)/b^{1/3}]) / (27*a^{8/3}*b^{1/3}) - (d^2 * \operatorname{CosIntegral} [((-1)^{1/3}a^{1/3}d)/b^{1/3} - d*x] * \operatorname{Sin}[c + ((-1)^{1/3}a^{1/3}d)/b^{1/3}]) / (54*a^2*b) + (5*(-1)^{2/3} * \operatorname{CosIntegral} [((-1)^{2/3}a^{1/3}d)/b^{1/3} + d*x] * \operatorname{Sin}[c - ((-1)^{2/3}a^{1/3}d)/b^{1/3}]) / (27*a^{8/3}*b^{1/3}) - (d^2 * \operatorname{CosIntegral} [((-1)^{2/3}a^{1/3}d)/b^{1/3} + d*x] * \operatorname{Sin}[c - ((-1)^{2/3}a^{1/3}d)/b^{1/3}]) / (27*a^{8/3}*b^{1/3}) - (d^2 * \operatorname{CosIntegral} [((-1)^{2/3}a^{1/3}d)/b^{1/3} + d*x] * \operatorname{Sin}[c - ((-1)^{2/3}a^{1/3}d)/b^{1/3}]) / (27*a^{8/3}*b^{1/3})$

3) + d*x]*Sin[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)]/(54*a^2*b) - Sin[c + d*x]/(9*a*b^2*x^5) + (5*Sin[c + d*x])/(18*a^2*b*x^2) - Sin[c + d*x]/(6*b*x^2*(a + b*x^3)^2) + Sin[c + d*x]/(9*b^2*x^5*(a + b*x^3)) + (5*(-1)^(1/3)*Cos[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[((-1)^(1/3)*a^(1/3)*d)/b^(1/3) - d*x])/(27*a^(8/3)*b^(1/3)) + (d^2*Cos[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[((-1)^(1/3)*a^(1/3)*d)/b^(1/3) - d*x])/(54*a^2*b) + ((-1)^(2/3)*d*Sin[c + ((-1)^(1/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[((-1)^(1/3)*a^(1/3)*d)/b^(1/3) - d*x])/(9*a^(7/3)*b^(2/3)) + (5*Cos[c - (a^(1/3)*d)/b^(1/3)]*SinIntegral[(a^(1/3)*d)/b^(1/3) + d*x])/(27*a^(8/3)*b^(1/3)) - (d^2*Cos[c - (a^(1/3)*d)/b^(1/3)]*SinIntegral[(a^(1/3)*d)/b^(1/3) + d*x])/(54*a^2*b) - (d*Sin[c - (a^(1/3)*d)/b^(1/3)]*SinIntegral[(a^(1/3)*d)/b^(1/3) + d*x])/(9*a^(7/3)*b^(2/3)) + (5*(-1)^(2/3)*Cos[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[((-1)^(2/3)*a^(1/3)*d)/b^(1/3) + d*x])/(27*a^(8/3)*b^(1/3)) - (d^2*Cos[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[((-1)^(2/3)*a^(1/3)*d)/b^(1/3) + d*x])/(54*a^2*b) + ((-1)^(1/3)*d*Sin[c - ((-1)^(2/3)*a^(1/3)*d)/b^(1/3)]*SinIntegral[((-1)^(2/3)*a^(1/3)*d)/b^(1/3) + d*x])/(9*a^(7/3)*b^(2/3))

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3331

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(x^(-n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] + (-Dist[(-n + 1)/(b*n*(p + 1)), Int[((a + b*x^n)^(p + 1)*Sin[c + d*x])/x^n, x], x] - Dist[d/(b*n*(p + 1)), Int[x^(-n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d}, x] && ILtQ[p, -1] && IGtQ[n, 2]

Rule 3333

Int[((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Int[ExpandIntegrand[Sin[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3343

Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym

```
bol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1))
, x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
Sin[c + d*x], x], x] - Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
p + 1)*Cos[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
& IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3344

```
Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Sym
bol] := Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x])/(b*n*(p + 1))
, x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
Cos[c + d*x], x], x] + Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
p + 1)*Sin[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
& IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] := Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rule 3346

```
Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_.))^(p_), x_Sym
bol] := Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{(a+bx^3)^3} dx &= -\frac{\sin(c+dx)}{6bx^2(a+bx^3)^2} - \frac{\int \frac{\sin(c+dx)}{x^3(a+bx^3)^2} dx}{3b} + \frac{d \int \frac{\cos(c+dx)}{x^2(a+bx^3)^2} dx}{6b} \\
&= -\frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} - \frac{\sin(c+dx)}{6bx^2(a+bx^3)^2} + \frac{\sin(c+dx)}{9b^2x^5(a+bx^3)} + \frac{5 \int \frac{\sin(c+dx)}{x^6(a+bx^3)} dx}{9b^2} - \frac{d \int \frac{\cos(c+dx)}{x^5(a+bx^3)} dx}{9b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} - \frac{\sin(c+dx)}{6bx^2(a+bx^3)^2} + \frac{\sin(c+dx)}{9b^2x^5(a+bx^3)} + \frac{5 \int \left(\frac{\sin(c+dx)}{ax^6} - \frac{b \sin(c+dx)}{a^2x^3} + \frac{b^2 \sin(c+dx)}{a^2} \right) dx}{9b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} - \frac{\sin(c+dx)}{6bx^2(a+bx^3)^2} + \frac{\sin(c+dx)}{9b^2x^5(a+bx^3)} + \frac{5 \int \frac{\sin(c+dx)}{a+bx^3} dx}{9a^2} + \frac{5 \int \frac{\sin(c+dx)}{x^6} dx}{9ab^2} \\
&= \frac{d \cos(c+dx)}{12ab^2x^4} - \frac{d \cos(c+dx)}{3a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} - \frac{\sin(c+dx)}{9ab^2x^5} + \frac{d^2 \sin(c+dx)}{54ab^2x^3} + \frac{5 \sin(c+dx)}{18ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^4} + \frac{d^3 \cos(c+dx)}{108ab^2x^2} - \frac{d \cos(c+dx)}{18a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} + \frac{d^2 \text{Ci}(dx) \sin(c)}{18a^2b} - \frac{5 \sin(c)}{18ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^4} - \frac{d^3 \cos(c+dx)}{216ab^2x^2} - \frac{d \cos(c+dx)}{18a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} - \frac{5d^2 \text{Ci}(dx) \sin(c)}{18a^2b} - \frac{5 \sin(c)}{18ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^4} - \frac{d \cos(c+dx)}{18a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} + \frac{(-1)^{2/3} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}b^{2/3}} \\
&= \frac{d \cos(c+dx)}{18ab^2x^4} - \frac{d \cos(c+dx)}{18a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} + \frac{d^5 \cos(c) \text{Ci}(dx)}{108ab^2} + \frac{(-1)^{2/3} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}b^{2/3}} \\
&= \frac{d \cos(c+dx)}{18ab^2x^4} - \frac{d \cos(c+dx)}{18a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} - \frac{d^5 \cos(c) \text{Ci}(dx)}{216ab^2} + \frac{(-1)^{2/3} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}b^{2/3}} \\
&= \frac{d \cos(c+dx)}{18ab^2x^4} - \frac{d \cos(c+dx)}{18a^2bx} - \frac{d \cos(c+dx)}{18b^2x^4(a+bx^3)} + \frac{(-1)^{2/3} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{9a^{7/3}b^{2/3}}
\end{aligned}$$

Mathematica [C] time = 0.43, size = 675, normalized size = 0.58

$i\text{RootSum}\left[\#1^3b+a\&, \frac{-i\#1^2d^2 \sin(\#1d+c)\text{Ci}(d(x-\#1))+\#1^2d^2 \cos(\#1d+c)\text{Ci}(d(x-\#1))-\#1^2d^2 \sin(\#1d+c)\text{Si}(d(x-\#1))-i\#1^2d^2 \cos(\#1d+c)\text{Si}(d(x-\#1))-6\#1d \sin(\#1d+c)\text{Ci}(d(x-\#1))}{9a^{7/3}b^{2/3}}\right]$

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(a + b*x^3)^3, x]

[Out] (((-1)*RootSum[a + b*#1^3 &, (-10*Cos[c + d*#1]*CosIntegral[d*(x - #1)] + (10*I)*CosIntegral[d*(x - #1)]*Sin[c + d*#1] + (10*I)*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*Cos[c + d*#1]])/9a^{7/3}b^{2/3})

```

gral[d*(x - #1)] + 10*Sin[c + d*#1]*SinIntegral[d*(x - #1)] - (6*I)*d*Cos[c
+ d*#1]*CosIntegral[d*(x - #1)]*#1 - 6*d*CosIntegral[d*(x - #1)]*Sin[c + d
*#1]*#1 - 6*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 + (6*I)*d*Sin[c + d
*#1]*SinIntegral[d*(x - #1)]*#1 + d^2*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*
#1^2 - I*d^2*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1^2 - I*d^2*Cos[c + d*#
1]*SinIntegral[d*(x - #1)]*#1^2 - d^2*Sin[c + d*#1]*SinIntegral[d*(x - #1)]
*#1^2)/#1^2 & ])/b + (I*RootSum[a + b*#1^3 & , (-10*Cos[c + d*#1]*CosIntegr
al[d*(x - #1)] - (10*I)*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - (10*I)*Cos[
c + d*#1]*SinIntegral[d*(x - #1)] + 10*Sin[c + d*#1]*SinIntegral[d*(x - #1)
] + (6*I)*d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - 6*d*CosIntegral[d*(x
- #1)]*Sin[c + d*#1]*#1 - 6*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - (
6*I)*d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1 + d^2*Cos[c + d*#1]*CosInte
gral[d*(x - #1)]*#1^2 + I*d^2*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1^2 +
I*d^2*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1^2 - d^2*Sin[c + d*#1]*SinInt
egral[d*(x - #1)]*#1^2)/#1^2 & ])/b - (6*x*Cos[d*x]*(d*x*(a + b*x^3)*Cos[c]
- (8*a + 5*b*x^3)*Sin[c]))/(a + b*x^3)^2 + (6*x*((8*a + 5*b*x^3)*Cos[c] +
d*x*(a + b*x^3)*Sin[c])*Sin[d*x])/(a + b*x^3)^2)/(108*a^2)

```

fricas [C] time = 0.96, size = 1223, normalized size = 1.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a)^3,x, algorithm="fricas")

```

[Out] 1/108*((-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3 + (3*b^3*x^6 + 6*a
*b^2*x^3 + 3*a^2*b + sqrt(3)*(-3*I*b^3*x^6 - 6*I*a*b^2*x^3 - 3*I*a^2*b))*(I
*a*d^3/b)^(2/3) + (5*b^3*x^6 + 10*a*b^2*x^3 + 5*a^2*b + sqrt(3)*(5*I*b^3*x^
6 + 10*I*a*b^2*x^3 + 5*I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^
3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c
) + (I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3 + (3*b^3*x^6 + 6*a*b^2
*x^3 + 3*a^2*b + sqrt(3)*(-3*I*b^3*x^6 - 6*I*a*b^2*x^3 - 3*I*a^2*b))*(I*a*
d^3/b)^(2/3) + (5*b^3*x^6 + 10*a*b^2*x^3 + 5*a^2*b + sqrt(3)*(5*I*b^3*x^6 +
10*I*a*b^2*x^3 + 5*I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/
b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c)
+ (-I*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3 + (3*b^3*x^6 + 6*a*b^2
*x^3 + 3*a^2*b + sqrt(3)*(3*I*b^3*x^6 + 6*I*a*b^2*x^3 + 3*I*a^2*b))*(I*a*d^
3/b)^(2/3) + (5*b^3*x^6 + 10*a*b^2*x^3 + 5*a^2*b + sqrt(3)*(-5*I*b^3*x^6 -
10*I*a*b^2*x^3 - 5*I*a^2*b))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)
^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) +
(I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3 + (3*b^3*x^6 + 6*a*b^2*x^3
+ 3*a^2*b + sqrt(3)*(3*I*b^3*x^6 + 6*I*a*b^2*x^3 + 3*I*a^2*b))*(-I*a*d^3/b
)^(2/3) + (5*b^3*x^6 + 10*a*b^2*x^3 + 5*a^2*b + sqrt(3)*(-5*I*b^3*x^6 - 10*
I*a*b^2*x^3 - 5*I*a^2*b))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(
1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) + (
I*a*b^2*d^3*x^6 + 2*I*a^2*b*d^3*x^3 + I*a^3*d^3 - 6*(b^3*x^6 + 2*a*b^2*x^3
+ a^2*b))*(-I*a*d^3/b)^(2/3) - 10*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b))*(-I*a*d^3/
b)^(1/3))*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) + (-I
*a*b^2*d^3*x^6 - 2*I*a^2*b*d^3*x^3 - I*a^3*d^3 - 6*(b^3*x^6 + 2*a*b^2*x^3 +
a^2*b))*(I*a*d^3/b)^(2/3) - 10*(b^3*x^6 + 2*a*b^2*x^3 + a^2*b)*(I*a*d^3/b)^(
1/3))*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)) - 6*(a*b
^2*d^2*x^5 + a^2*b*d^2*x^2)*cos(d*x + c) + 6*(5*a*b^2*d*x^4 + 8*a^2*b*d*x)*
sin(d*x + c))/(a^3*b^3*d*x^6 + 2*a^4*b^2*d*x^3 + a^5*b*d)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a)^3,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/(b*x^3 + a)^3, x)

maple [C] time = 0.06, size = 392, normalized size = 0.34

$$d^8 \left(\frac{\sin(dx+c) \left(5(dx+c)^4 b - 20c(dx+c)^3 b + 30c^2(dx+c)^2 b + 8(dx+c) a d^3 - 20(dx+c) b c^3 - 8ac d^3 + \dots \right)}{18a^2 d^6 \left((dx+c)^3 b - 3c(dx+c)^2 b + 3(dx+c) b c^2 + a d^3 - b c^3 \right)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(b*x^3+a)^3,x)

[Out] d^8*(1/18*sin(d*x+c)*(5*(d*x+c)^4*b-20*c*(d*x+c)^3*b+30*c^2*(d*x+c)^2*b+8*(d*x+c)*a*d^3-20*(d*x+c)*b*c^3-8*a*c*d^3+5*b*c^4)/a^2/d^6/((d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)^2-1/18*cos(d*x+c)*((d*x+c)^2-2*(d*x+c)*c+c^2)/a^2/d^6/((d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)-1/54/a^2/d^6/b*sum((R1^2-2*R1*c+c^2-10)/(R1^2-2*R1*c+c^2)*(-Si(-d*x+R1-c)*cos(R1)+Ci(d*x-R1+c)*sin(R1)), R1=RootOf(Z^3*b-3*Z^2*b*c+3*Z*b*c^2+a*d^3-b*c^3))-1/9/a^2/d^6/b*sum(1/(RR1-c)*(Si(-d*x+RR1-c)*sin(RR1)+Ci(d*x-RR1+c)*cos(RR1)), RR1=RootOf(Z^3*b-3*Z^2*b*c+3*Z*b*c^2+a*d^3-b*c^3)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x^3+a)^3,x, algorithm="maxima")

[Out] integrate(sin(d*x + c)/(b*x^3 + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{(bx^3+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(c+d*x)/(a+b*x^3)^3,x)

[Out] int(sin(c+d*x)/(a+b*x^3)^3,x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(b*x**3+a)**3,x)

[Out] Timed out

3.113 $\int \frac{\sin(c+dx)}{x(a+bx^3)^3} dx$

Optimal. Leaf size=1163

$$\frac{\operatorname{Ci}\left(xd + \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) \sin\left(c - \frac{\sqrt[3]{ad}}{\sqrt[3]{b}}\right) d^2}{54a^{7/3}b^{2/3}} + \frac{(-1)^{2/3} \operatorname{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}} - dx\right) \sin\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) d^2}{54a^{7/3}b^{2/3}} - \frac{\sqrt[3]{-1} \operatorname{Ci}\left(xd + \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \sin\left(c - \frac{(-1)^{2/3} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) d^2}{54a^{7/3}b^{2/3}}$$

[Out] $-1/6*\sin(d*x+c)/a/b^2/x^6+1/3*\sin(d*x+c)/a^2/b/x^3-1/6*\sin(d*x+c)/b/x^3/(b*x^3+a)^2+1/6*\sin(d*x+c)/b^2/x^6/(b*x^3+a)-4/27*d*\operatorname{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\cos(c-a^{1/3}*d/b^{1/3})/a^{8/3}/b^{1/3}+1/18*d*\cos(d*x+c)/a/b^2/x^5-1/18*d*\cos(d*x+c)/a^2/b/x^2-1/18*d*\cos(d*x+c)/b^2/x^5/(b*x^3+a)+1/54*d^2*\cos(c-a^{1/3}*d/b^{1/3})*\operatorname{Si}(a^{1/3}*d/b^{1/3}+d*x)/a^{7/3}/b^{2/3}+1/54*d^2*\operatorname{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{7/3}/b^{2/3}+4/27*d*\operatorname{Si}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^{8/3}/b^{1/3}-1/3*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})*\operatorname{Si}(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)/a^3-4/27*(-1)^{1/3}*d*\operatorname{Si}(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{8/3}/b^{1/3}+1/54*(-1)^{2/3}*d^2*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})*\operatorname{Si}(-(-1)^{1/3}*a^{1/3}*d/b^{1/3}+d*x)/a^{7/3}/b^{2/3}+1/54*(-1)^{2/3}*d^2*\operatorname{Ci}((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{7/3}/b^{2/3}-1/54*(-1)^{1/3}*d^2*\operatorname{Ci}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{7/3}/b^{2/3}+4/27*(-1)^{2/3}*d*\operatorname{Si}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{8/3}/b^{1/3}+4/27*(-1)^{1/3}*d*\operatorname{Ci}((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\cos(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^{8/3}/b^{1/3}-4/27*(-1)^{2/3}*d*\operatorname{Ci}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^{8/3}/b^{1/3}-1/54*(-1)^{1/3}*d^2*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})*\operatorname{Si}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)/a^{7/3}/b^{2/3}-1/3*\cos(c-a^{1/3}*d/b^{1/3})*\operatorname{Si}(a^{1/3}*d/b^{1/3}+d*x)/a^3-1/3*\cos(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})*\operatorname{Si}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)/a^3-1/3*\operatorname{Ci}(a^{1/3}*d/b^{1/3}+d*x)*\sin(c-a^{1/3}*d/b^{1/3})/a^3-1/3*\operatorname{Ci}((-1)^{1/3}*a^{1/3}*d/b^{1/3}-d*x)*\sin(c+(-1)^{1/3}*a^{1/3}*d/b^{1/3})/a^3-1/3*\operatorname{Ci}((-1)^{2/3}*a^{1/3}*d/b^{1/3}+d*x)*\sin(c-(-1)^{2/3}*a^{1/3}*d/b^{1/3})/a^3+\cos(c)*\operatorname{Si}(d*x)/a^3+\operatorname{Ci}(d*x)*\sin(c)/a^3$

Rubi [A] time = 3.89, antiderivative size = 1163, normalized size of antiderivative = 1.00, number of steps used = 110, number of rules used = 9, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.474$, Rules used = {3343, 3345, 3297, 3303, 3299, 3302, 3346, 3334, 3344}

result too large to display

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[c + d*x]/(x*(a + b*x^3)^3), x]$

[Out] $(d*\operatorname{Cos}[c + d*x])/(18*a*b^2*x^5) - (d*\operatorname{Cos}[c + d*x])/(18*a^2*b*x^2) - (d*\operatorname{Cos}[c + d*x])/(18*b^2*x^5*(a + b*x^3)) + (4*(-1)^{1/3}*d*\operatorname{Cos}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{CosIntegral}[\frac{((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x}{27*a^{8/3}*b^{1/3}}] - (4*d*\operatorname{Cos}[c - (a^{1/3}*d)/b^{1/3}])* \operatorname{CosIntegral}[\frac{(a^{1/3}*d)/b^{1/3} + d*x}{27*a^{8/3}*b^{1/3}}] - (4*(-1)^{2/3}*d*\operatorname{Cos}[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])* \operatorname{CosIntegral}[\frac{((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x}{27*a^{8/3}*b^{1/3}}] + (\operatorname{CosIntegral}[d*x]*\operatorname{Sin}[c])/a^3 - (\operatorname{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]*\operatorname{Sin}[c - (a^{1/3}*d)/b^{1/3}])/(3*a^3) + (d^2*\operatorname{CosIntegral}[(a^{1/3}*d)/b^{1/3} + d*x]*\operatorname{Sin}[c - (a^{1/3}*d)/b^{1/3}])/(54*a^{7/3}*b^{2/3}) - (\operatorname{CosIntegral}[\frac{((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x}{27*a^{8/3}*b^{1/3}}]*\operatorname{Sin}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])/(3*a^3) + ((-1)^{2/3}*d^2*\operatorname{CosIntegral}[\frac{((-1)^{1/3}*a^{1/3}*d)/b^{1/3} - d*x}{27*a^{8/3}*b^{1/3}}]*\operatorname{Sin}[c + ((-1)^{1/3}*a^{1/3}*d)/b^{1/3}])/(54*a^{7/3}*b^{2/3}) - (\operatorname{CosIntegral}[\frac{((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x}{27*a^{8/3}*b^{1/3}}]*\operatorname{Sin}[c - ((-1)^{2/3}*a^{1/3}*d)/b^{1/3}])/(3*a^3) - ((-1)^{1/3}*d^2*\operatorname{CosIntegral}[\frac{((-1)^{2/3}*a^{1/3}*d)/b^{1/3} + d*x}{27*a^{8/3}*b^{1/3}}])/(3*a^3)$

$$\begin{aligned} &) * a^{(1/3)} * d / b^{(1/3)} + d * x] * \sin[c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] / (54 * a^{(7/3)} * b^{(2/3)}) - \sin[c + d * x] / (6 * a * b^2 * x^6) + \sin[c + d * x] / (3 * a^2 * b * x^3) - \\ & \sin[c + d * x] / (6 * b * x^3 * (a + b * x^3)^2) + \sin[c + d * x] / (6 * b^2 * x^6 * (a + b * x^3)) \\ & + (\cos[c] * \text{SinIntegral}[d * x]) / a^3 + (\cos[c + ((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)}] \\ & * \text{SinIntegral}[((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)} - d * x]) / (3 * a^3) - ((-1)^{(2/3)} * d \\ & ^2 * \cos[c + ((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral}[((-1)^{(1/3)} * a^{(1/3)} * \\ & d) / b^{(1/3)} - d * x]) / (54 * a^{(7/3)} * b^{(2/3)}) + (4 * (-1)^{(1/3)} * d * \sin[c + ((-1)^{(1/3)} * \\ & a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral}[((-1)^{(1/3)} * a^{(1/3)} * d) / b^{(1/3)} - d * x]) / (\\ & 27 * a^{(8/3)} * b^{(1/3)}) - (\cos[c - (a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral}[(a^{(1/3)} * d) \\ & / b^{(1/3)} + d * x]) / (3 * a^3) + (d^2 * \cos[c - (a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral}[(a \\ & ^{(1/3)} * d) / b^{(1/3)} + d * x]) / (54 * a^{(7/3)} * b^{(2/3)}) + (4 * d * \sin[c - (a^{(1/3)} * d) / b \\ & ^{(1/3)}] * \text{SinIntegral}[(a^{(1/3)} * d) / b^{(1/3)} + d * x]) / (27 * a^{(8/3)} * b^{(1/3)}) - (\cos \\ & [c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral}[((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} \\ & + d * x]) / (3 * a^3) - ((-1)^{(1/3)} * d^2 * \cos[c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] \\ & * \text{SinIntegral}[((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} + d * x]) / (54 * a^{(7/3)} * b^{(2/3)}) \\ & + (4 * (-1)^{(2/3)} * d * \sin[c - ((-1)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)}] * \text{SinIntegral}[((-1) \\ &)^{(2/3)} * a^{(1/3)} * d) / b^{(1/3)} + d * x]) / (27 * a^{(8/3)} * b^{(1/3)}) \end{aligned}$$
Rule 3297

$$\text{Int}[(c + d * x)^m * \sin[e + f * x], x_Symbol] \rightarrow \text{Simp}[(c + d * x)^{m+1} * \sin[e + f * x] / (d * (m + 1)), x] - \text{Dist}[f / (d * (m + 1)), \text{Int}[(c + d * x)^{m+1} * \cos[e + f * x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{LtQ}[m, -1]$$
Rule 3299

$$\text{Int}[\sin[e + f * x] / (c + d * x), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f * x] / d, x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{EqQ}[d * e - c * f, 0]$$
Rule 3302

$$\text{Int}[\sin[e + f * x] / (c + d * x), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \pi/2 + f * x] / d, x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{EqQ}[d * (e - \pi/2) - c * f, 0]$$
Rule 3303

$$\text{Int}[\sin[e + f * x] / (c + d * x), x_Symbol] \rightarrow \text{Dist}[\cos[(d * e - c * f) / d], \text{Int}[\sin[(c * f) / d + f * x] / (c + d * x), x], x] + \text{Dist}[\sin[(d * e - c * f) / d], \text{Int}[\cos[(c * f) / d + f * x] / (c + d * x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x \&\& \text{NeQ}[d * e - c * f, 0]$$
Rule 3334

$$\text{Int}[\cos[(c + d * x)^m * (a + b * x^n)^p], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\cos[c + d * x], (a + b * x^n)^p, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[n, 0] \&\& (\text{EqQ}[n, 2] \parallel \text{EqQ}[p, -1])$$
Rule 3343

$$\text{Int}[(x + a + b * x^n)^m * \sin[c + d * x], x_Symbol] \rightarrow \text{Simp}[(x + a + b * x^n)^{m-n+1} * (a + b * x^n)^{p+1} * \sin[c + d * x] / (b * n * (p + 1)), x] + (-\text{Dist}[(m - n + 1) / (b * n * (p + 1)), \text{Int}[x^{m-n} * (a + b * x^n)^{p+1} * \sin[c + d * x], x], x] - \text{Dist}[d / (b * n * (p + 1)), \text{Int}[x^{m-n+1} * (a + b * x^n)^{p+1} * \cos[c + d * x], x], x]) /; \text{FreeQ}\{a, b, c, d, m\}, x \&\& \text{ILtQ}[p, -1] \&\& \text{IGtQ}[n, 0] \&\& (\text{GtQ}[m - n + 1, 0] \parallel \text{GtQ}[n, 2]) \&\& \text{RationalQ}[m]$$
Rule 3344

```

Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Sym
bol] :> Simp[(x^(m - n + 1)*(a + b*x^n)^(p + 1)*Cos[c + d*x])/(b*n*(p + 1))
, x] + (-Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*(a + b*x^n)^(p + 1)*
Cos[c + d*x], x], x] + Dist[d/(b*n*(p + 1)), Int[x^(m - n + 1)*(a + b*x^n)^(
p + 1)*Sin[c + d*x], x], x]) /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, -1] &
& IGtQ[n, 0] && (GtQ[m - n + 1, 0] || GtQ[n, 2]) && RationalQ[m]

```

Rule 3345

```

Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Sym
bol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]

```

Rule 3346

```

Int[Cos[(c_.) + (d_.)*(x_)]*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Sym
bol] :> Int[ExpandIntegrand[Cos[c + d*x], x^m*(a + b*x^n)^p, x], x] /; Free
Q[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -
1]) && IntegerQ[m]

```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{x(a+bx^3)^3} dx &= -\frac{\sin(c+dx)}{6bx^3(a+bx^3)^2} - \frac{\int \frac{\sin(c+dx)}{x^4(a+bx^3)^2} dx}{2b} + \frac{d \int \frac{\cos(c+dx)}{x^3(a+bx^3)^2} dx}{6b} \\
&= -\frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} - \frac{\sin(c+dx)}{6bx^3(a+bx^3)^2} + \frac{\sin(c+dx)}{6b^2x^6(a+bx^3)} + \frac{\int \frac{\sin(c+dx)}{x^7(a+bx^3)} dx}{b^2} - \frac{d \int \frac{\cos(c+dx)}{x^6(a+bx^3)} dx}{6b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} - \frac{\sin(c+dx)}{6bx^3(a+bx^3)^2} + \frac{\sin(c+dx)}{6b^2x^6(a+bx^3)} + \frac{\int \left(\frac{\sin(c+dx)}{ax^7} - \frac{b \sin(c+dx)}{a^2x^4} + \frac{b^2 \sin(c+dx)}{a^3} \right) dx}{b^2} \\
&= -\frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} - \frac{\sin(c+dx)}{6bx^3(a+bx^3)^2} + \frac{\sin(c+dx)}{6b^2x^6(a+bx^3)} + \frac{\int \frac{\sin(c+dx)}{x} dx}{a^3} + \frac{\int \frac{\sin(c+dx)}{x^7} dx}{ab^2} \\
&= \frac{4d \cos(c+dx)}{45ab^2x^5} - \frac{2d \cos(c+dx)}{9a^2bx^2} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} - \frac{\sin(c+dx)}{6ab^2x^6} + \frac{d^2 \sin(c+dx)}{72ab^2x^4} + \frac{\sin(c+dx)}{ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} + \frac{d^3 \cos(c+dx)}{216ab^2x^3} - \frac{d \cos(c+dx)}{18a^2bx^2} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} + \frac{\text{Ci}(dx) \sin(c)}{a^3} - \frac{\sin(c)}{ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} - \frac{d^3 \cos(c+dx)}{360ab^2x^3} - \frac{d \cos(c+dx)}{18a^2bx^2} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} + \frac{d^3 \cos(c) \text{Ci}(dx)}{18a^2b} + \frac{\sin(c)}{ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} - \frac{d \cos(c+dx)}{18a^2bx^2} - \frac{d^5 \cos(c+dx)}{432ab^2x} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} - \frac{d^3 \cos(c) \text{Ci}(dx)}{6a^2b} + \frac{\sin(c)}{ab^2} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} - \frac{d \cos(c+dx)}{18a^2bx^2} + \frac{d^5 \cos(c+dx)}{720ab^2x} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} + \frac{4\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} d}{2}\right)}{27a^{8/3}\sqrt[3]{b}} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} - \frac{d \cos(c+dx)}{18a^2bx^2} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} + \frac{4\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{27a^{8/3}\sqrt[3]{b}} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} - \frac{d \cos(c+dx)}{18a^2bx^2} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} + \frac{4\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{27a^{8/3}\sqrt[3]{b}} \\
&= \frac{d \cos(c+dx)}{18ab^2x^5} - \frac{d \cos(c+dx)}{18a^2bx^2} - \frac{d \cos(c+dx)}{18b^2x^5(a+bx^3)} + \frac{4\sqrt[3]{-1} d \cos\left(c + \frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} \sqrt[3]{ad}}{\sqrt[3]{b}}\right)}{27a^{8/3}\sqrt[3]{b}}
\end{aligned}$$

Mathematica [C] time = 1.15, size = 2109, normalized size = 1.81

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sin[c + d*x]/(x*(a + b*x^3)^3), x]

```
[Out] (-6*a^2*b*d*x*Cos[c + d*x] - 6*a*b^2*d*x^4*Cos[c + d*x] - (18*I)*b*(a + b*x
^3)^2*RootSum[a + b*#1^3 & , Cos[c + d*#1]*CosIntegral[d*(x - #1)] - I*CosI
ntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegral[d*(x - #1)]
- Sin[c + d*#1]*SinIntegral[d*(x - #1)] & ] + (18*I)*b*(a + b*x^3)^2*RootS
um[a + b*#1^3 & , Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(
x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c +
d*#1]*SinIntegral[d*(x - #1)] & ] - 6*a^3*d*RootSum[a + b*#1^3 & , (Cos[c +
d*#1]*CosIntegral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] -
I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x -
#1))]/#1^2 & ] - 12*a^2*b*d*x^3*RootSum[a + b*#1^3 & , (Cos[c + d*#1]*CosIn
tegral[d*(x - #1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*
#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 &
] - 6*a*b^2*d*x^6*RootSum[a + b*#1^3 & , (Cos[c + d*#1]*CosIntegral[d*(x -
#1)] - I*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - I*Cos[c + d*#1]*SinIntegr
al[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 & ] - 6*a^3*d*
RootSum[a + b*#1^3 & , (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegr
al[d*(x - #1)]*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Si
n[c + d*#1]*SinIntegral[d*(x - #1)])/#1^2 & ] - 12*a^2*b*d*x^3*RootSum[a +
b*#1^3 & , (Cos[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #1)
])*Sin[c + d*#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*
SinIntegral[d*(x - #1)])/#1^2 & ] - 6*a*b^2*d*x^6*RootSum[a + b*#1^3 & , (C
os[c + d*#1]*CosIntegral[d*(x - #1)] + I*CosIntegral[d*(x - #1)]*Sin[c + d*
#1] + I*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - Sin[c + d*#1]*SinIntegral[d
*(x - #1)])/#1^2 & ] - I*a^3*d*RootSum[a + b*#1^3 & , ((-2*I)*Cos[c + d*#1]
*CosIntegral[d*(x - #1)] - 2*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 2*Cos[
c + d*#1]*SinIntegral[d*(x - #1)] + (2*I)*Sin[c + d*#1]*SinIntegral[d*(x -
#1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x -
#1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Si
n[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 & ] - (2*I)*a^2*b*d*x^3*RootSu
m[a + b*#1^3 & , ((-2*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 2*CosInteg
ral[d*(x - #1)]*Sin[c + d*#1] - 2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] + (
2*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*
(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 - I*d*Cos[c + d
*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#
1)/#1^2 & ] - I*a*b^2*d*x^6*RootSum[a + b*#1^3 & , ((-2*I)*Cos[c + d*#1]*Co
sIntegral[d*(x - #1)] - 2*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 2*Cos[c +
d*#1]*SinIntegral[d*(x - #1)] + (2*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)
] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 - I*d*CosIntegral[d*(x - #1)
]*Sin[c + d*#1]*#1 - I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[
c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 & ] + I*a^3*d*RootSum[a + b*#1^3
& , ((2*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 2*CosIntegral[d*(x - #1)
])*Sin[c + d*#1] - 2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - (2*I)*Sin[c + d
*#1]*SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 +
I*d*CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 + I*d*Cos[c + d*#1]*SinIntegr
al[d*(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 & ] +
(2*I)*a^2*b*d*x^3*RootSum[a + b*#1^3 & , ((2*I)*Cos[c + d*#1]*CosIntegral[d
*(x - #1)] - 2*CosIntegral[d*(x - #1)]*Sin[c + d*#1] - 2*Cos[c + d*#1]*SinI
ntegral[d*(x - #1)] - (2*I)*Sin[c + d*#1]*SinIntegral[d*(x - #1)] + d*Cos[
c + d*#1]*CosIntegral[d*(x - #1)]*#1 + I*d*CosIntegral[d*(x - #1)]*Sin[c + d
*#1]*#1 + I*d*Cos[c + d*#1]*SinIntegral[d*(x - #1)]*#1 - d*Sin[c + d*#1]*Si
nIntegral[d*(x - #1)]*#1)/#1^2 & ] + I*a*b^2*d*x^6*RootSum[a + b*#1^3 & , (
(2*I)*Cos[c + d*#1]*CosIntegral[d*(x - #1)] - 2*CosIntegral[d*(x - #1)]*Sin
[c + d*#1] - 2*Cos[c + d*#1]*SinIntegral[d*(x - #1)] - (2*I)*Sin[c + d*#1]*
SinIntegral[d*(x - #1)] + d*Cos[c + d*#1]*CosIntegral[d*(x - #1)]*#1 + I*d*
CosIntegral[d*(x - #1)]*Sin[c + d*#1]*#1 + I*d*Cos[c + d*#1]*SinIntegral[d*
(x - #1)]*#1 - d*Sin[c + d*#1]*SinIntegral[d*(x - #1)]*#1)/#1^2 & ] + 108*a
^2*b*CosIntegral[d*x]*Sin[c] + 216*a*b^2*x^3*CosIntegral[d*x]*Sin[c] + 108*
b^3*x^6*CosIntegral[d*x]*Sin[c] + 54*a^2*b*Sin[c + d*x] + 36*a*b^2*x^3*Sin[
c + d*x] + 108*a^2*b*Cos[c]*SinIntegral[d*x] + 216*a*b^2*x^3*Cos[c]*SinInte
```

gral[d*x] + 108*b^3*x^6*Cos[c]*SinIntegral[d*x])/(108*a^3*b*(a + b*x^3)^2)
fricas [C] time = 1.14, size = 1117, normalized size = 0.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a)^3,x, algorithm="fricas")

[Out] 1/216*((-36*I*b^2*x^6 - 72*I*a*b*x^3 - 36*I*a^2 + (I*b^2*x^6 + 2*I*a*b*x^3 + I*a^2 + sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(I*a*d^3/b)^(2/3) + (8*I*b^2*x^6 + 16*I*a*b*x^3 + 8*I*a^2 - 8*sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) - I*c) + (36*I*b^2*x^6 + 72*I*a*b*x^3 + 36*I*a^2 + (-I*b^2*x^6 - 2*I*a*b*x^3 - I*a^2 - sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(-I*a*d^3/b)^(2/3) + (-8*I*b^2*x^6 - 16*I*a*b*x^3 - 8*I*a^2 + 8*sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) + 1) + I*c) + (-36*I*b^2*x^6 - 72*I*a*b*x^3 - 36*I*a^2 + (I*b^2*x^6 + 2*I*a*b*x^3 + I*a^2 - sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(I*a*d^3/b)^(2/3) + (8*I*b^2*x^6 + 16*I*a*b*x^3 + 8*I*a^2 + 8*sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + 1/2*(I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) - I*c) + (36*I*b^2*x^6 + 72*I*a*b*x^3 + 36*I*a^2 + (-I*b^2*x^6 - 2*I*a*b*x^3 - I*a^2 + sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(-I*a*d^3/b)^(2/3) + (-8*I*b^2*x^6 - 16*I*a*b*x^3 - 8*I*a^2 - 8*sqrt(3)*(b^2*x^6 + 2*a*b*x^3 + a^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + 1/2*(-I*a*d^3/b)^(1/3)*(I*sqrt(3) - 1))*e^(1/2*(-I*a*d^3/b)^(1/3)*(-I*sqrt(3) + 1) + I*c) + (-108*I*b^2*x^6 - 216*I*a*b*x^3 - 108*I*a^2)*Ei(I*d*x)*e^(I*c) + (108*I*b^2*x^6 + 216*I*a*b*x^3 + 108*I*a^2)*Ei(-I*d*x)*e^(-I*c) + (36*I*b^2*x^6 + 72*I*a*b*x^3 + 36*I*a^2 + (2*I*b^2*x^6 + 4*I*a*b*x^3 + 2*I*a^2))*(-I*a*d^3/b)^(2/3) + (16*I*b^2*x^6 + 32*I*a*b*x^3 + 16*I*a^2))*(-I*a*d^3/b)^(1/3))*Ei(I*d*x + (-I*a*d^3/b)^(1/3))*e^(I*c - (-I*a*d^3/b)^(1/3)) + (-36*I*b^2*x^6 - 72*I*a*b*x^3 - 36*I*a^2 + (-2*I*b^2*x^6 - 4*I*a*b*x^3 - 2*I*a^2))*(I*a*d^3/b)^(2/3) + (-16*I*b^2*x^6 - 32*I*a*b*x^3 - 16*I*a^2))*(I*a*d^3/b)^(1/3))*Ei(-I*d*x + (I*a*d^3/b)^(1/3))*e^(-I*c - (I*a*d^3/b)^(1/3)) - 12*(a*b*d*x^4 + a^2*d*x)*cos(d*x + c) + 36*(2*a*b*x^3 + 3*a^2)*sin(d*x + c))/(a^3*b^2*x^6 + 2*a^4*b*x^3 + a^5)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/x/(b*x^3+a)^3,x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((b*x^3 + a)^3*x), x)

maple [C] time = 0.09, size = 363, normalized size = 0.31

$$\frac{\sin(dx+c)d^3(2(dx+c)^3b-6c(dx+c)^2b+6(dx+c)bc^2+3ad^3-2bc^3)}{6a^2((dx+c)^3b-3c(dx+c)^2b+3(dx+c)bc^2+ad^3-bc^3)^2} - \frac{\cos(dx+c)}{18((dx+c)^3b-3c(dx+c)^2b-3c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/x/(b*x^3+a)^3,x)

```
[Out] 1/6*sin(d*x+c)*d^3*(2*(d*x+c)^3*b-6*c*(d*x+c)^2*b+6*(d*x+c)*b*c^2+3*a*d^3-2
*b*c^3)/a^2/((d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3)^2-1/1
8*cos(d*x+c)*d^4*x/((d*x+c)^3*b-3*c*(d*x+c)^2*b+3*(d*x+c)*b*c^2+a*d^3-b*c^3
)/a^2+1/a^3*(Si(d*x)*cos(c)+Ci(d*x)*sin(c))-1/54/b/a^3*sum((a*d^3+18*_R1*b-
18*b*c)/(_R1-c)*(-Si(-d*x+_R1-c)*cos(_R1)+Ci(d*x-_R1+c)*sin(_R1)),_R1=Root0
f(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))-4/27*d^3/a^2/b*sum(1/(_RR1^2-2
*_RR1*c+c^2)*(Si(-d*x+_RR1-c)*sin(_RR1)+Ci(d*x-_RR1+c)*cos(_RR1)),_RR1=Root
Of(_Z^3*b-3*_Z^2*b*c+3*_Z*b*c^2+a*d^3-b*c^3))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(dx+c)}{(bx^3+a)^3 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x^3+a)^3,x, algorithm="maxima")
```

```
[Out] integrate(sin(d*x + c)/((b*x^3 + a)^3*x), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(c+dx)}{x(bx^3+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(c+d*x)/(x*(a+b*x^3)^3),x)
```

```
[Out] int(sin(c+d*x)/(x*(a+b*x^3)^3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(d*x+c)/x/(b*x**3+a)**3,x)
```

```
[Out] Timed out
```


Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
  ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```

```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                 asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                 asinh,acosh,atanh,acoth,asech,acsch
                 ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
                 fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                 gamma,loggamma,digamma,zeta,polylog,LambertW,
                 elliptic_f,elliptic_e,elliptic_pi,exp_polar
                 ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```



```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```

```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```